

# UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Richard S. Lucidi, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 14% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	14%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	30%	
				Endometriosis	3%	Unknown factor	33%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 87 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		17	9	5	1	1	0
Percentage of cancellations before retrieval (%)		1 / 17	2 / 9	3 / 5	0 / 1	0 / 1	
Average number of embryos transferred		1.9	1.7	2.5	3.0	5.0	
Percentage of embryos transferred resulting in implantation (%)		25.0	3 / 10	1 / 3	0 / 3	2 / 5	
Percentage of elective single embryo transfers (eSET) (%)		3 / 15	3 / 6	0 / 2	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 17	2 / 9	1 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)		4 / 17	3 / 9	1 / 5	0 / 1	1 / 1	
Percentage of cycles resulting in twin live births (%)		1 / 17	0 / 9	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)		5 / 17	3 / 9	1 / 5	0 / 1	1 / 1	
Percentage of cycles resulting in pregnancies (%)		6 / 17	3 / 9	2 / 5	0 / 1	1 / 1	
<b>Outcomes per Transfer</b>							
Number of transfers		15	6	2	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 15	2 / 6	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		4 / 15	3 / 6	1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 15	0 / 6	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		5 / 15	3 / 6	1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)		6 / 15	3 / 6	2 / 2	0 / 1	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		15	9	8	1	2	0
Number of transfers		13	7	5	1	1	0
Estimated average number of transfers per retrieval		0.9	1.8	5.0			
Average number of embryos transferred		1.6	1.4	1.4	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		52.4	3 / 10	0 / 7	2 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 13	2 / 7	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		4 / 13	3 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		3 / 13	0 / 7	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		7 / 13	3 / 7	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		8 / 13	3 / 7	0 / 5	1 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>							
		6	1	1	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		4			7		
Number of transfers		4			6		
Average number of embryos transferred		1.5			2.7		
Percentage of embryos transferred resulting in implantation (%)		4 / 6			1 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 4			0 / 6		
Percentage of transfers resulting in singleton live births (%)		2 / 4			0 / 6		
Percentage of transfers resulting in twin live births (%)		1 / 4			0 / 6		
Percentage of transfers resulting in live births (%)		3 / 4			0 / 6		
Percentage of transfers resulting in pregnancies (%)		3 / 4			1 / 6		

CURRENT SERVICES & PROFILE		Current Name: University Center for Advanced Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE THE TALBERT FERTILITY INSTITUTE CARY, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Sameh K. Toma, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	85%	Tubal factor	16%	Uterine factor	13%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	38%	Female factors only	11%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	9%	Female & male factors	21%
				Endometriosis	5%	Unknown factor	8%		

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 416 (includes 10 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		98	40	23	8	1	2
Percentage of cancellations before retrieval (%)		7.1	17.5	17.4	3 / 8	0 / 1	1 / 2
Average number of embryos transferred		2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 2	0 / 2				
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1				
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)		0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)		0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)		0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)		0.0	0.0	0.0	0 / 8	0 / 1	0 / 2
<b>Outcomes per Transfer</b>							
Number of transfers		1	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)		0 / 1	0 / 1				
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		92	35	26	4	2	5
Number of transfers		85	34	24	4	2	5
Estimated average number of transfers per retrieval		1.0	1.3	1.3	1.3	2.0	
Average number of embryos transferred		2.0	2.0	2.1	1.8	1.5	2.2
Percentage of embryos transferred resulting in implantation (%)		44.7	36.9	21.6	1 / 7	0 / 3	2 / 11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.4	20.6	12.5	0 / 4	0 / 2	0 / 5
Percentage of transfers resulting in singleton live births (%)		35.3	20.6	20.8	1 / 4	0 / 2	0 / 5
Percentage of transfers resulting in twin live births (%)		21.2	20.6	8.3	0 / 4	0 / 2	1 / 5
Percentage of transfers resulting in live births (%)		56.5	41.2	29.2	1 / 4	0 / 2	1 / 5
Percentage of transfers resulting in pregnancies (%)		67.1	52.9	37.5	1 / 4	0 / 2	1 / 5
<b>Number of Egg/Embryo Banking Cycles</b>							
		7	3	4	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		28			28		
Number of transfers		16			23		
Average number of embryos transferred		2.1			2.1		
Percentage of embryos transferred resulting in implantation (%)		35.5			37.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 16			21.7		
Percentage of transfers resulting in singleton live births (%)		7 / 16			30.4		
Percentage of transfers resulting in twin live births (%)		2 / 16			17.4		
Percentage of transfers resulting in live births (%)		9 / 16			47.8		
Percentage of transfers resulting in pregnancies (%)		10 / 16			60.9		

CURRENT SERVICES & PROFILE		Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CMC REPRODUCTIVE MEDICINE AND INFERTILITY  
CMC WOMEN'S INSTITUTE  
CHARLOTTE, NORTH CAROLINA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

<b>2014 ART CYCLE PROFILE</b>				Data verified by Bradley S. Hurst, MD				
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>b</sup></b>				
IVF	100%	With ICSI	85%	Tubal factor	17%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 19%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	21%	
				Endometriosis	8%	Unknown factor	9%	

<b>2014 ART SUCCESS RATES<sup>c</sup></b>		Total number of cycles <sup>d</sup> : 498 (includes 26 cycle[s] using frozen eggs)					
<b>Type of Cycle</b>		<b>Age of Woman</b>					
		<b>&lt;35</b>	<b>35–37</b>	<b>38–40</b>	<b>41–42</b>	<b>43–44</b>	<b>&gt;44</b>
<b>Fresh Embryos from Nondonor Eggs</b>							
	Number of cycles	83	39	30	13	2	0
	Percentage of cancellations before retrieval (%)	3.6	15.4	23.3	3 / 13	1 / 2	
	Average number of embryos transferred	1.6	1.8	2.2	2.2	2.0	
	Percentage of embryos transferred resulting in implantation (%)	35.1	30.6	31.3	4.5	0 / 2	
	Percentage of elective single embryo transfers (eSET) (%)	41.0	17.2	0 / 19	0 / 8	0 / 1	
<b>Outcomes per Cycle</b>							
	Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.5	7.7	10.0	1 / 13	0 / 2	
	Percentage of cycles resulting in singleton live births (%)	32.5	15.4	13.3	1 / 13	0 / 2	
	Percentage of cycles resulting in twin live births (%)	2.4	7.7	13.3	0 / 13	0 / 2	
	Percentage of cycles resulting in live births (%)	34.9	23.1	26.7	1 / 13	0 / 2	
	Percentage of cycles resulting in pregnancies (%)	39.8	30.8	33.3	1 / 13	0 / 2	
<b>Outcomes per Transfer</b>							
	Number of transfers	64	30	22	10	1	0
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.6	10.0	13.6	1 / 10	0 / 1	
	Percentage of transfers resulting in singleton live births (%)	42.2	20.0	18.2	1 / 10	0 / 1	
	Percentage of transfers resulting in twin live births (%)	3.1	10.0	18.2	0 / 10	0 / 1	
	Percentage of transfers resulting in live births (%)	45.3	30.0	36.4	1 / 10	0 / 1	
	Percentage of transfers resulting in pregnancies (%)	51.6	40.0	45.5	1 / 10	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>							
	Number of cycles	87	42	39	6	1	0
	Number of transfers	73	37	34	5	1	0
	Estimated average number of transfers per retrieval	1.0	1.4	1.2	0.5	1.0	0.0
	Average number of embryos transferred	1.2	1.3	1.3	1.0	1.0	
	Percentage of embryos transferred resulting in implantation (%)	42.7	41.3	46.2	2 / 2	0 / 1	
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.1	29.7	41.2	1 / 5	0 / 1	
	Percentage of transfers resulting in singleton live births (%)	37.0	40.5	44.1	1 / 5	0 / 1	
	Percentage of transfers resulting in twin live births (%)	1.4	2.7	0.0	0 / 5	0 / 1	
	Percentage of transfers resulting in live births (%)	38.4	43.2	44.1	1 / 5	0 / 1	
	Percentage of transfers resulting in pregnancies (%)	52.1	51.4	58.8	5 / 5	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>		53	20	25	10	1	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
	Number of cycles	3			17		
	Number of transfers	3			14		
	Average number of embryos transferred	1.7			1.5		
	Percentage of embryos transferred resulting in implantation (%)	4 / 5			10 / 17		
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 3			6 / 14		
	Percentage of transfers resulting in singleton live births (%)	2 / 3			7 / 14		
	Percentage of transfers resulting in twin live births (%)	1 / 3			1 / 14		
	Percentage of transfers resulting in live births (%)	3 / 3			8 / 14		
	Percentage of transfers resulting in pregnancies (%)	3 / 3			10 / 14		

<b>CURRENT SERVICES &amp; PROFILE</b>		Current Name: CMC Reproductive Medicine and Infertility, CMC Women's Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## INSTITUTE FOR ASSISTED REPRODUCTION CHARLOTTE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Jack L. Crain, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 7%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	19%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	10%	
				Endometriosis	11%	Unknown factor	13%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,082 (includes 26 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	185	76	61	48	18	6
Percentage of cancellations before retrieval (%)	6.5	11.8	18.0	14.6	5 / 18	2 / 6
Average number of embryos transferred	1.9	1.8	2.1	2.0	2.7	2.5
Percentage of embryos transferred resulting in implantation (%)	42.8	29.7	17.9	7.0	1 / 13	1 / 5
Percentage of elective single embryo transfers (eSET) (%)	3.1	0.0	3.8	0 / 17	0 / 6	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.2	2.6	8.2	0.0	0 / 18	1 / 6
Percentage of cycles resulting in singleton live births (%)	10.3	5.3	9.8	0.0	0 / 18	1 / 6
Percentage of cycles resulting in twin live births (%)	8.1	7.9	1.6	2.1	0 / 18	0 / 6
Percentage of cycles resulting in live births (%)	18.9	13.2	11.5	2.1	0 / 18	1 / 6
Percentage of cycles resulting in pregnancies (%)	22.2	15.8	16.4	4.2	2 / 18	1 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	75	35	29	21	6	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.7	5.7	17.2	0.0	0 / 6	1 / 2
Percentage of transfers resulting in singleton live births (%)	25.3	11.4	20.7	0.0	0 / 6	1 / 2
Percentage of transfers resulting in twin live births (%)	20.0	17.1	3.4	4.8	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	46.7	28.6	24.1	4.8	0 / 6	1 / 2
Percentage of transfers resulting in pregnancies (%)	54.7	34.3	34.5	9.5	2 / 6	1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	210	84	58	23	12	3
Number of transfers	204	83	54	22	10	3
Estimated average number of transfers per retrieval	1.4	1.2	0.9	0.9	0.6	0.4
Average number of embryos transferred	1.6	1.6	1.5	1.8	1.9	1.3
Percentage of embryos transferred resulting in implantation (%)	47.5	40.3	41.9	22.2	6 / 19	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.9	33.7	29.6	18.2	3 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)	35.8	34.9	37.0	18.2	3 / 10	0 / 3
Percentage of transfers resulting in twin live births (%)	12.3	8.4	5.6	4.5	1 / 10	0 / 3
Percentage of transfers resulting in live births (%)	48.5	43.4	42.6	22.7	4 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.8	57.8	57.4	40.9	5 / 10	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	70	36	47	16	14	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		38			45	
Number of transfers		29			43	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		68.9			46.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		41.4			20.9	
Percentage of transfers resulting in singleton live births (%)		51.7			27.9	
Percentage of transfers resulting in twin live births (%)		24.1			16.3	
Percentage of transfers resulting in live births (%)		75.9			44.2	
Percentage of transfers resulting in pregnancies (%)		82.8			58.1	

### CURRENT SERVICES & PROFILE

Current Name: Institute for Assisted Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DUKE FERTILITY CENTER DUKE UNIVERSITY MEDICAL CENTER DURHAM, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Jennifer L. Eaton, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	86%	Tubal factor	8%	Uterine factor	3%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	6%	Male factor	40%	Female factors only	5%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	11%	Female & male factors	10%
				Endometriosis	8%	Unknown factor	23%		

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 307 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		78	24	24	18	4	0
Percentage of cancellations before retrieval (%)		5.1	4.2	20.8	2 / 18	0 / 4	
Average number of embryos transferred		1.7	1.9	2.6	2.9	2.3	
Percentage of embryos transferred resulting in implantation (%)		32.7	21.6	14.6	10.6	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)		28.3	6 / 19	0 / 15	0 / 15	0 / 3	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.8	20.8	4.2	3 / 18	0 / 4	
Percentage of cycles resulting in singleton live births (%)		35.9	20.8	4.2	3 / 18	0 / 4	
Percentage of cycles resulting in twin live births (%)		3.8	4.2	8.3	1 / 18	0 / 4	
Percentage of cycles resulting in live births (%)		39.7	25.0	12.5	4 / 18	0 / 4	
Percentage of cycles resulting in pregnancies (%)		43.6	29.2	20.8	4 / 18	0 / 4	
<b>Outcomes per Transfer</b>							
Number of transfers		66	20	17	16	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.4	25.0	1 / 17	3 / 16	0 / 3	
Percentage of transfers resulting in singleton live births (%)		42.4	25.0	1 / 17	3 / 16	0 / 3	
Percentage of transfers resulting in twin live births (%)		4.5	5.0	2 / 17	1 / 16	0 / 3	
Percentage of transfers resulting in live births (%)		47.0	30.0	3 / 17	4 / 16	0 / 3	
Percentage of transfers resulting in pregnancies (%)		51.5	35.0	5 / 17	4 / 16	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		46	29	26	9	0	1
Number of transfers		45	24	25	9	0	1
Estimated average number of transfers per retrieval		1.6	2.7	3.6	2.3		
Average number of embryos transferred		1.6	1.7	1.9	1.9		1.0
Percentage of embryos transferred resulting in implantation (%)		41.5	45.9	18.4	1 / 14		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		48.9	29.2	20.0	0 / 9		0 / 1
Percentage of transfers resulting in singleton live births (%)		51.1	33.3	20.0	0 / 9		0 / 1
Percentage of transfers resulting in twin live births (%)		4.4	12.5	0.0	0 / 9		0 / 1
Percentage of transfers resulting in live births (%)		55.6	45.8	20.0	0 / 9		0 / 1
Percentage of transfers resulting in pregnancies (%)		60.0	66.7	44.0	3 / 9		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		9	1	2	1	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		17			18		
Number of transfers		16			17		
Average number of embryos transferred		1.7			1.6		
Percentage of embryos transferred resulting in implantation (%)		37.0			36.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 16			2 / 17		
Percentage of transfers resulting in singleton live births (%)		5 / 16			2 / 17		
Percentage of transfers resulting in twin live births (%)		1 / 16			1 / 17		
Percentage of transfers resulting in live births (%)		6 / 16			3 / 17		
Percentage of transfers resulting in pregnancies (%)		8 / 16			9 / 17		

CURRENT SERVICES & PROFILE		Current Name: Duke Fertility Center, Duke University Medical Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WOMACK ARMY MEDICAL CENTER FORT BRAGG, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Jason Parker, DO				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	30%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 2%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	5%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	<1%	
				Endometriosis	9%	Unknown factor	29%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 138 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		65	17	10	14	7	1
Percentage of cancellations before retrieval (%)		6.2	1 / 17	0 / 10	0 / 14	0 / 7	0 / 1
Average number of embryos transferred		1.9	2.0	2.2	2.5	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)		35.1	33.3	40.9	14.3	1 / 14	0 / 1
Percentage of elective single embryo transfers (eSET) (%)		1.9	0 / 13	0 / 9	0 / 13	0 / 6	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.8	6 / 17	3 / 10	1 / 14	1 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)		36.9	6 / 17	3 / 10	4 / 14	1 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)		10.8	1 / 17	2 / 10	0 / 14	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)		47.7	7 / 17	5 / 10	4 / 14	1 / 7	0 / 1
Percentage of cycles resulting in pregnancies (%)		50.8	7 / 17	7 / 10	5 / 14	1 / 7	0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		59	15	10	14	7	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.3	6 / 15	3 / 10	1 / 14	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)		40.7	6 / 15	3 / 10	4 / 14	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)		11.9	1 / 15	2 / 10	0 / 14	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)		52.5	7 / 15	5 / 10	4 / 14	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)		55.9	7 / 15	7 / 10	5 / 14	1 / 7	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		15	3	3	1	0	0
Number of transfers		15	3	3	1	0	0
Estimated average number of transfers per retrieval		7.5					
Average number of embryos transferred		2.0	1.7	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		23.3	3 / 5	3 / 6	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 15	1 / 3	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		3 / 15	1 / 3	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 15	0 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)		4 / 15	1 / 3	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)		6 / 15	2 / 3	2 / 3	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		2	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: Womack Army Medical Center					
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# EAST CAROLINA UNIVERSITY GREENVILLE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Clifford C. Hayslip, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	46%	Tubal factor	33%	Uterine factor	2%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	7%	
				Endometriosis	9%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				16%

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 56 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		19	10	2	4	0	0
Percentage of cancellations before retrieval (%)		1 / 19	1 / 10	0 / 2	0 / 4		
Average number of embryos transferred		2.1	2.0	2.0	2.5		
Percentage of embryos transferred resulting in implantation (%)		37.8	7 / 14	0 / 4	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)		0 / 18	0 / 8	0 / 2	0 / 2		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 19	0 / 10	0 / 2	0 / 4		
Percentage of cycles resulting in singleton live births (%)		5 / 19	1 / 10	0 / 2	0 / 4		
Percentage of cycles resulting in twin live births (%)		3 / 19	3 / 10	0 / 2	0 / 4		
Percentage of cycles resulting in live births (%)		8 / 19	4 / 10	0 / 2	0 / 4		
Percentage of cycles resulting in pregnancies (%)		10 / 19	5 / 10	0 / 2	0 / 4		
<b>Outcomes per Transfer</b>							
Number of transfers		18	8	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 18	0 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)		5 / 18	1 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)		3 / 18	3 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)		8 / 18	4 / 8	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)		10 / 18	5 / 8	0 / 2	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		8	5	1	1	0	0
Number of transfers		8	5	1	1	0	0
Estimated average number of transfers per retrieval		8.0	1.7		1.0		
Average number of embryos transferred		1.6	1.4	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		4 / 13	3 / 7		0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 8	2 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)		4 / 8	2 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 8	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)		4 / 8	2 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)		4 / 8	3 / 5	1 / 1	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	1	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			5		
Number of transfers		0			5		
Average number of embryos transferred					1.8		
Percentage of embryos transferred resulting in implantation (%)					3 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					1 / 5		
Percentage of transfers resulting in singleton live births (%)					2 / 5		
Percentage of transfers resulting in twin live births (%)					0 / 5		
Percentage of transfers resulting in live births (%)					2 / 5		
Percentage of transfers resulting in pregnancies (%)					3 / 5		

**CURRENT SERVICES & PROFILE**

**This clinic has closed since 2014. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.**

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PREMIER FERTILITY CENTER HIGH POINT REGIONAL HEALTH SYSTEM HIGH POINT, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Jeffrey L. Deaton, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	21%	Uterine factor	0%	Multiple Factors: Female factors only 17% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	34%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	6%	Unknown factor	5%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 121 (includes 3 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		31	13	5	1	0	0
Percentage of cancellations before retrieval (%)		6.5	0 / 13	1 / 5	0 / 1		
Average number of embryos transferred		1.6	1.7	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)		43.6	8 / 19	0 / 4	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)		43.5	2 / 10	0 / 1			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		38.7	4 / 13	0 / 5	0 / 1		
Percentage of cycles resulting in singleton live births (%)		41.9	5 / 13	0 / 5	0 / 1		
Percentage of cycles resulting in twin live births (%)		3.2	1 / 13	0 / 5	0 / 1		
Percentage of cycles resulting in live births (%)		45.2	6 / 13	0 / 5	0 / 1		
Percentage of cycles resulting in pregnancies (%)		48.4	7 / 13	0 / 5	0 / 1		
<b>Outcomes per Transfer</b>							
Number of transfers		25	11	3	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		48.0	4 / 11	0 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		52.0	5 / 11	0 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		4.0	1 / 11	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)		56.0	6 / 11	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)		60.0	7 / 11	0 / 3	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		31	10	5	0	1	0
Number of transfers		29	8	5	0	0	0
Estimated average number of transfers per retrieval		4.1	2.7				
Average number of embryos transferred		1.6	1.4	1.4			
Percentage of embryos transferred resulting in implantation (%)		26.7	2 / 11	1 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		27.6	1 / 8	0 / 5			
Percentage of transfers resulting in singleton live births (%)		27.6	2 / 8	0 / 5			
Percentage of transfers resulting in twin live births (%)		3.4	0 / 8	0 / 5			
Percentage of transfers resulting in live births (%)		31.0	2 / 8	0 / 5			
Percentage of transfers resulting in pregnancies (%)		37.9	2 / 8	1 / 5			
<b>Number of Egg/Embryo Banking Cycles</b>							
		2	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		7			12		
Number of transfers		5			11		
Average number of embryos transferred		1.6			1.5		
Percentage of embryos transferred resulting in implantation (%)		5 / 8			3 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 5			2 / 11		
Percentage of transfers resulting in singleton live births (%)		3 / 5			3 / 11		
Percentage of transfers resulting in twin live births (%)		1 / 5			0 / 11		
Percentage of transfers resulting in live births (%)		4 / 5			3 / 11		
Percentage of transfers resulting in pregnancies (%)		4 / 5			3 / 11		

CURRENT SERVICES & PROFILE		Current Name: Premier Fertility Center, High Point Regional Health System					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



## ADVANCED REPRODUCTIVE CONCEPTS HUNTERSVILLE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Mark L. Jutras, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	4%	Multiple Factors: Female factors only 10% Female & male factors 13%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	5%	
				Endometriosis	5%	Unknown factor	21%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 110 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		22	10	9	0	0	0
Percentage of cancellations before retrieval (%)		4.5	3 / 10	1 / 9			
Average number of embryos transferred		1.6	2.2	2.0			
Percentage of embryos transferred resulting in implantation (%)		37.9	9 / 13	3 / 12			
Percentage of elective single embryo transfers (eSET) (%)		5 / 17	0 / 6	0 / 5			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		22.7	3 / 10	1 / 9			
Percentage of cycles resulting in singleton live births (%)		22.7	3 / 10	3 / 9			
Percentage of cycles resulting in twin live births (%)		9.1	2 / 10	0 / 9			
Percentage of cycles resulting in live births (%)		31.8	5 / 10	3 / 9			
Percentage of cycles resulting in pregnancies (%)		40.9	5 / 10	3 / 9			
<b>Outcomes per Transfer</b>							
Number of transfers		19	6	6	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 19	3 / 6	1 / 6			
Percentage of transfers resulting in singleton live births (%)		5 / 19	3 / 6	3 / 6			
Percentage of transfers resulting in twin live births (%)		2 / 19	2 / 6	0 / 6			
Percentage of transfers resulting in live births (%)		7 / 19	5 / 6	3 / 6			
Percentage of transfers resulting in pregnancies (%)		9 / 19	5 / 6	3 / 6			
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		15	6	10	2	0	0
Number of transfers		15	6	10	2	0	0
Estimated average number of transfers per retrieval		0.7	1.2	1.0	0.4		
Average number of embryos transferred		1.8	1.7	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)		61.5	7 / 10	3 / 15	2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 15	2 / 6	2 / 10	2 / 2		
Percentage of transfers resulting in singleton live births (%)		4 / 15	3 / 6	3 / 10	2 / 2		
Percentage of transfers resulting in twin live births (%)		5 / 15	1 / 6	0 / 10	0 / 2		
Percentage of transfers resulting in live births (%)		9 / 15	4 / 6	3 / 10	2 / 2		
Percentage of transfers resulting in pregnancies (%)		11 / 15	6 / 6	3 / 10	2 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>							
		15	4	9	5	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			3		
Number of transfers		0			2		
Average number of embryos transferred					1.5		
Percentage of embryos transferred resulting in implantation (%)					1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					1 / 2		
Percentage of transfers resulting in singleton live births (%)					1 / 2		
Percentage of transfers resulting in twin live births (%)					0 / 2		
Percentage of transfers resulting in live births (%)					1 / 2		
Percentage of transfers resulting in pregnancies (%)					1 / 2		

CURRENT SERVICES & PROFILE		Current Name: Advanced Reproductive Concepts					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ATLANTIC REPRODUCTIVE MEDICINE SPECIALISTS RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Susannah D. Copland, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	72%	Tubal factor	7%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 15%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	19%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	19%	
				Endometriosis	4%	Unknown factor	6%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 220 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	30	28	23	7	3	1
Percentage of cancellations before retrieval (%)	6.7	21.4	26.1	0 / 7	2 / 3	1 / 1
Average number of embryos transferred	1.2	1.5	1.7	1.8		
Percentage of embryos transferred resulting in implantation (%)	43.5	45.5	30.0	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	13 / 17	1 / 9	1 / 8	0 / 4		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	10.7	17.4	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.3	14.3	17.4	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	3.3	7.1	0.0	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	26.7	21.4	17.4	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	36.7	28.6	26.1	0 / 7	0 / 3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	21	15	12	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	3 / 15	4 / 12	0 / 5		
Percentage of transfers resulting in singleton live births (%)	33.3	4 / 15	4 / 12	0 / 5		
Percentage of transfers resulting in twin live births (%)	4.8	2 / 15	0 / 12	0 / 5		
Percentage of transfers resulting in live births (%)	38.1	6 / 15	4 / 12	0 / 5		
Percentage of transfers resulting in pregnancies (%)	52.4	8 / 15	6 / 12	0 / 5		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	26	15	9	1	0	0
Number of transfers	26	15	8	1	0	0
Estimated average number of transfers per retrieval	1.0	1.0	0.6	0.2	0.0	0.0
Average number of embryos transferred	1.6	1.5	1.6	1.0		
Percentage of embryos transferred resulting in implantation (%)	34.1	33.3	1 / 11	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	5 / 15	1 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	34.6	5 / 15	1 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	3.8	0 / 15	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	38.5	5 / 15	1 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 15	2 / 8	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	14	14	12	6	7	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	14			9		
Number of transfers	13			9		
Average number of embryos transferred	1.1			1.7		
Percentage of embryos transferred resulting in implantation (%)	11 / 13			4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 13			3 / 9		
Percentage of transfers resulting in singleton live births (%)	9 / 13			3 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 13			0 / 9		
Percentage of transfers resulting in live births (%)	10 / 13			3 / 9		
Percentage of transfers resulting in pregnancies (%)	11 / 13			5 / 9		

### CURRENT SERVICES & PROFILE

Current Name: Atlantic Reproductive Medicine Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CAROLINA CONCEPTIONS, PA RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by John K. Park, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	13%	Uterine factor	7%	Multiple Factors: Female factors only 11% Female & male factors 22%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	17%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	11%	
				Endometriosis	8%	Unknown factor	10%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 665 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	160	72	55	16	7	0
Percentage of cancellations before retrieval (%)	7.5	16.7	14.5	3 / 16	2 / 7	
Average number of embryos transferred	1.8	1.7	1.9	2.8	2.5	
Percentage of embryos transferred resulting in implantation (%)	41.0	41.0	32.9	2.9	3 / 10	
Percentage of elective single embryo transfers (eSET) (%)	18.5	27.3	21.9	0 / 11	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.6	23.6	21.8	1 / 16	1 / 7	
Percentage of cycles resulting in singleton live births (%)	24.4	25.0	25.5	1 / 16	2 / 7	
Percentage of cycles resulting in twin live births (%)	13.1	8.3	5.5	0 / 16	0 / 7	
Percentage of cycles resulting in live births (%)	38.8	33.3	30.9	1 / 16	2 / 7	
Percentage of cycles resulting in pregnancies (%)	42.5	40.3	36.4	1 / 16	3 / 7	
<b>Outcomes per Transfer</b>						
Number of transfers	135	51	38	12	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.4	33.3	31.6	1 / 12	1 / 4	
Percentage of transfers resulting in singleton live births (%)	28.9	35.3	36.8	1 / 12	2 / 4	
Percentage of transfers resulting in twin live births (%)	15.6	11.8	7.9	0 / 12	0 / 4	
Percentage of transfers resulting in live births (%)	45.9	47.1	44.7	1 / 12	2 / 4	
Percentage of transfers resulting in pregnancies (%)	50.4	56.9	52.6	1 / 12	3 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	66	42	28	7	1	0
Number of transfers	64	37	26	7	1	0
Estimated average number of transfers per retrieval	1.2	1.0	1.6	2.3	0.5	0.0
Average number of embryos transferred	1.5	1.5	1.6	2.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.0	42.6	19.5	4 / 15	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	35.1	15.4	1 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	35.9	40.5	15.4	2 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.1	8.1	3.8	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	48.6	19.2	2 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	56.3	54.1	26.9	2 / 7	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>	20	18	12	2	2	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		71		82		
Number of transfers		67		78		
Average number of embryos transferred		1.7		1.8		
Percentage of embryos transferred resulting in implantation (%)		52.3		33.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		31.3		28.2		
Percentage of transfers resulting in singleton live births (%)		40.3		35.9		
Percentage of transfers resulting in twin live births (%)		19.4		7.7		
Percentage of transfers resulting in live births (%)		59.7		43.6		
Percentage of transfers resulting in pregnancies (%)		65.7		47.4		

### CURRENT SERVICES & PROFILE

Current Name: Carolina Conceptions, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UNC FERTILITY RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Jennifer E. Mersereau, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	56%	Tubal factor	17%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 15%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	11%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	12%	
				Endometriosis	7%	Unknown factor	15%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 301 (includes 18 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	72	50	31	9	1	0
Percentage of cancellations before retrieval (%)	16.7	24.0	16.1	1 / 9	0 / 1	
Average number of embryos transferred	1.2	1.7	2.4	3.4		
Percentage of embryos transferred resulting in implantation (%)	66.2	42.9	15.8	16.7		
Percentage of elective single embryo transfers (eSET) (%)	76.9	25.8	0.0	0 / 7		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	43.1	16.0	19.4	2 / 9	0 / 1	
Percentage of cycles resulting in singleton live births (%)	50.0	18.0	19.4	2 / 9	0 / 1	
Percentage of cycles resulting in twin live births (%)	2.8	10.0	3.2	0 / 9	0 / 1	
Percentage of cycles resulting in live births (%)	52.8	28.0	22.6	2 / 9	0 / 1	
Percentage of cycles resulting in pregnancies (%)	58.3	44.0	29.0	4 / 9	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	54	35	25	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	57.4	22.9	24.0	2 / 7		
Percentage of transfers resulting in singleton live births (%)	66.7	25.7	24.0	2 / 7		
Percentage of transfers resulting in twin live births (%)	3.7	14.3	4.0	0 / 7		
Percentage of transfers resulting in live births (%)	70.4	40.0	28.0	2 / 7		
Percentage of transfers resulting in pregnancies (%)	77.8	62.9	36.0	4 / 7		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	14	17	2	2	0
Number of transfers	31	12	16	1	2	0
Estimated average number of transfers per retrieval	1.2	1.1	1.3			
Average number of embryos transferred	1.6	1.9	1.7	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	53.2	26.1	31.8	0 / 3	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.8	2 / 12	7 / 16	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	32.3	2 / 12	7 / 16	0 / 1	1 / 2	
Percentage of transfers resulting in twin live births (%)	19.4	1 / 12	0 / 16	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	51.6	3 / 12	7 / 16	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	61.3	5 / 12	10 / 16	0 / 1	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	10	4	1	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		10		28		
Number of transfers		8		23		
Average number of embryos transferred		1.4		1.7		
Percentage of embryos transferred resulting in implantation (%)		7 / 10		36.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 8		8.7		
Percentage of transfers resulting in singleton live births (%)		5 / 8		26.1		
Percentage of transfers resulting in twin live births (%)		1 / 8		8.7		
Percentage of transfers resulting in live births (%)		6 / 8		34.8		
Percentage of transfers resulting in pregnancies (%)		7 / 8		52.2		

### CURRENT SERVICES & PROFILE

Current Name: UNC Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE WINSTON-SALEM, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Erika B. Johnston-Macananny, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 11%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	18%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	11%	
				Endometriosis	14%	Unknown factor	20%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 394 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	88	49	37	6	5	0
Percentage of cancellations before retrieval (%)	1.1	4.1	13.5	1 / 6	0 / 5	
Average number of embryos transferred	1.7	2.1	2.4	3.0	3.3	
Percentage of embryos transferred resulting in implantation (%)	45.5	35.4	16.4	1 / 9	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	31.6	7.9	0.0	0 / 3	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.5	28.6	18.9	1 / 6	0 / 5	
Percentage of cycles resulting in singleton live births (%)	36.4	34.7	21.6	1 / 6	0 / 5	
Percentage of cycles resulting in twin live births (%)	13.6	10.2	2.7	0 / 6	0 / 5	
Percentage of cycles resulting in live births (%)	50.0	44.9	24.3	1 / 6	0 / 5	
Percentage of cycles resulting in pregnancies (%)	53.4	51.0	27.0	1 / 6	0 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	80	40	28	3	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.5	35.0	25.0	1 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)	40.0	42.5	28.6	1 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)	15.0	12.5	3.6	0 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	55.0	55.0	32.1	1 / 3	0 / 4	
Percentage of transfers resulting in pregnancies (%)	58.8	62.5	35.7	1 / 3	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	62	35	27	15	2	0
Number of transfers	57	31	22	14	2	0
Estimated average number of transfers per retrieval	1.8	1.4	1.1	1.3		0.0
Average number of embryos transferred	1.7	1.7	1.8	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.7	36.2	25.7	13.0	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.1	25.8	9.1	1 / 14	1 / 2	
Percentage of transfers resulting in singleton live births (%)	29.8	32.3	22.7	3 / 14	1 / 2	
Percentage of transfers resulting in twin live births (%)	14.0	6.5	9.1	0 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	43.9	38.7	31.8	3 / 14	1 / 2	
Percentage of transfers resulting in pregnancies (%)	56.1	58.1	40.9	4 / 14	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	11	16	10	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			17		
Number of transfers	7			17		
Average number of embryos transferred	1.7			1.6		
Percentage of embryos transferred resulting in implantation (%)	5 / 12			34.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7			4 / 17		
Percentage of transfers resulting in singleton live births (%)	1 / 7			7 / 17		
Percentage of transfers resulting in twin live births (%)	2 / 7			1 / 17		
Percentage of transfers resulting in live births (%)	3 / 7			8 / 17		
Percentage of transfers resulting in pregnancies (%)	3 / 7			9 / 17		

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

**Current Name:** Wake Forest University Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SANFORD HEALTH REPRODUCTIVE MEDICINE INSTITUTE FARGO, NORTH DAKOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Steffen P. Christensen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	19%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 17%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	15%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	12%	
				Endometriosis	11%	Unknown factor	13%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 256 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	87	27	27	12	2	0
Percentage of cancellations before retrieval (%)	10.3	18.5	22.2	2 / 12	0 / 2	
Average number of embryos transferred	1.8	1.8	2.0	2.3	4.0	
Percentage of embryos transferred resulting in implantation (%)	31.6	37.9	33.3	4.8	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	17.5	1 / 14	1 / 17	0 / 9	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.7	14.8	14.8	0 / 12	0 / 2	
Percentage of cycles resulting in singleton live births (%)	21.8	22.2	22.2	1 / 12	0 / 2	
Percentage of cycles resulting in twin live births (%)	4.6	3.7	3.7	0 / 12	0 / 2	
Percentage of cycles resulting in live births (%)	26.4	25.9	25.9	1 / 12	0 / 2	
Percentage of cycles resulting in pregnancies (%)	35.6	29.6	37.0	1 / 12	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	63	16	18	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	4 / 16	4 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.2	6 / 16	6 / 18	1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.3	1 / 16	1 / 18	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	36.5	7 / 16	7 / 18	1 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	49.2	8 / 16	10 / 18	1 / 9	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	52	21	12	1	0	0
Number of transfers	52	20	10	1	0	0
Estimated average number of transfers per retrieval	2.4	1.5	2.5			
Average number of embryos transferred	1.8	1.7	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	41.1	22.6	3 / 18	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.5	20.0	3 / 10	0 / 1		
Percentage of transfers resulting in singleton live births (%)	40.4	20.0	3 / 10	0 / 1		
Percentage of transfers resulting in twin live births (%)	1.9	5.0	0 / 10	0 / 1		
Percentage of transfers resulting in live births (%)	42.3	25.0	3 / 10	0 / 1		
Percentage of transfers resulting in pregnancies (%)	61.5	35.0	3 / 10	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	4	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			3		
Number of transfers	2			3		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2			0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 3		
Percentage of transfers resulting in live births (%)	2 / 2			0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Sanford Health Reproductive Medicine Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY UNLIMITED, INC.  
NORTHEASTERN OHIO FERTILITY CENTER  
AKRON, OHIO**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Nicholas J. Spirtos, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	30%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	40%	
				Endometriosis	35%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				45%
				Female & male factors				25%

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 23 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	4	2	1	0	0
Percentage of cancellations before retrieval (%)	0 / 3	0 / 4	0 / 2	0 / 1		
Average number of embryos transferred	2.0	2.3		3.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 6	3 / 9		0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 4		0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	2 / 4	0 / 2	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 3	3 / 4	0 / 2	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 4	0 / 2	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 3	3 / 4	0 / 2	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 3	3 / 4	0 / 2	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	3	4	0	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	2 / 4		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3	3 / 4		0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 4		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3	3 / 4		0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3	3 / 4		0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	2	0	0	0
Number of transfers	1	0	2	0	0	0
Estimated average number of transfers per retrieval	1.0		0.7			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 2		0 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1		0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2			
Percentage of transfers resulting in live births (%)	1 / 1		0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			0		
Number of transfers	7			0		
Average number of embryos transferred	1.9					
Percentage of embryos transferred resulting in implantation (%)	7 / 13					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 7					
Percentage of transfers resulting in singleton live births (%)	3 / 7					
Percentage of transfers resulting in twin live births (%)	1 / 7					
Percentage of transfers resulting in live births (%)	4 / 7					
Percentage of transfers resulting in pregnancies (%)	4 / 7					

**CURRENT SERVICES & PROFILE**

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE GYNECOLOGY, INC.-AKRON AKRON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Richard W. Moretuzzo, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	77%	Tubal factor	24%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 42%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	24%	Male factor	62%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	8%	
				Endometriosis	24%	Unknown factor	1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 419 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	138	43	44	2	5	0
Percentage of cancellations before retrieval (%)	2.9	9.3	11.4	0 / 2	0 / 5	
Average number of embryos transferred	2.0	2.0	2.9	3.5	4.8	
Percentage of embryos transferred resulting in implantation (%)	28.0	19.4	9.3	1 / 5	0 / 19	
Percentage of elective single embryo transfers (eSET) (%)	4.4	6.9	0.0	0 / 2	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.3	16.3	6.8	1 / 2	0 / 5	
Percentage of cycles resulting in singleton live births (%)	23.2	18.6	11.4	1 / 2	0 / 5	
Percentage of cycles resulting in twin live births (%)	10.1	4.7	2.3	0 / 2	0 / 5	
Percentage of cycles resulting in live births (%)	33.3	23.3	13.6	1 / 2	0 / 5	
Percentage of cycles resulting in pregnancies (%)	37.7	27.9	18.2	2 / 2	0 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	119	36	34	2	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.5	19.4	8.8	1 / 2	0 / 4	
Percentage of transfers resulting in singleton live births (%)	26.9	22.2	14.7	1 / 2	0 / 4	
Percentage of transfers resulting in twin live births (%)	11.8	5.6	2.9	0 / 2	0 / 4	
Percentage of transfers resulting in live births (%)	38.7	27.8	17.6	1 / 2	0 / 4	
Percentage of transfers resulting in pregnancies (%)	43.7	33.3	23.5	2 / 2	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	96	17	9	1	1	1
Number of transfers	92	16	8	1	1	1
Estimated average number of transfers per retrieval	1.5	0.9	1.1	0.5	1.0	
Average number of embryos transferred	1.9	1.6	2.3	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.5	56.5	5 / 16	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4	6 / 16	1 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.8	7 / 16	1 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	17.4	2 / 16	1 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	53.3	9 / 16	2 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.2	11 / 16	4 / 8	0 / 1	1 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	6	3	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	16			20		
Number of transfers	14			20		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	28.6			37.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 14			20.0		
Percentage of transfers resulting in singleton live births (%)	6 / 14			30.0		
Percentage of transfers resulting in twin live births (%)	0 / 14			10.0		
Percentage of transfers resulting in live births (%)	6 / 14			40.0		
Percentage of transfers resulting in pregnancies (%)	6 / 14			55.0		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology, Inc.-Akron

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



## CLEVELAND CLINIC FERTILITY CENTER BEACHWOOD, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Cynthia Austin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	11%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 34%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	15%	Male factor	55%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	24%	
				Endometriosis	10%	Unknown factor	9%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 713 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	197	89	77	37	7	0
Percentage of cancellations before retrieval (%)	11.2	15.7	22.1	18.9	3 / 7	
Average number of embryos transferred	1.8	1.9	2.2	2.4	2.3	
Percentage of embryos transferred resulting in implantation (%)	44.3	45.7	29.1	4.9	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	18.7	11.9	6.0	8.7	1 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.4	18.0	16.9	2.7	0 / 7	
Percentage of cycles resulting in singleton live births (%)	34.0	22.5	23.4	5.4	0 / 7	
Percentage of cycles resulting in twin live births (%)	15.2	16.9	3.9	0.0	0 / 7	
Percentage of cycles resulting in live births (%)	49.2	39.3	28.6	5.4	0 / 7	
Percentage of cycles resulting in pregnancies (%)	54.8	49.4	35.1	10.8	0 / 7	
<b>Outcomes per Transfer</b>						
Number of transfers	171	73	54	27	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.6	21.9	24.1	3.7	0 / 4	
Percentage of transfers resulting in singleton live births (%)	39.2	27.4	33.3	7.4	0 / 4	
Percentage of transfers resulting in twin live births (%)	17.5	20.5	5.6	0.0	0 / 4	
Percentage of transfers resulting in live births (%)	56.7	47.9	40.7	7.4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	63.2	60.3	50.0	14.8	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	98	57	48	9	6	2
Number of transfers	98	53	44	9	6	2
Estimated average number of transfers per retrieval	1.8	2.2	1.8	3.0	6.0	
Average number of embryos transferred	1.7	1.7	1.8	1.4	1.7	2.5
Percentage of embryos transferred resulting in implantation (%)	43.2	51.1	33.8	4 / 12	3 / 10	1 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.7	22.6	18.2	2 / 9	2 / 6	1 / 2
Percentage of transfers resulting in singleton live births (%)	34.7	26.4	20.5	3 / 9	2 / 6	1 / 2
Percentage of transfers resulting in twin live births (%)	13.3	24.5	9.1	0 / 9	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	48.0	50.9	29.5	3 / 9	2 / 6	1 / 2
Percentage of transfers resulting in pregnancies (%)	54.1	60.4	50.0	5 / 9	2 / 6	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	8	13	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	14			29		
Number of transfers	12			27		
Average number of embryos transferred	1.7			1.7		
Percentage of embryos transferred resulting in implantation (%)	60.0			30.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 12			25.9		
Percentage of transfers resulting in singleton live births (%)	5 / 12			29.6		
Percentage of transfers resulting in twin live births (%)	3 / 12			7.4		
Percentage of transfers resulting in live births (%)	8 / 12			37.0		
Percentage of transfers resulting in pregnancies (%)	8 / 12			40.7		

### CURRENT SERVICES & PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY HOSPITALS FERTILITY CENTER BEACHWOOD, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by James Goldfarb, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 12%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	11%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	14%	
				Endometriosis	10%	Unknown factor	19%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 590 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		164	85	50	20	11	0
Percentage of cancellations before retrieval (%)		22.0	41.2	32.0	65.0	7 / 11	
Average number of embryos transferred		2.0	2.1	2.3	2.6	3.5	
Percentage of embryos transferred resulting in implantation (%)		36.0	31.6	22.5	3 / 11	2 / 14	
Percentage of elective single embryo transfers (eSET) (%)		6.1	4.3	7.7	0 / 4	0 / 4	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.1	9.4	10.0	0.0	1 / 11	
Percentage of cycles resulting in singleton live births (%)		23.2	11.8	12.0	0.0	2 / 11	
Percentage of cycles resulting in twin live births (%)		9.8	7.1	4.0	5.0	0 / 11	
Percentage of cycles resulting in live births (%)		33.5	20.0	16.0	5.0	2 / 11	
Percentage of cycles resulting in pregnancies (%)		37.8	24.7	20.0	15.0	2 / 11	
<b>Outcomes per Transfer</b>							
Number of transfers		117	48	31	5	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		28.2	16.7	16.1	0 / 5	1 / 4	
Percentage of transfers resulting in singleton live births (%)		32.5	20.8	19.4	0 / 5	2 / 4	
Percentage of transfers resulting in twin live births (%)		13.7	12.5	6.5	1 / 5	0 / 4	
Percentage of transfers resulting in live births (%)		47.0	35.4	25.8	1 / 5	2 / 4	
Percentage of transfers resulting in pregnancies (%)		53.0	43.8	32.3	3 / 5	2 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		82	39	22	3	8	0
Number of transfers		73	30	19	3	7	0
Estimated average number of transfers per retrieval		1.1	1.2	1.6	1.0	1.4	0.0
Average number of embryos transferred		1.9	1.8	1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		25.4	13.2	18.8	1 / 6	3 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.0	10.0	4 / 19	0 / 3	2 / 7	
Percentage of transfers resulting in singleton live births (%)		26.0	13.3	4 / 19	1 / 3	3 / 7	
Percentage of transfers resulting in twin live births (%)		5.5	3.3	0 / 19	0 / 3	0 / 7	
Percentage of transfers resulting in live births (%)		31.5	16.7	4 / 19	1 / 3	3 / 7	
Percentage of transfers resulting in pregnancies (%)		50.7	23.3	6 / 19	1 / 3	3 / 7	
<b>Number of Egg/Embryo Banking Cycles</b>							
		22	9	5	3	4	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		23			38		
Number of transfers		15			34		
Average number of embryos transferred		1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)		50.0			27.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 15			14.7		
Percentage of transfers resulting in singleton live births (%)		7 / 15			26.5		
Percentage of transfers resulting in twin live births (%)		2 / 15			2.9		
Percentage of transfers resulting in live births (%)		9 / 15			29.4		
Percentage of transfers resulting in pregnancies (%)		10 / 15			35.3		

CURRENT SERVICES & PROFILE		Current Name: University Hospitals Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BETHESDA FERTILITY CENTER CINCINNATI, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Glen E. Hofmann, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	13%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	21%	
Used gestational carrier	3%			Diminished ovarian reserve	44%	Other factor	7%	
				Endometriosis	6%	Unknown factor	13%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 271 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	72	20	17	14	5	0
Percentage of cancellations before retrieval (%)	13.9	15.0	3 / 17	2 / 14	1 / 5	
Average number of embryos transferred	2.0	2.1	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	30.9	16.7	19.2	3.7	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	5.4	0 / 17	0 / 13	0 / 11	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.9	25.0	1 / 17	1 / 14	1 / 5	
Percentage of cycles resulting in singleton live births (%)	15.3	25.0	1 / 17	1 / 14	1 / 5	
Percentage of cycles resulting in twin live births (%)	13.9	0.0	1 / 17	0 / 14	0 / 5	
Percentage of cycles resulting in live births (%)	29.2	25.0	2 / 17	1 / 14	1 / 5	
Percentage of cycles resulting in pregnancies (%)	33.3	30.0	4 / 17	1 / 14	1 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	57	17	14	12	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.5	5 / 17	1 / 14	1 / 12	1 / 4	
Percentage of transfers resulting in singleton live births (%)	19.3	5 / 17	1 / 14	1 / 12	1 / 4	
Percentage of transfers resulting in twin live births (%)	17.5	0 / 17	1 / 14	0 / 12	0 / 4	
Percentage of transfers resulting in live births (%)	36.8	5 / 17	2 / 14	1 / 12	1 / 4	
Percentage of transfers resulting in pregnancies (%)	42.1	6 / 17	4 / 14	1 / 12	1 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	43	17	8	3	2	0
Number of transfers	43	17	8	3	2	0
Estimated average number of transfers per retrieval	2.0	2.4	1.3			
Average number of embryos transferred	1.8	1.8	1.8	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	27.0	6.7	5 / 14	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.3	2 / 17	0 / 8	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	30.2	2 / 17	3 / 8	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	2.3	0 / 17	1 / 8	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	34.9	2 / 17	4 / 8	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	44.2	2 / 17	4 / 8	0 / 3	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	3	4	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	22			34		
Number of transfers	21			34		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	29.3			28.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3			14.7		
Percentage of transfers resulting in singleton live births (%)	33.3			20.6		
Percentage of transfers resulting in twin live births (%)	9.5			5.9		
Percentage of transfers resulting in live births (%)	42.9			26.5		
Percentage of transfers resulting in pregnancies (%)	42.9			38.2		

## CURRENT SERVICES & PROFILE

Current Name: Bethesda Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INSTITUTE FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Sherif G. Awadalla, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	14%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 22%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	29%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	9%	
				Endometriosis	21%	Unknown factor	7%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,036 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	394	161	78	33	15	2
Percentage of cancellations before retrieval (%)	7.4	13.7	15.4	30.3	5 / 15	1 / 2
Average number of embryos transferred	1.7	2.0	2.3	2.1	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	40.9	30.0	26.8	4.8	1 / 15	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	29.3	8.2	0.0	1 / 14	0 / 5	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.1	19.9	24.4	0.0	0 / 15	0 / 2
Percentage of cycles resulting in singleton live births (%)	30.2	24.2	26.9	0.0	1 / 15	0 / 2
Percentage of cycles resulting in twin live births (%)	11.7	6.2	9.0	0.0	0 / 15	0 / 2
Percentage of cycles resulting in live births (%)	42.4	31.7	35.9	0.0	1 / 15	0 / 2
Percentage of cycles resulting in pregnancies (%)	49.2	38.5	41.0	6.1	1 / 15	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	348	134	64	20	8	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.6	23.9	29.7	0.0	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.2	29.1	32.8	0.0	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	13.2	7.5	10.9	0.0	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	48.0	38.1	43.8	0.0	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.7	46.3	50.0	10.0	1 / 8	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	150	60	24	6	0	0
Number of transfers	146	55	21	6	0	0
Estimated average number of transfers per retrieval	1.6	2.1	4.2		0.0	0.0
Average number of embryos transferred	1.8	1.7	1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)	36.3	35.3	28.1	2 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.2	23.6	23.8	0 / 6		
Percentage of transfers resulting in singleton live births (%)	25.3	27.3	33.3	0 / 6		
Percentage of transfers resulting in twin live births (%)	15.8	10.9	4.8	0 / 6		
Percentage of transfers resulting in live births (%)	41.1	38.2	38.1	0 / 6		
Percentage of transfers resulting in pregnancies (%)	48.6	50.9	47.6	2 / 6		
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	3	3	0	2	1
<b>Donor Eggs</b>			<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles			46		42	
Number of transfers			46		38	
Average number of embryos transferred			1.6		1.8	
Percentage of embryos transferred resulting in implantation (%)			47.9		38.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)			41.3		18.4	
Percentage of transfers resulting in singleton live births (%)			45.7		21.1	
Percentage of transfers resulting in twin live births (%)			8.7		18.4	
Percentage of transfers resulting in live births (%)			54.3		39.5	
Percentage of transfers resulting in pregnancies (%)			65.2		52.6	

## CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# METROHEALTH MEDICAL CENTER CLEVELAND, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Brian M. Mercer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	0%	Unknown factor	100%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 3 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	1	1	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	1 / 1				
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 2					
Percentage of elective single embryo transfers (eSET) (%)	0 / 1					
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 1	0 / 1				
Percentage of cycles resulting in pregnancies (%)	0 / 1	0 / 1				
<b>Outcomes per Transfer</b>						
Number of transfers	1	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Number of Egg/Embryo Banking Cycles</b>	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information

Current Name: MetroHealth Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	No	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Grant Schmidt, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	>99%	With ICSI	34%	Tubal factor	19%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 9%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	27%	
Used gestational carrier	3%			Diminished ovarian reserve	27%	Other factor	12%	
				Endometriosis	7%	Unknown factor	19%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 672 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	243	111	61	45	5	2
Percentage of cancellations before retrieval (%)	3.7	11.7	4.9	8.9	2 / 5	0 / 2
Average number of embryos transferred	1.7	2.0	2.2	2.9	3.0	3.5
Percentage of embryos transferred resulting in implantation (%)	44.4	29.6	14.8	8.0	0 / 9	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	22.9	2.4	2.2	0.0	0 / 3	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.7	20.7	18.0	11.1	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	30.5	22.5	21.3	11.1	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	13.6	5.4	1.6	0.0	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	44.9	29.7	23.0	11.1	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	50.6	38.7	29.5	24.4	0 / 5	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	222	93	53	38	3	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.3	24.7	20.8	13.2	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	33.3	26.9	24.5	13.2	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	14.9	6.5	1.9	0.0	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	49.1	35.5	26.4	13.2	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	55.4	46.2	34.0	28.9	0 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	64	25	11	6	0	1
Number of transfers	60	21	11	5	0	1
Estimated average number of transfers per retrieval	1.4	1.6	1.0	0.6	0.0	
Average number of embryos transferred	1.6	1.7	1.5	1.6		1.0
Percentage of embryos transferred resulting in implantation (%)	44.6	25.7	4 / 12	1 / 8		1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	23.8	1 / 11	1 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	28.6	1 / 11	1 / 5		1 / 1
Percentage of transfers resulting in twin live births (%)	10.0	0.0	1 / 11	0 / 5		0 / 1
Percentage of transfers resulting in live births (%)	51.7	28.6	2 / 11	1 / 5		1 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	42.9	5 / 11	1 / 5		1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	14	5	7	6	3	0
<b>Donor Eggs</b>			<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles			30		33	
Number of transfers			29		31	
Average number of embryos transferred			1.7		1.7	
Percentage of embryos transferred resulting in implantation (%)			53.2		36.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)			41.4		12.9	
Percentage of transfers resulting in singleton live births (%)			51.7		12.9	
Percentage of transfers resulting in twin live births (%)			13.8		16.1	
Percentage of transfers resulting in live births (%)			65.5		29.0	
Percentage of transfers resulting in pregnancies (%)			69.0		41.9	

## CURRENT SERVICES & PROFILE

Current Name: Ohio Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WRIGHT STATE PHYSICIANS, WOMEN'S HEALTH CARE  
DAYTON, OHIO**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# KETTERING REPRODUCTIVE MEDICINE KETTERING, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Mark C. Bidwell, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	74%	Tubal factor	10%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 16%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	4%	
				Endometriosis	26%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 198 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	75	26	14	2	0	0
Percentage of cancellations before retrieval (%)	5.3	7.7	1 / 14	1 / 2		
Average number of embryos transferred	1.9	2.0	2.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	42.4	37.8	21.4	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	11.4	4.2	0 / 13	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	26.9	2 / 14	0 / 2		
Percentage of cycles resulting in singleton live births (%)	45.3	30.8	4 / 14	0 / 2		
Percentage of cycles resulting in twin live births (%)	10.7	11.5	0 / 14	0 / 2		
Percentage of cycles resulting in live births (%)	56.0	42.3	4 / 14	0 / 2		
Percentage of cycles resulting in pregnancies (%)	61.3	53.8	6 / 14	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	70	24	13	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.9	29.2	2 / 13	0 / 1		
Percentage of transfers resulting in singleton live births (%)	48.6	33.3	4 / 13	0 / 1		
Percentage of transfers resulting in twin live births (%)	11.4	12.5	0 / 13	0 / 1		
Percentage of transfers resulting in live births (%)	60.0	45.8	4 / 13	0 / 1		
Percentage of transfers resulting in pregnancies (%)	65.7	58.3	6 / 13	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	30	16	13	0	1	0
Number of transfers	30	15	13	0	1	0
Estimated average number of transfers per retrieval	2.5	2.5	3.3			
Average number of embryos transferred	1.9	1.9	1.7		2.0	
Percentage of embryos transferred resulting in implantation (%)	26.4	13.0	22.7		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.7	2 / 15	3 / 13		0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.0	2 / 15	4 / 13		0 / 1	
Percentage of transfers resulting in twin live births (%)	3.3	0 / 15	0 / 13		0 / 1	
Percentage of transfers resulting in live births (%)	33.3	2 / 15	4 / 13		0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 15	5 / 13		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	12			4		
Number of transfers	11			4		
Average number of embryos transferred	1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)	70.0			2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 11			1 / 4		
Percentage of transfers resulting in singleton live births (%)	4 / 11			1 / 4		
Percentage of transfers resulting in twin live births (%)	5 / 11			0 / 4		
Percentage of transfers resulting in live births (%)	9 / 11			1 / 4		
Percentage of transfers resulting in pregnancies (%)	9 / 11			2 / 4		

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Kettering Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# THE FERTILITY WELLNESS INSTITUTE OF OHIO MASON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Neeoo W. Chin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	47%	Tubal factor	20%	Uterine factor	22%	Multiple Factors: Female factors only 49% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	2%	Other factor	10%	
				Endometriosis	76%	Unknown factor	2%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 41 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	14	3	0	0	0
Percentage of cancellations before retrieval (%)	0 / 19	0 / 14	0 / 3			
Average number of embryos transferred	2.2	2.0	2.3			
Percentage of embryos transferred resulting in implantation (%)	43.3	29.2	3 / 7			
Percentage of elective single embryo transfers (eSET) (%)	1 / 15	0 / 10	0 / 3			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 19	2 / 14	0 / 3			
Percentage of cycles resulting in singleton live births (%)	7 / 19	3 / 14	0 / 3			
Percentage of cycles resulting in twin live births (%)	1 / 19	1 / 14	1 / 3			
Percentage of cycles resulting in live births (%)	8 / 19	4 / 14	1 / 3			
Percentage of cycles resulting in pregnancies (%)	11 / 19	6 / 14	2 / 3			
<b>Outcomes per Transfer</b>						
Number of transfers	15	12	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 15	2 / 12	0 / 3			
Percentage of transfers resulting in singleton live births (%)	7 / 15	3 / 12	0 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 12	1 / 3			
Percentage of transfers resulting in live births (%)	8 / 15	4 / 12	1 / 3			
Percentage of transfers resulting in pregnancies (%)	11 / 15	6 / 12	2 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			0		
Number of transfers	3			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	3 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3					
Percentage of transfers resulting in singleton live births (%)	1 / 3					
Percentage of transfers resulting in twin live births (%)	1 / 3					
Percentage of transfers resulting in live births (%)	2 / 3					
Percentage of transfers resulting in pregnancies (%)	2 / 3					

## CURRENT SERVICES & PROFILE

Current Name: The Fertility Wellness Institute of Ohio

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTER OF NORTHWEST OHIO  
TOLEDO, OHIO**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# CENTER FOR REPRODUCTIVE HEALTH WEST CHESTER, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Krystene B. Dipaola, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	47%	Tubal factor	10%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 14%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	2%	
				Endometriosis	14%	Unknown factor	7%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 197 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		73	33	16	4	0	3
Percentage of cancellations before retrieval (%)		11.0	6.1	5 / 16	1 / 4		1 / 3
Average number of embryos transferred		2.0	2.0	2.2	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)		37.9	25.0	45.0	0 / 2		1 / 2
Percentage of elective single embryo transfers (eSET) (%)		1.7	0.0	0 / 9	0 / 1		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.0	18.2	5 / 16	0 / 4		0 / 3
Percentage of cycles resulting in singleton live births (%)		27.4	24.2	5 / 16	0 / 4		0 / 3
Percentage of cycles resulting in twin live births (%)		15.1	9.1	2 / 16	0 / 4		0 / 3
Percentage of cycles resulting in live births (%)		42.5	33.3	7 / 16	0 / 4		0 / 3
Percentage of cycles resulting in pregnancies (%)		43.8	36.4	7 / 16	0 / 4		1 / 3
<b>Outcomes per Transfer</b>							
Number of transfers		62	31	9	1	0	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.6	19.4	5 / 9	0 / 1		0 / 2
Percentage of transfers resulting in singleton live births (%)		32.3	25.8	5 / 9	0 / 1		0 / 2
Percentage of transfers resulting in twin live births (%)		17.7	9.7	2 / 9	0 / 1		0 / 2
Percentage of transfers resulting in live births (%)		50.0	35.5	7 / 9	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)		51.6	38.7	7 / 9	0 / 1		1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		26	5	2	1	0	0
Number of transfers		24	5	2	1	0	0
Estimated average number of transfers per retrieval		0.9	0.6	1.0	0.5	0.0	0.0
Average number of embryos transferred		1.8	1.8	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)		25.0	1 / 9	0 / 4	1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.8	0 / 5	0 / 2	1 / 1		
Percentage of transfers resulting in singleton live births (%)		20.8	1 / 5	0 / 2	1 / 1		
Percentage of transfers resulting in twin live births (%)		4.2	0 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)		29.2	1 / 5	0 / 2	1 / 1		
Percentage of transfers resulting in pregnancies (%)		33.3	1 / 5	0 / 2	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		10	5	1	2	1	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		6			6		
Number of transfers		3			5		
Average number of embryos transferred		1.3			2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 4			1 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 3			0 / 5		
Percentage of transfers resulting in singleton live births (%)		1 / 3			1 / 5		
Percentage of transfers resulting in twin live births (%)		1 / 3			0 / 5		
Percentage of transfers resulting in live births (%)		2 / 3			1 / 5		
Percentage of transfers resulting in pregnancies (%)		2 / 3			1 / 5		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Health					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE GYNECOLOGY, INC.-WESTERVILLE WESTERVILLE, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Richard Moretuzzo, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	11%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 22%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	15%	Unknown factor	11%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 202 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	78	25	19	9	2	0
Percentage of cancellations before retrieval (%)	3.8	8.0	1 / 19	2 / 9	1 / 2	
Average number of embryos transferred	1.9	2.2	2.9	3.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	37.3	14.3	15.4	0.0	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	5.6	9.5	0 / 16	0 / 7	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.8	12.0	4 / 19	0 / 9	0 / 2	
Percentage of cycles resulting in singleton live births (%)	15.4	16.0	4 / 19	0 / 9	0 / 2	
Percentage of cycles resulting in twin live births (%)	19.2	4.0	1 / 19	0 / 9	0 / 2	
Percentage of cycles resulting in live births (%)	35.9	20.0	5 / 19	0 / 9	0 / 2	
Percentage of cycles resulting in pregnancies (%)	44.9	24.0	6 / 19	0 / 9	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	73	22	18	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.7	13.6	4 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	16.4	18.2	4 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	20.5	4.5	1 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	38.4	22.7	5 / 18	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	47.9	27.3	6 / 18	0 / 7	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	30	16	5	2	0	0
Number of transfers	29	13	5	1	0	0
Estimated average number of transfers per retrieval	2.6	1.4	2.5			
Average number of embryos transferred	1.7	1.7	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	26.7	40.9	0 / 9	2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.7	8 / 13	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	24.1	9 / 13	0 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	3.4	0 / 13	0 / 5	1 / 1		
Percentage of transfers resulting in live births (%)	27.6	9 / 13	0 / 5	1 / 1		
Percentage of transfers resulting in pregnancies (%)	41.4	9 / 13	0 / 5	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	3	0	0	0	0
<b>Donor Eggs</b>			<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles			4		6	
Number of transfers			4		5	
Average number of embryos transferred			2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 8		3 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)			0 / 4		2 / 5	
Percentage of transfers resulting in singleton live births (%)			0 / 4		3 / 5	
Percentage of transfers resulting in twin live births (%)			0 / 4		0 / 5	
Percentage of transfers resulting in live births (%)			0 / 4		3 / 5	
Percentage of transfers resulting in pregnancies (%)			1 / 4		3 / 5	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology, Inc.-Westerville

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Eli Reshef, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	66%	Tubal factor	17%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	23%	
				Endometriosis	21%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 294 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	138	41	20	2	6	1
Percentage of cancellations before retrieval (%)	6.5	9.8	0.0	1 / 2	3 / 6	0 / 1
Average number of embryos transferred	2.0	2.2	2.7	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	38.2	44.9	21.6	1 / 2	0 / 6	2 / 2
Percentage of elective single embryo transfers (eSET) (%)	0.8	3.0	0 / 19	0 / 1	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4	12.2	20.0	1 / 2	0 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	31.9	12.2	30.0	1 / 2	0 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	14.5	26.8	5.0	0 / 2	0 / 6	1 / 1
Percentage of cycles resulting in live births (%)	47.1	41.5	35.0	1 / 2	0 / 6	1 / 1
Percentage of cycles resulting in pregnancies (%)	52.2	51.2	45.0	1 / 2	0 / 6	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	127	34	19	1	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.1	14.7	4 / 19	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.6	14.7	6 / 19	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	15.7	32.4	1 / 19	0 / 1	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	51.2	50.0	7 / 19	1 / 1	0 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	56.7	61.8	9 / 19	1 / 1	0 / 2	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	40	17	8	1	0	0
Number of transfers	37	13	8	1	0	0
Estimated average number of transfers per retrieval	2.3	2.6	8.0			
Average number of embryos transferred	1.9	1.9	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	21.7	44.0	4 / 16	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.3	3 / 13	4 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	29.7	4 / 13	4 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	2.7	3 / 13	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	32.4	7 / 13	4 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	37.8	7 / 13	4 / 8	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		11			9	
Number of transfers		10			8	
Average number of embryos transferred		2.2			1.9	
Percentage of embryos transferred resulting in implantation (%)		63.6			5 / 12	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 10			1 / 8	
Percentage of transfers resulting in singleton live births (%)		6 / 10			1 / 8	
Percentage of transfers resulting in twin live births (%)		3 / 10			2 / 8	
Percentage of transfers resulting in live births (%)		9 / 10			3 / 8	
Percentage of transfers resulting in pregnancies (%)		9 / 10			4 / 8	

## CURRENT SERVICES & PROFILE

Current Name: Henry G. Bennett, Jr., Fertility Institute

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## OU PHYSICIANS REPRODUCTIVE MEDICINE OKLAHOMA CITY, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Latasha B. Craig, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	19%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	25%	Other factor	25%	
				Endometriosis	12%	Unknown factor	12%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 232 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	102	19	20	12	2	1
Percentage of cancellations before retrieval (%)	3.9	1 / 19	10.0	4 / 12	0 / 2	1 / 1
Average number of embryos transferred	1.9	1.8	2.6	2.7	3.5	
Percentage of embryos transferred resulting in implantation (%)	37.9	29.0	14.0	1 / 19	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	9.9	0 / 13	0 / 17	0 / 5	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.6	5 / 19	10.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	24.5	7 / 19	15.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	18.6	1 / 19	5.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	43.1	8 / 19	20.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	47.1	8 / 19	30.0	1 / 12	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	97	17	18	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.6	5 / 17	2 / 18	0 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	25.8	7 / 17	3 / 18	0 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	19.6	1 / 17	1 / 18	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	45.4	8 / 17	4 / 18	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	49.5	8 / 17	6 / 18	1 / 7	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	8	7	0	0	0
Number of transfers	27	8	7	0	0	0
Estimated average number of transfers per retrieval	3.0	4.0	1.0			0.0
Average number of embryos transferred	1.9	1.6	1.7			
Percentage of embryos transferred resulting in implantation (%)	28.8	6 / 13	2 / 12			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.5	1 / 8	1 / 7			
Percentage of transfers resulting in singleton live births (%)	33.3	1 / 8	1 / 7			
Percentage of transfers resulting in twin live births (%)	3.7	2 / 8	0 / 7			
Percentage of transfers resulting in live births (%)	37.0	3 / 8	1 / 7			
Percentage of transfers resulting in pregnancies (%)	44.4	4 / 8	2 / 7			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		13			19	
Number of transfers		12			19	
Average number of embryos transferred		1.7			1.8	
Percentage of embryos transferred resulting in implantation (%)		11 / 19			26.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 12			5 / 19	
Percentage of transfers resulting in singleton live births (%)		1 / 12			7 / 19	
Percentage of transfers resulting in twin live births (%)		5 / 12			0 / 19	
Percentage of transfers resulting in live births (%)		6 / 12			7 / 19	
Percentage of transfers resulting in pregnancies (%)		7 / 12			8 / 19	

### CURRENT SERVICES & PROFILE

Current Name: OU Physicians Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## TULSA FERTILITY CENTER TULSA, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Stanley G. Prough, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	14%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 26%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	15%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	27%	
				Endometriosis	8%	Unknown factor	11%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 314 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	134	42	21	4	0	0
Percentage of cancellations before retrieval (%)	5.2	4.8	14.3	2 / 4		
Average number of embryos transferred	1.7	1.7	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	34.2	30.0	3 / 14	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	7.0	5.0	0 / 3			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.4	21.4	4.8	0 / 4		
Percentage of cycles resulting in singleton live births (%)	16.4	23.8	4.8	0 / 4		
Percentage of cycles resulting in twin live births (%)	7.5	4.8	4.8	0 / 4		
Percentage of cycles resulting in live births (%)	25.4	28.6	9.5	0 / 4		
Percentage of cycles resulting in pregnancies (%)	30.6	31.0	9.5	0 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	94	30	11	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.1	30.0	1 / 11	0 / 1		
Percentage of transfers resulting in singleton live births (%)	23.4	33.3	1 / 11	0 / 1		
Percentage of transfers resulting in twin live births (%)	10.6	6.7	1 / 11	0 / 1		
Percentage of transfers resulting in live births (%)	36.2	40.0	2 / 11	0 / 1		
Percentage of transfers resulting in pregnancies (%)	43.6	43.3	2 / 11	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	47	9	5	1	1	0
Number of transfers	45	9	5	1	1	0
Estimated average number of transfers per retrieval	1.7	1.3	0.6	0.1	1.0	
Average number of embryos transferred	1.6	1.4	1.2	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.6	8 / 13	2 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.7	3 / 9	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	6 / 9	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.6	1 / 9	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	51.1	7 / 9	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	55.6	7 / 9	2 / 5	0 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	4	6	5	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	13			15		
Number of transfers	8			15		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	6 / 15			28.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 8			6 / 15		
Percentage of transfers resulting in singleton live births (%)	2 / 8			6 / 15		
Percentage of transfers resulting in twin live births (%)	2 / 8			0 / 15		
Percentage of transfers resulting in live births (%)	4 / 8			6 / 15		
Percentage of transfers resulting in pregnancies (%)	4 / 8			7 / 15		

### CURRENT SERVICES & PROFILE

Current Name: Tulsa Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY CENTER OF OREGON EUGENE, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Douglas J. Austin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	10%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 30%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	29%	Male factor	46%	
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	6%	
				Endometriosis	4%	Unknown factor	6%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 163 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	57	18	7	4	1	1
Percentage of cancellations before retrieval (%)	5.3	1 / 18	0 / 7	0 / 4	0 / 1	0 / 1
Average number of embryos transferred	2.1	2.1	2.6	3.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.0	35.5	2 / 18	0 / 15	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	5.7	1 / 15	0 / 7	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.1	7 / 18	0 / 7	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	26.3	8 / 18	1 / 7	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	10.5	0 / 18	0 / 7	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	36.8	8 / 18	1 / 7	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	47.4	9 / 18	2 / 7	0 / 4	1 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	53	15	7	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.6	7 / 15	0 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	28.3	8 / 15	1 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.3	0 / 15	0 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	39.6	8 / 15	1 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.9	9 / 15	2 / 7	0 / 4	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	11	5	5	1	0
Number of transfers	31	11	5	5	1	0
Estimated average number of transfers per retrieval	2.2	2.8	5.0	5.0		
Average number of embryos transferred	2.2	1.9	1.8	2.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	27.9	19.0	3 / 9	0 / 13	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.6	1 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.8	1 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.9	1 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	38.7	2 / 11	0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.2	3 / 11	3 / 5	0 / 5	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			15		
Number of transfers	4			15		
Average number of embryos transferred	2.3			1.9		
Percentage of embryos transferred resulting in implantation (%)	8 / 9			17.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4			2 / 15		
Percentage of transfers resulting in singleton live births (%)	1 / 4			2 / 15		
Percentage of transfers resulting in twin live births (%)	2 / 4			1 / 15		
Percentage of transfers resulting in live births (%)	4 / 4			3 / 15		
Percentage of transfers resulting in pregnancies (%)	4 / 4			4 / 15		

## CURRENT SERVICES & PROFILE

Current Name: The Fertility Center of Oregon

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# NORTHWEST FERTILITY CENTER PORTLAND, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Eugene M. Stoelk, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	42%	Tubal factor	30%	Uterine factor	<1%	Multiple Factors: Female factors only 14% Female & male factors 12%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	9%	Male factor	37%	
Used gestational carrier	3%			Diminished ovarian reserve	27%	Other factor	3%	
				Endometriosis	14%	Unknown factor	6%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 151 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	42	15	15	4	2	0
Percentage of cancellations before retrieval (%)	16.7	2 / 15	1 / 15	0 / 4	0 / 2	
Average number of embryos transferred	1.8	1.8	2.6	3.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	40.4	43.5	35.3	1 / 12	2 / 7	
Percentage of elective single embryo transfers (eSET) (%)	13.3	1 / 10	0 / 13	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.0	3 / 15	2 / 15	1 / 4	1 / 2	
Percentage of cycles resulting in singleton live births (%)	21.4	5 / 15	4 / 15	1 / 4	2 / 2	
Percentage of cycles resulting in twin live births (%)	16.7	2 / 15	3 / 15	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	38.1	7 / 15	7 / 15	1 / 4	2 / 2	
Percentage of cycles resulting in pregnancies (%)	38.1	7 / 15	9 / 15	1 / 4	2 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	31	13	13	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.8	3 / 13	2 / 13	1 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	29.0	5 / 13	4 / 13	1 / 4	2 / 2	
Percentage of transfers resulting in twin live births (%)	22.6	2 / 13	3 / 13	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	51.6	7 / 13	7 / 13	1 / 4	2 / 2	
Percentage of transfers resulting in pregnancies (%)	51.6	7 / 13	9 / 13	1 / 4	2 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	13	8	2	0	0
Number of transfers	23	13	8	2	0	0
Estimated average number of transfers per retrieval	2.1	4.3	1.1	2.0		
Average number of embryos transferred	1.7	1.8	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	47.5	17.4	7 / 16	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.4	3 / 13	5 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	21.7	4 / 13	5 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	21.7	0 / 13	1 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	47.8	4 / 13	6 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	47.8	4 / 13	6 / 8	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	2	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	18			5		
Number of transfers	18			5		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation (%)	59.5			2 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 18			1 / 5		
Percentage of transfers resulting in singleton live births (%)	7 / 18			2 / 5		
Percentage of transfers resulting in twin live births (%)	6 / 18			0 / 5		
Percentage of transfers resulting in live births (%)	14 / 18			2 / 5		
Percentage of transfers resulting in pregnancies (%)	14 / 18			2 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Northwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# OREGON REPRODUCTIVE MEDICINE PORTLAND, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by John S. Hesla, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	77%	Tubal factor	6%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 8%
Unstimulated	7%	PGD/PGS	15%	Ovulatory dysfunction	7%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	30%	
				Endometriosis	7%	Unknown factor	14%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,393 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	176	109	56	34	19	5
Percentage of cancellations before retrieval (%)	2.3	11.9	25.0	14.7	3 / 19	1 / 5
Average number of embryos transferred	1.8	1.8	1.6	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	61.9	54.4	50.0	6 / 16	1 / 2	1 / 2
Percentage of elective single embryo transfers (eSET) (%)	14.4	15.0	26.1	1 / 7	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.3	22.9	21.4	8.8	1 / 19	1 / 5
Percentage of cycles resulting in singleton live births (%)	35.8	24.8	21.4	11.8	1 / 19	1 / 5
Percentage of cycles resulting in twin live births (%)	21.6	20.2	5.4	2.9	0 / 19	0 / 5
Percentage of cycles resulting in live births (%)	58.5	45.9	26.8	14.7	1 / 19	1 / 5
Percentage of cycles resulting in pregnancies (%)	66.5	53.2	32.1	17.6	1 / 19	1 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	157	87	28	10	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.0	28.7	42.9	3 / 10	1 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	40.1	31.0	42.9	4 / 10	1 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	24.2	25.3	10.7	1 / 10	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	65.6	57.5	53.6	5 / 10	1 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	74.5	66.7	64.3	6 / 10	1 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	106	101	95	37	20	8
Number of transfers	97	99	89	35	18	8
Estimated average number of transfers per retrieval	0.8	0.9	0.8	0.6	0.7	0.2
Average number of embryos transferred	1.5	1.6	1.4	1.3	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	67.4	63.5	56.6	61.4	50.0	8 / 10
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.1	47.5	40.4	42.9	8 / 18	3 / 8
Percentage of transfers resulting in singleton live births (%)	48.5	52.5	49.4	45.7	8 / 18	4 / 8
Percentage of transfers resulting in twin live births (%)	19.6	16.2	6.7	11.4	1 / 18	0 / 8
Percentage of transfers resulting in live births (%)	68.0	69.7	56.2	57.1	9 / 18	4 / 8
Percentage of transfers resulting in pregnancies (%)	74.2	76.8	69.7	68.6	10 / 18	5 / 8
<b>Number of Egg/Embryo Banking Cycles</b>						
	101	90	108	52	25	34
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		79			137	
Number of transfers		72			132	
Average number of embryos transferred		1.5			1.5	
Percentage of embryos transferred resulting in implantation (%)		85.0			70.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		44.4			34.1	
Percentage of transfers resulting in singleton live births (%)		50.0			43.2	
Percentage of transfers resulting in twin live births (%)		33.3			22.0	
Percentage of transfers resulting in live births (%)		83.3			65.2	
Percentage of transfers resulting in pregnancies (%)		87.5			79.5	

## CURRENT SERVICES & PROFILE

Current Name: Oregon Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY FERTILITY CONSULTANTS  
OREGON HEALTH & SCIENCE UNIVERSITY  
PORTLAND, OREGON**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by David M. Lee, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	14%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	45%	
Used gestational carrier	5%			Diminished ovarian reserve	41%	Other factor	21%	
				Endometriosis	7%	Unknown factor	6%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 458 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	78	47	31	13	4	1
Percentage of cancellations before retrieval (%)	5.1	17.0	12.9	4 / 13	2 / 4	0 / 1
Average number of embryos transferred	1.8	2.0	2.1	2.2	2.0	4.0
Percentage of embryos transferred resulting in implantation (%)	50.0	35.6	12.2	2 / 11		0 / 4
Percentage of elective single embryo transfers (eSET) (%)	26.9	13.6	0 / 18	0 / 4	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.5	14.9	3.2	1 / 13	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.1	14.9	3.2	1 / 13	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	14.1	4.3	3.2	0 / 13	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	37.2	19.1	6.5	1 / 13	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	39.7	27.7	12.9	2 / 13	1 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	53	23	20	5	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.2	30.4	5.0	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.0	30.4	5.0	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	20.8	8.7	5.0	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	54.7	39.1	10.0	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.5	56.5	20.0	2 / 5	1 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	65	30	30	10	3	2
Number of transfers	63	28	27	8	3	2
Estimated average number of transfers per retrieval	1.5	1.0	1.3	1.1	1.5	2.0
Average number of embryos transferred	1.7	1.8	1.7	2.0	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	42.7	52.0	29.5	8 / 16	2 / 5	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.7	46.4	25.9	4 / 8	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.5	57.1	33.3	4 / 8	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	15.9	10.7	0.0	2 / 8	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	52.4	67.9	37.0	6 / 8	2 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	55.6	67.9	44.4	6 / 8	2 / 3	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	22	13	14	5	2	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		47			37	
Number of transfers		41			35	
Average number of embryos transferred		1.6			1.7	
Percentage of embryos transferred resulting in implantation (%)		70.8			35.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		34.1			25.7	
Percentage of transfers resulting in singleton live births (%)		39.0			31.4	
Percentage of transfers resulting in twin live births (%)		29.3			5.7	
Percentage of transfers resulting in live births (%)		68.3			37.1	
Percentage of transfers resulting in pregnancies (%)		75.6			48.6	

**CURRENT SERVICES & PROFILE**

Current Name: University Fertility Consultants, Oregon Health & Science University

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Stephen G. Somkuti, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	3%	Uterine factor	<1%	Multiple Factors: Female factors only 2% Female & male factors 5%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	8%	Male factor	16%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	49%	
				Endometriosis	3%	Unknown factor	7%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 523 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	165	93	76	26	5	4
Percentage of cancellations before retrieval (%)	6.1	8.6	10.5	19.2	0 / 5	0 / 4
Average number of embryos transferred	2.0	2.3	2.6	2.6	1.7	2.8
Percentage of embryos transferred resulting in implantation (%)	33.0	20.9	21.4	17.1	0 / 5	0 / 11
Percentage of elective single embryo transfers (eSET) (%)	4.8	3.2	0.0	0 / 11	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.6	14.0	11.8	11.5	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	18.8	20.4	14.5	11.5	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	15.2	2.2	5.3	0.0	0 / 5	0 / 4
Percentage of cycles resulting in live births (%)	33.9	22.6	21.1	15.4	0 / 5	0 / 4
Percentage of cycles resulting in pregnancies (%)	38.8	32.3	30.3	19.2	0 / 5	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	144	71	56	16	3	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.1	18.3	16.1	3 / 16	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	21.5	26.8	19.6	3 / 16	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	17.4	2.8	7.1	0 / 16	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)	38.9	29.6	28.6	4 / 16	0 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	44.4	42.3	41.1	5 / 16	0 / 3	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	41	28	18	2	1	2
Number of transfers	41	28	17	2	1	2
Estimated average number of transfers per retrieval	2.0	2.8	1.4	1.0	1.0	
Average number of embryos transferred	1.5	1.8	1.9	1.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	23.3	27.7	9.1	0 / 2	0 / 3	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.5	17.9	2 / 17	0 / 2	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	26.8	17.9	2 / 17	0 / 2	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	10.7	0 / 17	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	26.8	28.6	2 / 17	0 / 2	0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	34.1	39.3	3 / 17	1 / 2	0 / 1	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	4	8	2	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		15		23		
Number of transfers		15		23		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation (%)		66.7		29.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 15		13.0		
Percentage of transfers resulting in singleton live births (%)		4 / 15		30.4		
Percentage of transfers resulting in twin live births (%)		6 / 15		8.7		
Percentage of transfers resulting in live births (%)		10 / 15		39.1		
Percentage of transfers resulting in pregnancies (%)		12 / 15		43.5		

## CURRENT SERVICES & PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics, Toll Center for Reproductive Sciences

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INFERTILITY SOLUTIONS, PC ALLENTOWN, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Bruce I. Rose, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	16%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 31%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	4%	
				Endometriosis	18%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 51 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	14	5	16	4	1	2
Percentage of cancellations before retrieval (%)	0 / 14	1 / 5	2 / 16	0 / 4	0 / 1	0 / 2
Average number of embryos transferred	2.4	2.3	2.3	3.7	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	23.3	1 / 7	5.0	1 / 11	0 / 2	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	0 / 13	0 / 3	0 / 8	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 14	1 / 5	1 / 16	1 / 4	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	5 / 14	1 / 5	1 / 16	1 / 4	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 5	0 / 16	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	6 / 14	1 / 5	1 / 16	1 / 4	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	7 / 14	1 / 5	2 / 16	1 / 4	0 / 1	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	14	3	10	3	1	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 14	1 / 3	1 / 10	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 14	1 / 3	1 / 10	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 3	0 / 10	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	6 / 14	1 / 3	1 / 10	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 14	1 / 3	2 / 10	1 / 3	0 / 1	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	1	3	0	0	0
Number of transfers	1	1	3	0	0	0
Estimated average number of transfers per retrieval			1.0			
Average number of embryos transferred	3.0	2.0	2.3			
Percentage of embryos transferred resulting in implantation (%)	2 / 3	2 / 2	0 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 1	0 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 1	1 / 1	0 / 3			
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1	0 / 3			
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1	0 / 3			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			4		
Number of transfers	0			4		
Average number of embryos transferred				2.5		
Percentage of embryos transferred resulting in implantation (%)				3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				2 / 4		
Percentage of transfers resulting in singleton live births (%)				2 / 4		
Percentage of transfers resulting in twin live births (%)				0 / 4		
Percentage of transfers resulting in live births (%)				2 / 4		
Percentage of transfers resulting in pregnancies (%)				3 / 4		

## CURRENT SERVICES & PROFILE

Current Name: Infertility Solutions, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 21 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA ALLENTOWN, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Wendy J. Schillings, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	9%	Uterine factor	7%	Multiple Factors: Female factors only 7% Female & male factors 33%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	23%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	34%	
				Endometriosis	8%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 254 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	62	18	10	3	0	0
Percentage of cancellations before retrieval (%)	4.8	1 / 18	4 / 10	1 / 3		
Average number of embryos transferred	1.7	1.5	1.5			
Percentage of embryos transferred resulting in implantation (%)	76.7	9 / 18	0 / 3			
Percentage of elective single embryo transfers (eSET) (%)	31.6	6 / 12	1 / 2			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.6	4 / 18	0 / 10	0 / 3		
Percentage of cycles resulting in singleton live births (%)	29.0	5 / 18	0 / 10	0 / 3		
Percentage of cycles resulting in twin live births (%)	17.7	1 / 18	0 / 10	0 / 3		
Percentage of cycles resulting in live births (%)	46.8	6 / 18	0 / 10	0 / 3		
Percentage of cycles resulting in pregnancies (%)	56.5	9 / 18	0 / 10	0 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	40	13	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.0	4 / 13	0 / 2			
Percentage of transfers resulting in singleton live births (%)	45.0	5 / 13	0 / 2			
Percentage of transfers resulting in twin live births (%)	27.5	1 / 13	0 / 2			
Percentage of transfers resulting in live births (%)	72.5	6 / 13	0 / 2			
Percentage of transfers resulting in pregnancies (%)	87.5	9 / 13	0 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	49	27	10	4	1	0
Number of transfers	48	24	8	4	0	0
Estimated average number of transfers per retrieval	1.5	1.2	0.6	1.0	0.0	
Average number of embryos transferred	1.4	1.5	1.4	1.0		
Percentage of embryos transferred resulting in implantation (%)	64.6	45.2	5 / 8	3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.4	37.5	3 / 8	2 / 4		
Percentage of transfers resulting in singleton live births (%)	43.8	41.7	4 / 8	3 / 4		
Percentage of transfers resulting in twin live births (%)	20.8	4.2	0 / 8	0 / 4		
Percentage of transfers resulting in live births (%)	64.6	45.8	4 / 8	3 / 4		
Percentage of transfers resulting in pregnancies (%)	68.8	66.7	7 / 8	3 / 4		
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	14	13	4	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			10		
Number of transfers	1			10		
Average number of embryos transferred	1.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 1			6 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			4 / 10		
Percentage of transfers resulting in singleton live births (%)	1 / 1			4 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 1			1 / 10		
Percentage of transfers resulting in live births (%)	1 / 1			5 / 10		
Percentage of transfers resulting in pregnancies (%)	1 / 1			5 / 10		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by H. Christina Lee, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	23%	Male factor	53%	
Used gestational carrier	2%			Diminished ovarian reserve	34%	Other factor	22%	
				Endometriosis	11%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				36%

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 69 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	16	19	9	0	2	0
Percentage of cancellations before retrieval (%)	0 / 16	0 / 19	2 / 9		0 / 2	
Average number of embryos transferred	1.2	1.9	1.9		2.0	
Percentage of embryos transferred resulting in implantation (%)	11 / 19	42.9	3 / 13		0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	10 / 13	2 / 15	0 / 5		0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9 / 16	5 / 19	1 / 9		0 / 2	
Percentage of cycles resulting in singleton live births (%)	10 / 16	5 / 19	2 / 9		0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 16	3 / 19	0 / 9		0 / 2	
Percentage of cycles resulting in live births (%)	10 / 16	8 / 19	2 / 9		0 / 2	
Percentage of cycles resulting in pregnancies (%)	11 / 16	9 / 19	2 / 9		0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	16	18	7	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9 / 16	5 / 18	1 / 7		0 / 2	
Percentage of transfers resulting in singleton live births (%)	10 / 16	5 / 18	2 / 7		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 16	3 / 18	0 / 7		0 / 2	
Percentage of transfers resulting in live births (%)	10 / 16	8 / 18	2 / 7		0 / 2	
Percentage of transfers resulting in pregnancies (%)	11 / 16	9 / 18	2 / 7		0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	3	1	2	0	0
Number of transfers	3	3	1	2	0	0
Estimated average number of transfers per retrieval	0.6	0.5	0.5			
Average number of embryos transferred	1.3	1.7	3.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 5	1 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3	1 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	1 / 3	1 / 3	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 3	1 / 1	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	1	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			5		
Number of transfers	3			5		
Average number of embryos transferred	1.3			1.2		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3			3 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 3			3 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 3			3 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 3			4 / 5		

### CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE BRYN MAWR, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Michael J. Glassner, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	33%	Tubal factor	8%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 5%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	18%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	11%	
				Endometriosis	5%	Unknown factor	27%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,263 (includes 99 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	254	148	158	53	32	12
Percentage of cancellations before retrieval (%)	5.5	2.7	12.0	22.6	12.5	0 / 12
Average number of embryos transferred	2.0	2.2	2.5	2.4	3.5	2.8
Percentage of embryos transferred resulting in implantation (%)	32.6	28.0	22.2	13.9	6.2	0 / 11
Percentage of elective single embryo transfers (eSET) (%)	15.3	0.8	5.5	0.0	4.5	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.1	22.3	19.0	7.5	9.4	0 / 12
Percentage of cycles resulting in singleton live births (%)	21.7	25.7	21.5	9.4	9.4	0 / 12
Percentage of cycles resulting in twin live births (%)	9.4	8.1	3.8	1.9	0.0	0 / 12
Percentage of cycles resulting in live births (%)	31.1	33.8	25.3	11.3	9.4	0 / 12
Percentage of cycles resulting in pregnancies (%)	38.2	43.2	36.7	18.9	18.8	0 / 12
<b>Outcomes per Transfer</b>						
Number of transfers	202	127	126	32	24	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.8	26.0	23.8	12.5	12.5	0 / 4
Percentage of transfers resulting in singleton live births (%)	27.2	29.9	27.0	15.6	12.5	0 / 4
Percentage of transfers resulting in twin live births (%)	11.9	9.4	4.8	3.1	0.0	0 / 4
Percentage of transfers resulting in live births (%)	39.1	39.4	31.7	18.8	12.5	0 / 4
Percentage of transfers resulting in pregnancies (%)	48.0	50.4	46.0	31.3	25.0	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	133	50	43	17	13	0
Number of transfers	118	49	40	15	9	0
Estimated average number of transfers per retrieval	1.0	0.9	0.6	0.5	1.0	0.0
Average number of embryos transferred	1.6	1.6	1.6	1.9	2.2	
Percentage of embryos transferred resulting in implantation (%)	36.4	32.9	29.7	34.5	3 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.0	28.6	22.5	5 / 15	1 / 9	
Percentage of transfers resulting in singleton live births (%)	29.7	30.6	22.5	7 / 15	1 / 9	
Percentage of transfers resulting in twin live births (%)	5.1	6.1	2.5	0 / 15	0 / 9	
Percentage of transfers resulting in live births (%)	34.7	36.7	25.0	7 / 15	1 / 9	
Percentage of transfers resulting in pregnancies (%)	50.8	49.0	42.5	9 / 15	3 / 9	
<b>Number of Egg/Embryo Banking Cycles</b>						
	48	31	51	24	3	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		16			75	
Number of transfers		12			70	
Average number of embryos transferred		1.8			1.5	
Percentage of embryos transferred resulting in implantation (%)		38.1			25.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		7 / 12			22.9	
Percentage of transfers resulting in singleton live births (%)		7 / 12			28.6	
Percentage of transfers resulting in twin live births (%)		0 / 12			2.9	
Percentage of transfers resulting in live births (%)		7 / 12			31.4	
Percentage of transfers resulting in pregnancies (%)		8 / 12			37.1	

## CURRENT SERVICES & PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Jennifer Gell, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	19%	Uterine factor	11%	Multiple Factors: Female factors only 7% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	25%	
Used gestational carrier	3%			Diminished ovarian reserve	24%	Other factor	6%	
				Endometriosis	6%	Unknown factor	13%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 123 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	30	13	23	5	2	0
Percentage of cancellations before retrieval (%)	0.0	1 / 13	8.7	0 / 5	1 / 2	
Average number of embryos transferred	2.0	2.2	2.3	2.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	21.6	27.3	7.0	2 / 9	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 10	0 / 15	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	3 / 13	4.3	1 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	20.0	3 / 13	4.3	1 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	6.7	1 / 13	4.3	0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	26.7	4 / 13	8.7	1 / 5	0 / 2	
Percentage of cycles resulting in pregnancies (%)	33.3	5 / 13	8.7	1 / 5	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	26	10	19	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.1	3 / 10	1 / 19	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	23.1	3 / 10	1 / 19	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.7	1 / 10	1 / 19	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	30.8	4 / 10	2 / 19	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	38.5	5 / 10	2 / 19	1 / 4	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	12	7	2	0	1
Number of transfers	17	11	7	2	0	1
Estimated average number of transfers per retrieval	2.1	2.8	1.2	2.0		
Average number of embryos transferred	1.8	1.5	2.3	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	35.5	5 / 16	5 / 16	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 17	3 / 11	0 / 7	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 17	3 / 11	0 / 7	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 11	2 / 7	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	9 / 17	4 / 11	2 / 7	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 17	4 / 11	2 / 7	1 / 2		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			7		
Number of transfers	3			7		
Average number of embryos transferred	1.7			1.7		
Percentage of embryos transferred resulting in implantation (%)	1 / 5			4 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3			1 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 3			2 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 7		
Percentage of transfers resulting in live births (%)	1 / 3			3 / 7		
Percentage of transfers resulting in pregnancies (%)	1 / 3			3 / 7		

## CURRENT SERVICES & PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PENN STATE MILTON S. HERSHEY MEDICAL CENTER HERSHEY, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by William C. Dodson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	95%	Tubal factor	10%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	1%	Other factor	3%	
				Endometriosis	18%	Unknown factor	34%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 86 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	29	6	7	1	0	0
Percentage of cancellations before retrieval (%)	0.0	1 / 6	0 / 7	0 / 1		
Average number of embryos transferred	2.0	1.8	2.3			
Percentage of embryos transferred resulting in implantation (%)	33.3	5 / 9	2 / 16			
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 5	0 / 6			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	1 / 6	1 / 7	0 / 1		
Percentage of cycles resulting in singleton live births (%)	34.5	1 / 6	1 / 7	0 / 1		
Percentage of cycles resulting in twin live births (%)	3.4	1 / 6	0 / 7	0 / 1		
Percentage of cycles resulting in live births (%)	37.9	2 / 6	1 / 7	0 / 1		
Percentage of cycles resulting in pregnancies (%)	41.4	3 / 6	2 / 7	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	23	5	7	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4	1 / 5	1 / 7			
Percentage of transfers resulting in singleton live births (%)	43.5	1 / 5	1 / 7			
Percentage of transfers resulting in twin live births (%)	4.3	1 / 5	0 / 7			
Percentage of transfers resulting in live births (%)	47.8	2 / 5	1 / 7			
Percentage of transfers resulting in pregnancies (%)	52.2	3 / 5	2 / 7			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	18	3	5	1	0	0
Number of transfers	17	3	5	1	0	0
Estimated average number of transfers per retrieval	1.5	1.5	2.5	1.0	0.0	
Average number of embryos transferred	1.9	1.7	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)	28.1	0 / 5	4 / 12	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 17	0 / 3	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 17	0 / 3	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 3	1 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 17	0 / 3	2 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 17	0 / 3	3 / 5	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	1	1	0	2	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			4		
Number of transfers	0			3		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				1 / 3		
Percentage of transfers resulting in singleton live births (%)				2 / 3		
Percentage of transfers resulting in twin live births (%)				0 / 3		
Percentage of transfers resulting in live births (%)				2 / 3		
Percentage of transfers resulting in pregnancies (%)				2 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Penn State Milton S. Hershey Medical Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA KING OF PRUSSIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Arthur J. Castelbaum, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	13%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	9%	Ovulatory dysfunction	5%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	24%	
				Endometriosis	7%	Unknown factor	19%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 755 (includes 16 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		230	62	57	26	8	4
Percentage of cancellations before retrieval (%)		6.1	9.7	8.8	15.4	2 / 8	0 / 4
Average number of embryos transferred		1.4	1.6	1.9	1.9	2.0	2.5
Percentage of embryos transferred resulting in implantation (%)		53.8	48.6	30.9	7 / 18	1 / 12	0 / 5
Percentage of elective single embryo transfers (eSET) (%)		61.3	30.0	10.0	3 / 10	0 / 5	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		23.9	17.7	12.3	7.7	1 / 8	0 / 4
Percentage of cycles resulting in singleton live births (%)		29.1	19.4	17.5	7.7	1 / 8	0 / 4
Percentage of cycles resulting in twin live births (%)		8.7	9.7	3.5	0.0	0 / 8	0 / 4
Percentage of cycles resulting in live births (%)		38.3	32.3	21.1	11.5	1 / 8	0 / 4
Percentage of cycles resulting in pregnancies (%)		47.4	40.3	28.1	26.9	1 / 8	0 / 4
<b>Outcomes per Transfer</b>							
Number of transfers		187	46	36	12	6	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.4	23.9	19.4	2 / 12	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)		35.8	26.1	27.8	2 / 12	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)		10.7	13.0	5.6	0 / 12	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)		47.1	43.5	33.3	3 / 12	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)		58.3	54.3	44.4	7 / 12	1 / 6	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		119	51	35	9	2	0
Number of transfers		105	50	30	9	1	0
Estimated average number of transfers per retrieval		1.0	1.6	0.9	0.8	0.3	
Average number of embryos transferred		1.4	1.5	1.2	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)		52.6	38.0	51.4	3 / 16	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		31.4	24.0	36.7	3 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)		40.0	34.0	46.7	3 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)		8.6	8.0	3.3	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)		48.6	42.0	50.0	3 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)		58.1	50.0	56.7	3 / 9	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>							
		25	12	21	8	4	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		28			38		
Number of transfers		22			34		
Average number of embryos transferred		1.5			1.2		
Percentage of embryos transferred resulting in implantation (%)		56.7			52.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.4			26.5		
Percentage of transfers resulting in singleton live births (%)		45.5			35.3		
Percentage of transfers resulting in twin live births (%)		9.1			5.9		
Percentage of transfers resulting in live births (%)		54.5			41.2		
Percentage of transfers resulting in pregnancies (%)		72.7			55.9		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Medicine Associates of Philadelphia					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY AND GYNECOLOGY ASSOCIATES PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Leonore C. Huppert, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	44%	Tubal factor	13%	Uterine factor	13%	Multiple Factors: Female factors only 20% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	13%	
				Endometriosis	7%	Unknown factor	20%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 27 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	2	1	2	1	0
Percentage of cancellations before retrieval (%)	1/3	0/2	0/1	1/2	0/1	
Average number of embryos transferred	1.0	3.0	4.0		4.0	
Percentage of embryos transferred resulting in implantation (%)	1/2	0/6	0/4		0/4	
Percentage of elective single embryo transfers (eSET) (%)	2/2	0/2	0/1		0/1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0/3	0/2	0/1	0/2	0/1	
Percentage of cycles resulting in singleton live births (%)	0/3	0/2	0/1	0/2	0/1	
Percentage of cycles resulting in twin live births (%)	0/3	0/2	0/1	0/2	0/1	
Percentage of cycles resulting in live births (%)	0/3	0/2	0/1	0/2	0/1	
Percentage of cycles resulting in pregnancies (%)	1/3	0/2	0/1	0/2	0/1	
<b>Outcomes per Transfer</b>						
Number of transfers	2	2	1	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0/2	0/2	0/1		0/1	
Percentage of transfers resulting in singleton live births (%)	0/2	0/2	0/1		0/1	
Percentage of transfers resulting in twin live births (%)	0/2	0/2	0/1		0/1	
Percentage of transfers resulting in live births (%)	0/2	0/2	0/1		0/1	
Percentage of transfers resulting in pregnancies (%)	1/2	0/2	0/1		0/1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	1	2	0	0
Number of transfers	0	1	1	2	0	0
Estimated average number of transfers per retrieval	0.0			1.0		
Average number of embryos transferred		2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		0/2	2/2	1/4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0/1	0/1	1/2		
Percentage of transfers resulting in singleton live births (%)		0/1	0/1	1/2		
Percentage of transfers resulting in twin live births (%)		0/1	1/1	0/2		
Percentage of transfers resulting in live births (%)		0/1	1/1	1/2		
Percentage of transfers resulting in pregnancies (%)		0/1	1/1	1/2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	0	0	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			2	
Number of transfers		0			2	
Average number of embryos transferred					2.0	
Percentage of embryos transferred resulting in implantation (%)					0/4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					0/2	
Percentage of transfers resulting in singleton live births (%)					0/2	
Percentage of transfers resulting in twin live births (%)					0/2	
Percentage of transfers resulting in live births (%)					0/2	
Percentage of transfers resulting in pregnancies (%)					0/2	

## CURRENT SERVICES & PROFILE

Current Name: Fertility and Gynecology Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOCIETY HILL REPRODUCTIVE MEDICINE PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Maureen P. Kelly, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	14%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	7%	Male factor	16%	
Used gestational carrier	4%			Diminished ovarian reserve	24%	Other factor	16%	
				Endometriosis	3%	Unknown factor	23%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 109 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	7	7	0	0	0
Percentage of cancellations before retrieval (%)	0 / 11	0 / 7	0 / 7			
Average number of embryos transferred	1.9	1.9	1.8			
Percentage of embryos transferred resulting in implantation (%)	6 / 13	3 / 13	2 / 9			
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	1 / 7	1 / 5			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 11	0 / 7	0 / 7			
Percentage of cycles resulting in singleton live births (%)	3 / 11	0 / 7	1 / 7			
Percentage of cycles resulting in twin live births (%)	1 / 11	1 / 7	0 / 7			
Percentage of cycles resulting in live births (%)	4 / 11	1 / 7	1 / 7			
Percentage of cycles resulting in pregnancies (%)	4 / 11	2 / 7	2 / 7			
<b>Outcomes per Transfer</b>						
Number of transfers	7	7	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7	0 / 7	0 / 5			
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 7	1 / 5			
Percentage of transfers resulting in twin live births (%)	1 / 7	1 / 7	0 / 5			
Percentage of transfers resulting in live births (%)	4 / 7	1 / 7	1 / 5			
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 7	2 / 5			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	6	6	0	0	0
Number of transfers	16	4	5	0	0	0
Estimated average number of transfers per retrieval	0.8	0.4	0.5	0.0		
Average number of embryos transferred	1.5	1.3	1.2			
Percentage of embryos transferred resulting in implantation (%)	70.8	1 / 5	3 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 16	1 / 4	1 / 5			
Percentage of transfers resulting in singleton live births (%)	9 / 16	1 / 4	2 / 5			
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 4	0 / 5			
Percentage of transfers resulting in live births (%)	11 / 16	1 / 4	2 / 5			
Percentage of transfers resulting in pregnancies (%)	12 / 16	1 / 4	3 / 5			
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	7	8	5	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			9		
Number of transfers	3			9		
Average number of embryos transferred	1.3			1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			6 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3			2 / 9		
Percentage of transfers resulting in singleton live births (%)	0 / 3			4 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 9		
Percentage of transfers resulting in live births (%)	0 / 3			5 / 9		
Percentage of transfers resulting in pregnancies (%)	1 / 3			5 / 9		

## CURRENT SERVICES & PROFILE

Current Name: Society Hill Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PENNSYLVANIA  
PENN FERTILITY CARE  
PHILADELPHIA, PENNSYLVANIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Clarisa R. Gracia, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	14%	Uterine factor	6%	Multiple Factors: Female factors only 13% Female & male factors 9%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	8%	Male factor	21%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	19%	
				Endometriosis	9%	Unknown factor	20%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 946 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	172	88	108	47	24	7
Percentage of cancellations before retrieval (%)	9.9	9.1	21.3	19.1	20.8	1 / 7
Average number of embryos transferred	1.3	1.6	2.0	2.2	2.6	2.6
Percentage of embryos transferred resulting in implantation (%)	38.6	36.4	29.4	20.7	2.7	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	63.8	42.2	11.4	4.2	0 / 13	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.5	19.3	22.2	10.6	4.2	0 / 7
Percentage of cycles resulting in singleton live births (%)	25.6	22.7	25.0	14.9	4.2	0 / 7
Percentage of cycles resulting in twin live births (%)	4.7	4.5	3.7	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)	30.2	28.4	28.7	14.9	4.2	0 / 7
Percentage of cycles resulting in pregnancies (%)	34.9	39.8	38.0	23.4	4.2	0 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	130	72	81	28	14	5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.5	23.6	29.6	17.9	1 / 14	0 / 5
Percentage of transfers resulting in singleton live births (%)	33.8	27.8	33.3	25.0	1 / 14	0 / 5
Percentage of transfers resulting in twin live births (%)	6.2	5.6	4.9	0.0	0 / 14	0 / 5
Percentage of transfers resulting in live births (%)	40.0	34.7	38.3	25.0	1 / 14	0 / 5
Percentage of transfers resulting in pregnancies (%)	46.2	48.6	50.6	39.3	1 / 14	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	115	61	30	23	5	1
Number of transfers	110	58	29	21	5	1
Estimated average number of transfers per retrieval	0.8	1.0	0.5	0.6	0.5	0.3
Average number of embryos transferred	1.4	1.3	1.6	2.0	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	56.5	27.8	34.8	15.0	3 / 9	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.8	22.4	24.1	9.5	2 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	46.4	24.1	31.0	19.0	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	9.1	3.4	3.4	0.0	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	55.5	27.6	34.5	19.0	2 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.5	37.9	44.8	33.3	3 / 5	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>	73	28	39	22	10	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		24			49	
Number of transfers		19			41	
Average number of embryos transferred		1.1			1.3	
Percentage of embryos transferred resulting in implantation (%)		11 / 19			36.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		8 / 19			29.3	
Percentage of transfers resulting in singleton live births (%)		10 / 19			39.0	
Percentage of transfers resulting in twin live births (%)		0 / 19			2.4	
Percentage of transfers resulting in live births (%)		10 / 19			41.5	
Percentage of transfers resulting in pregnancies (%)		12 / 19			43.9	

**CURRENT SERVICES & PROFILE**

Current Name: University of Pennsylvania, Penn Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM PITTSBURGH, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Bryan R. Hecht, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	13%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	13%	
				Endometriosis	12%	Unknown factor	12%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 60 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	8	3	0	2	0
Percentage of cancellations before retrieval (%)	2 / 18	0 / 8	0 / 3		0 / 2	
Average number of embryos transferred	2.2	2.1	2.0		2.5	
Percentage of embryos transferred resulting in implantation (%)	29.2	4 / 17	1 / 2		2 / 5	
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 8	0 / 1		0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 18	0 / 8	0 / 3		0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 18	1 / 8	0 / 3		0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 18	1 / 8	0 / 3		0 / 2	
Percentage of cycles resulting in live births (%)	2 / 18	2 / 8	0 / 3		0 / 2	
Percentage of cycles resulting in pregnancies (%)	6 / 18	3 / 8	1 / 3		1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	12	8	1	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 12	0 / 8	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 8	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 8	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	2 / 12	2 / 8	0 / 1		0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 12	3 / 8	1 / 1		1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	5	3	0	1	0
Number of transfers	10	5	3	0	1	0
Estimated average number of transfers per retrieval	5.0	5.0	1.5			
Average number of embryos transferred	1.9	1.8	2.7		2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 19	1 / 5	2 / 8		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 10	0 / 5	2 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 10	0 / 5	2 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 5	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	0 / 10	0 / 5	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 10	3 / 5	2 / 3		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			7		
Number of transfers	3			6		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 6			1 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3			1 / 6		
Percentage of transfers resulting in singleton live births (%)	2 / 3			1 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 6		
Percentage of transfers resulting in live births (%)	2 / 3			1 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 3			2 / 6		

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

**Current Name:** Jones Institute at West Penn Allegheny Health System

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE HEALTH SPECIALISTS, INC. PITTSBURGH, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Judith L. Albert, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	14%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	46%	
Used gestational carrier	1%			Diminished ovarian reserve	15%	Other factor	5%	
				Endometriosis	12%	Unknown factor	16%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 363 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	100	52	25	9	3	0
Percentage of cancellations before retrieval (%)	2.0	3.8	8.0	1 / 9	0 / 3	
Average number of embryos transferred	1.3	1.7	1.7	2.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	53.3	41.9	34.2	0 / 12	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	68.4	28.9	3 / 18	0 / 6	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.0	26.9	32.0	0 / 9	0 / 3	
Percentage of cycles resulting in singleton live births (%)	41.0	28.8	32.0	0 / 9	1 / 3	
Percentage of cycles resulting in twin live births (%)	6.0	5.8	0.0	0 / 9	0 / 3	
Percentage of cycles resulting in live births (%)	47.0	34.6	32.0	0 / 9	1 / 3	
Percentage of cycles resulting in pregnancies (%)	51.0	50.0	48.0	0 / 9	1 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	83	43	23	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	45.8	32.6	34.8	0 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	49.4	34.9	34.8	0 / 6	1 / 2	
Percentage of transfers resulting in twin live births (%)	7.2	7.0	0.0	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	56.6	41.9	34.8	0 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	61.4	60.5	52.2	0 / 6	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	75	32	18	8	1	1
Number of transfers	70	32	17	8	1	1
Estimated average number of transfers per retrieval	2.1	1.8	1.5	2.7		
Average number of embryos transferred	1.4	1.4	1.5	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	36.6	39.0	30.4	2 / 14	0 / 2	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.4	21.9	2 / 17	2 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.1	28.1	4 / 17	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	4.3	6.3	1 / 17	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	41.4	34.4	5 / 17	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	53.1	8 / 17	2 / 8	0 / 1	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	1	4	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	5			10		
Number of transfers	4			9		
Average number of embryos transferred	1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 6			4 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4			1 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 4			2 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 4			1 / 9		
Percentage of transfers resulting in live births (%)	1 / 4			3 / 9		
Percentage of transfers resulting in pregnancies (%)	2 / 4			4 / 9		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



**UNIVERSITY OF PITTSBURGH PHYSICIANS  
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY  
PITTSBURGH, PENNSYLVANIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Anthony N. Wakim, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 5%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	5%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	20%	
				Endometriosis	7%	Unknown factor	9%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 789 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	172	79	45	17	4	1
Percentage of cancellations before retrieval (%)	2.3	12.7	11.1	4 / 17	0 / 4	0 / 1
Average number of embryos transferred	1.6	2.0	2.4	2.8	2.7	4.0
Percentage of embryos transferred resulting in implantation (%)	30.3	26.9	19.0	0.0	1 / 6	1 / 4
Percentage of elective single embryo transfers (eSET) (%)	33.3	6.8	0.0	0 / 8	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.4	15.2	6.7	0 / 17	1 / 4	1 / 1
Percentage of cycles resulting in singleton live births (%)	18.0	16.5	6.7	0 / 17	1 / 4	1 / 1
Percentage of cycles resulting in twin live births (%)	3.5	5.1	8.9	0 / 17	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	21.5	21.5	15.6	0 / 17	1 / 4	1 / 1
Percentage of cycles resulting in pregnancies (%)	25.0	27.8	20.0	0 / 17	2 / 4	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	104	47	26	8	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.8	25.5	11.5	0 / 8	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	29.8	27.7	11.5	0 / 8	1 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	5.8	8.5	15.4	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	35.6	36.2	26.9	0 / 8	1 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	41.3	46.8	34.6	0 / 8	2 / 3	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	175	78	53	19	10	1
Number of transfers	153	61	38	15	8	1
Estimated average number of transfers per retrieval	1.6	1.9	2.0	3.8	4.0	
Average number of embryos transferred	1.7	1.7	2.1	2.4	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	22.6	18.4	15.0	5.7	10.0	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.5	14.8	13.2	2 / 15	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.1	14.8	18.4	2 / 15	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	2.0	4.9	0.0	0 / 15	1 / 8	0 / 1
Percentage of transfers resulting in live births (%)	30.1	19.7	21.1	2 / 15	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	37.9	27.9	26.3	3 / 15	1 / 8	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	5	3	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		35			65	
Number of transfers		29			56	
Average number of embryos transferred		1.4			1.6	
Percentage of embryos transferred resulting in implantation (%)		39.0			28.6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		24.1			19.6	
Percentage of transfers resulting in singleton live births (%)		34.5			28.6	
Percentage of transfers resulting in twin live births (%)		6.9			7.1	
Percentage of transfers resulting in live births (%)		41.4			35.7	
Percentage of transfers resulting in pregnancies (%)		48.3			39.3	

**CURRENT SERVICES & PROFILE**

Current Name: University of Pittsburgh Physicians,  
Center for Fertility and Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER UPLAND, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Albert El-Roeiy, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	54%	Tubal factor	41%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 18%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	16%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	33%	
				Endometriosis	25%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 147 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	54	20	17	7	7	0
Percentage of cancellations before retrieval (%)	24.1	25.0	4 / 17	5 / 7	5 / 7	
Average number of embryos transferred	2.0	2.2	1.7		3.0	
Percentage of embryos transferred resulting in implantation (%)	33.8	9.1	0 / 15		0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	6.5	0 / 9	0 / 4		0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.2	10.0	0 / 17	0 / 7	0 / 7	
Percentage of cycles resulting in singleton live births (%)	22.2	10.0	0 / 17	0 / 7	0 / 7	
Percentage of cycles resulting in twin live births (%)	9.3	0.0	0 / 17	0 / 7	0 / 7	
Percentage of cycles resulting in live births (%)	31.5	10.0	0 / 17	0 / 7	0 / 7	
Percentage of cycles resulting in pregnancies (%)	31.5	10.0	0 / 17	0 / 7	0 / 7	
<b>Outcomes per Transfer</b>						
Number of transfers	34	10	9	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.3	2 / 10	0 / 9		0 / 2	
Percentage of transfers resulting in singleton live births (%)	35.3	2 / 10	0 / 9		0 / 2	
Percentage of transfers resulting in twin live births (%)	14.7	0 / 10	0 / 9		0 / 2	
Percentage of transfers resulting in live births (%)	50.0	2 / 10	0 / 9		0 / 2	
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 10	0 / 9		0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	11	11	6	0	0	0
Number of transfers	10	10	6	0	0	0
Estimated average number of transfers per retrieval	1.3	0.9	1.5			
Average number of embryos transferred	2.0	1.8	2.2			
Percentage of embryos transferred resulting in implantation (%)	40.0	4 / 18	2 / 13			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 10	2 / 10	2 / 6			
Percentage of transfers resulting in singleton live births (%)	2 / 10	2 / 10	2 / 6			
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 10	0 / 6			
Percentage of transfers resulting in live births (%)	4 / 10	2 / 10	2 / 6			
Percentage of transfers resulting in pregnancies (%)	5 / 10	3 / 10	2 / 6			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			6		
Number of transfers	4			5		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 8			0 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 4			0 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 4			0 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 5		
Percentage of transfers resulting in live births (%)	1 / 4			0 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 4			0 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Endocrinology and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SHADY GROVE FERTILITY RSC OF PENNSYLVANIA WAYNE, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Isaac Sasson, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	12%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only <1% Female & male factors 1%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	22%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	4%	
				Endometriosis	6%	Unknown factor	12%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 493 (includes 17 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	93	31	19	9	4	0
Percentage of cancellations before retrieval (%)	6.5	9.7	5 / 19	4 / 9	2 / 4	
Average number of embryos transferred	1.3	1.6	1.6	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	41.7	41.7	2 / 13	1 / 10	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	64.2	40.9	1 / 5	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.2	19.4	1 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in singleton live births (%)	19.4	22.6	1 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in twin live births (%)	4.3	9.7	0 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in live births (%)	23.7	32.3	1 / 19	0 / 9	0 / 4	
Percentage of cycles resulting in pregnancies (%)	29.0	32.3	2 / 19	1 / 9	0 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	56	23	8	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	26.1	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.1	30.4	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.1	13.0	0 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	39.3	43.5	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	48.2	43.5	2 / 8	1 / 5	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	107	35	31	2	1	0
Number of transfers	102	35	30	2	1	0
Estimated average number of transfers per retrieval	1.4	1.5	1.8	0.4	0.2	
Average number of embryos transferred	1.4	1.4	1.5	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	51.6	33.3	27.3	1 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.4	34.3	13.3	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	39.2	40.0	20.0	1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.9	0.0	6.7	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	46.1	40.0	26.7	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.8	42.9	33.3	1 / 2	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	14	8	11	4	5	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	48			54		
Number of transfers	42			48		
Average number of embryos transferred	1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)	49.0			32.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.0			18.8		
Percentage of transfers resulting in singleton live births (%)	38.1			25.0		
Percentage of transfers resulting in twin live births (%)	9.5			0.0		
Percentage of transfers resulting in live births (%)	47.6			25.0		
Percentage of transfers resulting in pregnancies (%)	57.1			43.8		

### CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility RSC of Pennsylvania

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# RHPN WOMEN'S CLINIC & IVF-FERTILITY WEST READING, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Vincent A. Pellegrini, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	22%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 34% Female & male factors 53%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	43%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	46%	
				Endometriosis	33%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 94 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	37	14	8	4	3	0
Percentage of cancellations before retrieval (%)	18.9	3 / 14	1 / 8	1 / 4	0 / 3	
Average number of embryos transferred	2.2	2.4	2.8	3.0	5.0	
Percentage of embryos transferred resulting in implantation (%)	30.6	13.6	4 / 14	0 / 9	1 / 10	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	0 / 5	0 / 2	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.4	1 / 14	2 / 8	0 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)	35.1	1 / 14	2 / 8	0 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)	2.7	0 / 14	1 / 8	0 / 4	0 / 3	
Percentage of cycles resulting in live births (%)	37.8	1 / 14	3 / 8	0 / 4	0 / 3	
Percentage of cycles resulting in pregnancies (%)	43.2	3 / 14	3 / 8	0 / 4	1 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	28	9	5	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.9	1 / 9	2 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	46.4	1 / 9	2 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.6	0 / 9	1 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	1 / 9	3 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	57.1	3 / 9	3 / 5	0 / 3	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	8	0	3	0	0
Number of transfers	6	5	0	1	0	0
Estimated average number of transfers per retrieval	1.5	2.5			0.0	
Average number of embryos transferred	2.0	1.8		1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 12	0 / 9		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	0 / 5		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 5		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 5		0 / 1		
Percentage of transfers resulting in live births (%)	1 / 6	0 / 5		0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 6	0 / 5		0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	0	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: RHPN Women's Clinic & IVF-Fertility

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY CENTER, LLC YORK, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Robert B. Filer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	99%	Tubal factor	15%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	0%	
				Endometriosis	4%	Unknown factor	15%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 118 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	40	12	11	2	3	3
Percentage of cancellations before retrieval (%)	0.0	0 / 12	0 / 11	0 / 2	0 / 3	0 / 3
Average number of embryos transferred	2.1	2.0	2.2	3.0	2.3	3.5
Percentage of embryos transferred resulting in implantation (%)	31.1	40.9	13.6	0 / 6	1 / 7	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	5.9	0 / 10	0 / 8	0 / 2	0 / 2	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.0	3 / 12	1 / 11	0 / 2	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.0	3 / 12	1 / 11	0 / 2	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	15.0	3 / 12	1 / 11	0 / 2	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	35.0	6 / 12	2 / 11	0 / 2	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies (%)	45.0	6 / 12	2 / 11	0 / 2	1 / 3	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	36	11	10	2	3	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.7	3 / 11	1 / 10	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	22.2	3 / 11	1 / 10	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	16.7	3 / 11	1 / 10	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	38.9	6 / 11	2 / 10	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 11	2 / 10	0 / 2	1 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	1	1	0	0	1
Number of transfers	15	1	1	0	0	1
Estimated average number of transfers per retrieval	1.3	0.5	1.0			1.0
Average number of embryos transferred	1.9	1.0	2.0			2.0
Percentage of embryos transferred resulting in implantation (%)	35.7	1 / 1	0 / 2			0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 15	0 / 1	0 / 1			0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 1	0 / 1			0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 1	0 / 1			0 / 1
Percentage of transfers resulting in live births (%)	7 / 15	1 / 1	0 / 1			0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 15	1 / 1	0 / 1			0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	14			12		
Number of transfers	14			12		
Average number of embryos transferred	2.1			1.8		
Percentage of embryos transferred resulting in implantation (%)	39.3			61.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 14			2 / 12		
Percentage of transfers resulting in singleton live births (%)	4 / 14			4 / 12		
Percentage of transfers resulting in twin live births (%)	3 / 14			3 / 12		
Percentage of transfers resulting in live births (%)	7 / 14			7 / 12		
Percentage of transfers resulting in pregnancies (%)	9 / 14			9 / 12		

## CURRENT SERVICES & PROFILE

Current Name: The Fertility Center, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PEDRO J. BEAUCHAMP, MD IVF PROGRAM BAYAMON, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Pedro J. Beauchamp, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	44%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 48%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	37%	
				Endometriosis	28%	Unknown factor	2%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 160 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	50	28	36	18	6	1
Percentage of cancellations before retrieval (%)	4.0	3.6	19.4	3 / 18	1 / 6	0 / 1
Average number of embryos transferred	2.1	2.4	2.4	2.6	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	51.6	37.1	19.0	11.1	1 / 7	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 13	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.0	21.4	16.7	2 / 18	1 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	18.0	25.0	22.2	2 / 18	1 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	20.0	14.3	2.8	0 / 18	0 / 6	0 / 1
Percentage of cycles resulting in live births (%)	40.0	42.9	25.0	2 / 18	1 / 6	0 / 1
Percentage of cycles resulting in pregnancies (%)	66.0	53.6	36.1	6 / 18	2 / 6	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	47	26	29	13	5	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.0	23.1	20.7	2 / 13	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	19.1	26.9	27.6	2 / 13	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	21.3	15.4	3.4	0 / 13	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	42.6	46.2	31.0	2 / 13	1 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	70.2	57.7	44.8	6 / 13	2 / 5	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	1	1	1	1	0
Number of transfers	6	1	1	1	1	0
Estimated average number of transfers per retrieval	3.0		0.5	1.0		
Average number of embryos transferred	2.5	3.0	3.0	1.0	4.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 12	0 / 3	0 / 3	0 / 1	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>			<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles			9		2	
Number of transfers			9		2	
Average number of embryos transferred			2.3		2.5	
Percentage of embryos transferred resulting in implantation (%)			47.6		3 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)			2 / 9		0 / 2	
Percentage of transfers resulting in singleton live births (%)			4 / 9		0 / 2	
Percentage of transfers resulting in twin live births (%)			2 / 9		1 / 2	
Percentage of transfers resulting in live births (%)			6 / 9		1 / 2	
Percentage of transfers resulting in pregnancies (%)			6 / 9		2 / 2	

### CURRENT SERVICES & PROFILE

Current Name: Pedro J. Beauchamp, MD IVF Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS CAGUAS, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Jose R. Cruz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	66%	Tubal factor	25%	Uterine factor	2%	Multiple Factors: Female factors only 2% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	3%	
				Endometriosis	19%	Unknown factor	14%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 63 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	14	7	3	0	0
Percentage of cancellations before retrieval (%)	3.8	1 / 14	0 / 7	0 / 3		
Average number of embryos transferred	2.0	2.1	2.3	2.0		
Percentage of embryos transferred resulting in implantation (%)	33.3	4.0	2 / 14	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	14.3	1 / 12	0 / 5	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	1 / 14	0 / 7	0 / 3		
Percentage of cycles resulting in singleton live births (%)	30.8	1 / 14	0 / 7	0 / 3		
Percentage of cycles resulting in twin live births (%)	7.7	0 / 14	1 / 7	0 / 3		
Percentage of cycles resulting in live births (%)	38.5	1 / 14	1 / 7	0 / 3		
Percentage of cycles resulting in pregnancies (%)	46.2	1 / 14	1 / 7	0 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	22	12	6	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.8	1 / 12	0 / 6	0 / 3		
Percentage of transfers resulting in singleton live births (%)	36.4	1 / 12	0 / 6	0 / 3		
Percentage of transfers resulting in twin live births (%)	9.1	0 / 12	1 / 6	0 / 3		
Percentage of transfers resulting in live births (%)	45.5	1 / 12	1 / 6	0 / 3		
Percentage of transfers resulting in pregnancies (%)	54.5	1 / 12	1 / 6	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	4	2	0	0	0
Number of transfers	3	4	2	0	0	0
Estimated average number of transfers per retrieval	3.0	2.0	1.0			
Average number of embryos transferred	1.7	2.3	2.5			
Percentage of embryos transferred resulting in implantation (%)	1 / 5	0 / 9	1 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	0 / 4	0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 4	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 4	0 / 2			
Percentage of transfers resulting in live births (%)	1 / 3	0 / 4	1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 3	0 / 4	1 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo Caguas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GREFI**  
**GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE**  
**SAN JUAN, PUERTO RICO**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Rosa Ileana Cruz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	22%	Uterine factor	4%	Multiple Factors: Female factors only 2% Female & male factors 9%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	2%	Male factor	39%	
Used gestational carrier	8%			Diminished ovarian reserve	13%	Other factor	17%	
				Endometriosis	7%	Unknown factor	7%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 50 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	11	5	3	0	0
Percentage of cancellations before retrieval (%)	0/7	0/11	0/5	0/3		
Average number of embryos transferred	2.1	2.0	2.6	1.0		
Percentage of embryos transferred resulting in implantation (%)	2/15	10.0	2/13	0/2		
Percentage of elective single embryo transfers (eSET) (%)	0/6	1/9	0/5			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1/7	2/11	1/5	0/3		
Percentage of cycles resulting in singleton live births (%)	2/7	2/11	1/5	0/3		
Percentage of cycles resulting in twin live births (%)	0/7	0/11	0/5	0/3		
Percentage of cycles resulting in live births (%)	2/7	2/11	1/5	0/3		
Percentage of cycles resulting in pregnancies (%)	2/7	2/11	2/5	0/3		
<b>Outcomes per Transfer</b>						
Number of transfers	7	10	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1/7	2/10	1/5	0/2		
Percentage of transfers resulting in singleton live births (%)	2/7	2/10	1/5	0/2		
Percentage of transfers resulting in twin live births (%)	0/7	0/10	0/5	0/2		
Percentage of transfers resulting in live births (%)	2/7	2/10	1/5	0/2		
Percentage of transfers resulting in pregnancies (%)	2/7	2/10	2/5	0/2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	2	7	1	1	0
Number of transfers	0	2	6	1	1	0
Estimated average number of transfers per retrieval		2.0		1.0		0.0
Average number of embryos transferred		3.0	1.7	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		0/6	1/10	0/1	0/1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0/2	1/6	0/1	0/1	
Percentage of transfers resulting in singleton live births (%)		0/2	1/6	0/1	0/1	
Percentage of transfers resulting in twin live births (%)		0/2	0/6	0/1	0/1	
Percentage of transfers resulting in live births (%)		0/2	1/6	0/1	0/1	
Percentage of transfers resulting in pregnancies (%)		0/2	1/6	0/1	0/1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	1	0	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			2		
Number of transfers	7			2		
Average number of embryos transferred	2.1			1.5		
Percentage of embryos transferred resulting in implantation (%)	1/15			0/3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0/7			0/2		
Percentage of transfers resulting in singleton live births (%)	1/7			0/2		
Percentage of transfers resulting in twin live births (%)	0/7			0/2		
Percentage of transfers resulting in live births (%)	1/7			0/2		
Percentage of transfers resulting in pregnancies (%)	1/7			0/2		

**CURRENT SERVICES & PROFILE**

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# WOMEN AND INFANTS' CENTER FOR REPRODUCTION AND INFERTILITY PROVIDENCE, RHODE ISLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Ruben Alvero, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	51%	Tubal factor	8%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 5%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	6%	Other factor	9%	
				Endometriosis	3%	Unknown factor	47%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 602 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	169	99	97	52	20	0
Percentage of cancellations before retrieval (%)	3.6	4.0	9.3	9.6	10.0	
Average number of embryos transferred	1.8	2.0	2.6	3.2	3.4	
Percentage of embryos transferred resulting in implantation (%)	31.1	24.1	17.4	8.3	4.4	
Percentage of elective single embryo transfers (eSET) (%)	19.9	6.2	0.0	0.0	0 / 11	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.1	24.2	12.4	1.9	5.0	
Percentage of cycles resulting in singleton live births (%)	25.4	26.3	12.4	1.9	5.0	
Percentage of cycles resulting in twin live births (%)	9.5	5.1	8.2	5.8	0.0	
Percentage of cycles resulting in live births (%)	34.9	31.3	20.6	7.7	5.0	
Percentage of cycles resulting in pregnancies (%)	42.0	37.4	26.8	19.2	10.0	
<b>Outcomes per Transfer</b>						
Number of transfers	153	90	79	41	14	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.5	26.7	15.2	2.4	1 / 14	
Percentage of transfers resulting in singleton live births (%)	28.1	28.9	15.2	2.4	1 / 14	
Percentage of transfers resulting in twin live births (%)	10.5	5.6	10.1	7.3	0 / 14	
Percentage of transfers resulting in live births (%)	38.6	34.4	25.3	9.8	1 / 14	
Percentage of transfers resulting in pregnancies (%)	46.4	41.1	32.9	24.4	2 / 14	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	70	32	23	7	3	0
Number of transfers	69	31	23	7	3	0
Estimated average number of transfers per retrieval	1.2	1.6	1.4	1.0	3.0	
Average number of embryos transferred	1.9	1.8	1.9	2.3	3.3	
Percentage of embryos transferred resulting in implantation (%)	18.7	15.1	16.7	2 / 16	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.8	25.8	21.7	0 / 7	0 / 3	
Percentage of transfers resulting in singleton live births (%)	18.8	25.8	26.1	0 / 7	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.8	0.0	0.0	1 / 7	0 / 3	
Percentage of transfers resulting in live births (%)	24.6	25.8	26.1	1 / 7	0 / 3	
Percentage of transfers resulting in pregnancies (%)	31.9	29.0	34.8	1 / 7	1 / 3	
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	4	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		18			5	
Number of transfers		17			5	
Average number of embryos transferred		1.9			1.6	
Percentage of embryos transferred resulting in implantation (%)		42.4			3 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 17			2 / 5	
Percentage of transfers resulting in singleton live births (%)		4 / 17			2 / 5	
Percentage of transfers resulting in twin live births (%)		4 / 17			0 / 5	
Percentage of transfers resulting in live births (%)		8 / 17			2 / 5	
Percentage of transfers resulting in pregnancies (%)		9 / 17			2 / 5	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

**Current Name:** Women and Infants' Center for Reproduction and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA GREENVILLE, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by John E. Nichols, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	9%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 39%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	47%	Male factor	58%	
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	4%	
				Endometriosis	4%	Unknown factor	<1%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 314 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	92	33	33	11	2	0
Percentage of cancellations before retrieval (%)	0.0	6.1	0.0	0 / 11	0 / 2	
Average number of embryos transferred	2.1	2.4	3.0	3.7	4.5	
Percentage of embryos transferred resulting in implantation (%)	48.1	23.0	11.1	24.3	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	7.1	0.0	8.0	0 / 10	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.6	12.1	6.1	2 / 11	0 / 2	
Percentage of cycles resulting in singleton live births (%)	37.0	18.2	6.1	2 / 11	0 / 2	
Percentage of cycles resulting in twin live births (%)	14.1	9.1	6.1	1 / 11	0 / 2	
Percentage of cycles resulting in live births (%)	54.3	27.3	12.1	4 / 11	0 / 2	
Percentage of cycles resulting in pregnancies (%)	63.0	36.4	21.2	5 / 11	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	85	31	27	10	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.3	12.9	7.4	2 / 10	0 / 2	
Percentage of transfers resulting in singleton live births (%)	40.0	19.4	7.4	2 / 10	0 / 2	
Percentage of transfers resulting in twin live births (%)	15.3	9.7	7.4	1 / 10	0 / 2	
Percentage of transfers resulting in live births (%)	58.8	29.0	14.8	4 / 10	0 / 2	
Percentage of transfers resulting in pregnancies (%)	68.2	38.7	25.9	5 / 10	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	41	20	13	1	1	0
Number of transfers	41	20	13	1	1	0
Estimated average number of transfers per retrieval	2.0	3.3	0.9	1.0	0.5	
Average number of embryos transferred	2.0	1.8	2.2	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	24.1	27.8	21.4	0 / 2	2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.4	15.0	2 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	26.8	30.0	2 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.3	5.0	1 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	34.1	35.0	3 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	41.5	45.0	5 / 13	0 / 1	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	4	7	1	2	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		15		31		
Number of transfers		12		31		
Average number of embryos transferred		1.8		2.0		
Percentage of embryos transferred resulting in implantation (%)		77.3		45.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 12		9.7		
Percentage of transfers resulting in singleton live births (%)		3 / 12		25.8		
Percentage of transfers resulting in twin live births (%)		6 / 12		22.6		
Percentage of transfers resulting in live births (%)		9 / 12		48.4		
Percentage of transfers resulting in pregnancies (%)		11 / 12		61.3		

### CURRENT SERVICES & PROFILE

Current Name: Piedmont Reproductive Endocrinology Group, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY  
FERTILITY CENTER OF THE CAROLINAS  
GREENVILLE, SOUTH CAROLINA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Paul B. Miller, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	12%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 20%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	30%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	14%	
				Endometriosis	21%	Unknown factor	5%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 142 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	34	20	6	5	2	0
Percentage of cancellations before retrieval (%)	0.0	25.0	0 / 6	0 / 5	0 / 2	
Average number of embryos transferred	1.9	2.1	2.0	2.7	3.5	
Percentage of embryos transferred resulting in implantation (%)	43.1	33.3	4 / 12	1 / 8	1 / 7	
Percentage of elective single embryo transfers (eSET) (%)	10.3	0 / 13	0 / 5	0 / 3	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.4	20.0	2 / 6	1 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	29.4	25.0	2 / 6	1 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	20.6	5.0	0 / 6	0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	50.0	30.0	2 / 6	1 / 5	0 / 2	
Percentage of cycles resulting in pregnancies (%)	50.0	45.0	3 / 6	1 / 5	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	30	14	6	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	4 / 14	2 / 6	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.3	5 / 14	2 / 6	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	23.3	1 / 14	0 / 6	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	56.7	6 / 14	2 / 6	1 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	56.7	9 / 14	3 / 6	1 / 3	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	29	6	8	4	0	0
Number of transfers	29	6	7	4	0	0
Estimated average number of transfers per retrieval	1.8	3.0	1.2	4.0		
Average number of embryos transferred	1.8	1.3	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	23.5	4 / 8	3 / 12	1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.7	1 / 6	1 / 7	1 / 4		
Percentage of transfers resulting in singleton live births (%)	24.1	2 / 6	3 / 7	1 / 4		
Percentage of transfers resulting in twin live births (%)	6.9	1 / 6	0 / 7	0 / 4		
Percentage of transfers resulting in live births (%)	31.0	3 / 6	3 / 7	1 / 4		
Percentage of transfers resulting in pregnancies (%)	34.5	3 / 6	4 / 7	1 / 4		
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	1	5	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			3		
Number of transfers	9			3		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	8 / 17			1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 9			1 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 9			1 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 9			0 / 3		
Percentage of transfers resulting in live births (%)	4 / 9			1 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 9			1 / 3		

**CURRENT SERVICES & PROFILE**

Current Name: University Medical Group, Department of Obstetrics and Gynecology, Fertility Center of the Carolinas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## COASTAL FERTILITY SPECIALISTS MOUNT PLEASANT, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by John Schnorr, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	15%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 6%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	9%	Male factor	24%	
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	7%	Unknown factor	17%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 550 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	132	60	29	12	6	0
Percentage of cancellations before retrieval (%)	6.1	10.0	6.9	0 / 12	1 / 6	
Average number of embryos transferred	1.8	1.8	2.1	2.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.4	28.1	27.3	10.7	0 / 10	
Percentage of elective single embryo transfers (eSET) (%)	28.3	14.7	2 / 15	0 / 10	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.9	8.3	10.3	0 / 12	0 / 6	
Percentage of cycles resulting in singleton live births (%)	19.7	15.0	10.3	0 / 12	0 / 6	
Percentage of cycles resulting in twin live births (%)	5.3	5.0	6.9	1 / 12	0 / 6	
Percentage of cycles resulting in live births (%)	25.0	20.0	17.2	1 / 12	0 / 6	
Percentage of cycles resulting in pregnancies (%)	27.3	25.0	24.1	2 / 12	0 / 6	
<b>Outcomes per Transfer</b>						
Number of transfers	64	36	16	11	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.1	13.9	3 / 16	0 / 11	0 / 5	
Percentage of transfers resulting in singleton live births (%)	40.6	25.0	3 / 16	0 / 11	0 / 5	
Percentage of transfers resulting in twin live births (%)	10.9	8.3	2 / 16	1 / 11	0 / 5	
Percentage of transfers resulting in live births (%)	51.6	33.3	5 / 16	1 / 11	0 / 5	
Percentage of transfers resulting in pregnancies (%)	56.3	41.7	7 / 16	2 / 11	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	106	67	27	6	2	0
Number of transfers	102	64	24	6	2	0
Estimated average number of transfers per retrieval	1.2	1.8	1.6	1.5		
Average number of embryos transferred	1.4	1.4	1.8	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	59.3	51.2	33.3	1 / 11	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	44.1	32.8	33.3	1 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	48.0	39.1	37.5	1 / 6	1 / 2	
Percentage of transfers resulting in twin live births (%)	12.7	9.4	8.3	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	60.8	48.4	45.8	1 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	67.6	59.4	45.8	1 / 6	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	10	4	2	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		37			25	
Number of transfers		35			24	
Average number of embryos transferred		1.4			1.5	
Percentage of embryos transferred resulting in implantation (%)		67.3			52.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		48.6			20.8	
Percentage of transfers resulting in singleton live births (%)		48.6			29.2	
Percentage of transfers resulting in twin live births (%)		17.1			12.5	
Percentage of transfers resulting in live births (%)		65.7			41.7	
Percentage of transfers resulting in pregnancies (%)		71.4			58.3	

### CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY CENTER OF CHARLESTON MOUNT PLEASANT, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Stephanie D. Singleton, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 25%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	17%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	4%	
				Endometriosis	6%	Unknown factor	12%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 238 (includes 25 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		66	23	24	5	1	0
Percentage of cancellations before retrieval (%)		3.0	13.0	16.7	0 / 5	0 / 1	
Average number of embryos transferred		1.8	1.9	2.1	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		42.9	38.7	17.1	1 / 10	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)		21.7	0 / 16	0 / 17	0 / 4		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		15.2	26.1	4.2	1 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)		19.7	26.1	8.3	1 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)		12.1	4.3	8.3	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)		31.8	30.4	16.7	1 / 5	0 / 1	
Percentage of cycles resulting in pregnancies (%)		39.4	39.1	16.7	1 / 5	0 / 1	
<b>Outcomes per Transfer</b>							
Number of transfers		48	17	17	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.8	6 / 17	1 / 17	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)		27.1	6 / 17	2 / 17	1 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)		16.7	1 / 17	2 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)		43.8	7 / 17	4 / 17	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)		54.2	9 / 17	4 / 17	1 / 5	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		42	13	10	1	0	0
Number of transfers		42	13	10	1	0	0
Estimated average number of transfers per retrieval		1.6	1.9	1.0			
Average number of embryos transferred		1.5	1.5	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)		53.6	3 / 17	2 / 11			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3	2 / 13	2 / 10	0 / 1		
Percentage of transfers resulting in singleton live births (%)		38.1	2 / 13	2 / 10	0 / 1		
Percentage of transfers resulting in twin live births (%)		14.3	0 / 13	0 / 10	0 / 1		
Percentage of transfers resulting in live births (%)		52.4	2 / 13	2 / 10	0 / 1		
Percentage of transfers resulting in pregnancies (%)		64.3	4 / 13	5 / 10	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		9	4	3	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			12		
Number of transfers		0			12		
Average number of embryos transferred					1.7		
Percentage of embryos transferred resulting in implantation (%)					45.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					3 / 12		
Percentage of transfers resulting in singleton live births (%)					3 / 12		
Percentage of transfers resulting in twin live births (%)					3 / 12		
Percentage of transfers resulting in live births (%)					6 / 12		
Percentage of transfers resulting in pregnancies (%)					6 / 12		

CURRENT SERVICES & PROFILE		Current Name: The Fertility Center of Charleston					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED FERTILITY & REPRODUCTIVE ENDOCRINOLOGY WEST COLUMBIA, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Gail F. Whitman-Elia, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	15%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 21%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	20%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	36%	
				Endometriosis	10%	Unknown factor	4%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 251 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	37	18	22	6	2	0
Percentage of cancellations before retrieval (%)	0.0	0 / 18	9.1	0 / 6	0 / 2	
Average number of embryos transferred	2.1	2.2	2.1	2.2	3.0	
Percentage of embryos transferred resulting in implantation (%)	34.3	19.4	12.2	3 / 13	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	3.0	0 / 14	2 / 15	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.6	1 / 18	9.1	2 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	29.7	1 / 18	9.1	3 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	10.8	2 / 18	0.0	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	40.5	3 / 18	9.1	3 / 6	0 / 2	
Percentage of cycles resulting in pregnancies (%)	54.1	7 / 18	18.2	3 / 6	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	35	18	20	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.9	1 / 18	10.0	2 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	31.4	1 / 18	10.0	3 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.4	2 / 18	0.0	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	42.9	3 / 18	10.0	3 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	57.1	7 / 18	20.0	3 / 6	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	59	17	9	4	1	0
Number of transfers	59	17	9	4	1	0
Estimated average number of transfers per retrieval	1.1	1.2	3.0	0.6	1.0	
Average number of embryos transferred	2.1	2.2	2.6	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	28.2	26.3	21.7	0 / 11	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.1	3 / 17	2 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.3	4 / 17	3 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.2	2 / 17	1 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	47.5	6 / 17	4 / 9	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.8	7 / 17	4 / 9	0 / 4	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	43	11	3	6	1	0
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		8			4	
Number of transfers		7			4	
Average number of embryos transferred		1.9			2.5	
Percentage of embryos transferred resulting in implantation (%)		5 / 11			2 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 7			1 / 4	
Percentage of transfers resulting in singleton live births (%)		2 / 7			2 / 4	
Percentage of transfers resulting in twin live births (%)		1 / 7			0 / 4	
Percentage of transfers resulting in live births (%)		3 / 7			2 / 4	
Percentage of transfers resulting in pregnancies (%)		4 / 7			2 / 4	

### CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility & Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SANFORD WOMEN'S HEALTH SIOUX FALLS, SOUTH DAKOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Keith A. Hansen, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 18% Female & male factors 28%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	49%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	39%	
				Endometriosis	12%	Unknown factor	4%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 375 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		88	24	18	4	7	1
Percentage of cancellations before retrieval (%)		8.0	12.5	2 / 18	2 / 4	3 / 7	0 / 1
Average number of embryos transferred		1.7	1.8	2.2	2.0	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)		39.7	27.8	16.7	1 / 4	1 / 5	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		32.4	1 / 16	0 / 10	0 / 1	0 / 2	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.7	16.7	0 / 18	1 / 4	1 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)		33.0	16.7	1 / 18	1 / 4	1 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)		5.7	8.3	1 / 18	0 / 4	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)		39.8	25.0	2 / 18	1 / 4	1 / 7	0 / 1
Percentage of cycles resulting in pregnancies (%)		44.3	33.3	3 / 18	1 / 4	1 / 7	0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		73	20	11	2	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.0	20.0	0 / 11	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		39.7	20.0	1 / 11	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		6.8	10.0	1 / 11	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		47.9	30.0	2 / 11	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		53.4	40.0	3 / 11	1 / 2	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		85	40	9	1	1	0
Number of transfers		74	28	7	1	1	0
Estimated average number of transfers per retrieval		1.2	1.3	0.5	0.2	0.2	0.0
Average number of embryos transferred		1.4	1.4	1.9	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		34.6	25.0	3 / 13	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		16.2	28.6	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		21.6	32.1	3 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		5.4	0.0	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		27.0	32.1	3 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		37.8	35.7	3 / 7	0 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>							
		46	18	12	5	5	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			10		
Number of transfers		0			9		
Average number of embryos transferred					1.6		
Percentage of embryos transferred resulting in implantation (%)					5 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					2 / 9		
Percentage of transfers resulting in singleton live births (%)					4 / 9		
Percentage of transfers resulting in twin live births (%)					0 / 9		
Percentage of transfers resulting in live births (%)					4 / 9		
Percentage of transfers resulting in pregnancies (%)					4 / 9		

CURRENT SERVICES & PROFILE		Current Name: Sanford Women's Health					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER, LLC CHATTANOOGA, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Barry W. Donesky, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	12%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 1% Female & male factors 5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	11%	Male factor	37%	
Used gestational carrier	5%			Diminished ovarian reserve	20%	Other factor	5%	
				Endometriosis	7%	Unknown factor	12%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 210 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	34	12	5	4	2	1
Percentage of cancellations before retrieval (%)	5.9	1 / 12	2 / 5	0 / 4	0 / 2	0 / 1
Average number of embryos transferred	1.3	1.7				
Percentage of embryos transferred resulting in implantation (%)	2 / 4	2 / 5				
Percentage of elective single embryo transfers (eSET) (%)	2 / 3	1 / 3				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2.9	1 / 12	0 / 5	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	5.9	1 / 12	0 / 5	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	0 / 12	0 / 5	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	5.9	1 / 12	0 / 5	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	5.9	2 / 12	0 / 5	0 / 4	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	3	3	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	1 / 3				
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3				
Percentage of transfers resulting in live births (%)	2 / 3	1 / 3				
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 3				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	54	35	3	4	2	1
Number of transfers	53	34	3	4	2	1
Estimated average number of transfers per retrieval	1.4	2.1	1.5	1.0	0.5	1.0
Average number of embryos transferred	1.4	1.6	1.7	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	35.1	32.7	2 / 5	2 / 7	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.1	23.5	2 / 3	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.8	29.4	2 / 3	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	3.8	5.9	0 / 3	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	39.6	35.3	2 / 3	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.4	47.1	2 / 3	2 / 4	0 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	5	0	2	2	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		15		15		
Number of transfers		8		15		
Average number of embryos transferred		1.8		1.3		
Percentage of embryos transferred resulting in implantation (%)		7 / 14		45.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 8		6 / 15		
Percentage of transfers resulting in singleton live births (%)		3 / 8		7 / 15		
Percentage of transfers resulting in twin live births (%)		2 / 8		1 / 15		
Percentage of transfers resulting in live births (%)		5 / 8		8 / 15		
Percentage of transfers resulting in pregnancies (%)		5 / 8		8 / 15		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



## TENNESSEE REPRODUCTIVE MEDICINE CHATTANOOGA, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Ringland S. Murray, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	17%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 24%
Unstimulated	5%	PGD/PGS	5%	Ovulatory dysfunction	6%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	45%	
				Endometriosis	22%	Unknown factor	6%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 189 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	63	21	17	2	7	2
Percentage of cancellations before retrieval (%)	0.0	0.0	1 / 17	0 / 2	1 / 7	0 / 2
Average number of embryos transferred	1.7	2.1	1.9	2.5	2.7	2.5
Percentage of embryos transferred resulting in implantation (%)	44.0	34.3	8.0	0 / 5	1 / 8	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	19.1	0 / 17	2 / 10	0 / 2	0 / 3	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.0	33.3	1 / 17	0 / 2	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	30.2	33.3	1 / 17	0 / 2	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	14.3	0.0	0 / 17	0 / 2	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)	46.0	38.1	1 / 17	0 / 2	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)	47.6	47.6	2 / 17	0 / 2	1 / 7	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	54	18	13	2	3	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.5	7 / 18	1 / 13	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	35.2	7 / 18	1 / 13	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	16.7	0 / 18	0 / 13	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	53.7	8 / 18	1 / 13	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	55.6	10 / 18	2 / 13	0 / 2	1 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	9	8	0	2	0
Number of transfers	28	9	8	0	2	0
Estimated average number of transfers per retrieval	1.2	1.3	1.6	0.0	2.0	
Average number of embryos transferred	1.8	2.0	1.8		3.0	
Percentage of embryos transferred resulting in implantation (%)	52.1	7 / 18	10 / 14		2 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.1	3 / 9	1 / 8		0 / 2	
Percentage of transfers resulting in singleton live births (%)	35.7	3 / 9	1 / 8		0 / 2	
Percentage of transfers resulting in twin live births (%)	17.9	1 / 9	3 / 8		1 / 2	
Percentage of transfers resulting in live births (%)	53.6	4 / 9	4 / 8		1 / 2	
Percentage of transfers resulting in pregnancies (%)	71.4	6 / 9	6 / 8		1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	2	3	2	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			9		
Number of transfers	6			9		
Average number of embryos transferred	1.7			1.4		
Percentage of embryos transferred resulting in implantation (%)	8 / 10			6 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 6			2 / 9		
Percentage of transfers resulting in singleton live births (%)	3 / 6			4 / 9		
Percentage of transfers resulting in twin live births (%)	2 / 6			0 / 9		
Percentage of transfers resulting in live births (%)	5 / 6			4 / 9		
Percentage of transfers resulting in pregnancies (%)	5 / 6			5 / 9		

### CURRENT SERVICES & PROFILE

Current Name: Tennessee Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# QUILLEN FERTILITY AND WOMEN'S SERVICES JOHNSON CITY, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Norman A. Assad, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	4%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	13%	
				Endometriosis	18%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 71 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	5	11	2	0	0
Percentage of cancellations before retrieval (%)	12.9	1 / 5	1 / 11	0 / 2		
Average number of embryos transferred	2.0	2.0	2.2	2.5		
Percentage of embryos transferred resulting in implantation (%)	51.2	5 / 8	3 / 17	3 / 5		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 4	0 / 8	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.6	1 / 5	2 / 11	1 / 2		
Percentage of cycles resulting in singleton live births (%)	35.5	2 / 5	3 / 11	1 / 2		
Percentage of cycles resulting in twin live births (%)	12.9	1 / 5	0 / 11	0 / 2		
Percentage of cycles resulting in live births (%)	48.4	3 / 5	3 / 11	1 / 2		
Percentage of cycles resulting in pregnancies (%)	51.6	3 / 5	4 / 11	2 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	21	4	9	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	1 / 4	2 / 9	1 / 2		
Percentage of transfers resulting in singleton live births (%)	52.4	2 / 4	3 / 9	1 / 2		
Percentage of transfers resulting in twin live births (%)	19.0	1 / 4	0 / 9	0 / 2		
Percentage of transfers resulting in live births (%)	71.4	3 / 4	3 / 9	1 / 2		
Percentage of transfers resulting in pregnancies (%)	76.2	3 / 4	4 / 9	2 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	8	4	3	0	0	0
Number of transfers	5	3	2	0	0	0
Estimated average number of transfers per retrieval	1.0	1.5	2.0			
Average number of embryos transferred	2.0	1.3	1.0			
Percentage of embryos transferred resulting in implantation (%)	5 / 10	0 / 4	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)	4 / 5	0 / 3	0 / 2			
Percentage of transfers resulting in pregnancies (%)	4 / 5	0 / 3	0 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	2	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Quillen Fertility and Women's Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# EAST TENNESSEE IVF AND ANDROLOGY CENTER KNOXVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Gayla Harris, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	19%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	0%	
				Endometriosis	38%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				44%

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 16 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		8	5	2	0	0	0
Percentage of cancellations before retrieval (%)		0 / 8	0 / 5	0 / 2			
Average number of embryos transferred		1.5	1.6	1.5			
Percentage of embryos transferred resulting in implantation (%)		4 / 12	2 / 8	0 / 3			
Percentage of elective single embryo transfers (eSET) (%)		2 / 6	0 / 3	0 / 1			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 8	1 / 5	0 / 2			
Percentage of cycles resulting in singleton live births (%)		2 / 8	2 / 5	0 / 2			
Percentage of cycles resulting in twin live births (%)		1 / 8	0 / 5	0 / 2			
Percentage of cycles resulting in live births (%)		3 / 8	2 / 5	0 / 2			
Percentage of cycles resulting in pregnancies (%)		3 / 8	2 / 5	0 / 2			
<b>Outcomes per Transfer</b>							
Number of transfers		8	5	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 8	1 / 5	0 / 2			
Percentage of transfers resulting in singleton live births (%)		2 / 8	2 / 5	0 / 2			
Percentage of transfers resulting in twin live births (%)		1 / 8	0 / 5	0 / 2			
Percentage of transfers resulting in live births (%)		3 / 8	2 / 5	0 / 2			
Percentage of transfers resulting in pregnancies (%)		3 / 8	2 / 5	0 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		0	0	1	0	0	0
Number of transfers		0	0	1	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred				1.0			
Percentage of embryos transferred resulting in implantation (%)				0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1			
Percentage of transfers resulting in singleton live births (%)				0 / 1			
Percentage of transfers resulting in twin live births (%)				0 / 1			
Percentage of transfers resulting in live births (%)				0 / 1			
Percentage of transfers resulting in pregnancies (%)				0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles			0			0	
Number of transfers			0			0	
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: East Tennessee IVF and Andrology Center					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**JEFFREY A. KEENAN, MD DBA**  
**SOUTHEASTERN CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY**  
**KNOXVILLE, TENNESSEE**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Jeffrey A. Keenan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	47%	Tubal factor	6%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 16%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	18%	
				Endometriosis	13%	Unknown factor	12%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 175 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	14	12	4	2	0	0
Percentage of cancellations before retrieval (%)	0 / 14	2 / 12	0 / 4	0 / 2		
Average number of embryos transferred	2.2	2.2	3.0	3.5		
Percentage of embryos transferred resulting in implantation (%)	15.4	22.7	1 / 12	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	0 / 10	0 / 4	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 14	2 / 12	0 / 4	0 / 2		
Percentage of cycles resulting in singleton live births (%)	2 / 14	3 / 12	1 / 4	0 / 2		
Percentage of cycles resulting in twin live births (%)	1 / 14	1 / 12	0 / 4	0 / 2		
Percentage of cycles resulting in live births (%)	3 / 14	4 / 12	1 / 4	0 / 2		
Percentage of cycles resulting in pregnancies (%)	3 / 14	4 / 12	1 / 4	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	12	10	4	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 12	2 / 10	0 / 4	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 12	3 / 10	1 / 4	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 12	1 / 10	0 / 4	0 / 2		
Percentage of transfers resulting in live births (%)	3 / 12	4 / 10	1 / 4	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 12	4 / 10	1 / 4	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	6	1	2	0	0
Number of transfers	5	6	1	2	0	0
Estimated average number of transfers per retrieval	1.3	2.0	1.0	1.0		
Average number of embryos transferred	1.8	2.3	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 9	1 / 14	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5	1 / 6	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 5	1 / 6	0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 6	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	0 / 5	1 / 6	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 5	1 / 6	0 / 1	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			128		
Number of transfers	0			117		
Average number of embryos transferred				2.4		
Percentage of embryos transferred resulting in implantation (%)				34.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				29.9		
Percentage of transfers resulting in singleton live births (%)				35.9		
Percentage of transfers resulting in twin live births (%)				16.2		
Percentage of transfers resulting in live births (%)				53.8		
Percentage of transfers resulting in pregnancies (%)				61.5		

**CURRENT SERVICES & PROFILE**

Current Name: Jeffrey A. Keenan, MD dba,  
Southeastern Center for Fertility and Reproductive Surgery

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC MEMPHIS, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Raymond W. Ke, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	19%	Uterine factor	6%	Multiple Factors: Female factors only 10% Female & male factors 18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	9%	
				Endometriosis	11%	Unknown factor	10%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 463 (includes 6 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		85	36	28	3	4	0
Percentage of cancellations before retrieval (%)		3.5	11.1	17.9	0 / 3	0 / 4	
Average number of embryos transferred		1.9	1.9	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)		52.4	24.5	36.4	1 / 7	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)		6.2	14.3	0.0	0 / 3	0 / 3	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		15.3	11.1	35.7	0 / 3	0 / 4	
Percentage of cycles resulting in singleton live births (%)		18.8	13.9	39.3	0 / 3	0 / 4	
Percentage of cycles resulting in twin live births (%)		28.2	8.3	7.1	0 / 3	0 / 4	
Percentage of cycles resulting in live births (%)		47.1	22.2	46.4	0 / 3	0 / 4	
Percentage of cycles resulting in pregnancies (%)		47.1	25.0	53.6	1 / 3	0 / 4	
<b>Outcomes per Transfer</b>							
Number of transfers		65	28	23	3	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.0	14.3	43.5	0 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)		24.6	17.9	47.8	0 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)		36.9	10.7	8.7	0 / 3	0 / 4	
Percentage of transfers resulting in live births (%)		61.5	28.6	56.5	0 / 3	0 / 4	
Percentage of transfers resulting in pregnancies (%)		61.5	32.1	65.2	1 / 3	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		107	51	21	13	4	0
Number of transfers		95	44	19	7	4	0
Estimated average number of transfers per retrieval		1.3	1.3	1.3	1.8	4.0	0.0
Average number of embryos transferred		1.8	1.9	1.6	1.6	1.8	
Percentage of embryos transferred resulting in implantation (%)		55.2	52.6	54.8	1 / 10	1 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.8	38.6	9 / 19	1 / 7	1 / 4	
Percentage of transfers resulting in singleton live births (%)		42.1	38.6	10 / 19	1 / 7	1 / 4	
Percentage of transfers resulting in twin live births (%)		24.2	18.2	2 / 19	0 / 7	0 / 4	
Percentage of transfers resulting in live births (%)		66.3	56.8	12 / 19	1 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)		70.5	72.7	13 / 19	2 / 7	1 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>							
		47	22	9	3	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		8			15		
Number of transfers		5			14		
Average number of embryos transferred		2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)		4 / 8			34.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 5			6 / 14		
Percentage of transfers resulting in singleton live births (%)		3 / 5			7 / 14		
Percentage of transfers resulting in twin live births (%)		0 / 5			1 / 14		
Percentage of transfers resulting in live births (%)		3 / 5			8 / 14		
Percentage of transfers resulting in pregnancies (%)		5 / 5			8 / 14		

CURRENT SERVICES & PROFILE		Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REGIONAL ONE HEALTH REPRODUCTIVE MEDICINE MEMPHIS, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Laura Detti, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	15%	Uterine factor	30%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 64%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	73%	Male factor	64%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	33%	
				Endometriosis	21%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 41 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	5	5	0	0	1
Percentage of cancellations before retrieval (%)	1 / 18	0 / 5	1 / 5			1 / 1
Average number of embryos transferred	1.8	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	64.5	3 / 8	2 / 6			
Percentage of elective single embryo transfers (eSET) (%)	1 / 15	2 / 5	0 / 3			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 18	0 / 5	0 / 5			0 / 1
Percentage of cycles resulting in singleton live births (%)	7 / 18	1 / 5	0 / 5			0 / 1
Percentage of cycles resulting in twin live births (%)	5 / 18	1 / 5	1 / 5			0 / 1
Percentage of cycles resulting in live births (%)	12 / 18	2 / 5	1 / 5			0 / 1
Percentage of cycles resulting in pregnancies (%)	12 / 18	3 / 5	1 / 5			0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	17	5	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 17	0 / 5	0 / 3			
Percentage of transfers resulting in singleton live births (%)	7 / 17	1 / 5	0 / 3			
Percentage of transfers resulting in twin live births (%)	5 / 17	1 / 5	1 / 3			
Percentage of transfers resulting in live births (%)	12 / 17	2 / 5	1 / 3			
Percentage of transfers resulting in pregnancies (%)	12 / 17	3 / 5	1 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0	0.5		0.0	0.0	0.0
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 2	0 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	2	0	3	1	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Regional One Health Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE CENTER FOR REPRODUCTIVE HEALTH NASHVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Jaime M. Vasquez, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	16%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 57%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	45%	Male factor	70%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	3%	
				Endometriosis	6%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 130 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	45	9	1	2	2	0
Percentage of cancellations before retrieval (%)	0.0	0 / 9	0 / 1	0 / 2	0 / 2	
Average number of embryos transferred	2.0	2.1		2.5		
Percentage of embryos transferred resulting in implantation (%)	24.6	2 / 12		0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	3.1	0 / 7		0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.1	1 / 9	0 / 1	0 / 2	0 / 2	
Percentage of cycles resulting in singleton live births (%)	17.8	1 / 9	0 / 1	0 / 2	0 / 2	
Percentage of cycles resulting in twin live births (%)	4.4	0 / 9	0 / 1	0 / 2	0 / 2	
Percentage of cycles resulting in live births (%)	22.2	1 / 9	0 / 1	0 / 2	0 / 2	
Percentage of cycles resulting in pregnancies (%)	26.7	3 / 9	0 / 1	0 / 2	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	33	7	0	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.2	1 / 7		0 / 2		
Percentage of transfers resulting in singleton live births (%)	24.2	1 / 7		0 / 2		
Percentage of transfers resulting in twin live births (%)	6.1	0 / 7		0 / 2		
Percentage of transfers resulting in live births (%)	30.3	1 / 7		0 / 2		
Percentage of transfers resulting in pregnancies (%)	36.4	3 / 7		0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	9	1	0	0	0
Number of transfers	15	9	1	0	0	0
Estimated average number of transfers per retrieval	1.7	3.0			0.0	
Average number of embryos transferred	1.9	2.3	2.0			
Percentage of embryos transferred resulting in implantation (%)	37.9	9.5	1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 15	1 / 9	1 / 1			
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 9	1 / 1			
Percentage of transfers resulting in twin live births (%)	2 / 15	0 / 9	0 / 1			
Percentage of transfers resulting in live births (%)	8 / 15	1 / 9	1 / 1			
Percentage of transfers resulting in pregnancies (%)	8 / 15	2 / 9	1 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	26			18		
Number of transfers	26			18		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation (%)	44.7			21.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.1			4 / 18		
Percentage of transfers resulting in singleton live births (%)	26.9			4 / 18		
Percentage of transfers resulting in twin live births (%)	23.1			1 / 18		
Percentage of transfers resulting in live births (%)	50.0			5 / 18		
Percentage of transfers resulting in pregnancies (%)	61.5			9 / 18		

## CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by George A. Hill, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	18%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 21%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	18%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	31%	
				Endometriosis	22%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 680 (includes 38 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	167	66	44	9	5	1
Percentage of cancellations before retrieval (%)	13.2	22.7	18.2	3 / 9	4 / 5	0 / 1
Average number of embryos transferred	1.6	2.1	2.7	1.8		1.0
Percentage of embryos transferred resulting in implantation (%)	38.5	20.7	16.0	2 / 9		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	45.0	5.3	0.0	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.6	12.1	6.8	0 / 9	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.1	16.7	9.1	2 / 9	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	8.4	3.0	0.0	0 / 9	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	33.5	19.7	13.6	2 / 9	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	38.9	27.3	25.0	2 / 9	0 / 5	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	129	45	32	5	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.9	17.8	9.4	0 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	32.6	24.4	12.5	2 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	10.9	4.4	0.0	0 / 5		0 / 1
Percentage of transfers resulting in live births (%)	43.4	28.9	18.8	2 / 5		0 / 1
Percentage of transfers resulting in pregnancies (%)	50.4	40.0	34.4	2 / 5		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	128	47	28	8	4	2
Number of transfers	117	45	25	7	4	2
Estimated average number of transfers per retrieval	1.5	1.6	1.2	1.4		2.0
Average number of embryos transferred	1.6	1.6	1.6	1.9	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	52.7	35.3	28.2	6 / 11	3 / 6	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.0	26.7	40.0	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	38.5	26.7	44.0	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	18.8	13.3	0.0	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	57.3	40.0	44.0	2 / 7	2 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	65.8	46.7	44.0	5 / 7	2 / 4	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>	31	21	18	4	0	1
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		1			57	
Number of transfers		1			52	
Average number of embryos transferred		2.0			1.7	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			35.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1			25.0	
Percentage of transfers resulting in singleton live births (%)		1 / 1			34.6	
Percentage of transfers resulting in twin live births (%)		0 / 1			5.8	
Percentage of transfers resulting in live births (%)		1 / 1			40.4	
Percentage of transfers resulting in pregnancies (%)		1 / 1			51.9	

## CURRENT SERVICES & PROFILE

Current Name: Nashville Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Shahryar K. Kavoussi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	19%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	47%	
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	<1%	
				Endometriosis	10%	Unknown factor	13%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 143 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	39	25	27	3	1	1
Percentage of cancellations before retrieval (%)	5.1	4.0	3.7	1 / 3	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.1	2.5	3.5		1.0
Percentage of embryos transferred resulting in implantation (%)	42.0	21.3	18.9	0 / 7		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	6.5	14.3	1 / 19	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.6	28.0	22.2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.8	28.0	22.2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	10.3	0.0	0.0	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	43.6	32.0	25.9	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	51.3	32.0	29.6	0 / 3	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	34	22	21	2	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.4	31.8	28.6	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	35.3	31.8	28.6	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	11.8	0.0	0.0	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	50.0	36.4	33.3	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	58.8	36.4	38.1	0 / 2		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	16	3	9	4	0	0
Number of transfers	16	2	9	3	0	0
Estimated average number of transfers per retrieval	2.7	0.3	2.3			
Average number of embryos transferred	2.0	2.5	1.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	6.3	1 / 5	5 / 15	0 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 16	1 / 2	4 / 9	0 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 16	1 / 2	5 / 9	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 2	0 / 9	0 / 3		
Percentage of transfers resulting in live births (%)	2 / 16	1 / 2	5 / 9	0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 16	1 / 2	5 / 9	0 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	4	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			4		
Number of transfers	4			4		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 8			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4			1 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 4			2 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 4		
Percentage of transfers resulting in live births (%)	2 / 4			2 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 4			2 / 4		

## CURRENT SERVICES & PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# AUSTIN FERTILITY INSTITUTE, PA AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Kenneth K. Moghadam, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	14%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 13%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	7%	
				Endometriosis	20%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 304 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	27	25	7	0	0
Percentage of cancellations before retrieval (%)	2.2	3.7	0.0	0 / 7		
Average number of embryos transferred	1.8	2.1	2.3	2.3		
Percentage of embryos transferred resulting in implantation (%)	24.1	23.8	25.0	2 / 14		
Percentage of elective single embryo transfers (eSET) (%)	32.3	0 / 10	1 / 15	0 / 6		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.0	7.4	12.0	0 / 7		
Percentage of cycles resulting in singleton live births (%)	15.2	11.1	16.0	1 / 7		
Percentage of cycles resulting in twin live births (%)	4.3	3.7	4.0	0 / 7		
Percentage of cycles resulting in live births (%)	19.6	14.8	20.0	1 / 7		
Percentage of cycles resulting in pregnancies (%)	26.1	14.8	32.0	2 / 7		
<b>Outcomes per Transfer</b>						
Number of transfers	31	10	15	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.4	2 / 10	3 / 15	0 / 6		
Percentage of transfers resulting in singleton live births (%)	22.6	3 / 10	4 / 15	1 / 6		
Percentage of transfers resulting in twin live births (%)	6.5	1 / 10	1 / 15	0 / 6		
Percentage of transfers resulting in live births (%)	29.0	4 / 10	5 / 15	1 / 6		
Percentage of transfers resulting in pregnancies (%)	38.7	4 / 10	8 / 15	2 / 6		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	75	41	20	7	2	1
Number of transfers	75	41	20	7	2	1
Estimated average number of transfers per retrieval	2.1	1.7	1.3	1.2	1.0	1.0
Average number of embryos transferred	1.7	1.8	2.1	1.9	3.0	3.0
Percentage of embryos transferred resulting in implantation (%)	36.0	32.4	21.4	4 / 13	1 / 6	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.0	29.3	10.0	2 / 7	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.7	29.3	15.0	2 / 7	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	14.7	7.3	10.0	1 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	41.3	36.6	25.0	3 / 7	0 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	45.3	51.2	35.0	3 / 7	1 / 2	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	4	5	5	1	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		3			20	
Number of transfers		2			20	
Average number of embryos transferred		1.5			1.6	
Percentage of embryos transferred resulting in implantation (%)		2 / 2			37.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2			15.0	
Percentage of transfers resulting in singleton live births (%)		0 / 2			30.0	
Percentage of transfers resulting in twin live births (%)		1 / 2			10.0	
Percentage of transfers resulting in live births (%)		1 / 2			40.0	
Percentage of transfers resulting in pregnancies (%)		2 / 2			50.0	

## CURRENT SERVICES & PROFILE

Current Name: Austin Fertility Institute, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**RMATX.COM, PLLC  
RMA OF TEXAS-AUSTIN  
AUSTIN, TEXAS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	14%	Uterine factor	<1%	Multiple Factors: Female factors only <1% Female & male factors 14%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	2%	Unknown factor	13%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 189 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	29	17	10	5	2	0
Percentage of cancellations before retrieval (%)	10.3	2 / 17	2 / 10	0 / 5	1 / 2	
Average number of embryos transferred	1.0	1.7	2.3	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	9 / 15	5 / 19	2 / 9	2 / 6	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	12 / 12	5 / 11	0 / 4	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	4 / 17	2 / 10	0 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	24.1	5 / 17	2 / 10	0 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	3.4	0 / 17	0 / 10	1 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	27.6	5 / 17	2 / 10	1 / 5	0 / 2	
Percentage of cycles resulting in pregnancies (%)	27.6	5 / 17	2 / 10	1 / 5	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	15	11	4	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 15	4 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 15	5 / 11	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 11	0 / 4	1 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 15	5 / 11	2 / 4	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 15	5 / 11	2 / 4	1 / 2	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	33	14	11	0	1	0
Number of transfers	33	13	11	0	1	0
Estimated average number of transfers per retrieval	1.0	0.8	0.7	0.0		
Average number of embryos transferred	1.1	1.2	1.2		1.0	
Percentage of embryos transferred resulting in implantation (%)	48.6	1 / 15	8 / 13		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	0 / 13	7 / 11		0 / 1	
Percentage of transfers resulting in singleton live births (%)	39.4	1 / 13	7 / 11		0 / 1	
Percentage of transfers resulting in twin live births (%)	3.0	0 / 13	0 / 11		0 / 1	
Percentage of transfers resulting in live births (%)	42.4	1 / 13	7 / 11		0 / 1	
Percentage of transfers resulting in pregnancies (%)	48.5	1 / 13	8 / 11		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	15	14	2	0	0
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		4			7	
Number of transfers		2			7	
Average number of embryos transferred		1.0			1.3	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			8 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2			3 / 7	
Percentage of transfers resulting in singleton live births (%)		1 / 2			4 / 7	
Percentage of transfers resulting in twin live births (%)		0 / 2			2 / 7	
Percentage of transfers resulting in live births (%)		1 / 2			6 / 7	
Percentage of transfers resulting in pregnancies (%)		1 / 2			6 / 7	

**CURRENT SERVICES & PROFILE**

Current Name: RMATX.COM, PLLC, RMA of Texas-Austin

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS FERTILITY CENTER  
VAUGHN, SILVERBERG & ASSOCIATES  
AUSTIN, TEXAS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Kaylen Silverberg, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	10%	Uterine factor	19%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 15%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	14%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	9%	
				Endometriosis	22%	Unknown factor	7%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 1,520 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	179	138	107	40	23	2
Percentage of cancellations before retrieval (%)	3.9	14.5	7.5	15.0	8.7	1 / 2
Average number of embryos transferred	1.5	2.0	2.3	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	35.6	32.8	20.6	17.9	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	46.7	6.5	1.9	0 / 14	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.8	9.4	8.4	5.0	0.0	0 / 2
Percentage of cycles resulting in singleton live births (%)	15.1	10.1	10.3	5.0	0.0	0 / 2
Percentage of cycles resulting in twin live births (%)	3.9	6.5	2.8	5.0	0.0	0 / 2
Percentage of cycles resulting in live births (%)	19.0	17.4	14.0	10.0	0.0	0 / 2
Percentage of cycles resulting in pregnancies (%)	19.6	21.0	18.7	12.5	0.0	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	79	64	58	17	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.1	20.3	15.5	2 / 17	0 / 3	
Percentage of transfers resulting in singleton live births (%)	34.2	21.9	19.0	2 / 17	0 / 3	
Percentage of transfers resulting in twin live births (%)	8.9	14.1	5.2	2 / 17	0 / 3	
Percentage of transfers resulting in live births (%)	43.0	37.5	25.9	4 / 17	0 / 3	
Percentage of transfers resulting in pregnancies (%)	44.3	45.3	34.5	5 / 17	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	266	148	114	47	23	5
Number of transfers	246	135	100	40	20	5
Estimated average number of transfers per retrieval	1.4	1.3	1.1	0.9	0.5	1.7
Average number of embryos transferred	1.3	1.4	1.5	1.6	1.8	2.2
Percentage of embryos transferred resulting in implantation (%)	54.3	50.0	36.0	27.6	30.6	1 / 11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.7	38.5	26.0	25.0	5.0	1 / 5
Percentage of transfers resulting in singleton live births (%)	47.6	45.9	34.0	25.0	15.0	1 / 5
Percentage of transfers resulting in twin live births (%)	4.5	5.9	2.0	0.0	15.0	0 / 5
Percentage of transfers resulting in live births (%)	52.4	51.9	36.0	27.5	30.0	1 / 5
Percentage of transfers resulting in pregnancies (%)	63.8	62.2	49.0	45.0	40.0	1 / 5
<b>Number of Egg/Embryo Banking Cycles</b>	74	48	47	29	20	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		64			127	
Number of transfers		53			118	
Average number of embryos transferred		1.2			1.4	
Percentage of embryos transferred resulting in implantation (%)		54.2			43.6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		35.8			21.2	
Percentage of transfers resulting in singleton live births (%)		45.3			33.9	
Percentage of transfers resulting in twin live births (%)		5.7			7.6	
Percentage of transfers resulting in live births (%)		50.9			41.5	
Percentage of transfers resulting in pregnancies (%)		58.5			54.2	

**CURRENT SERVICES & PROFILE**

Current Name: Texas Fertility Center, Vaughn, Silverberg & Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DR. JEFFREY YOUNGKIN  
AUSTIN FERTILITY CENTER  
AUSTIN, TEXAS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Jeffrey T. Youngkin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	33%	Tubal factor	14%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 43%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	14%	
				Endometriosis	14%	Unknown factor	14%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 7 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	1	2	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 2				
Average number of embryos transferred	2.0	2.5				
Percentage of embryos transferred resulting in implantation (%)	2 / 2	1 / 5				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 2				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	1 / 2				
Percentage of cycles resulting in singleton live births (%)	0 / 1	1 / 2				
Percentage of cycles resulting in twin live births (%)	1 / 1	0 / 2				
Percentage of cycles resulting in live births (%)	1 / 1	1 / 2				
Percentage of cycles resulting in pregnancies (%)	1 / 1	1 / 2				
<b>Outcomes per Transfer</b>						
Number of transfers	1	2	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	1 / 2				
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2				
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 2				
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	1	2	0	0
Number of transfers	1	0	1	1	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.0		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

**CURRENT SERVICES & PROFILE**

Current Name: Dr. Jeffrey Youngkin, Austin Fertility Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR ASSISTED REPRODUCTION BEDFORD, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Kevin J. Doody, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	14%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	19%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	11%	
				Endometriosis	8%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 542 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	120	71	49	27	10	2
Percentage of cancellations before retrieval (%)	0.8	7.0	8.2	14.8	3 / 10	0 / 2
Average number of embryos transferred	1.6	1.8	1.8	1.9	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	40.2	23.1	20.3	6.9	0 / 8	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	34.3	9.6	11.1	0 / 12	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.7	14.1	6.1	7.4	0 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	26.7	16.9	14.3	7.4	0 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	7.5	5.6	4.1	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	35.0	22.5	18.4	7.4	0 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	44.2	29.6	22.4	7.4	0 / 10	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	108	61	37	15	4	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	16.4	8.1	2 / 15	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.6	19.7	18.9	2 / 15	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	8.3	6.6	5.4	0 / 15	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	38.9	26.2	24.3	2 / 15	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	49.1	34.4	29.7	2 / 15	0 / 4	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	80	49	28	8	2	2
Number of transfers	80	49	28	7	2	1
Estimated average number of transfers per retrieval	1.8	2.3	1.8	1.4	0.5	
Average number of embryos transferred	1.8	1.8	1.9	2.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.5	37.0	18.9	0 / 12	1 / 1	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.5	38.8	7.1	0 / 7	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	45.0	42.9	17.9	0 / 7	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	12.5	6.1	3.6	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	58.8	49.0	21.4	0 / 7	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	66.3	61.2	28.6	2 / 7	2 / 2	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	10	9	4	4	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		18			24	
Number of transfers		18			24	
Average number of embryos transferred		1.7			1.5	
Percentage of embryos transferred resulting in implantation (%)		56.7			37.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		9 / 18			12.5	
Percentage of transfers resulting in singleton live births (%)		9 / 18			33.3	
Percentage of transfers resulting in twin live births (%)		3 / 18			8.3	
Percentage of transfers resulting in live births (%)		12 / 18			41.7	
Percentage of transfers resulting in pregnancies (%)		14 / 18			50.0	

## CURRENT SERVICES & PROFILE

Current Name: Center for Assisted Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DALLAS-FORT WORTH FERTILITY ASSOCIATES DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Samuel J. Chantilis, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	43%	Tubal factor	14%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 23% Female & male factors 29%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	9%	
				Endometriosis	12%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 906 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	229	91	93	58	20	4
Percentage of cancellations before retrieval (%)	8.3	18.7	19.4	27.6	20.0	3 / 4
Average number of embryos transferred	1.8	1.9	2.5	2.6	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	38.1	23.9	14.8	12.6	13.3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	21.8	16.7	0.0	0.0	0 / 12	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.2	18.7	10.8	8.6	10.0	0 / 4
Percentage of cycles resulting in singleton live births (%)	22.3	22.0	15.1	8.6	10.0	0 / 4
Percentage of cycles resulting in twin live births (%)	10.0	1.1	2.2	1.7	0.0	0 / 4
Percentage of cycles resulting in live births (%)	33.2	23.1	17.2	10.3	10.0	0 / 4
Percentage of cycles resulting in pregnancies (%)	39.3	31.9	23.7	20.7	20.0	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	182	65	66	36	13	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.2	26.2	15.2	13.9	2 / 13	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.0	30.8	21.2	13.9	2 / 13	0 / 1
Percentage of transfers resulting in twin live births (%)	12.6	1.5	3.0	2.8	0 / 13	0 / 1
Percentage of transfers resulting in live births (%)	41.8	32.3	24.2	16.7	2 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	49.5	44.6	33.3	33.3	4 / 13	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	108	36	33	6	8	1
Number of transfers	106	34	32	6	6	1
Estimated average number of transfers per retrieval	1.4	0.9	0.7	0.3	0.8	0.5
Average number of embryos transferred	1.4	1.6	1.4	1.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	61.8	57.1	65.1	2 / 9	3 / 6	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.9	38.2	40.6	2 / 6	3 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.4	47.1	59.4	2 / 6	3 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	14.2	11.8	9.4	0 / 6	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	57.5	61.8	68.8	2 / 6	3 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	68.9	67.6	75.0	2 / 6	3 / 6	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	28	23	41	15	7	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		58			44	
Number of transfers		50			43	
Average number of embryos transferred		1.6			1.4	
Percentage of embryos transferred resulting in implantation (%)		67.1			40.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		40.0			27.9	
Percentage of transfers resulting in singleton live births (%)		50.0			30.2	
Percentage of transfers resulting in twin live births (%)		28.0			7.0	
Percentage of transfers resulting in live births (%)		78.0			39.5	
Percentage of transfers resulting in pregnancies (%)		80.0			48.8	

## CURRENT SERVICES & PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Orhan Bukulmez, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	49%	Tubal factor	14%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 11%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	20%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	3%	
				Endometriosis	3%	Unknown factor	13%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 127 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	11	13	9	2	1
Percentage of cancellations before retrieval (%)	0 / 19	3 / 11	5 / 13	3 / 9	1 / 2	1 / 1
Average number of embryos transferred	1.8	2.2	3.4	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	59.3	6 / 11	4 / 17	0 / 3	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	3 / 15	0 / 5	0 / 5	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 19	1 / 11	2 / 13	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	6 / 19	2 / 11	2 / 13	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	4 / 19	2 / 11	1 / 13	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	10 / 19	4 / 11	3 / 13	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	11 / 19	4 / 11	3 / 13	0 / 9	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	15	5	5	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 15	1 / 5	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 15	2 / 5	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	4 / 15	2 / 5	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	10 / 15	4 / 5	3 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	11 / 15	4 / 5	3 / 5	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	11	5	2	0	0
Number of transfers	20	10	5	2	0	0
Estimated average number of transfers per retrieval	1.1	0.6	1.0	0.5	0.0	0.0
Average number of embryos transferred	1.8	1.7	1.6	2.5		
Percentage of embryos transferred resulting in implantation (%)	31.4	14 / 17	4 / 8	2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	5 / 10	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 10	1 / 5	1 / 2		
Percentage of transfers resulting in twin live births (%)	5.0	2 / 10	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	45.0	7 / 10	1 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	50.0	9 / 10	3 / 5	1 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	11	2	2	3	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



## FERTILITY CENTER OF DALLAS DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by J. Michael Putman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	16%	Uterine factor	19%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 40%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	63%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	17%	
				Endometriosis	24%	Unknown factor	<1%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 186 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	33	8	3	0	0	0
Percentage of cancellations before retrieval (%)	6.1	0 / 8	0 / 3			
Average number of embryos transferred	2.0	2.0	2.7			
Percentage of embryos transferred resulting in implantation (%)	50.8	4 / 16	2 / 8			
Percentage of elective single embryo transfers (eSET) (%)	6.9	0 / 8	0 / 3			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	3 / 8	0 / 3			
Percentage of cycles resulting in singleton live births (%)	30.3	4 / 8	0 / 3			
Percentage of cycles resulting in twin live births (%)	30.3	0 / 8	1 / 3			
Percentage of cycles resulting in live births (%)	60.6	4 / 8	1 / 3			
Percentage of cycles resulting in pregnancies (%)	60.6	4 / 8	1 / 3			
<b>Outcomes per Transfer</b>						
Number of transfers	29	8	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.0	3 / 8	0 / 3			
Percentage of transfers resulting in singleton live births (%)	34.5	4 / 8	0 / 3			
Percentage of transfers resulting in twin live births (%)	34.5	0 / 8	1 / 3			
Percentage of transfers resulting in live births (%)	69.0	4 / 8	1 / 3			
Percentage of transfers resulting in pregnancies (%)	69.0	4 / 8	1 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	11	21	5	0	0
Number of transfers	21	11	21	5	0	0
Estimated average number of transfers per retrieval	1.1	0.7	1.0	0.3	0.0	0.0
Average number of embryos transferred	1.7	1.6	1.9	2.4		
Percentage of embryos transferred resulting in implantation (%)	54.5	8 / 17	43.2	0 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	6 / 11	23.8	0 / 5		
Percentage of transfers resulting in singleton live births (%)	42.9	8 / 11	33.3	0 / 5		
Percentage of transfers resulting in twin live births (%)	19.0	0 / 11	14.3	0 / 5		
Percentage of transfers resulting in live births (%)	61.9	8 / 11	47.6	0 / 5		
Percentage of transfers resulting in pregnancies (%)	71.4	9 / 11	57.1	1 / 5		
<b>Number of Egg/Embryo Banking Cycles</b>						
	18	15	21	15	2	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		4			5	
Number of transfers		4			5	
Average number of embryos transferred		1.8			2.0	
Percentage of embryos transferred resulting in implantation (%)		4 / 7			6 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 4			2 / 5	
Percentage of transfers resulting in singleton live births (%)		2 / 4			2 / 5	
Percentage of transfers resulting in twin live births (%)		1 / 4			2 / 5	
Percentage of transfers resulting in live births (%)		3 / 4			4 / 5	
Percentage of transfers resulting in pregnancies (%)		3 / 4			4 / 5	

### CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Dallas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVF INSTITUTE, PA DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Noel Peng, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	32%	Uterine factor	75%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 61%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	79%	Other factor	0%	
				Endometriosis	21%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 73 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	0	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 3					
Average number of embryos transferred	1.7					
Percentage of embryos transferred resulting in implantation (%)	3 / 5					
Percentage of elective single embryo transfers (eSET) (%)	0 / 1					
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3					
Percentage of cycles resulting in singleton live births (%)	1 / 3					
Percentage of cycles resulting in twin live births (%)	1 / 3					
Percentage of cycles resulting in live births (%)	2 / 3					
Percentage of cycles resulting in pregnancies (%)	2 / 3					
<b>Outcomes per Transfer</b>						
Number of transfers	3	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3					
Percentage of transfers resulting in singleton live births (%)	1 / 3					
Percentage of transfers resulting in twin live births (%)	1 / 3					
Percentage of transfers resulting in live births (%)	2 / 3					
Percentage of transfers resulting in pregnancies (%)	2 / 3					
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	11	5	5	3	0	0
Number of transfers	11	4	4	3	0	0
Estimated average number of transfers per retrieval	0.9	0.4	0.4	0.4	0.0	0.0
Average number of embryos transferred	1.8	1.5	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	55.0	5 / 6	4 / 8	2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 11	3 / 4	2 / 4	1 / 3		
Percentage of transfers resulting in singleton live births (%)	7 / 11	3 / 4	2 / 4	1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 11	1 / 4	1 / 4	0 / 3		
Percentage of transfers resulting in live births (%)	8 / 11	4 / 4	3 / 4	1 / 3		
Percentage of transfers resulting in pregnancies (%)	9 / 11	4 / 4	3 / 4	2 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	11	10	7	4	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				3.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				1 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: IVF Institute, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPROMED FERTILITY CENTER DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Anil B. Pinto, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	9%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 3%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	19%	Male factor	14%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	8%	
				Endometriosis	<1%	Unknown factor	12%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 158 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	36	12	9	3	0	0
Percentage of cancellations before retrieval (%)	2.8	2 / 12	3 / 9	0 / 3		
Average number of embryos transferred	1.8	1.7	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	56.4	6 / 12	3 / 9	1 / 4		
Percentage of elective single embryo transfers (eSET) (%)	13.8	1 / 6	0 / 4	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.7	2 / 12	2 / 9	1 / 3		
Percentage of cycles resulting in singleton live births (%)	22.2	2 / 12	2 / 9	1 / 3		
Percentage of cycles resulting in twin live births (%)	22.2	2 / 12	0 / 9	0 / 3		
Percentage of cycles resulting in live births (%)	44.4	4 / 12	2 / 9	1 / 3		
Percentage of cycles resulting in pregnancies (%)	55.6	4 / 12	3 / 9	1 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	30	7	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	2 / 7	2 / 5	1 / 2		
Percentage of transfers resulting in singleton live births (%)	26.7	2 / 7	2 / 5	1 / 2		
Percentage of transfers resulting in twin live births (%)	26.7	2 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	53.3	4 / 7	2 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	66.7	4 / 7	3 / 5	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	15	8	4	2	0
Number of transfers	23	14	8	4	2	0
Estimated average number of transfers per retrieval	1.6	1.4	0.7	0.6	2.0	
Average number of embryos transferred	2.0	1.9	1.9	2.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	44.2	22.2	4 / 15	1 / 8	1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.1	5 / 14	0 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	39.1	6 / 14	3 / 8	1 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	21.7	0 / 14	0 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	60.9	6 / 14	3 / 8	1 / 4	1 / 2	
Percentage of transfers resulting in pregnancies (%)	65.2	6 / 14	4 / 8	1 / 4	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	5	11	6	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	11			6		
Number of transfers	11			6		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	68.2			5 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 11			1 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 11			1 / 6		
Percentage of transfers resulting in twin live births (%)	4 / 11			2 / 6		
Percentage of transfers resulting in live births (%)	7 / 11			3 / 6		
Percentage of transfers resulting in pregnancies (%)	9 / 11			3 / 6		

## CURRENT SERVICES & PROFILE

Current Name: ReproMed Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Walid Saleh, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	19%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	24%	Ovulatory dysfunction	10%	Male factor	15%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	17%	
				Endometriosis	0%	Unknown factor	10%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 245 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	71	29	20	4	3	0
Percentage of cancellations before retrieval (%)	8.5	6.9	10.0	0 / 4	0 / 3	
Average number of embryos transferred	1.7	2.0	2.1	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	46.5	37.2	41.4	2 / 6	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	21.3	1 / 18	0 / 15	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.2	17.2	20.0	0 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)	35.2	17.2	35.0	0 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)	9.9	13.8	10.0	1 / 4	0 / 3	
Percentage of cycles resulting in live births (%)	45.1	31.0	45.0	1 / 4	0 / 3	
Percentage of cycles resulting in pregnancies (%)	50.7	37.9	55.0	1 / 4	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	57	22	15	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.1	22.7	4 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	43.9	22.7	7 / 15	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.3	18.2	2 / 15	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	56.1	40.9	9 / 15	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	63.2	50.0	11 / 15	1 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	27	9	11	2	0	0
Number of transfers	25	9	11	1	0	0
Estimated average number of transfers per retrieval	1.6	1.3	1.2			
Average number of embryos transferred	2.0	2.0	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	34.0	5 / 18	3 / 18	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	4 / 9	1 / 11	0 / 1		
Percentage of transfers resulting in singleton live births (%)	28.0	4 / 9	1 / 11	0 / 1		
Percentage of transfers resulting in twin live births (%)	12.0	0 / 9	1 / 11	0 / 1		
Percentage of transfers resulting in live births (%)	40.0	4 / 9	2 / 11	0 / 1		
Percentage of transfers resulting in pregnancies (%)	52.0	5 / 9	2 / 11	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>	9	4	9	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		25		20		
Number of transfers		18		20		
Average number of embryos transferred		2.1		2.0		
Percentage of embryos transferred resulting in implantation (%)		67.6		20.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 18		5.0		
Percentage of transfers resulting in singleton live births (%)		7 / 18		10.0		
Percentage of transfers resulting in twin live births (%)		5 / 18		10.0		
Percentage of transfers resulting in live births (%)		12 / 18		20.0		
Percentage of transfers resulting in pregnancies (%)		15 / 18		30.0		

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TEXAS CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Samuel P. Marynick, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	5%	Uterine factor	9%	Multiple Factors: Female factors only 20% Female & male factors 17%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	9%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	34%	
				Endometriosis	7%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 74 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	12	9	8	2	3	0
Percentage of cancellations before retrieval (%)	0 / 12	1 / 9	0 / 8	0 / 2	0 / 3	
Average number of embryos transferred	1.8	2.0	2.0	2.0	2.7	
Percentage of embryos transferred resulting in implantation (%)	36.4	5 / 16	3 / 14	4 / 4	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 7	0 / 5	0 / 2	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	0 / 9	3 / 8	1 / 2	0 / 3	
Percentage of cycles resulting in singleton live births (%)	6 / 12	1 / 9	3 / 8	1 / 2	0 / 3	
Percentage of cycles resulting in twin live births (%)	1 / 12	2 / 9	0 / 8	0 / 2	0 / 3	
Percentage of cycles resulting in live births (%)	7 / 12	3 / 9	3 / 8	2 / 2	0 / 3	
Percentage of cycles resulting in pregnancies (%)	7 / 12	3 / 9	3 / 8	2 / 2	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	12	8	7	2	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	0 / 8	3 / 7	1 / 2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 12	1 / 8	3 / 7	1 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 12	2 / 8	0 / 7	0 / 2	0 / 3	
Percentage of transfers resulting in live births (%)	7 / 12	3 / 8	3 / 7	2 / 2	0 / 3	
Percentage of transfers resulting in pregnancies (%)	7 / 12	3 / 8	3 / 7	2 / 2	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	3	3	0	0	2
Number of transfers	5	3	3	0	0	2
Estimated average number of transfers per retrieval	0.7	1.5	0.5		0.0	2.0
Average number of embryos transferred	1.8	1.7	2.0			1.5
Percentage of embryos transferred resulting in implantation (%)	3 / 9	4 / 5	1 / 6			1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	2 / 3	1 / 3			1 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 3	1 / 3			1 / 2
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 3	0 / 3			0 / 2
Percentage of transfers resulting in live births (%)	2 / 5	3 / 3	1 / 3			1 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 5	3 / 3	1 / 3			1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	2	6	0	1	1
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		3			9	
Number of transfers		2			9	
Average number of embryos transferred		2.0			1.8	
Percentage of embryos transferred resulting in implantation (%)		2 / 4			6 / 16	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2			3 / 9	
Percentage of transfers resulting in singleton live births (%)		1 / 2			4 / 9	
Percentage of transfers resulting in twin live births (%)		0 / 2			1 / 9	
Percentage of transfers resulting in live births (%)		1 / 2			5 / 9	
Percentage of transfers resulting in pregnancies (%)		2 / 2			5 / 9	

## CURRENT SERVICES & PROFILE

Current Name: Texas Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY FERTILITY CENTER  
DICKINSON, TEXAS**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA EL PASO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Luis S. Noble, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	92%	Tubal factor	25%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	23%	
				Endometriosis	36%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 103 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	25	14	12	5	2	1
Percentage of cancellations before retrieval (%)	8.0	2 / 14	1 / 12	0 / 5	0 / 2	0 / 1
Average number of embryos transferred	1.9	2.4	2.5	3.0	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	56.4	37.9	29.6	0 / 12	0 / 6	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	3 / 18	0 / 11	0 / 11	0 / 4	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.0	5 / 14	1 / 12	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	40.0	5 / 14	1 / 12	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	20.0	1 / 14	2 / 12	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	60.0	6 / 14	3 / 12	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	64.0	8 / 14	5 / 12	0 / 5	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	21	12	11	4	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.1	5 / 12	1 / 11	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.6	5 / 12	1 / 11	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	23.8	1 / 12	2 / 11	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	71.4	6 / 12	3 / 11	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	76.2	8 / 12	5 / 11	0 / 4	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	9	11	15	3	0	0
Number of transfers	9	11	15	3	0	0
Estimated average number of transfers per retrieval	2.3		5.0			
Average number of embryos transferred	2.0	1.7	2.1	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 16	11 / 19	54.8	3 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9	2 / 11	6 / 15	1 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 9	3 / 11	6 / 15	1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 9	3 / 11	3 / 15	0 / 3		
Percentage of transfers resulting in live births (%)	4 / 9	6 / 11	9 / 15	1 / 3		
Percentage of transfers resulting in pregnancies (%)	4 / 9	8 / 11	11 / 15	3 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			6		
Number of transfers	0			6		
Average number of embryos transferred				1.3		
Percentage of embryos transferred resulting in implantation (%)				1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				1 / 6		
Percentage of transfers resulting in singleton live births (%)				1 / 6		
Percentage of transfers resulting in twin live births (%)				0 / 6		
Percentage of transfers resulting in live births (%)				1 / 6		
Percentage of transfers resulting in pregnancies (%)				1 / 6		

## CURRENT SERVICES & PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BROOKE ARMY MEDICAL CENTER FORT SAM HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Jamie A. Massie, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	72%	Tubal factor	33%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 26%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	0%	
				Endometriosis	12%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 123 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	65	35	22	1	0	0
Percentage of cancellations before retrieval (%)	0.0	2.9	9.1	0 / 1		
Average number of embryos transferred	2.0	2.1	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)	42.7	15.4	20.9	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	6.3	9.4	0 / 17	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.8	17.1	13.6	0 / 1		
Percentage of cycles resulting in singleton live births (%)	33.8	20.0	13.6	0 / 1		
Percentage of cycles resulting in twin live births (%)	23.1	2.9	4.5	0 / 1		
Percentage of cycles resulting in live births (%)	56.9	22.9	22.7	0 / 1		
Percentage of cycles resulting in pregnancies (%)	58.5	28.6	27.3	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	64	33	18	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.3	18.2	3 / 18	0 / 1		
Percentage of transfers resulting in singleton live births (%)	34.4	21.2	3 / 18	0 / 1		
Percentage of transfers resulting in twin live births (%)	23.4	3.0	1 / 18	0 / 1		
Percentage of transfers resulting in live births (%)	57.8	24.2	5 / 18	0 / 1		
Percentage of transfers resulting in pregnancies (%)	59.4	30.3	6 / 18	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Brooke Army Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# FORT WORTH FERTILITY, PA FORT WORTH, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Robert Kaufmann, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	>99%	With ICSI	94%	Tubal factor	9%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 13%
Unstimulated	<1%	PGD/PGS	37%	Ovulatory dysfunction	8%	Male factor	32%	
Used gestational carrier	7%			Diminished ovarian reserve	26%	Other factor	19%	
				Endometriosis	4%	Unknown factor	19%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 625 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	124	40	28	19	3	2
Percentage of cancellations before retrieval (%)	3.2	2.5	0.0	1 / 19	0 / 3	0 / 2
Average number of embryos transferred	1.8	1.7	1.7	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	36.6	28.8	9.4	4 / 14	0 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	14.9	12.0	2 / 15	0 / 5	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.2	15.0	3.6	2 / 19	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	21.0	17.5	7.1	2 / 19	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	8.9	7.5	0.0	0 / 19	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	29.8	25.0	7.1	2 / 19	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	33.1	30.0	10.7	2 / 19	0 / 3	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	82	30	19	9	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.5	20.0	1 / 19	2 / 9	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.7	23.3	2 / 19	2 / 9	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	13.4	10.0	0 / 19	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	45.1	33.3	2 / 19	2 / 9	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	40.0	3 / 19	2 / 9	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	138	35	19	6	5	0
Number of transfers	127	30	17	4	4	0
Estimated average number of transfers per retrieval	1.6	1.3	0.8	0.3	0.5	0.0
Average number of embryos transferred	1.6	1.3	1.6	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	27.7	29.7	14.8	0 / 5	2 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.5	20.0	4 / 17	0 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	23.6	23.3	4 / 17	0 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)	7.9	0.0	0 / 17	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	31.5	23.3	4 / 17	0 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	37.8	33.3	4 / 17	0 / 4	1 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	25	11	11	8	6	5
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		57			69	
Number of transfers		39			64	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		55.4			29.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.6			23.4	
Percentage of transfers resulting in singleton live births (%)		30.8			26.6	
Percentage of transfers resulting in twin live births (%)		17.9			7.8	
Percentage of transfers resulting in live births (%)		48.7			34.4	
Percentage of transfers resulting in pregnancies (%)		66.7			37.5	

## CURRENT SERVICES & PROFILE

Current Name: Fort Worth Fertility, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

## DALLAS IVF FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Brian D. Barnett, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	51%	Tubal factor	8%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 6%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	9%	Male factor	18%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	3%	
				Endometriosis	6%	Unknown factor	59%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 625 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	141	61	52	11	9	4
Percentage of cancellations before retrieval (%)	1.4	1.6	11.5	3 / 11	2 / 9	2 / 4
Average number of embryos transferred	1.7	1.9	1.9	2.2	2.8	
Percentage of embryos transferred resulting in implantation (%)	39.6	29.1	15.0	1 / 11	0 / 11	
Percentage of elective single embryo transfers (eSET) (%)	27.9	9.8	0.0	0 / 5	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.2	18.0	11.5	1 / 11	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	28.4	24.6	15.4	1 / 11	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	5.7	6.6	0.0	0 / 11	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	34.0	31.1	15.4	1 / 11	0 / 9	0 / 4
Percentage of cycles resulting in pregnancies (%)	36.9	32.8	21.2	2 / 11	0 / 9	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	90	43	33	6	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.1	25.6	18.2	1 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	44.4	34.9	24.2	1 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	8.9	9.3	0.0	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	53.3	44.2	24.2	1 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	57.8	46.5	33.3	2 / 6	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	101	42	22	9	2	0
Number of transfers	98	41	21	9	2	0
Estimated average number of transfers per retrieval	1.1	1.0	0.6	0.5	0.4	
Average number of embryos transferred	1.4	1.6	1.5	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	66.7	59.4	31.3	7 / 13	2 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.7	41.5	19.0	2 / 9	1 / 2	
Percentage of transfers resulting in singleton live births (%)	53.1	51.2	28.6	3 / 9	2 / 2	
Percentage of transfers resulting in twin live births (%)	16.3	19.5	4.8	2 / 9	0 / 2	
Percentage of transfers resulting in live births (%)	69.4	70.7	33.3	5 / 9	2 / 2	
Percentage of transfers resulting in pregnancies (%)	79.6	75.6	42.9	5 / 9	2 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	49	26	28	16	5	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		14		30		
Number of transfers		10		30		
Average number of embryos transferred		1.4		1.6		
Percentage of embryos transferred resulting in implantation (%)		6 / 12		55.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 10		20.0		
Percentage of transfers resulting in singleton live births (%)		4 / 10		23.3		
Percentage of transfers resulting in twin live births (%)		1 / 10		20.0		
Percentage of transfers resulting in live births (%)		5 / 10		46.7		
Percentage of transfers resulting in pregnancies (%)		6 / 10		63.3		

### CURRENT SERVICES & PROFILE

Current Name: Dallas IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY SPECIALISTS OF TEXAS, PLLC FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Jerald S. Goldstein, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	56%	Tubal factor	16%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 12%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	21%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	12%	
				Endometriosis	5%	Unknown factor	12%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 391 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	131	56	61	19	3	0
Percentage of cancellations before retrieval (%)	7.6	21.4	23.0	4 / 19	2 / 3	
Average number of embryos transferred	1.9	1.9	2.1	3.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	53.5	41.3	22.9	14.0	1 / 1	
Percentage of elective single embryo transfers (eSET) (%)	9.3	5.3	0.0	0 / 14		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.0	25.0	16.4	2 / 19	1 / 3	
Percentage of cycles resulting in singleton live births (%)	31.3	33.9	18.0	3 / 19	1 / 3	
Percentage of cycles resulting in twin live births (%)	20.6	8.9	3.3	1 / 19	0 / 3	
Percentage of cycles resulting in live births (%)	51.9	42.9	21.3	4 / 19	1 / 3	
Percentage of cycles resulting in pregnancies (%)	53.4	46.4	31.1	7 / 19	1 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	100	39	45	15	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.0	35.9	22.2	2 / 15	1 / 1	
Percentage of transfers resulting in singleton live births (%)	41.0	48.7	24.4	3 / 15	1 / 1	
Percentage of transfers resulting in twin live births (%)	27.0	12.8	4.4	1 / 15	0 / 1	
Percentage of transfers resulting in live births (%)	68.0	61.5	28.9	4 / 15	1 / 1	
Percentage of transfers resulting in pregnancies (%)	70.0	66.7	42.2	7 / 15	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	11	10	2	0	0
Number of transfers	33	10	10	2	0	0
Estimated average number of transfers per retrieval	1.1	0.7	2.0	1.0	0.0	
Average number of embryos transferred	1.7	1.8	1.5	2.5		
Percentage of embryos transferred resulting in implantation (%)	41.1	6 / 17	7 / 14	3 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	4 / 10	2 / 10	0 / 2		
Percentage of transfers resulting in singleton live births (%)	33.3	5 / 10	2 / 10	0 / 2		
Percentage of transfers resulting in twin live births (%)	9.1	0 / 10	2 / 10	1 / 2		
Percentage of transfers resulting in live births (%)	42.4	5 / 10	4 / 10	1 / 2		
Percentage of transfers resulting in pregnancies (%)	57.6	7 / 10	6 / 10	1 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	7	2	1	2	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		22			16	
Number of transfers		15			16	
Average number of embryos transferred		1.9			1.8	
Percentage of embryos transferred resulting in implantation (%)		71.4			56.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 15			4 / 16	
Percentage of transfers resulting in singleton live births (%)		4 / 15			5 / 16	
Percentage of transfers resulting in twin live births (%)		7 / 15			4 / 16	
Percentage of transfers resulting in live births (%)		11 / 15			9 / 16	
Percentage of transfers resulting in pregnancies (%)		13 / 15			12 / 16	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Rinku V. Mehta, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	10%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 30%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	7%	
				Endometriosis	4%	Unknown factor	8%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 218 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	65	32	20	9	5	0
Percentage of cancellations before retrieval (%)	3.1	6.3	15.0	1 / 9	1 / 5	
Average number of embryos transferred	1.6	1.8	2.1	3.0	3.3	
Percentage of embryos transferred resulting in implantation (%)	41.9	32.6	22.7	15.0	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	35.0	28.6	1 / 11	0 / 8	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.7	21.9	0.0	2 / 9	0 / 5	
Percentage of cycles resulting in singleton live births (%)	30.8	25.0	10.0	3 / 9	0 / 5	
Percentage of cycles resulting in twin live births (%)	4.6	9.4	5.0	0 / 9	0 / 5	
Percentage of cycles resulting in live births (%)	35.4	34.4	15.0	3 / 9	0 / 5	
Percentage of cycles resulting in pregnancies (%)	40.0	34.4	30.0	4 / 9	1 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	46	24	13	8	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.1	29.2	0 / 13	2 / 8	0 / 3	
Percentage of transfers resulting in singleton live births (%)	43.5	33.3	2 / 13	3 / 8	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.5	12.5	1 / 13	0 / 8	0 / 3	
Percentage of transfers resulting in live births (%)	50.0	45.8	3 / 13	3 / 8	0 / 3	
Percentage of transfers resulting in pregnancies (%)	56.5	45.8	6 / 13	4 / 8	1 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	40	19	10	1	1	0
Number of transfers	40	19	9	1	1	0
Estimated average number of transfers per retrieval	1.5	1.2	2.3	1.0	0.3	0.0
Average number of embryos transferred	1.7	1.7	2.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	49.2	37.5	10 / 17	1 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.5	2 / 19	2 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 19	3 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.5	2 / 19	3 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	7 / 19	6 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.0	9 / 19	7 / 9	1 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	3	1	0	1	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	1.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED FERTILITY CENTER OF TEXAS HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Michael A. Allon, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	94%	Tubal factor	13%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 22% Female & male factors 19%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	27%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	29%	
				Endometriosis	16%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 369 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	61	14	18	5	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0 / 18	0 / 5	0 / 1	
Average number of embryos transferred	2.1	2.0	2.5			
Percentage of embryos transferred resulting in implantation (%)	3 / 15	1 / 2	2 / 10			
Percentage of elective single embryo transfers (eSET) (%)	0 / 7	0 / 1	0 / 4			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3.3	1 / 14	1 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3.3	1 / 14	1 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	0 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)	3.3	1 / 14	1 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancies (%)	4.9	1 / 14	2 / 18	0 / 5	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	7	1	4	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7	1 / 1	1 / 4			
Percentage of transfers resulting in singleton live births (%)	2 / 7	1 / 1	1 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 1	0 / 4			
Percentage of transfers resulting in live births (%)	2 / 7	1 / 1	1 / 4			
Percentage of transfers resulting in pregnancies (%)	3 / 7	1 / 1	2 / 4			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	85	28	31	8	3	4
Number of transfers	84	28	31	8	3	4
Estimated average number of transfers per retrieval	1.4	1.4	1.0	0.5	0.5	1.0
Average number of embryos transferred	2.0	2.2	2.2	2.1	2.7	2.5
Percentage of embryos transferred resulting in implantation (%)	51.9	40.0	33.3	5 / 17	0 / 8	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.9	21.4	32.3	3 / 8	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	27.4	28.6	45.2	4 / 8	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	23.8	21.4	6.5	0 / 8	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)	53.6	50.0	51.6	4 / 8	0 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	69.0	60.7	64.5	5 / 8	0 / 3	1 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	14	17	14	6	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		21			21	
Number of transfers		16			21	
Average number of embryos transferred		2.1			2.0	
Percentage of embryos transferred resulting in implantation (%)		63.0			33.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 16			14.3	
Percentage of transfers resulting in singleton live births (%)		3 / 16			23.8	
Percentage of transfers resulting in twin live births (%)		7 / 16			14.3	
Percentage of transfers resulting in live births (%)		10 / 16			38.1	
Percentage of transfers resulting in pregnancies (%)		13 / 16			47.6	

## CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Texas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BAYLOR FAMILY FERTILITY PROGRAM HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by William E. Gibbons, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	66%	Tubal factor	10%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 14%
Unstimulated	2%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	12%	
				Endometriosis	2%	Unknown factor	5%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 284 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	52	15	21	9	4	1
Percentage of cancellations before retrieval (%)	13.5	2 / 15	38.1	3 / 9	0 / 4	0 / 1
Average number of embryos transferred	1.3	2.0	2.5	3.3	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	43.8	5 / 18	3.6	0 / 13	1 / 11	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	68.6	2 / 9	0 / 10	0 / 3	0 / 4	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.2	2 / 15	0.0	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.8	2 / 15	0.0	0 / 9	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	3.8	1 / 15	0.0	0 / 9	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	32.7	3 / 15	0.0	0 / 9	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	36.5	4 / 15	4.8	0 / 9	1 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	37	9	11	4	4	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.7	2 / 9	0 / 11	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.5	2 / 9	0 / 11	0 / 4	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	5.4	1 / 9	0 / 11	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	45.9	3 / 9	0 / 11	0 / 4	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.4	4 / 9	1 / 11	0 / 4	1 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	66	14	18	6	4	0
Number of transfers	58	14	13	6	3	0
Estimated average number of transfers per retrieval	1.2	1.2	0.9	1.0	1.5	0.0
Average number of embryos transferred	1.5	1.8	1.8	2.5	2.7	
Percentage of embryos transferred resulting in implantation (%)	32.9	28.0	31.8	4 / 15	1 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.9	4 / 14	2 / 13	3 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	27.6	6 / 14	2 / 13	3 / 6	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.9	0 / 14	1 / 13	0 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	34.5	6 / 14	3 / 13	3 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	41.4	7 / 14	6 / 13	4 / 6	1 / 3	
<b>Number of Egg/Embryo Banking Cycles</b>						
	32	10	11	4	2	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			9		
Number of transfers	2			9		
Average number of embryos transferred	1.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			1 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2			0 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 9		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 9		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 9		

### CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by C. James Chuong, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	53%	Tubal factor	27%	Uterine factor	21%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 31%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	11%	Male factor	45%	
Used gestational carrier	1%			Diminished ovarian reserve	35%	Other factor	13%	
				Endometriosis	3%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 169 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	39	16	22	9	6	4
Percentage of cancellations before retrieval (%)	7.7	2 / 16	9.1	1 / 9	3 / 6	2 / 4
Average number of embryos transferred	2.5	2.4	3.1	3.3	3.5	4.0
Percentage of embryos transferred resulting in implantation (%)	49.2	26.9	21.2	5.0	0 / 7	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 8	0 / 17	0 / 6	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.3	0 / 16	18.2	1 / 9	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	12.8	3 / 16	22.7	1 / 9	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	20.5	2 / 16	4.5	0 / 9	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	35.9	5 / 16	27.3	1 / 9	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	41.0	5 / 16	36.4	1 / 9	0 / 6	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	24	11	18	6	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.7	0 / 11	4 / 18	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	20.8	3 / 11	5 / 18	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	33.3	2 / 11	1 / 18	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	58.3	5 / 11	6 / 18	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	66.7	5 / 11	8 / 18	1 / 6	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	18	8	2	3	1	1
Number of transfers	18	7	2	3	1	1
Estimated average number of transfers per retrieval	1.6	2.3	2.0	3.0		0.5
Average number of embryos transferred	2.6	2.3	3.5	2.7	4.0	4.0
Percentage of embryos transferred resulting in implantation (%)	54.3	4 / 16	1 / 4	1 / 8	1 / 4	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 18	1 / 7	1 / 2	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 18	1 / 7	1 / 2	1 / 3	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5 / 18	1 / 7	0 / 2	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	13 / 18	2 / 7	1 / 2	1 / 3	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	15 / 18	2 / 7	2 / 2	1 / 3	1 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		19			20	
Number of transfers		14			17	
Average number of embryos transferred		2.3			2.7	
Percentage of embryos transferred resulting in implantation (%)		28.1			21.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 14			3 / 17	
Percentage of transfers resulting in singleton live births (%)		6 / 14			4 / 17	
Percentage of transfers resulting in twin live births (%)		1 / 14			1 / 17	
Percentage of transfers resulting in live births (%)		7 / 14			6 / 17	
Percentage of transfers resulting in pregnancies (%)		7 / 14			7 / 17	

## CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# FERTILITY SPECIALISTS OF HOUSTON HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by George M. Grunert, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	74%	Tubal factor	16%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 25% Female & male factors 24%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	22%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	26%	
				Endometriosis	13%	Unknown factor	14%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,200 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	104	54	36	20	13	2
Percentage of cancellations before retrieval (%)	8.7	24.1	30.6	35.0	6 / 13	0 / 2
Average number of embryos transferred	1.4	1.7	2.0	1.8	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	38.9	18.6	2 / 16	0 / 11	0 / 1	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	59.4	18.2	0 / 8	0 / 4	1 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.2	5.6	2.8	0.0	0 / 13	0 / 2
Percentage of cycles resulting in singleton live births (%)	23.1	7.4	5.6	0.0	0 / 13	0 / 2
Percentage of cycles resulting in twin live births (%)	3.8	1.9	0.0	0.0	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)	27.9	9.3	5.6	0.0	0 / 13	0 / 2
Percentage of cycles resulting in pregnancies (%)	31.7	13.0	5.6	0.0	0 / 13	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	72	25	8	6	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.8	12.0	1 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	16.0	2 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.6	4.0	0 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	40.3	20.0	2 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.8	28.0	2 / 8	0 / 6	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	218	123	75	36	8	3
Number of transfers	197	101	67	31	6	2
Estimated average number of transfers per retrieval	1.3	1.0	0.7	0.5	0.3	0.1
Average number of embryos transferred	1.2	1.3	1.2	1.1	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	44.6	41.5	34.3	40.0	1 / 6	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.9	29.7	23.9	19.4	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.1	38.6	29.9	29.0	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	3.0	4.0	0.0	3.2	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	40.1	42.6	29.9	32.3	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	51.8	54.5	43.3	41.9	2 / 6	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	129	87	89	58	24	16
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		23			72	
Number of transfers		21			63	
Average number of embryos transferred		1.3			1.4	
Percentage of embryos transferred resulting in implantation (%)		44.4			44.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3			23.8	
Percentage of transfers resulting in singleton live births (%)		47.6			42.9	
Percentage of transfers resulting in twin live births (%)		4.8			1.6	
Percentage of transfers resulting in live births (%)		52.4			44.4	
Percentage of transfers resulting in pregnancies (%)		52.4			61.9	

## CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE HEARD CLINIC HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Michael Heard, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	10%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 23%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	38%	Male factor	35%	
Used gestational carrier	6%			Diminished ovarian reserve	3%	Other factor	15%	
				Endometriosis	10%	Unknown factor	8%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 47 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	6	6	1	2	2	1
Percentage of cancellations before retrieval (%)	0 / 6	0 / 6	0 / 1	0 / 2	0 / 2	1 / 1
Average number of embryos transferred	3.2	2.4	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 16	0 / 10	0 / 2	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 5	0 / 4	0 / 1	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 6	0 / 6	0 / 1	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 6	0 / 6	0 / 1	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 6	0 / 1	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	2 / 6	0 / 6	0 / 1	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	2 / 6	1 / 6	0 / 1	0 / 2	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	5	5	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 5	0 / 5	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 5	0 / 1	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	4	2	1	1	0
Number of transfers	7	4	2	1	1	0
Estimated average number of transfers per retrieval	1.4	2.0	1.0	1.0	0.5	
Average number of embryos transferred	1.9	1.5	2.0	3.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 13	0 / 6	1 / 4	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7	0 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 4	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 7	0 / 4	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 7	0 / 4	1 / 2	0 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	0	2	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			5		
Number of transfers	2			5		
Average number of embryos transferred	2.0			1.4		
Percentage of embryos transferred resulting in implantation (%)	4 / 4			1 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2			0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 2			1 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 2			1 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 5		

## CURRENT SERVICES & PROFILE

Current Name: The Heard Clinic

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HOUSTON FERTILITY INSTITUTE HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Ghassan F. Haddad, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	26%	Uterine factor	48%	<i>Multiple Factors:</i> Female factors only 40% Female & male factors 34%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	27%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	26%	
				Endometriosis	11%	Unknown factor	1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 2,721 (includes 119 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	476	151	120	47	27	5
Percentage of cancellations before retrieval (%)	1.3	2.0	6.7	10.6	14.8	0 / 5
Average number of embryos transferred	1.8	1.9	1.9	1.9	1.8	3.0
Percentage of embryos transferred resulting in implantation (%)	40.8	27.1	24.6	4.3	1 / 11	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	14.1	2.4	0.0	0 / 18	0 / 4	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.7	13.9	10.0	4.3	0.0	0 / 5
Percentage of cycles resulting in singleton live births (%)	16.2	16.6	13.3	4.3	0.0	0 / 5
Percentage of cycles resulting in twin live births (%)	7.1	6.0	3.3	0.0	0.0	0 / 5
Percentage of cycles resulting in live births (%)	23.9	22.5	16.7	4.3	0.0	0 / 5
Percentage of cycles resulting in pregnancies (%)	26.7	25.2	25.0	8.5	3.7	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	236	97	71	27	6	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.5	21.6	16.9	7.4	0 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	32.6	25.8	22.5	7.4	0 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	14.4	9.3	5.6	0.0	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	48.3	35.1	28.2	7.4	0 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	53.8	39.2	42.3	14.8	1 / 6	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	584	222	174	54	17	4
Number of transfers	562	205	164	47	15	4
Estimated average number of transfers per retrieval	1.3	1.3	1.0	0.8	0.5	0.4
Average number of embryos transferred	1.7	1.6	1.7	1.6	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	50.4	46.2	37.5	33.8	22.7	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.8	30.7	29.3	17.0	3 / 15	2 / 4
Percentage of transfers resulting in singleton live births (%)	33.1	36.1	33.5	27.7	4 / 15	2 / 4
Percentage of transfers resulting in twin live births (%)	18.0	12.7	8.5	6.4	0 / 15	0 / 4
Percentage of transfers resulting in live births (%)	51.1	49.3	42.7	34.0	4 / 15	2 / 4
Percentage of transfers resulting in pregnancies (%)	63.2	58.5	53.0	46.8	5 / 15	2 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	195	102	126	54	29	11
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		56			148	
Number of transfers		41			141	
Average number of embryos transferred		1.9			1.8	
Percentage of embryos transferred resulting in implantation (%)		44.2			41.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		22.0			27.0	
Percentage of transfers resulting in singleton live births (%)		24.4			39.7	
Percentage of transfers resulting in twin live births (%)		26.8			9.9	
Percentage of transfers resulting in live births (%)		51.2			49.6	
Percentage of transfers resulting in pregnancies (%)		58.5			57.4	

## CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HOUSTON INFERTILITY CLINIC SONJA KRISTIENSEN, MD HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Sonja B. Kristiansen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	21%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 8%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	<1%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	12%	
				Endometriosis	<1%	Unknown factor	18%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 119 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	40	17	11	9	5	3
Percentage of cancellations before retrieval (%)	0.0	0 / 17	1 / 11	1 / 9	1 / 5	1 / 3
Average number of embryos transferred	2.4	2.6	2.8	2.3	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	27.3	16.7	20.0	2 / 14	0 / 10	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 15	0 / 8	0 / 5	0 / 2	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	7 / 17	2 / 11	2 / 9	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	40.0	7 / 17	2 / 11	2 / 9	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	10.0	0 / 17	0 / 11	0 / 9	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	50.0	7 / 17	3 / 11	2 / 9	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	50.0	7 / 17	3 / 11	2 / 9	0 / 5	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	37	16	9	6	4	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	43.2	7 / 16	2 / 9	2 / 6	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.2	7 / 16	2 / 9	2 / 6	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	10.8	0 / 16	0 / 9	0 / 6	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	54.1	7 / 16	3 / 9	2 / 6	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	54.1	7 / 16	3 / 9	2 / 6	0 / 4	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	9	5	2	3	0	0
Number of transfers	8	5	2	3	0	0
Estimated average number of transfers per retrieval	1.6	1.0		3.0	0.0	
Average number of embryos transferred	2.3	2.4	2.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 18	3 / 12	2 / 4	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 8	1 / 5	2 / 2	2 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 5	2 / 2	2 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 5	0 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	1 / 8	2 / 5	2 / 2	2 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 8	2 / 5	2 / 2	2 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	3	0	1	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	5			4		
Number of transfers	5			4		
Average number of embryos transferred	2.4			2.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 12			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5			2 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 5			2 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 5			0 / 4		
Percentage of transfers resulting in live births (%)	4 / 5			2 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 5			3 / 4		

## CURRENT SERVICES & PROFILE

Current Name: Houston Infertility Clinic, Sonja Kristiansen, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HOUSTON IVF HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Timothy N. Hickman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	92%	Tubal factor	8%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 8%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	12%	Male factor	24%	
Used gestational carrier	2%			Diminished ovarian reserve	43%	Other factor	11%	
				Endometriosis	5%	Unknown factor	13%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 730 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	157	68	75	47	27	2
Percentage of cancellations before retrieval (%)	3.2	0.0	5.3	10.6	22.2	0 / 2
Average number of embryos transferred	2.0	2.0	2.7	3.0	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)	40.0	39.5	19.9	12.6	6.8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	7.0	4.8	1.7	0.0	0 / 13	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.8	22.1	18.7	6.4	3.7	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.5	29.4	25.3	8.5	3.7	0 / 2
Percentage of cycles resulting in twin live births (%)	15.3	17.6	6.7	4.3	0.0	0 / 2
Percentage of cycles resulting in live births (%)	48.4	48.5	32.0	14.9	3.7	0 / 2
Percentage of cycles resulting in pregnancies (%)	56.1	54.4	38.7	23.4	11.1	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	148	67	65	35	17	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.4	22.4	21.5	8.6	1 / 17	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.5	29.9	29.2	11.4	1 / 17	0 / 1
Percentage of transfers resulting in twin live births (%)	16.2	17.9	7.7	5.7	0 / 17	0 / 1
Percentage of transfers resulting in live births (%)	51.4	49.3	36.9	20.0	1 / 17	0 / 1
Percentage of transfers resulting in pregnancies (%)	59.5	55.2	44.6	31.4	3 / 17	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	85	52	38	9	6	1
Number of transfers	85	52	38	8	5	0
Estimated average number of transfers per retrieval	1.3	1.9	1.1	0.5	0.6	0.0
Average number of embryos transferred	1.8	1.6	1.8	1.6	1.4	
Percentage of embryos transferred resulting in implantation (%)	41.9	43.5	30.8	4 / 13	1 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.4	21.2	23.7	2 / 8	1 / 5	
Percentage of transfers resulting in singleton live births (%)	28.2	32.7	34.2	3 / 8	1 / 5	
Percentage of transfers resulting in twin live births (%)	15.3	13.5	2.6	0 / 8	0 / 5	
Percentage of transfers resulting in live births (%)	44.7	46.2	36.8	3 / 8	1 / 5	
Percentage of transfers resulting in pregnancies (%)	57.6	53.8	47.4	4 / 8	1 / 5	
<b>Number of Egg/Embryo Banking Cycles</b>						
	39	22	26	12	6	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		32			17	
Number of transfers		32			16	
Average number of embryos transferred		1.8			1.9	
Percentage of embryos transferred resulting in implantation (%)		69.5			33.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		28.1			3 / 16	
Percentage of transfers resulting in singleton live births (%)		31.3			5 / 16	
Percentage of transfers resulting in twin live births (%)		46.9			0 / 16	
Percentage of transfers resulting in live births (%)		78.1			5 / 16	
Percentage of transfers resulting in pregnancies (%)		81.3			8 / 16	

## CURRENT SERVICES & PROFILE

Current Name: Houston IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVFMD IRVING, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Sy Le, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	58%	Tubal factor	24%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 19%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	17%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	9%	
				Endometriosis	7%	Unknown factor	6%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 563 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	138	40	23	8	6	1
Percentage of cancellations before retrieval (%)	1.4	0.0	4.3	0 / 8	1 / 6	0 / 1
Average number of embryos transferred	1.7	1.8	1.8	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.3	46.3	41.2	0 / 9	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	20.9	3.6	1 / 17	0 / 6		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.6	25.0	26.1	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	29.0	32.5	30.4	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	12.3	7.5	4.3	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in live births (%)	41.3	42.5	34.8	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in pregnancies (%)	48.6	52.5	56.5	2 / 8	0 / 6	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	119	33	21	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	30.3	28.6	0 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.6	39.4	33.3	0 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.3	9.1	4.8	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	47.9	51.5	38.1	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	56.3	63.6	61.9	2 / 7	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	92	42	38	9	6	3
Number of transfers	92	41	38	9	6	3
Estimated average number of transfers per retrieval	1.7	1.5	1.1	0.9	0.5	0.8
Average number of embryos transferred	1.6	1.6	1.6	1.8	1.2	2.7
Percentage of embryos transferred resulting in implantation (%)	36.8	23.4	24.6	3 / 16	1 / 7	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.7	19.5	21.1	1 / 9	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.3	22.0	23.7	3 / 9	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	10.9	2.4	5.3	0 / 9	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	39.1	24.4	28.9	3 / 9	1 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	53.3	36.6	39.5	3 / 9	1 / 6	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	23	22	33	10	10	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		30			24	
Number of transfers		26			24	
Average number of embryos transferred		1.9			1.8	
Percentage of embryos transferred resulting in implantation (%)		53.5			43.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.9			20.8	
Percentage of transfers resulting in singleton live births (%)		26.9			25.0	
Percentage of transfers resulting in twin live births (%)		30.8			20.8	
Percentage of transfers resulting in live births (%)		57.7			45.8	
Percentage of transfers resulting in pregnancies (%)		69.2			58.3	

## CURRENT SERVICES & PROFILE

Current Name: IVFMD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE CENTRE FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Janelle O. Dorsett, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	29%	Tubal factor	27%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 37% Female & male factors 26%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	24%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	25%	Other factor	24%	
				Endometriosis	23%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 214 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	64	12	14	6	0	2
Percentage of cancellations before retrieval (%)	3.1	1 / 12	0 / 14	0 / 6		1 / 2
Average number of embryos transferred	1.3	1.0	1.5			
Percentage of embryos transferred resulting in implantation (%)	4 / 12	0 / 1	1 / 3			
Percentage of elective single embryo transfers (eSET) (%)	0 / 3		0 / 1			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4.7	0 / 12	1 / 14	0 / 6		0 / 2
Percentage of cycles resulting in singleton live births (%)	6.3	0 / 12	1 / 14	0 / 6		0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 12	0 / 14	0 / 6		0 / 2
Percentage of cycles resulting in live births (%)	6.3	0 / 12	1 / 14	0 / 6		0 / 2
Percentage of cycles resulting in pregnancies (%)	6.3	0 / 12	1 / 14	0 / 6		0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	9	1	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9	0 / 1	1 / 2			
Percentage of transfers resulting in singleton live births (%)	4 / 9	0 / 1	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 1	0 / 2			
Percentage of transfers resulting in live births (%)	4 / 9	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancies (%)	4 / 9	0 / 1	1 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	55	16	10	2	0	0
Number of transfers	51	14	10	2	0	0
Estimated average number of transfers per retrieval	1.1	1.3	1.4	2.0		
Average number of embryos transferred	1.7	1.7	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	51.1	45.8	30.0	2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.2	6 / 14	3 / 10	0 / 2		
Percentage of transfers resulting in singleton live births (%)	45.1	6 / 14	3 / 10	0 / 2		
Percentage of transfers resulting in twin live births (%)	17.6	2 / 14	1 / 10	1 / 2		
Percentage of transfers resulting in live births (%)	62.7	8 / 14	4 / 10	1 / 2		
Percentage of transfers resulting in pregnancies (%)	66.7	9 / 14	4 / 10	1 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	1	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		10			18	
Number of transfers		8			18	
Average number of embryos transferred		1.8			1.9	
Percentage of embryos transferred resulting in implantation (%)		2 / 14			58.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 8			3 / 18	
Percentage of transfers resulting in singleton live births (%)		2 / 8			6 / 18	
Percentage of transfers resulting in twin live births (%)		0 / 8			6 / 18	
Percentage of transfers resulting in live births (%)		2 / 8			12 / 18	
Percentage of transfers resulting in pregnancies (%)		2 / 8			13 / 18	

## CURRENT SERVICES & PROFILE

Current Name: The Centre for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY LUBBOCK, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Jaou-Chen Huang, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	96%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 14% Female & male factors 20%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	2%	
				Endometriosis	20%	Unknown factor	6%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 113 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	39	15	7	2	3	2
Percentage of cancellations before retrieval (%)	5.1	0 / 15	0 / 7	0 / 2	1 / 3	0 / 2
Average number of embryos transferred	1.9	2.1	2.7	2.5	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	38.2	36.7	2 / 19	0 / 5	1 / 4	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	11.4	0 / 13	0 / 6	0 / 2	0 / 1	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.2	4 / 15	1 / 7	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	35.9	4 / 15	1 / 7	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	10.3	3 / 15	0 / 7	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	48.7	7 / 15	1 / 7	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	51.3	7 / 15	2 / 7	0 / 2	1 / 3	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	35	14	7	2	1	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.4	4 / 14	1 / 7	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.0	4 / 14	1 / 7	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	11.4	3 / 14	0 / 7	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	54.3	7 / 14	1 / 7	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	57.1	7 / 14	2 / 7	0 / 2	1 / 1	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	19	10	1	1	0	0
Number of transfers	19	9	1	1	0	0
Estimated average number of transfers per retrieval	1.3	1.5	0.3	0.5		
Average number of embryos transferred	2.0	1.7	3.0	4.0		
Percentage of embryos transferred resulting in implantation (%)	28.9	3 / 15	2 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 19	2 / 9	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	8 / 19	3 / 9	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 19	0 / 9	1 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	9 / 19	3 / 9	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	10 / 19	3 / 9	1 / 1	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	2	3	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			4		
Number of transfers	1			3		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1			0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 1			0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 3		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Texas Tech University Health Sciences Center,  
Center for Fertility and Reproductive Surgery

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# REPRODUCTIVE INSTITUTE OF SOUTH TEXAS McALLEN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Esteban O. Brown, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	94%	Tubal factor	42%	Uterine factor	23%	Multiple Factors: Female factors only 34% Female & male factors 24%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	21%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	42%	
				Endometriosis	4%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 159 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	55	24	14	6	3	2
Percentage of cancellations before retrieval (%)	3.6	0.0	1 / 14	1 / 6	1 / 3	1 / 2
Average number of embryos transferred	1.9	2.1	2.0	1.6	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	36.1	37.1	16.7	0 / 4	0 / 3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	7.5	0 / 16	0 / 10	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.9	8.3	4 / 14	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	14.5	8.3	4 / 14	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	7.3	8.3	0 / 14	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	25.5	20.8	4 / 14	0 / 6	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	38.2	29.2	4 / 14	2 / 6	0 / 3	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	42	17	12	5	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.3	2 / 17	4 / 12	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	19.0	2 / 17	4 / 12	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	9.5	2 / 17	0 / 12	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	33.3	5 / 17	4 / 12	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	7 / 17	4 / 12	2 / 5	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	12	8	0	1	1
Number of transfers	25	12	8	0	1	1
Estimated average number of transfers per retrieval	2.3	2.0	2.7		1.0	
Average number of embryos transferred	1.8	1.6	1.8		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	57.5	12 / 17	8 / 14		0 / 2	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.0	1 / 12	1 / 8		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.0	2 / 12	2 / 8		0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	20.0	4 / 12	2 / 8		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	56.0	6 / 12	4 / 8		0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	76.0	9 / 12	5 / 8		0 / 1	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			0		
Number of transfers	8			0		
Average number of embryos transferred	1.8					
Percentage of embryos transferred resulting in implantation (%)	7 / 12					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8					
Percentage of transfers resulting in singleton live births (%)	4 / 8					
Percentage of transfers resulting in twin live births (%)	1 / 8					
Percentage of transfers resulting in live births (%)	5 / 8					
Percentage of transfers resulting in pregnancies (%)	7 / 8					

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Institute of South Texas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVF PLANO PLANO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by James Douglas, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	36%	Tubal factor	14%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 22% Female & male factors 39%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	56%	Male factor	46%	
Used gestational carrier	1%			Diminished ovarian reserve	32%	Other factor	11%	
				Endometriosis	9%	Unknown factor	<1%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 280 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	62	37	29	15	11	2
Percentage of cancellations before retrieval (%)	4.8	5.4	20.7	2 / 15	1 / 11	0 / 2
Average number of embryos transferred	1.9	2.2	2.8	2.8	2.9	4.0
Percentage of embryos transferred resulting in implantation (%)	35.9	40.4	19.1	15.6	8.7	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	14.7	12.0	1 / 17	0 / 10	0 / 6	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.9	27.0	13.8	2 / 15	1 / 11	0 / 2
Percentage of cycles resulting in singleton live births (%)	16.1	32.4	17.2	2 / 15	1 / 11	0 / 2
Percentage of cycles resulting in twin live births (%)	9.7	8.1	3.4	1 / 15	0 / 11	0 / 2
Percentage of cycles resulting in live births (%)	25.8	40.5	20.7	3 / 15	1 / 11	0 / 2
Percentage of cycles resulting in pregnancies (%)	30.6	51.4	27.6	5 / 15	2 / 11	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	37	25	17	13	8	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.6	40.0	4 / 17	2 / 13	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.0	48.0	5 / 17	2 / 13	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	16.2	12.0	1 / 17	1 / 13	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	43.2	60.0	6 / 17	3 / 13	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.4	76.0	8 / 17	5 / 13	2 / 8	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	36	22	15	3	0	0
Number of transfers	36	22	14	2	0	0
Estimated average number of transfers per retrieval	1.5	1.8	0.7	2.0	0.0	0.0
Average number of embryos transferred	1.7	1.5	1.9	1.5		
Percentage of embryos transferred resulting in implantation (%)	48.3	41.9	40.9	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.9	31.8	5 / 14	0 / 2		
Percentage of transfers resulting in singleton live births (%)	47.2	36.4	5 / 14	0 / 2		
Percentage of transfers resulting in twin live births (%)	8.3	4.5	0 / 14	0 / 2		
Percentage of transfers resulting in live births (%)	55.6	45.5	6 / 14	0 / 2		
Percentage of transfers resulting in pregnancies (%)	63.9	50.0	8 / 14	1 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	3	7	1	4	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		12		12		
Number of transfers		10		9		
Average number of embryos transferred		2.0		1.3		
Percentage of embryos transferred resulting in implantation (%)		65.0		6 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 10		3 / 9		
Percentage of transfers resulting in singleton live births (%)		3 / 10		3 / 9		
Percentage of transfers resulting in twin live births (%)		5 / 10		1 / 9		
Percentage of transfers resulting in live births (%)		8 / 10		4 / 9		
Percentage of transfers resulting in pregnancies (%)		8 / 10		7 / 9		

## CURRENT SERVICES & PROFILE

Current Name: IVF Plano

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PRESBYTERIAN HOSPITAL PLANO ARTS PLANO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Alfred J. Rodriguez, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	37%	Tubal factor	16%	Uterine factor	34%	Multiple Factors: Female factors only 43% Female & male factors 34%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	54%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	31%	
				Endometriosis	20%	Unknown factor	<1%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 267 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		33	11	20	3	6	0
Percentage of cancellations before retrieval (%)		3.0	0 / 11	45.0	0 / 3	1 / 6	
Average number of embryos transferred		3.0	2.0				
Percentage of embryos transferred resulting in implantation (%)		1 / 3	2 / 2				
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1				
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3.0	1 / 11	0.0	0 / 3	0 / 6	
Percentage of cycles resulting in singleton live births (%)		3.0	1 / 11	0.0	0 / 3	0 / 6	
Percentage of cycles resulting in twin live births (%)		0.0	0 / 11	0.0	0 / 3	0 / 6	
Percentage of cycles resulting in live births (%)		3.0	1 / 11	0.0	0 / 3	0 / 6	
Percentage of cycles resulting in pregnancies (%)		3.0	1 / 11	0.0	0 / 3	0 / 6	
<b>Outcomes per Transfer</b>							
Number of transfers		1	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1	1 / 1				
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)		1 / 1	1 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1	1 / 1				
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		47	21	12	6	2	0
Number of transfers		47	20	12	6	2	0
Estimated average number of transfers per retrieval		1.0	0.9	0.4	0.5	0.3	0.0
Average number of embryos transferred		1.4	1.9	2.0	2.3	3.5	
Percentage of embryos transferred resulting in implantation (%)		61.8	35.1	59.1	4 / 14	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		46.8	35.0	4 / 12	2 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)		55.3	35.0	4 / 12	2 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)		12.8	5.0	2 / 12	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)		68.1	40.0	7 / 12	2 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)		76.6	50.0	10 / 12	3 / 6	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>							
		26	15	21	11	4	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		6			20		
Number of transfers		3			20		
Average number of embryos transferred		1.3			1.6		
Percentage of embryos transferred resulting in implantation (%)		2 / 4			44.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 3			25.0		
Percentage of transfers resulting in singleton live births (%)		2 / 3			30.0		
Percentage of transfers resulting in twin live births (%)		0 / 3			10.0		
Percentage of transfers resulting in live births (%)		2 / 3			40.0		
Percentage of transfers resulting in pregnancies (%)		2 / 3			60.0		

CURRENT SERVICES & PROFILE		Current Name: Presbyterian Hospital Plano ARTS					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Joseph E. Martin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	26%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 16%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	18%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	6%	
				Endometriosis	13%	Unknown factor	12%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 541 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	135	62	41	19	7	2
Percentage of cancellations before retrieval (%)	7.4	9.7	19.5	4 / 19	1 / 7	1 / 2
Average number of embryos transferred	1.9	2.0	2.3	2.4	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	52.3	41.5	19.7	8.3	0.0	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	15.0	7.7	3.6	0 / 10	0 / 6	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.5	30.6	12.2	2 / 19	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	25.2	38.7	12.2	2 / 19	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	27.4	11.3	7.3	0 / 19	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)	52.6	51.6	19.5	2 / 19	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)	56.3	54.8	26.8	4 / 19	0 / 7	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	121	54	31	13	6	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.0	35.2	16.1	2 / 13	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.1	44.4	16.1	2 / 13	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	30.6	13.0	9.7	0 / 13	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	58.7	59.3	25.8	2 / 13	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	62.8	63.0	35.5	4 / 13	0 / 6	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	72	51	30	7	2	0
Number of transfers	70	50	27	7	2	0
Estimated average number of transfers per retrieval	1.7	4.2	1.5	1.8	0.3	0.0
Average number of embryos transferred	1.7	1.5	1.8	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	40.4	46.4	43.5	4 / 10	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	40.0	22.2	3 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	34.3	46.0	29.6	3 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.6	4.0	14.8	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	44.3	50.0	44.4	3 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	60.0	64.0	63.0	4 / 7	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	9	14	4	6	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		26			30	
Number of transfers		21			28	
Average number of embryos transferred		1.9			1.5	
Percentage of embryos transferred resulting in implantation (%)		37.5			40.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		38.1			21.4	
Percentage of transfers resulting in singleton live births (%)		38.1			32.1	
Percentage of transfers resulting in twin live births (%)		4.8			10.7	
Percentage of transfers resulting in live births (%)		42.9			42.9	
Percentage of transfers resulting in pregnancies (%)		61.9			50.0	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center of San Antonio

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY INSTITUTE OF TEXAS, PLLC SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Susan Hudson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	17%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	2%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	25%	
				Endometriosis	4%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 80 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	3	5	0	0	0
Percentage of cancellations before retrieval (%)	0 / 7	0 / 3	0 / 5			
Average number of embryos transferred	1.7	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	5 / 5	1 / 2	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	0 / 1	0 / 1			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 7	1 / 3	0 / 5			
Percentage of cycles resulting in singleton live births (%)	1 / 7	1 / 3	0 / 5			
Percentage of cycles resulting in twin live births (%)	2 / 7	0 / 3	0 / 5			
Percentage of cycles resulting in live births (%)	3 / 7	1 / 3	0 / 5			
Percentage of cycles resulting in pregnancies (%)	3 / 7	1 / 3	0 / 5			
<b>Outcomes per Transfer</b>						
Number of transfers	3	1	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3	1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	2 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	3 / 3	1 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 1	0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	4	8	0	0	0
Number of transfers	21	4	6	0	0	0
Estimated average number of transfers per retrieval	0.9	1.3	0.9	0.0	0.0	
Average number of embryos transferred	1.0	1.3	1.2			
Percentage of embryos transferred resulting in implantation (%)	70.0	1 / 5	2 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	52.4	0 / 4	1 / 6			
Percentage of transfers resulting in singleton live births (%)	61.9	0 / 4	2 / 6			
Percentage of transfers resulting in twin live births (%)	0.0	0 / 4	0 / 6			
Percentage of transfers resulting in live births (%)	61.9	0 / 4	2 / 6			
Percentage of transfers resulting in pregnancies (%)	71.4	1 / 4	4 / 6			
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	1	4	1	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			3		
Number of transfers	0			3		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 3		
Percentage of transfers resulting in singleton live births (%)				0 / 3		
Percentage of transfers resulting in twin live births (%)				0 / 3		
Percentage of transfers resulting in live births (%)				0 / 3		
Percentage of transfers resulting in pregnancies (%)				1 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of Texas, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR WOMEN'S HEALTH  
ADVANCED FERTILITY CENTER  
SAN ANTONIO, TEXAS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Joseph R. Garza, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 19%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	32%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	4%	
				Endometriosis	0%	Unknown factor	0%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 65 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	6	5	5	3	6	3
Percentage of cancellations before retrieval (%)	1 / 6	1 / 5	0 / 5	1 / 3	3 / 6	2 / 3
Average number of embryos transferred	2.0	2.0	2.0		3.3	4.0
Percentage of embryos transferred resulting in implantation (%)	2 / 4	2 / 4	0 / 6			0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 2	0 / 3		0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 6	0 / 5	0 / 5	0 / 3	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 6	0 / 5	0 / 5	0 / 3	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 6	1 / 5	0 / 5	0 / 3	0 / 6	0 / 3
Percentage of cycles resulting in live births (%)	1 / 6	1 / 5	0 / 5	0 / 3	0 / 6	0 / 3
Percentage of cycles resulting in pregnancies (%)	1 / 6	1 / 5	0 / 5	0 / 3	3 / 6	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	2	2	3	0	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2	0 / 2	0 / 3		0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 2	0 / 3		0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	1 / 2	0 / 3		0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	1 / 2	1 / 2	0 / 3		0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2	0 / 3		3 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	0	7	3	1	0
Number of transfers	10	0	7	3	0	0
Estimated average number of transfers per retrieval	2.0		1.4	1.5		
Average number of embryos transferred	2.1		1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)	47.6		0 / 12	0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10		0 / 7	0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 10		0 / 7	0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 10		0 / 7	0 / 3		
Percentage of transfers resulting in live births (%)	5 / 10		0 / 7	0 / 3		
Percentage of transfers resulting in pregnancies (%)	7 / 10		0 / 7	0 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				1.5		
Percentage of embryos transferred resulting in implantation (%)				0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				0 / 2		

**CURRENT SERVICES & PROFILE**

Current Name: Institute for Women's Health, Advanced Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PERINATAL AND FERTILITY SPECIALISTS OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Gerard M. Honoré, MD, PhD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	6%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 29%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	35%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	0%	
				Endometriosis	29%	Unknown factor	6%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 19 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		3	1	1	1	0	0
Percentage of cancellations before retrieval (%)		0 / 3	0 / 1	1 / 1	0 / 1		
Average number of embryos transferred		1.5					
Percentage of embryos transferred resulting in implantation (%)		0 / 3					
Percentage of elective single embryo transfers (eSET) (%)		0 / 1					
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)		0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)		0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)		0 / 3	0 / 1	0 / 1	0 / 1		
Percentage of cycles resulting in pregnancies (%)		0 / 3	0 / 1	0 / 1	0 / 1		
<b>Outcomes per Transfer</b>							
Number of transfers		2	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2					
Percentage of transfers resulting in singleton live births (%)		0 / 2					
Percentage of transfers resulting in twin live births (%)		0 / 2					
Percentage of transfers resulting in live births (%)		0 / 2					
Percentage of transfers resulting in pregnancies (%)		0 / 2					
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		4	1	2	1	0	0
Number of transfers		4	1	2	1	0	0
Estimated average number of transfers per retrieval		1.3	1.0	2.0			
Average number of embryos transferred		1.5	2.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 6	1 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 4	1 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 4	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 4	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)		1 / 4	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)		1 / 4	1 / 1	1 / 2	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		1	0	1	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles			1			2	
Number of transfers			0			2	
Average number of embryos transferred						2.0	
Percentage of embryos transferred resulting in implantation (%)						0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						0 / 2	
Percentage of transfers resulting in singleton live births (%)						0 / 2	
Percentage of transfers resulting in twin live births (%)						0 / 2	
Percentage of transfers resulting in live births (%)						0 / 2	
Percentage of transfers resulting in pregnancies (%)						0 / 2	

CURRENT SERVICES & PROFILE		Current Name: Fertility Specialists of San Antonio					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	11%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 17%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	24%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	13%	
				Endometriosis	8%	Unknown factor	8%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 467 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	94	29	19	9	10	1
Percentage of cancellations before retrieval (%)	7.4	10.3	2 / 19	1 / 9	0 / 10	1 / 1
Average number of embryos transferred	1.6	1.8	1.9	2.3	2.3	
Percentage of embryos transferred resulting in implantation (%)	57.9	42.9	26.1	3 / 14	4.8	
Percentage of elective single embryo transfers (eSET) (%)	38.4	0 / 17	0 / 9	0 / 5	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.0	24.1	2 / 19	1 / 9	0 / 10	0 / 1
Percentage of cycles resulting in singleton live births (%)	40.4	27.6	3 / 19	2 / 9	1 / 10	0 / 1
Percentage of cycles resulting in twin live births (%)	13.8	10.3	1 / 19	0 / 9	0 / 10	0 / 1
Percentage of cycles resulting in live births (%)	54.3	37.9	4 / 19	2 / 9	1 / 10	0 / 1
Percentage of cycles resulting in pregnancies (%)	60.6	48.3	5 / 19	2 / 9	1 / 10	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	77	22	12	6	9	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.3	31.8	2 / 12	1 / 6	0 / 9	
Percentage of transfers resulting in singleton live births (%)	49.4	36.4	3 / 12	2 / 6	1 / 9	
Percentage of transfers resulting in twin live births (%)	16.9	13.6	1 / 12	0 / 6	0 / 9	
Percentage of transfers resulting in live births (%)	66.2	50.0	4 / 12	2 / 6	1 / 9	
Percentage of transfers resulting in pregnancies (%)	74.0	63.6	5 / 12	2 / 6	1 / 9	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	84	30	21	4	2	0
Number of transfers	83	29	21	4	2	0
Estimated average number of transfers per retrieval	1.1	1.6	0.8	0.3	0.4	0.0
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.0	51.4	35.7	2 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.1	48.3	9.5	2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	41.0	58.6	14.3	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	4.8	0.0	14.3	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	45.8	58.6	28.6	2 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.2	65.5	33.3	2 / 4	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	65	17	26	12	5	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		14			21	
Number of transfers		8			21	
Average number of embryos transferred		1.3			1.3	
Percentage of embryos transferred resulting in implantation (%)		7 / 10			50.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 8			33.3	
Percentage of transfers resulting in singleton live births (%)		6 / 8			47.6	
Percentage of transfers resulting in twin live births (%)		0 / 8			4.8	
Percentage of transfers resulting in live births (%)		6 / 8			52.4	
Percentage of transfers resulting in pregnancies (%)		6 / 8			61.9	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# UT MEDICINE FERTILITY CENTER SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Randal D. Robinson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	47%	Tubal factor	18%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 25%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	31%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	5%	
				Endometriosis	15%	Unknown factor	16%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 108 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	27	8	12	5	3	0
Percentage of cancellations before retrieval (%)	3.7	0 / 8	0 / 12	0 / 5	1 / 3	
Average number of embryos transferred	1.9	2.0	2.3	2.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	45.7	4 / 14	21.4	1 / 11	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	3 / 18	1 / 7	1 / 12	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.6	4 / 8	1 / 12	1 / 5	0 / 3	
Percentage of cycles resulting in singleton live births (%)	33.3	4 / 8	2 / 12	1 / 5	0 / 3	
Percentage of cycles resulting in twin live births (%)	3.7	0 / 8	2 / 12	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	37.0	4 / 8	4 / 12	1 / 5	0 / 3	
Percentage of cycles resulting in pregnancies (%)	51.9	4 / 8	4 / 12	1 / 5	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	20	7	12	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	4 / 7	1 / 12	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.0	4 / 7	2 / 12	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.0	0 / 7	2 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	4 / 7	4 / 12	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	70.0	4 / 7	4 / 12	1 / 4	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	9	11	2	0	0
Number of transfers	23	9	11	2	0	0
Estimated average number of transfers per retrieval	1.8	4.5	1.4		0.0	
Average number of embryos transferred	1.8	1.4	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	23.8	7 / 12	3 / 16	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.1	3 / 9	2 / 11	0 / 2		
Percentage of transfers resulting in singleton live births (%)	26.1	4 / 9	2 / 11	0 / 2		
Percentage of transfers resulting in twin live births (%)	4.3	1 / 9	0 / 11	0 / 2		
Percentage of transfers resulting in live births (%)	30.4	5 / 9	2 / 11	0 / 2		
Percentage of transfers resulting in pregnancies (%)	34.8	6 / 9	3 / 11	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	1	2	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1					
Percentage of transfers resulting in singleton live births (%)	1 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					

## CURRENT SERVICES & PROFILE

Current Name: UT Medicine Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SCOTT & WHITE TEMPLE, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Thomas J. Wincek, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	15%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	3%	
				Endometriosis	16%	Unknown factor	30%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 99 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	41	11	8	6	0	0
Percentage of cancellations before retrieval (%)	14.6	3 / 11	2 / 8	2 / 6		
Average number of embryos transferred	2.1	1.9	2.2	2.3		
Percentage of embryos transferred resulting in implantation (%)	36.4	6 / 15	3 / 13	1 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 7	0 / 6	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.6	1 / 11	2 / 8	0 / 6		
Percentage of cycles resulting in singleton live births (%)	17.1	1 / 11	2 / 8	1 / 6		
Percentage of cycles resulting in twin live births (%)	12.2	1 / 11	0 / 8	0 / 6		
Percentage of cycles resulting in live births (%)	29.3	2 / 11	2 / 8	1 / 6		
Percentage of cycles resulting in pregnancies (%)	46.3	4 / 11	3 / 8	1 / 6		
<b>Outcomes per Transfer</b>						
Number of transfers	32	8	6	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.8	1 / 8	2 / 6	0 / 3		
Percentage of transfers resulting in singleton live births (%)	21.9	1 / 8	2 / 6	1 / 3		
Percentage of transfers resulting in twin live births (%)	15.6	1 / 8	0 / 6	0 / 3		
Percentage of transfers resulting in live births (%)	37.5	2 / 8	2 / 6	1 / 3		
Percentage of transfers resulting in pregnancies (%)	59.4	4 / 8	3 / 6	1 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	16	6	7	2	0	0
Number of transfers	14	6	7	1	0	0
Estimated average number of transfers per retrieval	1.8		3.5			
Average number of embryos transferred	2.0	2.0	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	12.5	2 / 12	0 / 11	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 14	2 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 14	2 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 14	0 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 14	2 / 6	0 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	5 / 14	2 / 6	0 / 7	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Scott & White

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA THE WOODLANDS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Dorothy J. Roach, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	6%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 32%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	42%	Male factor	43%	
Used gestational carrier	5%			Diminished ovarian reserve	20%	Other factor	25%	
				Endometriosis	15%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 96 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	12	10	5	2	1
Percentage of cancellations before retrieval (%)	0.0	0 / 12	0 / 10	0 / 5	0 / 2	0 / 1
Average number of embryos transferred	1.8	2.2	2.7	3.0	1.0	4.0
Percentage of embryos transferred resulting in implantation (%)	47.6	46.2	41.7	4 / 15	0 / 1	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	20.8	0 / 12	0 / 8	0 / 5		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.5	6 / 12	0 / 10	1 / 5	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	42.3	7 / 12	1 / 10	2 / 5	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	11.5	2 / 12	3 / 10	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	53.8	9 / 12	5 / 10	2 / 5	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	57.7	9 / 12	5 / 10	3 / 5	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	25	12	9	5	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	6 / 12	0 / 9	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.0	7 / 12	1 / 9	2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	12.0	2 / 12	3 / 9	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	56.0	9 / 12	5 / 9	2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	9 / 12	5 / 9	3 / 5	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	18	5	2	3	1	1
Number of transfers	18	5	2	3	1	1
Estimated average number of transfers per retrieval	6.0	5.0	2.0	1.5		
Average number of embryos transferred	1.9	1.6	1.5	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	34.3	3 / 8	0 / 3	0 / 5	1 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 18	1 / 5	0 / 2	0 / 3	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 18	1 / 5	0 / 2	0 / 3	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 5	0 / 2	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	8 / 18	2 / 5	0 / 2	0 / 3	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 18	2 / 5	0 / 2	0 / 3	1 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			1		
Number of transfers	5			1		
Average number of embryos transferred	2.2			2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 8			2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 5			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 5			1 / 1		
Percentage of transfers resulting in live births (%)	1 / 5			1 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 5			1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER OF REPRODUCTIVE MEDICINE (CORM) WEBSTER, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Vicki L. Schnell, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	8%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	39%	Male factor	8%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	5%	
				Endometriosis	11%	Unknown factor	2%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 500 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	125	71	46	17	4	2
Percentage of cancellations before retrieval (%)	6.4	5.6	6.5	3 / 17	1 / 4	1 / 2
Average number of embryos transferred	1.8	2.0	2.0	2.0	1.7	
Percentage of embryos transferred resulting in implantation (%)	47.4	21.4	30.8	7.7	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	18.3	1.8	2.8	0 / 12	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.6	18.3	13.0	1 / 17	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	25.6	18.3	17.4	1 / 17	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	11.2	2.8	6.5	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	39.2	21.1	26.1	1 / 17	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	44.0	28.2	37.0	2 / 17	0 / 4	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	96	58	40	13	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.1	22.4	15.0	1 / 13	0 / 3	
Percentage of transfers resulting in singleton live births (%)	33.3	22.4	20.0	1 / 13	0 / 3	
Percentage of transfers resulting in twin live births (%)	14.6	3.4	7.5	0 / 13	0 / 3	
Percentage of transfers resulting in live births (%)	51.0	25.9	30.0	1 / 13	0 / 3	
Percentage of transfers resulting in pregnancies (%)	57.3	34.5	42.5	2 / 13	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	74	36	17	0	3	1
Number of transfers	68	32	14	0	1	1
Estimated average number of transfers per retrieval	2.1	1.3	1.3	0.0	0.3	0.5
Average number of embryos transferred	1.8	1.7	1.7		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	44.3	13.2	25.0		0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.8	6.3	4 / 14		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.7	9.4	5 / 14		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	11.8	6.3	0 / 14		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	52.9	15.6	5 / 14		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	64.7	18.8	7 / 14		0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>	6	6	4	6	3	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		36		41		
Number of transfers		33		38		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation (%)		59.3		50.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3		39.5		
Percentage of transfers resulting in singleton live births (%)		48.5		44.7		
Percentage of transfers resulting in twin live births (%)		21.2		13.2		
Percentage of transfers resulting in live births (%)		69.7		57.9		
Percentage of transfers resulting in pregnancies (%)		72.7		71.1		

## CURRENT SERVICES & PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UTAH FERTILITY CENTER PLEASANT GROVE, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Russell Foulk, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	62%	Tubal factor	18%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 16%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	21%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	7%	
				Endometriosis	19%	Unknown factor	7%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 634 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	241	56	32	11	6	2
Percentage of cancellations before retrieval (%)	1.7	7.1	6.3	4 / 11	1 / 6	0 / 2
Average number of embryos transferred	1.9	2.1	2.2	2.3	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	47.4	40.0	24.6	3 / 9	0 / 8	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	12.8	2.3	0.0	0 / 3	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.9	28.6	18.8	1 / 11	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.4	33.9	18.8	1 / 11	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	19.5	10.7	6.3	1 / 11	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	52.7	44.6	25.0	2 / 11	0 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	60.2	51.8	37.5	2 / 11	0 / 6	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	226	48	28	4	4	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.5	33.3	21.4	1 / 4	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.5	39.6	21.4	1 / 4	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	20.8	12.5	7.1	1 / 4	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	56.2	52.1	28.6	2 / 4	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	64.2	60.4	42.9	2 / 4	0 / 4	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	131	23	15	5	0	3
Number of transfers	130	22	15	5	0	3
Estimated average number of transfers per retrieval	1.7	1.2	1.0	5.0	0.0	3.0
Average number of embryos transferred	1.8	1.8	1.9	1.4		2.0
Percentage of embryos transferred resulting in implantation (%)	59.8	54.3	63.6	0 / 5		2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.5	36.4	5 / 15	0 / 5		1 / 3
Percentage of transfers resulting in singleton live births (%)	39.2	59.1	5 / 15	0 / 5		1 / 3
Percentage of transfers resulting in twin live births (%)	17.7	9.1	4 / 15	0 / 5		0 / 3
Percentage of transfers resulting in live births (%)	57.7	68.2	9 / 15	0 / 5		1 / 3
Percentage of transfers resulting in pregnancies (%)	80.0	81.8	12 / 15	1 / 5		2 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	38	12	13	1	4	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		26			10	
Number of transfers		26			10	
Average number of embryos transferred		1.8			1.3	
Percentage of embryos transferred resulting in implantation (%)		65.9			9 / 12	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		38.5			4 / 10	
Percentage of transfers resulting in singleton live births (%)		57.7			5 / 10	
Percentage of transfers resulting in twin live births (%)		15.4			2 / 10	
Percentage of transfers resulting in live births (%)		76.9			7 / 10	
Percentage of transfers resulting in pregnancies (%)		84.6			8 / 10	

## CURRENT SERVICES & PROFILE

Current Name: Utah Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**EAST BAY FERTILITY CENTER  
PROVO, UTAH**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

## UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Erica B. Johnstone, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	12%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 15%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	16%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	16%	
				Endometriosis	11%	Unknown factor	10%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 638 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	214	68	28	16	7	2
Percentage of cancellations before retrieval (%)	1.9	7.4	10.7	3 / 16	2 / 7	0 / 2
Average number of embryos transferred	1.7	1.9	2.2	2.1	3.0	
Percentage of embryos transferred resulting in implantation (%)	60.1	46.2	37.5	2 / 14	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	26.7	6.5	0 / 17	1 / 7	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.0	26.5	17.9	1 / 16	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.2	36.8	17.9	1 / 16	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	17.8	7.4	10.7	0 / 16	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)	50.5	45.6	32.1	1 / 16	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)	56.1	50.0	35.7	3 / 16	0 / 7	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	165	50	19	8	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	36.0	5 / 19	1 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.8	50.0	5 / 19	1 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	23.0	10.0	3 / 19	0 / 8	0 / 1	
Percentage of transfers resulting in live births (%)	65.5	62.0	9 / 19	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancies (%)	72.7	68.0	10 / 19	3 / 8	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	119	29	15	8	7	2
Number of transfers	115	29	15	8	7	1
Estimated average number of transfers per retrieval	2.0	1.9	1.1	0.7	0.8	1.0
Average number of embryos transferred	1.8	1.7	1.9	1.3	1.3	3.0
Percentage of embryos transferred resulting in implantation (%)	44.2	47.8	34.5	1 / 8	3 / 7	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.8	41.4	4 / 15	1 / 8	2 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.8	44.8	7 / 15	1 / 8	2 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	15.7	13.8	1 / 15	0 / 8	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	50.4	58.6	8 / 15	1 / 8	2 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	59.1	65.5	9 / 15	3 / 8	4 / 7	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	8	11	9	7	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		46			19	
Number of transfers		41			18	
Average number of embryos transferred		1.6			1.7	
Percentage of embryos transferred resulting in implantation (%)		56.3			48.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		19.5			4 / 18	
Percentage of transfers resulting in singleton live births (%)		34.1			8 / 18	
Percentage of transfers resulting in twin live births (%)		19.5			2 / 18	
Percentage of transfers resulting in live births (%)		56.1			10 / 18	
Percentage of transfers resulting in pregnancies (%)		68.3			13 / 18	

### CURRENT SERVICES & PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE CARE CENTER SANDY, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Keith L. Blauer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	8%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 33%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	34%	Male factor	55%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	8%	
				Endometriosis	16%	Unknown factor	2%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 558 (includes 47 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	173	64	43	13	2	0
Percentage of cancellations before retrieval (%)	0.6	3.1	0.0	0 / 13	0 / 2	
Average number of embryos transferred	1.9	2.1	2.1	2.1	3.5	
Percentage of embryos transferred resulting in implantation (%)	49.8	20.4	35.6	17.4	1 / 7	
Percentage of elective single embryo transfers (eSET) (%)	13.0	11.8	9.4	0 / 9	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.5	15.6	30.2	2 / 13	0 / 2	
Percentage of cycles resulting in singleton live births (%)	31.8	20.3	32.6	2 / 13	0 / 2	
Percentage of cycles resulting in twin live births (%)	22.0	4.7	2.3	0 / 13	0 / 2	
Percentage of cycles resulting in live births (%)	53.8	25.0	37.2	2 / 13	0 / 2	
Percentage of cycles resulting in pregnancies (%)	59.5	31.3	58.1	3 / 13	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	156	55	38	11	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.7	18.2	34.2	2 / 11	0 / 2	
Percentage of transfers resulting in singleton live births (%)	35.3	23.6	36.8	2 / 11	0 / 2	
Percentage of transfers resulting in twin live births (%)	24.4	5.5	2.6	0 / 11	0 / 2	
Percentage of transfers resulting in live births (%)	59.6	29.1	42.1	2 / 11	0 / 2	
Percentage of transfers resulting in pregnancies (%)	66.0	36.4	65.8	3 / 11	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	92	38	20	4	0	0
Number of transfers	90	33	18	4	0	0
Estimated average number of transfers per retrieval	2.1	2.4	1.5	2.0		0.0
Average number of embryos transferred	1.6	1.6	1.7	1.8		
Percentage of embryos transferred resulting in implantation (%)	34.3	38.5	14.3	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.8	30.3	1 / 18	2 / 4		
Percentage of transfers resulting in singleton live births (%)	33.3	36.4	1 / 18	2 / 4		
Percentage of transfers resulting in twin live births (%)	6.7	6.1	1 / 18	0 / 4		
Percentage of transfers resulting in live births (%)	40.0	42.4	2 / 18	2 / 4		
Percentage of transfers resulting in pregnancies (%)	48.9	54.5	4 / 18	2 / 4		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	4	6	1	0	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	22			24		
Number of transfers	20			21		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	27.0			22.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0			38.1		
Percentage of transfers resulting in singleton live births (%)	30.0			38.1		
Percentage of transfers resulting in twin live births (%)	5.0			0.0		
Percentage of transfers resulting in live births (%)	35.0			38.1		
Percentage of transfers resulting in pregnancies (%)	40.0			38.1		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Care Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



**UNIVERSITY OF VERMONT MEDICAL CENTER  
VERMONT CENTER FOR REPRODUCTIVE MEDICINE  
BURLINGTON, VERMONT**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Elizabeth McGee, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	36%	Tubal factor	6%	Uterine factor	6%	Multiple Factors: Female factors only 14% Female & male factors 14%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	6%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	17%	
				Endometriosis	1%	Unknown factor	13%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 73 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	15	8	4	0	0
Percentage of cancellations before retrieval (%)	5 / 18	6 / 15	1 / 8	1 / 4		
Average number of embryos transferred	1.7	1.3	1.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	50.0	5 / 12	3 / 10	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	3 / 10	5 / 8	1 / 5	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 18	4 / 15	1 / 8	0 / 4		
Percentage of cycles resulting in singleton live births (%)	5 / 18	5 / 15	2 / 8	0 / 4		
Percentage of cycles resulting in twin live births (%)	2 / 18	0 / 15	0 / 8	0 / 4		
Percentage of cycles resulting in live births (%)	7 / 18	5 / 15	2 / 8	0 / 4		
Percentage of cycles resulting in pregnancies (%)	8 / 18	5 / 15	3 / 8	0 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	12	9	6	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	4 / 9	1 / 6	0 / 3		
Percentage of transfers resulting in singleton live births (%)	5 / 12	5 / 9	2 / 6	0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 9	0 / 6	0 / 3		
Percentage of transfers resulting in live births (%)	7 / 12	5 / 9	2 / 6	0 / 3		
Percentage of transfers resulting in pregnancies (%)	8 / 12	5 / 9	3 / 6	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	7	4	1	1	0
Number of transfers	2	7	4	1	1	0
Estimated average number of transfers per retrieval	0.7	2.3	2.0			
Average number of embryos transferred	1.0	1.1	1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	3 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2	1 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 2	2 / 7	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 2	3 / 7	1 / 4	0 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			6		
Number of transfers	4			6		
Average number of embryos transferred	1.5			1.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 4			1 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 4			1 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 6		
Percentage of transfers resulting in live births (%)	3 / 4			1 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 4			1 / 6		

**CURRENT SERVICES & PROFILE**

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

**Current Name:** University of Vermont Medical Center, Vermont Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTHEASTERN REPRODUCTIVE MEDICINE COLCHESTER, VERMONT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Peter R. Casson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	52%	Tubal factor	7%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	37%	
Used gestational carrier	4%			Diminished ovarian reserve	23%	Other factor	3%	
				Endometriosis	13%	Unknown factor	27%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 31 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	14	6	4	0	2	1
Percentage of cancellations before retrieval (%)	0 / 14	1 / 6	1 / 4		0 / 2	0 / 1
Average number of embryos transferred	1.7	1.8	2.0		1.5	3.0
Percentage of embryos transferred resulting in implantation (%)	7 / 19	4 / 9	0 / 6		1 / 3	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	4 / 11	0 / 4	0 / 3		0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 14	2 / 6	0 / 4		0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	6 / 14	2 / 6	0 / 4		0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 14	1 / 6	0 / 4		0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	6 / 14	3 / 6	0 / 4		0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	7 / 14	3 / 6	0 / 4		1 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	12	5	3	0	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 12	2 / 5	0 / 3		0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 12	2 / 5	0 / 3		0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 5	0 / 3		0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 12	3 / 5	0 / 3		0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 12	3 / 5	0 / 3		1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	1	0	0	0
Number of transfers	0	1	1	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)		1 / 1	1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1	1 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)		1 / 1	1 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 1	1 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Northeastern Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WASHINGTON FERTILITY CENTER ANNANDALE, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Pierre Asmar, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	42%	Tubal factor	13%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 7%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	17%	
				Endometriosis	7%	Unknown factor	20%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 173 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	49	16	18	12	4	3
Percentage of cancellations before retrieval (%)	0.0	0 / 16	0 / 18	0 / 12	0 / 4	0 / 3
Average number of embryos transferred	1.4	1.9	1.9	2.1	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	48.3	47.8	13.0	10.0	0 / 3	1 / 4
Percentage of elective single embryo transfers (eSET) (%)	56.4	1 / 13	1 / 9	0 / 8	1 / 2	1 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.5	3 / 16	2 / 18	1 / 12	0 / 4	1 / 3
Percentage of cycles resulting in singleton live births (%)	28.6	4 / 16	2 / 18	1 / 12	0 / 4	1 / 3
Percentage of cycles resulting in twin live births (%)	12.2	3 / 16	0 / 18	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	40.8	7 / 16	2 / 18	1 / 12	0 / 4	1 / 3
Percentage of cycles resulting in pregnancies (%)	53.1	9 / 16	5 / 18	4 / 12	0 / 4	1 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	47	13	15	12	2	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.5	3 / 13	2 / 15	1 / 12	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	29.8	4 / 13	2 / 15	1 / 12	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	12.8	3 / 13	0 / 15	0 / 12	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	42.6	7 / 13	2 / 15	1 / 12	0 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	55.3	9 / 13	5 / 15	4 / 12	0 / 2	1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	6	6	3	2	4
Number of transfers	16	5	6	1	2	4
Estimated average number of transfers per retrieval	1.2	0.7	0.9	0.5	0.7	1.0
Average number of embryos transferred	1.8	2.0	2.3	2.0	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	50.0	2 / 10	1 / 14	0 / 2	0 / 3	2 / 7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 16	0 / 5	1 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 16	0 / 5	1 / 6	0 / 1	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	4 / 16	1 / 5	0 / 6	0 / 1	0 / 2	1 / 4
Percentage of transfers resulting in live births (%)	9 / 16	1 / 5	1 / 6	0 / 1	0 / 2	1 / 4
Percentage of transfers resulting in pregnancies (%)	10 / 16	1 / 5	1 / 6	0 / 1	0 / 2	1 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	4	4	2	3	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			2		
Number of transfers	8			2		
Average number of embryos transferred	1.6			2.0		
Percentage of embryos transferred resulting in implantation (%)	8 / 13			3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 8			1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 8			1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 8			1 / 2		
Percentage of transfers resulting in live births (%)	4 / 8			2 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 8			2 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Washington Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Michael Dimattina, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	>99%	With ICSI	61%	Tubal factor	14%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 36% Female & male factors 25%
Unstimulated	76%	PGD/PGS	<1%	Ovulatory dysfunction	6%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	69%	
				Endometriosis	4%	Unknown factor	7%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,485 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	167	109	185	106	103	146
Percentage of cancellations before retrieval (%)	20.4	28.4	24.3	17.9	26.2	34.2
Average number of embryos transferred	1.0	1.2	1.1	1.3	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	26.4	28.6	17.4	19.0	0.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	7 / 11	2 / 11	2 / 12	0 / 11	0 / 7	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.8	11.0	4.3	4.7	0.0	0.7
Percentage of cycles resulting in singleton live births (%)	11.4	12.8	5.9	5.7	0.0	0.7
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	1.9	0.0	0.0
Percentage of cycles resulting in live births (%)	11.4	12.8	5.9	7.5	0.0	0.7
Percentage of cycles resulting in pregnancies (%)	15.6	14.7	9.7	10.4	1.0	0.7
<b>Outcomes per Transfer</b>						
Number of transfers	86	47	87	48	43	37
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.9	25.5	9.2	10.4	0.0	2.7
Percentage of transfers resulting in singleton live births (%)	22.1	29.8	12.6	12.5	0.0	2.7
Percentage of transfers resulting in twin live births (%)	0.0	0.0	0.0	4.2	0.0	0.0
Percentage of transfers resulting in live births (%)	22.1	29.8	12.6	16.7	0.0	2.7
Percentage of transfers resulting in pregnancies (%)	30.2	34.0	20.7	22.9	2.3	2.7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	127	78	58	19	3	4
Number of transfers	122	72	49	15	3	2
Estimated average number of transfers per retrieval	1.2	1.0	0.9	0.3	0.1	0.0
Average number of embryos transferred	1.2	1.1	1.3	1.4	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	48.3	43.6	32.2	19.0	2 / 4	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.3	30.6	22.4	4 / 15	2 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	43.4	41.7	28.6	4 / 15	2 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	3.3	0.0	2.0	0 / 15	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	46.7	41.7	30.6	4 / 15	2 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	51.6	48.6	38.8	4 / 15	2 / 3	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	76	53	46	40	37	43
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	22			58		
Number of transfers	17			53		
Average number of embryos transferred	1.2			1.0		
Percentage of embryos transferred resulting in implantation (%)	70.0			42.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9 / 17			28.3		
Percentage of transfers resulting in singleton live births (%)	10 / 17			35.8		
Percentage of transfers resulting in twin live births (%)	2 / 17			1.9		
Percentage of transfers resulting in live births (%)	12 / 17			37.7		
Percentage of transfers resulting in pregnancies (%)	12 / 17			43.4		

## CURRENT SERVICES & PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC CHARLOTTESVILLE, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Christopher D. Williams, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	51%	Tubal factor	20%	Uterine factor	11%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	39%	Female factors only	20%
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	14%	Female & male factors	22%
				Endometriosis	24%	Unknown factor	8%		

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 268 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		85	27	23	3	0	0
Percentage of cancellations before retrieval (%)		14.1	11.1	26.1	0 / 3		
Average number of embryos transferred		1.8	2.2	2.7	3.0		
Percentage of embryos transferred resulting in implantation (%)		49.5	28.0	7.9	1 / 9		
Percentage of elective single embryo transfers (eSET) (%)		17.5	0.0	0 / 14	0 / 2		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.9	33.3	8.7	1 / 3		
Percentage of cycles resulting in singleton live births (%)		28.2	37.0	8.7	1 / 3		
Percentage of cycles resulting in twin live births (%)		11.8	7.4	0.0	0 / 3		
Percentage of cycles resulting in live births (%)		40.0	44.4	8.7	1 / 3		
Percentage of cycles resulting in pregnancies (%)		47.1	48.1	17.4	1 / 3		
<b>Outcomes per Transfer</b>							
Number of transfers		60	24	15	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.7	37.5	2 / 15	1 / 3		
Percentage of transfers resulting in singleton live births (%)		40.0	41.7	2 / 15	1 / 3		
Percentage of transfers resulting in twin live births (%)		16.7	8.3	0 / 15	0 / 3		
Percentage of transfers resulting in live births (%)		56.7	50.0	2 / 15	1 / 3		
Percentage of transfers resulting in pregnancies (%)		66.7	54.2	4 / 15	1 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		43	9	12	5	0	0
Number of transfers		42	9	11	4	0	0
Estimated average number of transfers per retrieval		1.0	1.3	1.2	0.4		
Average number of embryos transferred		1.5	1.2	1.5	1.8		
Percentage of embryos transferred resulting in implantation (%)		43.5	3 / 9	10 / 17	2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3	3 / 9	5 / 11	0 / 4		
Percentage of transfers resulting in singleton live births (%)		40.5	3 / 9	5 / 11	0 / 4		
Percentage of transfers resulting in twin live births (%)		7.1	0 / 9	2 / 11	1 / 4		
Percentage of transfers resulting in live births (%)		47.6	3 / 9	7 / 11	1 / 4		
Percentage of transfers resulting in pregnancies (%)		57.1	4 / 9	8 / 11	1 / 4		
<b>Number of Egg/Embryo Banking Cycles</b>							
		16	3	3	8	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		12			19		
Number of transfers		10			18		
Average number of embryos transferred		1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)		7 / 17			29.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 10			3 / 18		
Percentage of transfers resulting in singleton live births (%)		3 / 10			4 / 18		
Percentage of transfers resulting in twin live births (%)		2 / 10			1 / 18		
Percentage of transfers resulting in live births (%)		5 / 10			5 / 18		
Percentage of transfers resulting in pregnancies (%)		5 / 10			7 / 18		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GENETICS & IVF INSTITUTE FAIRFAX, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Laurence C. Udoff, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	12%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 28%
Unstimulated	<1%	PGD/PGS	10%	Ovulatory dysfunction	13%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	29%	
				Endometriosis	7%	Unknown factor	7%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 547 (includes 64 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	32	32	23	15	11	12
Percentage of cancellations before retrieval (%)	0.0	3.1	4.3	2 / 15	2 / 11	0 / 12
Average number of embryos transferred	1.5	1.8	2.1	1.9	2.0	3.3
Percentage of embryos transferred resulting in implantation (%)	17.9	32.6	21.2	10.0	0 / 10	0.0
Percentage of elective single embryo transfers (eSET) (%)	9 / 18	23.8	3 / 16	2 / 9	0 / 3	0 / 6
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.6	15.6	21.7	2 / 15	0 / 11	0 / 12
Percentage of cycles resulting in singleton live births (%)	15.6	18.8	21.7	2 / 15	0 / 11	0 / 12
Percentage of cycles resulting in twin live births (%)	0.0	9.4	4.3	0 / 15	0 / 11	0 / 12
Percentage of cycles resulting in live births (%)	15.6	28.1	26.1	2 / 15	0 / 11	0 / 12
Percentage of cycles resulting in pregnancies (%)	18.8	34.4	30.4	3 / 15	0 / 11	0 / 12
<b>Outcomes per Transfer</b>						
Number of transfers	20	24	17	12	5	7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	20.8	5 / 17	2 / 12	0 / 5	0 / 7
Percentage of transfers resulting in singleton live births (%)	25.0	25.0	5 / 17	2 / 12	0 / 5	0 / 7
Percentage of transfers resulting in twin live births (%)	0.0	12.5	1 / 17	0 / 12	0 / 5	0 / 7
Percentage of transfers resulting in live births (%)	25.0	37.5	6 / 17	2 / 12	0 / 5	0 / 7
Percentage of transfers resulting in pregnancies (%)	30.0	45.8	7 / 17	3 / 12	0 / 5	0 / 7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	60	39	24	13	8	1
Number of transfers	56	38	23	12	7	1
Estimated average number of transfers per retrieval	1.1	1.2	1.2	1.2	0.8	0.2
Average number of embryos transferred	1.3	1.4	1.5	1.7	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	52.7	38.8	41.9	5 / 17	2 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.8	28.9	0.0	3 / 12	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.3	42.1	4.3	3 / 12	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	2.6	21.7	1 / 12	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	51.8	44.7	26.1	4 / 12	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.9	55.3	43.5	6 / 12	3 / 7	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	34	19	10	7	6	5
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	27			105		
Number of transfers	27			97		
Average number of embryos transferred	1.4			1.4		
Percentage of embryos transferred resulting in implantation (%)	47.4			43.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.6			19.6		
Percentage of transfers resulting in singleton live births (%)	48.1			35.1		
Percentage of transfers resulting in twin live births (%)	7.4			7.2		
Percentage of transfers resulting in live births (%)	55.6			42.3		
Percentage of transfers resulting in pregnancies (%)	59.3			53.6		

## CURRENT SERVICES & PROFILE

Current Name: Genetics & IVF Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PARTNERS FOR FERTILITY AND IVF FAIRFAX, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Nancy Durso, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	7%	Uterine factor	0%	Multiple Factors: Female factors only 1% Female & male factors 2%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	8%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	6%	
				Endometriosis	5%	Unknown factor	43%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 94 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	28	17	19	10	1	2
Percentage of cancellations before retrieval (%)	0.0	0 / 17	0 / 19	1 / 10	0 / 1	1 / 2
Average number of embryos transferred	2.0	1.9	2.0	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	18.6	11.5	6.3	1 / 18		0 / 2
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 13	0 / 11	0 / 7		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.9	2 / 17	2 / 19	0 / 10	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	17.9	3 / 17	2 / 19	1 / 10	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3.6	0 / 17	0 / 19	0 / 10	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	21.4	3 / 17	2 / 19	1 / 10	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	25.0	4 / 17	2 / 19	1 / 10	0 / 1	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	22	15	16	9	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.7	2 / 15	2 / 16	0 / 9		0 / 1
Percentage of transfers resulting in singleton live births (%)	22.7	3 / 15	2 / 16	1 / 9		0 / 1
Percentage of transfers resulting in twin live births (%)	4.5	0 / 15	0 / 16	0 / 9		0 / 1
Percentage of transfers resulting in live births (%)	27.3	3 / 15	2 / 16	1 / 9		0 / 1
Percentage of transfers resulting in pregnancies (%)	31.8	4 / 15	2 / 16	1 / 9		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	1	4	0	0	0
Number of transfers	7	1	3	0	0	0
Estimated average number of transfers per retrieval	3.5	1.0	1.0	0.0		
Average number of embryos transferred	1.9	2.0	1.7			
Percentage of embryos transferred resulting in implantation (%)	0 / 13	0 / 2	0 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in live births (%)	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in pregnancies (%)	0 / 7	0 / 1	0 / 3			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	2	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: Partners for Fertility and IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Laurel A. Stadtmauer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	27%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 14%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	16%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	9%	
				Endometriosis	11%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 411 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	105	67	50	35	3	7
Percentage of cancellations before retrieval (%)	19.0	9.0	12.0	34.3	3 / 3	5 / 7
Average number of embryos transferred	1.9	1.9	2.0	2.2		1.0
Percentage of embryos transferred resulting in implantation (%)	27.0	29.2	13.6	17.1		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	1.4	4.1	3.2	0 / 15		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.1	17.9	8.0	2.9	0 / 3	0 / 7
Percentage of cycles resulting in singleton live births (%)	21.0	19.4	8.0	2.9	0 / 3	0 / 7
Percentage of cycles resulting in twin live births (%)	4.8	10.4	2.0	5.7	0 / 3	0 / 7
Percentage of cycles resulting in live births (%)	25.7	29.9	10.0	8.6	0 / 3	0 / 7
Percentage of cycles resulting in pregnancies (%)	35.2	32.8	16.0	11.4	0 / 3	0 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	80	55	34	16	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	21.8	11.8	1 / 16		0 / 1
Percentage of transfers resulting in singleton live births (%)	27.5	23.6	11.8	1 / 16		0 / 1
Percentage of transfers resulting in twin live births (%)	6.3	12.7	2.9	2 / 16		0 / 1
Percentage of transfers resulting in live births (%)	33.8	36.4	14.7	3 / 16		0 / 1
Percentage of transfers resulting in pregnancies (%)	46.3	40.0	23.5	4 / 16		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	17	13	3	3	1
Number of transfers	29	17	12	3	3	1
Estimated average number of transfers per retrieval	1.8	1.1	2.4	1.5		0.3
Average number of embryos transferred	2.0	1.9	1.9	2.0	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	30.5	18.2	17.4	1 / 6	3 / 6	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	3 / 17	2 / 12	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.0	4 / 17	2 / 12	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	10.3	0 / 17	0 / 12	0 / 3	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	41.4	4 / 17	2 / 12	0 / 3	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	44.8	6 / 17	4 / 12	1 / 3	2 / 3	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	5	2	1	0	4
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	27			27		
Number of transfers	23			25		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	38.6			13.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4			12.0		
Percentage of transfers resulting in singleton live births (%)	43.5			16.0		
Percentage of transfers resulting in twin live births (%)	0.0			4.0		
Percentage of transfers resulting in live births (%)	43.5			20.0		
Percentage of transfers resulting in pregnancies (%)	56.5			24.0		

## CURRENT SERVICES & PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE RESTON, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Fady I. Sharara, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	20%	Uterine factor	30%	<i>Multiple Factors:</i> Female factors only 30% Female & male factors 53%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	33%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	56%	
				Endometriosis	11%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 164 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	37	21	8	2	2	1
Percentage of cancellations before retrieval (%)	0.0	4.8	1 / 8	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	1.3	1.5	1.3	2.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	47.8	34.6	3 / 6	1 / 5	0 / 1	3 / 2
Percentage of elective single embryo transfers (eSET) (%)	62.5	7 / 16	1 / 3	0 / 1		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.4	33.3	2 / 8	1 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	35.1	33.3	2 / 8	1 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	8.1	4.8	0 / 8	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	43.2	38.1	2 / 8	1 / 2	0 / 2	1 / 1
Percentage of cycles resulting in pregnancies (%)	56.8	42.9	4 / 8	1 / 2	0 / 2	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	36	18	6	2	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	7 / 18	2 / 6	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.1	7 / 18	2 / 6	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	1 / 18	0 / 6	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	44.4	8 / 18	2 / 6	1 / 2	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	9 / 18	4 / 6	1 / 2	0 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	13	10	1	0	0
Number of transfers	15	13	8	1	0	0
Estimated average number of transfers per retrieval	1.2	1.1	0.8	1.0	0.0	
Average number of embryos transferred	1.5	1.5	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	27.3	50.0	2 / 12	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 15	6 / 13	2 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 15	6 / 13	2 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 15	2 / 13	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 15	8 / 13	2 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	5 / 15	8 / 13	2 / 8	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	6	8	1	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	22			13		
Number of transfers	19			13		
Average number of embryos transferred	1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)	68.0			4 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 19			2 / 13		
Percentage of transfers resulting in singleton live births (%)	9 / 19			2 / 13		
Percentage of transfers resulting in twin live births (%)	3 / 19			0 / 13		
Percentage of transfers resulting in live births (%)	12 / 19			2 / 13		
Percentage of transfers resulting in pregnancies (%)	15 / 19			4 / 13		

## CURRENT SERVICES & PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Michael C. Edelstein, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	89%	Tubal factor	17%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	3%	
				Endometriosis	10%	Unknown factor	13%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 287 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	66	33	16	7	3	0
Percentage of cancellations before retrieval (%)	6.1	9.1	2 / 16	1 / 7	1 / 3	
Average number of embryos transferred	1.7	2.0	2.0	2.8	3.0	
Percentage of embryos transferred resulting in implantation (%)	36.5	27.9	59.1	1 / 14	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	40.0	13.6	1 / 10	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.2	15.2	4 / 16	1 / 7	0 / 3	
Percentage of cycles resulting in singleton live births (%)	18.2	18.2	5 / 16	1 / 7	0 / 3	
Percentage of cycles resulting in twin live births (%)	4.5	3.0	3 / 16	0 / 7	0 / 3	
Percentage of cycles resulting in live births (%)	22.7	21.2	8 / 16	1 / 7	0 / 3	
Percentage of cycles resulting in pregnancies (%)	30.3	33.3	10 / 16	1 / 7	1 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	36	23	11	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	21.7	4 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	33.3	26.1	5 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	8.3	4.3	3 / 11	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	41.7	30.4	8 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	55.6	47.8	10 / 11	1 / 5	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	80	25	14	7	1	0
Number of transfers	80	25	14	7	1	0
Estimated average number of transfers per retrieval	2.2	1.8	1.8			
Average number of embryos transferred	1.6	1.7	1.6	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.5	57.5	43.5	3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.5	52.0	3 / 14	3 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	38.8	56.0	3 / 14	3 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.3	4.0	2 / 14	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	51.3	60.0	5 / 14	3 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.0	80.0	7 / 14	3 / 7	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			17		
Number of transfers	8			17		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	9 / 12			26.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 8			2 / 17		
Percentage of transfers resulting in singleton live births (%)	4 / 8			5 / 17		
Percentage of transfers resulting in twin live births (%)	2 / 8			1 / 17		
Percentage of transfers resulting in live births (%)	6 / 8			6 / 17		
Percentage of transfers resulting in pregnancies (%)	7 / 8			8 / 17		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of Virginia

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# LIFESOURCE FERTILITY CENTER RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Joseph G. Gianfortoni, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	89%	Tubal factor	17%	Uterine factor	12%	Multiple Factors: Female factors only 5% Female & male factors 58%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	80%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	6%	
				Endometriosis	13%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 131 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	21	8	4	1	2	0
Percentage of cancellations before retrieval (%)	0.0	1 / 8	0 / 4	0 / 1	0 / 2	
Average number of embryos transferred	1.3	1.6	2.0	2.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	47.8	5 / 8	4 / 8	0 / 2	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	13 / 17	1 / 4	0 / 4	0 / 1	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.0	2 / 8	2 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	23.8	2 / 8	2 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	9.5	1 / 8	1 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	33.3	3 / 8	3 / 4	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	38.1	3 / 8	3 / 4	0 / 1	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	18	5	4	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 18	2 / 5	2 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 18	2 / 5	2 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 5	1 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	7 / 18	3 / 5	3 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	8 / 18	3 / 5	3 / 4	0 / 1	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	21	7	3	1	0
Number of transfers	31	21	7	2	1	0
Estimated average number of transfers per retrieval	1.5	2.3	1.4	2.0	1.0	
Average number of embryos transferred	1.4	1.7	1.4	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	60.5	31.4	4 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.9	23.8	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.9	42.9	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.7	4.8	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	51.6	47.6	2 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	64.5	47.6	3 / 7	0 / 2	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	6	4	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			6		
Number of transfers	0			6		
Average number of embryos transferred				1.2		
Percentage of embryos transferred resulting in implantation (%)				5 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				2 / 6		
Percentage of transfers resulting in singleton live births (%)				3 / 6		
Percentage of transfers resulting in twin live births (%)				1 / 6		
Percentage of transfers resulting in live births (%)				4 / 6		
Percentage of transfers resulting in pregnancies (%)				4 / 6		

## CURRENT SERVICES & PROFILE

Current Name: LifeSource Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by George F. Tidey, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	18%	Uterine factor	7%	Multiple Factors: Female factors only 7% Female & male factors 31%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	14%	Male factor	57%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	13%	
				Endometriosis	4%	Unknown factor	2%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 243 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	49	23	12	8	6	0
Percentage of cancellations before retrieval (%)	4.1	17.4	2 / 12	3 / 8	0 / 6	
Average number of embryos transferred	1.8	1.8	2.3	3.8	2.7	
Percentage of embryos transferred resulting in implantation (%)	23.6	31.0	1 / 16	2 / 11	0 / 16	
Percentage of elective single embryo transfers (eSET) (%)	23.3	3 / 14	1 / 7	0 / 4	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.4	8.7	1 / 12	1 / 8	0 / 6	
Percentage of cycles resulting in singleton live births (%)	22.4	13.0	1 / 12	1 / 8	0 / 6	
Percentage of cycles resulting in twin live births (%)	2.0	13.0	0 / 12	0 / 8	0 / 6	
Percentage of cycles resulting in live births (%)	24.5	26.1	1 / 12	1 / 8	0 / 6	
Percentage of cycles resulting in pregnancies (%)	24.5	30.4	1 / 12	3 / 8	0 / 6	
<b>Outcomes per Transfer</b>						
Number of transfers	31	17	7	4	6	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.3	2 / 17	1 / 7	1 / 4	0 / 6	
Percentage of transfers resulting in singleton live births (%)	35.5	3 / 17	1 / 7	1 / 4	0 / 6	
Percentage of transfers resulting in twin live births (%)	3.2	3 / 17	0 / 7	0 / 4	0 / 6	
Percentage of transfers resulting in live births (%)	38.7	6 / 17	1 / 7	1 / 4	0 / 6	
Percentage of transfers resulting in pregnancies (%)	38.7	7 / 17	1 / 7	3 / 4	0 / 6	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	60	18	14	1	1	0
Number of transfers	59	15	14	1	1	0
Estimated average number of transfers per retrieval	1.5	1.1	1.1	1.0	0.5	
Average number of embryos transferred	1.5	1.5	1.8	2.0	4.0	
Percentage of embryos transferred resulting in implantation (%)	54.7	4 / 16	32.0	1 / 2	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.3	4 / 15	2 / 14	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.3	4 / 15	3 / 14	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.3	0 / 15	2 / 14	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	52.5	4 / 15	5 / 14	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	67.8	6 / 15	5 / 14	1 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	10	9	7	0	2	0
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		5			10	
Number of transfers		5			9	
Average number of embryos transferred		1.2			1.4	
Percentage of embryos transferred resulting in implantation (%)		4 / 6			7 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 5			2 / 9	
Percentage of transfers resulting in singleton live births (%)		4 / 5			3 / 9	
Percentage of transfers resulting in twin live births (%)		0 / 5			2 / 9	
Percentage of transfers resulting in live births (%)		4 / 5			5 / 9	
Percentage of transfers resulting in pregnancies (%)		4 / 5			5 / 9	

## CURRENT SERVICES & PROFILE

Current Name: The Richmond Center for Fertility and Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE BEACH CENTER FOR INFERTILITY, ENDOCRINOLOGY AND IVF  
VIRGINIA BEACH, VIRGINIA**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

# THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE VIRGINIA BEACH, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Robin L. Poe-Zeigler, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	95%	Tubal factor	14%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 30%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	28%	Male factor	44%	
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	5%	
				Endometriosis	12%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 281 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	60	25	21	11	2	0
Percentage of cancellations before retrieval (%)	3.3	0.0	0.0	0 / 11	0 / 2	
Average number of embryos transferred	1.8	2.0	2.6	2.8	4.0	
Percentage of embryos transferred resulting in implantation (%)	33.8	13.9	22.6	24.0	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	7.9	0 / 17	0 / 9	0 / 8	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.3	12.0	14.3	1 / 11	0 / 2	
Percentage of cycles resulting in singleton live births (%)	16.7	16.0	23.8	1 / 11	0 / 2	
Percentage of cycles resulting in twin live births (%)	11.7	0.0	0.0	0 / 11	0 / 2	
Percentage of cycles resulting in live births (%)	28.3	16.0	23.8	2 / 11	0 / 2	
Percentage of cycles resulting in pregnancies (%)	33.3	24.0	23.8	4 / 11	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	45	20	12	9	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.8	15.0	3 / 12	1 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.2	20.0	5 / 12	1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.6	0.0	0 / 12	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	37.8	20.0	5 / 12	2 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	44.4	30.0	5 / 12	4 / 9	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	40	12	8	5	5	1
Number of transfers	39	11	6	5	4	1
Estimated average number of transfers per retrieval	1.3	0.9	0.3	0.6	4.0	
Average number of embryos transferred	2.0	1.8	1.7	3.2	3.3	1.0
Percentage of embryos transferred resulting in implantation (%)	26.7	3 / 17	2 / 10	4 / 16	1 / 13	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.9	2 / 11	1 / 6	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	23.1	3 / 11	2 / 6	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	0 / 11	0 / 6	2 / 5	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	33.3	3 / 11	2 / 6	2 / 5	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	41.0	5 / 11	2 / 6	2 / 5	1 / 4	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	10	8	19	6	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	15			27		
Number of transfers	15			25		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	50.0			32.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 15			0.0		
Percentage of transfers resulting in singleton live births (%)	4 / 15			0.0		
Percentage of transfers resulting in twin live births (%)	1 / 15			24.0		
Percentage of transfers resulting in live births (%)	5 / 15			24.0		
Percentage of transfers resulting in pregnancies (%)	10 / 15			40.0		

## CURRENT SERVICES & PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FRANCISCO M. IRIANNI, MD WINCHESTER, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Francisco M. Irianni, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	15%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 42%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	58%	
Used gestational carrier	11%			Diminished ovarian reserve	33%	Other factor	6%	
				Endometriosis	8%	Unknown factor	4%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 48 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	25	2	7	1	0	0
Percentage of cancellations before retrieval (%)	8.0	0 / 2	0 / 7	0 / 1		
Average number of embryos transferred	2.0	2.5	3.0			
Percentage of embryos transferred resulting in implantation (%)	24.3	1 / 5	19.0			
Percentage of elective single embryo transfers (eSET) (%)	20.0	0 / 2	1 / 7			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4.0	1 / 2	0 / 7	0 / 1		
Percentage of cycles resulting in singleton live births (%)	12.0	1 / 2	2 / 7	0 / 1		
Percentage of cycles resulting in twin live births (%)	4.0	0 / 2	0 / 7	0 / 1		
Percentage of cycles resulting in live births (%)	16.0	1 / 2	2 / 7	0 / 1		
Percentage of cycles resulting in pregnancies (%)	36.0	1 / 2	3 / 7	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	20	2	7	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.0	1 / 2	0 / 7			
Percentage of transfers resulting in singleton live births (%)	15.0	1 / 2	2 / 7			
Percentage of transfers resulting in twin live births (%)	5.0	0 / 2	0 / 7			
Percentage of transfers resulting in live births (%)	20.0	1 / 2	2 / 7			
Percentage of transfers resulting in pregnancies (%)	45.0	1 / 2	3 / 7			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	2	2	0	0	0
Number of transfers	7	2	1	0	0	0
Estimated average number of transfers per retrieval	1.8		0.5			
Average number of embryos transferred	1.9	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 13	0 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	2 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)	3 / 7	0 / 2	0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 1		

### CURRENT SERVICES & PROFILE

Current Name: Francisco M. Irianni, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# OVERLAKE REPRODUCTIVE HEALTH, INC., PS BELLEVUE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Kevin M. Johnson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	58%	Tubal factor	52%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 28% Female & male factors 53%
Unstimulated	1%	PGD/PGS	6%	Ovulatory dysfunction	41%	Male factor	54%	
Used gestational carrier	2%			Diminished ovarian reserve	81%	Other factor	3%	
				Endometriosis	14%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 234 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	27	19	20	13	3	1
Percentage of cancellations before retrieval (%)	3.7	6 / 19	40.0	4 / 13	0 / 3	0 / 1
Average number of embryos transferred	1.8	2.0	2.3	2.2		3.0
Percentage of embryos transferred resulting in implantation (%)	42.9	1 / 8	0 / 9	2 / 11		0 / 3
Percentage of elective single embryo transfers (eSET) (%)	1 / 16	0 / 4	0 / 3	0 / 3		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.1	1 / 19	0.0	1 / 13	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	11.1	1 / 19	0.0	1 / 13	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	14.8	0 / 19	0.0	0 / 13	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	25.9	1 / 19	0.0	1 / 13	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	40.7	1 / 19	0.0	2 / 13	0 / 3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	20	4	4	5	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.0	1 / 4	0 / 4	1 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	15.0	1 / 4	0 / 4	1 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	20.0	0 / 4	0 / 4	0 / 5		0 / 1
Percentage of transfers resulting in live births (%)	35.0	1 / 4	0 / 4	1 / 5		0 / 1
Percentage of transfers resulting in pregnancies (%)	55.0	1 / 4	0 / 4	2 / 5		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	6	9	3	1	0
Number of transfers	27	5	6	3	0	0
Estimated average number of transfers per retrieval	0.6	0.3	0.4	0.3	0.0	
Average number of embryos transferred	1.8	1.2	1.3	2.3		
Percentage of embryos transferred resulting in implantation (%)	50.0	4 / 6	2 / 7	1 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	48.1	3 / 5	1 / 6	1 / 3		
Percentage of transfers resulting in singleton live births (%)	51.9	4 / 5	1 / 6	1 / 3		
Percentage of transfers resulting in twin live births (%)	11.1	0 / 5	0 / 6	0 / 3		
Percentage of transfers resulting in live births (%)	63.0	4 / 5	1 / 6	1 / 3		
Percentage of transfers resulting in pregnancies (%)	70.4	4 / 5	2 / 6	1 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	38	16	13	7	2	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	19			9		
Number of transfers	18			8		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	66.7			7 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 18			1 / 8		
Percentage of transfers resulting in singleton live births (%)	8 / 18			2 / 8		
Percentage of transfers resulting in twin live births (%)	5 / 18			2 / 8		
Percentage of transfers resulting in live births (%)	13 / 18			4 / 8		
Percentage of transfers resulting in pregnancies (%)	15 / 18			4 / 8		

## CURRENT SERVICES & PROFILE

Current Name: Overlake Reproductive Health, Inc., PS

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



**WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE  
BELLEVUE, WASHINGTON**

---

This clinic provided ART services during 2014 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2014 ART cycle data or the clinic's Medical Director did not approve the clinic's 2014 ART cycle data for inclusion in this report.

## BELLINGHAM IVF & FERTILITY CARE BELLINGHAM, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2014 ART CYCLE PROFILE

Data verified by Emmett Branigan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	5%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 64%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	82%	
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	3%	
				Endometriosis	8%	Unknown factor	0%	

### 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 67 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	16	4	8	3	1	1
Percentage of cancellations before retrieval (%)	0 / 16	0 / 4	1 / 8	0 / 3	1 / 1	0 / 1
Average number of embryos transferred	2.0	2.0	1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)	43.8	2 / 8	2 / 9	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 16	0 / 4	0 / 5	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8 / 16	1 / 4	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	9 / 16	2 / 4	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 16	0 / 4	0 / 8	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	11 / 16	2 / 4	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	12 / 16	2 / 4	3 / 8	0 / 3	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	16	4	6	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8 / 16	1 / 4	1 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	9 / 16	2 / 4	1 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 4	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	11 / 16	2 / 4	1 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	12 / 16	2 / 4	3 / 6	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	8	3	6	1	0	1
Number of transfers	8	3	6	1	0	1
Estimated average number of transfers per retrieval	8.0	3.0		1.0		
Average number of embryos transferred	2.1	2.0	2.2	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	4 / 17	2 / 6	1 / 13	0 / 2		1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8	1 / 3	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 8	2 / 3	1 / 6	0 / 1		1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 3	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	4 / 8	2 / 3	1 / 6	0 / 1		1 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 8	2 / 3	1 / 6	0 / 1		1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			7		
Number of transfers	8			7		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 16			4 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 8			0 / 7		
Percentage of transfers resulting in singleton live births (%)	6 / 8			2 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 8			1 / 7		
Percentage of transfers resulting in live births (%)	6 / 8			3 / 7		
Percentage of transfers resulting in pregnancies (%)	7 / 8			6 / 7		

### CURRENT SERVICES & PROFILE

Current Name: Bellingham IVF & Fertility Care

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# POMA FERTILITY KIRKLAND, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Michael S. Opsahl, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	41%	Tubal factor	10%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 13%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	8%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	16%	
				Endometriosis	9%	Unknown factor	15%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 330 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	72	55	32	11	4	0
Percentage of cancellations before retrieval (%)	5.6	9.1	9.4	1 / 11	0 / 4	
Average number of embryos transferred	1.4	1.8	2.6	3.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	47.7	40.6	23.8	18.5	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	58.9	35.3	4.2	0 / 9	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	44.4	29.1	25.0	1 / 11	0 / 4	
Percentage of cycles resulting in singleton live births (%)	47.2	34.5	25.0	1 / 11	0 / 4	
Percentage of cycles resulting in twin live births (%)	1.4	3.6	9.4	0 / 11	0 / 4	
Percentage of cycles resulting in live births (%)	48.6	38.2	34.4	1 / 11	0 / 4	
Percentage of cycles resulting in pregnancies (%)	54.2	45.5	43.8	5 / 11	1 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	61	40	26	9	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	52.5	40.0	30.8	1 / 9	0 / 2	
Percentage of transfers resulting in singleton live births (%)	55.7	47.5	30.8	1 / 9	0 / 2	
Percentage of transfers resulting in twin live births (%)	1.6	5.0	11.5	0 / 9	0 / 2	
Percentage of transfers resulting in live births (%)	57.4	52.5	42.3	1 / 9	0 / 2	
Percentage of transfers resulting in pregnancies (%)	63.9	62.5	53.8	5 / 9	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	30	18	13	7	1	0
Number of transfers	29	17	10	5	1	0
Estimated average number of transfers per retrieval	1.0	0.7	0.7	1.0	0.5	0.0
Average number of embryos transferred	1.2	1.3	1.2	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	50.0	7 / 12	6 / 7	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.0	4 / 17	4 / 10	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.4	5 / 17	5 / 10	1 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.4	2 / 17	1 / 10	1 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	44.8	7 / 17	6 / 10	2 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	58.6	10 / 17	6 / 10	4 / 5	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	17	12	11	5	2	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		22			11	
Number of transfers		19			7	
Average number of embryos transferred		1.4			1.3	
Percentage of embryos transferred resulting in implantation (%)		78.3			4 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		7 / 19			2 / 7	
Percentage of transfers resulting in singleton live births (%)		8 / 19			2 / 7	
Percentage of transfers resulting in twin live births (%)		3 / 19			0 / 7	
Percentage of transfers resulting in live births (%)		12 / 19			2 / 7	
Percentage of transfers resulting in pregnancies (%)		15 / 19			4 / 7	

## CURRENT SERVICES & PROFILE

Current Name: Poma Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by James F. Moruzzi, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	0%	Tubal factor	20%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	24%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	0%	
				Endometriosis	15%	Unknown factor	22%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 42 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	14	8	3	3	0	1
Percentage of cancellations before retrieval (%)	0 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Average number of embryos transferred	2.1	2.1	2.0	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	26.7	0 / 17	0 / 6	0 / 6		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	1 / 14	0 / 7	0 / 2	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of cycles resulting in live births (%)	4 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of cycles resulting in pregnancies (%)	6 / 14	0 / 8	0 / 3	0 / 3		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	14	8	3	3	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	4 / 14	0 / 8	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 14	0 / 8	0 / 3	0 / 3		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	1	0	0	0	0
Number of transfers	6	1	0	0	0	0
Estimated average number of transfers per retrieval	3.0	0.5				
Average number of embryos transferred	2.5	3.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 15	0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 6	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 6	0 / 1				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			2		
Number of transfers	3			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 6			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3			1 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 3			1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 3			1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 3			1 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Olympia Women's Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Lorna A. Marshall, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	5%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 6%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	5%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	62%	Other factor	8%	
				Endometriosis	6%	Unknown factor	8%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,062 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	66	31	45	24	9	2
Percentage of cancellations before retrieval (%)	3.0	9.7	2.2	20.8	6 / 9	1 / 2
Average number of embryos transferred	1.5	1.7	2.0	1.7	3.0	3.0
Percentage of embryos transferred resulting in implantation (%)	34.0	30.6	20.0	3 / 19	1 / 6	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	52.8	3 / 18	4.0	1 / 8	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.7	12.9	8.9	8.3	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	18.2	19.4	13.3	12.5	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	3.0	3.2	2.2	0.0	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	21.2	22.6	15.6	12.5	0 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	24.2	29.0	22.2	12.5	1 / 9	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	36	21	30	11	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.6	19.0	13.3	2 / 11	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	28.6	20.0	3 / 11	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	5.6	4.8	3.3	0 / 11	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	38.9	33.3	23.3	3 / 11	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	44.4	42.9	33.3	3 / 11	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	138	78	73	32	16	1
Number of transfers	127	76	71	31	16	0
Estimated average number of transfers per retrieval	1.3	1.3	0.7	0.9	1.0	0.0
Average number of embryos transferred	1.2	1.3	1.2	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)	59.6	57.3	52.3	43.2	8 / 18	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.6	40.8	39.4	32.3	4 / 16	
Percentage of transfers resulting in singleton live births (%)	45.7	47.4	47.9	32.3	4 / 16	
Percentage of transfers resulting in twin live births (%)	9.4	6.6	2.8	9.7	1 / 16	
Percentage of transfers resulting in live births (%)	55.1	53.9	50.7	41.9	5 / 16	
Percentage of transfers resulting in pregnancies (%)	63.8	64.5	60.6	51.6	8 / 16	
<b>Number of Egg/Embryo Banking Cycles</b>						
	66	48	88	30	16	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		47			250	
Number of transfers		2			243	
Average number of embryos transferred		1.0			1.2	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			49.6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2			38.3	
Percentage of transfers resulting in singleton live births (%)		1 / 2			48.1	
Percentage of transfers resulting in twin live births (%)		0 / 2			2.5	
Percentage of transfers resulting in live births (%)		1 / 2			50.6	
Percentage of transfers resulting in pregnancies (%)		1 / 2			56.8	

## CURRENT SERVICES & PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SEATTLE REPRODUCTIVE MEDICINE INTEGRATED AMERICA SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Paul S. Dudley, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	11%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 13%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	18%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	10%	
				Endometriosis	8%	Unknown factor	11%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 2,051 (includes 189 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	325	157	137	85	36	1
Percentage of cancellations before retrieval (%)	4.6	7.0	18.2	27.1	27.8	0 / 1
Average number of embryos transferred	1.4	1.6	1.9	2.0	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	46.5	35.1	23.2	12.8	5.3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	51.5	30.0	10.5	8.3	0.0	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.3	25.5	13.9	9.4	8.3	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.5	28.0	18.2	10.6	8.3	0 / 1
Percentage of cycles resulting in twin live births (%)	6.2	6.4	2.2	0.0	0.0	0 / 1
Percentage of cycles resulting in live births (%)	40.0	34.4	21.2	10.6	8.3	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.6	38.9	29.2	14.1	8.3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	262	127	100	45	23	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.1	31.5	19.0	17.8	13.0	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.6	34.6	25.0	20.0	13.0	0 / 1
Percentage of transfers resulting in twin live births (%)	7.6	7.9	3.0	0.0	0.0	0 / 1
Percentage of transfers resulting in live births (%)	49.6	42.5	29.0	20.0	13.0	0 / 1
Percentage of transfers resulting in pregnancies (%)	55.3	48.0	40.0	26.7	13.0	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	297	136	112	42	23	6
Number of transfers	270	117	100	34	17	5
Estimated average number of transfers per retrieval	1.5	1.1	1.1	0.7	0.7	1.7
Average number of embryos transferred	1.3	1.3	1.4	1.4	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	48.2	44.5	35.3	39.0	39.1	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.6	29.1	23.0	35.3	6 / 17	0 / 5
Percentage of transfers resulting in singleton live births (%)	37.8	35.9	29.0	38.2	6 / 17	0 / 5
Percentage of transfers resulting in twin live births (%)	5.6	8.5	5.0	0.0	0 / 17	0 / 5
Percentage of transfers resulting in live births (%)	43.7	44.4	34.0	38.2	6 / 17	0 / 5
Percentage of transfers resulting in pregnancies (%)	57.0	51.3	45.0	58.8	10 / 17	1 / 5
<b>Number of Egg/Embryo Banking Cycles</b>						
	96	65	68	35	21	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		36			181	
Number of transfers		32			156	
Average number of embryos transferred		1.5			1.3	
Percentage of embryos transferred resulting in implantation (%)		46.7			31.6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		34.4			23.7	
Percentage of transfers resulting in singleton live births (%)		34.4			25.0	
Percentage of transfers resulting in twin live births (%)		12.5			3.2	
Percentage of transfers resulting in live births (%)		46.9			28.2	
Percentage of transfers resulting in pregnancies (%)		59.4			39.7	

## CURRENT SERVICES & PROFILE

Current Name: Seattle Reproductive Medicine, Integrated America

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY REPRODUCTIVE CARE  
UNIVERSITY OF WASHINGTON  
SEATTLE, WASHINGTON**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2014 ART CYCLE PROFILE**

Data verified by Diane Woodford, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	14%	Uterine factor	1%	Multiple Factors: Female factors only 11% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	53%	
Used gestational carrier	2%			Diminished ovarian reserve	44%	Other factor	13%	
				Endometriosis	7%	Unknown factor	6%	

**2014 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 78 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	12	10	6	2	0
Percentage of cancellations before retrieval (%)	1 / 18	3 / 12	3 / 10	2 / 6	0 / 2	
Average number of embryos transferred	2.1	1.6	1.8	2.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	32.0	5 / 11	3 / 10	1 / 10	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	1 / 5	1 / 4	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 18	2 / 12	0 / 10	1 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	4 / 18	2 / 12	2 / 10	1 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	2 / 18	1 / 12	0 / 10	0 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	6 / 18	3 / 12	2 / 10	1 / 6	0 / 2	
Percentage of cycles resulting in pregnancies (%)	6 / 18	4 / 12	4 / 10	1 / 6	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	12	7	6	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	2 / 7	0 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 7	2 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 12	1 / 7	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 12	3 / 7	2 / 6	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 12	4 / 7	4 / 6	1 / 4	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	14	7	1	0	1	0
Number of transfers	13	6	1	0	1	0
Estimated average number of transfers per retrieval	1.4	2.0	1.0	0.0	1.0	
Average number of embryos transferred	1.3	1.2	1.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 16	4 / 7	0 / 1		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 13	4 / 6	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 13	4 / 6	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 6	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	4 / 13	4 / 6	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 13	4 / 6	0 / 1		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>	2	3	0	1	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0		1		
Number of transfers		0		1		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				1 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

**CURRENT SERVICES & PROFILE**

Current Name: University Reproductive Care, University of Washington

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE CENTER FOR REPRODUCTIVE HEALTH SPOKANE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Edwin Robins, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 22%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	63%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	6%	
				Endometriosis	4%	Unknown factor	8%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 299 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	85	34	17	3	3	3
Percentage of cancellations before retrieval (%)	3.5	5.9	5 / 17	1 / 3	1 / 3	1 / 3
Average number of embryos transferred	1.6	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	60.0	30.3	2 / 4			
Percentage of elective single embryo transfers (eSET) (%)	24.4	2 / 14	0 / 2			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.2	8.8	2 / 17	0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	23.5	11.8	2 / 17	0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	12.9	8.8	0 / 17	0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	36.5	20.6	2 / 17	0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies (%)	42.4	20.6	2 / 17	0 / 3	0 / 3	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	50	18	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.0	3 / 18	2 / 2			
Percentage of transfers resulting in singleton live births (%)	40.0	4 / 18	2 / 2			
Percentage of transfers resulting in twin live births (%)	22.0	3 / 18	0 / 2			
Percentage of transfers resulting in live births (%)	62.0	7 / 18	2 / 2			
Percentage of transfers resulting in pregnancies (%)	72.0	7 / 18	2 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	46	25	10	4	1	0
Number of transfers	45	25	10	4	1	0
Estimated average number of transfers per retrieval	1.0	1.2	1.3	1.3		
Average number of embryos transferred	1.6	1.6	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	58.3	48.6	3 / 15	3 / 6	2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.6	16.0	3 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	40.0	16.0	3 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	22.2	28.0	0 / 10	1 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	62.2	44.0	3 / 10	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	66.7	48.0	3 / 10	2 / 4	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	15	5	2	0	0
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		1			20	
Number of transfers		1			20	
Average number of embryos transferred		1.0			1.4	
Percentage of embryos transferred resulting in implantation (%)		0 / 1			57.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1			15.0	
Percentage of transfers resulting in singleton live births (%)		0 / 1			25.0	
Percentage of transfers resulting in twin live births (%)		0 / 1			15.0	
Percentage of transfers resulting in live births (%)		0 / 1			40.0	
Percentage of transfers resulting in pregnancies (%)		0 / 1			60.0	

## CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# SRM SPOKANE SPOKANE VALLEY, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Brenda Houmard, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	57%	Tubal factor	12%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 16%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	31%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	3%	
				Endometriosis	12%	Unknown factor	4%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 93 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	23	15	8	3	0	0
Percentage of cancellations before retrieval (%)	8.7	2 / 15	3 / 8	2 / 3		
Average number of embryos transferred	1.3	1.4	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	37.5	4 / 13	2 / 8	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	11 / 17	1 / 5	2 / 5	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.7	4 / 15	0 / 8	0 / 3		
Percentage of cycles resulting in singleton live births (%)	26.1	4 / 15	0 / 8	0 / 3		
Percentage of cycles resulting in twin live births (%)	4.3	0 / 15	1 / 8	0 / 3		
Percentage of cycles resulting in live births (%)	30.4	4 / 15	1 / 8	0 / 3		
Percentage of cycles resulting in pregnancies (%)	34.8	4 / 15	1 / 8	0 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	18	9	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 18	4 / 9	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	6 / 18	4 / 9	0 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 9	1 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	7 / 18	4 / 9	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	8 / 18	4 / 9	1 / 5	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	13	5	4	1	0	0
Number of transfers	12	5	3	1	0	0
Estimated average number of transfers per retrieval	1.3	1.7	1.0	1.0		
Average number of embryos transferred	1.8	1.6	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	31.8	2 / 8	0 / 2	1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 12	2 / 5	0 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 12	2 / 5	0 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 5	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 12	2 / 5	0 / 3	1 / 1		
Percentage of transfers resulting in pregnancies (%)	5 / 12	2 / 5	1 / 3	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			0		
Number of transfers	1			0		
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 1					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	1 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					

## CURRENT SERVICES & PROFILE

Current Name: SRM Spokane

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GYFT CLINIC, PLLC TACOMA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Luis A. Murrain, DO, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	74%	Tubal factor	11%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 2%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	2%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	0%	
				Endometriosis	5%	Unknown factor	30%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 46 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	23	7	3	3	1	1
Percentage of cancellations before retrieval (%)	4.3	1 / 7	0 / 3	2 / 3	1 / 1	1 / 1
Average number of embryos transferred	2.3	3.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	36.7	4 / 15	0 / 4			
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 5	0 / 1			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.4	3 / 7	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.7	3 / 7	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	17.4	0 / 7	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	39.1	3 / 7	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	52.2	3 / 7	0 / 3	0 / 3	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	22	5	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.2	3 / 5	0 / 2			
Percentage of transfers resulting in singleton live births (%)	22.7	3 / 5	0 / 2			
Percentage of transfers resulting in twin live births (%)	18.2	0 / 5	0 / 2			
Percentage of transfers resulting in live births (%)	40.9	3 / 5	0 / 2			
Percentage of transfers resulting in pregnancies (%)	54.5	3 / 5	0 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval		0.3				
Average number of embryos transferred	2.5	3.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 5	0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 1				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	2	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			1		
Number of transfers	2			1		
Average number of embryos transferred	2.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 2			0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 2			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 1		
Percentage of transfers resulting in live births (%)	2 / 2			0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 2			0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: GYFT Clinic, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MADIGAN ARMY MEDICAL CENTER TACOMA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Gregory E. Chow, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	55%	Tubal factor	31%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	3%	
				Endometriosis	10%	Unknown factor	5%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 124 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	44	22	17	3	0	0
Percentage of cancellations before retrieval (%)	6.8	22.7	2 / 17	1 / 3		
Average number of embryos transferred	1.6	1.7	2.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	40.3	33.3	15.2	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	34.3	4 / 16	0 / 13	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	13.6	4 / 17	0 / 3		
Percentage of cycles resulting in singleton live births (%)	27.3	18.2	4 / 17	0 / 3		
Percentage of cycles resulting in twin live births (%)	13.6	9.1	0 / 17	0 / 3		
Percentage of cycles resulting in live births (%)	40.9	27.3	4 / 17	0 / 3		
Percentage of cycles resulting in pregnancies (%)	40.9	31.8	4 / 17	0 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	39	17	15	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.8	3 / 17	4 / 15	0 / 2		
Percentage of transfers resulting in singleton live births (%)	30.8	4 / 17	4 / 15	0 / 2		
Percentage of transfers resulting in twin live births (%)	15.4	2 / 17	0 / 15	0 / 2		
Percentage of transfers resulting in live births (%)	46.2	6 / 17	4 / 15	0 / 2		
Percentage of transfers resulting in pregnancies (%)	46.2	7 / 17	4 / 15	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	15	5	1	0	0
Number of transfers	13	13	5	1	0	0
Estimated average number of transfers per retrieval	1.9	2.6	1.7	1.0		
Average number of embryos transferred	1.8	1.8	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	33.3	37.5	4 / 9	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 13	2 / 13	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 13	3 / 13	2 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 13	3 / 13	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	6 / 13	6 / 13	2 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 13	6 / 13	3 / 5	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2014. Contact the NASS Help Desk for further information.

Current Name: Madigan Army Medical Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WEST VIRGINIA UNIVERSITY FERTILITY CENTER CHARLESTON, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2014 ART CYCLE PROFILE				Data verified by Pickens A. Gantt, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	96%	Tubal factor	16%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 16%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	25%	Male factor	34%	
Used gestational carrier	8%			Diminished ovarian reserve	22%	Other factor	6%	
				Endometriosis	6%	Unknown factor	13%	

2014 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 32 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		20	2	1	0	0	1
Percentage of cancellations before retrieval (%)		5.0	0 / 2	0 / 1			0 / 1
Average number of embryos transferred		1.9	2.5	2.0			
Percentage of embryos transferred resulting in implantation (%)		34.3	1 / 5	1 / 2			
Percentage of elective single embryo transfers (eSET) (%)		0 / 16	0 / 2	0 / 1			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		45.0	1 / 2	1 / 1			0 / 1
Percentage of cycles resulting in singleton live births (%)		50.0	1 / 2	1 / 1			0 / 1
Percentage of cycles resulting in twin live births (%)		5.0	0 / 2	0 / 1			0 / 1
Percentage of cycles resulting in live births (%)		55.0	1 / 2	1 / 1			0 / 1
Percentage of cycles resulting in pregnancies (%)		55.0	1 / 2	1 / 1			0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		18	2	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		9 / 18	1 / 2	1 / 1			
Percentage of transfers resulting in singleton live births (%)		10 / 18	1 / 2	1 / 1			
Percentage of transfers resulting in twin live births (%)		1 / 18	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)		11 / 18	1 / 2	1 / 1			
Percentage of transfers resulting in pregnancies (%)		11 / 18	1 / 2	1 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		5	0	0	0	0	0
Number of transfers		5	0	0	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred		1.6					
Percentage of embryos transferred resulting in implantation (%)		2 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 5					
Percentage of transfers resulting in singleton live births (%)		2 / 5					
Percentage of transfers resulting in twin live births (%)		0 / 5					
Percentage of transfers resulting in live births (%)		2 / 5					
Percentage of transfers resulting in pregnancies (%)		3 / 5					
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		3			0		
Number of transfers		3			0		
Average number of embryos transferred		1.7					
Percentage of embryos transferred resulting in implantation (%)		4 / 5					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 3					
Percentage of transfers resulting in singleton live births (%)		0 / 3					
Percentage of transfers resulting in twin live births (%)		2 / 3					
Percentage of transfers resulting in live births (%)		2 / 3					
Percentage of transfers resulting in pregnancies (%)		2 / 3					

CURRENT SERVICES & PROFILE		Current Name: West Virginia University Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CABELL HUNTINGTON HOSPITAL CENTER FOR ADVANCED REPRODUCTIVE MEDICINE HUNTINGTON, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by William N. Burns, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	62%	Tubal factor	13%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 3%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	23%	
				Endometriosis	27%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 30 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	8	1	4	0	0
Percentage of cancellations before retrieval (%)	0 / 13	0 / 8	0 / 1	0 / 4		
Average number of embryos transferred	2.3	1.9	4.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	29.6	8 / 15	1 / 4	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 7	0 / 1	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13	2 / 8	0 / 1	0 / 4		
Percentage of cycles resulting in singleton live births (%)	2 / 13	2 / 8	1 / 1	0 / 4		
Percentage of cycles resulting in twin live births (%)	3 / 13	3 / 8	0 / 1	0 / 4		
Percentage of cycles resulting in live births (%)	5 / 13	5 / 8	1 / 1	0 / 4		
Percentage of cycles resulting in pregnancies (%)	5 / 13	5 / 8	1 / 1	0 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	12	8	1	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 12	2 / 8	0 / 1	0 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 12	2 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 12	3 / 8	0 / 1	0 / 3		
Percentage of transfers resulting in live births (%)	5 / 12	5 / 8	1 / 1	0 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 12	5 / 8	1 / 1	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	1	0	0	0	0
Number of transfers	2	1	0	0	0	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred	1.0	1.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 1				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 1					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					

## CURRENT SERVICES & PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE MORGANTOWN, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Roger C. Toffle, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	30%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 51%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	33%	
				Endometriosis	33%	Unknown factor	7%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 58 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	29	14	1	1	0	0
Percentage of cancellations before retrieval (%)	6.9	4 / 14	0 / 1	1 / 1		
Average number of embryos transferred	2.0	1.9	3.0			
Percentage of embryos transferred resulting in implantation (%)	38.0	4 / 15	0 / 3			
Percentage of elective single embryo transfers (eSET) (%)	9.5	0 / 6	0 / 1			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.8	3 / 14	0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)	13.8	3 / 14	0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)	13.8	0 / 14	0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)	31.0	3 / 14	0 / 1	0 / 1		
Percentage of cycles resulting in pregnancies (%)	34.5	4 / 14	0 / 1	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	25	8	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.0	3 / 8	0 / 1			
Percentage of transfers resulting in singleton live births (%)	16.0	3 / 8	0 / 1			
Percentage of transfers resulting in twin live births (%)	16.0	0 / 8	0 / 1			
Percentage of transfers resulting in live births (%)	36.0	3 / 8	0 / 1			
Percentage of transfers resulting in pregnancies (%)	40.0	4 / 8	0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	9	3	0	0	0	0
Number of transfers	7	2	0	0	0	0
Estimated average number of transfers per retrieval	1.2					
Average number of embryos transferred	1.4	1.5				
Percentage of embryos transferred resulting in implantation (%)	0 / 8	0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 7	0 / 2				
Percentage of transfers resulting in singleton live births (%)	0 / 7	0 / 2				
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 2				
Percentage of transfers resulting in live births (%)	0 / 7	0 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 7	0 / 2				
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: West Virginia University Center for Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# AURORA HEALTH CARE-AURORA FERTILITY SERVICES THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER GREEN BAY, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Aida Shanti, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	17%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 44%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	28%	Male factor	73%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	19%	
				Endometriosis	16%	Unknown factor	2%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 129 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	39	13	3	0	0	0
Percentage of cancellations before retrieval (%)	2.6	0 / 13	0 / 3			
Average number of embryos transferred	2.0	1.6	2.0			
Percentage of embryos transferred resulting in implantation (%)	47.5	3 / 13	2 / 4			
Percentage of elective single embryo transfers (eSET) (%)	3.2	0 / 5	0 / 3			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7.7	1 / 13	1 / 3			
Percentage of cycles resulting in singleton live births (%)	15.4	2 / 13	1 / 3			
Percentage of cycles resulting in twin live births (%)	23.1	0 / 13	0 / 3			
Percentage of cycles resulting in live births (%)	38.5	2 / 13	1 / 3			
Percentage of cycles resulting in pregnancies (%)	43.6	3 / 13	2 / 3			
<b>Outcomes per Transfer</b>						
Number of transfers	31	8	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.7	1 / 8	1 / 3			
Percentage of transfers resulting in singleton live births (%)	19.4	2 / 8	1 / 3			
Percentage of transfers resulting in twin live births (%)	29.0	0 / 8	0 / 3			
Percentage of transfers resulting in live births (%)	48.4	2 / 8	1 / 3			
Percentage of transfers resulting in pregnancies (%)	54.8	3 / 8	2 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	17	2	0	0	0
Number of transfers	31	17	1	0	0	0
Estimated average number of transfers per retrieval	1.9	2.8	0.5			
Average number of embryos transferred	1.7	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	57.1	51.7	1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.3	5 / 17	1 / 1			
Percentage of transfers resulting in singleton live births (%)	41.9	7 / 17	1 / 1			
Percentage of transfers resulting in twin live births (%)	19.4	2 / 17	0 / 1			
Percentage of transfers resulting in live births (%)	61.3	9 / 17	1 / 1			
Percentage of transfers resulting in pregnancies (%)	67.7	11 / 17	1 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	2	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	13			1		
Number of transfers	11			1		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	47.6			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 11			1 / 1		
Percentage of transfers resulting in singleton live births (%)	6 / 11			1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 11			0 / 1		
Percentage of transfers resulting in live births (%)	7 / 11			1 / 1		
Percentage of transfers resulting in pregnancies (%)	9 / 11			1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services,  
The Women's Center at Aurora BayCare Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FROEDTERT & MEDICAL COLLEGE OF WISCONSIN REPRODUCTIVE MEDICINE CENTER MENOMONEE FALLS, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Estil Strawn, Jr., MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	10%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 14%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	21%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	3%	
				Endometriosis	5%	Unknown factor	15%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 483 (includes 13 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	125	54	28	14	0	0
Percentage of cancellations before retrieval (%)	4.0	13.0	17.9	0 / 14		
Average number of embryos transferred	1.4	1.8	2.1	2.2		
Percentage of embryos transferred resulting in implantation (%)	35.6	24.0	24.4	11.5		
Percentage of elective single embryo transfers (eSET) (%)	58.4	22.0	0 / 19	1 / 11		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.2	9.3	10.7	1 / 14		
Percentage of cycles resulting in singleton live births (%)	28.8	13.0	17.9	1 / 14		
Percentage of cycles resulting in twin live births (%)	3.2	7.4	7.1	0 / 14		
Percentage of cycles resulting in live births (%)	32.0	20.4	25.0	1 / 14		
Percentage of cycles resulting in pregnancies (%)	34.4	25.9	25.0	3 / 14		
<b>Outcomes per Transfer</b>						
Number of transfers	95	42	20	12	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.8	11.9	15.0	1 / 12		
Percentage of transfers resulting in singleton live births (%)	37.9	16.7	25.0	1 / 12		
Percentage of transfers resulting in twin live births (%)	4.2	9.5	10.0	0 / 12		
Percentage of transfers resulting in live births (%)	42.1	26.2	35.0	1 / 12		
Percentage of transfers resulting in pregnancies (%)	45.3	33.3	35.0	3 / 12		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	104	34	23	7	2	0
Number of transfers	96	33	22	7	2	0
Estimated average number of transfers per retrieval	1.2	1.9	1.8	0.8		
Average number of embryos transferred	1.3	1.5	1.4	1.9	1.0	
Percentage of embryos transferred resulting in implantation (%)	35.2	31.3	22.6	0 / 13	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	18.2	18.2	0 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	29.2	21.2	22.7	0 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	4.2	9.1	4.5	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	33.3	30.3	27.3	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	40.6	33.3	27.3	0 / 7	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	4	6	6	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		7			36	
Number of transfers		7			26	
Average number of embryos transferred		1.0			1.3	
Percentage of embryos transferred resulting in implantation (%)		2 / 7			32.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 7			15.4	
Percentage of transfers resulting in singleton live births (%)		1 / 7			19.2	
Percentage of transfers resulting in twin live births (%)		0 / 7			3.8	
Percentage of transfers resulting in live births (%)		1 / 7			23.1	
Percentage of transfers resulting in pregnancies (%)		1 / 7			38.5	

## CURRENT SERVICES & PROFILE

Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE MIDDLETON, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Dan I. Lebovic, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	73%	Tubal factor	11%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	4%	
				Endometriosis	10%	Unknown factor	14%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 193 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	63	21	14	1	2	0
Percentage of cancellations before retrieval (%)	6.3	0.0	2 / 14	0 / 1	0 / 2	
Average number of embryos transferred	1.5	1.5	1.6	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	42.9	7 / 19	0 / 1	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	49.0	8 / 18	3 / 10		0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.7	14.3	3 / 14	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	42.9	23.8	4 / 14	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	6.3	14.3	1 / 14	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	49.2	38.1	5 / 14	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	54.0	47.6	5 / 14	0 / 1	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	51	19	12	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	49.0	3 / 19	3 / 12	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	52.9	5 / 19	4 / 12	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.8	3 / 19	1 / 12	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	60.8	8 / 19	5 / 12	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	66.7	10 / 19	5 / 12	0 / 1	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	9	12	1	0	0
Number of transfers	31	9	12	1	0	0
Estimated average number of transfers per retrieval	1.8	1.8	4.0			
Average number of embryos transferred	1.4	1.6	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	47.6	3 / 11	5 / 18	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	54.8	3 / 9	4 / 12	0 / 1		
Percentage of transfers resulting in singleton live births (%)	54.8	3 / 9	4 / 12	0 / 1		
Percentage of transfers resulting in twin live births (%)	3.2	0 / 9	0 / 12	0 / 1		
Percentage of transfers resulting in live births (%)	58.1	3 / 9	4 / 12	0 / 1		
Percentage of transfers resulting in pregnancies (%)	64.5	5 / 9	5 / 12	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	3	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			3		
Number of transfers	3			3		
Average number of embryos transferred	1.3			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 3			0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 3			1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 3		
Percentage of transfers resulting in live births (%)	3 / 3			1 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 3			2 / 3		

## CURRENT SERVICES & PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WISCONSIN FERTILITY INSTITUTE MIDDLETON, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by David L. Olive, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	8%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	12%	
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	15%	
				Endometriosis	4%	Unknown factor	23%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 295 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	48	13	23	6	0	1
Percentage of cancellations before retrieval (%)	6.3	1 / 13	13.0	0 / 6		1 / 1
Average number of embryos transferred	2.2	1.8	2.1	1.5		
Percentage of embryos transferred resulting in implantation (%)	29.5	5 / 11	8.7	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 6	0 / 9	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.6	2 / 13	4.3	0 / 6		0 / 1
Percentage of cycles resulting in singleton live births (%)	14.6	3 / 13	8.7	0 / 6		0 / 1
Percentage of cycles resulting in twin live births (%)	2.1	0 / 13	0.0	0 / 6		0 / 1
Percentage of cycles resulting in live births (%)	18.8	3 / 13	8.7	0 / 6		0 / 1
Percentage of cycles resulting in pregnancies (%)	22.9	4 / 13	8.7	0 / 6		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	22	6	12	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.8	2 / 6	1 / 12	0 / 2		
Percentage of transfers resulting in singleton live births (%)	31.8	3 / 6	2 / 12	0 / 2		
Percentage of transfers resulting in twin live births (%)	4.5	0 / 6	0 / 12	0 / 2		
Percentage of transfers resulting in live births (%)	40.9	3 / 6	2 / 12	0 / 2		
Percentage of transfers resulting in pregnancies (%)	50.0	4 / 6	2 / 12	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	75	21	16	9	1	0
Number of transfers	63	20	14	9	1	0
Estimated average number of transfers per retrieval	2.0	1.7	1.4	2.3		
Average number of embryos transferred	1.8	2.0	1.8	2.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	22.1	30.6	14.3	8.7	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.3	25.0	2 / 14	1 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	19.0	35.0	3 / 14	1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.8	0.0	0 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	25.4	40.0	3 / 14	1 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	33.3	50.0	5 / 14	2 / 9	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	4	3	1	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		19		50		
Number of transfers		10		39		
Average number of embryos transferred		1.9		1.9		
Percentage of embryos transferred resulting in implantation (%)		7 / 18		23.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 10		20.5		
Percentage of transfers resulting in singleton live births (%)		3 / 10		23.1		
Percentage of transfers resulting in twin live births (%)		2 / 10		7.7		
Percentage of transfers resulting in live births (%)		5 / 10		30.8		
Percentage of transfers resulting in pregnancies (%)		6 / 10		33.3		

## CURRENT SERVICES & PROFILE

Current Name: Wisconsin Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE SPECIALTY CENTER MILWAUKEE, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Grace M. Janik, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	57%	Tubal factor	11%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 39%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	11%	Male factor	64%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	3%	
				Endometriosis	33%	Unknown factor	11%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 38 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	12	5	4	0	0	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 5	0 / 4			
Average number of embryos transferred	2.0	2.2	2.8			
Percentage of embryos transferred resulting in implantation (%)	16.7	1 / 11	1 / 11			
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 5	0 / 4			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	1 / 5	1 / 4			
Percentage of cycles resulting in singleton live births (%)	4 / 12	1 / 5	1 / 4			
Percentage of cycles resulting in twin live births (%)	0 / 12	0 / 5	0 / 4			
Percentage of cycles resulting in live births (%)	4 / 12	1 / 5	1 / 4			
Percentage of cycles resulting in pregnancies (%)	4 / 12	1 / 5	1 / 4			
<b>Outcomes per Transfer</b>						
Number of transfers	12	5	4	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	1 / 5	1 / 4			
Percentage of transfers resulting in singleton live births (%)	4 / 12	1 / 5	1 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 5	0 / 4			
Percentage of transfers resulting in live births (%)	4 / 12	1 / 5	1 / 4			
Percentage of transfers resulting in pregnancies (%)	4 / 12	1 / 5	1 / 4			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	5	5	0	0	0
Number of transfers	4	5	5	0	0	0
Estimated average number of transfers per retrieval	0.8	5.0	5.0			
Average number of embryos transferred	2.0	1.6	1.6			
Percentage of embryos transferred resulting in implantation (%)	1 / 8	2 / 8	1 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4	0 / 5	1 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 5	1 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 5	0 / 5			
Percentage of transfers resulting in live births (%)	1 / 4	0 / 5	1 / 5			
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 5	1 / 5			
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GUNDERSEN FERTILITY CENTER ONALASKA, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Sana Salih, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	94%	Tubal factor	14%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 22% Female & male factors 34%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	34%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	25%	
				Endometriosis	29%	Unknown factor	0%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 62 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	27	5	2	0	0	0
Percentage of cancellations before retrieval (%)	3.7	1 / 5	0 / 2			
Average number of embryos transferred	1.3	1.7	2.5			
Percentage of embryos transferred resulting in implantation (%)	55.2	2 / 5	2 / 5			
Percentage of elective single embryo transfers (eSET) (%)	66.7	1 / 3	0 / 2			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.7	2 / 5	0 / 2			
Percentage of cycles resulting in singleton live births (%)	48.1	2 / 5	0 / 2			
Percentage of cycles resulting in twin live births (%)	3.7	0 / 5	1 / 2			
Percentage of cycles resulting in live births (%)	51.9	2 / 5	1 / 2			
Percentage of cycles resulting in pregnancies (%)	51.9	2 / 5	1 / 2			
<b>Outcomes per Transfer</b>						
Number of transfers	22	3	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	50.0	2 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	59.1	2 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)	4.5	0 / 3	1 / 2			
Percentage of transfers resulting in live births (%)	63.6	2 / 3	1 / 2			
Percentage of transfers resulting in pregnancies (%)	63.6	2 / 3	1 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	13	6	2	0	0	0
Number of transfers	13	5	2	0	0	0
Estimated average number of transfers per retrieval	3.3	5.0				
Average number of embryos transferred	1.5	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	6 / 18	3 / 10	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13	1 / 5	1 / 2			
Percentage of transfers resulting in singleton live births (%)	3 / 13	1 / 5	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 13	1 / 5	0 / 2			
Percentage of transfers resulting in live births (%)	3 / 13	2 / 5	1 / 2			
Percentage of transfers resulting in pregnancies (%)	6 / 13	2 / 5	1 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		0			4	
Number of transfers		0			4	
Average number of embryos transferred					1.0	
Percentage of embryos transferred resulting in implantation (%)					3 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					3 / 4	
Percentage of transfers resulting in singleton live births (%)					3 / 4	
Percentage of transfers resulting in twin live births (%)					0 / 4	
Percentage of transfers resulting in live births (%)					3 / 4	
Percentage of transfers resulting in pregnancies (%)					3 / 4	

## CURRENT SERVICES & PROFILE

Current Name: Gundersen Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS WEST ALLIS, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2014 ART CYCLE PROFILE

Data verified by Aida Shanti, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	94%	Tubal factor	11%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 58%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	20%	Male factor	76%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	29%	
				Endometriosis	5%	Unknown factor	3%	

## 2014 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 185 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	57	21	8	3	3	0
Percentage of cancellations before retrieval (%)	5.3	0.0	3 / 8	0 / 3	0 / 3	
Average number of embryos transferred	1.9	1.9	2.0	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.1	47.8	3 / 8	0 / 3	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	10.5	0 / 10	0 / 5	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.8	14.3	0 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	19.3	19.0	1 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	14.0	4.8	1 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	36.8	28.6	2 / 8	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	42.1	38.1	3 / 8	0 / 3	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	39	12	5	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.1	3 / 12	0 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	28.2	4 / 12	1 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	20.5	1 / 12	1 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	53.8	6 / 12	2 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	61.5	8 / 12	3 / 5	0 / 2	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	14	4	0	1	0
Number of transfers	26	12	3	0	1	0
Estimated average number of transfers per retrieval	1.0	1.1	0.4	0.0	1.0	
Average number of embryos transferred	1.7	1.8	2.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	52.5	40.0	2 / 6		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.8	6 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.6	6 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	19.2	0 / 12	0 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	53.8	6 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.4	9 / 12	2 / 3		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	4	6	2	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		16			6	
Number of transfers		13			5	
Average number of embryos transferred		1.8			1.8	
Percentage of embryos transferred resulting in implantation (%)		58.3			4 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 13			1 / 5	
Percentage of transfers resulting in singleton live births (%)		4 / 13			1 / 5	
Percentage of transfers resulting in twin live births (%)		3 / 13			1 / 5	
Percentage of transfers resulting in live births (%)		7 / 13			2 / 5	
Percentage of transfers resulting in pregnancies (%)		9 / 13			3 / 5	

## CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services, West Allis

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.