

2005 Youth Risk Behavior Survey (YRBS)

2005 National YRBS Data Users Manual



DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR DISEASE CONTROL AND PREVENTION



2005 YOUTH RISK BEHAVIOR SURVEY
National YRBS Data Users Manual

Table of Contents

1. Introduction to the YRBSS	2
Explains the background and purpose of the YRBSS, and how the results from the YRBS are used for the YRBSS.	
2. Response Rate	3
Provides the school, student, and overall response rates for the 2005 National YRBS.	
3. Data Edits	4
Describes the procedures that were used to edit the 2005 National YRBS data sets to ensure data quality and consistency.	
3.1. Single question edits	
3.2. Height, weight and body mass index (BMI) edits	
3.2.1. Height and weight edits	
3.2.2. BMI edits	
3.2.3. Biologically implausible value edits	
3.3. Logical edits	
3.4. Subversion of records	
4. Variables	8
Describes how the race/ethnicity, overweight, risk for becoming overweight, and other dichotomous variables were calculated.	
4.1. Race/ethnicity	
4.2. Weight percentile, overweight, and risk for becoming overweight	
4.3. Dichotomous variables	
4.3.1. Summary (QN#) variables	
4.3.2. Supplemental (QNword) variables	
4.4. Data analysis variables	
4.4.1. Weight	
4.4.2. Stratum	
4.4.3. Primary sampling unit (PSU)	
5. Analysis Software Requirements	40
Explains the requirements for software that can precisely calculate sampling variances for cluster sample designs that must be used when analyzing YRBS data.	
6. Codebook	41
Describes the format of the public-use data files. Included variable location in the data sets (i.e. column positions), variable names, question wording, unweighted frequencies, and weighted percentages for all questions and supplemental variables.	
7. User Support	82

**United States High School Survey
Data Users Manual**

1. Introduction to the YRBSS

The Youth Risk Behavior Surveillance System (YRBSS) is an epidemiologic surveillance system established by the Centers for Disease Control and Prevention (CDC) to monitor the prevalence of youth behaviors that most influence health.

The YRBSS focuses on priority health-risk behaviors established during youth that result in the most significant mortality, morbidity, disability, and social problems during both youth and adulthood. These include: behaviors that result in unintentional and intentional injuries; tobacco use; alcohol and other drug use; sexual behaviors that result in HIV infection, other sexually-transmitted diseases (STDs), and unintended pregnancies; dietary behaviors; and physical activity, plus overweight and asthma.

Results from the YRBSS will be used by CDC to: (1) monitor how priority health-risk behaviors among high school students (grades 9-12) increase, decrease, or remain the same over time; (2) evaluate the impact of broad national, state, and local efforts to prevent priority health-risk behaviors; and (3) monitor progress in achieving relevant national health objectives for the year 2010. Results also will be used to help focus school health programs and policies on the behaviors that contribute most to the leading causes of mortality and morbidity.

The National Youth Risk Behavior Survey (YRBS) uses a three-stage cluster sample design to produce a representative sample of 9th through 12th grade students. The target population consisted of all public, Catholic, and other private school students in grades 9 through 12. A weighting factor was applied to each student record to adjust for nonresponse and the oversampling of black and Hispanic students in the sample. The final, overall weights were scaled so the weighted count of students was equal to the total sample size, and the weighted proportions of students in each grade matched population projections for each survey year. Because of the complexity of the cluster sampling design used, a statistical software package that can calculate sampling variance appropriately must be used. This document provides the information needed to correctly use and analyze the 2005 National YRBS.

**United States High School Survey
Data Users Manual**

2. Response Rate

School Level – All regular public, Catholic, and other private school students, in grades 9 through 12, in the 50 States and the District of Columbia were included in the sampling frame. Puerto Rico, the trust territories, and the Virgin Islands were excluded from the frame. Schools were selected systematically with probability proportional to enrollment in grades 9 through 12 using a random start. Two hundred and three schools were sampled.

Class Level – All classes in a required subject or all classes meeting during a particular period of the day, depending on the school, were included in the sampling frame. Systematic equal probability sampling with a random start was used to select classes from each school that participated in the survey.

Response Rates:

Schools -	78%	159 of the 203 sampled schools participated.
Students -	86%	13,953 of the 16,262 sampled students submitted questionnaires. 13,917 questionnaires were usable after data editing.
Overall response rate -	$78\% * 86\% = 67\%$	

United States High School Survey Data Users Manual

3. Data Edits

Describes the procedures used to edit the 2005 National YRBS data to ensure data quality. Editing consists of checking responses for range, height/weight plausibility, and logical consistency.

3.1. Single question edits

If the response to a question does not correspond to one of the possible responses, the response for that question is invalid and is set to missing. This can occur if the only response options for a question are “A” or “B” and the response recorded is “C”, “D”, “E”, “F”, “G”, or “H”, for example.

If more than one response is selected for a question, the response for that question is invalid and is set to missing. The one exception is the race question, which can have multiple responses.

3.2. Height, weight, and body mass index (BMI) Edits

3.2.1. Height/weight edits:

Height is read as a three-column character variable. It is not compressed or justified by the scanning program. The possible responses for the first column range from “3” to “7” and indicate feet; the possible responses for the second and third columns range from “00” to “11” and indicate inches. The height in feet and inches is converted to height in meters using the formula below.

$$\text{Height (in m)} = [(\text{feet} \times 12) + \text{inches}] \times 0.0254 \text{ m/in}$$

If either feet or inches is not filled in or is unreadable, then *Height* is set to missing.

Weight is read as a three-column character variable. It is not compressed or justified by the scanning program. The first column indicates 100s of pounds ranging from “0” to “3”; the second column indicates 10s of pounds and ranges from “0” to “9”; the third column indicates single pounds and ranges from “0” to “9”. The weight in pounds is then converted to weight in kilograms using the following formula:

$$\text{Weight (in kg)} = \text{Weight (in lbs)} \times 0.4536 \text{ kg/lb}$$

If any weight-related column is left blank or is unreadable, all columns are set to missing and *Weight* is set to missing.

Both *Height* and *Weight* are required to calculate the student’s *body mass index (BMI)*. If *Weight* is missing or set to missing, then *Height* is set to missing and if *Height* is missing or set to missing, then *Weight* is set to missing.

3.2.2. BMI edits:

BMI is calculated using *Height* and *Weight* in the following formula:

$$\text{BMI} = \text{kg/m}^2 = \text{Weight (in kg)} / [\text{Height (in m)}^2]$$

If *Height* or *Weight* are missing, BMI is set to missing

If age or sex is missing, *Height*, *Weight*, and BMI are set to missing because the biologically implausible limits (see section 3.2.3) are based on age and sex.

United States High School Survey
Data Users Manual

3.2.3. Biologically implausible value edits:

When the basic edits for BMI are complete, further edits are applied to *Height*, *Weight*, and *BMI* to ensure the results are biologically plausible. *Height*, *Weight*, and *BMI* are set to missing when an observation lies outside the following limits developed by the Division of Nutrition and Physical Activity, CDC.

Age	Males	Females
≤ 12	Weight: 20.41-136.08 kg Height: 1.02-1.83 m BMI: 11.5-41	Weight: 15.88-136.08 kg Height: 1.02-1.83 m BMI: 11-40
13-14	Weight: 27.22-181.44 kg Height: 1.27-1.98 m BMI: 13-55	Weight: 27.22-181.44 kg Height: 1.27-1.98 m BMI: 13-55
≥ 15	Weight: 31.75-181.44 kg Height: 1.27-2.11 m BMI: 13-55	Weight: 27.22-181.44 kg Height: 1.27-1.98 m BMI: 13-55

3.3. Logical consistency edits

The majority of the edit criteria compare two questions at a time to ensure logical consistency. If responses from two questions conflict logically, both variables are set to blank. (Exception – demographic variables are not set to missing in this case, only the non-demographic variable(s).)

The logical edits used for the 2005 National YRBS questionnaire follow. If the edit criteria are met, data from the questions are changed to missing, unless they are demographic questions.

2005 National YRBS Edit Criteria

Weapon Carrying

1. If q12 = a and q13 = b, c, d, or e
2. If q12 = b and q13 = c, d, or e
3. If q12 = c and q13 = d or e
4. If q12 = d and q13 = e
5. If q12 = a and q14 = b, c, d, or e
6. If q12 = b and q14 = c, d, or e
7. If q12 = c and q14 = d or e
8. If q12 = d and q14 = e

Fighting

9. If q18 = a and q19 = b, c, d, or e
10. If q18 = b and q19 = c, d, or e
11. If q18 = c and q19 = d or e
12. If q18 = d and q19 = e
13. If q18 = a and q20 = b, c, d, e, f, g, or h
14. If q18 = b and q20 = c, d, e, f, g, or h
15. If q18 = c and q20 = d, e, f, g, or h
16. If q18 = d and q20 = e, f, g, or h
17. If q18 = e and q20 = f, g, or h
18. If q18 = f and q20 = g or h

19. If q18 = g and q20 = h

Attempted Suicide

20. If q26 = a and q27 = b or c
21. If q27 = a and q26 = b, c, d, or e

Tobacco Use

22. If q1 = a and q29 = e, f, or g
23. If q1 = b and q29 = f or g
24. If q1 = c and q29 = f or g
25. If q1 = d and q29 = g
26. If q1 = e and q29 = g
27. If q28 = b and q29 = b, c, d, e, f, or g
28. If q28 = b and q30 = b, c, d, e, f, or g
29. If q28 = b and q31 = b, c, d, e, f, or g
30. If q28 = b and q32 = b, c, d, e, f, g, or h
31. If q28 = b and q33 = b, c, d, e, f, or g
32. If q28 = b and q34 = a
33. If q28 = b and q35 = b
34. If q29 = a and q31 = c, d, e, f, or g
35. If q29 = a and q34 = a

United States High School Survey Data Users Manual

36. If q29 = a and q35 = b
37. If q30 = a and q31 = b, c, d, e, f, or g
38. If q30 = a and q32 = b, c, d, e, f, g, or h
39. If q30 = a and q33 = b, c, d, e, f, or g
40. If q30 = b and q33 = c, d, e, f, or g
41. If q30 = c and q33 = d, e, f, or g
42. If q30 = d and q33 = e, f, or g
43. If q30 = e and q33 = f or g
44. If q30 = f and q33 = g
45. If q31 = a and q30 = b, c, d, e, f, or g
46. If q31 = a and q32 = b, c, d, e, f, g, or h
47. If q31 = a and q33 = b, c, d, e, f, or g
48. If q32 = a and q30 = b, c, d, e, f, or g
49. If q32 = a and q31 = b, c, d, e, f, or g
50. If q32 = a and q33 = b, c, d, e, f, or g
51. If q35 = a and q30 = b, c, d, e, f, or g
52. If q35 = a and q31 = b, c, d, e, f, or g
53. If q35 = a and q32 = b, c, d, e, f, g, or h
54. If q35 = a and q33 = b, c, d, e, f, or g
55. If q36 = a and q37 = b, c, d, e, f, or g
56. If q36 = b and q37 = c, d, e, f, or g
57. If q36 = c and q37 = d, e, f, or g
58. If q36 = d and q37 = e, f, or g
59. If q36 = e and q37 = f or g
60. If q36 = f and q37 = g

Alcohol Use

61. If q1 = a and q40 = e, f, or g
62. If q1 = b and q40 = f or g
63. If q1 = c and q40 = f or g
64. If q1 = d and q40 = g
65. If q1 = e and q40 = g
66. If q39 = a and q11 = b, c, d, or e
67. If q39 = a and q40 = b, c, d, e, f, or g
68. If q39 = a and q41 = b, c, d, e, f, or g
69. If q39 = b and q41 = c, d, e, f, or g
70. If q39 = c and q41 = e, f, or g
71. If q39 = d and q41 = f or g
72. If q39 = a and q42 = b, c, d, e, f, or g
73. If q39 = b and q42 = d, e, f, or g
74. If q39 = c and q42 = f or g
75. If q39 = d and q42 = g
76. If q39 = a and q43 = b, c, d, e, f, or g
77. If q39 = b and q43 = c, d, e, f, or g
78. If q39 = c and q43 = e, f, or g
79. If q39 = d and q43 = f or g
80. If q40 = a and q11 = b, c, d, or e
81. If q40 = a and q39 = b, c, d, e, f, or g
82. If q40 = a and q41 = b, c, d, e, f, or g
83. If q40 = a and q42 = b, c, d, e, f, or g

84. If q40 = a and q43 = b, c, d, e, f, or g
85. If q41 = a and q11 = b, c, d, or e
86. If q41 = a and q42 = b, c, d, e, f, or g
87. If q41 = b and q42 = d, e, f, or g
88. If q41 = c and q42 = e, f, or g
89. If q41 = d and q42 = f or g
90. If q41 = e and q42 = g
91. If q41 = a and q43 = b, c, d, e, f, or g
92. If q41 = b and q43 = c, d, e, f, or g
93. If q41 = c and q43 = d, e, f, or g
94. If q41 = d and q43 = e, f, or g
95. If q41 = e and q43 = f or g
96. If q41 = f and q43 = g

Marijuana Use

97. If q1 = a and q45 = e, f, or g
98. If q1 = b and q45 = f or g
99. If q1 = c and q45 = f or g
100. If q1 = d and q45 = g
101. If q1 = e and q45 = g
102. If q44 = a and q45 = b, c, d, e, f, or g
103. If q44 = a and q46 = b, c, d, e, or f
104. If q44 = b and q46 = c, d, e, or f
105. If q44 = c and q46 = d, e, or f
106. If q44 = d and q46 = e or f
107. If q44 = e and q46 = f
108. If q44 = a and q47 = b, c, d, e, or f
109. If q44 = b and q47 = c, d, e, or f
110. If q44 = c and q47 = d, e, or f
111. If q44 = d and q47 = e or f
112. If q44 = e and q47 = f
113. If q45 = a and q44 = b, c, d, e, f, or g
114. If q45 = a and q46 = b, c, d, e, or f
115. If q45 = a and q47 = b, c, d, e, or f
116. If q46 = a and q47 = b, c, d, e, or f
117. If q46 = b and q47 = c, d, e, or f
118. If q46 = c and q47 = d, e, or f
119. If q46 = d and q47 = e or f
120. If q46 = e and q47 = f

Cocaine and Other Drugs

121. If q48 = a and q49 = b, c, d, e, or f
122. If q48 = b and q49 = c, d, e, or f
123. If q48 = c and q49 = d, e, or f
124. If q48 = d and q49 = e or f
125. If q48 = e and q49 = f

Sexual Behavior

126. If q1 = a and q58 = d, e, f, g, or h
127. If q1 = b and q58 = e, f, g, or h

United States High School Survey
Data Users Manual

- | | |
|--|--|
| 128. If q1 = c and q58 = f, g, or h | 158. If q60 = a and q58 = b, c, d, e, f, g, or h |
| 129. If q1 = d and q58 = g or h | 159. If q60 = a and q59 = b, c, d, e, f, or g |
| 130. If q1 = e and q58 = h | 160. If q60 = a and q61 = b or c |
| 131. If q57 = a and q58 = a | 161. If q60 = a and q62 = b or c |
| 132. If q57 = b and q58 = b, c, d, e, f, g, or h | 162. If q60 = a and q63 = b, c, d, e, f, g, or h |
| 133. If q57 = a and q59 = a | 163. If q61 = a and q58 = b, c, d, e, f, g, or h |
| 134. If q57 = b and q59 = b, c, d, e, f, or g | 164. If q61 = a and q59 = b, c, d, e, f, or g |
| 135. If q57 = a and q60 = a | 165. If q61 = a and q60 = b, c, d, e, f, g, or h |
| 136. If q57 = b and q60 = b, c, d, e, f, g, or h | 166. If q61 = a and q62 = b or c |
| 137. If q57 = a and q61 = a | 167. If q61 = a and q63 = b, c, d, e, f, g, or h |
| 138. If q57 = b and q61 = b or c | 168. If q62 = a and q58 = b, c, d, e, f, g, or h |
| 139. If q57 = a and q62 = a | 169. If q62 = a and q59 = b, c, d, e, f, or g |
| 140. If q57 = b and q62 = b or c | 170. If q62 = a and q60 = b, c, d, e, f, g, or h |
| 141. If q57 = a and q63 = a | 171. If q62 = a and q61 = b or c |
| 142. If q57 = b and q63 = b, c, d, e, f, g, or h | 172. If q62 = a and q63 = b, c, d, e, f, g, or h |
| 143. If q58 = a and q59 = b, c, d, e, f, or g | 173. If q62 = c and q63 = d |
| 144. If q58 = a and q60 = b, c, d, e, f, g, or h | 174. If q63 = a and q58 = b, c, d, e, f, g, or h |
| 145. If q58 = a and q61 = b or c | 175. If q63 = a and q59 = b, c, d, e, f, or g |
| 146. If q58 = a and q62 = b or c | 176. If q63 = a and q60 = b, c, d, e, f, g, or h |
| 147. If q58 = a and q63 = b, c, d, e, f, g, or h | 177. If q63 = a and q61 = b or c |
| 148. If q59 = a and q58 = b, c, d, e, f, g, or h | 178. If q63 = a and q62 = b or c |
| 149. If q59 = a and q60 = b, c, d, e, f, g, or h | Physical Activity |
| 150. If q59 = b and q60 = d, e, f, g, or h | 179. If q82 = a and q83 = b, c, d, e, f, g, or h |
| 151. If q59 = c and q60 = e, f, g, or h | 180. If q83 = a and q82 = b, c, d, e, or f |
| 152. If q59 = d and q60 = f, g, or h | |
| 153. If q59 = e and q60 = g or h | |
| 154. If q59 = f and q60 = h | |
| 155. If q59 = a and q61 = b or c | |
| 156. If q59 = a and q62 = b or c | |
| 157. If q59 = a and q63 = b, c, d, e, f, g, or h | |

Sex and Alcohol or Drugs

181. If q61 = b and q39 = a and q44 = a
and q48 = a and q50 = a and q51 = a
and q52 = a and q53 = a

3.4. Subversion of records

Records are marked “subverted” when there are more than 50 total questions and if a respondent answers 20 or less questions or answers with b, c, d, e, f, g, or h 15 or more times in a row, all values except the demographic variables are set to missing. Subverting records eliminates records judged too incomplete overall to be valid for analysis.

United States High School Survey Data Users Manual

4. Variables

Describes how the race/ethnicity, overweight, risk of overweight, and dichotomous variables were generated from the original survey questions.

4.1. Race/ethnicity calculation

Race/ethnicity for the national 2005 YRBS is computed from the following two questions.

- | | |
|----|---|
| Q4 | Are you Hispanic or Latino? |
| | A. Yes |
| | B. No |
| Q5 | What is your race (Select one or more responses.) |
| | A. American Indian or Alaska Native |
| | B. Asian |
| | C. Black or African American |
| | D. Native Hawaiian or Other Pacific Islander |
| | E. White |

The data for Q4 and Q5 are scanned in as *ethorig* and *raceorig*, respectively. *Ethorig* is a single column variable with either A or B as valid responses. *Raceorig* is a “check all that apply” type question and is scanned into a five-column variable. If the respondent selected “A”, then the first column contains an “A”. If they selected “B”, then the second column contains a “B”, and so on.

To maintain comparability with the 2005 state and local results and the prior years’ results, which used a single question to ascertain race/ethnicity, *ethorig* and *raceorig* are combined to create the six-column *q4_orig* variable. If the value in *ethorig* was “A”, the respondent was classified as Hispanic and a “D” was placed in the fourth column of the *q4_orig* variable. The remaining columns were filled in based on the values for *raceorig*: an “A” is placed in the first column, if the respondent selected “A”; if they selected “B”, then the second column contains a “B”; and if they answered “C”, the third column contains a “C”. To adjust for placing a “D” in the fourth column based on *ethorig*, the remaining answers for *raceorig* (“D” and “E”) were recoded. If the respondent answered “D”, an “E” was placed in the fifth column; and if they selected “E”, an “F” was placed in the sixth column.

Q4_orig is an intermediate processing variable and is used to create the variable *Race* during processing. *Race* is stored as a single column character variable. If the respondent selected only one response option, then *Race* is set as a number between “1” and “6” depending on the option selected. If they selected more than one response and included Hispanic, then *Race* is set to “7” indicating “Multiple – Hispanic”. If they selected more than one response and did not include Hispanic, then *Race* is set to “8” indicating “Multiple – Non-Hispanic”. *Race* is “missing” if they did not select any response, if they left Q4 blank, or if they answered “No” to Q4 without selecting a response for Q5. Please note that 2,212 students completed a state or local YRBS questionnaire instead of the National YRBS questionnaire. The records for these students will have only the *q4_orig* variable as their surveys used only a single question to determine race/ethnicity.

2005 YOUTH RISK BEHAVIOR SURVEY

United States High School Survey
Data Users Manual

<i>Ethorig</i>	<i>Raceorig</i>	<i>Q4_orig</i>	<i>Race (Label)</i>
B	A	A	1 (American Indian/Alaskan Native)
B	B	B	2 (Asian)
B	C	C	3 (Black or African American)
A	Missing	D	4 (Hispanic)
B	D	E	5 (Native Hawaiian or Other Pacific Islander)
B	E	F	6 (White)
A	1 or more responses	DE*	7 (Multiple– Hispanic)
B	2 or more responses	B E**	8 (Multiple– Non-Hispanic)
B	Missing	Missing	Missing
Missing	A or B or C or D or E	Missing	Missing
Missing	Missing	Missing	Missing

*This would be *Q4_orig* when *Ethorig* is “A - Yes” and *Raceorig* is “D – Native Hawaiian or Other Pacific Islander.”

**This would be *Q4_orig* when *Ethorig* is “B - No” and *Raceorig* is “B – Asian” and “D – Native Hawaiian or Other Pacific Islander.”

4.2. Percentile, Overweight, and At Risk for Becoming Overweight Calculations

Age (Q1), Sex (Q2), and BMI are used to determine *At Risk for Becoming Overweight* (QNROVWGT) and *Overweight* (QNOVWGT) status. The respondent is considered at risk for becoming overweight, and QNROVWGT is set to “1”, when BMI percentile is at or above the 85th percentile and below the 95th percentile for BMI by age and sex; QNROVWGT is set to “2” otherwise. The respondent is considered overweight, and QNOVWGT is set to “1”, when BMI percentile is at or above the 95th percentile for BMI by age and sex; QNOVWGT is set to “2” otherwise. If BMI is missing, then QNROVWGT and QNOVWGT are set to missing. QNROVWGT and QNOVWGT are mutually exclusive. The BMI percentile for age and sex (BMIPCT), QNROVWGT, and QNOVWGT variables are included in the edited data set.

For the 2005 YRBS, the SAS Program for the CDC Growth Charts has been used to calculate BMI and BMI percentile for age and sex, and generate QNROVWGT and QNOVWGT. This program is posted on CDC’s Division of Nutrition and Physical Activity website (<http://www.cdc.gov/nccdphp/dnpa/growthcharts/sas.htm>) and is available for use by anyone who would like to regenerate the variables. Please note the units required by the SAS program are specified in the documentation available at the website referenced above. YRBS data for height are stored in meters but the program requires height in centimeters.

United States High School Survey
Data Users Manual

4.3. Dichotomous variable calculations

There are two types of dichotomous variables - **QN#** and **QNword**. The dichotomous variables present the percent of students answering the predetermined response(s) of interest (ROI). Students answering the ROI(s) are in the numerator. The denominator is either all respondents or a subset of respondents who have indicated they participate in a selected activity or behavior. Students must have provided logically consistent data to be included in any dichotomous variable calculations. Therefore students with missing responses or who had their answers subverted are not included. The variables are created and added to the master dataset during editing.

4.3.1. Summary (QN#) variables:

Each standard question has an accompanying dichotomous variable. The name of the dichotomous variable corresponds to the original question number. For example, the dichotomous variable for Q10 is named QN10. The table below provides the question and response options used for each standard Q# variable and related QN# variable. The bolded responses indicate the ROIs for that question and are also listed in the numerator description. The ROIs are set to “1” for the QN# variables; the remaining responses are set to “2” or to “missing” for the QN# variable. For the subset dichotomous variables, the response that removes the respondent from the denominator is *italicized*. The numerator and denominator are further defined below the responses. Site-added questions and the corresponding QN#s are not included in this document.

<p>Q7:</p>	<p>How do you describe your health in general?</p> <p>A. Excellent</p> <p>B. Very good</p> <p>C. Good</p> <p>D. Fair</p> <p>E. Poor</p>
<p>QN7:</p>	<p><u>Numerator:</u> Students who answered D or E.</p> <p><u>Denominator:</u> Students who answered A through E.</p> <p><u>Summary Text:</u> Percentage of students who described their general health as fair or poor</p>
<p>Q8:</p>	<p>When you rode a bicycle during the past 12 months, how often did you wear a helmet?</p> <p>A. <i>I did not ride a bicycle during the past 12 months</i></p> <p>B. Never wore a helmet</p> <p>C. Rarely wore a helmet</p> <p>D. Sometimes wore a helmet</p> <p>E. Most of the time wore a helmet</p> <p>F. Always wore a helmet</p>
<p>QN8:</p>	<p><u>Numerator:</u> Students who answered B or C.</p> <p><u>Denominator:</u> Students who answered B through F; students who answered A are excluded from the calculation.</p> <p><u>Summary Text:</u> Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet</p>

United States High School Survey
Data Users Manual

<p>Q9:</p> <p>QN9:</p>	<p>How often do you wear a seat belt when riding in a car driven by someone else?</p> <p>A. Never B. Rarely C. Sometimes D. Most of the time E. Always</p> <p><u>Numerator:</u> Students who answered A or B. <u>Denominator:</u> Students who answered A through E. <u>Summary Text:</u> Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else</p>
<p>Q10:</p> <p>QN10:</p>	<p>During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</p> <p>A. 0 times B. 1 time C. 2 or 3 times D. 4 or 5 times E. 6 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, or E. <u>Denominator:</u> Students who answered A through E. <u>Summary Text:</u> Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days</p>
<p>Q11:</p> <p>QN11:</p>	<p>During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</p> <p>A. 0 times B. 1 time C. 2 or 3 times D. 4 or 5 times E. 6 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, or E. <u>Denominator:</u> Students who answered A through E. <u>Summary Text:</u> Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days</p>

2005 YOUTH RISK BEHAVIOR SURVEY

United States High School Survey
Data Users Manual

Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club? A. 0 days B. 1 day C. 2 or 3 days D. 4 or 5 days E. 6 or more days
QN12:	<u>Numerator:</u> Students who answered B, C, D, or E. <u>Denominator:</u> Students who answered A through E. <u>Summary Text:</u> Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days
Q13:	During the past 30 days, on how many days did you carry a gun? A. 0 days B. 1 day C. 2 or 3 days D. 4 or 5 days E. 6 or more days
QN13:	<u>Numerator:</u> Students who answered B, C, D, or E. <u>Denominator:</u> Students who answered A through E. <u>Summary Text:</u> Percentage of students who carried a gun on one or more of the past 30 days
Q14:	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? A. 0 days B. 1 day C. 2 or 3 days D. 4 or 5 days E. 6 or more days
QN14:	<u>Numerator:</u> Students who answered B, C, D, or E. <u>Denominator:</u> Students who answered A through E. <u>Summary Text:</u> Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

United States High School Survey
Data Users Manual

<p>Q15:</p> <p>QN15:</p>	<p>During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</p> <p>A. 0 days B. 1 day C. 2 or 3 days D. 4 or 5 days E. 6 or more days</p> <p><u>Numerator:</u> Students who answered B, C, D, or E. <u>Denominator:</u> Students who answered A through E. <u>Summary Text:</u> Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days</p>
<p>Q16:</p> <p>QN16:</p>	<p>During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</p> <p>A. 0 times B. 1 time C. 2 or 3 times D. 4 or 5 times E. 6 or 7 times F. 8 or 9 times G. 10 or 11 times H. 12 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, G, or H. <u>Denominator:</u> Students who answered A through H. <u>Summary Text:</u> Percentages of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months</p>
<p>Q17:</p> <p>QN17:</p>	<p>During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?</p> <p>A. 0 times B. 1 time C. 2 or 3 times D. 4 or 5 times E. 6 or 7 times F. 8 or 9 times G. 10 or 11 times H. 12 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, G, or H. <u>Denominator:</u> Students who answered A through H. <u>Summary Text:</u> Percentage of students who had property such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months</p>

United States High School Survey
Data Users Manual

<p>Q18:</p> <p>QN18:</p>	<p>During the past 12 months, how many times were you in a physical fight?</p> <p>A. 0 times B. 1 time C. 2 or 3 times D. 4 or 5 times E. 6 or 7 times F. 8 or 9 times G. 10 or 11 times H. 12 or more times</p> <p><u>Numerator</u>: Students who answered B, C, D, E, F, G, or H. <u>Denominator</u>: Students who answered A through H. <u>Summary Text</u>: Percentage of students who were in a physical fight one or more times during the past 12 months</p>
<p>Q19:</p> <p>QN19:</p>	<p>During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</p> <p>A. 0 times B. 1 time C. 2 or 3 times D. 4 or 5 times E. 6 or more times</p> <p><u>Numerator</u>: Students who answered B, C, D, or E. <u>Denominator</u>: Students who answered A through E. <u>Summary Text</u>: Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months</p>
<p>Q20:</p> <p>QN20:</p>	<p>During the past 12 months, how many times were you in a physical fight on school property?</p> <p>A. 0 times B. 1 time C. 2 or 3 times D. 4 or 5 times E. 6 or 7 times F. 8 or 9 times G. 10 or 11 times H. 12 or more times</p> <p><u>Numerator</u>: Students who answered B, C, D, E, F, G, or H. <u>Denominator</u>: Students who answered A through H. <u>Summary Text</u>: Percentage of students who were in a physical fight on school property one or more times during the past 12 months</p>

2005 YOUTH RISK BEHAVIOR SURVEY

United States High School Survey
Data Users Manual

Q21:	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose? A. Yes B. No
QN21:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months
Q22:	Have you ever been physically forced to have sexual intercourse when you did not want to? A. Yes B. No
QN22:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to
Q23:	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? A. Yes B. No
QN23:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months
Q24:	During the past 12 months, did you ever seriously consider attempting suicide? A. Yes B. No
QN24:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who seriously considered attempting suicide during the past 12 months
Q25:	During the past 12 months, did you make a plan about how you would attempt suicide? A. Yes B. No
QN25:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who made a plan about how they would attempt suicide during the past 12 months

2005 YOUTH RISK BEHAVIOR SURVEY

United States High School Survey
Data Users Manual

Q26:	During the past 12 months, how many times did you actually attempt suicide? A. 0 times B. 1 time C. 2 or 3 times D. 4 or 5 times E. 6 or more times
QN26:	<u>Numerator:</u> Students who answered B, C, D, or E. <u>Denominator:</u> Students who answered A through E. <u>Summary Text:</u> Percentage of students who actually attempted suicide one or more times during the past 12 months
Q27:	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse? A. I did not attempt suicide during the past 12 months B. Yes C. No
QN27:	<u>Numerator:</u> Students who answered B. <u>Denominator:</u> Students who answered A through C. <u>Summary Text:</u> Percentage of students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months
Q28:	Have you ever tried cigarette smoking, even one or two puffs? A. Yes B. No
QN28:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who ever tried cigarette smoking, even one or two puffs
Q29:	How old were you when you smoked a whole cigarette for the first time? A. I have never smoked a whole cigarette B. 8 years old or younger C. 9 or 10 years old D. 11 or 12 years old E. 13 or 14 years old F. 15 or 16 years old G. 17 years old or older
QN29:	<u>Numerator:</u> Students who answered B, C, or D. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who smoked a whole cigarette for the first time before age 13 years

United States High School Survey
Data Users Manual

<p>Q30: During the past 30 days, on how many days did you smoke cigarettes? A. 0 days B. 1 or 2 days C. 3 to 5 days D. 6 to 9 days E. 10 to 19 days F. 20 to 29 days G. All 30 days</p> <p>QN30: <u>Numerator</u>: Students who answered B, C, D, E, F, or G. <u>Denominator</u>: Students who answered A through G. <u>Summary Text</u>: Percentage of students who smoked cigarettes on one or more of the past 30 days</p>
<p>Q31: During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? <i>A. I did not smoke cigarettes during the past 30 days</i> B. Less than 1 cigarette per day C. 1 cigarette per day D. 2 to 5 cigarettes per day E. 6 to 10 cigarettes per day F. 11 to 20 cigarettes per day G. More than 20 cigarettes per day</p> <p>QN31: <u>Numerator</u>: Students who answered F or G. <u>Denominator</u>: Students who answered B through G; students who answered A are excluded from the calculation. <u>Summary Text</u>: Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days</p>

United States High School Survey
Data Users Manual

<p>Q32:</p>	<p>During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)</p> <p>A. I did not smoke cigarettes during the past 30 days</p> <p>B. I bought them in a store such as a convenience store, supermarket, discount store, or gas station</p> <p>C. I bought them from a vending machine</p> <p>D. I gave someone else money to buy them for me</p> <p>E. I borrowed (or bummed) them from someone else</p> <p>F. A person 18 years old or older gave them to me</p> <p>G. I took them from a store or family member</p> <p>H. I got them some other way</p>
<p>QN32:</p>	<p><u>Numerator:</u> Students who answered B.</p> <p><u>Denominator:</u> Students who answered B, C, D, E, F, or G for Q30 and answered A through F for Q1; students who did not answer or answered A for Q30, and students who either did not answer or answered G for Q1 are excluded from the calculation.</p> <p><u>Summary Text:</u> Among students who are less than 18 years of age and who are current smokers, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days</p>
<p>Q33:</p>	<p>During the past 30 days, on how many days did you smoke cigarettes on school property?</p> <p>A. 0 days</p> <p>B. 1 or 2 days</p> <p>C. 3 to 5 days</p> <p>D. 6 to 9 days</p> <p>E. 10 to 19 days</p> <p>F. 20 to 29 days</p> <p>G. All 30 days</p>
<p>QN33:</p>	<p><u>Numerator:</u> Students who answered B, C, D, E, F, or G.</p> <p><u>Denominator:</u> Students who answered A through G.</p> <p><u>Summary Text:</u> Percentage of students who smoked cigarettes on school property on one or more of the past 30 days</p>
<p>Q34:</p>	<p>Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</p> <p>A. Yes</p> <p>B. No</p>
<p>QN34:</p>	<p><u>Numerator:</u> Students who answered A.</p> <p><u>Denominator:</u> Students who answered A or B.</p> <p><u>Summary Text:</u> Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days</p>

United States High School Survey
Data Users Manual

<p>Q35:</p> <p>QN35:</p>	<p>During the past 12 months, did you ever try to quit smoking cigarettes? <i>A. I did not smoke during the past 12 months</i> B. Yes C. No</p> <p><u>Numerator:</u> Students who answered B. <u>Denominator:</u> Students who report that they are a current smoker (Q30 = B through G); students who answer A for Q30 or A for Q35 are excluded from the calculation. <u>Summary Text:</u> Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months</p>
<p>Q36:</p> <p>QN36:</p>	<p>During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen? A. 0 days B. 1 or 2 days C. 3 to 5 days D. 6 to 9 days E. 10 to 19 days F. 20 to 29 days G. All 30 days</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days</p>
<p>Q37:</p> <p>QN37:</p>	<p>During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property? A. 0 days B. 1 or 2 days C. 3 to 5 days D. 6 to 9 days E. 10 to 19 days F. 20 to 29 days G. All 30 days</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days</p>

2005 YOUTH RISK BEHAVIOR SURVEY

United States High School Survey
Data Users Manual

Q38:	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars? A. 0 days B. 1 or 2 days C. 3 to 5 days D. 6 to 9 days E. 10 to 19 days F. 20 to 29 days G. All 30 days
QN38:	<u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days
Q39:	During your life, on how many days have you had at least one drink of alcohol? A. 0 days B. 1 or 2 days C. 3 to 9 days D. 10 to 19 days E. 20 to 39 days F. 40 to 99 days G. 100 or more days
QN39:	<u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who had at least one drink of alcohol on one or more days during their life
Q40:	How old were you when you had your first drink of alcohol other than a few sips? A. I have never had a drink of alcohol other than a few sips B. 8 years old or younger C. 9 or 10 years old D. 11 or 12 years old E. 13 or 14 years old F. 15 or 16 years old G. 17 years old or older
QN40:	<u>Numerator:</u> Students who answered B, C, or D. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

United States High School Survey
Data Users Manual

<p>Q41:</p> <p>QN41:</p>	<p>During the past 30 days, on how many days did you have at least one drink of alcohol?</p> <p>A. 0 days B. 1 or 2 days C. 3 to 5 days D. 6 to 9 days E. 10 to 19 days F. 20 to 29 days G. All 30 days</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who had at least one drink of alcohol on one or more of the past 30 days</p>
<p>Q42:</p> <p>QN42:</p>	<p>During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</p> <p>A. 0 days B. 1 day C. 2 days D. 3 to 5 days E. 6 to 9 days F. 10 to 19 days G. 20 or more days</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days</p>
<p>Q43:</p> <p>QN43:</p>	<p>During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</p> <p>A. 0 days B. 1 or 2 days C. 3 to 5 days D. 6 to 9 days E. 10 to 19 days F. 20 to 29 days G. All 30 days</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days</p>

United States High School Survey
Data Users Manual

<p>Q44: During your life, how many times have you used marijuana? A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 to 99 times G. 100 or more times</p> <p>QN44: <u>Numerator</u>: Students who answered B, C, D, E, F, or G. <u>Denominator</u>: Students who answered A through G. <u>Summary Text</u>: Percentage of students who used marijuana one or more times during their life</p>
<p>Q45: How old were you when you tried marijuana for the first time? A. I have never tried marijuana B. 8 years old or younger C. 9 or 10 years old D. 11 or 12 years old E. 13 or 14 years old F. 15 or 16 years old G. 17 years old or older</p> <p>QN45: <u>Numerator</u>: Students who answered B, C, or D. <u>Denominator</u>: Students who answered A through G. <u>Summary Text</u>: Percentage of students who tried marijuana for the first time before age 13 years</p>
<p>Q46: During the past 30 days, how many times did you use marijuana? A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p>QN46: <u>Numerator</u>: Students who answered B, C, D, E, or F. <u>Denominator</u>: Students who answered A through F. <u>Summary Text</u>: Percentage of students who used marijuana one or more times during the past 30 days</p>

United States High School Survey
Data Users Manual

<p>Q47:</p> <p>QN47:</p>	<p>During the past 30 days, how many times did you use marijuana on school property?</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, E, or F. <u>Denominator:</u> Students who answered A through F. <u>Summary Text:</u> Percentage of students who used marijuana on school property one or more times during the past 30 days</p>
<p>Q48:</p> <p>QN48:</p>	<p>During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, E, or F. <u>Denominator:</u> Students who answered A through F. <u>Summary Text:</u> Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life</p>
<p>Q49:</p> <p>QN49:</p>	<p>During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, E, or F. <u>Denominator:</u> Students who answered A through F. <u>Summary Text:</u> Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days</p>

United States High School Survey
Data Users Manual

<p>Q50:</p> <p>QN50:</p>	<p>During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, E, or F. <u>Denominator:</u> Students who answered A through F. <u>Summary Text:</u> Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life</p>
<p>Q51:</p> <p>QN51:</p>	<p>During your life, how many times have you used heroin (also called smack, junk, or China White)?</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, E, or F. <u>Denominator:</u> Students who answered A through F. <u>Summary Text:</u> Percentage of students who used heroin one or more times during their life</p>
<p>Q52:</p> <p>QN52:</p>	<p>During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p> <p><u>Numerator:</u> Students who answered B, C, D, E, or F. <u>Denominator:</u> Students who answered A through F. <u>Summary Text:</u> Percentage of students who used methamphetamines one or more times during their life</p>

United States High School Survey
Data Users Manual

Q53:	<p>During your life, how many times have you used ecstasy (also called MDMA)?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p>
QN53:	<p><u>Numerator</u>: Students who answered B, C, D, E, or F.</p> <p><u>Denominator</u>: Students who answered A through F.</p> <p><u>Summary Text</u>: Percentage of students who used ecstasy one or more times during their life</p>
Q54:	<p>During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p>
QN54:	<p><u>Numerator</u>: Students who answered B, C, D, E, or F.</p> <p><u>Denominator</u>: Students who answered A through F.</p> <p><u>Summary Text</u>: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life</p>
Q55:	<p>During your life, how many times have you used a needle to inject any illegal drug into your body?</p> <p>A. 0 times</p> <p>B. 1 time</p> <p>C. 2 or more times</p>
QN55:	<p><u>Numerator</u>: Students who answered B or C.</p> <p><u>Denominator</u>: Students who answered A through C.</p> <p><u>Summary Text</u>: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life</p>
Q56:	<p>During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</p> <p>A. Yes</p> <p>B. No</p>
QN56:	<p><u>Numerator</u>: Students who answered A.</p> <p><u>Denominator</u>: Students who answered A or B.</p> <p><u>Summary Text</u>: Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months</p>

2005 YOUTH RISK BEHAVIOR SURVEY

United States High School Survey
Data Users Manual

Q57:	Have you ever had sexual intercourse? A. Yes B. No
QN57:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who ever had sexual intercourse
Q58:	How old were you when you had sexual intercourse for the first time? A. I have never had sexual intercourse B. 11 years old or younger C. 12 years old D. 13 years old E. 14 years old F. 15 years old G. 16 years old H. 17 years old or older
QN58:	<u>Numerator:</u> Students who answered B or C. <u>Denominator:</u> Students who answered A through H. <u>Summary Text:</u> Percentage of students who had sexual intercourse for the first time before age 13 years
Q59:	During your life, with how many people have you had sexual intercourse? A. I have never had sexual intercourse B. 1 person C. 2 people D. 3 people E. 4 people F. 5 people G. 6 or more people
QN59:	<u>Numerator:</u> Students who answered E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who had sexual intercourse with four or more people during their life

United States High School Survey
Data Users Manual

Q60:	<p>During the past 3 months, with how many people did you have sexual intercourse?</p> <p>A. I have never had sexual intercourse</p> <p>B. I have had sexual intercourse, but not during the past 3 months</p> <p>C. 1 person</p> <p>D. 2 people</p> <p>E. 3 people</p> <p>F. 4 people</p> <p>G. 5 people</p> <p>H. 6 or more people</p>
QN60:	<p><u>Numerator</u>: Students who answered C, D, E, F, G, or H.</p> <p><u>Denominator</u>: Students who answered A through H.</p> <p><u>Summary Text</u>: Percentage of students who had sexual intercourse with one or more people during the past 3 months</p>
Q61:	<p>Did you drink alcohol or use drugs before you had sexual intercourse the last time?</p> <p>A. <i>I have never had sexual intercourse</i></p> <p>B. Yes</p> <p>C. No</p>
QN61:	<p><u>Numerator</u>: Students who answered B.</p> <p><u>Denominator</u>: Students who had sexual intercourse during the past three months (Q60 = C through H); students who answered A or B for Q60, or who answered A for Q61 were excluded from the calculations.</p> <p><u>Summary Text</u>: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse</p>
Q62:	<p>The last time you had sexual intercourse, did you or your partner use a condom?</p> <p>A. <i>I have never had sexual intercourse</i></p> <p>B. Yes</p> <p>C. No</p>
QN62:	<p><u>Numerator</u>: Students who answered B.</p> <p><u>Denominator</u>: Students who had sexual intercourse during the past three months (Q60 = C through H); students who answered A or B for Q60, or who answered A for Q62 were excluded from the calculations.</p> <p><u>Summary Text</u>: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse</p>

United States High School Survey
Data Users Manual

Q63:	<p>The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)</p> <p>A. <i>I have never had sexual intercourse</i></p> <p>B. No method was used to prevent pregnancy</p> <p>C. Birth control pills</p> <p>D. Condoms</p> <p>E. Depo-Provera (injectable birth control)</p> <p>F. Withdrawal</p> <p>G. Some other method</p> <p>H. Not sure</p>
QN63:	<p><u>Numerator</u>: Students who answered C.</p> <p><u>Denominator</u>: Students who had sexual intercourse during the past three months (Q60 = C through H); students who answered A or B for Q60, or who answered A for Q63 were excluded from the calculations.</p> <p><u>Summary Text</u>: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse</p>
Q64:	<p>How do you describe your weight?</p> <p>A. Very underweight</p> <p>B. Slightly underweight</p> <p>C. About the right weight</p> <p>D. Slightly overweight</p> <p>E. Very overweight</p>
QN64:	<p><u>Numerator</u>: Students who answered D or E.</p> <p><u>Denominator</u>: Students who answered A through E.</p> <p><u>Summary Text</u>: Percentage of students who described themselves as slightly or very overweight</p>
Q65:	<p>Which of the following are you trying to do about your weight?</p> <p>A. Lose weight</p> <p>B. Gain weight</p> <p>C. Stay the same weight</p> <p>D. I am not trying to do anything about my weight</p>
QN65:	<p><u>Numerator</u>: Students who answered A.</p> <p><u>Denominator</u>: Students who answered A through D.</p> <p><u>Summary Text</u>: Percentage of students who were trying to lose weight</p>

2005 YOUTH RISK BEHAVIOR SURVEY

United States High School Survey
Data Users Manual

Q66:	During the past 30 days, did you exercise to lose weight or to keep from gaining weight? A. Yes B. No
QN66:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days
Q67:	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight? A. Yes B. No
QN67:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days
Q68:	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight? A. Yes B. No
QN68:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days
Q69:	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.) A. Yes B. No
QN69:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days
Q70:	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight? A. Yes B. No
QN70:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A or B. <u>Summary Text:</u> Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

United States High School Survey
Data Users Manual

<p>Q71:</p> <p>QN71:</p>	<p>During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)</p> <p>A. I did not drink 100% fruit juice during the past 7 days</p> <p>B. 1 to 3 times during the past 7 days</p> <p>C. 4 to 6 times during the past 7 days</p> <p>D. 1 time per day</p> <p>E. 2 times per day</p> <p>F. 3 times per day</p> <p>G. 4 or more times per day</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who drank 100% fruit juices one or more times during the past seven days</p>
<p>Q72:</p> <p>QN72:</p>	<p>During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)</p> <p>A. I did not eat fruit during the past 7 days</p> <p>B. 1 to 3 times during the past 7 days</p> <p>C. 4 to 6 times during the past 7 days</p> <p>D. 1 time per day</p> <p>E. 2 times per day</p> <p>F. 3 times per day</p> <p>G. 4 or more times per day</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who ate fruit one or more times during the past seven days</p>
<p>Q73:</p> <p>QN73:</p>	<p>During the past 7 days, how many times did you eat green salad?</p> <p>A. I did not eat green salad during the past 7 days</p> <p>B. 1 to 3 times during the past 7 days</p> <p>C. 4 to 6 times during the past 7 days</p> <p>D. 1 time per day</p> <p>E. 2 times per day</p> <p>F. 3 times per day</p> <p>G. 4 or more times per day</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who ate green salad one or more times during the past seven days</p>

United States High School Survey
Data Users Manual

<p>Q74:</p> <p>QN74:</p>	<p>During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)</p> <p>A. I did not eat potatoes during the past 7 days</p> <p>B. 1 to 3 times during the past 7 days</p> <p>C. 4 to 6 times during the past 7 days</p> <p>D. 1 time per day</p> <p>E. 2 times per day</p> <p>F. 3 times per day</p> <p>G. 4 or more times per day</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who ate potatoes one or more times during the past seven days</p>
<p>Q75:</p> <p>QN75:</p>	<p>During the past 7 days, how many times did you eat carrots?</p> <p>A. I did not eat carrots during the past 7 days</p> <p>B. 1 to 3 times during the past 7 days</p> <p>C. 4 to 6 times during the past 7 days</p> <p>D. 1 time per day</p> <p>E. 2 times per day</p> <p>F. 3 times per day</p> <p>G. 4 or more times per day</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who ate carrots one or more times during the past seven days</p>
<p>Q76:</p> <p>QN76:</p>	<p>During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)</p> <p>A. I did not eat other vegetables during the past 7 days</p> <p>B. 1 to 3 times during the past 7 days</p> <p>C. 4 to 6 times during the past 7 days</p> <p>D. 1 time per day</p> <p>E. 2 times per day</p> <p>F. 3 times per day</p> <p>G. 4 or more times per day</p> <p><u>Numerator:</u> Students who answered B, C, D, E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who ate other vegetables one or more times during the past seven days</p>

United States High School Survey
Data Users Manual

Q77:	<p>During the past 7 days, how many glasses of milk did you drink? (Include the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)</p> <p>A. I did not drink milk during the past 7 days B. 1 to 3 glasses during the past 7 days C. 4 to 6 glasses during the past 7 days D. 1 glass per day E. 2 glasses per day F. 3 glasses per day G. 4 or more glasses per day</p> <p>QN77: <u>Numerator</u>: Students who answered F or G. <u>Denominator</u>: Students who answered A through G. <u>Summary Text</u>: Percentage of students who drank three or more glasses per day of milk during the past seven days</p>
Q78:	<p>On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?</p> <p>A. 0 days B. 1 day C. 2 days D. 3 days E. 4 days F. 5 days G. 6 days H. 7 days</p> <p>QN78: <u>Numerator</u>: Students who answered D, E, F, G, or H. <u>Denominator</u>: Students who answered A through H. <u>Summary Text</u>: Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past 7 days</p>

United States High School Survey
Data Users Manual

<p>Q79:</p> <p>QN79:</p>	<p>On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?</p> <p>A. 0 days B. 1 day C. 2 days D. 3 days E. 4 days F. 5 days G. 6 days H. 7 days</p> <p><u>Numerator:</u> Students who answered F, G, or H. <u>Denominator:</u> Students who answered A through H. <u>Summary Text:</u> Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days</p>
<p>Q80:</p> <p>QN80:</p>	<p>During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spend in any kind of physical activity that increases your heart rate and makes you breathe hard some of the time.)</p> <p>A. 0 days B. 1 day C. 2 days D. 3 days E. 4 days F. 5 days G. 6 days H. 7 days</p> <p><u>Numerator:</u> Students who answered F, G, or H. <u>Denominator:</u> Students who answered A through H. <u>Summary Text:</u> Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days</p>
<p>Q81:</p> <p>QN81:</p>	<p>On an average school day, how many hours do you watch TV?</p> <p>A. I do not watch TV on an average school day B. Less than 1 hour per day C. 1 hour per day D. 2 hours per day E. 3 hours per day F. 4 hours per day G. 5 or more hours per day</p> <p><u>Numerator:</u> Students who answered E, F, or G. <u>Denominator:</u> Students who answered A through G. <u>Summary Text:</u> Percentage of students who watched three or more hours per day of TV on an average school day</p>

United States High School Survey
Data Users Manual

<p>Q82:</p>	<p>In an average week when you are in school, on how many days do you go to physical education (PE) classes?</p> <p>A. 0 days B. 1 day C. 2 days D. 3 days E. 4 days F. 5 days</p> <p>QN82: <u>Numerator:</u> Students who answered B, C, D, E or F. <u>Denominator:</u> Students who answered A through F. <u>Summary Text:</u> Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school</p>
<p>Q83:</p>	<p>During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?</p> <p>A. <i>I do not take PE</i> B. Less than 10 minutes C. 10 to 20 minutes D. 21 to 30 minutes E. 31 to 40 minutes F. 41 to 50 minutes G. 51 to 60 minutes H. More than 60 minutes</p> <p>QN83: <u>Numerator:</u> Students who answered D, E, F, G, or H. <u>Denominator:</u> Students who answered B through H; students who answered A are excluded from the calculation. <u>Summary Text:</u> Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class</p>
<p>Q84:</p>	<p>During the past 12 months, on how many sports teams did you play? (Include any teams run by your school or community groups.)</p> <p>A. 0 teams B. 1 team C. 2 teams D. 3 or more teams</p>
<p>QN84:</p>	<p><u>Numerator:</u> Students who answered B, C, or D. <u>Denominator:</u> Students who answered A through D. <u>Summary Text:</u> Percentage of students who played on one or more sports teams during the past 12 months</p>

2005 YOUTH RISK BEHAVIOR SURVEY

United States High School Survey
Data Users Manual

Q85:	Have you ever been taught about AIDS or HIV infection in school? A. Yes B. No C. Not sure
QN85:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A through C. <u>Summary Text:</u> Percentage of students who had ever been taught in school about AIDS or HIV infection
Q86:	Has a doctor or nurse ever told you that you have asthma? A. Yes B. No C. Not sure
QN86:	<u>Numerator:</u> Students who answered A. <u>Denominator:</u> Students who answered A through C. <u>Summary Text:</u> Percentage of students who had ever been told by a doctor or nurse that they had asthma
Q87:	During the past 12 months, have you had an episode of asthma or an asthma attack? A. I do not have asthma B. No, I have asthma, but I have not had an episode of asthma or an asthma attack during the past 12 months C. Yes, I have had an episode of asthma or an asthma attack during the past 12 months. D. Not sure
QN87:	<u>Numerator:</u> Students who answered A for Q86 and B or C for Q87. <u>Denominator:</u> Students who answered A through C for Q86 and A through D for Q87. Students who did not answer Q86 or Q87 are excluded from the calculation. <u>Summary Text:</u> Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)

United States High School Survey
Data Users Manual

4.3.2. Supplemental (QNword) variables:

The **QNword** variables are supplemental, dichotomous variables that are calculated based on results from one or more than one question. How these variables are derived, including which students are used in the numerator and denominator, and the SAS program used are detailed in the following table. The values included in the SAS programs are numbers that correspond to the original responses; 1 = A, 2 = B, etc.

QNFRCIG	<p><u>Numerator:</u> Qnfrcig is based on Q30 and indicates frequent cigarette use. It is “1” when the student reports they smoked on ≥ 20 days during the past 30 days; “2” otherwise. If Q30 is missing, then qnfrcig is missing.</p> <p><u>Denominator:</u> Students who answered A through G.</p> <p><u>Summary Text:</u> Percentage of students who smoked cigarettes on 20 or more of the past 30 days</p> <p><u>SAS:</u> if q30 in ('6','7') then qnfrcig = 1; else if q30 in ('1','2','3','4','5') then qnfrcig = 2;</p>
QNANYTOB	<p><u>Numerator:</u> Qnanytob is based in Q30 (cigarettes), Q36 (smokeless tobacco), and Q38 (cigars). It is “1” if the respondent has used any tobacco during the past 30 days. It is “2” if not. Qnanytob is missing if any of Q30, Q36, or Q38 is missing.</p> <p><u>Denominator:</u> Students who answered A through G for Q30 AND students who answered A through G for Q36 AND students who answered A through G for Q38.</p> <p><u>Summary Text:</u> Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days</p> <p><u>SAS:</u> qnanytob = 2; if q30 in ('2','3','4','5','6','7') then qnanytob = 1; if q36 in ('2','3','4','5','6','7') then qnanytob = 1; if q38 in ('2','3','4','5','6','7') then qnanytob = 1; if q30 = '' or q36 = '' or q38 = '' then qnanytob = .;</p>
QNROVWGT	Please refer to section 2 of this document for detailed information.
QNOVWGT	Please refer to section 2 of this document for detailed information.

United States High School Survey
Data Users Manual

QNFRVG	<p><u>Numerator:</u> Qnfrvg is based on Q71 to Q76 and indicates that the student ate five or more servings of fruits and vegetables per day during the past seven days. It is “1” when they meet these conditions and “2” otherwise. If any of the variables are missing then qnfrvg is missing.</p> <p><u>Denominator:</u> Students who answered A through G for Q71 AND students who answered A through G for Q72 AND students who answered A through G for Q73 AND students who answered A through G for Q74 AND students who answered A through G for Q75 AND students who answered A through G for Q76.</p> <p><u>Summary Text:</u> Percentage of students who ate five or more servings per day of fruits and vegetables during the past seven days</p> <p><u>SAS:</u> Length qfrvg1 qfrvg2 qfrvg3 qfrvg4 qfrvg5 qfrvg6 8; Qfrvgtot=0; Array qfv{6} q71 q72 q73 q74 q75 q76; Array qfrvg{6} qfrvg1 qfrvg2 qfrvg3 qfrvg4 qfrvg5 qfrvg6; do I=1 to 6; select (qfv{i}); when('1') qfrvg{i}=0; when('2') qfrvg{i}=2/7; when('3') qfrvg{i}=5/7; when('4') qfrvg{i}=1; when('5') qfrvg{i}=2; when('6') qfrvg{i}=3; when('7') qfrvg{i}=4; otherwise qfrvg{i}=.; end; qfrvgtot = qfrvgtot+qfrvg{i}; end; if qfrvgtot>=5 then qnfrvg=1; else if qfrvgtot ne . then qnfrvg=2; else qnfrvg=.; drop qfrvg1-qfrvg6 qfrvgtot;</p>
--------	--

2005 YOUTH RISK BEHAVIOR SURVEY

United States High School Survey
Data Users Manual

QNMNPA	<p><u>Numerator:</u> Qnminpa is based on Q78 and Q79 and indicates that the student did not participate in sufficient amounts of moderate or vigorous physical activity. It is “1” if the student did not do sufficient amounts of either; it is “2” if they did sufficient amounts of either. QNMNAP is missing if either Q78 or Q79 is missing.</p> <p><u>Denominator:</u> Students who answered A through H for Q78 AND students who answered A through H for Q79.</p> <p><u>Summary Text:</u> Percentage of students who had not participated in at least 20 minutes of vigorous physical activity on three or more of the past seven days and had not participated in at least 30 minutes of moderate physical activity on five or more of the past seven days</p> <p><u>SAS:</u> Qnminpa = 2; if q78 in ('1','2','3') and q79 in ('1','2','3','4','5') then qnminpa = 1; if q78 = ' ' then qnminpa = .; if q79 = ' ' then qnminpa = .;</p>
QNNOPA	<p><u>Numerator:</u> Qnnopa is based on Q78 and Q79 and indicates that the student did not do any moderate PA and did not do any vigorous PA. It is “1” if the student did zero days of moderate and zero days of vigorous PA; it is “2” if they did at least some of one or the other. QNNOPA is missing if either Q78 or Q79 is missing.</p> <p><u>Denominator:</u> Students who answered A through H for Q78 AND students who answered A through H for Q79.</p> <p><u>Summary Text:</u> Percentage of students who had not participated in any vigorous or moderate physical activity during the past seven days</p> <p><u>SAS:</u> qnnopa = 2; if q78 = '1' and q79 = '1' then qnnopa = 1; if q78 = ' ' then qnnopa = .; if q79 = ' ' then qnnopa = .;</p>
QNDLYPE	<p><u>Numerator:</u> Qndlype is based on Q82 and indicates that the student takes physical education (PE) daily. It is “1” if this condition is met; “2” otherwise. If Q82 is missing, then qndlype is missing.</p> <p><u>Denominator:</u> Students who answered A through F for Q82.</p> <p><u>Summary Text:</u> Percentage of students who attended physical education (PE) classes daily in an average week when they were in school</p> <p><u>SAS:</u> if q82 = '6' then qndlype = 1; else if q82 in ('1','2','3','4','5') then qndlype = 2;</p>

United States High School Survey
Data Users Manual

QNASATCK	<p><u>Numerator:</u> Qnasatck is based on Q86 and Q87 and indicates that the student has been told by a doctor or nurse that he or she has asthma and he or she has had an episode of asthma or an asthma attack during the past 12 months. It is "1" if the student answered A to Q86 and C to Q87; it is "2" if the student answered A to Q86 and B to Q87.</p> <p><u>Denominator:</u> Students who answered A to Q86 and B or C to Q87. Students who did not answer Q86 or Q87, or who answered B or C to Q86, or who answered A or D to Q87 are excluded from the calculation.</p> <p><u>Summary Text:</u> Among students with current asthma, the percentage who had an episode of asthma or an asthma attack during the past 12 months</p> <p><u>SAS:</u> qnasatck = 2; If q87='3' then qnasatck=1; If q86=' ' or q86='2' or q86='3' then qnasatck=.; If q87=' ' or q87='1' or q87='4' then qnasatck=.;</p>
----------	---

4.4. Data analysis variables

4.4.1. Weight:

A weight based on student sex, race/ethnicity, and grade level was applied to each record to adjust for school and student nonresponse and oversampling of black and Hispanic students. The overall weights were scaled so that the weighted count of students equals the total sample size, and the weighted proportions of students in each grade match the national population proportions. Thus the data are representative of students in grades 9-12 in public and private schools in the United States. "WEIGHT" indicates the weight factor assigned to each student record.

4.4.2. Stratum:

The sample design employed a three-stage cluster sample stratified by racial/ethnic concentration and MSA status. "STRATUM" indicates the stratum the school the student attends was assigned to.

4.4.3. Primary sampling unit (PSU):

PSUs consist of counties, groups of smaller adjacent counties, or sub-areas of very large counties. "PSU" indicates the PSU the school the student attends was assigned to.

**United States High School Survey
Data Users Manual**

5. Software requirements

The YRBS uses a multi-stage cluster sample design. Statistical software used to analyze YRBS data should account for this design. Many packages with this capability are available. A small sample of software packages and procedures that can account for the clustered design is presented below:

Software Package	Procedures
SAS	proc surveyfreq, proc surveymeans, and others
SPSS	csdescriptives, cstabulate, and others
SUDAAN	proc descript, proc crosstab, and others
Epi Info	complex sample frequencies, complex sample tables, and others

For information on how to use a specific software package, please consult the software documentation.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

6. Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE	Site Code		
17-17	Q1	How old are you?		
		1 12 years old or younger	14	0.1
		2 13 years old	14	0.1
		3 14 years old	1,184	10.3
		4 15 years old	3,175	26.4
		5 16 years old	3,538	26.0
		6 17 years old	3,670	23.4
		7 18 years old or older	2,272	13.6
		Missing	50	
18-18	Q2	What is your sex?		
		1 Female	7,193	49.5
		2 Male	6,664	50.5
		Missing	60	
19-19	Q3	In what grade are you?		
		1 9th grade	3,333	29.0
		2 10th grade	3,470	25.9
		3 11th grade	3,529	23.3
		4 12th grade	3,510	21.6
		5 Ungraded or other grade	16	0.1
		Missing	59	
20-21	Q4	How do you describe yourself?		
		1 American Indian or Alaska Native	147	1.0
		2 Asian	368	3.4
		3 Black or African American	3,347	14.6
		4 Hispanic or Latino	2,069	9.6
		5 Native Hawaiian or Other Pacific Islander	90	0.8
		6 White	6,122	61.9
		7 Multiple - Hispanic	1,152	5.5
		8 Multiple - Non-hispanic	391	3.1
		Missing	231	
22-25	Q5	How tall are you without your shoes on? (Note: Data are in meters.)		
26-31	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
32-32	Q7	How do you describe your health in general?		
		1 Excellent	2,892	20.1
		2 Very good	5,041	37.5
		3 Good	4,667	34.0
		4 Fair	1,045	7.3
		5 Poor	154	1.0
		Missing	118	
33-33	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	4,979	32.1
		2 Never wore a helmet	6,969	51.1
		3 Rarely wore a helmet	669	5.5
		4 Sometimes wore a helmet	403	3.4
		5 Most of the time wore a helmet	375	3.8
		6 Always wore a helmet	477	4.1
		Missing	45	
34-34	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	421	3.1
		2 Rarely	1,029	7.0
		3 Sometimes	1,917	13.5
		4 Most of the time	3,977	28.4
		5 Always	6,548	47.9
		Missing	25	
35-35	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
		1 0 times	9,546	71.5
		2 1 time	1,592	11.0
		3 2 or 3 times	1,661	10.8
		4 4 or 5 times	406	2.6
		5 6 or more times	667	4.1
		Missing	45	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
36-36	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	12,098	90.1
		2 1 time	615	4.5
		3 2 or 3 times	484	3.5
		4 4 or 5 times	109	0.7
		5 6 or more times	214	1.2
		Missing	397	
37-37	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	11,234	81.5
		2 1 day	512	3.7
		3 2 or 3 days	566	4.2
		4 4 or 5 days	248	1.8
		5 6 or more days	1,086	8.8
		Missing	271	
38-38	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	12,594	94.6
		2 1 day	225	1.7
		3 2 or 3 days	225	1.7
		4 4 or 5 days	62	0.5
		5 6 or more days	213	1.5
		Missing	598	
39-39	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	12,938	93.5
		2 1 day	248	2.0
		3 2 or 3 days	166	1.4
		4 4 or 5 days	66	0.5
		5 6 or more days	342	2.6
		Missing	157	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
40-40	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	12,926	94.0
		2 1 day	477	3.3
		3 2 or 3 days	279	1.7
		4 4 or 5 days	58	0.3
		5 6 or more days	142	0.8
		Missing	35	
41-41	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	12,798	92.1
		2 1 time	486	3.7
		3 2 or 3 times	318	2.3
		4 4 or 5 times	86	0.6
		5 6 or 7 times	44	0.3
		6 8 or 9 times	14	0.1
		7 10 or 11 times	19	0.1
		8 12 or more times	129	0.9
Missing	23			
42-42	Q17	During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?		
		1 0 times	9,726	70.2
		2 1 time	2,138	15.3
		3 2 or 3 times	1,353	9.7
		4 4 or 5 times	332	2.4
		5 6 or 7 times	107	0.7
		6 8 or 9 times	53	0.3
		7 10 or 11 times	31	0.2
		8 12 or more times	147	1.1
Missing	30			

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
43-43	Q18	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	8,818	64.1
		2 1 time	2,139	15.5
		3 2 or 3 times	1,591	11.8
		4 4 or 5 times	475	3.5
		5 6 or 7 times	209	1.7
		6 8 or 9 times	113	0.8
		7 10 or 11 times	57	0.4
		8 12 or more times	305	2.2
	Missing	210		
44-44	Q19	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	13,205	96.4
		2 1 time	420	2.6
		3 2 or 3 times	74	0.5
		4 4 or 5 times	21	0.1
		5 6 or more times	51	0.3
			Missing	146
45-45	Q20	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	11,912	86.4
		2 1 time	1,199	8.9
		3 2 or 3 times	416	3.0
		4 4 or 5 times	82	0.6
		5 6 or 7 times	40	0.2
		6 8 or 9 times	24	0.2
		7 10 or 11 times	6	0.0
		8 12 or more times	82	0.5
	Missing	156		
46-46	Q21	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	1,411	9.2
		2 No	12,404	90.8
			Missing	102

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
47-47	Q22	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	1,051	7.5
		2 No	11,998	92.5
		Missing	868	
48-48	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	4,156	28.5
		2 No	9,625	71.5
		Missing	136	
49-49	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	2,341	16.9
		2 No	11,481	83.1
		Missing	95	
50-50	Q25	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	1,835	13.0
		2 No	11,956	87.0
		Missing	126	
51-51	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	11,306	91.6
		2 1 time	596	4.6
		3 2 or 3 times	333	2.4
		4 4 or 5 times	77	0.5
		5 6 or more times	115	0.9
		Missing	1,490	
52-52	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	10,875	91.8
		2 Yes	309	2.3
		3 No	743	5.9
		Missing	1,990	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	7,335	54.3
		2 No	5,833	45.7
		Missing	749	
54-54	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	7,820	57.8
		2 8 years old or younger	457	3.5
		3 9 or 10 years old	528	4.0
		4 11 or 12 years old	1,091	8.5
		5 13 or 14 years old	1,803	13.9
		6 15 or 16 years old	1,395	10.1
		7 17 years old or older	375	2.2
	Missing	448		
55-55	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	10,411	77.0
		2 1 or 2 days	736	5.7
		3 3 to 5 days	426	3.2
		4 6 to 9 days	268	2.0
		5 10 to 19 days	345	2.8
		6 20 to 29 days	277	2.2
		7 All 30 days	821	7.2
	Missing	633		
56-56	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	10,099	76.9
		2 Less than 1 cigarette per day	554	4.5
		3 1 cigarette per day	555	4.4
		4 2 to 5 cigarettes per day	1,067	8.6
		5 6 to 10 cigarettes per day	329	3.1
		6 11 to 20 cigarettes per day	199	1.9
		7 More than 20 cigarettes per day	71	0.6
	Missing	1,043		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
57-57	Q32	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	10,062	77.0
		2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station	838	6.0
		3 I bought them from a vending machine	27	0.2
		4 I gave someone else money to buy them for me	609	5.5
		5 I borrowed (or bummed) them from someone else	634	5.7
		6 A person 18 years old or older gave them to me	239	2.1
		7 I took them from a store or family member	146	1.4
		8 I got them some other way	266	2.1
		Missing	1,096	
58-58	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	12,381	93.2
		2 1 or 2 days	343	2.6
		3 3 to 5 days	147	1.2
		4 6 to 9 days	74	0.6
		5 10 to 19 days	99	0.8
		6 20 to 29 days	49	0.4
		7 All 30 days	159	1.3
		Missing	665	
59-59	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	1,583	13.4
		2 No	11,565	86.6
		Missing	769	
60-60	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	9,622	71.3
		2 Yes	2,022	15.9
		3 No	1,657	12.8
		Missing	616	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
61-61	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	12,372	92.0
		2 1 or 2 days	285	2.6
		3 3 to 5 days	133	1.2
		4 6 to 9 days	93	0.8
		5 10 to 19 days	99	0.8
		6 20 to 29 days	48	0.4
		7 All 30 days	227	2.2
	Missing	660		
62-62	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?		
		1 0 days	12,140	95.0
		2 1 or 2 days	178	1.7
		3 3 to 5 days	86	0.8
		4 6 to 9 days	43	0.4
		5 10 to 19 days	63	0.6
		6 20 to 29 days	31	0.3
		7 All 30 days	142	1.3
	Missing	1,234		
63-63	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	11,431	86.0
		2 1 or 2 days	955	7.6
		3 3 to 5 days	384	2.7
		4 6 to 9 days	203	1.5
		5 10 to 19 days	138	0.9
		6 20 to 29 days	58	0.3
		7 All 30 days	150	1.0
	Missing	598		
64-64	Q39	During your life, on how many days have you had at least one drink of alcohol?		
		1 0 days	2,912	25.7
		2 1 or 2 days	1,798	13.2
		3 3 to 9 days	2,188	17.2
		4 10 to 19 days	1,502	12.1
		5 20 to 39 days	1,313	11.0
		6 40 to 99 days	1,155	10.0
		7 100 or more days	1,235	10.9
	Missing	1,814		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
65-65	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	2,962	25.3
		2 8 years old or younger	1,017	7.8
		3 9 or 10 years old	796	6.4
		4 11 or 12 years old	1,409	11.4
		5 13 or 14 years old	3,160	26.3
		6 15 or 16 years old	2,727	19.5
		7 17 years old or older	536	3.3
	Missing	1,310		
66-66	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	7,463	56.7
		2 1 or 2 days	2,811	20.8
		3 3 to 5 days	1,366	10.3
		4 6 to 9 days	850	6.7
		5 10 to 19 days	519	3.8
		6 20 to 29 days	117	0.8
		7 All 30 days	109	0.9
	Missing	682		
67-67	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	10,254	74.5
		2 1 day	1,167	8.6
		3 2 days	783	5.9
		4 3 to 5 days	763	6.1
		5 6 to 9 days	377	3.1
		6 10 to 19 days	179	1.1
		7 20 or more days	100	0.8
	Missing	294		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
68-68	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
		1 0 days	12,823	95.7
		2 1 or 2 days	478	3.0
		3 3 to 5 days	92	0.5
		4 6 to 9 days	42	0.3
		5 10 to 19 days	17	0.1
		6 20 to 29 days	9	0.1
		7 All 30 days	44	0.4
	Missing	412		
69-69	Q44	During your life, how many times have you used marijuana?		
		1 0 times	8,051	61.6
		2 1 or 2 times	1,291	8.6
		3 3 to 9 times	1,181	7.9
		4 10 to 19 times	654	4.4
		5 20 to 39 times	640	4.3
		6 40 to 99 times	586	4.3
		7 100 or more times	1,220	8.9
	Missing	294		
70-70	Q45	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	8,049	61.4
		2 8 years old or younger	169	1.1
		3 9 or 10 years old	241	1.6
		4 11 or 12 years old	811	5.9
		5 13 or 14 years old	2,141	15.4
		6 15 or 16 years old	1,885	12.3
		7 17 years old or older	380	2.3
	Missing	241		
71-71	Q46	During the past 30 days, how many times did you use marijuana?		
		1 0 times	10,770	79.8
		2 1 or 2 times	1,023	7.1
		3 3 to 9 times	688	4.6
		4 10 to 19 times	362	2.5
		5 20 to 39 times	283	2.2
		6 40 or more times	518	3.7
	Missing	273		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
72-72	Q47	During the past 30 days, how many times did you use marijuana on school property?		
		1 0 times	12,996	95.5
		2 1 or 2 times	352	2.3
		3 3 to 9 times	173	1.2
		4 10 to 19 times	61	0.3
		5 20 to 39 times	33	0.2
		6 40 or more times	87	0.6
	Missing	215		
73-73	Q48	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	12,618	92.4
		2 1 or 2 times	456	3.1
		3 3 to 9 times	266	1.8
		4 10 to 19 times	140	0.9
		5 20 to 39 times	81	0.5
		6 40 or more times	206	1.3
	Missing	150		
74-74	Q49	During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?		
		1 0 times	12,821	96.6
		2 1 or 2 times	253	1.8
		3 3 to 9 times	104	0.6
		4 10 to 19 times	59	0.4
		5 20 to 39 times	29	0.1
		6 40 or more times	59	0.4
	Missing	592		
75-75	Q50	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	12,013	87.6
		2 1 or 2 times	813	6.3
		3 3 to 9 times	384	2.9
		4 10 to 19 times	171	1.4
		5 20 to 39 times	66	0.6
		6 40 or more times	148	1.2
	Missing	322		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
76-76	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	13,321	97.6
		2 1 or 2 times	125	1.0
		3 3 to 9 times	54	0.4
		4 10 to 19 times	39	0.2
		5 20 to 39 times	30	0.2
		6 40 or more times	71	0.5
		Missing	277	
77-77	Q52	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	12,989	93.8
		2 1 or 2 times	351	2.8
		3 3 to 9 times	173	1.3
		4 10 to 19 times	101	0.7
		5 20 to 39 times	57	0.4
		6 40 or more times	128	1.0
		Missing	118	
78-78	Q53	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	12,971	93.7
		2 1 or 2 times	460	3.4
		3 3 to 9 times	165	1.3
		4 10 to 19 times	86	0.7
		5 20 to 39 times	39	0.2
		6 40 or more times	96	0.7
		Missing	100	
79-79	Q54	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	13,321	96.0
		2 1 or 2 times	212	1.9
		3 3 to 9 times	92	0.7
		4 10 to 19 times	72	0.5
		5 20 to 39 times	49	0.3
		6 40 or more times	76	0.6
		Missing	95	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
80-80	Q55	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	13,515	97.9
		2 1 time	128	0.9
		3 2 or more times	154	1.2
		Missing	120	
81-81	Q56	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	3,738	25.4
		2 No	10,052	74.6
		Missing	127	
82-82	Q57	Have you ever had sexual intercourse?		
		1 Yes	6,462	46.8
		2 No	5,898	53.2
		Missing	1,557	
83-83	Q58	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	5,894	53.2
		2 11 years old or younger	469	3.2
		3 12 years old	460	3.1
		4 13 years old	859	6.2
		5 14 years old	1,381	10.6
		6 15 years old	1,505	11.3
		7 16 years old	1,174	8.0
		8 17 years old or older	610	4.4
Missing	1,565			
84-84	Q59	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	5,895	53.3
		2 1 person	2,228	17.3
		3 2 people	1,189	8.7
		4 3 people	897	6.5
		5 4 people	594	4.1
		6 5 people	374	2.8
		7 6 or more people	1,134	7.4
Missing	1,606			

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
85-85	Q60	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	5,891	53.2
		2 I have had sexual intercourse, but not during the past 3 months	1,713	12.8
		3 1 person	3,377	24.9
		4 2 people	693	4.7
		5 3 people	307	2.0
		6 4 people	123	0.8
		7 5 people	49	0.3
		8 6 or more people	171	1.3
		Missing	1,593	
86-86	Q61	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	5,882	53.1
		2 Yes	1,353	10.6
		3 No	5,097	36.2
		Missing	1,585	
87-87	Q62	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	5,842	53.4
		2 Yes	4,125	30.8
		3 No	2,224	15.9
		Missing	1,726	
88-88	Q63	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	5,881	53.9
		2 No method was used to prevent pregnancy	909	6.2
		3 Birth control pills	792	6.8
		4 Condoms	3,472	25.7
		5 Depo-Provera (injectable birth control)	174	1.2
		6 Withdrawal	539	3.8
		7 Some other method	168	1.1
		8 Not sure	187	1.4
		Missing	1,795	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
89-89	Q64	How do you describe your weight?		
		1 Very underweight	278	1.9
		2 Slightly underweight	1,661	12.2
		3 About the right weight	7,498	54.4
		4 Slightly overweight	3,688	26.9
		5 Very overweight	630	4.6
		Missing	162	
90-90	Q65	Which of the following are you trying to do about your weight?		
		1 Lose weight	6,341	45.6
		2 Gain weight	2,383	16.8
		3 Stay the same weight	2,677	19.4
		4 I am not trying to do anything about my weight	2,335	18.2
		Missing	181	
91-91	Q66	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	8,254	60.0
		2 No	5,473	40.0
		Missing	190	
92-92	Q67	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	5,538	40.7
		2 No	8,179	59.3
		Missing	200	
93-93	Q68	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?		
		1 Yes	1,659	12.3
		2 No	11,638	87.7
		Missing	620	
94-94	Q69	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?		
		1 Yes	862	6.3
		2 No	12,877	93.7
		Missing	178	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
95-95	Q70	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	639	4.5
		2 No	13,053	95.5
		Missing	225	
96-96	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	2,468	18.6
		2 1 to 3 times during the past 7 days	4,529	34.7
		3 4 to 6 times during the past 7 days	2,470	18.5
		4 1 time per day	1,009	8.2
		5 2 times per day	1,197	9.1
		6 3 times per day	666	4.9
		7 4 or more times per day	959	6.1
Missing	619			
97-97	Q72	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	2,096	14.7
		2 1 to 3 times during the past 7 days	5,391	40.2
		3 4 to 6 times during the past 7 days	2,442	18.8
		4 1 time per day	1,225	9.9
		5 2 times per day	1,123	8.9
		6 3 times per day	498	3.6
		7 4 or more times per day	531	3.7
Missing	611			
98-98	Q73	During the past 7 days, how many times did you eat green salad?		
		1 I did not eat green salad during the past 7 days	4,892	34.4
		2 1 to 3 times during the past 7 days	5,358	41.0
		3 4 to 6 times during the past 7 days	1,535	12.8
		4 1 time per day	888	7.1
		5 2 times per day	314	2.5
		6 3 times per day	110	0.9
		7 4 or more times per day	175	1.3
Missing	645			

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
99-99	Q74	During the past 7 days, how many times did you eat potatoes?		
		1 I did not eat potatoes during the past 7 days	4,538	31.5
		2 1 to 3 times during the past 7 days	6,304	49.5
		3 4 to 6 times during the past 7 days	1,356	11.2
		4 1 time per day	548	4.0
		5 2 times per day	257	1.8
		6 3 times per day	95	0.8
		7 4 or more times per day	180	1.3
		Missing	639	
100-100	Q75	During the past 7 days, how many times did you eat carrots?		
		1 I did not eat carrots during the past 7 days	7,562	53.1
		2 1 to 3 times during the past 7 days	4,225	34.8
		3 4 to 6 times during the past 7 days	747	6.3
		4 1 time per day	377	3.0
		5 2 times per day	175	1.4
		6 3 times per day	71	0.5
		7 4 or more times per day	121	0.9
		Missing	639	
101-101	Q76	During the past 7 days, how many times did you eat other vegetables?		
		1 I did not eat other vegetables during the past 7 days	2,535	17.9
		2 1 to 3 times during the past 7 days	5,305	39.9
		3 4 to 6 times during the past 7 days	2,848	22.4
		4 1 time per day	1,306	10.3
		5 2 times per day	730	5.6
		6 3 times per day	244	1.8
		7 4 or more times per day	301	2.1
		Missing	648	
102-102	Q77	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	2,665	16.5
		2 1 to 3 glasses during the past 7 days	3,297	22.3
		3 4 to 6 glasses during the past 7 days	2,325	16.8
		4 1 glass per day	1,727	13.9
		5 2 glasses per day	1,751	14.3
		6 3 glasses per day	995	8.8
		7 4 or more glasses per day	899	7.4
		Missing	258	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
103-103	Q78	On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?		
		1 0 days	2,409	16.3
		2 1 day	1,242	8.9
		3 2 days	1,394	10.6
		4 3 days	1,662	12.6
		5 4 days	1,192	9.2
		6 5 days	1,709	13.2
		7 6 days	850	7.3
		8 7 days	2,797	21.9
		Missing	662	
104-104	Q79	On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?		
		1 0 days	4,168	29.1
		2 1 day	1,621	12.3
		3 2 days	1,781	13.6
		4 3 days	1,479	11.5
		5 4 days	899	6.9
		6 5 days	978	7.7
		7 6 days	411	3.3
		8 7 days	1,917	15.6
		Missing	663	
105-105	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	3,702	25.0
		2 1 day	1,470	10.8
		3 2 days	1,437	10.5
		4 3 days	1,425	10.3
		5 4 days	1,041	7.5
		6 5 days	1,492	11.5
		7 6 days	806	6.5
		8 7 days	2,297	17.9
		Missing	247	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
106-106	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	1,018	7.8
		2 Less than 1 hour per day	1,992	15.7
		3 1 hour per day	1,907	15.2
		4 2 hours per day	2,966	24.1
		5 3 hours per day	2,384	16.8
		6 4 hours per day	1,408	9.2
		7 5 or more hours per day	1,975	11.2
	Missing	267		
107-107	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	6,277	45.8
		2 1 day	256	1.9
		3 2 days	414	3.5
		4 3 days	1,210	12.4
		5 4 days	321	3.3
		6 5 days	4,058	33.0
	Missing	1,381		
108-108	Q83	During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?		
		1 I do not take PE	6,274	45.7
		2 Less than 10 minutes	366	3.0
		3 10 to 20 minutes	697	5.7
		4 21 to 30 minutes	989	8.9
		5 31 to 40 minutes	1,121	10.2
		6 41 to 50 minutes	1,018	9.2
		7 51 to 60 minutes	702	5.9
		8 More than 60 minutes	1,392	11.4
	Missing	1,358		
109-109	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	6,073	44.0
		2 1 team	3,327	24.9
		3 2 teams	2,104	16.4
		4 3 or more teams	1,698	14.7
	Missing	715		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
110-110	Q85	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	11,528	87.9
		2 No	1,110	7.8
		3 Not sure	529	4.3
		Missing	750	
111-111	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	2,427	17.1
		2 No	10,726	79.2
		3 Not sure	481	3.7
		Missing	283	
112-112	Q87	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I do not have asthma	10,644	79.0
		2 No, I have asthma, but I have not had an episode of asthma or an asthma attack during the past 12 months	1,505	10.4
		3 Yes, I have had an episode of asthma or an asthma attack during the past 12 months	848	6.3
		4 Not sure	582	4.4
113-113	Q88	When you rode a motorcycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a motorcycle during the past 12 months	8,752	72.1
		2 Never wore a helmet	940	7.8
		3 Rarely wore a helmet	260	2.4
		4 Sometimes wore a helmet	271	2.5
		5 Most of the time wore a helmet	344	3.7
		6 Always wore a helmet	1,108	11.5
Missing	2,242			
114-114	Q89	When you bought or tried to buy cigarettes in a store during the past 30 days, were you ever asked to show proof of age?		
		1 I did not try to buy cigarettes in a store during the past 30 days	10,208	87.1
		2 Yes, I was asked to show proof of age	857	6.6
		3 No, I was not asked to show proof of age	776	6.2
		Missing	2,076	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
115-115	Q90	During your life, how many times have you used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?		
		1 0 times	10,945	91.5
		2 1 or 2 times	460	4.2
		3 3 to 9 times	233	2.4
		4 10 to 19 times	80	0.8
		5 20 to 39 times	37	0.3
		6 40 or more times	83	0.8
	Missing	2,079		
116-116	Q91	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	2,921	22.5
		2 Less than 1 hour per day	2,861	24.9
		3 1 hour per day	1,775	15.8
		4 2 hours per day	1,776	15.6
		5 3 hours per day	1,084	9.7
		6 4 hours per day	514	4.9
		7 5 or more hours per day	798	6.5
	Missing	2,188		
117-117	Q92	During the past 30 days, did you see a doctor or nurse for an injury that happened while exercising or playing sports?		
		1 I did not exercise or play sports during the past 30 days	2,732	21.2
		2 Yes	1,950	17.5
		3 No	7,025	61.3
	Missing	2,210		
118-118	Q93	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	1,649	11.9
		2 No	9,368	81.6
		3 Not sure	708	6.4
	Missing	2,192		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
119-119	Q94	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?		
		1 Never	5,922	44.7
		2 Rarely	3,054	28.9
		3 Sometimes	1,769	17.4
		4 Most of the time	693	6.6
		5 Always	284	2.4
		Missing	2,195	
120-120	Q95	When you are outside for more than one hour on a sunny day, how often do you do one or more of the following: stay in the shade, wear long pants, wear a long-sleeved shirt, or wear a hat that shades your face, ears, and neck?		
		1 Never	2,880	25.9
		2 Rarely	3,181	28.7
		3 Sometimes	3,307	27.2
		4 Most of the time	1,697	13.3
		5 Always	614	5.0
		Missing	2,238	
121-121	Q96	Do you have any physical disabilities or long-term health problems?		
		1 Yes	1,158	10.3
		2 No	9,830	83.6
		3 Not sure	740	6.1
		Missing	2,189	
122-122	Q97	During the past 30 days, on how many days did you miss classes or school without permission?		
		1 0 days	7,280	66.5
		2 1 or 2 days	2,405	19.0
		3 3 to 5 days	1,147	8.5
		4 6 to 9 days	407	2.9
		5 10 or more days	488	3.2
		Missing	2,190	
123-123	QN7	Percentage of students who described their general health as fair or poor		
		1 Yes	1,199	8.3
		2 No	12,600	91.7
		Missing	118	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
124-124	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	7,638	83.4
		2 No	1,255	16.6
		Missing	5,024	
125-125	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	1,450	10.2
		2 No	12,442	89.8
		Missing	25	
126-126	QN10	Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days		
		1 Yes	4,326	28.5
		2 No	9,546	71.5
		Missing	45	
127-127	QN11	Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days		
		1 Yes	1,422	9.9
		2 No	12,098	90.1
		Missing	397	
128-128	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	2,412	18.5
		2 No	11,234	81.5
		Missing	271	
129-129	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	725	5.4
		2 No	12,594	94.6
		Missing	598	
130-130	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	822	6.5
		2 No	12,938	93.5
		Missing	157	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
131-131	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days		
		1 Yes	956	6.0
		2 No	12,926	94.0
		Missing	35	
132-132	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	1,096	7.9
		2 No	12,798	92.1
		Missing	23	
133-133	QN17	Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months		
		1 Yes	4,161	29.8
		2 No	9,726	70.2
		Missing	30	
134-134	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	4,889	35.9
		2 No	8,818	64.1
		Missing	210	
135-135	QN19	Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months		
		1 Yes	566	3.6
		2 No	13,205	96.4
		Missing	146	
136-136	QN20	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	1,849	13.6
		2 No	11,912	86.4
		Missing	156	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
137-137	QN21	Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	1,411	9.2
		2 No	12,404	90.8
		Missing	102	
138-138	QN22	Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	1,051	7.5
		2 No	11,998	92.5
		Missing	868	
139-139	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	4,156	28.5
		2 No	9,625	71.5
		Missing	136	
140-140	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	2,341	16.9
		2 No	11,481	83.1
		Missing	95	
141-141	QN25	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	1,835	13.0
		2 No	11,956	87.0
		Missing	126	
142-142	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	1,121	8.4
		2 No	11,306	91.6
		Missing	1,490	
143-143	QN27	Percentage of students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months		
		1 Yes	309	2.3
		2 No	11,618	97.7
		Missing	1,990	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
144-144	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	7,335	54.3
		2 No	5,833	45.7
		Missing	749	
145-145	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	2,076	16.0
		2 No	11,393	84.0
		Missing	448	
146-146	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	2,873	23.0
		2 No	10,411	77.0
		Missing	633	
147-147	QN31	Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	266	10.7
		2 No	2,477	89.3
		Missing	11,174	
148-148	QN32	Among students who are less than 18 years of age and who are current smokers, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days		
		1 Yes	401	15.2
		2 No	1,751	84.8
		Missing	11,765	
149-149	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	871	6.8
		2 No	12,381	93.2
		Missing	665	
150-150	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	1,583	13.4
		2 No	11,565	86.6
		Missing	769	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
151-151	QN35	Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months		
		1 Yes	1,535	54.6
		2 No	1,289	45.4
		Missing	11,093	
152-152	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	885	8.0
		2 No	12,372	92.0
		Missing	660	
153-153	QN37	Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days		
		1 Yes	543	5.0
		2 No	12,140	95.0
		Missing	1,234	
154-154	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	1,888	14.0
		2 No	11,431	86.0
		Missing	598	
155-155	QN39	Percentage of students who had at least one drink of alcohol on one or more days during their life		
		1 Yes	9,191	74.3
		2 No	2,912	25.7
		Missing	1,814	
156-156	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	3,222	25.6
		2 No	9,385	74.4
		Missing	1,310	
157-157	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	5,772	43.3
		2 No	7,463	56.7
		Missing	682	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
158-158	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	3,369	25.5
		2 No	10,254	74.5
		Missing	294	
159-159	QN43	Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		
		1 Yes	682	4.3
		2 No	12,823	95.7
		Missing	412	
160-160	QN44	Percentage of students who used marijuana one or more times during their life		
		1 Yes	5,572	38.4
		2 No	8,051	61.6
		Missing	294	
161-161	QN45	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	1,221	8.7
		2 No	12,455	91.3
		Missing	241	
162-162	QN46	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	2,874	20.2
		2 No	10,770	79.8
		Missing	273	
163-163	QN47	Percentage of students who used marijuana on school property one or more times during the past 30 days		
		1 Yes	706	4.5
		2 No	12,996	95.5
		Missing	215	
164-164	QN48	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	1,149	7.6
		2 No	12,618	92.4
		Missing	150	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
165-165	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days		
		1 Yes	504	3.4
		2 No	12,821	96.6
		Missing	592	
166-166	QN50	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	1,582	12.4
		2 No	12,013	87.6
		Missing	322	
167-167	QN51	Percentage of students who used heroin one or more times during their life		
		1 Yes	319	2.4
		2 No	13,321	97.6
		Missing	277	
168-168	QN52	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	810	6.2
		2 No	12,989	93.8
		Missing	118	
169-169	QN53	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	846	6.3
		2 No	12,971	93.7
		Missing	100	
170-170	QN54	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	501	4.0
		2 No	13,321	96.0
		Missing	95	
171-171	QN55	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	282	2.1
		2 No	13,515	97.9
		Missing	120	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
172-172	QN56	Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months		
		1 Yes	3,738	25.4
		2 No	10,052	74.6
		Missing	127	
173-173	QN57	Percentage of students who ever had sexual intercourse		
		1 Yes	6,462	46.8
		2 No	5,898	53.2
		Missing	1,557	
174-174	QN58	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	929	6.2
		2 No	11,423	93.8
		Missing	1,565	
175-175	QN59	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	2,102	14.3
		2 No	10,209	85.7
		Missing	1,606	
176-176	QN60	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	4,720	33.9
		2 No	7,604	66.1
		Missing	1,593	
177-177	QN61	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	1,033	23.3
		2 No	3,667	76.7
		Missing	9,217	
178-178	QN62	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	2,846	62.8
		2 No	1,787	37.2
		Missing	9,284	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
179-179	QN63	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	687	17.6
		2 No	3,856	82.4
		Missing	9,374	
180-180	QN64	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	4,318	31.5
		2 No	9,437	68.5
		Missing	162	
181-181	QN65	Percentage of students who were trying to lose weight		
		1 Yes	6,341	45.6
		2 No	7,395	54.4
		Missing	181	
182-182	QN66	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	8,254	60.0
		2 No	5,473	40.0
		Missing	190	
183-183	QN67	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	5,538	40.7
		2 No	8,179	59.3
		Missing	200	
184-184	QN68	Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	1,659	12.3
		2 No	11,638	87.7
		Missing	620	
185-185	QN69	Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	862	6.3
		2 No	12,877	93.7
		Missing	178	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
186-186	QN70	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	639	4.5
		2 No	13,053	95.5
		Missing	225	
187-187	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	10,830	81.4
		2 No	2,468	18.6
		Missing	619	
188-188	QN72	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	11,210	85.3
		2 No	2,096	14.7
		Missing	611	
189-189	QN73	Percentage of students who ate green salad one or more times during the past seven days		
		1 Yes	8,380	65.6
		2 No	4,892	34.4
		Missing	645	
190-190	QN74	Percentage of students who ate potatoes one or more times during the past seven days		
		1 Yes	8,740	68.5
		2 No	4,538	31.5
		Missing	639	
191-191	QN75	Percentage of students who ate carrots one or more times during the past seven days		
		1 Yes	5,716	46.9
		2 No	7,562	53.1
		Missing	639	
192-192	QN76	Percentage of students who ate other vegetables one or more times during the past seven days		
		1 Yes	10,734	82.1
		2 No	2,535	17.9
		Missing	648	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
193-193	QN77	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	1,894	16.2
		2 No	11,765	83.8
		Missing	258	
194-194	QN78	Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days		
		1 Yes	8,210	64.1
		2 No	5,045	35.9
		Missing	662	
195-195	QN79	Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days		
		1 Yes	3,306	26.5
		2 No	9,948	73.5
		Missing	663	
196-196	QN80	Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days		
		1 Yes	4,595	35.8
		2 No	9,075	64.2
		Missing	247	
197-197	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	5,767	37.2
		2 No	7,883	62.8
		Missing	267	
198-198	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	6,259	54.2
		2 No	6,277	45.8
		Missing	1,381	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
199-199	QN83	Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class		
		1 Yes	5,222	84.0
		2 No	1,063	16.0
		Missing	7,632	
200-200	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	7,129	56.0
		2 No	6,073	44.0
		Missing	715	
201-201	QN85	Percentage of students who had ever been taught in school about AIDS or HIV infection		
		1 Yes	11,528	87.9
		2 No	1,639	12.1
		Missing	750	
202-202	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	2,427	17.1
		2 No	11,207	82.9
		Missing	283	
203-203	QN87	Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)		
		1 Yes	2,016	14.5
		2 No	11,537	85.5
		Missing	364	
204-204	QN88	Among students who rode a motorcycle during the past 12 months, the percentage who never or rarely wore a motorcycle helmet		
		1 Yes	1,200	36.5
		2 No	1,723	63.5
		Missing	10,994	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
205-205	QN89	Among students who tried to buy cigarettes in a store during the past 30 days, the percentage who were not asked to show proof of age		
		1 Yes	776	48.5
		2 No	857	51.5
		Missing	12,284	
206-206	QN90	Percentage of students who have used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms one or more times during their life		
		1 Yes	893	8.5
		2 No	10,945	91.5
		Missing	2,079	
207-207	QN91	Percentage of students who played video or computer games or used a computer for something that is not school work for three or more hours per day on an average school day		
		1 Yes	2,396	21.1
		2 No	9,333	78.9
		Missing	2,188	
208-208	QN92	Among students who exercised or played sports, the percentage who saw a doctor or nurse during the past 30 days for an injury that happened while exercising or playing sports		
		1 Yes	1,950	22.2
		2 No	7,025	77.8
		Missing	4,942	
209-209	QN93	Percentage of students who have been tested for HIV, the virus that causes AIDS		
		1 Yes	1,649	11.9
		2 No	10,076	88.1
		Missing	2,192	
210-210	QN94	Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day		
		1 Yes	977	9.0
		2 No	10,745	91.0
		Missing	2,195	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
211-211	QN95	Percentage of students who most of the time or always stay in the shade, wear long pants, wear a long-sleeved shirt, or wear a hat that shades their face, ears, and neck when they are outside for more than one hour on a sunny day		
		1 Yes	2,311	18.2
		2 No	9,368	81.8
		Missing	2,238	
212-212	QN96	Percentage of students who have some physical disabilities or long-term health problems		
		1 Yes	1,158	10.3
		2 No	10,570	89.7
		Missing	2,189	
213-213	QN97	Percentage of students who missed classes or school without permission on one or more of the past 30 days		
		1 Yes	4,447	33.5
		2 No	7,280	66.5
		Missing	2,190	
214-214	QNFRDIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	1,098	9.4
		2 No	12,186	90.6
		Missing	633	
215-215	QNFRVIG	Percentage of students who ate five or more servings per day of fruits and vegetables during the past seven days		
		1 Yes	2,695	20.1
		2 No	10,471	79.9
		Missing	751	
216-216	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	4,058	33.0
		2 No	8,478	67.0
		Missing	1,381	
217-217	QNROVWGT	Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*		
		1 Yes	2,107	15.7
		2 No	11,012	84.3
		Missing	798	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
218-218	QNOVWGT	Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*		
		1 Yes	1,809	13.1
		2 No	11,310	86.9
		Missing	798	
219-219	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	3,334	28.4
		2 No	9,344	71.6
		Missing	1,239	
220-220	QNMNPA	Percentage of students who had not participated in at least 20 minutes of vigorous physical activity on three or more of the past seven days and had not participated in at least 30 minutes of moderate physical activity on five or more of the past seven days		
		1 Yes	4,427	31.3
		2 No	8,799	68.7
		Missing	691	
221-221	QNNOPA	Percentage of students who had not participated in any vigorous or moderate physical activity during the past seven days		
		1 Yes	1,412	9.6
		2 No	11,814	90.4
		Missing	691	
222-222	QNASATCK	Among students with current asthma, the percentage who had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	720	37.9
		2 No	1,296	62.1
		Missing	11,901	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
350-357	Q4ORIG	Race/ethnicity as originally scanned		
		F	6,122	61.9
		E	90	0.8
		EF	7	0.1
		D	2,069	9.6
		DF	651	3.0
		DE	59	0.4
		DEF	6	0.1
		C	3,347	14.6
		C F	70	0.5
		C E	15	0.0
		C EF	2	0.0
		CD	134	0.7
		CD F	7	0.0
		CDE	5	0.0
		B	368	3.4
		B F	59	0.6
		B E	6	0.1
		B EF	3	0.1
		B D	30	0.2
		B DE	2	0.0
		B DEF	1	0.0
		BC	17	0.1
		BC EF	2	0.0
		BCD	3	0.0
		BCD F	2	0.0
		A	147	1.0
		A F	105	1.0
		A E	2	0.0
		A EF	3	0.0
		A D	188	0.9
		A D F	31	0.2
		A DE	1	0.0
		A DEF	1	0.0
		A C	63	0.4
		A C F	16	0.1
		A C E	3	0.0
		A C EF	2	0.0
		A CD	15	0.0
		A CD F	2	0.0
		A CDE	2	0.0
		A CDEF	1	0.0
		AB	3	0.0
		AB F	3	0.0

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
		AB EF	2	0.0
		AB D F	1	0.0
		AB DE	2	0.0
		ABC	3	0.0
		ABC F	3	0.0
		ABC EF	2	0.0
		ABCD	1	0.0
		ABCDE	1	0.0
		ABCDEF	5	0.0
		ABCDEF	1	0.0
		GH		
		Missing	231	
358-369	Weight	Weight		
370-374	PSU	Primary Sampling Unit		
375-378	Stratum	Stratum		
379-383	BMIPct	Percentile for body mass index, by age and sex		
384-384	ETHORIG	Ethnicity as originally scanned		
		A	2,966	15.1
		B	8,758	84.9
		Missing	2,193	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Data Users Manual

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
385-389	RACEORIG	Race as originally scanned		
		E	6,096	74.5
		D	125	1.2
		DE	10	0.1
		C	2,662	14.7
		C E	64	0.6
		CD	17	0.1
		CDE	2	0.0
		B	323	3.6
		B E	48	0.6
		B D	8	0.1
		B DE	4	0.1
		BC	13	0.1
		BC E	2	0.0
		BCDE	1	0.0
		A	314	2.2
		A E	122	1.4
		A D	3	0.0
		A DE	3	0.0
		A C	55	0.3
		A C E	13	0.1
		A CD	5	0.0
		A CDE	2	0.0
		AB	2	0.0
		AB E	2	0.0
		AB D	2	0.0
		AB DE	2	0.0
		ABC	3	0.0
		ABC E	3	0.0
		ABCD	1	0.0
		ABCDE	9	0.1
		Missing	4,001	

**United States High School Survey
Data Users Manual**

7. User Services

Questions and comments concerning the national school-based YRBS may be addressed to CDC-Info at cdcinfo@cdc.gov or 1-800-CDC-INFO (1-800-232-4636) or visit www.cdc.gov/yrbss.