

2017 DOCUMENTATION INITIAL RELEASE
Mortality Multiple Cause-of-Death Public Use Record

The file layout is separate for US and territories data but both are included in this package. See Deaths: Final Data for 2016 at <http://www.cdc.gov/nchs/products/nvsr.htm> for other notes about the file.

2017
Mortality Multiple Cause-of-Death Public Use Record

List of File Data Elements and Tape Locations

Data Items	Tape Locations
1. General	
a. Resident status	20
b. Place of death and decedent's status	83
c. Day of week of death	85
d. Data year	102-105
2. The Decedent	
a. Month of Death	65-66
b. Sex	69
c. Race	445-450
d. Age	70-82
e. Marital status	84
f. Hispanic origin	484-488
h. Education	61-64
3. Underlying Cause	
a. ICD-10 code	146-149
b. 358 cause recode	150-152
c. 113 cause recode	154-156
d. 130 cause recode	157-159
e. 39 cause recode	160-161
4. Multiple Conditions	
a. Entity-Axis conditions	
1. Number of	163-164
2. The conditions	165-304
b. Record-Axis conditions	
1. Number of	341-342
2. The conditions	344-443
5. Other medical items	
a. Place of injury	145
b. Injury at work	106
c. Method of disposition	108
d. Autopsy	109
e. Activity code	144

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
1-19	19	<u>Reserved Positions</u> These positions are blank.
20	1	<u>Resident Status</u>
		United States Occurrence
		1 ... RESIDENTS State and County of Occurrence and Residence are the same.
		2 ... INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different.
		3 ... INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S.
		4 ... FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S.
		Puerto Rico Occurrence
		1 ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
		2 ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but Countyequivalent is different.
		3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
		4 ... FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.
		Virgin Islands Occurrence
		1 ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
		2 ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but Countyequivalent is different.
		3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
		4 ... FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place.

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
20	1	<u>Resident Status - Con.</u>
		Guam Occurrence
	1	... RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S.
		American Samoa Occurrence
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in American Samoa to a resident of any other place.
		Northern Marianas Occurrence
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Northern Marianas to a resident of any other place.
21-60	40	<u>Reserved Positions</u> These positions are blank.

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
61-64	4	EDUCATION
61-62	2	<u>Education (1989 revision)</u> 00 ... No formal education 01-08 ... Years of elementary school 09 ... 1 year of high school 10 ... 2 years of high school 11 ... 3 years of high school 12 ... 4 years of high school 13 ... 1 year of college 14 ... 2 years of college 15 ... 3 years of college 16 ... 4 years of college 17 ... 5 or more years of college 99 ... Not stated
63	1	<u>Education (2003 revision)</u> Field is blank for registration areas that are using the 1989 revision format of the item. 1 ... 8th grade or less 2 ... 9 - 12th grade, no diploma 3 ... high school graduate or GED completed 4 ... some college credit, but no degree 5 ... Associate degree 6 ... Bachelor's degree 7 ... Master's degree 8 ... Doctorate or professional degree 9 ... Unknown
64	1	<u>Education reporting flag</u> 0 ... 1989 revision of education item on certificate 1 ... 2003 revision of education item on certificate 2 ... no education item on certificate
65-66	2	<u>Month of Death</u>

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
		01 ... January
		02 ... February
		03 ... March
		04 ... April
		05 ... May
		06 ... June
		07 ... July
		08 ... August
		09 ... September
		10 ... October
		11 ... November
		12 ... December

67-68 2 Reserved Positions

69 1 Sex

M ... Male

F ... Female

70-82 13 REPORTED AGE

70-73 4 Detail Age

Four positions are used to code detail age. Location 70 identifies age in years, months, days, etc. Locations 71-73 are the number of years, months, days, etc.

1	001-135,999	...	Years
2	001-011,999	...	Months
4	001-027,999	...	Days
5	001-023,999	...	Hours
6	001-059,999	...	Minutes
9	999	...	Age not stated

74 1 Age Substitution Flag

If reported age is unknown but a valid age is calculated using dates of birth and death, the calculated age is substituted for the unknown reported age.

Blank	...	Calculated age is not substituted for reported age
1	...	Calculated age is substituted for reported age

2017

Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
75-76	2	<u>Age Recode 52</u>
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7 - 13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		15 ... 4 months
		16 ... 5 months
		17 ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
		23 ... 1 year
		24 ... 2 years
		25 ... 3 years
		26 ... 4 years
		27 ... 5 - 9 years
		28 ... 10 - 14 years
		29 ... 15 - 19 years
		30 ... 20 - 24 years
		31 ... 25 - 29 years
		32 ... 30 - 34 years
		33 ... 35 - 39 years
		34 ... 40 - 44 years
		35 ... 45 - 49 years
		36 ... 50 - 54 years
		37 ... 55 - 59 years
		38 ... 60 - 64 years
		39 ... 65 - 69 years
		40 ... 70 - 74 years
		41 ... 75 - 79 years
		42 ... 80 - 84 years
		43 ... 85 - 89 years
		44 ... 90 - 94 years
		45 ... 95 - 99 years
		46 ... 100 - 104 years
		47 ... 105 - 109 years

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
		48 ... 110 - 114 years
		49 ... 115 - 119 years
		50 ... 120 - 124 years
		51 ... 125 years and over
		52 ... Age not stated
77-78	2	<u>Age Recode 27</u>
		01 ... Under 1 month (includes not stated weeks, days, hours, and minutes)
		02 ... 1 month - 11 months (includes not stated months)
		03 ... 1 year
		04 ... 2 years
		05 ... 3 years
		06 ... 4 years
		07 ... 5 - 9 years
		08 ... 10 - 14 years
		09 ... 15 - 19 years
		10 ... 20 - 24 years
		11 ... 25 - 29 years
		12 ... 30 - 34 years
		13 ... 35 - 39 years
		14 ... 40 - 44 years
		15 ... 45 - 49 years
		16 ... 50 - 54 years
		17 ... 55 - 59 years
		18 ... 60 - 64 years
		19 ... 65 - 69 years
		20 ... 70 - 74 years
		21 ... 75 - 79 years
		22 ... 80 - 84 years
		23 ... 85 - 89 years
		24 ... 90 - 94 years
		25 ... 95 - 99 years
		26 ... 100 years and over
		27 ... Age not stated
79-80	2	<u>Age Recode 12</u>
		01 ... Under 1 year (includes not stated infant ages)
		02 ... 1 - 4 years
		03 ... 5 - 14 years
		04 ... 15 - 24 years
		05 ... 25 - 34 years
		06 ... 35 - 44 years
		07 ... 45 - 54 years
		08 ... 55 - 64 years
		09 ... 65 - 74 years
		10 ... 75 - 84 years
		11 ... 85 years and over
		12 ... Age not stated

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
81-82	2	<u>Infant Age Recode 22</u>
		Blank ... Age 1 year and over or not stated
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7-13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		15 ... 4 months
		16 ... 5 months
		17 ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
83	1	<u>Place of Death and Decedent's Status</u>
		1 ... Hospital, clinic or Medical Center - Inpatient
		2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room
		3 ... Hospital, Clinic or Medical Center - Dead on Arrival
		4 ... Decedent's home
		5 ... Hospice facility
		6 ... Nursing home/long term care
		7 ... Other
		9 ... Place of death unknown
84	1	<u>Marital Status</u>
		S ... Never married, single
		M ... Married
		W ... Widowed
		D ... Divorced
		U ... Marital Status unknown

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
85	1	<u>Day of Week of Death</u> 1 ... Sunday 2 ... Monday 3 ... Tuesday 4 ... Wednesday 5 ... Thursday 6 ... Friday 7 ... Saturday 9 ... Unknown
86-101	16	Reserved Positions
102-105	4	<u>Current Data Year</u> 2017 ... 2017
106	1	<u>Injury at Work</u> Y ... Yes N ... No U ... Unknown
107	1	<u>Manner of Death</u> 1 ... Accident 2 ... Suicide 3 ... Homicide 4 ... Pending investigation 5 ... Could not determine 6 ... Self-Inflicted 7 ... Natural Blank ... Not specified
108	1	<u>Method of Disposition</u> B ... Burial C ... Cremation D ... Other U ... Unknown
109	1	<u>Autopsy</u> Y ... Yes N ... No U ... Unknown

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape</u>	<u>Size</u>	<u>Field</u>
<u>Location</u>		<u>Item and Code Outline</u>

110-143 34 Reserved Positions

144	1	<u>Activity Code</u>
		0 ... While engaged in sports activity
		1 ... While engaged in leisure activity
		2 ... While working for income
		3 ... While engaged in other types of work
		4 ... While resting, sleeping, eating (vital activities)
		8 ... While engaged in other specified activities
		9 ... During unspecified activity

Blank ... Not applicable

145 1 Place of Injury for Causes W00-Y34, except Y06.- and Y07.-

		0 ... Home
		1 ... Residential institution
		2 ... School, other institution and public administrative area
		3 ... Sports and athletics area
		4 ... Street and highway
		5 ... Trade and service area
		6 ... Industrial and construction area
		7 ... Farm
		8 ... Other Specified Places
		9 ... Unspecified place
		Blank ... Causes other than W00-Y34, except Y06.- and Y07.-

146-162 18 UNDERLYING CAUSE OF DEATH

146-149 4 ICD Code (10th Revision)

See the International Classification of Diseases, 2016 Revision, Volume 1.

150-152 3 358 Cause Recode

A recode of the ICD cause code into 358 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.

001-456 ... Code range (not inclusive)

153 1 Reserved Positions

154-156 3 113 Cause Recode

A recode of the ICD cause code into 113 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>																		
		001-135 ... Code range (not inclusive)																		
157-159	3	<u>130 Infant Cause Recode</u> A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. Beginning in 2002 non-infant records are blank in this field. 001-158 ... Code range (not inclusive)																		
160-161	2	<u>39 Cause Recode</u> A recode of the ICD cause code into 39 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. 01-42 ... Code range (not inclusive)																		
162	1	Reserved Position																		
163-443	281	<u>MULTIPLE CONDITIONS</u>																		
163-164	2	<u>Number of Entity-Axis Conditions</u> 00-20 ... Code range																		
165-304	140	<u>ENTITY - AXIS CONDITIONS</u> Space has been provided for maximum of 20 conditions. Each condition takes 7 positions in the record. The 7 th position will be blank. Records that do not have 20 conditions are blank in the unused area. Position 1: Part/line number on certificate <table style="margin-left: 40px;"> <tr><td>1</td><td>...</td><td>Part I, line 1 (a)</td></tr> <tr><td>2</td><td>...</td><td>Part I, line 2 (b)</td></tr> <tr><td>3</td><td>...</td><td>Part I, line 3 (c)</td></tr> <tr><td>4</td><td>...</td><td>Part I, line 4 (d)</td></tr> <tr><td>5</td><td>...</td><td>Part I, line 5 (e)</td></tr> <tr><td>6</td><td>...</td><td>Part II</td></tr> </table> Position 2: Sequence of condition within part/line 1-7 ... Code range	1	...	Part I, line 1 (a)	2	...	Part I, line 2 (b)	3	...	Part I, line 3 (c)	4	...	Part I, line 4 (d)	5	...	Part I, line 5 (e)	6	...	Part II
1	...	Part I, line 1 (a)																		
2	...	Part I, line 2 (b)																		
3	...	Part I, line 3 (c)																		
4	...	Part I, line 4 (d)																		
5	...	Part I, line 5 (e)																		
6	...	Part II																		
165-304	140	<u>ENTITY-AXIS CONDITIONS - Con.</u> Position 3 - 6: Condition code See Table 1 for a complete list of codes																		
165-171	7	1 st Condition																		

Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
172-178	7	2 nd Condition
179-185	7	3 rd Condition
186-192	7	4 th Condition
193-199	7	5 th Condition
200-206	7	6 th Condition
207-213	7	7 th Condition
214-220	7	8 th Condition
221-227	7	9 th Condition
228-234	7	10 th Condition
235-241	7	11 th Condition
242-248	7	12 th Condition
249-255	7	13 th Condition
256-262	7	14 th Condition
263-269	7	15 th Condition
270-276	7	16 th Condition
277-283	7	17 th Condition
284-290	7	18 th Condition
291-297	7	19 th Condition
298-304	7	20 th Condition
305-340	36	<u>Reserved Positions</u>
341-342	2	<u>Number of Record-Axis Conditions</u>
		00-20 ... Code range
343	1	<u>Reserved Position</u>
344-443	100	<u>RECORD-AXIS CONDITIONS</u>

Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
----------------------	-------------	------------------------------------

Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5th position will be blank. Records that do not have 20 conditions are blank in the unused area.

Positions 1 - 4: Condition Code

See Table 1 for a complete list of codes

344-348	5	1 st Condition
349-353	5	2 nd Condition
354-358	5	3 rd Condition
359-363	5	4 th Condition
364-368	5	5 th Condition
369-373	5	6 th Condition
374-378	5	7 th Condition
379-383	5	8 th Condition
384-388	5	9 th Condition
389-393	5	10 th Condition
394-398	5	11 th Condition
399-403	5	12 th Condition
404-408	5	13 th Condition
409-413	5	14 th Condition
414-418	5	15 th Condition
419-433	5	16 th Condition
424-428	5	17 th Condition
429-433	5	18 th Condition
434-438	5	19 th Condition
439-443	5	20 th Condition

Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
444	1	<u>Reserved position</u>
445-482	38	<u>RACE</u>
445-446	2	<u>Race</u>

This item is: a) the reported race for States that are reporting single race or b) the bridged race for States that are reporting multiple race. Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18 - 68 replace old code 08 for these areas. Code 78 replaces old 08 for all other areas. For consistency with Census races, the category all other races has been imputed. US Occurrence

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes Part-Hawaiian)
07	...	Filipino
18	...	Asian Indian
28	...	Korean
38	...	Samoan
48	...	Vietnamese
58	...	Guamanian
68	...	Other Asian or Pacific Islander in areas reporting codes 18-58
78	...	Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately

Puerto Rico Occurrence

00	...	Other races
01	...	White
02	...	Black

Virgin Islands Occurrence

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes Part-Hawaiian)
07	...	Filipino
08	...	Other Asian or Pacific Islander

Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
		Guam Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (Includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		58 ... Guamanian
		American Samoa Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		Northern Marianas Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
		07 ... Filipino
		18 ... Asian Indian
		28 ... Korean
		38 ... Samoan
		48 ... Vietnamese
		58 ... Guamanian
		68 ... Other Asian or Pacific Islander in areas reporting codes 18-58
		78 ... Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately
447	1	<u>Bridged Race Flag</u>
		Blank ... Race is not bridged
		1 ... Race is bridged
448	1	<u>Race Imputation Flag</u>
		Blank ... Race is not imputed
		1 ... Unknown race is imputed

2017
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
		2 ... All other races is imputed
449	1	<u>Race Recode 3</u>
		1 ... White
		2 ... Races other than White or Black
		3 ... Black
450	1	<u>Race Recode 5</u>
		0 ... Other (Puerto Rico only)
		1 ... White
		2 ... Black
		3 ... American Indian
		4 ... Asian or Pacific Islander
451-483	33	<u>Reserved</u>
484-486	3	<u>Hispanic Origin</u>
		100-199 ... Non – Hispanic
		200-209 ... Spaniard
		210-219 ... Mexican
		260-269 ... Puerto Rican
		270-274 ... Cuban
		275-279 ... Dominican
		220 ... Central and South American
		221-230 ... Central American
		231-249 ... South American
		250-259 ... Latin American
		280-299 ... Other Hispanic
		996-999 ... Unknown
487	1	<u>Reserved</u>
488	1	<u>Hispanic Origin/Race Recode</u>
		1 ... Mexican
		2 ... Puerto Rican
		3 ... Cuban
		4 ... Central or South American
		5 ... Other or unknown Hispanic
		6 ... Non - Hispanic white
		7 ... Non - Hispanic black
		8 ... Non - Hispanic other races
		9 ... Hispanic origin unknown

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

39	S	Limited				
Recode	T	Sex	Age	Cause Title and ICD-10 Codes Included		
001				Tuberculosis (A16-A19)		
002				Syphilis (A50-A53)		
003				Human immunodeficiency virus (HIV) disease (B20-B24)		
004	1			Malignant neoplasms (C00-C97)		
005				Malignant neoplasm of stomach (C16)		
006				Malignant neoplasms of colon, rectum and anus (C18-C21)		
007				Malignant neoplasm of pancreas (C25)		
008				Malignant neoplasms of trachea, bronchus and lung (C33-C34)		
009				Malignant neoplasm of breast (C50)		
010		2		Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)		
011		1		Malignant neoplasm of prostate (C61)		
012				Malignant neoplasms of urinary tract (C64-C68)		
013				Non-Hodgkin's lymphoma (C82-C85)		
014				Leukemia (C91-C95)		
015				Other malignant neoplasms (C00-C15, C17, C22-C24, C26-C32, C37-C49, C51-C52, C57-C60, C62-C63, C69-C81, C88, C90, C96-C97)		
016		3		Diabetes mellitus (E10-E14)		
017				Alzheimer's disease (G30)		
018	1			Major cardiovascular diseases (I00-I78)		
019	1			Diseases of heart (I00-I09, I11, I13, I20-I51)		
020				Hypertensive heart disease with or without renal disease (I11, I13)		
021				Ischemic heart diseases (I20-I25)		
022				Other diseases of heart (I00-I09, I26-I51)		
023				Essential (primary) hypertension and hypertensive renal disease (I10, I12, I15)		
024				Cerebrovascular diseases (I60-I69)		
025				Atherosclerosis (I70)		
026				Other diseases of circulatory system (I71-I78)		
027				Influenza and pneumonia (J09-J18)		
028				Chronic lower respiratory diseases (J40-J47)		
029				Peptic ulcer (K25-K28)		
030				Chronic liver disease and cirrhosis (K70, K73-K74)		
031				Nephritis, nephrotic syndrome, and nephrosis (N00-N07, N17-N19, N25-N27)		
032		2	7	Pregnancy, childbirth and the puerperium (O00-O99)		
033				Certain conditions originating in the perinatal period (P00-P96)		
034				Congenital malformations, deformations and chromosomal abnormalities (Q00- Q99)		
035				Sudden infant death syndrome (R95)		
036				Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (excluding Sudden infant death syndrome) (R00-R94, R96-R99)		
037				All other diseases (Residual) (A00-A09, A20-A49, A54-B19, B25-B99, D00-E07, E15-G25, G31-H93, I80-J06, J20-J39, J60-K22, K29-K66, K71-K72, K75-M99, N10-N15, N20-N23, N28-N98, U04)		
038				Motor vehicle accidents (V02-V04, V09.0, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)		
039				All other and unspecified accidents and adverse effects (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-X59, Y40-Y86, Y88)		
040		1		Intentional self-harm (suicide) (*U03, X60-X84, Y87.0)		
041				Assault (homicide) (*U01-*U02, X85-Y09, Y87.1)		
042				All other external causes (Y10-Y36, Y87.2, Y89)		

***** Cause Subtotals are not identified in this file *****

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;
 7 = 10 years and over

113	S Limited			
Recode	T	Sex	Age	Cause Title and ICD-10 Codes Included
001				Salmonella infections (A01-A02)
002				Shigellosis and amebiasis (A03,A06)
003				Certain other intestinal infections (A04,A07-A09)
004	1			Tuberculosis (A16-A19)
005				Respiratory tuberculosis (A16)
006				Other tuberculosis (A17-A19)
007				Whooping cough (A37)
008				Scarlet fever and erysipelas (A38,A46)
009				Meningococcal infection (A39)
010		3		Septicemia (A40-A41)
011				Syphilis (A50-A53)
012				Acute poliomyelitis (A80)
013				Arthropod-borne viral encephalitis (A83-A84,A85.2)
014				Measles (B05)
015				Viral hepatitis (B15-B19)
016				Human immunodeficiency virus (HIV) disease (B20-B24)
017				Malaria (B50-B54)
018				Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8, A86- B04,B06-B09,B25-B49,B55-B99)
019	1			Malignant neoplasms (C00-C97)
020				Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)
021				Malignant neoplasm of esophagus (C15)
022				Malignant neoplasm of stomach (C16)
023				Malignant neoplasms of colon, rectum and anus (C18-C21)
024				Malignant neoplasms of liver and intrahepatic bile ducts (C22)
025				Malignant neoplasm of pancreas (C25)
026				Malignant neoplasm of larynx (C32)
027				Malignant neoplasms of trachea, bronchus and lung (C33-C34)
028				Malignant melanoma of skin (C43)
029				Malignant neoplasm of breast (C50)
030		2		Malignant neoplasm of cervix uteri (C53)
031		2		Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)
032		2		Malignant neoplasm of ovary (C56)
033		1		Malignant neoplasm of prostate (C61)
034				Malignant neoplasms of kidney and renal pelvis (C64-C65)
035				Malignant neoplasm of bladder (C67)
036				Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)
037		1		Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)
038				Hodgkin's disease (C81)
039				Non-Hodgkin's lymphoma (C82-C85)
040				Leukemia (C91-C95)
041				Multiple myeloma and immunoproliferative neoplasms (C88,C90)
042				Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)
043				All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41, C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)
044				In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)
045				Anemias (D50-D64)
046		3		Diabetes mellitus (E10-E14)
047				Nutritional deficiencies (E40-E64)
048				Malnutrition (E40-E46)
049				Other nutritional deficiencies (E50-E64)
050				Meningitis (G00,G03)
051				Parkinson's disease (G20-G21)
052				Alzheimer's disease (G30)
053		1		Major cardiovascular diseases (I00-I78)
054		1		Diseases of heart (I00-I09,I11,I13,I20-I51)
055				Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

056				Hypertensive heart disease (I11)	
057				Hypertensive heart and renal disease (I13)	058 1
Ischemic heart diseases (I20-I25)					
113				S Limited	
Recode	T	Sex	Age	Cause Title and ICD-10 Codes Included	
059				Acute myocardial infarction (I21-I22)	
060				Other acute ischemic heart diseases (I24)	
061	1			Other forms of chronic ischemic heart disease (I20,I25)	
062				Atherosclerotic cardiovascular disease, so described (I25.0)	
063				All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)	
064	1			Other heart diseases (I26-I51)	
065				Acute and subacute endocarditis (I33)	
066				Diseases of pericardium and acute myocarditis (I30-I31,I40)	
067				Heart failure (I50)	
068				All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)	
069				Essential (primary) hypertension and hypertensive renal disease (I10,I12,I15)	
070				Cerebrovascular diseases (I60-I69)	
071				Atherosclerosis (I70)	
072	1			Other diseases of circulatory system (I71-I78)	
073				Aortic aneurysm and dissection (I71)	
074				Other diseases of arteries, arterioles and capillaries (I72-I78)	
075				Other disorders of circulatory system (I80-I99)	
076	1			Influenza and pneumonia (J09-J18)	
077				Influenza (J09-J11)	
078				Pneumonia (J12-J18)	
079	1			Other acute lower respiratory infections (J20-J22,U04)	
080				Acute bronchitis and bronchiolitis (J20-J21)	
081				Other and unspecified acute lower respiratory infection (J22,U04)	
082	1			Chronic lower respiratory diseases (J40-J47)	
083				Bronchitis, chronic and unspecified (J40-J42)	
084		3		Emphysema (J43)	
085				Asthma (J45-J46)	
086				Other chronic lower respiratory diseases (J44,J47)	
087				Pneumoconioses and chemical effects (J60-J66,J68)	
088				Pneumonitis due to solids and liquids (J69)	
089				Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)	
090				Peptic ulcer (K25-K28)	
091				Diseases of appendix (K35-K38)	
092				Hernia (K40-K46)	
093	1			Chronic liver disease and cirrhosis (K70,K73-K74)	
094				Alcoholic liver disease (K70)	
095				Other chronic liver disease and cirrhosis (K73-K74)	
096				Cholelithiasis and other disorders of gallbladder (K80-K82)	
097	1			Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	
098				Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)	
099				Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)	
100				Renal failure (N17-N19)	
101				Other disorders of kidney (N25,N27)	
102				Infections of kidney (N10-N12,N13.6,N15.1)	
103	1			Hyperplasia of prostate (N40)	
104	2			Inflammatory diseases of female pelvic organs (N70-N76)	
105	1	2	7	Pregnancy, childbirth and the puerperium (O00-O99)	
106		2	7	Pregnancy with abortive outcome (O00-O07)	
107		2	7	Other complications of pregnancy, childbirth and the puerperium (O10-O99)	
108				Certain conditions originating in the perinatal period (P00-P96)	
109				Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	
110				Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;
 7 = 10 years and over

111 All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G14,G23-G25,G31-H93,
 K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99, N13.0-N13.5,N13.7-N13.9,
 N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

112 1 Accidents (unintentional injuries) (V01-X59,Y85-Y86)

113 1 Transport accidents (V01-V99,Y85)

114 Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,
 V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86, V87.0-
 V87.8,V88.0-V88.8,V89.0,V89.2)
 ***** Cause Subtotals are not identified in this file *****

113 S Limited
 Recode T Sex Age Cause Title and ICD-10 Codes Included

115 Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9, V10-V11,
 V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,
 V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

116 Water, air and space, and other and unspecified transport accidents and their
 sequelae (V90-V99,Y85)

117 1 Nontransport accidents (W00-X59,Y86)

118 Falls (W00-W19)

119 Accidental discharge of firearms (W32-W34)

120 Accidental drowning and submersion (W65-W74)

121 Accidental exposure to smoke, fire and flames (X00-X09)

122 Accidental poisoning and exposure to noxious substances (X40-X49)

123 Other and unspecified nontransport accidents and their sequelae
 (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

124 1 1 Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

125 1 Intentional self-harm (suicide) by discharge of firearms (X72-X74)

126 1 Intentional self-harm (suicide) by other and unspecified means and their
 sequelae (*U03,X60-X71,X75-X84,Y87.0)

127 1 Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

128 Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

129 Assault (homicide) by other and unspecified means and their sequelae
 (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)

130 Legal intervention (Y35,Y89.0)

131 1 Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

132 Discharge of firearms, undetermined intent (Y22-Y24)

133 Other and unspecified events of undetermined intent and their sequelae
 (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

134 Operations of war and their sequelae (Y36,Y89.1)

135 Complications of medical and surgical care (Y40-Y84,Y88)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130 S Limited

Recode T Sex Age Cause Title and ICD-10 Codes Included

15	001	1	Certain infectious and parasitic diseases (A00-B99)
16	002		Certain intestinal infectious diseases (A00-A08)
17	003		Diarrhea and gastroenteritis of infectious origin (A09)
18	004		Tuberculosis (A16-A19)
19	005		Tetanus (A33,A35)
20	006		Diphtheria (A36)
21	007		Whooping cough (A37)
22	008		Meningococcal infection (A39)
23	009	3	Septicemia (A40-A41)
24	010		Congenital syphilis (A50)
25	011		Gonococcal infection (A54)
26	012	1	Viral diseases (A80-B34)
27	013		Acute poliomyelitis (A80)
28	014		Varicella (chickenpox) (B01)
29			Measles (B05)
30			Human immunodeficiency virus (HIV) disease (B20-B24)
31			Mumps (B26)
32			Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19,B25,B27-B34)
33			Candidiasis (B37)
34			Malaria (B50-B54)
35			Pneumocystosis (B59)
36			All other and unspecified infectious and parasitic diseases
37			(A20-A32,A38,A42-A49,A51-A53,A55-A79,B35-B36,B38-B49,B55-B58,B60-B99)
38	023	1	Neoplasms (C00-D48)
39	024	1	Malignant neoplasms (C00-C97)
40	025		Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)
41	026		Leukemia (C91-C95)
42	027		Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)
43	028		In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown
44			behavior (D00-D48)
45	029	1	Diseases of the blood and blood-forming organs and certain disorders involving
46			the immune mechanism (D50-D89)
47	030		Anemias (D50-D64)
48	031		Hemorrhagic conditions and other diseases of blood and blood-forming organs
49			(D65-D76)
50	032		Certain disorders involving the immune mechanism (D80-D89)
51	033	1	Endocrine, nutritional and metabolic diseases (E00-E88)
52	034		Short stature, not elsewhere classified (E34.3)
53	035		Nutritional deficiencies (E40-E64)
54	036		Cystic fibrosis (E84)
55	037	3	Volume depletion, disorders of fluid, electrolyte and acid-base balance
56			(E86-E87)
57	038		All other endocrine, nutritional and metabolic diseases
58			(E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)
59	039	1	Diseases of the nervous system (G00-G98)
60	040		Meningitis (G00,G03)
61	041		Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)
62	042		Infantile cerebral palsy (G80)
63	043		Anoxic brain damage, not elsewhere classified (G93.1)
64	044		Other diseases of nervous system
65			(G04,G06-G11,G12.1-G12.9,G20-G72,G81-G92,G93.0,G93.2-G93.9,G95-G98)
66	045		Diseases of the ear and mastoid process (H60-H93)
67	046	1	Diseases of the circulatory system (I00-I99)
68	047		Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)
69	048		Pericarditis, endocarditis and myocarditis (I30,I33,I40)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over 7
 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130 S Limited
 Recode T Sex Age Cause Title and ICD-10 Codes Included

70	049		Cardiomyopathy (I42)
71	050		Cardiac arrest (I46)
72	051		Cerebrovascular diseases (I60-I69)
73	052		All other diseases of circulatory system (I00-I25,I31,I34-I38,I44-I45,I47-
74			I51, I70-I99)
75	053	1	Diseases of the respiratory system (J00-J98,U04)
76	054		Acute upper respiratory infections (J00-J06)
77	055	1	Influenza and pneumonia (J09-J18)
78	056		Influenza (J09-J11)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130	S Limited					
Recode	T	Sex	Age	Cause	Title and ICD-10 Codes	Included
102					Chronic respiratory disease originating in the perinatal period (P27)	
103					Atelectasis (P28.0-P28.1)	
104					All other respiratory conditions originating in the perinatal period (P28.2-P28.9)	
105				1	Infections specific to the perinatal period (P35-P39)	
106					Bacterial sepsis of newborn (P36)	
107					Omphalitis of newborn with or without mild hemorrhage (P38)	
108					All other infections specific to the perinatal period (P35,P37,P39)	109 1
					Hemorrhagic and hematological disorders of newborn (P50-P61)	
110					Neonatal hemorrhage (P50-P52,P54)	
111					Hemorrhagic disease of newborn (P53)	
112					Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)	
113					Hematological disorders (P60-P61)	
114					Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)	
115					Necrotizing enterocolitis of newborn (P77)	
116					Hydrops fetalis not due to hemolytic disease (P83.2)	
117					Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81,P83.0-P83.1,P83.3-P83.9,P90-P96)	
118				1	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	
119					Anencephaly and similar malformations (Q00)	
120					Congenital hydrocephalus (Q03)	
121					Spina bifida (Q05)	
122					Other congenital malformations of nervous system (Q01-Q02,Q04,Q06-Q07)	
123					Congenital malformations of heart (Q20-Q24)	
124					Other congenital malformations of circulatory system (Q25-Q28)	
125					Congenital malformations of respiratory system (Q30-Q34)	
126					Congenital malformations of digestive system (Q35-Q45)	
127					Congenital malformations of genitourinary system (Q50-Q64)	
128					Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)	
129					Down's syndrome (Q90)	
130					Edward's syndrome (Q91.0-Q91.3)	
131					Patau's syndrome (Q91.4-Q91.7)	
132					Other congenital malformations and deformations (Q10-Q18,Q86-Q89)	
133					Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)	
134				1	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	
135					Sudden infant death syndrome (R95)	
136					Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94,R96-R99)	
137					All other diseases (Residual) (F01-F99,H00-H57,L00-M99)	
138				1	External causes of mortality (*U01,V01-Y84)	
139				1	Accidents (unintentional injuries) (V01-X59)	
140				1	Transport accidents (V01-V99)	
141					Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)	V87.0-
142					Other and unspecified transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99)	
143					Falls (W00-W19)	

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130 S Limited

Recode T Sex Age Cause Title and ICD-10 Codes Included

144			Accidental discharge of firearms (W32-W34)
145			Accidental drowning and submersion (W65-W74)
146			Accidental suffocation and strangulation in bed (W75)
147			Other accidental suffocation and strangulation (W76-W77,W81-W84)
148			Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)
149			Accidents caused by exposure to smoke, fire and flames (X00-X09)
150			Accidental poisoning and exposure to noxious substances (X40-X49)
151			Other and unspecified accidents (W20-W31,W35-W64,W85-W99,X10-X39,X50-X59)
152	1		Assault (homicide) (*U01,X85-Y09)
153			Assault (homicide) by hanging, strangulation and suffocation (X91)
154			Assault (homicide) by discharge of firearms (*U01.4,X93-X95)
155			Neglect, abandonment and other maltreatment syndromes (Y06-Y07)
156			Assault (homicide) by other and unspecified means (*U01.0-*U01.3,*U01.5-*U01.9,X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)
157			Complications of medical and surgical care (Y40-Y84)
158			Other external causes (X60-X84,Y10-Y36)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

358 Recode	S Limited T Sex Age	Cause Title and ICD-10 Codes Included
001	1	I. Certain infectious and parasitic diseases (A00-B99)
002	1	Intestinal infectious diseases (A00-A09)
003		Cholera (A00)
004	1	Other intestinal infectious diseases (A01-A08)
005		Typhoid fever (A01.0)
006		Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)
007		Shigellosis (A03)
008		Other bacterial food-borne intoxications (A05)
009		Amebiasis (A06)
010		Intestinal infections due to other specified organisms (A04,A07-A08)
011		Diarrhea and gastroenteritis of infectious origin (A09)
012	1	Tuberculosis (A16-A19)
013		Respiratory tuberculosis (A16)
014		Other tuberculosis (A17-A19)
015	1	Zoonotic and other bacterial diseases (A20-A49)
016		Plague (A20)
017		Brucellosis (A23)
018		Tetanus (A33-A35)
019		Diphtheria (A36)
020		Whooping cough (A37)
021		Scarlet fever and erysipelas (A38,A46)
022		Meningococcal infection (A39)
023	3	Septicemia (A40-A41)
024		Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44, A48-A49)
025	1	Infections with a predominately sexual mode of transmission (A50-A64)
026	1	Syphilis (A50-A53)
027		Cardiovascular syphilis (A52.0)
028		Neurosyphilis (A52.1-A52.3)
029		Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)
030		Gonococcal infection (A54)
031		Other infections with a predominately sexual mode of transmission (A55-A64)
032	1	Other infections caused by spirochetes, chlamydia or rickettsia (A65- A79)
033		Lyme disease (A69.2)
034		Typhus fever (A75)
035		All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)
036	1	Viral diseases (A80-B34)
037		Acute poliomyelitis (A80)
038		Rabies (A82)
039		Arthropod-borne viral encephalitis (A83-A84,A85.2)
040		Yellow fever (A95)
041		Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90- A94,A96-A99)
042		Herpesviral (herpes simplex) infections (B00)
043		Zoster (herpes zoster) (B02)
044		Smallpox (B03)
045		Measles (B05)
046		Rubella (German measles) (B06)
047		Viral hepatitis (B15-B19)
048	1	Human immunodeficiency virus (HIV) disease (B20-B24)
049		Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)
050		Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

Table with columns: Recode, Sex, Age, Cause Title and ICD-10 Codes Included. Rows include categories like Human immunodeficiency virus (HIV) disease, Malignant neoplasms, and various infectious diseases.

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

Table with columns: Recode, T, Sex, Age, Cause Title and ICD-10 Codes Included. Rows list various cancer types such as Mesothelioma, Kaposi's sarcoma, Malignant neoplasm of breast, etc., with associated ICD-10 codes.

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

358	S	Limited									
Recode	T	Sex	Age	Cause Title and	ICD-10	Codes	Included				
152				Acute posthemorrhagic and other anemias	(D62,D64)						
153				Coagulation defects, purpura and other hemorrhagic conditions	(D65-D69)						
154				Other diseases of blood and blood-forming organs	(D70-D76)						
155				Certain disorders involving the immune mechanism	(D80-D89)						
156				1			IV. Endocrine, nutritional and metabolic diseases (E00-E88)				
157				1			Endocrine diseases (E00-E34)				
158							Disorders of thyroid gland (E00-E07)	159	3		Diabetes mellitus (E10-E14)
160							Disorders of pituitary gland (E22-E23)				
161							Disorders of adrenal glands (E24-E27)				
162							Diseases of thymus (E32)				
163							Other endocrine diseases (E15-E21,E28-E31,E34)				
164				1			Nutritional diseases (E40-E68)	165	1		Malnutrition (E40-E46)
166							Nutritional marasmus (E41)				
167							Other and unspecified malnutrition (E40,E42-E46)	168			Other nutritional deficiencies (E50-E64)
169							Obesity and other hyperalimentation (E65-E68)				
170				1	3		Metabolic disorders (E70-E88)				
171							Cystic fibrosis (E84)				
172							Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)				
173							Other metabolic disorders (E70-E83,E85,E88)				
174				1			V. Mental and behavioral disorders (F01-F99)				
175							Organic dementia (F01,F03)				
176							Other and unspecified organic mental disorders (F04-F09)				
177				1	3		Mental and behavioral disorders due to psychoactive substance use (F10-F19)				
178				3			Mental and behavioral disorders due to use of alcohol (F10)				
179				3			Mental and behavioral disorders due to other psychoactive substance use (F11-F19)				
180							Schizophrenia, schizotypal and delusional disorders (F20-F29)				
181							Mood (affective) disorders (F30-F39)				
182							Neurotic, stress-related and somatoform disorders (F40-F48)				
183							Mental retardation (F70-F79)				
184							Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)				
185				1			VI. Diseases of the nervous system (G00-G98)				
186							Meningitis (G00,G03)				
187							Other inflammatory diseases of central nervous system (G04-G09)				
188							Parkinson=s disease (G20-G21)				
189							Alzheimer=s disease (G30)				
190							Multiple sclerosis (G35)				
191							Epilepsy (G40-G41)				
192							Transient cerebral ischemic attacks and related syndromes (G45)				
193							Infantile cerebral palsy (G80)				
194							All other diseases of nervous system (G10-G14,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)				
195							VII. Diseases of the eye and adnexa (H00-H57)				
196							VIII. Diseases of the ear and mastoid process (H60-H93)				
197				1			IX. Diseases of the circulatory system (I00-I99)				

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

358	S Limited					
Recode	T Sex Age	Cause Title and ICD-10 Codes Included				
198		1		Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)		
199				Acute rheumatic fever (I00-I02)		
200		1		Chronic rheumatic heart diseases (I05-I09)		
201				Rheumatic mitral valve diseases (I05)		
202				Rheumatic aortic valve diseases (I06)		
203				Disorders of both mitral and aortic valves (I08.0)		
204				Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)		
205		1		Hypertensive diseases (I10-I15)		
206				Essential (primary) hypertension (I10)		
207				Hypertensive heart disease (I11)		
208				Hypertensive renal disease (I12,I15)		
209				Hypertensive heart and renal disease (I13) 210	1	Ischemic heart diseases (I20-I25)
211				Acute myocardial infarction (I21-I22)		
212				Other acute ischemic heart diseases (I24)		
213				Other forms of chronic ischemic heart diseases (I20,I25)		
214				Atherosclerotic cardiovascular disease, so described (I25.0)		
215				All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)		
216		1		Other heart diseases (I26-I51)		
217		1		Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)		
218				Pulmonary embolism (I26)		
219				Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)		
220		1		Other non-pulmonary forms of heart disease (I30-I51)		
221				Acute and subacute endocarditis (I33)		
222				Diseases of pericardium and acute myocarditis (I30-I31,I40)		
223		1		Other diseases of endocardium (I34-I38)		
224				Nonrheumatic mitral valve disorders (I34)		
225				Nonrheumatic aortic valve disorders (I35)		
226				All other diseases of endocardium (I36-I38)		
227				Cardiomyopathy (I42)		
228				Conduction disorders and cardiac dysrhythmias (I44-I49)		
229		1		Heart failure (I50)		
230				Congestive heart failure (I50.0)		
231				Other and unspecified heart failure (I50.1-I50.9)		
232				Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)		
233				All other and ill-defined forms of heart disease (I50.0-I51.3, I51.6-I51.9)		
234		1		Cerebrovascular diseases (I60-I69)		
235				Subarachnoid hemorrhage (I60)		
236		3		Intracerebral and other intracranial hemorrhage (I61-I62)		
237				Cerebral infarction (I63)		
238				Stroke, not specified as hemorrhage or infarction (I64)		
239				Other cerebrovascular diseases and their sequelae (I67,I69)		
240		1		Diseases of arteries, arterioles and capillaries (I70-I78)		
241				Atherosclerosis (I70)		
242				Aortic aneurysm and dissection (I71)		
243				Other diseases of arteries, arterioles and capillaries (I70-I78)		
244		1		Other disorders of circulatory system (I80-I99)		
245				Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)		
246				All other and unspecified disorders of circulatory system (I83-I99)		
247		1	X.	Diseases of the respiratory system (J00-J98,U04)		
248		1		Acute upper respiratory infections (J00-J06)		
249				Acute pharyngitis and tonsillitis (J02-J03)		

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

358	S Limited							
Recode	T Sex Age	Cause Title and ICD-10 Codes Included						
250		Acute laryngitis and tracheitis ((J04)						
251		Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)						
252		1 Other diseases of the respiratory system (J09-J98,U04)						
253		Influenza (J09-J11)						
254		1 Pneumonia(J12-J18)						
255		Viral pneumonia, not elsewhere classified (J12)						
256		Bacterial pneumonia (J13-J15)						
257		Pneumonia due to other or unspecified organisms (J16,J18)						
258		1 Other acute lower respiratory infections (J20-J22,U04)						
259		Acute bronchitis and bronchiolitis(J20-J21)						
260		Other and unspecified acute lower respiratory infection (J22,U04)						
261		Other diseases of upper respiratory tract (J30-J39)						
262		1 Chronic lower respiratory diseases (J40-J47)						
263		1 Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)						
264		Bronchitis, not specified as acute or chronic (J40)						
265		Chronic bronchitis (J41-J42)						
266		3 Emphysema (J43)						
267		Other chronic obstructive pulmonary disease (J44)						
268		Asthma (J45-J46)						
269		Bronchiectasis (J47)						
270		1 Lung diseases due to external agents (J60-J70)						
271		Pneumoconioses and chemical effects (J60-J66,J68)	272	1	Pneumonitis due to solids and liquids (J69)	273		Pneumonitis due to food and vomit (J69.0)
274		Other pneumonitis due to solids and liquids (J69.1-J69.8)	275		Other lung diseases due to external agents (J67,J70)			
276		Suppurative and necrotic conditions of lower respiratory tract (J85-J86)						
277		Pleural effusion and plaque (J90, J92)						
278		All other diseases of respiratory system (J80-J84,J93-J98)						
279		1 XI. Diseases of the digestive system (K00-K92)						
280		Diseases of oral cavity, salivary glands and jaws (K00-K14)						
281		1 Diseases of other parts of digestive system (K20-K92)						
282		Diseases of esophagus (K20-K22)						
283		1 Peptic ulcer (K25-K28)						
284		Gastric ulcer(K25)						
285		Duodenal ulcer(K26)						
286		3 Peptic ulcer, site unspecified (K27)						
287		Gastrojejunal ulcer (K28)						
288		Gastritis and duodenitis (K29)						
289		Dyspepsia and other diseases of stomach and duodenum (K30-K31)						
290		Diseases of appendix (K35-K38)						
291		Hernia (K40-K46)						
292		Crohn=s disease and ulcerative colitis (K50-K51)						
293		Vascular disorders and obstruction of intestine without hernia (K55-K56)						
294		Diverticular disease of intestine (K57)						
295		Other diseases of intestines and peritoneum (K52,K58-K63)						
296		Diseases of peritoneum (K65-K66)						
297		1 Diseases of liver (K70-K76)						
298		Alcoholic liver disease (K70)						
299		Chronic hepatitis, not elsewhere classified (K73)						
300		Fibrosis and cirrhosis of liver (K74)						
301		Other diseases of liver (K71-K72,K75-K76)						
302		Cholelithiasis and other disorders of gallbladder (K80-K82)						
303		1 Disorders of biliary tract and pancreas (K83-K86)						

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

358	S	Limited			
Recode	T	Sex Age	Cause Title and ICD-10 Codes Included		
304			Pancreatitis (K85,K86.0-K86.1)		
305			Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)		
306			All other diseases of digestive system (K90-K92)		
307			1 XII. Diseases of the skin and subcutaneous tissue (L00-L98)		
308			Infections of skin and subcutaneous tissue (L00-L08)		
309			Other and unspecified diseases of skin and sub-cutaneous tissue (L10-L98)		
310			1 XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)		
311			Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)		
312			Systemic lupus erythematosus (M32)		
313			Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)		
314			Dorsopathies (M40-M54)		
315			Soft tissue disorders (M60-M79)		
316			1 Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)		
317			Osteoporosis (M80-M81)		
318			Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)		
319			1 XIV. Diseases of the genitourinary system (N00-N98)		
320			1 Diseases of urinary system (N00-N39)		
321			1 Glomerular and renal tubulo-interstitial diseases (N00-N15)		
322			1 Glomerular diseases (N00-N07)		
323			Acute and rapidly progressive nephritic syndrome (N00-N01)		
324			Nephrotic syndrome (N04)		
325			Other and unspecified glomerular diseases (N02-N03,N05-N07)		
326			Renal tubulo-interstitial diseases (N10-N15)		
327			Renal failure (N17-N19)		
328			Urolithiasis (N20-N23)		
329			Other and unspecified disorders of kidney (N25-N27)		
330			Urinary tract infection, site not specified (N39.0)		
331			Other diseases of urinary system (N28-N36,N39.1-N39.9)		
332			1 1 Diseases of male genital organs (N40-N50)		
333			1 Hyperplasia of prostate (N40)		
334			1 Other diseases of male genital organs (N41-N50) 335		
			Disorders of breast (N60-N64)		
336	1	2	Disorders of female genital organs (N70-N98)		
337		2	Inflammatory diseases of female pelvic organs (N70-N76)		
338		2	Noninflammatory disorders of female genital tract (N80-N98)		
339	1	2 7	XV. Pregnancy, childbirth and the puerperium (O00-O99)		
340	1	2 7	Pregnancy with abortive outcome (O00-O07)		
341	2	7	Ectopic pregnancy (O00)		
342	2	7	Spontaneous abortion (O03) 343 2 7 Medical abortion (O04)		
344		2 7	Other abortion (O05)		
345		2 7	Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)		
346		1 2 7	Other direct obstetric deaths (O10-O92)		
347		2 7	Eclampsia and pre-eclampsia (O11,O13-O16)		
348		2 7	Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)		
349	1	2 7	Complications predominately related to the puerperium (O85-O92)		

***** Cause Subtotals are not identified in this file *****

358	S Limited			
Recode	T Sex Age	Cause Title and ICD-10 Codes Included		
380		All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)		
381	1	XX. External causes of mortality (*U01- *U03,V01-Y89)		
382	1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)		
	383 1	Transport accidents (V01-V99, Y85)		
384		Railway accidents (V05,V15,V80.6,V81.2-V81.9)		
385	1	Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0- V19.2, V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)		
386		Pedestrian involved in collision with motor vehicle (V02-V04)		
387		Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0,V19.2-V19.4-V19.6)		
388		Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)		
389	1	Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0- V81.1,V87.6,V88.6)		
390		Motorcyclist involved in collision with railway train (V25,V35)		
391		Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)		
392		Occupant of motor vehicle involved in collision with other (non- motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71, V76-V77)		
393		Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)		
394		Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79)		
395		Occupant of motor vehicle involved in non-collision accident (V48,V58,V68,V78)		
396		Occupant of special-use motor vehicle involved in any accident (V83-V86)		
397		Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8, V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)		
398		Streetcar accidents (V82.2-V82.9)		
399		Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9, V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)		
400		Water transport accidents (V90-V94)		
401		Air and space transport accidents (V95-V97)		
402		Other and unspecified transport accidents and their sequelae (V98-V99,Y85)		
403	1	Falls (W00-W19)		
404		Fall on same level (W00-W09,W18)		
405		Fall from one level to another (W10-W17)		
406		Unspecified fall (W19)		
407		Accidental discharge of firearms (W32-W34) 408 explosion (W39-W40)		Accidental
409		Accidental drowning and submersion (W65-W74)		
410		Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)		

411 Other accidental and unspecified threats to breathing
(W75-W77,W81-W84)
412 Accidental exposure to electrical current (W85-W87)
413 Accidental exposure to radiation (W88-W91)
414 Accidental exposure to smoke, fire and flames (X00-X09)
415 Accidental contact with heat and hot substances (X10-X19)
416 Lightning (X33)
417 Earthquake, volcanic eruption, avalanche, landslide and other earth
movements (X34-X36)
418 Cataclysmic storm and flood (X37-X38)
419 1 Accidental poisoning and exposure to noxious substances (X40-X49)
Tenth Revision 358 Selected Causes of Death Adapted for use by DVS Page 9

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

358 S Limited
Recode T Sex Age Cause Title and ICD-10 Codes Included

420 Accidental poisoning by and exposure to drugs and other biological substances
(X40-X44)
421 Accidental poisoning by and exposure to other and unspecified solid or
liquids substances (X45-X46,X48-X49)
422 Accidental poisoning by and exposure to other gases and vapors (X47)
423 All other and unspecified accidents
(W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)
424 1 1 Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)
425 1 Intentional self-poisoning (suicide) by and exposure to drugs and
other biological substances (X60-X64)
426 1 Intentional self-poisoning (suicide) by and exposure to other and
unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)
427 1 Intentional self-poisoning (suicide) by and exposure to other gases and
vapors (X67)
428 1 Intentional self-harm (suicide) by hanging, strangulation and suffocation
(X70)
429 1 Intentional self-harm (suicide) by discharge of firearms (X72-X74) 430
1 Intentional self-harm (suicide) by jumping from a high place (X80)
431 1 Intentional self-harm (suicide) by all other and unspecified means and
their sequelae (*U03,X71,X75-X79,X81-X84,X87.0)
432 1 Assault (homicide) (*U01-*U02,X85-Y09,X87.1)
433 Assault (homicide) by drugs, biological substances and other and unspecified
noxious substances (*U01.6-*U01.7,X85-X90)
434 Assault (homicide) by hanging, strangulation and suffocation (X91)
435 Assault (homicide) by discharge of firearms (*U01.4,X93-X95)
436 Assault (homicide) by sharp object (X99)
437 Assault (homicide) by blunt object (Y00)
438 Assault (homicide) by bodily force (Y04)
439 Sexual assault (homicide) by bodily force (Y05)
440 Neglect, abandonment and other maltreatment syndromes (Y06-Y07)
441 Assault (homicide) by all other and unspecified means and their sequelae
(*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02,X92,X96-X98, Y01-Y03,Y08-Y09,Y87.1)
442 1 Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)
443 Poisoning by and exposure to drugs and biological substances, undetermined
intent (Y10-Y14)
444 Poisoning by and exposure to other and unspecified solid or liquid substance
undetermined intent (Y15-Y16,Y18-Y19)
445 Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)
446 Discharge of firearms, undetermined intent (Y22-Y24)
447 Falling, jumping or pushed from a high place, undetermined intent (Y30)
448 All other and unspecified events of undetermined intent and their sequelae
(Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)
449 1 Legal intervention (Y35,Y89.0)
450 Legal intervention (Y35.5)

451 Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)
452 Operations of war and their sequelae (Y36,Y89.1)
453 1 Complications of medical and surgical care (Y40-Y84,Y88)
454 Drugs, medicaments and biological substances causing adverse effects in
therapeutic use and their sequelae (Y40-Y59,Y88.0)
455 Misadventures to patients during medical and surgical care and their sequelae
(Y60-Y69,Y88.1)
456 Other complications of medical and surgical care and their sequelae
(Y70-Y84,Y88.2-Y88.3)

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

List of File Data Elements and Tape Locations

Data Items	Tape Locations
1. General	
a. Record Type	19
b. Resident status	20
c. Place of death and decedent's status	83
d. Day of week of death	85
e. Data year	102-105
2. Occurrence	
a. State (FIPS)	21-22
b. County (FIPS)	23-25
c. County Population size	28
3. Residence	
a. State (FIPS)	29-30
b. State/Country Recode	33-34
c. County (FIPS)	35-37
d. County Population size	51
4. The Decedent	
a. Month of Death	65-66
b. Sex	69
c. Race	445-450
d. Age	70-82
e. Marital status	84
f. State of birth	55-60
g. Hispanic origin	484-488
h. Education	61-64
5. Underlying Cause	
a. ICD-10 code	146-149
b. 358 cause recode	150-152
c. 113 cause recode	154-156
d. 130 cause recode	157-159
e. 39 cause recode	160-161
6. Multiple Conditions	
a. Entity-Axis conditions	
1. Number of	163-164
2. The conditions	165-304
b. Record-Axis conditions	
1. Number of	341-342
2. The conditions	344-443

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

List of File Data Elements and Tape Locations

Data Items	Tape Locations
7. Other medical items	
a. Place of injury	145
b. Injury at work	106
c. Method of disposition	108
d. Autopsy	109
e. Activity code	144

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>																																	
1-18	18	<u>Reserved Positions</u> These positions are blank.																																	
19	1	<u>Record Type</u> <table border="0" style="margin-left: 20px;"> <tr> <td style="width: 5%;">1</td> <td style="width: 5%;">...</td> <td>RESIDENTS State and County of Occurrence and Residence are the same.</td> </tr> <tr> <td>2</td> <td>...</td> <td>NONRESIDENTS State and/or County of Occurrence and Residence are different.</td> </tr> </table>	1	...	RESIDENTS State and County of Occurrence and Residence are the same.	2	...	NONRESIDENTS State and/or County of Occurrence and Residence are different.																											
1	...	RESIDENTS State and County of Occurrence and Residence are the same.																																	
2	...	NONRESIDENTS State and/or County of Occurrence and Residence are different.																																	
20	1	<u>Resident Status</u> <p>United States Occurrence</p> <table border="0" style="margin-left: 20px;"> <tr> <td style="width: 5%;">1</td> <td style="width: 5%;">...</td> <td>RESIDENTS State and County of Occurrence and Residence are the same.</td> </tr> <tr> <td>2</td> <td>...</td> <td>INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different.</td> </tr> <tr> <td>3</td> <td>...</td> <td>INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S.</td> </tr> <tr> <td>4</td> <td>...</td> <td>FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S.</td> </tr> </table> <p>Puerto Rico Occurrence</p> <table border="0" style="margin-left: 20px;"> <tr> <td style="width: 5%;">1</td> <td style="width: 5%;">...</td> <td>RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.</td> </tr> <tr> <td>2</td> <td>...</td> <td>INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.</td> </tr> <tr> <td>3</td> <td>...</td> <td>INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.</td> </tr> <tr> <td>4</td> <td>...</td> <td>FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.</td> </tr> </table> <p>Virgin Islands Occurrence</p> <table border="0" style="margin-left: 20px;"> <tr> <td style="width: 5%;">1</td> <td style="width: 5%;">...</td> <td>RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.</td> </tr> <tr> <td>2</td> <td>...</td> <td>INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.</td> </tr> <tr> <td>3</td> <td>...</td> <td>INTERTERRITORY NONRESIDENTS: Territory of occurrence</td> </tr> </table>	1	...	RESIDENTS State and County of Occurrence and Residence are the same.	2	...	INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different.	3	...	INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S.	4	...	FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S.	1	...	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.	2	...	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.	3	...	INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.	4	...	FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.	1	...	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.	2	...	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.	3	...	INTERTERRITORY NONRESIDENTS: Territory of occurrence
1	...	RESIDENTS State and County of Occurrence and Residence are the same.																																	
2	...	INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different.																																	
3	...	INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S.																																	
4	...	FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S.																																	
1	...	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.																																	
2	...	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.																																	
3	...	INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.																																	
4	...	FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.																																	
1	...	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.																																	
2	...	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.																																	
3	...	INTERTERRITORY NONRESIDENTS: Territory of occurrence																																	

4 ... and residence are different, but both are a Territory.
 FOREIGN RESIDENTS
 Occurred in Virgin Islands to a resident of any other place.

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
20	1	<u>Resident Status – Con.</u> Guam Occurrence 1 ... RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S. 3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4 ... FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S. American Samoa Occurrence 1 ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. 2 ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. 3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4 ... FOREIGN RESIDENTS Occurred in American Samoa to a resident of any other place. Northern Marianas Occurrence 1 ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. 2 ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. 3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4 ... FOREIGN RESIDENTS Occurred in Northern Marianas to a resident of any other place.
21-54 <u>CODES</u>	34	<u>FEDERAL INFORMATION PROCESSING STANDARDS (FIPS) GEOGRAPHIC</u>

Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u> (NIST) publications. Some geographic codes have been changed to reflect the results of the 2000 Census.
21-28	8	<u>PLACE OF OCCURRENCE</u>
21-22 2		<u>State of Occurrence (FIPS) Puerto Rico</u> PR ... Puerto Rico Virgin Islands VI ... Virgin Islands Guam GU ... Guam American Samoa AS ... American Samoa Northern Marianas MP ... Northern Marianas
23-25	3	<u>County of Occurrence (FIPS)</u> Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document. 001-nnn ... Code range 999 ... County of less than 100,000 population
26-27	2	<u>Reserved Positions</u> These positions are blank.
28	1	<u>Population Size of County of Occurrence</u> Based on the results of the 2000 Census 0 ... County of 1,000,000 or more 1 ... County of 500,000 to 1,000,000 2 ... County of 250,000 to 500,000 3 ... County of 100,000 to 250,000 9 ... County of less than 100,000

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
29-54	24	<u>PLACE OF RESIDENCE</u>
		Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Beginning with 2003 data, some areas started reporting additional codes for foreign residents.
29-30	2	<u>State of Residence (FIPS)</u>
		Territory Residents
		PR ... Puerto Rico
		VI ... Virgin Islands
		GU ... Guam
		AS ... American Samoa
		MP ... Northern Marianas
		Foreign residents
		CC ... Canada
		MX ... Mexico
		CU ... Cuba
		YY ... Remainder of the world
		Puerto Rico Occurrence
		PR ... Puerto Rico
		US, ZZ ... Foreign residents
		Virgin Islands Occurrence
		VI ... Virgin Islands
		US, ZZ ... Foreign residents
29-30	2	<u>State of Residence (FIPS) – Con.</u>
		Guam Occurrence
		GU ... Guam
		US ... U.S. resident. Also considered a resident of Guam.
		ZZ ... Foreign residents: refer to U.S. for specific code structure.
		American Samoa Occurrence
		AS ... American Samoa
		US, ZZ ... Foreign residents
		Northern Marianas Occurrence
		MP ... Northern Marianas
		US, ZZ ... Foreign residents

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
31-32	2	<u>Reserved Positions</u> These positions are blank.
33-34	2	<u>State/Country of Residence Recode</u> Territory residents PR ... Puerto Rico VI ... Virgin Islands GU ... Guam AS ... American Samoa MP ... Northern Marianas Foreign residents CC ... Canada MX ... Mexico CU ... Cuba YY ... Remainder of the world Puerto Rico Occurrence PR ... Puerto Rico US, ZZ ... Foreign residents. Virgin Islands Occurrence VI ... Virgin Islands US, ZZ ... Foreign residents.
33-34	2	<u>State/Country of Residence Recode – Con.</u> Guam Occurrence GU ... Guam US ... U.S. resident. Also considered a resident of Guam. ZZ ... Foreign residents. American Samoa Occurrence AS ... American Samoa US, ZZ ... Foreign residents. Northern Marianas Occurrence MP ... Northern Marianas US, ZZ ... Foreign residents.
35-37	3	<u>County of Residence (FIPS)</u> Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
		population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.
		000 ... Foreign residents
		001-nnn ... Code range
		999 ... County of less than 100,000 population
38-50	13	<u>Reserved Positions</u> These positions are blank.
51	1	<u>Population Size of County of Residence</u> Based on the results of the 2000 Census
		0 ... County of 1,000,000 or more
		1 ... County of 500,000 to 1,000,000
		2 ... County of 250,000 to 500,000
		3 ... County of 100,000 to 250,000
		9 ... County of less than 100,000
		Z ... Foreign residents
52-58	7	<u>Reserved Positions</u> These positions are blank.

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
59-60	2	<u>State/Country Birth Recode</u> Territory residents PR ... Puerto Rico VI ... Virgin Islands GU ... Guam AS ... American Samoa MP ... Northern Marianas Foreign residents US ... United States CC ... Canada MX ... Mexico CU ... Cuba YY ... Remainder of the world ZZ ... Unknown place of birth
61-64	4	EDUCATION
61-62	2	<u>Education (1989 revision)</u> 00 ... No formal education 01-08 ... Years of elementary school 09 ... 1 year of high school 10 ... 2 years of high school 11 ... 3 years of high school 12 ... 4 years of high school 13 ... 1 year of college 14 ... 2 years of college 15 ... 3 years of college 16 ... 4 years of college 17 ... 5 or more years of college 99 ... Not stated
<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
63	1	<u>Education (2003 revision)</u> Field is blank for registration areas that are using the 1989 revision format of the item. 1 ... 8th grade or less 2 ... 9 - 12th grade, no diploma 3 ... high school graduate or GED completed 4 ... some college credit, but no degree

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

		5	... Associate degree
		6	... Bachelor's degree
		7	... Master's degree
		8	... Doctorate or professional degree
		9	... Unknown
64	1		<u>Education reporting flag</u>
		0	... 1989 revision of education item on certificate
		1	... 2003 revision of education item on certificate
		2	... no education item on certificate
65-66	2		<u>Month of Death</u>
		01	... January
		02	... February
		03	... March
		04	... April
		05	... May
		06	... June
		07	... July
		08	... August
		09	... September
		10	... October
		11	... November
		12	... December
67-68	2		<u>Reserved Positions</u>
69	1		<u>Sex</u>
		M	... Male
		F	... Female
Tape			Field
<u>Location</u>	<u>Size</u>		<u>Item and Code Outline</u>
70-82	13		<u>REPORTED AGE</u>
70-73	4		<u>Detail Age</u>

Four positions are used to code detail age. Location 70 identifies age in years, months, days, etc. Locations 71-73 are the number of years, months, days, etc.

1	001-135,999	... Years
2	001-011,999	... Months
4	001-027,999	... Days
5	001-023,999	... Hours
6	001-059,999	... Minutes
9	999	... Age not stated

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

74	1	<u>Age Substitution Flag</u>
		If reported age is unknown but a valid age is calculated using dates of birth and death, the calculated age is substituted for the unknown reported age.
		Blank ... Calculated age is not substituted for reported age
		1 ... Calculated age is substituted for reported age
75-76	2	<u>Age Recode 52</u>
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7 - 13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		17 15 ... 4 months 16 ... 5 months ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
<u>Tape</u>		Field
<u>Location</u>	<u>Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52 – Con.</u>
		23 ... 1 year
		24 ... 2 years
		25 ... 3 years
		26 ... 4 years
		27 ... 5 - 9 years
		28 ... 10 - 14 years 29 ... 15 - 19 years
		30 ... 20 - 24 years
		31 ... 25 - 29 years
		32 ... 30 - 34 years

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
		33 ... 35 - 39 years
		34 ... 40 - 44 years
		35 ... 45 - 49 years
		36 ... 50 - 54 years
		37 ... 55 - 59 years
		38 ... 60 - 64 years
		39 ... 65 - 69 years
		40 ... 70 - 74 years
		41 ... 75 - 79 years
		42 ... 80 - 84 years
		43 ... 85 - 89 years
		44 ... 90 - 94 years
		45 ... 95 - 99 years
		46 ... 100 - 104 years
		47 ... 105 - 109 years
		48 ... 110 - 114 years
		49 ... 115 - 119 years
		50 ... 120 - 124 years
		51 ... 125 years and over
		52 ... Age not stated
77-78	2	<u>Age Recode 27</u>
		01 ... Under 1 month (includes not stated weeks, days, hours, and minutes)
		02 ... 1 month - 11 months (includes not stated months)
		03 ... 1 year
		04 ... 2 years 05 ... 3 years
		06 ... 4 years
		07 ... 5 - 9 years
		08 ... 10 - 14 years
		09 ... 15 - 19 years
		10 ... 20 - 24 years
		11 ... 25 - 29 years
		12 ... 30 - 34 years
		13 ... 35 - 39 years
		14 ... 40 - 44 years
		15 ... 45 - 49 years
		16 ... 50 - 54 years
		17 ... 55 - 59 years
		18 ... 60 - 64 years
		19 ... 65 - 69 years
		20 ... 70 - 74 years
		21 ... 75 - 79 years
		22 ... 80 - 84 years
		23 ... 85 - 89 years
		24 ... 90 - 94 years
		25 ... 95 - 99 years

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

		26	...	100 years and over
		27	...	Age not stated
79-80	2	<u>Age Recode 12</u>		
		01	...	Under 1 year (includes not stated infant ages)
		02	...	1 - 4 years
		03	...	5 - 14 years
		04	...	15 - 24 years
		05	...	25 - 34 years
		06	...	35 - 44 years
		07	...	45 - 54 years
		08	...	55 - 64 years
		09	...	65 - 74 years
		10	...	75 - 84 years
		11	...	85 years and over
		12	...	Age not stated
<u>Tape</u>		Field		
<u>Location</u>	<u>Size</u>	<u>Item and Code Outline</u>		
81-82	2	<u>Infant Age Recode 22</u>		
		Blank	...	Age 1 year and over or not stated
		01	...	Under 1 hour (includes not stated hours and minutes)
		02	...	1 - 23 hours
		03	...	1 day (includes not stated days)
		04	...	2 days
		05	...	3 days
		06	...	4 days
		07	...	5 days
		08	...	6 days
		09	...	7-13 days (includes not stated weeks)
		10	...	14 - 20 days
		11	...	21 - 27 days
		12	...	1 month (includes not stated months)
		13	...	2 months
		14	...	3 months
		15	...	4 months
		16	...	5 months
		17	...	6 months
		18	...	7 months
		19	...	8 months
		20	...	9 months
		21	...	10 months
		22	...	11 months
83	1	<u>Place of Death and Decedent's Status</u>		

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

1	...	Hospital, clinic or Medical Center - Inpatient
2	...	Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room
3	...	Hospital, Clinic or Medical Center - Dead on Arrival
4	...	Decedent's home
5	...	Hospice facility
6	...	Nursing home/long term care
7	...	Other
9	...	Place of death unknown

84

1

Marital Status

S	...	Never married, single M
	...	Married
W ...	Widowed	D ...
	Divorced	
U	...	Marital Status unknown

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
85	1	<u>Day of Week of Death</u> 1 ... Sunday 2 ... Monday 3 ... Tuesday 4 ... Wednesday 5 ... Thursday 6 ... Friday 7 ... Saturday 9 ... Unknown
86-101	16	<u>Reserved Position</u> This position is blank.
102-105	4	<u>Current Data Year</u> 2017 ... 2017
106	1	<u>Injury at Work</u> Y ... Yes N ... No U ... Unknown
107	1	<u>Manner of Death</u> 1 ... Accident 2 ... Suicide 3 ... Homicide 4 ... Pending investigation 5 ... Could not determine 6 ... Self-Inflicted 7 ... Natural Blank ... Not specified
108	1	<u>Method of Disposition</u> B ... Burial C ... Cremation O ... Other U ... Unknown

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
109	1	<u>Autopsy</u> Y ... Yes N ... No U ... Unknown
110-143	34	<u>Reserved Position</u> This position is blank.
144	1	<u>Activity Code</u> 0 ... While engaged in sports activity 1 ... While engaged in leisure activity 2 ... While working for income 3 ... While engaged in other types of work 4 ... While resting, sleeping, eating (vital activities) 8 ... While engaged in other specified activities 9 ... During unspecified activity Blank ... Not applicable
145	1	<u>Place of Injury for Causes W00-Y34, except Y06.- and Y07.-</u> 0 ... Home 1 ... Residential institution 2 ... School, other institution and public administrative area 3 ... Sports and athletics area 4 ... Street and highway 5 ... Trade and service area 6 ... Industrial and construction area 7 ... Farm 8 ... Other Specified Places 9 ... Unspecified place Blank ... Causes other than W00-Y34, except Y06.- and Y07.-
146-162 18 <u>UNDERLYING CAUSE OF DEATH</u> 146-149 4 <u>ICD</u>		
<u>Code (10th Revision)</u>		
See the <u>International Classification of Diseases, 2016 Revision, Volume 1.</u>		
150-152	3	<u>358 Cause Recode</u> A recode of the ICD cause code into 358 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. 001-456 ... Code range (not inclusive)
153	1	<u>Reserved Position</u>

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
154-156	3	<p>This position is blank.</p> <p><u>113 Cause Recode</u></p> <p>A recode of the ICD cause code into 113 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.</p> <p>001-135 ... Code range (not inclusive)</p>
157-159	3	<p><u>130 Infant Cause Recode</u></p> <p>A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. Beginning in 2002 non-infant records are blank in this field.</p> <p>001-158 ... Code range (not inclusive)</p>
160-161	2	<p><u>39 Cause Recode</u></p> <p>A recode of the ICD cause code into 39 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.</p> <p>01-42 ... Code range (not inclusive)</p>
162	1	<p><u>Reserved Position</u></p> <p>This position is blank.</p>
163-443	281	<p><u>MULTIPLE CONDITIONS</u></p>
163-164	2	<p><u>Number of Entity-Axis Conditions</u></p> <p>00-20 ... Code range</p>
165-304	140	<p><u>ENTITY-AXIS CONDITIONS</u></p> <p>Space has been provided for maximum of 20 conditions. Each condition takes 7 positions in the record. The 7th position will be blank. Records that do not have 20 conditions are blank in the unused area.</p> <p>Position 1: Part/line number on certificate</p> <p>1 ... Part I, line 1 (a) 2 ... Part I, line 2 (b) 3 ... Part I, line 3 (c) 4 ... Part I, line 4 (d) 5 ... Part I, line 5 (e) 6 ... Part II</p>
165-304	140	<p><u>ENTITY-AXIS CONDITIONS – Con.</u></p>

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
		Position 2: Sequence of condition within part/line
		1-7 ... Code range
		Position 3 - 6: Condition code
		See Table 1 for a complete list of codes
165-171	7	1 st Condition
172-178	7	2 nd Condition
179-185	7	3 rd Condition
186-192	7	4 th Condition
193-199	7	5 th Condition
200-206	7	6 th Condition
207-213	7	7 th Condition
214-220	7	8 th Condition
221-227	7	9 th Condition
228-234	7	10 th Condition
235-241	7	11 th Condition
242-248	7	12 th Condition
249-255	7	13 th Condition
256-262	7	14 th Condition
263-269	7	15 th Condition
270-276	7	16 th Condition
277-283	7	17 th Condition
284-290	7	18 th Condition
291-297	7	19 th Condition
298-304	7	20 th Condition
305-340	36	<u>Reserved Positions</u>

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
341-342	2	<u>Number of Record-Axis Conditions</u> 00-20 ... Code range
343	1	<u>Reserved Position</u> This position is blank.
344-443	100	<u>RECORD-AXIS CONDITIONS</u> Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5 th position will be blank. Records that do not have 20 conditions are blank in the unused area. Positions 1 - 4: Condition Code See Table 1 for a complete list of codes
344-348	5	1 st Condition
349-353	5	2 nd Condition
354-358	5	3 rd Condition
359-363	5	4 th Condition
364-368	5	5 th Condition
369-373	5	6 th Condition
374-378	5	7 th Condition
379-383	5	8 th Condition
384-388	5	9 th Condition
389-393	5	10 th Condition
394-398	5	11 th Condition
399-403	5	12 th Condition
344-443	100	<u>RECORD-AXIS CONDITIONS – Con.</u>
404-408	5	13 th Condition
409-413	5	14 th Condition
414-418	5	15 th Condition

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
419-433	5	16 th Condition
424-428	5	17 th Condition
429-433	5	18 th Condition
434-438	5	19 th Condition
439-443	5	20 th Condition
444	1	<u>Reserved position</u> This position is blank.
445-482	38	<u>RACE</u>
445-446	2	<u>Race</u>

This item is: a) the reported race for States that are reporting single race or b) the bridged race for States that are reporting multiple race. Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18 - 68 replace old code 08 for these areas. Code 78 replaces old 08 for all other areas. For consistency with Census races, the category all other races has been imputed.

US Occurrence

- 01 ... White
- 02 ... Black
- 03 ... American Indian (includes Aleuts and Eskimos)
- 04 ... Chinese
- 05 ... Japanese
- 06 ... Hawaiian (includes Part-Hawaiian)
- 07 ... Filipino
- 18 ... Asian Indian
- 28 ... Korean
- 38 ... Samoan
- 48 ... Vietnamese
- 58 ... Guamanian
- 68 ... Other Asian or Pacific Islander in areas reporting codes 18-58
- 78 ... Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately

445-446	2	<u>Race- Con.</u>
---------	---	-------------------

Puerto Rico Occurrence

- 00 ... Other races
- 01 ... White
- 02 ... Black

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape</u>	<u>Size</u>	<u>Field</u>
<u>Location</u>		<u>Item and Code Outline</u>
		Virgin Islands Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		Guam Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (Includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		58 ... Guamanian
		American Samoa Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		Northern Marianas Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
445-446	2	<u>Race- Con.</u>
		07 ... Filipino
		18 ... Asian Indian
		28 ... Korean
		38 ... Samoan
		48 ... Vietnamese

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
		58 ... Guamanian
		68 ... Other Asian or Pacific Islander in areas reporting codes 18-58
		78 ... Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately
447	1	<u>Bridged Race Flag</u>
		Blank ... Race is not bridged
		1 ... Race is bridged
448	1	<u>Race Imputation Flag</u>
		Blank ... Race is not imputed
		1 ... Unknown race is imputed
		2 ... All other races is imputed
449	1	<u>Race Recode 3</u>
		1 ... White
		2 ... Races other than White or Black
		3 ... Black
450	1	<u>Race Recode 5</u>
		0 ... Other (Puerto Rico only)
		1 ... White
		2 ... Black
		3 ... American Indian
		4 ... Asian or Pacific Islander
451-483	33	<u>Reserved Positions</u> These positions are blank.
484-486	3	<u>Hispanic Origin</u>
		100-199 ... Non-Hispanic
		200-209 ... Spaniard
		210-219 ... Mexican
		260-269 ... Puerto Rican
		270-274 ... Cuban
		275-279 ... Dominican
		220 ... Central and South American
		221-230 ... Central American
		231-249 ... South American
		250-259 ... Latin American
		280-299 ... Other Hispanic
		996-999 ... Unknown

2017
Mortality Multiple Cause-of-Death Public Use Record
Territories File

<u>Tape Location</u>	<u>Size</u>	<u>Field Item and Code Outline</u>
487	1	<u>Reserved Position</u> This position is blank.
488	1	<u>Hispanic Origin/Race Recode</u>
	1	... Mexican
	2	... Puerto Rican
	3	... Cuban
	4	... Central or South American
	5	... Other or unknown Hispanic
	6	... Non - Hispanic white
	7	... Non - Hispanic black
	8	... Non - Hispanic other races
	9	... Hispanic origin unknown

Vital Statistics Geographic Code Outline For Puerto Rico,
Virgin Islands, Guam, American Samoa and Northern Marianas
Effective with 2003 Data

Camuy 027 0470	015 006 1 999	Canovanas 029 7440	016 006
1 999	Carolina 031 7440	017 006 1 999	Catano 033 7440
018 003 1 999	Cayey 035 1310		
019 006 1 999	Ceiba		037 7440
020 000 2 999	Ciales 039 0000	021 003 1 999	
Cidra 041 1310	022 000 2 999	Coamo 043 0000	
023 006 1 999	Comerio		045 7440
024 006 1 999	Corozal		047 7440
025 000 2 999	Culebra 049 0000	026 006 1 999	
Dorado	051 7440	027 006 1 999	Fajardo 053 7440 028
006 1 999	Florida 054 7440		
029 000 2 999	Guanica		055 0000
030 000 2 999	Guayama		057 0000
031 005 1 999	Guayanilla		059 6360
032 006 1 999	Guaynabo 061 7440	033 003 1 999	
Gurabo 063 1310			
034 002 1 999	Hatillo 065 0470	035 004 1 999	
Hormigueros 067 4840	036 006 1 999	Humacao 069 7440	
037 000 2 999	Isabela 071 0000	038 000 2 999	Jayuya
073 0000	039 005 1 999	Juana Diaz 075 6360	040 006 1 999
Juncos 077 7440	041 000 2 999	Lajas 079 0000	
042 000 2 999	Lares 081 0000	043 000 2 999	Las
Marias 083 0000	044 006 1 999	Las Piedras 085 7440	
045 006 1 999	Loiza		087 7440
046 006 1 999	Luquillo 089 7440	047 006 1 999	
Manati 091 7440	048 000 2 999	Maricao 093 0000	
049 000 2 999	Maunabo 095 0000	050 004 1 999	
Mayaguez	097 4840	051 001 1 999	Moca 099 0060 052 006
1 999	Morovis 101 7440		
053 006 1 999	Naguabo 103 7440	054 006 1 999	
Naranjito 105 7440	055 000 2 999	Orocovis 107 0000	
056 000 2 999	Patillas		109 0000
057 005 1 999	Penuelas		111 6360
058 005 1 999	Ponce		113 6360
059 000 2 999	Quebradillas 115 0000	060 000 2 999	
Rincon 117 0000	061 006 1 999	Rio Grande 119 7440	062 004
1 999	Sabana Grande 121 4840		
063 000 2 999	Salinas		123 0000
064 004 1 999	San German 125 4840	065 006 1 999	
San Juan 127 7440	066 003 1 999	San Lorenzo 129 1310	067
000 2 999	San Sebastian 131 0000	068 000 2 999	
Santa Isabel 133 0000	069 006 1 999	Toa Alta 135 7440	
070 006 1 999	Toa Baja 137 7440	071 006 1 999	
Trujillo Alto 139 7440			
072 000 2 999	Utuaado		141 0000
073 006 1 999	Vega Alta		143 7440
074 006 1 999	Vega Baja 145 7440		
FIPS Codes		Vital Statistics Codes	
St Cnty P/MSA M/NM City	Area Names	St Cnty P/MSA Place	
PR	Puerto Rico	PR	
075 000 2 999	Vieques	147 0000	
076 005 1 999	Villalba	149 6360	
077 006 1 999	Yabucoa	151 7440	
078 005 1 999	Yauco	153 6360	
VI	Virgin Islands	VI	
001 000 2 999	St. Croix	010 0000	
002 000 2 999	St. John	020 0000	
003 000 2	St. Thomas	030 0000	
001	Charlotte Amalie	99999	
999	Balance of area	99999	

Vital Statistics Geographic Code Outline For Puerto Rico,
 Virgin Islands, Guam, American Samoa and Northern Marianas
 Effective with 2003 Data

GU	000	000	2		Guam	GU		
				000	Guam		010	0000
					Guam			99999
CC	ZZZ	ZZZ	Z	ZZZ	Canada	CC	000	0000 00000
CU	ZZZ	ZZZ	Z	ZZZ	Cuba	CU	000	0000 00000
MX	ZZZ	ZZZ	Z	ZZZ	Mexico	MX	000	0000 00000
YY	ZZZ	ZZZ	Z	ZZZ	Remainder of World	YY	000	0000 00000
AS	000	000	2		American Samoa	AS		
				000	American Samoa		000	0000
					American Samoa			99999
MP	000	000	2		Northern Marianas	MP		
				000	Northern Marianas		000	0000
					Northern Marianas			99999

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
A00.0	-	-	-	-	A05.9	-	2	2	2	A17.9	-	-	-	1
A00.1	-	-	-	-	A06.0	-	-	-	-	A18.0	112	198	86	199
A00.9	-	-	-	-	A06.1	-	-	-	-	A18.1	1	2	1	2
A01.0	-	-	-	-	A06.2	-	-	-	-	A18.2	-	-	-	-
A01.1	-	-	-	-	A06.3	-	-	-	-	A18.3	2	8	6	8
A01.2	-	-	-	-	A06.4	1	2	1	2	A18.4	-	-	-	-
A01.3	-	-	-	-	A06.5	-	-	-	-	A18.5	-	-	-	-
A01.4	-	-	-	-	A06.6	-	-	-	-	A18.6	-	-	-	-
A02.0	9	14	5	12	A06.7	-	-	-	-	A18.7	1	1	-	-
A02.1	26	37	11	18	A06.8	-	-	-	-	A18.8	4	5	1	3
A02.2	6	7	1	2	A06.9	-	-	-	1	A19.0	1	1	-	1
A02.8	-	-	-	-	A07.0	-	-	-	-	A19.1	-	-	-	-
A02.9	8	51	43	58	A07.1	1	5	4	5	A19.2	-	-	-	-
A03.0	1	1	-	1	A07.2	5	11	6	17	A19.8	1	2	1	3
A03.1	-	-	-	-	A07.3	-	-	-	-	A19.9	34	43	9	45
A03.2	-	-	-	-	A07.8	-	-	-	-	A20.0	-	-	-	-
A03.3	1	1	-	1	A07.9	-	-	-	-	A20.1	-	-	-	-
A03.8	-	-	-	-	A08.0	1	3	2	3	A20.2	-	-	-	-
A03.9	-	3	3	3	A08.1	27	51	24	51	A20.3	-	-	-	-
A04.0	1	1	-	1	A08.2	-	-	-	-	A20.7	1	1	-	1
A04.1	-	-	-	-	A08.3	1	2	1	2	A20.8	-	-	-	-
A04.2	-	-	-	-	A08.4	91	131	40	132	A20.9	-	1	1	1
A04.3	-	-	-	-	A08.5	2	2	-	2	A21.0	-	-	-	-
A04.4	5	12	7	12	A09.0	470	903	433	910	A21.1	-	-	-	-
A04.5	8	12	4	12	A09.9	1,992	3,787	1,795	3,787	A21.2	-	-	-	-
A04.6	1	1	-	1	A16.2	246	374	128	360	A21.3	-	-	-	-
A04.7	6,118	10,697	4,579	10,711	A16.3	-	-	-	-	A21.7	-	-	-	-
A04.8	65	91	26	91	A16.4	-	-	-	-	A21.8	-	1	1	1
A04.9	18	26	8	27	A16.5	4	5	1	5	A21.9	-	3	3	3
A05.0	-	-	-	-	A16.7	-	1	1	1	A22.0	-	-	-	-
A05.1	3	3	-	3	A16.8	-	-	-	-	A22.1	-	-	-	-
A05.2	-	-	-	-	A16.9	99	326	227	356	A22.2	-	-	-	-
A05.3	-	-	-	-	A17.0	7	9	2	7	A22.7	-	-	-	-
A05.4	-	-	-	-	A17.1	-	-	-	-	A22.8	-	-	-	-
A05.8	-	-	-	-	A17.8	3	4	1	3	A22.9	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis
A23.0	-	-	-	-	A31.1	-	-	-	-	A40.9	167	492	325	503
A23.1	-	-	-	-	A31.8	3	9	6	9	A41.0	669	2,038	1,369	2,062
A23.2	-	-	-	-	A31.9	61	133	72	143	A41.1	11	30	19	31
A23.3	-	-	-	-	A32.0	-	-	-	-	A41.2	197	580	383	586
A23.8	-	-	-	-	A32.1	13	15	2	17	A41.3	20	52	32	53
A23.9	-	1	1	1	A32.7	18	21	3	12	A41.4	108	293	185	288
A24.0	-	-	-	-	A32.8	1	2	1	1	A41.5	1,063	3,897	2,834	3,926
A24.1	-	-	-	-	A32.9	5	19	14	19	A41.8	42	158	116	159
A24.2	-	-	-	-	A33	-	-	-	-	A41.9	38,368	195,407	157,039	197,391
A24.3	-	-	-	-	A34	-	-	-	-	A42.0	8	12	4	8
A24.4	-	1	1	1	A35	1	1	-	1	A42.1	1	1	-	1
A25.0	-	-	-	-	A36.0	-	-	-	-	A42.2	-	-	-	-
A25.1	-	-	-	-	A36.1	-	-	-	-	A42.7	2	2	-	1
A25.9	-	-	-	-	A36.2	-	-	-	-	A42.8	-	-	-	-
A26.0	-	-	-	-	A36.3	-	-	-	-	A42.9	1	12	11	12
A26.7	2	2	-	1	A36.8	-	-	-	-	A43.0	26	44	18	39
A26.8	-	-	-	-	A36.9	-	-	-	-	A43.1	-	1	1	1
A26.9	5	6	1	6	A37.0	3	4	1	4	A43.8	5	9	4	9
A27.0	1	1	-	1	A37.1	-	-	-	-	A43.9	24	45	21	51
A27.8	-	-	-	-	A37.8	1	1	-	1	A44.0	-	2	2	2
A27.9	1	1	-	1	A37.9	5	9	4	9	A44.1	-	-	-	-
A28.0	33	43	10	43	A38	-	1	1	1	A44.8	-	-	-	-
A28.1	-	-	-	-	A39.0	9	12	3	12	A44.9	-	1	1	1
A28.2	-	-	-	-	A39.1	5	6	1	6	A46	-	1	1	1
A28.8	-	-	-	-	A39.2	-	-	-	-	A48.0	13	69	56	69
A28.9	-	-	-	-	A39.3	-	-	-	-	A48.1	194	246	52	246
A30.0	-	-	-	-	A39.4	15	16	1	16	A48.2	1	1	-	2
A30.1	-	-	-	-	A39.5	-	-	-	-	A48.3	18	67	49	67
A30.2	-	-	-	-	A39.8	-	1	1	1	A48.4	-	-	-	-
A30.3	-	-	-	-	A39.9	2	2	-	3	A48.8	6	9	3	9
A30.4	-	-	-	-	A40.0	34	84	50	85	A49.0	642	5,248	4,606	5,253
A30.5	-	-	-	-	A40.1	31	76	45	77	A49.1	239	1,948	1,709	1,952
A30.8	-	-	-	-	A40.2	88	367	279	374	A49.2	15	57	42	57
A30.9	1	2	1	2	A40.3	116	296	180	302	A49.3	3	9	6	9
A31.0	299	632	333	676	A40.8	8	45	37	45	A49.8	276	3,558	3,282	3,566

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
A49.9	788	8,058	7,270	8,443	A55	-	-	-	-	A68.1	-	-	-	-
A50.0	-	1	1	1	A56.0	-	-	-	-	A68.9	-	-	-	-
A50.1	-	-	-	-	A56.1	-	-	-	-	A69.0	-	-	-	-
A50.2	-	-	-	-	A56.2	-	-	-	-	A69.1	-	1	1	1
A50.3	-	-	-	-	A56.3	-	-	-	-	A69.2	18	74	56	74
A50.4	-	-	-	-	A56.4	-	-	-	-	A69.8	-	-	-	-
A50.5	-	-	-	-	A56.8	-	-	-	-	A69.9	-	1	1	1
A50.6	-	-	-	-	A57	-	-	-	-	A70	1	1	-	1
A50.7	-	-	-	-	A58	-	-	-	-	A71.0	-	-	-	-
A50.9	7	8	1	8	A59.0	-	1	1	1	A71.1	-	-	-	-
A51.0	-	-	-	-	A59.8	-	-	-	-	A71.9	-	-	-	-
A51.1	-	-	-	-	A59.9	1	1	-	1	A74.0	-	-	-	-
A51.2	-	-	-	-	A60.0	-	5	5	5	A74.8	-	-	-	-
A51.3	-	-	-	-	A60.1	-	-	-	-	A74.9	3	4	1	4
A51.4	-	3	3	3	A60.9	-	-	-	-	A75.0	-	-	-	-
A51.5	-	-	-	-	A63.0	-	4	4	4	A75.1	-	-	-	-
A51.9	-	-	-	-	A63.8	-	-	-	-	A75.2	-	-	-	-
A52.0	4	8	4	8	A64	-	1	1	1	A75.3	-	-	-	-
A52.1	15	54	39	54	A65	-	-	-	-	A75.9	1	1	-	1
A52.2	-	-	-	-	A66.0	-	-	-	-	A77.0	3	3	-	3
A52.3	27	57	30	65	A66.1	-	-	-	-	A77.1	-	-	-	-
A52.7	-	-	-	-	A66.2	-	-	-	-	A77.2	-	-	-	-
A52.8	-	1	1	1	A66.3	-	-	-	-	A77.3	-	-	-	-
A52.9	2	9	7	10	A66.4	-	-	-	-	A77.8	17	20	3	20
A53.0	1	12	11	12	A66.5	-	-	-	-	A77.9	-	-	-	-
A53.9	7	27	20	34	A66.6	-	-	-	-	A78	1	2	1	2
A54.0	-	-	-	-	A66.7	-	-	-	-	A79.0	-	-	-	-
A54.1	-	-	-	-	A66.8	-	-	-	-	A79.1	-	-	-	-
A54.2	-	-	-	-	A66.9	-	-	-	-	A79.8	-	1	1	1
A54.3	-	-	-	-	A67.0	-	-	-	-	A79.9	-	-	-	-
A54.4	-	-	-	-	A67.1	-	-	-	-	A80.0	-	-	-	-
A54.5	-	-	-	-	A67.2	-	-	-	-	A80.1	-	-	-	-
A54.6	-	-	-	-	A67.3	-	-	-	-	A80.2	-	-	-	-
A54.8	1	1	-	1	A67.9	-	-	-	-	A80.3	-	-	-	-
A54.9	1	1	-	1	A68.0	-	-	-	-	A80.4	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis
A80.9	-	-	-	-	A89	6	9	3	9	B00.4	193	242	49	231
A81.0	458	473	15	473	A90	1	2	1	2	B00.5	-	1	1	1
A81.1	-	-	-	-	A91	-	-	-	-	B00.7	13	17	4	13
A81.2	53	85	32	158	A92.0	-	-	-	-	B00.8	14	30	16	30
A81.8	-	-	-	-	A92.1	-	-	-	-	B00.9	44	120	76	143
A81.9	21	26	5	28	A92.2	-	-	-	-	B01.0	3	3	-	1
A82.0	-	-	-	-	A92.3	127	149	22	149	B01.1	5	10	5	4
A82.1	-	-	-	-	A92.4	-	-	-	-	B01.2	3	9	6	4
A82.9	1	1	-	1	A92.8	1	1	-	1	B01.8	-	-	-	-
A83.0	-	-	-	-	A92.9	-	-	-	-	B01.9	5	9	4	24
A83.1	-	-	-	-	A93.0	-	-	-	-	B02.0	34	45	11	40
A83.2	3	3	-	3	A93.1	-	-	-	-	B02.1	3	4	1	5
A83.3	-	1	1	1	A93.2	-	-	-	-	B02.2	14	92	78	92
A83.4	-	-	-	-	A93.8	-	-	-	-	B02.3	11	31	20	31
A83.5	-	-	-	-	A94	1	1	-	1	B02.7	30	66	36	66
A83.6	-	-	-	-	A95.0	-	-	-	-	B02.8	2	6	4	5
A83.8	-	-	-	-	A95.1	-	-	-	-	B02.9	98	352	254	368
A83.9	-	-	-	-	A95.9	-	1	1	1	B03	-	-	-	-
A84.0	-	-	-	-	A96.0	-	-	-	-	B04	-	-	-	-
A84.1	-	-	-	-	A96.1	-	-	-	-	B05.0	-	-	-	-
A84.8	-	1	1	1	A96.2	-	-	-	-	B05.1	-	-	-	-
A84.9	-	-	-	-	A96.8	-	-	-	-	B05.2	-	1	1	-
A85.0	-	-	-	-	A96.9	-	-	-	-	B05.3	-	-	-	-
A85.1	2	2	-	2	A98.0	-	-	-	-	B05.4	-	1	1	-
A85.2	-	-	-	-	A98.1	-	-	-	-	B05.8	-	-	-	-
A85.8	4	5	1	5	A98.2	-	-	-	-	B05.9	-	2	2	4
A86	114	148	34	149	A98.3	-	-	-	-	B06.0	-	-	-	-
A87.0	-	1	1	1	A98.4	-	-	-	-	B06.8	-	-	-	-
A87.1	-	-	-	-	A98.5	2	6	4	6	B06.9	-	-	-	-
A87.2	13	17	4	18	A98.8	-	-	-	-	B07	-	-	-	-
A87.8	-	-	-	-	A99	-	-	-	-	B08.0	-	-	-	-
A87.9	33	53	20	54	B00.0	-	-	-	-	B08.1	-	-	-	-
A88.0	-	-	-	-	B00.1	-	2	2	2	B08.2	-	-	-	-
A88.1	-	1	1	1	B00.2	1	2	1	2	B08.3	-	-	-	-
A88.8	-	-	-	-	B00.3	6	9	3	9	B08.4	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
B08.5	-	-	-	-	B21.7	27	33	6	-	B33.2	28	40	12	40
B08.8	-	1	1	1	B21.8	220	880	660	-	B33.3	6	13	7	15
B09	-	-	-	-	B21.9	39	74	35	-	B33.4	4	4	-	4
B15.0	1	1	-	-	B22.0	108	284	176	1	B33.8	1	6	5	6
B15.9	33	90	57	93	B22.1	-	-	-	-	B34.0	45	82	37	82
B16.0	-	-	-	-	B22.2	73	162	89	1	B34.1	19	78	59	78
B16.1	-	1	1	1	B22.7	586	754	168	-	B34.2	51	112	61	112
B16.2	9	9	-	-	B23.0	-	-	-	-	B34.3	3	9	6	9
B16.9	359	1,355	996	1,413	B23.1	-	-	-	-	B34.4	1	12	11	13
B17.0	-	-	-	-	B23.2	123	175	52	-	B34.8	511	925	414	927
B17.1	6	14	8	16	B23.8	1,252	2,113	861	-	B34.9	222	413	191	506
B17.2	1	1	-	1	B24	1,070	1,954	884	7,749	B35.0	-	-	-	-
B17.8	-	7	7	7	B25.0	60	107	47	106	B35.1	-	5	5	5
B17.9	103	208	105	211	B25.1	-	-	-	-	B35.2	-	-	-	-
B18.0	-	-	-	-	B25.2	-	-	-	-	B35.3	-	1	1	1
B18.1	120	370	250	381	B25.8	23	67	44	76	B35.4	-	2	2	2
B18.2	4,915	17,240	12,325	17,528	B25.9	64	213	149	242	B35.5	-	-	-	-
B18.8	2	3	1	3	B26.0	-	-	-	-	B35.6	1	3	2	3
B18.9	18	44	26	48	B26.1	-	-	-	-	B35.8	-	-	-	-
B19.0	1	1	-	-	B26.2	-	-	-	-	B35.9	-	4	4	4
B19.9	43	103	60	118	B26.3	-	-	-	-	B36.0	-	-	-	-
B20.0	28	58	30	-	B26.8	-	-	-	-	B36.1	-	-	-	-
B20.1	496	1,354	858	-	B26.9	-	1	1	1	B36.2	-	3	3	3
B20.2	7	20	13	-	B27.0	25	71	46	72	B36.3	-	-	-	-
B20.3	216	393	177	5	B27.1	-	-	-	-	B36.8	-	-	-	-
B20.4	5	11	6	-	B27.8	-	-	-	-	B36.9	1	5	4	5
B20.5	76	132	56	-	B27.9	3	7	4	7	B37.0	4	35	31	36
B20.6	120	163	43	-	B30.0	-	-	-	-	B37.1	17	54	37	52
B20.7	653	810	157	-	B30.1	-	-	-	-	B37.2	-	1	1	1
B20.8	334	609	275	1	B30.2	-	-	-	-	B37.3	1	1	-	1
B20.9	5	15	10	1	B30.3	-	1	1	1	B37.4	20	50	30	49
B21.0	42	64	22	-	B30.8	-	-	-	-	B37.5	1	5	4	5
B21.1	17	22	5	-	B30.9	-	-	-	-	B37.6	11	18	7	17
B21.2	155	222	67	-	B33.0	-	-	-	-	B37.7	128	549	421	542
B21.3	46	64	18	-	B33.1	-	-	-	-	B37.8	21	122	101	123

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
B37.9	22	174	152	193	B43.8	-	-	-	-	B50.8	-	-	-	-
B38.0	13	28	15	29	B43.9	-	-	-	-	B50.9	1	1	-	1
B38.1	-	1	1	2	B44.0	12	42	30	43	B51.0	-	-	-	-
B38.2	30	73	43	64	B44.1	99	385	286	313	B51.8	-	-	-	-
B38.3	-	-	-	-	B44.2	-	-	-	-	B51.9	-	-	-	-
B38.4	12	18	6	18	B44.7	10	29	19	30	B52.0	-	-	-	-
B38.7	21	40	19	42	B44.8	2	9	7	9	B52.8	-	-	-	-
B38.8	1	3	2	3	B44.9	54	219	165	301	B52.9	-	-	-	-
B38.9	16	64	48	80	B45.0	7	28	21	28	B53.0	-	-	-	-
B39.0	-	-	-	-	B45.1	64	166	102	243	B53.1	-	-	-	-
B39.1	-	-	-	-	B45.2	-	-	-	-	B53.8	-	-	-	-
B39.2	15	29	14	16	B45.3	-	-	-	-	B54	5	12	7	12
B39.3	-	1	1	2	B45.7	15	48	33	73	B55.0	-	-	-	-
B39.4	-	-	-	-	B45.8	-	-	-	-	B55.1	-	-	-	-
B39.5	-	-	-	-	B45.9	11	38	27	46	B55.2	-	-	-	-
B39.9	29	112	83	143	B46.0	7	27	20	28	B55.9	-	-	-	-
B40.0	-	-	-	-	B46.1	4	15	11	15	B56.0	-	-	-	-
B40.1	-	-	-	-	B46.2	-	-	-	-	B56.1	-	-	-	-
B40.2	16	32	16	32	B46.3	-	1	1	1	B56.9	-	-	-	-
B40.3	1	1	-	1	B46.4	3	20	17	20	B57.0	-	-	-	-
B40.7	7	10	3	10	B46.5	13	76	63	76	B57.1	-	-	-	-
B40.8	-	-	-	-	B46.8	-	1	1	1	B57.2	5	5	-	5
B40.9	9	20	11	20	B46.9	1	4	3	4	B57.3	-	-	-	-
B41.0	-	-	-	-	B47.0	-	1	1	1	B57.4	-	-	-	-
B41.7	-	-	-	-	B47.1	-	1	1	1	B57.5	-	-	-	-
B41.8	-	-	-	-	B47.9	2	12	10	12	B58.0	-	-	-	-
B41.9	1	1	-	1	B48.0	-	-	-	-	B58.1	-	-	-	-
B42.0	-	-	-	-	B48.1	-	-	-	-	B58.2	2	7	5	8
B42.1	-	-	-	-	B48.2	-	-	-	-	B58.3	-	1	1	1
B42.7	-	1	1	1	B48.3	-	-	-	-	B58.8	4	12	8	25
B42.8	-	-	-	-	B48.4	1	1	-	1	B58.9	2	19	17	36
B42.9	-	-	-	-	B48.7	1	12	11	12	B59	168	371	203	536
B43.0	-	-	-	-	B48.8	2	3	1	3	B60.0	15	18	3	18
B43.1	-	1	1	1	B49	343	1,567	1,224	1,676	B60.1	-	-	-	-
B43.2	-	-	-	-	B50.0	1	1	-	1	B60.2	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
B60.8	-	-	-	-	B71.0	-	-	-	-	B83.0	-	-	-	-
B64	-	-	-	-	B71.1	-	-	-	-	B83.1	-	-	-	-
B65.0	-	-	-	-	B71.8	-	-	-	-	B83.2	1	1	-	1
B65.1	-	-	-	-	B71.9	-	-	-	-	B83.3	-	-	-	-
B65.2	-	-	-	-	B72	-	-	-	-	B83.4	-	-	-	-
B65.3	-	-	-	-	B73	-	-	-	-	B83.8	-	1	1	1
B65.8	-	-	-	-	B74.0	-	-	-	-	B83.9	-	-	-	-
B65.9	1	2	1	2	B74.1	-	-	-	-	B85.0	-	1	1	1
B66.0	-	-	-	-	B74.2	-	-	-	-	B85.1	-	-	-	-
B66.1	-	-	-	-	B74.3	-	-	-	-	B85.2	-	1	1	1
B66.2	-	-	-	-	B74.4	-	-	-	-	B85.3	-	-	-	-
B66.3	-	-	-	-	B74.8	-	-	-	-	B85.4	-	-	-	-
B66.4	-	-	-	-	B74.9	-	1	1	1	B86	2	13	11	13
B66.5	-	-	-	-	B75	-	2	2	2	B87.0	-	-	-	-
B66.8	-	-	-	-	B76.0	-	-	-	-	B87.1	-	1	1	1
B66.9	-	-	-	-	B76.1	-	-	-	-	B87.2	-	-	-	-
B67.0	-	-	-	-	B76.8	-	-	-	-	B87.3	-	-	-	-
B67.1	-	-	-	-	B76.9	-	-	-	-	B87.4	-	-	-	-
B67.2	-	-	-	-	B77.0	-	-	-	-	B87.8	-	-	-	-
B67.3	-	-	-	-	B77.8	-	-	-	-	B87.9	1	6	5	6
B67.4	-	-	-	-	B77.9	-	-	-	-	B88.0	-	-	-	-
B67.5	-	-	-	-	B78.0	-	-	-	-	B88.1	-	-	-	-
B67.6	-	-	-	-	B78.1	-	-	-	-	B88.2	-	-	-	-
B67.7	-	-	-	-	B78.7	7	8	1	4	B88.3	-	-	-	-
B67.8	-	-	-	-	B78.9	5	12	7	16	B88.8	-	-	-	-
B67.9	-	2	2	2	B79	-	-	-	-	B88.9	-	-	-	-
B68.0	1	1	-	1	B80	-	-	-	-	B89	2	7	5	7
B68.1	-	-	-	-	B81.0	-	-	-	-	B90.0	-	1	1	1
B68.9	-	-	-	-	B81.1	-	-	-	-	B90.1	-	-	-	-
B69.0	7	10	3	10	B81.2	-	-	-	-	B90.2	-	1	1	1
B69.1	-	-	-	-	B81.3	-	-	-	-	B90.8	-	-	-	-
B69.8	-	-	-	-	B81.4	-	-	-	-	B90.9	19	113	94	113
B69.9	-	-	-	-	B81.8	-	-	-	-	B91	130	459	329	459
B70.0	-	-	-	-	B82.0	-	1	1	1	B92	-	1	1	1
B70.1	-	-	-	-	B82.9	-	-	-	-	B94.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
B94.1	10	16	6	16	C06.1	2	2	-	2	C15.0	9	10	1	10
B94.2	34	99	65	99	C06.2	30	32	2	32	C15.1	3	3	-	3
B94.8	703	1,941	1,238	1,941	C06.8	1	2	1	2	C15.2	2	2	-	2
B94.9	6	35	29	36	C06.9	1,099	1,364	265	1,430	C15.3	19	21	2	21
B99	353	1,408	1,055	2,290	C07	654	772	118	772	C15.4	15	15	-	15
C00.0	4	5	1	5	C08.0	54	63	9	63	C15.5	194	205	11	206
C00.1	3	8	5	8	C08.1	1	1	-	1	C15.8	9	10	1	10
C00.2	-	-	-	-	C08.8	-	-	-	-	C15.9	15,070	16,448	1,378	16,565
C00.3	-	-	-	-	C08.9	248	272	24	274	C16.0	963	1,029	66	928
C00.4	-	-	-	-	C09.0	31	37	6	37	C16.1	20	21	1	21
C00.5	1	1	-	1	C09.1	7	8	1	8	C16.2	18	19	1	19
C00.6	-	-	-	-	C09.8	-	-	-	-	C16.3	41	42	1	42
C00.8	-	-	-	-	C09.9	1,041	1,275	234	1,275	C16.4	16	17	1	17
C00.9	60	88	28	88	C10.0	5	6	1	6	C16.5	3	4	1	4
C01	218	263	45	263	C10.1	1	1	-	1	C16.6	-	-	-	-
C02.0	1	1	-	1	C10.2	1	2	1	2	C16.8	3	3	-	3
C02.1	1	1	-	1	C10.3	3	5	2	5	C16.9	10,094	10,918	824	11,045
C02.2	2	2	-	2	C10.4	2	2	-	2	C17.0	953	1,047	94	1,048
C02.3	3	3	-	3	C10.8	3	4	1	4	C17.1	82	88	6	88
C02.4	9	10	1	10	C10.9	1,139	1,318	179	1,321	C17.2	54	68	14	68
C02.8	2	2	-	2	C11.0	-	-	-	-	C17.3	1	1	-	1
C02.9	2,449	3,011	562	3,013	C11.1	20	25	5	25	C17.8	-	1	1	1
C03.0	24	33	9	33	C11.2	-	-	-	-	C17.9	592	656	64	660
C03.1	11	14	3	14	C11.3	-	1	1	1	C18.0	626	689	63	690
C03.9	29	40	11	40	C11.8	1	1	-	1	C18.1	911	969	58	969
C04.0	1	1	-	1	C11.9	688	773	85	774	C18.2	306	349	43	349
C04.1	1	1	-	1	C12	66	84	18	84	C18.3	33	39	6	39
C04.8	-	-	-	-	C13.0	-	1	1	1	C18.4	121	137	16	137
C04.9	94	123	29	123	C13.1	2	4	2	4	C18.5	13	15	2	15
C05.0	55	69	14	69	C13.2	2	2	-	2	C18.6	81	88	7	88
C05.1	65	91	26	91	C13.8	1	1	-	1	C18.7	701	793	92	801
C05.2	7	13	6	13	C13.9	330	398	68	398	C18.8	18	19	1	19
C05.8	-	-	-	-	C14.0	1,517	2,118	601	2,142	C18.9	38,702	44,883	6,181	45,182
C05.9	70	88	18	87	C14.2	-	-	-	-	C19	3,247	3,567	320	3,374
C06.0	64	78	14	78	C14.8	3	3	-	3	C20	7,519	8,542	1,023	8,761

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
C21.0	966	1,185	219	1,216	C31.9	207	255	48	256	C41.8	-	-	-	-
C21.1	82	97	15	99	C32.0	181	269	88	269	C41.9	1,189	1,402	213	1,412
C21.2	2	2	-	2	C32.1	358	440	82	440	C43.0	4	7	3	7
C21.8	119	132	13	105	C32.2	18	22	4	22	C43.1	7	7	-	7
C22.0	11,389	12,885	1,496	12,911	C32.3	17	22	5	22	C43.2	24	31	7	31
C22.1	7,014	7,442	428	7,445	C32.8	1	1	-	1	C43.3	95	137	42	137
C22.2	23	30	7	30	C32.9	3,133	4,020	887	4,047	C43.4	159	197	38	197
C22.3	41	44	3	44	C33	83	106	23	107	C43.5	185	216	31	216
C22.4	-	-	-	-	C34.0	202	221	19	221	C43.6	135	158	23	158
C22.7	1	1	-	1	C34.1	1,654	1,806	152	1,808	C43.7	159	181	22	181
C22.9	8,638	9,443	805	9,518	C34.2	99	121	22	121	C43.8	2	2	-	2
C23	2,195	2,330	135	2,330	C34.3	770	858	88	858	C43.9	7,286	8,476	1,190	8,875
C24.0	838	927	89	927	C34.8	34	40	6	40	C44.0	16	25	9	25
C24.1	226	255	29	255	C34.9	143,090	153,275	10,185	153,456	C44.1	14	26	12	26
C24.8	8	9	1	9	C37	293	334	41	334	C44.2	140	218	78	218
C24.9	771	1,034	263	1,128	C38.0	76	102	26	102	C44.3	302	517	215	533
C25.0	408	433	25	433	C38.1	4	5	1	5	C44.4	1,387	1,749	362	1,752
C25.1	96	96	-	96	C38.2	1	2	1	2	C44.5	92	123	31	124
C25.2	133	138	5	138	C38.3	143	166	23	166	C44.6	56	100	44	100
C25.3	147	152	5	152	C38.4	43	61	18	61	C44.7	65	105	40	105
C25.4	27	30	3	30	C38.8	-	-	-	-	C44.8	3	3	-	3
C25.7	2	3	1	3	C39.0	3	3	-	3	C44.9	1,923	2,983	1,060	3,165
C25.8	15	16	1	16	C39.8	-	-	-	-	C45.0	276	306	30	306
C25.9	43,184	45,348	2,164	45,371	C39.9	57	61	4	33	C45.1	159	177	18	177
C26.0	269	335	66	351	C40.0	26	30	4	30	C45.2	-	1	1	1
C26.1	23	39	16	39	C40.1	-	-	-	-	C45.7	214	241	27	241
C26.8	32	33	1	33	C40.2	69	85	16	85	C45.9	2,002	2,205	203	2,190
C26.9	1,439	1,534	95	904	C40.3	-	1	1	1	C46.0	-	-	-	1
C30.0	102	118	16	118	C40.8	-	-	-	-	C46.1	-	-	-	-
C30.1	6	6	-	6	C40.9	2	2	-	2	C46.2	-	-	-	-
C31.0	213	237	24	237	C41.0	76	83	7	83	C46.3	-	-	-	-
C31.1	39	45	6	45	C41.1	166	200	34	200	C46.7	10	18	8	27
C31.2	4	7	3	7	C41.2	112	144	32	144	C46.8	-	-	-	-
C31.3	8	10	2	10	C41.3	18	22	4	22	C46.9	34	94	60	157
C31.8	-	-	-	-	C41.4	68	81	13	81	C47.0	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
C47.1	3	3	-	3	C52	411	497	86	499	C63.8	1	1	-	1
C47.2	2	3	1	3	C53.0	70	73	3	73	C63.9	47	76	29	82
C47.3	-	-	-	-	C53.1	4	5	1	5	C64	13,781	16,385	2,604	16,389
C47.4	2	2	-	2	C53.8	2	2	-	2	C65	179	225	46	225
C47.5	3	4	1	4	C53.9	4,132	4,642	510	4,649	C66	435	579	144	579
C47.6	1	1	-	1	C54.0	2	2	-	2	C67.0	5	5	-	5
C47.8	-	-	-	-	C54.1	5,873	6,501	628	6,501	C67.1	9	10	1	10
C47.9	93	103	10	105	C54.2	4	5	1	5	C67.2	5	6	1	6
C48.0	289	336	47	336	C54.3	3	5	2	5	C67.3	2	2	-	2
C48.1	51	65	14	65	C54.8	1	1	-	1	C67.4	7	8	1	8
C48.2	798	862	64	868	C54.9	79	85	6	84	C67.5	18	22	4	22
C48.8	-	-	-	-	C55	5,032	5,767	735	5,868	C67.6	6	7	1	7
C49.0	118	145	27	145	C56	14,193	15,346	1,153	15,351	C67.7	32	36	4	36
C49.1	62	76	14	76	C57.0	472	534	62	534	C67.8	5	5	-	5
C49.2	296	349	53	349	C57.1	-	-	-	-	C67.9	16,568	21,310	4,742	21,322
C49.3	95	117	22	117	C57.2	1	1	-	1	C68.0	250	307	57	307
C49.4	424	475	51	475	C57.3	1	1	-	1	C68.1	-	-	-	-
C49.5	143	166	23	166	C57.4	27	34	7	35	C68.8	1	1	-	1
C49.6	19	23	4	23	C57.7	16	19	3	19	C68.9	242	254	12	78
C49.8	1	2	1	2	C57.8	11	13	2	13	C69.0	3	6	3	6
C49.9	3,631	4,043	412	4,150	C57.9	354	387	33	245	C69.1	2	3	1	3
C50.0	34	38	4	37	C58	15	18	3	18	C69.2	13	19	6	19
C50.1	21	23	2	23	C60.0	2	4	2	4	C69.3	53	66	13	66
C50.2	7	8	1	8	C60.1	3	3	-	3	C69.4	22	25	3	25
C50.3	8	8	-	8	C60.2	2	2	-	2	C69.5	17	19	2	19
C50.4	33	36	3	36	C60.8	-	-	-	-	C69.6	38	52	14	52
C50.5	4	4	-	4	C60.9	345	409	64	410	C69.8	-	1	1	1
C50.6	2	2	-	2	C61	30,488	42,169	11,681	42,181	C69.9	183	241	58	243
C50.8	12	14	2	14	C62.0	1	1	-	1	C70.0	44	55	11	55
C50.9	42,389	51,683	9,294	51,699	C62.1	1	1	-	1	C70.1	4	5	1	5
C51.0	16	19	3	19	C62.9	423	558	135	559	C70.9	132	184	52	184
C51.1	2	2	-	2	C63.0	1	1	-	1	C71.0	169	179	10	179
C51.2	1	1	-	1	C63.1	3	5	2	5	C71.1	273	283	10	284
C51.8	1	1	-	1	C63.2	15	21	6	21	C71.2	239	253	14	253
C51.9	1,242	1,418	176	1,420	C63.7	1	1	-	1	C71.3	121	135	14	135

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
C71.4	36	42	6	42	C77.1	8	228	220	228	C82.7	-	-	-	-
C71.5	10	11	1	11	C77.2	3	348	345	348	C82.9	715	914	199	915
C71.6	164	179	15	179	C77.3	2	52	50	52	C83.0	162	250	88	254
C71.7	195	207	12	207	C77.4	2	32	30	32	C83.1	1,167	1,398	231	1,398
C71.8	48	51	3	51	C77.5	3	68	65	68	C83.2	5	6	1	2
C71.9	15,240	15,845	605	15,877	C77.8	2	7	5	6	C83.3	3,924	4,400	476	4,450
C72.0	59	73	14	73	C77.9	42	4,602	4,560	4,621	C83.4	3	5	2	5
C72.1	-	-	-	-	C78.0	278	23,156	22,878	23,170	C83.5	87	113	26	114
C72.2	-	-	-	-	C78.1	15	715	700	715	C83.6	1	1	-	1
C72.3	7	10	3	10	C78.2	184	4,730	4,546	4,736	C83.7	179	213	34	238
C72.4	2	5	3	5	C78.3	3	156	153	157	C83.8	84	119	35	122
C72.5	5	7	2	7	C78.4	4	224	220	224	C83.9	41	48	7	49
C72.8	-	1	1	1	C78.5	17	1,460	1,443	1,463	C84.0	89	124	35	125
C72.9	56	76	20	75	C78.6	695	6,417	5,722	6,417	C84.1	22	41	19	40
C73	1,892	2,496	604	2,496	C78.7	2,005	29,717	27,712	29,725	C84.2	-	-	-	-
C74.0	122	133	11	133	C78.8	57	3,376	3,319	3,377	C84.3	-	-	-	-
C74.1	25	31	6	31	C79.0	7	945	938	945	C84.4	232	248	16	249
C74.9	459	564	105	564	C79.1	22	851	829	851	C84.5	1,084	1,260	176	1,265
C75.0	17	19	2	19	C79.2	13	413	400	413	C85.0	8	12	4	13
C75.1	44	54	10	54	C79.3	732	19,616	18,884	19,628	C85.1	3,245	3,856	611	3,909
C75.2	2	2	-	2	C79.4	9	888	879	888	C85.7	11	15	4	15
C75.3	33	41	8	41	C79.5	500	23,511	23,011	23,512	C85.9	9,394	12,425	3,031	12,810
C75.4	1	2	1	2	C79.6	2	299	297	299	C88.0	316	507	191	507
C75.5	21	26	5	26	C79.7	4	1,899	1,895	1,899	C88.1	-	-	-	-
C75.8	-	-	-	-	C79.8	2,776	11,537	8,761	11,547	C88.2	1	1	-	1
C75.9	59	80	21	80	C80	27,984	31,777	3,793	56,979	C88.3	1	1	-	1
C76.0	515	672	157	675	C81.0	3	3	-	3	C88.7	-	-	-	-
C76.1	92	117	25	118	C81.1	18	19	1	19	C88.9	1	1	-	1
C76.2	544	622	78	622	C81.2	3	4	1	4	C90.0	12,227	14,627	2,400	14,638
C76.3	278	319	41	319	C81.3	-	-	-	1	C90.1	168	219	51	219
C76.4	19	24	5	24	C81.7	1	1	-	1	C90.2	95	156	61	154
C76.5	48	60	12	60	C81.9	984	1,440	456	1,477	C91.0	1,536	1,690	154	1,713
C76.7	172	192	20	192	C82.0	-	1	1	1	C91.1	4,314	6,902	2,588	6,903
C76.8	7	7	-	7	C82.1	-	-	-	-	C91.2	-	-	-	-
C77.0	14	169	155	169	C82.2	7	8	1	8	C91.3	44	61	17	61

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
C91.4	118	182	64	182	C97	5,151	5,151	-	1	D04.8	-	-	-	-
C91.5	142	167	25	169	D00.0	4	5	1	5	D04.9	-	6	6	6
C91.7	46	49	3	49	D00.1	2	3	1	3	D05.0	-	-	-	-
C91.9	253	324	71	337	D00.2	-	-	-	-	D05.1	7	10	3	10
C92.0	10,300	11,115	815	11,186	D01.0	4	11	7	11	D05.7	-	-	-	-
C92.1	1,188	1,675	487	1,679	D01.1	1	1	-	1	D05.9	10	36	26	36
C92.2	-	-	-	-	D01.2	4	6	2	6	D06.0	-	-	-	-
C92.3	61	79	18	79	D01.3	2	4	2	4	D06.1	-	-	-	-
C92.4	162	185	23	186	D01.4	2	2	-	2	D06.7	-	-	-	-
C92.5	157	177	20	178	D01.5	5	7	2	7	D06.9	2	3	1	3
C92.7	625	730	105	731	D01.7	2	2	-	2	D07.0	4	4	-	4
C92.9	295	333	38	347	D01.9	1	2	1	2	D07.1	2	5	3	5
C93.0	119	125	6	126	D02.0	3	3	-	3	D07.2	-	-	-	-
C93.1	16	19	3	19	D02.1	-	-	-	-	D07.3	3	3	-	3
C93.2	-	-	-	-	D02.2	20	25	5	25	D07.4	-	2	2	2
C93.7	-	-	-	-	D02.3	-	-	-	-	D07.5	3	7	4	7
C93.9	12	19	7	24	D02.4	-	-	-	-	D07.6	-	1	1	1
C94.0	9	12	3	12	D03.0	-	-	-	-	D09.0	8	13	5	13
C94.1	3	3	-	3	D03.1	-	-	-	-	D09.1	3	3	-	3
C94.2	15	16	1	16	D03.2	-	-	-	-	D09.2	-	-	-	-
C94.3	4	5	1	5	D03.3	1	2	1	2	D09.3	2	3	1	3
C94.4	4	4	-	4	D03.4	-	1	1	1	D09.7	-	-	-	-
C94.5	9	10	1	10	D03.5	1	2	1	2	D09.9	2	9	7	9
C94.7	56	66	10	66	D03.6	1	1	-	1	D10.0	-	1	1	1
C95.0	1,335	1,462	127	1,528	D03.7	-	1	1	1	D10.1	-	-	-	-
C95.1	128	246	118	246	D03.8	-	-	-	-	D10.2	-	-	-	-
C95.2	-	1	1	1	D03.9	-	1	1	1	D10.3	1	1	-	1
C95.7	3	4	1	4	D04.0	-	-	-	-	D10.4	-	-	-	-
C95.9	2,405	3,132	727	3,324	D04.1	-	-	-	-	D10.5	-	-	-	-
C96.0	-	-	-	-	D04.2	-	-	-	-	D10.6	-	2	2	2
C96.1	2	3	1	3	D04.3	-	-	-	-	D10.7	-	-	-	-
C96.2	8	8	-	8	D04.4	1	1	-	1	D10.9	-	1	1	1
C96.3	-	-	-	-	D04.5	-	1	1	1	D11.0	3	5	2	5
C96.7	8	16	8	16	D04.6	-	-	-	-	D11.7	-	-	-	-
C96.9	82	105	23	124	D04.7	-	-	-	-	D11.9	-	2	2	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
D12.0	1	2	1	2	D16.6	-	1	1	1	D22.6	-	-	-	-
D12.1	2	3	1	3	D16.7	-	-	-	-	D22.7	-	-	-	-
D12.2	-	1	1	1	D16.8	-	-	-	-	D22.9	-	5	5	5
D12.3	-	1	1	1	D16.9	9	14	5	13	D23.0	-	-	-	-
D12.4	-	-	-	-	D17.0	1	1	-	1	D23.1	-	-	-	-
D12.5	2	3	1	2	D17.1	-	-	-	-	D23.2	1	1	-	-
D12.6	26	94	68	95	D17.2	-	-	-	-	D23.3	-	-	-	-
D12.7	-	1	1	1	D17.3	1	1	-	1	D23.4	-	1	1	1
D12.8	2	3	1	3	D17.4	-	-	-	-	D23.5	-	-	-	-
D12.9	-	-	-	-	D17.5	1	3	2	3	D23.6	-	-	-	-
D13.0	1	3	2	3	D17.6	-	-	-	-	D23.7	-	1	1	1
D13.1	5	8	3	8	D17.7	6	16	10	16	D23.9	7	11	4	11
D13.2	6	8	2	8	D17.9	2	11	9	11	D24	2	4	2	4
D13.3	1	2	1	2	D18.0	51	99	48	99	D25.0	-	1	1	1
D13.4	13	21	8	21	D18.1	43	96	53	96	D25.1	1	1	-	1
D13.5	2	6	4	6	D19.0	1	1	-	1	D25.2	-	1	1	1
D13.6	11	21	10	21	D19.1	-	1	1	1	D25.9	28	87	59	87
D13.7	6	16	10	16	D19.7	-	-	-	-	D26.0	-	-	-	-
D13.9	-	4	4	4	D19.9	-	-	-	-	D26.1	1	1	-	1
D14.0	-	-	-	-	D20.0	-	-	-	-	D26.7	-	-	-	-
D14.1	2	3	1	3	D20.1	-	1	1	1	D26.9	1	2	1	2
D14.2	2	4	2	4	D21.0	-	-	-	-	D27	6	15	9	16
D14.3	7	13	6	13	D21.1	-	-	-	-	D28.0	-	-	-	-
D14.4	2	4	2	4	D21.2	1	1	-	1	D28.1	-	-	-	-
D15.0	38	56	18	56	D21.3	1	1	-	1	D28.2	-	-	-	-
D15.1	39	70	31	70	D21.4	-	1	1	1	D28.7	-	-	-	-
D15.2	-	-	-	-	D21.5	1	1	-	1	D28.9	-	-	-	-
D15.7	-	1	1	1	D21.6	-	-	-	-	D29.0	-	-	-	-
D15.9	-	-	-	-	D21.9	7	26	19	26	D29.1	1	9	8	9
D16.0	-	-	-	-	D22.0	-	-	-	-	D29.2	-	-	-	-
D16.1	-	-	-	-	D22.1	-	-	-	-	D29.3	-	-	-	-
D16.2	1	2	1	2	D22.2	-	-	-	-	D29.4	-	-	-	-
D16.3	-	-	-	-	D22.3	-	-	-	-	D29.7	-	-	-	-
D16.4	-	1	1	1	D22.4	-	-	-	-	D29.9	-	-	-	-
D16.5	3	5	2	5	D22.5	-	-	-	-	D30.0	2	8	6	8

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
D30.1	-	-	-	-	D36.0	1	1	-	1	D41.9	2	3	1	3
D30.2	-	-	-	-	D36.1	26	62	36	62	D42.0	22	28	6	28
D30.3	-	-	-	-	D36.7	11	14	3	14	D42.1	1	2	1	2
D30.4	-	-	-	-	D36.9	29	90	61	95	D42.9	16	30	14	30
D30.7	-	-	-	-	D37.0	93	138	45	143	D43.0	96	126	30	126
D30.9	-	-	-	-	D37.1	70	102	32	105	D43.1	72	93	21	93
D31.0	-	-	-	-	D37.2	37	56	19	57	D43.2	1,724	2,132	408	2,400
D31.1	-	-	-	-	D37.3	6	15	9	15	D43.3	-	1	1	2
D31.2	-	-	-	-	D37.4	148	211	63	215	D43.4	23	39	16	39
D31.3	-	-	-	-	D37.5	38	50	12	52	D43.7	-	-	-	-
D31.4	-	-	-	-	D37.6	237	374	137	399	D43.9	22	37	15	40
D31.5	-	-	-	-	D37.7	346	485	139	487	D44.0	5	24	19	24
D31.6	-	-	-	-	D37.9	28	39	11	55	D44.1	18	44	26	44
D31.9	-	-	-	-	D38.0	26	44	18	44	D44.2	1	4	3	4
D32.0	264	370	106	370	D38.1	677	939	262	967	D44.3	51	105	54	106
D32.1	5	12	7	12	D38.2	5	12	7	12	D44.4	48	69	21	69
D32.9	559	995	436	999	D38.3	25	41	16	41	D44.5	10	22	12	23
D33.0	7	11	4	11	D38.4	6	7	1	7	D44.6	4	6	2	6
D33.1	3	4	1	4	D38.5	8	17	9	17	D44.7	10	16	6	16
D33.2	41	79	38	79	D38.6	6	8	2	8	D44.8	5	15	10	15
D33.3	22	51	29	51	D39.0	30	47	17	47	D44.9	11	20	9	21
D33.4	1	1	-	1	D39.1	49	73	24	78	D45	248	932	684	932
D33.7	-	-	-	-	D39.2	1	2	1	2	D46.0	-	-	-	-
D33.9	-	1	1	1	D39.7	21	25	4	25	D46.1	3	4	1	4
D34	2	6	4	6	D39.9	2	2	-	2	D46.2	5	12	7	12
D35.0	14	62	48	62	D40.0	32	78	46	83	D46.3	-	-	-	-
D35.1	8	19	11	19	D40.1	4	7	3	8	D46.4	117	193	76	193
D35.2	67	196	129	196	D40.7	-	-	-	-	D46.7	2	3	1	3
D35.3	-	1	1	1	D40.9	1	6	5	6	D46.9	6,845	11,212	4,367	11,360
D35.4	2	2	-	2	D41.0	94	163	69	165	D47.0	-	-	-	-
D35.5	-	-	-	-	D41.1	3	7	4	7	D47.1	1,251	2,105	854	2,105
D35.6	1	1	-	1	D41.2	6	13	7	14	D47.2	88	371	283	371
D35.7	-	-	-	-	D41.3	2	5	3	5	D47.3	41	150	109	150
D35.8	-	-	-	-	D41.4	153	293	140	351	D47.7	9	16	7	16
D35.9	-	-	-	-	D41.7	-	-	-	-	D47.9	98	169	71	210

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
D48.0	57	165	108	167	D56.1	8	34	26	34	D62	487	3,421	2,934	3,424
D48.1	402	556	154	560	D56.2	-	-	-	-	D64.0	-	-	-	-
D48.2	9	14	5	15	D56.3	-	4	4	4	D64.1	1	3	2	3
D48.3	20	28	8	29	D56.4	-	-	-	-	D64.2	-	-	-	-
D48.4	16	27	11	27	D56.8	-	-	-	-	D64.3	6	18	12	18
D48.5	13	36	23	39	D56.9	13	85	72	85	D64.4	1	2	1	2
D48.6	54	101	47	105	D57.0	122	140	18	140	D64.8	54	107	53	107
D48.7	202	346	144	349	D57.1	366	759	393	759	D64.9	2,505	43,315	40,810	43,920
D48.9	535	711	176	1,550	D57.2	14	32	18	32	D65	596	3,448	2,852	3,461
D50.0	172	1,206	1,034	1,163	D57.3	11	91	80	91	D66	59	158	99	158
D50.1	-	1	1	1	D57.8	-	1	1	1	D67	1	14	13	14
D50.8	22	144	122	138	D58.0	3	11	8	11	D68.0	12	69	57	69
D50.9	109	1,328	1,219	1,326	D58.1	1	1	-	1	D68.1	-	8	8	8
D51.0	20	204	184	204	D58.2	7	19	12	19	D68.2	52	226	174	226
D51.1	-	11	11	-	D58.8	-	1	1	1	D68.3	2	2	-	2
D51.2	-	-	-	-	D58.9	120	336	216	341	D68.4	9	56	47	56
D51.3	1	2	1	2	D59.0	-	-	-	-	D68.5	53	307	254	307
D51.8	-	-	-	-	D59.1	115	332	217	332	D68.6	135	358	223	358
D51.9	1	15	14	15	D59.2	1	1	-	1	D68.8	13	48	35	48
D52.0	-	-	-	-	D59.3	44	102	58	102	D68.9	985	5,906	4,921	6,095
D52.1	-	-	-	-	D59.4	11	106	95	106	D69.0	6	20	14	20
D52.8	-	-	-	-	D59.5	7	20	13	20	D69.1	4	14	10	14
D52.9	23	173	150	173	D59.6	-	-	-	-	D69.2	4	18	14	19
D53.0	20	44	24	2	D59.8	-	-	-	-	D69.3	216	641	425	641
D53.1	3	20	17	20	D59.9	17	47	30	48	D69.4	41	114	73	114
D53.2	-	-	-	-	D60.0	1	1	-	1	D69.5	37	1,219	1,182	1,221
D53.8	-	-	-	-	D60.1	-	-	-	-	D69.6	458	6,085	5,627	6,097
D53.9	36	80	44	49	D60.8	-	-	-	-	D69.8	-	-	-	-
D55.0	2	7	5	7	D60.9	16	41	25	41	D69.9	12	59	47	64
D55.1	-	-	-	-	D61.0	16	29	13	24	D70	358	3,082	2,724	3,083
D55.2	-	1	1	1	D61.1	-	5	5	5	D71	13	52	39	52
D55.3	-	-	-	-	D61.2	-	2	2	2	D72.0	-	4	4	4
D55.8	-	-	-	-	D61.3	10	13	3	13	D72.1	23	62	39	62
D55.9	-	-	-	-	D61.8	2	5	3	5	D72.8	168	1,172	1,004	1,173
D56.0	5	10	5	10	D61.9	1,009	5,970	4,961	6,000	D72.9	-	3	3	3

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
D73.0	1	2	1	2	D81.5	-	-	-	-	E00.2	-	-	-	-
D73.1	8	44	36	44	D81.6	-	1	1	1	E00.9	-	1	1	1
D73.2	2	14	12	14	D81.7	-	-	-	-	E01.0	-	-	-	-
D73.3	17	46	29	46	D81.8	-	-	-	-	E01.1	-	-	-	-
D73.4	-	2	2	2	D81.9	17	26	9	27	E01.2	-	-	-	-
D73.5	46	326	280	326	D82.0	3	11	8	3	E01.8	-	-	-	-
D73.8	14	61	47	61	D82.1	11	46	35	46	E02	-	1	1	1
D73.9	14	119	105	121	D82.2	-	-	-	-	E03.0	-	-	-	-
D74.0	1	2	1	2	D82.3	5	5	-	5	E03.1	3	12	9	12
D74.8	-	-	-	-	D82.4	3	8	5	8	E03.2	-	2	2	2
D74.9	5	12	7	12	D82.8	-	-	-	-	E03.3	-	-	-	-
D75.0	-	1	1	1	D82.9	-	-	-	-	E03.4	1	7	6	7
D75.1	7	87	80	87	D83.0	-	-	-	-	E03.5	118	151	33	150
D75.2	25	156	131	156	D83.1	-	-	-	-	E03.8	1	2	1	2
D75.8	43	358	315	358	D83.2	-	-	-	-	E03.9	1,444	23,522	22,078	23,575
D75.9	46	210	164	289	D83.8	-	-	-	-	E04.0	-	1	1	1
D76.0	31	48	17	48	D83.9	40	99	59	99	E04.1	3	69	66	71
D76.1	255	356	101	356	D84.0	-	1	1	1	E04.2	2	37	35	40
D76.2	10	17	7	17	D84.1	11	20	9	20	E04.8	-	-	-	-
D76.3	26	48	22	48	D84.8	2	4	2	4	E04.9	28	132	104	147
D80.0	1	2	1	2	D84.9	130	426	296	450	E05.0	45	228	183	218
D80.1	20	127	107	127	D86.0	243	380	137	394	E05.1	-	3	3	1
D80.2	3	6	3	6	D86.1	-	-	-	3	E05.2	3	12	9	9
D80.3	6	31	25	31	D86.2	2	2	-	-	E05.3	-	-	-	-
D80.4	-	4	4	4	D86.3	-	-	-	-	E05.4	-	-	-	-
D80.5	1	1	-	1	D86.8	115	175	60	147	E05.5	36	51	15	51
D80.6	1	1	-	1	D86.9	705	1,537	832	1,575	E05.8	-	-	-	-
D80.7	-	-	-	-	D89.0	-	11	11	11	E05.9	220	1,344	1,124	1,393
D80.8	1	3	2	3	D89.1	23	53	30	53	E06.0	-	1	1	1
D80.9	8	22	14	22	D89.2	34	229	195	229	E06.1	-	-	-	-
D81.0	-	-	-	-	D89.3	-	5	5	5	E06.2	-	-	-	-
D81.1	1	1	-	1	D89.8	-	13	13	13	E06.3	23	127	104	127
D81.2	-	-	-	-	D89.9	211	861	650	872	E06.4	-	1	1	1
D81.3	3	3	-	3	E00.0	-	-	-	-	E06.5	-	9	9	9
D81.4	-	-	-	-	E00.1	-	-	-	-	E06.9	4	23	19	26

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
E07.0	-	-	-	-	E13.1	-	-	-	-	E21.4	-	1	1	1
E07.1	-	-	-	-	E13.2	-	2	2	-	E21.5	3	14	11	14
E07.8	-	10	10	10	E13.3	-	-	-	-	E22.0	16	52	36	52
E07.9	81	610	529	640	E13.4	-	2	2	1	E22.1	1	4	3	4
E10.0	30	38	8	1	E13.5	-	-	-	-	E22.2	57	433	376	433
E10.1	308	408	100	7	E13.6	1	1	-	-	E22.8	-	-	-	-
E10.2	1,135	2,046	911	2	E13.7	-	1	1	-	E22.9	1	2	1	2
E10.3	6	17	11	1	E13.8	-	-	-	-	E23.0	74	345	271	345
E10.4	49	104	55	5	E13.9	1	30	29	34	E23.1	-	-	-	-
E10.5	156	364	208	1	E14.0	175	287	112	247	E23.2	42	225	183	225
E10.6	19	27	8	-	E14.1	2,528	3,632	1,104	3,657	E23.3	3	7	4	7
E10.7	276	306	30	-	E14.2	14,046	29,344	15,298	1,501	E23.6	7	15	8	15
E10.8	-	-	-	-	E14.3	7	71	64	108	E23.7	26	41	15	49
E10.9	1,922	5,001	3,079	7,875	E14.4	247	946	699	766	E24.0	1	3	2	3
E11.0	60	130	70	6	E14.5	2,029	5,929	3,900	671	E24.1	-	-	-	-
E11.1	288	807	519	1	E14.6	256	529	273	63	E24.2	1	3	2	3
E11.2	10,010	22,240	12,230	41	E14.7	2,212	2,839	627	5	E24.3	-	-	-	-
E11.3	9	57	48	2	E14.8	-	-	-	-	E24.4	-	-	-	-
E11.4	244	1,076	832	12	E14.9	28,909	123,849	94,940	160,552	E24.8	-	1	1	1
E11.5	1,316	4,343	3,027	16	E15	26	59	33	67	E24.9	20	104	84	104
E11.6	172	335	163	1	E16.0	5	11	6	11	E25.0	9	17	8	17
E11.7	1,662	1,984	322	1	E16.1	4	14	10	14	E25.8	-	-	-	-
E11.8	-	-	-	-	E16.2	436	2,563	2,127	2,566	E25.9	1	2	1	2
E11.9	15,454	71,798	56,344	99,345	E16.3	-	-	-	-	E26.0	-	4	4	4
E12.0	-	-	-	-	E16.4	5	16	11	16	E26.1	-	2	2	2
E12.1	2	9	7	-	E16.8	1	1	-	1	E26.8	2	6	4	6
E12.2	8	28	20	-	E16.9	1	2	1	2	E26.9	6	16	10	16
E12.3	-	-	-	-	E20.0	-	-	-	-	E27.0	-	1	1	1
E12.4	-	1	1	-	E20.1	-	1	1	1	E27.1	102	359	257	359
E12.5	3	6	3	-	E20.8	-	-	-	-	E27.2	12	51	39	51
E12.6	-	1	1	-	E20.9	4	43	39	43	E27.3	1	2	1	2
E12.7	1	2	1	-	E21.0	30	75	45	75	E27.4	156	1,106	950	1,110
E12.8	-	-	-	-	E21.1	1	16	15	16	E27.5	1	3	2	3
E12.9	23	64	41	2	E21.2	-	-	-	-	E27.8	1	17	16	17
E13.0	-	-	-	1	E21.3	65	485	420	485	E27.9	29	168	139	178

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
E28.0	-	-	-	-	E44.1	23	60	37	61	E61.3	-	-	-	-
E28.1	-	-	-	-	E45	268	676	408	1	E61.4	1	1	-	1
E28.2	-	19	19	19	E46	3,974	28,076	24,102	28,760	E61.5	-	-	-	-
E28.3	1	2	1	2	E50.0	-	-	-	-	E61.6	-	-	-	-
E28.8	-	-	-	-	E50.1	-	-	-	-	E61.7	-	1	1	-
E28.9	-	-	-	-	E50.2	-	-	-	-	E61.8	-	2	2	2
E29.0	-	-	-	-	E50.3	-	-	-	-	E61.9	-	2	2	2
E29.1	3	57	54	57	E50.4	-	-	-	-	E63.0	-	-	-	-
E29.8	-	-	-	-	E50.5	-	-	-	-	E63.1	-	-	-	-
E29.9	-	-	-	-	E50.6	-	-	-	-	E63.8	-	1	1	1
E30.0	-	-	-	-	E50.7	-	-	-	-	E63.9	138	831	693	864
E30.1	-	-	-	-	E50.8	-	-	-	-	E64.0	2	5	3	5
E30.8	-	-	-	-	E50.9	-	-	-	-	E64.1	-	-	-	-
E30.9	-	1	1	1	E51.1	-	2	2	2	E64.2	-	-	-	-
E31.0	4	8	4	8	E51.2	63	221	158	222	E64.3	-	-	-	-
E31.1	-	-	-	-	E51.8	-	-	-	-	E64.8	-	-	-	-
E31.8	-	-	-	-	E51.9	1	10	9	12	E64.9	-	3	3	3
E31.9	1	2	1	2	E52	-	-	-	-	E65	-	4	4	4
E32.0	1	3	2	3	E53.0	1	2	1	2	E66.0	18	48	30	48
E32.1	-	-	-	-	E53.1	1	1	-	1	E66.1	1	1	-	1
E32.8	2	5	3	5	E53.8	31	401	370	402	E66.2	895	1,583	688	1,583
E32.9	-	2	2	2	E53.9	1	12	11	12	E66.8	4,277	17,613	13,336	17,890
E34.0	33	87	54	87	E54	-	6	6	6	E66.9	2,549	24,745	22,196	24,984
E34.1	-	-	-	-	E55.0	-	2	2	2	E67.0	-	-	-	-
E34.2	-	-	-	-	E55.9	1	200	199	200	E67.1	-	-	-	-
E34.3	6	24	18	24	E56.0	-	-	-	-	E67.2	-	-	-	-
E34.4	-	-	-	-	E56.1	-	1	1	1	E67.3	1	2	1	2
E34.5	-	-	-	-	E56.8	-	-	-	-	E67.8	-	-	-	-
E34.8	3	8	5	8	E56.9	8	288	280	306	E68	-	-	-	-
E34.9	6	16	10	23	E58	1	1	-	1	E70.0	-	-	-	-
E40	3	5	2	6	E59	-	-	-	-	E70.1	7	18	11	18
E41	70	290	220	274	E60	-	-	-	-	E70.2	3	6	3	6
E42	-	-	-	-	E61.0	1	6	5	6	E70.3	3	11	8	11
E43	3,187	10,438	7,251	10,504	E61.1	4	186	182	187	E70.8	-	-	-	-
E44.0	67	330	263	331	E61.2	-	2	2	3	E70.9	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
E71.0	1	2	1	2	E76.9	-	-	-	1	E84.1	5	6	1	3
E71.1	16	22	6	22	E77.0	8	12	4	12	E84.8	190	210	20	-
E71.2	-	-	-	-	E77.1	3	5	2	5	E84.9	119	140	21	428
E71.3	58	67	9	67	E77.8	15	58	43	59	E85.0	3	9	6	9
E72.0	14	18	4	18	E77.9	-	-	-	-	E85.1	5	5	-	2
E72.1	12	32	20	32	E78.0	1,708	8,274	6,566	8,287	E85.2	12	15	3	15
E72.2	132	326	194	326	E78.1	69	237	168	250	E85.3	-	1	1	1
E72.3	2	4	2	4	E78.2	172	685	513	672	E85.4	1,050	1,448	398	1,184
E72.4	7	13	6	13	E78.3	-	1	1	1	E85.8	10	14	4	14
E72.5	12	16	4	16	E78.4	-	1	1	1	E85.9	550	1,094	544	1,279
E72.8	-	1	1	1	E78.5	10,233	65,099	54,866	65,100	E86	1,359	14,034	12,675	14,051
E72.9	5	5	-	5	E78.6	13	124	111	124	E87.0	746	3,720	2,974	3,722
E73.0	-	-	-	-	E78.8	-	2	2	2	E87.1	552	4,546	3,994	4,552
E73.1	-	-	-	-	E78.9	587	3,852	3,265	3,884	E87.2	2,464	14,598	12,134	16,556
E73.8	-	-	-	-	E79.0	4	68	64	68	E87.3	17	106	89	106
E73.9	1	3	2	3	E79.1	5	7	2	7	E87.4	3	25	22	25
E74.0	26	46	20	46	E79.8	-	-	-	-	E87.5	785	7,530	6,745	7,543
E74.1	-	-	-	-	E79.9	-	-	-	-	E87.6	226	1,779	1,553	1,781
E74.2	2	4	2	4	E80.0	1	4	3	4	E87.7	299	2,279	1,980	2,285
E74.3	10	93	83	93	E80.1	1	4	3	4	E87.8	397	3,330	2,933	3,365
E74.4	6	12	6	12	E80.2	12	27	15	27	E88.0	283	1,191	908	1,191
E74.8	5	41	36	41	E80.3	-	-	-	-	E88.1	1	5	4	5
E74.9	-	1	1	1	E80.4	1	25	24	25	E88.2	2	2	-	2
E75.0	21	21	-	21	E80.5	-	-	-	-	E88.3	34	596	562	596
E75.1	9	12	3	12	E80.6	1	5	4	5	E88.8	16	214	198	223
E75.2	124	172	48	172	E80.7	2	8	6	8	E88.9	2,429	9,181	6,752	10,911
E75.3	1	2	1	2	E83.0	33	59	26	59	E89.0	...	12	12	12
E75.4	38	42	4	42	E83.1	171	612	441	612	E89.1	...	-	-	-
E75.5	5	8	3	8	E83.2	-	1	1	1	E89.2	...	3	3	3
E75.6	2	11	9	11	E83.3	9	92	83	92	E89.3	...	1	1	1
E76.0	9	18	9	18	E83.4	21	268	247	268	E89.4	...	-	-	-
E76.1	12	12	-	12	E83.5	292	3,172	2,880	3,172	E89.5	...	-	-	-
E76.2	26	31	5	31	E83.8	-	-	-	-	E89.6	...	-	-	-
E76.3	10	13	3	13	E83.9	1	2	1	2	E89.8	...	98	98	98
E76.8	-	-	-	-	E84.0	75	117	42	9	E89.9	...	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
F01.0	1	7	6	7	F10.8	2	2	-	-	F14.7	1	1	-	-
F01.1	829	1,537	708	1,384	F10.9	337	6,200	5,863	8,892	F14.8	-	-	-	-
F01.2	-	4	4	4	F11.1	169	1,337	1,168	1,337	F14.9	176	3,357	3,181	3,381
F01.3	7	8	1	8	F11.2	48	493	445	493	F15.1	220	1,288	1,068	1,288
F01.8	1	2	1	2	F11.3	5	18	13	18	F15.2	6	43	37	43
F01.9	15,409	29,631	14,222	26,617	F11.4	-	-	-	-	F15.3	2	5	3	5
F03	101,934	198,525	96,591	200,870	F11.5	-	-	-	-	F15.4	-	-	-	-
F04	1	6	5	6	F11.6	-	-	-	-	F15.5	1	1	-	-
F05.0	-	1	1	1	F11.7	6	7	1	-	F15.6	-	-	-	-
F05.1	317	581	264	3	F11.8	-	-	-	-	F15.7	-	1	1	1
F05.8	2	13	11	13	F11.9	164	5,196	5,032	5,255	F15.8	-	-	-	-
F05.9	587	2,213	1,626	2,802	F12.1	5	109	104	109	F15.9	200	2,469	2,269	2,539
F06.0	-	-	-	-	F12.2	1	18	17	18	F16.1	-	-	-	-
F06.1	-	-	-	-	F12.3	-	-	-	-	F16.2	-	-	-	-
F06.2	-	-	-	-	F12.4	-	-	-	-	F16.3	-	-	-	-
F06.3	-	1	1	1	F12.5	-	-	-	-	F16.4	-	-	-	-
F06.4	-	-	-	-	F12.6	-	-	-	-	F16.5	-	-	-	-
F06.5	-	-	-	-	F12.7	-	-	-	-	F16.6	-	-	-	-
F06.6	-	-	-	-	F12.8	-	-	-	-	F16.7	-	-	-	-
F06.7	30	265	235	265	F12.9	17	252	235	255	F16.8	-	-	-	-
F06.8	1	6	5	6	F13.1	9	165	156	165	F16.9	-	3	3	3
F06.9	349	2,369	2,020	2,402	F13.2	-	17	17	17	F17.1	34	8,584	8,550	8,584
F07.0	2	17	15	17	F13.3	2	5	3	5	F17.2	16	3,425	3,409	3,425
F07.1	-	1	1	1	F13.4	-	-	-	-	F17.3	-	-	-	-
F07.2	9	38	29	38	F13.5	-	-	-	-	F17.4	-	1	1	-
F07.8	-	-	-	-	F13.6	-	-	-	-	F17.5	-	41	41	-
F07.9	-	59	59	59	F13.7	-	-	-	-	F17.6	-	-	-	-
F09	2	327	325	610	F13.8	-	-	-	-	F17.7	-	30	30	-
F10.1	3,633	12,391	8,758	17,781	F13.9	5	991	986	993	F17.8	-	3	3	-
F10.2	5,425	15,213	9,788	20,557	F14.1	184	1,073	889	1,073	F17.9	543	319,907	319,364	329,939
F10.3	240	701	461	784	F14.2	1	26	25	26	F18.1	23	234	211	234
F10.4	85	212	127	220	F14.3	-	1	1	1	F18.2	-	3	3	3
F10.5	1	2	1	2	F14.4	-	1	1	-	F18.3	-	-	-	-
F10.6	46	106	60	119	F14.5	-	-	-	-	F18.4	-	-	-	-
F10.7	293	470	177	232	F14.6	-	-	-	-	F18.5	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
F18.6	-	-	-	-	F25.2	1	21	20	21	F34.8	-	-	-	-
F18.7	-	-	-	-	F25.8	-	-	-	-	F34.9	-	5	5	5
F18.8	-	1	1	1	F25.9	80	907	827	907	F38.0	-	-	-	-
F18.9	-	13	13	14	F28	-	5	5	5	F38.1	-	-	-	-
F19.1	1,520	18,769	17,249	18,769	F29	26	443	417	484	F38.8	-	9	9	9
F19.2	71	493	422	509	F30.0	-	1	1	1	F39	6	173	167	231
F19.3	19	30	11	30	F30.1	-	-	-	-	F40.0	1	26	25	26
F19.4	-	-	-	-	F30.2	-	-	-	-	F40.1	-	1	1	1
F19.5	-	4	4	4	F30.8	-	1	1	1	F40.2	-	1	1	1
F19.6	-	-	-	-	F30.9	2	10	8	10	F40.8	-	-	-	-
F19.7	10	12	2	2	F31.0	-	-	-	-	F40.9	-	3	3	3
F19.8	-	-	-	-	F31.1	2	2	-	2	F41.0	2	69	67	69
F19.9	319	11,632	11,313	11,865	F31.2	-	-	-	-	F41.1	9	317	308	317
F20.0	40	428	388	428	F31.3	-	-	-	-	F41.2	18	100	82	82
F20.1	-	4	4	4	F31.4	-	-	-	-	F41.3	-	1	1	1
F20.2	26	65	39	65	F31.5	-	-	-	-	F41.8	1	11	10	11
F20.3	-	6	6	6	F31.6	-	-	-	-	F41.9	72	5,798	5,726	5,824
F20.4	-	-	-	-	F31.7	-	-	-	-	F42.0	-	1	1	1
F20.5	24	169	145	169	F31.8	-	-	-	-	F42.1	-	-	-	-
F20.6	-	-	-	-	F31.9	153	3,519	3,366	3,519	F42.2	-	-	-	-
F20.8	1	4	3	4	F32.0	-	8	8	8	F42.8	-	1	1	1
F20.9	388	3,759	3,371	3,774	F32.1	-	-	-	-	F42.9	2	38	36	38
F21	1	5	4	5	F32.2	176	1,945	1,769	1,945	F43.0	-	3	3	3
F22.0	11	270	259	270	F32.3	4	18	14	17	F43.1	36	1,829	1,793	1,829
F22.8	-	1	1	1	F32.8	1	6	5	6	F43.2	19	149	130	149
F22.9	-	-	-	-	F32.9	357	14,771	14,414	14,779	F43.8	-	1	1	1
F23.0	-	1	1	1	F33.0	-	-	-	-	F43.9	81	430	349	435
F23.1	-	-	-	-	F33.1	-	-	-	-	F44.0	1	1	-	-
F23.2	-	-	-	-	F33.2	4	40	36	40	F44.1	-	-	-	-
F23.3	-	-	-	-	F33.3	-	-	-	-	F44.2	-	1	1	1
F23.8	-	-	-	-	F33.4	-	-	-	-	F44.3	-	-	-	-
F23.9	15	48	33	48	F33.8	-	1	1	1	F44.4	6	14	8	14
F24	-	-	-	-	F33.9	2	35	33	35	F44.5	-	-	-	-
F25.0	-	-	-	-	F34.0	-	2	2	2	F44.6	-	-	-	-
F25.1	-	1	1	1	F34.1	2	64	62	64	F44.7	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
F44.8	1	6	5	6	F52.6	-	-	-	-	F64.8	-	-	-	-
F44.9	1	12	11	12	F52.7	-	-	-	-	F64.9	-	-	-	-
F45.0	-	1	1	1	F52.8	-	1	1	1	F65.0	-	-	-	-
F45.1	-	-	-	-	F52.9	-	-	-	-	F65.1	-	-	-	-
F45.2	-	2	2	2	F53.0	-	3	3	3	F65.2	-	-	-	-
F45.3	4	55	51	55	F53.1	-	-	-	-	F65.3	-	-	-	-
F45.4	-	-	-	-	F53.8	-	-	-	-	F65.4	-	-	-	-
F45.8	1	3	2	3	F53.9	-	-	-	-	F65.5	-	-	-	-
F45.9	-	4	4	4	F54	264	903	639	-	F65.6	-	-	-	-
F48.0	-	7	7	7	F55	1	14	13	14	F65.8	-	-	-	-
F48.1	-	-	-	-	F59	-	-	-	-	F65.9	-	-	-	-
F48.8	4	20	16	20	F60.0	-	4	4	4	F66.0	-	-	-	-
F48.9	4	25	21	32	F60.1	-	8	8	8	F66.1	-	-	-	-
F50.0	77	125	48	125	F60.2	-	5	5	5	F66.2	-	-	-	-
F50.1	-	1	1	1	F60.3	-	11	11	11	F66.8	-	-	-	-
F50.2	16	47	31	47	F60.4	-	-	-	-	F66.9	-	-	-	-
F50.3	-	-	-	-	F60.5	2	33	31	33	F68.0	-	-	-	-
F50.4	-	-	-	-	F60.6	-	-	-	-	F68.1	-	3	3	3
F50.5	-	-	-	-	F60.7	-	1	1	1	F68.8	-	-	-	-
F50.8	9	31	22	31	F60.8	-	1	1	1	F69	1	31	30	32
F50.9	10	36	26	36	F60.9	1	43	42	44	F70	2	24	22	24
F51.0	-	-	-	-	F61	-	1	1	1	F71	1	18	17	18
F51.1	-	-	-	-	F62.0	-	-	-	-	F72	34	120	86	120
F51.2	-	-	-	-	F62.1	-	-	-	-	F73	19	71	52	71
F51.3	-	2	2	2	F62.8	-	-	-	-	F78	-	-	-	-
F51.4	-	-	-	-	F62.9	-	-	-	-	F79	230	1,071	841	1,072
F51.5	-	2	2	2	F63.0	-	-	-	-	F80.0	-	-	-	-
F51.8	-	-	-	-	F63.1	-	-	-	-	F80.1	-	3	3	3
F51.9	-	1	1	1	F63.2	-	-	-	-	F80.2	1	3	2	3
F52.0	-	-	-	-	F63.3	-	-	-	-	F80.3	-	-	-	-
F52.1	-	2	2	2	F63.8	-	1	1	1	F80.8	-	-	-	-
F52.2	-	15	15	15	F63.9	-	14	14	14	F80.9	-	8	8	8
F52.3	-	-	-	-	F64.0	-	1	1	1	F81.0	-	-	-	-
F52.4	-	-	-	-	F64.1	-	-	-	-	F81.1	-	1	1	1
F52.5	-	-	-	-	F64.2	-	-	-	-	F81.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
F81.3	-	-	-	-	F94.1	-	-	-	-	G06.0	157	346	189	348
F81.8	-	1	1	1	F94.2	-	-	-	-	G06.1	63	100	37	100
F81.9	52	396	344	396	F94.8	-	-	-	-	G06.2	158	389	231	393
F82	3	11	8	11	F94.9	-	-	-	-	G08	62	145	83	145
F83	-	-	-	-	F95.0	-	-	-	-	G09	61	162	101	162
F84.0	44	255	211	255	F95.1	-	-	-	-	G10	1,108	1,305	197	1,305
F84.1	-	1	1	1	F95.2	-	14	14	14	G11.0	1	1	-	1
F84.2	39	64	25	64	F95.8	-	-	-	-	G11.1	148	206	58	206
F84.3	-	-	-	-	F95.9	-	2	2	2	G11.2	1	2	1	2
F84.4	-	-	-	-	F98.0	-	-	-	-	G11.3	11	17	6	15
F84.5	2	38	36	38	F98.1	-	-	-	-	G11.4	17	30	13	30
F84.8	-	-	-	-	F98.2	-	11	11	11	G11.8	1	1	-	1
F84.9	1	2	1	3	F98.3	-	1	1	1	G11.9	160	281	121	284
F88	-	-	-	-	F98.4	-	-	-	-	G12.0	11	13	2	13
F89	17	87	70	89	F98.5	-	-	-	-	G12.1	18	31	13	31
F90.0	2	85	83	85	F98.6	-	-	-	-	G12.2	6,862	7,412	550	7,412
F90.1	-	-	-	-	F98.8	-	40	40	40	G12.8	1	1	-	1
F90.8	-	-	-	-	F98.9	-	-	-	1	G12.9	92	112	20	116
F90.9	-	1	1	1	F99	24	28	4	943	G14	146	460	314	460
F91.0	-	-	-	-	G00.0	6	11	5	11	G20	31,754	46,805	15,051	46,871
F91.1	1	6	5	6	G00.1	42	64	22	64	G21.0	50	79	29	79
F91.2	-	-	-	-	G00.2	63	112	49	112	G21.1	7	14	7	14
F91.3	-	3	3	3	G00.3	19	36	17	36	G21.2	-	-	-	-
F91.8	-	2	2	2	G00.8	25	48	23	48	G21.3	1	1	-	1
F91.9	14	2,447	2,433	2,447	G00.9	196	318	122	326	G21.4	30	44	14	44
F92.0	-	1	1	1	G03.0	15	24	9	25	G21.8	12	13	1	1
F92.8	-	-	-	-	G03.1	6	9	3	9	G21.9	109	883	774	883
F92.9	-	-	-	-	G03.2	-	-	-	-	G23.0	9	10	1	10
F93.0	-	-	-	-	G03.8	2	5	3	5	G23.1	1,377	1,589	212	1,589
F93.1	-	-	-	-	G03.9	241	796	555	831	G23.2	10	15	5	15
F93.2	-	-	-	-	G04.0	7	15	8	15	G23.8	50	67	17	67
F93.3	-	-	-	-	G04.1	-	1	1	1	G23.9	118	150	32	166
F93.8	-	1	1	1	G04.2	13	17	4	17	G24.0	-	-	-	-
F93.9	-	-	-	-	G04.8	23	50	27	50	G24.1	5	8	3	8
F94.0	-	1	1	1	G04.9	360	898	538	964	G24.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
G24.3	4	9	5	9	G37.9	68	97	29	100	G47.0	6	410	404	410
G24.4	21	72	51	72	G40.0	1	1	-	1	G47.1	1	34	33	34
G24.5	-	3	3	3	G40.1	4	13	9	13	G47.2	-	4	4	4
G24.8	1	11	10	11	G40.2	8	16	8	16	G47.3	1,127	17,422	16,295	17,422
G24.9	20	104	84	109	G40.3	80	170	90	170	G47.4	1	74	73	74
G25.0	9	147	138	147	G40.4	70	117	47	117	G47.8	1	7	6	7
G25.1	-	-	-	-	G40.5	1	3	2	3	G47.9	2	48	46	48
G25.2	-	6	6	6	G40.6	107	192	85	192	G50.0	11	174	163	174
G25.3	36	120	84	120	G40.7	-	2	2	2	G50.1	-	-	-	-
G25.4	1	1	-	1	G40.8	4	9	5	9	G50.8	-	-	-	-
G25.5	15	30	15	30	G40.9	1,290	3,636	2,346	3,652	G50.9	1	3	2	3
G25.6	-	-	-	-	G41.0	-	-	-	-	G51.0	3	97	94	97
G25.8	27	245	218	245	G41.1	-	-	-	-	G51.1	-	1	1	1
G25.9	22	71	49	74	G41.2	-	1	1	1	G51.2	-	-	-	-
G30.0	271	318	47	318	G41.8	7	22	15	22	G51.3	1	2	1	2
G30.1	3,866	5,352	1,486	3,574	G41.9	1,107	2,428	1,321	2,428	G51.4	-	-	-	-
G30.8	10	13	3	13	G43.0	-	-	-	-	G51.8	-	1	1	1
G30.9	117,257	141,831	24,574	143,023	G43.1	-	1	1	1	G51.9	1	8	7	8
G31.0	1,496	1,798	302	1,797	G43.2	-	-	-	-	G52.0	-	-	-	-
G31.1	12,451	13,374	923	13,359	G43.3	-	-	-	-	G52.1	2	2	-	4
G31.2	179	251	72	162	G43.8	-	3	3	3	G52.2	1	4	3	6
G31.8	5,261	7,666	2,405	7,668	G43.9	4	282	278	282	G52.3	1	3	2	3
G31.9	2,942	4,397	1,455	4,645	G44.0	-	9	9	9	G52.7	1	4	3	2
G35	4,312	6,448	2,136	6,448	G44.1	-	1	1	1	G52.8	-	-	-	-
G36.0	37	56	19	56	G44.2	-	2	2	2	G52.9	2	12	10	12
G36.1	5	5	-	5	G44.3	-	1	1	1	G54.0	1	4	3	4
G36.8	-	-	-	-	G44.4	-	-	-	-	G54.1	-	4	4	4
G36.9	4	5	1	5	G44.8	-	2	2	2	G54.2	2	6	4	6
G37.0	1	3	2	3	G45.0	5	31	26	31	G54.3	1	4	3	4
G37.1	4	4	-	4	G45.1	1	6	5	6	G54.4	-	-	-	-
G37.2	28	36	8	36	G45.2	-	1	1	1	G54.5	-	2	2	2
G37.3	91	185	94	186	G45.3	-	2	2	2	G54.6	-	2	2	2
G37.4	-	-	-	-	G45.4	-	-	-	-	G54.7	-	1	1	1
G37.5	-	-	-	-	G45.8	2	23	21	23	G54.8	-	2	2	2
G37.8	3	4	1	4	G45.9	204	3,854	3,650	3,857	G54.9	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
G56.0	1	6	5	6	G64	-	-	-	1	G83.0	1	12	11	12
G56.1	-	6	6	6	G70.0	934	1,837	903	1,837	G83.1	7	38	31	38
G56.2	-	2	2	2	G70.1	-	-	-	-	G83.2	1	11	10	11
G56.3	-	7	7	7	G70.2	4	4	-	4	G83.3	1	19	18	19
G56.4	-	-	-	-	G70.8	1	4	3	4	G83.4	17	91	74	91
G56.8	-	-	-	-	G70.9	332	522	190	537	G83.8	33	68	35	68
G56.9	-	-	-	-	G71.0	889	1,244	355	1,244	G83.9	42	323	281	350
G57.0	1	16	15	16	G71.1	313	420	107	420	G90.0	-	6	6	6
G57.1	-	3	3	3	G71.2	84	102	18	102	G90.1	26	65	39	65
G57.2	-	-	-	-	G71.3	30	45	15	45	G90.2	-	3	3	3
G57.3	-	1	1	1	G71.8	23	28	5	34	G90.3	130	203	73	138
G57.4	-	2	2	2	G71.9	2	2	-	2	G90.4	4	18	14	18
G57.5	-	-	-	-	G72.0	3	30	27	30	G90.8	86	231	145	231
G57.6	1	2	1	2	G72.1	6	8	2	8	G90.9	75	141	66	167
G57.8	-	1	1	1	G72.2	2	3	1	3	G91.0	7	35	28	34
G57.9	1	3	2	3	G72.3	3	7	4	7	G91.1	97	387	290	389
G58.0	-	-	-	-	G72.4	19	39	20	39	G91.2	324	1,091	767	1,091
G58.7	1	5	4	7	G72.8	14	24	10	24	G91.3	1	2	1	2
G58.8	2	12	10	16	G72.9	124	356	232	366	G91.8	10	42	32	42
G58.9	7	39	32	51	G80.0	30	43	13	43	G91.9	396	1,585	1,189	1,600
G60.0	83	207	124	207	G80.1	23	44	21	41	G92	281	473	192	473
G60.1	-	1	1	1	G80.2	7	8	1	2	G93.0	31	62	31	62
G60.2	1	2	1	1	G80.3	9	13	4	12	G93.1	7,427	28,931	21,504	28,968
G60.3	16	61	45	61	G80.4	1	3	2	3	G93.2	52	636	584	640
G60.8	13	25	12	25	G80.8	79	97	18	40	G93.3	5	18	13	18
G60.9	25	73	48	74	G80.9	1,877	3,388	1,511	3,399	G93.4	2,730	15,310	12,580	15,532
G61.0	258	516	258	517	G81.0	1	20	19	20	G93.5	388	4,858	4,470	4,884
G61.1	-	-	-	-	G81.1	4	30	26	30	G93.6	455	3,833	3,378	3,858
G61.8	156	275	119	275	G81.9	91	4,900	4,809	4,901	G93.7	3	6	3	6
G61.9	4	8	4	8	G82.0	-	2	2	2	G93.8	130	738	608	738
G62.0	-	7	7	7	G82.1	12	37	25	37	G93.9	430	1,013	583	1,732
G62.1	6	25	19	24	G82.2	336	1,499	1,163	1,499	G95.0	25	59	34	59
G62.2	-	3	3	3	G82.3	-	-	-	-	G95.1	53	155	102	157
G62.8	49	93	44	93	G82.4	48	172	124	172	G95.2	56	539	483	539
G62.9	220	2,621	2,401	4,136	G82.5	498	1,876	1,378	1,876	G95.8	14	53	39	53

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
G95.9	146	405	259	468	H04.9	-	-	-	-	H17.0	-	-	-	-
G96.0	5	27	22	27	H05.0	7	25	18	25	H17.1	-	-	-	-
G96.1	17	56	39	56	H05.1	-	1	1	1	H17.8	-	-	-	-
G96.8	4	20	16	21	H05.2	-	4	4	4	H17.9	-	1	1	1
G96.9	10	118	108	133	H05.3	-	-	-	-	H18.0	-	-	-	-
G97.0	...	1	1	1	H05.4	-	-	-	-	H18.1	-	-	-	-
G97.1	...	-	-	-	H05.5	-	-	-	-	H18.2	-	-	-	-
G97.2	...	-	-	-	H05.8	-	1	1	1	H18.3	-	-	-	-
G97.8	...	208	208	208	H05.9	2	8	6	8	H18.4	-	-	-	-
G97.9	...	1	1	1	H10.0	-	-	-	-	H18.5	-	7	7	7
G98	58	155	97	225	H10.1	-	1	1	1	H18.6	-	-	-	-
H00.0	-	-	-	-	H10.2	-	-	-	-	H18.7	-	-	-	-
H00.1	-	-	-	-	H10.3	-	1	1	1	H18.8	-	-	-	-
H01.0	-	3	3	3	H10.4	-	-	-	-	H18.9	-	3	3	3
H01.1	-	-	-	-	H10.5	-	-	-	-	H20.0	-	-	-	-
H01.8	-	-	-	-	H10.8	-	-	-	-	H20.1	-	-	-	-
H01.9	-	-	-	-	H10.9	-	14	14	14	H20.2	-	-	-	-
H02.0	-	1	1	1	H11.0	-	-	-	-	H20.8	-	1	1	1
H02.1	-	1	1	1	H11.1	-	-	-	-	H20.9	-	5	5	5
H02.2	-	-	-	-	H11.2	-	-	-	-	H21.0	-	-	-	-
H02.3	-	-	-	-	H11.3	-	2	2	2	H21.1	-	-	-	-
H02.4	-	2	2	2	H11.4	-	-	-	-	H21.2	-	-	-	-
H02.5	-	-	-	-	H11.8	-	-	-	-	H21.3	-	-	-	-
H02.6	-	1	1	1	H11.9	-	-	-	-	H21.4	-	-	-	-
H02.7	-	-	-	-	H15.0	-	1	1	1	H21.5	-	-	-	-
H02.8	-	-	-	-	H15.1	-	-	-	-	H21.8	-	-	-	-
H02.9	-	2	2	2	H15.8	-	-	-	-	H21.9	-	-	-	-
H04.0	-	-	-	-	H15.9	-	-	-	-	H25.0	-	2	2	2
H04.1	-	5	5	5	H16.0	1	5	4	5	H25.1	-	1	1	1
H04.2	-	1	1	1	H16.1	-	-	-	-	H25.2	-	-	-	-
H04.3	-	-	-	-	H16.2	-	1	1	1	H25.8	-	-	-	-
H04.4	-	-	-	-	H16.3	-	2	2	2	H25.9	-	2	2	2
H04.5	-	-	-	-	H16.4	-	3	3	3	H26.0	-	-	-	-
H04.6	-	-	-	-	H16.8	-	-	-	-	H26.1	-	-	-	-
H04.8	-	-	-	-	H16.9	-	3	3	3	H26.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis
H26.3	-	-	-	-	H35.4	-	2	2	2	H47.3	-	-	-	-
H26.4	-	-	-	-	H35.5	-	16	16	16	H47.4	-	-	-	-
H26.8	-	-	-	-	H35.6	-	3	3	5	H47.5	-	-	-	-
H26.9	1	59	58	72	H35.7	-	-	-	-	H47.6	-	1	1	1
H27.0	-	-	-	-	H35.8	-	9	9	9	H47.7	-	-	-	-
H27.1	-	-	-	-	H35.9	-	4	4	5	H49.0	-	1	1	1
H27.8	-	-	-	-	H40.0	-	2	2	2	H49.1	-	-	-	-
H27.9	-	-	-	-	H40.1	-	15	15	15	H49.2	-	3	3	3
H30.0	-	-	-	-	H40.2	-	1	1	1	H49.3	-	-	-	-
H30.1	-	-	-	-	H40.3	-	-	-	-	H49.4	-	-	-	-
H30.2	-	-	-	-	H40.4	-	-	-	-	H49.8	6	11	5	11
H30.8	-	2	2	2	H40.5	-	-	-	-	H49.9	-	6	6	6
H30.9	-	4	4	4	H40.6	-	-	-	-	H50.0	-	-	-	-
H31.0	-	1	1	1	H40.8	-	1	1	1	H50.1	-	-	-	-
H31.1	-	-	-	-	H40.9	5	889	884	889	H50.2	-	1	1	1
H31.2	-	-	-	-	H43.0	-	-	-	-	H50.3	-	-	-	-
H31.3	-	-	-	-	H43.1	-	2	2	2	H50.4	1	4	3	4
H31.4	-	-	-	-	H43.2	2	3	1	3	H50.5	-	1	1	1
H31.8	-	-	-	-	H43.3	-	-	-	-	H50.6	-	-	-	-
H31.9	-	1	1	1	H43.8	-	-	-	-	H50.8	-	1	1	1
H33.0	-	-	-	-	H43.9	-	-	-	-	H50.9	-	-	-	-
H33.1	-	-	-	-	H44.0	4	17	13	17	H51.0	-	-	-	-
H33.2	-	4	4	4	H44.1	-	1	1	1	H51.1	-	-	-	-
H33.3	-	-	-	-	H44.2	-	-	-	-	H51.2	-	-	-	-
H33.4	-	-	-	-	H44.3	-	-	-	-	H51.8	-	4	4	4
H33.5	-	-	-	-	H44.4	-	-	-	-	H51.9	-	-	-	-
H34.0	-	-	-	-	H44.5	-	1	1	1	H52.0	-	1	1	1
H34.1	-	-	-	-	H44.6	-	-	-	-	H52.1	1	3	2	3
H34.2	-	7	7	9	H44.7	-	-	-	-	H52.2	-	-	-	-
H34.8	-	6	6	6	H44.8	-	1	1	1	H52.3	-	-	-	-
H34.9	-	1	1	1	H44.9	1	2	1	2	H52.4	-	-	-	-
H35.0	1	73	72	132	H46	1	18	17	18	H52.5	-	-	-	-
H35.1	-	5	5	5	H47.0	-	2	2	2	H52.6	-	-	-	-
H35.2	-	1	1	2	H47.1	-	1	1	1	H52.7	-	-	-	-
H35.3	4	719	715	719	H47.2	-	3	3	3	H53.0	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
H53.1	-	37	37	37	H61.3	-	-	-	-	H74.0	-	-	-	-
H53.2	-	3	3	3	H61.8	-	-	-	-	H74.1	-	-	-	-
H53.3	-	1	1	1	H61.9	-	2	2	2	H74.2	-	-	-	-
H53.4	-	5	5	5	H65.0	-	-	-	-	H74.3	-	-	-	-
H53.5	-	-	-	-	H65.1	-	-	-	-	H74.4	-	-	-	-
H53.6	-	-	-	-	H65.2	-	-	-	-	H74.8	-	-	-	-
H53.8	-	1	1	1	H65.3	-	-	-	-	H74.9	-	1	1	1
H53.9	-	4	4	4	H65.4	-	-	-	-	H80.0	-	-	-	-
H54.0	10	737	727	740	H65.9	-	-	-	-	H80.1	-	-	-	-
H54.1	-	-	-	-	H66.0	-	-	-	-	H80.2	-	-	-	-
H54.2	-	2	2	2	H66.1	-	-	-	-	H80.8	-	-	-	-
H54.3	-	-	-	-	H66.2	-	-	-	-	H80.9	-	2	2	2
H54.4	-	41	41	41	H66.3	-	-	-	-	H81.0	3	54	51	54
H54.5	-	1	1	1	H66.4	1	2	1	2	H81.1	-	7	7	7
H54.6	-	-	-	-	H66.9	26	76	50	76	H81.2	-	1	1	1
H54.9	-	45	45	45	H68.0	-	-	-	-	H81.3	-	2	2	2
H55	-	2	2	2	H68.1	-	-	-	-	H81.4	-	-	-	-
H57.0	1	7	6	7	H69.0	-	-	-	-	H81.8	-	1	1	1
H57.1	-	-	-	-	H69.8	-	1	1	1	H81.9	-	-	-	-
H57.8	-	4	4	4	H69.9	-	-	-	-	H83.0	-	4	4	4
H57.9	-	7	7	10	H70.0	3	7	4	7	H83.1	-	-	-	-
H59.0	...	-	-	-	H70.1	5	10	5	10	H83.2	-	-	-	-
H59.8	...	-	-	-	H70.2	-	1	1	1	H83.3	-	-	-	-
H59.9	...	-	-	-	H70.8	2	3	1	3	H83.8	-	1	1	1
H60.0	-	1	1	1	H70.9	27	66	39	66	H83.9	-	1	1	1
H60.1	-	3	3	3	H71	1	1	-	1	H90.0	-	-	-	-
H60.2	2	9	7	9	H72.0	-	-	-	-	H90.1	-	-	-	-
H60.3	1	2	1	2	H72.1	-	-	-	-	H90.2	-	1	1	1
H60.4	-	-	-	-	H72.2	-	-	-	-	H90.3	-	3	3	3
H60.5	-	-	-	-	H72.8	-	-	-	-	H90.4	-	-	-	-
H60.8	-	-	-	-	H72.9	-	1	1	1	H90.5	-	22	22	22
H60.9	1	7	6	7	H73.0	-	-	-	-	H90.6	-	-	-	-
H61.0	-	1	1	1	H73.1	-	-	-	-	H90.7	-	-	-	-
H61.1	-	2	2	2	H73.8	-	-	-	-	H90.8	-	1	1	1
H61.2	-	-	-	-	H73.9	-	-	-	-	H91.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary			
H91.1	-	20	20	20	I06.9	12	35	23	524	I21.3	19	23	4	23
H91.2	-	-	-	-	I07.0	4	11	7	18	I21.4	6,818	13,147	6,329	13,157
H91.3	-	9	9	9	I07.1	392	987	595	1,242	I21.9	103,469	135,815	32,346	136,258
H91.8	-	-	-	-	I07.2	1	1	-	-	I22.0	2	2	-	2
H91.9	1	533	532	533	I07.8	74	102	28	120	I22.1	1	1	-	1
H92.0	-	-	-	-	I07.9	16	91	75	225	I22.8	-	-	-	-
H92.1	-	2	2	2	I08.0	726	1,472	746	3	I22.9	31	40	9	40
H92.2	-	-	-	-	I08.1	150	345	195	2	I24.1	5	15	10	14
H93.0	-	-	-	-	I08.2	34	69	35	-	I24.8	1,738	3,412	1,674	3,418
H93.1	-	73	73	73	I08.3	71	71	-	-	I24.9	2,704	6,420	3,716	6,432
H93.2	-	1	1	1	I08.8	5	5	-	-	I25.0	63,270	88,195	24,925	88,198
H93.3	-	1	1	1	I08.9	44	68	24	69	I25.1	163,655	318,918	155,263	318,754
H93.8	-	-	-	-	I09.0	12	34	22	45	I25.3	68	169	101	169
H93.9	-	2	2	3	I09.1	72	233	161	233	I25.4	10	65	55	65
H95.0	...	-	-	-	I09.2	-	-	-	-	I25.5	12,541	29,451	16,910	29,463
H95.1	...	-	-	-	I09.8	1	14	13	17	I25.6	-	2	2	2
H95.8	...	-	-	-	I09.9	158	499	341	526	I25.8	1,539	4,807	3,268	4,813
H95.9	...	2	2	2	I10	22,598	335,681	313,083	386,591	I25.9	9,782	16,002	6,220	18,529
I00	3	45	42	45	I11.0	17,513	22,297	4,784	312	I26.0	75	276	201	279
I01.0	2	6	4	6	I11.9	30,010	73,572	43,562	86,285	I26.9	8,629	35,438	26,809	35,503
I01.1	16	25	9	32	I12.0	12,195	52,388	40,193	77	I27.0	376	519	143	519
I01.2	-	-	-	1	I12.9	506	1,862	1,356	3,768	I27.1	34	92	58	1
I01.8	6	8	2	-	I13.0	573	1,121	548	-	I27.2	7,242	24,071	16,829	24,085
I01.9	4	5	1	10	I13.1	2,267	5,011	2,744	1	I27.8	34	67	33	67
I02.0	-	-	-	-	I13.2	3,982	4,156	174	-	I27.9	1,102	3,624	2,522	4,359
I02.9	-	1	1	1	I13.9	437	1,150	713	1,497	I28.0	1	1	-	1
I05.0	544	889	345	1,242	I15.0	7	41	34	86	I28.1	13	27	14	27
I05.1	38	166	128	1,075	I15.9	10	37	27	37	I28.8	55	149	94	149
I05.2	21	46	25	-	I20.0	40	257	217	257	I28.9	35	175	140	183
I05.8	8	24	16	28	I20.1	21	63	42	63	I30.0	6	7	1	7
I05.9	839	1,959	1,120	2,618	I20.8	59	337	278	337	I30.1	18	46	28	46
I06.0	60	124	64	940	I20.9	136	1,080	944	1,080	I30.8	8	35	27	35
I06.1	4	30	26	275	I21.0	5	5	-	4	I30.9	27	92	65	95
I06.2	3	15	12	-	I21.1	-	1	1	1	I31.0	4	16	12	16
I06.8	-	-	-	4	I21.2	1	1	-	1	I31.1	39	90	51	91

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

Record count by code field				Record count by code field				Record count by code field						
ICD-10 code	Record axis		Entity axis	ICD-10 code	Record axis		Entity axis	ICD-10 code	Record axis		Entity axis			
	cause	mention			total	second-ary			cause	mention		total	second-ary	cause
I31.2	35	932	897	933	I42.4	44	60	16	60	I49.4	-	3	3	3
I31.3	367	1,955	1,588	1,958	I42.5	187	253	66	253	I49.5	535	3,745	3,210	3,745
I31.8	3	9	6	9	I42.6	551	711	160	445	I49.8	195	1,034	839	1,035
I31.9	227	1,624	1,397	2,232	I42.7	31	99	68	99	I49.9	7,490	37,108	29,618	41,847
I33.0	1,464	3,303	1,839	3,321	I42.8	301	517	216	516	I50.0	64,661	278,411	213,750	286,286
I33.9	55	133	78	144	I42.9	16,024	33,539	17,515	33,846	I50.1	354	1,734	1,380	626
I34.0	2,267	5,147	2,880	5,149	I44.0	10	77	67	77	I50.9	15,465	72,171	56,706	79,753
I34.1	189	475	286	475	I44.1	36	210	174	210	I51.0	24	289	265	290
I34.2	43	152	109	152	I44.2	669	2,603	1,934	2,607	I51.1	10	22	12	22
I34.8	108	296	188	297	I44.3	77	430	353	430	I51.2	19	68	49	68
I34.9	112	320	208	336	I44.4	3	15	12	15	I51.3	70	288	218	289
I35.0	14,466	29,086	14,620	29,258	I44.5	-	2	2	2	I51.4	443	917	474	897
I35.1	560	1,443	883	1,608	I44.6	-	10	10	10	I51.5	154	617	463	618
I35.2	92	166	74	1	I44.7	22	361	339	374	I51.6	7,988	15,658	7,670	15,681
I35.8	354	667	313	669	I45.0	-	-	-	-	I51.7	2,067	9,338	7,271	9,515
I35.9	1,355	4,176	2,821	4,445	I45.1	22	192	170	192	I51.8	1,583	6,957	5,374	6,967
I36.0	-	-	-	-	I45.2	8	27	19	27	I51.9	7,602	15,847	8,245	24,085
I36.1	54	176	122	176	I45.3	1	4	3	4	I60.0	110	127	17	58
I36.2	-	-	-	-	I45.4	8	86	78	86	I60.1	-	-	-	-
I36.8	7	31	24	31	I45.5	7	56	49	56	I60.2	-	-	-	-
I36.9	10	32	22	32	I45.6	27	108	81	108	I60.3	-	-	-	-
I37.0	4	8	4	8	I45.8	1,463	7,770	6,307	7,812	I60.4	1	1	-	1
I37.1	5	14	9	14	I45.9	206	939	733	992	I60.5	1	1	-	1
I37.2	-	1	1	1	I46.0	3	74	71	74	I60.6	42	43	1	10
I37.8	6	13	7	13	I46.1	1,771	12,375	10,604	12,381	I60.7	312	321	9	320
I37.9	4	13	9	13	I46.9	15,584	361,309	345,725	361,679	I60.8	296	338	42	152
I38	5,175	11,336	6,161	12,745	I47.0	3	14	11	14	I60.9	4,781	6,550	1,769	6,516
I40.0	121	212	91	213	I47.1	179	1,511	1,332	1,514	I61.0	436	604	168	608
I40.1	16	19	3	19	I47.2	815	6,515	5,700	6,523	I61.1	362	612	250	619
I40.8	7	8	1	8	I47.9	3	29	26	29	I61.2	78	114	36	115
I40.9	66	91	25	94	I48	26,077	166,793	140,716	166,837	I61.3	732	1,039	307	1,049
I42.0	3,352	6,218	2,866	6,615	I49.0	1,477	10,272	8,795	10,293	I61.4	550	815	265	827
I42.1	179	312	133	320	I49.1	1	19	18	19	I61.5	1,124	1,899	775	1,931
I42.2	752	1,304	552	1,385	I49.2	-	2	2	2	I61.6	-	1	1	1
I42.3	6	6	-	6	I49.3	12	100	88	100	I61.8	42	105	63	107

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

Record count by code field					Record count by code field					Record count by code field				
ICD-10 code	Record axis		Entity axis		ICD-10 code	Record axis		Entity axis		ICD-10 code	Record axis		Entity axis	
	cause	mention				secondary	cause				mention	secondary		
I61.9	13,662	19,856	6,194	20,695	I71.0	3,654	4,875	1,221	4,876	I77.6	294	702	408	721
I62.0	2,651	5,066	2,415	5,111	I71.1	499	613	114	639	I77.8	91	245	154	245
I62.1	28	58	30	58	I71.2	501	1,406	905	1,552	I77.9	212	679	467	958
I62.9	8,653	12,110	3,457	13,213	I71.3	2,306	2,691	385	2,680	I78.0	41	90	49	90
I63.0	231	340	109	340	I71.4	1,406	4,971	3,565	5,056	I78.1	3	19	16	19
I63.1	47	76	29	76	I71.5	62	74	12	74	I78.8	19	30	11	30
I63.2	1,002	2,622	1,620	2,622	I71.6	133	213	80	233	I78.9	1	1	-	1
I63.3	644	962	318	963	I71.8	805	960	155	1,161	I80.0	1	2	1	2
I63.4	2,007	3,779	1,772	3,781	I71.9	562	1,906	1,344	1,906	I80.1	30	176	146	176
I63.5	444	689	245	689	I72.0	48	98	50	133	I80.2	2,590	14,293	11,703	14,307
I63.6	-	4	4	4	I72.1	-	1	1	1	I80.3	311	898	587	928
I63.8	88	131	43	110	I72.2	33	64	31	64	I80.8	4	14	10	14
I63.9	12,710	20,657	7,947	21,936	I72.3	113	196	83	196	I80.9	38	164	126	182
I64	56,243	103,737	47,494	109,426	I72.4	55	101	46	101	I81	150	879	729	880
I67.0	3	5	2	5	I72.5	44	83	39	117	I82.0	17	120	103	120
I67.1	352	686	334	1,595	I72.8	96	139	43	139	I82.1	1	12	11	12
I67.2	8,321	12,755	4,434	12,995	I72.9	331	599	268	835	I82.2	29	199	170	199
I67.3	26	38	12	41	I73.0	15	203	188	203	I82.3	2	33	31	33
I67.4	138	188	50	115	I73.1	24	57	33	57	I82.8	53	388	335	389
I67.5	37	70	33	70	I73.8	11	27	16	27	I82.9	154	1,146	992	1,373
I67.6	-	-	-	-	I73.9	7,307	30,107	22,800	39,077	I83.0	47	207	160	209
I67.7	53	77	24	77	I74.0	33	109	76	109	I83.1	10	74	64	72
I67.8	1,343	3,338	1,995	3,367	I74.1	167	439	272	440	I83.2	11	22	11	14
I67.9	9,475	18,321	8,846	21,805	I74.2	7	59	52	59	I83.9	117	310	193	320
I69.0	113	267	154	266	I74.3	61	356	295	356	I84.0	-	-	-	-
I69.1	281	613	332	614	I74.4	17	98	81	100	I84.1	1	2	1	2
I69.2	185	492	307	499	I74.5	16	108	92	108	I84.2	6	10	4	10
I69.3	1,247	2,405	1,158	2,482	I74.8	25	172	147	172	I84.3	-	-	-	-
I69.4	10,879	24,740	13,861	24,922	I74.9	312	1,995	1,683	2,356	I84.4	-	-	-	-
I69.8	6,653	10,461	3,808	11,082	I77.0	107	276	169	276	I84.5	-	1	1	1
I70.0	110	2,135	2,025	2,147	I77.1	101	310	209	311	I84.6	-	-	-	-
I70.1	15	315	300	317	I77.2	152	316	164	316	I84.7	-	-	-	-
I70.2	139	728	589	681	I77.3	14	25	11	25	I84.8	3	8	5	6
I70.8	2	20	18	20	I77.4	9	23	14	23	I84.9	17	59	42	62
I70.9	5,281	26,716	21,435	27,444	I77.5	-	4	4	4	I85.0	143	2,099	1,956	915

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
I85.9	56	1,515	1,459	2,718	J01.3	1	2	1	2	J15.2	745	2,425	1,680	3,081
I86.0	-	-	-	-	J01.4	1	1	-	1	J15.3	6	13	7	16
I86.1	-	1	1	1	J01.8	-	-	-	-	J15.4	196	699	503	836
I86.2	-	-	-	-	J01.9	2	9	7	10	J15.5	54	206	152	247
I86.3	-	-	-	-	J02.0	11	25	14	27	J15.6	48	218	170	260
I86.4	31	218	187	218	J02.8	-	2	2	2	J15.7	28	67	39	82
I86.8	3	17	14	17	J02.9	15	39	24	39	J15.8	28	124	96	156
I87.0	1	8	7	8	J03.0	1	2	1	2	J15.9	2,077	5,544	3,467	6,728
I87.1	31	479	448	482	J03.8	-	-	-	-	J16.0	-	3	3	3
I87.2	57	543	486	543	J03.9	1	2	1	2	J16.8	-	1	1	1
I87.8	57	365	308	365	J04.0	5	17	12	19	J18.0	737	2,762	2,025	3,151
I87.9	15	63	48	68	J04.1	16	64	48	70	J18.1	1,581	2,744	1,163	3,225
I88.0	2	4	2	4	J04.2	2	8	6	6	J18.2	40	384	344	122
I88.1	-	-	-	-	J05.0	1	2	1	2	J18.8	7	31	24	40
I88.8	-	-	-	-	J05.1	20	36	16	36	J18.9	42,287	132,722	90,435	162,185
I88.9	1	9	8	9	J06.0	-	3	3	3	J20.0	-	1	1	1
I89.0	114	843	729	845	J06.8	-	-	-	-	J20.1	1	1	-	1
I89.1	2	15	13	15	J06.9	167	708	541	722	J20.2	-	-	-	-
I89.8	22	70	48	70	J09	35	47	12	47	J20.3	-	-	-	-
I89.9	8	95	87	95	J10.0	1,662	1,862	200	410	J20.4	1	2	1	2
I95.0	4	10	6	10	J10.1	1,558	2,125	567	3,592	J20.5	5	11	6	18
I95.1	51	470	419	535	J10.8	56	85	29	4	J20.6	-	-	-	-
I95.2	2	7	5	7	J11.0	1,728	2,053	325	725	J20.7	-	-	-	-
I95.8	20	183	163	183	J11.1	1,422	2,136	714	3,514	J20.8	36	56	20	70
I95.9	236	10,803	10,567	10,810	J11.8	54	81	27	9	J20.9	117	422	305	637
I97.0	...	10	10	10	J12.0	21	28	7	31	J21.0	24	39	15	44
I97.1	...	27	27	27	J12.1	89	169	80	215	J21.1	3	4	1	4
I97.2	...	4	4	4	J12.2	40	73	33	96	J21.8	7	19	12	20
I97.8	...	65	65	65	J12.3	19	28	9	38	J21.9	56	137	81	162
I97.9	...	5	5	5	J12.8	54	103	49	125	J22	68	275	207	394
I99	287	5,309	5,022	5,408	J12.9	246	448	202	604	J30.0	-	-	-	-
J00	3	24	21	24	J13	302	531	229	632	J30.1	-	2	2	2
J01.0	-	4	4	4	J14	71	136	65	184	J30.2	-	1	1	1
J01.1	-	2	2	2	J15.0	158	641	483	720	J30.3	1	3	2	3
J01.2	-	-	-	-	J15.1	323	1,283	960	1,697	J30.4	1	75	74	82

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
J31.0	-	13	13	13	J38.7	37	133	96	133	J63.4	4	4	-	4
J31.1	-	-	-	-	J39.0	34	50	16	50	J63.5	-	-	-	-
J31.2	-	-	-	-	J39.1	6	10	4	10	J63.8	-	-	-	-
J32.0	6	17	11	17	J39.2	65	192	127	195	J64	46	118	72	146
J32.1	3	4	1	4	J39.3	1	2	1	2	J65	1	1	-	-
J32.2	-	-	-	-	J39.8	154	596	442	597	J66.0	2	4	2	4
J32.3	-	3	3	3	J39.9	7	19	12	19	J66.1	-	-	-	-
J32.4	9	20	11	20	J40	285	910	625	1,189	J66.2	-	-	-	-
J32.8	-	1	1	1	J41.0	3	6	3	7	J66.8	1	1	-	1
J32.9	59	211	152	217	J41.1	3	11	8	22	J67.0	18	27	9	27
J33.0	1	1	-	1	J41.8	1	1	-	1	J67.1	-	-	-	-
J33.1	-	-	-	-	J42	210	696	486	1,056	J67.2	5	6	1	6
J33.8	-	-	-	-	J43.0	1	1	-	1	J67.3	-	-	-	-
J33.9	1	3	2	3	J43.1	126	219	93	220	J67.4	-	-	-	-
J34.0	-	-	-	-	J43.2	133	287	154	289	J67.5	-	-	-	-
J34.1	-	-	-	-	J43.8	2	7	5	7	J67.6	-	-	-	-
J34.2	-	2	2	2	J43.9	6,823	15,957	9,134	16,108	J67.7	-	-	-	-
J34.3	-	1	1	1	J44.0	19,809	30,061	10,252	3	J67.8	1	1	-	1
J34.8	8	29	21	30	J44.1	6,396	10,552	4,156	10,553	J67.9	140	170	30	171
J35.0	2	2	-	2	J44.8	1,229	3,338	2,109	489	J68.0	16	30	14	30
J35.1	1	2	1	3	J44.9	120,600	251,087	130,487	291,385	J68.1	-	-	-	-
J35.2	-	1	1	2	J45.0	147	198	51	190	J68.2	-	-	-	-
J35.3	-	4	4	3	J45.1	1	6	5	6	J68.3	-	-	-	-
J35.8	-	7	7	7	J45.8	-	-	-	-	J68.4	3	3	-	3
J35.9	2	32	30	37	J45.9	3,101	9,722	6,621	11,836	J68.8	-	-	-	-
J36	6	10	4	10	J46	315	392	77	414	J68.9	-	-	-	-
J37.0	-	9	9	10	J47	1,016	2,303	1,287	2,313	J69.0	20,104	65,292	45,188	65,644
J37.1	1	1	-	-	J60	113	307	194	307	J69.1	4	19	15	19
J38.0	61	224	163	226	J61	437	1,102	665	1,119	J69.8	-	1	1	1
J38.1	2	5	3	5	J62.0	3	6	3	6	J70.0	32	286	254	286
J38.2	-	3	3	3	J62.8	50	92	42	93	J70.1	3	27	24	27
J38.3	16	46	30	46	J63.0	-	-	-	-	J70.2	-	-	-	-
J38.4	17	49	32	49	J63.1	-	-	-	-	J70.3	-	-	-	-
J38.5	10	23	13	23	J63.2	5	13	8	14	J70.4	1	2	1	1
J38.6	27	81	54	81	J63.3	-	-	-	-	J70.8	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
J70.9	4	5	1	5	J96.1	3,804	33,274	29,470	33,303	K03.5	-	-	-	-
J80	1,711	10,584	8,873	10,714	J96.9	4,845	174,039	169,194	174,327	K03.6	-	-	-	-
J81	664	10,086	9,422	11,221	J98.0	81	424	343	436	K03.7	-	-	-	-
J82	182	394	212	394	J98.1	165	1,200	1,035	1,200	K03.8	-	-	-	-
J84.0	117	168	51	169	J98.2	82	196	114	197	K03.9	-	-	-	-
J84.1	14,046	21,777	7,731	21,932	J98.3	-	-	-	-	K04.0	-	-	-	-
J84.8	17	21	4	21	J98.4	2,970	9,393	6,423	12,103	K04.1	-	-	-	-
J84.9	5,435	8,387	2,952	8,491	J98.5	157	472	315	473	K04.2	-	-	-	-
J85.0	212	475	263	475	J98.6	46	186	140	186	K04.3	-	-	-	-
J85.1	52	176	124	-	J98.8	457	1,549	1,092	1,660	K04.4	-	-	-	-
J85.2	89	351	262	523	J98.9	380	1,074	694	1,846	K04.5	-	-	-	-
J85.3	10	27	17	27	K00.0	-	1	1	1	K04.6	-	-	-	-
J86.0	93	559	466	562	K00.1	-	-	-	-	K04.7	52	114	62	114
J86.9	492	1,613	1,121	1,616	K00.2	-	-	-	-	K04.8	-	-	-	-
J90	1,294	14,023	12,729	14,056	K00.3	-	-	-	-	K04.9	-	2	2	2
J92.0	11	31	20	17	K00.4	-	-	-	-	K05.0	-	1	1	1
J92.9	3	22	19	36	K00.5	-	-	-	-	K05.1	1	2	1	2
J93.0	62	339	277	343	K00.6	-	1	1	1	K05.2	2	7	5	7
J93.1	56	317	261	324	K00.7	1	16	15	16	K05.3	-	3	3	3
J93.8	12	65	53	65	K00.8	-	-	-	-	K05.4	-	-	-	-
J93.9	346	2,580	2,234	2,599	K00.9	-	-	-	-	K05.5	1	1	-	1
J94.0	-	7	7	7	K01.0	-	-	-	-	K05.6	-	12	12	12
J94.1	8	37	29	37	K01.1	-	2	2	2	K06.0	-	-	-	-
J94.2	111	579	468	580	K02.0	-	-	-	-	K06.1	-	-	-	-
J94.8	58	459	401	460	K02.1	-	-	-	-	K06.2	-	-	-	-
J94.9	8	54	46	66	K02.2	-	-	-	-	K06.8	2	6	4	6
J95.0	...	109	109	109	K02.3	-	-	-	-	K06.9	1	2	1	2
J95.1	...	1	1	1	K02.4	-	-	-	-	K07.0	4	21	17	21
J95.2	...	-	-	-	K02.8	-	-	-	-	K07.1	-	3	3	3
J95.3	...	-	-	-	K02.9	2	19	17	19	K07.2	-	-	-	-
J95.4	...	-	-	-	K03.0	-	-	-	-	K07.3	-	-	-	-
J95.5	...	1	1	1	K03.1	-	-	-	-	K07.4	-	-	-	-
J95.8	...	1,371	1,371	1,372	K03.2	-	-	-	-	K07.5	-	-	-	-
J95.9	...	5	5	5	K03.3	-	-	-	-	K07.6	-	4	4	4
J96.0	2,629	125,529	122,900	125,750	K03.4	-	-	-	-	K07.8	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
K07.9	-	1	1	1	K13.3	-	-	-	-	K25.9	144	557	413	1,200
K08.0	-	-	-	-	K13.4	-	-	-	-	K26.0	11	24	13	6
K08.1	-	3	3	3	K13.5	-	-	-	-	K26.1	7	10	3	9
K08.2	-	-	-	-	K13.6	-	-	-	-	K26.2	2	2	-	-
K08.3	-	1	1	1	K13.7	10	34	24	34	K26.3	4	9	5	28
K08.8	15	30	15	30	K14.0	1	8	7	8	K26.4	595	1,043	448	236
K08.9	3	20	17	20	K14.1	-	-	-	-	K26.5	627	1,012	385	1,085
K09.0	-	1	1	1	K14.2	-	-	-	-	K26.6	60	93	33	1
K09.1	-	-	-	-	K14.3	-	-	-	-	K26.7	1	16	15	33
K09.2	-	-	-	-	K14.4	-	-	-	-	K26.9	147	482	335	1,345
K09.8	-	-	-	-	K14.5	-	-	-	-	K27.0	5	6	1	-
K09.9	-	-	-	-	K14.6	1	4	3	4	K27.1	4	5	1	4
K10.0	-	-	-	-	K14.8	1	13	12	13	K27.2	-	-	-	-
K10.1	1	1	-	1	K14.9	2	25	23	26	K27.3	1	5	4	14
K10.2	14	55	41	55	K20	188	710	522	775	K27.4	475	816	341	109
K10.3	-	-	-	-	K21.0	29	135	106	70	K27.5	164	278	114	274
K10.8	-	3	3	3	K21.9	601	8,614	8,013	8,686	K27.6	9	20	11	1
K10.9	1	6	5	7	K22.0	178	348	170	348	K27.7	1	30	29	50
K11.0	-	-	-	-	K22.1	87	244	157	244	K27.9	152	871	719	1,676
K11.1	-	2	2	2	K22.2	450	1,178	728	1,178	K28.0	-	-	-	-
K11.2	107	249	142	249	K22.3	266	487	221	489	K28.1	-	-	-	-
K11.3	6	13	7	13	K22.4	204	438	234	438	K28.2	-	-	-	-
K11.4	-	1	1	1	K22.5	75	136	61	136	K28.3	-	-	-	-
K11.5	1	1	-	1	K22.6	69	171	102	171	K28.4	24	51	27	8
K11.6	-	-	-	-	K22.7	43	520	477	520	K28.5	11	12	1	7
K11.7	2	7	5	7	K22.8	175	809	634	823	K28.6	-	-	-	-
K11.8	1	3	2	3	K22.9	91	259	168	342	K28.7	-	3	3	5
K11.9	5	39	34	39	K25.0	31	54	23	37	K28.9	13	34	21	79
K12.0	-	3	3	3	K25.1	6	7	1	7	K29.0	23	51	28	22
K12.1	2	28	26	28	K25.2	1	1	-	1	K29.1	9	24	15	57
K12.2	30	49	19	49	K25.3	5	13	8	31	K29.2	33	50	17	26
K12.3	2	25	23	25	K25.4	409	741	332	114	K29.3	-	1	1	1
K13.0	-	3	3	3	K25.5	394	623	229	641	K29.4	5	13	8	13
K13.1	-	-	-	-	K25.6	32	48	16	2	K29.5	22	60	38	60
K13.2	1	2	1	2	K25.7	9	36	27	52	K29.6	66	166	100	173

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
K29.7	112	587	475	600	K41.4	4	4	-	1	K55.1	268	515	247	515
K29.8	23	99	76	99	K41.9	3	5	2	11	K55.2	28	78	50	78
K29.9	2	7	5	8	K42.0	82	114	32	98	K55.8	2	4	2	4
K30	7	33	26	33	K42.1	4	4	-	-	K55.9	5,852	11,427	5,575	12,214
K31.0	2	3	1	3	K42.9	22	69	47	92	K56.0	108	276	168	280
K31.1	159	712	553	712	K43.0	270	363	93	269	K56.1	42	81	39	82
K31.2	-	-	-	-	K43.1	29	29	-	2	K56.2	669	1,067	398	1,121
K31.3	-	-	-	-	K43.9	122	298	176	432	K56.3	24	34	10	24
K31.4	-	5	5	5	K44.0	143	166	23	81	K56.4	96	315	219	319
K31.5	18	139	121	139	K44.1	10	10	-	1	K56.5	301	532	231	112
K31.6	21	82	61	82	K44.9	519	1,056	537	1,154	K56.6	4,910	14,090	9,180	14,856
K31.7	6	19	13	19	K45.0	5	6	1	2	K56.7	399	1,709	1,310	1,733
K31.8	473	1,462	989	1,518	K45.1	-	-	-	-	K57.0	9	12	3	6
K31.9	168	735	567	832	K45.8	1	4	3	8	K57.1	12	20	8	25
K35.2	22	22	-	-	K46.0	393	532	139	444	K57.2	280	336	56	234
K35.3	21	36	15	23	K46.1	25	25	-	3	K57.3	131	245	114	347
K35.8	277	466	189	495	K46.9	194	472	278	635	K57.4	-	-	-	-
K36	4	6	2	6	K50.0	2	9	7	11	K57.5	1	1	-	1
K37	78	215	137	244	K50.1	21	42	21	44	K57.8	1,358	1,674	316	808
K38.0	-	-	-	-	K50.8	1	2	1	-	K57.9	1,068	2,367	1,299	3,333
K38.1	-	1	1	1	K50.9	591	1,945	1,354	1,951	K58.0	2	11	9	2
K38.2	-	-	-	-	K51.0	5	6	1	6	K58.9	23	330	307	339
K38.3	1	1	-	1	K51.2	2	8	6	8	K59.0	205	1,052	847	1,052
K38.8	-	2	2	2	K51.3	2	4	2	4	K59.1	-	-	-	-
K38.9	2	19	17	21	K51.4	-	-	-	-	K59.2	8	44	36	44
K40.0	3	4	1	1	K51.5	1	1	-	1	K59.3	171	557	386	571
K40.1	1	1	-	-	K51.8	1	1	-	1	K59.4	-	-	-	-
K40.2	6	18	12	21	K51.9	353	1,265	912	1,266	K59.8	19	55	36	55
K40.3	232	305	73	248	K52.0	5	79	74	79	K59.9	6	21	15	23
K40.4	12	12	-	-	K52.1	5	19	14	19	K60.0	-	-	-	-
K40.9	50	134	84	214	K52.2	1	1	-	1	K60.1	-	-	-	-
K41.0	-	-	-	-	K52.3	-	1	1	1	K60.2	3	9	6	9
K41.1	-	-	-	-	K52.8	22	81	59	82	K60.3	6	22	16	22
K41.2	-	-	-	-	K52.9	226	1,472	1,246	1,532	K60.4	8	47	39	47
K41.3	28	40	12	37	K55.0	1,378	3,034	1,656	3,105	K60.5	-	6	6	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
K61.0	8	25	17	26	K70.9	2,265	3,450	1,185	2,419	K76.2	-	-	-	-
K61.1	75	190	115	192	K71.0	-	2	2	1	K76.3	14	49	35	49
K61.2	1	1	-	1	K71.1	6	19	13	17	K76.4	5	6	1	6
K61.3	1	1	-	1	K71.2	-	1	1	1	K76.5	2	14	12	14
K61.4	-	-	-	-	K71.3	-	-	-	-	K76.6	94	1,591	1,497	1,595
K62.0	-	-	-	-	K71.4	-	-	-	-	K76.7	471	4,573	4,102	4,578
K62.1	1	2	1	2	K71.5	2	4	2	-	K76.8	151	951	800	954
K62.2	-	-	-	-	K71.6	4	17	13	14	K76.9	4,023	6,799	2,776	14,691
K62.3	30	92	62	92	K71.7	1	9	8	1	K80.0	110	136	26	23
K62.4	8	25	17	25	K71.8	-	-	-	-	K80.1	121	172	51	36
K62.5	148	540	392	542	K71.9	7	19	12	39	K80.2	440	944	504	1,191
K62.6	19	45	26	45	K72.0	700	4,285	3,585	4,828	K80.3	101	127	26	3
K62.7	5	51	46	51	K72.1	121	970	849	1,028	K80.4	50	63	13	-
K62.8	60	144	84	144	K72.9	3,444	22,150	18,706	24,371	K80.5	151	284	133	463
K62.9	134	314	180	321	K73.0	-	1	1	1	K80.8	-	-	-	-
K63.0	34	206	172	432	K73.1	-	-	-	-	K81.0	1,428	2,016	588	2,151
K63.1	2,563	6,903	4,340	7,472	K73.2	4	15	11	19	K81.1	86	231	145	250
K63.2	172	729	557	730	K73.8	-	1	1	2	K81.8	6	9	3	9
K63.3	37	84	47	84	K73.9	42	204	162	221	K81.9	1,066	1,778	712	1,948
K63.4	1	5	4	5	K74.0	30	163	133	185	K82.0	-	15	15	15
K63.5	30	170	140	170	K74.1	12	27	15	30	K82.1	4	10	6	10
K63.8	143	511	368	511	K74.2	-	-	-	-	K82.2	60	112	52	112
K63.9	508	1,353	845	2,417	K74.3	454	652	198	652	K82.3	5	15	10	15
K65.0	847	4,127	3,280	4,391	K74.4	5	23	18	23	K82.4	-	5	5	5
K65.8	13	53	40	56	K74.5	99	165	66	166	K82.8	11	37	26	37
K65.9	744	3,580	2,836	3,922	K74.6	18,851	41,394	22,543	50,039	K82.9	154	483	329	483
K66.0	54	193	139	598	K75.0	243	598	355	600	K83.0	1,028	2,192	1,164	2,316
K66.1	241	822	581	824	K75.1	-	-	-	-	K83.1	319	1,817	1,498	1,819
K66.8	195	557	362	557	K75.2	1	2	1	2	K83.2	1	5	4	5
K66.9	51	158	107	163	K75.3	4	8	4	8	K83.3	2	13	11	13
K70.0	470	961	491	189	K75.4	475	834	359	838	K83.4	-	-	-	-
K70.1	1,401	1,850	449	1,734	K75.8	17	95	78	95	K83.5	1	2	1	2
K70.2	11	28	17	4	K75.9	174	895	721	1,063	K83.8	35	103	68	103
K70.3	16,551	21,633	5,082	13,087	K76.0	2,641	5,232	2,591	5,975	K83.9	48	124	76	313
K70.4	1,548	3,128	1,580	305	K76.1	52	308	256	308	K85.0	20	23	3	23

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
K85.1	34	63	29	63	L02.1	27	65	38	65	L11.9	-	-	-	-
K85.2	319	411	92	141	L02.2	86	276	190	276	L12.0	103	338	235	338
K85.3	1	2	1	2	L02.3	31	99	68	99	L12.1	2	5	3	5
K85.8	2	4	2	4	L02.4	79	277	198	278	L12.2	-	-	-	-
K85.9	2,394	5,098	2,704	5,350	L02.8	11	41	30	41	L12.3	-	-	-	-
K86.0	55	70	15	3	L02.9	86	471	385	481	L12.8	1	2	1	2
K86.1	320	1,421	1,101	1,489	L03.0	6	33	27	33	L12.9	5	38	33	38
K86.2	18	65	47	66	L03.1	786	2,578	1,792	2,578	L13.0	1	1	-	1
K86.3	22	117	95	120	L03.2	18	70	52	70	L13.1	1	3	2	3
K86.8	74	374	300	391	L03.3	73	228	155	228	L13.8	-	1	1	1
K86.9	641	1,424	783	1,596	L03.8	15	58	43	58	L13.9	3	9	6	9
K90.0	36	177	141	177	L03.9	1,001	3,258	2,257	3,269	L20.0	-	-	-	-
K90.1	11	22	11	22	L04.0	-	3	3	3	L20.8	-	-	-	-
K90.2	124	323	199	323	L04.1	-	2	2	2	L20.9	-	7	7	7
K90.3	-	1	1	1	L04.2	-	-	-	-	L21.0	-	-	-	-
K90.4	20	77	57	78	L04.3	-	-	-	-	L21.1	-	-	-	-
K90.8	4	36	32	36	L04.8	-	-	-	-	L21.8	-	-	-	-
K90.9	56	191	135	204	L04.9	-	2	2	2	L21.9	-	1	1	1
K91.0	...	-	-	-	L05.0	-	-	-	-	L22	-	-	-	-
K91.1	...	23	23	23	L05.9	2	6	4	6	L23.0	-	-	-	-
K91.2	...	36	36	36	L08.0	2	8	6	8	L23.1	-	-	-	-
K91.3	...	225	225	225	L08.1	1	1	-	1	L23.2	-	-	-	-
K91.4	...	65	65	65	L08.8	-	3	3	3	L23.3	-	-	-	-
K91.5	...	1	1	1	L08.9	533	2,024	1,491	2,091	L23.4	-	-	-	-
K91.8	...	510	510	511	L10.0	12	35	23	35	L23.5	-	-	-	-
K91.9	...	4	4	4	L10.1	1	1	-	1	L23.6	-	-	-	-
K92.0	92	504	412	538	L10.2	-	3	3	3	L23.7	-	-	-	-
K92.1	21	202	181	205	L10.3	-	-	-	-	L23.8	-	-	-	-
K92.2	9,118	33,822	24,704	37,519	L10.4	1	5	4	5	L23.9	-	-	-	-
K92.8	36	101	65	101	L10.5	-	-	-	-	L24.0	-	-	-	-
K92.9	81	230	149	341	L10.8	1	2	1	2	L24.1	-	-	-	-
L00	4	9	5	9	L10.9	19	78	59	78	L24.2	-	-	-	-
L01.0	2	9	7	9	L11.0	-	-	-	-	L24.3	-	-	-	-
L01.1	-	-	-	-	L11.1	-	3	3	3	L24.4	-	-	-	-
L02.0	7	23	16	23	L11.8	-	-	-	-	L24.5	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis
L24.6	-	-	-	-	L40.0	1	6	5	6	L50.5	-	-	-	-
L24.7	-	-	-	-	L40.1	2	5	3	5	L50.6	-	-	-	-
L24.8	-	-	-	-	L40.2	-	-	-	-	L50.8	-	4	4	4
L24.9	-	-	-	-	L40.3	-	-	-	-	L50.9	-	5	5	5
L25.0	-	-	-	-	L40.4	-	1	1	1	L51.0	-	-	-	-
L25.1	-	-	-	-	L40.5	19	177	158	177	L51.1	69	144	75	144
L25.2	-	-	-	-	L40.8	1	3	2	3	L51.2	33	79	46	79
L25.3	-	-	-	-	L40.9	21	289	268	300	L51.8	-	-	-	-
L25.4	-	-	-	-	L41.0	-	-	-	-	L51.9	1	4	3	4
L25.5	-	-	-	-	L41.1	-	-	-	-	L52	-	1	1	1
L25.8	-	-	-	-	L41.2	-	-	-	-	L53.0	-	-	-	-
L25.9	-	1	1	1	L41.3	-	-	-	-	L53.1	-	-	-	-
L26	4	10	6	10	L41.4	-	-	-	-	L53.2	-	-	-	-
L27.0	1	9	8	9	L41.5	-	-	-	-	L53.3	-	-	-	-
L27.1	-	-	-	-	L41.8	-	-	-	-	L53.8	-	2	2	2
L27.2	-	-	-	-	L41.9	-	-	-	-	L53.9	15	157	142	157
L27.8	-	-	-	-	L42	-	-	-	-	L55.0	-	-	-	-
L27.9	-	-	-	-	L43.0	-	-	-	-	L55.1	-	-	-	-
L28.0	1	5	4	5	L43.1	-	1	1	1	L55.2	-	-	-	-
L28.1	-	1	1	1	L43.2	-	-	-	-	L55.8	-	-	-	-
L28.2	-	1	1	1	L43.3	-	-	-	-	L55.9	-	-	-	-
L29.0	-	-	-	-	L43.8	-	-	-	-	L56.0	-	-	-	-
L29.1	-	-	-	-	L43.9	2	10	8	10	L56.1	-	-	-	-
L29.2	-	-	-	-	L44.0	-	3	3	3	L56.2	-	-	-	-
L29.3	-	-	-	-	L44.1	-	-	-	-	L56.3	-	-	-	-
L29.8	-	-	-	-	L44.2	-	-	-	-	L56.4	-	-	-	-
L29.9	-	10	10	10	L44.3	-	-	-	-	L56.8	-	-	-	-
L30.0	-	-	-	-	L44.4	-	-	-	-	L56.9	-	-	-	-
L30.1	-	1	1	1	L44.8	-	-	-	-	L57.0	-	13	13	13
L30.2	-	2	2	2	L44.9	-	-	-	-	L57.1	-	-	-	-
L30.3	1	1	-	1	L50.0	-	-	-	-	L57.2	-	-	-	-
L30.4	-	2	2	2	L50.1	-	-	-	-	L57.3	-	-	-	-
L30.5	-	-	-	-	L50.2	-	1	1	1	L57.4	-	-	-	-
L30.8	-	4	4	4	L50.3	-	-	-	-	L57.5	-	-	-	-
L30.9	9	102	93	102	L50.4	-	-	-	-	L57.8	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
L57.9	-	-	-	-	L67.0	-	-	-	-	L74.3	-	-	-	-
L58.0	-	-	-	-	L67.1	-	-	-	-	L74.4	-	1	1	1
L58.1	-	-	-	-	L67.8	-	-	-	-	L74.8	-	-	-	-
L58.9	-	-	-	-	L67.9	-	-	-	-	L74.9	-	1	1	1
L59.0	-	-	-	-	L68.0	-	1	1	1	L75.0	-	-	-	-
L59.8	-	1	1	1	L68.1	-	-	-	-	L75.1	-	-	-	-
L59.9	-	1	1	1	L68.2	-	-	-	-	L75.2	-	-	-	-
L60.0	-	-	-	-	L68.3	-	-	-	-	L75.8	-	-	-	-
L60.1	-	-	-	-	L68.8	-	-	-	-	L75.9	-	-	-	-
L60.2	-	-	-	-	L68.9	-	-	-	-	L80	-	2	2	2
L60.3	-	-	-	-	L70.0	-	1	1	1	L81.0	-	-	-	-
L60.4	-	-	-	-	L70.1	-	-	-	-	L81.1	-	-	-	-
L60.5	1	4	3	4	L70.2	-	-	-	-	L81.2	-	-	-	-
L60.8	-	-	-	-	L70.3	-	-	-	-	L81.3	-	-	-	-
L60.9	1	2	1	1	L70.4	-	-	-	-	L81.4	2	3	1	3
L63.0	-	1	1	1	L70.5	-	-	-	-	L81.5	-	-	-	-
L63.1	-	1	1	1	L70.8	-	-	-	-	L81.6	-	-	-	-
L63.2	-	-	-	-	L70.9	-	-	-	-	L81.7	-	-	-	-
L63.8	-	-	-	-	L71.0	-	-	-	-	L81.8	-	2	2	2
L63.9	-	-	-	-	L71.1	-	-	-	-	L81.9	-	-	-	-
L64.0	-	-	-	-	L71.8	-	-	-	-	L82	-	6	6	6
L64.8	-	-	-	-	L71.9	-	9	9	9	L83	-	-	-	-
L64.9	-	-	-	-	L72.0	1	4	3	4	L84	-	3	3	3
L65.0	-	-	-	-	L72.1	1	1	-	1	L85.0	-	-	-	-
L65.1	-	-	-	-	L72.2	-	-	-	-	L85.1	-	-	-	-
L65.2	-	-	-	-	L72.8	-	2	2	2	L85.2	-	-	-	-
L65.8	-	-	-	-	L72.9	-	-	-	-	L85.3	-	2	2	2
L65.9	-	2	2	2	L73.0	-	-	-	-	L85.8	-	2	2	2
L66.0	-	-	-	-	L73.1	-	-	-	-	L85.9	-	-	-	-
L66.1	-	-	-	-	L73.2	9	32	23	32	L87.0	-	-	-	-
L66.2	-	-	-	-	L73.8	-	-	-	-	L87.1	-	-	-	-
L66.3	-	-	-	-	L73.9	-	-	-	-	L87.2	-	-	-	-
L66.4	-	-	-	-	L74.0	-	-	-	-	L87.8	-	-	-	-
L66.8	-	-	-	-	L74.1	-	-	-	-	L87.9	-	-	-	-
L66.9	-	-	-	-	L74.2	-	-	-	-	L88	27	81	54	81

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
L89.0	-	8	8	8	L95.0	-	-	-	-	M06.4	-	3	3	3
L89.1	4	157	153	157	L95.1	-	-	-	-	M06.8	-	-	-	-
L89.2	15	227	212	227	L95.8	1	1	-	1	M06.9	1,913	8,680	6,767	8,862
L89.3	145	1,352	1,207	1,352	L95.9	1	1	-	1	M08.0	10	28	18	28
L89.9	941	8,102	7,161	8,138	L97	147	1,098	951	1,438	M08.1	-	-	-	-
L90.0	-	-	-	-	L98.0	1	2	1	2	M08.2	8	22	14	22
L90.1	-	-	-	-	L98.1	-	5	5	5	M08.3	-	-	-	-
L90.2	-	-	-	-	L98.2	6	26	20	26	M08.4	-	-	-	-
L90.3	-	-	-	-	L98.3	2	10	8	10	M08.8	-	-	-	-
L90.4	-	-	-	-	L98.4	266	2,061	1,795	2,103	M08.9	-	3	3	3
L90.5	7	81	74	81	L98.5	-	2	2	2	M10.0	6	66	60	65
L90.6	-	-	-	-	L98.6	-	-	-	-	M10.1	-	-	-	-
L90.8	-	1	1	1	L98.8	27	211	184	211	M10.2	-	-	-	-
L90.9	-	-	-	-	L98.9	68	304	236	307	M10.3	-	-	-	-
L91.0	-	1	1	1	M00.0	8	11	3	11	M10.4	1	5	4	5
L91.8	-	-	-	-	M00.1	-	-	-	-	M10.9	60	2,064	2,004	2,066
L91.9	-	-	-	-	M00.2	1	1	-	1	M11.0	-	-	-	-
L92.0	-	2	2	2	M00.8	1	1	-	1	M11.1	-	-	-	-
L92.1	-	-	-	2	M00.9	453	802	349	806	M11.2	1	21	20	21
L92.2	-	-	-	-	M02.0	-	-	-	-	M11.8	-	-	-	-
L92.3	-	-	-	-	M02.1	-	-	-	-	M11.9	-	-	-	-
L92.8	1	8	7	8	M02.2	-	-	-	-	M12.0	-	-	-	-
L92.9	34	124	90	124	M02.3	-	8	8	8	M12.1	-	-	-	-
L93.0	180	1,285	1,105	1,285	M02.8	-	-	-	-	M12.2	-	-	-	-
L93.1	1	2	1	2	M02.9	-	-	-	-	M12.3	-	3	3	3
L93.2	1	1	-	1	M05.0	14	41	27	41	M12.4	-	-	-	-
L94.0	-	1	1	1	M05.1	164	213	49	185	M12.5	-	8	8	8
L94.1	-	-	-	-	M05.2	18	20	2	8	M12.8	-	1	1	1
L94.2	2	5	3	5	M05.3	63	109	46	7	M13.0	10	126	116	126
L94.3	-	5	5	5	M05.8	-	-	-	-	M13.1	-	-	-	-
L94.4	-	-	-	-	M05.9	2	2	-	2	M13.8	-	4	4	4
L94.5	-	-	-	-	M06.0	1	6	5	6	M13.9	162	1,848	1,686	2,226
L94.6	-	-	-	-	M06.1	1	1	-	1	M15.0	-	-	-	-
L94.8	-	-	-	-	M06.2	1	2	1	2	M15.1	-	-	-	-
L94.9	1	11	10	11	M06.3	-	1	1	1	M15.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
M15.3	-	-	-	-	M20.3	-	-	-	-	M24.5	2	71	69	71
M15.4	-	-	-	-	M20.4	-	-	-	-	M24.6	1	15	14	15
M15.8	-	-	-	-	M20.5	-	-	-	-	M24.7	-	1	1	1
M15.9	18	221	203	221	M20.6	-	-	-	-	M24.8	-	4	4	4
M16.0	-	-	-	-	M21.0	-	-	-	-	M24.9	-	-	-	-
M16.1	-	-	-	-	M21.1	-	-	-	-	M25.0	1	19	18	19
M16.2	-	-	-	-	M21.2	-	1	1	1	M25.1	-	-	-	-
M16.3	-	-	-	-	M21.3	-	19	19	19	M25.2	-	-	-	-
M16.4	-	-	-	-	M21.4	-	4	4	4	M25.3	-	4	4	4
M16.5	-	-	-	-	M21.5	-	-	-	-	M25.4	-	6	6	6
M16.6	-	-	-	-	M21.6	-	2	2	2	M25.5	11	182	171	182
M16.7	-	-	-	-	M21.7	-	1	1	1	M25.6	-	2	2	2
M16.9	30	122	92	122	M21.8	-	1	1	1	M25.7	7	14	7	14
M17.0	-	1	1	1	M21.9	-	21	21	21	M25.8	-	6	6	6
M17.1	2	3	1	3	M22.0	-	-	-	-	M25.9	30	954	924	1,041
M17.2	-	-	-	-	M22.1	-	-	-	-	M30.0	36	99	63	142
M17.3	1	1	-	1	M22.2	-	-	-	-	M30.1	36	89	53	44
M17.4	-	-	-	-	M22.3	-	-	-	-	M30.2	-	-	-	-
M17.5	-	-	-	-	M22.4	-	-	-	-	M30.3	5	10	5	10
M17.9	21	164	143	164	M22.8	-	-	-	-	M30.8	-	2	2	2
M18.0	-	-	-	-	M22.9	-	-	-	-	M31.0	55	81	26	81
M18.1	-	-	-	-	M23.0	-	-	-	-	M31.1	207	299	92	300
M18.2	-	-	-	-	M23.1	-	-	-	-	M31.2	-	-	-	-
M18.3	-	-	-	-	M23.2	-	1	1	1	M31.3	253	420	167	420
M18.4	-	1	1	1	M23.3	-	2	2	2	M31.4	16	31	15	31
M18.5	-	-	-	-	M23.4	-	2	2	2	M31.5	1	1	-	1
M18.9	-	-	-	-	M23.5	-	-	-	-	M31.6	60	328	268	328
M19.0	-	10	10	10	M23.6	-	-	-	-	M31.7	40	66	26	66
M19.1	-	-	-	-	M23.8	-	-	-	-	M31.8	6	12	6	12
M19.2	3	15	12	15	M23.9	-	1	1	1	M31.9	22	47	25	47
M19.8	-	1	1	1	M24.0	-	-	-	-	M32.0	-	2	2	2
M19.9	437	9,139	8,702	9,175	M24.1	-	-	-	-	M32.1	1,020	1,963	943	574
M20.0	-	-	-	-	M24.2	-	1	1	1	M32.8	-	-	-	-
M20.1	-	2	2	2	M24.3	1	2	1	2	M32.9	129	220	91	1,646
M20.2	-	-	-	-	M24.4	2	19	17	19	M33.0	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
M33.1	79	177	98	177	M43.0	2	7	5	7	M50.8	-	-	-	-
M33.2	122	243	121	243	M43.1	9	35	26	35	M50.9	11	58	47	59
M33.9	3	8	5	8	M43.2	18	110	92	110	M51.0	2	2	-	-
M34.0	29	39	10	39	M43.3	-	-	-	-	M51.1	-	1	1	-
M34.1	104	248	144	248	M43.4	-	-	-	-	M51.2	8	45	37	45
M34.2	-	-	-	-	M43.5	-	2	2	2	M51.3	41	494	453	497
M34.8	753	897	144	32	M43.6	3	20	17	20	M51.4	-	-	-	-
M34.9	268	835	567	1,430	M43.8	-	-	-	-	M51.8	-	2	2	2
M35.0	107	412	305	413	M43.9	2	20	18	22	M51.9	13	152	139	159
M35.1	50	130	80	130	M45	50	229	179	229	M53.0	-	-	-	-
M35.2	17	36	19	36	M46.0	-	-	-	-	M53.1	-	4	4	4
M35.3	63	919	856	919	M46.1	1	5	4	5	M53.2	2	10	8	10
M35.4	1	2	1	2	M46.2	423	759	336	762	M53.3	-	-	-	-
M35.5	-	2	2	2	M46.3	3	5	2	5	M53.8	-	7	7	7
M35.6	-	1	1	1	M46.4	159	336	177	336	M53.9	-	14	14	15
M35.7	-	1	1	1	M46.5	-	-	-	-	M54.0	-	-	-	-
M35.8	17	26	9	10	M46.8	-	-	-	-	M54.1	8	199	191	201
M35.9	182	386	204	436	M46.9	15	74	59	75	M54.2	7	105	98	105
M40.0	1	3	2	3	M47.0	1	1	-	1	M54.3	3	72	69	73
M40.1	-	18	18	18	M47.1	18	22	4	7	M54.4	-	1	1	1
M40.2	80	357	277	357	M47.2	-	-	-	-	M54.5	11	463	452	463
M40.3	-	1	1	1	M47.8	26	179	153	192	M54.6	-	9	9	9
M40.4	-	-	-	-	M47.9	28	201	173	201	M54.8	2	9	7	9
M40.5	-	3	3	3	M48.0	245	2,640	2,395	2,640	M54.9	58	1,339	1,281	1,339
M41.0	-	-	-	-	M48.1	-	11	11	11	M60.0	81	177	96	177
M41.1	-	-	-	-	M48.2	-	-	-	-	M60.1	-	-	-	-
M41.2	-	4	4	5	M48.3	-	1	1	1	M60.2	-	5	5	5
M41.3	-	1	1	1	M48.4	-	2	2	2	M60.8	-	4	4	4
M41.4	5	29	24	29	M48.5	1	13	12	15	M60.9	155	329	174	330
M41.5	2	24	22	24	M48.8	4	8	4	8	M61.0	-	1	1	1
M41.8	2	4	2	4	M48.9	83	230	147	237	M61.1	1	4	3	4
M41.9	181	679	498	767	M50.0	2	5	3	3	M61.2	-	-	-	-
M42.0	1	2	1	2	M50.1	2	2	-	-	M61.3	-	-	-	-
M42.1	-	-	-	-	M50.2	5	8	3	9	M61.4	-	-	-	-
M42.9	-	-	-	-	M50.3	6	42	36	44	M61.5	3	4	1	4

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
M61.9	-	-	-	-	M70.5	-	2	2	2	M76.7	-	-	-	-
M62.0	-	-	-	-	M70.6	1	2	1	2	M76.8	-	-	-	-
M62.1	1	1	-	1	M70.7	-	2	2	2	M76.9	-	-	-	-
M62.2	93	386	293	387	M70.8	-	-	-	-	M77.0	-	-	-	-
M62.3	12	95	83	95	M70.9	-	-	-	-	M77.1	-	-	-	-
M62.4	-	23	23	23	M71.0	1	1	-	1	M77.2	-	-	-	-
M62.5	104	384	280	385	M71.1	6	16	10	16	M77.3	-	-	-	-
M62.6	4	5	1	5	M71.2	1	3	2	3	M77.4	-	-	-	-
M62.8	753	2,858	2,105	2,862	M71.3	-	-	-	-	M77.5	-	-	-	-
M62.9	4	22	18	25	M71.4	-	-	-	-	M77.8	-	-	-	-
M65.0	-	-	-	-	M71.5	-	-	-	-	M77.9	1	8	7	8
M65.1	-	-	-	-	M71.8	-	1	1	1	M79.0	-	14	14	28
M65.2	-	-	-	-	M71.9	-	10	10	10	M79.1	1	21	20	22
M65.3	-	-	-	-	M72.0	-	1	1	1	M79.2	4	59	55	65
M65.4	-	-	-	-	M72.1	-	-	-	-	M79.3	21	61	40	61
M65.8	1	2	1	2	M72.2	-	3	3	3	M79.4	-	-	-	-
M65.9	4	11	7	11	M72.4	1	1	-	1	M79.5	-	-	-	-
M66.0	-	-	-	-	M72.6	706	1,269	563	1,271	M79.6	9	109	100	109
M66.1	-	-	-	-	M72.8	2	6	4	6	M79.7	23	566	543	569
M66.2	-	-	-	-	M72.9	20	66	46	70	M79.8	6	44	38	44
M66.3	-	-	-	-	M75.0	-	3	3	3	M79.9	1	7	6	7
M66.4	-	-	-	-	M75.1	-	11	11	11	M80.0	-	1	1	-
M66.5	1	2	1	2	M75.2	-	1	1	1	M80.1	-	-	-	-
M67.0	-	-	-	-	M75.3	-	-	-	-	M80.2	1	1	-	-
M67.1	-	-	-	-	M75.4	-	-	-	-	M80.3	-	-	-	-
M67.2	-	-	-	-	M75.5	-	3	3	3	M80.4	-	-	-	-
M67.3	-	-	-	-	M75.8	-	2	2	2	M80.5	-	1	1	-
M67.4	-	2	2	2	M75.9	-	-	-	-	M80.8	11	12	1	-
M67.8	-	3	3	3	M76.0	-	-	-	-	M80.9	353	1,224	871	18
M67.9	-	5	5	5	M76.1	-	-	-	-	M81.0	-	4	4	5
M70.0	-	-	-	-	M76.2	-	-	-	-	M81.1	-	-	-	-
M70.1	-	-	-	-	M76.3	-	-	-	-	M81.2	-	-	-	1
M70.2	2	11	9	11	M76.4	-	-	-	-	M81.3	-	-	-	-
M70.3	-	-	-	-	M76.5	-	-	-	-	M81.4	1	6	5	6
M70.4	2	4	2	4	M76.6	-	2	2	2	M81.5	3	3	-	4

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
M81.6	-	-	-	-	M86.9	1,913	4,854	2,941	4,866	M93.0	-	-	-	-
M81.8	7	29	22	38	M87.0	-	-	-	-	M93.1	-	-	-	-
M81.9	305	6,259	5,954	7,469	M87.1	-	1	1	1	M93.2	-	-	-	-
M83.0	-	-	-	-	M87.2	-	-	-	-	M93.8	-	-	-	-
M83.1	-	-	-	-	M87.3	-	1	1	1	M93.9	1	1	-	1
M83.2	-	-	-	-	M87.8	4	12	8	12	M94.0	-	2	2	2
M83.3	-	-	-	-	M87.9	29	106	77	106	M94.1	6	20	14	20
M83.4	-	-	-	-	M88.0	1	2	1	2	M94.2	-	2	2	2
M83.5	-	-	-	-	M88.8	1	1	-	1	M94.3	-	-	-	-
M83.8	-	-	-	-	M88.9	35	192	157	192	M94.8	-	11	11	11
M83.9	1	5	4	5	M89.0	3	35	32	35	M94.9	2	3	1	3
M84.0	1	4	3	4	M89.1	-	-	-	-	M95.0	-	1	1	1
M84.1	2	15	13	15	M89.2	-	2	2	2	M95.1	-	-	-	-
M84.2	-	-	-	-	M89.3	-	-	-	-	M95.2	-	1	1	1
M84.3	3	7	4	7	M89.4	1	1	-	1	M95.3	-	1	1	1
M84.4	107	1,155	1,048	2,340	M89.5	2	13	11	13	M95.4	2	13	11	13
M84.8	-	4	4	4	M89.6	-	-	-	-	M95.5	-	1	1	1
M84.9	-	1	1	2	M89.8	23	529	506	529	M95.8	-	1	1	1
M85.0	-	-	-	-	M89.9	24	194	170	226	M95.9	2	8	6	8
M85.1	-	-	-	-	M91.0	-	-	-	-	M96.0	...	-	-	-
M85.2	-	3	3	3	M91.1	-	2	2	2	M96.1	...	14	14	14
M85.3	-	-	-	-	M91.2	-	-	-	-	M96.2	...	-	-	-
M85.4	-	-	-	-	M91.3	-	-	-	-	M96.3	...	-	-	-
M85.5	-	-	-	-	M91.8	-	1	1	1	M96.4	...	-	-	-
M85.6	-	-	-	-	M91.9	-	-	-	-	M96.5	...	-	-	-
M85.8	5	92	87	92	M92.0	-	-	-	-	M96.6	...	8	8	8
M85.9	-	2	2	2	M92.1	-	-	-	-	M96.8	...	20	20	20
M86.0	3	3	-	3	M92.2	-	-	-	-	M96.9	...	-	-	-
M86.1	47	94	47	94	M92.3	-	-	-	-	M99.0	-	-	-	-
M86.2	-	-	-	-	M92.4	-	-	-	-	M99.1	-	-	-	-
M86.3	2	3	1	3	M92.5	-	-	-	-	M99.2	-	-	-	-
M86.4	-	-	-	-	M92.6	1	1	-	1	M99.3	-	-	-	-
M86.5	-	-	-	-	M92.7	-	-	-	-	M99.4	-	-	-	-
M86.6	193	514	321	514	M92.8	-	-	-	-	M99.5	-	-	-	-
M86.8	29	54	25	54	M92.9	-	-	-	-	M99.6	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
M99.7	-	-	-	-	N03.2	-	1	1	1	N06.7	-	-	-	-
M99.8	-	-	-	-	N03.3	-	-	-	-	N06.8	-	-	-	-
M99.9	-	-	-	-	N03.4	-	-	-	-	N06.9	-	-	-	-
N00.0	-	1	1	1	N03.5	-	1	1	1	N07.0	-	-	-	-
N00.1	-	-	-	-	N03.6	-	-	-	-	N07.1	-	-	-	-
N00.2	-	-	-	-	N03.7	-	-	-	-	N07.2	-	-	-	-
N00.3	-	1	1	1	N03.8	-	-	-	-	N07.3	-	-	-	-
N00.4	-	-	-	-	N03.9	25	46	21	50	N07.4	-	-	-	-
N00.5	-	-	-	-	N04.0	-	-	-	-	N07.5	-	-	-	-
N00.6	-	-	-	-	N04.1	-	-	-	-	N07.6	-	-	-	-
N00.7	-	-	-	-	N04.2	-	-	-	-	N07.7	-	-	-	-
N00.8	-	1	1	1	N04.3	-	-	-	-	N07.8	-	-	-	-
N00.9	527	2,396	1,869	2,397	N04.4	-	-	-	-	N07.9	-	-	-	-
N01.0	-	-	-	-	N04.5	-	-	-	-	N10	180	445	265	445
N01.1	-	-	-	-	N04.6	-	-	-	-	N11.0	1	1	-	-
N01.2	-	-	-	-	N04.7	-	-	-	-	N11.1	8	33	25	20
N01.3	-	-	-	-	N04.8	-	-	-	1	N11.8	-	1	1	1
N01.4	-	-	-	-	N04.9	101	288	187	365	N11.9	18	79	61	78
N01.5	-	-	-	-	N05.0	1	1	-	2	N12	565	1,517	952	1,537
N01.6	-	-	-	-	N05.1	10	17	7	18	N13.0	3	40	37	2
N01.7	-	-	-	-	N05.2	21	40	19	41	N13.1	2	2	-	1
N01.8	-	2	2	2	N05.3	1	1	-	1	N13.2	36	95	59	1
N01.9	9	20	11	20	N05.4	-	-	-	-	N13.3	168	1,243	1,075	1,375
N02.0	-	-	-	-	N05.5	9	18	9	19	N13.4	1	31	30	31
N02.1	-	-	-	-	N05.6	-	-	-	-	N13.5	70	316	246	367
N02.2	9	19	10	19	N05.7	5	12	7	13	N13.6	12	24	12	13
N02.3	-	-	-	-	N05.8	12	28	16	30	N13.7	5	12	7	13
N02.4	-	-	-	-	N05.9	80	224	144	299	N13.8	18	99	81	99
N02.5	-	-	-	-	N06.0	-	-	-	-	N13.9	289	1,540	1,251	1,602
N02.6	-	-	-	-	N06.1	-	-	-	-	N14.0	2	4	2	4
N02.7	-	-	-	-	N06.2	-	-	-	-	N14.1	3	14	11	14
N02.8	40	110	70	110	N06.3	-	-	-	-	N14.2	9	27	18	27
N02.9	3	23	20	23	N06.4	-	-	-	-	N14.3	-	-	-	-
N03.0	-	-	-	-	N06.5	-	-	-	-	N14.4	2	5	3	5
N03.1	-	-	-	-	N06.6	-	-	-	-	N15.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
N15.1	23	102	79	102	N28.9	1,165	4,955	3,790	7,891	N39.1	-	-	-	-
N15.8	2	2	-	2	N30.0	105	453	348	453	N39.2	-	-	-	-
N15.9	22	88	66	92	N30.1	7	36	29	36	N39.3	-	4	4	4
N17.0	315	1,687	1,372	1,688	N30.2	5	61	56	61	N39.4	1	4	3	4
N17.1	2	12	10	12	N30.3	-	-	-	-	N39.8	-	1	1	1
N17.2	4	10	6	10	N30.4	7	65	58	65	N39.9	12	74	62	124
N17.8	-	2	2	2	N30.8	19	71	52	71	N40	619	4,866	4,247	4,866
N17.9	7,727	62,194	54,467	62,303	N30.9	117	510	393	513	N41.0	4	12	8	12
N18.1	1	30	29	75	N31.0	-	-	-	-	N41.1	2	19	17	19
N18.2	21	239	218	666	N31.1	-	-	-	-	N41.2	20	40	20	40
N18.3	544	5,446	4,902	12,134	N31.2	6	33	27	33	N41.3	-	-	-	-
N18.4	841	4,403	3,562	8,326	N31.8	-	1	1	1	N41.8	-	-	-	-
N18.5	21,821	46,160	24,339	76,544	N31.9	95	978	883	980	N41.9	20	54	34	55
N18.9	10,108	50,158	40,050	99,570	N32.0	47	268	221	268	N42.0	-	2	2	2
N19	8,325	34,522	26,197	51,866	N32.1	139	431	292	432	N42.1	1	12	11	12
N20.0	426	1,104	678	1,161	N32.2	2	47	45	47	N42.2	-	-	-	-
N20.1	100	163	63	187	N32.3	-	5	5	5	N42.3	1	2	1	2
N20.2	3	9	6	4	N32.4	40	139	99	139	N42.8	1	10	9	10
N20.9	19	51	32	58	N32.8	11	177	166	177	N42.9	47	174	127	211
N21.0	12	49	37	49	N32.9	110	353	243	408	N43.0	-	-	-	-
N21.1	13	18	5	18	N34.0	1	2	1	2	N43.1	-	-	-	-
N21.8	1	1	-	1	N34.1	-	-	-	-	N43.2	-	-	-	-
N21.9	-	-	-	-	N34.2	-	2	2	2	N43.3	1	7	6	7
N23	2	5	3	5	N34.3	-	-	-	-	N43.4	-	-	-	-
N25.0	4	19	15	19	N35.0	-	-	-	-	N44	2	3	1	3
N25.1	9	21	12	21	N35.1	-	-	-	-	N45.0	1	1	-	1
N25.8	6	43	37	43	N35.8	-	-	-	-	N45.9	10	19	9	19
N25.9	1	3	2	3	N35.9	5	57	52	57	N46	-	-	-	-
N26	51	124	73	158	N36.0	8	31	23	31	N47	-	7	7	7
N27.0	-	-	-	-	N36.1	-	-	-	-	N48.0	-	-	-	-
N27.1	-	1	1	1	N36.2	-	1	1	1	N48.1	1	3	2	3
N27.9	-	-	-	-	N36.3	-	1	1	1	N48.2	22	42	20	42
N28.0	24	213	189	213	N36.8	6	34	28	34	N48.3	-	1	1	1
N28.1	9	48	39	48	N36.9	1	7	6	7	N48.4	-	-	-	-
N28.8	3,484	22,804	19,320	22,838	N39.0	11,825	42,684	30,859	43,404	N48.5	3	4	1	4

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
N48.6	-	-	-	-	N71.9	8	15	7	16	N81.3	1	2	1	2
N48.8	-	6	6	6	N72	2	4	2	4	N81.4	5	27	22	27
N48.9	3	5	2	5	N73.0	-	2	2	2	N81.5	-	-	-	-
N49.0	1	2	1	2	N73.1	1	4	3	4	N81.6	1	3	2	3
N49.1	-	-	-	-	N73.2	-	1	1	1	N81.8	-	2	2	2
N49.2	51	95	44	95	N73.3	-	-	-	-	N81.9	-	-	-	-
N49.8	198	290	92	290	N73.4	-	-	-	-	N82.0	3	33	30	33
N49.9	1	1	-	1	N73.5	2	3	1	3	N82.1	-	4	4	4
N50.0	-	-	-	-	N73.6	1	3	2	3	N82.2	2	2	-	2
N50.1	9	16	7	16	N73.8	-	-	-	-	N82.3	52	199	147	200
N50.8	4	15	11	15	N73.9	66	203	137	204	N82.4	8	27	19	27
N50.9	4	21	17	25	N75.0	1	1	-	1	N82.5	-	-	-	-
N60.0	-	1	1	1	N75.1	-	-	-	-	N82.8	-	-	-	-
N60.1	-	2	2	2	N75.8	-	-	-	-	N82.9	5	27	22	28
N60.2	-	-	-	-	N75.9	-	1	1	1	N83.0	-	-	-	-
N60.3	-	-	-	-	N76.0	2	9	7	9	N83.1	-	-	-	-
N60.4	-	-	-	-	N76.1	-	-	-	-	N83.2	6	29	23	29
N60.8	-	-	-	-	N76.2	1	3	2	3	N83.3	-	-	-	-
N60.9	-	-	-	-	N76.3	-	-	-	-	N83.4	-	-	-	-
N61	18	52	34	52	N76.4	3	12	9	13	N83.5	2	5	3	5
N62	-	1	1	1	N76.5	-	-	-	-	N83.6	-	-	-	-
N63	73	300	227	300	N76.6	-	-	-	-	N83.7	-	-	-	-
N64.0	-	-	-	-	N76.8	29	48	19	48	N83.8	2	15	13	15
N64.1	-	2	2	2	N80.0	3	5	2	5	N83.9	83	242	159	277
N64.2	-	-	-	-	N80.1	-	1	1	1	N84.0	-	5	5	5
N64.3	-	-	-	-	N80.2	-	-	-	-	N84.1	-	-	-	-
N64.4	-	1	1	1	N80.3	-	-	-	-	N84.2	-	-	-	-
N64.5	1	13	12	13	N80.4	-	-	-	-	N84.3	-	-	-	-
N64.8	-	4	4	4	N80.5	-	-	-	-	N84.8	-	-	-	-
N64.9	7	117	110	117	N80.6	-	-	-	-	N84.9	-	-	-	-
N70.0	1	1	-	1	N80.8	-	-	-	-	N85.0	2	11	9	11
N70.1	-	-	-	-	N80.9	4	23	19	23	N85.1	-	-	-	-
N70.9	18	25	7	25	N81.0	-	-	-	-	N85.2	1	7	6	7
N71.0	-	-	-	-	N81.1	8	33	25	33	N85.3	-	-	-	-
N71.1	-	1	1	1	N81.2	-	1	1	1	N85.4	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
N85.5	-	-	-	-	N90.8	-	4	4	4	N97.1	-	-	-	-
N85.6	-	-	-	-	N90.9	-	3	3	5	N97.2	-	-	-	-
N85.7	-	-	-	-	N91.0	-	-	-	-	N97.3	-	-	-	-
N85.8	5	11	6	11	N91.1	-	-	-	-	N97.4	-	-	-	-
N85.9	32	206	174	254	N91.2	-	-	-	-	N97.8	-	-	-	-
N86	-	1	1	1	N91.3	-	-	-	-	N97.9	-	-	-	-
N87.0	-	-	-	-	N91.4	-	-	-	-	N98.0	-	-	-	-
N87.1	-	-	-	-	N91.5	-	-	-	-	N98.1	1	1	-	1
N87.2	-	-	-	-	N92.0	-	9	9	9	N98.2	-	-	-	-
N87.9	-	2	2	2	N92.1	-	1	1	1	N98.3	-	-	-	-
N88.0	-	-	-	-	N92.2	-	-	-	-	N98.8	-	-	-	-
N88.1	-	-	-	-	N92.3	-	-	-	-	N98.9	-	-	-	-
N88.2	8	43	35	43	N92.4	-	-	-	-	N99.0	...	111	111	111
N88.3	-	-	-	-	N92.5	-	-	-	-	N99.1	...	1	1	1
N88.4	-	-	-	-	N92.6	-	1	1	1	N99.2	...	-	-	-
N88.8	-	12	12	12	N93.0	-	-	-	-	N99.3	...	-	-	-
N88.9	1	6	5	10	N93.8	-	4	4	4	N99.4	...	-	-	-
N89.0	-	-	-	-	N93.9	36	220	184	220	N99.5	...	5	5	5
N89.1	-	-	-	-	N94.0	-	-	-	-	N99.8	...	74	74	74
N89.2	-	-	-	-	N94.1	-	-	-	-	N99.9	...	2	2	2
N89.3	-	1	1	1	N94.2	-	-	-	-	000.0	1	1	-	1
N89.4	-	-	-	-	N94.3	-	-	-	-	000.1	5	5	-	5
N89.5	-	-	-	-	N94.4	-	-	-	-	000.2	-	-	-	-
N89.6	-	-	-	-	N94.5	-	-	-	-	000.8	-	-	-	-
N89.7	-	-	-	-	N94.6	-	1	1	1	000.9	4	5	1	7
N89.8	-	1	1	1	N94.8	11	40	29	40	001.0	-	-	-	-
N89.9	-	9	9	9	N94.9	2	9	7	10	001.1	-	-	-	-
N90.0	-	-	-	-	N95.0	5	16	11	16	001.9	1	1	-	1
N90.1	-	-	-	-	N95.1	-	9	9	9	002.0	-	-	-	-
N90.2	-	1	1	1	N95.2	4	5	1	5	002.1	-	1	1	1
N90.3	-	1	1	1	N95.3	-	-	-	-	002.8	-	-	-	-
N90.4	-	1	1	1	N95.8	1	2	1	2	002.9	-	-	-	-
N90.5	-	-	-	-	N95.9	-	2	2	2	003.0	-	-	-	-
N90.6	-	-	-	-	N96	-	-	-	-	003.1	-	-	-	-
N90.7	-	-	-	-	N97.0	-	-	-	-	003.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
003.3	-	-	-	-	006.8	1	1	-	-	014.2	4	8	4	12
003.4	-	-	-	-	006.9	-	-	-	1	014.9	17	23	6	27
003.5	2	2	-	-	007.0	-	-	-	-	015.0	5	5	-	4
003.6	-	-	-	-	007.1	-	-	-	-	015.1	-	-	-	-
003.7	-	-	-	-	007.2	-	-	-	-	015.2	2	2	-	2
003.8	-	1	1	-	007.3	-	-	-	-	015.9	11	13	2	13
003.9	2	3	1	5	007.4	-	-	-	-	016	10	26	16	26
004.0	-	-	-	-	007.5	-	-	-	-	020.0	-	-	-	-
004.1	-	-	-	-	007.6	-	-	-	-	020.8	-	-	-	-
004.2	-	-	-	-	007.7	-	-	-	-	020.9	-	-	-	-
004.3	-	-	-	-	007.8	1	2	1	2	021.0	2	3	1	3
004.4	-	-	-	-	007.9	-	-	-	-	021.1	-	-	-	-
004.5	-	-	-	-	008.0	...	2	2	3	021.2	-	-	-	-
004.6	-	-	-	-	008.1	...	6	6	6	021.8	-	-	-	-
004.7	-	-	-	-	008.2	...	-	-	-	021.9	-	-	-	-
004.8	-	-	-	-	008.3	...	-	-	2	022.0	-	-	-	-
004.9	-	-	-	-	008.4	...	-	-	-	022.1	-	-	-	-
005.0	-	-	-	-	008.5	...	-	-	-	022.2	-	-	-	-
005.1	-	-	-	-	008.6	...	-	-	-	022.3	10	10	-	10
005.2	-	-	-	-	008.7	...	-	-	-	022.4	-	-	-	-
005.3	-	-	-	-	008.8	...	1	1	1	022.5	-	-	-	-
005.4	-	-	-	-	008.9	...	-	-	-	022.8	-	-	-	-
005.5	-	-	-	-	010.0	13	24	11	28	022.9	3	3	-	3
005.6	-	-	-	-	010.1	14	15	1	16	023.0	2	4	2	4
005.7	-	-	-	-	010.2	-	-	-	-	023.1	-	-	-	-
005.8	-	-	-	-	010.3	1	1	-	1	023.2	-	-	-	-
005.9	2	2	-	2	010.4	-	-	-	-	023.3	-	-	-	-
006.0	-	1	1	1	010.9	-	-	-	-	023.4	-	-	-	-
006.1	-	-	-	-	011	3	5	2	-	023.5	6	7	1	7
006.2	-	-	-	-	012.0	-	1	1	1	023.9	-	-	-	-
006.3	-	-	-	-	012.1	-	-	-	-	024.0	3	4	1	4
006.4	-	-	-	-	012.2	-	-	-	-	024.1	-	-	-	-
006.5	-	1	1	1	013	-	1	1	1	024.2	-	-	-	-
006.6	-	1	1	1	014.0	-	-	-	-	024.3	1	1	-	1
006.7	-	-	-	-	014.1	-	1	1	1	024.4	1	2	1	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
024.9	20	42	22	42	031.1	-	-	-	-	035.3	-	-	-	-
025	5	8	3	8	031.2	-	-	-	-	035.4	-	-	-	-
026.0	-	-	-	-	031.8	-	-	-	-	035.5	-	-	-	-
026.1	-	-	-	-	032.0	-	-	-	-	035.6	-	-	-	-
026.2	-	-	-	-	032.1	-	-	-	-	035.7	-	-	-	-
026.3	-	-	-	-	032.2	-	-	-	-	035.8	-	-	-	-
026.4	-	-	-	-	032.3	-	-	-	-	035.9	-	-	-	-
026.5	-	-	-	-	032.4	-	-	-	-	036.0	-	-	-	-
026.6	34	43	9	43	032.5	-	-	-	-	036.1	-	-	-	-
026.7	-	-	-	-	032.6	-	-	-	-	036.2	-	-	-	-
026.8	237	324	87	324	032.8	-	-	-	-	036.3	-	-	-	-
026.9	1	1	-	2	032.9	-	-	-	-	036.4	7	12	5	12
028.0	-	-	-	-	033.0	-	-	-	-	036.5	-	-	-	-
028.1	-	-	-	-	033.1	-	-	-	-	036.6	-	-	-	-
028.2	-	-	-	-	033.2	-	-	-	-	036.7	-	-	-	-
028.3	-	-	-	-	033.3	-	-	-	-	036.8	-	1	1	1
028.4	-	-	-	-	033.4	-	-	-	-	036.9	-	-	-	-
028.5	-	-	-	-	033.5	-	-	-	-	040	-	1	1	1
028.8	-	-	-	-	033.6	-	-	-	-	041.0	-	-	-	-
028.9	-	-	-	-	033.7	-	-	-	-	041.1	6	6	-	6
029.0	-	-	-	-	033.8	-	-	-	-	041.8	-	-	-	-
029.1	1	1	-	1	033.9	-	-	-	-	041.9	-	-	-	-
029.2	-	-	-	-	034.0	-	-	-	-	042.0	-	-	-	-
029.3	-	-	-	-	034.1	-	-	-	-	042.1	-	-	-	-
029.4	-	-	-	-	034.2	-	1	1	1	042.2	-	-	-	-
029.5	-	-	-	-	034.3	-	-	-	-	042.9	1	1	-	1
029.6	-	-	-	-	034.4	-	-	-	-	043.0	-	-	-	-
029.8	-	-	-	-	034.5	-	-	-	-	043.1	-	-	-	-
029.9	-	-	-	1	034.6	-	-	-	-	043.2	9	12	3	12
030.0	2	4	2	4	034.7	-	-	-	-	043.8	-	-	-	-
030.1	-	-	-	-	034.8	-	-	-	-	043.9	-	-	-	-
030.2	-	-	-	-	034.9	-	-	-	-	044.0	-	-	-	-
030.8	-	-	-	-	035.0	-	-	-	-	044.1	1	3	2	3
030.9	-	-	-	-	035.1	-	-	-	-	045.0	-	-	-	-
031.0	-	-	-	-	035.2	-	-	-	-	045.8	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
045.9	3	9	6	9	065.3	-	-	-	-	071.0	-	-	-	-
046.0	4	6	2	5	065.4	-	-	-	-	071.1	2	4	2	4
046.8	1	3	2	3	065.5	-	-	-	-	071.2	-	-	-	-
046.9	9	13	4	15	065.8	-	-	-	-	071.3	-	-	-	-
047.0	-	-	-	-	065.9	-	-	-	-	071.4	-	-	-	-
047.1	-	-	-	-	066.0	-	-	-	-	071.5	1	1	-	1
047.9	-	-	-	-	066.1	-	-	-	-	071.6	-	-	-	-
048	-	-	-	-	066.2	-	-	-	-	071.7	-	-	-	-
060	1	1	-	1	066.3	-	-	-	-	071.8	-	-	-	-
061.0	-	-	-	-	066.4	-	-	-	-	071.9	-	-	-	-
061.1	-	-	-	-	066.5	-	-	-	-	072.0	-	1	1	1
061.8	-	-	-	-	066.8	-	-	-	-	072.1	9	21	12	21
061.9	-	-	-	-	066.9	-	-	-	-	072.2	1	2	1	2
062.0	1	1	-	1	067.0	-	-	-	1	072.3	4	10	6	10
062.1	-	-	-	-	067.8	-	-	-	-	073.0	-	-	-	-
062.2	2	4	2	4	067.9	-	-	-	-	073.1	-	1	1	1
062.3	-	-	-	-	068.0	-	-	-	-	074.0	-	-	-	-
062.4	-	-	-	-	068.1	-	-	-	-	074.1	-	-	-	-
062.8	-	-	-	-	068.2	-	-	-	-	074.2	1	1	-	1
062.9	-	-	-	-	068.3	-	-	-	-	074.3	-	-	-	-
063.0	-	-	-	-	068.8	-	-	-	-	074.4	-	-	-	-
063.1	-	-	-	-	068.9	-	-	-	-	074.5	-	-	-	-
063.2	-	-	-	-	069.0	-	-	-	-	074.6	-	1	1	1
063.9	-	-	-	-	069.1	-	-	-	-	074.7	-	-	-	-
064.0	-	-	-	-	069.2	-	-	-	-	074.8	-	-	-	-
064.1	-	-	-	-	069.3	-	-	-	-	074.9	-	-	-	-
064.2	-	-	-	-	069.4	-	-	-	-	075.0	-	-	-	-
064.3	-	-	-	-	069.5	-	-	-	-	075.1	2	4	2	4
064.4	-	-	-	-	069.8	-	-	-	-	075.2	-	-	-	-
064.5	-	-	-	-	069.9	-	-	-	-	075.3	-	-	-	-
064.8	-	-	-	-	070.0	-	-	-	-	075.4	10	18	8	18
064.9	-	-	-	-	070.1	-	-	-	-	075.5	-	-	-	-
065.0	-	-	-	-	070.2	-	-	-	-	075.6	-	-	-	-
065.1	-	-	-	-	070.3	-	-	-	-	075.7	-	-	-	-
065.2	-	-	-	-	070.9	-	-	-	-	075.8	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis
075.9	3	6	3	32	090.9	-	-	-	-	099.6	3	6	3	44
085	9	16	7	16	091.0	-	-	-	-	099.7	-	1	1	6
086.0	-	-	-	-	091.1	-	-	-	-	099.8	106	120	14	151
086.1	-	-	-	-	091.2	-	-	-	-	P00.0	56	95	39	95
086.2	-	1	1	1	092.0	-	-	-	-	P00.1	-	4	4	4
086.3	-	-	-	-	092.1	-	-	-	-	P00.2	10	18	8	18
086.4	-	-	-	-	092.2	-	-	-	-	P00.3	8	11	3	11
086.8	-	1	1	1	092.3	-	-	-	-	P00.4	-	2	2	2
087.0	-	-	-	-	092.4	-	-	-	-	P00.5	29	34	5	34
087.1	-	-	-	-	092.5	-	-	-	-	P00.6	2	2	-	2
087.2	-	-	-	-	092.6	-	-	-	-	P00.7	-	1	1	1
087.3	-	-	-	-	092.7	-	-	-	-	P00.8	36	67	31	67
087.8	-	-	-	-	095	9	367	358	370	P00.9	2	2	-	3
087.9	-	1	1	1	096.0	172	180	8	180	P01.0	435	488	53	488
088.0	2	2	-	2	096.1	153	225	72	362	P01.1	729	1,003	274	1,003
088.1	19	32	13	32	096.9	9	129	120	133	P01.2	78	200	122	200
088.2	28	54	26	54	097.0	33	38	5	38	P01.3	5	18	13	18
088.3	-	1	1	1	097.1	9	10	1	41	P01.4	-	-	-	-
088.8	-	-	-	-	097.9	-	1	1	1	P01.5	111	239	128	239
089.0	-	-	-	-	098.0	-	-	-	2	P01.6	4	8	4	8
089.1	-	-	-	-	098.1	-	-	-	-	P01.7	6	14	8	14
089.2	-	-	-	-	098.2	-	-	-	-	P01.8	64	91	27	91
089.3	-	-	-	-	098.3	-	-	-	-	P01.9	2	2	-	2
089.4	-	-	-	-	098.4	-	-	-	4	P02.0	17	24	7	24
089.5	-	-	-	-	098.5	-	-	-	1	P02.1	380	521	141	521
089.6	-	-	-	-	098.6	-	1	1	1	P02.2	22	37	15	42
089.8	-	-	-	-	098.7	6	11	5	11	P02.3	51	94	43	94
089.9	-	-	-	-	098.8	13	20	7	103	P02.4	22	42	20	42
090.0	-	-	-	-	098.9	-	-	-	1	P02.5	14	25	11	25
090.1	-	-	-	-	099.0	2	3	1	25	P02.6	10	16	6	17
090.2	-	-	-	-	099.1	1	5	4	62	P02.7	331	492	161	492
090.3	30	39	9	39	099.2	-	1	1	91	P02.8	-	3	3	3
090.4	2	4	2	4	099.3	15	106	91	254	P02.9	-	1	1	1
090.5	-	-	-	-	099.4	70	86	16	307	P03.0	6	12	6	12
090.8	3	11	8	11	099.5	8	13	5	106	P03.1	3	9	6	9

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
P03.2	1	1	-	1	P11.1	-	1	1	1	P20.0	1	2	1	2
P03.3	2	2	-	2	P11.2	3	10	7	10	P20.1	-	-	-	-
P03.4	2	5	3	5	P11.3	-	-	-	-	P20.9	167	645	478	646
P03.5	7	8	1	8	P11.4	-	-	-	-	P21.0	17	33	16	33
P03.6	2	6	4	6	P11.5	1	1	-	1	P21.1	-	-	-	-
P03.8	38	64	26	64	P11.9	-	1	1	1	P21.9	161	466	305	468
P03.9	19	41	22	42	P12.0	1	1	-	1	P22.0	372	737	365	737
P04.0	-	-	-	-	P12.1	-	-	-	-	P22.1	-	-	-	-
P04.1	-	-	-	-	P12.2	-	-	-	-	P22.8	-	-	-	-
P04.2	20	66	46	66	P12.3	-	-	-	-	P22.9	68	138	70	139
P04.3	1	4	3	4	P12.4	-	-	-	-	P23.0	7	11	4	11
P04.4	36	106	70	106	P12.8	-	-	-	-	P23.1	-	-	-	-
P04.5	-	-	-	-	P12.9	-	1	1	1	P23.2	4	5	1	5
P04.6	-	-	-	-	P13.0	-	1	1	1	P23.3	1	2	1	2
P04.8	-	-	-	-	P13.1	-	-	-	-	P23.4	1	1	-	1
P04.9	1	10	9	12	P13.2	-	-	-	-	P23.5	1	2	1	2
P05.0	-	-	-	-	P13.3	-	-	-	-	P23.6	3	9	6	9
P05.1	7	36	29	36	P13.4	-	-	-	-	P23.8	-	-	-	-
P05.2	-	-	-	-	P13.8	-	-	-	-	P23.9	20	71	51	72
P05.9	97	274	177	278	P13.9	1	2	1	2	P24.0	44	78	34	78
P07.0	62	77	15	269	P14.0	-	-	-	-	P24.1	3	5	2	5
P07.1	8	17	9	39	P14.1	-	-	-	-	P24.2	-	3	3	3
P07.2	2,864	3,472	608	7,800	P14.2	-	-	-	-	P24.3	1	1	-	1
P07.3	829	1,410	581	4,328	P14.3	-	-	-	-	P24.8	-	-	-	-
P08.0	-	1	1	4	P14.8	-	-	-	-	P24.9	2	9	7	9
P08.1	-	-	-	1	P14.9	-	-	-	-	P25.0	21	52	31	52
P08.2	-	-	-	5	P15.0	1	1	-	1	P25.1	40	196	156	196
P10.0	-	1	1	1	P15.1	-	-	-	-	P25.2	2	8	6	8
P10.1	-	-	-	-	P15.2	-	-	-	-	P25.3	3	9	6	9
P10.2	-	-	-	-	P15.3	-	-	-	-	P25.8	-	5	5	5
P10.3	1	2	1	2	P15.4	-	-	-	-	P26.0	-	-	-	-
P10.4	-	-	-	-	P15.5	-	-	-	-	P26.1	5	10	5	10
P10.8	-	-	-	-	P15.6	-	-	-	-	P26.8	1	2	1	2
P10.9	-	-	-	-	P15.8	3	4	1	4	P26.9	127	351	224	351
P11.0	-	-	-	-	P15.9	5	15	10	18	P27.0	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
P27.1	95	151	56	151	P37.3	-	-	-	-	P54.1	-	-	-	-
P27.8	2	3	1	3	P37.4	-	-	-	-	P54.2	-	-	-	-
P27.9	35	50	15	51	P37.5	9	16	7	16	P54.3	5	13	8	13
P28.0	257	535	278	535	P37.8	20	31	11	31	P54.4	-	2	2	2
P28.1	-	1	1	1	P37.9	-	-	-	-	P54.5	-	3	3	3
P28.2	-	-	-	-	P38	-	-	-	-	P54.6	2	5	3	5
P28.3	3	3	-	3	P39.0	-	-	-	-	P54.8	15	34	19	34
P28.4	12	108	96	108	P39.1	1	2	1	2	P54.9	24	69	45	103
P28.5	31	2,224	2,193	2,224	P39.2	6	11	5	11	P55.0	2	4	2	7
P28.8	18	107	89	107	P39.3	6	10	4	10	P55.1	-	-	-	-
P28.9	9	20	11	34	P39.4	-	1	1	1	P55.8	-	-	-	-
P29.0	311	1,107	796	1,107	P39.8	7	11	4	11	P55.9	-	2	2	2
P29.1	363	1,181	818	1,181	P39.9	41	61	20	69	P56.0	4	4	-	1
P29.2	18	72	54	72	P50.0	-	-	-	-	P56.9	-	-	-	-
P29.3	108	531	423	531	P50.1	1	3	2	3	P57.0	-	-	-	-
P29.4	-	5	5	5	P50.2	-	-	-	-	P57.8	-	-	-	-
P29.8	12	49	37	49	P50.3	-	-	-	-	P57.9	2	3	1	3
P29.9	2	3	1	4	P50.4	11	14	3	17	P58.0	-	-	-	-
P35.0	8	20	12	20	P50.5	-	-	-	-	P58.1	-	3	3	-
P35.1	28	42	14	42	P50.8	-	-	-	-	P58.2	-	4	4	-
P35.2	53	60	7	60	P50.9	3	5	2	5	P58.3	-	-	-	-
P35.3	-	6	6	6	P51.0	-	-	-	-	P58.4	-	-	-	-
P35.8	8	10	2	10	P51.8	-	-	-	-	P58.5	-	-	-	-
P35.9	-	-	-	-	P51.9	2	3	1	3	P58.8	-	-	-	-
P36.0	25	30	5	30	P52.0	-	1	1	1	P58.9	-	-	-	-
P36.1	5	7	2	7	P52.1	-	3	3	3	P59.0	-	1	1	-
P36.2	25	34	9	34	P52.2	27	81	54	81	P59.1	-	-	-	-
P36.3	4	10	6	10	P52.3	205	471	266	471	P59.2	2	2	-	2
P36.4	65	111	46	111	P52.4	26	67	41	67	P59.3	-	-	-	-
P36.5	-	-	-	-	P52.5	1	6	5	6	P59.8	-	-	-	-
P36.8	35	60	25	60	P52.6	1	11	10	11	P59.9	1	2	1	10
P36.9	434	885	451	938	P52.8	5	10	5	10	P60	50	214	164	214
P37.0	1	1	-	1	P52.9	52	108	56	114	P61.0	1	7	6	7
P37.1	4	6	2	6	P53	-	-	-	-	P61.1	-	-	-	-
P37.2	4	4	-	4	P54.0	-	-	-	-	P61.2	10	127	117	2

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
P61.3	3	8	5	5	P76.2	-	-	-	-	P92.0	-	-	-	-
P61.4	42	68	26	172	P76.8	-	-	-	-	P92.1	-	-	-	-
P61.5	-	2	2	2	P76.9	2	4	2	4	P92.2	-	-	-	-
P61.6	1	5	4	5	P77	338	423	85	423	P92.3	-	-	-	-
P61.8	-	-	-	-	P78.0	106	191	85	191	P92.4	-	-	-	-
P61.9	1	1	-	1	P78.1	2	13	11	13	P92.5	-	-	-	-
P70.0	4	16	12	16	P78.2	-	-	-	-	P92.8	-	-	-	-
P70.1	7	22	15	22	P78.3	2	4	2	4	P92.9	1	3	2	3
P70.2	4	11	7	11	P78.8	1	2	1	2	P93	-	-	-	-
P70.3	-	-	-	-	P78.9	-	-	-	-	P94.0	-	-	-	-
P70.4	-	8	8	8	P80.0	-	-	-	-	P94.1	1	2	1	2
P70.8	-	1	1	1	P80.8	-	-	-	-	P94.2	9	24	15	24
P70.9	-	-	-	-	P80.9	-	3	3	3	P94.8	-	-	-	-
P71.0	-	-	-	-	P81.0	1	1	-	1	P94.9	-	-	-	-
P71.1	-	4	4	4	P81.8	-	-	-	-	P96.0	19	76	57	76
P71.2	-	-	-	-	P81.9	-	1	1	1	P96.1	5	8	3	8
P71.3	-	-	-	-	P83.0	-	-	-	-	P96.2	-	-	-	-
P71.4	-	-	-	-	P83.1	-	-	-	-	P96.3	-	-	-	-
P71.8	-	-	-	-	P83.2	165	298	133	301	P96.4	14	19	5	19
P71.9	-	-	-	-	P83.3	1	7	6	7	P96.5	-	-	-	-
P72.0	-	-	-	-	P83.4	-	-	-	-	P96.8	48	97	49	97
P72.1	-	-	-	-	P83.5	-	-	-	-	P96.9	36	61	25	61
P72.2	-	-	-	-	P83.6	-	-	-	-	Q00.0	317	339	22	339
P72.8	-	-	-	-	P83.8	-	-	-	-	Q00.1	-	-	-	-
P72.9	-	-	-	-	P83.9	-	1	1	1	Q00.2	1	1	-	1
P74.0	-	-	-	-	P90	21	94	73	94	Q01.0	-	1	1	1
P74.1	-	7	7	7	P91.0	9	18	9	18	Q01.1	-	1	1	1
P74.2	-	-	-	-	P91.1	-	1	1	1	Q01.2	7	10	3	10
P74.3	-	-	-	-	P91.2	6	28	22	28	Q01.8	-	-	-	-
P74.4	-	-	-	-	P91.3	-	-	-	-	Q01.9	36	49	13	49
P74.5	-	-	-	-	P91.4	-	4	4	4	Q02	70	133	63	133
P74.8	-	-	-	-	P91.5	-	1	1	1	Q03.0	4	5	1	5
P74.9	-	-	-	-	P91.6	223	475	252	475	Q03.1	24	51	27	51
P76.0	-	-	-	-	P91.8	1	2	1	2	Q03.8	7	21	14	22
P76.1	-	-	-	-	P91.9	-	-	-	-	Q03.9	137	223	86	287

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
Q04.0	34	63	29	63	Q10.6	-	-	-	-	Q16.5	-	-	-	-
Q04.1	-	-	-	-	Q10.7	-	-	-	-	Q16.9	-	-	-	-
Q04.2	120	171	51	171	Q11.0	-	-	-	-	Q17.0	-	-	-	-
Q04.3	128	162	34	162	Q11.1	-	4	4	4	Q17.1	-	1	1	1
Q04.4	10	25	15	25	Q11.2	-	3	3	3	Q17.2	-	1	1	1
Q04.5	3	7	4	7	Q11.3	-	-	-	-	Q17.3	-	-	-	-
Q04.6	23	35	12	35	Q12.0	-	1	1	1	Q17.4	-	1	1	1
Q04.8	21	37	16	37	Q12.1	-	-	-	-	Q17.5	-	-	-	-
Q04.9	88	131	43	163	Q12.2	-	-	-	-	Q17.8	-	-	-	-
Q05.0	-	-	-	-	Q12.3	-	-	-	-	Q17.9	-	2	2	2
Q05.1	-	-	-	-	Q12.4	-	-	-	-	Q18.0	-	1	1	1
Q05.2	-	1	1	-	Q12.8	-	-	-	-	Q18.1	-	-	-	-
Q05.3	-	-	-	-	Q12.9	-	-	-	-	Q18.2	1	1	-	1
Q05.4	28	56	28	2	Q13.0	-	1	1	1	Q18.3	-	-	-	-
Q05.5	-	-	-	-	Q13.1	-	-	-	-	Q18.4	-	-	-	-
Q05.6	1	2	1	2	Q13.2	-	-	-	-	Q18.5	-	1	1	1
Q05.7	1	1	-	2	Q13.3	-	-	-	-	Q18.6	-	-	-	-
Q05.8	1	1	-	1	Q13.4	-	-	-	-	Q18.7	-	-	-	-
Q05.9	167	360	193	414	Q13.5	-	-	-	-	Q18.8	-	2	2	2
Q06.0	-	-	-	-	Q13.8	-	-	-	-	Q18.9	3	6	3	6
Q06.1	-	1	1	1	Q13.9	-	-	-	-	Q20.0	43	57	14	57
Q06.2	-	-	-	-	Q14.0	-	-	-	-	Q20.1	46	97	51	97
Q06.3	-	1	1	1	Q14.1	-	-	-	-	Q20.2	1	1	-	1
Q06.4	-	-	-	-	Q14.2	-	-	-	-	Q20.3	50	76	26	76
Q06.8	-	2	2	2	Q14.3	-	-	-	-	Q20.4	12	30	18	30
Q06.9	3	6	3	6	Q14.8	-	-	-	-	Q20.5	-	1	1	1
Q07.0	31	95	64	95	Q14.9	-	-	-	-	Q20.6	-	1	1	1
Q07.8	1	2	1	2	Q15.0	-	-	-	-	Q20.8	16	20	4	20
Q07.9	14	24	10	36	Q15.8	-	-	-	-	Q20.9	-	-	-	-
Q10.0	-	1	1	1	Q15.9	-	2	2	2	Q21.0	113	317	204	317
Q10.1	-	-	-	-	Q16.0	-	-	-	-	Q21.1	141	375	234	375
Q10.2	-	-	-	-	Q16.1	-	-	-	-	Q21.2	73	136	63	136
Q10.3	-	1	1	1	Q16.2	-	-	-	-	Q21.3	152	227	75	227
Q10.4	-	-	-	-	Q16.3	-	-	-	-	Q21.4	3	8	5	8
Q10.5	-	-	-	-	Q16.4	-	-	-	-	Q21.8	5	6	1	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
Q21.9	6	18	12	37	Q25.9	-	1	1	1	Q31.9	2	2	-	2
Q22.0	5	6	1	6	Q26.0	-	-	-	-	Q32.0	5	10	5	10
Q22.1	2	7	5	7	Q26.1	-	1	1	1	Q32.1	28	45	17	45
Q22.2	-	-	-	-	Q26.2	21	42	21	42	Q32.2	3	8	5	8
Q22.3	3	10	7	10	Q26.3	3	9	6	9	Q32.3	1	1	-	1
Q22.4	18	35	17	35	Q26.4	3	11	8	11	Q32.4	-	1	1	1
Q22.5	30	42	12	42	Q26.5	1	1	-	1	Q33.0	3	3	-	3
Q22.6	9	18	9	18	Q26.6	-	-	-	-	Q33.1	-	-	-	-
Q22.8	3	9	6	9	Q26.8	3	9	6	9	Q33.2	2	2	-	2
Q22.9	6	12	6	12	Q26.9	1	6	5	7	Q33.3	7	18	11	18
Q23.0	37	68	31	68	Q27.0	-	4	4	4	Q33.4	2	3	1	3
Q23.1	116	282	166	282	Q27.1	2	2	-	2	Q33.5	-	-	-	-
Q23.2	9	21	12	21	Q27.2	-	1	1	1	Q33.6	299	794	495	794
Q23.3	4	16	12	16	Q27.3	252	446	194	447	Q33.8	1	1	-	1
Q23.4	293	392	99	392	Q27.4	-	-	-	-	Q33.9	30	53	23	56
Q23.8	-	1	1	1	Q27.8	2	10	8	11	Q34.0	-	-	-	-
Q23.9	15	26	11	27	Q27.9	36	62	26	63	Q34.1	-	-	-	-
Q24.0	4	20	16	20	Q28.0	1	2	1	2	Q34.8	7	8	1	8
Q24.1	-	-	-	-	Q28.1	1	3	2	3	Q34.9	5	11	6	11
Q24.2	-	2	2	2	Q28.2	37	78	41	258	Q35.1	-	-	-	-
Q24.3	-	1	1	1	Q28.3	27	43	16	47	Q35.3	-	-	-	-
Q24.4	8	16	8	16	Q28.8	4	8	4	8	Q35.5	-	-	-	-
Q24.5	130	229	99	229	Q28.9	1	4	3	8	Q35.7	-	-	-	-
Q24.6	12	18	6	18	Q30.0	-	2	2	2	Q35.9	2	29	27	60
Q24.8	78	130	52	130	Q30.1	-	-	-	-	Q36.0	-	-	-	3
Q24.9	891	1,298	407	1,556	Q30.2	-	-	-	-	Q36.1	-	-	-	-
Q25.0	26	148	122	148	Q30.3	-	-	-	-	Q36.9	-	6	6	34
Q25.1	37	127	90	127	Q30.8	-	-	-	-	Q37.0	-	-	-	-
Q25.2	-	1	1	1	Q30.9	-	3	3	3	Q37.1	-	-	-	-
Q25.3	14	23	9	23	Q31.0	-	-	-	-	Q37.2	-	-	-	-
Q25.4	19	59	40	60	Q31.1	5	6	1	6	Q37.3	-	-	-	-
Q25.5	32	100	68	100	Q31.2	-	1	1	1	Q37.4	-	-	-	-
Q25.6	34	90	56	90	Q31.3	-	1	1	1	Q37.5	-	-	-	-
Q25.7	14	33	19	33	Q31.5	10	21	11	21	Q37.8	-	3	3	-
Q25.8	1	3	2	3	Q31.8	4	7	3	7	Q37.9	1	28	27	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
Q38.0	-	-	-	-	Q43.0	7	14	7	14	Q51.4	-	-	-	-
Q38.1	-	-	-	-	Q43.1	18	42	24	42	Q51.5	-	-	-	-
Q38.2	1	5	4	5	Q43.2	-	1	1	1	Q51.6	-	-	-	-
Q38.3	1	2	1	2	Q43.3	30	41	11	41	Q51.7	-	-	-	-
Q38.4	-	-	-	-	Q43.4	-	-	-	-	Q51.8	-	1	1	1
Q38.5	-	1	1	1	Q43.5	-	-	-	-	Q51.9	-	1	1	1
Q38.6	-	2	2	2	Q43.6	-	-	-	-	Q52.0	1	1	-	1
Q38.7	-	-	-	-	Q43.7	-	1	1	1	Q52.1	-	-	-	-
Q38.8	3	4	1	4	Q43.8	11	18	7	18	Q52.2	-	1	1	1
Q39.0	9	41	32	44	Q43.9	12	35	23	35	Q52.3	-	-	-	-
Q39.1	-	4	4	1	Q44.0	-	-	-	-	Q52.4	-	-	-	-
Q39.2	5	19	14	22	Q44.1	-	1	1	1	Q52.5	-	1	1	1
Q39.3	1	2	1	2	Q44.2	24	39	15	39	Q52.6	-	-	-	-
Q39.4	-	-	-	-	Q44.3	-	-	-	-	Q52.7	-	-	-	-
Q39.5	-	1	1	1	Q44.4	-	2	2	2	Q52.8	-	-	-	-
Q39.6	21	33	12	33	Q44.5	1	7	6	7	Q52.9	1	2	1	2
Q39.8	1	3	2	3	Q44.6	12	37	25	37	Q53.0	-	-	-	-
Q39.9	2	8	6	8	Q44.7	4	21	17	21	Q53.1	-	-	-	-
Q40.0	2	4	2	4	Q45.0	-	4	4	4	Q53.2	-	1	1	1
Q40.1	4	6	2	6	Q45.1	-	-	-	-	Q53.9	-	2	2	2
Q40.2	-	1	1	1	Q45.2	-	-	-	-	Q54.0	-	-	-	-
Q40.3	2	4	2	4	Q45.3	4	10	6	10	Q54.1	-	-	-	-
Q40.8	-	-	-	-	Q45.8	1	1	-	1	Q54.2	-	-	-	-
Q40.9	-	-	-	-	Q45.9	6	18	12	18	Q54.3	-	-	-	-
Q41.0	3	13	10	13	Q50.0	-	-	-	-	Q54.4	-	1	1	1
Q41.1	3	8	5	8	Q50.1	-	-	-	-	Q54.8	-	-	-	-
Q41.2	2	3	1	3	Q50.2	-	-	-	-	Q54.9	1	1	-	1
Q41.8	1	1	-	1	Q50.3	-	1	1	1	Q55.0	-	1	1	1
Q41.9	6	10	4	10	Q50.4	-	-	-	-	Q55.1	-	-	-	-
Q42.0	-	-	-	-	Q50.5	-	-	-	-	Q55.2	-	-	-	-
Q42.1	-	-	-	-	Q50.6	-	-	-	-	Q55.3	-	-	-	-
Q42.2	-	-	-	-	Q51.0	-	-	-	-	Q55.4	-	1	1	1
Q42.3	2	41	39	41	Q51.1	-	-	-	-	Q55.5	-	-	-	-
Q42.8	-	-	-	-	Q51.2	-	-	-	-	Q55.6	-	3	3	3
Q42.9	2	3	1	3	Q51.3	-	-	-	-	Q55.8	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
Q55.9	1	3	2	3	Q63.9	18	30	12	37	Q67.5	10	25	15	25
Q56.0	-	-	-	-	Q64.0	-	-	-	-	Q67.6	2	11	9	11
Q56.1	-	-	-	-	Q64.1	1	2	1	2	Q67.7	-	2	2	2
Q56.2	-	-	-	-	Q64.2	11	23	12	23	Q67.8	4	13	9	13
Q56.3	-	-	-	-	Q64.3	18	24	6	24	Q68.0	-	-	-	-
Q56.4	1	7	6	7	Q64.4	1	1	-	1	Q68.1	-	1	1	1
Q60.0	22	105	83	105	Q64.5	-	4	4	4	Q68.2	-	-	-	-
Q60.1	54	57	3	57	Q64.6	-	-	-	-	Q68.3	-	-	-	-
Q60.2	99	136	37	137	Q64.7	3	6	3	6	Q68.4	-	-	-	-
Q60.3	-	-	-	-	Q64.8	5	5	-	5	Q68.5	-	1	1	1
Q60.4	1	3	2	3	Q64.9	-	5	5	5	Q68.8	17	40	23	40
Q60.5	16	21	5	21	Q65.0	-	-	-	-	Q69.0	-	-	-	-
Q60.6	29	61	32	61	Q65.1	-	-	-	-	Q69.1	-	-	-	-
Q61.0	9	21	12	21	Q65.2	-	3	3	3	Q69.2	-	-	-	-
Q61.1	27	35	8	35	Q65.3	-	-	-	-	Q69.9	-	2	2	2
Q61.2	23	51	28	51	Q65.4	-	-	-	-	Q70.0	-	-	-	-
Q61.3	420	727	307	729	Q65.5	-	-	-	-	Q70.1	-	-	-	-
Q61.4	73	120	47	120	Q65.6	-	-	-	-	Q70.2	-	-	-	-
Q61.5	4	13	9	13	Q65.8	-	11	11	11	Q70.3	-	-	-	-
Q61.8	1	1	-	1	Q65.9	-	-	-	-	Q70.4	-	-	-	-
Q61.9	18	28	10	31	Q66.0	-	2	2	2	Q70.9	-	-	-	-
Q62.0	2	10	8	10	Q66.1	-	-	-	-	Q71.0	-	-	-	-
Q62.1	1	4	3	4	Q66.2	-	-	-	-	Q71.1	-	-	-	-
Q62.2	-	1	1	1	Q66.3	-	-	-	-	Q71.2	-	-	-	-
Q62.3	2	4	2	4	Q66.4	-	-	-	-	Q71.3	-	-	-	-
Q62.4	-	-	-	-	Q66.5	-	-	-	-	Q71.4	-	1	1	1
Q62.5	-	-	-	-	Q66.6	-	-	-	-	Q71.5	-	-	-	-
Q62.6	-	-	-	-	Q66.7	-	-	-	-	Q71.6	-	-	-	-
Q62.7	-	-	-	-	Q66.8	1	12	11	12	Q71.8	-	-	-	-
Q62.8	1	1	-	1	Q66.9	-	1	1	1	Q71.9	-	-	-	-
Q63.0	-	1	1	1	Q67.0	-	-	-	-	Q72.0	-	-	-	-
Q63.1	3	20	17	20	Q67.1	-	-	-	-	Q72.1	-	-	-	-
Q63.2	-	3	3	3	Q67.2	-	1	1	1	Q72.2	-	-	-	-
Q63.3	1	4	3	4	Q67.3	-	-	-	-	Q72.3	-	-	-	-
Q63.8	-	-	-	-	Q67.4	-	-	-	-	Q72.4	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
Q72.5	-	-	-	-	Q77.3	7	12	5	12	Q81.8	-	-	-	-
Q72.6	-	-	-	-	Q77.4	12	22	10	22	Q81.9	12	21	9	21
Q72.7	-	-	-	-	Q77.5	1	9	8	9	Q82.0	4	11	7	11
Q72.8	-	-	-	-	Q77.6	1	3	2	3	Q82.1	-	-	-	-
Q72.9	-	-	-	-	Q77.7	-	1	1	1	Q82.2	17	49	32	49
Q73.0	-	-	-	-	Q77.8	2	2	-	2	Q82.3	1	1	-	1
Q73.1	-	2	2	2	Q77.9	-	-	-	-	Q82.4	-	-	-	-
Q73.8	-	4	4	4	Q78.0	51	92	41	92	Q82.5	-	6	6	6
Q74.0	3	11	8	11	Q78.1	1	1	-	1	Q82.8	16	38	22	38
Q74.1	-	2	2	2	Q78.2	6	12	6	12	Q82.9	-	1	1	1
Q74.2	1	7	6	7	Q78.3	-	1	1	1	Q83.0	-	-	-	-
Q74.3	13	28	15	28	Q78.4	1	4	3	4	Q83.1	-	-	-	-
Q74.8	-	2	2	2	Q78.5	1	3	2	3	Q83.2	-	-	-	-
Q74.9	2	7	5	7	Q78.6	-	-	-	-	Q83.3	-	1	1	1
Q75.0	6	10	4	10	Q78.8	1	3	2	3	Q83.8	-	-	-	-
Q75.1	1	2	1	2	Q78.9	60	85	25	88	Q83.9	-	1	1	1
Q75.2	-	1	1	1	Q79.0	222	306	84	306	Q84.0	-	-	-	-
Q75.3	3	12	9	12	Q79.1	14	21	7	21	Q84.1	-	-	-	-
Q75.4	5	7	2	7	Q79.2	41	90	49	90	Q84.2	-	-	-	-
Q75.5	-	-	-	-	Q79.3	32	54	22	54	Q84.3	-	-	-	-
Q75.8	1	2	1	2	Q79.4	9	19	10	19	Q84.4	-	-	-	-
Q75.9	3	8	5	8	Q79.5	10	15	5	15	Q84.5	-	-	-	-
Q76.0	1	4	3	4	Q79.6	26	80	54	80	Q84.6	-	-	-	-
Q76.1	-	4	4	4	Q79.8	17	27	10	27	Q84.8	1	2	1	2
Q76.2	-	-	-	-	Q79.9	10	16	6	22	Q84.9	-	-	-	-
Q76.3	-	-	-	-	Q80.0	-	1	1	1	Q85.0	105	303	198	303
Q76.4	4	29	25	29	Q80.1	-	-	-	-	Q85.1	32	61	29	61
Q76.5	-	-	-	-	Q80.2	-	-	-	-	Q85.8	16	42	26	42
Q76.6	2	5	3	5	Q80.3	-	-	-	-	Q85.9	6	11	5	12
Q76.7	-	2	2	2	Q80.4	2	2	-	2	Q86.0	10	20	10	20
Q76.8	-	-	-	-	Q80.8	-	-	-	-	Q86.1	1	1	-	1
Q76.9	-	-	-	-	Q80.9	-	4	4	5	Q86.2	1	1	-	1
Q77.0	3	3	-	3	Q81.0	-	-	-	-	Q86.8	-	-	-	-
Q77.1	38	42	4	42	Q81.1	6	7	1	7	Q87.0	30	62	32	62
Q77.2	6	9	3	9	Q81.2	4	6	2	6	Q87.1	94	173	79	173

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
Q87.2	28	46	18	46	Q93.0	-	-	-	-	Q98.4	5	27	22	27
Q87.3	5	13	8	13	Q93.1	-	-	-	-	Q98.5	-	-	-	-
Q87.4	119	219	100	219	Q93.2	-	-	-	-	Q98.6	-	-	-	-
Q87.5	-	-	-	-	Q93.3	15	23	8	23	Q98.7	-	-	-	-
Q87.8	102	160	58	160	Q93.4	8	16	8	16	Q98.8	-	-	-	-
Q89.0	15	44	29	44	Q93.5	41	74	33	74	Q98.9	1	1	-	1
Q89.1	4	7	3	7	Q93.6	-	-	-	-	Q99.0	-	-	-	-
Q89.2	-	6	6	6	Q93.7	-	-	-	-	Q99.1	-	-	-	-
Q89.3	18	43	25	43	Q93.8	15	28	13	28	Q99.2	3	42	39	42
Q89.4	16	19	3	19	Q93.9	13	23	10	23	Q99.8	2	33	31	33
Q89.7	216	255	39	554	Q95.0	-	-	-	-	Q99.9	23	118	95	149
Q89.8	69	156	87	156	Q95.1	-	-	-	-	R00.0	16	6,734	6,718	6,734
Q89.9	250	505	255	752	Q95.2	-	-	-	-	R00.1	147	4,215	4,068	4,215
Q90.0	-	-	-	-	Q95.3	-	-	-	-	R00.2	-	43	43	43
Q90.1	-	1	1	1	Q95.4	-	-	-	-	R00.8	2	116	114	116
Q90.2	1	1	-	1	Q95.5	-	-	-	-	R01.0	-	1	1	1
Q90.9	1,407	2,362	955	2,364	Q95.8	-	-	-	-	R01.1	4	221	217	221
Q91.0	-	-	-	-	Q95.9	-	1	1	1	R01.2	-	-	-	-
Q91.1	-	2	2	2	Q96.0	-	-	-	-	R02	67	3,666	3,599	4,873
Q91.2	-	-	-	-	Q96.1	-	-	-	-	R03.0	-	6	6	6
Q91.3	452	512	60	512	Q96.2	-	-	-	-	R03.1	-	-	-	-
Q91.4	-	-	-	-	Q96.3	-	1	1	1	R04.0	5	307	302	307
Q91.5	1	2	1	2	Q96.4	-	-	-	-	R04.1	1	80	79	80
Q91.6	-	-	-	-	Q96.8	1	2	1	2	R04.2	42	1,506	1,464	1,506
Q91.7	283	314	31	314	Q96.9	21	84	63	84	R04.8	94	2,145	2,051	2,145
Q92.0	-	-	-	-	Q97.0	-	-	-	-	R04.9	4	48	44	48
Q92.1	-	-	-	-	Q97.1	-	-	-	-	R05	4	151	147	153
Q92.2	-	-	-	-	Q97.2	-	-	-	-	R06.0	366	6,088	5,722	6,088
Q92.3	-	-	-	-	Q97.3	-	-	-	-	R06.1	-	25	25	25
Q92.4	-	-	-	-	Q97.8	-	-	-	-	R06.2	2	21	19	21
Q92.5	4	5	1	5	Q97.9	-	-	-	-	R06.3	1	12	11	12
Q92.6	1	1	-	1	Q98.0	-	1	1	1	R06.4	62	3,892	3,830	3,892
Q92.7	27	30	3	30	Q98.1	-	-	-	-	R06.5	-	9	9	9
Q92.8	30	47	17	47	Q98.2	-	-	-	-	R06.6	-	5	5	5
Q92.9	24	36	12	36	Q98.3	-	-	-	-	R06.7	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
R06.8	264	14,204	13,940	14,204	R20.1	-	-	-	-	R29.6	-	35	35	35
R07.0	-	3	3	3	R20.2	-	3	3	3	R29.8	168	1,092	924	1,092
R07.1	-	-	-	-	R20.3	-	-	-	-	R30.0	-	8	8	8
R07.2	-	4	4	4	R20.8	-	11	11	11	R30.1	-	-	-	-
R07.3	-	22	22	22	R21	-	46	46	46	R30.9	-	-	-	-
R07.4	40	505	465	505	R22.0	2	34	32	34	R31	8	915	907	915
R09.0	352	30,970	30,618	30,970	R22.1	9	189	180	189	R32	-	401	401	401
R09.1	1	34	33	34	R22.2	6	120	114	120	R33	7	1,635	1,628	1,635
R09.2	2,411	59,855	57,444	59,855	R22.3	-	17	17	17	R34	-	807	807	807
R09.3	-	1	1	1	R22.4	-	7	7	7	R35	-	18	18	18
R09.8	20	864	844	864	R22.7	-	-	-	-	R36	-	1	1	1
R10.0	8	270	262	270	R22.9	1	15	14	15	R39.0	-	-	-	-
R10.1	1	26	25	26	R23.0	-	32	32	32	R39.1	-	7	7	7
R10.2	1	23	22	23	R23.1	-	-	-	-	R39.2	-	7	7	7
R10.3	-	6	6	6	R23.2	-	-	-	-	R39.8	-	16	16	16
R10.4	28	782	754	782	R23.3	-	24	24	24	R40.0	1	30	29	30
R11	15	2,005	1,990	2,013	R23.4	-	3	3	3	R40.1	-	23	23	23
R12	-	13	13	13	R23.8	-	15	15	15	R40.2	14	1,606	1,592	1,818
R13	325	40,079	39,754	40,079	R25.0	-	-	-	-	R41.0	1	263	262	263
R14	2	123	121	123	R25.1	1	127	126	127	R41.1	-	-	-	-
R15	-	94	94	94	R25.2	-	70	70	70	R41.2	-	1	1	1
R16.0	5	227	222	228	R25.3	-	-	-	-	R41.3	4	413	409	415
R16.1	-	244	244	245	R25.8	-	7	7	7	R41.8	186	2,799	2,613	2,804
R16.2	-	56	56	55	R26.0	-	19	19	19	R42	-	238	238	238
R17	3	691	688	691	R26.1	-	1	1	1	R43.0	-	1	1	1
R18	10	6,080	6,070	6,080	R26.2	-	57	57	57	R43.1	-	5	5	5
R19.0	79	1,059	980	1,059	R26.3	10	2,768	2,758	3,039	R43.2	-	2	2	2
R19.1	-	1	1	1	R26.8	-	880	880	880	R43.8	-	-	-	-
R19.2	-	3	3	3	R27.0	4	326	322	326	R44.0	-	5	5	5
R19.3	-	-	-	-	R27.8	-	64	64	64	R44.1	-	26	26	26
R19.4	-	-	-	-	R29.0	-	-	-	-	R44.2	-	1	1	1
R19.5	-	8	8	8	R29.1	-	-	-	-	R44.3	-	94	94	94
R19.6	-	-	-	-	R29.2	-	4	4	4	R44.8	-	4	4	4
R19.8	124	2,000	1,876	2,000	R29.3	-	4	4	4	R45.0	-	1	1	1
R20.0	-	3	3	3	R29.4	-	-	-	-	R45.1	-	327	327	327

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
R45.2	-	-	-	-	R53	487	22,030	21,543	22,030	R68.8	1,779	48,718	46,939	48,718
R45.3	-	15	15	15	R54	4,043	23,222	19,179	24,991	R70.0	-	1	1	1
R45.4	-	2	2	2	R55	56	2,060	2,004	2,060	R70.1	-	47	47	47
R45.5	-	-	-	-	R56.0	5	26	21	26	R71	-	3	3	3
R45.6	-	7	7	7	R56.8	1,010	21,411	20,401	21,411	R72	-	23	23	23
R45.7	-	1	1	1	R57.0	778	26,800	26,022	26,800	R73.0	4	1,068	1,064	1,068
R45.8	-	160	160	160	R57.1	73	3,463	3,390	3,463	R73.9	12	1,459	1,447	1,459
R46.0	-	9	9	9	R57.8	151	5,751	5,600	5,751	R74.0	2	311	309	311
R46.1	-	-	-	-	R57.9	479	16,292	15,813	16,292	R74.8	-	15	15	15
R46.2	-	-	-	-	R58	569	5,881	5,312	5,918	R74.9	1	181	180	181
R46.3	-	-	-	-	R59.0	3	222	219	222	R75	2	141	139	159
R46.4	-	2	2	2	R59.1	1	284	283	284	R76.0	-	1	1	1
R46.5	-	-	-	-	R59.9	11	174	163	174	R76.1	-	7	7	7
R46.6	-	-	-	-	R60.0	3	591	588	591	R76.2	-	-	-	-
R46.7	-	-	-	-	R60.1	9	1,510	1,501	1,510	R76.8	1	101	100	101
R46.8	-	44	44	44	R60.9	4	1,147	1,143	1,147	R76.9	-	-	-	-
R47.0	30	2,157	2,127	2,157	R61.0	-	-	-	-	R77.0	-	6	6	6
R47.1	-	150	150	150	R61.1	-	1	1	1	R77.1	-	1	1	1
R47.8	-	36	36	36	R61.9	-	9	9	9	R77.2	-	5	5	5
R48.0	-	3	3	3	R62.0	-	1	1	1	R77.8	-	-	-	-
R48.1	-	1	1	1	R62.8	3,466	72,224	68,758	72,907	R77.9	-	4	4	4
R48.2	-	22	22	22	R62.9	6	692	686	692	R78.0	-	418	418	418
R48.8	-	11	11	11	R63.0	140	7,070	6,930	7,070	R78.1	-	21	21	21
R49.0	-	23	23	23	R63.1	-	31	31	31	R78.2	-	24	24	24
R49.1	-	2	2	2	R63.2	-	2	2	2	R78.3	-	-	-	-
R49.2	-	-	-	-	R63.3	-	57	57	57	R78.4	-	18	18	18
R49.8	-	2	2	2	R63.4	66	4,233	4,167	4,233	R78.5	-	5	5	5
R50.2	-	-	-	-	R63.5	-	9	9	9	R78.6	-	-	-	-
R50.8	-	13	13	13	R63.6	27	2,625	2,598	2,625	R78.7	-	-	-	-
R50.9	19	1,432	1,413	1,432	R63.8	1	179	178	179	R78.8	1	115	114	115
R51	3	122	119	122	R64	247	11,514	11,267	11,577	R78.9	-	3	3	3
R52.0	-	40	40	40	R68.0	-	230	230	230	R79.0	-	2	2	2
R52.1	-	-	-	-	R68.1	-	-	-	-	R79.8	9	855	846	872
R52.2	9	3,929	3,920	3,929	R68.2	-	1	1	1	R79.9	-	2	2	2
R52.9	4	1,218	1,214	1,218	R68.3	-	-	-	-	R80	-	76	76	87

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis
R81	-	14	14	14	R85.4	-	1	1	1	R89.9	-	1	1	1
R82.0	-	-	-	-	R85.5	-	-	-	-	R90.0	21	85	64	85
R82.1	-	3	3	3	R85.6	-	-	-	-	R90.8	2	27	25	27
R82.2	-	-	-	-	R85.7	-	-	-	-	R91	353	5,404	5,051	5,404
R82.3	-	3	3	3	R85.8	-	-	-	-	R92	-	-	-	-
R82.4	-	5	5	5	R85.9	-	1	1	1	R93.0	-	-	-	-
R82.5	-	3	3	3	R86.0	-	-	-	-	R93.1	-	5	5	5
R82.6	-	4	4	4	R86.1	-	-	-	-	R93.2	-	1	1	1
R82.7	-	-	-	-	R86.2	-	-	-	-	R93.3	-	-	-	-
R82.8	-	2	2	2	R86.3	-	-	-	-	R93.4	-	1	1	1
R82.9	-	2	2	2	R86.4	-	-	-	-	R93.5	-	-	-	-
R83.0	-	-	-	-	R86.5	-	-	-	-	R93.6	-	-	-	-
R83.1	-	-	-	-	R86.6	-	-	-	-	R93.7	-	-	-	-
R83.2	-	-	-	-	R86.7	-	-	-	-	R93.8	-	11	11	11
R83.3	-	-	-	-	R86.8	-	-	-	-	R94.0	-	2	2	2
R83.4	-	-	-	-	R86.9	-	-	-	-	R94.1	-	1	1	1
R83.5	-	-	-	-	R87.0	-	1	1	1	R94.2	1	9	8	9
R83.6	-	-	-	-	R87.1	-	-	-	-	R94.3	1	79	78	79
R83.7	-	-	-	-	R87.2	-	1	1	1	R94.4	1	7	6	7
R83.8	-	-	-	-	R87.3	-	-	-	-	R94.5	1	119	118	119
R83.9	-	1	1	1	R87.4	-	-	-	-	R94.6	-	3	3	3
R84.0	-	-	-	-	R87.5	-	-	-	-	R94.7	-	-	-	-
R84.1	-	-	-	-	R87.6	-	-	-	-	R94.8	-	2	2	2
R84.2	-	1	1	1	R87.7	-	-	-	-	R95	1,363	1,403	40	1,403
R84.3	-	-	-	-	R87.8	-	-	-	-	R96.0	152	163	11	163
R84.4	-	-	-	-	R87.9	-	-	-	-	R96.1	-	-	-	-
R84.5	-	-	-	-	R89.0	-	-	-	-	R98	21	29	8	29
R84.6	-	-	-	-	R89.1	-	-	-	-	R99	12,394	40,717	28,323	40,717
R84.7	-	-	-	-	R89.2	-	-	-	-	S00.0	...	23	23	23
R84.8	-	-	-	-	R89.3	-	-	-	-	S00.1	...	-	-	-
R84.9	1	2	1	2	R89.4	-	-	-	-	S00.2	...	-	-	-
R85.0	-	-	-	-	R89.5	-	-	-	-	S00.3	...	2	2	2
R85.1	-	-	-	-	R89.6	-	-	-	-	S00.4	...	1	1	1
R85.2	-	-	-	-	R89.7	-	-	-	-	S00.5	...	2	2	2
R85.3	-	-	-	-	R89.8	-	-	-	-	S00.7	...	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary			
S00.8	...	45	45	45	S04.8	...	1	1	1	S09.9	...	25,354	25,354	25,356
S00.9	...	61	61	61	S04.9	...	-	-	-	S10.0	...	-	-	-
S01.0	...	127	127	127	S05.0	...	-	-	-	S10.1	...	5	5	5
S01.1	...	-	-	-	S05.1	...	3	3	3	S10.7	...	-	-	-
S01.2	...	3	3	3	S05.2	...	-	-	-	S10.8	...	2	2	2
S01.3	...	26	26	26	S05.3	...	7	7	7	S10.9	...	19	19	19
S01.4	...	4	4	4	S05.4	...	5	5	5	S11.0	...	22	22	22
S01.5	...	1,380	1,380	1,380	S05.5	...	1	1	1	S11.1	...	-	-	-
S01.7	...	314	314	314	S05.6	...	-	-	-	S11.2	...	5	5	5
S01.8	...	1,138	1,138	1,138	S05.7	...	3	3	3	S11.7	...	141	141	141
S01.9	...	23,870	23,870	23,873	S05.8	...	2	2	2	S11.8	...	55	55	55
S02.0	...	29	29	29	S05.9	...	23	23	23	S11.9	...	1,972	1,972	1,972
S02.1	...	358	358	358	S06.0	...	91	91	91	S12.0	...	149	149	149
S02.2	...	66	66	66	S06.1	...	188	188	188	S12.1	...	346	346	346
S02.3	...	5	5	5	S06.2	...	1,553	1,553	1,554	S12.2	...	48	48	48
S02.4	...	37	37	37	S06.3	...	38	38	38	S12.7	...	66	66	66
S02.5	...	1	1	1	S06.4	...	120	120	120	S12.8	...	10	10	10
S02.6	...	34	34	34	S06.5	...	8,702	8,702	8,706	S12.9	...	2,452	2,452	2,452
S02.7	...	13	13	13	S06.6	...	1,833	1,833	1,833	S13.0	...	1	1	1
S02.8	...	49	49	49	S06.7	...	1	1	1	S13.1	...	427	427	427
S02.9	...	1,386	1,386	1,386	S06.8	...	2,818	2,818	2,818	S13.2	...	-	-	-
S03.0	...	7	7	7	S06.9	...	5,200	5,200	5,200	S13.3	...	-	-	-
S03.1	...	1	1	1	S07.0	...	5	5	5	S13.4	...	15	15	15
S03.2	...	-	-	-	S07.1	...	16	16	16	S13.5	...	-	-	-
S03.3	...	2	2	2	S07.8	...	-	-	-	S13.6	...	3	3	3
S03.4	...	-	-	-	S07.9	...	108	108	108	S14.0	...	1	1	1
S03.5	...	-	-	-	S08.0	...	3	3	3	S14.1	...	454	454	454
S04.0	...	2	2	2	S08.1	...	1	1	1	S14.2	...	-	-	-
S04.1	...	1	1	1	S08.8	...	2	2	2	S14.3	...	1	1	1
S04.2	...	-	-	-	S08.9	...	2	2	2	S14.4	...	-	-	-
S04.3	...	-	-	-	S09.0	...	7	7	7	S14.5	...	-	-	-
S04.4	...	-	-	-	S09.1	...	1	1	1	S14.6	...	-	-	-
S04.5	...	-	-	-	S09.2	...	-	-	-	S15.0	...	100	100	100
S04.6	...	-	-	-	S09.7	...	609	609	609	S15.1	...	37	37	37
S04.7	...	-	-	-	S09.8	...	6	6	6	S15.2	...	54	54	54

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary			
S15.3	...	8	8	8	S23.2	...	1	1	1	S29.0	...	-	-	-
S15.7	...	-	-	-	S23.3	...	1	1	1	S29.7	...	231	231	231
S15.8	...	-	-	-	S23.4	...	-	-	-	S29.8	...	36	36	36
S15.9	...	2	2	2	S23.5	...	-	-	-	S29.9	...	4,632	4,632	4,633
S16	...	-	-	-	S24.0	...	1	1	1	S30.0	...	4	4	4
S17.0	...	1	1	1	S24.1	...	11	11	11	S30.1	...	9	9	9
S17.8	...	-	-	-	S24.2	...	2	2	2	S30.2	...	-	-	-
S17.9	...	20	20	20	S24.3	...	-	-	-	S30.7	...	-	-	-
S18	...	54	54	54	S24.4	...	1	1	1	S30.8	...	21	21	21
S19.7	...	175	175	175	S24.5	...	-	-	-	S30.9	...	29	29	29
S19.8	...	12	12	12	S24.6	...	1	1	1	S31.0	...	453	453	453
S19.9	...	4,395	4,395	4,395	S25.0	...	590	590	590	S31.1	...	74	74	74
S20.0	...	1	1	1	S25.1	...	20	20	20	S31.2	...	1	1	1
S20.1	...	-	-	-	S25.2	...	28	28	28	S31.3	...	1	1	1
S20.2	...	31	31	31	S25.3	...	9	9	9	S31.4	...	1	1	1
S20.3	...	-	-	-	S25.4	...	32	32	32	S31.5	...	3	3	3
S20.4	...	-	-	-	S25.5	...	1	1	1	S31.7	...	7	7	7
S20.7	...	-	-	-	S25.7	...	1	1	1	S31.8	...	1,227	1,227	1,227
S20.8	...	31	31	31	S25.8	...	11	11	11	S32.0	...	608	608	608
S21.0	...	8	8	8	S25.9	...	12	12	12	S32.1	...	185	185	185
S21.1	...	11	11	11	S26.0	...	57	57	57	S32.2	...	5	5	5
S21.2	...	753	753	753	S26.8	...	296	296	296	S32.3	...	15	15	15
S21.7	...	172	172	172	S26.9	...	338	338	338	S32.4	...	121	121	121
S21.8	...	4	4	4	S27.0	...	397	397	397	S32.5	...	256	256	256
S21.9	...	5,818	5,818	5,818	S27.1	...	395	395	395	S32.7	...	90	90	90
S22.0	...	434	434	434	S27.2	...	100	100	100	S32.8	...	1,804	1,804	1,804
S22.1	...	19	19	19	S27.3	...	850	850	850	S33.0	...	-	-	-
S22.2	...	141	141	141	S27.4	...	13	13	13	S33.1	...	2	2	2
S22.3	...	1,655	1,655	1,655	S27.5	...	-	-	-	S33.2	...	-	-	-
S22.4	...	704	704	704	S27.6	...	9	9	9	S33.3	...	-	-	-
S22.5	...	95	95	95	S27.7	...	-	-	-	S33.4	...	-	-	-
S22.8	...	2	2	2	S27.8	...	95	95	95	S33.5	...	5	5	5
S22.9	...	170	170	170	S27.9	...	65	65	65	S33.6	...	-	-	-
S23.0	...	1	1	1	S28.0	...	173	173	173	S33.7	...	-	-	-
S23.1	...	3	3	3	S28.1	...	-	-	-	S34.0	...	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary			
S34.1	...	2	2	2	S37.9	...	21	21	21	S44.1	...	-	-	-
S34.2	...	-	-	-	S38.0	...	-	-	-	S44.2	...	-	-	-
S34.3	...	2	2	2	S38.1	...	42	42	42	S44.3	...	-	-	-
S34.4	...	1	1	1	S38.2	...	-	-	-	S44.4	...	-	-	-
S34.5	...	-	-	-	S38.3	...	2	2	2	S44.5	...	-	-	-
S34.6	...	-	-	-	S39.0	...	2	2	2	S44.7	...	-	-	-
S34.8	...	-	-	-	S39.6	...	5	5	5	S44.8	...	-	-	-
S35.0	...	80	80	80	S39.7	...	48	48	48	S44.9	...	1	1	1
S35.1	...	38	38	38	S39.8	...	2	2	2	S45.0	...	4	4	4
S35.2	...	9	9	9	S39.9	...	1,814	1,814	1,814	S45.1	...	18	18	18
S35.3	...	2	2	2	S40.0	...	6	6	6	S45.2	...	4	4	4
S35.4	...	14	14	14	S40.7	...	-	-	-	S45.3	...	-	-	-
S35.5	...	47	47	47	S40.8	...	-	-	-	S45.7	...	-	-	-
S35.7	...	-	-	-	S40.9	...	5	5	5	S45.8	...	-	-	-
S35.8	...	-	-	-	S41.0	...	116	116	116	S45.9	...	10	10	10
S35.9	...	11	11	11	S41.1	...	18	18	18	S46.0	...	6	6	6
S36.0	...	317	317	317	S41.7	...	2	2	2	S46.1	...	-	-	-
S36.1	...	506	506	506	S41.8	...	9	9	9	S46.2	...	1	1	1
S36.2	...	21	21	21	S42.0	...	199	199	199	S46.3	...	-	-	-
S36.3	...	57	57	57	S42.1	...	47	47	47	S46.7	...	-	-	-
S36.4	...	24	24	24	S42.2	...	49	49	49	S46.8	...	-	-	-
S36.5	...	43	43	43	S42.3	...	1,084	1,084	1,084	S46.9	...	2	2	2
S36.6	...	17	17	17	S42.4	...	16	16	16	S47	...	1	1	1
S36.7	...	52	52	52	S42.7	...	-	-	-	S48.0	...	-	-	-
S36.8	...	611	611	611	S42.8	...	-	-	-	S48.1	...	-	-	-
S36.9	...	129	129	129	S42.9	...	104	104	104	S48.9	...	1	1	1
S37.0	...	827	827	828	S43.0	...	35	35	35	S49.7	...	-	-	-
S37.1	...	1	1	1	S43.1	...	1	1	1	S49.8	...	2	2	2
S37.2	...	25	25	25	S43.2	...	3	3	3	S49.9	...	58	58	58
S37.3	...	-	-	-	S43.3	...	-	-	-	S50.0	...	1	1	1
S37.4	...	1	1	1	S43.4	...	1	1	1	S50.1	...	2	2	2
S37.5	...	-	-	-	S43.5	...	-	-	-	S50.7	...	-	-	-
S37.6	...	3	3	3	S43.6	...	-	-	-	S50.8	...	-	-	-
S37.7	...	-	-	-	S43.7	...	-	-	-	S50.9	...	1	1	1
S37.8	...	7	7	7	S44.0	...	-	-	-	S51.0	...	20	20	20

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field		
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary
S51.7	...	6	6	S56.4	...	-	-	S63.2	...	-	-
S51.8	...	-	-	S56.5	...	-	-	S63.3	...	-	-
S51.9	...	83	83	S56.7	...	-	-	S63.4	...	-	-
S52.0	...	70	70	S56.8	...	1	1	S63.5	...	-	-
S52.1	...	2	2	S57.0	...	-	-	S63.6	...	-	-
S52.2	...	48	48	S57.8	...	-	-	S63.7	...	-	-
S52.3	...	-	-	S57.9	...	-	-	S64.0	...	2	2
S52.4	...	-	-	S58.0	...	-	-	S64.1	...	-	-
S52.5	...	7	7	S58.1	...	-	-	S64.2	...	-	-
S52.6	...	2	2	S58.9	...	3	3	S64.3	...	-	-
S52.7	...	1	1	S59.7	...	-	-	S64.4	...	-	-
S52.8	...	87	87	S59.8	...	-	-	S64.7	...	-	-
S52.9	...	15	15	S59.9	...	27	27	S64.8	...	-	-
S53.0	...	-	-	S60.0	...	-	-	S64.9	...	-	-
S53.1	...	1	1	S60.1	...	-	-	S65.0	...	1	1
S53.2	...	-	-	S60.2	...	3	3	S65.1	...	2	2
S53.3	...	-	-	S60.7	...	-	-	S65.2	...	-	-
S53.4	...	-	-	S60.8	...	-	-	S65.3	...	-	-
S54.0	...	-	-	S60.9	...	3	3	S65.4	...	-	-
S54.1	...	-	-	S61.0	...	7	7	S65.5	...	-	-
S54.2	...	-	-	S61.1	...	-	-	S65.7	...	-	-
S54.3	...	-	-	S61.7	...	-	-	S65.8	...	-	-
S54.7	...	-	-	S61.8	...	5	5	S65.9	...	1	1
S54.8	...	-	-	S61.9	...	276	276	S66.0	...	-	-
S54.9	...	-	-	S62.0	...	-	-	S66.1	...	-	-
S55.0	...	5	5	S62.1	...	1	1	S66.2	...	-	-
S55.1	...	14	14	S62.2	...	-	-	S66.3	...	-	-
S55.2	...	-	-	S62.3	...	2	2	S66.4	...	-	-
S55.7	...	-	-	S62.4	...	-	-	S66.5	...	-	-
S55.8	...	-	-	S62.5	...	2	2	S66.6	...	-	-
S55.9	...	1	1	S62.6	...	4	4	S66.7	...	-	-
S56.0	...	-	-	S62.7	...	-	-	S66.8	...	-	-
S56.1	...	-	-	S62.8	...	134	134	S66.9	...	-	-
S56.2	...	-	-	S63.0	...	1	1	S67.0	...	-	-
S56.3	...	-	-	S63.1	...	-	-	S67.8	...	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary			
S68.0	...	1	1	1	S75.0	...	42	42	42	S82.6	...	3	3	3
S68.1	...	-	-	-	S75.1	...	11	11	11	S82.7	...	1	1	1
S68.2	...	2	2	2	S75.2	...	-	-	-	S82.8	...	425	425	425
S68.3	...	-	-	-	S75.7	...	-	-	-	S82.9	...	17	17	17
S68.4	...	-	-	-	S75.8	...	-	-	-	S83.0	...	3	3	3
S68.8	...	-	-	-	S75.9	...	8	8	8	S83.1	...	9	9	9
S68.9	...	1	1	1	S76.0	...	1	1	1	S83.2	...	7	7	7
S69.7	...	-	-	-	S76.1	...	6	6	6	S83.3	...	-	-	-
S69.8	...	-	-	-	S76.2	...	-	-	-	S83.4	...	1	1	1
S69.9	...	61	61	61	S76.3	...	-	-	-	S83.5	...	-	-	-
S70.0	...	3	3	3	S76.4	...	3	3	3	S83.6	...	2	2	2
S70.1	...	1	1	1	S76.7	...	-	-	-	S83.7	...	-	-	-
S70.7	...	-	-	-	S77.0	...	-	-	-	S84.0	...	1	1	1
S70.8	...	-	-	-	S77.1	...	1	1	1	S84.1	...	-	-	-
S70.9	...	45	45	45	S78.0	...	1	1	1	S84.2	...	-	-	-
S71.0	...	61	61	61	S78.1	...	-	-	-	S84.7	...	-	-	-
S71.1	...	177	177	177	S78.9	...	-	-	-	S84.8	...	-	-	-
S71.7	...	-	-	-	S79.7	...	-	-	-	S84.9	...	-	-	-
S71.8	...	-	-	-	S79.8	...	-	-	-	S85.0	...	1	1	1
S72.0	...	12,931	12,931	12,933	S79.9	...	824	824	824	S85.1	...	2	2	2
S72.1	...	618	618	618	S80.0	...	2	2	2	S85.2	...	-	-	-
S72.2	...	25	25	25	S80.1	...	2	2	2	S85.3	...	1	1	1
S72.3	...	26	26	26	S80.7	...	-	-	-	S85.4	...	-	-	-
S72.4	...	72	72	72	S80.8	...	-	-	-	S85.5	...	1	1	1
S72.7	...	4	4	4	S80.9	...	8	8	8	S85.7	...	-	-	-
S72.8	...	6	6	6	S81.0	...	17	17	17	S85.8	...	-	-	-
S72.9	...	4,595	4,595	4,595	S81.7	...	-	-	-	S85.9	...	3	3	3
S73.0	...	87	87	87	S81.8	...	6	6	6	S86.0	...	5	5	5
S73.1	...	1	1	1	S81.9	...	11	11	11	S86.1	...	-	-	-
S74.0	...	-	-	-	S82.0	...	100	100	100	S86.2	...	-	-	-
S74.1	...	-	-	-	S82.1	...	38	38	38	S86.3	...	-	-	-
S74.2	...	-	-	-	S82.2	...	446	446	446	S86.7	...	-	-	-
S74.7	...	-	-	-	S82.3	...	6	6	6	S86.8	...	2	2	2
S74.8	...	-	-	-	S82.4	...	302	302	302	S86.9	...	-	-	-
S74.9	...	-	-	-	S82.5	...	3	3	3	S87.0	...	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
S87.8	...	-	-	-	S94.1	...	-	-	-	T01.9	...	5,152	5,152	5,152
S88.0	...	2	2	2	S94.2	...	-	-	-	T02.1	...	39	39	39
S88.1	...	1	1	1	S94.3	...	-	-	-	T02.2	...	4	4	4
S88.9	...	2	2	2	S94.7	...	-	-	-	T02.3	...	6	6	7
S89.7	...	1	1	1	S94.8	...	-	-	-	T02.4	...	10	10	10
S89.8	...	-	-	-	S94.9	...	-	-	-	T02.5	...	195	195	195
S89.9	...	48	48	48	S95.0	...	-	-	-	T02.8	...	-	-	-
S90.0	...	2	2	2	S95.1	...	-	-	-	T02.9	...	355	355	355
S90.1	...	-	-	-	S95.2	...	-	-	-	T03.1	...	-	-	-
S90.2	...	-	-	-	S95.7	...	-	-	-	T03.2	...	-	-	-
S90.3	...	1	1	1	S95.8	...	-	-	-	T03.3	...	-	-	-
S90.7	...	-	-	-	S95.9	...	2	2	2	T03.8	...	1	1	1
S90.8	...	-	-	-	S96.0	...	-	-	-	T03.9	...	-	-	-
S90.9	...	3	3	3	S96.1	...	-	-	-	T04.1	...	48	48	48
S91.0	...	26	26	26	S96.2	...	-	-	-	T04.2	...	4	4	4
S91.1	...	5	5	5	S96.7	...	-	-	-	T04.3	...	24	24	24
S91.2	...	-	-	-	S96.8	...	-	-	-	T04.8	...	-	-	-
S91.3	...	111	111	111	S96.9	...	1	1	1	T04.9	...	14	14	14
S91.7	...	-	-	-	S97.0	...	-	-	-	T05.0	...	-	-	-
S92.0	...	8	8	8	S97.1	...	-	-	-	T05.2	...	-	-	-
S92.1	...	2	2	2	S97.8	...	1	1	1	T05.3	...	1	1	1
S92.2	...	-	-	-	S98.0	...	-	-	-	T05.5	...	1	1	1
S92.3	...	11	11	11	S98.1	...	-	-	-	T05.8	...	9	9	9
S92.4	...	2	2	2	S98.2	...	1	1	1	T05.9	...	-	-	-
S92.5	...	5	5	5	S98.3	...	-	-	-	T06.2	...	-	-	-
S92.7	...	1	1	1	S98.4	...	2	2	2	T06.3	...	3	3	3
S92.9	...	40	40	40	S99.7	...	1	1	1	T06.4	...	-	-	-
S93.0	...	6	6	6	S99.8	...	1	1	1	T06.5	...	161	161	161
S93.1	...	-	-	-	S99.9	...	72	72	72	T07	...	18,472	18,472	18,478
S93.2	...	-	-	-	T00.2	...	-	-	-	T08	...	903	903	903
S93.3	...	-	-	-	T00.3	...	-	-	-	T09.0	...	19	19	19
S93.4	...	8	8	8	T00.8	...	-	-	-	T09.1	...	2,785	2,785	2,785
S93.5	...	-	-	-	T00.9	...	15	15	15	T09.2	...	15	15	15
S93.6	...	-	-	-	T01.2	...	40	40	40	T09.3	...	918	918	918
S94.0	...	-	-	-	T01.3	...	26	26	26	T09.4	...	6	6	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary			
T09.5	...	1	1	1	T15.1	...	-	-	-	T21.1	...	-	-	-
T09.6	...	1	1	1	T15.8	...	1	1	1	T21.2	...	4	4	4
T09.8	...	2	2	2	T15.9	...	3	3	3	T21.3	...	12	12	12
T09.9	...	6,169	6,169	6,169	T16	...	-	-	-	T21.4	...	-	-	-
T10	...	163	163	164	T17.0	...	1	1	1	T21.5	...	-	-	-
T11.0	...	15	15	15	T17.1	...	2	2	2	T21.6	...	-	-	-
T11.1	...	624	624	624	T17.2	...	13	13	13	T21.7	...	-	-	-
T11.2	...	-	-	-	T17.3	...	12	12	12	T22.0	...	12	12	12
T11.3	...	-	-	-	T17.4	...	33	33	33	T22.1	...	-	-	-
T11.4	...	25	25	25	T17.5	...	37	37	37	T22.2	...	4	4	4
T11.5	...	1	1	1	T17.8	...	345	345	345	T22.3	...	5	5	5
T11.6	...	13	13	13	T17.9	...	17,166	17,166	17,176	T22.4	...	1	1	1
T11.8	...	1	1	1	T18.0	...	1	1	1	T22.5	...	-	-	-
T11.9	...	297	297	297	T18.1	...	10	10	10	T22.6	...	-	-	-
T12	...	299	299	299	T18.2	...	1	1	1	T22.7	...	-	-	-
T13.0	...	48	48	48	T18.3	...	3	3	3	T23.0	...	8	8	8
T13.1	...	631	631	631	T18.4	...	1	1	1	T23.1	...	-	-	-
T13.2	...	1	1	1	T18.5	...	-	-	-	T23.2	...	-	-	-
T13.3	...	-	-	-	T18.8	...	-	-	-	T23.3	...	-	-	-
T13.4	...	15	15	15	T18.9	...	19	19	19	T23.4	...	-	-	-
T13.5	...	4	4	4	T19.0	...	-	-	-	T23.5	...	-	-	-
T13.6	...	37	37	37	T19.1	...	3	3	3	T23.6	...	-	-	-
T13.8	...	4	4	4	T19.2	...	-	-	-	T23.7	...	-	-	-
T13.9	...	985	985	985	T19.3	...	-	-	-	T24.0	...	26	26	26
T14.0	...	252	252	252	T19.8	...	-	-	-	T24.1	...	-	-	-
T14.1	...	30,516	30,516	30,516	T19.9	...	4	4	4	T24.2	...	4	4	4
T14.2	...	933	933	933	T20.0	...	72	72	72	T24.3	...	9	9	9
T14.3	...	36	36	36	T20.1	...	-	-	-	T24.4	...	-	-	-
T14.4	...	131	131	131	T20.2	...	6	6	6	T24.5	...	-	-	-
T14.5	...	277	277	277	T20.3	...	7	7	7	T24.6	...	-	-	-
T14.6	...	42	42	42	T20.4	...	-	-	-	T24.7	...	-	-	-
T14.7	...	362	362	362	T20.5	...	-	-	-	T25.0	...	17	17	17
T14.8	...	403	403	403	T20.6	...	-	-	-	T25.1	...	-	-	-
T14.9	...	20,056	20,056	20,063	T20.7	...	-	-	-	T25.2	...	-	-	-
T15.0	...	-	-	-	T21.0	...	120	120	120	T25.3	...	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field		
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary
T25.4	...	-	-	T30.3	...	67	67	T34.0	...	-	-
T25.5	...	-	-	T30.4	...	8	8	T34.1	...	-	-
T25.6	...	-	-	T30.5	...	-	-	T34.2	...	-	-
T25.7	...	-	-	T30.6	...	1	1	T34.3	...	-	-
T26.0	...	-	-	T30.7	...	-	-	T34.4	...	-	-
T26.1	...	-	-	T31.0	...	10	10	T34.5	...	-	-
T26.2	...	-	-	T31.1	...	18	18	T34.6	...	-	-
T26.3	...	-	-	T31.2	...	25	25	T34.7	...	-	-
T26.4	...	-	-	T31.3	...	23	23	T34.8	...	-	-
T26.5	...	-	-	T31.4	...	12	12	T34.9	...	-	-
T26.6	...	-	-	T31.5	...	13	13	T35.0	...	-	-
T26.7	...	-	-	T31.6	...	14	14	T35.1	...	-	-
T26.8	...	-	-	T31.7	...	22	22	T35.2	...	-	-
T26.9	...	-	-	T31.8	...	27	27	T35.3	...	-	-
T27.0	...	1	1	T31.9	...	172	172	T35.4	...	1	1
T27.1	...	3	3	T32.0	...	-	-	T35.5	...	4	4
T27.2	...	3	3	T32.1	...	-	-	T35.6	...	-	-
T27.3	...	239	239	T32.2	...	-	-	T35.7	...	12	12
T27.4	...	-	-	T32.3	...	-	-	T36.0	...	4	4
T27.5	...	-	-	T32.4	...	-	-	T36.1	...	3	3
T27.6	...	-	-	T32.5	...	-	-	T36.2	...	-	-
T27.7	...	1	1	T32.6	...	-	-	T36.3	...	3	3
T28.0	...	2	2	T32.7	...	-	-	T36.4	...	-	-
T28.1	...	1	1	T32.8	...	-	-	T36.5	...	4	4
T28.2	...	-	-	T32.9	...	-	-	T36.6	...	-	-
T28.3	...	-	-	T33.0	...	-	-	T36.7	...	2	2
T28.4	...	-	-	T33.1	...	-	-	T36.8	...	16	16
T28.5	...	-	-	T33.2	...	-	-	T36.9	...	4	4
T28.6	...	-	-	T33.3	...	-	-	T37.0	...	1	1
T28.7	...	1	1	T33.4	...	-	-	T37.1	...	2	2
T28.8	...	-	-	T33.5	...	-	-	T37.2	...	14	14
T28.9	...	-	-	T33.6	...	-	-	T37.3	...	-	-
T30.0	...	2,552	2,552	T33.7	...	-	-	T37.4	...	67	67
T30.1	...	1	1	T33.8	...	-	-	T37.5	...	-	-
T30.2	...	22	22	T33.9	...	-	-	T37.8	...	22	22

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field		
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary
T37.9	...	-	-	T42.1	...	72	72	T45.8	...	14	14
T38.0	...	-	-	T42.2	...	1	1	T45.9	...	-	-
T38.1	...	5	5	T42.3	...	399	399	T46.0	...	95	95
T38.2	...	-	-	T42.4	...	11,977	11,977	T46.1	...	224	224
T38.3	...	166	166	T42.5	...	4	4	T46.2	...	159	159
T38.4	...	-	-	T42.6	...	3,004	3,004	T46.3	...	6	6
T38.5	...	-	-	T42.7	...	172	172	T46.4	...	14	14
T38.6	...	-	-	T42.8	...	464	464	T46.5	...	73	73
T38.7	...	4	4	T43.0	...	1,456	1,456	T46.6	...	4	4
T38.8	...	1	1	T43.1	...	3	3	T46.7	...	6	6
T38.9	...	-	-	T43.2	...	4,507	4,507	T46.8	...	-	-
T39.0	...	120	120	T43.3	...	417	417	T46.9	...	4	4
T39.1	...	776	776	T43.4	...	24	24	T47.0	...	1	1
T39.2	...	4	4	T43.5	...	1,810	1,810	T47.1	...	3	3
T39.3	...	66	66	T43.6	...	11,956	11,956	T47.2	...	-	-
T39.4	...	-	-	T43.8	...	13	13	T47.3	...	2	2
T39.8	...	19	19	T43.9	...	8	8	T47.4	...	3	3
T39.9	...	-	-	T44.0	...	-	-	T47.5	...	10	10
T40.0	...	8	8	T44.1	...	23	23	T47.6	...	167	167
T40.1	...	15,690	15,690	T44.2	...	1	1	T47.7	...	-	-
T40.2	...	15,115	15,115	T44.3	...	46	46	T47.8	...	-	-
T40.3	...	3,336	3,336	T44.4	...	-	-	T47.9	...	-	-
T40.4	...	28,869	28,869	T44.5	...	1	1	T48.0	...	2	2
T40.5	...	14,879	14,879	T44.6	...	3	3	T48.1	...	926	926
T40.6	...	2,517	2,517	T44.7	...	274	274	T48.2	...	-	-
T40.7	...	862	862	T44.8	...	3	3	T48.3	...	437	437
T40.8	...	23	23	T44.9	...	197	197	T48.4	...	24	24
T40.9	...	10	10	T45.0	...	2,680	2,680	T48.5	...	3	3
T41.0	...	55	55	T45.1	...	129	129	T48.6	...	5	5
T41.1	...	339	339	T45.2	...	1	1	T48.7	...	4	4
T41.2	...	148	148	T45.3	...	1	1	T49.0	...	8	8
T41.3	...	38	38	T45.4	...	3	3	T49.1	...	2	2
T41.4	...	9	9	T45.5	...	123	123	T49.2	...	6	6
T41.5	...	1	1	T45.6	...	1	1	T49.3	...	3	3
T42.0	...	31	31	T45.7	...	2	2	T49.4	...	14	14

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary			
T49.5	...	2	2	2	T53.7	...	2	2	2	T60.0	...	3	3	3
T49.6	...	3	3	3	T53.9	...	3	3	3	T60.1	...	1	1	1
T49.7	...	-	-	-	T54.0	...	1	1	1	T60.2	...	15	15	15
T49.8	...	1	1	1	T54.1	...	1	1	1	T60.3	...	8	8	8
T49.9	...	-	-	-	T54.2	...	15	15	15	T60.4	...	1	1	1
T50.0	...	1	1	1	T54.3	...	26	26	26	T60.8	...	1	1	1
T50.1	...	8	8	8	T54.9	...	16	16	16	T60.9	...	7	7	7
T50.2	...	11	11	11	T55	...	3	3	3	T61.0	...	-	-	-
T50.3	...	15	15	15	T56.0	...	4	4	4	T61.1	...	-	-	-
T50.4	...	2	2	2	T56.1	...	2	2	2	T61.2	...	-	-	-
T50.5	...	100	100	100	T56.2	...	-	-	-	T61.8	...	-	-	-
T50.6	...	8	8	8	T56.3	...	1	1	1	T61.9	...	-	-	-
T50.7	...	33	33	33	T56.4	...	-	-	-	T62.0	...	2	2	2
T50.8	...	6	6	6	T56.5	...	-	-	-	T62.1	...	-	-	-
T50.9	...	32,017	32,017	32,021	T56.6	...	-	-	-	T62.2	...	6	6	6
T51.0	...	9,426	9,426	9,530	T56.7	...	-	-	-	T62.8	...	-	-	-
T51.1	...	62	62	62	T56.8	...	52	52	52	T62.9	...	2	2	2
T51.2	...	69	69	69	T56.9	...	-	-	-	T63.0	...	4	4	4
T51.3	...	3	3	3	T57.0	...	4	4	4	T63.1	...	1	1	1
T51.8	...	11	11	11	T57.1	...	8	8	8	T63.2	...	-	-	-
T51.9	...	6,056	6,056	6,162	T57.2	...	-	-	-	T63.3	...	10	10	10
T52.0	...	7	7	7	T57.3	...	1	1	1	T63.4	...	108	108	108
T52.1	...	3	3	3	T57.8	...	9	9	9	T63.5	...	-	-	-
T52.2	...	6	6	6	T57.9	...	1	1	1	T63.6	...	6	6	6
T52.3	...	6	6	6	T58	...	1,792	1,792	1,792	T63.8	...	1	1	1
T52.4	...	13	13	13	T59.0	...	99	99	99	T63.9	...	5	5	5
T52.8	...	138	138	139	T59.1	...	-	-	-	T64	...	-	-	-
T52.9	...	18	18	18	T59.2	...	-	-	-	T65.0	...	20	20	20
T53.0	...	-	-	-	T59.3	...	-	-	-	T65.1	...	1	1	1
T53.1	...	-	-	-	T59.4	...	3	3	3	T65.2	...	11	11	11
T53.2	...	-	-	-	T59.5	...	-	-	-	T65.3	...	5	5	5
T53.3	...	2	2	2	T59.6	...	14	14	14	T65.4	...	-	-	-
T53.4	...	4	4	4	T59.7	...	20	20	20	T65.5	...	-	-	-
T53.5	...	18	18	18	T59.8	...	2,819	2,819	2,819	T65.6	...	-	-	-
T53.6	...	7	7	7	T59.9	...	800	800	800	T65.8	...	12	12	12

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary		Record axis cause	Record axis total mention	Entity axis secondary			
T65.9	...	481	481	481	T74.8	...	18	18	18	T81.1	...	387	387	387
T66	...	31	31	31	T74.9	...	39	39	39	T81.2	...	368	368	368
T67.0	...	508	508	508	T75.0	...	17	17	17	T81.3	...	218	218	218
T67.1	...	-	-	-	T75.1	...	5,810	5,810	5,812	T81.4	...	1,132	1,132	1,132
T67.2	...	-	-	-	T75.2	...	-	-	-	T81.5	...	3	3	3
T67.3	...	-	-	-	T75.3	...	-	-	-	T81.6	...	2	2	2
T67.4	...	-	-	-	T75.4	...	290	290	290	T81.7	...	935	935	935
T67.5	...	22	22	22	T75.8	...	450	450	450	T81.8	...	1,830	1,830	1,830
T67.6	...	-	-	-	T78.0	...	11	11	11	T81.9	...	118	118	118
T67.7	...	-	-	-	T78.1	...	22	22	22	T82.0	...	44	44	44
T67.8	...	48	48	48	T78.2	...	248	248	248	T82.1	...	58	58	58
T67.9	...	506	506	506	T78.3	...	224	224	224	T82.2	...	15	15	15
T68	...	1,620	1,620	1,621	T78.4	...	111	111	111	T82.3	...	31	31	31
T69.0	...	-	-	-	T78.8	...	-	-	-	T82.4	...	24	24	24
T69.1	...	-	-	-	T78.9	...	-	-	-	T82.5	...	41	41	41
T69.8	...	5	5	5	T79.0	...	51	51	51	T82.6	...	227	227	227
T69.9	...	684	684	684	T79.1	...	82	82	82	T82.7	...	948	948	949
T70.0	...	-	-	-	T79.2	...	-	-	-	T82.8	...	2,420	2,420	2,420
T70.1	...	-	-	-	T79.3	...	34	34	34	T82.9	...	42	42	42
T70.2	...	19	19	19	T79.4	...	679	679	679	T83.0	...	10	10	10
T70.3	...	4	4	4	T79.5	...	2	2	2	T83.1	...	1	1	1
T70.4	...	1	1	1	T79.6	...	166	166	166	T83.2	...	-	-	-
T70.8	...	-	-	-	T79.7	...	124	124	124	T83.3	...	-	-	-
T70.9	...	1	1	1	T79.8	...	11	11	11	T83.4	...	1	1	1
T71	...	16,982	16,982	16,985	T79.9	...	1	1	1	T83.5	...	246	246	246
T73.0	...	52	52	52	T80.0	...	1	1	1	T83.6	...	6	6	6
T73.1	...	8	8	8	T80.1	...	2	2	2	T83.8	...	38	38	38
T73.2	...	1	1	1	T80.2	...	32	32	32	T83.9	...	6	6	6
T73.3	...	24	24	24	T80.3	...	1	1	1	T84.0	...	15	15	15
T73.8	...	-	-	-	T80.4	...	-	-	-	T84.1	...	1	1	1
T73.9	...	4	4	4	T80.5	...	-	-	-	T84.2	...	2	2	2
T74.0	...	64	64	64	T80.6	...	-	-	-	T84.3	...	2	2	2
T74.1	...	11	11	11	T80.8	...	133	133	133	T84.4	...	-	-	-
T74.2	...	2	2	2	T80.9	...	47	47	47	T84.5	...	174	174	174
T74.3	...	-	-	-	T81.0	...	864	864	864	T84.6	...	21	21	21

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field			ICD-10 code	Record count by code field			ICD-10 code	Record count by code field					
	Record axis cause	Record axis total mention	Entity axis second-ary		Record axis cause	Record axis total mention	Entity axis second-ary		Record axis cause	Record axis total mention	Entity axis second-ary			
T84.7	...	29	29	29	T88.8	...	15	15	15	T93.9	...	30	30	30
T84.8	...	172	172	172	T88.9	...	61	61	61	T94.0	...	141	141	141
T84.9	...	8	8	8	T90.0	...	2	2	2	T94.1	...	990	990	990
T85.0	...	33	33	33	T90.1	...	81	81	81	T95.0	...	1	1	1
T85.1	...	1	1	1	T90.2	...	21	21	21	T95.1	...	-	-	-
T85.2	...	-	-	-	T90.3	...	1	1	1	T95.2	...	-	-	-
T85.3	...	-	-	-	T90.4	...	4	4	4	T95.3	...	2	2	2
T85.4	...	1	1	1	T90.5	...	651	651	651	T95.4	...	2	2	2
T85.5	...	36	36	36	T90.8	...	6	6	6	T95.8	...	2	2	2
T85.6	...	41	41	41	T90.9	...	610	610	610	T95.9	...	30	30	30
T85.7	...	163	163	163	T91.0	...	128	128	128	T96	...	114	114	114
T85.8	...	188	188	188	T91.1	...	235	235	235	T97	...	44	44	44
T85.9	...	197	197	197	T91.2	...	89	89	89	T98.0	...	27	27	27
T86.0	...	689	689	689	T91.3	...	785	785	785	T98.1	...	112	112	112
T86.1	...	299	299	299	T91.4	...	7	7	7	T98.2	...	12	12	12
T86.2	...	211	211	211	T91.5	...	20	20	20	T98.3	...	833	833	833
T86.3	...	4	4	4	T91.8	...	71	71	71	U01.0	-	-	-	-
T86.4	...	198	198	198	T91.9	...	246	246	246	U01.1	-	-	-	-
T86.8	...	382	382	382	T92.0	...	3	3	3	U01.2	-	-	-	-
T86.9	...	67	67	67	T92.1	...	45	45	45	U01.3	-	-	-	-
T87.0	...	-	-	-	T92.2	...	4	4	4	U01.4	-	-	-	-
T87.1	...	-	-	-	T92.3	...	1	1	1	U01.5	-	-	-	-
T87.2	...	1	1	1	T92.4	...	-	-	-	U01.6	-	-	-	-
T87.3	...	-	-	-	T92.5	...	-	-	-	U01.7	-	-	-	-
T87.4	...	117	117	117	T92.6	...	2	2	2	U01.8	2	2	-	2
T87.5	...	26	26	26	T92.8	...	1	1	1	U01.9	-	-	-	-
T87.6	...	48	48	48	T92.9	...	4	4	4	U02	-	1	1	1
T88.0	...	-	-	-	T93.0	...	20	20	20	U03.0	-	-	-	-
T88.1	...	-	-	-	T93.1	...	472	472	472	U03.9	-	-	-	-
T88.2	...	1	1	1	T93.2	...	37	37	37	U04.9	-	-	-	-
T88.3	...	2	2	2	T93.3	...	6	6	6	V01.0	3	3	-	3
T88.4	...	7	7	7	T93.4	...	-	-	-	V01.1	5	5	-	5
T88.5	...	12	12	12	T93.5	...	-	-	-	V01.9	1	1	-	1
T88.6	...	43	43	43	T93.6	...	5	5	5	V02.0	3	3	-	3
T88.7	...	189	189	189	T93.8	...	6	6	6	V02.1	29	29	-	29

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
V02.9	1	1	-	1	V12.3	-	-	-	-	V17.3	-	-	-	-
V03.0	214	218	4	218	V12.4	5	5	-	5	V17.4	17	17	-	17
V03.1	2,421	2,439	18	2,439	V12.5	-	-	-	-	V17.5	-	-	-	-
V03.9	14	14	-	14	V12.9	3	3	-	3	V17.9	5	5	-	5
V04.0	73	73	-	73	V13.0	3	3	-	3	V18.0	9	10	1	10
V04.1	213	213	-	213	V13.1	5	5	-	5	V18.1	-	-	-	-
V04.9	7	8	1	8	V13.2	1	1	-	1	V18.2	15	15	-	15
V05.0	30	30	-	30	V13.3	-	-	-	-	V18.3	-	-	-	-
V05.1	29	29	-	29	V13.4	129	129	-	129	V18.4	45	46	1	46
V05.9	348	350	2	350	V13.5	1	1	-	1	V18.5	-	-	-	-
V06.0	-	-	-	-	V13.9	160	163	3	163	V18.9	54	55	1	55
V06.1	1	1	-	1	V14.0	-	-	-	-	V19.0	6	6	-	6
V06.9	-	-	-	-	V14.1	2	2	-	2	V19.1	-	-	-	-
V09.0	195	198	3	198	V14.2	-	-	-	-	V19.2	-	1	1	1
V09.1	23	23	-	23	V14.3	-	-	-	-	V19.3	10	10	-	10
V09.2	3,795	3,819	24	3,818	V14.4	17	17	-	17	V19.4	222	222	-	222
V09.3	12	12	-	12	V14.5	2	2	-	2	V19.5	7	7	-	7
V09.9	33	33	-	33	V14.9	20	20	-	20	V19.6	113	114	1	114
V10.0	-	-	-	-	V15.0	3	3	-	3	V19.8	2	2	-	2
V10.1	-	-	-	-	V15.1	-	-	-	-	V19.9	148	152	4	152
V10.2	-	-	-	-	V15.2	1	1	-	1	V20.0	-	-	-	-
V10.3	-	-	-	-	V15.3	-	-	-	-	V20.1	-	-	-	-
V10.4	-	-	-	-	V15.4	7	7	-	7	V20.2	-	-	-	-
V10.5	-	-	-	-	V15.5	-	-	-	-	V20.3	-	-	-	-
V10.9	-	-	-	-	V15.9	5	5	-	5	V20.4	78	78	-	78
V11.0	-	-	-	-	V16.0	-	-	-	-	V20.5	12	12	-	12
V11.1	-	-	-	-	V16.1	-	-	-	-	V20.9	2	2	-	2
V11.2	1	1	-	1	V16.2	-	-	-	-	V21.0	1	1	-	1
V11.3	-	-	-	-	V16.3	-	-	-	-	V21.1	-	-	-	-
V11.4	-	-	-	-	V16.4	-	-	-	-	V21.2	-	-	-	-
V11.5	-	-	-	-	V16.5	-	-	-	-	V21.3	-	-	-	-
V11.9	3	3	-	3	V16.9	-	-	-	-	V21.4	1	1	-	1
V12.0	-	-	-	-	V17.0	1	1	-	1	V21.5	-	-	-	-
V12.1	-	-	-	-	V17.1	-	-	-	-	V21.9	-	-	-	-
V12.2	-	-	-	-	V17.2	2	2	-	2	V22.0	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis
V22.1	-	-	-	-	V27.1	1	1	-	1	V31.4	-	-	-	-
V22.2	-	-	-	-	V27.2	3	3	-	3	V31.5	-	-	-	-
V22.3	-	-	-	-	V27.3	-	-	-	-	V31.6	-	-	-	-
V22.4	45	45	-	45	V27.4	585	591	6	591	V31.7	-	-	-	-
V22.5	3	3	-	3	V27.5	21	21	-	21	V31.9	-	-	-	-
V22.9	1	1	-	1	V27.9	44	44	-	44	V32.0	-	-	-	-
V23.0	2	2	-	2	V28.0	8	8	-	8	V32.1	-	-	-	-
V23.1	-	-	-	-	V28.1	1	1	-	1	V32.2	-	-	-	-
V23.2	1	1	-	1	V28.2	3	3	-	3	V32.3	-	-	-	-
V23.3	-	-	-	-	V28.3	-	-	-	-	V32.4	-	-	-	-
V23.4	910	912	2	912	V28.4	450	455	5	455	V32.5	-	-	-	-
V23.5	46	46	-	46	V28.5	37	37	-	37	V32.6	-	-	-	-
V23.9	14	15	1	15	V28.9	47	48	1	48	V32.7	-	-	-	-
V24.0	-	-	-	-	V29.0	8	9	1	9	V32.9	-	-	-	-
V24.1	-	-	-	-	V29.1	1	1	-	1	V33.0	-	-	-	-
V24.2	-	-	-	-	V29.2	6	6	-	6	V33.1	-	-	-	-
V24.3	-	-	-	-	V29.3	5	5	-	5	V33.2	-	-	-	-
V24.4	103	103	-	103	V29.4	1,053	1,055	2	1,055	V33.3	-	-	-	-
V24.5	4	4	-	4	V29.5	59	59	-	59	V33.4	-	-	-	-
V24.9	4	4	-	4	V29.6	40	40	-	40	V33.5	3	3	-	3
V25.0	-	-	-	-	V29.8	5	5	-	5	V33.6	-	-	-	-
V25.1	-	-	-	-	V29.9	1,207	1,228	21	1,228	V33.7	-	-	-	-
V25.2	-	-	-	-	V30.0	-	-	-	-	V33.9	-	-	-	-
V25.3	-	-	-	-	V30.1	-	-	-	-	V34.0	-	-	-	-
V25.4	3	3	-	3	V30.2	-	-	-	-	V34.1	-	-	-	-
V25.5	-	-	-	-	V30.3	-	-	-	-	V34.2	-	-	-	-
V25.9	-	1	1	1	V30.4	-	-	-	-	V34.3	-	-	-	-
V26.0	-	-	-	-	V30.5	1	1	-	1	V34.4	-	-	-	-
V26.1	-	-	-	-	V30.6	-	-	-	-	V34.5	-	-	-	-
V26.2	-	-	-	-	V30.7	-	-	-	-	V34.6	-	-	-	-
V26.3	-	-	-	-	V30.9	-	-	-	-	V34.7	-	-	-	-
V26.4	3	3	-	3	V31.0	-	-	-	-	V34.9	1	2	1	1
V26.5	-	-	-	-	V31.1	-	-	-	-	V35.0	-	-	-	-
V26.9	-	-	-	-	V31.2	-	-	-	-	V35.1	-	-	-	-
V27.0	15	15	-	15	V31.3	-	-	-	-	V35.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
V35.3	-	-	-	-	V39.2	-	-	-	-	V43.1	-	-	-	-
V35.4	-	-	-	-	V39.3	-	-	-	-	V43.2	-	-	-	-
V35.5	-	-	-	-	V39.4	2	2	-	2	V43.3	-	-	-	-
V35.6	-	-	-	-	V39.5	-	-	-	-	V43.4	5	5	-	5
V35.7	-	-	-	-	V39.6	-	-	-	-	V43.5	1,670	1,691	21	1,691
V35.9	-	-	-	-	V39.8	-	-	-	-	V43.6	703	709	6	709
V36.0	-	-	-	-	V39.9	4	4	-	4	V43.7	-	-	-	-
V36.1	-	-	-	-	V40.0	1	1	-	1	V43.9	119	120	1	120
V36.2	-	-	-	-	V40.1	-	-	-	-	V44.0	-	-	-	-
V36.3	-	-	-	-	V40.2	-	-	-	-	V44.1	-	-	-	-
V36.4	-	-	-	-	V40.3	-	-	-	-	V44.2	-	-	-	-
V36.5	-	-	-	-	V40.4	-	-	-	-	V44.3	-	-	-	-
V36.6	-	-	-	-	V40.5	9	9	-	9	V44.4	2	2	-	2
V36.7	-	-	-	-	V40.6	5	6	1	6	V44.5	328	329	1	329
V36.9	-	-	-	-	V40.7	1	1	-	1	V44.6	115	116	1	116
V37.0	-	-	-	-	V40.9	1	1	-	1	V44.7	-	-	-	-
V37.1	-	-	-	-	V41.0	-	-	-	-	V44.9	15	16	1	16
V37.2	-	-	-	-	V41.1	-	-	-	-	V45.0	-	-	-	-
V37.3	-	-	-	-	V41.2	-	-	-	-	V45.1	-	-	-	-
V37.4	-	-	-	-	V41.3	-	-	-	-	V45.2	-	-	-	-
V37.5	-	-	-	-	V41.4	-	-	-	-	V45.3	-	-	-	-
V37.6	1	1	-	1	V41.5	-	-	-	-	V45.4	-	-	-	-
V37.7	-	-	-	-	V41.6	-	-	-	-	V45.5	33	33	-	33
V37.9	-	-	-	-	V41.7	-	-	-	-	V45.6	9	9	-	9
V38.0	1	1	-	1	V41.9	-	-	-	-	V45.7	-	-	-	-
V38.1	-	-	-	-	V42.0	-	-	-	-	V45.9	4	4	-	4
V38.2	-	-	-	-	V42.1	-	-	-	-	V46.0	-	-	-	-
V38.3	-	-	-	-	V42.2	-	-	-	-	V46.1	-	-	-	-
V38.4	-	-	-	-	V42.3	-	-	-	-	V46.2	-	-	-	-
V38.5	2	2	-	2	V42.4	-	-	-	-	V46.3	-	-	-	-
V38.6	-	-	-	-	V42.5	10	10	-	10	V46.4	-	-	-	-
V38.7	-	-	-	-	V42.6	2	2	-	2	V46.5	3	3	-	3
V38.9	-	-	-	-	V42.7	-	-	-	-	V46.6	-	-	-	-
V39.0	-	-	-	-	V42.9	1	1	-	1	V46.7	-	-	-	-
V39.1	-	-	-	-	V43.0	-	-	-	-	V46.9	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	second-ary	Entity axis		Record axis cause	Record axis total mention	second-ary	Entity axis		Record axis cause	Record axis total mention	second-ary	Entity axis
V47.0	10	10	-	10	V50.9	-	2	2	2	V54.7	-	-	-	-
V47.1	1	1	-	1	V51.0	-	-	-	-	V54.9	1	1	-	1
V47.2	-	-	-	-	V51.1	-	-	-	-	V55.0	1	1	-	1
V47.3	1	1	-	1	V51.2	-	-	-	-	V55.1	-	-	-	-
V47.4	1	1	-	1	V51.3	-	-	-	-	V55.2	-	-	-	-
V47.5	1,087	1,108	21	1,108	V51.4	-	-	-	-	V55.3	-	-	-	-
V47.6	321	323	2	323	V51.5	2	2	-	2	V55.4	-	-	-	-
V47.7	-	-	-	-	V51.6	-	-	-	-	V55.5	13	13	-	13
V47.9	77	79	2	79	V51.7	-	-	-	-	V55.6	1	1	-	1
V48.0	13	13	-	13	V51.9	-	-	-	-	V55.7	-	-	-	-
V48.1	3	3	-	3	V52.0	-	-	-	-	V55.9	2	2	-	2
V48.2	3	3	-	3	V52.1	-	-	-	-	V56.0	-	-	-	-
V48.3	11	11	-	11	V52.2	-	-	-	-	V56.1	-	-	-	-
V48.4	39	42	3	42	V52.3	-	-	-	-	V56.2	-	-	-	-
V48.5	619	627	8	627	V52.4	-	-	-	-	V56.3	-	-	-	-
V48.6	213	214	1	214	V52.5	2	2	-	2	V56.4	1	1	-	1
V48.7	4	4	-	4	V52.6	1	1	-	1	V56.5	-	-	-	-
V48.9	92	94	2	94	V52.7	-	-	-	-	V56.6	1	1	-	1
V49.0	7	7	-	7	V52.9	-	-	-	-	V56.7	-	-	-	-
V49.1	2	2	-	2	V53.0	1	1	-	1	V56.9	-	-	-	-
V49.2	2	2	-	2	V53.1	1	1	-	1	V57.0	3	3	-	3
V49.3	11	13	2	13	V53.2	-	-	-	-	V57.1	1	1	-	1
V49.4	362	367	5	367	V53.3	-	-	-	-	V57.2	1	1	-	1
V49.5	197	199	2	199	V53.4	-	-	-	-	V57.3	-	-	-	-
V49.6	47	48	1	48	V53.5	202	202	-	202	V57.4	3	3	-	3
V49.8	2	3	1	3	V53.6	55	56	1	56	V57.5	239	245	6	245
V49.9	1,087	1,126	39	1,126	V53.7	-	-	-	-	V57.6	37	37	-	37
V50.0	-	-	-	-	V53.9	4	4	-	4	V57.7	-	-	-	-
V50.1	-	-	-	-	V54.0	-	-	-	-	V57.9	17	17	-	17
V50.2	-	-	-	-	V54.1	-	-	-	-	V58.0	4	4	-	4
V50.3	-	-	-	-	V54.2	-	-	-	-	V58.1	10	10	-	10
V50.4	-	-	-	-	V54.3	-	-	-	-	V58.2	1	1	-	1
V50.5	2	2	-	2	V54.4	1	1	-	1	V58.3	20	21	1	21
V50.6	1	1	-	1	V54.5	150	151	1	151	V58.4	13	14	1	14
V50.7	-	-	-	-	V54.6	31	31	-	31	V58.5	270	274	4	274

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis		Record axis cause	Record axis mention	second-ary	Entity axis
V58.6	96	97	1	97	V62.5	-	-	-	-	V66.4	-	-	-	-
V58.7	4	4	-	4	V62.6	-	-	-	-	V66.5	1	1	-	1
V58.9	35	36	1	36	V62.7	-	-	-	-	V66.6	-	-	-	-
V59.0	3	3	-	3	V62.9	-	-	-	-	V66.7	-	-	-	-
V59.1	-	-	-	-	V63.0	-	-	-	-	V66.9	-	-	-	-
V59.2	-	-	-	-	V63.1	-	-	-	-	V67.0	1	1	-	1
V59.3	3	3	-	3	V63.2	-	-	-	-	V67.1	-	-	-	-
V59.4	102	102	-	102	V63.3	-	-	-	-	V67.2	-	-	-	-
V59.5	51	52	1	52	V63.4	-	-	-	-	V67.3	-	-	-	-
V59.6	12	13	1	13	V63.5	10	10	-	10	V67.4	-	-	-	-
V59.8	3	3	-	3	V63.6	3	3	-	3	V67.5	47	47	-	47
V59.9	161	162	1	162	V63.7	-	-	-	-	V67.6	2	2	-	2
V60.0	-	-	-	-	V63.9	3	3	-	3	V67.7	-	-	-	-
V60.1	-	-	-	-	V64.0	1	1	-	1	V67.9	-	1	1	1
V60.2	1	1	-	1	V64.1	-	-	-	-	V68.0	1	1	-	1
V60.3	-	-	-	-	V64.2	-	-	-	-	V68.1	-	-	-	-
V60.4	-	-	-	-	V64.3	-	-	-	-	V68.2	-	-	-	-
V60.5	-	-	-	-	V64.4	-	-	-	-	V68.3	1	1	-	1
V60.6	1	1	-	1	V64.5	44	44	-	44	V68.4	6	7	1	7
V60.7	-	-	-	-	V64.6	5	5	-	5	V68.5	101	102	1	102
V60.9	1	1	-	1	V64.7	-	-	-	-	V68.6	10	10	-	10
V61.0	-	-	-	-	V64.9	-	-	-	-	V68.7	-	-	-	-
V61.1	-	-	-	-	V65.0	-	-	-	-	V68.9	8	9	1	9
V61.2	-	-	-	-	V65.1	-	-	-	-	V69.0	-	-	-	-
V61.3	-	-	-	-	V65.2	-	-	-	-	V69.1	-	-	-	-
V61.4	-	-	-	-	V65.3	-	-	-	-	V69.2	-	-	-	-
V61.5	-	-	-	-	V65.4	-	-	-	-	V69.3	1	1	-	1
V61.6	-	-	-	-	V65.5	8	8	-	8	V69.4	29	29	-	29
V61.7	-	-	-	-	V65.6	1	1	-	1	V69.5	7	7	-	7
V61.9	-	-	-	-	V65.7	-	-	-	-	V69.6	4	4	-	4
V62.0	-	-	-	-	V65.9	-	-	-	-	V69.8	3	3	-	3
V62.1	-	-	-	-	V66.0	-	-	-	-	V69.9	57	60	3	60
V62.2	-	-	-	-	V66.1	-	-	-	-	V70.0	-	-	-	-
V62.3	-	-	-	-	V66.2	-	-	-	-	V70.1	-	-	-	-
V62.4	-	-	-	-	V66.3	-	-	-	-	V70.2	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
V70.3	-	-	-	-	V74.2	-	-	-	-	V78.1	1	1	-	1
V70.4	-	-	-	-	V74.3	-	-	-	-	V78.2	1	1	-	1
V70.5	-	-	-	-	V74.4	-	-	-	-	V78.3	-	-	-	-
V70.6	-	-	-	-	V74.5	1	1	-	1	V78.4	7	9	2	9
V70.7	-	-	-	-	V74.6	-	-	-	-	V78.5	1	1	-	1
V70.9	-	-	-	-	V74.7	-	-	-	-	V78.6	4	4	-	4
V71.0	-	-	-	-	V74.9	-	-	-	-	V78.7	-	3	3	3
V71.1	-	-	-	-	V75.0	-	-	-	-	V78.9	-	-	-	-
V71.2	-	-	-	-	V75.1	-	-	-	-	V79.0	-	-	-	-
V71.3	-	-	-	-	V75.2	-	-	-	-	V79.1	-	-	-	-
V71.4	-	-	-	-	V75.3	-	-	-	-	V79.2	1	1	-	1
V71.5	-	-	-	-	V75.4	-	-	-	-	V79.3	-	-	-	-
V71.6	-	-	-	-	V75.5	-	-	-	-	V79.4	1	1	-	1
V71.7	-	-	-	-	V75.6	3	3	-	3	V79.5	3	3	-	3
V71.9	-	-	-	-	V75.7	-	-	-	-	V79.6	1	1	-	1
V72.0	-	-	-	-	V75.9	-	-	-	-	V79.8	-	-	-	-
V72.1	-	-	-	-	V76.0	-	-	-	-	V79.9	2	2	-	2
V72.2	-	-	-	-	V76.1	-	-	-	-	V80.0	61	64	3	64
V72.3	-	-	-	-	V76.2	-	-	-	-	V80.1	2	2	-	2
V72.4	-	-	-	-	V76.3	-	-	-	-	V80.2	-	-	-	-
V72.5	-	-	-	-	V76.4	-	-	-	-	V80.3	-	-	-	-
V72.6	-	-	-	-	V76.5	-	-	-	-	V80.4	11	11	-	11
V72.7	-	-	-	-	V76.6	-	-	-	-	V80.5	4	5	1	5
V72.9	-	-	-	-	V76.7	-	-	-	-	V80.6	-	-	-	-
V73.0	-	-	-	-	V76.9	-	-	-	-	V80.7	-	-	-	-
V73.1	-	-	-	-	V77.0	-	-	-	-	V80.8	-	-	-	-
V73.2	-	-	-	-	V77.1	-	-	-	-	V80.9	4	4	-	4
V73.3	-	-	-	-	V77.2	-	-	-	-	V81.0	1	1	-	1
V73.4	-	-	-	-	V77.3	-	-	-	-	V81.1	-	-	-	-
V73.5	-	-	-	-	V77.4	-	-	-	-	V81.2	-	-	-	-
V73.6	3	3	-	3	V77.5	-	-	-	-	V81.3	-	-	-	-
V73.7	-	-	-	-	V77.6	1	1	-	1	V81.4	2	2	-	2
V73.9	-	-	-	-	V77.7	-	-	-	-	V81.5	-	-	-	-
V74.0	-	-	-	-	V77.9	-	1	1	1	V81.6	8	8	-	8
V74.1	-	-	-	-	V78.0	-	1	1	1	V81.7	3	3	-	3

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Entity axis secondary	Entity axis		Record axis cause	Record axis mention	Entity axis secondary	Entity axis		Record axis cause	Record axis mention	Entity axis secondary	Entity axis
V81.8	1	1	-	1	V85.5	6	6	-	6	V89.2	12,076	12,448	372	12,448
V81.9	2	2	-	2	V85.6	1	1	-	1	V89.3	-	-	-	-
V82.0	-	-	-	-	V85.7	5	5	-	5	V89.9	169	176	7	176
V82.1	-	-	-	-	V85.9	6	6	-	6	V90.0	-	-	-	-
V82.2	-	-	-	-	V86.0	256	261	5	261	V90.1	-	-	-	-
V82.3	-	-	-	-	V86.1	48	49	1	49	V90.2	7	7	-	7
V82.4	-	-	-	-	V86.2	1	1	-	1	V90.3	5	5	-	5
V82.5	-	-	-	-	V86.3	24	24	-	24	V90.4	1	1	-	1
V82.6	-	-	-	-	V86.4	3	3	-	3	V90.5	50	50	-	50
V82.7	-	-	-	-	V86.5	401	407	6	407	V90.6	9	10	1	10
V82.8	-	-	-	-	V86.6	65	65	-	65	V90.7	-	-	-	-
V82.9	-	-	-	-	V86.7	5	5	-	5	V90.8	4	4	-	4
V83.0	1	1	-	1	V86.9	202	208	6	208	V90.9	99	99	-	99
V83.1	-	-	-	-	V87.0	97	98	1	98	V91.0	-	-	-	-
V83.2	-	-	-	-	V87.1	59	59	-	59	V91.1	-	-	-	-
V83.3	-	-	-	-	V87.2	67	67	-	67	V91.2	-	-	-	-
V83.4	-	-	-	-	V87.3	8	8	-	8	V91.3	8	8	-	8
V83.5	4	4	-	4	V87.4	76	78	2	78	V91.4	-	-	-	-
V83.6	-	-	-	-	V87.5	-	-	-	-	V91.5	-	-	-	-
V83.7	1	1	-	1	V87.6	6	6	-	6	V91.6	-	-	-	-
V83.9	-	-	-	-	V87.7	4,852	4,909	57	4,908	V91.7	2	2	-	2
V84.0	30	30	-	30	V87.8	4	5	1	5	V91.8	-	-	-	-
V84.1	3	3	-	3	V87.9	3	3	-	3	V91.9	40	41	1	41
V84.2	1	1	-	1	V88.0	-	-	-	-	V92.0	-	-	-	-
V84.3	5	5	-	5	V88.1	-	-	-	-	V92.1	-	-	-	-
V84.4	-	-	-	-	V88.2	-	-	-	-	V92.2	1	1	-	1
V84.5	28	29	1	29	V88.3	-	-	-	-	V92.3	5	5	-	5
V84.6	1	1	-	1	V88.4	-	-	-	-	V92.4	4	4	-	4
V84.7	9	9	-	9	V88.5	-	-	-	-	V92.5	35	36	1	36
V84.9	43	43	-	43	V88.6	-	-	-	-	V92.6	21	21	-	21
V85.0	6	8	2	8	V88.7	15	16	1	16	V92.7	1	1	-	1
V85.1	-	-	-	-	V88.8	2	2	-	2	V92.8	5	6	1	6
V85.2	-	-	-	-	V88.9	3	3	-	3	V92.9	111	114	3	114
V85.3	-	-	-	-	V89.0	93	96	3	96	V93.0	-	-	-	-
V85.4	-	-	-	-	V89.1	4	4	-	4	V93.1	1	1	-	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record cause	Record axis total mention	second- ary	Entity axis		Record cause	Record axis total mention	second- ary	Entity axis		Record cause	Record axis total mention	second- ary	Entity axis
V93.2	-	-	-	-	V98	-	-	-	-	W33	54	55	1	55
V93.3	-	-	-	-	V99	2	2	-	2	W34	340	369	29	369
V93.4	-	-	-	-	W00	109	117	8	117	W35	5	5	-	5
V93.5	-	-	-	-	W01	744	872	128	872	W36	5	5	-	5
V93.6	-	-	-	-	W02	78	78	-	78	W37	11	11	-	11
V93.7	-	-	-	-	W03	8	9	1	9	W38	2	2	-	2
V93.8	-	-	-	-	W04	35	42	7	42	W39	8	8	-	8
V93.9	9	9	-	9	W05	605	706	101	706	W40	122	125	3	125
V94.0	-	-	-	-	W06	1,035	1,248	213	1,248	W41	-	-	-	-
V94.1	-	-	-	-	W07	371	431	60	431	W42	-	-	-	-
V94.2	2	2	-	2	W08	145	155	10	155	W43	-	-	-	-
V94.3	4	4	-	4	W09	5	6	1	6	W44	26	31	5	31
V94.4	-	-	-	-	W10	2,493	2,632	139	2,632	W45	4	5	1	5
V94.5	4	5	1	5	W11	518	533	15	533	W46	-	-	-	-
V94.6	3	3	-	3	W12	51	52	1	52	W49	20	26	6	26
V94.7	1	1	-	1	W13	553	565	12	565	W50	8	11	3	11
V94.8	-	1	1	1	W14	69	72	3	72	W51	5	6	1	6
V94.9	34	35	1	35	W15	105	106	1	106	W52	-	-	-	-
V95.0	33	33	-	33	W16	41	44	3	44	W53	-	-	-	-
V95.1	13	13	-	13	W17	520	557	37	557	W54	36	43	7	43
V95.2	20	20	-	20	W18	12,173	14,347	2,174	14,346	W55	73	78	5	78
V95.3	2	2	-	2	W19	16,680	22,041	5,361	22,041	W56	2	2	-	2
V95.4	-	-	-	-	W20	659	667	8	667	W57	7	16	9	16
V95.8	4	4	-	4	W21	14	14	-	14	W58	-	-	-	-
V95.9	277	277	-	277	W22	133	143	10	143	W59	-	1	1	1
V96.0	-	-	-	-	W23	121	131	10	131	W60	-	-	-	-
V96.1	4	5	1	5	W24	57	59	2	59	W64	9	13	4	13
V96.2	5	5	-	5	W25	37	37	-	37	W65	500	578	78	578
V96.8	2	2	-	2	W26	5	6	1	6	W66	13	16	3	16
V96.9	-	-	-	-	W27	4	6	2	6	W67	659	682	23	682
V97.0	3	3	-	3	W28	88	93	5	93	W68	64	66	2	66
V97.1	-	-	-	-	W29	14	14	-	14	W69	1,576	1,640	64	1,640
V97.2	19	19	-	19	W30	265	269	4	269	W70	219	225	6	225
V97.3	3	3	-	3	W31	250	255	5	255	W73	138	140	2	140
V97.8	-	-	-	-	W32	92	92	-	92	W74	540	606	66	606

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis		Record axis cause	Record axis total mention	Record axis second-ary	Entity axis
W75	1,044	1,063	19	1,063	X16	20	23	3	23	X48	7	13	6	13
W76	213	218	5	218	X17	-	1	1	1	X49	235	365	130	364
W77	25	26	1	26	X18	5	5	-	5	X50	11	18	7	18
W78	286	1,045	759	1,045	X19	7	8	1	8	X51	-	-	-	-
W79	1,537	2,522	985	2,522	X20	4	5	1	5	X52	-	1	1	1
W80	3,393	16,731	13,338	16,730	X21	8	10	2	10	X53	27	38	11	38
W81	5	5	-	5	X22	-	-	-	-	X54	-	4	4	4
W83	36	38	2	38	X23	89	94	5	94	X57	1	1	-	1
W84	407	498	91	498	X24	-	-	-	-	X58	61	85	24	85
W85	63	63	-	63	X25	9	12	3	12	X59.0	2,956	9,022	6,066	9,022
W86	49	49	-	49	X26	-	-	-	-	X59.9	3,650	6,563	2,913	6,561
W87	142	149	7	149	X27	-	-	-	-	X60	142	152	10	152
W88	-	-	-	-	X28	-	-	-	-	X61	1,069	1,216	147	1,216
W89	-	-	-	-	X29	1	3	2	3	X62	616	704	88	704
W90	-	-	-	-	X30	465	789	324	789	X63	64	65	1	65
W91	1	2	1	2	X31	804	1,656	852	1,656	X64	3,206	3,393	187	3,393
W92	1	2	1	2	X32	-	2	2	2	X65	44	1,245	1,201	1,245
W93	-	1	1	1	X33	19	20	1	20	X66	113	114	1	114
W94	9	14	5	14	X34.0	-	-	-	-	X67	1,224	1,251	27	1,251
W99	-	-	-	-	X34.1	-	-	-	-	X68	13	13	-	13
X00	2,235	2,277	42	2,276	X34.8	-	-	-	-	X69	63	73	10	73
X01	102	104	2	104	X34.9	-	-	-	-	X70	13,075	13,119	44	13,119
X02	14	16	2	16	X35	-	-	-	-	X71	479	501	22	501
X03	29	29	-	29	X36	13	13	-	13	X72	6,227	6,229	2	6,229
X04	118	130	12	130	X37	132	166	34	166	X73	2,864	2,869	5	2,869
X05	6	6	-	6	X38	27	27	-	27	X74	14,763	14,794	31	14,794
X06	91	94	3	94	X39	14	51	37	51	X75	4	5	1	5
X08	50	55	5	55	X40	237	305	68	305	X76	196	209	13	209
X09	167	242	75	242	X41	5,527	6,968	1,441	6,968	X77	-	-	-	-
X10	6	7	1	7	X42	29,288	30,763	1,475	30,762	X78	846	903	57	903
X11	31	37	6	37	X43	18	26	8	26	X79	1	2	1	2
X12	6	7	1	7	X44	26,241	27,457	1,216	27,457	X80	1,124	1,131	7	1,131
X13	6	6	-	6	X45	2,265	13,127	10,862	13,127	X81	650	651	1	651
X14	6	6	-	6	X46	44	52	8	52	X82	171	175	4	175
X15	3	5	2	5	X47	933	1,011	78	1,011	X83	66	108	42	108

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis		Record axis cause	Record axis total mention	Record axis secondary	Entity axis
X84	87	125	38	125	Y10	27	32	5	32	Y36.2	-	-	-	-
X85	142	214	72	214	Y11	312	376	64	376	Y36.3	-	-	-	-
X86	-	1	1	1	Y12	1,916	1,990	74	1,990	Y36.4	-	-	-	-
X87	-	-	-	-	Y13	4	5	1	5	Y36.5	-	-	-	-
X88	4	7	3	7	Y14	1,428	1,523	95	1,523	Y36.6	-	-	-	-
X89	1	74	73	74	Y15	57	662	605	662	Y36.7	-	-	-	-
X90	4	7	3	7	Y16	10	12	2	12	Y36.8	-	-	-	-
X91	512	556	44	556	Y17	85	94	9	94	Y36.9	-	2	2	2
X92	35	39	4	39	Y18	1	1	-	1	Y40.0	2	12	10	12
X93	1,076	1,080	4	1,080	Y19	14	18	4	18	Y40.1	2	5	3	5
X94	520	521	1	521	Y20	156	175	19	175	Y40.2	-	-	-	-
X95	12,946	12,961	15	12,961	Y21	285	299	14	299	Y40.3	-	1	1	1
X96	1	1	-	1	Y22	41	42	1	42	Y40.4	-	1	1	1
X97	129	149	20	149	Y23	24	24	-	24	Y40.5	-	-	-	-
X98	4	4	-	4	Y24	273	278	5	278	Y40.6	-	-	-	-
X99	1,721	1,792	71	1,792	Y25	2	2	-	2	Y40.7	1	2	1	2
Y00	106	114	8	114	Y26	167	175	8	175	Y40.8	5	25	20	25
Y01	6	6	-	6	Y27	-	-	-	-	Y40.9	8	87	79	88
Y02	2	3	1	3	Y28	39	42	3	42	Y41.0	1	2	1	2
Y03	50	52	2	52	Y29	7	10	3	10	Y41.1	-	1	1	1
Y04	102	109	7	109	Y30	119	119	-	119	Y41.2	-	-	-	-
Y05	1	3	2	3	Y31	36	36	-	36	Y41.3	-	-	-	-
Y06.0	1	1	-	1	Y32	12	13	1	13	Y41.4	-	-	-	-
Y06.1	1	1	-	1	Y33	111	177	66	177	Y41.5	-	2	2	2
Y06.2	-	-	-	-	Y34	621	740	119	740	Y41.8	-	4	4	4
Y06.8	2	3	1	3	Y35.0	553	553	-	553	Y41.9	-	-	-	-
Y06.9	23	52	29	52	Y35.1	-	-	-	-	Y42.0	1	20	19	20
Y07.0	-	-	-	-	Y35.2	-	-	-	-	Y42.1	-	-	-	-
Y07.1	2	2	-	2	Y35.3	-	-	-	-	Y42.2	-	17	17	17
Y07.2	-	-	-	-	Y35.4	-	-	-	-	Y42.3	5	29	24	29
Y07.3	-	-	-	-	Y35.5	24	25	1	25	Y42.4	-	6	6	6
Y07.8	2	2	-	2	Y35.6	31	40	9	40	Y42.5	-	2	2	2
Y07.9	124	130	6	130	Y35.7	5	7	2	7	Y42.6	-	-	-	-
Y08	270	305	35	305	Y36.0	-	-	-	-	Y42.7	11	183	172	183
Y09	1,482	1,608	126	1,608	Y36.1	-	-	-	-	Y42.8	1	6	5	6

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
Y42.9	-	-	-	-	Y46.8	-	4	4	4	Y51.5	-	2	2	2
Y43.0	1	2	1	2	Y47.0	-	-	-	-	Y51.6	-	-	-	-
Y43.1	2	44	42	44	Y47.1	2	6	4	6	Y51.7	2	5	3	5
Y43.2	-	1	1	1	Y47.2	-	-	-	-	Y51.8	-	-	-	-
Y43.3	18	1,532	1,514	1,532	Y47.3	-	-	-	-	Y51.9	1	4	3	4
Y43.4	20	705	685	705	Y47.4	-	-	-	-	Y52.0	-	3	3	3
Y43.5	-	-	-	-	Y47.5	-	-	-	-	Y52.1	1	5	4	5
Y43.6	-	1	1	1	Y47.8	-	-	-	-	Y52.2	3	61	58	61
Y43.8	-	-	-	-	Y47.9	1	7	6	7	Y52.3	-	-	-	-
Y43.9	-	-	-	-	Y48.0	-	1	1	1	Y52.4	8	14	6	14
Y44.0	-	-	-	-	Y48.1	-	-	-	-	Y52.5	1	4	3	4
Y44.1	-	-	-	-	Y48.2	1	14	13	14	Y52.6	1	6	5	6
Y44.2	114	1,981	1,867	1,981	Y48.3	5	24	19	24	Y52.7	-	1	1	1
Y44.3	3	29	26	29	Y48.4	1	32	31	32	Y52.8	1	2	1	2
Y44.4	-	1	1	1	Y48.5	-	5	5	5	Y52.9	-	-	-	-
Y44.5	3	107	104	107	Y49.0	1	2	1	2	Y53.0	-	-	-	-
Y44.6	-	1	1	1	Y49.1	-	-	-	-	Y53.1	-	-	-	-
Y44.7	-	-	-	-	Y49.2	1	7	6	7	Y53.2	-	-	-	-
Y44.9	-	1	1	1	Y49.3	-	-	-	-	Y53.3	-	-	-	-
Y45.0	10	62	52	62	Y49.4	-	3	3	3	Y53.4	-	1	1	1
Y45.1	3	27	24	27	Y49.5	-	10	10	10	Y53.5	-	-	-	-
Y45.2	-	8	8	8	Y49.6	-	-	-	-	Y53.6	-	-	-	-
Y45.3	4	48	44	48	Y49.7	-	27	27	27	Y53.7	-	-	-	-
Y45.4	1	1	-	-	Y49.8	1	2	1	2	Y53.8	-	-	-	-
Y45.5	3	17	14	17	Y49.9	-	2	2	2	Y53.9	-	-	-	-
Y45.8	-	5	5	5	Y50.0	-	-	-	-	Y54.0	-	-	-	-
Y45.9	-	4	4	4	Y50.1	1	1	-	1	Y54.1	-	-	-	-
Y46.0	-	-	-	-	Y50.2	-	-	-	-	Y54.2	1	1	-	1
Y46.1	-	-	-	-	Y50.8	-	-	-	-	Y54.3	-	3	3	3
Y46.2	-	-	-	-	Y50.9	-	-	-	-	Y54.4	-	-	-	-
Y46.3	-	-	-	-	Y51.0	-	-	-	-	Y54.5	-	13	13	13
Y46.4	-	1	1	1	Y51.1	-	-	-	-	Y54.6	1	2	1	2
Y46.5	-	3	3	3	Y51.2	-	-	-	-	Y54.7	-	-	-	-
Y46.6	-	3	3	3	Y51.3	-	2	2	2	Y54.8	1	2	1	2
Y46.7	-	1	1	1	Y51.4	-	-	-	-	Y54.9	-	-	-	-

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis		Record axis cause	Record axis mention	Record axis secondary	Entity axis
Y55.0	-	-	-	-	Y58.8	-	-	-	-	Y62.8	1	2	1	2
Y55.1	-	-	-	-	Y58.9	-	-	-	-	Y62.9	-	-	-	-
Y55.2	-	-	-	-	Y59.0	1	1	-	1	Y63.0	-	-	-	-
Y55.3	-	-	-	-	Y59.1	-	-	-	-	Y63.1	-	-	-	-
Y55.4	-	-	-	-	Y59.2	-	-	-	-	Y63.2	-	4	4	4
Y55.5	-	-	-	-	Y59.3	-	-	-	-	Y63.3	-	2	2	2
Y55.6	-	-	-	-	Y59.8	-	-	-	-	Y63.4	-	-	-	-
Y55.7	-	-	-	-	Y59.9	-	2	2	2	Y63.5	-	1	1	1
Y56.0	-	1	1	1	Y60.0	34	178	144	178	Y63.6	-	-	-	-
Y56.1	-	-	-	-	Y60.1	1	3	2	3	Y63.8	1	1	-	1
Y56.2	-	-	-	-	Y60.2	4	9	5	9	Y63.9	1	1	-	1
Y56.3	-	-	-	-	Y60.3	-	-	-	-	Y64.0	-	6	6	6
Y56.4	1	1	-	1	Y60.4	18	41	23	41	Y64.1	-	-	-	-
Y56.5	-	-	-	-	Y60.5	4	25	21	25	Y64.8	-	-	-	-
Y56.6	-	-	-	-	Y60.6	3	15	12	15	Y64.9	-	-	-	-
Y56.7	-	-	-	-	Y60.7	2	2	-	2	Y65.0	-	2	2	2
Y56.8	-	1	1	1	Y60.8	14	58	44	58	Y65.1	-	-	-	-
Y56.9	-	-	-	-	Y60.9	5	17	12	17	Y65.2	-	-	-	-
Y57.0	-	-	-	-	Y61.0	-	1	1	1	Y65.3	-	1	1	1
Y57.1	-	1	1	1	Y61.1	-	1	1	1	Y65.4	-	1	1	1
Y57.2	-	1	1	1	Y61.2	-	-	-	-	Y65.5	-	-	-	-
Y57.3	-	-	-	-	Y61.3	-	-	-	-	Y65.8	21	56	35	56
Y57.4	-	-	-	-	Y61.4	-	-	-	-	Y66	-	-	-	-
Y57.5	8	68	60	68	Y61.5	-	1	1	1	Y69	-	-	-	-
Y57.6	-	3	3	3	Y61.6	-	-	-	-	Y70.0	-	-	-	-
Y57.7	-	-	-	-	Y61.7	-	-	-	-	Y70.1	-	-	-	-
Y57.8	4	29	25	29	Y61.8	1	1	-	1	Y70.2	-	-	-	-
Y57.9	207	627	420	627	Y61.9	-	1	1	1	Y70.3	-	-	-	-
Y58.0	-	-	-	-	Y62.0	-	-	-	-	Y70.8	-	-	-	-
Y58.1	-	-	-	-	Y62.1	-	-	-	-	Y71.0	-	-	-	-
Y58.2	-	-	-	-	Y62.2	-	-	-	-	Y71.1	-	-	-	-
Y58.3	-	-	-	-	Y62.3	-	-	-	-	Y71.2	-	-	-	-
Y58.4	-	-	-	-	Y62.4	-	1	1	1	Y71.3	-	-	-	-
Y58.5	-	-	-	-	Y62.5	-	-	-	-	Y71.8	-	-	-	-
Y58.6	-	-	-	-	Y62.6	-	-	-	-	Y72.0	-	1	1	1

Number of resident deaths tabulated by mention of an underlying cause, record axis multiple cause or entity axis multiple cause of death by ICD-10 category: United States, 2017

ICD-10 code	Record count by code field				ICD-10 code	Record count by code field				ICD-10 code	Record count by code field			
	Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis		Record axis cause	Record axis mention	Record axis second-ary	Entity axis
Y72.1	-	-	-	-	Y79.1	-	-	-	-	Y84.7	-	-	-	-
Y72.2	-	-	-	-	Y79.2	-	-	-	-	Y84.8	395	2,014	1,619	2,014
Y72.3	-	-	-	-	Y79.3	-	-	-	-	Y84.9	9	92	83	92
Y72.8	-	-	-	-	Y79.8	-	-	-	-	Y85.0	854	1,061	207	1,061
Y73.0	-	-	-	-	Y80.0	-	-	-	-	Y85.9	11	12	1	12
Y73.1	-	-	-	-	Y80.1	-	-	-	-	Y86	1,190	2,486	1,296	2,486
Y73.2	-	1	1	1	Y80.2	-	-	-	-	Y87.0	66	76	10	76
Y73.3	-	-	-	-	Y80.3	-	-	-	-	Y87.1	239	263	24	263
Y73.8	-	-	-	-	Y80.8	-	-	-	-	Y87.2	50	79	29	79
Y74.0	-	-	-	-	Y81.0	-	-	-	-	Y88.0	2	28	26	28
Y74.1	-	-	-	-	Y81.1	-	-	-	-	Y88.1	4	10	6	10
Y74.2	-	-	-	-	Y81.2	-	-	-	-	Y88.2	2	15	13	15
Y74.3	-	-	-	-	Y81.3	-	-	-	-	Y88.3	77	942	865	942
Y74.8	-	-	-	-	Y81.8	-	-	-	-	Y89.0	3	3	-	3
Y75.0	-	-	-	-	Y82.0	-	-	-	-	Y89.1	5	25	20	25
Y75.1	-	-	-	-	Y82.1	-	-	-	-	Y89.9	2	4	2	4
Y75.2	-	-	-	-	Y82.2	-	-	-	-					
Y75.3	-	-	-	-	Y82.3	-	-	-	-					
Y75.8	-	-	-	-	Y82.8	-	2	2	2					
Y76.0	-	-	-	-	Y83.0	318	1,845	1,527	1,845					
Y76.1	-	-	-	-	Y83.1	605	3,529	2,924	3,528					
Y76.2	-	-	-	-	Y83.2	366	2,898	2,532	2,898					
Y76.3	-	-	-	-	Y83.3	184	737	553	737					
Y76.8	-	-	-	-	Y83.4	153	1,085	932	1,085					
Y77.0	-	-	-	-	Y83.5	127	436	309	436					
Y77.1	-	-	-	-	Y83.6	243	1,533	1,290	1,533					
Y77.2	-	-	-	-	Y83.8	138	647	509	647					
Y77.3	-	-	-	-	Y83.9	767	2,878	2,111	2,878					
Y77.8	-	-	-	-	Y84.0	11	90	79	90					
Y78.0	-	-	-	-	Y84.1	129	1,616	1,487	1,616					
Y78.1	-	-	-	-	Y84.2	129	956	827	956					
Y78.2	1	1	-	1	Y84.3	-	3	3	3					
Y78.3	-	-	-	-	Y84.4	7	41	34	41					
Y78.8	-	-	-	-	Y84.5	-	-	-	-					
Y79.0	-	-	-	-	Y84.6	207	497	290	497					