#### FIJ - 1 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
RECTYPE Generated		Generated variable
		AGE = ALL and PINJ3M = $1$ / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
1-2		Record Type
	2,935	70 Injury Episode
Sources: None Recodes: None Keywords: None Notes: None		
SRVY_YR Generated		Generated variable
Generated		AGE = ALL and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
3-6		Survey Year
	2,935	1997 1997
Sources: None Recodes: None Keywords: survey Notes: None	year	

#### FIJ - 2 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Variable Universe Universe Description	Date last modified 10/26/99
Location		Variable Label	
	Freq.	Value / Value Labels	
HHX Generated		Generated variable	
Generated		AGE = ALL and PINJ3M	= 1 / All injury episodes
		Injury episodes for p injury during the pas	ersons who had at least one t 3 months
7-12		Household Serial Numb	er

Sources: None Recodes: None

Keywords: household number

Notes: Use this variable to identify individual households.

Generated variable

Generated

AGE = ALL and PINJ3M = 1 / All injury episodes

Injury episodes for persons who had at least one injury during the past 3 months

13-14

Family Serial Number

Sources: None Recodes: None

Keywords: family number

Notes: Use this variable in combination with HHX to identify individual

families.

#### FIJ - 3 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question	Date last modified 10/26/99
Question No.		Variable Universe	
Location		Universe Description Variable Label	
Hocacion	Freq.	Value / Value Labels	
PX Conserved		Generated variable	
Generated		AGE = ALL and PINJ3M	= 1 / All injury episodes
		Injury episodes for p injury during the pas	ersons who had at least one t 3 months
15-16		Person Number	

Sources: None Recodes: None

Keywords: person number

Notes: Use this variable in combination with HHX and FMX to identify

individual persons.

INJEPNO Generated		Generated variable
Generated		AGE = ALL and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
17		Injury episode number
	2,794 123 15 3	<pre>1 First injury episode 2 Second injury episode 3 Third injury episode 4 Fourth injury episode</pre>

Sources: None Recodes: None Keywords: injury

Notes: Use this variable in combination with HHX, FMX, and PX to identify

injury episodes for individual persons.

#### FIJ - 4 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
IJDATE_M		When did injury happen?
FIJ.040		
		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
18-19		Month of injury
	203	01 January
	216	02 February
	254	03 March
	238	04 April
	247	05 May
	258	06 June
	239	07 July
	243	08 August
	237	09 September
	293	10 October
	242	11 November
	187	12 December
	6	97 Refused
	4	98 Not ascertained
	68	99 Don't know
Sources: None Recodes: DAY		

Keywords: injury; date Notes: None

#### FIJ - 5 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
DAY FIJ Recode		Recode  AGE = All and PINJ3M = 1 / All injury episodes  Injury episodes for persons who had at least one injury during the past 3 months
20-21	314 328 317 303 313 356 324 10 4	Day of week of injury  01 Sunday 02 Monday 03 Tuesday 04 Wednesday 05 Thursday 06 Friday 07 Saturday 97 Refused 98 Not ascertained 99 Don't know

Sources: IJDATE\_M; IJDATE\_D; IJDATE\_Y

Recodes: None

Keywords: injury; day

Notes: This variable was calculated using the date as reported by the respondent. In many cases, there appears to be a preference for choosing the 1st, 15th, 20th, and 30th as the day of the month (i.e.

heaping). This variable should be used with caution.

## FIJ - 6 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	Freq.	Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label Value / Value Labels
IJDATE_Y FIJ.040		When did injury happen?  AGE = All and PINJ3M = 1 / All injury episodes  Injury episodes for persons who had at least one injury during the past 3 months
22-25	182 2,453 3 0 297 0	Year of injury  1996 1996 1997 1997 1998 1998 9997 Refused 9998 Not ascertained 9999 Don't know
Sources: None		

Sources: None Recodes: DAY

Keywords: injury; date

Notes: None

RPCKDM FIJ Recode		Recode	2
FID RECOGE		AGE =	All and PINJ3M = 1 / All injury episodes
			episodes for persons who had at least one during the past 3 months
26-27		Time b	etween interview and injury dates
	2,236 17 38 178 208 178 80	00-91 92 93 94 95 96 98	0-91 days 92-99 days Same month as interview Month before month of interview 2 months before month of interview 3 or 4 months before month of interview Not ascertained

Sources: RPCKD; RPCKM

Recodes: None

Keywords: injury; elapsed time

Notes: This variable was calculated by subtracting the date of the injury episode from the closing date of the interview. If the exact date was unknown but month was known, codes 93-96 were assigned as appropriate. For more information about this variable see the Survey Description

document.

#### FIJ - 7 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	Freq.	Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label Value / Value Labels
CAUS FIJ.080		None  AGE = All and PINJ3M = 1 / All injury episodes  Injury episodes for persons who had at least one injury during the past 3 months
28	411 5 46 3 1,030 1,430 3 0	Cause of injury  1 Vehicle as transportation (see Notes below) 2 Gun/being shot 3 Fire/burn/scald related 4 Near drowning/water in lungs 5 Fall 6 Other 7 Refused 8 Not ascertained 9 Don't know

Sources: None Recodes: None

Keywords: injury; vehicle; fire; fall

Notes: Vehicle as transportation, including motor

vehicle/bicycle/motorcycle/pedestrian/train/boat/airplane. The interviewer answered this question based on responses that were given

to questions FIJ.050 (IJTYPE) and FIJ.070 (IJHOW).

## FIJ - 8 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label
ECAUS FIJ Recode		Recode  AGE = All and PINJ3M = 1 / All injury episodes  Injury episodes for persons who had at least one injury during the past 3 months
29-30	415 58 1,032 319 467 60 238 56 290 0	Cause of injury based on E codes  Ol Transportation (see Notes below) Ole Fire/burn/scald related Ole Fire/burn/sc

Sources: ECODE\_1

Recodes: ECAUS1CT, ECAUS2CT, ECAUS3CT, ECAUS4CT, ECAUS5CT, ECAUS6CT, ECAUS7CT,

ECAUS8CT, ECAUS9CT

Keywords: injury; transportation; fire; fall; overexertion; struck by; animal;

insect; cut; machinery
Notes: Transportation includes motor

vehicle/bicycle/motorcycle/pedestrian/train/boat/airplane. This variable describes the cause of the injury using categories based on ICD-9-CM external cause codes (E codes). See External Cause Codes Included in Variable ECAUS Categories Appendix for a list of E codes found in each category.

#### FIJ - 9 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Ouestion Date last modified 10/26/99
Question No.		Variable Universe
~		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
MVWHO		{Were/Was} {person} injured as the driver of a vehicle, a passenger in a vehicle, a bicycle rider, or as a pedestrian?
FIJ.090		
		AGE = All and PINJ3M = 1 and CAUS = 1
		Injury episodes for persons who had at least one injury during the past 3 months caused by a vehicle used for transportation
31		Injured as a driver, pass, rider, or ped
	231 116 43	<pre>1 Driver of a vehicle 2 Passenger in a vehicle 3 Bicycle rider</pre>
	14	4 Pedestrian
	3	7 Refused
	0	8 Not ascertained
	4	9 Don't know
	2,524	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; driver; passenger; bicycle rider; pedestrian

#### FIJ - 10 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Ouestion No.		Question Date last modified 10/26/99 Variable Universe
200000000000000000000000000000000000000		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
MVTYP FIJ.100		What type of vehicle {were/was} {person} in?
F10.100		AGE = All and PINJ3M = 1 and CAUS = 1 and MVWHO = 1 or 2
		Injury episodes for persons who had at least one injury during the past 3 months while a driver or passenger in a vehicle
32-33		Type of vehicle injured person was in
	239	01 Passenger car
	47	02 Light truck (pickups, vans, utility vehicles)
	3	03 Bus
	12	04 Large truck
	19	05 Motorcycles (including mopeds, minibikes)
	7	06 All terrain vehicle or ski/snow-mobile
	1	07 Farm equipment (tractor)
	2	08 Airplane
	4	09 Boat
	0	10 Train
	13	11 Other
	0	97 Refused
	0	98 Not ascertained
	0	99 Don't know
	2,588	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; type of vehicle

#### FIJ - 11 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question	Date last modified 10/26/99
Question No.		Variable Universe	
		Universe Description	
Location		Variable Label	
	Freq.	Value / Value Labels	
SBELT		, , , , ,	earing a safety belt or ty seat at the time of the
FIJ.120			
		AGE = All and PINJ3M 1 or 2 and MVTYP = 01	= 1 and CAUS = 1 and MVWHO = , 02, or 04
			ersons who had at least one t 3 months while a driver or truck
34		Wearing sbelt/in csea	t attot accident
	232 61 0 5 2,637	1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" td="" univer<=""><td>se&gt;</td></blank:>	se>

Sources: None Recodes: None

Keywords: injury; safety belt; safety seat

#### FIJ - 12 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
HELMT		{Were/Was} {person} wearing a helmet at the time of the accident?
FIJ.130		
		AGE = All and PINJ3M = 1 and MVWHO = 3 or MVTYP = $05 \text{ or } 06$
		Injury episodes for persons who had at least one injury during the past 3 months while riding a bicycle, motorcycle (including mopeds, minibikes), or an all terrain vehicle or ski/snow mobile
35		Wearing helmet at time of accident
	26	1 Yes
	42	2 No
	0	7 Refused
	0	8 Not ascertained
	1	9 Don't know
	2,866	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; helmet

#### FIJ - 13 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
MVHIT FIJ.140		What type of vehicle {were/was} {person} struck by?  AGE = All and PINJ3M = 1 and MVWHO = 4  Injury episodes for persons who had at least one injury during the past 3 months that involved being struck by a vehicle while a pedestrian
36-37	7 2 0 0 1 0 1 0 0 0 3 0 0 0 2,921	Type of vehicle striking pedestrian  01 Passenger car 02 Light truck (pickups, vans, utility vehicles) 03 Bus 04 Large truck 05 Motorcycle (including mopeds, minibikes) 06 All terrain vehicle or ski or snow-mobile 07 Farm equipment (tractor) 08 Bicycle 09 Train 10 Boat (includes all on water vehicles) 11 Other 97 Refused 98 Not ascertained 99 Don't know <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; type of vehicle; pedestrian

#### FIJ - 14 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
BURN FIJ.150		What was it that burned/scalded {person}?
110.130		AGE = All and PINJ3M = 1 and CAUS = $3$
		Injury episodes for persons who had at least one injury during the past 3 months caused by fire/burn/scald related
38-39		Cause of burn/scald
	0 3 2 0 1 1 0 9 7 9 12 0 0 2 2,889	Ol Cigarette, cigar, pipe Ol Cooking unit Ol Heater Ol Wiring Ol Motor vehicle battery caps, radiator caps Ole Fireworks Ole Other explosive Ole Water or steam Ole Food Ole Chemicals O
Sources: None		

Recodes: None

Keywords: injury; burn

### FIJ - 15 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE

2,935	RECORDS
-------	---------

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
WATER FIJ.160		What body of water was involved?
110.100		AGE = All and PINJ3M = 1 and CAUS = $4$
		Injury episodes for persons who had at least one injury during the past 3 months that involved water
40		Body of water involved in injury
	0	1 Bathtub
	2	2 Swimming pool
	0	3 Lake, pond
	1	4 Bay, ocean, sea
	0	5 River, creek
	0	6 Other
	0	7 Refused
	0	8 Not ascertained
	0	9 Don't know
	2,932	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; water

#### FIJ - 16 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe
Location	Freq.	Universe Description Variable Label Value / Value Labels
FALL1 FIJ.170		How did {person} fall?  AGE = All and PINJ3M = 1 and CAUS = 5
		Injury episodes for persons who had at least one injury during the past 3 months due to a fall
41		Fell on or down escalator
	1 1,016 1 0 12 1,905	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:></pre>

Sources: None Recodes: None

Keywords: injury; fall; escalator

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 17 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
FALL2 FIJ.170		How did {person} fall?  AGE = All and PINJ3M = 1 and CAUS = 5  Injury episodes for persons who had at least one injury during the past 3 months due to a fall
42	117 900 1 0 12 1,905	Fell on or down stairs or steps  1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; stairs

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 18 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe
~		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
FALL3 FIJ.170		How did {person} fall?
2201270		AGE = All and PINJ3M = 1 and CAUS = $5$
		Injury episodes for persons who had at least one injury during the past 3 months due to a fall
43		Fell on floor/ground level
	377	1 Mentioned
	640	2 Not mentioned
	1	7 Refused
	0	8 Not ascertained
	12	9 Don't know
	1,905	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; floor; ground

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 19 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
FALL4 FIJ.170		How did {person} fall?
		AGE = All and PINJ3M = 1 and CAUS = $5$
		Injury episodes for persons who had at least one injury during the past 3 months due to a fall
44		Fell on or down from curb/sidewalk
	107	1 Mentioned
	910	2 Not mentioned
	1	7 Refused
	0	8 Not ascertained
	12	9 Don't know
	1,905	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; curb; sidewalk

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 20 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
FALL5 FIJ.170		How did {person} fall?
		AGE = All and PINJ3M = 1 and CAUS = $5$
		Injury episodes for persons who had at least one injury during the past 3 months due to a fall
45		Fell on or from ladder or scaffolding
	39	1 Mentioned
	978	2 Not mentioned
	1	7 Refused
	0	8 Not ascertained
	12	9 Don't know
	1,905	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; ladder; scaffolding

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 21 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe
~		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
FALL6		How did {person} fall?
1101170		AGE = All and PINJ3M = 1 and CAUS = $5$
		Injury episodes for persons who had at least one injury during the past 3 months due to a fall
46		Fell on or from playground equipment
	44	1 Mentioned
	973	2 Not mentioned
	1	7 Refused
	0	8 Not ascertained
	12	9 Don't know
	1,905	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; playground equipment

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 22 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
FALL7 FIJ.170		How did {person} fall?  AGE = All and PINJ3M = 1 and CAUS = 5  Injury episodes for persons who had at least one injury during the past 3 months due to a fall
47	22 995 1 0 12 1,905	Fell from building or other structure  1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; building

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 23 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
FALL8 FIJ.170		How did {person} fall?  AGE = All and PINJ3M = 1 and CAUS = 5  Injury episodes for persons who had at least one injury during the past 3 months due to a fall
48	77 940 1 0 12 1,905	Fell from chair/bed/other furniture  1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; chair; bed; furniture

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 24 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe
Location	Freq.	Universe Description Variable Label Value / Value Labels
FALL9 FIJ.170		How did {person} fall?  AGE = All and PINJ3M = 1 and CAUS = 5  Injury episodes for persons who had at least one injury during the past 3 months due to a fall
49	5 1,012 1 0 12 1,905	Fell from tree  1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; tree

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 25 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
FALL10 FIJ.170		How did {person} fall?
		AGE = All and PINJ3M = 1 and CAUS = $5$
		Injury episodes for persons who had at least one injury during the past 3 months due to a fall
50		Fell from toilet, commode
	8	1 Mentioned
	1,009	2 Not mentioned
	. 1	7 Refused
	0	8 Not ascertained
	12	9 Don't know
	1,905	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; toilet

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 26 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
FALL11 FIJ.170		How did {person} fall?
		AGE = All and PINJ3M = 1 and CAUS = $5$
		Injury episodes for persons who had at least one injury during the past 3 months due to a fall
51		Fell in bathtub, shower
	20	1 Mentioned
	997	2 Not mentioned
	1	7 Refused
	0	8 Not ascertained
	12	9 Don't know
	1,905	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; bathtub; shower

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 27 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
FALL12 FIJ.170		How did {person} fall?  AGE = All and PINJ3M = 1 and CAUS = 5  Injury episodes for persons who had at least one injury during the past 3 months due to a fall
52	1 1,016 1 0 12 1,905	Fell into swimming pool  1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; swimming pool

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 28 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
FALL13 FIJ.170		How did {person} fall?
		AGE = All and PINJ3M = 1 and CAUS = $5$
		Injury episodes for persons who had at least one injury during the past 3 months due to a fall
53		Fell into hole or other opening
	32	1 Mentioned
	985	2 Not mentioned
	1	7 Refused
	0	8 Not ascertained
	12	9 Don't know
	1,905	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall; hole

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 29 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
FALL14 FIJ.170		How did {person} fall?
		AGE = All and PINJ3M = 1 and CAUS = $5$
		Injury episodes for persons who had at least one injury during the past 3 months due to a fall
54		Fell: other
	258	1 Mentioned
	759	2 Not mentioned
	1	7 Refused
	0	8 Not ascertained
	12	9 Don't know
	1,905	<blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; fall

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables FALL $_1$  and FALL $_2$ 

#### FIJ - 30 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.  Location Freq.	Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label Value / Value Labels
FWHY FIJ.180	What caused {person} to fall?  AGE = All and PINJ3M = 1 and CAUS = 5  Injury episodes for persons who had at least one injury during the past 3 months due to a fall
55 590 62 45 150 173 1 0 9 1,905	Cause of fall  1 Slipping, tripping, or stumbling 2 Jumping or diving 3 Collision with/pushing, shoving by other person 4 Loss of balance/dizziness/fainting/seizure 5 Something else 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:>
Sources: None Recodes: None Keywords: injury; fall Notes: None	

#### FIJ - 31 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
GUNTP FIJ.190		What kind of gun was it?
		AGE = All and PINJ3M = 1 and CAUS = $2$
		Injury episodes for persons who had at least one injury during the past 3 months due to a gun/being shot
56		Kind of gun causing injury
	4 0 0 1 0 0 0 2,930	<pre>1 Firearm (handgun, shotgun, rifle) 2 BB or pellet gun 3 Dart gun 4 Other 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:></pre>
Sources: None Recodes: None Keywords: injur	cv: gun	

Keywords: injury; gun Notes: None

#### FIJ - 32 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT1		What {were/was} {person} doing when the injury(s) happened?
FIJ.200		AGE = All and PINJ3M = $1$ / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
57		Driving
	226 2,678 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT1CT

Keywords: injury; driving

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

#### FIJ - 33 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	2	Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT2		What {were/was} {person} doing when the injury(s) happened?
FIJ.200		AGE = All and PINJ3M = $1$ / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
58		Working at paid job
	557 2,347 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT2CT

Keywords: injury; working at paid job

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

# FIJ - 34 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Nam Question No.	e	Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT3 FIJ.200		What {were/was} {person} doing when the injury(s) happened?
		AGE = All and PINJ3M = $1$ / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
59		Working around the house or yard
	303 2,601 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT3CT

Keywords: injury; working around the house

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

#### FIJ - 35 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	2	Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT4 FIJ.200		What {were/was} {person} doing when the injury(s) happened?
		AGE = All and PINJ3M = $1$ / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
60		Attending school
	86 2,818 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT4CT

Keywords: injury; school

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

#### FIJ - 36 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT5		What {were/was} {person} doing when the injury(s) happened?
FIJ.200		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
61		Unpaid work (housework, volunteer)
	89 2,815 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT5CT

Keywords: injury; unpaid work

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

#### FIJ - 37 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	2	Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT6		What {were/was} {person} doing when the injury(s) happened?
FIJ.200		AGE = All and PINJ3M = 1 / All injury episodes  Injury episodes for persons who had at least one
		injury during the past 3 months
62		Sports (organized team or individual)
	382 2,522 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT6CT

Keywords: injury; sports

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

#### FIJ - 38 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	2	Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT7		What {were/was} {person} doing when the injury(s) happened?
FIJ.200		AGE = All and PINJ3M = $1$ / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
63		Leisure activity (excluding sports)
	651 2,253 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT7CT

Keywords: injury; leisure activity

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

#### FIJ - 39 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT8		What {were/was} {person} doing when the injury(s) happened?
FIJ.200		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
64		Sleeping, resting, eating, drinking
	89 2,815 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT8CT

Keywords: injury; sleeping; resting; eating; drinking

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

#### FIJ - 40 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	2	Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label
Hocación	Freq.	Value / Value Labels
WHAT9		What {were/was} {person} doing when the injury(s) happened?
FIJ.200		AGE = All and PINJ3M = $1$ / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
65		Cooking
	33 2,871 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT9CT

Keywords: injury; cooking

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

# FIJ - 41 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT10		What {were/was} {person} doing when the injury(s) happened?
FIJ.200		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
66		Hands on care from other person
	31 2,873 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT10CT

Keywords: injury; being cared for; hands on care

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

#### FIJ - 42 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	е	Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHAT11		What {were/was} {person} doing when the injury(s) happened?
FIJ.200		AGE = All and PINJ3M = $1$ / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
67		Other
	511 2,393 7 0 24	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHAT11CT Keywords: injury

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHAT\_1 and WHAT\_2  $\,$ 

# FIJ - 43 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHER1		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
68		Home (inside)
	729 2,177 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER1CT

Keywords: injury; home

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

# FIJ - 44 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHER2		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
69		Home (outside)
	517 2,389 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER2CT

Keywords: injury; home

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

# FIJ - 45 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHER3		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
70		School (not residential)
	184 2,722 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER3CT

Keywords: injury; school

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

#### FIJ - 46 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHER4		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
71		Child care center or preschool
	8 2,898 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER4CT

Keywords: injury; preschool

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER\_1 and WHER\_2

# FIJ - 47 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHER5		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
72		Residential institution (excl. hospital)
	23 2,883 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER5CT

Keywords: injury; residential institution

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

#### FIJ - 48 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Ouestion Date last modified 10/26/99
Ouestion No.		Variable Universe
~		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
WHER6		Where {were/was} {person} when the injury(s) happened?
FIJ.220		
		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
73		Health care facility (incl. hospital)
	58	1 Mentioned
	2,848	2 Not mentioned
	7	7 Refused
	0	8 Not ascertained
	22	9 Don't know

Sources: None Recodes: WHER6CT

Keywords: injury; health care facility

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

# FIJ - 49 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHER7		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
74		Street/highway
	398 2,508 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER7CT

Keywords: injury; street; highway

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

#### FIJ - 50 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHER8		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
75		Parking lot
	63 2,843 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER8CT

Keywords: injury; parking lot

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

#### FIJ - 51 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Labels Value / Value Labels
WHER9		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
76		Sport facility, athletic field, playgnd
	203 2,703 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER9CT

Keywords: injury; sport facility; athletic field; playground Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER\_1 and WHER\_2

#### FIJ - 52 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	2	Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Labels Value / Value Labels
WHER10		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
77		Trade and service areas
	172 2,734 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None
Recodes: WHER10CT

Keywords: injury; service areas

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

# FIJ - 53 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Labels Value / Value Labels
WHER11		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
78		Farm
	19 2,887 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER11CT Keywords: injury; farm

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

# FIJ - 54 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label
LOCACION	Freq.	Value / Value Labels
WHER12		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
79		Park/recreation area
	116 2,790 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER12CT

Keywords: injury; park; recreation area

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER\_1 and WHER\_2

# FIJ - 55 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHER13		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
80		River/lake/stream/ocean
	24 2,882 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER13CT

Keywords: injury; river; lake; stream; ocean

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

#### FIJ - 56 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
WHER14		Where {were/was} {person} when the injury(s) happened?
FIJ.220		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
81		Swimming pool
	1 2,905 7 0 22	<pre>1 Mentioned 2 Not mentioned 7 Refused 8 Not ascertained 9 Don't know</pre>

Sources: None Recodes: WHER14CT

Keywords: injury; swimming pool

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

#### FIJ - 57 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Ouestion Date last modified 10/26/99
Question No.		Variable Universe
_		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
WHER15		Where was {person} when the injury(s) happened?
110.220		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
82		Industrial or construction area
	197	1 Mentioned
	2,709	2 Not mentioned
	7	7 Refused
	0	8 Not ascertained
	22	9 Don't know

Sources: None Recodes: WHER15CT

Keywords: injury; industrial; construction

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER\_1 and WHER\_2

#### FIJ - 58 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

' 1 2		7 1 1 10 (06 (00
Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
	1104.	varae / varae Labers
WHER16		Where {were/was} {person} when the injury(s) happened?
FIJ.220		
		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
83		Mine or quarry
	6	1 Mentioned
	2,900	
	•	2 Not mentioned
	7	7 Refused
	0	8 Not ascertained
	22	9 Don't know

Sources: None Recodes: WHER16CT

Keywords: injury; mine; quarry

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

#### FIJ - 59 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
200401011	Freq.	Value / Value Labels
	rreq.	value / value Habels
WHER17		Where {were/was} {person} when the injury(s) happened?
FIJ.220		
		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
84		Other public building
	83	1 Mentioned
	2,823	2 Not mentioned
	2,623 7	
	•	7 Refused
	0	8 Not ascertained
	22	9 Don't know

Sources: None Recodes: WHER17CT

Keywords: injury; public building

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER\_1 and WHER\_2

#### FIJ - 60 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Date last modified 10/26/99
riable Universe
niverse Description
riable Label
lue / Value Labels
ite / value habels
nere {were/was} {person} when the injury(s)
EE = All and PINJ3M = 1 / All injury episodes
njury episodes for persons who had at least one significantly during the past 3 months
her
Mentioned
Not mentioned
Refused
Not ascertained
Don't know

Sources: None Recodes: WHER18CT Keywords: injury

Notes: This variable contains edited data that was recoded into a

"Mentioned"/"Not mentioned" format from variables WHER $_1$  and WHER $_2$ 

#### FIJ - 61 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe
Location	Freq.	Universe Description Variable Label Value / Value Labels
IHOSP		{Were/Was} {person} hospitalized for at least one night as a result of this injury/these injuries?
FIJ.240		AGE = All and PINJ3M = 1 / All injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
86		Hospitalized for injury/injuries
	200 2,731 0 0 4	1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know

Sources: None Recodes: None

Keywords: injury; hospitalized

Notes: Refer to FHOSPYR FAU.050 for a family level question on a related

topic. The data in IHOSP FIJ.240 and FHOSPYR FAU.050 were not compared

for consistency.

#### FIJ - 62 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label
IHNO		How many nights {were/was} {person} in the hospital?
FIJ.250		AGE = All and PINJ3M = 1 and IHOSP = 1
		Injury episodes for persons who had at least one injury during the past 3 months that resulted in hospitalization
87-88		Number of nights hospitalized
	200 0 0 0 0 0 2,735	01-94 1-94 nights 95 95+ nights 97 Refused 98 Not ascertained 99 Don't know <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; hospital

Notes: Refer to HPNITE FAU.110 for a family level question on a related topic. The data in IHNO FIJ.250 and HPNITE FAU.110 were not compared for

consistency.

# FIJ - 63 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe
Location	Freq.	Universe Description Variable Label Value / Value Labels
WKLS FIJ.260		As a result of this injury/these injuries, how much work did {person} miss?
		AGE > 13 years and PINJ3M = 1  Injury episodes for persons > 13 years who had at
89		least one injury during the past 3 months  Days absent from work
	1,071 142 395 334 412 0 0 8 573	<pre>0 None 1 Less than 1 day 2 1 to 5 days 3 Six or more days 6 Not employed at the time of the injury 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:></pre>

Sources: None Recodes: None

Keywords: injury; work; days absent

Notes: Refer to WKDAYR\_1 AHS.040 for a person level question on a related

topic. The data in WKLS FIJ.260 and WKDAYR\_1 AHS.040 were not compared

for consistency.

# FIJ - 64 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe
Location	Freq.	Universe Description Variable Label Value / Value Labels
SCLS		As a result of this injury/injuries, how much school did {person} miss?
110.270		AGE > 4 years and PINJ3M = 1
		Injury episodes for persons > 4 years who had at least one injury during the past 3 months
90		Days absent from school
	1,501 68 183 48 954 0 2 7	<pre>0 None 1 Less than 1 day 2 One to five days 3 Six or more days 6 Not in school at the time of the injury 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:></pre>

Sources: None Recodes: None

Keywords: injury; school; days absent

Notes: Refer to SCHDAYR CHS.220 for a person level question on a related

topic. The data in SCLS FIJ.270 and SCHDAYR CHS.220 were not compared

for consistency.

#### FIJ - 65 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe
Location	Freq.	Universe Description Variable Label Value / Value Labels
IJADL FIJ.280		As a result of this injury/these injuries {do/does} {person} now need the help of other persons with {your/his/her} personal care needs, such as eating, bathing, dressing or getting around the house?
F10.280		AGE > 4 years and PINJ3M = 1
		Injury episodes for persons > 4 years who had at least one injury during the past 3 months
91		Need help with personal care needs
	168 2,593 0 0 2 172	<pre>1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:></pre>

Sources: None Recodes: None

Keywords: injury; personal care needs; adl

#### FIJ - 66 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name	Question	

estion Date last modified 10/26/99

Question No. Variable Universe Universe Description Variable Label

Freq. Value / Value Labels

LIMTM Do you expect {person} will need this help for a total of 6 months or longer?

FIJ.285

AGE > 4 years and PINJ3M = 1 and IJADL = 1

Injury episodes for persons > 4 years who had at least one injury during the past 3 months that

caused ADL limitations

92 Help with personal care needs for 6 mo+

55 1 Yes 93 2 No

0 7 Refused

0 8 Not ascertained 20 9 Don't know

2,767 <Blank: Not in Universe>

Sources: None Recodes: None

Keywords: injury; personal care needs; adl

#### FIJ - 67 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location	_	Variable Label
	Freq.	Value / Value Labels
IJIAD FIJ.290		As a result of this injury/these injuries {do/does} {person} now need the help of other persons in handling routine needs such as everyday household chores, doing necessary business, shopping or getting around for other purposes?
F10.290		AGE > 4 years and PINJ3M = $1$
		Injury episodes for persons > 4 years who had at least one injury during the past 3 months
93		Need help with routine needs
	207 2,553 0 0 3 172	<pre>1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:></pre>

Sources: None Recodes: None

Keywords: injury; routine needs; iadl

#### FIJ - 68 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
HLIMT		Do you expect {person} will need this help for a total of 6 months or longer?
FIJ.295		<u> </u>
		AGE > 4 years and PINJ3M = 1 and IJIAD = 1
		Injury episodes for persons > 4 years who had at least one injury during the past 3 months that caused IADL limitations
94		Need help with routine needs for 6 mo+
	73 104 0 0 30 2,728	<pre>1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:></pre>
	2,720	ADIGINATION THE ONLY CLOCK

Sources: None Recodes: None

Keywords: injury; routine needs; iadl

#### FIJ - 69

### 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE

2,935	RECORDS
-------	---------

Variable Name Question No.	Freq.	Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label Value / Value Labels
ICD9_1 FIJ Coded		Coded
rio coded		AGE = All and PINJ3M = $1 / All$ injury episodes
		Injury episodes for persons who had at least one injury during the past 3 months
95-99		ICD-9-CM diagnosis code
	2,935 0	ICD-9-CM codes 99998 Not ascertained

Sources: None Recodes: None

Keywords: injury; ICD-9-CM

Notes: ICD-9-CM codes were assigned according to responses given to questions

FIJ.050 to FIJ.220. See the ICD-9-CM Code Book for text descriptions

of ICD-9-CM codes.

ICD9_2 FIJ Coded		Coded
		AGE = All and PINJ3M = 1 and injury episodes for persons who had more than one injury during an injury episode
		Injury episodes for persons who had at least one injury during the past 3 months and had more than one injury during an injury episode
100-104		ICD-9-CM diagnosis code
	426 2 2,507	ICD-9-CM codes 99998 Not ascertained <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; ICD-9-CM

Notes: ICD-9-CM codes were assigned according to responses given to questions

FIJ.050 to FIJ.220. See the ICD-9-CM Code Book for text descriptions

of ICD-9-CM codes.

#### FIJ - 70 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	Freq.	Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label Value / Value Labels
ICD9_3 FIJ Coded		Coded  AGE = All and PINJ3M = 1 and injury episodes for persons who had more than two injuries during an injury episode
		Injury episodes for persons who had at least one injury during the past 3 months and had more than two injuries during an injury episode
105-109		ICD-9-CM diagnosis code
	125 0 2,810	ICD-9-CM codes 99998 Not ascertained <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; ICD-9-CM

Notes: ICD-9-CM codes were assigned according to responses given to questions

FIJ.050 to FIJ.220. See the ICD-9-CM Code Book for text descriptions

of ICD-9-CM codes.

#### FIJ - 71 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
ICD9_4 FIJ Coded		Coded
		AGE = All and PINJ3M = 1 and injury episodes for persons who had four injuries during an injury episode
		Injury episodes for persons who had at least one injury during the past 3 months and had four injuries during an injury episode
110-114		ICD-9-CM diagnosis code
	45 0 2,890	ICD-9-CM codes 99998 Not ascertained <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; ICD-9-CM

Notes: ICD-9-CM codes were assigned according to responses given to questions

FIJ.050 to FIJ.220. See the ICD-9-CM Code Book for text descriptions

of ICD-9-CM codes.

#### FIJ - 72

### 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE

2 0 2 5	ם המסטטמם
4,935	RECORDS

Variable Name Question No. Location	Freq.	Question Variable Universe Universe Description Variable Label Value / Value Labels	Date last modified 10/26/99
ECODE_1 FIJ Coded		Coded	
rio coded		AGE = All and PINJ3M = $1 / All$ injury episodes	
		Injury episodes for peinjury during the past	ersons who had at least one 3 months
115-119		ICD-9-CM External caus	se code
	2,935 0	E codes 99998 Not ascertained	I

Sources: None Recodes: None

Keywords: injury; E code

Notes: External cause codes were assigned according to responses given to questions FIJ.050 to FIJ.220. See the ICD-9-CM Code Book for text

descriptions of E codes.

ECODE_2 FIJ Coded		Coded	
		AGE = All and PINJ3M = 1 and injury episodes for persons who had more than one external cause for an injury episode	
		Injury episodes for persons who had at least one injury during the past 3 months and had more than one external cause for an injury episode	
120-124		ICD-9-CM External cause code	
	11 0 2,924	E codes 99998 Not ascertained <blank: in="" not="" universe=""></blank:>	

Sources: None Recodes: None

Keywords: injury; E code

Notes: External cause codes were assigned according to responses given to questions FIJ.050 to FIJ.220. See the ICD-9-CM Code Book for text

descriptions of E codes.

# FIJ - 73 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name Question No.	Freq.	Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label Value / Value Labels
ECODE_3 FIJ Coded	Coded  AGE = All and PINJ3M = 1 and injury episode persons who had three external causes for a	
		injury episode  Injury episodes for persons who had at least one injury during the past 3 months and had three external causes for an injury episode
125-129		ICD-9-CM External cause code
	0 0 2,935	E codes 99998 Not ascertained <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: injury; E code

Notes: External cause codes were assigned according to responses given to questions FIJ.050 to FIJ.220. See the ICD-9-CM Code Book for text

descriptions of E codes.

#### FIJ - 74 1997 NATIONAL HEALTH INTERVIEW SURVEY INJURY EPISODE - PUBLIC USE 2,935 RECORDS

Variable Name		Question	Date last modified 10/26/99
Question No.		Variable Universe	
Location	Freq.	Universe Description Variable Label Value / Value Labels	
	1		
WTFA Generated		Generated variable	
Generated		AGE = ALL and $PINJ3M$	= 1 / All injury episodes
		Injury episodes for p injury during the pas	ersons who had at least one t 3 months
130-135		Weight - Final Annual	

Sources: None Recodes: None

Keywords: final weight; annual; person weight

Notes: This weight should be used for most analyses at the person level when using a full year of data. All injury questions have a recall period

of 3 months. Annual estimates should be calculated as follows:

(variable)(4)(WTFA) = annual estimate of a variable.

### 1997 National Health Interview Survey Injury Episode File

ECAUS Category	External Cause Codes
Transportation	E810.0 to E819.9, E958.5, E988.5, E800.3, E801.3, E802.3, E803.3, E804.3, E805.3, E806.3, E807.3, E820.6, E821.6, E822.6, E823.6, E824.6, E825.6, E826.1, E826.9, E827.1, E828.1, E829.1, E800.2, E801.2, E802.2, E803.2, E804.2, E805.2, E806.2, E823.7, E824.7, E825.7, E826.0, E827.0, E828.0, E829.0, E800.0, E801.0, E802.0, E803.0, E804.0, E805.0, E806.0, E807.0, E804.0, E805.0, E806.1, E803.1, E804.1, E805.1, E806.1, E807.1, E800.1, E803.1, E804.1, E805.8, E806.8, E807.8, E800.9, E801.9, E822.0, E820.0, E822.0, E821.0, E822.0, E822.0, E823.0, E824.0, E822.0, E823.0, E824.0, E825.0, E826.8, E807.8, E802.8, E803.8, E804.8, E805.8, E806.8, E807.8, E802.9, E821.0, E822.0, E823.1, E824.1, E825.1, E822.1, E823.1, E824.1, E825.1, E822.1, E823.1, E824.1, E825.1, E820.2, E821.2, E822.2, E821.3, E824.2, E825.2, E820.3, E821.3, E824.4, E825.4, E824.4, E825.4, E824.4, E825.5, E826.5, E826.5, E826.5, E826.6, E826.7, E826.8, E827.2, E827.3, E826.4, E827.2, E822.9, E823.9, E824.9, E825.9, E826.2, E826.3, E826.4, E827.2, E827.3, E827.4, E827.5, E827.6, E827.7, E828.8, E828.9, E829.2, E828.3, E828.4, E828.9, E829.2, E829.3, E829.9, E828.6, E828.7, E828.8, E829.9, E828.6, E828.7, E828.8, E829.9, E829.6, E829.7, E829.8, E829.9, E831.0 to E831.9, E833.0 to E845.9, E958.6, E988.6, E825, E826, E828
Fire/burn/scald related	E890.0 to E899, E924.0 to E924.9, E958.1, E958.2, E958.7, E961, E968.0, E968.3, E988.1, E988.2, E988.7
Fall	E880.0 to E886.9, E888, E957.0 to E957.9, E968.1, E987.0 to E987.9
Overexertion/strenuous movements	E927

#### External Cause Codes Included in Variable ECAUS Categories Appendix - 2

### 1997 National Health Interview Survey Injury Episode File

ECAUS Category	External Cause Codes
Struck by object or person	E916 to E917.9, E960.0, E968.2, E973, E975
Animal or insect bite	E905.0, E905.1, E905.2, E905.3, E905.4, E905.5, E905.6, E905.9, E906.0, E906.1, E906.2, E906.3, E906.4, E906.9
Cut/pierce	E920.0 to E920.9, E956, E966, E986, E974
Machinery	E919.0 to E919.9
Other	All E codes not listed above