

2009 National Health Interview Survey (NHIS) 1
 Sample Adult Public Use File (samadult)
 IDN Variables Tuesday, June 8, 2010
 Unweighted Frequencies

Continuous variables in the frequency report only show the range of valid numbers

IDN.000_00.000: File type identifier

| RECTYPE | Frequency | Percent |
|---|-----------|---------|
| 10 Household | 0 | 0.00 |
| 20 Person | 0 | 0.00 |
| 25 Income Imputation | 0 | 0.00 |
| 30 Sample Adult | 27731 | 100.00 |
| 40 Sample Child | 0 | 0.00 |
| 60 Family | 0 | 0.00 |
| 63 Disability Questions Tests 2008/2009 | 0 | 0.00 |
| 65 Paradata | 0 | 0.00 |
| 70 Injury/Poisoning Episode | 0 | 0.00 |
| 75 Injury/Poisoning Verbatim | 0 | 0.00 |

IDN.000_02.000: Year of National Health Interview Survey

| SRVY_YR | Frequency | Percent |
|-------------|-----------|---------|
| Survey Year | 27731 | 100.00 |

IDN.000_04.000: HH identifier

| HHX | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 27731 | 100.00 |

IDN.000_25.000: Interview Quarter

| INTV_QRT | Frequency | Percent |
|-------------|-----------|---------|
| 1 Quarter 1 | 3026 | 10.91 |
| 2 Quarter 2 | 7180 | 25.89 |
| 3 Quarter 3 | 7099 | 25.60 |
| 4 Quarter 4 | 10426 | 37.60 |

IDN Variables Tuesday, June 8, 2010
Unweighted Frequencies

IDN.000_30.000: Assignment Week

| ASSIGNWK | Frequency | Percent |
|------------|-----------|---------|
| 01 Week 1 | 1618 | 5.83 |
| 02 Week 2 | 1906 | 6.87 |
| 03 Week 3 | 2073 | 7.48 |
| 04 Week 4 | 2213 | 7.98 |
| 05 Week 5 | 2241 | 8.08 |
| 06 Week 6 | 2130 | 7.68 |
| 07 Week 7 | 2239 | 8.07 |
| 08 Week 8 | 2167 | 7.81 |
| 09 Week 9 | 2236 | 8.06 |
| 10 Week 10 | 2163 | 7.80 |
| 11 Week 11 | 2214 | 7.98 |
| 12 Week 12 | 2312 | 8.34 |
| 13 Week 13 | 2219 | 8.00 |

IDN.000_35.000: Family Serial Number

| FMX | Frequency | Percent |
|----------------------------|-----------|---------|
| 01-25 Family number 1 - 25 | 27731 | 100.00 |

IDN.000_40.000: Person Number (Within family)

| FPX | Frequency | Percent |
|-------------------------------|-----------|---------|
| 01-25 Person number 1 thru 25 | 27731 | 100.00 |

IDN.000_65.000: Weight - Interim Annual

| WTIA_SA | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 27731 | 100.00 |

IDN.000_70.000: Weight - Final Annual

| WTFA_SA | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 27731 | 100.00 |

Sample Adult Public Use File (samadult)

UCF Variables

Tuesday, June 8, 2010

Unweighted Frequencies

UCF.000_00.000: Region

| REGION | Frequency | Percent |
|-------------|-----------|---------|
| 1 Northeast | 4604 | 16.60 |
| 2 Midwest | 6255 | 22.56 |
| 3 South | 10146 | 36.59 |
| 4 West | 6726 | 24.25 |

UCF.000_00.000: Pseudo-stratum for public use file variance estimation

| STRAT_P | Frequency | Percent |
|---------|-----------|---------|
| 001-300 | 27731 | 100.00 |

UCF.000_00.000: Pseudo-PSU for public use file variance estimation

| PSU_P | Frequency | Percent |
|-------|-----------|---------|
| 01-02 | 27731 | 100.00 |

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 HHC Variables Tuesday, June 8, 2010
 Unweighted Frequencies

HHC.110_00.000: Sex

| SEX | Frequency | Percent |
|----------|-----------|---------|
| 1 Male | 12261 | 44.21 |
| 2 Female | 15470 | 55.79 |

HHC.180_00.000: Hispanic subgroup detail

| HISPAN_I | Frequency | Percent |
|--|-----------|---------|
| 00 Multiple Hispanic | 116 | 0.42 |
| 01 Puerto Rico | 521 | 1.88 |
| 02 Mexican | 1917 | 6.91 |
| 03 Mexican-American | 1195 | 4.31 |
| 04 Cuban/Cuban American | 252 | 0.91 |
| 05 Dominican (Republic) | 202 | 0.73 |
| 06 Central or South American | 810 | 2.92 |
| 07 Other Latin American, type not specified | 9 | 0.03 |
| 08 Other Spanish | 143 | 0.52 |
| 09 Hispanic/Latino/Spanish, non-specific type | 0 | 0.00 |
| 10 Hispanic/Latino/Spanish, type refused | 0 | 0.00 |
| 11 Hispanic/Latino/Spanish, type not ascertained | 0 | 0.00 |
| 12 Not Hispanic/Spanish origin | 22566 | 81.37 |

HHC.200_01.000: OMB groups w/multiple race

| RACERPI2 | Frequency | Percent |
|--|-----------|---------|
| 01 White only | 20781 | 74.94 |
| 02 Black/African American only | 4571 | 16.48 |
| 03 AIAN only | 246 | 0.89 |
| 04 Asian only | 1648 | 5.94 |
| 05 Race group not releasable (See file layout) | 53 | 0.19 |
| 06 Multiple race | 432 | 1.56 |

HHC.200_01.000: Race coded to single/multiple race group

| MRACRPI2 | Frequency | Percent |
|--|-----------|---------|
| 01 White | 20964 | 75.60 |
| 02 Black/African American | 4673 | 16.85 |
| 03 Indian (American), Alaska Native | 294 | 1.06 |
| 09 Asian Indian | 293 | 1.06 |
| 10 Chinese | 343 | 1.24 |
| 11 Filipino | 384 | 1.38 |
| 15 Other Asian (See file layout) | 646 | 2.33 |
| 16 Primary race not releasable (See file layout) | 61 | 0.22 |
| 17 Multiple race, no primary race selected | 73 | 0.26 |

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
HHC Variables Tuesday, June 8, 2010
Unweighted Frequencies

HHC.200_01.000: Race coded to single/multiple race group

| MRACBPI2 | Frequency | Percent |
|---|-----------|---------|
| 01 White | 19183 | 69.18 |
| 02 Black/African American | 4524 | 16.31 |
| 03 Indian (American) (includes Eskimo, Aleut) | 234 | 0.84 |
| 06 Chinese | 340 | 1.23 |
| 07 Filipino | 370 | 1.33 |
| 12 Asian Indian | 291 | 1.05 |
| 16 Other race (See file layout) | 2688 | 9.69 |
| 17 Multiple race, no primary race selected | 101 | 0.36 |

HHC.420_00.000: Age

| AGE_P | Frequency | Percent |
|------------------|-----------|---------|
| 00 Under 1 year | 0 | 0.00 |
| 01-84 1-84 years | 27033 | 97.48 |
| 85 85+ years | 698 | 2.52 |

Sample Adult Public Use File (samadult)

FID Variables

Tuesday, June 8, 2010

Unweighted Frequencies

FID.250_00.000: Marital Status

| R_MARITL | Frequency | Percent |
|---|-----------|---------|
| 0 Under 14 years | 0 | 0.00 |
| 1 Married - spouse in household | 12071 | 43.53 |
| 2 Married - spouse not in household | 435 | 1.57 |
| 3 Married - spouse in household unknown | 0 | 0.00 |
| 4 Widowed | 2517 | 9.08 |
| 5 Divorced | 3649 | 13.16 |
| 6 Separated | 979 | 3.53 |
| 7 Never married | 6494 | 23.42 |
| 8 Living with partner | 1525 | 5.50 |
| 9 Unknown marital status | 61 | 0.22 |

2009 National Health Interview Survey (NHIS) 7
 Sample Adult Public Use File (samadult)
 AID Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AID.005_00.000: Sample adult status

| PROXYSA | Frequency | Percent |
|---|-----------|---------|
| <hr/> | | |
| 1 Physical or mental condition prohibits responding | 348 | 1.25 |
| 2 Sample adult is able to respond | 27231 | 98.20 |
| 3 Unknown | 152 | 0.55 |

AID.010_00.000: Knowledgeable proxy for Sample Adult available

| PROX1 | Frequency | Percent |
|-------|-----------|---------|
| <hr/> | | |
| 1 Yes | 348 | 100.00 |
| 2 No | 0 | 0.00 |

Frequency Missing = 27383

AID.015_00.000: Relationship of SA proxy to SA

| PROX2 | Frequency | Percent |
|--|-----------|---------|
| <hr/> | | |
| 1 Relative who lives in household | 279 | 80.17 |
| 2 Relative who doesn't live in household | 42 | 12.07 |
| 3 Other caregiver | 23 | 6.61 |
| 4 Other | 4 | 1.15 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27383

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ASD Variables Tuesday, June 8, 2010
 Unweighted Frequencies

ASD.062_00.000: Corrected employment status last week

| DOINGLWA | Frequency |
|---|-----------|
| 1 Working for pay at a job or business | 15275 |
| 2 With a job or business but not at work | 682 |
| 3 Looking for work | 1744 |
| 4 Working, but not for pay, at a family-owned job or business | 211 |
| 5 Not working at a job or business and not looking for work | 9812 |
| 7 Refused | 7 |
| 8 Not ascertained | 0 |
| 9 Don't know | 0 |

ASD.062_00.000: Corrected employment status last week

| DOINGLWA | Percent |
|---|---------|
| 1 Working for pay at a job or business | 55.08 |
| 2 With a job or business but not at work | 2.46 |
| 3 Looking for work | 6.29 |
| 4 Working, but not for pay, at a family-owned job or business | 0.76 |
| 5 Not working at a job or business and not looking for work | 35.38 |
| 7 Refused | 0.03 |
| 8 Not ascertained | 0.00 |
| 9 Don't know | 0.00 |

ASD.065_00.000: Main reason for not working last week

| WHYNOWKA | Frequency | Percent |
|--|-----------|---------|
| 01 Taking care of house or family | 1713 | 16.32 |
| 02 Going to school | 744 | 7.09 |
| 03 Retired | 4842 | 46.14 |
| 04 On a planned vacation from work | 309 | 2.94 |
| 05 On family or maternity leave | 66 | 0.63 |
| 06 Temporarily unable to work for health reasons | 242 | 2.31 |
| 07 Have job/contract and off-season | 154 | 1.47 |
| 08 On layoff | 249 | 2.37 |
| 09 Disabled | 1864 | 17.76 |
| 10 Other | 310 | 2.95 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.01 |

Frequency Missing = 17237

2009 National Health Interview Survey (NHIS) 9
 Sample Adult Public Use File (samadult)
 ASD Variables Tuesday, June 8, 2010
 Unweighted Frequencies

ASD.066_00.000: Ever worked

| EVERWRK | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9932 | 85.89 |
| 2 No | 1616 | 13.98 |
| 7 Refused | 11 | 0.10 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.03 |

Frequency Missing = 16168

ASD.080_00.000: Detailed industry classification
 (based on 2007 NAICS codes from Census)

| INDSTRN1 | Frequency | Percent |
|---|-----------|---------|
| See Industry Appendix in file layout at the end of the Sample Adult Documentation. | 26100 | 100.00 |

Frequency Missing = 1631

ASD.080_00.000: Simple industry classification
 (based on 2007 NAICS Codes from Census)

| INDSTRN2 | Frequency | Percent |
|--|-----------|---------|
| See Industry Appendix in file layout at the end of the Sample Adult Documentation | 26100 | 100.00 |

Frequency Missing = 1631

ASD.090_00.000: Detailed occupation classification
 (based on 2000 SOC codes from Census)

| OCCUPN1 | Frequency | Percent |
|--|-----------|---------|
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 26100 | 100.00 |

Frequency Missing = 1631

ASD.090_00.000: Simple occupation classification
 (based on 2000 SOC codes from Census)

| OCCUPN2 | Frequency | Percent |
|--|-----------|---------|
| See Occupation Appendix in file layout at the end of the Sample Adult documentation | 26100 | 100.00 |

Frequency Missing = 1631

2009 National Health Interview Survey (NHIS) 10
 Sample Adult Public Use File (samadult)
 ASD Variables Tuesday, June 8, 2010
 Unweighted Frequencies

ASD.110_00.000: Class of worker

| WRKCATA | Frequency |
|--|-----------|
| 1 Employee of a PRIVATE company for wages | 19238 |
| 2 A FEDERAL government employee | 897 |
| 3 A STATE government employee | 1546 |
| 4 A LOCAL government employee | 1994 |
| 5 Self-employed in OWN business, professional practice or farm | 2168 |
| 6 Working WITHOUT PAY in a family-owned business or farm | 81 |
| 7 Refused | 98 |
| 8 Not ascertained | 0 |
| 9 Don't know | 78 |

ASD.110_00.000: Class of worker

| WRKCATA | Percent |
|--|---------|
| 1 Employee of a PRIVATE company for wages | 73.71 |
| 2 A FEDERAL government employee | 3.44 |
| 3 A STATE government employee | 5.92 |
| 4 A LOCAL government employee | 7.64 |
| 5 Self-employed in OWN business, professional practice or farm | 8.31 |
| 6 Working WITHOUT PAY in a family-owned business or farm | 0.31 |
| 7 Refused | 0.38 |
| 8 Not ascertained | 0.00 |
| 9 Don't know | 0.30 |

Frequency Missing = 1631

ASD.112_00.000: Current job an incorporated business

| BUSINC1A | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 567 | 26.15 |
| 2 No | 1583 | 73.02 |
| 7 Refused | 7 | 0.32 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.51 |

Frequency Missing = 25563

ASD.120_00.000: Number of employees at work

| LOCALL1A | Frequency | Percent |
|---------------------------|-----------|---------|
| 01 1-9 employees | 6521 | 24.98 |
| 02 10-24 employees | 3652 | 13.99 |
| 03 25-49 employees | 2851 | 10.92 |
| 04 50-99 employees | 2691 | 10.31 |
| 05 100-249 employees | 3024 | 11.59 |
| 06 250-499 employees | 1673 | 6.41 |
| 07 500-999 employees | 1220 | 4.67 |
| 08 1000 employees or more | 3123 | 11.97 |
| 97 Refused | 163 | 0.62 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1182 | 4.53 |

Frequency Missing = 1631

ASD.140_02.000: Number of years on the job

| YRSWRKPA | Frequency | Percent |
|---------------------|-----------|---------|
| 00 Less than 1 year | 3804 | 14.57 |
| 01-34 years | 20845 | 79.87 |
| 35 35 or more years | 1021 | 3.91 |
| 97 Refused | 223 | 0.85 |
| 98 Not ascertained | 2 | 0.01 |
| 99 Don't know | 205 | 0.79 |

Frequency Missing = 1631

ASD.146_00.000: Current/most recent job also longest held job

| WRKLONGH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 12326 | 58.16 |
| 2 No | 8735 | 41.22 |
| 7 Refused | 89 | 0.42 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 42 | 0.20 |

Frequency Missing = 6539

Sample Adult Public Use File (samadult)

ASD Variables

Tuesday, June 8, 2010

Unweighted Frequencies

ASD.150_00.000: Paid by the hour at current/most recent job

| HOURPDA | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 15900 | 60.92 |
| 2 No | 10015 | 38.37 |
| 7 Refused | 116 | 0.44 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 69 | 0.26 |

Frequency Missing = 1631

ASD.160_00.000: Paid sick leave at current/most recent job

| PDSICKA | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 13703 | 52.50 |
| 2 No | 12020 | 46.05 |
| 7 Refused | 85 | 0.33 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 292 | 1.12 |

Frequency Missing = 1631

ASD.170_00.000: Have more than one job

| ONEJOB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1462 | 9.04 |
| 2 No | 14668 | 90.72 |
| 7 Refused | 35 | 0.22 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 2 | 0.01 |

Frequency Missing = 11563

ACN.010_00.000: Ever been told you have hypertension

| HYPEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8660 | 31.23 |
| 2 No | 19043 | 68.67 |
| 7 Refused | 11 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 17 | 0.06 |

ACN.020_00.000: Ever had hypertension on 2+ visits

| HYPDIFV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7482 | 86.40 |
| 2 No | 1166 | 13.46 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.14 |

Frequency Missing = 19071

ACN.031_01.000: Ever been told you had coronary heart disease

| CHDEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1370 | 4.94 |
| 2 No | 26323 | 94.92 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 30 | 0.11 |

ACN.031_02.000: Ever been told you had angina pectoris

| ANGEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 665 | 2.40 |
| 2 No | 27026 | 97.46 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 32 | 0.12 |

ACN.031_03.000: Ever been told you had a heart attack

| MIEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1008 | 3.63 |
| 2 No | 26699 | 96.28 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 16 | 0.06 |

ACN.031_04.000: Ever been told you had a heart condition/disease

| HRTEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2224 | 8.02 |
| 2 No | 25484 | 91.90 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.05 |

ACN.031_05.000: Ever been told you had a stroke

| STREV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 838 | 3.02 |
| 2 No | 26869 | 96.89 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.05 |

ACN.031_06.000: Ever been told you had emphysema

| EPHEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 629 | 2.27 |
| 2 No | 27078 | 97.65 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.05 |

ACN.032_00.010: Stroke symptom knowledge: numbness of face, arm, leg, side?

| FACE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 23605 | 85.12 |
| 2 No | 3045 | 10.98 |
| 7 Refused | 28 | 0.10 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1053 | 3.80 |

ACN.032_00.020: Stroke symptom knowledge: confusion, trouble speaking?

| SPEAKING | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 22999 | 82.94 |
| 2 No | 3613 | 13.03 |
| 7 Refused | 31 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1088 | 3.92 |

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Tuesday, June 8, 2010
Unweighted Frequencies

ACN.032_00.030: Stroke symptom knowledge: sudden trouble seeing?

| EYE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 19121 | 68.95 |
| 2 No | 5924 | 21.36 |
| 7 Refused | 37 | 0.13 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2649 | 9.55 |

ACN.032_00.040: Stroke symptom knowledge: trouble walking, dizziness?

| WALKING | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 22532 | 81.25 |
| 2 No | 3851 | 13.89 |
| 7 Refused | 31 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1317 | 4.75 |

ACN.032_00.050: Stroke Symptom knowledge: sudden severe headache?

| HEADACHE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 17692 | 63.80 |
| 2 No | 7416 | 26.74 |
| 7 Refused | 32 | 0.12 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2591 | 9.34 |

ACN.032_00.060: Stroke Symptom knowledge: best thing to do for victim?

| ASTDO | Frequency | Percent |
|--|-----------|---------|
| 1 Advise them to drive to the hospital | 455 | 1.64 |
| 2 Advise them to call their physician | 348 | 1.25 |
| 3 Call 9-1-1 (or another emergency number) | 25616 | 92.37 |
| 4 Call spouse or family member | 170 | 0.61 |
| 5 Other | 725 | 2.61 |
| 7 Refused | 26 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 391 | 1.41 |

ACN.080_00.000: Ever been told you had asthma

| AASMEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3594 | 12.96 |
| 2 No | 24121 | 86.98 |
| 7 Refused | 6 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.04 |

ACN.085_00.000: Still have asthma

| AASSTILL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2158 | 60.04 |
| 2 No | 1407 | 39.15 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 29 | 0.81 |

Frequency Missing = 24137

ACN.090_00.000: Had an asthma episode/attack past 12 m

| AASMYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1108 | 30.83 |
| 2 No | 2484 | 69.12 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.06 |

Frequency Missing = 24137

ACN.100_00.000: Had visit to ER due to asthma past 12 m

| AASMERYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 296 | 26.71 |
| 2 No | 811 | 73.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.09 |

Frequency Missing = 26623

ACN.110_00.000: Ever been told you have an ulcer

| ULCEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2209 | 7.97 |
| 2 No | 25488 | 91.91 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 27 | 0.10 |

ACN.120_00.000: Had ulcer in past 12 m

| ULCYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 559 | 25.31 |
| 2 No | 1641 | 74.29 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.41 |

Frequency Missing = 25522

ACN.130_00.000: Ever told by a doctor you had cancer

| CANEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2304 | 8.31 |
| 2 No | 25411 | 91.63 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.03 |

ACN.140_01.000: What kind of cancer ... Bladder

| CNKIND1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 67 | 2.91 |
| 2 Not mentioned | 2232 | 96.88 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_02.000: What kind of cancer ... Blood

| CNKIND2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 16 | 0.69 |
| 2 Not mentioned | 2283 | 99.09 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_03.000: What kind of cancer ... Bone

| CNKIND3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 17 | 0.74 |
| 2 Not mentioned | 2282 | 99.05 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_04.000: What kind of cancer ... Brain

| CNKIND4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 21 | 0.91 |
| 2 Not mentioned | 2278 | 98.87 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_05.000: What kind of cancer ... Breast

| CNKIND5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 438 | 19.01 |
| 2 Not mentioned | 1861 | 80.77 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_06.000: What kind of cancer ... Cervix

| CNKIND6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 181 | 13.05 |
| 2 Not mentioned | 1206 | 86.95 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26344

ACN.140_07.000: What kind of cancer ... Colon

Table with 3 columns: CNKIND7, Frequency, Percent. Rows include 1 Mentioned (162, 7.03), 2 Not mentioned (2137, 92.75), 7 Refused (0, 0.00), 8 Not ascertained (0, 0.00), 9 Don't know (5, 0.22).

Frequency Missing = 25427

ACN.140_08.000: What kind of cancer ... Esophagus

Table with 3 columns: CNKIND8, Frequency, Percent. Rows include 1 Mentioned (8, 0.35), 2 Not mentioned (2291, 99.44), 7 Refused (0, 0.00), 8 Not ascertained (0, 0.00), 9 Don't know (5, 0.22).

Frequency Missing = 25427

ACN.140_09.000: What kind of cancer ... Gallbladder

Table with 3 columns: CNKIND9, Frequency, Percent. Rows include 1 Mentioned (1, 0.04), 2 Not mentioned (2298, 99.74), 7 Refused (0, 0.00), 8 Not ascertained (0, 0.00), 9 Don't know (5, 0.22).

Frequency Missing = 25427

ACN.140_10.000: What kind of cancer ... Kidney

Table with 3 columns: CNKIND10, Frequency, Percent. Rows include 1 Mentioned (36, 1.56), 2 Not mentioned (2263, 98.22), 7 Refused (0, 0.00), 8 Not ascertained (0, 0.00), 9 Don't know (5, 0.22).

Frequency Missing = 25427

ACN.140_11.000: What kind of cancer ... larynx-windpipe

| CNKIND11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 6 | 0.26 |
| 2 Not mentioned | 2293 | 99.52 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_12.000: What kind of cancer ... Leukemia

| CNKIND12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 18 | 0.78 |
| 2 Not mentioned | 2281 | 99.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_13.000: What kind of cancer ... Liver

| CNKIND13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 16 | 0.69 |
| 2 Not mentioned | 2283 | 99.09 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_14.000: What kind of cancer ... Lung

| CNKIND14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 79 | 3.43 |
| 2 Not mentioned | 2220 | 96.35 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_15.000: What kind of cancer ... Lymphoma

| CNKIND15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 63 | 2.73 |
| 2 Not mentioned | 2236 | 97.05 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_16.000: What kind of cancer ... Melanoma

| CNKIND16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 145 | 6.29 |
| 2 Not mentioned | 2154 | 93.49 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_17.000: What kind of cancer ... mouth/tongue/lip

| CNKIND17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 15 | 0.65 |
| 2 Not mentioned | 2284 | 99.13 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_18.000: What kind of cancer ... Ovary

| CNKIND18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 61 | 4.40 |
| 2 Not mentioned | 1326 | 95.60 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26344

ACN.140_19.000: What kind of cancer ... Pancreas

| CNKIND19 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 8 | 0.35 |
| 2 Not mentioned | 2291 | 99.44 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_20.000: What kind of cancer ... Prostate

| CNKIND20 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 278 | 30.32 |
| 2 Not mentioned | 634 | 69.14 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.55 |

Frequency Missing = 26814

ACN.140_21.000: What kind of cancer ... Rectum

| CNKIND21 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 6 | 0.26 |
| 2 Not mentioned | 2293 | 99.52 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_22.000: What kind of cancer ... skin (non-melanoma)

| CNKIND22 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 485 | 21.05 |
| 2 Not mentioned | 1814 | 78.73 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_23.000: What kind of cancer ... skin (DK kind)

| CNKIND23 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 132 | 5.73 |
| 2 Not mentioned | 2167 | 94.05 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_24.000: What kind of cancer ... soft tissue (muscle or fat)

| CNKIND24 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 20 | 0.87 |
| 2 Not mentioned | 2279 | 98.91 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_25.000: What kind of cancer ... Stomach

| CNKIND25 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 21 | 0.91 |
| 2 Not mentioned | 2278 | 98.87 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_26.000: What kind of cancer ... Testis

| CNKIND26 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 15 | 1.64 |
| 2 Not mentioned | 897 | 97.82 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.55 |

Frequency Missing = 26814

ACN.140_27.000: What kind of cancer ... throat - pharynx

| CNKIND27 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 20 | 0.87 |
| 2 Not mentioned | 2279 | 98.91 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_28.000: What kind of cancer ... Thyroid

| CNKIND28 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 51 | 2.21 |
| 2 Not mentioned | 2248 | 97.57 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_29.000: What kind of cancer ... Uterus

| CNKIND29 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 111 | 8.00 |
| 2 Not mentioned | 1276 | 92.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26344

ACN.140_30.000: What kind of cancer ... Other

| CNKIND30 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 90 | 3.91 |
| 2 Not mentioned | 2209 | 95.88 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.22 |

Frequency Missing = 25427

ACN.140_31.000: What kind of cancer ... more than 3 kinds

| CNKIND31 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 7 | 17.07 |
| 2 Not mentioned | 34 | 82.93 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27690

ACN.150_01.000: Age first diagnosed w/bladder cancer

| CANAGE1 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 64 | 95.52 |
| 85 85+ years | 2 | 2.99 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.49 |

Frequency Missing = 27664

ACN.150_02.000: Age first diagnosed w/blood cancer

| CANAGE2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 16 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27715

ACN.150_03.000: Age first diagnosed w/bone cancer

| CANAGE3 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 17 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27714

ACN.150_04.000: Age first diagnosed w/brain cancer

| CANAGE4 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 21 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27710

ACN.150_05.000: Age first diagnosed w/breast cancer

| CANAGE5 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 423 | 96.58 |
| 85 85+ years | 6 | 1.37 |
| 97 Refused | 2 | 0.46 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 1.60 |

Frequency Missing = 27293

ACN.150_06.000: Age first diagnosed w/cervical cancer

| CANAGE6 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 181 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27550

ACN.150_07.000: Age first diagnosed w/colon cancer

| CANAGE7 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 157 | 96.91 |
| 85 85+ years | 3 | 1.85 |
| 97 Refused | 1 | 0.62 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.62 |

Frequency Missing = 27569

ACN.150_08.000: Age first diagnosed w/esophageal cancer

| CANAGE8 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 8 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27723

ACN.150_09.000: Age first diagnosed w/gallbladder cancer

| CANAGE9 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 1 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27730

ACN.150_10.000: Age first diagnosed w/kidney cancer

| CANAGE10 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 34 | 94.44 |
| 85 85+ years | 1 | 2.78 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 2.78 |

Frequency Missing = 27695

ACN.150_11.000: Age first diagnosed w/larynx-windpipe cancer

| CANAGE11 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 6 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27725

ACN.150_12.000: Age first diagnosed w/leukemia

| CANAGE12 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 18 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27713

ACN.150_13.000: Age first diagnosed w/liver cancer

| CANAGE13 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 15 | 93.75 |
| 85 85+ years | 1 | 6.25 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27715

ACN.150_14.000: Age first diagnosed w/lung cancer

| CANAGE14 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 79 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27652

ACN.150_15.000: Age first diagnosed w/lymphoma

| CANAGE15 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 62 | 98.41 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.59 |

Frequency Missing = 27668

ACN.150_16.000: Age first diagnosed w/melanoma

| CANAGE16 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 143 | 98.62 |
| 85 85+ years | 1 | 0.69 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.69 |

Frequency Missing = 27586

ACN.150_17.000: Age first diagnosed w/mouth/tongue/lip cancer

| CANAGE17 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 15 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27716

ACN.150_18.000: Age first diagnosed w/ovarian cancer

| CANAGE18 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 60 | 98.36 |
| 85 85+ years | 1 | 1.64 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27670

ACN.150_19.000: Age first diagnosed w/pancreatic cancer

| CANAGE19 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 7 | 87.50 |
| 85 85+ years | 1 | 12.50 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27723

ACN.150_20.000: Age first diagnosed w/prostate cancer

| CANAGE20 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 274 | 98.56 |
| 85 85+ years | 2 | 0.72 |
| 97 Refused | 1 | 0.36 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.36 |

Frequency Missing = 27453

ACN.150_21.000: Age first diagnosed w/rectal cancer

| CANAGE21 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 6 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27725

ACN.150_22.000: Age first diagnosed w/skin (non-melanoma) cancer

| CANAGE22 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 472 | 97.32 |
| 85 85+ years | 3 | 0.62 |
| 97 Refused | 1 | 0.21 |
| 98 Not ascertained | 1 | 0.21 |
| 99 Don't know | 8 | 1.65 |

Frequency Missing = 27246

ACN.150_23.000: Age first diagnosed w/skin (DK kind) cancer

| CANAGE23 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 123 | 93.18 |
| 85 85+ years | 5 | 3.79 |
| 97 Refused | 1 | 0.76 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 2.27 |

Frequency Missing = 27599

ACN.150_24.000: Age first diagnosed w/soft tissue cancer

| CANAGE24 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 19 | 95.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 5.00 |

Frequency Missing = 27711

ACN.150_25.000: Age first diagnosed w/stomach cancer

| CANAGE25 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 20 | 95.24 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 4.76 |

Frequency Missing = 27710

ACN.150_26.000: Age first diagnosed w/testicular cancer

| CANAGE26 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 14 | 93.33 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 1 | 6.67 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27716

ACN.150_27.000: Age first diagnosed w/throat/pharynx cancer

| CANAGE27 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 20 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27711

ACN.150_28.000: Age first diagnosed w/thyroid cancer

| CANAGE28 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 51 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27680

ACN.150_29.000: Age first diagnosed w/uterine cancer

| CANAGE29 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 108 | 97.30 |
| 85 85+ years | 1 | 0.90 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 1.80 |

Frequency Missing = 27620

ACN.150_30.000: Age first diagnosed w/other cancer

| CANAGE30 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 88 | 97.78 |
| 85 85+ years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 2.22 |

Frequency Missing = 27641

ACN.160_00.000: Ever been told that you have diabetes

| DIBEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2704 | 9.75 |
| 2 No | 24670 | 88.96 |
| 3 Borderline | 338 | 1.22 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 0.03 |

ACN.165_00.000: Ever had prediabetes or other symptoms

| DIBPRE1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1138 | 4.55 |
| 2 No | 23865 | 95.36 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 14 | 0.06 |

Frequency Missing = 2704

ACN.170_00.000: Age first diagnosed w/diabetes

| DIBAGE | Frequency | Percent |
|--------------------|-----------|---------|
| 01-84 1-84 years | 2641 | 97.67 |
| 85 85+ years | 15 | 0.55 |
| 97 Refused | 2 | 0.07 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 46 | 1.70 |

Frequency Missing = 25027

ACN.170_00.000: Years since first diagnosed w/diabetes

| DIFAGE2 | Frequency | Percent |
|--|-----------|---------|
| 00 Within past year | 118 | 4.36 |
| 01-84 1-84 years | 2527 | 93.45 |
| 85 85+ years | 0 | 0.00 |
| 96 1+ year(s) with diabetes and age is 85+ | 11 | 0.41 |
| 97 Refused | 2 | 0.07 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 46 | 1.70 |

Frequency Missing = 25027

ACN.180_00.000: NOW taking insulin

| INSLN | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 731 | 19.03 |
| 2 No | 3108 | 80.90 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.08 |

Frequency Missing = 23889

ACN.190_00.000: NOW taking diabetic pills

| DIBPILL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2112 | 54.97 |
| 2 No | 1727 | 44.95 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.08 |

Frequency Missing = 23889

ACN.201_01.000: Told that you had hay fever, past 12 m

| AHAYFYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2101 | 7.58 |
| 2 No | 25612 | 92.36 |
| 7 Refused | 6 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.04 |

ACN.201_02.000: Told that you had sinusitis, past 12 m

| SINYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3612 | 13.03 |
| 2 No | 24084 | 86.85 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 28 | 0.10 |

ACN.201_03.000: Told you had chronic bronchitis, 12 m

| CBRCHYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1274 | 4.59 |
| 2 No | 26437 | 95.33 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 13 | 0.05 |

ACN.201_04.000: Told you had weak/failing kidneys, 12 m

| KIDWKYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 607 | 2.19 |
| 2 No | 27103 | 97.74 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 13 | 0.05 |

ACN.201_05.000: Told you had liver condition, past 12 m

| LIVYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 448 | 1.62 |
| 2 No | 27259 | 98.30 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 16 | 0.06 |

ACN.250_00.000: Symptoms of joint pain/aching/stiffness past 30 d

| JNTSYMP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9186 | 33.13 |
| 2 No | 18520 | 66.78 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.05 |

ACN.260_01.000: Which joint affected...shoulder-right

| JMTHP1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2172 | 23.64 |
| 2 Not mentioned | 6998 | 76.18 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_02.000: Which joint affected...shoulder-left

| JMTHP2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1936 | 21.08 |
| 2 Not mentioned | 7234 | 78.75 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_03.000: Which joint affected...elbow-right

| JMTHP3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1186 | 12.91 |
| 2 Not mentioned | 7984 | 86.91 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_04.000: Which joint affected...elbow-left

| JMTHP4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1103 | 12.01 |
| 2 Not mentioned | 8067 | 87.82 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_05.000: Which joint affected...hip-right

| JMTHP5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1697 | 18.47 |
| 2 Not mentioned | 7473 | 81.35 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_06.000: Which joint affected...hip-left

| JMTHP6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1602 | 17.44 |
| 2 Not mentioned | 7568 | 82.39 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_07.000: Which joint affected...wrist-right

| JMTHP7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1364 | 14.85 |
| 2 Not mentioned | 7806 | 84.98 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_08.000: Which joint affected...wrist-left

| JMTHP8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1299 | 14.14 |
| 2 Not mentioned | 7871 | 85.68 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_09.000: Which joint affected...knee-right

| JMTHP9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4712 | 51.30 |
| 2 Not mentioned | 4458 | 48.53 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_10.000: Which joint affected...knee-left

| JMTHP10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4615 | 50.24 |
| 2 Not mentioned | 4555 | 49.59 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_11.000: Which joint affected...ankle-right

| JMTHP11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1652 | 17.98 |
| 2 Not mentioned | 7518 | 81.84 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_12.000: Which joint affected...ankle-left

| JMTHP12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1439 | 15.67 |
| 2 Not mentioned | 7731 | 84.16 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_13.000: Which joint affected...toes-right

| JMTHP13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 735 | 8.00 |
| 2 Not mentioned | 8435 | 91.82 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_14.000: Which joint affected...toes-left

| JMTHP14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 702 | 7.64 |
| 2 Not mentioned | 8468 | 92.18 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_15.000: Which joint affected...fingers/thumb-right

| JMTHP15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2097 | 22.83 |
| 2 Not mentioned | 7073 | 77.00 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_16.000: Which joint affected...fingers/thumb-left

| JMTHP16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1940 | 21.12 |
| 2 Not mentioned | 7230 | 78.71 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.260_17.000: Which joint affected...other joint not listed

| JMTHP17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 451 | 4.91 |
| 2 Not mentioned | 8719 | 94.92 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Frequency Missing = 18545

ACN.265_00.010: Rate your joint pain, past 30 days

| JNTPN | Frequency | Percent |
|--------------------|-----------|---------|
| 00-10 | 9094 | 99.00 |
| 97 Refused | 5 | 0.05 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 87 | 0.95 |

Frequency Missing = 18545

ACN.270_00.000: Joint symptoms begin more than 3 months ago

| JNTCHR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7942 | 86.46 |
| 2 No | 1235 | 13.44 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.09 |

Frequency Missing = 18545

ACN.280_00.000: Ever seen doctor or health professional for joint symptoms

| JNTHP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6461 | 70.34 |
| 2 No | 2723 | 29.64 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.01 |

Frequency Missing = 18545

ACN.290_00.000: Ever been told you had arthritis

| ARTH1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6696 | 24.15 |
| 2 No | 20997 | 75.72 |
| 7 Refused | 11 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 27 | 0.10 |

ACN.290_00.010: Ever been told to lose weight to help your arthritis?

| ARTHWT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2852 | 25.93 |
| 2 No | 8121 | 73.85 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 22 | 0.20 |

Frequency Missing = 16734

ACN.290_00.020: Ever been told to exercise to help your arthritis?

| ARTHPH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4986 | 45.34 |
| 2 No | 5984 | 54.41 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 25 | 0.23 |

Frequency Missing = 16734

ACN.290_00.030: Ever taken a class to help your arthritis?

| ARTHCLS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1014 | 9.22 |
| 2 No | 9963 | 90.60 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 17 | 0.15 |

Frequency Missing = 16734

ACN.295_00.000: Limited due to arthritis or joint symptoms

| ARTHLMT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3689 | 33.55 |
| 2 No | 7294 | 66.33 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.09 |

Frequency Missing = 16734

ACN.295_00.010: Limited in work due to arthritis?

| ARTHWRK | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2840 | 25.83 |
| 2 No | 8142 | 74.04 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.10 |

Frequency Missing = 16734

2009 National Health Interview Survey (NHIS) 42
 Sample Adult Public Use File (samadult)
 ACN Variables Tuesday, June 8, 2010
 Unweighted Frequencies

ACN.300_00.000: Had neck pain, past 3 months

| PAINNECK | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4309 | 15.54 |
| 2 No | 23399 | 84.38 |
| 7 Refused | 11 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.04 |

ACN.310_00.000: Had low back pain, past 3 months

| PAINLB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7945 | 28.65 |
| 2 No | 19768 | 71.28 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.03 |

ACN.320_00.000: Pain spread down leg/below knees

| PAINLEG | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2683 | 33.77 |
| 2 No | 5245 | 66.02 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 17 | 0.21 |

Frequency Missing = 19786

ACN.331_01.000: Had pain in jaw/front of ear, past 3 months

| PAINFACE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1396 | 5.03 |
| 2 No | 26309 | 94.87 |
| 7 Refused | 11 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.05 |

ACN.331_02.000: Had severe headache/migraine, past 3 m

| AMIGR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4340 | 15.65 |
| 2 No | 23370 | 84.27 |
| 7 Refused | 11 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.04 |

2009 National Health Interview Survey (NHIS) 43
 Sample Adult Public Use File (samadult)
 ACN Variables Tuesday, June 8, 2010
 Unweighted Frequencies

ACN.350_00.000: Had a head/chest cold past 2 w

| ACOLD2W | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3199 | 11.54 |
| 2 No | 24504 | 88.36 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 20 | 0.07 |

ACN.360_00.000: Had stomach prob w/vomit/diarrhea, 2 w

| AINTIL2W | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1304 | 4.70 |
| 2 No | 26412 | 95.24 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.03 |

ACN.370_00.000: Currently pregnant

| PREGNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 295 | 3.49 |
| 2 No | 8142 | 96.29 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 2 | 0.02 |
| 9 Don't know | 16 | 0.19 |

Frequency Missing = 19275

ACN.400_00.000: Now use a hearing aid

| HRAIDNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 797 | 2.87 |
| 2 No | 26931 | 97.12 |
| 7 Refused | 3 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Sample Adult Public Use File (samadult)

ACN Variables

Tuesday, June 8, 2010

Unweighted Frequencies

ACN.410_00.000: Ever used a hearing aid if not now using

| HRAIDEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 249 | 0.92 |
| 2 No | 26680 | 99.06 |
| 7 Refused | 4 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.00 |

Frequency Missing = 797

ACN.420_00.000: Hearing w/o hearing aid

| AHEARST1 | Frequency | Percent |
|----------------------------|-----------|---------|
| 1 Excellent | 13131 | 47.35 |
| 2 Good | 10284 | 37.08 |
| 3 A little trouble hearing | 2719 | 9.80 |
| 4 Moderate trouble | 1028 | 3.71 |
| 5 A lot of trouble | 497 | 1.79 |
| 6 Deaf | 62 | 0.22 |
| 7 Refused | 2 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.03 |

ACN.430_00.000: Trouble seeing even w/glasses/lenses

| AVISION | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2467 | 8.90 |
| 2 No | 25252 | 91.06 |
| 7 Refused | 2 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.04 |

ACN.440_00.000: Blind or unable to see at all

| ABLIND | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 118 | 4.78 |
| 2 No | 2348 | 95.18 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.04 |

Frequency Missing = 25264

2009 National Health Interview Survey (NHIS) 45
 Sample Adult Public Use File (samadult)
 ACN Variables Tuesday, June 8, 2010
 Unweighted Frequencies

ACN.451_00.000: Lost all upper & lower natural teeth

| LUPPRT | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2401 | 8.66 |
| 2 No | 25324 | 91.32 |
| 7 Refused | 6 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

ACN.471_01.000: So sad nothing cheers you up, past 30 days

| SAD | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 305 | 1.10 |
| 2 MOST of the time | 722 | 2.60 |
| 3 SOME of the time | 2599 | 9.37 |
| 4 A LITTLE of the time | 3873 | 13.97 |
| 5 NONE of the time | 20033 | 72.24 |
| 7 Refused | 85 | 0.31 |
| 8 Not ascertained | 6 | 0.02 |
| 9 Don't know | 108 | 0.39 |

ACN.471_02.000: How often felt nervous, past 30 days

| NERVOUS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 457 | 1.65 |
| 2 MOST of the time | 836 | 3.01 |
| 3 SOME of the time | 3405 | 12.28 |
| 4 A LITTLE of the time | 5238 | 18.89 |
| 5 NONE of the time | 17611 | 63.51 |
| 7 Refused | 82 | 0.30 |
| 8 Not ascertained | 6 | 0.02 |
| 9 Don't know | 96 | 0.35 |

ACN.471_03.000: How often restless/fidgety, past 30 days

| RESTLESS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 725 | 2.61 |
| 2 MOST of the time | 907 | 3.27 |
| 3 SOME of the time | 3497 | 12.61 |
| 4 A LITTLE of the time | 4345 | 15.67 |
| 5 NONE of the time | 18062 | 65.13 |
| 7 Refused | 82 | 0.30 |
| 8 Not ascertained | 6 | 0.02 |
| 9 Don't know | 107 | 0.39 |

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables Tuesday, June 8, 2010
 Unweighted Frequencies

ACN.471_04.000: How often felt hopeless, past 30 days

| HOPELESS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 257 | 0.93 |
| 2 MOST of the time | 412 | 1.49 |
| 3 SOME of the time | 1284 | 4.63 |
| 4 A LITTLE of the time | 1693 | 6.11 |
| 5 NONE of the time | 23881 | 86.12 |
| 7 Refused | 86 | 0.31 |
| 8 Not ascertained | 6 | 0.02 |
| 9 Don't know | 112 | 0.40 |

ACN.471_05.000: How often felt everything was an effort, past 30 days

| EFFORT | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 784 | 2.83 |
| 2 MOST of the time | 983 | 3.54 |
| 3 SOME of the time | 2479 | 8.94 |
| 4 A LITTLE of the time | 2961 | 10.68 |
| 5 NONE of the time | 20309 | 73.24 |
| 7 Refused | 86 | 0.31 |
| 8 Not ascertained | 7 | 0.03 |
| 9 Don't know | 122 | 0.44 |

ACN.471_06.000: How often felt worthless, past 30 days

| WORTHLS | Frequency | Percent |
|------------------------|-----------|---------|
| 1 ALL of the time | 229 | 0.83 |
| 2 MOST of the time | 333 | 1.20 |
| 3 SOME of the time | 959 | 3.46 |
| 4 A LITTLE of the time | 1260 | 4.54 |
| 5 NONE of the time | 24736 | 89.20 |
| 7 Refused | 90 | 0.32 |
| 8 Not ascertained | 7 | 0.03 |
| 9 Don't know | 117 | 0.42 |

ACN.530_00.000: Feelings interfered w/life, past 30 days

| MHAMTMO | Frequency | Percent |
|-------------------|-----------|---------|
| 1 A lot | 1121 | 12.45 |
| 2 Some | 1879 | 20.87 |
| 3 A little | 2581 | 28.67 |
| 4 Not at all | 3407 | 37.85 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.12 |

Frequency Missing = 18729

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS: Work status: last week, past 12 months

| WRKLYR3 | Frequency | Percent |
|--|-----------|---------|
| 0 Had job last week | 16168 | 58.30 |
| 1 No job last week, had job past 12 months | 2364 | 8.52 |
| 2 No job last week, no job past 12 months | 7555 | 27.24 |
| 3 Never worked | 1615 | 5.82 |
| 7 Refused | 20 | 0.07 |
| 8 Not ascertained | 5 | 0.02 |
| 9 Don't know | 4 | 0.01 |

AHS.040_00.000: Number of work loss days, past 12 months

| WKDAYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None | 10604 | 57.22 |
| 001-366 1-366 days | 7846 | 42.34 |
| 997 Refused | 8 | 0.04 |
| 998 Not ascertained | 2 | 0.01 |
| 999 Don't know | 72 | 0.39 |

Frequency Missing = 9199

AHS.050_00.000: Number of bed days, past 12 months

| BEDDAYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None | 17710 | 63.86 |
| 001-366 1-366 days | 9810 | 35.38 |
| 997 Refused | 14 | 0.05 |
| 998 Not ascertained | 12 | 0.04 |
| 999 Don't know | 185 | 0.67 |

AHS.060_00.000: Health better/worse/same, compared w/ 12 months ago

| AHSTATYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Better | 5121 | 18.47 |
| 2 Worse | 2595 | 9.36 |
| 3 About the same | 19976 | 72.03 |
| 7 Refused | 6 | 0.02 |
| 8 Not ascertained | 12 | 0.04 |
| 9 Don't know | 21 | 0.08 |

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.070_00.000: Have health problem that requires special equipment

| SPECEQ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2157 | 7.78 |
| 2 No | 25556 | 92.16 |
| 7 Refused | 2 | 0.01 |
| 8 Not ascertained | 13 | 0.05 |
| 9 Don't know | 3 | 0.01 |

AHS.091_01.000: How difficult to walk 1/4 mile w/o special equipment

| FLWALK | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 22172 | 79.95 |
| 1 Only a little difficult | 1425 | 5.14 |
| 2 Somewhat difficult | 1191 | 4.29 |
| 3 Very difficult | 886 | 3.19 |
| 4 Can't do at all | 1357 | 4.89 |
| 6 Do not do this activity | 659 | 2.38 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 19 | 0.07 |
| 9 Don't know | 15 | 0.05 |

AHS.091_02.000: How difficult to climb 10 steps w/o special equipment

| FLCLIMB | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 23501 | 84.75 |
| 1 Only a little difficult | 1179 | 4.25 |
| 2 Somewhat difficult | 957 | 3.45 |
| 3 Very difficult | 764 | 2.76 |
| 4 Can't do at all | 968 | 3.49 |
| 6 Do not do this activity | 321 | 1.16 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 19 | 0.07 |
| 9 Don't know | 17 | 0.06 |

AHS.091_03.000: How difficult to stand 2 hours w/o special equipment

| FLSTAND | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 21304 | 76.82 |
| 1 Only a little difficult | 1576 | 5.68 |
| 2 Somewhat difficult | 1311 | 4.73 |
| 3 Very difficult | 1089 | 3.93 |
| 4 Can't do at all | 1855 | 6.69 |
| 6 Do not do this activity | 547 | 1.97 |
| 7 Refused | 7 | 0.03 |
| 8 Not ascertained | 19 | 0.07 |
| 9 Don't know | 23 | 0.08 |

AHS.091_04.000: How difficult to sit 2 hours w/o special equipment

| FLSIT | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 24167 | 87.15 |
| 1 Only a little difficult | 1321 | 4.76 |
| 2 Somewhat difficult | 1045 | 3.77 |
| 3 Very difficult | 563 | 2.03 |
| 4 Can't do at all | 456 | 1.64 |
| 6 Do not do this activity | 148 | 0.53 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 19 | 0.07 |
| 9 Don't know | 7 | 0.03 |

AHS.091_05.000: How difficult to stoop, bend or kneel w/o special equipment

| FLSTOOP | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 20291 | 73.17 |
| 1 Only a little difficult | 2346 | 8.46 |
| 2 Somewhat difficult | 1972 | 7.11 |
| 3 Very difficult | 1519 | 5.48 |
| 4 Can't do at all | 1327 | 4.79 |
| 6 Do not do this activity | 241 | 0.87 |
| 7 Refused | 6 | 0.02 |
| 8 Not ascertained | 19 | 0.07 |
| 9 Don't know | 10 | 0.04 |

AHS.091_06.000: How difficult to reach over head w/o special equipment

| FLREACH | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 25045 | 90.31 |
| 1 Only a little difficult | 991 | 3.57 |
| 2 Somewhat difficult | 812 | 2.93 |
| 3 Very difficult | 470 | 1.69 |
| 4 Can't do at all | 295 | 1.06 |
| 6 Do not do this activity | 86 | 0.31 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 20 | 0.07 |
| 9 Don't know | 7 | 0.03 |

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

Tuesday, June 8, 2010

AHS.141_01.000: How difficult to grasp small objects w/o special equipment

| FLGRASP | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 25209 | 90.91 |
| 1 Only a little difficult | 1077 | 3.88 |
| 2 Somewhat difficult | 815 | 2.94 |
| 3 Very difficult | 447 | 1.61 |
| 4 Can't do at all | 120 | 0.43 |
| 6 Do not do this activity | 32 | 0.12 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 20 | 0.07 |
| 9 Don't know | 6 | 0.02 |

AHS.141_02.000: How difficult to lift/carry 10 lbs w/o special equipment

| FLCARRY | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 24148 | 87.08 |
| 1 Only a little difficult | 967 | 3.49 |
| 2 Somewhat difficult | 828 | 2.99 |
| 3 Very difficult | 575 | 2.07 |
| 4 Can't do at all | 863 | 3.11 |
| 6 Do not do this activity | 315 | 1.14 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 20 | 0.07 |
| 9 Don't know | 10 | 0.04 |

AHS.141_03.000: How difficult to push large objects w/o special equipment

| FLPUSH | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 22580 | 81.43 |
| 1 Only a little difficult | 1292 | 4.66 |
| 2 Somewhat difficult | 965 | 3.48 |
| 3 Very difficult | 673 | 2.43 |
| 4 Can't do at all | 1361 | 4.91 |
| 6 Do not do this activity | 822 | 2.96 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 20 | 0.07 |
| 9 Don't know | 13 | 0.05 |

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

51

AHS.171_01.000: How difficult to go out to events w/o special equipment

| FLSHOP | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 24306 | 87.65 |
| 1 Only a little difficult | 916 | 3.30 |
| 2 Somewhat difficult | 846 | 3.05 |
| 3 Very difficult | 557 | 2.01 |
| 4 Can't do at all | 565 | 2.04 |
| 6 Do not do this activity | 511 | 1.84 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 20 | 0.07 |
| 9 Don't know | 5 | 0.02 |

AHS.171_02.000: How difficult to participate
 in social activities w/o special equipment

| FLSOCL | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 24627 | 88.81 |
| 1 Only a little difficult | 794 | 2.86 |
| 2 Somewhat difficult | 703 | 2.54 |
| 3 Very difficult | 451 | 1.63 |
| 4 Can't do at all | 450 | 1.62 |
| 6 Do not do this activity | 675 | 2.43 |
| 7 Refused | 6 | 0.02 |
| 8 Not ascertained | 20 | 0.07 |
| 9 Don't know | 5 | 0.02 |

AHS.171_03.000: How difficult to relax at home w/o special equipment

| FLRELAX | Frequency | Percent |
|---------------------------|-----------|---------|
| 0 Not at all difficult | 26383 | 95.14 |
| 1 Only a little difficult | 635 | 2.29 |
| 2 Somewhat difficult | 381 | 1.37 |
| 3 Very difficult | 178 | 0.64 |
| 4 Can't do at all | 68 | 0.25 |
| 6 Do not do this activity | 52 | 0.19 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 20 | 0.07 |
| 9 Don't know | 9 | 0.03 |

AHS.171_00.000: Any functional limitation, all conditions

| FLA1AR | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Limited in any way | 9991 | 36.03 |
| 2 Not limited in any way | 17687 | 63.78 |
| 3 Unknown if limited | 53 | 0.19 |

AHS.200_01.000: Vision problem causes difficulty with activity

| AFLHCA1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 290 | 2.90 |
| 2 Not mentioned | 9572 | 95.81 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_02.000: Hearing problem causes difficulty with activity

| AFLHCA2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 170 | 1.70 |
| 2 Not mentioned | 9692 | 97.01 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_03.000: Arthritis/rheumatism causes difficulty with activity

| AFLHCA3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3400 | 34.03 |
| 2 Not mentioned | 6462 | 64.68 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_04.000: Back/neck problem causes difficulty with activity

| AFLHCA4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2741 | 27.43 |
| 2 Not mentioned | 7121 | 71.27 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

53

Tuesday, June 8, 2010

AHS.200_05.000: Fracture/bone/joint injury causes difficulty with activity

| AFLHCA5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1002 | 10.03 |
| 2 Not mentioned | 8860 | 88.68 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_06.000: Other injury causes difficulty with activity

| AFLHCA6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 309 | 3.09 |
| 2 Not mentioned | 9553 | 95.62 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_07.000: Heart problem causes difficulty with activity

| AFLHCA7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 529 | 5.29 |
| 2 Not mentioned | 9333 | 93.41 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_08.000: Stroke causes difficulty with activity

| AFLHCA8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 199 | 1.99 |
| 2 Not mentioned | 9663 | 96.72 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_09.000: Hypertension causes difficulty with activity

| AFLHCA9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 460 | 4.60 |
| 2 Not mentioned | 9402 | 94.10 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_10.000: Diabetes causes difficulty with activity

| AFLHCA10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 441 | 4.41 |
| 2 Not mentioned | 9421 | 94.29 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_11.000: Lung/breathing problem causes difficulty with activity

| AFLHCA11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 654 | 6.55 |
| 2 Not mentioned | 9208 | 92.16 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_12.000: Cancer causes difficulty with activity

| AFLHCA12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 145 | 1.45 |
| 2 Not mentioned | 9717 | 97.26 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

55

Tuesday, June 8, 2010

AHS.200_13.000: Birth defect causes difficulty with activity

| AFLHCA13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 31 | 0.31 |
| 2 Not mentioned | 9831 | 98.40 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_14.000: Mental retardation causes difficulty with activity

| AFLHCA14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 35 | 0.35 |
| 2 Not mentioned | 9827 | 98.36 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_15.000: Other developmental problem causes difficulty with activity

| AFLHCA15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 34 | 0.34 |
| 2 Not mentioned | 9828 | 98.37 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_16.000: Senility/dementia/Alzheimer's causes difficulty with activity

| AFLHCA16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 107 | 1.07 |
| 2 Not mentioned | 9755 | 97.64 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_17.000: Depression/anxiety/emotional
 problem causes difficulty with activity

| AFLHCA17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 781 | 7.82 |
| 2 Not mentioned | 9081 | 90.89 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_18.000: Weight problem causes difficulty with activity

| AFLHCA18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 551 | 5.51 |
| 2 Not mentioned | 9311 | 93.19 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Missing or amputated limb/finger/digit
 causes difficulty with activity

| AFLHC19_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 51 | 0.51 |
| 2 Not mentioned | 9811 | 98.20 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Musculoskeletal/connective tissue
 problem causes difficulty with activity

| AFLHC20_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1750 | 17.52 |
| 2 Not mentioned | 8112 | 81.19 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Circulation problem causes difficulty with activity

| AFLHC21_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 228 | 2.28 |
| 2 Not mentioned | 9634 | 96.43 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Endocrine/nutritional/metabolic problem causes difficulty with activity

| AFLHC22_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 89 | 0.89 |
| 2 Not mentioned | 9773 | 97.82 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Nervous system/sensory organ condition causes difficulty with activity

| AFLHC23_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 546 | 5.46 |
| 2 Not mentioned | 9316 | 93.24 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Digestive system problem causes difficulty with activity

| AFLHC24_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 107 | 1.07 |
| 2 Not mentioned | 9755 | 97.64 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

58

Tuesday, June 8, 2010

AHS.200_00.000: Genitourinary system problem causes difficulty with activity

| AFLHC25_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 126 | 1.26 |
| 2 Not mentioned | 9736 | 97.45 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Skin/subcutaneous system problem causes difficulty with activity

| AFLHC26_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 5 | 0.05 |
| 2 Not mentioned | 9857 | 98.66 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Blood or blood-forming organ
problem causes difficulty with activity

| AFLHC27_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 17 | 0.17 |
| 2 Not mentioned | 9845 | 98.54 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Benign tumor/cyst causes difficulty with activity

| AFLHC28_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 28 | 0.28 |
| 2 Not mentioned | 9834 | 98.43 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

2009 National Health Interview Survey (NHIS) 59
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.200_00.000: Alcohol/drug/substance abuse
 problem causes difficulty with activity

| AFLHC29_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2 | 0.02 |
| 2 Not mentioned | 9860 | 98.69 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Other mental problem/ADD/Bipolar/Schizophrenia
 causes difficulty with activity

| AFLHC30_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 48 | 0.48 |
| 2 Not mentioned | 9814 | 98.23 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Surgical after-effects/medical
 treatment causes difficulty with activity

| AFLHC31_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 55 | 0.55 |
| 2 Not mentioned | 9807 | 98.16 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: "Old age"/elderly/aging-related
 problem causes difficulty with activity

| AFLHC32_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 174 | 1.74 |
| 2 Not mentioned | 9688 | 96.97 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

60

Tuesday, June 8, 2010

AHS.200_00.000: Fatigue/tiredness/weakness causes difficulty with activity

| AFLHC33_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 88 | 0.88 |
| 2 Not mentioned | 9774 | 97.83 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_00.000: Pregnancy-related problem causes difficulty with activity

| AFLHC34_ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 40 | 0.40 |
| 2 Not mentioned | 9822 | 98.31 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_90.000: Other impairment/problem (1) causes difficulty with activity

| AFLHCA90 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 234 | 2.34 |
| 2 Not mentioned | 9628 | 96.37 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

AHS.200_91.000: Other impairment/problem (2) causes difficulty with activity

| AFLHCA91 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2 | 0.02 |
| 2 Not mentioned | 9860 | 98.69 |
| 7 Refused | 22 | 0.22 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 88 | 0.88 |

Frequency Missing = 17740

2009 National Health Interview Survey (NHIS) 61
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.300_01.000: Duration of vision problem: Number of units

| ALTIME1 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 268 | 92.41 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 16 | 5.52 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.34 |
| 99 Don't know | 5 | 1.72 |

Frequency Missing = 27441

AHS.300_02.000: Duration of vision problem: Time unit

| ALUNIT1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 2 | 0.69 |
| 3 Month(s) | 5 | 1.72 |
| 4 Year(s) | 264 | 91.03 |
| 6 Since birth | 16 | 5.52 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.34 |
| 9 Don't know | 2 | 0.69 |

Frequency Missing = 27441

AHS.300_02.000: Duration of vision problem (in years)

| ALDURA1 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 7 | 2.41 |
| 01-84 years | 276 | 95.17 |
| 85 85+ years | 1 | 0.34 |
| 96 Unknown number of years | 3 | 1.03 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.34 |
| 99 Don't know | 2 | 0.69 |

Frequency Missing = 27441

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.300_02.000: Duration of vision problem recode 2

| ALDURB1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 1.03 |
| 2 3-5 months | 1 | 0.34 |
| 3 6-12 months | 23 | 7.93 |
| 4 More than 1 year | 260 | 89.66 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.34 |
| 9 Don't know | 2 | 0.69 |

Frequency Missing = 27441

AHS.300_02.000: Vision problem condition status

| ALCHRC1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 284 | 97.93 |
| 2 Not chronic | 3 | 1.03 |
| 9 Unknown if chronic | 3 | 1.03 |

Frequency Missing = 27441

AHS.301_01.000: Duration of hearing problem: Number of units

| ALTIME2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 159 | 93.53 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 7 | 4.12 |
| 97 Refused | 1 | 0.59 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.76 |

Frequency Missing = 27561

AHS.301_02.000: Duration of hearing problem: Time unit

| ALUNIT2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.59 |
| 3 Month(s) | 4 | 2.35 |
| 4 Year(s) | 155 | 91.18 |
| 6 Since birth | 7 | 4.12 |
| 7 Refused | 1 | 0.59 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 1.18 |

Frequency Missing = 27561

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.301_02.000: Duration of hearing problem (in years)

| ALDURA2 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 5 | 2.94 |
| 01-84 years | 160 | 94.12 |
| 85 85+ years | 1 | 0.59 |
| 96 Unknown number of years | 1 | 0.59 |
| 97 Refused | 1 | 0.59 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 1.18 |

Frequency Missing = 27561

AHS.301_02.000: Duration of hearing problem recode 2

| ALDURB2 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 2 | 1.18 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 7 | 4.12 |
| 4 More than 1 year | 158 | 92.94 |
| 7 Refused | 1 | 0.59 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 1.18 |

Frequency Missing = 27561

AHS.301_02.000: Hearing problem condition status

| ALCHRC2 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 165 | 97.06 |
| 2 Not chronic | 2 | 1.18 |
| 9 Unknown if chronic | 3 | 1.76 |

Frequency Missing = 27561

AHS.302_01.000: Duration of arthritis/rheumatism: Number of units

| ALTIME3 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 3287 | 96.68 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 22 | 0.65 |
| 97 Refused | 1 | 0.03 |
| 98 Not ascertained | 3 | 0.09 |
| 99 Don't know | 87 | 2.56 |

Frequency Missing = 24331

2009 National Health Interview Survey (NHIS) 64
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.302_02.000: Duration of arthritis/rheumatism: Time unit

| ALUNIT3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.03 |
| 2 Week(s) | 8 | 0.24 |
| 3 Month(s) | 123 | 3.62 |
| 4 Year(s) | 3213 | 94.50 |
| 6 Since birth | 22 | 0.65 |
| 7 Refused | 1 | 0.03 |
| 8 Not ascertained | 3 | 0.09 |
| 9 Don't know | 29 | 0.85 |

Frequency Missing = 24331

AHS.302_02.000: Duration of arthritis or rheumatism problem (in years)

| ALDURA3 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 106 | 3.12 |
| 01-84 years | 3201 | 94.15 |
| 85 85+ years | 2 | 0.06 |
| 96 Unknown number of years | 58 | 1.71 |
| 97 Refused | 1 | 0.03 |
| 98 Not ascertained | 3 | 0.09 |
| 99 Don't know | 29 | 0.85 |

Frequency Missing = 24331

AHS.302_02.000: Duration of arthritis or rheumatism problem recode 2

| ALDURB3 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 25 | 0.74 |
| 2 3-5 months | 41 | 1.21 |
| 3 6-12 months | 170 | 5.00 |
| 4 More than 1 year | 3131 | 92.09 |
| 7 Refused | 1 | 0.03 |
| 8 Not ascertained | 3 | 0.09 |
| 9 Don't know | 29 | 0.85 |

Frequency Missing = 24331

AHS.302_02.000: Arthritis or rheumatism problem condition status

| ALCHRC3 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 3400 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 24331

AHS.303_01.000: Duration of back or neck problem: Number of units

| ALTIME4 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 2666 | 97.26 |
| 95 95+ | 4 | 0.15 |
| 96 Since birth | 40 | 1.46 |
| 97 Refused | 2 | 0.07 |
| 98 Not ascertained | 3 | 0.11 |
| 99 Don't know | 26 | 0.95 |

Frequency Missing = 24990

AHS.303_02.000: Duration of back or neck problem: Time unit

| ALUNIT4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 12 | 0.44 |
| 2 Week(s) | 25 | 0.91 |
| 3 Month(s) | 194 | 7.08 |
| 4 Year(s) | 2455 | 89.57 |
| 6 Since birth | 40 | 1.46 |
| 7 Refused | 2 | 0.07 |
| 8 Not ascertained | 3 | 0.11 |
| 9 Don't know | 10 | 0.36 |

Frequency Missing = 24990

AHS.303_02.000: Duration of back or neck problem (in years)

| ALDURA4 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 187 | 6.82 |
| 01-84 years | 2520 | 91.94 |
| 85 85+ years | 3 | 0.11 |
| 96 Unknown number of years | 16 | 0.58 |
| 97 Refused | 2 | 0.07 |
| 98 Not ascertained | 3 | 0.11 |
| 99 Don't know | 10 | 0.36 |

Frequency Missing = 24990

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.303_02.000: Duration of back or neck problem recode 2

| ALDURB4 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 78 | 2.85 |
| 2 3-5 months | 48 | 1.75 |
| 3 6-12 months | 195 | 7.11 |
| 4 More than 1 year | 2405 | 87.74 |
| 7 Refused | 2 | 0.07 |
| 8 Not ascertained | 3 | 0.11 |
| 9 Don't know | 10 | 0.36 |

Frequency Missing = 24990

AHS.303_02.000: Back or neck condition status

| ALCHRC4 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 2648 | 96.61 |
| 2 Not chronic | 78 | 2.85 |
| 9 Unknown if chronic | 15 | 0.55 |

Frequency Missing = 24990

AHS.304_01.000: Duration of fracture, bone/joint injury: Number of units

| ALTIME5 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 992 | 99.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 0.30 |
| 97 Refused | 1 | 0.10 |
| 98 Not ascertained | 1 | 0.10 |
| 99 Don't know | 5 | 0.50 |

Frequency Missing = 26729

AHS.304_02.000: Duration of fracture, bone/joint injury: Time unit

| ALUNIT5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 10 | 1.00 |
| 2 Week(s) | 31 | 3.09 |
| 3 Month(s) | 168 | 16.77 |
| 4 Year(s) | 786 | 78.44 |
| 6 Since birth | 3 | 0.30 |
| 7 Refused | 1 | 0.10 |
| 8 Not ascertained | 1 | 0.10 |
| 9 Don't know | 2 | 0.20 |

Frequency Missing = 26729

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

Tuesday, June 8, 2010

AHS.304_02.000: Duration of fracture, bone/joint injury problem (in years)

| ALDURA5 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 180 | 17.96 |
| 01-84 years | 815 | 81.34 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 0.30 |
| 97 Refused | 1 | 0.10 |
| 98 Not ascertained | 1 | 0.10 |
| 99 Don't know | 2 | 0.20 |

Frequency Missing = 26729

AHS.304_02.000: Duration of fracture, bone/joint injury problem recode 2

| ALDURB5 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 74 | 7.39 |
| 2 3-5 months | 46 | 4.59 |
| 3 6-12 months | 134 | 13.37 |
| 4 More than 1 year | 744 | 74.25 |
| 7 Refused | 1 | 0.10 |
| 8 Not ascertained | 1 | 0.10 |
| 9 Don't know | 2 | 0.20 |

Frequency Missing = 26729

AHS.304_02.000: Fracture, bone/joint injury condition status

| ALCHRC5 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 924 | 92.22 |
| 2 Not chronic | 74 | 7.39 |
| 9 Unknown if chronic | 4 | 0.40 |

Frequency Missing = 26729

AHS.305_01.000: Duration of other injury: Number of units

| ALTIME6 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 297 | 96.12 |
| 95 95+ | 1 | 0.32 |
| 96 Since birth | 2 | 0.65 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 9 | 2.91 |

Frequency Missing = 27422

2009 National Health Interview Survey (NHIS) 68
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.305_02.000: Duration of other injury: Time unit

| ALUNIT6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 4 | 1.29 |
| 2 Week(s) | 7 | 2.27 |
| 3 Month(s) | 65 | 21.04 |
| 4 Year(s) | 226 | 73.14 |
| 6 Since birth | 2 | 0.65 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.62 |

Frequency Missing = 27422

AHS.305_02.000: Duration of other injury problem (in years)

| ALDURA6 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 60 | 19.42 |
| 01-84 years | 240 | 77.67 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 4 | 1.29 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 5 | 1.62 |

Frequency Missing = 27422

AHS.305_02.000: Duration of other injury problem recode 2

| ALDURB6 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 26 | 8.41 |
| 2 3-5 months | 19 | 6.15 |
| 3 6-12 months | 41 | 13.27 |
| 4 More than 1 year | 218 | 70.55 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 1.62 |

Frequency Missing = 27422

AHS.305_02.000: Other injury condition status

| ALCHRC6 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 278 | 89.97 |
| 2 Not chronic | 26 | 8.41 |
| 9 Unknown if chronic | 5 | 1.62 |

Frequency Missing = 27422

AHS.306_01.000: Duration of heart problem: Number of units

| ALTIME7 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 507 | 95.84 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 14 | 2.65 |
| 97 Refused | 2 | 0.38 |
| 98 Not ascertained | 2 | 0.38 |
| 99 Don't know | 4 | 0.76 |

Frequency Missing = 27202

AHS.306_02.000: Duration of heart problem: Time unit

| ALUNIT7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 6 | 1.13 |
| 3 Month(s) | 43 | 8.13 |
| 4 Year(s) | 460 | 86.96 |
| 6 Since birth | 14 | 2.65 |
| 7 Refused | 2 | 0.38 |
| 8 Not ascertained | 2 | 0.38 |
| 9 Don't know | 2 | 0.38 |

Frequency Missing = 27202

AHS.306_02.000: Duration of heart problem (in years)

| ALDURA7 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 46 | 8.70 |
| 01-84 years | 474 | 89.60 |
| 85 85+ years | 1 | 0.19 |
| 96 Unknown number of years | 2 | 0.38 |
| 97 Refused | 2 | 0.38 |
| 98 Not ascertained | 2 | 0.38 |
| 99 Don't know | 2 | 0.38 |

Frequency Missing = 27202

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.306_02.000: Duration of heart problem recode 2

| ALDURB7 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 12 | 2.27 |
| 2 3-5 months | 20 | 3.78 |
| 3 6-12 months | 35 | 6.62 |
| 4 More than 1 year | 456 | 86.20 |
| 7 Refused | 2 | 0.38 |
| 8 Not ascertained | 2 | 0.38 |
| 9 Don't know | 2 | 0.38 |

Frequency Missing = 27202

AHS.306_02.000: Heart problem condition status

| ALCHRC7 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 529 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27202

AHS.307_01.000: Duration of stroke problem: Number of units

| ALTIME8 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 195 | 97.99 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 1 | 0.50 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.51 |

Frequency Missing = 27532

AHS.307_02.000: Duration of stroke problem: Time unit

| ALUNIT8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 3 | 1.51 |
| 3 Month(s) | 28 | 14.07 |
| 4 Year(s) | 164 | 82.41 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 1 | 0.50 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.51 |

Frequency Missing = 27532

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

71

AHS.307_02.000: Duration of stroke problem (in years)

| ALDURA8 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 25 | 12.56 |
| 01-84 years | 170 | 85.43 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 1 | 0.50 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.51 |

Frequency Missing = 27532

AHS.307_02.000: Duration of stroke problem recode 2

| ALDURB8 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 10 | 5.03 |
| 2 3-5 months | 4 | 2.01 |
| 3 6-12 months | 20 | 10.05 |
| 4 More than 1 year | 161 | 80.90 |
| 7 Refused | 1 | 0.50 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.51 |

Frequency Missing = 27532

AHS.307_02.000: Stroke problem condition status

| ALCHRC8 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 199 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27532

AHS.308_01.000: Duration of hypertension/high
blood pressure problem: Number of units

| ALTIME9 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 446 | 96.96 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 0.65 |
| 97 Refused | 1 | 0.22 |
| 98 Not ascertained | 1 | 0.22 |
| 99 Don't know | 9 | 1.96 |

Frequency Missing = 27271

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

72

Tuesday, June 8, 2010

AHS.308_02.000: Duration of hypertension/high blood pressure problem: Time unit

| ALUNIT9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 5 | 1.09 |
| 3 Month(s) | 12 | 2.61 |
| 4 Year(s) | 432 | 93.91 |
| 6 Since birth | 3 | 0.65 |
| 7 Refused | 1 | 0.22 |
| 8 Not ascertained | 1 | 0.22 |
| 9 Don't know | 6 | 1.30 |

Frequency Missing = 27271

AHS.308_02.000: Duration of hypertension/high blood pressure problem (in years)

| ALDURA9 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 15 | 3.26 |
| 01-84 years | 434 | 94.35 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 0.65 |
| 97 Refused | 1 | 0.22 |
| 98 Not ascertained | 1 | 0.22 |
| 99 Don't know | 6 | 1.30 |

Frequency Missing = 27271

AHS.308_02.000: Duration of hypertension/high problem recode 2

| ALDURB9 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 7 | 1.52 |
| 2 3-5 months | 3 | 0.65 |
| 3 6-12 months | 22 | 4.78 |
| 4 More than 1 year | 420 | 91.30 |
| 7 Refused | 1 | 0.22 |
| 8 Not ascertained | 1 | 0.22 |
| 9 Don't know | 6 | 1.30 |

Frequency Missing = 27271

AHS.308_02.000: Hypertension/high blood pressure problem condition status

| ALCHRC9 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 460 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27271

2009 National Health Interview Survey (NHIS) 73
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.309_01.000: Duration of diabetes: Number of units

| ALTIME10 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 435 | 98.64 |
| 95 95+ | 1 | 0.23 |
| 96 Since birth | 1 | 0.23 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.23 |
| 99 Don't know | 3 | 0.68 |

Frequency Missing = 27290

AHS.309_02.000: Duration of diabetes: Time unit

| ALUNIT10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 15 | 3.40 |
| 4 Year(s) | 422 | 95.69 |
| 6 Since birth | 1 | 0.23 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.23 |
| 9 Don't know | 2 | 0.45 |

Frequency Missing = 27290

AHS.309_02.000: Duration of diabetes (in years)

| ALDURA10 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 11 | 2.49 |
| 01-84 years | 426 | 96.60 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 0.23 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.23 |
| 99 Don't know | 2 | 0.45 |

Frequency Missing = 27290

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.309_02.000: Duration of diabetes problem recode 2

| ALDURB10 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 0.68 |
| 2 3-5 months | 1 | 0.23 |
| 3 6-12 months | 22 | 4.99 |
| 4 More than 1 year | 412 | 93.42 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.23 |
| 9 Don't know | 2 | 0.45 |

Frequency Missing = 27290

AHS.309_02.000: Diabetes problem condition status

| ALCHRC10 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 441 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27290

AHS.310_01.000: Duration of lung/breathing problem: Number of units

| ALTIME11 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 603 | 92.20 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 32 | 4.89 |
| 97 Refused | 2 | 0.31 |
| 98 Not ascertained | 1 | 0.15 |
| 99 Don't know | 16 | 2.45 |

Frequency Missing = 27077

AHS.310_02.000: Duration of lung/breathing problem: Time unit

| ALUNIT11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 3 | 0.46 |
| 2 Week(s) | 4 | 0.61 |
| 3 Month(s) | 25 | 3.82 |
| 4 Year(s) | 582 | 88.99 |
| 6 Since birth | 32 | 4.89 |
| 7 Refused | 2 | 0.31 |
| 8 Not ascertained | 1 | 0.15 |
| 9 Don't know | 5 | 0.76 |

Frequency Missing = 27077

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.310_02.000: Duration of lung/breathing problem (in years)

| ALDURA11 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 27 | 4.13 |
| 01-84 years | 608 | 92.97 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 11 | 1.68 |
| 97 Refused | 2 | 0.31 |
| 98 Not ascertained | 1 | 0.15 |
| 99 Don't know | 5 | 0.76 |

Frequency Missing = 27077

AHS.310_02.000: Duration of lung/breathing problem recode 2

| ALDURB11 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 9 | 1.38 |
| 2 3-5 months | 7 | 1.07 |
| 3 6-12 months | 54 | 8.26 |
| 4 More than 1 year | 576 | 88.07 |
| 7 Refused | 2 | 0.31 |
| 8 Not ascertained | 1 | 0.15 |
| 9 Don't know | 5 | 0.76 |

Frequency Missing = 27077

AHS.310_02.000: Lung/breathing problem condition status

| ALCHRC11 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 637 | 97.40 |
| 2 Not chronic | 9 | 1.38 |
| 9 Unknown if chronic | 8 | 1.22 |

Frequency Missing = 27077

AHS.311_01.000: Duration of cancer: Number of units

| ALTIME12 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 144 | 99.31 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.69 |

Frequency Missing = 27586

2009 National Health Interview Survey (NHIS) 76
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.311_02.000: Duration of cancer: Time unit

| ALUNIT12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.69 |
| 2 Week(s) | 2 | 1.38 |
| 3 Month(s) | 30 | 20.69 |
| 4 Year(s) | 112 | 77.24 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27586

AHS.311_02.000: Duration of cancer (in years)

| ALDURA12 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 30 | 20.69 |
| 01-84 years | 114 | 78.62 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 0.69 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27586

AHS.311_02.000: Duration of cancer recode 2

| ALDURB12 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 4 | 2.76 |
| 2 3-5 months | 10 | 6.90 |
| 3 6-12 months | 36 | 24.83 |
| 4 More than 1 year | 95 | 65.52 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27586

AHS.311_02.000: Cancer condition status

| ALCHRC12 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 145 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27586

AHS.312_01.000: Duration of birth defect: Number of units

| ALTIME13 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 0 | 0.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 31 | 100.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27700

AHS.312_02.000: Duration of birth defect: Time unit

| ALUNIT13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 0 | 0.00 |
| 6 Since birth | 31 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27700

AHS.312_02.000: Duration of birth defect (in years)

| ALDURA13 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 31 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27700

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.312_02.000: Duration of birth defect recode 2

| ALDURB13 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 31 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27700

AHS.312_02.000: Birth defect condition status

| ALCHRC13 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 31 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27700

AHS.313_01.000: Duration of mental retardation: Number of units

| ALTIME14 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 19 | 54.29 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 16 | 45.71 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27696

AHS.313_02.000: Duration of mental retardation: Time unit

| ALUNIT14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 19 | 54.29 |
| 6 Since birth | 16 | 45.71 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27696

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.313_02.000: Duration of mental retardation (in years)

| ALDURA14 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 35 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27696

AHS.313_02.000: Duration of mental retardation recode 2

| ALDURB14 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 35 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27696

AHS.313_02.000: Mental retardation condition status

| ALCHRC14 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 35 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27696

AHS.314_01.000: Duration of other developmental problem: Number of units

| ALTIME15 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 16 | 47.06 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 18 | 52.94 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27697

2009 National Health Interview Survey (NHIS) 80
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.314_02.000: Duration of other developmental problem: Time unit

| ALUNIT15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 16 | 47.06 |
| 6 Since birth | 18 | 52.94 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27697

AHS.314_02.000: Duration of other developmental problem (in years)

| ALDURA15 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 34 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27697

AHS.314_02.000: Duration of other developmental problem recode 2

| ALDURB15 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 34 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27697

AHS.314_02.000: Other developmental problem condition status

| ALCHRC15 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 34 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27697

2009 National Health Interview Survey (NHIS) 81
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.315_01.000: Duration of senility: Number of units

| ALTIME16 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 102 | 95.33 |
| 95 95+ | 1 | 0.93 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 3.74 |

Frequency Missing = 27624

AHS.315_02.000: Duration of senility: Time unit

| ALUNIT16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 6 | 5.61 |
| 4 Year(s) | 99 | 92.52 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 1.87 |

Frequency Missing = 27624

AHS.315_02.000: Duration of senility (in years)

| ALDURA16 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 3 | 2.80 |
| 01-84 years | 100 | 93.46 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 2 | 1.87 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 1.87 |

Frequency Missing = 27624

2009 National Health Interview Survey (NHIS) 82
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.315_02.000: Duration of senility recode 2

| ALDURB16 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 2 | 1.87 |
| 3 6-12 months | 8 | 7.48 |
| 4 More than 1 year | 95 | 88.79 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 1.87 |

Frequency Missing = 27624

AHS.315_02.000: Senility condition status

| ALCHRC16 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 107 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27624

AHS.316_01.000: Duration of depression/anxiety/emotional
 problem: Number of units

| ALTIME17 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 706 | 90.40 |
| 95 95+ | 1 | 0.13 |
| 96 Since birth | 59 | 7.55 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 2 | 0.26 |
| 99 Don't know | 13 | 1.66 |

Frequency Missing = 26950

AHS.316_02.000: Duration of depression/anxiety/emotional problem: Time unit

| ALUNIT17 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.13 |
| 2 Week(s) | 1 | 0.13 |
| 3 Month(s) | 60 | 7.68 |
| 4 Year(s) | 651 | 83.35 |
| 6 Since birth | 59 | 7.55 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 2 | 0.26 |
| 9 Don't know | 7 | 0.90 |

Frequency Missing = 26950

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

Tuesday, June 8, 2010

AHS.316_02.000: Duration of depression/anxiety/emotional problem (in years)

| ALDURA17 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 50 | 6.40 |
| 01-84 years | 716 | 91.68 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 6 | 0.77 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 2 | 0.26 |
| 99 Don't know | 7 | 0.90 |

Frequency Missing = 26950

AHS.316_02.000: Duration of depression/anxiety/emotional problem recode 2

| ALDURB17 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 8 | 1.02 |
| 2 3-5 months | 15 | 1.92 |
| 3 6-12 months | 68 | 8.71 |
| 4 More than 1 year | 681 | 87.20 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 2 | 0.26 |
| 9 Don't know | 7 | 0.90 |

Frequency Missing = 26950

AHS.316_02.000: Depression/anxiety/emotional problem condition status

| ALCHRC17 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 764 | 97.82 |
| 2 Not chronic | 8 | 1.02 |
| 9 Unknown if chronic | 9 | 1.15 |

Frequency Missing = 26950

AHS.317_01.000: Duration of weight problem: Number of units

| ALTIME18 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 488 | 88.57 |
| 95 95+ | 2 | 0.36 |
| 96 Since birth | 48 | 8.71 |
| 97 Refused | 2 | 0.36 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 11 | 2.00 |

Frequency Missing = 27180

2009 National Health Interview Survey (NHIS) 84
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.317_02.000: Duration of weight problem: Time unit

| ALUNIT18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.18 |
| 2 Week(s) | 1 | 0.18 |
| 3 Month(s) | 24 | 4.36 |
| 4 Year(s) | 467 | 84.75 |
| 6 Since birth | 48 | 8.71 |
| 7 Refused | 2 | 0.36 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 1.45 |

Frequency Missing = 27180

AHS.317_02.000: Duration of weight problem (in years)

| ALDURA18 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 20 | 3.63 |
| 01-84 years | 518 | 94.01 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 0.54 |
| 97 Refused | 2 | 0.36 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 8 | 1.45 |

Frequency Missing = 27180

AHS.317_02.000: Duration of weight problem recode 2

| ALDURB18 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 4 | 0.73 |
| 2 3-5 months | 7 | 1.27 |
| 3 6-12 months | 43 | 7.80 |
| 4 More than 1 year | 487 | 88.38 |
| 7 Refused | 2 | 0.36 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 1.45 |

Frequency Missing = 27180

AHS.317_02.000: Weight problem condition status

| ALCHRC18 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 537 | 97.46 |
| 2 Not chronic | 4 | 0.73 |
| 9 Unknown if chronic | 10 | 1.81 |

Frequency Missing = 27180

AHS.318_01.000 RECOD: Duration of missing limb: Number of units

| ALTIME19 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 50 | 98.04 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 1 | 1.96 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27680

AHS.318_02.000 RECOD: Duration of missing limb: Time unit

| ALUNIT19 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 4 | 7.84 |
| 4 Year(s) | 46 | 90.20 |
| 6 Since birth | 1 | 1.96 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27680

AHS.318_02.000: Duration of missing limb (in years)

| ALDURA19 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 2 | 3.92 |
| 01-84 years | 49 | 96.08 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27680

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.318_02.000: Duration of missing limb recode 2

| ALDURB19 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 6 | 11.76 |
| 4 More than 1 year | 45 | 88.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27680

AHS.318_02.000: Missing limb condition status

| ALCHRC19 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 51 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27680

AHS.319_01.000 RECOD: Duration of musculoskeletal problem: Number of units

| ALTIME20 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 1708 | 97.60 |
| 95 95+ | 2 | 0.11 |
| 96 Since birth | 19 | 1.09 |
| 97 Refused | 1 | 0.06 |
| 98 Not ascertained | 2 | 0.11 |
| 99 Don't know | 18 | 1.03 |

Frequency Missing = 25981

AHS.319_02.000 RECOD: Duration of musculoskeletal problem: Time unit

| ALUNIT20 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 8 | 0.46 |
| 2 Week(s) | 13 | 0.74 |
| 3 Month(s) | 183 | 10.46 |
| 4 Year(s) | 1513 | 86.46 |
| 6 Since birth | 19 | 1.09 |
| 7 Refused | 1 | 0.06 |
| 8 Not ascertained | 2 | 0.11 |
| 9 Don't know | 11 | 0.63 |

Frequency Missing = 25981

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.319_02.000: Duration of musculoskeletal problem (in years)

| ALDURA20 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 175 | 10.00 |
| 01-84 years | 1553 | 88.74 |
| 85 85+ years | 1 | 0.06 |
| 96 Unknown number of years | 7 | 0.40 |
| 97 Refused | 1 | 0.06 |
| 98 Not ascertained | 2 | 0.11 |
| 99 Don't know | 11 | 0.63 |

Frequency Missing = 25981

AHS.319_02.000: Duration of musculoskeletal problem recode 2

| ALDURB20 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 54 | 3.09 |
| 2 3-5 months | 59 | 3.37 |
| 3 6-12 months | 214 | 12.23 |
| 4 More than 1 year | 1409 | 80.51 |
| 7 Refused | 1 | 0.06 |
| 8 Not ascertained | 2 | 0.11 |
| 9 Don't know | 11 | 0.63 |

Frequency Missing = 25981

AHS.319_02.000: Musculoskeletal problem condition status

| ALCHRC20 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 1682 | 96.11 |
| 2 Not chronic | 54 | 3.09 |
| 9 Unknown if chronic | 14 | 0.80 |

Frequency Missing = 25981

AHS.320_01.000 RECOD: Duration of circulation problem: Number of units

| ALTIME21 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 220 | 96.49 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 5 | 2.19 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 3 | 1.32 |

Frequency Missing = 27503

2009 National Health Interview Survey (NHIS) 88
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.320_02.000 RECOD: Duration of circulation problem: Time unit

| ALUNIT21 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 4 | 1.75 |
| 3 Month(s) | 14 | 6.14 |
| 4 Year(s) | 204 | 89.47 |
| 6 Since birth | 5 | 2.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.44 |

Frequency Missing = 27503

AHS.320_02.000: Duration of circulation problem (in years)

| ALDURA21 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 17 | 7.46 |
| 01-84 years | 208 | 91.23 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 2 | 0.88 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.44 |

Frequency Missing = 27503

AHS.320_02.000: Duration of circulation problem recode 2

| ALDURB21 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 7 | 3.07 |
| 2 3-5 months | 7 | 3.07 |
| 3 6-12 months | 19 | 8.33 |
| 4 More than 1 year | 194 | 85.09 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.44 |

Frequency Missing = 27503

AHS.320_02.000: Circulation problem condition status

| ALCHRC21 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 220 | 96.49 |
| 2 Not chronic | 7 | 3.07 |
| 9 Unknown if chronic | 1 | 0.44 |

Frequency Missing = 27503

AHS.321_01.000 RECOD: Duration of endocrine problem: Number of units

| ALTIME22 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 85 | 95.51 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 3.37 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 1.12 |

Frequency Missing = 27642

AHS.321_02.000 RECOD: Duration of endocrine problem: Time unit

| ALUNIT22 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 3 | 3.37 |
| 3 Month(s) | 5 | 5.62 |
| 4 Year(s) | 78 | 87.64 |
| 6 Since birth | 3 | 3.37 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27642

AHS.321_02.000: Duration of endocrine problem (in years)

| ALDURA22 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 8 | 8.99 |
| 01-84 years | 80 | 89.89 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 1.12 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27642

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.321_02.000: Duration of endocrine problem recode 2

| ALDURB22 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 5 | 5.62 |
| 2 3-5 months | 2 | 2.25 |
| 3 6-12 months | 7 | 7.87 |
| 4 More than 1 year | 75 | 84.27 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27642

AHS.321_02.000: Endocrine problem condition status

| ALCHRC22 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 84 | 94.38 |
| 2 Not chronic | 5 | 5.62 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27642

AHS.322_01.000 RECOD: Duration of nervous system condition: Number of units

| ALTIME23 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 524 | 95.97 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 15 | 2.75 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 7 | 1.28 |

Frequency Missing = 27185

AHS.322_02.000 RECOD: Duration of nervous system condition: Time unit

| ALUNIT23 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.18 |
| 2 Week(s) | 5 | 0.92 |
| 3 Month(s) | 28 | 5.13 |
| 4 Year(s) | 493 | 90.29 |
| 6 Since birth | 15 | 2.75 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.73 |

Frequency Missing = 27185

2009 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 8, 2010
Unweighted Frequencies

AHS.322_02.000: Duration of nervous system condition (in years)

| ALDURA23 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 29 | 5.31 |
| 01-84 years | 510 | 93.41 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 0.55 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 4 | 0.73 |

Frequency Missing = 27185

AHS.322_02.000: Duration of nervous system condition recode 2

| ALDURB23 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 10 | 1.83 |
| 2 3-5 months | 11 | 2.01 |
| 3 6-12 months | 36 | 6.59 |
| 4 More than 1 year | 485 | 88.83 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.73 |

Frequency Missing = 27185

AHS.322_02.000: Nervous system condition status

| ALCHRC23 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 532 | 97.44 |
| 2 Not chronic | 10 | 1.83 |
| 9 Unknown if chronic | 4 | 0.73 |

Frequency Missing = 27185

AHS.323_01.000 RECOD: Duration of digestive problems: Number of units

| ALTIME24 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 104 | 97.20 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 3 | 2.80 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27624

AHS.323_02.000 RECOD: Duration of digestive problems: Number of units

| ALUNIT24 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.93 |
| 2 Week(s) | 1 | 0.93 |
| 3 Month(s) | 10 | 9.35 |
| 4 Year(s) | 92 | 85.98 |
| 6 Since birth | 3 | 2.80 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27624

AHS.323_02.000: Duration of digestive problems (in years)

| ALDURA24 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 10 | 9.35 |
| 01-84 years | 97 | 90.65 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27624

AHS.323_02.000: Duration of digestive problems recode 2

| ALDURB24 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 2.80 |
| 2 3-5 months | 3 | 2.80 |
| 3 6-12 months | 13 | 12.15 |
| 4 More than 1 year | 88 | 82.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27624

AHS.323_02.000: Digestive problems condition status

| ALCHRC24 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 104 | 97.20 |
| 2 Not chronic | 3 | 2.80 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27624

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

93

Tuesday, June 8, 2010

AHS.324_01.000 RECOD: Duration of genitourinary problem: Number of units

| ALTIME25 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 120 | 95.24 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 5 | 3.97 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.79 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27605

AHS.324_02.000 RECOD: Duration of genitourinary problem: Time unit

| ALUNIT25 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 0.79 |
| 3 Month(s) | 16 | 12.70 |
| 4 Year(s) | 103 | 81.75 |
| 6 Since birth | 5 | 3.97 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.79 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27605

AHS.324_02.000: Duration of genitourinary problem (in years)

| ALDURA25 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 15 | 11.90 |
| 01-84 years | 110 | 87.30 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.79 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27605

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.324_02.000: Duration of genitourinary problem recode 2

| ALDURB25 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 4 | 3.17 |
| 2 3-5 months | 6 | 4.76 |
| 3 6-12 months | 19 | 15.08 |
| 4 More than 1 year | 96 | 76.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.79 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27605

AHS.324_02.000: Genitourinary problem condition status

| ALCHRC25 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 121 | 96.03 |
| 2 Not chronic | 4 | 3.17 |
| 9 Unknown if chronic | 1 | 0.79 |

Frequency Missing = 27605

AHS.325_01.000 RECOD: Duration of skin problems: Number of units

| ALTIME26 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 5 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27726

AHS.325_02.000 RECOD: Duration of skin problems: Time unit

| ALUNIT26 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 1 | 20.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 4 | 80.00 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27726

AHS.325_02.000: Duration of skin problems (in years)

| ALDURA26 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 1 | 20.00 |
| 01-84 years | 4 | 80.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27726

AHS.325_02.000: Duration of skin problems recode 2

| ALDURB26 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 1 | 20.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 4 | 80.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27726

AHS.325_02.000: Skin problems condition status

| ALCHRC26 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 4 | 80.00 |
| 2 Not chronic | 1 | 20.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27726

AHS.326_01.000 RECOD: Duration of blood problem: Number of units

| ALTIME27 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 12 | 70.59 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 4 | 23.53 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 5.88 |

Frequency Missing = 27714

2009 National Health Interview Survey (NHIS) 96
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.326_02.000 RECOD: Duration of blood problem: Time unit

| ALUNIT27 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 1 | 5.88 |
| 4 Year(s) | 11 | 64.71 |
| 6 Since birth | 4 | 23.53 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 5.88 |

Frequency Missing = 27714

AHS.326_02.000: Duration of blood problem (in years)

| ALDURA27 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 1 | 5.88 |
| 01-84 years | 15 | 88.24 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 5.88 |

Frequency Missing = 27714

AHS.326_02.000: Duration of blood problem recode 2

| ALDURB27 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 1 | 5.88 |
| 4 More than 1 year | 15 | 88.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 5.88 |

Frequency Missing = 27714

AHS.326_02.000: Blood problem condition status

| ALCHRC27 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 16 | 94.12 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 1 | 5.88 |

Frequency Missing = 27714

AHS.327_01.000 RECOD: Duration of benign tumor: Number of units

| ALTIME28 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 28 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27703

AHS.327_02.000 RECOD: Duration of benign tumor: Time unit

| ALUNIT28 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 3.57 |
| 2 Week(s) | 1 | 3.57 |
| 3 Month(s) | 6 | 21.43 |
| 4 Year(s) | 20 | 71.43 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27703

AHS.327_02.000: Duration of benign tumor (in years)

| ALDURA28 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 5 | 17.86 |
| 01-84 years | 23 | 82.14 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27703

2009 National Health Interview Survey (NHIS) 98
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.327_02.000: Duration of benign tumor recode 2

| ALDURB28 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 10.71 |
| 2 3-5 months | 2 | 7.14 |
| 3 6-12 months | 1 | 3.57 |
| 4 More than 1 year | 22 | 78.57 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27703

AHS.327_02.000: Benign tumor condition status

| ALCHRC28 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 25 | 89.29 |
| 2 Not chronic | 3 | 10.71 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27703

AHS.328_01.000 RECOD: Duration of alcohol or drug problem: Number of units

| ALTIME29 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 2 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27729

AHS.328_02.000 RECOD: Duration of alcohol or drug problem: Time unit

| ALUNIT29 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 2 | 100.00 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27729

AHS.328_02.000: Duration of alcohol or drug problem (in years)

| ALDURA29 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 2 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27729

AHS.328_02.000: Duration of alcohol or drug problem recode 2

| ALDURB29 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 2 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27729

AHS.328_02.000: Alcohol or drug problem condition status

| ALCHRC29 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 2 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27729

AHS.329_01.000 RECOD: Duration of other mental problem: Number of units

| ALTIME30 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 33 | 68.75 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 13 | 27.08 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 4.17 |

Frequency Missing = 27683

2009 National Health Interview Survey (NHIS) 100
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.329_02.000 RECOD: Duration of other mental problem: Time unit

| ALUNIT30 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 34 | 70.83 |
| 6 Since birth | 13 | 27.08 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 2.08 |

Frequency Missing = 27683

AHS.329_02.000: Duration of other mental problem (in years)

| ALDURA30 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 46 | 95.83 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 2.08 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 2.08 |

Frequency Missing = 27683

AHS.329_02.000: Duration of other mental problem recode 2

| ALDURB30 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 47 | 97.92 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 2.08 |

Frequency Missing = 27683

AHS.329_02.000: Other mental problem condition status

| ALCHRC30 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 47 | 97.92 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 1 | 2.08 |

Frequency Missing = 27683

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

101

Tuesday, June 8, 2010

AHS.330_01.000 RECOD: Duration of surgical after-effects: Number of units

| ALTIME31 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 55 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27676

AHS.330_02.000 RECOD: Duration of surgical after-effects: Time unit

| ALUNIT31 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 3 | 5.45 |
| 2 Week(s) | 5 | 9.09 |
| 3 Month(s) | 15 | 27.27 |
| 4 Year(s) | 32 | 58.18 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27676

AHS.330_02.000: Duration of surgical after-effects (in years)

| ALDURA31 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 19 | 34.55 |
| 01-84 years | 36 | 65.45 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27676

AHS.330_02.000: Duration of surgical after-effects recode 2

| ALDURB31 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 12 | 21.82 |
| 2 3-5 months | 2 | 3.64 |
| 3 6-12 months | 11 | 20.00 |
| 4 More than 1 year | 30 | 54.55 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27676

AHS.330_02.000: Surgical after-effects condition status

| ALCHRC31 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 43 | 78.18 |
| 2 Not chronic | 12 | 21.82 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27676

AHS.331_01.000 RECOD: Duration of "old age"-related problems: Number of units

| ALTIME32 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 129 | 74.14 |
| 95 95+ | 1 | 0.57 |
| 96 Since birth | 7 | 4.02 |
| 97 Refused | 4 | 2.30 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 33 | 18.97 |

Frequency Missing = 27557

AHS.331_02.000 RECOD: Duration of "old age"-related problems: Number of units

| ALUNIT32 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 0.57 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 4 | 2.30 |
| 4 Year(s) | 140 | 80.46 |
| 6 Since birth | 7 | 4.02 |
| 7 Refused | 4 | 2.30 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 10.34 |

Frequency Missing = 27557

AHS.331_02.000: Duration of "old age"-related problems (in years)

| ALDURA32 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 3 | 1.72 |
| 01-84 years | 131 | 75.29 |
| 85 85+ years | 3 | 1.72 |
| 96 Unknown number of years | 15 | 8.62 |
| 97 Refused | 4 | 2.30 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 18 | 10.34 |

Frequency Missing = 27557

AHS.331_02.000: Duration of "old age"- related problems recode 2

| ALDURB32 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 2 | 1.15 |
| 3 6-12 months | 21 | 12.07 |
| 4 More than 1 year | 129 | 74.14 |
| 7 Refused | 4 | 2.30 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 18 | 10.34 |

Frequency Missing = 27557

AHS.331_02.000: "Old age"-related problems condition status

| ALCHRC32 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 174 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27557

AHS.332_01.000 RECOD: Duration of fatigue problem: Number of units

| ALTIME33 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 73 | 82.95 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 6 | 6.82 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 9 | 10.23 |

Frequency Missing = 27643

2009 National Health Interview Survey (NHIS) 104
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.332_02.000 RECOD: Duration of fatigue problem: Time unit

| ALUNIT33 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 3 | 3.41 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 6 | 6.82 |
| 4 Year(s) | 67 | 76.14 |
| 6 Since birth | 6 | 6.82 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 6.82 |

Frequency Missing = 27643

AHS.332_02.000: Duration of fatigue problem (in years)

| ALDURA33 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 9 | 10.23 |
| 01-84 years | 70 | 79.55 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 3 | 3.41 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 6 | 6.82 |

Frequency Missing = 27643

AHS.332_02.000: Duration of fatigue problem recode 2

| ALDURB33 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 3 | 3.41 |
| 2 3-5 months | 2 | 2.27 |
| 3 6-12 months | 15 | 17.05 |
| 4 More than 1 year | 62 | 70.45 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 6.82 |

Frequency Missing = 27643

AHS.332_02.000: Fatigue problem condition status

| ALCHRC33 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 79 | 89.77 |
| 2 Not chronic | 3 | 3.41 |
| 9 Unknown if chronic | 6 | 6.82 |

Frequency Missing = 27643

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

105

Tuesday, June 8, 2010

AHS.333_01.000 RECOD: Duration of pregnancy-related problem: Number of units

| ALTIME34 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 40 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27691

AHS.333_02.000 RECOD: Duration of pregnancy-related problem: Time unit

| ALUNIT34 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 1 | 2.50 |
| 2 Week(s) | 5 | 12.50 |
| 3 Month(s) | 32 | 80.00 |
| 4 Year(s) | 2 | 5.00 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27691

AHS.333_02.000: Duration of pregnancy-related problem (in years)

| ALDURA34 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 38 | 95.00 |
| 01-84 years | 2 | 5.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27691

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.333_02.000: Duration of pregnancy-related problem recode 2

| ALDURB34 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 6 | 15.00 |
| 2 3-5 months | 11 | 27.50 |
| 3 6-12 months | 21 | 52.50 |
| 4 More than 1 year | 2 | 5.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27691

AHS.333_02.000: Pregnancy-related condition status

| ALCHRC34 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 0 | 0.00 |
| 2 Not chronic | 40 | 100.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27691

AHS.335_01.000: Duration of other N.E.C. problem (1): Number of units

| ALTIME90 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 201 | 85.90 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 22 | 9.40 |
| 97 Refused | 1 | 0.43 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 10 | 4.27 |

Frequency Missing = 27497

AHS.335_02.000: Duration of other N.E.C. problem (1): Time unit

| ALUNIT90 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 2 | 0.85 |
| 2 Week(s) | 2 | 0.85 |
| 3 Month(s) | 20 | 8.55 |
| 4 Year(s) | 178 | 76.07 |
| 6 Since birth | 22 | 9.40 |
| 7 Refused | 1 | 0.43 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 3.85 |

Frequency Missing = 27497

AHS.335_02.000: Duration of other N.E.C. problem (1) (in years)

| ALDURA90 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 22 | 9.40 |
| 01-84 years | 201 | 85.90 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 1 | 0.43 |
| 97 Refused | 1 | 0.43 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 9 | 3.85 |

Frequency Missing = 27497

AHS.335_02.000: Duration of other N.E.C. problem (1) recode 2

| ALDURB90 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 9 | 3.85 |
| 2 3-5 months | 4 | 1.71 |
| 3 6-12 months | 33 | 14.10 |
| 4 More than 1 year | 178 | 76.07 |
| 7 Refused | 1 | 0.43 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 3.85 |

Frequency Missing = 27497

AHS.335_02.000: Other N.E.C. problem (1) condition status

| ALCHRC90 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 215 | 91.88 |
| 2 Not chronic | 9 | 3.85 |
| 9 Unknown if chronic | 10 | 4.27 |

Frequency Missing = 27497

AHS.336_01.000: Duration of other N.E.C. problem (2): Number of units

| ALTIME91 | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 | 2 | 100.00 |
| 95 95+ | 0 | 0.00 |
| 96 Since birth | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27729

2009 National Health Interview Survey (NHIS) 108
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHS.336_02.000: Duration of other N.E.C. problem (2): Time unit

| ALUNIT91 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 0 | 0.00 |
| 2 Week(s) | 0 | 0.00 |
| 3 Month(s) | 0 | 0.00 |
| 4 Year(s) | 2 | 100.00 |
| 6 Since birth | 0 | 0.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27729

AHS.336_02.000: Duration of other N.E.C. problem (2) (in years)

| ALDURA91 | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Less than 1 year | 0 | 0.00 |
| 01-84 years | 2 | 100.00 |
| 85 85+ years | 0 | 0.00 |
| 96 Unknown number of years | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 27729

AHS.336_02.000: Duration of other N.E.C. problem (2) recode 2

| ALDURB91 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Less than 3 months | 0 | 0.00 |
| 2 3-5 months | 0 | 0.00 |
| 3 6-12 months | 0 | 0.00 |
| 4 More than 1 year | 2 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27729

AHS.336_02.000: Other N.E.C. problem (2) condition status

| ALCHRC91 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Chronic | 2 | 100.00 |
| 2 Not chronic | 0 | 0.00 |
| 9 Unknown if chronic | 0 | 0.00 |

Frequency Missing = 27729

AHS.336_02.000: Chronic condition recode for individual w/ functional limitation

| ALCNDRT | Frequency |
|---|-----------|
| 1 At least one chronic condition causes functional limitation | 9530 |
| 2 No chronic condition causes functional limitation | 269 |
| 9 Unknown if any chronic condition causes functional limitation | 192 |

AHS.336_02.000: Chronic condition recode for individual w/ functional limitation

| ALCNDRT | Percent |
|---|---------|
| 1 At least one chronic condition causes functional limitation | 95.39 |
| 2 No chronic condition causes functional limitation | 2.69 |
| 9 Unknown if any chronic condition causes functional limitation | 1.92 |

Frequency Missing = 17740

AHS.336_02.000: Overall functional limitation recode by condition status

| ALCHRONR | Frequency | Percent |
|---|-----------|---------|
| 0 Not limited in any way (including unknown if limited) | 17740 | 63.97 |
| 1 Limited; caused by at least one chronic condition | 9530 | 34.37 |
| 2 Limited; not caused by chronic condition | 269 | 0.97 |
| 3 Limited; unknown if condition is chronic | 192 | 0.69 |

AHB.010_00.000: Ever smoked 100 cigarettes

| SMKEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 11660 | 42.05 |
| 2 No | 15956 | 57.54 |
| 7 Refused | 31 | 0.11 |
| 8 Not ascertained | 59 | 0.21 |
| 9 Don't know | 25 | 0.09 |

AHB.020_00.000: Age first smoked fairly regularly

| SMKREG | Frequency | Percent |
|---------------------------|-----------|---------|
| 06-84 6 - 84 years | 11186 | 95.93 |
| 85 85 years or older | 0 | 0.00 |
| 96 Never smoked regularly | 304 | 2.61 |
| 97 Refused | 19 | 0.16 |
| 98 Not ascertained | 2 | 0.02 |
| 99 Don't know | 149 | 1.28 |

Frequency Missing = 16071

AHB.030_00.000: Smoke freq: everyday/some days/not at all

| SMKNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Every day | 4273 | 36.65 |
| 2 Some days | 1305 | 11.19 |
| 3 Not at all | 6069 | 52.05 |
| 7 Refused | 8 | 0.07 |
| 8 Not ascertained | 3 | 0.03 |
| 9 Don't know | 2 | 0.02 |

Frequency Missing = 16071

AHB.030_00.000: Smoking Status: Recode

| SMKSTAT2 | Frequency | Percent |
|----------------------------------|-----------|---------|
| 1 Current every day smoker | 4273 | 15.41 |
| 2 Current some day smoker | 1305 | 4.71 |
| 3 Former smoker | 6069 | 21.89 |
| 4 Never smoker | 15956 | 57.54 |
| 5 Smoker, current status unknown | 13 | 0.05 |
| 9 Unknown if ever smoked | 115 | 0.41 |

AHB.040_01.000: Time since quit: # of units

| SMKQTNO | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1 - 94 | 6001 | 98.88 |
| 95 95+ | 0 | 0.00 |
| 97 Refused | 2 | 0.03 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 66 | 1.09 |

Frequency Missing = 21662

AHB.040_02.000: Time since quit: time period

| SMKQTTP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Day(s) | 22 | 0.36 |
| 2 Week(s) | 57 | 0.94 |
| 3 Month(s) | 412 | 6.79 |
| 4 Year(s) | 5510 | 90.79 |
| 7 Refused | 2 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 66 | 1.09 |

Frequency Missing = 21662

AHB.040_02.000: Time since quit smoking (in years)

| SMKQTY | Frequency | Percent |
|---------------------|-----------|---------|
| 00 Less than 1 year | 450 | 7.41 |
| 01-69 1-69 years | 5547 | 91.40 |
| 70 70+ years | 4 | 0.07 |
| 97 Refused | 2 | 0.03 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 66 | 1.09 |

Frequency Missing = 21662

AHB.050_00.000: Number cigs per day (daily smokers)

| CIGSDA1 | Frequency | Percent |
|-------------------------|-----------|---------|
| 01-94 1 - 94 cigarettes | 4247 | 99.39 |
| 95 95+ cigarettes | 0 | 0.00 |
| 97 Refused | 6 | 0.14 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 20 | 0.47 |

Frequency Missing = 23458

AHB.060_00.000: Number days smoked in past 30 days

| CIGDAMO | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None | 50 | 3.83 |
| 01-30 1-30 days | 1218 | 93.33 |
| 97 Refused | 2 | 0.15 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 35 | 2.68 |

Frequency Missing = 26426

AHB.070_00.000: Number cigs per day (some day smokers)

| CIGSDA2 | Frequency | Percent |
|-------------------------|-----------|---------|
| 01-94 1 - 94 cigarettes | 1235 | 98.41 |
| 95 95+ cigarettes | 1 | 0.08 |
| 97 Refused | 2 | 0.16 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 17 | 1.35 |

Frequency Missing = 26476

AHB.070_00.000: Number of cigarettes a day (all current smokers)

| CIGSDAY | Frequency | Percent |
|-------------------------|-----------|---------|
| 01-94 1 - 94 cigarettes | 5482 | 99.17 |
| 95 95+ cigarettes | 1 | 0.02 |
| 97 Refused | 8 | 0.14 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 37 | 0.67 |

Frequency Missing = 22203

AHB.080_00.000: Tried quit smoking 1+ days, past 12 m

| CIGQTYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2632 | 47.19 |
| 2 No | 2937 | 52.65 |
| 7 Refused | 2 | 0.04 |
| 8 Not ascertained | 2 | 0.04 |
| 9 Don't know | 5 | 0.09 |

Frequency Missing = 22153

AHB.090_01.000: Freq vigorous activity: # of units

| VIGNO | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 000 Never | 15434 | 55.66 |
| 001-995 1-995 time(s) | 11315 | 40.80 |
| 996 Unable to do this type activity | 689 | 2.48 |
| 997 Refused | 25 | 0.09 |
| 998 Not ascertained | 206 | 0.74 |
| 999 Don't know | 62 | 0.22 |

AHB.090_02.000: Freq vigorous activity: Time units

| VIGTP | Frequency | Percent |
|------------------------------|-----------|---------|
| 0 Never | 15434 | 55.66 |
| 1 Per day | 1627 | 5.87 |
| 2 Per week | 8653 | 31.20 |
| 3 Per month | 816 | 2.94 |
| 4 Per year | 219 | 0.79 |
| 6 Unable to do this activity | 689 | 2.48 |
| 7 Refused | 25 | 0.09 |
| 8 Not ascertained | 206 | 0.74 |
| 9 Don't know | 62 | 0.22 |

AHB.090_02.000: Freq vigorous activity (times per wk)

| VIGFREQW | Frequency | Percent |
|-----------------------------------|-----------|---------|
| 00 Less than once per week | 764 | 2.76 |
| 01-28 1-28 times per week | 10551 | 38.05 |
| 95 Never | 15434 | 55.66 |
| 96 Unable to do vigorous activity | 689 | 2.48 |
| 97 Refused | 25 | 0.09 |
| 98 Not ascertained | 206 | 0.74 |
| 99 Don't know | 62 | 0.22 |

AHB.100_01.000: Duration vigorous activity: # units

| VIGLNGNO | Frequency | Percent |
|---------------------|-----------|---------|
| 001-995 1-995 | 11259 | 99.51 |
| 997 Refused | 0 | 0.00 |
| 998 Not ascertained | 21 | 0.19 |
| 999 Don't know | 35 | 0.31 |

Frequency Missing = 16416

AHB.100_02.000: Duration vigorous activity: Time unit

| VIGLNGTP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Minutes | 7275 | 64.30 |
| 2 Hours | 3984 | 35.21 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 21 | 0.19 |
| 9 Don't know | 35 | 0.31 |

Frequency Missing = 16416

AHB.100_02.000: Duration vigorous activity (in minutes)

| VIGMIN | Frequency | Percent |
|------------------------|-----------|---------|
| 010-720 10-720 minutes | 11259 | 99.51 |
| 997 Refused | 0 | 0.00 |
| 998 Not ascertained | 21 | 0.19 |
| 999 Don't know | 35 | 0.31 |

Frequency Missing = 16416

AHB.110_01.000: Freq moderate activity: # of units

| MODNO | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 000 Never | 11498 | 41.46 |
| 001-995 1-995 time(s) | 15168 | 54.70 |
| 996 Unable to do this type activity | 514 | 1.85 |
| 997 Refused | 26 | 0.09 |
| 998 Not ascertained | 368 | 1.33 |
| 999 Don't know | 157 | 0.57 |

AHB.110_02.000: Freq moderate activity: Time units

| MODTP | Frequency | Percent |
|------------------------------|-----------|---------|
| 0 Never | 11498 | 41.46 |
| 1 Per day | 3489 | 12.58 |
| 2 Per week | 10852 | 39.13 |
| 3 Per month | 659 | 2.38 |
| 4 Per year | 168 | 0.61 |
| 6 Unable to do this activity | 514 | 1.85 |
| 7 Refused | 26 | 0.09 |
| 8 Not ascertained | 368 | 1.33 |
| 9 Don't know | 157 | 0.57 |

2009 National Health Interview Survey (NHIS) 115
 Sample Adult Public Use File (samadult)
 AHB Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHB.110_02.000: Freq light/moderate activity (times per wk)

| MODFREQW | Frequency | Percent |
|--|-----------|---------|
| 00 Less than once per week | 565 | 2.04 |
| 01-28 1-28 times per week | 14603 | 52.66 |
| 95 Never | 11498 | 41.46 |
| 96 Unable to do light or moderate activity | 514 | 1.85 |
| 97 Refused | 26 | 0.09 |
| 98 Not ascertained | 368 | 1.33 |
| 99 Don't know | 157 | 0.57 |

AHB.120_01.000: Duration moderate activity: # of units

| MODLNGNO | Frequency | Percent |
|---------------------|-----------|---------|
| 001-995 1-995 | 15021 | 99.03 |
| 997 Refused | 3 | 0.02 |
| 998 Not ascertained | 21 | 0.14 |
| 999 Don't know | 123 | 0.81 |

Frequency Missing = 12563

AHB.120_02.000: Duration moderate activity: Time unit

| MODLNGTP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Minutes | 10955 | 72.22 |
| 2 Hours | 4066 | 26.81 |
| 7 Refused | 3 | 0.02 |
| 8 Not ascertained | 21 | 0.14 |
| 9 Don't know | 123 | 0.81 |

Frequency Missing = 12563

AHB.120_02.000: Duration light/moderate activity (in minutes)

| MODMIN | Frequency | Percent |
|------------------------|-----------|---------|
| 010-720 10-720 minutes | 15021 | 99.03 |
| 997 Refused | 3 | 0.02 |
| 998 Not ascertained | 21 | 0.14 |
| 999 Don't know | 123 | 0.81 |

Frequency Missing = 12563

AHB.130_01.000: Strength activity freq: # of units

| STRNGNO | Frequency | Percent |
|-------------------------------------|-----------|---------|
| 000 Never | 19777 | 71.32 |
| 001-995 1-995 time(s) | 7171 | 25.86 |
| 996 Unable to do this type activity | 542 | 1.95 |
| 997 Refused | 27 | 0.10 |
| 998 Not ascertained | 160 | 0.58 |
| 999 Don't know | 54 | 0.19 |

AHB.130_02.000: Strength activity freq: Time units

| STRNGTP | Frequency | Percent |
|------------------------------|-----------|---------|
| 0 Never | 19777 | 71.32 |
| 1 Per day | 998 | 3.60 |
| 2 Per week | 5616 | 20.25 |
| 3 Per month | 457 | 1.65 |
| 4 Per year | 100 | 0.36 |
| 6 Unable to do this activity | 542 | 1.95 |
| 7 Refused | 27 | 0.10 |
| 8 Not ascertained | 160 | 0.58 |
| 9 Don't know | 54 | 0.19 |

AHB.130_02.000: Freq strength activity (times per wk)

| STRFREQW | Frequency | Percent |
|-----------------------------------|-----------|---------|
| 00 Less than once per week | 415 | 1.50 |
| 01-28 1-28 times per week | 6756 | 24.36 |
| 95 Never | 19777 | 71.32 |
| 96 Unable to do strength activity | 542 | 1.95 |
| 97 Refused | 27 | 0.10 |
| 98 Not ascertained | 160 | 0.58 |
| 99 Don't know | 54 | 0.19 |

AHB.140_00.000: Ever had 12+ drinks in any one year

| ALC1YR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 16982 | 61.24 |
| 2 No | 10542 | 38.02 |
| 7 Refused | 77 | 0.28 |
| 8 Not ascertained | 106 | 0.38 |
| 9 Don't know | 24 | 0.09 |

AHB.150_00.000: Had 12+ drinks in ENTIRE LIFE

| ALCLIFE | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4621 | 42.99 |
| 2 No | 5910 | 54.98 |
| 7 Refused | 76 | 0.71 |
| 8 Not ascertained | 109 | 1.01 |
| 9 Don't know | 33 | 0.31 |

Frequency Missing = 16982

AHB.160_01.000: Freq drank alcohol pst yr: # of units

| ALC12MNO | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never | 4336 | 20.07 |
| 001-365 1-365 days | 17057 | 78.96 |
| 997 Refused | 42 | 0.19 |
| 998 Not ascertained | 3 | 0.01 |
| 999 Don't know | 165 | 0.76 |

Frequency Missing = 6128

AHB.160_02.000: Freq drank alcohol pst yr: Time unit

| ALC12MTP | Frequency | Percent |
|-------------------|-----------|---------|
| 0 Never/None | 4336 | 20.07 |
| 1 Week | 7574 | 35.06 |
| 2 Month | 4402 | 20.38 |
| 3 Year | 5081 | 23.52 |
| 7 Refused | 42 | 0.19 |
| 8 Not ascertained | 3 | 0.01 |
| 9 Don't know | 165 | 0.76 |

Frequency Missing = 6128

AHB.160_02.000: Freq drank alcohol: Days per week

| ALC12MWK | Frequency | Percent |
|-------------------------------|-----------|---------|
| 00 Less than one day per week | 8334 | 38.58 |
| 01-07 1-7 days per week | 8723 | 40.38 |
| 95 Did not drink in past year | 4336 | 20.07 |
| 97 Refused | 42 | 0.19 |
| 98 Not ascertained | 3 | 0.01 |
| 99 Don't know | 165 | 0.76 |

Frequency Missing = 6128

2009 National Health Interview Survey (NHIS) 118
 Sample Adult Public Use File (samadult)
 AHB Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AHB.160_02.000: Freq drank alcohol: Days in past year

| ALC12MYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never/none | 4336 | 20.07 |
| 001-365 1-365 days | 17057 | 78.96 |
| 997 Refused | 42 | 0.19 |
| 998 Not ascertained | 3 | 0.01 |
| 999 Don't know | 165 | 0.76 |

Frequency Missing = 6128

AHB.170_00.000: Average # drinks on days drank

| ALCMT | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 drinks | 16957 | 99.41 |
| 95 95+ drinks | 4 | 0.02 |
| 97 Refused | 14 | 0.08 |
| 98 Not ascertained | 2 | 0.01 |
| 99 Don't know | 80 | 0.47 |

Frequency Missing = 10674

AHB.170_00.000: Alcohol drinking status: Recode

| ALCSTAT | Frequency | Percent |
|---|-----------|---------|
| 01 Lifetime abstainer | 5910 | 21.31 |
| 02 Former infrequent | 2574 | 9.28 |
| 03 Former regular | 1754 | 6.33 |
| 04 Former, unknown frequency | 8 | 0.03 |
| 05 Current infrequent | 3546 | 12.79 |
| 06 Current light | 8008 | 28.88 |
| 07 Current moderate | 4005 | 14.44 |
| 08 Current heavier | 1402 | 5.06 |
| 09 Current drinker, frequency/level unknown | 96 | 0.35 |
| 10 Drinking status unknown | 428 | 1.54 |

AHB.180_01.000: Days 5+ drinks, past yr: # days

| ALC5UPNO | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never/none | 11055 | 64.81 |
| 001-365 1-365 days | 5746 | 33.69 |
| 997 Refused | 21 | 0.12 |
| 998 Not ascertained | 4 | 0.02 |
| 999 Don't know | 231 | 1.35 |

Frequency Missing = 10674

AHB.180_02.000: Days 5+ drinks, past yr: Time unit

| ALC5UPTP | Frequency | Percent |
|-------------------|-----------|---------|
| 0 Never/None | 11055 | 64.81 |
| 1 Per week | 725 | 4.25 |
| 2 Per month | 508 | 2.98 |
| 3 Per year | 4513 | 26.46 |
| 7 Refused | 21 | 0.12 |
| 8 Not ascertained | 4 | 0.02 |
| 9 Don't know | 231 | 1.35 |

Frequency Missing = 10674

AHB.180_02.000: Number of days had 5+ drinks past year

| ALC5UPYR | Frequency | Percent |
|---------------------|-----------|---------|
| 000 Never/none | 11055 | 64.81 |
| 001-365 1-365 days | 5746 | 33.69 |
| 997 Refused | 21 | 0.12 |
| 998 Not ascertained | 4 | 0.02 |
| 999 Don't know | 231 | 1.35 |

Frequency Missing = 10674

AHB.190_04.000: Total height in inches

| AHEIGHT | Frequency | Percent |
|--------------------|-----------|---------|
| 59-76 59-76 inches | 25707 | 92.70 |
| 96 Not available | 1702 | 6.14 |
| 97 Refused | 63 | 0.23 |
| 98 Not ascertained | 174 | 0.63 |
| 99 Don't know | 85 | 0.31 |

AHB.200_02.000: Weight without shoes (pounds)

| AWEIGHTP | Frequency | Percent |
|------------------------|-----------|---------|
| 100-299 100-299 pounds | 25185 | 90.82 |
| 996 Not available | 1702 | 6.14 |
| 997 Refused | 445 | 1.60 |
| 998 Not ascertained | 133 | 0.48 |
| 999 Don't know | 266 | 0.96 |

Sample Adult Public Use File (samadult)

AHB Variables

Tuesday, June 8, 2010

Unweighted Frequencies

AHB.200_02.000: Body Mass Index (BMI)

| BMI | Frequency | Percent |
|-----------------------|-----------|---------|
| 0001-9994 00.01-99.94 | 26779 | 96.57 |
| 9995 99.95+ | 0 | 0.00 |
| 9999 Unknown | 952 | 3.43 |

AHB.210_00.000: Hours of sleep

| SLEEP | Frequency | Percent |
|--------------------|-----------|---------|
| 01-24 1-24 hours | 27441 | 98.95 |
| 97 Refused | 33 | 0.12 |
| 98 Not ascertained | 138 | 0.50 |
| 99 Don't know | 119 | 0.43 |

Sample Adult Public Use File (samadult)

AAU Variables

Tuesday, June 8, 2010

Unweighted Frequencies

AAU.020_00.000: Place USUALLY go when sick

| AUSUALPL | Frequency | Percent |
|--------------------------------|-----------|---------|
| 1 Yes | 22770 | 82.11 |
| 2 There is NO place | 4458 | 16.08 |
| 3 There is MORE THAN ONE place | 337 | 1.22 |
| 7 Refused | 10 | 0.04 |
| 8 Not ascertained | 152 | 0.55 |
| 9 Don't know | 4 | 0.01 |

AAU.030_00.000: Place to go when sick (most often)

| APLKIND | Frequency | Percent |
|--------------------------------------|-----------|---------|
| 1 Clinic or health center | 4913 | 21.26 |
| 2 Doctor's office or HMO | 16995 | 73.55 |
| 3 Hospital emergency room | 353 | 1.53 |
| 4 Hospital outpatient department | 416 | 1.80 |
| 5 Some other place | 206 | 0.89 |
| 6 Doesn't go to one place most often | 216 | 0.93 |
| 7 Refused | 1 | 0.00 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 5 | 0.02 |

Frequency Missing = 4624

AAU.035_00.000: USUALLY go there for routine/preventive care

| AHCPLROU | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 21504 | 93.97 |
| 2 No | 1365 | 5.97 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 12 | 0.05 |

Frequency Missing = 4848

AAU.037_00.000: Place USUALLY go for routine/preventive care

| AHCPLKND | Frequency | Percent |
|--|-----------|---------|
| 0 Doesn't get preventive care anywhere | 3254 | 52.26 |
| 1 Clinic or health center | 796 | 12.78 |
| 2 Doctor's office or HMO | 1312 | 21.07 |
| 3 Hospital emergency room | 136 | 2.18 |
| 4 Hospital outpatient department | 61 | 0.98 |
| 5 Some other place | 108 | 1.73 |
| 6 Doesn't go to one place most often | 382 | 6.13 |
| 7 Refused | 13 | 0.21 |
| 8 Not ascertained | 156 | 2.51 |
| 9 Don't know | 9 | 0.14 |

Frequency Missing = 21504

AAU.040_00.000: Change health care place, past 12 m

| AHCCHGYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2024 | 8.76 |
| 2 No | 21070 | 91.18 |
| 7 Refused | 2 | 0.01 |
| 8 Not ascertained | 8 | 0.03 |
| 9 Don't know | 3 | 0.01 |

Frequency Missing = 4624

AAU.050_00.000: Change related to health insurance

| AHCCHGHI | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 579 | 28.61 |
| 2 No | 1444 | 71.34 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.05 |

Frequency Missing = 25707

AAU.061_01.000: Couldn't get through on phone, past 12 m

| AHCDLYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 792 | 2.86 |
| 2 No | 26744 | 96.44 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 168 | 0.61 |
| 9 Don't know | 15 | 0.05 |

AAU.061_02.000: Couldn't get appt soon enough, past 12 m

| AHCDLYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1810 | 6.53 |
| 2 No | 25725 | 92.77 |
| 7 Refused | 13 | 0.05 |
| 8 Not ascertained | 168 | 0.61 |
| 9 Don't know | 15 | 0.05 |

AAU.061_03.000: Wait too long in dr's office, past 12 m

| AHCDLYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1559 | 5.62 |
| 2 No | 25975 | 93.67 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 172 | 0.62 |
| 9 Don't know | 13 | 0.05 |

AAU.061_04.000: Not open when you could go, past 12 m

| AHCDLYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 984 | 3.55 |
| 2 No | 26549 | 95.74 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 172 | 0.62 |
| 9 Don't know | 14 | 0.05 |

AAU.061_05.000: No transportation, past 12 m

| AHCDLYR5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 689 | 2.48 |
| 2 No | 26849 | 96.82 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 173 | 0.62 |
| 9 Don't know | 8 | 0.03 |

AAU.111_01.000: Couldn't afford prescription medicine, past 12 m

| AHCAFYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2877 | 10.37 |
| 2 No | 24646 | 88.88 |
| 7 Refused | 9 | 0.03 |
| 8 Not ascertained | 183 | 0.66 |
| 9 Don't know | 16 | 0.06 |

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Tuesday, June 8, 2010
 Unweighted Frequencies

124

AAU.111_02.000: Couldn't afford mental health care/counseling, 12 m

| AHCAFYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 801 | 2.89 |
| 2 No | 26720 | 96.35 |
| 7 Refused | 8 | 0.03 |
| 8 Not ascertained | 189 | 0.68 |
| 9 Don't know | 13 | 0.05 |

AAU.111_03.000: Couldn't afford dental care, past 12 m

| AHCAFYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4327 | 15.60 |
| 2 No | 23197 | 83.65 |
| 7 Refused | 11 | 0.04 |
| 8 Not ascertained | 191 | 0.69 |
| 9 Don't know | 5 | 0.02 |

AAU.111_04.000: Couldn't afford eyeglasses, past 12 m

| AHCAFYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2402 | 8.66 |
| 2 No | 25116 | 90.57 |
| 7 Refused | 12 | 0.04 |
| 8 Not ascertained | 191 | 0.69 |
| 9 Don't know | 10 | 0.04 |

AAU.135_00.000: Time since last saw a dentist

| ADNLONG2 | Frequency | Percent |
|--|-----------|---------|
| 0 Never | 275 | 0.99 |
| 1 6 months or less | 11667 | 42.07 |
| 2 More than 6 mos, but not more than 1 yr ago | 4628 | 16.69 |
| 3 More than 1 yr, but not more than 2 yrs ago | 3761 | 13.56 |
| 4 More than 2 yrs, but not more than 5 yrs ago | 3293 | 11.87 |
| 5 More than 5 years ago | 3816 | 13.76 |
| 7 Refused | 28 | 0.10 |
| 8 Not ascertained | 197 | 0.71 |
| 9 Don't know | 66 | 0.24 |

AAU.141_01.000: Seen/talked to mental health professional, past 12 m

| AHCSYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2183 | 7.87 |
| 2 No | 25307 | 91.26 |
| 7 Refused | 23 | 0.08 |
| 8 Not ascertained | 209 | 0.75 |
| 9 Don't know | 9 | 0.03 |

AAU.141_02.000: Seen/talked to eye doctor, past 12 m

| AHCSYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 10393 | 37.48 |
| 2 No | 17091 | 61.63 |
| 7 Refused | 23 | 0.08 |
| 8 Not ascertained | 212 | 0.76 |
| 9 Don't know | 12 | 0.04 |

AAU.141_03.000: Seen/talked to foot doctor, past 12 m

| AHCSYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2035 | 7.34 |
| 2 No | 25456 | 91.80 |
| 7 Refused | 19 | 0.07 |
| 8 Not ascertained | 213 | 0.77 |
| 9 Don't know | 8 | 0.03 |

AAU.141_04.000: Seen/talked to a chiropractor, past 12 m

| AHCSYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2442 | 8.81 |
| 2 No | 25048 | 90.32 |
| 7 Refused | 19 | 0.07 |
| 8 Not ascertained | 213 | 0.77 |
| 9 Don't know | 9 | 0.03 |

AAU.141_05.000: Seen/talked to therapist (PT/OT/etc.), past 12 m

| AHCSYR5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2429 | 8.76 |
| 2 No | 25058 | 90.36 |
| 7 Refused | 22 | 0.08 |
| 8 Not ascertained | 215 | 0.78 |
| 9 Don't know | 7 | 0.03 |

AAU.141_06.000: Seen/talked to a NP/PA/midwife, past 12 m

| AHCSYR6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4931 | 17.78 |
| 2 No | 22523 | 81.22 |
| 7 Refused | 22 | 0.08 |
| 8 Not ascertained | 215 | 0.78 |
| 9 Don't know | 40 | 0.14 |

AAU.200_00.000: Seen/talked to OB/GYN, past 12 m

| AHCSYR7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6346 | 41.02 |
| 2 No | 8989 | 58.11 |
| 7 Refused | 13 | 0.08 |
| 8 Not ascertained | 114 | 0.74 |
| 9 Don't know | 8 | 0.05 |

Frequency Missing = 12261

AAU.211_01.000: Seen/talked to a medical specialist, past 12 m

| AHCSYR8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7481 | 26.98 |
| 2 No | 20002 | 72.13 |
| 7 Refused | 20 | 0.07 |
| 8 Not ascertained | 217 | 0.78 |
| 9 Don't know | 11 | 0.04 |

AAU.211_02.000: Seen/talked to a general doctor, past 12 m

| AHCSYR9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 18500 | 66.71 |
| 2 No | 8979 | 32.38 |
| 7 Refused | 19 | 0.07 |
| 8 Not ascertained | 218 | 0.79 |
| 9 Don't know | 15 | 0.05 |

AAU.230_00.000: Doctor treats both kids and adults

| AHCSYR10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9593 | 51.85 |
| 2 No | 7237 | 39.12 |
| 7 Refused | 7 | 0.04 |
| 8 Not ascertained | 4 | 0.02 |
| 9 Don't know | 1659 | 8.97 |

Frequency Missing = 9231

AAU.240_00.000: # times in ER/ED, past 12 m

| AHERNOY2 | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None | 21446 | 77.34 |
| 01 1 | 3708 | 13.37 |
| 02 2-3 | 1659 | 5.98 |
| 03 4-5 | 352 | 1.27 |
| 04 6-7 | 136 | 0.49 |
| 05 8-9 | 54 | 0.19 |
| 06 10-12 | 58 | 0.21 |
| 07 13-15 | 17 | 0.06 |
| 08 16 or more | 43 | 0.16 |
| 97 Refused | 17 | 0.06 |
| 98 Not ascertained | 228 | 0.82 |
| 99 Don't know | 13 | 0.05 |

AAU.250_00.000: Received home care from health professional, past 12 m

| AHCHYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 752 | 2.71 |
| 2 No | 26737 | 96.42 |
| 7 Refused | 11 | 0.04 |
| 8 Not ascertained | 230 | 0.83 |
| 9 Don't know | 1 | 0.00 |

AAU.260_00.000: # months of home care, past 12 m

| AHCHMOYR | Frequency | Percent |
|--------------------|-----------|---------|
| 01-12 months | 739 | 98.27 |
| 97 Refused | 1 | 0.13 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 12 | 1.60 |

Frequency Missing = 26979

Sample Adult Public Use File (samadult)

AAU Variables

Tuesday, June 8, 2010

Unweighted Frequencies

AAU.270_00.000: Total number of home visits

| AHCHNOY2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01 1 | 85 | 11.30 |
| 02 2-3 | 85 | 11.30 |
| 03 4-5 | 68 | 9.04 |
| 04 6-7 | 54 | 7.18 |
| 05 8-9 | 44 | 5.85 |
| 06 10-12 | 85 | 11.30 |
| 07 13-15 | 27 | 3.59 |
| 08 16 or more | 284 | 37.77 |
| 97 Refused | 1 | 0.13 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 19 | 2.53 |

Frequency Missing = 26979

AAU.280_00.000: Total number of office visits, past 12 m

| AHCNOYR2 | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None | 5218 | 18.82 |
| 01 1 | 4453 | 16.06 |
| 02 2-3 | 6913 | 24.93 |
| 03 4-5 | 3954 | 14.26 |
| 04 6-7 | 1887 | 6.80 |
| 05 8-9 | 956 | 3.45 |
| 06 10-12 | 1671 | 6.03 |
| 07 13-15 | 583 | 2.10 |
| 08 16 or more | 1726 | 6.22 |
| 97 Refused | 23 | 0.08 |
| 98 Not ascertained | 239 | 0.86 |
| 99 Don't know | 108 | 0.39 |

AAU.290_00.000: Surgery/surgical procedure, past 12 m

| ASRGYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3472 | 12.52 |
| 2 No | 23999 | 86.54 |
| 7 Refused | 15 | 0.05 |
| 8 Not ascertained | 240 | 0.87 |
| 9 Don't know | 5 | 0.02 |

2009 National Health Interview Survey (NHIS) 129
 Sample Adult Public Use File (samadult)
 AAU Variables Tuesday, June 8, 2010
 Unweighted Frequencies

AAU.300_00.000: # of surgeries, past 12 m

| ASRGNOYR | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 times | 3471 | 99.97 |
| 95 95+ times | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.03 |

Frequency Missing = 24259

AAU.305_00.000: Time since last seen/talked to health professional

| AMDLONGR | Frequency | Percent |
|--|-----------|---------|
| 0 Never | 305 | 1.10 |
| 1 6 months or less | 18623 | 67.16 |
| 2 More than 6 mos, but not more than 1 yr ago | 4070 | 14.68 |
| 3 More than 1 yr, but not more than 2 yrs ago | 2145 | 7.74 |
| 4 More than 2 yrs, but not more than 5 yrs ago | 1420 | 5.12 |
| 5 More than 5 years ago | 873 | 3.15 |
| 7 Refused | 18 | 0.06 |
| 8 Not ascertained | 242 | 0.87 |
| 9 Don't know | 35 | 0.13 |

AAU.305_00.010: Looked up health information on internet

| HIT1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 13211 | 47.64 |
| 2 No | 14226 | 51.30 |
| 7 Refused | 24 | 0.09 |
| 8 Not ascertained | 250 | 0.90 |
| 9 Don't know | 20 | 0.07 |

AAU.305_00.020: Looked up health information on internet, past 12 m

| HIT2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 11616 | 87.93 |
| 2 No | 1576 | 11.93 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 19 | 0.14 |

Frequency Missing = 14520

AAU.305_00.030: Used chat groups to learn about healthy topics

| HIT3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1170 | 4.22 |
| 2 No | 26265 | 94.71 |
| 7 Refused | 24 | 0.09 |
| 8 Not ascertained | 251 | 0.91 |
| 9 Don't know | 21 | 0.08 |

AAU.305_00.040: Used chat groups to learn about health topics, past 12 m

| HIT4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 914 | 78.12 |
| 2 No | 256 | 21.88 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26561

AAU.305_00.050: Refilled prescription on internet

| HIT5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1761 | 6.35 |
| 2 No | 25679 | 92.60 |
| 7 Refused | 22 | 0.08 |
| 8 Not ascertained | 251 | 0.91 |
| 9 Don't know | 18 | 0.06 |

AAU.305_00.060: Refilled prescription on internet, past 12 m

| HIT6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1489 | 84.55 |
| 2 No | 271 | 15.39 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.06 |

Frequency Missing = 25970

AAU.305_00.070: Scheduled medical appointment on internet

| HIT7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 915 | 3.30 |
| 2 No | 26524 | 95.65 |
| 7 Refused | 22 | 0.08 |
| 8 Not ascertained | 252 | 0.91 |
| 9 Don't know | 18 | 0.06 |

AAU.305_00.080: Scheduled medical appointment on internet, past 12 m

| HIT8 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 716 | 78.25 |
| 2 No | 199 | 21.75 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 26816

AAU.305_00.090: Communicated with health care provider by e_mail

| HIT9 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1486 | 5.36 |
| 2 No | 25951 | 93.58 |
| 7 Refused | 22 | 0.08 |
| 8 Not ascertained | 253 | 0.91 |
| 9 Don't know | 19 | 0.07 |

AAU.305_00.100: Communicated with health care provider by e_mail, past 12 m

| HIT10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1191 | 80.15 |
| 2 No | 294 | 19.78 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.07 |

Frequency Missing = 26245

Sample Adult Public Use File (samadult)

AAU Variables

Tuesday, June 8, 2010

Unweighted Frequencies

AAU.310_00.000: Flu shot past 12 m

| SHTFLUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9495 | 34.24 |
| 2 No | 17884 | 64.49 |
| 7 Refused | 22 | 0.08 |
| 8 Not ascertained | 266 | 0.96 |
| 9 Don't know | 64 | 0.23 |

AAU.312_01.000: Month of most recent flu shot

| ASHFLU_M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 243 | 2.56 |
| 02 February | 166 | 1.75 |
| 03 March | 81 | 0.85 |
| 04 April | 44 | 0.46 |
| 05 May | 44 | 0.46 |
| 06 June | 38 | 0.40 |
| 07 July | 36 | 0.38 |
| 08 August | 136 | 1.43 |
| 09 September | 1250 | 13.16 |
| 10 October | 4829 | 50.86 |
| 11 November | 2092 | 22.03 |
| 12 December | 410 | 4.32 |
| 97 Refused | 4 | 0.04 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 122 | 1.28 |

Frequency Missing = 18236

AAU.312_02.000: Year of most recent flu shot

| ASHFLU_Y | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 9437 | 99.39 |
| 9997 Refused | 4 | 0.04 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 54 | 0.57 |

Frequency Missing = 18236

AAU.315_00.000: Flu spray past 12 m

| SPRFLUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 112 | 0.40 |
| 2 No | 27310 | 98.48 |
| 7 Refused | 21 | 0.08 |
| 8 Not ascertained | 269 | 0.97 |
| 9 Don't know | 19 | 0.07 |

AAU.318_01.000: Month of most recent flu nasal vaccine

| ASPFLU_M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 1 | 0.89 |
| 02 February | 5 | 4.46 |
| 03 March | 1 | 0.89 |
| 04 April | 3 | 2.68 |
| 05 May | 2 | 1.79 |
| 06 June | 0 | 0.00 |
| 07 July | 1 | 0.89 |
| 08 August | 1 | 0.89 |
| 09 September | 10 | 8.93 |
| 10 October | 39 | 34.82 |
| 11 November | 37 | 33.04 |
| 12 December | 11 | 9.82 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.89 |

Frequency Missing = 27619

AAU.318_02.000: Year of most recent flu nasal vaccine

| ASPFLU_Y | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 112 | 100.00 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 0 | 0.00 |

Frequency Missing = 27619

AAU.320_00.000: Pneumonia shot (EVER)

| SHTPNUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5478 | 19.75 |
| 2 No | 21279 | 76.73 |
| 7 Refused | 25 | 0.09 |
| 8 Not ascertained | 273 | 0.98 |
| 9 Don't know | 676 | 2.44 |

AAU.330_00.000: Ever had chickenpox

| APOX | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 21020 | 75.80 |
| 2 No | 5252 | 18.94 |
| 7 Refused | 28 | 0.10 |
| 8 Not ascertained | 282 | 1.02 |
| 9 Don't know | 1149 | 4.14 |

AAU.340_00.000: Chickenpox, past 12 m

| APOX12MO | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 66 | 0.31 |
| 2 No | 20954 | 99.69 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 6711

AAU.350_00.000: Ever had hepatitis

| AHEP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 907 | 3.27 |
| 2 No | 26424 | 95.29 |
| 7 Refused | 25 | 0.09 |
| 8 Not ascertained | 284 | 1.02 |
| 9 Don't know | 91 | 0.33 |

AAU.360_00.000: Ever lived w/ someone w/ hepatitis

| AHEPLIV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1125 | 4.19 |
| 2 No | 25240 | 94.09 |
| 7 Refused | 28 | 0.10 |
| 8 Not ascertained | 285 | 1.06 |
| 9 Don't know | 146 | 0.54 |

Frequency Missing = 907

AAU.370_00.000: Hepatitis B vaccine (EVER)

| SHTHEPB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7833 | 28.25 |
| 2 No | 18167 | 65.51 |
| 7 Refused | 29 | 0.10 |
| 8 Not ascertained | 290 | 1.05 |
| 9 Don't know | 1412 | 5.09 |

AAU.380_00.000: # doses of hepatitis B vaccine received

| SHEPDOS | Frequency | Percent |
|------------------------------|-----------|---------|
| 1 Received at least 3 doses | 6332 | 80.84 |
| 2 Received less than 3 doses | 975 | 12.45 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 525 | 6.70 |

Frequency Missing = 19898

AAU.390_00.010: Hepatitis A vaccine (EVER)

| SHTHEPA | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2964 | 10.69 |
| 2 No | 22601 | 81.50 |
| 7 Refused | 29 | 0.10 |
| 8 Not ascertained | 292 | 1.05 |
| 9 Don't know | 1845 | 6.65 |

AAU.400_00.010: # shots of hepatitis A vaccine received

| SHEPANUM | Frequency | Percent |
|-----------------------|-----------|---------|
| 01-95 shots | 1975 | 66.63 |
| 96 Received all shots | 349 | 11.77 |
| 97 Refused | 1 | 0.03 |
| 98 Not ascertained | 1 | 0.03 |
| 99 Don't know | 638 | 21.52 |

Frequency Missing = 24767

AAU.410_00.010: Ever had the Zoster or Shingles vaccine?

| SHINGLES | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 824 | 6.66 |
| 2 No | 11252 | 90.99 |
| 7 Refused | 10 | 0.08 |
| 8 Not ascertained | 143 | 1.16 |
| 9 Don't know | 137 | 1.11 |

Frequency Missing = 15365

AAU.420_00.010: Tetanus shot in the past 10 years?

| SHTTD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 15576 | 56.17 |
| 2 No | 10783 | 38.88 |
| 7 Refused | 26 | 0.09 |
| 8 Not ascertained | 297 | 1.07 |
| 9 Don't know | 1049 | 3.78 |

AAU.430_00.010: Tetanus shot given in 2005 or later?

| SHTTD05 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 7954 | 51.07 |
| 2 No | 6807 | 43.70 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 813 | 5.22 |

Frequency Missing = 12155

AAU.440_00.010: Vaccine included pertussis/whooping cough

| SHTTDAP | Frequency | Percent |
|--------------------------------|-----------|---------|
| 1 Yes-included pertussis | 1030 | 15.26 |
| 2 No-did not include pertussis | 1006 | 14.90 |
| 3 Doctor did not say | 4054 | 60.06 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 660 | 9.78 |

Frequency Missing = 20981

AAU.442_00.010: Ever heard of HPV

| HPVHRD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 13595 | 61.13 |
| 2 No | 8263 | 37.16 |
| 7 Refused | 24 | 0.11 |
| 8 Not ascertained | 234 | 1.05 |
| 9 Don't know | 122 | 0.55 |

Frequency Missing = 5493

AAU.444_00.010: Ever heard about HPV vaccine or shot

| SHHPVHRD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 12970 | 58.32 |
| 2 No | 8905 | 40.04 |
| 7 Refused | 25 | 0.11 |
| 8 Not ascertained | 237 | 1.07 |
| 9 Don't know | 101 | 0.45 |

Frequency Missing = 5493

AAU.446_00.010: Ever received the HPV vaccine or shot

| SHTHPV | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 Yes | 459 | 3.77 |
| 2 No | 11499 | 94.44 |
| 3 Doctor refused when asked | 20 | 0.16 |
| 7 Refused | 14 | 0.11 |
| 8 Not ascertained | 124 | 1.02 |
| 9 Don't know | 60 | 0.49 |

Frequency Missing = 15555

AAU.448_00.010: Number of HPV shots received

| SHHPVDOS | Frequency | Percent |
|--------------------|-----------|---------|
| 01-50 1-50 shots | 414 | 90.20 |
| 96 All shots | 32 | 6.97 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 13 | 2.83 |

Frequency Missing = 27272

AAU.450_00.010: Ever told you had any kind of chronic/long-term liver condition

| LIVEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 344 | 1.24 |
| 2 No | 27035 | 97.49 |
| 7 Refused | 25 | 0.09 |
| 8 Not ascertained | 312 | 1.13 |
| 9 Don't know | 15 | 0.05 |

AAU.460_00.010: Ever traveled outside USA since 1995 (Excluding Europe, Japan, Australia, New Zealand, and Canada)

| TRAVEL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8724 | 31.46 |
| 2 No | 18639 | 67.21 |
| 7 Refused | 30 | 0.11 |
| 8 Not ascertained | 314 | 1.13 |
| 9 Don't know | 24 | 0.09 |

AAU.465_00.010: Work or volunteer in a health care setting

| WRKHLTH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2225 | 8.02 |
| 2 No | 25164 | 90.74 |
| 7 Refused | 24 | 0.09 |
| 8 Not ascertained | 315 | 1.14 |
| 9 Don't know | 3 | 0.01 |

AAU.470_00.010: Direct contact with patients

| WRKDIR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1366 | 61.39 |
| 2 No | 858 | 38.56 |
| 7 Refused | 1 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 25506

ADS.010_00.000: Donated blood since March 1985

| BLDGV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 6956 | 25.08 |
| 2 No | 20313 | 73.25 |
| 7 Refused | 33 | 0.12 |
| 8 Not ascertained | 322 | 1.16 |
| 9 Don't know | 107 | 0.39 |

ADS.020_00.000: Donated blood past 12 months

| BLDG12M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1390 | 19.98 |
| 2 No | 5554 | 79.84 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.17 |

Frequency Missing = 20775

ADS.040_00.000: Ever been tested for HIV

| HIVTST | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 11291 | 40.72 |
| 2 No | 15454 | 55.73 |
| 7 Refused | 57 | 0.21 |
| 8 Not ascertained | 331 | 1.19 |
| 9 Don't know | 598 | 2.16 |

ADS.050_00.000: Reason why you have not been tested for HIV/AIDS

| WHYTST_R | Frequency | Percent |
|--|-----------|---------|
| 01 It's unlikely you've been exposed to HIV | 11578 | 74.92 |
| 02 You were afraid to find out if you were HIV positive (that you had HIV) | 71 | 0.46 |
| 03 You didn't want to think about HIV or about being HIV positive | 66 | 0.43 |
| 04 You were worried your name would be reported to the government if you tested positive | 8 | 0.05 |
| 05 You didn't know where to get tested | 47 | 0.30 |
| 06 You don't like needles | 82 | 0.53 |
| 07 You were afraid of losing job, insurance, housing, friends, family, if people knew you were positive for AIDS infection | 8 | 0.05 |
| 08 Some other reason | 123 | 0.80 |
| 09 No particular reason | 3376 | 21.85 |
| 97 Refused | 18 | 0.12 |
| 98 Not ascertained | 6 | 0.04 |
| 99 Don't know | 71 | 0.46 |

Frequency Missing = 12277

Sample Adult Public Use File (samadult)

ADS Variables

Tuesday, June 8, 2010

Unweighted Frequencies

ADS.060_01.000: Month of last test for HIV

| TST12M_M | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January | 611 | 5.41 |
| 02 February | 537 | 4.76 |
| 03 March | 646 | 5.72 |
| 04 April | 455 | 4.03 |
| 05 May | 500 | 4.43 |
| 06 June | 655 | 5.80 |
| 07 July | 480 | 4.25 |
| 08 August | 499 | 4.42 |
| 09 September | 473 | 4.19 |
| 10 October | 461 | 4.08 |
| 11 November | 463 | 4.10 |
| 12 December | 290 | 2.57 |
| 96 Time period format | 2604 | 23.06 |
| 97 Refused | 33 | 0.29 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2584 | 22.89 |

Frequency Missing = 16440

ADS.060_02.000: Year of last test for HIV

| TST12M_Y | Frequency | Percent |
|-------------------------|-----------|---------|
| 1985-2009 | 8160 | 72.27 |
| 9996 Time period format | 2604 | 23.06 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 73 | 0.65 |
| 9999 Don't know | 454 | 4.02 |

Frequency Missing = 16440

ADS.061_00.000: Time period of most recent HIV test

| TIMETST | Frequency | Percent |
|--|-----------|---------|
| 1 6 months or less | 79 | 2.55 |
| 2 More than 6 months but not more than 1 year ago | 152 | 4.92 |
| 3 More than 1 year, but not more than 2 years ago | 304 | 9.83 |
| 4 More than 2 years, but not more than 5 years ago | 777 | 25.13 |
| 5 More than 5 years ago | 1713 | 55.40 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 9 | 0.29 |
| 9 Don't know | 58 | 1.88 |

Frequency Missing = 24639

2009 National Health Interview Survey (NHIS) 141
 Sample Adult Public Use File (samadult)
 ADS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

ADS.065_00.000: Main reason for last HIV test

| REATST_C | Frequency | Percent |
|---|-----------|---------|
| 01 Someone suggested you should be tested | 564 | 5.00 |
| 02 You might have been exposed through sex or drug use | 555 | 4.92 |
| 03 You might have been exposed through your work or at work | 380 | 3.37 |
| 04 You just wanted to find out if you were infected or not | 1383 | 12.25 |
| 05 For part of a routine medical check-up, or for hospitalization or surgical procedure | 3359 | 29.75 |
| 06 You were sick or had a medical problem | 250 | 2.21 |
| 07 You were pregnant or delivered a baby | 1709 | 15.14 |
| 08 For health or life insurance coverage | 574 | 5.08 |
| 09 For military induction, separation, or military service | 285 | 2.52 |
| 10 For immigration | 354 | 3.14 |
| 11 For marriage license or to get married | 359 | 3.18 |
| 12 You were concerned you could give HIV to someone | 31 | 0.27 |
| 13 You wanted medical care or new treatments if you tested positive | 12 | 0.11 |
| 14 Some other reason | 640 | 5.67 |
| 15 No particular reason | 786 | 6.96 |
| 97 Refused | 19 | 0.17 |
| 98 Not ascertained | 2 | 0.02 |
| 99 Don't know | 29 | 0.26 |

Frequency Missing = 16440

ADS.066_00.000: Who suggested you should be tested

| REASWHOR | Frequency | Percent |
|---|-----------|---------|
| 1 Doctor, nurse or other health care professional | 309 | 54.79 |
| 2 Sex partner | 72 | 12.77 |
| 3 Someone at health department | 21 | 3.72 |
| 4 Family member or friend | 99 | 17.55 |
| 5 Other | 58 | 10.28 |
| 7 Refused | 2 | 0.35 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.53 |

Frequency Missing = 27167

2009 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ADS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

142

ADS.070_00.000: Location of last HIV test

| LASTST_C | Frequency | Percent |
|--|-----------|---------|
| 01 Private doctor/HMO | 5728 | 50.73 |
| 02 AIDS clinic/counseling/testing site | 626 | 5.54 |
| 03 Hospital, emergency room, outpatient clinic | 2055 | 18.20 |
| 04 Other type of clinic | 841 | 7.45 |
| 05 Public health department | 717 | 6.35 |
| 06 At home | 302 | 2.67 |
| 07 Drug treatment facility | 29 | 0.26 |
| 08 Military induction or military service site | 327 | 2.90 |
| 09 Immigration site | 100 | 0.89 |
| 10 In a correctional facility (jail or prison) | 100 | 0.89 |
| 11 Other location | 357 | 3.16 |
| 97 Refused | 14 | 0.12 |
| 98 Not ascertained | 2 | 0.02 |
| 99 Don't know | 93 | 0.82 |

Frequency Missing = 16440

ADS.072_00.000: Type of clinic for last HIV test

| CLNTYP_C | Frequency | Percent |
|--|-----------|---------|
| 01 Family planning clinic | 158 | 18.79 |
| 02 Prenatal clinic | 43 | 5.11 |
| 03 Tuberculosis clinic | 0 | 0.00 |
| 04 STD clinic | 11 | 1.31 |
| 05 Community health clinic | 373 | 44.35 |
| 06 Clinic run by employer or insurance company | 58 | 6.90 |
| 07 Other | 179 | 21.28 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 19 | 2.26 |

Frequency Missing = 26890

ADS.074_00.000: Who administered the test

| WHOADM | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Nurse or health worker | 267 | 88.41 |
| 2 Self-sampling kit | 33 | 10.93 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.66 |

Frequency Missing = 27429

2009 National Health Interview Survey (NHIS) 143
 Sample Adult Public Use File (samadult)
 ADS Variables Tuesday, June 8, 2010
 Unweighted Frequencies

ADS.080_00.000: Gave your first and last names

| GIVNAM | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 10319 | 91.39 |
| 2 No | 680 | 6.02 |
| 7 Refused | 6 | 0.05 |
| 8 Not ascertained | 2 | 0.02 |
| 9 Don't know | 284 | 2.52 |

Frequency Missing = 16440

ADS.110_00.000: HIV test in the next 12 months

| EXTST12M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2892 | 10.43 |
| 2 No | 24017 | 86.61 |
| 7 Refused | 56 | 0.20 |
| 8 Not ascertained | 342 | 1.23 |
| 9 Don't know | 424 | 1.53 |

ADS.140_00.001: Chances of getting AIDS virus

| CHNSADSP | Frequency | Percent |
|------------------------------|-----------|---------|
| 1 High/Already have HIV/AIDS | 168 | 0.61 |
| 2 Medium | 451 | 1.63 |
| 3 Low | 5956 | 21.48 |
| 4 None | 20520 | 74.00 |
| 7 Refused | 60 | 0.22 |
| 8 Not ascertained | 346 | 1.25 |
| 9 Don't know | 230 | 0.83 |

ADS.150_00.000: Are any of these statements true

| STMTRU | Frequency | Percent |
|---|-----------|---------|
| 1 Yes, at least one statement is true | 972 | 3.51 |
| 2 No, none of these statements are true | 25940 | 93.54 |
| 7 Refused | 291 | 1.05 |
| 8 Not ascertained | 354 | 1.28 |
| 9 Don't know | 174 | 0.63 |

ADS.160_00.000: Had STD other than HIV/AIDS, past 5 yrs

| STD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 540 | 3.51 |
| 2 No | 14495 | 94.34 |
| 7 Refused | 103 | 0.67 |
| 8 Not ascertained | 195 | 1.27 |
| 9 Don't know | 32 | 0.21 |

Frequency Missing = 12366

ADS.170_00.000: Saw a doctor or other health professional

| STDDOC | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 491 | 90.93 |
| 2 No | 48 | 8.89 |
| 7 Refused | 1 | 0.19 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27191

ADS.180_00.000: Place where checked

| STDWHER | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Private doctor | 291 | 59.27 |
| 2 Family planning clinic | 68 | 13.85 |
| 3 STD clinic | 34 | 6.92 |
| 4 Emergency room | 23 | 4.68 |
| 5 Health department | 56 | 11.41 |
| 6 Some other place | 19 | 3.87 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 27240

ADS.200_00.000: Ever heard of tuberculosis

| TBHRD | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 24514 | 88.40 |
| 2 No | 2741 | 9.88 |
| 7 Refused | 41 | 0.15 |
| 8 Not ascertained | 369 | 1.33 |
| 9 Don't know | 66 | 0.24 |

ADS.210_00.000: Ever personally known anyone who had TB

| TBKNOW | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 5203 | 21.22 |
| 2 No | 19206 | 78.35 |
| 7 Refused | 6 | 0.02 |
| 8 Not ascertained | 1 | 0.00 |
| 9 Don't know | 98 | 0.40 |

Frequency Missing = 3217

ADS.220_00.000: How much do you know about TB

| TB | Frequency | Percent |
|-------------------|-----------|---------|
| 1 A lot | 2570 | 10.48 |
| 2 Some | 5996 | 24.46 |
| 3 A little | 10876 | 44.37 |
| 4 Nothing | 5004 | 20.41 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 4 | 0.02 |
| 9 Don't know | 59 | 0.24 |

Frequency Missing = 3217

ADS.230_01.000: Breathing air around person sick with TB

| TBSPRD1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 13995 | 71.98 |
| 2 Not mentioned | 3140 | 16.15 |
| 7 Refused | 18 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2289 | 11.77 |

Frequency Missing = 8289

ADS.230_02.000: Sharing eating/drinking utensils

| TBSPRD2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 6580 | 33.84 |
| 2 Not mentioned | 10555 | 54.29 |
| 7 Refused | 18 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2289 | 11.77 |

Frequency Missing = 8289

ADS.230_03.000: Through semen/vaginal secretions (sex)

| TBSPRD3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2383 | 12.26 |
| 2 Not mentioned | 14752 | 75.88 |
| 7 Refused | 18 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2289 | 11.77 |

Frequency Missing = 8289

ADS.230_04.000: From smoking

| TBSPRD4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1294 | 6.66 |
| 2 Not mentioned | 15841 | 81.48 |
| 7 Refused | 18 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2289 | 11.77 |

Frequency Missing = 8289

ADS.230_05.000: From mosquito or other insect bites

| TBSPRD5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1560 | 8.02 |
| 2 Not mentioned | 15575 | 80.11 |
| 7 Refused | 18 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2289 | 11.77 |

Frequency Missing = 8289

ADS.230_06.000: Other

| TBSPRD6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 992 | 5.10 |
| 2 Not mentioned | 16143 | 83.03 |
| 7 Refused | 18 | 0.09 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2289 | 11.77 |

Frequency Missing = 8289

Sample Adult Public Use File (samadult)

ADS Variables

Tuesday, June 8, 2010

Unweighted Frequencies

ADS.240_00.000: Can TB be cured

| TBCURED | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9640 | 49.58 |
| 2 No | 7059 | 36.31 |
| 7 Refused | 14 | 0.07 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 2728 | 14.03 |

Frequency Missing = 8289

ADS.250_00.000: Chances of getting TB

| TBCHANC | Frequency | Percent |
|-------------------|-----------|---------|
| 1 High | 252 | 1.03 |
| 2 Medium | 1133 | 4.63 |
| 3 Low | 9689 | 39.63 |
| 4 None | 12318 | 50.39 |
| 5 Already have TB | 111 | 0.45 |
| 7 Refused | 13 | 0.05 |
| 8 Not ascertained | 1 | 0.00 |
| 9 Don't know | 929 | 3.80 |

Frequency Missing = 3285

ADS.260_00.000: Ashamed if you/family diagnosed with TB

| TBSHAME | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 700 | 2.86 |
| 2 No | 23404 | 95.74 |
| 7 Refused | 5 | 0.02 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 335 | 1.37 |

Frequency Missing = 3285

ADS.270_00.000: Spent 24+ hrs living in street, shelter, jail/prison

| HOMELESS | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1875 | 6.76 |
| 2 No | 25401 | 91.60 |
| 7 Refused | 50 | 0.18 |
| 8 Not ascertained | 378 | 1.36 |
| 9 Don't know | 27 | 0.10 |