

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - IDN

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| IDN.000_00.000 | | | RECTYPE | File type identifier | 1 - 2 | 2 |
| IDN.000_02.000 | | | SRVY_YR | Year of National Health Interview Survey | 3 - 6 | 4 |
| IDN.000_04.000 | | | HHX | Household Number | 7 - 12 | 6 |
| IDN.000_25.000 | | | INTV_QRT | Interview Quarter | 13 | 1 |
| IDN.000_30.000 | | | INTV_MON | Interview Month | 14 - 15 | 2 |
| IDN.000_35.000 | | | FMX | Family Number | 16 - 17 | 2 |
| IDN.000_40.000 | | FPX | FPX | Person Number (Within family) | 18 - 19 | 2 |
| IDN.000_65.000 | | | WTIA_SC | Weight - Interim Annual | 20 - 26 | 7 |
| IDN.000_70.000 | | | WTFA_SC | Weight - Final Annual | 27 - 32 | 6 |
| UCF.000_00.000 | R09 | RECODE | REGION | Region | 38 | 1 |
| UCF.000_00.000 | R15 | RECODE | STRAT_P | Pseudo-stratum for public use file variance estimation | 33 - 35 | 3 |
| UCF.000_00.000 | R16 | RECODE | PSU_P | Pseudo-PSU for public use file variance estimation | 36 - 37 | 2 |
| HHC.110_00.000 | | SEX | SEX | Sex | 39 | 1 |
| HHC.180_00.000 | R03 | RECODE | HISPAN_I | Hispanic subgroup detail | 40 - 41 | 2 |
| HHC.200_01.000 | R13 | RECODE | RACERPI2 | OMB groups w/multiple race | 42 - 43 | 2 |
| HHC.200_01.000 | R21 | RECODE | MRACRPI2 | Race coded to single/multiple race group | 44 - 45 | 2 |
| HHC.200_01.000 | R22 | RECODE | MRACBPI2 | Race coded to single/multiple race group | 46 - 47 | 2 |
| HHC.420_00.000 | R01 | RECODE | AGE_P | Age | 48 - 49 | 2 |
| CID.010_00.000 | | CSPAVAIL | CSRESPNO | Person # of available SC respondent | 50 - 51 | 2 |
| CID.030_00.000 | 01 | RECODE | CSRELTVP | Person's relationship to child | 52 | 1 |
| CID.545_00.000 | | | LATEINTC | Late Sample Child interviews | 53 | 1 |
| FDB.001_00.000 | | FDRN_FLG | FDRN_FLG | Disability Questions flag | 54 | 1 |
| CHS.010 | R02 | RECODE | TOTOZ_P | Total birth weight in ounces for public use | 55 - 57 | 3 |
| CHS.011 | R01 | RECODE | BWTGRM_P | Birth weight in grams for public use | 58 - 61 | 4 |

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - CHS

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CHS.020_02.000 | RECODE | | CHGHT_TC | Total current height in inches (truncated) | 62 - 63 | 2 |
| CHS.022_02.000 | RECODE | | CWGHT_TC | Current weight in pounds (truncated) | 64 - 66 | 3 |
| CHS.024_05.000 | RECODE | | BMI_SC | Body Mass Index (BMI) | 67 - 70 | 4 |
| CHS.031_02.000 | | ADD1_2 | AMR1R | Ever told SC had an intellectual disability also known as mental retardation | 71 | 1 |
| CHS.031_03.000 | | ADD1_3 | AODD1 | Ever told SC had other developmental delay | 72 | 1 |
| CHS.032_01.000 | | ADD_1 | ADD2 | Ever told SC had ADHD/ADD | 73 | 1 |
| CHS.032_02.000 | | ADD_2 | AMR2R | Ever told SC had an intellectual disability also known as mental retardation | 74 | 1 |
| CHS.032_02.010 | | AUTISM | AUTISM | Ever told SC had autism, Asperger's, pervasive devel or autism spectrum disorder | 75 | 1 |
| CHS.032_03.000 | | ADD_3 | AODD2 | Ever told SC had other developmental delay | 76 | 1 |
| CHS.061_01.000 | | CONDL11-CONDL19 | CCONDRR1 | Ever told SC had Down syndrome | 77 | 1 |
| CHS.061_02.000 | | CONDL11-CONDL19 | CCONDRR2 | Ever told SC had cerebral palsy | 78 | 1 |
| CHS.061_03.000 | | CONDL11-CONDL19 | CCONDRR3 | Ever told SC had muscular dystrophy | 79 | 1 |
| CHS.061_04.000 | | CONDL11-CONDL19 | CCONDRR4 | Ever told SC had cystic fibrosis | 80 | 1 |
| CHS.061_05.000 | | CONDL11-CONDL19 | CCONDRR5 | Ever told SC had sickle cell anemia | 81 | 1 |
| CHS.061_07.000 | | CONDL11-CONDL19 | CCONDRR6 | Ever told SC had diabetes | 82 | 1 |
| CHS.061_08.000 | | CONDL11-CONDL19 | CCONDRR7 | Ever told SC had arthritis | 83 | 1 |
| CHS.061_09.000 | | CONDL11-CONDL19 | CCONDRR8 | Ever told SC had congenital heart disease | 84 | 1 |
| CHS.061_10.000 | | CONDL11-CONDL19 | CCONDRR9 | Ever told SC had other heart condition | 85 | 1 |
| CHS.070_00.000 | | CPOX | CPOX | Ever had chickenpox | 86 | 1 |
| CHS.072_00.000 | | CPOX12MO | CPOX12MO | Chickenpox, past 12 m | 87 | 1 |
| CHS.080_00.000 | | CASHMEV | CASHMEV | Ever been told SC had asthma | 88 | 1 |
| CHS.085_00.000 | | CASSTILL | CASSTILL | Still have asthma | 89 | 1 |
| CHS.090_00.000 | | CASHYR | CASHYR | Had an asthma episode/attack, past 12 m | 90 | 1 |

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - CHS

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CHS.100_00.000 | | CASMERYR | CASERYR1 | Had visit to ER due to asthma, past 12 m | 91 | 1 |
| CHS.111_01.000 | | CCONDT1_1 | HAYF1 | Had hay fever, past 12 m | 92 | 1 |
| CHS.111_02.000 | | CCONDT1_2 | RALLG1 | Had respiratory allergy, past 12 m | 93 | 1 |
| CHS.111_03.000 | | CCONDT1_3 | DALLG1 | Had food/digestive allergy, past 12 m | 94 | 1 |
| CHS.111_04.000 | | CCONDT1_4 | SALLG1 | Had eczema/skin allergy, past 12 m | 95 | 1 |
| CHS.111_05.000 | | CCONDT1_5 | DIARH1 | Had frequent diarrhea/colitis, past 12 m | 96 | 1 |
| CHS.111_06.000 | | CCONDT1_6 | ANEMIA1 | Had anemia, past 12 m | 97 | 1 |
| CHS.111_08.000 | | CCONDT1_8 | EARINF1 | Had 3+ ear infections, past 12 m | 98 | 1 |
| CHS.111_09.000 | | CCONDT1_9 | SEIZE1 | Had seizures, past 12 m | 99 | 1 |
| CHS.115_01.000 | | CCONDT_1 | HAYF2 | Had hay fever, past 12 m | 100 | 1 |
| CHS.115_02.000 | | CCONDT_2 | RALLG2 | Had respiratory allergy, past 12 m | 101 | 1 |
| CHS.115_03.000 | | CCONDT_3 | DALLG2 | Had food/digestive allergy, past 12 m | 102 | 1 |
| CHS.115_04.000 | | CCONDT_4 | SALLG2 | Had eczema/skin allergy, past 12 m | 103 | 1 |
| CHS.115_05.000 | | CCONDT_5 | DIARH2 | Had frequent diarrhea/colitis, past 12 m | 104 | 1 |
| CHS.115_06.000 | | CCONDT_6 | ANEMIA2 | Had anemia, past 12 m | 105 | 1 |
| CHS.115_07.000 | | CCONDT_7 | FHEAD | Had frequent headaches/migraines, past 12 m | 106 | 1 |
| CHS.115_08.000 | | CCONDT_8 | EARINF2 | Had 3+ ear infections, past 12 m | 107 | 1 |
| CHS.115_09.000 | | CCONDT_9 | SEIZE2 | Had seizures, past 12 m | 108 | 1 |
| CHS.115_10.000 | | CCONDT_10 | STUTTER | Stuttered/stammered, past 12 m | 109 | 1 |
| CHS.210_00.000 | | CHSTATYR | CHSTATYR | Health better, worse, or about the same | 110 | 1 |
| CHS.220_00.000 | | SCHDAYR | SCHDAYR1 | Days missed due to illness/injury, past 12 m | 111 - 113 | 3 |
| CHS.230_00.000 | | CCOLD2W | CCOLD2W | Had a head/chest cold, 2 week reference period | 114 | 1 |
| CHS.240_00.000 | | CINTIL2W | CINTIL2W | Had stomach illness with vomiting/diarrhea, 2 week reference period | 115 | 1 |
| CHS.250_00.010 | | CHEARST2 | CHEARST2 | Hearing status without hearing aid or other listening device | 116 | 1 |

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - CHS

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CHS.251_00.010 | | CHRWORS | CHRWORS | Hearing worse in one ear than the other | 117 | 1 |
| CHS.251_00.020 | | CHRWORSE | CHRWORSE | Hearing status in worse ear | 118 | 1 |
| CHS.251_00.030 | RECODE | | CHRWHS1 | Hear whispering from across quiet room | 119 | 1 |
| CHS.251_00.040 | RECODE | | CHRTALK1 | Hear talking in normal voice from across quiet room | 120 | 1 |
| CHS.251_00.050 | RECODE | | CHRSHOU1 | Hear shouting from across quiet room | 121 | 1 |
| CHS.251_00.060 | RECODE | | CHRSPEA1 | Hear loud speaking directly into ear | 122 | 1 |
| CHS.251_00.070 | RECODE | | CHRCOCR1 | Health care professional ever recommend cochlear implant | 123 | 1 |
| CHS.251_00.080 | RECODE | | CHRCOCI1 | Had cochlear implant surgery | 124 | 1 |
| CHS.252_00.010 | | CHRFAM | CHRFAM | Anyone ever said child had hearing problem | 125 | 1 |
| CHS.252_00.020 | | CHRMIS | CHRMIS | How often child hears something different from what you said | 126 | 1 |
| CHS.252_00.030 | | CHRUNDST | CHRUNDST | How often child has difficulty understanding what others say | 127 | 1 |
| CHS.252_00.040 | | CHRUNDNS | CHRUNDNS | How often child has difficulty understanding conversation if background noise | 128 | 1 |
| CHS.253_00.010 | | CHEARAG1 | CHEARAG1 | Age when began having any hearing loss | 129 - 130 | 2 |
| CHS.253_00.020 | | CHRCAUS1 | CHRCAUS1 | Main cause of hearing loss | 131 - 132 | 2 |
| CHS.253_00.030 | | CHRPRBHP | CHRPRBHP | Last time saw health care professional for any hearing or ear problem | 133 | 1 |
| CHS.253_00.040 | | CHRENT | CHRENT | Referred to hearing specialist by health care professional in past 5 years | 134 | 1 |
| CHS.253_00.050 | | CHREHDI | CHREHDI | Screening test for hearing loss at birth | 135 | 1 |
| CHS.253_00.060 | | CHREIAGE | CHREIAGE | Age when first have earache or ear infection | 136 - 137 | 2 |
| CHS.253_00.070 | | CHRTUBE | CHRTUBE | Ever have ear tube | 138 | 1 |
| CHS.253_00.080 | | CHRTBAGE | CHRTBAGE | Age have first ear tube | 139 - 140 | 2 |
| CHS.253_00.090 | | CHRTSCH | CHRTSCH | Ever had hearing test at school | 141 | 1 |
| CHS.253_00.100 | | CHRTSCHM | CHRTSCHM | Had more than one hearing test at school | 142 | 1 |
| CHS.253_00.105 | | CHRTSCHR | CHRTSCHR | Time since last hearing test at school | 143 | 1 |
| CHS.253_00.110 | | CHRTEST | CHRTEST | Time since last hearing test by hearing specialist | 144 | 1 |

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - CHS

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CHS.253_00.120 | | CHRAIDNW | CHRAIDNW | Currently use hearing aid | 145 | 1 |
| CHS.253_00.130 | | CHRAIDLG | CHRAIDLG | How long (weeks, months, or years) child used hearing aid | 146 - 147 | 2 |
| CHS.253_00.140 | | CHRAIDYR | CHRAIDYR | Average daily hearing aid use in past two weeks | 148 | 1 |
| CHS.253_00.150 | | CHRAIDEV | CHRAIDEV | Ever use hearing aid in past | 149 | 1 |
| CHS.253_00.160 | | CHRAIDRC | CHRAIDRC | Health care professional ever recommend hearing aid | 150 | 1 |
| CHS.253_00.170 | | CHRAIDL | CHRAIDL | How long used hearing aid in past (not currently using) | 151 - 152 | 2 |
| CHS.253_00.180 | | CHRAIDOF | CHRAIDOF | Average daily hearing aid use in past (not currently using) | 153 | 1 |
| CHS.253_02.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID01 | Reason-Didn't help | 154 | 1 |
| CHS.253_03.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID02 | Reason-Made everything too loud | 155 | 1 |
| CHS.253_04.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID03 | Reason-Didn't like the way it sounded (unwanted sounds) | 156 | 1 |
| CHS.253_05.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID04 | Reason-Didn't like own voice sound when wearing hearing aid | 157 | 1 |
| CHS.253_06.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID05 | Reason-Uncomfortable | 158 | 1 |
| CHS.253_07.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID06 | Reason-Frequently broke | 159 | 1 |
| CHS.253_08.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID07 | Reason-Didn't like way it looked | 160 | 1 |
| CHS.253_09.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID08 | Reason-Cost too much | 161 | 1 |
| CHS.253_10.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID09 | Reason-Didn't think needed it | 162 | 1 |
| CHS.253_11.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID10 | Reason-Misplaced or lost | 163 | 1 |
| CHS.253_12.190 | | CHRAIDNT1-CHRAIDNT11 | CHRAID11 | Reason-Other | 164 | 1 |
| CHS.253_13.195 | | CHRAUD | CHRAUD | Ever trained to improve ability to hear | 165 | 1 |
| CHS.253_13.197 | | CHRALDS | CHRALDS | Ever use assistive technology for communication due to hearing problem | 166 | 1 |
| CHS.253_15.220 | | CHRALDTP01-CHRALDTP12 | CHRALD01 | FM system, pocket talker, or other personal listening device | 167 | 1 |
| CHS.253_16.220 | | CHRALDTP01-CHRALDTP12 | CHRALD02 | Instant or text messages | 168 | 1 |
| CHS.253_17.220 | | CHRALDTP01-CHRALDTP12 | CHRALD03 | Classroom amplification systems | 169 | 1 |
| CHS.253_18.220 | | CHRALDTP01-CHRALDTP12 | CHRALD04 | Amplified telephone | 170 | 1 |

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - CHS

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CHS.253_19.220 | | CHRALDTP01-CHRALDTP12 | CHRALD05 | Amplified or vibrating alarm clock | 171 | 1 |
| CHS.253_20.220 | | CHRALDTP01-CHRALDTP12 | CHRALD06 | Notification or signaling alarm system | 172 | 1 |
| CHS.253_21.220 | | CHRALDTP01-CHRALDTP12 | CHRALD07 | Headset with television or closed-caption television | 173 | 1 |
| CHS.253_22.220 | | CHRALDTP01-CHRALDTP12 | CHRALD08 | TTY, TDD or telephone relay service | 174 | 1 |
| CHS.253_23.220 | | CHRALDTP01-CHRALDTP12 | CHRALD09 | Video relay service | 175 | 1 |
| CHS.253_24.220 | | CHRALDTP01-CHRALDTP12 | CHRALD10 | Live video streaming using sign language or other means of communication | 176 | 1 |
| CHS.253_25.220 | | CHRALDTP01-CHRALDTP12 | CHRALD11 | Sign language interpreter | 177 | 1 |
| CHS.253_26.220 | | CHRALDTP01-CHRALDTP12 | CHRALD12 | Other | 178 | 1 |
| CHS.254_00.010 | | CHRFIRE | CHRFIRE | Ever close to gunfire | 179 | 1 |
| CHS.254_00.020 | | CHRFRCRK | CHRFRCRK | Ever close to fireworks or other explosive noises | 180 | 1 |
| CHS.254_00.030 | | CHRTOTR | CHRTOTR | Number of total explosive events | 181 | 1 |
| CHS.254_00.040 | | CHRFPRPT | CHRFPRPT | How often used hearing protection when explosive noises occurred | 182 | 1 |
| CHS.254_00.050 | | CHRWKVLN | CHRWKVLN | Exposed to very loud noises at least 4 hours a day, several days a week | 183 | 1 |
| CHS.254_00.060 | | CHRWKVLT | CHRWKVLT | Time exposed to very loud noises at least 4 hours a day, several days a week | 184 - 185 | 2 |
| CHS.254_00.070 | | CHRWKPRT | CHRWKPRT | How often used hearing protection when very loud explosive noises occurred | 186 | 1 |
| CHS.254_00.080 | | CHRLESNS | CHRLESNS | Ever exposed to very loud noise 10+ times a year except working or doing chores | 187 | 1 |
| CHS.254_01.091 | | CHRLESTP1-CHRLESTP12 | CHRLST01 | Motorcycles, auto racing, snowmobile, motor boat, or other recreational vehicles | 188 | 1 |
| CHS.254_02.091 | | CHRLESTP1-CHRLESTP12 | CHRLST02 | Operating farm machinery | 189 | 1 |
| CHS.254_03.091 | | CHRLESTP1-CHRLESTP12 | CHRLST03 | Woodworking or other workshop power tools | 190 | 1 |
| CHS.254_04.091 | | CHRLESTP1-CHRLESTP12 | CHRLST04 | Lawnmower, electric trimmer, leaf or snow blower, chain saw | 191 | 1 |
| CHS.254_05.091 | | CHRLESTP1-CHRLESTP12 | CHRLST05 | Guns, firearms | 192 | 1 |
| CHS.254_06.091 | | CHRLESTP1-CHRLESTP12 | CHRLST06 | Firecrackers or fireworks | 193 | 1 |
| CHS.254_07.091 | | CHRLESTP1-CHRLESTP12 | CHRLST07 | Very loud household appliances (vacuum cleaners, hair dryers) | 194 | 1 |

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - CHS

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|------------|--------------------------|--------------|--|-----------|--------|
| CHS.254_08.091 | | CHRLESTP1-CHRLESTP12 | CHRLST08 | CD player, MP3 player, iPod | 195 | 1 |
| CHS.254_09.091 | | CHRLESTP1-CHRLESTP12 | CHRLST09 | Playing musical instrument | 196 | 1 |
| CHS.254_10.091 | | CHRLESTP1-CHRLESTP12 | CHRLST10 | Extremely loud toys | 197 | 1 |
| CHS.254_11.091 | | CHRLESTP1-CHRLESTP12 | CHRLST11 | Other music-related activity (rock concerts, stereos, clubs, bars) | 198 | 1 |
| CHS.254_12.091 | | CHRLESTP1-CHRLESTP12 | CHRLST12 | Other activities (video games, home theater, sporting events) | 199 | 1 |
| CHS.255_00.005 | | CHRLSPRT | CHRLSPRT | How often used hearing protection when very loud noises occurred outside of work | 200 | 1 |
| CHS.255_00.010 | | CHRINT | CHRINT | Get internet information about health or medical treatment in past 12 months | 201 | 1 |
| CHS.255_00.020 | | CHRINTHL | CHRINTHL | Get internet information about hearing loss, past 12 m | 202 | 1 |
| CHS.255_00.030 | | CHRINTHA | CHRINTHA | Get internet info on cochlear implants or other assistive technology, past 12 m | 203 | 1 |
| CHS.255_00.040 | | CHRINTHP | CHRINTHP | Get internet information about hearing protection, past 12 m | 204 | 1 |
| CHS.255_00.050 | | CHRINHPR | CHRINHPR | Information written by health professional or health-related organization | 205 | 1 |
| CHS.260_00.000 | | CVISION | CVISION | Trouble seeing | 206 | 1 |
| CHS.270_00.000 | | CBLIND | CBLIND | Blind/unable to see at all | 207 | 1 |
| CHS.290_00.000 | | IHSPEQ | IHSPEQ | Need special equipment due to impairment/health problem | 208 | 1 |
| CHS.300_00.000 | | IHMOB | IHMOB | Impairment/health problem limit crawl/walk/run/play | 209 | 1 |
| CHS.310_00.000 | | IHMOBYR | IHMOBYR | Impairment/health problem lasted/will last 12+ m | 210 | 1 |
| CHS.311_00.000 | | PROBRX | PROBRX | Taken RX medication for 3+ m | 211 | 1 |
| CHS.312_00.000 | | LEARND | LEARND | Ever told SC had a learning disability | 212 | 1 |
| CHS.321_04.000 | R01 RECODE | | MHIBOY2 | Mental health indicator (MHI) scale score | 213 - 214 | 2 |
| CHS.321_04.000 | | CMHAGM11_4 | CMHAGM15 | Been unhappy/depressed, past 2 m | 215 | 1 |
| CHS.361_04.000 | R01 RECODE | | MHIGRL2 | Mental health indicator (MHI) scale score | 216 - 217 | 2 |
| CHS.361_04.000 | | CMHAGF11_4 | CMHAGF15 | Been unhappy/depressed, past 2 m | 218 | 1 |
| CAU.020_00.000 | | CUSUALPL | CUSUALPL | Place USUALLY go when sick | 219 | 1 |

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - CAU

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAU.030_00.000 | | CPLKIND | CPLKIND | Type of place to go when sick (most often) | 220 | 1 |
| CAU.035_00.000 | | CHCPLROU | CHCPLROU | USUALLY go there for routine/preventive care | 221 | 1 |
| CAU.037_00.000 | | CHCPLKND | CHCPLKND | Type of place USUALLY go for routine/preventive care | 222 | 1 |
| CAU.040_00.000 | | CHCCHGYR | CHCCHGYR | Change health care place, past 12 m | 223 | 1 |
| CAU.050_00.000 | | CHCCHGHI | CHCCHGHI | Change related to health insurance | 224 | 1 |
| CAU.050_01.010 | | CNOUSLPL1-CNOUSLPL9 | CNOUSPL1 | Doesn't need doctor/No problems | 225 | 1 |
| CAU.050_02.010 | | CNOUSLPL1-CNOUSLPL9 | CNOUSPL2 | Doesn't like/trust/believe in doctors | 226 | 1 |
| CAU.050_03.010 | | CNOUSLPL1-CNOUSLPL9 | CNOUSPL3 | Doesn't know where to go | 227 | 1 |
| CAU.050_04.010 | | CNOUSLPL1-CNOUSLPL9 | CNOUSPL4 | Previous doctor not available/moved | 228 | 1 |
| CAU.050_05.010 | | CNOUSLPL1-CNOUSLPL9 | CNOUSPL5 | Too expensive/no insurance/cost | 229 | 1 |
| CAU.050_06.010 | | CNOUSLPL1-CNOUSLPL9 | CNOUSPL6 | Speak a different language | 230 | 1 |
| CAU.050_07.010 | | CNOUSLPL1-CNOUSLPL9 | CNOUSPL7 | No care available/Care too far away, inconvenient | 231 | 1 |
| CAU.050_08.010 | | CNOUSLPL1-CNOUSLPL9 | CNOUSPL8 | Put it off/Didn't get around to it | 232 | 1 |
| CAU.050_09.010 | | CNOUSLPL1-CNOUSLPL9 | CNOUSPL9 | Other reason child not have usual source of medical care | 233 | 1 |
| CAU.052_00.010 | | CPRVTRYR | CPRVTRYR | Trouble finding a general doctor to see child | 234 | 1 |
| CAU.053_00.010 | | CPRVTRFD | CPRVTRFD | Able to find general doctor to see child | 235 | 1 |
| CAU.055_00.010 | | CDRNANP | CDRNANP | Doctor's office not accept child as new patient | 236 | 1 |
| CAU.056_00.010 | | CDRNAI | CDRNAI | Doctor's office not accept child's health insurance | 237 | 1 |
| CAU.080_01.000 | | CHCDLYR1_1 | CHCDLYR1 | Couldn't get through on phone, past 12 m | 238 | 1 |
| CAU.080_02.000 | | CHCDLYR1_2 | CHCDLYR2 | Couldn't get appointment soon enough, past 12 m | 239 | 1 |
| CAU.080_03.000 | | CHCDLYR1_3 | CHCDLYR3 | Wait too long in doctor's office, past 12 m | 240 | 1 |
| CAU.080_04.000 | | CHCDLYR1_4 | CHCDLYR4 | Not open when you could go, past 12 m | 241 | 1 |
| CAU.080_05.000 | | CHCDLYR1_5 | CHCDLYR5 | No transportation, past 12 m | 242 | 1 |
| CAU.130_00.000 | | CHCAFYR | CHCAFYR | Can't afford prescription medicine, past 12 m | 243 | 1 |

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - CAU

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAU.133_00.010 | | CHCAFYRN | CHCAFYRN | Can't afford to see a specialist, past 12 m | 244 | 1 |
| CAU.133_00.020 | | CHCAFYRF | CHCAFYRF | Can't afford follow-up care, past 12 m | 245 | 1 |
| CAU.135_01.000 | | CHCAFYR1_1 | CHCAFYR1 | Can't afford prescription medicine, past 12 m | 246 | 1 |
| CAU.135_02.000 | | CHCAFYR1_2 | CHCAFYR2 | Can't afford mental care/counseling, past 12 m | 247 | 1 |
| CAU.135_03.000 | | CHCAFYR1_3 | CHCAFYR3 | Can't afford dental care, past 12 m | 248 | 1 |
| CAU.135_04.000 | | CHCAFYR1_4 | CHCAFYR4 | Can't afford eyeglasses, past 12 m | 249 | 1 |
| CAU.135_05.010 | | CHCAFYR1_5 | CHCAFYR5 | Can't afford to see a specialist, past 12 m | 250 | 1 |
| CAU.135_06.010 | | CHCAFYR1_6 | CHCAFYR6 | Can't afford follow-up care, past 12 m | 251 | 1 |
| CAU.160_00.000 | | CDENLONG | CDNLONGR | Time since last saw dentist | 252 | 1 |
| CAU.170_01.000 | | CHCSYR1_2 | CHCSYR11 | Seen/talked to eye doctor, past 12 m | 253 | 1 |
| CAU.170_02.000 | | CHCSYR1_3 | CHCSYR12 | Seen/talked to foot doctor, past 12 m | 254 | 1 |
| CAU.170_03.000 | | CHCSYR1_5 | CHCSYR13 | Seen/talked to therapist (PT/OT/etc), past 12 m | 255 | 1 |
| CAU.170_04.000 | | CHCSYR1_6 | CHCSYR14 | Seen/talked to a NP/PA, past 12 m | 256 | 1 |
| CAU.175_01.000 | | CHCSYR_1 | CHCSYR1 | Seen/talked to mental health professional, past 12 m | 257 | 1 |
| CAU.175_02.000 | | CHCSYR_2 | CHCSYR2 | Seen/talked to eye doctor, past 12 m | 258 | 1 |
| CAU.175_03.000 | | CHCSYR_3 | CHCSYR3 | Seen/talked to foot doctor, past 12 m | 259 | 1 |
| CAU.175_04.000 | | CHCSYR_4 | CHCSYR4 | Seen/talked to chiropractor, past 12 m | 260 | 1 |
| CAU.175_05.000 | | CHCSYR_5 | CHCSYR5 | Seen/talked to therapist (PT/OT/etc), past 12 m | 261 | 1 |
| CAU.175_06.000 | | CHCSYR_6 | CHCSYR6 | Seen/talked to NP/PA/midwife, past 12 m | 262 | 1 |
| CAU.230_00.000 | | CHCSYR7 | CHCSYR7 | Seen/talked to obstetrician/gynecologist, past 12 m | 263 | 1 |
| CAU.240_01.000 | | CHCSYR8_1 | CHCSYR81 | Seen/talked to a medical specialist, past 12 m | 264 | 1 |
| CAU.240_02.000 | | CHCSYR8_2 | CHCSYR82 | Seen/talked to a general doctor, past 12 m | 265 | 1 |
| CAU.260_00.000 | | CHCSYR10 | CHCSYR10 | Doctor treats both children and adults | 266 | 1 |
| CAU.265_00.000 | | CHCSYREM | CHCSYREM | Seen/talked to doctor for emotional/behavioral problem | 267 | 1 |

2014 NHIS Public Use Variable Summary

Sample Child

Filename - Section: samchild - CAU

Document Version Date: June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAU.270_00.000 | | CHPEXYR | CHPX_YR_C | Had well-child checkup, past 12 m | 268 | 1 |
| CAU.280_00.000 | | CHERNOYR | CHERNOY2 | # times in ER/ED, past 12 m | 269 - 270 | 2 |
| CAU.281_00.010 | | CERVISND | CERVISND | Most recent ER visit at night or on weekend | 271 | 1 |
| CAU.282_00.010 | | CERHOS | CERHOS | Hospital admission was result of most recent ER visit | 272 | 1 |
| CAU.283_01.010 | | CERREAS1 | CERREA1R | Didn't have another place to go | 273 | 1 |
| CAU.283_02.020 | | CERREAS2 | CERREA2R | Doctor's office or clinic was not open | 274 | 1 |
| CAU.283_03.030 | | CERREAS3 | CERREA3R | Health provider advised ER visit | 275 | 1 |
| CAU.283_04.040 | | CERREAS4 | CERREA4R | Problem too serious for doctor's office or clinic | 276 | 1 |
| CAU.283_05.050 | | CERREAS5 | CERREA5R | Only a hospital could help | 277 | 1 |
| CAU.283_06.060 | | CERREAS6 | CERREA6R | ER is closest provider | 278 | 1 |
| CAU.283_07.070 | | CERREAS7 | CERREA7R | ER provides most of child's medical care | 279 | 1 |
| CAU.283_08.080 | | CERREAS8 | CERREA8R | Arrived by ambulance or other emergency vehicle | 280 | 1 |
| CAU.290_00.000 | | CHCHYR | CHCHYR | Received home care from health professional, past 12 m | 281 | 1 |
| CAU.300_00.000 | | CHCHMOYR | CHCHMOYR | # of months of home care, past 12 m | 282 - 283 | 2 |
| CAU.310_00.000 | | CHCHNOYR | CHCHNOY2 | Total number of home visits | 284 - 285 | 2 |
| CAU.320_00.000 | | CHCNOYR | CHCNOYR2 | Total number of office visits, past 12 m | 286 - 287 | 2 |
| CAU.330_00.000 | | CSRGYR | CSRGYR | Had surgery/surgical procedure, past 12 m | 288 | 1 |
| CAU.340_00.000 | | CSRGNOYR | RSRGNOYR | # of outpatient surgeries, past 12 m | 289 - 290 | 2 |
| CAU.345_00.000 | | CMDLONG | CMDLONGR | Time since last seen/talked to health professional | 291 | 1 |
| CMB.020_01.000 | R01 | RECODE | RSCL2_C2 | Well behaved/does what requested, past 6 m | 292 | 1 |
| CMB.020_02.000 | R02 | RECODE | RSCL2_E2 | Many worries/often seems worried, past 6 m | 293 | 1 |
| CMB.020_03.000 | R03 | RECODE | RSCL3_E3 | Unhappy/depressed/tearful, past 6 m | 294 | 1 |
| CMB.020_04.000 | R04 | RECODE | RSCL5_P5 | Gets along better w/adults than children/youth, past 6 m | 295 | 1 |
| CMB.020_05.000 | R05 | RECODE | RSCL5_H5 | Good attention/completes chores, homework, past 6 m | 296 | 1 |

2014 NHIS Public Use Variable Summary

Sample Child**Filename - Section:** samchild - CMB**Document Version Date:** June 08, 2015

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|-------------------|---------------|---------------------------------|---------------------|--|-----------------|---------------|
| CMB.030_00.000 | R06 | RECODE | RSCL6 | Difficulties w/emotions/concentration/behavior/getting along | 297 | 1 |
| CFI.005_00.010 | | CH1N1_1 | CSHFLU12 | Flu vaccination, past 12 m | 298 | 1 |
| CFI.005_00.020 | | CH1N1_2 | CSHFLUNM | Number of flu vaccines, past 12 m | 299 | 1 |
| CFI.005_00.030 | | CH1N1_3M | CSHFLUM1 | Month of most recent flu vaccine | 300 - 301 | 2 |
| CFI.005_00.040 | | CH1N1_4Y | CSHFLUY1 | Year of most recent flu vaccine | 302 - 305 | 4 |
| CFI.005_00.050 | | CH1N1_5 | CSHSPFL1 | Administration method most recent flu vaccine | 306 | 1 |
| CFI.005_00.060 | | CH1N1_6M | CSHFLUM2 | Month of next most recent flu vaccine | 307 - 308 | 2 |
| CFI.005_00.070 | | CH1N1_7Y | CSHFLUY2 | Year of next most recent flu vaccine | 309 - 312 | 4 |
| CFI.005_00.080 | | CH1N1_8 | CSHSPFL2 | Administration method next most recent flu vaccine | 313 | 1 |

Number of variables for Public Use file: Sample Child
246