Healthy People 2010 Operational Definition

13-6.	Increase the proportion of sexually active persons who use condoms.	
13-6a.	Unmarried fe	males aged 18 to 44 years.
National	Data Source	National Survey of Family Growth (NSFG), CDC, NCHS.
State Da	ta Source	Behavioral Risk Factor Surveillance System (BRFSS), CDC, NCCDPHP. (See State Operational Definition, below.)
Healthy Objectiv	People 2000 e	Adapted from 19.10 (Sexually Transmitted Diseases) (also 18.4).
Changes 2000 Pul	s since the blication	None.
Leading Indicato		Responsible Sexual Behavior.
Measure)	Percent.
Baseline	e (Year)	23 (1995)
Target		50
Target-S	etting Method	Better than the best racial/ethnic subgroup.
		For a discussion of target-setting methods, see Part A, section 4.
Numerat	or	Number of sexually active, unmarried females aged 18 to 44 years who reported using a condom at last sexual intercourse.
Denomir	nator	Number of sexually active, unmarried females aged 18 to 44 years.
Populati	on Targeted	U.S. civilian, noninstitutionalized population.
	ns Used To he National e Data	From the 1995 National Survey of Family Growth:
		 What is your current marital status? Are you 1) Married

- 1) Married
- 2) Widowed

- 3) Divorced
- 4) Separated, because you and your husband are not getting along
- 5) Have you never been married?
- The last time you had intercourse, did you or your partner use any method?

[If yes:]

Which methods?

- 1) Birth control pills 2) Condom 3) Partner's vasectomy 4) Diaphragm 5) Foam 6) Jelly or cream 7) Cervical cap 8) Suppository, insert 9) Today sponge 10) Female condom, vaginal pouch 11) IUD, Coil, Loop 12) Norplant 13) Depo-provera, Injectables 14) Morning after pill 15) Rhythm or safe period by calendar 16) Safe period by temperature, or cervical mucus test, natural family planning 17) Withdrawal, pulling out 18) Respondent sterile
 - 19) Partner sterile
 - 20) Other method (specify)

Expected Periodicity Periodic.

Comments Unmarried females are considered to have used a condom at last intercourse if they reported they were either not married, but living together with a partner of the opposite sex; widowed; divorced; separated; or had never been married; were sexually active, and either whose partner used a condom (rubber) or who used a female condom (vaginal pouch) at their last intercourse.

Sexually active refers to females who have had intercourse in the 3 months prior to interview.

Objective 13-6 is one of the measures used to track the Responsible Sexual Behavior Leading Health Indicator. See Appendix E for a complete list.

This subobjective is adapted from a measure in Healthy People 2000 objective 19.10, which tracked the proportion of sexually active, unmarried people aged 15 to 44 years who report their partner used a condom at last intercourse. This measure tracks the proportion of females aged 18 to 44 years who used a condom (male or female) at last intercourse.

For some measures, data do not meet the criteria for statistical reliability, data quality, or confidentiality and have been suppressed. Information on suppression of data for the major Healthy People 2010 data systems has been published in a *Healthy People Statistical Note*.¹

See Part C for a description of NSFG and Appendix A for focus area contact information.

References

1. Klein, R.J.; Proctor, S.E.; Boudreault, M.A.; Turczyn, K.M. Healthy People 2010 Criteria for Data Suppression. *Statistical Notes* No. 24. Hyattsville, MD: National Center for Health Statistics. 2002.

State Operational Definition

- 13-6. Increase the proportion of sexually active persons who use condoms.
- 13-6a. Unmarried females aged 18 to 44 years.

State Data Source	Behavioral Risk Factor Surveillance System (BRFSS), CDC, NCCDPHP.
National Data Source	National Survey of Family Growth (NSFG), CDC, NCHS.
Measure	Percent.
Numerator	Number of sexually active, unmarried females aged 18 to 44 years who reported using a condom at last

sexual intercourse.

Denominator	Number of sexually active, unmarried females aged 18 to 44 years.
Population Targeted	State-specific civilian, non-institutionalized adult population residing in households with telephones (see Comments).
Questions Used To Obtain the State Baseline Data	From the 1998 Behavioral Risk Factor Surveillance System:
	 What is your current marital status? Are you a) Married b) Widowed c) Divorced d) Separated e) Never been married f) Member of an unmarried couple g) Refused
	Was a condom used that last time you had sexual intercourse?
Expected Periodicity	Periodic.
Comments	Data for this objective are collected using an optional module of the BRFSS, which is made available to States for administration annually. The number of States that select the Sexual Behavior module varies every year. In 1998, 8 States used the optional Sexual Behaviors module.
Comments	optional module of the BRFSS, which is made available to States for administration annually. The number of States that select the Sexual Behavior module varies every year. In 1998, 8 States used
Comments	optional module of the BRFSS, which is made available to States for administration annually. The number of States that select the Sexual Behavior module varies every year. In 1998, 8 States used the optional Sexual Behaviors module. National data from the NSFG and state data from the BRFSS may not be comparable for a number of reasons, including mode of question administration, context of questions, question wording, and survey

References

1. Klein, R.J.; Proctor, S.E.; Boudreault, M.A.; Turczyn, K.M. Healthy People 2010 Criteria for Data Suppression. *Statistical Notes* No. 24. Hyattsville, MD: National Center for Health Statistics. 2002.