

Table A-11a. Age-adjusted percent distribution (with standard errors) of respondent-assessed health status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	Excellent or very good health status ¹	Good health status ¹	Fair or poor health status ¹
Total	100.0	61.4 (0.37)	25.8 (0.32)	12.7 (0.23)
Sex				
Male	100.0	62.0 (0.52)	25.6 (0.46)	12.3 (0.33)
Female	100.0	60.8 (0.49)	26.0 (0.43)	13.1 (0.31)
Age (years)				
18–44	100.0	71.3 (0.51)	22.1 (0.46)	6.5 (0.25)
45–64	100.0	53.4 (0.65)	28.8 (0.57)	17.8 (0.48)
65–74	100.0	50.3 (0.98)	30.3 (0.92)	19.5 (0.74)
75 and over	100.0	38.6 (1.13)	34.1 (1.05)	27.4 (1.01)
Race				
One race ²	100.0	61.5 (0.38)	25.8 (0.32)	12.7 (0.23)
White	100.0	62.8 (0.43)	25.3 (0.37)	11.9 (0.26)
Black or African American	100.0	52.5 (0.85)	28.4 (0.80)	19.1 (0.68)
American Indian or Alaska Native	100.0	42.4 (3.19)	40.7 (3.19)	16.9 (2.10)
Asian	100.0	63.3 (1.32)	25.9 (1.23)	10.8 (0.87)
Native Hawaiian or Other Pacific Islander	100.0	45.3 (6.77)	36.4 (6.48)	*18.3 (5.63)
Two or more races ³	100.0	58.0 (2.66)	25.3 (2.22)	16.6 (1.84)
Black or African American, white	100.0	62.7 (5.87)	19.6 (4.67)	17.7 (4.36)
American Indian or Alaska Native, white	100.0	50.5 (4.07)	29.6 (3.34)	19.9 (2.77)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	53.2 (0.88)	30.2 (0.80)	16.6 (0.61)
Mexican or Mexican American	100.0	51.2 (1.11)	31.4 (1.04)	17.4 (0.82)
Not Hispanic or Latino	100.0	62.8 (0.40)	24.9 (0.35)	12.2 (0.25)
White, single race	100.0	64.7 (0.47)	24.2 (0.41)	11.1 (0.28)
Black or African American, single race	100.0	52.5 (0.88)	28.3 (0.82)	19.2 (0.70)
Education ⁵				
Less than a high school diploma	100.0	38.8 (0.97)	32.9 (0.94)	28.3 (0.83)
High school diploma or GED ⁶	100.0	51.7 (0.76)	31.4 (0.72)	16.9 (0.51)
Some college	100.0	57.7 (0.69)	28.9 (0.63)	13.4 (0.46)
Bachelor's degree or higher	100.0	74.5 (0.59)	19.3 (0.54)	6.1 (0.32)
Current employment status ⁷				
Employed	100.0	69.8 (0.54)	24.4 (0.50)	5.8 (0.25)
Full-time	100.0	70.7 (0.71)	24.0 (0.66)	5.4 (0.29)
Part-time	100.0	67.0 (1.11)	25.3 (1.02)	7.7 (0.59)
Not employed but has worked previously	100.0	49.5 (0.71)	27.4 (0.63)	23.1 (0.55)
Not employed and has never worked	100.0	49.2 (1.47)	25.6 (1.40)	25.2 (1.33)

Table A-11a. Age-adjusted percent distribution (with standard errors) of respondent-assessed health status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	Excellent or very good health status ¹	Good health status ¹	Fair or poor health status ¹
Family income⁸				
Less than \$35,000	100.0	46.9 (0.60)	30.0 (0.53)	23.1 (0.46)
\$35,000 or more	100.0	68.0 (0.45)	23.7 (0.41)	8.3 (0.26)
\$35,000–\$49,999	100.0	57.8 (0.91)	28.8 (0.87)	13.4 (0.64)
\$50,000–\$74,999	100.0	63.0 (0.84)	27.0 (0.78)	10.0 (0.54)
\$75,000–\$99,999	100.0	69.6 (1.06)	23.7 (0.99)	6.7 (0.57)
\$100,000 or more	100.0	76.9 (0.74)	18.2 (0.70)	5.0 (0.45)
Poverty status⁹				
Poor	100.0	40.1 (0.86)	30.4 (0.83)	29.5 (0.78)
Near poor	100.0	49.7 (0.84)	30.0 (0.75)	20.3 (0.64)
Not poor	100.0	69.0 (0.43)	23.1 (0.39)	7.9 (0.24)
Health insurance coverage¹⁰				
Under 65:				
Private	100.0	72.9 (0.47)	21.5 (0.42)	5.6 (0.22)
Medicaid	100.0	40.3 (1.16)	29.5 (1.06)	30.3 (0.98)
Other	100.0	50.9 (1.93)	23.4 (1.73)	25.6 (1.47)
Uninsured	100.0	55.4 (0.83)	30.9 (0.80)	13.7 (0.59)
65 and over:				
Private	100.0	50.4 (1.07)	31.8 (0.98)	17.9 (0.86)
Medicare and Medicaid	100.0	20.7 (1.87)	31.3 (2.27)	47.9 (2.56)
Medicare only	100.0	43.6 (1.28)	31.8 (1.16)	24.6 (1.08)
Other	100.0	35.6 (2.63)	37.5 (2.64)	26.9 (2.58)
Uninsured	100.0	42.8 (7.98)	17.7 (4.58)	39.5 (7.69)
Marital status				
Married	100.0	64.4 (0.50)	24.9 (0.46)	10.7 (0.31)
Widowed	100.0	53.1 (4.24)	28.9 (3.76)	18.0 (2.86)
Divorced or separated	100.0	52.1 (1.00)	28.8 (0.91)	19.1 (0.75)
Never married	100.0	59.3 (0.91)	26.0 (0.80)	14.6 (0.73)
Living with a partner	100.0	56.0 (1.48)	27.9 (1.49)	16.1 (1.34)
Place of residence¹¹				
Large MSA	100.0	63.1 (0.51)	25.1 (0.44)	11.8 (0.31)
Small MSA	100.0	61.1 (0.67)	25.9 (0.58)	13.0 (0.44)
Not in MSA	100.0	56.1 (0.94)	28.2 (0.83)	15.7 (0.61)
Region				
Northeast	100.0	63.1 (0.97)	25.2 (0.85)	11.7 (0.54)
Midwest	100.0	63.2 (0.85)	25.4 (0.69)	11.4 (0.49)
South	100.0	59.6 (0.60)	25.9 (0.49)	14.5 (0.40)
West	100.0	61.5 (0.70)	26.5 (0.67)	12.0 (0.44)

Table A-11a. Age-adjusted percent distribution (with standard errors) of respondent-assessed health status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	Excellent or very good health status ¹	Good health status ¹	Fair or poor health status ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	55.0 (1.27)	28.8 (1.16)	16.2 (0.97)
Hispanic or Latina, female	100.0	51.4 (1.10)	31.6 (1.02)	17.0 (0.83)
Not Hispanic or Latino:				
White, single race, male	100.0	64.7 (0.65)	24.6 (0.58)	10.7 (0.37)
White, single race, female	100.0	64.8 (0.64)	23.7 (0.57)	11.5 (0.37)
Black or African American, single race, male	100.0	54.0 (1.35)	28.0 (1.28)	18.1 (1.11)
Black or African American, single race, female	100.0	51.2 (1.15)	28.7 (1.05)	20.1 (0.88)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on a survey question that asked respondents, "Would you say [subject name's] health in general was excellent, very good, good, fair, or poor?" This information was obtained during a part of the interview that allowed proxy responses, such that a knowledgeable adult family member could respond on behalf of adults not taking part in the interview. The estimates in this table are based on the reported health status (possibly by proxy) for the Sample Adult only. "Excellent" and "very good" are combined in this table as are "fair" and "poor".

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Person file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarroel MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table A-11b. Frequencies (in thousands) of respondent-assessed health status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	Excellent or very good health status ¹	Good health status ¹	Fair or poor health status ¹
Total	237,394	143,233	62,225	31,811
Sex				
Male	114,334	70,132	29,571	14,598
Female	123,061	73,102	32,654	17,213
Age (years)				
18–44	111,717	79,628	24,706	7,311
45–64	82,286	43,943	23,699	14,606
65–74	25,086	12,605	7,588	4,888
75 and over	18,305	7,057	6,232	5,007
Race				
One race ²	233,678	140,967	61,315	31,271
White	189,484	116,198	48,933	24,242
Black or African American	28,503	15,127	8,064	5,299
American Indian or Alaska Native	1,970	855	802	313
Asian	13,236	8,540	3,336	1,360
Native Hawaiian or Other Pacific Islander	485	*246	181	*57
Two or more races ³	3,716	2,267	910	540
Black or African American, white	801	573	149	*79
American Indian or Alaska Native, white	1,570	790	463	317
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	35,704	20,115	10,506	5,066
Mexican or Mexican American	22,277	12,244	6,880	3,145
Not Hispanic or Latino	201,690	123,118	51,719	26,746
White, single race	156,858	97,813	39,370	19,582
Black or African American, single race	27,415	14,503	7,731	5,167
Education ⁵				
Less than a high school diploma	27,749	10,010	9,201	8,534
High school diploma or GED ⁶	52,621	26,040	16,837	9,713
Some college	60,000	34,413	17,324	8,211
Bachelor's degree or higher	65,758	49,121	12,708	3,896
Current employment status ⁷				
Employed	144,126	100,329	35,368	8,363
Full-time	117,101	81,994	28,772	6,269
Part-time	24,980	16,940	6,176	1,864
Not employed but has worked previously	78,659	35,130	23,160	20,315
Not employed and has never worked	14,364	7,629	3,653	3,078

Table A-11b. Frequencies (in thousands) of respondent-assessed health status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	Excellent or very good health status ¹	Good health status ¹	Fair or poor health status ¹
Family income ⁸				
Less than \$35,000	72,188	32,972	21,929	17,240
\$35,000 or more	149,560	101,018	35,987	12,536
\$35,000–\$49,999	30,855	17,529	9,008	4,317
\$50,000–\$74,999	40,797	25,401	11,191	4,194
\$75,000–\$99,999	27,096	18,845	6,477	1,765
\$100,000 or more	50,812	39,242	9,311	2,259
Poverty status ⁹				
Poor	29,822	12,734	9,049	8,039
Near poor	38,468	18,971	11,564	7,913
Not poor	148,428	100,602	35,372	12,422
Health insurance coverage ¹⁰				
Under 65:				
Private	125,224	89,530	27,930	7,698
Medicaid	19,711	8,001	5,810	5,885
Other	9,247	3,673	2,428	3,134
Uninsured	38,942	21,864	11,942	5,118
65 and over:				
Private	21,580	10,998	6,806	3,768
Medicare and Medicaid	3,185	664	1,001	1,520
Medicare only	14,960	6,649	4,707	3,600
Other	3,159	1,129	1,184	846
Uninsured	411	189	*94	128
Marital status				
Married	125,149	77,912	32,460	14,727
Widowed	14,432	5,897	4,649	3,873
Divorced or separated	27,632	13,390	8,101	6,101
Never married	52,816	35,318	12,442	5,056
Living with a partner	16,910	10,471	4,434	1,985
Place of residence ¹¹				
Large MSA	127,881	80,068	32,366	15,381
Small MSA	73,440	44,093	19,252	10,041
Not in MSA	36,074	19,072	10,607	6,390
Region				
Northeast	41,590	25,456	10,775	5,350
Midwest	53,833	33,578	13,867	6,370
South	87,664	50,994	23,147	13,470
West	54,307	33,206	14,437	6,621

Table A-11b. Frequencies (in thousands) of respondent-assessed health status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	Excellent or very good health status ¹	Good health status ¹	Fair or poor health status ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	17,870	10,479	4,951	2,440
Hispanic or Latina, female	17,834	9,635	5,556	2,626
Not Hispanic or Latino:				
White, single race, male	75,979	47,568	19,282	9,096
White, single race, female	80,880	50,244	20,088	10,486
Black or African American, single race, male	12,321	6,789	3,364	2,168
Black or African American, single race, female	15,094	7,714	4,367	2,999

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on a survey question that asked respondents, "Would you say [subject name's] health in general was excellent, very good, good, fair, or poor?" This information was obtained during a part of the interview that allowed proxy responses, such that a knowledgeable adult family member could respond on behalf of adults not taking part in the interview. The estimates in this table are based on the reported health status (possibly by proxy) for the Sample Adult only. "Excellent" and "very good" are combined in this table as are "fair" and "poor".

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Person file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table A-11c. Crude percent distribution (with standard errors) of respondent-assessed health status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	Excellent or very good health status ¹	Good health status ¹	Fair or poor health status ¹
Total	100.0	60.4 (0.39)	26.2 (0.32)	13.4 (0.25)
Sex				
Male	100.0	61.4 (0.54)	25.9 (0.46)	12.8 (0.35)
Female	100.0	59.4 (0.49)	26.6 (0.43)	14.0 (0.32)
Age (years)				
18–44	100.0	71.3 (0.51)	22.1 (0.46)	6.5 (0.25)
45–64	100.0	53.4 (0.65)	28.8 (0.57)	17.8 (0.48)
65–74	100.0	50.3 (0.98)	30.3 (0.92)	19.5 (0.74)
75 and over	100.0	38.6 (1.13)	34.1 (1.05)	27.4 (1.01)
Race				
One race ²	100.0	60.4 (0.39)	26.3 (0.32)	13.4 (0.25)
White	100.0	61.4 (0.44)	25.8 (0.37)	12.8 (0.28)
Black or African American	100.0	53.1 (0.94)	28.3 (0.80)	18.6 (0.75)
American Indian or Alaska Native	100.0	43.4 (3.35)	40.7 (3.22)	15.9 (2.11)
Asian	100.0	64.5 (1.37)	25.2 (1.23)	10.3 (0.88)
Native Hawaiian or Other Pacific Islander	100.0	50.8 (8.12)	37.3 (7.49)	*11.8 (4.35)
Two or more races ³	100.0	61.0 (2.71)	24.5 (2.23)	14.5 (1.64)
Black or African American, white	100.0	71.5 (5.75)	18.6 (4.89)	*9.8 (3.30)
American Indian or Alaska Native, white	100.0	50.3 (4.25)	29.5 (3.41)	20.2 (2.84)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	56.4 (0.89)	29.4 (0.79)	14.2 (0.57)
Mexican or Mexican American	100.0	55.0 (1.12)	30.9 (1.00)	14.1 (0.73)
Not Hispanic or Latino	100.0	61.1 (0.42)	25.7 (0.35)	13.3 (0.27)
White, single race	100.0	62.4 (0.49)	25.1 (0.41)	12.5 (0.31)
Black or African American, single race	100.0	52.9 (0.96)	28.2 (0.82)	18.9 (0.76)
Education ⁵				
Less than a high school diploma	100.0	36.1 (0.93)	33.2 (0.90)	30.8 (0.85)
High school diploma or GED ⁶	100.0	49.5 (0.74)	32.0 (0.69)	18.5 (0.55)
Some college	100.0	57.4 (0.69)	28.9 (0.62)	13.7 (0.47)
Bachelor's degree or higher	100.0	74.7 (0.60)	19.3 (0.54)	5.9 (0.31)
Current employment status ⁷				
Employed	100.0	69.6 (0.45)	24.6 (0.41)	5.8 (0.21)
Full-time	100.0	70.1 (0.49)	24.6 (0.45)	5.4 (0.23)
Part-time	100.0	67.8 (1.09)	24.7 (0.99)	7.5 (0.56)
Not employed but has worked previously	100.0	44.7 (0.59)	29.5 (0.53)	25.8 (0.51)
Not employed and has never worked	100.0	53.1 (1.54)	25.4 (1.32)	21.4 (1.23)

Table A-11c. Crude percent distribution (with standard errors) of respondent-assessed health status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	Excellent or very good health status ¹	Good health status ¹	Fair or poor health status ¹
Family income⁸				
Less than \$35,000	100.0	45.7 (0.64)	30.4 (0.52)	23.9 (0.51)
\$35,000 or more	100.0	67.6 (0.46)	24.1 (0.41)	8.4 (0.27)
\$35,000–\$49,999	100.0	56.8 (0.97)	29.2 (0.88)	14.0 (0.69)
\$50,000–\$74,999	100.0	62.3 (0.87)	27.4 (0.79)	10.3 (0.55)
\$75,000–\$99,999	100.0	69.6 (1.06)	23.9 (0.97)	6.5 (0.56)
\$100,000 or more	100.0	77.2 (0.72)	18.3 (0.66)	4.4 (0.36)
Poverty status⁹				
Poor	100.0	42.7 (0.99)	30.3 (0.84)	27.0 (0.84)
Near poor	100.0	49.3 (0.87)	30.1 (0.74)	20.6 (0.68)
Not poor	100.0	67.8 (0.44)	23.8 (0.39)	8.4 (0.25)
Health insurance coverage¹⁰				
Under 65:				
Private	100.0	71.5 (0.48)	22.3 (0.43)	6.2 (0.24)
Medicaid	100.0	40.6 (1.21)	29.5 (1.06)	29.9 (1.05)
Other	100.0	39.8 (1.81)	26.3 (1.58)	33.9 (1.72)
Uninsured	100.0	56.2 (0.85)	30.7 (0.80)	13.1 (0.58)
65 and over:				
Private	100.0	51.0 (1.08)	31.5 (0.98)	17.5 (0.84)
Medicare and Medicaid	100.0	20.8 (1.88)	31.4 (2.30)	47.7 (2.58)
Medicare only	100.0	44.5 (1.27)	31.5 (1.14)	24.1 (1.07)
Other	100.0	35.7 (2.60)	37.5 (2.61)	26.8 (2.51)
Uninsured	100.0	45.9 (7.22)	22.9 (6.09)	31.1 (6.30)
Marital status				
Married	100.0	62.3 (0.51)	25.9 (0.46)	11.8 (0.33)
Widowed	100.0	40.9 (1.16)	32.2 (1.03)	26.9 (1.08)
Divorced or separated	100.0	48.5 (0.86)	29.4 (0.76)	22.1 (0.72)
Never married	100.0	66.9 (0.75)	23.6 (0.65)	9.6 (0.41)
Living with a partner	100.0	62.0 (1.29)	26.3 (1.14)	11.8 (0.84)
Place of residence¹¹				
Large MSA	100.0	62.6 (0.52)	25.3 (0.44)	12.0 (0.33)
Small MSA	100.0	60.1 (0.70)	26.2 (0.58)	13.7 (0.47)
Not in MSA	100.0	52.9 (0.99)	29.4 (0.79)	17.7 (0.69)
Region				
Northeast	100.0	61.2 (0.99)	25.9 (0.85)	12.9 (0.60)
Midwest	100.0	62.4 (0.87)	25.8 (0.68)	11.8 (0.51)
South	100.0	58.2 (0.62)	26.4 (0.49)	15.4 (0.43)
West	100.0	61.2 (0.75)	26.6 (0.67)	12.2 (0.48)

Table A-11c. Crude percent distribution (with standard errors) of respondent-assessed health status among adults aged 18 and over, by selected characteristics: United States, 2013

Selected characteristic	All adults aged 18 and over	Excellent or very good health status ¹	Good health status ¹	Fair or poor health status ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	58.6 (1.26)	27.7 (1.13)	13.7 (0.86)
Hispanic or Latina, female	100.0	54.1 (1.16)	31.2 (1.03)	14.7 (0.80)
Not Hispanic or Latino:				
White, single race, male	100.0	62.6 (0.66)	25.4 (0.57)	12.0 (0.42)
White, single race, female	100.0	62.2 (0.63)	24.9 (0.56)	13.0 (0.41)
Black or African American, single race, male	100.0	55.1 (1.48)	27.3 (1.27)	17.6 (1.19)
Black or African American, single race, female	100.0	51.2 (1.22)	29.0 (1.06)	19.9 (0.93)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on a survey question that asked respondents, "Would you say [subject name's] health in general was excellent, very good, good, fair, or poor?" This information was obtained during a part of the interview that allowed proxy responses, such that a knowledgeable adult family member could respond on behalf of adults not taking part in the interview. The estimates in this table are based on the reported health status (possibly by proxy) for the Sample Adult only. "Excellent" and "very good" are combined in this table as are "fair" and "poor".

Respondents were asked, "Have you lost all of your upper and lower natural (permanent) teeth?"

A person may be represented in more than one column.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Person file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from:

<http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.