

Table C-5a. Age-adjusted percent distributions (with standard errors) of respondent-assessed health status for children under age 18 years by selected characteristics: United States, 2014

Selected characteristics	All children under age 18 years				
	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹	
Total	100.0	59.7 (0.55)	24.7 (0.49)	13.9 (0.36)	1.6 (0.10)
Sex					
Male	100.0	59.6 (0.68)	24.1 (0.59)	14.5 (0.45)	1.8 (0.14)
Female	100.0	59.9 (0.64)	25.4 (0.57)	13.2 (0.41)	1.5 (0.12)
Age					
0-4 years	100.0	64.9 (0.84)	22.7 (0.75)	11.0 (0.52)	1.4 (0.17)
5-11 years	100.0	59.1 (0.77)	24.7 (0.64)	14.8 (0.51)	1.4 (0.14)
12-17 years	100.0	56.2 (0.78)	26.5 (0.73)	15.1 (0.53)	2.1 (0.19)
Race					
One race ²	100.0	59.6 (0.57)	24.6 (0.50)	14.0 (0.37)	1.7 (0.10)
White	100.0	61.1 (0.64)	24.4 (0.56)	13.0 (0.40)	1.5 (0.11)
Black or African American	100.0	52.5 (1.27)	26.2 (1.14)	18.7 (1.01)	2.7 (0.31)
American Indian or Alaska Native	100.0	50.3 (4.05)	25.0 (3.78)	21.4 (5.58)	*3.3 (1.22)
Asian	100.0	61.1 (1.97)	23.5 (1.70)	14.1 (1.36)	1.4 (0.36)
Native Hawaiian or Other Pacific Islander	100.0	62.3 (9.40)	*20.4 (7.94)	*	*
Two or more races ³	100.0	61.1 (2.20)	26.9 (1.96)	11.0 (1.36)	1.0 (0.28)
Black or African American and white	100.0	60.9 (3.25)	28.4 (2.88)	10.0 (1.90)	*
American Indian or Alaska Native and white	100.0	50.5 (4.94)	31.9 (4.54)	15.0 (3.74)	*2.7 (1.12)
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	100.0	53.4 (0.95)	24.9 (0.81)	19.5 (0.71)	2.3 (0.21)
Mexican or Mexican American	100.0	51.7 (1.20)	25.0 (1.05)	20.9 (0.88)	2.4 (0.27)
Not Hispanic or Latino	100.0	61.8 (0.65)	24.7 (0.58)	12.1 (0.39)	1.4 (0.12)
White, single race	100.0	64.6 (0.78)	24.1 (0.68)	10.2 (0.42)	1.1 (0.13)
Black or African American only, single race	100.0	52.2 (1.34)	26.6 (1.21)	18.5 (1.04)	2.7 (0.33)
Family structure ⁵					
Mother and father	100.0	62.7 (0.69)	24.2 (0.58)	11.8 (0.42)	1.3 (0.11)
Mother, no father	100.0	53.1 (1.02)	26.1 (0.94)	18.5 (0.73)	2.4 (0.22)
Father, no mother	100.0	59.8 (2.31)	24.5 (1.96)	14.3 (1.60)	*1.4 (0.42)
Neither mother nor father	100.0	46.7 (2.66)	24.1 (1.90)	26.0 (2.48)	3.2 (0.88)
Parent's education ⁶					
Less than high school diploma	100.0	48.2 (1.43)	25.0 (1.29)	23.5 (1.07)	3.3 (0.40)
High school diploma or GED ⁷	100.0	51.4 (1.20)	26.6 (1.11)	20.0 (0.92)	2.0 (0.24)
More than high school	100.0	65.0 (0.63)	24.2 (0.56)	9.7 (0.35)	1.1 (0.11)
Family income ⁸					
Less than \$35,000	100.0	50.9 (0.96)	24.9 (0.90)	21.0 (0.79)	3.1 (0.26)
\$35,000 or more	100.0	64.6 (0.68)	24.2 (0.58)	10.2 (0.40)	1.0 (0.10)
\$35,000-\$49,999	100.0	53.3 (1.53)	28.2 (1.31)	16.9 (1.14)	1.6 (0.27)
\$50,000-\$74,999	100.0	60.8 (1.37)	26.2 (1.25)	11.6 (0.86)	1.4 (0.28)
\$75,000-\$99,999	100.0	63.9 (1.44)	25.3 (1.34)	10.2 (0.86)	*0.6 (0.19)
\$100,000 or more	100.0	72.3 (1.02)	20.8 (0.90)	6.3 (0.48)	0.6 (0.13)

Table C-5a. Age-adjusted percent distributions (with standard errors) of respondent-assessed health status for children under age 18 years by selected characteristics: United States, 2014

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Poverty status⁹					
Poor	100.0	48.9 (1.17)	24.4 (1.09)	23.5 (1.01)	3.2 (0.31)
Near poor	100.0	54.6 (1.13)	27.4 (1.03)	15.9 (0.74)	2.1 (0.23)
Not poor	100.0	66.9 (0.71)	23.7 (0.63)	8.7 (0.38)	0.8 (0.10)
Health insurance coverage¹⁰					
Private	100.0	66.2 (0.70)	23.9 (0.62)	9.0 (0.37)	0.9 (0.10)
Medicaid or other public	100.0	51.1 (0.85)	25.7 (0.77)	20.3 (0.67)	2.8 (0.21)
Other	100.0	68.9 (2.96)	22.1 (2.42)	8.0 (1.77)	*1.0 (0.47)
Uninsured	100.0	53.0 (2.16)	26.6 (1.81)	18.6 (1.56)	1.8 (0.38)
Place of residence¹¹					
Large MSA	100.0	60.2 (0.76)	24.2 (0.65)	13.8 (0.50)	1.8 (0.14)
Small MSA	100.0	60.4 (1.00)	24.9 (0.96)	13.3 (0.64)	1.4 (0.16)
Not in MSA	100.0	56.1 (1.37)	26.5 (1.19)	15.8 (1.06)	1.5 (0.26)
Region					
Northeast	100.0	59.9 (1.41)	25.5 (1.31)	13.3 (0.87)	1.3 (0.21)
Midwest	100.0	58.9 (1.31)	27.3 (1.19)	12.3 (0.66)	1.5 (0.22)
South	100.0	59.7 (0.89)	24.2 (0.78)	14.4 (0.62)	1.7 (0.17)
West	100.0	60.3 (0.99)	22.8 (0.84)	15.1 (0.74)	1.9 (0.20)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "Would you say [subject's name]'s health in general was excellent, very good, good, fair, or poor?"

²Refers to children with only a single race group indicated, including those of Hispanic or Latino origin.

³Refers to children with more than one race group indicated, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to children who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to children who are not of Hispanic or Latino origin, regardless of race.

⁵Refers to parents living in the household. "Mother and father" can include biological, adoptive, step, in-law, or foster relationships. Legal guardians are classified in "Neither mother nor father."

⁶Refers to the education level of the parent with the higher level of education, regardless of that parent's age, provided the parent(s) live(s) in the household.

⁷GED is General Educational Development high school equivalency diploma.

⁸Includes children in families that reported either dollar amounts or would not provide a dollar amount but provided an income interval.

⁹"Poor" children live in families defined as below the poverty threshold. "Near poor" children live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" children live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Children with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes children who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all children in the family, not only the sample child. Data came from the Person File and were weighted using the Person weight. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using age groups 0-4 years, 5-11 years, and 12-17 years. Estimates for age groups are not age-adjusted. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes children of other races not shown separately and children with unknown family structure, parent's education, family income, poverty status, health insurance, or current health status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Bloom B, Freeman G. Tables of Summary Health Statistics for U.S. Children: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table C-5b. Frequency distributions (in thousands) of respondent-assessed health status for children under age 18 years, by selected characteristics: United States, 2014

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Total	73,406	43,792	18,157	10,189	1,209
Sex					
Male	37,487	22,311	9,027	5,435	670
Female	35,920	21,481	9,130	4,754	539
Age					
0-4 years	19,871	12,899	4,503	2,192	269
5-11 years	28,572	16,862	7,039	4,223	412
12-17 years	24,964	14,030	6,615	3,773	528
Race					
One race ²	70,005	41,705	17,249	9,820	1,173
White	54,255	33,116	13,250	7,044	799
Black or African American	10,883	5,713	2,845	2,024	289
American Indian or Alaska Native	914	456	232	*198	*29
Asian	3,796	2,322	893	530	52
Native Hawaiian or Other Pacific Islander	157	*99	*	*	*
Two or more races ³	3,401	2,087	908	369	36
Black or African American and white	1,521	926	436	147	*
American Indian or Alaska Native and white	658	327	218	95	*16
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	17,906	9,588	4,440	3,470	405
Mexican or Mexican American	12,210	6,326	3,048	2,544	291
Not Hispanic or Latino	55,500	34,204	13,717	6,719	804
White, single race	38,438	24,757	9,262	3,944	432
Black or African American only, single race	10,019	5,224	2,667	1,841	276
Family structure ⁵					
Mother and father	50,530	31,705	12,219	5,916	652
Mother, no father	17,682	9,323	4,635	3,271	431
Father, no mother	2,872	1,689	718	420	*45
Neither mother nor father	2,322	1,075	586	582	80
Parent's education ⁶					
Less than high school diploma	8,632	4,157	2,149	2,021	287
High school diploma or GED ⁷	14,173	7,281	3,766	2,828	289
More than high school	47,810	31,044	11,561	4,638	546
Family income ⁸					
Less than \$35,000	20,870	10,686	5,184	4,333	643
\$35,000 or more	43,860	28,315	10,651	4,465	424
\$35,000-\$49,999	8,004	4,280	2,248	1,350	127
\$50,000-\$74,999	10,345	6,293	2,719	1,186	146
\$75,000-\$99,999	7,985	5,098	2,025	815	*44
\$100,000 or more	17,526	12,645	3,659	1,114	108

Table C-5b. Frequency distributions (in thousands) of respondent-assessed health status for children under age 18 years, by selected characteristics: United States, 2014

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Poverty status ⁹					
Poor	15,535	7,644	3,775	3,611	485
Near poor	15,911	8,693	4,348	2,530	338
Not poor	36,799	24,569	8,739	3,197	290
Health insurance coverage ¹⁰					
Private	39,115	25,808	9,401	3,556	345
Medicaid or other public	27,771	14,302	7,107	5,581	761
Other	2,022	1,390	444	160	*20
Uninsured	3,946	2,035	1,081	761	69
Place of residence ¹¹					
Large MSA	39,750	23,903	9,637	5,462	727
Small MSA	23,777	14,357	5,896	3,160	328
Not in MSA	9,880	5,532	2,624	1,567	153
Region					
Northeast	10,876	6,497	2,783	1,448	147
Midwest	16,455	9,690	4,485	2,016	253
South	28,325	16,875	6,862	4,064	483
West	17,751	10,730	4,027	2,660	326

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "Would you say [subject's name]'s health in general was excellent, very good, good, fair, or poor?"

²Refers to children with only a single race group indicated, including those of Hispanic or Latino origin.

³Refers to children with more than one race group indicated, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to children who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to children who are not of Hispanic or Latino origin, regardless of race.

⁵Refers to parents living in the household. "Mother and father" can include biological, adoptive, step, in-law, or foster relationships. Legal guardians are classified in "Neither mother nor father."

⁶Refers to the education level of the parent with the higher level of education, regardless of that parent's age, provided the parent(s) live(s) in the household.

⁷GED is General Educational Development high school equivalency diploma.

⁸Includes children in families that reported either dollar amounts or would not provide a dollar amount but provided an income interval.

⁹"Poor" children live in families defined as below the poverty threshold. "Near poor" children live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" children live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Children with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes children who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all children in the family, not only the sample child. Data came from the Person File and were weighted using the Person weight. Estimates of "All children under 18 years" in this table differ slightly from estimates of "All children under 18 years" in the other detailed tables that were based on the Sample Child File and were weighted using the Sample Child weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All children under 18 years" column. "Total" includes children of other races not shown separately and children with unknown family structure, parent's education, family income, poverty status, health insurance, or current health status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Bloom B, Freeman G. Tables of Summary Health Statistics for U.S. Children: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table C-5c. Crude percent distributions (with standard errors) of respondent-assessed health status for children under age 18 years, by selected characteristics: United States, 2014

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Total	100.0	59.7 (0.55)	24.8 (0.49)	13.9 (0.36)	1.6 (0.10)
Sex					
Male	100.0	59.6 (0.68)	24.1 (0.59)	14.5 (0.45)	1.8 (0.14)
Female	100.0	59.8 (0.64)	25.4 (0.57)	13.2 (0.41)	1.5 (0.12)
Age					
0-4 years	100.0	64.9 (0.84)	22.7 (0.75)	11.0 (0.52)	1.4 (0.17)
5-11 years	100.0	59.1 (0.77)	24.7 (0.64)	14.8 (0.51)	1.4 (0.14)
12-17 years	100.0	56.2 (0.78)	26.5 (0.73)	15.1 (0.53)	2.1 (0.19)
Race					
One race ²	100.0	59.6 (0.57)	24.7 (0.50)	14.0 (0.37)	1.7 (0.10)
White	100.0	61.1 (0.64)	24.4 (0.56)	13.0 (0.40)	1.5 (0.11)
Black or African American	100.0	52.6 (1.28)	26.2 (1.14)	18.6 (1.01)	2.7 (0.31)
American Indian or Alaska Native	100.0	49.9 (4.20)	25.4 (3.83)	21.6 (5.84)	*3.1 (1.15)
Asian	100.0	61.2 (1.97)	23.5 (1.70)	14.0 (1.35)	1.4 (0.36)
Native Hawaiian or Other Pacific Islander	100.0	63.0 (9.71)	*19.1 (7.73)	*	*
Two or more races ³	100.0	61.4 (2.19)	26.7 (1.94)	10.8 (1.34)	1.1 (0.30)
Black or African American and white	100.0	60.9 (3.24)	28.7 (2.89)	9.7 (1.82)	*
American Indian or Alaska Native and white	100.0	49.9 (5.06)	33.3 (4.88)	14.4 (3.79)	*2.4 (0.97)
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	100.0	53.6 (0.95)	24.8 (0.81)	19.4 (0.71)	2.3 (0.21)
Mexican or Mexican American	100.0	51.8 (1.19)	25.0 (1.05)	20.8 (0.88)	2.4 (0.27)
Not Hispanic or Latino	100.0	61.7 (0.65)	24.7 (0.58)	12.1 (0.39)	1.4 (0.12)
White, single race	100.0	64.5 (0.78)	24.1 (0.69)	10.3 (0.42)	1.1 (0.13)
Black or African American only, single race	100.0	52.2 (1.35)	26.6 (1.21)	18.4 (1.04)	2.8 (0.33)
Family structure ⁵					
Mother and father	100.0	62.8 (0.68)	24.2 (0.58)	11.7 (0.42)	1.3 (0.11)
Mother, no father	100.0	52.8 (1.03)	26.2 (0.95)	18.5 (0.73)	2.4 (0.22)
Father, no mother	100.0	58.8 (2.23)	25.0 (1.89)	14.6 (1.63)	*1.6 (0.50)
Neither mother nor father	100.0	46.3 (2.57)	25.2 (2.01)	25.0 (2.35)	3.4 (0.95)
Parent's education ⁶					
Less than high school diploma	100.0	48.3 (1.42)	24.9 (1.29)	23.5 (1.07)	3.3 (0.40)
High school diploma or GED ⁷	100.0	51.4 (1.20)	26.6 (1.11)	20.0 (0.93)	2.0 (0.24)
More than high school	100.0	65.0 (0.63)	24.2 (0.56)	9.7 (0.35)	1.1 (0.11)
Family income ⁸					
Less than \$35,000	100.0	51.3 (0.96)	24.9 (0.90)	20.8 (0.78)	3.1 (0.25)
\$35,000 or more	100.0	64.6 (0.68)	24.3 (0.58)	10.2 (0.40)	1.0 (0.10)
\$35,000-\$49,999	100.0	53.5 (1.55)	28.1 (1.32)	16.9 (1.14)	1.6 (0.27)
\$50,000-\$74,999	100.0	60.8 (1.38)	26.3 (1.26)	11.5 (0.85)	1.4 (0.28)
\$75,000-\$99,999	100.0	63.9 (1.46)	25.4 (1.35)	10.2 (0.86)	*0.6 (0.20)
\$100,000 or more	100.0	72.2 (1.02)	20.9 (0.90)	6.4 (0.48)	0.6 (0.13)

Table C-5c. Crude percent distributions (with standard errors) of respondent-assessed health status for children under age 18 years, by selected characteristics: United States, 2014

Selected characteristics	All children under age 18 years	Excellent ¹	Very good ¹	Good ¹	Fair or poor ¹
Poverty status ⁹					
Poor	100.0	49.3 (1.17)	24.3 (1.08)	23.3 (1.00)	3.1 (0.30)
Near poor	100.0	54.6 (1.14)	27.3 (1.03)	15.9 (0.75)	2.1 (0.23)
Not poor	100.0	66.8 (0.72)	23.7 (0.63)	8.7 (0.38)	0.8 (0.10)
Health insurance coverage ¹⁰					
Private	100.0	66.0 (0.71)	24.0 (0.62)	9.1 (0.37)	0.9 (0.11)
Medicaid or other public	100.0	51.5 (0.84)	25.6 (0.77)	20.1 (0.66)	2.7 (0.20)
Other	100.0	69.0 (2.96)	22.0 (2.41)	7.9 (1.78)	*1.0 (0.48)
Uninsured	100.0	51.6 (2.17)	27.4 (1.82)	19.3 (1.56)	1.7 (0.36)
Place of residence ¹¹					
Large MSA	100.0	60.2 (0.76)	24.3 (0.65)	13.7 (0.49)	1.8 (0.15)
Small MSA	100.0	60.5 (1.00)	24.8 (0.96)	13.3 (0.64)	1.4 (0.16)
Not in MSA	100.0	56.0 (1.38)	26.6 (1.19)	15.9 (1.06)	1.6 (0.26)
Region					
Northeast	100.0	59.7 (1.40)	25.6 (1.30)	13.3 (0.86)	1.3 (0.22)
Midwest	100.0	58.9 (1.32)	27.3 (1.19)	12.3 (0.66)	1.5 (0.22)
South	100.0	59.7 (0.88)	24.3 (0.78)	14.4 (0.62)	1.7 (0.17)
West	100.0	60.5 (0.99)	22.7 (0.83)	15.0 (0.74)	1.8 (0.20)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "Would you say [subject's name]'s health in general was excellent, very good, good, fair, or poor?"

²Refers to children with only a single race group indicated, including those of Hispanic or Latino origin.

³Refers to children with more than one race group indicated, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to children who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to children who are not of Hispanic or Latino origin, regardless of race.

⁵Refers to parents living in the household. "Mother and father" can include biological, adoptive, step, in-law, or foster relationships. Legal guardians are classified in "Neither mother nor father."

⁶Refers to the education level of the parent with the higher level of education, regardless of that parent's age, provided the parent(s) live(s) in the household.

⁷GED is General Educational Development high school equivalency diploma.

⁸Includes children in families that reported either dollar amounts or would not provide a dollar amount but provided an income interval.

⁹"Poor" children live in families defined as below the poverty threshold. "Near poor" children live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" children live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Children with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes children who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all children in the family, not only the sample child. Data came from the Person File and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes children of other races not shown separately and children with unknown family structure, parent's education, family income, poverty status, health insurance, or current health status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Bloom B, Freeman G. Tables of Summary Health Statistics for U.S. Children: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.