

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹	
Total	100.0	14.7 (0.29)	85.3 (0.29)	100.0	72.5 (0.47)	23.9 (0.45)	1.1 (0.10)	1.2 (0.11)	1.1 (0.10)	
Sex										
Male	100.0	18.8 (0.44)	81.2 (0.44)	100.0	71.0 (0.65)	24.7 (0.63)	1.5 (0.17)	1.4 (0.15)	1.4 (0.17)	
Female	100.0	10.7 (0.34)	89.3 (0.34)	100.0	73.9 (0.56)	23.3 (0.52)	0.9 (0.10)	1.1 (0.14)	0.9 (0.11)	
Age (years)										
18–44	100.0	21.5 (0.49)	78.5 (0.49)	100.0	67.5 (0.69)	28.2 (0.67)	1.6 (0.17)	1.3 (0.16)	1.4 (0.17)	
45–64	100.0	9.2 (0.37)	90.8 (0.37)	100.0	76.6 (0.65)	20.5 (0.62)	0.8 (0.11)	1.4 (0.16)	0.8 (0.11)	
65–74	100.0	4.0 (0.40)	96.0 (0.40)	100.0	79.9 (0.90)	18.0 (0.85)	*0.2 (0.07)	0.7 (0.14)	1.1 (0.22)	
75 and over	100.0	2.4 (0.31)	97.6 (0.31)	100.0	82.3 (0.87)	15.5 (0.83)	*0.5 (0.15)	1.2 (0.22)	0.6 (0.15)	
Race										
One race ²	100.0	14.6 (0.29)	85.4 (0.29)	100.0	72.6 (0.47)	23.9 (0.45)	1.2 (0.10)	1.2 (0.11)	1.1 (0.10)	
White	100.0	14.8 (0.33)	85.2 (0.33)	100.0	73.2 (0.52)	23.8 (0.51)	0.9 (0.11)	0.9 (0.11)	1.2 (0.12)	
Black or African American	100.0	13.1 (0.69)	86.9 (0.69)	100.0	69.4 (1.03)	24.3 (0.96)	2.8 (0.37)	2.7 (0.34)	0.9 (0.18)	
American Indian or Alaska Native	100.0	16.1 (2.95)	83.9 (2.95)	100.0	42.0 (5.36)	45.7 (3.96)	*	*9.3 (3.23)	*	
Asian	100.0	15.4 (1.01)	84.6 (1.01)	100.0	77.6 (1.47)	20.7 (1.45)	*0.6 (0.26)	*0.6 (0.19)	*0.5 (0.18)	
Native Hawaiian or Other Pacific Islander	100.0	24.6 (6.76)	75.4 (6.76)	100.0	44.9 (7.30)	45.4 (5.82)	-	*	*	
Two or more races ³	100.0	19.2 (2.33)	80.8 (2.33)	100.0	67.4 (2.93)	26.2 (2.62)	*0.9 (0.43)	*3.2 (1.04)	*2.3 (0.90)	
Black or African American, white	100.0	18.8 (3.86)	81.2 (3.86)	100.0	86.6 (5.58)	*11.9 (5.39)	-	*	*	
American Indian or Alaska Native, white	100.0	15.9 (2.87)	84.1 (2.87)	100.0	58.9 (5.71)	32.3 (5.04)	*	*3.8 (1.71)	*3.7 (1.75)	
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	100.0	20.5 (0.68)	79.5 (0.68)	100.0	57.4 (1.15)	38.3 (1.13)	1.2 (0.18)	2.0 (0.29)	1.0 (0.22)	
Mexican or Mexican American	100.0	21.6 (0.84)	78.4 (0.84)	100.0	53.7 (1.50)	41.8 (1.46)	1.1 (0.23)	2.4 (0.46)	0.9 (0.22)	
Not Hispanic or Latino	100.0	13.5 (0.33)	86.5 (0.33)	100.0	75.2 (0.48)	21.3 (0.46)	1.1 (0.11)	1.1 (0.12)	1.2 (0.11)	
White, single race	100.0	13.3 (0.38)	86.7 (0.38)	100.0	76.5 (0.55)	20.6 (0.54)	0.9 (0.13)	0.8 (0.13)	1.3 (0.14)	
Black or African American, single race	100.0	13.2 (0.71)	86.8 (0.71)	100.0	69.7 (1.05)	23.8 (0.98)	2.9 (0.39)	2.8 (0.36)	0.8 (0.17)	

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Education⁵									
Less than a high school diploma	100.0	20.2 (0.89)	79.8 (0.89)	100.0	56.0 (1.36)	38.6 (1.31)	4.1 (0.64)	1.3 (0.24)	*1.1 (0.39)
High school diploma or GED ⁶	100.0	16.8 (0.64)	83.2 (0.64)	100.0	70.6 (0.88)	25.8 (0.83)	1.8 (0.29)	1.7 (0.27)	0.9 (0.21)
Some college	100.0	12.3 (0.49)	87.7 (0.49)	100.0	74.7 (0.74)	23.2 (0.70)	0.8 (0.14)	1.3 (0.19)	1.2 (0.17)
Bachelor's degree or higher	100.0	10.0 (0.40)	90.0 (0.40)	100.0	82.4 (0.58)	16.7 (0.57)	0.3 (0.07)	0.7 (0.12)	1.2 (0.18)
Current employment status⁷									
Employed	100.0	14.8 (0.36)	85.2 (0.36)	100.0	74.1 (0.59)	23.0 (0.57)	0.8 (0.09)	1.1 (0.13)	1.1 (0.11)
Full-time	100.0	15.1 (0.42)	84.9 (0.42)	100.0	74.8 (0.70)	22.4 (0.69)	0.8 (0.10)	1.0 (0.13)	1.1 (0.13)
Part-time	100.0	14.3 (0.79)	85.7 (0.79)	100.0	69.9 (1.26)	26.7 (1.20)	1.1 (0.24)	1.2 (0.36)	1.1 (0.24)
Not employed but has worked previously	100.0	14.4 (0.60)	85.6 (0.60)	100.0	68.9 (0.94)	26.3 (0.89)	2.0 (0.29)	1.5 (0.20)	1.2 (0.23)
Not employed and has never worked	100.0	15.7 (1.18)	84.3 (1.18)	100.0	64.5 (1.80)	31.0 (1.74)	1.8 (0.45)	1.9 (0.43)	*0.8 (0.34)
Family income⁸									
Less than \$35,000	100.0	20.1 (0.53)	79.9 (0.53)	100.0	58.8 (0.81)	35.0 (0.77)	3.1 (0.32)	1.9 (0.20)	1.1 (0.13)
\$35,000 or more	100.0	12.5 (0.36)	87.5 (0.36)	100.0	77.5 (0.55)	20.1 (0.52)	0.4 (0.08)	0.9 (0.11)	1.1 (0.12)
\$35,000–\$49,999	100.0	18.0 (0.84)	82.0 (0.84)	100.0	71.8 (1.17)	24.7 (1.10)	0.9 (0.24)	1.4 (0.31)	1.3 (0.28)
\$50,000–\$74,999	100.0	15.4 (0.73)	84.6 (0.73)	100.0	73.5 (0.98)	23.5 (0.94)	*0.7 (0.23)	1.1 (0.22)	1.1 (0.20)
\$75,000–\$99,999	100.0	12.2 (0.80)	87.8 (0.80)	100.0	76.8 (1.19)	20.8 (1.10)	*	*1.0 (0.35)	1.1 (0.32)
\$100,000 or more	100.0	8.2 (0.49)	91.8 (0.49)	100.0	82.3 (0.75)	16.0 (0.73)	*0.1 (0.06)	0.6 (0.14)	0.9 (0.18)
Poverty status⁹									
Poor	100.0	20.0 (0.76)	80.0 (0.76)	100.0	52.7 (1.19)	40.3 (1.12)	3.7 (0.48)	2.5 (0.33)	0.9 (0.17)
Near poor	100.0	19.0 (0.73)	81.0 (0.73)	100.0	64.1 (0.98)	30.5 (0.96)	2.3 (0.33)	2.1 (0.35)	1.1 (0.18)
Not poor	100.0	12.4 (0.35)	87.6 (0.35)	100.0	77.8 (0.52)	19.7 (0.49)	0.4 (0.07)	0.9 (0.11)	1.2 (0.13)

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Health insurance coverage ¹⁰									
Under 65:									
Private	100.0	12.1 (0.37)	87.9 (0.37)	100.0	77.9 (0.55)	19.9 (0.53)	0.4 (0.07)	0.7 (0.09)	1.2 (0.14)
Medicaid	100.0	12.3 (0.77)	87.7 (0.77)	100.0	56.0 (1.34)	38.4 (1.32)	2.5 (0.35)	2.6 (0.39)	0.6 (0.15)
Other coverage	100.0	9.1 (1.20)	90.9 (1.20)	100.0	54.2 (2.38)	38.8 (2.38)	*	4.4 (0.89)	2.1 (0.52)
Uninsured	100.0	49.1 (1.14)	50.9 (1.14)	100.0	40.8 (1.70)	47.4 (1.70)	7.9 (1.03)	1.9 (0.41)	2.0 (0.41)
65 and over:									
Private	100.0	2.3 (0.29)	97.7 (0.29)	100.0	85.3 (0.86)	13.6 (0.84)	*0.1 (0.04)	*0.3 (0.11)	0.6 (0.18)
Medicare and Medicaid	100.0	*3.0 (0.93)	97.0 (0.93)	100.0	71.9 (2.33)	25.7 (2.27)	*	*1.5 (0.48)	*0.6 (0.23)
Medicare Advantage	100.0	2.4 (0.45)	97.6 (0.45)	100.0	84.2 (1.26)	14.3 (1.20)	*0.4 (0.18)	*0.7 (0.26)	*0.4 (0.17)
Medicare only	100.0	5.8 (0.78)	94.2 (0.78)	100.0	79.7 (1.52)	17.1 (1.39)	*0.9 (0.35)	1.2 (0.37)	*1.1 (0.42)
Other coverage	100.0	3.2 (0.87)	96.8 (0.87)	100.0	62.3 (2.29)	31.1 (2.28)	*	3.5 (0.80)	3.0 (0.83)
Uninsured	100.0	37.1 (10.08)	62.9 (10.08)	100.0	51.7 (11.72)	45.3 (11.61)	-	-	*
Marital status									
Married	100.0	12.0 (0.41)	88.0 (0.41)	100.0	75.9 (0.60)	21.7 (0.59)	0.6 (0.09)	0.9 (0.11)	0.9 (0.13)
Widowed	100.0	*9.9 (3.81)	90.1 (3.81)	100.0	68.1 (6.63)	24.1 (6.13)	*	*	*0.4 (0.17)
Divorced or separated	100.0	13.8 (0.90)	86.2 (0.90)	100.0	68.8 (1.16)	26.1 (1.11)	1.3 (0.25)	2.5 (0.74)	*1.3 (0.41)
Never married	100.0	18.2 (0.60)	81.8 (0.60)	100.0	67.1 (0.94)	28.0 (0.90)	1.9 (0.23)	1.7 (0.32)	1.4 (0.20)
Living with a partner	100.0	19.9 (1.04)	80.1 (1.04)	100.0	68.3 (1.55)	26.3 (1.47)	2.3 (0.46)	1.9 (0.50)	1.3 (0.32)
Place of residence ¹¹									
Large MSA	100.0	14.5 (0.38)	85.5 (0.38)	100.0	76.3 (0.55)	20.5 (0.51)	1.0 (0.12)	1.3 (0.12)	0.8 (0.11)
Small MSA	100.0	15.2 (0.54)	84.8 (0.54)	100.0	70.8 (0.95)	25.2 (0.92)	1.3 (0.20)	0.9 (0.20)	1.8 (0.23)
Not in MSA	100.0	14.1 (0.80)	85.9 (0.80)	100.0	61.5 (1.74)	34.5 (1.72)	1.4 (0.30)	1.7 (0.50)	0.9 (0.23)
Region									
Northeast	100.0	10.1 (0.62)	89.9 (0.62)	100.0	82.9 (0.89)	14.5 (0.85)	0.6 (0.12)	1.0 (0.20)	1.0 (0.24)
Midwest	100.0	14.6 (0.68)	85.4 (0.68)	100.0	64.8 (1.01)	30.5 (1.03)	1.5 (0.29)	1.7 (0.32)	1.4 (0.23)
South	100.0	16.4 (0.49)	83.6 (0.49)	100.0	75.4 (0.81)	21.2 (0.75)	1.5 (0.18)	1.1 (0.15)	0.9 (0.14)
West	100.0	15.4 (0.56)	84.6 (0.56)	100.0	67.4 (1.01)	29.4 (0.91)	0.6 (0.12)	1.2 (0.21)	1.4 (0.22)

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Hispanic or Latino origin ⁴ , race, and sex									
Hispanic or Latino, male	100.0	26.0 (1.05)	74.0 (1.05)	100.0	57.0 (1.79)	38.1 (1.75)	1.7 (0.34)	2.4 (0.50)	*0.8 (0.26)
Hispanic or Latina, female	100.0	14.7 (0.80)	85.3 (0.80)	100.0	57.9 (1.31)	38.4 (1.29)	0.8 (0.17)	1.8 (0.33)	1.1 (0.32)
Not Hispanic or Latino:									
White, single race, male	100.0	16.8 (0.58)	83.2 (0.58)	100.0	74.2 (0.78)	22.2 (0.76)	1.1 (0.21)	0.9 (0.17)	1.6 (0.24)
White, single race, female	100.0	9.8 (0.45)	90.2 (0.45)	100.0	78.4 (0.68)	19.2 (0.66)	0.7 (0.14)	0.7 (0.17)	1.0 (0.15)
Black or African American, single race, male	100.0	18.4 (1.25)	81.6 (1.25)	100.0	67.9 (1.64)	22.9 (1.48)	4.1 (0.72)	3.8 (0.67)	1.3 (0.38)
Black or African American, single race, female	100.0	8.9 (0.75)	91.1 (0.75)	100.0	71.0 (1.29)	24.4 (1.23)	2.1 (0.38)	2.0 (0.39)	*0.5 (0.14)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.
 - Quantity zero.

¹Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it] do you go to most often? -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care. Note that in this table, data for hospital emergency room and hospital outpatient department are shown in separate categories; Adult Summary Health Statistics tables for 2013 and earlier combined these into a single category.

HMO is health maintenance organization.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarroel MA. Tables of Summary Health Statistics for U.S. Adults: 2015 National Health Interview Survey. National Center for Health Statistics. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2015.

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Total	242,501	33,117	207,311	151,473	47,141	2,111	2,525	2,210
Sex								
Male	116,875	20,794	95,035	67,652	22,355	1,213	1,351	1,278
Female	125,625	12,322	112,276	83,822	24,786	898	1,174	932
Age (years)								
18–44	112,760	23,986	87,663	58,236	24,298	1,410	1,090	1,236
45–64	83,239	7,592	74,986	57,136	15,285	560	1,026	581
65–74	27,297	1,086	26,028	20,777	4,681	*51	195	286
75 and over	19,204	454	18,634	15,324	2,877	*90	214	106
Race								
One race ²	238,301	32,281	203,969	149,249	46,264	2,082	2,426	2,140
White	191,218	25,634	164,055	121,319	36,632	1,288	1,455	1,835
Black or African American	29,796	3,892	25,613	17,755	6,117	694	685	214
American Indian or Alaska Native	2,307	385	1,907	775	879	*	*183	*
Asian	14,360	2,205	11,941	9,212	2,423	*71	*62	*60
Native Hawaiian or Other Pacific Islander	619	*166	452	187	*214	-	*	*
Two or more races ³	4,200	835	3,342	2,224	877	*	*99	*70
Black or African American, white	851	216	624	547	*61	-	*	*
American Indian or Alaska Native, white	1,647	265	1,382	797	427	*	*50	*49
Hispanic or Latino origin ⁴ and race								
Hispanic or Latino	37,755	8,409	29,102	16,167	11,178	358	569	288
Mexican or Mexican American	22,992	5,547	17,339	8,865	7,316	210	384	144
Not Hispanic or Latino	204,746	24,708	178,209	135,306	35,963	1,753	1,956	1,921
White, single race	157,410	18,062	138,048	106,754	26,649	995	1,029	1,592
Black or African American, single race	28,418	3,724	24,403	17,008	5,709	679	677	187

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Education ⁵								
Less than a high school diploma	26,648	4,682	21,716	12,868	7,432	684	291	193
High school diploma or GED ⁶	50,847	7,066	43,395	31,461	9,936	570	722	317
Some college	61,605	7,135	54,014	39,985	11,963	368	713	655
Bachelor's degree or higher	72,373	7,049	64,629	52,518	10,454	157	425	709
Current employment status ⁷								
Employed	148,914	23,502	124,048	90,892	28,088	985	1,374	1,357
Full-time	121,609	19,369	101,116	75,013	22,076	735	1,110	1,103
Part-time	25,508	3,874	21,411	14,661	5,759	240	259	234
Not employed but has worked previously	79,530	7,450	71,477	53,064	15,429	907	964	744
Not employed and has never worked	13,899	2,131	11,683	7,455	3,598	218	187	*95
Family income ⁸								
Less than \$35,000	66,342	12,282	53,440	32,550	17,218	1,428	994	583
\$35,000 or more	148,656	17,506	130,128	101,008	25,282	487	1,153	1,307
\$35,000–\$49,999	25,114	4,319	20,647	14,933	4,833	162	282	242
\$50,000–\$74,999	37,018	5,392	31,406	23,194	7,019	202	336	354
\$75,000–\$99,999	27,607	3,256	24,227	18,601	4,971	*	*223	249
\$100,000 or more	58,917	4,539	53,848	44,279	8,458	*74	312	461
Poverty status ⁹								
Poor	28,022	5,890	21,828	11,204	8,759	804	525	197
Near poor	42,375	7,650	34,385	22,270	9,919	688	687	371
Not poor	159,450	17,932	140,309	109,850	26,369	520	1,163	1,509

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Health insurance coverage ¹⁰								
Under 65:								
Private	135,220	15,058	119,003	93,044	22,555	432	804	1,236
Medicaid	25,313	3,113	21,919	12,176	8,348	538	561	135
Other coverage	9,086	668	8,317	4,754	2,936	*56	369	181
Uninsured	24,896	12,330	12,351	4,766	5,569	935	218	239
65 and over:								
Private	19,581	456	18,988	16,183	2,578	*20	*62	123
Medicare and Medicaid	3,267	*97	3,166	2,271	809	*	*48	*18
Medicare Advantage	11,634	298	11,264	9,485	1,619	*43	*76	*41
Medicare only	7,890	469	7,367	5,831	1,278	*59	*91	*86
Other coverage	3,808	124	3,657	2,209	1,187	*	127	119
Uninsured	249	96	146	*79	*60	-	-	*
Marital status								
Married	128,583	13,204	114,410	87,929	23,264	509	1,032	1,014
Widowed	14,720	689	13,850	10,994	2,450	*102	175	92
Divorced or separated	27,858	3,275	24,338	17,314	5,750	317	500	282
Never married	53,374	11,662	41,224	26,437	11,949	835	542	638
Living with a partner	17,665	4,251	13,234	8,627	3,645	349	276	184
Place of residence ¹¹								
Large MSA	134,062	18,459	114,257	87,477	22,294	1,044	1,512	897
Small MSA	74,299	10,547	63,366	45,253	15,058	766	574	1,059
Not in MSA	34,140	4,111	29,688	18,743	9,789	301	439	254
Region								
Northeast	42,320	3,777	38,193	31,925	5,069	212	381	372
Midwest	54,367	7,447	46,423	30,387	13,719	606	741	605
South	90,015	13,557	75,582	57,479	14,863	1,015	800	596
West	55,798	8,336	47,113	31,682	13,489	278	603	637

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Hispanic or Latino origin ⁴ , race, and sex								
Hispanic or Latino, male	18,798	5,441	13,243	7,267	4,980	226	301	*106
Hispanic or Latina, female	18,957	2,968	15,859	8,900	6,198	132	268	183
Not Hispanic or Latino:								
White, single race, male	76,483	11,348	64,492	48,387	13,396	556	555	959
White, single race, female	80,927	6,715	73,557	58,366	13,254	438	473	633
Black or African American, single race, male	12,771	2,349	10,241	6,914	2,313	394	403	125
Black or African American, single race, female	15,647	1,375	14,162	10,093	3,395	284	274	62

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it/do you go to most often] -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care. Note that in this table, data for hospital emergency room and hospital outpatient department are shown in separate categories; Adult Summary Health Statistics tables for 2013 and earlier combined these into a single category. HMO is health maintenance organization.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA. Tables of Summary Health Statistics for U.S. Adults: 2015 National Health Interview Survey. National Center for Health Statistics. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2015.

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹	
Total	100.0	13.8 (0.28)	86.2 (0.28)	100.0	73.7 (0.45)	22.9 (0.42)	1.0 (0.09)	1.2 (0.10)	1.1 (0.09)	
Sex										
Male	100.0	18.0 (0.43)	82.0 (0.43)	100.0	72.1 (0.62)	23.8 (0.60)	1.3 (0.15)	1.4 (0.15)	1.4 (0.15)	
Female	100.0	9.9 (0.31)	90.1 (0.31)	100.0	75.1 (0.52)	22.2 (0.49)	0.8 (0.09)	1.1 (0.13)	0.8 (0.10)	
Age (years)										
18–44	100.0	21.5 (0.49)	78.5 (0.49)	100.0	67.5 (0.69)	28.2 (0.67)	1.6 (0.17)	1.3 (0.16)	1.4 (0.17)	
45–64	100.0	9.2 (0.37)	90.8 (0.37)	100.0	76.6 (0.65)	20.5 (0.62)	0.8 (0.11)	1.4 (0.16)	0.8 (0.11)	
65–74	100.0	4.0 (0.40)	96.0 (0.40)	100.0	79.9 (0.90)	18.0 (0.85)	*0.2 (0.07)	0.7 (0.14)	1.1 (0.22)	
75 and over	100.0	2.4 (0.31)	97.6 (0.31)	100.0	82.3 (0.87)	15.5 (0.83)	*0.5 (0.15)	1.2 (0.22)	0.6 (0.15)	
Race										
One race ²	100.0	13.7 (0.28)	86.3 (0.28)	100.0	73.8 (0.45)	22.9 (0.43)	1.0 (0.09)	1.2 (0.10)	1.1 (0.09)	
White	100.0	13.5 (0.31)	86.5 (0.31)	100.0	74.6 (0.49)	22.5 (0.47)	0.8 (0.09)	0.9 (0.10)	1.1 (0.10)	
Black or African American	100.0	13.2 (0.69)	86.8 (0.69)	100.0	69.7 (1.01)	24.0 (0.95)	2.7 (0.35)	2.7 (0.34)	0.8 (0.17)	
American Indian or Alaska Native	100.0	16.8 (3.15)	83.2 (3.15)	100.0	40.9 (5.54)	46.4 (4.03)	*	*9.7 (3.35)	*	
Asian	100.0	15.6 (1.07)	84.4 (1.07)	100.0	77.9 (1.44)	20.5 (1.43)	*0.6 (0.27)	*0.5 (0.17)	*0.5 (0.17)	
Native Hawaiian or Other Pacific Islander	100.0	26.8 (7.52)	73.2 (7.52)	100.0	41.9 (8.21)	47.8 (7.17)	-	*	*	
Two or more races ³	100.0	20.0 (2.39)	80.0 (2.39)	100.0	67.4 (3.00)	26.6 (2.72)	*	*3.0 (0.96)	*2.1 (0.76)	
Black or African American, white	100.0	25.7 (5.48)	74.3 (5.48)	100.0	87.7 (3.83)	*9.8 (3.12)	-	*	*	
American Indian or Alaska Native, white	100.0	16.1 (3.05)	83.9 (3.05)	100.0	59.5 (5.46)	31.9 (4.86)	*	*3.8 (1.76)	*3.6 (1.70)	
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	100.0	22.4 (0.75)	77.6 (0.75)	100.0	56.6 (1.19)	39.1 (1.18)	1.3 (0.19)	2.0 (0.28)	1.0 (0.23)	
Mexican or Mexican American	100.0	24.2 (0.93)	75.8 (0.93)	100.0	52.4 (1.55)	43.2 (1.54)	1.2 (0.26)	2.3 (0.41)	0.8 (0.22)	
Not Hispanic or Latino	100.0	12.2 (0.30)	87.8 (0.30)	100.0	76.5 (0.45)	20.3 (0.43)	1.0 (0.09)	1.1 (0.11)	1.1 (0.09)	
White, single race	100.0	11.6 (0.34)	88.4 (0.34)	100.0	77.9 (0.51)	19.4 (0.49)	0.7 (0.10)	0.8 (0.11)	1.2 (0.11)	
Black or African American, single race	100.0	13.2 (0.71)	86.8 (0.71)	100.0	70.1 (1.02)	23.5 (0.94)	2.8 (0.36)	2.8 (0.35)	0.8 (0.16)	

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Education⁵									
Less than a high school diploma	100.0	17.7 (0.78)	82.3 (0.78)	100.0	59.9 (1.23)	34.6 (1.16)	3.2 (0.47)	1.4 (0.21)	0.9 (0.25)
High school diploma or GED ⁶	100.0	14.0 (0.57)	86.0 (0.57)	100.0	73.2 (0.79)	23.1 (0.73)	1.3 (0.19)	1.7 (0.23)	0.7 (0.14)
Some college	100.0	11.7 (0.48)	88.3 (0.48)	100.0	74.5 (0.72)	22.3 (0.68)	0.7 (0.12)	1.3 (0.20)	1.2 (0.16)
Bachelor's degree or higher	100.0	9.8 (0.40)	90.2 (0.40)	100.0	81.7 (0.58)	16.3 (0.55)	0.2 (0.06)	0.7 (0.12)	1.1 (0.16)
Current employment status⁷									
Employed	100.0	15.9 (0.39)	84.1 (0.39)	100.0	74.1 (0.54)	22.9 (0.52)	0.8 (0.09)	1.1 (0.13)	1.1 (0.11)
Full-time	100.0	16.1 (0.42)	83.9 (0.42)	100.0	75.0 (0.56)	22.1 (0.56)	0.7 (0.10)	1.1 (0.14)	1.1 (0.12)
Part-time	100.0	15.3 (0.85)	84.7 (0.85)	100.0	69.3 (1.29)	27.2 (1.23)	1.1 (0.25)	1.2 (0.36)	1.1 (0.26)
Not employed but has worked previously	100.0	9.4 (0.37)	90.6 (0.37)	100.0	74.6 (0.65)	21.7 (0.60)	1.3 (0.16)	1.4 (0.15)	1.0 (0.14)
Not employed and has never worked	100.0	15.4 (1.13)	84.6 (1.13)	100.0	64.5 (1.78)	31.1 (1.72)	1.9 (0.49)	1.6 (0.39)	*0.8 (0.37)
Family income⁸									
Less than \$35,000	100.0	18.7 (0.51)	81.3 (0.51)	100.0	61.7 (0.77)	32.6 (0.73)	2.7 (0.27)	1.9 (0.18)	1.1 (0.13)
\$35,000 or more	100.0	11.9 (0.35)	88.1 (0.35)	100.0	78.2 (0.53)	19.6 (0.50)	0.4 (0.06)	0.9 (0.11)	1.0 (0.11)
\$35,000–\$49,999	100.0	17.3 (0.83)	82.7 (0.83)	100.0	73.0 (1.09)	23.6 (1.03)	0.8 (0.21)	1.4 (0.29)	1.2 (0.26)
\$50,000–\$74,999	100.0	14.7 (0.71)	85.3 (0.71)	100.0	74.6 (0.92)	22.6 (0.89)	0.7 (0.19)	1.1 (0.22)	1.1 (0.19)
\$75,000–\$99,999	100.0	11.8 (0.80)	88.2 (0.80)	100.0	77.2 (1.16)	20.6 (1.08)	*	*0.9 (0.30)	1.0 (0.28)
\$100,000 or more	100.0	7.8 (0.46)	92.2 (0.46)	100.0	82.6 (0.72)	15.8 (0.70)	*0.1 (0.05)	0.6 (0.13)	0.9 (0.16)
Poverty status⁹									
Poor	100.0	21.2 (0.80)	78.8 (0.80)	100.0	52.1 (1.22)	40.8 (1.15)	3.7 (0.49)	2.4 (0.33)	0.9 (0.18)
Near poor	100.0	18.2 (0.72)	81.8 (0.72)	100.0	65.6 (0.94)	29.2 (0.91)	2.0 (0.28)	2.0 (0.32)	1.1 (0.18)
Not poor	100.0	11.3 (0.33)	88.7 (0.33)	100.0	78.8 (0.49)	18.9 (0.47)	0.4 (0.06)	0.8 (0.10)	1.1 (0.11)

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Health insurance coverage ¹⁰									
Under 65:									
Private	100.0	11.2 (0.35)	88.8 (0.35)	100.0	78.8 (0.52)	19.1 (0.51)	0.4 (0.06)	0.7 (0.09)	1.0 (0.12)
Medicaid	100.0	12.4 (0.78)	87.6 (0.78)	100.0	56.0 (1.34)	38.4 (1.32)	2.5 (0.35)	2.6 (0.39)	0.6 (0.15)
Other coverage	100.0	7.4 (0.88)	92.6 (0.88)	100.0	57.3 (2.00)	35.4 (1.95)	*0.7 (0.27)	4.5 (0.84)	2.2 (0.47)
Uninsured	100.0	50.0 (1.15)	50.0 (1.15)	100.0	40.6 (1.72)	47.5 (1.71)	8.0 (1.05)	1.9 (0.41)	2.0 (0.41)
65 and over:									
Private	100.0	2.3 (0.29)	97.7 (0.29)	100.0	85.3 (0.85)	13.6 (0.83)	*0.1 (0.04)	*0.3 (0.10)	0.7 (0.19)
Medicare and Medicaid	100.0	*3.0 (0.93)	97.0 (0.93)	100.0	71.9 (2.34)	25.6 (2.29)	*	*1.5 (0.48)	*0.6 (0.23)
Medicare Advantage	100.0	2.6 (0.49)	97.4 (0.49)	100.0	84.2 (1.24)	14.4 (1.17)	*0.4 (0.17)	*0.7 (0.23)	*0.4 (0.16)
Medicare only	100.0	6.0 (0.81)	94.0 (0.81)	100.0	79.4 (1.55)	17.4 (1.42)	*0.8 (0.32)	*1.2 (0.37)	*1.2 (0.45)
Other coverage	100.0	3.3 (0.88)	96.7 (0.88)	100.0	60.5 (2.53)	32.5 (2.52)	*	3.5 (0.79)	3.3 (0.92)
Uninsured	100.0	39.6 (8.56)	60.4 (8.56)	100.0	54.4 (11.04)	41.7 (10.85)	-	-	*
Marital status									
Married	100.0	10.3 (0.35)	89.7 (0.35)	100.0	77.3 (0.56)	20.5 (0.54)	0.4 (0.07)	0.9 (0.11)	0.9 (0.11)
Widowed	100.0	4.7 (0.52)	95.3 (0.52)	100.0	79.6 (1.10)	17.7 (1.06)	*0.7 (0.25)	1.3 (0.27)	0.7 (0.18)
Divorced or separated	100.0	11.9 (0.65)	88.1 (0.65)	100.0	71.7 (0.89)	23.8 (0.84)	1.3 (0.25)	2.1 (0.39)	1.2 (0.23)
Never married	100.0	22.1 (0.69)	77.9 (0.69)	100.0	65.4 (0.96)	29.6 (0.93)	2.1 (0.26)	1.3 (0.23)	1.6 (0.23)
Living with a partner	100.0	24.3 (1.23)	75.7 (1.23)	100.0	66.0 (1.58)	27.9 (1.46)	2.7 (0.54)	2.1 (0.57)	1.4 (0.37)
Place of residence ¹¹									
Large MSA	100.0	13.9 (0.37)	86.1 (0.37)	100.0	77.3 (0.52)	19.7 (0.48)	0.9 (0.11)	1.3 (0.12)	0.8 (0.10)
Small MSA	100.0	14.3 (0.52)	85.7 (0.52)	100.0	72.2 (0.92)	24.0 (0.88)	1.2 (0.17)	0.9 (0.20)	1.7 (0.20)
Not in MSA	100.0	12.2 (0.71)	87.8 (0.71)	100.0	63.5 (1.60)	33.2 (1.56)	1.0 (0.21)	1.5 (0.37)	0.9 (0.18)
Region									
Northeast	100.0	9.0 (0.55)	91.0 (0.55)	100.0	84.1 (0.80)	13.4 (0.76)	0.6 (0.12)	1.0 (0.17)	1.0 (0.21)
Midwest	100.0	13.8 (0.67)	86.2 (0.67)	100.0	66.0 (0.97)	29.8 (0.98)	1.3 (0.24)	1.6 (0.28)	1.3 (0.20)
South	100.0	15.2 (0.46)	84.8 (0.46)	100.0	76.9 (0.76)	19.9 (0.71)	1.4 (0.16)	1.1 (0.15)	0.8 (0.12)
West	100.0	15.0 (0.55)	85.0 (0.55)	100.0	67.9 (0.99)	28.9 (0.90)	0.6 (0.12)	1.3 (0.22)	1.4 (0.21)

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2015

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Hispanic or Latino origin ⁴ , race, and sex									
Hispanic or Latino, male	100.0	29.1 (1.20)	70.9 (1.20)	100.0	56.4 (1.85)	38.7 (1.83)	1.8 (0.37)	2.3 (0.49)	*0.8 (0.27)
Hispanic or Latina, female	100.0	15.8 (0.85)	84.2 (0.85)	100.0	56.8 (1.38)	39.5 (1.36)	0.8 (0.19)	1.7 (0.32)	1.2 (0.33)
Not Hispanic or Latino:									
White, single race, male	100.0	15.0 (0.53)	85.0 (0.53)	100.0	75.8 (0.71)	21.0 (0.69)	0.9 (0.16)	0.9 (0.15)	1.5 (0.20)
White, single race, female	100.0	8.4 (0.37)	91.6 (0.37)	100.0	79.8 (0.61)	18.1 (0.59)	0.6 (0.11)	0.6 (0.13)	0.9 (0.13)
Black or African American, single race, male	100.0	18.7 (1.29)	81.3 (1.29)	100.0	68.1 (1.59)	22.8 (1.43)	3.9 (0.66)	4.0 (0.68)	1.2 (0.35)
Black or African American, single race, female	100.0	8.8 (0.75)	91.2 (0.75)	100.0	71.5 (1.27)	24.1 (1.20)	2.0 (0.37)	1.9 (0.37)	0.4 (0.13)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.
- Quantity zero.

¹Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it/ do you go to most often] -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care. Note that in this table, data for hospital emergency room and hospital outpatient department are shown in separate categories; Adult Summary Health Statistics tables for 2013 and earlier combined these into a single category. HMO is health maintenance organization.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA. Tables of Summary Health Statistics for U.S. Adults: 2015 National Health Interview Survey. National Center for Health Statistics. 2016. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2015.