Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2016

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Total	100.0	31.3 (1.24)	11.4 (0.81)	8.9 (0.73)	17.1 (0.83)	31.4 (1.01)
Sex						
Male	100.0	29.8 (1.46)	11.7 (1.03)	8.8 (0.92)	16.0 (0.96)	33.7 (1.20)
Female	100.0	33.1 (1.59)	11.2 (0.94)	8.9 (0.88)	18.3 (1.12)	28.5 (1.21)
Age						
Under 12 years	100.0	53.7 (3.80)	11.8 (2.52)	10.1 (2.24)	12.7 (2.12)	11.8 (2.29)
12-17 years	100.0	40.5 (4.13)	9.9 (2.19)	10.5 (2.67)	15.0 (2.51)	24.1 (3.51)
18-44 years	100.0	25.6 (1.05)	12.2 (0.87)	9.0 (0.68)	19.7 (0.95)	33.5 (1.12)
45-64 years	100.0	20.4 (1.35)	10.2 (0.94)	7.2 (0.76)	16.6 (1.30)	45.6 (1.57)
Race						
One race[2]	100.0	31.3 (1.26)	11.4 (0.83)	8.5 (0.71)	17.3 (0.85)	31.5 (1.02)
White	100.0	31.0 (1.49)	11.2 (0.94)	8.2 (0.82)	17.2 (0.97)	32.5 (1.23)
Black or African American	100.0	34.4 (3.19)	13.1 (1.87)	8.6 (1.35)	16.6 (1.68)	27.3 (2.21)
American Indian or Alaska Native	100.0	*	*	*	*	*
Asian	100.0	23.4 (4.85)	9.8 (2.71)	*	*	32.4 (5.47)
Native Hawaiian or Other Pacific Islander	100.0	*	*	*	*	*
Two or more races[3]	100.0	30.2 (5.67)	11.5 (3.48)	21.3 (5.18)	9.5 (2.18)	27.5 (4.38)
Black or African American, white	100.0	*	*	*	*	*
American Indian or Alaska Native, white	100.0	20.8 (5.12)	*	*	*	*
Hispanic or Latino origin[4] and race						
Hispanic or Latino	100.0	28.5 (2.46)	12.2 (1.60)	8.8 (1.25)	18.8 (1.71)	31.7 (2.01)
Mexican or Mexican American	100.0	28.6 (3.12)	12.2 (2.05)	8.1 (1.26)	18.7 (2.09)	32.3 (2.39)
Not Hispanic or Latino	100.0	33.1 (1.54)	11.1 (0.93)	9.1 (0.94)	16.2 (0.94)	30.5 (1.13)
White, single race	100.0	33.0 (1.81)	10.2 (1.03)	8.4 (1.10)	15.9 (1.11)	32.5 (1.39)
Black or African American, single race	100.0	35.6 (3.31)	14.0 (2.22)	9.0 (1.48)	16.7 (1.82)	24.8 (1.99)
Education[5]						
Less than a high school diploma	100.0	19.8 (1.93)	8.9 (1.31)	8.5 (1.20)	17.9 (1.61)	45.0 (2.21)
High school diploma or GED[6]	100.0	18.5 (1.32)	11.6 (1.14)	8.2 (0.93)	18.1 (1.30)	43.6 (1.61)
Some college	100.0	23.8 (1.62)	11.9 (1.13)	6.9 (0.83)	20.3 (1.67)	37.1 (1.91)
Bachelor's degree or higher	100.0	35.6 (2.53)	13.0 (1.91)	6.6 (1.13)	12.6 (1.56)	32.1 (2.41)
Family income[7]						
Less than $35,000	100.0	29.1 (1.97)	12.6 (1.40)	9.1 (0.98)	17.7 (1.23)	31.5 (1.33)
$35,000 or more	100.0	34.4 (1.83)	11.6 (1.19)	7.5 (1.01)	16.3 (1.20)	30.2 (1.56)
$35,000-$49,999	100.0	32.9 (3.00)	9.7 (1.58)	8.0 (1.52)	16.4 (2.07)	33.0 (2.85)
$50,000-$74,999	100.0	28.6 (2.70)	13.1 (2.16)	8.1 (1.91)	19.5 (2.32)	30.6 (2.78)
$75,000-$99,999	100.0	40.3 (5.73)	17.8 (3.85)	*	13.9 (2.76)	22.8 (3.09)
$100,000 or more	100.0	42.0 (4.85)	7.9 (1.66)	*	11.9 (2.40)	30.9 (4.74)
Poverty status[8]						
Poor	100.0	28.6 (2.56)	12.1 (1.84)	10.5 (1.45)	16.2 (1.49)	32.6 (1.88)
Near poor	100.0	28.3 (2.27)	11.4 (1.49)	9.3 (1.29)	19.7 (1.63)	31.3 (1.79)
Not poor	100.0	34.9 (1.97)	11.8 (1.24)	7.2 (1.21)	15.8 (1.31)	30.4 (1.67)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2016

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Place of residence[9]						
Large MSA	100.0	33.4 (1.90)	11.7 (1.15)	7.7 (0.91)	17.2 (1.18)	30.0 (1.54)
Small MSA	100.0	31.7 (1.92)	10.6 (1.46)	9.2 (1.05)	17.8 (1.42)	30.6 (1.59)
Not in MSA	100.0	24.0 (2.30)	12.1 (1.88)	12.5 (2.74)	15.1 (2.03)	36.2 (2.03)
Region						
Northeast	100.0	44.7 (3.15)	9.2 (2.18)	4.5 (1.22)	15.5 (2.30)	26.1 (2.24)
Midwest	100.0	33.5 (2.66)	10.3 (1.45)	12.2 (2.35)	15.4 (1.93)	28.6 (1.91)
South	100.0	26.7 (1.69)	11.7 (1.21)	9.0 (0.95)	18.9 (1.20)	33.7 (1.50)
West	100.0	33.3 (2.79)	12.6 (1.78)	8.1 (1.44)	14.8 (1.75)	31.1 (2.27)
Hispanic or Latino origin[4], race, and sex						
Hispanic or Latino, male	100.0	26.9 (2.72)	13.1 (1.95)	7.7 (1.38)	18.1 (2.03)	34.3 (2.51)
Hispanic or Latina, female	100.0	30.6 (3.08)	11.2 (1.72)	9.8 (1.60)	19.5 (2.27)	28.9 (2.14)
Not Hispanic or Latino:						
White, single race, male	100.0	31.7 (2.19)	10.1 (1.41)	8.6 (1.44)	15.2 (1.33)	34.4 (1.55)
White, single race, female	100.0	34.9 (2.33)	10.4 (1.25)	8.2 (1.29)	16.8 (1.52)	29.7 (1.86)
Black or African American, single race, male	100.0	32.5 (3.85)	16.2 (2.99)	8.9 (1.58)	15.1 (1.89)	27.2 (2.77)
Black or African American, single race, female	100.0	38.8 (4.06)	11.2 (1.98)	9.4 (2.39)	19.0 (3.23)	21.6 (2.25)
Hispanic or Latino origin[4], race, and poverty status						
Hispanic or Latino:						
Poor	100.0	30.6 (4.79)	13.3 (3.23)	8.3 (2.30)	14.1 (2.64)	33.7 (3.23)
Near poor	100.0	24.5 (3.92)	11.3 (2.73)	9.3 (2.30)	21.8 (2.95)	33.1 (3.57)
Not poor	100.0	30.8 (4.07)	13.1 (2.93)	8.1 (2.12)	19.9 (2.89)	28.0 (3.80)
Not Hispanic or Latino:						
White, single race						
Poor	100.0	25.7 (4.06)	11.8 (3.19)	11.2 (2.45)	19.7 (2.71)	31.6 (2.76)
Near poor	100.0	29.5 (3.32)	10.2 (1.48)	10.5 (2.02)	18.6 (2.49)	31.3 (2.27)
Not poor	100.0	38.2 (2.55)	10.1 (1.42)	5.4 (1.42)	13.1 (1.36)	33.2 (2.22)
Black or African American, single race						
Poor	100.0	29.9 (5.06)	13.4 (3.21)	12.5 (3.42)	12.3 (2.07)	31.8 (3.84)
Near poor	100.0	34.1 (5.27)	*	5.9 (1.60)	21.9 (3.78)	25.0 (3.26)
Not poor	100.0	41.6 (7.16)	16.1 (3.41)	7.9 (2.37)	17.6 (4.92)	16.7 (3.18)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2016

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]

* Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

[1]Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

[2]Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

[3]Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

[4]Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

[5]Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using two age groups: 25-44 and 45-64.

[6]GED is General Educational Development high school equivalency diploma.

[7]Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

[8]"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

[9]MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 0-11, 12-17, 18-44, and 45-64. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from https://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2016 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: https://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: NCHS, National Health Interview Survey, 2016.

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2016

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Total	27,611	4,865	2,071	1,555	3,252	6,244
Sex						
Male	15,418	2,395	1,092	853	1,668	3,657
Female	12,193	2,470	979	702	1,584	2,586
Age						
Under 12 years	2,172	706	155	133	167	155
12-17 years	1,621	399	98	103	147	237
18-44 years	16,504	2,749	1,313	963	2,116	3,593
45-64 years	7,314	1,011	506	356	821	2,258
Race						
One race[2]	26,925	4,708	2,017	1,451	3,193	6,108
White	20,868	3,653	1,527	1,076	2,411	4,841
Black or African American	4,116	848	423	306	614	964
American Indian or Alaska Native	828	*	*	*	*	*
Asian	1,057	149	63	*	108	209
Native Hawaiian or Other Pacific Islander	56	*	*	*	*	*
Two or more races[3]	686	157	54	104	59	136
Black or African American, white	120	*	*	*	*	*
American Indian or Alaska Native, white	323	49	*	37	*	74
Hispanic or Latino origin[4] and race						
Hispanic or Latino	10,277	1,313	616	434	961	1,666
Mexican or Mexican American	7,205	899	426	293	671	1,172
Not Hispanic or Latino	17,335	3,552	1,456	1,121	2,291	4,577
White, single race	11,501	2,482	944	695	1,519	3,347
Black or African American, single race	3,817	790	407	295	588	894
Education[5]						
Less than a high school diploma	5,745	576	257	250	522	1,289
High school diploma or GED[6]	6,425	827	518	364	803	1,937
Some college	4,783	920	454	265	765	1,351
Bachelor's degree or higher	2,618	657	243	122	240	584
Family income[7]						
Less than $35,000	11,782	1,740	896	744	1,466	2,775
$35,000 or more	11,819	2,625	1,013	558	1,425	2,725
$35,000-$49,999	3,928	777	291	200	505	1,000
$50,000-$74,999	3,916	756	389	201	550	936
$75,000-$99,999	1,662	508	199	65	181	321
$100,000 or more	2,313	584	133	*	189	468
Poverty status[8]						
Poor	6,466	913	438	424	713	1,425
Near poor	8,555	1,340	626	519	1,143	1,904
Not poor	10,370	2,335	948	461	1,217	2,476

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2016

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Place of residence[9]						
Large MSA	14,500	2,724	1,104	722	1,671	3,015
Small MSA	8,399	1,499	632	516	1,083	1,935
Not in MSA	4,712	641	335	317	498	1,293
Region						
Northeast	3,291	750	195	95	356	628
Midwest	4,523	996	350	318	521	1,090
South	13,894	1,982	1,073	840	1,785	3,376
West	5,903	1,137	454	302	590	1,150
Hispanic or Latino origin[4], race, and sex						
Hispanic or Latino, male	5,730	597	327	209	479	932
Hispanic or Latina, female	4,546	716	289	225	482	734
Not Hispanic or Latino:						
White, single race, male	6,439	1,267	491	399	818	1,997
White, single race, female	5,062	1,215	452	296	700	1,350
Black or African American, single race, male	2,116	364	226	175	303	519
Black or African American, single race, female	1,701	426	181	120	284	374
Hispanic or Latino origin[4], race, and poverty status						
Hispanic or Latino:						
Poor	2,918	314	136	95	176	418
Near poor	3,620	386	186	184	388	599
Not poor	2,751	514	274	115	362	528
Not Hispanic or Latino:						
White, single race						
Poor	1,716	290	137	157	306	547
Near poor	3,403	652	315	239	516	989
Not poor	5,628	1,442	466	212	612	1,617
Black or African American, single race						
Poor	1,315	231	148	123	172	414
Near poor	980	201	81	58	191	229
Not poor	1,131	283	162	91	166	169

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2016

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]

* Corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), so the frequency is not shown.

[1]Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

[2]Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

[3]Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

[4]Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

[5]Shown only for persons aged 25 and over.

[6]GED is General Educational Development high school equivalency diploma.

[7]Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

[8]"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

[9]MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons currently uninsured under age 65" column. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from https://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2016 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: https://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: NCHS, National Health Interview Survey, 2016.

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2016

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Total	100.0	27.0 (1.00)	11.5 (0.69)	8.6 (0.58)	18.1 (0.75)	34.7 (1.00)
Sex						
Male	100.0	24.8 (1.11)	11.3 (0.79)	8.8 (0.76)	17.3 (0.93)	37.8 (1.22)
Female	100.0	29.7 (1.33)	11.8 (0.87)	8.4 (0.68)	19.0 (0.98)	31.1 (1.17)
Age						
Under 12 years	100.0	53.7 (3.80)	11.8 (2.52)	10.1 (2.24)	12.7 (2.12)	11.8 (2.29)
12-17 years	100.0	40.5 (4.13)	9.9 (2.19)	10.5 (2.67)	15.0 (2.51)	24.1 (3.51)
18-44 years	100.0	25.6 (1.05)	12.2 (0.87)	9.0 (0.68)	19.7 (0.95)	33.5 (1.12)
45-64 years	100.0	20.4 (1.35)	10.2 (0.94)	7.2 (0.76)	16.6 (1.30)	45.6 (1.57)
Race						
One race[2]	100.0	26.9 (1.01)	11.5 (0.70)	8.3 (0.57)	18.3 (0.76)	34.9 (1.00)
White	100.0	27.0 (1.19)	11.3 (0.79)	8.0 (0.65)	17.8 (0.86)	35.8 (1.20)
Black or African American	100.0	26.9 (2.35)	13.4 (1.54)	9.7 (1.37)	19.5 (1.77)	30.5 (2.07)
American Indian or Alaska Native	100.0	*	*	*	*	*
Asian	100.0	25.6 (5.01)	10.7 (3.06)	*	18.5 (3.92)	35.8 (5.53)
Native Hawaiian or Other Pacific Islander	100.0	*	*	*	*	*
Two or more races[3]	100.0	30.9 (5.30)	10.6 (3.02)	20.3 (4.67)	11.5 (2.68)	26.7 (4.65)
Black or African American, white	100.0	*	*	*	*	*
American Indian or Alaska Native, white	100.0	26.2 (7.02)	*	19.9 (5.88)	*	39.3 (6.63)
Hispanic or Latino origin[4] and race						
Hispanic or Latino	100.0	26.3 (2.17)	12.3 (1.52)	8.7 (1.11)	19.3 (1.61)	33.4 (2.01)
Mexican or Mexican American	100.0	26.0 (2.74)	12.3 (1.99)	8.5 (1.19)	19.4 (2.01)	33.9 (2.42)
Not Hispanic or Latino	100.0	27.3 (1.15)	11.2 (0.75)	8.6 (0.68)	17.6 (0.84)	35.2 (1.12)
White, single race	100.0	27.6 (1.38)	10.5 (0.81)	7.7 (0.76)	16.9 (0.95)	37.2 (1.33)
Black or African American, single race	100.0	26.6 (2.42)	13.7 (1.62)	9.9 (1.43)	19.8 (1.84)	30.1 (2.14)
Education[5]						
Less than a high school diploma	100.0	19.9 (1.97)	8.9 (1.31)	8.6 (1.22)	18.0 (1.62)	44.5 (2.23)
High school diploma or GED[6]	100.0	18.6 (1.31)	11.6 (1.15)	8.2 (0.93)	18.1 (1.29)	43.5 (1.60)
Some college	100.0	24.5 (1.67)	12.1 (1.16)	7.1 (0.85)	20.4 (1.69)	36.0 (1.90)
Bachelor's degree or higher	100.0	35.6 (2.53)	13.2 (1.94)	6.6 (1.13)	13.0 (1.62)	31.6 (2.42)
Family income[7]						
Less than $35,000	100.0	22.8 (1.47)	11.8 (1.01)	9.8 (0.89)	19.2 (1.08)	36.4 (1.38)
$35,000 or more	100.0	31.5 (1.57)	12.1 (1.10)	6.7 (0.76)	17.1 (1.14)	32.7 (1.51)
$35,000-$49,999	100.0	28.0 (2.62)	10.5 (1.55)	7.2 (1.24)	18.2 (2.02)	36.1 (2.77)
$50,000-$74,999	100.0	26.7 (2.21)	13.7 (2.16)	7.1 (1.32)	19.4 (1.98)	33.1 (2.52)
$75,000-$99,999	100.0	39.9 (5.06)	15.7 (3.12)	5.1 (1.50)	14.2 (2.74)	25.2 (3.33)
$100,000 or more	100.0	39.8 (4.57)	9.1 (1.94)	*	12.9 (2.63)	31.9 (4.63)
Poverty status[8]						
Poor	100.0	23.3 (2.06)	11.2 (1.36)	10.8 (1.32)	18.2 (1.53)	36.4 (1.95)
Near poor	100.0	24.2 (1.87)	11.3 (1.23)	9.4 (1.10)	20.7 (1.49)	34.4 (1.76)
Not poor	100.0	31.4 (1.63)	12.7 (1.20)	6.2 (0.79)	16.4 (1.17)	33.3 (1.54)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2016

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Place of residence[9]						
Large MSA	100.0	29.5 (1.61)	12.0 (1.06)	7.8 (0.85)	18.1 (1.07)	32.6 (1.50)
Small MSA	100.0	26.5 (1.45)	11.2 (1.09)	9.1 (0.84)	19.1 (1.31)	34.2 (1.57)
Not in MSA	100.0	20.8 (1.78)	10.9 (1.30)	10.3 (1.64)	16.2 (1.84)	41.9 (2.17)
Region						
Northeast	100.0	37.0 (3.21)	9.6 (1.81)	4.7 (1.00)	17.6 (2.42)	31.0 (2.62)
Midwest	100.0	30.4 (2.12)	10.7 (1.25)	9.7 (1.64)	15.9 (1.57)	33.3 (2.15)
South	100.0	21.9 (1.30)	11.8 (1.06)	9.3 (0.79)	19.7 (1.10)	37.3 (1.45)
West	100.0	31.3 (2.45)	12.5 (1.49)	8.3 (1.37)	16.2 (1.63)	31.7 (2.20)
Hispanic or Latino origin[4], race, and sex						
Hispanic or Latino, male	100.0	23.5 (2.39)	12.9 (1.80)	8.2 (1.37)	18.8 (1.98)	36.6 (2.57)
Hispanic or Latina, female	100.0	29.3 (2.82)	11.8 (1.77)	9.2 (1.33)	19.7 (2.08)	30.0 (2.09)
Not Hispanic or Latino:						
White, single race, male	100.0	25.5 (1.53)	9.9 (0.99)	8.0 (1.04)	16.5 (1.18)	40.2 (1.55)
White, single race, female	100.0	30.3 (1.86)	11.3 (1.07)	7.4 (0.89)	17.4 (1.29)	33.6 (1.73)
Black or African American, single race, male	100.0	22.9 (2.57)	14.2 (2.14)	11.0 (1.87)	19.1 (2.44)	32.7 (2.80)
Black or African American, single race, female	100.0	30.8 (3.15)	13.1 (2.03)	8.6 (1.64)	20.5 (2.46)	27.0 (2.60)
Hispanic or Latino origin[4], race, and poverty status						
Hispanic or Latino:						
Poor	100.0	27.5 (4.98)	12.0 (2.62)	8.3 (2.24)	15.4 (2.66)	36.7 (3.68)
Near poor	100.0	22.1 (3.82)	10.7 (2.36)	10.6 (2.47)	22.3 (2.89)	34.3 (3.66)
Not poor	100.0	28.7 (3.48)	15.3 (3.31)	6.4 (1.49)	20.2 (2.70)	29.4 (3.37)
Not Hispanic or Latino:						
White, single race						
Poor	100.0	20.2 (2.84)	9.5 (2.03)	10.9 (1.91)	21.3 (2.61)	38.1 (2.98)
Near poor	100.0	24.1 (2.44)	11.6 (1.53)	8.8 (1.24)	19.0 (1.91)	36.5 (2.22)
Not poor	100.0	33.2 (2.05)	10.7 (1.25)	4.9 (0.88)	14.1 (1.28)	37.2 (2.06)
Black or African American, single race						
Poor	100.0	21.2 (3.14)	13.6 (2.74)	11.3 (2.53)	15.9 (2.70)	38.0 (3.81)
Near poor	100.0	26.5 (4.24)	10.7 (2.80)	7.6 (2.10)	25.1 (3.79)	30.1 (3.90)
Not poor	100.0	32.5 (5.53)	18.6 (3.60)	10.4 (3.16)	19.1 (4.10)	19.4 (3.19)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2016

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]

* Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

[1]Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

[2]Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

[3]Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

[4]Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

[5]Shown only for persons aged 25 and over.

[6]GED is General Educational Development high school equivalency diploma.

[7]Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

[8]"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

[9]MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from https://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2016 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: https://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: NCHS, National Health Interview Survey, 2016.