DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
WM. J. HARRIS, DIRECTOR

MORTALITY STATISTICS
1910

ELEVENTH ANNUAL REPORT

PREPARED UNDER THE SUPERVISION OF CRESSY L. WILBUR, M. D.,
CHIEF STATISTICIAN FOR VITAL STATISTICS

WASHINGTON
GOVERNMENT PRINTING OFFICE
1913

CONTENTS.

	Page.
INTRODUCTION	9–11
Scope of this report	9
Extent of the registration area: 1910	10
Growth of the registration area: 1880 to 1910	10
SUMMARY OF RESULTS	11–19
Average and median ages at death from various causes	11
Deaths, by color and nativity	13
Death rates of the registration area and its subdivisions	15
Death rates of foreign countries and cities	16
Death rates of areas with considerable colored population	16
CAUSES OF DEATH	21–63
Important causes of death in 1910	22
Changes in the detailed International List	23
Typhoid fever	23
Malaria	27
Smallpox	30
Measles	31
Scarlet fever	34
Whooping cough	37
Diphtheria	41
Influenza	44
Other epidemic diseases	45
Pellagra	45
Tuberculosis	46
Tuberculosis of the lungs	50
Cancer	51
Acute anterior poliomyelitis (infantile paralysis)	53
Organic diseases of the heart	54
Pneumonia	55
Diarrhea and enteritis	58
Nephritis and Bright's disease	61
Suicide	62
Violent deaths (excluding suicide)	62

SUMMARY AND RATE TABLES.

Table I.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population in the registration area and its subdivisions: 1910	67
Table II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, by causes according to the detailed International List, for the registration area: 1900 to 1910	82
Table III.—Death rates per 100,000 population in the registration area and its subdivisions, by color and cause of death: 1910	88
Table IV.—Deaths (exclusive of stillbirths), with death rates per 100,000 population, in the registration area and its main subdivisions, from each cause and class of causes: 1910	138
Table V.—Death rates per 100,000 population in cities and rural districts of each registration state, from each cause and class of causes: 1910	142

GENERAL TABLES.

Table 1.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by month of death: 1910	161
Table 2.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color, general nativity, and parent nativity of decedent: 1910	181
Table 3.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color and age of decedent: 1910	204
Table 4.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color of decedent and cause of death: 1910	252
Table 5.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and each registration state, by age and by sex, color, general nativity, and parent nativity of decedent: 1910	304
Table 6.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1910	332
Table 7.—Deaths (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1910	348
Table 8.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state, from each cause and class of causes, by age: 1910	360

Page.

Table 9.—Deaths (exclusive of stillbirths) in each city having 100,000 population or over in 1910, by causes of death (abridged International List) and by age: 1910 455

Table 10.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1910 502

Table 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1910 533

Table 12.—Deaths (exclusive of stillbirths) of white persons in the registration area, its main subdivisions, registration states, and cities of 250,000 population and over, by country of birth and age periods: 1910 575

Table 13.—Deaths (exclusive of stillbirths) of white persons in the registration area, by country of birth, sex, and age periods, from certain causes: 1910 586

Table 14.—Deaths (exclusive of stillbirths) classified according to sex and according to color, nativity, and parent nativity of decedent, by single years of age at last birthday, for the original registration states: 1910 598

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., July 15, 1913.

SIR:

I have the honor to transmit the annual report on mortality statistics, relating to deaths in the registration area of the United States, for the year 1910. This area, in which the registration of deaths by state authorities or, in some instances, by means of municipal ordinances, is sufficiently complete to justify transcription of the original records and compilation by the Bureau of the Census, embraced, for the calendar year 1910, 58.3 per cent of the population and 33.6 per cent of the land area of the United States. The number of deaths registered and returned was 805,412, and the death rate per 1,000 population estimated as of July 1, 1910, was 15, a slight increase over the rates shown for 1909 (14.4) and 1908 (14.8) but lower than the rates for any previous year since the beginning of the series of annual reports in 1900.

The present report, like the previous annual reports, presents general death rates. Standardized or corrected rates, and also life tables and statistics of occupational mortality, will be shown in subsequent publications, for the preparation of which data of population in detailed form are necessary. The report was prepared, in accordance with plans approved by my predecessor, Hon. E. Dana Durand, under the direction of Dr. Cressy L. Wilbur, chief statistician for vital statistics of this bureau.

Respectfully,

Director of the Census.

Hon. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY STATISTICS
1910

MORTALITY STATISTICS.

INTRODUCTION.

The present report is the eleventh of the series of annual reports presenting mortality statistics for the registration area of the United States, the first of which was for the calendar year 1900. It should be noted that the report for the calendar year 1900 is not identical with the report for the census year ending May 31, 1900, which was the last of the series of decennial reports on mortality statistics.

SCOPE OF THIS REPORT.

The report for 1910 is of special importance because the mortality statistics for the year may be compared directly with the statistics of population as enumerated at the Thirteenth Census. The population data, however, are not yet available in full detail, and it is not feasible to present in this volume comparisons of the mortality with respect to color, general nativity, nationality, and occupation of decedents, by sex and age, for all causes and for the various important causes of death. The report should be regarded as a continuation of the series of annual reports in which only general or crude death rates were presented. The presentation of the data in fuller detail and the final comparison of the mortality statistics with population by means of specific death rates, corrected rates, and life tables, together with the analysis of occupational mortality, will form the subject of another volume, the preparation of which has already begun.

In previous volumes of the series of annual reports it has been customary to include death rates for several years preceding the year of the report in order to show the tendency of the mortality from all causes and from individual causes of death, but as the tenth annual report on mortality statistics for 1909 has only recently been issued and is available for reference to all who may desire to study the course of mortality statistics during the past decade. It contains the general death rates for each of the years from 1900 to 1909, revised after the general results of the enumeration of population at the Thirteenth Census for 1910 were known, and it does not seem necessary to repeat the rates in the summary tables of the present report.

In the text tables rates are given in many instances for each of the three years preceding 1910 and also annual averages for the quinquennial periods 1901 to 1905 and 1906 to 1910. By means of the latter, which are directly comparable with the periods given in the International statistics presented by the Registrar-General of England and Wales, the general tendency of mortality from all causes and from specified causes may be comprehended and comparisons may readily be made with the changes in foreign countries.

It need hardly be said that caution should always be exercised in basing deductions upon the comparison of crude death rates. The crude or general death rate is the result of the comparison of the total number of deaths with the total population, making no allowance for peculiarities of distribution of population by age, sex, color, nativity, or other characteristics which may have a marked influence upon the general mortality. For example, a population in which recent immigration has caused an excessive preponderance of the more healthful ages would normally have a lower mortality, even with the same death rate at each period of age, than a population in which the ordinary proportions of young children and elderly persons were to be found. Furthermore, all the mortality statistics in this and preceding reports of the Census Bureau are based on the total number of deaths that occurred in a given area. In many places, especially in those which are resorted to by persons suffering from tuberculosis, there is a large proportion of deaths of nonresidents or of persons who have been residents only a comparatively short time. It has not yet proved feasible to eliminate such deaths from the figures for the areas in which they occurred or to provide a rule by which they may be distributed, to some extent, to the places in which the diseases originated. The rule requiring compilation of deaths as of the actual place of death appears to be the only definite principle that can be followed at present, although a committee of the American Public Health Association is now dealing with the question. If it shall appear feasible to present in later reports an alternative statement of the number of deaths and of death rates, exclusive of nonresidents, persons dying in institutions, etc., it is evident that the rules for such exclusion must be followed with uniformity and that some provision must be made, as in the similar rules only recently put in force in England and Wales, whereby the deaths deducted from the areas to which they do not properly belong may be added to the areas in which the causes originated. In this country, owing to the large extent of nonregistration territory, many deaths would be lost entirely to compilation if they were not reported, at least as a preliminary statement, in the places where they actually occurred.

EXTENT OF THE REGISTRATION AREA: 1910.

In the statistics of deaths presented in the bulletin and annual registration report are included only deaths returned from the portion of the United States known as the "registration area." This area comprises certain states in which the registration laws are of suitable character and are sufficiently well enforced to insure at least approximately complete returns. It includes also certain cities in nonregistration states in which deaths are registered under effective local ordinances.

Returns of deaths for the year 1910, as compiled in the present report, were received from the following states:

California.
Colorado.
Connecticut.
Indiana.
Maine.
Maryland.
Massachusetts.
Michigan.
Minnesota.
Montana.
New Hampshire.
New Jersey.
New York.
North Carolina (municipalities of 1,000 population or over in 1900).
Ohio.
Pennsylvania.
Rhode Island.
Utah.
Vermont.
Washington.
Wisconsin.

In addition, returns were received as heretofore from the District of Columbia (city of Washington), which is included as a state in the group designated "registration states," but otherwise is treated as a city. The registration area comprised also the following 43 cities in nonregistration states:

Alabama:
Birmingham.
Mobile.
Montgomery.
Delaware:
Wilmington.
Florida:
Jacksonville.
Key West.
Georgia:
Atlanta.
Savannah.
Illinois:
Aurora.
Belleville.
Chicago.
Decatur.
Evanston.
Jacksonville.
Quincy.
Springfield.
Kansas:
Kansas City.
Leavenworth.
Wichita.
Kentucky:
Covington.
Louisville.
Newport.
Paducah.
Louisiana:
New Orleans.
Missouri:
Kansas City.
St. Joseph.
St. Louis.
Nebraska:
Lincoln.
Omaha.
Oregon:
Portland.
South Carolina:
Charleston.
Tennessee:
Knoxville.
Memphis.
Nashville.
Texas:
Galveston.
San Antonio.
Virginia:
Alexandria.
Danville.
Lynchburg.
Norfolk.
Petersburg.
Richmond.
West Virginia:
Wheeling.

The returns from North Carolina are of peculiar interest because they represent what may prove to be the beginning of effective state registration in the South.[1] For 1910 they comprise only returns from municipalities (cities, towns, and villages) having a population of 1,000 or over according to the census of 1900. The law under which these returns were made, which was approved March 6, 1909, is a general state law, with all the essential requirements of the model or standard law, providing for the registration by uniform methods of all deaths that occur in such municipalities. The uniform administration and enforcement of the law are made the duty of the state board of health. The standard certificate is required, permits for the interment or removal of bodies must be issued by the local registrar of each municipality, and returns of all original certificates must be made by each local registrar to the secretary of the state board of health by the fifth day of the month following their receipt. Penalties for the violation of the law are prescribed, and the mayor of each city or town is made responsible for its enforcement in his jurisdiction. This system marks a distinct advance over that of registration under independent city ordinances, which is usually employed in registration cities of nonregistration states. By a later act the law has been extended to apply to all municipalities with a population of 500 or over.

[1] This anticipation has been fulfilled, a general law for the registration of births and deaths throughout the state having been passed in 1913.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1910.

The following table shows the increase of the registration area for deaths from the date of its establishment at the Tenth Census (1880):

YEAR.	UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
			Population.		Land area.	
	Population.	Land area in square miles.	Number.	Per cent.	Square miles.	Per cent.
Census year 1879–1880 [1]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6
Census year 1889–1890 [1]	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
Census year 1899–1900 [1]	75,994,575	2,974,159	28,807,269	37.9	176,878	5.9
Calendar year 1900			30,765,618	40.5	212,621	7.1
Calendar year 1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
Calendar year 1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
Calendar year 1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
Calendar year 1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
Calendar year 1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
Calendar year 1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
Calendar year 1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
Calendar year 1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
Calendar year 1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
Calendar year 1910	92,309,348	2,973,890	53,843,896	58.3	997,978	33.6

[1] Ending May 31.

The registration area, when first established at the Tenth Census (1880), included only two states—Massachusetts and New Jersey—the District of Columbia, and certain cities in other states. For this area returns based upon the state or municipal registration of deaths were used and not the returns obtained by enumeration at the time of the taking of the census of population. The population included was only about one-sixth (17 per cent) of the total population of the United States and the land area of the country represented was much less (six-tenths of 1 per cent).

With the improvement of registration laws and the greater attention given to vital statistics, the number of registration states increased until for the census year 1900, the last year in which an effort was made to obtain reports of deaths by enumeration, there were included Connecticut, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York,

Rhode Island, and Vermont, which, together with the District of Columbia (city of Washington) and certain cities in nonregistration states, comprised 37.9 per cent of the total population and 5.9 per cent of the land area of the country.

Beginning with the calendar year 1900, annual reports have been published and the registration area has been increased from time to time. For the calendar year 1900, the year covered by the first of the series of annual reports, the state of Indiana was added. California, Colorado, Maryland, Pennsylvania, and South Dakota were added for 1906; Washington and Wisconsin for 1908; and Ohio for 1909. For 1910 Minnesota, Montana, and Utah were added, while South Dakota was excluded because of incomplete returns. The estimated population of the entire registration area in 1910 was nearly three-fifths (58.3 per cent) of the total population and the land area embraced more than one-third (33.6 per cent) of the total land area of the United States. The increase in the land area from 1900 to 1910 is much larger in proportion than the increase in population. This was due to the inclusion of several comparatively sparsely populated Western states. The difficulty of extending adequate registration methods over nearly two-thirds of the land area of the United States suggests the possibility and perhaps the necessity of more effective cooperation of the Federal Government with the authorities of the sparsely settled states now remaining outside the registration area, to the end that the registration of vital statistics shall be thorough and effective for the entire country.

The population figures in the preceding table are as of date of the census (June 1) for the census years ending in 1880, 1890, and 1900, and also for the calendar year 1900. The population for the year 1910 is reduced to a midyear basis (July 1), while for the years 1901 to 1909 the figures are on an approximate midyear basis, as shown in Table I of the report for 1909. In the case of states and cities which took no interdecennial census, the population for the years 1901 to 1909 was estimated as of July 1; while for those that took censuses in either 1904 or 1905, the midyear estimates were computed only for years following the date of the last census prior to 1910. In the aggregate, therefore, the figures may be regarded as representing approximate but not absolute midyear populations.

SUMMARY OF RESULTS.

AVERAGE AND MEDIAN AGES AT DEATH FROM VARIOUS CAUSES.

The following table presents a comparison of the average and median ages at death, by sex, for each of the groups and individual causes of death shown in the International List.

The average age at death from a given cause is the quotient obtained by dividing the aggregate number of years lived by decedents from that cause by the number of such decedents. The median age is that age which for any particular cause divides the total number of decedents from that cause into two equal groups, one-half being under and one-half over the median. With fairly uniform age distributions the average and the median ages are nearly or quite identical, but with unusual preponderance of deaths at the extremes of life the median age may differ considerably from the average age, as for example broncho-pneumonia (average age, 19.7 years; median age, 1.5 years).

International List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA: 1910					
		Average age at death, in years.			Median age at death, in years.		
		Total.	Male.	Female.	Total.	Male.	Female.
	All causes [1]	38.7	38.1	39.4	40.6	40.2	41.1
	I.—General diseases	36.5	36.1	36.9	35.9	36.0	35.8
1	Typhoid fever	29.0	30.0	27.6	26.2	27.5	23.8
2	Typhus fever	25.0	32.5	17.5	20.0	32.5	17.5
3	Relapsing fever	7.5	.....	7.5	7.5	.....	7.5
4	Malaria	36.2	37.7	34.5	33.8	36.6	30.9
5	Smallpox	25.1	24.8	25.6	24.7	24.4	24.8
6	Measles	5.0	4.1	6.1	1.9	1.8	2.0
7	Scarlet fever	6.9	6.5	7.4	4.5	4.3	4.7
8	Whooping cough	1.7	1.5	1.8	(2)	(2)	(2)
9	Diphtheria and croup	6.0	5.7	6.3	3.8	3.6	4.1
10	Influenza	56.9	54.3	59.1	66.7	64.3	68.3
11	Miliary fever	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....
13	Cholera nostras	46.4	43.5	49.7	58.7	54.0	63.1
14	Dysentery	40.9	37.2	44.6	49.1	38.7	59.4
15	Plague	32.5	32.5	.....	32.5	32.5	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....
17	Leprosy	39.5	41.7	36.3	45.0	47.5	35.0
18	Erysipelas	38.3	41.0	34.7	43.3	46.3	34.9
19	Other diseases	7.5	7.8	7.1	1.8	1.8	1.7
20	Purulent infection and septicemia	37.6	39.4	34.8	38.7	42.2	32.4
21	Glanders	35.4	35.4	.....	35.8	35.8	.....
22	Anthrax	43.8	41.3	59.2	48.3	46.3	62.5
23	Rabies	23.7	27.0	14.8	14.4	17.5	9.4
24	Tetanus	18.7	19.7	16.3	11.4	13.2	5.1
25	Mycoses	48.0	50.7	42.0	47.1	49.0	40.0
26	Pellagra	41.9	42.5	41.6	40.3	43.6	39.4
27	Beriberi	32.0	34.4	22.5	27.5	30.0	22.5
	Tuberculosis (total)	34.4	36.1	32.2	32.8	35.3	29.8
28	Tuberculosis of the lungs	36.5	38.1	34.3	34.2	36.6	31.2
29	Acute miliary tuberculosis	27.9	29.9	25.4	26.5	29.2	23.7
30	Tuberculous meningitis	8.9	9.4	8.4	2.9	2.8	3.0
31	Abdominal tuberculosis	31.6	31.6	31.5	30.2	31.2	29.5
32	Pott's disease	28.7	28.7	28.6	25.6	25.5	25.8
33	White swellings	32.1	32.9	30.5	28.5	30.4	24.3
34	Tuberculosis of other organs	32.8	32.6	33.0	31.2	31.7	30.5
35	Disseminated tuberculosis	30.6	31.0	30.1	28.8	30.0	27.7
36	Rickets	5.2	3.3	7.3	(2)	(2)	(2)
37	Syphilis	18.2	20.8	14.4	(2)	2.0	(2)
38	Gonococcus infection	15.9	17.5	14.8	(2)	(2)	1.7

[1] Exclusive of stillbirths.

[2] Under 1 year.

International List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA: 1910					
		Average age at death, in years.			Median age at death, in years.		
		Total.	Male.	Female.	Total.	Male.	Female.
	I.—General diseases—Contd.						
	Cancer and other malignant tumors (total)	59.2	60.4	58.4	60.3	62.0	58.9
39	Of the buccal cavity	63.1	63.0	63.8	64.2	63.6	67.5
40	Of the stomach and liver	61.2	61.0	61.4	62.1	61.9	62.3
41	Of the peritoneum, intestines, rectum	59.2	58.8	59.5	60.6	60.3	60.8
42	Of the female genital organs	53.8	.....	53.8	53.1	.....	53.1
43	Of the breast	58.3	.....	58.3	57.2	.....	57.2
44	Of the skin	68.0	67.0	70.0	70.9	69.6	73.4
45	Of other organs or of organs not specified	56.9	57.7	55.8	59.7	60.8	57.9
46	Other tumors (tumors of the female genital organs excepted)	53.1	50.3	54.0	55.0	56.5	54.5
47	Acute articular rheumatism	39.4	38.9	39.9	38.0	38.4	37.7
48	Chronic rheumatism and gout	63.8	62.6	64.5	67.0	64.9	67.8
49	Scurvy	7.8	7.8	7.8	(1)	(1)	(1)
50	Diabetes	54.1	52.9	55.2	58.6	57.3	59.6
51	Exophthalmic goiter	43.0	42.8	43.0	42.6	43.8	42.5
52	Addison's disease	46.9	46.2	47.6	47.1	46.9	47.3
53	Leukemia	37.4	36.9	38.3	37.9	37.7	38.5
54	Anemia, chlorosis	46.6	46.8	46.4	51.7	53.0	50.6
55	Other general diseases	22.1	20.8	23.4	5.8	4.8	7.3
56	Alcoholism (acute or chronic)	45.8	46.3	41.8	44.3	44.9	40.4
57	Chronic lead poisoning	46.9	46.6	50.0	46.6	46.4	50.0
58	Other chronic occupation poisonings	34.2	34.2	.....	35.0	35.0	.....
59	Other chronic poisonings	52.6	52.2	53.1	52.8	52.5	53.1
	II.—Diseases of the nervous system and of the organs of special sense	51.5	50.3	53.0	60.6	58.9	62.5
60	Encephalitis	28.4	29.4	26.7	25.1	27.1	21.9
61	Meningitis (total)	11.5	11.9	11.0	2.6	2.6	2.6
	Simple meningitis	12.2	12.5	11.8	2.4	2.4	2.5
	Cerebrospinal meningitis (undefined)	9.8	10.4	9.1	2.8	2.9	2.7
	Cerebrospinal fever	11.4	11.2	11.8	5.0	5.1	4.8
62	Locomotor ataxia	56.4	56.4	56.2	56.8	56.5	57.6
63	Other diseases of the spinal cord (total)	38.5	38.7	38.3	44.1	43.8	44.6
	Acute anterior poliomyelitis	7.4	7.6	7.2	3.4	3.4	3.4
	Other diseases of the spinal cord [2]	55.7	55.6	55.9	60.2	59.7	60.6
64	Cerebral hemorrhage, apoplexy	65.5	64.7	66.3	68.2	67.5	69.0
65	Softening of the brain	69.0	68.6	69.5	71.8	71.5	72.1
66	Paralysis without specified cause	67.6	66.5	68.6	70.7	69.8	71.6
67	General paralysis of the insane	51.0	49.6	55.4	48.5	47.6	53.0
68	Other forms of mental alienation	56.4	57.2	55.5	57.0	59.0	54.8
69	Epilepsy	36.9	36.9	36.9	35.2	35.8	34.4
70	Convulsions (nonpuerperal)	26.5	26.5	26.5	23.4	16.3	24.5
71	Convulsions of infants	0.6	0.6	0.6	(1)	(1)	(1)
72	Chorea	21.7	21.3	22.1	16.8	16.9	16.7
73	Neuralgia and neuritis	55.0	55.1	54.9	54.6	54.9	54.3
74	Other diseases of the nervous system	42.3	41.0	43.5	44.2	43.6	44.7
75	Diseases of the eyes and their annexa	33.8	26.8	39.8	27.5	22.5	30.0
76	Diseases of the ears	19.6	19.5	19.9	9.5	10.1	8.8
	III.—Diseases of the circulatory system	60.6	60.7	60.5	65.4	65.2	65.7
77	Pericarditis	48.9	49.2	48.5	52.5	52.6	52.3
78	Acute endocarditis	41.6	42.8	40.2	44.5	45.8	42.6
79	Organic diseases of the heart	60.4	60.4	60.4	65.1	64.9	65.3
80	Angina pectoris	63.4	63.5	63.3	65.4	65.0	66.2
81	Diseases of the arteries, atheroma, aneurism, etc	72.4	71.1	74.4	74.5	73.3	76.2
82	Embolism and thrombosis	55.1	54.9	55.3	58.9	59.3	58.4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	54.8	52.9	56.0	56.4	53.8	57.9
84	Diseases of the lymphatic system (lymphangitis, etc.)	15.7	16.5	14.4	1.4	2.1	(1)
85	Hemorrhage; other diseases of the circulatory system	29.8	29.3	30.4	25.5	30.2	24.4
	IV.—Diseases of the respiratory system	34.5	32.8	36.6	33.6	31.9	36.2
86	Diseases of the nasal fossae	25.0	17.3	33.3	2.9	1.5	9.4
87	Diseases of the larynx	14.9	15.0	14.8	3.5	3.3	3.8
88	Diseases of the thyroid body	44.9	41.1	45.7	46.0	46.7	45.9
89	Acute bronchitis	17.2	12.9	21.6	(1)	(1)	(1)
90	Chronic bronchitis	66.8	64.8	68.5	73.0	71.3	74.2
91	Bronchopneumonia	19.7	16.5	23.0	1.5	1.3	1.8
92	Pneumonia (total)	39.0	37.8	40.5	42.3	41.1	44.9
	Lobar pneumonia	41.4	40.5	42.7	44.8	43.5	47.5
	Pneumonia (undefined)	36.9	35.3	38.7	38.8	37.1	41.6
93	Pleurisy	40.9	40.7	41.2	42.6	42.5	42.8
94	Pulmonary congestion, pulmonary apoplexy	46.4	42.9	50.1	59.2	51.1	65.4
95	Gangrene of the lung	48.6	51.3	40.7	51.3	53.7	41.3
96	Asthma	62.3	61.8	62.9	66.1	64.7	67.2
97	Pulmonary emphysema	55.0	52.7	58.5	60.9	58.2	66.6
98	Other diseases of the respiratory system (tuberculosis excepted)	44.8	45.0	44.4	48.1	48.3	46.9
	V.—Diseases of the digestive system	20.6	19.6	21.7	1.3	1.1	1.4
99	Diseases of the mouth and annexa	10.2	9.8	10.6	(1)	(1)	(1)
100	Diseases of the pharynx	24.1	23.8	24.5	12.6	13.5	11.8
101	Diseases of the esophagus	54.0	55.3	52.4	61.2	59.7	62.9
102	Ulcer of the stomach	49.5	49.9	49.0	50.2	50.3	50.1
103	Other diseases of the stomach (cancer excepted)	36.3	33.8	38.7	37.7	31.7	42.2
104	Diarrhea and enteritis (under 2 years)	0.5	0.5	0.5	(1)	(1)	(1)
105	Diarrhea and enteritis (2 years and over)	41.2	37.7	44.2	46.2	36.2	52.6
106	Ankylostomiasis	13.8	15.1	12.3	11.3	13.8	2.5
107	Intestinal parasites	10.1	10.4	9.9	4.0	4.7	3.6
108	Appendicitis and typhlitis	29.6	30.1	28.9	26.1	27.0	24.9
109	Hernia, intestinal obstruction (total)	44.7	42.1	47.3	50.8	48.2	52.7
	Hernia	55.5	52.8	58.3	59.9	59.3	60.3
	Intestinal obstruction	39.4	36.5	42.2	42.5	38.3	45.9
110	Other diseases of the intestines	40.6	40.1	41.0	43.5	45.0	42.6
111	Acute yellow atrophy of the liver	41.0	44.6	38.8	37.6	46.1	35.6
112	Hydatid tumor of the liver	40.2	37.8	52.5	41.7	40.0	60.0
113	Cirrhosis of the liver	55.5	55.3	56.0	55.8	55.4	56.7
114	Biliary calculi	58.1	59.3	57.6	58.5	59.5	58.1
115	Other diseases of the liver	51.4	48.8	53.7	55.0	52.3	58.0
116	Diseases of the spleen	46.2	44.6	48.0	46.3	41.9	52.5
117	Simple peritonitis (nonpuerperal)	33.6	34.0	33.3	31.3	31.7	31.2
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	44.3	43.9	44.8	45.4	45.6	45.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	56.7	58.7	54.1	60.2	62.4	56.5
119	Acute nephritis	39.5	39.9	38.9	40.6	41.9	39.1
120	Bright's disease	59.0	59.5	58.4	61.8	62.1	61.4
121	Chyluria	72.5	72.5	.....	72.5	72.5	.....
122	Other diseases of the kidneys and annexa	49.1	52.1	44.7	53.6	58.0	47.1
123	Calculi of the urinary passages	54.1	55.8	49.4	57.5	59.7	51.3
124	Diseases of the bladder	70.3	73.3	67.4	75.1	75.4	72.8
125	Diseases of the urethra, urinary abscess, etc	51.7	51.8	49.8	51.7	51.8	50.0
126	Diseases of the prostate	73.9	73.9	.....	74.6	74.6	.....
127	Nonvenereal diseases of the male genital organs	30.6	30.6	.....	22.5	22.5	.....
128	Uterine hemorrhage (nonpuerperal)	36.0	.....	36.0	35.2	.....	35.2
129	Uterine tumor (noncancerous)	48.4	.....	48.4	46.4	.....	46.4
130	Other diseases of the uterus	39.0	.....	39.0	37.2	.....	37.2
131	Cysts and other tumors of the ovary	49.0	.....	49.0	47.1	.....	47.1
132	Salpingitis and other diseases of the female genital organs	32.8	.....	32.8	31.9	.....	31.9
133	Nonpuerperal diseases of the breast (cancer excepted)	43.6	0.4	46.6	44.4	(1)	46.3
	VII.—The puerperal state	29.8	.....	29.8	29.4	.....	29.4
134	Accidents of pregnancy	30.9	.....	30.9	30.7	.....	30.7
135	Puerperal hemorrhage	32.1	.....	32.1	32.2	.....	32.2
136	Other accidents of labor	31.4	.....	31.4	31.4	.....	31.4
137	Puerperal septicemia	27.6	.....	27.6	28.4	.....	28.4
138	Puerperal albuminuria and convulsions	29.3	.....	29.3	28.7	.....	28.7
139	Puerperal phlegmasia alba dolens, embolus, sudden death	31.1	.....	31.1	30.9	.....	30.9
140	Following childbirth (not otherwise defined)	28.5	.....	28.5	28.3	.....	28.3
141	Puerperal diseases of the breast	28.5	.....	28.5	28.8	.....	28.8
	VIII.—Diseases of the skin and of the cellular tissue	54.8	54.5	55.2	66.6	65.9	67.8
142	Gangrene	69.7	69.4	70.0	74.8	74.5	75.1
143	Furuncle	45.1	47.3	39.7	52.0	53.1	48.8
144	Acute abscess	31.8	32.7	30.4	30.7	33.8	24.1
145	Other diseases of the skin and annexa	30.5	27.4	33.2	4.8	(1)	28.1
	IX.—Diseases of the bones and of the organs of locomotion	32.3	32.8	31.5	28.5	30.5	26.1
146	Diseases of the bones (tuberculosis excepted)	30.3	31.2	28.9	25.4	27.4	21.3
147	Diseases of the joints (tuberculosis and rheumatism excepted)	42.6	41.0	44.9	41.8	40.3	50.0
148	Amputations	58.9	61.5	52.5	61.3	62.5	45.0
149	Other diseases of the organs of locomotion	52.3	49.3	58.0	56.7	48.3	60.0
	X.—Malformations	0.7	0.7	0.7	(1)	(1)	(1)
15	Congenital malformations (stillbirths not included) (total)	0.7	0.7	0.7		(1)	(1)
	Hydrocephalus	1.7	2.0	1.		(1)	(1)
	Congenital malformations of the heart	0.6	0.6			(1)	(1)
	Other congenital malformations	0.5				(1)	(1)

[1] Under 1 year.

[2] Exclusive of acute anterior poliomyelitis (infantile

International List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA: 1910					
		Average age at death, in years.			Median age at death, in years.		
		Total.	Male.	Female.	Total.	Male.	Female.
	XI.—Early infancy	0.3	0.3	0.3	(1)	(1)	(1)
151	Congenital debility, icterus, and sclerema (total)	0.3	0.3	0.3	(1)	(1)	(1)
	Premature birth	0.3	0.3	0.3	(1)	(1)	(1)
	Congenital debility, "atrophy," "marasmus," etc.	0.4	0.4	0.4	(1)	(1)	(1)
152	Other causes peculiar to early infancy (total)	0.3	0.3	0.3	(1)	(1)	(1)
	Injuries at birth	0.3	0.3	0.3	(1)	(1)	(1)
	Other diseases peculiar to early infancy [2]	0.3	0.3	0.3	(1)	(1)	(1)
153	Lack of care	0.3	0.3	0.3	(1)	(1)	(1)
	XII.—Old age	82.8	82.6	83.0	83.0	82.8	83.2
154	Senility	82.8	82.6	83.0	83.0	82.8	83.2
	XIII.—External causes	37.6	37.0	39.5	35.6	35.5	36.3
	Suicide (total)	43.5	45.0	38.5	42.3	44.4	35.9
155	By poison	40.1	43.4	34.1	38.1	42.6	30.6
156	By asphyxia	45.1	46.4	42.4	44.4	46.0	40.0
157	By hanging or strangulation	49.7	50.5	46.6	50.0	50.9	46.7
158	By drowning	45.3	47.6	41.0	44.2	47.5	38.0
159	By firearms	42.2	42.9	34.9	40.2	41.2	33.7
160	By cutting or piercing instruments	47.0	46.8	48.8	46.2	45.8	50.0
161	By jumping from high places	41.1	42.3	38.8	39.7	42.2	36.9
162	By crushing	39.9	39.8	40.2	38.8	39.0	32.5
163	Other suicides	46.2	46.9	45.2	44.7	44.5	45.0
	Accidental or undefined (total)	36.8	35.8	40.4	34.5	34.1	38.5
164	Poisoning by food	21.5	23.2	18.6	9.4	10.6	6.7
165	Other acute poisonings	25.8	27.9	22.8	24.1	28.3	19.1
166	Conflagration	33.9	36.0	30.2	33.1	36.0	25.8
167	Burns (conflagration excepted)	21.8	18.9	24.0	7.7	4.8	9.1
168	Absorption of deleterious gases (conflagration excepted)	42.7	42.5	43.0	41.8	41.7	42.2
169	Accidental drowning	28.3	29.0	21.6	24.9	25.9	17.3
170	Traumatism by firearms	24.8	25.1	22.2	21.2	21.5	19.1
171	Traumatism by cutting or piercing instruments	36.3	36.9	30.3	37.5	39.2	27.5
172	Traumatism by fall	53.5	46.8	65.3	56.6	46.7	74.8
	XIII.—External causes—Contd.						
	Accidental or undefined—Continued.						
173	Traumatism in mines and quarries (total)	33.4	33.4	31.0	31.2	31.2	25.0
	Traumatism in mines	33.3	33.3	31.0	31.2	31.2	25.0
	Traumatism in quarries	34.4	34.4	.....	32.3	32.3	.....
174	Traumatism by machines	34.5	34.6	28.3	32.4	32.6	20.0
175	Traumatism by other crushing (total)	37.5	37.7	35.7	36.0	36.1	35.6
	Railroad accidents and injuries	37.7	37.6	39.5	35.5	35.3	40.2
	Street-car accidents and injuries	38.5	39.1	35.6	38.4	38.6	36.9
	Automobile accidents and injuries	34.0	35.0	29.9	32.2	33.5	25.3
	Injuries by other vehicles	38.3	38.9	34.8	39.3	39.7	34.4
	Landslide, other crushing	35.6	36.1	23.8	35.2	35.6	12.5
176	Injuries by animals	39.4	40.2	30.4	40.3	41.1	20.8
177	Starvation	42.5	42.7	42.2	52.5	52.5	45.0
178	Excessive cold	51.9	51.0	57.5	52.1	50.7	65.0
179	Effects of heat	39.1	39.6	37.9	42.3	42.8	39.7
180	Lightning	33.8	33.1	38.0	31.5	30.8	33.8
181	Electricity (lightning excepted)	29.6	29.8	24.0	27.9	28.0	19.0
185	Fractures (cause not specified)	59.5	49.6	74.5	62.9	47.2	79.4
186	Other external violence	28.9	31.6	16.9	28.6	31.5	1.3
	Homicide (total)	32.3	33.2	28.8	30.8	31.6	28.0
182	By firearms	32.9	33.3	31.0	31.0	31.4	29.0
183	By cutting or piercing instruments	31.9	32.3	28.9	29.8	29.8	29.4
184	By other means	31.2	33.4	25.6	31.2	33.8	25.8
	XIV.—Ill-defined diseases	22.2	22.4	22.0	(1)	(1)	(1)
187	Ill-defined organic disease	62.5	61.8	63.3	68.2	67.9	68.4
188	Sudden death	40.2	41.1	38.3	45.9	48.0	42.5
189	Not specified or ill-defined (total)	19.6	19.9	19.3	(1)	(1)	(1)
	Ill-defined	19.8	19.7	19.9	(1)	(1)	(1)
	Not specified or unknown	18.5	21.2	15.1	(1)	(1)	(1)

[1] Under 1 year.

[2] Exclusive of injuries at birth.

The figures given in this table may be compared with the corresponding average and median ages for 1909 and 1908 given in the preceding report. A surprising degree of uniformity will be found as a rule for individual causes. Thus typhoid fever showed an average age at death of exactly 29 years for both 1910 and 1909 and 28.8 years for 1908, while the median age at death was 26.2 years for each of the three years. Malaria showed an average age at death for 1910 of 36.2 years; for 1909, 36; and for 1908, 34.1; the median ages were respectively 33.8, 33.8, and 32. Malaria is a somewhat indefinite term, but the close agreement in the average age at death for successive years may indicate that it is fairly uniform in its inclusion.

DEATHS, BY COLOR AND NATIVITY.

The general character of the deaths returned in the registration area, with respect to color, nativity, and parent nativity, may be seen in the next table.

The proportion of deaths of colored persons, which is only between 6 and 7 per cent of the total number of deaths, is not at all in accordance with the proportion of colored population in the United States, because the registration area at present does not include those states of the South in which the colored population is most largely represented. Hence, as this table indicates, the general death rates shown in this and previous reports relate largely to the white population. For 1910 the proportion of the negro population somewhat increased, owing in part to the addition to the registration area of the municipalities of 1,000 population or over in North Carolina; and the proportion of Indian population decreased, owing to the discontinuance of South Dakota as a registration state.

Some changes have occurred in the proportions of deaths for the various groups with respect to parent nativity, due to increased precision of the returns. In this report may be found for the first time tables showing the country of birth of decedents by age periods (Table 12), and by age periods in relation to important causes of death (Table 13). Analyses of these tables and exact comparisons of the mortality of the native and foreign born can not be made until the population data are available in full detail.

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES, [1] REGISTRATION AREA.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
	NUMBER.					
Aggregate	529,630	714,933	687,034	691,574	732,538	805,412
White	493,291	668,028	640,971	645,562	686,230	753,308
Native	347,953	481,084	456,194	464,085	497,537	546,507
Both parents native	159,081	242,190	227,301	231,745	252,268	281,837
One or both parents foreign-born	116,882	175,820	164,956	171,637	180,626	201,378
Parentage unknown	47,749	59,808	59,569	56,683	61,058	[2] 63,292
Parentage not stated	24,242	3,266	4,368	4,020	3,585	
Foreign-born	135,292	176,798	174,270	171,834	178,788	196,733
Unknown	10,046	10,146	10,507	9,643	9,905	10,068
Colored	36,339	46,905	46,063	46,012	46,308	52,104
Negro	35,042	44,132	43,302	43,113	43,240	49,499
Chinese	1,036	982	958	984	997	1,055
Japanese		617	683	609	636	664
Indian	261	1,173	1,120	1,306	1,435	886

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES, [1] REGISTRATION AREA.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
	DISTRIBUTION PER 1,000.					
Aggregate	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
White	931.4	934.4	933.0	933.5	936.3	935.3
Native	657.0	672.9	664.0	671.1	679.2	678.5
Both parents native	300.4	338.8	330.8	335.1	344.4	349.9
One or both parents foreign-born	220.7	245.9	240.1	248.2	246.6	250.0
Parentage unknown	90.2	83.7	86.7	82.0	83.4	[2] 78.6
Parentage not stated	45.8	4.6	6.4	5.8	4.9	
Foreign-born	255.4	247.3	253.7	248.5	244.1	244.3
Unknown	19.0	14.2	15.3	13.9	13.5	12.5
Colored	68.6	65.6	67.0	66.5	63.2	64.7
Negro	66.2	61.7	63.0	62.3	59.0	61.5
Chinese	2.0	1.4	1.4	1.4	1.4	1.3
Japanese		0.9	1.0	0.9	0.9	0.8
Indian	0.5	1.6	1.6	1.9	2.0	1.1

[1] Exclusive of stillbirths.

[2] Classified as parentages unknown for 1910.

The total numbers of deaths of Chinese (1,055), Japanese (664), and Indians (886) in the registration area in 1910 are too small to be of significance, hence they are grouped in a single column in Table 2 instead of being stated separately, as in former reports. In the following table, however, the number of deaths of Chinese, Japanese, and Indians in 1910 is shown separately for the main divisions of the registration area, the registration states, and minor areas in which the total number of such deaths during the year was 10 or over.

[The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910.]

REGISTRATION AREA.	DEATHS [1] IN 1910.		
	Chinese.	Japanese.	Indian.
SUMMARY.			
The registration area	1,055	664	886
Registration states [2]	963	638	872
Cities in registration states [2]	712	366	75
Rural part of registration states	251	272	797
Registration cities in other states	92	26	14
All registration cities [2]	804	392	89
REGISTRATION STATES.			
California	690	429	155
Colorado	8	37	5
Connecticut	3	1	1
Indiana	3	1	
Maine			4
Maryland	4		
Massachusetts	25	2	10
Michigan	1		199
Minnesota	3	3	38
Montana	16	14	17
New Hampshire			
New Jersey	6	2	1
New York	116	13	55
North Carolina [3]			
Ohio	1	2	2
Pennsylvania	37	6	9
Rhode Island	5		1
Utah	7	20	15
Vermont			1
Washington	33	106	249
Wisconsin		1	108
REGISTRATION CITIES. [4]			
Bakersfield, Cal	13	4	1
Fresno, Cal	14	15	
Los Angeles, Cal	38	62	3
Oakland, Cal	72	14	
Sacramento, Cal	22	51	
San Francisco, Cal	232	47	
San Jose, Cal	17	10	
Stockton, Cal	31	12	
Chicago, Ill	26	7	3
Boston, Mass	20	1	
Buffalo, N. Y	3		10

REGISTRATION AREA.	DEATHS [1] IN 1910.		
	Chinese.	Japanese.	Indian.
REGISTRATION CITIES—Continued.			
New York, N. Y	107	13	2
Bronx Borough	3	2	
Brooklyn Borough	14	3	1
Manhattan Borough	89	7	1
Queens Borough	1		
Richmond Borough		1	
Portland, Oreg	45	15	4
Philadelphia, Pa	22	4	3
Salt Lake City, Utah	4	10	1
Seattle, Wash	18	48	6
RURAL PART OF REGISTRATION STATES. [5]			
Alameda County, Cal	16	9	3
Butte County, Cal	15	2	3
Fresno County, Cal	22	20	3
Humboldt County, Cal			14
Lake County, Cal			14
Los Angeles County, Cal	4	17	2
Monterey County, Cal	6	13	1
Sacramento County, Cal	30	28	3
San Joaquin County, Cal	17	13	
Santa Clara County, Cal	9	22	
Shasta County, Cal	1		16
Tehama County, Cal	12		4
Yuba County, Cal	15	4	1
Las Animas County, Colo		16	
Baraga County, Mich			12
Chippewa County, Mich			11
Emmet County, Mich			32
Isabella County, Mich			24
Leelanau County, Mich			14
Carlton County, Minn			15
Franklin County, N. Y			14
Clallam County, Wash			29
Ferry County, Wash			20
King County, Wash		12	9
Mason County, Wash			13
Okanogan County, Wash			32
Pierce County, Wash		7	14
Skagit County, Wash		2	17
Yakima County, Wash		1	54
Ashland County, Wis			29
Sawyer County, Wis			12
Shawano County, Wis			20

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Including only municipalities having a population of 1,000 or over in 1900.
[4] Including only those from which 10 or more deaths of Chinese, Japanese, or Indians were reported for 1910.
[5] Exclusive of municipalities having a population of 10,000 or over in 1910. Including only those from which 10 or more deaths of Chinese, Japanese, or Indians were reported for 1910.

DEATH RATES OF THE REGISTRATION AREA AND ITS SUBDIVISIONS.

The following table shows the death rates in the registration area, its main subdivisions, and also in the individual states and cities of 100,000 population or over for 1910, the three years preceding, and the quinquennial periods 1901 to 1905 and 1906 to 1910.

The death rate of the registration area for the year 1910 (15) was higher than that for 1909 (14.4) or 1908 (14.8), but lower than that for any previous year since the publication of annual reports was begun. Comparison of the two quinquennial periods shows a decrease of 1.1 per 1,000, or 6.8 per cent, from the annual average rate for 1901 to 1905 to that for 1906 to 1910. A general decrease in the mortality is indicated for each of the main subdivisions in passing from the first to the second quinquennium of the decade. It should be remembered, however, that the constitution of the registration area was not the same in each year of the period. The extension of effective registration has caused the addition from time to time of other states and these additions have necessitated the transfer of the previously included registration cities of such states from the group of "registration cities in other states" to the group of "cities in registration states" and the addition of the rural territory of such states to the area designated "rural part of registration states." For this reason comparison of rates for the area or its subdivisions with the area and subdivisions as previously constituted can be made only in a general way.

AREA.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area	16.2	15.1	16.0	14.8	14.4	15.0
Registration states[2]	15.9	15.0	15.9	14.7	14.2	14.7
Cities in registration states[2]	17.4	16.3	17.5	15.9	15.4	15.9
Rural part of registration states	14.1	13.4	14.0	13.3	13.0	13.4
Registration cities in other states	16.6	15.9	16.3	15.4	15.6	16.9
All registration cities[2]	17.0	16.2	17.1	15.7	15.4	16.1
REGISTRATION STATES.						
California	(3)	13.9	14.6	14.1	13.4	13.5
Colorado	(3)	14.3	15.3	14.5	14.2	13.8
Connecticut	15.7	15.6	16.5	14.8	15.0	15.6
Indiana	13.2	13.0	13.0	12.8	12.9	13.5
Maine	15.9	16.2	16.4	15.7	15.6	17.1
Maryland	(3)	16.0	16.4	15.8	15.5	16.0
Massachusetts	16.6	16.1	17.0	15.9	15.4	16.1
Michigan	13.3	13.6	13.6	13.4	13.1	14.1
Minnesota	(3)	(4)	(3)	(3)	(3)	10.9
Montana	(3)	(4)	(3)	(3)	(3)	10.6
New Hampshire	16.6	17.2	17.6	16.8	16.9	17.3
New Jersey	16.1	15.4	16.1	14.8	14.7	15.5
New York	17.1	16.4	17.3	15.9	15.7	16.1
North Carolina[5]	(3)	(4)	(3)	(3)	(3)	18.7
Ohio	(3)	(4)	(3)	(3)	12.9	13.7
Pennsylvania	(3)	15.5	15.9	15.1	14.7	15.6
Rhode Island	17.8	16.7	17.8	15.9	15.6	17.1
Utah	(3)	(4)	(3)	(3)	(3)	10.8
Vermont	16.2	16.1	16.2	15.9	15.7	16.0
Washington	(3)	(4)	(3)	9.3	9.8	10.0
Wisconsin	(3)	(4)	(3)	11.7	11.8	12.0
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala	(3)	(4)	(3)	17.8	18.2	19.5
Los Angeles, Cal	16.4	14.8	16.5	13.8	13.7	14.0
Oakland, Cal	13.3	15.4	18.6	14.9	14.2	12.7
San Francisco, Cal	20.3	16.1	16.6	15.5	15.0	15.1
Denver, Colo	17.2	17.5	18.7	18.3	17.0	16.4
Bridgeport, Conn	16.0	15.5	17.2	14.5	14.4	15.2
New Haven, Conn	17.3	17.3	18.1	16.4	16.9	16.5
Washington, D. C	20.5	19.6	20.1	19.1	19.0	19.6
Atlanta, Ga	21.1	19.4	21.4	18.1	17.2	18.9
Chicago, Ill	14.5	14.9	15.7	14.5	14.6	15.1
Indianapolis, Ind	15.4	15.2	15.8	14.2	14.3	16.3

AREA.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Louisville, Ky	19.0	17.4	19.0	17.0	15.5	16.7
New Orleans, La	22.4	21.7	23.5	22.3	20.2	21.3
Baltimore, Md	20.0	19.5	20.5	19.0	18.7	19.2
Boston, Mass	18.8	17.9	18.6	18.3	16.8	17.2
Cambridge, Mass	15.1	15.1	15.1	16.0	14.7	15.0
Fall River, Mass	20.3	19.7	21.3	20.5	19.1	18.4
Lowell, Mass	20.2	19.4	20.6	19.2	18.0	19.7
Worcester, Mass	16.8	17.1	19.1	16.7	15.5	16.9
Detroit, Mich	15.1	14.8	14.9	13.7	14.0	15.9
Grand Rapids, Mich	13.5	13.3	13.1	12.7	11.9	14.6
Minneapolis, Minn[6]	10.2	11.0	10.6	10.7	10.7	12.3
St. Paul, Minn	10.0	11.0	10.9	10.5	11.4	11.9
Kansas City, Mo	15.9	14.6	15.3	14.1	14.4	15.9
St. Louis, Mo	17.9	15.6	15.9	14.7	15.8	15.8
Omaha, Nebr	11.5	13.8	13.5	13.2	14.7	15.1
Jersey City, N. J	19.3	17.7	19.1	17.4	16.8	16.3
Newark, N. J	18.7	17.2	18.5	16.2	16.5	16.5
Paterson, N. J	16.9	15.7	15.6	15.5	15.3	14.7
Albany, N. Y	18.4	18.6	19.2	18.6	17.6	19.4
Buffalo, N. Y	15.5	16.0	16.7	15.3	15.2	16.3
New York, N. Y	19.0	16.9	18.3	16.3	16.0	16.0
Bronx Borough	20.9	17.4	18.7	17.0	15.9	15.9
Brooklyn Borough	18.2	16.3	17.6	15.6	15.4	15.6
Manhattan Borough	19.5	17.4	18.7	16.8	16.6	16.5
Queens Borough	16.1	14.9	16.4	14.1	14.2	13.8
Richmond Borough	19.0	18.6	20.4	18.4	18.1	17.0
Rochester, N. Y[6]	14.6	14.7	15.5	13.7	14.4	14.6
Syracuse, N. Y	14.5	15.2	15.3	15.7	14.5	15.4
Cincinnati, Ohio	19.1	18.1	18.1	18.0	16.5	17.4
Cleveland, Ohio	14.9	14.1	15.2	13.3	12.9	14.3
Columbus, Ohio	15.4	15.1	15.5	15.2	14.0	15.4
Dayton, Ohio	15.1	15.5	17.1	14.8	15.4	14.8
Toledo, Ohio	14.3	14.9	15.3	14.6	14.6	14.6
Portland, Oreg	10.2	10.3	11.0	9.9	9.8	11.0
Philadelphia, Pa	18.1	17.7	18.6	17.3	16.4	17.4
Pittsburgh, Pa	19.9	18.0	19.3	17.3	15.8	17.9
Scranton, Pa[6]	16.2	16.3	15.7	16.4	16.3	16.4
Providence, R. I	18.8	17.6	19.1	16.6	16.1	17.7
Memphis, Tenn[6]	19.4	20.6	21.5	20.1	20.1	21.4
Nashville, Tenn	21.5	19.3	19.6	19.4	18.1	18.7
Richmond, Va	23.4	22.5	23.4	21.7	20.7	22.6
Seattle, Wash	9.3	9.8	10.8	9.3	10.0	10.0
Spokane, Wash	11.3	12.8	13.3	13.4	12.6	13.0
Milwaukee, Wis	13.2	13.7	13.8	12.7	13.7	13.8

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Not admitted to registration area until a later date.
[4] Figures for deaths not available for the entire period 1906 to 1910.
[5] Including only municipalities having a population of 1,000 or over in 1900.
[6] As shown in Bulletin 112, Mortality Statistics, 1911, page 26, many deaths of infants were omitted from the returns received for 1910, and presumably for previous years, for Minneapolis, Rochester, Scranton, and Memphis. The general death rates of those cities as given above are therefore too low, and all statements of total deaths and especially of deaths of infants under 1 year of age in this and prior reports are subject to correction.

The figures showing the mortality for individual states and for individual cities may be used in studying the increase or decrease of the death rates for a given area, provided the registration may be assumed to be as complete as is usually the case, during the early years of the decade as during the later. As between different states or cities, however, comparisons should be made with great caution because of the unreliability of the crude rates when based upon populations differing markedly in age constitution.[1]

DEATH RATES OF FOREIGN COUNTRIES AND CITIES.

The following table, taken from the latest report of the Registrar-General of England and Wales, shows the crude death rates of certain countries from all causes for six consecutive quinquennial periods, and also for the years 1909 and 1910.

COUNTRY.	DEATH RATE FROM ALL CAUSES PER 1,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
United States (registration area)	(1)	(1)	(1)	(1)	16.2	15.1	14.4	15.0
Australian Commonwealth	15.7	14.8	13.3	12.7	11.7	10.7	10.3	10.4
Austria	30.1	28.9	27.9	25.6	24.2	22.3	22.9	21.2
Belgium	20.6	20.2	20.1	18.1	17.0	(2)	15.8	(2)
Bulgaria	17.7	18.9	27.8	23.9	22.5	(2)	26.6	(2)
Ceylon	(2)	25.1	28.3	27.0	26.7	30.8	31.0	27.3
Chile	26.9	35.2	32.6	28.8	30.2	31.3	31.5	32.5
Denmark	18.4	18.7	18.6	16.4	14.8	13.7	13.2	12.9
England and Wales	19.4	18.9	18.7	17.7	16.0	14.7	14.6	13.5
Finland	22.2	20.0	20.5	19.0	18.6	17.4	16.7	16.6
France	22.2	22.0	22.3	20.7	19.6	19.2	19.3	17.9
German Empire	25.3	24.4	23.3	21.2	19.9	(2)	17.2	(2)
Hungary	33.1	32.1	31.8	27.9	26.4	25.0	25.6	23.6
Ireland	18.0	17.9	18.5	18.1	17.6	17.3	17.1	17.1
Italy	27.3	27.2	25.5	22.9	21.9	21.0	21.5	19.6
Jamaica	(2)	23.5	22.0	22.1	22.6	24.4	21.7	23.1
Japan	(2)	20.6	21.1	20.7	20.9	(2)	22.0	(2)
Netherlands	21.4	20.5	19.6	17.2	16.0	14.3	13.7	13.6
New Zealand	10.9	9.9	10.1	9.6	9.9	9.7	9.2	9.7
Norway	17.2	17.0	16.8	15.6	14.5	13.8	13.4	13.5
Ontario, Province of	11.4	11.0	10.6	11.6	13.0	14.0	14.6	14.0
Prussia	25.4	24.0	22.8	21.0	19.6	17.3	17.0	16.0
Roumania	26.2	28.7	31.0	27.4	25.5	26.0	27.8	25.2
Russia (European)	35.4	33.2	35.8	31.9	30.9	(2)	(2)	(2)
Scotland	19.6	18.8	19.0	18.0	17.0	16.1	15.9	15.3
Servia	24.5	25.9	28.9	24.8	22.4	(2)	29.3	(2)
Spain	32.6	30.9	30.1	28.8	26.0	24.3	24.0	23.3
Sweden	17.5	16.4	16.6	16.1	15.5	14.3	13.7	14.0
Switzerland	21.3	20.4	19.8	18.1	17.5	(2)	16.1	(2)

[1] Figures for deaths not available for the entire period.
[2] Rate not published.

Similar comparisons may be made for important cities, chiefly European, by means of the following table taken from the Annual Summary of Marriages, Births, and Deaths, published by the Registrar-General of England and Wales.

[1] See discussion of this subject and tables comparing the crude rates with standardized or corrected rates in Bulletin 112, Mortality Statistics: 1911.

CITY.	DEATH RATE FROM ALL CAUSES PER 1,000 POPULATION.								
	Annual average.						1909	1910	Decrease (per cent) between 1881-5 and 1906-10.
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910			
London	20.9	19.7	19.8	18.5	16.1	14.0	14.0	12.7	33.0
Edinburgh	19.6	19.7	19.7	19.0	17.3	15.3	15.3	14.0	21.9
Glasgow	26.0	23.1	22.8	21.2	19.5	17.3	17.5	15.1	33.5
Dublin (registration area)	27.5	26.6	25.7	25.6	23.3	21.6	20.9	19.9	21.5
Belfast	24.7	24.4	25.1	23.4	20.8	19.6	18.2	18.6	20.6
Melbourne	20.1	21.0	16.7	15.5	14.0	13.1	12.5	12.7	34.8
Sydney	20.8	17.9	14.3	12.1	11.5	10.5	10.3	10.4	49.5
Montreal	31.0	26.7	25.3	23.1	23.3	(1)	22.0	(2)	(2)
Toronto	20.7	20.1	15.2	14.6	16.3	(1)	22.3	(2)	(2)
Paris	24.4	23.0	21.2	19.2	18.0	17.5	17.4	16.7	28.3
Brussels	23.4	21.2	20.2	17.2	15.2	14.1	13.9	13.6	39.7
Amsterdam	25.1	22.4	19.2	16.7	14.7	13.1	13.1	12.2	47.8
Rotterdam	24.2	22.0	20.8	18.0	15.6	13.4	12.6	12.2	44.6
The Hague	23.3	20.8	18.7	16.2	14.4	13.2	12.7	12.5	43.3
Copenhagen	22.3	22.3	20.2	17.6	16.1	15.1	14.5	14.2	32.3
Stockholm	24.3	21.2	20.0	18.2	16.1	14.5	14.3	14.6	40.3
Christiania	19.9	22.3	19.0	17.5	15.3	13.0	12.7	11.9	34.7
St. Petersburg	32.8	26.8	25.3	24.6	23.5	25.5	24.6	24.1	22.3
Moscow	33.3	33.6	29.2	28.7	26.6	27.6	29.6	26.9	17.1
Berlin	26.5	22.4	20.5	18.1	17.0	15.5	15.1	14.7	41.5
Hamburg	25.2	25.3	24.2	17.3	16.3	14.8	14.6	14.2	41.3
Dresden	25.0	22.1	20.6	19.0	17.6	14.7	14.0	13.8	41.2
Breslau	31.3	28.8	27.4	25.0	23.7	21.2	20.3	19.1	32.3
Munich	30.4	28.3	25.8	23.9	21.0	17.4	17.6	15.9	42.8
Vienna	28.2	25.1	24.1	21.1	19.1	17.0	16.8	15.8	39.7
Prague	32.7	29.6	27.1	24.3	22.6	19.3	19.1	18.4	41.0
Budapest	31.5	30.8	25.5	21.6	19.8	19.5	19.2	19.3	38.1
Trieste	31.1	30.4	29.8	27.5	26.3	24.5	24.6	22.9	21.2
Milan	30.3	30.4	27.4	23.2	22.1	19.3	20.3	17.1	36.3
Turin	27.2	23.5	21.6	19.8	19.6	17.5	15.4	14.9	35.7
Venice	28.3	28.0	25.1	22.8	22.2	(1)	22.1	19.0	(2)
Bucarest	(1)	(1)	(1)	24.6	23.3	24.7	26.4	25.6	(2)
New York	27.5	25.8	24.6	20.3	18.9	17.0	16.2	16.0	38.2
Chicago	21.5	19.5	20.6	15.2	14.2	14.5	14.1	15.1	[4]32.6
Philadelphia	22.3	20.6	21.1	19.2	18.1	[4]17.7	15.9	16.8	[4]20.6
Boston	24.9	23.5	23.6	20.9	18.8	[4]17.9	17.7	[4]17.2	[4]28.1
Rio de Janeiro	30.5	33.1	38.2	29.2	27.9	23.1	19.5	20.6	24.3

[1] Figures for deaths not available for the entire period.
[2] Figures for deaths not available.
[3] Average for four years.
[4] Figures furnished by the Bureau of the Census.

DEATH RATES OF AREAS WITH CONSIDERABLE COLORED POPULATION.

In the report for 1909 no attempt was made to present the death rates of the white and colored populations separately, because at the time of its preparation the population data from the census of 1910 were not available. Whatever the view as to the reasons for the differences between the death rates of the white and the colored, it is a fact that the proportion of colored population influences to a considerable extent the size of the crude death rate. Thus cities having a large colored population have death rates that usually range much higher than those of cities with exclusively or almost exclusively white population.

The next table shows comparative death rates of the white and colored for cities with a population of 10,000 or over in which the proportion of colored was at least 10 per cent of the total population at the last census (1910); two Maryland cities, in which less than 10 per cent of the population was colored, are also shown in order that all Maryland cities of the specified size may be included.

CITY AND COLOR.	Percent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES,[1] PER 1,000 POPULATION.												
		Annual average.		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910
		1901 to 1905	1906 to 1910											
Cities in this table (aggregate)	100.0	21.1	19.9	23.6	21.4	21.0	20.5	21.5	21.0	20.7	21.3	19.4	18.7	19.8
White	73.4	17.7	16.6	19.7	18.0	17.6	17.3	18.0	17.6	17.3	17.7	16.2	15.7	16.6
Colored	26.6	29.8	29.1	33.3	29.9	29.8	28.8	30.6	29.9	30.2	31.3	28.4	27.3	28.8
Birmingham, Ala. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.8	18.2	19.5
White	60.6	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.8	13.7	14.9
Colored	39.4	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	23.8	25.0	26.5
Mobile, Ala. (total)	100.0	24.8	23.6	27.2	24.1	23.0	23.9	26.5	26.5	27.7	26.1	22.4	20.1	23.0
White	55.8	19.7	18.7	22.5	18.7	18.1	18.8	21.4	21.6	22.3	20.3	18.4	15.7	17.8
Colored	44.2	31.2	29.7	33.0	30.9	29.2	30.3	32.8	32.7	34.5	33.5	27.4	25.5	29.5
Montgomery, Ala. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	21.2	21.7	26.4
White	49.3	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.9	14.9	17.4
Colored	50.7	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	28.0	28.1	35.2
Riverside, Cal. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(5)	(5)	(5)	(5)	14.4
White	88.8	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(5)	(5)	(5)	(5)	15.2
Colored [4]	11.2	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(5)	(5)	(5)	(5)	8.1
Wilmington, Del. (total)	100.0	17.0	17.0	20.2	17.3	17.4	16.8	17.8	15.9	18.3	17.6	15.8	15.8	17.7
White	89.6	15.7	15.9	19.1	16.0	15.7	14.9	16.6	15.0	17.1	16.5	14.4	14.5	16.8
Colored	10.4	27.2	26.5	27.5	26.2	29.0	30.7	27.2	22.8	28.0	25.8	27.1	26.5	24.8
Washington, D. C. (total)	100.0	20.5	19.6	22.3	21.3	20.0	20.1	20.7	20.3	20.3	20.1	19.1	19.0	19.6
White	71.3	16.5	15.9	18.3	17.1	15.9	16.5	17.0	16.0	16.3	16.2	15.5	15.6	15.8
Colored	28.7	29.5	28.7	30.9	30.6	29.1	28.4	29.1	30.3	29.8	29.3	27.7	27.5	29.1
Jacksonville, Fla. (total)	100.0	27.5	22.1	30.1	26.7	28.2	27.0	26.6	28.7	23.0	23.9	22.1	21.8	20.3
White	49.1	23.3	17.9	26.6	24.3	22.7	22.6	21.0	25.6	18.7	20.6	17.6	16.8	16.7
Colored	50.9	30.5	25.8	32.8	28.4	32.2	30.2	30.8	31.0	26.3	26.7	26.1	26.5	23.9
Key West, Fla. (total)	100.0	21.7	22.0	24.4	23.1	22.3	20.9	21.0	21.4	24.3	23.8	20.2	18.9	22.5
White	72.2	20.4	20.1	23.5	22.2	20.9	19.8	19.8	19.8	22.0	21.4	18.7	17.7	20.9
Colored	27.8	24.4	26.3	26.3	25.1	25.2	23.4	23.5	24.9	29.4	29.3	24.0	21.9	26.8
Atlanta, Ga. (total)	100.0	21.1	19.4	22.1	21.3	21.2	19.7	21.8	21.7	22.2	21.4	18.1	17.2	18.9
White	66.4	16.1	15.6	18.6	15.3	16.2	15.4	16.2	17.1	17.0	17.0	14.7	14.1	15.5
Colored	33.6	29.6	26.8	27.4	30.6	29.3	26.9	31.5	29.9	31.7	29.7	24.6	23.1	25.5
Savannah, Ga. (total)	100.0	27.1	24.8	31.0	30.0	26.7	24.5	27.3	27.3	25.1	26.4	23.2	22.3	26.9
White	48.9	19.2	17.9	23.4	23.4	18.1	17.2	18.6	19.4	18.4	19.3	16.5	16.1	19.4
Colored	51.1	34.5	31.3	38.0	36.1	34.9	31.2	35.6	34.7	31.5	33.1	29.5	28.3	34.1
Jeffersonville, Ind. (total)	100.0	19.9	17.1	19.2	23.1	20.6	20.1	18.8	17.1	19.4	16.8	13.6	16.1	19.7
White	85.2	18.1	16.3	16.4	20.7	17.2	17.0	18.6	16.9	18.6	16.1	12.9	16.2	17.6
Colored	14.8	29.4	21.8	33.0	35.2	37.5	35.8	19.9	17.9	23.7	21.0	17.0	15.4	32.0
Kansas City, Kans. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.6	15.8	16.8
White	88.7	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.5	14.7	15.7
Colored	11.3	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	21.8	24.0	25.7
Leavenworth, Kans. (total)	100.0	14.8	15.7	17.7	13.4	14.8	14.7	15.2	15.8	15.2	17.1	15.6	17.0	13.8
White	87.2	13.4	14.5	16.9	12.4	13.3	13.0	14.1	14.5	13.9	15.8	14.3	15.9	12.5
Colored	12.8	22.5	23.9	22.9	18.8	23.7	24.6	21.5	23.8	23.2	25.2	23.9	24.1	23.0
Louisville, Ky. (total)	100.0	19.0	17.4	18.9	18.5	18.2	19.0	20.4	18.7	19.0	19.0	17.0	15.5	16.7
White	81.9	16.9	15.1	16.9	16.8	16.5	16.8	18.1	16.2	16.7	16.3	14.5	13.7	14.5
Colored	18.1	28.1	27.7	27.3	25.6	25.8	28.8	30.6	29.6	28.8	30.9	28.0	23.8	26.8
Paducah, Ky. (total)	100.0	22.2	17.5	28.1	24.8	23.3	21.3	21.4	20.2	17.0	17.9	17.0	16.4	19.2
White	73.4	19.3	13.5	23.7	22.2	21.2	18.6	17.1	17.8	12.4	11.6	14.1	12.6	16.3
Colored	26.6	29.2	28.4	38.5	31.0	28.6	27.8	32.1	26.3	28.8	34.4	24.6	26.9	27.1
New Orleans, La. (total)	100.0	22.4	21.7	26.5	22.2	22.1	22.1	22.1	23.4	21.4	23.5	22.3	20.2	21.3
White	73.6	19.2	18.0	21.2	19.0	18.7	19.0	18.8	20.4	17.7	19.5	18.4	17.1	17.2
Colored	26.4	31.0	32.1	40.9	30.9	31.4	30.6	31.0	31.3	31.5	34.5	33.0	28.9	32.7
Baltimore, Md. (total)	100.0	20.0	19.5	21.4	20.4	19.7	19.3	20.4	20.0	19.9	20.5	19.0	18.7	19.2
White	84.8	17.8	17.3	19.2	18.1	17.7	17.4	18.1	17.6	17.6	18.2	16.9	16.6	17.2
Colored	15.2	32.0	31.5	33.3	32.4	31.0	30.2	33.1	33.5	32.7	33.5	30.4	30.5	30.5
Cumberland, Md.[6] (total)	100.0	(2)	18.7	(2)	(2)	(2)	(2)	(2)	(2)	17.6	19.1	20.0	16.5	20.1
White	95.1	(2)	17.9	(2)	(2)	(2)	(2)	(2)	(2)	17.1	18.0	19.3	15.9	19.1
Colored	4.9	(2)	33.2	(2)	(2)	(2)	(2)	(2)	(2)	26.8	39.0	31.7	29.0	39.4
Frederick, Md. (total)	100.0	22.0	20.1	19.6	22.2	24.3	23.6	19.3	20.5	18.5	24.7	16.9	20.7	19.7
White	85.9	18.4	17.8	17.9	18.3	19.5	19.3	15.6	19.2	17.1	21.4	15.0	18.1	17.3
Colored	14.1	41.1	34.0	28.0	42.5	49.9	46.8	39.0	27.3	26.7	43.6	28.3	36.6	34.7
Hagerstown, Md.[6] (total)	100.0	(2)	17.5	(2)	(2)	(2)	(2)	(2)	(2)	17.0	18.9	17.7	16.5	17.6
White	93.1	(2)	16.7	(2)	(2)	(2)	(2)	(2)	(2)	15.6	18.3	16.5	15.8	17.1
Colored	6.9	(2)	28.6	(2)	(2)	(2)	(2)	(2)	(2)	32.8	27.3	32.8	26.2	23.9
Asbury Park, N. J. (total)	100.0	(5)	(3)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	16.5
White	80.9	(5)	(3)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	14.5
Colored	19.1	(5)	(3)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	24.8
Atlantic City, N. J. (total)	100.0	16.2	16.5	17.3	18.5	16.5	15.1	14.8	16.7	18.0	16.9	15.1	15.3	17.2
White	78.5	16.8	16.6	17.6	18.9	17.1	15.5	15.6	17.3	19.2	16.7	15.0	15.2	17.2
Colored	21.5	14.3	16.1	16.1	16.9	14.6	14.0	12.0	14.5	14.1	17.4	15.7	15.6	17.4
Montclair, N. J. (total)	100.0	17.6	14.1	17.3	16.8	15.9	17.7	19.6	17.7	14.8	15.7	12.0	13.3	14.9
White	88.4	17.1	13.7	16.6	16.2	15.6	17.6	18.8	17.1	14.3	15.1	11.7	13.2	14.2
Colored	11.6	21.7	17.4	24.2	22.7	18.1	18.3	26.7	22.0	18.3	20.4	14.2	14.2	20.1

[1] Exclusive of stillbirths.
[2] Not admitted to the registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] About 28 per cent of colored deaths, Chinese and Japanese.
[5] Included in rural.
[6] Colored population less than 10 per cent of aggregate; added in order that all Maryland cities may be included.

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES,[1] PER 1,000 POPULATION.											
		Annual average.		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910
		1901 to 1905	1906 to 1910											
Asheville, N. C. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.7
White	71.4	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.5
Colored	28.6	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	25.1
Charlotte, N. C. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.7
White	65.4	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.7
Colored	34.6	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	25.4
Durham, N. C. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.9
White	62.3	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	16.4
Colored	37.7	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	25.7
Greensboro, N. C. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.0
White	64.1	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	15.8
Colored	35.9	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	24.9
Raleigh, N. C. (total)	100.0	25.0	26.8	30.1	29.3	26.7	19.7	26.3	26.0	26.3	[4] 33.7	23.6	24.3	27.9
White	61.6	21.2	22.7	23.1	23.6	21.8	17.0	20.5	23.1	23.3	[4] 27.8	20.6	19.0	24.5
Colored	38.4	30.5	33.3	39.7	37.3	33.8	23.6	27.4	30.3	31.0	[4] 42.6	28.3	32.9	33.6
Wilmington, N. C. (total)	100.0	25.6	22.7	30.8	26.5	27.4	25.2	26.1	22.8	25.3	23.2	23.4	21.3	20.8
White	52.9	19.9	17.4	24.8	19.4	20.9	20.5	19.2	19.4	20.6	16.9	18.4	16.0	15.6
Colored	47.1	31.6	28.7	36.9	33.8	34.1	30.2	33.5	26.6	30.5	30.1	29.0	27.1	26.7
Winston, N. C. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	20.3
White	54.4	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.6
Colored	45.6	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	23.6
Springfield, Ohio (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.6	13.2
White	89.5	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8	12.9
Colored	10.5	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	18.6	16.1
Carlisle, Pa. (total)	100.0	16.3	15.7	21.2	18.8	13.6	17.1	17.0	15.1	13.8	17.0	15.7	15.7	16.1
White	89.1	15.3	14.5	20.4	17.8	13.0	16.2	15.6	14.1	13.6	15.4	13.9	15.0	14.7
Colored	10.9	23.7	25.0	27.0	26.2	18.4	23.7	27.3	22.9	15.9	30.1	30.1	21.3	27.6
Chester, Pa. (total)	100.0	(2)	16.1	(2)	(2)	(2)	(2)	(2)	(2)	16.1	15.8	16.0	15.8	16.8
White	87.5	(2)	14.4	(2)	(2)	(2)	(2)	(2)	(2)	14.3	13.8	13.8	14.2	16.0
Colored	12.5	(2)	27.5	(2)	(2)	(2)	(2)	(2)	(2)	28.1	29.3	31.0	27.0	22.2
Coatesville, Pa. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(5)	(5)	(5)	(5)	13.3
White	86.3	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(5)	(5)	(5)	(5)	13.0
Colored	13.7	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(5)	(5)	(5)	(5)	15.0
West Chester, Pa. (total)	100.0	(2)	19.9	(2)	(2)	(2)	(2)	(2)	(2)	20.1	22.3	20.8	17.1	19.6
White	84.0	(2)	17.9	(2)	(2)	(2)	(2)	(2)	(2)	18.5	18.4	18.1	15.5	18.9
Colored	16.0	(2)	30.3	(2)	(2)	(2)	(2)	(2)	(2)	27.7	41.6	34.4	25.1	22.9
Charleston, S. C. (total)	100.0	29.7	27.5	35.0	31.4	30.8	28.5	29.6	28.4	29.3	26.5	26.4	25.7	29.7
White	47.2	19.3	17.2	22.9	20.5	19.9	18.7	19.1	18.2	18.1	17.2	16.0	15.9	18.9
Colored	52.8	38.2	36.5	44.3	39.8	39.5	36.4	38.1	37.0	38.7	34.4	35.3	34.5	39.3
Knoxville, Tenn. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	18.3	17.9	17.4
White	79.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	15.8	14.9	15.0
Colored	21.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	27.3	28.9	26.6
Memphis, Tenn. (total)	100.0	19.4	20.6	22.5	18.8	18.8	18.9	21.0	19.6	19.7	21.5	20.1	20.1	21.4
White	59.9	16.5	16.1	20.7	16.6	15.6	16.0	17.7	16.4	16.1	15.8	15.7	16.0	16.8
Colored	40.1	22.9	27.0	24.4	21.2	22.4	22.3	25.1	23.7	24.4	29.3	26.4	26.0	28.4
Nashville, Tenn. (total)	100.0	21.5	19.3	23.8	20.1	21.9	20.5	23.4	21.4	20.9	19.6	19.4	18.1	18.7
White	66.9	17.0	15.2	18.8	16.1	17.6	16.7	18.0	16.4	16.8	15.9	14.8	14.1	15.0
Colored	33.1	29.6	27.2	32.1	27.1	29.5	27.4	33.2	30.7	28.6	26.7	28.6	26.2	26.0
Galveston, Tex. (total)	100.0	(2)	(6)	(2)	(2)	(2)	(2)	(2)	(2)	(6)	(6)	(6)	(6)	[7] 16.2
White	78.1	(2)	(6)	(2)	(2)	(2)	(2)	(2)	(2)	(6)	(6)	(6)	(6)	[7] 14.4
Colored	21.9	(2)	(6)	(2)	(2)	(2)	(2)	(2)	(2)	(6)	(6)	(6)	(6)	[7] 22.6
San Antonio, Tex. (total)	100.0	21.4	20.7	22.8	23.3	24.1	19.5	21.1	19.8	19.3	21.9	19.8	20.3	22.0
White	88.8	21.5	20.8	22.7	23.7	24.1	19.2	21.2	20.2	19.6	22.3	19.6	20.4	22.1
Colored	11.2	20.7	19.9	23.2	20.6	24.2	21.6	20.7	16.9	17.3	19.3	21.3	20.0	21.4
Alexandria, Va. (total)	100.0	21.9	21.4	25.1	23.7	20.8	21.6	22.7	20.6	21.4	24.2	18.7	21.2	21.3
White	72.6	18.4	17.4	20.5	20.0	18.0	19.2	18.5	16.3	17.2	22.3	15.4	15.1	16.9
Colored	27.4	30.0	31.6	35.2	32.2	27.1	27.1	32.7	30.9	31.9	29.1	27.2	36.9	32.9
Danville, Va. (total)	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	23.7	17.8	20.4
White	67.4	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.5	13.5	17.2
Colored	32.6	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	31.9	26.5	27.0
Lynchburg, Va. (total)	100.0	20.3	17.5	27.3	18.8	19.9	19.2	21.6	21.7	22.3	21.3	15.3	14.2	16.0
White	67.9	15.3	13.2	20.5	14.2	15.0	14.2	17.9	14.8	17.5	15.2	12.6	10.2	12.0
Colored	32.1	28.1	25.9	36.1	25.3	27.2	27.2	27.6	33.5	31.1	32.7	20.7	22.5	24.4
Norfolk, Va. (total)	100.0	19.2	23.2	27.2	18.3	20.2	18.6	19.4	19.6	24.9	25.9	21.9	21.4	21.8
White	62.8	14.4	16.9	18.8	13.6	15.2	13.7	15.2	14.3	18.5	18.2	16.1	15.4	16.4
Colored	37.2	26.3	33.4	38.0	24.8	27.3	25.8	25.8	27.7	35.0	38.2	31.3	31.5	30.9
Petersburg, Va. (total)	100.0	25.5	27.0	30.2	26.2	24.8	24.4	29.2	23.1	28.5	27.6	26.4	26.1	26.5
White	54.3	19.9	19.7	25.2	19.5	20.7	19.3	22.3	17.7	21.7	20.7	18.1	18.1	20.1
Colored	45.7	31.6	35.5	35.2	33.2	29.1	29.9	36.7	29.2	36.1	35.6	36.1	35.5	34.2
Richmond, Va. (total)	100.0	23.4	22.0	29.0	24.2	24.9	24.5	22.9	20.9	21.5	23.4	21.7	20.7	22.6
White	63.4	18.5	17.4	23.7	18.8	19.7	19.0	17.9	17.1	17.0	18.0	17.4	16.3	18.1
Colored	36.6	31.7	29.9	37.6	33.3	33.5	33.7	31.1	27.2	29.2	32.5	29.0	28.2	30.2

[1] Exclusive of stillbirths.
[2] Not admitted to registration area until a later date.
[3] Average not shown for less than five years.
[4] Probably including deaths in added territory prior to the date of annexation.
[5] Included in rural.
[6] Population not estimated.
[7] Based on population enumerated April 15, 1910.

As a rule, the colored population is made up almost exclusively of negroes, but in one instance, indicated by a footnote, the colored population is chiefly Chinese and Japanese. The age distribution of the Chinese and Japanese is different from the usual age distribution of the negroes, and the death rate for the colored in this case is lower than that for the white. In most cases, however, the differences between the death rates of the white and colored population are very marked.

For this group of cities, in which the colored population was more than one-fourth of the total, the death rate of the colored for 1910 (28.8 per 1,000) exceeded that of the white population (16.6) by 12.2 per 1,000, or 73.5 per cent. The corresponding excess for the quinquennial period 1906 to 1910 was 12.5, or 75.3 per cent, and for the preceding quinquennial period 12.1, or 68.4 per cent. The excess of the mortality of the colored over that of the white population seems to be fairly constant. Comparing the reductions in the death rates of both white and colored, as shown by the average annual death rates for the quinquenniums 1901 to 1905 and 1906 to 1910, that of the white decreased from 17.7 to 16.6 per 1,000 population, or 6.2 per cent, while that of the colored decreased from 29.8 to 29.1 per 1,000, or only 2.3 per cent. In 1900, the first year for which death rates are shown in the foregoing table, that for the white was 19.7 and that for the colored 33.3 per 1,000 population. The decrease for 1910 to 16.6 in the white mortality represents a reduction of 15.7 per cent and that to 28.8 in the colored mortality a reduction of 13.5 per cent.

The most striking feature of this table is the uniform manner in which the rates for the colored exceed those for the white population by approximately 12 per 1,000. Notable exceptions are Atlantic City, N. J., where the colored population is of a transient character, and San Antonio, Tex.

In addition to the cities shown in the preceding table, in which the colored population was at least 10 per cent of the total, there are other cities in which the colored population is large enough to make its mortality statistics of interest, although the per cent to total population is smaller than in the preceding group.

The following table shows the death rates of the colored population in all cities in which there were 10,000 or more colored inhabitants at the date of the last census, but in which the proportion of the colored population was below 10 per cent:

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES,[1] PER 1,000 POPULATION.											
		Annual average.		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910
		1901 to 1905	1906 to 1910											
Cities in this table (aggregate)	100.0	17.8	16.5	19.1	18.1	17.6	17.8	18.4	17.3	17.5	17.5	16.0	15.6	16.1
White	96.5	17.4	16.2	18.8	17.8	17.2	17.4	17.9	16.9	17.1	17.2	15.7	15.4	15.8
Colored	3.5	28.7	25.5	28.5	27.2	27.6	30.0	30.5	28.1	26.9	26.7	25.4	23.8	24.9
Los Angeles, Cal. (total)	100.0	16.4	14.8	18.8	16.2	16.3	18.5	14.8	16.2	16.8	16.5	13.8	13.7	14.0
White	95.7	16.2	14.6	18.4	16.0	16.1	18.5	14.7	16.0	16.5	16.1	13.6	13.5	13.9
Colored [2]	4.3	19.6	19.8	27.1	21.6	19.5	19.9	16.8	20.9	23.5	23.8	18.6	17.9	17.0
San Francisco, Cal. (total)	100.0	20.3	16.1	20.6	20.4	21.2	20.7	20.0	19.2	18.3	16.6	15.5	15.0	15.1
White	96.0	19.8	16.1	20.0	19.9	20.5	20.3	19.6	18.9	18.4	16.8	15.5	14.9	14.9
Colored [3]	4.0	30.1	15.9	31.8	29.0	34.2	30.7	29.4	27.3	16.6	12.0	15.9	16.3	18.8
Chicago, Ill. (total)	100.0	14.5	14.9	15.3	14.0	14.7	15.5	14.1	14.1	14.5	15.7	14.5	14.6	15.1
White	97.9	14.3	14.7	15.2	13.8	14.5	15.3	13.8	13.9	14.4	15.6	14.3	14.4	15.0
Colored	2.1	24.5	23.1	23.1	21.7	24.9	26.1	25.6	24.0	22.5	23.5	23.1	22.5	23.9
Indianapolis, Ind. (total)	100.0	15.4	15.2	17.1	15.4	14.1	16.0	16.7	14.6	15.1	15.8	14.2	14.3	16.3
White	90.6	14.6	14.2	16.3	14.9	13.6	15.0	15.8	13.7	14.1	14.8	13.2	13.7	15.4
Colored	9.4	23.1	24.0	24.0	20.7	19.4	25.8	25.9	23.2	25.5	25.7	23.1	21.1	25.0
Boston, Mass. (total)	100.0	18.8	17.9	20.4	19.9	19.1	18.3	18.3	18.5	18.6	18.6	18.3	16.8	17.2
White	97.8	18.6	17.7	20.3	19.7	18.9	18.2	18.1	18.3	18.4	18.5	18.1	16.7	17.0
Colored	2.2	26.0	24.3	27.3	27.8	28.4	25.0	25.3	23.4	26.4	24.8	25.9	22.2	22.6
Kansas City, Mo. (total)	100.0	15.9	14.6	16.3	15.6	14.9	16.1	17.8	15.0	13.3	15.3	14.1	14.4	15.9
White	90.5	14.6	13.5	15.3	14.8	13.7	14.8	16.2	13.6	12.4	14.1	13.1	13.2	14.7
Colored	9.5	27.1	24.9	24.8	23.1	25.2	27.3	31.9	27.4	22.2	26.6	22.8	25.3	27.3
St. Louis, Mo. (total)	100.0	17.9	15.6	17.9	18.0	17.3	18.2	18.9	17.0	15.7	15.9	14.7	15.8	15.8
White	93.5	17.1	14.8	17.1	17.2	16.7	17.3	18.1	16.1	14.9	15.0	13.9	15.1	15.1
Colored	6.5	30.3	26.7	30.7	30.6	26.8	32.8	31.5	29.8	27.4	28.0	25.8	26.8	25.8
New York, N. Y. (total)	100.0	19.0	16.9	20.6	19.9	18.6	18.0	20.1	18.4	18.3	18.3	16.3	16.0	16.0
White	98.0	18.8	16.7	20.4	19.7	18.4	17.7	19.9	18.1	18.1	18.0	16.1	15.8	15.8
Colored	2.0	30.0	26.5	30.7	29.0	28.4	28.8	33.7	30.0	27.1	28.5	26.7	24.9	25.6
Brooklyn Borough (total)	100.0	18.2	16.3	20.1	19.3	18.1	17.3	18.8	17.6	17.7	17.6	15.6	15.4	15.6
White	98.5	18.1	16.2	20.0	19.2	17.9	17.2	18.7	17.5	17.7	17.6	15.5	15.2	15.5
Colored	1.5	24.5	23.0	27.3	25.2	26.1	24.1	25.0	22.5	19.8	22.7	24.0	23.0	26.0
Manhattan Borough (total)	100.0	19.5	17.4	21.3	20.2	18.7	18.5	21.2	18.8	18.5	18.7	16.8	16.6	16.5
White	97.2	19.2	17.2	21.1	20.0	18.5	18.2	20.8	18.5	18.3	18.5	16.5	16.4	16.3
Colored	2.8	32.2	26.9	32.8	29.3	27.8	30.0	39.0	34.7	30.6	30.3	26.9	24.5	23.8
Cincinnati, Ohio (total)	100.0	19.1	18.1	18.2	19.5	17.9	18.6	20.6	18.9	20.4	18.1	18.0	16.5	17.4
White	94.6	18.3	17.3	17.6	18.8	17.2	17.9	19.6	18.1	19.7	17.4	17.1	15.8	16.7
Colored	5.4	34.8	31.4	29.7	32.2	32.5	33.2	40.1	35.5	34.6	30.8	34.7	28.7	28.8
Columbus, Ohio (total)	100.0	15.4	15.1	15.8	14.1	15.5	16.3	16.1	14.9	15.3	15.5	15.2	14.0	15.4
White	92.9	14.8	14.5	15.3	13.7	15.1	15.6	15.4	14.1	14.5	14.3	14.4	13.6	15.0
Colored	7.1	24.0	23.1	22.9	20.8	21.0	26.3	25.7	25.6	25.3	25.3	25.7	19.7	20.3
Philadelphia, Pa. (total)	100.0	18.1	17.7	20.9	18.0	17.5	18.7	18.7	17.6	19.1	18.6	17.3	16.4	17.4
White	94.5	17.5	17.2	20.4	17.4	16.9	18.0	18.0	17.0	18.4	18.0	16.7	15.9	16.8
Colored	5.5	30.1	27.8	30.0	28.7	28.7	32.9	31.3	28.9	31.4	28.8	27.3	25.2	26.8
Pittsburgh, Pa. (total)	100.0	20.1	17.9	20.0	19.3	21.3	21.1	19.3	19.7	19.9	19.3	17.3	15.8	17.9
White	95.1	19.5	17.5	19.7	18.9	20.6	20.1	18.7	19.2	19.4	18.7	17.0	15.6	17.7
Colored	4.9	31.0	24.9	26.6	26.3	33.1	38.1	28.6	28.7	28.5	28.5	24.8	20.4	23.5

[1] Exclusive of stillbirths. [2] About 40 per cent of colored deaths, 1910, Chinese and Japanese. [3] Chiefly Chinese and Japanese.

Most of the cities included in the preceding table are in the North and therefore the death rates shown afford interesting comparisons with the death rates of the colored population shown in the table on page 17, which included almost exclusively southern cities. For the group as a whole the death rates of both white and colored were lower than those of the group shown in the table on page 17, the rates for 1910 being 15.8 per 1,000 for white and 24.9 for colored. A reduction in mortality for each class was shown for the successive quinquenniums, but the reduction was greater for the colored population in this group than in the preceding one, being from 28.7 to 25.5 per 1,000, or 11.1 per cent, as compared with 2.3 per cent in the former group; the reduction in the rate for the white population from 17.4 to 16.2, or 6.9 per cent, was also greater than that of the preceding group, 6.2 per cent. It is interesting to note that in the latter group there was a greater reduction in the rate for the colored population than for the white; in the former group the contrary was true. The difference in the white and colored death rates was only about 9 per 1,000 as compared with a difference of 12 in the group composed chiefly of southern cities. As the northern climate is believed to be less favorable to a race of tropical origin, the relatively lower mortality of the negroes in the North may be accounted for by superior conditions of housing or sanitation.

Comparisons of white and colored mortality are difficult, owing to the fact that the data available relate chiefly to urban population. It would be very desirable, indeed, to have exact data showing the mortality of the colored population in rural communities such as comprise largely the distribution of the negroes in the South. Unfortunately, there are no Southern states included within the registration area, with the exception of Maryland, which may be considered a border state; for the following year data from Kentucky and Missouri will be available. The death rates of the rural population of Maryland, by counties, for each year since its admission to the registration area (1906), are shown in the following table:

COUNTY.	ESTIMATED MID-YEAR POPULATION, 1910.		PER CENT OF TOTAL POPULATION, JULY 1, 1910.		DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.																	
					Annual average: 1906 to 1910			1906			1907			1908			1909			1910		
	White.	Colored.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
Maryland, total for rural districts	545,373	143,767	79.1	20.9	12.9	11.6	17.6	12.7	11.5	16.9	12.9	11.6	17.4	13.1	11.8	17.8	12.7	11.4	17.7	13.2	11.9	18.3
Allegany	40,208	448	98.9	1.1	8.4	8.3	16.1	9.5	9.4	16.1	8.1	8.1	6.2	8.4	8.2	23.3	7.9	7.8	13.0	8.3	8.1	22.3
Anne Arundel[2]	25,420	14,132	64.3	35.7	15.0	11.8	20.6	12.5	9.3	18.1	11.6	9.2	15.8	15.7	13.0	20.4	16.9	13.0	23.9	18.3	14.6	25.0
Baltimore	110,381	12,636	89.7	10.3	14.7	14.3	18.3	15.0	14.6	18.7	15.2	14.9	18.1	14.8	14.2	19.4	13.8	13.4	17.5	14.8	14.5	17.8
Calvert	5,283	5,045	51.2	48.8	14.6	11.9	17.5	13.0	9.4	16.7	15.3	12.8	17.7	14.3	11.1	17.6	15.0	11.8	18.4	15.6	14.2	17.0
Caroline	14,479	4,800	75.1	24.9	13.2	11.1	19.5	8.3	6.5	13.5	13.7	11.1	21.2	14.8	12.2	22.4	15.2	13.1	21.3	13.8	12.2	18.8
Carroll	31,924	2,011	94.1	5.9	14.3	14.0	19.6	13.7	13.5	17.4	15.5	15.0	22.9	14.3	13.8	21.1	14.4	14.1	18.8	13.7	13.4	17.9
Cecil	20,418	3,322	86.0	14.0	13.6	12.5	20.0	12.4	11.5	17.9	11.2	10.3	17.0	14.0	13.2	19.3	15.0	13.9	21.7	15.0	13.5	24.4
Charles	7,809	8,551	47.7	52.3	15.2	12.2	17.8	14.9	12.4	17.0	15.9	12.7	18.8	14.4	11.0	17.6	15.5	11.6	18.9	15.1	13.3	16.7
Dorchester	19,263	9,420	67.2	32.8	15.3	12.8	20.4	13.6	11.9	17.0	17.4	14.1	23.9	15.2	13.3	19.1	16.0	13.8	20.6	14.4	11.1	21.2
Frederick	38,335	3,920	90.7	9.3	11.6	10.9	18.7	11.4	11.1	14.5	11.1	10.5	16.9	12.5	11.6	21.1	11.3	10.3	20.9	11.7	10.9	20.4
Garrett	20,049	106	99.5	0.5	6.4	6.4	10.9	6.6	6.5	17.4	6.8	6.8	17.9	5.0	5.0	9.1	5.0	4.9	9.3	8.4	8.5	....
Harford	22,858	5,101	81.8	18.2	13.3	12.3	17.6	13.3	12.8	15.4	13.9	12.9	18.2	13.4	12.3	18.5	13.4	12.0	19.3	12.6	11.7	16.5
Howard	12,333	3,761	76.6	23.4	14.3	12.8	19.4	13.2	10.8	20.7	15.8	13.4	23.3	14.6	13.7	17.2	14.2	13.5	16.5	13.9	12.3	19.1
Kent	10,784	6,135	63.7	36.3	16.2	13.0	21.7	16.3	12.4	22.7	16.4	13.1	22.1	13.5	10.7	18.3	17.5	13.7	23.9	17.4	15.2	21.4
Montgomery	22,898	9,225	71.3	28.7	10.9	9.3	14.8	11.9	10.0	16.2	11.7	9.9	15.8	10.2	8.3	14.8	10.0	8.6	13.5	10.7	9.6	13.4
Prince Georges	24,786	11,492	68.3	31.7	14.2	11.6	19.4	15.0	12.4	20.0	13.8	11.5	18.5	15.4	12.4	21.6	12.8	10.5	17.5	13.9	11.3	19.6
Queen Annes	11,003	5,804	65.5	34.5	15.4	12.7	20.5	15.5	14.5	17.4	13.7	10.4	19.9	16.5	13.8	21.8	14.6	11.3	20.8	16.9	13.8	22.7
St. Marys	9,743	7,284	57.2	42.8	4.8	5.0	4.6	6.5	6.4	6.6	6.3	6.4	6.2	4.2	4.5	3.9	3.3	4.1	2.2	3.7	3.6	3.8
Somerset	16,990	9,476	64.2	35.8	10.3	9.2	12.2	9.1	8.4	10.5	8.5	8.1	9.2	11.1	10.4	12.2	10.1	9.7	10.8	12.6	9.5	18.3
Talbot	12,841	6,764	65.5	34.5	15.9	12.1	22.8	15.9	11.1	24.6	16.7	14.2	21.2	16.8	13.6	22.7	15.2	10.6	23.9	14.7	11.1	21.4
Washington	32,160	983	97.0	3.0	12.0	11.7	21.4	12.9	12.6	23.3	10.4	10.0	24.7	11.5	11.4	14.6	12.3	12.1	17.9	12.8	12.4	26.4
Wicomico	20,577	6,321	76.5	23.5	11.7	11.0	13.8	12.2	11.3	15.0	11.3	10.6	13.8	13.0	12.3	15.3	11.1	10.6	12.6	10.8	10.4	12.2
Worcester	14,831	7,030	67.8	32.2	11.9	10.2	15.6	11.8	10.4	14.6	13.7	11.7	18.0	11.9	10.1	15.6	10.8	8.9	14.8	11.5	10.0	14.8
Maryland rural districts,[3] exclusive of counties having very defective registration	443,904	121,653	78.5	21.5	13.8	12.4	18.8	13.6	12.3	18.1	13.8	12.4	18.7	14.0	12.6	18.9	13.7	12.2	19.1	14.0	12.7	19.1

[1] Exclusive of stillbirths.
[2] Annapolis and Anne Arundel County rural shown separately in the reports for the years 1906 to 1909 are combined and shown as Anne Arundel County rural in this table.
[3] Exclusive of Allegany, Caroline, Garrett, St. Marys, and Somerset Counties, where the total death rate was less than 10 per 1,000 population in one or more years.

The registration of deaths in Maryland, outside the city of Baltimore, is not as complete as it should be, and in certain counties is practically worthless.[1] For this reason a supplemental total has been prepared showing the mortality of the rural population of Maryland, exclusive of those counties in which the registration of deaths is known to have been very incomplete, at least for certain years of the period.

[1] Amendments to the state law (1912) may yield more complete records.

CAUSES OF DEATH.

The second revision of the International List of Causes of Death became effective for statistical use January 1, 1910, and the present report shows, in Table II, page 82, the detailed list of causes with the International numbers and also with certain subdivisions that have been made for the special purposes of the census compilation. Not only are the deaths for the year 1910 presented according to the latest revision, but the figures for the years from 1900 to 1909, compiled according to the first revision, which was in effect during those years, have also been rearranged and readjusted to conform as far as practicable to the present classification. The principal changes may be seen by referring to the table on page 23; and in the body of Table II, attention is called by asterisks to figures that may not be strictly comparable for the entire series of years. The detailed International List of Causes of Death, which consists of 189 titles intended to include all causes of death deserving separate presentation in statistical reports, is too long and cumbrous for convenient use in certain classes of tables, especially those in which the data relative to an extended list of areas are given. For such purposes a condensed list is desirable, such as the abridged International List, prepared by the International Commission.

The following table shows the titles of the abridged International List, with reference by number to the titles of the detailed International List included in each, and for each title of the abridged list the number and per cent of deaths and death rate in the registration area for 1910:

Abridged International List No.	CAUSE OF DEATH.[1]	DEATHS IN REGISTRATION AREA: 1910			Abridged International List No.	CAUSE OF DEATH.[1]	DEATHS IN REGISTRATION AREA: 1910		
		Number.	Rate per 100,000 population.	Per cent deaths from specified cause form of deaths from all causes.			Number.	Rate per 100,000 population.	Per cent deaths from specified cause form of deaths from all causes.
	All causes [2]	805,412	1,495.8	100.0	24	Diseases of the stomach (cancer excepted) (102, 103)	10,606	19.7	1.3
1	Typhoid fever (1)	12,673	23.5	1.6	25	Diarrhea and enteritis (under 2 years) (104)	54,266	100.8	6.7
2	Typhus fever (2)	2	(3)	(4)	26	Appendicitis and typhlitis (108)	6,128	11.4	0.8
3	Malaria (4)	1,167	2.2	0.1	27	Hernia, intestinal obstruction (109)	6,678	12.4	0.8
4	Smallpox (5)	202	0.4	(4)	28	Cirrhosis of the liver (113)	7,485	13.9	0.9
5	Measles (6)	6,598	12.3	0.8	29	Acute nephritis and Bright's disease (119, 120)	53,330	99.0	6.6
6	Scarlet fever (7)	6,255	11.6	0.8	30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132)	3,586	6.7	0.4
7	Whooping cough (8)	6,146	11.4	0.8	31	Puerperal septicemia (puerperal fever, peritonitis) (137)	3,892	7.2	0.5
8	Diphtheria and croup (9)	11,521	21.4	1.4	32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141)	4,563	8.5	0.6
9	Influenza (10)	7,774	14.4	1.0	33	Congenital debility and malformations (150, 151)	40,348	74.9	5.0
10	Asiatic cholera (12)				34	Senility (154)	13,604	25.3	1.7
11	Cholera nostras (13)	563	1.0	0.1	35	Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186)	48,606	90.3	6.0
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19)	6,098	11.3	0.8	36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163)	8,590	16.0	1.1
13	Tuberculosis of the lungs (28, 29)	75,211	139.7	9.3	37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153)	119,522	222.0	14.8
14	Tuberculous meningitis (30)	4,654	8.6	0.6	38	Unknown or ill-defined diseases (187, 188, 189)	12,462	23:1	1.5
15	Other forms of tuberculosis (31, 32, 33, 34, 35)	6,444	12.0	0.8					
16	Cancer and other malignant tumors (39, 40, 41, 42, 43, 44, 45)	41,039	76.2	5.1					
17	Simple meningitis (61)	7,619	14.2	0.9					
18	Cerebral hemorrhage and softening (64, 65)	40,767	75.7	5.1					
19	Organic diseases of the heart (79)	76,178	141.5	9.5					
20	Acute bronchitis (89)	7,229	13.4	0.9					
21	Chronic bronchitis (90)	5,391	10.0	0.7					
22	Pneumonia (92)	54,187	100.6	6.7					
23	Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98)	34,028	63.2	4.2					

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by number in parentheses.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.
[4] Less than one-tenth of 1 per cent.

The titles of the abridged list, with the abridged title numbers corresponding, are made the basis of various other condensed tables, as, for example, Table III, page 88, and Table 4, page 252, which present the number of deaths and death rates from the more important causes of death for the registration area and its subdivisions. Lists more condensed than the abridged list are necessary for certain purposes; that used in the table showing country of birth of decedents, its relation to the abridged International List, and through that to the detailed International List, may be seen by the next table.

ABRIDGED INTERNATIONAL LIST NO.	CAUSE OF DEATH.[1]
1	Typhoid fever (1).
13	Tuberculosis of lungs (28, 29).
16	Cancer (39, 40, 41, 42, 43, 44, 45).
(37)	Rheumatism (47, 48).
(37)	Diabetes (50).
(37)	Alcoholism (56).
(37)	Lead poisoning (57).
(37)	Other occupational and chronic poisonings (58, 59).
(18), (37)	Apoplexy and paralysis (64, 66).
17, (18), (37)	Other diseases of nervous system (60, 61, 62, 63, 65, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76).
19	Heart disease (79).
(37)	Other diseases of circulatory system (77, 78, 80, 81, 82, 83, 84, 85).
20, 21	Bronchitis (89, 90).
22, (23)	Pneumonia (all forms) (91, 92).
(23)	Pleurisy (93).
(23)	Asthma (96).
(23)	Other diseases of respiratory system (86, 87, 88, 94, 95, 97, 98).
28	Cirrhosis of liver (113).
(37)	Other diseases of liver (111, 112, 114, 115).
(37)	Peritonitis (117).
26	Appendicitis (108).
(27)	Hernia (109A).
(37)	Other diseases of digestive system (99, 100, 101, 102, 103, 104, 105, 106, 107, 109B, 110, 116, 118).
(29)	Bright's disease (120).
31, 32	Childbirth (134, 135, 136, 137, 138, 139, 140, 141).
36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163).
(35)	Poisonous gases, other accidental poisonings (165, 168).
(35)	Other accidents and injuries (164, 166, 167, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186).
	All other causes (2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19[1] 20, 21, 22, 23, 24, 25, 26, 27, 30, 31, 32, 33, 34, 35, 36, 37, 38, 46, 49, 51, 52, 53, 54, 55, 119, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 187, 188, 189).

[1] List of causes in table showing country of birth. The title or titles of the detailed International List that are included under each heading are shown by number in parentheses.

IMPORTANT CAUSES OF DEATH IN 1910.

Of the 38 titles representing individual causes or groups of causes shown in the abridged classification, No. 37, "All other causes," may be dismissed from consideration, as it is merely a grouping of the causes not stated separately in titles 1 to 36. The corresponding groups ("All other causes") in other lists, some of which are even more condensed, possess no special significance and are added merely to balance the table and to show in a general way the proportion of deaths not accounted for by the specific titles employed. The final group of "Unknown or ill-defined diseases" may be considered a general factor of correction to specified causes, but as only 1.5 per cent of the deaths are charged to it, it is practically negligible.

The groups of causes are of less significance than the individual diseases, owing to the unrelated character of many of the titles included in them. The following text will discuss only a few of the more important causes of death, showing the death rates in the registration area, its main subdivisions, the registration states, and cities having a population of 100,000 or more, for the past few years and for the quinquennial periods 1901 to 1905 and 1906 to 1910. With respect to causes not mentioned in this discussion reference may be made to Table III of the present report for rates for 1910 and to Table 4 for the number of deaths in 1910; also to the corresponding tables in the annual report for 1909 for figures for each of the years 1900 to 1909.

For certain important causes of death rates for the five years ending with 1910 are shown in the text tables for cities and other places having a population of between 10,000 and 100,000 in which the death rates from such causes for any of those years reached or exceeded certain assigned limits. These limits, attainment of which is indicated in the tables by boldfaced figures, are selected merely in order that health officers and others who use this report for practical sanitary purposes may see in what portion of the registration area admittedly high rates have occurred during recent years or periods from certain preventable diseases. Undoubtedly with the progress of modern preventive medicine, death rates from typhoid fever, scarlet fever, tuberculosis, and other causes that are now accepted with a certain degree of equanimity as being no greater than those commonly present in many communities, will seem excessive and discreditable. In other words, with the advance of practical hygiene the tacit tolerance of high rates of mortality from causes of death that might readily be prevented will become less and less apparent.

In connection with the discussion of some of the causes of death, comparative data for foreign countries and for foreign cities are presented. These rates have been taken from the latest publications of the Registrar-General of England and Wales, whose office serves as a clearing house where data officially reported by the directors of foreign statistical bureaus are made available for the use of students of vital statistics throughout the world. The statistics for foreign countries are from the Seventy-third Annual Report of the Registrar-General, 1910, and those for foreign cities are from the Annual Summary of Marriages, Births, and Deaths, 1911. The rates have been taken from these publications without recomputation. As the rates for individual diseases are presented therein in the form of rates per 1,000 population carried to the second decimal place, it follows that, when changed to rates per 100,000 in order to be readily comparable with the American rates as usually presented, the figures can be shown only to the last integer, no fractional part being included. This is of no practical consequence, because few if any of the rates per 100,000 population or even of the rates per 10,000 presented in registration reports are accurate beyond the last integer.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

In Table II the changes made in the second revision of the International List, which has been in use since the beginning of 1910, have been carried out as far as practicable for preceding years. It is not always possible, however, to bring the data tabulated under the first and second revisions of the International Classification into exact correspondence, and the possibility of differences arising from the modifications introduced in the second revision should be borne in mind in comparing statements of deaths from various causes and rates based thereon for 1910 and subsequent years with the figures for 1900 to 1909. In the following table some of the more important changes are noted:

CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND REVISION) UNDER WHICH INCLUDED— 1910	1900–1909	Title of first revision under which formerly included.
Tetanus	24	[1] 24	72
Beriberi (new title)	27	19	19
Tuberculosis of the larynx (old title discontinued)	28	[2] I	26
Acute miliary tuberculosis (new title)	29	28	27
Scrofula (old title discontinued)	34	[3] I	35
Rickets (new title)	36	146	146
Rheumatism (unqualified)	47	48	48
Purpura hemorrhagica	55	85	85
Hemophilia	55	85	85
Neuralgia and neuritis (new title)	73	74	74
Endocarditis (unqualified, 60 years of age and over)	79	78	78
Myocarditis (unqualified, 60 years of age and over)	79	78	78
Ankylostomiasis (new title)	106	107	107
Chyluria (new title)	121	122	122
Placenta praevia	135	136	136
Childbirth, parturition, etc. (not otherwise defined)	136	140	140
Puerperal hemorrhage	[4] 135	.....	.....
Other accidents of labor	[4] 136	.....	.....
Puerperal phlegmasia alba dolens, embolus, sudden death	[4] 139	.....	.....
Following childbirth (not otherwise defined)	[4] 140	.....	.....
"Inanition" (from disease, under 1 year)	[5] 151	.....	.....
(under 3 months); 1900 to 1904	.....	153	153
(under 3 months); 1905 to 1909	.....	151	151
(3 months and over); 1900 to 1909	.....	189	179
(from disease, 1 to 69 years)	189	189	179
(from disease, 70 years and over)	[5] 154	189	179
"Asthenia", *"Atrophy"*, *"Debility"* (under 1 year)	[5] 151	.....	.....
"Asthenia", *"Atrophy"*, *"Debility"* (under 3 months)	.....	151	151
"Exhaustion" (3 months and over)	.....	189	179
"Malnutrition" (1 to 69 years)	189	189	179
"Marasmus", *"Weakness"* (70 years and over)	[5] 154	189	179
Atelectasis (under 3 months)	152	151	151
Injury at birth (various forms)	152	([6])	176
"Asthenia", *"Atrophy"*, *"Debility"*, *"Exhaustion"*, *"Inanition"*, *"Malnutrition"*, *"Marasmus"*, *"Weakness"* (70 years and over)	[5] 154	189	179
Poisoning by food (new title)	164	165	175
Conflagration (new title; separately compiled by Bureau of the Census since 1903)	166	168	174
Traumatism by cutting or piercing instruments (new title)	171	([7])	166
Traumatism by fall (new title)	172	([7])	166
Traumatism by other crushing (new title)	175	([7])	166
Injuries by animals (new title)	176	([7])	166
Electricity (lightning excepted) (new title)	181	186	176
Homicide by firearms (new title)	182	([6])	176
Homicide by cutting or piercing instruments (new title)	183	([6])	176
Homicide by other means (new title)	184	([6])	176

[1] Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.
[2] Discontinued as a separate title and included with "Tuberculosis of the lungs," beginning with 1910.
[3] Discontinued as a separate title and included with "Tuberculosis of other organs," beginning with 1910.
[4] In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which, statistics entered under these titles for 1910 are not comparable with those for earlier years.
[5] Changes not effective until 1911.
[6] Formerly included under title 176 of the first revision ("Other external violence"). In effect the title—not title heading or name—has been discontinued, since title 186 of the second revision, although having the same designation, differs considerably in its content from the former title, three out of four subtitles of the former "Other external violence" now being classified under titles other than the present "Other external violence."
[7] Title under which formerly included (see next column) discontinued.

The first column of the foregoing table shows the title number of the second revision of the International List in use since January 1, 1910; the second and third columns show the titles of the second and the first revision, respectively, under which the term would have been compiled according to the rules followed during the years 1900 to 1909. It will be noted that the numbers of titles of the second revision differ in several cases from the numbers of the same titles in the first revision. Thus, for example, tetanus, now compiled under International title No. 24, Class I (General diseases), was formerly compiled under title No. 72, Class II (Diseases of the nervous system) of the old classification.

TYPHOID FEVER.

Typhoid fever caused 12,673 deaths in the registration area during 1910, the death rate being 23.5 per 100,000 population. Although the number of deaths was only 1.6 per cent of the total number from all causes (805,412), this disease causes a much higher proportion of deaths of effectives, that is to say, men and women at the working ages when they are of the greatest economic importance.

The movement of the death rate from this disease for the registration area, its main subdivisions, the registration states, and the large cities (those of 100,000 population or over in 1910) may be seen in the next table.

AREA. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area	32.0	25.6	29.5	24.3	21.1	23.5
Registration states [1]	24.9	24.6	28.2	23.4	20.1	22.8
Cities in registration states [1]	24.5	25.3	30.8	23.5	19.4	22.4
Rural part of registration states	25.4	23.8	25.1	23.2	20.9	23.3
Registration cities in other states	44.7	31.0	34.7	28.8	27.4	29.3
All registration cities [1]	34.6	26.8	32.0	25.0	21.2	23.7
REGISTRATION STATES.						
California	(2)	23.8	25.6	24.1	19.4	19.2
Colorado	(2)	43.3	55.1	40.4	31.0	41.9
Connecticut	22.1	17.5	19.8	17.8	13.9	14.7
Indiana	43.5	34.7	35.8	34.1	32.8	34.0
Maine	29.2	18.2	17.4	20.4	14.6	20.3
Maryland	(2)	39.1	41.1	39.7	32.6	40.7
Massachusetts	18.2	13.7	12.6	16.1	11.8	12.4
Michigan	24.8	24.4	22.2	25.1	23.7	23.7
Minnesota	(2)	(3)	(2)	(2)	(2)	32.1
Montana	(2)	(3)	(2)	(2)	(2)	39.9
New Hampshire	19.3	15.3	12.2	19.4	12.6	10.7
New Jersey	19.1	14.9	18.3	14.3	11.2	14.5
New York	22.3	17.0	20.0	16.1	14.9	15.3
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	57.7
Ohio	(2)	(3)	(2)	(2)	27.0	27.5
Pennsylvania	(2)	36.4	48.6	33.0	22.7	24.6
Rhode Island	18.6	13.1	10.9	12.7	12.0	13.6
Utah	(2)	(3)	(2)	(2)	(2)	37.0
Vermont	25.4	15.7	10.8	19.2	14.9	14.0
Washington	(2)	(3)	(2)	27.8	28.0	28.0
Wisconsin	(2)	(3)	(2)	14.0	14.5	23.3
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala	(2)	(3)	(2)	83.3	59.7	49.5
Los Angeles, Cal	31.9	18.7	22.2	17.3	16.1	14.2
Oakland, Cal	23.0	24.0	41.9	25.3	11.2	16.5
San Francisco, Cal	26.2	27.0	30.1	19.3	13.9	15.5
Denver, Colo	41.8	40.0	83.3	42.4	24.1	27.5
Bridgeport, Conn	18.1	10.8	12.9	16.6	9.0	4.9
New Haven, Conn	47.1	30.4	29.3	33.3	20.5	17.9
Washington, D. C	56.3	36.4	35.1	38.9	34.3	23.2
Atlanta, Ga	63.8	62.1	89.2	58.7	50.6	50.1
Chicago, Ill	28.8	15.7	18.2	15.8	12.6	13.7
Indianapolis, Ind	46.2	29.8	30.7	27.7	22.3	28.5
Louisville, Ky	56.7	52.9	71.4	46.7	45.0	31.7
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
New Orleans, La	40.4	35.1	54.6	32.5	28.4	31.5
Baltimore, Md	36.3	35.4	42.6	32.2	24.9	42.0
Boston, Mass	22.1	16.2	10.2	24.7	13.8	11.3
Cambridge, Mass	11.6	9.8	7.9	12.7	7.7	9.5
Fall River, Mass	18.0	14.7	17.0	12.2	21.3	15.0
Lowell, Mass	21.9	14.9	11.0	25.4	10.5	19.7
Worcester, Mass	15.6	11.9	14.0	10.0	8.4	15.7
Detroit, Mich	20.3	21.9	25.5	19.6	20.5	23.0
Grand Rapids, Mich	47.5	29.0	31.6	30.7	17.2	28.3
Minneapolis, Minn	37.8	31.9	26.5	18.5	21.0	58.7
St. Paul, Minn	12.3	18.0	17.6	12.5	18.9	19.5
Kansas City, Mo	49.8	36.4	34.1	29.4	29.3	54.4
St. Louis, Mo	37.3	16.3	16.5	15.4	16.2	14.9
Omaha, Nebr	20.7	41.1	25.4	24.1	36.8	86.7
Jersey City, N. J	18.0	12.6	13.7	9.4	8.8	11.5
Newark, N. J	18.6	15.1	22.9	11.4	11.9	13.1
Paterson, N. J	20.2	8.3	11.1	9.1	9.7	7.1
Albany, N. Y	22.0	17.3	21.2	12.1	19.0	14.0
Buffalo, N. Y	28.8	23.1	28.5	19.9	23.8	20.4
New York, N. Y	18.1	13.5	17.1	11.9	12.1	11.6
Bronx Borough	14.6	12.4	14.1	9.9	15.3	9.4
Brooklyn Borough	21.9	14.3	18.7	13.6	11.9	11.9
Manhattan Borough	16.0	13.1	16.8	11.1	11.3	11.4
Queens Borough	18.5	14.0	15.3	12.7	14.1	14.2
Richmond Borough	19.3	12.6	15.3	8.6	13.1	12.7
Rochester, N. Y	13.7	13.3	15.7	11.2	9.4	13.7
Syracuse, N. Y	16.0	16.0	15.1	14.6	11.2	28.2
Cincinnati, Ohio	55.6	30.9	45.4	18.2	13.3	8.8
Cleveland, Ohio	47.8	15.9	17.7	11.8	13.3	17.9
Columbus, Ohio	69.6	41.6	35.8	102.4	19.6	18.1
Dayton, Ohio	31.1	25.4	35.1	18.2	26.9	21.4
Toledo, Ohio	36.7	41.0	37.9	42.0	41.7	37.2
Portland, Oreg	24.6	23.5	21.9	23.4	22.0	22.4
Philadelphia, Pa	52.0	41.4	60.3	35.2	22.3	17.5
Pittsburgh, Pa	126.1	66.8	131.2	48.9	24.6	27.8
Scranton, Pa	19.7	35.5	75.2	11.2	16.4	16.9
Providence, R. I	20.2	14.6	8.1	16.8	11.4	17.7
Memphis, Tenn	44.8	41.6	44.0	42.5	48.8	27.4
Nashville, Tenn	57.3	61.8	80.6	57.9	52.0	48.9
Richmond, Va	57.1	35.4	40.6	49.7	24.1	21.9
Seattle, Wash	27.2	24.8	47.7	18.1	23.8	14.2
Spokane, Wash	53.5	50.0	53.1	50.4	43.2	45.4
Milwaukee, Wis	18.1	27.8	24.6	16.3	21.4	45.7

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

In the foregoing table rates of 40 or over per 100,000 for any of the years or periods are indicated by boldfaced type. This is a somewhat high limit for a disease which is due to neglect of ordinary sanitary precautions and the mortality from which may be taken as a criterion of sanitary inefficiency.

As shown in the following tables the death rate from typhoid fever for the registration area of the United States is far in excess of those of the majority of European countries.

Compared with statistics for European countries and cities with modern sanitation, American rates are excessively high. The rate of the registration area for the year 1910 (23.5) is about the same as that of England and Wales 30 years ago. Some progress is being made, however, the rate for the quinquennium 1906 to 1910 (25.6) showing a marked decrease from that of the preceding quinquennium (32), and certain cities, some of which formerly had high death rates from typhoid fever, show unusually low rates for 1910, although such rates are not lower than those attained by European cities 15 or 20 years ago.

COUNTRY.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.							
	ANNUAL AVERAGE.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
United States (registration area)	(1)	(1)	(1)	(1)	32	26	21	24
Australian Commonwealth	55	51	28	36	21	16	15	15
Austria	73	58	44	27	19	14	13	13
Belgium	56	40	34	24	17	(2)	9	(2)
England and Wales	22	18	17	17	11	7	6	5
Hungary	(2)	(2)	(2)	[3] 38	29	27	31	24
Ireland	16	17	17	21	13	8	7	6
Italy	(2)	[3] 79	51	50	35	(2)	28	(2)
Netherlands [4]	18	13	12	10	9	6	5	5
New Zealand	23	22	17	14	8	7	6	6
Ontario, Province of	27	24	(2)	21	20	31	30	32
Prussia	46	25	17	13	9	5	5	5
Roumania	(2)	(2)	16	12	13	20	29	16
Scotland	27	19	18	16	11	(2)	6	(2)
Servia	(2)	(2)	153	113	68	(2)	(2)	(2)
Spain	(2)	(2)	(2)	(2)	44	32	28	24
Sweden [5]	27	23	20	15	9	(2)	4	(2)
Switzerland	29	16	11	8	6	(2)	3	(2)

[1] Figures for deaths not available for the entire period.
[2] Rate not published.
[3] Average for four years.
[4] Including typhus.
[5] Including brain fever and acute poliomyelitis.

CITY.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.							
	Annual average.							
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910	1909	1910
London	23	14	13	14	8	4	3	4
Edinburgh	29	15	16	12	8	2	1	2
Glasgow	32	18	19	24	15	10	11	6
Dublin (registration area)	38	46	44	41	22	12	15	10
Belfast	28	50	52	103	49	14	5	5
Sydney	67	61	23	21	14	13	14	15
Melbourne	67	91	33	31	13	9	9	9
Montreal	62	41	21	25	31	(1)	54	(2)
Toronto	66	62	45	20	19	(1)	34	(2)
Paris	88	41	22	19	12	9	9	7
Brussels	29	22	24	20	11	12	8	19
Amsterdam	37	21	17	12	9	9	4	7
Rotterdam	21	16	9	22	11	8	7	7
The Hague	33	22	14	8	5	2	5	2
Copenhagen	17	12	9	9	8	4	2	3
Stockholm	24	15	12	5	3	2	1	4
Christiania	7	8	6	12	3	3	2	2
St. Petersburg	103	51	39	79	61	65	26	37
Moscow	42	25	25	22	16	15	16	18
Berlin	23	14	8	5	4	4	4	4
Hamburg	28	57	18	5	4	4	3	5
Dresden	18	11	6	5	4	4	3	3
Breslau	29	15	11	9	8	5	3	7
Munich	17	12	6	4	4	2	2	2
Vienna	17	11	6	6	4	4	3	4
Prague	42	34	39	26	24	11	11	8
Budapest	50	48	19	22	10	15	18	20
Trieste	27	14	16	24	18	15	10	12
Milan	92	71	58	44	44	39	40	35
Turin	77	43	34	23	25	16	13	12
Venice	[3] 55	38	26	33	34	(1)	16	23
New York	40	26	21	18	18	14	12	12
Chicago	75	63	82	33	28	15	12	14
Philadelphia	69	68	43	46	50	[4] 41	21	[4] 18
Boston	50	39	30	30	22	[4] 16	15	[4] 11
Rio de Janeiro	50	28	23	21	18	7	6	5

[1] Figures for deaths not available for the entire period.
[2] Figures for deaths not available.
[3] Average for four years.
[4] Figures furnished by the Bureau of the Census.

Among the large cities with rates under 10 per 100,000 for the year 1910 were Bridgeport (4.9), Cambridge (9.5), Paterson (7.1), and Cincinnati (8.8). All the registration states for which comparisons for the two quinquenniums can be made show a more or less marked decrease in the death rate from typhoid fever during the latter half of the decade. This was true also for the large cities with few exceptions. Among the cities of this group, the only ones in which the annual average death rate from typhoid fever for the past five years was markedly higher than that for the years 1901 to 1905, were Omaha, where there was an epidemic in 1910; Toledo, Scranton, Nashville, and Milwaukee.

In the following table death rates from typhoid fever for the years 1906 to 1910 are shown according to color of decedents for certain areas with a considerable proportion of colored population.

In the majority of the areas shown the annual average death rate of the colored population from this disease for the period 1906 to 1910 was greater than that of the white, although in many of them the mortality of the white was greater in one or more of the individual years. The variations among the cities in this respect or in the same area from year to year may be due to some extent to the more or less inaccurate reporting of causes of death and the tendency in some cities to ascribe a large number of deaths from this cause to malaria.

AREA.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	33.5	59.4	34.5	73.5	30.5	57.5	37.3	66.0	31.7	55.3	33.6	44.5
Birmingham, Ala	(1)	(1)	(2)	(2)	(2)	(2)	77.3	92.5	61.2	57.4	49.5	49.3
Mobile, Ala	52.7	53.9	44.5	28.0	52.9	38.9	56.3	22.2	62.9	57.3	45.2	114.0
Wilmington, Del	39.1	30.4	46.0	53.4	57.3	10.8	23.6	32.5	29.7	32.8	39.5	22.0
Washington, D. C	31.2	49.2	37.9	84.8	33.6	38.8	38.6	39.6	28.0	49.8	19.0	33.6
Jacksonville, Fla	104.7	83.0	84.9	58.3	136.7	128.3	73.0	92.2	84.3	71.7	138.3	67.2
Atlanta, Ga	60.5	65.1	62.5	73.7	85.9	95.4	56.0	63.8	45.5	60.6	56.0	38.3
Savannah, Ga	50.4	30.9	48.5	39.8	106.0	63.9	25.5	24.2	38.0	12.1	34.6	15.0
Kansas City, Kans	(1)	(1)	(2)	(2)	(2)	(2)	49.3	84.3	69.2	117.7	90.0	138.7
Louisville, Ky	44.4	90.8	65.7	92.4	63.9	104.6	35.5	96.8	34.1	94.0	23.9	66.6
New Orleans, La	32.5	42.3	30.4	25.8	48.3	71.8	28.5	43.4	29.2	25.9	26.8	44.5
Baltimore, Md	33.6	45.2	32.2	51.8	39.5	59.8	32.4	30.9	23.2	34.3	40.7	49.3
Charleston, S. C	51.6	63.5	75.7	86.4	44.8	54.5	44.2	48.1	47.3	64.3	46.7	64.4
Memphis, Tenn	35.1	50.8	40.8	55.9	36.6	54.1	38.5	48.1	43.3	56.8	19.0	40.0
Nashville, Tenn	55.8	73.7	66.7	83.1	74.3	92.7	41.5	90.1	49.2	57.4	50.0	46.5
San Antonio, Tex	41.8	25.4	24.1	10.4	53.7	30.3	31.8	39.1	44.8	9.5	51.9	36.8
Norfolk, Va	66.0	61.0	88.1	60.8	88.4	80.7	76.4	52.2	55.3	64.0	25.8	47.8
Richmond, Va	38.3	30.3	47.6	37.5	51.7	21.5	53.8	42.6	24.5	23.5	18.5	27.8

[1] Figures for deaths not available for the entire period 1906–1910.
[2] Not admitted to registration area until 1908.

The next table shows the death rates from typhoid fever for each year of the period 1906 to 1910 in certain minor cities (that is, municipalities having a population of over 10,000 but less than 100,000 in 1910). In many cases the death rates are based on small populations, hence their significance may not be especially great for single years, but the continued occurrence of high rates is significant.

CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Mobile, Ala.	37.2	46.7	41.2	60.5	75.6
Montgomery, Ala.	(1)	(1)	66.4	73.9	36.7
Alameda, Cal.	33.8	37.3	40.7	4.4	12.8
Bakersfield, Cal.	(2)	(2)	(2)	(2)	93.6
Fresno, Cal.	127.2	52.6	95.3	86.3	59.8
Riverside, Cal.	(2)	(2)	(2)	(2)	45.6
Sacramento, Cal.	38.7	59.5	69.0	48.3	28.9
Santa Barbara, Cal.	(2)	(2)	(2)	(2)	42.5
Pueblo, Colo.	91.3	45.1	48.1	30.1	78.3
Middletown town, Conn.	30.8	20.2	24.8	43.9	33.6
Norwalk town, Conn.	26.6	43.5	42.7	8.4	41.2
Wilmington, Del.	44.5	40.3	24.6	30.0	37.7
Jacksonville, Fla.	70.0	132.1	83.1	77.8	102.3
Key West, Fla.	29.4	118.4	49.6	34.9	70.3
Savannah, Ga.	44.0	34.4	24.9	24.7	24.6
Belleville, Ill.	28.6	37.9	47.4	61.6	18.9
Springfield, Ill.	37.3	73.9	35.7	33.6	52.0
Anderson, Ind.	27.8	18.3	36.3	31.4	53.3
Elkhart, Ind.	11.3	5.5	5.4	63.3	10.3
Elwood, Ind.	76.5	60.5	43.9	17.9	54.6
Gary, Ind.	(2)	(2)	(2)	(2)	[3] 101.2
Hammond, Ind.	56.4	80.3	154.0	39.4	56.9
Huntington, Ind.	9.9	9.9	49.1	29.3	19.5
Jeffersonville, Ind.	56.9	95.1	85.9	38.3	67.3
Kokomo, Ind.	42.6	27.3	77.8	18.1	75.9
Lafayette, Ind.	41.4	15.4	45.6	55.2	49.7
Logansport, Ind.	61.3	16.4	37.8	31.9	47.1
Marion, Ind.	31.5	36.6	10.4	31.1	41.3
Michigan City, Ind.	34.8	51.1	49.1	26.7	47.1
Muncie, Ind.	39.5	21.7	25.8	58.7	37.4
New Albany, Ind.	33.9	135.7	33.9	58.2	19.4
Peru, Ind.	18.6	37.0	18.4	36.8	55.0
Terre Haute, Ind.	45.9	46.9	35.4	62.7	29.1
Vincennes, Ind.	15.2	51.1	14.2	27.5	26.7
Kansas City, Kans.	(1)	(1)	53.2	74.7	95.5
Leavenworth, Kans.	24.4	34.6	35.2	56.1	74.9
Wichita, Kans.	27.3	39.2	42.2	71.2	43.1
Covington, Ky.	51.8	56.7	35.5	20.8	15.0
Newport, Ky.	60.9	77.3	50.1	29.9	32.9
Paducah, Ky.	65.2	87.1	58.7	35.6	65.7
Augusta, Me.	55.5	31.3	38.7	22.9	15.1
Bangor, Me.	42.3	29.2	28.8	36.6	32.2
Portland, Me.	16.3	19.6	38.6	24.2	52.8
Waterville, Me.	.....	18.4	18.0	8.9	52.2
Cumberland, Md.	119.8	146.3	76.3	69.9	155.0
Frederick, Md.	60.1	39.6	88.2	67.8	86.3
Hagerstown, Md.	39.0	51.0	18.8	49.2	18.1
Adams town, Mass.	31.7	55.0	.....	7.7	.....
Clinton town, Mass.	.....	53.5	15.3	15.3	7.6
Hyde Park town, Mass.	13.6	6.7	19.8	6.5	77.2
Milford town, Mass.	40.6	16.0	7.9	7.8	.....
Newburyport, Mass.	54.3	27.0	80.8	13.4	20.1
North Adams, Mass.	31.6	40.7	27.2	27.2	18.2
Peabody town, Mass.	7.3	7.0	40.6	19.6	.....
Southbridge town, Mass.	35.2	8.6	16.6	40.5	15.8
Adrian, Mich.	46.7	37.3	18.6	37.2	18.6
Alpena, Mich.	56.0	23.9	71.4	63.2	39.3
Battle Creek, Mich.	34.3	25.2	41.1	36.2	31.5
Bay City, Mich.	47.3	39.5	45.7	35.9	24.3
Escanaba, Mich.	101.4	221.4	127.4	232.4	60.3
Flint, Mich.	25.8	25.6	35.1	59.4	101.6
Ironwood, Mich.	36.3	34.8	41.8	72.3	15.5
Ishpeming, Mich.	16.8	49.8	.....	8.1	16.0
Kalamazoo, Mich.	42.2	17.2	35.6	7.9	32.7
Lansing, Mich.	70.4	15.4	50.2	13.4	47.4
Manistee, Mich.	7.9	47.9	40.1	32.2	16.2
Marquette, Mich.	36.5	72.1	44.5	52.7	95.3
Menominee, Mich.	73.5	83.4	56.1	56.7	66.7
Pontiac, Mich.	24.0	23.0	7.4	14.2	54.6
Port Huron, Mich.	56.1	46.3	20.8	57.8	74.4
Sault Ste. Marie, Mich.	59.0	16.6	73.4	56.2	23.7
Traverse City, Mich.	95.3	25.6	59.1	33.3	24.7
Duluth, Minn.	45.6	41.0	55.8	51.1	75.9
Mankato, Minn.	.....	37.3	292.5	38.2	9.7
Stillwater, Minn.	(1)	(1)	(1)	(1)	59.4
Virginia, Minn.	(1)	(1)	(1)	(1)	234.5
Billings, Mont.	(1)	(1)	(1)	(1)	108.1
Great Falls, Mont.	(1)	(1)	(1)	(1)	201.0
Missoula, Mont.	(1)	(1)	(1)	(1)	99.6
Berlin, N. H.	131.2	9.1	26.7	17.3	42.2
Dover, N. H.	37.8	45.3	52.9	15.1	.....
Hackensack, N. J.	17.0	16.2	.....	22.1	42.3
Long Branch, N. J.	48.3	71.1	62.1	61.0	59.9
Morristown, N. J.	57.3	32.5	24.2	8.0	47.9
Phillipsburg, N. J.	.....	36.8	7.3	7.2	43.1

CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Plainfield, N. J.	10.6	5.2	45.5	14.8	14.5
Trenton, N. J.	34.5	79.3	52.1	31.7	50.3
Auburn, N. Y.	12.1	6.0	50.2	17.5	8.6
Batavia, N. Y.	38.0	18.5	27.0	26.3	42.8
Cohoes, N. Y.	53.7	86.3	73.6	81.3	76.8
Corning, N. Y.	37.0	73.7	95.4	131.6	58.2
Cortland, N. Y.	8.9	26.5	8.8	26.2	78.1
Dunkirk, N. Y.	38.3	74.7	12.1	5.9	23.1
Elmira, N. Y.	47.2	30.3	30.0	32.5	26.9
Geneva, N. Y.	40.9	24.4	32.4	16.1	16.1
Glens Falls, N. Y.	54.1	33.6	39.9	6.6	19.6
Hudson, N. Y.	37.7	9.2	18.1	8.9	61.1
Little Falls, N. Y.	44.2	17.3	33.8	8.3	16.2
Lockport, N. Y.	62.7	51.0	56.3	55.9	11.1
Middletown, N. Y.	25.6	12.9	45.3	19.5	26.1
Newburgh, N. Y.	41.3	37.1	40.4	50.8	46.6
Niagara Falls, N. Y.	150.1	131.5	103.6	87.3	98.0
North Tonawanda N. Y.	28.5	45.8	53.2	51.5	41.6
Ogdensburg, N. Y.	86.3	39.2	32.2	25.4	50.1
Oswego, N. Y.	66.4	61.4	60.9	21.5	47.0
Peekskill, N. Y.	14.6	14.2	207.0	13.4	26.1
Poughkeepsie, N. Y.	42.7	113.9	33.4	21.8	17.8
Saratoga Springs, N. Y.	46.4	54.4	23.4	.....	15.8
Watertown, N. Y.	46.9	46.3	45.8	41.5	97.0
Watervliet, N. Y.	47.9	40.7	40.4	6.7	39.7
Charlotte, N. C.	(1)	(1)	(1)	(1)	49.8
Durham, N. C.	(1)	(1)	(1)	(1)	48.7
Greensboro, N. C.	(1)	(1)	(1)	(1)	43.7
Raleigh, N. C.	74.2	141.2	93.4	26.0	78.1
Wilmington, N. C.	83.6	45.1	56.3	78.9	73.5
Winston, N. C.	(1)	(1)	(1)	(1)	57.7
Alliance, Ohio	(1)	(1)	(1)	41.1	19.7
Ashtabula, Ohio	37.7	18.3	82.9	40.3	43.6
Bellaire, Ohio	80.6	56.6	23.9	46.9	7.7
Cambridge, Ohio	(1)	(1)	(1)	27.1	52.7
Canton, Ohio	20.2	56.4	16.8	20.4	27.7
Chillicothe, Ohio	57.5	71.1	49.2	152.9	89.4
East Liverpool, Ohio	(1)	(1)	(1)	64.6	83.1
Findlay, Ohio	31.4	38.4	.....	46.4	27.0
Hamilton, Ohio	48.5	28.1	27.1	26.2	16.9
Ironton, Ohio	86.9	101.7	69.7	30.7	22.8
Mansfield, Ohio	(1)	(1)	(1)	92.6	19.2
Marietta, Ohio	22.9	38.3	69.2	23.2	7.7
Piqua, Ohio	(1)	(1)	(1)	22.6	44.7
Portsmouth, Ohio	56.3	86.8	71.2	47.8	59.3
Sandusky, Ohio	(1)	(1)	(1)	40.1	30.0
Steubenville, Ohio	(1)	(1)	(1)	69.0	66.5
Warren, Ohio	(1)	(1)	(1)	45.9	143.8
Youngstown, Ohio	53.6	36.3	41.0	34.0	57.7
Zanesville, Ohio	(1)	(1)	(1)	43.7	53.3
Allentown, Pa.	47.5	48.1	24.3	51.2	32.6
Altoona, Pa.	68.1	56.6	55.5	35.0	40.1
Beaver Falls, Pa.	105.6	77.7	25.4	16.6	16.3
Braddock, Pa.	128.2	158.4	107.0	52.5	56.6
Butler, Pa.	70.9	72.5	37.0	30.1	23.9
Carbondale, Pa.	51.0	6.2	42.7	29.8	23.4
Chester, Pa.	68.0	43.0	26.5	21.0	41.4
Connellsville, Pa.	(2)	(2)	(2)	(2)	54.1
Dubois, Pa.	44.0	76.9	16.6	32.4	47.3
Dunmore, Pa.	63.8	18.5	.....	5.8	.....
Duquesne, Pa.	98.8	65.1	.....	26.3	12.6
Easton, Pa.	47.8	43.6	21.5	32.0	17.5
Erie, Pa.	47.4	76.6	60.9	29.0	38.9
Greensburg, Pa.	(2)	(2)	(2)	(2)	107.3
Harrisburg, Pa.	64.3	47.7	50.0	29.4	32.6
Johnstown, Pa.	49.8	69.9	76.8	51.9	64.4
Lancaster, Pa.	82.2	17.5	15.2	25.7	14.8
Lebanon, Pa.	16.1	10.6	26.4	68.0	15.6
McKeesport, Pa.	155.7	106.0	96.8	42.8	65.3
Meadville, Pa.	32.8	48.6	40.0	31.6	15.6
Nanticoke, Pa.	43.0	5.9	11.3	5.5	5.3
New Castle, Pa.	36.5	82.7	77.3	39.2	38.4
Norristown, Pa.	66.1	34.2	41.0	36.5	46.4
Oil City, Pa.	6.8	20.0	46.0	25.9	19.1
Phoenixville, Pa.	78.8	126.2	95.6	28.3	37.1
Plymouth, Pa.	19.1	6.2	42.7	.....	23.4
Pottstown, Pa.	26.9	59.8	72.1	51.8	12.8
Pottsville, Pa.	37.8	42.2	51.5	20.1	29.5
Reading, Pa.	40.2	47.1	53.8	37.0	32.1
Sharon, Pa.	95.6	171.0	207.2	33.5	117.2
South Sharon, Pa.	(2)	(2)	(2)	(2)	[3] 117.8
Steelton, Pa.	126.4	65.9	72.1	14.2	.....
Sunbury, Pa.	40.8	63.2	7.7	66.9	36.1
Uniontown, Pa.	(2)	(2)	(2)	(2)	89.1
Warren, Pa.	39.9	38.8	9.5	27.6	71.8

[1] Not admitted to registration area until a later date. [2] Included in rural. [3] Based on population enumerated April 15, 1910.

CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Washington, Pa.	(1)	(1)	(1)	(1)	**63.7**
West Chester, Pa.	**91.7**	**116.8**	**114.5**	**34.5**	**33.9**
Wilkes-Barre, Pa.	**31.0**	**44.6**	**23.3**	**13.7**	**37.1**
Wilkinsburg, Pa.	**199.1**	**47.7**	**44.9**	**38.0**	**52.5**
Williamsport, Pa.	**45.7**	**67.8**	**44.7**	**31.6**	**40.7**
Cumberland town, R. I.	.....	**51.6**	.....	**10.0**	.....
Charleston, S. C.	**81.5**	**50.0**	**46.3**	**56.3**	**56.0**
Knoxville, Tenn.	(2)	(2)	**50.5**	**74.9**	**32.9**
San Antonio, Tex.	**22.5**	**51.0**	**32.7**	**40.8**	**50.2**
Ogden, Utah	(2)	(2)	**25.1**	**40.3**	**50.4**
Salt Lake City, Utah	**53.4**	**72.2**	**35.6**	**49.1**	**46.0**
Rutland, Vt.	**23.5**	.....	.....	**22.4**	**44.2**
Alexandria, Va.	**39.9**	**66.2**	**39.5**	**52.4**	**130.3**
Danville, Va.	(2)	(2)	**69.3**	**26.5**	**68.2**
Lynchburg, Va.	**65.5**	**102.9**	**69.6**	**34.3**	**30.4**
Norfolk, Va.	**77.4**	**85.4**	**67.2**	**58.6**	**34.0**
Petersburg, Va.	**129.1**	**51.1**	**46.4**	**71.0**	**66.2**
North Yakima, Wash.	(2)	(2)	(1)	(1)	**237.6**
Tacoma, Wash.	**35.8**	**42.8**	**28.3**	**24.8**	**21.3**
Walla Walla, Wash.	(2)	(2)	**45.7**	**80.3**	**76.8**
Wheeling, W. Va.	**128.1**	**107.7**	**68.1**	**50.7**	**50.4**
Ashland, Wis.	(2)	(2)	**55.3**	**116.0**	**322.6**
Beloit, Wis.	**44.9**	**14.5**	.....	**13.6**	**6.6**
Eau Claire, Wis.	**48.3**	**10.8**	**54.1**	**38.1**	**43.7**
Kenosha, Wis.	(2)	(2)	**56.3**	**34.0**	**41.7**
Marinette, Wis.	**26.3**	**39.9**	**13.4**	**27.2**	**48.0**
Racine, Wis.	(2)	(2)	**19.5**	**27.0**	**52.3**
Sheboygan, Wis.	(2)	(2)	**93.9**	**23.1**	**26.4**
Superior, Wis.	**93.6**	**26.2**	**15.4**	**30.2**	**83.9**

[1] Included in rural.

[2] Not admitted to registration area until a later date.

No comment is needed on the extensive prevalence of typhoid fever throughout the urban communities of the United States, excessively high death rates being recorded in many areas year after year. The highest death rates for 1910 were those of Ashland, Wis. (322.6); North Yakima, Wash. (237.6); Virginia, Minn. (234.5); Great Falls, Mont. (201); Cumberland, Md. (155); Warren, Ohio (143.8); Alexandria, Va. (130.3); South Sharon, Pa. (117.8); Sharon, Pa. (117.2); and Billings, Mont. (108.1).

Special investigations have been made of many of the epidemics of typhoid fever by officers of the United States Public Health Service.[1] In the case of Ashland, Wis., for example, it is stated that the excessively high death rate resulting from the epidemic of 1910 "was due primarily, in all probability, to polluted water and poor efficiency of the filter plant."

An invariably high annual death rate indicates a condition more dangerous, both to the community itself and to other communities to which infection may be taken, than a higher rate occurring only occasionally. The only large cities with rates higher than 40 for a series of years ending with 1910 were Birmingham, Atlanta, Nashville, and Spokane; but several of the minor cities had such rates, notably, Fresno, Cal.; Jacksonville, Fla.; Cumberland, Md.; Escanaba and Menominee, Mich.; Duluth, Minn.; Long Branch, N. J.; Cohoes, Niagara Falls, and Watertown, N. Y.; Wilmington, N. C.; Chillicothe and Portsmouth, Ohio; Braddock, Johnstown, and McKeesport, Pa.; Charleston, S. C.; Petersburg, Va.; and Wheeling, W. Va. In some of these cities there has been a marked reduction in the mortality from this disease in recent years, although the rates were excessive even in 1910. Active measures have been taken in some cities to improve the water supply, and the rates for succeeding years in those cities will be such, it is hoped, as to remove them from this class.

[1] See Bulletin No. 83, Sewage Pollution of Interstate and International Waters with Special Reference to the Spread of Typhoid Fever, by Allan J. McLaughlin. See also Bulletin No. 72, Report on an Outbreak of Typhoid Fever at Omaha, Nebr. (1909–1910), by L. L. Lumsden.

MALARIA.

Only 1,167 deaths from malaria were reported in the registration area during the year 1910. As this area does not include the population of any of the Southern states, except for certain registration cities, and as the rates in those cities from this cause are, as a rule, higher than in the North, it is certain that the relative importance of this disease as a cause of death in the United States is not properly indicated by the mortality statistics at present available. On the other hand, it is probable that many deaths reported from malaria or malarial fever are actually due to typhoid fever, tuberculosis, or other causes. The very considerable degree of uncertainty with respect to the returns of deaths from malaria is well shown by the following extract from the Annual Report of the Richmond Health Department for 1911:

> On the face of the reported mortality figures, the lowering of the death rate from malarial fever in the past four years might well be thought to be the most notable accomplishment of the Richmond Health Department since its reorganization. The number of deaths and the death rate from malarial fever in Richmond for the past eight years are given below:

YEAR.	DEATHS FROM MALARIAL FEVER.	
	Number of deaths.	Rate per 100,000.
1904	17	18.8
1905	28	30.4
1906	14	15.0
1907	32	28.2
1908	7	6.1
1909	9	7.7
1910	6	4.7
1911	1	.8

The above table shows an average of 23.1 deaths per 100,000 inhabitants from malarial fever for the four years 1904–1907, inclusive, and an average of 4.8 for the past four years, 1908–1911, inclusive.

The number of deaths from malarial fever in 1907 was stated to be 23 in the Annual Report of the Richmond Health Department for that year, against 32 as given in the above table. In 9 death certificates received during 1907 malarial fever and some other serious illness were given as the joint cause of death. These were classified by our office under the other cause given on the certificate since we knew, as will be pointed out, the rarity of fatal malaria in our climate. The United States Bureau of the Census, however, assigned these 9 deaths to malarial fever, making a total

of 32 deaths, and we have changed our classification to conform thereto.

It was the high reported death rate from malarial fever in 1907 (32 deaths, equivalent to a rate of 28.2 per 100,000) that led me to investigate the reliability of the returns. I found that out of the 32 deaths assigned to this cause, 11 had been reported by one physician, 6 by another, and 5 by a third. With over 200 physicians practicing in Richmond at that time, 1 had thus reported 34 per cent (or over one-third) of all the deaths from malaria; 2 had reported 53 per cent (or over one-half) of all, and 3 had reported 69 per cent (or over two-thirds) of all. This, of course, showed the utter unreliability of the returns.

In order to throw further light on the matter, a letter was addressed to eight prominent practitioners of the city, asking each how many fatal cases of malarial fever he had had during the entire course of his practice in Richmond. Seven of them replied that they had never had a death from malaria in Richmond and the eighth had had one death, the disease in this instance having been contracted in a Southern state.

Armed with the above facts, the physicians who had reported so many deaths from malaria were interviewed. They were shown that it was impossible that any three doctors should have had 22 deaths from malaria in a single year, while eight other doctors, with very large practices, should have had only one death from this disease during their entire experience—averaging at least 15 years—the proportion being thus 880 to 1. They were respectfully requested to bear these facts in mind and to avoid using the term malaria to cover those cases of fever in which they had simply failed to find any other cause. Since that time we always get further information on every death certificate on which malarial fever is stated as the cause of death.

In the following table the death rates from malaria are shown for the registration area and its principal subdivisions, registration states, and cities having a population of 100,000 or over in 1910, for each year of the period 1906 to 1910:

AREA. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM MALARIA PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area	4.8	2.6	2.7	2.4	2.3	2.2
Registration states [1]	3.5	1.6	1.8	1.3	1.4	1.3
Cities in registration states [1]	3.1	1.3	1.6	1.0	1.0	1.0
Rural part of registration states	4.0	1.9	2.0	1.6	1.8	1.7
Registration cities in other states	7.2	7.7	6.6	7.4	8.3	8.6
All registration cities [1]	5.1	3.0	3.1	2.8	2.7	2.5
REGISTRATION STATES.						
California	(2)	3.5	2.4	3.3	4.4	3.5
Colorado	(2)	0.6	0.7	0.4	0.5	1.1
Connecticut	7.4	3.4	3.8	3.3	2.8	2.5
Indiana	6.8	4.5	4.1	4.0	4.7	4.2
Maine	1.9	0.9	1.4	1.0	0.9	0.4
Maryland	(2)	2.5	3.0	1.9	2.1	1.7
Massachusetts	2.2	0.8	1.2	0.5	0.7	0.7
Michigan	3.2	1.3	1.2	1.4	1.0	0.7
Minnesota	(2)	(3)	(2)	(2)	(2)	0.1
Montana	(2)	(3)	(2)	(2)	(2)	.....
New Hampshire	1.6	1.1	1.6	0.9	0.5	0.2
New Jersey	3.1	1.4	2.0	1.2	0.9	1.0
New York	2.6	1.3	1.7	1.0	1.1	0.9
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	33.2
Ohio	(2)	(3)	(2)	(2)	1.6	0.8
Pennsylvania	(2)	0.8	0.9	0.7	0.7	0.6
Rhode Island	5.4	1.7	1.4	1.9	1.5	0.9
Utah	(2)	(3)	(2)	(2)	(2)	.....
Vermont	1.5	1.0	2.6	0.3	0.3	0.8
Washington	(2)	(3)	(2)	0.6	0.3	0.1
Wisconsin	(2)	(3)	(2)	0.3	0.5	0.1
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.	(2)	(3)	(2)	22.4	21.3	26.3
Los Angeles, Cal.	1.1	0.8	0.8	1.1	1.0	0.9
Oakland, Cal.	2.9	1.4	1.9	0.9	1.7	1.3
San Francisco, Cal.	2.1	1.4	0.8	1.5	1.7	1.9
Denver, Colo	0.7	0.7	1.0	1.0	0.5	0.9
Bridgeport, Conn.	4.5	1.9	4.3	1.0	1.0	1.0
New Haven, Conn.	9.1	6.0	6.3	6.2	4.6	4.5
Washington, D. C.	3.1	3.7	2.8	2.5	3.4	2.7
Atlanta, Ga.	8.3	7.3	8.1	10.2	5.9	2.6
Chicago, Ill.	0.9	0.5	0.3	0.5	0.4	0.5
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind.	4.0	2.7	3.7	3.1	2.2	1.7
Louisville, Ky.	5.5	4.2	5.9	4.1	3.6	3.6
New Orleans, La.	26.8	12.9	12.0	19.1	11.9	9.7
Baltimore, Md.	5.3	2.6	1.8	1.6	2.2	2.0
Boston, Mass.	0.8	0.4	1.3	0.5	.....	0.1
Cambridge, Mass.	1.5	0.4	1.0	.....	1.0	.....
Fall River, Mass.	1.1	0.2	.....	.....	.....	0.8
Lowell, Mass.	1.7	1.2	3.0	.....	1.0	1.9
Worcester, Mass.	5.6	1.3	2.9	.....	1.4	0.7
Detroit, Mich.	2.2	1.0	0.7	1.4	0.4	0.6
Grand Rapids, Mich.	2.3	1.7	3.8	1.9	0.9	.....
Minneapolis, Minn.	0.3	0.1	.....	.....	0.3	.....
St. Paul, Minn.	0.1	.....	.....	.....	.....	.....
Kansas City, Mo.	6.6	2.7	1.4	5.3	2.1	4.0
St. Louis, Mo.	10.3	8.3	7.0	7.9	8.7	4.9
Omaha, Nebr.	1.6	1.0	0.8	1.7	1.6	0.8
Jersey City, N. J.	2.8	1.0	2.4	0.4	.....	1.1
Newark, N. J.	3.3	1.2	3.2	0.3	.....	0.9
Paterson, N. J.	3.1	1.0	0.9	1.7	0.8	.....
Albany, N. Y.	1.5	0.8	.....	1.0	1.0	1.0
Buffalo, N. Y.	0.5	0.5	1.0	.....	0.2	0.2
New York, N. Y.	2.9	1.1	1.7	0.7	0.9	0.7
Bronx Borough	8.8	1.1	1.8	1.3	0.7	0.9
Brooklyn Borough	3.4	1.6	2.6	1.0	1.4	0.9
Manhattan Borough	1.5	0.6	0.8	0.3	0.3	0.3
Queens Borough	5.4	2.7	3.4	1.2	2.6	2.1
Richmond Borough	4.5	2.0	2.5	2.5	2.4	.....
Rochester, N. Y.	0.8	0.2	.....	.....	0.5	0.5
Syracuse, N. Y.	0.5	0.6	0.8	1.5	0.7	.....
Cincinnati, Ohio	2.2	1.0	0.6	0.8	1.4	0.3
Cleveland, Ohio	1.1	0.4	0.4	0.8	0.4	0.2
Columbus, Ohio	1.9	0.2	.....	0.6	0.6	.....
Dayton, Ohio	3.3	1.8	3.1	.....	2.0	0.9
Toledo, Ohio	4.3	2.0	2.5	0.6	1.8	1.8
Portland, Oreg.	0.6	0.8	.....	1.7	1.0	0.5
Philadelphia, Pa.	1.2	0.6	0.8	0.7	0.5	0.5
Pittsburgh, Pa.	1.2	0.3	0.8	0.2	.....	0.4
Scranton, Pa.	2.2	0.6	0.8	.....	0.8	0.8
Providence, R. I.	5.9	1.8	2.4	1.4	1.4	0.4
Memphis, Tenn.	132.0	104.7	114.4	111.1	97.6	73.8
Nashville, Tenn.	32.3	17.7	15.7	14.7	21.0	10.0
Richmond, Va.	20.8	12.4	28.2	6.1	7.7	4.7
Seattle, Wash.	0.5	.....	.....	.....	.....	.....
Spokane, Wash.	0.4	0.9	2.5	1.1	1.0	.....
Milwaukee, Wis.	0.3	0.1	.....	.....	0.3	0.3

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

Only a few areas shown in the table had death rates as high as 10 per 100,000 from this disease for any of the years or periods shown. Among these for 1910 were the municipalities of North Carolina (33.2), Birmingham (26.3), Memphis (73.8), and Nashville (10). A marked decrease in the mortality is shown for New Orleans, Memphis, Nashville, and Richmond, cities which formerly had rates above 20 per 100,000. Greater attention may, perhaps, be given to the verification of deaths reported from this cause.

The following table shows the death rates from malaria for minor cities (municipalities having a population of 10,000 or over but less than 100,000 in 1910), in which for any of the five years 1906 to 1910 the rate was as high as 10 per 100,000. Few northern cities show high rates for consecutive years.

CITY. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM MALARIA PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Mobile, Ala.	32.2	29.5	45.1	42.9	56.2
Montgomery, Ala.	(1)	(1)	42.5	63.3	89.0
Bakersfield, Cal.	(2)	(2)	(2)	(2)	46.8
Fresno, Cal.	16.6	15.8	5.0	4.8	.....
Sacramento, Cal.	2.6	.....	11.9	13.8	4.4
Ansonia, Conn.	.....	.....	.....	6.7	13.2
Greenwich town, Conn.	.....	13.1	19.1	.....	12.1
Meriden town, Conn.	26.0	9.6	15.9	9.4	6.2
Middletown town, Conn.	.....	5.0	9.9	.....	14.4
Wallingford town, Conn.	19.4	.....	.....	.....	.....
Jacksonville, Fla.	75.0	67.2	46.6	64.8	71.6
Key West, Fla.	29.4	24.7	14.9	.....	10.0
Savannah, Ga.	108.5	121.9	135.2	77.2	89.0
Belleville, Ill.	11.4	.....	.....	.....	.....
Elkhart, Ind.	11.3	.....	.....	.....	5.2
Evansville, Ind.	13.8	4.5	5.9	14.5	11.5
Kokomo, Ind.	.....	6.8	25.9	12.1	11.7
Lafayette, Ind.	10.3	10.2	.....	.....	.....
New Albany, Ind.	14.5	9.7	9.7	9.7	9.7
Terre Haute, Ind.	5.5	.....	1.8	3.5	10.3
Vincennes, Ind.	7.6	14.6	14.2	13.7	20.0
Paducah, Ky.	55.9	55.0	72.2	106.7	83.2
Chelsea, Mass.	10.5	.....	.....	3.1	.....
Webster town, Mass.	19.3	.....	.....	.....	.....
Hackensack, N. J.	17.0	.....	.....	.....	.....
Harrison, N. J.	7.6	.....	21.6	.....	.....
Kearny, N. J.	13.6	6.3	.....	.....	.....
Long Branch, N. J.	8.0	.....	.....	38.1	.....
Morristown, N. J.	.....	16.3	.....	.....	8.0
Corning, N. Y.	14.8	.....	.....	.....	.....
Ithaca, N. Y.	13.7	.....	.....	.....	6.7
Peekskill, N. Y.	29.3	7.1	6.9	.....	.....
Poughkeepsie, N. Y.	11.6	11.4	.....	.....	.....
Watervliet, N. Y.	13.7	.....	.....	6.7	.....
Charlotte, N. C.	(1)	(1)	(1)	(1)	43.9
Durham, N. C.	(1)	(1)	(1)	(1)	21.7
Greensboro, N. C.	(1)	(1)	(1)	(1)	25.0
Raleigh, N. C.	29.7	37.2	5.2	46.8	26.0
Wilmington, N. C.	117.1	65.6	56.3	31.5	54.2
Marietta, Ohio	.....	7.7	7.7	15.4	.....
Massillon, Ohio	15.2	7.5	.....	.....	.....
Chester, Pa.	13.6	5.4	2.7	2.6	2.6
Dunmore, Pa.	.....	12.4	.....	.....	.....
Pottstown, Pa.	6.7	13.3	.....	.....	.....
Warren, Pa.	10.9	.....	9.5	.....	.....
Central Falls, R. I.	5.0	.....	13.9	4.5	.....
Cranston, R. I.[3]	21.8	.....	5.0	4.9	.....
Cumberland town, R. I.	10.5	.....	.....	.....	.....
Charleston, S. C.	34.7	24.1	42.9	11.9	30.6
San Antonio, Tex.	7.5	26.1	18.0	19.3	13.3
Barre, Vt.	10.1	.....	.....	.....	.....
Alexandria, Va.	13.3	.....	.....	.....	.....
Danville, Va.	(1)	(1)	16.0	15.9	47.2
Norfolk, Va.	30.0	28.0	21.4	31.5	29.6
Petersburg, Va.	172.2	51.1	29.5	66.8	37.2

[1] Not admitted to registration area until a later date. [2] Included in rural. [3] Including state institutions, 1907 to 1910.

The relative incidence of this disease upon the white and colored population may be seen in the following table for the years 1906 to 1910, for areas having a considerable proportion of colored population:

AREA.	DEATH RATE FROM MALARIA PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	2.0	4.7	2.5	4.8	3.0	8.2	1.9	3.4	1.3	5.5	1.5	1.4
Birmingham, Ala.	(1)	(1)	(2)	(2)	(2)	(2)	8.0	44.2	9.4	39.5	12.4	47.6
Mobile, Ala.	21.4	68.3	17.8	50.4	17.6	44.5	24.6	71.0	21.0	70.6	24.3	96.4
Wilmington, Del.	0.5	.....	.....	.....	1.3	.....	1.3	.....	.....	.....	.....	.....
Washington, D. C.	2.5	6.4	4.1	14.1	1.8	5.4	1.8	4.3	3.4	3.2	1.7	5.3
Jacksonville, Fla.	32.6	93.7	45.3	98.6	19.5	107.6	17.2	73.0	34.5	93.2	45.0	97.5
Atlanta, Ga.	4.6	12.3	10.4	11.9	5.0	14.0	3.6	22.8	4.4	8.7	1.0	5.8
Savannah, Ga.	37.6	171.5	48.5	165.2	45.0	194.9	22.3	242.4	25.3	126.7	47.1	129.1
Kansas City, Kans.	(1)	(1)	(2)	(2)	(2)	(2)	3.1	36.1	3.0	11.8	1.4	32.0
Louisville, Ky.	1.6	15.9	1.7	12.5	2.2	22.4	1.1	17.4	2.2	9.9	0.5	17.3
New Orleans, La.	9.4	22.4	9.0	18.8	5.9	28.9	16.1	27.4	8.9	20.3	7.2	16.7
Baltimore, Md.	2.3	4.3	4.2	13.2	2.0	1.2	1.7	1.2	1.9	3.5	1.9	2.3
Charleston, S. C.	16.2	39.8	22.7	44.8	.....	44.9	33.2	51.3	.....	22.5	25.1	35.4
Memphis, Tenn.	55.6	174.1	69.0	215.2	51.8	199.8	60.8	182.1	56.3	157.8	43.0	120.1
Nashville, Tenn.	10.9	31.2	22.8	43.2	9.8	27.3	9.7	24.6	9.6	43.7	5.4	19.2
San Antonio, Tex.	16.8	17.6	7.1	10.4	26.9	20.2	17.8	19.6	18.2	28.4	13.8	9.2
Norfolk, Va.	12.8	53.0	23.3	40.5	12.6	52.4	2.5	52.2	19.2	52.0	7.0	67.7
Richmond, Va.	5.6	23.1	8.5	26.0	8.4	62.1	2.8	11.8	6.8	9.4	2.5	8.5

[1] Figures for deaths not available for the entire period 1906–1910. [2] Not admitted to registration area until 1908.

As a rule, the mortality from malaria of the colored population is markedly higher than that of the white population, so far as the returns may be regarded as conclusive. It is probable, however, that the precision of statement of cause of death is less for the colored than for the whites.

SMALLPOX.

It would not be necessary to present any mortality tables or discussion of this disease, which caused only 202 deaths in the registration area during 1910, were it not for its great historical importance and the possibility of increased epidemic prevalence. As a "scourge," this disease now belongs to ancient history. The following table shows the death rates per 100,000 population in the registration area, its main subdivisions, registration states, and large cities, for the years 1907 to 1910, and annual averages for the periods 1901 to 1905 and 1906 to 1910:

AREA. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area	3.4	0.2	0.2	0.2	0.2	0.4
Registration states[1]	2.6	0.2	0.1	0.1	0.1	0.4
Cities in registration states[1]	3.4	0.2	0.1	0.1	0.1	0.4
Rural part of registration states	1.5	0.2	0.1	0.2	0.1	0.4
Registration cities in other states	4.9	0.3	0.3	0.4	0.4	0.2
All registration cities[1]	4.2	0.2	0.2	0.2	0.2	0.4
REGISTRATION STATES.						
California	(2)	0.5	0.3	0.4	0.2	(3)
Colorado	(2)	0.4	0.6	0.4	.....	0.9
Connecticut	0.4	.....	.....	.....	.....	.....
Indiana	3.3	0.2	0.3	0.3	0.1	(3)
Maine	0.6	.....	.....	.....	.....	.....
Maryland	(2)	.....	.....	.....	.....	.....
Massachusetts	2.8	0.1	0.2	0.1	(3)	.....
Michigan	1.6	1.1	0.3	0.3	0.1	4.3
Minnesota	(2)	(4)	(2)	(2)	(2)	0.5
Montana	(2)	(4)	(2)	(2)	(2)	0.5
New Hampshire	0.7	.....	.....	.....	.....	.....
New Jersey	6.0	(3)	.....	(3)	0.1	.....
New York	2.4	0.1	0.1	(3)	(3)	0.1
North Carolina[5]	(2)	(4)	(2)	(2)	(2)	1.7
Ohio	(2)	(4)	(2)	(2)	0.1	0.3
Pennsylvania	(2)	(3)	(3)	.....	.....	0.1
Rhode Island	2.0	.....	.....	.....	.....	.....
Utah	(2)	(4)	(2)	(2)	(2)	0.5
Vermont	0.3	0.1	.....	0.3	.....	.....
Washington	(2)	(4)	(2)	0.3	0.8	0.7
Wisconsin	(2)	(4)	(2)	0.4	0.7	0.1
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala	(2)	(4)	(2)	.....	.....	.....
Los Angeles, Cal	.....	0.1	.....	0.4	0.3	.....
Oakland, Cal	.....	.....	.....	.....	.....	.....
San Francisco, Cal	0.2	1.3	1.0	0.5	.....	.....
Denver, Colo	0.2	.....	.....	.....	.....	.....
Bridgeport, Conn	.....	.....	.....	.....	.....	.....
New Haven, Conn	.....	.....	.....	.....	.....	.....
Washington, D. C	0.9	0.2	.....	.....	.....	.....
Atlanta, Ga	3.7	0.3	.....	.....	.....	0.6
Chicago, Ill	1.6	(3)	(3)	.....	.....	(3)

AREA. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind	12.7	0.5	0.9	0.9	.....	.....
Louisville, Ky	2.8	.....	.....	.....	.....	.....
New Orleans, La	4.4	1.8	3.1	2.7	.....	0.6
Baltimore, Md	0.5	.....	.....	.....	.....	.....
Boston, Mass	9.6	(3)	.....	.....	0.2	.....
Cambridge, Mass	7.4	.....	.....	.....	.....	.....
Fall River, Mass	0.8	0.9	2.7	1.7	.....	.....
Lowell, Mass	1.1	.....	.....	.....	.....	.....
Worcester, Mass	0.8	.....	.....	.....	.....	.....
Detroit, Mich	1.3	(3)	0.2	.....	.....	.....
Grand Rapids, Mich	7.5	0.2	.....	.....	0.9	.....
Minneapolis, Minn	2.4	0.3	0.7	0.7	.....	0.3
St. Paul, Minn	2.2	0.8	1.0	1.9	.....	0.5
Kansas City, Mo	5.9	0.7	1.4	0.9	.....	0.8
St. Louis, Mo	4.4	0.1	.....	0.1	.....	.....
Omaha, Nebr	1.3	1.0	.....	5.0	.....	.....
Jersey City, N. J	1.4	0.1	.....	.....	.....	.....
Newark, N. J	19.6	0.1	.....	.....	0.3	.....
Paterson, N. J	1.1	.....	.....	.....	.....	.....
Albany, N. Y	2.5	.....	.....	.....	.....	.....
Buffalo, N. Y	0.5	0.1	0.3	.....	.....	0.2
New York, N. Y	3.8	0.1	0.2	(3)	(3)	0.1
Bronx Borough	42.6	.....	.....	.....	.....	.....
Brooklyn Borough	2.4	0.2	0.5	0.1	.....	0.1
Manhattan Borough	0.5	0.1	(3)	.....	0.1	0.2
Queens Borough	0.2	.....	.....	.....	.....	.....
Richmond Borough	0.3	.....	.....	.....	.....	.....
Rochester, N. Y	11.6	.....	.....	.....	.....	.....
Syracuse, N. Y	.....	.....	.....	.....	.....	.....
Cincinnati, Ohio	2.1	0.3	.....	0.8	0.6	.....
Cleveland, Ohio	13.0	0.1	.....	.....	.....	0.4
Columbus, Ohio	7.6	.....	.....	.....	.....	.....
Dayton, Ohio	6.4	0.2	.....	.....	1.0	.....
Toledo, Ohio	2.1	.....	.....	.....	.....	.....
Portland, Oreg	0.5	0.1	.....	.....	.....	.....
Philadelphia, Pa	13.1	0.1	.....	.....	.....	0.3
Pittsburgh, Pa	26.0	0.2	.....	.....	.....	.....
Scranton, Pa	0.5	.....	.....	.....	.....	.....
Providence, R. I	1.1	.....	.....	.....	.....	.....
Memphis, Tenn	5.0	0.5	.....	.....	1.7	.....
Nashville, Tenn	.....	0.2	.....	0.9	.....	.....
Richmond, Va	0.4	.....	.....	.....	.....	.....
Seattle, Wash	1.0	.....	.....	.....	.....	.....
Spokane, Wash	5.0	1.1	3.7	2.1	.....	.....
Milwaukee, Wis	0.4	0.1	0.3	.....	0.3	.....

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Less than one-tenth of 1 per 100,000.
[4] Figures for deaths not available for the entire period 1906–1910.
[5] Including only municipalities having a population of 1,000 or over in 1900.

The mortality from smallpox in the registration area for 1910, although double that for the preceding year, was only four-tenths of 1 per 100,000 population. Michigan was the only registration state which had a fairly high rate in 1910 (4.3 per 100,000). None of the main subdivisions, registration states, or large cities had a rate as high as 5 per 100,000 in any of the years from 1907 to 1910, nor have death rates of 10 or over per 100,000 from this disease been recorded in the registration area of the United States during the five years 1906 to 1910, except for the five cities for which figures are shown in the following table:

CITY. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Bay City, Mich	4.7	.....	.....	.....	66.2
Saginaw, Mich	2.1	.....	.....	.....	94.8
South Bethlehem, Pa	11.5	.....	.....	.....	.....
Norfolk, Va	4.7	.....	.....	25.5	1.5
Eau Claire, Wis	.....	.....	.....	10.9	5.5

MEASLES.

Measles is one of the group of so-called children's diseases, comprising measles, scarlet fever, whooping cough, and diphtheria, diseases from which the mortality is chiefly among children under 10 years of age. About the same number of deaths were due to the first three diseases of this group, namely, measles (6,598), scarlet fever (6,255), and whooping cough (6,146), the death rates being, respectively, 12.3, 11.6, and 11.4 per 100,000, while nearly twice as many were reported for diphtheria (11,521, or 21.4 per 100,000). In the comparative tables for these causes, death rates as high as 20 per 100,000 for measles, scarlet fever, and whooping cough, and as high as 40 per 100,000 for diphtheria, are indicated by boldfaced type.

The following table shows the death rates for measles in the main subdivisions of the registration area, registration states, and major cities, for each of the years from 1907 to 1910 and the quinquenniums 1901 to 1905 and 1906 to 1910:

AREA. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area	9.0	10.8	10.0	9.9	9.6	12.3
Registration states [1]	8.8	11.1	9.6	10.5	10.0	12.5
Cities in registration states [1]	10.5	13.1	11.1	13.0	12.4	13.4
Rural part of registration states	6.7	8.9	7.7	7.8	7.3	11.6
Registration cities in other states	9.4	8.9	11.8	6.6	6.6	10.1
All registration cities [1]	9.9	12.0	11.3	11.2	11.1	12.8
REGISTRATION STATES.						
California	(2)	6.6	8.6	4.0	4.9	7.4
Colorado	(2)	11.0	26.6	14.0	4.0	8.0
Connecticut	9.5	9.9	6.6	7.8	12.2	8.2
Indiana	7.7	8.2	8.5	7.7	5.4	16.6
Maine	4.4	8.1	4.4	3.0	4.6	13.0
Maryland	(2)	7.4	10.7	6.1	10.5	4.1
Massachusetts	9.2	10.7	8.5	15.0	7.8	11.6
Michigan	6.2	8.4	9.2	4.4	9.6	9.0
Minnesota	(2)	(3)	(2)	(2)	(2)	11.9
Montana	(2)	(3)	(2)	(2)	(3)	4.2
New Hampshire	6.6	5.9	4.7	4.2	10.0	6.7
New Jersey	6.5	8.8	6.4	7.8	9.5	9.9
New York	11.1	13.7	11.4	13.3	14.6	13.9
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	27.1
Ohio	(2)	(3)	(2)	(2)	5.3	16.5
Pennsylvania	(2)	15.3	9.8	16.4	14.0	16.1
Rhode Island	10.0	18.2	6.1	15.6	11.5	32.6
Utah	(2)	(3)	(2)	(2)	(2)	1.3
Vermont	7.1	8.4	2.6	2.5	21.4	6.7
Washington	(2)	(3)	(2)	2.1	4.0	6.6
Wisconsin	(2)	(3)	(2)	4.2	7.3	8.0
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala	(2)	(3)	(2)	.....	.....	18.0
Los Angeles, Cal	3.0	8.5	3.2	2.2	6.8	15.5
Oakland, Cal	4.3	7.7	9.5	1.8	5.2	4.0
San Francisco, Cal	8.4	9.0	13.6	5.0	7.1	5.3
Denver, Colo	7.7	8.6	17.6	15.5	4.3	3.3
Bridgeport, Conn	9.9	13.3	19.3	6.2	9.0	5.8
New Haven, Conn	11.7	13.3	4.7	6.2	23.6	4.5
Washington, D. C	5.6	4.9	1.9	0.6	11.9	1.2
Atlanta, Ga	14.8	13.3	39.7	17.2	.....	9.0
Chicago, Ill	10.0	8.8	12.8	8.1	7.7	8.7
Indianapolis, Ind	3.8	9.6	21.5	1.3	4.8	17.9
Louisville, Ky	2.1	2.8	6.9	1.8	2.7	1.3
New Orleans, La	2.4	9.2	20.7	3.6	0.6	19.4
Baltimore, Md	8.6	6.8	13.6	3.3	11.0	3.6
Boston, Mass	16.0	16.5	10.2	27.7	10.6	14.2
Cambridge, Mass	6.7	5.7	7.0	8.8	4.8	3.8
Fall River, Mass	14.8	17.3	15.2	42.0	0.9	17.5
Lowell, Mass	12.4	15.3	9.0	13.7	4.8	28.1
Worcester, Mass	7.9	10.3	7.4	13.6	4.9	15.7
Detroit, Mich	9.0	10.3	4.4	4.0	18.9	6.6
Grand Rapids, Mich	3.6	3.5	2.9	8.4	1.8	.....
Minneapolis, Minn	3.4	8.4	1.8	7.3	.....	15.8
St. Paul, Minn	4.5	5.9	3.4	1.9	0.5	14.8
Kansas City, Mo	5.1	11.6	23.0	3.1	0.8	28.4
St. Louis, Mo	8.1	10.2	15.3	1.6	22.6	9.3
Omaha, Nebr	5.9	10.3	23.7	1.7	16.3	5.6
Jersey City, N. J	6.4	7.8	6.9	3.5	7.2	8.5
Newark, N. J	9.2	10.6	6.4	7.4	10.7	16.0
Paterson, N. J	7.0	8.5	2.6	7.5	7.3	8.7
Albany, N. Y	5.0	10.3	3.0	13.1	9.0	23.9
Buffalo, N. Y	12.3	15.4	18.6	8.4	18.5	22.1
New York, N. Y	14.4	18.6	15.3	19.6	20.2	14.4
Bronx Borough	29.4	29.6	25.9	51.8	15.1	12.3
Brooklyn Borough	15.7	22.5	17.0	18.0	29.3	21.2
Manhattan Borough	12.8	15.7	14.3	17.1	16.2	10.9
Queens Borough	5.3	8.2	2.1	7.5	10.7	9.7
Richmond Borough	6.8	9.6	7.6	7.4	14.3	6.9
Rochester, N. Y	8.3	8.0	2.5	8.3	20.3	5.9
Syracuse, N. Y	6.0	5.9	4.8	9.2	.....	8.7
Cincinnati, Ohio	14.1	14.7	9.3	15.1	0.3	16.2
Cleveland, Ohio	5.0	12.5	7.7	8.0	9.8	17.0
Columbus, Ohio	7.0	8.7	0.6	3.0	9.5	23.6
Dayton, Ohio	8.9	5.7	13.4	2.0	11.0	1.7
Toledo, Ohio	6.0	8.8	8.9	1.2	7.9	16.5
Portland, Oreg	2.3	3.5	3.0	1.1	4.2	3.8
Philadelphia, Pa	12.3	15.5	6.7	17.7	15.1	10.6
Pittsburgh, Pa	31.1	25.8	11.5	47.4	8.3	33.1
Scranton, Pa	8.3	11.7	6.5	4.0	17.2	8.4
Providence, R. I	12.4	24.4	10.0	20.5	18.6	31.9
Memphis, Tenn	5.2	4.8	11.4	6.1	.....	6.1
Nashville, Tenn	13.8	10.9	35.2	11.9	.....	4.5
Richmond, Va	6.9	13.7	34.4	6.1	0.9	21.1
Seattle, Wash	5.4	2.7	3.7	1.4	3.1	2.9
Spokane, Wash	4.3	4.6	4.9	2.1	6.0	7.6
Milwaukee, Wis	6.1	14.5	2.1	8.3	22.8	10.6

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

The mortality from measles was higher for the year 1910 than for any of the previous years or periods shown. High rates in 1910 are shown for the municipalities of North Carolina, for which no earlier data are available for comparison; for Rhode Island (32.6) and for the cities of Lowell (28.1), Kansas City (28.4), Albany (23.9), Buffalo (22.1), Columbus (23.6), Pittsburgh (33.1), Providence (31.9), and Richmond (21.1). In the following long list of minor municipalities—too long by far if sanitary officers were awake to the importance of anticipating epidemics—a fairly high degree of epidemic prevalence in one or more of the years 1906 to 1910 is indicated by boldfaced type for rates of at least 20 per 100,000.

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Mobile, Ala.	.....	24.6	15.7	2.0	.....
Fresno, Cal.	16.6	31.6	10.0	.....	8.0
Sacramento, Cal.	.....	24.8	2.4	6.9	6.7
Pueblo, Colo.	.....	52.6	.....	.....	17.9
Ansonia, Conn.	7.0	34.6	.....	6.7	.....
Bristol town, Conn.	33.3	.....	.....	37.9	36.8
Danbury town, Conn.	4.6	8.9	4.4	21.6	4.2
Greenwich town, Conn.	20.3	.....	31.9	12.4	.....
Middletown town, Conn.	.....	5.0	.....	24.4	14.4
New Britain, Conn.	37.0	17.7	2.4	.....	38.4
New London, Conn.	21.2	.....	5.2	5.1	15.2
Stamford town, Conn.	.....	11.5	7.4	60.6	6.9
Torrington town, Conn.	6.6	12.8	.....	78.8	.....
Wallingford town, Conn.	19.4	.....	46.5	.....	17.9
Waterbury, Conn.	10.8	4.5	26.0	7.0	8.2
Key West, Fla.	78.5	.....	.....	.....	10.0
Savannah, Ga.	1.6	3.1	23.3	.....	1.5
Belleville, Ill.	.....	4.7	33.2	.....	14.2
Decatur, Ill.	18.0	.....	.....	3.3	22.4
Springfield, Ill.	11.7	28.3	6.3	25.7	5.8
Anderson, Ind.	.....	.....	.....	.....	62.2
East Chicago, Ind.	(1)	(1)	(1)	(1)	36.0
Elwood, Ind.	.....	.....	.....	8.9	72.8
Fort Wayne, Ind.	23.4	3.5	3.4	3.2	14.0
Jeffersonville, Ind.	.....	28.5	.....	9.6	28.8
Lafayette, Ind.	.....	25.6	5.1	.....	14.9
Marion, Ind.	.....	15.7	.....	.....	20.6
Michigan City, Ind.	11.6	11.3	.....	.....	26.2
Muncie, Ind.	.....	26.1	.....	.....	16.6
New Albany, Ind.	.....	9.7	.....	.....	24.2
South Bend, Ind.	8.6	4.1	.....	21.1	.....
Terre Haute, Ind.	.....	7.2	12.4	1.7	22.3
Vincennes, Ind.	.....	.....	106.1	.....	26.7
Kansas City, Kans.	(2)	(2)	2.7	8.0	26.6
Covington, Ky.	15.8	8.4	27.2	.....	5.6
Newport, Ky.	10.2	.....	23.4	.....	13.2
Paducah, Ky.	.....	41.2	4.5	.....	8.8
Auburn, Me.	70.2	6.9	.....	.....	53.0
Biddeford, Me.	23.9	.....	.....	.....	35.1
Lewiston, Me.	75.1	.....	.....	.....	15.2
Waterville, Me.	.....	.....	36.0	8.9	.....
Cumberland, Md.	.....	24.4	66.7	.....	.....
Frederick, Md.	30.1	9.9	.....	9.7	.....
Hagerstown, Md.	6.5	6.4	.....	30.7	.....
Attleborough town, Mass.	7.4	.....	.....	.....	24.4
Brockton, Mass.	.....	.....	1.9	21.6	1.7
Brookline town, Mass.	24.5	.....	3.8	3.7	.....
Chelsea, Mass.	15.8	12.9	40.1	3.1	.....
Chicopee, Mass.	4.7	31.2	.....	4.1	7.8
Clinton town, Mass.	.....	30.6	7.6	.....	.....
Everett, Mass.	6.6	3.2	31.3	3.1	5.9
Fitchburg, Mass.	2.9	8.5	.....	24.3	2.6
Framingham town, Mass.	.....	.....	.....	55.0	.....
Gardner town, Mass.	7.9	.....	7.3	7.0	27.0
Haverhill, Mass.	.....	9.9	21.5	2.3	2.3
Lawrence, Mass.	14.9	16.9	8.7	30.0	20.8
Leominster town, Mass.	33.2	.....	36.6	5.9	.....
Lynn, Mass.	8.8	26.7	10.6	1.1	4.5
Marlborough, Mass.	21.1	.....	.....	.....	6.8
Milford town, Mass.	40.6	8.0	23.6	.....	7.6
New Bedford, Mass.	6.3	5.9	35.0	4.3	41.0
Newburyport, Mass.	6.8	.....	.....	.....	20.1
North Adams, Mass.	.....	4.5	22.7	.....	22.7
Northampton, Mass.	.....	5.1	25.4	10.3	.....
Peabody town, Mass.	.....	.....	60.9	.....	.....
Plymouth town, Mass.	8.8	25.9	.....	8.3	.....
Revere town, Mass.	.....	.....	6.2	28.9	5.4
Southbridge town, Mass.	.....	59.9	.....	32.4	15.8
Springfield, Mass.	6.5	21.2	.....	8.1	14.5
Taunton, Mass.	22.1	3.1	9.1	11.9	26.2
Waltham, Mass.	30.0	.....	11.0	18.1	3.6
Watertown town, Mass.	8.6	.....	8.1	7.9	23.2
Webster town, Mass.	28.9	.....	9.1	17.7	25.9
Alpena, Mich.	24.0	.....	7.9	31.6	.....
Battle Creek, Mich.	4.3	58.8	.....	.....	11.8
Bay City, Mich.	.....	100.0	.....	.....	19.9
Escanaba, Mich.	.....	.....	.....	23.2	7.5
Holland, Mich.	(1)	(1)	(1)	(1)	56.9
Ishpeming, Mich.	8.4	8.3	123.0	.....	.....
Jackson, Mich.	.....	7.0	.....	.....	25.3
Manistee, Mich.	.....	.....	.....	.....	64.7
Pontiac, Mich.	.....	.....	.....	35.4	6.8
Sault Ste. Marie, Mich.	.....	.....	.....	24.1	.....
Duluth, Minn.	26.5	4.2	5.4	5.2	3.8
Winona, Minn.	10.0	5.1	10.4	.....	32.4

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
St. Joseph, Mo.	(3)	(3)	(3)	(3)	[4] 34.9
Concord, N. H.	9.6	4.8	.....	42.2	.....
Laconia, N. H.	10.7	.....	10.2	20.0	9.8
Manchester, N. H.	.....	12.1	.....	21.7	2.8
Nashua, N. H.	7.9	11.8	31.2	.....	.....
Bayonne, N. J.	17.7	20.9	15.8	5.6	.....
Bridgeton, N. J.	.....	.....	21.4	.....	.....
Harrison, N. J.	.....	.....	.....	21.1	20.6
Hoboken, N. J.	54.1	51.8	16.0	23.0	9.9
Kearny, N. J.	.....	.....	6.0	5.6	21.2
Millville, N. J.	.....	.....	49.0	.....	.....
Montclair, N. J.	11.4	5.4	5.1	.....	27.6
Orange, N. J.	7.4	3.6	17.6	6.9	23.5
Passaic, N. J.	14.4	24.4	.....	19.2	.....
Perth Amboy, N. J.	22.0	3.5	23.5	22.5	15.4
Phillipsburg, N. J.	.....	22.1	7.3	.....	21.5
Trenton, N. J.	10.3	8.9	28.2	16.9	17.5
West New York, N. J.	(1)	(1)	(1)	(1)	21.7
Batavia, N. Y.	.....	.....	27.0	.....	25.7
Binghamton, N. Y.	4.5	.....	38.7	6.3	8.2
Cohoes, N. Y.	.....	57.5	12.3	69.1	12.1
Corning, N. Y.	.....	51.6	.....	14.6	.....
Dunkirk, N. Y.	6.4	24.9	.....	.....	34.7
Geneva, N. Y.	24.5	.....	.....	.....	.....
Gloversville, N. Y.	.....	5.1	.....	.....	24.1
Johnstown, N. Y.	.....	39.8	.....	.....	.....
Lackawanna, N. Y.	(1)	(1)	(1)	(1)	[4] 226.8
Mount Vernon, N. Y.	22.8	.....	31.3	13.4	3.2
New Rochelle, N. Y.	31.4	8.3	7.8	7.3	20.5
Niagara Falls, N. Y.	.....	21.3	20.7	10.1	49.0
North Tonawanda, N. Y.	47.4	27.5	.....	8.6	24.9
Ogdensburg, N. Y.	.....	13.1	.....	25.4	.....
Olean, N. Y.	9.6	.....	.....	.....	20.3
Ossining, N. Y.	(1)	(1)	(1)	(1)	68.9
Peekskill, N. Y.	29.3	.....	27.6	13.4	45.7
Plattsburg, N. Y.	.....	9.5	.....	18.2	44.7
Port Chester, N. Y.	(1)	(1)	(1)	(1)	23.3
Saratoga Springs, N. Y.	.....	.....	.....	.....	39.4
Schenectady, N. Y.	6.5	20.2	5.9	2.8	20.4
Troy, N. Y.	1.3	2.6	15.7	1.3	20.8
Watertown, N. Y.	.....	7.7	.....	.....	56.0
Watervliet, N. Y.	6.8	.....	6.7	6.7	39.7
Yonkers, N. Y.	21.4	5.8	8.2	11.7	.....
Charlotte, N. C.	(2)	(2)	(2)	(2)	20.5
Durham, N. C.	(2)	(2)	(2)	(2)	97.5
Raleigh, N. C.	7.4	.....	.....	20.8	31.2
Wilmington, N. C.	.....	8.2	20.1	.....	.....
Winston, N. C.	(2)	(2)	(2)	(2)	23.1
Ashtabula, Ohio.	.....	.....	11.8	5.8	32.7
Bellaire, Ohio.	.....	24.3	8.0	93.9	.....
Canton, Ohio.	9.0	.....	8.4	4.1	21.8
Chillicothe, Ohio.	28.7	.....	.....	.....	6.9
East Liverpool, Ohio.	(2)	(2)	(2)	24.9	29.3
Elyria, Ohio.	(2)	(2)	(2)	.....	20.1
Findlay, Ohio.	.....	.....	.....	.....	27.0
Hamilton, Ohio.	29.1	18.7	6.0	.....	39.4
Ironton, Ohio.	31.6	15.6	.....	.....	45.5
Lorain, Ohio.	(2)	(2)	(2)	28.7	10.3
Marion, Ohio.	(2)	(2)	(2)	5.6	38.1
Massillon, Ohio.	7.6	.....	7.4	.....	35.9
Middletown, Ohio.	43.0	.....	.....	46.7	7.6
Portsmouth, Ohio.	34.4	.....	4.5	.....	190.7
Steubenville, Ohio.	(2)	(2)	(2)	23.0	22.2
Youngstown, Ohio.	13.8	46.4	10.9	41.8	35.1
Allentown, Pa.	.....	8.7	2.0	.....	26.8
Altoona, Pa.	57.7	2.0	13.9	3.9	5.7
Bethlehem, Pa.	(1)	(1)	(1)	(1)	23.3
Braddock, Pa.	94.8	.....	96.3	21.0	36.0
Butler, Pa.	47.2	5.6	21.1	.....	38.2
Carnegie, Pa.	(1)	(1)	(1)	(1)	79.5
Chambersburg, Pa.	.....	.....	68.6	8.5	.....
Dubois, Pa.	70.3	.....	16.6	8.1	39.4
Dunmore, Pa.	6.4	.....	47.9	40.7	33.9
Duquesne, Pa.	106.4	28.9	6.9	65.8	25.2
Easton, Pa.	.....	21.8	.....	.....	3.5
Erie, Pa.	1.6	14.4	.....	48.9	6.0
Greensburg, Pa.	(1)	(1)	(1)	(1)	30.7
Hazleton, Pa.	36.9	.....	.....	31.7	3.9
Homestead, Pa.	12.3	47.2	34.0	87.7	31.9
Lebanon, Pa.	10.7	5.3	26.4	.....	.....
McKees Rocks, Pa.	(1)	(1)	(1)	(1)	33.6
McKeesport, Pa.	20.1	37.0	19.4	.....	30.3
Mahanoy City, Pa.	33.3	.....	.....	12.7	.....
Monessen, Pa.	(1)	(1)	(1)	(1)	66.8
Mount Carmel, Pa.	6.3	128.8	6.0	46.6	45.4

[1] Included in rural.
[2] Not admitted to registration area until a later date.
[3] No estimate of population made.
[4] Based on population enumerated April 15, 1910.

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Nanticoke, Pa	49.1			60.0	
New Castle, Pa	18.2	8.9	25.8	11.2	35.7
Norristown, Pa	11.7	64.7	7.4	10.9	
North Braddock, Pa	(1)	(1)	(1)	(1)	41.9
Phoenixville, Pa		29.1		37.7	9.3
Pittston, Pa	47.2		6.4		
Plymouth, Pa	6.4	31.2	6.1	23.9	35.2
Reading, Pa		23.0	5.4	2.1	14.5
Shamokin, Pa	5.2	15.6		87.3	15.3
Sharon, Pa	7.4	28.5	6.9	6.7	52.1
Shenandoah, Pa	33.8	8.3	4.0	23.7	27.0
South Bethlehem, Pa	5.8	5.5		56.6	5.0
South Sharon, Pa	(1)	(1)	(1)	(1)	[2] 39.3
Steelton, Pa	22.3	51.2		28.4	7.0
Warren, Pa					71.8
Wilkes-Barre, Pa	24.5	4.8	4.7	18.2	7.4
Wilkinsburg, Pa	18.7	6.0	5.6		21.0
Williamsport, Pa	22.8			3.2	12.5
York, Pa		4.8	21.1	4.6	13.3
Central Falls, R. I	9.9	4.8	18.6	49.5	21.8
Cranston, R. I [3]	21.8	5.2	15.1	4.9	23.5
Cumberland town, R. I					29.6
East Providence town, R. I	14.1		39.9		
Pawtucket, R. I	11.1	2.1	4.1	6.0	23.1
Warwick town, R. I	23.8		3.9	3.8	89.9
Woonsocket, R. I	3.0		27.8	8.1	52.1
Charleston, S. C	1.7			8.5	22.1
Ogden, Utah			29.3		
Salt Lake City, Utah		27.4	7.1	1.1	3.2
Barre, Vt		29.7		66.4	
Burlington, Vt				33.7	4.9
Danville, Va	(4)	(4)		47.6	
Norfolk, Va	1.6	23.3	6.1		1.5
North Yakima, Wash	(4)	(4)	(1)	(1)	41.9
Wheeling, W. Va		17.1		21.7	7.2
Kenosha, Wis	(4)	(4)		24.3	13.9
Racine, Wis	(4)	(4)		32.4	15.7
Superior, Wis	37.4	2.6			14.8

[1] Included in rural.
[2] Based on population enumerated April 15, 1910.
[3] Including state institutions, 1907 to 1910.
[4] Not admitted to registration area until a later date.

For comparison with the rates given in the foregoing tables statistics based on compilations of the Registrar-General of England and Wales are presented for certain foreign countries and cities.

COUNTRY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
United States (registration area)	(1)	(1)	(1)	(1)	9	11	10	12
Australian Commonwealth	9	3	14	11	4	2	1	3
Austria	48	56	42	38	34	33	44	35
Belgium	52	58	60	40	37	(2)	36	(2)
England and Wales	41	47	41	42	33	29	36	23
Hungary	(2)	(2)	(2)	[3] 43	41	44	40	45
Ireland	18	20	17	18	16	14	10	19
Italy	(2)	[3] 61	42	25	21	(2)	32	(2)
Netherlands	26	38	20	17	37	23	17	20
New Zealand	9	3	16	6	7	3	3	(4)
Ontario, Province of	6	7	?	4	4	7	7	14
Prussia	42	42	27	26	25	19	17	18
Roumania	(2)	13	18	17	26	16	10	21
Scotland	36	41	51	43	32	(2)	19	(2)
Spain	(2)	(2)	(2)	(2)	67	39	40	35
Sweden	21	18	13	11	8	(2)	4	(2)
Switzerland	11	14	16	13	19	(2)	10	(2)

[1] Figures for deaths not available for the entire period.
[2] Rate not published.
[3] Average for four years.
[4] Less than 1 per 100,000.

The death rates from this disease in the registration area of the United States are lower than those in the majority of the countries shown in the table. The high rates of Austria, Hungary, and Spain are especially notable, while in Australia, New Zealand, and Sweden during recent years the rates are very low. Owing to imperfect registration, the figures for the Province of Ontario can not be accepted as complete.

Even greater variations are shown in the mortality from measles in the list of cities contained in the following table. Belfast showed the maximum rate for 1910 (129 per 100,000 population), but as a rule the death rates of the Russian cities (Moscow and St. Petersburg) and also of the city of Glasgow are among the highest. The proportion of young children in the population must be taken into consideration for exact comparisons of the mortality from this disease.

CITY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
London	64	63	59	57	45	40	48	41
Edinburgh	29	53	67	49	34	26	15	34
Glasgow	76	68	80	80	51	60	46	60
Dublin (registration area)	61	48	35	66	39	25	29	5
Belfast	68	70	83	36	64	49	3	129
Sydney	4	11	19	12	3	4	2	7
Melbourne	13	5	17	21	4	2		5
Montreal	29	29	17	17	23	(1)	19	(2)
Toronto	9	14	8	5	3	(1)	30	(2)
Paris	53	55	34	32	20	20	18	27
Brussels	21	29	44	25	13	16	15	10
Amsterdam	41	44	24	21	51	32	36	20
Rotterdam	40	45	15	16	48	25	19	16
The Hague	36	45	17	19	24	22	30	22
Copenhagen	52	57	27	15	19	15	22	5
Stockholm	42	34	52	18	11	13	4	38
Christiania	40	73	37	18	27	10	22	7
St. Petersburg	51	68	47	53	70	93	82	107
Moscow	39	36	33	51	43	51	75	48
Berlin	37	25	18	20	21	18	19	13
Hamburg	26	39	28	15	19	14	7	17
Dresden	20	26	19	15	15	9	12	8
Breslau	26	20	24	16	13	10	12	5
Munich	62	66	34	34	25	25	31	24
Vienna	31	47	63	51	38	33	25	33
Prague	35	75	46	41	29	18	16	16
Budapest	29	28	25	34	37	28	25	27
Trieste	13	41	26	28	28	31	31	33
Milan	39	35	8	19	14	12	17	9
Turin	58	37	34	29	17	9	2	11
Venice	[3] 49	31	26	33	29	(1)	6	40
New York	54	42	37	23	16	21	22	16
Chicago	27	21	16	8	9	8	8	8
Philadelphia	9	12	7	14	8	[4] 16	15	[4] 11
Boston	23	17	8	12	10	[4] 17	12	[4] 14
Rio de Janeiro	11	21	8	6	15	15	7	36

[1] Figures for deaths not available for the entire period.
[2] Figures for deaths not available.
[3] Average for four years.
[4] Figures furnished by the Bureau of the Census.

The relative mortality of the white and colored population is shown for the years 1906 to 1910 for areas having a considerable proportion of colored population.

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	6.7	10.0	5.2	17.0	7.6	9.6	6.9	6.2	9.1	13.1	5.0	4.2
Birmingham, Ala	(1)	(1)	(2)	(2)	(2)	(2)	.....	.....	.....	.....	13.6	24.7
Mobile, Ala	7.6	8.7	.....	.....	26.5	22.2	14.1	17.7	.....	4.4	.....	.....
Wilmington, Del	2.1	2.2	2.7	.....	.....	.....	6.6	.....	1.3	.....	.....	11.0
Washington, D. C	4.7	5.3	8.2	10.9	1.3	3.2	0.9	.....	12.9	9.5	0.4	3.2
Jacksonville, Fla	4.3	3.1	.....	.....	9.8	4.1	8.6	3.8	.....	7.2	3.5	.....
Atlanta, Ga	14.5	11.0	3.9	.....	37.3	44.2	21.5	9.1	.....	.....	11.6	3.8
Savannah, Ga	8.3	3.6	3.2	.....	6.4	.....	28.7	18.2	.....	.....	3.1	.....
Kansas City, Kans	(1)	(1)	(2)	(2)	(2)	(2)	3.1	.....	7.5	11.8	28.6	10.7
Louisville, Ky	2.8	3.0	1.7	.....	6.7	7.5	1.1	5.0	3.3	.....	1.1	2.5
New Orleans, La	10.2	6.2	1.7	.....	20.6	20.8	4.5	1.1	0.4	1.1	23.6	7.8
Baltimore, Md	6.4	9.3	2.6	3.6	12.2	21.5	3.4	2.4	9.8	17.7	4.0	1.2
Charleston, S. C	6.6	6.4	3.8	.....	.....	.....	.....	.....	14.6	3.2	14.4	29.0
Memphis, Tenn	4.6	4.5	.....	.....	10.7	12.5	5.9	6.3	.....	.....	6.3	5.7
Nashville, Tenn	12.1	8.5	1.8	.....	39.3	27.3	13.8	8.2	.....	.....	4.1	5.5
San Antonio, Tex	5.6	11.7	.....	.....	16.1	40.4	8.9	9.8	.....	9.5	3.5	.....
Norfolk, Va	5.9	7.2	2.6	.....	15.2	36.3	9.9	.....	.....	.....	2.3	.....
Richmond, Va	13.1	13.4	.....	2.9	30.7	40.6	8.3	2.4	1.4	.....	22.2	19.2

[1] Figures for deaths not available for the entire period 1906–1910.

[2] Not admitted to registration area until 1908.

SCARLET FEVER.

Scarlet fever is not, to the same extent as measles, whooping cough, or even diphtheria, a disease causing deaths of children under 5 years of age. In 1910 the percentage of mortality among children under 5 years was 80.9 for measles, 55.4 for scarlet fever, 95.3 for whooping cough, and 62.4 for diphtheria.

AREA. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area	11.0	10.6	10.0	11.9	11.4	11.6
Registration states [1]	11.2	10.5	9.3	12.4	11.1	11.4
Cities in registration states [1]	14.8	13.3	12.3	16.7	13.7	14.2
Rural part of registration states	6.5	7.2	5.9	7.6	8.2	8.2
Registration cities in other states	10.8	11.6	12.9	9.5	13.2	13.7
All registration cities [1]	12.8	12.9	12.5	14.6	13.6	14.1
REGISTRATION STATES.						
California	(2)	3.4	3.5	4.8	3.1	2.9
Colorado	(2)	21.0	31.6	24.1	22.5	12.9
Connecticut	10.9	8.0	6.2	5.8	10.6	11.5
Indiana	6.7	5.0	3.7	3.6	5.9	7.5
Maine	1.9	3.0	1.9	2.3	4.3	5.5
Maryland	(2)	5.0	2.4	7.6	3.4	5.2
Massachusetts	10.3	8.7	9.8	12.0	8.6	8.0
Michigan	8.8	8.7	6.4	7.1	10.3	10.7
Minnesota	(2)	(3)	(2)	(2)	(2)	14.5
Montana	(2)	(3)	(2)	(2)	(2)	16.1
New Hampshire	3.8	2.6	2.1	1.4	4.2	1.9
New Jersey	13.2	13.3	13.5	17.8	14.6	11.0
New York	15.2	14.9	12.7	20.1	13.8	18.1
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	2.2
Ohio	(2)	(3)	(2)	(2)	4.3	6.0
Pennsylvania	(2)	12.8	9.0	16.4	16.1	14.2
Rhode Island	9.2	12.0	28.0	6.9	5.8	4.0
Utah	(2)	(3)	(2)	(2)	(2)	28.8
Vermont	5.4	2.7	2.3	2.3	3.1	3.1
Washington	(2)	(3)	(2)	3.5	16.6	7.0
Wisconsin	(2)	(3)	(2)	5.8	16.1	13.2
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala	(2)	(3)	(2)	.....	1.4	3.0
Los Angeles, Cal	6.2	3.8	3.2	4.0	4.4	4.3
Oakland, Cal	3.4	2.4	1.9	0.9	2.6	3.3
San Francisco, Cal	3.1	3.4	2.0	4.2	4.9	1.7
Denver, Colo	20.3	23.3	36.7	18.9	22.1	17.2
Bridgeport, Conn	16.6	13.7	21.4	6.2	18.1	19.5
New Haven, Conn	7.2	6.0	2.4	2.3	16.0	8.2
Washington, D. C	2.8	3.9	0.6	3.1	8.0	4.2
Atlanta, Ga	7.9	3.0	3.2	.....	3.7	5.1
Chicago, Ill	13.1	22.9	35.1	19.6	17.2	18.4

AREA. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind	3.9	5.7	9.6	3.1	5.2	4.3
Louisville, Ky	3.6	5.8	2.3	4.1	9.0	9.4
New Orleans, La	6.2	8.1	1.2	7.6	18.5	8.2
Baltimore, Md	12.1	7.5	2.8	13.1	4.0	8.6
Boston, Mass	16.8	11.7	8.3	18.8	14.4	9.2
Cambridge, Mass	6.1	5.5	7.9	8.8	5.8	2.9
Fall River, Mass	11.8	10.3	6.3	34.1	4.3	2.5
Lowell, Mass	4.4	12.9	5.0	2.9	9.6	41.2
Worcester, Mass	6.9	11.6	18.4	29.4	6.3	3.4
Detroit, Mich	13.8	20.2	17.7	17.7	22.3	16.2
Grand Rapids, Mich	6.0	11.9	6.7	7.4	17.2	17.7
Minneapolis, Minn	9.8	8.6	6.1	4.9	10.5	16.5
St. Paul, Minn	9.4	17.5	7.8	8.2	38.2	30.2
Kansas City, Mo	8.7	10.1	1.8	4.9	14.4	23.2
St. Louis, Mo	12.0	11.1	4.0	6.3	14.3	27.1
Omaha, Nebr	10.2	8.2	2.5	9.2	5.7	15.3
Jersey City, N. J	18.5	26.3	23.0	41.2	36.2	17.1
Newark, N. J	23.3	18.1	13.2	28.1	24.6	12.0
Paterson, N. J	8.6	9.3	8.5	19.9	4.1	9.5
Albany, N. Y	8.1	13.1	8.1	39.3	4.0	12.0
Buffalo, N. Y	6.2	27.5	10.1	24.6	40.4	53.6
New York, N. Y	22.7	20.0	19.2	30.2	17.3	20.0
Bronx Borough	57.8	20.8	23.0	36.5	12.8	17.6
Brooklyn Borough	23.6	23.6	22.0	30.6	20.8	23.3
Manhattan Borough	19.2	18.4	16.9	31.0	16.1	19.3
Queens Borough	10.5	14.5	18.7	19.4	15.9	11.1
Richmond Borough	15.9	11.1	15.3	6.2	11.9	15.0
Rochester, N. Y	10.2	11.8	8.1	9.3	9.0	21.4
Syracuse, N. Y	14.8	9.7	4.0	1.5	11.9	16.7
Cincinnati, Ohio	13.1	4.7	1.7	8.7	4.7	4.4
Cleveland, Ohio	7.1	13.2	26.5	6.9	5.7	12.6
Columbus, Ohio	8.8	2.3	1.3	0.6	1.2	3.3
Dayton, Ohio	3.8	4.7	5.2	4.0	3.0	9.4
Toledo, Ohio	4.2	6.7	3.2	9.3	8.5	5.9
Portland, Oreg	3.7	5.4	1.8	1.7	10.5	10.0
Philadelphia, Pa	12.4	9.3	8.1	13.8	9.6	9.8
Pittsburgh, Pa	27.3	16.1	11.0	16.1	13.3	22.2
Scranton, Pa	6.7	33.3	22.1	70.4	50.9	7.7
Providence, R. I	10.9	21.0	49.6	11.2	4.5	6.7
Memphis, Tenn	8.2	6.1	8.8	6.1	8.6	5.3
Nashville, Tenn	10.9	3.4	5.6	.....	6.4	1.8
Richmond, Va	2.2	0.9	.....	0.9	0.9	.....
Seattle, Wash	7.3	5.5	2.7	1.9	11.2	7.1
Spokane, Wash	9.3	17.2	1.2	1.1	58.3	16.1
Milwaukee, Wis	6.5	19.3	6.8	6.0	55.6	22.3

[1] Including District of Columbia.

[2] Not admitted to registration area until a later date.

[3] Figures for deaths not available for the entire period 1906–1910.

[4] Including only municipalities having a population of 1,000 or over in 1900.

Somewhat more than one-fourth of the deaths from scarlet fever were of children from 5 to 9 years of age, and about one-tenth were of persons from 10 to 19 years of age.

Scarlet fever caused 6,255 deaths in the registration area during 1910, equivalent to a rate of 11.6 per 100,000, which is about the same as the rates for 1909 and 1908. The death rates from this disease are shown in the preceding table for the registration area by main subdivisions, registration states, and large cities for the years 1907 to 1910; also annual average rates for the periods 1901 to 1905 and 1906 to 1910.

Utah, which was admitted to the registration area for 1910, was the only state in that year showing a rate (28.8) above the limit of 20 per 100,000. The mortality in Colorado from this cause showed a marked decrease from the high rates of previous years. Among the large cities having high rates in 1910 were Lowell (41.2), St. Paul (30.2), Kansas City (23.2), St. Louis (27.1), Buffalo (53.6), New York (20), Rochester (21.4), Pittsburgh (22.2), and Milwaukee (22.3). High rates for individual years, however, are obviously of less significance than the continued prevalence of high rates. In this connection attention should be called to the great reduction represented by the figures for 1910 for Jersey City and Scranton, cities in which the disease showed epidemic prevalence in the three preceding years. Data for minor municipalities in which rates as high as 20 per 100,000 were recorded in one or more of the years 1906 to 1910 are shown in the following table:

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Fresno, Cal.	.....	21.0	5.0	4.8	4.0
Colorado Springs, Colo.	.....	14.6	25.0	24.5	6.8
Pueblo, Colo.	2.6	12.5	40.9	13.9	4.5
Ansonia, Conn.	7.0	.....	6.8	140.4	92.1
Bristol town, Conn.	25.0	.....	.....	7.6	.....
Greenwich town, Conn.	.....	13.1	12.8	37.2	30.2
Naugatuck, Conn.	8.4	.....	.....	8.0	47.0
New London, Conn.	.....	15.7	20.8	.....	10.2
Norwalk town, Conn.	8.9	8.7	4.3	.....	32.9
Norwich town, Conn.	3.6	.....	3.6	3.6	38.9
Stamford town, Conn.	16.0	7.7	14.8	42.8	17.2
Waterbury, Conn.	27.8	1.5	7.2	.....	5.4
Aurora, Ill.	14.5	39.0	.....	10.2	3.3
Springfield, Ill.	2.3	10.9	23.1	2.0	11.5
East Chicago, Ind.	(1)	(1)	(1)	(1)	30.9
Elwood, Ind.	.....	17.3	.....	80.5	.....
Hammond, Ind.	22.5	.....	15.4	.....	33.2
Huntington, Ind.	9.9	.....	.....	39.1	19.5
Jeffersonville, Ind.	.....	28.5	.....	9.6	.....
Laporte, Ind.	(1)	(1)	(1)	(1)	56.6
Logansport, Ind.	.....	.....	16.2	5.3	31.4
South Bend, Ind.	6.4	12.4	25.7	15.3	13.0
Terre Haute, Ind.	3.7	5.4	1.8	.....	20.6
Leavenworth, Kans.	4.9	.....	20.1	5.1	.....
Auburn, Me.	7.0	.....	.....	6.7	26.5
Biddeford, Me.	.....	.....	.....	.....	31.9
Lewiston, Me.	.....	.....	.....	15.4	22.8
Adams town, Mass.	23.8	.....	7.8	30.9	15.3
Arlington town, Mass.	.....	9.7	65.8	.....	8.9
Chicopee, Mass.	32.7	93.5	59.5	8.1	7.8
Gardner town, Mass.	7.9	212.3	7.3	7.0	.....
Holyoke, Mass.	7.7	33.8	14.6	3.5	.....
Hyde Park town, Mass.	6.8	20.1	6.6	.....	.....
Malden, Mass.	5.1	9.8	16.6	13.8	29.1
Milford town, Mass.	.....	.....	.....	31.0	.....
Newburyport, Mass.	13.6	13.5	20.2	.....	.....
North Adams, Mass.	9.0	4.5	.....	4.5	22.7
Southbridge town, Mass.	.....	.....	.....	.....	23.7
Springfield, Mass.	5.2	12.5	9.6	28.9	22.3
Taunton, Mass.	.....	6.2	27.2	11.9	2.9
Waltham, Mass.	.....	7.4	11.0	25.4	.....
Woburn, Mass.	6.8	20.3	.....	.....	6.5
Bay City, Mich.	2.4	11.6	32.0	33.7	46.3
Ironwood, Mich.	9.1	8.7	33.4	128.6	38.7
Ishpeming, Mich.	8.4	24.9	16.4	32.4	16.0
Marquette, Mich.	.....	.....	8.9	.....	34.7
Menominee, Mich.	.....	.....	.....	28.3	9.5
Pontiac, Mich.	.....	7.7	.....	.....	27.3
Duluth, Minn.	1.5	12.7	5.4	27.5	27.8
Stillwater, Minn.	(2)	(2)	(2)	(2)	49.5
Virginia, Minn.	(2)	(2)	(2)	(2)	46.9
Winona, Minn.	.....	5.1	5.2	15.9	64.8
Butte, Mont.	(2)	(2)	(2)	(2)	50.9
Nashua, N. H.	.....	.....	.....	38.7	11.5
Bayonne, N. J.	4.4	27.1	11.8	9.4	12.5
Bloomfield, N. J.	.....	30.5	28.9	6.9	13.1
Elizabeth, N. J.	17.4	24.3	2.9	2.8	12.2
Harrison, N. J.	15.2	14.8	36.0	21.1	27.5
Hoboken, N. J.	27.0	81.4	40.9	31.6	17.0
Irvington, N. J.	(1)	(1)	(1)	(1)	24.8
Long Branch, N. J.	.....	.....	.....	22.9	7.5
Montclair, N. J.	22.8	5.4	5.1	14.5	13.8
Morristown, N. J.	8.2	24.4	40.4	24.1	24.0
New Brunswick, N. J.	38.8	8.6	.....	4.3	4.3
Orange, N. J.	44.6	10.9	14.1	10.3	6.7
Passaic, N. J.	4.8	31.1	70.0	9.6	12.6
Perth Amboy, N. J.	11.0	7.0	13.4	9.6	21.6
Phillipsburg, N. J.	52.0	7.4	14.6	7.2	14.4
Union, N. J.	.....	26.7	51.2	4.9	37.7
West Hoboken, N. J.	9.8	44.1	24.2	17.5	11.2
Cohoes, N. Y.	.....	.....	4.1	.....	133.4
Dunkirk, N. Y.	6.4	.....	.....	5.9	144.4
Elmira, N. Y.	5.5	30.3	5.5	16.2	2.7
Geneva, N. Y.	.....	32.6	.....	.....	16.1
Hudson, N. Y.	28.3	.....	.....	.....	.....
Johnstown, N. Y.	10.1	.....	29.4	.....	.....
Lackawanna, N. Y.	(1)	(1)	(1)	(1)	[3] 96.2
Little Falls, N. Y.	8.8	.....	8.5	8.3	24.3
Lockport, N. Y.	.....	.....	5.6	22.4	16.7
Middletown, N. Y.	.....	.....	.....	13.0	32.7
North Tonawanda, N. Y.	.....	.....	8.9	25.7	49.9
Olean, N. Y.	.....	.....	.....	27.6	.....
Saratoga Springs, N. Y.	46.4	.....	7.8	.....	15.8
Schenectady, N. Y.	9.8	21.7	56.3	28.4	4.1
Troy, N. Y.	6.5	6.5	3.9	7.8	23.4
Utica, N. Y.	24.2	5.9	.....	11.0	.....
Watervliet, N. Y.	13.7	6.8	33.7	.....	13.2
Yonkers, N. Y.	12.2	11.5	39.7	32.5	23.6
Canton, Ohio	.....	21.7	8.4	24.5	5.9
Chillicothe, Ohio	21.6	14.2	.....	.....	6.9
Elyria, Ohio	(2)	(2)	(2)	.....	26.8
Lakewood, Ohio	(2)	(2)	(2)	(1)	71.3
Marietta, Ohio	.....	.....	.....	.....	23.2
Steubenville, Ohio	(2)	(2)	(2)	.....	26.6
Allentown, Pa.	2.3	2.2	91.2	37.4	19.2
Braddock, Pa.	16.7	.....	.....	236.1	51.5
Butler, Pa.	5.9	.....	.....	35.1	33.4
Carbondale, Pa.	76.5	.....	6.1	23.9	17.5
Carnegie, Pa.	(1)	(1)	(1)	(1)	69.5
Columbia, Pa.	.....	8.5	8.6	.....	61.2
Dunmore, Pa.	38.3	24.7	18.0	5.8	33.9
Duquesne, Pa.	129.2	.....	103.4	19.7	44.1
Hazleton, Pa.	12.3	24.1	.....	15.9	27.4
Homestead, Pa.	24.6	.....	5.7	5.5	63.7
Johnstown, Pa.	14.5	14.0	13.4	70.4	10.7
Lebanon, Pa.	5.4	.....	.....	.....	25.9
McKees Rocks, Pa.	(1)	(1)	(1)	(1)	80.7
McKeesport, Pa.	2.5	17.2	4.8	14.3	112.0
Monessen, Pa.	(1)	(1)	(1)	(1)	25.0
Mount Carmel, Pa.	.....	30.7	23.9	.....	.....
Nanticoke, Pa.	6.1	88.4	96.3	27.3	21.0
Norristown, Pa.	3.9	22.8	.....	3.6	3.6
Pittston, Pa.	.....	6.6	275.8	212.9	.....
Plymouth, Pa.	31.8	105.9	152.6	35.9	23.4
Shamokin, Pa.	5.2	.....	5.2	35.9	20.4
Sharon, Pa.	7.4	7.1	6.9	60.3	13.0
Shenandoah, Pa.	4.2	8.3	.....	11.8	81.1
Steelton, Pa.	.....	.....	14.4	14.2	112.0
Wilkes-Barre, Pa.	6.5	19.1	24.9	13.7	8.9
Williamsport, Pa.	3.3	6.5	22.4	3.2	18.8
Central Falls, R. I.	.....	4.8	18.6	27.0	8.7
Cranston, R. I. [4]	5.4	78.6	.....	.....	.....
Newport, R. I.	3.9	7.7	.....	22.4	3.7
Ogden, Utah	(2)	(2)	54.4	16.1	34.9
Salt Lake City, Utah	5.2	12.5	35.6	52.5	39.6
Norfolk, Va.	4.7	3.1	26.0	18.0	1.5
North Yakima, Wash.	(2)	(2)	(1)	(1)	27.9
Tacoma, Wash.	1.6	1.5	4.2	27.4	7.1
Appleton, Wis.	5.9	(2)	35.6	.....	.....
Green Bay, Wis.	8.6	8.4	4.1	24.1	15.8
Janesville, Wis.	(2)	(2)	28.9	.....	.....
La Crosse, Wis.	(2)	(2)	3.3	6.6	26.3
Marinette, Wis.	.....	6.6	.....	13.6	34.3
Superior, Wis.	2.7	7.9	2.6	55.3	19.7
Wausau, Wis.	(2)	(2)	12.7	49.3	84.1

[1] Included in rural.
[2] Not admitted to registration area until a later date.
[3] Based on population enumerated April 15, 1910.
[4] Including state institutions, 1907 to 1910.

Scarlet fever, as a rule, is much less prevalent and fatal among the colored population than among the white. This fact is indicated by a comparison of rates for areas—only a few of which are available—in which there was a considerable proportion of colored population.

AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	3.6	0.7	4.4	1.4	2.3	.....	3.9	0.7	3.7	0.7	3.5	0.7
Birmingham, Ala	(1)	(1)	(2)	(2)	(2)	(2)	.....	.....	.....	3.6	5.0	.....
Mobile, Ala	2.3	.....	.....	.....	.....	.....	.....	.....	3.5	.....	7.0	.....
Wilmington, Del	9.2	.....	2.7	.....	13.3	.....	15.7	.....	11.6	.....	14.0	.....
Washington, D. C	4.4	2.6	3.2	3.3	0.9	.....	3.9	1.1	9.0	5.3	4.6	3.2
Jacksonville, Fla	3.4	0.8	5.7	.....	4.9	.....	.....	.....	.....	.....	6.9	3.4
Atlanta, Ga	4.4	0.4	3.9	.....	3.7	2.3	.....	.....	5.6	.....	7.7	.....
Savannah, Ga	3.8	.....	.....	.....	.....	.....	.....	.....	3.2	.....	15.7	.....
Kansas City, Kans	(1)	(1)	(2)	(2)	(2)	(2)	4.6	.....	10.5	.....	12.3	.....
Louisville, Ky	6.2	4.0	4.5	2.5	2.8	.....	4.4	2.5	11.0	.....	8.2	14.8
New Orleans, La	10.0	2.7	6.0	.....	1.7	.....	8.7	4.6	23.6	4.5	9.6	4.5
Baltimore, Md	8.6	1.9	10.5	2.4	3.3	.....	14.6	4.8	4.7	.....	9.7	2.3
Charleston, S. C	0.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.6	.....
Memphis, Tenn	9.0	2.0	3.1	.....	12.2	4.2	8.9	2.1	13.0	2.1	7.6	1.9
Nashville, Tenn	4.6	1.1	5.3	.....	7.0	2.7	.....	.....	8.2	2.7	2.7	.....
San Antonio, Tex	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Norfolk, Va	16.8	0.8	7.8	.....	5.1	.....	41.9	.....	26.5	4.9	2.3	.....
Richmond, Va	1.4	.....	5.1	.....	.....	.....	1.4	.....	1.4	.....	.....	.....

[1] Figures for deaths not available for the entire period 1906–1910.

[2] Not admitted to registration area until 1908.

The death rates from scarlet fever in the United States are high in comparison with those for most of the foreign countries and cities for which rates are presented in the following tables taken from the International statistics compiled by the Registrar-General of England and Wales:

COUNTRY.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
United States (registration area)	(1)	(1)	(1)	(1)	11	11	11	12
Australian Commonwealth	8	5	4	4	2	1	2	1
Austria	62	56	54	56	45	47	57	48
Belgium	27	17	15	22	13	(2)	16	(2)
England and Wales	44	24	18	13	13	9	9	7
Hungary	(2)	(2)	(2)	[3] 56	67	54	52	51
Ireland	27	14	10	9	4	3	3	4
Italy	(2)	[3] 31	20	11	5	(2)	8	(2)
Netherlands	15	7	4	3	3	4	3	2
New Zealand	12	3	1	(4)	5	3	3	1
Ontario, Province of	22	8	(?)	8	13	7	9	11
Prussia	58	30	23	27	30	20	21	15
Roumania	(2)	15	32	26	45	64	108	77
Scotland	35	22	20	17	9	(2)	12	(2)
Servia	(2)	(2)	(2)	(2)	99	(2)	(2)	(2)
Spain	(2)	(2)	(2)	(2)	6	10	9	8
Sweden	57	44	28	9	9	(2)	5	(2)
Switzerland	9	9	7	2	5	(2)	5	(2)

[1] Figures for deaths not available for the entire period.
[2] Rate not published.
[3] Average for four years.
[4] Less than 1 per 100,000.

The high death rates in Roumania, Austria, and Hungary are in sharp contrast to the low rates in the other European countries and to the very low rates in Australia. In the following table the highest rates for 1910 are shown for Moscow, St. Petersburg, and Budapest.

CITY.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
London	42	24	24	14	10	10	8	4
Edinburgh	46	23	23	22	9	10	14	12
Glasgow	65	36	35	24	11	12	18	17
Dublin (registration area)	50	37	8	23	10	5	6	9
Belfast	77	22	18	16	6	3	1	5
Sydney	11	14	15	4	5	3	1	1
Melbourne	7	4	4	3	2	2	5	3
Montreal	25	8	28	23	24	(1)	29	(2)
Toronto	21	8	33	18	23	(1)	33	(2)
Paris	9	10	7	6	4	6	6	3
Brussels	11	3	5	5	2	7	7	2
Amsterdam	44	4	3	3	2	4	3	1
Rotterdam	32	10	18	6	4	17	6	3
The Hague	20	2	3	3	1	2	.....	6
Copenhagen	23	32	29	15	6	10	17	21
Stockholm	66	76	61	15	14	16	17	29
Christiania	68	71	25	8	6	4	5	4
St. Petersburg	70	70	49	58	43	55	48	46
Moscow	41	54	50	50	50	56	95	70
Berlin	52	17	28	24	20	17	30	19
Hamburg	37	25	21	6	30	11	23	6
Dresden	49	13	12	10	8	6	6	3
Breslau	23	22	33	22	9	5	8	5
Munich	33	32	17	7	4	8	15	5
Vienna	28	24	23	17	11	13	17	9
Prague	62	46	25	33	28	16	36	7
Budapest	35	51	32	34	45	35	26	42
Trieste	23	15	37	52	14	10	13	1
Milan	17	10	4	5	1	5	16	2
Turin	11	11	7	1	3	3	2	3
Venice	[3] 6	1	3	1	(4)	(1)	2	5
New York	90	52	43	19	22	20	17	20
Chicago	48	23	24	12	12	22	16	17
Philadelphia	50	22	24	12	12	[5] 12	8	[5] 10
Boston	36	20	37	22	16	[5] 17	13	[5] 9
Rio de Janeiro	(4)	(4)	1	(4)	1	(4)	(4)	.....

[1] Figures for deaths not available for the entire period.
[2] Figures for deaths not available.
[3] Average for four years.
[4] Less than 1 per 100,000.
[5] Figures furnished by the Bureau of the Census.

WHOOPING COUGH.

Whooping cough is far more distinctively a disease of very young children than measles, scarlet fever, or diphtheria. Of 6,146 deaths from this cause in the registration area in 1910, no less than 5,858, or 95.3 per cent, were of children under 5 years of age. More than one-half of the deaths from whooping cough (54.4 per cent) were of infants under 1 year, while the corresponding proportion from measles was 23.3 per cent and those for scarlet fever and for diphtheria were only 4.9 and 7.8, respectively. Thus the prevention of whooping cough, which is largely dependent upon greater care against infection of others by children suffering from the disease, should have a considerable influence in the reduction of infant mortality.

The following table shows the mortality from whooping cough in the registration area, its main subdivisions, the registration states, and the principal registration cities of the United States for each year from 1907 to 1910 and the quinquenniums 1901 to 1905 and 1906 to 1910:

AREA. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area	10.9	11.5	11.3	10.6	9.6	11.4
Registration states [1]	10.0	11.8	11.3	10.6	10.0	11.7
Cities in registration states [1]	11.1	11.7	10.9	10.0	9.9	11.4
Rural part of registration states	8.7	11.9	11.8	11.3	10.1	11.9
Registration cities in other states	12.6	10.0	11.2	10.6	7.4	9.4
All registration cities [1]	11.8	11.2	11.0	10.2	9.3	11.0
REGISTRATION STATES.						
California	(2)	7.7	6.6	6.0	8.5	11.9
Colorado	(2)	12.2	6.8	19.0	17.9	4.4
Connecticut	13.0	12.8	12.5	7.8	10.9	13.0
Indiana	9.4	12.3	6.1	15.6	12.8	14.7
Maine	8.0	10.8	9.7	10.1	7.7	13.0
Maryland	(2)	18.5	11.2	10.6	17.7	22.4
Massachusetts	11.8	13.2	10.8	12.7	12.0	8.5
Michigan	8.5	10.9	8.0	10.6	7.6	10.9
Minnesota	(2)	(3)	(2)	(2)	(2)	7.5
Montana	(2)	(3)	(2)	(2)	(2)	10.8
New Hampshire	8.8	13.3	15.5	9.6	12.1	9.7
New Jersey	10.7	12.8	10.3	9.9	10.9	16.6
New York	9.1	8.3	9.0	5.9	8.7	8.1
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	17.1
Ohio	(2)	(3)	(2)	(2)	6.3	12.4
Pennsylvania	(2)	16.5	17.7	17.0	12.0	14.5
Rhode Island	13.5	12.2	16.8	6.2	10.7	9.4
Utah	(2)	(3)	(2)	(2)	(2)	17.0
Vermont	8.6	10.6	14.8	13.0	3.9	14.6
Washington	(2)	(3)	(2)	2.5	3.1	15.3
Wisconsin	(2)	(3)	(2)	8.4	9.7	7.8
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.	(2)	(3)	(2)	4.8	27.0	9.8
Los Angeles, Cal.	6.5	5.2	5.6	4.4	7.9	5.9
Oakland, Cal.	8.9	10.8	4.8	3.6	13.8	20.5
San Francisco, Cal.	14.1	8.0	9.1	5.9	11.2	7.6
Denver, Colo.	10.9	7.6	4.7	16.5	10.6	2.3
Bridgeport, Conn.	17.8	14.7	19.3	7.3	6.0	26.3
New Haven, Conn.	18.1	15.2	8.7	10.9	19.8	9.7
Washington, D. C.	24.8	11.3	9.5	11.5	8.9	10.5
Atlanta, Ga.	21.7	18.0	25.1	20.3	16.1	10.3
Chicago, Ill.	13.2	8.2	12.0	6.4	6.5	7.9
Indianapolis, Ind.	6.0	13.2	1.8	16.1	8.3	17.5
Louisville, Ky.	7.6	11.4	6.4	15.4	4.0	18.3
New Orleans, La.	7.0	7.5	15.1	7.9	4.8	4.1
Baltimore, Md.	12.1	15.4	3.3	7.5	22.0	15.2
Boston, Mass.	15.7	14.9	8.8	16.8	11.1	7.6
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Cambridge, Mass.	10.5	20.0	8.9	27.4	17.4	3.8
Fall River, Mass.	12.3	15.7	13.4	21.0	9.4	15.9
Lowell, Mass.	12.4	10.0	14.0	11.7	8.6	5.6
Worcester, Mass.	15.5	13.8	14.0	9.3	16.8	21.8
Detroit, Mich.	10.6	16.4	8.3	15.6	10.2	23.0
Grand Rapids, Mich.	6.8	4.8	1.9	3.7	3.6	5.3
Minneapolis, Minn.	6.7	7.0	10.0	4.9	6.8	2.3
St. Paul, Minn.	7.1	6.4	5.4	11.5	5.2	5.1
Kansas City, Mo.	6.6	6.0	7.8	14.2	2.1	3.2
St. Louis, Mo.	9.5	7.2	7.8	4.9	4.4	8.3
Omaha, Nebr.	12.4	12.8	10.2	20.8	17.2	15.3
Jersey City, N. J.	12.2	10.9	9.7	8.6	17.2	4.8
Newark, N. J.	13.8	14.7	8.4	12.7	8.3	18.6
Paterson, N. J.	8.6	11.8	4.3	12.5	6.5	15.1
Albany, N. Y.	9.1	10.5	14.2	9.1	9.0	10.0
Buffalo, N. Y.	11.9	10.7	13.1	11.8	2.9	16.2
New York, N. Y.	9.0	6.8	8.5	3.9	7.9	5.9
Bronx Borough	9.4	7.3	9.1	4.6	7.9	5.9
Brooklyn Borough	9.9	6.5	9.4	2.7	6.9	5.0
Manhattan Borough	8.3	6.8	7.2	4.4	8.8	6.4
Queens Borough	10.3	7.7	11.1	4.4	7.4	7.0
Richmond Borough	10.5	9.1	19.1	6.2	7.2	4.6
Rochester, N. Y.	4.9	6.5	8.6	2.9	12.7	5.9
Syracuse, N. Y.	8.6	10.3	1.6	7.7	23.9	2.9
Cincinnati, Ohio	7.6	6.3	3.7	8.1	6.1	8.2
Cleveland, Ohio	6.7	8.4	9.4	6.7	7.2	6.6
Columbus, Ohio	8.8	7.0	7.5	9.1	3.0	10.4
Dayton, Ohio	10.2	14.8	4.1	17.2	6.0	19.7
Toledo, Ohio	5.7	7.2	13.3	5.6	4.2	5.9
Portland, Oreg.	1.3	4.7	9.5	2.8	1.6	7.2
Philadelphia, Pa.	16.5	17.0	14.5	15.0	8.0	20.5
Pittsburgh, Pa.	30.5	17.3	37.6	9.2	12.9	14.4
Scranton, Pa.	9.4	10.2	7.4	10.4	7.0	12.3
Providence, R. I.	13.0	13.7	18.1	5.6	10.9	11.1
Memphis, Tenn.	17.9	17.8	37.8	24.3	3.4	3.8
Nashville, Tenn.	25.0	18.1	4.6	65.2	8.2	5.4
Richmond, Va.	31.1	27.4	1.8	27.9	11.2	36.7
Seattle, Wash.	4.6	5.7	2.1	0.5	1.3	12.5
Spokane, Wash.	3.2	11.2	.....	7.5	9.0	19.9
Milwaukee, Wis.	9.2	11.0	7.7	13.5	8.1	10.1

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

The death rate from whooping cough showed a slight increase for 1910 as compared with the years immediately preceding, but was somewhat lower than the average for the quinquennial period 1906 to 1910. The only state showing a rate for 1910 in excess of the limit of 20 per 100,000, indicated by boldfaced type, was Maryland (22.4). Among the larger cities the highest rate was recorded in Richmond (36.7), followed by Bridgeport (26.3), Detroit (23), Worcester (21.8), and Oakland and Philadelphia (each 20.5).

Statistics for the minor cities in which the reported mortality from this disease equaled or exceeded 20 per 100,000 of population in any one of the five years 1906 to 1910 are shown in the next table.

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Bakersfield, Cal	(1)	(1)	(1)	(1)	23.4
Berkeley, Cal	.....	9.2	.....	20.9	9.8
Fresno, Cal	.....	21.0	20.1	.....	15.9
San Jose, Cal	.....	11.2	.....	.....	41.2
Santa Barbara, Cal	(1)	(1)	(1)	(1)	25.5
Vallejo, Cal	(1)	(1)	(1)	(1)	35.1
Colorado Springs, Colo	22.5	.....	10.7	21.0	.....
Pueblo, Colo	23.5	2.5	24.1	2.3	6.7
Ansonia, Conn	70.4	.....	.....	6.7	26.3
Bristol town, Conn	25.0	16.1	.....	15.2	14.7
Danbury town, Conn	31.9	.....	.....	30.2	12.7
Greenwich town, Conn	33.8	.....	.....	6.2	6.0
Hartford, Conn	28.4	6.4	8.4	13.3	4.0
Meriden town, Conn	16.3	19.3	6.4	.....	21.8
Middletown town, Conn	.....	10.1	5.0	29.3	4.8
New Britain, Conn	50.2	2.5	34.1	7.0	4.5
New London, Conn	.....	42.0	.....	15.4	25.4
Norwalk town, Conn	8.9	13.0	34.1	.....	8.2
Norwich town, Conn	14.5	21.7	.....	.....	17.7
Stamford town, Conn	24.0	.....	14.8	10.7	.....
Torrington town, Conn	13.2	.....	.....	.....	53.2
Wallingford town, Conn	.....	56.9	.....	18.2	8.9
Waterbury, Conn	32.5	25.4	10.1	1.4	24.5
Windham town, Conn	8.6	16.8	.....	40.3	.....
Wilmington, Del	10.8	16.6	10.5	28.9	16.0
Jacksonville, Fla	5.0	11.2	22.3	24.1	10.2
Key West, Fla	29.4	9.9	.....	.....	10.0
Savannah, Ga	4.7	65.6	4.7	12.4	9.2
Belleville, Ill	28.6	4.7	14.2	.....	18.9
Jacksonville, Ill	26.3	.....	6.5	.....	.....
Quincy, Ill	.....	16.4	13.7	.....	21.9
Anderson, Ind	9.3	.....	.....	26.9	.....
Elkhart, Ind	5.6	5.5	21.6	.....	5.2
Elwood, Ind	34.0	.....	.....	89.4	9.1
Evansville, Ind	12.3	.....	42.8	4.4	8.6
Fort Wayne, Ind	10.8	3.5	25.3	.....	.....
Jeffersonville, Ind	37.9	28.5	.....	.....	57.7
Kokomo, Ind	28.4	.....	32.4	.....	52.5
Lafayette, Ind	5.2	5.1	20.3	5.0	5.0
Logansport, Ind	16.7	5.5	32.4	10.6	5.2
Marion, Ind	5.3	5.2	31.2	.....	.....
Michigan City, Ind	.....	11.3	5.5	5.3	26.2
Mishawaka, Ind	(1)	(1)	(1)	(1)	49.9
Muncie, Ind	22.0	4.3	25.8	4.2	4.2
New Albany, Ind	.....	14.5	14.5	4.8	24.2
Peru, Ind	.....	9.2	27.7	27.6	9.2
Richmond, Ind	4.8	.....	23.1	.....	.....
South Bend, Ind	.....	.....	25.7	1.9	3.7
Terre Haute, Ind	14.7	18.0	3.5	27.9	18.8
Vincennes, Ind	.....	7.3	42.5	55.0	40.0
Kansas City, Kans	(2)	(2)	23.2	12.0	.....
Newport, Ky	27.1	10.1	16.7	3.3	16.5
Paducah, Ky	14.0	13.7	.....	26.7	4.4
Auburn, Me	14.0	20.7	13.6	.....	19.9
Augusta, Me	15.8	23.5	7.7	7.6	.....
Bangor, Me	21.1	20 9	.....	4.1	.....
Biddeford, Me	6.0	5.9	.....	58.8	23.4
Waterville, Me	.....	9.2	.....	8.9	26.1
Cumberland, Md	74.9	9.8	19.1	18.6	45.6
Frederick, Md	.....	59.4	.....	19.4	38.3
Hagerstown, Md	.....	19.1	56.3	24.6	12.1
Adams town, Mass	7.9	.....	.....	23.2	23.0
Beverly, Mass	37.4	6.0	45.9	5.5	.....
Brockton, Mass	28.0	3.9	9.3	19.8	.....
Brookline town, Mass	32.7	11.8	.....	.....	3.6
Chelsea, Mass	49.9	10.3	33.9	12.3	3.1
Chicopee, Mass	42.0	8.9	4.3	16.3	7.8
Clinton town, Mass	30.5	15.3	.....	53.5	22.9
Everett, Mass	36.5	16.1	21.9	12.2	3.0
Fitchburg, Mass	23.4	11.4	22.2	10.8	.....
Gardner town, Mass	15.8	22.8	43.7	.....	6.8
Gloucester, Mass	27.3	4.0	20.0	16.2	.....
Greenfield town, Mass	(1)	(1)	(1)	(1)	47.7
Holyoke, Mass	65.7	9.4	5.5	10.6	12.1
Hyde Park town, Mass	33.9	.....	.....	13.0	12.9
Lawrence, Mass	44.7	10.4	13.7	8.4	18.5
Lynn, Mass	25.0	9.7	20.0	6.9	8.9
Malden, Mass	22.8	4.9	.....	11.5	2.2
Marlborough, Mass	14.1	14.0	.....	27.6	.....
Milford town, Mass	8.1	32.0	.....	7.8	.....
New Bedford, Mass	13.8	11.9	14.7	22.6	8.2
North Adams, Mass	4.5	27.2	4.5	13.6	4.5
Northampton, Mass	.....	5.1	45.7	5.1	10.3
Pittsfield, Mass	3.7	24.9	.....	3.2	21.6
Quincy, Mass	30.9	6.7	3.2	12.5	.....

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Revere town, Mass	35.8	19.9	18.5	11.5	10.8
Salem, Mass	56.3	14.9	14.5	9.4	13.7
Somerville, Mass	23.9	9.6	16.1	13.2	1.3
Southbridge town, Mass	.....	68.4	8.3	16.2	.....
Springfield, Mass	24.6	10.0	6.0	3.5	23.4
Taunton, Mass	37.8	12.3	15.1	32.6	5.8
Wakefield town, Mass	9.5	27.9	9.1	17.8	17.5
Webster town, Mass	9.6	18.7	45.6	17.7	8.6
Westfield town, Mass	.....	6.8	.....	38.3	.....
Weymouth town, Mass	8.4	8.2	8.1	39.4	.....
Woburn, Mass	27.4	13.5	6.7	.....	26.1
Alpena, Mich	24.0	8.0	7.9	.....	23.6
Battle Creek, Mich	.....	29.4	8.2	4.0	7.9
Bay City, Mich	35.5	4.6	6.9	2.2	15.4
Escanaba, Mich	42.2	.....	8.0	.....	.....
Holland, Mich	(1)	(1)	(1)	(1)	28.5
Ironwood, Mich	.....	34.8	.....	16.1	.....
Ishpeming, Mich	25.2	8.3	8.2	.....	.....
Kalamazoo, Mich	30.1	.....	11.0	13.1	5.0
Manistee, Mich	.....	8.0	24.0	.....	8.1
Marquette, Mich	27.4	.....	8.9	8.8	8.7
Menominee, Mich	27.6	.....	.....	.....	19.1
Muskegon, Mich	4.5	.....	39.0	.....	4.1
Port Huron, Mich	25.5	20.6	26.0	.....	5.3
Sault Ste. Marie, Mich	.....	8.3	.....	24.1	7.9
Traverse City, Mich	17.3	17.1	25.3	8.3	.....
Duluth, Minn	26.5	9.9	5.4	7.9	11.4
Virginia, Minn	(2)	(2)	(2)	(2)	28.1
Winona, Minn	5.0	30.6	.....	15.9	.....
Butte, Mont	(2)	(2)	(2)	(2)	30.5
Lincoln, Nebr	9.4	25.6	6.9	9.2	.....
Berlin, N. H	.....	27.4	44.4	26.0	8.4
Concord, N. H	24.1	.....	.....	14.1	4.6
Laconia, N. H	42.7	.....	.....	.....	.....
Manchester, N. H	32.3	37.7	17.7	29.0	10.0
Nashua, N. H	31.8	3.9	19.5	15.5	26.9
Atlantic City, N. J	27.9	2.4	4.7	2.2	32.2
Bayonne, N. J	22.1	20.9	15.8	5.6	42.8
Bloomfield, N. J	8.0	15.2	.....	.....	39.4
Bridgeton, N. J	14.5	.....	21.4	35.4	.....
Camden, N. J	29.1	6.8	14.4	8.6	26.3
Elizabeth, N. J	26.8	12.1	7.3	18.2	16.2
Hackensack, N. J	.....	48.6	7.7	.....	14.1
Harrison, N. J	15.2	7.4	43.2	7.0	48.0
Long Branch, N. J	.....	47.4	23.3	7.6	15.0
Millville, N. J	33.3	.....	.....	.....	32.1
Montclair, N. J	28.5	37.7	.....	9.7	23.0
Morristown, N. J	.....	.....	48.5	8.0	16.0
New Brunswick, N. J	4.3	.....	12.9	17.1	34.2
Orange, N. J	18.6	3.6	7.1	27.5	53.7
Perth Amboy, N. J	11.0	14.0	50.3	12.9	24.7
Phillipsburg, N. J	.....	14.7	14.6	.....	21.5
Plainfield, N. J	5.3	20.7	10.1	4.9	4.8
Trenton, N. J	20.7	3.3	15.2	13.7	34.9
Amsterdam, N. Y	19.6	3.7	17.5	.....	28.5
Cohoes, N. Y	20.7	41.1	12.3	28.5	4.0
Corning, N. Y	.....	22.1	29.4	.....	7.3
Cortland, N. Y	44.4	.....	35.1	.....	.....
Dunkirk, N. Y	83.1	.....	36.4	.....	.....
Geneva, N. Y	8.2	32.6	.....	8.1	.....
Hornell, N. Y	30.2	15.0	22.3	.....	.....
Hudson, N. Y	28.3	.....	.....	26.7	8.7
Kingston, N. Y	.....	7.8	.....	.....	23.1
Little Falls, N. Y	35.4	.....	8.5	.....	16.2
Lockport, N. Y	.....	45.3	5.6	5.6	.....
Middletown, N. Y	32.0	6.4	.....	13.0	.....
New Rochelle, N. Y	44.9	8.3	.....	7.3	34.2
Newburgh, N. Y	7.5	18.6	3.7	10.9	25.1
Niagara Falls, N. Y	47.6	28.4	6.9	.....	32.7
North Tonawanda, N. Y	.....	27.5	17.7	8.6	.....
Oswego, N. Y	31.0	.....	.....	30.2	21.4
Peekskill, N. Y	22.0	56.8	55.2	13.4	19.6
Plattsburg, N. Y	.....	.....	.....	27.3	80.5
Port Chester, N. Y	(1)	(1)	(1)	(1)	38.8
Poughkeepsie, N. Y	15.5	3.8	14.9	25.5	25.0
Rensselaer, N. Y	(1)	(1)	(1)	(1)	74.7
Rome, N. Y	22.2	10.7	10.3	65.1	4.8
Utica, N. Y	25.7	4.4	25.5	8.3	17.4
Watertown, N. Y	19.5	7.7	7.6	30.2	3.7
Watervliet, N. Y	.....	.....	6.7	26.7	.....
Raleigh, N. C	59.3	29.7	10.4	10.4	36.4
Wilmington, N. C	33.5	4.1	4.0	.....	.....
Winston, N. C	(2)	(2)	(2)	(2)	46.2
Alliance, Ohio	(2)	(2)	(2)	.....	26.3
Ashtabula, Ohio	25.1	18.3	.....	34.5	27.2

[1] Included in rural.

[2] Not admitted to registration area until a later date.

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Bellaire, Ohio	.....	40.4	.....	39.1	30.8
Canton, Ohio	2.2	4.3	10.5	4.1	27.7
Chillicothe, Ohio	.....	21.3	7.0	.....	41.3
East Liverpool, Ohio	(1)	(1)	(1)	14.9	102.6
Findlay, Ohio	12.6	.....	26.0	.....	.....
Hamilton, Ohio	22.6	.....	18.1	2.0	5.6
Ironton, Ohio	15.8	86.1	7.7	23.0	15.2
Lancaster, Ohio	(1)	(1)	(1)	.....	22.8
Lorain, Ohio	(1)	(1)	(1)	18.0	20.6
Mansfield, Ohio	(1)	(1)	(1)	9.7	38.4
Marietta, Ohio	7.6	.....	15.4	38.6	.....
Marion, Ohio	(1)	(1)	(1)	.....	32.7
Portsmouth, Ohio	28.1	22.8	.....	.....	21.2
Springfield, Ohio	(1)	(1)	(1)	8.9	38.2
Steubenville, Ohio	(1)	(1)	(1)	9.2	53.2
Youngstown, Ohio	12.3	1.5	20.5	30.1	12.5
Zanesville, Ohio	(1)	(1)	(1)	7.3	49.8
Altoona, Pa	4.1	6.1	45.6	13.6	26.8
Beaver Falls, Pa	26.4	.....	42.4	.....	16.3
Braddock, Pa	44.6	21.8	10.7	31.5	5.1
Bradford, Pa	27.2	6.8	13.7	27.4	.....
Butler, Pa	5.9	11.2	15.8	25.1	43.0
Carlisle, Pa	10.0	29.7	39.3	.....	9.7
Chambersburg, Pa	94.6	31.3	8.6	8.5	8.5
Chester, Pa	35.3	18.8	18.6	5.2	18.1
Columbia, Pa	33.9	.....	34.4	.....	.....
Dubois, Pa	8.8	.....	33.2	8.1	15.8
Dunmore, Pa	31.9	12.4	.....	17.4	.....
Duquesne, Pa	.....	50.6	.....	85.6	6.3
Easton, Pa	14.7	29.1	3.6	3.6	10.5
Erie, Pa	1.6	3.2	9.4	42.8	4.5
Harrisburg, Pa	40.0	.....	11.7	6.5	9.3
Hazleton, Pa	36.9	12.1	5.9	4.0	.....
Homestead, Pa	12.3	35.4	11.3	11.0	42.5
Johnstown, Pa	16.6	2.0	24.9	11.1	1.8
Lancaster, Pa	48.9	2.2	30.3	10.7	2.1
Lebanon, Pa	21.5	.....	5.3	.....	10.4
McKeesport, Pa	7.5	4.9	12.1	35.6	.....
Mahanoy City, Pa	60.0	.....	12.9	.....	.....
Monessen, Pa	(2)	(2)	(2)	(2)	41.7
Mount Carmel, Pa	37.8	12.3	11.9	5.8	28.4
Nanticoke, Pa	43.0	35.4	17.0	.....	26.3
New Castle, Pa	15.2	23.6	14.3	33.6	11.0
Norristown, Pa	.....	15.2	3.7	.....	28.6
North Braddock, Pa	(2)	(2)	(2)	(2)	25.1
Oil City, Pa	20.4	13.4	.....	6.5	.....
Old Forge, Pa	(2)	(2)	(2)	(2)	26.2
Phoenixville, Pa	49.3	9.7	9.6	18.8	65.0
Pittston, Pa	47.2	13.1	25.7	18.8	6.1
Plymouth, Pa	50.9	.....	.....	12.0	23.4
Pottstown, Pa	6.7	33.2	13.1	.....	.....
Pottsville, Pa	27.0	.....	15.5	5.0	9.8
Reading, Pa	12.3	7.7	20.4	7.4	9.3
Shamokin, Pa	10.5	26.0	5.2	.....	25.5
Sharon, Pa	7.4	14.2	34.5	.....	13.0
Shenandoah, Pa	76.0	8.3	32.3	19.7	3.9
South Bethlehem, Pa	5.8	11.1	.....	41.2	5.0
Steelton, Pa	96.6	7.3	7.2	7.1	35.0
Sunbury, Pa	8.2	7.9	30.6	.....	.....
Warren, Pa	59.8	.....	.....	.....	26.9
Wilkes-Barre, Pa	19.6	28.7	10.9	9.1	8.9
York, Pa	7.4	24.1	16.4	2.3	17.8
Central Falls, R. I	24.8	28.8	.....	4.5	4.4
Cranston, R. I [3]	21.8	52.4	.....	9.7	9.4
Cumberland town, R. I	.....	10.3	10.2	20.0	.....
East Providence town, R. I	49.3	13.7	6.6	12.9	12.6
Warwick town, R. I	4.0	15.6	7.7	7.6	30.0
Charleston, S. C	20.8	32.8	12.0	15.4	54.3
Knoxville, Tenn	(1)	(1)	44.9	16.6	.....
Barre, Vt	20.3	49.6	.....	.....	9.3
Burlington, Vt	15.2	35.1	.....	4.9	58.5
Rutland, Vt	.....	.....	30.4	.....	44.2
Alexandria, Va	13.3	33.1	.....	13.1	.....
Danville, Va	(1)	(1)	64.0	5.3	10.5
Lynchburg, Va	34.9	102.9	10.4	6.9	6.8
Norfolk, Va	28.4	38.8	19.9	6.0	16.3
Petersburg, Va	99.0	21.3	75.9	75.2	4.1
Wheeling, W. Va	2.5	9.8	41.3	.....	9.6
Ashland, Wis	(1)	(1)	23.7	16.6	.....
Beloit, Wis	.....	.....	.....	20.3	6.6
Fond du Lac, Wis	(1)	(1)	11.0	21.6	5.3
Kenosha, Wis	(1)	(1)	30.7	.....	23.2
Madison, Wis	20.3	4.0	8.0	3.9	15.6
Marinette, Wis	26.3	.....	6.7	.....	6.9
Superior, Wis	5.3	7.9	.....	27.7	12.3

[1] Not admitted to registration area until a later date. [2] Included in rural. [3] Including state institutions, 1907 to 1910.

Among the cities having a population of at least 10,000 but less than 100,000 in 1910 those which had the highest rates from whooping cough were East Liverpool, Ohio (102.6); Plattsburg, N. Y. (80.5); Rensselaer, N. Y. (74.7); Phoenixville, Pa. (65); Burlington, Vt. (58.5); Jeffersonville, Ind. (57.7); Charleston, S. C. (54.3); Orange, N. J. (53.7); Torrington, Conn. (53.2); Steubenville, Ohio (53.2); and Kokomo, Ind. (52.5). The long list of minor cities in which there has been a high rate of mortality from this cause—a list much longer than those in the corresponding tables for measles and scarlet fever—shows the necessity of adopting more effective measures to prevent the spread of this disease. Moreover, it is probable that a considerable addition to the reported mortality would be made if all deaths from bronchopneumonia and other complications and sequelae were charged to the primary cause. Occurring as it does so frequently in early infancy and childhood, this disease may also retard the development of children and leave them more susceptible to other diseases.

Whooping cough, unlike scarlet fever, causes much higher mortality and is perhaps more prevalent (although adequate morbidity statistics are not available to confirm this opinion) among colored than among white children. Possibly the disease may not be recognized as frequently in proportion to its actual occurrence. The next table shows the death rates from whooping cough for the years 1906 to 1910 for areas in which there is a considerable proportion of colored population.

AREA.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	12.4	49.0	22.0	62.6	9.5	42.4	8.4	24.8	7.6	38.0	14.5	77.2
Birmingham, Ala.	(1)	(1)	(2)	(2)	(2)	(2)	5.3	4.0	21.2	35.9	11.1	7.6
Mobile, Ala.	5.3	11.6	.....	.....	17.6	16.7	7.0	13.3	.....	.....	3.5	26.3
Wilmington, Del.	14.2	36.9	8.1	21.4	13.3	53.8	11.8	.....	19.4	109.2	17.8	.....
Washington, D. C.	6.0	24.2	11.4	27.2	5.4	19.4	3.5	31.0	6.0	15.9	3.8	27.3
Jacksonville, Fla.	4.3	24.6	.....	9.0	.....	20.7	12.9	30.7	3.8	43.0	3.5	16.8
Atlanta, Ga.	12.7	28.2	15.6	28.5	12.4	48.9	16.7	27.3	13.3	21.6	6.8	17.3
Savannah, Ga.	9.6	28.5	3.2	6.1	35.3	94.4	6.4	3.0	3.2	21.1	.....	18.0
Kansas City, Kans.	(1)	(1)	(2)	(2)	(2)	(2)	18.5	60.2	6.0	58.9	.....	.....
Louisville, Ky.	7.7	28.3	10.2	25.0	3.9	17.4	5.6	59.6	4.4	2.5	14.1	37.0
New Orleans, La.	6.4	10.3	6.0	4.7	12.6	22.0	7.0	10.3	3.7	7.9	3.2	6.7
Baltimore, Md.	9.5	47.8	16.4	97.5	2.6	7.2	6.0	15.5	12.6	74.4	9.9	44.6
Charleston, S. C.	15.5	37.2	3.8	35.2	14.9	48.1	14.7	9.6	7.3	22.5	35.9	70.8
Memphis, Tenn.	10.1	28.7	20.4	24.8	21.3	60.4	7.4	48.1	2.9	4.2	1.3	7.6
Nashville, Tenn.	10.9	32.3	5.3	3.3	2.8	8.2	36.0	122.9	5.5	13.7	4.1	8.2
San Antonio, Tex.	5.1	7.8	2.8	.....	2.7	.....	3.8	.....	6.1	37.9	9.2	.....
Norfolk, Va.	9.4	41.8	5.2	64.8	22.7	64.5	7.4	40.2	.....	16.0	11.7	23.9
Richmond, Va.	17.3	42.3	35.7	101.0	2.8	.....	15.2	49.7	6.8	18.8	28.4	51.2

[1] Figures for deaths not available for the entire period 1906–1910.

[2] Not admitted to registration area until 1908.

As shown by the following tables of International statistics for certain foreign countries and cities whooping cough is far more fatally prevalent in the majority of such countries than in the United States:

COUNTRY.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
United States (registration area)	(1)	(1)	(1)	(1)	11	12	10	11
Australian Commonwealth	16	17	17	13	10	11	6	11
Austria	110	97	71	53	44	36	30	30
Belgium	68	63	55	48	38	(2)	28	(2)
England and Wales	46	44	40	36	30	25	20	25
Hungary	(2)	(2)	(2)	[3] 59	42	36	34	31
Ireland	30	28	26	27	24	24	27	30
Italy	(2)	[3] 37	26	23	20	(2)	15	(2)
Japan	(2)	(2)	(2)	(2)	5	(2)	7	(2)
Netherlands	35	30	32	26	21	19	17	18
New Zealand	22	15	23	7	8	12	4	15
Ontario, Province of	10	9	(2)	7	8	10	12	8
Prussia	52	51	45	42	36	26	25	23
Roumania	(2)	4	12	17	16	23	16	28
Scotland	60	61	52	51	49	(2)	47	(2)
Servia	(2)	(2)	[3] 242	227	196	(2)	(2)	(2)
Spain	(2)	(2)	(2)	(2)	23	19	18	13
Sweden	19	17	17	20	18	(2)	14	(2)
Switzerland	24	22	19	17	20	(2)	23	(2)

[1] Figures for deaths not available for the entire period.
[2] Rate not published.
[3] Average for 4 years.

Whooping cough is of much less importance as a cause of death in the registration area of the United States than in the majority of the European countries for which data are given in the preceding table. The rates for some of the European cities, as given in the following table, are also far higher than those of American cities as a rule.

CITY.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
London	71	67	52	47	35	28	26	28
Edinburgh	67	63	45	49	52	31	52	9
Glasgow	123	121	91	89	80	67	90	27
Dublin (registration area)	47	56	45	54	37	35	39	31
Belfast	58	68	57	53	46	53	55	66
Sydney	16	28	21	15	13	11	1	15
Melbourne	22	19	19	10	10	11	12	4
Montreal	25	28	29	[1] 32	26	(2)	10	(3)
Toronto	22	11	7	6	8	(2)	13	(3)
Paris	18	19	15	12	13	10	8	12
Brussels	30	20	20	13	11	8	5	9
Amsterdam	44	35	35	28	24	19	29	12
Rotterdam	28	32	32	32	27	26	22	29
The Hague	34	22	30	20	18	12	7	13
Copenhagen	48	52	41	28	33	28	27	14
Stockholm	24	27	15	25	16	14	15	17
Christiania	52	47	37	64	32	16	29	7
St. Petersburg	21	20	25	20	21	23	27	22
Moscow	26	20	17	15	19	20	25	17
Berlin	32	33	27	30	30	19	18	11
Hamburg	40	36	23	22	24	17	17	12
Dresden	28	26	25	23	25	14	14	12
Breslau	22	19	25	26	20	23	25	24
Munich	33	25	24	21	24	13	19	12
Vienna	20	12	10	10	9	8	8	10
Prague	31	34	23	19	14	9	5	7
Budapest	21	9	5	8	8	9	6	11
Trieste	15	12	22	13	22	23	18	27
Milan	10	9	5	4	8	6	7	8
Turin	18	18	17	18	12	8	2	13
Venice	[1] 9	6	9	12	11	(2)	13	4
New York	34	32	23	18	10	7	9	6
Chicago	19	16	14	12	13	8	7	8
Philadelphia	11	14	15	14	14	[4] 17	9	[4] 21
Boston	24	23	16	13	10	[4] 15	12	[4] 8
Rio de Janeiro	7	8	4	3	6	9	9	13

[1] Average for 4 years.
[2] Figures for deaths not available for the entire period.
[3] Figures for deaths not available.
[4] Figures furnished by the Bureau of the Census.

DIPHTHERIA.

The title for this disease in the International List is "Diphtheria and croup," but it is now so generally understood that the fatal cases of "croup" are in reality diphtheria that the latter part of the title may be eliminated in connection with mortality statistics. In this discussion, therefore, the term "diphtheria" will be used as an equivalent of the International title "Diphtheria and croup."

The total number of deaths from diphtheria in the registration area in 1910 was 11,521, corresponding to a death rate of 21.4 per 100,000 population and constituting 1.4 per cent of the deaths from all causes. In other words, 14 deaths out of every 1,000 returned for the year were deaths, chiefly of children, from what is known to be a preventable cause. The death rate for the year showed a slight increase over that for 1909 (20.4), but was lower than the annual average rate for the five-year period 1906 to 1910 (22.4) and considerably lower than that for the preceding five-year period 1901 to 1905 (29.6). The fluctuations of the mortality from diphtheria during the years 1907 to 1910 and the quinquennial periods from 1901 to 1910 are shown in the following table for the registration area and main subdivisions, registration states, and cities having a population of 100,000 or more in 1910:

AREA. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area	29.6	22.4	23.6	21.5	20.4	21.4
Registration states[1]	29.3	22.4	24.2	21.9	19.9	21.1
Cities in registration states[1]	38.4	27.3	29.3	26.7	24.4	25.7
Rural part of registration states	17.8	16.8	18.1	16.5	15.0	15.9
Registration cities in other states	30.0	22.1	21.3	19.5	23.4	23.7
All registration cities[1]	34.2	26.0	26.8	24.7	24.2	25.3
REGISTRATION STATES.						
California	(2)	13.1	17.6	17.2	10.6	9.2
Colorado	(2)	18.2	18.6	24.2	18.6	16.2
Connecticut	26.2	22.6	24.0	18.6	18.8	25.1
Indiana	16.1	13.7	13.2	12.1	13.2	14.5
Maine	17.6	15.0	16.5	13.9	15.2	13.3
Maryland	(2)	16.2	15.7	14.0	12.4	13.2
Massachusetts	29.7	23.0	24.3	23.4	21.6	20.8
Michigan	21.1	15.6	15.5	12.7	14.5	17.6
Minnesota	(2)	(3)	(2)	(2)	(2)	26.1
Montana	(2)	(3)	(2)	(2)	(2)	16.1
New Hampshire	23.9	21.0	22.8	25.1	17.7	17.9
New Jersey	38.1	27.4	30.0	22.5	25.3	29.2
New York	36.3	28.4	30.0	27.7	25.8	26.6
North Carolina[4]	(2)	(3)	(2)	(2)	(2)	18.5
Ohio	(2)	(3)	(2)	(2)	12.5	12.2
Pennsylvania	(2)	29.1	29.4	26.6	26.5	29.0
Rhode Island	36.3	24.6	24.5	29.1	19.5	24.6
Utah	(2)	(3)	(2)	(2)	(2)	19.4
Vermont	15.0	11.8	10.5	11.3	8.7	9.0
Washington	(2)	(3)	(2)	22.3	17.3	12.6
Wisconsin	(2)	(3)	(2)	18.2	18.0	18.5
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.	(2)	(3)	(2)	20.8	7.1	12.0
Los Angeles, Cal.	23.1	14.0	18.3	17.6	8.5	7.4
Oakland, Cal.	29.7	17.7	32.3	11.8	15.5	7.3
San Francisco, Cal.	33.3	13.9	18.4	19.6	11.2	8.8
Denver, Colo.	29.5	23.7	25.9	35.4	27.0	18.6
Bridgeport, Conn.	31.7	28.2	33.2	22.8	16.1	27.3
New Haven, Conn.	15.2	23.3	28.5	26.4	12.9	12.7
Washington, D. C.	19.0	10.9	9.2	8.4	14.4	9.3
Atlanta, Ga.	29.4	18.1	13.0	17.2	19.1	18.6
Chicago, Ill.	28.1	30.2	27.1	26.5	31.7	37.4

AREA. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind.	14.6	13.1	12.4	21.9	11.8	6.8
Louisville, Ky.	31.7	14.2	11.4	13.2	13.5	10.7
New Orleans, La.	13.9	11.8	11.4	14.6	7.5	10.9
Baltimore, Md.	25.1	14.5	14.7	12.0	13.7	11.4
Boston, Mass.	39.5	27.9	24.8	33.9	29.5	23.9
Cambridge, Mass.	36.5	23.7	17.9	33.3	18.3	22.8
Fall River, Mass.	33.2	20.3	20.6	19.2	17.1	19.2
Lowell, Mass.	58.6	33.4	46.0	26.4	34.4	20.6
Worcester, Mass.	9.8	38.3	63.3	43.0	15.4	34.8
Detroit, Mich.	42.7	23.5	19.6	16.1	24.3	33.8
Grand Rapids, Mich.	20.7	21.8	27.7	11.2	8.2	10.6
Minneapolis, Minn.	36.7	30.2	14.3	31.4	35.6	42.9
St. Paul, Minn.	27.0	37.2	25.9	25.0	43.9	64.0
Kansas City, Mo.	18.9	20.3	15.2	16.0	25.2	21.6
St. Louis, Mo.	32.3	19.3	17.4	19.0	26.0	16.1
Omaha, Nebr.	12.8	18.6	20.3	15.8	18.8	13.6
Jersey City, N. J.	53.8	33.2	37.5	27.1	32.8	30.8
Newark, N. J.	43.3	29.5	32.2	19.5	31.7	30.6
Paterson, N. J.	39.6	24.1	28.9	29.9	17.8	20.6
Albany, N. Y.	22.4	30.0	47.5	31.2	19.0	14.9
Buffalo, N. Y.	31.2	24.4	17.1	20.7	24.8	37.8
New York, N. Y.	51.0	38.7	39.3	38.1	36.7	35.6
Bronx Borough	59.1	43.9	51.5	42.2	25.4	30.4
Brooklyn Borough	55.2	39.4	40.7	35.5	34.9	34.1
Manhattan Borough	48.2	38.1	36.6	40.2	41.5	38.2
Queens Borough	45.9	35.6	39.6	34.5	27.0	35.1
Richmond Borough	36.8	28.1	33.1	24.6	23.9	23.1
Rochester, N. Y.	39.1	26.7	34.9	26.4	9.4	17.3
Syracuse, N. Y.	18.1	19.6	23.9	19.2	19.4	18.8
Cincinnati, Ohio	19.8	14.9	14.9	15.9	11.4	9.9
Cleveland, Ohio	38.7	20.3	17.9	16.4	13.0	21.3
Columbus, Ohio	12.4	9.5	9.4	8.5	5.3	11.5
Dayton, Ohio	16.7	17.5	24.8	8.1	11.0	11.1
Toledo, Ohio	45.1	23.5	24.7	17.9	19.3	19.5
Portland, Oreg.	18.8	16.8	18.4	16.2	10.5	22.4
Philadelphia, Pa.	40.7	33.8	33.5	32.5	33.4	30.8
Pittsburgh, Pa.	45.1	23.7	28.0	18.8	15.5	25.4
Scranton, Pa.	25.1	36.5	49.0	32.0	32.1	28.4
Providence, R. I.	42.6	28.3	32.0	36.8	26.3	21.7
Memphis, Tenn.	11.7	19.2	17.6	28.6	20.5	16.7
Nashville, Tenn.	11.9	10.1	8.3	15.6	11.9	6.3
Richmond, Va.	25.8	9.7	15.0	3.5	7.7	10.2
Seattle, Wash.	13.9	14.3	20.2	19.5	13.0	6.3
Spokane, Wash.	23.2	27.5	43.2	37.5	31.2	18.0
Milwaukee, Wis.	21.9	27.0	25.5	20.6	31.9	35.4

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

In all the main subdivisions of the registration area the death rate from diphtheria for 1910 was slightly higher than that for the preceding year, but in all of them, with the exception of the registration cities in other states, the rate for 1910 was lower than the annual average for the quinquennial period ending in that year. Slightly higher mortality rates for 1910 than for the preceding year or the second quinquennial period are shown for Connecticut, Indiana, Michigan, and New Jersey. Among the large cities with high death rates from diphtheria were St. Paul (64), Minneapolis (42.9), Buffalo (37.8), Chicago (37.4), and New York (35.6). Rates in excess of the limit indicated in the table are shown for consecutive years only in the

case of Worcester (1907 and 1908) and St. Paul (1909 and 1910).

The number of fatal cases of diphtheria per 100,000 population is shown for the minor municipalities (those having 10,000 population but less than 100,000 in 1910) in which the rate of mortality was as high as 40 per 100,000 during any year of the period 1906 to 1910.

CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Fresno, Cal.	22.1	31.6	**55.2**	**43.1**	31.9
Vallejo, Cal.	(1)	(1)	(1)	(1)	**105.2**
Trinidad, Colo.	(1)	(1)	(1)	(1)	**48.5**
Ansonia, Conn.	7.0	**90.0**	20.4	.....	19.7
Bristol town, Conn.	25.0	16.1	15.6	7.6	**51.5**
Greenwich town, Conn.	6.8	13.1	**51.0**	18.6	6.0
Manchester town, Conn.	8.0	23.5	.....	7.5	**43.8**
Meriden town, Conn.	**48.8**	6.4	19.1	**59.8**	21.8
Naugatuck, Conn.	.....	.....	8.1	**47.8**	15.7
New Britain, Conn.	29.0	27.9	17.0	25.8	**65.5**
Waterbury, Conn.	34.0	28.4	31.8	23.8	**44.8**
Wilmington, Del.	**51.7**	20.2	23.4	15.0	29.7
Quincy, Ill.	8.2	**60.3**	19.2	24.6	27.3
Springfield, Ill.	**49.0**	**45.6**	12.6	5.9	25.0
Anderson, Ind.	23.2	9.2	9.1	**49.3**	26.6
Gary, Ind.	(1)	(1)	(1)	(1)	[2] **41.7**
Hammond, Ind.	**50.7**	21.4	10.3	9.9	14.2
Jeffersonville, Ind.	19.0	.....	19.1	**57.5**	.....
Logansport, Ind.	16.7	38.4	.....	**63.8**	26.2
Marion, Ind.	**89.3**	**57.5**	.....	5.2	10.3
Muncie, Ind.	**48.3**	17.4	8.6	12.6	16.6
New Albany, Ind.	**43.6**	19.4	19.4	24.2	**67.9**
Peru, Ind.	9.3	**55.5**	27.7	9.2	.....
Richmond, Ind.	4.8	4.7	4.6	.....	**40.2**
Paducah, Ky.	9.3	4.6	**54.2**	**40.0**	13.1
Auburn, Me.	28.1	**41.5**	**40.9**	13.4	6.6
Biddeford, Me.	6.0	11.9	11.8	**88.2**	**46.8**
Lewiston, Me.	7.9	19.6	**42.6**	23.0	34.2
Waterville, Me.	18.7	**64.2**	36.0	17.7	26.1
Hagerstown, Md.	**149.5**	**63.8**	18.8	12.3	.....
Adams town, Mass.	39.6	**47.2**	15.6	30.9	**46.0**
Clinton town, Mass.	7.6	7.6	7.6	15.3	**45.9**
Everett, Mass.	**43.1**	29.0	37.6	21.4	14.9
Fitchburg, Mass.	17.6	11.4	24.9	29.7	**44.7**
Gloucester, Mass.	**74.1**	31.6	4.0	12.2	24.7
Haverhill, Mass.	**45.8**	27.1	7.2	32.5	18.0
Holyoke, Mass.	36.7	**61.9**	**52.9**	19.5	18.9
Hyde Park town, Mass.	**54.3**	20.1	33.0	6.5	38.6
Leominster town, Mass.	**79.6**	**57.2**	6.1	17.6	22.6
Marlborough, Mass.	7.0	7.0	13.9	**62.1**	.....
Plymouth town, Mass.	.....	**60.5**	25.5	25.0	16.4
Salem, Mass.	**51.2**	22.3	19.3	11.7	13.7
Southbridge town, Mass.	35.2	25.7	16.6	**40.5**	**55.3**
Springfield, Mass.	32.4	24.9	31.2	39.3	**41.3**
Waltham, Mass.	**41.3**	26.0	18.3	21.8	**46.6**
Westfield town, Mass.	28.2	27.3	6.6	12.8	**74.3**
Weymouth town, Mass.	8.4	8.2	**40.3**	31.5	7.7
Alpena, Mich.	.....	8.0	**87.2**	**55.3**	.....
Escanaba, Mich.	8.4	24.6	**55.8**	15.5	**75.4**
Flint, Mich.	**51.6**	.....	3.2	2.8	15.2
Ironwood, Mich.	9.1	**69.6**	**66.9**	**144.7**	**54.2**
Ishpeming, Mich.	.....	**41.5**	**131.2**	**81.1**	**48.1**
Jackson, Mich.	**40.0**	17.5	6.8	9.8	6.3
Port Huron, Mich.	**61.2**	5.1	.....	.....	**58.4**
Saginaw, Mich.	**41.7**	18.5	12.2	8.0	7.9
Sault Ste. Marie, Mich.	.....	**41.5**	32.6	24.1	7.9
Duluth, Minn.	28.0	**66.5**	**59.9**	**44.6**	19.0
Anaconda, Mont.	(3)	(3)	(3)	(3)	**78.8**
Great Falls, Mont.	(3)	(3)	(3)	(3)	**43.1**
Lincoln, Nebr.	**63.5**	25.6	34.7	25.2	9.1
Laconia, N. H.	.....	**62.6**	10.2	10.0	9.8
Manchester, N. H.	**66.1**	**43.7**	**65.0**	**50.7**	37.0
Nashua, N. H.	7.9	**47.2**	**50.7**	19.4	19.2
Portsmouth, N. H.	9.1	18.0	**53.8**	**44.6**	**44.3**
Asbury Park, N. J.	(1)	(1)	(1)	(1)	**48.4**
Bridgeton, N. J.	**72.7**	**50.5**	.....	14.2	**42.2**
Camden, N. J.	**71.1**	**56.7**	**56.4**	**47.5**	**66.3**
Elizabeth, N. J.	**60.0**	**86.5**	39.3	35.0	17.6
Garfield, N. J.	(1)	(1)	(1)	(1)	**67.1**
Harrison, N. J.	37.9	**73.9**	14.4	28.1	**54.9**
Hoboken, N. J.	33.1	**53.3**	37.9	**40.3**	**48.2**
Kearny, N. J.	27.2	**50.8**	11.9	28.0	15.9
Long Branch, N. J.	32.2	**55.3**	23.3	7.6	**37.5**
Millville, N. J.	25.0	.....	24.5	24.3	**48.1**
Morristown, N. J.	8.2	**40.7**	24.2	16.1	**111.8**
Orange, N. J.	**67.0**	18.1	3.5	20.6	13.4
Perth Amboy, N. J.	**47.7**	31.5	30.2	**41.8**	**46.3**
Phillipsburg, N. J.	22.3	**73.6**	14.6	14.5	**50.3**
Union, N. J.	22.4	21.4	25.6	39.3	**61.3**

CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
West Hoboken, N. J.	**55.8**	28.3	36.3	**55.3**	30.8
West New York, N. J.	(1)	(1)	(1)	(1)	**101.2**
Amsterdam, N. Y.	**51.1**	11.1	**35.1**	26.6	**38.0**
Auburn, N. Y.	15.2	**44.9**	3.0	8.7	17.3
Cohoes, N. Y.	28.9	32.9	**24.5**	20.3	**52.6**
Dunkirk, N. Y.	12.8	18.7	12.1	11.8	**52.0**
Gloversville, N. Y.	10.5	5.1	**35.2**	**44.3**	14.5
Hudson, N. Y.	**47.2**	**37.0**	.....	.....	17.4
Ithaca, N. Y.	6.9	**54.7**	**61.3**	**40.7**	.....
Kingston, N. Y.	**23.5**	**66.3**	31.1	34.8	27.0
Lackawanna, N. Y.	(1)	(1)	(1)	(1)	[2] **48.1**
Lockport, N. Y.	**74.1**	11.3	11.3	22.4	22.2
Niagara Falls, N. Y.	29.3	**42.6**	**41.4**	**23.5**	**32.7**
North Tonawanda, N. Y.	.....	18.3	8.9	**60.0**	**41.6**
Olean, N. Y.	19.1	**74.1**	**35.9**	6.9	**33.8**
Oswego, N. Y.	**61.9**	4.4	17.4	.....	4.3
Peekskill, N. Y.	7.3	**42.6**	**34.5**	.....	6.5
Rome, N. Y.	**33.3**	**32.1**	**10.3**	**10.0**	**43.6**
Utica, N. Y.	**42.4**	**36.6**	**11.4**	**9.6**	**18.7**
Watertown, N. Y.	**43.0**	**69.5**	**15.3**	**7.5**	**14.9**
Watervliet, N. Y.	13.7	**33.9**	**74.0**	.....	13.2
Ashtabula, Ohio	18.9	**42.7**	**11.8**	**5.8**	**5.4**
Bellaire, Ohio	**35.8**	**24.3**	**55.7**	**101.7**	**38.5**
Chillicothe, Ohio	**21.6**	**21.3**	**63.3**	**41.7**	**27.5**
Lorain, Ohio	(3)	(3)	(3)	**39.8**	**27.4**
Steubenville, Ohio	(3)	(3)	(3)	**96.6**	**22.2**
Youngstown, Ohio	**46.0**	**27.6**	**12.3**	**20.9**	**37.6**
Allentown, Pa.	**79.1**	**54.7**	**56.8**	**47.3**	**42.1**
Altoona, Pa.	**20.6**	**42.5**	**17.9**	**7.8**	**32.5**
Beaver Falls, Pa.	**17.6**	**8.6**	**8.5**	**16.6**	**49.0**
Braddock, Pa.	**66.9**	**27.3**	**21.4**	**68.2**	**72.0**
Bradford, Pa.	**27.2**	**40.9**	**6.8**	**41.1**	.....
Carbondale, Pa.	**57.4**	**31.2**	**73.2**	**41.8**	.....
Carnegie, Pa.	(1)	(1)	(1)	(1)	**59.6**
Chambersburg, Pa.	**31.5**	**52.2**	**42.9**	**34.1**	.....
Chester, Pa.	**51.6**	**18.8**	**8.0**	**15.7**	**15.5**
Columbia, Pa.	.....	.....	.....	**43.4**	**26.2**
Dubois, Pa.	**70.3**	**25.6**	.....	**16.2**	**15.8**
Dunmore, Pa.	**31.9**	**30.9**	**35.9**	**29.1**	**56.4**
Duquesne, Pa.	**106.4**	**72.3**	**89.6**	**39.5**	**25.2**
Easton, Pa.	**29.4**	**47.2**	**21.5**	**24.9**	**14.0**
Harrisburg, Pa.	**13.9**	**5.1**	**11.7**	**44.1**	**68.3**
Hazleton, Pa.	**18.5**	**42.2**	**23.7**	**11.9**	**35.3**
Homestead, Pa.	**49.2**	**23.6**	**11.3**	**11.0**	**31.9**
Johnstown, Pa.	**41.5**	**55.9**	**30.7**	**38.9**	**41.2**
Lebanon, Pa.	**43.0**	**53.2**	**10.6**	**10.5**	**36.3**
McKeesport, Pa.	**57.8**	**46.8**	**38.7**	**33.3**	**18.7**
Mahanoy City, Pa.	**86.7**	**32.8**	**58.1**	**38.1**	**50.0**
Mount Carmel, Pa.	**44.1**	**36.8**	**131.4**	**93.9**	**22.7**
Nanticoke, Pa.	**55.3**	**35.4**	**164.3**	**54.5**	**115.7**
Norristown, Pa.	**42.8**	**26.6**	**3.7**	**3.6**	**10.7**
Phoenixville, Pa.	.....	.....	**76.5**	**18.8**	**65.0**
Pittston, Pa.	**13.5**	**92.0**	**134.7**	**131.5**	**67.3**
Plymouth, Pa.	**57.3**	**81.0**	**48.8**	**47.8**	**52.7**
Pottsville, Pa.	**10.8**	**21.1**	**10.3**	**15.1**	**49.2**
Shamokin, Pa.	**36.7**	**26.0**	**41.4**	**20.5**	**25.5**
Shenandoah, Pa.	**168.9**	**66.0**	**56.5**	**31.6**	**73.4**
South Bethlehem, Pa.	**57.5**	**66.4**	**10.7**	**10.3**	**54.7**
Steelton, Pa.	**14.9**	**36.6**	**7.2**	**78.1**	**161.0**
Warren, Pa.	.....	.....	**9.5**	.....	**53.9**
Wilkes-Barre, Pa.	**22.9**	**31.9**	**43.5**	**31.9**	**32.6**
Williamsport, Pa.	**9.8**	**42.0**	**28.8**	**15.8**	**6.3**
York, Pa.	**19.8**	**31.3**	**25.8**	**31.9**	**71.1**
Cranston, R. I.[4]	**5.4**	**31.4**	**40.4**	**4.9**	**18.8**
Cumberland town, R. I.	**10.5**	.....	.....	.....	**78.9**
Woonsocket, R. I.	**53.7**	**23.0**	**36.2**	**24.2**	**75.6**
Salt Lake City, Utah	**27.4**	**72.2**	**26.1**	**27.4**	**34.2**
Barre, Vt.	**40.6**	.....	.....	.....	**9.3**
Burlington, Vt.	**35.4**	**40.1**	**24.8**	**9.8**	**29.3**
Petersburg, Va.	**17.2**	**29.8**	**12.7**	**4.2**	**57.9**
North Yakima, Wash.	(3)	(3)	(1)	(1)	**48.9**
Walla Walla, Wash.	(3)	(3)	**40.0**	**26.8**	.....
Wheeling, W. Va.	**49.3**	**34.3**	**26.7**	**26.6**	**19.2**
Beloit, Wis.	**44.9**	**28.9**	.....	**13.6**	**6.6**
Fond du Lac, Wis.	(3)	(3)	**5.5**	**21.6**	**47.7**
Green Bay, Wis.	**29.9**	**4.2**	**49.3**	**56.3**	**35.5**
Manitowac, Wis.	(3)	(3)	**54.2**	**15.4**	.....
Sheboygan, Wis.	(3)	(3)	**11.7**	**50.0**	**26.4**
Superior, Wis.	**24.1**	**52.4**	**33.4**	**22.6**	**32.1**

[1] Included in rural.
[2] Based on population enumerated April 15, 1910.
[3] Not admitted to registration area until a later date.
[4] Including state institutions, 1907 to 1910.

Continued prevalence of high, or what may be called epidemic, rates of diphtheria is shown throughout the five years for Camden, N. J., and Allentown and Plymouth, Pa.; and for four consecutive years ending with 1910 for Ironwood and Ishpeming, Mich., and Pittston, Pa. For 1910 the highest death rates shown for any of the places in this group were those of Steelton (161) and Nanticoke (115.7), Pa.; Morristown, N. J. (111.8); Vallejo, Cal. (105.2); West New York, N. J. (101.2); Cumberland town, R. I. (78.9); Anaconda, Mont. (78.8); Woonsocket, R. I. (75.6); and Escanaba, Mich. (75.4).

The mortality of the white and the colored population, respectively, from diphtheria for the years 1906 to 1910 is shown in the following table for areas which had a considerable proportion of colored:

AREA.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	16.9	15.4	28.0	23.8	15.7	12.3	14.0	17.9	11.3	9.0	15.6	13.9
Birmingham, Ala.	(1)	(1)	(2)	(2)	(2)	(2)	13.3	32.2	4.7	10.8	14.9	7.6
Mobile, Ala.	9.2	8.7	13.3	22.4	8.8	16.7	3.5	4.4	3.5	.....	17.4	4.4
Wilmington, Del.	29.4	17.3	50.1	53.4	22.7	21.5	26.2	.....	16.8	.....	31.8	11.0
Washington, D. C.	11.6	9.4	13.2	14.1	10.3	6.5	8.3	8.6	14.2	14.8	11.8	3.2
Jacksonville, Fla.	12.0	2.3	22.6	4.5	14.6	4.1	8.6	.....	15.3	.....	3.5	3.4
Atlanta, Ga.	16.6	21.1	15.6	35.7	7.5	23.3	17.9	15.9	21.1	15.2	19.3	17.3
Savannah, Ga.	21.0	9.7	32.3	12.2	25.7	6.1	28.7	9.1	9.5	15.1	9.4	6.0
Kansas City, Kans.	(1)	(1)	(2)	(2)	(2)	(2)	16.9	48.2	36.1	.....	34.1	42.7
Louisville, Ky.	15.5	7.9	23.8	15.0	12.3	7.5	16.1	.....	12.6	17.3	13.1	.....
New Orleans, La.	13.9	5.9	17.5	7.0	13.4	5.8	17.3	6.9	9.3	2.3	12.0	7.8
Baltimore, Md.	15.6	8.3	22.1	13.2	15.8	8.4	12.5	9.5	15.1	5.9	12.6	4.7
Charleston, S. C.	13.3	3.9	7.6	3.2	26.2	.....	3.7	.....	14.6	3.2	14.4	12.9
Memphis, Tenn.	20.3	17.6	12.6	12.4	15.2	20.8	25.2	33.5	30.3	6.3	17.7	15.2
Nashville, Tenn.	13.8	2.8	10.5	3.3	12.6	.....	20.8	5.5	17.8	.....	6.8	5.5
San Antonio, Tex.	10.2	2.0	22.7	10.4	13.4	.....	2.5	.....	4.8	.....	9.2	.....
Norfolk, Va.	12.8	8.0	13.0	20.3	5.1	.....	22.2	4.0	12.0	12.0	11.7	4.0
Richmond, Va.	12.0	4.8	13.6	5.8	19.6	7.2	2.8	4.7	12.2	.....	12.3	6.4

[1] Figures for deaths not available for the entire period 1906–1910.

[2] Not admitted to registration area until 1908.

As in the case of scarlet fever, the annual average death rates from diphtheria for the five-year period 1906 to 1910 indicate a greater mortality among white persons than among colored. In 1910 there was only a single area (Kansas City, Kans.) of those included in the table in which the death rate of the colored population from diphtheria was greater than that of the white, although four such places are shown for 1909, seven for 1908, three for 1907, and five for 1906.

Comparative figures for foreign countries and cities are shown in the following tables:

COUNTRY.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
United States (registration area)	(1)	(1)	(1)	(1)	30	22	20	21
Australian Commonwealth	43	52	36	15	10	10	10	13
Austria	146	134	122	80	43	28	29	26
Belgium	78	66	49	27	21	(2)	15	(2)
England and Wales [3]	16	17	25	27	20	15	15	12
Hungary	(2)	(2)	(2)	[4] 67	47	41	45	42
Ireland [3]	6	8	7	8	8	8	9	8
Italy	(2)	[4] 74	51	24	14	(2)	17	(2)
Japan	3	4	7	13	9	(2)	11	(2)
Netherlands [3]	12	15	16	10	10	6	6	5
New Zealand [3]	20	18	17	8	4	6	7	8
Ontario, Province of	70	65	44	34	30	19	19	19
Prussia	172	157	134	59	40	25	25	24
Roumania	(2)	19	20	29	13	6	5	10
Scotland [3]	21	22	22	16	15	(2)	18	(2)
Servia	(2)	(2)	(2)	(2)	66	(2)	(2)	(2)
Spain	(2)	(2)	(2)	(2)	25	20	22	22
Sweden	85	52	61	44	34	(2)	13	(2)
Switzerland	64	34	46	29	21	(2)	16	(2)

[1] Figures for deaths not available for the entire period.
[2] Rate not published.
[3] Figures are exclusive of deaths from croup.
[4] Average for four years.

CITY.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
London	41	42	58	47	20	14	13	9
Edinburgh	38	47	37	23	19	13	12	17
Glasgow	55	47	38	19	15	21	27	23
Dublin (registration area)	8	7	6	14	12	12	14	14
Belfast	11	16	16	18	13	8	5	7
Sydney	36	53	37	12	10	8	8	11
Melbourne	29	72	22	24	10	10	9	13
Montreal	140	152	49	67	30	(1)	28	(2)
Toronto	79	117	123	64	66	(1)	82	(2)
Paris	87	70	45	13	17	8	9	10
Brussels	12	10	20	11	11	9	11	8
Amsterdam	130	61	39	19	11	8	7	6
Rotterdam	44	31	31	30	17	10	10	8
The Hague	50	27	34	15	8	8	4	3
Copenhagen	45	124	104	26	11	8	11	8
Stockholm	107	71	95	52	25	17	17	28
Christiania	86	238	49	10	30	36	29	20
St. Petersburg	109	45	49	107	61	55	46	38
Moscow	63	78	73	64	45	51	63	84
Berlin	172	91	76	31	17	27	32	34
Hamburg	86	90	44	16	18	28	39	52
Dresden	193	117	99	24	17	30	29	27
Breslau	55	113	75	21	20	18	14	13
Munich	104	97	73	34	15	17	16	11
Vienna	59	63	96	32	23	17	16	13
Prague	56	113	65	33	18	13	16	15
Budapest	78	131	119	30	28	17	19	17
Trieste	175	84	155	68	17	12	8	8
Milan	98	92	129	40	29	12	12	6
Turin	69	47	35	16	9	12	12	13
Venice	[3] 28	24	39	39	19	(1)	32	20
New York	170	162	130	67	52	39	38	36
Chicago	151	158	118	55	28	30	31	38
Philadelphia	139	83	125	94	40	[4] 34	33	[4] 31
Boston	151	120	120	75	39	[4] 28	31	[4] 24
Rio de Janeiro	28	19	7	3	8	5	4	4

[1] Figures for deaths not available for the entire period.
[2] Figures for deaths not available.
[3] Average for four years.
[4] Figures furnished by the Bureau of the Census.

The mortality from diphtheria has been greatly reduced during the period covered in many of the foreign countries and cities shown in the preceding tables. For example, the excessively high rates of 146, 134, and 122 shown for Austria for the three quinquenniums extending from 1881 to 1895, have been followed by much lower rates for each successive five-year period, the rate for the period 1906 to 1910 being 28 per 100,000. A still greater decrease is shown in the death rates for Prussia. The English rates show only a slight reduction, but were never as high during the whole period as those of Austria, Prussia, and many other countries. No extended comparison of the rates for foreign countries with those for the registration area can be made, because the series of annual mortality reports was not begun until 1900. For the past two quinquenniums and for the years 1909 and 1910 the rates were higher for the registration area than those for the majority of the countries for which figures are shown covering the same period.

INFLUENZA.

As the term "influenza" is not always used with precision, it is problematical how many deaths from actual influenza are included among those assigned to this cause. When influenza is epidemic there is a tendency to ascribe to it deaths due to many other diseases of the respiratory organs, while in the intervals between periods of epidemic prevalence the tendency is to overlook sporadic cases and to report deaths caused by this disease under some of the sequelae or complications. Hence too much stress should not be laid upon the figures representing the mortality reported from this cause.

In 1910 the number of deaths returned was 7,774, or 14.4 per 100,000 population, the rate being somewhat higher than that for the preceding year (13.1), but considerably lower than the annual average rates for the quinquennial periods 1901 to 1905 and 1906 to 1910, which were 19.9 and 16.4, respectively.

The following table shows the mortality from influenza in the registration area, its main subdivisions, the registration states, and the major cities (those having a population of 100,000 or over in 1910) for the years 1907 to 1910 and for the quinquennial periods 1901 to 1905 and 1906 to 1910:

AREA. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION.					
	Annual average.					
	1901 to 1905	1906 to 1910	1907	1908	1909	1910
SUMMARY.						
The registration area	19.9	16.4	23.4	21.3	13.1	14.4
Registration states [1]	21.6	16.5	24.9	21.1	13.3	14.3
Cities in registration states [1]	15.5	12.3	18.8	16.1	9.2	10.6
Rural part of registration states	29.3	21.2	32.1	26.6	17.7	18.4
Registration cities in other states	16.9	15.7	17.2	22.6	11.7	15.7
All registration cities [1]	16.2	13.2	18.3	18.0	9.8	11.6
REGISTRATION STATES.						
California	(2)	9.7	11.2	13.8	8.5	6.3
Colorado	(2)	13.7	18.9	19.3	12.6	9.6
Connecticut	33.1	26.0	42.8	31.5	16.2	21.7
Indiana	22.9	20.3	25.5	29.5	16.0	19.9
Maine	29.1	24.3	36.4	30.8	23.8	16.5
Maryland	(2)	20.5	28.3	29.1	18.4	15.5
Massachusetts	18.1	15.9	25.7	18.2	12.9	13.2
Michigan	24.1	17.5	29.4	19.7	13.2	15.5
Minnesota	(2)	(3)	(2)	(2)	(2)	4.7
Montana	(2)	(3)	(2)	(2)	(2)	6.3
New Hampshire	30.6	27.1	43.0	28.3	23.5	21.6
New Jersey	11.6	9.7	13.8	9.8	7.0	12.2
New York	19.9	15.1	25.9	17.1	10.6	13.3
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	28.2
Ohio	(2)	(3)	(2)	(2)	16.0	19.0
Pennsylvania	(2)	17.9	23.3	25.1	14.4	15.6
Rhode Island	28.1	19.1	25.8	26.0	14.6	18.2
Utah	(2)	(3)	(2)	(2)	(2)	8.3
Vermont	39.1	39.2	51.4	43.5	38.0	41.3
Washington	(2)	(3)	(2)	9.0	9.0	4.7
Wisconsin	(2)	(3)	(2)	23.7	13.0	10.6
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.	(2)	(3)	(2)	14.4	10.0	12.8
Los Angeles, Cal.	13.9	9.1	11.1	14.7	5.5	6.2
Oakland, Cal.	9.6	5.0	9.5	2.7	3.5	4.0
San Francisco, Cal.	10.7	4.8	6.8	4.5	5.8	1.7
Denver, Colo.	9.4	12.1	16.5	18.0	10.6	9.3
Bridgeport, Conn.	15.1	10.8	21.4	10.4	4.0	6.8
New Haven, Conn.	23.8	20.0	39.6	25.6	11.4	14.2
Washington, D. C.	33.8	25.3	37.9	39.8	13.2	23.8
Atlanta, Ga.	40.6	30.4	30.0	54.8	19.1	8.3
Chicago, Ill.	11.9	9.8	11.6	15.9	8.7	6.6

AREA. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION.					
	Annual average.					
	1901 to 1905	1906 to 1910	1907	1908	1909	1910
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind.	17.0	16.7	18.3	21.0	11.8	23.0
Louisville, Ky.	16.3	15.1	21.0	19.1	11.7	13.4
New Orleans, La.	30.8	32.3	35.8	38.8	14.3	50.6
Baltimore, Md.	24.8	16.6	19.7	27.1	15.1	11.4
Boston, Mass.	12.8	9.5	15.3	9.2	8.4	7.6
Cambridge, Mass.	11.8	11.6	28.8	12.7	4.8	7.6
Fall River, Mass.	11.8	10.8	12.5	21.9	6.8	5.8
Lowell, Mass.	14.3	11.3	19.0	16.6	7.7	7.5
Worcester, Mass.	10.6	7.9	16.2	11.5	2.1	4.8
Detroit, Mich.	12.4	5.9	9.3	6.8	4.2	5.3
Grand Rapids, Mich.	18.3	8.6	20.1	12.1	3.6	5.3
Minneapolis, Minn.	5.8	4.4	5.7	8.0	4.1	1.3
St. Paul, Minn.	7.4	3.7	3.9	7.2	6.1	0.9
Kansas City, Mo.	16.7	12.6	17.5	16.9	5.8	11.2
St. Louis, Mo.	19.0	15.4	20.3	16.9	11.1	18.7
Omaha, Nebr.	15.9	14.1	21.2	13.3	15.5	8.0
Jersey City, N. J.	8.1	6.6	9.3	5.9	5.7	7.1
Newark, N. J.	10.4	8.5	10.9	7.1	7.7	11.4
Paterson, N. J.	5.5	5.5	7.7	8.3	4.9	4.0
Albany, N. Y.	30.3	22.5	33.4	36.2	7.0	19.9
Buffalo, N. Y.	9.2	10.4	16.4	15.7	6.5	7.0
New York, N. Y.	11.7	7.9	15.0	7.2	5.8	6.1
Bronx Borough	9.1	6.3	14.1	5.1	2.2	5.3
Brooklyn, Borough	12.8	9.9	20.3	8.2	7.1	7.0
Manhattan Borough	11.1	6.8	11.9	6.9	5.7	5.4
Queens Borough	11.7	6.4	11.1	5.2	3.7	7.0
Richmond Borough	16.2	10.6	17.8	8.6	9.5	11.6
Rochester, N. Y.	12.9	8.8	10.1	13.7	4.7	7.3
Syracuse, N. Y.	12.5	9.6	12.0	14.6	7.5	7.2
Cincinnati, Ohio	28.5	24.0	16.9	36.6	20.8	21.1
Cleveland, Ohio	7.5	9.2	15.1	10.5	6.9	9.0
Columbus, Ohio	14.4	9.3	11.3	18.9	5.3	8.2
Dayton, Ohio	15.1	12.2	10.3	16.2	14.9	9.4
Toledo, Ohio	17.3	16.2	26.6	27.2	9.1	9.5
Portland, Oreg.	9.4	8.9	16.0	13.4	5.2	5.3
Philadelphia, Pa.	13.1	14.4	20.8	19.6	12.0	10.2
Pittsburgh, Pa.	17.2	18.4	20.4	35.5	12.9	14.2
Scranton, Pa.	19.4	18.7	25.3	23.2	14.1	8.4
Providence, R. I.	26.4	16.3	23.4	20.5	10.4	16.4
Memphis, Tenn.	37.9	33.6	38.7	46.9	21.4	30.4
Nashville, Tenn.	49.2	41.2	41.7	52.4	31.9	38.0
Richmond, Va.	37.4	29.9	51.1	33.1	12.9	25.0
Seattle, Wash.	4.6	4.1	7.4	2.9	5.4	3.3
Spokane, Wash.	8.9	8.6	2.5	12.9	10.1	10.4
Milwaukee, Wis.	15.0	8.3	8.3	15.5	6.1	7.2

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

All the main subdivisions of the registration area showed some increase in the mortality from influenza for 1910 as compared with the preceding year. The only state having a rate in excess of the limit indicated in the table (40 per 100,000 population) was Vermont (41.3) and the only large city was New Orleans (50.6). The rates in Vermont from this disease have been relatively high throughout the decade, probably many deaths of elderly people due to various other forms of respiratory diseases being attributed to this cause. The high mortality in New Orleans, as compared with that of preceding years, would seem to indicate a condition of epidemic prevalence.

OTHER EPIDEMIC DISEASES.

No deaths from Asiatic cholera occurred in the registration area, nor have any been reported from this cause since the publication of annual mortality reports was begun in 1900. One death from the plague occurred (in San Benito County, Cal.) in 1910, compared with 2 deaths from this cause in 1909, 5 in 1908, and 89 in 1907. Typhus fever was reported as the cause of 2 deaths in 1910, of which 1 occurred in West Hoboken, N. J., and 1 in Columbus, Ohio. One death was caused by relapsing fever, the case being reported from Mount Carmel, Pa. Leprosy caused the death of 10 persons—7 whites, 2 negroes, and 1 Chinese. Of these deaths, 2 each were reported from New Orleans and Charleston, and 1 each from Alameda County, Cal., San Francisco, Key West, Fla., Kandiyohi County, Minn., New York City, and Milwaukee County, Wis. Beriberi was returned as causing the death of 10 persons, of whom 1 was white, 2 were negroes, 2 Chinese, 4 Japanese, and 1 was an East Indian. These deaths were distributed as follows: California, 6 (2 in San Francisco, 1 in Sacramento, 1 in San Jose, 1 in Butte County, and 1 in Fresno County); Massachusetts, 1 (Boston); and Washington, 3 (1 in Kitsap County, 1 in Seattle, and 1 in Tacoma).

Among the deaths from diseases of rare occurrence or of minor importance included in the 198 deaths classified under "Other epidemic diseases" (International title 19), were 65 from chickenpox; 48 from mumps; 45 returned from "rubeola," which are compiled here according to the International Classification, and not under measles, where they belong; 24 from German measles; 11 from spotted tick fever, or Rocky Mountain tick fever, all of which occurred in Montana (7 in Ravalli County and 4 in Missoula city); 3 from glandular fever; 1 from dengue fever; and 1 from milk sickness.

PELLAGRA.

Pellagra, a disease which has recently received much attention in this country, caused 368 deaths in the registration area during the year 1910. For 1909 only 116 deaths from this cause were returned and for 1908 only 23, while the only deaths reported for previous years were 2 in 1900, 2 in 1903, and 1 in 1904. Although this disease has undoubtedly prevailed a long time in some portions of the United States, it has not been recognized or reported in this country until very recently. For this reason the increase in the number of deaths reported can not be regarded as representing an actual increase in the annual mortality.

Below are shown the areas from which deaths from pellagra have been returned and the number of deaths reported for all the years covered by the mortality returns:

AREA.	NUMBER OF DEATHS FROM PELLAGRA.					
	1900	1903	1904	1908	1909	1910
The registration area	2	2	1	23	116	368
REGISTRATION STATES.						
California	(1)	(1)	(1)	.....	1	3
District of Columbia	.....	.....	.....	.....	.....	1
Indiana	.....	.....	.....	.....	1	.....
Maryland	(1)	(1)	(1)	.....	2	8
Massachusetts	.....	.....	.....	.....	1	1
Michigan	.....	.....	.....	.....	1	2
Minnesota	(1)	(1)	(1)	(1)	(1)	2
New Hampshire	1	.....	.....	.....	.....	.....
New York	1	1	.....	.....	1	4
North Carolina [2]	(1)	(1)	(1)	(1)	(1)	111
Ohio	(1)	(1)	(1)	(1)	.....	1
Pennsylvania	(1)	(1)	(1)	.....	.....	3
Rhode Island	.....	.....	.....	.....	.....	3
Vermont	.....	.....	.....	.....	.....	2
Washington	(1)	(1)	(1)	.....	.....	2
REGISTRATION CITIES IN NONREGISTRATION STATES.						
ALABAMA.						
Birmingham	(1)	(1)	(1)	.....	2	17
Mobile	.....	.....	.....	2	7	13
Montgomery	(1)	(1)	(1)	.....	3	14
FLORIDA.						
Jacksonville	.....	.....	.....	1	1	4
GEORGIA.						
Atlanta	.....	.....	.....	7	25	69
Savannah	.....	.....	.....	1	11	13
ILLINOIS.						
Aurora	.....	.....	.....	.....	.....	1
Chicago	.....	.....	1	.....	12	15
Jacksonville	.....	1	.....	.....	.....	.....
REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.						
LOUISIANA.						
New Orleans	.....	.....	.....	.....	14	11
MISSOURI.						
Kansas City	.....	.....	.....	.....	.....	2
St. Louis	.....	.....	.....	.....	.....	1
NORTH CAROLINA.						
Raleigh	.....	.....	.....	5	5	(3)
Wilmington	.....	.....	.....	2	5	(3)
OREGON.						
Portland	.....	.....	.....	.....	.....	1
SOUTH CAROLINA.						
Charleston	.....	.....	.....	5	11	17
TENNESSEE.						
Knoxville	(1)	(1)	(1)	.....	2	3
Memphis	.....	.....	.....	.....	4	6
Nashville	.....	.....	.....	.....	1	9
TEXAS.						
Galveston	(1)	(1)	(1)	.....	.....	3
San Antonio	.....	.....	.....	.....	.....	1
VIRGINIA.						
Danville	(1)	(1)	(1)	.....	1	8
Lynchburg	.....	.....	.....	.....	1	5
Norfolk	.....	.....	.....	.....	2	3
Petersburg	.....	.....	.....	.....	.....	2
Richmond	.....	.....	.....	.....	2	7

[1] Not admitted to registration area until a later date. [2] Including only municipalities having a population of 1,000 or over in 1900. [3] Included in North Carolina.

The deaths thus far reported are not numerous enough or of a sufficiently representative character to indicate the true age and sex incidence of the disease as it occurs in this country. Of the 368 deaths in the registration area of the United States, 263, or 71.5 per cent, were of females. In Italy, where this disease has been more or less prevalent for many years, the number of deaths in 1908, the latest year for which figures are available, was 1,334, of which 575, or 43.1 per cent, were deaths of females. At the earlier age periods an excess of deaths of females over deaths of males was shown for Italy, while in the periods beginning with that from 50 to 54 years the mortality was heavier among the males.

Of the deaths from this cause returned for the registration area of the United States for 1910, three-tenths (111) occurred in North Carolina municipalities having a population of 1,000 or more in 1900; the cities of this state in which the largest numbers of deaths were registered were Raleigh (23), Durham (17), Charlotte (16), and Wilmington (8). The city with the highest mortality from this cause in the registration area in 1910 was Atlanta, for which 69 deaths were reported.

In considering the statistics for pellagra presented in this report it should be borne in mind that a large part of the territory in which the disease is prevalent is not included in the registration area, and for this reason the number of deaths shown represents only a small proportion of those that occurred in the United States.

The inadequacy of the registration returns as an indication of the prevalence of pellagra in this country is clearly shown by comparison with the results of an investigation of "The Prevalence and Geographic Distribution of Pellagra in the United States," by C. H. Lavinder, surgeon, United States Public Health Service.[1] In this report, on the basis of information collected from eight of the principal states of the pellagra area by means of franked return postal cards sent to all physicians, there is presented the next table, showing the number of cases, deaths, and the proportion of fatal cases for the years 1907 to 1911, inclusive.

From the table it appears that this important disease, which is attracting so much attention at the present time from the public and the medical profession, caused more than 6,000 deaths in eight states alone during the five-year period ending in 1911, while only 1,166 deaths were reported from the registration area to the Bureau of the Census for those years. Of the Southern states listed in Dr. Lavinder's table, not one was a registration state at the beginning of the period 1907 to 1911 and only two—Kentucky and North Carolina (for municipalities of 1,000 population or over in 1900)—were included in the registration area for the last year of the period 1911. Registration laws went into operation in Virginia and Mississippi in 1912, hence a larger proportion of the pellagra area will be covered by the mortality statistics in the future.

[1] Public Health Reports, Dec. 13, 1912, p. 2076.

STATE.	REPORTS.		RACE AND SEX OF REPORTED CASES.					Total cases.	Deaths.	Death rate per 100 reported cases.
			White.		Colored.		Race and sex not reported.			
	Cards mailed.	Replies.	Male.	Female.	Male.	Female.				
Total.....	18,463	4,657	2,924	6,857	931	3,117	2,041	15,870	6,205	[1] 39.1
Virginia.....	2,359	823	174	302	49	103	.....	628	349	55.59
North Carolina.	1,849	521	543	1,201	130	277	261	2,412	1,067	44.37
South Carolina.	1,275	287	357	772	120	351	280	1,880	582	30.95
Georgia.....	3,022	735	985	2,142	166	575	690	4,558	1,582	34.70
Kentucky.....	3,601	723	159	283	15	24	32	513	220	42.88
Alabama.....	2,418	561	150	988	133	680	363	2,314	859	37.12
Mississippi.....	2,009	561	433	954	249	907	352	2,895	1,250	43.17
Louisiana.....	1,930	446	123	215	69	200	63	670	296	44.17

[1] Aggregate fatality rate per 100 reported cases.

TUBERCULOSIS.

The total number of deaths from tuberculosis (all forms) for the registration area in 1910 was 86,309, equivalent to a death rate of 160.3 per 100,000 population. The number of deaths exceeded the number for the previous year (81,835) by 4,474, but this increase was due chiefly to the addition to the registration area of about 3,000,000 estimated population. The death rate was slightly lower than that for 1909 (160.8), the rate for each of these years being lower than any previously reported.

By far the largest proportion of the mortality from tuberculosis (all forms) was due to tuberculosis of the lungs, the number attributed to this form of the disease (including acute miliary tuberculosis) constituting 87.1 per cent of the total. Moreover, it is likely that the lungs were involved in the case of some deaths ascribed to tuberculous meningitis, abdominal tuberculosis, and other forms of the disease. The general distribution of the deaths reported, with the number of deaths from each form of the disease, death rates per 100,000 population, and per cent distribution, is shown for the past four years and two quinquennial periods in the next table.

In using the following figures, and in general in all references to the data for tuberculosis, some changes in the manner of presentation due to the revision of the International List should be noted. Scrofula is no longer shown as a separate title, but the few deaths ascribed to that cause are compiled under the heading of tuberculosis of other organs (title No. 34 of the revised International List). Acute miliary tuberculosis is a new International title (No. 29), this term having been included formerly under tuberculosis of the lungs in the detailed International List, as it is at present in the abbreviated list used as the basis for Table III and other tables presenting condensed statistics. Ordinarily, when the term "tuberculosis of the lungs" is used, it should be understood that reference is made to the abridged list and that deaths from miliary tuberculosis are included.

FORM OF DISEASE.	DEATHS FROM TUBERCULOSIS (ALL FORMS). Annual average. 1901 to 1905	Annual average. 1906 to 1910	1907	1908	1909	1910
	NUMBER.					
Tuberculosis (all forms)[1]	62,978	79,792	76,759	78,409	81,835	86,309
Tuberculosis of the lungs[2]	[3] 55,809	[4] 69,436	[3] 67,064	[3] 68,074	[3] 70,844	73,214
Acute miliary tuberculosis	[5]	[5]	[3]	[3]	[3]	1,997
Tuberculous meningitis	2,905	4,289	4,062	4,218	4,575	4,654
Abdominal tuberculosis	1,946	2,843	2,629	2,723	3,041	3,159
Pott's disease	492	692	594	746	740	764
White swellings	234	348	269	356	379	422
Tuberculosis of other organs[1]	666	988	887	992	1,072	1,118
Disseminated tuberculosis	926	1,195	1,254	1,300	1,184	981
	RATE PER 100,000 POPULATION.					
Tuberculosis (all forms)[1]	192.6	168.7	178.5	167.6	160.8	160.3
Tuberculosis of the lungs[2]	[3] 170.7	[4] 146.8	[3] 155.9	[3] 145.5	[3] 139.3	136.0
Acute miliary tuberculosis	[3]	[5]	[3]	[3]	[3]	3.7
Tuberculous meningitis	8.9	9.1	9.4	9.0	9.0	8.6
Abdominal tuberculosis	6.0	6.0	6.1	5.8	6.0	5.9
Pott's disease	1.5	1.5	1.4	1.6	1.5	1.4
White swellings	0.7	0.7	0.6	0.8	0.7	0.8
Tuberculosis of other organs[1]	2.0	2.1	2.2	2.2	2.0	2.1
Disseminated tuberculosis	2.8	2.5	2.9	2.8	2.3	1.8
	PER CENT DISTRIBUTION.					
Tuberculosis (all forms)[1]	100.0	100.0	100.0	100.0	100.0	100.0
Tuberculosis of the lungs[2]	[3] 88.6	[4] 87.0	[3] 87.4	[3] 86.8	[3] 86.6	84.8
Acute miliary tuberculosis	[3]	[5]	[3]	[3]	[3]	2.3
Tuberculous meningitis	4.6	5.4	5.3	5.4	5.6	5.4
Abdominal tuberculosis	3.1	3.6	3.4	3.5	3.7	3.7
Pott's disease	0.8	0.9	0.8	1.0	0.9	0.9
White swellings	0.4	0.4	0.4	0.5	0.5	0.5
Tuberculosis of other organs[1]	1.1	1.2	1.2	1.3	1.3	1.3
Disseminated tuberculosis	1.5	1.5	1.6	1.7	1.4	1.1

[1] Including scrofula, reported separately prior to 1910.
[2] Including tuberculosis of the larynx, reported separately prior to 1910.
[3] Acute miliary tuberculosis included under tuberculosis of the lungs prior to 1910.
[4] Including acute miliary tuberculosis.
[5] Included under tuberculosis of the lungs, as separate figures are available for only one year of the period.

The mortality from all forms of tuberculosis combined is shown for the registration area, its main subdivisions, the registration states, and cities of 100,000 population or over in 1910 for the years 1907 to 1910, and the quinquennial periods from 1901 to 1910, in the next table.

The general tendency to reduction in the mortality from tuberculosis is shown by the fact that lower rates for the quinquennium 1906 to 1910 than for the preceding quinquennium are shown for the registration area and each of its main subdivisions, for all the registration states for which comparisons are possible, and for 39 of the 49 large cities.

In comparing the death rates for the various states and cities, especially those having rates higher than 175, which are indicated by boldfaced type, it should be remembered that the deaths reported include all deaths that occurred in the given area and that, especially in certain states and cities, there is a large proportion of deaths of nonresidents. It is not yet practicable to eliminate such deaths upon a uniform basis from the figures for the areas in which they occurred. Therefore the rates given in this table should be considered as maximum rates and not as necessarily indicating the natural character of the area in its relation to the causation of the disease.

AREA. [Rates as high as 175 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION. Annual average. 1901 to 1905	Annual average. 1906 to 1910	1907	1908	1909	1910
SUMMARY.						
The registration area	192.6	168.7	178.5	167.6	160.8	160.3
Registration states[1]	181.6	163.3	173.9	161.8	156.1	154.8
Cities in registration states[1]	211.3	191.5	204.5	190.1	181.5	179.4
Rural part of registration states	143.9	131.5	137.9	130.2	128.5	127.5
Registration cities in other states	211.0	196.3	195.7	193.7	191.5	203.7
All registration cities[1]	211.2	192.7	201.8	191.1	183.7	184.1
REGISTRATION STATES.						
California	(2)	210.3	219.8	208.4	203.6	204.9
Colorado	(2)	244.1	250.5	256.2	246.0	224.8
Connecticut	167.3	154.0	162.6	151.0	152.2	150.0
Indiana	180.0	170.9	171.3	169.5	169.2	174.2
Maine	165.1	154.0	166.3	151.9	146.4	149.6
Maryland	(2)	202.9	204.1	201.6	203.2	197.4
Massachusetts	193.4	169.6	178.8	166.2	160.7	162.7
Michigan	103.0	99.5	100.9	99.3	95.2	97.6
Minnesota	(2)	(3)	(2)	(2)	(2)	109.1
Montana	(2)	(3)	(2)	(2)	(2)	89.7
New Hampshire	156.3	137.0	133.9	133.4	128.9	135.7
New Jersey	192.6	184.2	190.9	179.8	173.9	181.7
New York	200.0	189.1	195.5	190.6	181.4	180.3
North Carolina[4]	(2)	(3)	(2)	(2)	(2)	271.6
Ohio	(2)	(3)	(2)	(2)	147.6	150.8
Pennsylvania	(2)	140.8	148.7	137.6	133.9	133.7
Rhode Island	216.0	192.2	198.5	203.0	178.1	182.1
Utah	(2)	(3)	(2)	(2)	(2)	44.2
Vermont	139.6	127.2	130.8	132.3	126.5	113.4
Washington	(2)	(3)	(2)	105.2	107.5	107.6
Wisconsin	(2)	(3)	(2)	109.3	109.9	106.8
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala	(2)	(3)	(2)	250.1	284.3	282.1
Los Angeles, Cal	344.3	282.9	324.8	261.2	253.0	259.7
Oakland, Cal	177.6	189.8	240.7	178.3	185.5	143.4
San Francisco, Cal	319.0	208.7	206.6	212.2	203.6	211.7
Denver, Colo	409.5	379.0	386.3	395.9	378.9	330.4
Bridgeport, Conn	211.4	189.8	201.5	179.4	175.7	198.6
New Haven, Conn	197.9	188.0	205.0	171.4	210.6	175.2
Washington, D. C	308.1	268.1	276.6	260.6	263.4	252.9
Atlanta, Ga	256.3	199.5	187.3	194.1	181.2	197.1
Chicago, Ill	179.9	186.7	197.2	186.6	181.0	178.0
Indianapolis, Ind	207.4	228.5	251.1	233.7	227.0	223.6
Louisville, Ky	238.8	227.8	225.6	217.3	215.8	241.6
New Orleans, La	348.5	291.6	326.1	292.5	243.4	285.1
Baltimore, Md	270.4	263.8	271.3	258.6	261.0	250.9
Boston, Mass	250.5	210.1	214.4	209.9	190.2	204.7
Cambridge, Mass	221.2	262.1	259.2	281.9	297.1	269.1
Fall River, Mass	189.6	158.4	185.4	150.3	148.6	156.0
Lowell, Mass	175.1	161.3	176.9	151.5	161.7	144.2
Worcester, Mass	203.5	161.8	175.0	175.6	143.9	131.5
Detroit, Mich	128.4	112.1	111.6	107.6	101.0	115.7
Grand Rapids, Mich	126.1	109.3	117.6	100.5	105.1	123.7
Minneapolis, Minn	133.5	131.7	121.9	126.2	143.3	140.5
St. Paul, Minn	132.5	133.3	158.8	116.7	126.0	136.9
Kansas City, Mo	197.5	163.0	177.2	144.9	154.8	168.4
St. Louis, Mo	225.5	198.0	197.4	190.3	199.7	184.9
Omaha, Nebr	119.0	127.0	122.1	118.9	134.8	145.3
Jersey City, N. J	247.8	226.4	256.8	235.0	194.9	192.7
Newark, N. J	268.2	257.9	277.7	249.5	232.6	245.3
Paterson, N. J	205.2	186.0	168.5	168.6	174.4	183.0
Albany, N. Y	244.3	227.5	220.6	228.4	200.2	252.1
Buffalo, N. Y	149.7	148.4	148.7	151.0	145.9	144.0
New York, N. Y	248.0	226.1	236.4	226.7	214.3	211.0
Bronx Borough	561.2	445.8	452.8	431.5	423.8	436.0
Brooklyn Borough	223.1	187.8	198.6	188.1	173.0	172.7
Manhattan Borough	234.5	225.3	238.5	229.8	215.8	205.0
Queens Borough	164.8	140.3	149.2	127.9	130.0	140.1
Richmond Borough	215.4	225.7	214.0	238.9	214.7	196.5
Rochester, N. Y	154.0	157.4	148.9	157.2	158.8	159.3
Syracuse, N. Y	153.5	133.6	143.4	146.2	128.3	109.3
Cincinnati, Ohio	270.8	280.5	261.1	278.1	271.4	290.2
Cleveland, Ohio	133.1	136.9	139.2	133.5	130.5	146.5
Columbus, Ohio	221.2	209.4	217.3	201.9	188.5	213.1
Dayton, Ohio	222.7	208.8	206.4	210.0	223.0	189.1
Toledo, Ohio	153.3	170.5	175.8	163.2	194.5	160.7
Portland, Oreg	120.1	110.8	123.2	114.8	103.2	108.4
Philadelphia, Pa	239.6	234.5	251.7	232.2	215.6	216.9
Pittsburgh, Pa	166.8	141.7	139.6	146.2	138.0	129.8
Scranton, Pa	97.8	97.4	94.8	100.0	102.6	105.0
Providence, R. I	246.0	190.6	199.9	195.0	170.4	185.4
Memphis, Tenn	249.0	244.1	226.2	237.8	247.3	266.3
Nashville, Tenn	349.6	277.6	301.9	261.8	237.1	256.9
Richmond, Va	283.8	267.7	272.4	224.8	252.2	254.1
Seattle, Wash	111.5	110.2	105.6	109.7	118.7	123.1
Spokane, Wash	127.3	119.6	125.9	124.5	112.6	112.6
Milwaukee, Wis	149.4	130.0	132.4	125.9	114.2	131.6

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

The high death rates shown for the state of Maryland and the municipalities of North Carolina as well as those for certain of the cities shown separately, are due chiefly to the large proportion of colored population in those areas. Aside from the question whether the colored race is essentially more susceptible to tuberculosis, or to what extent the high incidence of the disease upon this race is due to conditions of housing, occupation, or other factors, it is a fact that the death rate of the colored population from tuberculosis is markedly higher than that of the white. The following table shows the death rates of the white and colored population of certain areas in which the colored population forms a considerable proportion of the total for the years 1906 to 1910, inclusive, with the annual average rate for the period:

AREA.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	118.0	286.0	116.6	272.1	116.8	272.2	115.6	303.3	119.9	301.6	121.0	281.0
Birmingham, Ala.	(1)	(1)	(2)	(2)	(2)	(2)	111.9	458.6	131.8	517.0	149.8	485.5
Mobile, Ala.	217.7	638.2	249.1	683.0	189.7	739.1	190.0	576.6	174.8	608.5	285.0	613.8
Wilmington, Del.	165.9	422.8	188.2	502.2	169.2	452.1	162.7	412.0	146.0	404.2	164.2	341.1
Washington, D. C.	163.0	524.3	179.0	549.1	171.8	529.4	159.6	506.8	152.7	536.5	153.5	500.5
Jacksonville, Fla.	188.9	428.7	203.7	470.8	268.5	409.7	240.4	511.0	153.2	398.0	114.1	369.7
Atlanta, Ga.	145.8	302.2	157.6	397.2	144.4	267.5	151.4	275.5	142.1	257.6	137.1	316.3
Savannah, Ga.	161.9	395.8	197.3	471.2	176.6	377.6	162.6	351.5	120.2	389.1	153.9	390.2
Kansas City, Kans.	(1)	(1)	(2)	(2)	(2)	(2)	169.4	505.8	167.1	459.1	133.7	490.8
Louisville, Ky.	182.8	428.9	197.0	422.2	187.8	393.5	170.4	427.0	168.7	427.8	190.5	473.3
New Orleans, La.	206.2	527.7	221.5	564.4	243.3	554.4	201.2	544.8	171.0	444.1	196.2	532.9
Baltimore, Md.	206.2	583.0	223.3	579.3	212.8	593.5	204.8	556.3	199.4	602.4	191.2	583.3
Charleston, S. C.	114.3	498.7	128.7	550.2	93.4	531.9	129.0	532.8	91.0	459.7	129.3	418.6
Memphis, Tenn.	157.7	366.2	180.5	316.7	141.8	341.3	148.2	364.1	157.2	378.8	160.8	425.1
Nashville, Tenn.	188.4	453.3	230.0	561.9	216.0	468.9	162.0	458.7	161.4	388.3	182.4	408.0
San Antonio, Tex.	425.6	504.5	465.8	438.6	471.3	565.5	385.8	518.2	381.4	540.1	431.6	459.6
Norfolk, Va.	162.6	566.2	183.9	587.4	154.1	560.6	150.3	606.4	175.6	587.7	150.4	489.6
Richmond, Va.	189.1	379.4	226.3	427.2	197.0	401.4	169.6	319.6	172.7	389.3	187.5	369.4

[1] Figures for deaths not available for the entire period 1906–1910.

[2] Not admitted to registration area until 1908.

For the quinquennium 1906 to 1910 and for each of the individual years the death rate of the colored population was higher than that of the white population in every area shown, except San Antonio, Tex., for 1906. The rates for the colored population in 1910 were excessively high in Mobile (613.8 per 100,000 population), Baltimore (583.3), and New Orleans (532.9), and the lowest rate shown in the table, that for the Maryland rural (281), is also very high, although the registration of deaths was very incomplete in that state, perhaps more incomplete for the colored than for the white population.

In the following table the death rates from tuberculosis (all forms) are shown for cities and other places having a population of 10,000 but less than 100,000 in 1910 in which the death rate was as high as 175 per 100,000 during any of the years 1906 to 1910:

CITY. [Rates as high as 175 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.					CITY. [Rates as high as 175 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
Mobile, Ala.	**441.2**	**432.9**	**361.0**	**366.7**	**430.4**	Wallingford town, Conn.	**193.7**	**218.1**	**204.4**	127.5	89.4
Montgomery, Ala.	(1)	(1)	**318.9**	**232.1**	**311.6**	Windham town, Conn.	**223.1**	**193.2**	**222.1**	137.0	94.8
Alameda, Cal.	130.3	**182.0**	135.6	144.6	131.9	Wilmington, Del.	**211.5**	**163.6**	**189.6**	173.4	**182.6**
Bakersfield, Cal.	(2)	(2)	(2)	(2)	**311.9**	Jacksonville, Fla.	**352.7**	**345.0**	**383.2**	**279.7**	**243.7**
Eureka, Cal.	(2)	(2)	(2)	(2)	**234.5**	Key West, Fla.	**323.8**	**404.5**	**263.0**	**259.5**	**261.0**
Fresno, Cal.	**226.6**	**257.8**	**295.9**	**187.0**	159.5	Savannah, Ga.	**338.0**	**279.8**	**259.4**	**257.9**	**274.8**
Pasadena, Cal.	**546.7**	**391.4**	**411.1**	**348.9**	**310.0**	Belleville, Ill.	160.0	151.5	**184.7**	**156.3**	**156.2**
Redlands, Cal.	(2)	(2)	(2)	(2)	**492.1**	Jacksonville, Ill.	**315.2**	**301.5**	**235.6**	**196.0**	**280.5**
Riverside, Cal.	(2)	(2)	(2)	(2)	**318.9**	Quincy, Ill.	139.9	**211.0**	**205.4**	**169.6**	**169.4**
Sacramento, Cal.	**224.4**	**250.4**	**221.4**	**204.8**	**215.4**	Springfield, Ill.	147.0	**221.7**	**172.3**	**179.8**	**225.2**
San Bernardino, Cal.	(2)	(2)	(2)	(2)	**627.0**	Anderson, Ind.	**171.3**	**174.1**	**181.4**	**201.8**	**155.4**
San Diego, Cal.	**311.1**	**356.3**	**359.5**	**245.9**	**307.2**	Elwood, Ind.	**161.5**	**112.3**	**123.1**	**205.7**	**182.0**
San Jose, Cal.	**252.9**	**223.5**	**210.2**	**222.2**	**226.9**	Evansville, Ind.	**167.0**	**164.7**	**159.3**	**174.3**	**196.1**
Santa Barbara, Cal.	(2)	(2)	(2)	(2)	**357.0**	Fort Wayne, Ind.	**178.1**	**187.4**	**148.3**	**161.4**	**161.8**
Stockton, Cal.	**361.2**	**360.6**	**369.2**	**368.6**	**359.4**	Huntington, Ind.	**89.2**	**118.4**	**108.0**	**127.0**	**204.2**
Colorado Springs, Colo.	**707.9**	**647.7**	**626.0**	**535.4**	**571.8**	Jeffersonville, Ind.	**246.4**	**218.8**	**219.4**	**229.9**	**297.9**
Pueblo, Colo.	**284.2**	**290.4**	**228.7**	**213.3**	**154.3**	Kokomo, Ind.	**156.2**	**211.5**	**239.7**	**144.9**	**216.1**
Ansonia, Conn.	**183.1**	**193.7**	**115.6**	**147.1**	**78.9**	Lafayette, Ind.	**196.6**	**174.1**	**238.3**	**200.8**	**188.9**
Danbury town, Conn.	**154.8**	**228.0**	**184.5**	**138.1**	**123.0**	Logansport, Ind.	**200.5**	**169.9**	**221.3**	**196.6**	**167.4**
Hartford, Conn.	**171.4**	**203.1**	**157.1**	**210.5**	**170.2**	Marion, Ind.	**168.1**	**209.1**	**171.8**	**129.6**	**180.6**
Meriden town, Conn.	**185.3**	**154.3**	**187.6**	**173.0**	**211.6**	Michigan City, Ind.	**179.8**	**215.5**	**147.4**	**181.6**	**193.6**
Middletown town, Conn.	**302.6**	**272.4**	**282.8**	**283.1**	**264.2**	Muncie, Ind.	**210.8**	**200.0**	**224.0**	**193.1**	**228.7**
Naugatuck, Conn.	**201.9**	**214.8**	**113.6**	**183.3**	**188.0**	New Albany, Ind.	**193.9**	**169.7**	**286.0**	**261.7**	**382.9**
New London, Conn.	**164.5**	**225.5**	**129.7**	**189.8**	**147.2**	Peru, Ind.	**102.0**	**194.2**	**119.9**	**165.4**	**192.4**
Stamford town, Conn.	**132.0**	**123.1**	**122.1**	**178.4**	**137.7**	Richmond, Ind.	**253.6**	**202.1**	**230.9**	**158.9**	**218.7**

[1] Not admitted to registration area until a later date.

[2] Included in rural.

CITY. [Rates as high as 175 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
South Bend, Ind	165.2	196.6	148.5	172.3	185.1
Terre Haute, Ind	192.7	173.0	168.4	226.5	176.5
Vincennes, Ind	190.5	160.5	233.5	185.5	320.3
Kansas City, Kans	(1)	(1)	207.5	200.2	174.2
Leavenworth, Kans	175.4	153.3	90.4	168.3	109.9
Covington, Ky	281.4	274.9	256.9	284.8	257.0
Newport, Ky	250.5	191.7	230.4	175.8	230.7
Paducah, Ky	325.8	302.4	261.8	293.4	293.5
Auburn, Me	119.2	200.5	115.8	154.4	125.8
Augusta, Me	126.7	156.5	177.8	252.1	241.7
Bangor, Me	202.9	217.0	173.1	248.4	217.2
Biddeford, Me	221.3	226.0	289.8	205.9	239.8
Lewiston, Me	201.6	219.2	197.7	142.0	197.7
Portland, Me	171.7	138.7	185.9	183.1	129.3
Waterville, Me	168.3	229.5	135.1	141.6	234.8
Cumberland, Md	204.7	112.2	166.8	163.1	191.5
Frederick, Md	170.4	217.9	147.0	184.1	201.3
Hagerstown, Md	188.5	184.9	187.7	122.9	187.1
Adams town, Mass	174.5	110.0	210.4	177.8	84.3
Arlington town, Mass	149.6	116.1	216.2	173.6	133.3
Chelsea, Mass	184.0	157.6	151.0	126.3	151.9
Framingham town, Mass	185.2	74.0	96.5	157.2	146.0
Gloucester, Mass	210.7	185.7	188.1	162.2	184.9
Haverhill, Mass	183.2	197.1	155.3	146.1	160.0
Holyoke, Mass	152.7	180.1	176.9	184.1	146.4
Lawrence, Mass	168.0	183.2	159.6	187.1	144.4
Malden, Mass	177.1	124.9	128.3	110.6	105.3
Marlborough, Mass	176.2	132.9	159.8	75.9	136.9
Milford town, Mass	154.1	199.7	165.2	162.8	114.5
New Bedford, Mass	198.5	180.7	163.7	172.9	139.4
Newburyport, Mass	223.9	141.9	128.0	194.5	147.1
Northampton, Mass	141.0	171.8	131.9	138.5	135.5
Pittsfield, Mass	183.6	135.2	108.3	132.4	117.2
Quincy, Mass	178.4	139.7	132.3	156.7	134.0
Salem, Mass	189.5	186.2	151.8	110.0	184.3
Southbridge town, Mass	149.5	205.2	158.1	121.6	126.4
Taunton, Mass	217.4	191.3	229.9	198.6	148.2
Wakefield town, Mass	189.9	102.2	163.8	133.6	244.5
Westfield town, Mass	127.0	122.6	151.7	108.6	439 8
Weymouth town, Mass	193.4	172.7	153.0	134.0	169.8
Woburn, Mass	266.9	155.4	106.8	204.5	149.9
Ann Arbor, Mich	204.5	183.5	128.8	128.5	132.2
Ishpeming, Mich	83.9	207.4	123.0	97.3	120.2
Manistee, Mich	150.9	175.5	176.2	80.4	89.0
Pontiac, Mich	144.0	107.4	221.1	212.6	191.3
Traverse City, Mich	259.8	290.6	287.0	216.7	321.1
Mankato, Minn	184.2	186.4	160.4	124.2	183.7
Stillwater, Minn	(1)	(1)	(1)	(1)	198.0
Winona, Minn	115.3	178.7	161.2	116.6	97.2
Butte, Mont	(1)	(1)	(1)	(1)	236.7
Concord, N. H	144.3	147.8	122.9	192.1	167.2
Dover, N. H	219.2	151.1	241.7	183.8	188.7
Laconia, N. H	235.1	156.6	224.6	199.8	127.1
Nashua, N. H	150.8	165.3	89.7	112.2	176.6
Portsmouth, N. H	199.5	207.4	206.2	125.7	97.5
Asbury Park, N. J	(2)	(2)	(2)	(2)	193.7
Bayonne, N. J	199.1	183.6	148.0	134.9	133.6
Bloomfield, N. J	201.2	53.3	123.0	82.7	105.2
Bridgeton, N. J	152.7	259.5	128.6	184.2	210.7
Camden, N. J	206.2	202.0	207.8	164.0	151.6
Elizabeth, N. J	225.9	201.8	164.3	178.0	179.9
Hackensack, N. J	204.2	169.9	100.3	140.0	176.3
Harrison, N. J	212.2	243.8	216.1	175.8	206.0
Hoboken, N. J	288.5	290.2	267.0	270.4	258.0
Long Branch, N. J	193.0	205.4	178.4	152.5	239.9
Millville, N. J	158.2	189.7	171.5	194.2	168.3
Montclair, N. J	171.2	145.3	122.2	115.9	183.8
Morristown, N. J	237.2	268.3	177.7	216.9	215.7
New Brunswick, N. J	215.7	215.1	291.9	227.0	209.3
Orange, N. J	275.3	329.6	307.1	237.4	282.0
Passaic, N. J	192.3	175.2	154.5	142.3	127.9
Plainfield, N. J	142.6	191.2	222.4	148.4	208.3
Trenton, N. J	215.0	214.3	202.9	243.8	238.3
Union, N. J	223.5	170.9	179.0	201.3	89.6
West New York, N. J	(2)	(2)	(2)	(2)	188.0
Auburn, N. Y	197.0	167.5	180.1	131.1	132.4

CITY. [Rates as high as 175 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Binghamton, N. Y	187.4	158.6	195.8	134.5	178.8
Cohoes, N. Y	276.8	258.8	220.7	296.7	234.5
Hudson, N. Y	188.7	249.7	226.7	169.0	270.4
Ithaca, N. Y	137.3	184.6	115.7	122.0	121.4
Kingston, N. Y	239.0	214.6	163.3	259.4	208.3
Lackawanna, N. Y	(2)	(2)	(2)	(2)	[3] 185.5
Lockport, N. Y	91.2	152.9	191.4	145.4	155.6
Middletown, N. Y	230.8	238.3	259.0	247.1	307.3
Newburgh, N. Y	236.5	263.4	146.8	185.0	190.2
Ogdensburg, N. Y	451.4	268.1	219.0	323.8	244.0
Ossining, N. Y	(2)	(2)	(2)	(2)	189.4
Oswego, N. Y	194.6	149.1	143.5	112.0	98.2
Peekskill, N. Y	227.1	206.0	241.5	147.5	182.6
Plattsburg, N. Y	96.7	142.2	83.6	191.5	259.4
Rome, N. Y	188.6	299.7	331.1	175.1	290.7
Saratoga Springs, N. Y	224.2	178.7	242.0	149.1	189.3
Troy, N. Y	315.5	321.6	287.1	259.4	264.2
Utica, N. Y	189.3	237.3	235.6	207.8	188.3
Watervliet, N. Y	225.8	210.4	208.7	213.7	185.4
Yonkers, N. Y	189.4	177.6	199.9	174.4	182.4
Asheville, N. C	(1)	(1)	(1)	(1)	727.8
Durham, N. C	(1)	(1)	(1)	(1)	346.6
Greensboro, N. C	(1)	(1)	(1)	(1)	274.7
Raleigh, N. C	296.7	386.5	399.7	389.8	281.0
Wilmington, N. C	276.0	327.9	273.3	260.2	197.3
Winston, N. C	(1)	(1)	(1)	(1)	335.0
Bellaire, Ohio	143.3	121.3	238.5	226.9	192.5
Cambridge, Ohio	(1)	(1)	(1)	198.6	131.7
Chillicothe, Ohio	143.7	177.6	281.2	264.2	240.7
East Liverpool, Ohio	(1)	(1)	(1)	159.1	176.0
Findlay, Ohio	188.5	134.3	149.8	192.4	141.9
Hamilton, Ohio	155.3	180.9	189.7	160.0	143.6
Ironton, Ohio	308.2	234.7	139.4	191.7	243.0
Lancaster, Ohio	(1)	(1)	(1)	125.4	182.1
Marietta, Ohio	84.1	184.0	169.2	185.3	123.9
Middletown, Ohio	128.9	216.0	192.9	155.8	136.0
Piqua, Ohio	(1)	(1)	(1)	143.0	223.7
Portsmouth, Ohio	229.8	228.3	276.0	256.2	203.4
Tiffin, Ohio	104.0	146.1	93.8	110.0	184.7
Zanesville, Ohio	(1)	(1)	(1)	163.7	188.4
Beaver Falls, Pa	96.8	215.8	144.0	133.1	98.1
Braddock, Pa	150.6	191.1	139.2	110.1	72.0
Carlisle, Pa	99.6	227.5	176.8	185.4	174.5
Chambersburg, Pa	178.7	125.2	120.1	161.9	177.7
Chester, Pa	212.1	179.9	185.6	172.9	196.7
Homestead, Pa	153.9	183.0	164.2	131.5	153.9
Lancaster, Pa	197.7	136.0	153.8	141.2	116.2
McKeesport, Pa	168.3	179.8	125.8	102.1	126.0
Norristown, Pa	295.5	254.8	256.9	273.5	264.4
Phoenixville, Pa	177.4	116.4	114.7	65.9	83.5
Pottstown, Pa	188.3	92.9	118.0	97.1	153.5
Steelton, Pa	185.8	190.3	115.3	142.0	98.0
West Chester, Pa	183.5	188.7	220.1	258.9	160.9
York, Pa	180.5	154.0	178.1	152.8	197.9
Central Falls, R. I	188.3	225.3	227.5	130.5	131.1
Cranston, R. I. [4]	119.9	602.7	555.4	506.5	456.3
East Providence town, R. I	126.7	143.6	159.5	181.0	138.4
Pawtucket, R. I	161.5	215.3	181.1	143.1	157.7
Warwick town, R. I	305.7	231.7	350.7	395.0	333.2
Woonsocket, R. I	223.8	123.8	236.5	193.8	198.0
Charleston, S. C	357.2	329.5	344.9	286.8	281.9
Knoxville, Tenn	(1)	(1)	311.2	269.1	315.7
Galveston, Tex	(5)	(5)	(5)	(5)	[3] 194.7
San Antonio, Tex	462.6	482.4	401.0	399.4	434.7
Barre, Vt	182.7	247.9	310.2	237.0	287.4
Burlington, Vt	187.2	175.4	94.4	196.9	122.0
Alexandria, Va	239.7	231.8	171.3	222.8	202.1
Danville, Va	(1)	(1)	298.7	248.7	241.5
Lynchburg, Va	353.4	300.0	212.2	243.4	186.0
Norfolk, Va	341.3	310.6	323.8	330.4	276.2
Petersburg, Va	314.2	336.6	299.5	300.8	364.0
North Yakima, Wash	(1)	(1)	(2)	(2)	279.5
Wheeling, W. Va	165.1	230.1	158.0	193.1	165.5
Ashland, Wis	(1)	(1)	173.7	223.8	165.6
Eau Claire, Wis	144.8	113.2	124.5	201.3	180.3
Green Bay, Wis	136.8	209.5	135.4	221.3	138.2

[1] Not admitted to registration area until a later date.
[2] Included in rural.
[3] Based on population enumerated April 15, 1910.
[4] Including state institutions, 1907 to 1910.
[5] No estimate of population made.

In examining the rates shown in the preceding table it should be remembered that, as in the case of cities having a population of 100,000 or over, the deaths reported include all which occurred in the given areas, including those of nonresidents. Furthermore, owing to the small size of certain cities in this group, the addition of a few deaths, possibly of invalids from other cities or from distant states, may cause the death rate from tuberculosis to rise to a very high degree. In other words, the fluctuations incident to small numbers must be considered in comparing these rates. With these reservations it may be noted that the cities included in the table which had the highest death rates from this disease were Asheville, N. C. (727.8); San Bernardino, Cal. (627); and Colorado Springs, Colo. (571.8); but the high rates in these and similar instances have, of course, no significance, as the cities are health resorts. Comparison can fairly be made of cities in the same state where such cities are alike in respect to the character and mode of life of the population.

TUBERCULOSIS OF THE LUNGS.

Tuberculosis, irrespective of its particular manifestations, is due to a single primary cause, namely, infection by the bacillus of tuberculosis, and sanitarians are coming more and more to study the disease as a unit. It has been customary, however, to lay special stress upon the mortality from pulmonary tuberculosis, and in many registration reports, especially those extending over a long series of years, separate data are not shown for forms of the disease other than tuberculosis of the lungs or "consumption," as it was formerly called. Hence it is deemed advisable to present rates for tuberculosis of the lungs (abridged title, including acute miliary tuberculosis of the detailed list) in the following table:

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910[2]
	1901 to 1905	1906 to 1910[1]				
SUMMARY.						
The registration area	**170.7**	146.8	**155.9**	**145.5**	139.3	139.7
Registration states[3]	**158.7**	140.5	**150.2**	138.3	133.2	134.2
Cities in registration states[3]	**183.7**	**164.4**	**176.0**	**162.1**	**154.6**	**155.5**
Rural part of registration states	126.8	113.6	119.8	111.8	109.9	110.5
Registration cities in other states	**187.4**	**172.9**	**171.2**	**171.1**	**168.1**	**183.0**
All registration cities[3]	**185.6**	**166.6**	**174.5**	**164.6**	**157.6**	**160.8**
REGISTRATION STATES.						
California	(4)	**183.3**	**192.4**	**180.7**	**176.7**	**180.4**
Colorado	(4)	**224.7**	**231.8**	**238.0**	**224.7**	**207.7**
Connecticut	147.0	133.7	144.9	129.6	130.7	131.1
Indiana	**159.4**	143.3	145.2	142.2	138.6	144.9
Maine	138.2	123.4	132.3	119.7	114.3	120.9
Maryland	(4)	**180.2**	**181.2**	**177.8**	**180.2**	**178.2**
Massachusetts	**168.0**	143.5	**153.6**	140.4	134.0	137.6
Michigan	87.4	84.1	86.5	82.3	80.7	82.4
Minnesota	(4)	(5)	(4)	(4)	(4)	90.5
Montana	(4)	(5)	(4)	(4)	(4)	77.9
New Hampshire	138.3	117.1	114.1	112.6	112.8	113.9
New Jersey	**170.2**	**158.9**	**165.9**	**154.1**	**148.5**	**158.9**
New York	**175.5**	**164.1**	**169.0**	**164.3**	**156.4**	**158.2**
North Carolina[6]	(4)	(5)	(4)	(4)	(4)	**247.8**
Ohio	(4)	(5)	(4)	(4)	124.4	130.2
Pennsylvania	(4)	121.3	128.0	117.3	115.1	117.0
Rhode Island	**181.1**	**160.1**	**161.6**	**167.8**	**150.1**	**156.8**
Utah	(4)	(5)	(4)	(4)	(4)	35.7
Vermont	120.9	104.2	106.7	108.3	100.9	92.1
Washington	(4)	(5)	(4)	84.7	85.2	87.7
Wisconsin	(4)	(5)	(4)	93.9	94.2	92.1
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.	(4)	(5)	(4)	**211.6**	**237.4**	**276.8**
Los Angeles, Cal.	**314.1**	**251.5**	**288.3**	**230.7**	**226.3**	**229.7**
Oakland, Cal.	146.5	**157.6**	**201.7**	144.8	**155.3**	126.2
San Francisco, Cal.	**275.5**	**176.7**	**175.5**	**179.7**	**166.9**	**185.0**
Denver, Colo.	**330.7**	**345.7**	**354.2**	**365.5**	**341.8**	**301.6**
Bridgeport, Conn.	**185.1**	**160.6**	**175.8**	146.2	141.6	**178.2**
New Haven, Conn.	**170.8**	**162.5**	**186.0**	145.0	**175.6**	146.9
Washington, D. C.	**270.9**	**235.6**	**242.8**	**221.4**	**229.4**	**233.6**
Atlanta, Ga.	**240.9**	**182.9**	**167.0**	**175.3**	**162.9**	**181.0**
Chicago, Ill.	**158.1**	**162.1**	**171.5**	**163.0**	**155.9**	**158.3**
Indianapolis, Ind.	**183.2**	**186.2**	**203.4**	**193.9**	**182.0**	**178.9**
Louisville, Ky.	**217.5**	**205.1**	**202.7**	**194.2**	**196.0**	**222.5**
New Orleans, La.	**318.3**	**263.8**	**298.7**	**260.3**	**219.2**	**266.0**
Baltimore, Md.	**235.2**	**232.8**	**238.8**	**226.9**	**228.7**	**228.0**
Boston, Mass.	**213.7**	**175.3**	**182.9**	**169.6**	**158.5**	**171.7**
Cambridge, Mass.	**194.3**	**237.7**	**235.4**	**264.3**	**271.1**	**245.4**
Fall River, Mass.	**174.4**	**138.8**	**156.7**	**131.1**	**129.8**	**141.8**
Lowell, Mass.	**152.3**	**131.4**	**152.9**	**121.2**	**119.6**	**112.4**
Worcester, Mass.	**173.4**	**134.3**	**149.3**	**149.8**	**118.1**	**103.6**
Detroit, Mich.	**110.7**	**95.9**	**97.4**	**91.3**	**86.1**	**98.9**
Grand Rapids, Mich.	**101.2**	**88.2**	**93.7**	**76.3**	**86.1**	**101.6**
Minneapolis, Minn.	**107.9**	**111.6**	**103.6**	**107.0**	**123.0**	**121.1**
St. Paul, Minn.	**107.5**	**106.3**	**121.7**	**92.7**	**106.2**	**110.9**
Kansas City, Mo.	**186.6**	**145.3**	**161.1**	**131.6**	**136.6**	**150.0**
St. Louis, Mo.	**203.4**	**176.1**	**172.4**	**170.2**	**177.0**	**166.7**
Omaha, Nebr.	**103.4**	**107.5**	**92.4**	**107.3**	**119.3**	**123.6**
Jersey City, N. J.	**223.5**	**202.6**	**234.6**	**209.9**	**169.0**	**176.0**
Newark, N. J.	**237.7**	**217.8**	**231.7**	**208.7**	**191.7**	**213.6**
Paterson, N. J.	**183.0**	**161.3**	**152.3**	**135.4**	**153.3**	**163.2**
Albany, N. Y.	**215.9**	**200.7**	**180.1**	**208.3**	**168.2**	**239.1**
Buffalo, N. Y.	**126.5**	**125.5**	**123.5**	**127.4**	**127.4**	**124.0**
New York, N. Y.	**215.8**	**196.9**	**205.8**	**196.6**	**185.6**	**185.0**
Bronx Borough	**529.3**	**418.5**	**424.8**	**402.5**	**398.9**	**410.2**
Brooklyn Borough	**192.8**	**162.8**	**170.6**	**163.5**	**149.5**	**151.2**
Manhattan Borough	**200.1**	**191.6**	**204.7**	**194.1**	**181.3**	**174.5**
Queens Borough	**143.3**	**122.2**	**128.7**	**111.7**	**112.6**	**124.4**
Richmond Borough	**185.3**	**201.0**	**183.4**	**210.6**	**190.8**	**175.7**
Rochester, N. Y.	**134.9**	**134.6**	**125.6**	**132.8**	**135.7**	**137.0**
Syracuse, N. Y.	**134.8**	**112.0**	**118.7**	**119.3**	**111.1**	**92.7**
Cincinnati, Ohio	**238.3**	**248.1**	**231.8**	**247.1**	**234.0**	**261.7**
Cleveland, Ohio	**120.9**	**120.0**	**125.3**	**119.0**	**109.7**	**127.2**
Columbus, Ohio	**199.5**	**176.6**	**181.5**	**172.0**	**155.3**	**177.5**
Dayton, Ohio	**188.0**	**184.2**	**181.6**	**186.8**	**191.1**	**161.7**
Toledo, Ohio	**137.1**	**148.7**	**152.4**	**137.2**	**176.4**	**138.8**
Portland, Oreg.	**102.4**	**85.7**	**91.8**	**91.4**	**81.7**	**83.1**
Philadelphia, Pa.	**211.9**	**205.7**	**220.8**	**201.7**	**189.0**	**193.5**
Pittsburgh, Pa.	**139.4**	**112.4**	**112.4**	**114.2**	**109.0**	**104.2**
Scranton, Pa.	**94.2**	**81.9**	**81.7**	**80.0**	**84.6**	**90.5**
Providence, R. I.	**200.0**	**152.3**	**156.5**	**151.7**	**137.2**	**153.5**
Memphis, Tenn.	**232.0**	**226.7**	**206.8**	**223.9**	**231.9**	**250.3**
Nashville, Tenn.	**299.5**	**226.7**	**244.5**	**212.2**	**193.3**	**211.7**
Richmond, Va.	**249.5**	**224.9**	**238.9**	**194.3**	**209.2**	**223.6**
Seattle, Wash.	**90.8**	**82.8**	**79.1**	**79.3**	**88.1**	**95.1**
Spokane, Wash.	**112.0**	**93.1**	**92.6**	**103.0**	**87.5**	**88.9**
Milwaukee, Wis.	**127.9**	**114.0**	**114.3**	**110.7**	**100.6**	**115.4**

[1] Based on figures which include deaths from tuberculosis of the larynx for 1910.
[2] Based on figures which include tuberculosis of the larynx, reported separately prior to 1910.
[3] Including District of Columbia.
[4] Not admitted to registration area until a later date.
[5] Figures for deaths not available for the entire period 1906–1910.
[6] Including only municipalities having a population of 1,000 or over in 1900.

For comparison with the death rates from tuberculosis (all forms) and tuberculosis of the lungs in the United States, figures for foreign countries and cities are given in the following tables:

COUNTRY.	DEATH RATE FROM SPECIFIED CAUSE PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
	PULMONARY TUBERCULOSIS.							
United States (registration area)	(1)	(1)	(1)	(1)	171	147	139	140
Australian Commonwealth	122	121	107	94	89	75	73	68
Belgium	(2)	(2)	156	142	118	(2)	102	(2)
England and Wales	183	164	146	132	122	111	109	102
Ireland	208	212	214	213	215	191	184	172
Japan	(2)	101	136	145	146	(2)	166	(2)
Netherlands	(2)	(2)	189	165	133	125	123	118
New Zealand	91	84	81	78	70	62	61	55
Scotland	211	189	174	165	146	(2)	127	(2)
Servia	(2)	(2)	[3]251	231	280	(2)	(2)	(2)
Spain	(2)	(2)	(2)	(2)	148	135	127	125
Switzerland	209	213	199	190	187	(2)	163	(2)
	PULMONARY AND GENERAL TUBERCULOSIS.							
Italy	(2)	[3]137	129	125	116	(2)	122	(2)
	TUBERCULOSIS (ALL FORMS).							
United States (registration area)	(1)	(1)	(1)	(1)	193	169	161	160
Austria [4]	390	380	360	345	340	305	303	288
England and Wales	254	232	212	191	174	157	154	143
Hungary	(2)	(2)	(2)	[3]364	397	374	369	348
Ontario, Province of	125	116	114	141	129	113	107	102
Prussia	312	290	247	208	191	162	155	151

[1] Figures for deaths not available for the entire period.
[2] Rate not published.
[3] Average for four years.
[4] Figures for deaths for the years 1881 to 1894 represent deaths from pulmonary tuberculosis.

CITY.	DEATH RATE FROM PULMONARY TUBERCULOSIS PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
London	222	197	185	175	157	132	131	114
Edinburgh	212	191	180	187	157	114	106	97
Glasgow	311	250	227	195	170	140	135	121
Dublin (registration area)	346	341	335	317	309	268	247	234
Belfast	382	402	382	329	307	235	210	211
Sydney	193	157	119	98	98	72	67	72
Melbourne	233	213	182	153	139	109	99	100
Montreal	282	256	235	250	197	(1)	163	(2)
Toronto	203	207	242	234	174	(1)	(2)	(2)
Paris	441	440	409	379	390	374	358	366
Amsterdam	238	234	204	185	144	138	142	130
Rotterdam	219	192	188	170	133	127	129	121
The Hague	199	179	163	160	128	124	113	112
Copenhagen	273	246	198	180	144	136	132	114
Stockholm	344	303	269	246	227	230	234	233
Christiania	320	287	282	274	229	(1)	(2)	183
St. Petersburg	547	449	384	321	305	301	297	290
Moscow	411	393	391	324	268	258	272	250
Berlin	(2)	(2)	(2)	(2)	(2)	188	179	176
Hamburg	(2)	(2)	238	200	169	137	131	126
Dresden	376	334	283	247	224	180	177	152
Breslau	331	313	342	321	318	271	261	259
Munich	389	348	312	303	269	226	229	205
Vienna	685	576	474	381	336	274	271	249
Prague	728	609	512	472	525	(1)	385	(2)
Budapest	715	591	434	376	367	340	331	(2)
Trieste	522	491	439	402	396	369	373	356
Milan	335	307	284	204	232	220	224	190
Turin	240	222	250	234	225	183	170	166
New York	398	350	286	242	215	197	189	181
Chicago	180	177	176	154	152	[3]162	149	[3]158
Philadelphia	311	269	233	210	215	[3]206	183	[3]194
Boston	411	377	289	240	217	[3]175	169	[3]172
Rio de Janeiro	548	(1)	446	474	455	402	373	396

[1] Figures for deaths not available for the entire period.
[2] Figures for deaths not available.
[3] Figures furnished by the Bureau of the Census.

The death rates given in the foregoing tables, originally stated in the Registrar-General's Annual Report and Summary in the form of rates per 1,000 population, have been changed to the form of rates per 100,000 without a decimal, so that the figures given for the registration area of the United States do not exactly correspond to those printed elsewhere in this report. The difficulty in making comparisons of the mortality from tuberculosis (all forms) or from pulmonary tuberculosis is indicated by the fact that the data can not be obtained in like form for all countries.

CANCER.

Cancer, which is the generic term for all forms of malignant new growths, continued to show an increased number of deaths and an increased rate per 100,000 population. For 1910 the deaths from all varieties of malignant neoplasms aggregated 41,039, and the death rate was 76.2 per 100,000 population, a marked increase over the rate for the preceding year (73.8) and those for the two quinquennial periods ending with 1910, which were, respectively, 67.9 and 72.6. The distribution of the deaths from all forms of cancer, reported according to the classification of the International List, with the number of deaths and death rates from each form, is shown for 1907 to 1910, annual averages being shown for the periods 1901 to 1905 and 1906 to 1910, in the following table:

SEAT OF DISEASE.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS (ALL FORMS).					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
	NUMBER.					
Cancer and other malignant tumors (all forms)	22,214	34,320	30,514	33,465	37,562	41,039
Of the buccal cavity	677	1,212	968	1,148	1,427	1,576
Of the stomach and liver	8,091	13,395	11,596	13,044	14,915	16,475
Of the peritoneum, intestines, and rectum	2,332	4,148	3,570	3,963	4,676	5,258
Of the female genital organs	3,263	5,118	4,388	5,250	5,714	6,147
Of the breast	1,845	3,070	2,590	3,023	3,585	3,730
Of the skin	740	1,268	1,121	1,282	1,492	1,459
Of other organs or of organs not specified	5,266	6,110	6,281	5,755	5,753	6,394
	RATE PER 100,000 POPULATION.					
Cancer and other malignant tumors (all forms)	67.9	72.6	70.9	71.5	73.8	76.2
Of the buccal cavity	2.1	2.6	2.3	2.5	2.8	2.9
Of the stomach and liver	24.7	28.3	27.0	27.9	29.3	30.6
Of the peritoneum, intestines, and rectum	7.1	8.8	8.3	8.5	9.2	9.8
Of the female genital organs	10.0	10.8	10.2	11.2	11.2	11.4
Of the breast	5.6	6.5	6.0	6.5	7.0	6.9
Of the skin	2.3	2.7	2.6	2.7	2.9	2.7
Of other organs or of organs not specified	16.1	12.9	14.6	12.3	11.3	11.9
	PER CENT DISTRIBUTION.					
Cancer and other malignant tumors (all forms)	100.0	100.0	100.0	100.0	100.0	100.0
Of the buccal cavity	3.0	3.5	3.2	3.4	3.8	3.8
Of the stomach and liver	36.4	39.0	38.0	39.0	39.7	40.1
Of the peritoneum, intestines, and rectum	10.5	12.1	11.7	11.8	12.4	12.8
Of the female genital organs	14.7	14.9	14.4	15.7	15.2	15.0
Of the breast	8.3	8.9	8.5	9.0	9.5	9.1
Of the skin	3.3	3.7	3.7	3.8	4.0	3.6
Of other organs or of organs not specified	23.7	17.8	20.6	17.2	15.3	15.6

As shown in the preceding table, deaths from cancer of the stomach and liver constituted over two-fifths (40.1 per cent) of the total deaths from malignant neoplasms in 1910. The death rates from these forms of cancer, with those from cancer of the buccal cavity and of the peritoneum, intestines, and rectum, show a constant increase throughout the four years 1907 to 1910. This is true also of the death rate from cancer of the female genital organs, except that the rate for 1909 was identical with that for 1908. There was a practically constant decrease in the death rate from "cancer of other organs and organs not specified" and in the per cent which such deaths formed of the total deaths from cancer. This decrease, however, was apparent rather than real, and was due to greater precision of statement of cause of death on certificates of death, as the result of which such expressions as "cancer," "carcinoma," "sarcoma," "malignant tumor," etc., unqualified, have been supplemented by the addition of the name of the organ or member of the body affected. Some of the increase in the reported mortality from cancer of the several specified organs was therefore only apparent, being due to accessions from that formerly compiled under cancer of "other organs or organs not specified" on account of failure to specify the organs or parts involved.

The following table shows the mortality from cancer in the registration area, its main subdivisions, the registration states, and large cities for the years 1907 to 1910, inclusive, and the five-year periods 1901 to 1905 and 1906 to 1910:

AREA. [Rates as high as 80 per 100,000 in boldfaced type.]	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area	67.9	72.6	70.9	71.5	73.8	76.2
Registration states [1]	69.5	72.7	71.3	71.4	73.9	76.1
Cities in registration states [1]	71.9	78.7	77.6	77.2	80.1	81.4
Rural part of registration states	66.5	65.8	63.8	64.9	67.1	70.1
Registration cities in other states	65.1	72.0	69.6	72.3	73.4	77.4
All registration cities [1]	68.5	77.0	75.1	75.8	78.7	80.6
REGISTRATION STATES.						
California	(2)	80.3	75.6	80.1	86.0	84.0
Colorado	(2)	51.9	47.7	53.5	53.8	58.2
Connecticut	70.8	77.9	77.5	73.3	80.3	79.8
Indiana	50.2	64.3	59.2	67.3	69.1	70.2
Maine	86.1	95.9	99.7	94.7	98.4	101.4
Maryland	(2)	64.5	62.1	64.3	62.2	72.6
Massachusetts	82.6	90.8	91.2	90.5	89.8	93.4
Michigan	63.7	69.6	65.0	70.6	70.4	74.9
Minnesota	(2)	(3)	(2)	(2)	(2)	67.3
Montana	(2)	(3)	(2)	(2)	(2)	41.4
New Hampshire	83.0	94.3	98.3	89.9	93.5	98.4
New Jersey	53.2	67.3	63.6	64.9	68.0	74.0
New York	72.1	79.4	77.7	77.9	81.2	84.4
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	47.2
Ohio	(2)	(3)	(2)	(2)	73.5	75.3
Pennsylvania	(2)	62.3	60.7	60.9	64.1	66.3
Rhode Island	80.0	84.9	90.0	82.2	87.5	86.9
Utah	(2)	(3)	(2)	(2)	(2)	35.7
Vermont	80.8	96.7	98.7	91.9	97.2	110.3
Washington	(2)	(3)	(2)	45.3	51.2	51.3
Wisconsin	(2)	(3)	(2)	65.9	71.0	75.4
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.	(2)	(3)	(2)	65.7	51.2	62.3
Los Angeles, Cal.	80.8	95.8	88.6	90.0	97.8	104.5
Oakland, Cal.	83.0	100.1	95.1	108.6	99.2	86.6
San Francisco, Cal.	122.3	108.9	110.4	104.3	120.9	113.5
Denver, Colo.	64.0	81.5	65.7	85.3	83.8	93.5
Bridgeport, Conn.	65.2	67.8	62.2	65.3	72.3	72.0
New Haven, Conn.	82.1	94.6	98.1	100.8	96.5	95.4
Washington, D. C.	74.2	87.0	88.8	86.8	87.2	90.3
Atlanta, Ga.	47.1	59.5	64.1	61.0	57.2	62.9
Chicago, Ill.	65.3	76.2	75.1	74.9	76.7	82.2
Indianapolis, Ind.	56.4	75.8	67.8	78.6	94.7	77.5
Louisville, Ky.	59.4	59.4	52.6	66.7	58.0	60.2
New Orleans, La.	77.3	82.9	82.9	82.5	85.4	85.3
Baltimore, Md.	80.1	87.4	88.7	82.6	82.6	96.2
Boston, Mass.	94.2	101.7	101.4	99.5	104.3	104.5
Cambridge, Mass.	95.2	81.4	83.4	91.0	66.6	80.8
Fall River, Mass.	63.9	67.5	60.9	62.9	74.3	80.9
Lowell, Mass.	71.4	80.8	81.0	84.1	76.5	84.3
Worcester, Mass.	76.1	92.4	93.4	92.4	92.9	95.4
Detroit, Mich.	69.2	64.8	58.7	58.6	66.8	68.9
Grand Rapids, Mich.	75.6	76.9	64.1	81.0	64.4	91.0
Minneapolis, Minn.	59.8	66.5	71.0	65.5	65.4	68.6
St. Paul, Minn.	55.3	71.7	66.0	77.3	68.9	84.5
Kansas City, Mo.	54.9	71.9	70.4	62.7	73.8	80.8
St. Louis, Mo.	65.7	80.2	72.9	82.3	86.4	85.1
Omaha, Nebr.	59.5	85.4	91.5	80.7	82.5	91.5
Jersey City, N. J.	55.3	61.5	65.4	57.3	58.4	68.3
Newark, N. J.	70.2	78.2	80.5	70.7	80.7	83.4
Paterson, N. J.	65.9	71.1	54.4	68.1	81.9	67.4
Albany, N. Y.	96.9	122.2	110.3	132.9	116.2	138.5
Buffalo, N. Y.	75.2	82.1	78.9	76.5	79.1	91.6
New York, N. Y.	69.8	75.1	75.0	72.9	76.3	78.0
Bronx Borough	64.1	76.5	75.7	80.3	74.6	75.6
Brooklyn Borough	64.4	70.0	67.9	66.9	70.5	74.0
Manhattan Borough	75.7	79.4	80.8	77.1	81.0	82.4
Queens Borough	47.8	61.7	55.4	60.6	65.2	66.7
Richmond Borough	79.6	88.2	101.9	71.4	102.6	86.7
Rochester, N. Y.	87.0	90.0	84.6	85.4	88.6	99.2
Syracuse, N. Y.	75.9	85.5	77.3	73.9	89.5	92.0
Cincinnati, Ohio	77.8	91.4	86.9	96.1	101.2	85.1
Cleveland, Ohio	57.8	66.7	61.3	67.3	69.1	73.1
Columbus, Ohio	63.9	81.7	64.1	82.3	102.5	91.0
Dayton, Ohio	78.9	94.1	85.7	93.9	118.5	90.7
Toledo, Ohio	61.6	73.4	65.8	64.3	87.0	85.1
Portland, Oreg.	69.7	66.9	71.1	61.3	66.0	70.2
Philadelphia, Pa.	71.2	83.1	80.8	83.6	86.7	85.0
Pittsburgh, Pa.	51.1	65.0	62.5	62.0	69.5	65.6
Scranton, Pa.	41.2	55.8	51.5	56.8	54.8	65.9
Providence, R. I.	89.1	98.6	107.8	89.8	100.8	101.1
Memphis, Tenn.	36.9	56.7	52.8	59.9	51.4	63.9
Nashville, Tenn.	54.7	69.1	70.4	73.5	65.6	66.9
Richmond, Va.	62.9	82.0	74.1	73.2	79.2	86.0
Seattle, Wash.	45.0	52.4	50.9	44.2	60.2	60.1
Spokane, Wash.	43.9	56.8	37.0	68.7	43.3	68.1
Milwaukee, Wis.	67.6	69.0	68.3	63.9	71.9	70.2

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

Except for the rural part of registration states, the death rate from cancer was higher for the second quinquennium than for the preceding one in each main subdivision and in all the registration states for which comparisons are possible, while the rate for 1910 was higher than that for any preceding year or period shown in the table, both for the main subdivisions and, with but three exceptions, for the registration states.

In 44 of the 49 cities for which annual average rates for the five-year periods from 1901 to 1910 are presented in the table, the death rate for the second quinquennium was higher than that for the preceding one, and in 43 of the cities the rate for the last year recorded (1910) was higher than that for the quinquennium ending with that year. These crude rates indicate continued increase in mortality from cancer and other malignant tumors, although their evidence requires further confirmation. The increase shown may be due in part to greater precision in diagnoses and to changes in the age and sex distribution of the population. A full study of all the factors entering into the changes shown can not be made until such details regarding the population are available. Furthermore, it should be borne in mind that many deaths from cancer occurring in cities are of persons from the surrounding country who have come to the city hospitals for operation. This results in an understatement of the rural rate, while the rates for some cities are made excessively high.

As shown in the following table of areas with a considerable proportion of colored population, the death rates of the white and of the colored vary greatly, that of the colored being usually much lower:

AREA.	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	48.5	27.2	45.4	19.7	43.7	22.6	49.6	31.0	48.6	26.3	55.0	36.9
Birmingham, Ala.	[1]	[1]	[2]	[2]	[2]	[2]	82.6	40.2	56.5	43.1	64.4	59.0
Mobile, Ala.	84.8	59.7	71.2	78.4	79.4	33.3	105.6	48.8	49.0	57.3	114.7	78.9
Wilmington, Del.	54.6	36.9	59.6	32.1	46.6	32.3	52.5	32.5	54.3	21.8	59.8	66.0
Washington, D. C.	94.4	69.1	86.3	70.7	98.0	66.8	91.7	74.8	91.6	76.3	103.8	56.8
Jacksonville, Fla.	64.4	30.7	56.6	31.4	73.2	33.1	73.0	42.3	61.3	35.9	58.8	13.4
Atlanta, Ga.	69.5	40.5	54.7	45.2	79.7	34.9	75.1	34.2	67.7	36.8	69.5	49.8
Savannah, Ga.	72.0	23.6	67.9	21.4	89.9	33.5	70.1	24.2	82.3	21.1	50.3	18.0
Kansas City, Kans.	[1]	[1]	[2]	[2]	[2]	[2]	67.7	48.2	66.2	70.6	75.0	106.7
Louisville, Ky.	63.0	43.2	60.0	57.5	57.2	32.4	71.6	44.7	61.0	44.5	65.3	37.0
New Orleans, La.	86.0	74.2	77.4	79.8	84.9	77.6	88.0	67.4	91.4	68.8	87.9	77.9
Baltimore, Md.	90.2	71.8	88.5	75.9	91.8	71.8	83.8	76.1	84.9	69.7	101.6	65.7
Charleston, S. C.	73.7	37.9	75.7	19.2	67.2	64.1	81.1	12.8	54.6	45.0	89.8	48.3
Memphis, Tenn.	68.7	39.7	73.8	29.0	59.5	43.7	69.7	46.0	63.5	33.7	76.0	45.7
Nashville, Tenn.	76.5	54.4	70.2	66.5	81.3	49.1	81.7	57.3	69.8	57.4	78.4	43.8
San Antonio, Tex.	66.7	58.7	63.9	52.2	65.8	70.7	62.4	58.7	65.4	56.9	75.0	55.1
Norfolk, Va.	82.8	70.7	85.5	68.9	80.8	72.6	81.3	80.3	91.4	48.0	75.2	83.6
Richmond, Va.	91.7	58.1	93.7	60.6	79.7	64.5	85.5	52.1	91.1	58.6	103.6	55.5

[1] Figures for deaths not available for the entire period 1906–1910.

[2] Not admitted to registration area until 1908.

ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS).

The number of deaths from acute anterior poliomyelitis, or "poliomyelitis," as it is now familiarly called, in the registration area in 1910 was 1,459, as compared with 569 in the preceding year, the first in which the disease was segregated from the other diseases of the spinal cord (International title No. 63). The death rates for 1910 and 1909 were 2.7 and 1.1, respectively. Although causing only a small number of deaths, the disease is of much interest and a source of considerable alarm to the public.

The deaths from this cause recorded in the registration area were distributed as follows: California, 29 (including 3 each in Los Angeles and San Francisco); Colorado, 4; Connecticut, 40 (2 in New Haven); District of Columbia (city of Washington), 21; Indiana, 49 (1 in Indianapolis); Maine, 31; Maryland, 35 (7 in Baltimore); Massachusetts, 122 (12 in Boston, 7 in Fall River, 1 in Lowell, and 2 in Worcester); Michigan, 48 (4 in Detroit); Minnesota, 197 (15 in Minneapolis and 1 in St. Paul); Montana, 17; New Hampshire, 19; New Jersey, 50 (3 in Newark and 1 in Paterson); New York, 170 (3 in Albany, 8 in Buffalo, 55 in New York City, and 1 in Rochester); North Carolina (municipalities of 1,000 population or over in 1900), 3; Ohio, 76 (2 in Cincinnati, 6 in Cleveland, 1 in Columbus, 1 in Dayton, and 1 in Toledo); Pennsylvania, 269 (27 in Philadelphia, 12 in Pittsburgh, and 1 in Scranton); Rhode Island, 44 (13 in Providence); Utah, 7; Vermont 9; Washington, 81 (14 in Seattle and 9 in Spokane); and Wisconsin, 43 (3 in Milwaukee).

Of the cities in the nonregistration states the following were the only ones from which deaths from this disease were returned: Birmingham, Montgomery, and Mobile, Ala., each 1; Wilmington, Del., 3; Chicago, Ill., 23, and Decatur, Ill., 1; Kansas City, Kans., 3, and Wichita, Kans., 1; Louisville, Ky., 1; New Orleans, La., 2; Kansas City, Mo., 10, St. Joseph, Mo., 2, and St. Louis, Mo., 6; Omaha, Nebr., 3, and Lincoln, Nebr., 1; Portland, Oreg., 19; Charleston, S. C., 1; Memphis, Tenn., 1; and Alexandria, Va., 3, Lynchburg, Va., 1, Norfolk, Va., 5, and Richmond, Va., 6.

The distribution of the deaths from acute anterior poliomyelitis according to the month of occurrence and age and sex of decedent is shown for the years 1909 and 1910 in the tables following.

MONTH OF OCCURRENCE.	DEATHS FROM ACUTE ANTERIOR POLIOMYELITIS, REGISTRATION AREA.					
	1909			1910		
	Total.	Male.	Female.	Total.	Male.	Female.
Total	569	326	243	1,459	804	655
January	11	5	6	41	18	23
February	15	8	7	44	18	26
March	16	11	5	44	18	26
April	20	14	6	34	16	18
May	31	22	9	35	19	16
June	14	7	7	47	29	18
July	33	9	24	132	77	55
August	78	40	38	267	157	110
September	115	66	49	310	185	125
October	124	77	47	259	135	124
November	66	42	24	143	73	70
December	46	25	21	103	59	44

AGE OF DECEDENT.	DEATHS FROM ACUTE ANTERIOR POLIOMYELITIS, REGISTRATION AREA.			
	1909		1910	
	Number.	Per cent distribution.	Number.	Per cent distribution.
All ages	569	100.0	1,459	100.0
Under 1 year	130	22.8	265	18.2
1 year	111	19.5	257	17.6
2 years	59	10.4	165	11.3
3 years	54	9.5	111	7.6
4 years	50	8.8	100	6.9
Under 5 years	404	71.0	898	61.5
5 to 9 years	67	11.8	239	16.4
10 to 14 years	37	6.5	110	7.5
15 to 19 years	25	4.4	76	5.2
20 to 24 years	11	1.9	47	3.2
25 to 29 years	7	1.2	32	2.2
30 to 34 years	6	1.1	15	1.0
35 to 39 years	2	0.4	5	0.3
40 to 44 years	1	0.2	10	0.7
45 to 49 years	5	0.9	7	0.5
50 to 54 years			5	0.3
55 to 59 years	3	0.5	1	0.1
60 to 64 years	1	0.2	7	0.5
65 to 69 years			3	0.2
70 to 74 years			2	0.1
75 to 79 years			1	0.1
80 to 84 years				
85 to 89 years			1	0.1

In 1910 the largest number of deaths was registered for the month of September (310), while in 1909 the month of maximum mortality from this cause was October. The deaths of males exceeded those of females in both years, but in a somewhat larger proportion for the year 1909. The number of decedents under 5 years of age (898) formed only 61.5 per cent of the total in 1910, as compared with 71 per cent in 1909. In the proportions represented by persons in the age periods from 5 to 29 years a general increase is noted.

To distinguish the returns of all deaths from this cause is extremely difficult, owing to the large number of more or less synonymous terms for the disease. A list of the terms used in the returns for 1909 was given in the bulletin for that year, and a similar list covering the returns for 1910 is considerably longer. When the statement of cause of death on the transcripts received by the Bureau of the Census did not seem to signify definitely acute anterior poliomyelitis, but at the same time implied the probable presence of that disease, letters of inquiry were sent to reporting physicians; and only those cases in which the identity of the disease was confirmed were included under this heading in the final compilation. Nevertheless, some deaths from this disease may have escaped recognition, owing to forms of return which were not sufficiently specific; and in order that the chance of such omissions in the future may be reduced to a minimum, it is again recommended urgently that the accepted designation "acute anterior poliomyelitis" be employed in all cases in reporting this disease upon certificates of death. The term "infantile paralysis" used alone may refer to birth palsies, and hence when applied to the disease under consideration in this section it should be accompanied by the more specific term, thus: "Acute anterior poliomyelitis (infantile paralysis)."

ORGANIC DISEASES OF THE HEART.

In 1910, as in all other years covered by the annual mortality reports, the number of deaths classified as due to the various cardiac affections included under title No. 79 of the International List, "Organic diseases of the heart," exceeded the total number charged to all other titles that make up the group known as "Diseases of the circulatory system." In 1910 deaths assigned to organic diseases of the heart numbered 76,178, and constituted 76.1 per cent of the total classified as due to circulatory diseases.

The next table shows for the registration area, its main subdivisions, the registration states, and the cities having a population of 100,000 or more in 1910, the death rates per 100,000 population from organic diseases of the heart for the years 1907 to 1910, and the quinquennial periods of the decade 1901 to 1910.

Compared with the number of deaths (65,971) classified in 1909 under "Heart disease," the corresponding title of the first revision of the International List, the number (76,178) compiled under "Organic diseases of the heart" in 1910 represented an increase of 10,207, the rate per 100,000 population being 141.5 for 1910 and 129.7 for 1909. A part of this increase, however, was only apparent, being due to the fact that prior to the second revision of the International List, all deaths reported as due to "Endocarditis" (unqualified) and "Myocarditis" (unqualified) were compiled under "Acute endocarditis" (International title No. 78), whereas in the compilation of 1910 the classification of the second revision has been used and such deaths of persons 60 years of age or over have been classified under "Organic diseases of the heart." While this change in assignment accounts for some of the difference between the figures for the two years, there was undoubtedly a slight increase in the number of deaths from diseases included under this group in both years. The annual average rate for the quinquennium 1906 to 1910 was 133.2 per 100,000 population, representing an increase of 7.2 per cent over the rate of 124.2 for the preceding quinquennium.

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION.					
	Annual average.					
	1901 to 1905	1906 to 1910	1907	1908	1909	1910
SUMMARY.						
The registration area	124.2	133.2	137.5	128.3	129.7	141.5
Registration states [1]	132.9	136.9	145.3	131.9	131.7	141.8
Cities in registration states [1]	129.2	139.0	147.8	133.0	131.3	145.4
Rural part of registration states	137.6	134.5	142.3	130.7	132.1	137.8
Registration cities in other states	108.6	113.1	105.6	111.2	116.3	139.1
All registration cities [1]	118.9	132.3	134.7	126.8	127.9	144.2
REGISTRATION STATES.						
California	(2)	152.5	160.0	148.9	145.4	160.5
Colorado	(2)	84.8	86.9	89.0	82.4	86.0
Connecticut	138.9	150.3	161.6	142.7	142.0	160.7
Indiana	88.8	121.7	117.1	127.7	123.7	137.2
Maine	152.4	168.8	172.1	161.4	169.1	184.3
Maryland	(2)	121.6	127.0	117.9	117.0	131.6
Massachusetts	158.7	169.0	179.2	163.1	160.1	177.5
Michigan	124.5	143.7	148.0	141.2	138.4	152.6
Minnesota	(2)	(3)	(2)	(2)	(3)	81.6
Montana	(2)	(3)	(2)	(2)	(2)	67.8
New Hampshire	172.7	195.6	204.4	186.6	195.1	200.7
New Jersey	113.7	119.8	121.6	112.3	109.7	137.2
New York	137.8	153.5	159.0	147.1	150.3	164.7
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	120.2
Ohio	(2)	(3)	(2)	(2)	129.2	141.4
Pennsylvania	(2)	123.2	127.5	119.1	121.2	128.7
Rhode Island	138.0	155.1	167.9	138.0	151.6	160.8
Utah	(2)	(3)	(2)	(2)	(2)	80.2
Vermont	154.7	196.4	194.9	190.0	193.8	221.8
Washington	(2)	(3)	(2)	72.4	77.9	74.3
Wisconsin	(2)	(3)	(2)	95.8	90.4	98.8
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala	(2)	(3)	(2)	56.1	68.2	126.0
Los Angeles, Cal	106.7	128.1	131.1	116.8	118.6	137.3
Oakland, Cal	190.3	222.3	254.9	219.9	200.2	201.6
San Francisco, Cal	210.2	194.6	209.9	175.0	171.5	214.8
Denver, Colo	96.8	120.3	131.9	128.2	101.6	128.0
Bridgeport, Conn	99.1	111.2	120.1	101.6	97.4	114.9
New Haven, Conn	146.5	167.0	198.6	159.0	147.5	178.2
Washington, D. C	181.9	203.9	214.4	192.5	193.0	212.2
Atlanta, Ga	106.3	100.7	86.8	108.8	81.4	107.8
Chicago, Ill	89.1	102.6	75.1	103.1	122.8	134.0
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind	104.0	141.3	141.1	146.6	139.2	159.7
Louisville, Ky	126.7	140.0	142.3	152.9	121.4	157.8
New Orleans, La	157.5	172.0	170.2	158.4	158.8	207.0
Baltimore, Md	128.3	155.9	158.5	149.8	147.9	173.7
Boston, Mass	172.6	179.7	183.8	165.4	174.9	201.1
Cambridge, Mass	136.7	151.9	152.0	160.5	139.9	153.1
Fall River, Mass	100.0	109.3	114.6	86.5	97.3	126.8
Lowell, Mass	161.8	155.1	160.9	145.7	137.8	172.3
Worcester, Mass	154.0	176.3	182.4	171.3	163.5	196.3
Detroit, Mich	102.3	105.0	111.4	103.0	94.6	109.5
Grand Rapids, Mich	129.9	143.3	145.4	142.4	135.1	168.8
Minneapolis, Minn	68.2	77.2	77.8	82.6	61.7	95.7
St. Paul, Minn	59.6	79.6	76.7	73.0	76.9	93.3
Kansas City, Mo	88.7	105.1	106.8	93.8	90.3	137.6
St. Louis, Mo	107.7	119.2	122.4	99.7	121.1	131.3
Omaha, Nebr	73.9	110.5	111.9	108.2	120.1	121.2
Jersey City, N. J	115.7	122.3	127.2	120.1	110.3	134.4
Newark, N. J	120.6	124.0	126.5	119.2	121.1	134.5
Paterson, N. J	122.8	128.7	94.4	127.9	141.9	168.8
Albany, N. Y	165.9	195.7	198.3	192.2	190.3	235.2
Buffalo, N. Y	132.1	144.0	146.4	140.5	128.1	160.0
New York, N. Y	120.5	131.1	137.1	125.3	126.5	137.4
Bronx Borough	117.2	130.0	137.2	128.6	125.4	126.8
Brooklyn Borough	143.4	152.0	155.9	149.4	147.1	161.2
Manhattan Borough	104.8	117.3	124.0	109.1	111.8	123.9
Queens Borough	131.2	127.3	134.7	119.3	129.6	127.9
Richmond Borough	135.2	138.2	159.2	120.7	131.2	136.4
Rochester, N. Y	128.5	134.9	136.2	124.5	128.6	157.5
Syracuse, N. Y	133.4	155.0	141.0	143.9	161.9	207.1
Cincinnati, Ohio	116.0	134.6	119.3	121.9	134.5	182.6
Cleveland, Ohio	88.6	95.8	98.8	98.0	83.4	102.7
Columbus, Ohio	115.5	141.0	118.1	137.2	157.6	165.5
Dayton, Ohio	120.9	158.0	177.5	169.7	150.3	162.6
Toledo, Ohio	98.4	133.3	119.5	138.4	142.5	150.1
Portland, Oreg	86.2	103.4	107.2	97.0	107.4	106.0
Philadelphia, Pa	137.1	157.5	163.1	147.5	149.2	173.1
Pittsburgh, Pa	95.1	112.2	112.9	107.3	106.6	125.9
Scranton, Pa	66.7	88.5	91.6	89.6	88.5	86.6
Providence, R. I	137.3	158.6	167.0	133.6	153.5	179.2
Memphis, Tenn	83.4	111.7	104.7	112.8	101.8	133.9
Nashville, Tenn	162.9	177.3	161.1	178.2	185.1	181.8
Richmond, Va	140.9	170.5	171.9	170.7	152.4	175.9
Seattle, Wash	87.0	91.7	99.2	93.6	98.9	84.7
Spokane, Wash	66.4	84.6	97.5	82.6	85.5	77.6
Milwaukee, Wis	80.4	92.4	98.9	82.0	90.6	97.3

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

High rates for 1910 are shown in the preceding table for Vermont (221.8), New Hampshire (200.7), Maine (184.3), Massachusetts (177.5), New York (164.7), Rhode Island (160.8), Connecticut (160.7), California (160.5), and Michigan (152.6). Of these states, Maine, Massachusetts, New Hampshire, and Vermont had death rates in excess of 150 per 100,000 population, for each of the four years shown in this table and for the quinquennial periods of the decade closing with 1910. Among the cities having a population of 100,000 or more, Albany had the highest death rate in 1910 (235.2), followed by San Francisco (214.8), Washington (212.2), Syracuse (207.1), New Orleans (207), Oakland (201.6), and Boston (201.1). For each of the cities named, with the exception of Syracuse, death rates very much in excess of 150 per 100,000 population were reported throughout the four years shown in the table and also for the two quinquennial periods.

PNEUMONIA.

There were 79,524 deaths from all forms of pneumonia in the registration area during the year 1910, representing a death rate of 147.7 per 100,000 population; in 1909 the number of deaths was 70,033 and the rate 137.7. The 79,524 deaths reported for 1910 included 25,337 from bronchopneumonia, or 47.1 per 100,000 population, and 54,187 from pneumonia (lobar and undefined), or 100.6 per 100,000 population. The number of deaths definitely reported as due to lobar or croupous pneumonia was 24,972, while for 29,215 the return was "pneumonia" without qualification. Of the last named, a large proportion, especially of deaths of young children, was undoubtedly caused by bronchopneumonia, while many deaths primarily due to infectious diseases—especially measles and whooping cough—were included in the same total because of the fact that on the certificates of death only a statement of the contributory or terminal "pneumonia" appeared, to the exclusion of the disease that was the primary cause. In cases where pneumonia sets in as a complication of other diseases, it is almost invariably the condition with which the physician is confronted when death occurs, and for this reason it assumes greater importance in his mind than the disease or

cause of which it is merely the terminal symptom. It is therefore, under present conditions, impossible to state even approximately the number of deaths caused by the specific, infectious disease, lobar or croupous pneumonia. Of the 54,187 deaths classified as due to "pneumonia," exclusive of bronchopneumonia, 24,972 were positively reported as due to lobar or croupous pneumonia, which with 29,215 returns of "pneumonia" (undefined) form the basis for the rates shown in the following table for the registration area, its main subdivisions, the registration states and the cities having a population of 100,000 or more in 1910. In this table rates equal to or in excess of 150 per 100,000 population are distinguished by boldfaced type.

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.					
	Annual average.					
	1901 to 1905	1906 to 1910	1907	1908	1909	1910
SUMMARY.						
The registration area	125.5	103.0	117.3	95.1	96.3	100.6
Registration states [1]	120.3	99.5	113.5	91.9	93.2	96.1
Cities in registration states [1]	140.0	113.8	130.4	103.3	104.9	110.1
Rural part of registration states	95.3	83.3	93.5	79.1	80.4	80.6
Registration cities in other states	134.9	121.8	132.8	110.6	117.6	136.3
All registration cities [1]	137.4	115.9	131.2	105.4	107.7	115.2
REGISTRATION STATES.						
California	(2)	80.4	94.3	79.9	68.8	74.2
Colorado	(2)	124.4	134.4	132.7	127.9	99.6
Connecticut	105.5	108.8	124.7	93.9	98.8	116.9
Indiana	85.8	73.6	78.7	66.0	70.4	73.8
Maine	121.0	118.9	127.7	109.7	119.7	132.2
Maryland	(2)	99.4	102.6	88.5	102.3	106.4
Massachusetts	125.1	119.4	123.3	108.8	116.1	128.8
Michigan	83.2	69.7	81.8	64.0	62.5	68.0
Minnesota	(2)	(3)	(2)	(2)	(2)	52.6
Montana	(2)	(3)	(2)	(2)	(2)	54.8
New Hampshire	122.5	110.2	115.2	98.8	113.3	116.9
New Jersey	126.3	120.1	137.1	105.8	117.5	112.0
New York	140.2	114.2	130.8	101.2	106.9	110.9
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	148.6
Ohio	(2)	(3)	(2)	(2)	74.0	77.4
Pennsylvania	(2)	103.1	107.8	95.7	99.4	109.0
Rhode Island	135.5	128.5	138.9	117.6	111.0	135.5
Utah	(2)	(3)	(2)	(2)	(2)	86.6
Vermont	132.1	119.5	140.2	112.8	103.7	115.1
Washington	(2)	(3)	(2)	52.5	56.4	42.1
Wisconsin	(2)	(3)	(2)	70.7	69.7	68.4
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.	(2)	(3)	(2)	113.8	129.4	**181.5**
Los Angeles, Cal.	109.0	76.3	96.5	66.9	63.2	66.5
Oakland, Cal.	95.2	94.6	132.2	76.0	75.1	69.4
San Francisco, Cal.	113.7	102.4	122.7	93.4	80.3	90.3
Denver, Colo.	**157.2**	145.0	**170.1**	**176.0**	142.5	115.9
Bridgeport, Conn.	121.4	130.9	**170.5**	106.8	105.5	128.5
New Haven, Conn.	120.8	**151.8**	177.3	114.8	134.5	**157.3**
Washington, D. C.	133.1	124.6	128.4	116.6	127.6	128.8
Atlanta, Ga.	**240.1**	**174.3**	**186.5**	142.4	**154.8**	**208.0**
Chicago, Ill.	**150.1**	**152.1**	**183.6**	127.9	146.8	**160.6**

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.					
	Annual average.					
	1901 to 1905	1906 to 1910	1907	1908	1909	1910
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind.	107.1	76.2	90.3	54.5	69.8	81.4
Louisville, Ky.	**164.2**	147.9	**165.6**	144.3	131.3	136.0
New Orleans, La.	145.1	133.5	**154.4**	144.4	113.5	138.5
Baltimore, Md.	148.8	130.4	139.8	118.7	137.1	129.6
Boston, Mass.	**155.1**	146.9	**154.4**	137.5	140.2	**154.7**
Cambridge, Mass.	131.7	117.7	97.3	110.6	128.3	133.1
Fall River, Mass.	**150.9**	**159.4**	**161.2**	**188.8**	**168.2**	134.3
Lowell, Mass.	**162.7**	**151.2**	**160.9**	139.8	133.0	144.2
Worcester, Mass.	135.1	126.7	149.3	100.3	117.4	132.2
Detroit, Mich.	100.0	100.1	109.5	92.2	99.1	95.1
Grand Rapids, Mich.	77.3	65.7	74.6	62.4	52.6	66.3
Minneapolis, Minn.	69.6	76.6	93.6	88.9	71.9	62.0
St. Paul, Minn.	66.7	62.4	67.0	66.3	60.4	61.3
Kansas City, Mo.	**186.5**	123.0	147.7	121.4	122.9	106.4
St. Louis, Mo.	**152.7**	100.8	112.3	90.9	100.3	103.3
Omaha, Nebr.	85.5	95.2	93.2	114.0	89.9	99.6
Jersey City, N. J.	**172.5**	**155.0**	**183.7**	142.0	**152.2**	119.6
Newark, N. J.	140.3	122.8	139.4	108.4	119.0	100.2
Paterson, N. J.	147.9	136.2	138.7	134.5	**150.0**	108.6
Albany, N. Y.	114.2	103.9	115.3	100.7	70.1	126.5
Buffalo, N. Y.	88.6	92.1	102.5	89.3	90.8	82.0
New York, N. Y.	**181.3**	129.8	**152.5**	110.6	119.7	122.2
Bronx Borough	144.8	107.9	118.0	85.9	97.0	98.7
Brooklyn Borough	**173.7**	130.8	**152.8**	112.0	122.7	123.7
Manhattan Borough	**194.6**	135.2	**160.8**	115.9	123.6	127.3
Queens Borough	**154.8**	110.2	125.7	91.1	102.9	107.0
Richmond Borough	138.6	123.7	143.9	110.9	118.1	126.0
Rochester, N. Y.	91.7	77.0	98.2	67.8	78.2	72.8
Syracuse, N. Y.	90.6	87.8	82.9	81.6	76.8	109.4
Cincinnati, Ohio	131.4	106.4	105.2	112.9	100.4	103.2
Cleveland, Ohio	122.1	88.5	109.0	74.9	67.3	74.7
Columbus, Ohio	119.1	89.0	100.5	87.8	67.0	77.8
Dayton, Ohio	88.7	89.5	120.8	83.8	74.7	92.4
Toledo, Ohio	73.7	73.3	86.0	70.4	68.9	66.8
Portland, Oreg.	73.1	52.8	54.5	56.9	37.7	58.3
Philadelphia, Pa.	137.2	99.2	112.9	92.4	88.7	98.0
Pittsburgh, Pa.	**211.3**	**152.8**	140.7	131.6	141.0	**185.1**
Scranton, Pa.	**160.8**	106.4	103.0	92.0	106.5	113.5
Providence, R. I.	141.9	140.9	**164.6**	**125.2**	**125.4**	**139.3**
Memphis, Tenn.	148.3	122.4	140.8	144.9	119.0	60.9
Nashville, Tenn.	**172.2**	**157.0**	**139.8**	**173.7**	140.4	**184.5**
Richmond, Va.	156.3	133.5	**177.2**	132.4	103.3	117.3
Seattle, Wash.	61.7	50.7	60.5	42.3	53.5	54.7
Spokane, Wash.	78.5	93.1	112.3	111.6	103.6	53.9
Milwaukee, Wis.	89.0	82.9	95.0	72.5	72.8	80.5

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

The mortality from pneumonia was, according to the rates shown in the preceding table, higher in 1910 than in 1909 and 1908 in the registration area as a whole and in each main subdivision. None of the registration states had a rate as high as 150 per 100,000 population for any of the four years 1907 to 1910, nor did the annual average for either quinquennial period exceed this limit for any of these states. In the following cities with a population of 100,000 or more in 1910, however, the death rate in 1910 exceeded 150: Atlanta (208), Pittsburgh (185.1), Nashville (184.5), Birmingham (181.5), Chicago (160.6), New Haven (157.3), and Boston (154.7). Comparisons of death rates for different areas or of those for any given area for different years are, however, not entirely satisfactory and reliable. Inaccuracies of statement of cause of death and changes in methods of statistical procedure, especially with reference to jointly returned causes, affect the figures for "pneumonia" to a considerable extent.

The next table shows the mortality of both white and colored in areas having a considerable proportion of colored population. The death rates in the table indicate a higher mortality among the colored than the white population for every year during the quinquennial period 1906 to 1910 for practically every area shown.

AREA.	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	63.6	111.7	63.6	109.5	55.9	123.1	53.2	94.2	68.9	94.8	75.9	137.0
Birmingham, Ala.	(1)	(1)	(2)	(2)	(2)	(2)	66.6	185.0	82.4	201.1	122.6	272.2
Mobile, Ala.	35.9	138.6	44.5	134.4	52.9	205.6	31.7	128.6	24.5	132.3	31.3	105.2
Wilmington, Del.	156.9	405.5	197.7	384.7	169.2	430.5	126.0	444.5	147.3	382.3	146.4	385.1
Washington, D. C.	76.2	242.5	65.8	253.4	80.1	244.8	69.7	230.9	86.4	229.0	78.5	254.5
Jacksonville, Fla.	93.6	143.7	84.9	107.6	117.2	124.1	64.4	207.5	103.4	118.3	96.8	154.6
Atlanta, Ga.	86.3	342.7	80.7	344.9	78.4	388.5	69.1	282.3	89.9	281.4	107.1	408.3
Savannah, Ga.	91.2	213.4	74.4	159.1	73.9	176.6	73.3	233.4	63.3	162.9	169.6	333.2
Kansas City, Kans.	(1)	(1)	(2)	(2)	(2)	(2)	87.8	168.6	96.3	188.3	139.1	192.0
Louisville, Ky.	100.8	358.9	104.1	424.7	113.8	396.0	94.9	364.9	93.4	301.7	98.0	308.2
New Orleans, La.	88.4	258.3	77.4	225.3	101.7	299.8	91.3	291.2	79.2	208.5	92.3	267.0
Baltimore, Md.	102.3	286.0	95.5	299.9	104.4	335.0	89.0	282.9	110.2	285.8	111.9	227.7
Charleston, S. C.	78.9	173.9	68.2	214.3	100.9	150.6	70.1	141.2	61.9	135.0	93.4	228.6
Memphis, Tenn.	74.2	190.5	97.3	233.9	80.8	222.7	86.0	228.1	64.9	197.8	48.1	80.1
Nashville, Tenn.	87.2	294.6	72.0	279.3	88.3	239.9	83.1	352.2	86.2	248.8	102.7	350.5
San Antonio, Tex.	97.8	105.6	105.1	114.9	122.2	101.0	94.2	48.9	64.2	85.3	106.2	174.6
Norfolk, Va.	95.6	301.2	67.4	271.4	133.9	403.3	73.9	245.0	91.4	255.9	110.4	330.4
Richmond, Va.	72.2	227.2	54.4	219.4	97.8	313.0	71.7	236.7	53.0	190.0	80.2	181.5

[1] Figures for deaths not available for the entire period 1906–1910.

[2] Not admitted to registration area until 1908.

In the following table the death rates for pneumonia for 1910 and the four years immediately preceding are shown for cities and other places with a population of 10,000 but less than 100,000 in 1910 in which the rate equaled or exceeded 150 per 100,000 population in one or more of these years. Such rates are distinguished by boldfaced type.

CITY. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Montgomery, Ala.	(1)	(1)	124.9	121.3	**151.9**
Bakersfield, Cal.	(2)	(2)	(2)	(2)	**194.9**
Sacramento, Cal.	110.9	151.2	131.0	110.4	106.6
Pueblo, Colo.	**169.5**	**170.2**	**185.4**	136.8	85.0
Bristol town, Conn.	141.4	112.8	**156.2**	128.9	**169.3**
Danbury town, Conn.	95.7	**161.0**	123.0	82.0	122.9
Hartford, Conn.	127.7	140.1	123.6	123.2	**166.1**
Middletown town, Conn.	82.1	111.0	64.5	83.0	**254.6**
Stamford town, Conn.	116.0	**161.5**	144.3	**160.5**	120.5
Wilmington, Del.	**213.9**	**173.1**	**160.4**	**172.2**	**171.2**
Savannah, Ga.	117.9	126.6	**155.4**	114.3	**253.3**
Aurora, Ill.	105.0	**156.0**	69.5	115.8	110.3
Jacksonville, Ill.	98.5	124.5	124.3	**156.8**	**189.2**
Hammond, Ind.	84.5	**166.1**	97.6	44.4	99.6
Leavenworth, Kans.	92.6	**173.1**	**180.8**	117.3	104.9
Newport, Ky.	118.5	100.9	**150.3**	116.1	121.9
Paducah, Ky.	**190.8**	**178.7**	130.9	97.8	**240.9**
Augusta, Me.	103.0	**172.2**	100.5	**198.7**	**226.5**
Bangor, Me.	139.4	141.9	**156.6**	**162.8**	108.6
Biddeford, Me.	**239.3**	**196.3**	94.6	**264.7**	**327.5**
Lewiston, Me.	122.6	101.8	104.7	**165.1**	**152.1**
Portland, Me.	103.0	**172.6**	**133.2**	131.3	137.9
Frederick, Md.	30.1	**158.5**	39.2	67.8	105.4
Chelsea, Mass.	**165.6**	98.2	114.0	101.7	**198.4**
Chicopee, Mass.	**130.7**	**200.3**	**148.8**	**203.5**	**132.7**
Framingham town, Mass.	**151.6**	90.5	**128.6**	**165.0**	130.7
Gardner town, Mass.	**134.5**	**106.2**	**102.0**	105.1	**155.3**
Gloucester, Mass.	54.6	**102.7**	**104.1**	64.9	**156.2**
Haverhill, Mass.	**109.4**	**140.5**	81.3	**106.7**	**232.1**
Holyoke, Mass.	**139.2**	**135.1**	**120.4**	**115.0**	**158.5**
Lawrence, Mass.	**154.5**	**126.0**	**132.2**	**161.9**	**164.1**
Leominster town, Mass.	**159.3**	**108.1**	**103.7**	**123.1**	**107.2**
Milford town, Mass.	**267.7**	**143.8**	**133.7**	**131.8**	**313.1**
Newburyport, Mass.	**142.5**	60.8	**114.5**	**174.4**	**133.7**
Taunton, Mass.	**167.0**	**212.9**	**130.0**	**169.0**	**218.0**
Waltham, Mass.	**150.1**	**111.3**	**84.3**	**170.4**	**143.4**
Watertown town, Mass.	**77.3**	**75.2**	**81.4**	**190.2**	**77.3**
Westfield town, Mass.	**98.7**	**109.0**	**65.9**	**166.1**	**99.1**
Weymouth town, Mass.	**117.7**	**181.0**	**96.6**	**78.8**	**100.4**
Alpena, Mich.	**87.9**	**159.2**	**63.4**	**55.3**	**86.5**
Escanaba, Mich.	**92.9**	**106.6**	**151.3**	**31.0**	**82.9**
Pontiac, Mich.	**56.0**	**69.0**	**58.9**	**113.4**	**198.0**
Anaconda, Mont.	(1)	(1)	(1)	(1)	**177.4**
Berlin, N. H.	**121.9**	**118.6**	**151.1**	**155.9**	**101.3**

[1] Not admitted to registration area until a later date.

CITY. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Concord, N. H.	**86.6**	**128.8**	**108.7**	**164.0**	**92.9**
Dover, N. H.	**113.4**	**105.8**	**151.1**	**166.1**	**75.5**
Laconia, N. H.	**181.6**	**62.6**	**71.5**	**59.9**	**127.1**
Bayonne, N. J.	**161.5**	**129.3**	**77.0**	**134.9**	**117.6**
Bridgeton, N. J.	**160.0**	**86.5**	**71.5**	**70.9**	**56.2**
Camden, N. J.	**161.9**	**161.1**	**152.6**	**132.7**	**158.9**
Elizabeth, N. J.	**148.5**	**201.8**	**104.7**	**134.5**	**132.5**
Hackensack, N. J.	**136.1**	**121.4**	**131.1**	**88.4**	**176.4**
Harrison, N. J.	**159.2**	**221.6**	**108.1**	**112.5**	**75.5**
Hoboken, N. J.	**217.9**	**262.1**	**162.0**	**165.4**	**211.3**
Long Branch, N. J.	**104.6**	**173.8**	**108.6**	**137.2**	**89.9**
Montclair, N. J.	**119.9**	**166.8**	**122.2**	**77.3**	**128.6**
Morristown, N. J.	**106.3**	**243.9**	**72.7**	**112.5**	**191.7**
New Brunswick, N. J.	**185.4**	**197.9**	**103.0**	**162.8**	**141.0**
Orange, N. J.	**182.3**	**166.6**	**194.1**	**130.8**	**181.3**
Passaic, N. J.	**149.0**	**166.4**	**100.9**	**159.5**	**142.3**
Phillipsburg, N. J.	**111.3**	**139.8**	**102.2**	**79.6**	**186.7**
Plainfield, N. J.	**89.8**	**155.0**	**116.3**	**108.9**	**135.7**
Trenton, N. J.	**98.9**	**121.7**	**133.4**	**162.5**	**165.4**
Auburn, N. Y.	**175.7**	**110.6**	**94.4**	**78.7**	**103.6**
Batavia, N. Y.	**38.0**	**101.7**	**153.2**	**123.0**	**145.6**
Corning, N. Y.	**88.9**	**177.0**	**168.8**	**124.3**	**145.5**
Dunkirk, N. Y.	**147.0**	**199.2**	**127.5**	**82.9**	**132.9**
Glens Falls, N. Y.	**175.9**	**73.8**	**46.6**	**46.2**	**104.8**
Johnstown, N. Y.	**60.5**	**29.8**	**68.7**	**77.4**	**171.8**
Middletown, N. Y.	**121.8**	**109.5**	**129.5**	**143.1**	**202.7**
Newburgh, N. Y.	**168.9**	**115.0**	**102.7**	**137.9**	**157.9**
North Tonawanda, N. Y.	**56.9**	**36.7**	**150.6**	**154.4**	**58.2**
Ogdensburg, N. Y.	**159.3**	**261.6**	**244.8**	**241.3**	**118.9**
Peekskill, N. Y.	**146.5**	**149.2**	**108.5**	**87.2**	**215.2**
Poughkeepsie, N. Y.	**100.9**	**110.1**	**156.1**	**131.0**	**103.4**
Rome, N. Y.	**110.9**	**80.3**	**170.7**	**110.1**	**92.1**
Saratoga Springs, N. Y.	**185.6**	**225.3**	**85.9**	**78.5**	**134.1**
Troy, N. Y.	**163.6**	**151.6**	**96.6**	**127.7**	**135.4**
Watertown, N. Y.	**203.1**	**158.3**	**106.9**	**64.2**	**108.2**
Watervliet, N. Y.	**116.3**	**183.3**	**80.8**	**140.2**	**165.6**
White Plains, N. Y.	(2)	(2)	(2)	(2)	**167.4**
Charlotte, N. C.	(1)	(1)	(1)	(1)	**175.8**
Durham, N. C.	(1)	(1)	(1)	(1)	**178.7**
Greensboro, N. C.	(1)	(1)	(1)	(1)	**193.5**
Raleigh, N. C.	**274.4**	**237.8**	**124.6**	**187.1**	**187.4**
Wilmington, N. C.	**154.7**	**98.4**	**104.5**	**78.9**	**150.9**
Winston, N. C.	(1)	(1)	(1)	(1)	**242.5**
Ashtabula, Ohio	**351.9**	**243.9**	**171.7**	**97.8**	**130.7**
Bellaire, Ohio	**143.3**	**282.9**	**143.1**	**195.6**	**146.3**
Middletown, Ohio	**85.9**	**91.4**	**72.4**	**101.3**	**158.7**
Portsmouth, Ohio	**159.4**	**109.6**	**80.1**	**47.8**	**46.6**
Youngstown, Ohio	**115.0**	**172.6**	**133.9**	**104.6**	**141.7**
Braddock, Pa.	**156.1**	**240.3**	**112.4**	**141.7**	**154.4**
Carbondale, Pa.	**140.2**	**124.6**	**97.5**	**173.1**	**216.2**
Dunmore, Pa.	**242.3**	**117.3**	**173.6**	**261.5**	**220.1**
Duquesne, Pa.	**190.0**	**144.6**	**137.8**	**171.2**	**107.1**
Easton, Pa.	**102.9**	**112.6**	**75.4**	**53.3**	**150.4**
Greensburg, Pa.	(2)	(2)	(2)	(2)	**176.2**
Homestead, Pa.	**166.1**	**200.7**	**209.5**	**109.6**	**164.6**
Johnstown, Pa.	**190.8**	**111.8**	**142.0**	**148.2**	**184.3**

[2] Included in rural.

CITY. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
McKeesport, Pa	158.2	211.9	183.9	125.9	193.7
Mahanoy City, Pa	146.7	91.8	174.3	133.4	162.6
Nanticoke Pa	153.6	229.9	187.0	158.2	205.1
New Castle, Pa	88.1	141.7	74.4	123.3	150.9
Phoenixville, Pa	177.4	213.5	86.0	178.9	250.6
Pittston, Pa	141.5	157.7	89.8	187.9	134.6
Pottstown, Pa	94.2	152.7	98.3	110.1	140.7
Pottsville, Pa	75.7	147.7	103.0	151.0	93.5
Shamokin, Pa	110.2	104.2	129.3	92.4	152.9
Sharon, Pa	103.0	156.7	89.8	26.8	84.6
Shenandoah, Pa	206.9	169.2	149.3	153.9	108.2
South Bethlehem, Pa	166.8	149.4	122.7	236.7	124.3
South Sharon, Pa	(1)	(1)	(1)	(1)	[2] 215.9
Steelton, Pa	230.4	139.1	108.1	120.7	98.0
Uniontown, Pa	(1)	(1)	(1)	(1)	163.3
West Chester, Pa	73.4	107.8	96.8	103.6	152.4
Central Falls, R. I	178.4	91.1	83.6	76.5	91.7
Cranston, R. I	81.7	173.0	171.7	131.5	94.1
Cumberland town, R. I	136.3	175.5	40.7	150.2	148.0
Newport, R. I	113.7	104.1	98.6	82.1	154.2
Woonsocket, R. I	158.1	112.3	136.3	102.3	106.8
Charleston, S. C	147.4	127.6	108.1	100.7	164.7
Knoxville, Tenn	([3])	([3])	154.2	133.2	98.8
Burlington, Vt	161.9	195.5	119.2	128.0	102.4
Rutland, Vt	203.8	146.5	83.5	156.9	147.2
Alexandria, Va	139.8	185.4	118.6	235.9	176.0
Danville, Va	([3])	([3])	277.4	148.2	147.0
Lynchburg, Va	96.0	171.4	100.9	113.1	118.3
Norfolk, Va	146.9	237.6	139.0	153.2	192.1
Petersburg, Va	129.1	144.9	206.7	146.2	190.3
Wheeling, W. Va	138.0	154.2	128.8	128.0	141.5
Beloit, Wis	82.3	166.4	84.0	94.9	46.0
Green Bay, Wis	124.0	134.1	156.0	165.0	181.5

[1] Included in rural.
[2] Based on population enumerated April 15, 1910.
[3] Not admitted to registration area until a later date.

Of the places included in the preceding table, Biddeford, Me. had the highest death rate from pneumonia in 1910 (327.5), followed by Milford town, Mass. (313.1); Middletown town, Conn. (254.6); Savannah, Ga. (253.3); Phoenixville, Pa. (250.6); Winston, N. C. (242.5); Paducah, Ky. (240.9); Haverhill, Mass. (232.1); Augusta, Me. (226.5); and Dunmore, Pa. (220.1). Only three of the cities included in the table showed rates in excess of 150 per 100,000 population for each year of the period 1906 to 1910, namely, Wilmington, Del.; Hoboken, N. J.; and Nanticoke, Pa.

DIARRHEA AND ENTERITIS.

On account of the special importance of this disease in its relation to infant mortality, the International List provides two titles, one for deaths of infants under 2 years of age and the other for decedents 2 years of age and over. The incidence of diarrheal diseases, for which the term "diarrhea and enteritis" may be considered a group title, falls largely upon infants under 2 years of age, and deaths of infants below the age of 2 from these affections are commonly spoken of as caused by "infantile diarrhea." Under these two titles are classified the thousands of deaths reported each year as due to cholera infantum, colitis, diarrhea, enteritis, enterocolitis, gastroenteritis, "summer complaint," and many other similar terms.

During the year 1910 the number of deaths from diarrhea and enteritis in the registration area was 63,180, of which 54,266, or 85.9 per cent, were of infants under 2 years of age and 8,914, or 14.1 per cent, of persons 2 years of age and over. The per cent distribution among the two groups was substantially the same as that for each of the years 1908 to 1910 and the quinquennium 1906 to 1910 shown in the following table:

AGE OF DECEDENT.	DEATHS FROM DIARRHEA AND ENTERITIS.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
	NUMBER.					
All ages	35,704	53,407	48,739	52,213	52,516	63,180
Under 2 years	29,094	45,516	41,563	44,521	44,648	54,266
2 years and over	6,610	7,891	7,176	7,692	7,868	8,914
	PER CENT DISTRIBUTION.					
All ages	100.0	100.0	100.0	100.0	100.0	100.0
Under 2 years	81.5	85.2	85.3	85.3	85.0	85.9
2 years and over	18.5	14.8	14.7	14.7	15.0	14.1

The next table shows the death rates per 100,000 population for diarrhea and enteritis (under 2 years) for the registration area, its main subdivisions, the registration states, and the cities having a population of 100,000 or more, for 1910 and the three years immediately preceding, as well as for the quinquennial periods of the decade 1901 to 1910. Death rates of 150 and over are indicated by boldfaced type.

The death rate of infants under 2 years of age per 100,000 of the population of all ages from diarrhea and enteritis was higher in 1910 than in 1909 for the registration area and its main subdivisions; in fact, the rate for 1910 for the area as a whole and for each main subdivision, except cities in registration states for 1907, was higher than for any other year shown in the table and also higher than the annual average for each quinquennium. In every registration state except four (Colorado, New Hampshire, Vermont, and Washington) the death rate for 1910 was higher than that for the preceding year, and in seven states (California, Indiana, Massachusetts, New Jersey, Pennsylvania, Rhode Island, and Wisconsin) the rate for 1910 exceeded that for any year shown in the table. Rhode Island was the only state, however, which had a death rate in excess of 150 per 100,000 population for any year or period shown in this table. The population of Rhode Island is very largely urban, and it is in the cities that the mortality from diarrhea and enteritis is greatest. The fact that in 20 of the larger cities it was higher for 1910 than for any other year shown in the table explains, in part, the high death rate for the registration area in that year, and emphasizes the fact that diarrhea and enteritis must be considered not only as a disease of children, but as a disease which the conditions of urban life favor. It is in the cities that

the combined effects of the heated season, congested living quarters, poor milk (and in some cases poor water supply), lack of opportunity to enjoy outdoor life, and other conditions react most seriously upon that part of the population which is most susceptible to diarrheal complaints, namely, infants under 2 years of age. That these diseases may be restricted or prevented has been conclusively demonstrated, and to some extent, at least, sanitary efficiency may be judged by the death rate from this cause.

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.					
	Annual average.					
	1901 to 1905	1906 to 1910	1907	1908	1909	1910
SUMMARY.						
The registration area	89.0	96.2	96.6	95.2	87.8	100.8
Registration states [1]	89.7	95.8	97.7	95.1	85.9	98.7
Cities in registration states [1]	116.0	115.8	122.4	113.2	103.6	118.0
Rural part of registration states	56.2	73.3	68.6	74.9	66.7	77.3
Registration cities in other states	87.7	98.4	92.1	95.2	100.4	117.1
All registration cities [1]	101.9	111.3	113.0	108.1	102.9	117.8
REGISTRATION STATES.						
California	(2)	39.2	38.1	38.4	38.0	39.1
Colorado	(2)	70.6	78.7	68.0	74.3	65.6
Connecticut	96.7	105.7	116.5	99.3	99.3	103.8
Indiana	57.4	66.8	61.8	62.2	69.5	78.2
Maine	64.1	79.6	54.1	97.2	68.0	87.4
Maryland	(2)	102.0	113.0	102.2	98.4	103.3
Massachusetts	102.1	110.0	109.6	106.8	106.7	121.6
Michigan	66.7	76.1	54.7	83.3	66.5	83.3
Minnesota	(2)	(3)	(2)	(2)	(2)	64.5
Montana	(2)	(3)	(2)	(2)	(2)	59.7
New Hampshire	85.1	92.0	74.8	94.6	96.3	93.5
New Jersey	98.0	108.2	111.9	106.3	94.6	117.6
New York	100.6	107.7	115.4	110.6	95.2	106.4
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	137.9
Ohio	(2)	(3)	(2)	(2)	66.8	84.5
Pennsylvania	(2)	127.4	118.4	121.7	115.3	144.0
Rhode Island	137.9	131.8	135.4	114.5	117.4	153.5
Utah	(2)	(3)	(2)	(2)	(2)	49.3
Vermont	49.1	67.3	56.5	73.5	68.7	57.8
Washington	(2)	(3)	(2)	36.5	47.2	37.7
Wisconsin	(2)	(3)	(2)	65.7	64.2	73.8
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.	(2)	(3)	(2)	81.7	91.0	144.8
Los Angeles, Cal.	34.6	35.9	43.7	36.4	36.9	24.4
Oakland, Cal.	31.3	50.3	47.6	48.0	50.0	39.0
San Francisco, Cal.	57.7	47.1	51.8	42.6	38.0	40.6
Denver, Colo.	47.4	55.1	52.2	65.8	51.5	54.0
Bridgeport, Conn.	133.8	130.1	161.9	122.4	134.6	123.7
New Haven, Conn.	110.0	91.7	79.9	93.0	87.4	86.5
Washington, D. C.	118.8	99.0	108.5	106.0	80.5	92.4
Atlanta, Ga.	121.1	102.9	122.4	90.0	89.5	98.9
Chicago, Ill.	104.4	138.0	119.7	146.7	145.2	159.9
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind.	48.1	68.4	83.4	55.4	56.7	75.4
Louisville, Ky.	50.2	37.9	50.3	33.1	29.2	28.5
New Orleans, La.	113.8	130.3	142.7	141.4	103.0	131.7
Baltimore, Md.	129.4	118.0	141.1	111.7	106.4	114.2
Boston, Mass.	107.4	99.2	86.9	112.5	103.9	100.6
Cambridge, Mass.	87.8	88.1	82.4	101.8	77.2	94.2
Fall River, Mass.	297.3	355.1	401.2	320.8	371.4	373.8
Lowell, Mass.	226.3	230.5	232.9	246.4	179.9	252.0
Worcester, Mass.	93.2	115.0	115.5	102.5	93.6	134.3
Detroit, Mich.	99.6	102.8	96.9	87.3	82.1	123.6
Grand Rapids, Mich.	66.7	81.9	65.0	73.5	70.7	95.4
Minneapolis, Minn.	41.9	55.8	49.5	47.4	43.4	79.2
St. Paul, Minn.	43.7	58.0	50.8	46.1	62.3	70.1
Kansas City, Mo.	46.1	45.7	50.6	40.9	49.1	49.2
St. Louis, Mo.	62.8	73.7	73.5	66.4	70.2	86.5
Omaha, Nebr.	39.3	61.4	69.5	55.7	80.1	62.6
Jersey City, N. J.	125.9	142.7	154.2	137.3	123.6	146.3
Newark, N. J.	106.5	112.9	127.4	104.7	105.6	113.4
Paterson, N. J.	112.1	107.9	110.6	104.6	90.8	117.3
Albany, N. Y.	49.4	57.2	68.8	61.4	55.1	53.8
Buffalo, N. Y.	112.0	139.7	150.7	144.2	128.1	132.2
New York, N. Y.	145.0	133.8	150.9	137.2	114.8	123.1
Bronx Borough	110.1	97.6	117.7	103.9	75.5	74.0
Brooklyn Borough	150.2	141.3	162.6	141.9	122.2	132.7
Manhattan Borough	143.0	131.5	144.6	136.3	113.5	126.0
Queens Borough	155.5	149.0	167.0	147.0	135.2	119.2
Richmond Borough	201.2	173.4	205.1	195.9	133.6	122.5
Rochester, N. Y.	51.6	82.6	66.3	84.0	85.3	99.7
Syracuse, N. Y.	64.9	110.3	103.6	123.2	114.1	122.4
Cincinnati, Ohio	77.7	86.2	74.7	84.1	78.2	90.1
Cleveland, Ohio	104.0	132.4	121.4	114.0	135.5	169.9
Columbus, Ohio	44.8	48.0	49.0	31.1	49.2	63.0
Dayton, Ohio	58.7	69.7	71.2	38.4	75.7	91.6
Toledo, Ohio	76.8	73.2	68.9	52.5	70.7	88.6
Portland, Oreg.	31.6	36.2	39.7	28.4	48.2	33.0
Philadelphia, Pa.	96.8	133.5	127.7	122.1	117.2	150.3
Pittsburgh, Pa.	170.2	169.1	184.6	157.7	139.1	177.3
Scranton, Pa.	112.9	191.9	165.1	188.3	210.6	230.8
Providence, R. I.	134.7	120.2	133.6	111.7	97.2	123.8
Memphis, Tenn.	87.6	79.6	95.9	67.7	57.3	98.9
Nashville, Tenn.	117.3	100.9	115.8	79.9	110.3	92.3
Richmond, Va.	127.2	133.6	143.7	122.0	126.5	133.7
Seattle, Wash.	33.3	36.8	39.3	35.6	41.3	31.7
Spokane, Wash.	58.5	60.3	34.6	61.1	62.3	90.8
Milwaukee, Wis.	95.9	119.0	103.0	117.6	129.7	117.2

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

The next table shows the mortality from diarrhea and enteritis (under 2 years) for 1910 and each of the four years preceding in cities and other places having a population of 10,000 but less than 100,000 in which rates of 150 or more per 100,000 population were recorded in at least one of those years. Such rates are indicated by boldfaced type.

Very high death rates for 1910 are shown in the next table for Lackawanna, N. Y. (694.2); Old Forge, Pa. (463.1); East Chicago, Ind. (422.1); Shenandoah, Pa. (409.4); Nanticoke, Pa. (404.9); Gary, Ind. (404.7); Braddock, Pa. (385.9); Berlin, N. H. (380); Key West, Fla. (341.3); and McKees Rocks, Pa. (336.1). Of the cities included in this table, 29 had death rates exceeding 150 per 100,000 population for each year of the period 1906 to 1910.

CITY. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Bakersfield, Cal.	(1)	(1)	(1)	(1)	**163.7**
Trinidad, Colo.	(1)	(1)	(1)	(1)	**155.2**
Ansonia, Conn.	**183.1**	**311.4**	**217.7**	**160.5**	131.5
Bristol town, Conn.	116.5	88.6	148.4	53.1	**191.4**
Greenwich town, Conn.	141.8	**150.8**	140.3	105.5	138.9
Middletown town, Conn.	128.2	**191.7**	134.0	**151.3**	115.3
Naugatuck, Conn.	92.6	148.7	81.1	135.5	**156.6**
New Britain, Conn.	**256.1**	**184.9**	**160.7**	121.9	**214.7**
New London, Conn.	132.6	**220.3**	134.9	97.5	86.3
Torrington town, Conn.	145.2	**166.7**	99.7	**157.7**	100.4
Waterbury, Conn.	**200.9**	**192.8**	**163.4**	**197.5**	**160.3**
Windham town, Conn.	**171.6**	42.0	123.4	**209.6**	71.1
Key West, Fla.	**353.2**	**370.0**	**248.1**	**239.6**	**341.3**
East Chicago, Ind.	(1)	(1)	(1)	(1)	**422.1**
Gary, Ind.	(1)	(1)	(1)	(1)	[2] **404.7**
Hammond, Ind.	95.8	144.6	**225.9**	**212.0**	132.7
Jeffersonville, Ind.	**151.6**	47.5	38.2	105.3	134.6
South Bend, Ind.	85.8	118.0	110.9	147.4	**179.5**
Augusta, Me.	126.8	109.6	201.0	76.4	90.6
Biddeford, Me.	**215.3**	130.9	224.7	135.3	**251.5**
Lewiston, Me.	**174.0**	**223.2**	**213.2**	**195.8**	**266.2**
Waterville, Me.	**159.0**	101.0	**225.3**	**115.1**	**139.1**
Cumberland, Md.	79.9	136.5	95.3	**153.8**	**164.1**
Adams town, Mass.	**182.4**	**330.1**	**179.3**	**208.7**	**306.5**
Chicopee, Mass.	**219.5**	**235.9**	**165.8**	**227.9**	**284.9**
Fitchburg, Mass.	**196.2**	105.4	**152.4**	97.1	**157.8**
Gardner town, Mass.	94.9	91.0	87.4	77.1	**189.0**
Holyoke, Mass.	**179.8**	**178.3**	**178.7**	**267.2**	**270.4**
Lawrence, Mass.	**239.9**	**237.7**	**223.3**	**237.5**	**305.0**
New Bedford, Mass.	**237.4**	**274.7**	**228.0**	**251.4**	**324.8**
Southbridge town, Mass.	79.1	**188.1**	83.2	**113.5**	**165.9**
Taunton, Mass.	**122.9**	**157.4**	**160.3**	**151.2**	**293.6**
Webster town, Mass.	**192.9**	75.0	145.9	**159.7**	**233.3**
Westfield town, Mass.	84.6	109.0	118.7	115.0	**154.8**
Alpena, Mich.	**207.9**	135.4	142.7	**276.4**	133.7
Escanaba, Mich.	**228.0**	123.0	**246.9**	92.9	128.1
Ironwood, Mich.	90.8	104.4	133.7	**176.8**	**193.5**
Ishpeming, Mich.	109.1	58.1	**213.2**	121.6	104.2
Marquette, Mich.	146.0	99.1	**168.9**	149.3	121.4
Menominee, Mich.	**174.5**	46.3	121.6	103.9	85.8
Sault Ste. Marie, Mich.	101.2	116.1	**171.3**	80.3	94.8
Virginia, Minn.	[3]	[3]	[3]	[3]	**150.1**
Berlin, N. H.	**328.1**	**182.5**	**239.9**	**225.2**	**380.0**
Laconia, N. H.	117.5	52.2	81.7	59.9	**156.4**
Manchester, N. H.	**159.9**	**164.2**	**181.7**	**244.9**	**149.3**
Nashua, N. H.	**198.5**	**141.7**	105.4	**209.0**	**199.6**
Bayonne, N. J.	**216.8**	**202.3**	**193.4**	**140.5**	**208.5**
Elizabeth, N. J.	**178.5**	**153.2**	**186.2**	**176.6**	**159.6**
Garfield, N. J.	(1)	(1)	(1)	(1)	**278.0**
Hackensack, N. J.	85.1	**169.9**	**154.3**	36.8	**148.1**
Harrison, N. J.	**121.3**	**133.0**	**151.3**	**105.4**	**192.2**
Hoboken, N. J.	**129.2**	**136.2**	**157.6**	**109.3**	**123.4**
Morristown, N. J.	**302.6**	**195.1**	**299.0**	**136.6**	**103.8**
New Brunswick, N. J.	**228.6**	**180.7**	**171.7**	**265.6**	**256.4**
Passaic, N. J.	**149.0**	**195.2**	**177.1**	**211.4**	**214.4**
Perth Amboy, N. J.	**260.3**	**231.1**	**197.8**	**231.4**	**284.1**
Phillipsburg, N. J.	66.8	**154.6**	14.6	72.4	**107.7**
Trenton, N. J.	**134.5**	**121.7**	**120.4**	**106.6**	**191.1**
Amsterdam, N. Y.	**157.1**	**140.8**	**140.2**	**176.3**	**300.8**
Cohoes, N. Y.	**157.0**	**201.3**	**126.7**	**203.2**	**226.4**
Dunkirk, N. Y.	**185.3**	**112.1**	85.0	59.2	**144.4**
Lackawanna, N. Y.	(1)	(1)	(1)	(1)	[2] **694.2**
Mount Vernon, N. Y.	**152.3**	**138.2**	**149.7**	**126.9**	**112.3**
New Rochelle, N. Y.	**103.3**	**187.4**	**93.2**	**83.7**	**82.1**
Niagara Falls, N. Y.	**157.4**	**227.4**	**138.1**	**124.2**	**179.6**
North Tonawanda, N. Y.	**113.9**	**100.8**	**106.3**	**120.1**	**191.1**
Ogdensburg, N. Y.	**99.6**	**150.4**	**122.4**	**63.5**	**106.4**
Peekskill, N. Y.	**131.8**	**213.2**	**124.2**	**160.9**	**91.3**
Plattsburg, N. Y.	**96.7**	**151.7**	**92.9**	**145.8**	**62.6**
Port Chester, N. Y.	(1)	(1)	(1)	(1)	**225.2**
Rome, N. Y.	**61.0**	**74.9**	**93.1**	**80.1**	**150.3**
Schenectady, N. Y.	**141.6**	**173.8**	**131.9**	**116.4**	**167.5**
Utica, N. Y.	**125.7**	**120.1**	**154.7**	**141.7**	**136.2**
Yonkers, N. Y.	**161.8**	**200.7**	**202.6**	**194.0**	**212.2**
Raleigh, N. C.	**215.1**	**222.9**	**119.4**	**98.8**	**208.2**
Wilmington, N. C.	**196.5**	**184.4**	**196.9**	**193.2**	**205.0**
Ashtabula, Ohio	**157.1**	**109.7**	**47.4**	**97.8**	**87.1**
Bellaire, Ohio	**26.9**	**48.5**	**55.7**	**140.8**	**177.1**
Lorain, Ohio	[3]	[3]	[3]	**244.1**	**223.0**
Steubenville, Ohio	[3]	[3]	[3]	**124.2**	**155.1**
Youngstown, Ohio	**150.2**	**147.9**	**131.2**	**185.6**	**249.6**
Allentown, Pa.	**122.1**	**137.8**	**152.0**	**112.3**	**105.3**
Beaver Falls, Pa.	**70.4**	**120.8**	**101.7**	**116.5**	**155.3**
Braddock, Pa.	**479.5**	**398.7**	**353.2**	**362.0**	**385.9**
Butler, Pa.	**177.1**	**150.5**	**126.7**	**135.4**	**243.6**
Carbondale, Pa.	**267.6**	**99.7**	**91.4**	**95.5**	**99.3**
Carnegie, Pa.	(1)	(1)	(1)	(1)	**178.8**
Chester, Pa.	**76.1**	**96.6**	**124.6**	**170.3**	**145.0**
Coatesville, Pa.	(1)	(1)	(1)	(1)	**241.1**
Dunmore, Pa.	**223.2**	**105.0**	**233.5**	**191.7**	**203.1**
Duquesne, Pa.	**357.3**	**390.3**	**275.6**	**283.1**	**271.0**
Hazleton, Pa.	**135.3**	**84.5**	**94.7**	**190.5**	**148.9**
Homestead, Pa.	**393.7**	**354.1**	**271.8**	**339.8**	**307.9**
Johnstown, Pa.	**105.8**	**97.8**	**120.9**	**190.8**	**198.7**
McKees Rocks, Pa.	(1)	(1)	(1)	(1)	**336.1**
McKeesport, Pa.	**198.4**	**221.8**	**210.5**	**206.7**	**235.7**
Mahanoy City, Pa.	**266.7**	**124.6**	**232.4**	**152.5**	**269.0**
Monessen, Pa.	(1)	(1)	(1)	(1)	**150.3**
Mount Carmel, Pa.	**245.9**	**227.0**	**179.2**	**244.4**	**210.0**
Nanticoke, Pa.	**258.0**	**176.8**	**243.6**	**294.5**	**404.9**
North Braddock, Pa.	(1)	(1)	(1)	(1)	**335.1**
Oil City, Pa.	**115.4**	**53.4**	**65.7**	**103.5**	**152.8**
Old Forge, Pa.	(1)	(1)	(1)	(1)	**463.1**
Phoenixville, Pa.	**216.8**	**87.3**	**86.0**	**122.4**	**120.6**
Pittston, Pa.	**208.9**	**164.3**	**192.4**	**150.3**	**232.5**
Plymouth, Pa.	**331.0**	**130.8**	**274.6**	**227.2**	**316.4**
Pottsville, Pa.	**124.4**	**121.3**	**144.2**	**110.7**	**172.2**
Sharon, Pa.	**73.5**	**163.8**	**96.7**	**87.1**	**91.1**
Shenandoah, Pa.	**616.6**	**404.4**	**411.6**	**434.2**	**409.4**
South Bethlehem, Pa.	**166.8**	**238.0**	**282.7**	**236.7**	**318.2**
South Sharon, Pa.	(1)	(1)	(1)	(1)	[2] **323.8**
Steelton, Pa.	**193.3**	**263.5**	**223.5**	**220.2**	**126.0**
Central Falls, R. I.	**252.7**	**206.1**	**157.9**	**319.6**	**270.8**
East Providence town, R. I.	**126.7**	**136.7**	**59.8**	**116.3**	**157.3**
Warwick town, R. I.	**115.1**	**179.9**	**200.4**	**167.1**	**191.0**
Woonsocket, R. I.	**256.6**	**233.2**	**228.1**	**220.7**	**323.1**
Charleston, S. C.	**246.2**	**205.3**	**241.9**	**189.5**	**241.1**
San Antonio, Tex.	**171.3**	**203.9**	**243.4**	**214.7**	**298.4**
Burlington, Vt.	**283.3**	**225.6**	**352.6**	**324.8**	**165.8**
Norfolk, Va.	**158.0**	**200.4**	**100.8**	**118.7**	**143.3**
Petersburg, Va.	**198.0**	**179.0**	**210.9**	**246.4**	**227.5**
Kenosha, Wis.	[3]	[3]	**127.9**	**145.9**	**176.1**

[1] Included in rural.

[2] Based on population enumerated April 15, 1910.

[3] Not admitted to registration area until a later date.

The relative incidence of diarrhea and enteritis (under 2 years) upon the white and colored population may be noted in the next table, in which rates are shown for areas having a considerable proportion of colored population, for each of the years 1906 to 1910 and for the quinquennium. The crude rates may be affected by unequal age distribution.

For the five-year period 1906 to 1910 the death rate of the colored population exceeded that of the white in each area shown in the next table with the exception of Jacksonville, Fla., and San Antonio, Tex. In 11 of these areas the rate for the colored was higher for every year of the period, and in 14 of the 18 areas it was higher for 1910.

AREA.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	82.7	105.9	70.7	81.6	85.4	97.8	88.6	112.1	85.4	107.2	83.1	131.5
Birmingham, Ala.	(1)	(1)	(2)	(2)	(2)	(2)	71.9	96.5	84.7	100.5	136.2	158.0
Mobile, Ala.	86.3	126.1	142.3	112.0	61.8	161.2	105.6	128.6	83.9	79.4	45.2	153.4
Wilmington, Del.	101.6	130.1	108.3	160.3	98.6	139.9	87.9	151.8	94.3	98.3	118.4	99.0
Washington, D. C.	60.3	193.1	72.6	193.6	61.3	222.1	71.9	189.2	43.0	172.8	54.0	188.2
Jacksonville, Fla.	85.9	79.9	118.8	85.2	102.5	111.7	133.1	80.7	68.9	68.1	31.1	60.5
Atlanta, Ga.	95.7	116.6	109.4	130.8	117.0	132.6	87.0	95.6	81.0	106.1	88.8	118.8
Savannah, Ga.	84.8	140.0	84.1	88.7	77.1	146.2	95.6	139.4	85.4	181.0	81.7	144.1
Kansas City, Kans.	(1)	(1)	(2)	(2)	(2)	(2)	69.3	96.4	97.8	94.2	70.9	42.7
Louisville, Ky.	37.1	41.7	44.2	70.0	48.2	59.8	35.5	22.3	30.2	24.7	27.8	32.0
New Orleans, La.	122.1	153.0	123.6	160.7	138.7	153.9	132.2	166.8	97.9	117.2	119.1	166.9
Baltimore, Md.	108.1	172.6	109.5	157.8	128.4	210.6	106.6	140.3	97.5	155.9	99.1	198.3
Charleston, S. C.	110.6	324.1	140.1	335.9	123.3	275.6	88.5	375.5	87.3	279.7	115.0	354.2
Memphis, Tenn.	75.9	84.8	64.3	91.1	80.8	116.5	63.7	73.2	59.1	54.7	106.4	87.7
Nashville, Tenn.	87.2	128.6	101.8	119.7	103.8	139.0	62.3	114.7	90.3	150.4	81.1	115.0
San Antonio, Tex.	238.4	156.4	176.1	135.8	216.2	111.1	250.9	185.8	222.8	151.6	311.6	193.0
Norfolk, Va.	101.0	213.6	126.9	206.6	141.4	294.4	71.5	148.6	86.6	171.9	82.2	246.8
Richmond, Va.	94.8	188.8	97.0	155.9	106.2	207.9	100.6	158.6	93.8	182.9	78.9	228.5

[1] Figures for deaths not available for the entire period 1906–1910.

[2] Not admitted to registration area until 1908.

NEPHRITIS AND BRIGHT'S DISEASE.

Nephritis and Bright's disease caused 53,330 deaths in the registration area in 1910, representing a death rate of 99 per 100,000 population. Of these, 5,665 were reported as due to acute nephritis and 47,665 to Bright's disease; under the latter are compiled deaths reported as due to chronic nephritis and nephritis without qualification. In 1909 the number of deaths assigned to all forms of nephritis was 48,430, and the rate was 95.2 per 100,000 population.

"Nephritis" and "Bright's disease" are terms which, unfortunately, are used rather loosely by many physicians, who do not always state on death certificates whether the "nephritis" was acute or chronic, and in cases described as "acute" frequently do not give the primary cause. Acute nephritis is seldom idiopathic, and it is therefore probable that most of the 794 deaths of children under 5 years of age assigned to this cause (see Table 7) were due to the specific infectious diseases, especially scarlet fever and diphtheria. It is also more than probable that in the 666 deaths of children under 5 years of age tabulated as due to "Bright's disease" the *immediate* cause was *acute* nephritis and the primary cause one of the several infectious diseases of children. Also included under title No. 120 (Bright's disease) are deaths returned as due to "uremia," which, past experience has shown, comprise about 7 per cent of the total compiled under Bright's disease and nephritis, in a large proportion of which "uremia" was merely the terminal symptom of other conditions. "Uremia," like "nephritis," is a questionable return when reported without explanation in connection with the death of a woman of childbearing age.

The next table shows the death rates per 100,000 population for Bright's disease and nephritis for 1910 and for the three years immediately preceding, with the annual averages for the quinquenniums 1901 to 1905 and 1906 to 1910, for the registration area, its main subdivisions, the registration states, and the larger registration cities. Rates of 150 and over per 100,000 population are in boldfaced type.

The death rate for nephritis and Bright's disease for the registration area for 1910 (99 per 100,000 population) was higher than that for 1909 (95.2), or 1908 (93.7), but lower than that for 1907 (102.4). The rate did not reach the limit of 150 per 100,000 population in any of the principal subdivisions of the area or in any registration state during any of the years 1907 to 1910, or the quinquennial periods 1901 to 1905 and 1906 to 1910. Rates of 150 and over for 1910 were shown by the following large cities: New Orleans (238.4), Richmond (190), Baltimore (178.5), Philadelphia (171.9), Albany (171.4), St. Louis (165.4), Atlanta (162.4), and Washington (161.7). In four of these cities (New Orleans, Baltimore, Albany, and Philadelphia) such rates were shown throughout the four years covered by the next table.

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION.					
	Annual average.					
	1901 to 1905	1906 to 1910	1907	1908	1909	1910
SUMMARY.						
The registration area	97.0	97.5	102.4	93.7	95.2	99.0
Registration states [1]	96.1	94.7	100.7	90.8	92.3	94.9
Cities in registration states [1]	114.7	114.0	123.4	109.2	109.9	111.3
Rural part of registration states	72.5	72.9	73.9	70.3	73.2	76.6
Registration cities in other states	98.5	112.5	109.2	107.4	114.5	132.2
All registration cities [1]	106.6	113.6	119.0	108.7	110.9	115.3
REGISTRATION STATES.						
California	(2)	82.3	82.3	84.5	85.3	87.4
Colorado	(2)	73.6	74.0	69.6	78.5	79.2
Connecticut	93.6	103.1	99.9	102.1	107.8	109.3
Indiana	55.7	73.8	72.1	69.0	78.1	81.9
Maine	85.6	98.3	99.9	93.6	93.0	107.1
Maryland	(2)	121.4	122.9	119.8	119.8	128.2
Massachusetts	80.8	85.5	88.4	82.1	85.3	88.2
Michigan	55.2	63.5	62.1	61.5	62.1	68.6
Minnesota	(2)	(3)	(2)	(2)	(2)	56.9
Montana	(2)	(3)	(2)	(2)	(2)	58.6
New Hampshire	88.2	103.5	98.1	96.5	101.2	111.4
New Jersey	100.2	108.7	113.7	103.1	105.8	115.3
New York	74.5	129.4	137.1	122.8	127.5	128.1
North Carolina [4]	(2)	(3)	(2)	(2)	(2)	94.5
Ohio	(2)	(3)	(2)	(2)	76.6	78.0
Pennsylvania	(2)	88.4	88.9	85.6	88.6	94.1
Rhode Island	130.7	125.2	142.1	117.0	116.1	123.8
Utah	(2)	(3)	(2)	(2)	(2)	63.7
Vermont	85.1	101.4	96.2	108.6	103.7	107.2
Washington	(2)	(3)	(2)	50.1	51.7	54.9
Wisconsin	(2)	(3)	(2)	52.2	56.2	62.5
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala	(2)	(3)	(2)	97.8	89.6	82.5
Los Angeles, Cal	96.7	97.0	102.9	86.3	100.1	95.2
Oakland, Cal	71.6	110.7	116.0	104.1	113.9	97.2
San Francisco, Cal	112.4	108.8	103.3	111.8	117.8	112.8
Denver, Colo	95.7	110.0	122.6	105.7	107.4	111.2
Bridgeport, Conn	125.4	129.2	135.1	141.1	116.5	114.9
New Haven, Conn	100.3	121.4	108.4	122.5	137.6	126.7
Washington, D. C	135.2	146.0	138.5	139.3	140.7	161.7
Atlanta, Ga	129.6	155.7	143.5	146.3	154.8	162.4
Chicago, Ill	95.3	112.6	121.9	102.0	105.9	113.9
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind	64.7	90.0	87.1	82.7	87.7	108.6
Louisville, Ky	103.8	115.6	122.2	109.8	113.7	121.3
New Orleans, La	187.5	216.1	207.2	217.8	217.7	238.4
Baltimore, Md	145.9	171.6	179.4	165.2	160.9	178.5
Boston, Mass	82.3	87.6	86.7	85.6	86.2	89.5
Cambridge, Mass	61.1	70.9	69.5	79.3	59.8	78.0
Fall River, Mass	89.9	99.1	109.2	108.4	87.9	94.3
Lowell, Mass	88.7	100.5	107.0	93.9	90.9	104.0
Worcester, Mass	71.1	76.4	88.3	81.0	64.3	73.6
Detroit, Mich	68.4	66.2	68.0	65.1	63.2	67.0
Grand Rapids, Mich	43.5	68.7	58.3	65.2	61.7	83.1
Minneapolis, Minn	60.4	74.4	77.1	74.2	78.0	73.9
St. Paul, Minn	53.2	65.3	67.0	76.8	58.5	67.3
Kansas City, Mo	81.5	91.2	92.5	99.2	98.2	95.2
St. Louis, Mo	116.1	135.0	124.2	129.6	136.7	165.4
Omaha, Nebr	53.1	71.9	79.7	61.6	81.7	73.1
Jersey City, N. J	117.6	120.4	119.9	118.5	121.0	127.4
Newark, N. J	136.0	130.2	140.6	114.5	131.4	129.1
Paterson, N. J	87.5	122.7	149.7	129.5	111.9	107.0
Albany, N. Y	171.9	186.6	210.4	176.1	194.3	171.4
Buffalo, N. Y	86.8	93.0	99.3	83.6	95.9	98.0
New York, N. Y	161.8	151.0	164.7	140.9	145.5	142.6
Bronx Borough	139.9	141.4	142.8	140.7	134.5	132.5
Brooklyn Borough	149.6	142.7	160.7	133.5	131.7	135.8
Manhattan Borough	175.3	159.3	172.7	145.4	156.9	150.6
Queens Borough	122.8	129.3	135.5	128.8	122.6	120.3
Richmond Borough	172.0	188.7	197.4	192.2	220.6	179.1
Rochester, N. Y	90.7	112.1	117.0	106.9	106.9	112.0
Syracuse, N. Y	90.3	100.5	99.6	103.9	94.0	101.4
Cincinnati, Ohio	122.5	135.0	126.6	125.8	142.2	137.3
Cleveland, Ohio	71.9	86.4	92.7	73.4	86.4	94.0
Columbus, Ohio	61.9	82.3	95.5	80.5	81.2	79.5
Dayton, Ohio	83.1	86.2	81.5	68.7	89.6	91.6
Toledo, Ohio	61.3	69.6	64.5	72.3	67.7	76.8
Portland, Oreg	49.4	52.9	55.1	54.1	51.3	60.2
Philadelphia, Pa	149.6	166.8	176.3	159.4	158.9	171.9
Pittsburgh, Pa	57.8	71.4	72.4	70.0	75.1	74.7
Scranton, Pa	70.9	79.3	64.6	84.8	75.9	95.1
Providence, R. I	140.3	135.9	156.5	118.2	119.5	143.3
Memphis, Tenn	111.7	134.2	125.8	141.4	138.7	145.3
Nashville, Tenn	65.4	83.0	85.2	92.8	77.5	82.3
Richmond, Va	121.2	160.1	136.7	155.9	151.5	190.0
Seattle, Wash	46.1	60.0	63.7	58.4	61.6	67.6
Spokane, Wash	54.9	68.9	69.1	76.2	79.4	62.4
Milwaukee, Wis	54.9	63.0	60.0	60.5	66.9	68.3

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period 1906–1910.
[4] Including only municipalities having a population of 1,000 or over in 1900.

SUICIDE.

The number of deaths from suicide recorded in the registration area for 1910 (8,590) slightly exceeded the number returned for the preceding year (8,402), but the death rate for 1910 (16) was somewhat less than that for 1909 (16.5).

Unless a certificate of death from violence states that the case was suicide or homicide, the death is compiled under accidental causes. Since there are doubtless many such cases in which the death was in fact due to suicide, it is probable that with increased precision of reporting the number compiled under suicide would increase from year to year.

Of the various means employed for purposes of suicide in 1910, as shown in Table II, the most important were firearms (2,561), poison (2,456), and hanging or strangulation (1,265). In Table III the death rates for the registration states and minor subdivisions are given for the year 1910. The registration state showing the highest death rate from this cause was California (29), which was followed by Montana (21.4), Colorado (20.8), and Washington (19.9). For cities of 100,000 population or over, the highest rates were those of San Francisco (44.2), Kansas City, Mo. (34), Oakland (32.4), Seattle (32.3), Bridgeport (32.1), and Denver (31.6).

VIOLENT DEATHS (EXCLUDING SUICIDE).

All forms of violence, exclusive of suicide, were returned as causing 48,606 deaths in the registration area during the year 1910, or 90.3 per 100,000 estimated population, as compared with 43,627, or 85.8 per 100,000 during 1909. Detailed statistics for the registration states and minor subdivisions may be found in Table III. The highest death rates from accident and homicide occurred in Colorado (150.3), Montana (145.4), Washington (122.1), Pennsylvania (107.1), and California (104.7). For the cities of 100,000 population or over, the highest death rates from this group of causes were those of Memphis (195.5), Birmingham (188.3), Scranton (167.1), Pitts-

burgh (134.3), and Richmond (125.1). Of the total number of deaths from violence other than suicide, 3,190 were from homicide, the remaining 45,416 being due to accidental causes, for which the death rate was 84.3 per 100,000. The kinds of accident (of those tabulated separately) that caused the greatest numbers of deaths were—burns, conflagration excepted (4,182, [illegible] per 100,000), accidental drowning (4,818, or 8.9), traumatism by fall (8,305, or 15.4), traumatism in mines and quarries (2,484, or 4.6), railroad accidents and injuries (7,877, or 14.6), street-car accidents and injuries (1,949, or 3.6). The number of deaths from automobile accidents reported was 980, representing a rate of 1.8 per 100,000, and the number of deaths from injuries by vehicles other than those mentioned was 1,940.

SUMMARY AND RATE TABLES

82141°—13——5

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†). The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states." Figures for white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
SUMMARY.						
The registration area (total)	53,620,262	53,843,896	805,412	15.0	[1] 15.1	[1] 16.2
White	51,473,784	51,690,975	753,308	14.6	(2)	(2)
Colored	2,146,478	2,152,921	52,104	24.2	(2)	(2)
Registration states [3] (total)	47,610,525	47,807,766	703,608	14.7	[1] 15.0	[1] 15.9
White	46,232,973	46,425,660	673,203	14.5	(2)	(2)
Colored	1,377,552	1,382,106	30,405	22.0	(2)	(2)
Cities in registration states [3] (total)	25,047,702	25,187,805	400,305	15.9	[1] 16.3	[1] 17.4
White	24,220,393	24,356,766	379,543	15.6	(2)	(2)
Colored	827,309	831,039	20,762	25.0	(2)	(2)
Rural part of registration states (total)	22,562,823	22,619,961	303,303	13.4	[1] 13.4	[1] 14.1
White	22,012,580	22,068,894	293,660	13.3	(2)	(2)
Colored	550,243	551,067	9,643	17.5	(2)	(2)
Registration cities in other states (total)	6,009,737	6,036,130	101,804	16.9	[1] 15.9	[1] 16.6
White	5,240,811	5,265,315	80,105	15.2	(2)	(2)
Colored	768,926	770,815	21,699	28.2	(2)	(2)
All registration cities [3] (total)	31,057,439	31,223,935	502,109	16.1	[1] 16.2	[1] 17.0
White	29,461,204	29,622,081	459,648	15.5	(2)	(2)
Colored	1,596,235	1,601,854	42,461	26.5	(2)	(2)
REGISTRATION STATES.						
California (total)	2,377,549	2,396,378	32,401	13.5	13.9	(4)
White	2,259,815	2,277,905	30,685	13.5	(2)	(4)
Colored	117,734	118,473	1,716	14.5	(2)	(4)
Colorado (total)	799,024	804,495	11,069	13.8	14.3	(4)
White	783,539	788,909	10,730	13.6	(2)	(4)
Colored	15,485	15,586	339	21.8	(2)	(4)
Connecticut (total)	1,114,756	1,119,109	17,498	15.6	15.6	15.7
White	1,098,932	1,103,288	17,120	15.5	(2)	(2)
Colored	15,824	15,821	378	23.9	(2)	(2)
Indiana (total)	2,700,876	2,704,767	36,448	13.5	13.0	13.2
White	2,640,034	2,643,864	35,011	13.2	(2)	(2)
Colored	60,842	60,903	1,437	23.6	(2)	(2)
Maine (total)	742,371	743,382	12,726	17.1	16.2	15.9
White	740,017	741,026	12,703	17.1	(2)	(2)
Colored	2,354	2,356	23	9.8	(2)	(2)
Maryland (total)	1,295,346	1,297,610	20,805	16.0	16.0	(4)
White	1,062,645	1,064,970	15,458	14.5	14.4	(4)
Colored	232,701	232,640	5,347	23.0	22.9	(4)
Massachusetts (total)	3,366,416	3,381,657	54,301	16.1	16.1	16.6
White	3,325,087	3,340,108	53,455	16.0	(2)	(2)
Colored	41,329	41,549	846	20.4	(2)	(2)
Michigan (total)	2,810,173	2,820,108	39,888	14.1	13.6	13.3
White	2,785,258	2,795,033	39,262	14.0	(2)	(2)
Colored	24,915	25,075	626	25.0	(2)	(2)
Minnesota (total)	2,075,708	2,079,801	22,649	10.9	(5)	(4)
White	2,059,253	2,063,338	22,470	10.9	(5)	(4)
Colored	16,455	16,463	179	10.9	(5)	(4)
Montana (total)	376,053	378,853	3,999	10.6	(5)	(4)
White	360,587	363,420	3,909	10.8	(5)	(4)
Colored	15,466	15,433	90	5.8	(5)	(4)
New Hampshire (total)	430,572	430,972	7,452	17.3	17.2	16.6
White	429,909	430,312	7,438	17.3	(2)	(2)
Colored	663	660	14	21.2	(2)	(2)
New Jersey (total)	2,537,167	2,553,963	39,504	15.5	15.4	16.1
White	2,445,927	2,462,224	37,422	15.2	(2)	(2)
Colored	91,240	91,739	2,082	22.7	(2)	(2)
New York (total)	9,113,614	9,158,328	147,678	16.1	16.4	17.1
White	8,966,921	9,010,916	144,144	16.0	(2)	(2)
Colored	146,693	147,412	3,534	24.0	(2)	(2)
North Carolina [6] (total)	359,832	361,941	6,752	18.7	(5)	(5)
White	233,199	234,715	3,728	15.9	(5)	(5)
Colored	126,633	127,226	3,024	23.8	(5)	(5)
Ohio (total)	4,767,121	4,779,981	65,459	13.7	(5)	(4)
White	4,654,914	4,667,454	63,194	13.5	(5)	(4)
Colored	112,207	112,527	2,265	20.1	(5)	(4)
Pennsylvania (total)	7,665,111	7,693,866	119,815	15.6	15.5	(4)
White	7,467,761	7,495,737	115,094	15.4	(2)	(4)
Colored	197,350	198,129	4,721	23.8	(2)	(4)
Rhode Island (total)	542,610	545,282	9,305	17.1	16.7	17.8
White	532,498	535,165	9,051	16.9	(2)	(2)
Colored	10,112	10,117	254	25.1	(2)	(2)
Utah (total)	373,351	375,389	4,072	10.8	(5)	(4)
White	366,602	368,588	3,998	10.8	(5)	(4)
Colored	6,749	6,801	74	10.9	(5)	(4)
Vermont (total)	355,956	356,216	5,704	16.0	16.1	16.2
White	354,298	354,542	5,674	16.0	(2)	(2)
Colored	1,658	1,674	30	17.9	(2)	(2)
Washington (total)	1,141,990	1,155,152	11,502	10.0	(5)	(4)
White	1,109,092	1,122,087	11,017	9.8	(5)	(4)
Colored	32,898	33,065	485	14.7	(5)	(4)
Wisconsin (total)	2,333,860	2,338,343	28,070	12.0	(5)	(4)
White	2,320,557	2,324,990	27,896	12.0	(5)	(4)
Colored	13,303	13,353	174	13.0	(5)	(4)
REGISTRATION CITIES.						
ALABAMA. [7]						
Registration cities (total)	222,342	223,081	4,790	21.5	(5)	[1] 24.8
White	127,910	128,419	2,046	15.9	(5)	[1] 19.7
Colored	94,432	94,662	2,744	29.0	(5)	[1] 31.2
Birmingham (total)	132,685	133,300	2,597	19.5	(5)	(4)
White	80,369	80,772	1,206	14.9	(5)	(4)
Colored	52,316	52,528	1,391	26.5	(5)	(4)
Mobile (total)	51,521	51,586	1,185	23.0	23.6	24.8
White	28,738	28,776	512	17.8	18.7	19.7
Colored	22,783	22,810	673	29.5	29.7	31.2
Montgomery (total)	38,136	38,195	1,008	26.4	(5)	(4)
White	18,803	18,871	328	17.4	(5)	(4)
Colored	19,333	19,324	680	35.2	(5)	(4)
CALIFORNIA.						
Registration cities (total)	1,266,930	1,277,511	18,609	14.6	[1] 15.6	[1] 18.0
White	1,211,582	1,221,807	17,578	14.4	(2)	(2)
Colored	55,348	55,704	1,031	18.5	(2)	(2)
Alameda	23,383	23,529	290	12.3	14.8	13.3
Bakersfield	12,727	12,825	305	23.8	(5)	(4)
Berkeley	40,434	41,004	376	9.2	11.3	(4)
Eureka	11,845	11,940	196	16.4	(5)	(4)
Fresno	24,892	25,084	340	13.6	16.2	16.9
Long Beach	17,809	18,137	250	13.8	(5)	(4)
Los Angeles (total)	319,198	323,443	4,538	14.0	14.8	16.4
White	305,342	309,403	4,299	13.9	14.6	16.2
Colored	13,856	14,040	239	17.0	19.8	19.6
Oakland	150,174	151,297	1,929	12.7	15.4	13.3
Pasadena	30,291	30,645	419	13.7	14.3	(4)
Pomona	10,207	10,305	136	13.2	(5)	(4)
Redlands	10,449	10,568	154	14.6	(5)	(4)
Riverside	15,212	15,364	221	14.4	(5)	(4)
Sacramento	44,696	45,021	734	16.3	16.6	18.0
San Bernardino	12,779	12,918	260	20.1	(5)	(4)
San Diego	39,578	40,040	687	17.2	18.2	16.8
San Francisco (total)	416,912	418,476	6,319	15.1	16.1	20.3
White	400,034	401,615	6,002	14.9	16.1	19.8
Colored	16,878	16,861	317	18.8	15.9	30.1
San Jose	28,946	29,103	412	14.2	14.9	15.2
Santa Barbara	11,659	11,766	223	19.0	(5)	(4)
Santa Cruz	11,146	11,261	185	16.4	(5)	(4)
Stockton*	23,253	23,374	469	20.1	21.9	(4)
Vallejo	11,340	11,411	166	14.5	(5)	(4)

[1] Based on figures for area as constituted in each year.
[2] Not computed.
[3] Including District of Columbia.
[4] Not admitted to registration area until a later date.
[5] Figures for deaths not available for the entire period.
[6] Including only municipalities having a population of 1,000 or over in 1900.
[7] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						
COLORADO.						
Registration cities (total)	297,058	299,115	4,705	15.7	[1] 17.3	[1] 18.3
White	287,722	289,715	4,494	15.5	[2]	[2]
Colored	9,336	9,400	211	22.4	[2]	[2]
Colorado Springs	29,078	29,208	478	16.4	17.7	[3]
Denver	213,381	214,874	3,533	16.4	17.5	17.2
Pueblo	44,395	44,727	542	12.1	15.4	23.2
Trinidad	10,204	10,306	152	14.7	[4]	[3]
CONNECTICUT.						
Registration cities (total)	752,224	755,840	12,032	15.9	[1] 16.0	[1] 16.1
White	740,652	744,216	11,726	15.8	[2]	[2]
Colored	11,572	11,624	306	26.3	[2]	[2]
Ansonia	15,152	15,204	201	13.2	15.0	14.1
Bridgeport	102,054	102,709	1,562	15.2	15.5	16.0
Bristol town	13,502	13,584	184	13.5	12.6	14.4
Danbury town	23,502	23,587	350	14.8	15.6	15.6
Greenwich town	16,463	16,554	273	16.5	16.8	15.2
Hartford	98,915	99,317	1,748	17.6	16.8	16.6
Manchester town	13,641	13,705	161	11.7	11.0	11.8
Meriden town	32,066	32,137	456	14.2	14.2	13.7
Middletown town*	20,749	20,818	533	25.6	22.7	20.0
Naugatuck	12,722	12,768	182	14.3	12.9	14.6
New Britain	43,916	44,248	692	15.6	14.3	14.4
New Haven	133,605	134,145	2,219	16.5	17.3	17.3
New London	19,659	19,704	353	17.9	18.4	19.7
Norwalk town	24,211	24,301	366	15.1	15.6	14.9
Norwich town	28,219	28,256	480	17.0	16.6	16.9
Orange town	11,272	11,362	143	12.6	[4]	[5]
Stamford town	28,836	29,047	466	16.0	17.3	17.9
Torrington town	16,840	16,933	185	10.9	11.6	12.1
Wallingford town	11,155	11,200	141	12.6	13.0	12.9
Waterbury	73,141	73,605	1,140	15.5	15.7	15.9
Windham town	12,604	12,656	197	15.6	16.8	16.8
DELAWARE.[6]						
Wilmington (total)	87,411	87,641	1,547	17.7	17.0	17.0
White	78,309	78,553	1,322	16.8	15.9	15.7
Colored	9,102	9,088	225	24.8	26.5	27.2
DISTRICT OF COLUMBIA.						
Washington (total)	331,069	332,173	6,511	19.6	19.6	20.5
White	236,128	237,069	3,744	15.8	15.9	16.5
Colored	94,941	95,104	2,767	29.1	28.7	29.5
FLORIDA.[6]						
Registration cities (total)	77,644	78,594	1,640	20.9	22.0	25.3
White	42,741	43,348	783	18.1	18.7	21.9
Colored	34,903	35,246	857	24.3	25.9	29.0
Jacksonville (total)	57,699	58,673	1,192	20.3	22.1	27.5
White	28,331	28,917	482	16.7	17.9	23.3
Colored	29,368	29,756	710	23.9	25.8	30.5
Key West (total)	19,945	19,921	448	22.5	22.0	21.7
White	14,410	14,431	301	20.9	20.1	20.4
Colored	5,535	5,490	147	26.8	26.3	24.4
GEORGIA.[6]						
Registration cities (total)	219,903	220,917	4,689	21.2	21.2	23.3
White	134,646	135,432	2,225	16.4	16.2	17.1
Colored	85,257	85,485	2,464	28.8	28.7	31.8
Atlanta (total)	154,839	155,773	2,938	18.9	19.4	21.1
White	102,862	103,601	1,609	15.5	15.6	16.1
Colored	51,977	52,172	1,329	25.5	26.3	29.6
Savannah (total)	65,064	65,144	1,751	26.9	24.8	27.1
White	31,784	31,831	616	19.4	17.9	19.2
Colored	33,280	33,313	1,135	34.1	31.3	34.5
REGISTRATION CITIES—Continued.						
ILLINOIS.[6]						
Registration cities (total)	2,395,921	2,406,888	36,465	15.2	[1] 14.9	[1] 14.6
White	2,341,357	2,351,994	35,189	15.0	[2]	[2]
Colored	54,564	54,894	1,276	23.2	[2]	[2]
Aurora	29,807	29,927	433	14.5	14.0	12.9
Belleville	21,122	21,123	312	14.8	15.6	17.7
Chicago (total)	2,185,283	2,195,551	33,241	15.1	14.9	14.5
White	2,139,057	2,149,013	32,130	15.0	14.7	14.3
Colored	46,226	46,538	1,111	23.9	23.1	24.5
Decatur	31,140	31,310	412	13.2	11.7	12.9
Evanston	24,978	25,098	254	10.1	[4]	[3]
Jacksonville*	15,326	15,331	347	22.6	21.0	22.7
Quincy	36,587	36,594	606	16.6	15.3	15.5
Springfield	51,678	51,954	860	16.6	17.0	17.4
INDIANA.						
Registration cities (total)	819,067	822,638	12,468	15.2	[1] 14.4	[1] 15.0
White	777,984	781,456	11,472	14.7	[2]	[2]
Colored	41,083	41,182	996	24.2	[2]	[2]
Anderson	22,476	22,524	328	14.6	13.0	14.8
East Chicago	19,098	19,428	269	13.8	[4]	[5]
Elkhart	19,282	19,368	264	13.6	13.0	12.4
Elwood	11,028	10,988	174	15.8	12.5	13.4
Evansville	69,647	69,860	948	13.6	13.2	13.1
Fort Wayne	63,933	64,292	840	13.1	13.2	13.5
Gary	16,802	[7]	284	[8] 16.9	[4]	[5]
Hammond	20,925	21,093	296	14.0	14.0	14.0
Huntington	10,272	10,282	126	12.3	11.3	14.0
Indianapolis (total)	233,650	234,759	3,824	16.3	15.2	15.4
White	211,789	212,798	3,275	15.4	14.2	14.6
Colored	21,861	21,961	549	25.0	24.0	23.1
Jeffersonville (total)	10,412	10,405	205	19.7	17.1	19.9
White	8,875	8,874	156	17.6	16.3	18.1
Colored	1,537	1,531	49	32.0	21.8	29.4
Kokomo	17,010	17,129	257	15.0	14.2	14.5
La Fayette	20,081	20,122	333	16.5	16.9	17.7
Laporte	10,525	10,596	185	17.5	[4]	[5]
Logansport	19,050	19,110	299	15.6	15.9	17.4
Marion	19,359	19,376	265	13.7	13.2	14.9
Michigan City	19,027	19,108	280	14.7	13.5	13.0
Mishawaka	11,886	12,019	137	11.4	[4]	[5]
Muncie	24,005	24,050	352	14.6	14.5	16.7
New Albany	20,629	20,629	376	18.2	16.4	17.3
Peru	10,910	10,916	145	13.3	11.7	12.3
Richmond	22,324	22,402	305	13.6	13.5	16.0
South Bend	53,684	54,040	759	14.0	13.6	13.1
Terre Haute	58,157	58,357	931	16.0	15.6	17.3
Vincennes	14,895	14,983	286	19.1	16.5	16.1
KANSAS.[6]						
Registration cities (total)	154,144	156,017	2,405	15.4	[4]	[1] 15.1
White	139,824	141,531	2,060	14.6	[4]	[2]
Colored	14,320	14,486	345	23.8	[4]	[2]
Kansas City (total)	82,331	82,683	1,393	16.8	[4]	[3]
White	72,997	73,310	1,152	15.7	[4]	[3]
Colored	9,334	9,373	241	25.7	[4]	[3]
Leavenworth (total)	19,363	[9] 20,017	277	13.8	15.7	14.8
White	16,880	[9] 17,450	218	12.5	14.5	13.4
Colored	2,483	[9] 2,567	59	23.0	23.9	22.5
Wichita	52,450	53,317	735	13.8	12.9	15.4
KENTUCKY.[6]						
Registration cities (total)	330,267	330,813	5,499	16.6	17.1	18.9
White	280,200	280,714	4,176	14.9	[2]	[2]
Colored	50,067	50,099	1,323	26.4	[2]	[2]
Covington	53,270	53,315	861	16.1	16.1	18.6
Louisville (total)	223,928	224,318	3,756	16.7	17.4	19.0
White	183,390	183,754	2,667	14.5	15.1	16.9
Colored	40,538	40,564	1,089	26.8	27.7	28.1

[1] Based on figures for area as constituted in each year.
[2] Not computed.
[3] Not admitted to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Included in rural.
[6] Nonregistration state; cities shown below only those with effective local ordinances.
[7] Population not estimated.
[8] Based on population enumerated April 15, 1910.
[9] Estimate based on Federal census of 1910 and assessors' returns of population for 1911.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						
KENTUCKY[1]—continued.						
Newport	30,309	30,351	444	14.6	15.6	16.0
Paducah (total)	22,760	22,829	438	19.2	17.5	22.2
White	16,710	16,775	274	16.3	13.5	19.3
Colored	6,050	6,054	164	27.1	28.4	29.2
LOUISIANA.[1]						
New Orleans (total)	339,075	340,172	7,250	21.3	21.7	22.4
White	249,435	250,290	4,311	17.2	18.0	19.2
Colored	89,640	89,882	2,939	32.7	32.1	31.0
MAINE.						
Registration cities (total)	166,433	166,861	3,380	20.3	[2]18.5	[2]18.6
White	165,750	166,176	3,369	20.3	[3]	[3]
Colored	683	685	11	16.1	[3]	[3]
Auburn	15,064	15,108	231	15.3	14.9	[4]
Augusta*	13,211	13,243	332	25.1	23.0	23.5
Bangor*	24,803	24,865	504	20.3	18.1	17.8
Biddeford	17,079	17,098	411	24.0	20.4	19.3
Lewiston	26,247	26,299	586	22.3	19.9	[4]
Portland	58,571	58,749	1,106	18.8	18.2	18.1
Waterville	11,458	11,499	210	18.3	16.7	[4]
MARYLAND.						
Registration cities (total)	607,242	608,470	11,690	19.2	[2]19.4	[2]20.0
White	518,478	519,597	8,969	17.3	[2]17.3	[2]17.7
Colored	88,764	88,873	2,721	30.6	[2]31.7	[2]32.2
Baltimore (total)	558,485	559,529	10,753	19.2	19.5	20.0
White	473,390	474,321	8,152	17.2	17.3	17.8
Colored	85,095	85,208	2,601	30.5	31.5	32.0
Cumberland (total)	21,839	21,939	440	20.1	18.7	[5]
White	20,772	20,872	398	19.1	17.9	[5]
Colored[6]	1,067	1,067	42	39.4	33.2	[5]
Frederick (total)	10,411	10,434	206	19.7	20.1	22.0
White	8,941	8,965	155	17.3	17.8	18.4
Colored	1,470	1,469	51	34.7	34.0	41.1
Hagerstown (total)	16,507	16,568	291	17.6	17.5	[5]
White	15,375	15,439	264	17.1	16.7	[5]
Colored[6]	1,132	1,129	27	23.9	28.6	[5]
MASSACHUSETTS.						
Registration cities (total)	2,606,380	2,619,679	41,996	16.0	[2]16.2	[2]16.9
White	2,572,008	2,585,087	41,274	16.0	[3]	[3]
Colored	34,372	34,592	722	20.9	[3]	[3]
Adams town	13,026	13,049	171	13.1	14.2	16.7
Arlington town	11,187	11,251	148	13.2	12.2	12.1
Attleborough town	16,215	16,363	207	12.7	12.5	13.3
Beverly	18,650	18,794	246	13.1	13.7	14.4
Boston (total)	670,585	673,744	11,562	17.2	17.9	18.8
White	655,770	658,812	11,224	17.0	17.7	18.6
Colored	14,815	14,932	338	22.6	24.3	26.0
Brockton	56,878	57,261	707	12.3	12.0	12.2
Brookline town	27,792	27,975	320	11.4	11.4	10.9
Cambridge	104,839	105,150	1,576	15.0	15.1	15.1
Chelsea	32,452	32,250	605	18.8	17.6	18.1
Chicopee	25,401	25,620	389	15.2	16.2	18.6
Clinton town	13,075	13,074	175	13.4	14.4	15.9
Everett	33,484	33,667	370	11.0	12.0	13.5
Fall River	119,295	119,864	2,201	18.4	19.7	20.3
Fitchburg	37,826	38,029	496	13.0	13.7	13.9
Framingham town	12,948	13,007	221	17.0	16.1	14.8
Gardner town	14,699	14,812	231	15.6	14.7	15.0
Gloucester	24,398	24,331	391	16.1	14.4	17.5
Greenfield town	10,427	10,480	147	14.0	[7]	[4]
Haverhill	44,115	44,379	767	17.3	15.6	15.4
Holyoke	57,730	58,053	1,027	17.7	17.8	17.2
Hyde Park town	15,507	15,549	261	16.8	13.2	13.1
Lawrence	85,892	86,557	1,530	17.7	17.7	17.8
Leominster town	17,580	17,718	196	11.1	12.0	12.9
Lowell	106,294	106,761	2,101	19.7	19.4	20.2
Lynn	89,336	89,853	1,179	13.1	14.1	15.0
Malden	44,404	44,671	582	13.0	13.1	13.7
Marlborough	14,579	14,600	170	11.6	13.5	14.3
REGISTRATION CITIES—Continued.						
MASSACHUSETTS—contd.						
Medford	23,150	23,295	243	10.4	11.6	12.5
Melrose	15,715	15,775	205	13.0	12.3	12.7
Methuen town	11,448	11,564	150	13.0	[7]	[4]
Milford town	13,055	13,095	239	18.3	16.9	14.8
New Bedford	96,652	97,589	1,814	18.6	17.8	19.8
Newburyport	14,949	14,961	280	18.7	17.4	19.1
Newton	39,806	39,931	484	12.1	11.7	12.5
North Adams	22,019	22,014	322	14.6	14.8	15.6
Northampton*	19,431	19,415	366	18.9	18.6	15.9
Peabody town	15,721	15,831	203	12.8	13.8	14.1
Pittsfield	32,121	32,420	572	17.6	15.4	15.8
Plymouth town	12,141	12,184	162	13.3	13.5	14.2
Quincy	32,642	32,834	384	11.7	12.3	13.7
Revere town	18,219	18,452	217	11.8	11.6	12.5
Salem	43,697	43,953	691	15.7	17.3	18.8
Somerville	77,236	77,571	1,041	13.4	13.2	13.9
Southbridge town	12,592	12,659	175	13.8	14.0	16.6
Springfield	88,926	89,571	1,484	16.6	15.5	15.5
Taunton*	34,259	34,397	803	23.3	21.4	19.9
Wakefield town	11,404	11,452	150	13.1	12.2	13.1
Waltham	27,834	27,899	389	13.9	13.5	13.7
Watertown town	12,875	12,943	143	11.0	11.3	12.2
Webster town	11,509	11,572	178	15.4	13.5	15.5
Westfield town	16,044	16,146	302	18.7	16.2	16.4
Weymouth town	12,895	12,950	200	15.4	15.2	14.8
Winthrop town	10,132	10,262	105	10.2	[8]11.5	[8]11.3
Woburn	15,308	15,346	241	15.7	15.2	15.1
Worcester	145,986	146,736	2,477	16.9	17.1	16.8
MICHIGAN.						
Registration cities (total)	1,043,746	1,051,417	16,369	15.6	[2]14.6	[2]14.5
White	1,032,902	1,040,485	16,108	15.5	[3]	[3]
Colored	10,844	10,932	261	23.9	[3]	[3]
Adrian	10,763	10,766	169	15.7	15.0	[4]
Alpena	12,706	12,716	194	15.3	16.0	[4]
Ann Arbor	14,817	14,824	345	23.3	19.3	15.3
Battle Creek	25,267	25,376	423	16.7	15.4	16.0
Bay City	45,166	45,325	612	13.5	13.5	[9]13.0
Detroit	465,766	470,118	7,452	15.9	14.8	15.1
Escanaba	13,194	13,268	206	15.5	17.3	18.7
Flint	38,550	39,389	549	13.9	10.9	13.3
Grand Rapids	112,571	113,168	1,648	14.6	13.3	13.5
Holland	10,490	10,544	141	13.4	[7]	[4]
Ironwood	12,321	12,920	180	13.9	13.5	14.1
Ishpeming	12,448	12,477	158	12.7	14.2	13.4
Jackson	31,433	31,651	466	14.7	14.4	14.3
Kalamazoo*	39,437	39,780	743	18.7	17.9	16.9
Lansing	31,229	31,617	412	13.0	11.4	12.0
Manistee	12,381	12,370	160	12.9	12.0	[4]
Marquette	11,503	11,532	182	15.8	16.2	15.2
Menominee	10,507	10,487	148	14.1	14.4	12.9
Muskegon	24,062	24,174	311	12.9	13.1	12.5
Pontiac*	14,532	14,643	369	25.2	19.3	17.2
Port Huron	18,863	18,822	313	16.6	14.2	12.8
Saginaw	50,510	50,648	761	15.0	14.0	13.0
Sault Ste. Marie	12,615	12,656	157	12.4	14.1	17.9
Traverse City*	12,115	12,146	270	22.2	21.0	18.4
MINNESOTA.						
Registration cities (total)	654,837	657,900	8,193	12.5	[7]	[2]10.6
White	648,272	651,306	8,070	12.4	[7]	[8]
Colored	6,565	6,594	123	18.7	[7]	[8]
Duluth	78,466	79,044	1,052	13.3	13.1	13.0
Mankato	10,365	10,339	170	16.4	14.6	13.7
Minneapolis	301,408	303,093	3,739	12.3	11.0	10.2
St. Cloud	10,600	10,650	131	12.3	[7]	[5]
St. Paul	214,744	215,501	2,558	11.9	11.0	10.0
Stillwater	10,198	10,103	114	11.3	[7]	[5]
Virginia	10,473	10,661	176	16.5	[7]	[5]
Winona	18,583	18,509	253	13.7	12.6	12.4

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Based on figures for area as constituted in each year.
[3] Not computed.
[4] Included in rural.
[5] Not admitted to registration area until a later date.
[6] Colored population less than 10 per cent of total.
[7] Figures for deaths not available for the entire period.
[8] Returns for 1901 to 1909 shown under the head of Suffolk County rural in reports for those years.
[9] Including for 1901 to 1904 West Bay City, annexed to Bay City in 1905.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						
MISSOURI.[1]						
Registration cities (total)	1,012,813	1,016,745	15,909	15.6	[2] 15.2	[2] 16.9
White	940,303	943,945	14,007	14.8	([3])	([3])
Colored	72,510	72,800	1,902	26.1	([3])	([3])
Kansas City (total)	248,381	249,955	3,966	15.9	14.6	15.9
White	224,680	226,147	3,317	14.7	13.5	14.6
Colored	23,701	23,808	649	27.3	24.9	27.1
St. Joseph	77,403	([4])	1,055	[5] 13.6	([4])	([4])
St. Louis (total)	687,029	689,387	10,888	15.8	15.6	17.9
White	642,495	644,670	9,733	15.1	14.8	17.1
Colored	44,534	44,717	1,155	25.8	26.7	30.3
MONTANA.						
Registration cities (total)	98,662	99,132	1,527	15.4	([6])	([7])
White	96,506	96,965	1,475	15.2	([6])	([7])
Colored	2,156	2,167	52	24.0	([6])	([7])
Anaconda	10,134	10,148	136	13.4	([6])	([7])
Billings	10,031	10,174	152	14.9	([6])	([7])
Butte	39,165	39,283	602	15.3	([6])	([7])
Great Falls	13,948	13,928	252	18.1	([6])	([7])
Helena	12,515	12,551	184	14.7	([6])	([7])
Missoula	12,869	13,048	201	15.4	([6])	([7])
NEBRASKA.[1]						
Registration cities (total)	168,069	168,604	2,364	14.0	13.3	11.2
White	162,802	163,319	2,244	13.7	([3])	([3])
Colored	5,267	5,285	120	22.7	([3])	([3])
Lincoln	43,973	44,053	485	11.0	12.0	10.5
Omaha	124,096	124,551	1,879	15.1	13.8	11.5
NEW HAMPSHIRE.						
Registration cities (total)	174,112	174,610	3,061	17.5	[2] 17.7	[2] 17.1
White	173,789	174,287	3,052	17.5	([3])	([3])
Colored	323	323	9	27.9	([3])	([3])
Berlin	11,780	11,841	190	16.0	15.2	15.5
Concord *	21,497	21,536	465	21.6	20.3	17.2
Dover	13,247	13,247	236	17.8	18.6	17.4
Keene	10,068	10,087	178	17.6	16.7	15.6
Laconia	10,183	10,228	187	18.3	17.6	17.1
Manchester	70,063	70,339	1,163	16.5	18.1	17.9
Nashua	26,005	26,050	460	17.7	17.1	16.3
Portsmouth	11,269	11,282	182	16.1	16.8	18.0
NEW JERSEY.						
Registration cities (total)	1,635,863	1,647,386	26,530	16.1	[2] 16.6	[2] 17.9
White	1,580,235	1,591,398	25,139	15.8	([3])	([3])
Colored	55,628	55,988	1,391	24.8	([3])	([3])
Asbury Park	10,150	10,326	170	16.5	([6])	([8])
Atlantic City (total)	46,150	46,515	800	17.2	16.5	16.2
White	36,231	36,551	627	17.2	16.6	16.8
Colored	9,919	9,964	173	17.4	16.1	14.3
Bayonne	55,545	56,112	827	14.7	14.8	16.8
Bloomfield	15,070	15,215	168	11.0	11.5	([8])
Bridgeton	14,209	14,234	217	15.2	14.8	14.7
Camden	94,538	95,015	1,629	17.1	16.9	17.3
East Orange	34,371	34,764	372	10.7	9.9	([8])
Elizabeth	73,409	73,950	1,122	15.2	16.4	16.7
Garfield	10,213	10,431	129	12.4	([6])	([8])
Hackensack	14,050	14,176	231	16.3	15.3	([8])
Harrison	14,498	14,569	237	16.3	16.4	18.2
Hoboken	70,324	70,531	1,328	18.8	19.9	19.7
Irvington	11,877	12,077	143	11.8	([6])	([8])
Jersey City	267,779	269,278	4,401	16.3	17.7	19.3
Kearny	18,659	18,875	276	14.6	14.0	([8])
Long Branch	13,298	13,345	295	22.1	20.2	([6])
Millville	12,451	12,475	149	11.9	13.5	14.4
Montclair	21,550	21,771	324	14.9	14.1	17.6
Morristown	12,507	12,522	295	23.6	22.1	18.5
New Brunswick	23,388	23,399	494	21.1	19.9	18.4
REGISTRATION CITIES—Continued.						
NEW JERSEY—continued.						
Newark	347,469	350,211	5,784	16.5	17.2	18.7
Orange	29,630	29,780	538	18.1	18.2	20.2
Passaic	54,773	55,497	820	14.8	15.8	18.3
Paterson	125,600	126,201	1,857	14.7	15.7	16.9
Perth Amboy	32,121	32,387	509	15.7	14.0	12.9
Phillipsburg	13,903	13,926	211	15.2	12.7	13.0
Plainfield	20,550	20,639	325	15.7	16.5	16.0
Trenton *	96,815	97,355	1,976	20.3	18.1	17.1
Union	21,023	21,194	252	11.9	14.4	16.7
West Hoboken	35,403	35,673	387	10.8	11.8	([8])
West New York	13,560	13,831	169	12.2	([6])	([8])
West Orange	10,980	11,112	95	8.5	([6])	([8])
NEW YORK.						
Registration cities (total)	6,771,142	6,814,479	110,283	16.2	[2] 16.7	[2] 18.1
White	6,652,637	6,695,177	107,278	16.0	([3])	([3])
Colored	118,505	119,302	3,005	25.2	([3])	([3])
Albany	100,253	100,358	1,943	19.4	18.6	18.4
Amsterdam	31,267	31,586	543	17.2	15.4	15.5
Auburn	34,668	34,760	532	15.3	15.5	15.4
Batavia	11,613	11,673	201	17.2	15.3	([8])
Binghamton *	48,443	48,671	904	18.6	18.2	17.2
Buffalo	423,715	425,715	6,940	16.3	16.0	15.5
Cohoes	24,709	24,737	509	20.6	19.6	19.5
Corning	13,730	13,742	201	14.6	16.1	14.6
Cortland	11,504	11,517	218	18.9	15.3	12.3
Dunkirk	17,221	17,308	280	16.2	15.0	16.1
Elmira	37,176	37,238	557	15.0	15.0	15.0
Fulton	10,480	10,550	154	14.6	([6])	([8])
Geneva	12,446	12,458	172	13.8	14.2	14.1
Glens Falls	15,243	15,268	242	15.9	15.5	15.3
Gloversville	20,642	20,730	321	15.5	15.6	13.9
Hornell	13,617	13,637	174	12.8	14.0	([8])
Hudson	11,417	11,462	236	20.6	17.7	18.9
Ithaca	14,802	14,815	244	16.5	15.8	15.6
Jamestown	31,297	31,523	404	12.8	11.2	12.0
Johnstown	10,447	10,476	145	13.8	13.8	13.3
Kingston	25,908	25,929	476	18.4	18.6	17.6
Lackawanna	14,549	([4])	396	[5] 27.2	([6])	([8])
Little Falls	12,273	12,326	193	15.7	14.1	([8])
Lockport	17,970	17,993	300	16.7	15.0	15.6
Middletown *	15,313	15,297	372	24.3	21.7	19.3
Mount Vernon	30,919	31,175	433	13.9	14.1	14.3
New Rochelle	28,867	29,229	342	11.7	13.0	13.5
New York (total)	4,766,883	4,799,639	76,787	16.0	16.9	19.0
Bronx Borough	430,980	437,791	6,968	15.9	17.4	20.9
Brooklyn Borough	1,634,351	1,646,285	25,686	15.6	16.3	18.2
Manhattan Borough	2,331,542	2,341,312	38,699	16.5	17.4	19.5
Queens Borough	284,041	287,725	3,965	13.8	14.9	16.1
Richmond Borough	85,969	86,526	1,469	17.0	18.6	19.0
White	4,669,224	4,701,309	74,274	15.8	16.7	18.8
Bronx Borough	426,660	433,524	6,755	15.6	17.0	20.5
Brooklyn Borough	1,610,499	1,622,600	25,070	15.5	16.2	18.1
Manhattan Borough	2,266,617	2,275,454	37,129	16.3	17.2	19.2
Queens Borough	280,692	284,406	3,882	13.6	14.8	15.9
Richmond Borough	84,756	85,325	1,438	16.9	18.5	18.9
Colored	97,659	98,330	2,513	25.6	26.5	30.0
Bronx Borough	4,320	4,267	213	49.9	42.0	46.5
Brooklyn Borough	23,852	23,685	616	26.0	23.0	24.5
Manhattan Borough	64,925	65,858	1,570	23.8	26.9	32.2
Queens Borough	3,349	3,319	83	25.0	25.1	23.5
Richmond Borough	1,213	1,201	31	25.8	24.3	25.9
Newburgh	27,805	27,868	509	18.3	18.1	18.7
Niagara Falls	30,445	30,617	548	17.9	16.7	16.2
North Tonawanda	11,955	12,033	160	13.3	13.2	([8])
Ogdensburg *	15,933	15,981	392	24.5	26.6	23.3
Olean	14,743	14,814	188	12.7	13.2	11.5

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Based on figures for area as constituted in each year.
[3] Not computed.
[4] Population not estimated.
[5] Based on population enumerated April 15, 1910.
[6] Figures for deaths not available for the entire period.
[7] Not admitted to registration area until a later date.
[8] Included in rural.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						
NEW YORK—continued.						
Ossining	11,480	11,612	177	15.2	(1)	(2)
Oswego	23,368	23,410	386	16.5	15.9	(2)
Peekskill	15,245	15,332	278	18.1	17.3	17.7
Plattsburg	11,138	11,182	197	17.6	14.2	(2)
Port Chester	12,809	12,877	210	16.3	(1)	(2)
Poughkeepsie	27,936	28,055	469	16.7	18.4	18.3
Rensselaer	10,711	10,712	162	15.1	(1)	(2)
Rochester	218,149	219,693	3,215	14.6	14.7	14.6
Rome	20,497	20,632	457	22.2	19.9	17.4
Saratoga Springs	12,693	12,680	259	20.4	20.8	21.5
Schenectady	72,826	73,450	1,070	14.6	14.2	14.9
Syracuse	137,249	138,087	2,123	15.4	15.2	14.5
Troy	76,813	76,836	1,596	20.8	20.3	20.5
Utica *	74,419	74,879	1,411	18.8	19.2	17.8
Watertown	26,730	26,792	469	17.5	17.3	14.9
Watervliet	15,074	15,099	261	17.3	16.7	16.7
White Plains	15,949	16,132	301	18.7	(1)	(2)
Yonkers	79,803	80,589	1,226	15.2	15.3	16.3
NORTH CAROLINA.						
Registration cities (total)	149,045	149,830	3,075	20.5	(1)	[3] 25.4
White	92,025	92,573	1,561	16.9	(1)	[3] 20.4
Colored	57,020	57,257	1,514	26.4	(1)	[3] 31.2
Asheville (total)	18,762	18,826	370	19.7	(1)	(4)
White	13,401	13,458	235	17.5	(1)	(4)
Colored	5,361	5,368	135	25.1	(1)	(4)
Charlotte (total)	34,014	34,138	605	17.7	(1)	(4)
White	22,259	22,359	306	13.7	(1)	(4)
Colored	11,755	11,779	299	25.4	(1)	(4)
Durham (total)	18,241	18,469	368	19.9	(1)	(4)
White	11,372	11,509	189	16.4	(1)	(4)
Colored	6,869	6,960	179	25.7	(1)	(4)
Greensboro (total)	15,895	16,018	305	19.0	(1)	(4)
White	10,184	10,273	162	15.8	(1)	(4)
Colored	5,711	5,745	143	24.9	(1)	(4)
Raleigh *(total)	19,218	19,213	537	27.9	26.8	25.0
White	11,846	11,853	290	24.5	22.7	21.2
Colored	7,372	7,360	247	33.6	33.3	30.5
Wilmington (total)	25,748	25,848	538	20.8	22.7	25.6
White	13,627	13,692	213	15.6	17.4	19.9
Colored	12,121	12,156	325	26.7	28.7	31.6
Winston (total)	17,167	17,318	352	20.3	(1)	(4)
White	9,336	9,429	166	17.6	(1)	(4)
Colored	7,831	7,889	186	23.6	(1)	(4)
OHIO.						
Registration cities (total)	2,145,194	2,155,356	31,921	14.8	(1)	[3] 15.7
White	2,078,009	2,087,838	30,432	14.6	(1)	(5)
Colored	67,185	67,518	1,489	22.1	(1)	(5)
Akron	69,067	69,623	928	13.3	(1)	(4)
Alliance	15,083	15,211	181	11.9	(1)	(4)
Ashtabula	18,266	18,367	259	14.1	15.2	14.9
Bellaire	12,946	12,988	189	14.6	15.8	18.5
Cambridge	11,327	11,392	148	13.0	(1)	(4)
Canton	50,217	50,524	616	12.2	10.3	10.3
Chillicothe	14,508	14,540	259	17.8	16.2	15.6
Cincinnati (total)	363,591	364,195	6,319	17.4	18.1	19.1
White	343,922	344,428	5,750	16.7	17.3	18.3
Colored	19,669	19,767	569	28.8	31.4	34.8
Cleveland	560,663	563,827	8,047	14.3	14.1	14.9
Columbus (total)	181,511	182,501	2,810	15.4	15.1	15.4
White	168,711	169,618	2,548	15.0	14.5	14.8
Colored	12,800	12,883	262	20.3	23.1	24.0
Dayton	116,577	116,874	1,724	14.8	15.5	15.1
East Liverpool	20,387	20,458	333	16.3	(1)	(4)
Elyria	14,825	14,952	203	13.6	(1)	(4)
Findlay	14,858	14,800	219	14.8	13.3	13.0
Hamilton	35,279	35,519	515	14.5	14.0	13.5
Ironton	13,147	13,173	196	14.9	15.2	16.4
Lakewood	15,181	15,430	171	11.1	(1)	(4)
Lancaster	13,093	13,179	142	10.8	(1)	(4)
Lima	30,508	30,646	398	13.0	11.9	13.9
Lorain	28,883	29,154	374	12.8	(1)	(4)
Mansfield	20,768	20,834	288	13.8	(1)	(4)
Marietta	12,923	12,914	164	12.7	12.5	15.0
Marion	18,232	18,366	232	12.6	(1)	(4)
Massillon	13,879	13,919	160	11.5	11.3	11.9
Middletown	13,152	13,235	164	12.4	12.0	11.4
Newark	25,404	25,540	330	12.9	12.3	14.6
Norwood	16,185	16,389	147	9.0	(1)	(4)
Piqua	13,388	13,413	194	14.5	(1)	(4)
Portsmouth	23,481	23,599	356	15.1	14.8	15.1
Sandusky	19,989	19,995	268	13.4	(1)	(4)
Springfield (total)	46,921	47,070	623	13.2	(1)	(4)
White	41,976	42,114	543	12.9	(1)	(4)
Colored	4,945	4,956	80	16.1	(1)	(4)
Steubenville	22,391	22,560	404	17.9	(1)	(4)
Tiffin	11,894	11,913	175	14.7	12.0	13.2
Toledo	168,497	169,270	2,470	14.6	14.9	14.3
Warren	11,081	11,128	156	14.0	(1)	(4)
Youngstown	79,066	79,737	1,340	16.8	14.9	15.9
Zanesville	28,026	28,121	419	14.9	(1)	(4)
OREGON.[6]						
Portland (total)	207,214	209,404	2,308	11.0	10.3	10.2
White	198,953	201,186	2,225	11.1	10.3	10.3
Colored [7]	8,261	8,218	83	10.1	9.3	9.2
PENNSYLVANIA.						
Registration cities (total)	3,653,461	3,667,517	61,935	16.9	[3] 17.0	[3] 17.9
White	3,507,665	3,521,048	58,266	16.5	(5)	(5)
Colored	145,796	146,469	3,669	25.0	(5)	(5)
Allentown	51,913	52,213	877	16.8	15.9	16.1
Altoona	52,127	52,327	659	12.6	13.2	16.7
Beaver Falls	12,191	12,236	168	13.7	13.0	(4)
Bethlehem	12,837	12,880	170	13.2	(1)	(4)
Braddock	19,357	19,435	409	21.0	22.9	(4)
Bradford	14,544	14,534	191	13.1	13.3	(4)
Butler	20,728	20,936	319	15.2	14.6	(4)
Carbondale	17,040	17,113	327	19.1	17.3	17.2
Carlisle (total)	10,303	10,317	166	16.1	15.7	16.3
White	9,181	9,195	135	14.7	14.5	15.3
Colored	1,122	1,122	31	27.6	25.0	23.7
Carnegie	10,009	10,065	135	13.4	(1)	(4)
Chambersburg	11,800	11,815	193	16.3	16.5	(4)
Chester (total)	38,537	38,633	649	16.8	16.1	(4)
White	33,725	33,813	542	16.0	14.4	(4)
Colored	4,812	4,820	107	22.2	27.5	(4)
Coatesville	11,084	11,197	149	13.3	(1)	(4)
Columbia	11,454	11,435	181	15.8	13.8	15.4
Connellsville	12,845	12,932	204	15.8	(1)	(4)
Dubois	12,623	12,691	145	11.4	11.5	14.4
Dunmore	17,615	17,721	300	16.9	15.9	(4)
Duquesne	15,727	15,868	196	12.4	15.8	(4)
Easton	28,523	28,590	467	16.3	15.9	(4)
Erie	66,525	66,815	986	14.8	15.1	14.8
Greensburg	13,012	13,050	259	19.8	(1)	(4)
Harrisburg	64,186	64,438	941	14.6	14.4	15.6
Hazleton	25,452	25,517	431	16.9	13.8	14.3
Homestead	18,713	18,835	308	16.4	16.3	(4)
Johnstown	55,482	55,875	927	16.6	15.2	15.4
Lancaster	47,227	47,348	720	15.2	14.6	14.6
Lebanon	19,240	19,274	326	16.9	15.8	(4)
McKees Rocks	14,702	14,878	245	16.5	(1)	(4)
McKeesport	42,694	42,852	855	20.0	19.6	19.4
Mahanoy City	15,936	15,987	277	17.3	17.5	21.7
Meadville	12,780	12,811	176	13.7	15.1	14.0

[1] Figures for deaths not available for the entire period.
[2] Included in rural.
[3] Based on figures for area as constituted in each year.
[4] Not admitted to registration area until a later date.
[5] Not computed.
[6] Nonregistration state; cities shown below only those with effective local ordinances.
[7] Colored population less than 10 per cent of total.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						
PENNSYLVANIA—continued.						
Monessen	11,775	11,977	153	12.8	(1)	(2)
Mount Carmel	17,532	17,623	233	13.2	13.9	18.1
Nanticoke	18,877	19,019	328	17.2	15.5	(2)
New Castle	36,280	36,437	581	15.9	15.3	14.9
Norristown *	27,875	27,993	684	24.4	23.2	23.5
North Braddock	11,824	11,935	160	13.4	(1)	(2)
Oil City	15,657	15,707	196	12.5	12.3	(2)
Old Forge	11,324	11,444	199	17.4	(1)	(2)
Philadelphia (total)	1,549,008	1,554,395	27,045	17.4	17.7	18.1
White	1,463,384	1,468,315	24,740	16.8	17.2	17.5
Colored	85,624	86,080	2,305	26.8	27.8	30.1
Phoenixville	10,743	10,775	209	19.4	18.0	(2)
Pittsburgh (total)	533,905	535,384	9,603	17.9	[3] 18.0	[3] 19.9
White	508,010	509,388	8,993	17.7	[4] 17.5	[4] 19.5
Colored	25,895	25,996	610	23.5	[4] 24.9	[4] 31.0
Pittston	16,267	16,345	279	17.1	18.9	(2)
Plymouth	16,996	17,066	257	15.1	15.3	15.6
Pottstown	15,599	15,639	234	15.0	14.8	14.7
Pottsville	20,236	20,331	380	18.7	18.3	16.9
Reading	96,071	96,432	1,475	15.3	14.9	15.9
Scranton	129,867	130,429	2,140	16.4	16.3	16.2
Shamokin	19,588	19,617	269	13.7	13.7	(2)
Sharon	15,270	15,361	253	16.5	16.5	(2)
Shenandoah	25,774	25,889	439	17.0	19 3	(2)
South Bethlehem	19,973	20,115	334	16.6	15.9	14.5
South Sharon	10,190	(5)	164	[6] 16.1	(1)	(2)
Steelton	14,246	14,289	217	15.2	16.0	17.1
Sunbury	13,770	13,853	188	13.6	12.6	(2)
Uniontown	13,344	13,470	246	18.3	(1)	(2)
Warren	11,080	11,137	149	13.4	12.1	(2)
Washington	18,778	18,847	299	15.9	(1)	(2)
West Chester (total)	11,767	11,814	231	19.6	19.9	(2)
White	9,888	9,933	188	18.9	17.9	(2)
Colored	1,879	1,881	43	22.9	30.3	(2)
Wilkes-Barre	67,105	67,430	1,117	16.6	15.8	(2)
Wilkinsburg	18,924	19,050	284	14.9	14.2	(2)
Williamsport	31,860	31,925	490	15.3	16.3	13.8
York	44,750	44,981	743	16.5	14.7	(2)
RHODE ISLAND.						
Registration cities (total)	437,627	439,910	7,571	17.2	[7] 16.8	[7] 17.9
White	429,094	431,337	7,357	17.1	[8]	[8]
Colored	8,533	8,573	214	25.0	[8]	[8]
Central Falls	22,754	22,895	358	15.6	16.1	16.6
Cranston	[9] 21,107	[9] 21,258	229	[9] 25.4	[10] 25.0	[11]
State institutions	[12]	[12]	312	[12]	[12]	[11]
Cumberland town	10,107	10,138	141	13.9	13.7	[11]
East Providence town	15,808	15,896	233	14.7	14.6	[11]
Newport	27,149	27,239	383	14.1	13.8	15.9
Pawtucket	51,622	51,974	826	15.9	15.9	16.6
Providence	224,326	225,424	3,980	17.7	17.6	18.8
Warwick town	26,629	26,708	483	18.1	16.7	[11]
Woonsocket	38,125	38,378	626	16.3	14.4	16.1
SOUTH CAROLINA.[13]						
Charleston (total)	58,833	58,897	1,748	29.7	27.5	29.7
White	27,764	27,838	526	18.9	17.2	19.3
Colored	31,069	31,059	1,222	39.3	36.5	38.2
TENNESSEE.[13]						
Registration cities (total)	277,815	278,403	5,516	19.8	[7] 19.8	[7] 20.3
White	181,128	181,777	2,871	15.8	(1)	[7] 16.7
Colored	96,687	96,626	2,645	27.4	(1)	[7] 25.5
Knoxville (total)	36,346	36,424	635	17.4	(1)	(2)
White	28,706	28,779	432	15.0	(1)	(2)
Colored	7,640	7,645	203	26.6	(1)	(2)
REGISTRATION CITIES—Continued.						
TENNESSEE—continued.						
Memphis (total)	131,105	131,438	2,818	21.4	20.6	19.4
White	78,590	78,978	1,326	16.8	16.1	16.5
Colored	52,515	52,460	1,492	28.4	27.0	22.9
Nashville (total)	110,364	110,541	2,063	18.7	19.3	21.5
White	73,832	74,020	1,113	15.0	15.2	17.0
Colored	36,532	36,521	950	26.0	27.2	29.6
TEXAS.[13]						
Registration cities (total)	133,595	134,509	2,750	20.4	[7] 19.6	[7] 21.4
White	114,696	115,543	2,334	20.2	[8]	[7] 21.5
Colored	18,899	18,966	416	21.9	[8]	[7] 20.7
Galveston (total)	36,981	(5)	600	[6] 16.2	(5)	(2)
White	28,895	(5)	417	[6] 14.4	(5)	(2)
Colored	8,086	(5)	183	[6] 22.6	(5)	(2)
San Antonio (total)	96,614	97,528	2,150	22.0	20.7	21.4
White	85,801	86,648	1,917	22.1	20.8	21.5
Colored	10,813	10,880	233	21.4	19.9	20.7
UTAH.						
Registration cities (total)	118,357	119,265	1,553	13.0	(1)	[7] 16.0
White	116,415	117,308	1,502	12.8	(1)	[8]
Colored	1,942	1,957	51	26.1	(1)	[8]
Ogden	25,580	25,775	293	11.4	(1)	(2)
Salt Lake City	92,777	93,490	1,260	13.5	14.2	16.0
VERMONT.						
Registration cities (total)	44,748	44,877	774	17.2	[7] 17.5	[7] 17.5
White	44,605	44,734	771	17.2	[8]	[8]
Colored	143	143	3	21.0	[8]	[8]
Barre	10,734	10,782	150	13.9	13.3	15.2
Burlington	20,468	20,506	397	19.4	21.0	19.0
Rutland	13,546	13,589	227	16.7	16.3	17.8
VIRGINIA.[13]						
Registration cities (total)	283,050	283,746	6,193	21.8	[7] 22.1	[7] 22.0
White	180,310	180,937	3,086	17.1	(1)	[7] 17.1
Colored	102,740	102,809	3,107	30.2	(1)	[7] 29.6
Alexandria (total)	15,329	15,345	327	21.3	21.4	21.9
White	11,132	11,156	189	16.9	17.4	18.4
Colored	4,197	4,189	138	32.9	31.6	30.0
Danville (total)	19,020	19,051	388	20.4	(1)	(2)
White	12,811	12,856	221	17.2	(1)	(2)
Colored	6,209	6,195	167	27.0	(1)	(2)
Lynchburg (total)	29,494	29,581	473	16.0	17.5	20.3
White	20,023	20,127	242	12.0	13.2	15.3
Colored	9,471	9,454	231	24.4	25.9	28.1
Norfolk (total)	67,452	67,680	1,477	21.8	23.2	19.2
White	42,353	42,559	700	16.4	16.9	14.4
Colored	25,099	25,121	777	30.9	33.4	26.3
Petersburg (total)	24,127	24,175	641	26.5	27.0	25.5
White	13,112	13,155	264	20.1	19.7	19.9
Colored	11,015	11,020	377	34.2	35.5	31.6
Richmond (total)	127,628	127,914	2,887	22.6	[14] 22.5	23.4
White	80,879	81,084	1,470	18.1	[15] 17.4	18.5
Colored	46,749	46,830	1,417	30.3	[15] 29.9	31.7
WASHINGTON.						
Registration cities (total)	521,557	527,423	5,803	11.0	(1)	[7] 10.2
White	507,436	513,230	5,632	11.0	(1)	[8]
Colored	14,121	14,193	171	12.0	(1)	[8]
Aberdeen	13,660	13,869	121	8.7	(1)	(2)
Bellingham	24,298	24,577	231	9.4	(1)	(2)
Everett	24,814	25,172	279	11.1	(1)	(2)
North Yakima	14,082	14,312	257	18.0	(1)	(2)

[1] Figures for deaths not available for the entire period.
[2] Not admitted to registration area until a later date.
[3] Including Allegheny for the years 1901 to 1907.
[4] Excluding Allegheny for the years 1901 to 1907.
[5] Population not estimated.
[6] Based on population enumerated April 15, 1910.
[7] Based on figures for area as constituted in each year.
[8] Not computed.
[9] Including state institutions.
[10] Including state institutions for the years 1907 to 1910.
[11] Included in rural.
[12] Not reported separately.
[13] Nonregistration state; cities shown below only those with effective local ordinances.
[14] Including Manchester for the years 1908 to 1910.
[15] Excluding Manchester for the years 1908 to 1910.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						
WASHINGTON—continued.						
Seattle (total)	237,194	239,694	2,408	10.0	9.8	9.3
Spokane	104,402	105,700	1,375	13.0	12.8	11.3
Tacoma	83,743	84,556	928	11.0	11.5	10.9
Walla Walla	19,364	19,543	204	10.4	(1)	(2)
WEST VIRGINIA.[3]						
Wheeling (total)	41,641	41,699	731	17.5	17.5	16.6
White	40,433	40,489	700	17.3	(4)	(4)
Colored[5]	1,208	1,210	31	25.6	(4)	(4)
WISCONSIN.						
Registration cities (total)	752,948	756,416	10,319	13.6	(1)	[6] 12.7
White	750,499	753,957	10,274	13.6	(1)	(4)
Colored	2,449	2,459	45	18.3	(1)	(4)
Appleton	16,773	16,764	263	15.7	(1)	11.5
Ashland	11,594	11,469	228	19.9	(1)	(2)
Beloit	15,125	15,222	173	11.4	11.3	13.2
Eau Claire	18,310	18,292	276	15.1	13.4	11.3
Fond du Lac	18,797	18,861	254	13.5	(1)	(2)
Green Bay	25,236	25,338	448	17.7	17.8	13.8
Janesville	13,894	13,899	194	14.0	(1)	(2)
Kenosha	21,371	21,583	268	12.4	(1)	(2)
La Crosse	30,417	30,474	435	14.3	(1)	(2)
Madison	25,531	25,584	309	12.1	11.1	10.6
Manitowoc	13,027	13,039	166	12.7	(1)	13.2
Marinette	14,610	14,579	178	12.2	11.5	11.7
Milwaukee	373,857	376,201	5,205	13.8	13.7	13.2
Oshkosh	33,062	33,168	373	11.2	(1)	(2)
Racine	38,002	38,246	495	12.9	(1)	(2)
Sheboygan	26,398	26,500	351	13.2	(1)	(2)
Superior	40,384	40,548	466	11.5	10.7	10.6
Wausau	16,560	16,649	237	14.2	(1)	(2)
RURAL PART OF REGISTRATION STATES.[7]						
CALIFORNIA.						
Total	1,110,619	1,118,867	13,792	12.3	[6] 12.4	(2)
White	1,048,233	1,056,098	13,107	12.4	(4)	(2)
Colored	62,386	62,769	685	10.9	(4)	(2)
Alameda County	32,140	32,747	593	18.1	15.5	(2)
Alpine County†	309	306	2	6.5	7.5	(2)
Amador County	9,086	9,045	118	13.0	10.1	(2)
Butte County	27,301	27,516	386	14.0	17.5	(2)
Calaveras County	9,171	9,130	116	12.7	13.4	(2)
Colusa County†	7,732	7,740	100	12.9	10.1	(2)
Contra Costa County	31,674	31,962	355	11.1	11.3	(2)
Del Norte County†	2,417	2,418	11	4.5	10.8	(2)
Eldorado County	7,492	7,462	107	14.3	16.7	(2)
Fresno County	50,765	51,371	549	10.7	10.6	(2)
Glenn County†	7,172	7,214	55	7.6	6.6	(2)
Humboldt County†	22,012	22,060	151	6.8	8.5	(2)
Imperial County†	13,591	(8)	66	[9] 4.9	(1)	(2)
Inyo County†	6,974	7,029	29	4.1	3.8	(2)
Kern County	24,988	25,339	225	8.9	10.8	(2)
Kings County	16,230	16,364	192	11.7	10.3	(2)
Lake County	5,526	5,516	82	14.9	13.5	(2)
Lassen County†	4,802	4,808	22	4.6	6.2	(2)
Los Angeles County	126,626	128,644	1,740	13.5	12.7	(2)
Madera County†	8,368	8,410	87	10.3	8.8	(2)
Marin County	25,114	25,312	256	10.1	10.7	(2)
Mariposa County	3,956	3,940	32	8.1	11.0	(2)
Mendocino County*	23,929	24,002	334	13.9	12.6	(2)
Merced County	15,148	15,273	133	8.7	9.1	(2)
Modoc County†	6,191	6,214	37	6.0	6.5	(2)
Mono County†	2,042	2,040	2	1.0	2.2	(2)
Monterey County	24,146	24,246	288	11.9	11.6	(2)
Napa County*	19,800	19,870	462	23.3	24.8	(2)
Nevada County	14,955	14,896	221	14.8	15.9	(2)
Orange County	34,436	34,746	395	11.4	10.8	(2)
RURAL PART OF REGISTRATION STATES.[7]—Continued.						
CALIFORNIA—continued.						
Placer County†	18,237	18,288	249	13.6	8.6	(2)
Plumas County	5,259	5,271	37	7.0	14.6	(2)
Riverside County	19,484	19,686	196	10.0	11.8	(2)
Sacramento County	23,110	23,247	405	17.4	18.2	(2)
San Benito County	8,041	8,070	104	12.9	10.9	(2)
San Bernardino County*	33,478	33,827	509	15.0	16.2	(2)
San Diego County†	22,087	(8)	189	[9] 8.6	[10] 5.6	(2)
San Joaquin County	27,478	27,680	442	16.0	16.4	(2)
San Luis Obispo County	19,383	19,440	237	12.2	11.4	(2)
San Mateo County	26,585	26,890	304	11.3	10.3	(2)
Santa Barbara County	16,079	16,157	145	9.0	12.9	(2)
Santa Clara County*	54,593	54,929	791	14.4	15.6	(2)
Santa Cruz County	14,994	14,976	179	12.0	14.5	(2)
Shasta County	18,920	18,953	256	13.5	15.6	(2)
Sierra County	4,098	4,099	38	9.3	12.2	(2)
Siskiyou County	18,801	18,839	195	10.4	10.5	(2)
Solano County	16,219	16,220	179	11.0	12.6	(2)
Sonoma County	48,394	48,603	658	13.5	13.5	(2)
Stanislaus County	22,522	22,795	234	10.3	9.1	(2)
Sutter County	6,328	6,337	64	10.1	9.8	(2)
Tehama County	11,401	11,409	174	15.3	14.5	(2)
Trinity County	3,301	3,279	58	17.7	12.7	(2)
Tulare County†	35,440	35,800	327	9.1	8.3	(2)
Tuolumne County†	9,979	9,954	133	13.4	10.2	(2)
Ventura County	18,347	18,430	208	11.3	11.6	(2)
Yolo County	13,926	13,932	184	13.2	13.0	(2)
Yuba County	10,042	10,072	151	15.0	16.9	(2)
COLORADO.						
Total	501,966	505,380	6,364	12.6	[6] 12.6	(2)
White	495,817	499,194	6,236	12.5	(4)	(2)
Colored	6,149	6,186	128	20.7	(4)	(2)
Adams County	8,892	8,996	82	9.1	12.0	(2)
Arapahoe County†	10,263	10,390	122	11.7	10.1	(2)
Archuleta County	3,302	3,328	35	10.5	10.2	(2)
Baca County†	2,516	2,554	30	11.7	4.9	(2)
Bent County	5,043	5,086	66	13.0	15.8	(2)
Boulder County	30,330	30,516	400	13.1	15.1	(2)
Chaffee County	7,622	7,634	124	16.2	18.5	(2)
Cheyenne County†	3,687	3,755	7	1.9	3.2	(2)
Clear Creek County	5,001	4,958	79	15.9	16.1	(2)
Conejos County†	11,285	11,338	105	9.3	6.0	(2)
Costilla County†	5,498	5,517	5	0.9	0.8	(2)
Custer County	1,947	1,927	22	11.4	13.2	(2)
Delta County	13,688	13,862	127	9.2	8.9	(2)
Dolores County†	642	632	4	6.3	6.8	(2)
Douglas County	3,192	3,194	24	7.5	8.5	(2)
Eagle County	2,985	2,985	28	9.4	13.6	(2)
El Paso County	14,243	14,360	229	15.9	17.1	(2)
Elbert County†	5,331	5,378	33	6.1	4.5	(2)
Fremont County	18,181	18,234	247	13.5	14.4	(2)
Garfield County	10,144	10,234	161	15.7	14.7	(2)
Gilpin County	4,131	4,078	67	16.4	13.4	(2)
Grand County	1,862	1,885	20	10.6	9.9	(2)
Gunnison County	5,897	5,908	84	14.2	11.4	(2)
Hinsdale County†	646	626	13	20.8	13.4	(2)
Huerfano County	13,320	13,423	237	17.7	17.0	(2)
Jackson County	1,013	(3)	11	[9] 10.9	(1)	(2)
Jefferson County	14,231	14,334	263	18.3	17.4	(2)
Kiowa County†	2,899	2,945	33	11.2	5.6	(2)
Kit Carson County†	7,483	7,607	43	5.7	5.1	(2)
La Plata County	10,812	10,892	123	11.3	12.2	(2)
Lake County	10,600	10,443	209	20.0	20.1	(2)
Larimer County	25,270	(8)	291	[9] 11.5	[11] 13.1	(2)
Las Animas County	23,439	23,586	593	25.1	18.7	(2)
Lincoln County†	5,917	6,022	39	6.5	5.0	(2)
Logan County†	9,549	9,681	69	7.1	7.4	(2)
Mesa County	22,197	22,469	245	10.9	10.8	(2)
Mineral County†	1,239	1,225	12	9.8	11.0	(2)
Montezuma County†	5,029	5,070	43	8.5	6.2	(2)
Montrose County	10,291	10,412	112	10.8	10.6	(2)
Morgan County	9,577	9,710	88	9.1	9.3	(2)

[1] Figures for deaths not available for the entire period.
[2] Not admitted to registration area until a later date.
[3] Nonregistration state; cities shown below only those with effective local ordinances.
[4] Not computed.
[5] Colored population less than 10 per cent of total.
[6] Based on figures for area as constituted in each year.
[7] Exclusive of municipalities having a population of 10,000 or over in 1910.
[8] Population not estimated.
[9] Based on population enumerated April 15, 1910.
[10] Including Imperial County.
[11] Including Jackson County.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES[1]—Continued.						
COLORADO—continued.						
Otero County	20,201	20,384	276	13.5	16.9	(2)
Ouray County	3,514	3,489	51	14.6	15.8	(2)
Park County†	2,492	2,482	19	7.7	8.0	(2)
Phillips County	3,179	3,212	29	9.0	8.3	(2)
Pitkin County	4,566	4,515	56	12.4	12.0	(2)
Prowers County	9,520	9,641	127	13.2	13.7	(2)
Pueblo County*	7,828	7,871	298	37.9	29.4	(2)
Rio Blanco County†	2,332	2,345	12	5.1	6.6	(2)
Rio Grande County	6,563	6,615	93	14.1	13.6	(2)
Routt County†	7,561	7,643	55	7.2	6.1	(2)
Saguache County†	4,160	4,166	37	8.9	9.1	(2)
San Juan County	3,063	3,078	56	18.2	23.1	(2)
San Miguel County	4,700	4,686	68	14.5	17.1	(2)
Sedgwick County†	3,061	3,105	24	7.7	7.2	(2)
Summit County	2,003	1,988	28	14.1	11.8	(2)
Teller County	14,351	14,042	181	12.9	12.9	(2)
Washington County†	6,002	6,085	41	6.7	4.8	(2)
Weld County	39,177	39,648	342	8.6	9.9	(2)
Yuma County†	8,499	8,611	46	5.3	4.6	(2)
CONNECTICUT.						
Total	362,532	363,269	5,466	15.0	[3]14.9	[3]15.1
White	358,280	359,072	5,394	15.0	(4)	(4)
Colored	4,252	4,197	72	17.2	(4)	(4)
Fairfield County	50,256	50,413	775	15.4	15.4	15.6
Hartford County	80,208	80,482	1,094	13.6	13.5	14.3
Litchfield County	53,420	53,466	794	14.9	15.4	15.1
Middlesex County	24,888	24,901	375	15.1	14.6	15.0
New Haven County	48,169	48,298	748	15.5	14.2	14.4
New London County*	43,375	43,472	732	16.8	16.5	15.8
Tolland County	26,459	26,500	331	12.5	14.1	15.4
Windham County	35,757	35,737	617	17.3	16.0	15.9
INDIANA.						
Total	1,881,809	1,882,129	23,980	12.7	[3]12.4	[3]12.6
White	1,862,050	1,862,408	23,539	12.6	(4)	(4)
Colored	19,759	19,721	441	22.4	(4)	(4)
Adams County	21,840	21,832	209	9.6	10.1	11.0
Allen County	29,453	29,433	277	9.4	9.4	9.3
Bartholomew County	24,813	24,816	329	13.3	13.1	13.5
Benton County	12,688	12,679	105	8.3	8.9	9.5
Blackford County	15,820	15,791	196	12.4	11.1	13.1
Boone County	24,673	24,639	310	12.6	12.3	12.2
Brown County	7,975	7,939	108	13.6	12.2	12.7
Carroll County	17,970	17,929	243	13.6	12.6	10.9
Cass County*	17,318	17,295	276	16.0	14.2	11.9
Clark County	19,848	19,821	288	14.5	13.5	12.9
Clay County	32,535	32,499	404	12.4	12.3	11.7
Clinton County	26,674	26,642	303	11.4	12.9	13.8
Crawford County	12,057	12,028	151	12.6	12.7	13.4
Daviess County	27,747	27,701	335	12.1	11.8	13.8
Dearborn County	21,396	21,380	274	12.8	13.3	14.1
Decatur County	18,793	18,778	243	12.9	14.0	14.9
Dekalb County	25,054	25,041	328	13.1	11.9	11.3
Delaware County	27,409	27,400	274	10.0	10.1	11.2
Dubois County	19,843	19,833	191	9.6	10.9	12.5
Elkhart County	29,726	29,722	407	13.7	13.0	11.9
Fayette County	14,415	14,434	190	13.2	12.5	13.7
Floyd County	9,664	9,666	140	14.5	11.8	10.9
Fountain County	20,439	20,418	273	13.4	12.6	12.3
Franklin County	15,335	15,313	192	12.5	12.7	14.3
Fulton County	16,879	16,867	230	13.6	11.7	12.4
Gibson County	30,137	30,137	403	13.4	12.8	13.2
Grant County	32,067	31,981	526	16.4	15.5	15.7
Greene County	36,873	37,049	467	12.6	12.8	13.8
Hamilton County	27,026	26,966	360	13.4	12.0	12.5
Hancock County	19,030	19,027	251	13.2	14.0	13.8
Harrison County	20,232	20,201	228	11.3	11.9	12.4
Hendricks County	20,840	20,831	265	12.7	13.1	12.4
Henry County	29,758	29,856	427	14.3	12.5	13.6
Howard County	16,167	16,144	174	10.8	10.5	10.9
Huntington County	18,710	18,700	230	12.3	12.0	10.4
RURAL PART OF REGISTRATION STATES[1]—Continued.						
INDIANA—continued.						
Jackson County	24,727	24,687	351	14.2	14.1	14.5
Jasper County	13,044	13,018	119	9.1	10.6	9.0
Jay County	24,961	24,922	324	13.0	12.4	12.5
Jefferson County*	20,483	20,432	356	17.4	16.4	15.9
Jennings County	14,203	14,171	182	12.8	13.4	13.9
Johnson County	20,394	20,397	286	14.0	13.1	13.3
Knox County	24,288	24,334	299	12.3	11.5	11.5
Kosciusko County	27,936	27,912	347	12.4	11.6	11.6
Lagrange County	15,148	15,146	199	13.1	12.4	12.7
Lake County	26,039	26,489	350	13.2	12.5	9.8
Laporte County	16,245	16,249	176	10.8	12.9	13.1
Lawrence County	30,625	30,728	411	13.4	13.8	13.6
Madison County	31,720	31,602	366	11.6	11.3	11.8
Marion County*	30,011	30,303	408	13.5	13.9	15.6
Marshall County	24,175	24,156	307	12.7	11.5	11.6
Martin County	12,950	12,913	144	11.2	12.4	13.4
Miami County	18,440	18,455	223	12.1	12.8	12.5
Monroe County	23,426	23,479	335	14.3	13.2	12.8
Montgomery County	29,296	29,295	383	13.1	12.6	13.5
Morgan County	21,182	21,197	312	14.7	13.7	13.0
Newton County	10,504	10,505	109	10.4	9.3	11.0
Noble County	24,009	24,019	266	11.1	11.7	11.5
Ohio County	4,329	4,321	44	10.2	14.0	13.7
Orange County	17,192	17,199	198	11.5	12.7	12.7
Owen County	14,053	14,030	162	11.5	11.0	12.3
Parke County	22,214	22,198	255	11.5	12.5	12.7
Perry County	18,078	18,064	217	12.0	11.3	13.5
Pike County	19,684	19,668	278	14.1	14.0	16.0
Porter County	20,540	20,568	264	12.8	11.8	13.1
Posey County	21,670	21,657	284	13.1	12.9	14.8
Pulaski County	13,312	13,297	145	10.9	10.4	9.7
Putnam County	20,520	20,500	250	12.2	12.8	13.0
Randolph County	29,013	29,020	371	12.8	11.7	12.6
Ripley County	19,452	19,443	246	12.7	12.0	12.0
Rush County	19,349	19,333	234	12.1	11.7	12.4
St. Joseph County	18,742	18,789	244	13.0	11.8	13.4
Scott County	8,323	8,323	117	14.1	13.0	14.1
Shelby County	26,802	26,808	341	12.7	13.1	13.3
Spencer County	20,676	20,640	266	12.9	11.4	12.4
Starke County	10,567	10,569	128	12.1	11.9	12.6
Steuben County	14,274	14,255	160	11.2	12.8	11.9
Sullivan County	32,439	32,574	386	11.8	12.1	13.6
Switzerland County	9,914	9,874	138	14.0	15.2	13.1
Tippecanoe County	19,982	19,970	253	12.7	12.4	11.2
Tipton County	17,459	17,424	207	11.9	12.3	12.2
Union County	6,260	6,250	85	13.6	12.0	13.2
Vanderburg County*	7,791	7,697	233	30.3	27.1	18.0
Vermilion County	18,865	18,941	255	13.5	13.5	14.4
Vigo County	29,773	30,119	378	12.6	11.1	9.6
Wabash County	26,926	26,899	335	12.5	11.6	11.7
Warren County	10,899	10,889	136	12.5	11.2	10.0
Warrick County	21,911	21,903	274	12.5	12.3	12.6
Washington County	17,445	17,404	223	12.8	12.7	13.1
Wayne County*	21,433	21,456	362	16.9	15.5	14.7
Wells County	22,418	22,397	295	13.2	11.4	11.5
White County	17,602	17,570	167	9.5	9.8	10.8
Whitley County	16,892	16,883	189	11.2	10.9	11.4
MAINE.						
Total	575,938	576,521	9,346	16.2	[3]15.4	[3]15.4
White	574,267	574,850	9,334	16.2	(4)	(4)
Colored	1,671	1,671	12	7.2	(4)	(4)
Androscoggin County	18,511	18,533	341	18.4	15.7	14.9
Aroostook County	74,664	74,957	1,068	14.2	13.4	12.3
Cumberland County	53,443	53,504	875	16.4	15.4	15.9
Franklin County	19,119	19,133	264	13.8	15.7	15.2
Hancock County	35,575	35,540	572	16.1	15.0	14.1
Kennebec County	38,194	38,201	655	17.1	16.7	17.1
Knox County	28,981	28,952	488	16.9	16.4	16.2
Lincoln County	18,216	18,186	311	17.1	16.0	15.4

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until later date.
[3] Based on figures for area as constituted in each year.
[4] Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES[1]—Continued.						
MAINE—continued.						
Oxford County	36,256	36,340	606	16.7	16.3	16.4
Penobscot County	60,482	60,611	917	15.1	15.6	16.1
Piscataquis County	19,887	19,948	284	14.2	12.9	13.6
Sagadahoc County	18,574	18,537	329	17.7	16.4	16.1
Somerset County	36,301	36,352	604	16.6	14.5	15.8
Waldo County	23,383	23,367	424	18.1	16.6	16.2
Washington County	42,905	42,856	660	15.4	14.8	14.2
York County	51,447	51,504	948	18.4	17.3	17.9
MARYLAND.						
Total	688,104	689,140	9,115	13.2	[2] 12.8	([3])
White	544,167	545,373	6,489	11.9	[2] 11.6	([3])
Colored	143,937	143,767	2,626	18.3	[2] 17.3	([3])
Allegany County (total)	40,572	40,656	337	8.3	8.4	([3])
White	40,121	40,208	327	8.1	8.3	([3])
Colored[4]	451	448	10	22.3	16.1	([3])
Anne Arundel County (total)	39,553	39,552	724	18.3	15.0	([3])
White	25,396	25,420	370	14.6	11.8	([3])
Colored	14,157	14,132	354	25.0	20.6	([3])
Baltimore County* (total)	122,349	123,017	1,823	14.8	14.7	([3])
White	109,733	110,381	1,598	14.5	14.3	([3])
Colored	12,616	12,636	225	17.8	18.3	([3])
Calvert County (total)	10,325	10,328	161	15.6	14.6	([3])
White	5,279	5,283	75	14.2	11.9	([3])
Colored	5,046	5,045	86	17.0	17.5	([3])
Caroline County (total)	19,216	19,279	266	13.8	13.2	([3])
White	14,427	14,479	176	12.2	11.1	([3])
Colored	4,789	4,800	90	18.8	19.5	([3])
Carroll County* (total)	33,934	33,935	465	13.7	14.3	([3])
White	31,921	31,924	429	13.4	14.0	([3])
Colored[4]	2,013	2,011	36	17.9	19.6	([3])
Cecil County (total)	23,759	23,740	357	15.0	13.6	([3])
White	20,426	20,418	276	13.5	12.5	([3])
Colored	3,333	3,322	81	24.4	20.0	([3])
Charles County (total)	16,386	16,360	247	15.1	15.2	([3])
White	7,813	7,809	104	13.3	12.2	([3])
Colored	8,573	8,551	143	16.7	17.8	([3])
Dorchester County (total)	28,669	28,683	413	14.4	15.3	([3])
White	19,247	19,263	213	11.1	12.8	([3])
Colored	9,422	9,420	200	21.2	20.4	([3])
Frederick County (total)	42,262	42,255	496	11.7	11.6	([3])
White	38,331	38,335	416	10.9	10.9	([3])
Colored	3,931	3,920	80	20.4	18.7	([3])
Garrett County† (total)	20,105	20,155	170	8.4	6.4	([3])
White	19,998	20,049	170	8.5	6.4	([3])
Colored[4]	107	106	.....	.....	10.9	([3])
Harford County (total)	27,965	27,959	351	12.6	13.3	([3])
White	22,849	22,858	267	11.7	12.3	([3])
Colored	5,116	5,101	84	16.5	17.6	([3])
Howard County (total)	16,106	16,094	224	13.9	14.3	([3])
White	12,332	12,333	152	12.3	12.8	([3])
Colored	3,774	3,761	72	19.1	19.4	([3])
Kent County (total)	16,957	16,919	295	17.4	16.2	([3])
White	10,795	10,784	164	15.2	13.0	([3])
Colored	6,162	6,135	131	21.4	21.7	([3])
Montgomery County (total)	32,089	32,123	344	10.7	10.9	([2])
White	22,847	22,898	220	9.6	9.3	([3])
Colored	9,242	9,225	124	13.4	14.8	([3])
Prince Georges County (total)	36,147	36,278	506	13.9	14.2	([3])
White	24,644	24,786	281	11.3	11.6	([3])
Colored	11,503	11,492	225	19.6	19.4	([3])
Queen Annes County (total)	16,839	16,807	284	16.9	15.4	([3])
White	11,023	11,003	152	13.8	12.7	([3])
Colored	5,816	5,804	132	22.7	20.5	([3])
St. Marys County† (total)	17,030	17,027	63	3.7	4.8	([3])
White	9,726	9,743	35	3.6	5.0	([3])
Colored	7,304	7,284	28	3.8	4.6	([3])
Somerset County (total)	26,455	26,466	334	12.6	10.3	([3])
White	16,978	16,990	161	9.5	9.2	([3])
Colored	9,477	9,476	173	18.3	12.2	([3])
RURAL PART OF REGISTRATION STATES[1]—Continued.						
MARYLAND—continued.						
Talbot County (total)	19,620	19,605	288	14.7	15.9	([3])
White	12,841	12,841	143	11.1	12.1	([3])
Colored	6,779	6,764	145	21.4	22.8	([3])
Washington County (total)	33,110	33,143	424	12.8	12.0	([3])
White	32,122	32,160	398	12.4	11.7	([3])
Colored[4]	988	983	26	26.4	21.4	([3])
Wicomico County (total)	26,815	26,898	291	10.8	11.7	([3])
White	20,504	20,577	214	10.4	11.0	([3])
Colored	6,311	6,321	77	12.2	13.8	([3])
Worcester County (total)	21,841	21,861	252	11.5	11.9	([3])
White	14,814	14,831	148	10.0	10.2	([3])
Colored	7,027	7,030	104	14.8	15.6	([3])
MASSACHUSETTS.						
Total	760,036	761,978	12,305	16.1	[2] 15.9	[2] 16.0
White	753,079	755,021	12,181	16.1	([5])	([5])
Colored	6,957	6,957	124	17.8	([5])	([5])
Barnstable County	27,542	27,571	497	18.0	17.6	18.6
Berkshire County	38,093	38,068	581	15.3	14.8	14.6
Bristol County	52,152	52,432	821	15.7	15.5	15.1
Dukes County	4,504	4,503	87	19.3	18.6	19.0
Essex County*	88,271	88,578	1,515	17.1	16.4	16.5
Franklin County	33,173	33,130	529	16.0	14.5	15.4
Hampden County	43,268	43,464	696	16.0	15.7	15.8
Hampshire County	43,896	43,957	626	14.2	14.7	14.4
Middlesex County*	118,852	119,176	2,275	19.1	18.9	18.7
Nantucket County	2,962	2,963	60	20.2	23.1	21.2
Norfolk County*	98,670	99,037	1,332	13.4	13.9	14.5
Plymouth County*	75,318	75,582	1,189	15.7	15.9	15.5
Worcester County*	133,335	133,517	2,097	15.7	15.9	16.1
MICHIGAN.						
Total	1,766,427	1,768,691	23,519	13.3	[2] 13.1	[2] 12.7
White	1,752,356	1,754,548	23,154	13.2	([5])	([5])
Colored	14,071	14,143	365	25.8	([5])	([5])
Alcona County	5,703	5,703	55	9.6	11.5	10.0
Alger County	7,675	7,715	107	13.9	12.0	11.2
Allegan County	39,819	39,849	555	13.9	13.7	12.9
Alpena County	7,259	7,257	80	11.0	10.1	11.4
Antrim County	15,692	15,693	187	11.9	13.6	13.0
Arenac County	9,640	9,621	97	10.1	11.1	10.1
Baraga County	6,127	6,163	62	10.1	12.7	11.3
Barry County	22,633	22,654	299	13.2	12.8	12.4
Bay County	23,072	23,083	238	10.3	10.7	10.7
Benzie County	10,638	10,633	128	12.0	12.8	12.6
Berrien County	53,622	53,772	701	13.0	13.4	12.4
Branch County	25,605	25,577	383	15.0	14.7	13.9
Calhoun County	31,371	31,393	441	14.0	13.6	13.6
Cass County	20,624	20,645	304	14.7	14.3	13.8
Charlevoix County	19,157	19,259	221	11.5	12.5	12.7
Cheboygan County	17,872	17,893	234	13.1	13.4	11.8
Chippewa County	11,857	11,900	108	9.1	9.5	10.5
Clare County	9,240	9,241	107	11.6	12.1	10.5
Clinton County	23,129	23,056	307	13.3	12.8	12.3
Crawford County	3,934	3,936	54	13.7	12.3	11.8
Delta County	16,914	16,950	195	11.5	11.1	9.9
Dickinson County	20,524	20,581	230	11.2	12.0	13.0
Eaton County	30,499	30,492	440	14.4	14.3	13.9
Emmet County	18,561	18,584	231	12.4	13.0	13.8
Genesee County	26,005	25,940	403	15.5	14.9	13.7
Gladwin County†	8,413	8,407	85	10.1	9.8	7.6
Gogebic County	10,512	10,628	187	17.6	16.0	17.6
Grand Traverse County	11,669	11,659	155	13.3	13.3	11.8
Gratiot County	28,820	28,760	354	12.3	12.4	11.9
Hillsdale County	29,673	29,668	442	14.9	13.9	13.3
Houghton County	88,098	88,717	1,127	12.7	12.4	13.3
Huron County	34,758	34,752	375	10.8	10.8	10.4
Ingham County	22,081	22,037	296	13.4	13.0	14.1
Ionia County*	33,550	33,512	436	13.0	13.6	13.1
Iosco County	9,753	9,726	119	12.2	12.0	11.1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Based on figures for area as constituted in each year.
[3] Not admitted to registration area until a later date.
[4] Colored population less than 10 per cent of total.
[5] Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES[1]—Continued.						
MICHIGAN—continued.						
Iron County	15,164	15,385	193	12.5	12.0	10.9
Isabella County	23,029	22,991	263	11.4	11.8	10.7
Jackson County	21,993	21,998	334	15.2	14.3	13.2
Kalamazoo County	20,990	21,025	301	14.3	13.2	13.3
Kalkaska County	8,097	8,114	128	15.8	14.8	13.0
Kent County	46,574	46,709	730	15.6	15.9	14.8
Keweenaw County	7,156	7,248	97	13.4	13.5	10.7
Lake County	4,939	4,937	47	9.5	11.3	11.0
Lapeer County	26,033	25,997	442	17.0	14.5	14.3
Leelanau County	10,608	10,601	170	16.0	14.8	12.2
Lenawee County	37,144	37,099	538	14.5	13.8	13.9
Livingston County	17,736	17,704	237	13.4	14.0	13.2
Luce County*	4,004	4,008	109	27.2	25.0	20.0
Mackinac County	9,249	9,284	130	14.0	12.4	10.6
Macomb County	32,606	32,589	497	15.3	14.7	13.8
Manistee County	14,307	14,301	161	11.3	11.8	12.0
Marquette County	22,788	22,968	278	12.1	11.5	11.8
Mason County	21,832	21,910	253	11.5	12.0	11.6
Mecosta County	19,466	19,440	252	13.0	13.9	12.8
Menominee County	15,141	15,133	152	10.0	9.5	9.5
Midland County	14,005	13,983	197	14.1	12.4	11.2
Missaukee County	10,606	10,618	114	10.7	11.4	10.9
Monroe County	32,917	32,917	422	12.8	12.8	12.4
Montcalm County	32,069	32,027	446	13.9	13.6	12.4
Montmorency County	3,755	3,763	49	13.0	13.4	11.6
Muskegon County	16,515	16,516	214	13.0	11.6	11.9
Newaygo County	19,220	19,248	210	10.9	12.3	12.0
Oakland County	35,044	35,068	535	15.3	14.6	13.2
Oceana County	18,379	18,402	206	11.2	12.6	12.3
Ogemaw County	8,907	8,900	70	7.9	12.2	10.9
Ontonagon County	8,650	8,702	91	10.5	12.2	13.4
Osceola County	17,889	17,863	203	11.4	11.1	11.8
Oscoda County†	2,027	2,031	23	11.3	11.1	5.9
Otsego County	6,552	6,528	79	12.1	12.8	12.7
Ottawa County	34,811	34,867	398	11.4	11.8	11.7
Presque Isle County	11,249	11,262	149	13.2	13.1	10.1
Roscommon County†	2,274	2,293	21	9.2	10.1	13.6
Saginaw County	38,780	38,770	490	12.6	11.3	11.5
St. Clair County	33,478	33,403	432	12.9	13.6	13.1
St. Joseph County	25,499	25,579	374	14.6	13.9	13.8
Sanilac County	33,930	33,897	374	11.0	10.9	11.3
Schoolcraft County	8,681	8,682	107	12.3	12.2	11.8
Shiawassee County	33,246	33,230	471	14.2	13.4	13.0
Tuscola County	34,913	34,876	443	12.7	11.9	12.2
Van Buren County	33,185	33,122	464	14.0	13.5	13.6
Washtenaw County	29,897	29,817	447	15.0	12.9	13.6
Wayne County	65,825	66,606	1,168	17.5	17.8	16.3
Wexford County	20,769	20,824	267	12.8	13.5	12.7
MINNESOTA.						
Total	1,420,871	1,421,901	14,456	10.2	(2)	(3)
White	1,410,981	1,412,032	14,400	10.2	(2)	(3)
Colored	9,890	9,869	56	5.7	(2)	(3)
Aitkin County	10,371	10,405	89	8.6	(2)	(3)
Anoka County*	12,493	12,508	155	12.4	(2)	(3)
Becker County	18,840	18,841	176	9.3	(2)	(3)
Beltrami County	19,337	19,550	265	13.6	(2)	(3)
Benton County	10,435	10,444	114	10.9	(2)	(3)
Big Stone County	9,367	9,362	87	9.3	(2)	(3)
Blue Earth County	18,972	18,917	172	9.1	(2)	(3)
Brown County	20,134	20,118	218	10.8	(2)	(3)
Carlton County	17,559	17,617	182	10.3	(2)	(3)
Carver County	17,455	17,444	172	9.9	(2)	(3)
Cass County†	11,620	11,644	79	6.8	(2)	(3)
Chippewa County	13,458	13,461	122	9.1	(2)	(3)
Chisago County	13,537	13,503	167	12.4	(2)	(3)
Clay County	19,640	19,647	166	8.4	(2)	(3)
Clearwater County	6,870	6,889	88	12.8	(2)	(3)
RURAL PART OF REGISTRATION STATES[1]—Continued.						
MINNESOTA—continued.						
Cook County †	1,336	1,331	9	6.8	(2)	(3)
Cottonwood County	12,651	12,653	114	9.0	(2)	(3)
Crow Wing County	16,861	16,865	241	14.3	(2)	(3)
Dakota County *	25,171	25,243	255	10.1	(2)	(3)
Dodge County	12,094	12,066	113	9.4	(2)	(3)
Douglas County	17,669	17,622	177	10.0	(2)	(3)
Faribault County	19,949	19,928	199	10.0	(2)	(3)
Fillmore County	25,680	25,615	266	10.4	(2)	(3)
Freeborn County	22,282	22,276	223	10.0	(2)	(3)
Goodhue County	31,637	31,637	350	11.1	(2)	(3)
Grant County	9,114	9,091	95	10.4	(2)	(3)
Hennepin County	32,072	32,125	254	7.9	(2)	(3)
Houston County	14,297	14,264	138	9.7	(2)	(3)
Hubbard County	9,831	9,866	93	9.4	(2)	(3)
Isanti County	12,615	12,602	157	12.5	(2)	(3)
Itasca County	17,208	(4)	187	[5] 10.9	(2)	(3)
Jackson County	14,491	14,477	162	11.2	(2)	(3)
Kanabec County	6,461	6,472	65	10.0	(2)	(3)
Kandiyohi County	18,969	18,942	174	9.2	(2)	(3)
Kittson County	9,669	9,661	70	7.2	(2)	(3)
Koochiching County	6,431	(4)	61	[5] 9.5	(2)	(3)
Lac qui Parle County	15,435	15,445	124	8.0	(2)	(3)
Lake County	8,011	8,085	114	14.1	(2)	(3)
Le Sueur County	18,609	18,538	195	10.5	(2)	(3)
Lincoln County	9,874	9,870	70	7.1	(2)	(3)
Lyon County	15,722	15,703	149	9.5	(2)	(3)
McLeod County	18,691	18,665	176	9.4	(2)	(3)
Mahnomen County †	3,249	(4)	13	[5] 4.0	(2)	(3)
Marshall County	16,338	16,279	187	11.5	(2)	(3)
Martin County	17,518	17,516	135	7.7	(2)	(3)
Meeker County	17,022	16,983	170	10.0	(2)	(3)
Mille Lacs County	10,705	10,740	89	8.3	(2)	(3)
Morrison County	24,053	24,031	224	9.3	(2)	(3)
Mower County	22,640	22,652	201	8.9	(2)	(3)
Murray County	11,755	11,756	89	7.6	(2)	(3)
Nicollet County *	14,125	14,090	189	13.4	(2)	(3)
Nobles County	15,210	15,216	114	7.5	(2)	(3)
Norman County	13,446	(4)	110	[5] 8.2	(2)	(3)
Olmsted County *	22,497	22,500	505	22.4	(2)	(3)
Otter Tail County *	46,036	45,943	641	14.0	(2)	(3)
Pine County	15,878	15,921	130	8.2	(2)	(3)
Pipestone County	9,553	9,549	77	8.1	(2)	(3)
Polk County	36,001	35,950	369	10.3	(2)	(3)
Pope County	12,746	12,720	129	10.1	(2)	(3)
Ramsey County	8,931	8,915	83	9.3	(2)	(3)
Red Lake County [6]	15,940	15,940	154	9.7	(2)	(3)
Redwood County	18,425	18,399	133	7.2	(2)	(3)
Renville County	23,123	23,085	184	8.0	(2)	(3)
Rice County	25,911	25,897	329	12.7	(2)	(3)
Rock County	10,222	10,243	79	7.7	(2)	(3)
Roseau County	11,338	11,344	100	8.8	(2)	(3)
St. Louis County	74,335	75,496	899	11.9	(2)	(3)
Scott County	14,888	14,880	154	10.3	(2)	(3)
Sherburne County	7,327	7,331	75	10.2	(2)	(3)
Sibley County	15,540	15,506	145	9.4	(2)	(3)
Stearns County	39,122	39,107	352	9.0	(2)	(3)
Steele County	16,146	16,127	158	9.8	(2)	(3)
Stevens County	8,293	8,254	83	10.1	(2)	(3)
Swift County	12,949	12,923	125	9.7	(2)	(3)
Todd County	23,407	23,355	203	8.7	(2)	(3)
Traverse County†	8,049	8,051	50	6.2	(2)	(3)
Wabasha County	18,554	18,548	207	11.2	(2)	(3)
Wadena County	8,652	8,624	84	9.7	(2)	(3)
Waseca County	13,466	13,459	136	10.1	(2)	(3)
Washington County	15,815	15,788	145	9.2	(2)	(3)
Watonwan County	11,382	11,378	83	7.3	(2)	(3)
Wilkin County	9,063	9,054	100	11.0	(2)	(3)
Winona County	14,815	14,785	142	9.6	(2)	(3)
Wright County	28,082	28,023	285	10.2	(2)	(3)
Yellow Medicine County	15,406	15,385	113	7.3	(2)	(3)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Figures for deaths not available for the entire period.
[3] Not admitted to registration area until a later date.
[4] Population not estimated.
[5] Based on population enumerated April 15, 1910.
[6] Including Pennington County, which was organized November 23, 1910.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES[1]—Continued.						
MONTANA.						
Total	277,391	279,721	2,472	8.8	(2)	(2)
White	264,081	266,455	2,434	9.1	(2)	(2)
Colored	13,310	13,266	38	2.9	(2)	(2)
Beaverhead County	6,446	6,464	68	10.5	(2)	(2)
Broadwater County	3,491	3,509	39	11.1	(2)	(2)
Carbon County	13,962	14,098	135	9.6	(2)	(2)
Cascade County †	14,885	14,970	100	6.7	(2)	(2)
Chouteau County	17,191	17,323	127	7.3	(2)	(2)
Custer County †	14,123	14,286	96	6.7	(2)	(2)
Dawson County	12,725	12,942	111	8.6	(2)	(2)
Deer Lodge County *	2,854	2,853	98	34.3	(2)	(2)
Fergus County †	17,385	17,606	112	6.4	(2)	(2)
Flathead County	18,785	19,014	218	11.5	(2)	(2)
Gallatin County	14,079	14,175	128	9.0	(2)	(2)
Granite County	2,942	2,913	26	8.9	(2)	(2)
Jefferson County	5,601	5,606	62	11.1	(2)	(2)
Lewis and Clark County	9,338	9,358	79	8.4	(2)	(2)
Lincoln County	3,638	3,685	41	11.1	(2)	(2)
Madison County	7,229	7,220	69	9.6	(2)	(2)
Meagher County †	4,190	4,225	25	5.9	(2)	(2)
Missoula County †	10,727	10,779	74	6.9	(2)	(2)
Park County	10,731	10,802	133	12.3	(2)	(2)
Powell County	5,904	5,922	56	9.5	(2)	(2)
Ravalli County	11,666	11,747	95	8.1	(2)	(2)
Rosebud County †	7,985	8,080	24	3.0	(2)	(2)
Sanders County †	3,713	3,763	24	6.4	(2)	(2)
Silver Bow County	17,683	17,759	280	15.8	(2)	(2)
Sweet Grass County †	4,029	4,048	26	6.4	(2)	(2)
Teton County †	9,546	9,640	53	5.5	(2)	(2)
Valley County †	13,630	13,825	70	5.1	(2)	(2)
Yellowstone County	12,913	13,109	103	7.9	(2)	(2)
NEW HAMPSHIRE.						
Total	256,460	256,362	4,391	17.1	4 16.9	4 16.2
White	256,120	256,025	4,386	17.1	(5)	(5)
Colored	340	337	5	14.8	(5)	(5)
Belknap County	11,126	11,118	203	18.3	17.9	17.4
Carroll County	16,316	16,304	293	18.0	16.4	15.2
Cheshire County	20,591	20,559	358	17.4	16.4	15.9
Coos County	18,973	18,939	259	13.7	14.3	12.9
Grafton County	41,652	41,669	655	15.7	16.7	15.6
Hillsborough County	30,004	29,966	566	18.9	18.2	18.3
Merrimack County	31,838	31,818	568	17.9	18.0	17.0
Rockingham County	40,919	40,928	703	17.2	16.9	16.8
Strafford County	25,704	25,696	453	17.6	16.1	16.2
Sullivan County	19,337	19,365	333	17.2	16.4	16.0
NEW JERSEY.						
Total	901,304	906,577	12,974	14.3	4 13.3	4 13.7
White	865,692	870,826	12,283	14.1	(5)	(5)
Colored	35,612	35,751	691	19.3	(5)	(5)
Atlantic County	25,744	25,894	430	16.6	14.9	13.9
Bergen County	113,739	115,019	1,383	12.0	11.7	13.4
Burlington County	66,565	66,758	1,102	16.5	15.9	15.1
Camden County	47,491	47,890	718	15.0	14.7	15.2
Cape May County	19,745	19,845	294	14.8	12.5	12.6
Cumberland County	28,493	28,575	417	14.6	13.2	13.1
Essex County	41,939	42,356	667	15.7	12.0	11.9
Gloucester County	37,368	37,491	494	13.2	13.0	12.6
Hudson County	40,440	40,902	373	21.3	17.0	17.4
Hunterdon County	33,569	33,582	489	14.6	14.2	13.9
Mercer County	28,842	28,950	379	13.1	11.7	10.8
Middlesex County	58,917	59,384	754	12.7	12.2	13.6
Monmouth County	71,286	71,355	1,006	14.1	13.4	14.6
Morris County *	62,197	62,471	968	15.5	15.1	14.6
Ocean County	21,318	21,336	327	15.3	13.6	13.1
Passaic County	35,529	35,915	414	11.5	10.0	11.2
Salem County	26,999	27,029	357	13.2	12.6	13.9
RURAL PART OF REGISTRATION STATES[1]—Continued.						
NEW JERSEY—continued.						
Somerset County	33,820	33,928	518	13.3	12.4	12.9
Sussex County	26,781	26,928	374	13.9	13.7	10.8
Union County	46,238	46,590	573	12.3	11.9	12.4
Warren County	29,284	29,379	437	14.9	14.3	14.1
NEW YORK.						
Total	2,342,472	2,343,849	37,395	16.0	4 15.4	4 14.8
White	2,314,284	2,315,739	36,866	15.9	(5)	(5)
Colored	28,188	28,110	529	18.8	(5)	(5)
Albany County	33,630	33,603	514	15.3	15.0	15.0
Allegany County	41,412	41,341	622	15.0	13.9	13.1
Broome County	30,366	30,372	542	17.8	16.4	15.4
Cattaraugus County	51,176	51,105	716	14.0	13.2	12.5
Cayuga County	32,438	32,378	474	14.6	16.0	15.5
Chautauqua County	56,608	56,661	853	15.1	14.4	13.5
Chemung County	17,486	17,513	311	17.8	16.6	15.6
Chenango County	35,575	35,523	598	16.8	17.1	16.1
Clinton County *	37,092	37,039	499	13.5	12.2	11.2
Columbia County	32,241	32,230	532	16.5	16.0	16.0
Cortland County	17,745	17,727	310	17.5	15.8	16.5
Delaware County	45,575	45,532	724	15.9	14.2	12.3
Dutchess County *	59,725	59,761	1,262	21.1	19.2	19.0
Erie County *	90,721	(6)	1,334	7 14.7	14.5	13.1
Essex County	33,458	33,501	547	16.3	15.5	14.3
Franklin County	45,717	45,668	817	17.9	15.7	15.5
Fulton County	13,445	13,430	208	15.5	15.4	15.0
Genesee County	26,002	26,017	391	15.0	14.0	14.3
Greene County	30,214	30,181	525	17.4	17.1	16.9
Hamilton County	4,373	4,350	56	12.9	10.3	9.8
Herkimer County	44,083	44,146	674	15.3	14.1	12.6
Jefferson County	53,652	53,600	885	16.5	14.7	13.8
Lewis County	24,849	24,777	373	15.1	14.3	13.6
Livingston County	38,037	38,068	613	16.1	15.6	14.6
Madison County	39,289	39,281	620	15.8	16.4	15.6
Monroe County	65,063	65,386	845	12.9	13.3	13.8
Montgomery County	26,300	26,316	447	17.0	15.2	13.8
Nassau County	83,930	84,554	1,130	13.4	13.6	13.8
Niagara County	31,666	31,719	392	12.4	13.5	13.5
Oneida County	59,241	59,230	831	14.0	14.9	14.4
Onondaga County	63,049	63,155	934	14.8	14.9	14.8
Ontario County	39,840	39,822	605	15.2	14.6	14.7
Orange County	72,883	73,138	1,221	16.7	15.5	15.2
Orleans County	32,000	32,026	500	15.6	14.3	14.0
Oswego County	37,816	37,785	581	15.4	15.9	15.6
Otsego County	47,216	47,182	844	17.9	16.5	16.3
Putnam County	14,665	14,689	266	18.1	16.9	15.9
Rensselaer County	34,752	34,748	527	15.2	15.4	15.8
Rockland County	46,873	46,957	666	14.2	14.0	14.0
St. Lawrence County	73,072	72,922	1,061	14.5	13.9	12.8
Saratoga County	49,224	49,220	822	16.7	15.6	16.1
Schenectady County	15,409	15,516	181	11.7	11.8	15.2
Schoharie County	23,855	23,797	394	16.6	16.2	16.1
Schuyler County	14,004	13,961	214	15.3	16.2	14.8
Seneca County *	26,972	26,952	564	20.9	20.4	19.5
Steuben County	56,015	56,003	1,054	18.8	17.6	14.9
Suffolk County *	96,138	96,489	2,050	21.2	19.2	17.5
Sullivan County	33,808	33,773	669	19.8	18.3	16.6
Tioga County	25,624	25,576	395	15.4	17.2	16.2
Tompkins County	18,845	18,818	303	16.1	15.5	15.7
Ulster County	65,861	66,060	983	14.9	14.9	14.9
Warren County	16,980	16,973	214	12.6	14.9	14.0
Washington County	47,778	47,802	793	16.6	15.7	15.3
Wayne County	50,179	50,233	765	15.2	15.0	14.9
Westchester County	87,983	88,404	1,397	15.8	16.0	15.9
Wyoming County	31,880	31,907	467	14.6	13.8	14.3
Yates County	18,642	18,614	280	15.0	14.3	15.1
NORTH CAROLINA.[8]						
Total	210,787	212,111	3,677	17.3	(2)	(3)
White	141,174	142,142	2,167	15.2	(2)	(3)
Colored	69,613	69,969	1,510	21.6	(2)	(3)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Figures for deaths not available for the entire period.
[3] Not admitted to registration area until a later date.
[4] Based on figures for area as constituted in each year.
[5] Not computed.
[6] Population not estimated.
[7] Based on population enumerated April 15, 1910.
[8] Including only municipalities having a population of 1,000 or over in 1900 and less than 10,000 in 1910.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES[1]—Continued.						
OHIO.						
Total	2,621,927	2,624,625	33,538	12.8	(2)	(3)
White	2,576,905	2,579,616	32,762	12.7	(2)	(3)
Colored	45,022	45,009	776	17.2	(2)	(3)
Adams County	24,755	24,722	266	10.8	(2)	(3)
Allen County	26,072	26,116	310	11.9	(2)	(3)
Ashland County	22,975	23,012	278	12.1	(2)	(3)
Ashtabula County	41,281	41,351	600	14.5	(2)	(3)
Athens County *	47,798	47,989	729	15.2	(2)	(3)
Auglaize County	31,246	31,247	385	12.3	(2)	(3)
Belmont County	63,910	64,206	894	13.9	(2)	(3)
Brown County	24,832	24,761	322	13.0	(2)	(3)
Butler County	21,840	21,800	295	13.5	(2)	(3)
Carroll County	15,761	15,739	146	9.3	(2)	(3)
Champaign County	26,351	26,345	351	13.3	(2)	(3)
Clark County	19,514	19,524	220	11.3	(2)	(3)
Clermont County	29,551	29,508	416	14.1	(2)	(3)
Clinton County	23,680	23,669	271	11.4	(2)	(3)
Columbiana County	56,232	56,331	728	12.9	(2)	(3)
Coshocton County	30,121	30,137	392	13.0	(2)	(3)
Crawford County	34,036	34,038	408	12.0	(2)	(3)
Cuyahoga County	61,581	62,351	813	13.0	(2)	(3)
Darke County	42,933	42,941	518	12.1	(2)	(3)
Defiance County	24,498	24,459	292	11.9	(2)	(3)
Delaware County	27,182	27,198	335	12.3	(2)	(3)
Erie County	18,338	18,346	415	22.6	(2)	(3)
Fairfield County	26,108	26,126	276	10.6	(2)	(3)
Fayette County	21,744	21,744	260	12.0	(2)	(3)
Franklin County	40,056	40,270	536	13.3	(2)	(3)
Fulton County	23,914	23,937	258	10.8	(2)	(3)
Gallia County	25,745	25,700	453	17.6	(2)	(3)
Geauga County	14,670	14,669	190	13.0	(2)	(3)
Greene County	29,733	29,694	410	13.8	(2)	(3)
Guernsey County	31,389	31,498	374	11.9	(2)	(3)
Hamilton County	80,956	81,229	954	11.7	(2)	(3)
Hancock County	23,002	22,973	228	9.9	(2)	(3)
Hardin County	30,407	30,391	409	13.5	(2)	(3)
Harrison County	19,076	19,047	254	13.3	(2)	(3)
Henry County	25,119	25,074	289	11.5	(2)	(3)
Highland County	28,711	28,664	403	14.1	(2)	(3)
Hocking County	23,650	23,635	320	13.5	(2)	(3)
Holmes County	17,909	17,876	226	12.6	(2)	(3)
Huron County	34,206	34,245	455	13.3	(2)	(3)
Jackson County	30,791	30,719	432	14.1	(2)	(3)
Jefferson County	43,032	43,307	555	12.8	(2)	(3)
Knox County	30,181	30,231	429	14.2	(2)	(3)
Lake County	22,927	22,953	340	14.8	(2)	(3)
Lawrence County	26,341	26,314	327	12.4	(2)	(3)
Licking County	30,186	30,229	391	12.9	(2)	(3)
Logan County	30,084	30,077	356	11.8	(2)	(3)
Lorain County	32,329	32,377	381	11.8	(2)	(3)
Lucas County	24,231	24,284	289	11.9	(2)	(3)
Madison County	19,902	19,888	222	11.2	(2)	(3)
Mahoning County	37,085	37,384	531	14.2	(2)	(3)
Marion County	15,739	15,716	172	10.9	(2)	(3)
Medina County	23,598	23,632	272	11.5	(2)	(3)
Meigs County	25,594	25,531	339	13.3	(2)	(3)
Mercer County	27,536	27,526	340	12.4	(2)	(3)
Miami County	31,659	31,674	379	12.0	(2)	(3)
Monroe County	24,244	24,185	250	10.3	(2)	(3)
Montgomery County	47,186	47,598	755	15.9	(2)	(3)
Morgan County	16,097	16,059	206	12.8	(2)	(3)
Morrow County	16,815	16,793	190	11.3	(2)	(3)
Muskingum County	29,462	29,457	372	12.6	(2)	(3)
Noble County	18,601	18,583	234	12.6	(2)	(3)
Ottawa County	22,360	22,363	280	12.5	(2)	(3)
Paulding County	22,730	22,629	249	11.0	(2)	(3)
Perry County	35,396	35,471	400	11.3	(2)	(3)
Pickaway County	26,158	26,140	360	13.8	(2)	(3)
Pike County	15,723	15,672	212	13.5	(2)	(3)
Portage County	30,307	30,329	460	15.2	(2)	(3)
Preble County	23,834	23,836	277	11.6	(2)	(3)
Putnam County	29,972	29,919	348	11.6	(2)	(3)
Richland County	26,899	26,904	318	11.8	(2)	(3)
Ross County	25,561	25,511	350	13.7	(2)	(3)
Sandusky County	35,171	35,189	378	10.7	(2)	(3)
Scioto County	24,982	25,021	362	14.5	(2)	(3)
Seneca County	30,527	30,534	360	11.8	(2)	(3)
Shelby County	24,663	24,663	285	11.6	(2)	(3)
Stark County *	43,808	43,928	644	14.7	(2)	(3)
Summit County	39,186	39,400	546	13.9	(2)	(3)
Trumbull County	41,685	41,768	591	14.1	(2)	(3)
Tuscarawas County	57,035	57,104	599	10.5	(2)	(3)
Union County	21,871	21,862	290	13.3	(2)	(3)
Van Wert County	29,119	29,093	336	11.5	(2)	(3)
Vinton County	13,096	13,049	186	14.3	(2)	(3)
Warren County	24,497	24,475	321	13.1	(2)	(3)
Washington County	32,499	32,449	388	12.0	(2)	(3)
Wayne County	38,058	38,061	476	12.5	(2)	(3)
Williams County	25,198	25,203	291	11.5	(2)	(3)
Wood County	46,330	46,220	560	12.1	(2)	(3)
Wyandot County	20,760	20,753	230	11.1	(2)	(3)
PENNSYLVANIA.						
Total	4,011,650	4,026,349	57,880	14.4	[4] 14.2	(3)
White	3,960,096	3,974,689	56,828	14.3	(5)	(3)
Colored	51,554	51,660	1,052	20.4	(5)	(3)
Adams County	34,319	34,316	428	12.5	12.7	(3)
Allegheny County	332,608	335,297	5,384	16.1	16.4	(3)
Armstrong County	67,880	68,204	914	13.4	12.8	(3)
Beaver County	66,162	66,580	956	14.4	13.8	(3)
Bedford County	38,879	38,867	424	10.9	12.7	(3)
Berks County *	87,151	87,289	1,268	14.5	14.8	(3)
Blair County	56,731	57,033	716	12.6	13.4	(3)
Bradford County	54,526	54,424	843	15.5	15.3	(3)
Bucks County	76,530	76,643	1,059	13.8	14.6	(3)
Butler County	51,961	52,085	642	12.3	11.5	(3)
Cambria County	110,649	111,550	1,532	13.7	14.0	(3)
Cameron County	7,644	7,656	90	11.8	13.3	(3)
Carbon County	52,846	53,021	857	16.2	15.3	(3)
Center County	43,424	43,435	575	13.2	13.4	(3)
Chester County	75,619	75,712	1,142	15.1	15.2	(3)
Clarion County	36,638	36,687	453	12.3	11.7	(3)
Clearfield County	81,145	81,354	1,043	12.8	12.2	(3)
Clinton County	31,545	31,594	410	13.0	13.3	(3)
Columbia County	48,467	48,647	617	12.7	12.7	(3)
Crawford County	48,785	48,711	739	15.2	14.3	(3)
Cumberland County	44,176	44,249	569	12.9	13.7	(3)
Dauphin County *	57,720	57,883	968	16.7	15.3	(3)
Delaware County	79,369	79,761	1,086	13.6	13.0	(3)
Elk County	35,871	35,933	412	11.5	11.9	(3)
Erie County	48,992	49,061	698	14.2	14.0	(3)
Fayette County	141,260	142,250	2,179	15.3	15.3	(3)
Forest County	9,435	9,402	85	9.0	9.3	(3)
Franklin County	47,975	48,062	771	16.0	14.5	(3)
Fulton County	9,703	9,699	126	13.0	13.3	(3)
Greene County	28,882	28,894	380	13.2	12.4	(3)
Huntingdon County	38,304	38,381	451	11.8	12.4	(3)
Indiana County	66,210	66,709	915	13.7	13.7	(3)
Jefferson County	63,090	63,173	852	13.5	13.0	(3)
Juniata County	15,013	14,992	186	12.4	13.7	(3)
Lackawanna County	83,724	84,249	1,395	16.6	17.2	(3)
Lancaster County	108,348	108,410	1,500	13.8	13.2	(3)
Lawrence County	33,752	33,869	442	13.1	12.1	(3)
Lebanon County	40,325	40,412	570	14.1	13.7	(3)
Lehigh County	62,447	62,652	1,036	16.5	16.3	(3)
Luzerne County	198,489	199,624	3,169	15.9	15.6	(3)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Figures for deaths not available for the entire period.
[3] Not admitted to registration area until a later date.
[4] Based on figures for area as constituted in each year.
[5] Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES[1]—Continued.						
PENNSYLVANIA—continued.						
Lycoming County	48,953	48,996	556	11.3	11.1	(2)
McKean County	33,324	33,261	414	12.4	12.1	(2)
Mercer County	52,239	52,576	759	14.4	13.9	(2)
Mifflin County	27,785	27,882	373	13.4	14.4	(2)
Monroe County	22,941	22,978	341	14.8	13.5	(2)
Montgomery County	126,116	126,603	1,698	13.4	13.2	(2)
Montour County *	14,868	14,855	300	20.2	18.7	(2)
Northampton County	70,806	71,165	1,105	15.5	14.7	(2)
Northumberland County	60,530	60,759	868	14.3	12.9	(2)
Perry County	24,136	24,092	356	14.8	13.4	(2)
Pike County	8,033	8,018	117	14.6	15.2	(2)
Potter County	29,729	29,711	409	13.8	12.2	(2)
Schuylkill County	145,948	146,424	2,470	16.9	16.2	(2)
Snyder County	16,800	16,790	246	14.7	12.6	(2)
Somerset County	67,717	68,102	890	13.1	13.5	(2)
Sullivan County	11,293	11,276	123	10.9	10.8	(2)
Susquehanna County	37,746	37,698	649	17.2	15.4	(2)
Tioga County	42,829	42,697	570	13.3	13.4	(2)
Union County	16,249	16,221	184	11.3	13.1	(2)
Venango County	40,702	40,793	540	13.2	12.8	(2)
Warren County *	28,493	28,449	476	16.7	15.5	(2)
Washington County	124,902	125,919	2,002	15.9	15.4	(2)
Wayne County	29,236	29,217	415	14.2	13.7	(2)
Westmoreland County	206,517	207,777	2,853	13.7	14.4	(2)
Wyoming County	15,509	15,475	232	15.0	13.6	(2)
York County	91,655	91,845	1,052	11.5	11.4	(2)
RHODE ISLAND.						
Total	104,983	105,372	1,734	16.5	[3] 16.2	[3] 17.6
White	103,404	103,828	1,694	16.3	(4)	(4)
Colored	1,579	1,544	40	25.9	(4)	(4)
Bristol County	17,602	17,711	327	18.5	16.0	18.5
Kent County	9,749	9,765	191	19.6	17.1	17.6
Newport County	12,186	12,235	192	15.7	16.2	15.9
Providence County	40,504	40,710	623	15.3	[5] 16.2	[6] 18.3
Washington County	24,942	24,951	401	16.1	15.2	15.6
UTAH.						
Total	254,994	256,124	2,519	9.8	(7)	(2)
White	250,187	251,280	2,496	9.9	(7)	(2)
Colored	4,807	4,844	23	4.7	(7)	(2)
Beaver County	4,717	4,741	42	8.9	(7)	(2)
Boxelder County	13,894	13,976	122	8.7	(7)	(2)
Cache County	23,062	23,166	211	9.1	(7)	(2)
Carbon County	8,624	8,701	97	11.1	(7)	(2)
Davis County	10,191	10,238	106	10.4	(7)	(2)
Emery County †	6,750	6,795	43	6.3	(7)	(2)
Garfield County	3,660	3,666	27	7.4	(7)	(2)
Grand County	1,595	1,605	12	7.5	(7)	(2)
Iron County	3,933	3,942	41	10.4	(7)	(2)
Juab County	10,702	10,716	116	10.8	(7)	(2)
Kane County	1,652	1,649	18	10.9	(7)	(2)
Millard County	6,118	6,127	51	8.3	(7)	(2)
Morgan County †	2,467	2,475	15	6.1	(7)	(2)
Piute County †	1,734	1,730	10	5.8	(7)	(2)
Rich County	1,883	1,882	21	11.2	(7)	(2)
Salt Lake County	38,649	39,068	378	9.7	(7)	(2)
San Juan County †	2,377	2,405	7	2.9	(7)	(2)
Sanpete County	16,704	16,712	195	11.7	(7)	(2)
Sevier County	9,775	9,802	86	8.8	(7)	(2)
Summit County	8,200	8,174	112	13.7	(7)	(2)
Tooele County	7,924	7,935	100	12.6	(7)	(2)
Uinta County	7,050	7,062	64	9.1	(7)	(2)
Utah County *	37,942	38,057	404	10.6	(7)	(2)
Wasatch County	8,920	9,008	85	9.4	(7)	(2)
Washington County	5,123	5,133	49	9.5	(7)	(2)
Wayne County †	1,749	1,746	9	5.2	(7)	(2)
Weber County	9,599	9,613	98	10.2	(7)	(2)

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES[1]—Continued.						
VERMONT.						
Total	311,208	311,339	4,930	15.8	[3] 15.9	[3] 15.9
White	309,693	309,808	4,903	15.8	(4)	(4)
Colored	1,515	1,531	27	17.6	(4)	(4)
Addison County	20,010	19,970	304	15.2	15.0	15.1
Bennington County	21,378	21,369	304	14.2	15.6	16.1
Caledonia County	26,031	26,066	399	15.3	15.9	16.1
Chittenden County	21,979	22,000	344	15.6	15.7	15.5
Essex County	7,384	7,370	84	11.4	15.0	14.1
Franklin County	29,866	29,859	418	14.0	14.8	15.3
Grand Isle County	3,761	3,747	46	12.3	13.2	12.2
Lamoille County	12,585	12,591	189	15.0	15.3	13.5
Orange County	18,703	18,691	337	18.0	17.0	17.3
Orleans County	23,337	23,365	363	15.5	15.5	15.7
Rutland County	34,593	34,633	549	15.9	15.6	15.3
Washington County *	30,968	31,028	491	15.8	16.2	17.1
Windham County	26,932	26,938	512	19.0	18.1	17.1
Windsor County	33,681	33,712	590	17.5	16.2	17.1
WASHINGTON.						
Total	620,433	627,729	5,699	9.1	(7)	(2)
White	601,656	608,857	5,385	8.8	(7)	(2)
Colored	18,777	18,872	314	16.6	(7)	(2)
Adams County	10,929	11,049	90	8.1	(7)	(2)
Asotin County †	5,831	5,884	51	8.7	(7)	(2)
Benton County	7,937	8,083	70	8.7	(7)	(2)
Chehalis County	21,930	22,153	192	8.7	(7)	(2)
Chelan County	15,104	15,340	151	9.8	(7)	(2)
Clallam County [8]	6,755	6,780	87	12.8	(7)	(2)
Clarke County	26,115	26,383	237	9.0	(7)	(2)
Columbia County	7,042	7,042	73	10.4	(7)	(2)
Cowlitz County †	12,561	12,660	98	7.7	(7)	(2)
Douglas County †	9,227	(9)	39	[10] 4.2	(7)	(2)
Ferry County † [11]	4,800	4,806	39	8.1	(7)	(2)
Franklin County †	5,153	5,252	33	6.3	(7)	(2)
Garfield County	4,199	4,205	50	11.9	(7)	(2)
Grant County †	8,698	(9)	34	[10] 3.9	(7)	(2)
Island County †	4,704	4,764	32	6.7	(7)	(2)
Jefferson County	8,337	8,393	89	10.6	(7)	(2)
King County	47,444	48,628	535	11.0	(7)	(2)
Kitsap County †	17,647	17,876	129	7.2	(7)	(2)
Kittitas County	18,561	18,747	223	11.9	(7)	(2)
Klickitat County †	10,180	10,261	62	6.0	(7)	(2)
Lewis County	32,127	32,485	336	10.3	(7)	(2)
Lincoln County	17,539	17,656	133	7.5	(7)	(2)
Mason County	5,156	5,184	51	9.8	(7)	(2)
Okanogan County † [11]	12,887	13,059	122	9.3	(7)	(2)
Pacific County †	12,532	12,670	73	5.8	(7)	(2)
Pierce County *	37,069	37,633	493	13.1	(7)	(2)
San Juan County	3,603	3,617	31	8.6	(7)	(2)
Skagit County [12]	29,241	29,556	260	8.8	(7)	(2)
Skamania County	2,887	2,912	25	8.6	(7)	(2)
Snohomish County	34,395	34,780	329	9.5	(7)	(2)
Spokane County *	35,002	35,431	338	9.5	(7)	(2)
Stevens County †	25,297	25,608	178	7.0	(7)	(2)
Thurston County	17,581	17,742	179	10.1	(7)	(2)
Wahkiakum County †	3,285	3,294	10	3.0	(7)	(2)
Walla Walla County †	12,567	12,667	81	6.4	(7)	(2)
Whatcom County	25,213	25,469	204	8.0	(7)	(2)
Whitman County	33,280	33,447	261	7.8	(7)	(2)
Yakima County [13]	27,627	28,013	281	10.0	(7)	(2)
WISCONSIN.						
Total	1,580,912	1,581,927	17,751	11.2	(7)	(2)
White	1,570,058	1,571,033	17,622	11.2	(7)	(2)
Colored	10,854	10,894	129	11.8	(7)	(2)
Adams County	8,604	8,585	90	10.5	(7)	(2)
Ashland County	10,371	10,412	124	11.9	(7)	(2)
Barron County	29,114	29,145	312	10.7	(7)	(2)
Bayfield County	15,987	15,990	168	10.5	(7)	(2)
Brown County	28,862	28,849	339	11.8	(7)	(2)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until a later date.
[3] Based on figures for area as constituted in each year.
[4] Not computed.
[5] Including state institutions for 1906.
[6] Including state institutions.
[7] Figures for deaths not available for the entire period.
[8] Including Makah, Ozette, and Quillayute Indian Reservations.
[9] Population not estimated.
[10] Based on enumerated population of April 15, 1910.
[11] Including part of Colville Indian Reservation.
[12] Including Swinomish Indian Reservation.
[13] Including Yakima Indian Reservation.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES[1]—Continued.						
WISCONSIN—continued.						
Buffalo County	16,006	15,984	157	9.8	(2)	(3)
Burnett County	9,026	9,016	88	9.8	(2)	(3)
Calumet County	16,701	16,693	162	9.7	(2)	(3)
Chippewa County	32,103	32,108	431	13.4	(2)	(3)
Clark County	30,074	30,105	255	8.5	(2)	(3)
Columbia County	31,129	31,127	394	12.7	(2)	(3)
Crawford County	16,288	16,261	191	11.7	(2)	(3)
Dane County*	51,904	51,936	621	12.0	(2)	(3)
Dodge County	47,436	47,507	523	11.0	(2)	(3)
Door County	18,711	18,672	183	9.8	(2)	(3)
Douglas County †	7,038	7,042	44	6.2	(2)	(3)
Dunn County	25,260	25,226	248	9.8	(2)	(3)
Eau Claire County	14,411	14,395	125	8.7	(2)	(3)
Florence County †	3,381	3,375	26	7.7	(2)	(3)
Fond du Lac County	32,813	32,783	364	11.1	(2)	(3)
Forest County	6,782	6,816	64	9.4	(2)	(3)
Grant County	39,007	38,981	433	11.1	(2)	(3)
Green County	21,641	21,609	212	9.8	(2)	(3)
Green Lake County	15,491	15,477	172	11.1	(2)	(3)
Iowa County	22,497	22,477	231	10.3	(2)	(3)
Iron County	8,306	8,380	80	9.5	(2)	(3)
Jackson County	17,075	17,054	168	9.9	(2)	(3)
Jefferson County	34,306	34,307	401	11.7	(2)	(3)
Juneau County	19,569	19,519	236	12.1	(2)	(3)
Kenosha County	11,558	11,584	110	9.5	(2)	(3)
Kewaunee County	16,784	16,775	186	11.1	(2)	(3)
La Crosse County	13,579	13,571	154	11.3	(2)	(3)
Lafayette County	20,075	20,067	197	9.8	(2)	(3)
Langlade County	17,062	17,118	155	9.1	(2)	(3)
Lincoln County	19,064	19,062	217	11.4	(2)	(3)
Manitowoc County	31,951	31,946	313	9.8	(2)	(3)
Marathon County	38,494	38,610	446	11.6	(2)	(3)
Marinette County	19,202	19,236	177	9.2	(2)	(3)
Marquette County	10,741	10,732	134	12.5	(2)	(3)
Milwaukee County	59,330	59,954	1,323	22.1	(2)	(3)
Monroe County	28,881	28,865	363	12.6	(2)	(3)
Oconto County	25,657	25,703	255	9.9	(2)	(3)
Oneida County	11,433	11,441	111	9.7	(2)	(3)
Outagamie County	32,329	32,341	337	10.4	(2)	(3)
Ozaukee County	17,123	17,108	150	8.8	(2)	(3)
Pepin County	7,577	7,577	72	9.5	(2)	(3)
Pierce County	22,079	22,021	247	11.2	(2)	(3)
Polk County	21,367	21,387	190	8.9	(2)	(3)
Portage County	30,945	30,948	374	12.1	(2)	(3)
Price County †	13,795	13,856	99	7.1	(2)	(3)
Racine County	19,422	19,485	256	13.1	(2)	(3)
Richland County	18,809	18,787	186	9.9	(2)	(3)
Rock County	26,519	26,498	297	11.2	(2)	(3)
Rusk County	11,160	11,220	98	8.7	(2)	(3)
St. Croix County	25,910	25,876	280	10.8	(2)	(3)
Sauk County	32,869	32,870	371	11.3	(2)	(3)
Sawyer County	6,227	6,277	69	11.0	(2)	(3)
Shawano County	31,884	31,920	306	9.6	(2)	(3)
Sheboygan County	28,490	28,508	295	10.3	(2)	(3)
Taylor County	13,641	13,690	113	8.3	(2)	(3)
Trempealeau County	22,928	22,889	227	9.9	(2)	(3)
Vernon County	28,116	28,072	309	11.0	(2)	(3)
Vilas County †	6,019	6,043	38	6.3	(2)	(3)
Walworth County	29,614	29,574	361	12.2	(2)	(3)
Washburn County	8,196	8,226	84	10.2	(2)	(3)
Washington County	23,784	23,797	243	10.2	(2)	(3)
Waukesha County	37,100	37,154	502	13.5	(2)	(3)
Waupaca County	32,782	32,753	405	12.4	(2)	(3)
Waushara County	18,886	18,939	177	9.3	(2)	(3)
Winnebago County*	29,054	29,025	406	14.0	(2)	(3)
Wood County	30,583	30,591	276	9.0	(2)	(3)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Figures for deaths not available for the entire period.
[3] Not admitted to the registration area until a later date.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, BY CAUSES

[The causes of death, originally classified according to the First Revision of the International List, which was in use for the years 1900 to 1909, are rearranged, as far figures are indicated by asterisks (*) following the titles. Reference should be

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.									
		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909
	All causes	539,939	518,207	508,640	524,415	551,354	545,533	658,105	687,034	691,574	732,538
	I.—General diseases *	148,590	146,656	139,672	147,408	150,654	146,296	175,915	182,604	187,433	194,161
1	Typhoid fever	11,044	10,127	10,980	11,149	10,557	9,479	13,160	12,670	11,375	10,722
2	Typhus fever	5	.....	7	1	2	3	.....	2	.....	3
3	Relapsing fever	2	4	2	1	3	1	4	.....	1	.....
4	Malaria	2,434	1,980	1,738	1,410	1,391	1,321	1,415	1,166	1,109	1,175
5	Smallpox	611	1,085	2,111	1,382	709	308	95	74	92	79
6	Measles	3,865	2,287	3,033	3,221	3,659	2,557	5,087	4,302	4,611	4,860
7	Scarlet fever	3,135	4,113	4,041	3,991	3,610	2,284	3,227	4,309	5,577	5,781
8	Whooping cough	3,719	3,051	3,854	5,171	2,183	3,599	6,324	4,856	4,969	4,906
9	Diphtheria and croup	13,314	10,667	9,859	10,363	9,444	8,039	10,793	10,154	10,052	10,358
10	Influenza	7,031	10,093	3,225	6,064	6,724	6,426	4,320	10,066	9,989	6,649
11	Miliary fever	.....	.....	9	3	2	.....	.....	.....	1	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	800	563	516	374	397	449	552	401	492	415
14	Dysentery	3,487	3,331	3,187	2,378	2,567	2,588	3,352	2,779	2,930	2,871
15	Plague	22	26	41	17	7	.....	.....	89	5	2
16	Yellow fever	1	2	1	17	.....	438	.....	1	2	.....
17	Leprosy	4	6	5	4	4	8	3	7	11	9
18	Erysipelas	1,574	1,450	1,337	1,300	1,680	1,510	1,768	1,856	1,815	2,004
19	Other epidemic diseases *	72	47	83	79	94	79	150	147	133	154
20	Purulent infection and septicemia	2,581	2,290	2,281	1,754	1,886	1,780	1,861	1,869	1,727	1,657
21	Glanders	3	2	7	12	3	3	8	8	3	8
22	Anthrax	31	32	16	22	25	20	22	23	22	14
23	Rabies	33	41	45	43	38	44	85	75	82	55
24	Tetanus *	1,354	1,129	1,158	1,326	1,105	1,033	1,213	1,253	1,169	1,373
25	Mycoses	10	6	18	12	18	15	21	21	35	38
26	Pellagra	2	.....	.....	2	1	.....	.....	.....	23	116
27	Beriberi *	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
	Tuberculosis (total)	62,096	61,767	59,083	61,640	66,921	65,478	75,648	76,759	78,409	81,835
28	Tuberculosis of the lungs *	55,910	55,262	52,620	54,449	59,333	57,380	65,986	67,064	68,074	70,844
29	Acute miliary tuberculosis *	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
30	Tuberculous meningitis	2,673	2,656	2,674	2,905	3,025	3,264	3,938	4,062	4,218	4,575
31	Abdominal tuberculosis	1,635	1,767	1,817	1,854	2,098	2,193	2,663	2,629	2,723	3,041
32	Pott's disease	416	442	421	516	519	563	618	594	746	740
33	White swellings	207	208	237	224	241	261	315	269	356	379
34	Tuberculosis of other organs *	587	609	575	690	731	726	870	887	992	1,072
35	Disseminated tuberculosis	668	825	739	1,002	974	1,091	1,258	1,254	1,300	1,184
36	Rickets *	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
37	Syphilis	1,029	1,137	1,131	1,368	1,507	1,534	2,006	2,235	2,432	2,858
38	Gonococcus infection	16	24	32	25	62	62	70	87	111	141
	Cancer and other malignant tumors (total)	19,381	20,171	20,847	22,325	23,395	24,330	29,020	30,514	33,465	37,562
39	Of the buccal cavity	495	612	583	661	737	792	941	968	1,148	1,427
40	Of the stomach, liver	6,918	7,095	7,483	8,193	8,744	8,939	10,946	11,596	13,044	14,915
41	Of the peritoneum, intestines, rectum	1,760	2,157	2,239	2,134	2,399	2,732	3,273	3,570	3,963	4,676
42	Of the female genital organs	2,696	2,919	3,033	3,289	3,436	3,637	4,090	4,388	5,250	5,714
43	Of the breast	1,433	1,647	1,750	1,787	2,030	2,010	2,421	2,590	3,023	3,585
44	Of the skin	602	683	688	752	758	818	984	1,121	1,282	1,492
45	Of other organs or of organs not specified	5,477	5,058	5,971	5,509	5,291	5,402	6,365	6,281	5,755	5,753
46	Other tumors (tumors of the female genital organs excepted)	581	505	459	531	444	501	470	508	458	458
47	Acute articular rheumatism *	1,426	1,510	1,366	1,594	2,100	1,918	2,218	2,309	2,432	2,470
48	Chronic rheumatism and gout *	1,505	1,475	1,295	1,191	1,087	909	1,118	1,130	1,109	1,163
49	Scurvy	41	48	44	55	50	44	62	60	59	84
50	Diabetes	2,996	3,212	3,312	3,681	4,259	4,397	5,331	5,801	6,274	7,024
51	Exophthalmic goiter	127	185	168	235	247	256	349	389	500	636
52	Addison's disease	138	149	149	156	148	141	191	156	199	234
53	Leukemia	307	324	371	396	400	480	599	658	689	832
54	Anemia, chlorosis	1,632	1,562	1,524	1,512	1,607	1,687	2,093	2,185	2,152	2,421
55	Other general diseases *	58	164	142	140	137	205	242	262	252	263
56	Alcoholism (acute or chronic)	1,962	1,870	1,943	2,163	1,927	2,106	2,707	3,130	2,348	2,578
57	Chronic lead poisoning	61	71	94	100	81	87	97	92	95	86
58	Other chronic occupation poisonings	4	3	1	11	3	8	6	6	4	5
59	Other chronic poisonings	96	147	157	189	170	169	228	195	220	262
	II.—Diseases of the nervous system and of the organs of special sense.*	62,878	59,302	58,155	56,993	59,476	60,523	69,109	72,045	69,921	73,283
60	Encephalitis	1,030	831	716	609	530	465	496	520	452	355
61	Meningitis (total)	12,578	10,430	9,981	9,213	10,553	11,654	10,502	11,109	8,904	7,853
	Simple meningitis	10,793	8,643	8,259	7,295	7,269	6,540	7,244	7,365	6,304	5,662
	Cerebrospinal meningitis (undefined)	1,785	1,787	1,722	1,918	3,284	5,114	3,258	3,744	2,600	2,191
	Cerebrospinal fever										
62	Locomotor ataxia	593	722	691	813	820	883	1,097	1,127	1,198	1,386
63	Other diseases of the spinal cord (total)	1,329	1,428	1,454	1,685	1,653	1,724	2,030	2,234	2,412	2,905
	Acute anterior poliomyelitis	1,329	1,428	1,454	1,685	1,653	1,724	2,030	2,234	2,412	569
	Other diseases of the spinal cord [5]										2,336
64	Cerebral hemorrhage, apoplexy	20,772	21,390	21,862	22,311	23,828	24,390	29,434	31,500	32,467	36,463
65	Softening of the brain	1,246	1,241	1,197	1,258	1,250	1,042	1,277	1,258	1,087	1,126
66	Paralysis without specified cause	7,950	7,220	6,674	6,609	6,431	5,981	6,933	8,128	7,544	7,669
67	General paralysis of the insane	1,955	2,069	2,238	2,152	2,263	2,450	2,909	2,116	2,387	2,584
68	Other forms of mental alienation	1,325	1,232	1,207	1,232	1,139	1,039	1,736	1,658	1,723	1,717
69	Epilepsy	1,337	1,417	1,483	1,512	1,481	1,367	1,863	1,863	1,824	2,066
70	Convulsions (nonpuerperal)	585	438	367	357	310	346	314	304	273	191
71	Convulsions of infants	9,426	8,079	7,620	6,476	6,492	6,331	7,114	6,756	6,177	5,340
72	Chorea	82	96	85	88	80	87	88	84	102	117
73	Neuralgia and neuritis *	2,454	2,396	2,270	2,219	2,093	2,223	2,650	2,641	2,579	2,693
74	Other diseases of the nervous system *										
75	Diseases of the eyes and their annexa	20	20	15	22	28	26	23	31	27	29
76	Diseases of the ears	196	293	295	437	525	515	643	716	765	789

[1] Less than one-tenth of 1 per 100,000.

[2] Less than one.

[3] Not compiled separately prior to 1910.

ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1900 TO 1910.

as practicable, to correspond with the Second Revision, in use beginning January 1, 1910. Changes depending upon new titles or markedly affecting the comparability of the made to the statements in the text (p. 23) relative to changes in classification.]

NUMBER OF DEATHS—contd.			DEATH RATE PER 100,000 POPULATION.												Detailed Int. List No.
1910	Annual average, 1901 to 1905	Annual average, 1906 to 1910	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	Annual average, 1901 to 1905	Annual average, 1906 to 1910	
805,412	529,630	714,933	1,755.0	1,651.9	1,588.0	1,603.7	1,653.5	1,602.0	1,567.5	1,597.1	1,478.0	1,440.0	1,495.8	1,619.7	1,511.5	
215,692	146,137	191,161	483.0	467.5	436.1	450.8	451.8	429.6	419.0	424.5	400.6	381.7	400.6	446.9	404.1	
12,673	10,458	12,120	35.9	32.3	34.3	34.1	31.7	27.8	31.3	29.5	24.3	21.1	23.5	32.0	25.6	1
2	3	1	(1)	.....	(1)	(1)	(1)	(1)	.....	(1)	.....	(1)	(1)	(1)	(1)	2
1	2	1	(1)	(1)	(1)	(1)	(1)	(1)	(1)	.....	(1)	.....	(1)	(1)	(1)	3
1,167	1,568	1,206	7.9	6.3	5.4	4.3	4.2	3.9	3.4	2.7	2.4	2.3	2.2	4.8	2.6	4
202	1,119	108	1.9	3.5	6.6	4.2	2.1	0.9	0.2	0.2	0.2	0.2	0.4	3.4	0.2	5
6,598	2,951	5,092	12.5	7.3	9.5	9.8	11.0	7.5	12.1	10.0	9.9	9.6	12.3	9.0	10.8	6
6,255	3,608	5,030	10.2	13.1	12.6	12.2	10.8	6.7	7.7	10.0	11.9	11.4	11.6	11.0	10.6	7
6,146	3,572	5,440	12.1	9.7	12.0	15.8	6.5	10.6	15.1	11.3	10.6	9.6	11.4	10.9	11.5	8
11,521	9,674	10,576	43.3	34.0	30.8	31.7	28.3	23.6	25.7	23.6	21.5	20.4	21.4	29.6	22.4	9
7,774	6,506	7,760	22.9	32.2	10.1	18.5	20.2	18.9	10.3	23.4	21.3	13.1	14.4	19.9	16.4	10
.....	3	(2)	.....	.....	(1)	(1)	(1)	.....	.....	.....	(1)	.....	.....	(1)	(1)	11
563	460	485	2.6	1.8	1.6	1.1	1.2	1.3	1.3	0.9	1.1	0.8	1.0	1.4	1.0	12
3,446	2,810	3,076	11.3	10.6	10.0	7.3	7.7	7.6	8.0	6.5	6.3	5.6	6.4	8.6	6.5	13
1	18	19	0.1	0.1	0.1	0.1	(1)	.....	.....	0.2	(1)	(1)	(1)	0.1	(1)	14
.....	92	1	(1)	(1)	(1)	0.1	.....	1.3	.....	(1)	(1)	.....	.....	0.3	(1)	15
10	5	8	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	16
2,442	1,455	1,977	5.1	4.6	4.2	4.0	5.0	4.4	4.2	4.3	3.9	3.9	4.5	4.5	4.2	17
198	76	156	0.2	0.1	0.3	0.2	0.3	0.2	0.4	0.3	0.3	0.3	0.4	0.2	0.3	18
1,877	1,998	1,798	8.4	7.3	7.1	5.4	5.7	5.2	4.4	4.3	3.7	3.3	3.5	6.1	3.8	19
7	5	7	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	20
22	23	21	0.1	0.1	(1)	0.1	0.1	0.1	0.1	0.1	(1)	(1)	(1)	0.1	(1)	21
64	42	72	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	22
1,373	1,150	1,276	4.4	3.6	3.6	4.1	3.3	3.0	2.9	2.9	2.5	2.7	2.5	3.5	2.7	23
32	14	29	(1)	(1)	0.1	(1)	0.1	(1)	0.1	(1)	0.1	0.1	0.1	(1)	0.1	24
368	1	101	(1)	.....	.....	(1)	(1)	.....	.....	.....	(1)	0.2	0.7	(1)	0.2	25
10	(3)	(4)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(1)	(3)	(4)	26
86,309	62,978	79,792	201.9	196.9	184.5	188.5	200.7	192.3	180.2	178.5	167.6	160.8	160.3	192.6	168.7	27
73,214	55,809	69,436	181.8	176.2	164.3	166.5	177.9	168.5	157.1	155.9	145.5	139.3	136.0	170.7	146.8	28
1,997	(3)	(4)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	3.7	(3)	(4)	29
4,654	2,905	4,289	8.7	8.5	8.3	8.9	9.1	9.6	9.4	9.4	9.0	9.0	8.6	8.9	9.1	30
3,159	1,946	2,843	5.3	5.6	5.7	5.7	6.3	6.4	6.3	6.1	5.8	6.0	5.9	6.0	6.0	31
764	492	692	1.3	1.4	1.3	1.6	1.6	1.7	1.5	1.4	1.6	1.5	1.4	1.5	1.5	32
422	234	348	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.6	0.8	0.7	0.8	0.7	0.7	33
1,118	666	988	1.9	2.0	1.8	2.1	2.2	2.2	2.0	2.2	2.2	2.0	2.1	2.0	2.1	34
981	926	1,195	2.2	2.6	2.3	3.1	2.9	3.2	3.0	2.9	2.8	2.3	1.8	2.8	2.5	35
455	(3)	(4)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	0.8	(3)	(4)	36
3,221	1,335	2,550	3.4	3.6	3.5	4.2	4.5	4.5	4.8	5.2	5.2	5.6	6.0	4.1	5.4	37
197	41	121	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.1	0.3	38
41,039	22,214	34,320	63.0	64.3	65.1	68.3	70.2	71.4	69.1	70.9	71.5	73.8	76.2	67.9	72.6	
1,576	677	1,212	1.6	2.0	1.8	2.0	2.2	2.3	2.2	2.3	2.5	2.8	2.9	2.1	2.6	39
16,475	8,091	13,395	22.5	22.6	23.4	25.1	26.2	26.3	26.1	27.0	27.9	29.3	30.6	24.7	28.3	40
5,258	2,332	4,148	5.7	6.9	7.0	6.5	7.2	8.0	7.8	8.3	8.5	9.2	9.8	7.1	8.8	41
6,147	3,263	5,118	8.8	9.3	9.5	10.1	10.3	10.7	9.7	10.2	11.2	11.2	11.4	10.0	10.8	42
3,730	1,845	3,070	4.7	5.3	5.5	5.5	6.1	5.9	5.8	6.0	6.5	7.0	6.9	5.6	6.5	43
1,459	740	1,268	2.0	2.2	2.1	2.3	2.3	2.4	2.3	2.6	2.7	2.9	2.7	2.3	2.7	44
6,394	5,266	6,110	17.8	16.1	15.8	16.8	15.9	15.9	15.2	14.6	12.3	11.3	11.9	16.1	12.9	45
553	488	489	1.9	1.6	1.4	1.6	1.3	1.5	1.1	1.2	1.0	0.9	1.0	1.5	1.0	46
3,328	1,698	2,551	4.6	4.8	4.3	4.9	6.3	5.6	5.3	5.4	5.2	4.9	6.2	5.2	5.4	47
676	1,191	1,039	4.9	4.7	4.0	3.6	3.3	2.7	2.7	2.6	2.4	2.3	1.3	3.6	2.2	48
68	48	67	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	49
8,040	3,772	6,494	9.7	10.2	10.3	11.3	12.8	12.9	12.7	13.5	13.4	13.8	14.9	11.5	13.7	50
687	218	512	0.4	0.6	0.5	0.7	0.7	0.8	0.8	0.9	1.1	1.3	1.3	0.7	1.1	51
220	149	200	0.4	0.5	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.5	0.4	52
864	394	728	1.0	1.0	1.2	1.2	1.2	1.4	1.4	1.5	1.5	1.6	1.6	1.2	1.5	53
2,614	1,578	2,293	5.3	5.0	4.8	4.6	4.8	5.0	5.0	5.1	4.6	4.8	4.9	4.8	4.8	54
1,359	158	476	0.2	0.5	0.4	0.4	0.4	0.6	0.6	0.6	0.5	0.5	2.5	0.5	1.0	55
2,909	2,002	2,734	6.4	6.0	6.1	6.6	5.8	6.2	6.4	7.3	5.0	5.1	5.4	6.1	5.8	56
136	87	101	0.2	0.2	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	57
6	5	5	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	58
259	166	233	0.3	0.5	0.5	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	59
77,991	58,890	72,470	204.4	189.0	181.6	174.2	178.4	177.8	164.6	167.5	149.4	144.1	144.8	180.1	153.2	
761	630	517	3.3	2.6	2.2	1.9	1.6	1.4	1.2	1.2	1.0	0.7	1.4	1.9	1.1	60
7,619	10,366	9,197	40.9	33.2	31.2	28.2	31.6	34.2	25.0	25.8	19.0	15.4	14.2	31.7	19.4	61
5,347	7,601	6,384	35.1	27.6	25.8	22.3	21.8	19.2	17.3	17.1	13.5	11.1	9.9	23.2	13.5	
2,052	2,765	2,813	5.8	5.7	5.4	5.9	9.8	15.0	7.8	8.7	5.6	4.3	3.8	8.5	5.9	
220													0.4			
1,435	786	1,249	1.9	2.3	2.2	2.5	2.5	2.6	2.6	2.6	2.6	2.7	2.7	2.4	2.6	62
4,101	1,589	2,736	4.3	4.6	4.5	5.2	5.0	5.1	4.8	5.2	5.2	5.7	7.6	4.9	5.8	63
1,459	1,589	2,736	4.3	4.6	4.5	5.2	5.0	5.1	4.8	5.2	5.2	1.1	2.7	4.9	5.8	
2,642												4.6	4.9			
39,701	22,756	33,913	67.5	68.2	68.3	68.2	71.5	71.6	70.1	73.2	69.4	71.7	73.7	69.6	71.7	64
1,066	1,198	1,163	4.0	4.0	3.7	3.8	3.7	3.1	3.0	2.9	2.3	2.2	2.0	3.7	2.5	65
7,756	6,583	7,606	25.9	23.0	20.8	20.2	19.3	17.6	16.5	18.9	16.1	15.1	14.4	20.1	16.1	66
2,944	2,234	2,588	6.4	6.6	7.0	6.6	6.8	7.2	6.9	4.9	5.1	5.1	5.5	6.8	5.5	67
1,761	1,170	1,719	4.3	3.9	3.8	3.8	3.4	3.1	4.1	3.9	3.7	3.4	3.3	3.6	3.6	68
2,287	1,452	1,981	4.4	4.5	4.6	4.6	4.4	4.0	4.4	4.3	3.9	4.1	4.2	4.4	4.2	69
200	364	256	1.9	1.4	1.1	1.1	0.9	1.0	0.7	0.7	0.6	0.4	0.4	1.1	0.5	70
4,802	7,000	6,038	30.6	25.8	23.8	19.8	19.5	18.6	16.9	15.7	13.2	10.5	8.9	21.4	12.8	71
123	87	103	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	72
362	2,240	2,599	7.9	7.6	7.1	6.8	6.3	6.5	6.3	6.2	5.5	5.2	0.7	6.9	5.5	73
2,069													3.8			74
37	22	29	0.1	0.1	(1)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	75
967	413	776	0.6	0.9	0.9	1.3	1.6	1.5	1.5	1.7	1.6	1.6	1.8	1.3	1.6	76

[4] Figures for deaths not available for the entire period.

[5] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, BY CAUSES

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.									
		1900	1901	1902	1903	1904	1905	1906	1907.	1908	1909
	III.—Diseases of the circulatory system	45,279	46,250	49,233	52,275	57,220	58,503	70,666	78,365	80,607	90,456
77	Pericarditis	809	748	753	664	624	594	659	634	585	660
78	Acute endocarditis *	3,654	3,299	3,681	3,202	3,880	4,265	5,285	5,971	5,994	6,906
79	Organic diseases of the heart *	34,210	35,586	37,577	40,704	44,472	44,723	53,581	59,157	60,038	65,971
80	Angina pectoris	1,958	1,981	2,080	2,192	2,180	2,281	2,750	2,924	2,997	3,481
81	Diseases of the arteries, atheroma, aneurism, etc	1,876	2,132	2,629	2,908	3,516	4,145	5,478	6,727	7,935	10,174
82	Embolism and thrombosis	1,219	1,261	1,306	1,449	1,401	1,417	1,717	1,733	1,907	1,981
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	153	175	153	176	202	227	244	258	251	320
84	Diseases of the lymphatic system (lymphangitis, etc.)	76	57	53	58	83	73	92	92	126	154
85	Hemorrhage; other diseases of the circulatory system *	1,324	1,011	1,001	922	862	778	860	869	774	809
	IV.—Diseases of the respiratory system	78,832	72,080	71,027	70,930	76,975	69,445	82,174	89,246	81,758	90,868
86	Diseases of the nasal fossae	31	95	72	57	44	88	81	85	85	109
87	Diseases of the larynx	925	838	837	787	710	610	819	801	770	770
88	Diseases of the thyroid body	67	90	93	93	97	110	147	165	185	194
89	Acute bronchitis	8,135	7,040	7,588	6,842	6,910	6,598	7,410	7,363	7,089	6,939
90	Chronic bronchitis	5,924	5,425	4,993	5,005	5,021	4,711	5,015	5,557	5,043	5,188
91	Bronchopneumonia	6,733	8,894	10,153	10,964	12,219	11,608	15,646	16,881	16,758	21,026
92	Pneumonia (total)	48,780	41,715	39,715	39,764	44,957	39,068	45,431	50,439	44,501	49,007
	Lobar pneumonia	} 48,780	41,715	39,715	39,764	44,957	39,068	45,431	50,439	44,501	{ 18,350
	Pneumonia (undefined)										30,657
93	Pleurisy	1,448	1,469	1,442	1,463	1,598	1,627	1,796	1,898	1,848	2,082
94	Pulmonary congestion, pulmonary apoplexy	3,504	3,254	2,978	2,885	2,597	2,297	2,699	2,838	2,596	2,550
95	Gangrene of the lung	125	172	196	132	157	174	198	183	146	221
96	Asthma	1,359	1,259	1,264	1,262	1,207	1,109	1,340	1,402	1,313	1,419
97	Pulmonary emphysema	255	268	257	247	189	176	167	202	175	137
98	Other diseases of the respiratory system (tuberculosis excepted).	1,546	1,561	1,439	1,429	1,269	1,269	1,425	1,432	1,249	1,226
	V.—Diseases of the digestive system	68,908	62,608	60,871	61,009	65,952	68,731	86,110	84,598	89,513	91,863
99	Diseases of the mouth and annexa	270	256	229	235	256	232	335	305	324	356
100	Diseases of the pharynx	545	469	461	439	520	477	641	710	690	792
101	Diseases of the esophagus	119	98	126	113	110	117	124	151	137	129
102	Ulcer of the stomach	804	871	905	905	1,044	1,094	1,423	1,481	1,523	1,770
103	Other diseases of the stomach (cancer excepted)	6,401	5,604	5,562	5,788	5,943	6,031	7,702	7,587	7,830	8,171
104	Diarrhea and enteritis (under 2 years)	33,479	28,523	26,903	26,697	30,315	33,032	42,581	41,563	44,521	44,648
105	Diarrhea and enteritis (2 years and over)	7,506	7,073	6,724	6,338	6,549	6,367	7,804	7,176	7,692	7,868
106	Ankylostomiasis *	} 32	41	35	29	37	48	66	58	65	62
107	Intestinal parasites *										
108	Appendicitis and typhlitis	2,987	3,131	3,216	3,589	3,946	4,062	4,673	4,671	5,289	5,768
109	Hernia, intestinal obstruction (total)	3,746	3,938	4,007	4,256	4,445	4,632	5,697	5,722	5,976	6,371
	Hernia	1,160	1,272	1,316	1,412	1,405	1,413	1,771	1,785	1,867	2,018
	Intestinal obstruction	2,586	2,666	2,691	2,844	3,040	3,219	3,926	3,937	4,109	4,353
110	Other diseases of the intestines	975	941	926	915	932	1,013	1,221	1,106	1,248	1,411
111	Acute yellow atrophy of the liver	104	104	144	119	143	147	152	169	187	211
112	Hydatid tumor of the liver	10	8	14	9	12	14	13	9	13	19
113	Cirrhosis of the liver	3,970	4,265	4,460	4,731	5,020	4,994	6,079	6,604	6,709	7,045
114	Biliary calculi	459	500	668	795	832	883	1,134	1,110	1,275	1,486
115	Other diseases of the liver	2,730	2,558	2,483	2,545	2,340	2,289	2,851	2,808	2,746	2,829
116	Diseases of the spleen	89	82	89	88	76	90	101	89	94	97
117	Simple peritonitis (nonpuerperal)	4,639	4,091	3,824	3,333	3,331	3,105	3,357	3,131	2,978	2,611
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	43	55	95	85	101	104	156	148	216	219
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	32,567	33,489	34,608	38,013	40,450	41,361	48,038	51,472	51,717	57,070
119	Acute nephritis	2,312	2,498	2,983	3,173	3,470	3,565	4,035	4,517	4,632	5,018
120	Bright's disease	25,065	25,507	26,136	28,641	30,911	31,631	36,898	39,519	39,203	43,412
121	Chyluria *	} 990	947	938	917	923	906	1,116	1,130	1,280	1,318
122	Other diseases of the kidneys and annexa *										
123	Calculi of the urinary passages	116	126	150	151	154	193	227	229	250	292
124	Diseases of the bladder	1,644	1,530	1,432	1,450	1,408	1,257	1,406	1,491	1,476	1,484
125	Diseases of the urethra, urinary abscess, etc	121	119	122	140	146	152	173	186	190	234
126	Diseases of the prostate	423	621	666	1,012	927	1,083	1,296	1,456	1,495	1,873
127	Nonvenereal diseases of the male genital organs	21	27	32	47	39	31	44	36	39	49
128	Uterine hemorrhage (nonpuerperal)	104	107	84	87	79	86	76	69	90	79
129	Uterine tumor (noncancerous)	403	529	536	608	620	611	731	813	845	862
130	Other diseases of the uterus	530	513	522	616	575	596	723	696	717	759
131	Cysts and other tumors of the ovary	349	411	428	439	433	440	431	456	454	518
132	Salpingitis and other diseases of the female genital organs	473	540	571	714	743	786	860	852	1,015	1,146
133	Nonpuerperal diseases of the breast (cancer excepted)	16	14	8	18	22	24	22	22	31	26
	VII.—The puerperal state	4,106	4,294	4,164	4,569	5,109	5,077	6,341	6,719	7,344	7,791
134	Accidents of pregnancy	526	526	535	570	579	537	762	757	772	834
135	Puerperal hemorrhage *	210	287	284	341	360	413	454	465	425	357
136	Other accidents of labor *	236	306	283	280	321	286	469	471	598	788
137	Puerperal septicemia *	1,769	1,882	1,813	1,992	2,291	2,309	2,622	2,908	3,271	3,427
138	Puerperal albuminuria and convulsions *	671	803	768	929	1,075	981	1,348	1,470	1,619	1,706
139	Puerperal phlegmasia alba dolens, embolus, sudden death *	5	1	2	5	3	7	32	8	13	23
140	Following childbirth (not otherwise defined) *	689	488	478	452	479	542	654	638	643	650
141	Puerperal diseases of the breast		1	1		1	2		2	3	6

[1] Less than one-tenth of 1 per 100,000.

ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1900 TO 1910—Continued.

[See note at head of this table.]

NUMBER OF DEATHS—contd.			DEATH RATE PER 100,000 POPULATION.												Detailed Int. List No.
1910	Annual average, 1901 to 1905	Annual average, 1906 to 1910	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	Annual average, 1901 to 1905	Annual average, 1906 to 1910	
100,106	52,696	84,040	147.2	147.4	153.7	159.9	171.6	171.8	168.3	182.2	172.3	177.8	185.9	161.2	177.7	
650	677	638	2.6	2.4	2.4	2.0	1.9	1.7	1.6	1.5	1.3	1.3	1.2	2.1	1.3	77
4,792	3,665	5,790	11.9	10.5	11.5	9.8	11.6	12.5	12.6	13.9	12.8	13.6	8.9	11.2	12.2	78
76,178	40,612	62,985	111.2	113.4	117.3	124.5	133.4	131.3	127.6	137.5	128.3	129.7	141.5	124.2	133.2	79
3,869	2,143	3,204	6.4	6.3	6.5	6.7	6.5	6.7	6.6	6.8	6.4	6.8	7.2	6.6	6.8	80
11,657	3,066	8,394	6.1	6.8	8.2	8.9	10.5	12.2	13.0	15.6	17.0	20.0	21.6	9.4	17.7	81
1,990	1,367	1,866	4.0	4.0	4.1	4.4	4.2	4.2	4.1	4.0	4.1	3.9	3.7	4.2	3.9	82
349	187	284	0.5	0.6	0.5	0.5	0.6	0.7	0.6	0.6	0.5	0.6	0.6	0.6	0.6	83
255	65	144	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.5	0.2	0.3	84
366	915	736	4.3	3.3	3.2	2.8	2.6	2.3	2.1	2.0	1.7	1.6	0.7	2.8	1.6	85
100,835	72,091	88,976	256.2	229.8	221.8	216.9	230.8	203.9	195.7	207.5	174.7	178.6	187.3	220.5	188.1	
135	71	99	0.1	0.3	0.2	0.2	0.1	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2	86
746	756	781	3.0	2.7	2.6	2.4	2.1	1.8	2.0	1.9	1.6	1.5	1.4	2.3	1.7	87
224	97	183	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.3	0.4	88
7,229	6,996	7,206	26.4	22.4	23.7	20.9	20.7	19.4	17.6	17.1	15.2	13.6	13.4	21.4	15.2	89
5,391	5,031	5,239	19.3	17.3	15.6	15.3	15.1	13.8	11.9	12.9	10.8	10.2	10.0	15.4	11.1	90
25,337	10,768	19,130	21.9	28.4	31.7	33.5	36.6	34.1	37.3	39.2	35.8	41.3	47.1	32.9	40.4	91
54,187	41,044	48,713	158.6	133.0	124.0	121.6	134.8	114.7	108.2	117.3	95.1	96.3	100.6	125.5	103.0	92
24,972	41,044	48,713	158.6	133.0	124.0	121.6	134.8	114.7	108.2	117.3	95.1	36.1	46.4	125.5	103.0	
29,215												60.3	54.3			
2,150	1,520	1,955	4.7	4.7	4.5	4.5	4.8	4.8	4.3	4.4	3.9	4.1	4.0	4.6	4.1	93
2,499	2,802	2,636	11.4	10.4	9.3	8.8	7.8	6.7	6.4	6.6	5.5	5.0	4.6	8.6	5.6	94
138	166	177	0.4	0.5	0.6	0.4	0.5	0.5	0.5	0.4	0.3	0.4	0.3	0.5	0.4	95
1,454	1,220	1,386	4.4	4.0	3.9	3.9	3.6	3.3	3.2	3.3	2.8	2.8	2.7	3.7	2.9	96
166	227	169	0.8	0.9	0.8	0.8	0.6	0.5	0.4	0.5	0.4	0.3	0.3	0.7	0.4	97
1,179	1,393	1,302	5.0	5.0	4.5	4.4	3.8	3.7	3.4	3.3	2.7	2.4	2.2	4.3	2.8	98
104,801	63,834	91,377	223.9	199.6	190.0	186.6	197.8	201.9	205.1	196.6	191.3	180.6	194.6	195.2	193.2	
423	242	349	0.9	0.8	0.7	0.7	0.8	0.7	0.8	0.7	0.7	0.7	0.8	0.7	0.7	99
840	473	735	1.7	1.5	1.4	1.3	1.6	1.4	1.5	1.7	1.5	1.6	1.6	1.4	1.6	100
120	113	132	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.2	0.3	0.3	101
2,203	964	1,680	2.6	2.8	2.8	2.8	3.1	3.2	3.4	3.4	3.3	3.5	4.1	2.9	3.6	102
8,403	5,786	7,939	20.8	17.9	17.4	17.7	17.8	17.7	18.3	17.6	16.7	16.1	15.6	17.7	16.8	103
54,266	29,094	45,516	108.8	90.9	84.0	81.6	90.9	97.0	101.4	96.6	95.2	87.8	100.8	89.0	96.2	104
8,914	6,610	7,891	24.4	22.5	21.0	19.4	19.6	18.7	18.6	16.7	16.4	15.5	16.6	20.2	16.7	105
9	38	67	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	(1)	0.1	0.1	106
76													0.1			107
6,128	3,589	5,306	9.7	10.0	10.0	11.0	11.8	11.9	11.1	10.9	11.3	11.3	11.4	11.0	11.2	108
6,678	4,256	6,089	12.2	12.6	12.5	13.0	13.3	13.6	13.6	13.3	12.8	12.6	12.4	13.0	12.9	109
2,192	1,364	1,927	3.8	4.1	4.1	4.3	4.2	4.1	4.2	4.1	4.0	4.0	4.1	4.2	4.1	
4,486	2,892	4,162	8.4	8.5	8.4	8.7	9.1	9.5	9.4	9.2	8.8	8.6	8.3	8.8	8.8	
1,571	945	1,311	3.2	3.0	2.9	2.8	2.8	3.0	2.9	2.6	2.7	2.8	2.9	2.9	2.8	110
224	131	189	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	111
24	11	16	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	112
7,485	4,694	6,784	12.9	13.6	13.9	14.5	15.1	14.7	14.5	15.4	14.3	13.8	13.9	14.4	14.3	113
1,501	736	1,301	1.5	1.6	2.1	2.4	2.5	2.6	2.7	2.6	2.7	2.9	2.8	2.2	2.8	114
3,092	2,443	2,865	8.9	8.2	7.8	7.8	7.0	6.7	6.8	6.5	5.9	5.6	5.7	7.5	6.1	115
96	85	95	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	116
2,419	3,537	2,899	15.1	13.0	11.9	10.2	10.0	9.1	8.0	7.3	6.4	5.1	4.5	10.8	6.1	117
329	88	214	0.1	0.2	0.3	0.3	0.3	0.3	0.4	0.3	0.5	0.4	0.6	0.3	0.5	118
62,559	37,584	54,171	105.9	106.8	108.0	116.2	121.3	121.5	114.4	119.7	110.5	112.2	116.2	114.9	114.5	
5,665	3,138	4,773	7.5	8.0	9.3	9.7	10.4	10.5	9.6	10.5	9.9	9.9	10.5	9.6	10.1	119
47,665	28,565	41,339	81.5	81.3	81.6	87.6	92.7	92.9	87.9	91.9	83.8	85.3	88.5	87.4	87.4	120
1	926	1,247	3.2	3.0	2.9	2.8	2.8	2.7	2.7	2.6	2.7	2.6	(1)	2.8	2.6	121
1,389													2.6			122
329	155	265	0.4	0.4	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.6	0.6	0.5	0.6	123
1,561	1,415	1,484	5.3	4.9	4.5	4.4	4.2	3.7	3.3	3.5	3.2	2.9	2.9	4.3	3.1	124
237	136	204	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.4	0.4	125
2,020	862	1,628	1.4	2.0	2.1	3.1	2.8	3.2	3.1	3.4	3.2	3.7	3.8	2.6	3.4	126
75	35	49	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	127
81	89	79	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	128
933	581	837	1.3	1.7	1.7	1.9	1.9	1.8	1.7	1.9	1.8	1.7	1.7	1.8	1.8	129
774	564	734	1.8	1.7	1.7	1.9	1.8	1.8	1.7	1.7	1.5	1.5	1.4	1.7	1.6	130
500	430	472	1.1	1.3	1.3	1.3	1.3	1.3	1.0	1.1	1.0	1.0	0.9	1.3	1.0	131
1,298	671	1,034	1.5	1.7	1.8	2.2	2.2	2.3	2.0	2.0	2.2	2.3	2.4	2.1	2.2	132
31	17	26	0.1	(1)	(1)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	133
8,455	4,643	7,330	13.3	13.7	13.0	14.0	15.3	14.9	15.1	15.6	15.7	15.3	15.7	14.2	15.5	
877	549	800	1.7	1.7	1.7	1.7	1.7	1.6	1.8	1.8	1.6	1.6	1.6	1.7	1.7	134
754	337	491	0.7	0.9	0.9	1.0	1.1	1.2	1.1	1.1	0.9	0.7	1.4	1.0	1.0	135
820	295	629	0.8	1.0	0.9	0.9	1.0	0.8	1.1	1.1	1.3	1.5	1.5	0.9	1.3	136
3,892	2,057	3,224	5.7	6.0	5.7	6.1	6.9	6.8	6.2	6.8	7.0	6.7	7.2	6.3	6.8	137
1,824	911	1,593	2.2	2.6	2.4	2.8	3.2	2.9	3.2	3.4	3.5	3.4	3.4	2.8	3.4	138
230	4	61	(1)	(1)	(1)	(1)	(1)	(1)	0.1	(1)	(1)	(1)	0.4	(1)	0.1	139
53	488	528	2.2	1.6	1.5	1.4	1.4	1.6	1.6	1.5	1.4	1.3	0.1	1.5	1.1	140
5	1	3	.....	(1)	(1)	.....	(1)	(1)	.....	(1)	(1)	(1)	(1)	(1)	(1)	141

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, BY CAUSES

[See note at head of this table.]

Detailed List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.									
		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909
	VIII.—Diseases of the skin and of the cellular tissue.	2,461	2,419	2,269	2,470	2,397	2,406	2,778	2,759	2,817	2,985
142	Gangrene	1,345	1,460	1,327	1,482	1,500	1,518	1,592	1,688	1,562	1,691
143	Furuncle	153	166	154	151	134	142	205	167	203	257
144	Acute abscess	599	464	448	547	476	432	522	485	514	534
145	Other diseases of the skin and annexa	364	329	340	290	287	314	459	419	538	503
	IX.—Diseases of the bones and of the organs of locomotion.	677	807	849	980	990	1,036	1,235	1,252	1,418	1,455
146	Diseases of the bones (tuberculosis excepted) *	558	642	715	829	861	929	1,069	1,115	1,296	1,325
147	Diseases of the joints (tuberculosis and rheumatism excepted).	47	79	57	93	82	66	91	106	81	88
148	Amputations	63	47	45	39	27	18	31	12	10	3
149	Other diseases of the organs of locomotion	9	39	32	19	20	23	44	19	31	39
	X.—Malformations	3,540	3,453	3,440	4,025	4,382	4,588	6,220	6,452	6,907	7,755
150	Congenital malformations (stillbirths not included) (total)	3,540	3,453	3,440	4,025	4,382	4,588	6,220	6,452	6,907	7,755
	Hydrocephalus	635	571	490	533	541	499	695	622	681	664
	Congenital malformations of the heart	1,871	1,794	1,875	2,141	2,434	2,706	3,659	3,937	4,179	4,766
	Other congenital malformations	1,034	1,088	1,075	1,351	1,407	1,383	1,866	1,893	2,047	2,325
	XI.—Early infancy *	24,704	21,856	23,115	24,183	25,900	25,783	32,286	33,441	35,384	36,782
151	Congenital debility, icterus, and sclerema * (total)	17,713	15,178	16,018	17,085	18,223	21,728	28,274	29,347	30,890	31,770
	Premature birth	10,170	8,615	9,087	10,143	11,361	11,102	14,250	15,245	16,441	18,286
	Congenital debility, "atrophy," "marasmus," etc.	7,543	6,563	6,931	6,942	6,862	10,626	14,024	14,102	14,449	13,484
152	Other causes peculiar to early infancy * (total)	1,965	1,933	2,059	2,606	2,870	3,026	3,653	3,982	4,376	4,906
	Injuries at birth	1,050	1,134	1,304	1,669	1,899	2,166	2,543	2,804	3,110	3,508
	Other causes peculiar to early infancy [2]	915	799	755	937	971	860	1,110	1,178	1,266	1,398
153	Lack of care *	5,026	4,745	5,038	4,492	4,807	1,029	359	112	118	106
	XII.—Old age *	15,510	14,758	14,225	12,780	12,938	12,301	14,048	13,660	13,807	13,456
154	Senility *	15,510	14,758	14,225	12,780	12,938	12,301	14,048	13,660	13,807	13,456
	XIII.—External causes *	28,479	32,196	29,831	33,873	34,745	35,612	47,009	49,744	49,311	52,029
	Suicide (total)	3,534	3,824	4,054	4,510	4,912	5,438	5,853	6,745	8,332	8,402
155	By poison	1,023	1,254	1,344	1,627	1,698	1,820	1,834	2,141	2,511	2,462
156	By asphyxia	180	245	280	368	414	516	509	609	878	989
157	By hanging or strangulation	607	608	620	625	772	794	835	938	1,171	1,215
158	By drowning	180	210	223	204	242	276	280	307	464	507
159	By firearms	835	913	953	1,052	1,185	1,435	1,714	2,027	2,468	2,395
160	By cutting or piercing instruments	171	209	221	297	273	306	356	418	507	536
161	By jumping from high places	31	41	45	69	66	54	84	108	157	156
162	By crushing	11	14	15	25	22	26	37	58	66	84
163	Other suicides	496	330	353	243	240	211	204	139	110	58
	Accidental or undefined (total)	24,287	27,663	25,043	28,529	28,898	28,634	39,055	40,290	37,976	40,773
164	Poisoning by food *	1,351	1,234	1,374	1,551	1,632	1,269	1,734	1,725	1,652	1,779
165	Other acute poisonings *										
166	Conflagration *	[3]	[3]	[3]	640	1,015	272	283	371	687	637
167	Burns (conflagration excepted)	2,575	2,695	2,588	2,682	2,756	2,854	3,600	3,930	3,704	4,007
168	Absorption of deleterious gases (conflagration excepted) *	1,130	1,337	1,389	1,579	1,707	1,582	1,712	2,027	1,709	2,004
169	Accidental drowning	3,525	3,380	3,244	3,418	3,378	3,389	4,395	4,307	4,677	4,558
170	Traumatism by firearms	1,139	1,082	1,196	1,151	1,294	823	1,074	897	986	944
171	Traumatism by cutting or piercing instruments *	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
172	Traumatism by fall *	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
173	Traumatism in mines and quarries (total)	162	274	199	305	329	491	1,523	2,130	1,917	1,997
	Traumatism in mines	162	274	199	305	329	491	1,523	2,064	1,811	1,863
	Traumatism in quarries								66	106	134
174	Traumatism by machines	123	196	281	280	320	348	565	1,071	901	1,174
175	Traumatism by other crushing * (total)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
	Railroad accidents and injuries	3,644	4,102	4,485	5,484	5,084	5,731	7,090	7,676	6,080	6,659
	Street-car accidents and injuries							1,488	1,880	1,696	1,723
	Automobile accidents and injuries							183	294	393	632
	Injuries by other vehicles	409	557	660	907	949	1,168	1,524	1,810	1,924	2,152
	Landslide, other crushing *	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
176	Injuries by animals *	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
177	Starvation	29	40	38	36	30	22	42	27	34	37
178	Excessive cold	138	154	163	184	227	228	203	280	227	251
179	Effects of heat	1,266	4,012	290	520	235	881	763	580	829	816
180	Lightning	95	127	108	92	81	80	169	133	161	150
181	Electricity (lightning excepted) *	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
185	Fractures (cause not specified)	2,725	2,697	2,776	3,003	2,908	2,539	3,116	1,926	734	357
186	Other external violence *	5,976	5,776	6,252	6,697	6,953	6,957	9,591	9,226	9,665	10,896
	Homicide (total)	658	709	734	834	935	1,540	2,101	2,709	3,003	2,854
182	By firearms *	658	709	734	834	935	1,540	2,101	2,709	3,003	2,854
183	By cutting or piercing instruments *										
184	By other means *										
	XIV.—Ill-defined diseases	23,408	18,039	17,181	14,907	14,166	13,871	16,176	14,677	13,637	12,584
187	Ill-defined organic disease	2,204	1,580	1,609	1,221	1,144	1,002	1,084	927	852	725
188	Sudden death	77	109	139	118	96	152	201	216	202	273
189	Not specified or ill-defined * (total)	21,127	16,350	15,433	13,568	2,926	12,717	14,891	13,534	12,583	11,586
	Ill-defined	18,103	14,309	13,680	12,097	1,333	11,483	12,679	11,940	11,296	10,273
	Not specified or unknown	3,024	2,041	1,753	1,471	1,593	1,234	2,212	1,594	1,287	1,313

[1] Less than one-tenth of 1 per 100,000.

[2] Exclusive of injuries at birth.

[3] Not compiled separately prior to 1903.

ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1900 TO 1910—Continued.

[See note at head of this table.]

NUMBER OF DEATHS—contd.			DEATH RATE PER 100,000 POPULATION.												Detailed Int. List No.
1910	Annual average, 1901 to 1905	Annual average, 1906 to 1910	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	Annual average, 1901 to 1905	Annual average, 1906 to 1910	
3,008	2,392	2,869	8.0	7.7	7.1	7.6	7.2	7.1	6.6	6.4	6.0	5.9	5.6	7.3	6.1	
1,748	1,457	1,656	4.4	4.7	4.1	4.5	4.5	4.5	3.8	3.9	3.3	3.3	3.2	4.5	3.5	142
273	149	221	0.5	0.5	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.5	0.5	0.5	143
506	473	512	1.9	1.5	1.4	1.7	1.4	1.3	1.2	1.1	1.1	1.0	0.9	1.4	1.1	144
481	312	480	1.2	1.0	1.1	0.9	0.9	0.9	1.1	1.0	1.1	1.0	0.9	1.0	1.0	145
1,317	932	1,335	2.2	2.6	2.7	3.0	3.0	3.0	2.9	2.9	3.0	2.9	2.4	2.9	2.8	
1,145	795	1,190	1.8	2.0	2.2	2.5	2.6	2.7	2.5	2.6	2.8	2.6	2.1	2.4	2.5	146
119	75	97	0.2	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	147
7	35	13	0.2	0.1	0.1	0.1	0.1	0.1	0.1	(1)	(1)	(1)	(1)	0.1	(1)	148
46	27	36	(1)	0.1	0.1	0.1	0.1	0.1	0.1	(1)	0.1	0.1	0.1	0.1	0.1	149
7,998	3,978	7,066	11.5	11.0	10.7	12.3	13.1	13.5	14.8	15.0	14.8	15.2	14.9	12.2	14.9	
7,998	3,978	7,066	11.5	11.0	10.7	12.3	13.1	13.5	14.8	15.0	14.8	15.2	14.9	12.2	14.9	150
685	527	669	2.0	1.8	1.5	1.6	1.6	1.5	1.7	1.4	1.5	1.3	1.3	1.6	1.4	
4,821	2,190	4,272	6.1	5.7	5.9	6.5	7.3	7.9	8.7	9.2	8.9	9.4	9.0	6.7	9.0	
2,492	1,261	2,125	3.4	3.5	3.4	4.1	4.2	4.1	4.4	4.4	4.4	4.6	4.6	3.9	4.5	
39,388	24,167	35,456	80.3	69.7	72.2	73.9	77.7	75.8	76.9	77.7	75.6	72.3	73.2	73.9	75.0	
32,350	17,646	30,526	57.6	48.4	50.0	52.2	54.7	63.8	67.3	68.2	66.0	62.4	60.1	54.0	64.5	151
20,275	10,062	16,899	33.1	27.5	28.4	31.0	34.1	32.6	33.9	35.4	35.1	35.9	37.7	30.8	35.7	
12,075	7,585	13,627	24.5	20.9	21.6	21.2	20.6	31.2	33.4	32.8	30.9	26.5	22.4	23.2	28.8	
6,906	2,499	4,765	6.4	6.1	6.5	8.0	8.6	8.9	8.7	9.2	9.3	9.6	12.8	7.6	10.1	152
3,725	1,634	3,138	3.4	3.6	4.1	5.1	5.7	6.4	6.1	6.5	6.6	6.9	6.9	5.0	6.6	
3,181	864	1,627	3.0	2.5	2.4	2.9	2.9	2.5	2.6	2.7	2.7	2.7	5.9	2.6	3.4	
132	4,022	165	16.3	15.1	15.7	13.7	14.4	3.0	0.9	0.3	0.3	0.2	0.2	12.3	0.3	153
13,604	13,400	13,715	50.4	47.0	44.4	39.1	38.8	36.1	33.5	31.8	29.5	26.5	25.3	41.0	29.0	
13,604	13,400	13,715	50.4	47.0	44.4	39.1	38.8	36.1	33.5	31.8	29.5	26.5	25.3	41.0	29.0	154
57,196	33,251	51,058	92.6	102.6	93.1	103.6	104.2	104.5	111.9	115.7	105.4	102.3	106.2	101.7	107.9	
8,590	4,548	7,584	11.5	12.2	12.7	13.8	14.7	16.0	13.9	15.7	17.8	16.5	16.0	13.9	16.0	
2,456	1,549	2,281	3.3	4.0	4.2	5.0	5.1	5.3	4.4	5.0	5.4	4.8	4.6	4.7	4.8	155
941	365	785	0.6	0.8	0.9	1.1	1.2	1.5	1.2	1.4	1.9	1.9	1.7	1.1	1.7	156
1,265	684	1,085	2.0	1.9	1.9	1.9	2.3	2.3	2.0	2.2	2.5	2.4	2.3	2.1	2.3	157
517	231	415	0.6	0.7	0.7	0.6	0.7	0.8	0.7	0.7	1.0	1.0	1.0	0.7	0.9	158
2,561	1,108	2,233	2.7	2.9	3.0	3.2	3.6	4.2	4.1	4.7	5.3	4.7	4.8	3.4	4.7	159
544	261	472	0.6	0.7	0.7	0.9	0.8	0.9	0.8	1.0	1.1	1.1	1.0	0.8	1.0	160
137	55	128	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	161
88	20	67	(1)	(1)	(1)	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	162
81	275	118	1.6	1.1	1.1	0.7	0.7	0.6	0.5	0.3	0.2	0.1	0.2	0.8	0.3	163
45,416	27,753	40,702	79.0	88.1	78.1	87.2	86.7	84.0	93.0	93.7	81.2	80.2	84.3	84.9	86.0	
157	1,412	1,655	4.4	3.9	4.3	4.7	4.9	3.7	4.1	4.0	3.5	3.5	0.3	4.3	3.5	164
1,227													2.3			165
745	(4)	545	(3)	(3)	(3)	2.0	3.0	0.8	0.7	0.9	1.5	1.3	1.4	(4)	1.2	166
4,182	2,715	3,885	8.4	8.6	8.1	8.2	8.3	8.4	8.6	9.1	7.9	7.9	7.8	8.3	8.2	167
1,379	1,519	1,766	3.7	4.3	4.3	4.8	5.1	4.6	4.1	4.7	3.7	3.9	2.6	4.6	3.7	168
4,818	3,362	4,551	11.5	10.8	10.1	10.5	10.1	10.0	10.5	10.0	10.0	9.0	8.9	10.3	9.6	169
1,161	1,109	1,012	3.7	3.4	3.7	3.5	3.9	2.4	2.6	2.1	2.1	1.9	2.2	3.4	2.1	170
89	(5)	(4)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	0.2	(5)	(4)	171
8,305	(5)	(4)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	15.4	(5)	(4)	172
2,484	320	2,010	0.5	0.9	0.6	0.9	1.0	1.4	3.6	5.0	4.1	3.9	4.6	1.0	4.2	173
2,366	320	2,010	0.5	0.9	0.6	0.9	1.0	1.4	3.6	4.8	3.9	3.7	4.4	1.0	4.2	
118										0.2	0.2	0.3	0.2			
1,299	285	1,062	0.4	0.6	0.9	0.9	1.0	1.0	1.3	2.5	1.9	2.3	2.4	0.9	2.1	174
13,302	(5)	(4)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	24.7	(5)	(4)	175
7,877	4,977	7,076	11.9	13.1	14.0	16.8	15.2	16.8	16.9	17.8	13.0	13.1	14.6	15.2	15.0	
1,949		1,747							3.5	4.4	3.6	3.4	3.6		3.7	
980	848	496	1.3	1.8	2.1	2.8	2.8	3.4	0.4	0.7	0.8	1.2	1.8	2.6	1.0	
1,940		1,870							3.6	4.2	4.1	4.2	3.6		4.0	
556	(5)	(4)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	1.0	(5)	(4)	
502	(5)	(4)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	0.9	(5)	(4)	176
38	33	36	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	177
254	191	243	0.4	0.5	0.5	0.6	0.7	0.7	0.5	0.7	0.5	0.5	0.5	0.6	0.5	178
826	1,188	763	4.1	12.8	0.9	1.6	0.7	2.6	1.8	1.3	1.8	1.6	1.5	3.6	1.6	179
156	98	154	0.3	0.4	0.3	0.3	0.2	0.2	0.4	0.3	0.3	0.3	0.3	0.3	0.3	180
478	(5)	(4)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	0.9	(5)	(4)	181
623	2,785	1,351	8.9	8.6	8.7	9.2	8.7	7.4	7.4	4.5	1.6	0.7	1.2	8.5	2.9	185
3,391	6,527	8,554	19.5	18.4	19.5	20.5	20.9	20.4	22.8	21.5	20.6	21.4	6.3	20.0	18.1	186
3,190	950	2,771	2.1	2.3	2.3	2.6	2.8	4.5	5.0	6.3	6.4	5.6	5.9	2.9	5.9	
1,852													3.4			182
452	950	2,771	2.1	2.3	2.3	2.6	2.8	4.5	5.0	6.3	6.4	5.6	0.8	2.9	5.9	183
886													1.6			184
12,462	15,633	13,907	76.1	57.5	53.6	45.5	42.5	40.7	38.5	34.1	29.2	24.7	23.1	47.8	29.4	
622	1,311	842	7.2	5.0	5.0	3.7	3.4	2.9	2.6	2.2	1.8	1.4	1.2	4.0	1.8	187
271	123	233	0.3	0.3	0.4	0.4	0.3	0.4	0.5	0.5	0.4	0.5	0.5	0.4	0.5	188
11,569	14,199	12,833	68.6	52.0	48.2	41.4	38.8	37.4	35.6	31.4	27.0	22.8	21.5	43.4	27.1	189
9,932	12,580	11,224	58.8	45.5	42.7	36.9	34.0	33.8	30.3	27.7	24.2	20.2	18.4	38.5	23.7	
1,637	1,618	1,609	9.8	6.5	5.5	4.5	4.8	3.6	5.3	3.7	2.8	2.6	3.0	4.9	3.4	

[4] Figures for deaths not available for the entire period.

[5] Not compiled separately prior to 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term states." Numbers under causes of death correspond to those of the Abridged International List (see p. 21).]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	SUMMARY.														
1	The registration area (total)	1,495.8	23.5	2.2	0.4	12.3	11.6	11.4	21.4	14.4	4.5	139.7	8.6	12.0	7.4
2	White	1,457.3	22.8	1.4	0.4	12.4	12.0	10.7	21.8	14.0	4.6	128.6	8.5	11.1	7.3
3	Colored	2,420.2	41.0	19.8	0.6	9.5	3.4	28.9	11.4	24.3	4.0	404.7	12.1	32.7	10.3
4	Registration states[2] (total)	1,471.7	22.8	1.3	0.4	12.5	11.4	11.7	21.1	14.3	4.6	134.2	8.8	11.8	7.4
5	White	1,450.1	22.4	1.2	0.4	12.6	11.6	11.0	21.4	14.1	4.6	126.5	8.6	11.1	7.4
6	Colored	2,199.9	36.5	7.7	0.4	10.2	3.7	34.8	11.9	18.7	3.4	393.6	15.1	35.2	9.3
7	Cities in registration states[2] (total)	1,589.3	22.4	1.0	0.4	13.4	14.2	11.4	25.7	10.6	5.2	155.5	11.7	12.2	7.7
8	White	1,558.3	22.0	0.8	0.4	13.5	14.5	10.8	26.2	10.3	5.2	145.4	11.4	11.3	7.6
9	Colored	2,498.3	34.9	6.1	0.5	9.9	3.2	31.2	13.5	18.0	3.6	449.2	20.1	39.3	9.7
10	Rural part of registration states (total).	1,340.8	23.3	1.7	0.4	11.6	8.2	11.9	15.9	18.4	3.9	110.5	5.5	11.4	7.1
11	White	1,330.7	22.9	1.5	0.4	11.6	8.3	11.2	16.1	18.4	3.9	105.6	5.4	11.0	7.1
12	Colored	1,749.9	39.0	10.2	0.4	10.7	4.4	40.3	9.6	19.8	3.1	309.8	7.6	29.0	8.7
13	Registration cities in other states (total).	1,686.6	29.3	8.6	0.2	10.1	13.7	9.4	23.7	15.7	4.3	183.0	7.8	13.0	7.5
14	White	1,521.4	26.4	3.9	0.1	10.4	15.3	8.1	25.6	13.0	4.2	147.6	7.9	10.8	6.9
15	Colored	2,815.1	48.9	41.4	0.8	8.2	2.9	18.3	10.5	34.2	5.1	424.6	6.6	28.0	12.5
16	All registration cities[2] (total)	1,608.1	23.7	2.5	0.4	12.8	14.1	11.0	25.3	11.6	5.0	160.8	10.9	12.4	7.6
17	White	1,551.7	22.8	1.4	0.4	13.0	14.7	10.3	26.1	10.8	5.1	145.8	10.8	11.2	7.5
18	Colored	2,650.7	41.6	23.1	0.6	9.1	3.1	25.0	12.0	25.8	4.3	437.4	13.6	33.9	10.9
	REGISTRATION STATES.														
19	California (total)	1,352.1	19.2	3.5	(3)	7.4	2.9	11.9	9.2	6.3	3.2	180.4	9.8	14.7	5.3
20	White	1,347.1	18.8	3.2	(3)	7.4	3.1	11.9	9.2	6.5	3.3	172.4	9.7	14.1	5.2
21	Colored	1,448.4	26.2	11.0	.....	7.6	.....	11.8	8.4	2.5	0.8	333.4	12.7	26.2	6.8
22	Colorado (total)	1,375.9	41.9	1.1	0.9	8.0	12.9	4.4	16.2	9.6	5.6	207.7	7.2	9.9	7.0
23	White	1,360.1	41.3	1.1	0.9	7.9	12.9	4.4	16.4	9.8	5.5	203.7	7.0	9.6	7.1
24	Colored	2,175.0	70.6	.....	.....	12.8	12.8	.....	6.4	.....	12.8	410.6	19.2	25.7	.....
25	Connecticut (total)	1,563.6	14.7	2.5	.....	8.2	11.5	13.0	25.1	21.7	4.9	131.1	8.3	10.6	8.5
26	White	1,551.7	14.7	2.5	.....	8.3	11.7	12.9	25.1	21.8	5.0	127.9	8.2	9.8	8.4
27	Colored	2,389.2	19.0	.....	.....	.....	.....	25.3	25.3	19.0	.....	354.0	19.0	69.5	12.6
28	Indiana (total)	1,347.5	34.0	4.2	(3)	16.6	7.5	14.7	14.5	19.9	4.9	144.9	9.4	19.9	6.6
29	White	1,324.2	34.1	4.1	(3)	16.6	7.5	14.6	14.5	19.7	4.7	137.5	9.4	17.9	6.6
30	Colored	2,359.5	29.6	8.2	.....	16.4	8.2	19.7	13.1	27.9	11.5	466.3	11.5	106.7	6.6
31	Maine (total)	1,711.9	20.3	0.4	.....	13.0	5.5	13.0	13.3	16.5	3.2	120.9	11.7	16.9	6.6
32	White	1,714.2	20.4	0.4	.....	13.1	5.5	13.1	13.4	16.5	3.2	120.6	11.7	17.0	6.6
33	Colored	976.2	.....	.....	.....	.....	.....	.....	.....	42.4	.....	212.2	.....	.....	.....
34	Maryland (total)	1,603.3	40.7	1.7	.....	4.1	5.2	22.4	13.2	15.5	4.9	178.2	6.6	12.7	7.1
35	White	1,451.5	39.3	1.7	.....	4.3	6.1	13.3	13.8	14.0	5.2	136.8	6.8	10.5	6.6
36	Colored	2,298.4	46.9	1.7	.....	3.0	1.3	64.0	10.3	22.4	3.4	367.5	5.6	22.8	9.5
37	Massachusetts (total)	1,605.8	12.4	0.7	.....	11.6	8.0	8.5	20.8	13.2	5.2	137.6	13.8	11.4	6.6
38	White	1,600.4	12.4	0.7	.....	11.6	8.1	8.4	20.9	13.4	5.3	134.0	13.8	11.0	6.6
39	Colored	2,036.2	14.4	.....	.....	12.0	2.4	12.0	16.8	2.4	2.4	423.6	14.4	36.1	12.0
40	Michigan (total)	1,414.4	23.7	0.7	4.3	9.0	10.7	10.9	17.6	15.5	4.6	82.4	3.8	11.3	8.3
41	White	1,404.7	23.5	0.8	4.3	8.9	10.8	10.7	17.6	15.4	4.5	79.0	3.8	11.1	8.1
42	Colored	2,496.5	43.9	.....	4.0	19.9	4.0	39.9	12.0	27.9	8.0	462.6	.....	43.9	23.9
43	Minnesota (total)	1,089.0	32.1	0.1	0.5	11.9	14.5	7.5	26.1	4.7	3.8	90.5	7.7	10.9	6.4
44	White	1,089.0	32.2	0.1	0.5	11.7	14.5	7.5	26.2	4.7	3.8	89.9	7.6	10.9	6.4
45	Colored	1,087.3	24.3	.....	.....	36.4	6.1	6.1	18.2	.....	6.1	170.1	24.3	12.1	6.1
46	Montana (total)	1,055.6	39.9	.....	0.5	4.2	16.1	10.8	16.1	6.3	3.7	77.9	3.7	8.2	7.4
47	White	1,075.6	39.1	.....	0.6	4.4	16.8	11.0	16.8	6.6	3.9	76.2	3.3	7.7	7.7
48	Colored	583.2	58.3	.....	.....	.....	.....	6.5	.....	.....	.....	116.6	13.0	19.4	.....
49	New Hampshire (total)	1,729.1	10.7	0.2	.....	6.7	1.9	9.7	17.9	21.6	4.9	113.9	7.2	14.6	5.3
50	White	1,728.5	10.7	0.2	.....	6.7	1.9	9.8	17.7	21.6	4.9	114.1	7.0	14.6	5.3
51	Colored	2,121.2	.....	.....	.....	.....	.....	.....	151.5	.....	.....	.....	151.5	.....	.....
52	New Jersey (total)	1,546.8	14.5	1.0	.....	9.9	11.0	16.6	29.2	12.2	5.1	158.9	11.2	11.6	8.3
53	White	1,519.8	14.2	0.9	.....	10.0	11.2	14.5	30.0	12.5	5.2	150.4	10.4	10.5	8.2
54	Colored	2,269.5	22.9	3.3	.....	6.5	6.5	73.0	9.8	4.4	.....	389.1	32.7	41.4	10.9
55	New York (total)	1,612.5	15.3	0.9	0.1	13.9	18.1	8.1	26.6	13.3	5.2	158.2	12.3	9.9	7.9
56	White	1,599.7	15.2	0.9	0.1	13.9	18.2	7.9	26.8	13.3	5.2	153.1	12.0	9.5	7.8
57	Colored	2,397.4	16.3	3.4	1.4	10.9	7.5	19.0	14.2	16.3	5.4	471.5	27.8	30.5	9.5
58	North Carolina[4] (total)	1,865.5	57.7	33.2	1.7	27.1	2.2	17.1	18.5	28.2	3.6	247.8	6.4	17.4	6.4
59	White	1,588.3	54.5	22.2	1.7	32.0	3.0	14.5	20.5	22.6	4.7	178.5	7.2	11.1	4.3
60	Colored	2,376.9	63.7	53.4	1.6	18.1	0.8	22.0	14.9	38.5	1.6	375.7	4.7	29.1	10.2
61	Ohio (total)	1,369.4	27.5	0.8	0.3	16.5	6.0	12.4	12.2	19.0	4.6	130.2	6.9	13.7	8.1
62	White	1,353.9	27.3	0.8	0.3	16.5	6.1	12.1	12.3	19.0	4.6	123.4	6.7	13.1	8.0
63	Colored	2,012.9	34.7	3.6	0.9	16.0	3.6	24.0	8.0	16.9	3.6	410.6	14.2	39.1	11.6
64	Pennsylvania (total)	1,557.3	24.6	0.6	0.1	16.1	14.2	14.5	29.0	15.6	4.4	117.0	6.3	10.4	7.8
65	White	1,535.5	24.3	0.7	0.1	16.2	14.4	13.6	29.3	15.5	4.4	109.0	5.9	9.5	7.8
66	Colored	2,382.8	34.3	.....	.....	9.6	6.1	46.4	19.2	18.7	4.0	421.9	20.7	45.9	6.6

[1] Exclusive of stillbirths.

[2] Including District of Columbia.

DEATH RATES FROM PRINCIPAL CAUSES

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910.

are designated by asterisks (*). Areas with very low rates, due possibly to incomplete registration, are designated by daggers (†). Figures for white and colored are shown "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration

	DEATH RATE PER 100,000 POPULATION FROM—																			
	Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
	16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
	76.2	14.9	14.2	75.7	141.5	23.4	147.7	16.1	100.8	11.4	12.4	13.9	99.0	7.2	8.5	74.9	90.3	16.0	259.1	23.1	1
	77.1	15.3	13.9	75.5	139.1	22.8	142.2	15.6	99.4	11.4	12.3	13.9	96.1	7.0	8.3	73.8	88.4	16.2	252.6	20.8	2
	54.1	7.1	19.1	81.7	198.6	37.8	280.3	30.1	134.1	11.3	15.4	13.8	168.9	13.1	12.5	102.8	134.1	9.8	414.4	78.5	3
	76.1	15.2	13.9	77.8	141.8	23.9	142.0	15.8	98.7	10.8	12.1	13.3	94.9	7.0	8.5	75.4	89.0	15.3	255.4	22.7	4
	76.8	15.5	13.8	77.8	140.6	23.5	138.6	15.6	97.7	10.8	12.0	13.4	93.4	6.9	8.4	74.6	88.2	15.4	252.9	21.4	5
	52.6	7.2	17.5	77.7	182.2	36.5	255.8	23.6	131.8	10.6	14.3	10.7	143.6	11.1	12.0	101.4	114.9	10.9	339.0	65.8	6
	81.4	16.8	15.6	73.6	145.4	27.4	171.0	16.6	118.0	14.0	13.9	16.0	111.3	8.1	8.9	83.3	89.7	17.9	249.3	19.8	7
	82.1	17.0	15.6	73.1	142.8	26.9	166.1	16.3	116.8	14.0	13.8	16.2	109.1	7.9	8.8	81.9	88.6	18.1	245.1	18.7	8
	62.2	9.7	17.7	86.9	220.8	43.2	316.7	27.3	151.4	13.1	16.8	12.9	176.6	13.7	12.3	124.5	119.4	12.0	370.0	51.6	9
	70.1	13.5	12.0	82.5	137.8	20.0	109.6	15.0	77.3	7.2	10.1	10.2	76.6	5.8	8.0	66.6	88.3	12.4	262.2	25.9	10
	70.9	13.7	11.9	83.0	138.1	19.8	108.3	14.9	76.7	7.2	10.1	10.3	76.1	5.7	7.9	66.6	87.8	12.4	261.4	24.4	11
	38.1	3.3	17.2	63.9	123.9	26.3	164.0	18.0	102.2	6.7	10.3	7.4	93.8	7.1	11.6	66.4	108.2	9.3	292.3	87.3	12
	77.4	12.6	15.9	58.9	139.1	19.7	193.0	18.5	117.1	16.1	15.0	18.8	132.2	9.2	8.3	71.2	100.4	21.2	288.4	27.0	13
	80.5	13.4	15.0	54.6	126.1	16.8	173.9	15.1	114.0	16.6	14.6	18.7	120.2	8.1	7.6	66.2	90.4	23.2	250.2	16.1	14
	56.8	6.9	21.9	88.9	228.1	40.2	324.1	41.8	138.3	12.7	17.5	19.5	214.3	16.9	13.5	105.3	168.4	7.9	549.5	101.1	15
	80.6	16.0	15.7	70.8	144.2	25.9	175.3	17.0	117.8	14.4	14.1	16.6	115.3	8.3	8.8	81.0	91.7	18.6	256.8	21.1	16
	81.8	16.4	15.5	69.8	139.8	25.1	167.4	16.0	116.3	14.5	13.9	16.6	111.0	7.9	8.6	79.1	89.0	19.0	246.0	18.2	17
	59.6	8.4	19.7	87.8	224.3	41.8	320.3	34.3	145.1	12.9	17.2	16.0	194.8	15.2	12.9	115.3	143.0	10.1	456.4	75.4	18
	84.0	15.8	14.7	66.9	160.5	15.2	96.6	13.5	39.1	10.9	12.4	18.4	87.4	4.5	7.6	49.0	104.7	29.0	239.6	8.5	19
	85.5	16.2	14.0	68.9	162.9	15.5	94.7	13.3	38.7	11.2	12.6	18.7	87.8	4.5	7.6	48.9	104.5	29.1	239.5	8.3	20
	54.9	6.8	27.9	28.7	113.1	11.0	132.5	17.7	46.4	6.8	8.4	14.3	79.3	3.4	8.4	50.6	108.9	27.9	241.4	12.7	21
	58.2	8.3	14.8	48.9	86.0	11.3	123.9	19.0	65.6	15.7	10.9	9.4	79.2	10.7	8.5	74.7	150.3	20.8	219.5	8.0	22
	58.1	8.4	14.7	48.7	84.7	11.4	122.7	19.0	65.5	15.1	10.8	9.4	78.8	10.4	8.2	75.2	144.9	20.4	218.3	8.0	23
	64.2	6.4	19.2	57.7	154.0	6.4	186.1	19.2	70.6	44.9	19.2	12.8	96.2	25.7	19.2	51.3	423.5	38.5	282.3	6.4	24
	79.8	19.7	19.9	101.4	160.7	28.0	150.6	15.4	103.8	8.7	12.2	14.4	109.3	5.8	7.4	86.1	79.2	17.9	259.6	23.5	25
	80.5	19.9	19.8	101.1	158.8	27.6	149.8	15.2	104.2	8.6	12.1	14.3	107.0	5.6	7.3	85.5	78.2	17.9	258.9	23.2	26
	31.6	6.3	31.6	126.4	290.8	56.9	208.6	25.3	75.8	12.6	19.0	19.0	265.5	19.0	12.6	126.4	145.4	19.0	309.7	44.2	27
	70.2	13.9	9.6	74.8	137.2	17.0	105.3	10.1	78.2	9.6	11.1	11.3	81.9	8.8	7.8	62.6	79.1	14.1	244.2	3.7	28
	70.5	14.0	9.5	74.5	135.6	16.7	102.4	10.0	77.3	9.5	11.0	11.3	79.5	8.7	7.8	61.9	78.1	14.0	241.2	3.6	29
	57.5	9.9	11.5	85.4	206.9	31.2	234.8	14.8	116.6	14.8	14.8	13.1	182.3	11.5	8.2	91.9	123.1	18.1	377.6	9.9	30
	101.4	17.2	22.5	122.0	184.3	28.4	166.4	22.3	87.4	12.4	14.1	8.3	107.1	6.2	8.6	72.9	70.6	11.4	356.1	50.6	31
	101.6	17.3	22.5	122.4	184.6	28.5	166.9	22.4	87.7	12.4	14.2	8.4	107.0	6.2	8.6	73.1	70.4	11.5	356.4	50.5	32
	42.4	.....	.....	.....	84.9	.....	.....	.....	.....	.....	.....	.....	127.3	.....	.....	.....	127.3	.....	254.7	84.9	33
	72.6	12.6	17.3	75.4	131.6	26.1	149.3	17.3	103.3	7.7	11.3	9.6	128.2	5.5	9.2	89.5	75.1	10.3	275.8	63.3	34
	77.7	14.4	17.0	73.4	120.0	24.8	128.9	17.1	91.6	7.0	11.0	10.0	120.9	4.7	8.0	81.6	70.0	11.8	254.0	49.2	35
	49.4	4.7	18.5	84.3	184.8	32.2	242.4	18.1	157.3	10.7	12.5	7.7	161.6	9.5	14.6	125.9	98.4	3.4	375.7	128.1	36
	93.4	19.3	17.4	98.1	177.5	30.0	173.9	13.7	121.6	11.0	12.3	10.1	88.2	4.9	7.3	89.7	74.2	12.6	281.2	19.7	37
	93.6	19.3	17.4	98.3	176.8	29.8	172.8	13.7	122.2	11.0	12.3	10.1	87.5	4.9	7.4	89.6	74.3	12.6	280.9	19.6	38
	77.0	12.0	16.8	79.4	238.3	45.7	262.3	9.6	72.2	7.2	9.6	4.8	137.2	2.4	.....	93.9	62.6	16.8	308.1	31.3	39
	74.9	14.8	14.5	75.1	152.6	26.5	94.7	19.1	83.3	12.7	13.8	12.2	68.6	7.0	9.9	86.6	78.8	13.7	320.1	32.7	40
	74.7	14.8	14.5	75.0	152.0	26.4	93.3	18.7	83.3	12.6	13.8	12.2	68.1	6.9	9.8	86.9	78.1	13.6	319.2	32.2	41
	91.7	12.0	19.9	79.8	223.3	35.9	255.2	67.8	87.7	31.9	12.0	16.0	127.6	8.0	12.0	55.8	151.5	23.9	410.8	83.7	42
	67.3	11.7	9.9	43.3	81.6	13.1	86.8	11.3	64.5	15.4	11.1	6.6	56.9	5.5	6.4	55.4	75.2	11.6	215.8	22.7	43
	67.5	11.8	9.8	43.4	81.4	13.1	86.2	11.3	64.8	15.4	11.1	6.6	56.7	5.5	6.4	55.6	75.3	11.6	216.6	22.9	44
	42.5	.....	12.1	30.4	109.3	18.2	170.1	12.1	18.2	12.1	6.1	12.1	85.0	.....	6.1	36.4	66.8	18.2	115.4	6.1	45
	41.4	10.0	12.9	31.7	67.8	9.8	74.3	14.5	59.7	17.2	11.9	9.8	58.6	7.1	9.2	54.6	145.4	21.4	182.9	20.3	46
	42.9	9.9	12.9	31.9	69.3	10.2	76.2	14.9	61.1	17.6	12.1	9.9	60.0	7.2	9.6	57.0	148.3	22.0	187.7	20.9	47
	6.5	13.0	13.0	25.9	32.4	.....	32.4	6.5	25.9	6.5	6.5	6.5	25.9	6.5	.....	.....	77.8	6.5	71.3	6.5	48
	98.4	18.6	29.5	121.4	200.7	34.3	148.7	24.4	93.5	8.1	12.8	6.7	111.4	4.2	7.9	97.0	68.0	12.5	385.6	30.9	49
	98.3	18.6	29.5	120.8	260.8	34.4	149.0	24.2	93.7	8.1	12.8	6.7	111.5	4.2	7.9	96.9	68.1	12.3	385.3	30.9	50
	151.5	.....	.....	454.5	151.5	.....	.....	151.5	.....	.....	.....	.....	.....	.....	.....	151.5	.....	151.5	606.1	.....	51
	74.0	17.0	16.7	90.6	137.2	23.8	162.8	15.7	117.6	9.5	10.4	17.2	115.3	7.5	8.1	80.6	87.1	17.1	225.7	23.4	52
	75.1	17.1	16.4	90.3	135.8	22.9	158.6	15.6	115.9	9.5	10.2	17.4	114.0	7.5	8.2	79.9	87.0	17.4	221.6	22.4	53
	46.9	14.2	25.1	98.1	174.4	45.8	273.6	19.6	164.6	9.8	15.3	10.9	150.4	7.6	5.5	122.1	89.4	7.6	336.8	51.2	54
	84.4	18.5	12.6	81.8	164.7	27.5	186.8	15.0	106.4	11.8	13.2	18.1	128.1	6.7	8.4	75.8	86.9	16.7	245.7	13.9	55
	84.7	18.7	12.5	81.8	164.6	27.1	183.9	14.9	105.7	11.7	13.1	18.1	127.2	6.6	8.4	75.0	86.3	16.9	244.7	13.7	56
	62.4	6.1	15.6	79.4	173.0	49.5	359.5	17.6	144.5	17.0	19.7	17.6	181.3	17.0	8.8	128.2	128.2	8.8	301.9	27.1	57
	47.2	8.3	22.7	59.4	120.2	24.3	168.5	19.3	137.9	11.6	9.4	9.9	94.5	7.5	23.2	73.5	74.9	7.2	370.5	108.3	58
	53.3	9.4	23.0	56.2	92.5	18.7	133.4	14.1	129.1	14.9	8.9	11.5	88.6	3.4	20.9	72.9	57.5	10.2	328.9	64.3	59
	36.2	6.3	22.0	65.2	171.3	34.6	233.4	29.1	154.1	5.5	10.2	7.1	105.3	14.9	27.5	74.7	106.9	1.6	447.2	189.4	60
	75.3	13.6	15.6	76.1	141.4	21.7	112.6	13.4	84.5	9.5	11.6	14.0	78.0	8.0	7.2	65.9	89.0	14.2	248.1	11.7	61
	75.6	13.8	15.6	76.1	139.8	21.7	109.9	13.3	84.3	9.5	11.4	14.0	76.8	7.9	7.3	65.8	88.4	14.3	246.8	11.5	62
	63.1	5.3	16.0	79.1	208.8	21.3	222.2	15.1	90.6	9.8	19.6	12.4	127.1	9.8	5.3	72.9	115.5	9.8	302.1	20.4	63
	66.3	12.8	11.5	79.2	128.7	27.0	166.9	21.9	144.0	8.3	11.6	12.9	94.1	8.5	10.2	86.6	107.1	12.7	251.2	35.0	64
	66.7	12.9	11.5	79.2	127.3	26.3	162.6	21.6	143.1	8.4	11.5	13.0	92.6	8.5	10.0	86.0	107.1	12.8	249.0	34.6	65
	51.0	8.1	11.6	77.7	183.7	53.0	330.1	34.8	179.7	7.1	15.1	10.1	150.9	11.1	16.2	108.0	108.0	8.6	332.6	52.0	66

[3] Less than one-tenth of 1 per 100,000.

[4] Including only municipalities having a population of 1,000 or over in 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION STATES—Contd.														
1	Rhode Island (total)	1,706.5	13.6	0.9	.....	32.6	4.0	9.4	24.6	18.2	3.3	156.8	15.8	9.5	5.7
2	White	1,691.3	13.3	0.9	.....	33.1	4.1	8.8	24.7	18.3	3.4	154.3	15.5	9.7	5.8
3	Colored	2,510.6	29.7	.....	.....	9.9	.....	39.5	19.8	9.9	.....	286.6	29.7	.....	.....
4	Utah (total)	1,084.7	37.0	.....	0.5	1.3	28.8	17.0	19.4	8.3	5.6	35.7	2.7	5.9	10.9
5	White	1,084.7	34.7	.....	0.5	1.4	29.3	17.4	19.8	8.4	5.7	34.2	2.7	5.7	10.9
6	Colored	1,088.1	161.7	.....	.....	.....	.....	.....	.....	.....	.....	117.6	.....	14.7	14.7
7	Vermont (total)	1,601.3	14.0	0.8	.....	6.7	3.1	14.6	9.0	41.3	4.2	92.1	9.0	12.4	4.2
8	White	1,600.4	14.1	0.8	.....	6.8	3.1	14.4	9.0	41.5	4.2	91.7	9.0	12.4	4.2
9	Colored	1,792.1	.....	.....	.....	.....	.....	59.7	.....	.....	.....	179.2	.....	.....	.....
10	Washington (total)	995.7	28.0	0.1	0.7	6.6	7.0	15.3	12.6	4.7	3.5	87.7	7.5	12.4	4.7
11	White	981.8	26.8	0.1	0.7	6.1	7.2	14.9	12.8	4.5	3.6	81.0	7.1	11.8	4.6
12	Colored	1,466.8	69.6	.....	.....	24.2	.....	30.2	3.0	12.1	.....	314.5	21.2	33.3	6.0
13	Wisconsin (total)	1,200.4	23.3	0.1	0.1	8.0	13.2	7.8	18.5	10.6	3.5	92.1	4.6	10.1	8.3
14	White	1,199.8	23.4	0.1	0.1	8.0	13.2	7.8	18.5	10.7	3.6	91.5	4.5	10.0	8.3
15	Colored	1,303.1	7.5	.....	.....	22.5	7.5	15.0	15.0	.....	.....	187.2	15.0	30.0	7.5
	REGISTRATION CITIES.														
	ALABAMA.[2]														
16	Registration cities (total)	2,147.2	53.3	43.9	0.4	10.8	3.1	10.3	11.2	18.8	4.5	304.8	2.7	13.9	7.6
17	White	1,593.2	47.5	14.8	.....	8.6	5.5	8.6	14.8	14.0	7.0	162.7	3.9	11.7	7.8
18	Colored	2,898.7	61.3	83.5	1.1	13.7	.....	12.7	6.3	25.4	1.1	497.6	1.1	16.9	7.4
19	Birmingham (total)	1,948.2	49.5	26.3	.....	18.0	3.0	9.8	12.0	12.8	4.5	276.8	0.8	4.5	6.0
20	White	1,493.1	49.5	12.4	.....	13.6	5.0	11.1	14.9	9.9	6.2	147.3	1.2	1.2	7.4
21	Colored	2,648.1	49.5	47.6	.....	24.7	.....	7.6	7.6	17.1	1.9	475.9	.....	9.5	3.8
22	Mobile (total)	2,297.1	75.6	56.2	.....	.....	3.9	13.6	11.6	27.1	7.8	391.6	7.8	31.0	15.5
23	White	1,779.3	45.2	24.3	.....	.....	7.0	3.5	17.4	24.3	13.9	236.3	13.9	34.8	10.4
24	Colored	2,950.5	114.0	96.4	.....	.....	.....	26 3	4.4	30.7	.....	587.5	.....	26.3	21.9
25	Montgomery (total)	2,639.1	36.7	89.0	2.6	.....	2.6	7.9	7.9	28.8	.....	285.4	2.6	23.6	2.6
26	White	1,738.1	42.4	10.6	.....	.....	5.3	5.3	10.6	15.9	.....	116.6	.....	21.2	5.3
27	Colored	3,518.9	31.0	165.6	5.2	.....	.....	10.3	5.2	41.4	.....	450.2	5.2	25.9	.....
	CALIFORNIA.														
28	Registration cities (total)	1,456.7	16.9	1.9	.....	7.6	3.3	10.0	9.4	5.7	3.1	198.3	11.4	16.3	5.6
29	White	1,438.7	16.5	1.6	.....	7.9	3.4	10.1	9.2	6.0	3.2	186.4	10.9	15.1	5.2
30	Colored	1,850.9	26.9	9.0	.....	1.8	.....	7.2	12.6	.....	.....	457.8	21.5	41.3	12.6
31	Alameda	1,232.5	12.8	.....	.....	.....	4.3	8.5	4.3	.....	.....	106.3	4.3	21.3	12.8
32	Bakersfield	2,378.2	93.6	46.8	.....	15.6	7.8	23.4	15.6	.....	15.6	304.1	.....	7.8	15.6
33	Berkeley	917.0	2.4	.....	.....	2.4	.....	9.8	12.2	2.4	.....	75.6	7.3	9.8	2.4
34	Eureka	1,641.5	16.8	.....	.....	.....	8.4	16.8	.....	.....	25.1	192.6	8.4	33.5	8.4
35	Fresno	1,355.4	59.8	.....	.....	8.0	4.0	15.9	31.9	23.9	4.0	139.5	12.0	8.0	8.0
36	Long Beach	1,378.4	22.1	.....	.....	.....	.....	5.5	5.5	5.5	.....	126.8	.....	.....	.....
37	Los Angeles (total)	1,403.0	14.2	0.9	.....	15.5	4.3	5.9	7.4	6.2	3.7	229.7	11.4	18.6	6.8
38	White	1,389.5	14.2	0.6	.....	16.2	4.5	6.1	7.8	6.5	3.9	220.7	9.7	16.2	6.8
39	Colored	1,702.3	14.2	7.1	.....	.....	.....	.....	.....	.....	.....	427.4	49.9	71.2	7.1
40	Oakland	1,275.0	16.5	1.3	.....	4.0	3.3	20.5	7.3	4.0	3.3	126.2	9.3	7.9	4.6
41	Pasadena	1,367.3	9.8	.....	.....	3.3	9.8	9.8	9.8	6.5	9.8	274.1	16.3	19.6	13.1
42	Pomona	1,319.7	29.1	.....	.....	.....	19.4	.....	.....	19.4	.....	165.0	9.7	.....	.....
43	Redlands	1,457.2	28.4	.....	.....	.....	.....	.....	.....	9.5	.....	463.7	9.5	18.9	.....
44	Riverside	1,438.4	45.6	.....	.....	6.5	.....	13.0	.....	13.0	.....	279.9	13.0	26.0	.....
45	Sacramento	1,630.4	28.9	4.4	.....	6.7	4.4	6.7	11.1	4.4	2.2	166.6	15.5	33.3	6.7
46	San Bernardino	2,012.7	38.7	.....	.....	.....	.....	.....	.....	7.7	.....	549.6	15.5	61.9	7.7
47	San Diego	1,715.8	2.5	5.0	.....	15.0	5.0	.....	10.0	25.0	.....	274.7	10.0	22.5	.....
48	San Francisco (total)	1,510.0	15.5	1.9	.....	5.3	1.7	7.6	8.8	1.7	2.4	185.0	13.4	13.4	5.0
49	White	1,494.5	15.4	1.2	.....	5.2	1.7	8.0	8.0	1.7	2.5	169.8	13.7	13.4	4.2
50	Colored	1,880.1	17.8	17.8	.....	5.9	.....	.....	29.7	.....	.....	545.6	5.9	11.9	23.7
51	San Jose	1,415.7	3.4	.....	.....	3.4	3.4	41.2	.....	13.7	3.4	178.7	24.1	24.1	3.4
52	Santa Barbara	1,895.3	42.5	.....	.....	.....	8.5	25.5	17.0	34.0	8.5	323.0	.....	34.0	.....
53	Santa Cruz	1,642.8	17.8	8.9	.....	.....	.....	.....	8.9	17.8	.....	133.2	.....	26.6	8.9
54	Stockton *	2,006.5	.....	.....	.....	8.6	.....	12.8	17.1	4.3	.....	338.0	.....	21.4	8.6
55	Vallejo	1,454.7	.....	.....	.....	.....	8.8	35.1	105.2	8.8	.....	140.2	8.8	8.8	.....
	COLORADO.														
56	Registration cities (total)	1,573.0	34.1	1.0	.....	6.0	14.4	2.7	19.7	10.4	8.7	291.5	12.4	16.0	9.7
57	White	1,551.2	33.5	1.0	.....	6.2	14.8	2.8	20.0	10.7	8.3	284.8	12.4	15.5	10.0
58	Colored	2,244.7	53.2	.....	.....	.....	.....	.....	10.6	.....	21.3	500.0	10.6	31.9	.....
59	Colorado Springs	1,636.5	13.7	.....	.....	6.8	6.8	.....	6.8	6.8	3.4	530.7	24.0	17.1	6.8
60	Denver	1,644.2	27.5	0.9	.....	3.3	17.2	2.3	18.6	9.3	11.2	301.6	12.1	16.8	10.7
61	Pueblo	1,211.8	78.3	2.2	.....	17.9	4.5	6.7	26.8	13.4	2.2	129.7	8.9	15.7	8.9
62	Trinidad	1,474.9	38.8	.....	.....	9.7	19.4	.....	48.5	29.1	.....	106.7	.....	.....	.....
	CONNECTICUT.														
63	Registration cities (total)	1,591.9	15.7	2.6	.....	9.1	13.9	14.2	25.8	19.2	6.0	138.8	9.5	11.1	8.1
64	White	1,575.6	15.9	2.7	.....	9.3	14.1	14.0	25.7	19.1	6.0	134.5	9.3	10.3	7.9
65	Colored	2,632.5	8.6	.....	.....	.....	.....	25.8	34.4	25.8	.....	412.9	25.8	60.2	17.2

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
86.9	19.3	13.6	95.7	160.8	33.2	189.6	14.7	153.5	10.3	12.3	13.9	123.8	5.0	10.1	79.2	81.6	14.7	271.8	22.2	1
86.5	19.2	13.3	95.7	157.0	32.5	187.4	14.6	152.5	10.3	12.5	14.2	123.0	4.9	10.1	79.2	81.7	14.9	268.9	21.1	2
108.7	19.8	29.7	98.8	365.7	69.2	306.4	19.8	207.6	9.9	.....	.....	168.0	9.9	9.9	79.1	79.1	.....	425.0	79.1	3
35.7	14.1	12.3	36.2	80.2	17.6	115.6	15.7	49.3	16.5	14.7	4.8	63.7	8.0	10.4	77.5	92.4	10.7	199.5	36.8	4
36.4	14.1	12.5	36.9	80.8	17.9	115.3	16.0	49.4	16.5	14.9	4.9	64.0	8.1	10.3	78.7	90.6	10.3	199.1	37.2	5
.....	14.7	.....	.....	44.1	.....	132.3	.....	44.1	14.7	.....	.....	44.1	.....	14.7	14.7	191.1	29.4	220.6	14.7	6
110.3	21.3	12.1	128.0	221.8	29.8	144.8	10.9	57.8	16.8	12.9	9.0	107.2	6.2	10.9	70.2	73.6	13.2	325.1	7.9	7
110.6	21.4	12.1	128.3	222.0	29.9	144.1	10.7	58.1	16.6	13.0	9.0	106.9	6.2	11.0	70.5	71.9	13.0	325.8	7.9	8
59.7	.....	.....	59.7	179.2	.....	298.7	59.7	.....	59.7	.....	.....	179.2	.....	.....	.....	418.2	59.7	179.2	.....	9
51.3	10.7	6.7	46.3	74.3	6.8	72.8	8.7	37.7	12.3	9.3	6.5	54.9	8.3	8.5	53.4	122.1	19.9	176.9	17.7	10
52.2	10.9	6.3	47.1	74.8	6.5	71.5	8.7	37.4	12.5	9.3	6.3	55.0	8.5	8.6	53.8	119.8	19.6	176.3	15.7	11
21.2	6.0	18.1	21.2	57.5	15.1	117.9	6.0	45.4	6.0	9.1	12.1	51.4	3.0	6.0	39.3	202.6	30.2	196.6	87.7	12
75.4	13.2	15.6	58.6	98.8	23.6	88.7	13.8	72.8	10.9	11.7	11.0	62.5	4.8	6.6	69.8	63.5	14.2	258.0	26.6	13
75.6	13.3	15.6	58.7	98.8	23.7	88.3	13.8	72.7	11.0	11.7	11.0	62.6	4.9	6.6	69.8	63.1	14.2	258.3	26.5	14
44.9	.....	15.0	44.9	89.9	7.5	157.3	15.0	82.4	.....	7.5	7.5	44.9	.....	7.5	82.4	134.8	7.5	194.7	52.4	15
72.6	8.1	22.4	78.9	144.3	6.7	181.1	15.7	133.1	18.8	17.5	19.7	147.0	11.2	13.4	79.3	162.3	16.1	425.4	87.9	16
80.2	9.3	17.9	67.7	105.1	3.1	120.7	11.7	112.9	21.0	14.8	17.1	118.4	5.5	10.9	71.6	123.0	24.9	302.1	48.3	17
62.3	6.3	28.5	94.0	197.5	11.6	263.0	21.1	160.6	15.8	21.1	23.2	185.9	19.0	16.9	89.8	215.5	4.2	592.6	141.6	18
62.3	4.5	25.5	70.5	126.0	0.8	228.1	9.0	144.8	18.8	13.5	19.5	82.5	12.0	12.0	65.3	188.3	20.3	320.3	100.5	19
64.4	3.7	18.6	60.7	89.1	.....	153.5	8.7	136.2	23.5	9.9	14.9	69.3	3.7	9.9	70.6	141.1	29.7	246.4	59.4	20
59.0	5.7	36.2	85.7	182.8	1.9	342.7	9.5	158.0	11.4	19.0	26.7	102.8	24.7	15.2	57.1	260.8	5.7	434.1	163.7	21
98.9	15.5	15.5	81.4	190.0	17.4	73.7	11.6	93.0	27.1	21.3	15.5	259.8	13.6	15.5	79.5	114.4	5.8	461.4	44.6	22
114.7	20.9	17.4	66.0	152.9	13.9	41.7	7.0	45.2	27.8	24.3	13.9	232.8	13.9	13.9	76.5	83.4	7.0	361.4	13.9	23
78.9	8.8	13.2	100.8	236.7	21.9	114.0	17.5	153.4	26.3	17.5	17.5	293.7	13.2	17.5	83.3	153.4	4.4	587.5	83.3	24
73.3	10.5	20.9	104.7	146.6	13.1	162.3	44.5	146.6	7.9	26.2	26.2	219.9	5.2	15.7	128.3	136.1	15.7	743.6	102.1	25
95.4	15.9	15.9	100.7	100.7	.....	100.7	31.8	116.6	.....	21.2	31.8	153.7	.....	10.6	68.9	106.0	31.8	450.4	53.0	26
51.7	5.2	25.9	108.7	191.5	25.9	222.5	56.9	175.9	15.5	31.0	20.7	284.6	10.3	20.7	186.3	165.6	.....	1,029.8	150.1	27
101.9	18.5	15.2	69.8	177.1	18.9	105.8	14.0	39.1	15.3	14.7	22.3	103.8	4.1	7.7	54.9	95.4	33.0	250.3	5.5	28
2.9	18.7	14.4	71.5	178.1	19.2	103.4	13.7	38.6	15.5	14.8	22.3	103.3	4.2	7.4	54.0	94.5	33.3	248.1	5.3	29
80.8	12.6	32.3	34.1	156.2	10.8	159.8	21.5	48.5	10.8	12.6	23.3	114.9	3.6	14.4	73.6	114.9	26.9	299.8	9.0	30
97.8	34.0	17.0	93.5	178.5	4.3	85.0	12.8	21.3	8.5	8.5	34.0	102.0	8.5	8.5	55.3	76.5	25.5	178.5	8.5	31
93.6	7.8	62.4	46.8	148.1	.....	210.5	39.0	163.7	54.6	23.4	23.4	101.4	7.8	7.8	70.2	241.7	46.8	444.4	39.0	32
75.6	17.1	9.8	48.8	134.1	7.3	70.7	4.9	26.8	17.1	17.1	7.3	78.0	4.9	2.4	26.8	58.5	14.6	170.7	.....	33
134.0	16.8	16.8	75.4	209.4	50.3	25.1	8.4	41.9	8.4	50.3	8.4	83.8	.....	.....	25.1	268.0	33.5	268.0	8.4	34
79.7	8.0	27.9	75.7	139.5	12.0	115.6	12.0	87.7	19.9	15.9	8.0	43.9	12.0	8.0	87.7	71.8	12.0	191.4	12.0	35
132.3	27.6	5.5	99.2	137.8	22.1	38.6	22.1	49.6	5.5	11.0	33.1	165.4	5.5	11.0	55.1	115.8	27.6	248.1	.....	36
104.5	14.5	17.9	62.1	137.3	13.9	85.0	13.9	24.4	14.8	15.5	16.1	95.2	3.4	8.3	66.5	86.6	30.0	261.3	7.1	37
106.3	14.5	17.5	63.0	137.0	14.2	82.7	13.3	24.2	15.2	15.2	16.2	95.0	2.9	7.8	67.9	85.3	29.7	261.1	7.1	38
64.1	14.2	28.5	42.7	142.5	7.1	135.3	28.5	28.5	7.1	21.4	14.2	99.7	14.2	21.4	35.6	114.0	35.6	263.5	7.1	39
86.6	15.2	14.5	63.5	201.6	16.5	103.1	16.5	39.0	12.6	4.6	17.8	97.2	2.0	10.6	54.2	89.2	32.4	188.4	1.3	40
91.4	19.6	9.8	65.3	143.6	16.3	58.7	6.5	16.3	16.3	16.3	16.3	163.2	.....	6.5	42.4	22.8	19.6	248.0	6.5	41
116.4	38.8	.....	116.4	135.9	19.4	87.3	9.7	9.7	9.7	9.7	.....	77.6	.....	9.7	116.4	58.2	9.7	242.6	9.7	42
47.3	9.5	.....	104.1	160.9	.....	104.1	18.9	56.8	.....	9.5	18.9	18.9	.....	.....	47.3	56.8	.....	265.0	9.5	43
45.6	13.0	6.5	117.2	104.1	32.5	84.6	13.0	19.5	6.5	13.0	.....	91.1	6.5	6.5	45.6	117.2	13.0	305.9	.....	44
93.3	15.5	28.9	44.4	113.3	20.0	131.0	24.4	93.3	22.2	8.9	35.5	95.5	6.7	8.9	62.2	153.3	28.9	346.5	6.7	45
100.6	7.7	15.5	92.9	85.2	7.7	162.6	.....	77.4	7.7	23.2	15.5	85.2	.....	23.2	38.7	216.8	54.2	317.4	.....	46
132.4	27.5	12.5	104.9	209.3	25.0	104.9	15.0	42.5	20.0	12.5	7.5	139.9	7.5	.....	35.0	99.9	20.0	314.7	15.0	47
113.5	21.7	10.3	66.0	214.8	24.1	126.9	11.9	40.6	16.2	16.7	31.5	112.8	3.3	7.9	51.1	95.3	44.2	236.3	2.9	48
114.8	22.2	10.5	67.0	216.9	24.4	125.2	11.5	40.1	16.4	17.4	31.9	112.0	3.5	7.7	49.8	95.4	45.3	234.6	3.0	49
83.0	11.9	5.9	41.5	166.1	17.8	166.1	23.7	53.4	11.9	.....	23.7	130.5	.....	11.9	83.0	94.9	17.8	278.7	.....	50
72.2	24.1	24.1	72.2	199.3	20.6	120.3	20.6	48.1	17.2	17.2	34.4	116.8	6.9	3.4	41.2	79.0	24.1	175.2	.....	51
102.0	34.0	51.0	161.5	178.5	.....	119.0	8.5	51.0	17.0	17.0	8.5	93.5	8.5	8.5	34.0	102.0	25.5	374.0	8.5	52
97.7	26.6	35.5	62.2	248.6	.....	53.3	17.8	17.8	8.9	8.9	26.6	177.6	.....	.....	26.6	106.6	8.9	461.8	35.5	53
98.4	12.8	17.1	115.5	226.7	51.3	154.0	21.4	29.9	8.6	21.4	29.9	85.6	21.4	4.3	55.6	115.5	29.9	487.7	8.6	54
43.8	8.8	.....	140.2	149.0	26.3	96.4	26.3	43.8	8.8	26.3	17.5	87.6	8.8	.....	52.6	113.9	52.6	219.1	17.5	55
83.9	11.4	22.1	61.8	113.0	10.0	135.7	17.7	64.2	21.7	13.7	12.4	101.6	11.7	10.4	79.6	84.2	27.4	259.8	4.0	56
83.5	11.7	21.7	60.7	110.1	10.0	133.9	17.9	63.5	21.7	13.1	12.4	100.4	11.0	10.0	79.4	80.4	27.3	258.2	3.8	57
95.7	.....	31.9	95.7	202.1	10.6	191.5	10.6	85.1	21.3	31.9	10.6	138.3	31.9	21.3	85.1	202.1	31.9	308.5	10.6	58
85.6	17.1	17.1	47.9	82.2	6.8	123.2	17.1	54.8	27.4	10.3	10.3	109.6	6.8	10.3	61.6	82.2	13.7	219.1	10.3	59
93.5	11.6	23.3	69.3	128.0	10.7	135.9	19.1	54.0	23.3	15.4	14.9	111.2	12.6	9.3	84.7	82.8	31.6	277.8	3.7	60
51.4	8.9	13.4	42.5	67.1	6.7	125.2	11.2	98.4	13.4	8.9	4.5	49.2	6.7	11.2	69.3	82.7	13.4	212.4	.....	61
19.4	.....	48.5	29.1	87.3	19.4	213.5	19.4	155.2	9.7	9.7	.....	106.7	29.1	29.1	67.9	126.1	38.8	203.8	9.7	62
79.6	20.5	22.0	90.6	153.9	28.0	167.6	16.3	111.4	10.6	14.2	14.7	109.1	6.7	6.6	91.3	79.9	17.6	252.7	24.5	63
80.6	20.7	21.8	90.2	150.9	27.5	166.2	16.0	112.2	10.5	14.0	14.5	106.6	6.4	6.6	90.4	78.6	17.5	251.7	24.1	64
17.2	8.6	34.4	120.4	344.1	60.2	258.1	34.4	60.2	17.2	25.8	25.8	275.3	25.8	8.6	146.2	163.5	25.8	318.3	51.6	65

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA.

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	CONNECTICUT—continued.														
1	Ansonia	1,322.0	.....	13.2	.....	.....	92.1	26.3	19.7	13.2	.....	78.9	.....	.....	6.6
2	Bridgeport	1,520.8	4.9	1.0	.....	5.8	19.5	26.3	27.3	6.8	4.9	178.2	10.7	9.7	6.8
3	Bristol town	1,354.5	14.7	.....	.....	36.8	.....	14.7	51.5	73.6	14.7	95.7	7.4	.....	.....
4	Danbury town	1,483.9	25.4	.....	.....	4.2	4.2	12.7	17.0	17.0	.....	114.5	.....	8.5	25.4
5	Greenwich town	1,649.1	12.1	12.1	.....	.....	30.2	6.0	6.0	36.2	.....	84.6	6.0	6.0	12.1
6	Hartford	1,760.0	19.1	.....	.....	16.1	7.0	4.0	34.2	17.1	12.1	154.1	6.0	10.1	11.1
7	Manchester town	1,174.8	.....	.....	.....	.....	.....	.....	43.8	51.1	.....	87.6	7.3	7.3	.....
8	Meriden town	1,418.9	3.1	6.2	.....	3.1	.....	21.8	21.8	21.8	3.1	189.8	18.7	3.1	15.6
9	Middletown town*	2,560.3	33.6	14.4	.....	14.4	.....	4.8	14.4	.....	4.8	240.2	14.4	9.6	14.4
10	Naugatuck	1,425.4	7.8	.....	.....	.....	47.0	15.7	15.7	.....	.....	156.6	15.7	15.7	.....
11	New Britain	1,563.9	20.3	2.3	.....	38.4	15.8	4.5	65.5	27.1	4.5	94.9	13.6	15.8	2.3
12	New Haven	1,654.2	17.9	4.5	.....	4.5	8.2	9.7	12.7	14.2	8.2	146.9	15.7	12.7	6.0
13	New London	1,791.5	15.2	.....	.....	15.2	10.2	25.4	10.2	25.4	5.1	132.0	.....	15.2	10.2
14	Norwalk town	1,506.1	41.2	.....	.....	.....	32.9	8.2	12.3	49.4	4.1	107.0	8.2	8.2	.....
15	Norwich town	1,698.8	10.6	7.1	.....	3.5	38.9	17.7	17.7	35.4	3.5	130.9	.....	31.9	14.2
16	Orange town	1,258.6	17.6	8.8	.....	.....	.....	8.8	8.8	26.4	17.6	105.6	.....	.....	8.8
17	Stamford town	1,604.3	10.3	.....	.....	6.9	17.2	.....	27.5	13.8	6.9	127.4	3.4	6.9	.....
18	Torrington town	1,092.5	11.8	.....	.....	.....	11.8	53.2	.....	23.6	.....	88.6	5.9	.....	.....
19	Wallingford town	1,258.9	8.9	.....	.....	17.9	8.9	8.9	8.9	17.9	8.9	53.6	17.9	17.9	8.9
20	Waterbury	1,548.8	20.4	.....	.....	8.2	5.4	24.5	44.8	13.6	4.1	127.7	10.9	17.7	10.9
21	Windham town	1,556.6	31.6	.....	.....	.....	7.9	.....	7.9	31.6	.....	94.8	.....	.....	7.9
	DELAWARE.[2]														
22	Wilmington (total)	1,765.2	37.7	.....	.....	1.1	12.6	16.0	29.7	14.8	5.7	162.0	12.6	8.0	6.8
23	White	1,682.9	39.5	.....	.....	.....	14.0	17.8	31.8	12.7	6.4	143.9	12.7	7.6	5.1
24	Colored	2,475.8	22.0	.....	.....	11.0	.....	.....	11.0	33.0	.....	319.1	11.0	11.0	22.0
	DISTRICT OF COLUMBIA.														
25	Washington (total)	1,960.1	23.2	2.7	.....	1.2	4.2	10.5	9.3	23.8	3.9	233.6	8.1	11.1	11.4
26	White	1,579.3	19.0	1.7	.....	0.4	4.6	3.8	11.8	17.7	4.2	139.2	7.6	6.7	10.1
27	Colored	2,909.4	33.6	5.3	.....	3.2	3.2	27.3	3.2	38.9	3.2	469.0	9.5	22.1	14.7
	FLORIDA.[2]														
28	Registration cities (total)	2,086.7	94.2	56.0	.....	3.8	5.1	10.2	5.1	12.7	5.1	235.4	2.5	10.2	5.1
29	White	1,806.3	117.7	30.0	.....	6.9	6.9	6.9	6.9	4.6	9.2	124.6	4.6	9.2	2.3
30	Colored	2,431.5	65.3	88.0	.....	.....	2.8	14.2	2.8	22.7	.....	371.7	.....	11.3	8.5
31	Jacksonville (total)	2,031.6	102.3	71.6	.....	1.7	5.1	10.2	3.4	13.6	6.8	230.1	3.4	10.2	6.8
32	White	1,666.8	138.3	45.0	.....	3.5	6.9	3.5	3.5	3.5	13.8	96.8	6.9	10.4	3.5
33	Colored	2,386.1	67.2	97.5	.....	.....	3.4	16.8	3.4	23.5	.....	359.6	.....	10.1	10.1
34	Key West (total)	2,248.9	70.3	10.0	.....	10.0	5.0	10.0	10.0	10.0	.....	251.0	.....	10.0	.....
35	White	2,085.8	76.2	.....	.....	13.9	6.9	13.9	13.9	6.9	.....	180.2	.....	6.9	.....
36	Colored	2,677.6	54.6	36.4	.....	.....	.....	.....	.....	18.2	.....	437.2	.....	18.2	.....
	GEORGIA.[2]														
37	Registration cities (total)	2,122.5	42.5	28.1	0.5	6.8	5.9	10.0	15.4	16.7	2.3	202.3	7.2	10.4	7.7
38	White	1,642.9	50.9	11.8	.....	9.6	9.6	5.2	17.0	13.3	0.7	122.6	10.3	8.1	6.6
39	Colored	2,882.4	29.2	53.8	1.2	2.3	.....	17.5	12.9	22.2	4.7	328.7	2.3	14.0	9.4
40	Atlanta (total)	1,886.1	50.1	2.6	0.6	9.0	5.1	10.3	18.6	8.3	1.9	181.0	6.4	9.6	9.0
41	White	1,553.1	56.0	1.0	.....	11.6	7.7	6.8	19.3	5.8	1.0	122.6	7.7	6.8	5.8
42	Colored	2,547.3	38.3	5.8	1.9	3.8	.....	17.3	17.3	13.4	3.8	297.1	3.8	15.3	15.3
43	Savannah (total)	2,687.9	24.6	89.0	.....	1.5	7.7	9.2	7.7	36.8	3.1	253.3	9.2	12.3	4.6
44	White	1,935.2	34.6	47.1	.....	3.1	15.7	.....	9.4	37.7	.....	122.5	18.8	12.6	9.4
45	Colored	3,407.1	15.0	129.1	.....	.....	.....	18.0	6.0	36.0	6.0	378.2	.....	12.0	.....
	ILLINOIS.[2]														
46	Registration cities (total)	1,515.0	15.1	0.6	(3)	8.5	17.5	8.3	35.7	6.8	3.9	157.8	9.6	10.0	7.4
47	White	1,496.1	14.8	0.6	(3)	8.5	17.9	8.2	36.3	6.6	4.0	150.1	9.5	9.4	7.4
48	Colored	2,324.5	29.1	.....	.....	9.1	1.8	10.9	9.1	12.8	.....	484.6	14.6	34.6	9.1
49	Aurora	1,446.9	16.7	.....	.....	.....	3.3	16.7	6.7	3.3	.....	96.9	3.3	20.0	6.7
50	Belleville	1,477.1	18.9	.....	.....	14.2	14.2	18.9	4.7	14.2	4.7	146.8	4.7	4.7	4.7
51	Chicago (total)	1,514.0	13.7	0.5	(3)	8.7	18.4	7.9	37.4	6.6	4.1	158.3	10.1	9.6	7.4
52	White	1,495.1	13.4	0.5	(3)	8.7	18.8	7.9	38.0	6.6	4.1	150.8	10.0	9.0	7.4
53	Colored	2,387.3	23.6	.....	.....	10.7	2.1	8.6	10.7	10.7	.....	502.8	17.2	36.5	6.4
54	Decatur	1,315.9	16.0	.....	.....	22.4	12.8	9.6	22.4	12.8	3.2	118.2	16.0	9.6	.....
55	Evanston	1,012.0	27.9	.....	.....	4.0	8.0	15.9	12.0	.....	8.0	83.7	.....	15.9	12.0
56	Jacksonville*	2,263.4	32.6	.....	.....	.....	6.5	.....	6.5	6.5	.....	260.9	.....	19.6	13.0
57	Quincy	1,656.0	27.3	8.2	.....	.....	.....	21.9	27.3	8.2	.....	161.2	2.7	5.5	5.5
58	Springfield	1,655.3	52.0	.....	.....	5.8	11.5	3.8	25.0	9.6	3.8	202.1	1.9	21.2	11.5
	INDIANA.														
59	Registration cities (total)	1,515.6	33.4	4.0	.....	17.3	9.7	13.5	15.0	16.8	6.4	162.9	9.6	22.6	8.4
60	White	1,468.0	33.4	3.7	.....	16.9	10.0	13.3	15.0	15.7	6.1	147.2	9.5	19.7	8.6
61	Colored	2,418.5	34.0	9.7	.....	24.3	4.9	17.0	14.6	36.4	12.1	461.4	12.1	77.7	4.9
62	Anderson	1,456.2	53.3	4.4	.....	62.2	.....	.....	26.6	22.2	.....	133.2	4.4	17.8	8.9
63	East Chicago	1,384.6	25.7	.....	.....	36.0	30.9	.....	5.1	5.1	.....	77.2	5.1	10.3	5.1
64	Elkhart	1,363.1	10.3	5.2	.....	5.2	.....	5.2	10.3	5.2	5.2	82.6	.....	15.5	5.2
65	Elwood	1,583.5	54.6	.....	.....	72.8	.....	9.1	9.1	27.3	9.1	136.5	27.3	18.2	.....

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
13.2	19.7	78.9	78.9	111.8	39.5	151.3	6.6	131.5	6.6	6.6	13.2	59.2	.....	13.2	65.8	52.6	19.7	157.9	46.0	1
72.0	23.4	22.4	53.5	114.9	16.6	167.5	19.5	123.7	7.8	9.7	11.7	114.9	5.8	8.8	101.3	73.0	32.1	220.0	20.4	2
66.3	7.4	.....	66.3	110.4	7.4	169.3	14.7	191.4	.....	7.4	14.7	81.0	7.4	.....	51.5	51.5	14.7	162.0	22.1	3
67.8	29.7	33.9	101.8	186.5	17.0	131.4	12.7	67.8	.....	17.0	12.7	55.1	4.2	4.2	76.3	135.7	8.5	284.1	8.5	4
102.7	12.1	24.2	114.8	132.9	12.1	108.7	.....	138.9	18.1	6.0	.....	151.0	24.2	12.1	175.2	108.7	18.1	247.7	30.2	5
94.6	32.2	18.1	106.7	170.2	24.2	207.4	16.1	75.5	18.1	22.2	23.2	115.8	10.1	6.0	96.7	88.6	15.1	310.1	18.1	6
51.1	14.6	14.6	87.6	145.9	43.8	94.9	.....	65.7	.....	.....	14.6	102.2	7.3	.....	94.9	43.8	7.3	182.4	7.3	7
84.0	24.9	24.9	74.7	164.9	21.8	105.8	6.2	136.9	.....	9.3	24.9	80.9	.....	9.3	77.8	68.5	12.4	174.3	9.3	8
91.3	.....	28.8	206.6	456.3	62.4	297.8	28.8	115.3	.....	33.6	19.2	129.7	.....	9.6	81.7	105.7	19.2	494.8	14.4	9
54.8	23.5	31.3	78.3	101.8	47.0	148.8	.....	156.6	.....	23.5	.....	62.7	15.7	.....	117.5	62.7	15.7	195.8	15.7	10
56.5	13.6	33.9	61.0	81.4	40.7	128.8	33.9	214.7	6.8	11.3	22.6	79.1	11.3	4.5	137.9	61.0	9.0	210.2	40.7	11
95.4	18.6	15.7	84.2	178.2	32.8	208.0	17.1	86.5	13.4	15.7	11.9	126.7	7.5	6.7	75.3	88.7	11.9	261.7	37.3	12
76.1	25.4	10.2	121.8	208.1	30.5	157.3	5.1	86.3	20.3	30.5	15.2	147.2	10.2	5.1	86.3	116.7	10.2	350.2	15.2	13
115.2	4.1	12.3	172.8	148.1	32.9	111.1	16.5	65.8	4.1	16.5	20.6	123.5	4.1	.....	28.8	70.0	32.9	222.2	32.9	14
102.6	35.4	21.2	130.9	173.4	21.2	141.6	31.9	60.2	7.1	17.7	10.6	109.7	14.2	.....	53.1	70.8	7.1	361.0	17.7	15
79.2	.....	.....	79.2	272.8	8.8	96.8	8.8	35.2	.....	8.8	.....	105.6	.....	.....	105.6	70.4	8.8	167.2	8.8	16
93.0	13.8	20.7	117.1	113.6	24.1	144.6	10.3	123.9	6.9	24.1	6.9	154.9	.....	6.9	79.2	93.0	10.3	299.5	41.3	17
65.0	11.8	41.3	41.3	70.9	17.7	112.2	5.9	100.4	11.8	5.9	17.7	70.9	.....	5.9	88.6	41.3	41.3	124.0	23.6	18
35.7	26.8	62.5	133.9	232.1	35.7	53.6	.....	116.1	8.9	.....	17.9	107.1	.....	.....	89.3	44.6	17.9	89.3	8.9	19
55.7	20.4	9.5	76.1	108.7	31.2	191.6	17.7	160.3	23.1	5.4	8.2	78.8	5.4	13.6	111.4	69.3	23.1	232.3	19.0	20
102.7	15.8	55.3	55.3	110.6	47.4	102.7	23.7	71.1	.....	7.9	39.5	197.5	.....	.....	102.7	110.6	15.8	284.5	31.6	21
60.5	4.6	45.6	94.7	111.8	25.1	223.6	35.4	116.4	11.4	11.4	9.1	122.1	3.4	9.1	94.7	89.0	8.0	304.6	77.6	22
59.8	5.1	45.8	96.7	109.5	19.1	198.6	29.3	118.4	11.5	11.5	10.2	122.2	3.8	7.6	95.5	81.5	8.9	285.2	71.3	23
66.0	.....	44.0	77.0	132.0	77.0	440.1	88.0	99.0	11.0	11.0	.....	121.0	.....	22.0	88.0	154.0	.....	473.2	132.0	24
90.3	16.6	12.9	128.2	212.2	36.4	174.0	28.6	92.4	11.1	17.5	10.5	161.7	12.0	9.0	106.9	78.6	24.1	364.3	29.5	25
103.8	21.1	14.3	120.2	183.1	27.8	110.1	19.8	54.0	11.4	15.2	11.8	138.4	7.2	7.6	74.2	62.9	30.4	317.2	21.9	26
56.8	5.3	9.5	148.3	285.0	57.8	333.3	50.5	188.2	10.5	23.1	7.4	219.8	24.2	12.6	188.2	117.8	8.4	481.6	48.4	27
49.6	3.8	20.4	77.6	123.4	16.5	156.5	29.3	120.9	7.6	10.2	6.4	146.3	12.7	14.0	115.8	115.8	16.5	450.4	147.6	28
73.8	4.6	25.4	85.4	140.7	13.8	110.7	23.1	106.1	11.5	11.5	6.9	129.2	16.1	6.9	133.8	80.7	23.1	364.5	108.4	29
19.9	2.8	14.2	68.1	102.1	19.9	212.8	36.9	139.0	2.8	8.5	5.7	167.4	8.5	22.7	93.6	158.9	8.5	556.1	195.8	30
35.8	3.4	10.2	71.6	115.9	13.6	175.5	39.2	46.0	10.2	10.2	5.1	155.1	17.0	11.9	100.6	146.6	15.3	441.4	141.5	31
58.8	3.5	10.4	79.5	124.5	13.8	124.5	34.6	31.1	17.3	10.4	6.9	145.2	24.2	.....	100.3	110.7	20.7	345.8	69.2	32
13.4	3.4	10.1	63.9	107.5	13.4	225.2	43.7	60.5	3.4	10.1	3.4	164.7	10.1	23.5	100.8	181.5	10.1	534.3	211.7	33
90.4	5.0	50.2	95.4	145.6	25.1	100.4	.....	341.3	.....	10.0	10.0	120.5	.....	20.1	160.6	25.1	20.1	476.9	165.7	34
103.9	6.9	55.4	97.0	173.2	13.9	83.2	.....	256.4	.....	13.9	6.9	97.0	.....	20.8	201.0	20.8	27.7	401.9	187.1	35
54.6	.....	36.4	91.1	72.9	54.6	145.7	.....	564.7	.....	.....	18.2	182.1	.....	18.2	54.6	36.4	.....	674.0	109.3	36
54.3	12.2	14.9	77.9	124.9	21.3	252.6	32.6	103.2	18.1	13.1	9.5	164.8	16.3	13.6	96.4	118.6	14.5	514.7	93.2	37
65.0	14.0	12.6	67.2	107.1	10.3	146.2	22.9	87.1	22.2	9.6	8.9	158.8	13.3	11.8	83.4	80.5	18.5	395.0	42.8	38
37.4	9.4	18.7	94.8	153.2	38.6	421.1	48.0	128.7	11.7	18.7	10.5	174.3	21.1	16.4	117.0	179.0	8.2	704.2	173.1	39
62.9	10.9	12.8	68.0	107.8	18.0	240.7	16.0	98.9	19.9	14.8	6.4	162.4	23.1	12.8	89.2	112.3	14.1	425.0	57.1	40
69.5	13.5	9.7	57.9	87.8	8.7	136.1	15.4	88.8	21.2	10.6	4.8	160.2	17.4	13.5	84.9	77.2	16.4	370.7	36.7	41
49.8	5.8	19.2	88.2	147.6	36.4	448.5	17.3	118.8	17.3	23.0	9.6	166.8	34.5	11.5	97.8	182.1	9.6	532.9	97.8	42
33.8	15.4	20.0	101.3	165.8	29.2	280.9	72.1	113.6	13.8	9.2	16.9	170.4	.....	15.4	113.6	133.6	15.4	729.2	179.6	43
50.3	15.7	22.0	97.4	169.6	15.7	179.1	47.1	81.7	25.1	6.3	22.0	153.9	.....	6.3	78.5	91.1	25.1	474.4	62.8	44
18.0	15.0	18.0	105.1	162.1	42.0	378.2	96.1	144.1	3.0	12.0	12.0	186.1	.....	24.0	147.1	174.1	6.0	972.6	291.2	45
83.6	15.7	11.2	41.8	133.2	9.2	230.1	10.1	151.1	15.7	12.8	17.5	113.5	8.1	6.9	54.6	93.3	20.7	201.1	3.6	46
83.4	15.8	11.2	41.5	129.8	9.3	227.3	9.9	152.5	15.8	12.5	17.6	111.6	7.9	7.0	54.5	92.7	20.8	198.1	3.5	47
91.1	14.6	10.9	52.8	276.9	5.5	351.6	14.6	91.1	10.9	27.3	12.8	193.1	16.4	5.5	60.1	120.2	16.4	329.7	7.3	48
96.9	20.0	26.7	110.3	83.5	26.7	120.3	13.4	76.9	36.8	10.0	13.4	113.6	10.0	10.0	63.5	76.9	13.4	324.1	26.7	49
99.4	14.2	37.9	71.0	99.4	33.1	75.7	14.2	52.1	18.9	23.7	23.7	89.9	9.5	4.7	94.7	75.7	33.1	312.5	42.6	50
82.2	15.9	9.7	39.1	134.0	7.8	240.8	9.2	159.9	14.8	11.9	17.6	113.9	8.1	7.2	53.1	95.4	20.9	188.5	1.6	51
81.9	15.8	9.8	38.7	130.7	7.9	237.9	9.1	161.5	14.9	11.5	17.6	111.8	7.9	7.2	53.0	94.5	20.9	185.8	1.6	52
94.5	17.2	8.6	55.9	285.8	4.3	371.7	12.9	86.0	10.7	27.9	15.0	208.4	17.2	6.4	60.2	137.5	19.3	315.9	2.1	53
102.2	6.4	9.6	31.9	86.2	25.6	102.2	22.4	38.3	16.0	19.2	6.4	127.8	3.2	3.2	54.3	70.3	12.8	277.9	57.5	54
79.7	12.0	19.9	39.8	107.6	12.0	71.7	19.9	39.8	23.9	8.0	12.0	59.8	.....	8.0	63.8	67.7	19.9	155.4	4.0	55
97.8	19.6	32.6	78.3	195.7	.....	221.8	52.2	45.7	45.7	58.7	6.5	163.1	6.5	.....	26.1	91.3	.....	769.7	6.5	56
123.0	16.4	21.9	98.4	169.4	46.5	136.6	30.1	46.5	5.5	21.9	35.5	103.8	10.9	2.7	62.9	30.1	24.6	379.8	21.9	57
88.5	15.4	36.6	59.7	136.7	15.4	127.0	5.8	86.6	32.7	28.9	15.4	117.4	11.5	3.8	96.2	94.3	21.2	300.3	13.5	58
81.1	15.3	11.4	70.7	139.7	20.1	129.5	12.3	103.4	14.1	13.9	13.5	92.8	12.5	7.1	69.4	99.8	21.9	263.3	4.4	59
82.0	15.6	11.5	70.9	135.6	19.6	121.4	12.2	102.2	14.3	14.1	13.4	87.5	12.4	7.3	67.8	98.1	22.1	256.4	4.2	60
63.1	9.7	9.7	68.0	216.1	29.1	281.7	14.6	126.3	9.7	9.7	14.6	191.8	14.6	2.4	99.6	131.1	17.0	393.4	7.3	61
53.3	13.3	17.8	71.0	119.9	22.2	128.7	13.3	119.9	22.2	13.3	4.4	79.9	26.6	8.9	84.4	84.4	31.1	208.7	.....	62
10.3	5.1	.....	25.7	41.2	5.1	262.5	5.1	422.1	.....	10.3	5.1	5.1	.....	5.1	77.2	144.1	20.6	133.8	5.1	63
98.1	15.5	5.2	72.3	216.9	15.5	123.9	20.7	41.3	15.5	20.7	.....	56.8	25.8	5.2	77.4	92.9	10.3	289.1	10.3	64
36.4	9.1	18.2	72.8	63.7	45.5	136.5	9.1	145.6	9.1	.....	9.1	81.9	18.2	9.1	91.0	63.7	.....	400.4	.....	65

* Less than one-tenth of 1 per 100,000.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	INDIANA—continued.														
1	Evansville	1,357.0	32.9	11.5	.....	12.9	.....	8.6	8.6	14.3	4.3	178.9	2.9	14.3	7.2
2	Fort Wayne	1,306.5	26.4	1.6	.....	14.0	18.7	.....	14.0	6.2	1.6	126.0	6.2	29.6	4.7
3	Gary [2]	1,690.3	101.2	.....	.....	6.0	.....	17.9	41.7	.....	6.0	65.5	.....	11.9	.....
4	Hammond	1,403.3	56.9	.....	.....	4.7	33.2	19.0	14.2	4.7	4.7	104.3	4.7	28.4	14.2
5	Huntington	1,225.4	19.5	.....	.....	9.7	19.5	.....	.....	9.7	.....	165.3	9.7	29.2	.....
6	Indianapolis (total)	1,628.9	28.5	1.7	.....	17.9	4.3	17.5	6.8	23.0	11.9	178.9	16.6	28.1	11.9
7	White	1,539.0	29.1	1.9	.....	16.4	3.8	18.8	6.6	21.6	11.3	151.8	16.9	21.1	12.2
8	Colored	2,499.9	22.8	.....	.....	31.9	9.1	4.6	9.1	36.4	18.2	441.7	13.7	95.6	9.1
9	Jeffersonville (total)	1,970.2	67.3	.....	.....	28.8	.....	57.7	.....	19.2	.....	249.9	28.8	19.2	19.2
10	White	1,757.9	67.6	.....	.....	22.5	.....	56.3	.....	11.3	.....	180.3	22.5	.....	22.5
11	Colored	3,200.5	65.3	.....	.....	65.3	.....	65.3	.....	65.3	.....	653.2	65.3	130.6	.....
12	Kokomo	1,500.4	75.9	11.7	.....	5.8	17.5	52.5	23.4	17.5	5.8	163.5	23.4	29.2	.....
13	Lafayette	1,654.9	49.7	.....	.....	14.9	.....	5.0	9.9	19.9	5.0	169.0	5.0	14.9	9.9
14	Laporte	1,745.9	28.3	9.4	.....	9.4	56.6	9.4	9.4	.....	9.4	94.4	.....	9.4	.....
15	Logansport	1,564.6	47.1	5.2	.....	10.5	31.4	5.2	26.2	5.2	.....	141.3	5.2	20.9	20.9
16	Marion	1,367.7	41.3	5.2	.....	20.6	.....	.....	10.3	15.5	5.2	160.0	10.3	10.3	.....
17	Michigan City	1,465.4	47.1	.....	.....	26.2	10.5	26.2	15.7	5.2	.....	162.2	5.2	26.2	5.2
18	Mishawaka	1,139.9	16.6	.....	.....	.....	8.3	49.9	16.6	8.3	8.3	49.9	.....	16.6	.....
19	Muncie	1,463.6	37.4	4.2	.....	16.6	8.3	4.2	16.6	4.2	4.2	187.1	12.5	29.1	12.5
20	New Albany	1,822.7	19.4	9.7	.....	24.2	4.8	24.2	67.9	43.6	4.8	339.3	9.7	33.9	4.8
21	Peru	1,328.3	55.0	.....	.....	.....	9.2	9.2	.....	18.3	18.3	174.1	.....	18.3	.....
22	Richmond	1,361.5	8.9	.....	.....	17.9	8.9	.....	40.2	49.1	4.5	183.0	4.5	31.2	.....
23	South Bend	1,404.5	16.7	1.9	.....	.....	13.0	3.7	11.1	13.0	7.4	159.1	13.0	13.0	5.6
24	Terre Haute	1,595.4	29.1	10.3	.....	22.3	20.6	18.8	27.4	15.4	3.4	152.5	1.7	22.3	10.3
25	Vincennes	1,908.8	26.7	20.0	.....	26.7	.....	40.0	26.7	26.7	6.7	300.3	6.7	13.3	26.7
	KANSAS.[3]														
26	Registration cities (total)	1,541.5	75.0	3.8	0.6	21.2	6.4	3.2	29.5	10.9	5.1	114.1	0.6	16.0	7.7
27	White	1,455.5	68.5	2.1	0.7	22.6	7.1	3.5	28.3	9.9	4.9	84.8	0.7	14.8	5.7
28	Colored	2,381.6	138.1	20.7	.....	6.9	.....	.....	41.4	20.7	6.9	400.4	.....	27.6	27.6
29	Kansas City (total)	1,684.7	95.5	4.8	1.2	26.6	10.9	.....	35.1	6.0	7.3	153.6	.....	20.6	9.7
30	White	1,571.4	90.0	1.4	1.4	28.6	12.3	.....	34.1	5.5	6.8	111.9	.....	21.8	6.8
31	Colored	2,571.2	138.7	32.0	.....	10.7	.....	.....	42.7	10.7	10.7	480.1	.....	10.7	32.0
32	Leavenworth (total)	1,383.8	74.9	.....	.....	5.0	.....	.....	5.0	20.0	5.0	94.9	.....	15.0	5.0
33	White	1,249.3	63.0	.....	.....	5.7	.....	.....	5.7	22.9	5.7	51.6	.....	11.5	5.7
34	Colored	2,298.4	155.8	.....	.....	.....	.....	.....	.....	.....	.....	389.6	.....	39.0	.....
35	Wichita	1,378.5	43.1	3.8	.....	18.8	1.9	9.4	30.0	15.0	1.9	60.0	1.9	9.4	5.6
	KENTUCKY.[3]														
36	Registration cities (total)	1,662.3	31.4	8.5	.....	3.6	6.7	15.4	10.9	16.2	4.8	225.8	8.5	12.4	5.1
37	White	1,487.6	24.9	2.1	.....	3.9	5.7	12.8	12.8	15.3	3.9	186.0	8.2	12.5	3.9
38	Colored	2,640.8	67.9	43.9	.....	2.0	12.0	29.9	.....	27.9	10.0	449.1	10.0	12.0	12.0
39	Covington	1,614.9	15.0	1.9	.....	5.6	.....	7.5	11.3	26.3	7.5	232.6	11.3	13.1	9.4
40	Louisville (total)	1,674.4	31.7	3.6	.....	1.3	9.4	18.3	10.7	13.4	4.9	222.5	7.1	12.0	4.5
41	White	1,451.4	23.9	0.5	.....	1.1	8.2	14.1	13.1	10.9	3.3	172.0	6.5	12.0	3.3
42	Colored	2,684.6	66.6	17.3	.....	2.5	14.8	37.0	.....	24.7	12.3	451.1	9.9	12.3	9.9
43	Newport	1,462.9	32.9	.....	.....	13.2	3.3	16.5	9.9	29.7	3.3	204.3	9.9	16.5	.....
44	Paducah (total)	1,918.6	65.7	83.2	.....	8.8	.....	4.4	13.1	17.5	.....	271.6	13.1	8.8	8.8
45	White	1,633.4	47.7	29.8	.....	11.9	.....	6.0	17.9	11.9	.....	208.6	11.9	11.9	6.0
46	Colored	2,709.0	115.6	231.3	.....	.....	.....	.....	.....	33.0	.....	446.0	16.5	.....	16.5
	LOUISIANA.[3]														
47	New Orleans (total)	2,131.3	31.5	9.7	0.6	19.4	8.2	4.1	10.9	50.6	3.8	266.0	6.2	12.9	10.9
48	White	1,722.4	26.8	7.2	.....	23.6	9.6	3.2	12.0	42.8	4.0	181.4	6.8	8.0	6.4
49	Colored	3,269.8	44.5	16.7	2.2	7.8	4.5	6.7	7.8	72.3	3.3	501.8	4.5	26.7	23.4
	MAINE.														
50	Registration cities (total)	2,025.6	33.6	0.6	.....	17.4	15.6	9.0	18.6	12.0	6.0	146.2	15.6	18.6	7.2
51	White	2,027.4	33.7	0.6	.....	17.5	15.6	9.0	18.7	12.0	6.0	145.0	15.6	18.7	7.2
52	Colored	1,605.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	438.0	.....	.....	.....
53	Auburn	1,529.0	19.9	6.6	.....	53.0	26.5	19.9	6.6	13.2	.....	99.3	19.9	6.6	.....
54	Augusta *	2,507.0	15.1	.....	.....	15.1	.....	.....	.....	15.1	22.7	211.4	7.6	22.7	7.6
55	Bangor *	2,026.9	32.2	.....	.....	16.1	.....	.....	4.0	4.0	4.0	160.9	8.0	48.3	.....
56	Biddeford	2,403.8	17.5	.....	.....	35.1	81.9	23.4	46.8	5.8	11.7	198.9	35.1	5.8	17.5
57	Lewiston	2,228.2	11.4	.....	.....	15.2	22.8	11.4	34.2	15.2	7.6	148.3	22.8	26.6	11.4
58	Portland	1,882.6	52.8	.....	.....	8.5	3.4	3.4	15.3	13.6	3.4	108.9	8.5	11.9	8.5
59	Waterville	1,826.2	52.2	.....	.....	.....	.....	26.1	26.1	17.4	.....	208.7	26.1	.....	.....

[1] Exclusive of stillbirths.

[2] Rates based on population enumerated April 15, 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
85.9	11.5	11.5	32.9	127.4	24.3	133.1	14.3	91.6	12.9	5.7	18.6	81.6	15.7	7.2	65.8	83.0	20.0	217.6	.....	1
99.5	20.2	7.8	68.4	129.1	12.4	118.2	18.7	51.3	20.2	21.8	7.8	90.2	6.2	3.1	46.7	91.8	18.7	225.5	.....	2
17.9	.....	.....	11.9	53.6	.....	148.8	6.0	404.7	11.9	29.8	6.0	11.9	17.9	11.9	119.0	375.0	29.8	184.5	.....	3
61.6	9.5	4.7	19.0	56.9	.....	156.4	23.7	132.7	23.7	4.7	9.5	66.4	9.5	14.2	99.6	251.3	9.5	151.7	9.5	4
97.3	29.2	9.7	126.4	194.5	9.7	68.1	19.5	58.4	.....	.....	.....	38.9	9.7	.....	58.4	19.5	.....	223.7	.....	5
77.5	18.7	8.9	81.4	159.7	19.2	142.7	10.6	75.4	14.1	17.9	21.3	108.6	11.1	5.5	77.5	87.3	23.9	316.9	3.4	6
79.4	19.3	8.5	82.2	152.3	17.9	126.4	10.8	73.3	14.1	17.9	21.6	95.9	10.3	6.1	73.3	79.4	24.0	311.1	3.8	7
59.2	13.7	13.7	72.9	232.2	31.9	300.5	9.1	95.6	13.7	18.2	18.2	232.2	18.2	.....	118.4	163.9	22.8	373.4	.....	8
105.7	19.2	9.6	144.2	173.0	96.1	124.9	19.2	134.6	9.6	.....	9.6	259.5	.....	9.6	57.7	96.1	19.2	182.6	9.6	9
101.4	22.5	11.3	124.0	180.3	101.4	101.4	22.5	124.0	11.3	.....	11.3	259.2	.....	11.3	45.1	67.6	22.5	146.5	11.3	10
130.6	.....	.....	261.3	130.6	65.3	261.3	.....	196.0	.....	.....	.....	261.3	.....	.....	130.6	261.3	.....	391.9	.....	11
105.1	17.5	11.7	40.9	169.3	17.5	116.8	.....	99.2	5.8	23.4	.....	46.7	17.5	5.8	64.2	75.9	11.7	227.7	17.5	12
104.4	24.8	.....	124.2	203.8	24.8	79.5	14.9	84.5	19.9	14.9	14.9	84.5	.....	19.9	54.7	139.2	29.8	313.1	.....	13
151.0	18.9	9.4	103.8	217.1	18.9	56.6	9.4	56.6	47.2	28.3	9.4	122.7	.....	.....	160.4	179.3	9.4	311.4	.....	14
120.4	20.9	15.7	73.3	83.7	15.7	94.2	20.9	57.6	26.2	10.5	5.2	136.1	36.6	10.5	36.6	120.4	20.9	340.1	.....	15
77.4	5.2	20.6	129.0	149.7	5.2	103.2	15.5	46.4	5.2	5.2	20.6	56.8	15.5	5.2	56.8	82.6	10.3	268.4	10.3	16
109.9	10.5	57.6	62.8	109.9	20.9	157.0	10.5	141.3	10.5	5.2	10.5	83.7	15.7	10.5	62.8	41.9	26.2	183.2	5.2	17
41.6	25.0	.....	74.9	91.5	33.3	83.2	.....	66.6	8.3	8.3	.....	166.4	33.3	8.3	58.2	49.9	25.0	191.4	.....	18
95.6	20.8	12.5	74.8	108.1	20.8	116.4	4.2	62.4	16.6	16.6	8.3	99.8	.....	12.5	108.1	70.7	24.9	249.5	4.2	19
111.5	4.8	.....	111.5	140.6	53.3	101.8	24.2	111.5	4.8	14.5	9.7	111.5	4.8	9.7	48.5	53.3	19.4	295.7	4.8	20
82.4	27.5	18.3	82.4	164.9	9.2	91.6	9.2	27.5	.....	9.2	.....	64.1	.....	.....	27.5	82.4	.....	329.8	.....	21
89.3	8.9	8.9	58.0	165.2	8.9	125.0	13.4	40.2	.....	8.9	4.5	111.6	.....	.....	53.6	40.2	13.4	254.4	8.9	22
55.5	7.4	16.7	48.1	136.9	25.9	88.8	5.6	179.5	11.1	13.0	11.1	87.0	22.2	9.3	57.4	96.2	13.0	257.2	5.6	23
94.2	17.1	18.8	78.8	145.7	22.3	137.1	10.3	111.4	22.3	10.3	15.4	92.5	15.4	8.6	60.0	109.7	49.7	231.3	10.3	24
53.4	6.7	13.3	60.1	133.5	13.3	193.6	20.0	140.2	6.7	6.7	33.4	106.8	6.7	6.7	53.4	160.2	26.7	327.0	20.0	25
80.8	16.7	18.6	62.8	136.5	17.9	137.2	20.5	67.9	11.5	16.0	10.3	98.7	14.1	8.3	89.1	89.7	16.0	304.5	30.1	26
81.3	17.7	17.7	58.6	127.9	17.7	129.3	19.1	69.2	12.7	16.3	9.2	90.4	15.5	8.5	91.1	87.6	17.0	284.7	30.4	27
75.9	6.9	27.6	103.5	220.9	20.7	214.0	34.5	55.2	.....	13.8	20.7	179.5	.....	6.9	69.0	110.5	6.9	497.0	27.6	28
78.6	21.8	23.0	64.1	139.1	24.2	182.6	21.8	67.7	10.9	15.7	15.7	99.2	13.3	6.0	91.9	94.3	15.7	304.8	23.0	29
75.0	23.2	23.2	54.6	124.1	23.2	173.2	21.8	70.9	12.3	16.4	15.0	94.1	15.0	6.8	94.1	91.4	17.7	274.2	24.6	30
106.7	10.7	21.3	138.7	256.1	32.0	256.1	21.3	42.7	.....	10.7	21.3	138.7	.....	.....	74.7	117.4	.....	544.1	10.7	31
64.9	5.0	25.0	59.9	144.9	.....	109.9	30.0	10.0	.....	15.0	.....	89.9	15.0	15.0	50.0	84.9	40.0	384.7	15.0	32
74.5	5.7	17.2	68.8	137.5	.....	103.2	28.7	11.5	.....	11.5	.....	57.3	17.2	11.5	45.8	89.2	40.1	349.6	17.2	33
.....	.....	77.9	.....	194.8	.....	155.8	39.0	.....	.....	39.0	.....	311.6	.....	39.0	77.9	116.9	39.0	623.3	.....	34
90.0	13.1	9.4	61.9	129.4	15.0	76.9	15.0	90.0	16.9	16.9	5.6	101.3	15.0	9.4	99.4	84.4	7.5	273.8	46.9	35
57.4	9.7	30.5	68.6	143.0	30.5	160.5	35.4	36.0	11.5	13.9	13.9	126.1	4.2	3.3	93.4	75.0	16.0	338.9	44.1	36
61.3	10.0	29.6	68.0	119.3	21.4	129.7	31.7	36.0	12.5	13.5	14.2	121.8	3.9	3.2	90.8	68.8	18.2	300.7	41.0	37
35.9	8.0	35.9	71.9	275.5	81.8	333.3	55.9	35.9	6.0	16.0	12.0	149.7	6.0	4.0	107.8	109.8	4.0	552.9	61.9	38
54.4	9.4	26.3	75.0	125.7	9.4	148.2	22.5	52.5	13.1	9.4	20.6	180.1	3.8	7.5	106.9	88.2	16.9	257.0	46.9	39
60.2	9.8	29.9	62.9	157.8	37.0	152.5	43.7	28.5	12.0	15.2	12.0	121.3	4.5	2.7	97.6	69.5	16.0	365.1	37.0	40
65.3	10.3	28.3	62.0	123.5	25.0	111.0	40.3	27.8	13.1	15.8	12.5	113.2	3.8	2.7	92.5	60.4	18.5	321.1	35.4	41
37.0	7.4	37.0	66.6	313.1	91.2	340.2	59.2	32.0	7.4	12.3	9.9	157.8	7.4	2.5	120.8	110.9	4.9	564.5	44.4	42
49.4	9.9	32.9	98.8	108.7	29.7	174.6	3.3	52.7	3.3	9.9	23.1	79.1	6.6	3.3	56.0	65.9	23.1	247.1	46.1	43
48.2	8.8	43.8	70.1	83.2	17.5	249.7	26.3	48.2	13.1	17.5	4.4	109.5	.....	.....	70.1	109.5	4.4	394.2	105.1	44
53.7	6.0	41.7	53.7	77.5	.....	220.6	17.9	47.7	17.9	11.9	.....	119.2	.....	.....	77.5	107.3	6.0	333.8	77.5	45
33.0	16.5	49.6	115.6	99.1	66.1	330.4	49.6	49.6	.....	33.0	16.5	82.6	.....	.....	49.6	115.6	.....	561.6	181.7	46
85.3	8.5	14.1	75.0	207.0	33.5	193.7	20.6	131.7	12.6	14.1	40.3	238.4	10.0	11.8	63.8	113.8	21.8	390.7	10.0	47
87.9	9.6	13.2	71.5	170.2	25.6	121.1	18.4	119.1	12.4	13.2	37.2	187.4	9.2	11.2	48.7	87.9	26.8	311.6	8.8	48
77.9	5.6	16.7	84.6	309.3	55.6	396.1	26.7	166.9	13.4	16.7	49.0	380.5	12.2	13.4	105.7	185.8	7.8	610.8	13.4	49
104.9	16.2	33.6	127.7	196.6	23.4	200.2	35.4	121.7	28.2	24.0	10.8	126.5	9.6	6.6	73.1	102.5	9.0	428.5	47.3	50
104.7	16.2	33.7	128.2	196.8	23.5	201.0	35.5	122.2	28.3	24.1	10.8	126.4	9.6	6.6	73.4	101.1	9.0	429.7	46.9	51
146.0	.....	.....	.....	146.0	.....	.....	.....	.....	.....	.....	.....	146.0	.....	.....	.....	438.0	.....	146.0	146.0	52
39.7	19.9	33.1	145.6	125.7	19.9	165.5	19.9	72.8	.....	13.2	.....	99.3	.....	.....	72.8	86.0	.....	324.3	19.9	53
98.2	7.6	22.7	151.0	422.9	30.2	271.8	7.6	90.6	22.7	7.6	37.8	90.6	7.6	.....	60.4	120.8	7.6	672.1	60.4	54
112.6	12.1	12.1	164.9	185.0	4.0	164.9	24.1	32.2	48.3	20.1	16.1	92.5	8.0	4.0	56.3	132.7	16.1	530.9	112.6	55
105.3	23.4	37.7	40.9	163.8	17.5	380.2	29.2	251.5	23.4	11.7	11.7	169.6	.....	11.7	87.7	81.9	5.8	350.9	70.2	56
83.7	15.2	38.0	110.3	178.7	26.6	231.9	45.6	266.2	38.0	34.2	7.6	167.3	26.6	7.6	72.2	98.9	11.4	403.1	38.0	57
129.4	18.7	17.0	139.6	200.9	30.6	161.7	47.7	73.2	28.9	32.3	8.5	136.2	8.5	5.1	74.9	97.0	8.5	401.7	23.8	58
104.4	8.7	87.0	104.4	121.7	26.1	95.7	34.8	139.1	8.7	17.4	.....	69.6	8.7	26.1	95.7	104.4	8.7	373.9	34.8	59

[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	MARYLAND.														
1	Registration cities (total)	1,921.2	46.2	2.0	.....	3.3	7.9	16.6	10.8	11.2	6.7	221.9	9.9	14.5	7.1
2	White	1,726.1	45.4	1.9	.....	3.7	8.9	12.1	11.9	10.6	7.1	167.4	9.2	12.1	6.7
3	Colored	3,061.7	50.6	2.3	.....	1.1	2.3	42.8	4.5	14.6	4.5	540.1	13.5	28.1	9.0
4	Baltimore (total)	1,921.8	42.0	2.0	.....	3.6	8.6	15.2	11.4	11.4	7.3	228.0	10.2	12.7	7.0
5	White	1,718.7	40.7	1.9	.....	4.0	9.7	9.9	12.6	10.8	7.8	172.0	9.5	9.7	6.5
6	Colored	3,052.5	49.3	2.3	.....	1.2	2.3	44.6	4.7	15.3	4.7	539.9	14.1	29.3	9.4
7	Cumberland (total)	2,005.6	155.0	4.6	.....	.....	.....	45.6	.....	9.1	.....	145.9	4.6	41.0	4.6
8	White	1,906.9	158.1	4.8	.....	.....	.....	47.9	.....	9.6	.....	129.4	4.8	43.1	4.8
9	Colored [2]	3,936.3	93.7	.....	.....	.....	.....	.....	.....	.....	.....	468.6	.....	.....	.....
10	Frederick (total)	1,974.3	86.3	.....	.....	.....	.....	38.3	19.2	9.6	.....	162.9	9.6	28.8	9.6
11	White	1,728.9	89.2	.....	.....	.....	.....	44.6	22.3	11.2	.....	100.4	11.2	33.5	11.2
12	Colored	3,471.7	68.1	.....	.....	.....	.....	.....	.....	.....	.....	544.6	.....	.....	.....
13	Hagerstown (total)	1,756.4	18.1	.....	.....	.....	.....	12.1	.....	6.0	.....	150.9	6.0	30.2	12.1
14	White	1,710.0	13.0	.....	.....	.....	.....	13.0	.....	6.5	.....	116.6	6.5	32.4	13.0
15	Colored [2]	2,391.5	88.6	.....	.....	.....	.....	.....	.....	.....	.....	620.0	.....	.....	.....
	MASSACHUSETTS.														
16	Registration cities (total)	1,603.1	13.5	0.5	.....	12.4	8.9	8.9	23.2	10.8	5.2	132.4	15.2	10.9	6.2
17	White	1,596.6	13.4	0.5	.....	12.4	9.0	8.8	23.2	10.9	5.3	129.3	15.2	10.6	6.1
18	Colored	2,087.2	17.3	.....	.....	14.5	2.9	14.5	20.2	2.9	2.9	364.2	14.5	34.7	14.5
19	Adams town	1,310.4	.....	.....	.....	7.7	15.3	23.0	46.0	15.3	.....	69.0	15.3	.....	.....
20	Arlington town	1,315.4	.....	.....	.....	.....	8.9	8.9	17.8	17.8	.....	124.4	8.9	.....	8.9
21	Attleborough town	1,265.0	18.3	.....	.....	24.4	6.1	6.1	6.1	36.7	.....	73.3	12.2	12.2	.....
22	Beverly	1,308.9	5.3	.....	.....	.....	.....	.....	21.3	.....	16.0	101.1	10.6	26.6	5.3
23	Boston (total)	1,716.1	11.3	0.1	.....	14.2	9.2	7.6	23.9	7.6	8.3	171.7	21.5	11.4	6.4
24	White	1,703.7	11.4	0.2	.....	14.4	9.3	7.6	23.7	7.6	8.3	165.8	21.9	10.8	5.8
25	Colored	2,263.6	6.7	.....	.....	6.7	6.7	6.7	33.5	6.7	6.7	435.3	6.7	40.2	33.5
26	Brockton	1,234.7	15.7	.....	.....	1.7	15.7	.....	8.7	26.2	1.7	87.3	22.7	17.5	3.5
27	Brookline town	1,143.9	.....	.....	.....	.....	.....	3.6	3.6	3.6	3.6	39.3	3.6	10.7	3.6
28	Cambridge	1,498.8	9.5	.....	.....	3.8	2.9	3.8	22.8	7.6	1.0	245.4	14.3	9.5	3.8
29	Chelsea	1,876.0	15.5	.....	.....	.....	3.1	3.1	6.2	12.4	6.2	124.0	12.4	15.5	6.2
30	Chicopee	1,518.3	3.9	3.9	.....	7.8	7.8	7.8	11.7	7.8	.....	93.7	7.8	7.8	11.7
31	Clinton town	1,338.5	7.6	.....	.....	.....	.....	22.9	45.9	30.6	15.3	107.1	22.9	7.6	.....
32	Everett	1,099.0	8.9	.....	.....	5.9	11.9	3.0	14.9	8.9	3.0	98.0	11.9	.....	3.0
33	Fall River	1,836.2	15.0	0.8	.....	17.5	2.5	15.9	19.2	5.8	1.7	141.8	5.8	8.3	4.2
34	Fitchburg	1,304.3	28.9	.....	.....	2.6	13.1	.....	44.7	.....	10.5	73.6	7.9	7.9	7.9
35	Framingham town	1,699.1	23.1	.....	.....	.....	.....	.....	15.4	38.4	.....	107.6	.....	38.4	7.7
36	Gardner town	1,559.5	13.5	.....	.....	27.0	.....	6.8	.....	40.5	6.8	101.3	13.5	20.3	.....
37	Gloucester	1,607.0	8.2	.....	.....	.....	.....	.....	24.7	20.5	4.1	164.4	12.3	8.2	.....
38	Greenfield town	1,402.7	.....	.....	.....	.....	.....	47.7	9.5	28.6	.....	85.9	9.5	19.1	38.2
39	Haverhill	1,728.3	20.3	.....	.....	2.3	9.0	11.3	18.0	15.8	.....	142.0	9.0	9.0	11.3
40	Holyoke	1,769.1	15.5	.....	.....	18.9	.....	12.1	18.9	12.1	8.6	129.2	8.6	8.6	5.2
41	Hyde Park town	1,678.6	77.2	.....	.....	12.9	.....	12.9	38.6	12.9	.....	128.6	38.6	.....	6.4
42	Lawrence	1,767.6	16.2	1.2	.....	20.8	8.1	18.5	39.3	2.3	3.5	108.6	23.1	12.7	10.4
43	Leominster town	1,106.2	11.3	.....	.....	.....	5.6	.....	22.6	5.6	.....	124.2	28.2	.....	.....
44	Lowell	1,967.9	19.7	1.9	.....	28.1	41.2	5.6	20.6	7.5	1.9	112.4	19.7	12.2	11.2
45	Lynn	1,312.1	16.7	1.1	.....	4.5	5.6	8.9	21.1	16.7	4.5	112.4	11.1	14.5	5.6
46	Malden	1,302.9	4.5	.....	.....	.....	29.1	2.2	13.4	4.5	2.2	91.8	9.0	4.5	4.5
47	Marlborough	1,164.4	13.7	.....	.....	6.8	6.8	.....	.....	6.8	.....	116.4	20.5	.....	6.8
48	Medford	1,043.1	.....	.....	.....	4.3	4.3	.....	12.9	12.9	.....	85.9	12.9	4.3	.....
49	Melrose	1,299.5	6.3	.....	.....	.....	.....	6.3	19.0	25.4	.....	107.8	19.0	19.0	6.3
50	Methuen town	1,297.1	17.3	.....	.....	8.6	.....	17.3	17.3	8.6	.....	147.0	.....	.....	.....
51	Milford town	1,825.1	.....	.....	.....	7.6	.....	.....	15.3	30.5	7.6	106.9	7.6	.....	30.5
52	New Bedford	1,858.8	21.5	1.0	.....	41.0	5.1	8.2	25.6	3.1	4.1	112.7	15.4	11.3	5.1
53	Newburyport	1,871.5	20.1	.....	.....	20.1	.....	.....	6.7	6.7	.....	133.7	.....	13.4	13.4
54	Newton	1,212.1	7.5	.....	.....	.....	.....	.....	12.5	15.0	5.0	75.1	10.0	.....	5.0
55	North Adams	1,462.7	18.2	.....	.....	22.7	22.7	4.5	36.3	22.7	4.5	90.9	9.1	9.1	9.1
56	Northampton*	1,885.1	5.2	.....	.....	.....	10.3	10.3	15.5	30.9	15.5	159.7	.....	25.8	15.5
57	Peabody town	1,282.3	.....	6.3	.....	.....	.....	.....	.....	12.6	19.0	151.6	6.3	6.3	.....
58	Pittsfield	1,764.3	24.7	.....	.....	18.5	6.2	21.6	12.3	12.3	6.2	83.3	15.4	18.5	.....
59	Plymouth town	1,329.6	32.8	.....	.....	.....	.....	.....	16.4	16.4	8.2	73.9	16.4	.....	24.6
60	Quincy	1,169.5	12.2	.....	.....	12.2	9.1	.....	9.1	6.1	6.1	100.5	21.3	12.2	3.0
61	Revere town	1,176.0	10.8	.....	.....	5.4	16.3	10.8	.....	10.8	.....	97.6	10.8	16.3	.....
62	Salem	1,572.1	6.8	.....	.....	.....	13.7	13.7	13.7	11.4	2.3	147.9	18.2	18.2	6.8
63	Somerville	1,342.0	10.3	.....	.....	5.2	6.4	1.3	27.1	10.3	6.4	98.0	14.2	5.2	2.6
64	Southbridge town	1,382.4	15.8	.....	.....	15.8	23.7	.....	55.3	23.7	.....	102.7	23.7	.....	7.9
65	Springfield	1,656.8	14.5	1.1	.....	14.5	22.3	23.4	41.3	20.1	2.2	81.5	3.3	16.7	6.7
66	Taunton*	2,334.5	20.4	.....	.....	26.2	2.9	5.8	23.3	32.0	14.5	136.6	.....	11.6	2.9
67	Wakefield town	1,309.8	8.7	.....	.....	.....	17.5	17.5	.....	.....	.....	235.8	8.7	.....	8.7
68	Waltham	1,394.3	10.8	3.6	.....	3.6	.....	7.2	46.6	14.3	7.2	96.8	17.9	7.2	7.2
69	Watertown town	1,104.8	15.5	.....	.....	23.2	7.7	.....	7.7	7.7	7.7	100.4	15.5	.....	15.5
70	Webster town	1,538.2	.....	.....	.....	25.9	.....	8.6	34.6	25.9	.....	103.7	.....	8.6	17.3
71	Westfield town	1,870.4	24.8	.....	.....	6.2	.....	.....	74.3	18.6	.....	402.6	18.6	18.6	6.2
72	Weymouth town	1,544.4	7.7	.....	.....	.....	.....	.....	7.7	15.4	.....	139.0	15.4	15.4	.....
73	Winthrop town	1,023.2	.....	.....	.....	.....	.....	.....	29.2	19.5	.....	29.2	19.5	9.7	9.7
74	Woburn	1,570.4	13.0	.....	.....	13.0	6.5	26.1	19.5	13.0	13.0	117.3	6.5	26.1	.....
75	Worcester	1,688.1	15.7	0.7	.....	15.7	3.4	21.8	34.8	4.8	6.8	103.6	17.0	10.9	5.5

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
96.8	17.3	21.2	89.9	170.1	30.6	187.0	21.7	114.9	12.3	15.8	13.1	174.5	6.1	10.5	121.3	85.5	14.1	305.4	55.2	1
101.4	18.5	20.8	86.2	145.5	29.6	160.3	21.4	100.5	11.5	15.8	13.9	160.7	5.2	9.2	108.2	81.0	16.2	276.9	46.2	2
69.8	10.1	23.6	111.4	313.9	36.0	343.2	23.6	199.2	16.9	15.8	9.0	255.4	11.3	18.0	198.0	111.4	2.3	471.5	108.0	3
96.2	18.1	22.2	91.1	173.7	30.9	191.4	21.4	114.2	12.3	15.7	13.0	178.5	6.1	10.4	123.9	78.8	14.5	297.7	52.2	4
101.6	19.4	21.7	87.3	147.6	30.1	164.4	20.9	99.1	11.4	15.6	13.7	165.1	5.1	9.3	110.5	72.5	16.7	267.8	43.9	5
65.7	10.6	24.6	112.7	319.2	35.2	341.5	24.6	198.3	17.6	16.4	9.4	253.5	11.7	16.4	198.3	113.8	2.3	464.7	98.6	6
104.8	9.1	13.7	68.4	118.5	9.1	150.4	36.5	164.1	22.8	22.8	18.2	141.3	.....	22.8	86.6	223.3	4.6	319.1	59.3	7
100.6	9.6	14.4	62.3	115.0	9.6	124.6	38.3	158.1	24.0	24.0	19.2	124.6	.....	14.4	81.4	225.2	4.8	311.4	43.1	8
187.4	.....	.....	187.4	187.4	.....	656.0	.....	281.2	.....	.....	.....	468.6	.....	187.4	187.4	187.4	.....	468.6	374.9	9
143.8	.....	9.6	105.4	124.6	19.2	134.2	19.2	86.3	.....	9.6	19.2	162.9	9.6	.....	67.1	95.8	9.6	460.0	134.2	10
122.7	.....	11.2	111.5	100.4	22.3	100.4	22.3	44.6	.....	11.2	22.3	133.9	11.2	.....	55.8	111.5	11.2	435.0	78.1	11
272.3	.....	.....	68.1	272.3	.....	340.4	.....	340.4	.....	.....	.....	340.4	.....	.....	136.1	.....	.....	612.7	476.5	12
78.5	12.1	6.0	66.4	144.9	54.3	120.7	12.1	90.5	6.0	12.1	6.0	90.5	12.1	6.0	114.7	120.7	18.1	446.6	102.6	13
84.2	13.0	6.5	71.2	149.0	45.3	116.6	13.0	97.2	6.5	13.0	6.5	90.7	13.0	6.5	103.6	129.5	19.4	421.0	103.6	14
.....	.....	.....	.....	88.6	177.1	177.1	.....	.....	.....	.....	.....	88.6	.....	.....	265.7	.....	.....	797.2	88.6	15
89.5	18.6	18.9	91.1	167.6	29.5	183.8	13.6	135.3	12.9	13.3	10.1	87.6	5.6	7.5	95.0	75.3	12.1	267.3	20.3	16
89.7	18.6	18.9	91.2	166.3	29.2	182.4	13.6	136.0	13.0	13.3	10.2	86.7	5.7	7.6	95.1	75.4	12.1	266.8	20.1	17
75.2	14.5	17.3	83.8	263.1	46.3	292.0	11.6	80.9	8.7	11.6	5.8	159.0	.....	.....	89.6	66.5	17.3	309.3	31.8	18
30.7	23.0	15.3	53.6	137.9	15.3	122.6	.....	306.5	7.7	7.7	7.7	61.3	7.7	7.7	30.7	38.3	23.0	199.2	23.0	19
124.4	17.8	26.7	133.3	222.2	35.6	177.8	17.8	35.6	.....	.....	8.9	71.1	.....	.....	17.8	26.7	.....	186.6	17.8	20
67.2	12.2	24.4	67.2	158.9	18.3	177.2	.....	116.1	12.2	6.1	12.2	85.6	12.2	6.1	67.2	55.0	6.1	165.0	.....	21
85.1	37.2	21.3	90.5	159.6	16.0	117.1	5.3	47.9	16.0	5.3	.....	127.7	10.6	.....	58.5	101.1	5.3	212.8	5.3	22
104.5	20.8	15.6	91.6	201.1	24.6	213.0	11.9	100.6	16.3	13.8	14.4	89.5	5.6	8.3	89.5	95.9	15.3	273.2	17.2	23
104.4	20.8	15.8	92.1	197.6	24.7	209.9	12.0	101.8	16.5	13.8	14.6	88.3	5.8	8.5	89.7	96.2	15.2	272.0	17.2	24
107.2	20.1	6.7	67.0	354.9	20.1	348.2	6.7	46.9	6.7	13.4	6.7	140.6	.....	.....	80.4	80.4	20.1	328.2	20.1	25
76.8	27.9	29.7	83.8	122.2	12.2	106.5	22.7	41.9	14.0	15.7	5.2	68.1	14.0	8.7	85.6	54.1	12.2	213.1	19.2	26
143.0	35.7	.....	107.2	218.1	17.9	92.9	7.1	14.3	14.3	14.3	21.4	78.6	3.6	3.6	39.3	35.7	3.6	221.6	.....	27
80.8	15.2	9.5	87.5	153.1	27.6	182.6	15.2	94.2	11.4	15.2	7.6	78.0	1.9	2.9	84.6	58.0	8.6	232.0	8.6	28
136.4	43.4	15.5	114.7	266.7	27.9	238.8	9.3	86.8	6.2	6.2	21.7	151.9	9.3	12.4	93.0	71.3	15.5	322.5	21.7	29
42.9	19.5	50.7	62.5	117.1	11.7	195.2	19.5	284.9	3.9	.....	7.8	97.6	7.8	3.9	109.3	54.6	.....	238.1	19.5	30
38.2	15.3	22.9	68.8	114.7	22.9	107.1	15.3	38.2	7.6	15.3	15.3	76.5	.....	15.3	76.5	61.2	15.3	321.2	30.6	31
77.2	11.9	3.0	68.3	133.7	20.8	118.8	11.9	32.7	8.9	5.9	11.9	74.3	5.9	8.9	80.2	62.4	3.0	184.2	5.9	32
80.9	10.0	23.4	76.8	126.8	78.4	196.0	16.7	373.8	7.5	15.0	6.7	94.3	5.0	7.5	135.2	47.6	15.9	239.4	40.9	33
65.7	13.1	10.5	52.6	123.6	28.9	134.1	5.3	157.8	10.5	7.9	7.9	47.3	13.1	10.5	97.3	63.1	15.8	231.4	10.5	34
107.6	15.4	30.8	107.6	169.1	30.8	192.2	23.1	38.4	7.7	30.8	15.4	115.3	.....	.....	107.6	115.3	53.8	307.5	.....	35
60.8	6.8	47.3	162.0	60.8	13.5	202.5	6.8	189.0	40.5	20.3	13.5	81.0	6.8	27.0	87.8	54.0	6.8	243.0	.....	36
94.5	28.8	8.2	111.0	254.8	20.5	193.2	24.7	82.2	12.3	28.8	8.2	82.2	4.1	.....	53.4	94.5	.....	250.7	12.3	37
114.5	9.5	9.5	28.6	162.2	28.6	76.3	28.6	19.1	19.1	.....	9.5	133.6	.....	.....	57.3	66.8	19.1	267.2	114.5	38
108.2	20.3	33.8	123.9	137.5	20.3	270.4	18.0	74.4	13.5	15.8	13.5	103.7	9.0	11.3	114.9	60.8	11.3	290.7	29.3	39
68.9	22.4	48.2	67.2	103.4	20.7	232.5	18.9	270.4	12.1	15.5	18.9	112.0	5.2	5.2	174.0	68.9	6.9	232.5	27.6	40
173.6	19.3	25.7	102.9	96.5	19.3	160.8	19.3	70.7	19.3	.....	.....	70.7	.....	25.7	115.8	96.5	19.3	250.8	64.3	41
78.6	4.6	28.9	69.3	115.5	38.1	235.7	18.5	305.0	16.2	9.2	4.6	68.2	9.2	9.2	105.1	82.0	9.2	246.1	49.7	42
73.4	5.6	.....	79.0	84.7	16.9	141.1	.....	39.5	5.6	5.6	5.6	56.4	.....	5.6	95.9	33.9	5.6	242.7	11.3	43
84.3	16.9	23.4	96.5	172.3	84.3	196.7	18.7	252.0	15.0	17.8	15.0	104.0	0.9	6.6	146.1	69.3	15.9	327.8	22.5	44
66.8	21.1	22.3	65.7	149.1	14.5	155.8	13.4	81.2	11.1	18.9	2.2	81.2	3.3	6.7	61.2	55.6	7.8	237.1	14.5	45
73.9	15.7	13.4	98.5	194.8	29.1	125.4	4.5	76.1	9.0	6.7	6.7	100.7	4.5	9.0	58.2	53.7	11.2	239.5	6.7	46
82.2	20.5	27.4	82.2	184.9	27.4	27.4	.....	82.2	13.7	13.7	6.8	34.2	.....	.....	61.6	47.9	.....	260.3	13.7	47
98.7	17.2	.....	98.7	141.7	4.3	115.9	.....	34.3	4.3	4.3	.....	64.4	8.6	.....	34.3	30.0	17.2	231.8	.....	48
120.4	12.7	6.3	88.7	196.5	6.3	133.1	.....	76.1	.....	19.0	.....	31.7	12.7	12.7	57.1	38.0	25.4	234.5	19.0	49
43.2	17.3	.....	121.1	155.7	34.6	112.4	8.6	112.4	.....	8.6	8.6	77.3	8.6	8.6	86.5	43.2	17.3	190.2	25.9	50
99.3	30.5	22.9	122.2	122.2	30.5	351.3	.....	114.5	22.9	.....	22.9	91.6	7.6	7.6	114.5	68.7	15.3	343.6	30.5	51
58.4	14.3	41.0	72.8	153.7	46.1	186.5	23.6	324.8	10.2	13.3	7.2	62.5	4.1	7.2	130.1	69.7	8.2	321.8	49.2	52
153.7	6.7	6.7	120.3	274.0	26.7	200.5	26.7	53.5	20.1	53.5	.....	133.7	.....	13.4	33.4	133.7	.....	367.6	33.4	53
85.1	15.0	12.5	132.7	145.2	15.0	120.2	5.0	42.6	7.5	10.0	7.5	65.1	5.0	5.0	90.2	50.1	7.5	242.9	17.5	54
118.1	13.6	18.2	63.6	127.2	22.7	172.6	9.1	90.9	22.7	9.1	13.6	95.4	4.5	4.5	77.2	104.5	18.2	218.0	9.1	55
97.9	25.8	15.5	144.2	133.9	30.9	149.4	15.5	87.6	5.2	10.3	15.5	154.5	.....	20.6	82.4	77.3	10.3	520.2	.....	56
50.5	.....	19.0	101.1	113.7	37.9	145.3	6.3	88.4	.....	12.6	.....	56.9	.....	6.3	88.4	88.4	31.6	214.8	19.0	57
111.0	21.6	15.4	135.7	160.4	15.4	166.6	21.6	70.9	24.7	18.5	15.4	108.0	9.3	27.8	129.5	160.4	6.2	308.5	18.5	58
123.1	24.6	16.4	106.7	205.2	16.4	73.9	.....	32.8	16.4	16.4	16.4	41.0	.....	.....	90.3	41.0	8.2	303.7	8.2	59
54.8	15.2	6.1	70.0	137.1	12.2	149.2	18.3	82.2	.....	.....	6.1	39.6	9.1	6.1	88.3	67.0	18.3	179.7	18.3	60
81.3	5.4	5.4	65.0	140.9	16.3	135.5	.....	97.6	.....	5.4	10.8	113.8	.....	5.4	75.9	32.5	16.3	184.3	5.4	61
72.8	13.7	9.1	116.0	168.4	31.9	188.8	22.8	109.2	4.6	27.3	2.3	91.0	4.6	4.6	118.3	68.3	4.6	241.2	20.5	62
86.4	20.6	7.7	99.3	219.2	19.3	158.6	11.6	67.0	14.2	6.4	9.0	61.9	5.2	14.2	55.4	49.0	6.4	235.9	7.7	63
94.8	31.6	55.3	63.2	110.6	39.5	110.6	31.6	165.9	7.9	.....	7.9	71.1	7.9	.....	102.7	39.5	7.9	142.2	23.7	64
92.7	16.7	20.1	82.6	128.4	21.2	184.2	12.3	109.4	20.1	12.3	4.5	171.9	6.7	2.2	98.2	107.2	23.4	281.3	13.4	65
127.9	29.1	32.0	142.5	168.6	43.6	287.8	29.1	293.6	17.4	11.6	11.6	78.5	11.6	14.5	110.5	110.5	5.8	494.2	37.8	66
87.3	17.5	52.4	131.0	104.8	17.5	131.0	.....	69.9	8.7	8.7	.....	52.4	8.7	8.7	78.6	26.2	.....	209.6	.....	67
75.3	17.9	17.9	121.9	143.4	7.2	168.5	7.2	25.1	17.9	14.3	7.2	71.7	3.6	.....	60.9	57.3	3.6	326.2	25.1	68
46.4	23.2	15.5	85.0	200.9	7.7	108.2	.....	15.5	7.7	7.7	.....	38.6	7.7	.....	100.4	77.3	7.7	146.8	7.7	69
43.2	34.6	.....	95.1	103.7	8.6	121.0	8.6	233.3	.....	8.6	8.6	138.3	.....	8.6	172.8	34.6	8.6	250.6	34.6	70
74.3	6.2	6.2	55.7	179.6	43.4	167.2	12.4	154.8	.....	24.8	12.4	117.7	12.4	.....	148.6	68.1	24.8	161.0	31.0	71
23.2	15.4	15.4	162.2	293.4	46.3	146.7	38.6	108.1	7.7	.....	.....	115.8	.....	.....	46.3	46.3	7.7	254.8	15.4	72
97.4	29.2	.....	87.7	107.2	29.2	68.2	.....	19.5	19.5	9.7	29.2	68.2	.....	.....	87.7	58.5	19.5	175.4	.....	73
84.7	13.0	.....	123.8	149.9	39.1	123.8	13.0	78.2	.....	19.5	.....	91.2	.....	6.5	130.3	71.7	13.0	345.4	13.0	74
95.4	21.1	15.7	92.7	196.3	27.3	190.1	10.9	134.3	12.9	16.4	9.5	73.6	8.2	5.5	95.4	87.9	7.5	330.5	16.4	75

[2] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	MICHIGAN.														
1	Registration cities (total)	1,556.9	31.0	0.3	7.7	8.0	13.8	14.2	22.7	11.6	4.9	95.5	4.7	12.8	7.5
2	White	1,548.1	30.9	0.3	7.7	8.0	13.8	14.1	22.8	11.5	5.0	93.2	4.7	12.6	7.3
3	Colored	2,387.5	36.6	.....	9.1	9.1	9.1	18.3	18.3	18.3	.....	311.0	.....	36.6	27.4
4	Adrian	1,569.8	18.6	.....	.....	18.6	.....	.....	.....	130.0	.....	74.3	.....	9.3	.....
5	Alpena	1,525.6	39.3	.....	.....	.....	.....	23.6	.....	15.7	7.9	62.9	7.9	23.6	.....
6	Ann Arbor	2,327.3	33.7	.....	.....	.....	.....	.....	.....	20.2	13.5	128.2	.....	54.0	13.5
7	Battle Creek	1,666.9	31.5	.....	7.9	11.8	3.9	7.9	11.8	35.5	3.9	67.0	.....	7.9	3.9
8	Bay City	1,350.2	24.3	.....	66.2	19.9	46.3	15.4	8.8	2.2	.....	59.6	4.4	8.8	11.0
9	Detroit	1,585.1	23.0	0.6	.....	6.6	16.2	23.0	33.8	5.3	5.3	98.9	4.9	11.9	6.2
10	Escanaba	1,552.6	60.3	.....	.....	7.5	.....	.....	75.4	.....	7.5	82.9	.....	.....	7.5
11	Flint	1,393.8	101.6	.....	2.5	10.2	.....	7.6	15.2	5.1	.....	101.6	5.1	7.6	7.6
12	Grand Rapids	1,456.2	28.3	.....	.....	.....	17.7	5.3	10.6	5.3	3.5	101.6	4.4	17.7	7.1
13	Holland	1,337.3	.....	.....	.....	56.9	19.0	28.5	9.5	28.5	.....	47.4	.....	9.5	37.9
14	Ironwood	1,393.2	15.5	.....	.....	.....	38.7	.....	54.2	.....	7.7	108.4	7.7	7.7	.....
15	Ishpeming	1,266.3	16.0	.....	.....	.....	16.0	.....	48.1	.....	.....	96.2	24.0	.....	.....
16	Jackson	1,472.3	31.6	.....	.....	25.3	.....	.....	6.3	19.0	3.2	75.8	3.2	15.8	12.6
17	Kalamazoo *	1,867.8	32.7	.....	.....	7.5	17.6	5.0	2.5	35.2	22.6	115.6	2.5	12.6	2.5
18	Lansing	1,303.1	47.4	.....	.....	6.3	3.2	.....	6.3	50.6	.....	60.1	.....	15.8	9.5
19	Manistee	1,293.5	16.2	.....	.....	64.7	8.1	8.1	24.3	24.3	.....	72.8	8.1	8.1	24.3
20	Marquette	1,578.2	95.3	.....	.....	.....	34.7	8.7	.....	.....	.....	138.7	17.3	8.7	.....
21	Menominee	1,411.3	66.7	.....	.....	.....	9.5	19.1	9.5	9.5	.....	57.2	.....	28.6	9.5
22	Muskegon	1,286.5	24.8	.....	.....	4.1	.....	4.1	4.1	4.1	.....	82.7	8.3	8.3	4.1
23	Pontiac *	2,520.0	54.6	.....	.....	6.8	27.3	6.8	27.3	41.0	6.8	177.6	.....	13.7	.....
24	Port Huron	1,662.9	74.4	.....	.....	10.6	.....	5.3	58.4	15.9	.....	69.1	5.3	5.3	5.3
25	Saginaw	1,502.5	21.7	.....	94.8	5.9	.....	13.8	7.9	7.9	5.9	84.9	3.9	11.8	15.8
26	Sault Ste. Marie	1,240.5	23.7	.....	.....	.....	.....	7.9	7.9	7.9	.....	31.6	15.8	23.7	15.8
27	Traverse City *	2,223.0	24.7	.....	.....	.....	.....	.....	8.2	16.5	24.7	304.6	.....	16.5	16.5
	MINNESOTA.														
28	Registration cities (total)	1,245.3	48.5	.....	0.6	14.1	24.3	5.3	44.5	2.1	5.2	114.6	9.6	12.8	7.3
29	White	1,239.0	48.7	.....	0.6	14.3	24.6	5.4	44.5	2.1	5.2	112.2	9.5	12.6	7.4
30	Colored	1,865.3	30.3	.....	.....	.....	.....	.....	45.5	.....	.....	348.8	15.2	30.3	.....
31	Duluth	1,330.9	75.9	.....	1.3	3.8	27.8	11.4	19.0	3.8	10.1	105.0	11.4	15.2	11.4
32	Mankato	1,644.3	9.7	.....	.....	19.3	.....	19.3	9.7	.....	9.7	125.7	19.3	38.7	9.7
33	Minneapolis	1,233.6	58.7	.....	0.3	15.8	16.5	2.3	42.9	1.3	4.6	121.1	9.2	10.2	6.9
34	St. Cloud	1,230.0	28.2	.....	.....	.....	9.4	18.8	9.4	.....	9.4	84.5	.....	9.4	18.8
35	St. Paul	1,187.0	19.5	.....	0.5	14.8	30.2	5.1	64.0	0.9	4.2	110.9	10.2	15.8	6.5
36	Stillwater	1,128.4	59.4	.....	.....	.....	49.5	9.9	.....	19.8	.....	178.2	9.9	9.9	.....
37	Virginia	1,650.9	234.5	.....	.....	18.8	46.9	28.1	37.5	.....	.....	65.7	9.4	9.4	.....
38	Winona	1,366.9	21.6	.....	5.4	32.4	64.8	.....	21.6	16.2	5.4	97.2	.....	.....	5.4
	MISSOURI.[2]														
39	Registration cities (total)	1,564.7	26.5	4.7	0.2	15.9	24.2	7.8	18.1	16.2	2.7	160.5	5.4	12.9	8.1
40	White	1,483.9	25.0	4.7	0.2	16.4	25.2	6.6	18.5	16.1	2.9	131.8	4.9	10.5	7.5
41	Colored	2,612.6	45.3	5.5	.....	9.6	11.0	23.4	12.4	17.9	.....	533.0	12.4	44.0	15.1
42	Kansas City (total)	1,586.7	54.4	4.0	0.8	28.4	23.2	3.2	21.6	11.2	2.8	150.0	4.0	14.4	6.4
43	White	1,466.7	51.7	4.4	0.9	28.7	24.8	2.2	20.8	11.1	3.1	99.5	3.5	12.4	6.2
44	Colored	2,726.0	79.8	.....	.....	25.2	8.4	12.6	29.4	12.6	.....	630.0	8.4	33.6	8.4
45	St. Joseph [3]	1,363.0	38.8	5.2	.....	34.9	1.3	13.1	24.5	10.3	2.6	139.5	.....	18.1	12.9
46	St. Louis (total)	1,579.4	14.9	4.9	.....	9.8	27.1	8.3	16.1	18.7	2.6	166.7	6.5	11.7	8.1
47	White	1,509.8	14.6	4.7	.....	9.8	28.2	6.7	17.1	18.6	2.8	145.3	5.9	9.2	7.4
48	Colored	2,582.9	20.1	8.9	.....	2.2	11.2	31.3	2.2	20.1	.....	474.1	15.7	49.2	17.9
	MONTANA.														
49	Registration cities (total)	1,540.4	69.6	.....	1.0	6.1	28.2	16.1	26.2	8.1	7.1	136.2	7.1	12.1	11.1
50	White	1,521.2	63.9	.....	1.0	6.2	28.9	16.5	26.8	8.3	7.2	129.9	6.2	11.3	11.3
51	Colored	2,399.6	323.0	.....	.....	.....	.....	.....	.....	.....	.....	415.3	46.1	46.1	.....
52	Anaconda	1,340.2	9.9	.....	9.9	.....	9.9	.....	78.8	.....	9.9	9.9	.....	9.9	19.7
53	Billings	1,494.0	108.1	.....	.....	.....	19.7	.....	39.3	.....	.....	68.8	.....	19.7	9.8
54	Butte	1,532.5	28.0	.....	.....	10.2	50.9	30.5	15.3	2.5	12.7	218.9	5.1	12.7	10.2
55	Great Falls	1,809.3	201.0	.....	.....	14.4	14.4	14.4	43.1	.....	.....	93.3	14.4	21.5	14.4
56	Helena	1,466.0	39.8	.....	.....	.....	15.9	.....	8.0	39.8	8.0	135.4	.....	8.0	.....
57	Missoula	1,540.5	99.6	.....	.....	.....	7.7	15.3	7.7	15.3	.....	84.3	23.0	.....	15.3
	NEBRASKA.[2]														
58	Registration cities (total)	1,402.1	68.8	0.6	.....	5.3	11.3	11.3	12.5	6.5	7.1	114.5	7.1	11.3	5.3
59	White	1,374.0	66.1	0.6	.....	5.5	11.6	11.6	12.2	6.1	6.7	97.4	7.3	9.8	5.5
60	Colored	2,270.6	151.4	.....	.....	.....	.....	.....	18.9	18.9	18.9	643.3	.....	56.8	.....
61	Lincoln	1,100.9	18.2	.....	.....	4.5	.....	.....	9.1	2.3	6.8	88.5	2.3	6.8	2.3
62	Omaha	1,508.6	86.7	0.8	.....	5.6	15.3	15.3	13.6	8.0	7.2	123.6	8.8	12.8	6.4

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
79.2	14.6	20.1	66.2	140.2	30.7	128.6	21.8	102.4	17.1	16.5	12.6	71.7	8.2	10.1	111.6	81.7	19.3	329.7	39.9	1
78.8	14.6	20.1	66.2	139.1	30.4	126.6	21.1	102.8	16.8	16.4	12.4	71.0	8.2	10.1	112.1	81.2	18.9	329.6	39.7	2
118.9	18.3	18.3	64.0	247.0	64.0	320.2	82.3	64.0	45.7	18.3	27.4	137.2	9.1	9.1	64.0	128.1	54.9	347.6	54.9	3
65.0	9.3	37.2	55.7	287.9	9.3	74.3	9.3	46.4	27.9	9.3	.....	111.5	9.3	.....	27.9	46.4	18.6	418.0	55.7	4
78.6	7.9	7.9	47.2	165.1	125.8	125.8	.....	133.7	15.7	15.7	.....	23.6	15.7	7.9	86.5	70.8	.....	385.3	31.5	5
330.5	27.0	6.7	128.2	155.2	33.7	87.7	67.5	27.0	37.7	6.7	27.0	114.7	6.7	20.2	87.7	114.7	27.0	681.3	27.0	6
102.5	35.5	15.8	102.5	248.3	31.5	82.8	11.8	63.1	11.8	15.8	7.9	94.6	7.9	7.9	98.5	102.5	15.8	378.3	39.4	7
61.8	4.4	22.1	61.8	134.6	22.1	110.3	28.7	64.0	17.7	13.2	11.0	55.2	8.8	8.8	64.0	66.2	17.7	275.8	35.3	8
68.9	14.5	27.0	54.2	109.5	30.4	165.5	23.2	123.6	16.0	20.6	16.6	67.0	10.2	10.4	140.8	85.1	26.0	291.0	48.9	9
67.8	15.1	30.1	52.8	143.2	37.7	105.5	30.1	128.1	15.1	15.1	7.5	75.4	.....	15.1	113.1	67.8	.....	339.2	52.8	10
43.2	5.1	12.7	35.5	81.2	20.3	134.5	15.2	132.0	10.2	5.1	.....	78.7	10.2	5.1	104.1	71.1	7.6	317.3	40.6	11
91.0	12.4	15.0	70.7	168.8	26.5	82.2	24.7	95.4	21.2	14.1	4.4	83.1	4.4	13.3	104.3	58.3	11.5	318.1	35.3	12
85.4	19.0	.....	94.8	66.4	47.4	66.4	47.4	94.8	9.5	9.5	9.5	85.4	9.5	9.5	85.4	56.9	9.5	294.0	.....	13
7.7	.....	15.5	46.4	23.2	54.2	85.1	.....	193.5	.....	15.5	23.2	31.0	7.7	7.7	61.9	209.0	.....	263.2	108.4	14
104.2	16.0	16.0	24.0	96.2	24.0	120.2	24.0	104.2	24.0	8.0	8.0	8.0	.....	8.0	104.2	144.3	16.0	200.4	16.0	15
107.4	19.0	15.8	113.7	173.8	53.7	69.5	9.5	79.0	19.0	6.3	6.3	107.4	3.2	9.5	63.2	82.1	6.3	315.9	19.0	16
105.6	20.1	10.1	90.5	198.6	35.2	110.6	15.1	35.2	25.1	17.6	12.6	93.0	10.1	12.6	90.5	95.5	17.6	600.8	15.1	17
63.3	22.1	6.3	63.3	218.2	15.8	72.7	6.3	120.2	3.2	15.8	3.2	44.3	3.2	6.3	63.3	53.8	15.8	287.8	19.0	18
56.6	16.2	24.3	56.6	202.1	.....	64.7	8.1	97.0	32.3	8.1	16.2	32.3	.....	16.2	80.8	40.4	16.2	234.4[4]	32.3	19
95.4	8.7	.....	69.4	156.1	26.0	60.7	34.7	121.4	.....	8.7	.....	164.8	.....	17.3	95.4	147.4	17.3	234.1	17.3	20
124.0	19.1	9.5	19.1	133.5	19.1	85.8	9.5	85.8	9.5	9.5	9.5	85.8	.....	.....	114.4	95.4	.....	352.8	19.1	21
82.7	24.8	16.5	120.0	115.8	20.7	107.6	24.8	66.2	4.1	12.4	4.1	57.9	12.4	4.1	99.3	41.4	12.4	277.2	37.2	22
61.5	20.5	6.8	95.6	225.4	13.7	307.3	41.0	75.1	20.5	13.7	20.5	129.8	.....	20.5	68.3	75.1	34.1	881.0	47.8	23
85.0	10.6	.....	100.9	159.4	31.9	100.9	10.6	90.3	15.9	15.9	31.9	79.7	5.3	26.6	95.6	116.9	31.9	387.8	15.9	24
94.8	15.8	17.8	88.8	159.9	33.6	86.9	17.8	51.3	21.7	17.8	15.8	55.3	11.8	2.0	92.8	84.9	9.9	313.9	35.5	25
7.9	7.9	31.6	47.4	102.7	79.0	134.3	39.5	94.8	7.9	15.8	15.8	31.6	.....	.....	110.6	110.6	23.7	205.4	39.5	26
131.7	8.2	8.2	115.3	419.9	8.2	74.1	16.5	49.4	8.2	16.5	8.2	98.8	8.2	8.2	32.9	41.2	32.9	708.1	16.5	27
74.9	11.4	13.2	45.4	93.0	13.1	110.5	10.5	79.2	19.9	12.5	7.8	66.9	7.8	6.7	64.9	76.9	15.8	214.9	11.1	28
74.9	11.5	13.1	45.3	91.8	13.1	108.9	10.3	79.8	19.8	12.4	7.5	65.4	7.8	6.6	64.8	76.9	15.7	215.1	11.2	29
75.8	.....	30.3	60.7	212.3	15.2	273.0	30.3	15.2	30.3	15.2	30.3	212.3	.....	15.2	75.8	75.8	30.3	197.1	.....	30
63.3	7.6	16.4	41.7	65.8	5.1	110.1	13.9	116.4	24.0	11.4	5.1	59.5	15.2	11.4	78.4	134.1	15.2	222.7	17.7	31
164.4	29.0	19.3	96.7	87.0	38.7	125.7	9.7	19.3	58.0	19.3	.....	58.0	.....	29.0	106.4	77.4	29.0	406.2	9.7	32
68.6	10.6	13.5	41.9	95.7	10.2	118.4	10.9	79.2	18.5	13.5	8.2	73.9	8.2	4.6	48.8	73.2	17.5	224.0	4.0	33
112.7	18.8	.....	46.9	84.5	9.4	93.9	.....	84.5	28.2	18.8	9.4	65.7	9.4	28.2	75.1	103.3	28.2	206.6	18.8	34
84.5	10.7	11.6	46.9	93.3	17.2	97.9	9.3	70.1	19.0	11.6	7.9	67.3	5.1	6.5	71.0	53.8	13.9	190.3	16.7	35
89.1	39.6	.....	39.1	118.8	.....	69.3	19.8	19.8	9.9	.....	19.8	39.6	19.8	9.9	29.7	29.7	.....	178.2	9.9	36
18.8	9.4	9.4	18.8	84.4	9.4	178.2	.....	150.1	18.8	.....	9.4	9.4	.....	.....	197.0	234.5	18.8	215.7	18.8	37
70.2	21.6	27.0	64.8	162.1	43.2	113.5	10.8	48.6	16.2	16.2	5.4	32.4	.....	.....	113.5	81.0	5.4	237.7	27.0	38
82.4	12.4	12.7	58.4	131.6	34.5	152.3	16.1	73.9	15.2	16.2	25.5	143.1	9.9	7.0	72.1	95.4	29.9	263.1	9.8	39
83.3	12.6	12.8	57.9	122.4	33.1	141.1	15.9	73.5	15.4	16.3	25.0	137.8	9.3	7.0	70.8	90.7	31.8	248.5	8.5	40
71.4	9.6	11.0	64.6	251.4	53.6	296.7	19.2	78.3	13.7	15.1	31.6	211.5	17.9	6.9	89.3	156.6	5.5	451.9	27.5	41
80.8	11.2	19.2	56.4	137.6	13.2	146.4	15.6	49.2	22.0	15.2	14.4	95.2	11.2	6.8	95.2	123.6	34.0	294.9	20.0	42
83.1	12.4	19.5	57.5	126.0	11.9	127.4	16.4	43.8	23.0	15.0	13.7	89.8	9.3	6.2	94.6	114.5	36.7	281.7	15.0	43
58.8	.....	16.8	46.2	247.8	25.2	327.6	8.4	100.8	12.6	16.8	21.0	147.0	29.4	12.6	100.8	210.0	8.4	420.6	67.2	44
63.3	11.6	7.8	67.2	115.0	14.2	98.2	14.2	41.3	33.6	15.5	16.8	99.5	7.8	10.3	41.3	73.6	25.8	295.9	3.9	45
85.1	12.9	10.9	58.2	131.3	44.5	160.4	16.5	86.5	10.7	16.7	30.5	165.4	9.7	6.7	67.2	87.6	28.9	247.9	6.8	46
85.3	12.7	11.0	56.9	122.4	43.0	151.7	16.1	87.8	10.4	16.8	29.9	159.5	9.6	6.8	65.6	84.1	30.7	232.4	6.8	47
82.7	15.7	8.9	76.0	259.4	67.1	286.2	22.4	67.1	15.7	15.7	38.0	250.5	11.2	4.5	89.5	138.6	2.2	471.9	6.7	48
76.7	19.2	20.2	47.4	88.8	13.1	126.1	23.2	85.7	40.4	19.2	20.2	84.7	10.1	15.1	77.7	142.2	31.3	240.1	30.3	49
77.3	17.5	19.6	46.4	87.7	13.4	123.8	22.7	86.6	41.3	19.6	19.6	82.5	9.3	15.5	79.4	141.3	30.9	239.3	29.9	50
46.1	92.3	46.1	92.3	138.4	.....	230.7	46.1	46.1	.....	.....	46.1	184.6	46.1	.....	.....	184.6	46.1	276.9	46.1	51
39.4	29.6	9.9	39.4	49.3	29.6	216.8	29.6	88.7	29.6	.....	19.7	78.8	.....	.....	78.8	98.5	29.6	206.9	108.4	52
39.3	29.5	.....	29.5	108.1	.....	117.9	39.3	127.8	59.0	.....	9.8	59.0	9.8	19.7	68.8	176.9	39.3	245.7	49.1	53
81.5	7.6	22.9	58.5	91.6	17.8	117.1	20.4	76.4	28.0	22.9	22.9	78.9	15.3	22.9	53.5	134.9	30.5	224.0	7.6	54
35.9	21.5	.....	35.9	57.4	14.4	93.3	21.5	129.2	43.1	21.5	21.5	57.4	14.4	14.4	172.3	201.0	14.4	344.6	64.6	55
159.3	39.8	47.8	55.8	103.6	.....	95.6	23.9	47.8	15.9	31.9	23.9	135.4	8.0	8.0	95.6	103.6	31.9	175.3	8.0	56
84.3	15.3	30.7	38.3	115.0	7.7	153.3	15.3	69.0	92.0	23.0	15.3	107.3	.....	7.7	38.3	145.6	46.0	260.6	7.7	57
84.2	10.7	11.9	58.1	110.9	9.5	142.9	13.6	58.7	37.4	23.7	14.8	70.0	7.1	4.7	63.5	89.0	23.7	296.6	9.5	58
84.5	10.4	12.2	58.8	103.5	9.8	142.7	13.5	58.2	38.6	24.5	14.7	68.0	6.7	4.3	63.7	87.6	23.3	299.4	9.2	59
75.7	18.9	.....	37.8	340.6	.....	151.4	18.9	75.7	.....	.....	18.9	132.4	18.9	18.9	56.8	132.4	37.8	208.1	18.9	60
63.6	18.2	15.9	63.6	81.7	4.5	95.3	11.3	47.7	25.0	22.7	11.3	61.3	.....	6.8	63.6	52.2	20.4	263.3	31.8	61
91.5	8.0	10.4	56.2	121.2	11.2	159.8	14.5	62.6	41.7	24.1	16.1	73.1	9.6	4.0	63.4	102.0	24.9	308.3	1.6	62

[8] Rates based on population enumerated April 15, 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	NEW HAMPSHIRE.														
1	Registration cities (total)	1,753.0	11.5	.....	.....	3.4	2.3	10.3	23.5	13.2	4.0	123.7	13.7	16.6	7.4
2	White	1,751.1	11.5	.....	.....	3.4	2.3	10.3	23.0	13.2	4.0	123.9	13.8	16.6	7.5
3	Colored	2,786.4	.....	.....	.....	.....	.....	.....	309.6	.....	.....	.....	.....	.....	.....
4	Berlin	1,604.6	42.2	.....	.....	16.9	.....	8.4	8.4	.....	.....	76.0	.....	16.9	8.4
5	Concord*	2,159.2	.....	.....	.....	.....	4.6	4.6	9.3	32.5	4.6	148.6	.....	18.6	9.3
6	Dover	1,781.5	.....	.....	.....	7.5	.....	7.5	.....	22.6	15.1	166.1	7.5	15.1	7.5
7	Keene	1,764.6	29.7	.....	.....	.....	.....	.....	9.9	9.9	.....	89.2	.....	19.8	.....
8	Laconia	1,828.3	9.8	.....	.....	9.8	.....	.....	9.8	19.6	.....	117.3	.....	9.8	19.6
9	Manchester	1,653.4	11.4	.....	.....	2.8	.....	10.0	37.0	10.0	4.3	116.6	29.9	18.5	4.3
10	Nashua	1,765.8	3.8	.....	.....	.....	11.5	26.9	19.2	7.7	3.8	157.4	7.7	11.5	7.7
11	Portsmouth	1,613.2	17.7	.....	.....	.....	.....	8.9	44.3	8.9	.....	79.8	.....	17.7	17.7
	NEW JERSEY.														
12	Registration cities (total)	1,610.4	15.0	0.5	.....	11.2	12.8	17.7	32.5	9.6	5.8	168.4	13.4	11.8	9.2
13	White	1,579.7	14.6	0.5	.....	11.3	13.1	15.8	33.2	9.8	6.0	160.0	12.4	10.5	9.0
14	Colored	2,484.5	25.0	1.8	.....	8.9	3.6	69.7	12.5	3.6	.....	405.4	39.3	50.0	14.3
15	Asbury Park	1,646.3	.....	.....	.....	9.7	.....	.....	48.4	9.7	.....	184.0	.....	9.7	.....
16	Atlantic City (total)	1,719.9	21.5	.....	.....	10.7	6.4	32.2	19.3	10.7	.....	118.2	17.2	12.9	2.1
17	White	1,715.4	21.9	.....	.....	13.7	8.2	21.9	19.2	13.7	.....	84.8	16.4	8.2	2.7
18	Colored	1,736.3	20.1	.....	.....	.....	.....	70.3	20.1	.....	.....	240.9	20.1	30.1	.....
19	Bayonne	1,473.8	1.8	.....	.....	.....	12.5	42.8	37.4	3.6	1.8	115.8	16.0	1.8	8.9
20	Bloomfield	1,104.2	.....	.....	.....	13.1	13.1	39.4	13.1	19.7	6.6	105.2	.....	.....	6.6
21	Bridgeton	1,524.5	28.1	.....	.....	.....	.....	.....	42.2	14.1	.....	203.7	.....	7.0	21.1
22	Camden	1,714.5	16.8	.....	.....	12.6	9.5	26.3	66.3	9.5	4.2	124.2	11.6	15.8	8.4
23	East Orange	1,070.1	.....	.....	.....	5.8	14.4	8.6	11.5	17.3	2.9	89.2	5.8	11.5	5.8
24	Elizabeth	1,517.2	18.9	1.4	.....	6.8	12.2	16.2	17.6	6.8	1.4	156.9	13.5	9.5	6.8
25	Garfield	1,236.7	9.6	.....	.....	.....	9.6	.....	67.1	.....	.....	57.5	38.3	9.6	.....
26	Hackensack	1,629.5	42.3	.....	.....	.....	14.1	14.1	28.2	7.1	.....	134.0	28.2	14.1	21.2
27	Harrison	1,626.7	6.9	.....	.....	20.6	27.5	48.0	54.9	20.6	13.7	192.2	6.9	6.9	27.5
28	Hoboken	1,882.9	15.6	.....	.....	9.9	17.0	8.5	48.2	2.8	5.7	224.0	19.8	14.2	12.8
29	Irvington	1,184.1	8.3	.....	.....	.....	24.8	.....	.....	8.3	8.3	124.2	8.3	8.3	.....
30	Jersey City	1,634.4	11.5	1.1	.....	8.5	17.1	4.8	30.8	7.1	7.4	176.0	7.4	9.3	13.7
31	Kearny	1,462.3	.....	.....	.....	21.2	15.9	15.9	15.9	21.2	.....	148.3	10.6	15.9	5.3
32	Long Branch	2,210.6	59.9	.....	.....	.....	7.5	15.0	37.5	37.5	.....	157.4	30.0	52.5	.....
33	Millville	1,194.4	16.0	.....	.....	.....	.....	32.1	48.1	40.1	8.0	144.3	.....	24.0	.....
34	Montclair	1,488.2	.....	.....	.....	27.6	13.8	23.0	13.8	13.8	.....	147.0	23.0	13.8	4.6
35	Morristown	2,355.9	47.9	8.0	.....	8.0	24.0	16.0	111.8	16.0	8.0	183.7	8.0	24.0	.....
36	New Brunswick	2,111.2	17.1	.....	.....	12.8	4.3	34.2	12.8	12.8	12.8	170.9	8.5	29.9	8.5
37	Newark	1,651.6	13.1	0.9	.....	16.0	12.0	18.6	30.6	11.4	8.9	213.6	20.6	11.1	8.0
38	Orange	1,806.6	20.1	.....	.....	23.5	6.7	53.7	13.4	16.8	3.4	231.7	30.2	20.1	10.1
39	Passaic	1,477.6	16.2	.....	.....	.....	12.6	7.2	23.4	7.2	7.2	104.5	18.0	5.4	10.8
40	Paterson	1,471.5	7.1	.....	.....	8.7	9.5	15.1	20.6	4.0	5.5	163.2	7.1	12.7	5.5
41	Perth Amboy	1,571.6	6.2	.....	.....	15.4	21.6	24.7	46.3	.....	3.1	111.2	6.2	.....	9.3
42	Phillipsburg	1,515.2	43.1	.....	.....	21.5	14.4	21.5	50.3	43.1	.....	122.1	14.4	28.7	14.4
43	Plainfield	1,574.7	14.5	.....	.....	.....	9.7	4.8	14.5	4.8	4.8	193.8	.....	14.5	4.8
44	Trenton*	2,029.7	50.3	1.0	.....	17.5	10.3	34.9	30.8	14.4	6.2	210.6	7.2	20.5	12.3
45	Union	1,189.0	.....	.....	.....	18.9	37.7	.....	61.3	4.7	9.4	70.8	9.4	9.4	9.4
46	West Hoboken	1,084.9	.....	.....	.....	8.4	11.2	.....	30.8	.....	.....	98.1	8.4	2.8	5.6
47	West New York	1,221.9	7.2	.....	.....	21.7	7.2	14.5	101.2	.....	7.2	166.3	21.7	.....	21.7
48	West Orange	854.9	.....	.....	.....	18.0	.....	18.0	.....	9.0	9.0	99.0	27.0	.....	9.0
	NEW YORK.														
49	Registration cities (total)	1,618.4	15.0	0.7	0.1	15.3	21.2	7.7	32.2	7.8	5.6	170.5	14.6	9.7	7.8
50	White	1,602.3	15.0	0.7	0.1	15.3	21.5	7.5	32.4	7.7	5.6	164.6	14.3	9.3	7.8
51	Colored	2,518.7	15.9	2.5	1.7	11.7	4.2	19.3	17.6	15.1	4.2	502.9	31.0	31.9	8.4
52	Albany	1,936.1	14.0	1.0	.....	23.9	12.0	10.0	14.9	19.9	3.0	239.1	5.0	8.0	10.0
53	Amsterdam	1,719.1	22.2	.....	.....	12.7	12.7	28.5	38.0	3.2	3.2	104.5	3.2	9.5	3.2
54	Auburn	1,530.5	8.6	2.9	.....	8.6	14.4	2.9	17.3	2.9	8.6	129.5	.....	2.9	8.6
55	Batavia	1,721.9	42.8	8.6	.....	25.7	.....	.....	17.1	34.3	.....	60.0	.....	8.6	.....
56	Binghamton*	1,857.4	16.4	.....	.....	8.2	6.2	12.3	20.5	8.2	6.2	168.5	4.1	6.2	8.2
57	Buffalo	1,630.2	20.4	0.2	0.2	22.1	53.6	16.2	37.8	7.0	4.7	124.0	10.3	9.6	4.9
58	Cohoes	2,057.6	76.8	.....	.....	12.1	133.4	4.0	52.6	12.1	4.0	206.2	4.0	24.3	8.1
59	Corning	1,462.7	58.2	.....	.....	.....	7.3	7.3	.....	7.3	.....	58.2	7.3	7.3	7.3
60	Cortland	1,892.9	78.1	.....	.....	.....	.....	.....	17.4	17.4	.....	34.7	.....	.....	17.4
61	Dunkirk	1,617.7	23.1	.....	.....	34.7	144.4	.....	52.0	17.3	.....	75.1	.....	11.6	.....
62	Elmira	1,495.8	26.9	5.4	.....	.....	2.7	13.4	21.5	24.2	2.7	69.8	8.1	5.4	13.4
63	Fulton	1,459.7	9.5	.....	.....	9.5	.....	9.5	28.4	37.9	.....	113.7	.....	28.4	28.4
64	Geneva	1,380.6	16.1	.....	.....	.....	16.1	.....	8.0	16.1	16.1	112.4	.....	.....	.....
65	Glens Falls	1,585.0	19.6	6.5	.....	.....	6.5	6.5	.....	13.1	.....	124.4	6.5	13.1	13.1
66	Gloversville	1,548.5	9.6	.....	.....	24.1	4.8	.....	14.5	24.1	4.8	82.0	.....	9.6	19.3
67	Hornell	1,275.9	36.7	.....	.....	14.7	7.3	.....	.....	29.3	.....	44.0	7.3	22.0	7.3
68	Hudson	2,059.0	61.1	.....	.....	.....	.....	8.7	17.4	.....	.....	218.1	17.4	34.9	.....
69	Ithaca	1,647.0	33.7	6.7	.....	.....	13.5	.....	.....	27.0	.....	101.2	6.7	13.5	6.7
70	Jamestown	1,281.6	28.6	.....	.....	3.2	12.7	3.2	19.0	19.0	.....	79.3	6.3	15.9	12.7

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
75.0	20.0	47.5	101.4	159.8	39.5	156.9	20.6	143.2	10.9	14.3	5.2	100.2	2.9	9.7	122.0	65.3	13.7	375.1	40.1	1
74.6	20.1	47.6	99.8	160.1	39.6	157.2	20.7	143.4	10.9	14.3	5.2	100.4	2.9	9.8	121.6	65.4	13.2	374.7	40.2	2
309.6	.....	.....	928.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	309.6	.....	309.6	619.2	.....	3
25.3	8.4	143.6	25.3	25.3	50.7	160.5	16.9	380.0	16.9	.....	8.4	33.8	.....	16.9	135.1	109.8	.....	219.6	50.7	4
65.0	32.5	23.2	181.1	422.5	32.5	125.4	13.9	65.0	.....	13.9	9.3	120.7	18.6	4.6	51.1	83.6	46.4	603.6	13.9	5
98.1	37.7	7.5	166.1	181.2	30.2	128.3	7.5	67.9	7.5	30.2	7.5	166.1	.....	7.5	75.5	90.6	15.1	377.4	30.2	6
148.7	39.7	9.9	89.2	128.9	29.7	178.4	49.6	69.4	19.8	29.7	19.8	119.0	.....	9.9	69.4	79.3	39.7	465.9	9.9	7
78.2	9.8	39.1	97.8	68.4	29.3	166.2	9.8	156.4	29.3	.....	9.8	136.9	.....	19.6	146.7	88.0	19.6	488.9	39.1	8
61.1	17.1	65.4	82.5	115.2	51.2	167.8	15.6	149.3	11.4	12.8	1.4	85.3	.....	4.3	156.4	39.8	4.3	314.2	54.0	9
65.3	11.5	30.7	69.1	157.4	26.9	157.4	42.2	199.6	7.7	15.4	3.8	69.1	3.8	26.9	142.0	57.6	11.5	372.4	38.4	10
159.5	17.7	8.9	159.5	168.4	26.6	150.7	17.7	17.7	8.9	17.7	.....	168.4	.....	.....	62.0	97.5	.....	301.4	35.5	11
74.8	17.7	18.9	82.7	136.7	24.9	182.8	16.0	132.2	11.4	12.1	19.3	118.7	9.7	8.7	89.6	91.2	19.3	211.4	24.3	12
75.5	17.7	18.7	81.8	134.0	24.0	178.0	15.8	130.1	11.3	11.9	19.6	117.6	9.7	8.8	88.3	90.5	19.5	206.9	23.4	13
57.2	17.9	25.0	109.0	212.5	50.0	317.9	21.4	192.9	14.3	19.6	10.7	150.0	8.9	7.1	126.8	109.0	12.5	337.6	50.0	14
58.1	38.7	9.7	106.5	232.4	29.1	87.2	9.7	106.5	.....	9.7	9.7	193.7	.....	9.7	106.5	67.8	19.4	242.1	48.4	15
90.3	32.2	6.4	98.9	180.6	21.5	163.4	6.4	126.8	10.7	12.9	15.0	184.9	4.3	8.6	73.1	75.2	32.2	298.3	25.8	16
95.8	32.8	8.2	112.2	188.8	19.2	131.3	8.2	131.3	10.9	10.9	19.2	205.2	2.7	10.9	79.3	84.8	41.0	290.0	21.9	17
70.3	30.1	.....	50.2	150.5	30.1	281.0	.....	110.4	10.0	20.1	.....	110.4	10.0	.....	50.2	40.1	.....	331.2	40.1	18
48.1	1.8	21.4	55.2	89.1	30.3	187.1	12.5	208.5	7.1	7.1	16.0	121.2	7.1	8.9	83.8	112.3	3.6	171.1	39.2	19
39.4	19.7	.....	85.4	157.7	13.1	105.2	13.1	65.7	.....	.....	.....	59.2	6.6	.....	32.9	52.6	6.6	223.5	6.6	20
77.3	14.1	14.1	98.4	210.8	56.2	70.3	14.1	28.1	.....	7.0	28.1	238.9	.....	14.1	21.1	49.2	14.1	238.9	14.1	21
69.5	14.7	29.5	76.8	161.0	8.4	221.0	29.5	103.1	11.6	14.7	11.6	135.8	13.7	4.2	101.0	120.0	15.8	228.4	38.9	22
83.4	23.0	.....	94.9	155.3	20.1	117.9	8.6	31.6	5.8	.....	2.9	103.6	.....	5.8	34.5	28.8	14.4	164.0	2.9	23
71.7	13.5	16.2	90.6	102.8	16.2	189.3	16.2	159.6	6.8	14.9	17.6	83.8	12.2	8.1	90.6	85.2	23.0	204.2	27.0	24
9.6	9.6	.....	19.2	28.8	9.6	230.1	9.6	278.0	.....	9.6	9.6	47.9	.....	19.2	153.4	47.9	9.6	143.8	9.6	25
42.3	21.2	21.2	63.5	134.0	7.1	218.7	14.1	148.1	35.3	14.1	21.2	91.7	14.1	14.1	84.7	105.8	7.1	239.8	28.2	26
68.6	.....	34.3	48.0	89.2	34.3	137.3	6.9	192.2	6.9	.....	20.6	75.5	.....	13.7	68.6	137.3	6.9	212.8	48.0	27
80.8	22.7	32.6	99.2	171.6	35.4	270.8	17.0	123.3	12.8	14.2	29.8	136.1	7.1	5.7	76.6	104.9	26.9	222.6	14.2	28
99.4	24.8	16.6	58.0	107.6	33.1	124.2	16.6	41.4	.....	.....	8.3	115.9	.....	.....	74.5	24.8	41.4	157.3	49.7	29
68.3	13.7	21.2	78.7	134.4	23.0	179.7	18.6	146.3	10.0	11.9	29.3	127.4	9.7	7.4	86.5	104.4	22.7	217.2	29.0	30
53.0	26.5	31.8	164.2	143.0	31.8	106.0	26.5	37.1	10.6	5.3	21.2	116.6	5.3	5.3	37.1	47.7	21.2	275.5	26.5	31
142.4	52.5	15.0	82.4	172.3	15.0	127.4	30.0	119.9	59.9	74.9	37.5	217.3	7.5	22.5	89.9	194.8	15.0	322.2	15.0	32
72.1	8.0	.....	32.1	80.2	16.0	72.1	8.0	80.2	.....	8.0	8.0	72.1	.....	24.0	56.1	64.1	8.0	232.5	40.1	33
73.5	13.8	4.6	50.5	105.6	9.2	192.9	4.6	142.4	9.2	23.0	9.2	137.8	4.6	4.6	55.1	124.0	23.0	215.9	4.6	34
143.7	16.0	55.9	151.7	231.6	16.0	255.5	8.0	103.8	47.9	24.0	16.0	103.8	16.0	16.0	111.8	183.7	.....	327.4	71.9	35
136.8	12.8	38.5	76.9	205.1	8.5	192.3	17.1	256.4	17.1	21.4	4.3	115.4	4.3	8.5	128.2	111.1	21.4	363.3	47.0	36
83.4	21.7	16.6	99.4	134.5	37.1	179.3	16.8	113.4	13.1	11.1	22.8	129.1	9.4	8.6	91.9	86.2	21.1	179.9	11.4	37
110.8	26.9	16.8	87.3	161.2	26.9	218.3	10.1	94.0	10.1	16.8	20.1	110.8	3.4	6.7	120.9	80.6	10.1	231.7	13.4	38
63.1	5.4	12.6	34.2	95.5	23.4	236.0	16.2	214.4	18.0	5.4	14.4	59.5	21.6	10.8	149.6	91.9	9.0	153.2	30.6	39
67.4	24.6	23.0	63.4	168.8	20.6	161.6	15.1	117.3	7.1	11.1	13.5	107.0	7.1	14.3	61.0	73.7	21.4	211.6	23.0	40
37.1	12.4	30.9	55.6	67.9	34.0	135.8	3.1	284.1	18.5	6.2	12.4	83.4	24.7	3.1	129.7	105.0	15.4	191.4	77.2	41
57.4	7.2	21.5	114.9	93.4	.....	201.1	14.4	107.7	.....	.....	14.4	71.8	.....	.....	71.8	86.2	14.4	237.0	28.7	42
96.9	14.5	4.8	82.4	155.0	19.4	164.7	14.5	58.1	14.5	19.4	19.4	135.7	4.8	9.7	111.4	87.2	24.2	261.6	9.7	43
79.1	19.5	18.5	104.8	125.3	25.7	228.0	19.5	191.1	16.4	20.5	13.4	131.5	21.6	14.4	133.5	115.0	20.5	291.7	23.6	44
70.8	18.9	14.2	28.3	113.2	9.4	155.7	9.4	84.9	14.2	14.2	18.9	70.8	9.4	4.7	75.5	47.2	28.3	146.3	23.6	45
75.7	8.4	5.6	86.9	98.1	22.4	145.8	8.4	58.9	.....	5.6	22.4	86.9	11.2	5.6	75.7	30.8	11.2	134.6	25.2	46
65.1	14.5	14.5	21.7	115.7	14.5	195.2	7.2	50.6	.....	7.2	14.5	36.2	.....	.....	72.3	50.6	21.7	130.1	21.7	47
54.0	.....	9.0	72.0	153.0	.....	54.0	.....	54.0	9.0	.....	9.0	27.0	.....	18.0	81.0	36.0	.....	90.0	.....	48
82.0	18.3	12.7	65.9	148.9	28.3	205.6	14.7	121.3	13.7	13.4	19.8	134.7	7.5	8.7	80.1	83.2	16.5	220.7	14.0	49
82.3	18.6	12.6	65.7	148.4	27.8	202.3	14.7	120.7	13.6	13.3	19.8	133.4	7.3	8.7	79.0	82.6	16.7	219.3	13.8	50
63.7	5.9	15.1	75.4	171.8	54.5	394.8	17.6	157.6	20.1	19.3	21.0	205.3	18.4	9.2	143.3	118.2	10.1	303.4	27.7	51
138.5	26.9	20.9	101.6	235.2	16.9	162.4	24.9	53.8	14.0	29.9	22.9	171.4	4.0	7.0	60.8	80.7	16.9	366.7	19.9	52
47.5	22.2	34.8	72.8	114.0	50.7	180.4	19.0	300.8	15.8	15.8	12.7	101.3	6.3	15.8	76.0	98.1	12.7	265.9	15.8	53
109.3	14.4	2.9	126.6	189.9	25.9	158.2	2.9	103.6	11.5	8.6	8.6	94.9	8.6	5.8	83.4	66.2	25.9	276.2	.....	54
145.6	42.8	8.6	128.5	119.9	8.6	179.9	17.1	85.7	.....	8.6	17.1	102.8	17.1	8.6	68.5	85.7	.....	445.5	34.3	55
92.5	18.5	22.6	119.2	232.2	37.0	180.8	26.7	90.4	16.4	14.4	24.7	143.8	10.3	12.3	71.9	80.1	28.8	355.4	14.4	56
91.6	18.1	9.9	72.8	160.0	30.1	167.5	16.0	132.2	14.8	14.3	22.6	98.0	6.1	6.3	87.1	96.5	13.2	256.5	5.4	57
56.6	.....	64.7	101.1	137.4	8.1	262.8	32.3	226.4	.....	8.1	16.2	84.9	4.0	12.1	88.9	64.7	28.3	299.1	24.3	58
43.7	29.1	7.3	123.7	123.7	29.1	167.4	14.6	43.7	29.1	29.1	29.1	65.5	.....	.....	72.8	116.4	7.3	363.8	7.3	59
138.9	26.0	17.4	138.9	251.8	17.4	182.3	8.7	60.8	.....	17.4	8.7	208.4	17.4	.....	147.6	130.2	17.4	321.3	17.4	60
86.7	5.8	5.8	52.0	121.3	.....	156.0	11.6	144.4	11.6	11.6	.....	34.7	5.8	.....	127.1	167.6	11.6	300.4	5.8	61
102.0	18.8	13.4	80.6	182.6	21.5	128.9	5.4	37.6	16.1	13.4	13.4	228.3	2.7	8.1	75.2	99.4	21.5	233.6	.....	62
66.4	9.5	.....	85.3	161.1	19.0	94.8	19.0	85.3	28.4	56.9	28.4	66.4	.....	.....	85.3	123.2	19.0	237.0	9.5	63
96.3	8.0	16.1	120.4	208.7	32.1	120.4	16.1	40.1	8.0	24.1	8.0	72.2	.....	.....	24.1	96.3	8.0	248.8	48.2	64
91.7	32.7	6.5	117.9	216.1	26.2	150.6	26.2	45.8	32.7	13.1	6.5	85.1	.....	6.5	85.1	52.4	19.6	360.2	.....	65
82.0	14.5	19.3	101.3	164.0	43.4	101.3	4.8	77.2	14.5	28.9	14.5	164.0	4.8	9.6	82.0	77.2	14.5	328.0	9.6	66
66.0	7.3	.....	95.3	198.0	14.7	102.7	7.3	36.7	44.0	.....	7.3	88.0	.....	14.7	29.3	95.3	7.3	286.0	7.3	67
78.5	8.7	8.7	139.6	226.8	17.4	174.5	26.2	130.9	.....	26.2	.....	157.0	8.7	8.7	87.2	200.7	.....	375.2	26.2	68
114.7	13.5	6.7	155.2	202.5	6.7	121.5	.....	40.5	47.2	13.5	13.5	175.5	.....	6.7	54.0	114.7	13.5	337.5	.....	69
73.0	9.5	9.5	82.5	117.4	31.7	136.4	3.2	95.4	22.2	15.9	25.4	133.2	6.3	22.2	73.0	66.6	9.5	206.2	12.7	70

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	NEW YORK—continued.														
1	Johnstown	1,384.1	9.5	.....	.....	.....	.....	.....	.....	9.5	.....	114.5	.....	.....	.....
2	Kingston	1,835.8	23.1	.....	.....	7.7	7.7	23.1	27.0	42.4	7.7	181.3	.....	27.0	3.9
3	Lackawanna [2]	2,721.8	6.9	.....	.....	226.8	96.2	6.9	48.1	6.9	6.9	144.3	.....	41.2	.....
4	Little Falls	1,565.8	16.2	.....	.....	.....	24.3	16.2	.....	24.3	.....	89.2	.....	16.2	.....
5	Lockport	1,667.3	11.1	5.6	.....	16.7	16.7	.....	22.2	11.1	5.6	144.5	11.1	.....	5.6
6	Middletown *	2,431.8	26.1	6.5	.....	6.5	32.7	.....	13.1	13.1	.....	248.4	13.1	45.8	.....
7	Mount Vernon	1,388.9	9.6	.....	.....	3.2	6.4	12.8	22.5	16.0	.....	118.7	25.7	3.2	3.2
8	New Rochelle	1,170.1	.....	3.4	.....	20.5	.....	34.2	27.4	3.4	3.4	92.4	6.8	6.8	6.8
9	New York (total)	1,599.8	11.6	0.7	0.1	14.4	20.0	5.9	35.6	6.1	6.2	185.0	17.0	9.0	8.1
10	Bronx Borough	1,591.6	9.4	0.9	.....	12.3	17.6	5.9	30.4	5.3	3.4	410.2	19.6	6.2	6.2
11	Brooklyn Borough	1,560.2	11.9	0.9	0.1	21.2	23.3	5.0	34.1	7.0	4.9	151.2	12.3	9.2	11.2
12	Manhattan Borough	1,652.9	11.4	0.3	0.2	10.9	19.3	6.4	38.2	5.4	8.2	174.5	20.9	9.7	6.2
13	Queens Borough	1,378.1	14.2	2.1	.....	9.7	11.1	7.0	35.1	7.0	2.4	124.4	8.7	7.0	8.3
14	Richmond Borough	1,697.8	12.7	.....	.....	6.9	15.0	4.6	23.1	11.6	1.2	175.7	11.6	9.2	9.2
15	New York (white)	1,579.9	11.5	0.6	0.1	14.5	20.3	5.7	35.9	5.9	6.2	178.0	16.6	8.6	8.1
16	Bronx Borough	1,558.2	9.0	0.9	.....	12.2	17.5	5.3	30.4	5.3	3.5	397.7	18.2	8.5	6.0
17	Brooklyn Borough	1,545.1	11.8	0.8	.....	21.3	23.6	4.9	34.1	6.4	4.9	147.7	12.2	8.9	11.2
18	Manhattan Borough	1,631.7	11.4	0.3	0.1	11.0	19.8	6.2	38.8	5.4	8.4	164.8	20.7	9.3	6.2
19	Queens Borough	1,365.0	14.4	1.8	.....	9.8	11.3	7.0	35.5	6.7	2.1	121.7	8.8	6.0	8.1
20	Richmond Borough	1,685.3	11.7	.....	.....	7.0	15.2	4.7	23.4	11.7	1.2	175.8	9.4	9.4	9.4
21	New York (colored)	2,555.7	15.3	3.1	2.0	11.2	4.1	15.3	20.3	16.3	4.1	521.7	34.6	27.5	9.2
22	Bronx Borough	4,991.8	46.9	.....	.....	23.4	23.4	70.3	23.4	.....	.....	1,687.4	164.0	70.3	23.4
23	Brooklyn Borough	2,600.8	16.9	4.2	4.2	16.9	4.2	12.7	29.6	50.7	4.2	392.7	21.1	29.6	12.7
24	Manhattan Borough	2,383.9	12.1	1.5	1.5	9.1	3.0	13.7	18.2	4.6	3.0	507.1	30.4	21.3	6.1
25	Queens Borough	2,500.8	.....	30.1	.....	.....	.....	.....	.....	30.1	30.1	361.6	.....	90.4	30.1
26	Richmond Borough	2,581.2	83.3	.....	.....	.....	.....	.....	.....	.....	.....	166.5	166.5	.....	.....
27	Newburgh	1,826.5	46.6	3.6	.....	17.9	7.2	25.1	17.9	14.4	.....	183.0	7.2	.....	10.8
28	Niagara Falls	1,789.9	98.0	.....	.....	49.0	16.3	32.7	32.7	19.6	.....	111.0	13.1	29.4	6.5
29	North Tonawanda	1,329.7	41.6	.....	.....	24.9	49.9	.....	41.6	8.3	8.3	74.8	16.6	8.3	.....
30	Ogdensburg *	2,452.9	50.1	.....	.....	.....	6.3	.....	25.0	.....	12.5	206.5	12.5	25.0	18.8
31	Olean	1,269.1	6.8	.....	.....	20.3	.....	.....	33.8	.....	.....	54.0	6.8	6.8	6.8
32	Ossining	1,524.3	17.2	.....	.....	68.9	8.6	.....	25.8	.....	.....	146.4	25.8	17.2	8.6
33	Oswego	1,648.9	47.0	.....	.....	12.8	4.3	21.4	4.3	.....	.....	76.9	8.5	12.8	.....
34	Peekskill	1,813.2	26.1	.....	.....	45.7	13.0	19.6	6.5	13.0	6.5	150.0	19.6	13.0	.....
35	Plattsburg	1,761.8	26.8	.....	.....	44.7	8.9	80.5	.....	8.9	.....	223.6	17.9	17.9	8.9
36	Port Chester	1,630.8	15.5	.....	.....	23.3	7.8	38.8	31.1	15.5	.....	77.7	.....	.....	7.8
37	Poughkeepsie	1,671.7	17.8	.....	.....	.....	.....	25.0	14.3	3.6	7.1	139.0	7.1	10.7	7.1
38	Rensselaer	1,512.3	28.0	9.3	.....	9.3	9.3	74.7	9.3	28.0	.....	140.0	.....	.....	9.3
39	Rochester	1,463.4	13.7	0.5	.....	5.9	21.4	5.9	17.3	7.3	6.8	137.0	7.3	15.0	7.3
40	Rome	2,215.0	24.2	.....	.....	14.5	.....	4.8	43.6	24.2	4.8	252.0	14.5	24.2	9.7
41	Saratoga Springs	2,042.6	15.8	.....	.....	39.4	15.8	7.9	15.8	15.8	.....	189.3	.....	.....	.....
42	Schenectady	1,456.8	6.8	.....	.....	20.4	4.1	13.6	19.1	5.4	1.4	102.1	12.3	4.1	5.4
43	Syracuse	1,537.4	28.2	.....	.....	8.7	16.7	2.9	18.8	7.2	3.6	92.7	10.9	5.8	8.0
44	Troy	2,077.2	19.5	.....	.....	20.8	23.4	5.2	16.9	28.6	1.3	238.2	9.1	16.9	15.6
45	Utica *	1,884.4	6.7	.....	.....	18.7	.....	17.4	18.7	18.7	12.0	150.9	20.0	17.4	4.0
46	Watertown	1,750.5	97.0	3.7	.....	56.0	.....	3.7	14.9	14.9	11.2	74.6	.....	11.2	14.9
47	Watervliet	1,728.6	39.7	.....	.....	39.7	13.2	.....	13.2	19.9	.....	159.0	13.2	13.2	13.2
48	White Plains	1,865.9	31.0	6.2	.....	.....	6.2	6.2	18.6	.....	6.2	111.6	6.2	.....	12.4
49	Yonkers	1,521.3	18.6	2.5	.....	.....	23.6	16.1	33.5	7.4	5.0	157.6	13.6	11.2	3.7
	NORTH CAROLINA.														
50	Registration cities (total)	2,052.3	56.1	28.0	0.7	24.0	3.3	12.0	13.3	32.7	2.7	273.6	9.3	22.7	5.3
51	White	1,686.2	49.7	14.0	1.1	27.0	4.3	9.7	16.2	27.0	4.3	221.4	10.8	14.0	2.2
52	Colored	2,644.2	66.4	50.6	.....	19.2	1.7	15.7	8.7	41.9	.....	358.0	7.0	36.7	10.5
53	Asheville (total)	1,965.4	37.2	.....	.....	.....	.....	5.3	15.9	37.2	5.3	658.7	37.2	31.9	5.3
54	White	1,746.2	22.3	.....	.....	.....	.....	7.4	14.9	44.6	7.4	720.8	37.2	37.2	7.4
55	Colored	2,514.9	74.5	.....	.....	.....	.....	.....	18.6	18.6	.....	503.0	37.3	18.6	.....
56	Charlotte (total)	1,772.2	49.8	43.9	2.9	20.5	.....	.....	8.8	35.2	.....	126.0	2.9	17.6	2.9
57	White	1,368.6	49.2	4.5	4.5	26.8	.....	.....	13.4	17.9	.....	80.5	4.5	4.5	4.5
58	Colored	2,538.4	50.9	118.9	.....	8.5	.....	.....	.....	67.9	.....	212.2	.....	42.4	.....
59	Durham (total)	1,992.5	48.7	21.7	.....	97.5	10.8	5.4	10.8	54.1	.....	324.9	.....	21.7	.....
60	White	1,642.2	34.8	26.1	.....	95.6	17.4	8.7	17.4	52.1	.....	208.5	.....	8.7	.....
61	Colored	2,571.8	71.8	14.4	.....	100.6	.....	.....	.....	57.5	.....	517.2	.....	43.1	.....
62	Greensboro (total)	1,904.1	43.7	25.0	.....	6.2	.....	6.2	12.5	31.2	.....	231.0	12.5	31.2	.....
63	White	1,576.9	58.4	19.5	.....	9.7	.....	.....	19.5	.....	.....	107.1	19.5	19.5	.....
64	Colored	2,489.1	17.4	34.8	.....	.....	.....	17.4	.....	87.0	.....	452.6	.....	52.2	.....
65	Raleigh (total) *	2,795.0	78.1	26.0	.....	31.2	.....	36.4	10.4	20.8	10.4	255.0	5.2	20.8	20.8
66	White	2,446.6	75.9	16.9	.....	33.7	.....	33.7	.....	25.3	16.9	168.7	8.4	8.4	.....
67	Colored	3,356.0	81.5	40.8	.....	27.2	.....	40.8	27.2	13.6	.....	394.0	.....	40.8	54.3
68	Wilmington (total)	2,081.4	73.5	54.2	.....	.....	3.9	.....	19.3	23.2	3.9	174.1	7.7	15.5	7.7
69	White	1,555.7	65.7	36.5	.....	.....	7.3	.....	29.2	14.6	7.3	131.5	.....	.....	.....
70	Colored	2,673.6	82.3	74.0	.....	.....	.....	.....	8.2	32.9	.....	222.1	16.5	32.9	16.5
71	Winston (total)	2,032.6	57.7	.....	.....	23.1	11.5	46.2	17.3	28.9	.....	300.3	5.8	28.9	.....
72	White	1,760.5	42.4	.....	.....	31.8	10.6	31.8	21.2	42.4	.....	180.3	10.6	31.8	.....
73	Colored	2,357.7	76.1	.....	.....	12.7	12.7	63.4	12.7	12.7	.....	443.7	.....	25.4	.....

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
133.6	.....	38.2	95.5	171.8	19.1	190.9	19.1	66.8	.....	38.2	9.5	66.8	9.5	9.5	47.7	9.5	28.6	286.4	9.5	1
81.0	27.0	34.7	135.0	270.0	15.4	119.6	15.4	69.4	23.1	19.3	11.6	69.4	15.4	.....	81.0	127.3	3.9	343.2	23.1	2
13.7	.....	34.4	13.7	89.4	41.2	213.1	6.9	694.2	.....	6.9	13.7	41.2	.....	.....	151.2	268.1	.....	543.0	6.9	3
48.7	48.7	16.2	48.7	275.8	16.2	162.3	16.2	81.1	24.3	.....	24.3	89.2	8.1	8.1	89.2	154.1	.....	235.3	32.5	4
72.3	33.3	11.1	105.6	272.3	22.2	122.3	33.3	66.7	11.1	11.1	22.2	72.3	.....	5.6	66.7	144.5	5.6	322.3	16.7	5
137.3	39.2	52.3	124.2	261.5	32.7	281.1	19.6	6.5	26.1	39.2	39.2	196.1	6.5	6.5	45.8	176.5	45.8	477.2	13.1	6
64.2	16.0	9.6	86.6	160.4	12.8	173.2	32.1	112.3	19.2	12.8	6.4	112.3	3.2	6.4	67.4	60.9	9.6	195.7	6.4	7
78.7	13.7	3.4	54.7	99.2	20.5	116.3	20.5	82.1	3.4	3.4	10.3	106.1	3.4	13.7	58.2	109.5	10.3	150.5	6.8	8
78.0	18.6	11.4	54.9	137.4	28.9	222.9	14.1	123.1	13.1	12.1	20.4	142.6	7.8	8.9	81.0	78.3	16.9	194.6	15.1	9
75.6	18.3	11.0	67.2	126.8	16.7	167.0	11.0	74.0	10.1	9.8	19.2	132.5	7.8	7.3	57.6	64.9	15.3	160.4	12.1	10
74.0	15.9	8.8	58.8	161.2	42.4	225.4	13.5	132.7	13.3	12.2	22.3	135.8	7.2	10.0	64.4	66.5	14.9	186.1	2.6	11
82.4	21.1	13.7	47.7	123.9	22.7	238.0	15.3	126.0	14.0	13.0	19.2	150.6	8.7	8.5	98.5	87.7	18.8	208.6	22.9	12
66.7	13.2	10.1	69.5	127.9	22.9	176.6	12.2	119.2	8.0	8.3	19.1	120.3	5.9	5.6	74.4	83.8	14.2	164.0	19.1	13
86.7	25.4	6.9	64.7	136.4	18.5	205.7	16.2	122.5	15.0	9.2	26.6	179.1	3.5	16.2	67.0	97.1	18.5	256.6	45.1	14
78.2	18.9	11.4	54.7	136.7	28.2	219.2	14.0	122.2	13.0	11.9	20.4	141.1	7.6	8.8	79.5	77.6	17.1	192.7	14.8	15
75.0	18.5	10.8	65.5	123.4	16.4	163.1	10.6	73.6	9.7	9.9	18.9	129.6	7.8	7.2	57.4	64.4	15.2	157.5	12.0	16
74.0	16.1	8.8	58.7	161.0	40.9	222.4	13.4	131.5	13.2	12.1	22.1	134.7	7.0	10.0	63.1	65.9	15.0	184.6	2.6	17
83.1	21.5	13.7	47.5	123.1	22.3	233.7	15.2	125.2	14.0	12.7	19.2	149.2	8.3	8.5	96.6	87.2	19.1	206.6	22.4	18
66.8	13.4	9.8	69.6	127.6	23.2	174.8	12.3	118.5	8.1	8.1	19.3	118.8	5.6	5.3	73.5	81.9	14.4	161.7	19.0	19
85.6	25.8	7.0	63.3	135.9	17.6	202.8	16.4	121.9	14.1	9.4	27.0	179.3	3.5	16.4	68.0	93.8	18.8	255.5	44.5	20
69.2	5.1	14.2	66.1	170.9	62.0	402.7	19.3	165.8	18.3	20.3	21.4	212.5	20.3	10.2	153.6	113.9	7.1	287.8	30.5	21
140.6	.....	23.4	234.4	468.7	46.9	562.5	46.9	117.2	46.9	.....	46.9	421.8	.....	23.4	70.3	117.2	23.4	445.3	23.4	22
76.0	4.2	12.7	63.3	173.1	143.6	426.4	21.1	211.1	21.1	21.1	33.8	211.1	21.1	8.4	152.0	109.8	8.4	282.9	.....	23
60.7	6.1	13.7	54.7	151.8	36.4	387.2	18.2	151.8	15.2	21.3	16.7	198.9	21.3	9.1	162.5	104.8	6.1	274.8	41.0	24
60.3	.....	30.1	60.3	150.6	.....	331.4	.....	180.8	.....	30.1	.....	241.0	30.1	30.1	150.6	241.0	.....	361.6	30.1	25
166.5	.....	.....	166.5	166.5	83.3	416.3	.....	166.5	83.3	.....	.....	166.5	.....	.....	.....	333.1	.....	333.1	83.3	26
89.7	7.2	43.1	139.9	193.8	14.4	211.7	25.1	86.1	25.1	10.8	7.2	175.8	7.2	7.2	68.2	114.8	21.5	236.8	7.2	27
42.5	16.3	26.1	71.9	120.8	9.8	189.4	3.3	179.6	9.8	9.8	26.1	84.9	6.5	6.5	104.5	199.2	29.4	222.1	22.9	28
49.9	.....	16.6	24.9	66.5	24.9	157.9	16.6	191.1	8.3	8.3	.....	58.2	16.6	.....	66.5	99.7	8.3	241.0	.....	29
131.4	18.8	25.0	112.6	219.0	25.0	287.8	25.0	106.4	31.3	31.3	6.3	181.5	.....	6.3	100.1	68.8	12.5	675.8	31.3	30
114.8	13.5	13.5	74.3	148.5	6.8	135.0	6.8	60.8	20.3	20.3	13.5	60.8	13.5	6.8	67.5	101.3	33.8	222.8	.....	31
68.9	.....	8.6	103.3	137.8	25.8	137.8	.....	43.1	17.2	8.6	8.6	146.4	.....	17.2	68.9	129.2	60.3	215.3	8.6	32
81.2	8.5	21.4	158.1	226.4	17.1	72.6	8.5	85.4	4.3	25.6	17.1	141.0	8.5	21.4	106.8	132.4	25.6	281.9	17.1	33
84.8	26.1	13.0	123.9	123.9	26.1	280.5	26.1	91.3	13.0	19.6	13.0	137.0	13.0	13.0	91.3	110.9	.....	287.0	6.5	34
80.5	8.9	53.7	62.6	187.8	35.8	161.0	.....	62.6	17.9	8.9	26.8	35.8	.....	26.8	214.6	44.7	17.9	250.4	26.8	35
69.9	31.1	31.1	77.7	93.2	46.6	132.0	7.8	225.2	.....	15.5	23.3	108.7	7.8	23.3	46.6	101.0	23.3	295.1	54.4	36
99.8	28.5	14.3	164.0	231.7	17.8	146.1	7.1	74.9	7.1	7.1	7.1	121.2	10.7	3.6	82.0	114.1	7.1	281.6	14.3	37
130.7	.....	9.3	65.3	149.4	28.0	130.7	28.0	28.0	.....	9.3	18.7	65.3	.....	9.3	102.7	140.0	.....	261.4	18.7	38
99.2	15.9	6.8	94.2	157.5	36.0	131.5	14.1	99.7	15.9	17.8	21.4	112.0	7.7	9.1	27.8	71.0	16.4	258.5	5.5	39
116.3	9.7	9.7	121.2	319.9	72.7	111.5	14.5	150.3	14.5	14.5	29.1	184.2	4.8	.....	92.1	92.1	29.1	402.3	9.7	40
173.5	23.7	7.9	134.1	142.0	15.8	212.9	15.8	78.9	15.8	31.5	39.4	268.1	15.8	7.9	86.8	94.6	.....	347.0	31.5	41
57.2	15.0	13.6	74.9	100.7	25.9	197.4	8.2	167.5	17.7	15.0	6.8	96.7	10.9	2.7	93.9	81.7	17.7	243.7	15.0	42
92.0	19.6	10.1	79.7	207.1	23.2	152.1	10.9	122.4	15.2	11.6	11.6	101.4	5.8	9.4	92.7	89.1	21.7	249.1	9.4	43
108.0	27.3	27.3	110.6	256.4	26.0	221.2	23.4	91.1	22.1	26.0	36.4	140.6	3.9	7.8	79.4	96.3	7.8	344.9	24.7	44
90.8	17.4	36.1	93.5	200.3	37.4	200.3	28.0	136.2	17.4	33.4	14.7	118.9	2.7	14.7	100.2	78.8	16.0	341.9	21.4	45
85.8	14.9	14.9	134.4	186.6	14.9	160.5	18.7	78.4	11.2	18.7	7.5	97.0	18.7	11.2	119.4	112.0	22.4	309.8	11.2	46
59.6	19.9	39.7	132.5	192.1	26.5	245.0	13.2	72.9	.....	.....	26.5	119.2	.....	13.2	92.7	59.6	.....	264.9	26.5	47
105.4	6.2	12.4	111.6	124.0	12.4	210.8	43.4	99.2	6.2	6.2	43.4	161.2	12.4	12.4	105.4	204.6	24.8	328.5	31.0	48
80.7	9.9	5.0	69.5	134.0	26.1	145.2	12.4	212.2	13.6	7.4	16.1	120.4	13.6	8.7	68.2	64.5	11.2	209.7	.....	49
62.1	10.0	23.4	62.7	134.8	28.0	195.6	26.0	132.8	12.0	9.3	10.7	106.1	5.3	20.7	88.8	92.8	10.0	432.5	104.8	50
67.0	9.7	20.5	57.3	94.0	21.6	135.0	20.5	122.1	14.0	8.6	16.2	102.6	1.1	16.2	81.0	65.9	14.0	365.1	51.9	51
54.1	10.5	27.9	71.6	200.8	38.4	293.4	34.9	150.2	8.7	10.5	1.7	111.8	12.2	27.9	101.3	136.2	3.5	541.4	190.4	52
42.5	5.3	15.9	63.7	63.7	21.2	159.4	37.2	53.1	26.6	5.3	10.6	85.0	.....	15.9	74.4	74.4	5.3	302.8	69.1	53
37.2	7.4	22.3	66.9	59.4	.....	66.9	22.3	44.6	29.7	7.4	14.9	59.4	.....	7.4	74.3	66.9	7.4	215.5	37.2	54
55.9	.....	.....	55.9	74.5	74.5	391.2	74.5	74.5	18.6	.....	.....	149.0	.....	37.3	74.5	93.1	.....	521.6	149.0	55
49.8	11.7	17.6	46.9	102.5	43.9	202.1	8.8	102.5	11.7	8.8	5.9	90.8	.....	14.6	70.3	73.2	8.8	480.4	111.3	56
67.1	17.9	17.9	44.7	76.0	22.4	138.6	4.5	107.3	13.4	8.9	8.9	67.1	.....	17.9	76.0	67.1	8.9	366.7	26.8	57
17.0	.....	17.0	50.9	152.8	84.9	322.6	17.0	93.4	8.5	8.5	.....	135.8	.....	8.5	59.4	84.9	8.5	696.2	271.7	58
75.8	.....	32.5	48.7	97.5	43.3	194.9	27.1	113.7	10.8	16.2	10.8	43.3	5.4	16.2	75.8	59.6	10.8	400.7	113.7	59
104.3	.....	34.8	60.8	60.8	43.4	130.3	8.7	121.6	17.4	8.7	17.4	52.1	8.7	.....	78.2	34.8	17.4	295.4	78.2	60
28.7	.....	28.7	28.7	158.0	43.1	301.7	57.5	100.6	.....	28.7	.....	28.7	.....	43.1	71.8	100.6	.....	574.7	172.4	61
74.9	12.5	18.7	49.9	74.9	18.7	206.0	25.0	99.9	12.5	6.2	18.7	137.3	12.5	25.0	68.7	87.4	6.2	312.1	237.2	62
77.9	9.7	19.5	48.7	58.4	29.2	204.4	19.5	97.3	.....	9.7	29.2	175.2	.....	19.5	68.1	77.9	9.7	282.3	87.6	63
69.6	17.4	17.4	52.2	104.4	.....	208.9	34.8	104.4	34.8	.....	.....	69.6	34.8	34.8	69.6	104.4	.....	365.5	504.8	64
83.3	20.8	31.2	57.3	229.0	36.4	208.2	67.7	208.2	.....	10.4	31.2	223.8	.....	36.4	98.9	140.5	20.8	723.5	52.0	65
50.6	25.3	8.4	67.5	185.6	33.7	126.6	75.9	151.9	.....	8.4	42.2	270.0	.....	33.7	75.9	67.5	33.7	767.7	33.7	66
135.9	13.6	67.9	40.8	298.9	40.8	339.7	54.3	298.9	.....	13.6	13.6	149.5	.....	40.8	135.9	258.2	.....	652.2	81.5	67
61.9	7.7	15.5	92.9	208.9	15.5	162.5	23.2	205.0	7.7	7.7	3.9	100.6	15.5	27.1	123.8	135.4	3.9	398.5	81.2	68
65.7	.....	14.6	58.4	160.7	21.9	102.2	14.6	182.6	14.6	.....	7.3	58.4	.....	29.2	80.3	94.9	.....	292.1	65.7	69
57.6	16.5	16.5	131.6	263.2	8.2	230.3	32.9	230.3	.....	16.5	.....	148.1	32.9	24.7	172.8	181.0	8.2	518.3	98.7	70
57.7	11.5	40.4	80.8	155.9	5.8	248.3	5.8	138.6	17.3	11.5	.....	75.1	5.8	11.5	109.7	75.1	17.3	352.2	92.4	71
74.2	.....	31.8	63.6	53.0	.....	212.1	10.6	169.7	21.2	21.2	.....	84.8	.....	.....	127.3	42.4	31.8	350.0	63.6	72
38.0	25.4	50.7	101.4	278.9	12.7	291.5	.....	101.4	12.7	.....	.....	63.4	12.7	25.4	88.7	114.1	.....	354.9	126.8	73

[1] Rates based on population enumerated April 15, 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	OHIO.														
1	Registration cities (total)	1,481.0	24.2	0.6	0.2	18.5	8.2	13.3	16.2	13.5	5.4	150.9	9.1	13.8	8.5
2	White	1,457.6	24.2	0.5	0.1	18.5	8.4	12.8	16.5	13.5	5.5	140.1	8.8	12.8	8.5
3	Colored	2,205.3	23.7	3.0	1.5	16.3	1.5	29.6	7.4	11.8	4.4	484.3	19.3	43.0	8.9
4	Akron	1,332.9	30.2	2.9	.....	17.2	12.9	15.8	27.3	12.9	10.1	74.7	4.3	15.8	8.6
5	Alliance	1,189.9	19.7	6.6	.....	.....	6.6	26.3	6.6	6.6	6.6	111.8	6.6	6.6	13.1
6	Ashtabula	1,410.1	43.6	.....	.....	32.7	.....	27.2	5.4	16.3	5.4	108.9	5.4	10.9	10.9
7	Bellaire	1,455.2	7.7	.....	.....	.....	.....	30.8	38.5	23.1	.....	161.7	7.7	23.1	7.7
8	Cambridge	1,299.2	52.7	.....	.....	17.6	.....	17.6	8.8	52.7	.....	114.1	17.6	.....	17.6
9	Canton	1,219.2	27.7	2.0	.....	21.8	5.9	27.7	9.9	2.0	.....	69.3	5.9	5.9	2.0
10	Chillicothe	1,781.3	89.4	.....	6.9	6.9	6.9	41.3	27.5	.....	.....	220.1	.....	20.6	13.8
11	Cincinnati (total)	1,735.1	8.8	0.3	.....	16.2	4.4	8.2	9.9	21.1	6.6	261.7	13.7	14.8	6.6
12	White	1,669.4	8.7	.....	.....	15.4	4.4	8.1	9.9	22.1	6.7	229.9	13.4	13.1	6.4
13	Colored	2,878.5	10.1	5.1	.....	30.4	5.1	10.1	10.1	5.1	5.1	814.5	20.2	45.5	10.1
14	Cleveland	1,427.2	17.9	0.2	0.4	17.0	12.6	6.6	21.3	9.0	5.5	127.2	10.8	8.5	10.1
15	Columbus (total)	1,539.7	18.1	.....	.....	23.6	3.3	10.4	11.5	8.2	6.0	177.5	7.1	28.5	7.7
16	White	1,502.2	17.7	.....	.....	24.2	3.5	9.4	12.4	8.3	6.5	163.9	5.9	27.1	8.3
17	Colored	2,033.7	23.3	.....	.....	15.5	.....	23.3	.....	7.8	.....	357.1	23.3	46.6	.....
18	Dayton	1,475.1	21.4	0.9	.....	1.7	9.4	19.7	11.1	9.4	3.4	161.7	11.1	16.3	6.8
19	East Liverpool	1,627.7	83.1	.....	.....	29.3	9.8	102.6	29.3	4.9	.....	171.1	.....	4.9	4.9
20	Elyria	1,357.7	33.4	.....	.....	20.1	26.8	.....	.....	13.4	.....	93.6	.....	13.4	6.7
21	Findlay	1,479.7	27.0	6.8	.....	27.0	6.8	.....	27.0	20.3	6.8	135.1	.....	6.8	6.8
22	Hamilton	1,449.9	16.9	.....	.....	39.4	14.1	5.6	19.7	11.3	5.6	129.5	11.3	2.8	19.7
23	Ironton	1,487.9	22.8	.....	.....	45.5	.....	15.2	.....	15.2	.....	212.6	7.6	22.8	7.6
24	Lakewood	1,108.2	13.0	.....	.....	.....	71.3	.....	6.5	19.4	6.5	58.3	.....	.....	13.0
25	Lancaster	1,077.5	7.6	.....	.....	15.2	.....	22.8	.....	15.2	.....	166.9	.....	15.2	22.8
26	Lima	1,298.7	35.9	.....	3.3	9.8	3.3	6.5	6.5	6.5	13.1	97.9	13.1	9.8	19.6
27	Lorain	1,282.8	27.4	.....	.....	10.3	10.3	20.6	27.4	6.9	3.4	96.0	3.4	10.3	6.9
28	Mansfield	1,382.4	19.2	.....	.....	9.6	.....	38.4	9.6	19.2	4.8	134.4	4.8	4.8	4.8
29	Marietta	1,269.9	7.7	.....	.....	.....	23.2	.....	.....	15.5	.....	108.4	15.5	.....	15.5
30	Marion	1,263.2	10.9	.....	.....	38.1	.....	32.7	10.9	21.8	.....	125.2	.....	21.8	5.4
31	Massillon	1,149.5	21.6	.....	.....	35.9	.....	14.4	.....	35.9	.....	79.0	7.2	7.2	.....
32	Middletown	1,239.1	15.1	.....	.....	7.6	.....	.....	7.6	22.7	7.6	83.1	30.2	22.7	7.6
33	Newark	1,292.1	19.6	.....	.....	.....	.....	19.6	19.6	43.1	.....	78.3	3.9	15.7	7.8
34	Norwood	896.9	6.1	.....	.....	.....	6.1	6.1	.....	12.2	12.2	103.7	12.2	18.3	.....
35	Piqua	1,446.4	44.7	7.5	.....	.....	.....	7.5	22.4	29.8	7.5	193.8	7.5	22.4	7.5
36	Portsmouth	1,508.5	59.3	.....	.....	190.7	8.5	21.2	8.5	4.2	.....	156.8	16.9	29.7	8.5
37	Sandusky	1,340.3	30.0	.....	.....	.....	.....	5.0	15.0	15.0	.....	80.0	5.0	5.0	15.0
38	Springfield (total)	1,323.6	10.6	.....	.....	2.1	2.1	38.2	17.0	23.4	10.6	125.3	2.1	6.4	6.4
39	White	1,289.4	9.5	.....	.....	.....	2.4	40.4	16.6	26.1	11.9	109.2	.....	2.4	7.1
40	Colored	1,614.2	20.2	.....	.....	20.2	.....	20.2	20.2	.....	.....	262.3	20.2	40.4	.....
41	Steubenville	1,790.8	66.5	.....	.....	22.2	26.6	53.2	22.2	53.2	4.4	97.5	4.4	22.2	8.9
42	Tiffin	1,469.0	25.2	.....	.....	16.8	.....	8.4	8.4	8.4	.....	134.3	8.4	42.0	.....
43	Toledo	1,459.2	37.2	1.8	.....	16.5	5.9	5.9	19.5	9.5	7.7	138.8	4.7	17.1	9.5
44	Warren	1,401.9	143.8	.....	.....	.....	9.0	18.0	.....	44.9	9.0	9.0	9.0	.....	.....
45	Youngstown	1,680.5	57.7	.....	.....	35.1	8.8	12.5	37.6	7.5	5.0	82.8	8.8	12.5	6.3
46	Zanesville	1,490.0	53.3	.....	.....	3.6	.....	49.8	3.6	7.1	.....	160.0	7.1	21.3	3.6
	OREGON.[2]														
47	Portland (total)	1,102.2	22.4	0.5	.....	3.8	10.0	7.2	22.4	5.3	5.3	83.1	10.0	15.3	6.2
48	White	1,105.9	21.9	0.5	.....	4.0	10.4	7.0	22.9	4.5	5.0	80.0	10.4	14.9	6.5
49	Colored[3]	1,010.0	36.5	.....	.....	.....	.....	12.2	12.2	24.3	12.2	158.2	.....	24.3	.....
	PENNSYLVANIA.														
50	Registration cities (total)	1,688.7	25.1	0.6	0.1	15.9	14.9	15.9	30.8	12.4	4.7	140.0	9.4	11.4	8.0
51	White	1,654.8	24.6	0.6	0.1	16.0	15.3	14.4	31.1	12.2	4.7	127.9	8.8	9.9	8.1
52	Colored	2,505.0	35.5	.....	.....	12.3	6.1	53.3	23.2	17.1	4.8	432.9	24.6	47.1	5.5
53	Allentown	1,679.7	32.6	.....	.....	26.8	19.2	15.3	42.1	5.7	1.9	124.5	9.6	9.6	13.4
54	Altoona	1,259.4	40.1	.....	.....	5.7	.....	26.8	32.5	13.4	.....	63.1	3.8	7.6	9.6
55	Beaver Falls	1,373.0	16.3	.....	.....	.....	.....	16.3	49.0	16.3	.....	98.1	.....	.....	24.5
56	Bethlehem	1,319.9	15.5	.....	.....	23.3	7.8	.....	7.8	15.5	.....	77.6	.....	23.3	15.5
57	Braddock	2,104.5	56.6	.....	.....	36.0	51.5	5.1	72.0	5.1	.....	56.6	5.1	10.3	5.1
58	Bradford	1,314.2	13.8	.....	.....	6.9	.....	.....	.....	6.9	.....	61.9	.....	.....	.....
59	Butler	1,523.7	23.9	.....	.....	38.2	33.4	43.0	33.4	14.3	19.1	62.1	9.6	19.1	4.8
60	Carbondale	1,910.8	23.4	.....	.....	11.7	17.5	17.5	.....	23.4	5.8	64.3	5.8	23.4	.....
61	Carlisle (total)	1,609.0	.....	.....	.....	.....	.....	9.7	9.7	87.2	19.4	106.6	9.7	58.2	.....
62	White	1,468.2	.....	.....	.....	.....	.....	10.9	10.9	87.0	21.8	76.1	.....	21.8	.....
63	Colored	2,762.9	.....	.....	.....	.....	.....	.....	.....	89.1	.....	356.5	89.1	356.5	.....
64	Carnegie	1,341.3	.....	.....	.....	79.5	69.5	9.9	59.6	19.9	.....	99.4	.....	9.9	.....
65	Chambersburg	1,633.5	25.4	.....	.....	.....	16.9	8.5	.....	25.4	25.4	135.4	16.9	25.4	8.5

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
77.6	14.3	17.5	69.4	135.3	28.3	133.6	14.1	114.0	13.3	13.3	17.8	88.1	8.9	8.5	72.4	99.9	17.6	246.6	8.3	1
78.2	14.6	17.5	69.4	132.0	28.4	129.1	13.9	114.4	13.3	13.1	18.0	86.8	8.8	8.6	72.2	98.6	17.8	244.8	8.1	2
57.8	7.4	16.3	69.6	237.0	25.2	272.5	19.3	102.2	13.3	20.7	13.3	128.9	13.3	5.9	78.5	140.7	10.4	305.1	13.3	3
60.3	14.4	18.7	61.8	77.6	18.7	117.8	21.5	116.3	12.9	11.5	2.9	56.0	10.1	8.6	63.2	132.1	24.4	252.8	18.7	4
78.9	.....	.....	46.0	92.0	6.6	85.5	.....	39.4	46.0	26.3	26.3	72.3	.....	6.6	46.0	98.6	13.1	269.5	19.7	5
49.0	16.3	76.2	27.2	152.4	21.8	157.9	10.9	87.1	21.8	.....	16.3	32.7	5.4	21.8	81.7	163.3	5.4	174.2	21.8	6
38.5	7.7	38.5	53.9	130.9	30.8	177.1	15.4	177.1	15.4	7.7	23.1	38.5	15.4	.....	77.0	100.1	7.7	169.4	30.8	7
87.8	.....	17.6	96.6	122.9	.....	131.7	17.6	35.1	8.8	8.8	.....	70.2	8.8	35.1	79.0	79.0	8.8	184.3	8.8	8
93.0	15.8	9.9	71.3	170.2	7.9	126.7	4.0	91.0	7.9	11.9	13.9	45.5	15.8	13.9	71.3	102.9	17.8	142.5	5.9	9
75.7	13.8	27.5	123.8	185.7	34.4	123.8	20.6	123.8	6.9	13.8	13.8	103.2	.....	.....	82.5	137.6	13.8	220.1	27.5	10
85.1	18.9	22.8	78.5	182.6	47.0	159.5	15.1	90.1	13.7	17.6	30.2	137.3	8.0	7.1	70.8	96.4	17.3	257.8	6.9	11
88.3	19.5	23.5	77.8	176.8	46.7	146.9	14.8	86.8	13.9	17.7	30.8	134.1	8.1	7.3	69.7	91.5	18.3	252.9	6.1	12
30.4	10.1	10.1	91.1	283.3	50.6	379.4	20.2	146.7	10.1	15.2	20.2	192.2	5.1	5.1	91.1	182.1	.....	344.0	20.2	13
73.1	13.3	10.5	62.3	102.7	39.0	127.3	15.3	169.9	14.5	11.5	16.3	94.0	9.0	8.7	72.9	83.5	18.3	233.9	4.1	14
91.0	14.8	19.7	79.5	165.5	13.7	135.9	12.1	63.0	17.0	15.9	12.6	79.5	12.1	7.7	65.2	112.9	24.1	282.2	13.7	15
92.0	15.9	20.0	80.8	158.6	13.6	127.3	11.2	61.9	18.3	13.6	13.6	77.8	11.2	8.3	64.3	107.9	24.8	281.2	13.0	16
77.6	.....	15.5	62.1	256.2	15.5	248.4	23.3	77.6	.....	46.6	.....	100.9	23.3	.....	77.6	178.5	15.5	295.0	23.3	17
90.7	12.8	31.7	33.9	162.6	8.6	160.0	11.1	91.6	13.7	13.7	17.1	91.6	13.7	4.3	81.3	86.4	23.1	200.2	4.3	18
73.3	4.9	63.5	34.2	68.4	14.7	127.1	19.6	132.0	9.8	19.6	19.6	48.9	9.8	14.7	88.0	73.3	9.8	322.6	34.2	19
66.9	33.4	6.7	60.2	180.6	13.4	86.9	6.7	107.0	26.8	13.4	6.7	46.8	6.7	20.1	53.5	173.9	13.4	227.4	.....	20
54.1	54.1	13.5	182.4	195.9	27.0	54.1	20.3	40.5	27.0	27.0	13.5	108.1	.....	20.3	60.8	67.6	6.8	229.7	6.8	21
76.0	11.3	33.8	70.4	109.8	22.5	135.1	22.5	70.4	8.4	14.1	19.7	78.8	8.4	5.6	98.5	129.5	22.5	219.6	16.9	22
83.5	15.2	7.6	38.0	113.9	45.5	121.5	7.6	98.7	7.6	.....	15.2	53.1	.....	15.2	98.7	113.9	22.8	273.3	7.6	23
64.8	6.5	6.5	32.4	123.1	51.8	64.8	.....	142.6	19.4	13.0	6.5	19.4	.....	6.5	77.8	77.8	6.5	200.9	.....	24
106.2	.....	7.6	45.5	68.3	45.5	37.9	30.4	30.4	15.2	7.6	30.4	53.1	.....	.....	75.9	68.3	22.8	151.8	15.2	25
78.3	13.1	6.5	62.0	104.4	9.8	81.6	16.3	94.6	9.8	29.4	22.8	65.3	6.5	3.3	84.8	88.1	22.8	251.3	22.8	26
34.3	.....	10.3	30.9	54.9	6.9	144.1	13.7	223.0	10.3	3.4	10.3	72.0	6.9	.....	102.9	137.2	6.9	192.1	.....	27
91.2	14.4	9.6	110.4	124.8	19.2	52.8	24.0	76.8	14.4	14.4	9.6	134.4	4.8	4.8	76.8	110.4	24.0	216.0	.....	28
154.9	31.0	31.0	46.5	178.1	.....	92.9	15.5	31.0	.....	15.5	15.5	85.2	.....	.....	46.5	92.9	.....	240.0	7.7	29
38.1	21.8	10.9	49.0	108.9	27.2	54.4	10.9	81.7	5.4	10.9	.....	70.8	10.9	5.4	108.9	103.5	5.4	266.8	5.4	30
79.0	21.6	14.4	43.1	100.6	28.7	86.2	7.2	64.7	14.4	.....	21.6	14.4	14.4	14.4	21.6	136.5	7.2	244.3	14.4	31
60.4	15.1	22.7	60.4	90.7	7.6	188.9	22.7	68.0	.....	.....	.....	68.0	15.1	.....	68.0	98.2	22.7	226.7	.....	32
58.7	.....	19.6	78.3	125.3	15.7	109.6	.....	31.3	11.7	15.7	19.6	62.6	3.9	15.7	97.9	113.5	11.7	274.1	19.6	33
54.9	12.2	.....	42.7	146.4	18.3	61.0	12.2	30.5	6.1	.....	6.1	85.4	6.1	6.1	48.8	30.5	12.2	115.9	24.4	34
67.1	14.9	14.9	96.9	156.6	14.9	119.3	22.4	96.9	14.9	22.4	.....	74.6	7.5	14.9	82.0	59.6	14.9	201.3	.....	35
80.5	16.9	16.9	63.6	89.0	8.5	110.2	8.5	122.9	.....	8.5	16.9	46.6	8.5	4.2	89.0	76.3	8.5	228.8	.....	36
60.0	20.0	15.0	115.0	180.0	5.0	115.0	10.0	65.0	5.0	5.0	40.0	75.0	.....	15.0	65.0	165.0	10.0	200.1	5.0	37
68.0	21.2	27.6	72.2	163.6	12.7	78.6	17.0	42.5	10.6	14.9	19.1	59.5	12.7	12.7	53.1	91.4	4.2	288.9	8.5	38
66.5	23.7	28.5	73.6	159.1	14.2	73.6	19.0	40.4	7.1	11.9	16.6	57.0	14.2	9.5	54.6	95.0	4.7	284.9	9.5	39
80.7	.....	20.2	60.5	201.8	.....	121.1	.....	60.5	40.4	40.4	40.4	80.7	.....	40.4	40.4	60.5	.....	322.8	.....	40
53.2	4.4	17.7	97.5	84.2	22.2	164.0	22.2	155.1	4.4	13.3	4.4	70.9	4.4	8.9	79.8	195.0	8.9	359.0	39.9	41
83.9	33.6	8.4	100.7	184.7	42.0	50.4	25.2	16.8	8.4	8.4	16.8	67.2	.....	8.4	75.5	109.1	8.4	361.0	8.4	42
85.1	7.7	12.4	59.1	150.1	20.1	127.6	12.4	88.6	14.2	14.2	20.7	76.8	7.1	8.9	63.8	82.1	21.9	311.3	1.2	43
89.9	18.0	9.0	134.8	80.9	9.0	170.7	9.0	62.9	27.0	18.0	.....	89.9	9.0	9.0	53.9	62.9	35.9	251.6	18.0	44
64.0	10.0	16.3	38.9	110.4	31.4	249.6	8.8	249.6	3.8	7.5	15.0	53.9	12.5	10.0	84.0	178.1	13.8	238.3	10.0	45
88.9	28.4	10.7	113.8	149.4	28.4	78.2	14.2	49.8	17.8	10.7	10.7	96.0	10.7	14.2	64.0	96.0	7.1	273.8	17.8	46
70.2	11.0	10.5	52.5	106.0	11.9	76.4	10.5	33.0	11.0	15.8	10.5	60.2	7.6	9.1	60.6	79.8	24.4	239.3	10.5	47
72.1	11.4	9.9	54.2	107.9	12.4	77.0	10.9	32.8	10.9	16.4	9.4	58.7	7.5	9.4	61.1	80.5	23.4	242.1	9.9	48
24.3	.....	24.3	12.2	60.8	.....	60.8	.....	36.5	12.2	.....	36.5	97.3	12.2	.....	48.7	60.8	48.7	170.4	24.3	49
74.2	15.4	11.6	76.0	140.7	33.0	194.1	23.5	156.8	12.5	14.4	16.2	122.0	10.5	11.0	85.8	111.5	16.9	247.4	26.1	50
75.0	15.6	11.7	75.9	138.8	32.0	186.9	23.0	155.0	12.7	14.3	16.4	120.1	10.4	10.8	84.9	111.5	17.2	243.6	25.4	51
53.3	10.2	7.5	79.2	186.4	58.0	367.3	34.8	200.7	7.5	17.8	11.6	168.0	14.3	15.0	107.9	112.7	8.9	338.0	43.7	52
99.6	28.7	15.3	141.7	132.2	9.6	153.2	19.2	105.3	11.5	15.3	7.7	86.2	15.3	13.4	97.7	130.2	13.4	226.0	57.5	53
42.0	17.2	21.0	66.9	97.5	13.4	114.7	22.9	49.7	13.4	7.6	15.3	84.1	9.6	9.6	116.6	93.6	15.3	219.8	26.8	54
65.4	8.2	49.0	16.3	81.7	8.2	130.8	16.3	155.3	24.5	16.3	16.3	65.4	.....	.....	138.9	138.9	8.2	147.1	65.4	55
77.6	46.6	7.8	201.9	116.5	.....	170.8	7.8	77.6	.....	7.8	7.8	38.8	7.8	.....	93.2	15.5	15.5	240.7	.....	56
36.0	.....	25.7	20.6	82.3	41.2	411.6	46.3	385.9	5.1	20.6	20.6	102.9	20.6	15.4	82.3	200.7	20.6	226.4	36.0	57
55.0	20.6	13.8	82.6	178.9	20.6	110.1	6.9	48.2	6.9	6.9	6.9	110.1	.....	13.8	117.0	123.8	6.9	295.9	.....	58
62.1	19.1	33.4	62.1	47.8	14.3	191.1	4.8	243.6	9.6	14.3	9.6	57.3	19.1	14.3	81.2	109.9	9.6	210.2	9.6	59
58.4	17.5	5.8	99.3	122.7	76.0	251.3	17.5	99.3	17.5	23.4	11.7	122.7	29.2	23.4	76.0	298.0	23.4	315.5	29.2	60
116.3	48.5	9.7	155.1	126.0	9.7	193.8	19.4	87.2	.....	19.4	.....	29.1	.....	.....	116.3	48.5	.....	271.4	58.2	61
119.6	43.5	10.9	152.3	130.5	10.9	174.0	21.8	87.0	.....	21.8	.....	21.8	.....	.....	97.9	43.5	.....	261.0	43.5	62
89.1	89.1	.....	178.3	89.1	.....	356.5	.....	89.1	.....	.....	.....	89.1	.....	.....	267.4	89.1	.....	356.5	178.3	63
49.7	.....	39.7	39.7	109.3	.....	168.9	.....	178.8	.....	.....	.....	59.6	.....	9.9	79.5	19.9	.....	208.6	29.8	64
127.0	16.9	8.5	93.1	186.2	33.9	135.4	.....	76.2	8.5	8.5	25.4	143.9	16.9	8.5	84.6	118.5	8.5	220.1	25.4	65

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	PENNSYLVANIA—continued.														
1	Chester (total)	1,679.9	41.4	2.6	.....	2.6	2.6	18.1	15.5	25.9	5.2	168.2	10.4	18.1	5.2
2	White	1,602.9	35.5	3.0	.....	3.0	3.0	17.7	17.7	23.7	5.9	165.6	11.8	11.8	5.9
3	Colored	2,219.9	83.0	.....	.....	.....	.....	20.7	.....	41.5	.....	186.7	.....	62.2	.....
4	Coatesville	1,330.7	26.8	8.9	.....	8.9	8.9	.....	26.8	26.8	.....	89.3	.....	.....	.....
5	Columbia	1,582.9	17.5	.....	.....	8.7	61.2	.....	26.2	17.5	17.5	122.4	.....	8.7	8.7
6	Connellsville	1,577.5	54.1	.....	.....	.....	.....	15.5	15.5	15.5	.....	108.3	.....	7.7	7.7
7	Dubois	1,142.5	47.3	.....	.....	39.4	.....	15.8	15.8	15.8	.....	47.3	.....	.....	23.6
8	Dunmore	1,692.9	.....	.....	.....	33.9	33.9	.....	56.4	5.6	11.3	62.1	5.6	.....	11.3
9	Duquesne	1,235.2	12.6	.....	.....	25.2	44.1	6.3	25.2	.....	6.3	113.4	12.6	.....	.....
10	Easton	1,633.4	17.5	.....	.....	3.5	.....	10.5	14.0	14.0	7.0	129.4	10.5	14.0	7.0
11	Erie	1,475.7	38.9	3.0	.....	6.0	15.0	4.5	16.5	12.0	4.5	125.7	4.5	6.0	4.5
12	Greensburg	1,984.7	107.3	.....	.....	30.7	7.7	7.7	7.7	.....	15.3	153.3	7.7	7.7	15.3
13	Harrisburg	1,460.3	32.6	1.6	.....	4.7	7.8	9.3	68.3	14.0	3.1	125.7	3.1	9.3	14.0
14	Hazleton	1,689.1	23.5	.....	.....	3.9	27.4	.....	35.3	.....	3.9	98.0	.....	19.6	.....
15	Homestead	1,635.3	5.3	.....	.....	31.9	63.7	42.5	31.9	5.3	.....	127.4	10.6	15.9	10.6
16	Johnstown	1,659.1	64.4	.....	.....	17.9	10.7	1.8	41.2	.....	5.4	109.2	8.9	10.7	5.4
17	Lancaster	1,520.7	14.8	2.1	.....	10.6	2.1	2.1	23.2	16.9	2.1	101.4	10.6	4.2	6.3
18	Lebanon	1,691.4	15.6	5.2	.....	.....	25.9	10.4	36.3	15.6	5.2	88.2	.....	5.2	10.4
19	McKees Rocks	1,646.7	20.2	.....	.....	33.6	80.7	.....	6.7	6.7	.....	114.3	.....	.....	6.7
20	McKeesport	1,995.2	65.3	.....	.....	30.3	112.0	.....	18.7	4.7	4.7	109.7	.....	16.3	11.7
21	Mahanoy City	1,732.7	6.3	.....	.....	.....	.....	.....	50.0	12.5	12.5	75.1	6.3	.....	6.3
22	Meadville	1,373.8	15.6	.....	.....	.....	.....	.....	7.8	7.8	15.6	46.8	15.6	.....	7.8
23	Monessen	1,277.4	33.4	.....	.....	66.8	25.0	41.7	16.7	.....	.....	75.1	16.7	8.3	8.3
24	Mount Carmel	1,322.1	5.7	.....	.....	45.4	.....	28.4	22.7	5.7	.....	51.1	.....	17.0	5.7
25	Nanticoke	1,724.6	5.3	.....	.....	.....	21.0	26.3	115.7	5.3	5.3	47.3	.....	.....	26.3
26	New Castle	1,594.5	38.4	5.5	.....	35.7	11.0	11.0	2.7	24.7	2.7	87.8	.....	13.7	2.7
27	Norristown *	2,443.5	46.4	.....	.....	.....	3.6	28.6	10.7	50.0	.....	225.1	10.7	28.6	25.0
28	North Braddock	1,340.6	8.4	.....	.....	41.9	8.4	25.1	8.4	8.4	16.8	58.7	.....	.....	.....
29	Oil City	1,247.9	19.1	.....	.....	.....	6.4	.....	6.4	6.4	6.4	44.6	.....	19.1	31.8
30	Old Forge	1,738.9	17.5	.....	.....	8.7	.....	26.2	17.5	.....	.....	96.1	.....	.....	.....
31	Philadelphia (total)	1,739.9	17.5	0.5	0.3	10.6	9.8	20.5	30.8	10.2	5.1	193.5	11.8	11.6	7.8
32	White	1,684.9	16.4	0.5	0.3	10.8	9.9	18.5	30.8	10.2	5.1	173.5	10.8	9.4	8.0
33	Colored	2,677.7	36.0	.....	.....	7.0	7.0	54.6	31.4	10.5	5.8	533.2	30.2	48.8	5.8
34	Phoenixville	1,939.7	37.1	.....	.....	9.3	.....	65.0	65.0	9.3	.....	83.5	.....	.....	9.3
35	Pittsburgh (total)	1,793.7	27.8	0.4	.....	33.1	22.2	14.4	25.4	14.2	4.1	104.2	12.5	13.1	7.7
36	White	1,765.5	27.9	0.4	.....	33.0	23.2	12.2	26.3	14.5	4.1	95.8	12.0	11.4	7.7
37	Colored	2,346.5	26.9	.....	.....	34.6	3.8	57.7	7.7	7.7	3.8	269.3	23.1	46.2	7.7
38	Pittston	1,706.9	12.2	6.1	.....	.....	.....	6.1	67.3	.....	.....	55.1	12.2	12.2	6.1
39	Plymouth	1,505.9	23.4	5.9	.....	35.2	23.4	23.4	52.7	11.7	.....	41.0	.....	5.9	23.4
40	Pottstown	1,496.3	12.8	.....	.....	19.2	19.2	.....	12.8	12.8	6.4	127.9	.....	25.6	6.4
41	Pottsville	1,869.1	29.5	.....	.....	14.8	19.7	9.8	49.2	14.8	.....	93.5	24.6	4.9	19.7
42	Reading	1,529.6	32.1	.....	.....	14.5	13.5	9.3	30.1	20.7	1.0	107.8	6.2	8.3	4.1
43	Scranton	1,640.7	16.9	0.8	.....	8.4	7.7	12.3	28.4	8.4	5.4	90.5	9.2	5.4	6.9
44	Shamokin	1,371.3	15.3	.....	.....	15.3	20.4	25.5	25.5	30.6	5.1	51.0	.....	.....	10.2
45	Sharon	1,647.0	117.2	.....	.....	52.1	13.0	13.0	6.5	32.5	.....	110.7	.....	6.5	6.5
46	Shenandoah	1,695.7	3.9	.....	.....	27.0	81.1	3.9	73.4	7.7	11.6	100.4	.....	3.9	3.9
47	South Bethlehem	1,660.5	19.9	.....	.....	5.0	.....	5.0	54.7	5.0	5.0	84.5	.....	9.9	.....
48	South Sharon [2]	1,609.4	117.8	.....	.....	39.3	9.8	19.6	9.8	.....	.....	88.3	19.6	.....	9.8
49	Steelton	1,518.7	.....	.....	.....	7.0	112.0	35.0	161.0	28.0	7.0	91.0	7.0	.....	.....
50	Sunbury	1,357.1	36.1	.....	.....	.....	14.4	.....	28.9	7.2	14.4	57.7	.....	28.9	.....
51	Uniontown	1,826.3	89.1	.....	.....	.....	.....	7.4	22.3	29.7	14.8	96.5	22.3	7.4	14.8
52	Warren	1,337.9	71.8	.....	.....	71.8	.....	26.9	53.9	18.0	.....	71.8	.....	35.9	9.0
53	Washington	1,586.5	63.7	.....	.....	5.3	.....	15.9	15.9	10.6	.....	95.5	10.6	5.3	5.3
54	West Chester (total)	1,955.3	33.9	.....	.....	.....	.....	.....	16.9	8.5	.....	118.5	8.5	33.9	.....
55	White	1,892.7	40.3	.....	.....	.....	.....	.....	20.1	10.1	.....	110.7	10.1	10.1	.....
56	Colored	2,286.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	159.5	.....	159.5	.....
57	Wilkes-Barre	1,656.5	37.1	1.5	.....	7.4	8.9	8.9	32.6	10.4	4.4	71.2	3.0	11.9	8.9
58	Wilkinsburg	1,490.8	52.5	.....	.....	21.0	.....	15.7	5.2	47.2	5.2	105.0	5.2	21.0	.....
59	Williamsport	1,534.8	40.7	.....	.....	12.5	18.8	.....	6.3	3.1	3.1	84.6	9.4	3.1	12.5
60	York	1,651.8	11.1	.....	.....	13.3	.....	17.8	71.1	24.5	6.7	160.1	8.9	28.9	8.9
	RHODE ISLAND.														
61	Registration cities (total)	1,721.0	14.5	0.7	.....	32.5	4.3	10.9	25.0	16.6	3.4	169.1	17.0	10.5	5.7
62	White	1,705.6	14.1	0.7	.....	32.9	4.4	10.2	25.0	16.7	3.5	166.7	16.7	10.7	5.8
63	Colored	2,496.2	35.0	.....	.....	11.7	.....	46.7	23.3	11.7	.....	291.6	35.0	.....	.....
64	Central Falls	1,563.7	17.5	.....	.....	21.8	8.7	4.4	17.5	21.8	4.4	109.2	17.5	4.4	17.5
65	Cranston [3]	2,544.9	9.4	.....	.....	23.5	.....	9.4	18.8	32.9	4.7	428.1	4.7	23.5	9.4
66	Cumberland town	1,390.8	.....	.....	.....	29.6	.....	.....	78.9	39.5	.....	157.8	9.9	.....	.....
67	East Providence town	1,465.8	.....	.....	.....	.....	.....	12.6	18.9	6.3	6.3	125.8	6.3	6.3	6.3
68	Newport	1,406.1	18.4	.....	.....	7.3	3.7	11.0	7.3	11.0	11.0	95.5	22.0	7.3	.....
69	Pawtucket	1,589.3	7.7	.....	.....	23.1	.....	5.8	13.5	13.5	3.8	138.5	9.6	9.6	9.6
70	Providence	1,765.6	17.7	0.4	.....	31.9	6.7	11.1	21.7	16.4	2.2	153.5	18.6	13.3	4.0
71	Warwick town	1,808.4	15.0	3.7	.....	89.9	.....	30.0	15.0	22.5	7.5	299.5	30.0	3.7	7.5
72	Woonsocket	1,631.1	13.0	2.6	.....	52.1	2.6	10.4	75.6	7.8	.....	177.2	18.2	2.6	5.2

[1] Exclusive of stillbirths.

[2] Rates based on population enumerated April 15, 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
46.6	18.1	15.5	90.6	126.8	15.5	227.8	25.9	145.0	18.1	15.5	7.8	95.8	5.2	23.3	95.8	137.2	2.6	214.8	36.2	1
50.3	20.7	17.7	94.6	118.3	17.7	183.4	23.7	144.9	17.7	14.8	5.9	103.5	3.0	23.7	94.6	136.0	3.0	192.2	32.5	2
20.7	.....	.....	62.2	186.7	.....	539.4	41.5	145.2	20.7	20.7	20.7	41.5	20.7	20.7	103.7	145.2	.....	373.4	62.2	3
35.7	8.9	17.9	17.9	107.2	8.9	125.0	35.7	241.1	.....	17.9	8.9	80.4	8.9	26.8	107.2	53.6	.....	196.5	35.7	4
26.2	26.2	17.5	122.4	122.4	.....	61.2	17.5	70.0	.....	26.2	8.7	104.9	.....	.....	131.2	122.4	.....	367.3	70.0	5
100.5	7.7	15.5	54.1	85.1	30.9	208.8	7.7	69.6	15.5	15.5	15.5	30.9	.....	.....	146.9	317.0	7.7	185.6	38.7	6
70.9	7.9	7.9	86.7	39.4	15.8	173.3	23.6	86.7	7.9	.....	.....	23.6	7.9	15.8	47.3	118.2	.....	204.9	.....	7
39.5	22.6	16.9	50.8	124.1	84.6	293.4	22.6	208.1	16.9	16.9	22.6	56.4	.....	16.9	124.1	67.7	.....	259.6	33.9	8
12.6	.....	6.3	31.5	25.2	12.6	157.5	37.8	271.0	.....	6.3	12.6	12.6	.....	6.3	126.0	69.3	12.6	151.2	37.8	9
111.9	21.0	14.0	111.9	132.9	24.5	188.9	35.0	66.5	17.5	14.0	3.5	97.9	14.0	21.0	56.0	150.4	14.0	272.8	38.5	10
76.3	16.5	4.5	100.3	175.1	18.0	131.7	19.5	127.2	13.5	16.5	21.0	85.3	16.5	13.5	88.3	85.3	15.0	209.5	1.5	11
92.0	30.7	7.7	76.6	137.9	.....	199.2	15.3	114.9	30.7	15.3	7.7	53.6	15.3	15.3	69.0	421.5	7.7	275.9	38.3	12
59.0	15.5	4.7	125.7	149.0	15.5	114.8	9.3	59.0	6.2	12.4	9.3	93.1	4.7	7.8	79.1	108.6	14.0	242.1	37.2	13
70.5	19.6	7.8	86.2	113.6	54.9	168.5	15.7	148.9	58.8	23.5	27.4	105.8	11.8	11.8	101.9	188.1	7.8	235.1	19.6	14
21.2	.....	10.6	31.9	100.9	42.5	297.3	31.9	307.9	.....	.....	15.9	26.5	5.3	.....	95.6	79.6	15.9	191.1	15.9	15
51.9	7.2	8.9	37.6	89.5	10.7	218.3	16.1	198.7	17.9	26.8	14.3	84.1	16.1	21.5	107.4	180.8	7.2	220.1	48.3	16
111.9	31.7	10.6	107.7	190.1	31.7	99.3	8.4	88.7	8.4	19.0	6.3	152.1	2.1	6.3	80.3	80.3	14.8	264.0	10.6	17
57.1	20.8	5.2	166.0	109.0	5.2	140.1	51.9	77.8	5.2	10.4	5.2	98.6	10.4	5.2	119.3	93.4	15.6	368.4	109.0	18
20.2	6.7	20.2	20.2	53.8	26.9	282.3	20.2	336.1	13.4	.....	13.4	33.6	.....	6.7	188.2	100.8	13.4	174.8	47.0	19
77.0	11.7	32.7	32.7	102.7	65.3	252.0	23.3	235.7	16.3	18.7	23.3	60.7	30.3	11.7	142.4	168.0	30.3	233.4	53.7	20
25.0	.....	6.3	31.3	81.3	18.8	200.2	37.5	269.0	.....	12.5	12.5	50.0	18.8	25.0	100.1	137.6	12.5	437.9	87.6	21
101.5	39.0	23.4	85.9	203.0	7.8	101.5	23.4	15.6	.....	23.4	31.2	78.1	.....	15.6	70.3	156.1	7.8	249.8	23.4	22
.....	.....	.....	25.0	25.0	50.1	167.0	58.4	150.3	.....	16.7	.....	33.4	8.3	8.3	125.2	58.4	16.7	192.0	50.1	23
22.7	17.0	5.7	51.1	73.8	45.4	170.2	22.7	210.0	.....	22.7	.....	73.8	11.3	5.7	90.8	102.1	5.7	170.2	39.7	24
21.0	.....	5.3	26.3	36.8	31.5	257.6	36.8	404.9	.....	10.5	21.0	99.9	21.0	5.3	115.7	142.0	5.8	184.0	47.3	25
52.1	5.5	13.7	52.1	76.8	27.4	203.1	16.5	131.7	19.2	13.7	11.0	93.3	11.0	13.7	126.2	93.3	16.5	263.5	118.0	26
92.9	21.4	25.0	150.0	260.8	28.6	250.1	35.7	103.6	7.1	21.4	17.9	217.9	10.7	7.1	60.7	150.0	21.4	528.7	3.6	27
25.1	.....	16.8	50.3	75.4	8.4	243.0	16.8	335.1	.....	.....	.....	33.5	8.4	16.8	67.0	83.8	.....	167.6	16.8	28
89.1	25.5	63.7	114.6	70.0	12.7	89.1	6.4	152.8	25.5	19.1	12.7	95.5	6.4	6.4	70.0	50.9	.....	171.9	25.5	29
43.7	8.7	69.9	35.0	52.4	17.5	209.7	17.5	463.1	8.7	.....	17.5	69.9	8.7	8.7	166.0	218.5	.....	139.8	17.5	30
85.0	16.1	7.7	75.0	173.1	33.5	167.1	23.1	150.3	11.9	14.2	18.1	171.9	9.1	9.5	74.5	83.6	19.8	249.0	17.5	31
87.0	16.4	7.8	75.3	171.8	31.9	157.1	22.1	145.9	12.1	14.0	18.6	170.1	8.6	9.2	72.1	81.4	20.4	242.9	16.1	32
51.1	10.5	5.8	69.7	196.3	61.6	336.9	39.5	225.4	8.1	17.4	9.3	202.1	17.4	15.1	116.2	120.8	8.1	354.3	41.8	33
55.7	46.4	37.1	129.9	157.8	18.6	269.1	18.6	120.6	.....	.....	9.3	102.1	9.3	9.3	129.9	129.9	9.3	361.9	46.4	34
65.6	8.6	13.6	65.2	125.9	52.7	323.7	26.0	177.3	11.2	13.6	18.1	74.7	13.3	9.2	94.3	134.3	22.8	245.1	19.6	35
65.8	8.8	13.7	63.4	122.9	51.2	314.9	26.1	175.3	11.6	13.5	18.5	72.8	13.5	9.0	93.8	136.6	23.6	242.8	19.0	36
61.5	3.8	11.5	100.0	184.6	80.8	496.2	23.1	215.4	3.8	15.4	11.5	111.6	7.7	11.5	103.9	88.5	7.7	288.5	30.8	37
42.8	36.7	12.2	30.6	85.7	30.6	195.8	12.2	232.5	6.1	12.2	18.4	85.7	6.1	12.2	91.8	232.5	.....	312.0	73.4	38
64.5	5.9	11.7	17.6	46.9	17.6	158.2	23.4	316.4	5.9	11.7	17.6	105.5	35.2	17.6	64.5	111.3	5.9	175.8	46.9	39
51.2	12.8	6.4	76.7	140.7	6.4	185.4	19.2	89.5	19.2	25.6	6.4	57.5	19.2	6.4	70.3	166.3	6.4	236.6	51.2	40
68.9	24.6	24.6	113.1	123.0	9.8	132.8	19.7	172.2	24.6	24.6	14.8	226.3	44.3	4.9	88.5	231.2	14.8	226.3	.....	41
79.8	17.6	12.4	93.3	122.4	32.1	127.6	33.2	106.8	9.3	13.5	11.4	98.5	10.4	11.4	94.4	70.5	22.8	255.1	59.1	42
65.9	16.1	10.7	91.2	86.6	46.8	207.8	26.8	230.8	19.2	20.7	21.5	95.1	4.6	17.6	56.0	167.1	16.7	235.4	10.0	43
35.7	30.6	10.2	56.1	91.8	30.6	183.5	56.1	127.4	5.1	15.3	15.3	71.4	5.1	15.3	81.6	86.7	10.2	188.6	56.1	44
123.7	6.5	6.5	97.6	104.2	39.1	175.8	13.0	91.1	6.5	13.0	19.5	52.1	13.0	32.5	91.1	84.6	13.0	247.4	58.6	45
19.3	11.6	23.2	50.2	38.6	27.0	139.1	50.2	409.4	.....	.....	23.2	50.2	3.9	7.7	85.0	150.6	7.7	235.6	46.4	46
89.5	34.8	14.9	64.6	104.4	14.9	198.9	29.8	318.2	5.0	9.9	14.9	74.6	5.0	.....	124.3	109.4	9.9	213.8	34.8	47
49.1	.....	9.8	19.6	39.3	19.6	255.2	.....	323.8	.....	.....	9.8	19.6	39.3	9.8	88.3	117.8	.....	186.5	107.9	48
42.0	.....	7.0	42.0	119.0	21.0	133.0	21.0	126.0	7.0	.....	7.0	56.0	7.0	7.0	126.0	63.0	7.0	251.9	28.0	49
86.6	14.4	7.2	79.4	144.4	14.4	122.7	7.2	86.6	14.4	.....	7.2	86.6	.....	14.4	79.4	65.0	.....	288.7	50.5	50
103.9	22.3	.....	66.8	66.8	7.4	185.6	22.3	96.5	.....	.....	7.4	96.5	.....	7.4	52.0	334.1	59.4	319.2	74.2	51
62.9	44.9	26.9	53.9	89.8	9.0	89.8	.....	26.9	26.9	9.0	.....	98.8	.....	9.0	62.9	107.7	9.0	224.5	26.9	52
90.2	26.5	10.6	106.1	122.0	21.2	153.9	21.2	100.8	26.5	10.6	5.3	47.8	15.9	15.9	116.7	116.7	10.6	313.0	26.5	53
160.8	33.9	8.5	101.6	270.9	16.9	194.7	16.9	50.8	50.8	50.8	8.5	211.6	8.5	16.9	33.9	135.4	.....	347.0	16.9	54
161.1	30.2	10.1	110.7	271.8	20.1	161.1	10.1	50.3	40.3	40.3	.....	201.3	10.1	20.1	30.2	140.9	.....	372.5	10.1	55
159.5	53.2	.....	53.2	265.8	.....	372.1	53.2	53.2	106.3	106.3	53.2	265.8	.....	.....	53.2	106.3	.....	212.7	53.2	56
60.8	10.4	14.8	56.4	97.9	28.2	142.4	35.6	135.0	25.2	22.2	23.7	94.9	16.3	14.8	118.6	225.4	4.4	264.0	59.3	57
57.7	26.2	21.0	63.0	157.5	15.7	225.7	15.7	68.2	36.7	10.5	15.7	63.0	10.5	21.0	68.2	120.7	10.5	194.2	10.5	58
90.8	15.7	31.3	84.6	119.0	12.5	187.9	37.6	47.0	18.8	18.8	9.4	97.1	12.5	15.7	78.3	106.5	12.5	313.2	31.3	59
75.6	20.0	4.4	120.1	142.3	26.7	173.4	4.4	102.3	13.3	8.9	11.1	100.0	8.9	28.9	100.0	71.1	15.6	269.0	4.4	60
88.0	18.4	13.6	92.7	162.8	34.6	183.7	14.8	154.1	12.3	13.0	14.1	126.4	5.5	10.5	79.6	79.3	13.6	271.6	22.3	61
87.4	18.5	13.2	92.7	159.0	34.3	180.8	14.6	153.2	12.3	13.2	14.4	125.7	5.3	10.4	79.8	79.5	13.9	268.9	20.9	62
116.6	11.7	35.0	93.3	349.9	46.7	326.6	23.3	198.3	11.7	.....	.....	163.3	11.7	11.7	70.0	70.0	.....	408.3	93.3	63
61.1	26.2	21.8	56.8	69.9	100.5	174.7	21.8	270.8	4.4	4.4	4.4	78.6	.....	17.5	74.3	48.0	8.7	262.1	13.1	64
103.5	28.2	23.5	122.3	291.7	32.9	122.3	18.8	136.4	.....	9.4	18.8	145.8	.....	14.1	65.9	61.2	18.8	748.0	18.8	65
49.3	.....	19.7	59.2	148.0	29.6	177.5	.....	128.2	.....	9.9	9.9	98.6	.....	.....	9.9	118.4	19.7	197.3	.....	66
88.1	25.2	25.2	113.2	125.8	31.5	169.8	6.3	157.3	.....	.....	25.2	88.1	.....	12.6	37.7	50.3	31.5	276.8	12.6	67
106.5	11.0	11.0	88.1	135.8	18.4	198.2	18.4	95.5	18.4	3.7	7.3	88.1	.....	.....	80.8	73.4	.....	246.0	11.0	68
71.2	21.2	9.6	103.9	148.2	40.4	178.9	11.5	132.8	1.9	11.5	13.5	132.8	5.8	9.6	94.3	75.0	11.5	254.0	26.9	69
101.1	19.1	13.3	98.5	179.2	28.8	194.7	14.6	123.8	20.4	16.9	18.2	143.3	8.0	12.4	82.5	94.0	16.9	258.2	24.0	70
78.6	15.0	11.2	86.1	138.5	22.5	161.0	22.5	191.0	.....	18.7	3.7	74.9	7.5	7.5	93.6	59.9	3.7	247.1	41.2	71
44.3	10.4	7.8	57.3	125.1	44.3	177.2	13.0	323.1	2.6	7.8	2.6	122.5	2.6	5.2	78.2	46.9	5.2	169.4	18.2	72

[3] Including state institutions.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	SOUTH CAROLINA.[2]														
1	Charleston (total)	2,967.9	56.0	30.6	.....	22.1	1.7	54.3	13.6	18.7	6.8	259.8	3.4	18.7	6.8
2	White	1,889.5	46.7	25.1	.....	14.4	3.6	35.9	14.4	10.8	7.2	111.4	3.6	14.4	10.8
3	Colored	3,934.4	64.4	35.4	.....	29.0	.....	70.8	12.9	25.8	6.4	392.8	3.2	22.5	3.2
	TENNESSEE.[2]														
4	Registration cities (total)	1,981.3	36.6	39.2	.....	7.2	4.0	4.0	12.6	32.7	14.7	232.4	9.3	27.3	9.7
5	White	1,579.4	33.0	21.5	.....	7.2	5.5	2.2	13.8	20.4	11.6	154.6	8.3	18.2	6.6
6	Colored	2,737.4	43.5	72.4	.....	7.2	1.0	7.2	10.3	55.9	20.7	378.8	11.4	44.5	15.5
7	Knoxville (total)	1,743.4	32.9	2.7	.....	19.2	5.5	.....	16.5	24.7	2.7	230.6	13.7	71.4	11.0
8	White	1,501.1	27.8	3.5	.....	17.4	6.9	.....	20.8	24.3	3.5	177.2	10.4	45.2	13.9
9	Colored	2,655.3	52.3	.....	.....	26.2	.....	.....	.....	26.2	.....	431.7	26.2	170.0	.....
10	Memphis (total)	2,144.0	27.4	73.8	.....	6.1	5.3	3.8	16.7	30.4	28.2	250.3	6.1	9.9	9.9
11	White	1,678.9	19.0	43.0	.....	6.3	7.6	1.3	17.7	16.5	22.8	145.6	8.9	6.3	6.3
12	Colored	2,844.1	40.0	120.1	.....	5.7	1.9	7.6	15.2	51.5	36.2	407.9	1.9	15.2	15.2
13	Nashville (total)	1,866.3	48.9	10.0	.....	4.5	1.8	5.4	6.3	38.0	2.7	211.7	11.8	33.5	9.0
14	White	1,503.6	50.0	5.4	.....	4.1	2.7	4.1	6.8	23.0	2.7	155.4	6.8	20.3	4.1
15	Colored	2,601.2	46.5	19.2	.....	5.5	.....	8.2	5.5	68.5	2.7	325.8	21.9	60.2	19.2
	TEXAS.[2]														
16	Registration cities (total)	2,044.5	45.4	11.2	1.5	3.0	.....	5.9	8.2	49.1	0.7	354.6	3.0	11.2	4.5
17	White	2,020.0	45.9	11.3	1.7	3.5	.....	6.9	9.5	53.7	0.9	348.8	3.5	8.7	5.2
18	Colored	2,193.4	42.2	10.5	.....	.....	.....	.....	.....	21.1	.....	390.2	.....	26.4	.....
19	Galveston[3] (total)	1,622.5	32.4	5.4	2.7	2.7	.....	.....	8.1	10.8	2.7	186.6	.....	8.1	2.7
20	White	1,443.2	27.7	3.5	3.5	3.5	.....	.....	10.4	13.8	3.5	141.9	.....	6.9	3.5
21	Colored	2,263.2	49.5	12.4	.....	.....	.....	.....	.....	.....	.....	346.3	.....	12.4	.....
22	San Antonio (total)	2,204.5	50.2	13.3	1.0	3.1	.....	8.2	8.2	63.6	.....	418.3	4.1	12.3	5.1
23	White	2,212.4	51.9	13.8	1.2	3.5	.....	9.2	9.2	66.9	.....	417.8	4.6	9.2	5.8
24	Colored	2,141.5	36.8	9.2	.....	.....	.....	.....	.....	36.8	.....	422.8	.....	36.8	.....
	UTAH.														
25	Registration cities (total)	1,302.1	47.0	.....	0.8	2.5	38.6	5.0	31.0	5.9	4.2	64.6	5.0	13.4	10.9
26	White	1,280.4	40.9	.....	0.9	2.6	39.2	5.1	31.5	6.0	4.3	59.7	5.1	12.8	10.2
27	Colored	2,606.0	408.8	.....	.....	.....	.....	.....	.....	.....	.....	357.7	.....	51.1	51.1
28	Ogden	1,136.8	50.4	.....	.....	.....	34.9	11.6	19.4	15.5	3.9	66.0	.....	.....	11.6
29	Salt Lake City	1,347.7	46.0	.....	1.1	3.2	39.6	3.2	34.2	3.2	4.3	64.2	6.4	17.1	10.7
	VERMONT.														
30	Registration cities (total)	1,724.7	26.7	.....	.....	2.2	8.9	42.3	20.1	13.4	2.2	138.2	11.1	11.1	.....
31	White	1,723.5	26.8	.....	.....	2.2	8.9	42.5	20.1	13.4	2.2	138.6	11.2	11.2	.....
32	Colored	2,097.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Barre	1,391.2	27.8	.....	.....	.....	18.5	9.3	9.3	18.5	.....	250.4	18.5	18.5	.....
34	Burlington	1,936.0	14.6	.....	.....	4.9	.....	58.5	29.3	4.9	4.9	107.3	9.8	4.9	.....
35	Rutland	1,670.5	44.2	.....	.....	.....	14.7	44.2	14.7	22.1	.....	95.7	7.4	14.7	.....
	VIRGINIA.[2]														
36	Registration cities (total)	2,182.6	38.4	15.5	1.1	10.6	2.8	22.2	17.6	28.5	1.4	219.9	10.9	27.1	6.0
37	White	1,705.6	35.9	4.4	0.6	11.1	3.9	15.5	17.1	23.2	1.7	148.1	12.2	21.6	3.9
38	Colored	3,022.1	42.8	35.0	1.9	9.7	1.0	34.0	18.5	37.9	1.0	346.3	8.8	37.0	9.7
39	Alexandria (total)	2,131.0	130.3	.....	6.5	.....	.....	.....	.....	19.6	.....	176.0	.....	26.1	13.0
40	White	1,694.2	98.6	.....	9.0	.....	.....	.....	.....	17.9	.....	98.6	.....	26.9	9.0
41	Colored	3,294.3	214.8	.....	.....	.....	.....	.....	.....	23.9	.....	382.0	.....	23.9	23.9
42	Danville (total)	2,036.6	68.2	47.2	.....	.....	10.5	10.5	36.7	31.5	5.2	231.0	.....	10.5	5.2
43	White	1,719.0	70.0	23.3	.....	.....	7.8	.....	46.7	31.1	7.8	233.4	.....	7.8	.....
44	Colored	2,695.7	64.6	96.9	.....	.....	16.1	32.3	16.1	32.3	.....	226.0	.....	16.1	16.1
45	Lynchburg (total)	1,599.0	30.4	.....	3.4	6.8	13.5	6.8	33.8	27.0	3.4	94.7	16.9	74.4	3.4
46	White	1,202.4	29.8	.....	.....	5.0	19.9	.....	29.8	24.8	5.0	59.6	24.8	44.7	.....
47	Colored	2,443.4	31.7	.....	10.6	10.6	.....	21.2	42.3	31.7	.....	169.2	.....	137.5	10.6
48	Norfolk (total)	2,182.3	34.0	29.6	1.5	1.5	1.5	16.3	8.9	22.2	.....	242.3	10.3	23.6	4.4
49	White	1,644.8	25.8	7.0	.....	2.3	2.3	11.7	11.7	23.5	.....	122.2	16.4	11.7	.....
50	Colored	3,093.0	47.8	67.7	4.0	.....	.....	23.9	4.0	19.9	.....	445.8	.....	43.8	11.9
51	Petersburg (total)	2,651.5	66.2	37.2	.....	.....	4.1	4.1	57.9	70.3	.....	310.2	24.8	29.0	12.4
52	White	2,006.8	98.8	.....	.....	.....	7.6	.....	30.4	15.2	.....	243.3	38.0	38.0	7.6
53	Colored	3,421.1	27.2	81.7	.....	.....	.....	9.1	90.7	136.1	.....	390.2	9.1	18.1	18.1
54	Richmond (total)	2,257.0	21.9	4.7	.....	21.1	.....	36.7	10.2	25.0	1.6	223.6	10.2	20.3	5.5
55	White	1,812.9	18.5	2.5	.....	22.2	.....	28.4	12.3	23.4	1.2	161.6	6.2	19.7	6.2
56	Colored	3,025.8	27.8	8.5	.....	19.2	.....	51.2	6.4	27.8	2.1	331.0	17.1	21.4	4.3

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
67.9	6.8	6.8	174.9	244.5	17.0	203.7	34.0	241.1	3.4	18.7	11.9	349.8	11.9	22.1	202.0	98.5	15.3	614.6	130.7	1
89.8	14.4	3.6	129.3	150.9	18.0	111.4	18.0	115.0	7.2	21.6	14.4	226.3	3.6	10.8	79.0	82.6	21.6	434.7	39.5	2
48.3	.....	9.7	215.7	328.4	16.1	286.6	48.3	354.2	.....	16.1	9.7	460.4	19.3	32.2	312.3	112.7	9.7	775.9	212.5	3
62.5	7.9	29.1	60.3	154.5	25.5	199.4	29.1	91.2	27.3	25.5	14.0	113.5	14.7	8.6	60.3	146.9	20.1	393.3	67.9	4
73.2	8.8	25.3	61.6	112.8	14.3	125.4	18.2	89.7	27.5	28.6	17.1	102.3	9.4	4.4	57.8	108.4	28.1	328.4	35.8	5
42.4	6.2	36.2	58.0	232.9	46.6	338.4	49.7	94.2	25.9	19.7	8.3	134.5	24.8	16.6	65.2	219.4	5.2	515.4	128.3	6
43.9	.....	24.7	96.1	145.5	22.0	151.0	30.2	60.4	30.2	16.5	11.0	93.3	11.0	8.2	68.6	115.3	16.5	343.2	24.7	7
52.1	.....	20.8	93.8	125.1	17.4	100.8	10.4	66.0	27.8	20.8	13.9	97.3	6.9	6.9	52.1	100.8	17.4	305.8	13.9	8
13.1	.....	39.2	104.6	222.4	39.2	340.1	104.6	39.2	39.2	.....	.....	78.5	26.2	13.1	130.8	170.0	13.1	484.0	65.4	9
63.9	8.4	37.3	45.6	133.9	30.4	196.3	30.4	98.9	27.4	25.1	19.0	145.3	18.3	9.9	44.1	195.5	22.8	407.8	115.6	10
76.0	7.6	31.7	50.6	97.5	10.1	130.4	21.5	106.4	27.9	29.1	24.1	132.9	11.4	5.1	54.4	124.1	34.2	339.3	63.3	11
45.7	9.5	45.7	38.1	188.7	61.0	295.5	43.8	87.7	28.7	19.1	11.4	163.9	28.6	17.2	28.6	303.1	5.7	510.9	194.4	12
66.9	10.0	20.8	66.0	181.8	20.8	218.9	27.1	92.3	26.2	28.9	9.0	82.3	11.8	7.2	76.9	99.5	18.1	392.6	25.3	13
78.4	13.5	20.3	60.8	124.3	17.6	129.7	17.6	81.1	27.0	31.1	10.8	71.6	8.1	2.7	63.5	94.6	25.7	325.6	14.9	14
43.8	2.7	21.9	76.7	298.5	27.4	399.8	46.5	115.0	24.6	24.6	5.5	104.0	19.2	16.4	104.0	109.5	2.7	528.5	46.5	15
75.1	14.1	20.8	49.8	95.9	37.9	125.6	25.3	226.0	14.9	11.9	25.3	139.8	6.7	10.4	111.5	65.4	20.1	403.7	66.2	16
77.0	15.6	22.5	50.2	92.6	39.8	121.2	22.5	243.2	15.6	9.5	23.4	133.3	7.8	9.5	113.4	61.4	21.6	376.5	64.0	17
63.3	5.3	10.5	47.5	116.0	26.4	152.9	42.2	121.3	10.5	26.4	36.9	179.3	.....	15.8	100.2	89.6	10.5	569.4	79.1	18
81.1	10.8	10.8	46.0	132.5	10.8	121.7	18.9	35.2	13.5	16.2	27.0	208.2	.....	5.4	97.3	75.7	21.6	386.7	40.6	19
83.1	10.4	10.4	38.1	121.1	10.4	128.0	13.8	38.1	17.3	10.4	20.8	190.3	.....	.....	100.4	65.8	20.8	311.5	34.6	20
74.2	12.4	12.4	74.2	173.1	12.4	98.9	37.1	24.7	.....	37.1	49.5	272.1	.....	24.7	86.6	111.3	24.7	655.5	61.8	21
72.8	15.4	24.6	51.3	82.0	48.2	127.1	27.7	298.4	15.4	10.3	24.6	113.8	9.2	12.3	116.9	61.5	19.5	410.1	75.9	22
75.0	17.3	26.5	54.2	83.1	49.6	118.9	25.4	311.6	15.0	9.2	24.2	114.3	10.4	12.7	117.7	60.0	21.9	398.2	73.9	23
55.1	.....	9.2	27.6	73.5	36.8	193.0	46.0	193.0	18.4	18.4	27.6	110.3	.....	9.2	110.3	73.5	.....	505.5	91.9	24
47.8	20.1	18.4	41.9	93.9	14.3	125.8	15.9	58.7	23.5	15.1	7.5	100.6	12.6	11.7	64.6	107.3	21.8	237.3	34.4	25
48.6	19.6	18.8	42.6	94.6	14.5	121.9	16.2	58.8	23.9	15.3	7.7	100.6	12.8	11.1	65.6	102.3	20.5	232.7	34.1	26
.....	51.1	.....	.....	51.1	.....	357.7	.....	51.1	.....	.....	.....	102.2	.....	51.1	.....	408.8	102.2	511.0	51.1	27
23.3	19.4	31.0	23.3	104.8	7.8	112.5	7.8	34.9	23.3	11.6	.....	85.4	7.8	11.6	54.3	131.9	11.6	190.1	31.0	28
54.6	20.3	15.0	47.1	90.9	16.0	129.4	18.2	65.2	23.5	16.0	9.6	104.8	13.9	11.8	67.4	100.5	24.6	250.3	35.3	29
95.8	24.5	20.1	120.3	189.4	37.9	140.4	6.7	111.4	37.9	33.4	2.2	98.0	8.9	8.9	129.2	69.1	6.7	298.6	8.9	30
93.9	24.6	20.1	120.7	190.0	38.0	138.6	6.7	111.8	35.8	33.5	2.2	98.4	8.9	8.9	129.7	69.3	6.7	299.5	8.9	31
699.3	.....	.....	.....	.....	.....	699.3	.....	.....	699.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
64.9	18.5	9.3	92.7	111.3	55.6	74.2	9.3	46.4	18.5	37.1	.....	74.2	9.3	9.3	83.5	64.9	.....	222.6	18.5	33
87.8	34.1	24.4	136.5	219.4	43.9	160.9	4.9	165.8	63.4	34.1	4.9	112.2	.....	4.9	156.1	58.5	9.8	370.6	4.9	34
132.5	14.7	22.1	117.7	206.0	14.7	161.9	7.4	80.9	14.7	29.4	.....	95.7	22.1	14.7	125.1	88.3	7.4	250.2	7.4	35
69.1	8.8	24.7	112.4	179.0	34.9	197.0	48.3	136.0	18.3	16.2	15.5	176.9	11.3	14.1	110.7	117.0	15.5	396.1	78.6	36
76.8	11.1	25.4	95.6	153.1	21.0	115.5	27.1	86.2	22.7	17.7	17.7	150.9	5.0	16.0	94.5	87.3	19.9	315.6	47.5	37
55.4	4.9	23.3	142.0	224.7	59.3	340.4	85.6	223.7	10.7	13.6	11.7	222.7	22.4	10.7	139.1	169.2	7.8	537.9	133.3	38
58.7	13.0	26.1	45.6	189.0	39.1	195.5	39.1	91.2	6.5	19.6	26.1	176.0	.....	.....	91.2	71.7	26.1	501.8	143.4	39
71.7	17.9	17.9	26.9	170.3	9.0	125.5	.....	71.7	.....	26.9	26.9	179.3	.....	.....	107.6	53.8	17.9	421.3	89.6	40
23.9	.....	47.7	95.5	238.7	119.4	382.0	143.2	143.2	23.9	.....	23.9	167.1	.....	.....	47.7	119.4	47.7	716.2	286.5	41
15.7	.....	73.5	52.5	131.2	26.2	157.5	26.2	99.7	10.5	26.2	10.5	157.5	15.7	5.2	73.5	105.0	.....	524.9	68.2	42
15.6	.....	85.6	23.3	54.4	23.3	54.4	23.3	116.7	15.6	23.3	7.8	101.1	15.6	.....	85.6	77.8	.....	513.4	54.4	43
16.1	.....	48.4	113.0	290.6	32.3	371.3	32.3	64.6	.....	32.3	16.1	274.4	16.1	16.1	48.4	161.4	.....	548.8	96.9	44
27.0	6.8	20.3	64.2	158.9	47.3	162.3	23.7	101.4	6.8	27.0	3.4	77.8	10.1	33.8	71.0	47.3	13.5	273.8	108.2	45
29.8	9.9	19.9	64.6	139.1	29.8	94.4	19.9	84.5	9.9	24.8	5.0	44.7	.....	29.8	54.7	39.7	19.9	198.7	39.7	46
21.2	.....	21.2	63.5	201.0	34.6	306.7	31.7	137.5	.....	31.7	.....	148.1	31.7	42.3	105.8	63.5	.....	433.7	253.9	47
78.3	8.9	22.2	70.9	205.4	31.0	215.7	44.3	143.3	14.8	14.8	13.3	155.1	17.7	14.8	106.4	141.8	28.1	425.5	34.0	48
75.2	14.1	23.5	82.2	166.8	23.5	124.5	35.2	82.2	18.8	16.4	11.7	126.9	7.0	21.1	89.3	94.0	37.6	336.0	23.5	49
83.6	.....	19.9	51.7	270.7	43.8	370.2	59.7	246.8	8.0	11.9	15.9	203.0	35.8	4.0	135.3	222.9	11.9	577.2	51.7	50
53.8	.....	33.1	153.1	177.9	20.7	219.2	24.8	227.5	20.7	4.1	8.3	306.1	12.4	12.4	132.4	128.2	20.7	380.6	99.3	51
53.2	.....	45.6	121.6	129.2	.....	144.4	7.6	129.2	22.8	.....	7.6	288.9	.....	15.2	129.2	76.0	30.4	288.9	38.0	52
54.4	.....	18.1	190.6	235.9	45.4	308.5	45.4	344.8	18.1	9.1	9.1	326.7	27.2	9.1	136.1	190.6	9.1	490.0	172.4	53
86.0	11.7	18.0	154.8	175.9	37.5	197.0	64.9	133.7	25.0	14.9	20.3	190.0	8.6	12.5	125.9	125.1	9.4	379.9	85.2	54
103.6	12.3	16.0	127.0	166.5	22.2	119.6	32.1	78.9	32.1	17.3	25.9	171.4	4.9	14.8	101.1	103.6	12.3	292.3	56.7	55
55.5	10.7	21.4	202.9	192.2	64.1	331.0	121.7	228.5	12.8	10.7	10.7	222.1	14.9	8.5	168.7	162.3	4.3	531.7	134.5	56

[1] Rates based on population enumerated April 15, 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	WASHINGTON.														
1	Registration cities (total)	1,100.3	30.5	0.2	0.6	4.7	8.5	14.6	13.3	5.1	3.0	96.3	9.1	18.0	5.3
2	White	1,097.4	29.8	0.2	0.6	4.7	8.8	15.0	13.6	5.1	3.1	91.2	9.0	17.0	5.3
3	Colored	1,204.8	56.4	.....	.....	7.0	.....	.....	.....	7.0	.....	281.8	14.1	56.4	7.0
4	Aberdeen	872.4	14.4	.....	.....	.....	.....	7.2	7.2	.....	.....	86.5	.....	.....	7.2
5	Bellingham	939.9	8.1	.....	8.1	.....	.....	16.3	36.6	4.1	4.1	85.4	12.2	16.3	.....
6	Everett	1,108.4	31.8	.....	.....	.....	.....	11.9	.....	.....	.....	99.3	11.9	31.8	11.9
7	North Yakima	1,795.7	237.6	7.0	.....	41.9	27.9	14.0	48.9	21.0	.....	230.6	14.0	34.9	.....
8	Seattle	1,004.6	14.2	.....	.....	2.9	7.1	12.5	6.3	3.3	2.9	95.1	9.2	18.8	5.8
9	Spokane	1,300.9	45.4	.....	.....	7.6	16.1	19.9	18.0	10.4	5.7	88.9	7.6	16.1	7.6
10	Tacoma	1,097.5	21.3	.....	.....	2.4	7.1	18.9	22.5	3.5	2.4	94.6	8.3	11.8	2.4
11	Walla Walla	1,043.9	76.8	.....	5.1	10.2	5.1	.....	.....	5.1	.....	76.8	15.4	30.7	.....
	WEST VIRGINIA.[2]														
12	Wheeling (total)	1,753.0	50.4	2.4	.....	7.2	7.2	9.6	19.2	7.2	7.2	153.5	4.8	7.2	19.2
13	White	1,728.9	49.4	2.5	.....	7.4	7.4	9.9	19.8	7.4	7.4	138.3	4.9	7.4	19.8
14	Colored[3]	2,562.0	82.6	.....	.....	.....	.....	.....	.....	.....	.....	661.2	.....	.....	.....
	WISCONSIN.														
15	Registration cities (total)	1,364.2	44.9	0.3	0.1	9.1	18.5	9.3	26.0	8.5	4.6	110.7	6.9	10.7	8.5
16	White	1,362.7	45.0	0.3	0.1	9.2	18.6	9.2	26.1	8.5	4.6	110.1	6.8	10.3	8.5
17	Colored	1,830.0	40.7	.....	.....	.....	.....	40.7	.....	.....	.....	284.7	40.7	122.0	.....
18	Appleton	1,568.8	35.8	.....	.....	11.9	.....	17.9	.....	6.0	.....	107.4	.....	11.9	6.0
19	Ashland	1,988.0	322.6	.....	.....	.....	.....	.....	17.4	8.7	8.7	148.2	8.7	8.7	8.7
20	Beloit	1,136.5	6.6	.....	.....	6.6	19.7	6.6	6.6	6.6	13.1	65.7	.....	19.7	.....
21	Eau Claire	1,508.9	43.7	.....	5.5	.....	10.9	.....	16.4	10.9	16.4	142.1	27.3	10.9	5.5
22	Fond du Lac	1,346.7	10.6	.....	.....	10.6	.....	5.3	47.7	10.6	5.3	79.5	5.3	10.6	.....
23	Green Bay	1,768.1	31.6	.....	.....	.....	15.8	3.9	35.5	.....	3.9	106.6	15.8	15.8	11.8
24	Janesville	1,395.8	7.2	.....	.....	.....	.....	.....	.....	43.2	.....	50.4	7.2	.....	7.2
25	Kenosha	1,241.7	41.7	.....	.....	13.9	4.6	23.2	4.6	9.3	.....	69.5	9.3	9.3	.....
26	La Crosse	1,427.4	13.1	.....	.....	6.6	26.3	.....	6.6	9.8	.....	114.9	3.3	9.8	3.3
27	Madison	1,207.8	19.5	.....	.....	3.9	.....	15.6	3.9	19.5	15.6	113.4	7.8	11.7	11.7
28	Manitowoc	1,273.1	15.3	.....	.....	.....	15.3	7.7	.....	15.3	23.0	84.4	15.3	30.7	23.0
29	Marinette	1,220.9	48.0	.....	.....	6.9	34.3	6.9	13.7	13.7	.....	109.7	20.6	20.6	.....
30	Milwaukee	1,383.6	45.7	0.3	.....	10.6	22.3	10.1	35.4	7.2	4.3	115.4	5.8	10.4	6.6
31	Oshkosh	1,124.6	36.2	.....	.....	.....	.....	3.0	6.0	6.0	.....	84.4	.....	12.1	21.1
32	Racine	1,294.3	52.3	.....	.....	15.7	15.7	15.7	18.3	18.3	7.8	125.5	7.8	.....	20.9
33	Sheboygan	1,324.5	26.4	3.8	.....	18.9	11.3	.....	26.4	3.8	3.8	132.1	11.3	3.8	7.5
34	Superior	1,149.3	83.9	.....	.....	14.8	19.7	12.3	32.1	.....	.....	125.8	4.9	12.3	9.9
35	Wausau	1,423.5	30.0	.....	.....	.....	84.1	18.0	30.0	.....	.....	90.1	.....	18.0	24.0
	RURAL PART OF REGISTRATION STATES.[4]														
	CALIFORNIA.														
36	Total	1,232.7	21.8	5.5	0.1	7.2	2.5	13.9	8.9	7.0	3.3	159.9	8.1	12.9	4.9
37	White	1,241.1	21.6	5.0	0.1	6.8	2.7	13.8	9.2	7.1	3.4	156.1	8.3	12.9	5.1
38	Colored	1,091.3	25.5	12.7	.....	12.7	.....	15.9	4.8	4.8	1.6	223.0	4.8	12.7	1.6
39	Alameda County	1,810.9	24.4	6.1	.....	3.1	6.1	27.5	15.3	3.1	9.2	262.6	3.1	15.3	3.1
40	Alpine County †	653.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Amador County	1,304.6	22.1	11.1	.....	11.1	.....	.....	.....	.....	.....	187.9	.....	11.1	11.1
42	Butte County	1,402.8	18.2	36.3	.....	7.3	.....	18.2	.....	3.6	7.3	138.1	7.3	25.4	7.3
43	Calaveras County	1,270.5	11.0	11.0	.....	.....	.....	11.0	.....	32.9	.....	175.2	11.0	.....	.....
44	Colusa County	1,292.0	168.0	.....	.....	.....	.....	12.9	.....	51.7	.....	116.3	12.9	.....	12.9
45	Contra Costa County	1,110.7	15.6	.....	.....	.....	3.1	28.2	3.1	3.1	.....	118.9	3.1	6.3	.....
46	Del Norte County †	454.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Eldorado County	1,433.9	.....	26.8	.....	13.4	.....	13.4	13.4	.....	.....	134.0	13.4	.....	13.4
48	Fresno County	1,068.7	37.0	1.9	.....	1.9	11.7	3.9	25.3	7.8	5.8	126.5	3.9	15.6	.....
49	Glenn County	762.4	41.6	.....	.....	.....	.....	.....	.....	13.9	.....	41.6	.....	.....	.....
50	Humboldt County †	684.5	4.5	.....	.....	.....	.....	45.3	.....	.....	4.5	86.1	9.1	9.1	4.5
51	Imperial County †[5]	485.6	7.4	7.4	.....	.....	.....	.....	7.4	.....	.....	95.7	.....	.....	.....
52	Inyo County †	412.6	14.2	.....	.....	.....	.....	.....	.....	.....	.....	28.5	.....	.....	.....
53	Kern County	888.0	19.7	3.9	.....	23.7	3.9	3.9	3.9	3.9	3.9	82.9	.....	7.9	.....
54	Kings County	1,173.3	79.4	36.7	.....	.....	.....	.....	12.2	6.1	.....	152.8	12.2	18.3	12.2
55	Lake County	1,486.6	72.5	.....	.....	.....	.....	.....	.....	54.4	.....	145.0	.....	.....	.....
56	Lassen County †	457.6	.....	.....	.....	.....	.....	.....	.....	.....	20.8	20.8	.....	.....	.....
57	Los Angeles County	1,352.6	14.8	1.6	.....	17.1	3.9	5.4	7.8	10.9	2.3	253.4	10.9	17.1	3.9
58	Madera County	1,034.5	11.9	.....	.....	.....	.....	23.8	.....	11.9	23.8	190.2	11.9	11.9	23.8
59	Marin County	1,011.4	23.7	.....	.....	.....	.....	.....	15.8	7.9	.....	173.8	4.0	15.8	.....
60	Mariposa County	812.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	101.5	50.8	.....	.....
61	Mendocino County *	1,391.6	12.5	.....	.....	12.5	.....	33.3	12.5	.....	.....	108.3	12.5	4.2	4.2
62	Merced County	870.8	19.6	6.5	.....	.....	.....	26.2	.....	13.1	.....	91.7	13.1	.....	.....
63	Modoc County †	595.4	32.2	.....	.....	.....	.....	.....	.....	32.2	.....	16.1	.....	.....	16.1
64	Mono County †	98.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	49.0	.....	.....	.....
65	Monterey County	1,187.8	4.1	.....	.....	4.1	.....	37.1	8.2	.....	.....	94.9	12.4	16.5	4.1
66	Napa County *	2,325.1	20.1	.....	.....	.....	.....	30.2	.....	5.0	5.0	241.6	5.0	.....	10.1
67	Nevada County	1,483.6	40.3	6.7	.....	.....	.....	26.9	6.7	.....	.....	107.4	.....	.....	20.1
68	Orange County	1,136.8	34.5	.....	.....	11.5	5.8	5.8	5.8	11.5	8.6	141.0	25.9	11.5	5.8

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

[3] Colored population less than 10 per cent of total.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
64.3	12.5	7.8	49.9	84.6	7.8	84.8	9.1	45.5	18.6	12.5	8.7	66.5	10.2	8.9	59.2	100.3	25.6	201.4	12.9	1
65.3	12.7	7.2	50.5	85.1	7.8	84.0	9.4	45.8	18.9	12.9	8.6	66.1	10.5	9.0	59.4	99.4	25.7	202.8	13.2	2
28.2	7.0	28.2	28.2	63.4	7.0	112.7	.....	35.2	7.0	.....	14.1	84.5	.....	7.0	49.3	133.9	21.1	148.0	.....	3
72.1	14.4	.....	14.4	72.1	.....	64.9	.....	50.5	21.6	14.4	.....	50.5	7.2	7.2	36.1	158.6	21.6	115.4	28.8	4
57.0	12.2	4.1	52.9	109.9	12.2	61.0	8.1	16.3	16.3	20.3	4.1	57.0	8.1	4.1	32.6	52.9	16.3	183.1	20.3	5
71.5	15.9	19.9	63.6	115.2	15.9	59.6	4.0	27.8	15.9	11.9	7.9	43.7	19.9	11.9	75.5	135.1	11.9	158.9	23.8	6
76.9	14.0	.....	62.9	97.8	14.0	111.8	7.0	90.8	21.0	14.0	7.0	69.9	14.0	48.9	62.9	167.7	14.0	216.6	7.0	7
60.1	14.2	5.4	44.6	84.7	6.3	81.4	9.2	31.7	16.7	8.8	7.1	67.6	8.8	7.5	48.0	94.7	32.1	191.1	6.7	8
68.1	8.5	15.1	59.6	77.6	6.6	110.7	11.4	90.8	19.9	20.8	16.1	62.4	10.4	9.5	86.1	112.6	23.7	233.7	14.2	9
65.0	10.6	7.1	43.8	81.6	9.5	85.1	9.5	36.7	20.1	10.6	8.3	84.0	13.0	7.1	62.7	89.9	23.7	212.9	21.3	10
76.8	15.4	.....	81.9	61.4	10.2	40.9	10.2	30.7	30.7	10.2	5.1	51.2	5.1	5.1	61.4	71.6	5.1	230.3	15.4	11
107.9	7.2	40.8	52.3	124.7	16.8	187.0	31.2	79.1	21.6	16.8	9.6	98.3	2.4	9.6	91.1	172.7	28.8	330.9	28.8	12
106.2	7.4	42.0	54.3	113.6	17.3	185.2	29.6	76.6	22.2	14.8	9.9	93.9	2.5	9.9	93.9	170.4	29.6	338.4	29.6	13
165.3	.....	.....	.....	495.9	.....	247.9	82.6	165.3	.....	82.6	.....	247.9	.....	.....	.....	247.9	.....	82.6	.....	14
80.8	14.5	19.7	52.5	100.5	30.1	113.4	16.4	99.7	16.4	13.7	14.3	68.3	5.4	7.4	81.7	72.4	20.4	255.5	22.9	15
80.9	14.6	19.8	52.7	100.5	30.2	112.9	16.4	99.6	16.4	13.8	14.2	68.4	5.4	7.4	81.3	72.3	20.4	255.3	22.8	16
40.7	.....	.....	.....	81.3	.....	284.7	.....	122.0	.....	.....	40.7	40.7	.....	.....	203.3	122.0	.....	325.3	40.7	17
125.3	29.8	17.9	53.7	161.1	6.0	131.2	35.8	71.6	29.8	35.8	11.9	29.8	17.9	17.9	95.4	119.3	23.9	292.3	65.6	18
87.2	.....	43.6	61.0	156.9	34.9	87.2	26.2	87.2	17.4	17.4	8.7	139.5	17.4	8.7	104.6	226.7	43.6	252.9	34.9	19
98.5	19.7	19.7	46.0	124.8	19.7	65.7	6.6	32.8	19.7	6.6	6.6	59.1	.....	6.6	72.3	59.1	6.6	282.5	32.8	20
147.6	21.9	10.9	54.7	103.9	16.4	131.2	10.9	43.7	27.3	27.3	5.5	114.8	5.5	10.9	43.7	76.5	5.5	333.5	27.3	21
95.4	5.3	37.1	79.5	63.6	15.9	68.9	10.6	63.6	37.1	21.2	21.2	100.7	.....	15.9	84.8	74.2	21.2	307.5	37.1	22
122.3	31.6	63.1	59.2	75.0	7.9	217.1	35.5	130.2	35.5	15.8	3.9	138.1	.....	11.8	102.6	86.8	15.8	339.4	35.5	23
129.5	28.8	21.6	36.0	179.9	21.6	79.1	14.4	86.3	7.2	7.2	7.2	71.9	.....	7.2	64.8	93.5	21.6	388.5	14.4	24
60.2	9.3	32.4	27.8	41.7	18.5	129.7	9.3	176.1	4.6	4.6	4.6	51.0	4.6	.....	134.4	83.4	9.3	245.6	9.3	25
111.6	13.1	9.8	59.1	137.8	16.4	82.0	16.4	59.1	19.7	32.8	6.6	78.8	13.1	3.3	62.3	68.9	23.0	403.6	16.4	26
82.1	27.4	11.7	86.0	82.1	23.5	93.8	15.6	31.3	15.6	7.8	7.8	78.2	3.9	15.6	74.3	74.3	11.7	222.8	19.5	27
107.4	.....	7.7	53.7	76.7	7.7	61.3	30.7	53.7	30.7	23.0	7.7	53.7	7.7	7.7	84.4	69.0	23.0	283.8	53.7	28
68.6	6.9	13.7	27.4	130.3	20.6	130.3	6.9	41.2	.....	6.9	.....	82.3	13.7	.....	89.2	54.9	20.6	205.8	27.4	29
70.2	13.3	15.2	51.6	97.3	42.0	126.5	15.2	117.2	14.9	13.0	18.6	68.3	5.1	6.4	88.8	63.5	23.4	237.6	21.5	30
81.4	12.1	12.1	57.3	129.6	12.1	75.4	27.1	66.3	24.1	9.0	15.1	42.2	.....	3.0	78.4	39.2	6.0	241.2	24.1	31
83.7	13.1	36.6	52.3	96.7	34.0	99.3	7.8	117.7	13.1	7.8	5.2	47.1	2.6	15.7	44.4	75.8	10.5	217.0	15.7	32
109.4	18.9	3.8	41.5	132.1	34.0	98.1	18.9	75.5	18.9	7.5	26.4	71.7	3.8	3.8	64.2	90.6	26.4	218.9	11.3	33
44.4	9.9	39.5	41.9	59.2	4.9	59.2	17.3	111.0	7.4	9.9	12.3	19.7	7.4	2.5	56.7	106.0	24.7	192.4	7.4	34
54.1	18.0	12.0	66.1	90.1	24.0	120.1	12.0	72.1	.....	18.0	12.0	72.1	12.0	18.0	72.1	42.0	18.0	360.4	36.0	35
63.5	12.7	14.2	63.5	141.4	11.1	86.0	12.9	39.1	6.0	9.8	14.0	68.7	4.8	7.5	42.3	115.4	24.5	227.4	11.9	36
65.4	13.4	13.6	65.9	145.3	11.1	84.7	12.8	38.7	6.2	10.1	14.5	70.0	4.9	7.8	43.0	116.1	24.2	229.6	11.6	37
31.9	1.6	23.9	23.9	74.9	11.2	108.3	14.3	44.6	3.2	4.8	6.4	47.8	3.2	3.2	30.3	103.6	28.7	189.6	15.9	38
109.9	15.3	12.2	100.8	232.1	12.2	216.8	30.5	64.1	.....	9.2	18.3	128.3	6.1	6.1	58.0	122.1	21.4	268.7	.....	39
.....	.....	.....	.....	326.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	326.8	.....	.....	.....	40
132.7	.....	.....	88.4	77.4	.....	33.2	11.1	33.2	22.1	33.2	22.1	99.5	11.1	.....	33.2	110.6	44.2	298.5	.....	41
65.4	14.5	14.5	61.8	152.6	3.6	109.0	10.9	32.7	7.3	7.3	14.5	83.6	7.3	.....	29.1	141.7	40.0	316.2	21.8	42
11.0	11.0	11.0	153.3	208.1	54.8	87.6	21.9	32.9	.....	.....	11.0	32.9	.....	.....	21.9	87.6	32.9	208.1	32.9	43
25.8	25.8	12.9	38.8	129.2	12.9	90.4	12.9	.....	.....	.....	.....	51.7	.....	.....	64.6	155.0	25.8	271.3	.....	44
56.3	15.6	12.5	31.3	84.5	21.9	109.5	15.6	59.4	9.4	.....	.....	53.2	.....	6.3	46.9	194.0	21.9	172.1	18.8	45
41.4	.....	.....	41.4	.....	.....	41.4	.....	.....	.....	.....	.....	.....	.....	.....	41.4	41.4	41.4	206.8	.....	46
107.2	26.8	.....	67.0	227.8	.....	80.4	.....	13.4	26.8	13.4	13.4	241.2	.....	13.4	.....	160.8	26.8	187.6	.....	47
50.6	5.8	19.5	27.3	81.8	3.9	74.0	5.8	77.9	11.7	11.7	9.7	54.5	.....	5.8	72.0	101.2	19.5	190.8	3.9	48
13.9	.....	.....	13.9	97.0	.....	55.4	13.9	69.3	27.7	.....	13.9	13.9	13.9	13.9	41.6	124.8	13.9	124.8	13.9	49
45.3	4.5	9.1	36.3	58.9	4.5	22.7	9.1	31.7	9.1	4.5	4.5	31.7	.....	.....	27.2	81.6	9.1	126.9	4.5	50
.....	.....	.....	29.4	36.8	.....	29.4	7.4	22.1	.....	.....	.....	36.8	.....	.....	14.7	80.9	29.4	66.2	14.7	51
71.1	14.2	.....	14.2	14.2	.....	14.2	.....	.....	14.2	14.2	.....	28.5	.....	.....	.....	42.7	28.5	99.6	14.2	52
11.8	3.9	15.8	15.8	71.0	11.8	55.2	.....	78.9	3.9	7.9	3.9	39.5	3.9	7.9	43.4	193.4	35.5	110.5	15.8	53
61.1	12.2	12.2	18.3	79.4	.....	85.6	6.1	79.4	.....	12.2	.....	73.3	12.2	.....	48.9	79.4	24.4	232.2	6.1	54
54.4	.....	36.3	126.9	90.6	90.6	163.2	.....	18.1	.....	.....	72.5	108.8	.....	.....	36.3	108.8	36.3	271.9	.....	55
20.8	.....	.....	.....	.....	20.8	62.4	.....	.....	.....	.....	20.8	62.4	.....	20.8	.....	41.6	20.8	124.8	20.8	56
92.5	11.7	14.0	84.0	153.9	14.8	75.4	12.4	36.5	0.8	14.0	12.4	77.0	3.9	4.7	38.1	93.3	18.7	236.3	9.3	57
35.7	11.9	.....	23.8	83.2	11.9	107.0	.....	23.8	.....	.....	11.9	23.8	.....	11.9	23.8	166.5	11.9	154.6	23.8	58
67.2	23.7	7.9	59.3	126.4	.....	47.4	11.9	11.9	4.0	4.0	11.9	47.4	4.0	7.9	31.6	126.4	19.8	154.1	4.0	59
25.4	.....	.....	76.1	.....	.....	50.8	50.8	25.4	.....	.....	25.4	.....	.....	.....	.....	126.9	25.4	203.0	50.8	60
50.0	20.8	16.7	62.5	158.3	20.8	125.0	8.3	45.8	4.2	4.2	25.0	87.5	12.5	12.5	33.3	175.0	12.5	304.1	12.5	61
45.8	13.1	19.6	6.5	72.0	.....	72.0	6.5	45.8	.....	6.5	19.6	32.7	6.5	6.5	45.8	98.2	39.3	137.5	26.2	62
.....	16.1	.....	16.1	32.2	.....	64.4	.....	16.1	16.1	.....	32.2	32.2	32.2	.....	32.2	96.6	.....	112.6	.....	63
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49.0	.....	.....	64
74.2	24.7	16.5	66.0	119.6	8.2	86.6	20.6	24.7	4.1	12.4	12.4	86.6	.....	4.1	20.6	123.7	20.6	255.7	24.7	65
135.9	10.1	5.0	105.7	367.4	.....	105.7	10.1	15.1	20.1	20.1	35.2	95.6	.....	15.1	30.2	75.5	75.5	870.7	15.1	66
67.1	20.1	6.7	100.7	201.4	6.7	94.0	33.6	47.0	13.4	26.9	20.1	47.0	6.7	6.7	53.7	161.1	33.6	315.5	13.4	67
60.4	17.3	8.6	83.5	141.0	17.3	89.2	17.3	48.9	2.9	8.6	2.9	74.8	5.8	5.8	57.6	63.3	8.6	152.5	2.9	68

[4] Exclusive of municipalities having a population of 10,000 or over in 1910.

[5] Rates based on population enumerated April 15, 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—												
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	CALIFORNIA—continued.														
1	Placer County	1,361.5	32.8	10.9	.....	5.5	.....	10.9	16.4	5.5	5.5	185.9	5.5	16.4	5.5
2	Plumas County	702.0	37.9	19.0	.....	.....	.....	19.0	.....	.....	.....	56.9	.....	.....	.....
3	Riverside County	995.6	30.5	.....	.....	.....	10.2	.....	10.2	.....	5.1	223.5	10.2	10.2	15.2
4	Sacramento County	1,742.2	17.2	8.6	.....	.....	.....	.....	21.5	.....	8.6	271.0	17.2	25.8	.....
5	San Benito County	1,288.7	12.4	.....	.....	.....	.....	62.0	12.4	24.8	.....	161.1	.....	.....	.....
6	San Bernardino County *	1,504.7	29.6	.....	.....	17.7	3.0	8.9	8.9	5.9	3.0	260.1	3.0	26.6	3.0
7	San Diego County[3]	855.7	4.5	.....	.....	.....	.....	.....	4.5	.....	4.5	194.7	4.5	9.1	4.5
8	San Joaquin County	1,596.8	28.9	7.2	.....	7.2	.....	14.5	.....	3.6	14.5	195.1	3.6	28.9	7.2
9	San Luis Obispo County	1,219.1	36.0	5.1	.....	5.1	.....	25.7	10.3	5.1	.....	149.2	.....	25.7	10.3
10	San Mateo County	1,130.5	3.7	.....	.....	3.7	.....	22.3	11.2	.....	.....	100.4	11.2	11.2	11.2
11	Santa Barbara County	897.4	30.9	.....	.....	6.2	.....	30.9	18.6	.....	.....	68.1	18.6	6.2	.....
12	Santa Clara County *	1,440.0	12.7	1.8	.....	5.5	7.3	27.3	12.7	16.4	1.8	225.7	14.6	10.9	3.6
13	Santa Cruz County	1,195.2	26.7	6.7	.....	.....	.....	13.4	26.7	6.7	.....	140.2	13.4	6.7	.....
14	Shasta County	1,350.7	31.7	15.8	.....	36.9	.....	10.6	15.8	.....	.....	100.2	.....	15.8	.....
15	Sierra County	927.1	24.4	.....	.....	.....	.....	.....	.....	24.4	.....	24.4	.....	.....	.....
16	Siskiyou County	1,025.1	21.2	5.3	.....	.....	5.3	.....	5.3	.....	.....	69.0	10.6	15.9	10.6
17	Solano County	1,103.6	6.2	.....	.....	12.3	.....	18.5	6.2	.....	.....	80.1	.....	.....	6.2
18	Sonoma County	1,353.8	14.4	4.1	.....	6.2	4.1	10.3	4.1	8.2	2.1	166.7	10.3	12.3	12.3
19	Stanislaus County	1,026.5	26.3	4.4	.....	4.4	.....	4.4	8.8	4.4	.....	105.3	.....	26.3	4.4
20	Sutter County	1,009.9	.....	.....	.....	.....	.....	15.8	.....	.....	15.8	78.9	31.6	.....	.....
21	Tehama County	1,525.1	26.3	87.7	.....	.....	.....	61.4	.....	17.5	8.8	192.8	8.8	.....	.....
22	Trinity County	1,768.8	.....	.....	.....	.....	.....	.....	.....	61.0	.....	122.0	.....	.....	.....
23	Tulare County	913.4	22.3	2.8	.....	5.6	2.8	11.2	14.0	5.6	2.8	108.9	14.0	14.0	2.8
24	Tuolumne County	1,336.1	30.1	.....	10.0	20.1	.....	10.0	.....	10.0	.....	200.9	.....	.....	.....
25	Ventura County	1,128.6	21.7	.....	.....	21.7	.....	.....	5.4	10.9	5.4	141.1	.....	32.6	.....
26	Yolo County	1,320.7	7.2	.....	.....	14.4	.....	7.2	21.5	.....	.....	136.4	7.2	14.4	21.5
27	Yuba County	1,499.2	.....	39.7	.....	.....	.....	19.9	19.9	.....	9.9	99.3	.....	9.9	.....
	COLORADO.														
28	Total	1,259.3	46.5	1.2	1.4	9.1	12.1	5.3	14.0	9.1	3.8	158.1	4.2	6.3	5.3
29	White	1,249.2	45.9	1.2	1.4	8.8	11.8	5.4	14.2	9.2	3.8	156.7	3.8	6.2	5.4
30	Colored	2,069.2	97.0	.....	.....	32.3	32.3	.....	.....	.....	.....	274.8	32.3	16.2	.....
31	Adams County	911.5	11.1	.....	.....	.....	11.1	11.1	.....	.....	.....	200.1	.....	.....	11.1
32	Arapahoe County	1,174.2	38.5	9.6	.....	.....	19.2	.....	9.6	.....	19.2	471.6	.....	9.6	.....
33	Archuleta County	1,051.7	120.2	.....	.....	.....	30.0	.....	30.0	.....	.....	30.0	.....	.....	.....
34	Baca County	1,174.6	117.5	.....	.....	.....	.....	.....	.....	39.2	.....	.....	.....	.....	.....
35	Bent County	1,297.7	39.3	.....	.....	.....	19.7	19.7	.....	19.7	19.7	570.2	.....	.....	.....
36	Boulder County	1,310.8	22.9	.....	.....	9.8	9.8	6.6	26.2	.....	3.3	213.0	3.3	13.1	3.3
37	Chaffee County	1,624.3	91.7	26.2	.....	.....	26.2	.....	26.2	.....	.....	52.4	.....	.....	.....
38	Cheyenne County†	186.4	.....	.....	.....	53.3	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Clear Creek County	1,593.4	20.2	.....	.....	.....	20.2	.....	20.2	.....	20.2	100.8	.....	.....	.....
40	Conejos County	926.1	35.3	.....	8.8	.....	52.9	.....	26.5	.....	.....	79.4	.....	17.6	.....
41	Costilla County †	90.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Custer County	1,141.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	103.8	.....	.....	.....
43	Delta County	916.2	21.6	.....	.....	7.2	7.2	.....	7.2	7.2	.....	108.2	14.4	7.2	7.2
44	Dolores County††	632.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45	Douglas County	751.4	.....	.....	.....	.....	.....	.....	62.6	.....	.....	.....	.....	.....	.....
46	Eagle County	938.0	33.5	.....	.....	.....	33.5	.....	.....	33.5	.....	67.0	.....	.....	.....
47	El Paso County	1,594.7	20.9	.....	.....	7.0	.....	7.0	27.9	.....	7.0	585.0	.....	13.9	7.0
48	Elbert County†	613.6	.....	.....	.....	.....	.....	.....	.....	18.6	.....	18.6	.....	.....	.....
49	Fremont County	1,354.6	65.8	.....	.....	16.5	.....	.....	11.0	16.5	5.5	208.4	.....	5.5	.....
50	Garfield County	1,573.2	68.4	.....	.....	.....	39.1	.....	9.8	19.5	.....	48.9	.....	9.8	9.8
51	Gilpin County	1,643.0	.....	.....	.....	49.0	.....	.....	.....	.....	.....	24.5	.....	.....	.....
52	Grand County	1,061.0	53.1	.....	.....	.....	.....	.....	.....	.....	.....	53.1	.....	.....	.....
53	Gunnison County	1,421.8	.....	.....	.....	.....	67.7	.....	.....	.....	16.9	67.7	.....	.....	.....
54	Hinsdale County	2,076.7	.....	.....	.....	.....	.....	.....	.....	159.7	.....	159.7	.....	.....	.....
55	Huerfano County	1,765.6	29.8	7.4	.....	59.6	7.4	.....	7.4	.....	.....	111.7	.....	.....	7.4
56	Jackson County[3]	1,085.9	.....	.....	.....	.....	.....	.....	197.4	98.7	.....	98.7	.....	.....	.....
57	Jefferson County	1,334.8	7.0	.....	.....	.....	7.0	.....	14.0	14.0	7.0	1,004.6	.....	7.0	.....
58	Kiowa County	1,120.5	.....	.....	.....	.....	.....	34.0	.....	.....	.....	34.0	.....	.....	.....
59	Kit Carson County †	565.3	26.3	.....	.....	.....	.....	.....	.....	.....	.....	26.3	.....	.....	.....
60	La Plata County	1,129.3	45.9	.....	.....	.....	18.4	.....	.....	.....	.....	36.7	.....	27.5	9.2
61	Lake County	2,001.3	38.3	.....	.....	.....	28.7	.....	28.7	28.7	9.6	38.3	.....	.....	19.2
62	Larimer County[3]	1,151.6	19.8	.....	.....	15.8	15.8	.....	19.8	15.8	.....	106.8	15.8	11.9	7.9
63	Las Animas County	2,514.2	55.1	.....	8.5	12.7	8.5	25.4	29.7	17.0	4.2	114.5	.....	4.2	17.0
64	Lincoln County †	647.6	33.2	.....	.....	.....	.....	16.6	16.6	16.6	.....	66.4	.....	.....	.....
65	Logan County	712.7	72.3	10.3	10.3	10.3	10.3	10.3	10.3	.....	.....	103.3	.....	.....	.....
66	Mesa County	1,090.4	89.0	.....	.....	8.9	17.8	26.7	31.2	.....	4.5	111.3	.....	4.5	4.5
67	Mineral County	979.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	81.6
68	Montezuma County	848.1	39.4	.....	.....	19.7	.....	19.7	19.7	19.7	.....	39.4	.....	.....	.....
69	Montrose County	1,075.7	153.7	.....	9.6	.....	.....	9.6	9.6	.....	.....	124.9	9.6	.....	.....
70	Morgan County	906.3	30.9	.....	.....	.....	.....	.....	10.3	10.3	.....	164.8	.....	10.3	.....
71	Otero County	1,354.0	132.5	.....	.....	14.7	.....	4.9	14.7	9.8	4.9	220.8	19.6	.....	9.8
72	Ouray County	1,461.7	28.7	.....	.....	.....	28.7	.....	.....	57.3	.....	28.7	.....	28.7	.....
73	Park County	765.5	40.3	.....	.....	.....	.....	.....	.....	40.3	.....	40.3	.....	.....	.....
74	Phillips County	902.9	62.3	.....	.....	.....	.....	.....	.....	.....	.....	155.7	.....	.....	.....
75	Pitkin County	1,240.3	22.1	.....	.....	.....	44.3	.....	.....	.....	.....	66.4	22.1	.....	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
32.8	10.9	5.5	43.7	125.8	16.4	109.4	38.3	43.7	5.5	10.9	21.9	87.5	.....	10.9	16.4	240.6	54.7	164.0	21.9	1
37.9	19.0	.....	19.0	75.9	.....	56.9	.....	.....	19.0	.....	19.0	19.0	.....	19.0	19.0	132.8	.....	94.9	37.9	2
40.6	5.1	10.2	30.5	101.6	5.1	60.9	.....	50.8	.....	20.3	.....	25.4	5.1	10.2	45.7	76.2	10.2	182.9	.....	3
81.7	12.9	17.2	64.5	150.6	30.1	167.8	21.5	60.2	4.3	.....	43.0	146.3	.....	17.2	51.6	185.0	30.1	283.9	4.3	4
62.0	.....	24.8	49.6	185.9	12.4	99.1	12.4	37.2	12.4	.....	12.4	62.0	.....	.....	62.0	136.3	24.8	198.3	24.8	5
53.2	14.8	5.9	91.6	183.3	8.9	56.2	14.8	47.3	.....	5.9	11.8	76.9	8.9	5.9	26.6	136.0	23.6	351.8	11.8	6
36.2	9.1	9.1	81.5	135.8	9.1	13.6	13.6	27.2	4.5	4.5	4.5	77.0	.....	.....	22.6	31.7	9.1	126.8	13.6	7
86.7	25.3	10.8	50.6	187.9	7.2	130.1	18.1	47.0	14.5	18.1	18.1	144.5	10.8	.....	101.2	144.5	36.1	227.6	7.2	8
46.3	5.1	41.2	56.6	154.3	10.3	77.2	5.1	56.6	10.3	15.4	41.2	56.6	5.1	15.4	56.6	56.6	15.4	205.8	15.4	9
48.3	7.4	22.3	63.2	119.0	11.2	107.8	11.2	14.9	11.2	11.2	7.4	59.5	7.4	14.9	74.4	100.4	33.5	230.6	.....	10
74.3	.....	6.2	49.5	55.7	12.4	68.1	12.4	49.5	.....	6.2	12.4	55.7	.....	.....	49.5	99.0	12.4	148.5	6.2	11
87.4	27.3	20.0	76.5	196.6	10.9	96.5	18.2	32.8	9.1	21.8	20.0	89.2	.....	3.6	29.1	91.0	34.6	227.6	7.3	12
40.1	20.0	33.4	66.8	187.0	13.4	73.4	33.4	26.7	.....	6.7	.....	33.4	.....	.....	66.8	126.9	26.7	187.0	13.4	13
47.5	.....	5.3	79.1	126.6	31.7	121.3	10.6	42.2	10.6	15.8	5.3	58.0	.....	15.8	68.6	195.2	36.9	253.3	.....	14
.....	24.4	.....	48.8	146.4	48.8	24.4	48.8	.....	.....	24.4	.....	48.8	.....	24.4	24.4	146.4	24.4	170.8	48.8	15
53.1	21.2	5.3	31.8	122.1	10.6	47.8	10.6	26.5	5.3	5.3	26.5	37.2	21.2	21.2	31.8	159.2	21.2	191.1	42.5	16
30.8	6.2	12.3	67.8	104.8	6.2	92.5	.....	30.8	.....	.....	12.3	111.0	.....	6.2	43.2	123.3	37.0	240.4	49.3	17
100.8	20.6	32.9	121.4	199.6	10.3	98.8	12.3	16.5	2.1	4.1	24.7	53.5	8.2	18.5	35.0	84.4	24.7	230.4	.....	18
26.3	8.8	13.2	48.3	127.2	8.8	87.7	13.2	26.3	8.8	13.2	8.8	48.3	21.9	13.2	35.1	74.6	43.9	206.2	4.4	19
31.6	15.8	31.6	15.8	126.2	.....	63.1	31.6	.....	.....	15.8	15.8	.....	.....	.....	47.3	157.8	15.8	236.7	63.1	20
43.8	8.8	35.1	105.2	175.3	.....	78.9	.....	.....	.....	.....	35.1	35.1	17.5	.....	43.8	122.7	.....	368.1	52.6	21
61.0	30.5	.....	.....	396.5	.....	61.0	30.5	.....	30.5	.....	30.5	183.0	.....	.....	61.0	366.0	30.5	305.0	.....	22
27.9	5.6	11.2	30.7	95.0	11.2	53.1	8.4	64.2	5.6	5.6	5.6	44.7	2.8	8.4	47.5	69.8	11.2	173.2	25.1	23
80.4	.....	20.1	70.3	200.9	.....	70.3	.....	40.2	30.1	30.1	.....	90.4	10.0	.....	10.0	170.8	30.1	190.9	10.0	24
70.5	10.9	27.1	59.7	119.4	16.3	108.5	5.4	38.0	5.4	5.4	5.4	43.4	16.3	10.9	43.4	92.2	5.4	206.2	.....	25
107.7	7.2	.....	93.3	186.6	7.2	64.6	7.2	21.5	14.4	14.4	7.2	64.6	.....	21.5	57.4	157.9	14.4	244.0	.....	26
89.4	.....	19.9	79.4	228.4	.....	119.1	19.9	29.8	.....	9.9	29.8	39.7	.....	29.8	29.8	139.0	29.8	387.2	19.9	27
42.9	6.5	10.5	41.2	70.6	12.1	116.9	19.8	66.5	12.1	9.3	7.7	65.9	10.1	7.3	71.8	189.4	16.8	195.7	10.3	28
43.3	6.4	10.6	41.7	69.9	12.2	116.2	19.6	66.7	11.2	9.4	7.6	66.3	10.0	6.0	72.7	182.3	16.4	195.1	10.4	29
16.2	16.2	.....	.....	80.8	.....	177.8	32.3	48.5	80.8	.....	16.2	32.3	16.2	16.2	.....	759.8	48.5	242.5	.....	30
33.3	.....	.....	22.2	22.2	.....	77.8	11.1	44.5	.....	33.3	.....	88.9	.....	11.1	33.3	155.6	11.1	122.3	.....	31
28.9	19.2	.....	9.6	57.7	19.2	77.0	19.2	9.6	.....	.....	.....	57.7	.....	9.6	9.6	125.1	9.6	134.7	9.6	32
30.0	.....	.....	30.0	90.1	.....	90.1	.....	90.1	.....	.....	.....	60.1	.....	.....	90.1	210.3	60.1	90.1	.....	33
.....	.....	.....	117.5	.....	.....	39.2	.....	234.9	.....	78.3	.....	78.3	.....	.....	78.3	156.6	.....	195.8	39.2	34
.....	.....	.....	19.7	39.3	19.7	78.6	.....	39.3	.....	19.7	.....	19.7	.....	19.7	19.7	98.3	39.3	196.6	.....	35
78.6	3.3	9.8	42.6	108.1	9.8	88.5	9.8	75.4	6.6	9.8	13.1	98.3	3.3	3.3	59.0	124.5	9.8	235.9	9.8	36
170.3	13.1	.....	78.6	117.9	13.1	209.6	.....	39.3	78.6	.....	26.2	183.4	.....	13.1	65.5	144.1	13.1	222.7	13.1	37
26.6	.....	.....	53.3	.....	.....	.....	.....	26.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	26.6	.....	38
121.0	.....	60.5	60.5	80.7	20.2	141.2	221.9	40.3	20.2	20.2	20.2	141.2	.....	.....	40.3	221.9	.....	201.7	.....	39
26.5	.....	8.8	17.6	44.1	35.3	88.2	.....	70.6	8.8	17.6	8.8	44.1	8.8	17.6	26.5	44.1	26.5	176.4	35.3	40
.....	.....	.....	.....	.....	.....	.....	.....	36.3	.....	.....	.....	.....	.....	.....	.....	18.1	.....	18.1	18.1	41
155.7	.....	.....	103.8	51.9	.....	51.9	.....	.....	.....	.....	.....	51.9	.....	51.9	103.8	155.7	.....	311.4	.....	42
64.9	14.4	21.6	79.4	79.4	14.4	57.7	21.6	21.6	.....	7.2	.....	43.3	.....	.....	93.8	43.3	14.4	129.9	21.6	43
316.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	158.2	.....	158.2	.....	44
93.9	.....	.....	31.3	.....	.....	93.9	.....	.....	.....	.....	31.3	62.6	.....	.....	31.3	93.9	31.3	219.2	.....	45
.....	.....	.....	67.0	134.0	.....	67.0	.....	67.0	.....	.....	33.5	67.0	.....	.....	67.0	134.0	.....	134.0	.....	46
41.8	7.0	.....	20.9	97.5	41.8	104.4	20.9	69.6	.....	13.9	7.0	83.6	7.0	7.0	34.8	90.5	13.9	243.7	13.9	47
18.6	.....	.....	18.6	111.6	.....	167.3	18.6	18.6	.....	18.6	.....	74.4	.....	.....	.....	111.6	18.6	.....	.....	48
60.3	5.5	11.0	60.3	115.2	27.4	137.1	27.4	71.3	5.5	.....	11.0	65.8	21.9	5.5	65.8	142.6	21.9	170.0	.....	49
29.3	.....	.....	39.1	87.9	9.8	166.1	9.8	78.2	48.9	.....	39.1	136.8	58.6	9.8	78.2	254.1	68.4	244.3	9.8	50
73.6	.....	.....	49.0	98.1	73.6	147.1	73.6	98.1	.....	24.5	.....	171.7	24.5	.....	147.1	343.3	24.5	196.2	24.5	51
.....	.....	53.1	.....	.....	53.1	53.1	.....	53.1	.....	53.1	.....	159.2	53.1	.....	53.1	106.1	53.1	265.3	.....	52
16.9	16.9	33.9	16.9	118.5	16.9	152.3	.....	84.6	.....	16.9	.....	135.4	.....	.....	203.1	203.1	50.8	203.1	.....	53
.....	.....	.....	159.7	159.7	.....	159.7	159.7	.....	.....	.....	.....	.....	.....	.....	159.7	159.7	.....	798.7	.....	54
22.3	14.9	44.7	14.9	29.8	.....	335.2	14.9	238.4	22.3	14.9	14.9	44.7	14.9	14.9	111.7	365.0	14.9	186.2	14.9	55
.....	.....	.....	.....	98.7	.....	.....	.....	.....	.....	.....	.....	98.7	.....	98.7	197.4	.....	98.7	98.7	.....	56
76.7	.....	7.0	76.7	55.8	.....	69.8	34.9	14.0	7.0	7.0	.....	104.6	.....	.....	27.9	118.6	55.8	104.6	14.0	57
.....	.....	34.0	67.9	271.6	.....	101.9	.....	34.0	.....	34.0	.....	.....	.....	34.0	169.8	67.9	.....	237.7	.....	58
52.6	26.3	.....	39.4	39.4	13.1	39.4	.....	52.6	13.1	.....	.....	26.3	.....	.....	78.9	52.6	.....	78.9	.....	59
45.9	.....	18.4	55.1	45.9	.....	156.1	64.3	9.2	18.4	9.2	27.5	101.0	.....	9.2	55.1	110.2	36.7	211.2	18.4	60
57.5	.....	.....	57.5	95.8	105.3	421.3	47.9	124.5	19.2	9.6	9.6	143.6	.....	.....	134.1	220.2	38.3	296.8	28.7	61
51.4	19.8	11.9	31.7	39.6	15.8	138.5	19.8	63.3	43.5	4.0	4.0	39.6	4.0	4.0	98.9	83.1	19.8	225.6	4.0	62
12.7	.....	21.2	25.4	55.1	8.5	165.3	33.9	152.6	.....	8.5	8.5	63.6	25.4	8.5	29.7	1,344.0	4.2	224.7	25.4	63
.....	.....	16.6	.....	49.8	.....	16.6	.....	66.4	.....	.....	.....	33.2	.....	.....	33.2	83.0	16.6	166.1	16.6	64
20.7	.....	10.3	51.6	10.3	.....	62.0	.....	51.6	.....	.....	.....	20.7	10.3	10.3	31.0	51.6	.....	144.6	.....	65
31.2	.....	8.9	53.4	57.9	.....	93.5	8.9	40.1	22.3	13.4	.....	57.9	17.8	.....	49.0	146.9	13.4	164.7	13.4	66
.....	.....	.....	.....	81.6	.....	244.9	81.6	81.6	.....	.....	.....	81.6	.....	.....	81.6	163.3	.....	81.6	.....	67
39.4	.....	.....	19.7	59.2	.....	59.2	.....	19.7	.....	19.7	.....	19.7	.....	.....	98.6	177.5	19.7	157.8	.....	68
57.6	.....	19.2	57.6	38.4	.....	.....	28.8	48.0	.....	28.8	.....	57.6	28.8	19.2	28.8	115.3	28.8	192.1	9.6	69
20.6	20.6	.....	30.9	61.8	30.9	10.3	20.6	51.5	10.3	.....	.....	30.9	30.9	.....	103.0	41.2	20.6	185.4	10.3	70
24.5	19.6	24.5	44.2	68.7	4.9	132.5	4.9	107.9	14.7	9.8	4.9	58.9	9.8	9.8	73.6	117.7	.....	166.8	24.5	71
28.7	.....	28.7	28.7	143.3	.....	229.3	229.3	.....	.....	.....	28.7	.....	.....	.....	57.3	258.0	.....	258.0	.....	72
.....	.....	.....	40.3	120.9	.....	120.9	40.3	.....	.....	.....	80.6	40.3	.....	.....	80.6	40.3	.....	80.6	.....	73
31.1	.....	31.1	.....	62.3	62.3	62.3	.....	.....	.....	.....	.....	31.1	.....	31.1	186.8	62.3	.....	124.5	.....	74
22.1	22.1	.....	66.4	110.7	.....	155.0	.....	22.1	22.1	.....	.....	155.0	.....	22.1	88.6	110.7	22.1	265.8	.....	75

[1] Rates based on population enumerated April 15, 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	COLORADO—continued.														
1	Prowers County	1,317.3	114.1	.....	.....	20.7	10.4	.....	.....	10.4	.....	166.0	10.4	20.7	.....
2	Pueblo County*	3,786.1	177.9	12.7	12.7	.....	12.7	.....	50.8	76.2	12.7	419.3	38.1	25.4	38.1
3	Rio Blanco County†	511.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Rio Grande County	1,405.9	30.2	.....	.....	.....	.....	.....	15.1	.....	.....	136.1	.....	15.1	15.1
5	Routt County	719.6	52.3	.....	.....	52.3	39.3	.....	.....	26.2	13.1	39.3	.....	.....	.....
6	Saguache County	888.1	24.0	.....	.....	.....	.....	.....	.....	.....	24.0	24.0	.....	.....	.....
7	San Juan County	1,819.4	32.5	.....	.....	.....	.....	.....	.....	65.0	.....	32.5	.....	.....	.....
8	San Miguel County	1,451.1	42.7	.....	21.3	.....	.....	42.7	21.3	.....	42.7	42.7	.....	.....	.....
9	Sedgwick County	772.9	32.2	.....	.....	.....	.....	.....	.....	.....	.....	32.2	.....	.....	.....
10	Summit County	1,408.5	.....	.....	.....	.....	.....	.....	.....	50.3	.....	50.3	.....	.....	.....
11	Teller County	1,289.0	21.4	.....	.....	.....	35.6	.....	.....	7.1	.....	42.7	7.1	.....	.....
12	Washington County†	673.8	16.4	.....	.....	98.6	.....	.....	.....	.....	.....	65.7	.....	.....	16.4
13	Weld County	862.6	45.4	.....	.....	.....	7.6	5.0	10.1	.....	2.5	80.7	7.6	5.0	7.6
14	Yuma County†	534.2	11.6	.....	.....	.....	.....	.....	.....	.....	.....	69.7	.....	23.2	.....
	CONNECTICUT.														
15	Total	1,504.7	12.7	2.2	.....	6.3	6.6	10.7	23.7	27.0	2.8	115.1	5.8	9.6	9.4
16	*White	1,502.2	12.3	2.2	.....	6.4	6.7	10.6	24.0	27.3	2.8	114.2	5.8	8.6	9.5
17	Colored	1,715.5	47.7	.....	.....	.....	.....	23.8	.....	.....	.....	190.6	.....	95.3	.....
18	Fairfield County	1,537.3	4.0	6.0	.....	2.0	9.9	11.9	23.8	17.9	9.9	123.0	4.0	7.9	13.9
19	Hartford County	1,359.3	11.2	1.2	.....	5.0	5.0	5.0	33.5	18.6	1.2	99.4	9.9	9.9	14.9
20	Litchfield County	1,485.1	11.2	.....	.....	7.5	1.9	13.1	7.5	29.9	.....	125.3	3.7	3.7	7.5
21	Middlesex County	1,506.0	.....	8.0	.....	4.0	.....	8.0	36.1	28.1	8.0	100.4	.....	4.0	4.0
22	New Haven County	1,548.7	29.0	2.1	.....	6.2	24.8	14.5	24.8	18.6	.....	115.9	8.3	6.2	6.2
23	New London County*	1,683.8	18.4	2.3	.....	16.1	4.6	13.8	16.1	27.6	.....	156.4	.....	6.9	4.6
24	Tolland County	1,249.1	3.8	.....	.....	7.5	.....	11.3	26.4	41.5	3.8	86.8	.....	11.3	3.8
25	Windham County	1,726.5	16.8	.....	.....	2.8	.....	11.2	22.4	53.2	2.8	103.5	14.0	30.8	11.2
	INDIANA.														
26	Total	1,274.1	34.2	4.3	0.1	16.3	6.5	15.2	14.3	21.2	4.2	137.0	9.4	18.8	5.8
27	White	1,263.9	34.4	4.2	0.1	16.4	6.4	15.1	14.3	21.3	4.1	133.4	9.3	17.2	5.7
28	Colored	2,236.2	20.3	5.1	.....	.....	15.2	25.4	10.1	10.1	10.1	476.6	10.1	167.3	10.1
29	Adams County	957.3	45.8	4.6	.....	4.6	9.2	9.2	9.2	9.2	9.2	132.8	.....	18.3	.....
30	Allen County	941.1	20.4	3.4	.....	13.6	17.0	.....	17.0	6.8	.....	71.3	3.4	3.4	.....
31	Bartholomew County	1,325.8	48.4	.....	.....	44.3	.....	8.1	.....	20.1	.....	193.4	20.1	24.2	8.1
32	Benton County	828.1	15.8	.....	.....	7.9	7.9	7.9	.....	15.8	.....	39.4	.....	.....	7.9
33	Blackford County	1,241.2	19.0	.....	.....	38.0	6.3	6.3	6.3	31.7	6.3	139.3	25.3	12.7	6.3
34	Boone County	1,258.2	28.4	4.1	.....	16.2	4.1	8.1	4.1	16.2	.....	142.1	12.2	36.5	12.2
35	Brown County	1,360.4	88.2	.....	.....	50.4	.....	25.2	.....	12.6	.....	126.0	.....	12.6	25.2
36	Carroll County	1,355.3	27.9	.....	.....	5.6	11.2	5.6	11.2	16.7	5.6	106.0	5.6	22.3	.....
37	Cass County*	1,595.8	11.6	5.8	.....	5.8	28.9	23.1	11.6	5.8	.....	127.2	5.8	28.9	17.3
38	Clark County	1,453.0	30.3	5.0	.....	30.3	.....	20.2	10.1	35.3	.....	116.0	15.1	90.8	5.0
39	Clay County	1,243.1	18.5	6.2	.....	15.4	12.3	36.9	15.4	40.0	3.1	144.6	9.2	12.3	.....
40	Clinton County	1,137.3	22.5	.....	.....	3.8	11.3	7.5	7.5	18.8	3.8	127.6	7.5	15.0	7.5
41	Crawford County	1,255.4	66.5	.....	.....	8.3	.....	33.3	8.3	58.2	24.9	307.6	8.3	33.3	.....
42	Daviess County	1,209.3	25.3	3.6	.....	7.2	14.4	21.7	36.1	14.4	.....	184.1	10.8	25.3	10.8
43	Dearborn County	1,281.6	28.1	.....	.....	9.4	.....	18.7	9.4	14.0	4.7	163.7	9.4	18.7	4.7
44	Decatur County	1,294.1	32.0	5.3	.....	5.3	.....	10.7	10.7	42.6	5.3	170.4	5.3	10.7	5.3
45	Dekalb County	1,309.9	47.9	4.0	.....	4.0	.....	.....	12.0	4.0	4.0	103.8	16.0	12.0	8.0
46	Delaware County	1,000.0	21.9	.....	.....	29.2	.....	.....	10.9	10.9	3.6	109.5	7.3	21.9	10.9
47	Dubois County	963.0	55.5	10.1	.....	.....	.....	30.3	10.1	5.0	.....	196.6	.....	15.1	.....
48	Elkhart County	1,369.4	50.5	.....	.....	.....	3.4	6.7	16.8	.....	10.1	137.9	10.1	13.5	6.7
49	Fayette County	1,316.3	13.9	.....	.....	.....	.....	27.7	13.9	27.7	20.8	76.2	6.9	27.7	.....
50	Floyd County	1,448.4	20.7	10.3	.....	31.0	.....	.....	20.7	31.0	.....	206.9	20.7	41.4	10.3
51	Fountain County	1,337.1	53.9	4.9	.....	19.6	.....	19.6	9.8	19.6	4.9	146.9	4.9	19.6	.....
52	Franklin County	1,253.8	32.7	.....	.....	6.5	.....	6.5	13.1	26.1	.....	150.2	.....	32.7	.....
53	Fulton County	1,363.6	23.7	5.9	.....	17.8	5.9	23.7	5.9	65.2	11.9	124.5	5.9	.....	5.9
54	Gibson County	1,337.2	63.0	23.2	.....	23.2	10.0	.....	26.5	26.5	10.0	175.9	16.6	13.3	3.3
55	Grant County	1,644.7	21.9	.....	3.1	25.0	6.3	6.3	15.6	12.5	9.4	178.2	.....	18.8	6.3
56	Greene County	1,260.5	40.5	13.5	.....	40.5	5.4	27.0	37.8	24.3	2.7	140.4	8.1	16.2	8.1
57	Hamilton County	1,335.0	55.6	.....	.....	26.0	11.1	11.1	18.5	37.1	.....	118.7	3.7	29.7	3.7
58	Hancock County	1,319.2	36.8	.....	.....	21.0	5.3	10.5	10.5	42.0	5.3	168.2	10.5	15.8	5.3
59	Harrison County	1,128.7	64.4	.....	.....	14.9	5.0	5.0	9.9	14.9	5.0	133.7	5.0	9.9	.....
60	Hendricks County	1,272.1	33.6	.....	.....	14.4	.....	9.6	4.8	24.0	9.6	115.2	4.8	24.0	4.8
61	Henry County	1,430.2	23.4	.....	.....	26.8	6.7	16.7	16.7	10.0	6.7	120.6	13.4	16.7	13.4
62	Howard County	1,077.8	12.4	6.2	.....	12.4	18.6	12.4	6.2	12.4	6.2	111.5	6.2	49.6	.....
63	Huntington County	1,229.9	26.7	.....	.....	21.4	16.0	5.3	.....	10.7	16.0	112.3	21.4	10.7	10.7
64	Jackson County	1,421.8	85.1	4.1	.....	12.2	4.1	36.5	28.4	20.3	4.1	198.5	12.2	4.1	8.1
65	Jasper County	914.1	15.4	.....	.....	15.4	15.4	.....	15.4	7.7	.....	69.1	.....	7.7	7.7
66	Jay County	1,300.1	52.2	.....	.....	24.1	8.0	20.1	20.1	12.0	4.0	148.5	16.1	20.1	4.0
67	Jefferson County*	1,742.4	29.4	4.9	.....	14.7	.....	53.8	9.8	9.8	9.8	156.6	14.7	48.9	14.7
68	Jennings County	1,284.3	7.1	.....	.....	35.3	.....	14.1	7.1	35.3	.....	141.1	7.1	7.1	.....
69	Johnson County	1,402.2	39.2	.....	.....	19.6	14.7	19.6	9.8	24.5	4.9	137.3	19.6	14.7	24.5
70	Knox County	1,228.7	53.4	20.5	.....	28.8	8.2	24.7	65.8	24.7	4.1	119.2	.....	.....	.....
71	Kosciusko County	1,243.2	14.3	.....	.....	3.6	7.2	7.2	7.2	28.7	7.2	75.2	3.6	14.3	7.2
72	Lagrange County	1,313.9	13.2	.....	.....	26.4	19.8	6.6	6.6	19.8	6.6	72.6	19.8	6.6	13.2
73	Lake County	1,321.3	26.4	.....	.....	7.6	15.1	15.1	11.3	3.8	.....	101.9	.....	15.1	3.8

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
83.0	10.4	.....	.....	103.7	10.4	124.5	.....	124.5	20.7	.....	10.4	20.7	20.7	31.1	62.2	72.6	20.7	238.6	10.4	1
101.6	.....	12.7	114.3	228.7	12.7	228.7	25.4	101.6	38.1	12.7	.....	139.8	38.1	.....	38.1	622.5	63.5	1,130.7	.....	2
42.6	.....	.....	42.6	.....	.....	.....	.....	.....	.....	.....	.....	127.9	.....	42.6	.....	42.6	.....	213.2	.....	3
30.2	.....	.....	90.7	90.7	15.1	136.1	.....	60.5	15.1	30.2	.....	45.4	15.1	.....	166.3	60.5	.....	408.2	30.2	4
26.2	13.1	.....	13.1	13.1	.....	39.3	.....	13.1	13.1	.....	.....	13.1	13.1	26.2	39.3	143.9	.....	130.8	.....	5
48.0	24.0	.....	.....	72.0	.....	72.0	24.0	168.0	48.0	.....	24.0	72.0	.....	.....	72.0	48.0	24.0	120.0	.....	6
.....	32.5	.....	32.5	227.4	65.0	422.3	32.5	130.0	32.5	.....	32.5	65.0	.....	.....	162.4	292.4	.....	162.4	.....	7
.....	21.3	21.3	21.3	85.4	.....	256.1	21.3	21.3	42.7	.....	21.3	85.4	42.7	.....	106.7	256.1	21.3	213.4	.....	8
.....	.....	32.2	.....	.....	.....	.....	.....	32.2	32.2	.....	.....	96.6	.....	32.2	161.0	96.6	.....	225.4	.....	9
.....	.....	.....	100.6	201.2	.....	150.9	50.3	.....	.....	.....	.....	50.3	.....	.....	50.3	402.4	50.3	201.2	50.3	10
28.5	14.2	7.1	42.7	71.2	.....	142.4	42.7	42.7	.....	7.1	21.4	113.9	21.4	21.4	170.9	213.6	7.1	199.4	7.1	11
16.4	.....	.....	16.4	.....	.....	49.3	16.4	65.7	.....	16.4	16.4	.....	.....	.....	82.2	65.7	16.4	98.6	16.4	12
47.9	2.5	7.6	53.0	50.4	2.5	78.2	7.6	65.6	5.0	5.0	2.5	25.2	2.5	2.5	100.9	85.3	5.0	138.7	2.5	13
23.2	.....	.....	11.6	81.3	.....	69.7	.....	23.2	.....	34.8	.....	46.5	11.6	.....	34.8	11.6	.....	81.3	.....	14
80.1	18.2	15.7	123.9	174.8	27.8	115.3	13.5	88.1	4.7	8.0	13.8	109.6	3.9	9.1	75.2	77.6	18.4	273.9	21.5	15
80.2	18.4	15.6	123.7	175.2	27.6	115.9	13.6	87.7	4.7	8.1	13.9	108.1	3.9	8.9	75.2	77.4	18.7	273.8	21.4	16
71.5	.....	23.8	143.0	143.0	47.7	71.5	.....	119.1	.....	.....	.....	238.3	.....	23.8	71.5	95.3	.....	285.9	23.8	17
101.2	23.8	11.9	148.8	180.5	15.9	126.9	15.9	67.4	6.0	6.0	15.9	128.9	4.0	6.0	65.5	67.4	31.7	265.8	13.9	18
55.9	16.2	14.9	108.1	170.2	33.5	108.1	11.2	82.0	2.5	6.2	14.9	89.5	1.2	14.9	77.0	73.3	13.7	234.8	16.2	19
80.4	20.6	15.0	134.7	162.7	16.8	112.2	18.7	67.3	9.4	3.7	15.0	106.6	5.6	7.5	72.9	86.0	18.7	288.0	31.8	20
96.4	20.1	12.0	136.5	168.7	16.1	128.5	16.1	76.3	4.0	12.0	4.0	128.5	4.0	16.1	56.2	72.3	12.0	309.2	16.1	21
53.8	12.4	33.1	120.1	132.5	29.0	136.7	6.2	107.7	6.2	10.4	10.4	105.6	6.2	10.4	91.1	113.9	16.6	256.7	33.1	22
105.8	16.1	4.6	133.4	223.1	41.4	98.9	13.8	98.9	.....	18.4	16.1	115.0	.....	2.3	66.7	75.9	11.5	363.5	11.5	23
83.0	15.1	7.5	86.8	154.7	37.7	101.9	15.1	86.8	7.5	3.8	15.1	94.3	11.3	.....	56.6	52.8	18.9	177.4	26.4	24
95.1	22.4	22.4	120.3	212.7	30.8	111.9	14.0	131.5	2.8	5.6	14.0	128.7	2.8	11.2	103.5	64.4	25.2	313.4	25.2	25
65.4	13.3	8.8	76.5	136.2	15.7	94.8	9.2	67.2	7.6	9.9	10.4	77.1	7.1	8.2	59.6	70.0	10.7	235.9	3.4	26
65.6	13.4	8.7	76.0	135.6	15.5	94.3	9.1	66.9	7.4	9.8	10.4	76.2	7.1	8.1	59.4	69.6	10.6	234.7	3.3	27
45.6	10.1	15.2	121.7	187.6	35.5	136.9	15.2	96.3	25.4	25.4	10.1	162.3	5.1	20.3	76.1	106.5	20.3	344.8	15.2	28
68.7	18.3	4.6	77.9	82.4	9.2	64.1	18.3	32.1	.....	4.6	9.2	73.3	.....	.....	36.6	45.8	4.6	155.7	.....	29
61.2	17.0	10.2	57.3	34.0	13.6	112.1	10.2	61.2	3.4	13.6	13.6	64.6	3.4	3.4	78.1	64.6	3.4	159.7	.....	30
72.5	16.1	4.0	80.6	145.1	8.1	92.7	8.1	68.5	12.1	20.1	16.1	28.2	.....	4.0	48.4	48.4	.....	286.1	.....	31
47.3	.....	7.9	31.5	86.8	23.7	55.2	15.8	39.4	.....	7.9	7.9	55.2	.....	.....	71.0	31.5	.....	236.6	7.9	32
57.0	12.7	25.3	63.3	107.7	6.3	57.0	12.7	57.0	.....	19.0	31.7	114.0	.....	12.7	57.0	101.3	6.3	202.6	.....	33
85.2	20.3	4.1	101.5	138.0	20.3	81.2	8.1	60.9	.....	16.2	28.4	36.5	8.1	4.1	81.2	36.5	8.1	235.4	.....	34
12.6	.....	37.8	50.4	163.7	37.8	138.6	25.2	50.4	12.6	25.2	25.2	75.6	.....	25.2	37.8	63.0	12.6	214.1	12.6	35
78.1	22.3	5.6	94.8	167.3	.....	78.1	11.2	89.2	27.9	.....	11.2	89.2	5.6	5.6	44.6	106.0	33.5	267.7	.....	36
69.4	17.3	23.1	121.4	144.6	.....	138.8	.....	57.8	11.6	23.1	17.3	86.7	.....	11.6	34.7	57.8	11.6	497.3	.....	37
70.6	20.2	5.0	80.7	131.2	30.3	136.2	.....	75.7	15.1	5.0	5.0	126.1	5.0	15.1	65.6	80.7	5.0	222.0	.....	38
36.9	3.1	6.2	24.6	132.3	12.3	76.9	9.2	67.7	9.2	24.6	6.2	89.2	9.2	9.2	95.4	80.0	15.4	215.4	6.2	39
75.1	11.3	3.8	105.1	150.1	18.8	90.1	3.8	48.8	15.0	7.5	7.5	41.3	.....	11.3	37.5	45.0	11.3	217.7	3.8	40
33.3	8.3	8.3	58.2	83.1	8.3	83.1	8.3	49.9	8.3	8.3	24.9	91.5	.....	.....	49.9	24.9	.....	158.0	.....	41
46.9	21.7	7.2	65.0	122.7	25.3	97.5	14.4	79.4	3.6	10.8	18.0	54.1	.....	3.6	57.8	61.4	10.8	155.2	.....	42
65.5	18.7	4.7	65.5	168.4	23.4	149.7	.....	32.7	4.7	28.1	14.0	88.9	4.7	4.7	14.0	112.3	4.7	191.8	4.7	43
74.6	16.0	5.3	85.2	154.4	5.3	63.9	5.3	53.3	16.0	16.0	21.3	53.3	.....	16.0	32.0	63.9	.....	308.9	.....	44
87.9	20.0	8.0	139.8	171.7	24.0	51.9	4.0	83.9	.....	8.0	4.0	75.9	8.0	12.0	67.9	63.9	12.0	243.6	8.0	45
40.1	3.6	7.3	54.7	120.4	10.9	51.1	3.6	40.1	.....	3.6	3.6	76.6	18.2	7.3	51.1	83.9	14.6	178.8	3.6	46
20.2	15.1	5.0	30.3	65.5	20.2	121.0	10.1	55.5	5.0	.....	.....	25.2	.....	15.1	40.3	45.4	10.1	146.2	10.1	47
84.1	26.9	10.1	134.6	131.2	13.5	90.8	13.5	50.5	13.5	13.5	6.7	80.7	3.4	6.7	53.8	70.7	10.1	292.7	6.7	48
103.9	13.9	.....	55.4	200.9	6.9	41.6	6.9	124.7	.....	6.9	34.6	27.7	.....	.....	90.1	48.5	13.9	318.7	6.9	49
72.4	.....	.....	72.4	217.3	20.7	62.1	.....	41.4	.....	.....	31.0	93.1	.....	.....	41.4	62.1	.....	331.1	10.3	50
53.9	9.8	9.8	112.6	107.7	19.6	73.5	14.7	49.0	29.4	14.7	9.8	58.8	19.6	9.8	44.1	83.3	19.6	289.0	4.9	51
98.0	6.5	.....	65.3	130.6	32.7	137.1	.....	65.3	13.1	13.1	6.5	84.9	6.5	6.5	26.1	65.3	6.5	222.0	.....	52
94.9	29.6	23.7	65.2	136.4	23.7	83.0	.....	35.6	11.9	5.9	.....	106.7	5.9	5.9	53.4	83.0	.....	302.4	.....	53
49.8	16.6	19.9	63.0	106.2	13.3	96.2	3.3	92.9	16.6	13.3	16.6	56.4	13.3	19.9	63.0	69.7	13.3	195.8	6.6	54
71.9	9.4	3.1	137.6	256.4	12.5	115.7	6.3	31.3	3.1	9.4	25.0	115.7	9.4	12.5	71.9	53.2	9.4	387.7	.....	55
24.3	.....	10.8	37.8	86.4	2.7	118.8	8.1	126.9	5.4	2.7	8.1	43.2	8.1	2.7	67.5	91.8	2.7	242.9	5.4	56
74.2	11.1	.....	85.3	137.2	11.1	48.2	3.7	66.8	3.7	3.7	26.0	111.3	3.7	11.1	77.9	55.6	18.5	270.7	.....	57
68.3	.....	15.8	89.3	110.4	15.8	47.3	.....	78.8	5.3	5.3	15.8	73.6	10.5	10.5	68.3	84.1	5.3	283.8	.....	58
74.3	5.0	.....	34.7	153.5	9.9	59.4	14.9	34.7	.....	9.9	5.0	79.2	.....	9.9	49.5	69.3	5.0	242.6	5.0	59
57.6	33.6	4.8	81.6	129.6	33.6	91.2	9.6	67.2	9.6	19.2	14.4	81.6	.....	9.6	28.8	57.6	14.4	283.2	.....	60
50.2	16.7	20.1	110.5	110.5	26.8	100.5	6.7	100.5	10.0	3.3	20.1	70.3	20.1	6.7	50.2	90.4	23.4	311.5	10.0	61
61.9	12.4	.....	49.6	123.9	6.2	74.3	.....	43.4	24.8	6.2	.....	105.3	6.2	6.2	68.1	61.9	6.2	161.1	6.2	62
58.8	16.0	5.3	80.2	171.1	5.3	112.3	.....	16.0	5.3	.....	.....	96.3	10.7	5.3	53.5	74.9	21.4	240.6	5.3	63
72.9	8.1	4.1	36.5	133.7	8.1	109.4	8.1	85.1	8.1	4.1	.....	109.4	4.1	8.1	72.9	72.9	12.2	247.1	.....	64
84.5	.....	.....	53.8	92.2	.....	84.5	7.7	76.8	.....	15.4	15.4	61.5	7.7	7.7	38.4	23.0	7.7	176.7	7.7	65
56.2	12.0	4.0	84.3	100.3	4.0	84.3	4.0	72.2	4.0	12.0	4.0	100.3	.....	12.0	76.2	80.3	8.0	252.8	.....	66
88.1	19.6	14.7	73.4	293.7	19.6	137.0	19.6	73.4	4.9	4.9	9.8	102.8	.....	4.9	78.3	93.0	24.5	313.2	.....	67
63.5	.....	.....	77.6	120.0	14.1	112.9	14.1	98.8	.....	.....	.....	91.7	.....	14.1	49.4	77.6	.....	296.4	.....	68
24.5	24.5	19.6	39.2	93.2	.....	142.2	29.4	93.2	9.8	4.9	14.7	142.2	9.8	4.9	58.8	39.2	14.7	308.9	.....	69
57.5	12.3	8.2	37.0	82.2	8.2	110.9	8.2	127.4	.....	4.1	4.1	57.5	8.2	4.1	90.4	45.2	16.4	193.1	4.1	70
107.5	25.1	21.5	111.1	143.3	17.9	68.1	14.3	28.7	3.6	3.6	10.7	93.1	17.9	.....	39.4	68.1	21.5	268.7	3.6	71
92.4	39.6	6.6	118.8	112.2	19.8	92.4	6.6	13.2	13.2	13.2	6.6	125.4	13.2	13.2	52.8	46.2	6.6	310.3	.....	72
52.9	22.7	7.6	49.1	113.3	26.4	101.9	11.3	154.8	7.6	7.6	7.6	79.3	11.3	15.1	79.3	139.7	11.3	222.7	.....	73

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	INDIANA—continued.														
1	Laporte County	1,083.1	6.2	6.2	.....	6.2	.....	6.2	6.2	18.5	.....	49.2	6.2	6.2	.....
2	Lawrence County	1,337.5	68.3	3.3	.....	35.8	3.3	26.0	6.5	22.8	.....	192.0	22.8	42.3	3.3
3	Madison County	1,158.2	25.3	3.2	.....	19.0	6.3	3.2	31.6	19.0	.....	136.1	6.3	22.2	3.2
4	Marion County *	1,346.4	16.5	6.6	.....	13.2	3.3	23.1	3.3	16.5	6.6	141.9	6.6	36.3	3.3
5	Marshall County	1,270.9	33.1	8.3	.....	4.1	16.6	4.1	12.4	45.5	4.1	107.6	4.1	16.6	4.1
6	Martin County	1,115.2	62.0	.....	.....	.....	.....	31.0	31.0	38.7	.....	185.9	15.5	23.2	.....
7	Miami County	1,208.3	32.5	.....	.....	5.4	10.8	32.5	.....	16.3	5.4	97.5	5.4	10.8	5.4
8	Monroe County	1,426.8	38.3	.....	.....	34.1	17.0	42.6	.....	21.3	.....	153.3	12.8	17.0	.....
9	Montgomery County	1,307.4	20.5	.....	.....	20.5	.....	6.8	.....	30.7	.....	129.7	13.7	17.1	.....
10	Morgan County	1,471.9	37.7	4.7	.....	4.7	.....	28.3	.....	23.6	9.4	174.6	18.9	18.9	14.2
11	Newton County	1,037.6	19.0	.....	.....	28.6	.....	.....	9.5	9.5	.....	76.2	.....	.....	.....
12	Noble County	1,107.5	16.7	8.3	.....	4.2	4.2	.....	.....	20.8	4.2	87.4	.....	8.3	4.2
13	Ohio County	1,018.3	.....	.....	.....	.....	.....	.....	.....	23.1	.....	115.7	.....	.....	.....
14	Orange County	1,151.2	46.5	.....	.....	.....	.....	29.1	17.4	29.1	.....	168.6	5.8	40.7	.....
15	Owen County	1,154.7	14.3	14.3	.....	7.1	7.1	14.3	.....	7.1	7.1	163.9	28.5	14.3	7.1
16	Parke County	1,148.8	27.0	4.5	.....	18.0	4.5	4.5	36.0	18.0	.....	90.1	13.5	.....	.....
17	Perry County	1,201.3	33.2	22.1	.....	.....	.....	22.1	60.9	16.6	.....	138.4	16.6	22.1	16.6
18	Pike County	1,413.5	66.1	10.2	.....	.....	.....	35.6	45.8	35.6	.....	203.4	25.4	30.5	20.3
19	Porter County	1,283.5	19.4	4.9	.....	4.9	43.8	4.9	34.0	24.3	.....	82.7	14.6	9.7	4.9
20	Posey County	1,311.4	32.3	13.9	.....	36.9	4.6	4.6	18.5	36.9	4.6	189.3	9.2	13.9	.....
21	Pulaski County	1,090.5	52.6	30 1	.....	15.0	7.5	7.5	7.5	15.0	.....	97.8	15.0	.....	.....
22	Putnam County	1,219.5	4.9	.....	.....	34.1	.....	34.1	9.8	19.5	.....	151.2	19.5	29.3	.....
23	Randolph County	1,278.4	20.7	.....	.....	27.6	.....	10.3	6.9	3.4	10.3	124.1	13.8	37.9	3.4
24	Ripley County	1,265.2	46.3	5.1	.....	10.3	.....	10.3	10.3	20.6	10.3	174.9	.....	10.3	5.1
25	Rush County	1,210.4	25.9	.....	.....	.....	.....	.....	5.2	25.9	5.2	134.5	10.3	20.7	5.2
26	St. Joseph County	1,298.6	26.6	.....	.....	.....	10.6	5.3	10.6	16.0	.....	149.0	5.3	16.0	10.6
27	Scott County	1,405.7	48.1	.....	.....	.....	.....	12.0	24.0	24.0	.....	144.2	.....	.....	24.0
28	Shelby County	1,272.0	29.8	.....	.....	14.9	3.7	3.7	11.2	29.8	.....	205.2	7.5	14.9	3.7
29	Spencer County	1,288.8	53.3	24.2	.....	9.7	.....	.....	9.7	19.4	.....	164.7	9.7	4.8	4.8
30	Starke County	1,211.1	18.9	9.5	.....	9.5	18.9	9.5	18.9	.....	.....	123.0	9.5	9.5	18.9
31	Steuben County	1,122.4	21.0	.....	.....	.....	7.0	7.0	7.0	14.0	7.0	70.2	21.0	21.0	.....
32	Sullivan County	1,185.0	30.7	.....	.....	12.3	.....	43.0	12.3	18.4	12.3	128.9	9.2	6.1	6.1
33	Switzerland County	1,397.6	20.3	20.3	.....	.....	.....	50.6	10.1	40.5	.....	121.5	10.1	10.1	.....
34	Tippecanoe County	1,266.9	10.0	.....	.....	10.0	.....	5.0	5.0	30.0	.....	85.1	.....	15.0	10.0
35	Tipton County	1,188.0	23.0	.....	.....	28.7	28.7	11.5	5.7	5.7	.....	114.8	.....	11.5	.....
36	Union County	1,360.0	16.0	.....	.....	.....	16.0	16.0	16.0	80.0	.....	80.0	48.0	16.0	.....
37	Vanderberg County *	3,027.2	103.9	13.0	.....	13.0	26.0	13.0	39.0	39.0	26.0	285.8	.....	52.0	13.0
38	Vermilion County	1,346.3	26.4	10.6	.....	15.8	10.6	37.0	15.8	10.6	5.3	116.2	5.3	21.1	5.3
39	Vigo County	1,255.0	59.8	6.6	.....	26.6	6.6	26.6	46.5	13.3	3.3	132.8	6.6	29.9	16.6
40	Wabash County	1,245.4	26.0	.....	.....	7.4	3.7	.....	14.9	26.0	3.7	99.4	14.9	14.9	.....
41	Warren County	1,249.0	18.4	.....	.....	9.2	.....	18.4	.....	18.4	.....	101.0	9.2	9.2	9.2
42	Warrick County	1,251.0	68.5	18.3	.....	22.8	.....	50.2	22.8	45.7	9.1	127.8	9.1	27.4	9.1
43	Washington County	1,281.3	34.5	.....	.....	40.2	.....	.....	.....	17.2	5.7	206.8	11.5	17.2	17.2
44	Wayne County	1,687.2	28.0	.....	.....	9.3	14.0	9.3	18.6	28.0	9.3	195.7	.....	18.6	4.7
45	Wells County	1,317.1	58.0	.....	.....	26.8	4.5	4.5	.....	22.3	.....	142.9	8.9	8.9	4.5
46	White County	950.5	39.8	.....	.....	11.4	5.7	.....	.....	28.5	.....	159.4	.....	11.4	.....
47	Whitley County	1,119.5	23.7	.....	.....	35.5	11.8	23.7	5.9	.....	5.9	94.8	5.9	17.8	.....
	MAINE.														
48	Total	1,621.1	16.5	0.3	.....	11.8	2.6	14.2	11.8	17.9	2.4	113.6	10.6	16.5	6.4
49	White	1,623.7	16.5	0.3	.....	11.8	2.6	14.3	11.8	17.7	2.4	113.6	10.6	16.5	6.4
50	Colored	718.1	.....	.....	.....	.....	.....	.....	.....	59.8	.....	119.7	.....	.....	.....
51	Androscoggin County	1,840.0	48.6	.....	.....	.....	.....	21.6	.....	.....	.....	129.5	10.8	21.6	5.4
52	Aroostook County	1,424.8	17.3	1.3	.....	20.0	8.0	25.3	22.7	17.3	2.7	109.4	8.0	2.7	4.0
53	Cumberland County	1,635.4	22.4	.....	.....	3.7	.....	7.5	1.9	11.2	3.7	125.2	22.4	13.1	1.9
54	Franklin County	1,379.8	15.7	.....	.....	20.9	5.2	.....	5.2	10.5	.....	78.4	5.2	10.5	10.5
55	Hancock County	1,609.5	16.9	.....	.....	.....	.....	.....	8.4	22.5	5.6	98.5	14.1	19.7	.....
56	Kennebec County	1,714.6	15.7	.....	.....	10.5	.....	5.2	10.5	13.1	2.6	117.8	.....	7.9	7.9
57	Knox County	1,685.5	10.4	.....	.....	.....	.....	3.5	.....	17.3	.....	162.3	13.8	20.7	6.9
58	Lincoln County	1,710.1	11.0	.....	.....	.....	5.5	5.5	16.5	16.5	5.5	88.0	.....	11.0	27.5
59	Oxford County	1,667.6	11.0	.....	.....	13.8	.....	19.3	11.0	22.0	2.8	92.6	11.0	8.3	11.0
60	Penobscot County	1,512.9	18.1	.....	.....	24.7	1.6	24.7	4.9	18.1	3.3	113.8	14.8	29.7	1.6
61	Piscataquis County	1,423.7	5.0	.....	.....	5.0	5.0	.....	15.0	15.0	.....	135.4	5.0	30.1	5.0
62	Sagadahoc County	1,774.8	10.8	.....	.....	.....	.....	16.2	27.0	27.0	5.4	118.7	5.4	16.2	.....
63	Somerset County	1,661.5	11.0	.....	.....	27.5	.....	55.0	11.0	22.0	2.8	104.5	5.5	33.0	13.8
64	Waldo County	1,814.5	17.1	.....	.....	.....	.....	4.3	4.3	12.8	.....	124.1	12.8	8.6	8.6
65	Washington County	1,540.0	11.7	2.3	.....	11.7	.....	7.0	30.3	35.0	2.3	163.3	11.7	16.3	4.7
66	York County	1,840.6	19.4	.....	.....	13.6	9.7	3.9	11.6	15.5	.....	68.0	11.6	21.4	9.7
	MARYLAND.														
67	Total	1,322.7	35.8	1.5	.....	4.8	2.9	27.6	15.2	19.3	3.2	139.6	3.6	11.2	7.1
68	White	1,189.8	33.6	1.5	.....	5.0	3.5	14.5	15.6	17.2	3.3	107.6	4.4	9.0	6.4
69	Colored	1,826.6	44.5	1.4	.....	4.2	0.7	77.2	13.9	27.1	2.8	260.8	0.7	19.5	9.7
70	Allegany County (total)	828.9	49.2	.....	.....	7.4	2.5	12.3	17.2	19.7	.....	34.4	.....	2.5	4.9
71	White	813.3	49.7	.....	.....	7.5	2.5	12.4	17.4	19.9	.....	27.4	.....	2.5	5.0
72	Colored [3]	2,232.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	669.6	.....	.....	.....
73	Anne Arundel County (total)	1,830.5	53.1	.....	.....	2.5	5.1	93.5	12.6	40.5	.....	171.9	2.5	22.8	5.1
74	White	1,455.5	55.1	.....	.....	3.9	7.9	31.5	19.7	31.5	.....	122.0	3.9	19.7	.....
75	Colored	2,505.0	49.5	.....	.....	.....	.....	205.2	.....	56.6	.....	261.8	.....	28.3	14.2

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
43.1	6.2	6.2	61.5	153.9	18.5	80.0	6.2	43.1	6.2	.....	.....	110.8	.....	18.5	73.9	98.5	24.6	221.6	.....	1
39.1	6.5	26.0	58.6	130.2	22.8	110.6	3.3	104.1	6.5	13.0	3.3	55.3	13.0	6.5	74.9	61.8	6.5	162.7	6.5	2
50.6	.....	3.2	85.4	145.6	9.5	120.2	12.7	60.1	3.2	3.2	3.2	57.0	6.3	9.5	50.6	34.8	12.7	205.7	9.5	3
56.1	9.9	16.5	102.3	135.3	16.5	79.2	9.9	108.9	6.6	6.6	9.9	72.6	9.9	9.9	49.5	82.5	23.1	257.4	6.6	4
78.7	8.3	8.3	66.2	149.0	4.1	86.9	8.3	62.1	8.3	16.6	29.0	49.7	8.3	8.3	78.7	58.0	8.3	273.2	.....	5
46.5	7.7	.....	38.7	77.4	15.5	54.2	31.0	77.4	.....	.....	.....	7.7	7.7	7.7	69.7	46.5	15.5	224.6	.....	6
59.6	16.3	10.8	70.4	184.2	32.5	86.7	.....	43.3	10.8	10.8	5.4	43.3	.....	.....	16.3	81.3	5.4	308.9	.....	7
102.2	12.8	.....	76.7	174.6	21.3	144.8	4.3	68.1	4.3	8.5	.....	85.2	8.5	21.3	76.7	76.7	17.0	174.6	12.8	8
112.6	6.8	6.8	85.3	174.1	20.5	99.0	10.2	54.6	3.4	13.7	10.2	92.2	10.2	6.8	64.9	54.6	10.2	218.5	13.7	9
80.2	4.7	4.7	94.4	207.6	4.7	113.2	14.2	66.0	4.7	14.2	4.7	127.4	9.4	9.4	56.6	94.4	9.4	207.6	9.4	10
66.6	38.1	.....	47.6	57.1	9.5	85.7	.....	133.3	9.5	.....	.....	85.7	.....	.....	47.6	47.6	19.0	247.5	.....	11
104.1	8.3	12.5	108.2	137.4	8.3	58.3	16.7	25.0	12.5	4.2	4.2	79.1	4.2	4.2	70.8	58.3	4.2	229.0	.....	12
162.0	23.1	.....	23.1	231.4	69.4	92.6	.....	46.3	.....	.....	.....	23.1	.....	23.1	.....	46.3	.....	138.9	.....	13
46.5	5.8	.....	29.1	139.5	17.4	69.8	5.8	52.3	5.8	34.9	17.4	52.3	11.6	5.8	75.6	46.5	.....	197.7	.....	14
64.1	7.1	.....	106.9	206.7	14.3	71.3	7.1	28.5	.....	7.1	.....	21.4	.....	.....	71.3	42.8	.....	221.0	.....	15
54.1	13.5	9.0	94.6	103.6	13.5	67.6	18.0	76.6	.....	22.5	4.5	40.5	9.0	22.5	67.6	108.1	4.5	202.7	.....	16
27.7	.....	11.1	55.4	60.9	22.1	132.9	5.5	66.4	.....	5.5	11.1	94.1	16.6	11.1	88.6	66.4	.....	177.1	.....	17
50.8	5.1	25.4	25.4	96.6	20.3	106.8	.....	111.9	5.1	15.3	15.3	81.4	10.2	10.2	76.3	76.3	15.3	183.0	10.2	18
116.7	19.4	4.9	126.4	175.0	9.7	111.8	4.9	38.9	14.6	4.9	4.9	38.9	4.9	.....	29.2	92.4	4.9	233.4	.....	19
64.6	13.9	4.6	60.0	110.8	36.9	138.5	9.2	92.3	.....	9.2	9.2	87.7	9.2	9.2	41.6	60.0	9.2	166.2	13.9	20
52.6	22.6	15.0	75.2	90.2	7.5	75.2	7.5	30.1	7.5	.....	15.0	52.6	.....	22.6	75.2	45.1	22.6	225.6	.....	21
78.0	14.6	14.6	97.6	136.6	9.8	126.8	4.9	29.3	4.9	19.5	19.5	92.7	4.9	9.8	34.1	58.5	9.8	151.2	.....	22
96.5	31.0	13.8	96.5	141.3	13.8	99.9	6.9	37.9	24.1	10.3	3.4	62.0	10.3	13.8	62.0	62.0	17.2	213.6	3.4	23
36.0	.....	5.1	87.4	138.9	15.4	149.1	5.1	72.0	10.3	25.7	5.1	61.7	20.6	5.1	20.6	41.1	10.3	246.9	5.1	24
98.3	5.2	15.5	108.6	98.3	15.5	77.6	10.3	56.9	.....	5.2	15.5	93.1	.....	.....	82.8	46.6	25.9	222.4	.....	25
42.6	10.6	10.6	106.4	223.5	37.3	79.8	10.6	42.6	10.6	.....	.....	95.8	16.0	21.3	42.6	47.9	10.6	239.5	.....	26
60.1	24.0	.....	60.1	168.2	24.0	120.1	24.0	96.1	.....	12.0	24.0	96.1	.....	12.0	48.1	96.1	36.0	228.3	.....	27
41.0	14.9	7.5	89.5	115.6	22.4	97.0	11.2	48.5	3.7	3.7	14.9	115.6	11.2	3.7	52.2	63.4	7.5	220.1	3.7	28
38.8	9.7	4.8	53.3	169.6	38.8	135.6	19.4	82.4	4.8	4.8	.....	63.0	9.7	4.8	58.1	58.1	9.7	218.0	4.8	29
85.2	18.9	9.5	28.4	141.9	28.4	75.7	.....	94.6	18.9	9.5	.....	56.8	.....	.....	28.4	94.6	.....	274.4	.....	30
70.2	7.0	21.0	98.2	140.3	14.0	42.1	14.0	49.1	.....	14.0	21.0	49.1	7.0	.....	70.2	49.1	.....	259.6	21.0	31
55.3	9.2	9.2	73.7	86.0	6.1	76.7	3.1	116.7	.....	12.3	.....	58.3	3.1	9.2	73.7	125.9	6.1	181.1	.....	32
81.0	20.3	10.1	131.7	172.2	.....	101.3	.....	60.8	40.5	10.1	20.3	101.3	10.1	.....	40.5	40.5	.....	263.3	10.1	33
100.2	25.0	5.0	95.1	250.4	15.0	105.2	10.0	30.0	.....	15.0	.....	100.2	15.0	.....	40.1	65.1	20.0	205.3	.....	34
80.3	40.2	.....	51.7	126.3	23.0	51.7	23.0	57.4	11.5	17.2	11.5	51.7	5.7	23.0	74.6	86.1	11.5	212.4	.....	35
64.0	16.0	.....	176.0	224.0	.....	48.0	16.0	32.0	16.0	16.0	.....	48.0	.....	.....	48.0	64.0	.....	304.0	.....	36
129.9	.....	78.0	116.9	233.9	103.9	298.8	39.0	129.9	13.0	26.0	39.0	78.0	.....	13.0	90.9	116.9	26.0	870.5	.....	37
58.1	15.8	5.3	63.4	110.9	26.4	110.9	21.1	132.0	5.3	5.3	21.1	63.4	5.3	5.3	147.8	84.5	26.4	153.1	5.3	38
53.1	3.3	.....	29.9	136.1	6.6	93.0	16.6	106.2	6.6	3.3	10.0	53.1	6.6	10.0	66.4	116.2	3.3	156.0	3.3	39
74.4	.....	7.4	74.4	152.4	11.2	74.4	3.7	74.4	37.2	18.6	26.0	104.1	22.3	7.4	40.9	48.3	.....	256.5	.....	40
55.1	18.4	9.2	91.8	183.7	18.4	55.1	18.4	55.1	9.2	.....	9.2	73.5	.....	18.4	82.7	55.1	36.7	266.3	.....	41
50.2	27.4	.....	41.1	100.4	9.1	159.8	9.1	82.2	.....	4.6	4.6	114.1	9.1	4.6	59.4	36.5	.....	123.3	4.6	42
74.7	11.5	.....	46.0	80.4	17.2	91.9	11.5	68.9	17.2	11.5	.....	103.4	11.5	11.5	91.9	23.0	17.2	241.3	.....	43
88.6	9.3	28.0	135.2	177.1	18.6	116.5	18.6	32.6	.....	9.3	.....	107.2	4.7	.....	23.3	130.5	14.0	433.4	4.7	44
49.1	17.9	4.5	67.0	111.6	13.4	75.9	17.9	40.2	8.9	8.9	4.5	129.5	13.4	4.5	49.1	205.4	4.5	209.8	.....	45
45.5	11.4	5.7	74.0	130.9	.....	62.6	.....	28.5	17.1	5.7	5.7	79.7	5.7	5.7	62.6	22.8	5.7	113.8	11.4	46
59.2	17.8	.....	65.2	159.9	.....	77.0	5.9	35.5	.....	17.8	23.7	59.2	.....	.....	71.1	47.4	11.8	242.8	.....	47
100.4	17.5	19.3	120.4	180.7	29.8	156.6	18.6	77.5	7.8	11.3	7.6	101.5	5.2	9.2	72.9	61.4	12.1	335.1	51.5	48
100.7	17.6	19.3	120.7	181.1	29.9	157.1	18.6	77.8	7.8	11.3	7.7	101.4	5.2	9.2	73.1	61.6	12.2	335.2	51.5	49
.....	.....	.....	.....	59.8	.....	.....	.....	.....	.....	.....	.....	119.7	.....	.....	.....	.....	.....	299.2	59.8	50
134.9	27.0	.....	183.5	221.2	48.6	210.4	10.8	102.5	10.8	10.8	10.8	102.5	16.2	16.2	75.5	64.7	21.6	307.6	27.0	51
40.0	9.3	22.7	53.4	82.7	20.0	128.1	12.0	250.8	8.0	8.0	1.3	50.7	6.7	18.7	88.0	41.4	4.0	228.1	112.1	52
125.2	13.1	11.2	142.0	200.0	33.6	151.4	20.6	59.8	11.2	18.7	1.9	91.6	.....	1.9	87.8	67.3	9.3	332.7	43.0	53
104.5	36.6	26.1	162.0	135.9	31.4	120.2	.....	26.1	10.5	15.7	5.2	94.1	5.2	10.5	67.9	57.5	20.9	277.0	10.5	54
101.3	31.0	22.5	151.9	168.8	22.5	163.2	19.7	25.3	2.8	5.6	8.4	104.1	.....	2.8	81.6	50.6	16.9	419.2	25.3	55
123.0	26.2	26.2	133.5	235.6	23.6	157.1	23.6	57.6	5.2	7.9	7.9	94.2	5.2	15.7	44.5	33.8	15.7	390.0	47.1	56
114.0	20.7	3.5	155.4	266.0	31.1	120.9	13.8	34.5	6.9	17.3	6.9	124.3	3.5	3.5	41.4	55.3	13.8	379.9	38.0	57
104.5	27.5	22.0	198.0	274.9	5.5	148.5	22.0	.....	11.0	11.0	16.5	159.5	11.0	.....	44.0	60.5	16.5	357.4	33.0	58
88.1	16.5	19.3	110.1	220.1	33.0	231.1	11.0	46.8	5.5	11.0	8.3	99.1	2.8	11.0	85.3	66.0	16.5	335.7	46.8	59
89.1	4.9	19.8	79.2	141.9	34.6	155.1	13.2	57.7	8.2	13.2	8.2	90.7	11.5	4.9	84.1	69.3	3.3	315.1	52.8	60
145.4	20.1	20.1	95.2	110.3	20.1	95.2	30.1	20.1	.....	10.0	10.0	100.3	15.0	.....	85.2	85.2	10.0	305.8	25.1	61
97.1	21.6	10.8	183.4	258.9	43.2	151.0	16.2	32.4	5.4	.....	5.4	172.6	10.8	5.4	75.5	86.3	.....	345.3	27.0	62
101.8	11.0	19.3	118.3	178.8	46.8	176.1	22.0	68.8	11.0	2.8	2.8	88.0	5.5	13.8	71.5	46.8	13.8	299.8	77.0	63
102.7	34.2	21.4	158.3	265.3	21.4	141.2	8.6	12.8	8.6	25.7	25.7	171.2	.....	12.8	34.2	68.5	17.1	453.6	38.5	64
91.0	9.3	25.7	77.0	156.3	35.0	142.3	23.3	42.0	9.3	11.7	11.7	79.3	.....	9.3	67.7	58.3	4.7	350.0	39.7	65
134.0	19.4	23.3	141.7	192.2	29.1	196.1	38.8	104.8	7.8	11.6	9.7	143.7	1.9	9.7	73.8	58.2	27.2	382.5	50.5	66
51.2	8.6	13.8	62.5	97.7	22.2	115.9	13.3	93.2	3.6	7.3	6.5	87.4	5.1	8.0	61.5	65.9	7.0	249.7	70.5	67
55.0	10.5	13.4	61.2	95.7	20.2	99.0	13.0	83.1	2.8	6.4	6.4	83.1	4.2	6.8	56.3	59.4	7.7	232.1	52.1	68
36.9	1.4	15.3	67.5	105.0	29.9	180.2	14.6	131.5	7.0	10.4	7.0	103.6	8.3	12.5	81.4	90.4	4.2	316.5	140.5	69
44.3	2.5	12.3	44.3	49.2	29.5	61.5	17.2	66.4	2.5	2.5	2.5	56.6	2.5	2.5	39.4	59.0	4.9	162.3	17.2	70
42.3	2.5	9.9	44.8	44.8	29.8	62.2	17.4	64.7	2.5	2.5	2.5	54.7	2.5	2.5	39.8	57.2	5.0	164.1	17.4	71
223.2	.....	223.2	.....	446.4	.....	.....	.....	223.2	.....	.....	.....	223.2	.....	.....	.....	223.2	.....	.....	.....	72
63.2	17.7	32.9	80.9	78.4	35.4	166.9	30.3	159.3	5.1	7.6	7.6	128.9	5.1	15.2	98.6	101.1	7.6	257.9	121.4	73
78.7	27.5	23.6	62.9	70.8	15.7	137.7	35.4	145.6	3.9	7.9	3.9	90.5	.....	15.7	74.7	86.5	11.8	196.7	70.8	74
35.4	.....	49.5	113.2	92.0	70.8	219.4	21.2	184.0	7.1	7.1	14.2	198.1	14.2	14.2	141.5	127.4	.....	368.0	212.3	75

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	MARYLAND—continued.														
1	Baltimore County* (total)	1,481.9	36.6	.....	.....	2.4	1.6	19.5	13.8	19.5	2.4	171.5	8.1	7.3	6.5
2	White	1,447.7	37.1	.....	.....	2.7	1.8	17.2	13.6	17.2	1.8	166.7	9.1	8.2	7.2
3	Colored	1,780.6	31.7	.....	.....	.....	.....	39.6	15.8	39.6	7.9	213.7	.....	.....	.....
4	Calvert County (total)	1,558.9	29.0	.....	.....	.....	.....	19.4	.....	9.7	.....	174.3	.....	9.7	.....
5	White	1,419.6	37.9	.....	.....	.....	.....	.....	.....	18.9	.....	113.6	.....	18.9	.....
6	Colored	1,704.7	19.8	.....	.....	.....	.....	39.6	.....	.....	.....	237.9	.....	.....	.....
7	Caroline County (total)	1,379.7	62.2	.....	.....	31.1	.....	25.9	15.6	31.1	.....	181.5	.....	.....	5.2
8	White	1,215.6	62.2	.....	.....	34.5	.....	13.8	13.8	34.5	.....	110.5	.....	.....	.....
9	Colored	1,875.0	62.5	.....	.....	20.8	.....	62.5	20.8	20.8	.....	395.8	.....	.....	20.8
10	Carroll County* (total)	1,370.3	47.1	.....	.....	11.8	2.9	20.6	8.8	20.6	14.7	76.6	2.9	5.9	.....
11	White	1,343.8	50.1	.....	.....	12.5	3.1	9.4	9.4	21.9	15.7	78.3	3.1	6.3	.....
12	Colored[3]	1,790.2	.....	.....	.....	.....	.....	198.9	.....	.....	.....	49.7	.....	.....	.....
13	Cecil County (total)	1,503.8	33.7	8.4	.....	.....	8.4	12.6	4.2	25.3	12.6	143.2	4.2	4.2	16.8
14	White	1,351.7	29.4	4.9	.....	.....	9.8	.....	4.9	19.6	9.8	112.6	4.9	.....	14.7
15	Colored	2,438.3	60.2	30.1	.....	.....	.....	90.3	.....	60.2	30.1	331.1	.....	30.1	30.1
16	Charles County (total)	1,509.8	55.0	.....	.....	.....	.....	24.4	36.7	24.4	6.1	140.6	6.1	24.4	12.2
17	White	1,331.8	38.4	.....	.....	.....	.....	.....	38.4	38.4	12.8	89.6	12.8	25.6	12.8
18	Colored	1,672.3	70.2	.....	.....	.....	.....	46.8	35.1	11.7	.....	187.1	.....	23.4	11.7
19	Dorchester County (total)	1,439.9	41.8	.....	.....	.....	.....	76.7	10.5	13.9	.....	160.4	.....	20.9	3.5
20	White	1,105.7	41.5	.....	.....	.....	.....	36.3	10.4	15.6	.....	77.9	.....	5.2	.....
21	Colored	2,123.1	42.5	.....	.....	.....	.....	159.2	10.6	10.6	.....	329.1	.....	53.1	10.6
22	Frederick County (total)	1,173.8	49.7	4.7	.....	.....	9.5	2.4	14.2	7.1	2.4	113.6	2.4	21.3	2.4
23	White	1,085.2	47.0	5.2	.....	.....	10.4	2.6	15.7	7.8	2.6	107.0	2.6	15.7	.....
24	Colored	2,040.8	76.5	.....	.....	.....	.....	.....	.....	.....	.....	178.6	.....	76.5	25.5
25	Garrett County (total)	843.5	29.8	.....	.....	14.9	5.0	9.9	9.9	14.9	5.0	24.8	5.0	5.0	5.0
26	White	847.9	29.9	.....	.....	15.0	5.0	10.0	10.0	15.0	5.0	24.9	5.0	5.0	5.0
27	Colored[3]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Harford County (total)	1,255.4	14.3	.....	.....	.....	.....	32.2	14.3	17.9	7.2	100.1	.....	3.6	17.9
29	White	1,168.1	17.5	.....	.....	.....	.....	30.6	17.5	21.9	8.7	78.7	.....	4.4	13.1
30	Colored	1,646.7	.....	.....	.....	.....	.....	39.2	.....	.....	.....	196.0	.....	.....	39.2
31	Howard County (total)	1,391.8	43.5	.....	.....	.....	.....	43.5	24.9	12.4	6.2	93.2	6.2	.....	12.4
32	White	1,232.5	32.4	.....	.....	.....	.....	8.1	32.4	16.2	.....	56.8	.....	.....	8.1
33	Colored	1,914.4	79.8	.....	.....	.....	.....	159.5	.....	.....	26.6	212.7	26.6	.....	26.6
34	Kent County (total)	1,743.6	41.4	5.9	.....	5.9	.....	23.6	5.9	35.5	.....	171.4	.....	17.7	.....
35	White	1,520.8	37.1	9.3	.....	9.3	.....	37.1	9.3	27.8	.....	102.0	.....	18.5	.....
36	Colored	2,135.3	48.9	.....	.....	.....	.....	.....	.....	48.9	.....	293.4	.....	16.3	.....
37	Montgomery County (total)	1,070.9	12.5	.....	.....	3.1	.....	12.5	9.3	18.7	.....	180.6	.....	3.1	6.2
38	White	960.8	13.1	.....	.....	4.4	.....	.....	13.1	13.1	.....	152.9	.....	.....	8.7
39	Colored	1,344.2	10.8	.....	.....	.....	.....	43.4	.....	32.5	.....	249.3	.....	10.8	.....
40	Prince Georges County (total)	1,394.8	35.8	.....	.....	.....	5.5	19.3	30.3	19.3	5.5	179.2	2.8	16.5	2.8
41	White	1,133.7	24.2	.....	.....	.....	8.1	12.1	24.2	8.1	8.1	88.8	4.0	12.1	4.0
42	Colored	1,957.9	60.9	.....	.....	.....	.....	34.8	43.5	43.5	.....	374.2	.....	26.1	.....
43	Queen Annes County (total)	1,689.8	29.7	5.9	.....	11.9	5.9	29.7	23.8	5.9	5.9	243.9	5.9	29.7	17.8
44	White	1,381.4	9.1	9.1	.....	18.2	9.1	18.2	36.4	9.1	.....	199.9	9.1	9.1	9.1
45	Colored	2,274.3	68.9	.....	.....	.....	.....	51.7	.....	.....	17.2	327.4	.....	68.9	34.5
46	St. Marys County† (total)	370.0	5.9	5.9	.....	.....	.....	.....	11.7	5.9	.....	88.1	.....	5.9	.....
47	White	359.2	10.3	10.3	.....	.....	.....	.....	20.5	10.3	.....	82.1	.....	.....	.....
48	Colored	384.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	96.1	.....	13.7	.....
49	Somerset County (total)	1,262.0	26.4	.....	.....	.....	3.8	86.9	37.8	18.9	.....	192.7	.....	7.6	11.3
50	White	947.6	11.8	.....	.....	.....	.....	29.4	17.7	11.8	.....	123.6	.....	5.9	11.8
51	Colored	1,825.7	52.8	.....	.....	.....	10.6	190.0	73.9	31.7	.....	316.6	.....	10.6	10.6
52	Talbot County (total)	1,469.0	35.7	10.2	.....	10.2	.....	30.6	5.1	35.7	5.1	198.9	.....	10.2	15.3
53	White	1,113.6	7.8	7.8	.....	7.8	.....	15.6	7.8	23.4	7.8	93.5	.....	15.6	23.4
54	Colored	2,143.7	88.7	14.8	.....	14.8	.....	59.1	.....	59.1	.....	399.2	.....	.....	.....
55	Washington County (total)	1,279.3	21.1	.....	.....	.....	9.1	12.1	18.1	9.1	.....	96.6	9.1	15.1	12.1
56	White	1,237.6	21.8	.....	.....	.....	9.3	9.3	18.7	9.3	.....	93.3	9.3	15.5	12.4
57	Colored[3]	2,645.0	.....	.....	.....	.....	.....	101.7	.....	.....	.....	203.5	.....	.....	.....
58	Wicomico County (total)	1,081.9	29.7	.....	.....	7.4	.....	26.0	18.6	22.3	.....	126.4	3.7	22.3	.....
59	White	1,040.0	29.2	.....	.....	9.7	.....	19.4	19.4	14.6	.....	116.6	4.9	24.3	.....
60	Colored	1,218.2	31.6	.....	.....	.....	.....	47.5	15.8	47.5	.....	158.2	.....	15.8	.....
61	Worcester County (total)	1,152.7	18.3	4.6	.....	22.9	.....	9.1	4.6	9.1	4.6	123.5	9.1	9.1	18.3
62	White	997.9	6.7	6.7	.....	6.7	.....	6.7	6.7	13.5	6.7	87.7	13.5	6.7	20.2
63	Colored	1,479.4	42.7	.....	.....	56.9	.....	14.2	.....	.....	.....	199.1	.....	14.2	14.2
	MASSACHUSETTS.														
64	Total	1,614.9	8.9	1.4	.....	8.7	5.1	7.1	12.9	21.5	5.2	155.4	8.9	12.9	8.1
65	White	1,613.3	9.0	1.5	.....	8.7	5.2	7.2	13.0	21.7	5.3	150.2	8.9	12.6	8.2
66	Colored	1,782.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	718.7	14.4	43.1	.....
67	Barnstable County	1,802.6	3.6	3.6	.....	3.6	3.6	7.3	10.9	14.5	3.6	101.6	7.3	14.5	7.3
68	Berkshire County	1,526.2	2.6	.....	.....	10.5	.....	7.9	.....	21.0	2.6	94.6	5.3	10.5	10.5
69	Bristol County	1,565.8	7.6	.....	.....	15.3	.....	9.5	28.6	24.8	.....	124.0	3.8	9.5	5.7
70	Dukes County	1,932.0	.....	.....	.....	.....	.....	.....	.....	22.2	.....	66.6	.....	.....	.....
71	Essex County*	1,710.4	20.3	.....	.....	9.0	1.1	6.8	7.9	19.2	5.6	108.4	16.9	13.5	7.9

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
73.1	14.6	12.2	55.3	117.1	27.6	128.4	16.3	143.1	0.8	5.7	9.8	106.5	3.3	9.8	71.5	78.9	12.2	257.7	48.8	1
75.2	16.3	12.7	56.2	115.1	29.0	120.5	16.3	134.1	.....	6.3	10.9	105.1	2.7	10.0	71.6	65.2	13.6	258.2	46.2	2
55.4	.....	7.9	47.5	134.5	15.8	197.8	15.8	221.6	7.9	.....	.....	118.7	7.9	7.9	71.2	197.8	.....	253.2	71.2	3
48.4	.....	9.7	87.1	87.1	29.0	106.5	19.4	145.2	9.7	.....	9.7	87.1	.....	9.7	154.9	48.4	19.4	309.8	135.6	4
18.9	.....	18.9	56.8	132.5	18.9	94.6	18.9	75.7	.....	.....	18.9	151.4	.....	.....	113.6	37.9	37.9	378.6	56.8	5
79.3	.....	.....	118.9	39.6	39.6	118.9	19.8	218.0	19.8	.....	.....	19.8	.....	19.8	198.2	59.5	.....	237.9	218.0	6
57.1	.....	5.2	46.7	119.3	15.6	62.2	10.4	98.6	.....	20.7	.....	124.5	10.4	10.4	98.6	51.9	15.6	212.7	67.4	7
69.1	.....	6.9	41.4	124.3	6.9	55.3	.....	89.8	.....	13.8	.....	131.2	6.9	6.9	89.8	55.3	13.8	186.5	48.3	8
20.8	.....	.....	62.5	104.2	41.7	83.3	41.7	125.0	.....	41.7	.....	104.2	20.8	20.8	125.0	41.7	20.8	291.7	125.0	9
53.0	8.8	8.8	123.8	132.6	29.5	150.3	8.8	44.2	.....	11.8	5.9	103.1	2.9	5.9	50.1	47.1	8.8	324.1	38.3	10
56.4	9.4	9.4	122.2	134.7	21.9	144.1	6.3	43.9	.....	12.5	6.3	109.6	3.1	6.3	47.0	43.9	6.3	316.4	34.5	11
.....	.....	.....	149.2	99.5	149.2	248.6	49.7	49.7	.....	.....	.....	.....	.....	.....	99.5	99.5	49.7	447.5	99.5	12
59.0	4.2	12.6	117.9	151.6	16.8	164.3	16.8	54.8	16.8	4.2	4.2	143.2	.....	12.6	37.9	80.0	16.8	269.6	46.3	13
68.6	4.9	14.7	122.4	142.0	19.6	127.3	14.7	53.9	19.6	4.9	4.9	142.0	.....	9.8	34.3	63.7	14.7	235.1	44.1	14
.....	.....	.....	90.3	210.7	.....	391.3	30.1	60.2	.....	.....	.....	150.5	.....	30.1	60.2	180.6	30.1	481.6	60.2	15
48.9	6.1	6.1	85.6	79.5	6.1	122.2	18.3	103.9	.....	.....	12.2	73.3	6.1	6.1	42.8	79.5	6.1	330.1	146.7	16
51.2	12.8	.....	89.6	89.6	12.8	89.6	.....	102.4	.....	.....	25.6	76.8	.....	.....	25.6	64.0	12.8	256.1	153.7	17
46.8	.....	11.7	81.9	70.2	.....	152.0	35.1	105.3	.....	.....	.....	70.2	11.7	11.7	58.5	93.6	.....	397.6	140.3	18
34.9	7.0	3.5	76.7	108.1	20.9	111.6	10.5	108.1	7.0	7.0	.....	83.7	3.5	10.5	83.7	62.8	10.5	254.5	108.1	19
31.1	10.4	5.2	72.7	83.1	10.4	88.3	10.4	88.3	5.2	5.2	.....	57.1	5.2	5.2	83.1	72.7	5.2	218.0	62.3	20
42.5	.....	.....	84.9	159.2	42.5	159.2	10.6	148.6	10.6	10.6	.....	138.0	.....	21.2	84.9	42.5	21.2	329.1	201.7	21
61.5	7.1	18.9	71.0	97.0	23.7	120.7	16.6	56.8	7.1	7.1	7.1	71.0	7.1	4.7	49.7	45.0	7.1	213.0	52.1	22
62.6	7.8	18.3	70.4	91.3	26.1	104.3	15.7	57.4	7.8	2.6	2.6	65.2	7.8	2.6	49.6	41.7	7.8	185.2	41.7	23
51.0	.....	25.5	76.5	153.1	.....	280.6	25.5	51.0	.....	51.0	51.0	127.6	.....	25.5	51.0	76.5	.....	484.7	153.1	24
19.8	.....	19.8	19.8	29.8	5.0	104.2	5.0	49.6	5.0	.....	.....	39.7	5.0	5.0	39.7	109.2	.....	153.8	104.2	25
20.0	.....	20.0	20.0	29.9	5.0	104.7	5.0	49.9	5.0	.....	.....	39.9	5.0	5.0	39.9	109.7	.....	154.6	104.7	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
39.3	14.3	14.3	46.5	135.9	35.8	82.3	10.7	46.5	.....	7.2	10.7	82.3	10.7	3.6	42.9	85.8	.....	296.9	82.3	28
43.7	13.1	17.5	56.9	144.4	26.2	74.4	4.4	48.1	.....	4.4	8.7	56.9	13.1	.....	39.4	83.1	.....	293.1	48.1	29
19.6	19.6	.....	.....	98.0	78.4	117.6	39.2	39.2	.....	19.6	19.6	196.0	.....	19.6	58.8	98.0	.....	313.7	235.2	30
80.8	12.4	12.4	87.0	105.6	24.9	136.7	6.2	111.8	.....	.....	.....	99.4	12.4	.....	55.9	62.1	.....	298.2	43.5	31
105.4	16.2	8.1	81.1	105.4	24.3	121.6	8.1	97.3	.....	.....	.....	113.5	16.2	.....	48.6	48.6	.....	259.5	24.3	32
.....	.....	26.6	106.4	106.4	26.6	186.1	.....	159.5	.....	.....	.....	53.2	.....	.....	79.8	106.4	.....	425.4	106.4	33
70.9	11.8	17.7	59.1	130.0	29.6	159.6	17.7	189.1	5.9	.....	.....	106.4	.....	17.7	88.7	47.3	.....	366.5	118.2	34
74.2	9.3	18.5	27.8	166.9	18.5	74.2	18.5	213.3	.....	.....	.....	83.5	.....	18.5	64.9	37.1	.....	324.6	120.5	35
65.2	16.3	16.3	114.1	65.2	48.9	309.7	16.3	146.7	16.3	.....	.....	146.7	.....	16.3	130.4	65.2	.....	114.1	440.1	36
18.7	3.1	15.6	68.5	96.5	31.1	102.7	.....	43.6	.....	9.3	9.3	87.2	.....	.....	31.1	43.6	6.2	211.7	46.7	37
26.2	4.4	17.5	74.2	87.3	26.2	74.2	.....	52.4	.....	8.7	13.1	78.6	.....	.....	26.2	26.2	4.4	200.9	34.9	38
.....	.....	10.8	54.2	119.2	43.4	173.4	.....	21.7	.....	10.8	.....	108.4	.....	.....	43.4	86.7	10.8	238.5	75.9	39
38.6	5.5	16.5	52.4	121.3	22.1	132.3	13.8	124.0	.....	5.5	8.3	63.4	5.5	5.5	77.2	60.6	.....	242.6	82.7	40
36.3	8.1	12.1	56.5	113.0	20.2	113.0	16.1	80.7	.....	8.1	12.1	60.5	4.0	4.0	84.7	56.5	.....	209.8	44.4	41
43.5	.....	26.1	43.5	139.2	26.1	174.0	8.7	217.5	.....	.....	.....	69.6	8.7	8.7	60.9	69.6	.....	313.3	165.3	42
53.5	11.9	11.9	59.5	142.8	17.8	136.8	5.9	101.1	17.8	17.8	11.9	41.6	5.9	.....	83.3	71.4	.....	362.9	119.0	43
54.5	18.2	18.2	72.7	109.1	9.1	72.7	9.1	63.6	9.1	9.1	.....	27.3	.....	.....	54.5	72.7	.....	327.2	118.1	44
51.7	.....	.....	34.5	206.8	34.5	258.4	.....	172.3	34.5	34.5	34.5	68.9	17.2	.....	137.8	68.9	.....	430.7	120.6	45
17.6	.....	.....	23.5	5.9	.....	29.4	.....	17.6	.....	5.9	.....	17.6	.....	11.7	29.4	17.6	.....	70.5	.....	46
20.5	.....	.....	10.3	10.3	.....	41.1	.....	10.3	.....	10.3	.....	10.3	.....	.....	30.8	10.3	.....	71.8	.....	47
13.7	.....	.....	41.2	.....	.....	13.7	.....	27.5	.....	.....	.....	27.5	.....	27.5	27.5	27.5	.....	68.6	.....	48
30.2	.....	15.1	52.9	26.4	7.6	105.8	7.6	102.0	3.8	11.3	11.3	71.8	3.8	7.6	52.9	26.4	3.8	249.4	86.9	49
23.5	.....	17.7	53.0	17.7	.....	64.7	11.8	94.2	.....	17.7	11.8	76.5	5.9	11.8	47.1	29.4	5.9	200.1	47.1	50
42.2	.....	10.6	52.8	42.2	21.1	179.4	.....	116.1	10.6	.....	10.6	63.3	.....	.....	63.3	21.1	.....	337.7	158.3	51
56.1	15.3	15.3	76.5	66.3	15.3	122.4	30.6	61.2	5.1	15.3	10.2	132.6	10.2	5.1	40.8	102.0	.....	229.5	102.0	52
62.3	23.4	7.8	35.7	46.7	15.6	46.7	38.9	15.6	.....	.....	7.8	124.6	7.8	.....	31.2	85.7	.....	218.1	85.7	53
44.4	.....	29.6	59.1	103.5	14.8	266.1	14.8	147.8	14.8	44.4	14.8	147.8	14.8	14.8	59.1	133.1	.....	251.3	133.1	54
57.3	3.0	24.1	39.2	132.8	15.1	129.7	12.1	45.3	.....	18.1	9.1	75.4	6.0	18.1	57.3	69.4	12.1	292.7	60.4	55
59.1	3.1	21.8	31.1	127.5	15.5	127.5	12.4	46.6	.....	18.7	9.3	74.6	6.2	15.5	59.1	65.3	12.4	273.6	59.1	56
.....	.....	101.7	305.2	305.2	.....	203.5	.....	.....	.....	.....	.....	101.7	.....	101.7	.....	203.5	.....	915.6	101.7	57
18.6	11.2	11.2	40.9	37.2	7.4	78.1	11.2	81.8	14.9	7.4	3.7	74.4	14.9	.....	59.5	44.6	3.7	237.9	66.9	58
19.4	14.6	9.7	43.7	43.7	9.7	53.5	9.7	87.5	14.6	.....	.....	77.8	9.7	.....	72.9	48.6	4.9	233.3	48.6	59
15.8	.....	15.8	31.6	15.8	.....	158.2	15.8	63.3	15.8	31.6	15.8	63.3	31.6	.....	15.8	31.6	.....	253.1	126.6	60
59.5	13.7	.....	45.7	105.2	13.7	73.2	.....	64.0	.....	.....	.....	59.5	9.1	18.3	45.7	73.2	4.6	215.0	118.9	61
67.4	20.2	.....	53.9	94.4	20.2	74.2	.....	40.5	.....	.....	.....	60.7	.....	20.2	20.2	53.9	6.7	215.8	67.4	62
42.7	.....	.....	28.4	128.0	.....	71.1	.....	113.8	.....	.....	.....	56.9	28.4	14.2	99.6	113.8	.....	213.4	227.6	63
107.0	21.5	12.2	121.9	211.7	32.0	139.9	13.9	74.4	4.3	8.8	9.8	89.9	2.4	6.6	71.3	70.2	14.3	328.9	17.7	64
107.1	21.7	12.2	122.5	212.6	31.9	140.1	14.0	74.8	4.4	8.9	9.9	90.5	2.3	6.6	70.9	70.5	14.3	329.1	17.6	65
86.2	.....	14.4	57.5	115.0	43.1	115.0	.....	28.7	.....	.....	.....	28.7	14.4	.....	115 0	43.1	14.4	301.9	28.7	66
192.2	36.3	.....	181.3	293.8	25.4	79.8	21.8	50.8	.....	3.6	14.5	145.1	.....	7.3	65.3	58.0	7.3	417.1	21.8	67
113.0	15.8	7.9	105.1	262.7	26.3	136.6	18.4	63.0	5.3	5.3	10.5	99.8	7.9	13.1	81.4	81.4	26.3	273.2	7.9	68
103.0	15.3	5.7	99.2	221.2	45.8	120.1	13.4	162.1	.....	11.4	9.5	101.1	1.9	3.8	72.5	59.1	7.6	265.1	19.1	69
266.5	.....	22.2	66.6	266.5	111.0	66.6	44.4	.....	.....	.....	.....	133.2	.....	22.2	111.0	155.5	22.2	510.8	44.4	70
120.8	21.4	10.2	131.0	239.3	26.0	170.5	18.1	66.6	5.6	15.3	6.8	86.9	2.3	4.5	71.1	76.8	23.7	386.1	10.2	71

[8] Colored population less than 10 per cent of total

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	MASSACHUSETTS—continued.														
1	Franklin County	1,596.7	.....	.....	.....	3.0	12.1	18.1	12.1	15.1	6.0	81.5	3.0	15.1	.....
2	Hampden County	1,601.3	20.7	9.2	.....	9.2	32.2	9.2	36.8	16.1	6.9	101.2	13.8	4.6	13.8
3	Hampshire County	1,424.1	9.1	4.5	.....	18.2	6.8	2.3	9.1	31.8	4.5	75.1	6.8	9.1	9.1
4	Middlesex County*	1,908.9	8.4	.....	.....	8.4	5.0	3.4	7.6	25.2	8.4	336.5	9.2	22.7	7.6
5	Nantucket County	2,025.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	135.0	.....	.....	.....
6	Norfolk County *	1,345.0	4.0	1.0	.....	3.0	2.0	6.1	10.1	22.2	5.0	120.2	12.1	8.1	8.1
7	Plymouth County *	1,573.1	13.2	2.6	.....	5.3	1.3	4.0	7.9	17.2	9.3	177.3	4.0	6.6	4.0
8	Worcester County *	1,570.6	5.2	0.7	.....	11.2	5.2	10.5	18.0	22.5	3.0	145.3	8.2	16.5	12.0
	MICHIGAN.														
9	Total	1,329.7	19.3	1.0	2.2	9.7	8.9	9.0	14.5	17.8	4.4	74.7	3.3	10.5	8.7
10	White	1,319.7	19.0	1.0	2.2	9.5	9.0	8.6	14.5	17.7	4.3	70.6	3.3	10.1	8.6
11	Colored	2,580.8	49.5	.....	.....	28.3	.....	56.6	7.1	35.4	14.1	579.8	.....	49.5	21.2
12	Alcona County	964.4	17.5	.....	.....	.....	17.5	87.7	.....	35.1	.....	105.2	.....	.....	.....
13	Alger County	1,386.9	51.8	.....	.....	13.0	77.8	38.9	103.7	.....	.....	38.9	.....	13.0	13.0
14	Allegan County	1,392.8	30.1	2.5	.....	7.5	7.5	7.5	7.5	12.5	7.5	100.4	10.0	10.0	12.5
15	Alpena County	1,102.4	.....	.....	.....	68.9	.....	27.6	13.8	.....	.....	82.7	.....	13.8	13.8
16	Antrim County	1,191.6	31.9	.....	.....	.....	.....	6.4	31.9	12.7	.....	38.2	6.4	6.4	6.4
17	Arenac County	1,008.2	.....	.....	.....	52.0	10.4	10.4	10.4	.....	.....	103.9	.....	10.4	.....
18	Baraga County	1,006.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	16.2	.....	16.2	32.5
19	Barry County	1,319.9	13.2	.....	.....	4.4	4.4	4.4	8.8	66.2	.....	22.1	.....	13.2	.....
20	Bay County	1,031.1	13.0	.....	17.3	13.0	47.7	8.7	4.3	13.0	8.7	65.0	.....	4.3	4.3
21	Benzie County	1,203.8	9.4	18.8	.....	.....	.....	9.4	.....	18.8	.....	56.4	.....	.....	9.4
22	Berrien County	1,303.7	31.6	3.7	.....	5.6	9.3	11.2	5.6	16.7	3.7	86.0	3.7	22.3	3.7
23	Branch County	1,497.4	7.8	3.9	.....	3.9	11.7	.....	19.5	39.1	11.7	62.6	.....	3.9	11.7
24	Calhoun County	1,404.8	28.7	3.2	.....	3.2	3.2	15.9	3.2	54.2	6.4	47.8	.....	12.7	6.4
25	Cass County	1,472.5	29.1	.....	.....	4.8	.....	9.7	4.8	.....	.....	87.2	.....	9.7	4.8
26	Charlevoix County	1,147.5	10.4	.....	.....	.....	15.6	.....	20.8	20.8	10.4	98.7	.....	10.4	.....
27	Cheboygan County	1,307.8	39.1	.....	.....	22.4	22.4	27.9	5.6	.....	5.6	72.7	.....	16.8	5.6
28	Chippewa County	907.6	8.4	.....	.....	16.8	8.4	25.2	8.4	8.4	.....	58.8	.....	.....	8.4
29	Clare County	1,157.9	21.6	.....	.....	32.5	.....	.....	.....	.....	.....	43.3	.....	21.6	.....
30	Clinton County	1,331.5	4.3	.....	.....	26.0	.....	4.3	8.7	21.7	.....	34.7	4.3	.....	.....
31	Crawford County	1,372.0	.....	.....	.....	25.4	.....	25.4	25.4	.....	.....	152.4	.....	25.4	.....
32	Delta County	1,150.4	17.7	.....	.....	5.9	5.9	29.5	29.5	.....	5.9	64.9	5.9	.....	.....
33	Dickinson County	1,117.5	4.9	.....	.....	14.6	53.4	.....	19.4	.....	9.7	58.3	9.7	14.6	.....
34	Eaton County	1,443.0	19.7	.....	.....	16.4	9.8	23.0	9.8	13.1	.....	104.9	.....	13.1	13.1
35	Emmet County	1,243.0	16.1	.....	.....	.....	.....	5.4	5.4	16.1	.....	80.7	.....	5.4	5.4
36	Genesee County	1,553.6	7.7	3.9	.....	3.9	3.9	15.4	11.6	23.1	7.7	46.3	.....	19.3	11.6
37	Gladwin County	1,011.1	11.9	.....	23.8	.....	.....	23.8	.....	.....	.....	23.8	.....	.....	.....
38	Gogebic County	1,759.5	9.4	.....	.....	.....	28.2	.....	103.5	.....	.....	103.5	9.4	28.2	18.8
39	Grand Traverse County	1,329.4	8.6	.....	.....	.....	17.2	17.2	17.2	17.2	.....	94.3	.....	8.6	8.6
40	Gratiot County	1,230.9	27.8	.....	.....	17.4	.....	.....	7.0	13.9	.....	66.1	7.0	20.9	20.9
41	Hillsdale County	1,489.8	30.3	.....	.....	6.7	6.7	.....	13.5	37.1	6.7	67.4	.....	3.4	16.9
42	Houghton County	1,270.3	13.5	.....	1.1	20.3	16.9	11.3	60.9	1.1	6.8	87.9	14.7	10.1	5.6
43	Huron County	1,079.1	11.5	.....	2.9	8.6	.....	5.8	20.1	5.8	.....	48.9	5.8	2.9	8.6
44	Ingham County	1,343.2	27.2	4.5	.....	9.1	.....	4.5	.....	40.8	.....	63.5	4.5	4.5	9.1
45	Ionia County *	1,301.0	26.9	3.0	.....	3.0	9.0	.....	3.0	26.9	3.0	50.7	.....	9.0	17.9
46	Iosco County	1,223.5	20.6	.....	.....	.....	.....	.....	41.1	30.8	.....	51.4	10.3	20.6	10.3
47	Iron County	1,254.5	6.5	.....	.....	32.5	.....	26.0	6.5	6.5	6.5	32.5	.....	19.5	6.5
48	Isabella County	1,143.9	17.4	.....	.....	34.8	.....	4.3	.....	4.3	.....	78.3	.....	17.4	.....
49	Jackson County	1,518.3	.....	.....	.....	9.1	.....	.....	9.1	22.7	4.5	31.8	4.5	.....	22.7
50	Kalamazoo County	1,431.6	9.5	4.8	.....	.....	14.3	4.8	.....	33.3	9.5	66.6	.....	9.5	9.5
51	Kalkaska County	1,577.5	86.3	.....	.....	24.6	12.3	.....	12.3	.....	.....	98.6	.....	12.3	.....
52	Kent County *	1,562.9	10.7	2.1	.....	2.1	10.7	8.6	12.8	19.3	2.1	102.8	2.1	10.7	6.4
53	Keweenaw County	1,338.3	.....	.....	.....	.....	13.8	.....	55.2	.....	.....	124.2	13.8	27.6	13.8
54	Lake County	952.0	.....	.....	.....	.....	.....	20.3	.....	20.3	.....	101.3	.....	.....	.....
55	Lapeer County	1,700.2	30.8	.....	73.1	19.2	.....	19.2	7.7	26.9	7.7	76.9	3.8	30.8	3.8
56	Leelanau County	1,603.6	28.3	.....	.....	.....	9.4	.....	9.4	.....	.....	150.9	9.4	37.7	9.4
57	Lenawee County	1,450.2	18.9	.....	.....	18.9	.....	5.4	2.7	35.0	2.7	51.2	2.7	2.7	16.2
58	Livingston County	1,338.7	.....	.....	.....	5.6	.....	5.6	.....	11.3	5.6	84.7	5.6	5.6	11.3
59	Luce County *	2,719.6	99.8	.....	.....	.....	.....	49.9	.....	.....	.....	274.5	.....	49.9	25.0
60	Mackinac County	1,400.3	32.3	.....	.....	.....	.....	21.5	10.8	.....	.....	75.4	.....	.....	10.8
61	Macomb County	1,525.1	18.4	3.1	.....	3.1	15.3	15.3	36.8	15.3	9.2	107.4	3.1	12.3	12.3
62	Manistee County	1,125.8	7.8	.....	7.0	14.0	.....	.....	.....	7.0	.....	139.9	7.0	14.0	.....
63	Marquette County	1,210.4	26.1	.....	.....	4.4	.....	8.7	39.2	4.4	4.4	52.2	4.4	4.4	13.1
64	Mason County	1,154.7	13.7	4.6	.....	4.6	9.1	18.3	13.7	22.8	9.1	91.3	.....	4.6	4.6
65	Mecosta County	1,296.3	5.1	.....	.....	15.4	10.3	5.1	10.3	5.1	20.6	66.9	.....	15.4	5.1
66	Menominee County	1,004.4	13.2	.....	.....	.....	6.6	13.2	33.0	13.2	13.2	79.3	6.6	6.6	19.8
67	Midland County	1,408.9	28.6	.....	.....	28.6	7.2	.....	14.3	7.2	7.2	100.1	.....	14.3	.....
68	Missaukee County	1,073.6	28.3	.....	.....	.....	.....	.....	9.4	65.9	.....	75.3	9.4	.....	28.3
69	Monroe County	1,282.0	30.4	.....	.....	12.2	.....	12.2	3.0	6.1	.....	79.0	.....	6.1	9.1
70	Montcalm County	1,392.6	21.9	.....	.....	3.1	12.5	6.2	6.2	31.2	.....	93.7	3.1	9.4	12.5
71	Montmorency County	1,302.2	.....	.....	.....	.....	.....	.....	26.6	.....	.....	106.3	.....	26.6	.....
72	Muskegon County	1,295.7	6.1	.....	.....	6.1	.....	.....	6.1	30.3	.....	54.5	.....	6.1	12.1
73	Newaygo County	1,091.0	15.6	.....	.....	.....	36.4	.....	5.2	46.8	.....	57.1	10.4	20.8	5.2
74	Oakland County	1,525.6	17.1	.....	.....	5.7	5.7	5.7	14.3	22.8	5.7	31.4	2.9	8.6	11.4
75	Oceana County	1,119.4	16.3	.....	.....	.....	5.4	.....	5.4	32.6	.....	59.8	5.4	21.7	5.4
76	Ogemaw County	786.5	11.2	.....	.....	.....	11.2	11.2	.....	11.2	.....	22.5	.....	.....	.....

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
114.7	30.2	15.1	157.0	238.5	30.2	138.8	12.1	54.3	15.1	9.1	18.1	99.6	3.0	9.1	69.4	87.5	12.1	280.7	36.2	1
48.3	9.2	32.2	82.8	126.5	32.2	197.9	16.1	119.6	.....	9.2	13.8	92.0	4.6	6.9	75.9	78.2	9.2	345.1	27.6	2
88.7	20.5	15.9	88.7	191.1	29.6	141.0	6.8	120.6	2.3	4.5	11.4	86.4	2.3	4.5	79.6	61.4	13.6	252.5	15.9	3
143.5	19.3	8.4	139.3	214.0	36.1	145.2	17.6	49.5	5.0	5.0	12.6	88.9	1.7	10.1	67.1	78.0	11.7	397.7	15.9	4
168.7	67.5	.....	202.5	371.2	.....	270.0	33.7	.....	.....	.....	33.7	135.0	.....	33.7	101.2	.....	.....	405.0	67.5	5
86.8	28.3	12.1	109.0	168.6	29.3	114.1	5.0	41.4	5.0	12.1	4.0	63.6	2.0	3.0	68.7	52.5	15.1	304.9	17.2	6
117.8	22.5	13.2	138.9	242.1	39.7	91.3	14.6	59.5	4.0	6.6	2.6	79.4	4.0	6.6	62.2	79.4	11.9	305.6	18.5	7
72.6	21.0	14.2	116.8	193.2	27.0	163.3	12.0	87.6	4.5	9.0	12.7	95.1	0.7	5.2	74.1	65.2	14.2	307.1	16.5	8
72.3	14.9	11.2	80.3	160.0	23.9	74.6	17.6	72.0	10.1	12.3	12.0	66.8	6.2	9.7	71.8	77.0	10.3	314.3	28.4	9
72.3	15.0	11.1	80.2	159.6	24.0	73.5	17.3	71.7	10.0	12.3	12.1	66.3	6.2	9.7	72.0	76.3	10.4	313.1	27.8	10
70.7	7.1	21.2	91.9	205.0	14.1	205.0	56.6	106.1	21.2	7.1	7.1	120.2	7.1	14.1	49.5	169.7	.....	459.6	106.1	11
70.1	.....	.....	.....	70.1	.....	17.5	.....	70.1	.....	.....	17.5	.....	.....	.....	122.7	35.1	.....	280.6	17.5	12
38.9	13.0	13.0	38.9	38.9	51.8	103.7	25.9	285.2	.....	.....	38.9	13.0	.....	13.0	116.7	90.7	.....	116.7	38.9	13
57.7	30.1	10.0	87.8	198.2	42.7	52.7	10.0	65.2	10.0	15.1	7.5	100.4	.....	10.0	60.2	65.2	7.5	323.7	22.6	14
13.8	.....	13.8	13.8	82.7	41.3	96.4	27.6	110.2	13.8	.....	.....	13.8	27.6	13.8	27.6	110.2	.....	220.5	55.1	15
31.9	31.9	6.4	31.9	223.0	19.1	57.4	.....	70.1	6.4	19.1	.....	57.4	25.5	6.4	89.2	51.0	6.4	286.8	31.9	16
52.0	10.4	.....	41.6	135.1	21.2	52.0	10.4	62.4	10.4	20.8	20.8	31.2	10.4	20.8	93.5	20.8	10.4	166.3	10.4	17
64.9	.....	.....	81.1	81.1	.....	113.6	16.2	.....	.....	16.2	16.2	64.9	16.2	16.2	16.2	146.0	16.2	243.4	32.5	18
114.8	22.1	.....	70.6	256.0	17.7	66.2	4.4	17.7	8.8	30.9	4.4	79.5	.....	8.8	61.8	61.8	8.8	331.1	17.7	19
47.7	8.7	13.0	47.7	104.0	4.3	86.6	13.0	52.0	8.7	17.3	21.7	17.3	8.7	.....	69.3	82.3	4.3	194.9	30.3	20
28.2	18.8	.....	75.2	178.7	28.2	65.8	9.4	75.2	.....	9.4	18.8	28.2	9.4	18.8	122.3	94.0	.....	263.3	37.6	21
76.2	11.2	7.4	65.1	200.8	16.7	44.6	24.2	52.1	9.3	9.3	16.7	94.8	5.6	7.4	63.2	98.6	11.2	271.5	20.5	22
82.1	31.3	11.7	121.2	218.9	23.5	62.6	7.8	50.8	7.8	11.7	7.8	78.2	7.8	11.7	62.6	74.3	3.9	430.1	15.6	23
117.9	41.4	6.4	111.5	232.5	31.9	79.6	9.6	44.6	12.7	6.4	6.4	35.0	19.1	6.4	57.3	60.5	12.7	312.2	15.9	24
125.9	19.4	9.7	111.4	188.9	9.7	77.5	38.8	43.6	4.8	19.4	9.7	121.1	4.8	14.5	38.8	58.1	14.5	392.3	19.4	25
36.3	10.4	15.6	46.7	129.8	36.3	67.5	15.6	77.9	.....	15.6	10.4	26.0	10.4	26.0	83.1	46.7	5.2	264.8	36.3	26
22.4	11.2	22.4	50.3	117.4	50.3	89.4	22.4	100.6	11.2	16.8	5.6	27.9	16.8	.....	55.9	111.8	.....	329.7	27.9	27
.....	.....	.....	58.8	84.0	8.4	84.0	8.4	92.4	.....	8.4	16.8	16.8	.....	16.8	92.4	58.8	8.4	193.3	16.8	28
64.9	21.6	10.8	64.9	162.3	.....	43.3	10.8	86.6	32.5	32.5	10.8	43.3	10.8	10.8	75.7	54.1	.....	238.1	64.9	29
91.1	26.0	21.7	99.8	221.2	17.3	56.4	4.3	56.4	17.3	8.7	13.0	69.4	8.7	8.7	69.4	39.0	8.7	360.0	30.4	30
.....	.....	.....	76.2	25.4	25.4	50.8	50.8	76.2	.....	25.4	101.6	.....	.....	.....	177.8	203.3	50.8	228.7	25.4	31
82.6	5.9	.....	23.6	88.5	23.6	70.8	29.5	159.3	11.8	11.8	17.7	17.7	5.9	.....	82.6	70.8	29.5	194.7	59.0	32
24.3	4.9	14.6	34.0	87.5	19.4	77.7	14.6	204.1	14.6	4.9	9.7	34.0	.....	4.9	77.7	97.2	4.9	160.3	43.7	33
101.7	13.1	19.7	101.7	193.5	9.8	68.9	19.7	45.9	23.0	19.7	23.0	82.0	6.6	9.8	36.1	62.3	9.8	354.2	19.7	34
64.6	10.8	10.8	70.0	118.4	48.4	86.1	21.5	70.0	10.8	5.4	10.8	86.1	10.8	26.9	75.3	107.6	5.4	236.8	32.3	35
84.8	19.3	15.4	134.9	196.6	30.8	73.2	19.3	81.0	3.9	11.6	.....	65.5	3.9	19.3	69.4	100.2	.....	408.6	61.7	36
83.3	11.9	11.9	35.7	83.3	47.6	11.9	.....	71.4	.....	.....	.....	59.5	11.9	23.8	107.1	71.4	11.9	261.7	23.8	37
56.5	.....	18.8	.....	28.2	28.2	75.3	37.6	319.9	18.8	.....	.....	18.8	9.4	9.4	216.4	235.2	18.8	291.7	75.3	38
51.5	60.0	.....	68.6	145.8	25.7	77.2	17.2	77.2	8.6	17.2	8.6	42.9	.....	8.6	60.0	85.8	34.3	334.5	17.2	39
73.0	10.4	20.9	97.4	146.0	17.4	73.0	13.9	55.6	17.4	7.0	7.0	55.6	.....	10.4	52.2	48.7	13.9	312.9	17.4	40
94.4	13.5	16.9	94.4	168.5	20.2	47.2	6.7	60.7	10.1	20.2	30.3	77.5	3.4	3.4	50.6	53.9	10.1	492.1	27.0	41
62.0	5.6	15.8	39.5	80.0	25.9	98.1	12.4	137.5	19.2	12.4	9.0	41.7	7.9	15.8	91.3	109.3	6.8	202.9	27.1	42
71.9	.....	2.9	63.3	123.7	23.0	77.7	11.5	71.9	20.1	14.4	14.4	57.6	8.6	.....	54.7	43.2	2.9	273.4	23.0	43
104.4	18.2	13.6	122.5	190.6	.....	90.8	31.8	22.7	13.6	4.5	4.5	54.5	4.5	4.5	54.5	77.1	13.6	331.3	18.2	44
68.6	23.9	14.9	101.5	223.8	17.9	44.8	3.0	50.7	3.0	9.0	20.9	95.5	3.0	9.0	68.6	62.7	11.9	304.4	11.9	45
30.8	10.3	.....	51.4	185.1	10.3	30.8	20.6	102.8	10.3	.....	20.6	72.0	41.1	10.3	72.0	72.0	.....	267.3	30.8	46
65.0	.....	.....	26.0	26.0	65.0	110.5	26.0	169.0	13.0	.....	13.0	19.5	.....	19.5	97.5	227.5	6.5	143.0	84.5	47
65.2	21.7	17.4	69.6	169.6	39.1	87.0	17.4	43.5	.....	.....	21.7	47.8	.....	4.3	69.6	65.2	13.0	221.8	13.0	48
113.6	31.8	9.1	145.5	218.2	40.9	118.2	13.6	31.8	4.5	13.6	9.1	72.7	.....	4.5	72.7	118.2	9.1	350.0	36.4	49
104.6	33.3	4.8	147.4	195.0	23.8	57.1	23.8	19.0	.....	14.3	14.3	66.6	4.8	9.5	61.8	85.6	23.8	361.5	19.0	50
37.0	12.3	12.3	98.6	184.9	37.0	61.6	37.0	135.6	12.3	.....	.....	123.2	12.3	12.3	110.9	110.9	12.3	308.1	12.3	51
107.0	17.1	10.7	113.5	284.7	34.3	79.2	21.4	34.3	10.7	2.1	15.0	109.2	2.1	8.6	53.5	64.2	8.6	378.9	17.1	52
.....	13.8	.....	.....	27.6	69.0	96.6	27.6	234.5	.....	.....	.....	41.4	13.8	41.4	110.4	124.2	.....	275.9	13.8	53
20.3	.....	.....	60.8	101.3	40.5	81.0	20.3	40.5	.....	.....	.....	20.3	.....	20.3	60.8	141.8	.....	202.6	.....	54
57.7	11.5	7.7	103.9	196.2	23.1	142.3	30.8	42.3	15.4	15.4	30.8	84.6	3.8	11.5	53.9	69.2	15.4	457.7	26.9	55
37.7	28.3	.....	56.6	103.8	18.9	28.3	28.3	103.8	18.9	9.4	18.9	94.3	28.3	18.9	103.8	103.8	28.3	452.8	66.0	56
105.1	10.8	13.5	134.8	223.7	18.9	43.1	18.9	29.7	5.4	24.3	8.1	70.1	10.8	10.8	56.6	91.6	16.2	372.0	29.7	57
67.8	28.2	11.3	73.4	254.2	11.3	73.4	16.9	39.5	11.3	16.9	11.3	62.1	11.3	.....	62.1	62.1	11.3	344.6	33.9	58
74.9	.....	25.0	224.6	174.7	.....	99.8	49.9	124.8	25.0	.....	74.9	25.0	.....	25.0	99.8	124.8	49.9	973.1	49.9	59
64.6	.....	32.3	.....	86.2	10.8	107.7	86.2	140.0	21.5	32.3	10.8	53.9	.....	21.5	53.9	161.6	21.5	323.1	21.5	60
104.3	12.3	3.1	144.2	110.5	27.6	92.1	9.2	52.2	9.2	15.3	12.3	147.3	3.1	12.3	70.6	64.4	9.2	340.6	33.8	61
90.9	.....	.....	69.9	111.9	55.9	97.9	7.0	48.9	21.0	21.0	.....	69.9	.....	7.0	55.9	42.0	7.0	202.8	21.0	62
43.5	4.4	.....	43.5	47.9	39.2	39.2	34.8	113.2	13.1	13.1	.....	43.5	13.1	39.2	117.6	217.7	13.1	182.9	30.5	63
59.3	18.3	27.4	31.9	123.2	13.7	36.5	13.7	63.9	9.1	36.5	27.4	45.6	4.6	13.7	63.9	86.7	13.7	260.2	9.1	64
102.9	30.9	10.3	72.0	133.7	30.9	41.1	5.1	61.7	15.4	20.6	15.4	72.0	10.3	10.3	102.9	66.9	.....	303.5	30.9	65
33.0	.....	19.8	33.0	92.5	19.8	105.7	26.4	112.3	.....	13.2	.....	19.8	6.6	6.6	59.5	85.9	13.2	132.2	19.8	66
71.5	.....	14.3	100.1	200.2	21.5	100.1	.....	78.7	14.3	21.5	28.6	71.5	14.3	14.3	107.3	21.5	21.5	278.9	21.5	67
84.8	.....	.....	18.8	75.3	9.4	94.2	28.3	65.9	.....	9.4	.....	65.9	.....	9.4	47.1	47.1	.....	244.9	56.5	68
88.1	6.1	3.0	63.8	215.7	24.3	66.8	21.3	54.7	24.3	15.2	12.2	66.8	.....	12.2	72.9	79.0	3.0	235.6	9.1	69
78.1	12.5	6.2	71.8	203.0	34.3	53.1	12.5	56.2	12.5	3.1	9.4	74.9	3.1	9.4	62.4	43.7	9.4	393.4	43.7	70
26.6	.....	.....	79.7	79.7	.....	106.3	26.6	53.1	.....	53.1	26.6	79.7	.....	26.6	79.7	186.0	53.1	239.2	26.6	71
78.7	30.3	12.1	72.7	224.0	36.3	102.9	18.2	36.3	12.1	6.1	12.1	84.8	6.1	.....	60.5	36.3	24.2	314.8	6.1	72
36.4	5.2	.....	46.8	166.3	26.0	52.0	5.2	52.0	10.4	15.6	.....	46.8	5.2	5.2	77.9	41.6	10.4	265.0	26.0	73
71.3	17.1	14.3	116.9	182.5	22.8	71.3	25.7	62.7	17.1	8.6	20.0	77.0	11.4	8.6	45.6	85.5	14.3	473.4	48.5	74
70.6	10.9	.....	76.1	157.6	32.6	59.8	10.9	76.1	10.9	10.9	10.9	32.6	5.4	.....	86.9	54.3	10.9	222.8	27.2	75
33.7	.....	.....	56.2	78.7	.....	33.7	22.5	22.5	11.2	11.2	11.2	89.9	11.2	.....	33.7	22.5	.....	258.4	22.5	76

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	MICHIGAN—continued.														
1	Ontonagon County	1,045.7	23.0	.....	.....	23.0	.....	11.5	.....	.....	.....	68.9	.....	11.5	.....
2	Osceola County	1,136.4	16.8	.....	.....	5.6	11.2	11.2	5.6	11.2	5.6	33.6	5.6	22.4	11.2
3	Oscoda County	1,132.4	.....	.....	.....	.....	.....	.....	49.2	.....	.....	49.2	.....	49.2	.....
4	Otsego County	1,210.2	30.6	.....	.....	.....	.....	.....	15.3	46.0	.....	30.6	.....	.....	30.6
5	Ottawa County	1,141.5	2.9	.....	.....	2.9	8.6	2.9	2.9	25.8	5.7	71.7	.....	11.5	2.9
6	Presque Isle County	1,323.0	8.9	.....	.....	8.9	.....	44.4	35.5	.....	.....	88.8	.....	.....	.....
7	Roscommon County	915.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	130.8	.....	.....	.....
8	Saginaw County	1,263.9	18.1	.....	28.4	7.7	2.6	.....	5.2	5.2	5.2	54.2	5.2	10.3	10.3
9	St. Clair County	1,293.3	18.0	3.0	.....	9.0	6.0	12.0	9.0	23.9	.....	95.8	3.0	3.0	6.0
10	St. Joseph County	1,462.1	3.9	7.8	.....	3.9	7.8	.....	7.8	31.3	7.8	70.4	.....	11.7	19.5
11	Sanilac County	1,103.3	17.7	.....	.....	11.8	8.9	8.9	17.7	20.7	.....	53.1	3.0	5.9	3.0
12	Schoolcraft County	1,232.4	11.5	.....	.....	11.5	69.1	11.5	23.0	23.0	.....	57.6	.....	11.5	11.5
13	Shiawassee County	1,417.4	24.1	.....	.....	6.0	6.0	9.0	9.0	12.0	9.0	75.2	.....	3.0	9.0
14	Tuscola County	1,270.2	11.5	.....	.....	22.9	8.6	14.3	8.6	17.2	8.6	57.3	.....	5.7	5.7
15	Van Buren County	1,400.9	36.2	.....	.....	3.0	3.0	18.1	3.0	12.1	3.0	57.4	6.0	6.0	12.1
16	Washtenaw County	1,499.1	10.1	.....	.....	13.4	10.1	.....	6.7	30.2	3.4	73.8	3.4	13.4	10.1
17	Wayne County	1,753.6	42.0	1.5	.....	3.0	10.5	9.0	24.0	9.0	12.0	172.7	.....	13.5	10.5
18	Wexford County	1,282.2	52.8	.....	.....	24.0	24.0	.....	9.6	28.8	4.8	48.0	9.6	4.8	9.6
	MINNESOTA.														
19	Total	1,016.7	24.5	0.1	0.4	10.8	9.9	8.4	17.6	5.9	3.2	79.4	6.9	10.0	6.0
20	White	1,019.8	24.6	0.1	0.4	10.5	9.9	8.4	17.7	5.9	3.1	79.6	6.7	10.1	6.0
21	Colored	567.4	20.3	.....	.....	60.8	10.1	10.1	.....	.....	10.1	50.7	30.4	.....	10.1
22	Aitkin County	855.4	28.8	.....	.....	.....	28.8	.....	19.2	9.6	9.6	57.7	.....	19.2	9.6
23	Anoka County*	1,239.2	48.0	.....	.....	32.0	16.0	.....	8.0	8.0	.....	135.9	16.0	48.0	16.0
24	Becker County	934.1	15.9	.....	.....	.....	15.9	.....	10.6	.....	.....	47.8	5.3	5.3	5.3
25	Beltrami County	1,355.5	81.8	.....	.....	30.7	.....	15.3	51.2	.....	15.3	112.5	15.3	15.3	.....
26	Benton County	1,091.5	9.6	.....	.....	.....	.....	38.3	19.1	9.6	.....	95.7	.....	9.6	9.6
27	Bigstone County	929.3	42.7	.....	.....	.....	.....	.....	.....	10.7	.....	53.4	.....	10.7	10.7
28	Blue Earth County	909.2	.....	.....	.....	15.9	.....	.....	15.9	5.3	5.3	58.1	.....	.....	5.3
29	Brown County	1,083.6	5.0	.....	.....	14.9	29.8	.....	14.9	5.0	9.9	74.6	5.0	14.9	5.0
30	Carlton County	1,033.1	39.7	.....	.....	11.4	.....	17.0	28.4	.....	.....	119.2	.....	5.7	.....
31	Carver County	986.0	11.5	.....	.....	11.5	.....	.....	34.4	5.7	5.7	68.8	.....	22.9	22.9
32	Cass County†	678.5	25.8	.....	.....	.....	8.6	.....	8.6	8.6	.....	85.9	8.6	.....	.....
33	Chippewa County	906.3	7.4	.....	.....	7.4	29.7	.....	7.4	.....	.....	44.6	7.4	14.9	.....
34	Chisago County	1,236.8	22.2	.....	.....	.....	.....	.....	22.2	22.2	14.8	103.7	.....	.....	7.4
35	Clay County	844.9	35.6	.....	.....	30.5	30.5	20.4	15.3	.....	.....	45.8	10.2	.....	5.1
36	Clearwater County	1,277.4	58.1	.....	.....	14.5	.....	14.5	72.6	.....	.....	116.1	.....	14.5	14.5
37	Cook County†	676.2	75.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
38	Cottonwood County	901.0	15.8	.....	.....	71.1	.....	7.9	23.7	7.9	.....	55.3	23.7	.....	.....
39	Crow Wing County	1,429.0	118.6	.....	.....	29.6	5.9	.....	53.4	17.8	11.9	53.4	5.9	11.9	.....
40	Dakota County*	1,010.2	.....	.....	.....	4.0	19.8	.....	39.6	.....	15.8	103.0	4.0	23.8	.....
41	Dodge County	936.5	.....	.....	.....	.....	8.3	.....	24.9	8.3	.....	66.3	16.6	.....	24.9
42	Douglas County	1,004.4	11.3	.....	.....	5.7	.....	5.7	.....	5.7	11.3	102.1	5.7	22.7	5.7
43	Faribault County	998.6	.....	.....	5.0	5.0	.....	5.0	35.1	10.0	.....	75.3	5.0	.....	5.0
44	Fillmore County	1,038.5	11.7	.....	.....	11.7	11.7	3.9	3.9	11.7	.....	85.9	3.9	.....	19.5
45	Freeborn County	1,001.1	4.5	4.5	.....	.....	4.5	18.0	18.0	4.5	4.5	71.8	9.0	4.5	.....
46	Goodhue County	1,106.3	12.6	.....	.....	6.3	9.5	3.2	12.6	12.6	3.2	107.5	6.3	3.2	.....
47	Grant County	1,045.0	22.0	.....	.....	11.0	22.0	.....	.....	.....	.....	154.0	.....	.....	.....
48	Hennepin County	790.7	6.2	.....	.....	6.2	24.9	6.2	18.7	.....	3.1	49.8	9.3	3.1	3.1
49	Houston County	967.5	.....	.....	.....	.....	.....	7.0	7.0	.....	.....	56.1	.....	7.0	.....
50	Hubbard County	942.6	30.4	.....	.....	10.1	10.1	.....	40.5	.....	.....	40.5	.....	.....	.....
51	Isanti County	1,245.8	7.9	.....	.....	31.7	31.7	.....	.....	.....	.....	134.9	7.9	.....	23.8
52	Itasca County[3]	1,086.7	31.4	.....	.....	11.6	5.8	.....	5.8	.....	5.8	58.1	5.8	5.8	5.8
53	Jackson County	1,119.0	.....	.....	.....	55.3	27.6	27.6	6.9	6.9	6.9	69.1	13.8	.....	6.9
54	Kanabec County	1,004.3	30.9	.....	.....	.....	15.5	15.5	.....	15.5	.....	46.4	.....	15.5	.....
55	Kandiyohi County	918.6	5.3	.....	.....	10.6	5.3	5.3	15.8	15.8	.....	84.5	5.3	5.3	.....
56	Kittson County	724.6	20.7	.....	.....	.....	10.4	10.4	.....	.....	.....	93.2	.....	10.4	10.4
57	Koochiching County[3]	948.5	62.2	.....	.....	15.5	46.6	.....	.....	.....	.....	46.6	.....	.....	.....
58	Lac qui Parle County	802.8	12.9	.....	.....	6.5	.....	.....	32.4	.....	6.5	58.3	.....	32.4	.....
59	Lake County	1,410.0	173.2	.....	.....	37.1	.....	.....	61.8	.....	12.4	61.8	24.7	.....	.....
60	Le Sueur County	1,051.9	10.8	.....	5.4	32.4	5.4	16.2	21.6	5.4	.....	53.9	.....	.....	10.8
61	Lincoln County	709.2	10.1	.....	.....	20.3	.....	10.1	10.1	20.3	.....	50.7	.....	.....	.....
62	Lyon County	948.9	19.1	.....	.....	6.4	19.1	25.5	6.4	12.7	.....	70.1	6.4	12.7	12.7
63	McLeod County	942.9	21.4	.....	.....	10.7	5.4	.....	10.7	5.4	.....	80.4	10.7	5.4	.....
64	Mahnomen County†[3]	400.1	30.8	.....	.....	.....	.....	.....	.....	.....	.....	61.6	61.6	.....	.....
65	Marshall County	1,148.7	67.6	.....	6.1	6.1	6.1	12.3	18.4	18.4	.....	104.4	6.1	12.3	6.1
66	Martin County	770.7	11.4	.....	.....	.....	.....	.....	17.1	5.7	5.7	40.0	11.4	17.1	.....
67	Meeker County	1,001.0	.....	.....	.....	.....	.....	.....	11.8	.....	.....	106.0	5.9	11.8	23.6
68	Mille Lacs County	828.7	9.3	.....	.....	9.3	.....	9.3	37.2	.....	.....	46.6	.....	9.3	.....
69	Morrison County	932.1	16.6	.....	.....	25.0	20.8	12.5	41.6	.....	.....	95.7	12.5	4.2	12.5
70	Mower County	887.3	17.7	.....	.....	.....	.....	17.7	17.7	4.4	4.4	66.2	13.2	8.8	8.8
71	Murray County	757.1	.....	.....	.....	.....	8.5	.....	8.5	8.5	8.5	25.5	.....	.....	.....
72	Nicollet County*	1,341.4	120.7	.....	.....	.....	.....	.....	14.2	14.2	.....	212.9	14.2	7.1	7.1
73	Nobles County	749.2	6.6	.....	.....	.....	13.1	.....	19.7	.....	.....	52.6	6.6	19.7	.....
74	Norman County[3]	818.1	22.3	.....	.....	.....	.....	29.7	14.9	.....	.....	119.0	7.4	.....	7.4
75	Olmsted County*	2,244.4	26.7	4.4	.....	.....	4.4	.....	22.2	4.4	8.9	137.8	13.3	57.8	4.4
76	Otter Tail County*	1,395.2	47.9	.....	.....	6.5	15.2	6.5	10.9	8.7	.....	148.0	4.4	32.6	6.5

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.].

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
34.5	23.0	.....	34.5	57.5	68.9	80.4	23.0	103.4	11.5	.....	.....	34.5	.....	.....	68.9	68.9	34.5	241.3	23.0	1
56.0	.....	16.8	44.8	145.6	33.6	25.0	5.6	67.2	16.8	.....	11.2	100.8	5.6	22.4	89.6	61.6	5.6	285.5	.....	2
98.5	.....	.....	49.2	246.2	.....	98.5	.....	49.2	.....	.....	.....	49.2	.....	.....	49.2	49.2	.....	295.4	.....	3
91.9	15.3	.....	15.3	46.0	15.3	76.6	30.6	183.8	15.3	.....	15.3	76.6	.....	.....	137.9	46.0	.....	275.7	15.3	4
71.7	5.7	8.6	94.6	120.5	14.3	71.7	28.7	63.1	5.7	17.2	5.7	63.1	2.9	2.9	74.6	60.2	11.5	266.7	14.3	5
53.3	26.6	.....	35.5	97.7	8.9	71.0	17.8	142.1	.....	35.5	.....	17.8	35.5	8.9	124.3	26.6	8.9	346.3	79.9	6
130.8	.....	.....	.....	130.8	.....	43.6	.....	130.8	.....	.....	.....	43.6	.....	.....	43.6	87.2	.....	174.4	.....	7
54.2	23.2	23.2	61.9	149.6	33.5	69.6	18.1	80.0	5.2	7.7	15.5	74.8	.....	5.2	87.7	80.0	2.6	294.0	25.8	8
56.9	9.0	6.0	98.8	131.7	18.0	104.8	23.9	44.9	15.0	15.0	9.0	50.9	6.0	3.0	50.9	62.9	3.0	380.2	15.0	9
70.4	27.4	27.4	156.4	195.5	19.5	89.9	15.6	31.3	7.8	3.9	11.7	97.7	7.8	15.6	58.6	66.5	3.9	359.7	23.5	10
59.0	11.8	23.6	76.7	103.3	8.9	73.8	14.8	35.4	11.8	8.9	5.9	56.1	5.9	8.9	91.5	29.5	8.9	298.0	20.7	11
11.5	11.5	.....	34.6	149.7	23.0	80.6	11.5	92.1	.....	.....	23.0	46.1	23.0	.....	161.3	34.6	11.5	253.4	34.6	12
78.2	33.1	12.0	81.3	231.7	27.1	66.2	21.1	63.2	9.0	15.0	6.0	81.3	.....	3.0	42.1	90.3	6.0	364.1	24.1	13
71.7	14.3	5.7	103.2	157.7	17.2	97.5	8.6	83.2	5.7	8.6	8.6	57.3	5.7	11.5	57.3	48.7	22.9	298.2	25.8	14
99.6	24.2	21.1	81.5	196.2	15.1	75.5	15.1	48.3	6.0	3.0	15.1	114.7	3.0	9.1	69.4	60.4	3.0	353.2	27.2	15
114.0	16.8	20.1	140.9	201.2	6.7	80.5	20.1	63.7	3.4	23.5	10.1	80.5	.....	6.7	33.5	83.8	13.4	379.0	26.8	16
73.6	10.5	13.5	91.6	150.1	21.0	111.1	24.0	82.6	.....	10.5	7.5	88.6	3.0	9 0	88.6	88.6	22.5	484.9	64.6	17
67.2	.....	9.6	67.2	163.3	9.6	62.4	19.2	86.4	4.8	19.2	19.2	43.2	9.6	.....	120.1	72.0	4.8	244.9	43.2	18
63.8	11.8	8.3	42.3	76.4	13.2	75.9	11.7	57.7	13.3	10.5	6.1	52.3	4.4	6.3	51.1	74.4	9.7	216.3	28.1	19
64.1	11.9	8.4	42.5	76.6	13.1	75.7	11.8	57.9	13.4	10.6	6.2	52.6	4.5	6.3	51.3	74.5	9.7	217.3	28.3	20
20.3	.....	.....	10.1	40.5	20.3	101.3	.....	20.3	.....	.....	.....	.....	.....	.....	10.1	60.8	10.1	60.8	10.1	21
96.1	.....	19.2	9.6	67.3	.....	57.7	9.6	67.3	.....	.....	9.6	28.8	.....	9.6	38.4	57.7	28.8	153.8	19.2	22
64.0	16.0	24.0	87.9	111.9	8.0	71.9	8.0	32.0	.....	8.0	40.0	111.9	.....	8.0	40.0	48.0	16.0	207.9	8.0	23
37.2	26.5	5.3	42.5	42.5	10.6	63.7	5.3	63.7	.....	5.3	10.6	69.0	15.9	5.3	26.5	74.3	21.2	254.8	47.8	24
30.7	5.1	15.3	51.2	61.4	5.1	97.2	5.1	107.4	30.7	10.2	.....	40.9	5.1	15.3	76.7	143.2	46.0	225.1	46.0	25
47.9	.....	.....	47.9	95.7	9.6	114.9	19.1	162.8	.....	.....	.....	9.6	9.6	9.6	19.1	76.6	19.1	172.3	86.2	26
53.4	.....	32.0	53.4	21.4	21.4	85.5	.....	85.5	21.4	.....	21.4	42.7	.....	.....	53.4	42.7	32.0	224.3	10.7	27
34.6	10.6	5.3	58.1	95.2	15.9	84.6	5.3	10.6	.....	5.3	5.3	79.3	5.3	.....	26.4	100.4	.....	195.6	15.9	28
69.6	19.9	19.9	69.6	54.7	19.9	74.6	9.9	39.8	14.9	14.9	.....	39.8	5.0	14.9	79.5	39.8	9.9	278.4	29.8	29
34.1	.....	.....	28.4	68.1	17.0	73.8	22.7	136.2	.....	.....	.....	22.7	.....	5.7	85.1	113.5	11.4	164.6	28.4	30
40.1	22.9	17.2	74.5	97.5	34.4	86.0	34.4	22.9	11.5	.....	5.7	22.9	.....	.....	63.1	45.9	11.5	194.9	17.2	31
51.5	.....	8.6	34.4	17.2	8.6	42.9	17.2	34.4	.....	.....	.....	.....	.....	.....	25.8	42.9	17.2	180.4	51.5	32
96.6	7.4	.....	22.3	59.4	.....	111 4	.....	37.1	7.4	.....	.....	59.4	22.3	.....	59.4	104.0	14.9	148.6	37.1	33
96.3	22.2	14.8	81.5	133.3	7.4	162.9	14.8	22.2	.....	22.2	.....	88.9	.....	.....	29.6	74.1	7.4	237.0	29.6	34
56.0	5.1	5.1	40.7	45.8	15.3	45.8	15.3	45.8	10.2	.....	10.2	15.3	5.1	15.3	40.7	86.5	20.4	162.9	10.2	35
43.5	.....	.....	43.5	72.6	14.5	72.6	29.0	87.1	.....	14.5	.....	29.6	.....	29.0	43.5	72.6	14.5	275.8	130.6	36
.....	.....	.....	.....	.....	.....	.....	75.1	.....	.....	.....	.....	.....	.....	.....	.....	375.7	.....	150.3	.....	37
55.3	15.8	7.9	71.1	31.6	.....	39.5	.....	55.3	.....	23.7	.....	63.2	.....	7.9	39.5	39.5	7.9	189.7	47.4	38
77.1	5.9	17.8	53.4	71.2	17.8	160.1	5.9	112.7	11.9	29.6	17.8	53.4	.....	.....	41.5	112.7	5.9	308.3	17.8	39
114.9	19.8	11.9	15.8	130.7	.....	51.5	7.9	27.7	.....	15.8	11.9	27.7	.....	4.0	79.2	95.1	4.0	166.4	15.8	40
116.0	41.4	8.3	49.7	74.6	.....	74.6	8.3	24.9	.....	.....	.....	41.4	.....	16.6	33.2	49.7	.....	232.1	16.6	41
73.8	17.0	.....	79.4	102.1	5.7	39.7	5.7	39.7	22.7	11.3	5.7	90.8	17.0	5.7	22.7	39.7	11.3	221.3	17.0	42
75.3	20.1	.....	55.2	95.3	10.0	60.2	10.0	50.2	20.1	15.1	.....	45.2	.....	.....	40.1	80.3	10.0	245.9	20.1	43
78.1	15.6	3.9	46.8	124.9	19.5	62.5	7.8	46.8	11.7	19.5	7.8	27.3	.....	.....	50.8	35.1	3.9	296.7	15.6	44
94.3	13.5	13.5	76.3	71.8	18.0	58.4	9.0	49.4	9.0	9.0	9.0	35.9	9.0	13.5	58.4	53.9	4.5	237.9	13.5	45
69.5	12.6	6.3	66.4	104.3	15.8	79.0	19.0	34.8	12.6	12.6	12.6	72.7	9.5	9.5	50.6	56.9	3.2	243.4	37.9	46
77.0	.....	22.0	44.0	44.0	33.0	55.0	22.0	44.0	.....	.....	11.0	66.0	.....	.....	44.0	55.0	11.0	264.0	44.0	47
52.9	3.1	9.3	40.5	59.1	24.9	49.8	21.8	31.1	.....	6.2	3.1	43.6	9.3	6.2	37.4	80.9	15.6	158.8	6.2	48
70.1	14.0	14.0	42.1	154.2	14.0	77.1	14.0	28.0	14.0	.....	.....	84.1	.....	.....	42.1	49.1	7.0	231.4	35.1	49
30.4	20.3	.....	50.7	111.5	30.4	81.1	10.1	71.0	10.1	10.1	10.1	50.7	10.1	.....	50.7	81.1	20.3	141.9	20.3	50
47.6	7.9	23.8	23.8	174.6	7.9	111.1	15.9	95.2	23.8	.....	7.9	71.4	15.9	15.9	71.4	55.5	.....	198.4	39.7	51
17.4	.....	5.8	5.8	63.9	11.6	52.3	.....	127.8	11.6	11.6	.....	40.7	.....	5.8	75.5	278.9	.....	145.3	46.5	52
103.6	6.9	6.9	27.6	103.6	13.8	69.1	13.8	48.4	34.5	20.7	6.9	103.6	.....	27.6	34.5	55.3	.....	193.4	27.6	53
46.4	.....	.....	30.9	108.2	.....	123.6	.....	46.4	.....	.....	30.9	46.4	.....	15.5	46.4	46.4	30.9	216.3	77.3	54
89.7	15.8	5.3	63.4	73.9	26.4	68.6	5.3	10.6	5.3	15.8	.....	31.7	.....	15.8	52.8	31.7	15.8	190.1	47.5	55
10.4	20.7	.....	.....	31.1	10.4	82.8	10.4	93.2	10.4	10.4	.....	20.7	10.4	.....	31.1	72.5	.....	144.9	10.4	56
46.6	15.5	.....	15.5	31.1	.....	62.2	15.5	46.6	.....	.....	.....	.....	15.5	15.5	31.1	264.3	15.5	139.9	62.2	57
32.4	25.9	.....	6.5	45.3	6.5	45.3	6.5	38.8	45.3	12.9	.....	45.3	.....	.....	45.3	58.3	6.5	200.7	32.4	58
49.5	24.7	.....	24.7	74.2	.....	111.3	37.1	61.8	24.7	12.4	12.4	49.5	.....	12.4	37.1	197.9	37.1	235.0	37.1	59
48.5	.....	10.8	32.4	97.1	27.0	91.7	5.4	27.0	.....	10.8	16.2	64.7	5.4	.....	75.5	59.3	16.2	280.5	21.6	60
40.5	10.1	.....	.....	60.8	10.1	30.4	10.1	70.9	.....	20.3	.....	30.4	.....	.....	40.5	30.4	.....	212.8	20.3	61
63.7	6.4	6.4	44.6	57.3	19.1	44.6	19.1	63.7	6.4	.....	.....	19.1	.....	6.4	70.1	70.1	6.4	222.9	31.8	62
75.0	10.7	16.1	48.2	96.4	16.1	37.5	16.1	48.2	10.7	21.4	.....	80.4	.....	5.4	26.8	42.9	10.7	208.9	21.4	63
30.8	.....	.....	.....	.....	.....	30.8	.....	.....	.....	.....	.....	.....	.....	.....	30.8	.....	.....	61.6	92.3	64
92.1	30.7	6.1	30.7	49.1	12.3	92.1	12.3	86.0	55.3	24.6	.....	36.9	12.3	.....	24.6	61.4	.....	215.0	43.0	65
51.4	.....	17.1	40.0	51.4	5.7	68.5	11.4	34.3	11.4	11.4	5.7	11.4	.....	.....	85.6	57.1	.....	171.3	28.5	66
76.5	23.6	11.8	82.4	23.6	5.9	88.3	5.9	58.9	23.6	11.8	5.9	29.4	.....	.....	41.2	100.1	.....	206.1	47.1	67
37.2	18.6	.....	37.2	65.2	.....	55.9	18.6	46.6	27.9	27.9	.....	37.2	.....	.....	37.2	55.9	9.3	186.2	46.6	68
29.1	4.2	12.5	37.5	49.9	.....	45.8	8.3	70.7	12.5	.....	16.6	70.7	12.5	.....	33.3	41.6	.....	183.1	62.4	69
66.2	17.7	4.4	70.6	83.9	8.8	88.3	.....	35.3	13.2	4.4	8.8	39.7	4.4	4.4	35.3	48.6	8.8	176.6	8.8	70
42.5	8.5	8.5	8.5	51.0	17.0	93.6	17.0	51.0	17.0	17.0	.....	34.0	8.5	.....	85.1	34.0	.....	187.1	17.0	71
71.0	21.3	7.1	35.5	78.1	7.1	78.1	.....	35.5	7.1	14.2	7.1	312.3	.....	.....	21.3	28.4	14.2	198.7	14.2	72
46.0	13.1	6.6	26.3	65.7	19.7	32.9	19.7	32.9	26.3	.....	6.6	32.9	.....	.....	98.6	46.0	.....	157.7	.....	73
59.5	7.4	14.9	37.2	7.4	.....	37.2	22.3	66.9	.....	.....	.....	7.4	.....	14.9	37.2	52.1	22.3	185.9	44.6	74
324.4	44.4	22.2	102.2	128.9	22.2	151.1	44.4	35.6	35.6	53.3	26.7	204.4	4.4	4.4	26.7	93.3	13.3	591.1	31.1	75
76.2	15.2	8.7	41.4	115.4	13.1	87.1	15.2	69.7	32.6	21.8	6.5	93.6	8.7	.....	41.4	60.9	13.1	343.9	43.5	76

[3] Rates based on population enumerated April 15, 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	MINNESOTA—continued.														
1	Pine County	816.5	25.1			6.3	6.3	31.4		6.3		87.9	12.6	12.6	6.3
2	Pipestone County	806.4						10.5		20.9		104.7		10.5	10.5
3	Polk County	1,026.4	30.6			27.8	8.3	19.5	27.8	5.6	2.8	83.4	5.6	5.6	11.1
4	Pope County	1,014.2	15.7		7.9	7.9		47.2	7.9	7.9		55.0	23.6	31.4	7.9
5	Ramsey County	931.0				11.2	33.7	22.4	44.9	11.2		67.3	11.2		11.2
6	Red Lake County [3]	966.1	56.5			31.4	6.3	18.8	43.9	6.3	6.3	81.6			
7	Redwood County	722.9	5.4			32.6	10.9	5.4	5.4	5.4		76.1			10.9
8	Renville County	797.1	8.7			8.7	4.3	4.3	21.7	13.0	8.7	47.6	4.3	4.3	13.0
9	Rice County	1,270.4	11.6		3.9	3.9	11.6	7.7	19.3		3.9	208.5		3.9	3.9
10	Rock County	771.3	9.8		9.8							48.8			
11	Roseau County	881.5	26.4			8.8	35.3	35.3	26.4		8.8	70.5		8.8	8.8
12	St. Louis County	1,190.8	57.0			5.3	15.9	17.2	15.9		4.0	75.5	11.9	6.6	4.0
13	Scott County	1,034.9	6.7			6.7	33.6		13.4	6.7		73.9		20.2	13.4
14	Sherburne County	1,023.1	40.9					13.6	40.9	13.6		54.6			
15	Sibley County	935.1	6.4			19.3	12.9		6.4			58.0		25.8	
16	Stearns County	900.1	17.9			12.8	2.6	5.1	12.8	2.6	2.6	79.3	10.2	10.2	5.1
17	Steele County	979.7	6.2					18.6	12.4	12.4		62.0	6.2	12.4	6.2
18	Stevens County	1,005.6	36.3				24.2		12.1		12.1	24.2		24.2	12.1
19	Swift County	967.3	7.7				31.0	38.7	15.5	31.0		69.6	23.2	7.7	15.5
20	Todd County	869.2	25.7			25.7	4.3		4.3		4.3	47.1	8.6	8.6	8.6
21	Traverse County †	621.0	49.7				12.4	12.4	12.4						
22	Wabasha County	1,116.0	16.2			5.4	16.2	5.4	27.0	10.8	5.4	32.3		10.8	10.8
23	Wadena County	974.0	11.6						11.6	11.6		81.2	11.6	11.6	11.6
24	Waseca County	1,010.5	14.9				7.4			7.4		74.3	14.9	22.3	
25	Washington County	918.4	6.3			6.3		19.0	19.0			69.7		6.3	
26	Watonwan County	729.5	8.8			17.6				8.8		26.4	26.4	8.8	
27	Wilkin County	1,104.5	99.4			11.0			11.0	22.1		33.1			
28	Winona County	960.4				13.5			20.3	6.8		20.3		6.8	6.8
29	Wright County	1,017.0	7.1				7.1		14.3	14.3	7.1	85.6	14.3	7.1	3.6
30	Yellow Medicine County	734.5	6.5			19.5	13.0		6.5			52.0	6.5		6.5
	MONTANA.														
31	Total	883.7	29.3		0.4	3.6	11.8	8.9	12.5	5.7	2.5	57.2	2.5	6.8	6.1
32	White	913.5	30.0		0.4	3.8	12.4	9.0	13.1	6.0	2.6	56.7	2.3	6.4	6.4
33	Colored	286.4	15.1					7.5				67.8	7.5	15.1	
34	Beaverhead County	1,052.0	30.9				46.4		46.4			77.4	15.5		
35	Broadwater County	1,111.4					114.0			28.5				28.5	
36	Carbon County	957.6	21.3			7.1	14.2	28.4	14.2	21.3	7.1	28.4			7.1
37	Cascade County †	668.0	46.8			20.0			20.0			20.0			6.7
38	Chouteau County	733.1	28.9			17.3	5.8	11.5	17.3		5.8	80.8		11.5	5.8
39	Custer County †	672.0	70.0		7.0		14.0		7.0			28.0		7.0	14.0
40	Dawson County	857.7							30.9	7.7	15.5	30.9		7.7	15.5
41	Deer Lodge County *	3,435.0							35.1			140.2		35.1	
42	Fergus County †	636.1	45.4					28.4	17.0	5.7		5.7			5.7
43	Flathead County	1,146.5	63.1				31.6	10.5			5.3	78.9	5.3		
44	Gallatin County	903.0	35.3					7.1	7.1	21.2		21.2		7.1	
45	Granite County	892.6										137.3			34.3
46	Jefferson County	1,106.0	35.7						17.8			35.7			
47	Lewis and Clark County	844.2	10.7				10.7	10.7				64.1			10.7
48	Lincoln County	1,112.6						27.1				27.1			
49	Madison County	955.7					13.9	27.7	27.7	13.9		97.0			
50	Meagher County †	591.7					23.7		23.7			47.3		23.7	23.7
51	Missoula County †	686.5	9.3						9.3			37.1		9.3	9.3
52	Park County	1,231.3	37.0				18.5		9.3	9.3	9.3	83.3		9.3	9.3
53	Powell County	945.6										67.5	16.9		
54	Ravalli County	808.7	8.5				8.5	25.5	8.5	17.0		85.1	8.5	8.5	
55	Rosebud County †	297.0	12.4							12.4		12.4		12.4	
56	Sanders County †	637.8				26.6									
57	Silver Bow County	1,576.7	22.5				16.9	16.9	28.2	5.6		214.0	11.3	16.9	16.9
58	Sweet Grass County †	642.3	24.7									49.4		24.7	
59	Teton County †	549.8	41.5			20.7	10.4				10.4			10.4	10.4
60	Valley County †	506.3	79.6					7.2				57.9	7.2	7.2	
61	Yellowstone County	785.7					38.1		15.3	7.6		38.1		7.6	
	NEW HAMPSHIRE.														
62	Total	1,712.8	10.1	0.4		9.0	1.6	9.4	14.0	27.3	5.5	107.3	2.7	13.3	3.9
63	White	1,713.1	10.2	0.4		9.0	1.6	9.4	14.1	27.3	5.5	107.4	2.3	13.3	3.9
64	Colored	1,483.7											296.7		
65	Belknap County	1,825.9	9.0									107.9		9.0	9.0
66	Carroll County	1,797.1				18.4				42.9		104.3		6.1	
67	Cheshire County	1,741.3						29.2	24.3	19.5	19.5	77.8		24.3	9.7
68	Coos County	1,367.5	21.1			15.8		10.6		26.4	5.3	37.0			
69	Grafton County	1,571.9	12.0			2.4		2.4	9.6	38.4	2.4	74.4	4.8	9.6	
70	Hillsborough County	1,888.8	6.7				6.7	10.0	10.0	30.0	10.0	123.5		13.3	6.7
71	Merrimack County	1,785.2	15.7			6.3		3.1	18.9	34.6		116.3	6.3	31.4	3.1
72	Rockingham County	1,717.7	4.9	2.4		4.9	4.9	7.3	29.3	26.9	7.3	117.3		12.2	7.3
73	Strafford County	1,762.9	19.5			46.7		23.3	19.5	23.3	3.9	190.7	7.8	15.6	3.9
74	Sullivan County	1,719.6	10.3					10.3	5.2	5.2	5.2	108.4	5.2		

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
44.0	.....	12.6	18.8	12.6	.....	81.7	6.3	50.2	12.6	18.8	.....	18.8	25.1	.....	44.0	100.5	12.6	150.7	12.6	1
94.3	.....	20.9	10.5	41.9	20.9	73.3	31.4	41.9	10.5	.....	.....	62.3	.....	.....	20.9	41.9	.....	157.1	20.9	2
55.6	5.6	2.8	33.4	69.5	16.7	69.5	2.8	80.7	25.0	11.1	5.6	44.5	8.3	5.6	30.6	77.9	5.6	233.7	13.9	3
78.6	7.9	7.9	47.2	102.2	.....	62.9	.....	102.2	47.2	7.9	7.9	55.0	.....	.....	23.6	23.6	15.7	180.8	31.4	4
11.2	.....	.....	67.3	33.7	22.4	78.5	11.2	78.5	.....	11.2	.....	22.4	.....	.....	33.7	89.7	22.4	235.6	.....	5
50.2	6.3	6.3	62.7	31.4	6.3	50.2	12.5	43.9	18.8	31.4	12.5	25.1	.....	.....	25.1	31.4	.....	276.0	25.1	6
16.3	.....	.....	38.0	16.3	10.9	65.2	10.9	32.6	32.6	5.4	5.4	21.7	.....	16.3	27.2	59.8	.....	201.1	10.9	7
13.0	8.7	.....	39.0	52.0	26.0	43.3	4.3	65.0	.....	17.3	.....	30.3	4.3	.....	60.6	52.0	17.3	199.3	26.0	8
85.0	15.4	11.6	38.6	154.5	7.7	115.8	3.9	38.6	19.3	.....	11.6	46.3	3.9	19.3	57.9	61.8	.....	289.6	11.6	9
29.3	29.3	.....	58.6	39.1	9.8	97.6	.....	68.3	39.1	.....	.....	29.3	.....	19.5	78.1	78.1	9.8	117.2	.....	10
35.3	8.8	.....	8.8	52.9	17.6	44.1	8.8	44.1	17.6	.....	8.8	26.4	.....	8.8	70.5	44.1	.....	185.1	70.5	11
19.9	2.6	7.9	9.3	29.1	6.6	141.7	6.6	164.2	6.6	5.3	5.3	27.8	5.3	9.3	100.7	227.8	17.2	157.6	26.5	12
107.5	13.4	.....	60.5	80.6	40.3	60.5	13.4	26.9	13.4	6.7	6.7	80.6	6.7	6.7	13.4	60.5	6.7	215.1	40.3	13
40.9	.....	.....	54.6	150.0	13.6	40.9	.....	54.6	.....	.....	.....	95.5	.....	.....	27.3	40.9	.....	313.7	27.3	14
58.0	.....	6.4	45.1	122.5	6.4	77.4	12.9	51.6	.....	6.4	32.2	33.8	.....	6.4	77.4	12.9	.....	187.0	19.3	15
48.6	12.8	5.1	28.1	74.2	12.8	51.1	15.3	46.0	7.7	15.3	.....	30.7	2.6	7.7	46.0	40.9	7.7	248.0	38.4	16
105.4	18.6	6.2	43.4	99.2	31.0	99.2	18.6	37.2	12.4	6.2	6.2	43.4	.....	18.6	31.0	49.6	12.4	186.0	18.6	17
72.7	12.1	48.5	36.3	60.6	.....	72.7	24.2	84.8	12.1	12.1	.....	48.5	.....	.....	24.2	60.6	12.1	254.4	24.2	18
38.7	7.7	7.7	31.0	46.4	7.7	92.9	.....	92.9	15.5	15.5	7.7	38.7	7.7	7.7	61.9	38.7	7.7	147.0	54.2	19
72.8	17.1	12.8	25.7	102.8	12.8	72.8	8.6	34.3	25.7	12.8	4.3	51.4	4.3	4.3	42.8	51.4	4.3	145.6	25.7	20
37.3	12.4	.....	24.8	49.7	.....	49.7	24.8	24.8	12.4	.....	.....	74.5	12.4	.....	49.7	24.8	.....	111.8	24.8	21
80.9	10.8	5.4	64.7	134.8	10.8	64.7	16.2	10.8	5.4	.....	5.4	118.6	.....	16.2	64.7	53.9	10.8	285.7	16.2	22
46.4	.....	11.6	34.8	116.0	.....	34.8	23.2	46.4	.....	11.6	11.6	46.4	.....	11.6	116.0	34.8	.....	243.5	34.8	23
66.9	37.1	14.9	81.7	104.0	81.7	22.3	.....	37.1	.....	.....	.....	52.0	.....	14.9	81.7	29.7	14.9	208.0	22.3	24
88.7	6.3	6.3	25.3	95.0	6.3	76.0	19.0	25.3	19.0	6.3	12.7	38.0	.....	.....	31.7	101.3	19.0	196.4	19.0	25
26.4	.....	8.8	52.7	105.5	17.6	61.5	17.6	35.2	8.8	.....	.....	26.4	8.8	8.8	79.1	52.7	.....	96.7	26.4	26
55.2	11.0	22.1	44.2	88.4	.....	66.3	11.0	110.4	44.2	11.0	.....	77.3	.....	.....	55.2	99.4	22.1	187.8	22.1	27
74.4	20.3	6.8	101.5	67.6	40.6	74.4	20.3	6.8	6.8	27.1	6.8	67.6	6.8	6.8	47.3	47.3	13.5	230.0	13.5	28
71.4	21.4	.....	35.7	89.2	.....	74.9	17.8	35.7	7.1	10.7	.....	50.0	3.6	10.7	67.8	53.5	3.6	278.3	25.0	29
58.5	.....	.....	13.0	65.0	13.0	84.5	.....	32.5	6.5	.....	.....	26.0	13.0	.....	58.5	65.0	.....	169.0	19.5	30
29.0	6.8	10.4	26.1	60.4	8.6	56.1	11.4	50.4	8.9	9.3	6.1	49.3	6.1	7.1	46.5	146.6	17.9	162.7	16.8	31
30.4	7.1	10.5	26.6	62.7	9.0	58.9	12.0	51.8	9.0	9.4	6.4	51.8	6.4	7.5	48.8	150.9	18.8	168.9	17.6	32
.....	.....	7.5	15.1	15.1	.....	.....	.....	22.6	7.5	7.5	.....	.....	.....	.....	.....	60.3	.....	37.7	.....	33
30.9	15.5	.....	46.4	92.8	15.5	77.4	.....	30.9	.....	.....	15.5	139.2	.....	.....	61.9	108.3	46.4	139.2	15.5	34
28.5	.....	85.5	28.5	57.0	.....	.....	.....	28.5	.....	28.5	.....	28.5	.....	.....	85.5	228.0	28.5	285.0	28.5	35
21.3	.....	.....	21.3	63.8	7.1	127.7	21.3	78.0	7.1	.....	7.1	21.3	14.2	7.1	78.0	149.0	21.3	149.0	14.2	36
26.7	.....	.....	13.4	20.0	.....	20.0	.....	40.1	6.7	13.4	6.7	6.7	13.4	13.4	80.2	140.3	13.4	126.9	13.4	37
17.3	.....	.....	11.5	46.2	5.8	28.9	.....	80.8	11.5	5.8	5.8	34.6	11.5	5.8	17.3	127.0	23.1	98.1	17.3	38
14.0	7.0	14.0	28.0	84.0	7.0	56.0	7.0	21.0	21.0	21.0	.....	14.0	7.0	28.0	.....	91.0	14.0	91.0	.....	39
54.1	7.7	15.5	23.2	30.9	23.2	38.6	15.5	54.1	23.2	.....	.....	61.8	.....	7.7	69.5	108.2	.....	170.0	46.4	40
105.2	35.1	.....	210.3	140.2	.....	70.1	.....	.....	.....	.....	.....	70.1	.....	.....	.....	245.4	35.1	2,103.0	210.3	41
22.7	5.7	11.4	5.7	11.4	5.7	51.1	17.0	56.8	.....	5.7	.....	28.4	11.4	11.4	17.0	56.8	17.0	170.4	22.7	42
63.1	21.0	15.8	31.6	105.2	.....	42.1	10.5	110.4	10.5	15.8	10.5	68.4	15.8	10.5	36.8	231.4	10.5	142.0	.....	43
63.5	.....	21.2	25.3	56.4	7.1	42.3	.....	21.2	21.2	7.1	14.1	119.0	7.1	7.1	105.8	77.6	7.1	183.4	7.1	44
.....	.....	.....	68.7	.....	.....	103.0	.....	68.7	.....	68.7	.....	34.3	.....	.....	34.3	68.7	34.3	240.3	.....	45
35.7	.....	.....	17.8	142.7	35.7	107.0	35.7	35.7	.....	.....	.....	71.4	.....	17.8	17.8	231.9	35.7	196.2	35.7	46
10.7	.....	10.7	32.1	117.5	21.4	64.1	10.7	21.4	.....	10.7	.....	64.1	.....	10.7	32.1	245.8	10.7	64.1	10.7	47
27.1	27.1	.....	81.4	27.1	27.1	108.5	.....	.....	27.1	.....	.....	27.1	.....	.....	108.5	298.5	54.3	217.1	27.1	48
69.3	27.7	.....	.....	97.0	.....	55.4	13.9	.....	.....	13.9	.....	69.3	13.9	.....	41.6	166.2	.....	180.1	27.7	49
.....	.....	.....	71.0	23.7	.....	47.3	.....	23.7	.....	.....	.....	23.7	.....	.....	71.0	94.7	47.3	47.3	.....	50
18.6	9.3	9.3	.....	55.7	.....	9.3	18.6	9.3	9.3	9.3	.....	9.3	.....	.....	46.4	231.9	37.1	139.2	.....	51
46.3	.....	9.3	92.6	64.8	.....	83.3	27.8	74.1	18.5	9.3	27.8	111.1	.....	.....	92.6	138.9	9.3	222.2	18.5	52
16.9	16.9	16.9	33.8	84.4	16.9	50.7	.....	50.7	16.9	.....	.....	135.1	.....	16.9	101.3	168.9	.....	135.1	.....	53
68.1	.....	8.5	17.0	76.6	8.5	42.6	.....	8.5	.....	.....	8.5	25.5	8.5	.....	51.1	42.6	25.5	195.8	51.1	54
.....	.....	.....	12.4	37.1	.....	.....	24.8	.....	.....	12.4	.....	.....	.....	.....	.....	99.0	.....	61.9	.....	55
53.1	.....	.....	.....	79.7	.....	26.6	.....	53.1	.....	.....	.....	26.6	.....	.....	.....	239.2	53.1	79.7	.....	56
16.9	11.3	28.2	11.3	123.9	28.2	146.4	39.4	129.5	11.3	28.2	22.5	101.4	5.6	.....	50.7	220.9	11.3	225.2	5.6	57
.....	24.7	24.7	24.7	.....	.....	49.4	24.7	74.1	.....	.....	.....	.....	.....	.....	49.4	123.5	24.7	98.8	24.7	58
10.4	.....	10.4	10.4	31.1	.....	41.5	10.4	20.7	20.7	.....	.....	51.9	.....	.....	20.7	124.5	10.4	83.0	.....	59
.....	.....	.....	21.7	14.5	.....	28.9	7.2	28.9	7.2	7.2	7.2	14.5	7.2	7.2	7.2	86.8	.....	72.3	28.9	60
.....	15.3	15.3	22.9	22.9	22.9	61.0	.....	68.7	.....	7.6	.....	22.9	.....	15.3	53.4	190.7	45.8	106.8	7.6	61
114.3	17.6	17.2	135.0	228.6	30.8	143.2	26.9	59.7	6.2	11.7	7.8	119.0	5.1	6.6	80.0	69.8	11.7	392.8	24.6	62
114.4	17.6	17.2	135.1	228.5	30.9	143.3	26.6	59.8	6.2	11.7	7.8	119.1	5.1	6.6	80.1	69.9	11.7	392.5	24.6	63
.....	.....	.....	.....	296.7	.....	.....	296.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	593.5	.....	64
152.9	9.0	9.0	134.9	341.8	9.0	72.0	27.0	9.0	.....	36.0	27.0	98.9	9.0	.....	72.0	54.0	.....	593.6	36.0	65
153.3	30.7	30.7	147.2	257.6	49.1	220.8	55.2	42.9	18.4	24.5	18.4	61.3	.....	6.1	85.9	36.8	24.5	343.5	18.4	66
102.1	19.5	34.0	150.8	194.6	48.6	141.1	29.2	97.3	4.9	14.6	9.7	111.9	19.5	4.9	116.7	48.6	.....	355.1	34.0	67
95.0	15.8	10.6	84.5	195.4	26.4	110.9	21.1	37.0	5.3	15.8	.....	89.8	.....	5.3	100.3	79.2	37.0	316.8	5.3	68
98.4	12.0	12.0	115.2	192.0	26.4	136.8	31.2	28.8	7.2	9.6	12.0	127.2	2.4	4.8	84.0	72.0	12.0	405.6	26.4	69
116.8	13.3	20.0	200.2	243.6	36.7	136.8	40.0	46.7	3.3	10.0	6.7	166.9	10.0	.....	83.4	80.1	6.7	433.8	16.7	70
135.1	18.9	3.1	179.1	242.0	40.9	128.9	15.7	59.7	9.4	12.6	3.1	119.4	3.1	18.9	84.9	78.6	9.4	358.3	28.3	71
109.9	24.4	24.4	114.8	263.9	17.1	127.0	12.2	78.2	4.9	4.9	2.4	112.4	4.9	2.4	44.0	85.5	14.7	417.8	26.9	72
101.2	15.6	15.6	89.5	190.7	42.8	155.7	19.5	120.6	3.9	7.8	7.8	109.0	.....	11.7	73.9	81.7	.....	330.8	31.1	73
113.6	15.5	15.5	129.1	216.9	10.3	216.9	36.1	51.6	5.2	5.2	5.2	149.8	5.2	10.3	82.6	36.1	15.5	428.6	20.7	74

[3] Including Pennington County, which was organized November 23, 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	NEW JERSEY.														
1	Total	1,431.1	13.7	1.9	.....	7.5	7.7	14.8	23.3	17.0	3.8	141.7	7.2	11.1	6.5
2	White	1,410.5	13.4	1.7	.....	7.7	7.6	12.2	24.0	17.5	3.9	132.6	6.5	10.4	6.5
3	Colored	1,932.8	19.6	5.6	.....	2.8	11.2	78.3	5.6	5.6	.....	363.6	22.4	28.0	5.6
4	Atlantic County	1,660.6	11.6	.....	.....	11.6	7.7	11.6	27.0	23.2	3.9	162.2	3.9	19.3	11.6
5	Bergen County	1,202.4	7.0	0.9	.....	4.3	7.0	17.4	22.6	14.8	3.5	110.4	7.0	14.8	2.6
6	Burlington County	1,650.7	30.0	1.5	.....	6.0	1.5	16.5	30.0	18.0	6.0	134.8	7.5	15.0	4.5
7	Camden County	1,499.3	20.9	2.1	.....	2.1	6.3	29.2	16.7	8.4	2.1	169.1	2.1	8.4	2.1
8	Cape May County	1,481.5	15.1	.....	.....	.....	.....	.....	10.1	10.1	.....	126.0	5.0	10.1	5.0
9	Cumberland County	1,459.3	17.5	7.0	.....	21.0	10.5	10.5	24.5	14.0	.....	126.0	10.5	35.0	10.5
10	Essex County	1,574.7	9.4	2.4	.....	11.8	75.6	28.3	106.2	9.4	9.4	191.2	11.8	11.8	9.4
11	Gloucester County	1,317.6	8.0	.....	.....	8.0	8.0	24.0	40.0	13.3	.....	144.0	8.0	8.0	.....
12	Hudson County	2,134.4	7.3	.....	.....	2.4	24.4	2.4	39.1	12.2	4.9	518.3	.....	14.7	19.6
13	Hunterdon County	1,456.1	11.9	.....	.....	3.0	3.0	3.0	6.0	23.8	6.0	140.0	6.0	.....	8.9
14	Mercer County	1,309.2	6.9	3.5	.....	10.4	6.9	20.7	13.8	41.5	3.5	145.1	.....	6.9	10.4
15	Middlesex County	1,269.7	6.7	3.4	.....	10.1	3.4	15.2	21.9	16.8	5.1	87.6	15.2	5.1	5.1
16	Monmouth County	1,409.9	15.4	2.8	.....	15.4	.....	14.0	16.8	21.0	2.8	96.7	9.8	8.4	9.8
17	Morris County *	1,549.5	4.8	6.4	.....	.....	.....	4.8	6.4	20.8	3.2	126.5	6.4	9.6	3.2
18	Ocean County	1,532.6	32.8	.....	.....	9.4	.....	.....	9.4	14.1	9.4	145.3	9.4	4.7	23.4
19	Passaic County	1,152.7	16.7	.....	.....	2.8	2.8	19.5	22.3	8.4	5.6	94.7	2.8	8.4	.....
20	Salem County	1,320.8	14.8	.....	.....	11.1	.....	7.4	14.8	14.8	.....	159.1	3.7	3.7	7.4
21	Somerset County	1,330.7	15.4	.....	.....	12.8	5.1	18.0	5.1	18.0	.....	84.8	2.6	15.4	2.6
22	Sussex County	1,388.9	18.6	7.4	.....	.....	.....	11.1	7.4	29.7	7.4	66.8	11.1	.....	3.7
23	Union County	1,229.9	15.0	.....	.....	8.6	.....	15.0	6.4	17.2	4.3	115.9	17.2	21.5	6.4
24	Warren County	1,487.5	20.4	.....	.....	13.6	.....	20.4	30.6	13.6	.....	119.1	.....	3.4	10.2
	NEW YORK.														
25	Total	1,595.5	16.0	1.4	0.1	9.8	8.8	9.3	10.3	29.3	4.1	122.5	5.6	10.3	8.1
26	White	1,592.0	15.9	1.3	0.1	9.8	8.7	9.2	10.5	29.4	4.0	119.9	5.5	10.1	8.0
27	Colored	1,882.4	17.8	7.1	.....	7.1	21.3	17.8	.....	21.3	10.7	338.0	14.2	24.9	14.2
28	Albany County	1,529.6	8.9	.....	.....	11.9	23.8	6.0	3.0	20.8	.....	110.1	14.9	6.0	3.0
29	Allegany County	1,504.6	16.9	.....	.....	12.1	4.8	.....	2.4	26.6	4.8	43.5	.....	2.4	9.7
30	Broome County	1,784.5	16.5	.....	.....	.....	29.6	3.3	6.6	29.6	.....	95.5	13.2	13.2	13.2
31	Cattaraugus County	1,401.0	15.7	.....	.....	11.7	9.8	2.0	5.9	33.3	5.9	68.5	.....	11.7	2.0
32	Cayuga County	1,464.0	52.5	3.1	.....	.....	3.1	.....	6.2	34.0	.....	89.6	3.1	9.3	3.1
33	Chautauqua County	1,505.4	3.5	.....	.....	12.4	8.8	10.6	15.9	42.4	7.1	61.8	7.1	14.1	5.3
34	Chemung County	1,775.8	22.8	.....	.....	5.7	.....	5.7	5.7	28.6	5.7	205.6	.....	5.7	5.7
35	Chenango County	1,683.4	11.3	2.8	.....	14.1	.....	2.8	11.3	64.7	2.8	73.2	8.4	5.6	11.3
36	Clinton County *	1,347.2	8.1	.....	.....	16.2	24.3	24.3	16.2	40.5	5.4	129.6	16.2	2.7	8.1
37	Columbia County	1,650.6	18.6	.....	.....	.....	.....	6.2	3.1	46.5	.....	117.9	9.3	3.1	6.2
38	Cortland County	1,748.7	16.9	.....	.....	11.3	11.3	.....	5.6	28.2	.....	56.4	11.3	5.6	16.9
39	Delaware County	1,590.1	37.3	.....	.....	28.6	11.0	24.2	6.6	35.1	4.4	65.9	2.2	8.8	8.8
40	Dutchess County *	2,111.7	13.4	5.0	.....	3.3	8.4	3.3	16.7	20.1	3.3	235.9	5.0	11.7	18.4
41	Erie County *[3]	1,470.4	7.7	.....	.....	16.5	27.6	5.5	14.3	23.1	3.3	106.9	3.3	9.9	4.4
42	Essex County	1,632.8	17.9	.....	.....	17.9	.....	14.9	35.8	50.7	3.0	179.1	6.0	6.0	11.9
43	Franklin County	1,789.0	24.1	.....	.....	46.0	.....	50.4	28.5	39.4	.....	383.2	19.7	15.3	10.9
44	Fulton County	1,548.8	7.4	.....	.....	.....	.....	7.4	.....	14.9	7.4	96.8	7.4	14.9	7.4
45	Genesee County	1,502.9	19.2	3.8	.....	19.2	.....	.....	3.8	46.1	.....	73.0	.....	11.5	15.4
46	Greene County	1,739.5	33.1	.....	.....	3.3	6.6	6.6	6.6	9.9	6.6	212.1	6.6	33.1	.....
47	Hamilton County	1,287.4	69.0	.....	.....	.....	23.0	.....	.....	23.0	.....	137.9	.....	23.0	.....
48	Herkimer County	1,526.8	2.3	.....	.....	6.8	2.3	11.3	11.3	22.7	.....	115.5	2.3	13.6	4.5
49	Jefferson County	1,651.1	29.9	1.9	.....	26.1	1.9	.....	3.7	35.4	1.9	93.3	5.6	7.5	7.5
50	Lewis County	1,505.4	8.1	.....	.....	4.0	.....	.....	8.1	44.4	12.1	113.0	.....	16.1	12.1
51	Livingston County	1,610.3	13.1	.....	.....	10.5	15.8	7.9	.....	15.8	7.9	162.9	5.3	10.5	13.1
52	Madison County	1,578.4	12.7	2.5	.....	7.6	5.1	10.2	2.5	43.3	.....	73.8	2.5	15.3	12.7
53	Monroe County	1,292.3	13.8	.....	.....	1.5	10.7	12.2	13.8	18.4	4.6	68.8	9.2	10.7	12.2
54	Montgomery County	1,698.6	19.0	.....	.....	7.6	3.8	11.4	11.4	22.8	15.2	106.4	3.8	7.6	7.6
55	Nassau County	1,336.4	7.1	2.4	.....	2.4	10.6	5.9	15.4	8.3	7.1	88.7	2.4	10.6	7.1
56	Niagara County	1,235.9	15.8	.....	.....	.....	15.8	9.5	3.2	18.9	6.3	69.4	6.3	3.2	9.5
57	Oneida County	1,403.0	11.8	3.4	.....	1.7	3.4	6.8	10.1	13.5	3.4	111.4	6.8	11.8	3.4
58	Onondaga County	1,478.9	25.3	.....	.....	1.6	7.9	4.8	17.4	23.8	6.3	102.9	1.6	14.3	7.9
59	Ontario County	1,519.3	15.1	.....	.....	2.5	5.0	7.5	5.0	25.1	2.5	57.8	.....	25.1	5.0
60	Orange County	1,669.4	15.0	1.4	1.4	16.4	15.0	13.7	21.9	27.3	4.1	132.6	8.2	9.6	13.7
61	Orleans County	1,561.2	9.4	.....	.....	.....	6.2	18.7	6.2	28.1	6.2	121.8	15.6	12.5	6.2
62	Oswego County	1,537.6	10.6	.....	.....	2.6	7.9	15.9	2.6	26.5	7.9	97.9	2.6	13.2	7.9
63	Otsego County	1,788.8	8.5	.....	.....	4.2	2.1	6.4	4.2	48.7	2.1	72.1	4.2	10.6	17.0
64	Putnam County	1,810.9	.....	13.6	.....	27.2	6.8	.....	6.8	40.8	.....	129.3	6.8	6.8	6.8
65	Rensselaer County	1,516.6	20.1	.....	.....	.....	11.5	2.9	14.4	25.9	2.9	109.4	11.5	14.4	5.8
66	Rockland County	1,418.3	10.6	12.8	.....	8.5	6.4	10.6	8.5	14.9	6.4	142.7	.....	6.4	12.8
67	St. Lawrence County	1,455.0	17.8	.....	.....	31.5	1.4	9.6	6.9	37.0	2.7	76.8	9.6	5.5	2.7
68	Saratoga County	1,670.1	26.4	.....	.....	16.3	26.4	6.1	8.1	36.6	6.1	113.8	4.1	6.1	8.1
69	Schenectady County	1,166.5	.....	.....	.....	19.3	.....	.....	19.3	6.4	.....	83.8	12.9	12.9	6.4
70	Schoharie County	1,655.7	8.4	4.2	.....	29.4	8.4	42.0	8.4	37.8	.....	88.2	.....	12.6	8.4
71	Schuyler County	1,532.8	7.2	7.2	.....	.....	.....	14.3	.....	64.5	7.2	64.5	7.2	7.2	14.3
72	Seneca County *	2,092.6	29.7	.....	.....	3.7	7.4	3.7	3.7	37.1	11.1	185.5	3.7	18.6	18.6
73	Steuben County	1,882.0	8.9	.....	.....	3.6	7.1	8.9	1.8	23.2	.....	75.0	3.6	7.1	10.7
74	Suffolk County *	2,124.6	17.6	1.0	.....	14.5	10.4	14.5	11.4	31.1	7.3	197.9	5.2	9.3	5.2
75	Sullivan County	1,980.9	26.6	.....	.....	.....	20.7	5.9	8.9	35.5	3.0	568.5	3.0	17.8	3.0
76	Tioga County	1,544.4	7.8	.....	.....	.....	3.9	3.9	3.9	46.9	.....	62.6	7.8	11.7	15.6

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
72.6	15.6	12.7	104.9	138.1	21.7	126.4	15.3	91.1	6.0	7.3	13.3	109.0	3.5	6.8	64.2	79.8	13.0	251.8	21.8	1
74.3	15.8	12.2	105.9	139.1	21.0	123.2	15.3	89.9	6.1	7.2	13.4	107.3	3.4	7.0	62.1	80.6	13.6	248.4	20.6	2
30.8	8.4	25.2	81.1	114.7	39.2	204.2	16.8	120.3	2.8	8.4	11.2	151.0	5.6	2.8	114.7	58.7	.....	335.7	53.1	3
69.5	19.3	23.2	146.8	146.8	30.9	142.9	34.8	85.0	.....	7.7	7.7	131.3	7.7	.....	69.5	108.1	11.6	293.5	30.9	4
59.1	9.6	18.3	80.9	145.2	19.1	131.3	13.0	84.3	8.7	8.7	16.5	73.0	2.6	3.5	53.9	80.9	20.0	144.3	17.4	5
100.4	16.5	10.5	122.8	130.3	21.0	140.8	18.0	134.8	1.5	4.5	21.0	140.8	6.0	12.0	95.9	62.9	7.5	292.1	40.4	6
45.9	12.5	6.3	116.9	152.4	12.5	131.5	14.6	96.1	6.3	4.2	6.3	125.3	4.2	6.3	60.6	60.6	6.3	327.8	33.4	7
105.8	40.3	15.1	151.2	115.9	20.2	80.6	35.3	115.9	.....	15.1	15.1	95.7	.....	15.1	60.5	131.0	.....	246.9	40.3	8
87.5	14.0	21.0	126.0	175.0	10.5	91.0	28.0	66.5	14.0	10.5	10.5	91.0	3.5	10.5	70.0	56.0	7.0	269.5	10.5	9
59.0	23.6	14.2	101.5	132.2	23.6	148.7	18.9	61.4	.....	7.1	14.2	120.4	.....	11.8	54.3	37.8	11.8	252.6	4.7	10
93.4	.....	5.3	61.3	138.7	26.7	138.7	16.0	104.0	.....	.....	8.0	90.7	.....	2.7	69.3	58.7	2.7	232.1	8.0	11
68.5	17.1	26.9	73.3	117.4	24.4	166.2	19.6	112.5	17.1	12.2	19.6	122.2	9.8	7.3	80.7	110.0	29.3	432.7	22.0	12
116.1	14.9	14.9	112.7	172.7	8.9	83.4	17.9	56.6	6.0	17.9	.....	142.9	8.9	8.9	53.6	65.5	14.9	247.2	20.8	13
65.6	20.7	10.4	65.6	120.9	48.4	72.5	.....	58.7	17.3	.....	17.3	120.9	10.4	6.9	41.5	96.7	17.3	245.3	3.5	14
43.8	16.8	10.1	80.8	106.1	20.2	99.3	8.4	146.5	1.7	8.4	5.1	77.5	5.1	10.1	82.5	109.5	15.2	203.8	23.6	15
78.5	16.8	8.4	107.9	148.6	29.4	112.1	14.0	88.3	9.8	4.2	9.8	130.3	1.4	7.0	49.1	72.9	8.4	256.5	43.4	16
68.8	20.8	11.2	107.2	128.1	25.6	153.7	24.0	84.8	3.2	8.0	14.4	153.7	4.8	1.6	72.0	78.4	12.8	366.6	17.6	17
79.7	23.4	4.7	98.4	145.3	14.1	150.0	14.1	70.3	9.4	23.4	42.2	126.5	.....	.....	93.7	56.2	4.7	309.3	9.4	18
52.9	11.1	27.8	61.3	130.9	22.3	155.9	5.6	119.7	8.4	8.4	8.4	72.4	.....	8.4	44.5	55.7	13.9	147.6	13.9	19
48.1	11.1	.....	96.2	159.1	14.8	114.7	11.1	48.1	.....	14.8	7.4	88.8	7.4	7.4	59.2	77.7	18.5	277.5	22.2	20
82.2	5.1	.....	110.5	161.8	23.1	107.9	12.8	69.4	7.7	2.6	20.6	113.0	2.6	2.6	59.1	107.9	10.3	244.0	7.7	21
104.0	29.7	14.9	137.4	170.8	29.7	156.0	3.7	66.8	7.4	.....	26.0	66.8	.....	7.4	81.7	122.5	11.1	167.1	22.3	22
81.6	10.7	6.4	122.3	81.6	12.9	120.2	10.7	79.4	4.3	4.3	10.7	105.2	.....	10.7	49.4	68.7	19.3	191.0	12.9	23
64.7	20.4	17.0	153.2	163.4	20.4	112.3	13.6	88.5	.....	3.4	6.8	102.1	.....	6.8	54.5	102.1	13.6	279.1	34.0	24
91.3	18.9	12.3	128.0	210.7	25.1	131.9	15.7	62.9	6.1	12.7	13.3	109.1	4.5	7.5	63.4	97.8	17.3	318.1	13.6	25
91.7	19.1	12.2	128.4	211.1	25.1	130.9	15.6	62.6	6.1	12.6	13.4	109.4	4.4	7.5	63.3	96.9	17.4	318.4	13.5	26
56.9	7.1	17.8	96.1	177.9	28.5	209.9	17.8	89.0	3.6	21.3	3.6	81.8	10.7	7.1	64.0	170.8	3.6	295.3	24.9	27
104.2	8.9	8.9	116.1	223.2	23.8	119.0	20.8	56.5	.....	14.9	14.9	122.0	8.9	8.9	56.5	116.1	26.8	258.9	11.9	28
82.2	29.0	9.7	108.9	229.8	36.3	108.9	12.1	31.4	12.1	14.5	7.3	128.2	12.1	9.7	67.7	91.9	19.4	358.0	12.1	29
115.2	6.6	9.9	174.5	266.7	49.4	108.7	16.5	39.5	9.9	16.5	13.2	118.5	3.3	16.5	59.3	95.5	23.0	408.3	13.2	30
103.7	17.6	17.6	123.3	187.8	23.5	123.3	15.7	56.7	9.8	15.7	7.8	68.5	2.0	13.7	52.8	76.3	17.6	295.5	5.9	31
95.7	21.6	3.1	169.9	216.2	15.4	86.5	15.4	37.1	9.3	6.2	12.4	95.7	.....	6.2	58.7	64.9	30.9	302.7	12.4	32
100.6	22.9	12.4	95.3	250.6	33.5	111.2	10.6	65.3	.....	7.1	8.8	86.5	3.5	3.5	54.7	88.2	10.6	340.6	10.6	33
102.8	34.3	17.1	137.0	279.8	5.7	177.0	17.1	40.0	.....	.....	17.1	119.9	11.4	11.4	79.9	97.1	17.1	302.6	17.1	34
98.5	19.7	31.0	168.9	236.5	28.2	135.1	25.3	47.9	11.3	19.7	14.1	143.6	5.6	11.3	53.5	73.2	2.8	337.8	11.3	35
51.3	2.7	16.2	86.4	183.6	18.9	132.3	8.1	78.3	.....	10.8	10.8	45.9	.....	10.8	45.9	64.8	.....	283.5	5.4	36
102.4	18.6	6.2	148.9	176.9	15.5	139.6	18.6	59.0	.....	9.3	15.5	158.2	.....	3.1	59.0	152.0	15.5	316.5	24.8	37
101.5	50.8	5.6	158.0	253.8	39.5	191.8	22.6	28.2	.....	16.9	22.6	186.2	5.6	.....	50.8	79.0	22.6	344.1	5.6	38
105.4	11.0	13.2	109.8	228.4	28.6	149.3	24.2	39.5	11.0	22.0	17.6	90.0	6.6	13.2	52.7	92.2	28.6	294.3	19.8	39
92.0	26.8	11.7	157.3	269.4	25.1	220.9	21.8	65.3	5.0	6.7	8.4	145.6	1.7	8.4	72.0	113.8	11.7	488.6	15.1	40
81.6	16.5	12.1	86.0	197.3	22.0	155.4	9.9	81.6	4.4	11.0	19.8	78.3	4.4	5.5	75.0	103.6	7.7	264.5	11.0	41
71.6	23.9	20.9	71.6	206.0	26.9	140.3	17.9	77.6	9.0	.....	6.0	80.6	6.0	20.9	68.7	110.4	9.0	310.4	11.9	42
72.3	8.8	15.3	61.3	159.8	10.9	146.7	10.9	89.8	4.4	10.9	6.6	81.0	4.4	13.1	118.2	59.1	17.5	267.1	13.1	43
111.7	29.8	.....	74.5	156.4	29.8	111.7	14.9	37.2	7.4	7.4	14.9	163.8	.....	7.4	67.0	111.7	29.8	387.2	22.3	44
88.4	23.1	3.8	149.9	180.7	26.9	103.8	7.7	65.3	.....	3.8	3.8	92.2	.....	3.8	50.0	111.5	7.7	380.5	7.7	45
99.4	13.3	6.6	202.1	228.6	26.5	86.1	13.3	59.6	6.6	9.9	19.9	125.9	3.3	6.6	86.1	79.5	6.6	318.1	16.6	46
46.0	23.0	23.0	46.0	69.0	.....	46.0	.....	69.0	.....	23.0	.....	92.0	.....	46.0	92.0	114.9	.....	298.9	23.0	47
79.3	38.5	20.4	97.4	222.0	31.7	135.9	18.1	52.1	15.9	13.6	6.8	131.4	6.8	6.8	68.0	90.6	6.8	278.6	13.6	48
106.3	11.2	18.7	143.7	253.7	26.1	119.4	14.9	44.8	3.7	16.8	18.7	87.7	3.7	3.7	97.0	69.0	20.5	361.9	14.9	49
104.9	32.3	20.2	133.2	209.9	20.2	96.9	4.0	48.4	.....	12.1	16.1	117.0	.....	16.1	64.6	84.8	8.1	286.6	12.1	50
89.3	13.1	10.5	105.1	204.9	28.9	136.6	10.5	68.3	.....	7.9	7.9	81.4	10.5	5.3	60.4	99.8	18.4	365.1	23.6	51
101.8	17.8	5.1	188.4	274.9	20.4	96.7	25.5	63.6	2.5	20.4	17.8	43.3	5.1	2.5	61.1	101.8	15.3	320.8	5.1	52
79.5	12.2	4.6	87.2	174.3	35.2	73.4	6.1	119.3	1.5	15.3	13.8	73.4	4.6	4.6	68.8	85.6	21.4	227.9	7.6	53
91.2	38.0	7.6	110.2	224.2	30.4	148.2	34.2	41.8	3.8	3.8	11.4	114.0	3.8	7.6	53.2	144.4	38.0	330.6	45.6	54
73.3	11.8	13.0	88.7	121.8	14.2	115.9	15.4	113.5	10.6	20.1	17.7	100.5	9.5	8.3	84.0	118.3	16.6	192.8	22.5	55
85.1	12.6	6.3	100.9	176.6	28.4	85.1	12.6	28.4	3.2	18.9	.....	69.4	3.2	9.5	56.7	66.2	15.8	283.7	15.8	56
99.6	27.0	8.4	121.6	175.6	30.4	155.3	5.1	60.8	5.1	3.4	10.1	103.0	3.4	3.4	57.4	79.4	11.8	246.5	8.4	57
80.8	12.7	7.9	137.8	228.0	30.1	115.6	14.3	61.8	6.3	17.4	9.5	77.6	1.6	4.8	49.1	91.8	20.6	288.2	9.5	58
135.6	27.6	.....	183.3	188.3	27.6	97.9	20.1	50.2	10.0	10.0	15.1	120.5	.....	.....	70.3	87.9	22.6	291.3	10.0	59
80.7	30.1	32.8	103.9	205.1	24.6	124.4	17.8	77.9	9.6	9.6	16.4	99.8	1.4	9.6	99.8	143.6	20.5	268.0	13.7	60
109.3	9.4	3.1	134.3	206.1	15.6	143.6	12.5	59.3	.....	9.4	18.7	137.4	.....	3.1	65.6	74.9	25.0	293.5	9.4	61
95.3	10.6	13.2	172.0	246.1	23.8	82.0	13.2	50.3	5.3	18.5	7.9	95.3	2.6	5.3	55.6	58.2	13.2	359.9	13.2	62
112.3	33.9	6.4	180.2	305.2	25.4	139.9	17.0	46.6	8.5	19.1	27.6	167.4	4.2	.....	50.9	106.0	23.3	315.8	19.1	63
122.5	34.0	.....	143.0	177.0	54.5	143.0	13.6	81.7	20.4	6.8	27.2	143.0	.....	.....	47.7	272.3	20.4	251.9	6.8	64
86.3	17.3	23.0	120.9	233.1	28.8	123.7	20.1	46.0	.....	2.9	5.8	115.1	2.9	8.6	54.7	123.7	14.4	270.5	.....	65
72.4	19.2	21.3	108.6	119.3	25.6	106.5	10.6	83.1	12.8	14.9	10.6	127.8	8.5	14.9	59.6	104.4	29.8	206.6	21.3	66
68.6	21.9	12.3	105.6	178.3	16.5	131.6	12.3	64.5	6.9	9.6	8.2	75.4	6.9	9.6	65.8	75.4	17.8	352.4	13.7	67
93.5	12.2	24.4	158.5	205.2	30.5	136.1	38.6	83.3	4.1	10.2	14.2	95.5	.....	8.1	73.1	101.6	22.3	282.4	18.3	68
70.9	6.4	12.9	96.7	77.3	.....	116.0	.....	116.0	6.4	.....	.....	70.9	12.9	.....	32.2	161.1	19.3	193.3	12.9	69
113.5	16.8	16.8	180.7	268.9	8.4	138.7	21.0	21.0	4.2	16.8	4.2	168.1	.....	4.2	37.8	71.4	21.0	281.5	12.6	70
107.4	7.2	7.2	107.4	250.7	28.7	100.3	21.5	28.7	.....	.....	35.8	136.1	7.2	14.3	64.5	78.8	14.3	322.3	7.2	71
133.6	37.1	.....	163.3	378.4	22.3	189.2	11.1	29.7	7.4	18.6	3.7	178.1	3.7	11.1	44.5	100.2	18.6	408.1	11.1	72
119.6	14.3	7.1	219.6	305.3	16.1	123.2	16.1	37.5	5.4	16.1	26.8	142.8	8.9	8.9	32.1	100.0	23.2	500.0	8.9	73
88.1	11.4	11.4	121.3	184.5	32.1	213.5	10.4	61.1	5.2	12.4	12.4	171.0	6.2	4.1	72.5	79.8	17.6	674.7	9.3	74
35.5	23.7	8.9	130.3	216.1	20.7	148.0	35.5	82.9	8.9	8.9	26.6	97.7	3.0	8.9	29.6	74.0	17.8	284.3	26.6	75
78.2	31.3	3.9	168.1	179.9	35.2	117.3	15.6	50.8	.....	27.4	7.8	125.1	.....	7.8	27.4	93.8	27.4	351.9	31.3	76

[3] Rates based on population enumerated April 15, 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	NEW YORK—continued.														
1	Tompkins County	1,610.2	10.6	.....	.....	.....	5.3	5.3	10.6	21.3	.....	79.7	10.6	10.6	10.6
2	Ulster County	1,488.0	19.7	4.5	.....	3.0	1.5	7.6	30.3	25.7	3.0	128.7	3.0	6.1	7.6
3	Warren County	1,260.8	23.6	.....	.....	.....	.....	.....	5.9	29.5	.....	117.8	.....	.....	5.9
4	Washington County	1,658.9	14.6	2.1	.....	6.3	6.3	12.6	2.1	41.8	2.1	113.0	4.2	14.6	8.4
5	Wayne County	1,522.9	15.9	2.0	.....	6.0	2.0	11.9	4.0	41.8	6.0	71.7	2.0	6.0	2.0
6	Westchester County	1,580.2	9.0	3.4	1.1	4.5	15.8	11.3	13.6	14.7	4.5	185.5	9.0	7.9	3.4
7	Wyoming County	1,463.6	31.3	.....	.....	12.5	3.1	.....	6.3	18.8	.....	47.0	3.1	6.3	6.3
8	Yates County	1,504.2	26.9	.....	.....	.....	5.4	.....	.....	21.5	10.7	80.6	5.4	10.7	5.4
	NORTH CAROLINA.[3]														
9	Total	1,733.5	58.9	36.8	2.4	29.2	1.4	20.7	22.2	25.0	4.2	229.6	4.2	13.7	7.1
10	White	1,524.5	57.7	27.4	2.1	35.2	2.1	17.6	23.2	19.7	4.9	150.6	4.9	9.1	5.6
11	Colored	2,158.1	61.5	55.7	2.9	17.2	.....	27.2	20.0	35.7	2.9	390.2	2.9	22.9	10.0
	OHIO.														
12	Total	1,277.8	30.2	1.1	0.3	14.8	4.3	11.6	9.0	23.5	3.9	113.2	5.0	13.7	7.7
13	White	1,270.0	29.8	1.0	0.3	14.8	4.2	11.5	9.0	23.5	4.0	109.9	5.0	13.4	7.6
14	Colored	1,724.1	51.1	4.4	.....	15.6	6.7	15.6	8.9	24.4	2.2	299.9	6.7	33.3	15.6
15	Adams County	1,076.0	16.2	12.1	.....	8.1	.....	24.3	4.0	36.4	4.0	153.7	.....	24.3	4.0
16	Allen County	1,187.0	38.3	.....	.....	19.1	3.8	15.3	11.5	19.1	3.8	134.0	.....	7.7	.....
17	Ashland County	1,208.1	26.1	4.3	.....	17.4	4.3	8.7	8.7	39.1	13.0	73.9	4.3	4.3	17.4
18	Ashtabula County	1,451.0	41.1	.....	.....	24.2	12.1	21.8	2.4	29.0	2.4	87.1	2.4	12.1	14.5
19	Athens County*	1,519.1	35.4	.....	.....	14.6	2.1	29.2	20.8	20.8	8.3	191.7	4.2	20.8	8.3
20	Auglaize County	1,232.1	6.4	.....	.....	22.4	6.4	6.4	25.6	28.8	6.4	118.4	12.8	25.6	9.6
21	Belmont County	1,392.4	31.1	1.6	.....	10.9	4.7	7.8	24.9	32.7	3.1	123.0	3.1	7.8	6.2
22	Brown County	1,300.4	36.3	4.0	.....	12.1	4.0	4.0	4.0	40.4	.....	234.2	12.1	12.1	4.0
23	Butler County	1,353.2	22.9	.....	.....	4.6	.....	9.2	4.6	36.7	4.6	55.0	.....	18.3	18.3
24	Carroll County	927.6	25.4	.....	.....	.....	12.7	6.4	.....	19.1	.....	57.2	.....	6.4	6.4
25	Champaign County	1,332.3	19.0	3.8	.....	7.6	.....	3.8	19.0	26.6	.....	155.6	3.8	19.0	7.6
26	Clark County	1,126.8	10.2	.....	.....	10.2	5.1	15.4	5.1	35.9	.....	66.6	.....	10.2	10.2
27	Clermont County	1,409.8	27.1	.....	.....	.....	.....	.....	3.4	40.7	6.8	132.2	3.4	6.8	20.3
28	Clinton County	1,145.0	12.7	.....	.....	16.9	4.2	25.3	8.4	42.2	.....	143.6	4.2	8.4	8.4
29	Columbiana County	1,292.4	26.6	.....	.....	23.1	14.2	17.8	1.8	33.7	1.8	99.4	7.1	10.7	5.3
30	Coshocton County	1,300.7	39.8	.....	.....	16.6	.....	6.6	6.6	26.5	6.6	109.5	.....	3.3	10.0
31	Crawford County	1,198.7	35.3	.....	.....	2.9	.....	5.9	11.8	20.6	5.9	94.0	5.9	17.6	.....
32	Cuyahoga County	1,303.9	16.0	.....	12.8	9.6	1.6	9.6	6.4	12.8	1.6	99.4	9.6	1.6	14.4
33	Darke County	1,206.3	30.3	2.3	.....	7.0	.....	7.0	4.7	16.3	4.7	153.7	21.0	21.0	11.6
34	Defiance County	1,193.8	45.0	.....	.....	20.4	36.8	.....	8.2	.....	.....	114.5	4.1	20.4	.....
35	Delaware County	1,231.7	55.2	.....	.....	3.7	.....	3.7	11.0	25.7	.....	161.8	.....	18.4	.....
36	Erie County	2,262.1	10.9	.....	.....	5.5	.....	5.5	.....	16.4	21.8	185.3	.....	5.5	5.5
37	Fairfield County	1,056.4	19.1	.....	.....	3.8	3.8	11.5	30.6	11.5	3.8	84.2	7.7	19.1	11.5
38	Fayette County	1,195.7	46.0	.....	.....	13.8	9.2	.....	9.2	27.6	.....	110.4	4.6	27.6	4.6
39	Franklin County	1,331.0	22.3	.....	.....	34.8	2.5	9.9	2.5	22.3	12.4	154.0	14.9	9.9	2.5
40	Fulton County	1,077.8	16.7	.....	.....	16.7	8.4	.....	4.2	16.7	4.2	100.3	4.2	16.7	8.4
41	Gallia County	1,762.6	15.6	.....	.....	7.8	3.9	15.6	11.7	27.2	.....	167.3	7.8	15.6	7.8
42	Geauga County	1,295.2	13.6	.....	.....	40.9	6.8	34.1	.....	27.3	13.6	47.7	.....	13.6	13.6
43	Greene County	1,380.8	16.8	.....	.....	10.1	.....	.....	3.4	26.9	3.4	148.2	.....	16.8	6.7
44	Guernsey County	1,187.4	22.2	.....	.....	31.7	3.2	9.5	9.5	22.2	6.3	101.6	3.2	12.7	12.7
45	Hamilton County	1,174.5	32.0	3.7	.....	7.4	4.9	9.8	3.7	27.1	.....	128.0	6.2	8.6	7.4
46	Hancock County	992.5	13.1	.....	.....	17.4	4.4	8.7	8.7	26.1	.....	104.5	4.4	8.7	4.4
47	Hardin County	1,345.8	42.8	.....	.....	13.2	6.6	9.9	6.6	36.2	6.6	138.2	13.2	19.7	6.6
48	Harrison County	1,333.5	31.5	.....	.....	21.0	.....	5.3	.....	21.0	5.3	110.3	5.3	5.3	.....
49	Henry County	1,152.6	31.9	4.0	.....	16.0	.....	4.0	.....	27.9	8.0	87.7	12.0	8.0	16.0
50	Highland County	1,405.9	41.9	3.5	.....	.....	.....	.....	.....	41.9	3.5	118.6	7.0	14.0	17.4
51	Hocking County	1,353.9	29.6	.....	.....	55.0	.....	12.7	42.3	16.9	4.2	114.2	.....	12.7	.....
52	Holmes County	1,264.3	22.4	.....	.....	.....	.....	.....	16.8	.....	.....	67.1	5.6	22.4	11.2
53	Huron County	1,328.7	14.6	.....	.....	2.9	.....	.....	8.8	17.5	2.9	75.9	2.9	26.3	20.4
54	Jackson County	1,406.3	52.1	9.8	.....	68.4	6.5	32.6	26.0	29.3	3.3	133.5	3.3	19.5	16.3
55	Jefferson County	1,281.5	48.5	.....	.....	20.8	20.8	20.8	6.9	16.2	.....	80.8	2.3	4.6	9.2
56	Knox County	1,419.1	23.2	.....	.....	6.6	.....	9.9	6.6	26.5	6.6	109.2	3.3	26.5	3.3
57	Lake County	1,481.3	39.2	.....	.....	4.4	17.4	17.4	26.1	30.5	8.7	104.6	4.4	.....	13.1
58	Lawrence County	1,242.7	38.0	.....	.....	19.0	3.8	19.0	7.6	15.2	3.8	159.6	.....	19.0	3.8
59	Licking County	1,293.5	16.5	3.3	.....	6.6	.....	16.5	.....	52.9	6.6	109.2	6.6	3.3	6.6
60	Logan County	1,183.6	19.9	.....	.....	3.3	.....	13.3	3.3	16.6	.....	89.8	6.6	29.9	6.6
61	Lorain County	1,176.8	9.3	.....	.....	3.1	.....	6.2	3.1	24.7	9.3	89.6	6.2	18.5	.....
62	Lucas County	1,100.1	37.1	.....	.....	37.1	8.2	8.2	4.1	4.1	.....	82.4	12.4	12.4	4.1
63	Madison County	1,116.3	30.2	5.0	.....	10.1	10.1	5.0	25.1	10.1	.....	115.6	.....	5.0	.....
64	Mahoning County	1,420.4	34.8	.....	.....	29.4	2.7	18.7	18.7	16.0	8.0	80.2	.....	5.3	.....
65	Marion County	1,094.4	38.2	.....	.....	6.4	12.7	31.8	.....	44.5	.....	95.4	.....	44.5	19.1
66	Medina County	1,151.0	16.9	.....	.....	12.7	.....	.....	4.2	8.5	8.5	63.5	.....	21.2	4.2
67	Meigs County	1,327.8	31.3	.....	.....	3.9	7.8	11.8	19.6	19.6	3.9	148.8	.....	11.8	15.7
68	Mercer County	1,235.2	14.5	.....	.....	.....	3.6	29.1	21.8	18.2	7.3	116.3	3.6	29.1	7.3
69	Miami County	1,196.6	18.9	.....	.....	.....	.....	6.3	9.5	12.6	.....	91.6	12.6	6.3	9.5
70	Monroe County	1,033.7	28.9	.....	.....	8.3	.....	.....	4.1	28.9	4.1	148.9	8.3	12.4	.....
71	Montgomery County	1,586.2	16.8	.....	.....	.....	2.1	8.4	2.1	25.2	8.4	124.0	2.1	8.4	.....
72	Morgan County	1,282.8	18.7	12.5	.....	6.2	.....	18.7	12.5	49.8	.....	105.9	.....	6.2	.....
73	Morrow County	1,131.4	35.7	.....	.....	6.0	.....	.....	.....	17.9	.....	65.5	6.0	17.9	.....
74	Muskingum County	1,262.9	33.9	.....	.....	6.8	.....	64.5	3.4	23.8	.....	115.4	6.8	20.4	20.4

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
170.0	5.3	5.3	159.4	292.3	10.6	106.3	37.2	21.3	5.3	31.9	5.3	95.7	15.9	5.3	42.5	132.9	15.9	281.6	5.3	1
75.7	12.1	19.7	115.0	189.2	24.2	139.3	25.7	40.9	7.6	15.1	9.1	110.5	3.0	6.1	57.5	134.7	13.6	233.1	15.1	2
82.5	17.7	5.9	94.3	147.3	11.8	88.4	5.9	5.9	.....	11.8	17.7	147.3	11.8	5.9	41.2	70.7	17.7	288.7	5.9	3
79.5	10.5	10.5	150.6	215.5	33.5	154.8	14.6	64.9	4.2	12.6	14.6	148.5	6.3	12.6	54.4	110.9	14.6	305.4	12.6	4
75.6	19.9	19.9	155.3	219.0	19.9	113.5	11.9	55.7	6.0	15.9	25.9	97.5	4.0	4.0	63.7	85.6	11.9	328.5	17.9	5
114.2	20.4	9.0	104.1	155.0	20.4	160.6	12.4	100.7	13.6	12.4	9.0	118.8	4.5	7.9	69.0	136.9	14.7	198.0	14.7	6
78.4	28.2	3.1	153.6	288.3	28.2	90.9	15.7	62.7	9.4	12.5	18.8	59.5	3.1	6.3	56.4	56.4	25.1	325.9	6.3	7
75.2	21.5	5.4	139.7	263.2	53.7	118.2	5.4	37.6	.....	10.7	10.7	102.1	5.4	5.4	43.0	69.8	21.5	333.1	16.1	8
36.8	7.1	22.2	57.0	109.8	21.7	149.4	14.6	141.4	11.3	9.4	9.4	86.3	9.0	25.0	62.7	62.2	5.2	328.7	110.8	9
44.3	9.1	24.6	55.6	91.5	16.9	132.3	9.8	133.7	15.5	9.1	8.4	79.5	4.9	23.9	67.5	52.1	7.7	305.3	72.5	10
21.4	2.9	17.2	60.0	147.2	31.4	184.4	24.3	157.2	2.9	10.0	11.4	100.0	17.2	27.2	52.9	82.9	.....	370.2	188.7	11
73.4	13.1	14.0	81.7	146.5	16.3	95.3	12.8	60.2	6.3	10.2	10.8	69.7	7.2	6.2	60.6	80.0	11.4	249.3	14.5	12
73.5	13.3	14.0	81.5	146.1	16.3	94.4	12.9	60.0	6.4	10.1	10.8	68.7	7.3	6.2	60.6	80.1	11.5	248.4	14.2	13
71.1	2.2	15.6	93.3	166.6	15.6	146.6	8.9	73.3	4.4	17.8	11.1	124.4	4.4	4.4	64.4	77.8	8.9	297.7	31.1	14
60.7	20.2	16.2	40.4	145.6	4.0	68.8	16.2	52.6	4.0	16.2	4.0	40.4	.....	16.2	32.4	32.4	12.1	198.2	8.1	15
84.2	7.7	19.1	38.3	99.6	11.5	88.1	23.0	45.9	15.3	7.7	26.8	76.6	7.7	7.7	45.9	80.4	3.8	225.9	19.1	16
60.8	17.4	17.4	78.2	204.2	21.7	99.9	13.0	17.4	4.3	8.7	8.7	47.8	8.7	4.3	39.1	91.3	13.0	226.0	4.3	17
96.7	21.8	9.7	120.9	181.4	21.8	104.0	9.7	60.5	7.3	7.3	7.3	82.2	4.8	9.7	65.3	99.2	7.3	278.1	7.3	18
50.0	22.9	22.9	43.8	158.4	8.3	108.4	12.5	97.9	2.1	4.2	6.3	79.2	10.4	8.3	89.6	127.1	12.5	283.4	14.6	19
60.8	25.6	16.0	86.4	70.4	19.2	73.6	25.6	64.0	6.4	19.2	19.2	48.0	3.2	3.2	83.2	64.0	19.2	240.0	16.0	20
59.2	6.2	12.5	71.6	121.5	10.9	169.8	15.6	127.7	6.2	6.2	7.8	60.7	4.7	4.7	62.3	137.1	9.3	214.9	26.5	21
80.8	.....	12.1	80.8	189.8	12.1	52.5	4.0	40.4	.....	.....	.....	52.5	8.1	12.1	88.8	80.8	16.2	185.8	16.2	22
73.4	9.2	27.5	91.7	169.7	32.1	78.0	13.8	82.6	.....	9.2	13.8	105.5	.....	4.6	41.3	68.8	13.8	243.1	100.9	23
63.5	6.4	.....	120.7	95.3	.....	101.7	12.7	25.4	.....	6.4	12.7	38.1	.....	6.4	44.5	69.9	.....	190.6	.....	24
113.9	19.0	7.6	56.9	155.6	11.4	60.7	3.8	22.8	11.4	22.8	7.6	106.3	11.4	3.8	56.9	79.7	11.4	288.5	15.2	25
87.1	25.6	15.4	97.3	128.0	15.4	76.8	35.9	41.0	10.2	5.1	20.5	41.0	.....	.....	41.0	35.9	25.6	256.1	.....	26
67.8	13.6	3.4	88.1	250.8	20.3	67.8	16.9	81.3	3.4	16.9	13.6	77.9	6.8	.....	44.1	71.2	30.5	288.1	6.8	27
71.8	16.9	16.9	71.8	147.9	8.4	50.7	12.7	12.7	16.9	8.4	4.2	63.4	8.4	.....	46.5	29.6	12.7	261.9	8.4	28
81.7	8.9	28.4	67.5	138.5	24.9	101.2	14.2	65.7	.....	8.9	12.4	53.3	17.8	10.7	69.2	88.8	16.0	230.8	12.4	29
89.6	19.9	13.3	89.6	149.3	13.3	106.2	6.6	76.3	13.3	.....	13.3	79.6	6.6	6.6	56.4	63.0	3.3	262.1	6.6	30
76.4	8.8	17.6	114.6	94.0	11.8	76.4	8.8	29.4	2.9	20.6	5.9	117.5	2.9	5.9	41.1	94.0	17.6	246.8	5.9	31
62.5	12.8	6.4	86.6	173.2	25.7	110.7	17.6	83.4	8.0	9.6	6.4	99.4	1.6	3.2	49.7	102.6	22.5	221.3	4.8	32
65.2	2.3	9.3	81.5	128.1	14.0	79.2	18.6	37.3	2.3	16.3	11.6	65.2	4.7	4.7	58.2	44.2	4.7	265.5	14.0	33
85.9	12.3	20.4	53.2	122.7	20.4	85.9	8.2	36.8	8.2	28.6	.....	49.1	8.2	12.3	69.5	73.6	4.1	220.8	24.5	34
95.6	18.4	14.7	99.3	136.0	14.7	66.2	33.1	36.8	14.7	3.7	11.0	36.8	11.0	3.7	69.9	51.5	11.0	216.9	7.4	35
119.9	38.2	.....	228.9	447.0	.....	54.5	27.3	43.6	10.9	21.8	27.3	152.6	.....	.....	70.9	223.5	32.7	490.6	16.4	36
84.2	.....	30.6	65.1	134.0	11.5	57.4	11.5	30.6	19.1	3.8	15.3	57.4	.....	11.5	53.6	42.1	3.8	206.7	11.5	37
64.4	18.4	13.8	46.0	151.8	4.6	64.4	4.6	59.8	9.2	4.6	4.6	64.4	9.2	9.2	50.6	59.8	9.2	275.9	18.4	38
77.0	7.4	17.4	94.4	151.5	14.9	94.4	19.9	57.1	.....	2.5	7.4	67.0	7.4	.....	47.2	116.7	19.9	233.4	7.4	39
58.5	20.9	20.9	112.8	108.6	16.7	66.8	8.4	37.6	8.4	16.7	16.7	54.3	4.2	8.4	58.5	58.5	4.2	183.8	16.7	40
62.3	3.9	35.0	112.8	159.5	7.8	206.2	7.8	85.6	11.7	11.7	7.8	54.5	15.6	7.8	35.0	54.5	7.8	587.5	7.8	41
75.0	20.5	6.8	88.6	245.4	27.3	156.8	.....	20.5	.....	6.8	20.5	34.1	.....	6.8	40.9	47.7	.....	272.7	13.6	42
84.2	10.1	13.5	84.2	205.4	30.3	104.4	13.5	60.6	10.1	10.1	3.4	77.5	.....	10.1	70.7	33.7	6.7	289.6	30.3	43
76.2	3.2	15.9	57.1	107.9	6.3	95.2	12.7	114.3	3.2	3.2	3.2	57.1	9.5	3.2	79.4	85.7	6.3	203.2	9.5	44
71.4	11.1	19.7	46.8	120.6	41.9	94.8	6.2	51.7	2.5	7.4	14.8	78.8	9.8	8.6	48.0	64.0	7.4	211.7	18.5	45
43.5	13.1	8.7	43.5	108.8	4.4	65.3	4.4	34.8	8.7	8.7	21.8	52.2	4.4	8.7	78.4	30.5	26.1	222.0	4.4	46
69.1	23.0	16.5	82.3	111.9	6.6	62.5	19.7	92.1	6.6	3.3	6.6	82.3	16.5	16.5	46.1	131.6	6.6	230.3	16.5	47
99.8	10.5	21.0	105.0	120.8	10.5	136.5	21.0	42.0	5.3	10.5	10.5	94.5	.....	10.5	73.5	63.0	.....	273.0	21.0	48
103.7	8.0	23.9	95.7	115.7	19.9	67.8	23.9	27.9	4.0	8.0	19.9	63.8	8.0	.....	35.9	63.8	12.0	223.3	12.0	49
73.3	14.0	10.5	118.6	191.9	14.0	115.1	7.0	34.9	3.5	27.9	17.4	76.8	3.5	7.0	55.8	76.8	14.0	268.6	27.9	50
71.9	16.9	21.2	63.5	122.7	16.9	105.8	8.5	143.9	16.9	4.2	12.7	76.2	4.2	.....	76.2	63.5	8.5	211.6	21.2	51
67.1	16.8	16.8	78.3	156.6	16.8	106.3	5.6	28.0	5.6	16.8	5.6	67.1	11.2	5.6	67.1	78.3	22.4	324.5	22.4	52
102.2	17.5	2.9	116.8	181.0	23.4	81.8	5.8	43.8	8.8	8.8	20.4	52.6	8.8	.....	46.7	99.3	8.8	318.3	8.8	53
87.9	9.8	9.8	42.3	130.2	26.0	81.4	13.0	94.4	.....	9.8	9.8	58.6	6.5	.....	97.7	113.9	3.3	182.3	29.3	54
34.6	4.6	4.6	46.2	71.6	27.7	140.8	4.6	157.0	4.6	4.6	4.6	43.9	13.9	4.6	90.1	196.3	9.2	170.9	16.2	55
135.6	23.2	13.2	132.3	178.6	13.2	115.8	3.3	59.5	19.8	19.8	3.3	56.2	9.9	.....	43.0	49.6	13.2	301.0	6.6	56
95.8	13.1	21.8	69.7	169.9	26.1	165.5	13.1	47.9	8.7	17.4	4.4	69.7	8.7	8.7	43.6	130.7	4.4	278.8	17.4	57
22.8	19.0	19.0	45.6	95.0	22.8	174.8	19.0	72.2	11.4	11.4	.....	79.8	3.8	7.6	83.6	57.0	7.6	171.0	30.4	58
79.4	6.6	26.5	129.0	178.6	13.2	76.1	3.3	36.4	3.3	3.3	3.3	69.5	13.2	19.8	62.9	66.2	19.8	243.1	6.6	59
103.1	16.6	6.6	73.1	182.9	6.6	66.5	10.0	26.6	16.6	3.3	3.3	89.8	.....	3.3	46.5	56.5	6.6	266.0	10.0	60
98.8	15.4	12.4	71.0	169.9	18.5	98.8	12.4	40.2	9.3	6.2	9.3	55.6	3.1	6.2	30.9	80.3	21.6	240.9	6.2	61
57.7	8.2	8.2	65.9	123.5	16.5	74.1	16.5	49.4	.....	24.7	20.6	70.0	12.4	4.1	65.9	94.7	12.4	238.8	16.5	62
80.5	10.1	25.1	55.3	110.6	10.1	80.4	20.1	75.4	.....	20.1	.....	65.4	5.0	5.0	70.4	40.2	10.1	201.1	15.1	63
74.9	8.0	5.3	58.8	136.4	16.0	168.5	26.7	144.4	2.7	10.7	2.7	85.6	8.0	2.7	88.3	112.3	16.0	216.7	21.4	64
25.5	19.1	12.7	82.7	76.4	12.7	95.4	19.1	38.2	6.4	6.4	19.1	82.7	19.1	.....	31.8	70.0	6.4	171.8	6.4	65
59.2	4.2	8.5	118.5	122.7	21.2	97.3	8.5	46.5	16.9	8.5	.....	59.2	16.9	4.2	67.7	101.6	8.5	237.0	4.2	66
58.8	15.7	15.7	74.4	133.2	15.7	144.9	19.6	50.9	3.9	.....	11.8	58.8	3.9	3.9	54.8	70.5	3.9	293.8	19.6	67
79.9	10.9	36.3	94.5	101.7	10.9	36.3	18.2	79.9	10.9	10.9	21.8	61.8	10.9	7.3	58.1	43.6	.....	265.2	25.4	68
69.5	12.6	6.3	94.7	183.1	18.9	116.8	6.3	50.5	6.3	6.3	18.9	66.3	3.2	.....	28.4	47.4	12.6	255.7	25.3	69
49.6	.....	.....	49.6	103.4	16.5	103.4	4.1	41.3	.....	8.3	12.4	62.0	4.1	.....	70.3	41.3	12.4	198.5	12.4	70
75.6	14.7	12.6	107.1	243.7	8.4	92.4	6.3	67.2	6.3	14.7	16.8	163.9	.....	2.1	60.9	94.5	14.7	386.6	.....	71
87.2	12.5	12.5	74.7	261.5	12.5	118.3	6.2	31.1	6.2	.....	12.5	37.4	6.2	18.7	62.3	43.6	.....	242.9	6.2	72
101.2	11.9	.....	89.3	172.7	.....	77.4	.....	23.8	.....	6.0	17.9	89.3	6.0	.....	41.7	53.6	.....	285.8	6.0	73
98.4	20.4	6.8	91.7	152.8	3.4	78.1	20.4	44.1	3.4	10.2	3.4	74.7	6.8	6.8	50.9	54.3	6.8	227.4	6.8	74

[3] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	OHIO—continued.														
1	Noble County	1,259.2	43.1	.....	.....	5.4	.....	5.4	5.4	5.4	.....	113.0	.....	26.9	.....
2	Ottawa County	1,252.1	8.9	.....	.....	4.5	4.5	4.5	4.5	44.7	4.5	102.8	.....	4.5	4.5
3	Paulding County	1,100.4	53.0	4.4	.....	17.7	.....	26.5	8.8	17.7	.....	119.3	8.8	22.1	8.8
4	Perry County	1,127.7	28.2	2.8	.....	19.7	2.8	39.5	14.1	19.7	.....	98.7	2.8	11.3	2.8
5	Pickaway County	1,377.2	26.8	.....	.....	34.4	7.7	3.8	11.5	34.4	7.7	114.8	11.5	11.5	7.7
6	Pike County	1,352.7	19.1	.....	.....	83.0	6.4	6.4	25.5	25.5	6.4	159.5	.....	.....	.....
7	Portage County	1,516.7	42.9	.....	.....	23.1	.....	23.1	13.2	13.2	6.6	98.9	3.3	3.3	3.3
8	Preble County	1,162.1	21.0	.....	.....	.....	4.2	12.6	4.2	8.4	.....	88.1	8.4	21.0	8.4
9	Putnam County	1,163.1	53.5	.....	.....	20.1	3.3	16.7	16.7	33.4	3.3	107.0	6.7	13.4	10.0
10	Richland County	1,182.0	33.5	.....	.....	3.7	.....	3.7	.....	14.9	7.4	107.8	11.2	14.9	3.7
11	Ross County	1,372.0	31.4	.....	.....	11.8	3.9	7.8	19.6	23.5	3.9	152.9	.....	31.4	3.9
12	Sandusky County	1,074.2	34.1	.....	.....	5.7	.....	11.4	.....	22.7	2.8	76.7	11.4	8.5	5.7
13	Scioto County	1,446.8	52.0	8.0	.....	99.9	.....	24.0	24.0	28.0	.....	191.8	12.0	24.0	8.0
14	Seneca County	1,179.0	13.1	.....	.....	13.1	.....	6.6	3.3	13.1	.....	140.8	.....	13.1	6.6
15	Shelby County	1,155.6	32.4	4.1	.....	.....	4.1	.....	4.1	20.3	.....	117.6	.....	8.1	4.1
16	Stark County*	1,466.0	18.2	.....	.....	4.6	6.8	6.8	9.1	20.5	11.4	104.7	2.3	13.7	4.6
17	Summit County	1,385.8	22.8	5.1	.....	30.5	5.1	5.1	2.5	10.2	7.6	111.7	2.5	5.1	25.4
18	Trumbull County	1,415.0	67.0	.....	.....	38.3	7.2	16.8	16.8	47.9	2.4	62.2	7.2	9.6	9.6
19	Tuscarawas County	1,049.0	49.0	.....	.....	10.5	12.3	15.8	3.5	12.3	3.5	56.0	3.5	5.3	3.5
20	Union County	1,326.5	27.4	.....	.....	9.1	.....	.....	.....	27.4	9.1	118.9	.....	18.3	4.6
21	Van Wert County	1,154 9	37.8	.....	3.4	10.3	.....	10.3	.....	6.9	.....	116.9	3.4	10.3	.....
22	Vinton County	1,425.4	69.0	.....	.....	.....	.....	.....	7.7	30.7	.....	130.3	30.7	30.7	.....
23	Warren County	1,311.5	24.5	.....	.....	20.4	.....	.....	12.3	20.4	4.1	102.1	.....	24.5	16.3
24	Washington County	1,195.7	46.2	.....	.....	12.3	.....	15.4	15.4	18.5	.....	126.4	.....	12.3	12.3
25	Wayne County	1,250.6	23.6	.....	.....	2.6	2.6	5.3	7.9	23.6	7.9	102.5	7.9	15.8	10.5
26	Williams County	1,154.6	31.7	.....	.....	4.0	4.0	7.9	4.0	15.9	.....	95.2	4.0	19.8	7.9
27	Wood County	1,211.6	41.1	.....	.....	19.5	13.0	6.5	2.2	17.3	2.2	93.0	4.3	17.3	10.8
28	Wyandot County	1,108.3	38.5	4.8	.....	9.6	4.8	.....	.....	14.5	4.8	130.1	.....	14.5	.....
	PENNSYLVANIA.														
29	Total	1,437.5	24.2	0.7	0.1	16.3	13.6	13.2	27.5	18.5	4.1	96.0	3.4	9.5	7.6
30	White	1,429.7	24.1	0.7	0.1	16.5	13.7	13.0	27.7	18.4	4.1	92.2	3.3	9.1	7.6
31	Colored	2,036.4	31.0	.....	.....	1.9	5.8	27.1	7.7	23.2	1.9	391.0	9.7	42.6	9.7
32	Adams County	1,247.2	11.7	.....	.....	2.9	.....	14.6	17.5	2.9	2.9	96.2	5.8	20.4	5.8
33	Allegheny County	1,605.7	27.1	0.6	.....	42.1	20.9	17.3	27.4	12.5	2.7	152.4	2.1	13.4	8.1
34	Armstrong County	1,340.1	22.0	.....	.....	17.6	13.2	20.5	27.9	24.9	4.4	85.0	7.3	10.3	13.2
35	Beaver County	1,435.9	39.1	.....	.....	16.5	6.0	22.5	19.5	19.5	1.5	79.6	4.5	9.0	6.0
36	Bedford County	1,090.9	41.2	.....	.....	5.1	.....	25.7	25.7	38.0	.....	72.0	5.1	2.6	7.7
37	Berks County *	1,452.6	26.3	.....	.....	4.6	9.2	6.9	30.9	32.1	8.0	77.9	1.1	10.3	12.6
38	Blair County	1,255.4	17.5	.....	.....	12.3	.....	26.3	28.1	10.5	1.8	63.1	1.8	10.5	7.0
39	Bradford County	1,548.9	27.6	3.7	.....	.....	3.7	9.2	12.9	33.1	3.7	80.8	1.8	11.0	7.3
40	Bucks County	1,381.7	18.3	1.3	.....	5.2	11.7	11.7	17.0	30.0	2.6	100.5	5.2	7.8	3.9
41	Butler County	1,232.6	19.2	.....	.....	3.8	11.5	13.4	11.5	11.5	3.8	94.1	.....	5.8	11.5
42	Cambria County	1,373.4	25.1	.....	.....	16.1	17.9	24.2	25.1	9.9	5.4	70.8	3.6	12.6	7.2
43	Cameron County	1,175.5	.....	.....	.....	52.2	.....	26.1	.....	39.2	.....	52.2	.....	13.1	.....
44	Carbon County	1,616.3	9.4	.....	.....	9.4	17.0	7.5	39.6	22.6	7.5	98.1	1.9	9.4	5.7
45	Center County	1,323.8	23.0	.....	.....	9.2	2.3	11.5	6.9	43.7	.....	66.8	.....	9.2	6.9
46	Chester County	1,508.3	25.1	.....	.....	6.6	4.0	11.9	18.5	30.4	5.3	109.6	5.3	18.5	5.3
47	Clarion County	1,234.8	13.6	.....	.....	8.2	8.2	5.5	2.7	2.7	.....	73.6	10.9	5.5	8.2
48	Clearfield County	1,282.1	25.8	.....	.....	39.3	2.5	25.8	8.6	19.7	2.5	56.5	2.5	2.5	7.4
49	Clinton County	1,297.7	19.0	3.2	.....	.....	.....	19.0	.....	6.3	9.5	98.1	6.3	9.5	9.5
50	Columbia County	1,268.3	28.8	2.1	.....	10.3	4.1	12.3	14.4	24.7	4.1	61.7	.....	2.1	8.2
51	Crawford County	1,517.1	28.7	2.1	.....	6.2	6.2	4.1	2.1	30.8	2.1	71.9	.....	10.3	8.2
52	Cumberland County	1,285.9	15.8	.....	.....	2.3	.....	9.0	24.9	18.1	.....	126.6	2.3	4.5	18.1
53	Dauphin County *	1,672.3	13.8	1.7	.....	34.6	93.3	3.5	62.2	15.5	5.2	179.7	1.7	15.5	10.4
54	Delaware County	1,361.6	16.3	.....	.....	3.8	5.0	15.0	28.8	21.3	3.8	127.9	2.5	13.8	6.3
55	Elk County	1,146.6	41.7	.....	.....	16.7	22.3	19.5	16.7	33.4	2.8	55.7	.....	13.9	2.8
56	Erie County	1,422.7	18.3	2.0	.....	6.1	8.2	4.1	6.1	36.7	2.0	89.7	4.1	10.2	.....
57	Fayette County	1,531.8	37.3	0.7	.....	23.9	14.1	17.6	33.0	9.8	4.9	75.2	3.5	14.8	4.9
58	Forest County	904.1	.....	.....	.....	.....	10.6	42.5	10.6	31.9	.....	31.9	.....	.....	10.6
59	Franklin County	1,604.2	35.4	.....	.....	.....	4.2	4.2	20.8	12.5	2.1	391.2	14.6	12.5	10.4
60	Fulton County	1,299.1	72.2	10.3	.....	.....	.....	10.3	20.6	61.9	30.9	92.8	.....	20.6	20.6
61	Greene County	1,315.1	27.7	.....	3.5	13.8	3.5	6.9	13.8	20.8	6.9	138.4	3.5	10.4	10.4
62	Huntingdon County	1,175.1	20.8	.....	.....	.....	2.6	18.2	2.6	28.7	5.2	88.6	5.2	2.6	5.2
63	Indiana County	1,371.6	22.5	.....	.....	45.0	7.5	6.0	18.0	6.0	3.0	57.0	4.5	6.0	10.5
64	Jefferson County	1,348.7	39.6	.....	.....	53.8	3.2	36.4	12.7	17.4	3.2	49.1	7.9	14.2	9.5
65	Juniata County	1,240.7	6.7	.....	.....	.....	.....	13.3	40.0	26.7	.....	86.7	.....	20.0	13.3
66	Lackawanna County	1,655.8	3.6	1.2	.....	11.9	36.8	11.9	41.5	11.9	1.2	86.6	5.9	9.5	5.9
67	Lancaster County	1,383.6	19.4	.....	.....	2.8	6.5	1.8	13.8	21.2	5.5	107.9	4.6	7.4	12.9
68	Lawrence County	1,305.0	14.8	.....	.....	20.7	11.8	3.0	26.6	11.8	5.9	62.0	3.0	11.8	5.9
69	Lebanon County	1,410.5	42.1	2.5	.....	2.5	7.4	9.9	32.2	17.3	4.9	99.0	4.9	4.9	7.4
70	Lehigh County	1,653.6	19.2	.....	.....	17.6	8.0	4.8	35.1	11.2	4.8	132.5	3.2	8.0	12.8
71	Luzerne County	1,587.5	9.5	1.0	0.5	6.0	11.0	20.0	78.1	10.0	6.5	85.7	3.0	5.0	9.5
72	Lycoming County	1,134.8	20.4	.....	.....	12.2	6.1	6.1	12.2	20.4	4.1	67.4	.....	4.1	10.2
73	McKean County	1,244.7	39.1	.....	.....	12.0	15.0	6.0	12.0	24.1	15.0	72.2	3.0	6.0	6.0
74	Mercer County	1,443.6	22.8	1.9	.....	38.0	9.5	19.0	22.8	17.1	.....	89.4	.....	15.2	5.7
75	Mifflin County	1,337.8	10.8	.....	.....	14.3	3.6	25.1	10.8	14.3	.....	132.7	7.2	25.1	3.6
76	Monroe County	1,484.0	4.4	.....	.....	30.5	.....	.....	8.7	34.8	4.4	95.7	.....	4.4	8.7

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
86.1	16.1	10.8	75.3	177.6	21.5	139.9	16.1	64.6	5.4	5.4	.....	48.4	10.8	16.1	70.0	59.2	10.8	199.1	21.5	1
85.0	13.4	13.4	62.6	129.7	22.4	80.5	17.9	67.1	8.9	4.5	31.3	85.0	17.9	4.5	76.0	120.7	8.9	214.6	.....	2
57.4	4.4	13.3	39.8	97.2	17.7	92.8	4.4	53.0	8.8	4.4	13.3	75.1	4.4	8.8	66.3	44.2	.....	190.0	17.7	3
62.0	8.5	14.1	62.0	104.3	19.7	107.1	11.3	59.2	2.8	14.1	8.5	45.1	2.8	8.5	93.0	87.4	16.9	152.2	5.6	4
49.7	3.8	19.1	114.8	99.5	19.1	133.9	7.7	61.2	7.7	3.8	3.8	72.7	15.3	7.7	103.3	76.5	.....	286.9	19.1	5
38.3	.....	6.4	89.3	197.8	12.8	82.9	19.1	25.5	.....	.....	19.1	31.9	.....	.....	63.8	108.5	12.8	280.8	31.9	6
118.7	19.8	9.9	69.2	204.4	39.6	72.5	6.6	65.9	9.9	16.5	13.2	82.4	3.3	3.3	46.2	122.0	19.8	336.3	26.4	7
67.1	4.2	16.8	96.5	142.6	8.4	96.5	12.6	16.8	21.0	.....	21.0	79.7	21.0	.....	58.7	37.8	16.8	247.5	21.0	8
56.8	13.4	26.7	63.5	66.8	3.3	70.2	16.7	70.2	3.3	16.7	23.4	73.5	3.3	10.0	73.5	73.5	6.7	200.5	6.7	9
48.3	7.4	14.9	111.5	122.7	3.7	66.9	14.9	18.6	7.4	3.7	11.2	78.1	14.9	7.4	70.6	85.5	3.7	267.6	22.3	10
70.6	11.8	7.8	58.8	141.1	11.8	156.8	11.8	66.6	.....	11.8	19 6	66.6	11.8	23.5	66.6	98.0	.....	231.3	15.7	11
79.6	5.7	2.8	90.9	127.9	11.4	65.4	11.4	39.8	8.5	8.5	2.8	65.4	2.8	2.8	48.3	56.8	11.4	233.0	19.9	12
48.0	4.0	16.0	36.0	135.9	8.0	107.9	.....	87.9	.....	16.0	12.0	63.9	8.0	.....	103.9	63.9	8.0	235.8	20.0	13
78.6	19.7	13.1	78.6	153.9	22.9	78.6	9.8	55.7	3.3	16.4	9.8	85.2	6.6	3.3	39.3	85.2	13.1	183.4	13.1	14
68.9	48.7	8.1	85.1	133.8	20.3	68.9	24.3	73.0	8.1	12.2	.....	89.2	8.1	4.1	48.7	44.6	8.1	202.7	4.1	15
75.1	18.2	6.8	127.5	220.8	13.7	84.2	20.5	36.4	2.3	13.7	15.9	50.1	13.7	4.6	56.9	75.1	9.1	398.4	20.5	16
63.5	2.5	22.8	91.4	134.5	17.8	101.5	10.2	104.1	7.6	15.2	12.7	76.1	12.7	2.5	63.5	104.1	17.8	281.7	10.2	17
59.9	12.0	14.4	86.2	141.3	23.9	155.6	4.8	76.6	2.4	9.6	9.6	47.9	4.8	19.2	67.0	95.8	14.4	256.2	28.7	18
68.3	14.0	5.3	77.1	143.6	14.0	45.5	15.8	50.8	1.8	10.5	7.0	68.3	8.8	3.5	57.8	64.8	8.8	199.6	8.8	19
114.4	22.9	13.7	109.8	132.7	4.6	132.7	9.1	50.3	9.1	13.7	9.1	59.5	4.6	4.6	77.8	45.7	13.7	279.0	4.6	20
65.3	17.2	20.6	85.9	127.2	13.7	72.2	13.7	72.2	3.4	20.6	10.3	72.2	.....	13.7	68.7	41.2	10.3	226.9	.....	21
23.0	23.0	7.7	53.6	153.3	.....	84.3	23.0	84.3	.....	23.0	.....	61.3	.....	7.7	115.0	76.6	7.7	344.9	38.3	22
81.7	20.4	8.2	89.9	151.2	16.3	85.8	12.3	49.0	4.1	8.2	16.3	89.9	4.1	8.2	32.7	114.4	24.5	257.4	12.3	23
61.6	6.2	15.4	67.8	144.8	12.3	89.4	15.4	49.3	6.2	3.1	3.1	46.2	9.2	9.2	46.2	64.7	15.4	258.9	12.3	24
65.7	2.6	7.9	113.0	141.9	21.0	70.9	7.9	26.3	13.1	7.9	7.9	76.2	10.5	5.3	68.3	118.2	10.5	249.6	15.8	25
59.5	19.8	7.9	79.4	166.6	15.9	71.4	7.9	43.6	7.9	7.9	15.9	39.7	11.9	11.9	59.5	55.5	19.8	253.9	4.0	26
77.9	26.0	15.1	75.7	127.7	17.3	77.9	13.0	51.9	8.7	19.5	13.0	69.2	4.3	4.3	60.6	80.1	15.1	218.5	8.7	27
86.7	9.6	24.1	96.4	106.0	9.6	33.7	19.3	38.5	4.8	9.6	24.1	28.9	4.8	4.8	48.2	53.0	19.3	260.2	4.8	28
59.1	10.4	11.4	82.1	117.8	21.6	142.0	20.5	132.4	4.6	9.1	9.9	68.8	6.7	9.5	87.3	103.1	8.9	254.6	43.1	29
59.3	10.5	11.3	82.2	117.0	21.4	141.0	20.3	132.6	4.6	9.1	10.0	68.3	6.8	9.4	87.1	103.2	8.9	253.8	42.7	30
44.5	1.9	23.2	73.6	176.2	38.7	224.5	34.8	120.0	5.8	7.7	5.8	102.6	1.9	19.4	108.4	94.9	7.7	317.5	75.5	31
72.9	11.7	8.7	151.5	142.8	11.7	90.3	23.3	55.4	5.8	2.9	2.9	102.0	8.7	8.7	58.3	46.6	8.7	221.5	32.1	32
48.9	7.2	17.3	53.7	105.3	32.8	215.9	20.6	173.9	4.5	6.0	13.7	52.5	8.6	7.2	91.9	108 6	12.2	270.5	28.0	33
44.0	8.8	19.1	57.2	95.3	13.2	137.8	10.3	111.4	2.9	8.8	5.9	60.1	5.9	11.7	77.7	120.2	13.2	250.7	39.6	34
49.6	3.0	15.0	60.1	93.1	15.0	187.7	22.5	121.7	10.5	10.5	7.5	34.5	4.5	9.0	94.6	136.7	13.5	286.9	36.0	35
61.7	7.7	2.6	72.0	102.9	7.7	92.6	12.9	48.9	2.6	.....	5.1	66.9	2.6	10.3	64.3	48.9	5.1	244.4	28.3	36
72.2	19.5	9.2	123.7	116.9	22.9	123.7	17.2	82.5	1.1	6.9	16.0	76.8	6.9	6.9	71.0	57.3	19.5	313.9	68.7	37
47.3	14.0	14.0	89.4	94.7	19.3	122.7	28.1	101.7	3.5	5.3	7.0	92.9	7.0	12.3	92.9	54.4	7.0	229.7	33.3	38
112.1	18.4	5.5	139.6	237.0	20.2	117.6	23.9	49.6	14.7	12.9	5.5	84.5	7.3	5.5	69.8	99.2	9.2	288.5	33.1	39
87.4	13.0	15.7	101.8	142.2	24.8	87.4	22.2	99.2	.....	14.4	13.0	95.2	1.3	5.2	77.0	78.3	9.1	263.6	15.7	40
71.0	7.7	13.4	76.8	99.8	21.1	126.7	13.4	128.6	3.8	3.8	19.2	53.8	5.8	3.8	55.7	80.6	1.9	218.9	40.3	41
30.5	2.7	6.3	35.0	56.5	19.7	148.8	16.1	229.5	3.6	9.9	7.2	40.3	9.0	9.9	150.6	115.6	6.3	203.5	54.7	42
13.1	13.1	.....	65.3	91.4	.....	65.3	13.1	65.3	.....	13.1	.....	52.2	.....	13.1	117.6	143.7	.....	287.4	39.2	43
58.5	20.7	13.2	83.0	105.6	33.9	181.1	37.7	220.7	1.9	9.4	11.3	77.3	9.4	11.3	113.2	143.3	9.4	205.6	41.5	44
73.7	6.9	9.2	103.6	175.0	18.4	94.4	23.0	92.1	.....	16.1	9.2	78.3	6.9	9.2	66.8	73.7	2.3	253.3	32.2	45
67.4	7.9	17.2	95.1	180.9	15.8	100.4	22.5	88.5	1.3	13.2	10.6	116.2	2.6	7.9	71.3	109.6	10.6	285.3	43.6	46
73.6	5.5	10.9	84.5	185.4	21.8	92.7	5.5	46.3	5.5	10.9	10.9	81.8	2.7	5.5	73.6	81.8	5.5	264.4	27.3	47
45.5	7.4	14.8	55.3	89.7	16.0	164.7	28.3	148.7	4.9	9.8	3.7	38.1	6.1	13.5	113.1	71.3	13.5	201.6	43.0	48
41.1	12.7	6.3	85.5	123.4	6.3	101.3	19.0	57.0	19.0	6.3	6.3	76.0	6.3	19.0	82.3	91.8	12.7	322.8	22.2	49
65.8	6.2	4.1	119.2	162.4	14.4	106.9	8.2	76.1	4.1	20.6	6.2	61.7	4.1	10.3	102.8	61.7	8.2	209.7	43.2	50
80.1	20.5	18.5	137.5	188.9	30.8	94.4	14.4	69.8	4.1	12.3	20.5	141.7	8.2	10.3	65.7	92.4	12.3	303.8	18.5	51
58.8	11.3	15.8	146.9	153.7	11.3	90.4	24.9	72.3	4.5	9.0	6.8	72.3	4.5	9.0	56.5	61.0	4.5	214.7	36.2	52
50.1	13.8	8.6	89.8	139.9	19.0	136.5	25.9	112.3	3.5	13.8	6.9	79.5	8.6	8.6	88.1	69.1	6.9	317.9	36.3	53
55.2	8.8	8.8	97.8	129.1	30.1	130.4	26.3	94.0	5.0	6.3	8.8	99.0	5.0	15.0	66.4	82.7	7.5	219.4	21.3	54
55.7	19.5	13.9	66.8	80.7	8.3	105.7	8.3	100.2	8.3	.....	2.8	61.2	.....	8.3	91.8	89.1	5.6	169.8	25.0	55
124.3	20.4	6.1	106.0	207.9	18.3	67.3	20.4	44.8	2.0	12.2	14.3	65.2	2.0	8.2	79.5	106.0	10.2	283.3	36.7	56
45.0	5.6	14.1	42.2	60.5	17.6	210.2	7.0	219.3	2.8	8.4	6.3	43.6	8.4	13.4	106.9	149.7	5.6	234.1	91.4	57
21.3	21.3	21.3	95.7	74.5	.....	95.7	10.6	85.1	.....	10.6	10.6	31.9	10.6	10.6	42.5	42.5	.....	148.9	31.9	58
74.9	12.5	10.4	110.3	126.9	12.5	106.1	22.9	45.8	2.1	4.2	10.4	99.9	6.2	14.6	66.6	49.9	6.2	280.9	33.3	59
41.2	.....	20.6	72.2	123.7	20.6	82.5	30.9	30.9	.....	30.9	.....	92.8	10.3	.....	41.2	41.2	10.3	257.8	51.6	60
90.0	13.8	13.8	58.8	138.4	6.9	121.1	10.4	86.5	6.9	3.5	6.9	55.4	3.5	3.5	58.8	58.8	13.8	276.9	27.7	61
33.9	13.0	5.2	88.6	114.6	18.2	91.2	20.8	59.9	.....	5.2	10.4	73.0	7.8	5.2	70.3	78.2	7.8	242.3	49.5	62
55.5	7.5	6.0	73.5	69.0	22.5	151.4	15.0	166.4	4.5	9.0	9.0	51.0	6.0	7.5	106.4	121.4	3.0	245.8	55.5	63
52.2	4.7	6.3	39.6	134.6	23.7	140.9	26.9	118.7	3.2	23.7	4.7	36.4	3.2	11.1	107.6	101.3	1.6	231.1	30.1	64
6.7	6.7	6.7	93.4	233.5	6.7	66.7	6.7	46.7	6.7	.....	13.3	86.7	.....	6.7	146.7	66.7	.....	206.8	26.7	65
49.9	14.2	11.9	30.9	92.6	41.5	224.3	29.7	270.6	1.2	2.4	17.8	74.8	15.4	11.9	95.0	144.8	8.3	258.8	32.0	66
75.6	9.2	9.2	127.3	155.0	14.8	115.3	17.5	77.5	.....	12.9	14.8	83.9	5.5	11.1	66.4	59.0	4.6	287.8	32.3	67
70.9	8.9	17.7	82.7	94.5	23.6	141.7	11.8	97.4	3.0	3.0	11.8	82.7	8.9	5.9	47.2	97.4	23.6	230.3	65.0	68
64.3	4.9	7.4	111.4	99.0	7.4	136.1	22.3	79.2	.....	4.9	7.4	74.2	4.9	9.9	66.8	66.8	4.9	319.2	84.1	69
54.3	17.6	16.0	150.0	102.2	28.7	162.8	28.7	142.1	3.2	16.0	4.8	75.0	6.4	12.8	100.6	140.5	12.8	268.1	54.3	70
39.6	7.5	6.5	63.1	68.6	33.1	184.8	32.1	249.0	5.5	10.5	10.0	65.1	9.0	10.0	107.2	145.8	5.5	231.9	56.6	71
93.9	30.6	8.2	93.9	98.0	16.3	91.8	14.3	61.2	.....	6.1	6.1	75.5	6.1	6.1	53.1	59.2	14.3	222.5	14.3	72
69.1	12.0	21.0	75.2	102.2	9.0	87.2	6.0	84.2	18.0	6.0	.....	63.1	6.0	6.0	84.2	93.2	15.0	252.5	24.1	73
70.4	13.3	19.0	100.8	167.4	13.3	136.9	7.6	76.1	13.3	5.7	13.3	78.0	13.3	3.8	66.6	91.3	11.4	273.9	26.6	74
32.3	14.3	7.2	82.5	175.7	10.8	104.0	14.3	100.4	7.2	17.9	14.3	61.0	3.6	21.5	104.0	57.4	7.2	233.1	21.5	75
60.9	26.1	17.4	130.6	95.7	17.4	104.4	21.8	74.0	13.1	.....	26.1	95.7	13.1	13.1	74.0	113.2	13.1	343.8	39.2	76

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	PENNSYLVANIA—continued.														
1	Montgomery County	1,341.2	22.9	0.8	.....	3.9	8.7	11.1	37.9	20.5	.....	127.2	3.2	4.7	11.1
2	Montour County*	2,019.5	60.6	13.5	.....	6.7	.....	33.7	20.2	26.9	13.5	161.6	.....	6.7	13.5
3	Northampton County	1,552.7	19.7	.....	.....	11.2	4.2	7.0	50.6	16.9	1.4	98.4	4.2	4.2	4.2
4	Northumberland County	1,428.6	14.8	4.9	.....	19.8	18.1	14.8	28.0	23.0	.....	74.1	3.3	3.3	4.9
5	Perry County	1,477.7	20.8	.....	.....	.....	20.8	.....	16.6	20.8	.....	70.6	4.2	8.3	4.2
6	Pike County	1,459.2	12.5	.....	.....	.....	.....	24.9	12.5	49.9	.....	62.4	.....	12.5	.....
7	Potter County	1,376.6	10.1	3.4	.....	6.7	20.2	.....	20.2	53.9	10.1	50.5	3.4	10.1	10.1
8	Schuylkill County	1,686.9	17.1	0.7	.....	8.2	42.3	8.2	44.4	15.0	7.5	70.3	3.4	4.8	2.7
9	Snyder County	1,465.2	47.6	.....	.....	17.9	.....	17.9	11.9	17.9	6.0	77.4	6.0	23.8	.....
10	Somerset County	1,306.9	45.5	.....	.....	17.6	17.6	4.4	35.2	2.9	4.4	64.6	1.5	7.3	2.9
11	Sullivan County	1,090.8	26.6	.....	.....	17.7	26.6	8.9	26.6	8.9	.....	88.7	.....	.....	.....
12	Susquehanna County	1,721.6	29.2	2.7	.....	2.7	15.9	8.0	18.6	39.8	8.0	100.8	2.7	.....	18.6
13	Tioga County	1,335.0	44.5	.....	.....	.....	7.0	4.7	11.7	25.8	4.7	58.6	7.0	4.7	2.3
14	Union County	1,134.3	12.3	.....	.....	6.2	12.3	.....	12.3	12.3	.....	55.5	.....	18.5	.....
15	Venango County	1,323.8	22.1	.....	.....	7.4	7.4	9.8	2.5	22.1	2.5	105.4	4.9	7.4	14.7
16	Warren County*	1,673.2	17.6	.....	.....	7.0	.....	7.0	14.1	56.2	10.5	168.7	3.5	14.1	7.0
17	Washington County	1,589.9	35.7	0.8	.....	24.6	22.2	19.1	41.3	18.3	3.2	87.4	2.4	14.3	7.9
18	Wayne County	1,420.4	20.5	.....	.....	3.4	6.8	.....	13.7	6.8	3.4	92.4	.....	13.7	6.8
19	Westmoreland County	1,373.1	34.7	0.5	0.5	30.3	24.5	12.5	28.9	13.0	6.7	65.0	2.9	10.1	2.9
20	Wyoming County	1,499.2	.....	.....	.....	25.8	.....	.....	6.5	12 9	12.9	51.7	12.9	12.9	12.9
21	York County	1,145.4	20.7	.....	.....	9.8	1.1	8.7	25.0	15.2	2.2	94.7	4.4	8.7	9.8
	RHODE ISLAND.														
22	Total	1,645.6	9.5	1.9	.....	33.2	2.8	2.8	22.8	24.7	2 8	105.3	10.4	5.7	5.7
23	White	1,631.5	9.6	1.9	.....	33.7	2.9	2.9	23.1	25.0	2.9	103.1	10.6	5.8	5.8
24	Colored	2,590.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	259.1	.....	.....	.....
25	Bristol County	1,846.3	5.6	.....	.....	118.6	5.6	.....	22.6	22.6	5.6	101.6	16.9	.....	11.3
26	Kent County	1,956.0	10.2	10.2	.....	51.2	.....	10.2	30.7	20.5	10.2	133.1	.....	.....	.....
27	Newport County	1,569.3	32.7	.....	.....	.....	.....	.....	8.2	8.2	.....	49.0	8.2	8.2	.....
28	Providence County	1,530.3	4.9	2.5	.....	19.7	4.9	4.9	34.4	27.0	.....	125.3	12.3	9.8	9.8
29	Washington County	1,607.2	8.0	.....	.....	4.0	.....	.....	8.0	32.1	4.0	92.2	8.0	4.0	.....
	UTAH.														
30	Total	983.5	32.4	.....	0.4	0.8	24.2	22.6	14.1	9.4	6.2	22.3	1.6	2.3	10.9
31	White	993.3	31.8	.....	0.4	0.8	24.7	23.1	14.3	9.6	6.4	22.3	1.6	2.4	11.1
32	Colored	474.8	61.9	.....	.....	.....	.....	.....	.....	.....	.....	20.6	.....	.....	.....
33	Beaver County	885.9	42.2	.....	.....	.....	84.4	.....	21.1	.....	.....	21.1	.....	.....	.....
34	Boxelder County	872.9	28.6	.....	.....	.....	35.8	.....	7.2	7.2	.....	14.3	7.2	7.2	21.5
35	Cache County	910.8	21.6	.....	.....	.....	17.3	4.3	4.3	13.0	4.3	4.3	.....	4.3	13.0
36	Carbon County	1,114.8	34.5	.....	.....	.....	.....	11.5	11.5	.....	11.5	11.5	.....	11.5	11.5
37	Davis County	1,035.4	39.1	.....	.....	.....	29.3	9.8	9.8	9.8	.....	19.5	.....	19.5	29.3
38	Emery County†	632.8	29.4	.....	.....	.....	.....	.....	14.7	.....	.....	14.7	.....	.....	.....
39	Garfield County	736.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Grand County	747.7	62.3	.....	.....	.....	.....	.....	.....	.....	.....	62.3	.....	.....	62.3
41	Iron County	1,040.1	101.5	.....	.....	.....	.....	.....	25.4	50.7	.....	25.4	.....	.....	.....
42	Juab County	1,082.5	56.0	.....	.....	9.3	84.0	28.0	9.3	9.3	.....	46.7	.....	.....	9.3
43	Kane County	1,091.6	.....	.....	.....	.....	60.6	727.7	.....	.....	.....	.....	.....	.....	.....
44	Millard County	832.4	.....	.....	.....	.....	.....	81.6	32.6	.....	.....	.....	.....	.....	32.6
45	Morgan County†	606.1	.....	.....	.....	.....	.....	.....	.....	40.4	.....	.....	.....	.....	.....
46	Piute County†	578.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	57.8
47	Rich County	1,115.8	.....	.....	.....	.....	.....	.....	.....	.....	53.1	53.1	.....	.....	.....
48	Salt Lake County	967.5	2.6	.....	.....	2.6	33.3	12.8	20.5	5.1	10.2	43.5	2.6	2.6	12.8
49	San Juan County†	291.1	166.3	.....	.....	.....	41.6	.....	41.6	.....	.....	.....	.....	.....	.....
50	Sanpete County	1,166.8	71.8	.....	.....	.....	29.9	35.9	.....	23.9	6.0	18.0	.....	.....	6.0
51	Sevier County	877.4	40.8	.....	.....	.....	10.2	61.2	30.6	20.4	.....	.....	.....	.....	.....
52	Summit County	1,370.2	48.9	.....	.....	.....	48.9	12.2	12 2	12.2	.....	.....	.....	.....	36.7
53	Tooele County	1,260.2	100.8	.....	.....	.....	37.8	.....	12.6	.....	12.6	50.4	12.6	.....	12.6
54	Uinta County	906.3	42.5	.....	.....	.....	14.2	.....	.....	42.5	.....	.....	.....	.....	.....
55	Utah County*	1,061.6	23.6	.....	.....	.....	10.5	39.4	10.5	5.3	13.1	31.5	2.6	.....	5.3
56	Wasatch County	943.6	55.5	.....	11.1	.....	.....	.....	44.4	.....	22.2	33.3	.....	.....	11.1
57	Washington County	954.6	19.5	.....	.....	.....	19.5	.....	19.5	.....	.....	.....	.....	.....	.....
58	Wayne County†	515.5	.....	.....	.....	.....	.....	57.3	.....	.....	.....	.....	.....	.....	.....
59	Weber County	1,019.5	10.4	.....	.....	.....	31.2	10.4	31.2	10.4	.....	20.8	.....	.....	.....
	VERMONT.														
60	Total	1,583.5	12.2	1.0	.....	7.4	2.2	10.6	7.4	45.3	4.5	85.4	8.7	12.5	4.8
61	White	1,582.6	12.3	1.0	.....	7.4	2.3	10.3	7.4	45.5	4.5	84.9	8.7	12.6	4.8
62	Colored	1,763.6	.....	.....	.....	.....	.....	65.3	.....	.....	.....	196.0	.....	.....	.....
63	Addison County	1,522.3	5.0	.....	.....	.....	.....	20.0	.....	60.1	5.0	110.2	10.0	15.0	.....
64	Bennington County	1,422.6	9.4	.....	.....	.....	4.7	23.4	14.0	51.5	.....	74.9	4.7	28.1	4.7
65	Caledonia County	1,530.7	15.3	3.8	.....	.....	7.7	7.7	3.8	61.4	3.8	88.2	15.3	15.3	3.8
66	Chittenden County	1,563.6	13.6	.....	.....	9.1	.....	4.5	.....	31.8	.....	72.7	9.1	9.1	9.1
67	Essex County	1,139.8	13.6	.....	.....	.....	.....	.....	.....	13.6	13.6	122.1	.....	.....	13.6
68	Franklin County	1,399.9	10.0	.....	.....	3.3	.....	.....	3.3	40.2	3.3	93.8	10.0	16.7	3.3
69	Grand Isle County	1,227.6	.....	.....	.....	106.8	.....	.....	.....	53.4	.....	80.1	26.7	.....	.....
70	Lamoille County	1,501.1	7.9	7.9	.....	.....	.....	15.9	15.9	23.8	7.9	47.7	.....	23.8	.....
71	Orange County	1,803.0	10.7	.....	.....	10.7	.....	5.4	5.4	58.9	.....	74.9	5.4	10.7	.....
72	Orleans County	1,553.6	8.6	.....	.....	.....	.....	8.6	4.3	21.4	4.3	98.4	30.0	17.1	4.3

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
69.5	12.6	8.7	101.9	128.7	19.0	111.4	20.5	94.0	6.3	9.5	11.8	79.0	4.7	5.5	61.6	71.1	10.3	238.5	24.5	1
121.2	13.5	6.7	168.3	228.9	.....	154.8	40.4	67.3	.....	20.2	13.5	87.5	6.7	.....	60.6	94.2	.....	572.2	6.7	2
67.4	18.3	16.9	120.8	123.7	26.7	146.1	16.9	125.1	2.8	14.1	11.2	95.6	1.4	2.8	109.6	125.1	9.8	260.0	36.5	3
49.4	14.8	8.2	69.1	139.9	18.1	169.5	44.4	177.8	3.3	8.2	3.3	42.8	13.2	8.2	75.7	87.2	4.9	232.1	49.4	4
74.7	12.5	8.3	124.5	236.6	16.6	107.9	8.3	66.4	.....	8.3	4.2	95.5	4.2	12.5	58.1	70.6	16.6	323.8	62.3	5
87.3	.....	.....	99.8	212.0	24.9	149.7	12.5	62.4	.....	12.5	.....	162.1	.....	24.9	49.9	99.8	24.9	237.0	24.9	6
63.9	10.1	10.1	70.7	144.7	30.3	127.9	23.6	70.7	16.8	10.1	10.1	70.7	10.1	10.1	57.2	94.2	3.4	292.8	50.5	7
56.0	11.6	14.3	99.0	96.3	22.5	163.9	44.4	236.3	10.2	13.0	13.0	90.1	8.2	15.0	88.1	148.9	3.4	269.8	58.1	8
119.1	29.8	.....	148.9	208.5	35.7	137.0	.....	71.5	.....	11.9	6.0	71.5	11.9	6.0	101.3	59.6	.....	172.7	47.6	9
42.6	11.7	10.3	39.6	73.4	14.7	113.1	14.7	164.5	.....	2.9	5.9	39.6	13.2	13.2	113.1	142.4	4.4	233.5	49.9	10
17.7	8.9	8.9	88.7	159.6	26.6	88.7	.....	53.2	.....	8.9	.....	44.3	.....	.....	106.4	62.1	.....	141.9	70.9	11
108.8	21.2	18.6	100.8	201.6	31.8	156.5	18.6	114.1	13.3	13.3	13.3	95.5	.....	10.6	39.8	140.6	5.3	331.6	39.8	12
110.1	9.4	14.1	63.2	217.8	25.8	96.0	14.1	49.2	4.7	14.1	11.7	86.7	4.7	2.3	49.2	51.5	9.4	299.8	30.4	13
37.0	30.8	.....	86.3	191.1	.....	104.8	6.2	49.3	6.2	18.5	.....	80.1	.....	12.3	61.6	49.3	6.2	221.9	43.2	14
61.3	2.5	22.1	115.2	152.0	19.6	93.2	4.9	63.7	4.9	7.4	9.8	51.5	.....	19.6	61.3	103.0	2.5	301.5	22.1	15
70.3	10.5	10.5	109.0	119.5	24.6	70.3	21.1	63.3	3.5	10.5	21.1	123.0	3.5	.....	49.2	91.4	21.1	520.2	24.6	16
53.2	4.0	7.9	50.8	80.2	27.0	152.5	17.5	189.8	5.6	8.7	11.9	42.1	6.4	9.5	142.9	186.6	16.7	252.5	46.9	17
58.2	20.5	13.7	126.6	188.2	20.5	106.1	17.1	34.2	10.3	17.1	17.1	136.9	6.8	6.8	65.0	71.9	6.8	290.9	37.6	18
39.5	5.3	10.6	45.7	69.8	23.1	141.5	15.4	167.5	3.4	3.9	8.2	52.9	8.2	10.6	99.1	137.2	9.6	198.3	91.0	19
90.5	.....	6.5	96.9	219.7	25.8	135.7	12.9	64.6	12.9	12.9	12.9	71.1	12.9	19.4	64.6	129.2	6.5	342.5	12.9	20
65.3	3.3	2.2	98.0	127.4	9.8	135.0	22.9	56.6	2.2	4.4	4.4	38.1	2.2	7.6	80.6	41.4	10.9	203.6	29.4	21
82.6	22.8	13.3	108.2	152.8	27.5	214.5	14.2	150.9	1.9	9.5	13.3	112.9	2.8	8.5	77.8	91.1	19.0	272.4	21.8	22
82.8	22.2	13.5	107.9	148.3	25.0	214.8	14.4	149.3	1.9	9.6	13.5	111.7	2.9	8.7	77.1	90.5	19.3	268.7	22.2	23
64.8	64.8	.....	129.5	453.4	194.3	194.3	.....	259.1	.....	.....	.....	194.3	.....	.....	129.5	129.5	.....	518.1	.....	24
73.4	11.3	16.9	135.5	141.2	39.5	259.7	16.9	197.6	5.6	5.6	11.3	124.2	5.6	5.6	96.0	129.9	11.3	231.5	16.9	25
81.9	41.0	20.5	184.3	215.1	10.2	245.8	61.4	71.7	.....	.....	10.2	102.4	.....	30.7	92.2	112.6	30.7	368.7	.....	26
106.3	16.3	8.2	106.3	163.5	8.2	171.6	.....	196.2	.....	8.2	8.2	65.4	.....	.....	98.1	106.3	16.3	326.9	49.0	27
68.8	19.7	12.3	66.3	103.2	22.1	235.8	4.9	162.1	.....	14.7	14.7	105.6	2.5	7.4	66.3	71.2	22.1	248.1	27.0	28
100.2	32.1	12.0	128.3	212.4	44.1	156.3	16.0	108.2	4.0	8.0	16.0	144.3	4.0	8.0	68.1	80.2	16.0	276.5	12.0	29
30.1	11.3	9.4	33.6	73.8	19.1	110.9	15.6	44.9	13.3	14.4	3.5	46.5	5.9	9.8	83.6	85.5	5.5	181.9	37.9	30
30.6	11.5	9.6	34.2	74.4	19.5	112.2	15.9	45.0	13.1	14.7	3.6	47.0	6.0	9.9	84.8	85.2	5.6	183.5	38.6	31
.....	.....	.....	.....	41.3	.....	41.3	.....	41.3	20.6	.....	.....	20.6	.....	.....	20.6	103.2	.....	103.2	.....	32
42.2	42.2	.....	63.3	105.5	21.1	105.5	.....	.....	.....	42.2	.....	21.1	.....	.....	63.3	63.3	.....	126.6	21.1	33
35.8	7.2	7.2	28.6	78.7	28.6	100.2	14.3	14.3	14.3	21.5	.....	7.2	.....	7.2	64.4	100.2	.....	150.3	64.4	34
17.3	17.3	4.3	25.9	77.7	8.6	146.8	13.0	60.4	13.0	17.3	.....	47.5	.....	13.0	73.4	34.5	.....	233.1	21.6	35
.....	.....	11.5	34.5	57.5	46.0	126.4	11.5	34.5	.....	11.5	11.5	23.0	.....	11.5	149.4	241.4	.....	149.4	91.9	36
39.1	9.8	9.8	48.8	48.8	19.5	107.4	19.5	58.6	19.5	48.8	.....	48.8	.....	9.8	87.9	78.1	9.8	205.1	.....	37
29.4	29.4	.....	14.7	58.9	14.7	58.9	.....	29.4	44.2	14.7	.....	73.6	14.7	14.7	88.3	44.2	.....	14.7	29.4	38
54.6	27.3	.....	27.3	54.6	.....	.....	.....	109.1	.....	27.3	.....	81.8	.....	27.3	81.8	109.1	.....	109.1	27.3	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62.3	62.3	186.9	.....	249.2	.....	40
.....	50.7	.....	25.4	126.8	.....	101.5	50.7	.....	.....	25.4	.....	50.7	25.4	.....	101.5	101.5	.....	126.8	50.7	41
28.0	9.3	9.3	37.3	65.3	46.7	149.3	37.3	74.7	9.3	9.3	.....	9.3	9.3	.....	84.0	93.3	18.7	102.7	37.3	42
60.6	.....	.....	.....	.....	.....	60.6	.....	.....	60.6	.....	.....	.....	.....	.....	60.6	.....	.....	60.6	.....	43
16.3	16.3	.....	16.3	81.6	16.3	146.9	.....	16.3	.....	16.3	.....	.....	.....	.....	81.6	114.2	.....	97.9	65.3	44
40.4	.....	.....	.....	40.4	40.4	40.4	.....	.....	40.4	.....	.....	.....	40.4	.....	80.8	161.6	.....	80.8	.....	45
.....	57.8	.....	.....	.....	.....	57.8	57.8	57.8	.....	.....	.....	.....	.....	57.8	173.4	.....	.....	57.8	.....	46
.....	.....	.....	53.1	53.1	.....	212.5	.....	.....	159.4	53.1	.....	53.1	53.1	53.1	.....	53.1	.....	212.5	53.1	47
28.2	7.7	15.4	51.2	46.1	17.9	84.5	23.0	48.6	7.7	7.7	.....	48.6	7.7	2.6	79.3	138.2	2.6	176.6	25.6	48
.....	.....	.....	.....	.....	.....	41.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
23.9	.....	.....	35.9	119.7	35.9	143.6	6.0	59.8	6.0	6.0	6.0	83.8	6.0	.....	107.7	47.9	.....	239.3	47.9	50
30.6	.....	20.4	10.2	61.2	10.2	71.4	10.2	81.6	.....	.....	10.2	20.4	20.4	.....	153.0	20.4	.....	153.0	40.8	51
24.5	.....	.....	48.9	85.6	.....	232.4	73.4	73.4	24.5	61.2	.....	36.7	24.5	36.7	73.4	61.2	.....	244.7	97.9	52
50.4	.....	.....	37.8	63.0	12.6	239.4	12.6	88.2	25.2	.....	.....	25.2	12.6	12.6	75.6	113.4	37.8	176.4	37.8	53
42.5	.....	.....	.....	127.4	14.2	85.0	.....	70.8	42.5	.....	14.2	14.2	14.2	14.2	28.3	155.8	14.2	169.9	.....	54
36.8	21.0	13.1	39.4	99.8	26.3	89.3	5.3	34.2	18.4	13.1	7.9	47.3	.....	13.1	76.2	60.4	10.5	273.3	34.2	55
44.4	22.2	22.2	.....	66.6	11.1	133.2	.....	33.3	.....	11.1	11.1	33.3	.....	.....	77.7	66.6	22.2	133.2	77.7	56
77.9	.....	.....	58.4	39.0	.....	155.8	19.5	19.5	.....	19.5	.....	58.4	.....	58.4	77.9	39.0	.....	175.3	97.4	57
.....	.....	.....	.....	.....	.....	57.3	.....	.....	.....	.....	57.3	114.5	.....	.....	.....	114.5	.....	114.5	.....	58
31.2	.....	41.6	41.6	93.6	10.4	52.0	41.6	20.8	.....	.....	.....	208.1	.....	.....	114.4	72.8	.....	156.0	20.8	59
112.4	20.9	10.9	129.1	226.4	28.6	145.5	11.6	50.1	13.8	10.0	10.0	108.6	5.8	11.2	61.7	74.2	14.1	328.9	7.7	60
113.0	21.0	11.0	129.4	226.6	28.7	144.9	11.3	50.4	13.9	10.0	10.0	108.1	5.8	11.3	62.0	72.3	13.9	329.6	7.7	61
.....	.....	.....	65.3	196.0	.....	261.3	65.3	.....	.....	.....	.....	196.0	.....	.....	.....	457.2	65.3	196.0	.....	62
110.2	15.0	10.0	110.2	255.4	30.0	165.2	10.0	25.0	15.0	10.0	5.0	115.2	5.0	25.0	60.1	65.1	10.0	255.4	.....	63
84.2	28.1	14.0	74.9	280.8	14.0	131.0	14.0	42.1	4.7	9.4	14.0	117.0	9.4	9.4	32.8	60.8	9.4	252.7	4.7	64
95.9	26.9	7.7	107.4	172.6	34.5	99.7	3.8	49.9	19.2	7.7	11.5	95.9	.....	23.0	42.2	46.0	19.2	425.8	15.3	65
140.9	9.1	27.3	95.5	136.4	27.3	213.6	9.1	81.8	9.1	18.2	.....	140.9	9.1	4.5	40.9	95.5	22.7	318.2	4.5	66
67.8	13.6	.....	67.8	176.4	40.7	81.4	.....	40.7	13.6	13.6	.....	27.1	13.6	27.1	.....	54.3	13.6	312.1	.....	67
77.0	13.4	16.7	107.2	184.2	40.2	110.5	10.0	77.0	26.8	3.3	13.4	93.8	6.7	6.7	50.2	56.9	3.3	308.1	10.0	68
186.8	.....	.....	133.4	293.6	.....	80.1	.....	.....	26.7	.....	.....	.....	.....	.....	106.8	80.1	.....	53.4	.....	69
95.3	39.7	7.9	143.0	150.9	31.8	150.9	7.9	39.7	15.9	15.9	23.8	190.6	7.9	7.9	55.6	39.7	15.9	301.8	7.9	70
123.1	21.4	16.1	171.2	305.0	26.8	208.7	10.7	26.8	32.1	5.4	26.8	149.8	5.4	10.7	91.0	48.2	10.7	321.0	10.7	71
137.0	25.7	.....	115.6	244.0	17.1	107.0	8.6	47.1	8.6	8.6	8.6	77.0	12.8	12.8	98.4	85.6	25.7	303.9	12.8	72

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	VERMONT—continued.														
1	Rutland County	1,585.2	8.7	2.9	.....	2.9	8.7	31.8	11.5	43.3	.....	106.8	8.7	8.7	5.8
2	Washington County*	1,582.4	16.1	.....	.....	3.2	.....	3.2	9.7	38.7	9.7	83.8	.....	3.2	.....
3	Windham County	1,900.7	11.1	.....	.....	40.8	3.7	14.8	11.1	44.5	14.8	78.0	3.7	18.6	7.4
4	Windsor County	1,750.1	23.7	.....	.....	3.0	.....	.....	11.9	65.3	3.0	65.3	5.9	3.0	11.9
	WASHINGTON.														
5	Total	907.9	26.0	.....	0.8	8.1	5.7	15.9	11.9	4.3	3.8	80.4	6.2	7.6	4.1
6	White	884.4	24.3	.....	0.8	7.2	5.9	14.8	12.2	3.9	3.9	72.4	5.6	7.4	4.1
7	Colored	1,663.8	79.5	.....	.....	37.1	.....	53.0	5.3	15.9	.....	339.1	26.5	15.9	5.3
8	Adams County	814.6	27.2	.....	.....	18.1	.....	9.1	.....	.....	18.1	54.3	.....	.....	.....
9	Asotin County	866.8	68.0	.....	.....	.....	17.0	17.0	17.0	.....	.....	68.0	.....	.....	17.0
10	Benton County	866.0	86.6	.....	.....	49.5	.....	.....	12.4	.....	.....	99.0	.....	.....	.....
11	Chehalis County	866.7	27.1	.....	.....	9.0	.....	9.0	4.5	9.0	4.5	58.7	13.5	.....	4.5
12	Chelan County	984.4	32.6	.....	.....	.....	.....	39.1	6.5	13.0	19.6	78.2	.....	13.0	6.5
13	Clallam County[3]	1,283.2	.....	.....	59.0	14.7	14.7	14.7	.....	14.7	.....	132.7	14.7	.....	14.7
14	Clarke County	898.3	11.4	.....	.....	7.6	11.4	19.0	15.2	3.8	.....	94.8	.....	3.8	3.8
15	Columbia County	1,036.6	42.6	.....	.....	14.2	.....	28.4	14.2	.....	14.2	14.2	.....	14.2	.....
16	Cowlitz County	774.1	7.9	.....	.....	.....	.....	31.6	39.5	.....	.....	71.1	.....	.....	.....
17	Douglas County †[4]	422.7	10.8	.....	.....	21.7	.....	43.4	.....	.....	10.8	32.5	.....	.....	.....
18	Ferry County[5]	811.5	41.6	.....	.....	20.8	.....	62.4	.....	.....	41.6	124.8	.....	20.8	20.8
19	Franklin County †	628.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	19.0	.....	.....	.....
20	Garfield County	1,189.1	47.6	.....	.....	.....	.....	.....	.....	23.8	.....	118.9	.....	23.8	.....
21	Grant County †[4]	390.9	.....	.....	.....	.....	.....	.....	.....	.....	11.5	11.5	.....	23.0	.....
22	Island County †	671.7	21.0	.....	.....	.....	.....	.....	21.0	21.0	.....	63.0	21.0	.....	.....
23	Jefferson County	1,060.4	11.9	.....	.....	23.8	.....	11.9	11.9	.....	.....	47.7	.....	23.8	.....
24	King County	1,100.2	14.4	.....	.....	10.3	4.1	10.3	6.2	.....	2.1	90.5	6.2	2.1	2.1
25	Kitsap County	721.6	11.2	.....	5.6	.....	.....	16.8	11.2	5.6	5.6	72.7	.....	.....	.....
26	Kittitas County	1,189.5	37.3	.....	.....	5.3	21.3	80.0	16.0	.....	.....	48.0	10.7	5.3	.....
27	Klickitat County †	604.2	.....	.....	.....	.....	.....	.....	19.5	.....	.....	29.2	.....	.....	.....
28	Lewis County	1,034.3	30.8	.....	.....	15.4	9.2	18.5	43.1	3.1	.....	77.0	12.3	12.3	3.1
29	Lincoln County	753.3	17.0	.....	.....	.....	17.0	11.3	.....	5.7	.....	73.6	.....	17.0	5.7
30	Mason County	983.8	.....	.....	.....	19.3	.....	19.3	.....	.....	19.3	231.5	19.3	.....	.....
31	Okanogan County[5]	934.2	84.2	.....	.....	38.3	.....	.....	7.7	7.7	.....	122.5	.....	7.7	.....
32	Pacific County †	576.2	.....	.....	.....	.....	.....	15.8	7.9	.....	.....	47.4	7.9	15.8	.....
33	Pierce County*	1,310.0	13.3	.....	.....	.....	13.3	18.6	10.6	5.3	2.7	116.9	8.0	10.6	5.3
34	San Juan County	857.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	82.9	27.6	.....	.....
35	Skagit County[6]	879.7	13.5	.....	.....	3.4	6.8	13.5	13.5	.....	3.4	94.7	16.9	3.4	13.5
36	Skamania County	858.5	.....	.....	.....	.....	.....	.....	103.0	.....	.....	68.7	.....	.....	.....
37	Snohomish County	945.9	25.9	.....	.....	8.6	2.9	25.9	2.9	14.4	2.9	66.1	17.3	14.4	2.9
38	Spokane County*	954.0	8.5	.....	.....	.....	14.1	5.6	8.5	.....	11.3	127.0	5.6	16.9	8.5
39	Stevens County †	695.1	19.5	.....	.....	.....	7.8	7.8	7.8	7.8	.....	43.0	.....	.....	7.8
40	Thurston County	1,008.9	22.5	.....	.....	5.6	5.6	.....	11.3	16.9	.....	84.5	11.3	22.5	.....
41	Wahkiakum County †	303.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	30.4	30.4	.....	.....
42	Walla Walla County †	639.5	15.8	.....	.....	7.9	7.9	.....	23.7	.....	.....	47.4	7.9	15.8	.....
43	Whatcom County	801.0	19.6	.....	.....	3.9	.....	15.7	7.9	.....	.....	47.1	3.9	7.9	3.9
44	Whitman County	780.3	41.9	.....	.....	3.0	3.0	6.0	9.0	6.0	3.0	83.7	3.0	3.0	6.0
45	Yakima County[7]	1,003.1	117.8	.....	.....	32.1	3.6	21.4	21.4	3.6	7.1	128.5	.....	3.6	7.1
	WISCONSIN.														
46	Total	1,122.1	12.9	.....	0.1	7.5	10.7	7.1	14.9	11.6	3.0	83.2	3.5	9.9	8.2
47	White	1,121.7	13.0	.....	0.1	7.4	10.7	7.1	14.8	11.7	3.1	82.6	3.4	9.9	8.1
48	Colored	1,184.1	.....	.....	.....	27.5	9.2	9.2	18.4	.....	.....	165.2	9.2	9.2	9.2
49	Adams County	1,048.3	11.6	.....	.....	.....	.....	11.6	.....	11.6	.....	139.8	11.6	11.6	11.6
50	Ashland County	1,190.9	96.0	.....	.....	9.6	.....	.....	28.8	.....	9.6	67.2	9.6	9.6	.....
51	Barron County	1,070.5	20.6	.....	.....	17.2	10.3	10.3	6.9	10.3	3.4	68.6	.....	6.9	6.9
52	Bayfield County	1,050.7	.....	.....	.....	62.5	18.8	6.3	56.3	25.0	.....	87.6	6.3	6.3	18.8
53	Brown County	1,175.1	13.9	.....	.....	.....	20.8	6.9	17.3	10.4	3.5	55.5	3.5	10.4	6.9
54	Buffalo County	982.2	12.5	.....	.....	12.5	.....	.....	6.3	25.0	.....	50.1	.....	12.5	18.8
55	Burnett County	976.0	22.2	.....	.....	.....	.....	22.2	22.2	.....	.....	77.6	.....	22.2	22.2
56	Calumet County	970.5	18.0	.....	.....	6.0	.....	6.0	.....	.....	.....	77.9	12.0	6.0	.....
57	Chippewa County	1,342.3	21.8	.....	.....	15.6	3.1	.....	15.6	37.4	6.2	115.2	3.1	12.5	6.2
58	Clark County	847.0	16.6	.....	.....	3.3	.....	13.3	10.0	16.6	.....	53.1	.....	3.3	3.3
59	Columbia County	1,265.8	16.1	.....	.....	3.2	3.2	3.2	25.7	16.1	.....	73.9	.....	9.6	6.4
60	Crawford County	1,174.6	18.4	.....	.....	12.3	.....	6.1	.....	18.4	.....	86.1	6.1	6.1	6.1
61	Dane County*	1,195.7	13.5	.....	.....	3.9	1.9	9.6	7.7	9.6	11.6	86.6	3.9	19.3	13.5
62	Dodge County	1,100.9	6.3	.....	.....	4.2	.....	2.1	2.1	6.3	4.2	73.7	.....	8.4	4.2
63	Door County	980.1	21.4	.....	.....	.....	5.4	16.1	16.1	5.4	.....	37.5	.....	.....	10.7
64	Douglas County †	624.8	.....	.....	.....	.....	.....	.....	14.2	14.2	.....	42.6	.....	.....	.....
65	Dunn County	983.1	7.9	.....	.....	.....	4.0	4.0	19.8	.....	7.9	79.3	.....	7.9	11.9
66	Eau Claire County	868.4	13.9	.....	6.9	13.9	6.9	.....	41.7	6.9	6.9	27.8	.....	.....	13.9
67	Florence County	770.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29.6
68	Fond du Lac County	1,110.3	6.1	.....	.....	6.1	3.1	.....	6.1	6.1	.....	112.9	9.2	.....	3.1
69	Forest County	939.0	14.7	.....	.....	.....	14.7	.....	44.0	.....	.....	29.3	14.7	.....	.....
70	Grant County	1,110.8	2.6	.....	.....	10.3	.....	2.6	20.5	15.4	5.1	79.5	.....	5.1	5.1
71	Green County	981.1	4.6	.....	.....	4.6	.....	.....	.....	.....	.....	78.7	4.6	13.9	4.6
72	Green Lake County	1,111.3	.....	.....	.....	19.4	45.2	.....	19.4	12.9	.....	77.5	12.9	19.4	12.9
73	Iowa County	1,027.7	.....	.....	.....	.....	.....	4.4	13.3	4.4	17.8	111.2	4.4	4.4	.....

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] Including Makah, Ozette, and Quillayute Indian Reservations.
[4] Rates based on population enumerated April 15, 1910.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
92.4	11.5	5.8	118.4	184.8	20.2	170.4	28.9	63.5	5.8	17.3	5.8	75.1	.....	2.9	86.6	124.2	11.5	317.6	2.9	1
132.1	12.9	9.7	125.7	196.6	25.8	170.8	9.7	51.6	19.3	16.1	3.2	112.8	12.9	9.7	67.7	54.8	19.3	364.2	.....	2
133.6	37.1	14.8	189.3	319.3	22.3	144.8	18.6	44.5	7.4	.....	3.7	126.2	.....	7.4	44.5	89.1	18.6	412.1	18.6	3
127.6	26.7	8.9	192.8	284.8	47.5	127.6	5.9	41.5	5.9	8.9	17.8	115.7	3.0	14.8	71.2	89.0	8.9	350.0	8.9	4
40.5	9.2	5.7	43.3	65.6	5.9	62.8	8.3	31.1	7.0	6.5	4.6	45.1	6.7	8.1	48.6	140.5	15.1	156.3	21.8	5
41.2	9.4	5.6	44.2	66.0	5.4	60.9	8.2	30.4	7.1	6.2	4.4	45.7	6.7	8.2	49.1	137.0	14.5	153.9	17.7	6
15.9	5.3	10.6	15.9	53.0	21.2	121.9	10.6	53.0	5.3	15.9	10.6	26.5	5.3	5.3	31.8	254.3	37.1	233.1	153.7	7
27.2	.....	.....	18.1	36.2	.....	63.4	27.2	27.2	9.1	9.1	.....	18.1	18.1	18.1	63.4	81.5	27.2	181.0	63.4	8
68.0	.....	17.0	102.0	34.0	17.0	51.0	17.0	51.0	.....	34.0	17.0	68.0	17.0	.....	17.0	51.0	17.0	68.0	17.0	9
12.4	.....	12.4	24.7	61.9	.....	61.9	.....	12.4	12.4	.....	.....	49.5	.....	.....	86.6	136.1	12.4	111.3	24.7	10
36.1	13.5	.....	40.6	54.2	.....	54.2	9.0	22.6	13.5	.....	.....	36.1	.....	9.0	81.3	194.1	13.5	135.4	13.5	11
32.6	6.5	6.5	39.1	84.7	.....	39.1	.....	71.7	19.6	6.5	.....	39.1	6.5	13.0	45.6	149.9	6.5	156.5	52.2	12
44.2	.....	14.7	59.0	44.2	14.7	44.2	.....	29.5	.....	14.7	.....	118.0	.....	.....	14.7	162.2	14.7	236.0	191.7	13
60.6	3.8	.....	45.5	64.4	7.6	121.3	7.6	15.2	3.8	3.8	11.4	64.4	3.8	7.6	34.1	98.5	15.2	140.2	19.0	14
56.8	.....	.....	42.6	156.2	14.2	71.0	.....	28.4	.....	.....	14.2	56.8	.....	14.2	99.4	99.4	14.2	213.0	14.2	15
7.9	15.8	.....	7.9	39.5	.....	55.3	.....	15.8	.....	.....	.....	15.8	.....	15.8	55.3	173.8	15.8	181.7	23.7	16
10.8	.....	10.8	65.0	32.5	.....	10.8	10.8	21.7	10.8	.....	.....	10.8	.....	.....	10.8	32.5	.....	65.0	10.8	17
62.4	.....	20.8	20.8	.....	.....	20.8	.....	.....	.....	.....	.....	.....	.....	20.8	41.6	145.7	20.8	104.0	20.8	18
.....	.....	.....	19.0	38.1	.....	57.1	19.0	57.1	.....	.....	.....	38.1	.....	19.0	19.0	228.5	19.0	95.2	.....	19
118.9	.....	.....	142.7	95.1	.....	23.8	.....	71.3	.....	.....	.....	47.6	.....	.....	190.2	47.6	.....	190.2	47.6	20
34.5	11.5	.....	23.0	34.5	.....	46.0	11.5	.....	.....	.....	11.5	11.5	.....	11.5	34.5	57.5	.....	46.0	11.5	21
.....	.....	.....	42.0	42.0	.....	42.0	.....	21.0	.....	21.0	.....	84.0	.....	.....	21.0	105.0	21.0	105.0	21.0	22
23.8	23.8	11.9	35.7	166.8	.....	119.1	11.9	35.7	.....	11.9	.....	47.7	.....	.....	35.7	143.0	47.7	190.6	23.8	23
39.1	6.2	2.1	53.5	92.5	4.1	74.0	6.2	53.5	6.2	6.2	6.2	28.8	4.1	10.3	41.1	409.2	10.3	94.6	4.1	24
72.7	28.0	.....	55.9	55.9	5.6	44.8	11.2	5.6	.....	11.2	.....	28.0	5.6	.....	33.6	67.1	22.4	134.3	11.2	25
37.3	16.0	5.3	32.0	80.0	.....	112.0	.....	112.0	10.7	5.3	10.7	16.0	10.7	5.3	106.7	176.0	21.3	170.7	37.3	26
39.0	.....	9.7	78.0	48.7	9.7	19.5	19.5	9.7	19.5	.....	.....	39.0	.....	9.7	9.7	87.7	9.7	146.2	.....	27
61.6	6.2	6.2	43.1	46.2	3.1	61.6	9.2	33.9	15.4	6.2	6.2	64.6	18.5	18.5	55.4	141.6	6.2	181.6	24.6	28
56.6	11.3	5.7	22.7	56.6	.....	39.6	5.7	28.3	5.7	.....	5.7	39.6	11.3	5.7	62.3	45.3	17.0	141.6	45.3	29
19.3	38.6	.....	19.3	96.5	19.3	19.3	57.9	19.3	.....	.....	.....	38.6	.....	.....	.....	135.0	19.3	192.9	.....	30
45.9	7.7	15.3	38.3	61.3	7.7	45.9	15.3	23.0	15.3	7.7	.....	7.7	15.3	7.7	45.9	61.3	15.3	176.1	53.6	31
15.8	.....	.....	31.6	63.1	7.9	31.6	.....	47.4	7.9	.....	.....	15.8	7.9	15.8	23.7	102.6	7.9	94.7	7.9	32
58.5	13.3	2.7	85.0	82.4	8.0	82.4	15.9	31.9	.....	13.3	2.7	66.4	5.3	5.3	63.8	183.3	15.9	348.1	21.3	33
27.6	.....	27.6	82.9	.....	55.3	55.3	.....	.....	27.6	.....	.....	55.3	.....	.....	27.6	138.2	27.6	221.2	.....	34
44.0	13.5	10.2	37.2	54.1	16.9	57.5	6.8	23.7	6.8	10.2	13.5	50.8	3.4	16.9	47.4	125.2	20.3	121.8	16.9	35
68.7	.....	.....	.....	34.3	.....	34.3	.....	.....	.....	.....	.....	68.7	.....	34.3	34.3	137.4	68.7	206.0	.....	36
40.3	17.3	5.8	31.6	89.1	5.8	46.0	17.3	20.1	8.6	8.6	2.9	43.1	5.8	5.8	40.3	184.0	20.1	143.8	25.9	37
28.2	8.5	5.6	45.2	64.9	14.1	81.8	5.6	31.0	2.8	14.1	.....	53.6	5.6	2.8	59.3	96.0	14.1	203.2	11.3	38
27.3	3.9	3.9	27.3	35.1	3.9	31.2	7.8	35.1	3.9	3.9	11.7	70.3	27.3	11.7	58.6	97.6	11.7	121.1	.....	39
62.0	16.9	22.5	67.6	112.7	11.3	84.5	11.3	16.9	5.6	5.6	11.3	56.4	.....	.....	33.8	118.4	16.9	140.9	33.8	40
.....	.....	.....	.....	30.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30.4	.....	182.1	.....	41
39.5	7.9	7.9	.....	71.1	.....	31.6	7.9	.....	.....	.....	.....	23.7	.....	.....	55.3	94.7	7.9	134.2	31.6	42
39.3	15.7	.....	62.8	66.7	3.9	78.5	3.9	19.6	3.9	.....	11.8	58.9	3.9	11.8	35.3	109.9	11.8	141.3	11.8	43
29.9	9.0	9.0	41.9	74.7	3.0	74.7	3.0	29.9	20.9	9.0	3.0	50.8	9.0	6.0	32.9	35.9	12.0	149.5	9.0	44
28.6	.....	10.7	21.4	28.6	7.1	67.8	3.6	39.3	3.6	10.7	.....	50.0	10.7	3.6	50.0	121.4	25.0	142.8	32.1	45
72.8	12.6	13.7	61.6	98.0	20.4	76.9	12.6	59.9	8.3	10.7	9.4	59.7	4.6	6.3	64.2	59.2	11.2	259.1	28.4	46
73.0	12.7	13.6	61.6	98.0	20.5	76.6	12.5	59.8	8.4	10.7	9.5	59.8	4.6	6.2	64.2	58.6	11.2	259.8	28.3	47
45.9	.....	18.4	55.1	91.8	9.2	128.5	18.4	73.4	.....	9.2	.....	45.9	.....	9.2	55.1	137.7	9.2	165.2	55.1	48
46.6	.....	.....	46.6	81.5	23.3	34.9	.....	69.9	11.6	11.6	.....	81.5	23.3	23.3	58.2	46.6	.....	244.6	34.9	49
38.4	9.6	28.8	48.0	38.4	9.6	96.0	38.4	144.1	.....	9.6	.....	19.2	19.2	28.8	19.2	153.7	9.6	220.9	28.8	50
61.8	17.2	3.4	37.7	78.9	20.6	92.6	6.9	78.9	10.3	13.7	3.4	68.6	10.3	10.3	72.1	65.2	10.3	226.5	20.6	51
6.3	.....	25.0	12.5	50.0	6.3	37.6	6.3	81.3	.....	.....	12.5	18.8	.....	.....	87.6	143.8	31.3	181.4	12.5	52
97.1	3.5	20.8	86.7	76.3	10.4	86.7	.....	65.9	.....	10.4	3.5	83.2	3.5	13.9	65.9	48.5	17.3	273.8	58.9	53
93.8	12.5	.....	37.5	75.1	25.0	62.6	6.3	37.5	.....	25.0	6.3	56.3	.....	.....	50.1	68.8	.....	250.3	37.5	54
55.5	33.3	33.3	22.2	44.4	33.3	66.5	22.2	33.3	22.2	22.2	.....	88.7	.....	22.2	44.4	22.2	22.2	188.6	11.1	55
107.8	18.0	18.0	95.8	107.8	6.0	35.9	18.0	30.0	30.0	12.0	12.0	35.9	.....	6.0	53.9	53.9	.....	185.7	18.0	56
52.9	6.2	24.9	31.1	124.6	37.4	121.5	12.5	40.5	12.5	6.2	9.3	40.5	18.7	12.5	87.2	84.1	6.2	339.5	37.4	57
46.5	10.0	6.6	36.5	36.4	6.6	83.0	10.0	56.5	6.6	13.3	13.3	33.2	6.6	3.3	63.1	46.5	10.0	172.7	16.6	58
77.1	22.5	12.9	96.4	106.0	22.5	80.3	19.3	45.0	19.3	3.2	9.6	80.3	.....	.....	70.7	70.7	19.3	324.5	28.9	59
49.2	.....	.....	55.3	104.5	30.7	129.1	12.3	36.9	12.3	12.3	12.3	98.4	.....	6.1	92.2	36.9	6.1	301.3	18.4	60
96.3	13.5	11.6	96.3	82.8	21.2	57.8	11.6	42.4	9.6	17.3	9.6	69.3	7.7	5.8	71.2	63.5	13.5	288.8	25.0	61
90.5	14.7	16.8	65.3	111.6	21.0	42.1	21.0	58.9	4.2	8.4	12.6	61.0	.....	8.4	75.8	63.1	12.6	280.0	21.0	62
58.9	10.7	16.1	26.8	69.6	21.4	32.1	10.7	58.9	5.4	5.4	5.4	58.9	10.7	21.4	75.0	48.2	5.4	278.5	48.2	63
28.4	.....	14.2	28.4	14.2	.....	28.4	.....	14.2	.....	.....	.....	56.8	.....	28.4	42.6	99.4	28.4	127.8	42.6	64
63.4	15.9	7.9	55.5	138.7	35.7	59.5	7.9	39.6	7.9	7.9	.....	35.7	11.9	7.9	43.6	35.7	4.0	241.8	19.8	65
90.3	6.9	13.9	48.6	90.3	13.9	41.7	13.9	13.9	6.9	.....	.....	55.6	.....	.....	62.5	34.7	.....	201.5	34.7	66
29.6	.....	.....	.....	59.3	.....	.....	.....	59.3	.....	.....	.....	29.6	.....	.....	59.3	118.5	29.6	296.3	59.3	67
97.6	18.3	15.3	70.2	122.0	6.1	67.1	9.2	42.7	6.1	3.1	3.1	67.1	3.1	.....	67.1	36.6	6.1	280.6	36.6	68
29.3	.....	.....	.....	44.0	14.7	88.0	14.7	132.0	14.7	.....	.....	29.3	.....	.....	117.4	161.4	.....	146.7	29.3	69
66.7	15.4	18.0	79.5	105.2	28.2	64.1	7.7	51.3	5.1	7.7	12.8	94.9	2.6	7.7	61.6	35.9	7.7	279.6	12.8	70
87.9	23.1	18.5	74.0	55.5	23.1	74.0	13.9	50.9	13.9	18.5	18.5	37.0	13.9	.....	41.6	41.6	13.9	236.0	13.9	71
84.0	12.9	6.5	90.5	103.4	6.5	84.0	25.8	19.4	6.5	19.4	19.4	51.7	.....	.....	45.2	45.2	12.9	219.7	38.8	72
48.9	17.8	4.4	66.7	89.0	31.1	80.1	31.1	44.5	8.9	13.3	4.4	71.2	4.4	.....	71.2	48.9	4.4	200.2	26.7	73

[5] Including part of Colville Indian Reservation.
[6] Including Swinomish Indian Reservation.
[7] Including Yakima Indian Reservation.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	WISCONSIN—continued.														
1	Iron County	954.7	11.9	.....	.....	.....	23.9	.....	71.6	.....	.....	11.9	.....	.....	.....
2	Jackson County	985.1	11.7	.....	.....	.....	11.7	.....	.....	35.2	.....	70.4	.....	11.7	.....
3	Jefferson County	1,168.9	2.9	.....	.....	.....	2.9	5.8	14.6	11.7	.....	104.9	.....	11.7	20.4
4	Juneau County	1,209.1	15.4	.....	.....	5.1	15.4	.....	41.0	15.4	.....	92.2	5.1	15.4	10.2
5	Kenosha County	949.6	.....	.....	.....	.....	.....	34.5	17.3	17.3	.....	43.2	.....	8.6	25.9
6	Kewaunee County	1,108.8	.....	.....	.....	.....	71.5	6.0	17.9	.....	.....	71.5	.....	6.0	23.8
7	La Crosse County	1,134.8	29.5	.....	.....	14.7	.....	.....	22.1	.....	.....	103.2	.....	14.7	14.7
8	Lafayette County	981.7	10.0	.....	.....	10.0	.....	14.9	.....	10.0	5.0	74.7	.....	5.0	14.9
9	Langlade County	905.5	11.7	.....	.....	17.5	.....	.....	11.7	.....	5.8	35.1	.....	5.8	5.8
10	Lincoln County	1,138.4	21.0	.....	.....	42.0	68.2	21.0	21.0	15.7	.....	47.2	5.2	10.5	.....
11	Manitowoc County	979.8	.....	.....	.....	.....	12.5	9.4	6.3	3.1	3.1	84.5	.....	15.7	3.1
12	Marathon County	1,155.1	33.7	.....	.....	.....	106.2	23.3	44.0	13.0	.....	69.9	.....	7.8	13.0
13	Marinette County	920.1	10.4	.....	.....	.....	26.0	15.6	10.4	10.4	.....	88.4	.....	5.2	5.2
14	Marquette County	1,248.6	18.6	.....	.....	.....	.....	.....	.....	37.3	.....	83.9	9.3	28.0	9.3
15	Milwaukee County	2,206.7	56.7	.....	.....	11.7	18.3	5.0	40.0	15.0	10.0	245.2	6.7	26.7	10.0
16	Monroe County	1,257.6	6.9	.....	.....	17.3	10.4	27.7	38.1	27.7	.....	103.9	.....	3.5	17.3
17	Oconto County	992.1	7.8	.....	.....	11.7	7.8	23.3	3.9	15.6	3.9	70.0	7.8	3.9	15.6
18	Oneida County	970.2	52.4	.....	.....	17.5	52.4	17.5	8.7	.....	.....	96.1	.....	17.5	.....
19	Outagamie County	1,042.0	12.4	.....	.....	6.2	21.6	15.5	9.3	6.2	.....	86.6	9.3	3.1	3.1
20	Ozaukee County	876.8	17.5	.....	.....	.....	5.8	.....	.....	11.7	.....	52.6	5.8	11.7	5.8
21	Pepin County	950.2	13.2	.....	.....	.....	26.4	.....	26.4	26.4	.....	26.4	.....	13.2	.....
22	Pierce County	1,121.7	13.6	.....	.....	9.1	.....	.....	4.5	4.5	.....	68.1	4.5	22.7	4.5
23	Polk County	888.4	28.1	.....	.....	.....	.....	28.1	18.7	.....	.....	70.1	9.4	18.7	.....
24	Portage County	1,208.5	9.7	.....	.....	12.9	9.7	3.2	22.6	9.7	3.2	90.5	6.5	.....	6.5
25	Price County	714.5	7.2	.....	7.2	14.4	7.2	14.4	14.4	.....	.....	57.7	.....	.....	7.2
26	Racine County	1,313.8	5.1	.....	.....	20.5	5.1	5.1	5.1	25.7	.....	92.4	.....	.....	20.5
27	Richland County	990.0	5.3	.....	.....	.....	.....	5.3	.....	5.3	.....	85.2	5.3	10.6	.....
28	Rock County	1,120.8	7.5	.....	.....	.....	.....	3.8	7.5	18.9	3.8	94.3	3.8	3.8	7.5
29	Rusk County	873.4	8.9	.....	.....	17.8	.....	.....	26.7	26.7	.....	62.4	.....	8.9	.....
30	St. Croix County	1,082.1	.....	.....	.....	.....	11.6	3.9	15.5	.....	.....	69.6	7.7	11.6	.....
31	Sauk County	1,128.7	3.0	.....	.....	3.0	9.1	9.1	6.1	24.3	6.1	66.9	.....	15.2	9.1
32	Sawyer County	1,099.3	.....	.....	.....	31.9	.....	.....	.....	.....	15.9	95.6	.....	15.9	.....
33	Shawano County	958.6	6.3	.....	.....	.....	6.3	3.1	18.8	6.3	.....	59.5	3.1	12.5	3.1
34	Sheboygan County	1,034.8	.....	.....	.....	.....	.....	3.5	.....	14.0	10.5	45.6	10.5	14.0	14.0
35	Taylor County	825.4	7.3	.....	.....	.....	.....	.....	14.6	7.3	.....	43.8	7.3	7.3	7.3
36	Trempealeau County	991.7	.....	.....	.....	8.7	4.4	4.4	17.5	30.6	.....	69.9	.....	.....	4.4
37	Vernon County	1,100.7	17.8	.....	.....	10.7	10.7	.....	10.7	24.9	.....	121.1	17.8	14.2	3.6
38	Vilas County †	628.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	66.2	.....	.....	.....
39	Walworth County	1,220.7	6.8	.....	.....	10.1	3.4	3.4	10.1	3.4	10.1	84.5	.....	16.9	13.5
40	Washburn County	1,021.2	12.2	.....	.....	12.2	.....	.....	24.3	12.2	.....	72.9	.....	.....	12.2
41	Washington County	1,021.1	16.8	.....	.....	8.4	16.8	4.2	4.2	4.2	.....	54.6	8.4	8.4	4.2
42	Waukesha County	1,351.1	13.5	.....	.....	2.7	2.7	5.4	5.4	8.1	.....	129.2	5.4	18.8	21.5
43	Waupaca County	1,236.5	6.1	.....	.....	.....	6.1	3.1	6.1	15.3	3.1	70.2	.....	6.1	6.1
44	Waushara County	934.6	.....	.....	.....	.....	.....	10.6	10.6	15.8	.....	68.6	.....	5.3	15.8
45	Winnebago County *	1,398.8	.....	.....	.....	34.5	3.4	.....	31.0	6.9	10.3	93.0	.....	10.3	.....
46	Wood County	902.2	13.1	.....	.....	3.3	3.3	19.6	.....	.....	3.3	42.5	3.3	3.3	.....

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
35.8	.....	.....	11.9	23.9	59.7	23.9	11.9	131.3	.....	.....	23.9	11.9	11.9	.....	71.6	262.5	11.9	119.3	23.9	1
64.5	17.6	.....	58.6	76.2	17.6	58.6	23.5	76.2	11.7	5.9	17.6	23.5	.....	5.9	46.9	23.5	11.7	287.3	17.6	2
67.0	17.5	11.7	52.5	137.0	35.0	72.9	14.6	58.3	14.6	23.3	8.7	46.6	2.9	.....	40.8	58.3	14.6	300.2	17.5	3
76.8	30.7	5.1	66.6	153.7	35.9	61.5	15.4	61.5	.....	35.9	10.2	41.0	.....	5.1	41.0	61.5	.....	256.2	35.9	4
51.8	8.6	17.3	25.9	77.7	.....	51.8	.....	69.1	.....	8.6	.....	51.8	.....	8.6	51.8	77.7	17.3	250.3	34.5	5
77.5	.....	41.7	65.6	77.5	17.9	77.5	23.8	29.8	6.0	6.0	17.9	59.6	6.0	.....	65.6	65.6	6.0	238.5	29.8	6
95.8	14.7	.....	51.6	95.8	14.7	73.7	14.7	58.9	7.4	22.1	14.7	73.7	.....	7.4	44.2	66.3	7.4	250.5	22.1	7
74.7	5.0	14.9	44.8	144.5	14.9	29.9	5.0	39.9	19.9	10.0	.....	24.9	10.0	5.0	59.8	54.8	5.0	254.1	19.9	8
58.4	11.7	5.8	46.7	111.0	11.7	116.8	.....	58.4	5.8	.....	23.4	29.2	.....	.....	75.9	17.5	5.8	216.1	17.5	9
57.7	.....	10.5	73.4	57.7	21.0	104.9	5.2	83.9	21.0	10.5	26.2	57.7	5.2	10.5	83.9	42.0	10.5	167.9	36.7	10
65.7	9.4	6.3	43.8	87.6	15.7	62.6	9.4	56.3	6.3	9.4	15.7	50.1	6.3	6.3	75.1	43.8	9.4	228.5	34.4	11
46.6	2.6	18.1	36.3	64.8	18.1	69.9	10.4	95.8	2.6	7.8	5.2	41.4	5.2	7.8	62.2	57.0	.....	246.1	46.6	12
26.0	5.2	10.4	41.6	88.4	15.6	46.8	5.2	130.0	5.2	10.4	10.4	26.0	.....	.....	57.2	93.6	.....	135.2	41.6	13
74.5	.....	18.6	55.9	130.5	46.6	55.9	9.3	37.3	37.3	28.0	.....	37.3	.....	18.6	37.3	46.6	9.3	326.1	93.2	14
113.4	11.7	40.0	71.7	155.1	31.7	206.8	20.0	118.4	6.7	13.3	35.0	138.4	3.3	6.7	135.1	85.1	35.0	495.4	38.4	15
97.0	24.3	17.3	45.0	103.9	17.3	121.3	13.9	72.8	3.5	10.4	3.5	48.5	.....	6.9	48.5	65.8	6.9	287.5	10.4	16
70.0	11.7	15.6	31.1	58.4	11.7	54.5	.....	58.4	3.9	11.7	11.7	35.0	3.9	.....	85.6	58.4	7.8	237.3	54.5	17
35.0	26.2	.....	17.5	61.2	8.7	61.2	17.5	61.2	8.7	26.2	.....	43.7	8.7	8.7	52.4	148.6	17.5	87.4	17.5	18
64.9	9.3	15.5	49.5	83.5	18.6	105.1	12.4	71.1	6.2	21.6	9.3	30.9	.....	.....	68.0	34.0	.....	228.8	40.2	19
70.1	11.7	11.7	105.2	70.1	17.5	52.6	11.7	70.1	.....	5.8	5.8	23.4	.....	.....	17.5	58.5	29.2	187.0	17.5	20
39.6	.....	.....	66.0	105.6	39.6	105.6	13.2	52.8	.....	.....	.....	39.6	.....	13.2	39.6	92.4	.....	198.0	13.2	21
86.3	9.1	13.6	81.7	181.6	36.3	59.0	9.1	68.1	4.5	4.5	4.5	72.7	.....	4.5	45.4	50.0	22.7	222.5	13.6	22
65.5	9.4	4.7	46.8	107.5	23.4	51.4	9.4	9.4	4.7	9.4	.....	51.4	9.4	14.0	65.5	28.1	9.4	187.0	9.4	23
84.0	19.4	9.7	51.7	100.2	25.8	71.1	19.4	90.5	25.8	.....	3.2	35.5	6.5	12.9	93.7	51.7	12.9	297.3	22.6	24
36.1	7.2	7.2	21.7	43.3	14.4	43.3	.....	79.4	14.4	.....	.....	14.4	.....	21.7	36.1	65.0	21.7	93.8	65.0	25
118.0	25.7	10.3	92.4	92.4	25.7	97.5	5.1	66.7	20.5	10.3	30.8	92.4	.....	.....	35.9	61.6	30.8	287.4	30.8	26
69.2	5.3	37.3	69.2	85.2	10.6	85.2	10.6	37.3	.....	.....	.....	74.5	5.3	10.6	69.2	31.9	5.3	250.2	16.0	27
64.2	22.6	11.3	94.3	109.4	30.2	79.2	18.9	49.1	7.5	7.5	11.3	75.5	.....	11.3	15.1	45.3	11.3	286.8	18.9	28
35.7	17.8	8.9	26.7	44.6	.....	35.7	17.8	44.6	8.9	44.6	8.9	26.7	8.9	8.9	89.1	89.1	.....	169.3	35.7	29
81.2	7.7	11.6	88.9	104.3	30.9	65.7	19.3	61.8	7.7	11.6	7.7	73.4	3.9	.....	50.2	42.5	11.6	231.9	50.2	30
106.5	9.1	6.1	85.2	170.4	9.1	57.8	6.1	30.4	6.1	15.2	6.1	66.9	3.0	.....	42.6	36.5	18.3	273.8	27.4	31
47.8	15.9	.....	15.9	63.7	15.9	95.6	.....	47.8	.....	.....	.....	31.9	15.9	.....	79.7	175.2	15.9	223.0	95.6	32
62.7	6.3	12.5	43.9	62.7	25.1	59.5	15.7	90.9	12.5	9.4	6.3	65.8	6.3	6.3	68.9	59.5	15.7	181.7	28.2	33
87.7	7.0	21.0	70.2	136.8	28.1	45.6	14.0	38.6	10.5	14.0	17.5	42.1	3.5	7.0	28.1	63.1	14.0	259.6	14.0	34
80.4	21.9	.....	43.8	51.1	.....	21.9	21.9	21.9	7.3	14.6	7.3	21.9	7.3	7.3	73.0	73.0	.....	233.7	21.9	35
78.6	17.5	13.1	56.8	96.1	.....	78.6	17.5	69.9	13.1	4.4	.....	61.2	.....	.....	56.8	21.8	4.4	222.8	39.3	36
49.9	7.1	17.8	74.8	85.5	10.7	67.7	10.7	71.2	7.1	.....	7.1	74.8	10.7	3.6	81.9	39.2	7.1	235.1	7.1	37
16.5	.....	33.1	99.3	16.5	16.5	49.6	.....	82.7	.....	33.1	.....	16.5	.....	.....	49.6	66.2	.....	66.2	16.5	38
87.9	13.5	3.4	104.8	108.2	30.4	84.5	16.9	37.2	10.1	3.4	13.5	98.1	.....	3.4	44.0	64.2	6.8	307.7	20.3	39
12.2	36.5	12.2	12.2	72.9	24.3	109.4	12.2	72.9	.....	36.5	.....	36.5	12.2	24.3	158.0	36.5	.....	145.9	60.8	40
88.2	4.2	16.8	88.2	88.2	25.2	100.9	12.6	42.0	.....	21.0	8.4	71.4	.....	12.6	36.6	42.0	4.2	222.7	8.4	41
75.4	29.6	10.8	83.4	107.7	24.2	70.0	21.5	56.5	8.1	13.5	10.8	80.7	2.7	10.8	70.0	94.2	21.5	336.4	10.8	42
97.7	12.2	15.3	91.6	88.5	18.3	106.9	3.1	36.6	9.2	3.1	3.1	122.1	9.2	3.1	58.0	58.0	12.2	329.7	36.6	43
63.4	5.3	10.6	47.5	68.6	26.4	63.4	.....	58.1	.....	5.3	.....	58.1	15.8	.....	73.9	37.0	.....	253.4	21.1	44
86.1	24.1	13.8	72.4	158.5	10.3	86.1	20.7	51.7	6.9	10.3	3.4	68.9	3.4	3.4	58.6	58.6	20.7	385.9	65.5	45
55.6	6.5	6.5	39.2	88.3	6.5	81.7	9.8	78.5	9.8	3.3	13.1	19.6	6.5	9.8	78.5	55.6	3.3	232.1	6.5	46

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE IV.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION, IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1910.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS: 1910.						DEATH RATE PER 100,000 POPULATION: 1910.					
		Registration area.	Registration states.			Registration cities in other states.	All registration cities.[1]	Registration area.	Registration states.			Registration cities in other states.	All registration cities.[1]
			Total.[1]	Cities.[1]	Rural districts.				Total.[1]	Cities.[1]	Rural districts.		
	All causes	805,412	703,608	400,305	303,303	101,804	502,109	1,495.8	1,471.7	1,589.3	1,340.8	1,686.6	1,608.1
	I.—General diseases	215,692	187,170	108,167	79,003	28,522	136,689	400.6	391.5	429.5	349.2	472.5	437.8
1	Typhoid fever	12,673	10,904	5,640	5,264	1,769	7,409	23.5	22.9	22.4	23.3	29.3	23.7
2	Typhus fever	2	2	2			2	(2)	(2)	(2)			(2)
3	Relapsing fever	1	1	1			1	(2)	(2)	(2)			(2)
4	Malaria	1,167	645	258	387	522	780	2.2	1.3	1.0	1.7	8.6	2.5
5	Smallpox	202	189	107	82	13	120	0.4	0.4	0.4	0.4	0.2	0.4
6	Measles	6,598	5,990	3,377	2,613	608	3,985	12.3	12.5	13.4	11.6	10.1	12.8
7	Scarlet fever	6,255	5,430	3,567	1,863	825	4,392	11.6	11.4	14.2	8.2	13.7	14.1
8	Whooping cough	6,146	5,579	2,881	2,698	567	3,448	11.4	11.7	11.4	11.9	9.4	11.0
9	Diphtheria and croup	11,521	10,090	6,482	3,608	1,431	7,913	21.4	21.1	25.7	15.9	23.7	25.3
10	Influenza	7,774	6,824	2,663	4,161	950	3,613	14.4	14.3	10.6	18.4	15.7	11.6
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	563	528	192	336	35	227	1.0	1.1	0.8	1.5	0.6	0.7
14	Dysentery	3,446	2,971	1,096	1,875	475	1,571	6.4	6.2	4.4	8.3	7.9	5.0
15	Plague	1	1		1			(2)	(2)		(2)		
16	Yellow fever												
17	Leprosy	10	5	2	3	5	7	(2)	(2)	(2)	(2)	0.1	(2)
18	Erysipelas	2,442	2,183	1,308	875	259	1,567	4.5	4.6	5.2	3.9	4.3	5.0
19	Other epidemic diseases	198	189	94	95	9	103	0.4	0.4	0.4	0.4	0.1	0.3
20	Purulent infection and septicemia	1,877	1,557	858	699	320	1,178	3.5	3.3	3.4	3.1	5.3	3.8
21	Glanders	7	7	7			7	(2)	(2)	(2)			(2)
22	Anthrax	22	20	14	6	2	16	(2)	(2)	0.1	(2)	(2)	0.1
23	Rabies	64	57	36	21	7	43	0.1	0.1	0.1	0.1	0.1	0.1
24	Tetanus	1,373	936	512	424	437	949	2.5	2.0	2.0	1.9	7.2	3.0
25	Mycoses	32	26	20	6	6	26	0.1	0.1	0.1	(2)	0.1	0.1
26	Pellagra	368	143	90	53	225	315	0.7	0.3	0.4	0.2	3.7	1.0
27	Beriberi	10	10	7	3		7	(2)	(2)	(2)	(2)		(2)
	Tuberculosis (total)	86,309	74,011	45,178	28,833	12,298	57,476	160.3	154.8	179.4	127.5	203.7	184.1
28	Tuberculosis of the lungs	73,214	62,436	37,995	24,441	10,778	48,773	136.0	130.6	150.9	108.0	178.6	156.2
29	Acute miliary tuberculosis	1,997	1,730	1,164	566	267	1,431	3.7	3.6	4.6	2.5	4.4	4.6
30	Tuberculous meningitis	4,654	4,185	2,943	1,242	469	3,412	8.6	8.8	11.7	5.5	7.8	10.9
31	Abdominal tuberculosis	3,159	2,746	1,500	1,246	413	1,913	5.9	5.7	6.0	5.5	6.8	6.1
32	Pott's disease	764	671	400	271	93	493	1.4	1.4	1.6	1.2	1.5	1.6
33	White swellings	422	372	204	168	50	254	0.8	0.8	0.8	0.7	0.8	0.8
34	Tuberculosis of other organs	1,118	1,001	555	446	117	672	2.1	2.1	2.2	2.0	1.9	2.2
35	Disseminated tuberculosis	981	870	417	453	111	528	1.8	1.8	1.7	2.0	1.8	1.7
36	Rickets	455	370	251	119	85	336	0.8	0.8	1.0	0.5	1.4	1.1
37	Syphilis	3,221	2,529	1,849	680	692	2,541	6.0	5.3	7.3	3.0	11.5	8.1
38	Gonococcus infection	197	163	134	29	34	168	0.4	0.3	0.5	0.1	0.6	0.5
	Cancer and other malignant tumors (total)	41,039	36,364	20,505	15,859	4,675	25,180	76.2	76.1	81.4	70.1	77.4	80.6
39	Of the buccal cavity	1,576	1,381	764	617	195	959	2.9	2.9	3.0	2.7	3.2	3.1
40	Of the stomach, liver	16,475	14,675	7,992	6,683	1,800	9,792	30.6	30.7	31.7	29.5	29.8	31.4
41	Of the peritoneum, intestines, rectum	5,258	4,750	2,889	1,861	508	3,397	9.8	9.9	11.5	8.2	8.4	10.9
42	Of the female genital organs	6,147	5,253	3,264	1,989	894	4,158	11.4	11.0	13.0	8.8	14.8	13.3
43	Of the breast	3,730	3,380	1,840	1,540	350	2,190	6.9	7.1	7.3	6.8	5.8	7.0
44	Of the skin	1,459	1,307	513	794	152	665	2.7	2.7	2.0	3.5	2.5	2.1
45	Of other organs or of organs not specified	6,394	5,618	3,243	2,375	776	4,019	11.9	11.8	12.9	10.5	12.9	12.9
46	Other tumors (tumors of the female genital organs excepted)	553	479	246	233	74	320	1.0	1.0	1.0	1.0	1.2	1.0
47	Acute articular rheumatism	3,328	2,942	1,647	1,295	386	2,033	6.2	6.2	6.5	5.7	6.4	6.5
48	Chronic rheumatism and gout	676	608	286	322	68	354	1.3	1.3	1.1	1.4	1.1	1.1
49	Scurvy	68	62	44	18	6	50	0.1	0.1	0.2	0.1	0.1	0.2
50	Diabetes	8,040	7,282	4,232	3,050	758	4,990	14.9	15.2	16.8	13.5	12.6	16.0
51	Exophthalmic goiter	687	595	335	260	92	427	1.3	1.2	1.3	1.1	1.5	1.4
52	Addison's disease	220	199	112	87	21	133	0.4	0.4	0.4	0.4	0.3	0.4
53	Leukemia	864	757	423	334	107	530	1.6	1.6	1.7	1.5	1.8	1.7
54	Anemia, chlorosis	2,614	2,377	1,224	1,153	237	1,461	4.9	5.0	4.9	5.1	3.9	4.7
55	Other general diseases	1,359	1,182	605	577	177	782	2.5	2.5	2.4	2.6	2.9	2.5
56	Alcoholism (acute or chronic)	2,909	2,626	1,694	932	283	1,977	5.4	5.5	6.7	4.1	4.7	6.3
57	Chronic lead poisoning	136	118	83	35	18	101	0.3	0.2	0.3	0.2	0.3	0.3
58	Other chronic occupation poisonings	6	3	2	1	3	5	(2)	(2)	(2)	(2)	(2)	(2)
59	Other chronic poisonings	259	216	103	113	43	146	0.5	0.5	0.4	0.5	0.7	0.5
	II.—Diseases of the nervous system and of the organs of special sense	77,991	70,483	34,593	35,890	7,508	42,101	144.8	147.4	137.3	158.7	124.4	134.8
60	Encephalitis	761	650	341	309	111	452	1.4	1.4	1.4	1.4	1.8	1.4
61	Meningitis (total)	7,619	6,661	3,937	2,724	958	4,895	14.2	13.9	15.6	12.0	15.9	15.7
	Simple meningitis	5,347	4,688	2,724	1,964	659	3,383	9.9	9.8	10.8	8.7	10.9	10.8
	Cerebrospinal meningitis (undefined)	2,052	1,809	1,118	691	243	1,361	3.8	3.8	4.4	3.1	4.0	4.4
	Cerebrospinal fever	220	164	95	69	56	151	0.4	0.3	0.4	0.3	0.9	0.5
62	Locomotor ataxia	1,435	1,267	678	589	168	846	2.7	2.7	2.7	2.6	2.8	2.7
63	Other diseases of the spinal cord (total)	4,101	3,751	1,717	2,034	350	2,067	7.6	7.8	6.8	9.0	5.8	6.6
	Acute anterior poliomyelitis	1,459	1,364	544	820	95	639	2.7	2.9	2.2	3.6	1.6	2.0
	Other diseases of the spinal cord[3]	2,642	2,387	1,173	1,214	255	1,428	4.9	5.0	4.7	5.4	4.2	4.6
64	Cerebral hemorrhage, apoplexy	39,701	36,292	18,195	18,097	3,409	21,604	73.7	75.9	72.2	80.0	56.5	69.2

[1] Including District of Columbia.

[2] Less than one-tenth of 1 per 100,000.

[3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION, IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Contd.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS: 1910.						DEATH RATE PER 100,000 POPULATION: 1910.					
		Registration area.	Registration states.			Registration cities in other states.	All registration cities.[1]	Registration area.	Registration states.			Registration cities in other states.	All registration cities.[1]
			Total.[1]	Cities.[1]	Rural districts.				Total.[1]	Cities.[1]	Rural districts.		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
65	Softening of the brain	1,066	917	342	575	149	491	2.0	1.9	1.4	2.5	2.5	1.6
66	Paralysis without specified cause	7,756	6,873	2,532	4,341	883	3,415	14.4	14.4	10.1	19.2	14.6	10.9
67	General paralysis of the insane	2,944	2,652	1,276	1,376	292	1,568	5.5	5.5	5.1	6.1	4.8	5.0
68	Other forms of mental alienation	1,761	1,606	589	1,017	155	744	3.3	3.4	2.3	4.5	2.6	2.4
69	Epilepsy	2,287	2,111	818	1,293	176	994	4.2	4.4	3.2	5.7	2.9	3.2
70	Convulsions (nonpuerperal)	200	173	79	94	27	106	0.4	0.4	0.3	0.4	0.4	0.3
71	Convulsions of infants	4,802	4,376	2,331	2,045	426	2,757	8.9	9.2	9.3	9.0	7.1	8.8
72	Chorea	123	111	50	61	12	62	0.2	0.2	0.2	0.3	0.2	0.2
73	Neuralgia and neuritis	362	334	177	157	28	205	0.7	0.7	0.7	0.7	0.5	0.7
74	Other diseases of the nervous system	2,069	1,807	938	869	262	1,200	3.8	3.8	3.7	3.8	4.3	3.8
75	Diseases of the eyes and their annexa	37	35	19	16	2	21	0.1	0.1	0.1	0.1	[2]	0.1
76	Diseases of the ears	967	867	574	293	100	674	1.8	1.8	2.3	1.3	1.7	2.2
	III.—Diseases of the circulatory system	100,106	88,664	48,876	39,788	11,442	60,318	185.9	185.5	194.1	175.9	189.6	193.2
77	Pericarditis	650	544	280	264	106	386	1.2	1.1	1.1	1.2	1.8	1.2
78	Acute endocarditis	4,792	4,041	3,046	995	751	3,797	8.9	8.5	12.1	4.4	12.4	12.2
79	Organic diseases of the heart	76,178	67,780	36,618	31,162	8,398	45,016	141.5	141.8	145.4	137.8	139.1	144.2
80	Angina pectoris	3,869	3,534	1,668	1,866	335	2,003	7.2	7.4	6.6	8.2	5.5	6.4
81	Diseases of the arteries, atheroma, aneurism, etc	11,657	10,153	5,753	4,400	1,504	7,257	21.6	21.2	22.8	19.5	24.9	23.2
82	Embolism and thrombosis	1,990	1,757	1,018	739	233	1,251	3.7	3.7	4.0	3.3	3.9	4.0
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	349	316	205	111	33	238	0.6	0.7	0.8	0.5	0.5	0.8
84	Diseases of the lymphatic system (lymphangitis, etc.)	255	220	142	78	35	177	0.5	0.5	0.6	0.3	0.6	0.6
85	Hemorrhage; other diseases of the circulatory system	366	319	146	173	47	193	0.7	0.7	0.6	0.8	0.8	0.6
	IV.—Diseases of the respiratory system	100,835	86,874	54,172	32,702	13,961	68,133	187.3	181.7	215.1	144.6	231.3	218.2
86	Diseases of the nasal fossae	135	118	47	71	17	64	0.3	0.2	0.2	0.3	0.3	0.2
87	Diseases of the larynx	746	669	319	350	77	396	1.4	1.4	1.3	1.5	1.3	1.3
88	Diseases of the thyroid body	224	187	101	86	37	138	0.4	0.4	0.4	0.4	0.6	0.4
89	Acute bronchitis	7,229	6,643	4,230	2,413	586	4,816	13.4	13.9	16.8	10.7	9.7	15.4
90	Chronic bronchitis	5,391	4,785	2,680	2,105	606	3,286	10.0	10.0	10.6	9.3	10.0	10.5
91	Bronchopneumonia	25,337	21,913	15,352	6,561	3,424	18,776	47.1	45.8	61.0	29.0	56.7	60.1
92	Pneumonia (total)	54,187	45,958	27,725	18,233	8,229	35,954	100.6	96.1	110.1	80.6	136.3	115.2
	Lobar pneumonia	24,972	21,333	15,544	5,789	3,639	19,183	46.4	44.6	61.7	25.6	60.3	61.4
	Pneumonia (undefined)	29,215	24,625	12,181	12,444	4,590	16,771	54.3	51.5	48.4	55.0	76.0	53.7
93	Pleurisy	2,150	1,890	1,245	645	260	1,505	4.0	4.0	4.9	2.9	4.3	4.8
94	Pulmonary congestion, pulmonary apoplexy	2,499	2,180	1,189	991	319	1,508	4.6	4.6	4.7	4.4	5.3	4.8
95	Gangrene of the lung	138	123	77	46	15	92	0.3	0.3	0.3	0.2	0.2	0.3
96	Asthma	1,454	1,228	647	581	226	873	2.7	2.6	2.6	2.6	3.7	2.8
97	Pulmonary emphysema	166	149	73	76	17	90	0.3	0.3	0.3	0.3	0.3	0.3
98	Other diseases of the respiratory system (tuberculosis excepted)	1,179	1,031	487	544	148	635	2.2	2.2	1.9	2.4	2.5	2.0
	V.—Diseases of the digestive system	104,801	90,732	53,772	36,960	14,069	67,841	194.6	189.8	213.5	163.4	233.1	217.3
99	Diseases of the mouth and annexa	423	361	184	177	62	246	0.8	0.8	0.7	0.8	1.0	0.8
100	Diseases of the pharynx	840	772	384	388	68	452	1.6	1.6	1.5	1.7	1.1	1.4
101	Diseases of the esophagus	120	103	59	44	17	76	0.2	0.2	0.2	0.2	0.3	0.2
102	Ulcer of the stomach	2,203	1,924	1,211	713	279	1,490	4.1	4.0	4.8	3.2	4.6	4.8
103	Other diseases of the stomach (cancer excepted)	8,403	7,494	3,434	4,060	909	4,343	15.6	15.7	13.6	17.9	15.1	13.9
104	Diarrhea and enteritis (under 2 years)	54,266	47,197	29,712	17,485	7,069	36,781	100.8	98.7	118.0	77.3	117.1	117.8
105	Diarrhea and enteritis (2 years and over)	8,914	7,676	3,682	3,994	1,238	4,920	16.6	16.1	14.6	17.7	20.5	15.8
106	Ankylostomiasis	9	4	1	3	5	6	[2]	[2]	[2]	[2]	0.1	[2]
107	Intestinal parasites	76	61	24	37	15	39	0.1	0.1	0.1	0.2	0.2	0.1
108	Appendicitis and typhlitis	6,128	5,154	3,528	1,626	974	4,502	11.4	10.8	14.0	7.2	16.1	14.4
109	Hernia, intestinal obstruction (total)	6,678	5,775	3,493	2,282	903	4,396	12.4	12.1	13.9	10.1	15.0	14.1
	Hernia	2,192	1,883	1,255	628	309	1,564	4.1	3.9	5.0	2.8	5.1	5.0
	Intestinal obstruction	4,486	3,892	2,238	1,654	594	2,832	8.3	8.1	8.9	7.3	9.8	9.1
110	Other diseases of the intestines	1,571	1,356	703	653	215	918	2.9	2.8	2.8	2.9	3.6	2.9
111	Acute yellow atrophy of the liver	224	190	89	101	34	123	0.4	0.4	0.4	0.4	0.6	0.4
112	Hydatid tumor of the liver	24	19	16	3	5	21	[2]	[2]	0.1	[2]	0.1	0.1
113	Cirrhosis of the liver	7,485	6,352	4,042	2,310	1,133	5,175	13.9	13.3	16.0	10.2	13.8	16.6
114	Biliary calculi	1,501	1,277	714	563	224	938	2.8	2.7	2.8	2.5	3.7	3.0
115	Other diseases of the liver	3,092	2,628	1,296	1,332	464	1,760	5.7	5.5	5.1	5.9	7.7	5.6
116	Diseases of the spleen	96	85	40	45	11	51	0.2	0.2	0.2	0.2	0.2	0.2
117	Simple peritonitis (nonpuerperal)	2,419	2,019	967	1,052	400	1,367	4.5	4.2	3.8	4.7	6.6	4.4
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	329	285	193	92	44	237	0.6	0.6	0.8	0.4	0.7	0.8

[1] Including District of Columbia.

[2] Less than one-tenth of 1 per 100,000.

TABLE IV.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION, IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Contd.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS: 1910.						DEATH RATE PER 100,000 POPULATION: 1910.					
			Registration states.						Registration states.				
		Registration area.	Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	Registration area.	Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	62,559	53,251	32,660	20,591	9,308	41,968	116.2	111.4	129.7	91.0	154.2	134.4
119	Acute nephritis	5,665	4,886	3,230	1,656	779	4,009	10.5	10.2	12.8	7.3	12.9	12.8
120	Bright's disease	47,665	40,464	24,801	15,663	7,201	32,002	88.5	84.6	98.5	69.2	119.3	102.5
121	Chyluria	1	1		1			(2)	(2)		(2)		
122	Other diseases of the kidneys and annexa	1,389	1,215	683	532	174	857	2.6	2.5	2.7	2.4	2.9	2.7
123	Calculi of the urinary passages	329	281	167	114	48	215	0.6	0.6	0.7	0.5	0.8	0.7
124	Diseases of the bladder	1,561	1,433	599	834	128	727	2.9	3.0	2.4	3.7	2.1	2.3
125	Diseases of the urethra, urinary abscess, etc	237	179	133	46	58	191	0.4	0.4	0.5	0.2	1.0	0.6
126	Diseases of the prostate	2,020	1,779	859	920	241	1,100	3.8	3.7	3.4	4.1	4.0	3.5
127	Nonvenereal diseases of the male genital organs	75	65	39	26	10	49	0.1	0.1	0.2	0.1	0.2	0.2
128	Uterine hemorrhage (nonpuerperal)	81	72	31	41	9	40	0.2	0.2	0.1	0.2	0.1	0.1
129	Uterine tumor (noncancerous)	933	764	554	210	169	723	1.7	1.6	2.2	0.9	2.8	2.3
130	Other diseases of the uterus	774	628	422	206	146	568	1.4	1.3	1.7	0.9	2.4	1.8
131	Cysts and other tumors of the ovary	500	432	290	142	68	358	0.9	0.9	1.2	0.6	1.1	1.1
132	Salpingitis and other diseases of the female genital organs	1,298	1,029	837	192	269	1,106	2.4	2.2	3.3	0.8	4.5	3.5
133	Nonpuerperal diseases of the breast (cancer excepted)	31	23	15	8	8	23	0.1	(2)	0.1	(2)	0.1	0.1
	VII.—The puerperal state	8,455	7,394	4,271	3,123	1,061	5,332	15.7	15.5	17.0	13.8	17.6	17.1
134	Accidents of pregnancy	877	760	454	306	117	571	1.6	1.6	1.8	1.4	1.9	1.8
135	Puerperal hemorrhage	754	680	374	306	74	448	1.4	1.4	1.5	1.4	1.2	1.4
136	Other accidents of labor	820	743	380	363	77	457	1.5	1.6	1.5	1.6	1.3	1.5
137	Puerperal septicemia	3,892	3,334	2,029	1,305	558	2,587	7.2	7.0	8.1	5.8	9.2	8.3
138	Puerperal albuminuria and convulsions	1,824	1,614	889	725	210	1,099	3.4	3.4	3.5	3.2	3.5	3.5
139	Puerperal phlegmasia alba dolens, embolus, sudden death	230	212	127	85	18	145	0.4	0.4	0.5	0.4	0.3	0.5
140	Following childbirth (not otherwise defined)	53	47	15	32	6	21	0.1	0.1	0.1	0.1	0.1	0.1
141	Puerperal diseases of the breast	5	4	3	1	1	4	(2)	(2)	(2)	(2)	(2)	(2)
	VIII.—Diseases of the skin and of the cellular tissue	3,008	2,690	1,322	1,368	318	1,640	5.6	5.6	5.2	6.0	5.3	5.3
142	Gangrene	1,748	1,599	694	905	149	843	3.2	3.3	2.8	4.0	2.5	2.7
143	Furuncle	273	239	151	88	34	185	0.5	0.5	0.6	0.4	0.6	0.6
144	Acute abscess	506	439	274	165	67	341	0.9	0.9	1.1	0.7	1.1	1.1
145	Other diseases of the skin and annexa	481	413	203	210	68	271	0.9	0.9	0.8	0.9	1.1	0.9
	IX.—Diseases of the bones and of the organs of locomotion	1,317	1,165	822	343	152	974	2.4	2.4	3.3	1.5	2.5	3.1
146	Diseases of the bones (tuberculosis excepted)	1,145	1,013	725	288	132	857	2.1	2.1	2.9	1.3	2.2	2.7
147	Diseases of the joints (tuberculosis and rheumatism excepted)	119	102	71	31	17	88	0.2	0.2	0.3	0.1	0.3	0.3
148	Amputations	7	5	4	1	2	6	(2)	(2)	(2)	(2)	(2)	(2)
149	Other diseases of the organs of locomotion	46	45	22	23	1	23	0.1	0.1	0.1	0.1	(2)	0.1
	X.—Malformations	7,998	7,258	3,911	3,347	740	4,651	14.9	15.2	15.5	14.8	12.3	14.9
150	Congenital malformations (stillbirths not included) (total)	7,998	7,258	3,911	3,347	740	4,651	14.9	15.2	15.5	14.8	12.3	14.9
	Hydrocephalus	685	590	330	260	95	425	1.3	1.2	1.3	1.1	1.6	1.4
	Congenital malformations of the heart	4,821	4,385	2,394	1,991	436	2,830	9.0	9.2	9.5	8.8	7.2	9.1
	Other congenital malformations	2,492	2,283	1,187	1,096	209	1,396	4.6	4.8	4.7	4.8	3.5	4.5
	XI.—Early infancy	39,388	35,020	21,014	14,006	4,368	25,382	73.2	73.3	83.4	61.9	72.4	81.3
151	Congenital debility, icterus, and sclerema (total)	32,350	28,790	17,072	11,718	3,560	20,632	60.1	60.2	67.8	51.8	59.0	66.1
	Premature birth	20,275	18,038	10,703	7,335	2,237	12,940	37.7	37.7	42.5	32.4	37.1	41.4
	Congenital debility, "atrophy," "marasmus," etc	12,075	10,752	6,369	4,383	1,323	7,692	22.4	22.5	25.3	19.4	21.9	24.6
152	Other causes peculiar to early infancy (total)	6,906	6,120	3,888	2,232	786	4,674	12.8	12.8	15.4	9.9	13.0	15.0
	Injuries at birth	3,725	3,313	2,142	1,171	412	2,554	6.9	6.9	8.5	5.2	6.8	8.2
	Other causes peculiar to early infancy [3]	3,181	2,807	1,746	1,061	374	2,120	5.9	5.9	6.9	4.7	6.2	6.8
153	Lack of care	132	110	54	56	22	76	0.2	0.2	0.2	0.2	0.4	0.2
	XII.—Old age	13,604	12,218	4,655	7,563	1,386	6,041	25.3	25.6	18.5	33.4	23.0	19.3
154	Senility	13,604	12,218	4,655	7,563	1,386	6,041	25.3	25.6	18.5	33.4	23.0	19.3
	XIII.—External causes	57,196	49,855	27,095	22,760	7,341	34,436	106.2	104.3	107.6	100.6	121.6	110.3
	Suicide (total)	8,590	7,309	4,513	2,796	1,281	5,794	16.0	15.3	17.9	12.4	21.2	18.6
155	By poison	2,456	1,964	1,327	637	492	1,819	4.6	4.1	5.3	2.8	8.2	5.8
156	By asphyxia	941	785	730	55	156	886	1.7	1.6	2.9	0.2	2.6	2.8
157	By hanging or strangulation	1,265	1,163	535	628	102	637	2.3	2.4	2.1	2.8	1.7	2.0
158	By drowning	517	463	249	214	54	303	1.0	1.0	1.0	0.9	0.9	1.0
159	By firearms	2,561	2,181	1,210	971	380	1,590	4.8	4.6	4.8	4.3	6.3	5.1
160	By cutting or piercing instruments	544	476	285	191	68	353	1.0	1.0	1.1	0.8	1.1	1.1
161	By jumping from high places	137	119	106	13	18	124	0.3	0.2	0.4	0.1	0.3	0.4
162	By crushing	88	84	43	41	4	47	0.2	0.2	0.2	0.2	0.1	0.2
163	Other suicides	81	74	28	46	7	35	0.2	0.2	0.1	0.2	0.1	0.1

[1] Including District of Columbia.

[2] Less than one-tenth of 1 per 100,000.

[3] Exclusive of injuries at birth.

TABLE IV.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION, IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Contd.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS: 1910.						DEATH RATE PER 100,000 POPULATION: 1910.					
		Registration area.	Registration states.			Registration cities in other states.	All registration cities.[1]	Registration area.	Registration states.			Registration cities in other states.	All registration cities.[1]
			Total.[1]	Cities.[1]	Rural districts.				Total.[1]	Cities.[1]	Rural districts.		
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	45,416	40,361	21,160	19,201	5,055	26,215	84.3	84.4	84.0	84.9	83.7	84.0
164	Poisoning by food	157	145	67	78	12	79	0.3	0.3	0.3	0.3	0.2	0.3
165	Other acute poisonings	1,227	1,080	548	532	147	695	2.3	2.3	2.2	2.4	2.4	2.2
166	Conflagration	745	623	352	271	122	474	1.4	1.3	1.4	1.2	2.0	1.5
167	Burns (conflagration excepted)	4,182	3,575	2,270	1,305	607	2,877	7.8	7.5	9.0	5.8	10.1	9.2
168	Absorption of deleterious gases (conflagration excepted)	1,379	1,093	925	168	286	1,211	2.6	2.3	3.7	0.7	4.7	3.9
169	Accidental drowning	4,818	4,441	2,050	2,391	377	2,427	8.9	9.3	8.1	10.6	6.2	7.8
170	Traumatism by firearms	1,161	998	327	671	163	490	2.2	2.1	1.3	3.0	2.7	1.6
171	Traumatism by cutting or piercing instruments	89	79	48	31	10	58	0.2	0.2	0.2	0.1	0.2	0.2
172	Traumatism by fall	8,305	7,424	4,459	2,965	881	5,340	15.4	15.5	17.7	13.1	14.6	17.1
173	Traumatism in mines and quarries (total)	2,484	2,428	557	1,871	56	613	4.6	5.1	2.2	8.3	0.9	2.0
	Traumatism in mines	2,366	2,318	524	1,794	48	572	4.4	4.8	2.1	7.9	0.8	1.8
	Traumatism in quarries	118	110	33	77	8	41	0.2	0.2	0.1	0.3	0.1	0.1
174	Traumatism by machines	1,299	1,145	707	438	154	861	2.4	2.4	2.8	1.9	2.6	2.8
175	Traumatism by other crushing (total)	13,302	11,639	6,179	5,460	1,663	7,842	24.7	24.3	24.5	24.1	27.6	25.1
	Railroad accidents and injuries	7,877	7,011	3,307	3,704	866	4,173	14.6	14.7	13.1	16.4	14.3	13.4
	Street-car accidents and injuries	1,949	1,568	1,181	387	381	1,562	3.6	3.3	4.7	1.7	6.3	5.0
	Automobile accidents and injuries	980	834	575	259	146	721	1.8	1.7	2.3	1.1	2.4	2.3
	Injuries by other vehicles	1,940	1,733	915	818	207	1,122	3.6	3.6	3.6	3.6	3.4	3.6
	Landslide, other crushing	556	493	201	292	63	264	1.0	1.0	0.8	1.3	1.0	0.8
176	Injuries by animals	502	467	168	299	35	203	0.9	1.0	0.7	1.3	0.6	0.7
177	Starvation	38	34	15	19	4	19	0.1	0.1	0.1	0.1	0.1	0.1
178	Excessive cold	254	247	66	181	7	73	0.5	0.5	0.3	0.8	0.1	0.2
179	Effects of heat	826	734	460	274	92	552	1.5	1.5	1.8	1.2	1.5	1.8
180	Lightning	156	150	12	138	6	18	0.3	0.3	(2)	0.6	0.1	0.1
181	Electricity (lightning excepted)	478	425	223	202	53	276	0.9	0.9	0.9	0.9	0.9	0.9
185	Fractures (cause not specified)	623	570	284	286	53	337	1.2	1.2	1.1	1.3	0.9	1.1
186	Other external violence	3,391	3,064	1,443	1,621	327	1,770	6.3	6.4	5.7	7.2	5.4	5.7
	Homicide (total)	3,190	2,185	1,422	763	1,005	2,427	5.9	4.6	5.6	3.4	16.6	7.8
182	By firearms	1,852	1,190	753	437	662	1,415	3.4	2.5	3.0	1.9	11.0	4.5
183	By cutting or piercing instruments	452	292	187	105	160	347	0.8	0.6	0.7	0.5	2.7	1.1
184	By other means	886	703	482	221	183	665	1.6	1.5	1.9	1.0	3.0	2.1
	XIV.—Ill-defined diseases	12,462	10,834	4,975	5,859	1,628	6,603	23.1	22.7	19.8	25.9	27.0	21.1
187	Ill-defined organic disease	622	486	124	362	136	260	1.2	1.0	0.5	1.6	2.3	0.8
188	Sudden death	271	255	72	183	16	88	0.5	0.5	0.3	0.8	0.3	0.3
189	Not specified or ill-defined (total)	11,569	10,093	4,779	5,314	1,476	6,255	21.5	21.1	19.0	23.5	24.5	20.0
	Ill-defined	9,932	8,702	4,497	4,205	1,230	5,727	18.4	18.2	17.9	18.6	20.4	18.3
	Not specified or unknown	1,637	1,391	282	1,109	246	528	3.0	2.9	1.1	4.9	4.1	1.7

[1] Including District of Columbia.

[2] Less than one-tenth of 1 per 100,000.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		California.		Colorado.		Connecticut.		Indiana.		Maine.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes [1]	1,456.7	1,232.7	1,573.0	1,259.3	1,591.9	1,504.7	1,515.6	1,274.1	2,025.6	1,621.1
	I.—General diseases	453.2	370.5	573.0	355 0	411.9	359.0	465.7	406.3	472.2	373.1
1	Typhoid fever	16.9	21.8	34.1	46.5	15.7	12.7	33.4	34.2	33.6	16.5
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	1.9	5.5	1.0	1.2	2.6	2.2	4.0	4.3	0.6	0.3
5	Smallpox	.....	0.1	.....	1.4	.....	.....	.....	0.1	.....	.....
6	Measles	7.6	7.2	6.0	9.1	9.1	6.3	17.3	16.3	17.4	11.8
7	Scarlet fever	3.3	2.5	14.4	12.1	13.9	6.6	9.7	6.5	15.6	2.6
8	Whooping cough	10.0	13.9	2.7	5.3	14.2	10.7	13.5	15.2	9.0	14.2
9	Diphtheria and croup	9.4	8.9	19.7	14.0	25.8	23.7	15.0	14.3	18.6	11.8
10	Influenza	5.7	7.0	10.4	9.1	19.2	27.0	16.8	21.2	12.0	17.9
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	0.3	0.4	0.7	1.0	0.5	1.4	0.7	0.9	.....	2.6
14	Dysentery	3.5	6.3	2.3	6.1	4.4	4.1	9.5	16.4	5.4	3.5
15	Plague	.....	0 1	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	0.1	0.1	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	3.1	3.3	8.7	3.8	6.0	2.8	6.4	4.2	6.0	2.4
19	Other epidemic diseases	0.1	0.3	0.3	0.2	0.5	0.3	0.2	0.4	1.8	.....
20	Purulent infection and septicemia	3.2	1.6	5.7	2.0	3.6	3.0	2.9	2.4	7.8	3.8
21	Glanders	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....
22	Anthrax	0.2	.....	.....	0.2	.....	.....	.....	0.1	.....	0.2
23	Rabies	0.2	0.1	.....	.....	.....	.....	.....	0.2	.....	.....
24	Tetanus	2.0	2.0	1.3	0.8	2.1	1.1	4.9	2.3	1.8	1.4
25	Mycoses	0.4	0.1	.....	.....	.....	.....	.....	.....	.....	0.2
26	Pellagra	0.2	0.1	.....	.....	.....	.....	.....	.....	.....	.....
27	Beriberi	0.3	0.2	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	225.9	180.9	319.9	168.6	159.4	130.5	195.1	165.1	180.4	140.7
28	Tuberculosis of the lungs	193.3	156.2	288.2	155.9	134.7	112.3	158.5	134.5	145.6	110.5
29	Acute miliary tuberculosis	5.0	3.7	3.3	2.2	4.1	2.8	4.4	2.5	0.6	3.1
30	Tuberculous meningitis	11.4	8.1	12.4	4.2	9.5	5.8	9.6	9.4	15.6	10.6
31	Abdominal tuberculosis	8.5	6.3	7.4	2.2	4.4	3.6	14.2	11.2	6.6	8.5
32	Pott's disease	1.6	1.6	2.7	.....	1.6	1.4	1.2	1.6	1.8	1.4
33	White swellings	0.9	1.0	0.3	0.2	1.1	0.8	0.7	1.2	1.2	0.7
34	Tuberculosis of other organs	3.2	2.0	2.3	1.8	2.5	1.7	2.4	2.3	1.2	2.3
35	Disseminated tuberculosis	2.0	2.0	3.3	2.2	1.6	2.2	4.0	2.5	7.8	3.6
36	Rickets	0.8	0.4	1.7	0.4	0.5	1.1	1.3	0.4	1.2	0.7
37	Syphilis	9.0	5.0	12.0	2.8	3.3	0.6	8.8	4.5	3.0	0.9
38	Gonococcus infection	0.5	0.1	0.7	0.2	0.3	.....	0.5	0.4	.....	0.2
	Cancer and other malignant tumors (total)	101.9	63.5	83.9	42.9	79.6	80.1	81.1	65.4	104.9	100.4
39	Of the buccal cavity	3.9	3.8	3.0	1.8	3.6	2.8	2.9	2.6	3.6	3.8
40	Of the stomach, liver	40.0	27.5	31.8	18.2	30.2	28.6	30.8	28.4	37.2	39.7
41	Of the peritoneum, intestines, rectum	13.9	6.6	10.7	4.9	10.8	10.5	10.0	6.5	18.6	14.4
42	Of the female genital organs	16.0	6.8	14.7	4.4	10.5	10.2	17.4	9.5	14.4	13.4
43	Of the breast	8.8	5.2	6.4	2.8	8.6	10.7	7.8	6.0	10.2	10.6
44	Of the skin	2.8	2.4	2.3	3.2	1.9	3.6	2.9	3.8	2.4	4.9
45	Of other organs or of organs not specified	16.5	11.3	15.0	7.7	14.2	13.8	9.4	8.6	18.6	13.7
46	Other tumors (tumors of the female genital organs excepted)	0.9	0.7	0.7	0.4	1.9	2.5	1.3	0.6	4.2	1.9
47	Acute articular rheumatism	4.0	3.7	8.7	4.9	6.6	6.3	7.1	5.0	5.4	4.5
48	Chronic rheumatism and gout	1.6	1.3	1.0	0.4	1.5	3.0	1.3	0.7	1.8	1.9
49	Scurvy	0.2	.....	.....	.....	0.1	.....	0.4	0.1	.....	.....
50	Diabetes	18.5	12.7	11.4	6.5	20.5	18.2	15.3	13.3	16.2	17.5
51	Exophthalmic goiter	1.3	0.9	1.7	0.4	0.9	0.3	2.4	1.9	1.8	1.0
52	Addison's disease	0.6	0.3	1.3	.....	0.3	1.1	0.1	0.4	1.2	0.3
53	Leukemia	2.3	1.8	3.0	1.8	1.7	0.3	1.6	1.1	1.2	1.6
54	Anemia, chlorosis	4.9	3.7	4.7	2.6	5.3	5.2	4.4	3.8	10.2	6.6
55	Other general diseases	2.7	3.2	3.0	3.4	2.8	1.9	2.8	2.1	3.0	3.1
56	Alcoholism (acute or chronic)	7.7	9.7	9.7	5.9	8.7	5.5	6.6	1.8	6.0	1.9
57	Chronic lead poisoning	0.6	.....	0.7	.....	0.1	0.3	0.5	0.2	0.6	0.2
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	1.6	1.4	1.7	1.0	0.7	0.3	0.7	0.7	1.8	0.5
	II.—Diseases of the nervous system and of the organs of special sense.	129.2	135.5	126.0	95.0	162.7	208.9	125.5	133.8	270.3	206.2
60	Encephalitis	2.4	1.4	1.0	0.8	1.6	1.1	1.8	1.9	5.4	1.9
61	Meningitis (total)	15.2	14.2	22.1	10.5	22.0	15.7	11.4	8.8	33.6	19.3
	Simple meningitis	10.4	9.7	15.0	6.5	17.5	12.1	7.3	5.4	24.6	15.6
	Cerebrospinal meningitis (undefined)	4.5	4.5	6.7	4.0	4.5	3.6	3.8	2.5	8.4	3.5
	Cerebrospinal fever	0.2	0.1	0.3	.....	.....	.....	0.4	0.9	0.6	0.2
62	Locomotor ataxia	4.4	2.0	3.3	1.4	2.5	3.3	4.5	2.4	7.8	2.3
63	Other diseases of the spinal cord (total)	8 2	6.5	3.3	4.6	9.7	10.7	6.0	9.8	14.4	11.3
	Acute anterior poliomyelitis	0.9	1.6	.....	0.8	3.2	4.4	1.1	2.1	7.8	3.1
	Other diseases of the spinal cord [2]	7.4	4.9	3.3	3.8	6.5	6.3	4.9	7.7	6.6	8.2
64	Cerebral hemorrhage, apoplexy	66.8	60.3	60.5	40.2	89.3	118.9	69.0	73.7	124.1	116.4
65	Softening of the brain	3.0	3.2	1.3	1.0	1.3	5.0	1.7	2.8	3.6	4.0
66	Paralysis without specified cause	12.5	17.1	12.7	11.7	7.1	16.8	10.2	13.7	28.8	21.9
67	General paralysis of the insane	3.6	10.2	4.3	4.7	4.4	6.3	4.4	4.1	15.6	4.5
68	Other forms of mental alienation	1.5	5.2	3.7	3.2	2.2	2.8	1.2	3.4	12.6	4.2

[1] Exclusive of stillbirths.

[2] Less than one-tenth of 1 per 100,000.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.

Maryland.						Massachusetts.		Michigan.		Minnesota.		Montana.		New Hampshire.		Detailed Int. List No.
Total.		White.		Colored.												
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1,921.2	1,322.7	1,726.1	1,189.8	3,061.7	1,826.6	1,603.1	1,614.9	1,556.9	1,329.7	1,245.3	1,016.7	1,540.4	883.7	1,753.0	1,712.8	
515.4	362.6	454.8	314.3	869.8	546.0	396.8	431.4	377.1	312.4	412.5	290.5	500.3	217.4	367.7	383.8	
46.2	35.8	45.4	33.6	50.6	44.5	13.5	8.9	31.0	19.3	48.5	24.5	69.6	29.3	11.5	10.1	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
2.0	1.5	1.9	1.5	2.3	1.4	0.5	1.4	0.3	1.0	.....	0.1	.....	.....	.....	0.4	4
.....	.....	.....	.....	.....	.....	.....	.....	7.7	2.2	0.6	0.4	1.0	0.4	.....	.....	5
3.3	4.8	3.7	5.0	1.1	4.2	12.4	8.7	8.0	9.7	14.1	10.8	6.1	3.6	3.4	9.0	6
7.9	2.9	8.9	3.5	2.3	0.7	8.9	5.1	13.8	8.9	24.3	9.9	28.2	11.8	2.3	1.6	7
16.6	27.6	12.1	14.5	42.8	77.2	8.9	7.1	14.2	9.0	5.3	8.4	16.1	8.9	10.3	9.4	8
10.8	15.2	11.9	15.6	4.5	13.9	23.2	12.9	22.7	14.5	44.5	17.6	26.2	12.5	23.5	14.0	9
11.2	19.3	10.6	17.2	14.6	27.1	10.8	21.5	11.6	17.8	2.1	5.9	8.1	5.7	13.2	27.3	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
1.0	1.3	1.0	0.7	1.1	3.5	0.8	1.3	1.0	1.1	0.5	3.7	1.0	.....	.....	1.6	13
5.1	8.3	3.8	7.9	12.4	9.7	4.7	9.8	6.2	6.6	3.2	7.2	5.0	4.3	9.7	8.2	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	17
6.7	3.2	7.1	3.3	4.5	2.8	5.2	5.2	4.9	4.4	5.2	3.2	7.1	2.5	4.0	5.5	18
0.5	.....	0.6	.....	.....	.....	0.2	0.3	0.4	0.2	0.2	0.2	6.1	2.5	.....	0.4	19
2.6	3.6	2.7	4.2	2.3	1.4	4.8	3.1	4.9	5.4	5.5	3.1	11.1	2.1	4.6	3.5	20
.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
0.2	.....	0.2	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
0.2	.....	0.2	.....	.....	.....	.....	.....	0.1	0.1	.....	.....	.....	.....	0.6	0.4	23
3.5	3.0	2.7	2.0	7.9	7.0	1.8	0.8	1.5	2.1	1.7	1.8	2.0	1.8	1.1	1.6	24
.....	.....	.....	.....	.....	.....	0.2	0.3	0.1	.....	0.2	.....	.....	.....	.....	.....	25
0.8	0.4	1.0	0.4	.....	0.7	.....	0.1	0.2	.....	.....	0.1	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
246.2	154.4	188.8	121.0	581.7	281.0	158.6	177.2	113.0	88.4	137.0	96.3	155.3	66.5	154.1	123.3	
214.1	136.8	163.8	105.8	508.6	254.6	128.2	152.2	92.1	72.9	109.4	76.4	132.1	55.8	119.1	104.9	28
7.7	2.8	3.7	1.8	31.5	6.3	4.2	3.1	3.4	1.8	5.2	3.0	4.0	1.4	4.6	2.3	29
9.9	3.6	9.2	4.4	13.5	0.7	15.2	8.9	4.7	3.3	9.6	6.9	7.1	2.5	13.7	2.7	30
6.2	6.2	5.4	5.0	11.3	11.1	5.0	4.5	6.4	4.7	6.2	4.1	4.0	1.4	8.6	7.0	31
2.6	1.0	1.9	0.9	6.8	1.4	1.4	1.0	1.5	1.4	1.5	1.1	4.0	0.4	0.6	0.8	32
1.3	0.4	1.2	0.4	2.3	0.7	0.8	2.0	1.0	1.2	0.9	0.7	.....	0.7	.....	.....	33
2.0	2.0	1.7	1.5	3.4	4.2	2.2	1.6	2.6	2.0	2.1	2.2	1.0	0.7	4.6	3.9	34
2.3	1.5	1.9	1.3	4.5	2.1	1.6	3.8	1.4	1.2	2.0	1.8	3.0	3.6	2.9	1.6	35
1.0	0.9	0.4	0.7	4.5	1.4	1.0	0.4	1.1	0.4	0.8	0.4	.....	0.7	.....	0.4	36
12.2	2.8	7.9	0.4	37.1	11.8	4.5	3.9	5.0	1.6	5.9	1.6	2.0	3.9	3.4	1.2	37
0.2	.....	0.2	.....	.....	.....	0.6	.....	0.2	0.1	0.5	0.1	1.0	0.4	.....	0.4	38
96.8	51.2	101.4	55.0	69.8	36.9	89.5	107.0	79.2	72.3	74.9	63.8	76.7	29.0	75.0	114.3	
2.8	1.5	2.9	1.8	2.3	.....	3.4	3.7	2.6	3.3	3.5	2.8	2.0	0.4	4.6	3.5	39
43.1	21.6	45.6	23.5	28.1	14.6	31.6	34.3	31.1	31.2	32.5	32.7	40.4	12.5	22.3	44.5	40
9.2	4.4	10.0	4.8	4.5	2.8	14.9	18.6	8.9	7.9	7.8	8.2	5.0	1.8	8.0	17.9	41
17.1	7.4	16.7	7.0	19.1	9.0	13.3	12.5	12.9	9.2	10.9	4.7	10.1	3.6	13.2	17.6	42
9.4	4.4	9.2	4.4	10.1	4.2	8.5	11.9	7.1	6.2	5.8	4.1	3.0	3.6	7.4	11.3	43
3.5	3.0	3.7	3.5	2.3	1.4	2.3	5.2	2.7	2.9	1.8	2.0	2.0	1.8	3.4	9.0	44
11.8	9.0	13.3	10.1	3.4	4.9	15.5	20.7	13.9	11.6	12.6	9.2	14.1	5.4	16.0	10.5	45
0.8	0.9	0.8	0.7	1.1	1.4	1.3	1.7	1.9	1.9	0.2	0.5	1.0	0.4	1.1	3.5	46
6.2	5.8	5.8	5.0	9.0	9.0	4.8	6.8	6.4	6.7	6.4	4.4	11.1	5.0	5.7	3.1	47
0.8	1.3	1.0	1.5	.....	0.7	1.4	1.3	1.1	2.0	0.9	1.7	.....	1.1	1.7	0.8	48
0.2	0.1	0.2	0.2	.....	.....	0.5	0.3	0.2	0.1	.....	.....	.....	.....	.....	.....	49
17.3	8.6	18.5	10.5	10.1	1.4	18.6	21.5	14.6	14.9	11.4	11.8	19.2	6.8	20.0	17.6	50
1.2	0.1	1.2	0.2	1.1	.....	0.9	0.7	2.6	2.4	1.2	1.2	4.0	1.1	1.1	.....	51
0.3	.....	0.4	.....	.....	.....	0.6	1.0	0.3	0.5	0.5	0.4	.....	0.4	1.7	0.4	52
1.2	0.9	1.3	0.9	.....	0.7	1.7	2.9	1.3	1.2	2.1	1.8	1.0	1.1	1.1	2.7	53
4.4	3.0	4.6	3.1	3.4	2.8	6.9	8.9	11.5	10.9	4.3	3.9	5.0	2.5	9.2	10.5	54
2.6	1.6	2.7	1.7	2.3	1.4	3.1	4.5	4.7	3.7	2.6	1.8	4.0	1.1	5.2	4.3	55
5.1	3.9	5.4	4.0	3.4	3.5	6.6	5.6	4.8	2.9	8.2	3.7	28.2	10.0	4.0	7.0	56
0.3	.....	0.4	.....	.....	.....	0.2	0.5	0.3	.....	.....	0.1	1.0	.....	.....	1.2	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
0.2	0.1	0.2	0.2	.....	.....	0.3	0.5	0.3	0.3	.....	0.1	3.0	2.1	.....	0.4	59
187.5	160.2	170.5	155.3	286.9	178.8	156.9	204.9	159.9	164.8	90.7	97.9	91.8	86.2	245.7	232.5	
1.0	1.3	1.0	1.7	1.1	.....	1.2	1.4	2.7	1.6	1.4	0.8	.....	0.7	2.9	0.4	60
21.2	13.8	20.8	13.4	23.6	15.3	18.9	12.2	20.1	11.2	13.2	8.3	20.2	10.4	47.5	17.2	61
15.1	10.7	14.2	10.3	20.3	12.5	14.7	9.6	14.5	7.9	8.8	5.4	10.1	5.0	42.4	12.9	
5.1	3.0	5.8	3.1	1.1	2.8	3.7	2.1	5.5	3.1	4.3	2.0	10.1	5.0	5.2	4.3	
1.0	.....	0.8	.....	2.3	.....	0.6	0.5	0.1	0.3	0.2	0.9	.....	0.4	.....	.....	
2.5	3.0	2.3	3.3	3.4	2.1	2.6	2.4	3.1	3.5	2.1	1.2	.....	0.7	4.6	5.9	62
5.8	7.0	5.4	7.5	7.9	4.9	8.1	11.5	4.9	7.5	8.1	15.5	6.1	7.9	9.7	13.7	63
1.3	3.9	1.0	4.0	3.4	3.5	3.2	5.0	1.0	2.1	2.9	12.5	4.0	4.6	5.2	3.9	
4.4	3.0	4.4	3.5	4.5	1.4	4.8	6.6	3.9	5.4	5.2	3.0	2.0	3.2	4.6	9.8	
88.3	59.2	84.5	57.8	110.3	64.7	90.5	119.2	64.5	77.7	44.7	41.7	43.4	24.7	98.5	132.2	64
1.6	3.3	1.7	3.5	1.1	2.8	0.6	2.8	1.7	2.7	0.8	0.6	4.0	1.4	2.9	2.7	65
26.5	39.2	21.9	37.4	52.9	45.9	7.8	12.2	18.8	31.3	4.3	7.9	3.0	5.0	24.6	26.9	66
2.8	3.2	2.3	3.9	5.6	0.7	6.5	10.1	9.5	4.5	2.0	2.9	2.0	10.7	9.7	3.5	67
2.1	5.5	1.7	6.4	4.5	2.1	1.6	6.3	3.8	1.9	1.4	2.1	1.0	10.7	12.6	4.3	68

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		California.		Colorado.		Connecticut.		Indiana.		Maine.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.										
69	Epilepsy	3.1	5.9	3.3	7.3	4.9	9.1	6.3	6.1	3.0	5.4
70	Convulsions (nonpuerperal)	0.1	.....	.....	.....	0.9	1.1	0.1	0.1	1.8	0.3
71	Convulsions of infants	1.9	2.9	2.3	4.4	8.2	10.7	2.1	1.8	9.0	5.4
72	Chorea	0.1	0.1	0.7	0.2	0.4	0.3	0.1	0.3	.....	.....
73	Neuralgia and neuritis	0.9	0.4	0.7	0.4	1.5	0.8	0.6	0.4	1.8	1.0
74	Other diseases of the nervous system	3.9	5.2	5.0	2.0	4.8	5.0	3.3	3.1	6.6	6.9
75	Diseases of the eyes and their annexa	.....	.....	.....	.....	0.1	.....	.....	0.1	0.6	.....
76	Diseases of the ears	1.6	0.9	1.7	2.8	1.9	1.4	2.7	1.4	1.8	1.6
	III.—Diseases of the circulatory system	231.2	177.1	153.8	90.0	205.3	225.2	186.2	172.8	272.1	231.6
77	Pericarditis	2.4	1.2	1.0	0.6	0.3	1.9	1.7	1.4	1.8	1.9
78	Acute endocarditis	11.8	5.2	4.7	4.6	12.0	6.3	7.8	3.8	7.8	4.7
79	Organic diseases of the heart	177.1	141.4	113.0	70.0	153.9	174.8	139.7	136.2	196.6	180.7
80	Angina pectoris	7.7	7.8	9.0	4.7	9.5	10.7	8.0	9.1	17.4	12.5
81	Diseases of the arteries, atheroma, aneurism, etc	26.7	17.7	16.7	7.3	22.2	25.3	24.2	18.5	34.2	23.6
82	Embolism and thrombosis	3.8	2.8	8.7	1.8	5.3	5.2	2.8	2.6	9.0	6.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	0.3	0.1	0.3	0.6	0.9	0.3	1.2	0.6	1.8	0.5
84	Diseases of the lymphatic system (lymphangitis, etc.)	0.7	0.3	.....	.....	0.5	0.3	0.1	0.2	0.6	0.2
85	Hemorrhage; other diseases of the circulatory system	0.6	0.7	0.3	0.4	0.7	0.3	0.7	0.5	3.0	1.2
	IV.—Diseases of the respiratory system	138.7	109.9	163.5	148.8	211.9	156.6	161.8	119.7	258.9	205.0
86	Diseases of the nasal fossae	.....	0.4	.....	0.2	0.1	.....	0.2	0.2	0.6	.....
87	Diseases of the larynx	0.5	0.6	2.0	1.4	1.2	0.6	1.3	1.2	2.4	1.7
88	Diseases of the thyroid body	0.4	0.1	0.7	0.6	0.3	0.6	0.4	0.5	0.6	0.3
89	Acute bronchitis	8.5	4.8	5.7	7.9	17.6	15.1	11.1	7.7	16.8	17.9
90	Chronic bronchitis	10.3	6.3	4.3	4.2	10.5	12.7	9.0	8.0	6.6	12.0
91	Bronchopneumonia	26.6	17.4	26.7	23.0	37.7	25.6	43.2	26.5	45.5	30.9
92	Pneumonia (total)	79.2	68.6	109.0	94.0	129.9	89.7	86.3	68.3	154.6	125.8
	Lobar pneumonia	39.1	26.9	50.5	26.5	42.1	23.9	47.7	28.3	18.6	14.9
	Pneumonia (undefined)	40.1	41.6	58.5	67.5	87.8	65.8	38.7	40.0	136.0	110.8
93	Pleurisy	3.9	2.5	2.3	1.4	4.5	3.0	3.2	2.1	4.2	3.5
94	Pulmonary congestion, pulmonary apoplexy	4.2	4.8	2.0	2.4	6.1	5.0	0.7	1.5	21.6	7.8
95	Gangrene of the lung	0.5	0.6	0.3	0.2	0.3	.....	0.1	0.2	1.2	0.2
96	Asthma	2.7	1.8	5.0	4.4	2.2	1.9	4.9	2.3	1.2	1.7
97	Pulmonary emphysema	0.4	0.1	.....	0.2	0.1	.....	0.1	0.2	1.2	0.5
98	Other diseases of the respiratory system (tuberculosis excepted).	1.3	2.0	5.3	9.1	1.5	2.5	1.3	1.0	2.4	2.8
	V.—Diseases of the digestive system	140.6	114.0	160.5	142.3	200.7	170.4	205.9	154.0	260.7	172.1
99	Diseases of the mouth and annexa	0.4	0.6	0.7	0.6	1.1	0.3	1.2	0.8	1.2	0.7
100	Diseases of the pharynx	1.0	0.9	1.7	3.8	2.8	2.2	1.9	1.7	0.6	1.6
101	Diseases of the esophagus	0.5	0.2	.....	.....	0.1	0.3	0.2	0.2	.....	.....
102	Ulcer of the stomach	6.4	3.7	5.7	3.8	4.0	3.6	4.3	3.3	4.8	3.3
103	Other diseases of the stomach (cancer excepted)	11.4	11.8	12.4	11.9	15.5	16.8	16.0	16.7	21.6	25.8
104	Diarrhea and enteritis (under 2 years)	39.1	39.1	64.2	66.5	111.4	88.1	103.4	67.2	121.7	77.5
105	Diarrhea and enteritis (2 years and over)	10.6	13.0	9.4	13.3	11.1	19.5	17.9	18.9	19.8	18.9
106	Ankylostomiasis	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	0.1	0.2	.....	.....	0.1	.....	.....	0.2	.....	0.3
108	Appendicitis and typhlitis	15.3	6.0	21.7	12.1	10.6	4.7	14.1	7.6	28.2	7.8
109	Hernia, intestinal obstruction (total)	14.7	9.8	13.7	9.3	14.2	8.0	13.9	9.9	24.0	11.3
	Hernia	5.2	2.9	4.0	1.8	4.4	2.5	3.6	2.4	6.6	2.3
	Intestinal obstruction	9.5	7.0	9.7	7.5	9.8	5.5	10.2	7.5	17.4	9.0
110	Other diseases of the intestines	3.3	2.9	2.3	2.0	1.7	1.1	4.1	3.3	3.6	3.3
111	Acute yellow atrophy of the liver	0.4	0.9	0.3	0.4	0.4	0.6	.....	0.5	.....	0.2
112	Hydatid tumor of the liver	0.2	.....	.....	.....	0.1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	22.3	14.0	12.4	7.7	14.7	13.8	13.5	10.4	10.8	7.6
114	Biliary calculi	2.8	1.3	4.7	2.0	3.4	1.9	4.0	2.9	1.8	1.6
115	Other diseases of the liver	6.7	5.2	6.0	4.6	4.9	4.7	6.2	7.4	8.4	5.6
116	Diseases of the spleen	0.3	0.2	.....	0.6	0.1	0.3	0.2	0.1	.....	0.2
117	Simple peritonitis (nonpuerperal)	3.8	4.1	4.7	4.0	4.1	3.6	3.9	2.7	13.2	5.9
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	1.3	0.2	0.7	.....	0.4	1.1	1.0	0.3	1.2	0.5

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
Maryland.						Massachusetts.		Michigan.		Minnesota.		Montana.		New Hampshire.		
Total.		White.		Colored.												
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
4.8	4.9	3.1	4.6	14.6	6.3	3.1	10.9	4.9	4.2	2.6	3.8	2.0	4.3	7.4	6.6	69
0.7	0.6	0.8	0.2	.....	2.1	0.6	0.5	0.5	0.3	....	0.4	1.0	0.4	.....	2.0	70
21.0	11.6	15.2	8.6	55.1	23.0	6.1	7.0	17.3	11.8	5.2	7.9	3.0	3.6	17.8	6.6	71
.....	0.4	.....	0.6	.....	.....	0.3	0.3	0.5	0.3	.....	0.4	1.0	.....	.....	.....	72
1.3	1.0	1.3	1.1	1.1	0.7	0.5	0.4	1.0	1.1	0.5	0.4	.....	0.7	0.6	1.6	73
5.3	5.2	5.6	4.8	3.4	7.0	5.6	6.0	4.8	3.4	2.9	2.7	5.0	3.2	4.6	7.8	74
.....	.....	.....	.....	.....	.....	0.1	.....	0.1	0.1	.....	0.1	.....	.....	.....	0.8	75
2.8	0.9	2.9	0.7	2.3	1.4	2.8	1.7	1.7	1.5	1.8	1.1	.....	1.8	2.3	0.4	76
219.2	117.7	194.0	115.7	366.8	125.2	235.0	288.5	184.9	196.1	132.4	97.1	123.1	81.2	221.1	285.5	
0.8	0.7	0.6	0.7	2.3	0.7	0.8	0.7	1.2	1.5	0.9	0.3	2.0	0.7	1.7	3.1	77
10.0	2.9	8.5	2.8	19.1	3.5	13.3	9.1	9.5	3.5	13.7	4.6	11.1	6.8	9.2	5.1	78
170.1	97.7	145.5	95.7	313.9	105.0	167.6	211.7	140.2	160.0	93.0	76.4	88.8	60.4	159.8	228.6	79
9.2	3.3	10.2	4.0	3.4	0.7	7.6	10.2	6.5	8.8	3.6	3.2	7.1	2.1	14.9	13.7	80
21.5	10.2	22.1	10.3	18.0	9.7	38.5	49.5	20.9	16.7	13.1	10.0	10.1	7.9	25.8	27.3	81
3.6	1.0	4.0	0.9	1.1	1.4	4.4	5.5	4.4	2.9	5.8	1.6	3.0	1.8	6.3	6.2	82
1.5	0.7	1.2	0.4	3.4	2.1	1.3	0.5	0.8	0.6	0.8	0.4	1.0	0.4	1.1	1.2	83
0.2	0.1	0.2	0.2	.....	.....	0.6	0.4	0.4	0.7	0.6	0.2	.....	0.4	1.7	.....	84
2.3	1.0	1.7	0.7	5.6	2.1	0.9	0.9	1.0	1.4	0.9	0.4	.....	0.7	0.6	0.4	85
239.3	151.5	211.3	132.2	402.8	224.7	226.9	185.8	181.1	116.1	134.1	100.8	162.4	76.1	217.1	200.9	
0.2	0.4	0.2	0.2	.....	1.4	0.2	.....	0.2	0.5	0.3	0.6	.....	0.7	0.6	0.8	86
0.5	1.2	0.4	1.1	1.1	1.4	1.3	1.4	2.4	2.0	0.9	0.8	4.0	2.9	.....	1.6	87
.....	0.1	.....	0.2	.....	.....	0.5	0.7	0.7	0.2	0.9	0.6	1.0	0.4	0.6	.....	88
15.4	12.6	13.9	10.5	24.8	20.9	18.6	14.0	16.9	14.7	6.5	6.0	9.1	6.4	29.8	12.5	89
15.1	9.6	15.8	9.7	11.3	9.0	10.8	18.0	13.8	9.2	6.5	7.2	4.0	2.1	9.7	18.3	90
60.5	27.3	51.6	23.1	112.5	43.1	48.9	32.2	43.5	16.7	44.4	29.5	33.3	14.7	44.1	23.4	91
126.5	88.7	103.7	75.9	230.7	137.0	134.9	107.7	85.1	57.8	66.1	46.4	92.8	41.5	112.8	119.8	92
65.6	18.6	56.6	17.2	118.1	23.6	50.1	37.7	36.7	12.3	44.4	32.8	54.5	15.4	16.6	13.3	
61.0	70.1	52.2	58.7	112.5	113.4	84.8	70.1	48.4	45.6	21.7	13.6	38.3	26.1	96.2	106.5	
5.1	2.2	5.2	2.0	4.5	2.8	4.6	3.7	4.6	3.7	2.3	2.5	7.1	1.4	2.9	4.7	93
8.9	4.8	9.0	5.1	7.9	3.5	3.8	5.0	5.3	5.5	2.4	1.8	5.0	1.8	13.7	13.7	94
0.8	0.3	1.0	0.4	.....	.....	0.1	0.1	0.4	0.3	.....	0.1	.....	.....	.....	.....	95
3.3	1.6	2.7	1.7	6.8	1.4	1.0	1.4	4.3	2.7	2.3	3.4	3.0	1.8	2.3	2.3	96
0.2	0.3	0.2	0.4	.....	.....	0.2	.....	0.3	0.2	0.2	0.3	.....	.....	.....	0.4	97
2.8	2.5	2.7	2.0	3.4	4.2	1.8	1.6	3.7	2.5	1.2	1.6	3.0	2.5	0.6	3.5	98
213.7	164.8	192.5	147.6	337.6	230.2	222.4	150.8	220.5	177.4	164.3	130.7	217.9	104.4	252.6	163.4	
0.7	2.3	0.8	1.5	.....	5.6	1.0	0.8	0.7	0.8	0.5	0.1	1.0	.....	0.6	0.8	99
1.2	1.5	0.8	1.5	3.4	1.4	1.9	0.5	2.5	1.9	0.8	1.0	2.0	1.1	1.7	1.6	100
0.3	.....	0.4	.....	.....	.....	0.4	0.1	0.3	0.3	0.3	0.2	.....	.....	.....	0.4	101
2.6	2.2	2.3	2.2	4.5	2.1	5.1	3.0	3.8	3.3	5.3	3.9	3.0	0.7	5.7	3.1	102
21.0	22.8	16.4	19.3	48.4	36.2	13.6	16.8	21.4	21.0	7.6	10.3	17.1	7.1	25.8	27.7	103
114.9	93.2	100.5	83.1	199.2	131.5	135.3	74.4	102.4	72.0	79.2	57.7	85.7	50.4	143.2	59.7	104
17.3	13.2	15.0	13.6	30.4	11.8	12.8	18.1	17.3	20.1	11.7	15.7	8.1	8.2	16.0	21.1	105
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
0.2	0.6	0.2	0.2	.....	2.1	0.1	0.1	.....	.....	0.2	0.1	.....	.....	.....	.....	107
12.3	3.6	11.5	2.8	16.9	7.0	12.9	4.3	17.1	10.1	19.9	13.3	40.4	8.9	10.9	6.2	108
15.8	7.3	15.8	6.4	15.8	10.4	13.3	8.8	16.5	12.3	12.5	10.5	19.2	9.3	14.3	11.7	109
5.3	2.0	5.6	2.0	3.4	2.1	5.4	2.2	4.6	3.4	4.9	2.7	3.0	2.5	2.9	3.9	
10.5	5.2	10.2	4.4	12.4	8.3	7.9	6.6	11.9	8.9	7.6	7.7	16.1	6.8	11.5	7.8	
3.0	2.5	2.9	2.4	3.4	2.8	2.6	2.5	4.9	3.7	3.2	2.2	4.0	1.8	1.7	3.1	110
0.3	0.4	0.4	0.6	.....	.....	0.3	0.1	0.2	0.3	0.5	0.5	.....	.....	.....	0.4	111
.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	112
13.1	6.5	13.9	6.4	9.0	7.0	10.1	9.8	12.6	12.0	7.8	6.1	20.2	6.1	5.2	7.8	113
3.9	1.2	4.6	1.5	.....	.....	3.0	2.6	2.7	3.0	2.7	2.7	2.0	1.4	3.4	3.5	114
5.1	3.0	5.4	2.2	3.4	6.3	3.6	4.1	7.3	7.9	5.9	3.6	6.1	4.6	8.6	7.8	115
.....	0.3	.....	0.4	.....	.....	0.2	0.3	0.3	0.5	.....	0.3	.....	.....	.....	.....	116
1.5	4.4	1.2	3.9	3.4	6.3	5.3	4.1	9.9	7.5	5.8	2.5	7.1	4.6	13.7	8.2	117
0.5	.....	0.6	.....	.....	.....	0.9	0.3	0.7	0.6	0.6	0.3	2.0	.....	1.7	0.4	118

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		California.		Colorado.		Connecticut.		Indiana.		Maine.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	124.7	82.6	130.4	80.5	124.5	126.1	119.4	92.4	160.6	116.9
119	Acute nephritis	9.9	6.3	9.7	7.1	15.1	6.9	10.0	6.4	18.0	9.5
120	Bright's disease	93.9	62.4	91.9	58.8	94.1	102.7	82.8	70.7	108.5	91.9
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	2.4	1.4	3.0	1.8	2.5	1.9	2.7	2.7	5.4	2.8
123	Calculi of the urinary passages	0.9	0.4	0.3	0.6	0.4	0.6	0.9	0.5	0.6	0.3
124	Diseases of the bladder	2.9	3.2	3.0	2.8	3.8	6.1	2.8	2.8	4.2	4.5
125	Diseases of the urethra, urinary abscess, etc	0.5	0.3	0.3	.....	0.3	.....	0.4	0.1	1.2	0.2
126	Diseases of the prostate	4.6	3.8	5.3	3.6	2.4	3.3	5.2	5.1	6.6	4.2
127	Nonvenereal diseases of the male genital organs	.....	.....	0.3	0.2	.....	0.6	0.1	0.2	.....	0.2
128	Uterine hemorrhage (nonpuerperal)	0.2	0.5	0.3	0.4	0.1	.....	0.1	0.1	.....	0.3
129	Uterine tumor (noncancerous)	2.9	0.9	5.0	1.0	0.9	1.9	3.9	0.7	3.0	0.7
130	Other diseases of the uterus	2.3	1.0	2.7	0.8	1.6	0.8	1.2	0.8	6.0	1.7
131	Cysts and other tumors of the ovary	1.1	0.8	3.3	1.0	1.1	0.6	2.2	0.9	1.8	0.3
132	Salpingitis and other diseases of the female genital organs	3.2	1.5	5.0	2.6	2.2	0.8	7.2	1.5	5.4	0.2
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	11.8	12.3	22.1	17.4	13.4	12.9	19.6	15.3	16.2	14.4
134	Accidents of pregnancy	1.0	2.1	2.7	2.0	1.2	3.0	1.7	1.5	1.8	0.9
135	Puerperal hemorrhage	1.5	1.3	1.7	1.8	0.8	0.8	1.2	1.1	.....	1.2
136	Other accidents of labor	1.0	1.3	3.0	1.2	1.1	1.4	1.1	1.7	1.2	2.6
137	Puerperal septicemia	4.1	4.8	11.7	10.1	6.7	3.9	12.5	7.1	9.6	5.2
138	Puerperal albuminuria and convulsions	3.3	2.5	2.3	1.8	2.9	3.0	2.8	3.5	3.0	4.0
139	Puerperal phlegmasia alba dolens, embolus, sudden death	0.9	0.2	0.7	0.4	0.7	0.3	0.2	0.4	0.6	0.3
140	Following childbirth (not otherwise defined)	.....	0.1	.....	0.2	.....	0.6	.....	0.1	.....	0.2
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Disases of the skin and of the cellular tissue	5.7	4.6	4.7	3.0	6.7	5.5	4.4	5.6	10.8	9.0
142	Gangrene	3.7	3.0	3.0	1.0	4.2	3.9	2.8	3.9	9.6	6.6
143	Furuncle	0.7	0.4	0.7	0.2	0.1	.....	0.2	0.4	.....	0.9
144	Acute abscess	0.5	0.4	0.7	0.8	1.5	1.1	0.2	0.5	0.6	0.7
145	Other diseases of the skin and annexa	0.8	0.9	0.3	1.0	0.9	0.6	1.1	0.9	0.6	0.9
	IX.—Diseases of the bones and of the organs of locomotion.	2.7	1.0	3.3	1.0	1.7	0.6	2.4	2.1	2.4	2.1
146	Diseases of the bones (tuberculosis excepted)	2.4	0.7	2.7	0.8	1.6	0.3	2.4	1.6	1.8	1.7
147	Diseases of the joints (tuberculosis and rheumatism excepted).	.....	.....	.....	0.2	0.1	0.3	.....	0.2	0.6	0.3
148	Amputations	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	0.2	0.3	0.7	.....	.....	.....	.....	0.2	.....	.....
	X.—Malformations	12.6	11.9	15.7	14.8	15.1	13.5	19.3	15.8	11.4	10.4
150	Congenital malformations (stillbirths not included) (total)	12.6	11.9	15.7	14.8	15.1	13.5	19.3	15.8	11.4	10.4
	Hydrocephalus	0.9	0.9	0.7	1.0	1.2	1.4	1.3	0.9	1.2	1.7
	Congenital malformations of the heart	7.6	7.7	11.7	10.3	8.7	8.3	12.8	9.0	4.8	4.3
	Other congenital malformations	4.1	3.3	3.3	3.6	5.2	3.9	5.2	5.9	5.4	4.3
	XI.—Early infancy	50.7	37.1	74.2	70.0	98.6	75.2	64.7	55.8	81.5	70.1
151	Congenital debility, icterus and sclerema (total)	42.3	30.4	63.9	57.0	76.2	61.7	50.1	43.8	61.7	62.4
	Premature birth	30.6	23.0	42.1	36.0	45.5	36.3	40.6	36.5	27.6	35.0
	Congenital debility, "atrophy," "marasmus," etc	11.7	7.4	21.7	21.0	30.7	25.3	9.5	7.3	34.2	27.4
152	Other causes peculiar to early infancy (total)	8.2	6.5	10.4	12.9	22.0	13.5	14.5	11.7	19.8	7.6
	Injuries at birth	5.5	3.6	4.7	4.7	13.6	7.4	8.5	5.2	7.2	3.5
	Other causes peculiar to early infancy [2]	2.7	2.9	5.7	8.1	8.3	6.1	6.0	6.6	12.6	4.2
153	Lack of care	0.2	0.2	.....	0.2	0.4	.....	0.1	0.3	.....	.....
	XII.—Old age	21.7	24.5	30.1	24.9	17.3	33.3	14.7	16.3	49.7	85.2
154	Senility	21.7	24.5	30.1	24.9	17.3	33.3	14.7	16.3	49.7	85.2
	XIII.—External causes	128.5	139.9	111.7	206.2	97.5	96.1	121.7	80.7	111.5	73.5
	Suicide (total)	33.0	24.5	27.4	16.8	17.6	18.4	21.9	10.7	9.0	12.1
155	By poison	6.3	3.9	12.4	4.9	7.0	3.0	12.8	3.1	1.8	1.0
156	By asphyxia	6.0	0.3	2.7	0.4	2.2	0.8	1.0	.....	0.6	0.2
157	By hanging or strangulation	2.1	2.9	1.3	1.0	2.4	5.2	1.7	2.7	1.8	2.9
158	By drowning	1.4	1.6	0.3	0.8	0.9	3.6	1.0	0.7	.....	1.2
159	By firearms	13.4	11.8	8.7	7.9	3.4	4.4	4.0	3.3	4.8	4.9
160	By cutting or piercing instruments	2.8	2.6	1.3	1.0	0.8	0.6	0.7	0.3	.....	0.9
161	By jumping from high places	0.2	0.2	0.7	.....	0.1	0.3	0.2	0.1	.....	0.3
162	By crushing	0.5	0.8	.....	0.4	0.5	0.3	0.2	0.3	.....	.....
163	Other suicides	0.3	0.4	.....	0.4	0.1	0.3	0.2	0.1	.....	0.7

[1] Less than one-tenth of 1 per 100,000.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
Maryland.						Massachusetts.		Michigan.		Minnesota.		Montana.		New Hampshire.		
Total.		White.		Colored.												
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
194.9	96.9	179.8	92.2	283.6	114.8	105.3	107.2	94.7	83.3	83.4	65.3	97.8	56.5	118.0	139.6	
18.4	6.2	14.0	5.1	43.9	10.4	8.1	7.1	8.6	6.5	7.0	6.0	14.1	3.9	12.6	10.9	119
156.1	81.1	146.7	77.9	211.5	93.2	79.6	82.8	63.2	60.3	59.9	46.2	70.6	45.4	87.6	108.1	120
																121
2.5	1.6	2.9	1.3		2.8	3.1	2.8	3.0	3.3	1.5	2.4	1.0	2.1	2.9	3.5	122
1.3	0.9	1.2	0.9	2.3	0.7	0.7	0.4	0.7	0.6	0.2	0.2	2.0	0.4	0.6	0.4	123
2.3	2.2	2.3	2.2	2.3	2.1	2.5	6.0	4.1	3.9	2.1	2.6	1.0	1.1	7.4	7.8	124
0.7	0.1	0.6	0.2	1.1		0.6	0.5	0.4	0.1	0.3			0.4		0.4	125
2.8	1.3	3.1	1.5	1.1	0.7	3.2	4.2	4.1	4.0	3.3	5.1	1.0	0.4	1.7	5.5	126
0.5		0.2		2.3		0.2		0.3	0.1	0.2	0.1	1.0			0.4	127
0.2	0.4	0.2	0.2		1.4	0.2	0.3	0.2	0.3	0.2		1.0		0.6		128
3.3	0.7	2.5	0.9	7.9		1.8	1.3	2.5	1.2	1.8	0.7		0.4		2.3	129
2.1	0.7	1.9	0.6	3.4	1.4	1.6	0.8	2.8	1.5	2.3	1.1	2.0	1.1	2.9		130
1.2	0.9	1.2	0.7	1.1	1.4	1.2	0.8	1.1	0.6	1.2	0.4		0.4		0.4	131
3.6	0.7	3.1	0.7	6.8	0.7	2.5	0.3	3.8	0.7	3.5	0.4	4.0	1.1	1.7		132
						0.1		0.1	0.1		0.1					133
16.6	13.1	14.4	11.0	29.3	20.9	13.1	8.9	18.3	15.9	14.4	10.7	25.2	13.2	12.6	11.7	
2.3	1.6	1.9	1.5	4.5	2.1	1.5	0.5	2.5	1.4	1.4	0.6	3.0	1.8	1.1	0.4	134
1.5	2.0	1.5	1.8	1.1	2.8	1.2	1.2	1.3	1.6	0.9	1.2	2.0	2.1	1.7	1.2	135
1.8	1.5	1.7	0.9	2.3	3.5	1.3	1.2	1.8	1.9	1.1	1.4	2.0	1.4	2.9	2.0	136
6.1	5.1	5.2	4.2	11.3	8.3	5.6	2.4	8.2	6.2	7.8	4.4	10.1	6.1	2.9	5.1	137
4.9	2.8	4.0	2.4	10.1	4.2	2.7	3.0	3.7	4.1	2.9	2.3	6.1	1.1	3.4	2.3	138
						0.8	0.7	0.6	0.5	0.5	0.5	2.0	0.7	0.6	0.4	139
	0.1		0.2					0.2	0.3		0.3				0.4	140
																141
8.5	3.6	7.9	3.1	12.4	5.6	5.8	6.0	6.7	7.6	3.6	4.6	5.0	1.1	6.9	12.9	
4.1	2.2	2.9	1.5	11.3	4.9	2.8	3.3	3.8	5.8	1.7	2.4	3.0	1.1	5.2	9.8	142
1.2	0.3	1.3	0.4			0.7	0.5	0.3		0.5	0.4			0.6	0.8	143
2.6	0.7	2.9	0.7	1.1	0.7	1.5	1.2	1.5	0.7	0.6	1.2	1.0		0.6	0.4	144
0.7	0.4	0.8	0.6			0.9	1.0	1.0	1.1	0.9	0.7	1.0		0.6	2.0	145
3.8	1.7	4.0	1.8	2.3	1.4	3.7	2.1	3.7	1.5	2.3	1.5	5.0	0.4	2.3	1.6	
3.3	1.6	3.5	1.7	2.3	1.4	3.1	1.3	2.9	1.4	2.1	1.3	4.0	0.4	1.7	1.2	146
0.3		0.4				0.5	0.7	0.7	0.1		0.1	1.0				147
						[1]								0.6	0.4	148
0.2	0.1	0.2	0.2			0.1	0.1	0.1		0.2	0.1					149
13.1	9.1	13.5	9.5	11.3	7.7	17.9	14.4	16.0	15.9	10.0	8.6	21.2	11.8	12.0	15.6	
13.1	9.1	13.5	9.5	11.3	7.7	17.9	14.4	16.0	15.9	10.0	8.6	21.2	11.8	12.0	15.6	150
1.0	0.9	1.0	0.9	1.1	0.7	1.9	0.9	1.0	1.8	0.9	1.1	1.0	1.1	2.9	2.3	
9.0	4.9	9.2	5.3	7.9	3.5	10.6	9.7	8.8	8.2	5.6	3.9	14.1	7.5	4.0	9.0	
3.1	3.3	3.3	3.3	2.3	3.5	5.4	3.8	6.1	5.9	3.5	3.7	6.1	3.2	5.2	4.3	
121.5	61.1	106.4	54.8	209.3	84.9	94.8	67.5	108.8	67.2	64.1	49.3	69.6	44.3	129.4	74.9	
108.1	52.4	94.7	46.8	186.8	73.7	77.1	56.8	95.6	55.9	54.9	42.5	56.5	34.7	110.0	64.4	151
43.7	20.2	36.8	20.2	84.4	20.2	48.5	31.9	49.8	33.4	34.7	25.0	38.3	22.9	57.8	36.3	
64.4	32.2	57.9	26.6	102.4	53.6	28.6	24.9	45.7	22.6	20.2	17.4	18.2	11.8	52.1	28.1	
13.0	8.4	11.7	7.9	20.3	10.4	17.4	10.5	13.0	11.1	9.1	6.8	13.1	9.7	18.9	10.5	152
8.7	3.5	8.1	3.7	12.4	2.8	9.5	5.8	7.8	5.9	3.6	3.5	8.1	2.5	6.9	5.1	
4.3	4.9	3.7	4.2	7.9	7.7	7.9	4.7	5.2	5.2	5.5	3.3	5.0	7.1	12.0	5.5	
0.3	0.3		0.2	2.3	0.7	0.3	0.1	0.2	0.1	0.2				0.6		153
32.9	36.9	33.7	33.0	28.1	51.5	16.7	45.1	44.4	55.7	29.5	47.5	17.1	10.0	48.7	84.3	
32.9	36.9	33.7	33.0	28.1	51.5	16.7	45.1	44.4	55.7	29.5	47.5	17.1	10.0	48.7	84.3	154
99.6	72.8	97.2	67.1	113.6	94.6	87.5	84.5	101.0	87.4	92.7	84.1	173.5	164.4	79.0	81.5	
14.1	7.0	16.2	7.7	2.3	4.2	12.1	14.3	19.3	10.3	15.8	9.7	31.3	17.9	13.7	11.7	
4.6	0.9	5.4	1.1			2.3	2.6	9.8	3.2	5.0	1.5	19.2	4.6	1.1	3.1	155
1.6		1.9				2.5	0.4	1.3	0.1	2.4	0.1			1.7		156
1.3	1.6	1.5	1.7		1.4	1.8	3.8	1.9	2.7	1.2	3.6	1.0	2.5	4.6	2.7	157
1.0	0.9	0.8	0.6	2.3	2.1	1.5	2.2	0.9	0.3	1.1	0.7	1.0	0.4	2.9	0.8	158
4.3	3.0	5.0	3.7		0.7	2.7	3.8	4.2	3.0	4.6	2.5	6.1	9.7	2.9	3.9	159
0.8	0.3	1.0	0.4			1.0	0.9	0.8	0.6	1.1	0.8	4.0	0.7	0.6	1.2	160
0.2	0.1	0.2	0.2			0.1		0.1		0.5						161
0.2		0.2				0.2	0.3	0.2	0.1		0.1					162
0.2	0.1	0.2	0.2				0.3	0.2	0.3		0.4					163

[1] Exclusive of injuries at birth.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		California.		Colorado.		Connecticut.		Indiana.		Maine.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.										
	Accidental or undefined (total)	84.0	105.1	71.9	178.1	77.5	75.2	90.9	67.5	98.9	60.2
164	Poisoning by food	0.7	1.3	0.3	.....	.....	0.3	0.2	0.4	.....	.....
165	Other acute poisonings	2.5	2.3	5.7	4.0	2.0	3.6	3.6	2.2	4.8	2.8
166	Conflagration	1.1	1.4	0.3	0.8	1.5	0.6	0.5	0.4	1.2	1.4
167	Burns (conflagration excepted)	6.2	5.6	5.3	4.6	8.5	6.1	8.5	5.5	12.0	3.3
168	Absorption of deleterious gases (conflagration excepted)	4.5	0.4	1.3	2.2	3.7	1.4	3.0	0.3	3.0	0.5
169	Accidental drowning	9.2	14.1	1.3	10.5	8.5	15.7	5.3	4.7	18.6	16.0
170	Traumatism by firearms	2.0	6.2	3.7	7.1	0.8	0.8	2.4	2.2	4.8	2.8
171	Traumatism by cutting or piercing instruments	0.2	0.2	.....	.....	0.1	.....	0.2	0.1	0.6	0.2
172	Traumatism by fall	15.5	12.6	11.0	7.9	20.0	17.1	15.4	13.9	17.4	9.9
173	Traumatism in mines and quarries (total)	0.7	4.6	1.0	79.9	0.3	.....	1.7	2.6	.....	0.5
	Traumatism in mines	0.2	4.0	1.0	79.7	.....	.....	1.7	2.5	.....	.....
	Traumatism in quarries	0.5	0.6	.....	0.2	0.3	.....	.....	0.1	.....	0.5
174	Traumatism by machines	2.8	3.0	2.0	4.7	1.3	1.1	3.5	1.4	1.2	1.7
175	Traumatism by other crushing (total)	29.6	34.6	29.4	35.2	21.7	20.1	34.9	21.7	23.4	11.6
	Railroad accidents and injuries	10.9	19.2	21.1	22.8	11.0	11.6	21.2	12.7	16.2	5.7
	Street-car accidents and injuries	8.9	2.7	1.0	0.4	4.4	1.4	7.1	4.2	3.6	0.5
	Automobile accidents and injuries	3.9	3.2	2.3	1.8	3.3	1.7	2.6	0.6	0.6	1.0
	Injuries by other vehicles	4.5	7.9	3.7	9.3	2.8	5.0	3.2	3.8	2.4	3.6
	Landslide, other crushing	1.4	1.6	1.3	1.0	0.3	0.6	1.0	0.4	0.6	0.7
176	Injuries by animals	1.3	3.2	3.0	1.8	1.1	0.6	0.4	2.2	0.6	0.5
177	Starvation	0.3	0.2	.....	0.2	.....	.....	.....	0.1	.....	.....
178	Excessive cold	0.1	0.4	0.3	3.6	0.4	0.8	0.2	0.4	0.6	0.7
179	Effects of heat	0.2	2.0	.....	0.6	1.3	0.8	0.9	0.8	0.6	0.5
180	Lightning	.....	.....	.....	4.6	.....	0.3	0.2	1.1	.....	0.3
181	Electricity (lightning excepted)	1.4	2.2	0.7	1.8	0.7	0.3	2.7	0.5	0.6	0.2
185	Fractures (cause not specified)	1.6	1.0	0.3	0.6	1.3	0.3	1.0	0.9	1.2	0.9
186	Other external violence	4.0	9.7	6.0	8.1	4.5	5.5	6.1	6.2	8.4	6.4
	Homicide (total)	11.4	10.3	12.4	11.3	2.4	2.5	8.9	2.5	3.6	1.2
182	By firearms	6.4	5.6	6.7	8.1	0.9	0.6	5.5	1.6	1.2	0.7
183	By cutting or piercing instruments	0.9	2.0	2.3	2.2	0.1	0.8	1.0	0.2	0.6	0.3
184	By other means	4.1	2.7	3.3	1.0	1.3	1.1	2.4	0.7	1.8	0.2
	XIV.—Ill-defined diseases	5.5	11.9	4.0	10.3	24.5	21.5	4.4	3.4	47.3	51.5
187	Ill-defined organic disease	0.5	1.5	0.3	0.6	0.3	0.3	0.2	0.4	1.2	2.1
188	Sudden death	.....	0.3	.....	.....	0.1	0.6	0.1	0.1	11.4	1.4
189	Not specified or ill-defined (total)	5.0	10.1	3.7	9.7	24.1	20.6	4.0	2.9	34.8	48.0
	Ill-defined	4.3	7.9	3.7	7.7	22.2	18.2	3.2	2.3	27.0	26.4
	Not specified or unknown	0.7	2.2	.....	2.0	1.9	2.5	0.9	0.6	7.8	21.7

[1] Less than one-tenth of 1 per 100,000.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
Maryland.						Massachusetts.		Michigan.		Minnesota.		Montana.		New Hampshire.		
Total.		White.		Colored.												
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
82.0	63.0	77.8	58.1	106.9	81.4	72.3	68.8	77.4	75.5	72.7	71.6	134.2	136.2	63.6	69.4	
0.2	0.4	.....	0.6	1.1	.....	0.1	.....	0.1	0.4	0.5	0.2	.....	.....	.....	0.4	164
1.6	2.2	1.9	2.0	.....	2.8	1.7	1.8	2.5	2.8	2.4	1.6	5.0	2.9	1.7	2.0	165
1.2	0.3	0.8	0.2	3.4	0.7	1.1	0.5	1.0	1.0	1.5	1.8	.....	2.5	1.1	1.2	166
15.1	6.2	12.1	4.8	32.6	11.8	8.5	3.7	8.4	5.3	5.3	5.9	6.1	2.5	8.6	5.5	167
2.8	0.1	3.3	0.2	.....	.....	3.2	0.4	2.7	0.6	3.5	0.9	1.0	0.7	1.1	0.4	168
8.4	11.3	6.2	9.7	21.4	17.4	7.5	15.0	7.9	10.0	7.3	11.8	1.0	17.2	10.3	12.5	169
1.6	3.0	1.2	1.7	4.5	8.3	0.5	0.9	1.7	3.6	2.3	4.2	8.1	8.9	1.7	2.7	170
0.3	0.1	0.2	0.2	1.1	.....	0.1	0.1	0.1	0.1	0.3	0.1	1.0	0.7	.....	.....	171
14.6	5.7	16.0	5.0	6.8	8.3	18.7	17.2	11.2	11.5	11.6	5.2	12.1	7.1	13.7	14.8	172
0.2	1.2	0.2	1.3	.....	0.7	0.1	0.3	2.3	7.1	0.9	3.9	27.2	18.2	.....	.....	173
0.2	1.0	0.2	1.3	.....	.....	.....	0.1	2.3	7.1	0.8	3.9	27.2	18.2	.....	.....	
.....	0.1	.....	.....	.....	0.7	0.1	0.1	.....	.....	0.2	.....	.....	.....	.....	.....	
2.8	0.9	2.5	0.9	4.5	0.7	2.6	1.2	1.8	2.0	2.1	1.8	3.0	2.1	0.6	2.7	174
22.2	13.9	23.1	14.1	16.9	13.2	19.2	17.6	25.0	17.0	23.9	17.6	48.4	49.3	13.7	13.3	175
12.2	10.6	13.3	11.0	5.6	9.0	9.5	11.4	14.1	9.5	15.4	11.6	34.3	34.7	8.0	9.0	
5.3	1.3	5.2	1.3	5.6	1.4	4.0	2.0	4.7	1.5	1.5	0.1	2.0	.....	1.7	0.4	
1.2	0.3	1.3	0.2	.....	0.7	2.1	1.7	3.2	0.9	2.6	0.4	2.0	1.1	1.7	0.8	
3.1	1.0	2.9	0.9	4.5	1.4	3.2	1.7	2.9	4.0	3.6	4.0	8.1	11.1	1.7	3.1	
0.5	0.7	0.4	0.7	1.1	0.7	0.5	0.8	0.2	1.1	0.8	1.4	2.0	2.5	0.6	.....	
0.5	0.9	0.6	1.1	.....	.....	0.5	0.8	0.7	1.6	0.5	1.9	5.0	4.3	0.6	0.8	176
.....	.....	.....	.....	.....	.....	(1)	.....	0.1	0.1	.....	0.1	.....	0.4	.....	0.4	177
0.3	0.4	0.4	.....	.....	2.1	0.2	0.7	0.4	0.7	0.3	1.5	.....	3.2	.....	2.0	178
1.8	1.9	1.2	1.3	5.6	4.2	0.8	1.0	1.8	1.5	2.7	0.8	.....	.....	1.1	1.2	179
.....	0.7	.....	0.7	.....	0.7	(1)	0.4	.....	0.6	0.2	0.9	.....	2.5	.....	0.4	180
1.5	0.3	1.5	0.2	1.1	0.7	0.5	1.3	1.3	0.4	1.1	0.3	5.0	1.8	1.7	2.0	181
1.2	3.8	1.3	4.2	.....	2.1	0.6	1.0	2.0	1.8	1.4	3.2	.....	0.7	1.1	0.4	185
5.8	9.6	5.4	10.1	7.9	7.7	6.3	4.9	6.6	7.8	5.0	7.7	11.1	11.1	6.3	7.0	186
3.5	2.9	3.3	1.3	4.5	9.0	3.0	1.4	4.3	1.5	4.3	2.8	8.1	10.4	1.7	0.4	
2.0	1.7	1.9	1.1	2.3	4.2	1.1	0.7	2.4	0.6	2.1	1.3	6.1	6.4	.....	.....	182
1.0	0.1	1.0	.....	1.1	0.7	0.4	0.3	0.6	0.1	0.3	0.4	.....	0.4	1.1	.....	183
0.5	1.0	0.4	0.2	1.1	4.2	1.5	0.5	1.3	0.7	1.4	1.1	2.0	3.6	0.6	0.4	184
55.2	70.5	46.2	52.1	108.0	140.5	20.3	17.7	39.9	28.4	11.1	28.1	30.3	16.8	40.1	24.6	
1.2	3.6	0.4	3.3	5.6	4.9	0.2	.....	2.4	2.9	0.3	1.7	.....	0.4	2.9	2.0	187
0.2	2.8	0.2	2.9	.....	2.1	0.2	0.4	0.3	0.5	0.2	0.8	.....	0.7	.....	1.6	188
53.9	64.1	45.6	45.8	102.4	133.5	19.9	17.3	37.2	25.0	10.6	25.7	30.3	15.7	37.2	21.1	189
53.1	52.7	44.8	40.5	101.3	98.8	18.7	16.3	33.7	19.7	9.9	11.0	26.2	13.6	35.5	19.9	
0.8	11.5	0.8	5.3	1.1	34.8	1.2	1.0	3.5	5.3	0.8	14.6	4.0	2.1	1.7	1.2	

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		New Jersey.		New York.		North Carolina.					
						Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.[1]	Cities.	Rural districts.[1]	Cities.	Rural districts.[1]
	All causes [2]	1,610.4	1,431.1	1,618.4	1,595.5	2,052.3	1,733.5	1,686.2	1,524.5	2,644.2	2,158.1
	I.—General diseases	435.5	374.2	443.9	384.3	691.5	595.0	595.2	498.8	847.1	790.3
1	Typhoid fever	15.0	13.7	15.0	16.0	56.1	58.9	49.7	57.7	66.4	61.5
2	Typhus fever	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	0.5	1.9	0.7	1.4	28.0	36.8	14.0	27.4	50.6	55.7
5	Smallpox	.....	.....	0.1	0.1	0.7	2.4	1.1	2.1	.....	2.9
6	Measles	11.2	7.5	15.3	9.8	24.0	29.2	27.0	35.2	19.2	17.2
7	Scarlet fever	12.8	7.7	21.2	8.8	3.3	1.4	4.3	2.1	1.7	.....
8	Whooping cough	17.7	14.8	7.7	9.3	12.0	20.7	9.7	17.6	15.7	27.2
9	Diphtheria and croup	32.5	23.3	32.2	10.3	13.3	22.2	16.2	23.2	8.7	20.0
10	Influenza	9.6	17.0	7.8	29.3	32.7	25.0	27.0	19.7	41.9	35.7
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	0.5	1.1	0.5	1.5	0.7	0.5	1.1	0.7	.....	.....
15	Plague	5.0	6.2	3.2	7.6	36.0	27.8	31.3	24.6	43.7	34.3
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	[3]	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	5.8	3.8	5.6	4.1	2.7	4.2	4.3	4.9	.....	2.9
19	Other epidemic diseases	0.3	0.6	0.4	0.6	1.3	0.9	1.1	.....	1.7	2.9
20	Purulent infection and septicemia	3.0	3.0	1.9	2.5	6.7	7.1	6.5	7.7	7.0	5.7
21	Glanders	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	[3]	.....	.....	.....	.....	.....	.....	.....
23	Rabies	0.2	0.3	0.1	.....	0.7	.....	1.1	.....	.....	.....
24	Tetanus	2.7	2.3	1.3	1.7	14.0	10.4	3.2	2.8	31.4	25.7
25	Mycoses	.....	.....	0.1	[3]	.....	.....	.....	.....	.....	.....
26	Pellagra	.....	.....	[3]	0.1	46.7	19.3	49.7	24.6	41.9	8.6
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	193.6	160.1	194.8	138.4	305.7	247.5	246.3	164.6	401.7	415.9
28	Tuberculosis of the lungs	162.0	138.7	165.7	120.1	263.6	223.0	211.7	149.1	347.6	373.0
29	Acute miliary tuberculosis	6.4	3.1	4.8	2.4	10.0	6.6	9.7	1.4	10.5	17.2
30	Tuberculous meningitis	13.4	7.2	14.6	5.6	9.3	4.2	10.8	4.9	7.0	2.9
31	Abdominal tuberculosis	5.7	4.2	4.2	4.7	14.0	8.0	8.6	6.3	22.7	11.4
32	Pott's disease	1.8	2.2	1.8	1.3	2.7	1.4	2.2	0.7	3.5	2.9
33	White swellings	1.0	0.6	0.9	0.7	.....	0.5	.....	.....	.....	1.4
34	Tuberculosis of other organs	1.7	1.4	1.9	2.0	4.7	1.4	1.1	0.7	10.5	2.9
35	Disseminated tuberculosis	1.7	2.8	1.0	1.6	1.3	2.4	2.2	1.4	.....	4.3
36	Rickets	1.3	0.6	1.0	0.5	2.0	3.3	1.1	1.4	3.5	7.1
37	Syphilis	4.3	3.4	9.0	3.0	10.0	7.5	2.2	4.2	22.7	14.3
38	Gonococcus infection	0.4	0.4	0.5	[3]	0.7	.....	.....	.....	1.7	.....
	Cancer and other malignant tumors (total)	74.8	72.6	82.0	91.3	62.1	36.8	67.0	44.3	54.1	21.4
39	Of the buccal cavity	2.2	2.2	2.9	3.1	.....	.....	.....	.....	.....	.....
40	Of the stomach, liver	29.3	27.1	32.3	37.1	18.0	10.8	20.5	13.4	14.0	5.7
41	Of the peritoneum, intestines, rectum	9.7	9.3	13.3	12.2	6.0	1.9	8 6	2.8	1.7	.....
42	Of the female genital organs	14.0	11.5	12.0	12.2	13.3	10.4	13.0	11.3	14.0	8.6
43	Of the breast	7.0	8.6	7.5	10.3	3.3	3 3	1.1	2.8	7.0	4.3
44	Of the skin	0.8	2.6	1.8	4.4	0.7	0.5	1.1	0.7	.....	.....
45	Of other organs or of organs not specified	11.8	11.3	12.3	12.0	20.7	9.9	22.7	13.4	17.5	2.9
46	Other tumors (tumors of the female genital organs excepted)	0.8	1.4	0.7	1.2	2.7	3.3	1.1	2.8	5.2	4.3
47	Acute articular rheumatism	8.4	5.1	6.9	6.0	4.0	6.1	1.1	4.9	8.7	8.6
48	Chronic rheumatism and gout	0.8	1.4	0.9	2.1	1.3	0 9	1.1	0.7	1.7	1.4
49	Scurvy	0.2	0.4	0.1	0.1	.....	.....	.....	.....	.....	.....
50	Diabetes	17.7	15.6	18.3	18.9	10.0	7.1	9.7	9.1	10.5	2.9
51	Exophthalmic goiter	1.3	0.2	1.2	1.6	1.3	0.5	2.2	.....	.....	1.4
52	Addison's disease	0.4	0.1	0.3	0.5	.....	0.9	.....	1.4	.....	.....
53	Leukemia	1.9	0.7	1.7	1.8	0.7	0.9	1.1	0.7	.....	1.4
54	Anemia, chlorosis	3.6	2.9	3.5	7.8	6.0	3.3	5.4	1.4	7.0	7.1
55	Other general diseases	1.9	1.7	1.9	2.9	4.0	5.2	6.5	6.3	.....	2.9
56	Alcoholism (acute or chronic)	6.7	4.6	7.3	4.4	2.0	3.3	3.2	4.2	.....	1.4
57	Chronic lead poisoning	0.2	.....	0.3	0.2	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	0.1	.....	0.3	0.7	.....	1.4	.....	2.1	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense.	139.7	194.1	117.1	214.1	180.2	145.2	166.4	145.6	202.6	144.3
60	Encephalitis	1.3	1.0	0.7	1.4	0.7	1.4	1.1	1.4	.....	1.4
61	Meningitis (total)	18.9	12.7	12.7	12.3	23.4	22.2	20.5	24.6	27.9	17.2
	Simple meningitis	13.2	9.7	6.9	9.3	20.0	18.4	18.4	21.1	22.7	12.9
	Cerebrospinal meningitis (undefined)	5.3	2.8	5.4	2.9	2.7	3.3	2.2	3.5	3.5	2.9
	Cerebrospinal fever	0.4	0.2	0.3	0.2	0.7	0.5	.....	.....	1.7	1.4
62	Locomotor ataxia	2.2	3.0	2.6	3.1	1.3	0.9	2.2	0.7	.....	1.4
63	Other diseases of the spinal cord (total)	5.0	7.5	5.7	10.2	2.7	3.3	3.2	2.8	1.7	4.3
	Acute anterior poliomyelitis	1.3	3.1	1.4	3.3	1.3	0.5	2.2	.....	.....	1.4
	Other diseases of the spinal cord [4]	3.6	4.4	4.3	6.9	1.3	2.8	1.1	2.8	1.7	2.9
64	Cerebral hemorrhage, apoplexy	81.2	103.0	65.2	125.0	60.7	52.8	54.0	50.7	71.6	57.2
65	Softening of the brain	1.6	1.9	0.6	3.0	2.0	4.2	3.2	4.9	.....	2.9
66	Paralysis without specified cause	7.5	25.5	5.6	22.0	52.7	35.8	45.4	38.0	64.6	31.4
67	General paralysis of the insane	2.9	12.4	4.8	15.1	2.0	1.4	3.2	1.4	.....	1.4
68	Other forms of mental alienation	1.8	8.4	1.6	3.8	8.7	0.9	14.0	0.7	.....	1.4

[1] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

[2] Exclusive of stillbirths.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
Ohio.		Pennsylvania.		Rhode Island.		Utah.		Vermont.		Washington.		Wisconsin.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1,481.0	1,277.8	1,688.7	1,437.5	1,721.0	1,645.6	1,302.1	983.5	1,724.7	1,583.5	1,100.3	907.9	1,364.2	1,122.1	
416.5	359.4	413.1	337.1	457.8	360.6	337.9	215.9	443.4	374.5	332.7	250.4	392.5	290.2	
24.2	30.2	25.1	24.2	14.5	9.5	47.0	32.4	26.7	12.2	30.5	26.0	44.9	12.9	1
(3)														2
		(3)												3
0.6	1.1	0.6	0.7	0.7	1.9				1.0	0.2		0.3		4
0.2	0.3	0.1	0.1			0.8	0.4			0.6	0.8	0.1	0.1	5
18.5	14.8	15.9	16.3	32.5	33.2	2.5	0.8	2.2	7.4	4.7	8.1	9.1	7.5	6
8.2	4.3	14.9	13.6	4.3	2.8	38.6	24.2	8.9	2.2	8.5	5.7	18.5	10.7	7
13.3	11.6	15.9	13.2	10.9	2.8	5.0	22.6	42.3	10.6	14.6	15.9	9.3	7.1	8
16.2	9.0	30.8	27.5	25.0	22.8	31.0	14.1	20.1	7.4	13.3	11.9	26.0	14.9	9
13.5	23.5	12.4	18.5	16.6	24.7	5.9	9.4	13.4	45.3	5.1	4.3	8.5	11.6	10
														11
														12
1.1	1.1	1.2	1.9	1.6	0.9	0.8	1.2		1.9	0.4		1.7	2.2	13
4.6	11.2	3.4	7.2	6.4	6.6	3.4			7.4	1.3	2.7	4.9	7.6	14
														15
														16
													0.1	17
5.4	3.9	4.7	4.1	3.4	2.8	4.2	6.2	2.2	4.5	3.0	3.8	4.6	3.0	18
0.3	0.3	0.5	0.7	1.1			0.4		0.6	0.6		0.3	0.3	19
3.6	2.2	3.8	3.2	2.0	4.7	4.2	7.0	6.7	2.9	2.1	1.9	5.3	3.9	20
														21
	0.1	0.2	(3)											22
0.3	0.1	0.2	0.2									0.4	0.1	23
2.0	1.5	2.1	2.4	1.4		1.7	1.6	4.5	0.6	0.6	0.6	1.7	1.0	24
(3)		(3)	(3)									0.4		25
	(3)	0.1		0.7					0.6	0.4				26
										0.4	0.2			27
173.8	131.9	160.8	109.0	196.6	121.5	83.0	26.2	160.4	106.6	123.4	94.3	128.2	96.5	
146.7	110.8	136.1	94.0	165.9	102.5	59.5	21.9	127.0	81.6	92.5	78.5	107.3	80.7	28
4.2	2.4	4.0	2.1	3.2	2.8	5.0	0.4	11.1	3.9	3.8	1.9	3.3	2.5	29
9.1	5.0	9.4	3.4	17.0	10.4	5.0	1.6	11.1	8.7	9.1	6.2	6.9	3.5	30
7.4	7.6	5.9	4.5	6.8	3.8	5.9	1.6	2.2	6.7	8.7	3.0	4.8	3.6	31
1.0	1.2	1.3	0.8	1.6		2.5	0.8	4.5	1.9	2.5	1.1	1.6	1.3	32
0.7	0.4	0.5	0.7	0.7	0.9				0.6	1.1	0.2	0.8	0.5	33
2.4	2.2	2.3	1.9	0.7		3.4			1.9	4.0	1.4	1.6	2.5	34
2.3	2.3	1.4	1.6	0.7	0.9	1.7		4.5	1.3	1.7	1.9	2.0	2.0	35
0.6	0.6	0.9	0.4	2.3			0.4	2.2	0.3	0.4	0.3	1.1	0.6	36
10.8	3.2	6.4	3.5	7.7	5.7	3.4	3.1	4.5	4.2	6.3	3.3	4.1	1.0	37
0.6	0.2	0.8	0.1	0.7				2.2	0.3		0.2		0.1	38
77.6	73.4	74.2	59.1	88.0	82.6	47.8	30.1	95.8	112.4	64.3	40.5	80.8	72.8	
2.5	3.2	3.2	2.2	4.5	6.6	2.5	1.6	2.2	3.9	2.8	1.8	3.4	2.3	39
31.6	29.6	29.3	25.4	28.2	31.3	18.4	13.7	44.6	45.3	29.0	19.3	35.7	36.2	40
9.6	7.8	9.4	6.3	12.7	19.0	5.9	2.3	15.6	12.8	6.8	4.0	12.6	7.4	41
13.6	9.6	12.1	8.0	16.1	5.7	6.7	1.6	13.4	16.1	9.7	4.0	9.8	5.9	42
5.7	7.7	7.1	6.2	9.1	6.6	3.4	1.2	6.7	12.8	4.6	3.0	5.0	4.9	43
2.3	5.1	1.7	2.8	3.4	4.7	2.5	2.0	4.5	5.1	0.9	2.4	2.0	3.4	44
12.2	10.3	11.3	8.1	13.9	8.5	8.4	7.8	8.9	16.4	10.4	6.1	12.3	12.7	45
0.6	1.0	0.8	0.6	1.1		2.5	1.6		1.3	1.7	0.2	0.8	0.9	46
7.0	6.3	6.8	6.6	4.3	5.7	6.7	10.5		1.9	4.9	3.2	7.5	6.4	47
1.5	1.4	1.2	1.1	1.4		4.2	0.4		2.9	0.4	1.0	0.9	1.7	48
0.2		0.2	0.1								0.3			49
14.3	13.1	15.4	10.4	18.4	22.8	20.1	11.3	24.5	20.9	12.5	9.2	14.5	12.6	50
1.4	1.2	1.3	0.9	0.7		3.4	0.4		1.9	1.7	0.6	1.5	1.3	51
0.7	0.5	0.5	0.2	0.2		1.7			0.3	0.9	0.5		0.4	52
1.3	1.9	1.5	1.1	2.3		1.7	1.2	2.2	0.3	2.8	1.4	2.2	1.9	53
5.5	4.6	3.7	3.6	4.3	1.9	3.4	1.6	15.6	7.7	4.7	2.2	5.4	4.7	54
1.9	1.9	1.8	2.2	2.7	1.9	2.5	4.7		3.2	4.4	2.1	2.2	2.5	55
5.8	2.4	4.3	3.9	5.9	5.7	6.7	3.9	8.9	3.2	17.4	8.8	6.3	3.4	56
0.5	0.2	0.4	0.2						1.0	0.4		0.3	0.2	57
(3)		(3)	(3)											58
0.3	0.6	0.2	0.3			5.9	0.4		1.3	0.2	0.3	0.5	0.2	59
138.2	162.1	141.5	162.3	160.9	168.9	95.6	81.6	180.5	199.5	96.7	92.7	131.4	136.0	
1.4	1.3	1.6	1.6	0.5	2.8	1.7	1.2	2.2	1.3	3.0	0.5	0.9	1.1	60
17.5	14.0	11.6	11.4	13.6	13.3	18.4	9.4	20.1	10.9	7.8	5.7	19.7	13.7	61
11.9	9.4	9.5	9.0	7.7	8.5	13.4	7.4	11.1	5.5	2.3	1.9	15.1	10.4	
5.2	4.4	1.7	2.2	5.7	4.7	3.4	1.2	8.9	5.5	3.2	2.7	4.6	3.2	
0.3	0.2	0.3	0.2	0.2		1.7	0.8			2.3	1.1		0.1	
3.0	3.6	2.2	2.5	2.5	0.9	1.7			3.5	1.9	1.4	1.6	2.5	62
5.3	8.7	7.4	9.0	12.3	11.4	5.0	3.5	8.9	12.2	12.3	8.1	7.0	5.6	63
1.2	1.9	2.5	4.4	7.7	9.5	3.4	1.2		2.9	8.2	6.1	1.9	1.8	
4.1	6.8	4.9	4.6	4.5	1.9	1.7	2.3	8.9	9.3	4.2	2.1	5.2	3.8	
67.9	77.2	74.1	79.9	90.7	108.2	41.1	33.2	118.1	126.2	49.3	43.2	51.0	60.4	64
1.5	4.5	1.9	2.2	2.0		0.8	0.4	2.2	2.9	0.6	0.2	1.5	1.1	65
12.4	26.3	12.0	16.8	8.4	11.4	14.3	6.2	8.9	9.0	6.3	9.7	11.6	14.4	66
8.6	3.6	3.3	4.1	11.4	1.9	2.5	2.3	2.2	5.1	2.1	4.8	1.9	4.3	67
5.0	4.3	1.8	5.0	4.3	0.9	1.7	5.1		6.4	1.3	7.5	1.7	5.8	68

[3] Less than one-tenth of 1 per 100,000.

[4] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		New Jersey.		New York.		North Carolina.					
						Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.[1]	Cities.	Rural districts.[1]	Cities.	Rural districts.[1]
	II.—Diseases of the nervous system and of the organs of special sense—Continued.										
69	Epilepsy	2.3	7.3	2.9	5.0	6.7	4.2	6.5	3.5	7.0	5.7
70	Convulsions (nonpuerperal)	0.2	0.1	0.1	0.3	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	10.1	7.2	7.6	6.5	9.3	8.0	4.3	7.0	17.5	10.0
72	Chorea	0.3	0.2	0.2	0.3	.....	0.9	.....	1.4	.....	.....
73	Neuralgia and neuritis	0.4	0.9	0.8	1.2	1.3	0.9	.....	0.7	3.5	1.4
74	Other diseases of the nervous system	2.7	2.4	3.2	4.1	7.3	7.1	7.6	6.3	7.0	8.6
75	Diseases of the eyes and their annexa	.....	.....	0.1	0.1	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	1.3	0.8	2.7	0.9	1.3	0.9	1.1	1.4	1.7	.....
	III.—Diseases of the circulatory system	176.7	179.1	198.4	273.7	166.2	128.2	122.1	107.6	237.5	170.1
77	Pericarditis	1.0	1.4	0.9	1.1	1.3	1.4	1.1	.....	1.7	4.3
78	Acute endocarditis	12.1	7.4	15.2	4.7	3.3	3.8	2.2	4.2	5.2	2.9
79	Organic diseases of the heart	136.7	138.1	148.9	210.7	134.8	109.8	94.0	91.5	200.8	147.2
80	Angina pectoris	5.2	7.8	5.5	12.1	6.0	3.8	5.4	5.6	7.0	.....
81	Diseases of the arteries, atheroma, aneurism, etc	15.8	18.0	22.4	36.9	11.3	7.1	13.0	4.9	8.7	11.4
82	Embolism and thrombosis	4.5	4.9	3.7	6.5	3.3	1.4	1.1	1.4	7.0	1.4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	0.4	0.3	0.9	0.8	0.7	.....	1.1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	0.8	0.7	0.6	0.3	2.0	.....	2.2	.....	1.7	.....
85	Hemorrhage; other diseases of the circulatory system	0.3	0.6	0.3	0.6	3.3	0.9	2.2	.....	5.2	2.9
	IV.—Diseases of the respiratory system	223.6	163.5	248.6	172.7	249.6	185.8	177.2	159.0	366.8	240.1
86	Diseases of the nasal fossae	.....	.....	0.1	[2]	0.7	2.4	1.1	0.7	.....	5.7
87	Diseases of the larynx	1.3	1.4	1.1	1.4	1.3	1.4	1.1	1.4	1.7	1.4
88	Diseases of the thyroid body	0.1	0.3	0.4	0.6	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	15.3	12.2	17.6	12.3	16.0	14.1	16.2	9.8	15.7	22.9
90	Chronic bronchitis	9.6	9.5	10.7	12.8	12.0	7.5	5.4	7.0	22.7	8.6
91	Bronchopneumonia	60.1	33.8	88.6	38.8	16.0	22.6	13.0	19.7	21.0	28.6
92	Pneumonia (total)	122.7	92.7	117.1	93.1	179.5	126.8	122.1	112.6	272.5	155.8
	Lobar pneumonia	63.1	33.9	91.2	37.5	14.7	17.9	16.2	12.7	12.2	28.6
	Pneumonia (undefined)	59 6	58.8	25.8	55.6	164.9	108.9	105.9	99.9	260.2	127.2
93	Pleurisy	4.6	3.5	6.0	3.5	3.3	1.4	3.2	1.4	3.5	1.4
94	Pulmonary congestion, pulmonary apoplexy	6.6	5.6	3.4	5.6	11.3	4.2	8.6	4.2	15.7	4.3
95	Gangrene of the lung	0.2	0.1	0.3	0.3	0.7	0.5	.....	.....	1.7	1.4
96	Asthma	1.9	1.3	1.9	1.8	4.7	4.2	4.3	2.1	5.2	8.6
97	Pulmonary emphysema	0.1	0.8	0.3	0.6	0.7	.....	1.1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted).	1.2	2.2	1.3	1.9	3.3	0.5	1.1	.....	7.0	1.4
	V.—Diseases of the digestive system	221.4	171.0	209.0	165.9	269.0	257.4	242.0	253.3	312.6	265.8
99	Diseases of the mouth and annexa	0.9	0.9	0.5	0.8	1.3	1.4	.....	1.4	3.5	1.4
100	Diseases of the pharynx	1.5	1.9	1.3	2.0	.....	3.3	.....	3.5	.....	2.9
101	Diseases of the esophagus	0.1	0.1	0.2	0.3	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	3.8	2.2	5.1	4.4	5.3	1.9	7.6	2.1	1.7	1.4
103	Other diseases of the stomach (cancer excepted)	13.2	17.6	8.4	22.2	34.7	25.5	22.7	23.9	54.1	28.6
104	Diarrhea and enteritis (under 2 years)	132.2	91.1	121.3	62.9	132.8	141.4	122.1	133.7	150.2	157.2
105	Diarrhea and enteritis (2 years and over)	14.1	19.3	13.3	21.0	34.0	25.5	32.4	26.0	36.7	24.3
106	Ankylostomiasis	.....	.....	.....	.....	.....	1.4	.....	1.4	.....	1.4
107	Intestinal parasites	0.1	0.1	0.1	0.2	.....	0.9	.....	.....	.....	2.9
108	Appendicitis and typhlitis	11.4	6.0	13.7	6.1	12.0	11.3	14.0	15.5	8.7	2.9
109	Hernia, intestinal obstruction (total)	12.1	7.3	13.4	12.7	9.3	9.4	8.6	9.1	10.5	10.0
	Hernia	4.7	2.9	5.3	3.4	4.0	3.3	5.4	2.1	1.7	5.7
	Intestinal obstruction	7.4	4.4	8.1	9.3	5.3	6.1	3.2	7.0	8.7	4.3
110	Other diseases of the intestines	3.1	3.4	2.2	3.5	5.3	5.2	3.2	3.5	8.7	8.6
111	Acute yellow atrophy of the liver	0.4	0.6	0.5	0.6	.....	1.4	.....	1.4	.....	1.4
112	Hydatid tumor of the liver	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	19.3	13.3	19.8	13.3	10.7	9.4	16.2	8.4	1.7	11.4
114	Biliary calculi	1.8	1.7	2.2	2.3	.....	3.8	.....	4.9	.....	1.4
115	Other diseases of the liver	4.6	3.8	4.1	7.1	8.7	8.0	7.6	10.6	10.5	2.9
116	Diseases of the spleen	0.2	0.1	0.1	0.1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	1.8	1.1	1.9	5.8	13.3	6.6	6.5	7.0	24.5	5.7
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	0.7	0.6	0.7	0.6	1.3	0.9	1.1	0.7	1.7	1.4

[1] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

URBAN AND RURAL DEATH RATES, BY CAUSES.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
Ohio.		Pennsylvania.		Rhode Island.		Utah.		Vermont.		Washington.		Wisconsin.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
2.0	7.3	3.4	5.0	3.2	2.8	2.5	3.9	4.5	8.0	2.8	3.8	2.0	5.8	69
0.2	0.1	0.3	0.7	0.7	----	----	1.2	----	0.6	0.8	0.6	0.9	0.8	70
6.4	4.6	15.6	18.5	6.4	6.6	1.7	8.6	2.2	4.8	2.5	3.3	25.5	15.0	71
0.2	0.3	0.1	0.3	0.2	----	----	0.4	----	----	0.4	0.3	0.3	0.2	72
0.5	0.5	0.5	0.4	0.5	0.9	----	0.4	----	2.9	0.9	0.2	0.5	0.7	73
3.3	4.0	3.2	3.3	2.7	2.8	2.5	5.1	6.7	4.5	3.0	2.4	3.6	3.9	74
(2)	0.1	0.1	0.1	----	----	----	----	----	----	----	----	0.1	----	75
2.9	1.7	2.3	1.5	1.6	4.7	1.7	0.8	4.5	1.0	1.7	1.0	1.6	0.8	76
182.4	185.7	184.0	149.2	209.8	192.7	129.1	93.7	260.7	292.9	111.5	84.9	136.8	129.5	
1.2	1.2	1.3	1.2	0.2	0.9	0.8	1.2	2.2	1.3	1.5	0.8	0.7	1.0	77
12.9	3.2	10.3	3.8	8.2	4.7	13.4	8.6	4.5	4.2	6.8	4.1	7.0	3.6	78
135.3	146.5	140.7	117.8	162.8	152.8	93.9	73.8	189.4	226.4	84.6	65.6	100.5	98.0	79
6.1	9.9	6.8	8.0	5.9	13.3	8.4	3.5	20.1	14.8	5.5	5.3	5.3	5.2	80
21.8	20.5	19.4	14.2	26.6	20.9	5.9	2.3	37.9	38.9	10.4	6.5	17.6	17.1	81
3.7	2.6	3.8	2.4	3.9	----	3.4	2.7	4.5	6.7	1.7	1.8	4.1	3.0	82
0.6	0.6	0.7	0.4	1.4	----	0.8	----	2.2	----	0.6	----	0.3	0.5	83
0.5	0.4	0.7	0.4	0.5	----	1.7	0.4	----	0.6	0.2	0.2	0.5	0.3	84
0.4	0.8	0.4	0.9	0.5	----	0.8	1.2	----	----	0.2	0.6	0.9	0.9	85
175.9	124.4	250.6	184.1	233.0	256.2	156.0	145.6	184.9	185.6	101.6	76.9	160.0	109.9	
0.2	0.3	0.2	0.4	0.5	----	0.8	0.4	----	0.3	0.8	0.3	0.3	0.2	86
1.4	1.4	1.5	2.4	1.6	5.7	1.7	2.0	2.2	1.6	0.2	1.1	1.9	1.3	87
0.6	0.6	0.3	0.2	0.2	0.9	0.8	----	----	0.3	0.2	----	0.7	0.4	88
16.0	7.5	22.1	13.3	24.6	19.0	7.5	10.9	33.4	16.7	3.0	2.7	18.1	9.3	89
12.2	8.8	10.9	8.3	10.0	8.5	6.7	8.2	4.5	11.9	4.7	3.2	12.0	11.1	90
48.8	23.9	74.8	42.5	55.5	48.4	40.2	23.8	33.4	29.2	33.0	28.8	30.3	15.6	91
84.8	71.4	119.3	99.6	128.2	166.1	85.5	87.1	107.0	116.3	51.8	33.9	83.2	61.4	92
49.4	22.6	63.1	26.7	45.5	39.9	59.5	16.4	26.7	24.4	48.7	32.2	17.5	13.8	
35.4	48.7	51.2	72.9	82.7	126.2	26.0	70.7	80.2	91.9	3.0	1.8	65.7	47.5	
4.2	2.1	6.2	3.2	5.7	3.8	1.7	2.3	2.2	3.2	1.7	2.2	4.4	2.7	93
2.5	3.4	7.7	5.9	3.2	1.9	2.5	4.7	----	2.6	1.3	1.8	3.0	2.8	94
0.3	0.2	0.5	0.2	----	----	----	----	----	----	----	0.2	0.1	0.2	95
2.7	2.9	4.0	3.7	1.8	0.9	2.5	1.2	2.2	2.2	2.7	1.4	2.8	2.7	96
0.4	0.5	0.5	0.5	0.5	----	1.7	0.4	----	----	0.4	0.3	0.1	0.1	97
1.8	1.4	2.6	3.9	1.4	0.9	4.2	4.7	----	1.3	1.9	1.0	3.2	2.2	98
212.1	141.3	260.8	223.4	250.5	245.8	155.1	108.2	245.1	151.9	119.4	79.2	197.4	143.4	
0.9	0.9	1.0	1.0	0.2	0.9	0.8	0.4	----	0.3	0.4	0.3	----	0.6	99
1.4	1.4	1.6	2.1	2.0	1.9	1.7	1.6	----	1.6	1.7	1.4	1.3	1.9	100
0.2	0.3	0.1	0.1	0.5	----	----	----	----	1.0	----	----	0.3	0.2	101
4.8	2.9	4.3	2.1	5.5	5.7	7.5	2.3	8.9	5.5	4.2	2.5	5.4	3.9	102
12.8	15.1	17.8	23.3	17.5	28.5	5.9	8.2	11.1	19.6	8.9	8.1	15.3	13.7	103
114.0	60.2	156.8	132.4	154.1	150.9	58.7	44.9	111.4	50.1	45.5	31.1	99.7	59.9	104
15.5	14.8	19.1	20.5	19.5	19.9	9.2	5.5	17.8	18.6	7.4	9.4	11.8	17.3	105
----	----	----	----	----	----	----	----	----	----	----	----	----	----	106
0.1	----	0.1	0.3	----	----	----	----	----	0.6	----	----	----	0.1	107
13.3	6.3	12.5	4.6	12.3	1.9	23.5	13.3	37.9	13.8	18.6	7.0	16.4	8.3	108
13.3	10.2	14.4	9.1	13.0	9.5	15.1	14.4	33.4	10.0	12.5	6.5	13.7	10.7	109
4.3	3.3	5.3	2.3	5.5	1.9	5.9	2.7	15.6	3.5	3.4	0.8	4.6	3.4	
9.0	6.9	9.1	6.7	7.5	7.6	9.2	11.7	17.8	6.4	9.1	5.7	9.1	7.3	
3.4	2.6	2.6	2.8	2.3	2.8	0.8	3.5	4.5	3.2	2.3	1.3	2.8	3.2	110
0.3	0.5	0.4	0.5	0.7	----	----	0.4	----	0.3	----	0.3	0.3	0.1	111
(2)	(2)	----	(2)	----	----	----	----	----	----	----	----	0.1	0.1	112
17.8	10.8	16.2	9.9	14.1	13.3	7.5	3.5	2.2	10.0	8.7	4.6	14.3	9.4	113
3.3	3.9	3.5	2.5	2.5	3.8	4.2	1.2	8.9	2.9	2.3	2.1	3.4	1.6	114
6.0	6.3	5.9	6.1	2.7	2.8	6.7	3.9	4.5	7.1	5.5	3.5	5.7	6.3	115
0.1	0.2	0.1	0.1	0.5	----	----	----	----	0.3	0.2	----	0.5	0.3	116
4.3	4.5	3.6	5.4	2.5	3.8	11.7	5.1	4.5	7.1	0.8	0.8	5.6	5.4	117
0.4	0.5	0.8	0.5	0.7	----	1.7	----	----	----	0.6	0.2	0.8	0.4	118

[2] Less than one-tenth of 1 in 100,000.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		New Jersey.		New York.		North Carolina.					
						Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.[1]	Cities.	Rural districts.[1]	Cities.	Rural districts.[1]
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	133.7	121.1	151.3	128.5	130.1	99.0	119.9	87.9	146.7	121.5
119	Acute nephritis	16.8	10.9	15.1	11.6	14.7	9.4	11.9	10.6	19.2	7.1
120	Bright's disease	101.9	98.1	119.6	97.4	91.4	76.8	90.7	68.9	92.6	92.9
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	2.7	2.4	2.7	2.8	7.3	2.8	5.4	1.4	10.5	5.7
123	Calculi of the urinary passages	0.2	0.4	0.8	0.6	1.3	0.5	2.2	.....	.....	1.4
124	Diseases of the bladder	2.5	3.8	1.7	5.8	4.0	3.3	4.3	2.8	3.5	4.3
125	Diseases of the urethra, urinary abscess, etc	0.5	0.2	0.6	0.3	1.3	0.5	.....	.....	3.5	1.4
126	Diseases of the prostate	2.3	2.2	3.0	5.4	2.7	0.5	.....	0.7	7.0	.....
127	Nonvenereal diseases of the male genital organs	0.1	.....	0.2	0.1	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	.....	.....	0.1	0.2	2.0	0.9	2.2	.....	1.7	2.9
129	Uterine tumor (noncancerous)	1.8	1.0	2.3	1.6	3.3	0.9	.....	0.7	8.7	1.4
130	Other diseases of the uterus	1.4	0.9	1.3	0.9	.....	1.4	.....	1.4	.....	1.4
131	Cysts and other tumors of the ovary	0.8	0.7	0.7	0.8	0.7	0.9	1.1	1.4	.....	.....
132	Salpingitis and other diseases of the female genital organs	2.5	0.6	3.1	1.0	1.3	0.9	2.2	.....	.....	2.9
133	Nonpuerperal diseases of the breast (cancer excepted)	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	18.4	10.4	16.2	12.0	26.0	33.9	17.3	28.8	40.2	44.3
134	Accidents of pregnancy	1.5	0.7	1.7	1.2	.....	6.1	.....	7.7	.....	2.9
135	Puerperal hemorrhage	1.6	0.9	1.6	1.0	2.7	2.8	1.1	1.4	5.2	5.7
136	Other accidents of labor	2.0	1.1	1.5	1.5	4.7	4.2	3.2	2.8	7.0	7.1
137	Puerperal septicemia	9.7	3.5	7.5	4.5	5.3	9.0	1.1	4.9	12.2	17.2
138	Puerperal albuminuria and convulsions	3.3	3.5	3.4	3.4	11.3	10.8	9.7	11.3	14.0	10.0
139	Puerperal phlegmasia alba dolens, embolus, sudden death	0.2	0.6	0.5	0.3	0.7	.....	.....	.....	1.7	.....
140	Following childbirth (not otherwise defined)	0.1	0.1	(2)	(2)	1.3	0.9	2.2	0.7	.....	1.4
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	4.6	6.2	4.5	7.5	8.7	6.6	5.4	6.3	14.0	7.1
142	Gangrene	2.5	4.4	2.0	5.2	6.0	5.2	3.2	4.9	10.5	5.7
143	Furuncle	0.4	0.6	0.6	0.4	.....	0.5	.....	0.7	.....	.....
144	Acute abscess	1.3	0.7	1.1	1.0	2.0	0.5	1.1	.....	3.5	1.4
145	Other diseases of the skin and annexa	0.3	0.6	0.8	0.9	0.7	0.5	1.1	0.7	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion.	2.2	0.7	4.1	1.8	3.3	2.4	3.2	2.1	3.5	2.9
146	Diseases of the bones (tuberculosis excepted)	1.9	0.4	3.7	1.5	2.7	1.9	2.2	2.1	3.5	1.4
147	Diseases of the joints (tuberculosis and rheumatism excepted)	0.2	.....	0.3	0.1	0.7	0.5	1.1	.....	.....	1.4
148	Amputations	.....	.....	(2)	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	0.1	0.2	0.1	0.2	.....	.....	.....	.....	.....	.....
	X.—Malformations	18.4	15.1	14.6	15.1	7.3	7.5	9.7	11.3	3.5	.....
150	Congenital malformations (stillbirths not included) (total)	18.4	15.1	14.6	15.1	7.3	7.5	9.7	11.3	3.5	.....
	Hydrocephalus	1.3	1.3	1.4	1.1	0.7	1.4	1.1	2.1	.....	.....
	Congenital malformations of the heart	10.3	10.4	9.2	9.1	2.7	4.2	4.3	6.3	.....	.....
	Other congenital malformations	6.8	3.4	4.0	4.9	4.0	1.9	4.3	2.8	3.5	.....
	XI.—Early infancy	88.0	59.3	84.4	59.0	90.1	63.6	79.9	61.9	106.5	67.2
151	Congenital debility, icterus and sclerema (total)	71.2	49.1	65.5	48.3	81.4	55.2	71.3	56.3	97.8	52.9
	Premature birth	47.3	29.1	40.5	34.4	47.4	29.7	47.5	34.5	47.2	20.0
	Congenital debility, "atrophy," "marasmus," etc	23.9	20.0	25.0	13.9	34.0	25.5	23.8	21.8	50.6	32.9
152	Other causes peculiar to early infancy (total)	16.3	9.7	18.8	10.3	8.7	8.5	8.6	5.6	8.7	14.3
	Injuries at birth	10.0	5.0	9.4	6.6	1.3	2.8	2.2	2.1	.....	4.3
	Other causes peculiar to early infancy [3]	6.3	4.7	9.3	3.7	7.3	5.7	6.5	3.5	8.7	10.0
153	Lack of care	0.5	0.6	0.1	0.4	.....	.....	.....	.....	.....	.....
	XII.—Old age	13.5	21.8	12.4	32.3	22.7	30.6	16.2	29.5	33.2	32.9
154	Senility	13.5	21.8	12.4	32.3	22.7	30.6	16.2	29.5	33.2	32.9
	XIII.—External causes	110.5	92.8	99.8	115.1	102.8	67.4	79.9	59.8	139.7	82.9
	Suicide (total)	19.3	13.0	16.5	17.3	10.0	5.2	14.0	7.7	3.5	.....
155	By poison	5.3	2.2	2.8	4.4	2.7	2.4	4.3	3.5	.....	.....
156	By asphyxia	4.1	1.2	4.5	0.6	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	2.7	2.4	2.1	4.1	1.3	0.5	1.1	0.7	1.7	.....
158	By drowning	1.0	0.8	0.6	1.7	.....	.....	.....	.....	.....	.....
159	By firearms	4.4	5.4	4.5	4.5	2.0	2.4	2.2	3.5	1.7	.....
160	By cutting or piercing instruments	1.0	0.8	1.1	1.6	1.3	.....	2.2	.....	.....	.....
161	By jumping from high places	0.4	0.1	0.9	0.1	.....	.....	.....	.....	.....	.....
162	By crushing	0.4	0.1	0.2	0.3	.....	.....	.....	.....	.....	.....
163	Other suicides	0.1	.....	(2)	0.2	2.7	.....	4.3	.....	.....	.....

[1] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
Ohio.		Pennsylvania.		Rhode Island.		Utah.		Vermont.		Washington.		Wisconsin.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
107.0	85.7	140.7	80.8	142.3	124.3	127.4	57.8	129.2	128.2	84.8	53.4	81.8	72.8	
12.3	5.9	14.4	8.0	14.3	8.5	17.6	3.9	6.7	10.3	5.5	3.0	7.5	4.5	119
75.8	63.7	107.6	60.7	112.1	104.4	83.0	42.6	91.4	98.3	61.1	42.1	60.8	55.2	120
			(2)											121
2.3	2.1	2.8	2.2	1.8	0.9	0.8	2.0	2.2	0.6	3.2	0.8	1.7	2.7	122
0.6	0.6	0.6	0.4	0.9		1.7	0.4		1.0	0.6	0.2	0.1	0.6	123
2.5	3.4	2.2	3.3	2.5	3.8	4.2	3.9	2.2	4.8	1.7	1.0	2.4	3.9	124
0.4	0.2	0.6	0.3	0.2		2.5	1.2			0.6	0.3	0.3	0.1	125
3.7	6.0	3.4	2.8	3.6	2.8	6.7	2.3	13.4	8.4	3.4	2.1	3.6	4.0	126
0.1	0.1	0.2	0.1								0.3	0.1	0.1	127
0.1	0.2	0.1	0.1						0.3			0.3	0.2	128
2.6	1.0	1.7	0.7	2.3	2.8	0.8	0.4	4.5	1.3	2.3	0.3	0.5	0.1	129
1.3	0.9	1.9	0.7	0.9		3.4	0.8		0.6	0.9	1.4	2.0	0.6	130
1.7	0.6	1.4	0.5	1.8	0.9	3.4		2.2	1.6	1.1	0.5	0.8	0.4	131
3.8	0.9	3.7	0.8	1.8		3.4	0.4	6.7	0.6	4.4	1.3	1.7	0.4	132
	0.1	0.1	(2)						0.3		0.2			133
17.4	13.4	21.5	16.2	15.9	11.4	24.3	15.6	17.8	17.0	19.1	14.8	12.8	10.8	
2.1	1.3	2.1	1.4	0.9	0.9	2.5	2.0	2.2	2.6	3.4	2.2	1.9	0.7	134
1.3	1.1	1.8	1.6	1.6	1.9	2.5	2.3	2.2	2.6	0.8	1.0	1.7	1.5	135
1.0	1.1	1.8	2.0	1.8	0.9	1.7	1.6		1.9	1.9	2.7	1.1	1.2	136
8.9	7.2	10.5	6.7	5.5	2.8	12.6	5.9	8.9	5.8	10.2	6.7	5.4	4.6	137
3.5	2.4	4.7	4.2	5.9	4.7	4.2	1.6		3.9	2.7	2.1	2.1	2.1	138
0.5	0.2	0.4	0.3	0.2		0.8	1.6	4.5	0.3		0.2	0.7	0.7	139
0.1	0.1	0.1	0.1				0.8			0.2			0.1	140
(2)	(2)	0.1												141
5.1	5.6	6.1	7.0	4.8	5.7	1.7	2.0	2.2	10.0	1.9	3.0	4.4	5.1	
2.3	4.2	3.3	4.2	2.7	4.7	1.7	1.2	2.2	7.7	0.8	1.8	2.0	2.7	142
0.6	0.3	0.9	0.6	0.7	0.9				0.6	0.4	0.3	0.4	0.3	143
0.8	0.2	1.1	1.1	0.7			0.4		1.0	0.4	0.5	1.3	0.7	144
1.3	0.9	0.8	1.2	0.7			0.4		0.6	0.4	0.5	0.7	1.5	145
2.8	1.7	3.3	1.7	1.8	2.8	2.5	0.4	4.5	1.9	3.4	0.3	1.6	1.1	
2.7	1.5	2.8	1.5	1.4	2.8	2.5	0.4	4.5	1.3	3.0	0.2	1.5	0.9	146
0.1	0.1	0.4	0.1	0.5					0.6	0.4	0.2	0.1	0.1	147
														148
	0.1	0.2	0.1										0.1	149
15.2	15.9	18.4	19.6	13.2	20.9	9.2	11.3	33.4	16.7	12.5	11.6	13.0	12.2	
15.2	15.9	18.4	19.6	13.2	20.9	9.2	11.3	33.4	16.7	12.5	11.6	13.0	12.2	150
0.8	0.7	1.4	1.4	1.4	0.9		0.4		0.3	1.3	0.8	1.6	1.4	
9.3	10.4	12.2	12.2	7.7	15.2	5.9	5.9	31.2	11.6	6.4	6.2	6.3	5.6	
5.1	4.8	4.8	6.0	4.1	4.7	3.4	5.1	2.2	4.8	4.7	4.6	5.0	5.2	
71.5	54.2	80.4	78.9	92.3	77.8	67.1	82.0	102.5	55.2	58.0	43.2	81.6	61.8	
57.2	44.7	67.4	67.7	66.4	56.9	55.3	72.2	95.8	45.0	46.6	37.0	68.7	52.0	151
44.3	30.8	41.6	37.1	41.8	32.3	44.4	58.2	84.7	35.0	30.9	23.1	38.9	32.7	
12.9	13.9	25.8	30.6	24.6	24.7	10.9	14.1	11.1	10.0	15.7	13.9	29.9	19.2	
14.1	9.3	12.8	10.7	25.5	19.9	11.7	9.8	6.7	10.0	11.0	6.2	12.4	9.8	152
7.7	5.0	7.8	6.1	17.7	14.2	7.5	1.2	6.7	5.8	4.7	2.9	5.9	5.3	
6.4	4.3	5.0	4.6	7.7	5.7	4.2	8.6		4.2	6.3	3.3	6.5	4.5	
0.2	0.2	0.2	0.5	0.5	0.9				0.3	0.4		0.4	0.1	153
11.2	22.5	13.8	22.1	23.4	46.5	32.7	40.6	35.7	54.0	19.7	19.9	35.3	50.4	
11.2	22.5	13.8	22.1	23.4	46.5	32.7	40.6	35.7	54.0	19.7	19.9	35.3	50.4	154
117.5	91.5	128.4	112.0	93.0	110.1	129.1	91.0	75.8	88.3	125.9	155.6	92.8	70.4	
17.6	11.4	16.9	8.9	13.6	19.0	21.8	5.5	6.7	14.1	25.6	15.1	20.4	11.2	
7.4	2.8	6.2	2.2	2.5	0.9	10.1	0.8	4.5	4.2	8.3	4.1	6.5	2.3	155
0.3	0.2	2.3	0.1	3.2					0.3	1.3	0.2	1.1	0.1	156
2.4	2.3	2.2	2.4	2.0	4.7	0.8	0.4		2.6	1.5	1.8	3.6	3.4	157
1.3	0.9	0.6	0.5	0.9	3.8			2.2	1.3	1.9	1.4	3.3	0.6	158
5.1	4.6	4.1	3.1	3.4	8.5	7.5	3.1		4.8	8.9	4.6	4.4	3.2	159
0.8	0.4	0.9	0.6	1.4	0.9	1.7	0.8		1.0	2.7	1.3	1.3	1.0	160
0.1		0.3	(2)	0.2		1.7				0.4			0.1	161
0.1	0.1	(2)								0.2	1.1		0.2	162
(2)	0.2	0.2	(2)				0.4			0.4	0.6	0.3	0.3	163

[2] Less than one-tenth of 1 per 100,000.

[3] Exclusive of injuries at birth.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		New Jersey.		New York.		North Carolina.					
						Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.[1]	Cities.	Rural districts.[1]	Cities.	Rural districts.[1]
	XIII.—External causes—Continued.										
	Accidental or undefined (total)	86.0	76.9	77.7	94.6	84.8	56.6	60.5	50.7	124.0	68.6
164	Poisoning by food	0.3	0.4	0.3	0.4	0.7	0.5	1.1	0.7	.....	.....
165	Other acute poisonings	1.9	1.4	1.7	2.3	4.0	2.8	4.3	3.5	3.5	1.4
166	Conflagration	2.9	1.3	1.5	1.8	.....	0.5	.....	0.7	.....	.....
167	Burns (conflagration excepted)	10.8	4.6	8.3	4.2	14.0	9.4	5.4	7.0	27.9	14.3
168	Absorption of deleterious gases (conflagration excepted)	3.7	1.7	5.1	1.2	.....	0.5	.....	0.7	.....	.....
169	Accidental drowning	9.3	16.1	9.4	16.3	6.7	2.8	3.2	2.1	12.2	4.3
170	Traumatism by firearms	0.9	2.0	0.4	1.9	8.7	8.5	8.6	7.7	8.7	10.0
171	Traumatism by cutting or piercing instruments	0.2	0.1	0.2	0.1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	16.8	13.6	19.8	20.3	7.3	3.8	8.6	4.2	5.2	2.9
173	Traumatism in mines and quarries (total)	0.2	1.5	0.1	1.1	.....	.....	.....	.....	.....	.....
	Traumatism in mines	0.1	1.4	[2]	0.9	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	0.1	0.1	[2]	0.1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	2.5	1.0	2.4	1.9	0.7	0.5	1.1	0.7	.....	.....
175	Traumatism by other crushing (total)	23.9	23.4	19.6	32.0	20.7	8.0	10.8	8.4	36.7	7.1
	Railroad accidents and injuries	15.1	16.8	7.8	23.2	12.7	6.6	8.6	7.7	19.2	4.3
	Street-car accidents and injuries	3.5	1.3	4.2	2.5	1.3	.....	1.1	.....	1.7	.....
	Automobile accidents and injuries	1.6	1.7	2.4	2.0	.....	0.5	.....	.....	.....	1.4
	Injuries by other vehicles	3.2	3.0	4.7	3.6	1.3	0.5	1.1	.....	1.7	1.4
	Landslide, other crushing	0.5	0.7	0.6	0.7	5.3	0.5	.....	0.7	14.0	.....
176	Injuries by animals	0.4	0.6	0.6	0.9	.....	0.5	.....	0.7	.....	.....
177	Starvation	0.2	0.2	[2]	0.1	.....	.....	.....	.....	.....	.....
178	Excessive cold	0.4	0.8	0.2	1.1	.....	.....	.....	.....	.....	.....
179	Effects of heat	3.3	1.3	2.0	0.6	.....	.....	.....	.....	.....	.....
180	Lightning	.....	.....	[2]	0.6	.....	0.9	.....	1.4	.....	.....
181	Electricity (lightning excepted)	0.7	0.2	0.6	1.4	0.7	0.9	1.1	1.4	.....	.....
185	Fractures (cause not specified)	1.4	1.2	1.0	0.4	7.3	4.2	7.6	4.9	7.0	2.9
186	Other external violence	6.1	5.4	4.5	6.0	14.0	12.7	8.6	6.3	22.7	25.7
	Homicide (total)	5.2	2.9	5.5	3.2	8.0	5.7	5.4	1.4	12.2	14.3
182	By firearms	1.8	1.5	3.0	1.7	4.7	4.2	2.2	1.4	8.7	10.0
183	By cutting or piercing instruments	0.9	0.2	0.7	0.4	1.3	0.5	.....	.....	3.5	1.4
184	By other means	2.4	1.1	1.8	1.1	2.0	0.9	3.2	.....	.....	2.9
	XIV.—Ill-defined diseases	24.3	21.8	14.0	13.6	104.8	110.8	51.9	72.5	190.4	188.7
187	Ill-defined organic disease	0.1	0.3	0.1	0.4	8.0	5.7	2.2	1.4	17.5	14.3
188	Sudden death	0.2	0.1	[2]	0.3	8.0	7.1	4.3	5.6	14.0	10.0
189	Not specified or ill-defined (total)	24.0	21.4	14.0	12.9	88.8	98.1	45.4	65.4	158.9	164.4
	Ill-defined	23.7	20.8	13.9	12.8	52.7	67.9	36.7	52.1	78.6	100.0
	Not specified or unknown	0.3	0.6	0.1	0.1	36.0	30.2	8.6	13.4	80.3	64.3

[1] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
Ohio.		Pennsylvania.		Rhode Island.		Utah.		Vermont.		Washington.		Wisconsin.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
92.9	77.8	106.0	99.2	75.5	86.4	93.9	83.6	69.1	71.9	91.0	135.4	70.1	57.8	
0.5	0.2	0.1	0.4	0.2	.....	.....	.....	.....	0.6	0.6	0.5	0.3	0.1	164
2.2	3.2	2.5	2.1	2.3	6.6	10.1	3.1	4.5	3.2	2.7	1.8	0.9	1.6	165
0.8	1.2	1.9	1.4	0.9	.....	.....	.....	.....	.....	2.3	3.0	0.7	0.8	166
8.8	6.6	12.7	9.1	11.1	1.9	4.2	6.2	4.5	4.5	4.2	3.2	5.6	3.5	167
2.1	0.9	3.4	0.5	4.8	.....	1.7	1.2	4.5	0.3	3.4	0.8	1.5	0.6	168
7.1	4.8	5.4	7.4	9.8	27.5	5.9	9.4	2.2	10.6	14.6	25.2	10.4	7.8	169
1.6	2.4	1.6	1.8	0.2	2.8	7.5	5.1	.....	2.6	3.4	4.8	1.2	3.2	170
(1)	0.2	0.2	0.1	0.2	.....	0.8	0.4	.....	.....	0.4	.....	0.1	0.2	171
17.0	15.9	21.0	15.0	19.1	14.2	5.9	3.9	35.7	18.3	15.4	7.6	11.9	8.9	172
1.1	5.3	11.8	21.1	.....	.....	5.0	13.7	.....	1.9	.....	6.9	.....	0.6	173
1.0	5.1	11.4	20.0	.....	.....	5.0	13.7	.....	.....	.....	6.7	.....	0.4	
0.1	0.2	0.4	1.1	.....	.....	.....	.....	.....	1.9	.....	0.2	.....	0.1	
3.6	1.4	4.6	2.6	2.5	0.9	1.7	0.8	.....	2.9	3.2	4.1	2.5	1.2	174
35.9	24.0	29.4	27.1	15.5	12.3	26.8	14.4	11.1	14.8	29.6	56.7	22.2	15.4	175
23.1	17.5	18.2	21.2	5.9	4.7	14.3	9.0	2.2	10.3	17.6	31.7	12.3	10.5	
6.8	2.1	5.0	1.8	3.2	0.9	2.5	0.4	4.5	0.6	4.2	0.6	3.8	0.6	
2.3	1.0	1.8	0.9	3.6	2.8	4.2	0.8	2.2	0.6	1.7	1.3	1.6	0.4	
2.8	2.8	3.5	2.6	2.5	3.8	0.8	3.9	.....	2.9	3.2	3.5	3.4	3.2	
0.9	0.6	0.9	0.5	0.2	.....	5.0	0.4	2.2	0.3	2.8	19.6	1.1	0.7	
0.4	1.3	0.5	0.8	1.1	1.9	0.8	1.2	.....	1.3	1.1	1.1	1.1	1.0	176
0.1	.....	.....	0.1	.....	.....	.....	.....	.....	0.3	.....	.....	0.1	.....	177
0.2	0.2	0.3	0.4	0.7	3.8	0.8	1.6	.....	0.3	.....	0.8	0.4	1.1	178
1.3	1.3	3.3	1.7	0.9	7.6	1.7	.....	.....	0.3	0.2	.....	2.0	1.6	179
.....	0.4	0.1	0.4	0.2	.....	0.8	0.8	.....	1.3	.....	.....	0.3	0.3	180
1.0	0.4	0.8	1.2	0.5	.....	3.4	3.9	.....	0.3	0.9	1.0	1.1	0.6	181
1.8	1.9	0.4	0.1	0.9	0.9	5.9	5.1	2.2	1.3	0.4	0.3	2.4	1.9	185
7.5	6.2	6.2	5.7	4.5	5.7	10.9	12.9	4.5	7.1	8.7	17.7	5.6	7.4	186
7.1	2.3	5.5	3.9	3.9	4.7	13.4	2.0	.....	2.2	9.3	5.1	2.4	1.3	
4.2	1.4	2.8	2.3	1.4	1.9	12.6	1.6	.....	1.0	6.4	3.0	1.2	0.6	182
1.0	0.2	0.7	0.6	0.7	0.9	0.8	0.4	.....	0.3	0.9	0.6	0.7	0.1	183
1.9	0.6	2.1	1.0	1.8	1.9	.....	.....	.....	1.0	1.9	1.4	0.5	0.6	184
8.3	14.5	26.1	43.1	22.3	21.8	34.4	37.9	8.9	7.7	12.9	21.8	22.9	28.4	
0.3	0.9	0.9	2.7	.....	.....	0.8	1.6	2.2	0.3	0.2	0.6	1.2	3.1	187
(1)	0.7	0.4	1.6	0.7	.....	0.8	0.4	.....	1.0	0.2	0.5	0.4	0.5	188
8.0	12.9	24.9	38.8	21.6	21.8	32.7	35.9	6.7	6.4	12.5	20.7	21.3	24.8	189
6.5	7.7	23.9	34.5	20.9	20.9	32.7	28.9	4.5	3.5	11.8	10.7	20.0	21.2	
1.4	5.2	1.0	4.3	0.7	0.9	.....	7.0	2.2	2.9	0.8	10.0	1.3	3.6	

[1] Less than one-tenth of 1 per 100,000.

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY.													
The registration area	805,412	70,765	65,957	76,237	67,931	64,487	60,827	69,983	69,999	63,762	62,521	62,900	70,043
Registration states [1]	703,608	61,734	57,394	66,837	59,488	55,689	52,469	61,453	61,708	56,382	54,871	54,558	61,025
Cities in registration states [1]	400,305	35,817	32,887	38,247	34,360	32,111	30,511	36,349	33,856	30,411	30,344	30,631	34,781
Rural part of registration states	303,303	25,917	24,507	28,590	25,128	23,578	21,958	25,104	27,852	25,971	24,527	23,927	26,244
Registration cities in other states	101,804	9,031	8,563	9,400	8,443	8,798	8,358	8,530	8,291	7,380	7,650	8,342	9,018
All registration cities [1]	502,109	44,848	41,450	47,647	42,803	40,909	38,869	44,879	42,147	37,791	37,994	38,973	43,799
REGISTRATION STATES.													
California	32,401	2,994	2,631	2,768	2,589	2,779	2,576	2,620	2,570	2,365	2,739	2,755	3,015
Colorado	11,069	1,020	879	929	857	840	839	949	957	887	941	950	1,021
Connecticut	17,498	1,498	1,421	1,630	1,509	1,418	1,265	1,736	1,425	1,388	1,382	1,251	1,575
Indiana	36,448	3,027	2,967	3,612	2,959	2,745	2,745	3,064	3,387	2,996	2,885	2,929	3,132
Maine	12,726	1,132	1,064	1,175	1,127	1,029	874	936	1,150	1,097	1,064	1,028	1,050
Maryland	20,805	2,009	1,886	1,786	1,638	1,466	1,528	1,955	1,825	1,634	1,667	1,672	1,739
Massachusetts	54,301	4,799	4,379	5,165	4,743	4,325	3,969	4,893	4,729	4,366	4,173	4,105	4,655
Michigan	39,888	3,247	3,144	3,825	3,373	3,182	3,097	3,101	3,785	3,498	3,198	3,118	3,320
Minnesota	22,649	1,774	1,660	2,053	1,903	1,790	1,787	1,703	2,212	2,007	1,813	1,817	2,130
Montana	3,999	335	261	272	313	292	322	438	425	375	301	321	344
New Hampshire	7,452	701	579	657	653	629	518	573	700	657	581	581	623
New Jersey	39,504	3,597	3,164	3,579	3,256	2,962	3,005	4,074	3,393	2,928	2,942	3,025	3,579
New York	147,678	13,230	12,182	14,372	13,048	12,057	11,015	13,098	12,218	11,416	11,081	10,956	13,005
North Carolina [2]	6,752	612	569	554	500	615	577	589	546	511	569	547	563
Ohio	65,459	5,545	5,279	6,548	5,481	5,279	4,815	5,538	5,886	5,257	5,162	5,111	5,558
Pennsylvania	119,815	10,585	10,111	11,719	10,044	9,016	8,495	10,948	10,887	9,533	9,205	9,206	10,066
Rhode Island	9,305	826	792	955	848	691	718	915	848	626	686	661	739
Utah	4,072	364	287	327	353	308	302	327	319	337	325	382	441
Vermont	5,704	490	482	536	513	469	382	407	447	504	487	441	546
Washington	11,502	937	905	1,089	887	978	830	962	1,024	1,008	923	997	962
Wisconsin	28,070	2,388	2,172	2,628	2,348	2,344	2,296	2,031	2,485	2,533	2,275	2,152	2,418
REGISTRATION CITIES.													
ALABAMA. [3]													
Registration cities (total)	4,790	414	391	373	366	463	380	434	389	352	385	434	409
Birmingham	2,597	211	216	222	200	264	204	232	213	187	200	220	228
Mobile	1,185	115	98	75	93	111	95	110	90	84	86	124	104
Montgomery	1,008	88	77	76	73	88	81	92	86	81	99	90	77
CALIFORNIA.													
Registration cities (total)	18,609	1,746	1,512	1,706	1,523	1,622	1,437	1,469	1,415	1,331	1,583	1,535	1,730
Alameda	290	33	25	22	26	41	19	20	18	20	14	19	33
Bakersfield	305	19	15	24	29	31	23	34	27	20	26	27	30
Berkeley	376	34	33	32	31	37	30	32	34	21	30	28	34
Eureka	196	17	12	15	18	18	19	17	20	14	19	13	14
Fresno	340	18	20	21	25	29	38	25	34	30	27	42	31
Long Beach	250	19	20	23	24	19	18	26	16	20	23	20	22
Los Angeles	4,538	441	387	400	359	381	356	337	324	333	395	351	474
Oakland	1,929	201	154	192	160	162	149	130	160	158	149	159	155
Pasadena	419	51	33	49	23	29	41	28	19	28	33	31	54
Pomona	136	16	12	9	13	7	10	8	8	9	13	12	19
Redlands	154	16	15	12	17	11	6	7	10	9	12	15	24
Riverside	221	17	23	25	19	15	20	18	10	22	14	14	24
Sacramento	734	58	54	63	46	80	51	65	54	52	63	74	74
San Bernardino	260	28	24	29	25	25	30	21	20	13	11	14	20
San Diego	687	61	57	59	54	68	50	51	51	47	63	57	69
San Francisco	6,319	601	501	584	538	536	443	532	501	454	575	524	530
San Jose	412	27	47	38	39	40	37	30	28	21	30	37	38
Santa Barbara	223	21	23	20	17	23	19	24	9	9	19	24	15
Santa Cruz	185	8	17	15	12	20	16	14	24	12	17	15	15
Stockton	469	43	28	53	37	37	44	35	28	35	41	42	46
Vallejo	166	17	12	21	11	13	18	15	20	4	9	17	9
COLORADO.													
Registration cities (total)	4,705	426	402	430	383	357	336	406	401	357	368	393	446
Colorado Springs	478	33	44	36	39	42	29	46	54	29	40	45	41
Denver	3,533	329	315	333	298	262	241	302	286	267	285	294	331
Pueblo	542	43	32	48	38	41	55	47	45	45	35	53	60
Trinidad	152	21	11	13	8	12	11	11	16	16	8	11	14
CONNECTICUT.													
Registration cities (total)	12,032	1,012	996	1,128	1,026	1,019	867	1,217	934	932	950	867	1,084
Ansonia	201	12	23	16	21	16	22	26	13	10	13	9	20
Bridgeport	1,562	138	130	154	137	142	127	150	115	115	115	110	129
Bristol town	184	13	15	27	11	13	11	23	16	21	16	7	11
Danbury town	350	27	23	37	32	27	25	24	31	21	33	24	46
Greenwich town	273	19	19	29	22	19	11	22	32	25	30	18	27

[1] Including District of Columbia.
[2] Including only municipalities having a population of 1,000 or over in 1900.
[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
CONNECTICUT—continued.													
Hartford	1,748	154	143	159	144	139	123	177	139	132	151	123	164
Manchester town	161	11	17	17	12	14	7	13	10	17	12	19	12
Meriden town	456	35	38	52	37	37	20	45	38	47	31	36	40
Middletown town	533	47	33	51	51	52	36	31	32	45	67	36	52
Naugatuck	182	16	10	8	17	15	17	24	16	17	16	13	13
New Britain	692	45	59	60	60	47	67	82	64	58	45	56	49
New Haven	2,219	197	198	204	191	213	162	238	167	146	170	137	196
New London	353	39	33	32	30	26	22	23	26	31	29	31	31
Norwalk town	366	32	24	35	39	43	24	34	35	10	28	28	34
Norwich town	480	54	36	50	40	37	21	45	39	56	30	34	38
Orange town	143	13	16	12	9	9	13	18	11	10	5	16	11
Stamford town	466	31	35	39	34	33	40	59	35	38	36	36	50
Torrington town	185	14	21	19	12	20	7	17	13	19	19	9	15
Wallingford town	141	15	6	15	9	14	4	17	11	11	13	14	12
Waterbury	1,140	90	99	93	99	86	95	133	77	81	69	100	118
Windham town	197	10	18	19	19	17	13	16	14	22	22	11	16
DELAWARE.[1]													
Wilmington	1,547	136	133	158	105	115	130	179	132	110	101	111	137
DISTRICT OF COLUMBIA.													
Washington	6,511	624	580	658	546	475	514	596	490	459	472	553	544
FLORIDA.[1]													
Registration cities (total)	1,640	155	107	116	139	180	118	128	135	133	142	134	153
Jacksonville	1,192	117	78	78	92	120	82	89	107	104	106	103	116
Key West	448	38	29	38	47	60	36	39	28	29	36	31	37
GEORGIA.[1]													
Registration cities (total)	4,689	389	336	401	410	434	393	359	387	345	366	445	424
Atlanta	2,938	229	228	267	261	281	244	231	243	204	236	275	239
Savannah	1,751	160	108	134	149	153	149	128	144	141	130	170	185
ILLINOIS.[1]													
Registration cities (total)	36,465	3,194	3,042	3,603	3,119	3,116	2,833	3,028	3,018	2,731	2,656	2,902	3,223
Aurora	433	46	34	33	24	37	40	28	45	30	28	47	41
Belleville	312	24	35	31	33	24	21	35	22	18	24	23	22
Chicago	33,241	2,913	2,775	3,288	2,852	2,863	2,574	2,765	2,740	2,490	2,429	2,645	2,907
Decatur	412	35	34	42	34	36	20	26	40	36	39	30	40
Evanston	254	17	26	25	14	24	21	23	19	25	13	19	28
Jacksonville	347	28	22	35	34	32	30	24	35	22	28	26	31
Quincy	606	63	48	60	56	43	47	50	46	46	44	41	62
Springfield	860	68	68	89	72	57	80	77	71	64	51	71	92
INDIANA.													
Registration cities (total)	12,468	1,008	990	1,209	1,026	948	1,026	1,069	1,134	1,032	959	1,012	1,055
Anderson	328	27	24	43	17	30	26	29	40	20	13	33	26
East Chicago	269	15	22	26	23	12	17	24	25	31	22	19	33
Elkhart	264	20	24	31	23	24	20	16	21	15	22	26	22
Elwood	174	11	18	22	9	10	10	13	21	19	15	13	13
Evansville	948	95	86	82	72	63	76	73	92	74	76	88	71
Fort Wayne	840	78	65	72	80	64	64	62	84	83	67	56	65
Gary	284	14	17	25	10	14	25	37	29	32	23	32	26
Hammond	296	23	17	38	29	22	22	21	30	22	22	21	29
Huntington	126	11	10	14	11	10	8	8	10	16	5	10	13
Indianapolis	3,824	302	296	405	341	313	347	328	313	287	292	278	322
Jeffersonville	205	27	12	16	15	16	16	26	19	12	11	16	19
Kokomo	257	16	18	19	25	17	26	20	26	28	23	22	17
Lafayette	333	30	31	33	27	32	32	22	22	17	26	31	30
Laporte	185	16	24	15	9	17	18	13	18	18	13	8	16
Logansport	299	28	23	24	23	23	15	15	28	33	29	30	28
Marion	265	19	26	23	27	17	11	23	25	27	20	22	25
Michigan City	280	16	25	23	21	24	23	28	25	21	19	25	30
Mishawaka	137	10	7	8	17	15	13	9	19	4	8	13	14
Muncie	352	26	23	36	21	21	28	32	43	34	28	33	27
New Albany	376	32	30	31	37	28	35	33	33	25	27	40	25
Peru	145	9	11	8	14	10	6	10	14	18	15	13	17
Richmond	305	34	35	30	24	24	25	23	29	27	18	21	15
South Bend	759	53	57	73	52	51	53	62	72	72	82	55	77
Terre Haute	931	80	60	81	80	73	84	102	66	84	62	86	73
Vincennes	286	16	29	31	19	18	26	40	30	13	21	21	22

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
KANSAS.[1]													
Registration cities (total)	2,405	191	195	227	194	224	196	242	172	173	175	192	224
Kansas City	1,393	101	118	143	104	120	114	132	104	99	100	122	136
Leavenworth	277	32	24	23	25	25	21	25	19	18	17	25	23
Wichita	735	58	53	61	65	79	61	85	49	56	58	45	65
KENTUCKY.[1]													
Registration cities (total)	5,499	479	513	485	468	426	443	456	479	371	433	471	475
Covington	861	64	100	94	76	51	64	82	71	59	52	77	71
Louisville	3,756	338	331	305	326	309	327	300	337	241	314	317	311
Newport	444	39	46	58	35	41	22	32	40	33	33	28	37
Paducah	438	38	36	28	31	25	30	42	31	38	34	49	56
LOUISIANA.[1]													
New Orleans	7,250	675	622	614	648	682	580	547	544	504	551	625	658
MAINE.													
Registration cities (total)	3,380	301	274	326	279	259	220	261	332	305	277	282	264
Auburn	231	23	30	16	19	28	11	14	24	17	19	16	14
Augusta	332	23	27	29	43	28	13	21	24	30	33	30	31
Bangor	504	46	27	59	45	36	41	39	41	40	43	53	34
Biddeford	411	30	41	60	21	33	26	41	39	33	31	30	26
Lewiston	586	47	43	54	46	50	35	45	70	62	44	45	45
Portland	1,106	109	85	86	92	71	81	85	118	102	94	89	94
Waterville	210	23	21	22	13	13	13	16	16	21	13	19	20
MARYLAND.													
Registration cities (total)	11,690	1,176	1,060	993	939	841	883	1,052	987	871	924	931	1,033
Baltimore	10,753	1,085	975	921	855	778	814	974	910	797	853	856	935
Cumberland	440	41	38	26	37	27	36	41	38	29	36	46	45
Frederick	206	20	20	25	18	13	16	13	21	18	13	11	18
Hagerstown	291	30	27	21	29	23	17	24	18	27	22	18	35
MASSACHUSETTS.													
Registration cities (total)	41,996	3,731	3,405	4,015	3,658	3,389	3,090	3,864	3,613	3,344	3,200	3,127	3,560
Adams town	171	16	9	16	12	14	5	33	23	11	11	15	6
Arlington town	148	15	11	17	16	12	8	12	11	10	13	8	15
Attleborough town	207	16	21	20	16	17	10	20	21	12	18	11	25
Beverly	246	15	19	29	28	23	23	18	21	17	18	15	20
Boston	11,562	1,065	1,019	1,128	1,067	943	825	923	910	919	909	872	982
Brockton	707	46	62	73	72	58	54	57	64	50	63	50	58
Brookline town	320	33	28	32	31	20	22	23	23	25	32	19	32
Cambridge	1,576	146	134	160	149	121	101	149	121	114	117	141	123
Chelsea	605	45	46	62	46	57	37	38	52	53	57	50	62
Chicopee	389	30	31	29	26	37	24	74	45	22	28	18	25
Clinton town	175	18	13	17	11	19	14	19	12	14	11	8	19
Everett	370	29	25	54	38	39	22	23	29	18	31	33	29
Fall River	2,201	165	150	175	161	161	220	319	233	167	145	157	148
Fitchburg	496	34	37	46	51	36	23	48	43	51	42	38	47
Framingham town	221	23	11	19	18	18	16	19	20	19	17	17	24
Gardner town	231	27	18	21	9	17	20	22	22	17	25	11	22
Gloucester	391	31	35	38	36	25	27	33	39	25	34	34	34
Greenfield town	147	10	14	15	18	8	8	16	8	9	10	15	16
Haverhill	767	62	57	106	78	60	60	45	74	51	46	65	63
Holyoke	1,027	85	76	99	100	84	90	95	102	65	79	61	91
Hyde Park town	261	28	18	26	19	20	16	25	21	26	22	24	16
Lawrence	1,530	155	122	143	134	105	105	159	154	132	104	99	118
Leominster town	196	21	22	24	20	12	11	7	13	19	12	15	20
Lowell	2,101	186	187	208	172	145	153	224	157	160	181	146	182
Lynn	1,179	109	93	109	100	94	92	93	92	104	89	106	98
Malden	582	53	47	59	41	56	40	41	57	46	33	44	65
Marlborough	170	23	11	10	15	16	16	12	22	9	14	13	9
Medford	243	29	25	14	20	22	18	21	19	14	20	23	18
Melrose	205	20	17	15	14	15	17	20	14	22	14	14	23
Methuen town	150	12	8	13	11	11	14	17	13	15	8	14	14
Milford town	239	25	21	24	21	17	13	26	20	21	20	19	12
New Bedford	1,814	133	127	153	146	152	149	223	162	152	137	127	153
Newburyport	280	19	21	25	35	30	21	20	12	21	26	24	26
Newton	484	52	45	44	46	49	32	29	39	29	31	36	52
North Adams	322	23	23	22	38	25	27	29	29	22	33	25	26
Northampton	366	31	43	32	34	24	21	25	28	34	24	27	43
Peabody town	203	30	15	20	19	19	11	16	14	16	14	11	18
Pittsfield	572	45	32	44	32	52	51	52	53	55	43	38	75
Plymouth town	162	23	13	16	11	11	13	10	15	18	10	8	14
Quincy	384	32	35	40	34	26	27	25	45	34	21	30	35

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
MASSACHUSETTS—continued.													
Revere town	217	15	15	20	15	18	22	20	18	19	18	13	24
Salem	691	68	53	68	48	67	32	71	67	59	50	50	58
Somerville	1,041	120	85	109	94	99	80	80	65	65	68	86	90
Southbridge town	175	18	9	19	19	18	9	15	22	12	13	11	10
Springfield	1,484	145	110	151	106	127	124	147	124	103	114	112	121
Taunton	803	75	60	62	65	72	52	84	84	88	52	55	54
Wakefield town	150	14	15	8	14	8	12	5	17	14	13	9	21
Waltham	389	45	42	43	35	22	23	34	26	34	28	20	37
Watertown town	143	14	10	11	13	16	9	9	12	12	16	9	12
Webster town	178	12	15	15	14	12	16	15	16	21	14	11	17
Westfield town	302	14	17	28	28	34	23	29	40	23	20	28	18
Weymouth town	209	12	22	22	16	18	16	11	18	18	12	17	18
Winthrop town	105	7	13	12	8	8	5	10	4	12	9	9	8
Woburn	241	15	27	21	16	22	14	29	27	27	16	14	13
Worcester	2,477	197	171	229	222	178	197	245	221	219	195	202	201
MICHIGAN.													
Registration cities (total)	16,369	1,331	1,241	1,590	1,417	1,262	1,297	1,407	1,533	1,367	1,300	1,299	1,325
Adrian	169	12	14	18	17	16	8	12	29	11	15	10	7
Alpena	194	17	10	18	16	19	12	18	13	14	12	17	28
Ann Arbor	345	30	37	31	29	24	35	32	22	31	21	24	29
Battle Creek	423	36	37	38	22	38	40	29	35	44	35	33	36
Bay City	612	55	49	64	66	54	48	48	64	53	37	34	40
Detroit	7,452	605	540	734	652	579	623	736	664	606	570	575	568
Escanaba	206	17	9	16	23	9	13	14	22	24	22	13	24
Flint	549	35	48	60	53	34	36	38	68	44	41	47	45
Grand Rapids	1,648	152	115	142	134	123	132	132	158	153	130	120	157
Holland	141	16	18	9	8	6	9	8	15	12	13	9	18
Ironwood	180	14	8	23	14	15	14	21	13	13	14	17	14
Ishpeming	158	15	20	9	15	12	13	9	10	7	13	18	17
Jackson	466	36	43	39	41	40	37	36	47	54	30	30	33
Kalamazoo	743	55	58	86	72	40	53	46	74	63	62	73	61
Lansing	412	32	24	40	31	29	28	41	48	38	42	31	28
Manistee	160	16	13	9	12	12	14	25	18	8	14	3	16
Marquette	182	8	15	20	14	20	12	9	11	15	28	13	17
Menominee	148	14	12	18	11	12	10	8	16	10	12	12	13
Muskegon	311	27	21	28	25	31	25	25	21	31	16	37	24
Pontiac	369	37	33	28	35	34	24	23	40	25	34	29	27
Port Huron	313	19	29	39	20	23	23	22	30	21	25	28	34
Saginaw	761	61	53	78	66	50	55	50	64	63	78	89	54
Sault Ste. Marie	157	9	15	18	13	13	10	3	25	13	10	10	18
Traverse City	270	13	20	25	28	29	23	22	26	14	26	27	17
MINNESOTA.													
Registration cities (total)	8,193	640	617	761	699	660	678	687	781	658	610	656	746
Duluth	1,052	75	78	90	77	82	71	74	140	91	80	84	110
Mankato	170	12	13	14	12	19	15	14	18	13	10	15	15
Minneapolis	3,739	268	303	345	326	301	309	324	342	295	294	300	332
St. Cloud	131	11	5	10	11	9	9	11	7	17	14	7	20
St. Paul	2,558	229	175	254	227	217	239	222	218	194	173	196	214
Stillwater	114	8	14	8	13	7	10	9	11	5	7	9	13
Virginia	176	12	10	8	16	8	8	14	21	27	16	19	17
Winona	253	25	19	32	17	17	17	19	24	16	16	26	25
MISSOURI.[1]													
Registration cities (total)	15,909	1,438	1,432	1,581	1,263	1,347	1,318	1,390	1,221	1,098	1,159	1,260	1,402
Kansas City	3,966	346	370	425	315	335	319	374	307	246	256	322	351
St. Joseph	1,055	97	92	102	106	90	65	85	83	74	85	81	95
St. Louis	10,888	995	970	1,054	842	922	934	931	831	778	818	857	956
MONTANA.													
Registration cities (total)	1,527	139	119	115	125	106	109	145	162	149	112	122	124
Anaconda	136	13	15	4	11	9	4	10	18	14	8	15	15
Billings	152	19	12	7	14	10	10	18	11	12	12	13	14
Butte	602	49	44	52	47	45	53	54	68	52	41	52	45
Great Falls	252	19	18	21	15	15	21	32	32	34	14	15	16
Helena	184	19	18	12	19	13	9	12	14	18	17	19	14
Missoula	201	20	12	19	19	14	12	19	19	19	20	8	20
NEBRASKA.[1]													
Registration cities (total)	2,364	203	196	248	195	192	217	178	217	156	174	186	202
Lincoln	485	41	39	51	38	40	36	33	53	41	38	30	45
Omaha	1,879	162	157	197	157	152	181	145	164	115	136	156	157

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
NEW HAMPSHIRE.													
Registration cities (total)	3,061	302	232	260	266	247	214	241	293	256	248	247	255
Berlin	190	16	10	12	18	16	6	25	31	18	11	16	11
Concord	465	53	30	42	36	35	29	40	44	41	37	40	38
Dover	236	22	17	25	30	21	20	17	15	14	12	21	22
Keene	178	16	8	14	21	15	6	11	19	17	12	15	24
Laconia	187	19	14	16	9	9	17	17	18	16	21	18	13
Manchester	1,163	126	105	100	99	98	91	75	98	99	94	87	91
Nashua	460	33	32	38	41	42	33	43	52	34	39	36	37
Portsmouth	182	17	16	13	12	11	12	13	16	17	22	14	19
NEW JERSEY.													
Registration cities (total)	26,530	2,411	2,129	2,376	2,191	2,017	2,057	2,760	2,186	1,950	1,940	2,035	2,478
Asbury Park	170	16	8	13	8	10	23	27	21	10	14	13	7
Atlantic City	800	72	56	78	58	53	71	103	87	67	58	46	51
Bayonne	827	79	53	59	74	62	63	99	79	55	65	61	78
Bloomfield	168	12	14	17	14	15	17	18	14	11	7	12	17
Bridgeton	217	22	25	17	17	20	17	15	12	24	12	16	20
Camden	1,629	147	137	139	118	127	133	170	120	116	122	144	156
East Orange	372	40	35	29	33	32	24	26	28	18	24	36	47
Elizabeth	1,122	110	84	90	85	76	109	107	89	89	83	90	110
Garfield	129	15	3	7	6	8	9	24	10	10	12	14	11
Hackensack	231	20	16	19	22	21	20	28	18	17	16	12	22
Harrison	237	20	19	23	21	17	25	28	22	16	21	13	12
Hoboken	1,328	125	107	150	114	122	98	136	91	94	71	93	127
Irvington	143	15	12	12	11	9	7	13	14	7	12	14	17
Jersey City	4,401	369	356	378	363	297	305	487	377	339	334	367	429
Kearny	276	22	27	24	21	27	20	24	25	17	23	21	25
Long Branch	295	21	26	33	25	19	18	25	31	28	28	20	21
Millville	149	14	14	13	14	11	11	13	8	14	13	10	14
Montclair	324	25	24	25	29	26	25	41	34	24	15	19	37
Morristown	295	15	30	29	24	24	21	20	28	20	28	26	30
New Brunswick	494	37	38	48	37	50	33	61	45	30	37	36	42
Newark	5,784	562	463	529	497	465	417	545	422	426	419	463	576
Orange	538	50	33	55	40	43	32	48	47	45	46	39	60
Passaic	820	75	72	77	59	58	84	87	62	54	66	52	74
Paterson	1,857	184	148	171	159	128	130	187	150	147	145	140	168
Perth Amboy	509	34	32	35	31	34	49	66	59	52	39	39	39
Phillipsburg	211	24	13	17	17	17	15	17	15	15	18	19	24
Plainfield	325	26	35	27	26	32	23	32	20	22	28	30	24
Trenton	1,976	174	180	181	181	144	186	219	188	125	122	120	156
Union	252	30	17	27	26	17	19	25	18	18	16	19	20
West Hoboken	387	33	30	34	36	32	27	42	31	29	21	31	41
West New York	169	13	14	15	12	9	18	19	15	11	18	12	13
West Orange	95	10	8	5	13	12	8	8	6	.....	7	8	10
NEW YORK.													
Registration cities (total)	110,283	10,101	9,072	10,629	9,772	9,019	8,342	9,988	8,925	8,295	8,152	8,110	9,878
Albany	1,943	171	173	198	180	171	128	202	110	127	137	138	208
Amsterdam	543	42	37	52	49	39	52	59	59	52	26	36	40
Auburn	532	51	49	42	48	48	42	54	34	44	34	37	49
Batavia	201	13	19	27	12	17	11	18	18	15	13	19	19
Binghamton	904	92	89	101	74	63	72	88	64	62	65	60	74
Buffalo	6,940	629	547	660	632	589	484	564	640	565	528	556	546
Cohoes	509	32	49	63	52	46	39	38	32	24	43	54	37
Corning	201	25	15	19	20	14	15	17	18	11	16	12	19
Cortland	218	17	14	21	18	22	17	12	15	21	27	17	17
Dunkirk	280	21	13	21	26	27	20	25	31	29	20	20	27
Elmira	557	51	53	69	39	38	52	42	44	50	40	42	37
Fulton	154	9	11	13	7	17	12	11	18	18	12	9	17
Geneva	172	18	18	11	10	14	15	15	17	10	15	17	12
Glens Falls	242	19	20	30	23	29	19	25	20	16	8	8	25
Gloversville	321	27	20	37	36	22	24	26	26	27	21	28	27
Hornell	174	13	25	15	15	10	13	9	12	14	15	13	20
Hudson	236	21	25	16	25	17	16	29	19	16	18	16	18
Ithaca	244	28	22	38	20	13	19	14	19	13	25	15	18
Jamestown	404	31	23	31	34	43	26	26	34	35	37	33	51
Johnstown	145	8	6	17	10	21	15	6	16	9	7	16	14
Kingston	476	43	35	58	43	32	42	25	42	42	47	35	32
Lackawanna	396	27	22	41	29	38	38	34	58	27	28	22	32
Little Falls	193	21	14	20	6	10	16	22	20	18	8	22	16
Lockport	300	24	30	25	28	28	16	19	28	26	30	21	25
Middletown	372	34	23	55	42	27	17	27	30	26	29	25	37
Mount Vernon	433	40	42	33	41	37	24	44	31	36	41	35	29
New Rochelle	342	44	25	45	24	26	29	32	24	27	19	21	26

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
NEW YORK—continued.													
New York	76,787	7,143	6,337	7,254	6,883	6,293	5,908	7,067	6,030	5,652	5,573	5,588	7,059
Bronx Borough	6,968	635	614	660	640	574	525	568	522	549	546	496	639
Brooklyn Borough	25,686	2,497	2,059	2,432	2,271	2,118	2,020	2,429	1,949	1,817	1,775	1,876	2,443
Manhattan Borough	38,699	3,537	3,269	3,714	3,539	3,189	2,930	3,456	3,044	2,871	2,855	2,809	3,486
Queens Borough	3,965	356	282	317	309	308	313	443	377	315	287	304	354
Richmond Borough	1,469	118	113	131	124	104	120	171	138	100	110	103	137
Newburgh	509	35	42	47	45	42	23	37	48	55	37	40	58
Niagara Falls	548	49	36	58	48	46	52	45	61	42	28	45	38
North Tonawanda	160	19	6	11	12	8	15	17	13	19	14	13	13
Ogdensburg	392	30	43	40	31	35	29	32	33	25	32	34	28
Olean	188	26	14	17	19	12	12	13	15	21	13	10	16
Ossining	177	22	11	12	19	16	13	25	14	11	13	9	12
Oswego	386	35	29	52	29	27	29	28	33	32	33	19	40
Peekskill	278	26	35	23	28	24	21	23	21	13	17	24	23
Plattsburg	197	23	22	17	11	14	14	14	14	20	16	15	17
Port Chester	210	20	20	15	8	17	11	30	16	12	18	14	29
Poughkeepsie	469	38	38	57	45	31	37	37	28	31	30	48	49
Rensselaer	162	15	16	22	16	12	15	9	11	9	11	15	11
Rochester	3,215	317	250	334	262	242	229	253	276	266	280	238	268
Rome	457	29	38	46	47	31	31	39	49	34	31	47	35
Saratoga Springs	259	20	16	24	13	23	27	25	31	22	18	22	18
Schenectady	1,070	77	76	107	74	84	75	109	114	102	96	67	89
Syracuse	2,123	183	194	193	202	182	153	188	204	156	175	134	159
Troy	1,596	133	144	191	145	145	114	152	117	114	108	120	113
Utica	1,411	103	123	145	127	101	98	149	126	105	110	105	119
Watertown	469	42	42	53	44	32	36	35	42	41	39	32	31
Watervliet	261	23	20	31	19	20	15	19	20	18	23	18	35
White Plains	301	29	13	22	19	30	18	33	26	30	32	20	29
Yonkers	1,226	113	88	100	83	94	94	126	104	105	96	106	117
NORTH CAROLINA.													
Registration cities (total)	3,075	282	257	269	237	288	265	263	242	208	247	252	265
Asheville	370	25	34	40	38	20	28	25	37	27	34	33	29
Charlotte	605	71	43	48	52	58	46	48	59	38	53	49	49
Durham	368	39	39	44	24	37	32	41	24	17	21	26	24
Greensboro	305	34	36	34	17	29	29	20	11	15	27	25	28
Raleigh	537	44	39	35	39	54	50	42	41	43	35	55	60
Wilmington	538	41	32	33	42	52	42	55	44	45	52	49	51
Winston	352	28	34	35	25	38	38	32	26	23	25	24	24
OHIO.													
Registration cities (total)	31,921	2,663	2,596	3,178	2,689	2,673	2,460	2,887	2,838	2,449	2,444	2,451	2,593
Akron	928	75	73	83	69	86	60	94	86	76	68	72	86
Alliance	181	16	16	16	26	18	9	11	13	11	18	11	16
Ashtabula	259	18	19	31	21	24	25	14	26	30	16	16	19
Bellaire	189	13	20	11	12	18	14	16	10	19	15	21	20
Cambridge	148	10	7	21	8	20	9	10	15	11	12	10	15
Canton	616	53	49	51	58	59	43	61	52	45	56	55	34
Chillicothe	259	18	23	24	21	14	14	23	31	19	22	29	21
Cincinnati	6,319	570	619	645	549	493	472	527	476	436	471	515	546
Cleveland	8,047	654	620	792	676	684	664	799	767	628	573	566	624
Columbus	2,810	208	208	283	246	241	225	240	246	208	224	223	258
Dayton	1,724	150	122	162	133	149	125	168	159	128	140	132	156
East Liverpool	333	30	30	39	30	24	19	34	25	16	23	29	34
Elyria	203	21	14	17	11	9	12	21	20	23	13	22	20
Findlay	219	21	25	16	21	16	23	21	17	16	15	16	12
Hamilton	515	44	44	46	32	50	52	58	32	39	36	43	39
Ironton	196	13	15	29	14	18	13	22	18	14	13	11	16
Lakewood	171	15	11	11	15	17	12	16	12	12	20	16	14
Lancaster	142	7	12	17	13	9	9	12	16	17	17	5	8
Lima	398	34	20	36	44	27	33	34	40	48	27	31	24
Lorain	374	30	25	50	25	25	33	29	54	25	28	23	27
Mansfield	288	23	18	34	18	28	25	18	19	31	23	19	32
Marietta	164	12	15	13	14	15	9	12	17	16	12	13	16
Marion	232	21	13	26	16	15	14	22	30	15	19	18	23
Massillon	160	21	9	19	13	8	13	7	17	19	9	12	13
Middletown	164	14	21	20	7	9	10	13	10	17	12	14	17
Newark	330	12	20	31	23	34	30	42	25	26	32	26	29
Norwood	147	14	18	14	13	19	15	15	10	6	7	5	11
Piqua	194	17	17	14	17	13	8	10	23	17	20	21	17
Portsmouth	356	23	32	58	30	30	26	39	25	22	13	31	27
Sandusky	268	17	22	22	19	26	28	17	26	25	22	26	18
Springfield	623	54	49	47	56	65	44	59	60	52	49	46	42
Steubenville	404	42	30	38	29	33	32	44	37	30	28	31	30
Tiffin	175	17	12	18	22	17	9	16	14	12	12	13	13
Toledo	2,470	212	183	245	215	222	195	185	218	196	217	199	183
Warren	156	9	15	19	15	14	8	10	14	12	13	13	14
Youngstown	1,340	113	111	131	117	102	105	130	141	103	110	85	92
Zanesville	419	42	39	49	41	22	23	38	37	29	39	33	27

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
OREGON.[1]													
Portland	2,308	198	179	180	209	192	169	167	204	205	204	197	204
PENNSYLVANIA.													
Registration cities (total)	61,935	5,704	5,337	6,088	5,392	4,777	4,669	5,840	5,269	4,369	4,546	4,721	5,223
Allentown	877	53	69	92	77	70	70	106	100	46	64	64	66
Altoona	659	45	58	57	61	48	39	54	71	60	50	54	62
Beaver Falls	168	15	15	13	13	16	6	22	11	8	22	11	16
Bethlehem	170	16	9	21	18	13	13	16	14	13	14	9	14
Braddock	409	25	35	41	39	26	24	43	58	21	32	31	34
Bradford	191	20	16	14	19	13	14	11	20	13	20	13	18
Butler	319	26	23	19	28	31	28	38	51	20	21	16	18
Carbondale	327	29	32	21	35	28	30	34	36	20	23	24	15
Carlisle	166	11	15	14	14	13	12	15	17	7	17	14	17
Carnegie	135	7	8	11	7	8	7	17	12	15	13	18	12
Chambersburg	193	21	20	17	7	22	13	13	19	10	16	14	21
Chester	649	51	68	69	53	56	35	56	66	47	50	45	53
Coatesville	149	8	14	11	16	6	9	14	17	20	11	11	12
Columbia	181	12	12	13	16	18	25	16	17	18	5	18	11
Connellsville	204	13	8	25	22	13	12	15	24	17	21	15	19
Dubois	145	12	13	16	10	13	8	17	9	10	13	7	17
Dunmore	300	34	24	30	31	27	24	34	15	22	12	22	25
Duquesne	196	13	8	22	11	12	11	20	33	15	16	15	20
Easton	467	48	45	39	49	39	42	33	45	28	30	30	39
Erie	986	73	69	100	92	77	80	77	104	81	65	69	99
Greensburg	259	26	23	31	23	22	13	22	17	19	18	15	30
Harrisburg	941	82	63	94	96	76	67	73	60	74	78	82	96
Hazleton	431	50	36	44	23	41	27	37	45	32	35	30	31
Homestead	308	21	31	24	24	17	27	31	26	25	32	22	28
Johnstown	927	67	62	94	68	71	74	100	92	67	75	83	74
Lancaster	720	55	64	57	68	59	45	65	67	47	58	68	67
Lebanon	326	29	25	37	36	16	18	28	25	33	30	31	18
McKees Rocks	245	16	15	15	17	23	19	40	20	24	18	14	24
McKeesport	855	82	49	83	67	62	70	87	85	73	78	64	55
Mahanoy City	277	20	18	32	15	18	23	43	33	16	25	12	22
Meadville	176	11	17	14	11	15	8	16	19	11	18	18	18
Monessen	153	7	11	25	11	8	9	16	16	18	8	11	13
Mount Carmel	233	23	23	27	16	20	19	17	25	17	16	12	18
Nanticoke	328	22	17	27	26	24	35	43	46	13	23	25	27
New Castle	581	50	44	68	56	30	38	58	49	45	42	35	57
Norristown	684	65	76	65	62	45	49	51	58	48	50	61	54
North Braddock	160	14	10	10	16	14	13	23	13	19	10	12	6
Oil City	196	18	12	25	12	15	16	17	25	16	12	17	11
Old Forge	199	15	8	7	14	18	22	39	19	14	13	17	13
Philadelphia	27,045	2,665	2,529	2,603	2,284	2,117	2,135	2,522	2,078	1,751	1,898	2,112	2,351
Phoenixville	209	19	16	24	16	16	15	15	18	18	16	13	23
Pittsburgh	9,603	872	789	1,100	958	745	671	857	727	657	733	713	781
Pittston	279	16	22	22	30	16	21	34	32	24	22	18	22
Plymouth	257	29	13	18	21	20	30	35	18	22	11	21	19
Pottstown	234	20	18	33	19	17	16	17	23	25	11	18	17
Pottsville	380	26	35	28	31	30	40	27	35	35	45	22	26
Reading	1,475	149	120	134	122	132	94	130	122	133	100	122	117
Scranton	2,140	194	154	183	187	167	174	256	209	159	163	132	162
Shamokin	269	19	22	29	26	19	16	29	33	26	24	12	14
Sharon	253	22	31	20	23	27	18	23	21	15	20	19	14
Shenandoah	439	28	28	39	25	22	31	60	56	51	28	37	34
South Bethlehem	334	20	21	28	25	17	33	36	53	32	13	23	33
South Sharon	164	24	12	11	15	14	10	12	19	18	14	8	7
Steelton	217	15	27	23	14	13	17	18	22	19	15	15	19
Sunbury	188	17	20	14	17	10	8	13	24	22	15	14	14
Uniontown	246	22	20	22	22	15	16	26	29	19	14	17	24
Warren	149	19	17	19	13	9	13	9	13	10	10	9	8
Washington	299	23	22	36	31	21	20	27	25	28	26	23	17
West Chester	231	20	21	28	15	14	27	16	17	24	18	15	16
Wilkes-Barre	1,117	114	99	99	93	76	82	124	92	73	67	81	117
Wilkinsburg	284	33	25	31	26	24	22	19	14	15	21	30	24
Williamsport	490	57	37	48	42	32	30	24	47	40	42	40	51
York	743	76	74	72	58	52	36	54	63	51	66	78	63
RHODE ISLAND.													
Registration cities (total)	7,571	675	641	786	673	567	609	744	671	492	549	560	604
Central Falls	358	27	32	34	41	23	28	41	31	33	23	24	21
Cranston	229	18	18	19	26	19	17	22	22	19	16	17	16
State institutions	312	24	24	33	30	15	14	26	28	21	39	25	33
Cumberland town	141	19	16	10	6	10	8	9	17	5	12	15	14
East Providence town	233	28	27	23	15	13	20	25	26	15	12	13	16
Newport	383	40	31	51	26	27	23	28	45	25	26	22	39
Pawtucket	826	66	70	84	87	56	78	95	69	46	57	61	57
Providence	3,980	380	357	431	348	314	318	370	305	243	284	306	324
Warwick town	483	34	28	49	46	43	39	41	61	44	30	34	34
Woonsocket	626	39	38	52	48	47	64	87	67	41	50	43	50

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
SOUTH CAROLINA.[1]													
Charleston	1,748	143	127	123	158	158	177	140	161	122	144	147	148
TENNESSEE.[1]													
Registration cities (total)	5,516	502	449	482	421	427	434	465	479	380	422	480	525
Knoxville	635	56	55	48	52	45	61	44	51	41	51	65	66
Memphis	2,818	237	220	281	215	223	256	225	242	181	221	251	266
Nashville	2,063	209	174	153	154	159	167	196	186	158	150	164	193
TEXAS.[1]													
Registration cities (total)	2,750	270	235	228	215	245	251	230	228	193	195	194	266
Galveston	600	56	49	48	41	26	49	46	61	52	53	51	68
San Antonio	2,150	214	186	180	174	219	202	184	167	141	142	143	198
UTAH.													
Registration cities (total)	1,553	139	90	123	138	108	109	144	139	117	128	143	175
Ogden	293	21	13	32	23	19	25	19	24	26	25	32	34
Salt Lake City	1,260	118	77	91	115	89	84	125	115	91	103	111	141
VERMONT.													
Registration cities (total)	774	59	65	84	60	65	50	60	69	88	68	49	57
Barre	150	10	19	23	6	7	15	10	8	15	15	10	12
Burlington	397	27	30	45	35	39	25	30	37	45	38	25	21
Rutland	227	22	16	16	19	19	10	20	24	28	15	14	24
VIRGINIA.[1]													
Registration cities (total)	6,193	569	551	503	462	532	611	526	473	463	494	504	505
Alexandria	327	32	27	29	25	21	29	31	31	34	24	15	29
Danville	388	30	32	31	35	34	42	34	33	33	25	37	22
Lynchburg	473	25	58	45	33	37	46	41	34	34	41	43	36
Norfolk	1,477	145	143	124	99	140	136	108	115	100	125	127	115
Petersburg	641	43	59	55	52	50	69	54	45	48	71	51	44
Richmond	2,887	294	232	219	218	250	289	258	215	214	208	231	259
WASHINGTON.													
Registration cities (total)	5,803	464	452	497	441	497	425	497	531	537	467	499	496
Aberdeen	121	15	6	12	10	5	6	10	14	13	12	13	5
Bellingham	231	23	31	27	12	20	16	14	20	17	17	13	21
Everett	279	28	29	20	17	24	25	21	23	33	25	15	19
North Yakima	257	21	25	21	18	27	12	25	23	22	18	29	16
Seattle	2,408	188	188	204	192	218	162	189	214	227	191	200	235
Spokane	1,375	104	100	117	104	96	117	159	144	109	103	116	106
Tacoma	928	62	62	85	76	88	73	63	79	92	81	85	82
Walla Walla	204	23	11	11	12	19	14	16	14	24	20	28	12
WEST VIRGINIA.[1]													
Wheeling	731	75	55	78	71	65	58	61	52	44	49	60	63
WISCONSIN.													
Registration cities (total)	10,319	883	820	1,026	880	915	854	752	911	845	800	787	846
Appleton	263	18	17	23	23	26	26	24	18	20	28	16	24
Ashland	228	22	16	15	15	11	15	20	24	24	25	25	16
Beloit	173	11	15	16	12	11	13	7	15	20	13	18	22
Eau Claire	276	24	31	26	18	30	19	14	21	32	18	19	24
Fond du Lac	254	20	17	23	15	20	17	15	20	31	25	27	24
Green Bay	448	38	27	39	35	44	42	34	33	49	36	35	36
Janesville	194	25	13	26	16	16	14	10	13	15	16	13	17
Kenosha	268	25	19	23	25	20	14	16	37	20	24	22	23
La Crosse	435	31	41	34	45	36	37	33	43	24	44	32	35
Madison	309	28	32	31	18	27	17	24	34	25	24	17	32
Manitowoc	166	17	11	17	8	14	11	12	16	17	18	13	12
Marinette	178	23	18	18	13	22	15	9	7	12	11	16	14
Milwaukee	5,205	437	429	555	475	491	449	398	439	378	364	379	411
Oshkosh	373	39	24	43	21	30	37	22	34	30	37	27	29
Racine	495	47	43	45	47	35	27	32	46	60	35	36	42
Sheyboygan	351	29	29	33	38	25	32	18	32	25	33	31	26
Superior	466	23	20	37	40	39	46	38	55	45	35	45	43
Wausau	237	26	18	22	16	18	23	26	24	18	14	16	16

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES.[1]													
CALIFORNIA.													
Total	13,792	1,248	1,119	1,062	1,066	1,157	1,139	1,151	1,155	1,034	1,156	1,220	1,285
Alameda County	593	54	60	43	45	52	55	38	47	47	44	55	53
Alpine County	2												2
Amador County	118	7	13	5	7	8	8	9	9	7	17	12	16
Butte County	386	37	19	27	17	27	40	32	38	28	44	43	34
Calaveras County	116	7	11	8	11	6	10	12	9	8	12	12	10
Colusa County	100	6	5	6	8	10	11	9	7	9	8	10	11
Contra Costa County	355	24	26	33	34	36	28	33	32	27	25	29	28
Del Norte County	11	1	1			2	2		1	3	1		
Eldorado County	107	18	6	10	10	8	15	8	8	4	4	6	10
Fresno County	549	57	27	43	29	50	54	52	45	41	54	55	42
Glenn County	55		3	1	3	5	10	7	9	1	5	7	4
Humboldt County	151	13	11	18	13	7	14	11	11	9	12	16	16
Imperial County	66	6	3	6	6	1	5	11	2	2	5	6	13
Inyo County	29	4	2	1	4	2	3	2	1	3	3	3	1
Kern County	225	17	21	19	22	29	29	11	12	10	21	19	15
Kings County	192	14	15	14	6	18	16	19	21	13	17	22	17
Lake County	82	9	6	3	11	7	5	4	3	8	7	11	8
Lassen County	22	2	3	1	1	3		3	2		3	1	3
Los Angeles County	1,740	169	137	133	135	160	142	127	147	144	138	148	160
Madera	87	7	5	6	6	9	6	12	7	6	6	8	9
Marin County	256	23	13	16	26	20	25	22	36	18	26	12	19
Mariposa County	32	9	2	4		6	3	1	3			1	3
Mendocino County	334	26	26	22	23	36	25	25	32	31	28	31	29
Merced County	133	15	8	11	13	11	9	16	4	14	11	7	14
Modoc County	37	1	4	3	4	2	2	2	2	5	4	4	4
Mono County	2									1		1	
Monterey County	288	22	26	21	24	21	19	25	27	24	26	20	33
Napa County	462	42	42	32	37	39	40	33	30	38	44	52	33
Nevada County	221	21	20	21	13	19	9	16	26	19	22	24	11
Orange County	395	34	27	27	37	32	26	29	37	36	29	31	50
Placer County	249	23	21	16	16	19	35	18	22	18	16	15	30
Plumas County	37	4	2	4	4	1	6	5	3	2	3	1	2
Riverside County	196	16	21	16	12	18	17	9	11	16	18	21	21
Sacramento County	405	33	34	35	34	30	34	28	43	31	29	37	37
San Benito County	104	10	7	5	2	7	10	13	13	7	9	10	11
San Bernardino County	509	51	35	41	38	45	43	51	33	42	36	38	56
San Diego County	189	20	18	17	17	23	13	13	8	11	14	21	14
San Joaquin County	442	35	39	39	40	36	33	43	33	26	41	42	35
San Luis Obispo County	237	23	22	23	12	25	11	28	23	17	21	16	16
San Mateo County	304	36	27	20	30	29	27	21	23	17	24	24	26
Santa Barbara County	145	7	12	17	14	6	9	9	16	12	13	14	16
Santa Clara County	791	92	62	75	69	50	61	57	63	50	65	66	81
Santa Cruz County	179	18	19	18	11	17	10	15	11	18	15	10	17
Shasta County	256	26	30	22	20	19	21	20	25	14	19	19	21
Sierra County	38	4	7	1	1	3	2	5	4	1	3	5	2
Siskiyou County	195	13	17	14	12	21	12	20	28	11	12	23	12
Solano County	179	16	9	17	14	10	13	15	9	19	17	19	21
Sonoma County	658	43	60	48	42	46	52	85	53	51	66	58	54
Stanislaus County	234	16	29	20	28	13	16	22	16	17	11	22	24
Sutter County	64	10	4	3	6	5	6	3	4	6	5	5	7
Tehama County	174	9	18	13	15	10	11	15	23	7	19	15	19
Trinity County	58	6	3	5	4	4	4	7	3	3	2	5	7
Tulare County	327	23	29	18	22	32	23	32	32	22	26	34	34
Tuolumne County	133	18	10	8	6	11	11	7	8	10	16	14	14
Ventura County	208	19	19	12	21	17	12	18	21	15	16	16	22
Yolo County	184	16	12	13	19	21	23	13	10	14	9	13	21
Yuba County	151	16	11	8	12	13	13	10	9	16	15	11	17
COLORADO.													
Total	6,364	594	477	499	474	483	503	543	556	530	573	557	575
Adams County	82	6	6	7	5	7	9	5	5	6	6	10	10
Arapahoe County	122	10	7	6	15	8	14	13	9	5	11	8	16
Archuleta County	35	4	3	1	3			7	2	7	2	5	1
Baca County	30		2	1	1		6	1	7	5	1	6	
Bent County	66	8	6	4	6	6	6	6	5	9	3	5	2
Boulder County	400	47	34	31	33	27	25	42	34	32	30	24	41
Chaffee County	124	8	5	16	8	11	7	10	11	12	11	16	9
Cheyenne County	7	1	1	1	1	1		1					1
Clear Creek County	79	7	6	4	7	5	3	4	12	5	9	7	10
Conejos County	105	12	12	11	4	9	14	5	14	10	8	5	1
Costilla County	5	1						1	2	1			
Custer County	22	1	1	4	2	3			3	2	3	2	1
Delta County	127	13	8	8	7	12	11	11	11	10	14	11	11
Dolores County	4						1	1	1		1		
Douglas County	24	3	4	1	1	1	1	3	2	2		2	4

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES [1]—Continued.													
COLORADO—continued.													
Eagle County	28	1	1	3	6	2	1	.....	3	3	4	1	3
El Paso County	229	20	15	16	21	12	18	21	32	27	15	18	14
Elbert County	33	5	3	3	4	2	2	2	1	3	3	2	3
Fremont County	247	21	22	26	19	17	15	13	22	31	22	19	20
Garfield County	161	11	11	14	9	15	17	11	9	10	11	25	18
Gilpin County	67	11	3	8	8	6	4	5	4	5	9	2	2
Grand County	20	3	.....	2	1	3	.....	2	4	.....	1	3	1
Gunnison County	84	8	8	6	6	5	4	4	9	8	6	6	14
Hinsdale County	13	.....	.....	1	3	2	1	1	2	1	.....	2	.....
Huerfano County	237	12	16	16	8	12	29	15	29	21	30	24	25
Jackson County	11	.....	.....	1	1	1	2	2	.....	1	2	1	.....
Jefferson County	263	21	27	23	25	30	29	16	18	16	19	12	27
Kiowa County	33	4	2	1	2	4	6	5	3	1	1	1	3
Kit Carson County	43	2	2	3	3	3	4	6	7	2	4	2	5
La Plata County	123	8	11	6	13	10	14	10	8	11	13	5	14
Lake County	209	25	17	10	19	16	18	18	15	18	21	15	17
Larimer County	291	23	22	35	29	16	18	29	24	24	24	20	27
Las Animas County	593	110	25	30	34	30	28	40	30	25	80	111	50
Lincoln County	39	3	1	5	.....	5	3	7	4	3	2	2	4
Logan County	69	.....	2	3	6	9	9	6	7	7	8	6	6
Mesa County	245	15	32	25	19	16	18	28	19	22	14	16	21
Mineral County	12	.....	.....	.....	3	1	.....	1	1	1	3	.....	2
Montezuma County	43	3	6	5	4	6	3	2	3	3	2	2	4
Montrose County	112	17	3	3	8	8	7	6	9	14	12	13	12
Morgan County	88	5	10	7	6	7	10	6	5	10	7	10	5
Otero County	276	17	25	22	17	22	23	30	21	30	22	24	23
Ouray County	51	5	2	4	4	7	1	6	2	5	3	7	5
Park County	19	3	1	1	1	3	1	2	.....	2	1	1	3
Phillips County	29	1	4	1	3	.....	.....	2	7	2	3	3	3
Pitkin County	56	2	7	3	3	5	3	5	4	7	2	3	12
Prowers County	127	9	11	12	4	10	13	10	14	7	12	10	15
Pueblo County	298	28	19	22	20	15	27	31	28	22	37	26	23
Rio Blanco County	12	.....	.....	3	1	.....	1	1	1	2	1	.....	2
Rio Grande County	93	5	8	12	9	6	12	9	7	6	10	6	3
Routt County	55	7	2	2	4	6	5	8	8	5	2	4	2
Saguache County	37	4	1	.....	2	1	.....	2	8	3	3	6	7
San Juan County	56	9	6	2	4	3	1	7	10	7	3	1	3
San Miguel County	68	3	8	6	4	11	7	5	6	3	5	6	4
Sedgwick County	24	2	4	5	.....	2	2	1	3	.....	2	1	2
Summit County	28	4	.....	3	.....	3	3	2	4	3	3	1	2
Teller County	181	20	17	12	12	24	15	12	13	21	12	8	15
Washington County	41	1	3	8	4	3	3	1	5	3	3	2	5
Weld County	342	21	20	30	28	30	24	43	27	26	33	25	35
Yuma County	46	4	5	4	4	4	5	.....	2	3	4	4	7
CONNECTICUT.													
Total	5,466	486	425	502	483	399	398	519	491	456	432	384	491
Fairfield County	775	80	62	76	57	53	49	62	67	76	61	57	75
Hartford County	1,094	92	92	89	89	83	83	96	116	69	103	78	104
Litchfield County	794	82	64	77	78	48	57	80	69	58	57	59	65
Middlesex County	375	30	31	45	30	36	23	35	36	33	15	25	36
New Haven County	748	76	50	59	69	55	70	85	59	58	52	47	68
New London County	732	67	58	64	61	49	58	73	60	75	62	50	55
Tolland County	331	23	28	30	41	21	14	34	31	29	32	19	29
Windham County	617	36	40	62	58	54	44	54	53	58	50	49	59
INDIANA.													
Total	23,980	2,019	1,977	2,403	1,933	1,797	1,719	1,995	2,253	1,964	1,926	1,917	2,077
Adams County	209	10	14	18	17	17	13	8	22	28	24	16	22
Allen County	277	28	16	24	18	28	17	22	29	17	27	21	30
Bartholomew County	329	32	21	38	25	23	28	19	31	22	25	30	35
Benton County	105	10	16	7	6	9	7	8	13	5	10	9	5
Blackford County	196	11	14	19	11	22	13	22	12	25	19	11	17
Boone County	310	27	23	34	32	23	18	21	28	30	27	23	24
Brown County	108	13	5	11	4	10	5	13	7	12	17	4	7
Carroll County	243	24	20	26	16	17	20	22	16	20	21	16	25
Cass County	276	24	20	29	19	26	20	30	24	20	16	21	27
Clark County	288	27	22	32	19	22	20	25	23	27	27	16	28
Clay County	404	34	44	41	40	28	26	28	39	29	37	30	28
Clinton County	303	23	26	24	20	24	25	25	24	29	29	34	20
Crawford County	151	17	14	14	17	10	9	14	9	10	17	10	10
Daviess County	335	25	27	26	29	33	19	24	34	29	35	25	29
Dearborn County	274	27	20	37	28	22	26	20	21	15	19	22	17
Decatur County	243	18	21	29	22	19	14	21	22	14	18	17	28
Dekalb County	328	24	24	27	30	27	22	24	20	32	41	24	33
Delaware County	274	14	31	21	12	20	23	25	35	30	20	23	20
Dubois County	191	20	16	21	9	13	16	14	20	13	12	14	23
Elkhart County	407	30	31	41	32	35	36	22	34	35	29	42	40

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES [1]—Continued.													
COLORADO—continued.													
Fayette County	190	17	12	23	17	12	20	15	16	16	15	15	12
Floyd County	140	12	15	16	13	13	11	6	10	13	7	16	8
Fountain County	273	31	25	25	20	19	18	21	21	19	25	24	25
Franklin County	192	13	18	19	14	15	12	16	14	20	14	16	21
Fulton County	230	17	23	23	13	15	22	14	29	17	14	21	22
Gibson County	403	40	35	48	29	26	18	42	45	22	39	27	32
Grant County	526	39	45	50	50	43	36	46	44	33	42	41	57
Greene County	467	32	42	38	38	37	36	45	49	36	39	33	42
Hamilton County	360	19	38	35	34	30	23	34	31	26	35	25	30
Hancock County	251	17	27	23	23	13	20	27	24	18	16	22	21
Harrison County	228	15	20	23	22	11	26	17	19	13	16	29	17
Hendricks County	265	13	35	25	25	27	18	24	23	16	18	23	18
Henry County	427	36	36	42	37	31	26	43	57	35	24	25	35
Howard County	174	12	16	16	14	17	10	20	14	12	18	10	15
Huntington County	230	28	26	20	22	23	16	18	22	17	11	12	15
Jackson County	351	29	25	20	29	18	23	26	28	35	34	41	43
Jasper County	119	10	10	14	11	6	9	14	12	8	6	14	5
Jay County	324	26	16	32	21	21	19	33	43	40	30	18	25
Jefferson County	356	22	31	34	32	23	16	32	38	22	34	40	32
Jennings County	182	16	8	16	14	12	12	22	13	20	9	12	28
Johnson County	286	32	25	29	21	33	16	27	22	14	21	21	25
Knox County	299	23	21	28	22	20	19	24	31	21	33	33	24
Kosciusko County	347	26	19	39	33	33	33	17	30	30	26	30	31
Lagrange County	199	16	18	19	11	12	19	16	19	13	21	14	21
Lake County	350	43	29	37	31	21	24	26	35	36	19	22	27
Laporte County	176	8	13	17	8	17	16	17	15	19	12	19	15
Lawrence County	411	41	38	44	26	35	30	35	48	24	29	26	35
Madison County	366	35	27	27	38	25	25	27	44	23	36	24	35
Marion County	408	23	36	29	36	34	35	42	45	36	27	37	28
Marshall County	307	29	29	38	25	13	16	26	33	26	30	17	25
Martin County	144	19	12	17	6	10	7	15	13	7	13	8	17
Miami County	223	22	19	20	16	12	17	18	23	18	24	9	25
Monroe County	335	24	22	33	29	36	43	30	25	29	18	20	26
Montgomery County	383	34	38	50	44	32	31	32	28	22	21	29	22
Morgan County	312	24	31	32	21	25	29	30	27	24	21	23	25
Newton County	109	12	5	10	12	8	6	7	14	11	10	6	8
Noble County	266	29	20	33	25	21	18	14	26	28	18	22	12
Ohio County	44	3	2	6	5	1	3	7	3	2	3	4	5
Orange County	198	8	18	24	22	12	16	20	9	14	17	17	21
Owen County	162	12	17	14	14	13	11	13	17	14	11	14	12
Parke County	255	30	21	17	21	21	17	24	24	14	14	21	31
Perry County	217	22	19	23	17	19	11	16	20	13	13	23	21
Pike County	278	19	29	25	28	14	27	21	26	18	28	27	16
Porter County	264	29	19	28	18	13	13	28	12	32	25	20	27
Posey County	284	25	26	32	20	19	15	21	34	21	22	25	24
Pulaski County	145	15	10	16	7	8	16	16	10	11	11	10	15
Putnam County	250	29	17	28	28	16	23	18	13	15	13	25	25
Randolph County	371	28	24	36	34	25	18	24	40	37	34	36	35
Ripley County	246	29	19	16	19	15	11	21	23	27	17	20	29
Rush County	234	18	17	28	22	22	18	25	22	18	11	11	22
St. Joseph County	244	19	22	21	21	23	14	17	26	23	17	18	23
Scott County	117	5	16	14	14	6	7	10	13	4	4	13	11
Shelby County	341	32	32	34	17	24	28	33	38	30	25	31	17
Spencer County	266	25	20	22	14	14	22	23	27	14	28	22	25
Starke County	128	11	14	6	13	12	13	7	13	15	6	8	10
Steuben County	160	12	8	15	16	15	8	16	17	18	18	6	11
Sullivan County	386	31	28	28	22	37	30	48	33	34	40	33	22
Switzerland County	138	9	19	19	12	14	13	13	11	12	9	8	8
Tippecanoe County	253	31	18	32	23	16	16	15	26	18	13	18	27
Tipton County	207	14	21	20	17	14	10	17	19	24	14	23	14
Union County	85	4	9	7	8	8	4	4	8	14	5	10	4
Vanderburg County	233	15	22	28	19	19	25	10	22	13	16	26	18
Vermilion County	255	14	15	36	17	16	17	24	17	22	20	25	32
Vigo County	378	29	24	46	24	20	29	38	47	31	28	26	36
Wabash County	335	35	26	41	33	18	20	17	28	24	32	33	28
Warren County	136	20	13	12	5	11	5	9	14	8	20	9	10
Warrick County	274	31	29	32	19	17	10	17	28	20	26	17	28
Washington County	223	16	12	17	14	16	21	24	26	17	22	19	19
Wayne County	362	23	27	41	35	27	27	25	32	40	26	33	26
Wells County	295	24	15	28	28	17	22	17	25	58	18	21	22
White County	167	15	13	20	10	14	13	15	23	12	10	9	13
Whitley County	189	15	15	18	9	14	14	17	14	16	15	24	18

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES[1]—Continued.													
MAINE.													
Total	9,346	831	790	849	848	770	654	675	818	792	787	746	786
Androscoggin County	341	41	25	26	30	28	22	32	18	25	34	33	27
Aroostook County	1,068	76	81	79	91	93	64	72	140	134	78	101	59
Cumberland County	875	64	88	83	75	61	58	65	65	83	78	84	71
Franklin County	264	26	20	22	23	28	20	15	24	24	23	15	24
Hancock County	572	48	58	50	49	44	45	50	41	36	58	46	47
Kennebec County	655	62	57	66	42	47	45	51	62	55	63	48	57
Knox County	488	52	37	41	34	39	40	42	46	31	40	36	50
Lincoln County	311	34	25	34	30	29	15	35	28	18	15	28	20
Oxford County	606	46	66	52	60	49	48	40	45	49	51	42	58
Penobscot County	917	87	71	82	96	84	70	52	76	65	75	74	85
Piscataquis County	284	22	29	22	31	26	27	13	25	21	25	18	25
Sagadahoc County	329	29	24	29	29	30	25	28	28	24	33	26	24
Somerset County	604	46	58	65	58	59	34	29	53	50	57	42	53
Waldo County	424	45	34	41	44	30	28	29	29	42	30	34	38
Washington County	660	62	54	62	64	49	48	46	48	51	59	49	68
York County	948	91	63	95	92	74	65	76	90	84	68	70	80
MARYLAND.													
Total	9,115	833	826	793	699	625	645	903	838	763	743	741	706
Allegany County	337	24	22	36	33	18	21	33	27	33	32	30	23
Anne Arundel County	724	58	65	50	60	45	75	76	61	64	65	44	61
Baltimore County	1,823	161	165	149	137	118	117	207	185	121	148	154	161
Calvert County	161	13	16	10	14	10	19	25	7	10	15	14	8
Caroline County	266	20	26	27	28	11	22	36	26	16	12	22	20
Carroll County	465	49	52	43	43	29	26	27	49	44	27	41	35
Cecil County	357	33	36	37	27	28	20	29	21	39	26	27	34
Charles County	247	19	34	15	15	15	19	30	18	20	17	26	19
Dorchester County	413	40	28	42	36	25	23	33	44	44	36	42	20
Frederick County	496	39	50	48	43	39	30	50	49	49	34	34	31
Garrett County	170	3	15	14	14	23	11	11	13	22	17	15	12
Harford County	351	35	35	30	28	29	18	21	19	41	30	36	29
Howard County	224	25	23	16	9	20	20	18	26	17	19	15	16
Kent County	295	26	22	28	20	26	15	37	31	27	29	16	18
Montgomery County	344	42	35	34	25	27	17	32	35	28	15	22	32
Prince Georges County	506	54	54	45	32	30	39	48	52	32	48	42	30
Queen Annes County	284	23	24	27	20	20	28	32	25	19	19	29	18
St. Marys County	63	8	8	5	3	1	7	2	8	6	6	4	5
Somerset County	334	25	19	29	23	30	26	38	17	35	39	29	24
Talbot County	288	35	27	19	30	17	20	24	27	21	22	24	22
Washington County	424	50	39	51	30	21	22	37	29	27	40	37	41
Wicomico County	291	29	21	21	19	19	29	30	34	23	23	20	23
Worcester County	252	22	10	17	10	24	21	27	35	25	24	18	19
MASSACHUSETTS.													
Total	12,305	1,068	974	1,150	1,085	936	879	1,029	1,116	1,022	973	978	1,095
Barnstable County	497	30	39	42	41	43	31	45	36	49	44	53	44
Berkshire County	581	62	39	58	46	48	35	60	50	46	45	47	45
Bristol County	821	79	60	65	67	61	53	82	87	68	72	47	80
Dukes County	87	9	3	5	8	6	4	11	9	2	8	9	13
Essex County	1,515	121	120	140	132	114	99	125	126	157	125	134	122
Franklin County	529	34	40	50	44	36	46	37	49	46	54	52	41
Hampden County	696	72	49	66	62	51	52	69	72	43	48	52	60
Hampshire County	626	58	57	77	63	34	25	56	52	39	60	43	62
Middlesex County	2,275	232	174	219	192	180	172	167	203	190	165	167	214
Nantucket County	60	2	6	9	3	6	6	6	4	5	6	3	4
Norfolk County	1,332	90	118	123	141	99	94	107	129	115	92	108	116
Plymouth County	1,189	94	102	112	96	90	97	86	120	92	83	104	113
Worcester County	2,097	185	167	184	190	168	165	178	179	170	171	159	181
MICHIGAN.													
Total	23,519	1,916	1,903	2,235	1,956	1,920	1,800	1,694	2,252	2,131	1,898	1,819	1,995
Alcona County	55	5	1	6	4	7	3	4	5	4	3	7	6
Alger County	107	7	3	4	5	6	7	5	18	28	8	7	9
Allegan County	555	33	42	53	45	42	52	45	45	55	54	43	46
Alpena County	80	7	8	8	4	8	12	6	4	6	5	5	7
Antrim County	187	12	19	20	15	19	13	15	16	17	14	13	14
Arenac County	97	4	10	8	7	8	8	3	9	9	14	13	4
Baraga County	62	8	6	4	3	4	6	5	6	5	5	6	4
Barry County	299	25	27	30	20	33	24	10	26	25	23	24	32
Bay County	238	25	26	28	8	18	13	15	24	22	14	23	22
Benzie County	128	4	12	15	13	10	10	8	10	16	9	10	11
Berrien County	701	53	55	65	60	65	52	58	62	45	63	57	66
Branch County	383	35	38	30	37	27	26	29	31	33	32	27	38
Calhoun County	441	31	30	45	41	39	45	29	39	34	33	30	45
Cass County	304	30	27	26	24	29	13	27	29	18	31	23	27
Charlevoix County	221	24	13	28	19	21	24	13	25	13	8	16	17

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES[1]—Continued.													
MICHIGAN—continued.													
Cheboygan County	234	13	15	20	13	23	21	17	28	26	21	19	18
Chippewa County	108	10	6	10	9	11	9	8	14	11	8	3	9
Clare County	107	15	6	16	10	7	2	12	8	10	9	6	6
Clinton County	307	30	26	24	24	29	22	29	17	28	22	20	36
Crawford County	54	6	2	7	6	6	4	4	5	6	3	1	4
Delta County	195	18	19	13	9	21	17	14	21	19	13	17	14
Dickinson County	230	15	25	16	19	20	15	16	40	19	13	16	16
Eaton County	440	37	32	37	39	32	31	25	41	45	34	46	41
Emmet County	231	18	17	23	24	12	22	19	18	16	17	20	25
Genesee County	403	41	36	36	36	31	25	28	40	31	30	27	42
Gladwin County	85	7	9	5	13	2	6	5	5	17	4	6	6
Gogebic County	187	11	12	18	16	10	10	13	27	25	15	18	12
Grand Traverse County	155	13	17	9	20	10	14	19	8	15	13	5	12
Gratiot County	354	22	26	45	32	30	26	24	33	32	33	18	33
Hillsdale County	442	48	41	44	29	39	40	28	38	52	29	23	40
Houghton County	1,127	80	85	86	76	109	93	77	142	104	106	76	93
Huron County	375	28	25	31	40	36	26	30	31	39	30	34	25
Ingham County	296	25	20	37	25	29	22	26	29	19	19	23	22
Ionia County	436	24	43	40	31	29	39	25	49	42	37	36	41
Iosco County	119	12	11	9	5	13	8	7	14	11	10	13	6
Iron County	193	19	8	10	17	15	15	9	17	32	18	14	19
Isabella County	263	14	25	31	16	29	18	13	25	26	19	24	23
Jackson County	334	33	29	40	21	23	22	20	26	27	28	30	35
Kalamazoo County	301	23	26	42	27	24	24	20	23	26	17	18	31
Kalkaska County	128	4	11	15	12	10	7	7	13	15	11	11	12
Kent County	730	65	49	66	61	57	48	38	72	61	64	66	83
Keweenaw County	97	9	6	7	6	8	6	9	13	11	6	10	6
Lake County	47	2	5	8	4	2	1	6	3	7	2	4	3
Lapeer County	442	37	25	50	47	22	26	45	43	35	23	59	30
Leelanau County	170	15	14	20	12	19	15	11	13	16	9	11	15
Lenawee County	538	41	50	52	35	47	40	35	48	45	54	38	53
Livingston County	237	22	21	26	22	16	13	16	23	27	21	17	13
Luce County	109	9	10	10	9	6	9	12	11	11	4	8	10
Mackinac County	130	7	13	10	13	10	7	12	17	15	9	5	12
Macomb County	497	41	44	33	67	41	36	47	42	30	42	44	30
Manistee County	161	12	9	20	19	10	14	12	18	14	6	14	13
Marquette County	278	26	16	18	19	32	14	25	31	28	30	19	20
Mason County	253	21	28	27	18	19	18	19	25	30	16	18	14
Mecosta County	252	23	16	23	23	22	18	25	27	24	20	13	18
Menominee County	152	12	16	13	11	9	7	7	13	23	18	10	13
Midland County	197	17	18	22	18	14	22	10	15	17	17	16	11
Missaukee County	114	15	8	13	12	10	5	8	5	13	12	5	8
Monroe County	422	32	31	46	38	29	37	34	40	33	35	24	43
Montcalm County	446	38	37	41	42	45	30	32	36	43	30	34	38
Montmorency County	49	8	2	2	8	4	5	3	3	4	2	3	5
Muskegon County	214	19	20	21	19	17	25	11	16	15	17	15	19
Newaygo County	210	20	21	21	21	11	27	15	12	17	17	16	12
Oakland County	535	36	40	54	37	48	39	43	64	44	42	41	47
Oceana County	206	18	15	18	15	11	17	19	21	24	20	16	12
Ogemaw County	70	3	6	11	6	7	3	4	6	6	10	4	4
Ontonagon County	91	10	8	4	6	8	6	7	8	5	13	7	9
Osceola County	203	16	13	19	25	14	20	13	18	16	15	20	14
Oscoda County	23	2	3	2	2	----	3	2	2	3	1	1	2
Otsego County	79	7	6	6	6	5	3	5	9	11	10	7	4
Ottawa County	398	32	37	48	33	26	29	25	36	43	23	29	37
Presque Isle County	149	10	9	17	12	11	9	9	22	18	7	12	13
Roscommon County	21	1	3	1	1	----	2	3	----	6	1	2	1
Saginaw County	490	33	53	36	43	43	39	31	45	44	36	41	46
St. Clair County	432	35	35	45	38	33	30	26	45	33	40	39	33
St. Joseph County	374	31	42	35	37	38	34	23	31	23	32	20	28
Sanilac County	374	31	35	44	27	28	32	24	32	31	29	32	29
Schoolcraft County	107	12	10	8	5	14	8	9	8	9	13	4	7
Shiawassee County	471	42	20	53	42	36	22	34	48	44	35	45	50
Tuscola County	443	35	40	43	32	39	38	33	44	43	38	32	26
Van Buren County	464	38	38	41	32	35	43	31	49	51	39	34	33
Washtenaw County	447	43	37	39	37	27	42	32	44	26	38	43	39
Wayne County	1,168	94	82	105	111	104	88	113	106	83	95	89	98
Wexford County	267	27	23	23	11	16	24	9	27	26	32	24	25
MINNESOTA.													
Total	14,456	1,134	1,043	1,292	1,204	1,130	1,109	1,016	1,431	1,349	1,203	1,161	1,384
Aitkin County	89	8	11	8	5	8	6	4	11	10	4	9	5
Anoka County	155	11	8	20	18	12	7	13	12	14	12	15	13
Becker County	176	11	11	14	12	16	14	8	20	18	26	12	14
Beltrami County	265	11	14	24	30	21	18	26	32	27	30	15	17
Benton County	114	9	11	4	12	5	7	5	19	15	7	10	10

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES[1]—Continued.													
MINNESOTA—continued.													
Big Stone County	87	7	11	11	7	9	5	1	7	13	9	4	3
Blue Earth County	172	13	11	13	15	14	10	12	20	16	20	13	15
Brown County	218	18	16	22	22	12	15	23	20	11	16	13	30
Carlton County	182	9	14	12	12	10	16	16	27	19	14	15	18
Carver County	172	16	8	15	19	15	8	10	12	15	11	13	30
Cass County	79	7	10	11	4	4	4	3	9	6	6	11	4
Chippewa County	122	8	10	10	13	6	13	4	16	10	14	6	12
Chisago County	167	17	10	11	14	18	12	14	11	12	20	13	15
Clay County	166	19	14	14	20	10	15	11	19	14	10	9	11
Clearwater County	88	5	7	8	6	7	5	8	9	10	7	7	9
Cook County	9	.....	.....	.....	2	1	1	.....	1	1	.....	2	1
Cottonwood County	114	7	9	3	12	5	11	9	13	14	8	9	14
Crow Wing County	241	15	18	32	18	17	23	14	28	21	27	13	15
Dakota County	255	25	23	24	19	22	20	20	20	25	24	12	21
Dodge County	113	10	8	12	12	6	11	12	5	13	8	8	8
Douglas County	177	19	12	22	15	16	22	8	9	18	11	13	12
Faribault County	199	16	12	30	15	24	14	10	15	17	19	10	17
Fillmore County	266	19	21	27	25	25	25	18	22	26	22	20	16
Freeborn County	223	14	20	21	16	16	20	13	25	22	11	25	20
Goodhue County	350	35	23	33	30	23	27	21	33	32	27	23	43
Grant County	95	8	7	10	3	4	6	10	6	11	11	9	10
Hennepin County	254	16	16	22	16	21	23	18	34	22	26	26	14
Houston County	138	18	9	18	9	7	7	7	14	9	13	13	14
Hubbard County	93	4	6	6	7	9	7	9	6	11	11	7	10
Isanti County	157	12	7	14	15	17	15	8	24	6	13	7	19
Itasca County	187	13	11	12	17	14	18	20	24	16	18	11	13
Jackson County	162	6	13	14	12	19	12	13	12	13	13	12	23
Kanabec County	65	3	2	4	.....	9	8	3	5	3	3	13	12
Kandiyohi County	174	11	12	17	15	16	19	13	20	10	11	15	15
Kittson County	70	3	6	4	7	3	5	10	6	8	6	5	7
Koochiching County	61	6	3	5	4	4	8	8	5	1	6	6	5
Lac qui Parle County	124	9	9	15	11	11	3	13	17	10	10	10	6
Lake County	114	11	5	5	9	10	6	4	20	21	6	10	7
Le Sueur County	195	13	14	14	20	17	15	18	23	12	14	15	20
Lincoln County	70	5	7	4	11	3	6	5	4	4	6	8	7
Lyon County	149	14	6	17	10	8	11	7	20	21	13	7	15
McLeod County	176	11	15	16	13	20	12	16	7	15	13	20	18
Mahnomen County	13	1	.....	2	1	2	1	.....	1	1	3	.....	1
Marshall County	187	10	17	13	11	19	12	14	14	27	18	19	13
Martin County	135	17	12	12	5	9	12	7	11	14	9	11	16
Meeker County	170	9	17	14	17	14	12	16	9	15	14	9	24
Mille Lacs County	89	5	12	12	6	6	8	5	7	12	7	1	8
Morrison County	224	19	21	21	19	8	14	10	28	14	21	28	21
Mower County	201	20	16	11	13	15	17	13	20	23	14	22	17
Murray County	89	11	5	5	10	5	3	5	9	15	4	4	13
Nicollet County	189	21	12	14	13	12	13	13	12	19	21	18	21
Nobles County	114	10	6	7	9	10	10	10	13	13	8	11	7
Norman County	110	8	15	13	7	6	9	10	9	11	8	8	6
Olmsted County	505	43	29	51	45	33	42	39	37	37	33	50	66
Otter Tail County	641	38	45	46	50	44	54	53	73	67	64	61	46
Pine County	130	8	7	9	10	10	9	11	13	19	11	9	14
Pipestone County	77	11	6	3	8	6	11	4	5	5	6	4	8
Polk County	369	36	39	33	31	22	36	28	26	32	30	28	28
Pope County	129	10	5	12	11	11	6	8	17	13	7	18	11
Ramsey County	83	12	3	4	7	8	10	4	8	10	7	1	9
Red Lake County[2]	154	13	6	17	13	15	9	10	18	14	9	14	16
Redwood County	133	13	4	13	9	14	11	9	16	4	11	14	15
Renville County	184	12	20	20	17	14	12	14	17	12	15	11	20
Rice County	329	37	21	25	34	35	25	21	25	26	16	28	36
Rock County	79	.....	6	5	6	10	5	7	8	10	5	8	9
Roseau County	100	7	13	7	7	11	5	6	15	11	4	10	4
St. Louis County	899	57	60	76	78	71	68	86	120	79	70	60	74
Scott County	154	14	10	10	20	18	8	9	10	13	15	9	18
Sherburne County	75	5	4	4	12	6	6	3	3	8	5	4	15
Sibley County	145	9	7	17	15	7	12	10	11	10	15	17	15
Stearns County	352	29	24	30	28	28	28	15	23	41	38	24	44
Steele County	158	11	7	17	9	14	9	10	21	14	13	14	19
Stevens County	83	8	4	5	4	6	1	4	11	9	10	11	10
Swift County	125	9	13	10	5	12	6	11	16	13	11	6	13
Todd County	203	15	10	17	19	11	17	12	22	22	17	19	22
Traverse County	50	5	6	5	4	5	2	5	3	6	5	2	2
Wabasha County	207	25	18	18	18	16	17	11	11	20	18	16	19
Wadena County	84	9	6	7	6	4	4	2	14	8	8	8	8
Waseca County	136	11	9	8	10	8	9	9	19	13	12	14	14
Washington County	145	13	13	16	9	15	13	5	14	15	9	11	12
Watonwan County	83	4	6	17	4	5	4	8	2	9	4	8	12
Wilkin County	100	5	10	6	8	7	6	5	12	16	12	4	9
Winona County	142	9	15	15	12	14	11	6	14	11	8	12	15
Wright County	285	25	18	29	19	27	25	16	21	20	24	30	31
Yellow Medicine County	113	8	6	18	13	3	7	7	11	6	8	11	15

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Including Pennington County, which was organized November 23, 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES[1]—Continued.													
MONTANA.													
Total	2,472	196	142	157	188	186	213	293	263	226	189	199	220
Beaverhead County	68	7	6	9	2	7	6	6	5	7	2	5	6
Broadwater County	39	2	----	2	6	----	4	4	5	3	2	7	4
Carbon County	135	9	12	12	11	8	9	17	16	14	5	10	12
Cascade County	100	11	4	5	5	6	7	15	14	9	7	9	8
Chouteau County	127	6	8	2	9	11	10	21	11	5	12	13	19
Custer County	96	5	3	7	5	11	4	17	6	13	7	9	9
Dawson County	111	5	4	6	8	11	7	12	16	14	8	5	15
Deer Lodge County	98	9	6	5	7	5	10	10	9	11	9	7	10
Fergus County	112	10	4	6	10	5	7	10	13	10	10	17	10
Flathead County	218	14	12	14	9	21	18	32	25	20	22	16	15
Gallatin County	128	17	4	9	8	12	14	13	11	9	15	8	8
Granite County	26	3	1	1	3	1	4	2	3	1	3	----	4
Jefferson County	62	4	3	4	4	6	5	10	6	7	1	6	6
Lewis and Clark County	79	7	8	4	6	9	6	6	6	9	7	6	5
Lincoln County	41	1	3	3	7	2	9	2	1	2	1	3	7
Madison County	69	9	7	4	2	6	7	6	7	7	5	6	3
Meagher County	25	3	2	----	2	3	6	3	----	3	----	1	2
Missoula County	74	5	2	5	3	4	10	8	7	11	9	5	5
Park County	133	12	7	10	11	12	13	21	11	7	7	7	15
Powell County	56	5	8	3	6	6	3	5	6	2	4	3	5
Ravalli County	95	9	5	5	9	5	6	7	17	9	9	5	9
Rosebud County	24	2	----	2	2	3	1	4	1	3	3	2	1
Sanders County	24	----	----	3	2	3	1	4	6	2	2	1	----
Silver Bow County	280	23	19	24	31	14	28	28	28	19	22	23	21
Sweet Grass County	26	2	1	3	3	3	2	3	5	2	----	1	1
Teton County	53	2	3	3	3	5	3	7	7	5	6	4	5
Valley County	70	2	4	2	6	1	10	11	6	11	4	6	7
Yellowstone County	103	12	6	4	8	6	3	9	15	11	7	14	8
NEW HAMPSHIRE.													
Total	4,391	399	347	397	387	382	304	332	407	401	333	334	368
Belknap County	203	21	15	11	26	22	9	16	23	21	6	15	18
Carroll County	293	28	25	23	28	24	26	18	22	20	27	24	28
Cheshire County	358	28	28	37	28	34	29	25	34	43	19	20	33
Coos County	259	20	22	28	16	22	24	17	29	21	22	16	22
Grafton County	655	58	44	60	59	52	47	53	59	50	61	53	59
Hillsborough County	566	55	50	47	49	36	41	35	64	58	47	38	46
Merrimack County	568	52	50	55	42	56	42	53	39	53	39	43	44
Rockingham County	703	62	45	78	58	61	45	46	69	62	51	74	52
Strafford County	453	45	31	30	44	48	27	39	35	44	40	32	38
Sullivan County	333	30	37	28	37	27	14	30	33	29	21	19	28
NEW JERSEY.													
Total	12,974	1,186	1,035	1,203	1,065	945	948	1,314	1,207	978	1,002	990	1,101
Atlantic County	430	44	32	47	44	26	25	50	31	31	27	30	43
Bergen County	1,383	124	86	141	114	98	93	130	128	118	111	115	125
Burlington County	1,102	111	94	110	67	79	94	130	108	67	81	82	79
Camden County	718	77	49	57	62	49	60	70	84	37	52	48	73
Cape May County	294	20	28	22	26	14	13	49	42	22	22	16	20
Cumberland County	417	35	38	44	35	35	31	33	42	26	30	30	38
Essex County	667	61	65	74	55	51	65	47	55	47	38	53	56
Gloucester County	494	39	45	46	43	31	39	61	54	30	25	42	39
Hudson County	873	59	57	77	74	64	64	100	68	79	77	69	85
Hunterdon County	489	41	43	48	45	34	27	42	43	39	36	52	39
Mercer County	379	38	25	38	28	33	37	48	22	18	32	26	34
Middlesex County	754	76	60	63	55	58	50	105	78	61	53	40	55
Monmouth County	1,006	88	102	103	71	63	66	100	106	88	80	74	65
Morris County	968	87	71	94	89	76	71	81	87	73	77	80	82
Ocean County	327	33	14	24	24	20	31	31	28	33	36	29	24
Passaic County	414	36	25	34	35	22	27	58	42	26	37	36	36
Salem County	357	33	33	25	35	25	28	33	28	29	24	26	38
Somerset County	518	43	45	36	51	47	37	35	42	36	49	42	55
Sussex County	374	43	44	34	27	35	16	30	25	39	27	23	31
Union County	573	57	45	46	55	51	38	55	54	36	54	38	44
Warren County	437	41	34	40	30	34	36	26	40	43	34	39	40
NEW YORK.													
Total	37,395	3,129	3,110	3,743	3,276	3,038	2,673	3,110	3,293	3,121	2,929	2,846	3,127
Albany County	514	52	34	59	50	44	35	53	31	45	34	36	41
Allegany County	622	50	63	56	50	37	48	43	56	53	59	46	61
Broome County	542	45	53	56	52	39	37	36	40	49	41	47	47
Cattaraugus County	716	56	60	63	63	60	39	48	63	75	82	47	60
Cayuga County	474	37	32	59	40	38	31	38	45	45	32	37	40
Chautauqua County	853	76	61	90	72	79	73	76	67	76	51	68	64
Chemung County	311	20	35	28	27	23	23	34	25	30	23	17	26
Chenango County	598	59	42	59	45	62	38	55	42	65	41	51	39
Clinton County	499	35	31	64	43	41	42	36	40	47	43	36	41
Columbia County	532	47	40	58	48	42	41	39	49	37	35	45	51

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES[1]—Continued.													
NEW YORK—continued.													
Cortland County	310	28	22	28	21	21	23	35	31	27	22	24	28
Delaware County	724	70	67	97	75	65	45	52	49	61	53	45	45
Dutchess County	1,262	111	105	134	122	99	85	102	87	94	113	92	118
Erie County	1,334	99	106	115	115	134	110	123	124	122	78	86	122
Essex County	547	41	43	73	48	38	38	38	53	51	44	43	37
Franklin County	817	54	67	70	71	75	59	52	88	79	70	67	65
Fulton County	208	10	21	22	20	16	14	17	22	16	21	14	15
Genesee County	391	36	26	40	37	32	29	35	28	40	38	27	33
Greene County	525	39	45	44	43	42	40	55	42	52	36	36	51
Hamilton County	56	4	1	4	4	5	3	4	8	8	5	6	4
Herkimer County	674	51	67	64	79	52	50	62	70	45	53	44	37
Jefferson County	885	70	74	100	74	68	60	74	74	74	67	70	80
Lewis County	373	34	33	28	37	28	34	22	32	36	31	24	34
Livingston County	613	46	62	67	54	45	34	33	65	48	60	46	53
Madison County	620	49	49	61	56	63	39	34	49	65	54	49	52
Monroe County	845	71	79	67	77	60	64	87	97	64	59	70	50
Montgomery County	447	39	39	34	32	38	30	32	35	39	42	43	44
Nassau County	1,130	91	99	98	88	78	90	116	103	97	95	80	95
Niagara County	392	35	34	30	40	42	33	26	38	34	35	17	28
Oneida County	831	70	63	80	70	61	63	59	88	81	72	64	60
Onondaga County	934	65	85	96	82	84	80	79	61	79	74	82	67
Ontario County	605	55	64	50	54	48	39	51	58	42	57	37	50
Orange County	1,221	103	95	126	100	86	94	94	124	93	91	113	102
Orleans County	500	29	51	60	48	39	35	44	46	35	37	41	35
Oswego County	581	50	43	70	49	46	30	53	51	45	50	45	49
Otsego County	844	71	63	87	87	67	62	52	77	63	68	82	65
Putnam County	266	39	19	20	18	22	16	29	21	18	12	17	35
Rensselaer County	527	51	48	56	46	39	37	54	44	36	37	36	43
Rockland County	666	61	44	73	53	56	55	76	51	40	61	44	52
St. Lawrence County	1,061	97	97	143	92	74	59	77	84	95	85	80	78
Saratoga County	822	66	65	78	87	74	53	77	78	67	61	56	60
Schenectady County	181	16	8	17	14	19	11	16	15	18	14	23	10
Schoharie County	394	30	35	29	38	38	24	27	46	40	30	29	28
Schuyler County	214	11	15	26	29	19	14	19	15	20	17	15	14
Seneca County	564	56	49	57	44	45	35	46	49	44	35	46	58
Steuben County	1,054	80	94	104	91	79	56	90	102	95	80	97	86
Suffolk County	2,050	162	147	178	173	173	151	202	195	145	147	146	231
Sullivan County	669	52	42	68	60	63	45	80	64	56	56	49	34
Tioga County	395	29	40	43	44	26	23	36	39	24	22	30	39
Tompkins County	303	24	21	33	26	26	20	24	24	31	28	27	19
Ulster County	983	102	100	111	69	86	81	75	73	59	84	66	77
Warren County	214	22	20	8	21	21	17	20	21	19	15	12	18
Washington County	793	79	69	88	67	57	64	56	76	62	44	49	82
Wayne County	765	65	67	80	67	52	60	58	71	57	66	60	62
Westchester County	1,397	118	116	108	104	111	103	128	122	114	113	127	133
Wyoming County	467	40	40	46	40	39	40	22	25	49	34	36	56
Yates County	280	31	20	40	20	22	19	19	20	20	22	24	23
NORTH CAROLINA.[2]													
Total	3,677	330	312	285	263	327	312	326	304	303	322	295	298
OHIO.													
Total	33,538	2,882	2,683	3,370	2,792	2,606	2,355	2,651	3,048	2,808	2,718	2,660	2,965
Adams County	266	24	16	23	18	22	15	30	29	18	20	20	31
Allen County	310	27	31	32	19	19	23	24	26	29	32	29	19
Ashland County	278	24	15	42	22	28	13	19	18	21	21	25	30
Ashtabula County	600	57	48	56	47	54	38	51	49	53	48	47	52
Athens County	729	46	60	66	47	60	58	46	68	65	76	62	75
Auglaize County	385	39	28	44	28	36	29	20	33	36	33	28	31
Belmont County	894	94	59	92	83	58	61	73	67	78	78	73	78
Brown County	322	30	21	34	31	31	18	20	29	33	19	18	38
Butler County	295	20	30	29	19	20	14	44	30	16	24	25	24
Carroll County	146	15	11	17	14	15	8	12	14	8	11	9	12
Champaign County	351	36	27	35	20	25	24	30	27	36	33	26	32
Clark County	220	10	17	20	22	16	16	14	28	17	16	16	28
Clermont County	416	41	37	42	42	33	23	43	34	29	22	43	27
Clinton County	271	26	24	23	29	12	21	27	24	18	17	21	29
Columbiana County	728	63	65	78	64	60	50	59	55	65	59	50	60
Coshocton County	392	29	25	29	31	43	28	30	39	37	39	34	28
Crawford County	408	39	32	36	39	30	27	32	36	26	39	39	33
Cuyahoga County	813	77	77	78	51	74	54	58	91	68	57	56	72
Darke County	518	46	47	48	40	33	34	35	52	41	52	42	48
Defiance County	292	21	16	26	30	22	13	30	21	24	27	26	36
Delaware County	335	31	20	29	26	30	23	23	41	33	25	29	25
Erie County	415	49	35	36	40	24	39	32	29	33	29	33	36
Fairfield County	276	21	29	24	26	24	18	17	35	23	18	21	20
Fayette County	260	20	22	25	18	14	15	25	35	19	22	22	23
Franklin County	536	49	57	62	43	33	40	40	50	42	41	43	36

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES[1]—Continued.													
OHIO—continued.													
Fulton County	258	25	27	26	25	18	18	18	23	26	18	9	25
Gallia County	453	36	49	57	36	34	41	31	43	32	28	32	34
Geauga County	190	19	19	26	13	19	13	13	12	11	12	17	16
Greene County	410	36	25	42	37	29	23	38	41	24	43	38	29
Guernsey County	374	38	30	32	27	19	34	33	22	37	39	43	20
Hamilton County	954	82	77	98	77	77	71	73	85	80	60	76	98
Hancock County	228	25	10	36	17	15	15	22	21	24	11	11	21
Hardin County	409	33	30	43	34	24	26	31	38	31	39	32	48
Harrison County	254	18	20	27	27	21	24	14	11	28	18	20	26
Henry County	289	19	23	43	28	23	27	15	22	31	21	15	22
Highland County	403	41	43	34	36	34	24	33	28	29	25	44	32
Hocking County	320	25	23	25	27	22	14	28	36	30	35	30	25
Holmes County	226	22	21	24	13	14	13	20	15	18	17	23	26
Huron County	455	48	36	52	40	36	31	27	35	39	38	27	46
Jackson County	432	31	39	34	46	29	30	33	41	33	37	45	34
Jefferson County	555	42	52	44	57	41	38	47	58	43	44	48	41
Knox County	429	43	28	39	36	43	27	32	37	34	30	33	47
Lake County	340	25	32	27	31	30	20	29	39	18	24	27	38
Lawrence County	327	28	30	52	23	19	10	33	32	23	29	33	15
Licking County	391	33	25	35	33	37	25	33	33	34	33	34	36
Logan County	356	30	35	35	25	29	22	25	41	31	26	27	30
Lorain County	381	39	27	37	39	40	22	22	32	34	31	25	33
Lucas County	289	23	21	29	30	32	25	21	27	22	18	18	23
Madison County	222	22	12	21	14	22	11	15	17	20	31	14	23
Mahoning County	531	36	33	47	67	18	42	41	53	52	50	45	47
Marion County	172	16	6	24	14	12	13	15	16	11	18	12	15
Medina County	272	26	26	20	27	23	21	23	17	21	29	15	24
Meigs County	339	16	28	42	21	21	30	25	30	35	28	31	32
Mercer County	340	26	30	30	16	24	22	30	44	29	42	25	22
Miami County	379	25	21	41	32	27	32	32	34	34	38	26	37
Monroe County	250	20	16	31	15	25	23	16	19	20	23	14	28
Montgomery County	755	61	55	75	78	58	57	72	56	63	66	63	51
Morgan County	206	17	15	21	24	14	16	12	15	13	17	19	23
Morrow County	190	14	10	19	17	18	10	17	23	13	14	24	11
Muskingum County	372	34	24	46	33	27	30	39	25	28	24	32	30
Noble County	234	28	14	26	11	20	12	16	20	26	27	13	21
Ottawa County	280	32	16	31	23	16	22	24	26	26	27	17	20
Paulding County	249	18	16	16	26	21	19	14	24	35	20	17	23
Perry County	400	27	19	45	32	37	35	21	44	33	24	43	40
Pickaway County	360	33	32	34	27	19	24	21	39	28	37	31	35
Pike County	212	16	15	23	22	21	10	20	20	15	20	16	14
Portage County	460	40	38	40	28	38	29	35	48	41	30	34	59
Preble County	277	25	22	27	23	21	20	25	22	19	21	18	34
Putnam County	348	24	26	37	30	29	22	35	33	26	24	28	34
Richland County	318	30	35	35	30	24	30	22	21	24	24	29	14
Ross County	350	25	30	28	29	38	23	32	34	32	24	22	33
Sandusky County	378	34	32	32	27	31	34	31	37	24	23	36	37
Scioto County	362	20	29	42	23	18	22	50	32	31	22	31	42
Seneca County	360	27	30	26	42	30	26	30	25	35	30	38	21
Shelby County	285	33	21	24	21	21	21	17	31	36	15	20	25
Stark County	644	58	53	60	53	55	44	42	65	42	57	55	60
Summit County	546	46	55	44	40	37	36	50	60	49	39	45	45
Trumbull County	591	50	59	76	45	45	44	56	54	42	40	33	47
Tuscarawas County	599	53	46	55	50	51	31	51	61	48	50	52	51
Union County	290	20	17	22	25	22	22	23	28	30	26	24	31
Van Wert County	336	21	29	34	22	34	26	27	30	29	27	23	34
Vinton County	186	21	16	18	10	17	11	13	14	24	14	11	17
Warren County	321	25	21	40	20	25	22	28	29	32	20	24	35
Washington County	388	35	30	43	29	28	23	24	40	25	26	37	48
Wayne County	476	38	42	59	37	31	47	26	34	42	43	38	34
Williams County	291	25	27	29	23	23	17	23	28	26	23	21	26
Wood County	560	53	45	61	56	44	59	35	47	47	45	28	40
Wyandot County	230	17	21	23	24	20	17	18	21	22	21	12	14
PENNSYLVANIA.													
Total	57,880	4,881	4,774	5,631	4,652	4,239	3,826	5,108	5,618	5,164	4,659	4,485	4,843
Adams County	428	37	34	44	40	30	23	28	50	30	33	34	45
Allegheny County	5,384	420	409	570	488	409	366	534	485	457	419	393	434
Armstrong County	914	81	90	98	77	56	51	79	84	74	80	70	74
Beaver County	956	93	70	79	78	69	77	102	89	74	78	64	83
Bedford County	424	42	40	49	26	40	29	27	43	38	32	32	26
Berks County	1,268	105	87	144	91	91	84	72	116	120	107	124	127
Blair County	716	50	55	74	50	59	39	58	63	61	67	67	73
Bradford County	843	91	91	89	57	62	52	60	72	67	77	63	62
Bucks County	1,059	107	85	109	74	73	63	101	93	87	73	86	108
Butler County	642	58	52	62	41	43	55	58	78	57	49	44	45

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES[1]—Continued.													
PENNSYLVANIA—continued.													
Cambria County	1,532	124	116	122	101	105	84	150	195	148	133	130	124
Cameron County	90	8	1	5	12	6	9	9	6	10	13	6	5
Carbon County	857	68	80	87	66	64	64	103	69	79	68	68	41
Center County	575	49	52	63	48	44	33	36	47	54	52	42	55
Chester County	1,142	101	93	104	82	88	70	106	111	109	87	87	104
Clarion County	453	51	37	50	52	29	27	27	39	42	33	38	28
Clearfield County	1,043	79	97	115	88	83	61	71	105	100	105	66	73
Clinton County	410	35	35	32	33	30	29	34	30	42	38	26	46
Columbia County	617	53	59	59	59	49	29	55	60	41	50	51	52
Crawford County	739	70	60	81	62	65	40	52	62	79	59	53	56
Cumberland County	569	43	51	51	54	47	39	36	48	40	50	47	63
Dauphin County	968	92	88	117	87	73	66	71	71	68	88	68	79
Delaware County	1,086	85	92	104	84	90	75	129	105	89	70	68	95
Elk County	412	40	21	42	41	31	34	31	53	34	31	24	30
Erie County	698	70	61	69	56	55	51	31	67	68	52	65	53
Fayette County	2,179	172	138	179	161	164	130	237	228	215	194	168	193
Forest County	85	3	5	7	8	7	6	6	9	11	8	8	7
Franklin County	771	59	66	76	69	59	50	34	65	58	83	67	85
Fulton County	126	15	10	13	7	6	12	12	10	12	9	11	9
Greene County	380	19	34	31	42	26	24	34	36	44	32	33	25
Huntingdon County	451	40	40	53	36	30	25	38	39	42	35	36	37
Indiana County	915	81	89	89	70	70	57	75	104	88	57	62	73
Jefferson County	852	73	92	89	75	69	48	52	86	86	63	63	56
Juniata County	186	15	22	19	14	14	10	12	19	19	14	13	15
Lackawanna County	1,395	107	98	120	103	110	118	177	130	104	103	107	118
Lancaster County	1,500	117	156	164	121	104	106	113	136	139	111	110	123
Lawrence County	442	36	37	41	46	46	24	34	45	44	26	33	30
Lebanon County	570	47	48	63	42	41	29	43	65	52	47	51	42
Lehigh County	1,036	107	94	95	83	71	70	79	113	82	81	77	84
Luzerne County	3,169	261	235	256	240	219	237	411	321	274	241	226	248
Lycoming County	556	43	50	65	50	35	38	29	46	59	35	48	58
McKean County	414	33	33	41	36	25	29	35	45	36	37	36	28
Mercer County	759	69	67	86	72	59	49	41	83	60	53	57	63
Mifflin County	373	24	37	41	35	26	30	29	36	39	29	23	24
Monroe County	341	44	17	30	29	34	17	32	27	30	27	25	29
Montgomery County	1,698	158	149	156	130	134	135	153	169	128	119	133	134
Montour County	300	33	30	43	21	22	18	17	25	22	26	18	25
Northampton County	1,105	96	100	99	98	72	75	92	102	111	85	79	96
Northumberland County	868	69	65	95	75	55	54	89	82	87	73	62	61
Perry County	356	28	36	34	34	23	26	27	32	34	22	31	29
Pike County	117	11	13	10	8	5	9	11	11	10	4	9	16
Potter County	409	40	47	39	23	27	28	31	40	37	30	34	33
Schuylkill County	2,470	198	176	220	181	160	165	260	269	218	218	220	185
Snyder County	246	30	33	27	23	17	12	10	13	29	11	8	33
Somerset County	890	60	67	65	63	64	71	82	98	80	80	77	83
Sullivan County	123	13	10	12	8	7	13	9	10	9	9	16	7
Susquehanna County	649	46	44	68	57	46	42	54	69	58	54	49	62
Tioga County	570	47	53	53	51	53	25	34	47	56	52	51	48
Union County	184	17	11	15	12	16	11	15	16	16	15	17	23
Venango County	540	51	47	57	44	41	38	42	47	40	43	38	52
Warren County	476	36	35	35	46	41	30	35	39	45	43	42	49
Washington County	2,002	133	141	181	138	139	124	202	234	195	169	163	183
Wayne County	415	34	35	39	38	40	28	28	42	30	34	35	32
Westmoreland County	2,853	259	247	267	207	184	175	249	293	292	227	213	240
Wyoming County	232	16	21	24	15	19	24	19	22	19	15	24	14
York County	1,052	89	90	115	94	68	64	66	74	86	101	95	110
RHODE ISLAND.													
Total	1,734	151	151	169	175	124	109	171	177	134	137	101	135
Bristol County	327	29	30	33	35	32	15	33	31	19	25	21	24
Kent County	191	16	20	18	18	13	10	16	17	13	21	10	19
Newport County	192	11	18	18	11	12	19	20	24	22	12	4	21
Providence County	623	52	46	66	60	42	43	67	61	52	48	43	43
Washington County	401	43	37	34	51	25	22	35	44	28	31	23	28
UTAH.													
Total	2,519	225	197	204	215	200	193	183	180	220	197	239	266
Beaver County	42	2	5	1	7	4	3	4	2	3	7	1	3
Boxelder County	122	9	7	7	9	9	6	9	11	10	16	14	15
Cache County	211	17	18	18	14	8	17	17	16	26	9	31	20
Carbon County	97	9	3	7	5	7	8	10	8	6	8	5	21
Davis County	106	9	9	12	12	5	9	6	10	11	8	6	9
Emery County	43	1	5	3	3	4	.....	8	5	1	3	6	4
Garfield County	27	3	.....	.....	1	5	1	2	2	5	3	3	2
Grand County	12	.....	.....	3	1	.....	2	2	1	.....	2	.....	1
Iron County	41	3	1	5	1	3	5	3	4	2	5	4	5
Juab County	116	4	8	10	17	8	15	8	6	5	10	13	12

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES[1]—Continued.													
UTAH—continued.													
Kane County	18	----	8	3	2	----	1	----	1	1	----	----	2
Millard County	51	7	3	8	6	6	3	3	1	5	3	2	4
Morgan County	15	2	----	----	2	1	----	1	1	1	2	4	1
Piute County	10	----	2	2	----	1	----	1	1	1	----	----	2
Rich County	21	2	----	4	3	----	----	1	3	3	2	2	1
Salt Lake County	378	32	32	32	28	30	31	24	23	33	25	39	49
San Juan County	7	----	----	1	----	----	----	----	1	----	1	3	1
Sanpete County	195	21	15	13	22	21	12	17	10	21	12	12	19
Sevier County	86	6	11	10	4	6	3	2	7	11	13	7	6
Summit County	112	8	11	8	11	8	16	5	8	9	9	5	14
Tooele County	100	13	6	6	7	9	11	9	7	10	5	10	7
Uinta County	64	4	8	3	8	4	6	8	3	6	3	6	5
Utah County	404	48	30	31	31	36	27	26	33	30	33	39	40
Wasatch County	85	7	7	5	7	12	5	6	6	9	6	7	8
Washington County	49	5	4	4	4	6	4	4	2	1	4	8	3
Wayne County	9	2	----	1	----	----	1	----	----	1	1	1	2
Weber County	98	11	4	7	10	7	7	7	8	9	7	11	10
VERMONT.													
Total	4,930	431	417	452	453	404	332	347	378	416	419	392	489
Addison County	304	30	28	25	21	23	26	23	26	30	21	30	21
Bennington County	304	30	26	28	27	28	15	21	17	27	26	25	34
Caledonia County	399	33	18	26	27	31	34	32	38	43	36	36	45
Chittenden County	344	37	20	28	34	28	23	27	27	27	40	24	29
Essex County	84	7	7	10	3	11	6	4	11	5	8	5	7
Franklin County	418	41	32	46	36	34	29	23	31	26	32	43	45
Grand Isle County	46	7	2	1	3	5	2	1	5	1	6	7	6
Lamoille County	189	14	22	21	23	16	14	13	13	12	11	9	21
Orange County	337	33	34	23	32	25	28	25	19	29	24	32	33
Orleans County	363	20	41	36	41	25	28	26	24	29	33	29	31
Rutland County	549	46	40	48	54	43	36	43	42	50	52	40	55
Washington County	491	43	43	40	32	41	29	27	47	41	46	41	61
Windham County	512	45	50	49	64	40	32	40	38	37	37	31	49
Windsor County	590	45	54	71	56	54	30	42	40	59	47	40	52
WASHINGTON.													
Total	5,699	473	453	592	446	481	405	465	493	471	456	498	466
Adams County	90	8	6	8	7	5	10	5	7	9	12	6	7
Asotin County	51	6	6	2	7	2	2	3	4	6	6	2	5
Benton County	70	6	8	5	6	8	6	3	6	7	3	5	7
Chehalis County	192	16	16	21	20	16	9	13	14	13	16	25	13
Chelan County	151	10	14	18	8	14	8	16	12	15	12	10	14
Clallam County[2]	87	5	13	10	5	10	7	4	5	6	5	13	4
Clarke County	237	29	21	15	16	16	20	18	22	21	30	12	17
Columbia County	73	6	4	4	4	7	10	4	8	7	3	8	8
Cowlitz County	98	7	6	5	9	4	9	12	19	7	5	7	8
Douglas County	39	4	2	4	3	5	3	6	1	3	3	4	1
Ferry County[3]	39	1	1	3	9	4	1	4	3	4	4	2	3
Franklin County	33	5	----	2	3	----	2	2	8	3	3	3	2
Garfield County	50	5	6	4	4	5	1	3	6	6	3	3	4
Grant County	34	3	2	3	1	3	3	3	3	3	1	7	2
Island County	32	1	4	4	1	3	3	1	1	2	5	1	6
Jefferson County	89	5	10	6	10	5	4	7	4	8	12	9	9
King County	535	45	28	157	36	27	24	33	33	30	34	56	32
Kitsap County	129	9	12	7	10	14	11	9	15	9	10	8	15
Kittitas County	223	16	17	15	13	20	5	22	36	23	15	20	21
Klickitat County	62	9	6	5	2	10	4	7	3	6	4	3	3
Lewis County	336	20	25	26	33	31	31	36	13	35	27	27	32
Lincoln County	133	9	14	15	8	6	17	12	14	10	12	9	7
Mason County	51	6	5	3	4	8	5	6	1	4	3	3	3
Okanogan County[3]	122	12	14	5	9	5	12	16	19	4	9	7	10
Pacific County	73	6	12	3	8	8	5	5	12	14	----	----	----
Pierce County	493	38	37	44	36	42	33	41	42	55	41	51	33
San Juan County	31	2	4	5	4	----	1	1	2	1	4	2	5
Skagit County[4]	260	21	16	20	24	19	21	19	21	28	20	29	22
Skamania County	25	3	1	1	2	2	6	2	2	1	3	2	----
Snohomish County	329	24	25	31	26	33	17	15	22	30	33	31	42
Spokane County	338	28	27	26	20	31	28	34	36	22	23	34	29
Stevens County	178	14	20	19	17	17	14	19	18	10	6	11	13
Thurston County	179	18	13	26	16	20	11	7	14	14	9	16	15
Wahkiakum County	10	2	1	2	2	----	----	----	1	1	----	1	----
Walla Walla County	81	8	10	7	5	9	5	7	8	4	3	6	9
Whatcom County	204	17	17	20	18	21	17	14	10	16	25	17	12
Whitman County	261	26	13	24	22	22	18	26	22	11	28	24	25
Yakima County[5]	281	23	17	17	18	29	22	30	26	23	24	24	28

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Including Mokah, Ozette, and Quillayute Indian Reservations.
[3] Including part of Colville Indian Reservation.
[4] Including Swinomish Indian Reservation.
[5] Including Yakima Indian Reservation.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES[1]—Continued.													
WISCONSIN.													
Total	17,751	1,505	1,352	1,602	1,468	1,429	1,442	1,279	1,574	1,688	1,475	1,365	1,572
Adams County	90	6	7	7	7	6	11	6	15	8	9	2	6
Ashland County	124	15	6	6	10	9	13	15	7	15	6	12	10
Barron County	312	37	27	27	13	24	22	25	34	30	21	25	27
Bayfield County	168	4	7	14	11	11	11	20	24	17	7	10	32
Brown County	339	29	21	33	22	28	27	16	32	30	43	23	35
Buffalo County	157	21	17	26	14	7	10	7	14	16	5	12	8
Burnett County	88	5	8	7	10	6	10	6	3	5	11	8	9
Calumet County	162	15	13	16	15	11	12	12	11	16	13	17	11
Chippewa County	431	52	35	51	36	36	25	30	34	24	34	35	39
Clark County	255	13	21	28	26	28	19	23	18	25	13	15	26
Columbia County	394	28	41	46	30	33	35	20	24	46	33	21	37
Crawford County	191	12	17	24	15	13	10	13	15	21	21	15	15
Dane County	621	56	60	48	49	49	52	45	46	41	67	50	58
Dodge County	523	54	34	35	35	50	35	38	47	72	44	38	41
Door County	183	16	17	9	13	13	9	17	11	20	22	16	20
Douglas County	44	6	10	4	1	2	1	.....	7	2	3	7	1
Dunn County	248	22	20	17	26	25	21	11	16	25	22	17	26
Eau Claire County	125	11	7	10	10	12	11	6	10	9	12	13	14
Florence County	26	.....	.....	3	4	2	1	1	3	4	3	4	1
Fond du Lac County	364	27	23	20	25	25	26	33	27	51	39	29	39
Forest County	64	7	5	7	1	2	5	8	7	2	5	6	9
Grant County	433	41	24	49	30	31	46	31	38	42	30	32	39
Green County	212	18	10	25	17	13	17	12	23	18	16	14	29
Green Lake County	172	19	13	14	18	18	11	14	16	16	9	14	10
Iowa County	231	20	16	24	20	15	15	17	25	24	20	11	24
Iron County	80	11	6	6	11	6	5	6	7	7	3	8	4
Jackson County	168	16	19	8	8	17	14	13	19	15	22	5	12
Jefferson County	401	32	29	18	39	36	32	31	49	34	30	29	42
Juneau County	236	23	27	23	13	18	18	15	31	16	20	14	18
Kenosha County	110	10	10	10	12	5	6	7	18	8	5	13	6
Kewaunee County	186	19	21	10	11	16	16	19	11	23	15	13	12
La Crosse County	154	17	10	14	7	18	16	9	10	17	14	7	15
Lafayette County	197	12	19	15	15	14	15	16	19	22	10	30	10
Langlade County	155	15	9	13	11	12	17	11	11	10	20	12	14
Lincoln County	217	15	13	19	16	19	19	19	14	19	19	18	27
Manitowoc County	313	26	22	34	25	29	25	26	26	33	21	26	20
Marathon County	446	45	29	34	46	40	39	28	35	40	42	38	30
Marinette County	177	15	15	17	16	9	9	11	22	21	16	13	13
Marquette County	134	11	12	16	12	14	13	5	14	11	7	6	13
Milwaukee County	1,323	99	102	119	120	120	131	100	119	104	89	111	109
Monroe County	363	32	27	37	39	19	37	27	39	31	22	22	31
Oconto County	255	22	20	18	22	28	16	20	27	21	27	17	17
Oneida County	111	6	7	9	10	10	11	8	14	7	10	7	12
Outagamie County	337	29	17	22	21	26	30	22	30	35	39	33	33
Ozaukee County	150	9	6	16	16	13	16	15	18	14	8	8	11
Pepin County	72	6	10	9	4	2	5	4	7	6	5	6	8
Pierce County	247	17	21	16	29	22	23	18	20	22	12	21	26
Polk County	190	17	10	18	22	18	7	18	11	22	13	14	20
Portage County	374	30	26	42	30	37	25	20	30	42	30	25	37
Price County	99	9	6	8	8	6	10	8	10	12	7	6	9
Racine County	256	19	19	29	19	18	21	15	29	24	18	23	22
Richland County	186	22	16	21	16	10	11	11	20	18	12	13	16
Rock County	297	24	24	28	24	19	9	28	27	34	26	23	31
Rusk County	98	10	6	10	11	8	6	3	11	10	12	6	5
St. Croix County	280	15	17	19	22	36	22	25	28	23	23	24	26
Sauk County	371	27	28	45	37	29	36	20	21	29	33	33	33
Sawyer County	69	4	7	3	6	8	5	7	6	5	5	6	7
Shawano County	306	20	28	30	31	19	15	18	37	30	24	24	30
Sheboygan County	295	20	28	30	26	33	20	22	18	28	22	29	19
Taylor County	113	15	6	12	13	3	11	6	8	10	9	10	10
Trempealeau County	227	23	17	22	22	13	19	8	24	19	22	17	21
Vernon County	309	22	22	38	22	24	23	25	24	33	27	21	28
Vilas County	38	6	2	1	4	.....	5	1	4	3	4	4	4
Walworth County	361	35	30	23	29	30	36	34	17	37	27	28	35
Washburn County	84	13	6	7	3	11	8	6	8	3	4	8	7
Washington County	243	21	21	19	14	16	24	22	18	25	24	17	22
Waukesha County	502	36	35	56	42	46	48	28	45	44	42	39	41
Waupaca County	405	19	26	41	41	19	28	42	38	45	42	34	30
Waushara County	177	14	14	21	15	14	18	12	13	17	14	11	14
Winnebago County	406	36	30	30	30	23	49	29	31	47	35	25	41
Wood County	276	27	18	16	20	27	18	15	29	33	36	22	15

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910.

[The term "cities" as used in this table is restricted to municipalites having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
SUMMARY.													
The registration area	805,412	753,308	546,507	281,837	148,475	47,617	21,549	5,286	41,743	196,733	10,068	49,499	2,605
Registration states [1]	703,608	673,203	490,920	256,960	132,653	42,965	19,595	4,720	34,027	173,365	8,918	27,932	2,473
Cities in registration states [1]	400,305	379,543	258,996	111,745	94,326	25,921	8,398	2,784	15,822	115,825	4,722	19,609	1,153
Rural part of registration states	303,303	293,660	231,924	145,215	38,327	17,044	11,197	1,936	18,205	57,540	4,196	8,323	1,320
Registration cities in other states	101,804	80,105	55,587	24,877	15,822	4,652	1,954	566	7,716	23,368	1,150	21,567	132
All registration cities [1]	502,109	459,648	314,583	136,622	110,148	30,573	10,352	3,350	23,538	139,193	5,872	41,176	1,285
REGISTRATION STATES.													
California	32,401	30,685	20,198	8,592	4,012	1,937	1,387	411	3,859	9,529	958	442	1,274
Colorado	11,069	10,730	7,897	4,318	1,373	626	514	123	943	2,486	347	289	50
Connecticut	17,498	17,120	12,018	4,954	4,398	945	603	141	977	4,882	220	373	5
Indiana	36,448	35,011	30,768	21,600	2,573	1,352	2,217	285	2,741	3,916	327	1,433	4
Maine	12,726	12,703	10,794	7,625	1,319	1,014	306	26	504	1,772	137	19	4
Maryland	20,805	15,458	12,725	8,153	1,672	793	618	125	1,364	2,495	238	5,343	4
Massachusetts	54,301	53,455	36,760	15,582	13,295	3,974	1,662	463	1,784	16,359	336	809	37
Michigan	39,888	39,262	28,020	14,129	6,417	3,510	1,467	336	2,161	10,781	461	426	200
Minnesota	22,649	22,470	13,291	4,996	4,848	2,094	470	166	717	8,694	485	135	44
Montana	3,999	3,909	2,522	1,080	640	312	133	40	317	1,136	251	43	47
New Hampshire	7,452	7,438	5,861	2,971	1,134	439	362	31	924	1,361	216	14	.....
New Jersey	39,504	37,422	26,508	13,554	9,028	2,194	475	261	996	10,521	393	2,073	9
New York	147,678	144,144	97,536	43,206	36,773	9,321	2,380	645	5,211	45,386	1,222	3,350	184
North Carolina [2]	6,752	3,728	3,605	3,042	49	46	227	4	237	63	60	3,024	.....
Ohio	65,459	63,194	50,499	32,011	9,235	2,852	2,294	414	3,693	11,769	926	2,260	5
Pennsylvania	119,815	115,094	90,651	50,975	25,013	6,697	2,876	807	4,283	23,427	1,016	4,669	52
Rhode Island	9,305	9,051	6,207	2,714	2,468	723	92	36	174	2,786	58	248	6
Utah	4,072	3,998	2,664	1,443	557	395	78	36	155	1,218	116	32	42
Vermont	5,704	5,674	4,697	2,896	526	363	350	50	512	902	75	29	1
Washington	11,502	11,017	7,575	3,776	1,333	755	521	125	1,065	2,788	654	97	388
Wisconsin	28,070	27,896	17,106	7,250	5,662	2,439	529	186	1,040	10,424	366	65	109
REGISTRATION CITIES.													
ALABAMA. [3]													
Registration cities (total)	4,790	2,046	1,776	1,128	82	48	70	7	441	213	57	2,744	.....
Birmingham	2,597	1,206	1,054	739	63	36	47	3	166	111	41	1,391	.....
Mobile	1,185	512	424	179	17	10	6	3	209	86	2	673	.....
Montgomery	1,008	328	298	210	2	2	17	1	66	16	14	680	.....
CALIFORNIA.													
Registration cities (total)	18,609	17,578	11,209	4,660	2,610	1,159	773	240	1,767	5,872	497	316	715
Alameda	290	277	156	60	42	23	14	2	15	116	5	5	8
Bakersfield	305	278	190	74	18	4	17	2	75	66	22	9	18
Berkeley	376	364	250	136	47	22	13	7	25	111	3	1	11
Eureka	196	194	103	31	21	13	4	4	30	87	4	1	1
Fresno	340	306	229	90	63	19	22	7	28	71	6	5	29
Long Beach	250	247	201	118	18	8	24	1	32	38	8	.....	3
Los Angeles	4,538	4,299	3,062	1,454	535	285	288	72	428	1,104	133	136	103
Oakland	1,929	1,791	1,119	464	297	131	71	21	135	653	19	52	86
Pasadena	419	411	341	168	27	27	26	10	83	69	1	7	1
Pomona	136	136	121	90	12	4	9	.....	6	12	3	.....	.....
Redlands	154	150	122	74	15	5	12	2	14	27	1	4	.....
Riverside	221	207	155	84	20	11	11	2	27	47	5	6	8
Sacramento	734	642	442	157	79	45	32	14	115	184	16	19	73
San Bernardino	260	252	167	74	31	10	18	11	23	73	12	6	2
San Diego	687	666	482	235	49	47	52	13	86	165	19	14	7
San Francisco	6,319	6,002	3,169	950	1,199	421	113	47	439	2,638	195	38	279
San Jose	412	381	266	125	48	32	18	11	32	112	3	4	27
Santa Barbara	223	214	160	98	15	20	6	6	15	43	11	1	8
Santa Cruz	185	179	127	59	10	11	12	4	31	49	3	.....	6
Stockton	469	420	242	74	35	12	8	2	111	157	21	6	43
Vallejo	166	162	105	45	29	9	3	2	17	50	7	2	2
COLORADO.													
Registration cities (total)	4,705	4,494	3,287	1,637	651	305	217	58	419	1,047	160	196	15
Colorado Springs	478	443	365	221	54	32	27	5	26	75	3	35	.....
Denver	3,533	3,389	2,393	1,136	466	242	166	47	336	877	119	132	12
Pueblo	542	514	404	201	111	23	17	6	46	72	38	25	3
Trinidad	152	148	125	79	20	8	7	.....	11	23	.....	.....	.....

[1] Including District of Columbia.
[2] Including only municipalities having a population of 1,000 or over in 1900.
[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
CONNECTICUT.													
Registration cities (total)	12,032	11,726	7,928	2,839	3,406	671	324	107	581	3,671	127	301	5
Ansonia	201	192	121	25	83	7	2	2	2	71	.....	9	.....
Bridgeport	1,562	1,525	1,020	328	488	81	35	11	77	492	13	37	.....
Bristol town	184	184	139	56	52	12	6	4	9	44	1	.....	.....
Danbury town	350	343	255	122	70	23	16	1	23	85	3	7	.....
Greenwich town	273	261	179	67	80	21	6	.....	5	76	6	12	.....
Hartford	1,748	1,692	1,114	407	406	83	55	14	149	558	20	55	1
Manchester town	161	160	95	33	38	9	6	1	8	65	.....	1	.....
Meriden town	456	447	309	117	142	24	8	4	14	136	2	9	.....
Middletown town	533	525	360	157	129	26	9	6	33	153	12	8	.....
Naugatuck	182	181	128	34	72	16	4	.....	2	52	1	1	.....
New Britain	692	691	502	113	317	38	9	7	18	187	2	1	.....
New Haven	2,219	2,126	1,351	481	596	107	59	19	89	749	26	91	2
New London	353	342	259	123	75	33	8	2	18	73	10	11	.....
Norwalk town	366	358	257	142	58	24	15	2	16	95	6	8	.....
Norwich town	480	462	298	115	108	22	22	8	23	162	2	18	.....
Orange town	143	140	103	54	22	7	14	2	4	35	2	2	1
Stamford town	466	458	306	116	121	24	14	6	25	143	9	7	1
Torrington town	185	179	131	45	54	11	8	1	12	45	3	6	.....
Wallingford town	141	141	102	41	43	6	4	3	5	35	4	.....	.....
Waterbury	1,140	1,122	761	207	413	84	15	14	28	356	5	18	.....
Windham town	197	197	138	56	39	13	9	.....	21	59	.....	.....	.....
DELAWARE.[1]													
Wilmington	1,547	1,322	1,070	491	206	59	33	19	262	247	5	225	.....
DISTRICT OF COLUMBIA.													
Washington	6,511	3,744	3,018	2,093	328	184	34	9	370	670	56	2,759	8
FLORIDA.[1]													
Registration cities (total)	1,640	783	584	323	14	5	3	1	238	166	33	857	.....
Jacksonville	1,192	482	392	323	14	5	3	1	46	64	26	710	.....
Key West	448	301	192	.....	.....	.....	.....	.....	[2] 192	102	7	147	.....
GEORGIA.[1]													
Registration cities (total)	4,689	2,225	2,015	1,285	40	43	54	4	589	187	23	2,462	2
Atlanta	2,938	1,609	1,525	1,285	40	43	54	4	99	64	20	1,328	1
Savannah	1,751	616	490	.....	.....	.....	.....	.....	[2] 490	123	3	1,134	1
ILLINOIS.[1]													
Registration cities (total)	36,465	35,189	21,252	5,586	10,022	2,347	491	243	2,563	13,623	314	1,240	36
Aurora	433	429	296	86	60	29	7	5	109	125	8	4	.....
Belleville	312	308	190	63	34	8	.....	.....	85	116	2	4	.....
Chicago	33,241	32,130	19,071	5,019	9,760	2,260	428	220	1,384	12,817	242	1,075	36
Decatur	412	396	323	.....	.....	.....	.....	.....	[2] 323	54	19	16	.....
Evanston	254	231	160	48	25	12	11	3	61	69	2	23	.....
Jacksonville	347	328	234	40	12	1	7	4	170	71	23	19	.....
Quincy	606	574	368	150	74	8	14	5	117	201	5	32	.....
Springfield	860	793	610	180	57	29	24	6	314	170	13	67	.....
INDIANA.													
Registration cities (total)	12,468	11,472	9,308	5,739	1,518	608	576	116	751	2,038	126	993	3
Anderson	328	322	295	215	17	16	28	2	17	23	4	6	.....
East Chicago	269	268	193	27	152	9	2	1	2	75	.....	1	.....
Elkhart	264	264	228	155	18	12	14	4	25	31	5	.....	.....
Elwood	174	174	166	125	19	7	7	2	6	8	.....	.....	.....
Evansville	948	831	667	367	108	62	40	20	70	156	8	117	.....
Fort Wayne	840	828	611	336	120	66	32	10	47	204	13	12	.....
Gary	284	275	184	41	117	12	5	3	6	86	5	8	1
Hammond	296	295	185	67	75	21	9	2	11	100	10	1	.....
Huntington	126	126	112	71	11	3	11	4	12	14	.....	.....	.....
Indianapolis	3,824	3,275	2,742	1,849	332	168	156	19	218	507	26	548	1
Jeffersonville	205	156	130	83	13	3	12	3	16	25	1	49	.....
Kokomo	257	242	222	170	8	3	19	1	21	19	1	15	.....
Lafayette	333	326	244	136	32	18	18	3	37	79	3	7	.....
Laporte	185	183	122	69	28	8	5	5	7	58	3	1	1
Logansport	299	299	237	155	29	14	18	3	18	58	4	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] Certificate of death fails to provide for statement of nativity of parents.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Native.	Foreign born.				
REGISTRATION CITIES—Contd.												
INDIANA—continued.												
Marion	265	242	234	169	6	3	19	3	34	4	4	23	.....
Michigan City	280	268	176	79	63	26	6	.....	2	92	.....	12	.....
Mishawaka	137	137	110	60	20	5	12	2	11	26	1	.....	.....
Muncie	352	333	310	245	14	12	14	2	23	21	2	19	.....
New Albany	376	327	269	188	24	18	17	13	9	58	.....	49	.....
Peru	145	145	121	70	10	10	11	1	19	19	5	.....	.....
Richmond	305	280	243	161	34	18	11	2	17	35	2	25	.....
South Bend	759	738	548	233	186	54	26	6	43	183	7	21	.....
Terre Haute	931	864	717	490	64	28	69	3	63	129	18	67	.....
Vincennes	286	274	242	178	18	12	15	2	17	28	4	12	.....
KANSAS.[1]													
Registration cities (total)	2,405	2,060	1,646	803	189	97	150	31	376	339	75	341	4
Kansas City	1,393	1,152	898	465	137	69	72	15	140	211	43	237	4
Leavenworth	277	218	145	27	26	11	9	2	70	66	7	59	.....
Wichita	735	690	603	311	26	17	69	14	166	62	25	45	.....
KENTUCKY.[1]													
Registration cities (total)	5,499	4,176	3,250	1,918	476	158	102	24	572	875	51	1,323	.....
Covington	861	802	583	418	119	30	3	2	11	205	14	59	.....
Louisville	3,756	2,667	2,110	1,229	268	94	58	22	439	528	29	1,089	.....
Newport	444	433	312	177	89	31	8	.....	7	119	2	11	.....
Paducah	438	274	245	94	.....	3	33	.....	115	23	6	164	.....
LOUISIANA.[1]													
New Orleans	7,250	4,311	3,176	1,892	833	322	19	10	100	1,123	12	2,933	6
MAINE.													
Registration cities (total)	3,380	3,369	2,550	1,379	665	277	71	11	147	754	65	10	1
Auburn	231	231	208	145	35	18	4	1	5	22	1	.....	.....
Augusta	332	331	262	165	40	13	6	.....	38	56	13	1	.....
Bangor	504	500	385	237	59	35	18	2	34	102	13	3	1
Biddeford	411	411	299	97	141	49	4	2	6	109	3	.....	.....
Lewiston	586	585	407	162	157	56	11	1	20	171	7	1	.....
Portland	1,106	1,101	828	500	188	78	25	4	33	247	26	5	.....
Waterville	210	210	161	73	45	28	3	1	11	47	2	.....	.....
MARYLAND.													
Registration cities (total)	11,690	8,969	6,903	3,729	1,328	530	347	94	875	1,923	143	2,717	4
Baltimore	10,753	8,152	6,164	3,154	1,276	505	307	87	835	1,863	125	2,597	4
Cumberland	440	398	344	240	38	14	24	6	22	42	12	42	.....
Frederick	206	155	141	118	6	4	6	.....	7	9	5	51	.....
Hagerstown	291	264	254	217	8	7	10	1	11	9	1	27	.....
MASSACHUSETTS.													
Registration cities (total)	41,998	41,274	27,650	10,298	11,400	3,197	1,174	386	1,195	13,369	255	697	25
Adams town	171	171	120	33	71	7	2	3	4	51	.....	.....	.....
Arlington town	148	148	96	49	27	9	2	3	6	52	.....	.....	.....
Attleborough town	207	200	146	74	42	19	8	2	1	50	4	7	.....
Beverly	246	244	184	115	31	17	8	2	11	60	.....	2	.....
Boston	11,562	11,224	6,946	2,335	3,001	833	353	129	295	4,155	123	317	21
Brockton	707	698	516	260	137	60	35	5	19	179	3	9	.....
Brookline town	320	317	225	139	39	20	13	1	13	89	3	3	.....
Cambridge	1,576	1,501	926	343	412	100	28	10	33	567	8	75	.....
Chelsea	605	596	391	169	131	29	17	7	38	200	5	9	.....
Chicopee	389	389	270	44	173	33	9	8	3	118	1	.....	.....
Clinton town	175	175	106	34	55	10	2	2	3	69	.....	.....	.....
Everett	370	363	231	123	60	30	7	4	7	130	2	7	.....
Fall River	2,201	2,195	1,478	271	947	220	19	10	11	713	4	6	.....
Fitchburg	496	496	333	102	152	41	16	7	15	161	2	.....	.....
Framingham town	221	221	160	78	41	21	12	1	7	58	3	.....	.....
Gardner town	231	229	174	58	70	21	4	.....	21	53	2	2	.....
Gloucester	391	390	264	141	61	39	15	2	6	124	2	1	.....
Greenfield town	147	144	109	71	9	12	8	1	8	33	2	3	.....
Haverhill	767	762	573	289	142	64	39	4	35	187	2	5	.....
Holyoke	1,027	1,025	674	117	322	88	49	30	68	347	4	2	.....
Hyde Park town	261	258	174	77	70	17	5	2	3	83	1	3	.....
Lawrence	1,530	1,525	992	206	641	105	13	5	22	530	3	5	.....
Leominster town	196	196	148	72	36	15	10	1	14	46	2	.....	.....
Lowell	2,101	2,096	1,353	316	796	144	40	19	38	734	9	4	1
Lynn	1,179	1,156	813	373	242	95	46	13	44	339	4	23	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
MASSACHUSETTS—continued.													
Malden	582	572	408	227	100	53	14	2	12	163	1	10	.....
Marlborough	170	170	120	59	31	15	9	1	5	50	.....	.....	.....
Medford	243	237	181	115	27	23	11	2	3	55	1	6	.....
Melrose	205	203	163	112	22	16	7	3	3	40	.....	2	.....
Methuen town	150	150	109	49	41	11	3	2	3	41	.....	.....	.....
Milford town	239	237	162	68	71	15	3	2	3	74	1	2	.....
New Bedford	1,814	1,727	1,255	318	689	171	28	20	29	470	2	85	2
Newburyport	280	278	221	142	41	22	12	.....	4	57	.....	2	.....
Newton	484	476	342	207	90	34	6	2	3	134	.....	8	.....
North Adams	322	320	218	80	70	29	9	4	26	100	2	2	.....
Northampton	366	364	238	118	72	23	14	2	9	125	1	2	.....
Peabody town	203	203	133	65	46	16	3	1	2	68	2	.....	.....
Pittsfield	572	562	399	199	108	49	16	4	23	156	7	10	.....
Plymouth town	162	159	128	65	41	10	6	2	4	31	.....	3	.....
Quincy	384	384	253	107	102	27	3	4	10	128	3	.....	.....
Revere town	217	215	152	62	53	22	5	3	7	62	1	2	.....
Salem	691	685	473	205	183	54	15	5	11	212	.....	6	.....
Somerville	1,041	1,039	691	361	190	76	29	1	34	343	5	2	.....
Southbridge town	175	175	124	40	53	29	.....	.....	2	51	.....	.....	.....
Springfield	1,484	1,461	1,080	478	350	118	49	12	73	371	10	23	.....
Taunton	803	801	574	211	254	46	35	9	19	225	2	2	.....
Wakefield town	150	149	114	70	21	14	3	.....	6	35	.....	1	.....
Waltham	389	388	259	116	84	30	16	1	12	124	5	1	.....
Watertown town	143	141	102	30	40	6	16	4	6	39	.....	2	.....
Webster town	178	177	122	16	76	21	4	3	2	54	1	1	.....
Westfield town	302	297	219	70	85	21	8	2	33	76	2	4	1
Weymouth town	200	200	145	87	28	8	11	1	10	54	1	.....	.....
Winthrop town	105	103	73	41	16	8	5	.....	3	30	.....	2	.....
Woburn	241	235	148	73	46	17	4	.....	8	87	.....	6	.....
Worcester	2,477	2,447	1,642	618	662	164	70	23	105	786	19	30	.....
MICHIGAN.													
Registration cities (total)	16,369	16,108	10,913	4,532	3,373	1,534	473	145	856	4,981	214	254	7
Adrian	169	163	129	75	18	8	10	1	17	32	2	6	.....
Alpena	194	194	113	44	34	29	1	1	4	80	1	.....	.....
Ann Arbor	345	331	254	133	48	28	22	4	19	74	3	14	.....
Battle Creek	423	410	355	233	32	26	28	5	31	45	10	13	.....
Bay City	612	610	397	160	113	90	8	7	19	212	1	2	.....
Detroit	7,452	7,305	4,833	1,540	1,952	740	163	59	379	2,379	93	146	1
Escanaba	206	205	127	39	47	23	5	5	8	74	4	1	.....
Flint	549	540	442	267	59	57	29	5	25	91	7	9	.....
Grand Rapids	1,648	1,636	1,126	548	327	127	55	14	55	503	7	12	.....
Holland	141	141	86	47	21	15	2	.....	1	55	.....	.....	.....
Ironwood	180	180	107	14	83	7	2	1	.....	72	1	.....	.....
Ishpeming	158	158	76	12	46	17	1	.....	.....	81	1	.....	.....
Jackson	466	456	352	193	69	34	19	2	35	94	10	10	.....
Kalamazoo	743	732	534	297	91	36	41	4	65	180	18	11	.....
Lansing	412	402	345	210	40	36	24	5	30	54	3	9	1
Manistee	160	160	104	35	37	24	2	2	4	54	2	.....	.....
Marquette	182	181	89	31	33	19	2	.....	4	89	3	1	.....
Menominee	148	148	73	27	29	12	1	1	3	71	4	.....	.....
Muskegon	311	309	180	84	38	30	5	2	21	125	4	2	.....
Pontiac	369	364	254	135	55	39	5	3	17	105	5	5	.....
Port Huron	313	310	182	63	48	49	7	2	13	126	2	3	.....
Saginaw	761	753	484	227	96	64	26	19	52	252	17	8	.....
Sault Ste. Marie	157	152	90	25	36	14	5	2	8	57	5	1	4
Traverse City	270	268	181	93	21	10	10	1	46	76	11	1	1
MINNESOTA.													
Registration cities (total)	8,193	8,070	4,978	1,818	1,843	671	224	88	334	2,843	249	117	6
Duluth	1,052	1,039	546	150	264	84	20	12	16	453	40	10	3
Mankato	170	170	121	48	29	18	7	3	16	47	2	.....	.....
Minneapolis	3,739	3,681	2,297	840	818	307	115	38	179	1,218	166	56	2
St. Cloud	131	131	86	43	24	14	2	1	2	44	1	.....	.....
St. Paul	2,558	2,508	1,604	615	585	197	68	31	108	870	34	49	1
Stillwater	114	113	67	24	23	9	2	1	8	44	2	1	.....
Virginia	176	176	99	22	60	13	1	1	2	76	1	.....	.....
Winona	253	252	158	76	40	29	9	1	3	91	3	1	.....
MISSOURI.[1]													
Registration cities (total)	15,909	14,007	9,788	4,866	2,482	886	495	133	926	3,953	266	1,891	11
Kansas City	3,966	3,317	2,664	1,537	334	181	237	37	338	552	101	644	5
St. Joseph	1,055	957	751	467	89	54	53	3	85	160	46	98	.....
St. Louis	10,888	9,733	6,373	2,862	2,059	651	205	93	503	3,241	119	1,149	6

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
MONTANA.													
Registration cities (total)	1,527	1,475	895	344	286	118	46	20	81	497	83	31	21
Anaconda	136	132	79	28	33	10	2	----	6	49	4	4	----
Billings	152	141	102	51	22	12	7	1	9	26	13	6	5
Butte	602	582	330	100	143	49	9	6	23	233	19	13	7
Great Falls	252	251	163	66	51	20	9	3	14	67	21	1	----
Helena	184	179	106	48	18	9	10	6	15	65	8	4	1
Missoula	201	190	115	51	19	18	9	4	14	57	18	3	8
NEBRASKA.[1]													
Registration cities (total)	2,364	2,244	1,546	680	338	115	43	13	357	628	70	115	5
Lincoln	485	475	367	140	52	17	11	1	146	93	15	10	----
Omaha	1,879	1,769	1,179	540	286	98	32	12	211	535	55	105	5
NEW HAMPSHIRE.													
Registration cities (total)	3,061	3,052	2,215	850	756	223	96	16	274	774	63	9	----
Berlin	190	190	139	17	86	28	----	1	7	50	1	----	----
Concord	465	464	343	192	44	18	19	2	68	106	15	1	----
Dover	236	235	178	90	41	14	6	----	27	52	5	1	----
Keene	178	177	138	80	25	7	5	1	20	32	7	1	----
Laconia	187	187	151	66	31	17	12	3	22	32	4	----	----
Manchester	1,163	1,162	813	220	393	97	24	5	74	337	12	1	----
Nashua	460	460	318	117	114	27	20	4	36	134	8	----	----
Portsmouth	182	177	135	68	22	15	10	----	20	31	11	5	----
NEW JERSEY.													
Registration cities (total)	26,530	25,139	16,984	7,185	7,093	1,580	272	198	656	7,903	252	1,383	8
Asbury Park	170	121	106	67	19	11	4	1	4	14	1	48	1
Atlantic City	800	627	501	321	102	46	14	1	17	120	6	172	1
Bayonne	827	810	540	147	325	43	10	6	9	264	6	17	----
Bloomfield	168	161	123	65	35	10	2	2	9	37	1	7	----
Bridgeton	217	206	196	163	9	8	6	1	9	7	3	11	----
Camden	1,629	1,437	1,194	745	251	117	25	7	49	222	21	192	----
East Orange	372	348	258	171	49	17	12	3	6	89	1	24	----
Elizabeth	1,122	1,083	723	254	355	75	7	11	21	355	5	39	----
Garfield	129	129	93	6	81	4	----	2	----	36	----	----	----
Hackensack	231	210	147	67	53	17	2	----	8	61	2	21	----
Harrison	237	235	154	49	80	14	1	3	7	78	3	2	----
Hoboken	1,328	1,324	696	178	421	84	1	3	9	613	15	4	----
Irvington	143	140	89	53	18	10	2	1	5	50	1	3	----
Jersey City	4,401	4,278	2,748	1,020	1,331	258	22	32	85	1,475	55	123	----
Kearny	276	274	170	53	53	17	1	2	44	100	4	2	----
Long Branch	295	249	189	127	45	12	1	1	3	57	3	46	----
Millville	149	146	131	113	7	4	7	----	----	15	----	3	----
Montclair	324	273	209	103	60	18	7	1	20	62	2	51	----
Morristown	295	264	186	106	54	20	2	1	3	70	8	31	----
New Brunswick	494	470	346	135	130	25	17	8	31	115	9	24	----
Newark	5,784	5,484	3,586	1,406	1,581	318	58	62	161	1,853	45	296	4
Orange	538	467	303	140	120	31	5	4	3	164	----	71	----
Passaic	820	808	570	122	393	37	3	6	9	233	5	12	----
Paterson	1,857	1,816	1,072	380	464	155	19	13	41	725	19	41	----
Perth Amboy	509	504	346	80	232	17	2	7	8	158	----	5	----
Phillipsburg	211	211	181	125	33	11	5	1	6	30	----	----	----
Plainfield	325	281	214	137	50	20	----	1	6	64	3	44	----
Trenton	1,976	1,886	1,382	662	495	102	35	16	72	473	31	89	1
Union	252	250	162	63	69	25	2	----	3	87	1	1	1
West Hoboken	387	387	199	54	104	36	----	----	5	188	----	----	----
West New York	169	165	110	44	51	13	----	1	1	54	1	4	----
West Orange	95	95	60	29	23	5	----	1	2	34	1	----	----
NEW YORK.													
Registration cities (total)	110,283	107,278	68,153	24,004	32,505	7,269	989	406	2,980	38,354	771	2,864	141
Albany	1,943	1,913	1,331	638	417	128	35	17	96	555	27	30	----
Amsterdam	543	543	404	149	197	32	11	5	10	134	5	----	----
Auburn	532	525	386	204	129	29	8	5	11	137	2	7	----
Batavia	201	201	152	86	41	11	6	1	7	48	1	----	----
Binghamton	904	884	724	434	169	45	32	6	38	145	15	20	----
Buffalo	6,940	6,874	4,533	1,495	2,170	669	117	37	45	2,318	23	53	13
Cohoes	509	509	357	125	175	47	3	3	4	148	4	----	----
Corning	201	199	169	106	19	14	14	3	13	29	1	2	----
Cortland	218	216	177	114	14	10	6	1	32	36	3	2	----
Dunkirk	280	280	204	70	96	25	2	3	8	76	----	----	----

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
NEW YORK—continued.													
Elmira	557	545	424	270	83	25	20	2	24	112	9	12	.....
Fulton	54	154	128	80	16	20	3	2	7	25	1	.....	.....
Geneva	172	171	129	68	28	14	11	1	7	38	4	1	.....
Glens Falls	242	242	185	135	30	15	2	.....	3	55	2	.....	.....
Gloversville	321	316	250	142	40	19	11	2	36	63	3	5	.....
Hornell	174	173	137	90	21	10	11	1	4	36	.....	1	.....
Hudson	236	224	168	107	34	9	4	2	12	52	4	11	1
Ithaca	244	234	202	144	24	15	5	.....	14	28	4	9	1
Jamestown	404	403	259	124	80	30	7	1	17	144	.....	1	.....
Johnstown	145	145	117	73	14	2	9	.....	19	28	.....	.....	.....
Kingston	476	462	339	241	72	13	4	3	6	121	2	14	.....
Lackawanna	396	392	325	53	152	25	33	12	50	61	6	4	.....
Little Falls	193	193	142	64	49	6	10	1	12	49	2	.....	.....
Lockport	300	296	208	109	53	21	9	2	14	80	8	4	.....
Middletown	372	364	268	159	46	16	8	2	37	85	11	8	.....
Mount Vernon	433	411	287	125	120	38	2	1	1	120	4	22	.....
New Rochelle	342	309	204	87	76	34	2	.....	5	103	2	33	.....
New York	76,787	74,274	44,869	13,418	24,322	4,846	226	176	1,881	28,940	465	2,391	122
Bronx Borough	6 968	6,755	3,924	1,178	2,159	516	10	14	47	2,815	16	208	5
Brooklyn Borough	25,686	25,070	15,858	5,435	8,282	1,896	51	30	164	9,142	70	598	18
Manhattan Borough	38,699	37,129	21,703	5,430	12,379	2,004	148	123	1,619	15,067	359	1,473	97
Queens Borough	3,965	3,882	2,469	952	1,145	334	11	6	21	1,403	10	82	1
Richmond Borough	1,469	1,438	915	423	357	96	6	3	30	513	10	30	1
Newburgh	509	496	355	238	75	23	7	4	8	139	2	13	.....
Niagara Falls	548	535	343	109	182	39	5	3	5	184	8	13	.....
North Tonawanda	160	160	116	30	76	9	.....	.....	1	43	1	.....	.....
Ogdensburg	392	389	262	100	56	42	23	9	32	117	10	3	.....
Olean	188	187	148	74	35	13	9	1	16	37	2	1	.....
Ossining	177	162	113	59	36	4	6	.....	8	47	2	15	.....
Oswego	386	384	271	129	73	34	12	5	18	112	1	2	.....
Peekskill	278	267	217	152	37	10	5	2	11	44	6	11	.....
Plattsburg	197	197	159	100	20	23	9	.....	7	35	3	.....	.....
Port Chester	210	205	145	51	70	7	2	7	8	59	1	5	.....
Poughkeepsie	469	453	344	197	83	27	12	2	23	103	6	16	.....
Rensselaer	162	162	125	73	29	10	3	.....	10	33	4	.....	.....
Rochester	3,215	3,199	2,068	891	769	228	50	10	120	1,106	25	15	1
Rome	457	455	334	163	107	25	9	3	27	109	12	2	.....
Saratoga Springs	259	244	190	105	34	16	17	1	17	47	7	15	.....
Schenectady	1,070	1,061	813	360	332	75	19	5	22	242	6	8	1
Syracuse	2,123	2,098	1,546	749	470	151	94	22	60	542	10	24	1
Troy	1,596	1,581	1,054	464	365	105	46	15	59	512	15	15	.....
Utica	1,411	1,398	966	419	384	66	29	9	59	416	16	13	.....
Watertown	469	467	344	194	77	44	7	3	19	119	4	2	.....
Watervliet	261	260	186	86	61	30	1	1	7	68	6	1	.....
White Plains	301	273	195	109	50	19	3	6	8	75	3	27	1
Yonkers	1,226	1,193	781	242	397	101	10	9	22	399	13	33	.....
NORTH CAROLINA.													
Registration cities (total)	3,075	1,561	1,474	1,182	33	24	114	2	119	51	36	1,514	.....
Asheville	370	235	212	184	20	4	3	.....	1	18	5	135	.....
Charlotte	605	306	293	237	2	4	29	1	20	7	6	299	.....
Durham	368	189	186	167	2	.....	12	.....	5	3	.....	179	.....
Greensboro	305	162	155	133	2	.....	12	.....	8	5	2	143	.....
Raleigh	537	290	267	179	1	8	30	.....	49	6	17	247	.....
Wilmington	538	213	198	158	5	7	12	.....	16	12	3	325	.....
Winston	352	166	163	124	1	1	16	1	20	.....	3	186	.....
OHIO.													
Registration cities (total)	31,921	30,432	22,161	11,711	6,519	1,597	775	213	1,346	7,814	457	1,486	3
Akron	928	920	708	474	154	49	11	2	18	204	8	8	.....
Alliance	181	177	152	106	23	9	5	2	7	22	3	4	.....
Ashtabula	259	256	203	108	64	11	8	1	11	44	9	3	.....
Bellaire	189	181	144	89	35	11	4	.....	5	37	.....	8	.....
Cambridge	148	140	131	101	7	6	9	2	6	9	.....	8	.....
Canton	616	611	465	285	99	30	21	9	21	142	4	5	.....
Chillicothe	259	244	208	158	23	7	14	.....	6	33	3	15	.....
Cincinnati	6,319	5,750	3,933	1,928	1,287	340	96	60	222	1,776	41	569	.....
Cleveland	8,047	7,880	4,909	1,600	2,525	431	135	45	233	2,791	120	167	.....
Columbus	2,810	2,548	2,089	1,317	279	109	114	13	257	405	54	262	.....
Dayton	1,724	1,625	1,328	852	262	78	51	5	80	288	9	99	.....
East Liverpool	333	323	289	210	30	30	12	2	5	32	2	10	.....
Elyria	203	193	141	73	44	12	8	1	3	50	2	10	.....
Findlay	219	216	193	142	15	13	14	2	7	23	.....	3	.....
Hamilton	515	499	390	268	67	30	10	2	13	108	1	16	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
OHIO—continued.													
Ironton	196	179	162	122	15	3	11	3	8	14	3	17	
Lakewood	171	170	128	47	59	15	2	2	3	42		1	
Lancaster	142	140	126	91	10	4	5	1	15	13	1	2	
Lima	398	387	335	258	26	9	14	2	26	46	6	11	
Lorain	374	366	276	98	141	25	7	1	4	87	3	8	
Mansfield	288	287	232	150	44	13	7	1	17	54	1	1	
Marietta	164	161	142	91	15	12	9	3	12	16	3	2	1
Marion	232	232	198	143	23	10	8		14	32	2		
Massillon	160	158	122	69	32	15	3	2	1	34	2	2	
Middletown	164	156	132	92	17	4	6	1	12	22	2	8	
Newark	330	328	292	196	34	17	19	4	22	31	5	2	
Norwood	147	146	109	64	26	7	2	1	9	37		1	
Piqua	194	187	160	110	23	7	4	1	15	27		7	
Portsmouth	356	336	302	254	9	9	10	3	17	30	4	20	
Sandusky	268	266	165	87	57	12	4	1	4	93	8	2	
Springfield	623	543	465	349	32	22	24	3	35	68	10	78	2
Steubenville	404	386	297	152	94	16	11	2	22	85	4	18	
Tiffin	175	175	134	81	30	6	7	2	8	38	3		
Toledo	2,470	2,425	1,682	885	443	124	56	23	151	632	111	45	
Warren	156	155	129	88	20	7	6	1	7	25	1	1	
Youngstown	1,340	1,290	888	325	425	80	24	7	27	376	26	50	
Zanesville	419	396	342	248	30	14	24	3	23	48	6	23	
OREGON.[1]													
Portland	2,308	2,225	1,559	740	291	138	128	38	224	615	51	19	64
PENNSYLVANIA.													
Registration cities (total)	61,935	58,266	42,847	21,174	14,155	3,805	1,212	453	2,048	14,854	565	3,625	44
Allentown	877	877	775	573	157	16	14	5	10	101	1		
Altoona	659	655	564	429	71	31	15	5	13	91		4	
Beaver Falls	168	167	132	59	49	9	8	1	6	32	3	1	
Bethlehem	170	167	150	122	10	10	3		5	16	1	3	
Braddock	409	399	275	74	171	15	3	2	10	121	3	10	
Bradford	191	187	142	84	22	12	13	3	8	40	5	4	
Butler	319	318	277	132	111	23	5	1	5	41			1
Carbondale	327	325	219	95	75	32	10	1	6	104	2	2	
Carlisle	166	135	133	115	6	2	5	2	3	2		28	3
Carnegie	135	126	98	32	59	5	2			26	2	9	
Chambersburg	193	180	166	121	10	5	12	2	16	10	4	13	
Chester	649	542	408	214	132	32	12	5	13	132	2	107	
Coatesville	149	126	116	74	36	2	2		2	10		23	
Columbia	181	166	144	109	9	11	7	2	6	20	2	15	
Connellsville	204	190	141	119	15	6	1			46	3	14	
Dubois	145	145	110	58	36	10	4		2	35			
Dunmore	300	300	224	67	77	20	7	3	50	65	11		
Duquesne	196	195	152	32	104	14	1	1		42	1	1	
Easton	467	462	374	265	59	24	15	3	8	87	1	5	
Erie	986	980	679	274	241	71	13	7	73	294	7	6	
Greensburg	259	253	177	118	30	9	4		16	71	5	6	
Harrisburg	941	842	759	584	71	34	34	4	32	79	4	98	1
Hazleton	431	430	303	119	134	39	6	1	4	127		1	
Homestead	308	289	234	61	152	16	1	1	3	53	2	19	
Johnstown	927	915	657	329	222	61	11	12	22	255	3	12	
Lancaster	720	699	613	507	52	26	14		14	80	6	21	
Lebanon	326	326	296	238	21	8	20		9	26	4		
McKees Rocks	245	244	196	46	139	5	2	1	3	43	5	1	
McKeesport	855	836	602	228	308	53	5	6	2	227	7	18	1
Mahanoy City	277	277	196	60	97	17	4	10	8	79	2		
Meadville	176	174	139	94	20	16	4	2	3	35		2	
Monessen	153	146	125	34	75	10	2	3	1	21		7	
Mount Carmel	233	232	172	53	78	26	5	1	9	60		1	
Nanticoke	328	328	238	39	155	39	2	2	1	89	1		
New Castle	581	574	470	239	148	46	12	2	23	94	10	7	
Norristown	684	663	506	293	97	47	19	7	43	141	16	21	
North Braddock	160	153	114	34	65	9	3	1	2	39		7	
Oil City	196	190	156	109	28	3	7	1	8	34		6	
Old Forge	199	199	136	27	90	16	1	2		62	1		
Philadelphia	27,045	24,740	17,390	8,068	5,718	1,740	529	205	1,130	7,100	250	2,276	29
Phoenixville	209	204	164	80	70	7	4		3	37	3	5	
Pittsburgh	9,603	8,993	6,246	2,430	2,696	662	174	93	191	2,642	105	601	9
Pittston	279	279	185	59	96	21	3	1	5	94			
Plymouth	257	255	171	59	82	22	4	1	3	84		2	
Pottstown	234	228	197	139	33	13	7		5	28	3	6	

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
PENNSYLVANIA—continued.													
Pottsville	380	376	297	196	55	23	5	4	14	77	2	4	.....
Reading	1,475	1,454	1,312	1,070	177	37	14	1	13	132	10	21	.....
Scranton	2,140	2,127	1,364	504	664	137	12	10	37	743	20	13	.....
Shamokin	269	267	221	149	50	15	1	2	4	46	.....	2	.....
Sharon	253	250	179	85	54	25	10	.....	5	69	2	3	.....
Shenandoah	439	439	343	61	237	28	2	4	11	94	2	.....	.....
South Bethlehem	334	332	265	82	153	9	4	.....	17	66	1	2	.....
South Sharon	164	161	116	19	84	10	.....	3	.....	44	1	3	.....
Steelton	217	191	160	77	72	7	1	1	2	31	.....	26	.....
Sunbury	188	188	174	136	5	7	12	1	13	8	6	.....	.....
Uniontown	246	218	159	82	23	13	11	1	29	42	17	28	.....
Warren	149	149	118	61	22	19	7	1	8	29	2	.....	.....
Washington	299	260	219	161	26	11	8	1	12	40	1	39	.....
West Chester	231	188	153	107	15	7	15	1	8	33	2	43	.....
Wilkes-Barro	1,117	1,107	741	310	283	93	26	8	21	354	12	10	.....
Wilkinsburg	284	265	224	138	44	18	8	2	14	38	3	19	.....
Williamsport	490	464	409	273	36	36	21	5	38	51	4	26	.....
York	743	719	672	568	28	15	26	9	26	42	5	24	.....
RHODE ISLAND.													
Registration cities (total)	7,571	7,357	4,879	1,964	2,073	604	73	32	133	2,439	39	208	6
Central Falls	358	358	243	53	143	43	.....	2	2	115	.....	.....	.....
Cranston	229	228	171	97	55	16	.....	.....	3	53	4	1	.....
State institutions	312	296	151	62	40	15	4	3	27	138	7	16	.....
Cumberland town	141	141	82	32	37	11	1	.....	1	59	.....	.....	.....
East Providence town	233	218	167	92	50	13	6	.....	6	51	.....	15	.....
Newport	383	355	240	124	64	24	1	2	25	111	4	27	1
Pawtucket	826	820	489	197	211	65	8	2	6	329	2	6	.....
Providence	3,980	3,837	2,553	1,051	1,084	296	48	20	54	1,264	20	139	4
Warwick town	483	480	347	142	148	42	4	3	8	131	2	3	.....
Woonsocket	626	624	436	114	241	79	1	.....	1	188	.....	1	1
SOUTH CAROLINA.[1]													
Charleston	1,748	526	403	226	37	25	18	5	92	99	24	1,221	1
TENNESSEE.[1]													
Registration cities (total)	5,516	2,871	2,521	1,873	143	77	130	10	288	263	87	2,645	.....
Knoxville	635	432	405	329	12	8	18	2	36	26	1	203	.....
Memphis	2,818	1,326	1,093	785	82	31	28	5	162	159	74	1,492	.....
Nashville	2,063	1,113	1,023	759	49	38	84	3	90	78	12	950	.....
TEXAS.[1]													
Registration cities (total)	2,750	2,334	1,640	752	412	221	79	21	155	659	35	416	.....
Galveston	600	417	248	121	52	35	10	4	26	156	13	183	.....
San Antonio	2,150	1,917	1,392	631	360	186	69	17	129	503	22	233	.....
UTAH.													
Registration cities (total)	1,553	1,502	964	461	215	149	38	24	77	474	64	27	24
Ogden	293	279	191	97	41	32	9	4	8	77	11	5	9
Salt Lake City	1,260	1,223	773	364	174	117	29	20	69	397	53	22	15
VERMONT.													
Registration cities (total)	774	771	595	307	113	52	68	10	45	171	5	3	.....
Barre	150	150	91	44	32	10	4	.....	1	59	.....	.....	.....
Burlington	397	395	319	151	46	31	55	6	30	72	4	2	.....
Rutland	227	226	185	112	35	11	9	4	14	40	1	1	.....
VIRGINIA.[1]													
Registration cities (total)	6,193	3,086	2,837	2,001	120	70	124	4	518	208	41	3,104	3
Alexandria	327	189	182	.....	.....	.....	.....	.....	[2] 182	7	.....	138	.....
Danville	388	221	215	158	2	2	17	.....	36	4	2	167	.....
Lynchburg	473	242	228	161	5	1	10	.....	51	10	4	231	.....
Norfolk	1,477	700	626	503	36	22	23	2	40	61	13	775	2
Petersburg	641	264	253	238	3	5	.....	.....	7	8	3	377	.....
Richmond	2,887	1,470	1,333	941	74	40	74	2	202	118	19	1,416	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Certificate of death fails to provide for statement of nativity of parents.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Native.	Foreign born.				
REGISTRATION CITIES—Contd.												
WASHINGTON.												
Registration cities (total)	5,803	5,632	3,778	1,747	776	383	272	76	524	1,522	332	62	109
Aberdeen	121	120	71	31	25	3	4	1	7	43	6	1	.....
Bellingham	231	228	145	73	32	13	11	2	14	74	9	1	2
Everett	279	275	184	77	33	17	13	3	41	73	18	2	2
North Yakima	257	247	185	95	18	16	23	3	30	45	17	5	5
Seattle	2,408	2,304	1,468	662	299	155	120	44	188	689	147	32	72
Spokane	1,375	1,353	959	462	191	101	45	13	147	304	90	12	10
Tacoma	928	905	601	264	159	68	32	9	69	264	40	9	14
Walla Walla	204	200	165	83	19	10	24	1	28	30	5	.....	4
WEST VIRGINIA.[1]													
Wheeling	731	700	524	313	137	41	15	3	15	170	6	31	.....
WISCONSIN.													
Registration cities (total)	10,319	10,274	6,307	2,092	2,680	981	230	80	244	3,804	163	37	8
Appleton	263	262	151	66	52	25	4	1	3	109	2	1	.....
Ashland	228	226	97	17	50	17	2	1	10	116	13	.....	2
Beloit	173	168	126	71	28	7	5	3	12	40	2	5	.....
Eau Claire	276	274	157	72	41	24	8	3	9	114	3	2	.....
Fond du Lac	254	252	163	76	45	22	8	5	7	84	5	2	.....
Green Bay	448	447	321	110	66	51	54	7	33	119	7	1	.....
Janesville	194	194	127	71	27	13	5	.....	11	67	.....	.....	.....
Kenosha	268	268	184	62	93	24	1	2	2	80	4	.....	.....
La Crosse	435	432	254	98	90	36	9	7	14	163	15	2	1
Madison	309	308	192	88	64	22	4	3	11	114	2	.....	1
Manitowoc	166	166	84	35	37	10	1	.....	1	80	2	.....	.....
Marinette	178	176	110	32	56	21	.....	.....	1	59	7	.....	2
Milwaukee	5,205	5,186	3,245	925	1,545	539	114	38	84	1,893	48	19	.....
Oshkosh	373	372	212	86	72	38	7	2	7	155	5	1	.....
Racine	495	495	296	97	157	29	1	2	10	193	6	.....	.....
Sheboygan	351	351	184	52	95	29	3	.....	5	163	4	.....	.....
Superior	466	460	246	62	113	48	3	4	16	179	35	4	2
Wausau	237	237	158	72	49	26	1	2	8	76	3	.....	.....
RURAL PART OF REGISTRATION STATES.[2]													
CALIFORNIA.													
Total	13,792	13,107	8,989	2,932	1,402	778	614	171	2,092	3,657	461	126	559
Alameda County	593	552	315	123	101	47	9	8	27	226	11	13	28
Alpine County	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1
Amador County	118	111	63	26	11	9	6	4	7	47	1	.....	7
Butte County	386	362	275	122	15	18	29	2	89	74	13	4	20
Calaveras County	116	111	55	17	11	6	7	2	12	53	3	1	4
Colusa County	100	94	70	40	7	4	4	1	14	21	3	1	5
Contra Costa County	355	351	192	61	48	22	13	6	42	135	24	1	3
Del Norte County	11	11	5	2	.....	.....	.....	.....	3	6	.....	.....	.....
Eldorado County	107	100	65	22	8	8	7	1	19	30	5	1	6
Fresno County	549	494	357	166	79	12	27	13	60	125	12	10	45
Glenn County	55	55	42	22	2	3	1	1	13	10	3	.....	.....
Humboldt County	151	137	89	41	15	9	5	4	15	44	4	.....	14
Imperial County	66	65	45	21	4	5	7	.....	8	5	15	.....	1
Inyo County	29	28	18	9	2	.....	1	.....	6	9	1	.....	1
Kern County	225	223	151	69	17	6	12	5	42	44	28	.....	2
Kings County	192	173	148	74	23	5	12	1	33	22	3	3	16
Lake County	82	68	55	21	6	1	7	1	19	11	2	.....	14
Lassen County	22	22	14	11	.....	.....	1	.....	2	7	1	.....	.....
Los Angeles County	1,740	1,699	1,350	618	144	106	90	23	369	305	44	18	23
Madera County	87	83	50	31	6	6	2	.....	5	30	3	1	3
Marin County	256	249	151	49	40	17	7	4	34	94	4	1	6
Mariposa County	32	30	16	6	1	1	1	.....	7	13	1	.....	2
Mendocino County	334	324	200	79	38	15	5	3	60	110	14	3	7
Merced County	133	132	85	29	28	11	3	1	13	40	7	1	.....
Modoc County	37	36	32	21	2	1	2	.....	6	1	3	.....	1
Mono County	2	2	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Monterey County	288	264	192	88	36	30	8	3	27	70	2	4	20
Napa County	462	450	270	88	23	14	11	7	127	164	16	8	4
Nevada County	221	207	121	45	20	8	8	2	38	77	9	1	13
Orange County	395	390	299	159	46	24	26	7	37	81	10	2	3
Placer County	249	235	139	44	32	7	10	2	44	80	16	1	13
Plumas County	37	35	19	11	3	1	1	.....	3	11	5	.....	2
Riverside County	196	191	144	85	18	13	7	2	19	39	8	1	4
Sacramento County	405	340	213	45	27	19	16	3	103	118	9	4	61
San Benito County	104	101	78	28	15	16	8	3	8	19	4	.....	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Native.	Foreign born.				
RURAL PART OF REGISTRATION STATES[1]—Continued.												
CALIFORNIA—continued.												
San Bernardino County	509	493	341	147	40	21	27	14	92	135	17	5	11
San Diego County	189	189	145	79	7	13	22	6	18	42	2	.....	.....
San Joaquin County	442	406	254	106	40	14	13	1	80	126	26	6	30
San Luis Obispo County	237	230	164	82	19	19	10	3	31	62	4	4	3
San Mateo County	304	294	174	48	68	35	5	.....	18	112	8	3	7
Santa Barbara County	145	142	121	79	11	13	7	.....	11	21	.....	.....	3
Santa Clara County	791	755	482	195	99	57	31	3	97	266	7	5	31
Santa Cruz County	179	172	107	56	18	8	9	.....	16	62	3	.....	7
Shasta County	256	239	165	73	15	17	14	1	45	61	13	.....	17
Sierra County	38	36	20	7	5	1	1	1	5	14	2	.....	2
Siskiyou County	195	186	136	67	22	9	8	2	28	43	7	1	8
Solano County	179	165	96	34	24	10	10	4	14	61	8	2	12
Sonoma County	658	635	438	202	77	42	37	6	74	187	10	3	20
Stanislaus County	234	230	170	67	18	10	9	6	60	52	8	1	3
Sutter County	64	62	44	18	6	3	4	2	11	14	4	.....	2
Tehama County	174	156	106	48	8	9	8	1	32	40	10	2	16
Trinity County	58	49	34	11	5	4	3	.....	11	8	7	.....	9
Tulare County	327	319	250	154	24	12	16	4	40	52	17	2	6
Tuolumne County	133	125	73	24	13	7	6	1	22	49	3	1	7
Ventura County	208	196	139	72	27	13	9	1	17	52	5	4	8
Yolo County	184	176	120	57	17	9	8	.....	29	45	11	3	5
Yuba County	151	126	89	32	11	7	4	6	29	32	5	5	20
COLORADO.													
Total	6,364	6,236	4,610	2,681	722	321	297	65	524	1,439	187	93	35
Adams County	82	80	54	26	14	4	1	1	8	23	3	2	.....
Arapahoe County	122	118	75	40	11	8	6	1	9	39	4	4	.....
Archuleta County	35	35	33	29	.....	2	.....	1	1	2	.....	.....	.....
Baca County	30	30	30	20	1	3	.....	.....	6	.....	.....	.....	.....
Bent County	66	65	56	26	3	1	2	.....	24	4	5	1	.....
Boulder County	400	394	315	195	41	27	23	6	23	76	3	5	1
Chaffee County	124	123	87	41	15	6	4	3	18	30	6	1	.....
Cheyenne County	7	7	6	5	1	.....	.....	.....	.....	1	.....	.....	.....
Clear Creek County	79	79	49	18	15	8	2	1	5	28	2	.....	.....
Conejos County	105	104	93	68	7	7	7	.....	4	10	1	1	.....
Costilla County	5	5	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
Custer County	22	22	14	8	4	.....	1	.....	1	7	1	.....	.....
Delta County	127	127	112	83	4	7	7	.....	11	12	3	.....	.....
Dolores County	4	4	2	2	.....	.....	.....	.....	.....	2	.....	.....	.....
Douglas County	24	24	17	9	1	1	4	.....	2	7	.....	.....	.....
Eagle County	28	28	18	10	2	3	.....	.....	3	7	3	.....	.....
El Paso County	229	227	182	123	23	11	12	1	12	45	.....	2	.....
Elbert County	33	32	22	12	2	2	.....	1	5	5	5	1	.....
Fremont County	247	238	175	87	35	7	14	3	29	57	6	8	1
Garfield County	161	160	113	56	23	11	6	3	14	44	3	1	.....
Gilpin County	67	66	40	11	14	9	1	.....	5	25	1	1	.....
Grand County	20	20	16	8	.....	2	5	.....	1	4	.....	.....	.....
Gunnison County	84	83	59	22	20	6	3	1	7	24	.....	1	.....
Hinsdale County	13	13	9	9	.....	.....	.....	.....	.....	4	.....	.....	.....
Huerfano County	237	226	172	121	21	5	17	1	7	47	7	10	1
Jackson County	11	11	10	8	.....	1	.....	.....	1	1	.....	.....	.....
Jefferson County	263	258	136	61	37	13	13	3	9	116	6	2	3
Kiowa County	33	33	27	18	3	.....	2	1	3	5	1	.....	.....
Kit Carson County	43	43	40	29	2	4	1	1	3	3	.....	.....	.....
La Plata County	123	120	87	38	9	12	15	2	11	26	7	2	1
Lake County	209	207	123	39	52	14	8	.....	10	78	6	2	.....
Larimer County	291	290	255	153	46	14	17	5	20	32	3	1	.....
Las Animas County	593	562	285	163	73	9	10	3	27	264	13	15	16
Lincoln County	39	39	32	18	5	2	2	1	4	6	1	.....	.....
Logan County	69	69	57	31	14	6	2	1	3	11	1	.....	.....
Mesa County	245	238	201	141	14	16	4	5	21	30	7	3	4
Mineral County	12	12	8	4	1	.....	.....	1	2	4	.....	.....	.....
Montezuma County	43	43	37	25	2	1	5	.....	4	4	2	.....	.....
Montrose County	112	112	98	65	4	3	6	1	19	12	2	.....	.....
Morgan County	88	87	72	46	11	7	5	.....	3	15	.....	1	.....
Otero County	276	266	231	159	20	7	26	4	15	25	10	6	4
Ouray County	51	51	28	13	.....	2	2	1	10	22	1	.....	.....
Park County	19	19	14	8	.....	2	2	1	1	4	1	.....	.....
Phillips County	29	29	26	16	1	5	1	.....	3	3	.....	.....	.....
Pitkin County	56	56	35	12	12	3	1	2	5	19	2	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Native.	Foreign born.				
RURAL PART OF REGISTRATION STATES[1]—Continued.												
COLORADO—continued.												
Prowers County	127	126	112	74	9	8	5	----	16	12	2	1	----
Pueblo County	298	287	169	73	30	7	9	2	48	82	36	11	----
Rio Blanco County	12	12	8	2	1	----	4	----	1	3	1	----	----
Rio Grande County	93	93	80	54	3	3	3	----	17	11	2	----	----
Routt County	55	52	45	30	4	4	3	----	4	5	2	2	1
Saguache County	37	37	34	30	2	----	----	----	2	3	----	----	----
San Juan County	56	56	31	11	9	4	2	----	5	20	5	----	----
San Miguel County	68	68	41	11	15	2	2	1	10	22	5	----	----
Sedgwick County	24	23	19	15	3	----	1	----	----	4	----	----	1
Summit County	28	28	21	7	4	2	----	1	7	5	2	----	----
Teller County	181	175	134	70	21	12	8	2	21	33	8	6	----
Washington County	41	39	37	26	8	2	----	1	----	2	----	2	----
Weld County	342	339	284	178	48	22	15	3	18	47	8	1	2
Yuma County	46	46	39	19	2	4	8	----	6	7	----	----	----
CONNECTICUT.													
Total	5,466	5,394	4,090	2,115	992	274	279	34	396	1,211	93	72	----
Fairfield County	775	762	597	316	115	26	41	5	94	153	12	13	----
Hartford County	1,094	1,079	799	383	228	60	48	10	70	262	18	15	----
Litchfield County	794	783	606	311	135	31	55	5	69	166	11	11	----
Middlesex County	375	372	290	180	58	15	19	2	16	81	1	3	----
New Haven County	748	732	553	253	192	36	31	5	36	166	13	16	----
New London County	732	722	563	322	117	32	39	4	49	143	16	10	----
Tolland County	331	331	232	114	58	16	18	1	25	92	7	----	----
Windham County	617	613	450	236	89	58	28	2	37	148	15	4	----
INDIANA.													
Total	23,980	23,539	21,460	15,861	1,055	744	1,641	169	1,990	1,878	201	440	1
Adams County	209	209	176	116	17	16	10	5	12	31	2	----	----
Allen County	277	277	218	148	26	9	14	3	18	49	10	----	----
Bartholomew County	329	322	305	213	15	8	28	2	39	16	1	7	----
Benton County	105	105	90	62	6	6	7	2	7	14	1	----	----
Blackford County	196	195	185	140	8	6	13	1	17	8	2	1	----
Boone County	310	310	298	242	4	3	18	2	29	11	1	----	----
Brown County	108	108	107	79	1	1	9	----	17	1	----	----	----
Carroll County	243	243	225	171	6	7	18	4	19	16	2	----	----
Cass County	276	276	244	158	3	4	22	1	56	18	14	----	----
Clark County	288	263	244	183	7	5	19	2	28	16	3	25	----
Clay County	404	393	342	257	22	15	19	1	28	48	3	11	----
Clinton County	303	301	294	241	5	2	22	1	23	7	----	2	----
Crawford County	151	150	146	117	2	1	13	----	13	3	1	1	----
Daviess County	335	333	311	242	20	7	28	1	13	16	6	2	----
Dearborn County	274	271	196	119	31	15	13	----	18	64	11	3	----
Decatur County	243	240	218	176	9	6	15	1	11	22	----	3	----
Dekalb County	328	328	302	210	18	16	17	3	38	23	3	----	----
Delaware County	274	270	264	208	3	12	18	----	23	6	----	4	----
Dubois County	191	190	155	113	18	9	3	4	8	35	----	1	----
Elkhart County	407	406	362	256	18	19	26	5	38	34	10	1	----
Fayette County	190	185	175	140	12	6	12	----	5	10	----	5	----
Floyd County	140	137	118	70	8	10	12	4	14	19	----	3	----
Fountain County	273	271	256	182	6	11	31	5	21	12	3	2	----
Franklin County	192	192	156	103	24	9	8	1	11	35	1	----	----
Fulton County	230	230	212	156	12	6	19	3	16	15	3	----	----
Gibson County	403	372	350	261	16	12	28	3	30	19	3	31	----
Grant County	526	500	448	338	4	9	27	----	70	43	9	26	----
Greene County	467	467	442	340	12	15	36	3	36	24	1	----	----
Hamilton County	360	350	345	261	8	9	25	2	40	4	1	10	----
Hancock County	251	248	241	196	11	9	10	3	12	7	----	3	----
Harrison County	228	221	200	150	11	14	13	----	12	20	1	7	----
Hendricks County	265	259	250	200	4	4	16	1	25	7	2	6	----
Henry County	427	414	401	321	3	13	34	----	30	12	1	13	----
Howard County	174	171	168	135	1	1	11	----	20	3	----	3	----
Huntington County	230	230	217	164	6	9	17	2	19	13	----	----	----
Jackson County	351	350	317	227	22	13	30	4	21	31	2	1	----
Jasper County	119	119	101	70	4	4	8	----	15	18	----	----	----
Jay County	324	322	303	252	5	8	19	3	16	18	1	2	----
Jefferson County	356	341	307	208	34	8	18	4	35	30	4	15	----
Jennings County	182	177	160	123	10	6	7	1	13	17	----	5	----
Johnson County	286	271	264	203	5	4	26	3	23	7	----	15	----
Knox County	299	296	275	220	3	16	17	2	17	19	2	3	----
Kosciusko County	347	347	329	226	8	14	33	8	40	18	----	----	----
Lagrange County	199	199	190	140	2	10	16	1	21	9	----	----	----
Lake County	350	348	214	81	79	25	7	6	16	123	11	2	----

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES[1]—Continued.													
INDIANA—continued.													
Laporte County	176	176	116	75	13	12	7	1	8	57	3	.....	.....
Lawrence County	411	405	386	332	10	2	22	1	19	16	3	6	.....
Madison County	366	360	347	274	8	10	23	1	31	13	.....	6	.....
Marion County	408	374	325	233	23	16	25	7	21	44	5	33	1
Marshall County	307	306	267	168	16	14	20	4	45	33	6	1	.....
Martin County	144	144	140	115	3	2	10	.....	10	1	3	.....	.....
Miami County	223	222	201	146	8	5	22	1	19	15	6	1	.....
Monroe County	335	327	316	252	4	6	23	2	29	9	2	8	.....
Montgomery County	383	370	353	275	5	8	31	2	32	17	.....	13	.....
Morgan County	312	311	299	208	2	7	34	.....	48	8	4	1	.....
Newton County	109	109	95	70	4	3	9	2	7	14	.....	.....	.....
Noble County	266	266	225	146	12	13	29	3	22	35	6	.....	.....
Ohio County	44	41	35	17	4	3	4	1	6	6	.....	3	.....
Orange County	198	191	189	160	2	1	10	.....	16	.....	2	7	.....
Owen County	162	161	157	126	3	2	13	.....	13	3	1	1	.....
Parke County	255	252	234	194	9	1	14	1	15	17	1	3	.....
Perry County	217	213	183	126	24	10	11	1	11	30	.....	4	.....
Pike County	278	277	275	219	4	8	29	.....	15	2	.....	1	.....
Porter County	264	264	190	108	24	20	22	3	13	72	2	.....	.....
Posey County	284	260	234	171	19	8	16	1	19	23	3	24	.....
Pulaski County	145	145	114	77	9	9	12	.....	7	28	3	.....	.....
Putnam County	250	243	238	197	6	2	23	2	8	5	.....	7	.....
Randolph County	371	367	354	289	9	4	17	2	33	11	2	4	.....
Ripley County	246	245	191	128	21	11	15	1	15	52	2	1	.....
Rush County	234	226	217	179	7	5	9	2	15	7	2	8	.....
St. Joseph County	244	243	195	128	11	8	12	3	33	47	1	1	.....
Scott County	117	117	112	92	2	2	10	.....	6	5	.....	.....	.....
Shelby County	341	332	313	252	9	7	21	1	23	18	1	9	.....
Spencer County	266	253	230	169	16	6	19	2	18	23	.....	13	.....
Starke County	128	128	104	58	15	9	11	.....	11	24	.....	.....	.....
Steuben County	160	160	151	107	4	3	18	3	16	9	.....	.....	.....
Sullivan County	386	384	359	261	16	6	39	2	35	22	3	2	.....
Switzerland County	138	137	134	101	8	6	13	1	5	3	.....	1	.....
Tippecanoe County	253	249	229	146	22	7	14	2	38	17	3	4	.....
Tipton County	207	207	200	153	2	1	19	1	24	7	.....	.....	.....
Union County	85	83	77	59	1	1	7	.....	9	6	.....	2	.....
Vanderburg County	233	209	166	75	28	8	11	3	41	39	4	24	.....
Vermilion County	255	252	234	164	31	6	14	2	17	15	3	3	.....
Vigo County	378	361	323	231	26	15	22	.....	29	37	1	17	.....
Wabash County	335	330	302	234	12	6	29	3	18	27	1	5	.....
Warren County	136	136	126	90	6	3	6	1	20	10	.....	.....	.....
Warrick County	274	270	251	194	6	9	31	.....	11	19	.....	4	.....
Washington County	223	223	220	185	3	4	18	.....	10	3	.....	.....	.....
Wayne County	362	352	320	208	12	15	27	.....	58	25	7	10	.....
Wells County	295	295	281	212	12	14	15	2	26	9	5	.....	.....
White County	167	167	156	118	7	7	7	3	14	10	1	.....	.....
Whitley County	189	189	175	121	8	7	16	5	18	14	.....	.....	.....
MAINE.													
Total	9,346	9,334	8,244	6,246	654	737	235	15	357	1,018	72	9	3
Androscoggin County	341	341	298	245	23	22	4	.....	4	41	2	.....	.....
Aroostook County	1,068	1,068	823	460	139	179	18	7	20	234	11	.....	.....
Cumberland County	875	873	772	606	64	64	18	.....	20	97	4	2	.....
Franklin County	264	264	246	201	21	10	5	.....	9	16	2	.....	.....
Hancock County	572	572	538	451	15	20	16	.....	36	33	1	.....	.....
Kennebec County	655	653	611	500	23	43	23	.....	22	35	7	2	.....
Knox County	488	484	438	373	20	15	10	1	19	44	2	4	.....
Lincoln County	311	311	298	260	7	11	9	.....	11	13	.....	.....	.....
Oxford County	606	606	561	438	43	45	8	.....	27	41	4	.....	.....
Penobscot County	917	914	800	563	88	76	34	.....	39	101	13	.....	3
Piscataquis County	284	284	253	166	14	18	8	2	45	29	2	.....	.....
Sagadahoc County	329	329	289	228	14	22	11	.....	14	39	1	.....	.....
Somerset County	604	604	534	387	51	44	26	1	25	60	10	.....	.....
Waldo County	424	423	408	363	6	9	12	1	17	14	1	1	.....
Washington County	660	660	533	354	45	106	8	1	19	125	2	.....	.....
York County	948	948	842	651	81	53	25	2	30	96	10	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, and Japanese.
		Total.	Native.									
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.	Foreign born.	Nativity unknown.	
							Native.	Foreign born.				
RURAL PART OF REGISTRATION STATES [1]—Continued.												
MARYLAND.												
Total	9,115	6,489	5,822	4,424	344	263	271	31	489	572	95	2,626	.....
Allegany County	337	327	251	158	41	28	10	2	12	74	2	10	.....
Anne Arundel County	724	370	320	199	53	27	11	3	27	42	8	354	.....
Baltimore County	1,823	1,598	1,302	852	154	110	34	12	140	269	27	225	.....
Calvert County	161	75	73	60	2	.....	4	.....	7	.....	2	86	.....
Caroline County	266	176	171	142	2	5	6	.....	16	4	1	90	.....
Carroll County	465	429	400	292	10	8	22	5	63	21	8	36	.....
Cecil County	357	276	255	192	11	10	21	3	18	15	6	81	.....
Charles County	247	104	101	86	1	.....	7	.....	7	2	1	143	.....
Dorchester County	413	213	201	171	3	2	15	.....	10	10	2	200	.....
Frederick County	496	416	398	350	6	10	15	.....	17	14	4	80	.....
Garrett County	170	170	153	112	11	3	9	.....	18	13	4	.....	.....
Harford County	351	267	233	179	13	8	12	1	20	32	2	84	.....
Howard County	224	152	128	99	6	10	7	1	5	20	4	72	.....
Kent County	295	164	157	132	1	1	14	.....	9	6	1	131	.....
Montgomery County	344	220	207	173	6	7	4	.....	17	10	3	124	.....
Prince Georges County	506	281	261	196	14	14	9	1	27	16	4	225	.....
Queen Annes County	284	152	146	128	3	1	9	.....	5	4	2	132	.....
St. Marys County	63	35	34	28	.....	1	2	.....	3	1	.....	28	.....
Somerset County	334	161	159	138	.....	1	9	.....	11	.....	2	173	.....
Talbot County	288	143	135	111	2	6	8	.....	8	6	2	145	.....
Washington County	424	398	388	325	2	10	20	2	29	5	5	26	.....
Wicomico County	291	214	206	180	2	.....	15	1	8	4	4	77	.....
Worcester County	252	148	143	121	1	1	8	.....	12	4	1	104	.....
MASSACHUSETTS.													
Total	12,305	12,181	9,110	5,284	1,895	777	488	77	589	2,990	81	112	12
Barnstable County	497	488	438	321	36	25	28	1	27	49	1	5	4
Berkshire County	581	572	442	256	75	23	33	4	51	127	3	9	.....
Bristol County	821	817	664	404	161	54	20	1	24	149	4	4	.....
Dukes County	87	86	75	60	1	2	7	1	4	7	4	1	.....
Essex County	1,515	1,508	1,123	699	188	119	52	5	60	376	9	7	.....
Franklin County	529	529	440	288	60	21	35	3	33	83	6	.....	.....
Hampden County	696	693	532	247	170	56	29	12	18	155	6	3	.....
Hampshire County	626	625	487	236	150	33	30	2	36	133	5	.....	1
Middlesex County	2,275	2,230	1,408	749	320	121	87	20	111	812	10	40	5
Nantucket County	60	59	55	47	3	4	.....	.....	1	3	1	1	.....
Norfolk County	1,332	1,325	961	553	216	84	37	9	62	351	13	6	1
Plymouth County	1,189	1,157	896	578	139	79	40	8	52	256	5	31	1
Worcester County	2,097	2,092	1,589	846	376	156	90	11	110	489	14	5	.....
MICHIGAN.													
Total	23,519	23,154	17,107	9,597	3,044	1,976	994	191	1,305	5,800	247	172	193
Alcona County	55	53	31	16	3	8	2	1	1	21	1	.....	2
Alger County	107	106	79	21	36	21	.....	.....	1	25	2	1	.....
Allegan County	555	537	415	234	48	52	30	6	45	117	5	14	4
Alpena County	80	79	53	15	17	17	.....	1	3	26	.....	1	.....
Antrim County	187	181	139	92	8	21	7	2	9	36	6	1	5
Arenac County	97	92	62	28	7	15	8	.....	4	28	2	.....	5
Baraga County	62	50	21	5	10	3	.....	1	2	25	4	.....	12
Barry County	299	299	246	152	13	15	28	6	32	49	4	.....	.....
Bay County	238	229	148	71	49	23	1	1	3	79	2	.....	9
Benzie County	128	122	103	67	5	16	5	.....	10	18	1	.....	6
Berrien County	701	682	526	311	72	49	34	6	54	142	14	19	.....
Branch County	383	383	361	253	18	20	33	.....	37	17	5	.....	.....
Calhoun County	441	438	366	244	37	26	22	3	34	68	4	1	2
Cass County	304	274	242	166	7	12	28	2	27	25	7	29	1
Charlevoix County	221	213	161	95	22	23	12	1	8	51	1	.....	8
Cheboygan County	234	229	158	72	34	35	5	4	8	65	6	1	4
Chippewa County	108	97	60	11	28	16	2	1	2	36	1	.....	11
Clare County	107	107	82	55	9	4	5	1	8	22	3	.....	.....
Clinton County	307	307	251	169	17	23	20	2	20	51	5	.....	.....
Crawford County	54	54	36	21	9	4	1	.....	1	14	4	.....	.....
Delta County	195	192	114	43	44	22	2	1	2	70	8	.....	3
Dickinson County	230	228	160	19	105	34	.....	.....	2	66	2	1	1
Eaton County	440	438	389	272	17	30	17	3	50	43	6	2	.....
Emmet County	231	198	159	97	23	20	8	2	9	39	.....	1	32
Genesee County	403	403	329	227	27	28	17	4	26	71	3	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Native.	Foreign born.				
RURAL PART OF REGISTRATION STATES [1]—Continued.												
MICHIGAN—continued.												
Gladwin County	85	83	66	38	9	10	4	.....	5	16	1	2	.....
Gogebic County	187	187	126	9	103	11	1	.....	2	57	4	.....	.....
Grand Traverse County	155	154	122	79	7	16	10	1	9	32	.....	1	.....
Gratiot County	354	353	310	217	18	21	18	2	34	42	1	1	.....
Hillsdale County	442	442	397	289	17	24	33	3	31	44	1	.....	.....
Houghton County	1,127	1,126	691	110	466	98	3	4	10	433	2	.....	1
Huron County	375	375	198	79	63	43	2	1	10	175	2	.....	.....
Ingham County	296	296	256	176	19	20	23	3	15	35	5	.....	.....
Ionia County	436	436	367	234	36	29	27	7	34	66	3	.....	.....
Iosco County	119	119	69	35	14	19	.....	.....	1	48	2	.....	.....
Iron County	193	193	118	20	79	17	1	.....	1	75	.....	.....	.....
Isabella County	263	237	179	116	7	18	19	1	18	56	2	2	24
Jackson County	334	333	290	187	22	27	29	2	23	39	4	1	.....
Kalamazoo County	301	300	254	179	25	15	12	2	21	44	2	1	.....
Kalkaska County	128	123	111	77	6	12	3	1	12	12	.....	.....	5
Kent County	730	725	539	323	65	37	51	6	57	180	6	5	.....
Keweenaw County	97	97	68	13	41	10	1	2	1	29	.....	.....	.....
Lake County	47	46	36	25	.....	2	3	1	5	9	1	.....	1
Lapeer County	442	441	319	185	46	39	22	6	21	115	7	1	.....
Leelanau County	170	155	103	56	22	14	1	2	8	52	.....	1	14
Lenawee County	538	535	458	321	34	34	40	5	24	75	2	3	.....
Livingston County	237	236	189	125	16	18	12	.....	18	45	2	1	.....
Luce County	109	107	48	13	26	5	2	.....	2	56	3	1	1
Mackinac County	130	122	80	37	18	20	.....	2	3	40	2	1	7
Macomb County	497	495	325	195	65	36	16	3	10	166	4	2	.....
Manistee County	161	158	111	54	30	15	4	2	6	46	1	1	2
Marquette County	278	277	142	27	93	19	2	1	.....	133	2	.....	1
Mason County	253	244	175	74	48	24	16	1	12	65	4	.....	9
Mecosta County	252	250	186	108	23	18	14	2	21	56	8	2	.....
Menominee County	152	150	95	35	46	12	.....	.....	2	53	2	1	1
Midland County	197	196	153	97	11	24	7	.....	14	41	2	1	.....
Missaukee County	114	111	86	38	9	19	6	1	13	25	.....	.....	3
Monroe County	422	421	328	210	53	32	13	3	17	84	9	1	.....
Montcalm County	446	444	354	231	25	29	27	3	39	86	4	2	.....
Montmorency County	49	49	33	15	10	.....	2	2	4	14	2	.....	.....
Muskegon County	214	214	129	69	23	10	6	2	19	80	5	.....	.....
Newaygo County	210	209	168	98	19	16	8	3	24	37	4	1	.....
Oakland County	535	535	417	262	48	39	27	5	36	114	4	.....	.....
Oceana County	206	199	155	90	7	23	16	3	16	41	3	.....	7
Ogemaw County	70	70	43	19	6	9	3	1	5	26	1	.....	.....
Ontonagon County	91	91	51	21	20	6	1	.....	3	39	1	.....	.....
Osceola County	203	202	155	91	16	12	10	2	24	46	1	1	.....
Oscoda County	23	23	19	11	1	3	3	.....	1	4	.....	.....	.....
Otsego County	79	79	64	32	16	12	2	1	1	15	.....	.....	.....
Ottawa County	398	397	236	121	57	39	8	2	9	158	3	1	.....
Presque Isle County	149	149	100	48	22	19	4	1	6	48	1	.....	.....
Roscommon County	21	21	14	7	3	2	1	.....	1	7	.....	.....	.....
Saginaw County	490	483	312	150	60	55	16	7	24	167	4	3	4
St. Clair County	432	432	240	113	56	45	12	3	11	188	4	.....	.....
St. Joseph County	374	373	320	241	18	15	16	5	25	52	1	1	.....
Sanilac County	374	374	206	88	48	63	.....	2	5	165	3	.....	.....
Schoolcraft County	107	105	69	32	15	12	3	1	6	34	2	.....	2
Shiawassee County	471	470	374	229	30	29	34	7	35	93	3	1	.....
Tuscola County	443	440	312	178	47	49	17	3	18	125	3	1	2
Van Buren County	464	448	392	244	22	32	31	6	57	51	5	13	3
Washtenaw County	447	430	321	213	47	27	20	2	12	107	2	17	.....
Wayne County	1,168	1,139	719	307	206	107	36	13	50	413	7	29	.....
Wexford County	267	264	218	150	20	18	9	5	16	42	4	2	1
MINNESOTA.													
Total	14,456	14,400	8,313	3,178	3,005	1,423	246	78	383	5,851	236	18	38
Aitkin County	89	88	57	21	26	5	.....	1	4	31	.....	1	.....
Anoka County	155	154	88	39	24	10	5	2	8	60	6	1	.....
Becker County	176	173	110	32	38	36	.....	.....	4	61	2	.....	3
Beltrami County	265	265	177	68	56	38	4	4	7	73	15	.....	.....
Benton County	114	114	80	27	29	20	3	1	.....	33	1	.....	.....
Big Stone County	87	86	56	23	18	13	.....	1	1	29	1	1	.....
Blue Earth County	172	172	99	44	25	7	3	4	16	71	2	.....	.....
Brown County	218	218	117	45	39	29	1	1	2	98	3	.....	.....
Carlton County	182	167	95	30	50	13	2	.....	.....	68	4	.....	15
Carver County	172	172	84	44	24	14	.....	1	1	87	1	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES [1]—Continued.													
MINNESOTA—continued.													
Cass County	79	79	58	25	17	8	2	2	4	18	3	.....	.....
Chippewa County	122	122	63	21	22	12	4	.....	4	56	3	.....	.....
Chisago County	167	167	65	21	24	13	.....	1	1	102	.....	.....	.....
Clay County	166	165	92	23	37	22	1	1	8	69	4	1	.....
Clearwater County	88	88	61	18	28	13	1	.....	1	27	.....	.....	.....
Cook County	9	9	3	.....	1	1	.....	.....	1	4	2	.....	.....
Cottonwood County	114	114	77	27	28	20	2	.....	.....	37	.....	.....	.....
Crow Wing County	241	240	142	63	39	16	9	3	12	73	25	1	.....
Dakota County	255	255	152	46	62	29	5	4	6	94	9	.....	.....
Dodge County	113	113	78	37	18	10	4	.....	9	33	2	.....	.....
Douglas County	177	175	85	32	33	14	1	1	4	90	.....	.....	2
Faribault County	199	199	129	69	31	10	8	2	9	70	.....	.....	.....
Fillmore County	266	266	159	74	38	23	11	2	11	106	1	.....	.....
Freeborn County	223	223	132	69	32	22	7	.....	2	90	1	.....	.....
Goodhue County	350	349	177	82	51	31	6	1	6	169	3	1	.....
Grant County	95	95	54	16	21	14	1	.....	2	40	1	.....	.....
Hennepin County	254	253	165	81	47	23	8	1	5	85	3	.....	1
Houston County	138	138	59	27	19	8	3	.....	2	79	.....	.....	.....
Hubbard County	93	93	80	49	14	9	6	.....	2	9	4	.....	.....
Isanti County	157	157	75	19	32	20	1	.....	3	82	.....	.....	.....
Itasca County	187	184	100	36	42	15	2	.....	5	66	18	2	1
Jackson County	162	162	100	47	34	14	3	.....	2	61	1	.....	.....
Kanabec County	65	65	31	8	17	4	1	.....	1	33	1	.....	.....
Kandiyohi County	174	174	83	33	30	15	.....	1	4	90	1	.....	.....
Kittson County	70	70	33	2	24	6	1	.....	.....	36	1	.....	.....
Koochiching County	61	61	37	12	10	10	4	.....	1	16	8	.....	.....
Lac qui Parle County	124	124	74	16	35	23	.....	.....	.....	50	.....	.....	.....
Lake County	114	112	51	9	28	9	.....	.....	5	59	2	.....	2
Le Sueur County	195	195	114	70	25	10	6	1	2	81	.....	.....	.....
Lincoln County	70	70	36	13	15	6	1	.....	1	34	.....	.....	.....
Lyon County	149	149	100	48	34	11	4	.....	3	48	1	.....	.....
McLeod County	176	176	80	37	20	14	1	2	6	96	.....	.....	.....
Mahnomen County	13	10	10	7	3	.....	.....	.....	.....	.....	.....	.....	3
Marshall County	187	187	92	18	56	15	1	.....	2	95	.....	.....	.....
Martin County	135	135	95	46	21	16	5	1	6	38	2	.....	.....
Meeker County	170	170	81	33	33	14	.....	1	.....	89	.....	.....	.....
Mille Lacs County	89	89	56	28	18	7	.....	.....	3	33	.....	.....	.....
Morrison County	224	224	142	46	55	32	4	.....	5	82	.....	.....	.....
Mower County	201	201	135	59	36	24	5	2	9	65	1	.....	.....
Murray County	89	89	54	20	18	15	.....	1	.....	34	1	.....	.....
Nicollet County	189	189	94	34	41	11	.....	2	6	92	3	.....	.....
Nobles County	114	114	70	43	16	8	.....	1	2	44	.....	.....	.....
Norman County	110	110	62	16	28	17	1	.....	.....	48	.....	.....	.....
Olmsted County	505	505	304	131	66	36	16	7	48	179	22	.....	.....
Otter Tail County	641	639	314	104	136	51	9	2	12	321	4	1	1
Pine County	130	129	75	25	37	8	1	1	3	52	2	1	.....
Pipestone County	77	77	49	21	11	9	2	1	5	28	.....	.....	.....
Polk County	369	368	212	48	96	54	6	2	6	145	11	1	.....
Pope County	129	129	75	30	24	18	1	.....	2	53	1	.....	.....
Ramsey County	83	83	55	21	20	11	3	.....	.....	25	3	.....	.....
Red Lake County [2]	154	153	88	21	38	28	.....	.....	1	65	.....	1	.....
Redwood County	133	128	87	44	21	18	2	.....	2	40	1	3	2
Renville County	184	184	97	34	38	17	1	1	6	87	.....	.....	.....
Rice County	329	329	215	99	66	31	4	2	13	109	5	.....	.....
Rock County	79	79	56	18	24	11	2	1	.....	23	.....	.....	.....
Roseau County	100	100	63	18	30	11	1	.....	3	37	.....	.....	.....
St. Louis County	899	895	534	51	408	54	4	4	13	332	29	.....	4
Scott County	154	154	73	24	26	15	1	2	5	81	.....	.....	.....
Sherburne County	75	75	40	18	8	7	2	2	3	33	2	.....	.....
Sibley County	145	145	66	32	20	12	.....	.....	2	79	.....	.....	.....
Stearns County	352	351	218	85	57	54	12	5	5	129	4	1	.....
Steele County	158	158	89	36	27	12	5	1	8	67	2	.....	.....
Stevens County	83	83	48	14	18	15	.....	.....	1	34	1	.....	.....
Swift County	125	125	75	33	25	15	1	.....	1	50	.....	.....	.....
Todd County	203	203	145	82	27	18	11	.....	7	57	1	.....	.....
Traverse County	50	50	31	12	13	5	.....	.....	1	19	.....	.....	.....
Wabasha County	207	204	100	49	21	10	6	.....	14	101	3	2	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Including Pennington County, which was organized November 23, 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Native.	Foreign born.				
RURAL PART OF REGISTRATION STATES[1]—Continued.												
MINNESOTA—continued.												
Wadena County	84	84	59	29	18	9	2	.....	1	25	.....	.....
Waseca County	136	136	77	38	23	11	.....	.....	5	58	1	.....
Washington County	145	145	77	37	17	16	4	1	2	66	2	.....
Watonwan County	83	83	48	23	17	7	1	.....	.....	35	.....	.....
Wilkin County	100	100	55	22	17	11	2	.....	3	40	5	.....
Winona County	142	142	77	36	25	9	4	.....	3	65	.....	.....
Wright County	285	284	155	69	49	22	6	1	8	129	.....	1
Yellow Medicine County	113	111	57	21	20	14	.....	.....	2	53	1	2
MONTANA.												
Total	2,472	2,434	1,627	736	354	194	87	20	236	639	168	12	26
Beaverhead County	68	68	38	17	9	3	3	2	4	18	12	.....	.....
Broadwater County	39	39	25	12	1	5	3	.....	4	13	1	.....	.....
Carbon County	135	135	102	50	32	9	4	.....	7	32	1	.....	.....
Cascade County	100	100	59	10	32	9	.....	2	6	32	9	.....	.....
Chouteau County	127	120	80	41	15	7	8	2	7	26	14	2	5
Custer County	96	93	67	37	10	7	4	.....	9	19	7	2	1
Dawson County	111	111	81	40	11	8	3	3	16	22	8	.....	.....
Deer Lodge County	98	96	46	8	9	7	.....	.....	22	46	4	1	1
Fergus County	112	110	86	48	13	12	6	.....	7	15	9	.....	2
Flathead County	218	212	156	84	21	21	6	1	23	47	9	.....	6
Gallatin County	128	126	102	65	10	7	5	1	14	18	6	1	1
Granite County	26	26	14	7	1	4	.....	.....	2	11	1	.....	.....
Jefferson County	62	61	38	13	7	4	2	.....	12	14	9	.....	1
Lewis and Clark County	79	77	40	11	8	3	5	2	11	22	15	1	1
Lincoln County	41	40	29	13	4	9	.....	.....	3	4	7	.....	1
Madison County	69	69	53	18	8	7	6	1	13	15	1	.....	.....
Meagher County	25	25	15	9	.....	4	.....	.....	2	9	1	.....	.....
Missoula County	74	73	45	20	8	6	4	.....	7	24	4	.....	1
Park County	133	133	98	45	17	12	7	1	16	26	9	.....	.....
Powell County	56	52	31	14	5	6	1	.....	5	17	4	2	2
Ravalli County	95	94	79	50	7	2	7	1	12	13	2	1	.....
Rosebud County	24	24	17	12	1	.....	.....	.....	4	5	2	.....	.....
Sanders County	24	24	14	6	2	2	1	.....	3	5	5	.....	.....
Silver Bow County	280	277	135	22	88	14	5	2	4	135	7	2	1
Sweet Grass County	26	26	16	12	2	.....	1	.....	1	9	1	.....	.....
Teton County	53	52	41	18	6	6	2	1	8	10	1	.....	1
Valley County	70	69	50	22	7	10	3	1	7	11	8	.....	1
Yellowstone County	103	102	70	32	20	10	1	.....	7	21	11	.....	1
NEW HAMPSHIRE.													
Total	4,391	4,386	3,646	2,121	378	216	266	15	650	587	153	5	.....
Belknap County	203	203	175	109	9	5	11	.....	41	18	10	.....	.....
Carroll County	293	293	264	166	7	10	27	1	53	16	13	.....	.....
Cheshire County	358	358	302	169	51	15	17	.....	50	49	7	.....	.....
Coos County	259	258	208	89	25	25	19	1	49	40	10	1	.....
Grafton County	655	652	536	315	28	41	44	4	104	84	32	3	.....
Hillsborough County	566	566	460	285	46	21	35	1	72	88	18	.....	.....
Merrimack County	568	568	452	268	44	23	34	.....	83	91	25	.....	.....
Rockingham County	703	703	591	361	64	36	33	4	93	91	21	.....	.....
Strafford County	453	453	378	205	72	24	25	4	48	70	5	.....	.....
Sullivan County	333	332	230	154	32	16	21	.....	57	40	12	1	.....
NEW JERSEY.													
Total	12,974	12,283	9,524	6,369	1,935	614	233	63	340	2,618	141	690	1
Atlantic County	430	413	311	195	77	22	6	3	8	98	4	17	.....
Bergen County	1,383	1,325	896	453	282	116	14	10	21	413	16	58	.....
Burlington County	1,102	1,025	885	641	129	43	29	4	39	130	10	77	.....
Camden County	718	635	513	327	87	49	11	4	35	118	4	83	.....
Cape May County	294	269	241	196	22	10	4	1	8	23	5	25	.....
Cumberland County	417	379	304	224	39	14	9	1	17	68	7	38	.....
Essex County	667	633	468	252	151	39	8	4	14	160	5	34	.....
Gloucester County	494	440	373	293	37	20	8	2	13	63	4	54	.....
Hudson County	873	862	466	158	216	40	3	10	39	383	13	11	.....
Hunterdon County	489	483	441	388	25	10	8	.....	10	37	5	6	.....
Mercer County	379	348	293	239	23	7	7	3	14	53	2	31	.....
Middlesex County	754	738	539	243	223	45	4	9	5	196	13	16	.....
Monmouth County	1,006	918	759	608	67	35	20	4	25	140	19	88	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES[1]—Continued.													
NEW JERSEY—continued.													
Morris County	968	951	706	460	140	48	18	4	36	235	10	17	
Ocean County	327	316	289	242	24	18	3	1	1	27		10	1
Passaic County	414	412	297	148	107	24	5	2	11	111	4	2	
Salem County	357	310	283	245	5	6	19		8	27		47	
Somerset County	518	487	390	268	76	30	6		10	91	6	31	
Sussex County	374	372	317	251	42	8	7		9	48	7	2	
Union County	573	540	393	250	111	22	7		3	142	5	33	
Warren County	437	427	370	288	52	8	7	1	14	55	2	10	
NEW YORK.													
Total	37,395	36,866	29,383	19,202	4,268	2,052	1,391	239	2,231	7,032	451	486	43
Albany County	514	512	431	317	78	18	7	2	9	75	6	2	
Allegany County	622	619	557	389	35	20	45	4	64	57	5	3	
Broome County	542	539	495	353	29	19	50	3	41	37	7	3	
Cattaraugus County	716	705	575	373	53	37	36	6	70	118	12	7	4
Cayuga County	474	472	397	290	33	20	30	5	19	72	3	2	
Chautauqua County	853	849	683	451	79	41	44	4	64	158	8	1	3
Chemung County	311	306	273	210	23	7	16		17	25	8	5	
Chenango County	598	592	541	404	25	26	42	4	40	45	6	6	
Clinton County	499	494	380	249	63	38	10	8	12	113	1	5	
Columbia County	532	518	436	293	37	27	27	3	49	75	7	14	
Cortland County	310	310	280	188	16	8	21	2	45	27	3		
Delaware County	724	720	649	462	45	43	43	3	53	61	10	4	
Dutchess County	1,262	1,224	909	583	159	64	33	6	64	298	17	38	
Erie County	1,334	1,325	892	467	268	85	21	11	40	412	21	5	4
Essex County	547	547	453	280	79	31	27	7	29	88	6		
Franklin County	817	800	657	379	110	93	32	11	32	136	7	3	14
Fulton County	208	208	182	120	12	10	15	5	20	24	2		
Genesee County	391	388	292	199	50	14	8	5	16	92	4	2	1
Greene County	525	502	435	321	48	23	18	4	21	63	4	23	
Hamilton County	56	56	49	36	1	4	3		5	4	3		
Herkimer County	674	671	544	333	72	53	30	6	50	109	18	2	1
Jefferson County	885	880	751	484	81	79	36	6	65	124	5	4	1
Lewis County	373	373	296	211	32	25	5	1	22	76	1		
Livingston County	613	601	466	264	91	32	16	1	62	125	10	12	
Madison County	620	609	524	358	49	25	32	3	57	75	10	11	
Monroe County	845	842	611	366	128	61	20	8	28	223	8	3	
Montgomery County	447	443	365	270	41	14	16	2	22	64	14	4	
Nassau County	1,130	1,078	801	471	229	64	14	3	20	271	6	52	
Niagara County	392	383	266	152	52	28	11	2	21	111	6	2	7
Oneida County	831	828	634	357	138	58	33	3	45	189	5	2	1
Onondaga County	934	929	730	481	119	50	28	5	47	191	8	4	1
Ontario County	605	601	470	333	54	33	15	3	32	127	4	3	1
Orange County	1,221	1,185	940	642	156	54	30	6	52	233	12	35	1
Orleans County	500	496	366	224	58	33	17	2	32	128	2	4	
Oswego County	581	581	498	317	27	21	44	8	81	81	2		
Otsego County	844	841	760	573	38	31	49	7	62	64	17	3	
Putnam County	266	262	188	140	19	10	5	1	13	60	14	4	
Rensselaer County	527	523	431	275	66	38	26	1	25	87	5	4	
Rockland County	666	635	474	291	99	39	14	6	25	154	7	31	
St. Lawrence County	1,061	1,061	840	502	142	112	31	6	47	212	9		
Saratoga County	822	819	666	416	128	43	27	7	45	149	4	3	
Schenectady County	181	181	145	93	22	20	3	2	5	33	3		
Schoharie County	394	387	367	318	11	8	19	1	10	16	4	7	
Schuyler County	214	213	197	158	13	7	10	2	7	13	3	1	
Seneca County	564	562	422	294	49	16	18	3	42	130	10	1	1
Steuben County	1,054	1,044	896	553	58	22	45	7	211	121	27	10	
Suffolk County	2,050	1,973	1,249	700	294	106	25	15	109	705	19	75	2
Sullivan County	669	667	498	294	109	52	18	3	22	163	6	2	
Tioga County	395	393	352	249	14	14	37		38	31	10	2	
Tompkins County	303	302	283	232	8	13	11		19	14	5	1	
Ulster County	983	962	787	561	120	40	36	6	24	164	11	21	
Warren County	214	213	195	146	14	4	13	1	17	18			
Washington County	793	791	647	417	92	46	30	8	54	134	10	2	
Wayne County	765	762	605	406	73	54	38	1	33	151	6	3	
Westchester County	1,397	1,345	904	486	263	88	22	8	37	417	24	52	
Wyoming County	467	467	402	278	53	20	26	2	23	60	5		
Yates County	280	277	247	193	13	11	13		17	29	1	3	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES[1]—Continued.													
NORTH CAROLINA.[2]													
Total	3,677	2,167	2,131	1,860	16	22	113	2	118	12	24	1,510	.....
OHIO.													
Total	33,538	32,762	28,338	20,300	2,716	1,255	1,519	201	2,347	3,955	469	774	2
Adams County	266	266	251	199	6	2	22	.....	22	13	2	.....	.....
Allen County	310	310	266	211	16	10	16	2	11	38	6	.....	.....
Ashland County	278	278	260	193	10	13	19	3	22	14	4	.....	.....
Ashtabula County	600	599	535	361	53	23	29	9	60	56	8	1	.....
Athens County	729	707	577	418	32	15	28	2	82	38	92	22	.....
Auglaize County	385	384	320	230	41	19	7	2	21	61	3	1	.....
Belmont County	894	873	757	455	165	43	38	6	50	111	5	21	.....
Brown County	322	293	266	202	18	7	19	2	18	24	3	29	.....
Butler County	295	281	231	152	32	6	16	1	24	46	4	13	1
Carroll County	146	146	136	97	12	14	4	2	7	9	1	.....	.....
Champaign County	351	332	305	238	13	1	26	1	26	23	4	19	.....
Clark County	220	207	192	151	5	7	14	.....	15	14	1	13	.....
Clermont County	416	406	359	242	18	9	41	1	48	42	5	10	.....
Clinton County	271	259	249	212	4	7	10	2	14	8	2	12	.....
Columbiana County	728	715	611	457	58	38	22	6	30	102	2	13	.....
Coshocton County	392	391	353	262	27	21	24	4	15	37	1	1	.....
Crawford County	408	408	313	213	53	26	11	1	9	92	3	.....	.....
Cuyahoga County	813	804	518	279	158	43	14	6	18	279	7	9	.....
Darke County	518	514	474	369	28	13	28	3	33	35	5	4	.....
Defiance County	292	291	256	187	25	10	17	4	13	34	1	1	.....
Delaware County	335	325	294	241	8	11	15	1	18	29	2	9	1
Erie County	415	408	291	160	39	21	21	3	47	94	23	7	.....
Fairfield County	276	276	266	201	9	9	18	2	27	8	2	.....	.....
Fayette County	260	236	226	195	4	.....	15	.....	12	7	3	24	.....
Franklin County	536	500	433	311	40	14	27	3	38	59	8	36	.....
Fulton County	258	258	216	132	18	16	19	4	27	34	8	.....	.....
Gallia County	453	420	390	211	16	3	20	.....	140	21	9	33	.....
Geauga County	190	190	157	116	14	5	13	.....	9	32	1	.....	.....
Greene County	410	352	326	267	12	11	17	.....	19	24	2	58	.....
Guernsey County	374	371	341	238	46	12	20	2	23	30	.....	3	.....
Hamilton County	954	867	653	401	108	53	26	10	55	209	5	87	.....
Hancock County	228	227	213	174	9	7	10	1	12	13	1	1	.....
Hardin County	409	404	375	286	18	20	21	1	29	26	3	5	.....
Harrison County	254	242	229	174	13	7	13	4	18	10	3	12	.....
Henry County	289	289	228	130	30	20	15	6	27	60	1	.....	.....
Highland County	403	377	365	290	11	7	30	.....	18	11	1	26	.....
Hocking County	320	313	300	242	21	6	16	2	13	12	1	7	.....
Holmes County	226	226	208	159	13	7	10	3	16	17	1	.....	.....
Huron County	455	448	361	263	41	13	23	.....	21	86	1	7	.....
Jackson County	432	423	392	307	24	11	23	4	23	27	4	9	.....
Jefferson County	555	541	431	251	132	20	7	2	19	108	2	14	.....
Knox County	429	421	396	300	23	16	25	.....	32	25	.....	8	.....
Lake County	340	333	274	171	49	13	18	2	21	54	5	7	.....
Lawrence County	327	319	305	262	9	1	16	.....	17	12	2	8	.....
Licking County	391	390	371	291	13	9	28	3	27	18	1	1	.....
Logan County	356	342	328	278	9	14	13	1	13	14	.....	14	.....
Lorain County	381	370	275	170	53	21	12	2	17	88	7	11	.....
Lucas County	289	288	223	138	40	14	12	4	15	61	4	1	.....
Madison County	222	211	186	155	3	7	12	.....	9	22	3	11	.....
Mahoning County	531	528	416	205	135	17	21	7	31	103	9	3	.....
Marion County	172	172	146	106	13	5	6	1	15	22	4	.....	.....
Medina County	272	270	235	182	25	9	4	4	11	31	4	2	.....
Meigs County	339	323	301	228	13	11	25	1	23	18	4	16	.....
Mercer County	340	337	284	190	34	16	15	1	28	48	5	3	.....
Miami County	379	365	332	264	8	13	23	3	21	31	2	14	.....
Monroe County	250	250	217	163	18	6	10	5	15	23	10	.....	.....
Montgomery County	755	733	627	385	33	21	36	3	149	76	30	22	.....
Morgan County	206	202	198	152	9	11	6	1	19	4	.....	4	.....
Morrow County	190	189	183	139	3	14	10	1	16	6	.....	1	.....
Muskingum County	372	366	339	283	13	15	13	2	13	27	.....	6	.....
Noble County	234	232	215	165	25	11	5	.....	9	17	.....	2	.....
Ottawa County	280	280	167	86	50	14	6	2	9	104	9	.....	.....
Paulding County	249	244	229	164	13	13	13	1	25	14	1	5	.....
Perry County	400	394	348	262	32	17	13	4	20	44	2	6	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Native.	Foreign born.				
RURAL PART OF REGISTRATION STATES[1]—Continued.												
OHIO—continued.												
Pickaway County	360	343	319	250	7	9	15	3	35	20	4	17	.....
Pike County	212	201	188	157	9	2	11	2	7	9	4	11	.....
Portage County	460	457	385	278	46	9	27	1	24	69	3	3	.....
Preble County	277	268	244	208	12	3	17	.....	4	23	1	9	.....
Putnam County	348	347	301	215	27	20	16	1	22	43	3	1	.....
Richland County	318	317	284	217	17	14	16	1	19	29	4	1	.....
Ross County	350	333	315	258	7	4	24	.....	22	15	3	17	.....
Sandusky County	378	376	312	213	40	17	14	2	26	63	1	2	.....
Scioto County	362	358	337	277	12	11	11	2	24	19	2	4	.....
Seneca County	360	360	313	238	31	8	14	.....	22	46	1	.....	.....
Shelby County	285	282	249	176	17	14	13	3	26	31	2	3	.....
Stark County	644	640	469	275	61	20	21	.....	92	119	52	4	.....
Summit County	546	542	437	288	60	32	24	3	30	96	9	4	.....
Trumbull County	591	591	464	304	93	30	16	1	20	120	7	.....	.....
Tuscarawas County	599	594	488	338	62	29	14	3	42	103	3	5	.....
Union County	290	287	275	223	9	8	14	2	19	10	2	3	.....
Van Wert County	336	329	298	224	15	11	12	1	35	24	7	7	.....
Vinton County	186	185	179	136	4	5	12	1	21	3	3	1	.....
Warren County	321	312	286	219	10	16	20	.....	21	22	4	9	.....
Washington County	388	370	325	234	17	17	28	4	25	42	3	18	.....
Wayne County	476	475	422	309	41	26	12	5	29	49	4	1	.....
Williams County	291	291	264	191	14	15	14	6	24	25	2	.....	.....
Wood County	560	558	466	306	61	39	19	6	35	90	2	2	.....
Wyandot County	230	230	199	141	21	8	9	1	19	30	1	.....	.....
PENNSYLVANIA.													
Total	57,880	56,828	47,804	29,801	10,858	2,892	1,664	354	2,235	8,573	451	1,044	8
Adams County	428	422	414	339	9	10	22	.....	34	5	3	6	.....
Allegheny County	5,384	5,236	3,801	1,555	1,565	413	74	45	149	1,373	62	147	1
Armstrong County	914	902	782	559	130	38	21	5	29	113	7	12	.....
Beaver County	956	922	756	424	215	48	21	9	39	149	17	34	.....
Bedford County	424	415	398	311	23	12	27	3	22	14	3	9	.....
Berks County	1,268	1,262	1,211	1,123	22	16	20	1	29	46	5	6	.....
Blair County	716	704	657	514	47	37	31	7	21	43	4	12	.....
Bradford County	843	837	774	566	46	29	54	5	74	61	2	6	.....
Bucks County	1,059	1,022	892	684	85	41	29	6	47	121	9	37	.....
Butler County	642	642	554	323	133	40	26	10	22	86	2	.....	.....
Cambria County	1,532	1,526	1,240	535	524	115	30	6	30	280	6	6	.....
Cameron County	90	89	76	58	9	1	4	.....	4	13	.....	1	.....
Carbon County	857	857	670	385	216	49	7	1	12	176	11	.....	.....
Center County	575	573	525	393	48	25	24	1	34	45	3	2	.....
Chester County	1,142	1,013	891	669	93	47	30	4	48	112	10	128	1
Clarion County	453	452	409	300	34	23	26	3	23	42	1	1	.....
Clearfield County	1,043	1,039	855	488	200	81	29	13	44	173	11	4	.....
Clinton County	410	408	370	276	39	18	19	.....	18	34	4	2	.....
Columbia County	617	613	559	413	68	22	21	4	31	52	2	4	.....
Crawford County	739	734	650	460	49	35	41	8	57	78	6	5	.....
Cumberland County	569	556	543	448	8	14	31	2	40	6	7	13	.....
Dauphin County	968	940	851	675	90	30	23	2	31	83	6	28	.....
Delaware County	1,086	970	796	533	132	65	28	8	30	167	7	115	1
Elk County	412	411	314	144	116	26	10	4	14	93	4	1	.....
Erie County	698	697	585	386	55	34	42	8	60	102	10	1	.....
Fayette County	2,179	2,102	1,752	733	830	95	42	14	38	322	28	77	.....
Forest County	85	85	71	48	9	2	3	.....	9	14	.....	.....	.....
Franklin County	771	740	702	557	34	27	38	4	42	36	2	31	.....
Fulton County	126	124	120	103	2	4	4	.....	7	3	1	2	.....
Greene County	380	372	364	320	6	10	13	1	14	6	2	8	.....
Huntingdon County	451	448	420	337	22	17	25	2	17	22	6	3	.....
Indiana County	915	912	794	438	257	44	27	2	26	114	4	3	.....
Jefferson County	852	851	716	415	194	48	23	3	33	131	4	1	.....
Juniata County	186	186	181	155	2	8	5	1	10	3	2	.....	.....
Lackawanna County	1,395	1,391	993	294	532	113	16	6	32	393	5	4	.....
Lancaster County	1,500	1,469	1,391	1,250	25	20	61	2	33	66	12	31	.....
Lawrence County	442	440	375	220	87	18	16	7	27	57	8	2	.....
Lebanon County	570	566	549	462	25	5	33	2	22	13	4	4	.....
Lehigh County	1,036	1,035	891	696	136	22	15	5	17	137	7	1	.....
Luzerne County	3,169	3,160	2,329	779	1,197	236	38	20	59	816	15	7	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES[1]—Continued.													
PENNSYLVANIA—continued.													
Lycoming County	556	552	506	391	23	29	27	4	32	44	2	4	.....
McKean County	414	411	307	194	41	26	19	3	24	97	7	3	.....
Mercer County	759	752	686	411	94	53	20	14	44	105	11	7	.....
Mifflin County	373	370	358	305	9	7	19	2	16	10	2	3	.....
Monroe County	341	341	314	272	12	10	7	2	11	25	2	.....	.....
Montgomery County	1,698	1,606	1,335	953	214	70	32	10	56	249	22	92	.....
Montour County	300	296	242	139	9	8	10	3	73	44	10	4	.....
Northampton County	1,105	1,100	942	660	196	37	21	3	25	155	3	5	.....
Northumberland County	868	863	750	492	186	26	24	5	17	107	6	5	.....
Perry County	356	355	348	285	4	9	24	4	22	5	2	1	.....
Pike County	117	115	83	67	8	4	2	1	1	31	1	2	.....
Potter County	409	406	343	224	32	16	26	5	40	55	8	1	2
Schuylkill County	2,470	2,469	1,908	990	704	138	25	9	40	559	4	1	.....
Snyder County	246	246	245	214	.....	2	12	.....	17	1	.....	.....	.....
Somerset County	890	887	775	489	203	41	21	5	16	105	7	3	.....
Sullivan County	123	123	102	66	18	3	8	.....	7	19	2	.....	.....
Susquehanna County	649	643	528	317	109	34	33	3	32	108	7	6	.....
Tioga County	570	569	484	313	37	36	40	4	54	82	3	1	.....
Union County	184	183	182	141	3	1	17	1	19	.....	1	1	.....
Venango County	540	531	474	326	32	33	26	7	50	47	10	9	.....
Warren County	476	473	368	170	45	18	21	4	110	100	5	2	1
Washington County	2,002	1,919	1,551	713	597	124	49	15	53	359	9	83	.....
Wayne County	415	415	316	205	49	19	21	6	16	91	8	.....	.....
Westmoreland County	2,853	2,812	2,274	1,071	883	184	50	15	71	525	13	41	.....
Wyoming County	232	231	214	151	13	8	15	2	25	15	2	1	.....
York County	1,052	1,037	1,000	874	23	18	46	3	36	35	2	15	.....
RHODE ISLAND.													
Total	1,734	1,604	1,328	750	395	119	19	4	41	347	19	40	.....
Bristol County	327	323	248	90	123	23	3	.....	9	67	8	4	.....
Kent County	191	187	163	111	30	15	2	1	4	24	.....	4	.....
Newport County	192	188	163	96	57	5	2	.....	3	24	1	4	.....
Providence County	623	622	442	217	146	64	4	2	9	177	3	1	.....
Washington County	401	374	312	236	39	12	8	1	16	55	7	27	.....
UTAH.													
Total	2,519	2,496	1,700	982	342	246	40	12	78	744	52	5	18
Beaver County	42	42	29	17	3	6	1	.....	2	11	2	.....	.....
Boxelder County	122	119	79	47	16	14	1	.....	1	33	7	.....	3
Cache County	211	211	139	72	37	24	1	2	3	72	.....	.....	.....
Carbon County	97	95	64	29	19	5	6	1	4	31	.....	.....	2
Davis County	106	106	73	45	11	12	2	.....	3	32	1	.....	.....
Emery County	43	43	32	19	7	5	.....	1	.....	11	.....	.....	.....
Garfield County	27	27	24	13	3	4	.....	.....	4	3	.....	.....	.....
Grand County	12	12	10	5	2	1	1	.....	1	1	1	.....	.....
Iron County	41	40	29	15	9	4	1	.....	.....	11	.....	.....	1
Juab County	116	115	74	40	19	12	2	.....	1	37	4	.....	1
Kane County	18	18	18	17	1	.....	.....	.....	.....	.....	.....	.....	.....
Millard County	51	51	40	28	5	2	1	.....	4	11	.....	.....	.....
Morgan County	15	15	11	6	3	1	.....	.....	1	4	.....	.....	.....
Piute County	10	10	8	6	.....	.....	.....	.....	2	2	.....	.....	.....
Rich County	21	21	16	10	2	1	1	.....	2	5	.....	.....	.....
Salt Lake County	378	372	214	99	60	31	8	5	11	145	13	3	3
San Juan County	7	6	6	6	.....	.....	.....	.....	.....	.....	.....	1	.....
Sanpete County	195	195	131	74	22	28	3	1	3	64	.....	.....	.....
Sevier County	86	86	63	44	10	6	.....	.....	3	23	.....	.....	.....
Summit County	112	112	69	27	21	15	1	.....	5	43	.....	.....	.....
Tooele County	100	100	74	32	19	16	2	1	4	23	3	.....	.....
Uinta County	64	58	50	32	5	3	6	.....	4	5	3	.....	6
Utah County	404	403	281	176	51	40	2	1	11	105	17	.....	1
Wasatch County	85	84	61	49	6	3	.....	.....	3	22	1	.....	1
Washington County	49	49	41	29	3	6	.....	.....	3	8	.....	.....	.....
Wayne County	9	9	7	6	.....	1	.....	.....	.....	2	.....	.....	.....
Weber County	98	97	57	39	8	6	1	.....	3	40	.....	1	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Native.	Foreign born.				
RURAL PART OF REGISTRATION STATES[1]—Continued.												
VERMONT.												
Total	4,936	4,903	4,102	2,589	413	311	282	40	467	731	70	26	1
Addison County	304	304	260	174	26	17	11	1	31	41	3	.....	.....
Bennington County	304	302	269	172	21	16	22	2	36	30	3	2	.....
Caledonia County	399	398	324	191	33	37	20	3	40	73	1	1	.....
Chittenden County	344	332	258	137	44	30	15	4	28	65	9	12	.....
Essex County	84	84	57	35	7	5	2	.....	8	23	4	.....	.....
Franklin County	418	415	312	176	42	41	17	6	30	99	4	3	.....
Grand Isle County	46	46	37	25	3	5	1	1	2	9	.....	.....	.....
Lamoille County	189	189	170	117	8	6	10	3	26	15	4	.....	.....
Orange County	337	335	301	223	17	10	16	1	34	33	1	2	.....
Orleans County	363	362	282	140	30	49	25	5	33	76	4	1	.....
Rutland County	549	545	425	265	78	21	30	2	29	114	6	4	.....
Washington County	491	491	414	237	50	32	34	5	56	61	16	.....	.....
Windham County	512	512	456	317	23	10	34	5	67	48	8	.....	.....
Windsor County	590	588	537	380	31	32	45	2	47	44	7	1	1
WASHINGTON.													
Total	5,699	5,385	3,797	2,029	557	372	249	49	541	1,266	322	35	279
Adams County	90	90	67	37	16	8	2	.....	4	18	5	.....	.....
Asotin County	51	51	48	34	4	3	2	.....	5	3	.....	.....	.....
Benton County	70	68	44	25	5	6	3	.....	5	11	13	.....	2
Chehalis County	192	189	136	77	21	11	11	2	14	45	8	.....	3
Chelan County	151	148	116	81	4	15	3	1	12	23	9	.....	3
Clallam County[2]	87	58	37	19	4	2	3	.....	9	15	6	.....	29
Clarke County	237	235	174	83	17	14	17	6	37	47	14	2	.....
Columbia County	73	73	60	32	3	2	4	3	16	10	3	.....	.....
Cowlitz County	98	94	62	39	5	7	.....	1	10	18	14	2	2
Douglas County	39	39	32	23	1	3	2	1	2	4	3	.....	.....
Ferry County[3]	39	19	15	5	4	2	.....	.....	4	3	1	.....	20
Franklin County	33	32	17	7	.....	4	2	.....	4	10	5	.....	1
Garfield County	50	50	47	30	2	2	5	2	6	1	2	.....	.....
Grant County	34	34	23	17	2	.....	.....	.....	4	9	2	.....	.....
Island County	32	29	23	7	6	4	2	.....	4	5	1	1	2
Jefferson County	89	84	44	14	7	6	4	.....	13	34	6	.....	5
King County	535	509	286	140	54	34	18	3	37	170	53	5	21
Kitsap County	129	118	67	27	8	6	1	2	23	47	4	.....	11
Kittitas County	223	217	155	53	68	14	7	1	12	44	18	6	.....
Klickitat County	62	62	47	27	6	7	3	.....	4	8	7	.....	.....
Lewis County	336	330	250	148	26	15	27	5	29	63	17	1	5
Lincoln County	133	123	102	56	19	16	4	2	5	21	.....	1	9
Mason County	51	38	27	13	3	4	4	1	2	9	2	.....	13
Okanogan County[3]	122	90	70	44	6	6	5	.....	9	13	7	.....	32
Pacific County	73	71	53	24	9	6	6	.....	8	15	3	.....	2
Pierce County	493	468	306	133	73	32	16	1	51	147	15	4	21
San Juan County	31	29	20	10	3	5	.....	.....	2	7	2	.....	2
Skagit County[4]	260	239	164	94	29	13	9	.....	19	67	8	2	19
Skamania County	25	22	16	5	4	2	3	1	1	6	.....	1	2
Snohomish County	329	326	196	94	31	30	9	1	31	101	29	2	1
Spokane County	338	335	226	113	22	18	13	1	59	94	15	3	.....
Stevens County	178	172	135	72	16	14	9	4	20	28	9	.....	6
Thurston County	179	175	131	75	22	8	14	1	11	37	7	.....	4
Wahkiakum County	10	9	4	1	1	.....	1	.....	1	5	.....	.....	1
Walla Walla County	81	78	60	40	4	3	4	.....	9	13	5	2	1
Whatcom County	204	197	140	74	21	17	5	4	19	53	4	.....	7
Whitman County	261	260	216	130	16	17	23	5	25	35	9	1	.....
Yakima County[5]	281	224	181	126	15	16	8	1	15	7	16	2	55

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Including Makah, Ozette, and Quillayute Indian Reservations.
[3] Including part of Colville Indian Reservation.
[4] Including Swinomish Indian Reservation.
[5] Including Yakima Indian Reservation.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES[1]—Continued.													
WISCONSIN.													
Total	17,751	17,622	10,799	5,158	2,982	1,458	299	106	796	6,620	203	28	101
Adams County	90	90	70	44	11	5	3	1	6	20	.....	.....	.....
Ashland County	124	95	54	16	25	8	2	.....	3	37	4	.....	29
Barron County	312	310	200	85	67	32	9	1	6	109	1	1	1
Bayfield County	168	162	113	30	51	21	2	3	6	46	3	.....	6
Brown County	339	329	180	90	47	38	2	1	2	148	1	3	7
Buffalo County	157	157	93	55	18	14	2	.....	4	62	2	.....	.....
Burnett County	88	87	52	24	14	13	.....	.....	1	35	.....	.....	1
Calumet County	162	159	86	40	31	12	.....	.....	3	72	1	1	2
Chippewa County	431	430	294	109	78	42	5	2	58	130	6	1	.....
Clark County	255	255	176	93	36	28	4	2	13	79	.....	.....	.....
Columbia County	394	394	242	124	53	33	13	1	18	147	5	.....	.....
Crawford County	191	191	125	80	23	7	3	2	10	64	2	.....	.....
Dane County	621	619	356	159	101	57	6	3	30	253	10	2	.....
Dodge County	523	523	270	133	91	28	5	.....	13	244	9	.....	.....
Door County	183	183	113	57	27	22	2	3	2	69	1	.....	.....
Douglas County	44	38	27	10	12	4	.....	.....	1	11	.....	.....	6
Dunn County	248	248	148	77	48	12	2	.....	9	95	5	.....	.....
Eau Claire County	125	125	72	38	17	8	2	.....	7	53	.....	.....	.....
Florence County	26	26	16	6	8	.....	.....	.....	2	10	.....	.....	.....
Fond du Lac County	364	364	215	114	58	20	8	1	14	141	8	.....	.....
Forest County	64	64	52	32	7	4	1	1	7	8	4	.....	.....
Grant County	433	430	286	169	57	27	11	2	20	144	.....	3	.....
Green County	212	211	144	80	32	17	5	.....	10	64	3	1	.....
Green Lake County	172	172	107	62	25	10	2	4	4	64	1	.....	.....
Iowa County	231	230	140	80	40	14	3	.....	3	88	2	1	.....
Iron County	80	80	52	7	37	7	1	.....	.....	25	3	.....	.....
Jackson County	168	167	102	53	20	15	4	.....	10	64	1	.....	1
Jefferson County	401	401	222	115	62	28	7	2	8	179	.....	.....	.....
Juneau County	236	236	155	87	40	11	7	3	7	78	3	.....	.....
Kenosha County	110	110	66	28	20	14	.....	.....	4	42	2	.....	.....
Kewaunee County	186	185	100	56	27	12	.....	1	4	85	.....	1	.....
La Crosse County	154	154	75	34	19	10	1	1	10	78	1	.....	.....
Lafayette County	197	197	124	57	40	14	5	.....	8	73	.....	.....	.....
Langlade County	155	155	112	62	30	15	2	.....	3	43	.....	.....	.....
Lincoln County	217	217	158	71	46	31	4	.....	6	57	2	.....	.....
Manitowoc County	313	313	162	90	51	19	.....	2	.....	150	1	.....	.....
Marathon County	446	446	297	140	81	65	4	4	3	148	1	.....	.....
Marinette County	177	177	119	42	53	14	1	3	6	58	.....	.....	.....
Marquette County	134	134	74	38	21	11	.....	.....	4	59	1	.....	.....
Milwaukee County	1,323	1,317	758	181	285	93	21	10	168	526	33	6	.....
Monroe County	363	361	252	123	53	23	15	2	36	106	3	1	1
Oconto County	255	251	152	62	49	28	4	2	7	96	3	3	1
Oneida County	111	109	75	33	23	14	1	2	2	28	6	.....	2
Outagamie County	337	333	196	106	54	29	3	.....	4	135	2	.....	4
Ozaukee County	150	149	65	31	24	10	.....	.....	.....	83	1	1	.....
Pepin County	72	72	38	21	5	7	2	2	1	33	1	.....	.....
Pierce County	247	247	141	70	35	16	6	.....	14	102	4	.....	.....
Polk County	190	188	117	41	38	26	3	3	6	71	.....	.....	2
Portage County	374	374	251	114	83	39	7	1	7	122	1	.....	.....
Price County	99	99	57	17	24	11	2	.....	3	39	3	.....	.....
Racine County	256	256	133	64	43	18	2	4	2	120	3	.....	.....
Richland County	186	186	157	118	3	6	5	.....	20	27	2	.....	.....
Rock County	297	297	186	102	43	14	5	2	20	107	4	.....	.....
Rusk County	98	96	73	42	14	6	4	2	5	18	5	.....	2
St. Croix County	280	280	134	57	31	27	5	3	11	145	1	.....	.....
Sauk County	371	371	221	118	44	23	14	1	21	148	2	.....	.....
Sawyer County	69	57	36	16	9	3	2	1	5	19	2	.....	12
Shawano County	306	286	171	70	59	35	3	.....	4	114	1	.....	20
Sheboygan County	295	295	166	83	48	26	3	1	5	127	2	.....	.....
Taylor County	113	113	61	25	18	10	3	1	4	51	1	.....	.....
Trempealeau County	227	227	111	56	34	17	1	.....	3	116	.....	.....	.....
Vernon County	309	308	212	136	27	26	6	2	15	93	3	1	.....
Vilas County	38	38	23	10	9	1	1	2	.....	13	2	.....	.....
Walworth County	361	361	262	164	45	21	10	5	17	93	6	.....	.....
Washburn County	84	82	69	34	12	17	3	.....	3	13	.....	.....	2
Washington County	243	243	134	65	47	18	.....	1	3	108	1	.....	.....
Waukesha County	502	501	299	142	80	46	8	6	17	192	10	1	.....
Waupaca County	405	404	244	116	50	30	11	6	31	158	2	1	.....
Waushara County	177	177	131	76	19	10	8	.....	18	44	2	.....	.....
Winnebago County	406	404	243	107	87	26	5	2	16	151	10	.....	2
Wood County	276	276	182	71	58	40	8	2	3	90	4	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	SUMMARY.												
1	The registration area (total)	805,412	154,373	33,080	14,727	8,808	6,331	217,319	17,943	11,736	19,772	30,216	32,741
2	White	753,308	144,650	30,683	13,652	8,236	5,935	203,156	16,854	10,737	17,658	26,844	29,124
3	Colored	52,104	9,723	2,397	1,075	572	396	14,163	1,089	999	2,114	3,372	3,617
4	Registration states [1] (total)	703,608	136,350	28,978	12,746	7,657	5,485	191,216	15,666	10,180	16,713	25,201	27,251
5	White	673,203	130,221	27,404	12,109	7,323	5,245	182,302	15,013	9,585	15,547	23,477	25,339
6	Colored	30,405	6,129	1,574	637	334	240	8,914	653	595	1,166	1,724	1,912
7	Cities in registration states [1] (total)	400,305	82,168	17,983	7,741	4,658	3,270	115,820	9,187	5,445	9,333	14,933	17,114
8	White	379,543	78,008	16,974	7,340	4,419	3,115	109,856	8,768	5,097	8,633	13,757	15,705
9	Colored	20,762	4,160	1,009	401	239	155	5,964	419	348	700	1,176	1,409
10	Rural part of registration states (total).	303,303	54,182	10,995	5,005	2,999	2,215	75,396	6,479	4,735	7,380	10,268	10,137
11	White	293,660	52,213	10,430	4,769	2,904	2,130	72,446	6,245	4,488	6,914	9,720	9,634
12	Colored	9,643	1,969	565	236	95	85	2,950	234	247	466	548	503
13	Registration cities in other states (total).	101,804	18,023	4,102	1,981	1,151	846	26,103	2,277	1,556	3,059	5,015	5,490
14	White	80,105	14,429	3,279	1,543	913	690	20,854	1,841	1,152	2,111	3,367	3,785
15	Colored	21,699	3,594	823	438	238	156	5,249	436	404	948	1,648	1,705
16	All registration cities [1] (total)	502,109	100,191	22,085	9,722	5,809	4,116	141,923	11,464	7,001	12,392	19,948	22,604
17	White	459,648	92,437	20,253	8,883	5,332	3,805	130,710	10,609	6,249	10,744	17,124	19,490
18	Colored	42,461	7,754	1,832	839	477	311	11,213	855	752	1,648	2,824	3,114
	REGISTRATION STATES.												
19	California (total)	32,401	3,720	747	370	246	180	5,263	508	367	742	1,244	1,621
20	White	30,685	3,480	708	350	229	170	4,937	486	351	692	1,170	1,503
21	Colored	1,716	240	39	20	17	10	326	22	16	50	74	118
22	Colorado (total)	11,069	1,789	334	155	106	83	2,467	243	194	384	670	765
23	White	10,730	1,753	323	155	106	82	2,419	239	185	376	643	734
24	Colored	339	36	11	.....	.....	1	48	4	9	8	27	31
25	Connecticut (total)	17,498	3,476	620	287	184	136	4,703	366	228	345	501	537
26	White	17,120	3,416	599	276	182	131	4,604	357	223	328	492	529
27	Colored	378	60	21	11	2	5	99	9	5	17	9	8
28	Indiana (total)	36,448	5,996	1,434	642	353	270	8,695	772	588	1,046	1,545	1,401
29	White	35,011	5,777	1,367	618	341	258	8,361	743	562	974	1,442	1,318
30	Colored	1,437	219	67	24	12	12	334	29	26	72	103	83
31	Maine (total)	12,726	2,108	382	150	115	82	2,837	252	186	271	353	367
32	White	12,703	2,107	382	150	115	82	2,836	252	185	270	352	366
33	Colored	23	1	.....	.....	.....	.....	1	.....	1	1	1	1
34	Maryland (total)	20,805	4,239	849	382	190	148	5,808	417	364	602	800	838
35	White	15,458	2,975	571	248	128	106	4,028	296	235	365	499	550
36	Colored	5,347	1,264	278	134	62	42	1,780	121	129	237	301	288
37	Massachusetts (total)	54,301	11,377	2,151	843	575	387	15,333	1,093	679	1,003	1,562	1,774
38	White	53,455	11,235	2,108	833	565	376	15,117	1,078	661	978	1,523	1,713
39	Colored	846	142	43	10	10	11	216	15	18	25	39	61
40	Michigan (total)	39,888	7,912	1,378	613	394	296	10,593	926	626	1,025	1,465	1,388
41	White	39,262	7,816	1,359	604	389	293	10,461	906	608	989	1,435	1,357
42	Colored	626	96	19	9	5	3	132	20	18	36	30	31
43	Minnesota (total)	22,649	4,261	804	446	275	210	5,996	769	531	759	1,037	1,000
44	White	22,470	4,233	799	437	274	209	5,952	767	528	754	1,026	987
45	Colored	179	28	5	9	1	1	44	2	3	5	11	13
46	Montana (total)	3,999	714	139	54	49	37	993	142	87	130	228	286
47	White	3,909	706	137	53	48	37	981	140	85	128	223	275
48	Colored	90	8	2	1	1	.....	12	2	2	2	5	11
49	New Hampshire (total)	7,452	1,373	179	82	54	50	1,738	126	75	124	196	195
50	White	7,438	1,372	178	80	54	50	1,734	126	75	124	196	195
51	Colored	14	1	1	2	.....	.....	4	.....	.....	.....	.....	.....
52	New Jersey (total)	39,504	8,363	1,719	764	476	300	11,622	919	573	868	1,290	1,431
53	White	37,422	7,858	1,589	715	445	282	10,889	874	525	799	1,190	1,325
54	Colored	2,082	505	130	49	31	18	733	45	48	69	100	106
55	New York (total)	147,678	27,503	6,453	2,930	1,737	1,141	39,764	3,141	1,888	3,080	4,884	5,590
56	White	144,144	26,784	6,238	2,860	1,690	1,108	38,680	3,068	1,826	2,970	4,680	5,345
57	Colored	3,534	719	215	70	47	33	1,084	73	62	110	204	245
58	North Carolina [2] (total)	6,752	1,330	484	191	88	73	2,166	127	127	285	423	379
59	White	3,798	704	260	101	51	46	1,162	58	61	130	189	171
60	Colored	3,024	626	224	90	37	27	1,004	69	66	155	234	208
61	Ohio (total)	65,459	11,445	2,464	1,043	561	450	15,963	1,275	887	1,618	2,380	2,496
62	White	63,194	11,089	2,382	1,014	540	438	15,463	1,227	844	1,530	2,250	2,350
63	Colored	2,265	356	82	29	21	12	500	48	43	88	130	146
64	Pennsylvania (total)	119,815	28,377	6,639	2,758	1,570	1,151	40,495	2,975	1,687	2,684	4,097	4,538
65	White	115,094	27,313	6,327	2,650	1,513	1,107	38,910	2,863	1,605	2,522	3,857	4,236
66	Colored	4,721	1,064	312	108	57	44	1,585	112	82	162	240	302
67	Rhode Island (total)	9,305	2,129	454	180	102	74	2,939	180	115	208	229	322
68	White	9,051	2,070	446	173	99	72	2,860	[illegible]		203	226	313
69	Colored	254	59	8	7	3	2	79				3	9

[1] Including District of Columbia.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
32,731	35,665	35,523	37,412	40,958	40,582	46,021	50,630	50,500	45,500	33,372	18,029	6,175	1,427	372	788	1
29,282	32,136	32,280	34,396	37,974	38,290	43,727	48,756	49,074	44,534	32,623	17,635	5,970	1,314	246	698	2
3,449	3,529	3,243	3,016	2,984	2,292	2,294	1,874	1,426	966	749	394	205	113	126	90	3
27,389	29,886	29,891	31,405	34,822	35,189	40,564	45,266	45,755	41,654	30,733	16,759	5,754	1,304	303	707	4
25,553	27,931	28,087	29,760	33,153	33,856	39,218	44,075	44,812	41,041	30,229	16,494	5,622	1,232	226	646	5
1,831	1,955	1,804	1,645	1,669	1,333	1,346	1,191	943	613	504	265	132	72	77	61	6
17,727	19,579	19,746	20,219	21,999	21,114	23,116	23,692	21,681	17,909	12,416	6,318	2,125	478	145	209	7
16,342	18,110	18,344	18,992	20,717	20,163	22,214	22,941	21,137	17,588	12,174	6,192	2,068	440	108	197	8
1,385	1,469	1,402	1,227	1,282	951	902	751	544	321	242	126	57	38	37	12	9
9,662	10,307	10,145	11,186	12,823	14,075	17,448	21,574	24,074	23,745	18,317	10,441	3,629	826	158	498	10
9,216	9,821	9,743	10,768	12,436	13,693	17,004	21,134	23,675	23,453	18,055	10,302	3,554	792	118	449	11
446	486	402	418	387	382	444	440	399	292	262	139	75	34	40	49	12
5,342	5,779	5,632	6,007	6,136	5,393	5,457	5,364	4,745	3,846	2,639	1,270	421	123	69	81	13
3,724	4,205	4,193	4,636	4,821	4,434	4,509	4,681	4,262	3,493	2,394	1,141	348	82	20	52	14
1,618	1,574	1,439	1,371	1,315	959	948	683	483	353	245	129	73	41	49	29	15
23,069	25,358	25,378	26,226	28,135	26,507	28,573	29,056	26,426	21,755	15,055	7,588	2,546	601	214	290	16
20,066	22,315	22,537	23,628	25,538	24,597	26,723	27,622	25,399	21,081	14,568	7,333	2,416	522	128	249	17
3,003	3,043	2,841	2,598	2,597	1,910	1,850	1,434	1,027	674	487	255	130	79	86	41	18
1,682	1,819	1,818	1,936	2,079	1,805	2,194	2,340	2,272	2,048	1,589	766	211	66	14	17	19
1,587	1,680	1,696	1,805	1,899	1,688	2,060	2,278	2,212	2,031	1,569	756	200	60	11	14	20
95	139	122	131	180	117	134	62	60	17	20	10	11	6	3	3	21
827	670	645	579	612	542	530	514	505	457	274	124	49	10	1	7	22
786	630	610	561	591	530	519	503	500	449	269	122	48	9	1	6	23
41	40	35	18	21	12	11	11	5	8	5	2	1	1	.....	1	24
661	783	756	712	838	870	1,076	1,170	1,298	1,086	845	463	155	43	9	53	25
640	763	729	698	809	838	1,054	1,149	1,284	1,077	833	460	153	40	8	52	26
21	20	27	14	29	32	22	21	14	9	12	3	2	3	1	1	27
1,321	1,330	1,337	1,474	1,651	1,821	2,199	2,524	2,777	2,694	1,916	943	301	75	14	24	28
1,241	1,233	1,260	1,388	1,558	1,755	2,127	2,453	2,726	2,659	1,887	930	293	69	11	21	29
80	97	77	86	93	66	72	71	51	35	29	13	8	6	3	3	30
337	389	411	441	563	590	717	973	1,083	1,176	939	542	199	74	2	24	31
333	387	410	439	563	588	715	972	1,082	1,175	938	542	199	73	2	24	32
4	2	1	2	.....	2	2	1	1	1	1	.....	.....	1	.....	.....	33
835	886	854	909	1,056	1,076	1,248	1,357	1,296	1,100	751	375	136	36	14	47	34
586	609	589	656	798	882	1,021	1,126	1,099	1,000	637	323	104	24	3	28	35
249	277	265	253	258	194	227	231	197	100	114	52	32	12	11	19	36
1,940	2,167	2,286	2,324	2,702	2,782	3,417	3,754	3,647	3,320	2,454	1,392	502	161	23	46	37
1,887	2,117	2,218	2,265	2,652	2,740	3,375	3,722	3,625	3,297	2,438	1,384	500	99	22	44	38
53	50	68	59	50	42	42	32	22	23	16	8	2	2	1	2	39
1,225	1,333	1,297	1,567	1,774	1,902	2,304	2,773	2,987	2,894	2,084	1,169	405	84	24	43	40
1,190	1,301	1,272	1,531	1,739	1,880	2,270	2,737	2,955	2,871	2,056	1,158	403	83	18	42	41
35	32	25	36	35	22	34	36	32	23	28	11	2	1	6	1	42
876	869	878	994	1,065	977	1,061	1,204	1,261	1,345	1,084	666	200	42	7	28	43
868	855	865	977	1,055	968	1,053	1,199	1,257	1,338	1,083	662	200	42	6	28	44
8	14	13	17	10	9	8	5	4	7	1	4	.....	.....	1	.....	45
220	248	254	245	237	171	169	172	134	145	73	30	9	4	.....	22	46
212	239	248	239	231	167	163	168	131	144	72	30	8	4	.....	21	47
8	9	6	6	6	4	6	4	3	1	1	.....	1	.....	.....	1	48
187	243	230	278	329	393	451	623	596	622	534	292	146	24	5	45	49
186	243	228	277	329	393	450	623	596	621	533	291	145	24	5	44	50
1	.....	2	1	.....	.....	1	.....	.....	1	1	1	1	.....	.....	1	51
1,624	1,908	1,824	1,818	2,037	2,003	2,293	2,463	2,440	1,956	1,366	749	237	58	7	18	52
1,500	1,780	1,695	1,713	1,943	1,928	2,209	2,385	2,383	1,903	1,335	736	232	56	4	18	53
124	128	129	105	94	75	84	78	57	53	31	13	5	2	3	.....	54
6,015	6,898	7,109	7,485	8,018	7,969	8,939	9,392	9,221	7,840	5,783	3,191	1,119	249	69	34	55
5,739	6,632	6,874	7,289	7,845	7,831	8,806	9,272	9,153	7,779	5,739	3,166	1,112	245	59	34	56
276	266	235	196	173	138	133	120	68	61	44	25	7	4	10	.....	57
347	303	283	255	314	302	313	319	260	229	169	82	33	11	11	14	58
185	158	152	136	184	191	193	222	171	176	114	52	16	2	.....	5	59
162	145	131	119	130	111	120	97	89	53	55	30	17	9	11	9	60
[illegible]	2,631	2,533	2,734	3,142	3,269	3,909	4,598	4,844	4,610	3,430	1,846	619	125	25	72	61
[illegible]	2,466	2,397	2,580	3,014	3,144	3,804	4,510	4,763	4,535	3,387	1,812	608	121	17	67	62
[illegible]	[illegible]	136	154	128	125	105	88	81	75	43	34	11	4	8	5	63
		4,724	4,800	5,328	5,474	6,278	7,003	6,963	6,080	4,320	2,265	781	151	36	24	64
		4,428	4,548	5,094	5,292	6,092	6,844	6,833	6,008	4,269	2,231	766	145	27	23	65
		296	252	234	182	186	159	130	72	51	34	15	6	9	1	66
			409	480	498	557	626	590	487	335	149	66	12	5	6	67
			397	463	485	547	609	574	481	330	147	63	12	5	5	68
			12	17	13	10	17	16	6	5	2	3	.....	.....	1	69

[redacted]

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA.

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION STATES—Contd.												
1	Utah (total)	4,072	896	159	67	66	44	1,232	163	121	120	188	170
2	White	3,998	889	157	67	65	44	1,222	162	119	118	182	159
3	Colored	74	7	2	.....	1	.....	10	1	2	2	6	11
4	Vermont (total)	5,704	791	110	60	39	23	1,023	98	61	101	142	128
5	White	5,674	787	110	59	38	23	1,017	98	61	101	138	123
6	Colored	30	4	.....	1	1	.....	6	.....	.....	.....	4	5
7	Washington (total)	11,502	1,862	331	153	123	82	2,551	342	261	394	661	733
8	White	11,017	1,785	315	141	117	76	2,434	322	245	370	625	691
9	Colored	485	77	16	12	6	6	117	20	16	24	36	42
10	Wisconsin (total)	28,070	5,621	987	484	299	242	7,633	733	459	770	1,051	973
11	White	27,896	5,585	976	484	298	239	7,582	722	452	759	1,045	963
12	Colored	174	36	11	.....	1	3	51	11	7	11	6	10
	REGISTRATION CITIES.												
	ALABAMA.[1]												
13	Registration cities (total)	4,790	685	247	77	56	39	1,104	111	77	205	385	357
14	White	2,046	281	117	36	30	14	478	54	27	57	126	116
15	Colored	2,744	404	130	41	26	25	626	57	50	148	259	241
16	Birmingham (total)	2,597	391	162	53	32	22	660	76	41	116	230	215
17	White	1,206	193	88	24	21	9	335	40	14	34	87	79
18	Colored	1,391	198	74	29	11	13	325	36	27	82	143	136
19	Mobile (total)	1,185	146	36	12	11	9	214	18	18	43	91	75
20	White	512	44	12	5	5	3	69	8	8	18	32	22
21	Colored	673	102	24	7	6	6	145	10	10	25	59	53
22	Montgomery (total)	1,008	148	49	12	13	8	230	17	18	46	64	67
23	White	328	44	17	7	4	2	74	6	5	5	7	15
24	Colored	680	104	32	5	9	6	156	11	13	41	57	52
	CALIFORNIA.												
25	Registration cities (total)	18,609	2,112	402	207	155	96	2,972	266	178	396	701	954
26	White	17,578	1,975	378	200	144	88	2,785	251	169	373	643	880
27	Colored	1,031	137	24	7	11	8	187	15	7	23	58	74
28	Alameda	290	26	5	2	.....	1	34	3	4	8	8	5
29	Bakersfield	305	43	8	2	3	6	62	7	2	11	18	22
30	Berkeley	376	38	12	4	4	2	60	6	6	10	9	19
31	Eureka	196	18	3	2	3	.....	26	3	3	7	11	11
32	Fresno	340	65	15	8	9	2	99	7	3	10	23	11
33	Long Beach	250	21	5	1	1	2	30	3	4	7	7	13
34	Los Angeles (total)	4,538	531	95	66	35	31	758	52	40	101	202	280
35	White	4,299	504	90	65	32	29	720	49	38	95	186	256
36	Colored	239	27	5	1	3	2	38	3	2	6	16	24
37	Oakland	1,929	253	50	29	14	11	357	36	13	50	55	78
38	Pasadena	419	35	4	5	1	1	46	6	6	10	15	24
39	Pomona	136	19	1	.....	1	.....	21	1	.....	1	4	6
40	Redlands	154	17	4	.....	1	.....	22	2	2	3	7	8
41	Riverside	221	17	4	1	2	2	26	1	3	5	21	14
42	Sacramento	734	114	17	16	9	4	160	11	9	12	32	48
43	San Bernardino	260	27	4	2	1	1	35	6	3	9	14	20
44	San Diego	687	51	15	7	7	1	81	8	6	12	30	32
45	San Francisco (total)	6,319	699	136	51	50	26	962	86	54	111	200	292
46	White	6,002	657	129	51	46	26	909	80	51	105	190	270
47	Colored	317	42	7	.....	4	.....	53	6	3	6	10	22
48	San Jose	412	61	10	2	5	.....	78	11	1	9	13	15
49	Santa Barbara	223	18	5	3	2	1	29	6	5	8	8	10
50	Santa Cruz	185	8	1	.....	1	1	11	4	3	2	4	10
51	Stockton	469	31	6	5	3	2	47	3	2	6	10	27
52	Vallejo	166	20	2	1	3	2	28	4	7	4	10	9
	COLORADO.												
53	Registration cities (total)	4,705	661	114	62	33	23	893	85	65	137	259	318
54	White	4,494	630	108	62	33	22	855	83	61	135	244	300
55	Colored	211	31	6	.....	.....	1	38	2	4	2	15	18
56	Colorado Springs	478	51	10	3	3	2	69	3	3	19	39	38
57	Denver	3,533	464	65	37	23	12	601	65	47	92	190	244
58	Pueblo	542	104	30	14	6	8	162	15	15	18	25	27
59	Trinidad	152	42	9	8	1	1	61	2	.....	8	5	9
	CONNECTICUT.												
60	Registration cities (total)	12,032	2,541	486	218	134	105	3,484	265	159	252	367	[illegible]
61	White	11,726	2,493	472	210	132	101	3,408	256	154	237	359	[illegible]
62	Colored	306	48	14	8	2	4	76	9	5	15	[illegible]	[illegible]
63	Ansonia	201	52	16	8	7	6	89	9	5	1	[illegible]	[illegible]
64	Bridgeport	1,562	367	61	28	22	15	493	38	16	29	[illegible]	[illegible]
65	Bristol town	184	51	8	5	2	2	68	5	1	2	[illegible]	[illegible]
66	Danbury town	350	61	6	3	3	5	78	9	4	[illegible]	[illegible]	[illegible]
67	Greenwich town	273	77	8	3	2	4	94	2	3	[illegible]	[illegible]	[illegible]

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
210	178	164	171	154	176	166	167	184	193	143	109	40	4	1	18	1
200	169	161	168	150	170	164	166	184	192	143	108	40	4	1	16	2
10	9	3	3	4	6	2	1	.....	1	.....	1	.....	.....	.....	2	3
148	174	171	198	224	330	379	491	581	583	442	273	121	28	5	3	4
148	173	168	197	222	329	379	488	581	582	442	271	121	27	5	3	5
.....	1	3	1	2	1	.....	3	.....	1	.....	2	.....	1	.....	.....	6
635	632	605	603	620	628	614	586	535	492	322	149	39	11	5	84	7
595	608	575	582	602	611	598	568	525	485	316	146	35	7	2	75	8
40	24	30	21	18	17	16	18	10	7	6	3	4	4	3	9	9
898	930	947	1,154	1,210	1,235	1,314	1,707	1,808	1,976	1,671	1,076	345	82	20	78	10
886	924	941	1,147	1,200	1,229	1,309	1,703	1,806	1,969	1,667	1,074	343	80	19	76	11
12	6	6	7	10	6	5	4	2	7	4	2	2	2	1	2	12
327	329	259	284	249	232	199	202	138	140	101	47	15	13	13	3	13
120	119	96	107	111	137	102	124	88	93	57	24	6	2	.....	2	14
207	210	163	177	138	95	97	78	50	47	44	23	9	11	13	1	15
193	178	148	141	124	110	90	92	62	61	27	17	5	4	6	1	16
72	66	54	58	58	69	51	69	45	44	15	12	3	.....	.....	1	17
121	112	94	83	66	41	39	23	17	17	12	5	2	4	6	.....	18
80	95	57	82	59	76	52	65	41	49	43	16	4	4	2	1	19
28	34	29	32	31	41	26	36	26	34	27	8	7	2	.....	.....	20
52	61	28	50	28	35	26	29	15	15	16	8	3	2	2	1	21
54	56	54	61	66	46	57	45	35	30	31	14	6	5	5	1	22
20	19	13	17	22	27	25	19	17	15	15	4	2	.....	.....	1	23
34	37	41	44	44	19	32	26	18	15	16	10	4	5	5	.....	24
1,010	1,122	1,109	1,185	1,328	1,086	1,301	1,374	1,248	1,053	800	389	104	28	3	4	25
947	1,035	1,029	1,103	1,196	1,014	1,232	1,341	1,217	1,049	795	385	102	27	2	3	26
63	87	80	82	132	72	69	33	31	4	5	4	2	1	1	1	27
19	17	11	22	18	18	18	18	29	28	24	3	3	.....	.....	.....	28
22	19	28	21	14	15	24	13	12	7	5	3	.....	.....	.....	.....	29
17	18	12	18	16	17	26	26	40	36	24	14	.....	2	.....	.....	30
13	5	14	9	9	6	10	21	15	14	11	6	1	1	.....	.....	31
16	16	12	15	27	17	24	18	13	7	13	7	1	.....	.....	1	32
12	6	11	17	12	20	20	26	18	17	16	8	3	.....	.....	.....	33
282	297	259	282	321	255	318	332	269	212	160	83	27	6	1	1	34
256	271	241	264	299	243	311	328	260	209	158	82	27	5	.....	1	35
26	26	18	18	22	12	7	4	9	3	2	1	.....	1	1	.....	36
92	91	95	94	136	113	137	167	148	110	91	40	19	6	1	.....	37
23	20	20	29	26	28	28	41	36	24	22	11	3	1	.....	.....	38
6	2	4	8	9	11	10	12	14	14	7	6	.....	.....	.....	.....	39
14	13	6	7	11	8	8	10	8	12	7	6	.....	.....	.....	.....	40
7	14	12	8	12	15	14	13	21	17	13	5	.....	.....	.....	.....	41
31	38	48	51	49	34	52	39	33	39	33	9	6	.....	.....	.....	42
17	29	23	17	15	17	10	10	14	8	5	7	1	.....	.....	.....	43
34	29	41	44	50	25	45	69	63	58	35	18	6	1	.....	.....	44
350	422	447	447	508	413	455	444	397	334	253	110	24	8	1	1	45
337	397	414	422	452	389	433	434	390	333	252	110	24	8	1	1	46
13	25	33	25	56	24	22	10	7	1	1	.....	.....	.....	.....	.....	47
12	19	14	26	19	21	29	32	45	28	20	16	3	1	.....	.....	48
11	13	8	12	17	9	13	19	8	18	15	10	3	1	.....	.....	49
5	6	7	14	14	11	10	15	20	24	17	7	1	.....	.....	.....	50
17	40	26	33	39	25	42	40	38	30	25	14	3	1	.....	1	51
10	8	11	11	6	8	8	9	7	16	4	6	.....	.....	.....	.....	52
		327	302	277	296	273	241	225	233	205	107	42	19	3	.....	53
		283	269	281	263	230	215	230	200	104	41	18	3	.....	.....	54
		19	8	15	10	11	10	3	5	3	1	1	.....	.....	.....	55
		37	25	28	24	20	28	23	25	8	2	2	1	.....	.....	56
		235	211	232	213	204	179	182	147	86	37	12	2	.....	.....	57
		22	33	30	32	14	16	22	28	8	2	3	.....	.....	.....	58
		8	8	6	4	3	2	6	5	5	1	2	.....	.....	.....	59
		571	520	619	618	731	748	780	595	451	218	79	21	7	25	60
		544	510	595	593	712	731	768	588	445	216	79	20	7	24	61
		27	10	24	25	19	17	12	7	6	2	.....	1	.....	1	62
		9	5	6	10	12	12	9	7	3	3	.....	.....	.....	1	63
		92	60	95	77	83	79	88	48	49	21	5	3	1	2	64
		5	9	7	10	8	18	10	12	6	1	3	.....	1	.....	65
		20	15	17	23	22	19	24	25	20	7	4	.....	.....	3	66
		9	8	16	13	13	14	14	17	12	10	1	1	.....	.....	67



TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Contd.												
	CONNECTICUT—continued.												
1	Hartford	1,748	286	57	24	19	12	398	39	28	42	52	74
2	Manchester town	161	28	8	5	1	.....	42	4	5	2	5	4
3	Meriden town	456	96	22	2	4	3	127	10	3	13	12	17
4	Middletown town	533	74	23	6	7	1	111	8	7	6	15	12
5	Naugatuck	182	56	11	1	3	1	72	4	7	6	4	7
6	New Britain	692	236	53	23	9	12	333	26	6	10	29	25
7	New Haven	2,219	406	83	35	16	17	557	46	28	41	65	79
8	New London	353	64	7	8	2	4	85	8	2	11	11	9
9	Norwalk town	366	57	4	5	6	.....	72	5	3	9	11	12
10	Norwich town	480	67	15	10	9	4	105	13	8	5	17	17
11	Orange town	143	24	3	.....	.....	.....	27	1	1	1	1	6
12	Stamford town	466	95	15	5	6	2	123	9	4	9	15	9
13	Torrington town	185	52	13	4	2	4	75	1	3	3	4	6
14	Wallingford town	141	34	8	5	1	.....	48	4	.....	5	1	4
15	Waterbury	1,140	320	58	36	12	12	438	23	23	36	36	52
16	Windham town	197	38	7	2	1	1	49	1	2	6	6	3
	DELAWARE.[1]												
17	Wilmington (total)	1,547	355	64	34	23	18	494	41	39	49	59	68
18	White	1,322	307	52	24	21	17	421	35	28	37	50	56
19	Colored	225	48	12	10	2	1	73	6	11	12	9	12
	DISTRICT OF COLUMBIA.												
20	Washington (total)	6,511	1,068	161	92	55	26	1,402	99	76	154	255	319
21	White	3,744	487	73	41	36	16	653	56	38	67	94	136
22	Colored	2,767	581	88	51	19	10	749	43	38	87	161	183
	FLORIDA.[1]												
23	Registration cities (total)	1,640	329	48	23	19	10	429	27	27	62	101	97
24	White	783	179	19	12	8	4	222	14	9	25	44	31
25	Colored	857	150	29	11	11	6	207	13	18	37	57	66
26	Jacksonville (total)	1,192	171	24	14	14	7	230	21	21	50	81	83
27	White	482	69	5	5	6	3	88	9	5	18	31	23
28	Colored	710	102	19	9	8	4	142	12	16	32	50	60
29	Key West (total)	448	158	24	9	5	3	199	6	6	12	20	14
30	White	301	110	14	7	2	1	134	5	4	7	13	8
31	Colored	147	48	10	2	3	2	65	1	2	5	7	6
	GEORGIA.[1]												
32	Registration cities (total)	4,689	851	214	96	39	28	1,228	80	89	169	303	337
33	White	2,225	374	108	44	15	14	555	40	40	55	104	122
34	Colored	2,464	477	106	52	24	14	673	40	49	114	199	215
35	Atlanta (total)	2,938	521	140	57	21	22	761	46	59	110	193	217
36	White	1,609	286	80	32	10	13	421	29	28	43	77	91
37	Colored	1,329	235	60	25	11	9	340	17	31	67	116	126
38	Savannah (total)	1,751	330	74	39	18	6	467	34	30	59	110	120
39	White	616	88	28	12	5	1	134	11	12	12	27	31
40	Colored	1,135	242	46	27	13	5	333	23	18	47	83	89
	ILLINOIS.[1]												
41	Registration cities (total)	36,465	7,301	1,782	822	477	368	10,750	869	489	903	1,421	1,650
42	White	35,189	7,160	1,742	798	460	364	10,524	844	470	863	1,344	1,558
43	Colored	1,276	141	40	24	17	4	226	25	19	40	77	92
44	Aurora	433	77	13	6	.....	1	97	3	8	11	17	14
45	Belleville	312	47	8	5	2	2	64	9	6	11	13	9
46	Chicago (total)	33,241	6,844	1,685	782	456	353	10,120	811	440	806	1,304	1,511
47	White	32,130	6,729	1,651	763	440	349	9,932	790	425	774	1,236	1,425
48	Colored	1,111	115	34	19	16	4	188	21	15	32	68	86
49	Decatur	412	54	22	6	7	2	91	11	4	8		
50	Evanston	254	42	10	7	1	1	61	4	6	9		
51	Jacksonville	347	20	2	1	2	1	26	4	3	17		
52	Quincy	606	65	19	4	1	4	93	7	9	13		
53	Springfield	860	152	23	11	8	4	198	20	13	28		
	INDIANA.												
54	Registration cities (total)	12,468	2,194	467	218	114	85	3,078	269	175	391		
55	White	11,472	2,034	424	199	107	77	2,841	245	160	341		
56	Colored	996	160	43	19	7	8	237	24	15	50		
57	Anderson	328	62	15	5	3	2	87	9	10	10		
58	East Chicago	269	130	28	7	6	2	173	4	3	5		
59	Elkhart	264	33	5	3	4	.....	45	5	6	9		
60	Elwood	174	49	11	7	.....	2	69	3	3	3		
61	Evansville	948	172	26	18	8	9	233	14	10	37		
62	Fort Wayne	840	104	16	15	5	7	147	21	27	36		
63	Gary	284	96	27	4	3	2	132	5	4	7		
64	Hammond	296	65	16	10	2	1	94	11	6	11		
65	Huntington	126	17	1	.....	1	.....	19	3	3	.....		

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
82	102	101	97	108	84	118	110	120	81	59	29	20	4	.....	.....	1
1	6	5	5	8	6	11	14	11	17	12	1	.....	1	.....	1	2
18	29	17	18	17	28	27	37	33	21	17	8	3	1	.....	.....	3
28	25	29	28	31	28	42	35	58	34	19	14	3	.....	.....	.....	4
6	8	7	6	8	10	7	10	7	6	5	1	.....	.....	.....	1	5
16	25	21	17	22	27	28	32	27	19	17	6	3	1	1	1	6
99	119	96	105	121	136	157	157	150	121	82	41	14	2	1	2	7
15	15	16	23	13	13	21	23	29	16	20	11	2	.....	.....	10	8
13	14	18	17	17	28	24	26	37	24	20	13	2	1	.....	.....	9
20	19	18	17	23	24	28	35	43	42	25	14	3	3	1	.....	10
7	7	1	7	9	5	12	12	16	10	6	8	4	2	.....	.....	11
23	25	20	18	28	30	31	23	28	27	28	8	3	1	.....	4	12
3	3	10	6	5	10	11	12	11	7	9	3	3	.....	.....	.....	13
1	2	3	5	7	3	10	10	14	10	11	2	1	.....	.....	.....	14
49	61	62	45	49	42	54	60	34	38	20	11	4	1	2	.....	15
8	8	12	9	12	11	12	10	17	13	11	6	1	.....	.....	.....	16
63	50	61	76	81	66	83	84	84	70	43	21	7	.....	1	2	17
51	44	50	64	66	54	76	76	82	65	41	19	6	.....	.....	1	18
12	6	11	12	15	12	12	8	2	5	2	2	1	.....	1	1	19
325	331	348	319	389	376	436	510	473	321	209	108	41	14	6	.....	20
152	151	168	167	212	217	310	378	372	269	172	93	33	6	.....	.....	21
173	180	180	152	177	159	126	132	101	52	37	15	8	8	6	.....	22
110	127	103	88	75	72	71	81	61	42	30	15	7	3	4	8	23
41	45	38	35	35	41	42	47	44	30	23	11	2	.....	1	3	24
69	82	65	53	40	31	29	34	17	12	7	4	5	3	3	5	25
95	106	88	76	61	51	48	60	47	25	21	10	5	2	3	8	26
30	35	29	28	26	27	25	29	33	18	17	8	.....	.....	.....	3	27
65	71	59	48	35	24	23	31	14	7	4	2	5	2	3	5	28
15	21	15	12	14	21	23	21	14	17	9	5	2	1	1	.....	29
11	10	9	7	9	14	17	18	11	12	6	3	2	.....	1	.....	30
4	11	6	5	5	7	6	3	3	5	3	2	.....	1	.....	.....	31
296	320	237	265	292	187	205	218	159	146	83	47	11	5	6	6	32
118	136	87	93	142	108	125	159	126	116	56	32	5	4	.....	2	33
178	184	150	172	150	79	80	59	33	30	27	15	6	1	6	4	34
190	196	142	153	172	137	138	144	108	84	50	23	6	2	1	6	35
86	94	64	59	96	90	97	115	96	71	32	15	2	1	.....	2	36
104	102	78	94	76	47	41	29	12	13	18	8	4	1	1	4	37
106	124	95	112	120	50	67	74	51	62	33	24	5	3	5	.....	38
32	42	23	34	46	18	28	44	30	45	24	17	3	3	.....	.....	39
74	82	72	78	74	32	39	30	21	17	9	7	2	.....	5	.....	40
1,646	1,859	2,079	2,222	2,197	1,968	1,842	1,894	1,656	1,375	965	467	160	34	7	12	41
1,529	1,742	1,953	2,129	2,124	1,893	1,775	1,841	1,630	1,355	953	457	156	31	6	12	42
117	117	126	93	73	75	67	53	26	20	12	10	4	3	1	.....	43
20	18	20	19	27	18	27	34	26	30	25	12	6	.....	.....	1	44
7	12	18	14	10	13	17	21	24	23	27	12	1	1	.....	.....	45
1,520	1,691	1,932	2,060	2,017	1,827	1,656	1,662	1,429	1,151	762	379	125	26	6	6	46
1,415	1,585	1,814	1,973	1,954	1,760	1,599	1,623	1,407	1,132	755	373	123	24	5	6	47
105	106	118	87	63	67	57	39	22	19	7	6	2	2	1	.....	48
19	20	14	27	23	12	25	26	28	28	24	7	5	4	.....	2	49
7	16	8	8	18	9	11	19	17	19	13	6	3	.....	.....	1	50
12	18	16	17	22	16	23	29	44	32	28	12	1	1	.....	2	51
21	28	33	31	26	38	32	53	46	52	52	25	10	1	1	.....	52
40	56	38	46	54	35	51	50	42	40	34	14	9	1	.....	.....	53
560	612	588	648	647	649	744	763	716	674	444	219	65	13	7	8	54
494	542	536	587	574	601	697	719	692	655	430	210	63	10	4	6	55
66	70	52	61	73	48	47	44	24	19	14	9	2	3	3	2	56
22	11	14	13	25	13	25	9	15	15	15	7	1	.....	.....	.....	57
11	13	8	4	4	8	1	6	4	2	1	.....	1	1	.....	1	58
12	13	13	13	9	18	19	24	16	21	13	3	7	.....	.....	.....	59
7	4	4	3	5	7	7	7	12	10	2	5	1	.....	.....	.....	60
46	61	52	52	38	48	60	56	52	43	24	15	4	1	.....	1	61
38	31	41	58	41	41	41	58	57	56	35	18	1	.....	.....	.....	62
14	15	18	11	4	5	5	3	.....	.....	3	.....	.....	.....	.....	.....	63
14	17	18	21	13	16	7	7	10	6	1	2	1	.....	.....	1	64
6	5	4	7	3	7	13	5	15	10	16	2	1	.....	.....	.....	65

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Contd.												
	INDIANA—continued.												
1	Indianapolis (total)	3,824	557	133	55	33	21	799	70	37	107	186	176
2	White	3,275	478	108	42	32	18	678	56	29	82	143	146
3	Colored	549	79	25	13	1	3	121	14	8	25	43	30
4	Jeffersonville (total)	205	36	10	1	.....	2	49	.....	3	7	9	7
5	White	156	28	8	1	.....	2	39	.....	1	6	4	6
6	Colored	49	8	2	.....	.....	.....	10	.....	2	1	5	1
7	Kokomo	257	51	15	8	2	1	77	6	3	15	7	11
8	Lafayette	333	36	6	2	.....	.....	44	7	3	7	8	16
9	Laporte	185	31	1	1	1	1	35	4	2	6	5	6
10	Logansport	299	36	6	1	4	2	49	6	7	11	22	12
11	Marion	265	51	13	4	3	1	72	7	3	12	10	10
12	Michigan City	280	67	10	4	4	3	88	8	3	11	10	11
13	Mishawaka	137	30	7	3	2	1	43	7	1	1	7	4
14	Muncie	352	64	13	8	3	1	89	10	9	16	12	17
15	New Albany	376	45	13	12	2	2	74	12	4	10	29	17
16	Peru	145	15	3	2	2	1	23	1	2	5	10	9
17	Richmond	305	43	7	5	1	3	59	10	1	9	7	9
18	South Bend	759	201	33	10	9	6	259	21	13	12	38	36
19	Terre Haute	931	146	37	23	14	9	229	18	12	31	43	39
20	Vincennes	286	57	15	10	2	6	90	7	.....	12	13	18
	KANSAS.[1]												
21	Registration cities (total)	2,405	408	77	44	26	21	576	57	42	78	114	132
22	White	2,060	369	68	39	23	16	515	47	35	59	96	99
23	Colored	345	39	9	5	3	5	61	10	7	19	18	33
24	Kansas City (total)	1,393	243	50	29	15	15	352	34	24	49	70	80
25	White	1,152	214	44	26	12	11	307	29	20	35	59	51
26	Colored	241	29	6	3	3	4	45	5	4	14	11	29
27	Leavenworth (total)	277	31	4	3	1	.....	39	4	6	13	15	7
28	White	218	28	3	3	1	.....	35	3	3	9	11	5
29	Colored	59	3	1	.....	.....	.....	4	1	3	4	4	2
30	Wichita	735	134	23	12	10	6	185	19	12	16	29	45
	KENTUCKY.[1]												
31	Registration cities (total)	5,499	764	192	100	53	57	1,166	113	74	212	253	275
32	White	4,176	602	146	62	37	40	887	87	52	153	160	190
33	Colored	1,323	162	46	38	16	17	279	26	22	59	93	85
34	Covington	861	135	33	15	8	9	200	14	8	25	30	35
35	Louisville (total)	3,756	503	118	71	34	40	766	82	52	147	181	190
36	White	2,667	372	81	37	24	26	540	62	34	96	107	124
37	Colored	1,089	131	37	34	10	14	226	20	18	51	74	66
38	Newport	444	65	22	5	5	6	103	7	8	18	14	16
39	Paducah (total)	438	61	19	9	6	2	97	10	6	22	28	34
40	White	274	41	16	5	3	.....	65	4	2	16	12	19
41	Colored	164	20	3	4	3	2	32	6	4	6	16	15
	LOUISIANA.[1]												
42	New Orleans (total)	7,250	1,061	232	118	65	47	1,523	140	108	205	404	417
43	White	4,311	618	147	78	37	27	907	77	56	97	162	191
44	Colored	2,939	443	85	40	28	20	616	63	52	108	242	226
	MAINE.												
45	Registration cities (total)	3,380	580	123	45	35	29	812	83	59	81	101	132
46	White	3,369	580	123	45	35	29	812	83	58	80	101	131
47	Colored	11	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1
48	Auburn	231	41	9	5	4	2	61	9	3	5	10	7
49	Augusta	332	38	7	4	3	.....	52	.....	5	3	12	10
50	Bangor	504	52	11	3	.....	4	70	10	6	13	12	25
51	Biddeford	411	112	27	10	14	9	172	18	9	9	9	12
52	Lewiston	586	122	35	11	8	8	184	21	10	22	17	23
53	Portland	1,106	167	27	7	6	1	208	20	20	25	33	44
54	Waterville	210	48	7	5	.....	5	65	5	6	4	8	11
	MARYLAND.												
55	Registration cities (total)	11,690	2,338	440	179	108	73	3,138	216	191	301	448	529
56	White	8,969	1,729	340	127	75	55	2,326	170	127	208	309	346
57	Colored	2,721	609	100	52	33	18	812	46	64	93	139	183
58	Baltimore (total)	10,753	2,146	401	170	99	71	2,887	193	181	267	410	475
59	White	8,152	1,567	305	119	66	54	2,111	150	118	180	274	298
60	Colored	2,601	579	96	51	33	17	776	43	63	87	136	177
61	Cumberland (total)	440	89	20	5	4	.....	118	13	3	21	28	29
62	White	398	79	17	4	4	.....	104	10	3	18	27	27
63	Colored [2]	42	10	3	1	.....	.....	14	3	.....	3	1	2
64	Frederick (total)	206	36	12	1	2	1	52	5	3	7	2	7
65	White	155	22	11	1	2	.....	36	5	2	5	.....	6
66	Colored	51	14	1	.....	.....	1	16	.....	1	2	2	1
67	Hagerstown (total)	291	67	7	3	3	1	81	5	4	6	8	18
68	White	264	61	7	3	3	1	75	5	4	5	8	15
69	Colored [2]	27	6	.....	.....	.....	.....	6	.....	.....	1	.....	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
176	224	200	235	254	227	255	252	211	197	125	61	23	4	5	.....	1
140	182	170	200	208	196	232	228	200	186	117	56	22	2	2	.....	2
36	42	30	35	46	31	23	24	11	11	8	5	1	2	3	.....	3
10	7	9	10	13	10	16	13	13	15	8	5	1	.....	.....	.....	4
5	5	8	7	8	7	13	10	12	13	8	4	.....	.....	.....	.....	5
5	2	1	3	5	3	3	3	1	2	.....	1	1	.....	.....	.....	6
9	11	10	7	13	11	13	17	15	15	12	1	3	.....	1	.....	7
17	17	14	21	14	19	27	26	34	33	16	7	3	.....	.....	.....	8
11	5	8	8	8	7	12	13	11	21	9	10	4	.....	.....	.....	9
5	13	17	16	25	13	23	24	15	23	8	8	2	.....	.....	.....	10
6	11	14	9	19	13	20	20	11	11	12	4	.....	.....	.....	1	11
13	11	9	8	11	16	9	16	22	16	14	4	.....	.....	.....	.....	12
2	6	5	4	5	8	11	9	14	4	5	.....	.....	1	.....	.....	13
15	16	12	19	17	18	20	20	25	13	13	8	1	2	.....	.....	14
12	9	13	10	14	19	23	35	31	33	19	11	1	.....	.....	.....	15
4	4	11	5	10	11	9	8	13	7	8	4	.....	1	.....	.....	16
12	18	10	11	16	15	22	24	30	20	22	5	3	2	.....	.....	17
31	27	26	36	34	39	35	36	32	46	17	15	4	.....	.....	2	18
46	53	48	54	42	45	59	62	51	43	34	17	3	.....	1	1	19
21	10	10	13	10	15	12	13	7	14	12	7	.....	1	.....	1	20
126	111	96	124	150	135	125	145	158	108	71	38	5	6	2	6	21
105	91	74	98	135	116	112	128	141	100	65	32	2	5	.....	5	22
21	20	22	26	15	19	13	17	17	8	6	6	3	1	2	1	23
77	66	59	77	97	77	71	70	88	47	28	15	2	5	2	3	24
59	54	43	59	85	66	61	57	77	43	27	13	1	4	.....	2	25
18	12	16	18	12	11	10	13	11	4	1	2	1	1	2	1	26
13	18	13	11	13	19	15	17	29	20	16	6	2	.....	.....	1	27
12	13	8	7	11	13	12	17	25	18	12	3	.....	.....	.....	1	28
1	5	5	4	2	6	3	.....	4	2	4	3	2	.....	.....	.....	29
36	27	24	36	40	39	39	58	41	41	27	17	1	1	.....	2	30
301	314	276	309	356	307	315	341	325	263	176	81	19	4	3	16	31
188	222	181	214	258	238	253	293	287	243	161	77	17	3	2	10	32
113	92	95	95	98	69	62	48	38	20	15	4	2	1	1	6	33
41	49	36	46	44	39	54	63	67	41	41	18	5	.....	2	3	34
219	217	197	220	265	222	214	212	217	179	106	53	12	2	1	2	35
122	141	117	140	185	159	162	177	184	163	93	49	10	1	.....	1	36
97	76	80	80	80	63	52	35	33	16	13	4	2	1	1	1	37
18	22	21	22	19	27	25	38	25	28	22	8	2	.....	.....	1	38
23	26	22	21	28	19	22	28	16	15	7	2	.....	2	.....	10	39
13	15	13	10	17	15	14	20	12	12	6	2	.....	2	.....	5	40
10	11	9	11	11	4	8	8	4	3	1	.....	.....	.....	.....	5	41
414	456	451	437	454	409	467	392	361	267	198	86	40	13	8	.....	42
186	266	254	267	278	264	304	276	272	199	152	66	28	6	3	.....	43
228	190	197	170	176	145	163	116	89	68	46	20	12	7	5	.....	44
126	127	159	157	172	169	201	235	237	228	168	85	31	11	.....	6	45
123	125	158	157	172	168	201	235	237	228	168	85	31	10	.....	6	46
3	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	47
4	4	3	6	7	9	14	23	16	19	14	12	4	1	.....	.....	48
11	18	19	16	23	22	17	27	31	28	19	14	4	1	.....	.....	49
20	21	32	28	25	29	33	36	34	43	39	16	5	6	.....	1	50
13	10	12	10	21	14	23	20	20	21	12	3	2	.....	.....	1	51
27	20	29	20	30	23	30	37	31	33	22	6	.....	.....	.....	1	52
44	48	61	63	57	60	73	77	93	75	58	29	14	2	.....	2	53
7	6	3	14	9	12	11	15	12	9	4	5	2	1	.....	1	54
496	586	566	597	693	680	738	740	648	510	335	178	73	16	8	3	55
345	399	383	437	512	568	619	631	573	485	296	160	61	9	3	2	56
151	187	183	160	181	112	119	109	75	25	39	18	12	7	5	1	57
461	545	533	563	639	624	673	674	597	468	302	168	67	16	8	2	58
317	367	356	406	464	519	562	573	526	447	265	151	55	9	3	1	59
144	178	177	157	175	105	111	101	71	21	37	17	12	7	5	1	60
20	21	16	20	26	27	27	26	18	10	12	3	2	.....	.....	.....	61
17	18	14	18	25	25	25	24	18	8	12	3	2	.....	.....	.....	62
3	3	2	2	1	2	2	2	.....	2	.....	.....	.....	.....	.....	.....	63
6	7	5	4	12	15	18	22	15	13	7	3	2	.....	.....	1	64
5	3	4	4	9	13	13	17	11	11	5	3	2	.....	.....	1	65
1	4	1	.....	3	2	5	5	4	2	2	.....	.....	.....	.....	.....	66
9	13	12	10	16	14	20	18	18	19	14	4	2	.....	.....	.....	67
6	11	9	9	14	11	19	17	18	19	14	3	2	.....	.....	.....	68
3	2	3	1	2	3	1	1	.....	.....	.....	1	.....	.....	.....	.....	69

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Contd.												
	MASSACHUSETTS.												
1	Registration cities (total)	41,996	9,569	1,845	707	468	324	12,913	890	527	791	1,222	1,450
2	White	41,274	9,440	1,805	698	458	313	12,714	880	514	772	1,191	1,408
3	Colored	722	129	40	9	10	11	199	10	13	19	31	42
4	Adams town	171	63	11	5	3	.....	82	3	1	5	2	4
5	Arlington town	148	22	1	.....	1	1	25	4	2	3	2	5
6	Attleborough town	207	40	22	4	3	1	70	3	1	5	6	8
7	Beverly	246	35	7	.....	1	2	45	5	1	8	5	9
8	Boston (total)	11,562	2,246	462	194	138	78	3,118	246	162	220	323	429
9	White	11,224	2,201	443	193	130	73	3,040	244	154	211	314	408
10	Colored	338	45	19	1	8	5	78	2	8	9	9	21
11	Brockton	707	134	24	7	4	11	180	22	12	17	17	20
12	Brookline town	320	27	5	.....	.....	2	34	2	2	2	3	10
13	Cambridge	1,576	293	57	27	13	12	402	25	31	30	64	59
14	Chelsea	605	106	18	5	3	1	133	3	3	10	20	23
15	Chicopee	389	141	35	8	6	3	193	5	4	3	9	10
16	Clinton town	175	35	12	1	3	.....	51	2	5	4	5	7
17	Everett	370	65	11	8	2	2	88	8	6	10	12	12
18	Fall River	2,201	854	167	36	30	19	1,106	43	16	44	46	72
19	Fitchburg	496	125	24	8	9	7	173	12	9	13	13	20
20	Framingham town	221	31	6	3	1	1	42	6	5	4	8	14
21	Gardner town	231	60	14	2	2	2	80	6	3	3	9	9
22	Gloucester	391	51	7	4	3	1	66	12	9	9	13	13
23	Greenfield town	147	19	5	1	1	.....	26	3	3	1	3	5
24	Haverhill	767	145	24	13	5	4	191	10	13	14	22	26
25	Holyoke	1,027	362	69	19	12	8	470	22	18	25	39	35
26	Hyde Park town	261	58	17	5	1	3	84	4	2	7	9	3
27	Lawrence	1,530	529	108	43	20	15	715	28	10	22	35	54
28	Leominster town	196	45	5	5	1	.....	56	4	2	2	5	3
29	Lowell	2,101	607	125	47	34	22	835	46	19	39	57	65
30	Lynn	1,179	216	49	16	9	8	298	24	13	15	47	30
31	Malden	582	104	10	7	3	5	129	16	10	13	18	25
32	Marlborough	170	32	.....	3	.....	.....	35	6	1	6	5	5
33	Medford	243	29	4	.....	.....	.....	33	5	4	1	5	10
34	Melrose	205	35	4	3	1	1	44	1	2	5	6	7
35	Methuen town	150	36	8	1	1	3	49	5	2	6	4	4
36	Milford town	239	60	4	5	5	2	76	2	3	5	9	4
37	New Bedford	1,814	685	122	39	24	17	887	45	14	41	38	71
38	Newburyport	280	35	7	2	1	.....	45	5	6	8	10	8
39	Newton	484	78	15	7	2	4	106	5	4	7	15	12
40	North Adams	322	55	11	6	2	4	78	14	4	4	13	11
41	Northampton	366	43	4	3	1	1	52	7	3	5	10	15
42	Peabody town	203	41	5	1	2	.....	49	2	2	2	9	10
43	Pittsfield	572	109	16	12	7	4	148	12	8	9	27	29
44	Plymouth town	162	34	1	.....	2	1	38	6	2	2	3	4
45	Quincy	384	89	18	3	4	.....	114	11	3	12	14	12
46	Revere town	217	55	16	5	2	2	80	4	3	2	5	5
47	Salem	691	147	24	10	8	3	192	13	14	8	29	23
48	Somerville	1,041	174	24	14	17	10	239	19	8	16	22	32
49	Southbridge town	175	54	16	6	2	2	80	9	.....	3	2	2
50	Springfield	1,484	302	66	33	25	22	453	40	20	32	42	53
51	Taunton	803	202	28	16	7	4	257	26	8	14	20	22
52	Wakefield town	150	29	3	2	1	.....	35	4	.....	.....	6	4
53	Waltham	389	45	10	2	6	3	66	24	6	9	20	17
54	Watertown town	143	36	4	3	2	1	46	1	3	1	3	4
55	Webster town	178	58	13	2	1	3	77	5	3	1	5	6
56	Westfield town	302	68	11	3	5	2	89	4	4	10	17	13
57	Weymouth town	200	28	5	2	.....	2	37	.....	.....	5	1	3
58	Winthrop town	105	16	2	1	1	.....	20	1	3	1	2	3
59	Woburn	241	45	7	9	2	2	65	2	3	4	3	5
60	Worcester	2,477	536	102	41	29	23	731	48	27	44	85	90
	MICHIGAN.												
61	Registration cities (total)	16,369	3,741	615	251	170	139	4,916	420	241	434	698	678
62	White	16,108	3,701	605	248	169	137	4,860	416	235	423	686	662
63	Colored	261	40	10	3	1	2	56	4	6	11	12	16
64	Adrian	169	13	4	5	1	1	24	1	2	1	4	7
65	Alpena	194	63	7	1	.....	.....	71	2	.....	7	7	10
66	Ann Arbor	345	35	2	2	1	4	44	4	7	11	17	11
67	Battle Creek	423	62	12	4	2	1	81	4	3	7	9	16
68	Bay City	612	116	26	11	11	6	170	24	16	15	24	37
69	Detroit	7,452	2,138	324	135	94	65	2,756	213	108	198	345	283
70	Escanaba	206	57	6	4	4	5	76	14	1	4	12	8
71	Flint	549	136	29	11	6	6	188	20	7	21	28	27
72	Grand Rapids	1,648	329	59	23	13	11	435	34	17	42	62	73
73	Holland	141	29	5	5	3	3	45	9	3	2	6	7
74	Ironwood	180	58	15	3	4	2	82	3	6	8	12	10
75	Ishpeming	158	41	4	1	2	.....	48	5	3	4	14	11
76	Jackson	466	64	14	4	1	1	84	9	2	13	11	17
77	Kalamazoo	743	79	12	5	4	4	104	16	8	15	23	31
78	Lansing	412	82	17	7	4	6	116	8	7	10	20	14

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
1,555	1,750	1,855	1,852	2,139	2,160	2,634	2,751	2,483	2,258	1,538	843	283	62	15	25	1
1,512	1,711	1,797	1,800	2,094	2,121	2,597	2,723	2,462	2,235	1,527	837	281	60	14	24	2
43	39	58	52	45	39	37	28	21	23	11	6	2	2	1	1	3
2	6	6	2	8	9	10	10	11	5	2	.....	1	2	.....	.....	4
3	7	8	4	15	7	15	7	11	13	11	4	1	1	.....	.....	5
4	10	11	5	5	9	10	12	18	12	12	4	.....	.....	.....	2	6
6	11	13	9	10	14	14	18	26	22	13	10	7	.....	.....	.....	7
509	610	659	656	731	630	793	714	609	538	354	182	60	11	5	3	8
488	586	627	622	705	608	778	705	601	528	349	179	59	10	5	3	9
21	24	32	34	26	22	15	9	8	10	5	3	1	1	.....	.....	10
34	23	17	31	32	41	40	53	53	43	38	22	7	4	1	.....	11
10	14	9	12	27	19	29	35	28	40	28	13	2	.....	.....	1	12
65	80	80	85	90	85	115	104	80	84	58	40	6	.....	1	1	13
27	24	19	20	27	28	38	73	62	39	25	21	7	1	1	1	14
11	14	12	12	14	16	19	14	21	14	9	7	2	.....	.....	.....	15
3	10	8	6	6	16	9	8	13	11	4	2	3	2	.....	.....	16
14	14	17	18	15	23	30	28	26	22	15	11	1	.....	.....	.....	17
66	75	71	62	91	99	109	94	84	61	38	14	7	2	.....	1	18
13	18	25	15	15	23	30	35	20	29	19	10	4	.....	.....	.....	19
9	5	9	7	14	17	9	13	17	18	11	9	2	1	.....	1	20
6	10	6	5	10	14	16	16	10	5	11	8	3	.....	.....	1	21
15	15	12	15	21	22	28	40	22	39	18	17	4	1	.....	.....	22
7	6	6	5	8	8	12	11	12	12	6	8	2	3	.....	.....	23
33	37	40	33	42	41	41	55	54	55	34	15	11	.....	.....	.....	24
31	44	41	35	37	34	42	63	36	29	13	8	3	2	.....	.....	25
8	6	13	8	9	21	12	16	18	18	16	6	1	.....	.....	.....	26
43	62	51	56	51	70	71	83	70	55	28	20	4	1	.....	1	27
7	6	8	10	7	12	18	14	12	14	5	4	4	1	1	1	28
74	86	74	96	92	85	119	123	98	85	62	35	5	3	2	1	29
53	33	68	43	70	60	85	93	85	63	50	24	16	2	.....	2	30
15	23	24	29	28	25	30	40	47	42	40	21	5	2	.....	.....	31
6	3	6	9	4	5	15	22	12	12	10	5	2	1	.....	.....	32
5	11	13	15	18	15	14	20	29	16	16	6	7	.....	.....	.....	33
5	6	3	13	10	9	21	15	22	13	18	2	2	1	.....	.....	34
4	8	1	2	6	10	5	10	14	9	9	1	1	.....	.....	.....	35
8	13	7	14	10	13	13	15	12	15	14	6	.....	.....	.....	.....	36
55	47	58	45	54	66	74	81	84	75	43	23	8	3	1	1	37
7	7	8	7	13	11	22	26	22	29	26	11	6	2	.....	1	38
14	13	24	21	22	20	38	44	40	43	31	18	5	2	.....	.....	39
12	11	17	14	18	14	24	19	26	18	12	6	4	2	.....	1	40
17	11	17	14	16	26	29	30	37	34	21	15	4	1	1	1	41
6	10	10	11	10	9	16	22	10	10	6	7	1	.....	.....	1	42
22	12	28	22	38	27	28	48	30	38	25	11	7	1	.....	2	43
4	2	6	6	3	5	14	12	18	11	11	9	5	1	.....	.....	44
15	13	11	17	15	19	14	35	16	34	16	10	2	.....	.....	1	45
12	6	12	5	13	16	9	10	10	10	11	4	.....	.....	.....	.....	46
20	26	38	23	34	41	47	49	37	48	27	14	6	2	.....	.....	47
31	39	32	41	51	75	91	87	79	90	55	24	8	2	.....	.....	48
4	9	2	1	5	8	10	11	8	14	7	.....	.....	.....	.....	.....	49
53	56	66	67	66	78	96	93	87	79	62	30	6	.....	.....	.....	50
26	27	33	40	39	47	41	54	46	48	30	18	6	1	.....	.....	51
7	3	7	4	5	12	8	13	21	7	9	3	1	1	.....	.....	52
9	12	20	13	24	23	20	36	33	22	16	15	3	.....	.....	1	53
5	4	3	7	7	10	5	11	10	7	11	4	1	.....	.....	.....	54
5	4	4	6	6	6	8	8	15	9	6	3	1	.....	.....	.....	55
17	10	12	7	14	14	21	17	19	14	8	7	4	1	.....	.....	56
5	8	10	12	11	10	15	10	22	21	14	12	2	1	1	.....	57
3	3	5	6	5	7	8	15	7	7	4	5	.....	.....	.....	.....	58
9	8	9	11	12	12	15	19	17	19	14	9	4	1	.....	.....	59
101	119	86	120	135	124	169	147	157	138	86	50	19	.....	1	.....	60
610	675	649	769	828	821	859	986	903	823	586	323	107	18	9	16	61
593	663	633	751	809	816	843	968	887	816	578	321	106	18	8	16	62
17	12	16	18	19	5	16	18	16	7	8	2	1	.....	1	.....	63
6	3	6	4	9	12	12	11	17	22	17	10	.....	1	.....	.....	64
6	7	10	5	7	13	14	8	7	7	7	2	1	1	1	1	65
17	20	20	23	28	19	28	30	20	14	18	7	5	1	1	.....	66
17	22	21	27	23	25	27	28	35	34	25	13	6	.....	.....	.....	67
20	19	26	33	23	29	21	41	40	34	22	13	5	.....	.....	.....	68
266	319	283	335	372	353	339	373	309	271	183	98	37	6	2	3	69
6	6	11	11	9	10	9	7	6	7	5	4	.....	.....	.....	.....	70
21	23	24	20	25	20	18	33	24	27	11	7	5	.....	.....	.....	71
54	66	50	73	83	88	104	116	108	108	86	36	8	4	.....	1	72
1	4	5	.....	1	4	10	12	13	9	7	1	2	.....	.....	.....	73
8	4	9	6	6	6	4	4	5	3	2	1	.....	.....	1	.....	74
7	6	4	12	5	9	5	7	5	5	4	2	1	.....	1	.....	75
13	19	19	26	31	38	32	33	36	27	27	18	9	.....	.....	2	76
31	37	36	38	48	39	52	61	74	63	32	26	5	1	1	2	77
17	14	16	18	19	17	15	22	29	31	23	12	3	1	.....	.....	78

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Contd.												
	MICHIGAN—continued.												
1	Manistee	160	32	8	5	4	3	52	3	2	5	4	7
2	Marquette	182	33	9	2	2	3	49	2	2	7	11	8
3	Menominee	148	29	7	1	1	.....	38	7	2	4	5	7
4	Muskegon	311	60	7	6	1	2	76	5	5	9	13	9
5	Pontiac	369	45	6	.....	1	5	57	2	3	2	10	15
6	Port Huron	313	52	11	5	3	3	74	13	12	10	16	15
7	Saginaw	761	130	18	10	5	6	169	18	16	25	27	37
8	Sault Ste. Marie	157	44	8	1	1	2	56	3	6	7	6	10
9	Traverse City	270	14	5	.....	2	.....	21	1	3	7	12	8
	MINNESOTA.												
10	Registration cities (total)	8,193	1,522	308	146	103	85	2,164	283	168	254	435	441
11	White	8,070	1,508	306	142	102	85	2,143	282	166	252	428	431
12	Colored	123	14	2	4	1	.....	21	1	2	2	7	10
13	Duluth	1,052	229	45	17	7	12	310	28	21	31	69	80
14	Mankato	170	28	1	4	2	2	37	7	4	5	15	9
15	Minneapolis	3,739	621	141	68	44	33	907	108	68	110	203	200
16	St. Cloud	131	30	2	1	.....	.....	33	1	3	6	6	7
17	St. Paul	2,558	498	94	43	45	32	712	117	68	79	117	122
18	Stillwater	114	11	1	.....	1	.....	13	5	.....	7	7	6
19	Virginia	176	49	11	9	.....	3	72	11	1	7	9	13
20	Winona	253	56	13	4	4	3	80	6	3	9	9	4
	MISSOURI.[1]												
21	Registration cities (total)	15,909	2,473	462	252	154	126	3,467	376	215	422	716	817
22	White	14,007	2,221	403	212	137	114	3,087	334	189	350	577	648
23	Colored	1,902	252	59	40	17	12	380	42	26	72	139	169
24	Kansas City (total)	3,966	654	91	50	29	35	859	116	65	132	229	251
25	White	3,317	559	74	42	24	31	730	96	54	98	165	189
26	Colored	649	95	17	8	5	4	129	20	11	34	64	62
27	St. Joseph	1,055	130	28	13	14	11	196	23	20	30	51	56
28	St. Louis (total)	10,888	1,689	343	189	111	80	2,412	237	130	260	436	510
29	White	9,733	1,542	303	159	99	73	2,176	217	116	227	367	410
30	Colored	1,155	147	40	30	12	7	236	20	14	33	69	100
	MONTANA.												
31	Registration cities (total)	1,527	271	53	17	17	13	371	55	22	55	86	114
32	White	1,475	267	52	16	17	13	365	55	22	53	83	106
33	Colored	52	4	1	1	.....	.....	6	.....	.....	2	3	8
34	Anaconda	136	30	3	1	6	2	42	7	4	6	6	6
35	Billings	152	33	3	2	2	.....	40	7	2	4	13	15
36	Butte	602	97	26	8	5	3	139	24	11	19	29	45
37	Great Falls	252	57	13	3	2	5	80	7	2	11	15	22
38	Helena	184	31	4	1	1	2	39	3	1	6	9	4
39	Missoula	201	23	4	2	1	1	31	7	2	9	14	22
	NEBRASKA.[1]												
40	Registration cities (total)	2,364	370	57	30	22	14	493	52	51	78	120	147
41	White	2,244	359	57	30	22	13	481	51	47	74	109	135
42	Colored	120	11	.....	.....	.....	1	12	1	4	4	11	12
43	Lincoln	485	77	17	8	5	3	110	7	5	14	22	34
44	Omaha	1,879	293	40	22	17	11	383	45	46	64	98	113
	NEW HAMPSHIRE.												
45	Registration cities (total)	3,061	772	103	40	26	20	961	63	29	49	98	92
46	White	3,052	771	103	38	26	20	958	63	29	49	98	92
47	Colored	9	1	.....	2	.....	.....	3	.....	.....	.....	.....	.....
48	Berlin	190	94	13	2	2	3	114	7	2	5	9	2
49	Concord	465	44	5	1	1	.....	51	2	3	2	15	13
50	Dover	236	36	4	2	.....	1	43	4	2	4	7	8
51	Keene	178	24	4	1	1	3	33	2	.....	4	4	4
52	Laconia	187	43	5	4	1	.....	53	4	.....	5	11	9
53	Manchester	1,163	375	54	22	15	8	474	28	15	24	36	31
54	Nashua	460	140	15	4	6	4	169	6	4	3	9	22
55	Portsmouth	182	16	3	4	.....	1	24	10	3	2	7	3
	NEW JERSEY.												
56	Registration cities (total)	26,530	6,016	1,279	533	351	216	8,395	658	394	582	905	1,030
57	White	25,139	5,695	1,192	502	329	205	7,923	622	363	541	837	949
58	Colored	1,391	321	87	31	22	11	472	36	31	41	68	81
59	Asbury Park	170	34	9	1	.....	.....	44	6	3	3	2	5
60	Atlantic City (total)	800	166	25	10	11	4	216	14	10	14	22	29
61	White	627	123	16	10	8	3	160	9	8	9	15	20
62	Colored	173	43	9	.....	3	1	56	5	2	5	7	9
63	Bayonne	827	243	73	18	11	9	354	25	8	21	35	29
64	Bloomfield	168	29	8	1	3	4	45	4	2	3	5	3
65	Bridgeton	217	31	4	3	2	.....	40	7	2	6	12	6
66	Camden	1,629	373	83	49	20	13	538	58	36	39	48	56
67	East Orange	372	44	8	8	4	2	66	5	3	6	7	5
68	Elizabeth	1,122	287	65	16	11	7	386	26	10	26	36	55

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
7	1	9	7	6	2	5	22	7	10	4	5	1	.....	1	.....	1
10	9	12	3	4	6	9	17	12	10	5	4	2	.....	.....	.....	2
7	7	4	16	7	4	11	10	6	5	4	3	1	.....	.....	.....	3
12	11	7	14	16	23	15	24	24	30	8	7	3	.....	.....	.....	4
13	21	26	24	23	27	28	24	30	21	23	15	2	.....	1	2	5
19	9	10	12	15	13	12	17	19	15	15	10	3	3	.....	1	6
26	29	27	36	42	38	54	59	52	50	33	18	5	.....	.....	.....	7
3	8	5	9	7	3	7	6	.....	7	7	4	.....	.....	.....	3	8
23	11	9	17	19	23	28	21	25	13	18	7	3	.....	.....	1	9
396	377	375	451	440	398	390	418	356	364	269	150	49	11	1	3	10
390	365	365	436	433	390	383	414	353	359	268	148	49	11	1	3	11
6	12	10	15	7	8	7	4	3	5	1	2	.....	.....	.....	.....	12
73	58	65	58	54	40	33	45	20	31	22	8	4	2	.....	.....	13
4	5	14	8	6	5	8	15	12	7	4	3	2	.....	.....	.....	14
196	185	188	217	207	184	180	202	182	164	123	79	29	5	1	1	15
5	1	2	11	7	7	5	8	8	7	8	3	2	1	.....	.....	16
101	103	89	131	142	139	139	120	111	121	87	44	12	3	.....	1	17
4	5	7	9	10	6	2	8	6	8	6	5	.....	.....	.....	.....	18
10	9	5	11	5	6	5	6	1	5	.....	.....	.....	.....	.....	.....	19
3	11	5	6	9	11	18	14	16	21	19	8	.....	.....	.....	1	20
863	963	871	995	977	900	970	933	905	720	463	220	68	22	7	19	21
693	790	752	867	871	799	883	876	855	686	443	213	64	15	2	13	22
170	173	119	128	106	101	87	57	50	34	20	7	4	7	5	6	23
207	250	192	225	260	218	227	210	189	152	105	46	16	7	2	8	24
160	196	159	183	226	183	198	191	172	146	102	43	15	3	1	7	25
47	54	33	42	34	35	29	19	17	6	3	3	1	4	1	1	26
65	66	53	63	61	52	63	64	77	55	34	13	7	1	.....	5	27
591	647	626	707	656	630	680	659	639	513	324	161	45	14	5	6	28
482	533	549	626	591	571	625	622	609	490	308	157	42	11	1	3	29
109	114	77	81	65	59	55	37	30	23	16	4	3	3	4	3	30
90	101	113	109	104	63	55	61	61	36	13	11	3	.....	.....	4	31
85	97	108	105	99	61	50	59	60	36	13	11	3	.....	.....	4	32
5	4	5	4	5	2	5	2	1	.....	.....	.....	.....	.....	.....	.....	33
3	5	13	10	8	8	4	5	7	.....	1	.....	1	.....	.....	.....	34
14	7	7	7	8	5	5	6	6	4	.....	2	.....	.....	.....	.....	35
44	49	48	46	43	23	20	26	18	8	4	2	1	.....	.....	3	36
15	14	16	17	10	12	6	3	9	5	3	4	1	.....	.....	.....	37
5	10	13	10	24	13	10	12	12	8	2	3	.....	.....	.....	.....	38
9	16	16	19	11	2	10	9	9	11	3	.....	.....	.....	.....	1	39
127	127	139	144	146	148	134	135	98	96	87	22	15	3	2	.....	40
113	116	127	133	135	142	131	130	97	94	87	22	15	3	2	.....	41
14	11	12	11	11	6	3	5	1	2	.....	.....	.....	.....	.....	.....	42
17	22	23	25	22	28	25	36	31	29	27	3	5	.....	.....	.....	43
110	105	116	119	124	120	109	99	67	67	60	19	10	3	2	.....	44
99	117	111	117	133	153	160	214	181	196	151	83	34	5	1	14	45
98	117	111	116	133	153	159	214	181	195	151	83	33	5	1	13	46
1	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	1	47
3	5	4	9	6	2	3	4	5	5	2	1	1	.....	.....	1	48
24	21	27	25	29	32	35	38	39	46	37	17	8	.....	.....	1	49
6	6	7	10	11	17	18	26	16	23	15	10	.....	1	.....	2	50
7	8	4	7	10	10	8	18	17	15	16	7	3	.....	.....	1	51
1	7	2	8	5	7	14	13	13	17	11	5	2	.....	.....	.....	52
39	42	43	36	44	51	54	71	43	52	38	24	13	3	1	1	53
16	21	15	11	17	25	18	26	32	24	15	15	3	1	.....	8	54
3	7	9	11	11	9	10	18	16	14	17	4	4	.....	.....	.....	55
1,199	1,392	1,348	1,295	1,426	1,387	1,490	1,492	1,386	1,002	675	327	111	23	2	11	56
1,111	1,299	1,259	1,219	1,358	1,330	1,434	1,444	1,350	972	663	321	111	22	.....	11	57
88	93	89	76	68	57	56	48	36	30	12	6	.....	1	2	.....	58
4	13	7	10	10	14	12	11	9	8	3	4	1	1	.....	.....	59
40	47	51	40	45	41	65	52	44	35	19	12	2	.....	1	1	60
22	34	38	30	32	36	58	43	42	34	19	11	2	.....	.....	.....	61
18	13	13	10	13	5	7	4	2	1	.....	1	.....	.....	1	1	62
40	42	41	30	30	43	29	29	31	17	14	9	.....	.....	.....	.....	63
6	6	6	4	6	10	11	11	19	7	8	10	1	.....	.....	1	64
8	8	4	4	14	21	14	16	12	15	20	5	2	1	.....	.....	65
52	73	77	71	84	101	96	105	93	59	33	8	2	.....	.....	.....	66
14	15	18	15	24	26	21	26	41	30	30	12	6	2	.....	.....	67
56	54	48	61	59	58	64	50	50	31	34	13	3	2	.....	.....	68

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Contd.												
	NEW JERSEY—continued.												
1	Garfield	129	66	11	2	4	4	87	4	2	2	1	4
2	Hackensack	231	53	14	2	1	3	73	9	3	5	11	8
3	Harrison	237	71	17	7	6	.....	101	9	1	4	8	9
4	Hoboken	1,328	240	64	25	15	15	359	34	17	31	52	54
5	Irvington	143	26	6	.....	.....	.....	32	3	3	2	6	4
6	Jersey City	4,401	954	218	84	48	31	1,335	95	77	87	148	178
7	Kearny	276	32	10	6	5	2	55	5	5	9	6	10
8	Long Branch	295	40	6	4	4	2	56	7	8	5	17	16
9	Millville	149	31	.....	3	6	1	41	6	5	3	4	1
10	Montclair	324	85	15	8	7	1	116	8	6	11	11	18
11	Morristown	295	44	9	11	5	3	72	13	4	7	18	8
12	New Brunswick	494	132	24	8	6	2	172	7	5	18	22	12
13	Newark	5,784	1,242	273	120	81	55	1,771	146	78	130	197	251
14	Orange	538	101	28	13	7	3	152	10	7	12	20	16
15	Passaic	820	330	48	13	15	7	413	27	9	18	36	30
16	Paterson	1,857	379	75	32	16	12	514	42	33	35	62	82
17	Perth Amboy	509	180	47	13	9	4	253	18	5	8	11	17
18	Phillipsburg	211	47	13	5	4	3	72	3	3	2	9	7
19	Plainfield	325	55	5	10	3	2	75	10	7	8	14	14
20	Trenton	1,976	495	78	41	25	15	654	28	30	46	64	72
21	Union	252	65	14	5	9	3	96	8	4	5	8	8
22	West Hoboken	387	75	14	4	6	6	105	13	4	11	8	13
23	West New York	169	43	10	9	6	2	70	8	3	2	5	6
24	West Orange	95	23	5	2	1	1	32	.....	1	3	.....	4
	NEW YORK.												
25	Registration cities (total)	110,283	22,693	5,637	2,506	1,478	951	33,265	2,578	1,443	2,399	3,824	4,540
26	White	107,278	22,060	5,443	2,445	1,438	923	32,309	2,516	1,400	2,311	3,645	4,322
27	Colored	3,005	633	194	61	40	28	956	62	43	88	179	218
28	Albany	1,943	249	50	22	21	18	360	36	13	50	58	67
29	Amsterdam	543	160	34	17	8	2	221	13	10	8	12	19
30	Auburn	532	101	13	6	1	2	123	12	3	9	22	16
31	Batavia	201	32	5	.....	.....	.....	37	3	2	3	6	7
32	Binghamton	904	137	19	9	5	4	174	15	9	19	30	30
33	Buffalo	6,940	1,623	352	151	117	79	2,322	194	95	157	227	271
34	Cohoes	509	127	34	22	11	7	201	24	8	8	15	21
35	Corning	201	30	1	2	3	2	38	5	5	2	10	12
36	Cortland	218	36	5	1	.....	5	47	1	.....	4	4	8
37	Dunkirk	280	72	17	10	5	8	112	22	1	6	12	7
38	Elmira	557	74	8	2	5	5	94	10	8	15	21	22
39	Fulton	154	31	4	1	2	.....	38	2	3	8	6	7
40	Geneva	172	18	5	1	.....	.....	24	1	2	9	3	3
41	Glens Falls	242	32	5	2	1	.....	40	.....	3	10	9	7
42	Gloversville	321	61	6	4	1	2	74	5	2	5	9	5
43	Hornell	174	20	3	2	1	1	27	7	3	4	3	9
44	Hudson	236	38	4	.....	1	.....	43	3	3	8	9	9
45	Ithaca	244	21	6	4	.....	.....	31	5	4	7	6	12
46	Jamestown	404	67	9	6	2	3	87	5	9	9	20	17
47	Johnstown	145	20	1	3	.....	.....	24	1	1	3	4	2
48	Kingston	476	70	13	8	4	1	96	6	10	10	21	17
49	Lackawanna	396	244	40	18	5	7	314	5	2	1	15	3
50	Little Falls	193	29	3	4	1	1	38	7	4	8	3	9
51	Lockport	300	37	5	2	1	1	46	8	2	10	9	7
52	Middletown	372	20	6	4	1	1	32	6	4	5	11	15
53	Mount Vernon	433	84	20	9	3	3	119	10	8	7	16	15
54	New Rochelle	342	65	20	14	2	3	104	10	5	7	7	15
55	New York (total)	76,787	16,159	4,349	1,910	1,107	690	24,215	1,850	1,015	1,659	2,694	3,272
56	Bronx Borough	6,968	1,047	271	149	89	66	1,622	163	91	214	341	403
57	Brooklyn Borough	25,686	5,063	1,519	710	386	255	7,933	705	371	554	846	1,037
58	Manhattan Borough	38,699	8,900	2,299	940	562	317	13,018	845	472	783	1,307	1,637
59	Queens Borough	3,965	865	201	94	59	40	1,259	109	58	80	150	139
60	Richmond Borough	1,469	284	59	17	11	12	383	28	23	28	50	56
61	White	74,274	15,624	4,179	1,856	1,074	665	23,398	1,799	980	1,589	2,541	3,079
62	Bronx Borough	6,755	1,027	261	144	86	65	1,583	159	89	208	330	384
63	Brooklyn Borough	25,070	4,927	1,469	700	374	248	7,718	688	357	540	809	996
64	Manhattan Borough	37,129	8,543	2,194	905	545	303	12,490	818	457	736	1,210	1,513
65	Queens Borough	3,882	849	198	90	58	38	1,233	106	54	79	144	131
66	Richmond Borough	1,438	278	57	17	11	11	374	28	23	26	48	55
67	Colored	2,513	535	170	54	33	25	817	51	35	70	153	193
68	Bronx Borough	213	20	10	5	3	1	39	4	2	6	11	19
69	Brooklyn Borough	616	136	50	10	12	7	215	17	14	14	37	41
70	Manhattan Borough	1,570	357	105	35	17	14	528	27	15	47	97	124
71	Queens Borough	83	16	3	4	1	2	26	3	4	1	6	8
72	Richmond Borough	31	6	2	.....	.....	1	9	.....	.....	2	2	1
73	Newburgh	509	75	18	5	9	3	110	6	15	14	22	18
74	Niagara Falls	548	142	37	15	4	3	201	18	5	10	33	28
75	North Tonawanda	160	58	12	7	6	2	85	3	1	4	7	1
76	Ogdensburg	392	55	8	3	4	.....	70	3	6	3	4	11
77	Olean	188	28	5	3	2	.....	38	7	5	8	5	8

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
3	4	1	2	5	2	2	4	4	2							1
7	14	7	9	10	12	13	13	19	8	6	3	1				2
16	13	14	12	10	11	11	3	5	5	3		1			1	3
74	92	84	84	82	75	79	73	59	46	24	7		1		1	4
6	4	5	5	8	8	7	7	18	11	7	5	2				5
241	266	257	247	259	224	236	235	208	165	83	40	16	2		2	6
11	6	11	7	11	10	20	33	35	22	12	4	3			1	7
13	16	21	15	18	17	21	12	22	16	6	8		1			8
3	7	3	2	7	10	10	11	13	9	8	3	2	1			9
15	6	10	5	11	11	23	14	16	16	17	7	1	2			10
8	19	8	17	13	19	18	23	15	16	10	5	2				11
18	19	19	19	20	22	35	32	23	17	18	11	4			1	12
271	298	341	323	318	328	294	299	316	197	138	55	28	5			13
31	25	24	27	27	32	40	41	19	29	13	8	5				14
32	27	39	30	25	21	30	22	26	11	14	7	2		1		15
67	109	97	90	106	101	122	145	100	72	45	25	7	3			16
21	23	20	17	22	16	15	18	21	10	7	3	3			1	17
7	9	3	10	5	9	14	14	14	11	13	5	1				18
9	16	10	14	21	13	23	19	30	17	11	10	3	1			19
93	110	85	92	122	93	106	116	88	80	52	34	9			2	20
5	17	11	4	15	9	15	14	17	6	6	4					21
18	23	13	18	27	20	28	26	13	24	15	6	2				22
7	8	11	5	9	6	8	9	2	5	2	2	1				23
3	3	2	6	3	4	8	9	4	5	4	2	1	1			24
4,969	5,640	5,860	6,032	6,352	6,001	6,386	6,197	5,617	4,200	2,859	1,456	472	123	45	25	25
4,726	5,404	5,650	5,861	6,209	5,886	6,273	6,107	5,571	4,164	2,830	1,443	467	120	39	25	26
243	236	210	171	143	115	113	90	46	36	29	13	5	3	6		27
96	98	113	108	134	142	153	143	141	107	82	31	9	2			28
24	19	19	29	23	24	26	17	34	18	16	7	3			1	29
22	20	16	22	27	32	34	38	39	25	45	20	6	1			30
13	7	8	10	6	16	11	13	21	16	13	6	2	1			31
44	44	46	50	55	57	55	83	65	59	35	28	4	2			32
257	305	314	357	384	352	335	393	332	283	201	117	33	8	1	2	33
13	13	18	17	29	24	35	20	31	14	13	4	1				34
6	7	13	7	7	14	13	17	15	13	9	4	4				35
2	6	5	9	12	13	13	24	24	17	12	15	1	1			36
5	14	10	12	8	10	16	11	16	7	6	3	2				37
17	20	26	20	26	44	38	62	54	38	26	12	3	1			38
8	4	1	4	7	5	8	9	11	16	13	3	1				39
2	11	7	6	12	10	13	10	21	18	11	5	4				40
11	7	8	15	10	16	15	25	24	18	11	11	1	1			41
7	11	14	16	14	27	33	25	24	20	19	7	3	1			42
5	4	5	14	9	12	14	12	14	20	9	2		1			43
11	17	7	8	12	13	12	17	20	24	12	5	3				44
7	9	10	10	14	15	14	26	15	23	18	11	4	2		1	45
17	18	14	22	19	24	20	23	36	22	26	12	4				46
1	5	6	8	4	14	11	16	17	12	8	6			2		47
12	16	26	20	24	23	29	44	50	30	23	10	7	1	1		48
11	14	5	6		2	4	7	3	2	1		1				49
3	7	13	8	5	16	11	12	13	17	14	2	2	1			50
16	10	10	11	20	13	23	34	18	25	20	6	4	2		6	51
13	30	26	14	24	25	34	38	39	27	15	11	3				52
12	18	28	17	27	30	28	24	22	20	18	11	2	1			53
9	13	17	18	13	16	25	27	21	13	11	7	3		1		54
3,702	4,198	4,340	4,393	4,566	4,095	4,349	3,973	3,441	2,404	1,513	756	248	61	32	11	55
447	461	487	456	410	344	376	347	340	229	136	67	24	6	4		56
1,139	1,357	1,348	1,364	1,493	1,377	1,535	1,435	1,264	909	593	295	94	23	7	7	57
1,899	2,079	2,258	2,301	2,334	2,090	2,110	1,858	1,541	1,034	654	323	107	28	19	2	58
170	207	187	204	247	193	235	228	184	176	73	48	13	2	2	1	59
47	94	60	68	82	91	93	105	112	56	57	23	10	2		1	60
3,490	3,988	4,163	4,248	4,462	4,007	4,265	3,899	3,412	2,372	1,496	747	243	58	27	11	61
428	444	464	444	397	340	362	334	338	221	135	65	22	5	3		62
1,093	1,310	1,314	1,339	1,465	1,360	1,512	1,417	1,251	898	586	290	92	22	6	7	63
1,759	1,943	2,143	2,198	2,272	2,024	2,067	1,822	1,531	1,025	646	322	106	27	18	2	64
165	201	183	200	246	192	232	225	182	173	73	47	13	2		1	65
45	90	59	67	82	91	92	101	110	55	56	23	10	2		1	66
212	210	177	145	104	88	84	74	29	32	17	9	5	3	5		67
19	17	23	12	13	4	14	13	2	8	1	2	2	1	1		68
46	47	34	25	28	17	23	18	13	11	7	5	2	1	1		69
140	136	115	103	62	66	43	36	10	9	8	1	1	1	1		70
5	6	4	4	1	1	3	3	2	3		1			2		71
2	4	1	1			1	4	2	1	1						72
19	22	21	19	26	29	30	37	52	31	20	9	6	2	1		73
27	33	30	27	30	19	20	19	12	16	10	8	1	1			74
4	8	6	4	1	4	3	5	7	9	7		1				75
22	20	22	31	27	22	12	33	31	24	23	18	9	1			76
5	14	11	12	5	13	12	12	9	8	9	5	1	1			77

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Contd.												
	NEW YORK—continued.												
1	Ossining	177	25	11	7	1	.....	44	5	4	5	6	10
2	Oswego	386	77	9	5	3	.....	94	10	7	7	11	18
3	Peekskill	278	42	10	10	4	3	69	6	7	7	11	9
4	Plattsburg	197	53	6	1	4	3	67	5	2	7	7	5
5	Port Chester	210	51	18	6	5	2	82	2	1	5	5	10
6	Poughkeepsie	469	77	8	2	3	4	94	8	2	16	10	7
7	Rensselaer	162	32	3	1	.....	1	37	3	2	5	8	5
8	Rochester	3,215	443	104	47	36	19	649	58	38	72	114	125
9	Rome	457	71	15	4	3	2	95	15	5	7	20	22
10	Saratoga Springs	259	36	7	4	2	3	52	2	3	4	8	11
11	Schenectady	1,070	287	63	29	14	6	399	23	12	17	35	59
12	Syracuse	2,123	447	63	26	17	10	563	45	31	51	72	75
13	Troy	1,596	223	49	22	12	20	326	39	17	27	48	64
14	Utica	1,411	312	63	20	15	6	416	15	19	29	38	51
15	Watertown	469	86	9	8	9	3	115	5	5	16	23	22
16	Watervliet	261	50	9	8	3	2	72	8	1	3	7	10
17	White Plains	301	56	12	2	1	1	72	5	8	9	18	5
18	Yonkers	1,226	310	61	37	13	13	434	21	13	22	50	62
	NORTH CAROLINA.												
19	Registration cities (total)	3,075	575	185	80	35	25	900	55	52	128	202	209
20	White	1,561	271	93	42	16	14	436	19	22	45	84	96
21	Colored	1,514	304	92	38	19	11	464	36	30	83	118	113
22	Asheville (total)	370	50	9	9	5	3	76	8	5	21	31	36
23	White	235	26	5	3	2	1	37	1	4	12	23	26
24	Colored	135	24	4	6	3	2	39	7	1	9	8	10
25	Charlotte (total)	605	92	53	15	9	8	177	18	7	26	43	29
26	White	306	46	30	8	3	4	91	7	5	9	13	13
27	Colored	299	46	23	7	6	4	86	11	2	17	30	16
28	Durham (total)	368	74	27	20	6	3	130	11	5	24	31	19
29	White	189	37	18	11	4	2	72	4	2	6	10	10
30	Colored	179	37	9	9	2	1	58	7	3	18	21	9
31	Greensboro (total)	305	63	18	5	6	1	93	3	5	8	21	27
32	White	162	29	8	3	4	1	45	3	2	5	8	8
33	Colored	143	34	10	2	2	.....	48	.....	3	3	13	19
34	Raleigh (total)	537	94	20	6	1	3	124	3	13	19	28	30
35	White	290	40	7	4	1	2	54	1	4	3	11	18
36	Colored	247	54	13	2	.....	1	70	2	9	16	17	12
37	Wilmington (total)	538	127	31	16	3	4	181	7	9	15	25	41
38	White	213	48	10	9	1	3	71	2	3	4	7	12
39	Colored	325	79	21	7	2	1	110	5	6	11	18	29
40	Winston (total)	352	75	27	9	5	3	119	5	8	15	23	27
41	White	166	45	15	4	1	1	66	1	2	6	12	9
42	Colored	186	30	12	5	4	2	53	4	6	9	11	18
	OHIO.												
43	Registration cities (total)	31,921	6,212	1,337	542	306	230	8,627	686	390	834	1,347	1,459
44	White	30,432	5,988	1,288	521	288	224	8,309	652	368	778	1,249	1,346
45	Colored	1,489	224	49	21	18	6	318	34	22	56	98	113
46	Akron	928	210	37	19	11	4	281	29	18	29	38	40
47	Alliance	181	26	2	4	4	1	37	2	3	6	10	8
48	Ashtabula	259	60	15	10	1	.....	86	10	3	6	12	13
49	Bellaire	189	52	11	6	4	1	74	6	4	8	6	12
50	Cambridge	148	31	5	2	.....	1	39	2	2	7	10	8
51	Canton	616	123	26	2	6	4	161	14	8	15	28	32
52	Chillicothe	259	45	9	4	1	2	61	7	4	5	8	10
53	Cincinnati (total)	6,319	917	216	91	43	27	1,294	96	58	154	263	333
54	White	5,750	834	195	82	37	25	1,173	86	50	137	232	280
55	Colored	569	83	21	9	6	2	121	10	8	17	31	53
56	Cleveland	8,047	2,033	431	159	91	80	2,794	161	103	194	296	338
57	Columbus (total)	2,810	397	80	32	21	18	548	47	39	97	142	135
58	White	2,548	354	76	29	21	17	497	45	38	81	116	114
59	Colored	262	43	4	3	.....	1	51	2	1	16	26	21
60	Dayton	1,724	325	51	30	17	8	431	38	18	43	73	77
61	East Liverpool	333	80	20	12	7	5	124	15	5	10	15	11
62	Elyria	203	42	6	2	1	.....	51	2	4	10	10	5
63	Findlay	219	24	1	5	3	.....	33	9	2	2	12	5
64	Hamilton	515	86	23	12	3	9	133	14	17	13	22	23
65	Ironton	196	32	13	2	1	1	49	9	5	8	9	5
66	Lakewood	171	48	8	.....	5	3	64	7	.....	4	6	10
67	Lancaster	142	22	3	.....	.....	2	27	2	2	7	7	8
68	Lima	398	81	17	8	3	2	111	7	5	8	18	19
69	Lorain	374	130	23	10	7	3	173	11	3	10	16	18
70	Mansfield	288	46	7	3	3	2	61	5	2	2	15	10
71	Marietta	164	17	5	2	2	.....	26	8	4	2	6	4
72	Marion	232	51	11	1	.....	1	64	7	1	6	12	8
73	Massillon	160	21	8	3	5	3	40	4	3	4	3	8
74	Middletown	164	34	9	4	1	2	50	6	1	3	6	6

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
8	10	7	9	6	10	6	11	10	13	6	3	3	1	.....	.....	1
14	9	14	11	22	18	24	32	41	20	16	13	2	3	.....	.....	2
14	13	15	16	13	19	13	22	14	14	10	2	4	.....	.....	.....	3
5	8	7	5	8	10	9	14	13	6	9	8	1	.....	1	.....	4
5	6	13	5	11	9	12	11	15	6	8	1	1	2	.....	.....	5
19	14	23	25	17	31	33	46	43	40	24	12	5	.....	.....	.....	6
7	4	4	10	5	12	8	17	10	11	4	5	4	1	.....	.....	7
124	137	171	178	200	215	229	229	225	191	162	70	21	5	2	.....	8
11	15	18	21	26	26	30	37	30	29	32	13	5	.....	.....	.....	9
15	9	11	16	19	15	15	16	19	20	15	8	.....	1	.....	.....	10
40	44	41	55	44	58	48	45	49	48	29	18	5	.....	1	.....	11
61	84	93	104	132	119	153	137	132	112	86	56	13	4	.....	.....	12
66	85	75	86	99	114	122	125	122	85	55	27	10	3	1	.....	13
44	52	51	68	67	62	93	97	98	100	64	28	11	5	2	1	14
17	23	21	20	16	23	39	22	37	27	23	10	3	2	.....	.....	15
12	9	14	10	13	22	21	17	16	14	3	7	1	1	.....	.....	16
16	17	12	16	18	15	18	13	19	22	7	9	1	1	.....	.....	17
68	59	55	53	56	52	64	57	52	46	37	14	6	2	.....	3	18
161	153	141	124	169	153	149	136	106	96	88	27	12	6	3	5	19
73	78	61	61	91	94	83	94	67	73	58	16	6	1	.....	3	20
88	75	80	63	78	59	66	42	39	23	30	11	6	5	3	2	21
27	35	25	21	18	13	17	13	10	7	5	.....	1	.....	.....	1	22
17	27	16	13	10	9	15	11	7	4	2	.....	.....	.....	.....	1	23
10	8	9	8	8	4	2	2	3	3	3	.....	1	.....	.....	.....	24
26	34	28	21	41	34	24	28	27	18	18	3	1	2	.....	.....	25
11	10	14	11	19	16	16	22	18	15	14	2	.....	.....	.....	.....	26
15	24	14	10	22	18	8	6	9	3	4	1	1	2	.....	.....	27
17	15	17	11	14	22	18	9	5	10	7	1	2	.....	.....	.....	28
8	8	5	4	8	15	13	6	4	8	5	.....	1	.....	.....	.....	29
9	7	12	7	6	7	5	3	1	2	2	1	1	.....	.....	.....	30
16	8	14	13	16	18	15	11	11	8	13	2	3	.....	.....	.....	31
8	6	4	10	11	13	5	7	9	6	9	2	1	.....	.....	.....	32
8	2	10	3	5	5	10	4	2	2	4	.....	2	.....	.....	.....	33
22	27	20	19	38	29	38	37	30	24	17	11	3	3	1	1	34
11	16	12	12	22	25	18	25	15	21	11	7	2	1	.....	1	35
11	11	8	7	16	4	20	12	15	3	6	4	1	2	1	.....	36
33	24	20	20	29	20	22	25	16	21	18	6	2	1	2	1	37
11	8	4	6	13	9	12	15	9	13	10	2	2	.....	.....	.....	38
22	16	16	14	16	11	10	10	7	8	8	4	.....	1	2	1	39
20	10	17	19	13	17	15	13	7	8	10	4	.....	.....	.....	2	40
7	3	6	5	8	7	4	8	5	6	7	3	.....	.....	.....	1	41
13	7	11	14	5	10	11	5	2	2	3	1	.....	.....	.....	1	42
1,478	1,570	1,535	1,608	1,782	1,670	1,799	1,939	1,786	1,545	1,074	557	171	37	7	20	43
1,365	1,446	1,425	1,483	1,689	1,594	1,742	1,889	1,750	1,515	1,061	543	168	37	4	19	44
113	124	110	125	93	76	57	50	36	30	13	14	3	.....	3	1	45
47	35	34	32	41	49	37	60	46	54	35	14	6	.....	.....	3	46
5	1	8	14	10	10	11	14	20	11	6	3	2	.....	.....	.....	47
9	10	6	16	14	9	9	16	17	6	12	4	.....	.....	.....	1	48
10	4	5	4	9	6	8	8	6	6	8	2	1	1	.....	1	49
7	8	7	4	3	5	10	7	8	14	2	4	1	.....	.....	.....	50
24	31	30	32	36	25	40	32	37	30	20	14	5	2	.....	.....	51
10	15	10	14	13	12	19	17	20	11	16	5	1	1	.....	.....	52
355	368	371	363	412	398	398	408	355	324	225	102	30	6	3	3	53
300	318	324	313	370	375	374	394	347	316	221	101	30	6	1	2	54
55	50	47	50	42	23	24	14	8	8	4	1	.....	.....	2	1	55
327	371	383	414	445	396	424	422	339	292	265	97	40	5	.....	1	56
157	167	157	142	168	166	170	190	169	155	90	52	12	3	2	2	57
139	148	137	123	154	152	157	179	160	153	87	51	11	3	1	2	58
18	19	20	19	14	14	13	11	9	2	3	1	1	.....	1	.....	59
72	88	87	84	97	85	90	119	109	91	79	31	9	2	1	.....	60
18	13	18	14	10	14	12	11	19	14	6	4	.....	.....	.....	.....	61
9	13	10	8	13	14	9	10	13	10	7	3	2	.....	.....	.....	62
9	10	8	7	13	11	20	25	16	15	9	8	3	2	.....	.....	63
17	27	24	31	18	26	36	31	32	20	18	10	3	.....	.....	.....	64
12	12	6	5	8	8	11	14	7	13	9	5	1	.....	.....	.....	65
4	5	2	6	10	5	11	9	11	8	3	4	1	1	.....	.....	66
4	5	7	6	6	5	14	11	10	7	5	8	1	.....	.....	.....	67
12	21	17	22	21	12	23	25	29	20	14	10	3	1	.....	.....	68
21	15	17	19	8	12	12	15	11	4	3	5	1	.....	.....	.....	69
14	5	17	7	16	28	14	17	32	15	12	11	4	.....	.....	1	70
7	5	5	12	11	6	12	10	14	15	11	3	2	1	.....	.....	71
9	8	6	9	11	14	10	15	30	9	6	6	1	.....	.....	.....	72
7	8	5	12	9	5	13	8	13	9	5	4	.....	.....	.....	.....	73
8	5	5	5	7	9	9	12	14	7	7	3	1	.....	.....	.....	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Contd.												
	OHIO—continued.												
1	Newark	330	58	9	3	3	.....	73	7	2	10	18	9
2	Norwood	147	19	4	1	.....	.....	24	3	2	3	4	5
3	Piqua	194	31	2	2	.....	.....	35	2	5	6	10	4
4	Portsmouth	356	71	27	17	10	3	128	13	3	23	11	19
5	Sandusky	268	43	6	2	.....	1	52	4	5	6	9	12
6	Springfield (total)	623	93	12	11	6	3	125	16	7	14	26	31
7	White	543	82	11	10	4	3	110	10	6	14	22	23
8	Colored	80	11	1	1	2	.....	15	6	1	.....	4	8
9	Steubenville	404	87	23	6	7	5	128	12	3	8	22	17
10	Tiffin	175	17	3	2	2	3	27	2	1	1	4	4
11	Toledo	2,470	402	88	35	22	25	572	61	30	70	94	104
12	Warren	156	25	4	3	2	.....	34	1	1	3	11	8
13	Youngstown	1,340	373	105	34	12	11	535	40	13	27	73	85
14	Zanesville	419	60	17	3	2	.....	82	7	4	10	22	15
	OREGON.[1]												
15	Portland (total)	2,308	325	47	39	31	14	456	64	49	58	130	126
16	White	2,225	313	44	38	30	14	439	63	49	57	128	121
17	Colored[2]	83	12	3	1	1	.....	17	1	.....	1	2	5
	PENNSYLVANIA.												
18	Registration cities (total)	61,935	13,906	3,402	1,456	781	614	20,159	1,513	860	1,387	2,270	2,635
19	White	58,266	13,068	3,160	1,372	730	579	18,909	1,425	800	1,270	2,082	2,399
20	Colored	3,669	838	242	84	51	35	1,250	88	60	117	188	236
21	Allentown	877	202	51	22	9	16	300	24	9	30	33	35
22	Altoona	659	166	18	13	6	7	210	22	18	16	26	27
23	Beaver Falls	168	50	10	2	2	1	65	3	4	3	7	10
24	Bethlehem	170	34	9	5	3	3	54	2	2	6	1	5
25	Braddock	409	142	42	17	5	6	212	13	3	10	24	20
26	Bradford	191	28	3	2	2	2	37	6	1	2	4	11
27	Butler	319	88	34	16	9	7	154	10	3	2	16	14
28	Carbondale	327	59	10	6	1	4	80	8	4	12	24	14
29	Carlisle (total)	166	29	6	1	1	.....	37	3	4	4	3	9
30	White	135	23	3	1	.....	.....	27	3	2	1	2	8
31	Colored	31	6	3	.....	1	.....	10	.....	2	3	1	1
32	Carnegie	135	38	15	7	2	3	65	9	2	4	1	5
33	Chambersburg	193	29	7	5	1	.....	42	3	1	4	5	8
34	Chester (total)	649	155	36	15	7	7	220	19	15	18	22	30
35	White	542	135	22	9	7	5	178	17	14	17	17	23
36	Colored	107	20	14	6	.....	2	42	2	1	1	5	7
37	Coatesville	149	56	2	7	3	.....	68	5	.....	4	2	4
38	Columbia	181	44	3	4	3	2	56	9	3	6	8	7
39	Connellsville	204	48	6	4	3	2	63	1	4	6	8	9
40	Dubois	145	31	13	2	.....	3	49	6	4	2	6	5
41	Dunmore	300	119	21	10	12	4	166	9	1	7	10	7
42	Duquesne	196	88	21	8	7	.....	124	6	4	4	13	6
43	Easton	467	73	13	7	.....	5	98	8	6	11	16	19
44	Erie	986	197	33	8	9	8	255	21	18	31	34	36
45	Greensburg	259	49	6	5	2	2	64	6	4	8	23	16
46	Harrisburg	941	169	28	14	10	7	228	35	14	20	49	54
47	Hazleton	431	99	22	11	8	5	145	16	14	11	21	21
48	Homestead	308	108	43	20	7	7	185	8	1	4	6	10
49	Johnstown	927	268	51	25	8	13	365	24	15	21	52	66
50	Lancaster	720	117	23	11	8	3	162	23	5	12	12	30
51	Lebanon	326	72	10	11	5	3	101	8	2	10	9	15
52	McKees Rocks	245	112	29	9	2	3	155	7	3	3	11	8
53	McKeesport	855	238	73	30	18	14	373	30	7	25	52	57
54	Mahanoy City	277	123	15	6	1	3	148	6	3	4	10	9
55	Meadville	176	21	5	2	1	.....	29	2	5	2	4	12
56	Monessen	153	66	25	10	3	4	108	7	1	2	4	9
57	Mount Carmel	233	85	29	7	2	2	125	5	2	5	7	4
58	Nanticoke	328	126	32	20	4	3	185	12	4	6	9	10
59	New Castle	581	155	37	19	5	5	221	15	9	15	26	27
60	Norristown	684	80	15	2	3	5	105	10	7	18	20	24
61	North Braddock	160	64	18	6	.....	.....	88	6	2	1	2	6
62	Oil City	196	49	6	3	1	.....	59	4	1	6	5	7
63	Old Forge	199	91	24	2	.....	.....	117	.....	3	7	7	8
64	Philadelphia (total)	27,045	5,334	1,317	552	330	251	7,784	585	345	527	904	1,093
65	White	24,740	4,789	1,178	496	302	225	6,990	529	308	458	775	931
66	Colored	2,305	545	139	56	28	26	794	56	37	69	129	162
67	Phoenixville	209	58	12	12	2	4	88	5	.....	5	6	7
68	Pittsburgh (total)	9,603	2,259	690	274	157	112	3,492	246	133	228	367	445
69	White	8,993	2,119	639	261	140	108	3,267	231	121	211	346	416
70	Colored	610	140	51	13	17	4	225	15	12	17	21	29

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
15	16	21	7	20	19	22	19	28	24	11	6	1	2	.....	.....	1
6	5	5	5	18	13	6	11	15	10	7	3	2	.....	.....	.....	2
9	8	6	9	6	14	13	8	14	17	19	7	1	.....	.....	1	3
15	13	5	11	10	17	13	17	15	21	11	8	2	1	.....	.....	4
8	12	11	11	20	11	16	28	23	18	9	8	4	.....	.....	1	5
33	30	16	35	31	36	35	47	38	44	32	19	7	.....	.....	1	6
27	20	16	28	24	34	33	46	32	42	31	17	7	.....	.....	1	7
6	10	.....	7	7	2	2	1	6	2	1	2	.....	.....	.....	.....	8
18	17	15	13	21	23	20	24	15	22	15	8	2	.....	.....	1	9
10	3	7	7	7	13	17	17	12	25	5	9	3	.....	.....	1	10
107	123	122	148	153	134	155	161	157	123	92	45	10	6	1	2	11
4	3	10	4	5	5	9	13	16	11	13	4	.....	1	.....	.....	12
61	71	44	60	57	43	47	50	44	42	28	16	2	2	.....	.....	13
18	19	28	16	25	12	24	38	32	28	19	12	7	.....	.....	1	14
114	121	138	121	150	133	145	147	124	109	71	35	14	2	.....	1	15
109	116	134	115	139	125	137	141	122	108	71	34	14	2	.....	1	16
5	5	4	6	11	8	8	6	2	1	.....	1	.....	.....	.....	.....	17
2,609	2,902	2,904	2,860	3,126	3,085	3,381	3,450	3,168	2,590	1,773	855	318	63	17	10	18
2,377	2,629	2,654	2,659	2,939	2,941	3,242	3,347	3,080	2,545	1,745	835	307	58	13	10	19
232	273	250	201	187	144	139	103	88	45	28	20	11	5	4	.....	20
38	27	36	30	42	38	51	48	55	37	23	14	5	1	.....	1	21
28	27	23	25	29	37	28	44	37	32	15	12	3	.....	.....	.....	22
5	7	2	7	7	7	9	12	6	5	9	.....	.....	.....	.....	.....	23
3	8	3	5	5	7	12	12	16	12	7	4	5	1	.....	.....	24
13	24	18	14	11	10	12	7	9	4	2	1	1	.....	.....	1	25
3	11	6	8	14	15	16	18	12	10	12	3	2	.....	.....	.....	26
9	12	9	11	4	10	14	15	14	10	7	4	1	.....	.....	.....	27
12	17	19	23	22	13	15	12	25	14	6	5	2	.....	.....	.....	28
3	2	2	3	11	11	10	16	17	14	9	5	2	.....	1	.....	29
3	2	2	2	9	9	8	14	17	13	7	4	2	.....	.....	.....	30
.....	.....	.....	1	2	2	2	2	.....	1	2	1	.....	.....	1	.....	31
3	.....	1	4	1	9	9	8	5	4	3	1	1	.....	.....	.....	32
5	9	2	6	6	11	18	17	18	23	4	7	4	.....	.....	.....	33
28	24	29	31	29	28	32	43	34	20	17	7	2	1	.....	.....	34
21	16	24	26	23	22	30	37	30	20	17	7	2	1	.....	.....	35
7	8	5	5	6	6	2	6	4	.....	.....	.....	.....	.....	.....	.....	36
7	6	6	6	6	3	4	5	6	9	6	2	.....	.....	.....	.....	37
2	4	6	6	7	12	12	10	6	6	12	6	2	1	.....	.....	38
15	11	11	10	9	8	7	8	9	13	6	5	1	.....	.....	.....	39
10	4	9	8	8	7	3	5	10	2	3	3	1	.....	.....	.....	40
6	9	11	9	11	6	16	7	9	5	6	3	1	1	.....	.....	41
7	8	6	3	5	1	1	4	.....	2	1	1	.....	.....	.....	.....	42
24	18	20	26	21	28	26	34	33	34	27	11	6	1	.....	.....	43
43	35	47	34	48	43	50	87	79	63	40	15	5	1	.....	1	44
18	20	17	8	10	7	9	8	11	13	9	4	4	.....	.....	.....	45
39	33	45	39	45	51	57	68	59	48	39	14	4	.....	.....	.....	46
18	29	24	23	19	15	12	20	20	8	9	6	.....	.....	.....	.....	47
10	13	12	8	12	9	12	5	5	6	1	1	.....	.....	.....	.....	48
50	41	48	26	33	40	36	28	32	24	21	3	2	.....	.....	.....	49
26	28	33	34	42	48	52	40	53	56	39	17	6	2	.....	.....	50
10	9	9	10	16	25	24	18	20	13	17	8	2	.....	.....	.....	51
9	14	1	3	4	6	5	5	4	2	4	.....	1	.....	.....	.....	52
37	41	39	41	35	19	27	23	24	14	6	2	2	.....	.....	1	53
6	12	8	7	11	12	6	12	4	10	6	1	2	.....	.....	.....	54
6	10	4	8	9	10	13	14	18	12	11	4	3	.....	.....	.....	55
5	6	4	.....	.....	2	3	1	.....	.....	1	.....	.....	.....	.....	.....	56
5	7	10	6	3	9	14	11	10	9	1	.....	.....	.....	.....	.....	57
8	10	13	12	13	9	16	11	5	1	3	.....	1	.....	.....	.....	58
19	20	27	15	21	14	29	35	35	29	12	8	3	1	.....	.....	59
32	38	33	48	46	47	46	43	57	59	26	19	5	.....	1	.....	60
6	2	10	7	2	3	6	5	5	4	4	1	.....	.....	.....	.....	61
4	9	10	5	6	15	13	13	15	9	12	2	1	.....	.....	.....	62
6	11	6	9	7	1	4	4	3	3	3	.....	.....	.....	.....	.....	63
1,155	1,337	1,384	1,415	1,545	1,486	1,652	1,654	1,500	1,190	842	432	165	36	11	3	64
999	1,167	1,225	1,299	1,432	1,402	1,570	1,594	1,449	1,166	827	419	156	32	9	3	65
156	170	159	116	113	84	82	60	51	24	15	13	9	4	2	.....	66
9	2	5	5	5	12	12	11	7	11	11	4	2	.....	.....	2	67
454	500	449	424	466	464	472	453	379	317	189	92	25	8	.....	.....	68
[1]418	455	402	386	430	439	445	437	366	313	186	91	25	8	.....	.....	69
36	45	47	38	36	25	27	16	13	4	3	1	.....	.....	.....	.....	70

[1] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Contd.												
	PENNSYLVANIA—continued.												
1	Pittston	279	81	15	10	3	5	114	6	5	4	9	17
2	Plymouth	257	83	29	3	8	1	124	7	5	4	10	7
3	Pottstown	234	51	7	9	2	1	70	5	3	11	12	11
4	Pottsville	380	72	13	5	5	3	98	14	6	8	14	23
5	Reading	1,475	336	66	44	12	9	467	38	30	31	48	53
6	Scranton	2,140	520	135	44	24	19	742	47	38	60	73	95
7	Shamokin	269	82	19	6	3	2	112	10	7	6	8	6
8	Sharon	253	64	10	5	3	4	86	2	2	7	17	20
9	Shenandoah	439	192	47	14	10	5	268	17	8	9	19	7
10	South Bethlehem	334	135	26	11	4	3	179	4	3	4	12	10
11	South Sharon	164	70	27	8	2	.....	107	3	2	3	6	6
12	Steelton	217	68	12	13	8	2	103	22	2	5	3	6
13	Sunbury	188	42	9	5	4	3	63	1	1	3	3	9
14	Uniontown	246	48	7	3	3	1	62	5	3	3	19	13
15	Warren	149	22	11	4	1	1	39	5	6	5	3	5
16	Washington	299	52	13	2	3	2	72	7	4	10	10	9
17	West Chester (total)	231	20	7	3	2	1	33	7	1	4	12	16
18	White	188	17	5	2	2	1	27	5	1	2	9	11
19	Colored	43	3	2	1	.....	.....	6	2	.....	2	3	5
20	Wilkes-Barre	1,117	269	41	24	12	17	363	22	16	38	56	53
21	Wilkinsburg	284	43	11	5	.....	1	60	3	2	16	16	9
22	Williamsport	490	82	17	8	5	1	113	9	15	13	27	19
23	York	743	155	17	18	5	7	202	32	15	21	24	22
	RHODE ISLAND.												
24	Registration cities (total)	7,571	1,719	379	142	75	60	2,375	147	88	175	199	277
25	White	7,357	1,672	371	136	72	58	2,309	142	84	171	196	270
26	Colored	214	47	8	6	3	2	66	5	4	4	3	7
27	Central Falls	358	129	30	10	4	4	177	7	9	9	5	9
28	Cranston	229	55	7	5	1	2	70	3	1	5	4	5
29	State institutions	312	11	.....	.....	1	.....	12	.....	3	4	8	16
30	Cumberland town	141	25	6	2	1	3	37	8	4	2	3	4
31	East Providence town	233	55	10	5	1	1	72	.....	2	1	5	10
32	Newport	383	71	6	5	1	2	85	6	3	26	16	16
33	Pawtucket	826	191	38	12	7	4	252	18	6	14	16	25
34	Providence	3,980	827	198	72	45	33	1,175	74	50	94	110	157
35	Warwick town	483	139	25	13	2	6	185	15	5	4	14	15
36	Woonsocket	626	216	59	18	12	5	310	16	5	16	18	20
	SOUTH CAROLINA.[1]												
37	Charleston (total)	1,748	392	90	54	27	10	573	39	27	57	82	89
38	White	526	85	17	8	7	3	120	13	5	12	13	16
39	Colored	1,222	307	73	46	20	7	453	26	22	45	69	73
	TENNESSEE.[1]												
40	Registration cities (total)	5,516	735	196	107	52	39	1,129	105	116	252	412	382
41	White	2,871	383	102	57	28	18	588	51	48	103	174	164
42	Colored	2,645	352	94	50	24	21	541	54	68	149	238	218
43	Knoxville (total)	635	101	17	13	9	5	145	5	14	33	45	47
44	White	432	65	11	6	4	3	89	3	9	20	31	28
45	Colored	203	36	6	7	5	2	56	2	5	13	14	19
46	Memphis (total)	2,818	345	84	54	28	18	529	56	59	135	220	220
47	White	1,326	176	38	28	15	6	263	29	20	42	73	86
48	Colored	1,492	169	46	26	13	12	266	27	39	93	147	134
49	Nashville (total)	2,063	289	95	40	15	16	455	44	43	84	147	115
50	White	1,113	142	53	23	9	9	236	19	19	41	70	50
51	Colored	950	147	42	17	6	7	219	25	24	43	77	65
	TEXAS.[1]												
52	Registration cities (total)	2,750	561	128	39	20	12	760	51	41	90	156	171
53	White	2,334	490	113	37	20	10	670	48	36	70	122	134
54	Colored	416	71	15	2	.....	2	90	3	5	20	34	37
55	Galveston (total)	600	77	15	8	3	2	105	7	9	15	35	39
56	White	417	54	11	7	3	1	76	5	6	5	22	23
57	Colored	183	23	4	1	.....	1	29	2	3	10	13	16
58	San Antonio (total)	2,150	484	113	31	17	10	655	44	32	75	121	132
59	White	1,917	436	102	30	17	9	594	43	30	65	100	111
60	Colored	233	48	11	1	.....	1	61	1	2	10	21	21
	UTAH.												
61	Registration cities (total)	1,553	251	46	23	27	18	365	67	42	42	88	94
62	White	1,502	249	45	23	27	18	362	67	41	41	84	84
63	Colored	51	2	1	.....	.....	.....	3	.....	1	1	4	10
64	Ogden	293	41	12	.....	5	4	62	16	8	9	15	20
65	Salt Lake City	1,260	210	34	23	22	14	303	51	34	33	73	74

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
15	11	9	15	12	9	19	12	7	8	5	2	----	----	----	----	1
7	9	7	10	14	17	7	6	12	8	1	1	----	----	----	1	2
11	5	6	10	6	14	9	13	9	22	6	8	2	1	----	----	3
16	25	16	23	24	24	14	26	12	19	12	4	2	----	----	----	4
58	61	70	53	65	83	84	95	83	71	48	26	8	1	2	----	5
94	99	99	108	123	85	109	117	111	82	42	13	3	----	----	----	6
5	9	5	4	13	7	17	20	9	13	10	4	4	----	----	----	7
14	12	13	6	5	14	14	15	10	9	7	----	----	----	----	----	8
13	12	21	12	13	8	8	8	7	3	3	2	1	----	----	----	9
12	15	12	12	8	11	12	10	13	11	5	----	1	----	----	----	10
7	8	3	8	1	2	2	2	2	1	----	1	----	----	----	----	11
9	3	5	11	5	8	5	8	11	9	2	----	----	----	----	----	12
7	7	5	7	7	20	10	13	13	7	8	3	1	----	----	----	13
23	18	10	9	12	11	5	15	14	4	11	9	----	----	----	----	14
5	8	5	8	10	5	15	4	9	7	6	2	2	----	----	----	15
11	26	14	16	17	14	10	20	14	24	10	7	2	2	----	----	16
5	7	11	12	13	6	13	16	18	17	21	9	7	3	----	----	17
5	5	6	9	10	3	10	14	17	15	21	9	6	3	----	----	18
----	2	5	3	3	3	3	2	1	2	----	----	1	----	----	----	19
47	56	61	59	60	52	56	58	49	33	24	10	3	----	1	----	20
12	8	17	14	14	18	16	16	21	21	11	5	3	2	----	----	21
21	18	22	19	28	30	33	35	30	28	22	7	1	----	----	----	22
21	30	36	22	30	39	58	47	48	36	38	15	6	----	1	----	23
270	323	375	348	400	402	482	486	463	370	232	101	44	6	5	3	24
258	308	362	338	385	393	472	470	452	365	228	99	41	6	5	3	25
12	15	13	10	15	9	10	16	11	5	4	2	3	----	----	----	26
7	8	15	7	10	18	17	14	18	13	12	2	1	----	----	----	27
9	10	6	12	8	12	15	20	15	16	10	3	5	----	----	----	28
19	25	22	20	36	26	27	29	14	27	17	5	1	----	----	1	29
6	7	6	2	5	9	11	13	8	8	3	4	----	----	----	1	30
5	11	9	7	11	12	21	18	16	15	14	3	1	----	----	----	31
11	19	18	15	17	19	20	36	21	20	20	5	7	3	----	----	32
33	32	36	42	45	48	64	57	59	41	22	13	3	----	----	----	33
150	179	205	206	229	214	266	246	258	184	106	48	21	3	4	1	34
15	19	30	12	16	17	19	30	28	30	16	9	4	----	----	----	35
15	13	28	25	23	27	22	23	26	16	12	9	1	----	1	----	36
97	98	93	109	103	66	90	60	60	53	37	10	2	2	1	----	37
19	26	18	29	32	29	37	35	41	40	28	10	2	----	1	----	38
78	72	75	80	71	37	53	25	19	13	9	----	----	2	----	----	39
360	360	311	310	359	292	285	260	217	158	106	56	31	4	10	1	40
159	174	153	157	180	162	173	189	150	109	79	42	12	3	1	----	41
201	186	158	153	179	130	112	71	67	49	27	14	19	1	9	1	42
50	35	33	21	39	30	35	28	27	24	11	8	4	----	1	----	43
31	21	23	14	28	21	23	26	23	22	8	8	3	----	1	----	44
19	14	10	7	11	9	12	2	4	2	3	----	1	----	----	----	45
204	214	176	171	199	153	145	114	79	62	46	21	10	1	3	1	46
76	94	77	83	93	79	86	84	49	40	34	15	2	1	----	----	47
128	120	99	88	106	74	59	30	30	22	12	6	8	----	3	1	48
106	111	102	118	121	109	105	118	111	72	49	27	17	3	6	----	49
52	59	53	60	59	62	64	79	78	47	37	19	7	2	----	----	50
54	52	49	58	62	47	41	39	33	25	12	8	10	1	6	----	51
165	175	145	181	148	137	111	129	105	81	51	36	9	4	2	2	52
133	143	113	150	128	122	94	116	92	75	46	30	7	4	1	----	53
32	32	32	31	20	15	17	13	13	6	5	6	2	----	1	2	54
43	45	39	51	43	36	26	28	28	23	12	7	6	2	----	1	55
25	29	25	38	31	28	18	23	23	20	9	4	5	2	----	----	56
18	16	14	13	12	8	8	5	5	3	3	3	1	----	----	1	57
122	130	106	130	105	101	85	101	77	58	39	29	3	2	2	1	58
108	114	88	112	97	94	76	93	69	55	37	26	2	2	1	----	59
14	16	18	18	8	7	9	8	8	3	2	3	1	----	1	1	60
105	88	82	87	62	86	75	59	65	62	42	27	11	----	1	3	61
96	83	79	84	59	81	74	58	65	61	42	27	11	----	1	2	62
9	5	3	3	3	5	1	1	----	1	----	----	----	----	----	1	63
24	18	10	14	12	17	21	9	18	6	6	3	3	----	1	1	64
81	70	72	73	50	69	54	50	47	56	36	24	8	----	----	2	65

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES—Contd.												
	VERMONT.												
1	Registration cities (total)	774	165	17	12	7	4	205	14	18	14	18	19
2	White	771	165	17	12	7	4	205	14	18	14	17	18
3	Colored	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
4	Barre	150	29	2	2	2	.....	35	4	12	2	1	6
5	Burlington	397	102	8	8	2	4	124	7	3	8	9	5
6	Rutland	227	34	7	2	3	.....	46	3	3	4	8	8
	VIRGINIA.[1]												
7	Registration cities (total)	6,193	1,277	243	130	77	42	1,769	136	99	201	325	382
8	White	3,086	556	122	52	28	21	779	67	49	82	125	164
9	Colored	3,107	721	121	78	49	21	990	69	50	119	200	218
10	Alexandria (total)	327	52	10	9	3	1	75	2	9	11	13	23
11	White	189	33	4	3	1	.....	41	1	4	7	4	11
12	Colored	138	19	6	6	2	1	34	1	5	4	9	12
13	Danville (total)	388	74	23	19	8	.....	124	12	9	19	27	23
14	White	221	50	21	9	2	.....	82	8	4	11	17	13
15	Colored	167	24	2	10	6	.....	42	4	5	8	10	10
16	Lynchburg (total)	473	107	23	8	7	5	150	13	6	14	29	25
17	White	242	49	12	6	4	3	74	6	4	8	9	13
18	Colored	231	58	11	2	3	2	76	7	2	6	20	12
19	Norfolk (total)	1,477	270	55	18	19	13	375	39	25	47	83	109
20	White	709	107	25	7	6	7	152	13	13	12	27	44
21	Colored	777	163	30	11	13	6	223	26	12	35	56	65
22	Petersburg (total)	641	158	20	13	9	5	205	21	10	25	27	40
23	White	264	51	10	4	2	2	69	9	3	13	11	13
24	Colored	377	107	10	9	7	3	136	12	7	12	16	22
25	Richmond (total)	2,387	616	112	63	31	18	840	49	40	35	146	162
26	White	1,470	266	50	23	13	9	361	30	21	31	57	65
27	Colored	1,417	350	62	40	18	9	479	19	19	54	89	97
	WASHINGTON.												
28	Registration cities (total)	5,803	945	164	64	57	36	1,266	158	114	182	333	331
29	White	5,632	922	159	60	55	36	1,232	156	113	179	322	358
30	Colored	171	23	5	4	2	.....	34	2	1	3	11	23
31	Aberdeen	121	21	4	4	4	.....	33	4	3	3	9	8
32	Bellingham	231	27	5	.....	2	3	37	14	5	13	10	8
33	Everett	279	50	7	3	.....	2	62	2	2	15	14	22
34	North Yakima	257	31	9	4	6	2	52	7	9	16	18	18
35	Seattle	2,408	348	61	23	11	10	453	50	44	63	139	170
36	Spokane	1,375	292	44	14	19	13	382	45	23	40	83	92
37	Tacoma	928	148	29	15	15	5	212	33	25	25	51	45
38	Walla Walla	204	28	5	1	.....	1	35	3	3	7	9	18
	WEST VIRGINIA.[1]												
39	Wheeling (total)	731	136	23	16	10	1	186	16	13	13	34	43
40	White	700	132	22	16	10	1	181	16	12	17	33	40
41	Colored[2]	31	4	1	.....	.....	.....	5	.....	1	1	1	3
	WISCONSIN.												
42	Registration cities (total)	10,319	2,317	420	201	123	98	3,159	317	156	295	478	428
43	White	10,274	2,303	417	201	123	98	3,142	315	155	293	477	425
44	Colored	45	14	3	.....	.....	.....	17	2	1	2	1	3
45	Appleton	263	47	7	2	2	.....	58	6	4	4	17	6
46	Ashland	228	38	5	4	1	2	50	4	3	8	13	22
47	Beloit	173	31	6	7	2	1	47	3	2	6	7	4
48	Eau Claire	276	23	6	3	3	4	39	11	5	13	13	12
49	Fond du Lac	254	46	3	2	.....	3	54	13	.....	11	3	13
50	Green Bay	448	134	13	5	10	6	168	16	7	8	13	15
51	Janesville	194	28	8	1	.....	.....	37	1	.....	3	5	4
52	Kenosha	268	87	22	12	2	5	128	4	3	7	6	9
53	La Crosse	435	53	13	3	4	2	75	15	4	11	24	25
54	Madison	309	41	7	2	4	.....	54	6	5	2	20	20
55	Manitowoc	166	28	1	5	.....	2	36	5	2	4	2	8
56	Marinette	178	29	8	3	1	1	42	11	5	5	6	6
57	Milwaukee	5,205	1,368	235	116	69	54	1,842	169	82	161	229	217
58	Oshkosh	373	61	8	3	1	2	75	4	4	9	10	16
59	Racine	495	97	23	10	10	5	145	12	7	16	32	10
60	Sheboygan	351	60	15	6	4	5	90	8	8	9	23	10
61	Superior	466	86	32	11	4	5	138	17	11	10	33	24
62	Wausau	237	60	8	6	6	1	81	12	4	8	12	7

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49.	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
29	31	24	41	29	49	53	67	46	51	40	20	5	.....	.....	1	1
29	31	24	41	29	49	53	67	46	50	40	20	5	.....	.....	1	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	3
4	10	7	12	9	12	8	9	7	7	1	3	1	.....	.....	.....	4
13	14	9	21	15	24	19	36	21	25	27	13	3	.....	.....	1	5
12	7	8	8	5	13	26	22	18	19	12	4	1	.....	.....	.....	6
294	325	338	297	359	301	369	302	261	200	128	77	16	8	3	3	7
122	134	129	136	152	165	225	211	204	162	104	60	10	4	1	1	8
172	191	209	161	207	136	144	91	57	38	24	17	6	4	2	2	9
19	17	19	17	13	17	21	15	20	17	10	8	1	.....	.....	.....	10
8	7	9	9	7	9	16	13	14	14	8	6	1	.....	.....	.....	11
11	10	10	8	6	8	5	2	6	3	2	2	.....	.....	.....	.....	12
17	17	17	18	20	17	19	18	14	8	3	2	2	1	.....	1	13
9	8	5	7	9	6	13	9	8	7	1	2	2	.....	.....	.....	14
8	9	12	11	11	11	6	9	6	1	2	.....	.....	1	.....	1	15
14	19	17	14	26	27	26	24	25	18	12	11	2	.....	1	.....	16
5	6	10	3	14	15	10	18	21	13	8	5	.....	.....	.....	.....	17
9	13	7	11	12	12	16	6	4	5	4	6	2	.....	1	.....	18
84	89	97	77	92	69	82	64	56	41	23	22	1	2	.....	.....	19
30	32	31	40	39	45	55	52	46	31	18	18	1	1	.....	.....	20
54	57	66	37	53	24	27	12	10	10	5	4	.....	1	.....	.....	21
32	24	28	34	32	20	37	37	26	15	15	7	3	1	1	1	22
13	8	6	11	10	11	16	18	18	11	10	6	2	.....	.....	1	23
19	16	22	23	22	9	21	19	8	4	5	1	1	1	1	.....	24
128	159	160	137	176	151	184	144	120	101	65	27	7	4	1	1	25
57	73	68	66	73	79	115	101	97	86	59	23	4	3	1	.....	26
71	86	92	71	103	72	69	43	23	15	6	4	3	1	.....	1	27
331	356	350	336	355	331	340	280	233	223	140	67	14	1	2	10	28
306	343	335	323	341	327	337	276	232	223	138	66	14	.....	1	10	29
25	13	15	13	14	4	3	4	1	.....	2	1	.....	1	1	.....	30
7	7	5	7	7	10	3	5	4	4	1	1	.....	.....	.....	.....	31
7	12	12	11	16	13	15	11	14	18	8	5	1	.....	.....	1	32
12	14	10	16	19	18	19	14	16	13	6	2	2	.....	.....	1	33
17	17	11	15	19	11	12	8	7	11	6	1	.....	.....	.....	2	34
155	159	180	156	149	140	141	123	95	88	61	32	7	1	2	.....	35
77	86	77	70	76	75	77	45	43	41	24	13	1	.....	.....	5	36
49	47	45	47	61	55	62	62	42	32	24	9	1	.....	.....	1	37
7	14	10	14	8	9	11	12	12	16	10	4	2	.....	.....	.....	38
39	44	35	45	40	40	41	41	33	18	29	12	2	.....	.....	2	39
38	41	34	42	35	39	40	39	31	18	28	12	2	.....	.....	2	40
1	3	1	3	5	1	1	2	2	.....	1	.....	.....	.....	.....	.....	41
412	392	381	487	510	504	471	561	492	507	422	232	79	17	6	13	42
407	389	380	485	507	503	471	561	492	505	422	232	79	17	5	12	43
5	3	1	2	3	1	.....	.....	.....	2	.....	.....	.....	.....	1	1	44
7	6	7	18	17	10	16	17	17	20	16	10	5	.....	1	1	45
15	10	16	17	17	7	8	14	6	6	3	2	1	.....	.....	1	46
5	6	8	7	6	15	7	11	12	9	9	5	2	.....	.....	2	47
8	11	9	13	15	18	23	20	19	22	15	6	3	1	.....	.....	48
11	10	9	8	16	14	15	14	17	15	19	4	4	2	1	1	49
19	15	15	19	16	20	19	32	18	20	13	7	2	1	.....	.....	50
2	4	11	8	9	8	13	11	12	23	24	15	3	.....	.....	1	51
13	6	13	8	10	8	9	11	7	5	8	8	1	1	.....	3	52
12	19	17	29	24	21	34	19	27	35	23	16	4	.....	.....	1	53
15	7	13	14	11	17	15	28	23	21	22	10	4	1	1	.....	54
9	5	11	6	11	5	9	9	9	10	14	9	1	.....	.....	1	55
14	8	2	7	7	13	9	11	15	9	5	1	2	.....	.....	.....	56
195	191	181	232	254	252	226	255	206	203	169	95	34	10	2	.....	57
13	21	13	16	18	21	16	27	40	31	25	10	3	.....	.....	1	58
27	26	15	25	21	29	16	22	23	29	26	10	4	.....	.....	.....	59
15	17	10	13	15	14	15	25	19	27	14	15	4	.....	.....	.....	60
25	26	24	38	31	21	12	16	13	11	10	4	1	.....	.....	1	61
7	4	7	9	12	11	9	19	9	11	7	5	1	1	1	.....	62

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES.[1]												
	CALIFORNIA.												
1	Total	13,792	1,608	345	163	91	84	2,291	242	191	346	543	667
2	White	13,107	1,505	330	150	85	82	2,152	235	182	319	527	623
3	Colored	685	103	15	13	6	2	139	7	9	27	16	44
4	Alameda County	593	80	17	5	3	4	109	13	10	13	15	25
5	Alpine County	2											
6	Amador County	118	8	2	1			11	2	2	4	6	3
7	Butte County	386	46	5	2	1	2	56	3	2	9	17	27
8	Calaveras County	116	8	1	1			10	2	3		2	2
9	Colusa County	100	10			1	1	12	2	1	5	5	6
10	Contra Costa County	355	53	8	6	2	1	70	6	7	7	18	25
11	Del Norte County	11	1					1					
12	Eldorado County	107	2	5				7	1	1	2	4	3
13	Fresno County	549	111	17	10	5	4	147	17	9	16	20	28
14	Glenn County	55	7	3				10	1	1	1	2	2
15	Humboldt County	151	19	7	4	1	2	33	3	4	4	6	11
16	Imperial County	66	6	5				11			2	2	6
17	Inyo County	29	1		1			2	1			1	1
18	Kern County	225	49	9	7	1	3	69	3	5	4	10	12
19	Kings County	192	39	5	4	3	2	53	5	4	8	5	15
20	Lake County	82	5	2			2	9	1	1	4	2	1
21	Lassen County	22	4	1	1			6	3		1	1	1
22	Los Angeles County	1,740	182	49	19	16	7	273	30	21	45	71	92
23	Madera County	87	17		3			20			4	5	5
24	Marin County	256	16	2	4		1	23	6	4	8	10	22
25	Mariposa County	32	2	1				3			2		1
26	Mendocino County	334	39	4	9	3	1	56	5	6	7	13	21
27	Merced County	133	22	6	3	3	1	35		1	2	5	3
28	Modoc County	37	6	1		1		8	1	2	1		2
29	Mono County	2											1
30	Monterey County	288	42	12	2	2	2	60	4	4	8	11	11
31	Napa County	462	17	1	1	1	1	21	3	3	3	7	13
32	Nevada County	221	24	3	2		1	30	2	1	4	4	9
33	Orange County	395	62	18	3	1	4	88	6	7	13	15	20
34	Placer County	249	11	10	4	4		29	3	3	4	9	10
35	Plumas County	37	4					4	3				1
36	Riverside County	196	26	7	3	1	1	38	5	5	8	11	16
37	Sacramento County	405	39	5	4	3	1	52	3	5	7	19	26
38	San Benito County	104	17	2	2		3	24	3	1	3	3	3
39	San Bernardino County	509	50	15	4	3	2	74	10	3	8	21	26
40	San Diego County	189	13	7	2	2		24	3	2	6	10	10
41	San Joaquin County	442	53	9	2		1	65	4	8	9	21	20
42	San Luis Obispo County	237	30	9	3	3	3	48	8	3	6	6	15
43	San Mateo County	304	52	7	3	2	4	68	5	2	9	8	10
44	Santa Barbara County	145	27	8	4	1	2	42	1	1	9	7	7
45	Santa Clara County	791	70	13	12	4	5	104	17	13	15	31	32
46	Santa Cruz County	179	27	2	2	1	1	33	3	6	7	6	6
47	Shasta County	256	35	5	2		1	43	7	4	5	14	11
48	Sierra County	38	2					2	1			1	3
49	Siskiyou County	195	24	2	2	1	2	31	4		9	8	9
50	Solano County	179	21	4	2			27	4	1	4	6	11
51	Sonoma County	658	48	15	6	6	4	79	16	13	25	30	22
52	Stanislaus County	234	31	6	3	3	2	45	2	5	3	17	4
53	Sutter County	64	6	1				7	1	1		2	2
54	Tehama County	174	12	4		1	1	18	5	4	6	2	5
55	Trinity County	58	4	1		2		7	1	2	2	5	
56	Tulare County	327	59	15	6	2	5	87	3	2	8	16	17
57	Tuolumne County	133	7	1	1	1	2	12	1	2	1	7	3
58	Ventura County	208	36	8	4	5	2	55	6	2	7	14	15
59	Yolo County	184	14	2	3	1	1	21	1	3	5	7	6
60	Yuba County	151	12	3	2		2	19	2	1	3	5	9
	COLORADO.												
61	Total	6,364	1,128	220	93	73	60	1,574	158	129	247	411	447
62	White	6,236	1,123	215	93	73	60	1,564	156	124	241	399	434
63	Colored	128	5	5				10	2	5	6	12	13
64	Adams County	82	16	3				19	1	3	2	4	3
65	Arapahoe County	122	8		1	1		10	3	2	7	9	12
66	Archuleta County	35	8	1	1			10	4	2	2	1	4
67	Baca County	30	8	3	2			13		1	2	2	1
68	Bent County	66	13	1	1	1	2	18	1		2	12	10
69	Boulder County	400	67	17	4	3	3	94	11	2	10	15	28
70	Chaffee County	124	14	1	1		1	17	3	3	1	6	3
71	Cheyenne County	7	4					4					
72	Clear Creek County	79	7	1	3			11	2	2		4	8
73	Conejos County	105	24	6	1	5	4	40	7	5	3	8	7
74	Costilla County	5	2	1				3					1
75	Custer County	22	3	1				4			1		
76	Delta County	127	25	5	2	1		33	3	1	8	5	7
77	Dolores County	4								1			
78	Douglas County	24	3	1	1			5		1	1	2	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
672	697	709	751	751	719	893	966	1,024	995	789	377	107	38	11	13	1
640	645	667	702	703	674	828	937	995	982	774	371	98	33	9	11	2
32	52	42	49	48	45	65	29	29	13	15	6	9	5	2	2	3
27	31	29	34	42	34	39	47	35	39	34	12	3	2	.....	.....	4
.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	5
2	6	5	6	10	8	7	12	8	11	12	2	1	.....	.....	.....	6
19	20	17	14	23	30	24	25	27	28	35	5	2	3	.....	.....	7
5	6	2	2	5	6	9	5	11	17	17	10	2	.....	.....	.....	8
6	6	2	10	3	3	4	7	9	8	8	3	.....	.....	.....	.....	9
16	21	21	19	18	19	18	17	24	20	13	9	4	.....	1	2	10
1	1	.....	.....	.....	.....	.....	1	3	1	2	1	.....	.....	.....	.....	11
3	4	3	4	2	8	5	9	12	22	9	6	1	1	.....	.....	12
24	26	32	25	23	26	33	23	32	27	21	17	2	1	.....	.....	13
1	6	2	2	5	2	3	5	2	5	3	2	.....	.....	.....	.....	14
4	7	6	7	7	3	10	9	13	12	8	4	.....	.....	.....	.....	15
7	4	5	10	5	6	2	.....	4	1	1	.....	.....	.....	.....	.....	16
.....	4	.....	3	1	1	3	1	3	3	1	2	.....	.....	1	1	17
19	11	16	17	18	6	9	7	6	5	7	1	.....	.....	.....	.....	18
8	9	9	13	10	11	11	8	8	8	4	2	.....	1	.....	.....	19
1	2	7	2	3	5	7	6	7	10	9	2	3	.....	.....	.....	20
1	.....	.....	.....	.....	1	.....	1	4	1	2	.....	.....	.....	.....	.....	21
87	81	71	75	86	68	120	174	160	118	107	49	9	3	.....	.....	22
5	7	3	4	4	4	6	5	7	1	4	1	.....	1	1	.....	23
17	13	21	24	19	10	19	9	8	19	17	6	1	.....	.....	.....	24
1	2	4	2	1	2	2	4	3	.....	4	1	.....	.....	.....	.....	25
14	23	21	21	28	16	22	12	17	19	18	8	5	1	1	.....	26
3	9	6	7	9	8	12	4	7	10	5	3	.....	3	.....	1	27
1	1	.....	3	2	2	4	1	4	3	2	.....	.....	.....	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	29
9	13	13	19	10	15	16	19	20	25	20	7	3	1	.....	.....	30
36	24	33	30	30	30	39	64	45	36	24	17	3	1	.....	.....	31
11	11	10	12	13	4	22	16	15	26	18	9	2	1	1	.....	32
18	17	15	15	21	22	28	28	24	38	8	8	4	.....	.....	.....	33
19	22	22	19	20	12	16	16	20	9	9	5	1	.....	.....	1	34
1	3	2	1	1	4	2	1	1	6	2	.....	3	.....	.....	2	35
12	10	11	5	9	12	9	7	13	9	12	3	.....	.....	1	.....	36
18	31	23	30	22	35	37	29	22	21	13	8	1	1	1	1	37
3	6	5	4	9	3	5	5	6	9	6	4	1	1	.....	.....	38
42	36	35	36	23	32	36	29	30	31	19	10	4	3	1	.....	39
8	4	8	9	11	8	12	15	18	21	10	8	1	.....	1	.....	40
27	19	32	31	24	26	32	36	31	19	21	15	2	.....	.....	.....	41
11	11	8	9	12	15	18	17	16	12	16	4	2	.....	.....	.....	42
12	18	12	11	27	20	12	17	26	23	14	6	2	2	.....	.....	43
6	3	2	6	6	8	7	9	9	13	4	2	1	1	.....	1	44
36	32	40	55	37	38	56	60	75	68	47	19	16	.....	.....	.....	45
10	6	7	7	1	9	9	14	16	17	15	3	3	1	.....	.....	46
6	13	22	14	14	11	16	16	19	15	14	9	2	.....	1	.....	47
3	6	.....	2	2	2	1	1	4	3	4	3	.....	.....	.....	.....	48
8	10	10	11	11	14	9	9	13	20	13	5	.....	.....	.....	1	49
9	5	8	9	8	13	15	12	16	11	13	4	.....	2	.....	1	50
31	26	29	30	30	39	45	53	54	46	54	22	9	4	.....	1	51
9	11	10	12	15	5	10	19	13	23	18	10	2	.....	1	.....	52
5	2	2	2	7	5	2	5	6	6	6	2	.....	1	.....	.....	53
7	7	15	9	10	13	7	14	18	16	10	4	3	.....	.....	1	54
2	1	3	4	4	2	3	6	6	3	4	1	2	.....	.....	.....	55
16	18	15	16	15	10	16	15	17	20	17	14	3	2	.....	.....	56
7	8	4	13	8	6	6	10	14	13	8	9	1	.....	.....	.....	57
8	8	7	9	12	10	11	7	7	15	6	7	1	1	.....	.....	58
8	11	10	9	10	9	14	17	18	15	11	8	1	.....	.....	.....	59
2	5	13	8	5	8	13	8	18	16	10	5	1	.....	.....	.....	60
429	343	343	302	316	269	289	289	272	252	167	82	30	7	1	7	61
413	324	327	292	310	267	289	288	270	249	165	81	30	6	1	6	62
16	19	16	10	6	2	.....	1	2	3	2	1	.....	1	.....	1	63
5	5	6	5	5	3	3	3	6	3	3	3	.....	.....	.....	.....	64
16	11	8	4	5	5	1	5	7	7	4	5	1	.....	.....	.....	65
1	2	2	2	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	66
2	.....	1	1	1	.....	1	2	1	2	.....	.....	.....	.....	.....	.....	67
6	3	2	.....	3	.....	1	2	1	3	.....	1	.....	.....	1	.....	68
28	17	16	23	19	19	22	22	30	21	12	7	4	.....	.....	.....	69
10	9	6	9	12	10	3	11	10	3	6	2	.....	.....	.....	.....	70
.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	71
6	4	1	6	6	6	3	7	5	2	2	3	1	.....	.....	.....	72
2	3	7	5	6	3	1	3	2	3	.....	.....	.....	.....	.....	.....	73
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
3	1	.....	.....	1	2	3	2	1	3	.....	1	.....	.....	.....	.....	75
2	5	2	1	10	6	3	13	9	11	5	2	1	.....	.....	.....	76
.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	77
1	.....	.....	.....	.....	3	6	1	1	1	1	.....	1	.....	.....	.....	78

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES[1]—Continued.												
	COLORADO—continued.												
1	Eagle County	28	5					5	1		1		2
2	El Paso County	229	27	7	1	1	1	37	2	6	7	16	17
3	Elbert County	33	1	2				3		1	2	1	
4	Fremont County	247	39	6	4	4	2	55	6	2	8	17	12
5	Garfield County	161	18	2	2	2	2	26	5	3	14	8	8
6	Gilpin County	67	12	5			1	18	2	1	3	1	4
7	Grand County	20	3					3	2			1	4
8	Gunnison County	84	22	2	3		2	29	1		2	5	7
9	Hinsdale County	13	3		1			4				1	
10	Huerfano County	237	59	31	12	4	4	110	7	8	4	14	16
11	Jackson County	11	2					2	1	1			
12	Jefferson County	263	15	2		2		19	2	4	14	35	42
13	Kiowa County	33	9	1	1	2	1	14		1		2	1
14	Kit Carson County	43	15	2		1		18	1		3	2	
15	La Plata County	123	19		1	4	1	25	2	2	5	2	7
16	Lake County	209	46	8	1	3	1	59	4	3		16	14
17	Larimer County	291	72	15	5	6	3	101	6	8	12	12	12
18	Las Animas County	593	76	18	7	6	8	115	9	6	43	71	76
19	Lincoln County	39	6	2	3	1		12				2	
20	Logan County	69	17	3	1	1	1	23	1	2	4	4	4
21	Mesa County	245	40	10	5	3	4	62	12	8	18	13	18
22	Mineral County	12	3					3					
23	Montezuma County	43	11	4	2			17	3		2		3
24	Montrose County	112	22	1		3	1	27	5	1	4	14	8
25	Morgan County	88	19	2	1	1	1	24	1	3	4	5	5
26	Otero County	276	59	11	2	1	3	76	9	9	10	26	16
27	Ouray County	51	3					3	3	1	1	2	5
28	Park County	19	1	1		1		3	1			1	1
29	Phillips County	29	10		1			11		1	1	4	1
30	Pitkin County	56	10	2	2			14		1	1	2	1
31	Prowers County	127	32	5	5	1	2	45	5	2	7	7	9
32	Pueblo County	298	19	7	1	4	3	34	4	9	10	15	21
33	Rio Blanco County	12							1		1	2	
34	Rio Grande County	93	18	3	4		1	26	1	1	2	1	3
35	Routt County	55	7		3	1	3	14	4		1	7	3
36	Saguache County	37	11	3	1			15		1	1		1
37	San Juan County	56	16					16	1			1	5
38	San Miguel County	68	16	2	1	1	2	22	2	2		5	11
39	Sedgwick County	24	8			1		9	1			1	1
40	Summit County	28	2	1				3				1	3
41	Teller County	181	36	2	1	2	1	42	3	6	2	12	6
42	Washington County	41	16	2	1	2	1	22	2	1	3		1
43	Weld County	342	92	16	3	3	1	115	12	11	17	16	11
44	Yuma County	46	9	1	1	1		12	1	1	2	3	4
	CONNECTICUT.												
45	Total	5,466	935	134	69	50	31	1,219	101	69	93	134	121
46	White	5,394	923	127	66	50	30	1,196	101	69	91	133	120
47	Colored	72	12	7	3		1	23			2	1	1
48	Fairfield County	775	103	12	3	4	4	126	12	9	9	19	18
49	Hartford County	1,094	202	27	16	10	9	264	22	20	18	26	20
50	Litchfield County	794	113	9	14	8	4	148	15	9	23	23	13
51	Middlesex County	375	48	12	2	5	1	68	6	7	2	10	9
52	New Haven County	748	170	24	11	11	5	221	22	11	12	16	28
53	New London County	732	100	19	8	3	3	133	11	6	9	22	14
54	Tolland County	331	67	10	4	2	2	85	5		6	2	5
55	Windham County	617	132	21	11	7	3	174	8	7	14	16	14
	INDIANA.												
56	Total	23,980	3,802	967	424	239	185	5,617	503	413	655	946	802
57	White	23,539	3,743	943	419	234	181	5,520	498	402	633	914	781
58	Colored	441	59	24	5	5	4	97	5	11	22	32	21
59	Adams County	209	31	5	3	2	3	44	7	4	8	6	10
60	Allen County	277	57	13	5	1	5	81	8	5	8	7	3
61	Bartholomew County	329	49	15	4	3	1	72	5	6	10	14	15
62	Benton County	105	22	3	2	3	3	33		4	2	3	2
63	Blackford County	196	35	7	5	6	6	59	8	3	2	3	1
64	Boone County	310	45	9	3	5	3	65	7	4	11	13	10
65	Brown County	108	18	5	4	1	1	29	1		5	5	2
66	Carroll County	243	33	8	5	2	2	50	8	4	8	7	7
67	Cass County	276	25	7	5		5	42	4	6	9	9	15
68	Clark County	288	45	15	3	2	2	67	1	6	12	21	13
69	Clay County	404	71	25	4	3	2	105	12	8	13	26	19
70	Clinton County	303	46	4	3	5	2	60	6	7	12	8	14
71	Crawford County	151	22	9	1	2	1	35	2	5	6	7	6
72	Daviess County	335	51	15	7	5	4	82	13	9	10	14	16
73	Dearborn County	274	20	6	4	2	2	34	4	4	7	10	12

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
----	1	4	2	2	2	4	2	1	1	----	----	----	----	----	----	1
19	16	19	12	13	6	8	17	10	12	7	4	1	----	----	----	2
----	1	1	2	2	7	2	1	3	----	3	4	----	----	----	----	3
18	12	16	13	12	8	14	11	15	15	9	3	1	----	----	----	4
8	12	11	7	10	11	12	9	5	3	2	2	4	----	----	1	5
1	4	7	3	4	2	7	2	2	4	1	1	----	----	----	----	6
1	----	----	2	1	----	1	2	1	1	1	----	----	----	----	----	7
6	1	3	----	5	2	9	4	2	2	5	1	----	----	----	----	8
----	----	----	----	1	1	2	----	1	2	1	----	----	----	----	----	9
15	7	11	9	9	----	5	6	6	8	----	----	2	----	----	----	10
2	2	----	1	----	----	----	2	----	----	----	----	----	----	----	----	11
31	20	21	7	12	8	10	11	10	9	4	3	1	----	----	----	12
1	1	1	1	1	1	1	2	3	----	3	----	----	----	----	----	13
2	----	----	3	3	----	4	3	1	----	2	1	----	----	----	----	14
4	5	8	4	10	4	14	6	10	8	5	----	2	----	----	----	15
9	9	13	13	24	8	18	11	3	5	3	2	1	----	----	----	16
18	14	7	6	10	16	10	10	12	16	13	4	2	2	----	----	17
70	40	47	32	21	13	10	5	10	10	7	3	1	3	----	1	18
3	1	1	4	2	5	----	2	4	1	1	----	----	----	----	1	19
4	4	2	4	2	4	1	3	2	3	2	----	----	----	----	----	20
14	7	11	13	7	10	11	11	10	7	8	3	1	1	----	----	21
1	1	1	1	1	2	1	----	----	1	----	----	----	----	----	----	22
----	1	2	----	1	3	2	1	2	5	----	1	----	----	----	----	23
8	7	4	5	3	5	4	3	3	5	4	1	1	----	----	----	24
8	4	8	3	1	2	1	3	3	5	5	2	----	----	----	1	25
24	15	10	6	11	12	15	16	7	9	4	1	----	----	----	----	26
3	2	4	4	5	4	5	3	2	1	----	1	2	----	----	----	27
----	1	2	1	3	----	1	2	2	1	----	----	----	----	----	----	28
1	----	1	3	2	1	----	----	1	1	----	1	----	----	----	----	29
----	3	2	3	3	2	7	6	4	2	4	1	----	----	----	----	30
10	4	6	5	5	6	3	2	2	4	3	----	1	1	----	----	31
21	28	26	25	21	17	11	20	13	12	9	1	----	----	----	1	32
----	1	1	2	----	----	----	1	----	1	2	----	----	----	----	----	33
4	8	4	1	6	4	4	8	2	6	6	6	----	----	----	----	34
4	7	2	1	1	3	2	----	3	----	3	----	----	----	----	----	35
----	1	1	3	2	1	----	2	5	1	----	2	1	----	----	----	36
4	2	8	4	----	7	4	----	4	----	----	----	----	----	----	----	37
6	2	3	6	1	3	1	----	1	1	1	1	----	----	----	----	38
1	----	----	1	1	2	2	1	2	1	1	----	----	----	----	----	39
1	2	----	2	3	4	3	3	----	2	1	----	----	----	----	----	40
9	15	12	21	9	9	11	9	6	5	1	2	----	----	----	1	41
1	3	1	1	1	----	----	3	1	----	----	1	----	----	----	----	42
14	17	9	9	13	13	18	13	21	16	10	6	1	----	----	----	43
1	2	1	----	----	3	1	2	3	6	3	----	----	----	----	1	44
162	176	185	192	219	252	345	422	518	491	394	245	76	22	2	28	45
158	174	185	188	214	245	342	418	516	489	388	244	74	20	1	28	46
4	2	----	4	5	7	3	4	2	2	6	1	2	2	1	----	47
22	27	25	19	30	43	52	66	91	98	51	34	14	2	2	6	48
32	35	48	37	36	57	51	68	100	104	91	43	14	5	----	3	49
30	27	27	29	29	33	55	69	74	65	64	38	13	4	----	6	50
5	11	17	16	12	11	26	33	35	43	27	24	8	3	----	2	51
30	21	25	28	34	24	43	38	64	54	38	23	10	3	----	3	52
26	26	22	36	34	35	46	65	79	55	61	40	8	2	----	2	53
4	12	7	11	14	16	25	32	33	26	25	14	4	3	----	2	54
13	17	14	16	30	33	47	51	42	46	37	29	5	----	----	4	55
761	718	749	826	1,004	1,172	1,455	1,761	2,061	2,020	1,472	724	236	62	7	16	56
747	691	724	801	984	1,154	1,430	1,734	2,034	2,004	1,457	720	230	59	7	15	57
14	27	25	25	20	18	25	27	27	16	15	4	6	3	----	1	58
3	5	12	11	1	18	14	16	16	19	9	5	1	----	----	----	59
4	3	7	15	10	13	20	20	23	24	8	14	1	3	----	----	60
16	9	8	14	15	22	21	21	20	29	21	10	----	1	----	----	61
3	1	3	2	4	5	8	10	6	10	4	5	----	----	----	----	62
8	7	7	8	12	9	10	16	12	16	10	5	----	----	----	----	63
9	7	9	16	10	14	12	22	26	30	28	13	3	1	----	----	64
----	4	----	5	2	7	11	10	8	10	5	4	----	----	----	----	65
7	6	6	3	8	17	10	23	30	24	15	8	1	1	----	----	66
11	7	11	11	20	14	15	33	21	24	13	10	1	----	----	----	67
6	6	7	10	12	10	16	28	25	24	15	7	2	----	----	----	68
17	9	12	12	20	18	20	21	22	29	26	12	2	1	----	----	69
5	2	3	14	15	17	26	32	26	21	18	12	3	2	----	----	70
4	6	6	3	6	5	12	12	17	9	2	6	2	----	----	----	71
11	9	8	12	11	22	30	23	21	18	16	5	4	----	----	1	72
11	4	17	14	15	19	13	23	33	27	11	11	4	----	----	1	73

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES [1]—Continued.												
	INDIANA—continued.												
1	Decatur County	243	30	7	6	.....	.....	43	2	4	7	6	6
2	Dekalb County	328	57	15	2	.....	2	76	5	4	10	10	9
3	Delaware County	274	48	7	4	2	3	64	8	5	12	8	5
4	Dubois County	191	33	12	3	4	.....	52	5	4	7	10	11
5	Elkhart County	407	57	7	10	3	1	78	6	2	14	12	13
6	Fayette County	190	42	10	4	.....	.....	56	4	2	1	4	5
7	Floyd County	140	16	3	1	1	2	23	3	.....	2	5	8
8	Fountain County	273	38	13	7	4	.....	62	5	5	7	10	11
9	Franklin County	192	24	3	3	2	2	34	3	2	4	9	2
10	Fulton County	230	34	6	5	.....	3	48	6	5	5	3	8
11	Gibson County	403	69	28	8	4	1	110	15	9	15	19	20
12	Grant County	526	57	12	3	9	2	83	8	9	10	13	9
13	Greene County	467	110	26	10	15	7	168	14	14	15	27	16
14	Hamilton County	360	46	19	2	2	1	70	7	2	14	10	8
15	Hancock County	251	30	7	3	.....	1	41	7	6	9	18	12
16	Harrison County	228	35	8	2	1	1	47	10	4	9	10	6
17	Hendricks County	265	36	7	4	2	1	50	4	5	9	11	8
18	Henry County	427	71	19	9	4	3	106	7	4	11	24	13
19	Howard County	174	36	4	3	1	.....	44	5	4	4	3	6
20	Huntington County	230	29	7	4	1	3	44	4	4	6	9	11
21	Jackson County	351	72	13	4	4	4	97	9	5	11	15	12
22	Jasper County	119	17	5	3	.....	.....	25	1	2	4	3	2
23	Jay County	324	51	16	4	.....	6	77	12	8	14	19	15
24	Jefferson County	356	52	9	4	2	1	68	7	8	7	3	16
25	Jennings County	182	31	4	7	3	.....	45	6	3	3	6	7
26	Johnson County	286	45	15	11	5	2	78	6	6	9	18	4
27	Knox County	299	73	28	8	10	3	122	16	4	7	14	14
28	Kosciusko County	347	36	8	7	6	3	60	8	5	10	13	10
29	Lagrange County	199	27	3	1	.....	2	33	5	4	5	8	7
30	Lake County	350	75	18	8	1	2	104	10	7	5	17	12
31	Laporte County	176	27	1	3	.....	1	32	2	2	3	5	5
32	Lawrence County	411	75	32	12	8	5	132	10	8	12	18	23
33	Madison County	366	67	12	8	6	1	94	12	8	12	13	10
34	Marion County	408	71	9	6	1	2	89	2	3	11	13	16
35	Marshall County	307	54	9	7	3	4	77	6	5	8	7	8
36	Martin County	144	28	9	1	2	3	43	1	2	3	6	6
37	Miami County	223	29	6	3	.....	1	39	5	2	5	7	10
38	Monroe County	335	58	23	10	4	1	96	8	8	7	13	19
39	Montgomery County	383	48	15	5	2	1	71	2	8	6	20	10
40	Morgan County	312	45	14	2	4	1	66	3	5	5	17	11
41	Newton County	109	26	4	2	1	.....	33	1	3	4	4	2
42	Noble County	266	33	4	6	2	1	46	.....	.....	5	11	4
43	Ohio County	44	3	.....	1	.....	.....	4	1	.....	.....	2	.....
44	Orange County	198	42	5	1	.....	2	50	4	3	11	9	7
45	Owen County	162	25	8	3	1	2	39	1	6	3	3	4
46	Parke County	255	46	14	5	6	3	74	8	4	9	10	5
47	Perry County	217	46	10	7	3	1	67	8	3	5	13	5
48	Pike County	278	62	19	7	1	5	94	9	4	9	14	14
49	Porter County	264	25	11	2	4	2	44	7	5	10	10	7
50	Posey County	284	48	16	7	4	4	79	4	6	9	11	10
51	Pulaski County	145	24	5	3	2	1	35	1	6	4	5	3
52	Putnam County	250	31	10	4	3	2	50	6	3	5	10	8
53	Randolph County	371	50	13	6	2	2	73	6	7	11	12	13
54	Ripley County	246	34	12	9	1	1	57	3	3	3	8	6
55	Rush County	234	39	6	4	.....	.....	49	4	2	3	8	5
56	St. Joseph County	244	31	11	5	2	2	51	3	2	7	9	7
57	Scott County	117	16	6	4	1	1	28	2	3	4	5	5
58	Shelby County	341	47	14	6	2	2	71	5	6	10	11	12
59	Spencer County	266	42	16	2	3	2	65	3	3	6	12	4
60	Starke County	128	24	3	5	2	3	37	6	.....	2	5	5
61	Steuben County	160	24	5	1	2	1	33	3	.....	6	7	3
62	Sullivan County	386	97	24	6	3	5	135	11	5	8	18	8
63	Switzerland County	138	16	8	2	1	1	28	.....	2	1	2	3
64	Tippecanoe County	253	26	3	4	2	1	36	.....	.....	4	11	4
65	Tipton County	207	43	8	3	1	2	57	2	5	4	7	9
66	Union County	85	15	1	2	1	3	22	1	3	1	3	.....
67	Vanderburg County	233	22	8	6	5	.....	41	3	4	1	10	8
68	Vermilion County	255	73	10	3	2	3	91	7	5	7	9	8
69	Vigo County	378	69	25	15	6	4	119	15	10	10	18	15
70	Wabash County	335	50	3	7	3	1	64	7	7	8	8	14
71	Warren County	136	25	3	1	2	.....	31	2	4	4	3	.....
72	Warrick County	274	48	26	5	5	3	87	7	7	6	11	12
73	Washington County	223	39	12	4	4	2	61	3	4	3	9	10
74	Wayne County	362	18	7	4	1	2	32	1	8	10	16	13
75	Wells County	295	36	8	6	2	2	54	5	4	13	11	13
76	White County	167	28	5	.....	.....	1	34	5	3	4	11	6
77	Whitley County	189	30	9	1	1	.....	41	4	1	4	5	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
3	6	10	8	11	14	18	21	24	26	20	10	4				1
16	9	8	11	14	22	22	15	29	28	26	9	4	1			2
9	8	11	6	15	11	14	22	24	23	18	7	3	1			3
8	9	9	5	9	6	11	13	7	9	3	6	1				4
13	13	15	20	16	24	29	26	34	47	23	17	3			2	5
10	7	7	9	8	10	16	16	14	13	4	3	1				6
6	4	4	3	8	4	6	15	14	15	15	2	2	1			7
6	5	11	6	14	17	20	20	29	17	17	8	1	1		1	8
6	7	4	4	11	9	13	13	18	13	22	12	5	1			9
4	5	4	6	10	14	22	19	23	18	18	9	2	1			10
14	14	12	15	15	18	17	29	25	31	14	7	3	1			11
16	11	18	22	14	18	32	59	84	58	41	14	7				12
14	18	12	15	22	11	15	26	29	20	19	6	4	2			13
11	9	14	16	19	23	27	25	33	37	22	6	6			1	14
10	4	8	13	7	19	12	20	20	19	18	6	1	1			15
12	10	7	3	9	9	13	12	18	19	21	7	2				16
3	12	5	6	7	8	12	26	27	33	21	10	6	2			17
12	18	7	9	13	17	27	31	37	37	26	17	8	2		1	18
5	4	5	7	7	7	11	9	13	16	12	9	2		1		19
5	5	5	5	6	15	16	16	21	24	22	7	4	1			20
11	6	11	9	16	12	19	33	34	18	25	5	2			1	21
6	4	4	6	4	4	7	6	14	11	13	2	1				22
10	8	10	8	13	7	19	29	25	29	11	9	1				23
9	11	10	20	12	17	23	29	37	38	24	9	4	4			24
4	6	5	7	5	8	10	13	16	15	9	9	5				25
14	3	9	10	11	12	11	18	24	23	21	5	4				26
4	6	8	6	10	11	12	9	15	18	17	4	2				27
9	7	5	6	18	21	25	30	32	38	31	15	4				28
5	1	7	6	15	11	16	15	23	18	15	3	2				29
17	13	11	18	12	14	15	17	19	22	16	13	4	3		1	30
5	4	10	2	9	5	8	15	22	19	16	6	6				31
15	19	9	17	25	14	8	19	22	23	23	6	6		1	1	32
12	8	16	14	16	22	20	21	24	27	24	10	3				33
17	15	21	21	17	22	20	33	36	31	22	15	2	2			34
13	9	14	7	7	17	23	18	27	32	17	8	3	1			35
9	7	4	3	6	7	8	3	8	13	6	6	2			1	36
7	9	8	9	8	9	6	22	18	20	22	11	4	1	1		37
10	6	11	9	10	10	19	20	31	17	26	11	4				38
5	14	11	17	17	19	34	25	38	39	23	20	2	1	1		39
10	12	10	8	13	21	26	28	23	32	12	7	3				40
2	3	2	4	3	3	7	8	8	12	3	3	1	2		1	41
7	8	6	5	10	19	21	17	27	34	22	16	6		1	1	42
2	1	2		1	3	3	11	4	2	5	2		1			43
2	8	8	9	13	7	10	16	14	12	12	2	1				44
6	3	9	1	4	11	15	12	11	16	12	3	3				45
11	4	9	7	12	14	12	14	23	18	14	5	2				46
6	8	7	7	8	8	7	12	18	18	8	7	1			1	47
12	11	10	7	15	4	10	19	14	14	9	5	2	2			48
9	4	8	13	11	9	25	16	27	27	19	8	3	2			49
10	16	14	7	10	13	12	22	23	13	18	6	1				50
7	6	3	6	8	4	7	12	12	13	6	6	1				51
4	13	9	11	9	19	11	18	19	29	12	8	4	2			52
9	15	8	12	16	19	30	36	32	34	23	12	3				53
11	4	7	5	9	14	17	18	18	18	28	14	3				54
9	6	4	14	11	9	17	19	20	25	16	9	4				55
5	9	7	10	7	10	12	11	25	30	21	13	3	2			56
3	1	1	6	6	4	6	4	14	9	10	4	1	1			57
10	10	12	11	12	16	31	28	26	30	25	11	4				58
13	6	10	7	9	14	17	22	25	23	19	6	2				59
5	3	4	2	5	7	6	8	13	12	6	2					60
5	4	2	1	8	5	11	13	18	26	5	7	3				61
12	13	10	12	14	19	18	18	27	23	16	11	6	1		1	62
3	4		5	3	6	13	14	20	20	8	4		1	1		63
4	1	10	7	14	15	27	19	35	43	15	5	1	1	1		64
7	7	5	10	9	11	18	19	17	7	7	4	2				65
2			2	5	3	4	6	12	6	9	6					66
10	16	12	13	13	17	13	22	15	14	13	4	3	1			67
7	7	11	6	9	11	20	15	21	9	11	1					68
7	16	10	14	14	23	21	21	24	17	14	6	3	1			69
16	9	8	13	20	21	18	23	32	28	27	7	3	2			70
6	11	2	2	10	6	6	12	16	9	12						71
13	12	7	9	8	14	11	19	19	17	6	6	3				72
8	9	10	7	10	12	8	9	16	12	19	9	3	1			73
10	15	20	22	21	24	27	31	31	33	29	13	5			1	74
9	14	11	9	15	11	24	22	15	27	21	12	1	4			75
4	4	1	5	5	10	9	9	21	20	10	4		2			76
5	6	4	3	7	8	11	20	32	20	6	10	1				77

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES[1]—Continued.												
	MAINE.												
1	Total	9,346	1,528	259	105	80	53	2,025	169	127	190	252	235
2	White	9,334	1,527	259	105	80	53	2,024	169	127	190	251	235
3	Colored	12	1					1				1	
4	Androscoggin County	341	47	8	3	6	1	65	4	3	8	13	6
5	Aroostook County	1,068	383	70	28	13	7	501	27	20	39	31	36
6	Cumberland County	875	129	16	7	3	5	160	9	13	16	27	24
7	Franklin County	264	39	6	2	1	5	53	5	5	3	6	7
8	Hancock County	572	59	7	6	5	4	81	6	6	12	14	7
9	Kennebec County	655	76	10	5	6		97	7	8	15	21	11
10	Knox County	488	50	4	1	1	2	58	7	4	8	8	17
11	Lincoln County	311	21		1		2	24	4	4	2	8	5
12	Oxford County	606	104	27	8	7	1	147	11	4	8	16	9
13	Penobscot County	917	155	40	17	9	4	225	23	15	13	32	33
14	Piscataquis County	284	39	5	1	4	2	51	1	7	8	10	11
15	Sagadahoc County	329	35	2	2		2	41	12	5	2	7	7
16	Somerset County	604	108	20	8	8	5	149	7	7	10	16	9
17	Waldo County	424	31	2	1	4	2	40	5	3	9	8	14
18	Washington County	660	106	19	5	5	6	141	18	14	24	19	18
19	York County	948	146	23	10	8	5	192	23	9	13	16	21
	MARYLAND.												
20	Total	9,115	1,901	409	203	82	75	2,670	201	173	301	352	309
21	White	6,489	1,246	231	121	53	51	1,702	126	108	157	190	204
22	Colored	2,626	655	178	82	29	24	968	75	65	144	162	105
23	Allegany County (total)	337	70	24	4	5	2	105	6	5	11	9	16
24	White	327	68	24	4	5	2	103	6	5	10	9	16
25	Colored[2]	10	2					2			1		
26	Anne Arundel County (total)	724	198	41	26	7	7	279	20	15	25	28	38
27	White	370	91	17	12	5	5	130	5	6	10	12	15
28	Colored	354	107	24	14	2	2	149	15	9	15	16	23
29	Baltimore County (total)	1,823	402	73	33	15	13	536	25	29	54	70	66
30	White	1,598	332	63	27	11	13	446	24	25	37	59	58
31	Colored	225	70	10	6	4		90	1	4	17	11	8
32	Calvert County (total)	161	50	5	1	4	1	61	1	3	6	10	8
33	White	75	15	2	1	4		22	1	1	1	1	5
34	Colored	86	35	3			1	39		2	5	9	3
35	Caroline County (total)	266	49	19	5	3	4	80	11	3	11	14	7
36	White	176	29	10		1	3	43	11	1	3	7	5
37	Colored	90	20	9	5	2	1	37		2	8	7	2
38	Carroll County (total)	465	64	15	5	5	3	92	4	10	7	9	10
39	White	429	51	13	5	4	3	76	3	8	6	6	10
40	Colored[2]	36	13	2		1		16	1	2	1	3	
41	Cecil County (total)	357	43	10	3	2	2	60	10	6	15	16	13
42	White	276	32	4	1		2	39	6	5	9	11	10
43	Colored	81	11	6	2	2		21	4	1	6	5	3
44	Charles County (total)	247	64	11	9	1	2	87	9	3	7	14	7
45	White	104	24	1	2			27	4	1	3	2	4
46	Colored	143	40	10	7	1	2	60	5	2	4	12	3
47	Dorchester County (total)	413	107	15	17	3	3	145	7	10	15	11	14
48	White	213	55	7	11	1		74	3	5	8	3	9
49	Colored	200	52	8	6	2	3	71	4	5	7	8	5
50	Frederick County (total)	496	90	16	11	3	3	123	11	9	12	23	14
51	White	416	74	11	10	2	2	99	9	8	10	15	11
52	Colored	80	16	5	1	1	1	24	2	1	2	8	3
53	Garrett County (total)	170	46	9	7	1	1	64	5	3	5		5
54	White	170	46	9	7	1	1	64	5	3	5		5
55	Colored[2]												
56	Harford County (total)	351	52	7	2		4	65	9	8	10	10	12
57	White	267	39	4	1		4	48	9	4	5	5	10
58	Colored	84	13	3	1			17		4	5	5	2
59	Howard County (total)	224	55	9	4	1	1	70	4	3	7	8	3
60	White	152	29	5	3			37	1		5	3	1
61	Colored	72	26	4	1	1	1	33	3	3	2	5	2
62	Kent County (total)	295	75	10	7		2	94	5	7	10	16	8
63	White	164	45	3	3		1	52		4	3	6	1
64	Colored	131	30	7	4		1	42	5	3	7	10	7
65	Montgomery County (total)	344	55	19	3	3	5	85	9	5	10	7	12
66	White	220	31	6	2	2	3	44	5		2	6	9
67	Colored	124	24	13	1	1	2	41	4	5	8	1	3
68	Prince Georges County (total)	506	115	31	13	5	7	171	9	14	15	18	16
69	White	281	66	9	7	1	3	86	5	6	7	5	6
70	Colored	225	49	22	6	4	4	85	4	8	8	13	10
71	Queen Annes County (total)	284	64	12	2	3	4	85	10	10	11	12	10
72	White	152	30	5		3	2	40	5	6	4	4	1
73	Colored	132	34	7	2		2	45	5	4	7	8	9
74	St. Marys County (total)	63	11	2	1	1		15	1	2	3	3	2
75	White	35	6	2				8	1	1	2	1	1
76	Colored	28	5		1	1		7		1	1	2	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
211	262	252	284	391	421	516	738	846	948	771	457	168	63	2	18	1
210	262	252	282	391	420	514	737	845	947	770	457	168	63	2	18	2
1	----	----	2	----	1	2	1	1	1	1	----	----	----	----	----	3
8	13	10	7	15	16	21	24	28	34	32	25	5	2	----	2	4
29	23	30	21	28	30	37	33	47	47	48	29	6	4	----	2	5
25	16	16	21	42	41	56	66	99	104	75	39	20	3	1	2	6
6	2	10	7	13	12	8	32	28	28	20	13	3	3	----	----	7
11	20	14	15	25	31	36	55	65	65	52	39	13	4	----	1	8
18	18	19	20	21	27	42	63	70	84	56	35	17	4	----	2	9
10	23	18	23	17	32	31	29	40	73	50	20	16	4	----	----	10
12	5	3	12	16	14	25	32	36	27	41	24	12	5	----	----	11
11	18	16	20	28	27	42	57	42	58	45	28	13	5	----	1	12
26	26	23	25	42	47	54	72	78	74	69	27	8	3	----	2	13
4	10	6	9	17	14	16	19	29	28	25	14	2	1	----	2	14
5	9	7	9	19	15	19	34	37	42	25	20	9	5	----	----	15
14	16	21	32	22	23	28	48	44	59	53	32	7	3	1	3	16
7	14	14	10	17	23	27	44	52	55	37	25	13	7	----	----	17
12	25	24	23	27	28	29	52	38	65	58	28	11	5	----	1	18
13	24	21	30	42	41	45	78	113	105	85	59	13	5	----	----	19
339	300	288	312	363	396	510	617	648	590	416	197	63	20	6	44	20
241	210	206	219	286	314	402	495	526	515	341	163	43	15	----	26	21
98	90	82	93	77	82	108	122	122	75	75	34	20	5	6	18	22
11	12	10	7	13	16	27	27	14	18	18	8	2	1	----	1	23
10	10	10	7	11	16	27	27	13	17	18	8	2	1	----	1	24
1	2	----	----	2	----	----	----	1	1	----	----	----	----	----	----	25
18	25	23	25	30	37	29	28	39	25	20	11	3	----	2	4	26
9	10	15	15	13	24	22	20	21	17	15	8	1	----	----	2	27
9	15	8	10	17	13	7	8	18	8	5	3	2	----	2	2	28
83	75	66	78	81	81	96	136	109	108	72	37	9	3	1	8	29
68	67	58	70	77	76	89	121	104	102	66	36	8	2	----	5	30
15	8	8	8	4	5	7	15	5	6	6	1	1	1	1	3	31
3	4	7	3	7	4	3	8	15	6	9	1	1	1	----	----	32
3	2	5	2	3	4	3	3	8	4	6	----	1	----	----	----	33
----	2	2	1	4	----	----	5	7	2	3	1	----	1	----	----	34
11	8	8	4	7	12	15	16	20	18	13	6	2	----	----	----	35
6	5	5	2	5	10	12	13	17	15	11	4	1	----	----	----	36
5	3	3	2	2	2	3	3	3	3	2	2	1	----	----	----	37
13	14	14	19	26	18	25	43	47	51	39	11	7	1	----	5	38
12	14	13	19	25	17	25	41	45	49	37	11	7	1	----	4	39
1	----	1	----	1	1	----	2	2	2	2	----	----	----	----	1	40
11	7	12	21	15	18	22	32	33	37	15	7	4	----	----	3	41
9	7	5	11	15	15	18	25	30	34	14	7	4	----	----	2	42
2	----	7	10	----	3	4	7	3	3	1	----	----	----	----	1	43
9	3	9	6	7	11	17	16	19	8	7	5	2	----	----	1	44
4	2	4	1	2	7	9	9	11	5	6	2	----	----	----	1	45
5	1	5	5	5	4	8	7	8	3	1	3	2	----	----	----	46
13	10	11	14	13	19	28	26	23	20	23	4	4	----	----	3	47
6	2	5	7	6	10	14	11	15	14	15	3	3	----	----	----	48
7	8	6	7	7	9	14	15	8	6	8	1	1	----	----	3	49
21	7	16	16	11	28	34	28	43	47	24	16	4	6	----	3	50
16	6	15	12	11	26	31	25	36	43	18	14	4	6	----	1	51
5	1	1	4	----	2	3	3	7	4	6	2	----	----	----	2	52
8	9	4	6	4	1	5	16	12	12	5	2	1	1	----	2	53
8	9	4	6	4	1	5	16	12	12	5	2	1	1	----	2	54
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	55
10	9	14	12	20	17	18	32	35	24	25	14	4	----	----	3	56
8	5	8	9	17	15	15	23	28	24	19	13	1	----	----	1	57
2	4	6	3	3	2	3	9	7	----	6	1	3	----	----	2	58
7	4	9	6	9	10	11	14	13	20	14	7	4	----	----	1	59
6	4	7	6	9	8	8	13	13	15	7	7	1	----	----	1	60
1	----	2	----	----	2	3	1	----	5	7	----	3	----	----	----	61
6	8	6	9	10	16	17	22	17	28	9	3	1	1	----	2	62
3	2	2	3	7	10	10	15	13	23	7	1	----	----	----	2	63
3	6	4	6	3	6	7	7	4	5	2	2	1	1	----	----	64
9	18	12	8	15	12	21	27	30	33	15	9	5	1	1	----	65
3	11	6	6	14	8	13	19	24	26	13	7	3	1	----	----	66
6	7	6	2	1	4	8	8	6	7	2	2	2	----	1	----	67
19	23	14	15	23	20	21	27	41	25	20	8	4	1	1	1	68
10	13	8	5	12	11	11	21	32	21	15	5	1	1	----	----	69
9	10	6	10	11	9	10	6	9	4	5	3	3	----	1	1	70
11	8	8	8	10	12	20	18	21	16	6	8	----	----	----	----	71
6	6	6	3	6	7	12	10	16	13	4	3	----	----	----	----	72
5	2	2	5	4	5	8	8	5	3	2	5	----	----	----	----	73
4	4	----	1	4	4	3	6	3	4	2	2	----	----	----	----	74
1	2	----	1	3	3	2	4	2	1	1	1	----	----	----	----	75
3	2	----	----	1	1	1	2	1	3	1	1	----	----	----	----	76

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES[1]—Continued.												
	MARYLAND—continued.												
1	Somerset County (total)	334	77	22	13	3	5	120	11	5	17	16	13
2	White	161	41	6	2	1	3	53	1	4	6	3	6
3	Colored	173	36	16	11	2	2	67	10	1	11	13	7
4	Talbot County (total)	288	37	14	7	3	1	62	9	7	11	22	8
5	White	143	12	5	2	2		21	2	2	2	7	2
6	Colored	145	25	9	5	1	1	41	7	5	9	15	6
7	Washington County (total)	424	70	13	12	4	1	100	13	8	13	14	10
8	White	398	66	12	12	4	1	95	13	7	11	11	9
9	Colored[2]	26	4	1				5		1	2	3	1
10	Wicomico County (total)	291	58	22	10	3	3	96	6	5	14	12	10
11	White	214	46	10	6	2	2	66	4	4	7	9	5
12	Colored	77	12	12	4	1	1	30	2	1	7	3	5
13	Worcester County (total)	252	49	10	8	7	1	75	6	3	12	10	7
14	White	148	18	3	3	4	1	29	3	2	1	5	5
15	Colored	104	31	7	5	3		46	3	1	11	5	2
	MASSACHUSETTS.												
16	Total	12,305	1,808	306	136	107	63	2,420	203	152	212	340	324
17	White	12,181	1,795	303	135	107	63	2,403	198	147	206	332	305
18	Colored	124	13	3	1			17	5	5	6	8	19
19	Barnstable County	497	51	13	1	3	1	69	6	11	8	10	12
20	Berkshire County	581	83	9	6	3	3	104	9	2	10	18	19
21	Bristol County	821	181	38	15	8	5	247	14	10	15	14	12
22	Dukes County	87	8			1		9			1	1	3
23	Essex County	1,515	195	26	15	9	5	250	17	14	22	35	32
24	Franklin County	529	65	9	2	4	5	85	9	7	11	13	6
25	Hampden County	696	170	39	17	18	4	248	18	14	17	40	14
26	Hampshire County	626	135	24	3	11	4	177	19	12	6	12	16
27	Middlesex County	2,275	233	36	25	18	8	320	28	29	41	77	86
28	Nantucket County	60	4					4	1	2		3	1
29	Norfolk County	1,332	182	31	22	5	8	248	20	15	16	35	32
30	Plymouth County	1,189	144	24	10	9	4	191	16	14	25	32	37
31	Worcester County	2,097	357	57	20	18	16	468	46	22	40	50	54
	MICHIGAN.												
32	Total	23,519	4,171	763	362	224	157	5,677	506	385	591	767	710
33	White	23,154	4,115	754	356	220	156	5,601	490	373	566	749	695
34	Colored	365	56	9	6	4	1	76	16	12	25	18	15
35	Alcona County	55	15	2	1	1		19	2	1	3	2	1
36	Alger County	107	44	7	7	2		60	4	5	6	3	3
37	Allegan County	555	83	11	4		4	102	5	7	22	13	22
38	Alpena County	80	23	4	2	1		30	3	1	6	2	7
39	Antrim County	187	33	11	4	3	2	53	8	4	3	7	6
40	Arenac County	97	27	1	1	2	1	32	1	2	3	4	3
41	Baraga County	62	7			1	1	9	3		6		4
42	Barry County	299	29	6	1	3	1	40	7	6	3	2	5
43	Bay County	238	51	10	6	5	1	73	10	2	6	9	9
44	Benzie County	128	28	8	1	1	1	39	2	4	6	6	1
45	Berrien County	701	114	12	10	8	1	145	15	8	17	25	23
46	Branch County	383	39	5	6	3	4	57	5	6	6	9	9
47	Calhoun County	441	48	6	6	1	1	62	8	6	9	7	10
48	Cass County	304	34	5	5	4	1	49	5	4	6	6	7
49	Charlevoix County	221	55	7		1	3	66	8	1	8	10	6
50	Cheboygan County	234	50	17	6	1	3	77	5	7	7	18	10
51	Chippewa County	108	27	4	6	2	1	40	7	3	2	4	6
52	Clare County	107	19	4	1		1	25	2	2	5	6	3
53	Clinton County	307	46	13	2	3	1	65	8	3	2	6	2
54	Crawford County	54	12	2	1	1		16	1	1	2	4	3
55	Delta County	195	72	6	2	3	3	86	3	1	5	3	6
56	Dickinson County	230	89	23	7	8	2	129	9	1	9	5	8
57	Eaton County	440	49	10	8	2	1	70	14	6	10	12	16
58	Emmet County	231	40	9	2			51	5	3	10	9	11
59	Genesee County	403	69	7	5	3	2	86	5	5	9	7	10
60	Gladwin County	85	23	2	1		1	27	1		6	2	7
61	Gogebic County	187	74	12	8	5	3	102	9	5	6	8	14
62	Grand Traverse County	155	26	6	4		3	39	4	3	2	4	4
63	Gratiot County	354	63	8	4	2		77	6	10	8	12	7
64	Hillsdale County	442	47	10	4	4	1	66	14	8	6	13	13
65	Houghton County	1,127	344	71	32	21	22	490	37	32	35	67	48
66	Huron County	375	92	10	1	6	1	110	9	8	12	13	8
67	Ingham County	296	36	6	4	1	3	50	3	4	6	8	5
68	Ionia County	436	59	13	2	4	3	81	6	3	6	10	7
69	Iosco County	119	24	6	1	1		32	4		3	7	6
70	Iron County	193	69	13	4	5	3	94	7	2	4	13	14
71	Isabella County	263	44	12	2		2	60	6	7	8	6	3
72	Jackson County	334	39	6	3	2	4	54	1	6	7	5	6
73	Kalamazoo County	301	25	4	3		2	34	4	3	6	7	4
74	Kalkaska County	128	27	10	2		1	40	2	3	6	10	4

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
9	11	5	10	12	11	19	16	24	12	14	4	.....	2	.....	3	1
6	5	4	4	8	8	12	9	13	7	8	3	.....	1	.....	.....	2
3	6	1	6	4	3	7	7	11	5	6	1	.....	1	.....	3	3
15	9	7	13	12	15	22	18	16	20	14	6	.....	.....	1	1	4
6	3	3	7	9	8	13	13	12	17	11	4	.....	.....	.....	1	5
9	6	4	6	3	7	9	5	4	3	3	2	.....	.....	1	.....	6
24	14	15	7	11	20	36	33	32	29	32	12	.....	.....	.....	1	7
22	13	14	7	11	18	34	33	30	28	30	11	.....	.....	.....	1	8
2	1	1	.....	.....	2	2	.....	2	1	2	1	.....	.....	.....	.....	9
13	10	9	14	15	6	12	10	22	13	10	10	2	.....	.....	2	10
11	6	5	10	11	5	11	7	18	13	9	9	2	.....	.....	2	11
2	4	4	4	4	1	1	3	4	.....	1	1	.....	.....	.....	.....	12
11	8	9	10	8	8	9	18	20	16	10	6	4	2	.....	.....	13
8	6	4	6	7	7	6	17	13	15	6	4	3	1	.....	.....	14
3	2	5	4	1	1	3	1	7	1	4	2	1	1	.....	.....	15
385	417	431	472	563	622	783	1,003	1,164	1,062	916	549	219	39	8	21	16
375	406	421	465	558	619	778	999	1,163	1,062	911	547	219	39	8	20	17
10	11	10	7	5	3	5	4	1	.....	5	2	.....	.....	.....	1	18
6	9	13	9	17	28	31	41	64	66	47	36	11	2	1	.....	19
15	16	19	18	17	31	44	49	64	68	37	31	8	2	.....	.....	20
22	19	24	20	29	43	46	66	64	60	55	43	14	2	.....	2	21
3	.....	2	.....	4	6	10	11	10	12	10	3	1	.....	.....	1	22
46	64	54	69	84	87	100	120	163	135	120	64	28	7	2	2	23
16	11	16	17	27	29	35	46	58	52	47	25	17	.....	1	1	24
22	22	19	18	22	23	29	37	47	38	36	23	7	1	.....	1	25
11	15	20	19	26	25	25	53	53	59	37	28	11	1	.....	1	26
103	107	108	124	123	125	170	174	213	173	145	89	27	10	.....	3	27
1	1	.....	.....	1	1	5	5	10	10	7	5	2	1	.....	.....	28
39	49	44	49	78	72	73	121	136	95	108	64	32	2	.....	4	29
31	38	37	51	46	56	83	99	112	122	106	53	33	4	1	2	30
70	66	75	78	89	96	132	181	170	172	161	85	28	7	3	4	31
615	658	648	798	946	1,081	1,445	1,787	2,084	2,071	1,498	846	298	66	15	27	32
597	638	639	780	930	1,064	1,427	1,769	2,068	2,055	1,478	837	297	65	10	26	33
18	20	9	18	16	17	18	18	16	16	20	9	1	1	5	1	34
.....	1	1	2	2	3	4	3	3	4	1	2	1	.....	.....	.....	35
2	1	3	4	1	3	4	.....	5	2	1	.....	.....	.....	.....	.....	36
18	13	22	12	22	23	23	48	54	62	46	29	9	1	2	.....	37
1	3	1	1	1	7	3	2	3	5	4	.....	.....	.....	.....	.....	38
4	6	9	4	11	6	9	18	14	13	6	5	1	.....	.....	.....	39
.....	5	2	6	3	4	9	5	4	5	3	2	4	.....	.....	.....	40
.....	8	2	6	5	.....	1	5	5	3	3	1	.....	.....	1	.....	41
1	3	8	6	10	14	23	30	45	40	42	9	5	.....	.....	.....	42
9	5	6	9	9	6	17	16	10	15	16	8	2	.....	1	.....	43
1	1	4	4	3	4	13	5	11	14	4	4	1	1	.....	.....	44
18	17	26	38	19	27	60	65	62	64	47	17	5	2	1	.....	45
6	6	8	10	10	19	31	40	39	55	38	18	9	2	.....	.....	46
9	13	11	12	27	26	27	51	58	40	37	21	6	1	.....	.....	47
11	10	5	8	12	21	27	35	28	24	30	13	2	.....	1	.....	48
8	6	6	6	7	8	16	17	13	15	12	7	1	.....	.....	.....	49
4	5	3	8	11	7	11	15	13	12	13	6	.....	.....	1	1	50
2	2	2	4	4	3	6	5	1	4	9	2	.....	1	1	.....	51
3	3	2	2	2	7	9	11	9	5	5	2	2	.....	.....	2	52
4	5	8	9	10	19	17	20	36	52	27	12	1	1	.....	.....	53
4	1	2	3	2	1	1	5	3	3	2	.....	.....	.....	.....	.....	54
10	10	10	6	3	6	12	11	5	10	3	2	1	2	.....	.....	55
6	11	4	4	10	6	7	7	5	4	4	1	.....	.....	.....	.....	56
12	10	9	12	26	18	26	32	41	51	43	18	12	2	.....	.....	57
9	18	9	5	16	10	11	16	16	16	11	3	.....	.....	1	1	58
1	12	6	11	16	18	25	39	34	55	29	24	7	4	.....	.....	59
1	2	1	4	9	2	5	5	8	3	1	1	.....	.....	.....	.....	60
12	2	6	5	3	1	3	3	4	.....	2	1	1	.....	.....	.....	61
6	5	3	8	4	5	9	14	13	8	17	4	3	.....	.....	.....	62
9	9	6	14	11	12	22	28	40	41	27	7	5	3	.....	.....	63
11	7	15	7	17	22	38	33	46	54	37	21	9	5	.....	.....	64
49	39	39	34	37	35	49	29	38	36	22	8	3	.....	.....	.....	65
5	9	4	12	18	19	29	28	39	21	19	9	3	.....	.....	.....	66
6	10	12	3	12	16	18	32	31	28	28	16	7	1	.....	.....	67
10	4	10	6	20	24	38	52	55	42	35	19	7	.....	.....	1	68
2	2	1	5	3	6	7	9	14	7	6	4	.....	1	.....	.....	69
9	6	8	5	10	5	3	5	5	2	.....	1	.....	.....	.....	.....	70
5	9	11	5	14	20	23	19	28	16	14	6	3	.....	.....	.....	71
6	6	3	11	19	11	22	29	57	36	34	15	5	1	.....	.....	72
13	8	9	15	13	11	23	30	37	30	29	16	7	1	.....	1	73
6	4	7	5	2	5	9	5	10	4	2	3	1	.....	.....	.....	74

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES[1]—Continued.												
	MICHIGAN—continued.												
1	Kent County	730	66	8	7	1	1	83	8	6	20	16	16
2	Keweenaw County	97	42	7	3	2	1	55	5	1	2	11	2
3	Lake County	47	6	1	1	2	.....	10	.....	3	1	2	1
4	Lapeer County	442	45	7	6	2	4	64	12	10	24	31	13
5	Leelanau County	170	35	6	6	1	3	51	1	5	6	8	10
6	Lenawee County	538	52	14	4	5	.....	75	9	6	8	15	10
7	Livingston County	237	32	4	2	.....	3	41	5	3	6	5	4
8	Luce County	109	13	2	3	.....	.....	18	3	1	4	5	5
9	Mackinac County	130	28	2	6	.....	1	37	4	3	6	5	9
10	Macomb County	497	72	11	9	5	5	102	11	8	10	13	14
11	Manistee County	161	31	10	6	1	2	50	2	.....	5	6	7
12	Marquette County	278	72	16	5	2	1	96	14	8	10	13	22
13	Mason County	253	50	10	5	4	3	72	4	4	8	14	10
14	Mecosta County	252	39	10	6	1	1	57	4	4	3	7	9
15	Menominee County	152	49	4	3	1	3	60	7	.....	3	14	5
16	Midland County	197	43	8	6	4	.....	61	5	6	8	7	6
17	Missaukee County	114	30	7	1	2	.....	40	1	3	5	1	2
18	Monroe County	422	67	14	3	1	.....	85	13	9	9	19	15
19	Montcalm County	446	59	17	6	7	2	91	5	5	10	10	12
20	Montmorency County	49	10	2	.....	.....	1	13	3	.....	3	5	.....
21	Muskegon County	214	26	7	1	1	.....	35	3	4	2	4	4
22	Newaygo County	210	35	6	3	2	1	47	5	8	8	2	7
23	Oakland County	535	64	9	9	3	6	91	8	11	10	8	7
24	Oceana County	206	41	3	5	.....	.....	49	4	2	7	8	6
25	Ogemaw County	70	11	3	2	.....	.....	16	1	.....	2	1	2
26	Ontonagon County	91	28	6	1	2	.....	37	2	1	1	1	5
27	Osceola County	203	38	7	1	1	2	49	3	5	6	3	8
28	Oscoda County	23	3	1	.....	.....	2	6	.....	.....	.....	.....	1
29	Otsego County	79	28	4	1	1	.....	34	1	1	3	3	1
30	Ottawa County	398	69	12	8	3	1	93	7	10	6	10	11
31	Presque Isle County	149	47	15	.....	.....	.....	62	3	2	5	2	4
32	Roscommon County	21	5	.....	1	.....	.....	6	.....	.....	.....	1	.....
33	Saginaw County	490	110	17	7	3	5	142	11	7	10	11	11
34	St. Clair County	432	66	13	2	3	3	87	7	4	11	11	13
35	St. Joseph County	374	36	8	1	5	2	52	3	6	11	8	10
36	Sanilac County	374	76	13	9	7	1	106	11	9	11	9	11
37	Schoolcraft County	107	29	4	7	1	.....	41	5	1	1	9	1
38	Shiawassee County	471	61	16	4	3	5	89	5	9	6	6	10
39	Tuscola County	443	76	20	7	2	1	106	9	5	6	11	15
40	Van Buren County	464	64	9	5	5	2	85	8	10	5	11	7
41	Washtenaw County	447	41	11	8	3	.....	63	6	9	8	15	10
42	Wayne County	1,168	211	29	14	18	8	280	22	12	24	51	47
43	Wexford County	267	70	11	9	10	3	103	8	1	5	11	6
	MINNESOTA.												
44	Total	14,456	2,739	496	300	172	125	3,832	486	363	505	602	559
45	White	14,400	2,725	493	295	172	124	3,809	485	362	502	598	556
46	Colored	56	14	3	5	.....	1	23	1	1	3	4	3
47	Aitkin County	89	16	4	3	2	3	28	4	5	2	2	1
48	Anoka County	155	11	3	2	6	.....	22	2	2	7	7	10
49	Becker County	176	42	9	3	2	1	57	8	6	9	9	6
50	Beltrami County	265	61	11	8	8	4	92	7	7	10	24	22
51	Benton County	114	34	8	3	1	.....	46	3	6	7	1	3
52	Big Stone County	87	19	3	2	.....	.....	24	3	4	5	4	5
53	Blue Earth County	172	19	3	2	2	2	28	6	2	7	7	4
54	Brown County	218	50	6	4	1	.....	61	13	6	5	5	5
55	Carlton County	182	50	15	8	3	2	78	6	4	4	9	11
56	Carver County	172	32	10	1	1	3	47	8	2	6	5	6
57	Cass County	79	15	5	2	1	3	26	2	3	.....	2	6
58	Chippewa County	122	19	5	.....	1	1	26	6	1	2	3	3
59	Chisago County	167	24	5	2	.....	.....	31	2	5	1	6	5
60	Clay County	166	28	9	5	2	3	47	8	1	5	9	11
61	Clearwater County	88	21	8	4	3	3	39	3	3	4	.....	3
62	Cook County	9	2	.....	.....	.....	.....	2	.....	.....	.....	1	3
63	Cottonwood County	114	27	6	1	.....	.....	34	14	4	5	2	3
64	Crow Wing County	241	36	9	16	4	5	70	9	6	11	13	7
65	Dakota County	255	46	4	3	1	3	57	14	6	6	11	11
66	Dodge County	113	16	4	1	1	.....	22	4	3	5	3	3
67	Douglas County	177	25	1	1	2	.....	29	3	2	9	8	12
68	Faribault County	199	33	6	2	2	1	44	11	4	7	7	5
69	Fillmore County	266	39	13	4	1	3	60	9	5	4	6	6
70	Freeborn County	223	36	7	3	3	3	52	9	3	3	14	10
71	Goodhue County	350	56	7	3	6	4	76	6	2	5	18	8
72	Grant County	95	19	3	2	3	1	28	6	1	9	2	3
73	Hennepin County	254	43	6	6	5	1	61	10	7	9	9	9
74	Houston County	138	19	1	2	.....	2	24	.....	3	4	4	4
75	Hubbard County	93	23	3	.....	3	2	31	4	2	6	3	3
76	Isanti County	157	27	4	5	3	1	40	6	4	4	5	10

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
9	15	17	21	25	35	64	98	89	89	59	42	15	3	.....	.....	1
3	3	2	1	2	.....	2	2	2	3	.....	1	.....	.....	.....	.....	2
2	2	1	2	1	3	3	3	7	3	3	.....	.....	.....	.....	.....	3
19	14	7	14	15	23	29	35	38	48	27	12	7	.....	.....	.....	4
7	4	4	7	5	7	7	11	11	11	9	2	4	.....	.....	.....	5
14	11	14	17	18	25	41	52	64	66	46	32	13	2	.....	.....	6
4	6	11	7	5	14	11	23	30	22	21	11	6	1	.....	1	7
4	8	10	7	12	6	8	5	2	5	4	1	.....	.....	.....	1	8
4	3	2	9	9	8	7	3	2	6	7	1	.....	3	.....	2	9
12	21	14	18	24	23	28	40	50	43	38	23	2	3	.....	.....	10
5	2	4	9	11	6	12	11	11	14	5	1	.....	.....	.....	.....	11
8	17	10	12	10	13	5	6	10	10	6	3	2	1	.....	2	12
12	8	9	8	12	10	11	12	15	23	14	4	.....	2	.....	1	13
6	8	7	8	16	11	19	20	25	28	8	9	2	.....	.....	1	14
3	5	3	8	5	6	9	5	6	4	2	3	2	1	.....	1	15
1	5	3	8	8	9	14	13	22	10	5	5	1	.....	.....	.....	16
2	2	6	2	7	4	10	7	6	9	2	1	2	.....	.....	2	17
11	18	9	14	19	18	26	30	37	33	28	22	3	4	.....	.....	18
4	16	15	14	20	24	36	38	48	48	19	24	4	3	.....	.....	19
1	2	1	2	2	5	2	1	4	2	3	.....	.....	.....	.....	.....	20
6	4	2	12	8	18	23	23	23	19	14	7	3	.....	.....	.....	21
8	8	7	2	4	13	8	18	18	16	19	8	4	.....	.....	.....	22
15	6	13	25	29	27	29	49	50	66	47	28	12	2	1	1	23
6	3	5	11	7	6	9	16	18	25	7	11	5	.....	.....	1	24
2	2	3	4	2	6	4	5	6	7	5	1	1	.....	.....	.....	25
4	4	1	5	5	3	3	1	9	2	3	4	.....	.....	.....	.....	26
6	2	3	6	2	15	9	19	20	21	12	10	3	.....	.....	1	27
1	.....	1	.....	2	.....	.....	3	4	4	1	.....	.....	.....	.....	.....	28
2	1	2	2	1	5	7	5	6	3	1	.....	1	.....	.....	.....	29
5	5	15	16	16	27	25	30	32	34	31	17	5	2	.....	1	30
5	5	4	5	6	10	6	7	4	8	4	3	3	.....	.....	1	31
.....	.....	.....	3	1	3	2	1	1	1	2	.....	.....	.....	.....	.....	32
11	8	14	14	16	24	24	40	40	52	33	15	5	.....	2	.....	33
7	7	12	17	21	19	27	34	39	33	42	26	13	1	1	.....	34
3	6	7	14	17	18	20	30	44	49	31	40	4	1	.....	.....	35
8	7	9	14	13	13	17	21	32	35	24	17	6	.....	.....	1	36
3	7	2	4	3	7	3	5	6	7	.....	2	.....	.....	.....	.....	37
10	19	19	16	22	24	31	42	44	56	31	22	8	1	1	.....	38
10	16	13	11	15	21	31	30	38	49	32	18	5	1	1	.....	39
10	9	9	14	13	25	34	45	43	48	46	27	9	1	.....	.....	40
14	11	13	20	13	14	23	47	62	56	33	19	10	1	.....	.....	41
44	54	37	56	52	57	63	66	106	89	55	34	13	4	.....	2	42
11	7	4	8	13	16	13	13	18	13	10	3	2	.....	.....	2	43
480	492	503	543	625	579	671	786	905	981	815	516	151	31	6	25	44
478	490	500	541	622	578	670	785	904	979	815	514	151	31	5	25	45
2	2	3	2	3	1	1	1	1	2	.....	2	.....	.....	1	.....	46
2	2	1	4	4	3	6	9	2	6	6	2	.....	.....	.....	.....	47
3	5	9	8	9	12	8	8	13	11	13	5	1	.....	.....	.....	48
3	8	4	6	4	4	9	13	8	14	4	3	1	.....	.....	.....	49
12	9	16	15	14	8	6	7	7	6	1	.....	.....	.....	.....	2	50
3	5	.....	4	3	3	1	2	9	4	6	4	3	.....	.....	1	51
4	.....	2	3	6	5	4	7	3	2	6	.....	.....	.....	.....	.....	52
2	3	6	2	6	8	9	10	18	21	19	9	3	2	.....	.....	53
5	9	5	8	8	5	9	17	17	15	13	9	2	.....	.....	1	54
8	5	6	4	8	5	11	6	5	7	1	3	.....	1	.....	.....	55
5	3	4	7	5	7	3	13	10	14	19	6	2	.....	.....	.....	56
1	4	4	3	5	1	7	2	4	3	2	1	.....	.....	.....	3	57
5	3	5	4	9	6	5	8	7	12	11	3	2	.....	.....	1	58
1	5	3	6	4	4	9	20	20	24	9	10	2	.....	.....	.....	59
5	6	7	4	7	9	10	4	6	10	6	6	3	1	.....	1	60
4	4	4	1	6	3	1	3	3	4	2	.....	1	.....	.....	.....	61
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	62
3	6	1	.....	3	2	5	9	7	5	5	4	.....	2	.....	.....	63
13	11	13	12	14	12	11	12	10	6	4	5	2	.....	.....	.....	64
9	12	10	7	19	14	13	10	19	15	11	9	1	1	.....	.....	65
4	3	2	4	5	10	8	8	6	5	8	5	4	.....	.....	1	66
6	8	4	6	8	12	10	18	13	12	9	7	1	.....	.....	.....	67
1	5	5	10	8	6	13	11	13	20	21	5	2	1	.....	.....	68
.....	5	8	14	6	9	10	19	24	27	32	19	2	1	.....	.....	69
7	3	6	9	4	14	10	14	16	17	13	13	6	.....	.....	.....	70
14	15	14	12	20	11	19	25	34	26	22	15	7	1	.....	.....	71
.....	3	2	4	1	2	8	4	7	5	7	3	.....	.....	.....	.....	72
12	8	9	7	13	7	10	12	17	19	23	9	2	.....	1	.....	73
3	2	6	5	1	3	11	12	11	20	11	12	2	.....	.....	.....	74
2	2	2	3	5	5	3	2	8	7	2	2	1	.....	.....	.....	75
7	5	6	.....	4	7	9	5	5	11	13	9	4	3	.....	.....	76

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES[1]—Continued.												
	MINNESOTA—continued.												
1	Itasca County	187	54	9	2		2	67	2	3	8	18	16
2	Jackson County	162	27	7	2	1	1	38	4	4	7	10	8
3	Kanabec County	65	10	3		1	1	15	2	1	1	4	2
4	Kandiyohi County	174	34	2	3	1	1	41	4	3	3	4	10
5	Kittson County	70	16	4	2	1		23	2	3	6	3	
6	Koochiching County	61	13	2	2	2		19	2	2	5	3	6
7	Lac qui Parle County	124	22	3	9	2	3	39	8	3	5	3	4
8	Lake County	114	13	6	3	3		25	2	7	6	10	12
9	Le Sueur County	195	33	6	4	2	5	50	7	3	5	5	10
10	Lincoln County	70	16	2	1	2		21	1	2		5	1
11	Lyon County	149	39	7	5	2	1	54	5	4	4	4	6
12	McLeod County	176	24	3	3	2		32	2	3	5	8	4
13	Mahnomen County	13	6	1		1		8		1		1	
14	Marshall County	187	36	5	2	4		47	9	6	11	8	8
15	Martin County	135	33	4	2	2	2	43	3	3	7	4	4
16	Meeker County	170	26	5	3	2		36	5	3	6	8	6
17	Mille Lacs County	89	21	3	2			26	5	3	6		4
18	Morrison County	224	45	12	8	4	3	72	13	11	5	8	5
19	Mower County	201	28	7	6	1	1	43	5	6	6	4	6
20	Murray County	89	23	4	6	1		34	3	3	1	2	2
21	Nicollet County	189	17	5	2	1		25	3	3	3	6	5
22	Nobles County	114	29	1	4	4	1	39	5	1	3	3	3
23	Norman County	110	23	4		1	1	29	5	6	9	5	3
24	Olmsted County	505	33	8	5	2		48	1	5	18	15	22
25	Otter Tail County	641	80	21	18	10	4	133	24	17	21	24	22
26	Pine County	130	30	2	2	1	1	36	7	5	9	2	6
27	Pipestone County	77	16	1				17	2	1	1	2	4
28	Polk County	369	77	17	12	4		110	14	11	19	19	12
29	Pope County	129	27	6	2	1	1	37	3	7	4	5	6
30	Ramsey County	83	17	3	3		1	24	6		4	4	2
31	Red Lake County[2]	154	26	5	2	4	1	38	11	9	7	9	5
32	Redwood County	133	26	5	3	1	2	37	8	5	8	2	7
33	Renville County	184	41	5	3	2	2	53	8	7	7	9	5
34	Rice County	329	38	4	5	1	2	50	10	15	19	21	18
35	Rock County	79	17	4	4		1	26	5	3	2	4	4
36	Roseau County	100	31	8	4	2	1	46	2	5	4	3	2
37	St. Louis County	899	327	55	30	17	12	441	26	15	23	70	58
38	Scott County	154	12	4	2	1	2	21	3	7	8	5	6
39	Sherburne County	75	11	1				12	4	1		1	1
40	Sibley County	145	31	2			2	35	2	4	4	2	4
41	Stearns County	352	78	12	5	5	1	101	11	9	10	11	9
42	Steele County	158	25	5	2	2	3	37	3		4	6	5
43	Stevens County	83	17	3	2			22	5	4	1	1	4
44	Swift County	125	35	3		3	4	45	5	5	4	2	6
45	Todd County	203	35	6	4			45	10	11	5	12	4
46	Traverse County	50	14	2			1	17	3		2	3	
47	Wabasha County	207	25	2	3		2	32	4	1	6	7	4
48	Wadena County	84	15	5	2	2	2	26	3	2	4	3	1
49	Waseca County	136	29	2	2	1	1	35	1		4	6	3
50	Washington County	145	25		2	2		29	3	5	9	5	2
51	Watonwan County	83	20	4	1		2	27	3	3	2	2	
52	Wilkin County	100	16	3	3	1	1	24	4	3	5	5	1
53	Winona County	142	16	3	5	1		25	4	1	3	3	1
54	Wright County	285	52	7	2	2	2	65	4	6	9	11	10
55	Yellow Medicine County	113	21	5	3		1	30	4	3	6	3	2
	MONTANA.												
56	Total	2,472	443	86	37	32	24	622	87	65	75	142	172
57	White	2,434	439	85	37	31	24	616	85	63	75	140	169
58	Colored	38	4	1		1		6	2	2		2	3
59	Beaverhead County	68	9	2	1		1	13	4	2	2	4	2
60	Broadwater County	39	5	3	2			10	4	2		2	4
61	Carbon County	135	40	8	5	2	4	59	5	3	1	8	7
62	Cascade County	100	30	1	4	1	2	38	4	3	4	10	9
63	Chouteau County	127	22	6	6		2	36	4	5	7	9	10
64	Custer County	96	9	3	1	1	1	15	8	2	6	11	6
65	Dawson County	111	28	1	2	5		36		4	1	8	9
66	Deer Lodge County	98	2	1		1		4	1		1		
67	Fergus County	112	24	10	1	1	3	39	3	4	4	8	8
68	Flathead County	218	35	7	3	6	1	52	5	6	8	16	25
69	Gallatin County	128	26	4		3		33	6	2	5	2	8
70	Granite County	26	2		1			3			1	1	2
71	Jefferson County	62	5	2	1			8		3	1	2	7
72	Lewis and Clark County	79	16				1	17	1		1	5	4
73	Lincoln County	41	11	1				12	2			2	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
9	6	14	8	11	4	8	3	2	5	1	1				1	1
7	7	5	7	7	1	8	8	5	14	7	12	2		1		2
6	1	1	4	1	2	3	5	6	4	4	1	1	1			3
6	6	8	3	12	4	9	9	14	14	12	14	3				4
2	2	3	4	1	4	1	1	5	2	5	2	1				5
6	2	2	3	1	1	1	2	2							4	6
3	6	8	2	4	3	3	12	4	7	5	5					7
7	7	2	5	8	5	3	3	2	4	4	1				1	8
4	4	4	4	4	8	5	12	19	19	15	13	4				9
1	2	2	2	3	4	1	7	3	5	6	2	2				10
6	2	4	5	3	11	7	6	4	10	9	4	1				11
3	3	4	7	7	8	12	5	25	19	10	14	3	2			12
	2					1										13
5	9	7	10	10	5	9	10	8	10	6	7	2				14
5	1	1	7	3	4	4	9	12	8	7	9		1			15
3	4	5	5	7	10	10	12	16	11	13	8	2				16
2	3	3	1	2	3	3	4	4	4	12	3	1				17
12	7	4	8	9	6	7	10	16	13	9	8	1				18
6	9	7	8	6	10	12	17	11	18	14	10	3				19
3	2	2	3	4	7	4	3	5	5	5		1				20
13	13	16	10	16	11	12	13	10	14	8	6	2				21
3	2	4	8	2	5	6	7	3	5	5	7	2	1			22
2	4	3	4	6	6	5	4	4	4	5	4	2				23
30	35	33	34	50	39	35	32	36	36	22	6	4	2	1	1	24
24	29	24	37	31	37	41	25	42	46	32	24	4	2		2	25
9	4	8	2	7	7	6	9	2	4	3	2	1	1			26
1	2	6	3	4	6	4	6	7	5	4	1	1				27
13	10	16	13	20	21	16	13	14	19	9	16	4				28
5	2	5	5	2	5	9	7	6	5	10	3	3				29
3	4	1	4	1	2	6	6	4	1	8	3					30
1	7	3	5	8	7	5	7	11	5	9	6	1				31
3	7		6	6	4	5	7	8	8	8	4					32
3	4	8	5	5	10	7	8	16	10	7	8	4				33
17	11	9	5	13	14	15	19	17	29	24	17	4	2			34
	1	2		2	2	3	8	6	5	3	1	2				35
3	2		3	3	3	2	4	5	6	4	3					36
55	38	37	34	19	16	15	15	16	8	4	5			1	3	37
2	2	6	7	7	6	9	11	9	20	11	11	3				38
2	2		3	4	1	3	8	6	11	10	3	3				39
2	3	5	6	4	6	5	8	13	15	15	7	4	1			40
7	10	8	11	20	10	19	16	33	22	30	8	6			1	41
3	4	2	4	7	9	2	12	21	16	13	9	1				42
2	4	3	2	5	2	2	3	8	7	2	3	2			1	43
4	3		5	5	5	7	7	8	4	9	1					44
4	6	4	8	10	8	12	16	9	17	12	9		1			45
1	2	3	2		1	2	4	3	4	2	1					46
1	1	8	5	11	4	14	19	19	35	23	11	2				47
1	2	2	1	6	2	8	7	5	7	2	2					48
5		6	7	7	4	7	4	11	16	12	6	1		1		49
1	5	5	6	8	6	7	8	9	19	12	4	2				50
1	5	2	1	3	1	5	3	9	8	6	1		1			51
2	7	5	7	4	3	5	3	7	2	5	5	1	1		1	52
3	2	5	6	4	6	7	14	15	16	11	12	4				53
9	11	9	12	7	10	13	16	25	24	25	10	6	2	1		54
3	4	10	4	6	3	3	9	3	8	6	5	1				55
130	147	141	136	133	108	114	111	73	109	60	19	6	4		18	56
127	142	140	134	132	106	113	109	71	108	59	19	5	4		17	57
3	5	1	2	1	2	1	2	2	1	1		1			1	58
2	3	3	7	3	4	7	3	1	4	3			1			59
	1	2		1	1	3	1	1	3	2	1		1			60
6	4	8	5	6	5	5	6	2	3	2						61
3	2	7	2	3	2	1	3	1	5	3						62
5	9	6	6	7	5	6	3	2	4	1					2	63
8	5	6	3	6	3	4	4		1	4		1	1		2	64
10	5	2	4	8	6	4	5	2	5	1	1					65
12	11	12	10	11	5	4	6	9	8	3					1	66
9	4	6	2	5	7	1	3	2	3	2	1				1	67
8	20	11	10	10	5	11	7	9	9	3	3					68
6	5	7	8	7	4	10	9	4	7	4			1			69
	1	2	1	3	3	3	3	2	1							70
5	1	8	4	4	1	5	4	2	4	1	1	1				71
4	5	4	2	4	6	5	2	4	6	6	1	1			1	72
1	4	3	1	4		4	2	2	2						1	73

[3] Including Pennington County, which was organized November 23, 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES [1]—Continued.												
	MONTANA—continued.												
1	Madison County	69	5	4	.....	.....	3	12	6	1	2	2	2
2	Meagher County	25	5	.....	1	.....	.....	6	2	.....	1	1	1
3	Missoula County	74	10	1	1	.....	.....	12	2	3	6	6	6
4	Park County	133	30	1	.....	2	.....	33	6	6	7	4	4
5	Powell County	56	12	.....	1	.....	.....	13	.....	3	2	1	3
6	Ravalli County	95	17	6	2	.....	.....	25	2	2	4	3	5
7	Rosebud County	24	.....	1	.....	.....	.....	1	1	2	1	3	3
8	Sanders County	24	2	1	.....	.....	.....	3	.....	.....	.....	1	3
9	Silver Bow County	280	49	10	1	4	4	68	9	7	3	11	16
10	Sweet Grass County	26	4	3	.....	.....	1	8	.....	.....	3	3	2
11	Teton County	53	8	3	2	1	.....	14	2	1	2	1	7
12	Valley County	70	10	2	.....	1	.....	13	3	2	2	10	10
13	Yellowstone County	103	27	5	2	4	1	39	7	2	.....	8	8
	NEW HAMPSHIRE.												
14	Total	4,391	601	76	42	28	30	777	63	46	75	98	103
15	White	4,386	601	75	42	28	30	776	63	46	75	98	103
16	Colored	5	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
17	Belknap County	203	17	2	2	2	.....	23	1	2	3	4	1
18	Carroll County	293	42	3	1	.....	1	47	5	1	6	4	6
19	Cheshire County	358	72	5	4	8	2	91	5	7	7	7	6
20	Coos County	259	41	2	3	.....	1	47	5	4	7	6	10
21	Grafton County	655	89	11	2	1	6	109	7	5	10	10	16
22	Hillsborough County	596	60	6	4	2	3	75	5	4	6	14	15
23	Merrimack County	568	63	12	6	4	4	89	8	8	8	11	14
24	Rockingham County	703	87	14	11	4	7	123	17	6	14	21	15
25	Strafford County	453	84	18	8	5	5	120	7	5	11	14	10
26	Sullivan County	333	46	3	1	2	1	53	3	4	3	7	10
	NEW JERSEY.												
27	Total	12,974	2,347	440	231	125	84	3,227	261	179	286	385	401
28	White	12,283	2,163	397	213	116	77	2,966	252	162	258	353	376
29	Colored	691	184	43	18	9	7	261	9	17	28	32	25
30	Atlantic County	430	81	14	7	2	4	108	12	6	10	12	10
31	Bergen County	1,383	296	38	29	22	10	395	34	23	28	43	43
32	Burlington County	1,102	240	37	31	4	9	321	19	15	29	39	19
33	Camden County	718	140	25	6	7	2	180	10	10	14	18	22
34	Cape May County	294	53	13	3	1	.....	70	3	4	5	10	5
35	Cumberland County	417	53	14	5	4	5	81	6	4	13	6	17
36	Essex County	667	89	29	27	13	9	167	22	12	10	23	21
37	Gloucester County	494	98	20	14	6	8	146	14	5	16	8	11
38	Hudson County	873	125	21	15	9	6	176	11	12	18	48	52
39	Hunterdon County	489	59	9	5	2	1	76	6	.....	10	12	18
40	Mercer County	379	56	12	7	1	.....	76	4	7	9	10	11
41	Middlesex County	754	199	39	16	10	8	272	19	8	11	18	26
42	Monmouth County	1,006	174	32	14	7	8	235	19	20	21	21	29
43	Morris County	968	165	22	10	7	3	207	16	10	14	25	42
44	Ocean County	327	50	13	5	.....	.....	68	3	6	5	7	9
45	Passaic County	414	96	24	10	5	.....	135	17	7	15	15	10
46	Salem County	357	46	10	6	3	.....	65	12	3	12	9	10
47	Somerset County	518	76	24	7	3	2	112	8	10	15	21	8
48	Sussex County	374	70	4	2	4	3	83	6	3	6	14	14
49	Union County	573	106	24	7	5	5	147	12	10	18	12	20
50	Warren County	437	75	16	5	10	1	107	8	4	7	14	4
	NEW YORK.												
51	Total	37,395	4,810	816	424	259	190	6,499	563	445	681	1,060	1,050
52	White	36,866	4,724	795	415	252	185	6,371	552	426	659	1,035	1,023
53	Colored	529	86	21	9	7	5	128	11	19	22	25	27
54	Albany County	514	79	14	5	7	3	108	12	9	7	18	14
55	Allegany County	622	58	11	6	2	1	78	6	2	14	18	11
56	Broome County	542	52	13	3	2	5	75	8	5	5	12	16
57	Cattaraugus County	716	86	20	14	9	2	131	7	11	18	20	13
58	Cayuga County	474	45	2	4	2	3	56	5	6	10	14	13
59	Chautauqua County	853	110	16	4	7	4	141	16	9	9	15	16
60	Chemung County	311	38	7	2	1	2	50	3	1	3	10	9
61	Chenango County	598	48	9	8	7	5	77	4	6	6	14	7
62	Clinton County	499	88	30	5	15	2	140	22	4	5	16	19
63	Columbia County	532	65	7	3	1	.....	76	5	7	6	13	14
64	Cortland County	310	23	6	4	1	2	36	2	3	5	6	5
65	Delaware County	724	68	12	7	4	4	95	18	12	14	20	22
66	Dutchess County	1,262	138	20	12	6	10	186	16	12	20	22	36
67	Erie County	1,334	245	43	19	11	12	330	33	17	24	42	49
68	Essex County	547	88	19	8	4	3	122	13	10	17	24	21
69	Franklin County	817	158	35	25	10	7	235	17	13	19	45	42
70	Fulton County	208	28	1	1	.....	2	32	3	2	2	4	4
71	Genesee County	391	41	4	2	1	2	50	2	3	6	12	6
72	Greene County	525	75	8	1	3	.....	87	7	8	10	19	8
73	Hamilton County	56	9	2	.....	1	1	13	1	1	2	4	3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
2	3	4	5	3	3	4	3	6	7	1	3					1
2	3	1	1	1			1		3	1	1					2
4	2	3	9	4	1	4	6		2	2	1	1				3
5	8	10	6	4	10	6	10	6	6		2					4
1	5	2	6	1	1	2	5	1	5	2	2				1	5
2	7	4	3	5	5	4	3	7	6	5	1	1			1	6
2	2	1	1	1		2		1	2	1						7
3		1			2		3	1	2	1					4	8
20	26	18	25	23	17	12	11	4	2	6		1			1	9
1	1		1		2	1	2		1	1						10
1	2	3	4	1	4	2	2	1	4	2						11
4	2	3	5	4	2	2	1	1	1	2	1				2	12
4	6	4	5	4	4	2	3	2	3	1					1	13
88	126	119	161	196	240	291	409	415	426	383	209	112	19	4	31	14
88	126	117	161	196	240	291	409	415	426	382	208	112	19	4	31	15
		2								1	1					16
4	8	5	10	7	11	13	22	33	23	17	10	4	1		1	17
5	13	6	7	9	16	24	30	29	35	28	5	12		1	4	18
3	6	7	9	13	8	28	26	34	42	30	20	6	1		2	19
5	1	12	16	10	18	14	28	21	23	12	12	5	1		2	20
16	25	15	26	34	32	47	56	69	73	54	27	16			8	21
15	16	8	15	26	43	44	51	50	54	58	32	26	4	2	3	22
8	19	19	24	22	40	37	58	61	51	43	26	17	5			23
7	18	25	24	36	33	39	74	60	66	65	41	12	2		5	24
11	9	11	17	25	22	17	34	28	33	44	20	8	2		5	25
14	11	11	13	14	17	28	30	30	26	32	16	6	3	1	1	26
425	516	476	523	611	616	803	971	1,054	954	691	422	126	35	5	7	27
389	481	436	494	585	598	775	941	1,033	931	672	415	121	34	4	7	28
36	35	40	29	26	18	28	30	21	23	19	7	5	1	1		29
12	21	12	21	18	16	25	36	31	31	24	22	2	1			30
41	65	55	59	72	64	89	96	114	70	40	37	10	3	1	1	31
26	30	31	32	35	55	74	74	104	83	60	39	12	5			32
25	29	23	26	38	44	42	57	66	45	32	26	7	3	1		33
7	6	19	11	17	15	15	22	23	31	17	8	5	1			34
14	16	10	16	19	15	30	33	58	41	24	5	8	1			35
26	40	25	37	32	31	38	33	49	45	28	18	8	2			36
10	15	7	17	21	28	29	45	41	32	28	18	2	1			37
51	66	54	66	54	51	50	42	52	36	23	9	2				38
12	11	8	15	21	31	30	43	51	60	46	24	10	4		1	39
15	17	13	15	22	10	29	27	34	24	30	17	5	3		1	40
20	28	29	30	32	32	37	52	40	38	31	22	9				41
27	29	35	41	47	42	68	85	86	85	65	33	14	4			42
48	41	39	43	44	55	65	72	84	74	49	30	7	2	1		43
12	10	19	5	20	17	23	29	28	34	17	13	2				44
13	13	14	19	15	16	23	29	18	20	18	15	1			1	45
11	11	9	11	20	13	20	27	33	39	27	16	8	1			46
11	26	20	19	23	19	28	41	44	43	45	20	3	1	1		47
11	13	12	18	15	15	28	37	23	38	22	13	1	1		1	48
19	17	27	13	30	33	34	47	40	36	32	18	7			1	49
14	12	15	9	16	14	26	44	35	49	33	19	3	2	1	1	50
1,046	1,258	1,249	1,453	1,666	1,968	2,553	3,195	3,604	3,640	2,924	1,735	647	126	24	9	51
1,013	1,228	1,224	1,428	1,636	1,945	2,533	3,165	3,582	3,615	2,909	1,723	645	125	20	9	52
33	30	25	25	30	23	20	30	22	25	15	12	2	1	4		53
14	9	16	14	24	36	25	41	42	54	41	18	8	4			54
10	23	15	20	19	33	37	59	74	74	70	37	17	3	2		55
18	15	20	14	20	34	38	51	55	55	62	29	9	1			56
9	19	15	28	35	31	32	59	87	85	73	28	13	2			57
7	12	14	17	20	29	33	34	61	60	37	33	11	2			58
12	28	21	29	28	45	67	67	81	104	90	51	17	5	1	1	59
14	6	10	10	18	19	22	24	35	37	21	14	5				60
8	15	17	28	32	28	46	66	61	80	54	33	13	3			61
19	10	11	16	13	17	33	28	41	44	36	19	4	2			62
13	17	14	17	32	26	32	51	55	60	54	24	14	2			63
3	3	13	9	9	14	28	33	35	44	31	22	6	2	1		64
27	24	23	25	31	44	50	65	73	74	60	28	19				65
50	64	56	79	66	67	83	109	127	122	85	43	12	5		2	66
27	45	34	53	56	66	87	83	107	110	103	44	17	5	2		67
19	22	20	23	17	30	35	32	38	38	33	20	12	1			68
46	40	38	26	25	38	41	29	39	49	41	21	6	5	2		69
6	8	4	4	14	10	17	19	23	19	21	11	4		1		70
7	11	7	19	14	33	22	40	36	43	41	31	6	2			71
17	18	21	25	26	32	42	44	47	47	35	25	6			1	72
3	6	3	3		3	2	2	1	1	6		2				73

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES [1]—Continued.												
	NEW YORK—continued.												
1	Herkimer County	674	98	19	4	3	6	130	10	5	19	18	19
2	Jefferson County	885	113	18	15	5	3	154	14	8	15	20	15
3	Lewis County	373	43	4	4	3	2	56	9	4	3	11	14
4	Livingston County	613	65	19	8	9	1	102	13	11	27	27	30
5	Madison County	620	75	8	5	3	1	92	9	8	11	10	14
6	Monroe County	845	156	24	14	4	1	199	11	10	17	21	23
7	Montgomery County	447	54	6	5	----	1	66	3	7	6	17	9
8	Nassau County	1,130	247	47	25	15	9	343	23	14	25	39	37
9	Niagara County	392	52	8	2	----	3	65	5	2	8	6	14
10	Oneida County	831	108	18	11	4	3	144	8	7	15	25	29
11	Onondaga County	934	118	12	10	6	4	150	16	11	21	35	28
12	Ontario County	605	69	7	2	1	----	79	8	2	9	7	11
13	Orange County	1,221	209	36	25	14	9	293	18	16	29	40	31
14	Orleans County	500	59	17	3	3	6	88	9	1	3	13	10
15	Oswego County	581	55	12	10	----	1	78	6	9	6	10	9
16	Otsego County	844	82	11	4	1	----	98	4	8	13	17	21
17	Putnam County	266	30	5	1	1	3	40	9	1	4	3	5
18	Rensselaer County	527	55	13	2	5	1	76	7	9	9	12	13
19	Rockland County	666	127	16	7	7	5	162	8	15	11	23	33
20	St. Lawrence County	1,061	157	28	16	11	9	221	26	12	25	30	22
21	Saratoga County	822	118	18	12	8	8	164	14	8	12	26	22
22	Schenectady County	181	32	4	1	5	2	44	2	5	2	11	8
23	Schoharie County	394	35	9	7	2	----	53	8	4	5	12	7
24	Schuyler County	214	17	5	2	1	----	25	2	1	1	3	3
25	Seneca County	564	32	2	5	2	1	42	5	3	6	9	18
26	Steuben County	1,054	81	12	6	2	3	104	10	11	11	12	13
27	Suffolk County	2,050	219	27	14	11	14	285	20	22	37	56	63
28	Sullivan County	669	60	11	8	6	3	88	6	15	28	34	44
29	Tioga County	395	31	5	3	2	1	42	3	3	10	6	3
30	Tompkins County	303	25	1	4	----	1	31	2	1	----	2	2
31	Ulster County	983	115	22	17	10	6	170	17	19	23	38	39
32	Warren County	214	15	1	----	----	1	17	2	1	6	7	6
33	Washington County	793	109	10	8	3	3	133	14	15	6	19	22
34	Wayne County	765	95	13	3	4	----	115	7	7	11	24	12
35	Westchester County	1,397	222	56	26	11	9	324	28	19	36	54	55
36	Wyoming County	467	55	10	----	3	----	68	5	8	6	7	13
37	Yates County	280	35	3	2	----	----	40	2	2	3	8	5
	NORTH CAROLINA.[2]												
38	Total	3,677	755	299	111	53	48	1,266	72	75	157	221	170
39	White	2,167	433	167	59	35	32	726	39	39	85	105	75
40	Colored	1,510	322	132	52	18	16	540	33	36	72	116	95
	OHIO.												
41	Total	33,538	5,233	1,127	501	255	220	7,336	589	497	784	1,033	1,037
42	White	32,762	5,101	1,094	493	252	214	7,154	575	476	752	1,001	1,004
43	Colored	776	132	33	8	3	6	182	14	21	32	32	33
44	Adams County	266	39	8	6	1	----	54	2	2	10	10	8
45	Allen County	310	46	9	7	3	----	65	7	6	11	13	3
46	Ashland County	278	34	8	4	2	----	48	7	3	5	4	9
47	Ashtabula County	600	85	11	11	3	2	112	13	7	13	13	17
48	Athens County	729	146	33	10	7	10	206	14	4	20	25	25
49	Auglaize County	385	68	18	6	4	6	102	10	9	10	13	6
50	Belmont County	894	215	51	16	12	11	305	22	17	31	32	21
51	Brown County	322	48	9	3	1	3	64	4	5	7	11	12
52	Butler County	295	33	8	8	2	----	51	3	----	5	7	7
53	Carroll County	146	21	1	1	----	1	24	1	2	3	5	2
54	Champaign County	351	36	7	5	----	----	48	3	8	10	10	11
55	Clark County	220	28	5	1	2	1	37	3	3	3	5	6
56	Clermont County	416	42	11	3	1	1	58	1	3	5	11	15
57	Clinton County	271	36	3	4	2	1	46	3	5	7	7	7
58	Columbiana County	728	122	35	18	6	5	186	16	11	9	15	23
59	Coshocton County	392	53	17	3	4	5	82	11	5	8	9	10
60	Crawford County	408	41	6	5	2	3	57	2	5	13	15	14
61	Cuyahoga County	813	142	22	12	4	2	182	12	7	23	31	24
62	Darke County	518	72	13	5	6	5	101	11	14	14	19	20
63	Defiance County	292	44	12	5	1	2	64	6	8	5	10	16
64	Delaware County	335	38	7	3	2	2	52	6	8	8	16	15
65	Erie County	415	32	2	1	----	1	36	3	4	6	10	5
66	Fairfield County	276	37	8	5	1	----	51	8	7	6	5	6
67	Fayette County	260	44	16	3	3	1	67	4	6	3	13	10
68	Franklin County	536	58	23	12	2	6	101	13	7	14	17	16
69	Fulton County	258	41	3	4	----	2	50	3	5	6	6	8
70	Gallia County	453	50	16	9	2	3	80	5	15	22	19	26
71	Geauga County	190	19	5	3	3	----	30	2	2	----	3	4
72	Greene County	410	58	12	11	1	----	82	4	1	4	9	8
73	Guernsey County	374	92	22	7	5	----	126	8	4	8	13	21

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
19	28	25	31	27	35	43	55	65	59	41	33	12	.....	.....	.....	1
23	19	23	36	41	38	56	83	88	84	74	62	23	8	1	.....	2
8	13	7	11	16	16	21	37	49	34	37	24	3	.....	.....	.....	3
16	25	26	16	17	23	39	50	45	50	52	29	13	1	1	.....	4
11	14	15	17	29	35	47	64	57	74	53	46	11	3	.....	.....	5
26	26	25	25	29	27	50	63	98	85	65	31	11	3	.....	.....	6
11	18	20	23	17	30	33	45	40	44	35	16	5	2	.....	.....	7
29	42	29	47	59	47	65	79	66	80	59	35	8	4	.....	.....	8
7	9	9	18	18	25	24	21	45	46	29	30	9	2	.....	.....	9
17	22	18	25	32	41	55	76	90	99	61	49	17	.....	1	.....	10
16	21	24	40	37	60	61	84	100	88	75	45	19	3	.....	.....	11
15	18	22	15	27	20	48	61	75	89	49	29	17	3	1	.....	12
40	40	44	47	63	72	92	85	104	86	73	29	17	1	1	.....	13
8	10	13	16	22	36	27	42	55	52	51	26	13	5	.....	.....	14
9	13	15	19	23	35	47	45	59	68	76	34	14	6	.....	.....	15
19	30	29	21	32	41	70	92	95	103	80	55	12	4	.....	.....	16
10	17	11	15	17	16	20	16	15	27	17	15	8	.....	.....	.....	17
12	24	14	27	29	20	43	46	44	58	34	41	9	.....	.....	.....	18
20	28	34	19	38	34	36	48	53	44	25	27	6	1	1	.....	19
28	38	29	23	32	46	74	81	95	89	105	53	25	5	2	.....	20
29	18	29	28	27	51	51	77	84	73	55	44	9	1	.....	.....	21
5	8	6	6	11	8	14	8	14	11	10	5	3	.....	.....	.....	22
6	10	12	5	17	25	36	42	33	35	42	26	14	.....	2	.....	23
3	4	6	7	12	10	17	30	19	33	21	13	1	3	.....	.....	24
17	19	18	18	32	40	49	67	66	60	52	27	14	2	.....	.....	25
20	23	20	25	35	59	90	161	144	125	114	54	16	6	.....	1	26
80	121	136	150	147	120	154	165	156	156	100	62	16	3	.....	1	27
47	42	33	32	29	29	33	44	42	42	40	24	15	2	.....	.....	28
11	10	6	23	16	28	42	38	46	43	37	20	8	.....	.....	.....	29
7	7	6	9	13	17	21	32	43	35	40	23	10	.....	2	.....	30
34	33	32	44	42	51	62	83	102	88	69	26	11	.....	.....	.....	31
3	9	4	7	17	15	13	24	27	25	19	7	3	1	.....	1	32
22	20	22	30	37	34	57	72	88	99	49	36	13	5	.....	.....	33
23	16	28	26	29	42	51	61	91	85	64	54	16	3	.....	.....	34
54	53	72	75	64	76	89	113	88	80	61	33	16	3	2	2	35
10	6	9	10	23	19	33	43	62	51	45	30	17	2	.....	.....	36
2	9	6	8	11	12	18	26	43	40	21	11	12	.....	1	.....	37
186	150	142	131	145	149	164	183	154	133	81	55	21	5	8	9	38
112	80	91	75	93	97	110	128	104	103	56	36	10	1	.....	2	39
74	70	51	56	52	52	54	55	50	30	25	19	11	4	8	7	40
975	1,061	998	1,126	1,360	1,599	2,110	2,659	3,058	3,065	2,356	1,289	448	88	18	52	41
940	1,020	972	1,097	1,325	1,550	2,062	2,621	3,013	3,020	2,326	1,269	440	84	13	48	42
35	41	26	29	35	49	48	38	45	45	30	20	8	4	5	4	43
7	5	10	11	14	11	14	20	35	25	14	10	4	.....	.....	.....	44
14	12	9	6	17	17	22	24	27	22	19	10	6	.....	.....	.....	45
11	6	4	6	6	14	34	25	26	24	24	17	5	.....	.....	.....	46
21	10	24	9	27	26	43	42	66	53	56	39	7	1	.....	1	47
18	36	32	34	30	35	48	46	54	46	31	17	6	1	.....	1	48
8	11	11	12	15	20	14	27	42	37	26	8	3	.....	.....	1	49
27	27	30	35	28	27	42	53	64	49	42	29	9	2	1	1	50
5	17	9	9	12	18	22	18	29	36	24	14	5	.....	.....	1	51
10	11	13	14	13	11	24	17	24	39	26	12	5	1	.....	2	52
1	3	4	8	4	9	7	13	12	27	14	4	1	1	.....	1	53
14	5	12	6	14	21	26	30	30	42	29	20	6	2	2	2	54
11	5	5	8	12	13	10	15	19	30	19	10	4	2	.....	.....	55
14	17	11	16	13	16	23	36	34	66	47	22	6	2	.....	.....	56
12	10	5	14	9	12	13	25	36	24	18	13	3	1	1	.....	57
26	27	23	23	30	28	44	59	59	62	52	21	12	2	.....	.....	58
19	14	7	16	23	19	17	27	37	32	24	22	7	3	.....	.....	59
15	18	10	20	10	27	30	37	43	28	34	21	5	.....	1	3	60
26	17	28	38	38	36	51	73	70	70	40	31	9	4	1	2	61
7	16	8	22	22	27	37	43	44	43	40	16	13	.....	.....	1	62
4	3	9	6	12	13	17	31	28	20	21	11	7	.....	1	.....	63
10	11	10	12	14	13	23	34	37	27	23	8	8	.....	.....	.....	64
7	11	12	13	9	8	34	72	69	69	25	13	6	3	.....	.....	65
9	17	9	5	5	9	30	21	26	23	26	8	3	2	.....	.....	66
3	7	7	6	10	7	15	20	27	17	25	7	3	2	.....	1	67
18	22	20	23	27	28	34	46	44	45	28	21	11	.....	.....	1	68
9	9	7	4	12	11	14	12	39	30	19	11	1	1	.....	1	69
27	27	10	21	21	20	29	38	27	33	15	12	5	.....	1	.....	70
1	4	5	6	9	16	12	21	21	21	19	10	4	.....	.....	.....	71
13	14	12	16	25	23	37	28	41	39	25	18	8	3	.....	.....	72
15	12	4	14	5	12	12	27	18	28	30	11	5	1	.....	.....	73

[2] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES[1]—Continued.												
	OHIO—continued.												
1	Hamilton County	954	135	33	10	6	10	194	20	17	23	33	41
2	Hancock County	228	44	2	3	2	1	52	5	3	4	12	11
3	Hardin County	409	55	23	4	3	4	89	7	8	13	24	14
4	Harrison County	254	45	5	3	----	1	54	3	2	7	7	8
5	Henry County	289	31	12	3	1	1	48	4	6	4	10	8
6	Highland County	403	40	10	3	3	3	59	5	6	13	11	14
7	Hocking County	320	77	17	15	3	2	114	16	7	7	13	11
8	Holmes County	226	40	6	----	----	2	48	4	6	5	7	3
9	Huron County	455	50	6	3	1	1	61	6	4	4	15	10
10	Jackson County	432	88	32	12	3	9	144	10	7	14	12	18
11	Jefferson County	555	163	28	11	12	9	223	12	10	15	18	28
12	Knox County	429	51	8	2	----	3	64	6	8	14	6	13
13	Lake County	340	36	11	8	4	5	64	9	7	7	8	11
14	Lawrence County	327	89	19	12	2	5	127	5	6	10	21	8
15	Licking County	391	52	6	5	2	3	68	5	4	6	13	10
16	Logan County	356	41	5	7	6	1	60	9	7	5	10	8
17	Lorain County	381	45	10	3	2	2	62	5	3	6	9	8
18	Lucas County	289	51	8	3	4	1	67	13	5	9	7	4
19	Madison County	222	37	10	4	----	3	54	6	6	4	8	8
20	Mahoning County	531	141	31	14	4	3	193	7	8	11	12	15
21	Marion County	172	26	4	2	----	----	32	4	4	4	7	10
22	Medina County	272	36	5	3	----	1	45	5	3	4	5	12
23	Meigs County	339	44	13	8	3	1	69	8	3	12	12	11
24	Mercer County	340	62	18	4	4	2	90	6	5	6	8	11
25	Miami County	379	63	6	5	2	1	77	8	6	14	4	4
26	Monroe County	250	48	4	2	2	1	57	1	4	7	7	13
27	Montgomery County	755	83	19	6	3	4	115	10	5	16	15	14
28	Morgan County	206	22	4	1	1	----	28	3	4	3	7	4
29	Morrow County	190	17	3	3	2	----	25	2	1	3	4	3
30	Muskingum County	372	46	12	6	4	3	71	3	2	8	8	8
31	Noble County	234	39	8	3	4	1	55	4	4	6	8	6
32	Ottawa County	280	49	8	3	----	2	62	8	4	3	10	7
33	Paulding County	249	53	11	1	5	3	73	10	5	3	15	8
34	Perry County	400	90	22	2	5	6	125	10	4	10	12	17
35	Pickaway County	360	75	19	6	1	4	105	8	6	6	14	9
36	Pike County	212	30	9	5	4	1	49	9	7	9	11	8
37	Portage County	460	60	10	7	5	2	84	8	7	7	15	8
38	Preble County	277	39	5	4	2	----	50	4	5	5	3	8
39	Putnam County	348	67	17	11	3	1	99	1	10	14	19	6
40	Richland County	318	38	6	3	1	1	49	2	1	10	10	10
41	Ross County	350	63	9	8	4	2	86	11	8	7	9	8
42	Sandusky County	378	55	14	7	4	1	81	2	4	8	6	14
43	Scioto County	362	82	33	13	6	3	137	9	10	13	13	16
44	Seneca County	360	56	7	4	4	1	72	5	1	8	9	12
45	Shelby County	285	35	13	5	3	----	56	1	4	11	12	10
46	Stark County	644	76	13	1	----	5	95	8	7	11	27	21
47	Summit County	546	100	21	4	4	2	131	11	3	8	15	26
48	Trumbull County	591	106	23	9	7	4	149	14	6	8	13	18
49	Tuscarawas County	599	102	13	9	6	6	136	7	6	14	18	21
50	Union County	290	39	9	1	----	1	50	1	----	8	7	10
51	Van Wert County	336	74	15	3	6	1	99	6	4	12	9	8
52	Vinton County	186	34	7	3	2	----	46	2	2	3	4	6
53	Warren County	321	36	6	3	2	4	51	5	5	4	8	4
54	Washington County	388	50	16	5	3	3	77	3	8	13	13	10
55	Wayne County	476	63	8	7	4	4	86	8	5	13	10	13
56	Williams County	291	35	8	5	----	3	51	6	6	6	11	13
57	Wood County	560	86	22	11	8	3	130	10	11	12	13	13
58	Wyandot County	230	23	4	2	1	1	31	2	4	5	10	11
	PENNSYLVANIA.												
59	Total	57,880	14,471	3,237	1,302	789	537	20,336	1,462	827	1,297	1,827	1,903
60	White	56,828	14,245	3,167	1,278	783	528	20,001	1,438	805	1,252	1,775	1,837
61	Colored	1,052	226	70	24	6	9	335	24	22	45	52	66
62	Adams County	428	79	14	6	7	2	108	9	7	9	7	17
63	Allegheny County	5,384	1,387	405	171	90	72	2,125	147	86	115	199	253
64	Armstrong County	914	220	51	23	13	11	318	25	10	21	30	28
65	Beaver County	956	248	64	27	21	7	367	15	20	20	44	34
66	Bedford County	424	85	14	5	3	5	112	12	7	9	10	12
67	Berks County	1,268	259	42	12	16	6	335	37	26	36	25	21
68	Blair County	716	195	43	17	13	4	272	15	10	17	22	25
69	Bradford County	843	112	12	10	4	1	139	14	11	14	19	20
70	Bucks County	1,059	191	30	13	10	13	257	28	11	24	24	26
71	Butler County	642	137	22	16	5	5	185	15	7	9	26	15
72	Cambria County	1,532	631	141	57	23	24	876	34	14	40	39	52
73	Cameron County	90	26	3	----	----	----	29	2	----	2	3	2
74	Carbon County	857	256	64	15	9	10	354	28	10	19	34	30
75	Center County	575	118	22	6	7	3	156	7	3	13	17	16
76	Chester County	1,142	226	46	12	5	10	299	22	13	32	39	39

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
36	34	27	42	58	52	62	70	72	69	52	41	9	1	1	.....	1
5	3	5	7	13	17	14	9	22	20	14	11	.....	1	.....	.....	2
9	12	9	12	23	23	30	21	34	37	25	11	3	2	.....	3	3
1	4	5	7	7	13	18	25	24	26	22	18	2	.....	.....	1	4
8	8	8	7	10	25	24	25	30	29	24	7	4	.....	.....	.....	5
12	10	15	13	10	18	33	42	42	42	31	16	9	2	.....	.....	6
10	5	9	11	11	9	12	20	25	16	13	9	1	.....	1	.....	7
9	5	7	3	13	16	12	19	19	21	21	5	3	.....	.....	.....	8
14	14	18	6	26	20	24	43	45	52	53	28	9	2	1	.....	9
13	14	11	17	14	24	23	27	26	23	23	9	2	.....	.....	1	10
23	24	25	18	15	19	20	21	29	25	10	11	8	.....	.....	1	11
11	13	13	22	15	26	42	25	51	40	29	20	6	5	.....	.....	12
9	19	9	11	16	12	26	21	30	34	30	12	5	.....	.....	.....	13
6	11	11	6	6	11	15	16	15	26	15	8	3	1	.....	.....	14
7	12	12	7	14	25	25	40	49	36	31	18	6	2	.....	1	15
11	9	15	14	10	20	18	40	39	29	37	12	2	1	.....	.....	16
11	10	15	15	13	19	32	40	44	35	29	16	7	.....	1	1	17
10	13	11	10	10	9	24	19	17	25	20	11	4	.....	.....	1	18
7	5	4	5	9	5	9	13	17	24	24	12	2	.....	.....	.....	19
16	15	17	22	18	26	27	24	37	36	24	10	8	3	.....	2	20
3	7	4	3	10	7	10	21	10	13	13	9	1	.....	.....	.....	21
7	7	11	8	7	16	18	25	35	27	18	11	7	1	.....	.....	22
11	7	4	10	17	18	13	27	31	40	23	15	8	.....	.....	.....	23
9	9	9	19	12	17	27	20	33	27	20	7	4	.....	1	.....	24
10	10	11	9	12	20	19	25	44	49	35	14	5	3	.....	.....	25
9	3	3	4	10	12	14	29	15	35	15	8	3	.....	.....	1	26
9	25	26	27	41	37	61	91	84	82	61	29	7	.....	.....	.....	27
7	1	5	5	9	12	12	22	27	29	12	9	5	1	.....	1	28
4	4	5	6	3	13	12	16	31	28	17	6	6	1	.....	.....	29
7	6	8	9	15	24	28	36	39	35	39	20	4	1	1	.....	30
4	7	4	6	10	15	12	16	24	24	16	10	1	1	.....	1	31
7	15	13	9	10	14	13	20	18	31	16	14	3	1	.....	2	32
3	9	5	6	5	9	17	19	19	19	16	5	.....	2	.....	1	33
15	12	8	9	13	15	15	28	28	31	28	15	3	2	.....	.....	34
11	11	7	7	7	13	21	22	38	30	22	16	7	.....	.....	.....	35
4	4	7	3	6	6	11	13	14	19	14	12	5	1	.....	.....	36
6	12	15	12	16	25	33	48	37	49	34	28	10	3	.....	3	37
8	10	11	12	7	15	13	18	27	35	26	16	2	.....	1	1	38
11	12	12	6	17	18	18	18	27	29	11	13	5	1	.....	1	39
7	13	8	11	16	19	21	26	29	28	32	15	11	.....	.....	.....	40
17	20	16	12	9	15	12	21	32	25	26	11	3	2	.....	.....	41
13	7	8	6	17	20	34	34	41	36	25	18	3	1	.....	.....	42
10	8	12	9	11	10	19	13	22	19	18	6	6	.....	.....	1	43
14	6	10	12	21	24	25	31	44	26	22	16	1	.....	.....	1	44
10	8	4	10	16	16	18	31	19	27	16	13	3	.....	.....	.....	45
25	25	21	30	36	21	51	57	65	63	55	21	4	.....	.....	1	46
14	27	11	27	32	28	28	47	41	42	31	18	2	3	.....	1	47
17	19	22	15	18	26	34	45	45	60	46	21	11	1	1	2	48
14	20	16	15	33	34	41	51	43	59	39	23	6	1	.....	2	49
9	7	13	15	12	13	14	24	31	32	23	19	2	.....	.....	.....	50
9	11	8	13	10	14	19	29	25	26	21	7	6	.....	.....	.....	51
4	5	7	6	6	9	10	9	22	20	14	9	.....	1	1	.....	52
10	10	11	14	20	15	14	31	30	36	32	15	3	2	.....	1	53
14	9	13	12	15	19	21	22	27	41	40	20	8	2	.....	1	54
10	17	13	16	19	22	31	42	49	51	39	22	8	1	.....	1	55
2	7	6	12	14	14	19	18	34	35	22	7	6	2	.....	.....	56
15	20	16	23	21	30	48	49	53	39	38	13	6	.....	.....	.....	57
6	7	9	10	10	8	16	25	30	16	19	7	3	.....	1	.....	58
1,706	1,895	1,820	1,940	2,202	2,389	2,897	3,553	3,795	3,490	2,547	1,410	463	88	19	14	59
1,661	1,834	1,774	1,889	2,155	2,351	2,850	3,497	3,753	3,463	2,524	1,396	459	87	14	13	60
45	61	46	51	47	38	47	56	42	27	23	14	4	1	5	1	61
11	10	8	13	19	16	28	28	41	42	25	21	6	3	.....	.....	62
239	238	224	219	197	205	222	250	250	196	116	78	22	.....	.....	3	63
38	32	37	29	35	36	32	41	64	56	49	25	8	.....	.....	.....	64
39	35	28	33	48	32	37	48	44	44	41	23	3	.....	.....	1	65
9	13	9	12	19	24	28	34	32	38	22	18	4	.....	.....	.....	66
25	31	24	38	60	66	64	119	125	93	89	41	12	1	.....	.....	67
16	20	18	21	27	35	31	47	49	39	31	16	4	1	.....	.....	68
14	21	21	32	40	58	59	91	79	89	64	41	13	3	1	.....	69
25	22	35	47	36	47	75	75	103	86	70	44	18	6	.....	.....	70
10	12	16	25	17	26	38	47	49	57	46	33	8	1	.....	.....	71
45	45	41	47	39	37	45	42	46	45	23	13	6	2	1	.....	72
2	4	5	1	3	4	6	9	7	5	2	3	1	.....	.....	.....	73
33	38	28	31	25	26	36	51	43	37	21	7	6	.....	.....	.....	74
9	11	15	21	24	23	34	55	59	58	27	16	6	1	1	.....	75
23	25	43	39	53	52	85	76	97	73	71	42	15	2	1	1	76

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES[1]—Continued.												
	PENNSYLVANIA—continued.												
1	Clarion County	453	82	14	9	5	2	112	7	5	4	9	12
2	Clearfield County	1,043	339	76	31	19	8	473	22	16	21	26	31
3	Clinton County	410	87	7	8	3	5	110	5	4	9	24	15
4	Columbia County	617	149	20	8	3	5	185	19	8	17	19	10
5	Crawford County	739	92	18	4	2	.....	116	8	5	15	13	17
6	Cumberland County	569	103	22	12	2	1	140	12	8	12	11	16
7	Dauphin County	968	196	50	24	18	13	301	46	13	16	32	25
8	Delaware County	1,086	210	43	21	14	6	294	29	22	19	31	48
9	Elk County	412	126	23	8	6	7	170	10	8	8	14	10
10	Erie County	698	86	18	4	1	4	113	9	11	13	18	15
11	Fayette County	2,179	841	219	64	36	25	1,185	52	21	55	84	84
12	Forest County	85	20	4	.....	1	.....	25	1	3	1	3	2
13	Franklin County	771	125	24	14	3	.....	166	14	8	31	52	43
14	Fulton County	126	18	4	2	3	1	28	2	5	5	3	4
15	Greene County	380	63	15	5	2	3	88	13	5	11	8	7
16	Huntingdon County	451	86	14	9	3	4	116	11	4	8	20	11
17	Indiana County	915	301	74	20	10	12	417	18	11	17	31	27
18	Jefferson County	852	233	62	30	15	11	351	18	10	17	29	32
19	Juniata County	186	39	3	1	2	.....	45	3	.....	4	6	2
20	Lackawanna County	1,395	450	107	36	23	15	631	37	13	32	42	51
21	Lancaster County	1,500	250	51	16	15	9	341	41	21	27	32	40
22	Lawrence County	442	100	26	13	4	5	148	11	5	9	16	11
23	Lebanon County	570	110	32	10	9	3	164	21	14	12	16	7
24	Lehigh County	1,036	255	47	27	12	6	347	29	19	18	34	27
25	Luzerne County	3,169	1,081	255	92	64	37	1,529	84	36	86	104	116
26	Lycoming County	556	90	19	5	8	7	129	13	3	12	7	14
27	McKean County	414	81	14	7	4	1	107	12	7	13	15	14
28	Mercer County	759	125	36	12	13	6	192	18	9	14	25	28
29	Mifflin County	373	87	20	6	5	2	120	8	8	8	11	12
30	Monroe County	341	45	16	2	4	5	72	6	6	8	11	9
31	Montgomery County	1,698	341	64	30	13	11	459	52	37	40	49	48
32	Montour County	300	35	9	1	2	3	50	5	2	6	9	9
33	Northampton County	1,105	293	60	29	17	12	411	41	14	30	29	36
34	Northumberland County	868	268	51	23	8	10	360	17	20	17	21	21
35	Perry County	356	57	7	1	3	3	71	13	6	6	7	12
36	Pike County	117	22	1	1	.....	1	25	.....	1	1	5	3
37	Potter County	409	77	11	14	8	2	112	10	7	9	11	7
38	Schuylkill County	2,470	744	165	66	44	31	1,050	71	41	50	68	86
39	Snyder County	246	47	5	7	1	1	61	4	2	5	4	6
40	Somerset County	890	286	50	24	22	5	387	22	12	16	43	34
41	Sullivan County	123	34	3	3	2	2	44	2	1	4	1	.....
42	Susquehanna County	649	113	13	6	7	5	144	14	5	10	25	16
43	Tioga County	570	77	11	10	3	4	105	14	12	11	12	13
44	Union County	184	22	6	1	2	.....	31	1	2	3	1	6
45	Venango County	540	80	17	9	1	2	109	19	21	23	28	22
46	Warren County	476	55	11	4	1	1	72	9	2	11	7	14
47	Washington County	2,002	650	166	51	43	18	928	63	30	37	76	73
48	Wayne County	415	51	10	5	3	.....	69	10	3	6	10	11
49	Westmoreland County	2,853	905	226	107	59	38	1,335	77	44	83	97	117
50	Wyoming County	232	33	5	3	2	1	44	6	1	1	6	6
51	York County	1,052	241	40	17	13	11	322	23	21	26	34	33
	RHODE ISLAND.												
52	Total	1,734	410	75	38	27	14	564	33	27	33	30	45
53	White	1,694	398	75	37	27	14	551	31	27	32	30	43
54	Colored	40	12	.....	1	.....	.....	13	2	.....	1	.....	2
55	Bristol County	327	96	22	11	7	3	139	6	8	3	8	11
56	Kent County	191	32	11	7	5	1	56	1	4	4	3	4
57	Newport County	192	53	11	2	5	2	73	3	3	6	1	2
58	Providence County	623	162	25	17	9	5	218	13	9	12	10	21
59	Washington County	401	67	6	1	1	3	78	10	3	8	8	7
	UTAH.												
60	Total	2,519	645	113	44	39	26	867	96	79	78	100	76
61	White	2,496	640	112	44	38	26	860	95	78	77	98	75
62	Colored	23	5	1	.....	1	.....	7	1	1	1	2	1
63	Beaver County	42	9	.....	1	1	2	13	1	2	1	2	1
64	Boxelder County	122	34	2	1	3	.....	40	10	4	1	6	9
65	Cache County	211	49	13	4	3	4	73	6	9	4	7	4
66	Carbon County	97	40	6	1	1	.....	48	.....	1	3	6	2
67	Davis County	106	29	8	1	2	1	41	4	1	4	4	.....
68	Emery County	43	13	1	.....	1	.....	15	2	1	3	3	2
69	Garfield County	27	8	.....	.....	1	.....	9	.....	1	2	.....	2
70	Grand County	12	3	.....	.....	.....	.....	3	.....	.....	2	2	.....
71	Iron County	41	8	.....	.....	.....	.....	8	3	3	3	3	1
72	Juab County	116	35	10	3	3	1	52	5	1	3	3	2
73	Kane County	18	10	1	1	1	1	14	1	.....	1	1	.....
74	Millard County	51	18	1	1	.....	.....	20	1	5	1	.....	.....
75	Morgan County	15	4	1	.....	.....	.....	5	.....	1	.....	.....	3
76	Piute County	10	5	.....	.....	.....	.....	5	1	.....	.....	.....	.....
77	Rich County	21	5	.....	1	.....	.....	6	2	2	1	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
11	13	11	13	20	18	27	29	38	48	46	19	9	1		1	1
19	31	22	24	48	27	53	58	51	52	44	14	7	2	1	1	2
13	18	14	11	16	21	18	36	32	26	24	9	3	2			3
14	18	19	19	27	30	33	51	52	43	37	14	1	1			4
21	19	15	22	50	41	58	81	82	76	54	31	12	3			5
14	12	16	12	26	29	44	55	65	42	33	16	4	1		1	6
29	36	35	42	39	46	45	61	70	64	44	18	4	1	1		7
35	42	30	36	51	59	62	79	69	78	54	33	14	1			8
9	18	13	16	18	22	15	26	13	17	11	7	7				9
18	21	19	27	33	43	50	55	86	58	60	37	9	3			10
65	62	67	52	64	49	52	66	69	66	52	19	12	2		1	11
1	2	4	1	5	1	4	6	10	7	4	1	4				12
29	28	30	28	18	26	54	63	63	58	47	13	3	2			13
2	4	4	3	1	8	11	9	11	10	11	5					14
10	16	16	11	19	17	23	26	33	33	23	15	3	2	1		15
10	12	10	12	13	18	24	41	54	48	28	7	3			1	16
25	25	20	23	28	30	26	39	50	57	40	19	11	1			17
25	24	32	23	23	37	39	46	43	42	24	27	8	2			18
4	4	3	8	7	4	14	22	24	12	14	8	2				19
32	59	55	67	61	51	58	55	55	43	23	16	13		1		20
36	40	30	51	55	75	85	123	137	165	118	52	27	4			21
12	14	16	12	20	18	22	23	32	32	25	11	3	2			22
13	19	20	20	21	26	32	25	58	42	31	21	6	2			23
42	39	22	42	39	42	38	69	73	58	65	28	1	3		1	24
93	123	133	118	126	114	114	123	98	80	50	29	7	4	2		25
19	16	24	20	27	30	36	58	52	38	29	23	5	1			26
10	18	15	17	19	18	33	30	26	25	20	9	3	1	1	1	27
19	16	15	26	30	37	45	67	64	60	56	31	6	1			28
8	17	9	13	11	15	23	15	42	23	19	9	1	1			29
12	16	7	8	20	13	25	38	21	29	17	16	5	2			30
51	56	64	53	61	75	103	113	144	116	97	59	17	4			31
8	9	9	10	16	21	26	33	29	30	17	9	2				32
22	34	43	31	37	32	58	66	68	81	46	20	6				33
18	33	28	22	27	43	45	51	48	63	17	13	3		1		34
3	10	11	12	12	18	21	38	39	45	24	4	4				35
2	4	3	6	5	10	10	9	11	6	5	10		1			36
13	13	15	19	20	25	15	31	33	30	20	14	4	1			37
58	99	66	98	92	112	125	122	112	110	71	27	6	4	2		38
4	2	4	9	9	9	22	33	26	27	8	8	2	1			39
27	24	29	27	33	27	26	34	46	44	34	21	3			1	40
3	4	2	5	6	5	4	6	7	13	8	4	3	1			41
18	22	14	36	32	34	42	53	54	61	33	20	11	2	3		42
15	13	20	20	14	40	47	52	49	54	38	32	8	1			43
3	2	4	3	6	8	15	17	29	21	18	9	4	1			44
22	11	23	14	19	19	24	41	42	41	35	21	5	1			45
19	18	18	23	39	31	41	40	44	41	27	15	4	1			46
81	81	66	44	45	68	77	63	99	71	46	34	16	2	1	1	47
11	11	18	15	19	16	36	34	45	45	28	22	5	1			48
04	82	80	81	72	93	105	118	101	99	88	57	18	1	1		49
10	7	5	6	13	14	17	28	27	18	13	8	2				50
26	21	20	21	48	34	55	83	81	89	74	25	15	1			51
38	44	42	61	80	96	75	140	127	117	103	48	22	6		3	52
36	42	41	59	78	92	75	139	122	116	102	48	22	6		2	53
2	2	1	2	2	4		1	5	1	1					1	54
6	7	6	8	8	15	14	24	24	15	16	4	3	2			55
6	3	5	4	7	7	10	19	19	10	14	8	5	2			56
2	3	7	11	4	10	6	16	13	14	8	8	1	1			57
14	18	17	26	32	43	23	39	38	44	25	17	3			1	58
10	13	7	12	29	21	22	42	33	34	40	11	10	1		2	59
105	90	82	84	92	90	91	108	119	131	101	82	29	4		15	60
104	86	82	84	91	89	90	108	119	131	101	81	29	4		14	61
1	4			1	1	1					1				1	62
3	3	1	2	1	2	1	2	1	4		1				1	63
5	2	3	3	4	2	2	7	5	4	2	3	4			6	64
8	6	5	4	3	7	5	9	16	18	17	8	1			1	65
8	4	3	3	1	3	1	5	1	4	2	1				1	66
4	1	1	2	5	6	4	4	7	6	8	3	1				67
	4	3	1	3	1			2	3							68
2				3		2	1	1	2	1			1			69
1	1		1						1	1						70
	4	2	2	2	2		2	1	4		1					71
4	3	1	5	6	6	7	3	2	3	4	6					72
				1												73
		2	1	2	2	4	3	3	5	1	1					74
2				1		1		1	1							75
1			1						1	1						76
1	2		3		1				1	2						77

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES [1]—Continued.												
	UTAH—continued.												
1	Salt Lake County	378	88	20	5	4	6	123	19	9	12	18	9
2	San Juan County	7	1	.....	2	.....	.....	3	.....	.....	.....	1	2
3	Sanpete County	195	53	6	6	4	.....	69	10	11	4	3	4
4	Sevier County	86	29	8	1	2	1	41	5	2	1	4	.....
5	Summit County	112	20	7	3	3	2	35	4	2	2	8	3
6	Tooele County	100	21	3	2	2	.....	28	2	4	6	2	9
7	Uinta County	64	14	3	1	1	.....	19	2	3	3	4	4
8	Utah County	404	91	16	3	4	3	117	11	10	12	20	13
9	Wasatch County	85	22	4	2	3	3	34	.....	2	6	1	1
10	Washington County	49	13	.....	3	.....	.....	16	1	1	2	.....	3
11	Wayne County	9	1	2	.....	.....	.....	3	.....	1	.....	.....	.....
12	Weber County	98	22	1	2	.....	2	27	6	3	1	2	2
	VERMONT.												
13	Total	4,930	626	93	48	32	19	818	84	43	87	124	109
14	White	4,903	622	93	47	31	19	812	84	43	87	121	105
15	Colored	27	4	.....	1	1	.....	6	.....	.....	.....	3	4
16	Addison County	304	33	5	6	2	1	47	3	3	3	8	4
17	Bennington County	304	35	2	3	3	.....	43	10	6	9	10	7
18	Caledonia County	399	57	9	4	2	2	74	8	5	5	9	7
19	Chittenden County	344	63	8	3	3	.....	77	4	3	7	12	9
20	Essex County	84	7	1	2	.....	.....	10	3	1	1	3	4
21	Franklin County	418	62	11	7	2	1	83	10	3	7	10	14
22	Grand Isle County	46	5	4	1	.....	.....	10	.....	.....	1	1	1
23	Lamoille County	189	21	4	1	1	4	31	3	1	1	4	6
24	Orange County	337	32	6	2	3	.....	43	6	2	3	11	1
25	Orleans County	363	50	4	6	4	3	67	5	2	8	10	13
26	Rutland County	549	90	13	2	5	4	114	12	6	13	16	10
27	Washington County	491	69	8	4	2	.....	83	5	6	6	7	7
28	Windham County	512	44	7	1	1	2	55	6	2	11	12	15
29	Windsor County	590	58	11	6	4	2	81	9	3	12	11	11
	WASHINGTON.												
30	Total	5,699	917	167	89	66	46	1,285	184	147	212	328	352
31	White	5,385	863	156	81	62	40	1,202	166	132	191	303	333
32	Colored	314	54	11	8	4	6	83	18	15	21	25	19
33	Adams County	90	26	3	2	1	1	33	4	2	6	4	6
34	Asotin County	51	8	1	2	2	.....	13	1	4	1	2	2
35	Benton County	70	13	2	.....	1	.....	16	4	1	4	5	5
36	Chehalis County	192	35	9	4	1	2	51	8	.....	5	20	14
37	Chelan County	151	37	9	3	.....	.....	49	1	4	2	10	11
38	Clallam County [2]	87	10	1	1	3	4	19	2	1	6	3	6
39	Clarke County	237	32	4	4	3	1	44	10	7	8	12	5
40	Columbia County	73	9	2	3	1	.....	15	3	2	1	2	5
41	Cowlitz County	98	19	1	2	1	1	24	1	3	2	6	6
42	Douglas County	39	10	1	3	.....	2	16	2	1	.....	1	.....
43	Ferry County [3]	39	6	.....	.....	1	.....	7	3	3	6	2	.....
44	Franklin County	33	6	.....	.....	.....	1	7	.....	.....	.....	2	5
45	Garfield County	50	10	2	1	.....	.....	13	2	1	2	1	1
46	Grant County	34	9	1	.....	.....	.....	10	1	2	2	2	3
47	Island County	32	8	1	.....	.....	.....	9	.....	1	5	.....	2
48	Jefferson County	89	10	3	1	.....	.....	14	2	2	2	4	7
49	King County	535	65	16	3	7	4	95	15	7	15	45	53
50	Kitsap County	129	13	2	3	2	.....	20	2	3	7	3	8
51	Kittitas County	223	80	10	1	3	3	97	5	9	3	5	11
52	Klickitat County	62	4	1	1	1	.....	7	2	.....	2	4	2
53	Lewis County	336	50	10	5	7	.....	72	19	12	13	22	20
54	Lincoln County	133	34	2	2	.....	3	41	6	2	8	2	6
55	Mason County	51	3	1	1	.....	1	6	4	1	5	2	6
56	Okanogan County [3]	122	16	5	5	1	3	30	6	6	10	5	7
57	Pacific County	73	15	5	1	.....	.....	21	1	2	4	6	4
58	Pierce County	493	63	11	3	8	3	88	17	6	13	17	32
59	San Juan County	31	3	1	1	1	1	7	.....	1	.....	2	5
60	Skagit County [4]	260	43	7	5	3	1	59	6	13	11	17	16
61	Skamania County	25	2	1	2	1	.....	6	.....	.....	.....	3	2
62	Snohomish County	329	50	9	5	4	2	70	7	8	16	22	21
63	Spokane County	338	43	7	2	3	3	58	10	8	6	18	16
64	Stevens County	178	37	4	2	.....	1	44	3	1	3	10	9
65	Thurston County	179	18	1	2	3	.....	24	5	3	9	12	6
66	Wahkiakum County	10	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....
67	Walla Walla County	81	12	3	2	1	.....	18	6	4	2	8	4
68	Whatcom County	204	34	7	3	2	1	47	4	4	9	13	10
69	Whitman County	261	30	12	7	4	1	54	7	6	12	15	14
70	Yakima County [5]	281	54	11	7	1	7	80	15	17	11	21	22

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Including Makah, Ozette, and Quillayute Indian Reservations.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
21	18	7	14	17	18	13	14	20	16	12	13	3	2			1
						1										2
5	5	5	5	5	2	4	15	7	13	10	14	4				3
1	1	4	1	3	2	5		6	3	1	4	2				4
8	3	5	4	4	3	6	6	7	5	2	4	1				5
6	6	9	5	5	1	3	4	1	3	3		1			2	6
3	4	1	2	4	3	1	2	2	3	1	1				2	7
14	17	21	18	14	18	21	20	23	19	17	10	7			2	8
5	1	2	3	1	5	2	2	6	5	4	5					9
2		3	2	1	2	3	2		2	5	1	3				10
	1	2					1	1								11
1	4	2	2	6	4	5	6	6	5	7	6	2	1			12
119	143	147	157	195	281	326	424	535	532	402	253	116	28	5	2	13
119	142	144	156	193	280	326	421	535	532	402	251	116	27	5	2	14
	1	3	1	2	1		3				2		1			15
7	13	8	8	6	16	21	20	36	41	25	19	14	2			16
6	8	10	13	8	21	19	21	43	35	16	14	3	1	1		17
5	17	9	10	20	15	18	43	39	33	34	34	9				18
11	13	11	9	13	26	15	28	28	33	26	12	7				19
1	1	1	4	2	4	9	8	8	11	6	4	2	1			20
10	9	16	12	18	26	20	35	33	42	39	23	5	3			21
	2		2	3	3	3	3	5	5	4	2	1				22
3	6	9	6	2	11	10	16	28	18	21	9	3	1			23
4	10	9	14	13	19	35	30	37	43	29	15	11	1	1		24
11	9	10	12	17	24	27	22	49	33	26	15	2		1		25
13	19	14	19	20	30	37	44	52	48	38	29	9	6			26
13	17	19	18	18	27	32	53	50	53	44	14	12	6		1	27
19	12	17	19	30	27	42	49	59	56	39	25	14	2		1	28
16	7	14	11	25	32	38	52	68	76	55	38	24	5	2		29
304	276	255	267	265	297	274	306	302	269	182	82	25	10	3	74	30
289	265	240	259	261	284	261	292	293	262	178	80	21	7	1	65	31
15	11	15	8	4	13	13	14	9	7	4	2	4	3	2	9	32
7	4	3		3	4	1	1	3	4	3	1	1				33
2	1	2	3	3	4	4	2	2	3		2					34
4		7	4	3	2	4	1		2	1					7	35
7	9	10	5	6	6	8	11	12	11	4	2	1			2	36
9	1	8	9	7	9	7	7	5	5	5	1				1	37
2	5	4	3	6	4	5	4	3	5	2	3	1		1	2	38
9	14	14	12	13	12	13	12	23	12	11	4	1	1			39
3	2	3	2	3	3	4	6	4	7	8						40
7	7	5		4	1	3	7	3	5	5	2				7	41
1	3	1	2	3	1	1	2	1	2	2						42
2	2	2	2	2		1		3	3						1	43
1	6	3	2	1	3	1		1		1						44
	2	1	2	3	1	1	3	7	8	2						45
	2	3	3	2	2		1								1	46
2			1	2	1	1	1	1	3	2				1		47
4	4	8	6	6	3	7	6	6	3	3		2				48
43	44	25	28	26	27	34	23	17	14	10	4	2	2	1	5	49
4	4	8	4	8	11	6	16	6	11	3	1	3	1			50
8	10	12	8	6	6	4	9	11	8	3	2	2			4	51
2	6	3	4	2	6	3	6	4	3	3	3					52
17	14	15	12	11	16	15	15	15	17	18	7	6			15	53
8	4	4	5	7	6	8	5	6	8	5	1				1	54
4		5	1	2	1	4	1	3	3	2			1			55
6	6	8	3	2	7	10	1	6	3	2	2	1			1	56
4	3	5	3	2	1	2	4	4	3	3	1					57
32	25	17	33	32	18	29	35	43	21	17	9	3			6	58
2	2	1	1	1				1	3	4	1					59
16	13	8	12	10	18	10	19	4	11	9	5	1	2			60
2			1	1	4	2	2	2								61
16	13	15	26	14	19	13	14	23	13	12	4	1	1		1	62
18	20	14	20	23	31	22	16	16	17	13	3		1		8	63
15	12	8	11	5	11	5	15	11	8	4	3					64
7	10	7	7	5	13	11	14	15	10	13	4	1			3	65
			1	1			2		1	1	2					66
1	3	1	3	6	5	7	4	3	1	1	3	1				67
10	6	7	11	8	10	7	10	10	16	10	6	3	1		2	68
18	9	10	9	17	18	13	18	14	17	4	5	1				69
11	10	8	8	9	13	8	13	12	7	7	2				7	70

[3] Including part of Colville Indian Reservation.

[4] Including Swinomish Indian Reservation.

[5] Including Yakima Indian Reservation.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RURAL PART OF REGISTRATION STATES[1]—Continued.												
	WISCONSIN.												
1	Total	17,751	3,304	567	283	176	144	4,474	416	303	475	573	545
2	White	17,622	3,282	559	283	175	141	4,440	407	297	466	568	538
3	Colored	129	22	8	.....	1	3	34	9	6	9	5	7
4	Adams County	90	15	3	3	.....	.....	21	2	3	5	5	4
5	Ashland County	124	28	7	3	1	2	41	3	2	8	5	6
6	Barron County	312	76	17	6	3	2	101	7	7	11	8	15
7	Bayfield County	168	45	14	4	3	5	71	14	3	8	3	4
8	Brown County	339	83	16	1	5	3	108	7	3	8	16	3
9	Buffalo County	157	28	3	4	.....	2	37	5	3	3	6	2
10	Burnett County	88	16	4	3	2	1	26	5	1	2	2	4
11	Calumet County	162	21	8	.....	2	3	34	2	1	7	4	4
12	Chippewa County	431	76	10	4	7	2	99	20	17	36	23	28
13	Clark County	255	58	6	10	4	2	80	8	4	6	6	6
14	Columbia County	394	47	9	6	3	2	67	4	12	7	8	10
15	Crawford County	191	35	9	4	1	2	51	.....	4	4	6	3
16	Dane County	621	86	18	5	8	3	120	8	11	10	23	21
17	Dodge County	523	95	8	6	2	3	114	7	4	7	18	15
18	Door County	183	42	5	3	1	6	57	5	7	5	5	4
19	Douglas County	44	10	2	.....	.....	1	13	2	3	1	1	1
20	Dunn County	248	38	7	4	1	1	51	8	6	11	12	9
21	Eau Claire County	125	15	7	.....	.....	2	24	5	3	4	2	5
22	Florence County	26	4	3	1	.....	.....	8	2	.....	.....	.....	3
23	Fond du Lac County	364	54	3	6	2	1	66	12	7	3	10	9
24	Forest County	64	20	6	1	1	1	29	2	2	2	4	1
25	Grant County	433	68	14	4	5	2	93	7	8	17	9	10
26	Green County	212	30	7	2	.....	3	42	1	3	2	6	11
27	Green Lake County	172	23	4	1	5	3	36	5	5	4	7	2
28	Iowa County	231	47	6	2	1	1	57	7	4	4	6	6
29	Iron County	80	29	5	5	1	2	42	4	2	3	2	3
30	Jackson County	168	33	7	5	.....	.....	45	2	4	6	4	2
31	Jefferson County	401	59	5	3	1	3	71	8	6	12	20	9
32	Juneau County	236	31	8	.....	3	.....	42	15	5	7	5	6
33	Kenosha County	110	21	5	1	.....	.....	27	1	.....	2	4	4
34	Kewaunee County	186	41	8	1	2	2	54	11	5	6	7	4
35	La Crosse County	154	20	5	2	1	2	30	1	.....	5	8	5
36	Lafayette County	197	34	.....	2	1	1	38	.....	9	3	5	7
37	Langlade County	155	43	6	5	1	2	57	4	2	4	3	1
38	Lincoln County	217	67	10	5	5	6	93	9	7	3	7	10
39	Manitowoc County	313	72	8	4	6	.....	90	8	2	10	8	10
40	Marathon County	446	121	19	21	13	9	183	23	12	20	17	14
41	Marinette County	177	54	12	4	4	.....	74	3	5	5	4	8
42	Marquette County	134	23	3	1	.....	.....	27	.....	3	4	6	3
43	Milwaukee County	1,323	268	42	29	15	10	364	25	14	25	46	47
44	Monroe County	363	68	13	6	3	5	95	7	7	16	13	9
45	Oconto County	255	58	6	8	8	4	84	7	6	7	5	6
46	Oneida County	111	23	1	2	1	3	30	8	2	3	7	6
47	Outagamie County	337	69	14	10	4	6	103	3	7	8	10	11
48	Ozaukee County	150	17	6	.....	.....	.....	23	1	2	6	7	7
49	Pepin County	72	8	5	2	1	.....	16	2	1	3	1	.....
50	Pierce County	247	37	6	1	4	.....	48	6	1	7	2	7
51	Polk County	190	34	6	4	1	2	47	5	2	9	7	10
52	Portage County	374	83	16	8	4	3	114	13	6	14	11	13
53	Price County	99	25	7	2	4	3	41	3	1	2	6	5
54	Racine County	256	38	12	2	1	2	55	8	2	3	6	9
55	Richland County	186	37	4	3	1	1	46	2	2	4	6	2
56	Rock County	297	27	9	1	2	.....	39	2	4	5	13	7
57	Rusk County	98	22	3	.....	1	.....	26	5	6	3	3	4
58	St. Croix County	280	48	5	6	1	2	62	1	3	5	8	9
59	Sauk County	371	54	6	5	1	.....	66	4	3	4	6	12
60	Sawyer County	69	10	4	1	.....	1	16	2	2	2	4	4
61	Shawano County	306	80	12	6	3	5	106	10	3	9	8	13
62	Sheboygan County	295	57	7	2	2	2	70	5	3	3	11	6
63	Taylor County	113	27	3	1	.....	1	32	5	.....	2	5	2
64	Trempealeau County	227	43	6	4	3	2	58	5	3	7	5	5
65	Vernon County	309	58	9	6	8	2	83	3	5	7	7	14
66	Vilas County	38	9	4	.....	.....	.....	13	.....	.....	.....	4	1
67	Walworth County	361	32	9	3	.....	1	45	8	4	11	15	5
68	Washburn County	84	22	8	3	.....	.....	33	4	2	4	2	4
69	Washington County	243	43	7	1	2	2	55	7	6	3	7	9
70	Waukesha County	502	69	12	3	1	2	87	10	2	15	19	13
71	Waupaca County	405	56	8	8	5	1	78	7	7	8	10	10
72	Waushara County	177	36	6	3	1	.....	46	2	2	5	3	6
73	Winnebago County	406	52	9	5	1	4	71	2	5	4	10	10
74	Wood County	276	89	5	6	3	.....	103	7	5	6	11	7

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
486	538	566	667	700	731	843	1,146	1,316	1,469	1,249	844	266	65	14	65	1
479	535	561	662	693	726	838	1,142	1,314	1,464	1,245	842	264	63	14	64	2
7	3	5	5	7	5	5	4	2	5	4	2	2	2	.....	1	3
1	2	2	6	2	5	8	3	6	4	7	1	1	1	.....	1	4
9	4	6	8	2	7	4	3	3	3	6	1	.....	2	.....	1	5
8	9	12	11	11	9	17	19	28	17	11	7	3	.....	.....	1	6
6	7	3	10	3	5	8	3	7	6	4	2	1	.....	.....	.....	7
6	6	7	11	11	14	18	20	23	27	21	15	12	3	.....	.....	8
3	9	3	4	4	6	4	13	13	19	9	9	3	1	.....	1	9
3	5	3	3	2	6	4	3	6	6	3	2	2	.....	.....	.....	10
2	6	7	8	8	7	12	9	8	20	12	6	4	1	.....	.....	11
19	20	16	12	11	13	16	14	18	24	23	14	6	.....	.....	2	12
6	4	8	10	16	9	9	12	27	20	15	7	2	.....	.....	.....	13
11	10	13	20	11	23	19	25	26	43	40	33	8	1	1	2	14
6	6	2	8	5	7	8	12	22	17	13	14	1	1	1	.....	15
20	27	29	25	30	33	31	45	36	60	44	37	7	2	.....	2	16
15	15	15	24	17	21	25	35	47	54	43	34	5	2	2	4	17
8	5	4	7	6	6	9	8	12	17	9	6	.....	1	.....	2	18
2	1	6	3	1	.....	2	2	2	2	2	.....	.....	.....	.....	.....	19
3	3	8	15	11	7	15	15	21	17	21	10	1	1	.....	3	20
.....	3	4	4	4	3	10	7	8	19	9	6	5	.....	.....	.....	21
.....	1	2	1	.....	2	2	2	.....	2	.....	.....	.....	1	.....	.....	22
9	9	10	11	21	13	21	24	37	32	37	25	5	1	.....	2	23
1	4	1	2	4	1	2	2	1	1	1	3	.....	.....	.....	1	24
6	18	10	8	12	21	15	32	46	38	45	25	7	4	.....	2	25
8	7	4	10	9	15	5	13	18	20	18	17	3	.....	.....	.....	26
3	5	1	2	9	8	8	9	16	22	13	12	4	1	.....	.....	27
5	4	5	8	10	12	10	20	18	16	16	18	2	2	.....	1	28
2	3	4	2	3	1	2	2	2	.....	1	1	.....	.....	.....	1	29
4	3	8	6	6	7	7	12	15	17	14	1	3	1	.....	1	30
9	10	10	11	18	7	23	29	32	46	46	21	11	1	1	.....	31
3	4	2	8	13	16	9	16	11	33	22	11	6	.....	1	1	32
2	2	4	9	7	8	2	13	6	4	6	7	2	.....	.....	.....	33
2	5	2	2	7	5	6	8	15	16	13	14	3	1	.....	.....	34
4	1	7	6	4	9	8	14	9	14	14	13	2	.....	.....	.....	35
3	9	6	4	7	11	6	9	15	22	17	16	8	2	.....	.....	36
4	9	.....	4	7	7	8	9	9	6	7	10	3	.....	.....	1	37
3	3	7	10	13	9	8	6	10	9	5	4	1	.....	.....	.....	38
7	13	5	8	11	8	9	18	16	28	28	25	7	2	.....	.....	39
12	9	12	11	12	9	21	16	21	25	15	12	.....	2	.....	.....	40
2	5	8	8	6	5	9	7	13	4	1	6	3	.....	.....	1	41
1	4	2	8	7	5	5	8	5	16	13	11	2	1	.....	3	42
50	49	68	61	64	55	63	106	94	88	53	31	13	2	2	3	43
9	7	13	10	15	14	14	22	29	29	30	15	4	3	.....	2	44
10	4	9	10	6	15	9	17	17	19	13	7	2	.....	1	1	45
7	7	4	7	9	6	5	4	2	3	.....	1	.....	.....	.....	.....	46
4	10	6	11	14	16	20	23	23	29	23	12	4	.....	.....	.....	47
3	9	6	5	8	8	6	15	10	16	9	7	1	1	.....	.....	48
1	1	2	2	2	2	8	9	6	4	7	4	1	.....	.....	.....	49
13	2	7	5	10	14	18	15	21	27	23	14	5	1	.....	1	50
6	6	2	4	4	9	7	14	18	18	15	5	1	.....	.....	1	51
11	8	9	7	17	18	15	24	20	26	19	18	4	4	2	1	52
6	2	2	3	5	2	1	1	7	3	4	4	.....	.....	.....	1	53
3	8	12	9	10	9	9	19	22	31	21	13	4	1	1	1	54
12	2	5	7	7	7	6	17	15	22	13	7	3	.....	.....	1	55
7	10	12	13	9	9	16	21	27	33	32	23	9	4	.....	2	56
1	4	3	5	2	5	3	8	6	3	3	5	1	.....	.....	2	57
6	4	5	13	12	13	19	16	34	25	21	17	6	.....	.....	1	58
9	3	17	16	11	13	23	37	41	45	32	18	8	3	.....	.....	59
2	6	2	3	4	3	7	5	2	3	1	1	.....	.....	.....	.....	60
8	10	11	12	10	11	14	15	20	13	18	13	1	.....	.....	1	61
4	8	11	13	11	13	15	16	27	32	28	14	4	1	.....	.....	62
6	5	4	2	4	8	8	4	11	8	4	3	.....	.....	.....	.....	63
3	6	5	5	8	8	11	15	20	13	18	27	3	2	.....	.....	64
9	9	4	7	8	10	12	22	28	25	26	16	10	1	.....	3	65
3	2	.....	2	5	2	1	1	2	1	.....	1	.....	.....	.....	.....	66
10	8	13	24	14	10	25	27	31	31	38	27	11	2	1	1	67
2	3	.....	2	2	3	5	2	6	5	5	.....	.....	.....	.....	.....	68
10	5	6	7	4	19	11	16	17	22	23	11	4	1	.....	.....	69
19	27	21	17	29	23	27	38	37	47	33	18	12	1	.....	7	70
11	11	17	11	15	13	18	43	42	45	32	18	5	3	1	.....	71
5	4	4	7	5	4	10	11	12	17	22	8	4	.....	.....	.....	72
13	24	19	25	23	13	19	31	32	25	41	26	11	.....	.....	2	73
5	4	9	14	12	16	13	15	9	15	18	4	2	.....	.....	1	74

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	SUMMARY.														
1	The registration area (total)	805,412	12,673	1,167	202	6,598	6,255	6,146	11,521	7,774	2,442	75,211	4,654	6,444	4,004
2	White	753,308	11,791	741	190	6,394	6,182	5,524	11,275	7,251	2,356	66,498	4,394	5,741	3,782
3	Colored	52,104	882	426	12	204	73	622	246	523	86	8,713	260	703	222
4	Registration states[1] (total)	703,608	10,904	645	189	5,990	5,430	5,579	10,090	6,824	2,183	64,166	4,185	5,660	3,550
5	White	673,203	10,399	538	183	5,849	5,379	5,098	9,925	6,565	2,136	58,726	3,976	5,173	3,421
6	Colored	30,405	505	107	6	141	51	481	165	259	47	5,440	209	487	129
7	Cities in registration states[1] (total)	400,305	5,640	258	107	3,377	3,567	2,881	6,482	2,663	1,308	39,159	2,943	3,076	1,933
8	White	379,543	5,350	207	103	3,295	3,540	2,622	6,370	2,513	1,278	35,426	2,776	2,749	1,852
9	Colored	20,762	290	51	4	82	27	259	112	150	30	3,733	167	327	81
10	Rural part of registration states (total)	303,303	5,264	387	82	2,613	1,863	2,698	3,608	4,161	875	25,007	1,242	2,584	1,617
11	White	293,660	5,049	331	80	2,554	1,839	2,476	3,555	4,052	858	23,300	1,200	2,424	1,569
12	Colored	9,643	215	56	2	59	24	222	53	109	17	1,707	42	160	48
13	Registration cities in other states (total)	101,804	1,769	522	13	608	825	567	1,431	950	259	11,045	469	784	454
14	White	80,105	1,392	203	7	545	803	426	1,350	686	220	7,772	418	568	361
15	Colored	21,699	377	319	6	63	22	141	81	264	39	3,273	51	216	93
16	All registration cities[1] (total)	502,109	7,409	780	120	3,985	4,392	3,448	7,913	3,613	1,567	50,204	3,412	3,860	2,387
17	White	459,648	6,742	410	110	3,840	4,343	3,048	7,720	3,199	1,498	43,198	3,194	3,317	2,213
18	Colored	42,461	667	370	10	145	49	400	193	414	69	7,006	218	543	174
	REGISTRATION STATES.														
19	California (total)	32,401	460	85	1	177	70	284	220	151	76	4,322	236	352	126
20	White	30,685	429	72	1	168	70	270	210	148	75	3,927	221	321	118
21	Colored	1,716	31	13	.....	9	.....	14	10	3	1	395	15	31	8
22	Colorado (total)	11,069	337	9	7	64	104	35	130	77	45	1,671	58	80	56
23	White	10,730	326	9	7	62	102	35	129	77	43	1,607	55	76	56
24	Colored	339	11	.....	.....	2	2	.....	1	.....	2	64	3	4	.....
25	Connecticut (total)	17,498	165	28	.....	92	129	146	281	243	55	1,467	93	119	95
26	White	17,120	162	28	.....	92	129	142	277	240	55	1,411	90	108	93
27	Colored	378	3	.....	.....	.....	.....	4	4	3	.....	56	3	11	2
28	Indiana (total)	36,448	919	113	1	448	203	397	392	537	132	3,919	255	539	178
29	White	35,011	901	108	1	438	198	385	384	520	125	3,635	248	474	174
30	Colored	1,437	18	5	.....	10	5	12	8	17	7	284	7	65	4
31	Maine (total)	12,726	151	3	.....	97	41	97	99	123	24	899	87	126	49
32	White	12,703	151	3	.....	97	41	97	99	122	24	894	87	126	49
33	Colored	23	.....	.....	.....	.....	.....	.....	.....	1	.....	5	.....	.....	.....
34	Maryland (total)	20,805	528	22	.....	53	68	291	171	201	63	2,312	85	165	92
35	White	15,458	419	18	.....	46	65	142	147	149	55	1,457	72	112	70
36	Colored	5,347	109	4	.....	7	3	149	24	52	8	855	13	53	22
37	Massachusetts (total)	54,301	421	23	.....	392	272	286	705	447	177	4,653	467	384	224
38	White	53,455	415	23	.....	387	271	281	698	446	176	4,477	461	369	219
39	Colored	846	6	.....	.....	5	1	5	7	1	1	176	6	15	5
40	Michigan (total)	39,888	667	21	120	255	303	308	495	437	129	2,325	107	320	233
41	White	39,262	656	21	119	250	302	298	492	430	127	2,209	107	309	227
42	Colored	626	11	.....	1	5	1	10	3	7	2	116	.....	11	6
43	Minnesota (total)	22,649	668	2	10	247	301	155	543	98	79	1,883	161	226	134
44	White	22,470	664	2	10	241	300	154	540	98	78	1,855	157	224	133
45	Colored	179	4	.....	.....	6	1	1	3	.....	1	28	4	2	1
46	Montana (total)	3,999	151	.....	2	16	61	41	61	24	14	295	14	31	28
47	White	3,909	142	.....	2	16	61	40	61	24	14	277	12	28	28
48	Colored	90	9	.....	.....	.....	.....	1	.....	.....	.....	18	2	3	.....
49	New Hampshire (total)	7,452	46	1	.....	29	8	42	77	93	21	491	31	63	23
50	White	7,438	46	1	.....	29	8	42	76	93	21	491	30	63	23
51	Colored	14	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
52	New Jersey (total)	39,504	371	26	.....	253	281	425	747	312	129	4,059	285	296	211
53	White	37,422	350	23	.....	247	275	358	738	308	129	3,702	255	258	201
54	Colored	2,082	21	3	.....	6	6	67	9	4	.....	357	30	38	10
55	New York (total)	147,678	1,397	82	8	1,270	1,654	743	2,435	1,218	478	14,488	1,125	903	721
56	White	144,144	1,373	77	6	1,254	1,643	715	2,414	1,194	470	13,793	1,084	858	707
57	Colored	3,534	24	5	2	16	11	28	21	24	8	695	41	45	14
58	North Carolina[2] (total)	6,752	209	120	6	98	8	62	67	102	13	897	23	63	23
59	White	3,728	128	52	4	75	7	34	48	53	11	419	17	26	10
60	Colored	3,024	81	68	2	23	1	28	19	49	2	478	6	37	13
61	Ohio (total)	65,459	1,314	40	13	787	288	591	585	906	220	6,223	328	657	385
62	White	63,194	1,275	36	12	769	284	564	576	887	216	5,761	312	613	372
63	Colored	2,265	39	4	1	18	4	27	9	19	4	462	16	44	13
64	Pennsylvania (total)	119,815	1,892	50	8	1,237	1,094	1,114	2,235	1,197	338	9,003	481	801	600
65	White	115,094	1,824	50	8	1,218	1,082	1,022	2,197	1,160	330	8,167	440	710	587
66	Colored	4,721	68	.....	.....	19	12	92	38	37	8	836	41	91	13

[1] Including District of Columbia.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
41,039	8,040	7,619	40,767	76,178	12,620	79,524	8,691	54,266	6,128	6,678	7,485	53,330	3,892	4,563	40,348	43,606	8,590	139,495	12,462	1
39,875	7,888	7,208	39,008	71,902	11,806	73,490	8,043	51,379	5,884	6,346	7,187	49,693	3,609	4,293	38,135	45,720	8,378	130,572	10,773	2
1,164	152	411	1,759	4,276	814	6,034	648	2,887	244	332	298	3,637	283	270	2,213	2,886	212	8,923	1,689	3
36,364	7,282	6,661	37,209	67,780	11,428	67,871	7,575	47,197	5,154	5,775	6,352	45,350	3,334	4,060	36,048	42,546	7,309	122,084	10,834	4
35,638	7,183	6,419	36,135	65,262	10,924	64,335	7,249	45,376	5,008	5,578	6,204	43,365	3,181	3,894	34,647	40,958	7,158	117,397	9,924	5
726	99	242	1,074	2,518	504	3,536	326	1,821	146	197	148	1,985	153	166	1,401	1,588	151	4,687	910	6
20,505	4,232	3,937	18,537	36,618	6,910	43,077	4,185	29,712	3,528	3,493	4,042	28,031	2,029	2,242	20,983	22,582	4,513	62,780	4,975	7
19,989	4,151	3,790	17,815	34,783	6,551	40,445	3,958	28,454	3,419	3,353	3,935	26,563	1,915	2,140	19,948	21,590	4,413	59,704	4,546	8
516	81	147	722	1,835	359	2,632	227	1,258	109	140	107	1,468	114	102	1,035	992	100	3,076	429	9
15,859	3,050	2,724	18,672	31,162	4,518	24,794	3,390	17,485	1,626	2,282	2,310	17,319	1,305	1,818	15,065	19,964	2,796	59,304	5,859	10
15,649	3,032	2,629	18,320	30,479	4,373	23,890	3,291	16,922	1,589	2,225	2,269	16,802	1,266	1,754	14,629	19,368	2,745	57,693	5,378	11
210	18	95	352	683	145	904	99	563	37	57	41	517	39	64	366	596	51	1,611	481	12
4,675	758	958	3,558	8,398	1,192	11,653	1,116	7,089	974	903	1,133	7,980	558	503	4,300	6,060	1,281	17,411	1,628	13
4,237	705	789	2,873	6,640	882	9,155	794	6,003	876	768	983	6,328	428	399	3,488	4,762	1,220	13,175	849	14
438	53	169	685	1,758	310	2,498	322	1,066	98	135	150	1,652	130	104	812	1,298	61	4,236	779	15
25,180	4,990	4,895	22,095	45,016	8,102	54,730	5,301	36,781	4,502	4,396	5,175	36,011	2,587	2,745	25,283	28,642	5,794	80,191	6,603	16
24,226	4,856	4,579	20,688	41,423	7,433	49,600	4,752	34,457	4,295	4,121	4,918	32,891	2,343	2,539	23,436	26,352	5,633	72,879	5,395	17
954	134	316	1,407	3,593	669	5,130	549	2,324	207	275	257	3,120	244	206	1,847	2,290	161	7,312	1,208	18
2,013	378	353	1,603	3,845	365	2,314	323	936	262	298	442	2,095	107	182	1,174	2,510	696	5,742	203	19
1,948	370	320	1,569	3,711	352	2,157	302	881	254	288	425	2,001	103	172	1,114	2,381	663	5,456	188	20
65	8	33	34	134	13	157	21	55	8	10	17	94	4	10	60	129	33	286	15	21
468	67	119	393	692	91	997	153	528	126	88	76	637	86	68	601	1,209	167	1,766	64	22
458	66	116	384	668	90	968	150	517	119	85	74	622	82	65	593	1,143	161	1,722	63	23
10	1	3	9	24	1	29	3	11	7	3	2	15	4	3	8	66	6	44	1	24
893	221	223	1,135	1,798	313	1,686	172	1,162	97	136	161	1,223	65	83	963	886	200	2,905	263	25
888	220	218	1,115	1,752	304	1,653	168	1,150	95	133	158	1,181	62	81	943	863	197	2,856	256	26
5	1	5	20	46	9	33	4	12	2	3	3	42	3	2	20	23	3	49	7	27
1,898	377	259	2,022	3,712	460	2,849	274	2,116	259	301	306	2,214	237	212	1,693	2,139	381	6,606	100	28
1,863	371	252	1,970	3,586	441	2,706	265	2,045	250	292	298	2,103	230	207	1,637	2,064	370	6,376	94	29
35	6	7	52	126	19	143	9	71	9	9	8	111	7	5	56	75	11	230	6	30
754	128	167	907	1,370	211	1,237	166	650	92	105	62	796	46	64	542	525	85	2,647	376	31
753	128	167	907	1,368	211	1,237	166	650	92	105	62	793	46	64	542	522	85	2,641	374	32
1	-------	-------	-------	2	-------	-------	-------	-------	-------	-------	-------	3	-------	-------	-------	3	-------	6	2	33
942	164	224	978	1,708	339	1,937	224	1,341	100	146	125	1,664	72	119	1,162	974	134	3,579	822	34
827	153	181	782	1,278	264	1,373	182	975	75	117	107	1,288	50	85	869	745	126	2,705	524	35
115	11	43	196	430	75	564	42	366	25	29	18	376	22	34	293	229	8	874	298	36
3,159	651	588	3,316	6,004	1,016	5,882	462	4,111	371	415	340	2,981	166	246	3,032	2,508	427	9,509	666	37
3,127	646	581	3,283	5,905	997	5,773	458	4,081	368	411	338	2,924	165	246	2,993	2,482	420	9,381	653	38
32	5	7	33	99	19	109	4	30	3	4	2	57	1	-------	39	26	7	128	13	39
2,112	418	409	2,117	4,304	746	2,671	540	2,350	359	390	345	1,935	196	278	2,443	2,221	386	9,026	922	40
2,089	415	404	2,097	4,248	737	2,607	523	2,328	351	387	341	1,903	194	275	2,429	2,183	380	8,923	901	41
23	3	5	20	56	9	64	17	22	8	3	4	32	2	3	14	38	6	103	21	42
1,400	243	205	900	1,698	273	1,806	236	1,341	320	231	138	1,183	114	133	1,153	1,564	242	4,489	473	43
1,393	243	203	895	1,680	270	1,778	234	1,338	318	230	136	1,169	114	132	1,147	1,553	239	4,470	472	44
7	-------	2	5	18	3	28	2	3	2	1	2	14	-------	1	6	11	3	19	1	45
157	38	49	120	257	37	282	55	226	65	45	37	222	27	35	207	551	81	693	77	46
156	36	47	116	252	37	277	54	222	64	44	36	218	26	35	207	539	80	682	76	47
1	2	2	4	5	-------	5	1	4	1	1	1	4	1	-------	-------	12	1	11	1	48
424	80	127	523	865	148	641	105	403	35	55	29	480	18	34	418	293	54	1,662	133	49
423	80	127	520	864	148	641	104	403	35	55	29	480	18	34	417	293	53	1,658	133	50
1	-------	-------	3	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	1	-------	1	4	-------	51
1,891	433	427	2,314	3,504	607	4,157	402	3,004	242	266	439	2,944	191	206	2,053	2,225	436	5,765	598	52
1,848	420	404	2,224	3,344	565	3,906	384	2,853	233	252	429	2,806	184	201	1,946	2,143	429	5,456	551	53
43	13	23	90	160	42	251	18	151	9	14	10	138	7	5	112	82	7	309	47	54
7,726	1,694	1,152	7,489	15,083	2,516	17,104	1,371	9,740	1,077	1,211	1,681	11,734	616	770	6,943	7,963	1,532	22,498	1,276	55
7,634	1,685	1,129	7,372	14,828	2,443	16,574	1,345	9,527	1,052	1,182	1,635	11,466	591	757	6,754	7,774	1,519	22,053	1,236	56
92	9	23	117	255	73	530	26	213	25	29	26	268	25	13	189	189	13	445	40	57
171	30	82	215	435	88	610	70	299	42	34	36	342	27	84	266	271	26	1,341	392	58
125	22	54	132	217	44	313	33	303	35	21	27	208	8	49	171	135	24	772	151	59
46	8	28	83	218	44	297	37	196	7	13	9	134	19	35	95	136	2	769	241	60
3,599	652	745	3,639	6,701	1,036	5,381	639	4,037	453	555	667	3,728	382	345	3,151	4,255	679	11,858	560	61
3,529	646	727	3,550	6,5[illegible]	1,012	5,131	622	3,935	442	533	653	3,585	371	339	3,069	4,125	668	11,517	537	62
70	6	18	89	[illegible]	24	250	17	102	11	22	14	143	11	6	82	130	11	341	23	63
5,100	986	884	6,092	1,903	2,079	12,839	1,687	11,581	641	893	995	7,243	656	735	6,664	8,242	975	19,324	2,69[illegible]	64
4,999	970	861	5,938	9,539	1,974	12,185	1,618	10,225	627	863	975	6,944	634	753	6,450	8,028	958	18,665	2,593	65
101	16	23	154	364	105	654	69	356	14	30	20	299	22	32	214	214	17	659	103	66

[2] Including only municipalities having a population of 1,000 or over in 1900.



TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION STATES—Contd.														
1	Rhode Island (total)	9,305	74	5	.....	178	22	51	134	99	18	855	86	52	31
2	White	9,051	71	5	.....	177	22	47	132	98	18	826	83	52	31
3	Colored	254	3	.....	.....	1	.....	4	2	1	.....	29	3	.....	.....
4	Utah (total)	4,072	139	.....	2	5	108	64	73	31	21	134	10	22	41
5	White	3,998	128	.....	2	5	108	64	73	31	21	126	10	21	40
6	Colored	74	11	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	1	1
7	Vermont (total)	5,704	50	3	.....	24	11	52	32	147	15	328	32	44	15
8	White	5,674	50	3	.....	24	11	51	32	147	15	325	32	44	15
9	Colored	30	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....
10	Washington (total)	11,502	324	1	8	76	81	177	145	54	40	1,013	87	143	54
11	White	11,017	301	1	8	68	81	167	144	50	40	909	80	132	52
12	Colored	485	23	.....	.....	8	.....	10	1	4	.....	104	7	11	2
13	Wisconsin (total)	28,070	544	2	3	188	309	183	432	248	83	2,153	107	237	193
14	White	27,896	543	2	3	185	308	181	430	248	83	2,128	105	233	192
15	Colored	174	1	.....	.....	3	1	2	2	.....	.....	25	2	4	1
	REGISTRATION CITIES.														
	ALABAMA.[1]														
16	Registration cities (total)	4,790	119	98	1	24	7	23	25	42	10	680	6	31	17
17	White	2,046	61	19	.....	11	7	11	19	18	9	209	5	15	10
18	Colored	2,744	58	79	1	13	.....	12	6	24	1	471	1	16	7
19	Birmingham (total)	2,597	66	35	.....	24	4	13	16	17	6	369	1	6	8
20	White	1,206	40	10	.....	11	4	9	12	8	5	119	1	1	6
21	Colored	1,391	26	25	.....	13	.....	4	4	9	1	250	.....	5	2
22	Mobile (total)	1,185	39	29	.....	.....	2	7	6	14	4	202	4	16	8
23	White	512	13	7	.....	.....	2	1	5	7	4	68	4	10	3
24	Colored	673	26	22	.....	.....	.....	6	1	7	.....	134	.....	6	5
25	Montgomery (total)	1,008	14	34	1	.....	1	3	3	11	.....	109	1	9	1
26	White	328	8	2	.....	.....	1	1	2	3	.....	22	.....	4	1
27	Colored	680	6	32	1	.....	.....	2	1	8	.....	87	1	5	.....
	CALIFORNIA.														
28	Registration cities (total)	18,609	216	24	.....	97	42	128	120	73	39	2,533	145	208	71
29	White	17,578	201	19	.....	96	42	124	113	73	39	2,278	133	185	64
30	Colored	1,031	15	5	.....	1	.....	4	7	.....	.....	255	12	23	7
31	Alameda	290	3	.....	.....	.....	1	2	1	.....	.....	25	1	5	3
32	Bakersfield	305	12	6	.....	2	1	3	2	.....	2	39	.....	1	2
33	Berkeley	376	1	.....	.....	1	.....	4	5	1	.....	31	3	4	1
34	Eureka	196	2	.....	.....	.....	1	2	.....	.....	3	23	1	4	1
35	Fresno	340	15	.....	.....	2	1	4	8	6	1	35	3	2	2
36	Long Beach	250	4	.....	.....	.....	.....	1	1	1	.....	23	.....	.....	.....
37	Los Angeles (total)	4,538	46	3	.....	50	14	19	24	20	12	743	37	60	22
38	White	4,299	44	2	.....	50	14	19	24	20	12	683	30	50	21
39	Colored	239	2	1	.....	.....	.....	.....	.....	.....	.....	60	7	10	1
40	Oakland	1,929	25	2	.....	6	5	31	11	6	5	191	14	12	7
41	Pasadena	419	3	.....	.....	1	3	3	3	2	3	84	5	6	4
42	Pomona	136	3	.....	.....	.....	2	.....	.....	2	.....	17	1	.....	.....
43	Redlands	154	3	.....	.....	.....	.....	.....	.....	1	.....	49	1	2	.....
44	Riverside	221	7	.....	.....	1	.....	2	.....	2	.....	43	2	4	.....
45	Sacramento	734	13	2	.....	3	2	3	5	2	1	75	7	15	3
46	San Bernardino	260	5	.....	.....	.....	.....	.....	.....	1	.....	71	2	8	1
47	San Diego	687	1	2	.....	6	2	.....	4	10	.....	110	4	9	.....
48	San Francisco (total)	6,319	65	8	.....	22	7	32	37	7	10	774	56	56	21
49	White	6,002	62	5	.....	21	7	32	32	7	10	682	55	54	17
50	Colored	317	3	3	.....	1	.....	.....	5	.....	.....	92	1	2	4
51	San Jose	412	1	.....	.....	1	1	12	.....	4	1	52	7	7	1
52	Santa Barbara	223	5	.....	.....	.....	1	3	2	4	1	38	.....	4	.....
53	Santa Cruz	185	2	1	.....	.....	.....	.....	1	2	.....	15	.....	3	1
54	Stockton	469	.....	.....	.....	2	.....	3	4	1	.....	79	.....	5	2
55	Vallejo	166	.....	.....	.....	.....	1	4	12	1	.....	16	1	1	.....
	COLORADO.														
56	Registration cities (total)	4,705	102	3	.....	18	43	8	59	31	26	372	37	48	29
57	White	4,494	97	3	.....	18		8	58	31	24	825	36	45	29
58	Colored	211	5	.....	.....	.....	.....	.....	1	.....	2	47	1	3	.....
59	Colorado Springs	478	4	.....	.....	2	2	.....	2	2	1	155	7	5	2
60	Denver	3,533	59	2	.....	7	37	5	40	^	24	648	26	36	23
61	Pueblo	542	35	1	.....	8	2	3	12	6	1	58	4	7	4
62	Trinidad	152	4	.....	.....	1	2	.....	5	3	.....	11	.....	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinance

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
474	105	74	522	877	181	1,034	80	837	56	67	76	675	27	55	432	445	80	1,482	121	1
463	103	71	512	840	174	1,003	78	816	55	67	76	658	26	54	424	437	80	1,439	113	2
11	2	3	10	37	7	31	2	21	1	.....	.....	17	1	1	8	8	.....	43	8	3
134	53	46	136	301	66	434	59	185	62	55	18	239	30	39	291	347	40	749	138	4
134	52	46	136	298	66	425	59	182	61	55	18	236	30	38	290	334	38	734	137	5
.....	1	.....	.....	3	.....	9	.....	3	1	.....	.....	3	.....	1	1	13	2	15	1	6
393	76	43	456	790	106	516	39	206	60	46	32	382	22	39	250	262	47	1,158	28	7
392	76	43	455	787	106	511	38	206	59	46	32	379	22	39	250	255	46	1,155	28	8
1	.....	.....	1	3	.....	5	1	.....	1	.....	.....	3	.....	.....	.....	7	1	3	.....	9
593	124	77	535	858	78	841	100	435	142	107	75	634	96	98	617	1,411	230	2,043	205	10
586	122	71	528	839	73	802	98	420	140	104	71	617	95	96	604	1,344	220	1,978	176	11
7	2	6	7	19	5	39	2	15	2	3	4	17	1	2	13	67	10	65	29	12
1,763	309	365	1,371	2,310	551	2,075	323	1,702	256	273	257	1,462	113	155	1,633	1,484	331	6,032	623	13
1,757	309	363	1,365	2,298	550	2,054	321	1,691	256	272	256	1,456	113	154	1,622	1,466	330	6,006	616	14
6	.....	2	6	12	1	21	2	11	.....	1	1	6	.....	1	11	18	1	26	7	15
162	18	50	176	322	15	404	35	297	42	39	44	328	25	30	177	362	36	949	196	16
103	12	23	87	135	4	155	15	145	27	19	22	152	7	14	92	158	32	388	62	17
59	6	27	89	187	11	249	20	152	15	20	22	176	18	16	85	204	4	561	134	18
83	6	34	94	168	1	304	12	193	25	18	26	110	16	16	87	251	27	427	134	19
52	3	15	49	72	.....	124	7	110	19	8	12	56	3	8	57	114	24	199	48	20
31	3	19	45	96	1	180	5	83	6	10	14	54	13	8	30	137	3	228	86	21
51	8	8	42	98	9	38	6	48	14	11	8	134	7	8	41	59	3	238	23	22
33	6	5	19	44	4	12	2	13	8	7	4	67	4	4	22	24	2	104	4	23
18	2	3	23	54	5	26	4	35	6	4	4	67	3	4	19	35	1	134	19	24
28	4	8	40	56	5	62	17	56	3	10	10	84	2	6	49	52	6	284	39	25
18	3	3	19	19	.....	19	6	22	.....	4	6	29	.....	2	13	20	6	85	10	26
10	1	5	21	37	5	43	11	34	3	6	4	55	2	4	36	32	.....	199	29	27
1,302	236	194	892	2,263	241	1,352	179	499	195	188	285	1,326	53	98	701	1,219	422	3,198	70	28
1,257	229	176	873	2,176	235	1,263	167	472	189	181	272	1,262	51	90	660	1,155	407	3,031	65	29
45	7	18	19	87	6	89	12	27	6	7	13	64	2	8	41	64	15	167	5	30
23	8	4	22	42	1	20	3	5	2	2	8	24	2	2	13	18	6	42	2	31
12	1	8	6	19	.....	27	5	21	7	3	3	13	1	1	9	31	6	57	5	32
31	7	4	20	55	3	29	2	11	7	7	3	32	2	1	11	24	6	70	.....	33
16	2	2	9	25	6	3	1	5	1	6	1	10	.....	.....	3	32	4	32	1	34
20	2	7	19	35	3	29	3	22	5	4	2	11	3	2	22	18	3	48	3	35
24	5	1	18	25	4	7	4	9	1	2	6	30	1	2	10	21	5	45	.....	36
338	47	58	201	444	45	275	45	79	48	50	52	308	11	27	215	280	97	845	23	37
329	45	54	195	424	44	256	41	75	47	47	50	294	9	24	210	264	92	808	22	38
9	2	4	6	20	1	19	4	4	1	3	2	14	2	3	5	16	5	37	1	39
131	23	22	96	305	25	156	25	59	19	7	27	147	3	16	82	135	49	285	2	40
28	6	3	20	44	5	18	2	5	5	5	5	50	.....	2	13	7	6	76	2	41
12	4	.....	12	14	2	9	1	1	1	1	.....	8	.....	1	12	6	1	25	1	42
5	1	.....	11	17	.....	11	2	6	.....	1	2	2	.....	.....	5	6	.....	28	1	43
7	2	1	18	16	5	13	2	3	1	2	.....	14	1	1	7	18	2	47	.....	44
42	7	13	20	51	9	59	11	42	10	4	16	43	3	4	28	69	13	156	3	45
13	1	2	12	11	1	21	.....	10	1	3	2	11	.....	3	5	28	7	41	.....	46
53	11	5	42	84	10	42	6	17	8	5	3	56	3	.....	14	40	8	126	6	47
475	91	43	276	899	101	531	50	170	68	70	132	472	14	33	214	399	185	989	12	48
461	89	42	269	871	98	503	46	161	66	70	128	450	14	31	200	383	182	942	12	49
14	2	1	7	28	3	28	4	9	2	.....	4	22	.....	2	14	16	3	47	.....	50
21	7	7	21	58	6	35	6	14	5	5	10	34	2	1	12	23	7	51	.....	51
12	4	6	19	21	.....	14	1	6	2	2	1	11	1	1	4	12	3	44	1	52
11	3	4	7	28	.....	6	2	2	1	1	3	20	.....	.....	3	12	1	52	4	53
23	3	4	27	53	12	36	5	7	2	5	7	20	5	1	13	27	7	114	2	54
5	1	.....	16	17	3	11	3	5	1	3	2	10	1	.....	6	13	6	25	2	55
251	34	66	185	338	30	406	53	192	65	41	37	304	35	31	238	252	82	777	12	56
242	34	63	176	319	29	388	52	184	63	38	36	291	32	29	230	233	79	748	11	57
9	.....	3	9	19	1	18	1	8	2	3	1	13	3	2	8	19	3	29	1	58
25	5	5	14	24	2	36	5	16	8	3	3	32	2	3	18	24	4	64	3	59
201	26	50	149	275	23	292	41	116	50	33	32	239	27	20	182	178	68	597	8	60
23	4	6	19	30	3	56	5	44	6	4	2	22	3	5	31	37	6	95	.....	61
2	.....	5	3	9	2	22	2	16	1	1	.....	11	3	3	7	13	4	21	1	62

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	CONNECTICUT.														
1	Registration cities (total)	12,032	119	20	.....	69	105	107	195	145	45	1,049	72	84	61
2	White	11,726	118	20	.....	69	105	104	191	142	45	1,001	69	77	59
3	Colored	306	1	.....	.....	.....	.....	3	4	3	.....	48	3	7	2
4	Ansonia	201	.....	2	.....	.....	14	4	3	2	.....	12	.....	.....	1
5	Bridgeport	1,562	5	1	.....	6	20	27	28	7	5	183	11	10	7
6	Bristol town	184	2	.....	.....	5	.....	2	7	10	2	13	1	.....	.....
7	Danbury town	350	6	.....	.....	1	1	3	4	4	.....	27	.....	2	6
8	Greenwich town	273	2	2	.....	.....	5	1	1	6	.....	14	1	1	2
9	Hartford	1,748	19	.....	.....	16	7	4	34	17	12	153	6	10	11
10	Manchester town	161	.....	.....	.....	.....	.....	.....	6	7	.....	12	1	1	.....
11	Meriden town	456	1	2	.....	1	.....	7	7	7	1	61	6	1	5
12	Middletown town	533	7	3	.....	3	.....	1	3	.....	1	50	3	2	3
13	Naugatuck	182	1	.....	.....	.....	6	2	2	.....	.....	20	2	2	.....
14	New Britain	692	9	1	.....	17	7	2	29	12	2	42	6	7	1
15	New Haven	2,219	24	6	.....	6	11	13	17	19	11	197	21	17	8
16	New London	353	3	.....	.....	3	2	5	2	5	1	26	.....	3	2
17	Norwalk town	366	10	.....	.....	.....	8	2	3	12	1	26	2	2	.....
18	Norwich town	480	3	2	.....	1	11	5	5	10	1	37	.....	9	4
19	Orange town	143	2	1	.....	.....	.....	1	1	3	2	12	.....	.....	1
20	Stamford town	466	3	.....	.....	2	5	.....	8	4	2	37	1	2	.....
21	Torrington town	185	2	.....	.....	.....	2	9	.....	4	.....	15	1	.....	.....
22	Wallingford town	141	1	.....	.....	2	1	1	1	2	1	6	2	2	1
23	Waterbury	1,140	15	.....	.....	6	4	18	33	10	3	94	8	13	8
24	Windham town	197	4	.....	.....	.....	1	.....	1	4	.....	12	.....	.....	1
	DELAWARE.[1]														
25	Wilmington (total)	1,547	33	.....	.....	1	11	14	26	13	5	142	11	7	6
26	White	1,322	31	.....	.....	.....	11	14	25	10	5	113	10	6	4
27	Colored	225	2	.....	.....	1	.....	.....	1	3	.....	29	1	1	2
	DISTRICT OF COLUMBIA.														
28	Washington (total)	6,511	77	9	.....	4	14	35	31	79	13	776	27	37	38
29	White	3,744	45	4	.....	1	11	9	28	42	10	330	18	16	24
30	Colored	2,767	32	5	.....	3	3	26	3	37	3	446	9	21	14
	FLORIDA.[1]														
31	Registration cities (total)	1,640	74	44	.....	3	4	8	4	10	4	185	2	8	4
32	White	783	51	13	.....	3	3	3	3	2	4	54	2	4	1
33	Colored	857	23	31	.....	.....	1	5	1	8	.....	131	.....	4	3
34	Jacksonville (total)	1,192	60	42	.....	1	3	6	2	8	4	135	2	6	4
35	White	482	40	13	.....	1	2	1	1	1	4	28	2	3	1
36	Colored	710	20	29	.....	.....	1	5	1	7	.....	107	.....	3	3
37	Key West (total)	448	14	2	.....	2	1	2	2	2	.....	50	.....	2	.....
38	White	301	11	.....	.....	2	1	2	2	1	.....	26	.....	1	.....
39	Colored	147	3	2	.....	.....	.....	.....	.....	1	.....	24	.....	1	.....
	GEORGIA.[1]														
40	Registration cities (total)	4,689	94	62	1	15	13	22	34	37	5	447	16	23	17
41	White	2,225	69	16	.....	13	13	7	23	18	1	166	14	11	9
42	Colored	2,464	25	46	1	2	.....	15	11	19	4	281	2	12	8
43	Atlanta (total)	2,938	78	4	1	14	8	16	29	13	3	282	10	15	14
44	White	1,609	58	1	.....	12	8	7	20	6	1	127	8	7	6
45	Colored	1,329	20	3	1	2	.....	9	9	7	2	155	2	8	8
46	Savannah (total)	1,751	16	58	.....	1	5	6	5	24	2	165	6	8	3
47	White	616	11	15	.....	1	5	.....	3	12	.....	39	6	4	3
48	Colored	1,135	5	43	.....	.....	.....	6	2	12	2	126	.....	4	.....
	ILLINOIS.[1]														
49	Registration cities (total)	36,465	363	14	1	205	421	199	859	163	95	3,797	231	241	178
50	White	35,189	347	14	1	200	420	193	854	156	95	3,531	223	222	173
51	Colored	1,276	16	.....	.....	5	1	6	5	7	.....	266	8	19	5
52	Aurora	433	5	.....	.....	.....	1	5	2	1	.....	29	1	6	2
53	Belleville	312	4	.....	.....	3	3	4	1	3	1	31	1	1	1
54	Chicago (total)	33,241	300	11	1	191	404	173	822	146	89	3,475	222	211	162
55	White	32,130	289	11	1	186	403	169	817	141	89	3,241	214	194	159
56	Colored	1,111	11	.....	.....	5	1	4	5	5	.....	234	8	17	3
57	Decatur	412	5	.....	.....	7	4	3	7	4	1	37	5	3	.....
58	Evanston	254	7	.....	.....	1	2	4	3	.....	2	21	.....	4	3
59	Jacksonville	347	5	.....	.....	.....	1	.....	1	1	.....	40	.....	3	2
60	Quincy	606	10	3	.....	.....	.....	8	10	3	.....	59	1	2	2
61	Springfield	860	27	.....	.....	3	6	2	13	5	2	105	1	11	6

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
602	155	166	685	1,163	212	1,267	123	842	80	107	111	825	51	50	690	604	133	1,910	185	1
600	154	162	671	1,123	205	1,237	119	835	78	104	108	793	48	49	673	585	130	1,873	179	2
2	1	4	14	40	7	30	4	7	2	3	3	32	3	1	17	19	3	37	6	3
2	3	12	12	17	6	23	1	20	1	1	2	9	------	2	10	8	3	24	7	4
74	24	23	55	118	17	172	20	127	8	10	12	118	6	9	104	75	33	226	21	5
9	1	------	9	15	1	23	2	26	------	1	2	11	1	------	7	7	2	22	3	6
16	7	8	24	44	4	31	3	16	------	4	3	13	1	1	18	32	2	67	2	7
17	2	4	19	22	2	18	------	23	3	1	------	25	4	2	29	18	3	41	5	8
94	32	18	106	169	24	206	16	75	18	22	23	115	10	6	96	88	15	308	18	9
7	2	2	12	20	6	13	------	9	------	------	2	14	1	------	13	6	1	25	1	10
27	8	8	24	53	7	34	2	44	------	3	8	26	------	3	25	22	4	56	3	11
19	------	6	43	95	13	62	6	24	------	7	4	27	------	2	17	22	4	103	3	12
7	3	4	10	13	6	19	------	20	------	3	------	8	2	------	15	8	2	25	2	13
25	6	15	27	36	18	57	15	95	3	5	10	35	5	2	61	27	4	93	18	14
128	25	21	113	239	44	279	23	116	18	21	16	170	10	9	101	119	16	351	50	15
15	5	2	24	41	6	31	1	17	4	6	3	29	2	1	17	23	2	69	3	16
28	1	3	42	36	8	27	4	16	1	4	5	30	1	------	7	17	8	54	8	17
29	10	6	37	49	6	40	9	17	2	5	3	31	4	------	15	20	2	102	5	18
9	------	------	9	31	1	11	1	4	------	1	------	12	------	------	12	8	1	19	1	19
27	4	6	34	33	7	42	3	36	2	7	2	45	------	2	23	27	3	87	12	20
11	2	7	7	12	3	19	1	17	2	1	3	12	------	1	15	7	7	21	4	21
4	3	7	15	26	4	6	------	13	1	------	2	12	------	------	10	5	2	10	1	22
41	15	7	56	80	23	141	13	118	17	4	6	58	4	10	82	51	17	171	14	23
13	2	7	7	14	6	13	3	9	------	1	5	25	------	------	13	14	2	36	4	24
53	4	40	83	98	22	196	31	102	10	10	8	107	3	8	83	78	7	267	68	25
47	4	36	76	86	15	156	23	93	9	9	8	96	3	6	75	64	7	224	56	26
6	------	4	7	12	7	40	8	9	1	1	------	11	------	2	8	14	------	43	12	27
300	55	43	426	705	121	578	95	307	37	58	35	537	40	30	355	261	80	1,210	98	28
246	50	34	285	434	66	261	47	128	27	36	28	328	17	18	176	149	72	752	52	29
54	5	9	141	271	55	317	48	179	10	22	7	209	23	12	179	112	8	458	46	30
39	3	16	61	97	13	123	23	95	6	8	5	115	10	11	91	91	13	354	116	31
32	2	11	37	61	6	48	10	46	5	5	3	56	7	3	58	35	10	158	47	32
7	1	5	24	36	7	75	13	49	1	3	2	59	3	8	33	56	3	196	69	33
21	2	6	42	68	8	103	23	27	6	6	3	91	10	7	59	86	9	259	83	34
17	1	3	23	36	4	36	10	9	5	3	2	42	7	------	29	32	6	100	20	35
4	1	3	19	32	4	67	13	18	1	3	1	49	3	7	30	54	3	159	63	36
18	1	10	19	29	5	20	------	68	------	2	2	24	------	4	32	5	4	95	33	37
15	1	8	14	25	2	12	------	37	------	2	1	14	------	3	29	3	4	58	27	38
3	------	2	5	4	3	8	------	31	------	------	1	10	------	1	3	2	------	37	6	39
120	27	33	172	276	47	558	72	228	40	29	21	364	36	30	213	262	32	1,137	206	40
88	19	17	91	145	14	198	31	118	30	13	12	215	18	16	113	109	25	535	58	41
32	8	16	81	131	33	360	41	110	10	16	9	149	18	14	100	153	7	602	148	42
98	17	20	106	168	28	375	25	154	31	23	10	253	36	20	139	175	22	662	89	43
72	14	10	60	91	9	141	16	92	22	11	5	166	18	14	88	80	17	384	38	44
26	3	10	46	77	19	234	9	62	9	12	5	87	18	6	51	95	5	278	51	45
22	10	13	66	108	19	183	47	74	9	6	11	111	------	10	74	87	10	475	117	46
16	5	7	31	54	5	57	15	26	8	2	7	49	------	2	25	29	8	151	20	47
6	5	6	35	54	14	126	32	48	1	4	4	62	------	8	49	58	2	324	97	48
2,012	379	270	1,005	3,205	222	5,538	242	3,636	377	309	422	2,732	195	167	1,315	2,246	498	4,841	87	49
1,962	371	264	976	3,053	219	5,345	234	3,586	371	294	415	2,626	186	164	1,282	2,180	489	4,660	83	50
50	8	6	29	152	3	193	8	50	6	15	7	106	9	3	33	66	9	181	4	51
29	6	8	33	25	8	36	4	23	11	3	4	34	3	3	19	23	4	97	8	52
21	3	8	15	21	7	16	3	11	4	5	5	19	2	1	20	16	7	66	9	53
1,804	348	214	858	2,942	171	5,286	201	3,511	325	261	386	2,500	178	157	1,166	2,094	458	4,139	35	54
1,760	340	210	832	2,809	169	5,113	195	3,471	320	248	379	2,403	170	154	1,138	2,030	449	3,992	34	55
44	8	4	26	133	2	173	6	40	5	13	7	97	8	3	28	64	9	147	1	56
32	2	3	10	27	8	32	7	12	5	6	2	40	1	1	17	22	4	87	18	57
20	3	5	10	27	3	18	5	10	6	2	3	15	------	2	16	17	5	39	1	58
15	3	5	12	30	------	34	8	7	7	9	1	25	1	------	4	14	------	118	1	59
45	6	8	36	62	17	50	11	17	2	8	13	38	4	1	23	11	9	139	8	60
46	8	19	31	71	8	66	3	45	17	15	8	61	6	2	50	49	11	156	7	61

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	INDIANA.														
1	Registration cities (total)	12,468	275	33	.....	142	80	111	123	138	53	1,340	79	186	69
2	White	11,472	261	29	.....	132	78	104	117	123	48	1,150	74	154	67
3	Colored	996	14	4	.....	10	2	7	6	15	5	190	5	32	2
4	Anderson	328	12	1	.....	14	.....	.....	6	5	.....	30	1	4	2
5	East Chicago	269	5	.....	.....	7	6	.....	1	1	.....	15	1	2	1
6	Elkhart	264	2	1	.....	1	.....	1	2	1	1	16	.....	3	1
7	Elwood	174	6	.....	.....	8	.....	1	1	3	1	15	3	2	.....
8	Evansville	948	23	8	.....	9	.....	6	6	10	3	125	2	10	5
9	Fort Wayne	840	17	1	.....	9	12	.....	9	4	1	81	4	19	3
10	Gary	284	17	.....	.....	1	.....	3	7	.....	1	11	.....	2	.....
11	Hammond	296	12	.....	.....	1	7	4	3	1	1	22	1	6	3
12	Huntington	126	2	.....	.....	1	2	.....	.....	1	.....	17	1	3	.....
13	Indianapolis (total)	3,824	67	4	.....	42	10	41	16	54	28	420	39	66	28
14	White	3,275	62	4	.....	35	8	40	14	46	24	323	36	45	26
15	Colored	549	5	.....	.....	7	2	1	2	8	4	97	3	21	2
16	Jeffersonville (total)	205	7	.....	.....	3	.....	6	.....	2	.....	26	3	2	2
17	White	156	6	.....	.....	2	.....	5	.....	1	.....	16	2	.....	2
18	Colored	49	1	.....	.....	1	.....	1	.....	1	.....	10	1	2	.....
19	Kokomo	257	13	2	.....	1	3	9	4	3	1	28	4	5	.....
20	Lafayette	333	10	.....	.....	3	.....	1	2	4	1	34	1	3	2
21	Laporte	185	3	1	.....	1	6	1	1	.....	1	10	.....	1	.....
22	Logansport	299	9	1	.....	2	6	1	5	1	.....	27	1	4	4
23	Marion	265	8	1	.....	4	.....	.....	2	3	1	31	2	2	.....
24	Michigan City	280	9	.....	.....	5	2	5	3	1	.....	31	1	5	1
25	Mishawaka	137	2	.....	.....	.....	1	6	2	1	1	6	.....	2	.....
26	Muncie	352	9	1	.....	4	2	1	4	1	1	45	3	7	3
27	New Albany	376	4	2	.....	5	1	5	14	9	1	70	2	7	1
28	Peru	145	6	.....	.....	.....	1	1	.....	2	2	19	.....	2	.....
29	Richmond	305	2	.....	.....	4	2	.....	9	11	1	41	1	7	.....
30	South Bend	759	9	1	.....	.....	7	2	6	7	4	86	7	7	3
31	Terre Haute	931	17	6	.....	13	12	11	16	9	2	89	1	13	6
32	Vincennes	286	4	3	.....	4	.....	6	4	4	1	45	1	2	4
	KANSAS.[1]														
33	Registration cities (total)	2,405	117	6	1	33	10	5	46	17	8	178	1	25	12
34	White	2,060	97	3	1	32	10	5	40	14	7	120	1	21	8
35	Colored	345	20	3	.....	1	.....	.....	6	3	1	58	.....	4	4
36	Kansas City (total)	1,393	79	4	1	22	9	.....	29	5	6	127	.....	17	8
37	White	1,152	66	1	1	21	9	.....	25	4	5	82	.....	16	5
38	Colored	241	13	3	.....	1	.....	.....	4	1	1	45	.....	1	3
39	Leavenworth (total)	277	15	.....	.....	1	.....	.....	1	4	1	19	.....	3	1
40	White	218	11	.....	.....	1	.....	.....	1	4	1	9	.....	2	1
41	Colored	59	4	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	1	.....
42	Wichita	735	23	2	.....	10	1	5	16	8	1	32	1	5	3
	KENTUCKY.[1]														
43	Registration cities (total)	5,499	104	28	.....	12	22	51	36	57	16	747	28	41	17
44	White	4,176	70	6	.....	11	16	36	36	43	11	522	23	35	11
45	Colored	1,323	34	22	.....	1	6	15	.....	14	5	225	5	6	6
46	Covington	861	8	1	.....	3	.....	4	6	14	4	124	6	7	5
47	Louisville (total)	3,756	71	8	.....	3	21	41	24	30	11	499	16	27	10
48	White	2,667	44	1	.....	2	15	26	24	20	6	316	12	22	6
49	Colored	1,089	27	7	.....	1	6	15	.....	10	5	183	4	5	4
50	Newport	444	10	.....	.....	4	1	5	3	9	1	62	3	5	.....
51	Paducah (total)	438	15	19	.....	2	.....	1	3	4	.....	62	3	2	2
52	White	274	8	5	.....	2	.....	1	3	2	.....	35	2	2	1
53	Colored	164	7	14	.....	.....	.....	.....	.....	2	.....	27	1	.....	1
	LOUISIANA.[1]														
54	New Orleans (total)	7,250	107	33	2	66	28	14	37	172	13	905	21	44	37
55	White	4,311	67	18	.....	59	24	8	30	107	10	454	17	20	16
56	Colored	2,939	40	15	2	7	4	6	7	65	3	451	4	24	21
	MAINE.														
57	Registration cities (total)	3,380	56	1	.....	29	26	15	31	20	10	244	26	31	12
58	White	3,369	56	1	.....	29	26	15	31	20	10	241	26	31	12
59	Colored	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
60	Auburn	231	3	1	.....	8	4	3	1	2	.....	15	3	1	.....
61	Augusta	332	2	.....	.....	2	.....	.....	.....	2	3	28	1	3	1
62	Bangor	504	8	.....	.....	4	.....	.....	1	1	1	40	2	12	.....
63	Biddeford	411	3	.....	.....	6	14	4	8	1	2	34	6	1	3
64	Lewiston	586	3	.....	.....	4	6	3	9	4	2	39	6	7	3
65	Portland	1,106	31	.....	.....	5	2	2	9	8	2	64	5	7	5
66	Waterville	210	6	.....	.....	.....	.....	3	3	2	.....	24	3	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
667	126	94	582	1,149	165	1,065	101	851	116	114	111	763	103	58	571	821	180	2,166	36	1
641	122	90	554	1,060	153	949	95	799	112	110	105	684	97	57	530	767	173	2,004	33	2
26	4	4	28	89	12	116	6	52	4	4	6	79	6	1	41	54	7	162	3	3
12	3	4	16	27	5	29	3	27	5	3	1	18	6	2	19	19	7	47	.....	4
2	1	.....	5	8	1	51	1	82	.....	2	1	1	.....	1	15	28	4	26	1	5
19	3	1	14	42	3	24	4	8	3	4	.....	11	5	1	15	18	2	56	2	6
4	1	2	8	7	5	15	1	16	1	.....	1	9	2	1	10	7	.....	44	.....	7
60	8	8	23	89	17	93	10	64	9	4	13	57	11	5	46	58	14	152	.....	8
64	13	5	44	83	8	76	12	33	13	14	5	58	4	2	30	59	12	145	.....	9
3	.....	.....	2	9	.....	25	1	68	2	5	1	2	3	2	20	63	5	31	.....	10
13	2	1	4	12	.....	33	5	28	5	1	2	14	2	3	21	53	2	32	2	11
10	3	1	13	20	1	7	2	6	.....	.....	.....	4	1	.....	6	2	.....	23	.....	12
182	44	21	191	375	45	335	25	177	33	42	50	255	26	13	182	205	56	744	8	13
169	41	18	175	324	38	269	23	156	30	38	46	204	22	13	156	169	51	662	8	14
13	3	3	16	51	7	66	2	21	3	4	4	51	4	.....	26	36	5	82	.....	15
11	2	1	15	18	10	13	2	14	1	.....	1	27	.....	1	6	10	2	19	1	16
9	2	1	11	16	9	9	2	11	1	.....	1	23	.....	1	4	6	2	13	1	17
2	.....	.....	4	2	1	4	.....	3	.....	.....	.....	4	.....	.....	2	4	.....	6	.....	18
18	3	2	7	29	3	20	.....	17	1	4	.....	8	3	1	11	13	2	39	3	19
21	5	.....	25	41	5	16	3	17	4	3	3	17	.....	4	11	28	6	63	.....	20
16	2	1	11	23	2	6	1	6	5	3	1	13	.....	.....	17	19	1	33	.....	21
23	4	3	14	16	3	18	4	11	5	2	1	26	7	2	7	23	4	65	.....	22
15	1	4	25	29	1	20	3	9	1	1	4	11	3	1	11	16	2	52	2	23
21	2	11	12	21	4	30	2	27	2	1	2	16	3	2	12	8	5	35	1	24
5	3	.....	9	11	4	10	.....	8	1	1	.....	20	4	1	7	6	3	23	.....	25
23	5	3	18	26	5	28	1	15	4	4	2	24	.....	3	26	17	6	60	1	26
23	1	.....	23	29	11	21	5	23	1	3	2	23	1	2	10	11	4	61	1	27
9	3	2	9	18	1	10	1	3	.....	1	.....	7	.....	.....	3	9	.....	36	.....	28
20	2	2	13	37	2	28	3	9	.....	2	1	25	.....	.....	12	9	3	57	2	29
30	4	9	26	74	14	48	3	97	6	7	6	47	12	5	31	52	7	139	3	30
55	10	11	46	85	13	80	6	65	13	6	9	54	9	5	35	64	29	135	6	31
8	1	2	9	20	2	29	3	21	1	1	5	16	1	1	8	24	4	49	3	32
126	26	29	98	213	28	214	32	106	18	25	16	154	22	13	139	140	25	475	47	33
115	25	25	83	181	25	183	27	98	18	23	13	128	22	12	129	124	24	403	43	34
11	1	4	15	32	3	31	5	8	.....	2	3	26	.....	1	10	16	1	72	4	35
65	18	19	53	115	20	151	18	56	9	13	13	82	11	5	76	78	13	252	19	36
55	17	17	40	91	17	127	16	52	9	12	11	69	11	5	69	67	13	201	18	37
10	1	2	13	24	3	24	2	4	.....	1	2	13	.....	.....	7	11	.....	51	1	38
13	1	5	12	29	.....	22	6	2	.....	3	.....	18	3	3	10	17	8	77	3	39
13	1	3	12	24	.....	18	5	2	.....	2	.....	10	3	2	8	14	7	61	3	40
.....	.....	2	.....	5	.....	4	1	.....	.....	1	.....	8	.....	1	2	3	1	16	.....	41
48	7	5	33	69	8	41	8	48	9	9	3	54	8	5	53	45	4	146	25	42
190	32	101	227	473	101	531	117	119	38	46	46	417	14	11	309	248	53	1,121	146	43
172	28	83	191	335	60	364	89	101	35	38	40	342	11	9	255	193	51	844	115	44
18	4	18	36	138	41	167	28	18	3	8	6	75	3	2	54	55	2	277	31	45
29	5	14	40	67	5	79	12	28	7	5	11	96	2	4	57	47	9	137	25	46
135	22	67	141	354	83	342	98	64	27	34	27	272	10	6	219	156	36	819	83	47
120	19	52	114	227	46	201	74	51	24	29	23	208	7	5	170	111	34	590	65	48
15	3	15	27	127	37	138	24	13	3	5	4	64	3	1	49	45	2	229	18	49
15	3	10	30	33	9	53	1	16	1	3	7	24	2	1	17	20	7	75	14	50
11	2	10	16	19	4	57	6	11	3	4	1	25	.....	.....	16	25	1	90	24	51
9	1	7	9	13	.....	37	3	8	3	2	.....	20	.....	.....	13	18	1	56	13	52
2	1	3	7	6	4	20	3	3	.....	2	1	5	.....	.....	3	7	.....	34	11	53
290	29	48	255	704	114	659	70	448	43	48	137	811	34	40	217	387	74	1,329	34	54
220	24	33	179	426	64	303	46	298	31	33	93	469	23	28	122	220	67	780	22	55
70	5	15	76	278	50	356	24	150	12	15	44	342	11	12	95	167	7	549	12	56
175	27	56	213	328	39	334	59	203	47	40	18	211	16	11	122	171	15	715	79	57
174	27	56	213	327	39	334	59	203	47	40	18	210	16	11	122	168	15	714	78	58
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	1	1	59
6	3	5	22	19	3	25	3	11	.....	2	.....	15	.....	.....	11	13	.....	49	3	60
13	1	3	20	56	4	36	1	12	3	1	5	12	1	.....	8	16	1	89	8	61
28	3	3	41	46	1	41	6	8	12	5	4	23	2	1	14	33	4	132	28	62
18	4	15	7	28	3	65	5	43	4	2	2	29	.....	2	15	14	1	60	12	63
22	4	10	29	47	7	61	12	70	10	9	2	44	7	2	19	26	3	106	10	64
76	11	10	82	118	18	95	28	43	17	19	5	80	5	3	44	57	5	236	14	65
12	1	10	12	14	3	11	4	16	1	2	.....	8	1	3	11	12	1	43	4	66

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	MARYLAND.														
1	Registration cities (total)	11,690	281	12	.....	20	48	101	66	68	41	1,350	60	88	43
2	White	8,969	236	10	.....	19	46	63	62	55	37	870	48	63	35
3	Colored	2,721	45	2	.....	1	2	38	4	13	4	480	12	25	8
4	Baltimore (total)	10,753	235	11	.....	20	48	85	64	64	41	1,276	57	71	39
5	White	8,152	193	9	.....	19	46	47	60	51	37	816	45	46	31
6	Colored	2,601	42	2	.....	1	2	38	4	13	4	460	12	25	8
7	Cumberland (total)	440	34	1	.....	.....	.....	10	.....	2	.....	32	1	9	1
8	White	398	33	1	.....	.....	.....	10	.....	2	.....	27	1	9	1
9	Colored[1]	42	1	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....
10	Frederick (total)	206	9	.....	.....	.....	.....	4	2	1	.....	17	1	3	1
11	White	155	8	.....	.....	.....	.....	4	2	1	.....	9	1	3	1
12	Colored	51	1	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	.....	.....
13	Hagerstown (total)	291	3	.....	.....	.....	.....	2	.....	1	.....	25	1	5	2
14	White	264	2	.....	.....	.....	.....	2	.....	1	.....	18	1	5	2
15	Colored[1]	27	1	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	.....
	MASSACHUSETTS.														
16	Registration cities (total)	41,996	353	12	.....	326	233	232	607	283	137	3,469	399	286	162
17	White	41,274	347	12	.....	321	232	227	600	282	136	3,343	394	274	157
18	Colored	722	6	.....	.....	5	1	5	7	1	1	126	5	12	5
19	Adams town	171	.....	.....	.....	1	2	3	6	2	.....	9	2	.....	.....
20	Arlington town	143	.....	.....	.....	.....	1	1	2	2	.....	14	1	.....	1
21	Attleborough town	207	3	.....	.....	4	1	1	1	6	.....	12	2	2	.....
22	Beverly	246	1	.....	.....	.....	.....	.....	4	.....	3	19	2	5	1
23	Boston (total)	11,562	76	1	.....	96	62	51	161	51	56	1,157	145	77	43
24	White	11,224	75	1	.....	95	61	50	156	50	55	1,092	144	71	38
25	Colored	338	1	.....	.....	1	1	1	5	1	1	65	1	6	5
26	Brockton	707	9	.....	.....	1	9	.....	5	15	1	50	13	10	2
27	Brookline town	320	.....	.....	.....	.....	.....	1	1	1	1	11	1	3	1
28	Cambridge	1,576	10	.....	.....	4	3	4	24	8	1	258	15	10	4
29	Chelsea	605	5	.....	.....	.....	1	1	2	4	2	40	4	5	2
30	Chicopee	389	1	1	.....	2	2	2	3	2	.....	24	2	2	3
31	Clinton town	175	1	.....	.....	.....	.....	3	6	4	2	14	3	1	.....
32	Everett	370	3	.....	.....	2	4	1	5	3	1	33	4	.....	1
33	Fall River	2,201	18	1	.....	21	3	19	23	7	2	170	7	10	5
34	Fitchburg	496	11	.....	.....	1	5	.....	17	.....	4	28	3	3	3
35	Framingham town	221	3	.....	.....	.....	.....	.....	2	5	.....	14	.....	5	1
36	Gardner town	231	2	.....	.....	4	.....	1	.....	6	1	15	2	3	.....
37	Gloucester	391	2	.....	.....	.....	.....	.....	6	5	1	40	3	2	.....
38	Greenfield town	147	.....	.....	.....	.....	.....	5	1	3	.....	9	1	2	4
39	Haverhill	767	9	.....	.....	1	4	5	8	7	.....	63	4	4	5
40	Holyoke	1,027	9	.....	.....	11	.....	7	11	7	5	75	5	5	3
41	Hyde Park town	261	12	.....	.....	2	.....	2	6	2	.....	20	6	.....	1
42	Lawrence	1,530	14	1	.....	18	7	16	34	2	3	94	20	11	9
43	Leominster town	196	2	.....	.....	.....	1	.....	4	1	.....	22	5	.....	.....
44	Lowell	2,101	21	2	.....	30	44	6	22	8	2	120	21	13	12
45	Lynn	1,179	15	1	.....	4	5	8	19	15	4	101	10	13	5
46	Malden	582	2	.....	.....	.....	13	1	6	2	1	41	4	2	2
47	Marlborough	170	2	.....	.....	1	1	.....	.....	1	.....	17	3	.....	1
48	Medford	243	.....	.....	.....	1	1	.....	3	3	.....	20	3	1	.....
49	Melrose	205	1	.....	.....	.....	.....	1	3	4	.....	17	3	3	1
50	Methuen town	150	2	.....	.....	1	.....	2	2	1	.....	17	.....	.....	.....
51	Milford town	239	.....	.....	.....	1	.....	.....	2	4	1	14	1	.....	4
52	New Bedford	1,814	21	1	.....	40	5	8	25	3	4	110	15	11	5
53	Newburyport	280	3	.....	.....	3	.....	.....	1	1	.....	20	.....	2	2
54	Newton	484	3	.....	.....	.....	.....	.....	5	6	2	30	4	.....	2
55	North Adams	322	4	.....	.....	5	5	1	8	5	1	20	2	2	2
56	Northampton	366	1	.....	.....	.....	2	2	3	6	3	31	.....	5	3
57	Peabody town	203	.....	1	.....	.....	.....	.....	.....	2	3	24	1	1	.....
58	Pittsfield	572	8	.....	.....	6	2	7	4	4	2	27	5	6	.....
59	Plymouth town	162	4	.....	.....	.....	.....	.....	2	2	1	9	2	.....	3
60	Quincy	384	4	.....	.....	4	3	.....	3	2	2	33	7	4	1
61	Revere town	217	2	.....	.....	1	3	2	.....	2	.....	18	2	3	.....
62	Salem	691	3	.....	.....	.....	6	6	6	5	1	65	8	8	3
63	Somerville	1,041	8	.....	.....	4	5	1	21	8	5	76	11	4	2
64	Southbridge town	175	2	.....	.....	2	3	.....	7	3	.....	13	3	.....	1
65	Springfield	1,484	13	1	.....	13	20	21	37	18	2	73	3	15	6
66	Taunton	803	7	.....	.....	9	1	2	8	11	5	47	.....	4	1
67	Wakefield town	150	1	.....	.....	.....	2	2	.....	.....	.....	27	1	.....	1

[1] Colored population less than 10 per cent of total.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
589	105	129	547	1,035	186	1,138	132	699	75	96	80	1,062	37	64	738	520	86	1,858	336	1
527	96	108	448	756	154	833	111	522	60	82	72	835	27	48	562	421	84	1,439	240	2
62	9	21	99	279	32	305	21	177	15	14	8	227	10	16	176	99	2	419	96	3
538	101	124	510	972	173	1,071	120	639	69	88	73	999	34	58	693	441	81	1,666	292	4
482	92	103	414	700	143	780	99	470	54	74	65	783	24	44	524	344	79	1,270	208	5
56	9	21	96	272	30	291	21	169	15	14	8	216	10	14	169	97	2	396	84	6
23	2	3	15	26	2	33	8	36	5	5	4	31	-------	5	19	49	1	70	13	7
21	2	3	13	24	2	26	8	33	5	5	4	26	-------	3	17	47	1	65	9	8
2	-------	-------	2	2	-------	7	-------	3	-------	-------	-------	5	-------	2	2	2	-------	5	4	9
15	-------	1	11	13	2	14	2	9	-------	1	2	17	1	-------	7	10	1	48	14	10
11	-------	1	10	9	2	9	2	4	-------	1	2	12	1	-------	5	10	1	39	7	11
4	-------	-------	1	4	-------	5	-------	5	-------	-------	-------	5	-------	-------	2	-------	-------	9	7	12
13	2	1	11	24	9	20	2	15	1	2	1	15	2	1	19	20	3	74	17	13
13	2	1	11	23	7	18	2	15	1	2	1	14	2	1	16	20	3	65	16	14
-------	-------	-------	-------	1	2	2	-------	-------	-------	-------	-------	1	-------	-------	3	-------	-------	9	1	15
2,344	487	495	2,387	4,391	772	4,816	356	3,544	338	348	265	2,296	148	196	2,489	1,973	318	7,003	531	16
2,318	482	489	2,358	4,300	756	4,715	352	3,516	335	344	263	2,241	148	196	2,458	1,950	312	6,896	520	17
26	5	6	29	91	16	101	4	28	3	4	2	55	-------	-------	31	23	6	107	11	18
4	3	2	7	18	2	16	-------	40	1	1	1	8	1	1	4	5	3	26	3	19
14	2	3	15	25	4	20	2	4	-------	-------	1	8	-------	-------	2	3	-------	21	2	20
11	2	4	11	26	3	29	-------	19	2	1	2	14	2	1	11	9	1	27	-------	21
16	7	4	17	30	3	22	1	9	3	1	-------	24	2	-------	11	19	1	40	1	22
704	140	105	617	1,355	166	1,435	80	678	110	93	97	603	38	56	603	646	103	1,841	116	23
688	137	104	607	1,302	163	1,383	79	671	109	91	96	582	38	56	591	634	100	1,792	113	24
16	3	1	10	53	3	52	1	7	1	2	1	21	-------	-------	12	12	3	49	3	25
44	16	17	48	70	7	61	13	24	8	9	3	39	8	5	49	31	7	122	11	26
40	10	-------	30	61	5	26	2	4	4	4	6	22	1	1	11	10	1	62	-------	27
85	16	10	92	161	29	192	16	99	12	16	8	82	2	3	89	61	9	244	9	28
44	14	5	37	86	9	77	3	28	2	2	7	49	3	4	30	23	5	104	7	29
11	5	13	16	30	3	50	5	73	1	-------	2	25	2	1	28	14	-------	61	5	30
5	2	3	9	15	3	14	2	5	1	2	2	10	-------	2	10	8	2	42	4	31
26	4	1	23	45	7	40	4	11	3	2	4	25	2	3	27	21	1	62	2	32
97	12	28	92	152	94	235	20	448	9	18	8	113	6	9	162	57	19	287	49	33
25	5	4	20	47	11	51	2	60	4	3	3	18	5	4	37	24	6	88	4	34
14	2	4	14	22	4	25	3	5	1	4	2	15	-------	-------	14	15	7	40	-------	35
9	1	7	24	9	2	30	1	28	6	3	2	12	1	4	13	8	1	36	-------	36
23	7	2	27	62	5	47	6	20	3	7	2	20	1	-------	13	23	-------	61	3	37
12	1	1	3	17	3	8	3	2	2	-------	1	14	-------	-------	6	7	2	28	12	38
48	9	15	55	61	9	120	8	33	6	7	6	46	4	5	51	27	5	129	13	39
40	13	28	39	60	12	135	11	157	7	9	11	65	3	3	101	40	4	135	16	40
27	3	4	16	15	3	25	3	11	3	-------	-------	11	-------	4	18	15	3	39	10	41
68	4	25	60	100	33	204	16	264	14	8	4	59	8	8	91	71	8	213	43	42
13	1	-------	14	15	3	25	-------	7	1	1	1	10	-------	1	17	6	1	43	2	43
90	18	25	103	184	90	210	20	269	16	19	16	111	1	7	156	74	17	350	24	44
60	19	20	59	134	13	140	12	73	10	17	2	73	3	6	55	50	7	213	13	45
33	7	6	44	87	13	56	2	34	4	3	3	45	2	4	26	24	5	107	3	46
12	3	4	12	27	4	4	-------	12	2	2	1	5	-------	-------	9	7	-------	38	2	47
23	4	-------	23	33	1	27	-------	8	1	1	-------	15	2	-------	8	7	4	54	-------	48
19	2	1	14	31	1	21	-------	12	-------	3	-------	5	2	2	9	6	4	37	3	49
5	2	-------	14	18	4	13	1	13	-------	1	1	9	1	1	10	5	2	22	3	50
13	4	3	16	16	4	46	-------	15	3	-------	3	12	1	1	15	9	2	45	4	51
57	14	40	71	150	45	182	23	317	10	13	7	61	4	7	127	68	8	314	48	52
23	1	1	18	41	4	30	4	8	3	8	-------	20	-------	2	5	20	-------	55	5	53
34	6	5	53	58	6	43	2	17	3	4	3	26	2	2	36	20	3	97	7	54
26	3	4	14	28	5	38	2	20	5	2	3	21	1	1	17	23	4	48	2	55
19	5	3	28	26	6	29	3	17	1	2	3	30	-------	4	16	15	2	101	-------	56
8	-------	3	16	18	6	23	1	14	-------	2	-------	9	-------	1	14	14	5	34	3	57
36	7	5	44	52	5	54	7	23	8	6	5	35	3	9	42	52	2	100	6	58
15	3	2	13	25	2	9	-------	4	2	2	2	5	-------	-------	11	5	1	37	1	59
18	5	2	23	45	4	49	6	27	-------	-------	2	13	3	2	29	22	6	59	6	60
15	1	1	12	26	3	25	-------	18	-------	1	2	21	-------	1	14	6	3	34	1	61
32	6	4	51	74	14	83	10	48	2	12	1	40	2	2	52	30	2	106	9	62
67	16	6	77	170	15	123	9	52	11	5	7	48	4	11	43	38	5	183	6	63
12	4	7	8	14	5	14	4	21	1	-------	1	9	1	-------	13	5	1	18	3	64
83	15	18	74	115	19	165	11	98	18	11	4	154	6	2	88	96	21	252	12	65
44	10	11	49	58	15	99	10	101	6	4	4	27	4	5	38	38	2	170	13	66
10	2	6	15	12	2	15	-------	8	1	1	-------	6	1	1	9	3	-------	24	-------	67

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	MASSACHUSETTS—continued.														
1	Waltham	389	3	1	.....	1	.....	2	13	4	2	27	5	2	2
2	Watertown town	143	2	.....	.....	3	1	.....	1	1	1	13	2	.....	2
3	Webster town	178	.....	.....	.....	3	.....	1	4	3	.....	12	.....	1	2
4	Westfield town	302	4	.....	.....	1	.....	.....	12	3	.....	65	3	3	1
5	Weymouth town	200	1	.....	.....	.....	.....	.....	1	2	.....	18	2	2	.....
6	Winthrop town	105	.....	.....	.....	.....	.....	.....	3	2	.....	3	2	1	1
7	Woburn	241	2	.....	.....	2	1	4	3	2	2	18	1	4	.....
8	Worcester	2,477	23	1	.....	23	5	32	51	7	10	152	25	16	8
	MICHIGAN.														
9	Registration cities (total)	16,369	326	3	81	84	145	149	239	122	52	1,004	49	135	79
10	White	16,108	322	3	80	83	144	147	237	120	52	970	49	131	76
11	Colored	261	4	.....	1	1	1	2	2	2	.....	34	.....	4	3
12	Adrian	169	2	.....	.....	2	.....	.....	.....	14	.....	8	.....	1	.....
13	Alpena	194	5	.....	.....	.....	.....	3	.....	2	1	8	1	3	.....
14	Ann Arbor	345	5	.....	.....	.....	.....	.....	.....	3	2	19	.....	8	2
15	Battle Creek	423	8	.....	2	3	1	2	3	9	1	17	.....	2	1
16	Bay City	612	11	.....	30	9	21	7	4	1	.....	27	2	4	5
17	Detroit	7,452	108	3	.....	31	76	108	159	25	25	465	23	56	29
18	Escanaba	206	8	.....	.....	1	.....	.....	10	.....	1	11	.....	.....	1
19	Flint	549	40	.....	1	4	.....	3	6	2	.....	40	2	3	3
20	Grand Rapids	1,648	32	.....	.....	.....	20	6	12	6	4	115	5	20	8
21	Holland	141	.....	.....	.....	6	2	3	1	3	.....	5	.....	1	4
22	Ironwood	180	2	.....	.....	.....	5	.....	7	.....	1	14	1	1	.....
23	Ishpeming	158	2	.....	.....	.....	2	.....	6	.....	.....	12	3	.....	.....
24	Jackson	466	10	.....	.....	3	.....	.....	2	6	1	24	1	5	4
25	Kalamazoo	743	13	.....	.....	3	7	2	1	14	9	46	1	5	1
26	Lansing	412	15	.....	.....	2	1	.....	2	16	.....	19	.....	5	3
27	Manistee	160	2	.....	.....	3	1	1	3	3	.....	9	1	1	3
28	Marquette	182	11	.....	.....	.....	4	1	.....	.....	.....	16	2	1	.....
29	Menominee	148	7	.....	.....	.....	1	2	1	1	.....	6	.....	3	1
30	Muskegon	311	6	.....	.....	1	.....	1	1	1	.....	20	2	2	1
31	Pontiac	369	8	.....	.....	1	4	1	4	6	1	26	.....	2	.....
32	Port Huron	313	14	.....	.....	2	.....	1	11	3	.....	13	1	1	1
33	Saginaw	761	11	.....	48	3	.....	7	4	4	3	43	2	6	8
34	Sault Ste. Marie	157	3	.....	.....	.....	.....	1	1	1	.....	4	2	3	2
35	Traverse City	270	3	.....	.....	.....	.....	.....	1	2	3	37	.....	2	2
	MINNESOTA.														
36	Registration cities (total)	8,193	319	.....	4	93	160	35	293	14	34	754	63	84	48
37	White	8,070	317	.....	4	93	160	35	290	14	34	731	62	82	48
38	Colored	123	2	.....	.....	.....	.....	.....	3	.....	.....	23	1	2	.....
39	Duluth	1,052	60	.....	1	3	22	9	15	3	8	83	9	12	9
40	Mankato	170	1	.....	.....	2	.....	2	1	.....	1	13	2	4	1
41	Minneapolis	3,739	178	.....	1	48	50	7	130	4	14	367	28	31	21
42	St. Cloud	131	3	.....	.....	.....	1	2	1	.....	1	9	.....	1	2
43	St. Paul	2,558	42	.....	1	32	65	11	138	2	9	239	22	34	14
44	Stillwater	114	6	.....	.....	.....	5	1	.....	2	.....	18	1	1	.....
45	Virginia	176	25	.....	.....	2	5	3	4	.....	.....	7	1	1	.....
46	Winona	253	4	.....	1	6	12	.....	4	3	1	18	.....	.....	1
	MISSOURI.[1]														
47	Registration cities (total)	15,909	269	48	2	162	246	79	184	165	27	1,632	55	131	82
48	White	14,007	236	44	2	155	238	62	175	152	27	1,244	46	99	71
49	Colored	1,902	33	4	.....	7	8	17	9	13	.....	388	9	32	11
50	Kansas City (total)	3,966	136	10	2	71	58	8	54	28	7	375	10	36	16
51	White	3,317	117	10	2	65	56	5	47	25	7	225	8	28	14
52	Colored	649	19	.....	.....	6	2	3	7	3	.....	150	2	8	2
53	St. Joseph	1,055	30	4	.....	27	1	14	19	8	2	108	.....	14	10
54	St. Louis (total)	10,888	103	34	.....	64	187	57	111	129	18	1,149	45	81	56
55	White	9,733	94	30	.....	63	182	43	110	120	18	937	38	59	48
56	Colored	1,155	9	4	.....	1	5	14	1	9	.....	212	7	22	8
	MONTANA.														
57	Registration cities (total)	1,527	69	.....	1	6	28	16	26	8	7	135	7	12	11
58	White	1,475	62	.....	1	6	28	16	26	8	7	126	6	11	11
59	Colored	52	7	.....	.....	.....	.....	.....	.....	.....	.....	9	1	1	.....
60	Anaconda	136	1	.....	1	.....	1	.....	8	.....	1	1	.....	1	2
61	Billings	152	11	.....	.....	.....	2	.....	4	.....	.....	7	.....	2	1
62	Butte	602	11	.....	.....	4	20	12	6	1	5	86	2	5	4
63	Great Falls	252	28	.....	.....	2	2	2	6	.....	.....	13	2	3	2
64	Helena	184	5	.....	.....	.....	2	.....	1	5	1	17	.....	1	.....
65	Missoula	201	13	.....	.....	.....	1	2	1	2	.....	11	3	.....	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
21	5	5	34	40	2	47	2	7	5	4	2	20	1	-------	17	16	1	91	7	1
6	3	2	11	26	1	14	-------	2	1	1	-------	5	1	-------	13	10	1	19	1	2
5	4	-------	11	12	1	14	1	27	-------	1	1	16	-------	1	20	4	1	29	4	3
12	1	1	9	29	7	27	2	25	-------	4	2	19	2	-------	24	11	4	26	5	4
3	2	2	21	38	6	19	5	14	1	-------	-------	15	-------	-------	6	6	1	33	2	5
10	3	-------	9	11	3	7	-------	2	2	1	3	7	-------	-------	9	6	2	18	-------	6
13	2	-------	19	23	6	19	2	12	-------	3	-------	14	-------	1	20	11	2	53	2	7
140	31	23	136	288	40	279	16	197	19	24	14	108	12	8	140	129	11	485	24	8
833	154	211	696	1,474	323	1,352	229	1,077	180	173	132	754	86	106	1,173	859	203	3,467	419	9
820	152	209	689	1,447	316	1,317	220	1,070	175	171	129	739	85	105	1,166	845	197	3,429	413	10
13	2	2	7	27	7	35	9	7	5	2	3	15	1	1	7	14	6	38	6	11
7	1	4	6	31	1	8	1	5	3	1	-------	12	1	-------	3	5	2	45	6	12
10	1	1	6	21	16	16	-------	17	2	2	-------	3	2	1	11	9	-------	49	4	13
49	4	1	19	23	5	13	10	4	13	1	4	17	1	3	13	17	4	101	4	14
26	9	4	26	63	8	21	3	16	3	4	2	24	2	2	25	26	4	96	10	15
28	2	10	28	61	10	50	13	29	8	6	5	25	4	4	29	30	8	125	16	16
324	68	127	255	515	143	778	109	581	75	97	78	315	48	49	662	400	122	1,368	230	17
9	2	4	7	19	5	14	4	17	2	2	1	10	-------	2	15	9	-------	45	7	18
17	2	5	14	32	8	53	6	52	4	2	-------	31	4	2	41	28	3	125	16	19
103	14	17	80	191	30	93	28	108	24	16	5	94	5	15	118	66	13	360	40	20
9	2	-------	10	7	5	7	5	10	1	1	1	9	1	1	9	6	1	31	-------	21
1	-------	2	6	3	7	11	-------	25	-------	2	3	4	1	1	8	27	-------	34	14	22
13	2	2	3	12	3	15	3	13	3	1	1	1	-------	1	13	18	2	25	2	23
34	6	5	36	55	17	22	3	25	6	2	2	34	1	3	20	26	2	100	6	24
42	8	4	36	79	14	44	6	14	10	7	5	37	4	5	36	38	7	239	6	25
20	7	2	20	69	5	23	2	38	1	5	1	14	1	2	20	17	5	91	6	26
7	2	3	7	25	-------	8	1	12	4	1	2	4	-------	2	10	5	2	29	4	27
11	1	-------	8	18	3	7	4	14	-------	1	-------	19	-------	2	11	17	2	27	2	28
13	2	1	2	14	2	9	1	9	1	1	1	9	-------	-------	12	10	-------	37	2	29
20	6	4	29	28	5	26	6	16	1	3	1	14	3	1	24	10	3	67	9	30
9	3	1	14	33	2	45	6	11	3	2	3	19	-------	3	10	11	5	129	7	31
16	2	-------	19	30	6	19	2	17	3	3	6	15	1	5	18	22	6	73	3	32
48	8	9	45	81	17	44	9	26	11	9	8	28	6	1	47	43	5	159	18	33
1	1	4	6	13	10	17	5	12	1	2	2	4	-------	-------	14	14	3	26	5	34
16	1	1	14	51	1	9	2	6	1	2	1	12	1	1	4	5	4	86	2	35
493	75	87	299	612	86	727	69	521	131	82	51	440	51	44	427	506	104	1,414	73	36
488	75	85	295	598	85	709	67	520	129	81	49	426	51	43	422	501	102	1,401	73	37
5	-------	2	4	14	1	18	2	1	2	1	2	14	-------	1	5	5	2	13	-------	38
50	6	13	33	52	4	87	11	92	19	9	4	47	12	9	62	106	12	176	14	39
17	3	2	10	9	4	13	1	2	6	2	-------	6	-------	3	11	8	3	42	1	40
208	32	41	127	290	31	359	33	240	56	41	25	224	25	14	148	222	53	679	12	41
12	2	-------	5	9	1	10	-------	9	3	2	1	7	1	3	8	11	3	22	2	42
182	23	25	101	201	37	211	20	151	41	25	17	145	11	14	153	116	30	410	36	43
9	4	-------	9	12	-------	7	2	2	1	-------	2	4	2	1	3	3	-------	18	1	44
2	1	1	2	9	1	19	-------	16	2	-------	1	1	-------	-------	21	25	2	23	2	45
13	4	5	12	30	8	21	2	9	3	3	1	6	-------	-------	21	15	1	44	5	46
838	126	129	594	1,338	351	1,548	164	751	155	165	259	1,455	101	71	733	970	304	2,675	100	47
786	119	121	547	1,155	312	1,332	150	694	145	154	236	1,301	88	66	668	856	300	2,346	80	48
52	7	8	47	183	39	216	14	57	10	11	23	154	13	5	65	114	4	329	20	49
202	28	48	141	344	33	366	39	123	55	38	36	238	28	17	238	309	85	737	50	50
188	28	44	130	285	27	288	37	99	52	34	31	203	21	14	214	259	83	637	34	51
14	-------	4	11	59	6	78	2	24	3	4	5	35	7	3	24	50	2	100	16	52
49	9	6	52	89	11	76	11	32	26	12	13	77	6	8	32	57	20	229	3	53
587	89	75	401	905	307	1,106	114	596	74	115	210	1,140	67	46	463	604	199	1,709	47	54
550	82	71	367	789	277	978	104	566	67	108	193	1,028	62	44	423	542	198	1,498	44	55
37	7	4	34	116	30	128	10	30	7	7	17	112	5	2	40	62	1	211	3	56
76	19	20	47	88	13	125	23	85	40	19	20	84	10	15	77	141	31	238	30	57
75	17	19	45	85	13	120	22	84	40	19	19	80	9	15	77	137	30	232	29	58
1	2	1	2	3	-------	5	1	1	-------	-------	1	4	1	-------	-------	4	1	6	1	59
4	3	1	4	5	3	22	3	9	3	-------	2	8	-------	-------	8	10	3	21	11	60
4	3	-------	3	11	-------	12	4	13	6	-------	1	6	1	2	7	18	4	25	5	61
32	3	9	23	36	7	46	8	30	11	9	9	31	6	9	21	53	12	88	3	62
5	3	-------	5	8	2	13	3	18	6	3	3	8	2	2	24	28	2	48	9	63
20	5	6	7	13	-------	12	3	6	2	4	3	17	1	1	12	13	4	22	1	64
11	2	4	5	15	1	20	2	9	12	3	2	14	-------	1	5	19	6	34	1	65

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	NEBRASKA.[1]														
1	Registration cities (total)	2,364	116	1	.....	9	19	19	21	11	12	193	12	19	9
2	White	2,244	108	1	.....	9	19	19	20	10	11	159	12	16	9
3	Colored	120	8	.....	.....	.....	.....	.....	1	1	1	34	.....	3	.....
4	Lincoln	485	8	.....	.....	2	.....	.....	4	1	3	39	1	3	1
5	Omaha	1,879	108	1	.....	7	19	19	17	10	9	154	11	16	8
	NEW HAMPSHIRE.														
6	Registration cities (total)	3,061	20	.....	.....	6	4	18	41	23	7	216	24	29	13
7	White	3,052	20	.....	.....	6	4	18	40	23	7	216	24	29	13
8	Colored	9	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Berlin	190	5	.....	.....	2	.....	1	1	.....	.....	9	.....	2	1
10	Concord	465	.....	.....	.....	.....	1	1	2	7	1	32	.....	4	2
11	Dover	236	.....	.....	.....	1	.....	1	.....	3	2	22	1	2	1
12	Keene	178	3	.....	.....	.....	.....	.....	1	1	.....	9	.....	2	.....
13	Laconia	187	1	.....	.....	1	.....	.....	1	2	.....	12	.....	1	2
14	Manchester	1,163	8	.....	.....	2	.....	7	26	7	3	82	21	13	3
15	Nashua	460	1	.....	.....	.....	3	7	5	2	1	41	2	3	2
16	Portsmouth	182	2	.....	.....	.....	.....	1	5	1	.....	9	.....	2	2
	NEW JERSEY.														
17	Registration cities (total)	26,530	247	9	.....	185	211	291	536	158	95	2,774	220	195	152
18	White	25,139	233	8	.....	180	209	252	529	156	95	2,547	198	167	144
19	Colored	1,391	14	1	.....	5	2	39	7	2	.....	227	22	28	8
20	Asbury Park	170	.....	.....	.....	1	.....	.....	5	1	.....	19	.....	1	.....
21	Atlantic City (total)	800	10	.....	.....	5	3	15	9	5	.....	55	8	6	1
22	White	627	8	.....	.....	5	3	8	7	5	.....	31	6	3	1
23	Colored	173	2	.....	.....	.....	.....	7	2	.....	.....	24	2	3	.....
24	Bayonne	827	1	.....	.....	.....	7	24	21	2	1	65	9	1	5
25	Bloomfield	168	.....	.....	.....	2	2	6	2	3	1	16	.....	.....	1
26	Bridgeton	217	4	.....	.....	.....	.....	.....	6	2	.....	29	.....	1	3
27	Camden	1,629	16	.....	.....	12	9	25	63	9	4	118	11	15	8
28	East Orange	372	.....	.....	.....	2	5	3	4	6	1	31	2	4	2
29	Elizabeth	1,122	14	1	.....	5	9	12	13	5	1	116	10	7	5
30	Garfield	129	1	.....	.....	.....	1	.....	7	.....	.....	6	4	1	.....
31	Hackensack	231	6	.....	.....	.....	2	2	4	1	.....	19	4	2	3
32	Harrison	237	1	.....	.....	3	4	7	8	3	2	28	1	1	4
33	Hoboken	1,328	11	.....	.....	7	12	6	34	2	4	158	14	10	9
34	Irvington	143	1	.....	.....	.....	3	.....	.....	1	1	15	1	1	.....
35	Jersey City	4,401	31	3	.....	23	46	13	83	19	20	474	20	25	37
36	Kearny	276	.....	.....	.....	4	3	3	3	4	.....	28	2	3	1
37	Long Branch	295	8	.....	.....	.....	1	2	5	5	.....	21	4	7	.....
38	Millville	149	2	.....	.....	.....	.....	4	6	5	1	18	.....	3	.....
39	Montclair	324	.....	.....	.....	6	3	5	3	3	.....	32	5	3	1
40	Morristown	295	6	1	.....	1	3	2	14	2	1	23	1	3	.....
41	New Brunswick	494	4	.....	.....	3	1	8	3	3	3	40	2	7	2
42	Newark	5,784	46	3	.....	56	42	65	107	40	31	748	72	39	28
43	Orange	538	6	.....	.....	7	2	16	4	5	1	69	9	6	3
44	Passaic	820	9	.....	.....	.....	7	4	13	4	4	58	10	3	6
45	Paterson	1,857	9	.....	.....	11	12	19	26	5	7	206	9	16	7
46	Perth Amboy	509	2	.....	.....	5	7	8	15	.....	1	36	2	.....	3
47	Phillipsburg	211	6	.....	.....	3	2	3	7	6	.....	17	2	4	2
48	Plainfield	325	3	.....	.....	.....	2	1	3	1	1	40	.....	3	1
49	Trenton	1,976	49	1	.....	17	10	34	30	14	6	205	7	20	12
50	Union	252	.....	.....	.....	4	8	.....	13	1	2	15	2	2	2
51	West Hoboken	387	.....	.....	.....	3	4	.....	11	.....	.....	35	3	1	2
52	West New York	169	1	.....	.....	3	1	2	14	.....	1	23	3	.....	3
53	West Orange	95	.....	.....	.....	2	.....	2	.....	1	1	11	3	.....	1
	NEW YORK.														
54	Registration cities (total)	110,283	1,023	50	6	1,041	1,447	526	2,193	532	383	11,617	994	662	531
55	White	107,278	1,004	47	4	1,027	1,442	503	2,172	514	378	11,017	957	624	521
56	Colored	3,005	19	3	2	14	5	23	21	18	5	600	37	38	10
57	Albany	1,943	14	1	.....	24	12	10	15	20	3	240	5	8	10
58	Amsterdam	543	7	.....	.....	4	4	9	12	1	1	33	1	3	1
59	Auburn	532	3	1	.....	3	5	1	6	1	3	45	.....	1	3
60	Batavia	201	5	1	.....	3	.....	.....	2	4	.....	7	.....	1	.....
61	Binghamton	904	8	.....	.....	4	3	6	10	4	3	82	2	3	4
62	Buffalo	6,940	87	1	1	94	228	69	161	30	20	528	44	41	21
63	Cohoes	509	19	.....	.....	3	33	1	13	3	1	51	1	6	2
64	Corning	201	8	.....	.....	.....	1	1	.....	1	.....	8	1	1	1
65	Cortland	218	9	.....	.....	.....	.....	.....	2	2	.....	4	.....	.....	2
66	Dunkirk	280	4	.....	.....	6	25	.....	9	3	.....	13	.....	2	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
142	18	20	98	187	16	241	23	99	63	40	25	118	12	8	107	150	40	500	16	1
138	17	20	96	169	16	233	22	95	63	40	24	111	11	7	104	143	38	489	15	2
4	1	.....	2	18	.....	8	1	4	.....	.....	1	7	1	1	3	7	2	11	1	3
28	8	7	28	36	2	42	5	21	11	10	5	27	.....	3	28	23	9	116	14	4
114	10	13	70	151	14	199	18	78	52	30	20	91	12	5	79	127	31	384	2	5
131	35	83	177	279	69	274	36	250	19	25	9	175	5	17	213	114	24	655	70	6
130	35	83	174	279	69	274	36	250	19	25	9	175	5	17	212	114	23	653	70	7
1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	8
3	1	17	3	3	6	19	2	45	2	.....	1	4	.....	2	16	13	.....	26	6	9
14	7	5	39	91	7	27	3	14	.....	3	2	26	4	1	11	18	10	130	3	10
13	5	1	22	24	4	17	1	9	1	4	1	22	.....	1	10	12	2	50	4	11
15	4	1	9	13	3	18	5	7	2	3	2	12	.....	1	7	8	4	47	1	12
8	1	4	10	7	3	17	1	16	3	.....	1	14	.....	2	15	9	2	50	4	13
43	12	46	58	81	36	118	11	105	8	9	1	60	.....	3	110	28	3	221	38	14
17	3	8	18	41	7	41	11	52	2	4	1	18	1	7	37	15	3	97	10	15
18	2	1	18	19	3	17	2	2	1	2	.....	19	.....	.....	7	11	.....	34	4	16
1,233	292	312	1,363	2,252	410	3,011	263	2,178	188	200	318	1,956	159	144	1,476	1,502	318	3,482	400	17
1 201	282	298	1,302	2,133	382	2,833	251	2,070	180	189	312	1,872	154	140	1,405	1,441	311	3,293	372	18
32	10	14	61	119	28	178	12	108	8	11	6	84	5	4	71	61	7	189	28	19
6	4	1	11	24	3	9	1	11	.....	1	1	20	.....	1	11	7	2	25	5	20
42	15	3	46	84	10	76	3	59	5	6	7	86	2	4	34	35	15	139	12	21
35	12	3	41	69	7	48	3	48	4	4	7	75	1	4	29	31	15	106	8	22
7	3	.....	5	15	3	28	.....	11	1	2	.....	11	1	.....	5	4	.....	33	4	23
27	1	12	31	50	17	105	7	117	4	4	9	68	4	5	47	63	2	96	22	24
6	3	.....	13	24	2	16	2	10	.....	.....	.....	9	1	.....	5	8	1	34	1	25
11	2	2	14	30	8	10	2	4	.....	1	4	34	.....	2	3	7	2	34	2	26
66	14	28	73	153	8	210	28	98	11	14	11	129	13	4	96	114	15	217	37	27
29	8	.....	33	54	7	41	3	11	2	.....	1	36	.....	2	12	10	5	57	1	28
53	10	12	67	76	12	140	12	118	5	11	13	62	9	6	67	63	17	151	20	29
1	1	.....	2	3	1	24	1	29	.....	1	1	5	.....	2	16	5	1	15	1	30
6	3	3	9	19	1	31	2	21	5	2	3	13	2	2	12	15	1	34	4	31
10	.....	5	7	13	5	20	1	28	1	.....	3	11	.....	2	10	20	1	31	7	32
57	16	23	70	121	25	191	12	87	9	10	21	96	5	4	54	74	19	157	10	33
12	3	2	7	13	4	15	2	5	.....	.....	1	14	.....	.....	9	3	5	19	6	34
184	37	57	212	362	62	484	50	394	27	32	79	343	26	20	233	281	61	585	78	35
10	5	6	31	27	6	20	5	7	2	1	4	22	1	1	7	9	4	52	5	36
19	7	2	11	23	2	17	4	16	8	10	5	29	1	3	12	26	2	43	2	37
9	1	.....	4	10	2	9	1	10	.....	1	1	9	.....	3	7	8	1	29	5	38
16	3	1	11	23	2	42	1	31	2	5	2	30	1	1	12	27	5	47	1	39
18	2	7	19	29	2	32	1	13	6	3	2	13	2	2	14	23	.....	41	9	40
32	3	9	18	48	2	45	4	60	4	5	1	27	1	2	30	26	5	85	11	41
292	76	58	348	471	130	628	59	397	46	39	80	452	33	30	322	302	74	630	40	42
33	8	5	26	48	8	65	3	28	3	5	6	33	1	2	36	24	3	69	4	43
35	3	7	19	53	13	131	9	119	10	3	8	33	12	6	83	51	5	85	17	44
85	31	29	80	213	26	204	19	148	9	14	17	135	9	18	77	93	27	267	29	45
12	4	10	18	22	11	44	1	92	6	2	4	27	8	1	42	34	5	62	25	46
8	1	3	16	13	.....	28	2	15	.....	.....	2	10	.....	.....	10	12	2	33	4	47
20	3	1	17	32	4	34	3	12	3	4	4	28	1	2	23	18	5	54	2	48
77	19	18	102	122	25	222	19	186	16	20	13	128	21	14	130	112	20	284	23	49
15	4	3	6	24	2	33	2	18	3	3	4	15	2	1	16	10	6	31	5	50
27	3	2	31	35	8	52	3	21	.....	2	8	31	4	2	27	11	4	48	9	51
9	2	2	3	16	2	27	1	7	.....	1	2	5	.....	.....	10	7	3	18	3	52
6	.....	1	8	17	.....	6	.....	6	1	.....	1	3	.....	2	9	4	.....	10	.....	53
5,587	1,250	864	4,489	10,144	1,927	14,013	1,004	8,266	934	913	1,349	9,178	511	594	5,458	5,671	1,127	15,042	957	54
5,511	1,243	846	4,399	9,939	1,862	13,542	983	8,078	910	890	1,324	8,933	489	583	5,287	5,530	1,115	14,680	924	55
76	7	18	90	205	65	471	21	188	24	23	25	245	22	11	171	141	12	362	33	56
139	27	21	102	236	17	163	25	54	14	30	23	172	4	7	61	81	17	368	20	57
15	7	11	23	36	16	57	6	95	5	5	4	32	2	5	24	31	4	84	5	58
38	5	1	44	66	9	55	1	36	4	3	3	33	3	2	29	23	9	96	.....	59
17	5	1	15	14	1	21	2	10	.....	1	2	12	2	1	8	10	.....	52	4	60
45	9	11	58	113	18	88	13	44	8	7	12	70	5	6	35	39	14	173	7	61
390	77	42	310	681	128	713	68	563	63	61	96	417	26	27	371	411	56	1,092	23	62
14	.....	16	25	34	2	65	8	56	.....	2	4	21	1	3	22	16	7	74	6	63
6	4	1	17	17	4	23	2	6	4	4	4	9	.....	.....	10	16	1	50	1	64
16	3	2	16	29	2	21	1	7	.....	2	1	24	2	.....	17	15	2	37	2	65
15	1	1	9	21	.....	27	2	25	2	2	.....	6	1	.....	22	29	2	52	1	66

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	NEW YORK—continued.														
1	Elmira	557	10	2			1	5	8	9	1	26	3	2	5
2	Fulton	154	1			1		1	3	4		12		3	3
3	Geneva	172	2				2		1	2	2	14			
4	Glens Falls	242	3	1			1	1		2		19	1	2	2
5	Gloversville	321	2			5	1		3	5	1	17		2	4
6	Hornell	174	5			2	1			4		6	1	3	1
7	Hudson	236	7					1	2			25	2	4	
8	Ithaca	244	5	1			2			4		15	1	2	1
9	Jamestown	404	9			1	4	1	6	6		25	2	5	4
10	Johnstown	145	1							1		12			
11	Kingston	476	6			2	2	6	7	11	2	47		7	1
12	Lackawanna	396	1			33	14	1	7	1	1	21		6	
13	Little Falls	193	2				3	2		3		11		2	
14	Lockport	300	2	1		3	3		4	2	1	26	2		1
15	Middletown	372	4	1		1	5		2	2		38	2	7	
16	Mount Vernon	433	3			1	2	4	7	5		37	8	1	1
17	New Rochelle	342		1		6		10	8	1	1	27	2	2	2
18	New York (total)	76,787	556	32	5	693	959	282	1,710	295	297	8,881	814	432	388
19	Bronx Borough	6,968	41	4		54	77	26	133	23	15	1,796	86	27	27
20	Brooklyn Borough	25,686	196	14	1	349	384	82	561	116	81	2,490	203	151	185
21	Manhattan Borough	38,699	267	8	4	256	453	150	895	126	193	4,085	490	226	144
22	Queens Borough	3,965	41	6		28	32	20	101	20	7	358	25	20	24
23	Richmond Borough	1,469	11			6	13	4	20	10	1	152	10	8	8
24	White	74,274	541	29	3	682	955	267	1,690	279	293	8,368	780	405	379
25	Bronx Borough	6,755	39	4		53	76	23	132	23	15	1,724	79	24	26
26	Brooklyn Borough	25,070	192	13		345	383	79	554	104	80	2,397	198	144	182
27	Manhattan Borough	37,129	259	7	3	250	451	141	883	123	191	3,751	470	212	140
28	Queens Borough	3,882	41	5		28	32	20	101	19	6	346	25	17	23
29	Richmond Borough	1,438	10			6	13	4	20	10	1	150	8	8	8
30	Colored	2,513	15	3	2	11	4	15	20	16	4	513	34	27	9
31	Bronx Borough	213	2			1	1	3	1			72	7	3	1
32	Brooklyn Borough	616	4	1	1	4	1	3	7	12	1	93	5	7	3
33	Manhattan Borough	1,570	8	1	1	6	2	9	12	3	2	334	20	14	4
34	Queens Borough	83		1						1	1	12		3	1
35	Richmond Borough	31	1									2	2		
36	Newburgh	509	13	1		5	2	7	5	4		51	2		3
37	Niagara Falls	548	30			15	5	10	10	6		34	4	9	2
38	North Tonawanda	160	5			3	6		5	1	1	9	2	1	
39	Ogdensburg	392	8				1		4		2	33	2	4	3
40	Olean	188	1			3			5			8	1	1	1
41	Ossining	177	2			8	1		3			17	3	2	1
42	Oswego	386	11			3	1	5	1			18	2	3	
43	Peekskill	278	4			7	2	3	1	2	1	23	3	2	
44	Plattsburg	197	3			5	1	9		1		25	2	2	1
45	Port Chester	210	2			3	1	5	4	2		10			1
46	Poughkeepsie	469	5					7	4	1	2	39	2	3	2
47	Rensselaer	162	3	1		1	1	8	1	3		15			1
48	Rochester	3,215	30	1		13	47	13	38	16	15	301	16	33	16
49	Rome	457	5			3		1	9	5	1	52	3	5	2
50	Saratoga Springs	259	2			5	2	1	2	2		24			
51	Schenectady	1,070	5			15	3	10	14	4	1	75	9	3	4
52	Syracuse	2,123	39			12	23	4	26	10	5	128	15	8	11
53	Troy	1,596	15			16	18	4	13	22	1	183	7	13	12
54	Utica	1,411	5			14		13	14	14	9	113	15	13	3
55	Watertown	469	26	1		15		1	4	4	3	20		3	4
56	Watervliet	261	6			6	2		2	3		24	2	2	2
57	White Plains	301	5	1			1	1	3		1	18	1		2
58	Yonkers	1,226	15	2			19	13	27	6	4	127	11	9	3
	NORTH CAROLINA.														
59	Registration cities (total)	3,075	84	42	1	36	5	18	20	49	4	410	14	34	8
60	White	1,561	46	13	1	25	4	9	15	25	4	205	10	13	2
61	Colored	1,514	38	29		11	1	9	5	24		205	4	21	6
62	Asheville (total)	370	7					1	3	7	1	124	7	6	1
63	White	235	3					1	2	6	1	97	5	5	1
64	Colored	135	4						1	1		27	2	1	
65	Charlotte (total)	605	17	15	1	7			3	12		43	1	6	1
66	White	306	11	1	1	6			3	4		18	1	1	1
67	Colored	299	6	14		1				8		25		5	
68	Durham (total)	368	9	4		18	2	1	2	10		60		4	
69	White	189	4	3		11	2	1	2	6		24		1	
70	Colored	179	5	1		7				4		36		3	
71	Greensboro (total)	305	7	4		1		1	2	5		37	2	5	
72	White	162	6	2		1			2			11	2	2	
73	Colored	143	1	2				1		5		26		3	

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
38	7	5	30	68	8	48	2	14	6	5	5	85	1	3	28	37	8	87	-------	1
7	1	-------	9	17	2	10	2	9	3	6	3	7	-------	-------	9	13	2	25	1	2
12	1	2	15	26	4	15	2	5	1	3	1	9	-------	-------	3	12	1	31	6	3
14	5	1	18	33	4	23	4	7	5	2	1	13	-------	1	13	8	3	55	-------	4
17	3	4	21	34	9	21	1	16	3	6	3	34	1	2	17	16	3	68	2	5
9	1	-------	13	27	2	14	1	5	6	-------	1	12	-------	2	4	13	1	39	1	6
9	1	1	16	26	2	20	3	15	-------	3	-------	18	1	1	10	23	-------	43	3	7
17	2	1	23	30	1	18	-------	6	7	2	2	26	-------	1	8	17	2	50	-------	8
23	3	3	26	37	10	43	1	8	7	5	8	42	2	7	23	21	3	65	4	9
14	-------	4	10	18	2	20	2	7	-------	4	1	7	1	1	5	1	3	30	1	10
21	7	9	35	70	4	31	4	18	6	5	3	18	4	-------	21	33	1	89	6	11
2	-------	5	2	13	6	31	1	101	-------	1	2	6	-------	-------	22	39	-------	79	1	12
6	6	2	6	34	2	20	2	10	3	-------	3	11	1	1	11	19	-------	29	4	13
13	6	2	19	49	4	22	6	12	2	2	4	13	-------	1	12	26	1	58	3	14
21	6	8	19	40	5	43	3	1	4	6	6	30	1	1	7	27	7	73	2	15
20	5	3	27	50	4	54	10	35	6	4	2	35	1	2	21	19	3	61	2	16
23	4	1	16	29	6	34	6	24	1	1	3	31	1	4	17	32	3	44	2	17
3,746	895	549	2,635	6,594	1,385	10,700	679	5,907	627	580	978	6,842	376	426	3,890	3,758	809	9,342	725	18
331	80	48	294	555	73	731	48	324	44	43	84	580	34	32	252	284	67	702	53	19
1,218	262	145	968	2,653	698	3,710	223	2,184	219	201	367	2,236	119	164	1,060	1,095	246	3,063	42	20
1,930	493	321	1,117	2,900	532	5,573	359	2,950	328	304	449	3,525	203	200	2,306	2,054	439	4,883	536	21
192	38	29	200	368	66	508	35	343	23	24	55	346	17	16	214	241	41	472	55	22
75	22	6	56	118	16	178	14	106	13	8	23	155	3	14	58	84	16	222	39	23
3,678	890	535	2,570	6,426	1,324	10,304	660	5,744	609	560	957	6,633	356	416	3,739	3,646	802	9,059	695	24
325	80	47	284	535	71	707	46	319	42	43	82	562	34	31	249	279	66	683	52	25
1,200	261	142	953	2,612	664	3,609	218	2,134	214	196	359	2,186	114	162	1,024	1,069	244	2,996	42	26
1,890	439	312	1,081	2,800	508	5,318	347	2,850	318	290	438	3,394	189	194	2,199	1,985	435	4,702	509	27
190	38	28	198	363	66	497	35	337	23	23	55	338	16	15	209	233	41	460	54	28
73	22	6	54	116	15	173	14	104	12	8	23	153	3	14	58	80	16	218	38	29
68	5	14	65	168	61	396	19	163	18	20	21	209	20	10	151	112	7	283	30	30
6	-------	1	10	20	2	24	2	5	2	-------	2	18	-------	1	3	5	1	19	1	31
18	1	3	15	41	34	101	5	50	5	5	8	50	5	2	36	26	2	67	-------	32
40	4	9	36	100	24	255	12	100	10	14	11	131	14	6	107	69	4	181	27	33
2	-------	1	2	5	-------	11	-------	6	-------	1	-------	8	1	1	5	8	-------	12	1	34
2	-------	-------	2	2	1	5	-------	2	1	-------	-------	2	-------	-------	-------	4	-------	4	1	35
25	2	12	39	54	4	59	7	24	7	3	2	49	2	2	19	32	6	66	2	36
13	5	8	22	37	3	58	1	55	3	3	8	26	2	2	32	61	9	68	7	37
6	-------	2	3	8	3	19	2	23	1	1	-------	7	2	-------	8	12	1	29	-------	38
21	3	4	18	35	4	46	4	17	5	5	1	29	-------	1	16	11	2	108	5	39
17	2	2	11	22	1	20	1	9	3	3	2	9	2	1	10	15	5	33	-------	40
8	-------	1	12	16	3	16	-------	5	2	1	1	17	-------	2	8	15	7	25	1	41
19	2	5	37	53	4	17	2	20	1	6	4	33	2	5	25	31	6	66	4	42
13	4	2	19	19	4	43	4	14	2	3	2	21	2	2	14	17	-------	44	1	43
9	1	6	7	21	4	18	-------	7	2	1	3	4	-------	3	24	5	2	28	3	44
9	4	4	10	12	6	17	1	29	-------	2	3	14	1	3	6	13	3	38	7	45
28	8	4	46	65	5	41	2	21	2	2	2	34	3	1	23	32	2	79	4	46
14	-------	1	7	16	3	14	3	3	-------	1	2	7	-------	1	11	15	-------	28	2	47
218	35	15	207	346	79	289	31	219	35	39	47	246	17	20	61	156	36	568	12	48
24	2	2	25	66	15	23	3	31	3	3	6	38	1	-------	19	19	6	83	2	49
22	3	1	17	18	2	27	2	10	2	4	5	34	2	1	11	12	-------	44	4	50
42	11	10	55	74	19	145	6	123	13	11	5	71	8	2	69	60	13	179	11	51
127	27	14	110	286	32	210	15	169	21	16	16	140	8	13	128	123	30	344	13	52
83	21	21	85	197	20	170	18	70	17	20	28	108	3	6	61	74	6	265	19	53
68	13	27	70	150	28	150	21	102	13	25	11	89	2	11	75	59	12	256	16	54
23	4	4	36	50	4	43	5	21	3	5	2	26	5	3	32	30	6	83	3	55
9	3	6	20	29	4	37	2	11	-------	-------	4	18	-------	2	14	9	-------	40	4	56
17	1	2	18	20	2	34	7	16	1	1	7	26	2	2	17	33	4	53	5	57
65	8	4	56	108	21	117	10	171	11	6	13	97	11	7	55	52	9	169	-------	58
93	15	35	94	202	42	293	39	199	18	14	16	159	8	31	133	139	15	648	157	59
62	9	19	53	87	20	125	19	113	13	8	15	95	1	15	75	61	13	338	48	60
31	6	16	41	115	22	168	20	86	5	6	1	64	7	16	58	78	2	310	109	61
8	1	3	12	12	4	30	7	10	5	1	2	16	-------	3	14	14	1	57	13	62
5	1	3	9	8	-------	9	3	6	4	1	2	8	-------	1	10	9	1	29	5	63
3	-------	-------	3	4	4	21	4	4	1	-------	-------	8	-------	2	4	5	-------	28	8	64
17	4	6	16	35	15	69	3	35	4	3	2	31	-------	5	24	25	3	164	38	65
15	4	4	10	17	5	31	1	24	3	2	2	15	-------	4	17	15	2	82	6	66
2	-------	2	6	18	10	38	2	11	1	1	-------	16	-------	1	7	10	1	82	32	67
14	-------	6	9	18	8	36	5	21	2	3	2	8	1	3	14	11	2	74	21	68
12	-------	4	7	7	5	15	1	14	2	1	2	6	1	-------	9	4	2	34	9	69
2	-------	2	2	11	3	21	4	7	-------	2	-------	2	-------	3	5	7	-------	40	12	70
12	2	3	8	12	3	33	4	16	2	1	3	22	2	4	11	14	1	50	38	71
8	1	2	5	6	3	21	2	10	-------	1	3	18	-------	2	7	8	1	29	9	72
4	1	1	3	6	-------	12	2	6	2	-------	-------	4	2	2	4	6	-------	21	29	73

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	NORTH CAROLINA—continued.														
1	Raleigh (total)	537	15	5	.....	6	.....	7	2	4	2	49	1	4	4
2	White	290	9	2	.....	4	.....	4	.....	3	2	20	1	1	.....
3	Colored	247	6	3	.....	2	.....	3	2	1	.....	29	.....	3	4
4	Wilmington (total)	538	19	14	.....	.....	1	.....	5	6	1	45	2	4	2
5	White	213	9	5	.....	.....	1	.....	4	2	1	18	.....	.....	.....
6	Colored	325	10	9	.....	.....	.....	.....	1	4	.....	27	2	4	2
7	Winston (total)	352	10	.....	.....	4	2	8	3	5	.....	52	1	5	.....
8	White	166	4	.....	.....	3	1	3	2	4	.....	17	1	3	.....
9	Colored	186	6	.....	.....	1	1	5	1	1	.....	35	.....	2	.....
	OHIO.														
10	Registration cities (total)	31,921	521	12	4	398	176	287	350	290	117	3,252	196	297	183
11	White	30,432	505	10	3	387	175	267	345	282	114	2,925	183	268	177
12	Colored	1,489	16	2	1	11	1	20	5	8	3	327	13	29	6
13	Akron	928	21	2	.....	12	9	11	19	9	7	52	3	11	6
14	Alliance	181	3	1	.....	.....	1	4	1	1	1	17	1	1	2
15	Ashtabula	259	8	.....	.....	6	.....	5	1	3	1	20	1	2	2
16	Bellaire	189	1	.....	.....	.....	.....	4	5	3	.....	21	1	3	1
17	Cambridge	148	6	.....	.....	2	.....	2	1	6	.....	13	2	.....	2
18	Canton	616	14	1	.....	11	3	14	5	1	.....	35	3	3	1
19	Chillicothe	259	13	.....	1	1	1	6	4	.....	.....	32	.....	3	2
20	Cincinnati (total)	6,319	32	1	.....	59	16	30	36	77	24	953	50	54	24
21	White	5,750	30	.....	.....	53	15	28	34	76	23	792	46	45	22
22	Colored	569	2	1	.....	6	1	2	2	1	1	161	4	9	2
23	Cleveland	8,047	101	1	2	96	71	37	120	51	31	717	61	48	57
24	Columbus (total)	2,810	33	.....	.....	43	6	19	21	15	11	324	13	52	14
25	White	2,548	30	.....	.....	41	6	16	21	14	11	278	10	46	14
26	Colored	262	3	.....	.....	2	.....	3	.....	1	.....	46	3	6	.....
27	Dayton	1,724	25	1	.....	2	11	23	13	11	4	189	13	19	8
28	East Liverpool	333	17	.....	.....	6	2	21	6	1	.....	35	.....	1	1
29	Elyria	203	5	.....	.....	3	4	.....	.....	2	.....	14	.....	2	1
30	Findlay	219	4	1	.....	4	1	.....	4	3	1	20	.....	1	1
31	Hamilton	515	6	.....	.....	14	5	2	7	4	2	46	4	1	7
32	Ironton	196	3	.....	.....	6	.....	2	.....	2	.....	28	1	3	1
33	Lakewood	171	2	.....	.....	.....	11	.....	1	3	1	9	.....	.....	2
34	Lancaster	142	1	.....	.....	2	.....	3	.....	2	.....	22	.....	2	3
35	Lima	398	11	.....	1	3	1	2	2	2	4	30	4	3	6
36	Lorain	374	8	.....	.....	3	3	6	8	2	1	28	1	3	2
37	Mansfield	288	4	.....	.....	2	.....	8	2	4	1	28	1	1	1
38	Marietta	164	1	.....	.....	.....	3	.....	.....	2	.....	14	2	.....	2
39	Marion	232	2	.....	.....	7	.....	6	2	4	.....	23	.....	4	1
40	Massillon	160	3	.....	.....	5	.....	2	.....	5	.....	11	1	1	.....
41	Middletown	164	2	.....	.....	1	.....	.....	1	3	1	11	4	3	1
42	Newark	330	5	.....	.....	.....	.....	5	5	11	.....	20	1	4	2
43	Norwood	147	1	.....	.....	.....	1	1	.....	2	2	17	2	3	.....
44	Piqua	194	6	1	.....	.....	.....	1	3	4	1	26	1	3	1
45	Portsmouth	356	14	.....	.....	45	2	5	2	1	.....	37	4	7	2
46	Sandusky	268	6	.....	.....	.....	.....	1	3	3	.....	16	1	1	3
47	Springfield (total)	623	5	.....	.....	1	1	18	8	11	5	59	1	3	3
48	White	543	4	.....	.....	.....	1	17	7	11	5	46	.....	1	3
49	Colored	80	1	.....	.....	1	.....	1	1	.....	.....	13	1	2	.....
50	Steubenville	404	15	.....	.....	5	6	12	5	12	1	22	1	5	2
51	Tiffin	175	3	.....	.....	2	.....	1	1	1	.....	16	1	5	.....
52	Toledo	2,470	63	3	.....	28	10	10	33	16	13	235	8	29	16
53	Warren	156	16	.....	.....	.....	1	2	.....	5	1	1	1	.....	.....
54	Youngstown	1,340	46	.....	.....	28	7	10	30	6	4	66	7	10	5
55	Zanesville	419	15	.....	.....	1	.....	14	1	2	.....	45	2	6	1
	OREGON.[1]														
56	Portland (total)	2,308	47	1	.....	8	21	15	47	11	11	174	21	32	13
57	White	2,225	44	1	.....	8	21	14	46	9	10	161	21	30	13
58	Colored[2]	83	3	.....	.....	.....	.....	1	1	2	1	13	.....	2	.....
	PENNSYLVANIA.														
59	Registration cities (total)	61,935	919	22	5	582	546	584	1,129	453	173	5,136	345	417	293
60	White	58,266	867	22	5	564	537	506	1,095	428	166	4,502	309	348	285
61	Colored	3,669	52	.....	.....	18	9	78	34	25	7	634	36	69	8
62	Allentown	877	17	.....	.....	14	10	8	22	3	1	65	5	5	7
63	Altoona	659	21	.....	.....	3	.....	14	17	7	.....	33	2	4	5
64	Beaver Falls	168	2	.....	.....	.....	.....	2	6	2	.....	12	.....	.....	3
65	Bethlehem	170	2	.....	.....	3	1	.....	1	2	.....	10	.....	3	2
66	Braddock	409	11	.....	.....	7	10	1	14	1	.....	11	1	2	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
16	4	6	11	44	7	40	13	40	-------	2	6	43	-------	7	19	27	4	139	10	1
6	3	1	8	22	4	15	9	18	-------	1	5	32	-------	4	9	8	4	91	4	2
10	1	5	3	22	3	25	4	22	-------	1	1	11	-------	3	10	19	-------	48	6	3
16	2	4	24	54	4	42	6	53	2	2	1	26	4	7	32	35	1	103	21	4
9	-------	2	8	22	3	14	2	25	2	-------	1	8	-------	4	11	13	-------	40	9	5
7	2	2	16	32	1	28	4	28	-------	2	-------	18	4	3	21	22	1	63	12	6
10	2	7	14	27	1	43	1	24	3	2	-------	13	1	2	19	13	3	61	16	7
7	-------	3	6	5	-------	20	1	16	2	2	-------	8	-------	-------	12	4	3	33	6	8
3	2	4	8	22	1	23	-------	8	1	-------	-------	5	1	2	7	9	-------	28	10	9
1,672	309	377	1,495	2,916	609	2,880	303	2,457	287	287	384	1,899	192	183	1,560	2,154	379	5,316	179	10
1,633	304	366	1,448	2,756	592	2,696	290	2,388	278	273	375	1,812	183	179	1,507	2,059	372	5,110	170	11
39	5	11	47	160	17	184	13	69	9	14	9	87	9	4	53	95	7	206	9	12
42	10	13	43	54	13	82	15	81	9	8	2	39	7	6	44	92	17	176	13	13
12	-------	-------	7	14	1	13	-------	6	7	4	4	11	-------	1	7	15	2	41	3	14
9	3	14	5	28	4	29	2	16	4	-------	3	6	1	4	15	30	1	32	4	15
5	1	5	7	17	4	23	2	23	2	1	3	5	2	-------	10	13	1	22	4	16
10	-------	2	11	14	-------	15	2	4	1	1	-------	8	1	4	9	9	1	21	1	17
47	8	5	36	86	4	64	2	46	4	6	7	23	8	7	36	52	9	72	3	18
11	2	4	18	27	5	18	3	18	1	2	2	15	-------	-------	12	20	2	32	4	19
310	69	83	256	665	171	581	55	328	50	64	110	500	29	26	258	351	63	939	25	20
304	67	81	268	609	161	506	51	299	48	61	106	462	28	25	240	315	63	871	21	21
6	2	2	18	56	10	75	4	29	2	3	4	38	1	1	18	36	-------	68	4	22
412	75	59	351	579	220	718	86	958	82	65	92	530	51	49	411	471	103	1,319	23	23
166	27	36	145	302	25	248	22	115	31	29	23	145	22	14	119	206	44	515	25	24
156	27	34	137	269	23	216	19	105	31	23	23	132	19	14	109	183	42	477	22	25
10	-------	2	8	33	2	32	3	10	-------	6	-------	13	3	-------	10	23	2	38	3	26
106	15	37	98	190	10	187	13	107	16	16	20	107	16	5	95	101	27	234	5	27
15	1	13	7	14	3	26	4	27	2	4	4	10	2	3	18	15	2	66	7	28
10	5	1	9	27	2	13	1	16	4	2	1	7	1	3	8	26	2	34	-------	29
8	8	2	27	29	4	8	3	6	4	4	2	16	-------	3	9	10	1	34	1	30
27	4	12	25	39	8	48	8	25	3	5	7	28	3	2	35	46	8	78	6	31
11	2	1	5	15	6	16	1	13	1	-------	2	7	-------	2	13	15	3	36	1	32
10	1	1	5	19	8	10	-------	22	3	2	1	3	-------	1	12	12	1	31	-------	33
14	-------	1	6	9	6	5	4	4	2	1	4	7	-------	-------	10	9	3	20	2	34
24	4	2	19	32	3	25	5	29	3	9	7	20	2	1	26	27	7	77	7	35
10	-------	3	9	16	2	42	4	65	3	1	3	21	2	-------	30	40	2	56	-------	36
19	3	2	23	26	4	11	5	16	3	3	2	28	1	1	16	23	5	45	-------	37
20	4	4	6	23	-------	12	2	4	-------	2	2	11	-------	-------	6	12	-------	31	1	38
7	4	2	9	20	5	10	2	15	1	2	-------	13	2	1	20	19	1	49	1	39
11	3	2	6	14	4	12	1	9	2	-------	3	2	2	2	3	19	1	34	2	40
8	2	3	8	12	1	25	3	9	-------	-------	-------	9	2	-------	9	13	3	30	-------	41
15	-------	5	20	32	4	28	-------	8	3	4	5	16	1	4	25	29	3	70	5	42
9	2	-------	7	24	3	10	2	5	1	-------	1	14	1	1	8	5	2	19	4	43
9	2	2	13	21	2	16	3	13	2	3	-------	10	1	2	11	8	2	27	-------	44
19	4	4	15	21	2	26	2	29	-------	2	4	11	2	1	21	18	2	54	-------	45
12	4	3	23	36	1	23	2	13	1	1	8	15	-------	3	13	33	2	40	1	46
32	10	13	34	77	6	37	8	20	5	7	9	28	6	6	25	43	2	136	4	47
28	10	12	31	67	6	31	8	17	3	5	7	24	6	4	23	40	2	120	4	48
4	-------	1	3	10	-------	6	-------	3	2	2	2	4	-------	2	2	3	-------	16	-------	49
12	1	4	22	19	5	37	5	35	1	3	1	16	1	2	18	44	2	81	9	50
10	4	1	12	22	5	6	3	2	1	1	2	8	-------	1	9	13	1	43	1	51
144	13	21	100	254	34	216	21	150	24	24	35	130	12	15	108	139	37	527	2	52
10	2	1	15	9	1	19	1	7	3	2	-------	10	1	1	6	7	4	28	2	53
51	8	13	31	88	25	199	7	199	3	6	12	43	10	8	67	142	11	190	8	54
25	8	3	32	42	8	22	4	14	5	3	3	27	3	4	18	27	2	77	5	55
147	23	22	110	222	25	160	22	69	23	33	22	126	16	19	127	167	51	501	22	56
145	23	20	109	217	25	155	22	66	22	33	19	118	15	19	123	162	47	487	20	57
2	-------	2	1	5	-------	5	-------	3	1	-------	3	8	1	-------	4	5	4	14	2	58
2,720	566	424	2,788	5,160	1,210	7,120	862	5,750	457	528	595	4,474	386	403	3,147	4,090	618	9,074	959	59
2,642	551	413	2,672	4,887	1,125	6,582	811	5,456	446	502	578	4,228	365	381	2,989	3,925	605	8,579	895	60
78	15	11	116	273	85	538	51	294	11	26	17	246	21	22	158	165	13	495	64	61
52	15	8	74	69	5	80	10	55	6	8	4	45	8	7	51	68	7	118	30	62
22	9	11	35	51	7	60	12	26	7	4	8	44	5	5	61	49	8	115	14	63
3	1	6	2	10	1	16	2	19	3	2	2	8	-------	-------	17	17	1	18	8	64
10	6	1	26	15	-------	22	1	10	-------	1	1	5	1	-------	12	2	2	31	-------	65
7	-------	5	4	16	8	80	9	75	1	4	4	20	4	3	16	39	4	44	7	66

[2] Colored population less than 10 per cent of total.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	PENNSYLVANIA—continued.														
1	Bradford	191	2			1				1		9			
2	Butler	319	5			8	7	9	7	3	4	13	2	4	1
3	Carbondale	327	4			2	3	3		4	1	11	1	4	
4	Carlisle (total)	166						1	1	9	2	11	1	6	
5	White	135						1	1	8	2	7		2	
6	Colored	31								1		4	1	4	
7	Carnegie	135				8	7	1	6	2		10		1	
8	Chambersburg	193	3				2	1		3	3	16	2	3	1
9	Chester (total)	649	16	1		1	1	7	6	10	2	65	4	7	2
10	White	542	12	1		1	1	6	6	8	2	56	4	4	2
11	Colored	107	4					1		2		9		3	
12	Coatesville	149	3	1		1	1		3	3		10			
13	Columbia	181	2			1	7		3	2	2	14		1	1
14	Connellsville	204	7					2	2	2		14		1	1
15	Dubois	145	6			5		2	2	2		6			3
16	Dunmore	300				6	6		10	1	2	11	1		2
17	Duquesne	196	2			4	7	1	4		1	18	2		
18	Easton	467	5			1		3	4	4	2	37	3	4	2
19	Erie	986	26	2		4	10	3	11	8	3	84	3	4	3
20	Greensburg	259	14			4	1	1	1		2	20	1	1	2
21	Harrisburg	941	21	1		3	5	6	44	9	2	81	2	6	9
22	Hazleton	431	6			1	7		9		1	25		5	
23	Homestead	308	1			6	12	8	6	1		24	2	3	2
24	Johnstown	927	36			10	6	1	23		3	61	5	6	3
25	Lancaster	720	7	1		5	1	1	11	8	1	48	5	2	3
26	Lebanon	326	3	1			5	2	7	3	1	17		1	2
27	McKees Rocks	245	3			5	12		1	1		17			1
28	McKeesport	855	28			13	48		8	2	2	47		7	5
29	Mahanoy City	277	1						8	2	2	12	1		1
30	Meadville	176	2						1	1	2	6	2		1
31	Monessen	153	4			8	3	5	2			9	2	1	1
32	Mount Carmel	233	1			8		5	4	1		9		3	1
33	Nanticoke	328	1				4	5	22	1	1	9			5
34	New Castle	581	14	2		13	4	4	1	9	1	32		5	1
35	Norristown	684	13				1	8	3	14		63	3	8	7
36	North Braddock	160	1			5	1	3	1	1	2	7			
37	Oil City	196	3				1		1	1	1	7		3	5
38	Old Forge	199	2			1		3	2			11			
39	Philadelphia (total)	27,045	272	7	5	164	152	318	479	159	80	3,007	184	180	122
40	White	24,740	241	7	5	158	146	271	452	150	75	2,548	158	138	117
41	Colored	2,305	31			6	6	47	27	9	5	459	26	42	5
42	Phoenixville	209	4			1		7	7	1		9			1
43	Pittsburgh (total)	9,603	149	2		177	119	77	136	76	22	558	67	70	41
44	White	8,993	142	2		168	118	62	134	74	21	488	61	58	39
45	Colored	610	7			9	1	15	2	2	1	70	6	12	2
46	Pittston	279	2	1				1	11			9	2	2	1
47	Plymouth	257	4	1		6	4	4	9	2		7		1	4
48	Pottstown	234	2			3	3		2	2	1	20		4	1
49	Pottsville	380	6			3	4	2	10	3		19	5	1	4
50	Reading	1,475	31			14	13	9	29	20	1	104	6	8	4
51	Scranton	2,140	22	1		11	10	16	37	11	7	118	12	7	9
52	Shamokin	269	3			3	4	5	5	6	1	10			2
53	Sharon	253	18			8	2	2	1	5		17		1	1
54	Shenandoah	439	1			7	21	1	19	2	3	26		1	1
55	South Bethlehem	334	4			1		1	11	1	1	17		2	
56	South Sharon	164	12			4	1	2	1			9	2		1
57	Steelton	217				1	16	5	23	4	1	13	1		
58	Sunbury	188	5				2		4	1	2	8		4	
59	Uniontown	246	12					1	3	4	2	13	3	1	2
60	Warren	149	8			8		3	6	2		8		4	1
61	Washington	299	12			1		3	3	2		18	2	1	1
62	West Chester (total)	231	4						2	1		14	1	4	
63	White	188	4						2	1		11	1	1	
64	Colored	43										3		3	
65	Wilkes-Barre	1,117	25	1		5	6	6	22	7	3	48	2	8	6
66	Wilkinsburg	284	10			4		3	1	9	1	20	1	4	
67	Williamsport	490	13			4	6		2	1	1	27	3	1	4
68	York	743	5			6		8	32	11	3	72	4	13	4

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
8	3	2	12	26	3	16	1	7	1	1	1	16	------	2	17	18	1	43	------	1
13	4	7	13	10	3	40	1	51	2	3	2	12	4	3	17	23	2	44	2	2
10	3	1	17	21	13	43	3	17	3	4	2	21	5	4	13	51	4	54	5	3
12	5	1	16	13	1	20	2	9	------	2	------	3	------	------	12	5	------	28	6	4
11	4	1	14	12	1	16	2	8	------	2	------	2	------	------	9	4	------	24	4	5
1	1	------	2	1	------	4	------	1	------	------	------	1	------	------	3	1	------	4	2	6
5	------	4	4	11	------	17	------	18	------	------	------	6	------	1	8	2	------	21	3	7
15	2	1	11	22	4	16	------	9	1	1	3	17	2	1	10	14	1	26	3	8
18	7	6	35	49	6	38	10	56	7	6	3	37	2	9	37	53	1	33	14	9
17	7	6	32	40	6	62	8	49	6	5	2	35	1	8	32	46	1	65	11	10
1	------	------	3	9	------	26	2	7	1	1	1	2	1	1	5	7	------	18	3	11
4	1	2	2	12	1	14	4	27	------	2	1	9	1	3	12	6	------	22	4	12
3	3	2	14	14	------	7	2	8	------	3	1	12	------	------	15	14	------	42	8	13
13	1	2	7	11	4	27	1	9	2	2	2	4	------	------	19	41	1	24	5	14
9	1	1	11	5	2	22	3	11	1	------	------	3	1	2	6	15	------	26	------	15
7	4	3	9	22	15	52	4	36	3	3	4	10	------	3	22	12	------	46	6	16
2	------	1	5	4	2	25	6	43	------	1	2	2	------	1	20	11	2	24	6	17
32	6	4	32	38	7	54	10	19	5	4	1	28	4	6	16	43	4	78	11	18
51	11	3	67	117	12	88	13	85	9	11	14	57	11	9	59	57	10	140	1	19
12	4	1	10	18	------	26	2	15	4	2	1	7	2	2	9	55	1	36	5	20
38	10	3	81	96	10	74	6	38	4	8	6	60	3	5	51	70	9	156	24	21
18	5	2	22	29	14	43	4	38	15	6	7	27	3	3	26	48	2	60	5	22
4	------	2	6	19	8	56	6	58	------	------	3	5	1	------	18	15	3	36	3	23
29	4	5	21	50	6	122	9	111	10	15	8	47	9	12	60	101	4	123	27	24
53	15	5	51	90	15	47	4	42	4	9	3	72	1	3	38	38	7	125	5	25
11	4	1	32	21	1	27	10	15	1	2	1	19	2	1	23	13	3	71	21	26
3	1	3	3	8	4	42	3	50	2	------	2	5	------	1	28	15	2	26	7	27
33	5	14	14	44	28	108	10	101	7	8	10	26	13	5	61	72	13	100	23	28
4	------	1	5	13	3	32	6	43	------	2	2	8	3	4	16	22	2	70	14	29
13	5	3	11	26	1	13	3	2	------	3	4	10	------	2	9	20	1	32	3	30
------	------	------	3	3	6	20	7	18	------	2	------	4	1	1	15	7	2	23	6	31
4	3	1	9	13	8	30	4	37	------	4	------	13	2	1	16	18	1	30	7	32
4	------	1	5	7	6	49	7	77	------	2	4	19	4	1	22	27	1	35	9	33
19	2	5	19	28	10	74	6	48	7	5	4	34	4	5	46	34	6	96	43	34
26	6	7	42	73	8	70	10	29	2	6	5	61	3	2	17	42	6	148	1	35
3	------	2	6	9	1	29	2	40	------	------	------	4	1	2	8	10	------	20	2	36
14	4	10	18	11	2	14	1	24	4	3	2	15	1	1	11	8	------	27	4	37
5	1	8	4	6	2	24	2	53	1	------	2	8	1	1	19	25	------	16	2	38
1,322	250	119	1,166	2,691	521	2,597	359	2,336	185	220	281	2,672	142	148	1,158	1,299	307	3,871	272	39
1,278	241	114	1,106	2,522	468	2,307	325	2,142	178	205	273	2,498	127	135	1,058	1,195	300	3,566	236	40
44	9	5	60	169	53	290	34	194	7	15	8	174	15	13	100	104	7	305	36	41
6	5	4	14	17	2	29	2	13	------	------	1	11	1	1	14	14	1	39	5	42
351	46	73	349	674	282	1,733	139	949	60	73	97	400	71	49	505	719	122	1,312	105	43
335	45	70	323	626	261	1,604	133	893	59	69	94	371	69	46	478	696	120	1,237	97	44
16	1	3	26	48	21	129	6	56	1	4	3	29	2	3	27	23	2	75	8	45
7	6	2	5	14	5	32	2	38	1	2	3	14	1	2	15	38	------	51	12	46
11	1	2	3	8	3	27	4	54	1	2	3	18	6	3	11	19	1	30	8	47
8	2	1	12	22	1	29	3	14	3	4	1	9	3	1	11	26	1	37	8	48
14	5	5	23	25	2	27	4	35	5	5	3	46	9	1	18	47	3	46	------	49
77	17	12	90	118	31	123	32	103	9	13	11	95	10	11	91	68	22	246	57	50
86	21	14	119	113	61	271	35	301	25	27	28	124	6	23	73	218	14	307	13	51
7	6	2	11	18	6	36	11	25	1	3	3	14	1	3	16	17	2	37	11	52
19	1	1	15	16	6	27	2	14	1	2	3	8	2	5	14	13	2	38	9	53
5	3	6	13	10	7	36	13	106	------	------	6	13	1	2	22	39	2	61	12	54
18	7	3	13	21	3	40	6	64	1	2	3	15	1	------	25	22	2	43	7	55
5	------	1	2	4	2	26	------	33	------	------	1	2	4	1	9	12	------	19	11	56
6	------	1	6	17	3	19	3	18	1	------	1	8	1	1	18	9	1	36	4	57
12	2	1	11	20	2	17	1	12	2	------	1	12	------	2	11	9	------	40	7	58
14	3	------	9	9	1	25	3	13	------	------	1	13	------	1	7	45	8	43	10	59
7	5	3	6	10	1	10	------	3	3	1	------	11	------	1	7	12	1	25	3	60
17	5	2	20	23	4	29	4	19	5	2	1	9	3	3	22	22	2	59	5	61
19	4	1	12	32	2	23	2	6	6	6	1	25	1	2	4	16	------	41	2	62
16	3	1	11	27	2	16	1	5	4	4	------	20	1	2	3	14	------	37	1	63
3	1	------	1	5	------	7	1	1	2	2	1	5	------	------	1	2	------	4	1	64
41	7	10	38	66	19	96	24	91	17	15	16	64	11	10	80	152	3	178	40	65
11	5	4	12	30	3	43	3	13	7	2	3	12	2	4	13	23	2	37	2	66
29	5	10	27	38	4	60	12	15	6	6	3	31	4	5	25	34	4	100	10	67
34	9	2	54	64	12	78	2	46	6	4	5	45	4	13	45	32	7	121	2	68

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	RHODE ISLAND.														
1	Registration cities (total)	7,571	64	3	.....	143	19	48	110	73	15	744	75	46	25
2	White	7,357	61	3	.....	142	19	44	108	72	15	719	72	46	25
3	Colored	214	3	.....	.....	1	.....	4	2	1	.....	25	3	.....	.....
4	Central Falls	358	4	.....	.....	5	2	1	4	5	1	25	4	1	4
5	Cranston	229	1	.....	.....	5	.....	2	4	1	1	10	1	2	1
6	State institutions	312	1	.....	.....	.....	.....	.....	.....	6	.....	81	.....	3	1
7	Cumberland town	141	.....	.....	.....	3	.....	.....	8	4	.....	16	1	.....	.....
8	East Providence town	233	.....	.....	.....	.....	.....	2	3	1	1	20	1	1	1
9	Newport	383	5	.....	.....	2	1	3	2	3	3	26	6	2	.....
10	Pawtucket	826	4	.....	.....	12	.....	3	7	7	2	72	5	5	5
11	Providence	3,980	40	1	.....	72	15	25	49	37	5	346	42	30	9
12	Warwick town	483	4	1	.....	24	.....	8	4	6	2	80	8	1	2
13	Woonsocket	626	5	1	.....	20	1	4	29	3	.....	68	7	1	2
	SOUTH CAROLINA.[1]														
14	Charleston (total)	1,748	33	18	.....	13	1	32	8	11	4	153	2	11	4
15	White	526	13	7	.....	4	1	10	4	3	2	31	1	4	3
16	Colored	1,222	20	11	.....	9	.....	22	4	8	2	122	1	7	1
	TENNESSEE.[1]														
17	Registration cities (total)	5,516	102	109	.....	20	11	11	35	91	41	647	26	76	27
18	White	2,871	60	39	.....	13	10	4	25	37	21	281	15	33	12
19	Colored	2,645	42	70	.....	7	1	7	10	54	20	366	11	43	15
20	Knoxville (total)	635	12	1	.....	7	2	.....	6	9	1	84	5	26	4
21	White	432	8	1	.....	5	2	.....	6	7	1	51	3	13	4
22	Colored	203	4	.....	.....	2	.....	.....	.....	2	.....	33	2	13	.....
23	Memphis (total)	2,818	36	97	.....	8	7	5	22	40	37	329	8	13	13
24	White	1,326	15	34	.....	5	6	1	14	13	18	115	7	5	5
25	Colored	1,492	21	63	.....	3	1	4	8	27	19	214	1	8	8
26	Nashville (total)	2,063	54	11	.....	5	2	6	7	42	3	234	13	37	10
27	White	1,113	37	4	.....	3	2	3	5	17	2	115	5	15	3
28	Colored	950	17	7	.....	2	.....	3	2	25	1	119	8	22	7
	TEXAS.[1]														
29	Registration cities (total)	2,750	61	15	2	4	.....	8	11	66	1	477	4	15	6
30	White	2,334	53	13	2	4	.....	8	11	62	1	403	4	10	6
31	Colored	416	8	2	.....	.....	.....	.....	.....	4	.....	74	.....	5	.....
32	Galveston (total)	600	12	2	1	1	.....	.....	3	4	1	69	.....	3	1
33	White	417	8	1	1	1	.....	.....	3	4	1	41	.....	2	1
34	Colored	183	4	1	.....	.....	.....	.....	.....	.....	.....	28	.....	1	.....
35	San Antonio (total)	2,150	49	13	1	3	.....	8	8	62	.....	408	4	12	5
36	White	1,917	45	12	1	3	.....	8	8	58	.....	362	4	8	5
37	Colored	233	4	1	.....	.....	.....	.....	.....	4	.....	46	.....	4	.....
	UTAH.														
38	Registration cities (total)	1,553	56	.....	1	3	46	6	37	7	5	77	6	16	13
39	White	1,502	48	.....	1	3	46	6	37	7	5	70	6	15	12
40	Colored	51	8	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	1	1
41	Ogden	293	13	.....	.....	.....	9	3	5	4	1	17	.....	.....	3
42	Salt Lake City	1,260	43	.....	1	3	37	3	32	3	4	60	6	16	10
	VERMONT.														
43	Registration cities (total)	774	12	.....	.....	1	4	19	9	6	1	62	5	5	.....
44	White	771	12	.....	.....	1	4	19	9	6	1	62	5	5	.....
45	Colored	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
46	Barre	150	3	.....	.....	.....	2	1	1	2	.....	27	2	2	.....
47	Burlington	397	3	.....	.....	1	.....	12	6	1	1	22	2	1	.....
48	Rutland	227	6	.....	.....	.....	2	6	2	3	.....	13	1	2	.....
	VIRGINIA.[1]														
49	Registration cities (total)	6,193	109	44	3	30	8	63	50	81	4	624	31	77	17
50	White	3,086	65	8	1	20	7	28	31	42	3	268	22	39	7
51	Colored	3,107	44	36	2	10	1	35	19	39	1	356	9	38	10
52	Alexandria (total)	327	20	.....	1	.....	.....	.....	.....	3	.....	27	.....	4	2
53	White	189	11	.....	1	.....	.....	.....	.....	2	.....	11	.....	3	1
54	Colored	138	9	.....	.....	.....	.....	.....	.....	1	.....	16	.....	1	1
55	Danville (total)	388	13	9	.....	.....	2	2	7	6	1	44	.....	2	1
56	White	221	9	3	.....	.....	1	.....	6	4	1	30	.....	1	.....
57	Colored	167	4	6	.....	.....	1	2	1	2	.....	14	.....	1	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
387	81	60	408	716	152	808	65	678	54	57	62	556	24	46	350	349	60	1,195	98	1
377	80	57	400	686	148	780	63	661	53	57	62	542	23	45	344	343	60	1,160	90	2
10	1	3	8	30	4	28	2	17	1	-------	-------	14	1	1	6	6	-------	35	8	3
14	6	5	13	16	23	40	5	62	1	1	1	18	-------	4	17	11	2	60	3	4
12	4	5	16	21	6	22	2	25	-------	1	2	20	-------	3	13	9	3	34	3	5
10	2	-------	10	41	1	4	2	4	-------	1	2	11	-------	-------	1	4	1	125	1	6
5	-------	2	6	15	3	18	-------	13	-------	1	1	10	-------	-------	1	12	2	20	-------	7
14	4	4	18	20	5	27	1	25	-------	-------	4	14	-------	2	6	8	5	44	2	8
29	3	3	24	37	5	54	5	26	5	1	2	24	-------	-------	22	20	-------	67	3	9
37	11	5	54	77	21	93	6	69	1	6	7	69	3	5	49	39	6	132	14	10
228	43	30	222	404	65	439	33	279	46	38	41	323	18	28	186	212	38	582	54	11
21	4	3	23	37	6	43	6	51	-------	5	1	20	2	2	25	16	1	66	11	12
17	4	3	22	48	17	68	5	124	1	3	1	47	1	2	30	18	2	65	7	13
40	4	4	103	144	10	120	20	142	2	11	7	206	7	13	119	58	9	362	77	14
25	4	1	36	42	5	31	5	32	2	6	4	63	1	3	22	23	6	121	11	15
15	-------	3	67	102	5	89	15	110	-------	5	3	143	6	10	97	35	3	241	66	16
174	22	31	168	430	71	555	81	254	76	71	39	316	41	24	168	409	56	1,095	189	17
133	16	46	112	205	26	228	33	163	50	52	31	186	17	8	105	197	51	597	65	18
41	6	35	56	225	45	327	48	91	26	19	8	130	24	16	63	212	5	498	124	19
16	-------	9	35	53	8	55	11	22	11	6	4	34	4	3	25	42	6	125	9	20
15	-------	6	27	36	5	29	3	19	8	6	4	28	2	2	15	29	5	88	4	21
1	-------	3	8	17	3	26	8	3	3	-------	-------	6	2	1	10	13	1	37	5	22
84	11	49	60	176	40	258	40	130	36	33	25	191	24	13	58	257	30	536	152	23
60	6	25	40	77	8	103	17	84	22	23	19	105	9	4	43	98	27	268	50	24
24	5	24	20	99	32	155	23	46	14	10	6	86	15	9	15	159	3	268	102	25
74	11	23	73	201	23	242	30	102	29	32	10	91	13	8	85	110	20	434	28	26
58	10	15	45	92	13	96	13	60	20	23	8	53	6	2	47	70	19	241	11	27
16	1	8	28	109	10	146	17	42	9	9	2	38	7	6	38	40	1	193	17	28
101	19	28	67	129	51	169	34	304	20	16	34	188	9	14	150	88	27	543	89	29
89	18	26	58	107	46	140	26	281	18	11	27	154	9	11	131	71	25	435	74	30
12	1	2	9	22	5	29	8	23	2	5	7	34	-------	3	19	17	2	108	15	31
30	4	4	17	49	4	45	7	13	5	6	10	77	-------	2	36	28	8	143	15	32
24	3	3	11	35	3	37	4	11	5	3	6	55	-------	-------	29	19	6	90	10	33
6	1	1	6	14	1	8	3	2	-------	3	4	22	-------	2	7	9	2	53	5	34
71	15	24	50	80	47	124	27	291	15	10	24	111	9	12	114	60	19	400	74	35
65	15	23	47	72	43	103	22	270	13	8	21	99	9	11	102	52	19	345	64	36
6	-------	1	3	8	4	21	5	21	2	2	3	12	-------	1	12	8	-------	55	10	37
57	24	22	50	112	17	150	19	70	28	18	9	120	15	14	77	128	26	283	41	38
57	23	22	50	111	17	143	19	69	28	18	9	118	15	13	77	120	24	273	40	39
-------	1	-------	-------	1	-------	7	-------	1	-------	-------	-------	2	-------	1	-------	8	2	10	1	40
6	5	8	6	27	2	29	2	9	6	3	-------	22	2	3	14	34	3	49	8	41
51	19	14	44	85	15	121	17	61	22	15	9	98	13	11	63	94	23	234	33	42
43	11	9	54	85	17	63	3	50	17	15	1	44	4	4	58	31	3	134	4	43
42	11	9	54	85	17	62	3	50	16	15	1	44	4	4	58	31	3	134	4	44
1	-------	-------	-------	-------	-------	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	45
7	2	1	10	12	6	8	1	5	2	4	-------	8	1	1	9	7	-------	24	2	46
18	7	5	28	45	9	33	1	34	13	7	1	23	-------	1	32	12	2	76	1	47
18	2	3	16	28	2	22	1	11	2	4	-------	13	3	2	17	12	1	34	1	48
196	25	70	319	508	99	559	137	386	52	46	44	502	32	40	314	332	44	1,124	223	49
139	20	46	173	277	38	209	49	156	41	32	32	273	9	29	171	158	36	571	86	50
57	5	24	146	231	61	350	88	230	11	14	12	229	23	11	143	174	8	553	137	51
9	2	4	7	29	6	30	6	14	1	3	4	27	-------	-------	14	11	4	77	22	52
8	2	2	3	19	1	14	-------	8	-------	3	3	20	-------	-------	12	6	2	47	10	53
1	-------	2	4	10	5	16	6	6	1	-------	1	7	-------	-------	2	5	2	30	12	54
3	-------	14	10	25	5	30	5	19	2	5	2	39	3	1	14	20	-------	100	13	55
2	-------	11	3	7	3	7	3	15	2	3	1	13	2	-------	11	10	-------	66	7	56
1	-------	3	7	18	2	23	2	4	-------	2	1	17	1	1	3	10	-------	34	6	57

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	VIRGINIA[1]—continued.														
1	Lynchburg (total)	473	9	.....	1	2	4	2	10	8	1	28	5	22	1
2	White	242	6	.....	.....	1	4	.....	6	5	1	12	5	9	.....
3	Colored	231	3	.....	1	1	.....	2	4	3	.....	16	.....	13	1
4	Norfolk (total)	1,477	23	20	1	1	1	11	6	15	.....	164	7	16	3
5	White	700	11	3	.....	1	1	5	5	10	.....	52	7	5	.....
6	Colored	777	12	17	1	.....	.....	6	1	5	.....	112	.....	11	3
7	Petersburg (total)	641	16	9	.....	.....	1	1	14	17	.....	75	6	7	3
8	White	264	13	.....	.....	.....	1	.....	4	2	.....	32	5	5	1
9	Colored	377	3	9	.....	.....	.....	1	10	15	.....	43	1	2	2
10	Richmond (total)	2,887	28	6	.....	27	.....	47	13	32	2	286	13	26	7
11	White	1,470	15	2	.....	18	.....	23	10	19	1	131	5	16	5
12	Colored	1,417	13	4	.....	9	.....	24	3	13	1	155	8	10	2
	WASHINGTON.														
13	Registration cities (total)	5,803	161	1	3	25	45	77	70	27	16	508	48	95	28
14	White	5,632	153	1	3	24	45	77	70	26	16	468	46	87	27
15	Colored	171	8	.....	.....	1	.....	.....	.....	1	.....	40	2	8	1
16	Aberdeen	121	2	.....	.....	.....	.....	1	1	.....	.....	12	.....	.....	1
17	Bellingham	231	2	.....	2	.....	.....	4	9	1	1	21	3	4	.....
18	Everett	279	8	.....	.....	.....	.....	3	.....	.....	.....	25	3	8	3
19	North Yakima	257	34	1	.....	6	4	2	7	3	.....	33	2	5	.....
20	Seattle	2,408	34	.....	.....	7	17	30	15	8	7	228	22	45	14
21	Spokane	1,375	48	.....	.....	8	17	21	19	11	6	94	8	17	8
22	Tacoma	928	18	.....	.....	2	6	16	19	3	2	80	7	10	2
23	Walla Walla	204	15	.....	1	2	1	.....	.....	1	.....	15	3	6	.....
	WEST VIRGINIA.[1]														
24	Wheeling	731	21	1	.....	3	3	4	8	3	3	64	2	3	8
25	White	700	20	1	.....	3	3	4	8	3	3	56	2	3	8
26	Colored[2]	31	1	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	.....	.....
	WISCONSIN.														
27	Registration cities (total)	10,319	340	2	1	69	140	70	197	64	35	837	52	81	64
28	White	10,274	339	2	1	69	140	69	197	64	35	830	51	78	64
29	Colored	45	1	.....	.....	.....	.....	1	.....	.....	.....	7	1	3	.....
30	Appleton	263	6	.....	.....	2	.....	3	.....	1	.....	18	.....	2	1
31	Ashland	228	37	.....	.....	.....	.....	.....	2	1	1	17	1	1	1
32	Beloit	173	1	.....	.....	1	3	1	1	1	2	10	.....	3	.....
33	Eau Claire	276	8	.....	1	.....	2	.....	3	2	3	26	5	2	1
34	Fond du Lac	254	2	.....	.....	2	.....	1	9	2	1	15	1	2	.....
35	Green Bay	448	8	.....	.....	.....	4	1	9	.....	1	27	4	4	3
36	Janesville	194	1	.....	.....	.....	.....	.....	.....	6	.....	7	1	.....	1
37	Kenosha	268	9	.....	.....	3	1	5	1	2	.....	15	2	2	.....
38	La Crosse	435	4	.....	.....	2	8	.....	2	3	.....	35	1	3	1
39	Madison	309	5	.....	.....	1	.....	4	1	5	4	29	2	3	3
40	Manitowoc	166	2	.....	.....	.....	2	1	.....	2	3	11	2	4	3
41	Marinette	178	7	.....	.....	1	5	1	2	2	.....	16	3	3	.....
42	Milwaukee	5,205	172	1	.....	40	84	38	133	27	16	434	22	39	25
43	Oshkosh	373	12	.....	.....	.....	.....	1	2	2	.....	28	.....	4	7
44	Racine	495	20	.....	.....	6	6	6	7	7	3	48	3	.....	8
45	Sheboygan	351	7	1	.....	5	3	.....	7	1	1	35	3	1	2
46	Superior	466	34	.....	.....	6	8	5	13	.....	.....	51	2	5	4
47	Wausau	237	5	.....	.....	.....	14	3	5	.....	.....	15	.....	3	4
	RURAL PART OF REGISTRATION STATES.[3]														
	CALIFORNIA.														
48	Total	13,792	244	61	1	80	28	156	100	78	37	1,789	91	144	55
49	White	13,107	228	53	1	72	28	146	97	75	36	1,649	88	136	54
50	Colored	685	16	8	.....	8	.....	10	3	3	1	140	3	8	1
51	Alameda County	593	8	2		1	2	9	5	1	3	86	1	5	1
52	Alpine County	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
53	Amador County	118	2	1	.....	1	.....	.....	.....	.....	.....	17	.....	1	1
54	Butte County	386	5	10	.....	2	.....	5	.....	1	2	38	2	7	2
55	Calaveras County	116	1	1	.....	.....	.....	1	.....	3	.....	16	1	.....	.....
56	Colusa County	100	13	.....	.....	.....	.....	1	.....	4	.....	9	1	.....	1
57	Contra Costa County	355	5	.....	.....	.....	1	9	1	1	.....	38	1	2	.....
58	Del Norte County	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Eldorado County	107	.....	2	.....	1	.....	1	1	.....	.....	10	1	.....	1
60	Fresno County	549	19	1	.....	1	6	2	13	4	3	65	2	8	.....
61	Glenn County	55	3	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....
62	Humboldt County	151	1	.....	.....	.....	.....	10	.....	.....	1	19	2	2	1
63	Imperial County	66	1	1	.....	.....	.....	.....	1	.....	.....	13	.....	.....	.....
64	Inyo County	29	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
65	Kern County	225	5	1	.....	6	1	1	1	1	1	21	.....	2	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] Colored population less than 10 per cent of total.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
8	2	6	19	47	14	48	7	30	2	8	1	23	3	10	21	14	4	81	32	1
6	2	4	13	28	6	19	4	17	2	5	1	9	.....	6	11	8	4	40	8	2
2	.....	2	6	19	8	29	3	13	.....	3	.....	14	3	4	10	6	.....	41	24	3
53	6	15	48	139	21	146	30	97	10	10	9	105	12	10	72	96	19	288	23	4
32	6	10	35	71	10	53	15	35	8	7	5	54	3	9	38	40	16	143	10	5
21	.....	5	13	68	11	93	15	62	2	3	4	51	9	1	34	56	3	145	13	6
13	.....	8	37	43	5	53	6	55	5	1	2	74	3	3	32	31	5	92	24	7
7	.....	6	16	17	.....	19	1	17	3	.....	1	38	.....	2	17	10	4	38	5	8
6	.....	2	21	26	5	34	5	38	2	1	1	36	3	1	15	21	1	54	19	9
110	15	23	198	225	48	252	83	171	32	19	26	243	11	16	161	160	12	486	109	10
84	10	13	103	135	18	97	26	64	26	14	21	139	4	12	82	84	10	237	46	11
26	5	10	95	90	30	155	57	107	6	5	5	104	7	4	79	76	2	249	63	12
339	66	41	263	446	41	447	48	240	98	66	46	351	54	47	312	529	135	1,062	68	13
335	65	37	259	437	40	431	48	235	97	66	44	339	54	46	305	510	132	1,041	68	14
4	1	4	4	9	1	16	.....	5	1	.....	2	12	.....	1	7	19	3	21	.....	15
10	2	.....	2	10	.....	9	.....	7	3	2	.....	7	1	1	5	22	3	16	4	16
14	3	1	13	27	3	15	2	4	4	5	1	14	2	1	8	13	4	45	5	17
18	4	5	16	29	4	15	1	7	4	3	2	11	5	3	19	34	3	40	6	18
11	2	.....	9	14	2	16	1	13	3	2	1	10	2	7	9	24	2	31	1	19
144	34	13	107	203	15	195	22	76	40	21	17	162	21	18	115	227	77	458	16	20
72	9	16	63	82	7	117	12	96	21	22	17	66	11	10	91	119	25	247	15	21
55	9	6	37	69	8	72	8	31	17	9	7	71	11	6	53	76	20	180	18	22
15	3	.....	16	12	2	8	2	6	6	2	1	10	1	1	12	14	1	45	3	23
45	3	17	22	52	7	78	13	33	9	7	4	41	1	4	38	72	12	138	12	24
43	3	17	22	46	7	75	12	31	9	6	4	38	1	4	38	69	12	137	12	25
2	.....	.....	.....	6	.....	3	1	2	.....	1	.....	3	.....	.....	.....	3	.....	1	.....	26
611	110	149	397	760	228	858	124	754	124	104	108	517	41	56	618	548	154	1,933	173	27
610	110	149	397	758	228	851	124	751	124	104	107	516	41	56	613	545	154	1,925	172	28
1	.....	.....	.....	2	.....	7	.....	3	.....	.....	1	1	.....	.....	5	3	.....	8	1	29
21	5	3	9	27	1	22	6	12	5	6	2	5	3	3	16	20	4	49	11	30
10	.....	5	7	18	4	10	3	10	2	2	1	16	2	1	12	26	5	29	4	31
15	3	3	7	19	3	10	1	5	3	1	1	9	.....	1	11	9	1	43	5	32
27	4	2	10	19	3	24	2	8	5	5	1	21	1	2	8	14	1	61	5	33
18	1	7	15	12	3	13	2	12	7	4	4	19	.....	3	16	14	4	58	7	34
31	8	16	15	19	2	55	9	33	9	4	1	35	.....	3	26	22	4	86	9	35
18	4	3	5	25	3	11	2	12	1	1	1	10	.....	1	9	13	3	54	2	36
13	2	7	6	9	4	28	2	38	1	1	1	11	1	.....	29	18	2	53	2	37
34	4	3	18	42	5	25	5	18	6	10	2	24	4	1	19	21	7	123	5	38
21	7	3	22	21	6	24	4	8	4	2	2	20	1	4	19	19	3	57	5	39
14	.....	1	7	10	1	8	4	7	4	3	1	7	1	1	11	9	3	37	7	40
10	1	2	4	19	3	19	1	6	.....	1	.....	12	2	.....	13	8	3	30	4	41
264	50	57	194	366	158	476	57	441	56	49	70	257	19	24	334	239	88	894	81	42
27	4	4	19	43	4	25	9	22	8	3	5	14	.....	1	26	13	2	80	8	43
32	5	14	20	37	13	38	3	45	5	3	2	18	1	6	17	29	4	83	6	44
29	5	1	11	35	9	26	5	20	5	2	7	19	1	1	17	24	7	58	3	45
18	4	16	17	24	2	24	7	45	3	4	5	8	3	1	23	43	10	78	3	46
9	3	2	11	15	4	20	2	12	.....	3	2	12	2	3	12	7	3	60	6	47
711	142	159	711	1,582	124	982	144	437	67	110	157	769	54	84	473	1,291	274	2,544	133	48
691	141	144	696	1,535	117	894	135	409	65	107	153	739	52	82	454	1,226	256	2,425	123	49
20	1	15	15	47	7	68	9	28	2	3	4	30	2	2	19	65	18	119	10	50
36	5	4	33	76	4	71	10	21	.....	3	6	42	2	2	19	40	7	88	.....	51
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	52
12	.....	.....	8	7	.....	3	1	3	2	3	2	9	1	.....	3	10	4	27	.....	53
18	4	4	17	42	1	30	3	9	2	2	4	23	2	.....	8	39	11	87	6	54
1	1	1	14	19	5	8	2	3	.....	.....	1	3	.....	.....	2	8	3	19	3	55
2	2	1	3	10	1	7	1	.....	.....	.....	.....	4	.....	.....	5	12	2	21	.....	56
18	5	4	10	27	7	35	5	19	3	.....	.....	17	.....	2	15	62	7	55	6	57
1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	5	.....	58
8	2	.....	5	17	.....	6	.....	1	2	1	1	18	.....	1	.....	12	2	14	.....	59
26	3	10	14	42	2	38	3	40	6	6	5	28	.....	3	37	52	10	98	2	60
1	.....	.....	1	7	.....	4	1	5	2	.....	1	1	1	1	3	9	1	9	1	61
10	1	2	8	13	1	5	2	7	2	1	1	7	.....	.....	6	18	2	28	1	62
.....	.....	.....	4	5	.....	4	1	3	.....	.....	.....	5	.....	.....	2	11	4	9	2	63
5	1	.....	1	1	.....	1	.....	.....	1	1	.....	2	.....	.....	.....	3	2	7	1	64
3	1	4	4	18	3	14	.....	20	1	2	1	10	1	2	11	49	9	28	4	65

[3] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	CALIFORNIA—continued.														
1	Kings County	192	13	6					2	1		25	2	3	2
2	Lake County	82	4							3		8			
3	Lassen County	22									1	1			
4	Los Angeles County	1,740	19	2		22	5	7	10	14	3	326	14	22	5
5	Madera County	87	1					2		1	2	16	1	1	2
6	Marin County	256	6						4	2		44	1	4	
7	Mariposa County	32										4	2		
8	Mendocino County	334	3			3		8	3			26	3	1	1
9	Merced County	133	3	1				4		2		14	2		
10	Modoc County	37	2							2		1			1
11	Mono County	2										1			
12	Monterey County	283	1			1		9	2			23	3	4	1
13	Napa County	462	4					6		1	1	48	1		2
14	Nevada County	221	6	1				4	1			16			3
15	Orange County	395	12			4	2	2	2	4	3	49	9	4	2
16	Placer County	249	6	2		1		2	3	1	1	34	1	3	1
17	Plumas County	37	2	1				1				3			
18	Riverside County	196	6				2		2		1	44	2	2	3
19	Sacramento County	405	4	2					5		2	63	4	6	
20	San Benito County	104	1					5	1	2		13			
21	San Bernardino County	509	10			6	1	3	3	2	1	88	1	9	1
22	San Diego County	189	1						1		1	43	1	2	1
23	San Joaquin County	442	8	2		2		4		1	4	54	1	8	2
24	San Luis Obispo County	237	7	1		1		5	2	1		29		5	2
25	San Mateo County	304	1			1		6	3			27	3	3	3
26	Santa Barbara County	145	5			1		5	3			11	3	1	
27	Santa Clara County	791	7	1		3	4	15	7	9	1	124	8	6	2
28	Santa Cruz County	179	4	1				2	4	1		21	2	1	
29	Shasta County	256	6	3		7		2	3			19		3	
30	Sierra County	38	1							1		1			
31	Siskiyou County	195	4	1			1		1			13	2	3	2
32	Solano County	179	1			2		3	1			13			1
33	Sonoma County	658	7	2		3	2	5	2	4	1	81	5	6	6
34	Stanislaus County	234	6	1		1		1	2	1		24		6	1
35	Sutter County	64						1			1	5	2		
36	Tehama County	174	3	10				7		2	1	22	1		
37	Trinity County	58								2		4			
38	Tulare County	327	8	1		2	1	4	5	2	1	39	5	5	1
39	Tuolumne County	133	3		1	2		1		1		20			
40	Ventura County	208	4			4			1	2	1	26		6	
41	Yolo County	184	1			2		1	3			19	1	2	3
42	Yuba County	151		4				2	2		1	10		1	
	COLORADO.														
43	Total	6,364	235	6	7	46	61	27	71	46	19	799	21	32	27
44	White	6,236	229	6	7	44	59	27	71	46	19	782	19	31	27
45	Colored	128	6			2	2					17	2	1	
46	Adams County	82	1				1	1				18			1
47	Arapahoe County	122	4	1			2		1		2	49		1	
48	Archuleta County	35	4				1		1			1			
49	Baca County	30	3							1					
50	Bent County	66	2				1	1		1	1	29			
51	Boulder County	400	7			3	3	2	8		1	65	1	4	1
52	Chaffee County	124	7	2			2		2			4			
53	Cheyenne County	7				2									
54	Clear Creek County	79	1				1		1		1	5			
55	Conejos County	105	4		1		6		3			9		2	
56	Costilla County	5													
57	Custer County	22										2			
58	Delta County	127	3			1	1		1	1		15	2	1	1
59	Dolores County	4													
60	Douglas County	24							2						
61	Eagle County	28	1				1			1		2			
62	El Paso County	229	3			1		1	4		1	84		2	1
63	Elbert County	33								1		1			
64	Fremont County	247	12			3			2	3	1	38		1	
65	Garfield County	161	7				4		1	2		5		1	1
66	Gilpin County	67				2						1			
67	Grand County	20	1									1			
68	Gunnison County	84					4				1	4			
69	Hinsdale County	13								1		1			
70	Huerfano County	237	4	1		8	1		1			15			1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
10	2	2	3	13	.....	14	1	13	.....	2	.....	12	2	.....	8	13	4	38	1	1
3	.....	2	7	5	5	9	.....	1	.....	.....	4	6	.....	.....	2	6	2	15	.....	2
1	.....	.....	.....	.....	1	3	.....	.....	.....	.....	1	3	.....	1	.....	2	1	6	1	3
119	15	18	108	198	19	97	16	47	1	18	16	99	5	6	49	120	24	304	12	4
3	1	.....	2	7	1	9	.....	2	.....	.....	1	2	.....	1	2	14	1	13	2	5
17	6	2	15	32	.....	12	3	3	1	1	3	12	1	2	8	32	5	39	1	6
1	.....	.....	3	.....	.....	2	2	1	.....	.....	1	.....	.....	.....	.....	5	1	8	2	7
12	5	4	15	38	5	30	2	11	1	1	6	21	3	3	8	42	3	73	3	8
7	2	3	1	11	.....	11	1	7	.....	1	3	5	1	1	7	15	6	21	4	9
.....	1	.....	1	2	.....	4	.....	1	1	.....	2	2	2	.....	2	6	.....	7	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	11
18	6	4	16	29	2	21	5	6	1	3	3	21	.....	1	5	30	5	62	6	12
27	2	1	21	73	.....	21	2	3	4	4	7	19	.....	3	6	15	15	173	3	13
10	3	1	15	30	1	14	5	7	2	4	3	7	1	1	8	24	5	47	2	14
21	6	3	29	49	6	31	6	17	1	3	1	26	2	2	20	22	3	53	1	15
6	2	1	8	23	3	20	7	8	1	2	4	16	.....	2	3	44	10	30	4	16
2	1	.....	1	4	.....	3	.....	.....	1	.....	1	1	.....	1	1	7	.....	5	2	17
8	1	2	6	20	1	12	.....	10	.....	4	.....	5	1	2	9	15	2	36	.....	18
19	3	4	15	35	7	39	5	14	1	.....	10	34	.....	4	12	43	7	66	1	19
5	.....	2	4	15	1	8	1	3	1	.....	1	5	.....	.....	5	11	2	16	2	20
18	5	2	31	62	3	19	5	16	.....	2	4	26	3	2	9	46	8	119	4	21
8	2	2	18	30	2	3	3	6	1	1	1	17	.....	.....	5	7	2	28	3	22
24	7	3	14	52	2	36	5	13	4	5	5	40	3	.....	28	40	10	63	2	23
9	1	8	11	30	2	15	1	11	2	3	8	11	1	3	11	11	3	40	3	24
13	2	6	17	32	3	29	3	4	3	3	2	16	2	4	20	27	9	62	.....	25
12	.....	1	8	9	2	11	2	8	.....	1	2	9	.....	.....	8	16	2	24	1	26
48	15	11	42	108	6	53	10	18	5	12	11	49	.....	2	16	50	19	125	4	27
6	3	5	10	28	2	11	5	4	.....	1	.....	5	.....	.....	10	19	4	28	2	28
9	.....	1	15	24	6	23	2	8	2	3	1	11	.....	3	13	37	7	48	.....	29
.....	1	.....	2	6	2	1	2	.....	.....	1	.....	2	.....	1	1	6	1	7	2	30
10	4	1	6	23	2	9	2	5	1	1	5	7	4	4	6	30	4	36	8	31
5	1	2	11	17	1	15	.....	5	.....	.....	2	18	.....	1	7	20	6	39	8	32
49	10	16	59	97	5	48	6	8	1	2	12	26	4	9	17	41	12	112	.....	33
6	2	3	11	29	2	20	3	6	2	3	2	11	5	3	8	17	10	47	1	34
2	1	2	1	8	.....	4	2	.....	.....	1	1	.....	.....	.....	3	10	1	15	4	35
5	1	4	12	20	.....	9	.....	.....	.....	.....	4	4	2	.....	5	14	.....	42	6	36
2	1	.....	.....	13	.....	2	1	.....	1	.....	1	6	.....	.....	2	12	1	10	.....	37
10	2	4	11	34	4	19	3	23	2	2	2	16	1	3	17	25	4	62	9	38
8	.....	2	7	20	.....	7	.....	4	3	3	.....	9	1	.....	1	17	3	19	1	39
13	2	5	11	22	3	20	1	7	1	1	1	8	3	2	8	17	1	38	.....	40
15	1	.....	13	26	1	9	1	3	2	2	1	9	.....	3	8	22	2	34	.....	41
9	.....	2	8	23	.....	12	2	3	.....	1	3	4	.....	3	3	14	3	39	2	42
217	33	53	208	354	61	591	100	336	61	47	39	333	51	37	363	957	85	989	52	43
216	32	53	208	349	61	580	98	333	56	47	38	331	50	36	363	910	82	974	52	44
1	1	.....	.....	5	.....	11	2	3	5	.....	1	2	1	1	.....	47	3	15	.....	45
3	.....	.....	2	2	.....	7	1	4	.....	3	.....	8	.....	1	3	14	1	11	.....	46
3	2	.....	1	6	2	8	2	1	.....	.....	.....	6	.....	1	1	13	1	14	1	47
1	.....	.....	1	3	.....	3	.....	3	.....	.....	.....	2	.....	.....	3	7	2	3	.....	48
.....	.....	.....	3	.....	.....	1	.....	6	.....	2	.....	2	.....	.....	2	4	.....	5	1	49
.....	.....	.....	1	2	1	4	.....	2	.....	1	.....	1	.....	1	1	5	2	10	.....	50
24	1	3	13	33	3	27	3	23	2	3	4	30	1	1	18	38	3	72	3	51
13	1	.....	6	9	1	16	.....	3	6	.....	2	14	.....	1	5	11	1	17	1	52
1	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	53
6	.....	3	3	4	1	7	11	2	1	1	1	7	.....	.....	2	11	.....	10	.....	54
3	.....	1	2	5	4	10	.....	8	1	2	1	5	1	2	3	5	3	20	4	55
.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	56
3	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	1	.....	1	2	3	.....	6	.....	57
9	2	3	11	11	2	8	3	3	.....	1	.....	6	.....	.....	13	6	2	18	3	58
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	59
3	.....	.....	1	.....	.....	3	.....	.....	.....	.....	1	2	.....	.....	1	3	1	7	.....	60
.....	.....	.....	2	4	.....	2	.....	2	.....	.....	1	2	.....	.....	2	4	.....	4	.....	61
6	1	.....	3	14	6	15	3	10	.....	2	1	12	1	1	5	13	2	35	2	62
1	.....	.....	1	6	.....	9	1	1	.....	1	.....	4	.....	.....	.....	6	1	.....	.....	63
11	1	2	11	21	5	25	5	13	1	.....	2	12	4	1	12	26	4	31	.....	64
3	.....	.....	4	9	1	17	1	8	5	.....	4	14	6	1	8	26	7	25	1	65
3	.....	.....	2	4	3	6	3	4	.....	1	.....	7	1	.....	6	14	1	8	1	66
.....	.....	1	.....	.....	1	1	.....	1	.....	1	.....	3	1	.....	1	2	1	5	.....	67
1	1	2	1	7	1	9	.....	5	.....	1	.....	8	.....	.....	12	12	3	12	.....	68
.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	5	.....	69
3	2	6	2	4	.....	45	2	32	3	2	2	6	2	2	15	49	2	25	2	70

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	COLORADO—continued.														
1	Jackson County	11							2	1		1			
2	Jefferson County	263	1				1		2	2	1	144		1	
3	Kiowa County	33						1				1			
4	Kit Carson County	43	2									2			
5	La Plata County	123	5				2					4		3	1
6	Lake County	209	4				3		3	3	1	4			2
7	Larimer County	291	5			4	4		5	4		27	4	3	2
8	Las Animas County	593	13		2	3	2	6	7	4	1	27		1	4
9	Lincoln County	39	2					1	1	1		4			
10	Logan County	69	7	1	1	1	1	1	1			10			
11	Mesa County	245	20			2	4	6	7		1	25		1	1
12	Mineral County	12													1
13	Montezuma County	43	2			1		1	1	1		2			
14	Montrose County	112	16		1			1	1			13	1		
15	Morgan County	88	3						1	1		16		1	
16	Otero County	276	27			3		1	3	2	1	45	4		2
17	Ouray County	51	1				1			2		1		1	
18	Park County	19	1							1		1			
19	Phillips County	29	2									5			
20	Pitkin County	56	1				2					3	1		
21	Prowers County	127	11			2	1			1		16	1	2	
22	Pueblo County	298	14	1	1		1		4	6	1	33	3	2	3
23	Rio Blanco County	12													
24	Rio Grande County	93	2						1			9		1	1
25	Routt County	55	4			4	3			2	1	3			
26	Saguache County	37	1								1	1			
27	San Juan County	56	1							2		1			
28	San Miguel County	68	2		1			2	1		2	2			
29	Sedgwick County	24	1									1			
30	Summit County	28								1		1			
31	Teller County	181	3				5			1		6	1		
32	Washington County	41	1			6						4			1
33	Weld County	342	18				3	2	4		1	32	3	2	3
34	Yuma County	46	1									6		2	
	CONNECTICUT.														
35	Total	5,466	46	8		23	24	39	86	98	10	418	21	35	34
36	White	5,394	44	8		23	24	38	86	98	10	410	21	31	34
37	Colored	72	2					1				8		4	
38	Fairfield County	775	2	3		1	5	6	12	9	5	62	2	4	7
39	Hartford County	1,094	9	1		4	4	4	27	15	1	80	8	8	12
40	Litchfield County	794	6			4	1	7	4	16		67	2	2	4
41	Middlesex County	375		2		1		2	9	7	2	25		1	1
42	New Haven County	748	14	1		3	12	7	12	9		56	4	3	3
43	New London County	732	8	1		7	2	6	7	12		68		3	2
44	Tolland County	331	1			2		3	7	11	1	23		3	1
45	Windham County	617	6			1		4	8	19	1	37	5	11	4
	INDIANA.														
46	Total	23,980	644	80	1	306	123	286	269	399	79	2,579	176	353	109
47	White	23,539	640	79	1	306	120	281	267	397	77	2,485	174	320	107
48	Colored	441	4	1			3	5	2	2	2	94	2	33	2
49	Adams County	209	10	1		1	2	2	2	2	2	29		4	
50	Allen County	277	6	1		4	5		5	2		21	1	1	
51	Bartholomew County	329	12			11		2		5		48	5	6	2
52	Benton County	105	2			1	1	1		2		5			1
53	Blackford County	196	3			6	1	1	1	5	1	22	4	2	1
54	Boone County	310	7	1		4	1	2	1	4		35	3	9	3
55	Brown County	108	7			4		2		1		10		1	2
56	Carroll County	243	5			1	2	1	2	3	1	19	1	4	
57	Cass County	276	2	1		1	5	4	2	1		22	1	5	3
58	Clark County	288	6	1		6		4	2	7		23	3	18	1
59	Clay County	404	6	2		5	4	12	5	13	1	47	3	4	
60	Clinton County	303	6			1	3	2	2	5	1	34	2	4	2
61	Crawford County	151	8			1		4	1	7	3	37	1	4	
62	Daviess County	335	7	1		2	4	6	10	4		51	3	7	3
63	Dearborn County	274	6			2		4	2	3	1	35	2	4	1
64	Decatur County	243	6	1		1		2	2	8	1	32	1	2	1
65	Dekalb County	328	12	1		1			3	1	1	26	4	3	2
66	Delaware County	274	6			8			3	3	1	30	2	6	3
67	Dubois County	191	11	2				6	2	1		39		3	
68	Elkhart County	407	15				1	2	5		3	41	3	4	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Brights' disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
				1								1		1	2		1	1		1
11		1	11	8		10	5	2	1	1		15			4	17	8	15	2	2
		1	2	8		3		1		1				1	5	2		7		3
4	2		3	3	1	3		4	1			2			6	4		6		4
5		2	6	5		17	7	1	2	1	3	11		1	6	12	4	23	2	5
6			6	10	11	44	5	13	2	1	1	15			14	23	4	31	3	6
13	5	3	8	10	4	35	5	16	11	1	1	10	1	1	25	21	5	57	1	7
3		5	6	13	2	39	8	36		2	2	15	6	2	7	317	1	53	6	8
		1		3		1		4				2			2	5	1	10	1	9
2		1	5	1		6		5				2	1	1	3	5		14		10
7		2	12	13		21	2	9	5	3		13	4		11	33	3	37	3	11
				1		3	1	1				1			1	2		1		12
2			1	3		3		1		1		1			5	9	1	8		13
6		2	6	4			3	5		3		6	3	2	3	12	3	20	1	14
2	2		3	6	3	1	2	5	1			3	3		10	4	2	18	1	15
5	4	5	9	14	1	27	1	22	3	2	1	12	2	2	15	24		34	5	16
1		1	1	5		8	8				1				2	9		9		17
			1	3		3	1				2	1			2	1		2		18
1		1		2	2	2						1		1	6	2		4		19
1	1		3	5		7		1	1			7		1	4	5	1	12		20
8	1			10	1	12		12	2		1	2	2	3	6	7	2	23	1	21
8		1	9	18	1	18	2	8	3	1		11	3		3	49	5	89		22
1			1									3		1		1		5		23
2			6	6	1	9		4	1	2		3	1		11	4		27	2	24
2	1		1	1		3		1	1			1	1	2	3	11		10		25
2	1			3		3	1	7	2		1	3			3	2	1	5		26
	1		1	7	2	13	1	4	1		1	2			5	9		5		27
	1	1	1	4		12	1	1	2		1	4	2		5	12	1	10		28
		1						1	1			3		1	5	3		7		29
			2	4		3	1					1			1	8	1	4	1	30
4	2	1	6	10		20	6	6		1	3	16	3	3	24	30	1	28	1	31
1			1			3	1	4		1	1				5	4	1	6	1	32
19	1	3	21	20	1	31	3	26	2	2	1	10	1	1	40	34	2	55	1	33
2			1	7		6		2		3		4	1		3	1		7		34
291	66	57	450	635	101	419	49	320	17	29	50	398	14	33	273	282	67	995	78	35
288	66	56	444	629	99	416	49	315	17	29	50	388	14	32	270	278	67	983	77	36
3		1	6	6	2	3		5				10		1	3	4		12	1	37
51	12	6	75	91	8	64	8	34	3	3	8	65	2	3	33	34	16	134	7	38
45	13	12	87	137	27	87	9	66	2	5	12	72	1	12	62	59	11	189	13	39
43	11	8	72	87	9	60	10	36	5	2	8	57	3	4	39	46	10	154	17	40
24	5	3	34	42	4	32	4	19	1	3	1	32	1	4	14	18	3	77	4	41
26	6	16	58	64	14	66	3	52	3	5	5	51	3	5	44	55	8	124	16	42
46	7	2	58	97	18	43	6	43		8	7	50		1	29	33	5	158	5	43
22	4	2	23	41	10	27	4	23	2	1	4	25	3		15	14	5	47	7	44
34	8	8	43	76	11	40	5	47	1	2	5	46	1	4	37	23	9	112	9	45
1,231	251	165	1,440	2,563	295	1,784	173	1,265	143	187	195	1,451	134	154	1,122	1,318	201	4,440	64	46
1,222	249	162	1,416	2,526	288	1,757	170	1,246	138	182	193	1,419	133	150	1,107	1,297	197	4,372	61	47
9	2	3	24	37	7	27	3	19	5	5	2	32	1	4	15	21	4	68	3	48
15	4	1	17	18	2	14	4	7		1	2	16			8	10	1	34		49
18	5	3	17	10	4	33	3	18	1	4	4	19	1	1	23	19	1	47		50
18	4	1	20	36	2	23	2	17	3	5	4	7		1	12	12		71		51
6		1	4	11	3	7	2	5		1	1	7			9	4		30	1	52
9	2	4	10	17	1	9	2	9		3	5	18		2	9	16	1	32		53
21	5	1	25	34	5	20	2	15		4	7	9	2	1	20	9	2	58		54
1		3	4	13	3	11	2	4	1	2	2	6		2	3	5	1	17	1	55
14	4	1	17	30		14	2	16	5		2	16	1	1	8	19	6	48		56
12	3	4	21	25		24		10	2	4	3	15		2	6	10	2	86		57
14	4	1	16	26	6	27		15	3	1	1	25	1	3	13	16	1	44		58
12	1	2	8	43	4	25	3	22	3	8	2	29	3	3	31	26	5	70	2	59
20	3	1	28	40	5	24	1	13	4	2	2	11		3	10	12	3	58	1	60
4	1	1	7	10	1	10	1	6	1	1	3	11			6	3		19		61
13	6	2	18	34	7	27	4	22	1	3	5	15		1	16	17	3	43		62
14	4	1	14	36	5	32		7	1	6	3	19	1	1	3	24	1	41	1	63
14	3	1	16	29	1	12	1	10	3	3	4	10		3	6	12		58		64
22	5	2	35	43	6	13	1	21		2	1	19	2	3	17	16	3	61	2	65
11	1	2	15	33	3	14	1	11		1	1	21	5	2	14	23	4	49	1	66
4	3	1	6	13	4	24	2	11	1			5		3	8	9	2	29	2	67
25	8	3	40	39	4	27	4	15	4	4	2	24	1	2	16	21	3	87	2	68

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	INDIANA—continued.														
1	Fayette County	190	2					4	2	4	3	11	1	4	
2	Floyd County	140	2	1		3			2	3		20	2	4	1
3	Fountain County	273	11	1		4		4	2	4	1	30	1	4	
4	Franklin County	192	5			1		1	2	4		23		5	
5	Fulton County	230	4	1		3	1	4	1	11	2	21	1		1
6	Gibson County	403	19	7		7	3		8	8	3	53	5	4	1
7	Grant County	526	7		1	8	2	2	5	4	3	57		6	2
8	Greene County	467	15	5		15	2	10	14	9	1	52	3	6	3
9	Hamilton County	360	15			7	3	3	5	10		32	1	8	1
10	Hancock County	251	7			4	1	2	2	8	1	42	2	3	1
11	Harrison County	228	13			3	1	1	2	3	1	27	1	2	
12	Hendricks County	265	7			3		2	1	5	2	24	1	5	1
13	Henry County	427	7			8	2	5	5	3	2	36	4	5	4
14	Howard County	174	2	1		2	3	2	1	2	1	18	1	8	
15	Huntington County	230	5			4	3	1		2	3	21	4	2	2
16	Jackson County	351	21	1		3	1	9	7	5	1	49	3	1	2
17	Jasper County	119	2			2	2		2	1		9		1	1
18	Jay County	324	13			6	2	5	5	3	1	37	4	5	1
19	Jefferson County	356	6	1		3		11	2	2	2	32	3	10	3
20	Jennings County	182	1			5		2	1	5		20	1	1	
21	Johnson County	286	8			4	3	4	2	5	1	28	4	3	5
22	Knox County	299	13	5		7	2	6	16	6	1	29			
23	Kosciusko County	347	4			1	2	2	2	8	2	21	1	4	2
24	Lagrange County	199	2			4	3	1	1	3	1	11	3	1	2
25	Lake County	350	7			2	4	4	3	1		27		4	1
26	Laporte County	176	1	1		1		1	1	3		8	1	1	
27	Lawrence County	411	21	1		11	1	8	2	7		59	7	13	1
28	Madison County	366	8	1		6	2	1	10	6		43	2	7	1
29	Marion County	408	5	2		4	1	7	1	5	2	43	2	11	1
30	Marshall County	307	8	2		1	4	1	3	11	1	26	1	4	1
31	Martin County	144	8					4	4	5		24	2	3	
32	Miami County	223	6			1	2	6		3	1	18	1	2	1
33	Monroe County	335	9			8	4	10		5		36	3	4	
34	Montgomery County	383	6			6		2		9		38	4	5	
35	Morgan County	312	8	1		1		6		5	2	37	4	4	3
36	Newton County	109	2			3			1	1		8			
37	Noble County	266	4	2		1	1			5	1	21		2	1
38	Ohio County	44								1		5			
39	Orange County	198	8					5	3	5		29	1	7	
40	Owen County	162	2	2		1	1	2		1	1	23	4	2	1
41	Parke County	255	6	1		4	1	1	8	4		20	3		
42	Perry County	217	6	4				4	11	3		25	3	4	3
43	Pike County	278	13	2				7	9	7		40	5	6	4
44	Porter County	264	4	1		1	9	1	7	5		17	3	2	1
45	Posey County	284	7	3		8	1	1	4	8	1	41	2	3	
46	Pulaski County	145	7	4		2	1	1	1	2		13	2		
47	Putnam County	250	1			7		7	2	4		31	4	6	
48	Randolph County	371	6			8		3	2	1	3	36	4	11	1
49	Ripley County	246	9	1		2		2	2	4	2	34		2	1
50	Rush County	234	5						1	5	1	26	2	4	1
51	St. Joseph County	244	5				2	1	2	3		28	1	3	2
52	Scott County	117	4					1	2	2		12			2
53	Shelby County	341	8			4	1	1	3	8		55	2	4	1
54	Spencer County	266	11	5		2			2	4		34	2	1	1
55	Starke County	128	2	1		1	2	1	2			13	1	1	2
56	Steuben County	160	3				1	1	1	2	1	10	3	3	
57	Sullivan County	386	10			4		14	4	6	4	42	3	2	2
58	Switzerland County	138	2	2				5	1	4		12	1	1	
59	Tippecanoe County	253	2			2		1	1	6		17		3	2
60	Tipton County	207	4			5	5	2	1	1		20		2	
61	Union County	85	1				1	1	1	5		5	3	1	
62	Vanderburg County	233	8	1		1	2	1	3	3	2	22		4	1
63	Vermilion County	255	5	2		3	2	7	3	2	1	22	1	4	1
64	Vigo County	378	18	2		8	2	8	14	4	1	40	2	9	5
65	Wabash County	335	7			2	1		4	7	1	27	4	4	
66	Warren County	136	2			1		2		2		11	1	1	1
67	Warrick County	274	15	4		5		11	5	10	2	28	2	6	2
68	Washington County	223	6			7				3	1	36	2	3	3
69	Wayne County	362	6			2	3	2	4	6	2	42		4	1
70	Wells County	295	13			6	1	1		5		32	2	2	1
71	White County	167	7			2	1			5		28		2	
72	Whitley County	189	4			6	2	4	1		1	16	1	3	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
15	2	------	8	29	1	6	1	18	------	1	5	4	------	------	13	7	2	46	1	1
7	------	------	7	21	2	6	------	4	------	------	3	9	------	------	4	6	------	32	1	2
11	2	2	23	22	4	15	3	10	6	3	2	12	4	2	9	17	4	59	1	3
15	1	------	10	20	5	21	------	10	2	2	1	13	1	1	4	10	1	34	------	4
16	5	4	11	23	4	14	------	6	2	1	------	18	1	1	9	14	------	51	------	5
15	5	6	19	32	4	29	1	28	5	4	5	17	4	6	19	21	4	59	2	6
23	3	1	44	82	4	37	2	10	1	3	8	37	3	4	23	17	3	124	------	7
9	------	4	14	32	1	44	3	47	2	1	3	16	3	1	25	34	1	90	2	8
20	3	------	23	37	3	13	1	18	1	1	7	30	1	3	21	15	5	73	------	9
13	------	3	17	21	3	9	------	15	1	1	3	14	2	2	13	16	1	54	------	10
15	1	------	7	31	2	12	3	7	------	2	1	16	------	2	10	14	1	49	1	11
12	7	1	17	27	7	19	2	14	2	4	3	17	------	2	6	12	3	59	------	12
15	5	6	33	33	8	30	2	30	3	1	6	21	6	2	15	27	7	93	3	13
10	2	------	8	20	1	12	------	7	4	1	------	17	1	1	11	10	1	26	1	14
11	3	1	15	32	1	21	------	3	1	------	------	18	2	1	10	14	4	45	1	15
18	2	1	9	33	2	27	2	21	2	1	------	27	1	2	18	18	3	61	------	16
11	------	------	7	12	------	11	1	10	------	2	2	8	1	1	5	3	1	23	1	17
14	3	1	21	25	1	21	1	18	1	3	1	25	------	3	19	20	2	63	------	18
18	4	3	15	60	4	28	4	15	1	1	2	21	------	1	16	19	5	64	------	19
9	------	------	11	17	2	16	2	14	------	------	------	13	------	2	7	11	------	42	------	20
5	5	4	8	19	------	29	6	19	2	1	3	29	2	1	12	8	3	63	------	21
14	3	2	9	20	2	27	2	31	------	1	1	14	2	1	22	11	4	47	1	22
30	7	6	31	40	5	19	4	8	1	1	3	26	5	------	11	19	6	75	1	23
14	6	1	18	17	3	14	1	2	2	2	1	19	2	2	8	7	1	47	------	24
14	6	2	13	30	7	27	3	41	2	2	2	21	3	4	21	37	3	59	------	25
7	1	1	10	25	3	13	1	7	1	------	------	18	------	3	12	16	4	36	------	26
12	2	8	18	40	7	34	1	32	2	4	1	17	4	2	23	19	2	50	2	27
16	------	1	27	46	3	38	4	19	1	1	1	18	2	3	16	11	4	65	3	28
17	3	5	31	41	5	24	3	33	2	2	3	22	3	3	15	25	7	78	2	29
19	2	2	16	36	1	21	2	15	2	4	7	12	2	2	19	14	2	66	------	30
6	1	------	5	10	2	7	4	10	------	------	------	1	1	1	9	6	2	29	------	31
11	3	2	13	34	6	16	------	8	2	2	1	8	------	------	3	15	1	57	------	32
24	3	------	18	41	5	34	1	16	1	2	------	20	2	5	18	18	4	41	3	33
33	2	2	25	51	6	29	3	16	1	4	3	27	3	2	19	16	3	64	4	34
17	1	1	20	44	1	24	3	14	1	3	1	27	2	2	12	20	2	44	2	35
7	4	------	5	6	1	9	------	14	1	------	------	9	------	------	5	5	2	26	------	36
25	2	3	26	33	2	14	4	6	3	1	1	19	1	1	17	14	1	55	------	37
7	1	------	1	10	3	4	------	2	------	------	------	1	------	1	------	2	------	6	------	38
8	1	------	5	24	3	12	1	9	1	6	3	9	2	1	13	8	------	34	------	39
9	1	------	15	29	2	10	1	4	------	1	------	3	------	------	10	6	------	31	------	40
12	3	2	21	23	3	15	4	17	------	5	1	9	2	5	15	24	1	45	------	41
5	------	2	10	11	4	24	1	12	------	1	2	17	3	2	16	12	------	32	------	42
10	1	5	5	19	4	21	------	22	1	3	3	16	2	2	15	15	3	36	2	43
24	4	1	26	36	2	23	1	8	3	1	1	8	1	------	6	19	1	48	------	44
14	3	1	13	24	8	30	2	20	------	2	2	19	2	2	9	13	2	36	3	45
7	3	2	10	12	1	10	1	4	1	------	2	7	------	3	10	6	3	30	------	46
16	3	3	20	28	2	26	1	6	1	4	4	19	1	2	7	12	2	31	------	47
28	9	4	28	41	4	29	2	11	7	3	1	18	3	4	18	18	5	62	1	48
7	------	1	17	27	3	29	1	14	2	5	1	12	4	1	4	8	2	48	1	49
19	1	3	21	19	3	15	2	11	------	1	3	18	------	------	16	9	5	43	------	50
8	2	2	20	42	7	15	2	8	2	------	------	18	3	4	8	9	2	45	------	51
5	2	------	5	14	2	10	2	8	------	1	2	8	------	1	4	8	3	19	------	52
11	4	2	24	31	6	26	3	13	1	1	4	31	3	1	14	17	2	59	1	53
8	2	1	11	35	8	28	4	17	1	1	------	13	2	1	12	12	2	45	1	54
9	2	1	3	15	3	8	------	10	2	1	------	6	------	------	3	10	------	29	------	55
10	1	3	14	20	2	6	2	7	------	2	3	7	1	------	10	7	------	37	3	56
18	3	3	24	28	2	25	1	38	------	4	------	19	1	3	24	41	2	59	------	57
8	2	1	13	17	------	10	------	6	4	1	2	10	1	------	4	4	------	26	1	58
20	5	1	19	50	3	21	2	6	------	3	------	20	3	------	8	13	4	41	------	59
14	7	------	9	22	4	9	4	10	2	3	2	9	1	4	13	15	2	37	------	60
4	1	------	11	14	------	3	1	2	1	1	------	3	------	------	3	4	------	19	------	61
10	------	6	9	18	8	23	3	10	1	2	3	6	------	1	7	9	2	67	------	62
11	3	1	12	21	5	21	4	25	1	1	4	12	1	1	28	16	5	29	1	63
16	1	------	9	41	2	28	5	32	2	1	3	16	2	3	20	35	1	47	1	64
20	------	2	20	41	3	20	1	20	10	5	7	28	6	2	11	13	------	69	------	65
6	2	1	10	20	2	6	2	6	1	------	1	8	------	2	9	6	4	29	------	66
11	6	------	9	22	2	35	2	18	------	1	1	25	2	1	13	8	------	27	1	67
13	2	------	8	14	3	16	2	12	3	2	------	18	2	2	16	4	3	42	------	68
19	2	6	29	38	4	25	4	7	------	2	------	23	1	------	5	28	3	93	1	69
11	4	1	15	25	3	17	4	9	2	2	1	29	3	1	11	46	1	47	------	70
8	2	1	13	23	------	11	------	5	3	1	1	14	1	1	11	4	1	20	2	71
10	3	------	11	27	------	13	1	6	------	3	4	10	------	------	12	8	2	41	------	72

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MAINE.														
1	Total	9,346	95	2	.....	68	15	82	68	103	14	655	61	95	37
2	White	9,334	95	2	.....	68	15	82	68	102	14	653	61	95	37
3	Colored	12	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
4	Androscoggin County	341	9	.....	.....	.....	.....	4	.....	.....	.....	24	2	4	1
5	Aroostook County	1,068	13	1	.....	15	6	19	17	13	2	82	6	2	3
6	Cumberland County	875	12	.....	.....	2	.....	4	1	6	2	67	12	7	1
7	Franklin County	264	3	.....	.....	4	1	.....	1	2	.....	15	1	2	2
8	Hancock County	572	6	.....	.....	.....	.....	.....	3	8	2	35	5	7	.....
9	Kennebec County	655	6	.....	.....	4	.....	2	4	5	1	45	.....	3	3
10	Knox County	488	3	.....	.....	.....	.....	1	.....	5	.....	47	4	6	2
11	Lincoln County	311	2	.....	.....	.....	1	1	3	3	1	16	.....	2	5
12	Oxford County	606	4	.....	.....	5	.....	7	4	8	1	34	4	3	4
13	Penobscot County	917	11	.....	.....	15	1	15	3	11	2	69	9	18	1
14	Piscataquis County	284	1	.....	.....	1	1	.....	3	3	.....	27	1	6	1
15	Sagadahoc County	329	2	.....	.....	.....	.....	3	5	5	1	22	1	3	.....
16	Somerset County	604	4	.....	.....	10	.....	20	4	8	1	38	2	12	5
17	Waldo County	424	4	.....	.....	.....	.....	1	1	3	.....	29	3	2	2
18	Washington County	660	5	1	.....	5	.....	3	13	15	1	70	5	7	2
19	York County	948	10	.....	.....	7	5	2	6	8	.....	35	6	11	5
	MARYLAND.														
20	Total	9,115	247	10	.....	33	20	190	105	133	22	962	25	77	49
21	White	6,489	183	8	.....	27	19	79	85	94	18	587	24	49	35
22	Colored	2,626	64	2	.....	6	1	111	20	39	4	375	1	28	14
23	Allegany County (total)	337	20	.....	.....	3	1	5	7	8	.....	14	.....	1	2
24	White	327	20	.....	.....	3	1	5	7	8	.....	11	.....	1	2
25	Colored[2]	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
26	Anne Arundel County (total)	724	21	.....	.....	1	2	37	5	16	.....	68	1	9	2
27	White	370	14	.....	.....	1	2	8	5	8	.....	31	1	5	.....
28	Colored	354	7	.....	.....	.....	.....	29	.....	8	.....	37	.....	4	2
29	Baltimore County (total)	1,823	45	.....	.....	3	2	24	17	24	3	211	10	9	8
30	White	1,598	41	.....	.....	3	2	19	15	19	2	184	10	9	8
31	Colored	225	4	.....	.....	.....	.....	5	2	5	1	27	.....	.....	.....
32	Calvert County (total)	161	3	.....	.....	.....	.....	2	.....	1	.....	18	.....	1	.....
33	White	75	2	.....	.....	.....	.....	.....	.....	1	.....	6	.....	1	.....
34	Colored	86	1	.....	.....	.....	.....	2	.....	.....	.....	12	.....	.....	.....
35	Caroline County (total)	266	12	.....	.....	6	.....	5	3	6	.....	35	.....	.....	1
36	White	176	9	.....	.....	5	.....	2	2	5	.....	16	.....	.....	.....
37	Colored	90	3	.....	.....	1	.....	3	1	1	.....	19	.....	.....	1
38	Carroll County (total)	465	16	.....	.....	4	1	7	3	7	5	26	1	2	.....
39	White	429	16	.....	.....	4	1	3	3	7	5	25	1	2	.....
40	Colored[2]	36	.....	.....	.....	.....	.....	4	.....	.....	.....	1	.....	.....	.....
41	Cecil County (total)	357	8	2	.....	.....	2	3	1	6	3	34	1	1	4
42	White	276	6	1	.....	.....	2	.....	1	4	2	23	1	.....	3
43	Colored	81	2	1	.....	.....	.....	3	.....	2	1	11	.....	1	1
44	Charles County (total)	247	9	.....	.....	.....	.....	4	6	4	1	23	1	4	2
45	White	104	3	.....	.....	.....	.....	.....	3	3	1	7	1	2	1
46	Colored	143	6	.....	.....	.....	.....	4	3	1	.....	16	.....	2	1
47	Dorchester County (total)	413	12	.....	.....	.....	.....	22	3	4	.....	46	.....	6	1
48	White	213	8	.....	.....	.....	.....	7	2	3	.....	15	.....	1	.....
49	Colored	200	4	.....	.....	.....	.....	15	1	1	.....	31	.....	5	1
50	Frederick County (total)	496	21	2	.....	.....	4	1	6	3	1	48	1	9	1
51	White	416	18	2	.....	.....	4	1	6	3	1	41	1	6	.....
52	Colored	80	3	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	3	1
53	Garrett County (total)	170	6	.....	.....	3	1	2	2	3	1	5	1	1	1
54	White	170	6	.....	.....	3	1	2	2	3	1	5	1	1	1
55	Colored[2]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Harford County (total)	351	4	.....	.....	.....	.....	9	4	5	2	28	.....	1	5
57	White	267	4	.....	.....	.....	.....	7	4	5	2	18	.....	1	3
58	Colored	84	.....	.....	.....	.....	.....	2	.....	.....	.....	10	.....	.....	2
59	Howard County (total)	224	7	.....	.....	.....	.....	7	4	2	1	15	1	.....	2
60	White	152	4	.....	.....	.....	.....	1	4	2	.....	7	.....	.....	1
61	Colored	72	3	.....	.....	.....	.....	6	.....	.....	1	8	1	.....	1
62	Kent County (total)	295	7	1	.....	1	.....	4	1	6	.....	29	.....	3	.....
63	White	164	4	1	.....	1	.....	4	1	3	.....	11	.....	2	.....
64	Colored	131	3	.....	.....	.....	.....	.....	.....	3	.....	18	.....	1	.....
65	Montgomery County (total)	344	4	.....	.....	1	.....	4	3	6	.....	58	.....	1	2
66	White	220	3	.....	.....	1	.....	.....	3	3	.....	35	.....	.....	2
67	Colored	124	1	.....	.....	.....	.....	4	.....	3	.....	23	.....	1	.....
68	Prince Georges County (total)	506	13	.....	.....	.....	2	7	11	7	2	65	1	6	1
69	White	281	6	.....	.....	.....	2	3	6	2	2	22	1	3	1
70	Colored	225	7	.....	.....	.....	.....	4	5	5	.....	43	.....	3	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
579	101	111	694	1,042	172	903	107	447	45	65	44	585	30	53	420	354	70	1,932	297	1
579	101	111	694	1,041	172	903	107	447	45	65	44	583	30	53	420	354	70	1,927	296	2
				1								2						5	1	3
25	5		34	41	9	39	2	19	2	2	2	19	3	3	14	12	4	57	5	4
30	7	17	40	62	15	96	9	188	6	6	1	38	5	14	66	31	3	171	84	5
67	7	6	76	107	18	81	11	32	6	10	1	49		1	47	36	5	178	23	6
20	7	5	31	26	6	23		5	2	3	1	18	1	2	13	11	4	53	2	7
36	11	8	54	60	8	58	7	9	1	2	3	37		1	29	18	6	149	9	8
47	10	10	51	90	9	60	9	22	2	3	3	36	2	6	17	32	6	149	18	9
33	6	1	45	77	9	35	4	10	2	5	2	36	1	1	12	16	4	110	11	10
19	5	4	36	50	1	27	4		2	2	3	29	2		8	11	3	65	6	11
32	6	7	40	80	12	84	4	17	2	4	3	36	1	4	31	24	6	122	17	12
54	3	12	48	86	21	94	8	35	5	8	5	55	7	3	51	42	2	191	32	13
29	4	4	19	22	4	19	6	4		2	2	20	3		17	17	2	61	5	14
18	4	2	34	48	8	28	3	6	1		1	32	2	1	14	16		64	5	15
37	4	7	43	65	17	64	8	25	4	1	1	32	2	5	26	17	5	109	28	16
24	8	5	37	62	5	33	2	3	2	6	6	40		3	8	16	4	106	9	17
39	4	11	33	67	15	61	10	18	4	5	5	34		4	29	25	2	150	17	18
69	10	12	73	99	15	101	20	54	4	6	5	74	1	5	38	30	14	197	26	19
353	59	95	431	673	153	799	92	642	25	50	45	602	35	55	424	454	48	1,721	486	20
300	57	73	334	522	110	540	71	453	15	35	35	453	23	37	307	324	42	1,266	284	21
53	2	22	97	151	43	259	21	189	10	15	10	149	12	18	117	130	6	455	202	22
18	1	5	18	20	12	25	7	27	1	1	1	23	1	1	16	24	2	66	7	23
17	1	4	18	18	12	25	7	26	1	1	1	22	1	1	16	23	2	66	7	24
1		1		2				1				1				1				25
25	7	13	32	31	14	66	12	63	2	3	3	51	2	6	39	40	3	102	48	26
20	7	6	16	18	4	35	9	37	1	2	1	23		4	19	22	3	50	18	27
5		7	16	13	10	31	3	26	1	1	2	28	2	2	20	18		52	30	28
90	18	15	68	144	34	158	20	176	1	7	12	131	4	12	88	97	15	317	60	29
83	18	14	62	127	32	133	18	148		7	12	116	3	11	79	72	15	285	51	30
7		1	6	17	2	25	2	28	1			15	1	1	9	25		32	9	31
5		1	9	9	3	11	2	15	1		1	9		1	16	5	2	32	14	32
1		1	3	7	1	5	1	4			1	8			6	2	2	20	3	33
4			6	2	2	6	1	11	1			1		1	10	3		12	11	34
11		1	9	23	3	12	2	19		4		24	2	2	19	10	3	41	13	35
10		1	6	18	1	8		13		2		19	1	1	13	8	2	27	7	36
1			3	5	2	4	2	6		2		5	1	1	6	2	1	14	6	37
18	3	3	42	45	10	51	3	15		4	2	35	1	2	17	16	3	110	13	38
18	3	3	39	43	7	46	2	14		4	2	35	1	2	15	14	2	101	11	39
			3	2	3	5	1	1							2	2	1	9	2	40
14	1	3	28	36	4	39	4	13	4	1	1	34		3	9	19	4	64	11	41
14	1	3	25	29	4	26	3	11	4	1	1	29		2	7	13	3	48	9	42
			3	7		13	1	2				5		1	2	6	1	16	2	43
8	1	1	14	13	1	20	3	17			2	12	1	1	7	13	1	54	24	44
4	1		7	7	1	7		8			2	6			2	5	1	20	12	45
4		1	7	6		13	3	9				6	1	1	5	8		34	12	46
10	2	1	22	31	6	32	3	31	2	2		24	1	3	24	18	3	73	31	47
6	2	1	14	16	2	17	2	17	1	1		11	1	1	16	14	1	42	12	48
4			8	15	4	15	1	14	1	1		13		2	8	4	2	31	19	49
26	3	8	30	41	10	51	7	24	3	3	3	30	3	2	21	19	3	90	22	50
24	3	7	27	35	10	40	6	22	3	1	1	25	3	1	19	16	3	71	16	51
2		1	3	6		11	1	2		2	2	5		1	2	3		19	6	52
4		4	4	6	1	21	1	10	1			8	1	1	8	22		31	21	53
4		4	4	6	1	21	1	10	1			8	1	1	8	22		31	21	54
																				55
11	4	4	13	38	10	23	3	13		2	3	23	3	1	12	24		83	23	56
10	3	4	13	33	6	17	1	11		1	2	13	3		9	19		67	11	57
1	1			5	4	6	2	2		1	1	10		1	3	5		16	12	58
13	2	2	14	17	4	22	1	18				16	2		9	10		48	7	59
13	2	1	10	13	3	15	1	12				14	2		6	6		32	3	60
		1	4	4	1	7		6				2			3	4		16	4	61
12	2	3	10	22	5	27	3	32	1			18		3	15	8		62	20	62
8	1	2	3	18	2	8	2	23				9		2	7	4		35	13	63
4	1	1	7	4	3	19	1	9	1			9		1	8	4		27	7	64
6	1	5	22	31	10	33		14		3	3	28			10	14	2	68	15	65
6	1	4	17	20	6	17		12		2	3	18			6	6	1	46	8	66
		1	5	11	4	16		2		1		10			4	8	1	22	7	67
14	2	6	19	44	8	48	5	45		2	3	23	2	2	28	22		88	30	68
9	2	3	14	28	5	28	4	20		2	3	15	1	1	21	14		52	11	69
5		3	5	16	3	20	1	25				8	1	1	7	8		36	19	70

[1] Colored population less than 10 per cent of tot al.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants.

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MARYLAND—continued.														
1	Queen Annes County (total)	284	5	1	.....	2	1	5	4	1	1	41	1	5	3
2	White	152	1	1	.....	2	1	2	4	1	.....	22	1	1	1
3	Colored	132	4	.....	.....	.....	.....	3	.....	.....	1	19	.....	4	2
4	St. Marys County (total)	63	1	1	.....	.....	.....	.....	2	1	.....	15	.....	1	.....
5	White	35	1	1	.....	.....	.....	.....	2	1	.....	8	.....	.....	.....
6	Colored	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	1	.....
7	Somerset County (total)	334	7	.....	.....	.....	1	23	10	5	.....	51	.....	2	3
8	White	161	2	.....	.....	.....	.....	5	3	2	.....	21	.....	1	2
9	Colored	173	5	.....	.....	.....	1	18	7	3	.....	30	.....	1	1
10	Talbot County (total)	288	7	2	.....	2	.....	6	1	7	1	39	.....	2	3
11	White	143	1	1	.....	1	.....	2	1	3	1	12	.....	2	3
12	Colored	145	6	1	.....	1	.....	4	.....	4	.....	27	.....	.....	.....
13	Washington County (total)	424	7	.....	.....	.....	3	4	6	3	.....	32	3	5	4
14	White	398	7	.....	.....	.....	3	3	6	3	.....	30	3	5	4
15	Colored[2]	26	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....
16	Wicomico County (total)	291	8	.....	.....	2	.....	7	5	6	.....	34	1	6	.....
17	White	214	6	.....	.....	2	.....	4	4	3	.....	24	1	5	.....
18	Colored	77	2	.....	.....	.....	.....	3	1	3	.....	10	.....	1	.....
19	Worcester County (total)	252	4	1	.....	5	.....	2	1	2	1	27	2	2	4
20	White	148	1	1	.....	1	.....	1	1	2	1	13	2	1	3
21	Colored	104	3	.....	.....	4	.....	1	.....	.....	.....	14	.....	1	1
	MASSACHUSETTS.														
22	Total	12,305	68	11	.....	66	39	54	98	164	40	1,184	68	98	62
23	White	12,181	68	11	.....	66	39	54	98	164	40	1,134	67	95	62
24	Colored	124	.....	.....	.....	.....	.....	.....	.....	.....	.....	50	1	3	.....
25	Barnstable County	497	1	1	.....	1	1	2	3	4	1	28	2	4	2
26	Berkshire County	581	1	.....	.....	4	.....	3	.....	8	1	36	2	4	4
27	Bristol County	821	4	.....	.....	8	.....	5	15	13	.....	65	2	5	3
28	Dukes County	87	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....
29	Essex County	1,515	18	.....	.....	8	1	6	7	17	5	96	15	12	7
30	Franklin County	529	.....	.....	.....	1	4	6	4	5	2	27	1	5	.....
31	Hampden County	696	9	4	.....	4	14	4	16	7	3	44	6	2	6
32	Hampshire County	626	4	2	.....	8	3	1	4	14	2	33	3	4	4
33	Middlesex County	2,275	10	.....	.....	10	6	4	9	30	10	401	11	27	9
34	Nantucket County	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....
35	Norfolk County	1,332	4	1	.....	3	2	6	10	22	5	119	12	8	8
36	Plymouth County	1,189	10	2	.....	4	1	3	6	13	7	134	3	5	3
37	Worcester County	2,097	7	1	.....	15	7	14	24	30	4	194	11	22	16
	MICHIGAN.														
38	Total	23,519	341	18	39	171	158	159	256	315	77	1,321	58	185	154
39	White	23,154	334	18	39	167	158	151	255	310	75	1,239	58	178	151
40	Colored	365	7	.....	.....	4	.....	8	1	5	2	82	.....	7	3
41	Alcona County	55	1	.....	.....	.....	1	5	.....	2	.....	6	.....	.....	.....
42	Alger County	107	4	.....	.....	1	6	3	8	.....	.....	3	.....	1	1
43	Allegan County	555	12	1	.....	3	3	3	3	5	3	40	4	4	5
44	Alpena County	80	.....	.....	.....	5	.....	2	1	.....	.....	6	.....	1	1
45	Antrim County	187	5	.....	.....	.....	.....	1	5	2	.....	6	1	1	1
46	Arenac County	97	.....	.....	.....	5	1	1	1	.....	.....	10	.....	1	.....
47	Baraga County	62	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2
48	Barry County	299	3	.....	.....	1	1	1	2	15	.....	5	.....	3	.....
49	Bay County	238	3	.....	4	3	11	2	1	3	2	15	.....	1	1
50	Benzie County	128	1	2	.....	.....	.....	1	.....	2	.....	6	.....	.....	1
51	Berrien County	701	17	2	.....	3	5	6	3	9	2	43	2	12	2
52	Branch County	383	2	1	.....	1	3	.....	5	10	3	16	.....	1	3
53	Calhoun County	441	9	1	.....	1	1	5	1	17	2	15	.....	4	2
54	Cass County	304	6	.....	.....	1	.....	2	1	.....	.....	18	.....	2	1
55	Charlevoix County	221	2	.....	.....	.....	3	.....	4	4	2	19	.....	2	.....
56	Cheboygan County	234	7	.....	.....	4	4	5	1	.....	1	13	.....	3	1
57	Chippewa County	108	1	.....	.....	2	1	3	1	1	.....	7	.....	.....	1
58	Clare County	107	2	.....	.....	3	.....	.....	.....	.....	.....	4	.....	2	.....
59	Clinton County	307	1	.....	.....	6	.....	1	2	5	.....	8	1	.....	.....
60	Crawford County	54	.....	.....	.....	1	.....	1	1	.....	.....	6	.....	1	.....
61	Delta County	195	3	.....	.....	1	1	5	5	.....	1	11	1	.....	.....
62	Dickinson County	230	1	.....	.....	3	11	.....	4	.....	2	12	2	3	.....
63	Eaton County	440	6	.....	.....	5	3	7	3	4	.....	32	.....	4	4
64	Emmet County	231	3	.....	.....	.....	.....	1	1	3	.....	15	.....	1	1
65	Genesee County	403	2	1	.....	1	1	4	3	6	2	12	.....	5	3
66	Gladwin County	85	1	.....	2	.....	.....	2	.....	.....	.....	2	.....	.....	.....
67	Gogebic County	187	1	.....	.....	.....	3	.....	11	.....	.....	11	1	3	2
68	Grand Traverse County	155	1	.....	.....	.....	2	2	2	2	.....	11	.....	1	1
69	Gratiot County	354	8	.....	.....	5	.....	.....	2	4	.....	19	2	6	6
70	Hillsdale County	442	9	.....	.....	2	2	.....	4	11	2	20	.....	1	5

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
9	2	2	10	24	3	23	1	17	3	3	2	7	1	-------	14	12	-------	61	20	1
6	2	2	8	12	1	8	1	7	1	1	-------	3	-------	-------	6	8	-------	36	13	2
3	-------	-------	2	12	2	15	-------	10	2	2	2	4	1	-------	8	4	-------	25	7	3
3	-------	-------	4	1	-------	5	-------	3	-------	1	-------	3	-------	2	5	3	-------	12	-------	4
2	-------	-------	1	1	-------	4	-------	1	-------	1	-------	1	-------	-------	3	1	-------	7	-------	5
1	-------	-------	3	-------	-------	1	-------	2	-------	-------	-------	2	-------	2	2	2	-------	5	-------	6
8	-------	4	14	7	2	28	2	27	1	3	3	19	1	2	14	7	1	66	23	7
4	-------	3	9	3	-------	11	2	16	-------	3	2	13	1	2	8	5	1	34	8	8
4	-------	1	5	4	2	17	-------	11	1	-------	1	6	-------	-------	6	2	-------	32	15	9
11	3	3	15	13	3	24	6	12	1	3	2	26	2	1	8	20	-------	45	20	10
8	3	1	11	6	2	6	5	2	-------	-------	1	16	1	-------	4	11	-------	28	11	11
3	-------	2	4	7	1	18	1	10	1	3	1	10	1	1	4	9	-------	17	9	12
19	1	8	13	44	5	43	4	15	-------	6	3	25	2	6	19	23	4	97	20	13
19	1	7	10	41	5	41	4	15	-------	6	3	24	2	5	19	21	4	88	19	14
-------	-------	1	3	3	-------	2	-------	-------	-------	-------	-------	1	-------	1	-------	2	-------	9	1	15
5	3	3	11	10	2	21	3	22	4	2	1	20	4	-------	16	12	1	64	18	16
4	3	2	9	9	2	11	2	18	3	-------	-------	16	2	-------	15	10	1	48	10	17
1	-------	1	2	1	-------	10	1	4	1	2	1	4	2	-------	1	2	-------	16	8	18
13	3	-------	10	23	3	16	-------	14	-------	-------	-------	13	2	4	10	16	1	47	26	19
10	3	-------	8	14	3	11	-------	6	-------	-------	-------	9	-------	3	3	8	1	32	10	20
3	-------	-------	2	9	-------	5	-------	8	-------	-------	-------	4	2	1	7	8	-------	15	16	21
815	164	98	929	1,613	244	1,066	106	567	33	67	75	685	18	50	543	535	109	2,506	135	22
809	164	92	925	1,605	241	1,058	106	565	33	67	75	683	17	50	535	532	108	2,485	133	23
6	-------	1	4	8	3	8	-------	2	-------	-------	-------	2	1	-------	8	3	1	21	2	24
53	10	-------	50	81	7	22	6	14	-------	1	4	40	-------	2	18	16	2	115	6	25
43	6	3	40	109	10	52	7	24	2	2	4	38	3	5	31	31	10	104	3	26
54	8	3	52	116	24	63	7	85	-------	6	5	53	1	2	38	31	4	139	10	27
12	-------	1	3	12	5	3	2	-------	-------	-------	-------	6	-------	1	5	7	1	23	2	28
107	19	9	116	212	23	151	16	59	5	14	6	77	2	4	63	68	21	342	9	29
38	10	5	52	79	10	46	4	18	5	3	6	33	1	3	23	29	4	93	12	30
21	4	14	36	55	14	86	7	52	-------	4	6	40	2	3	33	34	4	150	12	31
39	9	7	39	84	13	62	3	53	1	2	5	38	1	2	35	27	6	111	7	32
171	23	10	166	255	43	173	21	59	6	6	15	106	2	12	80	93	14	474	19	33
5	2	-------	6	11	-------	8	1	-------	-------	-------	1	4	-------	1	3	-------	-------	12	2	34
86	28	12	108	167	29	113	5	41	5	12	4	63	2	3	68	52	15	302	17	35
89	17	10	105	183	30	69	11	45	3	5	2	60	3	5	47	60	9	231	14	36
97	28	19	156	258	36	218	16	117	6	12	17	127	1	7	99	87	19	410	22	37
1,279	264	198	1,421	2,830	423	1,319	311	1,273	179	217	213	1,181	110	172	1,270	1,362	183	5,559	503	38
1,269	263	195	1,408	2,801	421	1,290	303	1,258	176	216	212	1,164	109	170	1,263	1,338	183	5,494	488	39
10	1	3	13	29	2	29	8	15	3	1	1	17	1	2	7	24	-------	65	15	40
4	-------	-------	-------	4	-------	1	-------	4	-------	-------	1	-------	-------	-------	7	2	-------	16	1	41
3	1	1	3	3	4	8	2	22	-------	-------	3	1	-------	1	9	7	-------	9	3	42
23	12	4	35	79	17	21	4	26	4	6	3	40	-------	4	24	26	3	129	9	43
1	-------	1	1	6	3	7	2	8	1	-------	-------	1	2	1	2	8	-------	16	4	44
5	5	1	5	35	3	9	-------	11	1	3	-------	9	4	1	14	8	1	45	5	45
5	1	-------	4	13	3	5	1	6	1	2	2	3	1	2	9	2	1	16	1	46
4	-------	-------	5	5	-------	7	1	-------	-------	1	1	4	1	1	1	9	1	15	2	47
26	5	-------	16	58	4	15	1	4	2	7	1	18	-------	2	14	14	2	75	4	48
11	2	3	11	24	1	20	3	12	2	4	5	4	2	-------	16	19	1	45	7	49
3	2	-------	8	19	3	7	1	8	-------	1	2	3	1	2	13	10	-------	28	4	50
41	6	4	35	108	9	24	13	28	5	5	9	51	3	4	34	53	6	146	11	51
21	8	3	31	56	6	16	2	13	2	3	2	20	2	3	16	19	1	110	4	52
37	13	2	35	73	10	25	3	14	4	2	2	11	6	2	18	19	4	98	5	53
26	4	2	23	39	2	16	8	9	1	4	2	25	1	3	8	12	3	81	4	54
7	2	3	9	25	7	13	3	15	-------	3	2	5	2	5	16	9	1	51	7	55
4	2	4	9	21	9	16	4	18	2	3	1	5	3	-------	10	20	-------	59	5	56
-------	-------	-------	7	10	1	10	1	11	-------	1	2	2	-------	2	11	7	1	23	2	57
6	2	1	6	15	-------	4	1	8	3	3	1	4	1	1	7	5	-------	22	6	58
21	6	5	23	51	4	13	1	13	4	2	3	16	2	2	16	9	2	83	7	59
-------	-------	-------	3	1	1	2	2	3	-------	1	4	-------	-------	-------	7	8	2	9	1	60
14	1	-------	4	15	4	12	5	27	2	2	3	3	1	-------	14	12	5	33	10	61
5	1	3	7	18	4	16	3	42	3	1	2	7	-------	1	16	20	1	33	9	62
31	4	6	31	59	3	21	6	14	7	6	7	25	2	3	11	19	3	108	6	63
12	2	2	13	22	9	16	4	13	2	1	2	16	2	5	14	20	1	44	6	64
22	5	4	35	51	8	19	5	21	1	3	-------	17	1	5	18	26	-------	106	16	65
7	1	1	3	7	4	1	-------	6	-------	-------	-------	5	1	2	9	6	1	22	2	66
6	-------	2	-------	3	3	8	4	34	2	-------	-------	2	1	1	23	25	2	31	8	67
6	7	-------	8	17	3	9	2	9	1	2	1	5	-------	1	7	10	4	39	2	68
21	3	6	28	42	5	21	4	16	5	2	2	16	-------	3	15	14	4	90	5	69
28	4	5	28	50	6	14	2	18	3	6	9	23	1	1	15	16	3	146	8	70

[2] Colored population less than 10 per cent of total.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants.

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MICHIGAN—continued.														
1	Houghton County	1,127	12		1	18	15	10	54	1	6	78	13	9	5
2	Huron County	375	4		1	3		2	7	2		17	2	1	3
3	Ingham County	296	6	1		2		1		9		14	1	1	2
4	Ionia County	436	9	1		1	3		1	9	1	17		3	6
5	Iosco County	119	2						4	3		5	1	2	1
6	Iron County	193	1			5		4	1	1	1	5		3	1
7	Isabella County	263	4			8		1		1		18		4	
8	Jackson County	334				2			2	5	1	7	1		5
9	Kalamazoo County	301	2	1			3	1		7	2	14		2	2
10	Kalkaska County	128	7			2	1		1			8		1	
11	Kent County	730	5	1		1	5	4	6	9	1	48	1	5	3
12	Keweenaw County	97					1		4			9	1	2	1
13	Lake County	47						1		1		5			
14	Lapeer County	442	8		19	5		5	2	7	2	20	1	8	1
15	Leelanau County	170	3				1		1			16	1	4	1
16	Lenawee County	538	7			7		2	1	13	1	19	1	1	6
17	Livingston County	237				1		1		2	1	15	1	1	2
18	Luce County	109	4					2				11		2	1
19	Mackinac County	130	3					2	1			7			1
20	Macomb County	497	6	1		1	5	5	12	5	3	35	1	4	4
21	Manistee County	161	1		1	2				1		20	1	2	
22	Marquette County	278	6			1		2	9	1	1	12	1	1	3
23	Mason County	253	3	1		1	2	4	3	5	2	20		1	1
24	Mecosta County	252	1			3	2	1	2	1	4	13		3	1
25	Menominee County	152	2				1	2	5	2	2	12	1	1	3
26	Midland County	197	4			4	1		2	1	1	14		2	
27	Missaukee County	114	3						1	7		8	1		3
28	Monroe County	422	10			4		4	1	2		26		2	3
29	Montcalm County	446	7			1	4	2	2	10		30	1	3	4
30	Montmorency County	49							1			4		1	
31	Muskegon County	214	1			1			1	5		9		1	2
32	Newaygo County	210	3				7		1	9		11	2	4	1
33	Oakland County	535	6			2	2	2	5	8	2	11	1	3	4
34	Oceana County	206	3				1		1	6		11	1	4	1
35	Ogemaw County	70	1				1	1		1		2			
36	Ontonagon County	91	2			2		1				6		1	
37	Osceola County	203	3			1	2	2	1	2	1	6	1	4	2
38	Oscoda County	23							1			1		1	
39	Otsego County	79	2						1	3		2			2
40	Ottawa County	398	1			1	3	1	1	9	2	25		4	1
41	Presque Isle County	149	1			1		5	4			10			
42	Roscommon County	21										3			
43	Saginaw County	490	7		11	3	1		2	2	2	21	2	4	4
44	St. Clair County	432	6	1		3	2	4	3	8		32	1	1	2
45	St. Joseph County	374	1	2		1	2		2	8	2	18		3	5
46	Sanilac County	374	6			4	3	3	6	7		18	1	2	1
47	Schoolcraft County	107	1			1	6	1	2	2		5		1	1
48	Shiawassee County	471	8			2	2	3	3	4	3	25		1	3
49	Tuscola County	443	4			8	3	5	3	6	3	20		2	2
50	Van Buren County	464	12			1	1	6	1	4	1	19	2	2	4
51	Washtenaw County	447	3			4	3		2	9	1	22	1	4	3
52	Wayne County	1,168	28	1		2	7	6	16	6	8	115		9	7
53	Wexford County	267	11			5	5		2	6	1	10	2	1	2
	MINNESOTA.														
54	Total	14,456	349	2	6	154	141	120	250	84	45	1,129	98	142	86
55	White	14,400	347	2	6	148	140	119	250	84	44	1,124	95	142	85
56	Colored	56	2			6	1	1			1	5	3		1
57	Aitkin County	89	3				3		2	1	1	6		2	1
58	Anoka County	155	6			4	2		1	1		17	2	6	2
59	Becker County	176	3				3		2			9	1	1	1
60	Beltrami County	265	16			6		3	10		3	22	3	3	
61	Benton County	114	1					4	2	1		10		1	1
62	Bigstone County	87	4							1		5		1	1
63	Blue Earth County	172				3			3	1	1	11			1
64	Brown County	218	1			3	6		3		2	15	1	3	1
65	Carlton County	182	7			2		3	5			21		1	
66	Carver County	172	2			2			6	1	1	12		4	4
67	Cass County	79	3				1		1	1		10	1		
68	Chippewa County	122	1			1	4		1			6	1	2	
69	Chisago County	167	3						3	3	2	14			1
70	Clay County	166	7			6	6	4	3			9	2		1
71	Clearwater County	88	4			1		1	5			8		1	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
55	5	14	35	71	23	37	11	122	17	11	8	37	7	14	81	97	6	180	24	1
25	.....	1	22	43	8	27	4	25	7	5	5	20	3	.....	19	15	1	95	8	2
23	4	3	27	42	.....	20	7	5	3	1	1	12	1	1	12	17	3	73	4	3
23	8	5	34	75	6	15	1	17	1	3	7	32	1	3	23	21	4	102	4	4
3	1	.....	5	18	1	3	2	10	1	.....	2	7	4	1	7	7	.....	26	3	5
10	.....	.....	4	4	10	17	4	26	2	.....	2	3	.....	3	15	35	1	22	13	6
15	5	4	16	39	9	20	4	10	.....	.....	5	11	.....	1	16	15	3	51	3	7
25	7	2	32	48	9	26	3	7	1	3	2	16	.....	1	16	26	2	77	8	8
22	7	1	31	41	5	12	5	4	.....	3	3	14	1	2	13	18	5	76	4	9
3	1	1	8	15	3	5	3	11	1	.....	.....	10	1	1	9	9	1	25	1	10
50	8	5	53	133	16	37	10	16	5	1	7	51	1	4	25	30	4	177	8	11
.....	1	.....	.....	2	5	7	2	17	.....	.....	.....	3	1	3	8	9	.....	20	1	12
1	.....	.....	3	5	2	4	1	2	.....	.....	.....	1	.....	1	3	7	.....	10	.....	13
15	3	2	27	51	6	37	8	11	4	4	8	22	1	3	14	18	4	119	7	14
4	3	.....	6	11	2	3	3	11	2	1	2	10	3	2	11	11	3	48	7	15
39	4	5	50	83	7	16	7	11	2	9	3	26	4	4	21	34	6	138	11	16
12	5	2	13	45	2	13	3	7	2	3	2	11	2	.....	11	11	2	61	6	17
3	.....	1	9	7	.....	4	2	5	1	.....	3	1	.....	1	4	5	2	39	2	18
6	.....	3	.....	8	1	10	8	13	2	3	1	5	.....	2	5	15	2	30	2	19
34	4	1	47	36	9	30	3	17	3	5	4	48	1	4	23	21	3	111	11	20
13	.....	.....	10	16	8	14	1	7	3	3	.....	10	.....	1	8	6	1	29	3	21
10	1	.....	10	11	9	9	8	26	3	3	.....	10	3	9	27	50	3	42	7	22
13	4	6	7	27	3	8	3	14	2	8	6	10	1	3	14	19	3	57	2	23
20	6	2	14	26	6	8	1	12	3	4	3	14	2	2	20	13	.....	59	6	24
5	.....	3	5	14	3	16	4	17	.....	2	.....	3	1	1	9	13	2	20	3	25
10	.....	2	14	28	3	14	.....	11	2	3	4	10	2	2	15	3	3	39	3	26
9	.....	.....	2	8	1	10	3	7	.....	1	.....	7	.....	1	5	5	.....	26	6	27
29	2	1	21	71	8	22	7	18	8	5	4	22	.....	4	24	26	1	94	3	28
25	4	2	23	65	11	17	4	18	4	1	3	24	1	3	20	14	3	126	14	29
1	.....	.....	3	3	.....	4	1	2	.....	2	1	3	.....	1	3	7	2	9	1	30
13	5	2	12	37	6	17	3	6	2	1	2	14	1	.....	10	6	4	52	1	31
7	1	.....	9	32	5	10	1	10	2	3	.....	9	1	1	15	8	2	51	5	32
25	6	5	41	64	8	25	9	22	6	3	7	27	4	3	16	30	5	166	17	33
13	2	.....	14	29	6	11	2	14	2	2	2	6	1	.....	16	10	2	41	5	34
3	.....	.....	5	7	.....	3	2	2	1	1	1	8	1	.....	3	2	.....	23	2	35
3	2	.....	3	5	6	7	2	9	1	.....	.....	3	.....	.....	6	6	3	21	2	36
10	.....	3	8	26	6	5	1	12	3	.....	2	18	1	4	16	11	1	51	.....	37
2	.....	.....	1	5	.....	2	.....	1	.....	.....	.....	1	.....	.....	1	1	.....	6	.....	38
6	1	.....	1	3	1	5	2	12	1	.....	1	5	.....	.....	9	3	.....	18	1	39
25	2	3	33	42	5	25	10	22	2	6	2	22	1	1	26	21	4	93	5	40
6	3	.....	4	11	1	8	2	16	.....	4	.....	2	4	1	14	3	1	39	9	41
3	.....	.....	.....	3	.....	1	.....	3	.....	.....	.....	1	.....	.....	1	2	.....	4	.....	42
21	9	9	24	58	13	27	7	31	2	3	6	29	.....	2	34	31	1	114	10	43
19	3	2	33	44	6	35	8	15	5	5	3	17	2	1	17	21	1	127	5	44
18	7	7	40	50	5	23	4	8	2	1	3	25	2	4	15	17	1	92	6	45
20	4	8	26	35	3	25	5	12	4	3	2	19	2	3	31	10	3	101	7	46
1	1	.....	3	13	2	7	1	8	.....	.....	2	4	2	.....	14	3	1	22	3	47
26	11	4	27	77	9	22	7	21	3	5	2	27	.....	1	14	30	2	121	8	48
25	5	2	36	55	6	34	3	29	2	3	3	20	2	4	20	17	8	104	9	49
33	8	7	27	65	5	25	5	16	2	1	5	38	1	3	23	20	1	117	9	50
34	5	6	42	60	2	24	6	19	1	7	3	24	.....	2	10	25	4	113	8	51
49	7	9	61	100	14	74	16	55	.....	7	5	59	2	6	59	59	15	323	43	52
14	.....	2	14	34	2	13	4	18	1	4	4	9	2	.....	25	15	1	51	9	53
907	168	118	601	1,086	187	1,079	167	820	189	149	87	743	63	89	726	1,058	138	3,075	400	54
905	168	118	600	1,082	185	1,069	167	818	189	149	87	743	63	89	725	1,052	137	3,069	399	55
2	.....	.....	1	4	2	10	.....	2	.....	.....	.....	.....	.....	.....	1	6	1	6	1	56
10	.....	2	1	7	.....	6	1	7	.....	.....	1	3	.....	1	4	6	3	16	2	57
8	2	3	11	14	1	9	1	4	.....	1	5	14	.....	1	5	6	2	26	1	58
7	5	1	8	8	2	12	1	12	.....	1	2	13	3	1	5	14	4	48	9	59
6	1	3	10	12	1	19	1	21	6	2	.....	8	1	3	15	28	9	44	9	60
5	.....	.....	5	10	1	12	2	17	.....	.....	.....	1	1	1	2	8	2	18	9	61
5	.....	3	5	2	2	8	.....	8	2	.....	2	4	.....	.....	5	4	3	21	1	62
16	2	1	11	18	3	16	1	2	.....	1	1	15	1	.....	5	19	.....	37	3	63
14	4	4	14	11	4	15	2	8	3	3	.....	8	1	3	16	8	2	56	6	64
6	.....	.....	5	12	3	13	4	24	.....	.....	.....	4	.....	1	15	20	2	29	5	65
7	4	3	13	17	6	15	6	4	2	.....	1	4	.....	.....	11	8	2	34	3	66
6	.....	1	4	2	1	5	2	4	.....	.....	.....	.....	.....	.....	3	5	2	21	6	67
13	1	.....	3	8	.....	15	.....	5	1	.....	.....	8	3	.....	8	14	2	20	5	68
13	3	2	11	18	1	22	2	3	.....	3	.....	12	.....	.....	4	10	1	32	4	69
11	1	1	8	9	3	9	3	9	2	.....	2	3	1	3	8	17	4	32	2	70
8	.....	.....	3	5	1	5	2	6	.....	1	.....	2	.....	2	3	5	1	19	9	71

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MINNESOTA—continued.														
1	Cook County	9	1												
2	Cottonwood County	114	2			9		1	3	1		7	3		
3	Crow Wing County	241	20			5	1		9	3	2	9	1	2	
4	Dakota County	255				1	5		10		4	26	1	6	
5	Dodge County	113					1		3	1		8	2		3
6	Douglas County	177	2			1		1		1	2	18	1	4	1
7	Faribault County	199			1	1		1	7	2		15	1		1
8	Fillmore County	266	3			3	3	1	1	3		22	1		5
9	Freeborn County	223	1	1			1	4	4	1	1	16	2	1	
10	Goodhue County	350	4			2	3	1	4	4	1	34	2	1	
11	Grant County	95	2			1	2					14			
12	Hennepin County	254	2			2	8	2	6		1	16	3	1	1
13	Houston County	138						1	1			8		1	
14	Hubbard County	93	3			1	1		4			4			
15	Isanti County	157	1			4	4					17	1		3
16	Itasca County	187	14			2	1		1		1	10	1	1	1
17	Jackson County	162				8	4	4	1	1	1	10	2		1
18	Kanabec County	65	2				1	1		1		3		1	
19	Kandiyohi County	174	1			2	1	1	3	3		16	1	1	
20	Kitson County	70	2				1	1				9		1	1
21	Koochiching County	61	4			1	3					3			
22	Lac qui Parle County	124	2			1			5		1	9		5	
23	Lake County	114	14			3			5		1	5	2		
24	Le Sueur County	195	2		1	6	1	3	4	1		10			2
25	Lincoln County	70	1			2		1	1	2		5			
26	Lyon County	149	3			1	3	4	1	2		11	1	2	2
27	McLeod County	176	4			2	1		2	1		15	2	1	
28	Mahnomen County	13	1									2	2		
29	Marshall County	187	11		1	1	1	2	3	3		17	1	2	1
30	Martin County	135	2						3	1	1	7	2	3	
31	Meeker County	170							2			18	1	2	4
32	Mille Lacs County	89	1			1		1	4			5		1	
33	Morrison County	224	4			6	5	3	10			23	3	1	3
34	Mower County	201	4					4	4	1	1	15	3	2	2
35	Murray County	89					1		1	1	1	3			
36	Nicollet County	189	17						2	2		30	2	1	1
37	Nobles County	114	1				2		3			8	1	3	
38	Norman County	110	3					4	2			16	1		1
39	Olmsted County	505	6	1			1		5	1	2	31	3	13	1
40	Otter Tail County	641	22			3	7	3	5	4		68	2	15	3
41	Pine County	130	4			1	1	5		1		14	2	2	1
42	Pipestone County	77						1		2		10		1	1
43	Polk County	369	11			10	3	7	10	2	1	30	2	2	4
44	Pope County	129	2		1	1		6	1	1		7	3	4	1
45	Ramsey County	83				1	3	2	4	1		6	1		1
46	Red Lake County [2]	154	9			5	1	3	7	1	1	13			
47	Redwood County	133	1			6	2	1	1	1		14			2
48	Renville County	184	2			2	1	1	5	3	2	11	1	1	3
49	Rice County	329	3		1	1	3	2	5		1	54		1	1
50	Rock County	79	1		1							5			
51	Roseau County	100	3			1	4	4	3		1	8		1	1
52	St. Louis County	899	43			4	12	13	12		3	57	9	5	3
53	Scott County	154	1			1	5		2	1		11		3	2
54	Sherburne County	75	3					1	3	1		4			
55	Sibley County	145	1			3	2		1			9		4	
56	Stearns County	352	7			5	1	2	5	1	1	31	4	4	2
57	Steele County	158	1					3	2	2		10	1	2	1
58	Stevens County	83	3				2		1		1	2		2	1
59	Swift County	125	1				4	5	2	4		9	3	1	2
60	Todd County	203	6			6	1		1		1	11	2	2	2
61	Traverse County	50	4				1	1	1						
62	Wabasha County	207	3			1	3	1	5	2	1	6		2	2
63	Wadena County	84	1						1	1		7	1	1	1
64	Waseca County	136	2				1			1		10	2	3	
65	Washington County	145	1			1		3	3			11		1	
66	Watonwan County	83	1			2				1		3	3	1	
67	Wilkin County	100	9			1			1	2		3			
68	Winona County	142				2			3	1		3		1	1
69	Wright County	285	2				2		4	4	2	24	4	2	1
70	Yellow Medicine County	113	1			3	2		1			8	1		1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver.	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other causes. (37)	Ill-defined and unknown causes. 38	
							1									5		2		1
7	2	1	9	4		5		7		3		8		1	5	5	1	24	6	2
13	1	3	9	12	3	27	1	19	2	5	3	9			7	19	1	52	3	3
29	5	3	4	33		13	2	7		4	3	7		1	20	24	1	42	4	4
14	5	1	6	9		9	1	3				5		2	4	6		28	2	5
13	3		14	18	1	7	1	7	4	2	1	16	3	1	4	7	2	39	3	6
15	4		11	19	2	12	2	10	4	3		9			8	16	2	49	4	7
20	4	1	12	32	5	16	2	12	3	5	2	7			13	9	1	76	4	8
21	3	3	17	16	4	13	2	11	2	2	2	8	2	3	13	12	1	53	3	9
22	4	2	21	33	5	25	6	11	4	4	4	23	3	3	16	18	1	77	12	10
7		2	4	4	3	5	2	4			1	6			4	5	1	24	4	11
17	1	3	13	19	8	16	7	10		2	1	14	3	2	12	26	5	51	2	12
10	2	2	6	22	2	11	2	4	2			12			6	7	1	33	5	13
3	2		5	11	3	8	1	7	1	1	1	5	1		5	8	2	14	2	14
6	1	3	3	22	1	14	2	12	3		1	9	2	2	9	7		25	5	15
3		1	1	11	2	9		22	2	2		7		1	13	48		25	8	16
15	1	1	4	15	2	10	2	7	5	3	1	15		4	5	8		28	4	17
3			2	7		8		3			2	3		1	3	3	2	14	5	18
17	3	1	12	14	5	13	1	2	1	3		6		3	10	6	3	36	9	19
1	2			3	1	8	1	9	1	1		2	1		3	7		14	1	20
3	1		1	2		4	1	3					1	1	2	17	1	9	4	21
5	4		1	7	1	7	1	6	7	2		7			7	9	1	31	5	22
4	2		2	6		9	3	5	2	1	1	4		1	3	16	3	19	3	23
9		2	6	18	5	17	1	5		2	3	12	1		14	11	3	52	4	24
4	1			6	1	3	1	7		2		3			4	3		21	2	25
10	1	1	7	9	3	7	3	10	1			3		1	11	11	1	35	5	26
14	2	3	9	18	3	7	3	9	2	4		15		1	5	8	2	39	4	27
1						1									1			2	3	28
15	5	1	5	8	2	15	2	14	9	4		6	2		4	10		35	7	29
9		3	7	9	1	12	2	6	2	2	1	2			15	10		30	5	30
13	4	2	14	4	1	15	1	10	4	2	1	5			7	17		35	8	31
4	2		4	7		6	2	5	3	3		4			4	6	1	20	5	32
7	1	3	9	12		11	2	17	3		4	17	3		8	10		44	15	33
15	4	1	16	19	2	20		8	3	1	2	9	1	1	8	11	2	40	2	34
5	1	1	1	6	2	11	2	6	2	2		4	1		10	4		22	2	35
10	3	1	5	11	1	11		5	1	2	1	44			3	4	2	28	2	36
7	2	1	4	10	3	5	3	5	4		1	5			15	7		24		37
8	1	2	5	1		5	3	9				1		2	5	7	3	25	6	38
73	10	5	23	29	5	34	10	8	8	12	6	46	1	1	6	21	3	133	7	39
35	7	4	19	53	6	40	7	32	15	10	3	43	4		19	28	6	158	20	40
7		2	3	2		13	1	8	2	3		3	4		7	16	2	24	2	41
9		3	1	4	2	7	3	4	1			6			2	4		15	2	42
20	2	1	12	25	6	25	1	29	9	4	2	16	3	2	11	28	2	84	5	43
10	1	1	6	13		8		13	6	1	1	7			3	3	2	23	4	44
1			6	3	2	7	1	7		1		2			3	8	2	21		45
8	1	1	10	5	1	8	2	7	3	5	2	4			4	5		44	4	46
3			7	3	2	12	2	6	6	1	1	4		3	5	11		37	2	47
3	2		9	12	6	10	1	15		4		7	1		14	12	4	46	6	48
22	4	3	10	40	2	30	1	10	5		3	12	1	5	15	16		75	3	49
3	3		6	4	1	10		7	4			3		2	8	8	1	12		50
4	1		1	6	2	5	1	5	2		1	3		1	8	5		21	8	51
15	2	6	7	22	5	107	5	124	5	4	4	21	4	7	76	172	13	119	20	52
16	2		9	12	6	9	2	4	2	1	1	12	1	1	2	9	1	32	6	53
3			4	11	1	3		4				7			2	3		23	2	54
9		1	7	19	1	12	2	8		1	5	13		1	12	2		29	3	55
19	5	2	11	29	5	20	6	18	3	6		12	1	3	18	16	3	97	15	56
17	3	1	7	16	5	16	3	6	2	1	1	7		3	5	8	2	30	3	57
6	1	4	3	5		6	2	7	1	1		4			2	5	1	21	2	58
5	1	1	4	6	1	12		12	2	2	1	5	1	1	8	5	1	19	7	59
17	4	3	6	24	3	17	2	8	6	3	1	12	1	1	10	12	1	34	6	60
3	1		2	4		4	2	2	1			6	1		4	2		9	2	61
15	2	1	12	25	2	12	3	2	1		1	22		3	12	10	2	53	3	62
4		1	3	10		3	2	4		1	1	4		1	10	3		21	3	63
9	5	2	11	14	11	3		5				7		2	11	4	2	28	3	64
14	1	1	4	15	1	12	3	4	3	1	2	6			5	16	3	31	3	65
3		1	6	12	2	7	2	4	1			3	1	1	9	6		11	3	66
5	1	2	4	8		6	1	10	4	1		7			5	9	2	17	2	67
11	3	1	15	10	6	11	3	1	1	4	1	10	1	1	7	7	2	34	2	68
20	6		10	25		21	5	10	2	3		14	1	3	19	15	1	78	7	69
9			2	10	2	13		5	1			4	2		9	10		26	3	70

[2] Including Pennington County, which was organized November 23, 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MONTANA.														
1	Total	2,472	82	.....	1	10	33	25	35	16	7	160	7	19	17
2	White	2,434	80	.....	1	10	33	24	35	16	7	151	6	17	17
3	Colored	38	2	.....	.....	.....	.....	1	.....	.....	.....	9	1	2	.....
4	Beaverhead County	68	2	.....	.....	.....	3	.....	3	.....	.....	5	1	.....	.....
5	Broadwater County	39	.....	.....	.....	.....	4	.....	.....	1	.....	.....	.....	1	.....
6	Carbon County	135	3	.....	.....	1	2	4	2	3	1	4	.....	.....	1
7	Cascade County	100	7	.....	.....	3	.....	.....	3	.....	.....	3	.....	.....	1
8	Chouteau County	127	5	.....	.....	3	1	2	3	.....	1	14	.....	2	1
9	Custer County	96	10	.....	1	.....	2	.....	1	.....	.....	4	.....	1	2
10	Dawson County	111	.....	.....	.....	.....	.....	.....	4	1	2	4	.....	1	2
11	Deer Lodge County	98	.....	.....	.....	.....	.....	.....	1	.....	.....	4	.....	1	.....
12	Fergus County	112	8	.....	.....	.....	.....	5	3	1	.....	1	.....	.....	1
13	Flathead County	218	12	.....	.....	.....	6	2	.....	.....	1	15	1	.....	.....
14	Gallatin County	128	5	.....	.....	.....	.....	1	1	3	.....	3	.....	1	.....
15	Granite County	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1
16	Jefferson County	62	2	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....
17	Lewis and Clark County	79	1	.....	.....	.....	1	1	.....	.....	.....	6	.....	.....	1
18	Lincoln County	41	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
19	Madison County	69	.....	.....	.....	.....	1	2	2	1	.....	7	.....	.....	.....
20	Meagher County	25	.....	.....	.....	.....	1	.....	1	.....	.....	2	.....	1	1
21	Missoula County	74	1	.....	.....	.....	.....	.....	1	.....	.....	4	.....	1	1
22	Park County	133	4	.....	.....	.....	2	.....	1	1	1	9	.....	1	1
23	Powell County	56	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....
24	Ravalli County	95	1	.....	.....	.....	1	3	1	2	.....	10	1	1	.....
25	Rosebud County	24	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....
26	Sanders County	24	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Silver Bow County	280	4	.....	.....	.....	3	3	5	1	.....	38	2	3	3
28	Sweet Grass County	26	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....
29	Teton County	53	4	.....	.....	2	1	.....	.....	.....	1	.....	.....	1	1
30	Valley County	70	11	.....	.....	.....	.....	1	.....	.....	.....	8	1	1	.....
31	Yellowstone County	103	.....	.....	.....	.....	5	.....	2	1	.....	5	.....	1	.....
	NEW HAMPSHIRE.														
32	Total	4,391	26	1	.....	23	4	24	36	70	14	275	7	34	10
33	White	4,386	26	1	.....	23	4	24	36	70	14	275	6	34	10
34	Colored	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
35	Belknap County	203	1	.....	.....	.....	.....	.....	.....	.....	.....	12	.....	1	1
36	Carroll County	293	.....	.....	.....	3	.....	.....	.....	7	.....	17	.....	1	.....
37	Cheshire County	358	.....	.....	.....	.....	.....	6	5	4	4	16	.....	5	2
38	Coos County	259	4	.....	.....	3	.....	2	.....	5	1	7	.....	.....	.....
39	Grafton County	655	5	.....	.....	1	.....	1	4	16	1	31	2	4	.....
40	Hillsborough County	566	2	.....	.....	.....	2	3	3	9	3	37	.....	4	2
41	Merrimack County	568	5	.....	.....	2	.....	1	6	11	.....	37	2	10	1
42	Rockingham County	703	2	1	.....	2	2	3	12	11	3	48	.....	5	3
43	Strafford County	453	5	.....	.....	12	.....	6	5	6	1	49	2	4	1
44	Sullivan County	333	2	.....	.....	.....	.....	2	1	1	1	21	1	.....	.....
	NEW JERSEY.														
45	Total	12,974	124	17	.....	68	70	134	211	154	34	1,285	65	101	59
46	White	12,283	117	15	.....	67	66	106	209	152	34	1,155	57	91	57
47	Colored	691	7	2	.....	1	4	28	2	2	.....	130	8	10	2
48	Atlantic County	430	3	.....	.....	3	2	3	7	6	1	42	1	5	3
49	Bergen County	1,383	8	1	.....	5	8	20	26	17	4	127	8	17	3
50	Burlington County	1,102	20	1	.....	4	1	11	20	12	4	90	5	10	3
51	Camden County	718	10	1	.....	1	3	14	8	4	1	81	1	4	1
52	Cape May County	294	3	.....	.....	.....	.....	.....	2	2	.....	25	1	2	1
53	Cumberland County	417	5	2	.....	6	3	3	7	4	.....	36	3	10	3
54	Essex County	667	4	1	.....	5	32	12	45	4	4	81	5	5	4
55	Gloucester County	494	3	.....	.....	3	3	9	15	5	.....	54	3	3	.....
56	Hudson County	873	3	.....	.....	1	10	1	16	5	2	212	.....	6	8
57	Hunterdon County	489	4	.....	.....	1	1	1	2	8	2	47	2	.....	3
58	Mercer County	379	2	1	.....	3	2	6	4	12	1	42	.....	2	3
59	Middlesex County	754	4	2	.....	6	2	9	13	10	3	52	9	3	3
60	Monmouth County	1,006	11	2	.....	11	.....	10	12	15	2	69	7	6	7
61	Morris County	968	3	4	.....	.....	.....	3	4	13	2	79	4	6	2
62	Ocean County	327	7	.....	.....	2	.....	.....	2	3	2	31	2	1	5
63	Passaic County	414	6	.....	.....	1	1	7	8	3	2	34	1	3	.....
64	Salem County	357	4	.....	.....	3	.....	2	4	4	.....	43	1	1	2
65	Somerset County	518	6	.....	.....	5	2	7	2	7	.....	33	1	6	1
66	Sussex County	374	5	2	.....	.....	.....	3	2	8	2	18	3	.....	1
67	Union County	573	7	.....	.....	4	.....	7	3	8	2	54	8	10	3
68	Warren County	437	6	.....	.....	4	.....	6	9	4	.....	35	.....	1	3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
81	19	29	73	169	24	157	32	141	25	26	17	138	17	20	130	410	50	455	47	1
81	19	28	71	167	24	157	32	138	24	25	17	138	17	20	130	402	50	450	47	2
.....	.....	1	2	2	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	8	.....	5	.....	3
2	1	.....	3	6	1	5	.....	2	.....	.....	1	9	.....	.....	4	7	3	9	1	4
1	.....	3	1	2	.....	.....	.....	1	.....	1	.....	1	.....	.....	3	8	1	10	1	5
3	.....	.....	3	9	1	18	3	11	1	.....	1	3	2	1	11	21	3	21	2	6
4	.....	.....	2	3	.....	3	.....	6	1	2	1	1	2	2	12	21	2	19	2	7
3	.....	.....	2	8	1	5	.....	14	2	1	1	6	2	1	3	22	4	17	3	8
2	1	2	4	12	1	8	1	3	3	3	.....	2	1	4	.....	13	2	13	.....	9
7	1	2	3	4	3	5	2	7	3	.....	.....	8	.....	1	9	14	.....	22	6	10
3	1	.....	6	4	.....	2	.....	.....	.....	.....	.....	2	.....	.....	.....	7	1	60	6	11
4	1	2	1	2	1	9	3	10	.....	1	.....	5	2	2	3	10	3	30	4	12
12	4	3	6	20	.....	8	2	21	2	3	2	13	3	2	7	44	2	27	.....	13
9	.....	3	5	8	1	6	.....	3	3	1	2	17	1	1	15	11	1	26	1	14
.....	.....	.....	2	.....	.....	3	.....	2	.....	2	.....	1	.....	.....	1	2	1	7	.....	15
2	.....	.....	1	8	2	6	2	2	.....	.....	.....	4	.....	1	1	13	2	11	2	16
1	.....	1	3	11	2	6	1	2	.....	1	.....	6	.....	1	3	23	1	6	1	17
1	1	.....	3	1	1	4	.....	.....	1	.....	.....	1	.....	.....	4	11	2	8	1	18
5	2	.....	.....	7	.....	4	1	.....	.....	1	.....	5	1	.....	3	12	.....	13	2	19
.....	.....	.....	3	1	.....	2	.....	1	.....	.....	.....	1	.....	.....	3	4	2	2	.....	20
2	1	1	.....	6	.....	1	2	1	1	1	.....	1	.....	.....	5	25	4	15	.....	21
5	.....	1	10	7	.....	9	3	8	2	1	3	12	.....	.....	10	15	1	24	2	22
1	1	1	2	5	1	3	.....	3	1	.....	.....	8	.....	1	6	10	.....	8	.....	23
8	.....	1	2	9	1	5	.....	1	.....	.....	1	3	1	.....	6	5	3	23	6	24
.....	.....	.....	1	3	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	8	.....	5	.....	25
2	.....	.....	.....	3	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....	9	2	3	.....	26
3	2	5	2	22	5	26	7	23	2	5	4	18	1	.....	9	41	2	40	1	27
.....	1	1	1	.....	.....	2	1	3	.....	.....	.....	.....	.....	.....	2	5	1	4	1	28
1	.....	1	1	3	.....	4	1	2	2	.....	.....	5	.....	.....	2	12	1	8	.....	29
.....	.....	.....	3	2	.....	4	1	4	1	1	1	2	1	1	1	12	.....	10	4	30
.....	2	2	3	3	3	8	.....	9	.....	1	.....	3	.....	2	7	25	6	14	1	31
293	45	44	346	586	79	367	69	153	16	30	20	305	13	17	205	179	30	1,007	63	32
293	45	44	346	585	79	367	68	153	16	30	20	305	13	17	205	179	30	1,005	63	33
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	34
17	1	1	15	38	1	8	3	1	.....	4	3	11	1	.....	8	6	.....	66	4	35
25	5	5	24	42	8	36	9	7	3	4	3	10	.....	1	14	6	4	56	3	36
21	4	7	31	40	10	29	6	20	1	3	2	23	4	1	24	10	.....	73	7	37
18	3	2	16	37	5	21	4	7	1	3	.....	17	.....	1	19	15	7	60	1	38
41	5	5	48	80	11	57	13	12	3	4	5	53	1	2	35	30	5	169	11	39
35	4	6	60	73	11	41	12	14	1	3	2	50	3	.....	25	24	2	130	5	40
43	6	1	57	77	13	41	5	19	3	4	1	38	1	6	27	25	3	114	9	41
45	10	10	47	108	7	52	5	32	2	2	1	46	2	1	18	35	6	171	11	42
26	4	4	23	49	11	40	5	31	1	2	2	28	.....	3	19	21	.....	85	8	43
22	3	3	25	42	2	42	7	10	1	1	1	29	1	2	16	7	3	83	4	44
658	141	115	951	1,252	197	1,146	139	826	54	66	121	988	32	62	582	723	118	2,283	198	45
647	138	106	922	1,211	183	1,073	133	783	53	63	117	934	30	61	541	702	118	2,163	179	46
11	3	9	29	41	14	73	6	43	1	3	4	54	2	1	41	21	.....	120	19	47
18	5	6	38	38	8	37	9	22	.....	2	2	34	2	.....	18	28	3	76	8	48
68	11	21	93	167	22	151	15	97	10	10	19	84	3	4	62	93	23	166	20	49
67	11	7	82	87	14	94	12	90	1	3	14	94	4	8	64	42	5	195	27	50
22	6	3	56	73	6	63	7	46	3	2	3	60	2	3	29	29	3	157	16	51
21	8	3	30	23	4	16	7	23	.....	3	3	19	.....	3	12	26	.....	49	8	52
25	4	6	36	50	3	26	8	19	4	3	3	26	1	3	20	16	2	77	3	53
25	10	6	43	56	10	63	8	26	.....	3	6	51	.....	5	23	16	5	107	2	54
35	.....	2	23	52	10	52	6	39	.....	.....	3	34	.....	1	26	22	1	87	3	55
28	7	11	30	48	10	68	8	46	7	5	8	50	4	3	33	45	12	177	9	56
39	5	5	58	58	3	28	6	19	2	6	.....	48	3	3	18	22	5	83	7	57
19	6	3	19	35	14	21	.....	17	5	.....	5	35	3	2	12	28	5	71	1	58
26	10	6	48	63	12	59	5	87	1	5	3	46	3	6	49	65	9	121	14	59
56	12	6	77	106	21	80	10	63	7	3	7	93	1	5	35	52	6	183	31	60
43	13	7	67	80	16	96	15	53	2	5	9	96	3	1	45	49	8	229	11	61
17	5	1	21	31	3	32	3	15	2	5	9	27	.....	.....	20	12	1	66	2	62
19	4	10	22	47	8	56	2	43	3	3	3	26	.....	3	16	20	5	53	5	63
13	3	.....	26	43	4	31	3	13	.....	4	2	24	2	2	16	21	5	75	6	64
32	2	.....	43	63	9	42	5	27	3	1	8	44	1	1	23	42	4	95	3	65
28	8	4	37	46	8	42	1	18	2	.....	7	18	.....	2	22	33	3	45	6	66
38	5	3	57	38	6	56	5	37	2	2	5	49	.....	5	23	32	9	89	6	67
19	6	5	45	48	6	33	4	26	.....	1	2	30	.....	2	16	30	4	82	10	68

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	NEW YORK.														
1	Total	37,395	374	32	2	229	207	217	242	686	95	2,871	131	241	190
2	White	36,866	369	30	2	227	201	212	242	680	92	2,776	127	234	186
3	Colored	529	5	2	.....	2	6	5	.....	6	3	95	4	7	4
4	Albany County	514	3	.....	.....	4	8	2	1	7	.....	37	5	2	1
5	Allegany County	622	7	.....	.....	5	2	.....	1	11	2	18	.....	1	4
6	Broome County	542	5	.....	.....	.....	9	1	2	9	.....	29	4	4	4
7	Cattaraugus County	716	8	.....	.....	6	5	1	3	17	3	35	.....	6	1
8	Cayuga County	474	17	1	.....	.....	1	.....	2	11	.....	29	1	3	1
9	Chautauqua County	853	2	.....	.....	7	5	6	9	24	4	35	4	8	3
10	Chemung County	311	4	.....	.....	1	.....	1	1	5	1	36	.....	1	1
11	Chenango County	598	4	1	.....	5	.....	1	4	23	1	26	3	2	4
12	Clinton County	499	3	.....	.....	6	9	9	6	15	2	48	6	1	3
13	Columbia County	532	6	.....	.....	.....	.....	2	1	15	.....	38	3	1	2
14	Cortland County	310	3	.....	.....	2	2	.....	1	5	.....	10	2	1	3
15	Delaware County	724	17	.....	.....	13	5	11	3	16	2	30	1	4	4
16	Dutchess County	1,262	8	3	.....	2	5	2	10	12	2	141	3	7	11
17	Erie County	1,334	7	.....	.....	15	25	5	13	21	3	97	3	9	4
18	Essex County	547	6	.....	.....	6	.....	5	12	17	1	60	2	2	4
19	Franklin County	817	11	.....	.....	21	.....	23	13	18	.....	175	9	7	5
20	Fulton County	208	1	.....	.....	.....	.....	1	.....	2	1	13	1	2	1
21	Genesee County	391	5	1	.....	5	.....	.....	1	12	.....	19	.....	3	4
22	Greene County	525	10	.....	.....	1	2	2	2	3	2	64	2	10	.....
23	Hamilton County	56	3	.....	.....	.....	1	.....	.....	1	.....	6	.....	1	.....
24	Herkimer County	674	1	.....	.....	3	1	5	5	10	.....	51	1	6	2
25	Jefferson County	885	16	1	.....	14	1	.....	2	19	1	50	3	4	4
26	Lewis County	373	2	.....	.....	1	.....	.....	2	11	3	28	.....	4	3
27	Livingston County	613	5	.....	.....	4	6	3	.....	6	3	62	2	4	5
28	Madison County	620	5	1	.....	3	2	4	1	17	.....	29	1	6	5
29	Monroe County	845	9	.....	.....	1	7	8	9	12	3	45	6	7	8
30	Montgomery County	447	5	.....	.....	2	1	3	3	6	4	28	1	2	2
31	Nassau County	1,130	6	2	.....	2	9	5	13	7	6	75	2	9	6
32	Niagara County	392	5	.....	.....	.....	5	3	1	6	2	22	2	1	3
33	Oneida County	831	7	2	.....	1	2	4	6	8	2	66	4	7	2
34	Onondaga County	934	16	.....	.....	1	5	3	11	15	4	65	1	9	5
35	Ontario County	605	6	.....	.....	1	2	3	2	10	1	23	.....	10	2
36	Orange County	1,221	11	1	1	12	11	10	16	20	3	97	6	7	10
37	Orleans County	500	3	.....	.....	.....	2	6	2	9	2	39	5	4	2
38	Oswego County	581	4	.....	.....	1	3	6	1	10	3	37	1	5	3
39	Otsego County	844	4	.....	.....	2	1	3	2	23	1	34	2	5	8
40	Putnam County	266	.....	2	.....	4	1	.....	1	6	.....	19	1	1	1
41	Rensselaer County	527	7	.....	.....	.....	4	1	5	9	1	38	4	5	2
42	Rockland County	666	5	6	.....	4	3	5	4	7	3	67	.....	3	6
43	St. Lawrence County	1,061	13	.....	.....	23	1	7	5	27	2	56	7	4	2
44	Saratoga County	822	13	.....	.....	8	13	3	4	18	3	56	2	3	4
45	Schenectady County	181	.....	.....	.....	3	.....	.....	3	1	.....	13	2	2	1
46	Schoharie County	394	2	1	.....	7	2	10	2	9	.....	21	.....	3	2
47	Schuyler County	214	1	1	.....	.....	.....	2	.....	9	1	9	1	1	2
48	Seneca County	564	8	.....	.....	1	2	1	1	10	3	50	1	5	5
49	Steuben County	1,054	5	.....	.....	2	4	5	1	13	.....	42	2	4	6
50	Suffolk County	2,050	17	1	.....	14	10	14	11	30	7	191	5	9	5
51	Sullivan County	669	9	.....	.....	.....	7	2	3	12	1	192	1	6	1
52	Tioga County	395	2	.....	.....	.....	1	1	1	12	.....	16	2	3	4
53	Tompkins County	303	2	.....	.....	.....	1	1	2	4	.....	15	2	2	2
54	Ulster County	983	13	3	.....	2	1	5	20	17	2	85	2	4	5
55	Warren County	214	4	.....	.....	.....	.....	.....	1	5	.....	20	.....	.....	1
56	Washington County	793	7	1	.....	3	3	6	1	20	1	54	2	7	4
57	Wayne County	765	8	1	.....	3	1	6	2	21	3	36	1	3	1
58	Westchester County	1,397	8	3	1	4	14	10	12	13	4	164	8	7	3
59	Wyoming County	467	10	.....	.....	4	1	.....	2	6	.....	15	1	2	2
60	Yates County	280	5	.....	.....	.....	1	.....	.....	4	2	15	1	2	1
	NORTH CAROLINA.[2]														
61	Total	3,677	125	78	5	62	3	44	47	53	9	487	9	29	15
62	White	2,167	82	39	3	50	3	25	33	28	7	214	7	13	8
63	Colored	1,510	43	39	2	12	.....	19	14	25	2	273	2	16	7

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2,139	444	288	3,000	4,939	589	3,091	367	1,474	143	298	312	2,556	105	176	1,485	2,292	405	7,456	319	1
2,123	442	283	2,973	4,889	581	3,032	362	1,449	142	292	311	2,533	102	174	1,467	2,244	404	7,373	312	2
16	2	5	27	50	8	59	5	25	1	6	1	23	3	2	18	48	1	83	7	3
35	3	3	39	75	8	40	7	19	-------	5	5	41	3	3	19	39	9	87	4	4
34	12	4	45	95	15	45	5	13	5	6	3	53	5	4	28	38	8	148	5	5
35	2	3	53	81	15	33	5	12	3	5	4	36	1	5	18	29	7	124	4	6
53	9	9	63	96	12	63	8	29	5	8	4	35	1	7	27	39	9	151	3	7
31	7	1	55	70	5	28	5	12	3	2	4	31	-------	2	19	21	10	98	4	8
57	13	7	54	142	19	63	6	37	-------	4	5	49	2	2	31	50	6	193	6	9
18	6	3	24	49	1	31	3	7	-------	-------	3	21	2	2	14	17	3	53	3	10
35	7	11	60	84	10	48	9	17	4	7	5	51	2	4	19	26	1	120	4	11
19	1	6	32	68	7	49	3	29	-------	4	4	17	-------	4	17	24	-------	105	2	12
33	6	2	48	57	5	45	6	19	-------	3	5	51	-------	1	19	49	5	102	8	13
18	9	1	28	45	7	34	4	5	-------	3	4	33	1	-------	9	14	4	61	1	14
48	5	6	50	104	13	68	11	18	5	10	8	41	3	6	24	42	13	134	9	15
55	16	7	94	161	15	132	13	39	3	4	5	87	1	5	43	68	7	292	9	16
74	15	11	78	179	20	141	9	74	4	10	18	71	4	5	68	94	7	240	10	17
24	8	7	24	69	9	47	6	26	3	-------	2	27	2	7	23	37	3	104	4	18
33	4	7	28	73	5	67	5	41	2	5	3	37	2	6	54	27	8	122	6	19
15	4	-------	10	21	4	15	2	5	1	1	2	22	-------	1	9	15	4	52	3	20
23	6	1	39	47	7	27	2	17	-------	1	1	24	-------	1	13	29	2	99	2	21
30	4	2	61	69	8	26	4	18	2	3	6	38	1	2	26	24	2	96	5	22
2	1	1	2	3	-------	2	-------	3	-------	1	-------	4	-------	2	4	5	-------	13	1	23
35	17	9	43	98	14	60	8	23	7	6	3	58	3	3	30	40	3	123	6	24
57	6	10	77	136	14	64	8	24	2	9	10	47	2	2	52	37	11	194	8	25
26	8	5	33	52	5	24	1	12	-------	3	4	29	-------	4	16	21	2	71	3	26
34	5	4	40	78	11	52	4	26	-------	3	3	31	4	2	23	38	7	139	9	27
40	7	2	74	108	8	38	10	25	1	8	7	17	2	1	24	40	6	126	2	28
52	8	3	57	114	23	48	4	78	1	10	9	48	3	3	45	56	14	149	5	29
24	10	2	29	59	8	39	9	11	1	1	3	30	1	2	14	38	10	87	12	30
62	10	11	75	103	12	98	13	96	9	17	15	85	8	7	71	100	14	163	19	31
27	4	2	32	56	9	27	4	9	1	6	-------	22	1	3	18	21	5	90	5	32
59	16	5	72	104	18	92	3	36	3	2	6	61	2	2	34	47	7	146	5	33
51	8	5	87	144	19	73	9	39	4	11	6	49	1	3	31	58	13	182	6	34
54	11	-------	73	75	11	39	8	20	4	4	6	48	-------	-------	28	35	9	116	4	35
59	22	24	76	150	18	91	13	57	7	7	12	73	1	7	73	105	15	196	10	36
35	3	1	43	66	5	46	4	19	-------	3	6	44	-------	1	21	24	8	94	3	37
36	4	5	65	93	9	31	5	19	2	7	3	36	1	2	21	22	5	136	5	38
53	16	3	85	144	12	66	8	22	4	9	13	79	2	-------	24	50	11	149	9	39
18	5	-------	21	26	8	21	2	12	3	1	4	21	-------	-------	7	40	3	37	1	40
30	6	8	42	81	10	43	7	16	-------	1	2	40	1	3	19	43	5	94	-------	41
34	9	10	51	56	12	50	5	39	6	7	5	60	4	7	28	49	14	97	10	42
50	16	9	77	130	12	96	9	47	5	7	6	55	5	7	48	55	13	257	10	43
46	6	12	78	101	15	67	19	41	2	5	7	47	-------	4	36	50	11	139	9	44
11	1	2	15	12	-------	18	-------	18	1	-------	-------	11	2	-------	5	25	3	30	2	45
27	4	4	43	64	2	33	5	5	1	4	1	40	-------	1	9	17	5	67	3	46
15	1	1	15	35	4	14	3	4	-------	-------	5	19	1	2	9	11	2	45	1	47
36	10	-------	44	102	6	51	3	8	2	5	1	48	1	3	12	27	5	110	3	48
67	8	4	123	171	9	69	9	21	3	9	15	80	5	5	18	56	13	280	5	49
85	11	11	117	178	31	206	10	59	5	12	12	165	6	4	70	77	17	651	9	50
12	8	3	44	73	7	50	12	28	3	3	9	33	1	3	10	25	6	96	9	51
20	8	1	43	46	9	30	4	13	-------	7	2	32	-------	2	7	24	7	90	8	52
32	1	1	30	55	2	20	7	4	1	6	1	18	3	1	8	25	3	53	1	53
50	8	13	76	125	16	92	17	27	5	10	6	73	2	4	38	89	9	154	10	54
14	3	1	16	25	2	15	1	1	-------	2	3	25	2	1	7	12	3	49	1	55
38	5	5	72	103	16	74	7	31	2	6	7	71	3	6	26	53	7	146	6	56
38	10	10	78	110	10	57	6	28	3	8	13	49	2	2	32	43	6	165	9	57
101	18	8	92	137	18	142	11	89	12	11	8	105	4	7	61	121	13	175	13	58
25	9	1	49	92	9	29	5	20	3	4	6	19	1	2	18	18	8	104	2	59
14	4	1	26	49	10	22	1	7	-------	2	2	19	1	1	8	13	4	62	3	60
78	15	47	121	233	46	317	31	300	24	20	20	183	19	53	133	132	11	693	235	61
63	13	35	79	130	24	188	14	190	22	13	12	113	7	34	96	74	11	434	103	62
15	2	12	42	103	22	129	17	110	2	7	8	70	12	19	37	58	-------	259	132	63

[1] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	OHIO.														
1	Total	33,538	793	28	9	389	112	304	235	616	103	2,971	132	360	202
2	White	32,762	770	26	9	382	109	297	231	605	102	2,836	129	345	195
3	Colored	776	23	2	.....	7	3	7	4	11	1	135	3	15	7
4	Adams County	266	4	3	.....	2	.....	6	1	9	1	38	.....	6	1
5	Allen County	310	10	.....	.....	5	1	4	3	5	1	35	.....	2	.....
6	Ashland County	278	6	1	.....	4	1	2	2	9	3	17	1	1	4
7	Ashtabula County	600	17	.....	.....	10	5	9	1	12	1	36	1	5	6
8	Athens County	729	17	.....	.....	7	1	14	10	10	4	92	2	10	4
9	Auglaize County	385	2	.....	.....	7	2	2	8	9	2	37	4	8	3
10	Belmont County	894	20	1	.....	7	3	5	16	21	2	79	2	5	4
11	Brown County	322	9	1	.....	3	1	1	1	10	.....	58	3	3	1
12	Butler County	295	5	.....	.....	1	.....	2	1	8	1	12	.....	4	4
13	Carroll County	146	4	.....	.....	.....	2	1	.....	3	.....	9	.....	1	1
14	Champaign County	351	5	1	.....	2	.....	1	5	7	.....	41	1	5	2
15	Clark County	220	2	.....	.....	2	1	3	1	7	.....	13	.....	2	2
16	Clermont County	416	8	.....	.....	.....	.....	.....	1	12	2	39	1	2	6
17	Clinton County	271	3	.....	.....	4	1	6	2	10	.....	34	1	2	2
18	Columbiana County	728	15	.....	.....	13	8	10	1	19	1	56	4	6	3
19	Coshocton County	392	12	.....	.....	5	.....	2	2	8	2	33	.....	1	3
20	Crawford County	408	12	.....	.....	1	.....	2	4	7	2	32	2	6	.....
21	Cuyahoga County	813	10	.....	8	6	1	6	4	8	1	62	6	1	9
22	Darke County	518	13	1	.....	3	.....	3	2	7	2	66	9	9	5
23	Defiance County	292	11	.....	.....	5	9	.....	2	.....	.....	28	1	5	.....
24	Delaware County	335	15	.....	.....	1	.....	1	3	7	.....	44	.....	5	.....
25	Erie County	415	2	.....	.....	1	.....	1	.....	3	4	34	.....	1	1
26	Fairfield County	276	5	.....	.....	1	1	3	8	3	1	22	2	5	3
27	Fayette County	260	10	.....	.....	3	2	.....	2	6	.....	24	1	6	1
28	Franklin County	536	9	.....	.....	14	1	4	1	9	5	62	6	4	1
29	Fulton County	258	4	.....	.....	4	2	.....	1	4	1	24	1	4	2
30	Gallia County	453	4	.....	.....	2	1	4	3	7	.....	43	2	4	2
31	Geauga County	190	2	.....	.....	6	1	5	.....	4	2	7	.....	2	2
32	Greene County	410	5	.....	.....	3	.....	.....	1	8	1	44	.....	5	2
33	Guernsey County	374	7	.....	.....	10	1	3	3	7	2	32	1	4	4
34	Hamilton County	954	26	3	.....	6	4	8	3	22	.....	104	5	7	6
35	Hancock County	228	3	.....	.....	4	1	2	2	6	.....	24	1	2	1
36	Hardin County	409	13	.....	.....	4	2	3	2	11	2	42	4	6	2
37	Harrison County	254	6	.....	.....	4	.....	1	.....	4	1	21	1	1	.....
38	Henry County	289	8	1	.....	4	.....	1	.....	7	2	22	3	2	4
39	Highland County	403	12	1	.....	.....	.....	.....	.....	12	1	34	2	4	5
40	Hocking County	320	7	.....	.....	13	.....	3	10	4	1	27	.....	3	.....
41	Holmes County	226	4	.....	.....	.....	.....	.....	3	.....	.....	12	1	4	2
42	Huron County	455	5	.....	.....	1	.....	.....	3	6	1	26	1	9	7
43	Jackson County	432	16	3	.....	21	2	10	8	9	1	41	1	6	5
44	Jefferson County	555	21	.....	.....	9	9	9	3	7	.....	35	1	2	4
45	Knox County	429	7	.....	.....	2	.....	3	2	8	2	33	1	8	1
46	Lake County	340	9	.....	.....	1	4	4	6	7	2	24	1	.....	3
47	Lawrence County	327	10	.....	.....	5	1	5	2	4	1	42	.....	5	1
48	Licking County	391	5	1	.....	2	.....	5	.....	16	2	33	2	1	2
49	Logan County	356	6	.....	.....	1	.....	4	1	5	.....	27	2	9	2
50	Lorain County	381	3	.....	.....	1	.....	2	1	8	3	29	2	6	.....
51	Lucas County	289	9	.....	.....	9	2	2	1	1	.....	20	3	3	1
52	Madison County	222	6	1	.....	2	2	1	5	2	.....	23	.....	1	.....
53	Mahoning County	531	13	.....	.....	11	1	7	7	6	3	30	.....	2	.....
54	Marion County	172	6	.....	.....	1	2	5	.....	7	.....	15	.....	7	3
55	Medina County	272	4	.....	.....	3	.....	.....	1	2	2	15	.....	5	1
56	Meigs County	339	8	.....	.....	1	2	3	5	5	1	38	.....	3	4
57	Mercer County	340	4	.....	.....	.....	1	8	6	5	2	32	1	8	2
58	Miami County	379	6	.....	.....	.....	.....	2	3	4	.....	29	4	2	3
59	Monroe County	250	7	.....	.....	2	.....	.....	1	7	1	36	2	3	.....
60	Montgomery County	755	8	.....	.....	.....	1	4	1	12	4	59	1	4	.....
61	Morgan County	206	3	2	.....	1	.....	3	2	8	.....	17	.....	1	.....
62	Morrow County	190	6	.....	.....	1	.....	.....	.....	3	.....	11	1	3	.....
63	Muskingum County	372	10	.....	.....	2	.....	19	1	7	.....	34	2	6	6
64	Noble County	234	8	.....	.....	1	.....	1	1	1	.....	21	.....	5	.....
65	Ottawa County	280	2	.....	.....	1	1	1	1	10	1	23	.....	1	1
66	Paulding County	249	12	1	.....	4	.....	6	2	4	.....	27	2	5	2
67	Perry County	400	10	1	.....	7	1	14	5	7	.....	35	1	4	1
68	Pickaway County	360	7	.....	.....	9	2	1	3	9	2	30	3	3	2
69	Pike County	212	3	.....	.....	13	1	1	4	4	1	25	.....	.....	.....
70	Portage County	460	13	.....	.....	7	.....	7	4	4	2	30	1	1	1
71	Preble County	277	5	.....	.....	.....	1	3	1	2	.....	21	2	5	2
72	Putnam County	348	16	.....	.....	6	1	5	5	10	1	32	2	4	3
73	Richland County	318	9	.....	.....	1	.....	1	.....	4	2	29	3	4	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1,927	343	368	2,144	3,845	427	2,501	336	1,580	166	268	283	1,829	190	162	1,591	2,101	300	6,542	331	1
1,895	342	361	2,102	3,770	420	2,435	332	1,547	164	260	278	1,773	188	160	1,562	2,066	296	6,408	367	2
32	1	7	42	75	7	66	4	33	2	8	5	56	2	2	29	35	4	134	14	3
15	5	4	10	36	1	17	4	13	1	4	1	10	-------	4	8	8	3	49	2	4
22	2	5	10	26	3	23	6	12	4	2	7	20	2	2	12	21	1	59	5	5
14	4	4	18	47	5	23	3	4	1	2	2	11	2	1	9	21	3	52	1	6
40	9	4	50	75	9	43	4	25	3	3	3	34	2	4	27	41	3	115	3	7
24	11	11	21	76	4	52	6	47	1	2	3	38	5	4	43	61	6	136	7	8
19	8	5	27	22	6	23	8	20	2	6	6	15	1	1	26	20	6	75	5	9
38	4	8	46	78	7	109	10	82	4	4	5	39	3	3	40	38	6	138	17	10
20	-------	3	20	47	3	13	1	10	-------	-------	-------	13	2	3	22	20	4	46	4	11
16	2	6	20	37	7	17	3	18	-------	2	3	23	-------	1	9	15	3	53	22	12
10	1	-------	19	15	-------	16	2	4	-------	1	2	6	-------	1	7	11	-------	30	-------	13
30	5	2	15	41	3	16	1	6	3	6	2	28	3	1	15	21	3	76	4	14
17	5	3	19	25	3	15	7	8	2	1	4	8	-------	-------	8	7	5	50	-------	15
20	4	1	26	74	6	20	5	24	1	5	4	23	2	-------	13	21	9	85	2	16
17	4	4	17	35	2	12	3	3	4	2	1	15	2	-------	11	7	3	62	2	17
46	5	16	38	78	14	57	8	37	-------	5	7	30	10	6	39	50	9	130	7	18
27	6	4	27	45	4	32	2	23	4	-------	4	24	2	2	17	19	1	79	2	19
26	3	6	39	32	4	26	3	10	1	7	2	40	1	2	14	32	6	84	2	20
39	8	4	54	108	16	69	11	52	5	6	4	62	1	2	31	64	14	138	3	21
28	1	4	35	55	6	34	8	16	1	7	5	28	2	2	25	19	2	114	6	22
21	3	5	13	30	5	21	2	9	2	7	-------	12	2	3	17	18	1	54	6	23
26	5	4	27	37	4	18	9	10	4	1	3	10	3	1	19	14	3	59	2	24
22	7	-------	42	82	-------	10	5	8	2	4	5	28	-------	-------	13	41	6	90	3	25
22	-------	8	17	35	3	15	3	8	5	1	4	15	-------	3	14	11	1	54	3	26
14	4	3	10	33	1	14	1	13	2	1	1	14	2	2	11	13	2	60	4	27
31	3	7	38	61	6	38	8	23	-------	1	3	27	3	-------	19	47	8	94	3	28
14	5	5	27	26	4	16	2	9	2	4	4	13	1	2	14	14	1	44	4	29
16	1	9	29	41	2	53	2	22	3	3	2	14	4	2	9	14	2	151	2	30
11	3	1	13	36	4	23	-------	3	-------	1	3	5	-------	1	6	7	-------	40	2	31
25	3	4	25	61	9	31	4	18	3	3	1	23	-------	3	21	10	2	86	9	32
24	1	5	18	34	2	30	4	36	1	1	1	18	3	1	25	27	2	64	3	33
58	9	16	38	98	34	77	5	42	2	6	12	64	8	7	39	52	6	172	15	34
10	3	2	10	25	1	15	1	8	2	2	5	12	1	2	18	7	6	51	1	35
21	7	5	25	34	2	19	6	28	2	1	2	25	5	5	14	40	2	70	5	36
19	2	4	20	23	2	26	4	8	1	2	2	18	-------	2	14	12	-------	52	4	37
26	2	6	24	29	5	17	6	7	1	2	5	16	2	-------	9	16	3	56	3	38
21	4	3	34	55	4	33	2	10	1	8	5	22	1	2	16	22	4	77	8	39
17	4	5	15	29	4	25	2	34	4	1	3	18	1	-------	18	15	2	50	5	40
12	3	3	14	28	3	19	1	5	1	3	1	12	2	1	12	14	4	58	4	41
35	6	1	40	62	8	28	2	15	3	3	7	18	3	-------	16	34	3	109	3	42
27	3	3	13	40	8	25	4	29	-------	3	3	18	2	-------	30	35	1	56	9	43
15	2	2	20	31	12	61	2	68	2	2	2	19	6	2	39	85	4	74	7	44
41	7	4	40	54	4	35	1	18	6	6	1	17	3	-------	13	15	4	91	2	45
22	3	5	16	39	6	38	3	11	2	4	1	16	2	2	10	30	1	64	4	46
6	5	5	12	25	6	46	5	19	3	3	-------	21	1	2	22	15	2	45	8	47
24	2	8	39	54	4	23	1	11	1	1	1	21	4	6	19	20	6	75	2	48
31	5	2	22	55	2	20	3	8	5	1	1	27	-------	1	14	17	2	80	3	49
32	5	4	23	55	6	32	4	13	3	2	3	18	1	2	10	26	7	78	2	50
14	2	2	16	30	4	18	4	12	-------	6	5	17	3	1	16	23	3	58	4	51
16	2	5	11	22	2	16	4	15	-------	4	-------	13	1	1	14	8	2	40	3	52
28	3	2	22	51	6	63	10	54	1	4	1	32	3	1	33	42	6	81	8	53
4	3	2	13	12	2	15	3	6	1	1	3	13	3	-------	5	11	1	27	1	54
14	1	2	28	29	5	23	2	11	4	2	-------	14	4	1	16	24	2	56	1	55
15	4	4	19	34	4	37	5	13	1	-------	3	15	1	1	14	18	1	75	5	56
22	3	10	26	28	3	10	5	22	3	3	6	17	3	2	16	12	-------	73	7	57
22	4	2	30	58	6	37	2	16	2	2	6	21	1	-------	9	15	4	81	8	58
12	-------	-------	12	25	4	25	1	10	-------	2	3	15	1	-------	17	10	3	48	3	59
36	7	6	51	116	4	44	3	32	3	7	8	78	-------	1	29	45	7	184	-------	60
14	2	2	12	42	2	19	1	5	1	-------	2	6	1	3	10	7	-------	39	1	61
17	2	-------	15	29	-------	13	-------	4	-------	1	3	15	1	-------	7	9	-------	48	1	62
29	6	2	27	45	1	23	6	13	1	3	1	22	2	2	15	16	2	67	2	63
16	3	2	14	33	4	26	3	12	1	1	-------	9	2	3	13	11	2	37	4	64
19	3	3	14	29	5	18	4	15	2	1	7	19	4	1	17	27	2	48	-------	65
13	1	3	9	22	4	21	1	12	2	1	3	17	1	2	15	10	-------	43	4	66
22	3	5	22	37	7	38	4	21	1	5	3	16	1	3	33	31	6	54	2	67
13	1	5	30	26	5	35	2	16	2	1	1	19	4	2	27	20	-------	75	5	68
6	-------	1	14	31	2	13	3	4	-------	-------	3	5	-------	-------	10	17	2	44	5	69
36	6	3	21	62	12	22	2	20	3	5	4	25	1	1	14	37	6	102	8	70
16	1	4	23	34	2	23	3	4	5	-------	5	19	5	-------	14	9	4	59	5	71
17	4	8	19	20	1	21	5	21	1	5	7	22	1	3	22	22	2	60	2	72
13	2	4	30	33	1	18	4	5	2	1	3	21	4	2	19	23	1	72	6	73

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	OHIO—continued.														
1	Ross County	350	8			3	1	2	5	6	1	39		8	1
2	Sandusky County	378	12			2		4		8	1	27	4	3	2
3	Scioto County	362	13	2		25		6	6	7		48	3	6	2
4	Seneca County	360	4			4		2	1	4		43		4	2
5	Shelby County	285	8	1			1		1	5		29		2	1
6	Stark County	644	8			2	3	3	4	9	5	46	1	6	2
7	Summit County	546	9	2		12	2	2	1	4	3	44	1	2	10
8	Trumbull County	591	28			16	3	7	7	20	1	26	3	4	4
9	Tuscarawas County	599	28			6	7	9	2	7	2	32	2	3	2
10	Union County	290	6			2				6	2	26		4	1
11	Van Wert County	336	11		1	3		3		2		34	1	3	
12	Vinton County	186	9						1	4		17	4	4	
13	Warren County	321	6			5			3	5	1	25		6	4
14	Washington County	388	15			4		5	5	6		41		4	4
15	Wayne County	476	9			1	1	2	3	9	3	39	3	6	4
16	Williams County	291	8			1	1	2	1	4		24	1	5	2
17	Wood County	560	19			9	6	3	1	8	1	43	2	8	5
18	Wyandot County	230	8	1		2	1			3	1	27		3	
	PENNSYLVANIA.														
19	Total	57,880	973	28	3	655	548	530	1,106	744	165	3,867	136	384	307
20	White	56,828	957	28	3	654	545	516	1,102	732	164	3,665	131	362	302
21	Colored	1,052	16			1	3	14	4	12	1	202	5	22	5
22	Adams County	428	4			1		5	6	1	1	33	2	7	2
23	Allegheny County	5,384	91	2		141	70	58	92	42	9	511	7	45	27
24	Armstrong County	914	15			12	9	14	19	17	3	58	5	7	9
25	Beaver County	956	26			11	4	15	13	13	1	53	3	6	4
26	Bedford County	424	16			2		10	10	7		28	2	1	3
27	Berks County	1,268	23			4	8	6	27	28	7	68	1	9	11
28	Blair County	716	10			7		15	16	6	1	36	1	6	4
29	Bradford County	843	15	2			2	5	7	18	2	44	1	6	4
30	Bucks County	1,059	14	1		4	9	9	13	23	2	77	4	6	3
31	Butler County	642	10			2	6	7	6	6	2	49		3	6
32	Cambria County	1,532	28			18	20	27	28	11	6	79	4	14	8
33	Cameron County	90				4		2		3		4		1	
34	Carbon County	857	5			5	9	4	21	12	4	52	1	5	3
35	Center County	575	10			4	1	5	3	19		29		4	3
36	Chester County	1,142	19			5	3	9	14	23	4	83	4	14	4
37	Clarion County	453	5			3	3	2	1	1		27	4	2	3
38	Clearfield County	1,043	21			32	2	21	7	16	2	46	2	2	6
39	Clinton County	410	6	1				6		2	3	31	2	3	3
40	Columbia County	617	14	1		5	2	6	7	12	2	30		1	4
41	Crawford County	739	14	1		3	3	2	1	15	1	35		5	4
42	Cumberland County	569	7			1		4	11	8		56	1	2	8
43	Dauphin County	968	8	1		20	54	2	36	9	3	104	1	9	6
44	Delaware County	1,086	13			3	4	12	23	17	3	102	2	11	5
45	Elk County	412	15			6	8	7	6	12	1	20		5	1
46	Erie County	698	9	1		3	4	2	3	18	1	44	2	5	
47	Fayette County	2,179	53	1		34	20	25	47	14	7	107	5	21	7
48	Forest County	85					1	4	1	3		3			1
49	Franklin County	771	17				2	2	10	6	1	188	7	6	5
50	Fulton County	126	7	1				1	2	6	3	9		2	2
51	Greene County	380	8		1	4	1	2	4	6	2	40	1	3	3
52	Huntingdon County	451	8				1	7	1	11	2	34	2	1	2
53	Indiana County	915	15			30	5	4	12	4	2	38	3	4	7
54	Jefferson County	852	25			34	2	23	8	11	2	31	5	9	6
55	Juniata County	186	1					2	6	4		13		3	2
56	Lackawanna County	1,395	3	1		10	31	10	35	10	1	73	5	8	5
57	Lancaster County	1,500	21			3	7	2	15	23	6	117	5	8	14
58	Lawrence County	442	5			7	4	1	9	4	2	21	1	4	2
59	Lebanon County	570	17	1		1	3	4	13	7	2	40	2	2	3
60	Lehigh County	1,036	12			11	5	3	22	7	3	83	2	5	8
61	Luzerne County	3,169	19	2	1	12	22	40	156	20	13	171	6	10	19
62	Lycoming County	556	10			6	3	3	6	10	2	33		2	5
63	McKean County	414	13			4	5	2	4	8	5	24	1	2	2
64	Mercer County	759	12	1		20	5	10	12	9		47		8	3
65	Mifflin County	373	3			4	1	7	3	4		37	2	7	1
66	Monroe County	341	1			7			2	8	1	22		1	2
67	Montgomery County	1,698	29	1		5	11	14	48	26		161	4	6	14
68	Montour County	300	9	2		1		5	3	4	2	24		1	2
69	Northampton County	1,105	14			8	3	5	36	12	1	70	3	3	3
70	Northumberland County	868	9	3		12	11	9	17	14		45	2	2	3
71	Perry County	356	5				5		4	5		17	1	2	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
18	3	2	15	36	3	40	3	17	-------	3	5	17	3	6	17	25	-------	59	4	1
28	2	1	32	45	4	23	4	14	3	3	1	23	1	1	17	20	4	82	7	2
12	1	4	9	34	2	27	-------	22	-------	4	3	16	2	-------	26	16	2	59	5	3
24	6	4	24	47	7	24	3	17	1	5	3	26	2	1	12	26	4	56	4	4
17	12	2	21	33	5	17	6	18	2	3	-------	22	2	1	12	11	2	50	1	5
33	8	3	56	97	6	37	9	16	1	6	7	22	6	2	25	33	4	175	9	6
25	1	9	36	53	7	40	4	41	3	6	5	30	5	1	25	41	7	111	4	7
25	5	6	36	59	10	65	2	32	1	4	4	20	2	8	28	40	6	107	12	8
39	8	3	44	82	8	26	9	29	1	6	4	39	5	2	33	37	5	114	5	9
25	5	3	24	29	1	29	2	11	2	3	2	13	1	1	17	10	3	61	1	10
19	5	6	25	37	4	21	4	21	1	6	3	21	-------	4	20	12	3	66	-------	11
3	3	1	7	20	-------	11	3	11	-------	3	-------	8	-------	1	15	10	1	45	5	12
20	5	2	22	37	4	21	3	12	1	2	4	22	1	2	8	28	6	63	3	13
20	2	5	22	47	4	29	5	16	2	1	1	15	3	3	15	21	5	84	4	14
25	1	3	43	54	8	27	3	10	5	3	3	29	4	2	26	45	4	95	6	15
15	5	2	20	42	4	18	2	11	2	2	4	10	3	3	15	14	5	64	1	16
36	12	7	35	59	8	36	6	24	4	9	6	32	2	2	28	37	7	101	4	17
18	2	5	20	22	2	7	4	8	1	2	5	6	1	1	10	11	4	54	1	18
2,380	420	460	3,304	4,743	869	5,719	825	5,331	184	365	400	2,769	270	382	3,517	4,152	357	10,250	1,737	19
2,357	419	448	3,266	4,652	849	5,603	807	5,269	181	361	397	2,716	269	372	3,461	4,103	353	10,086	1,698	20
23	1	12	38	91	20	116	18	62	3	4	3	53	1	10	56	49	4	164	39	21
25	4	3	52	49	4	31	8	19	2	1	1	35	3	3	20	16	3	76	11	22
164	24	58	180	353	110	724	69	583	15	20	46	176	29	24	308	364	41	907	94	23
30	6	13	39	65	9	94	7	76	2	6	4	41	4	8	53	82	9	171	27	24
33	2	10	40	62	10	125	15	81	7	7	5	23	3	6	63	91	9	191	24	25
24	3	1	28	40	3	36	5	19	1	-------	2	26	1	4	25	19	2	95	11	26
63	17	8	108	102	20	108	15	72	1	6	14	67	6	6	62	50	17	274	60	27
27	8	8	51	54	11	70	16	58	2	3	4	53	4	7	53	31	4	131	19	28
61	10	3	76	129	11	64	13	27	8	7	3	46	4	3	38	54	5	157	18	29
67	10	12	78	109	19	67	17	76	-------	11	10	73	1	4	59	60	7	202	12	30
37	4	7	40	52	11	66	7	67	2	2	10	28	3	2	29	42	1	114	21	31
34	3	7	39	63	22	166	18	256	4	11	8	45	10	11	168	129	7	227	61	32
1	1	-------	5	7	-------	5	1	5	-------	1	-------	4	-------	1	9	11	-------	22	3	33
31	11	7	44	56	18	96	20	117	1	5	6	41	5	6	60	76	5	109	22	34
32	3	4	45	76	8	41	10	40	-------	7	4	34	3	4	29	32	1	110	14	35
51	6	13	72	137	12	76	17	67	1	10	8	88	2	6	54	83	8	216	33	36
27	2	4	31	68	8	34	2	17	2	4	4	30	1	2	27	30	2	97	10	37
37	6	12	45	73	13	134	23	121	4	8	3	31	5	11	92	58	11	164	35	38
13	4	2	27	39	2	32	6	18	6	2	2	24	2	6	26	29	4	102	7	39
32	3	2	58	79	7	52	4	37	2	10	3	30	2	5	50	30	4	102	21	40
39	10	9	67	92	15	46	7	34	2	6	10	69	4	5	32	45	6	148	9	41
26	5	7	65	68	5	40	11	32	2	4	3	32	2	4	25	27	2	95	16	42
29	8	5	52	81	11	79	15	65	2	8	4	46	5	5	51	40	4	184	21	43
44	7	7	78	103	24	104	21	75	4	5	7	79	4	12	53	66	6	175	17	44
20	7	5	24	29	3	38	3	36	3	-------	1	22	-------	3	33	32	2	61	9	45
61	10	3	52	102	9	33	10	22	1	6	7	32	1	4	39	52	5	139	18	46
64	8	20	60	86	25	299	10	312	4	12	9	62	12	19	152	213	8	333	130	47
2	2	2	9	7	-------	9	1	8	-------	1	1	3	1	1	4	4	-------	14	3	48
36	6	5	53	61	6	51	11	22	1	2	5	48	3	7	32	24	3	135	16	49
4	-------	2	7	12	2	8	3	3	-------	3	-------	9	1	-------	4	4	1	25	5	50
26	4	4	17	40	2	35	3	25	2	1	2	16	1	1	17	17	4	80	8	51
13	5	2	34	44	7	35	8	23	-------	2	4	28	3	2	27	30	3	93	19	52
37	5	4	49	46	15	101	10	111	3	6	6	34	4	5	71	81	2	164	37	53
33	3	4	25	85	15	89	17	75	2	15	3	23	2	7	68	64	1	146	19	54
1	1	1	14	35	1	10	1	7	1	-------	2	13	-------	1	22	10	-------	31	4	55
42	12	10	26	78	35	189	25	228	1	2	15	63	13	10	80	122	7	218	27	56
82	10	10	138	168	16	125	19	84	-------	14	16	91	6	12	72	64	5	312	35	57
24	3	6	28	32	8	48	4	33	1	1	4	28	3	2	16	33	8	78	22	58
26	2	3	45	40	3	55	9	32	-------	2	3	30	2	4	27	27	2	129	34	59
34	11	10	94	64	18	102	18	89	2	10	3	47	4	8	63	88	8	168	34	60
79	15	13	126	137	66	369	64	497	11	21	20	130	18	20	214	291	11	463	113	61
46	15	4	45	48	8	45	7	30	-------	3	3	37	3	3	26	29	7	109	7	62
23	4	7	25	34	3	29	2	28	6	2	-------	21	2	2	28	31	5	84	8	63
37	7	10	53	88	7	72	4	40	7	3	7	41	7	2	35	48	6	144	14	64
9	4	2	23	49	3	29	4	28	2	5	4	17	1	6	29	16	2	65	6	65
14	6	4	30	22	4	24	5	17	3	-------	6	22	3	3	17	26	3	79	9	66
88	16	11	129	163	24	141	26	119	8	12	15	100	6	7	78	90	13	302	31	67
18	2	1	25	34	-------	23	6	10	-------	3	2	13	1	-------	9	14	-------	85	1	68
48	13	12	86	88	19	104	12	89	2	10	8	68	1	2	78	89	7	185	26	69
30	9	5	42	85	11	103	27	108	2	5	2	26	8	5	46	53	3	141	30	70
18	3	2	30	57	4	26	2	16	-------	2	1	23	1	3	14	17	4	78	15	71

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH. All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	PENNSYLVANIA—continued.														
1	Pike County	117	1					2	1	4		5		1	
2	Potter County	409	3	1		2	6		6	16	3	15	1	3	3
3	Schuylkill County	2,470	25	1		12	62	12	65	22	11	103	5	7	4
4	Snyder County	246	8			3		3	2	3	1	13	1	4	
5	Somerset County	390	31			12	12	3	24	2	3	44	1	5	2
6	Sullivan County	123	3			2	3	1	3	1		10			
7	Susquehanna County	649	11	1		1	6	3	7	15	3	38	1		7
8	Tioga County	570	19				3	2	5	11	2	25	3	2	1
9	Union County	184	2			1	2		2	2		9		3	
10	Venango County	540	9			3	3	4	1	9	1	43	2	3	6
11	Warren County	476	5			2		2	4	16	3	48	1	4	2
12	Washington County	2,002	45	1		31	28	24	52	23	4	110	3	18	10
13	Wayne County	415	6			1	2		4	2	1	27		4	2
14	Westmoreland County	2,853	72	1	1	63	51	26	60	27	14	135	6	21	6
15	Wyoming County	232				4			1	2	2	8	2	2	2
16	York County	1,052	19			9	1	8	23	14	2	87	4	8	9
	RHODE ISLAND.														
17	Total	1,734	10	2		35	3	3	24	26	3	111	11	6	6
18	White	1,694	10	2		35	3	3	24	26	3	107	11	6	6
19	Colored	40										4			
20	Bristol County	327	1			21	1		4	4	1	18	3		2
21	Kent County	191	1	1		5		1	3	2	1	13			
22	Newport County	192	4						1	1		6	1	1	
23	Providence County	623	2	1		8	2	2	14	11		51	5	4	4
24	Washington County	401	2			1			2	8	1	23	2	1	
	UTAH.														
25	Total	2,519	83		1	2	62	58	36	24	16	57	4	6	28
26	White	2,496	80		1	2	62	58	36	24	16	56	4	6	28
27	Colored	23										1			
28	Beaver County	42	2				4		1			1			
29	Boxelder County	122	4				5		1	1		2	1	1	3
30	Cache County	211	5				4	1	1	3	1	1		1	3
31	Carbon County	97	3					1	1		1	1		1	1
32	Davis County	106	4				3	1	1	1		2		2	3
33	Emery County	43	2						1			1			
34	Garfield County	27													
35	Grand County	12	1									1			1
36	Iron County	41	4						1	2		1			
37	Juab County	116	6			1	9	3	1	1		5			1
38	Kane County	18					1	12							
39	Millard County	51						5	2						2
40	Morgan County	15								1					
41	Piute County	10													1
42	Rich County	21									1	1			
43	Salt Lake County	378	1			1	13	5	8	2	4	17	1	1	5
44	San Juan County	7	4				1		1						
45	Sanpete County	195	12				5	6		4	1	3			1
46	Sevier County	86	4				1	6	3	2					
47	Summit County	112	4				4	1	1	1					3
48	Tooele County	100	8				3		1		1	4	1		1
49	Uinta County	64	3				1			3					
50	Utah County	404	9				4	15	4	2	5	12	1		2
51	Wasatch County	85	5		1				4		2	3			1
52	Washington County	49	1				1		1						
53	Wayne County	9						1							
54	Weber County	98	1				3	1	3	1		2			
	VERMONT.														
55	Total	4,930	38	3		23	7	33	23	141	14	266	27	39	15
56	White	4,903	38	3		23	7	32	23	141	14	263	27	39	15
57	Colored	27						1				3			
58	Addison County	304	1					4		12	1	22	2	3	
59	Bennington County	304	2				1	5	3	11		16	1	6	1
60	Caledonia County	399	4	1			2	2	1	16	1	23	4	4	1
61	Chittenden County	344	3			2		1		7		16	2	2	2
62	Essex County	84	1							1	1	9			1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other causes. (37)	Ill-defined and unknown causes. 38	
7	.....	.....	8	17	2	12	1	5	.....	1	.....	13	.....	2	4	8	2	19	2	1
19	3	3	21	43	9	38	7	21	5	3	3	21	3	3	17	28	1	87	15	2
82	17	21	145	141	33	240	65	346	15	19	19	132	12	22	129	218	5	395	85	3
20	5	.....	25	35	6	23	.....	12	.....	2	1	12	2	1	17	10	.....	29	8	4
29	8	7	27	50	10	77	10	112	.....	2	4	27	9	9	77	97	3	159	34	5
2	1	1	10	18	3	10	.....	6	.....	1	.....	5	.....	.....	12	7	.....	16	8	6
41	8	7	38	76	12	59	7	43	5	5	5	36	.....	4	15	53	2	125	15	7
47	4	6	27	93	11	41	6	21	2	6	5	37	2	1	21	22	4	128	13	8
6	5	.....	14	31	.....	17	1	8	1	3	.....	13	.....	2	10	8	1	36	7	9
25	1	9	47	62	8	38	2	26	2	3	4	21	.....	8	25	42	1	123	9	10
20	3	3	31	34	7	20	6	18	1	3	6	35	1	.....	14	26	6	148	7	11
67	5	10	64	101	34	192	22	239	7	11	15	53	8	12	180	235	21	318	59	12
17	6	4	37	55	6	31	5	10	3	5	5	40	2	2	19	21	2	85	11	13
82	11	22	95	145	48	294	32	348	7	8	17	110	17	22	206	285	20	412	189	14
14	.....	1	15	34	4	21	2	10	2	2	2	11	2	3	10	20	1	53	2	15
60	3	2	90	117	9	124	21	52	2	4	4	35	2	7	74	38	10	187	27	16
87	24	14	114	161	29	226	15	159	2	10	14	119	3	9	82	96	20	287	23	17
86	23	14	112	154	26	223	15	155	2	10	14	116	3	9	80	94	20	279	23	18
1	1	.....	2	7	3	3	.....	4	.....	.....	.....	3	.....	.....	2	2	.....	8	.....	19
13	2	3	24	25	7	46	3	35	1	1	2	22	1	1	17	23	2	41	3	20
8	4	2	18	21	1	24	6	7	.....	.....	1	10	.....	3	9	11	3	36	.....	21
13	2	1	13	20	1	21	.....	24	.....	1	1	8	.....	.....	12	13	2	40	6	22
28	8	5	27	42	9	96	2	66	.....	6	6	43	1	3	27	29	9	101	11	23
25	8	3	32	53	11	39	4	27	1	2	4	36	1	2	17	20	4	69	3	24
77	29	24	86	189	49	284	40	115	34	37	9	119	15	25	214	219	14	466	97	25
77	29	24	86	187	49	282	40	113	33	37	9	118	15	25	213	214	14	461	97	26
.....	.....	.....	.....	2	.....	2	.....	2	1	.....	.....	1	.....	.....	1	5	.....	5	.....	27
2	2	.....	3	5	1	5	.....	.....	.....	2	.....	1	.....	.....	3	3	.....	6	1	28
5	1	1	4	11	4	14	2	2	2	3	.....	1	.....	1	9	14	.....	21	9	29
4	4	1	6	18	2	34	3	14	3	4	.....	11	.....	3	17	8	.....	54	5	30
.....	.....	1	3	5	4	11	1	3	.....	1	1	2	.....	1	13	21	.....	13	8	31
4	1	1	5	5	2	11	2	6	2	5	.....	5	.....	1	9	8	1	21	.....	32
2	2	.....	1	4	1	4	.....	2	3	1	.....	5	1	1	6	3	.....	1	2	33
2	1	.....	1	2	.....	.....	.....	4	.....	1	.....	3	.....	1	3	4	.....	4	1	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	4	.....	35
.....	2	.....	1	5	.....	4	2	.....	.....	1	.....	2	1	.....	4	4	.....	5	2	36
3	1	1	4	7	5	16	4	8	1	1	.....	1	1	.....	9	10	2	11	4	37
1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	38
1	1	.....	1	5	1	9	.....	1	.....	1	.....	.....	.....	.....	5	7	.....	6	4	39
1	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	1	.....	2	4	.....	2	.....	40
.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	1	3	.....	.....	1	.....	41
.....	.....	.....	1	1	.....	4	.....	.....	3	1	.....	1	1	1	.....	1	.....	4	1	42
11	3	6	20	18	7	33	9	19	3	3	.....	19	3	1	31	54	1	69	10	43
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
4	.....	.....	6	20	6	24	1	10	1	1	1	14	1	.....	18	8	.....	40	8	45
3	.....	2	1	6	1	7	1	8	.....	.....	1	2	2	.....	15	2	.....	15	4	46
2	.....	.....	4	7	.....	19	6	6	2	5	.....	3	2	3	6	5	.....	20	8	47
4	.....	.....	3	5	1	19	1	7	2	.....	.....	2	1	1	6	9	3	14	3	48
3	.....	.....	.....	9	1	6	.....	5	3	.....	1	1	1	1	2	11	1	12	.....	49
14	8	5	15	38	10	34	2	13	7	5	3	18	.....	5	29	23	4	104	13	50
4	2	2	.....	6	1	12	.....	3	.....	1	1	3	.....	.....	7	6	2	12	7	51
4	.....	.....	3	2	.....	8	1	1	.....	1	.....	3	.....	3	4	2	.....	9	5	52
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	.....	.....	.....	2	.....	2	.....	53
3	.....	4	4	9	1	5	4	2	.....	.....	.....	20	.....	.....	11	7	.....	15	2	54
350	65	34	402	705	89	453	36	156	43	31	31	338	18	35	192	231	44	1,024	24	55
350	65	34	401	702	89	449	35	156	43	31	31	335	18	35	192	224	43	1,021	24	56
.....	.....	.....	1	3	.....	4	1	.....	.....	.....	.....	3	.....	.....	.....	7	1	3	.....	57
22	3	2	22	51	6	33	2	5	3	2	1	23	1	5	12	13	2	51	.....	58
18	6	3	16	60	3	28	3	9	1	2	3	25	2	2	7	13	2	54	1	59
25	7	2	23	45	9	26	1	13	5	2	3	25	.....	6	11	12	5	111	4	60
31	2	6	21	30	6	47	2	18	2	4	.....	31	2	1	9	21	5	70	1	61
5	1	.....	5	13	3	6	.....	3	1	1	.....	2	1	2	.....	4	1	23	.....	62

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	VERMONT—continued.														
1	Franklin County	418	3			1			1	12	1	28	3	5	1
2	Grand Isle County	46				4				2		3	1		
3	Lamoille County	189	1	1				2	2	3	1	6		3	
4	Orange County	337	2			2		1	1	11		14	1	2	
5	Orleans County	363	2					2	1	5	1	23	7	4	1
6	Rutland County	549	3	1		1	3	11	4	15		37	3	3	2
7	Washington County	491	5			1		1	3	12	3	26		1	
8	Windham County	512	3			11	1	4	3	12	4	21	1	5	2
9	Windsor County	590	8			1			4	22	1	22	2	1	4
	WASHINGTON.														
10	Total	5,699	163		5	51	36	100	75	27	24	505	39	48	26
11	White	5,385	148		5	44	36	90	74	24	24	441	34	45	25
12	Colored	314	15			7		10	1	3		64	5	3	1
13	Adams County	90	3			2		1			2	6			
14	Asotin County	51	4				1	1	1			4			1
15	Benton County	70	7			4			1			8			
16	Chehalis County	192	6			2		2	1	2	1	13	3		1
17	Chelan County	151	5					6	1	2	3	12		2	1
18	Clallam County [2]	87			4	1	1	1		1		9	1		1
19	Clarke County	237	3			2	3	5	4	1		25		1	1
20	Columbia County	73	3			1		2	1		1	1		1	
21	Cowlitz County	98	1					4	5			9			
22	Douglas County	39	1			2		4			1	3			
23	Ferry County [3]	39	2			1		3			2	6		1	1
24	Franklin County	33										1			
25	Garfield County	50	2							1		5		1	
26	Grant County	34									1	1		2	
27	Island County	32	1						1	1		3	1		
28	Jefferson County	89	1			2		1	1			4		2	
29	King County	535	7			5	2	5	3		1	44	3	1	1
30	Kitsap County	129	2		1			3	2	1	1	13			
31	Kittitas County	223	7			1	4	15	3			9	2	1	
32	Klickitat County	62							2			3			
33	Lewis County	336	10			5	3	6	14	1		25	4	4	1
34	Lincoln County	133	3				3	2		1		13		3	1
35	Mason County	51				1		1			1	12	1		
36	Okanogan County [2]	122	11			5			1	1		16		1	
37	Pacific County	73						2	1			6	1	2	
38	Pierce County	493	5				5	7	4	2	1	44	3	4	2
39	San Juan County	31										3	1		
40	Skagit County [4]	260	4			1	2	4	4		1	28	5	1	4
41	Skamania County	25							3			2			
42	Snohomish County	329	9			3	1	9	1	5	1	23	6	5	1
43	Spokane County	338	3				5	2	3		4	45	2	6	3
44	Stevens County	178	5				2	2	2	2		11			2
45	Thurston County	179	4			1	1		2	3		15	2	4	
46	Wahkiakum County	10										1	1		
47	Walla Walla County	81	2			1	1		3			6	1	2	
48	Whatcom County	204	5			1		4	2			12	1	2	1
49	Whitman County	261	14			1	1	2	3	2	1	23	1	1	2
50	Yakima County [5]	281	33			9	1	6	6	1	2	36		1	2
	WISCONSIN.														
51	Total	17,751	204		2	119	169	113	235	184	48	1,316	55	156	129
52	White	17,622	204		2	116	168	112	233	184	48	1,298	54	155	128
53	Colored	129				3	1	1	2			18	1	1	1
54	Adams County	90	1					1		1		12	1	1	1
55	Ashland County	124	10			1			3		1	7	1	1	
56	Barron County	312	6			5	3	3	2	3	1	20		2	2
57	Bayfield County	168				10	3	1	9	4		14	1	1	3
58	Brown County	339	4				6	2	5	3	1	16	1	3	2
59	Buffalo County	157	2			2			1	4		8		2	3
60	Burnett County	88	2					2	2			7		2	2
61	Calumet County	162	3			1		1				13	2	1	
62	Chippewa County	431	7			5	1		5	12	2	37	1	4	2
63	Clark County	255	5			1		4	3	5		16		1	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Including part of Colville Indian Reservation.
[5] Including Yakima Indian Reservation.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
23	4	5	32	55	12	33	3	23	8	1	4	28	2	2	15	17	1	92	3	1
7			5	11		3			1						4	3		2		2
12	5	1	18	19	4	19	1	5	2	2	3	24	1	1	7	5	2	38	1	3
23	4	3	32	57	5	39	2	5	6	1	5	28	1	2	17	9	2	60	2	4
32	6		27	57	4	25	2	11	2	2	2	18	3	3	23	20	6	71	3	5
32	4	2	41	64	7	59	10	22	2	6	2	26		1	30	43	4	110	1	6
41	4	3	39	61	8	53	3	16	6	5	1	35	4	3	21	17	6	113		7
36	10	4	51	86	6	39	5	12	2		1	34		2	12	24	5	111	5	8
43	9	3	65	96	16	43	2	14	2	3	6	39	1	5	24	30	3	118	3	9
254	58	36	272	412	37	394	52	195	44	41	29	283	42	51	305	882	95	981	137	10
251	57	34	269	402	33	371	50	185	43	38	27	278	41	50	299	834	88	937	108	11
3	1	2	3	10	4	23	2	10	1	3	2	5	1	1	6	48	7	44	29	12
3			2	4		7	3	3	1	1		2	2	2	7	9	3	20	7	13
4		1	6	2	1	3	1	3		2	1	4	1		1	3	1	4	1	14
1		1	2	5		5		1	1			4			7	11	1	9	2	15
8	3		9	12		12	2	5	3			8		2	18	43	3	30	3	16
5	1	1	6	13		6		11	3	1		6	1	2	7	23	1	24	8	17
3		1	4	3	1	3		2		1		8			1	11	1	16	13	18
16	1		12	17	2	32	2	4	1	1	3	17	1	2	9	26	4	37	5	19
4			3	11	1	5		2			1	4		1	7	7	1	15	1	20
1	2		1	5		7		2				2		2	7	22	2	23	3	21
1		1	6	3		1	1	2	1			1			1	3		6	1	22
3		1	1			1								1	2	7	1	5	1	23
			1	2		3	1	3						1	1	12	1	5		24
5			6	4		1		3				2			8	2		8	2	25
3	1		2	3		4	1				1	1		1	3	5		4	1	26
			2	2		2		1		1		4			1	5	1	5	1	27
2	2	1	3	14		10	1	3		1		4			3	12	4	16	2	28
19	3	1	26	45	2	36	3	26	3	3	3	14	2	5	20	199	5	46	2	29
13	5		10	10	1	8	2	1		2		5	1		6	12	4	24	2	30
7	3	1	6	15		21		21	2	1	2	3	2	1	20	33	4	32	7	31
4		1	8	5	1	2	2	1	2			4		1	1	9	1	15		32
20	2	2	14	15	1	20	3	11	5	2	2	21	6	6	18	46	2	59	8	33
10	2	1	4	10		7	1	5	1		1	7	2	1	11	8	3	25	8	34
1	2		1	5	1	1	3	1				2				7	1	10		35
6	1	2	5	8	1	6	2	3	2	1		1	2	1	6	8	2	23	7	36
2			4	8	1	4		6	1			2	1	2	3	13	1	12	1	37
22	5	1	32	31	3	31	6	12		5	1	25	2	2	24	69	6	131	8	38
1		1	3		2	2			1			2			1	5	1	8		39
13	4	3	11	16	5	17	2	7	2	3	4	15	1	5	14	37	6	36	5	40
2				1		1						2		1	1	4	2	6		41
14	6	2	11	31	2	16	6	7	3	3	1	15	2	2	14	64	7	50	9	42
10	3	2	16	23	5	29	2	11	1	5		19	2	1	21	34	5	72	4	43
7	1	1	7	9	1	8	2	9	1	1	3	18	7	3	15	25	3	31		44
11	3	4	12	20	2	15	2	3	1	1	2	10			6	21	3	25	6	45
				1												1		6		46
5	1	1		9		4	1					3			7	12	1	17	4	47
10	4		16	17	1	20	1	5	1		3	15	1	3	9	28	3	36	3	48
10	3	3	14	25	1	25	1	10	7	3	1	17	3	2	11	12	4	50	3	49
8		3	6	8	2	19	1	11	1	3		14	3	1	14	34	7	40	9	50
1,152	199	216	974	1,550	323	1,217	199	948	132	169	149	945	72	99	1,015	936	177	4,099	450	51
1,147	199	214	968	1,540	322	1,203	197	940	132	168	149	940	72	98	1,009	921	176	4,081	444	52
5		2	6	10	1	14	2	8		1		5		1	6	15	1	18	6	53
4			4	7	2	3		6	1	1		7	2	2	5	4		21	3	54
4	1	3	5	4	1	10	4	15		1		2	2	3	2	16	1	23	3	55
18	5	1	11	23	6	27	2	23	3	4	1	20	3	3	21	19	3	66	6	56
1		4	2	8	1	14	1	13			2	3			14	23	5	29	2	57
28	1	6	25	22	3	25		19		3	1	24	1	4	19	14	5	79	17	58
15	2		6	12	4	10	1	6		4	1	9			8	11		40	6	59
5	3	3	2	4	3	6	2	3	2	2		8		2	4	2	2	17	1	60
18	3	3	16	18	1	6	3	5	5	2	2	6		1	9	9		31	3	61
17	2	8	10	40	12	39	4	13	4	2	3	13	6	4	28	27	2	109	12	62
14	3	2	11	26	2	25	3	17	2	4	4	10	2	1	19	14	3	52	5	63

[2] Including Makah, Ozette, and Quillayute Indian Reservations.
[4] Including Swinomish Indian Reservation.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

	REGISTRATION AREA.	CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1] Continued.														
	WISCONSIN—continued.														
1	Columbia County	394	5			1	1	1	8	5		23		3	2
2	Crawford County	191	3			2		1		3		14	1	1	1
3	Dane County	621	7			2	1	5	4	5	6	45	2	10	7
4	Dodge County	523	3			2		1	1	3	2	35		4	2
5	Door County	183	4				1	3	3	1		7			2
6	Douglas County	44							1	1		3			
7	Dunn County	248	2				1	1	5		2	20		2	3
8	Eau Claire County	125	2		1	2	1		6	1	1	4			2
9	Florence County	26													1
10	Fond du Lac County	364	2			2	1		2	2		37	3		1
11	Forest County	64	1				1		3			2	1		
12	Grant County	433	1			4		1	8	6	2	31		2	2
13	Green County	212	1			1						17	1	3	1
14	Green Lake County	172				3	7		3	2		12	2	3	2
15	Iowa County	231						1	3	1	4	25	1	1	
16	Iron County	80	1				2		6			1			
17	Jackson County	168	2				2			6		12		2	
18	Jefferson County	401	1				1	2	5	4		36		4	7
19	Juneau County	236	3			1	3		8	3		18	1	3	2
20	Kenosha County	110						4	2	2		5		1	3
21	Kewaunee County	186					12	1	3			12		1	4
22	La Crosse County	154	4			2			3			14		2	2
23	Lafayette County	197	2			2		3		2	1	15		1	3
24	Langlade County	155	2			3			2		1	6		1	1
25	Lincoln County	217	4			8	13	4	4	3		9	1	2	
26	Manitowoc County	313					4	3	2	1	1	27		5	1
27	Marathon County	446	13				41	9	17	5		27		3	5
28	Marinette County	177	2				5	3	2	2		17		1	1
29	Marquette County	134	2							4		9	1	3	1
30	Milwaukee County	1,323	34			7	11	3	24	9	6	147	4	16	6
31	Monroe County	363	2			5	3	8	11	8		30		1	5
32	Oconto County	255	2			3	2	6	1	4	1	18	2	1	4
33	Oneida County	111	6			2	6	2	1			11		2	
34	Outagamie County	337	4			2	7	5	3	2		28	3	1	1
35	Ozaukee County	150	3				1			2		9	1	2	1
36	Pepin County	72	1				2		2	2		2		1	
37	Pierce County	247	3			2			1	1		15	1	5	1
38	Polk County	190	6					6	4			15	2	4	
39	Portage County	374	3			4	3	1	7	3	1	28	2		2
40	Price County	99	1		1	2	1	2	2			8			1
41	Racine County	256	1			4	1	1	1	5		18			4
42	Richland County	186	1					1		1		16	1	2	
43	Rock County	297	2					1	2	5	1	25	1	1	2
44	Rusk County	98	1			2			3	3		7		1	
45	St. Croix County	280					3	1	4			18	2	3	
46	Sauk County	371	1			1	3	3	2	8	2	22		5	3
47	Sawyer County	69				2					1	6		1	
48	Shawano County	306	2				2	1	6	2		19	1	4	1
49	Sheboygan County	295						1		4	3	13	3	4	4
50	Taylor County	113	1						2	1		6	1	1	1
51	Trempealeau County	227				2	1	1	4	7		16			1
52	Vernon County	309	5			3	3		3	7		34	5	4	1
53	Vilas County	38										4			
54	Walworth County	361	2			3	1	1	3	1	3	25		5	4
55	Washburn County	84	1			1			2	1		6			1
56	Washington County	243	4			2	4	1	1	1		13	2	2	1
57	Waukesha County	502	5			1	1	2	2	3		48	2	7	8
58	Waupaca County	405	2				2	1	2	5	1	23		2	2
59	Waushara County	177						2	2	3		13		1	3
60	Winnebago County	406				10	1		9	2	3	27		3	
61	Wood County	276	4			1	1	6			1	13	1	1	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
24	7	4	30	33	7	25	6	14	6	1	3	25	.....	.....	22	22	6	101	9	1
8	.....	.....	9	17	5	21	2	6	2	2	2	16	.....	1	15	6	1	49	3	2
50	7	6	50	43	11	30	6	22	5	9	5	36	4	3	37	33	7	150	13	3
43	7	8	31	53	10	20	10	28	2	4	6	29	.....	4	36	30	6	133	10	4
11	2	3	5	13	4	6	2	11	1	1	1	11	2	4	14	9	1	52	9	5
2	.....	1	2	1	.....	2	.....	1	.....	.....	.....	4	.....	2	3	7	2	9	3	6
16	4	2	14	35	9	15	2	10	2	2	.....	9	3	2	11	9	1	61	5	7
13	1	2	7	13	2	6	2	2	1	.....	.....	8	.....	.....	9	5	.....	29	5	8
1	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....	1	.....	.....	2	4	1	10	2	9
32	6	5	23	40	2	22	3	14	2	1	1	22	1	.....	22	12	2	92	12	10
2	.....	.....	.....	3	1	6	1	9	1	.....	.....	2	.....	.....	8	11	.....	10	2	11
26	6	7	31	41	11	25	3	20	2	3	5	37	1	3	24	14	3	109	5	12
19	5	4	16	12	5	16	3	11	3	4	4	8	3	.....	9	9	3	51	3	13
13	2	1	14	16	1	13	4	3	1	3	3	8	.....	.....	7	7	2	34	6	14
11	4	1	15	20	7	18	7	10	2	3	1	16	1	.....	16	11	1	45	6	15
3	.....	.....	1	2	5	2	1	11	.....	.....	2	1	1	.....	6	22	1	10	2	16
11	3	.....	10	13	3	10	4	13	2	1	3	4	.....	1	8	4	2	49	3	17
23	6	4	18	47	12	25	5	20	5	8	3	16	1	.....	14	20	5	103	6	18
15	6	1	13	30	7	12	3	12	.....	7	2	8	.....	1	8	12	.....	50	7	19
6	1	2	3	9	.....	6	.....	8	.....	1	.....	6	.....	1	6	9	2	29	4	20
13	.....	7	11	13	3	13	4	5	1	1	3	10	1	.....	11	11	1	40	5	21
13	2	.....	7	13	2	10	2	8	1	3	2	10	.....	1	6	9	1	34	3	22
15	1	3	9	29	3	6	1	8	4	2	.....	5	2	1	12	11	1	51	4	23
10	2	1	8	19	2	20	.....	10	1	.....	4	5	.....	.....	13	3	1	37	3	24
11	.....	2	14	11	4	20	1	16	4	2	5	11	1	2	16	8	2	32	7	25
21	3	2	14	28	5	20	3	18	2	3	5	16	2	2	24	14	3	73	11	26
18	1	7	14	25	7	27	4	37	1	3	2	16	2	3	24	22	.....	95	18	27
5	1	2	8	17	3	9	1	25	1	2	2	5	.....	.....	11	18	.....	26	8	28
8	.....	2	6	14	5	6	1	4	4	3	.....	4	.....	2	4	5	1	35	10	29
68	7	24	43	93	19	124	12	71	4	8	21	83	2	4	81	51	21	297	23	30
28	7	5	13	30	5	35	4	21	1	3	1	14	.....	2	14	19	2	83	3	31
18	3	4	8	15	3	14	.....	15	1	3	3	9	1	.....	22	15	2	61	14	32
4	3	.....	2	7	1	7	2	7	1	3	.....	5	1	1	6	17	2	10	2	33
21	3	5	16	27	6	34	4	23	2	7	3	10	.....	.....	22	11	.....	74	13	34
12	2	2	18	12	3	9	2	12	.....	1	1	4	.....	.....	3	10	5	32	3	35
3	.....	.....	5	8	3	8	1	4	.....	.....	.....	3	.....	1	3	7	.....	15	1	36
19	2	3	18	40	8	13	2	15	1	1	1	16	.....	1	10	11	5	49	3	37
14	2	1	10	23	5	11	2	2	1	2	.....	11	2	3	14	6	2	40	2	38
26	6	3	16	31	8	22	6	28	8	.....	1	11	2	4	29	16	4	92	7	39
5	1	1	3	6	2	6	.....	11	2	.....	.....	2	.....	3	5	9	3	13	9	40
23	5	2	18	18	5	19	1	13	4	2	6	18	.....	.....	7	12	6	56	6	41
13	1	7	13	16	2	16	2	7	.....	.....	.....	14	1	2	13	6	1	47	3	42
17	6	3	25	29	8	21	5	13	2	2	3	20	.....	3	4	12	3	76	5	43
4	2	1	3	5	.....	4	2	5	1	5	1	3	1	1	10	10	.....	19	4	44
21	2	3	23	27	8	17	5	16	2	3	2	19	1	.....	13	11	3	60	13	45
35	3	2	28	56	3	19	2	10	2	5	2	22	1	.....	14	12	6	90	9	46
3	1	.....	1	4	1	6	.....	3	.....	.....	.....	2	1	.....	5	11	1	14	6	47
20	2	4	14	20	8	19	5	29	4	3	2	21	2	2	22	19	5	58	9	48
25	2	6	20	39	8	13	4	11	3	4	5	12	1	2	8	18	4	74	4	49
11	3	.....	6	7	.....	3	3	3	1	2	1	3	1	1	10	10	.....	32	3	50
18	4	3	13	22	.....	18	4	16	3	1	.....	14	.....	.....	13	5	1	51	9	51
14	2	5	21	24	3	19	3	20	2	.....	2	21	3	1	23	11	2	66	2	52
1	.....	2	6	1	1	3	.....	5	.....	2	.....	1	.....	.....	3	4	.....	4	1	53
26	4	1	31	32	9	25	5	11	3	1	4	29	.....	1	13	19	2	91	6	54
1	3	1	1	6	2	9	1	6	.....	3	.....	3	1	2	13	3	.....	12	5	55
21	1	4	21	21	6	24	3	10	.....	5	2	17	.....	3	8	10	1	53	2	56
28	11	4	31	40	9	26	8	21	3	5	4	30	1	4	26	35	8	125	4	57
32	4	5	30	29	6	35	1	12	3	1	1	40	3	1	19	19	4	108	12	58
12	1	2	9	13	5	12	.....	11	.....	1	.....	11	3	.....	14	7	.....	48	4	59
25	7	4	21	46	3	25	6	15	2	3	1	20	1	1	17	17	6	112	19	60
17	2	2	12	27	2	25	3	24	3	1	4	6	2	3	24	17	1	71	2	61

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	THE REGISTRATION AREA.												
1	Total	805,412	154,373	33,080	14,727	8,808	6,331	217,319	17,943	11,736	19,772	30,216	32,741
2	Males	439,757	86,230	17 543	7,752	4,546	3,289	119,360	9,309	6,021	10,374	16,310	17,952
3	Females	365,655	68,143	15,537	6,975	4,262	3,042	97,959	8,634	5,715	9,398	13,906	14,789
4	White	753,308	144,650	30,683	13,652	8,236	5,935	203,156	16,854	10,737	17,658	26,844	29,124
5	Males	411,928	80,952	16,308	7,211	4,281	3,088	111,840	8,776	5,560	9,399	14,611	16,053
6	Females	341,380	63,698	14,375	6,441	3,955	2,847	91,316	8,078	5,177	8,259	12,233	13,071
7	Native	546,507	143,654	29,932	13,253	7,915	5,657	200,411	15,825	9,929	14,969	19,722	19,922
8	Males	293,032	80,430	15.914	6,998	4,122	2,949	110,413	8,257	5,133	7,748	10,007	10,233
9	Females	253,475	63,224	14,018	6,255	3,793	2,708	89,998	7,568	4,796	7,221	9,715	9,689
10	Both parents native (M)	147,620	37,485	6,911	3,223	1,962	1,517	51,098	4,365	2,878	4,179	5,220	5,016
	Both parents native (F)	134,217	28,764	6,054	2,911	1,777	1,314	40,820	3,971	2,675	4,030	5,295	5,089
11	One or both parents foreign (M)	109,334	39,041	8,697	3,632	2,063	1,367	54,800	3,690	2,095	3,219	4,022	4,199
	One or both parents foreign (F)	91,544	31,102	7,663	3,221	1,952	1,349	45,287	3,435	1,986	2,872	3,749	3,774
12	Parentage unknown (M)	35,578	3,904	306	143	97	65	4,515	202	160	350	765	1,018
	Parentage unknown (F)	27,714	3,358	301	123	64	45	3,891	162	135	319	671	826
13	Foreign	196,733	692	631	359	296	271	2,249	997	773	2,562	6,765	8,649
14	Males	111,070	354	337	194	147	135	1,167	505	408	1,551	4,310	5,349
15	Females	85,663	338	294	165	149	136	1,082	492	365	1,011	2,455	3,300
16	Unknown	10,068	304	120	40	25	7	496	32	35	127	357	553
17	Males	7,826	168	57	19	12	4	260	14	19	100	294	471
18	Females	2,242	136	63	21	13	3	236	18	16	27	63	82
19	Colored	52,104	9,723	2,397	1.075	572	396	14,163	1,089	999	2,114	3,372	3,617
20	Males	27,829	5,278	1,235	541	265	201	7,520	533	461	975	1,699	1,899
21	Females	24,275	4,445	1,162	534	307	195	6,643	556	538	1,139	1,673	1,718
22	Negro (M)	25,840	5,063	1,194	516	255	188	7,216	500	439	916	1,609	1,734
	Negro (F)	23,659	4,287	1,127	519	293	189	6,415	524	513	1,102	1,631	1,687
23	Indian (M)	502	82	23	16	6	9	136	23	20	39	33	26
	Indian (F)	384	67	19	10	6	4	106	26	24	33	20	15
24	Chinese (M)	968	34	8	1	.....	2	45	5	2	14	15	40
	Chinese (F)	87	21	6	1	5	.....	33	5	1	3	6	5
25	Japanese (M)	519	99	10	8	4	2	123	5	.....	6	42	99
	Japanese (F)	145	70	10	4	3	2	89	1	.....	1	16	11
	REGISTRATION STATES.[1]												
26	Total	703,608	136,350	28,978	12,746	7,657	5,485	191,216	15,666	10,180	16,713	25,201	27,251
27	Males	383,349	76,237	15,362	6,737	3,973	2,840	105,149	8,149	5,227	8,823	13,694	14,929
28	Females	320,259	60,113	13,616	6,009	3,684	2,645	86,067	7,517	4,953	7,890	11,507	12,322
29	White	673,203	130,221	27,404	12,109	7,323	5,245	182,302	15,013	9,585	15,547	23,477	25,339
30	Males	366,893	72,930	14,537	6,408	3,811	2,722	100,408	7,832	4,962	8,303	12,823	13,870
31	Females	306,310	57,291	12,867	5,701	3,512	2,523	81,894	7,181	4,623	7,244	10,654	11,469
32	Native	490,920	129,323	26,733	11,747	7,030	4,998	179,831	14,112	8,851	13,149	17,078	17,184
33	Males	262,517	72.460	14,184	6,211	3,668	2,599	99,122	7,369	4,577	6,832	8,654	8,729
34	Females	228,403	56,863	12,549	5,536	3,362	2,399	80,709	6,743	4,274	6,317	8,424	8,455
35	Both parents native (M)	134,327	33,901	6,168	2,888	1,742	1,336	46,035	3,907	2,562	3,707	4,561	4,339
	Both parents native (F)	122,633	25,852	5,415	2,576	1,579	1,165	36,587	3,550	2,421	3,573	4,643	4,511
36	One or both parents foreign (M)	98,073	35,401	7.794	3,225	1,852	1,207	49,479	3,310	1,888	2,861	3,487	3,607
	One or both parents foreign (F)	82,265	28,257	6,923	2,868	1,743	1,193	40,984	3,075	1,753	2,523	3,299	3,326
37	Parentage unknown (M)	30,117	3,158	222	98	74	56	3,608	152	127	264	606	783
	Parentage unknown (F)	23,505	2,754	211	92	40	41	3,138	118	100	221	482	618
38	Foreign	173,365	632	559	324	271	240	2,026	869	701	2,286	6,090	7,669
39	Males	97,423	321	299	178	133	119	1,050	449	367	1,380	3,907	4,719
40	Females	75,942	311	260	146	138	121	976	420	334	906	2,183	2,950
41	Unknown	8,918	266	112	38	22	7	445	32	33	112	309	486
42	Males	6,953	149	54	19	10	4	236	14	18	91	262	422
43	Females	1,965	117	58	19	12	3	209	18	15	21	47	64
44	Colored	30,405	6,129	1,574	637	334	240	8,914	653	595	1,166	1,724	1,912
45	Males	16,456	3,307	825	329	162	118	4,741	317	265	520	871	1,059
46	Females	13,949	2,822	749	308	172	122	4,173	336	330	646	853	853
47	Negro (M)	14,576	3,097	784	304	152	105	4,442	284	243	462	788	907
	Negro (F)	13,356	2,672	718	294	160	116	3,960	305	305	609	811	824
48	Indian (M)	493	82	23	16	6	9	136	23	20	38	33	24
	Indian (F)	379	66	19	10	6	4	105	25	24	33	20	14
49	Chinese (M)	887	32	8	1	.....	2	43	5	2	14	14	31
	Chinese (F)	76	17	3	1	3	.....	24	5	1	3	6	5
50	Japanese (M)	500	96	10	8	4	2	120	5	.....	6	36	97
	Japanese (F)	138	67	9	3	3	2	84	1	.....	1	16	10

[1] Including District of Columbia.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910.

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
32,731	35,665	35,523	37,412	40,958	40,582	46,021	50,630	50,500	45,500	33,372	18,029	6,175	1,427	372	788	1
18,519	20,684	21,045	22,266	24,029	23,334	25,748	27,218	26,261	23,027	16,088	8,289	2,612	584	130	597	2
14,212	14,981	14,478	15,146	16,929	17,248	20,273	23,412	24,239	22,473	17,284	9,740	3,563	843	242	191	3
29,282	32,136	32,280	34,396	37,974	38,290	43,727	48,756	49,074	44,534	32,623	17,635	5,970	1,314	246	698	4
16,563	18,677	19,226	20,570	22,302	22,064	24,480	26,185	25,505	22,540	15,750	8,122	2,531	534	97	543	5
12,719	13,459	13,054	13,826	15,672	16,226	19,247	22,571	23,569	21,994	16,873	9,513	3,439	780	149	155	6
19,524	20,788	19,556	20,163	22,930	22,671	24,139	27,225	28,085	26,048	19,205	10,615	3,705	786	97	192	7
10,465	11,515	10,937	11,329	12,824	12,736	13,351	14,480	14,621	13,206	9,113	4,697	1,505	314	33	115	8
9,059	9,273	8,619	8,834	10,106	9,935	10,788	12,745	13,464	12,842	10,092	5,918	2,200	472	64	77	9
4,601	4,718	4,466	4,608	5,782	6,642	7,844	8,803	9,234	8,393	5,667	2,899	960	179	22	46	10
4,430	4,314	4,023	4,104	5,074	5,527	6,651	8,268	8,908	8,621	6,799	3,876	1,383	283	40	36	
4,763	5,402	4,985	4,932	4,852	3,715	2,668	2,206	1,684	1,231	765	412	136	31	1	26	11
3,733	3,931	3,596	3,631	3,622	2,904	2,237	2,110	1,777	1,313	813	515	207	29	5	18	
1,101	1,395	1,486	1,789	2,190	2,379	2,839	3,471	3,703	3,582	2,681	1,386	409	104	10	43	12
896	1,028	1,000	1,099	1,410	1,504	1,900	2,367	2,779	2,908	2,480	1,527	610	160	19	23	
9,092	10,407	11,837	13,344	14,112	14,970	18,808	20,911	20,373	17,984	13,082	6,837	2,192	514	145	130	13
5,521	6,352	7,516	8,473	8,677	8,790	10,542	11,259	10,455	9,048	6,455	3,330	995	214	62	91	14
3,571	4,055	4,321	4,871	5,435	6,180	8,266	9,652	9,918	8,936	6,627	3,507	1,197	300	83	39	15
666	941	887	889	932	649	780	620	616	502	336	183	73	14	4	376	16
577	810	773	768	801	538	587	446	429	286	182	95	31	6	2	337	17
89	131	114	121	131	111	193	174	187	216	154	88	42	8	2	39	18
3,449	3,529	3,243	3,016	2,984	2,292	2,294	1,874	1,426	966	749	394	205	113	126	90	19
1,956	2,007	1,819	1,696	1,727	1,270	1,268	1,033	756	487	338	167	81	50	33	54	20
1,493	1,522	1,424	1,320	1,257	1,022	1,026	841	670	479	411	227	124	63	93	36	21
1,812	1,865	1,670	1,525	1,521	1,123	1,112	968	706	461	317	157	72	46	28	43	
1,462	1,494	1,403	1,309	1,241	1,002	1,013	823	652	470	399	223	120	56	88	32	22
23	17	19	22	29	15	18	11	10	17	16	6	9	4	5	4	
19	13	10	7	9	18	10	15	15	9	11	4	4	7	5	4	23
47	59	90	113	159	130	134	54	40	9	5	3	----	----	----	4	
2	5	7	3	5	2	3	3	3	----	1	----	----	----	----	----	24
74	66	40	36	18	2	4	----	----	----	----	1	----	----	----	3	
10	10	4	1	2	----	----	----	----	----	----	----	----	----	----	----	25
27,389	29,886	29,891	31,405	34,822	35,189	40,564	45,266	45,755	41,654	30,733	16,759	5,754	1,304	303	707	26
15,475	17,291	17,584	18,557	20,241	20,154	22,614	24,236	23,813	21,129	14,907	7,731	2,460	532	114	540	27
11,914	12,595	12,307	12,848	14,581	15,035	17,950	21,030	21,942	20,525	15,826	9,028	3,294	772	189	167	28
25,558	27,931	28,087	29,760	33,153	33,856	39,218	44,075	44,812	41,041	30,229	16,494	5,622	1,232	226	646	29
14,426	16,158	16,544	17,618	19,262	19,391	21,844	23,577	23,285	20,803	14,661	7,617	2,411	505	91	502	30
11,132	11,773	11,543	12,142	13,891	14,465	17,374	20,498	21,527	20,238	15,568	8,877	3,211	727	135	144	31
16,967	17,864	17,007	17,456	20,164	20,344	22,026	25,089	26,226	24,597	18,231	10,168	3,549	757	92	178	32
9,065	9,829	9,374	9,693	11,181	11,394	12,156	13,337	13,630	12,497	8,670	4,509	1,460	301	32	106	33
7,902	8,035	7,633	7,763	8,983	8,950	9,870	11,752	12,596	12,100	9,561	5,659	2,089	456	60	72	34
4,021	4,112	3,924	4,063	5,177	6,084	7,294	8,269	8,758	8,051	5,471	2,810	944	176	22	40	
3,916	3,774	3,632	3,726	4,642	5,072	6,206	7,740	8,443	8,242	6,525	3,742	1,334	281	39	34	35
4,189	4,652	4,308	4,230	4,255	3,316	2,418	2,041	1,568	1,163	724	392	131	28	1	25	
3,300	3,454	3,215	3,168	3,207	2,629	2,027	1,944	1,646	1,227	758	488	195	26	4	17	36
855	1,065	1,142	1,400	1,749	1,994	2,444	3,027	3,304	3,283	2,475	1,307	385	97	9	41	
686	807	786	869	1,134	1,249	1,637	2,068	2,507	2,631	2,278	1,429	560	149	17	21	37
8,033	9,237	10,293	11,535	12,164	12,947	16,519	18,441	18,025	15,973	11,686	6,151	2,006	461	130	123	38
4,866	5,608	6,482	7,257	7,372	7,530	9,181	9,849	9,266	8,037	5,823	3,016	921	198	57	88	39
3,167	3,629	3,811	4,278	4,792	5,417	7,338	8,592	8,759	7,936	5,863	3,135	1,085	263	73	35	40
558	830	787	769	825	565	673	545	561	471	312	175	67	14	4	345	41
495	721	688	668	709	467	507	391	389	269	168	92	30	6	2	308	42
63	109	99	101	116	98	166	154	172	202	144	83	37	8	2	37	43
1,831	1,955	1,804	1,645	1,669	1,333	1,346	1,191	943	613	504	265	132	72	77	61	44
1,049	1,133	1,040	939	979	763	770	659	528	326	246	114	49	27	23	38	45
782	822	764	706	690	570	576	532	415	287	258	151	83	45	54	23	46
910	999	900	778	787	633	627	598	480	300	225	105	40	23	18	27	
752	794	743	696	675	550	563	514	398	279	246	147	79	38	49	19	47
23	16	18	22	26	15	18	11	10	17	16	5	9	4	5	4	
19	13	10	7	9	18	10	15	14	8	11	4	4	7	5	4	48
45	54	82	105	149	113	121	50	38	9	5	3	----	----	----	4	
2	5	7	2	4	2	3	3	3	----	1	----	----	----	----	----	49
71	64	40	34	17	2	4	----	----	----	----	1	----	----	----	3	
9	10	4	1	2	----	----	----	----	----	----	----	----	----	----	----	50

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	CITIES IN REGISTRATION STATES.[1]												
1	Total	400,305	82,168	17,983	7,741	4,658	3,270	115,820	9,187	5,445	9,333	14,933	17,114
2	Males	217,057	45,827	9,527	4,129	2,390	1,673	63,546	4,741	2,769	4,920	8,059	9,414
3	Females	183,248	36,341	8,456	3,612	2,268	1,597	52,274	4,446	2,676	4,413	6,874	7,700
4	White	379,543	78,008	16,974	7,340	4,419	3,115	109,856	8,768	5,097	8,633	13,757	15,705
5	Males	205,889	43,565	8,998	3,924	2,273	1,597	60,357	4,543	2,617	4,610	7,468	8,648
6	Females	173,654	34,443	7,976	3,416	2,146	1,518	49,499	4,225	2,480	4,023	6,289	7,057
7	Native	258,996	77,356	16,482	7,068	4,214	2,940	108,060	8,114	4,572	6,955	9,407	10,040
8	Males	139,146	43,226	8,752	3,775	2,177	1,512	59,442	4,213	2,350	3,656	4,797	5,268
9	Females	119,850	34,130	7,730	3,293	2,037	1,428	48,618	3,901	2,222	3,299	4,610	4,772
10	Both parents native (M)	58,734	16,111	2,844	1,346	840	621	21,762	1,886	1,082	1,664	2,202	2,305
	Both parents native (F)	53,011	12,207	2,530	1,199	780	575	17,291	1,665	1,052	1,553	2,132	2,141
11	One or both parents foreign (M)	67,045	24,548	5,759	2,366	1,303	862	34,838	2,264	1,223	1,869	2,305	2,579
	One or both parents foreign (F)	55,986	19,672	5,065	2,040	1,233	830	28,840	2,179	1,127	1,634	2,230	2,292
12	Parentage unknown (M)	13,367	2,567	149	63	34	29	2,842	63	45	123	290	384
	Parentage unknown (F)	10,853	2,251	135	54	24	23	2,487	57	43	112	248	339
13	Foreign	115,825	430	391	238	192	170	1,421	637	509	1,633	4,205	5,392
14	Males	63,078	217	199	132	91	83	722	323	258	918	2,553	3,150
15	Females	52,747	213	192	106	101	87	699	314	251	715	1,652	2,242
16	Unknown	4,722	222	101	34	13	5	375	17	16	45	145	273
17	Males	3,665	122	47	17	5	2	193	7	9	36	118	230
18	Females	1,057	100	54	17	8	3	182	10	7	9	27	43
19	Colored	20,762	4,160	1,009	401	239	155	5,964	419	348	700	1,176	1,409
20	Males	11,168	2,262	529	205	117	76	3,189	198	152	310	591	766
21	Females	9,594	1,898	480	196	122	79	2,775	221	196	390	585	643
22	Negro (M)	10,190	2,184	513	196	114	73	3,080	188	149	292	546	676
	Negro (F)	9,419	1,845	473	195	117	77	2,707	215	193	385	565	633
23	Indian (M)	43	6	1	2	1	.....	10	2	1	3	6	3
	Indian (F)	32	6	.....	.....	.....	.....	6	1	2	3	.....	.....
24	Chinese (M)	655	27	8	1	.....	1	37	5	2	11	14	25
	Chinese (F)	57	15	1	.....	3	.....	19	4	1	2	5	5
25	Japanese (M)	280	45	7	6	2	2	62	3	.....	4	25	62
	Japanese (F)	86	32	6	1	2	2	43	1	.....	.....	15	5
	RURAL PART OF REGISTRATION STATES.												
26	Total	303,303	54,182	10,995	5,005	2,999	2,215	75,396	6,479	4,735	7,380	10,268	10,137
27	Males	166,292	30,410	5,835	2,608	1,583	1,167	41,603	3,408	2,458	3,903	5,635	5,515
28	Females	137,011	23,772	5,160	2,397	1,416	1,048	33,793	3,071	2,277	3,477	4,633	4,622
29	White	293,660	52,213	10,430	4,769	2,904	2,130	72,446	6,245	4,488	6,914	9,720	9,634
30	Males	161,004	29,365	5,539	2,484	1,538	1,125	40,051	3,289	2,345	3,693	5,355	5,222
31	Females	132,656	22,848	4,891	2,285	1,366	1,005	32,395	2,956	2,143	3,221	4,365	4,412
32	Native	231,924	51,967	10,251	4,679	2,816	2,058	71,771	5,998	4,279	6,194	7,671	7,144
33	Males	123,371	29,234	5,432	2,436	1,491	1,087	39,680	3,156	2,227	3,176	3,857	3,461
34	Females	108,553	22,733	4,819	2,243	1,325	971	32,091	2,842	2,052	3,018	3,814	3,683
35	Both parents native (M)	75,593	17,790	3,324	1,542	902	715	24,273	2,021	1,480	2,043	2,359	2,034
	Both parents native (F)	69,622	13,645	2,885	1,377	799	590	19,296	1,885	1,369	2,020	2,511	2,370
36	One or both parents foreign (M)	31,028	10,853	2,035	859	549	345	14,641	1,046	665	992	1,182	1,028
	One or both parents foreign (F)	26,279	8,585	1,858	828	510	363	12,144	896	626	889	1,069	1,034
37	Parentage unknown (M)	16,750	591	73	35	40	27	766	89	82	141	316	399
	Parentage unknown (F)	12,652	503	76	38	16	18	651	61	57	109	234	279
38	Foreign	57,540	202	168	86	79	70	605	232	192	653	1,885	2,277
39	Males	34,345	104	100	46	42	36	328	126	109	462	1,354	1,569
40	Females	23,195	98	68	40	37	34	277	106	83	191	531	708
41	Unknown	4,196	44	11	4	9	2	70	15	17	67	164	213
42	Males	3,288	27	7	2	5	2	43	7	9	55	144	192
43	Females	908	17	4	2	4	.....	27	8	8	12	20	21
44	Colored	9,643	1,969	565	236	95	85	2,950	234	247	466	548	503
45	Males	5,288	1,045	296	124	45	42	1,552	119	113	210	280	293
46	Females	4,355	924	269	112	50	43	1,398	115	134	256	268	210
47	Negro (M)	4,386	913	271	108	38	32	1,362	96	94	170	242	231
	Negro (F)	3,937	827	245	99	43	39	1,253	90	112	224	246	191
48	Indian (M)	450	76	22	14	5	9	126	21	19	35	27	21
	Indian (F)	347	60	19	10	6	4	99	24	22	30	20	14
49	Chinese (M)	232	5	.....	.....	.....	1	6	.....	.....	3	.....	6
	Chinese (F)	19	2	2	1	.....	.....	5	1	.....	1	1	.....
50	Japanese (M)	220	51	3	2	2	.....	58	2	.....	2	11	35
	Japanese (F)	52	35	3	2	1	.....	41	.....	.....	1	1	5

[1] Including District of Columbia.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
17,727	19,579	19,746	20,219	21,999	21,114	23,116	23,692	21,681	17,909	12,416	6,318	2,125	478	145	209	1
10,140	11,469	11,762	12,009	12,786	12,032	12,655	12,306	10,789	8,364	5,525	2,582	811	177	44	157	2
7,587	8,110	7,984	8,210	9,213	9,082	10,461	11,386	10,892	9,545	6,891	3,736	1,314	301	101	52	3
16,342	18,110	18,344	18,992	20,717	20,163	22,214	22,941	21,137	17,588	12,174	6,192	2,068	440	108	197	4
9,342	10,616	10,944	11,318	12,052	11,502	12,153	11,916	10,497	8,213	5,415	2,540	794	160	36	148	5
7,000	7,494	7,400	7,674	8,665	8,661	10,061	11,025	10,640	9,375	6,759	3,652	1,274	280	72	49	6
10,281	10,861	10,199	10,081	11,263	10,410	10,065	10,311	9,638	8,292	5,890	3,162	1,092	226	32	45	7
5,695	6,229	5,790	5,717	6,304	5,886	5,559	5,338	4,816	3,825	2,528	1,215	402	83	6	27	8
4,586	4,632	4,409	4,364	4,959	4,524	4,506	4,973	4,822	4,467	3,362	1,947	690	143	26	18	9
2,128	2,211	2,013	1,973	2,430	2,722	3,096	3,094	3,041	2,455	1,588	746	268	53	4	11	10
1,882	1,774	1,706	1,710	2,109	2,235	2,500	3,019	3,093	2,982	2,295	1,281	463	103	19	6	
3,109	3,437	3,126	2,989	2,984	2,190	1,431	1,121	682	452	259	130	40	7	1	9	11
2,335	2,409	2,283	2,184	2,267	1,696	1,260	1,106	877	608	343	232	71	5	2	6	
458	581	651	755	890	974	1,032	1,123	1,093	918	681	339	94	23	1	7	12
369	449	420	470	583	593	746	848	852	877	724	434	156	35	5	6	
5,776	6,762	7,661	8,450	8,979	9,438	11,765	12,362	11,251	9,139	6,179	2,972	960	209	74	51	13
3,393	3,968	4,741	5,200	5,347	5,355	6,307	6,388	5,501	4,295	2,836	1,297	387	75	30	34	14
2,383	2,794	2,920	3,250	3,632	4,083	5,458	5,974	5,750	4,844	3,343	1,675	573	134	44	17	15
285	487	484	461	475	315	384	268	248	157	105	58	16	5	2	101	16
254	419	413	401	401	261	287	190	180	93	51	28	5	2		87	17
31	68	71	60	74	54	97	78	68	64	54	30	11	3	2	14	18
1,385	1,469	1,402	1,227	1,282	951	902	751	544	321	242	126	57	38	37	12	19
798	853	818	691	734	530	502	390	292	151	110	42	17	17	8	9	20
587	616	584	536	548	421	400	361	252	170	132	84	40	21	29	3	21
710	775	727	591	600	450	427	357	276	150	110	41	16	16	6	7	22
573	605	573	533	540	418	398	358	248	170	130	84	40	19	29	3	
3	1	1	1	4		2	1		1			1	1	2		23
5		2	1	3	1	1	2	1		2			2			
40	44	73	81	122	79	72	32	16			1				1	24
	4	5	1	4	2	1	1	3								
45	33	17	18	8	1	1									1	25
9	7	4	1	1												
9,662	10,307	10,145	11,186	12,823	14,075	17,448	21,574	24,074	23,745	18,317	10,441	3,629	826	158	498	26
5,335	5,822	5,822	6,548	7,455	8,122	9,959	11,930	13,024	12,765	9,382	5,149	1,649	355	70	383	27
4,327	4,485	4,323	4,638	5,368	5,953	7,489	9,644	11,050	10,980	8,935	5,292	1,980	471	88	115	28
9,216	9,821	9,743	10,768	12,436	13,693	17,004	21,134	23,675	23,453	18,055	10,302	3,554	792	118	449	29
5,084	5,542	5,600	6,300	7,210	7,889	9,691	11,661	12,788	12,590	9,246	5,077	1,617	345	55	354	30
4,132	4,279	4,143	4,468	5,226	5,804	7,313	9,473	10,887	10,863	8,809	5,225	1,937	447	63	95	31
6,686	7,003	6,808	7,375	8,901	9,934	11,961	14,778	16,588	16,305	12,341	7,006	2,457	531	60	133	32
3,370	3,600	3,584	3,976	4,877	5,508	6,597	7,999	8,814	8,672	6,142	3,294	1,058	218	26	79	33
3,316	3,403	3,224	3,399	4,024	4,426	5,364	6,779	7,774	7,633	6,199	3,712	1,399	313	34	54	34
1,893	1,901	1,911	2,090	2,747	3,362	4,198	5,175	5,717	5,596	3,883	2,064	676	123	18	29	35
2,034	2,000	1,926	2,016	2,533	2,837	3,706	4,721	5,350	5,260	4,230	2,461	871	178	20	28	
1,080	1,215	1,182	1,241	1,271	1,126	987	920	886	711	465	262	91	21		16	36
965	1,045	932	984	940	933	767	838	769	619	415	256	124	21	2	11	
397	484	491	645	859	1,020	1,412	1,904	2,211	2,365	1,794	968	291	74	8	34	37
317	358	366	399	551	656	891	1,220	1,655	1,754	1,554	995	404	114	12	15	
2,257	2,475	2,632	3,085	3,185	3,509	4,754	6,079	6,774	6,834	5,507	3,179	1,046	252	56	72	38
1,473	1,640	1,741	2,057	2,025	2,175	2,874	3,461	3,765	3,742	2,987	1,719	534	123	27	54	39
784	835	891	1,028	1,160	1,334	1,880	2,618	3,009	3,092	2,520	1,460	512	129	29	18	40
273	343	303	308	350	250	289	277	313	314	207	117	51	9	2	244	41
241	302	275	267	308	206	220	201	209	176	117	64	25	4	2	221	42
32	41	28	41	42	44	69	76	104	138	90	53	26	5		23	43
446	486	402	418	387	382	444	440	399	292	262	139	75	34	40	49	44
251	280	222	248	245	233	268	269	236	175	136	72	32	10	15	29	45
195	206	180	170	142	149	176	171	163	117	126	67	43	24	25	20	46
200	224	173	187	187	183	200	241	204	150	115	64	24	7	12	20	47
179	189	170	163	135	132	165	156	150	109	116	63	39	19	20	16	
20	15	17	21	22	15	16	10	10	16	16	5	8	3	3	4	48
14	13	8	6	6	17	9	13	13	8	9	4	4	5	5	4	
5	10	9	24	27	34	49	18	22	9	5	2				3	49
2	1	2	1			2	2			1						
26	31	23	16	9	1	3					1				2	50
	3			1												

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	REGISTRATION CITIES IN OTHER STATES.												
1	Total	101,804	18,023	4,102	1,981	1,151	846	26,103	2,277	1,556	3,059	5,015	5,490
2	Males	56,408	9,993	2,181	1,015	573	449	14,211	1,160	794	1,551	2,616	3,023
3	Females	45,396	8,030	1,921	966	578	397	11,892	1,117	762	1,508	2,399	2,467
4	White	80,105	14,429	3,279	1,543	913	690	20,854	1,841	1,152	2,111	3,367	3,785
5	Males	45,035	8,022	1,771	803	470	366	11,432	944	598	1,096	1,788	2,183
6	Females	35,070	6,407	1,508	740	443	324	9,422	897	554	1,015	1,579	1,602
7	Native	55,587	14,331	3,199	1,506	885	659	20,580	1,713	1,078	1,820	2,644	2,738
8	Males	30,515	7,970	1,730	787	454	350	11,291	888	556	916	1,353	1,504
9	Females	25,072	6,361	1,469	719	431	309	9,289	825	522	904	1,291	1,234
10	Both parents native (M)	13,293	3,584	743	335	220	181	5,063	458	316	472	659	677
	Both parents native (F)	11,584	2,912	639	335	198	149	4,233	421	254	457	652	578
11	One or both parents foreign (M)	11,761	3,640	903	407	211	160	5,321	380	207	358	535	592
	One or both parents foreign (F)	9,279	2,845	740	353	209	156	4,303	360	233	349	450	448
12	Parentage unknown (M)	5,461	746	84	45	23	9	907	50	33	86	159	235
	Parentage unknown (F)	4,209	604	90	31	24	4	753	44	35	98	189	208
13	Foreign	23,368	60	72	35	25	31	223	128	72	276	675	980
14	Males	13,647	33	38	16	14	16	117	56	41	171	403	630
15	Females	9,721	27	34	19	11	15	106	72	31	105	272	350
16	Unknown	1,150	38	8	2	3	.....	51	.....	2	15	48	67
17	Males	873	19	3	.....	2	.....	24	.....	1	9	32	49
18	Females	277	19	5	2	1	.....	27	.....	1	6	16	18
19	Colored	21,699	3,594	823	438	238	156	5,249	436	404	948	1,648	1,705
20	Males	11,373	1,971	410	212	103	83	2,779	216	196	455	828	840
21	Females	10,326	1,623	413	226	135	73	2,470	220	208	493	820	865
22	Negro (M)	11,264	1,966	410	212	103	83	2,774	216	196	454	821	827
	Negro (F)	10,303	1,615	409	225	133	73	2,455	219	208	493	820	863
23	Indian (M)	9	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2
	Indian (F)	5	1	.....	.....	.....	.....	1	1	.....	.....	.....	1
24	Chinese (M)	81	2	.....	.....	.....	.....	2	.....	.....	.....	1	9
	Chinese (F)	11	4	3	.....	2	.....	9	.....	.....	.....	.....	.....
25	Japanese (M)	19	3	.....	.....	.....	.....	3	.....	.....	.....	6	2
	Japanese (F)	7	3	1	1	.....	.....	5	.....	.....	.....	.....	1
	ALL REGISTRATION CITIES.[1]												
26	Total	502,109	100,191	22,085	9,722	5,809	4,116	141,923	11,464	7,001	12,392	19,948	22,604
27	Males	273,465	55,820	11,708	5,144	2,963	2,122	77,757	5,901	3,563	6,471	10,675	12,437
28	Females	228,644	44,371	10,377	4,578	2,846	1,994	64,166	5,563	3,438	5,921	9,273	10,167
29	White	459,648	92,437	20,253	8,883	5,332	3,805	130,710	10,609	6,249	10,744	17,124	19,490
30	Males	250,924	51,587	10,769	4,727	2,743	1,963	71,789	5,487	3,215	5,706	9,256	10,831
31	Females	208,724	40,850	9,484	4,156	2,589	1,842	58,921	5,122	3,034	5,038	7,868	8,659
32	Native	314,583	91,687	19,681	8,574	5,099	3,599	128,640	9,827	5,650	8,775	12,051	12,778
33	Males	169,661	51,196	10,482	4,562	2,631	1,862	70,733	5,101	2,906	4,572	6,150	6,772
34	Females	144,922	40,491	9,199	4,012	2,468	1,737	57,907	4,726	2,744	4,203	5,901	6,006
35	Both parents native (M)	72,027	19,695	3,587	1,681	1,060	802	26,825	2,344	1,398	2,136	2,861	2,982
	Both parents native (F)	64,595	15,119	3,169	1,534	978	724	21,524	2,086	1,306	2,010	2,784	2,719
36	One or both parents foreign (M)	78,806	28,188	6,662	2,773	1,514	1,022	40,159	2,644	1,430	2,227	2,840	3,171
	One or both parents foreign (F)	65,265	22,517	5,805	2,393	1,442	986	33,143	2,539	1,360	1,983	2,680	2,740
37	Parentage unknown (M)	18,828	3,313	233	108	57	38	3,749	113	78	209	449	619
	Parentage unknown (F)	15,062	2,855	225	85	48	27	3,240	101	78	210	437	547
38	Foreign	139,193	490	463	273	217	201	1,644	765	581	1,909	4,880	6,372
39	Males	76,725	250	237	148	105	99	839	379	299	1,089	2,956	3,780
40	Females	62,468	240	226	125	112	102	805	386	282	820	1,924	2,592
41	Unknown	5,872	260	109	36	16	5	426	17	18	60	193	340
42	Males	4,538	141	50	17	7	2	217	7	10	45	150	279
43	Females	1,334	119	59	19	9	3	209	10	8	15	43	61
44	Colored	42,461	7,754	1,832	839	477	311	11,213	855	752	1,648	2,824	3,114
45	Males	22,541	4,233	939	417	220	159	5,968	414	348	765	1,419	1,606
46	Females	19,920	3,521	893	422	257	152	5,245	441	404	883	1,405	1,508
47	Negro (M)	21,454	4,150	923	408	217	156	5,854	404	345	746	1,367	1,503
	Negro (F)	19,722	3,460	882	420	250	150	5,162	434	401	878	1,385	1,496
48	Indian (M)	52	6	1	2	1	.....	10	2	1	4	6	5
	Indian (F)	37	7	.....	.....	.....	.....	7	2	2	3	.....	1
49	Chinese (M)	736	29	8	1	.....	1	39	5	2	11	15	34
	Chinese (F)	68	19	4	.....	5	.....	28	4	1	2	5	5
50	Japanese (M)	299	48	7	6	2	2	65	3	.....	4	31	64
	Japanese (F)	93	35	7	2	2	2	48	1	.....	.....	15	6

[1] Including District of Columbia.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
5,342	5,779	5,632	6,007	6,136	5,393	5,457	5,364	4,745	3,846	2,639	1,270	421	123	69	81	1
3,044	3,393	3,461	3,709	3,788	3,180	3,134	2,982	2,448	1,898	1,181	558	152	52	16	57	2
2,298	2,386	2,171	2,298	2,348	2,213	2,323	2,382	2,297	1,948	1,458	712	269	71	53	24	3
3,724	4,205	4,193	4,636	4,821	4,434	4,509	4,681	4,262	3,493	2,394	1,141	348	82	20	52	4
2,137	2,519	2,682	2,952	3,040	2,673	2,636	2,608	2,220	1,737	1,089	505	120	29	6	41	5
1,587	1,686	1,511	1,684	1,781	1,761	1,873	2,073	2,042	1,756	1,305	636	228	53	14	11	6
2,557	2,924	2,549	2,707	2,766	2,327	2,113	2,136	1,859	1,451	974	447	156	29	5	14	7
1,400	1,686	1,563	1,636	1,643	1,342	1,195	1,143	991	709	443	188	45	13	1	9	8
1,157	1,238	986	1,071	1,123	985	918	993	868	742	531	259	111	16	4	5	9
580	606	542	545	605	558	550	534	476	342	196	89	16	3	----	6	10
514	540	391	378	432	455	445	528	465	379	274	134	49	2	1	2	
574	750	677	702	597	399	250	165	116	68	41	20	5	3	----	1	11
433	477	381	463	415	275	210	166	131	86	55	27	12	3	1	1	
246	330	344	389	441	385	395	444	399	299	206	79	24	7	1	2	12
210	221	214	230	276	255	263	299	272	277	202	98	50	11	2	2	
1,059	1,170	1,544	1,809	1,948	2,023	2,289	2,470	2,348	2,011	1,396	686	186	53	15	7	13
655	744	1,034	1,216	1,305	1,260	1,361	1,410	1,189	1,011	632	314	74	16	5	3	14
404	426	510	593	643	763	928	1,060	1,159	1,000	764	372	112	37	10	4	15
108	111	100	120	107	84	107	75	55	31	24	8	6	----	----	31	16
82	89	85	100	92	71	80	55	40	17	14	3	1	----	----	29	17
26	22	15	20	15	13	27	20	15	14	10	5	5	----	----	2	18
1,618	1,574	1,439	1,371	1,315	959	948	683	483	353	245	129	73	41	49	29	19
907	874	779	757	748	507	498	374	228	161	92	53	32	23	10	16	20
711	700	660	614	567	452	450	309	255	192	153	76	41	18	39	13	21
902	866	770	747	734	490	485	370	226	161	92	52	32	23	10	16	22
710	700	660	613	566	452	450	309	254	191	153	76	41	18	39	13	
----	1	1	----	3	----	----	----	----	----	----	1	----	----	----	----	23
----	----	----	----	----	----	----	----	1	1	----	----	----	----	----	----	
2	5	8	8	10	17	13	4	2	----	----	----	----	----	----	----	24
----	----	----	1	1	----	----	----	----	----	----	----	----	----	----	----	
3	2	----	2	1	----	----	----	----	----	----	----	----	----	----	----	25
1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
23,069	25,358	25,378	26,226	28,135	26,507	28,573	29,056	26,426	21,755	15,055	7,588	2,546	601	214	290	26
13,184	14,862	15,223	15,718	16,574	15,212	15,789	15,288	13,237	10,262	6,706	3,140	963	229	60	214	27
9,885	10,496	10,155	10,508	11,561	11,295	12,784	13,768	13,189	11,493	8,349	4,448	1,583	372	154	76	28
20,066	22,315	22,537	23,628	25,538	24,597	26,723	27,622	25,399	21,081	14,568	7,333	2,416	522	128	249	29
11,479	13,135	13,626	14,270	15,092	14,175	14,789	14,524	12,717	9,950	6,504	3,045	914	189	42	189	30
8,587	9,180	8,911	9,358	10,446	10,422	11,934	13,098	12,682	11,131	8,064	4,288	1,502	333	86	60	31
12,838	13,785	12,748	12,788	14,029	12,737	12,178	12,447	11,497	9,743	6,864	3,609	1,248	255	37	59	32
7,095	7,915	7,353	7,353	7,947	7,228	6,754	6,481	5,807	4,534	2,971	1,403	447	96	7	36	33
5,743	5,870	5,395	5,435	6,082	5,509	5,424	5,966	5,690	5,209	3,893	2,206	801	159	30	23	34
2,708	2,817	2,555	2,518	3,035	3,280	3,646	3,628	3,517	2,797	1,784	835	284	56	4	17	35
2,396	2,314	2,097	2,088	2,541	2,690	2,945	3,547	3,558	3,361	2,569	1,415	512	105	20	8	
3,683	4,187	3,803	3,691	3,581	2,589	1,681	1,286	798	520	300	150	45	10	1	10	36
2,768	2,886	2,664	2,647	2,682	1,971	1,470	1,272	1,008	694	398	259	83	8	3	7	
704	911	995	1,144	1,331	1,359	1,427	1,567	1,492	1,217	887	418	118	30	2	9	37
579	670	634	700	859	848	1,009	1,147	1,124	1,154	926	532	206	46	7	8	
6,835	7,932	9,205	10,259	10,927	11,461	14,054	14,832	13,599	11,150	7,575	3,658	1,146	262	89	58	38
4,048	4,712	5,775	6,416	6,652	6,615	7,668	7,798	6,690	5,306	3,468	1,611	461	91	35	37	39
2,787	3,220	3,430	3,843	4,275	4,846	6,386	7,034	6,909	5,844	4,107	2,047	685	171	54	21	40
393	598	584	581	582	399	491	343	303	188	129	66	22	5	2	132	41
336	508	498	501	493	332	367	245	220	110	65	31	6	2	----	116	42
57	90	86	80	89	67	124	98	83	78	64	35	16	3	2	16	43
3,003	3,043	2,841	2,598	2,597	1,910	1,850	1,434	1,027	674	487	255	130	79	86	41	44
1,705	1,727	1,597	1,448	1,482	1,037	1,000	764	520	312	202	95	49	40	18	25	45
1,298	1,316	1,244	1,150	1,115	873	850	670	507	362	285	160	81	39	68	16	46
1,612	1,641	1,497	1,338	1,334	940	912	727	502	311	202	93	48	39	16	23	47
1,283	1,305	1,233	1,146	1,106	870	848	667	502	361	283	160	81	37	68	16	
3	2	2	1	7	----	2	1	----	1	----	1	1	1	2	----	48
5	----	2	1	3	1	1	2	2	1	2	----	----	2	----	----	
42	49	81	89	132	96	85	36	18	----	----	1	----	----	----	1	49
----	4	5	2	5	2	1	1	3	----	----	----	----	----	----	----	
48	35	17	20	9	1	1	----	----	----	----	----	----	----	----	1	50
10	7	4	1	1	----	----	----	----	----	----	----	----	----	----	----	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	CALIFORNIA.												
1	Total	32,401	3,720	747	370	246	180	5,263	508	367	742	1,244	1,621
2	Males	20,184	2,126	425	214	123	96	2,984	271	194	400	733	1,039
3	Females	12,217	1,594	322	156	123	84	2,279	237	173	342	511	582
4	White	30,685	3,480	708	350	229	170	4,937	486	351	692	1,170	1,503
5	Males	18,893	1,982	404	201	115	88	2,790	257	184	372	693	946
6	Females	11,792	1,498	304	149	114	82	2,147	229	167	320	477	557
7	Native	20,198	3,458	695	342	220	159	4,874	445	320	612	895	1,036
8	Males	11,775	1,968	394	195	107	80	2,744	233	168	325	478	605
9	Females	8,423	1,490	301	147	113	79	2,130	212	152	287	417	431
10	Both parents native (M)	4,810	936	192	109	59	53	1,349	123	93	167	209	268
	Both parents native (F)	3,782	712	131	59	62	40	1,004	124	75	135	189	184
11	One or both parents foreign (M)	3,507	876	186	78	41	24	1,205	97	64	120	161	202
	One or both parents foreign (F)	2,853	663	158	79	46	38	984	82	67	121	183	170
12	Parentage unknown (M)	3,458	156	16	8	7	3	190	13	11	38	103	135
	Parentage unknown (F)	1,788	115	12	9	5	1	142	6	10	31	45	77
13	Foreign	9,529	14	13	8	8	11	54	38	29	76	254	416
14	Males	6,257	9	10	6	7	8	40	21	14	43	196	297
15	Females	3,272	5	3	2	1	3	14	17	15	33	58	119
16	Unknown	958	8	.....	.....	1	.....	9	3	2	4	21	51
17	Males	861	5	.....	.....	1	.....	6	3	2	4	19	44
18	Females	97	3	.....	.....	.....	.....	3	.....	.....	.....	2	7
19	Colored	1,716	240	39	20	17	10	326	22	16	50	74	118
20	Males	1,291	144	21	13	8	8	194	14	10	28	40	93
21	Females	425	96	18	7	9	2	132	8	6	22	34	25
22	Negro (M)	257	27	4	2	2	3	38	4	3	5	11	19
	Negro (F)	185	21	4	2	4	.....	31	1	3	11	10	13
23	Indian (M)	91	13	2	4	2	1	22	3	5	8	3	4
	Indian (F)	64	6	7	2	.....	.....	15	1	2	8	5	3
24	Chinese (M)	628	27	8	1	.....	2	38	4	2	10	8	18
	Chinese (F)	62	14	1	1	2	.....	18	5	1	2	5	3
25	Japanese (M)	315	77	7	6	4	2	96	3	.....	5	18	52
	Japanese (F)	114	55	6	2	3	2	68	1	.....	1	14	6
	COLORADO.												
26	Total	11,069	1,789	334	155	106	83	2,467	243	194	384	670	765
27	Males	6,771	1,017	165	87	53	39	1,361	115	93	214	430	520
28	Females	4,298	772	169	68	53	44	1,106	128	101	170	240	245
29	White	10,730	1,753	323	155	106	82	2,419	239	185	376	643	734
30	Males	6,560	998	160	87	53	39	1,337	112	87	210	411	500
31	Females	4,170	755	163	68	53	43	1,082	127	98	166	232	234
32	Native	7,897	1,744	318	154	102	79	2,397	228	169	319	490	491
33	Males	4,451	993	157	87	51	38	1,326	108	80	164	276	289
34	Females	3,446	751	161	67	51	41	1,071	120	89	155	214	202
35	Both parents native (M)	2,387	600	99	58	31	26	814	68	58	98	161	157
	Both parents native (F)	1,931	428	105	44	29	27	633	80	70	104	135	110
36	One or both parents foreign (M)	1,159	339	52	29	19	11	450	36	20	56	74	85
	One or both parents foreign (F)	963	282	53	22	21	14	392	36	17	43	57	55
37	Parentage unknown (M)	905	54	6	.....	1	1	62	4	2	10	41	47
	Parentage unknown (F)	552	41	3	1	1	.....	46	4	2	8	22	37
38	Foreign	2,486	5	4	1	4	2	16	10	15	52	138	215
39	Males	1,800	2	2	.....	2	1	7	4	6	41	120	183
40	Females	686	3	2	1	2	1	9	6	9	11	18	32
41	Unknown	347	4	1	.....	.....	1	6	1	1	5	15	28
42	Males	309	3	1	.....	.....	.....	4	.....	1	5	15	28
43	Females	38	1	.....	.....	.....	1	2	1	.....	.....	.....	.....
44	Colored	339	36	11	.....	.....	1	48	4	9	8	27	31
45	Males	211	19	5	.....	.....	.....	24	3	6	4	19	20
46	Females	128	17	6	.....	.....	1	24	1	3	4	8	11
47	Negro (M)	167	19	3	.....	.....	.....	22	2	6	4	15	12
	Negro (F)	122	15	5	.....	.....	1	21	1	3	4	8	9
48	Indian (M)	4	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....
	Indian (F)	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
49	Chinese (M)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
50	Japanese (M)	34	.....	1	.....	.....	.....	1	1	.....	.....	3	8
	Japanese (F)	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
1,682	1,819	1,818	1,936	2,079	1,805	2,194	2,340	2,272	2,048	1,589	766	211	66	14	17	1
1,067	1,221	1,218	1,308	1,428	1,214	1,424	1,442	1,400	1,264	959	449	110	37	8	14	2
615	598	600	628	651	591	770	898	872	784	630	317	101	29	6	3	3
1,587	1,680	1,696	1,805	1,899	1,688	2,060	2,278	2,212	2,031	1,569	756	200	60	11	14	4
998	1,119	1,117	1,193	1,266	1,115	1,308	1,390	1,352	1,249	945	442	103	37	6	11	5
589	561	579	612	633	573	752	888	860	782	624	314	97	23	5	3	6
1,060	1,059	1,015	1,061	1,069	935	1,002	1,164	1,116	1,099	864	437	101	29	4	1	7
606	655	614	634	643	568	587	681	699	684	526	255	49	18	2	1	8
454	404	401	427	426	367	415	483	417	415	338	182	52	11	2	.....	9
229	212	203	213	204	213	224	241	266	272	193	106	20	5	.....	.....	10
183	135	161	155	172	164	193	225	198	208	161	86	25	4	1	.....	
222	256	234	222	195	145	89	89	68	66	43	18	7	4	.....	.....	11
181	178	148	159	145	105	78	71	67	59	30	19	4	2	.....	.....	
155	187	177	199	244	210	274	351	365	346	290	131	22	9	2	1	12
90	91	92	113	109	98	144	187	152	148	147	77	23	5	1	.....	
459	527	567	631	692	689	977	1,062	1,043	893	682	308	93	29	7	3	13
329	377	398	453	496	491	649	661	609	536	397	178	49	17	4	2	14
130	150	169	178	196	198	328	401	434	357	285	130	44	12	3	1	15
68	94	114	113	138	64	81	52	53	39	23	11	6	2	.....	10	16
63	87	105	106	127	56	72	48	44	29	22	9	5	2	.....	8	17
5	7	9	7	11	8	9	4	9	10	1	2	1	.....	.....	2	18
95	139	122	131	180	117	134	62	60	17	20	10	11	6	3	3	19
69	102	101	115	162	99	116	52	48	15	14	7	7	.....	2	3	20
26	37	21	16	18	18	18	10	12	2	6	3	4	6	1	.....	21
17	32	28	21	20	16	10	10	8	4	6	4	1	.....	.....	.....	
13	21	9	12	12	13	12	6	7	2	3	1	2	3	.....	.....	22
3	4	4	6	5	2	3	1	5	2	3	.....	6	.....	2	.....	
2	3	2	1	1	4	3	2	2	.....	2	2	2	3	1	.....	23
13	27	42	69	123	79	100	41	35	9	5	2	.....	.....	.....	3	
2	3	7	2	4	1	3	2	3	.....	1	.....	.....	.....	.....	.....	24
36	39	27	19	14	2	3	.....	.....	.....	.....	1	.....	.....	.....	.....	
9	10	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
827	670	645	579	612	542	530	514	505	457	274	124	49	10	1	7	26
513	412	454	395	396	362	341	329	297	280	149	72	26	5	1	6	27
314	258	191	184	216	180	189	185	208	177	125	52	23	5	.....	1	28
786	630	610	561	591	530	519	503	500	449	269	122	48	9	1	6	29
484	388	427	381	388	355	333	324	295	276	145	71	26	4	1	5	30
302	242	183	180	203	175	186	179	205	173	124	51	22	5	.....	1	31
505	403	365	313	379	323	304	316	323	289	171	75	29	7	.....	1	32
272	211	227	188	227	203	184	191	176	176	96	38	15	3	.....	1	33
233	192	138	125	152	120	120	125	147	113	75	37	14	4	.....	.....	34
140	92	116	90	100	93	83	87	90	76	43	16	4	1	.....	.....	
138	94	60	59	69	54	64	72	68	56	38	19	5	3	.....	.....	35
65	66	59	47	51	42	21	29	17	22	8	7	4	.....	.....	.....	
61	59	45	39	44	33	16	19	21	12	7	6	1	.....	.....	.....	36
67	53	52	51	76	68	80	75	69	78	45	15	7	2	.....	1	
34	39	33	27	39	33	40	34	58	45	30	12	8	1	.....	.....	37
248	189	217	209	173	186	185	173	157	153	89	39	18	2	.....	2	38
180	142	173	159	126	134	127	122	100	94	42	27	10	1	.....	2	39
68	47	44	50	47	52	58	51	57	59	47	12	8	1	.....	.....	40
33	38	28	39	39	21	30	14	20	7	9	8	1	.....	1	3	41
32	35	27	34	35	18	22	11	19	6	7	6	1	.....	1	2	42
1	3	1	5	4	3	8	3	1	1	2	2	.....	.....	.....	1	43
41	40	35	18	21	12	11	11	5	8	5	2	1	1	.....	1	44
29	24	27	14	8	7	8	5	2	4	4	1	.....	1	.....	1	45
12	16	8	4	13	5	3	6	3	4	1	1	1	.....	.....	.....	46
20	15	22	12	7	6	7	4	2	4	4	1	.....	1	.....	1	
12	15	8	4	13	5	3	6	3	4	1	1	1	.....	.....	.....	47
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
1	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	49
6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
	9	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	CONNECTICUT.												
1	Total	17,498	3,476	620	287	184	136	4,703	366	228	345	501	537
2	Males	9,334	1,911	346	151	103	64	2,575	196	123	176	264	295
3	Females	8,164	1,565	274	136	81	72	2,128	170	105	169	237	242
4	White	17,120	3,416	599	276	182	131	4,604	357	223	328	492	529
5	Males	9,143	1,884	334	145	102	62	2,527	191	118	171	261	292
6	Females	7,977	1,532	265	131	80	69	2,077	166	105	157	231	237
7	Native	12,018	3,396	583	266	168	122	4,535	329	202	245	304	321
8	Males	6,402	1,877	323	139	94	61	2,494	178	108	125	155	176
9	Females	5,616	1,519	260	127	74	61	2,041	151	94	120	149	145
10	Both parents native (M)	2,526	499	83	35	27	20	664	49	35	46	57	65
	Both parents native (F)	2,428	408	48	27	19	12	514	47	28	41	64	58
11	One or both parents foreign (M)	3,031	1,333	232	102	64	37	1,768	123	67	74	83	98
	One or both parents foreign (F)	2,453	1,074	206	94	54	48	1,476	100	64	74	76	69
12	Parentage unknown (M)	845	45	8	2	3	4	62	6	6	5	15	13
	Parentage unknown (F)	735	37	6	6	1	1	51	4	2	5	9	18
13	Foreign	4,882	18	15	10	13	9	65	28	19	80	185	201
14	Males	2,580	7	10	6	8	1	32	13	9	43	104	110
15	Females	2,302	11	5	4	5	8	33	15	10	37	81	91
16	Unknown	220	2	1	.....	1	.....	4	.....	2	3	3	7
17	Males	161	.....	1	.....	.....	.....	1	.....	1	3	2	6
18	Females	59	2	.....	.....	1	.....	3	.....	1	.....	1	1
19	Colored	378	60	21	11	2	5	99	9	5	17	9	8
20	Males	191	27	12	6	1	2	48	5	5	5	3	3
21	Females	187	33	9	5	1	3	51	4	.....	12	6	5
22	Negro (M)	188	27	12	6	1	2	48	5	5	5	3	2
	Negro (F)	185	33	9	5	1	3	51	4	.....	12	6	4
23	Indian (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
25	Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	INDIANA.												
26	Total	36,448	5,996	1,434	642	353	270	8,695	772	588	1,046	1,545	1,401
27	Males	19,251	3,312	790	349	191	129	4,771	407	296	520	736	669
28	Females	17,197	2,684	644	293	162	141	3,924	365	292	526	809	732
29	White	35,011	5,777	1,367	618	341	258	8,361	743	562	974	1,442	1,318
30	Males	18,465	3,201	754	335	184	126	4,600	392	288	488	675	619
31	Females	16,546	2,576	613	283	157	132	3,761	351	274	486	767	699
32	Native	30,768	5,768	1,363	615	340	255	8,341	729	554	945	1,328	1,224
33	Males	15,958	3,197	754	332	184	123	4,590	385	283	466	587	547
34	Females	14,810	2,571	609	283	156	132	3,751	344	271	479	741	677
35	Both parents native (M)	11,126	2,677	652	294	168	112	3,903	346	238	394	477	401
	Both parents native (F)	10,474	2,130	530	261	131	107	3,159	305	241	403	590	506
36	One or both parents foreign (M)	2,191	439	90	35	14	6	584	35	35	59	79	101
	One or both parents foreign (F)	2,019	378	70	22	22	19	511	35	25	56	93	106
37	Parentage unknown (M)	2,641	81	12	3	2	5	103	4	10	13	31	45
	Parentage unknown (F)	2,317	63	9	.....	3	6	81	4	5	20	58	65
38	Foreign	3,916	8	4	3	1	3	19	12	7	24	104	85
39	Males	2,280	4	.....	3	.....	3	10	7	4	17	80	65
40	Females	1,636	4	4	.....	1	.....	9	5	3	7	24	20
41	Unknown	327	1	.....	.....	.....	.....	1	2	1	5	10	9
42	Males	227	.....	.....	.....	.....	.....	.....	.....	1	5	8	7
43	Females	100	1	.....	.....	.....	.....	1	2	.....	.....	2	2
44	Colored	1,437	219	67	24	12	12	334	29	26	72	103	83
45	Males	786	111	36	14	7	3	171	15	8	32	61	50
46	Females	651	108	31	10	5	9	163	14	18	40	42	33
47	Negro (M)	783	110	36	14	7	3	170	15	8	32	61	49
	Negro (F)	650	108	31	10	5	9	163	14	18	40	41	33
48	Chinese (M)	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Chinese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
49	Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
661	783	756	712	838	870	1,076	1,170	1,298	1,086	845	463	155	43	9	53	1
381	472	464	408	499	446	575	604	642	523	375	206	57	11	5	37	2
280	311	292	304	339	424	501	566	656	563	470	257	98	32	4	16	3
640	763	729	698	809	838	1,054	1,149	1,284	1,077	833	460	153	40	8	52	4
367	461	448	401	481	432	560	594	634	520	373	205	56	11	4	36	5
273	302	281	297	328	406	494	555	650	557	460	255	97	29	4	16	6
391	433	383	384	428	452	482	609	757	701	553	343	119	28	3	16	7
231	262	225	222	259	232	251	327	377	332	242	145	44	7	1	9	8
160	171	158	162	169	220	231	282	380	369	311	198	75	21	2	7	9
78	73	74	98	101	101	145	190	237	219	157	101	28	4	1	3	10
56	59	61	63	66	115	137	199	250	274	203	131	46	12	2	2	
127	160	117	96	120	78	43	32	15	13	6	5	4	----	----	2	11
85	93	78	78	75	63	31	26	27	14	14	4	3	----	----	3	
26	29	34	28	38	53	63	105	125	100	79	39	12	3	----	4	12
19	19	19	21	28	42	63	57	103	81	94	63	26	9	----	2	
240	312	322	302	360	378	559	524	507	364	267	107	34	11	3	14	13
127	182	203	169	205	194	299	258	246	182	126	54	12	3	2	7	14
113	130	119	133	155	184	260	266	261	182	141	53	22	8	1	7	15
9	18	24	12	21	8	13	16	20	12	13	10	----	1	2	22	16
9	17	20	10	17	6	10	9	11	6	5	6	----	1	1	20	17
----	1	4	2	4	2	3	7	9	6	8	4	----	----	1	2	18
21	20	27	14	29	32	22	21	14	9	12	3	2	3	1	1	19
14	11	16	7	18	14	15	10	8	3	2	1	1	----	1	1	20
7	9	11	7	11	18	7	11	6	6	10	2	1	3	----	----	21
14	11	16	7	18	13	15	9	8	3	2	1	1	----	1	1	22
7	9	11	7	11	18	7	11	6	6	9	2	1	3	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	23
----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	
----	----	----	----	----	1	----	1	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1,321	1,330	1,337	1,474	1,651	1,821	2,199	2,524	2,777	2,694	1,916	943	301	75	14	24	26
646	676	696	782	868	1,008	1,196	1,364	1,498	1,444	1,008	476	136	28	6	20	27
675	654	641	692	783	813	1,003	1,160	1,279	1,250	908	467	165	47	8	4	28
1,241	1,233	1,260	1,388	1,558	1,755	2,127	2,453	2,726	2,659	1,887	930	293	69	11	21	29
602	621	662	735	814	967	1,155	1,320	1,462	1,423	988	471	133	27	5	18	30
639	612	598	653	744	788	972	1,133	1,264	1,236	899	459	160	42	6	3	31
1,121	1,093	1,111	1,200	1,362	1,528	1,750	1,959	2,136	2,010	1,425	662	224	50	9	7	32
526	523	555	609	695	821	938	1,050	1,126	1,063	737	337	91	20	4	5	33
595	570	556	591	667	707	812	909	1,010	947	688	325	133	30	5	2	34
347	340	352	335	383	498	573	641	654	618	391	182	43	10	----	----	35
415	384	337	364	425	431	505	578	648	550	382	167	73	9	1	1	
121	119	119	155	151	134	115	117	98	77	48	36	6	1	1	----	36
109	95	148	123	131	134	103	94	78	83	53	25	14	2	1	----	
58	64	84	119	161	189	250	292	374	368	298	119	42	9	3	5	37
71	91	71	104	111	142	204	237	284	314	253	133	46	19	3	1	
109	109	127	163	177	203	356	467	551	622	441	255	63	18	2	2	38
66	75	89	105	106	126	203	253	312	346	242	127	38	6	1	2	39
43	34	38	58	71	77	153	214	239	276	199	128	25	12	1	----	40
11	31	22	25	19	24	21	27	39	27	21	13	6	1	----	12	41
10	23	18	21	13	20	14	17	24	14	9	7	4	1	----	11	42
1	8	4	4	6	4	7	10	15	13	12	6	2	----	----	1	43
80	97	77	86	93	66	72	71	51	35	29	13	8	6	3	3	44
44	55	34	47	54	41	41	44	36	21	20	5	3	1	1	2	45
36	42	43	39	39	25	31	27	15	14	9	8	5	5	2	1	46
44	55	34	47	54	41	40	44	36	21	20	5	3	1	1	2	47
36	42	43	39	39	25	31	27	15	14	9	8	5	5	2	1	
----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	48
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	49
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MAINE.												
1	Total	12,726	2,108	382	150	115	82	2,837	252	186	271	353	367
2	Males	6,579	1,148	213	77	54	31	1,523	140	102	151	187	165
3	Females	6,147	960	169	73	61	51	1,314	112	84	120	166	202
4	White	12,703	2,107	382	150	115	82	2,836	252	185	270	352	366
5	Males	6,561	1,147	213	77	54	31	1,522	140	101	150	187	164
6	Females	6,142	960	169	73	61	51	1,314	112	84	120	165	202
7	Native	10,794	2,087	368	143	113	79	2,790	241	166	237	276	273
8	Males	5,545	1,137	205	73	54	30	1,499	133	85	132	140	119
9	Females	5,249	950	163	70	59	49	1,291	108	81	105	136	154
10	Both parents native—M	3,897	585	105	40	31	11	772	59	63	85	91	73
	Both parents native—F	3,728	481	80	32	22	31	646	64	46	63	87	111
11	One or both parents foreign—M	1,228	526	100	32	23	19	700	70	20	41	37	37
	One or both parents foreign—F	1,131	453	79	37	37	18	624	43	31	40	44	38
12	Parentage unknown—M	420	26	.....	1	.....	.....	27	4	2	6	12	9
	Parentage unknown—F	390	16	4	1	.....	.....	21	1	4	2	5	5
13	Foreign	1,772	19	12	7	2	3	43	10	19	30	71	90
14	Males	923	9	6	4	.....	1	20	7	16	15	42	43
15	Females	849	10	6	3	2	2	23	3	3	15	29	47
16	Unknown	137	1	2	.....	.....	.....	3	1	.....	3	5	3
17	Males	93	1	2	.....	.....	.....	3	.....	.....	3	5	2
18	Females	44	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1
19	Colored	23	1	.....	.....	.....	.....	1	.....	1	1	1	1
20	Males	18	1	.....	.....	.....	.....	1	.....	1	1	.....	1
21	Females	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
22	Negro—M	14	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1
	Negro—F	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
23	Indian—M	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Indian—F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MARYLAND.												
24	Total	20,805	4,239	849	382	190	148	5,808	417	364	602	800	838
25	Males	10,887	2,392	465	191	93	70	3,211	206	174	272	396	431
26	Females	9,918	1,847	384	191	97	78	2,597	211	190	330	404	407
27	White	15,458	2,975	571	248	128	106	4,028	296	235	365	499	550
28	Males	8,191	1,685	313	126	63	53	2,240	149	118	176	244	289
29	Females	7,267	1,290	258	122	65	53	1,788	147	117	189	255	261
30	Native	12,725	2,934	564	240	125	105	3,968	290	230	339	443	470
31	Males	6,695	1,664	310	123	63	52	2,212	146	116	161	209	236
32	Females	6,030	1,270	254	117	62	53	1,756	144	114	178	234	234
33	Both parents native—M	4,238	1,161	225	93	44	36	1,559	111	89	125	146	150
	Both parents native—F	3,915	854	177	90	51	40	1,212	102	83	133	159	160
34	One or both parents foreign—M	1,364	329	73	24	17	12	455	27	19	32	47	56
	One or both parents foreign—F	1,226	262	66	24	11	11	374	36	24	31	54	57
35	Parentage unknown—M	1,093	174	12	6	2	4	198	8	8	4	16	30
	Parentage unknown—F	889	154	11	3	.....	2	170	6	7	14	21	17
36	Foreign	2,495	7	5	7	3	1	23	5	4	24	49	67
37	Males	1,331	3	3	2	.....	1	9	2	1	13	30	44
38	Females	1,164	4	2	5	3	.....	14	3	3	11	19	23
39	Unknown	238	34	2	1	.....	.....	37	1	1	2	7	13
40	Males	165	18	.....	1	.....	.....	19	1	1	2	5	9
41	Females	73	16	2	.....	.....	.....	18	.....	.....	.....	2	4
42	Colored	5,347	1,264	278	134	62	42	1,780	121	129	237	301	288
43	Males	2,696	707	152	65	30	17	971	57	56	96	152	142
44	Females	2,651	557	126	69	32	25	809	64	73	141	149	146
45	Negro—M	2,692	707	152	65	30	17	971	57	56	96	150	142
	Negro—F	2,651	557	126	69	32	25	809	64	73	141	149	146
46	Chinese—M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
	Chinese—F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
337	389	411	441	563	590	717	973	1,083	1,176	939	542	199	74	2	24	1
168	188	197	220	307	327	395	519	566	596	446	264	71	27	.....	20	2
169	201	214	221	256	263	322	454	517	580	493	278	128	47	2	4	3
333	387	410	439	563	588	715	972	1,082	1,175	938	542	199	73	2	24	4
165	186	196	220	307	325	393	518	565	595	446	264	71	26	.....	20	5
168	201	214	219	256	263	322	454	517	580	492	278	128	47	2	4	6
241	280	281	332	453	463	594	790	907	973	786	466	177	61	1	6	7
118	137	121	168	249	250	320	423	474	488	379	223	62	22	.....	3	8
123	143	160	164	204	213	274	367	433	485	407	243	115	39	1	3	9
75	97	91	122	199	195	254	358	402	417	298	180	50	15	.....	1	10
88	105	117	119	155	161	220	300	369	413	344	200	89	30	.....	1	
37	30	25	31	34	32	27	28	22	17	21	11	5	2	.....	1	
31	28	34	32	33	31	26	29	14	28	11	4	7	2	.....	1	11
6	10	5	15	16	23	39	37	50	54	60	32	7	5	.....	1	
4	10	9	13	16	21	28	38	50	44	52	39	19	7	1	1	12
86	100	110	101	103	121	113	174	164	193	141	67	17	12	1	6	13
41	43	60	49	53	73	66	90	84	103	64	37	7	4	.....	6	14
45	57	50	52	50	48	47	84	80	90	77	30	10	8	1	.....	15
6	7	19	6	7	4	8	8	11	9	11	9	5	.....	.....	12	16
6	6	15	3	5	2	7	5	7	4	3	4	2	.....	.....	11	17
.....	1	4	3	2	2	1	3	4	5	8	5	3	.....	.....	1	18
4	2	1	2	.....	2	2	1	1	1	1	.....	.....	1	.....	.....	19
3	2	1	.....	.....	2	2	1	1	1	.....	.....	.....	1	.....	.....	20
1	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	21
3	1	1	.....	.....	2	1	1	1	.....	.....	.....	.....	1	.....	.....	22
1	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
835	886	854	909	1,056	1,076	1,248	1,357	1,296	1,100	751	375	136	36	14	47	24
444	479	446	491	577	603	694	717	659	529	318	145	45	11	6	33	25
391	407	408	418	479	473	554	640	637	571	433	230	91	25	8	14	26
586	609	589	656	798	882	1,021	1,126	1,099	1,000	637	323	104	24	3	28	27
313	349	319	376	449	501	576	600	548	482	272	123	36	8	1	22	28
273	260	270	280	349	381	445	526	551	518	365	200	68	16	2	6	29
496	509	469	492	627	685	738	779	767	681	428	214	67	19	1	13	30
256	282	244	276	341	379	402	410	380	337	187	82	23	7	.....	9	31
240	227	225	216	286	306	336	369	387	344	241	132	44	12	1	4	32
156	159	113	126	169	210	247	244	240	208	105	57	13	5	.....	6	33
158	144	118	119	153	175	204	241	257	224	159	80	27	8	.....	3	
67	77	87	90	98	87	74	50	40	29	17	5	4	1	.....	2	34
50	53	72	67	77	76	61	57	47	42	26	15	6	1	.....	.....	
33	46	44	60	74	82	81	116	100	100	65	20	6	1	.....	1	35
32	30	35	30	56	55	71	71	83	82	56	37	11	3	1	1	
72	86	112	148	151	185	259	334	320	306	198	108	34	5	2	3	36
42	55	70	90	92	112	157	181	160	135	80	41	13	1	1	2	37
30	31	42	58	59	73	102	153	160	171	118	67	21	4	1	1	38
18	14	8	16	20	12	24	13	12	13	11	1	3	.....	.....	12	39
15	12	5	10	16	10	17	9	8	10	5	.....	.....	.....	.....	11	40
3	2	3	6	4	2	7	4	4	3	6	1	3	.....	.....	1	41
249	277	265	253	258	194	227	231	197	100	114	52	32	12	11	19	42
131	130	127	115	128	102	118	117	111	47	46	22	9	3	5	11	43
118	147	138	138	130	92	109	114	86	53	68	30	23	9	6	8	44
131	129	127	114	128	102	118	117	111	47	46	22	9	3	5	11	45
118	147	138	138	130	92	109	114	86	53	68	30	23	9	6	8	
.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MASSACHUSETTS.												
1	Total	54,301	11,377	2,151	843	575	387	15,333	1,093	679	1,003	1,562	1,774
2	Males	28,208	6,400	1,170	449	321	199	8,539	582	365	517	825	938
3	Females	26,093	4,977	981	394	254	188	6,794	511	314	486	737	836
4	White	53,455	11,235	2,108	833	565	376	15,117	1,078	661	978	1,523	1,713
5	Males	27,744	6,328	1,145	441	315	196	8,425	572	356	505	805	895
6	Females	25,711	4,907	963	392	250	180	6,692	506	305	473	718	818
7	Native	36,760	11,130	2,029	796	532	351	14,838	977	585	757	946	980
8	Males	19,389	6,280	1,103	421	299	181	8,284	520	320	392	482	509
9	Females	17,371	4,850	926	375	233	170	6,554	457	265	365	464	471
10	Both parents native (M.)	7,978	1,589	228	101	90	44	2,052	173	110	138	190	191
	Both parents native (F.)	7,604	1,176	203	92	64	40	1,575	125	93	130	151	173
11	One or both parents foreign (M.)	9,695	4,405	855	314	207	134	5,915	339	206	249	279	299
	One or both parents foreign (F.)	8,037	3,417	705	278	166	128	4,694	328	170	232	294	276
12	Parentage unknown (M.)	1,716	286	20	6	2	3	317	8	4	5	13	19
	Parentage unknown (F.)	1,730	257	18	5	3	2	285	4	2	3	19	22
13	Foreign	16,359	82	77	37	32	25	253	101	76	219	574	715
14	Males	8,144	33	41	20	15	15	124	52	36	111	320	374
15	Females	8,215	49	36	17	17	10	129	49	40	108	254	341
16	Unknown	336	23	2	.....	1	.....	26	.....	.....	2	3	18
17	Males	211	15	1	.....	1	.....	17	.....	.....	2	3	12
18	Females	125	8	1	.....	.....	.....	9	.....	.....	.....	.....	6
19	Colored	846	142	43	10	10	11	216	15	18	25	39	61
20	Males	464	72	25	8	6	3	114	10	9	12	20	43
21	Females	382	70	18	2	4	8	102	5	9	13	19	18
22	Negro (M.)	432	70	23	8	6	3	110	10	9	10	20	38
	Negro (F.)	377	69	18	2	3	8	100	5	9	13	19	18
23	Indian (M.)	7	1	1	.....	.....	.....	2	.....	.....	.....	.....	1
	Indian (F.)	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
24	Chinese (M.)	23	1	.....	.....	.....	.....	1	.....	.....	2	.....	4
	Chinese (F.)	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
25	Japanese (M.)	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.												
26	Total	39,888	7,912	1,378	613	394	296	10,593	926	626	1,025	1,465	1,388
27	Males	21,724	4,488	736	311	212	175	5,922	477	328	527	727	740
28	Females	18,164	3,424	642	302	182	121	4,671	449	298	498	738	648
29	White	39,262	7,816	1,359	604	389	293	10,461	906	608	989	1,435	1,357
30	Males	21,380	4,430	730	307	211	173	5,851	462	322	509	711	725
31	Females	17,882	3,386	629	297	178	120	4,610	444	286	480	724	632
32	Native	28,020	7,753	1,333	589	376	276	10,327	856	581	856	1,091	983
33	Males	14,954	4,395	717	299	205	163	5,779	439	307	417	497	490
34	Females	13,066	3,358	616	290	171	113	4,548	417	274	439	594	493
35	Both parents native (M.)	7,480	2,246	349	166	104	88	2,953	231	140	201	186	207
	Both parents native (F.)	6,649	1,610	302	156	89	54	2,211	204	140	192	263	219
36	One or both parents foreign (M.)	5,518	1,955	362	130	99	73	2,619	204	157	202	285	245
	One or both parents foreign (F.)	4,745	1,570	306	128	82	56	2,142	207	130	233	291	240
37	Parentage unknown (M.)	1,956	194	6	3	2	2	207	4	10	14	26	38
	Parentage unknown (F.)	1,672	178	8	6	.....	3	195	6	4	14	40	34
38	Foreign	10,781	49	25	14	12	16	116	47	21	127	330	356
39	Males	6,068	26	13	7	6	9	61	20	12	86	205	218
40	Females	4,713	23	12	7	6	7	55	27	9	41	125	138
41	Unknown	461	14	1	1	1	1	18	3	6	6	14	18
42	Males	358	9	.....	1	.....	1	11	3	3	6	9	17
43	Females	103	5	1	.....	1	.....	7	.....	3	.....	5	1
44	Colored	626	96	19	9	5	3	132	20	18	36	30	31
45	Males	344	58	6	4	1	2	71	15	6	18	16	15
46	Females	282	38	13	5	4	1	61	5	12	18	14	16
47	Negro (M.)	239	32	2	3	1	1	39	8	4	8	11	11
	Negro (F.)	187	24	10	2	2	1	39	.....	5	8	10	13
48	Indian (M.)	104	26	4	1	.....	1	32	7	2	10	5	4
	Indian (F.)	95	14	3	3	2	.....	22	5	7	10	4	3
49	Chinese (M.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—															
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
1,940	2,167	2,286	2,324	2,702	2,782	3,417	3,754	3,647	3,320	2,454	1,392	502	101	23	46	1
1,046	1,144	1,247	1,279	1,510	1,498	1,811	1,824	1,712	1,497	1,072	538	189	35	7	33	2
894	1,023	1,039	1,045	1,192	1,284	1,606	1,930	1,935	1,823	1,382	854	313	66	16	13	3
1,887	2,117	2,218	2,265	2,652	2,740	3,375	3,722	3,625	3,297	2,438	1,384	500	99	22	44	4
1,018	1,111	1,203	1,244	1,481	1,477	1,789	1,811	1,701	1,489	1,064	537	189	34	7	31	5
869	1,006	1,015	1,021	1,171	1,263	1,586	1,911	1,924	1,808	1,374	847	311	65	15	13	6
1,061	1,095	1,106	1,125	1,464	1,460	1,615	1,833	1,927	1,969	1,589	997	356	65	12	3	7
579	575	590	596	848	813	928	930	928	885	686	368	133	20	2	1	8
482	520	516	529	616	647	687	903	999	1,084	903	629	223	45	10	2	9
192	192	209	234	386	446	595	664	672	655	503	262	98	14	2	.....	10
181	163	187	228	314	349	445	644	732	783	671	466	153	32	9	.....	
362	343	334	311	374	247	176	111	75	37	25	8	3	1	.....	1	11
271	321	282	253	225	216	128	111	73	79	38	34	10	2	.....	.....	
25	40	47	51	88	120	157	155	181	193	158	98	32	5	.....	.....	12
30	36	47	48	77	82	114	148	194	222	194	129	60	11	1	2	
814	990	1,089	1,119	1,150	1,255	1,734	1,874	1,671	1,312	838	380	141	34	10	10	13
431	512	597	632	609	649	846	873	758	598	375	166	56	14	5	6	14
383	478	492	487	541	606	888	1,001	913	714	463	214	85	20	5	4	15
12	32	23	21	38	25	26	15	27	16	11	7	3	.....	.....	31	16
8	24	16	16	24	15	15	8	15	6	3	3	.....	.....	.....	24	17
4	8	7	5	14	10	11	7	12	10	8	4	3	.....	.....	7	18
53	50	68	59	50	42	42	32	22	23	16	8	2	2	1	2	19
28	33	44	35	29	21	22	13	11	8	8	1	.....	1	.....	2	20
25	17	24	24	21	21	20	19	11	15	8	7	2	1	1	.....	21
24	32	40	28	27	20	21	12	11	8	8	1	.....	1	.....	2	
25	16	24	24	21	20	19	19	11	15	8	7	2	1	1	.....	22
1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	2	7	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,225	1,333	1,297	1,567	1,774	1,902	2,304	2,773	2,987	2,894	2,084	1,169	405	84	24	43	26
632	684	698	865	972	1,061	1,322	1,543	1,638	1,588	1,096	615	202	41	10	36	27
593	649	599	702	802	841	982	1,230	1,349	1,306	988	554	203	43	14	7	28
1,190	1,301	1,272	1,531	1,739	1,880	2,270	2,737	2,955	2,871	2,056	1,158	403	83	18	42	29
615	667	684	842	947	1,048	1,304	1,526	1,620	1,577	1,077	610	201	41	6	35	30
575	634	588	689	792	832	966	1,211	1,335	1,294	979	548	202	42	12	7	31
795	839	785	879	1,010	1,088	1,260	1,527	1,630	1,581	1,050	607	213	47	2	13	32
391	405	401	464	522	595	705	808	893	874	507	313	110	23	2	12	33
404	434	384	415	488	493	555	719	737	707	543	294	103	24	.....	1	34
163	170	165	185	228	308	393	444	495	502	268	158	66	12	2	3	
180	181	194	186	247	265	334	437	444	419	304	158	59	12	.....	.....	35
192	190	185	197	205	167	155	160	147	90	66	36	8	4	.....	4	
189	206	138	173	153	129	104	130	125	83	46	21	4	1	.....	.....	36
36	45	51	82	89	120	157	204	251	282	173	119	36	7	.....	5	
35	47	52	56	88	99	117	152	168	205	193	115	40	11	.....	1	37
374	432	457	623	689	756	971	1,172	1,285	1,260	984	537	185	36	16	7	38
208	234	260	354	390	423	571	687	700	680	558	287	89	18	4	3	39
166	198	197	269	299	333	400	485	585	580	426	250	96	18	12	4	40
21	30	30	29	40	36	39	38	40	30	22	14	5	.....	.....	22	41
16	28	23	24	35	30	28	31	27	23	12	10	2	.....	.....	20	42
5	2	7	5	5	6	11	7	13	7	10	4	3	.....	.....	2	43
35	32	25	36	35	22	34	36	32	23	28	11	2	1	6	1	44
17	17	14	23	25	13	18	17	18	11	19	5	1	.....	4	1	45
18	15	11	13	10	9	16	19	14	12	9	6	1	1	2	.....	46
14	14	11	17	21	9	14	15	16	8	12	4	1	.....	2	.....	
14	11	10	11	8	5	15	12	10	8	3	4	.....	.....	1	.....	47
3	2	3	6	4	4	4	2	2	3	7	1	.....	.....	2	1	
4	4	1	2	2	4	1	7	4	4	6	2	1	1	1	.....	48
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	MINNESOTA.												
1	Total	22,649	4,261	804	446	275	210	5,996	769	531	759	1,037	1,000
2	Males	12,947	2,388	416	238	139	121	3,302	428	263	419	626	556
3	Females	9,702	1,873	388	208	136	89	2,694	341	268	340	411	444
4	White	22,470	4,233	799	437	274	209	5,952	767	528	754	1,026	987
5	Males	12,837	2,375	413	232	138	121	3,279	427	263	415	618	548
6	Females	9,633	1,858	386	205	136	88	2,673	340	265	339	408	439
7	Native	13,291	4,188	781	426	259	200	5,854	741	501	648	712	606
8	Males	7,254	2,351	403	227	133	114	3,228	410	251	345	382	288
9	Females	6,037	1,837	378	199	126	86	2,626	331	250	303	330	318
10	Both parents native (M)	2,732	993	140	78	54	48	1,313	154	80	101	87	93
	Both parents native (F)	2,264	776	161	84	56	32	1,109	122	73	90	82	72
11	One or both parents foreign (M)	3,839	1,251	259	143	76	64	1,793	245	167	236	280	176
	One or both parents foreign (F)	3,269	960	211	109	69	53	1,402	201	172	203	231	237
12	Parentage unknown (M)	683	107	4	6	3	2	122	11	4	8	15	19
	Parentage unknown (F)	504	101	6	6	1	1	115	8	5	10	17	9
13	Foreign	8,694	20	14	10	14	8	66	25	27	97	286	343
14	Males	5,172	11	8	5	4	6	34	17	12	63	211	227
15	Females	3,522	9	6	5	10	2	32	8	15	34	75	116
16	Unknown	485	25	4	1	1	1	32	1	.....	9	28	38
17	Males	411	13	2	.....	1	1	17	.....	.....	7	25	33
18	Females	74	12	2	1	.....	.....	15	1	.....	2	3	5
19	Colored	179	28	5	9	1	1	44	2	3	5	11	13
20	Males	110	13	3	6	1	.....	23	1	.....	4	8	8
21	Females	69	15	2	3	.....	1	21	1	3	1	3	5
22	Negro (M)	84	9	1	2	1	.....	13	1	.....	2	6	5
	Negro (F)	51	6	1	2	.....	1	10	1	2	.....	3	4
23	Indian (M)	20	4	2	4	.....	.....	10	.....	.....	2	2	2
	Indian (F)	18	9	1	1	.....	.....	11	.....	1	1	.....	1
24	Chinese (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MONTANA.												
26	Total	3,999	714	139	54	49	37	993	142	87	130	228	286
27	Males	2,633	380	76	26	22	16	520	84	52	77	163	198
28	Females	1,366	334	63	28	27	21	473	58	35	53	65	88
29	White	3,909	706	137	53	48	37	981	140	85	128	223	275
30	Males	2,568	375	75	25	22	16	513	83	51	77	158	194
31	Females	1,341	331	62	28	26	21	468	57	34	51	65	81
32	Native	2,522	704	131	51	45	35	966	133	83	112	126	140
33	Males	1,483	374	74	24	21	15	508	78	50	66	78	86
34	Females	1,039	330	57	27	24	20	458	55	33	46	48	54
35	Both parents native (M)	583	175	29	9	11	5	229	35	25	34	28	32
	Both parents native (F)	497	165	32	15	15	8	235	27	17	26	23	22
36	One or both parents foreign (M)	588	190	43	14	8	10	265	40	21	27	32	26
	One or both parents foreign (F)	404	155	22	12	9	10	208	26	16	19	18	18
37	Parentage unknown (M)	312	9	2	1	2	.....	14	3	4	5	18	28
	Parentage unknown (F)	138	10	3	.....	.....	2	15	2	.....	1	7	14
38	Foreign	1,136	2	6	2	3	2	15	6	2	13	80	108
39	Males	845	1	1	1	1	1	5	4	1	9	64	83
40	Females	291	1	5	1	2	1	10	2	1	4	16	25
41	Unknown	251	.....	.....	.....	.....	.....	.....	1	.....	3	17	27
42	Males	240	.....	.....	.....	.....	.....	.....	1	.....	2	16	25
43	Females	11	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2
44	Colored	90	8	2	1	1	.....	12	2	2	2	5	11
45	Males	65	5	1	1	.....	.....	7	1	1	.....	5	4
46	Females	25	3	1	.....	1	.....	5	1	1	2	.....	7
47	Negro (M)	25	1	1	.....	.....	.....	2	.....	.....	.....	1	1
	Negro (F)	18	2	.....	.....	1	.....	3	.....	.....	2	.....	6
48	Indian (M)	12	2	.....	1	.....	.....	3	.....	1	.....	3	1
	Indian (F)	5	1	.....	.....	.....	.....	1	1	1	.....	.....	1
49	Chinese (M)	15	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	Chinese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Japanese (M)	13	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2
	Japanese (F)	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
876	869	878	994	1,065	977	1,061	1,204	1,261	1,345	1,084	666	200	42	7	28	1
543	510	537	605	640	591	666	734	738	727	590	329	98	20	----	25	2
333	359	341	389	425	386	395	470	523	618	494	337	102	22	7	3	3
868	855	865	977	1,055	968	1,053	1,199	1,257	1,338	1,083	662	200	42	6	28	4
539	503	528	592	634	583	660	730	735	723	589	328	98	20	----	25	5
329	352	337	385	421	385	393	469	522	615	494	334	102	22	6	3	6
471	432	396	393	444	345	306	343	301	333	258	139	50	14	1	3	7
266	224	219	210	251	205	189	199	173	196	131	58	20	7	----	2	8
205	208	177	183	193	140	117	144	128	137	127	81	30	7	1	1	9
64	58	49	53	98	82	101	106	88	100	70	24	8	3	----	----	10
42	42	43	43	68	50	56	83	64	86	81	39	16	2	1	----	
177	146	130	124	114	84	57	35	25	26	11	9	2	1	----	1	11
146	145	114	125	104	71	37	23	19	11	12	10	5	----	----	1	
25	20	40	33	39	39	31	58	60	70	50	25	10	3	----	1	12
17	21	20	15	21	19	24	38	45	40	34	32	9	5	----	----	
359	380	425	539	577	597	710	833	923	992	817	514	148	28	5	3	13
242	244	266	339	350	355	441	511	534	516	453	264	77	13	----	3	14
117	136	159	200	227	242	269	322	389	476	364	250	71	15	5	----	15
38	43	44	45	34	26	37	23	33	13	8	9	2	----	----	22	16
31	35	43	43	33	23	30	20	28	11	5	6	1	----	----	20	17
7	8	1	2	1	3	7	3	5	2	3	----	1	----	----	2	18
8	14	13	17	10	9	8	5	4	7	1	4	----	----	1	----	19
4	7	9	13	6	8	6	4	3	4	1	1	----	----	----	----	20
4	7	4	4	4	1	2	1	1	3	----	3	----	----	1	----	21
2	6	8	12	5	7	5	4	3	4	1	----	----	----	----	----	22
4	6	3	4	3	1	2	1	1	3	----	3	----	----	----	----	
1	1	----	----	1	----	----	----	----	----	----	1	----	----	----	----	23
----	1	1	----	1	----	----	----	----	----	----	----	----	----	1	----	
----	----	1	----	----	1	1	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
220	248	254	245	237	171	169	172	134	145	73	30	9	4	----	22	26
161	179	178	180	196	134	124	107	87	98	46	20	7	1	----	21	27
59	69	76	65	41	37	45	65	47	47	27	10	2	3	----	1	28
212	239	248	239	231	167	163	168	131	144	72	30	8	4	----	21	29
154	172	172	175	191	130	119	104	84	98	46	20	6	1	----	20	30
58	67	76	64	40	37	44	64	47	46	26	10	2	3	----	1	31
111	111	112	101	106	75	72	81	57	74	37	16	5	1	----	3	32
71	66	62	61	80	59	46	46	34	49	26	11	3	1	----	2	33
40	45	50	40	26	16	26	35	23	25	11	5	2	----	----	1	34
16	23	18	19	30	16	16	18	16	16	5	5	2	----	----	----	35
19	16	20	16	11	8	12	12	10	15	5	2	----	----	----	1	
37	28	25	21	14	18	8	5	7	7	5	1	1	----	----	----	36
14	22	17	16	9	5	6	5	1	1	3	----	----	----	----	----	
18	15	19	21	36	25	22	23	11	26	16	5	----	1	----	2	37
7	7	13	8	6	3	8	18	12	9	3	3	2	----	----	----	
81	89	116	116	102	83	73	74	65	62	32	14	1	3	----	1	38
64	70	91	92	89	63	55	45	41	41	17	9	1	----	----	1	39
17	19	25	24	13	20	18	29	24	21	15	5	----	3	----	----	40
20	39	20	22	23	9	18	13	9	8	3	----	2	----	----	17	41
19	36	19	22	22	8	18	13	9	8	3	----	2	----	----	17	42
1	3	1	----	1	1	----	----	----	----	----	----	----	----	----	----	43
8	9	6	6	6	4	6	4	3	1	1	----	1	----	----	1	44
7	7	6	5	5	4	5	3	3	----	----	----	1	----	----	1	45
1	2	----	1	1	----	1	1	----	1	1	----	----	----	----	----	46
2	4	5	4	----	1	2	2	----	----	----	----	1	----	----	----	47
1	2	----	1	1	----	1	----	----	----	1	----	----	----	----	----	
1	1	----	----	2	----	----	----	----	----	----	----	----	----	----	----	48
----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	
----	----	1	----	3	3	2	1	3	----	----	----	----	----	----	----	49
----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	
4	2	----	1	----	----	1	----	----	----	----	----	----	----	----	1	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	NEW HAMPSHIRE.												
1	Total	7,452	1,373	179	82	54	50	1,738	126	75	124	196	195
2	Males	3,861	790	94	47	27	26	984	71	35	62	108	95
3	Females	3,591	583	85	35	27	24	754	55	40	62	88	100
4	White	7,438	1,372	178	80	54	50	1,734	126	75	124	196	195
5	Males	3,854	789	93	46	27	26	981	71	35	62	108	95
6	Females	3,584	583	85	34	27	24	753	55	40	62	88	100
7	Native	5,861	1,348	167	77	51	47	1,690	119	66	95	134	111
8	Males	3,066	779	87	46	25	24	961	67	32	48	74	50
9	Females	2,795	569	80	31	26	23	729	52	34	47	60	61
10	Both parents native (M)	1,503	243	26	15	8	7	299	24	18	25	35	23
	Both parents native (F)	1,468	166	26	12	8	8	220	21	17	31	27	34
11	One or both parents foreign (M)	895	502	57	28	17	15	619	40	11	19	28	20
	One or both parents foreign (F)	709	361	52	19	17	15	464	28	13	15	24	23
12	Parentage unknown (M)	668	34	4	3	.....	2	43	3	3	4	11	7
	Parentage unknown (F)	618	42	2	.....	1	.....	45	3	4	1	9	4
13	Foreign	1,361	21	10	3	3	3	40	6	7	28	58	76
14	Males	663	8	6	.....	2	2	18	3	2	14	32	38
15	Females	698	13	4	3	1	1	22	3	5	14	26	38
16	Unknown	216	3	1	.....	.....	.....	4	1	2	1	4	8
17	Males	125	2	.....	.....	.....	.....	2	1	1	.....	2	7
18	Females	91	1	1	.....	.....	.....	2	.....	1	1	2	1
19	Colored	14	1	1	2	.....	.....	4	.....	.....	.....	.....	.....
20	Males	7	1	1	1	.....	.....	3	.....	.....	.....	.....	.....
21	Females	7	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
22	Negro (M)	7	1	1	1	.....	.....	3	.....	.....	.....	.....	.....
	Negro (F)	7	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	NEW JERSEY.												
23	Total	39,504	8,363	1,719	764	476	300	11,622	919	573	868	1,290	1,431
24	Males	21,223	4,648	895	424	244	161	6,372	468	302	461	670	746
25	Females	18,281	3,715	824	340	232	139	5,250	451	271	407	620	685
26	White	37,422	7,858	1,589	715	445	282	10,889	874	525	799	1,190	1,325
27	Males	20,173	4,375	826	397	228	150	5,976	447	281	433	631	694
28	Females	17,249	3,483	763	318	217	132	4,913	427	244	366	559	631
29	Native	26,508	7,806	1,561	694	430	267	10,758	835	475	640	809	842
30	Males	14,086	4,342	808	381	221	144	5,896	431	250	341	404	428
31	Females	12,422	3,464	753	313	209	123	4,862	404	225	299	405	414
32	Both parents native (M)	7,015	1,775	303	138	79	66	2,361	194	129	179	211	193
	Both parents native (F)	6,539	1,368	275	127	78	45	1,893	202	112	145	202	204
33	One or both parents foreign (M)	6,239	2,468	499	237	139	77	3,420	229	119	146	182	211
	One or both parents foreign (F)	5,244	2,017	471	184	129	73	2,874	199	109	150	186	189
34	Parentage unknown (M)	832	99	6	6	3	1	115	8	2	16	11	24
	Parentage unknown (F)	639	79	7	2	2	5	95	3	4	4	17	21
35	Foreign	10,521	44	27	21	15	15	122	38	49	153	370	465
36	Males	5,778	27	18	16	7	6	74	16	31	88	220	250
37	Females	4,743	17	9	5	8	9	48	22	18	65	150	215
38	Unknown	393	8	1	.....	.....	.....	9	1	1	6	11	18
39	Males	309	6	.....	.....	.....	.....	6	.....	.....	4	7	16
40	Females	84	2	1	.....	.....	.....	3	1	1	2	4	2
41	Colored	2,082	505	130	49	31	18	733	45	48	69	100	106
42	Males	1,050	273	69	27	16	11	396	21	21	28	39	52
43	Females	1,032	232	61	22	15	7	337	24	27	41	61	54
44	Negro (M)	1,042	273	69	27	16	11	396	21	21	28	38	52
	Negro (F)	1,031	231	61	22	15	7	336	24	27	41	61	54
45	Indian (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
46	Chinese (M)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
187	243	230	278	329	393	451	623	596	622	534	292	146	24	5	45	1
88	117	121	144	178	220	242	317	315	321	240	108	55	9	2	29	2
99	126	109	134	151	173	209	306	281	301	294	184	91	15	3	16	3
186	243	228	277	329	393	450	623	596	621	533	291	145	24	5	44	4
88	117	120	144	178	220	241	317	315	321	239	108	54	9	2	29	5
98	126	108	133	151	173	209	306	281	300	294	183	91	15	3	15	6
102	165	157	174	221	275	322	442	461	482	446	250	117	16	3	13	7
50	74	83	96	121	156	171	225	248	258	204	92	45	5	1	5	8
52	91	74	78	100	119	151	217	213	224	242	158	72	11	2	8	9
26	32	48	58	73	97	101	146	149	163	106	48	26	3	1	2	
31	53	38	47	60	69	99	148	130	147	142	96	50	4	1	3	10
19	27	21	15	22	14	14	6	8	7	1	2	2				
14	22	21	14	17	14	9	8	8	6	3	5		1			11
5	15	14	23	26	45	56	73	91	88	97	42	17	2		3	
7	16	15	17	23	36	43	61	75	71	97	57	22	6	1	5	12
77	71	64	97	95	102	106	165	115	110	72	30	24	8	2	8	13
33	38	33	44	50	53	52	85	56	55	27	14	8	4	1	3	14
44	33	31	53	45	49	54	80	59	55	45	16	16	4	1	5	15
7	7	7	6	13	16	22	16	20	29	15	11	4			23	16
5	5	4	4	7	11	18	7	11	8	8	2	1			21	17
2	2	3	2	6	5	4	9	9	21	7	9	3			2	18
1		2	1			1			1	1	1	1			1	19
		1				1				1		1				20
1		1	1						1		1				1	21
		1				1				1		1				
1		1	1						1		1				1	22
1,624	1,908	1,824	1,818	2,037	2,003	2,293	2,463	2,440	1,956	1,366	749	237	58	7	18	23
918	1,092	1,119	1,087	1,143	1,113	1,220	1,308	1,238	926	598	317	90	19	2	14	24
706	816	705	731	894	890	1,073	1,155	1,202	1,030	768	432	147	39	5	4	25
1,500	1,780	1,695	1,713	1,943	1,928	2,209	2,385	2,383	1,903	1,335	736	232	56	4	18	26
858	1,019	1,047	1,034	1,098	1,077	1,186	1,266	1,209	900	584	310	90	18	1	14	27
642	761	648	679	845	851	1,023	1,119	1,174	1,003	751	426	142	38	3	4	28
969	1,068	922	919	1,063	1,032	1,121	1,214	1,263	1,115	791	464	156	41	3	8	29
550	594	544	514	559	575	590	639	651	539	329	178	56	13	1	4	30
419	474	378	405	504	457	531	575	612	576	462	286	100	28	2	4	31
232	226	219	222	264	334	402	475	507	411	258	137	49	10		2	
177	221	170	204	271	286	381	406	480	459	387	230	83	21	2	3	32
291	340	270	239	232	177	132	87	63	51	29	16	3			2	
214	221	193	172	192	133	97	115	82	60	28	24	4	1		1	33
27	28	55	53	63	64	56	77	81	77	42	25	4	3	1		
28	32	15	29	41	38	53	54	50	57	47	32	13	6			34
511	666	730	758	844	861	1,063	1,143	1,088	769	532	267	73	15	1	3	35
291	387	463	488	508	471	579	607	538	350	247	130	32	5		3	
220	279	267	270	336	390	484	536	550	419	285	137	41	10	1		36
20	46	43	36	36	35	25	28	32	19	12	5	3			7	37
																38
17	38	40	32	31	31	17	20	20	11	8	2	2			7	
3	8	3	4	5	4	8	8	12	8	4	3	1				39
																40
124	128	129	105	94	75	84	78	57	53	31	13	5	2	3		41
60	73	72	53	45	36	34	42	29	26	14	7		1	1		
64	55	57	52	49	39	50	36	28	27	17	6	5	1	2		42
																43
60	71	70	53	45	34	34	41	29	26	14	7		1	1		
64	55	57	52	49	39	50	36	28	27	17	6	5	1	2		44
	1	2			2		1									45
	1															46
																47

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	NEW YORK.												
1	Total	147,678	27,503	6,453	2,930	1,737	1,141	39,764	3,141	1,888	3,080	4,884	5,590
2	Males	79,664	15,228	3,400	1,545	868	600	21,641	1,590	948	1,653	2,621	3,051
3	Females	68,014	12,275	3,053	1,385	869	541	18,123	1,551	940	1,427	2,263	2,539
4	White	144,144	26,784	6,238	2,860	1,690	1,108	38,680	3,068	1,826	2,970	4,680	5,345
5	Males	77,722	14,828	3,291	1,507	844	581	21,051	1,558	919	1,599	2,526	2,924
6	Females	66,422	11,956	2,947	1,353	846	527	17,629	1,510	907	1,371	2,154	2,421
7	Native	97,536	26,619	6,003	2,739	1,608	1,040	38,009	2,792	1,587	2,275	3,064	3,267
8	Males	52,502	14,742	3,167	1,442	803	545	20,699	1,428	797	1,215	1,592	1,742
9	Females	45,034	11,877	2,836	1,297	805	495	17,310	1,364	790	1,060	1,472	1,525
10	Both parents native (M)	22,804	5,289	878	468	280	212	7,127	602	398	552	719	740
	Both parents native (F)	20,402	4,063	815	412	270	192	5,752	566	403	506	719	678
11	One or both parents foreign (M)	25,541	8,421	2,251	959	512	327	12,470	813	390	637	813	925
	One or both parents foreign (F)	21,198	6,919	1,978	867	530	299	10,593	784	375	532	723	798
12	Parentage unknown (M)	4,157	1,032	38	15	11	6	1,102	13	9	26	60	77
	Parentage unknown (F)	3,434	895	43	18	5	4	965	14	12	22	30	49
13	Foreign	45,386	126	160	95	74	65	520	270	234	678	1,583	2,030
14	Males	24,316	70	88	52	38	35	283	128	119	369	902	1,140
15	Females	21,070	56	72	43	36	30	237	142	115	309	681	890
16	Unknown	1,222	39	75	26	8	3	151	6	5	17	33	48
17	Males	904	16	36	13	3	1	69	2	3	15	32	42
18	Females	318	23	39	13	5	2	82	4	2	2	1	6
19	Colored	3,534	719	215	70	47	33	1,084	73	62	110	204	245
20	Males	1,942	400	109	38	24	19	590	32	29	54	95	127
21	Females	1,592	319	106	32	23	14	494	41	33	56	109	118
22	Negro (M)	1,780	394	107	37	24	18	580	29	28	54	89	117
	Negro (F)	1,570	315	106	31	22	13	487	39	31	56	106	115
23	Indian (M)	37	4	1	1	.....	1	7	2	1	.....	1	1
	Indian (F)	18	2	.....	1	1	1	5	2	2	.....	2	2
24	Chinese (M)	114	1	.....	.....	.....	.....	1	1	.....	.....	4	5
	Chinese (F)	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
25	Japanese (M)	11	1	1	.....	.....	.....	2	.....	.....	.....	1	4
	Japanese (F)	2	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
	NORTH CAROLINA.[1]												
26	Total	6,752	1,330	484	191	88	73	2,166	127	127	285	423	379
27	Males	3,276	676	252	86	44	37	1,095	61	62	124	191	185
28	Females	3,476	654	232	105	44	36	1,071	66	65	161	232	194
29	White	3,728	704	260	101	51	46	1,162	58	61	130	189	171
30	Males	1,851	363	142	47	26	24	602	31	32	58	95	79
31	Females	1,877	341	118	54	25	22	560	27	29	72	94	92
32	Native	3,605	703	259	100	51	45	1,158	58	60	128	178	168
33	Males	1,761	362	141	46	26	23	598	31	31	57	85	78
34	Females	1,844	341	118	54	25	22	560	27	29	71	93	90
35	Both parents native (M)	1,472	337	134	45	24	22	562	29	30	52	73	66
	Both parents native (F)	1,570	317	115	51	22	20	525	26	28	70	84	80
36	One or both parents foreign (M)	52	9	2	.....	.....	1	12	1	.....	.....	2	7
	One or both parents foreign (F)	47	8	.....	.....	1	2	11	.....	.....	.....	.....	1
37	Parentage unknown (M)	237	16	5	1	2	.....	24	1	1	5	10	5
	Parentage unknown (F)	227	16	3	3	2	.....	24	1	1	1	9	9
38	Foreign	63	.....	.....	1	.....	1	2	.....	.....	.....	2	2
39	Males	42	.....	.....	1	.....	1	2	.....	.....	.....	2	1
40	Females	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
41	Unknown	60	1	1	.....	.....	.....	2	.....	1	2	9	1
42	Males	48	1	1	.....	.....	.....	2	.....	1	1	8	.....
43	Females	12	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1
44	Colored	3,024	626	224	90	37	27	1,004	69	66	155	234	208
45	Males	1,425	313	110	39	18	13	493	30	30	66	96	106
46	Females	1,599	313	114	51	19	14	511	39	36	89	138	102
47	Negro (M)	1,425	313	110	39	18	13	493	30	30	66	96	106
	Negro (F)	1,599	313	114	51	19	14	511	39	36	89	138	102

[1] Including only municipalities having a population of 1,000 or over in 1900.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
6,015	6,898	7,109	7,485	8,018	7,969	8,939	9,392	9,221	7,840	5,783	3,191	1,119	249	69	34	1
3,430	4,151	4,247	4,474	4,609	4,536	4,819	4,846	4,566	3,792	2,660	1,422	458	103	22	25	2
2,585	2,747	2,862	3,011	3,409	3,433	4,120	4,546	4,655	4,048	3,123	1,769	661	146	47	9	3
5,739	6,632	6,874	7,289	7,845	7,831	8,806	9,272	9,153	7,779	5,739	3,166	1,112	245	59	34	4
3,249	3,986	4,106	4,354	4,515	4,457	4,748	4,784	4,527	3,760	2,643	1,413	457	101	20	25	5
2,490	2,646	2,768	2,935	3,330	3,374	4,058	4,488	4,626	4,019	3,096	1,753	655	144	39	9	6
3,517	3,917	3,762	3,825	4,186	3,989	4,119	4,523	4,633	4,143	3,219	1,866	679	131	21	12	7
1,959	2,341	2,153	2,215	2,326	2,279	2,282	2,390	2,334	2,089	1,480	835	285	51	3	7	8
1,558	1,576	1,609	1,610	1,860	1,710	1,837	2,133	2,299	2,054	1,739	1,031	394	80	18	5	9
646	772	706	740	922	1,119	1,365	1,488	1,578	1,468	1,034	585	199	35	3	6	10
579	597	564	592	760	864	1,054	1,367	1,577	1,500	1,273	729	261	51	8	2	
1,241	1,452	1,331	1,327	1,199	940	637	534	344	227	154	75	29	3	.....	.....	11
924	907	961	925	972	705	592	491	390	222	153	93	48	5	3	2	
72	117	116	148	205	220	280	368	412	394	292	175	57	13	.....	1	12
55	72	84	93	128	141	191	275	332	332	313	209	85	24	7	1	
2,147	2,603	2,982	3,346	3,558	3,773	4,605	4,685	4,465	3,575	2,483	1,271	425	110	38	5	13
1,223	1,547	1,842	2,037	2,095	2,124	2,409	2,351	2,156	1,645	1,145	561	170	49	17	4	14
924	1,056	1,140	1,309	1,463	1,649	2,196	2,334	2,309	1,930	1,338	710	255	61	21	1	15
75	112	130	118	101	69	82	64	55	61	37	29	8	4	.....	17	16
67	98	111	102	94	54	57	43	37	26	18	17	2	1	.....	14	17
8	14	19	16	7	15	25	21	18	35	19	12	6	3	.....	3	18
276	266	235	196	173	138	133	120	68	61	44	25	7	4	10	.....	19
181	165	141	120	94	79	71	62	39	32	17	9	1	2	2	.....	20
95	101	94	76	79	59	62	58	29	29	27	16	6	2	8	.....	21
157	146	122	94	80	67	64	59	39	27	15	8	1	2	2	.....	
94	101	93	76	78	59	61	58	28	29	27	16	6	2	8	.....	22
4	1	.....	4	3	1	2	2	.....	5	2	1	.....	.....	.....	.....	
1	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	23
20	16	19	21	10	11	5	1	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
347	303	283	255	314	302	313	319	260	229	169	82	33	11	11	14	26
155	136	126	122	163	171	159	163	133	107	63	40	8	4	2	6	27
192	167	157	133	151	131	154	156	127	122	106	42	25	7	9	8	28
185	158	152	136	184	191	193	222	171	176	114	52	16	2	.....	5	29
81	65	76	70	98	114	101	110	88	79	39	27	2	.....	.....	4	30
104	93	76	66	86	77	92	112	83	97	75	25	14	2	.....	1	31
179	148	142	132	177	183	182	212	161	165	108	47	15	2	.....	2	32
76	61	67	67	93	106	93	102	79	74	38	22	2	.....	.....	1	33
103	87	75	65	84	77	89	110	82	91	70	25	13	2	.....	1	34
64	48	58	55	75	84	67	72	57	46	22	11	1	.....	.....	.....	
91	78	64	52	62	66	71	83	55	66	45	16	7	.....	.....	1	35
1	4	1	4	4	3	5	2	1	1	2	2	.....	.....	.....	.....	
6	4	1	3	5	2	2	2	2	1	1	4	2	.....	.....	.....	36
11	9	8	8	14	19	21	28	21	27	14	9	1	.....	.....	1	
6	5	10	10	17	9	16	25	25	24	24	5	4	2	.....	.....	37
3	8	5	2	4	2	7	6	8	5	5	1	1	.....	.....	.....	38
2	4	4	1	3	2	5	5	7	2	1	1	.....	.....	.....	.....	39
1	4	1	1	1	.....	2	1	1	3	4	.....	1	.....	.....	.....	40
3	2	5	2	3	6	4	4	2	6	1	4	.....	.....	.....	3	41
3	.....	5	2	2	6	3	3	2	3	.....	4	.....	.....	.....	3	42
.....	2	.....	.....	1	.....	1	1	.....	3	1	.....	.....	.....	.....	.....	43
162	145	131	119	130	111	120	97	89	53	55	30	17	9	11	9	44
74	71	50	52	65	57	58	53	45	28	24	13	6	4	2	2	45
88	74	81	67	65	54	62	44	44	25	31	17	11	5	9	7	46
74	71	50	52	65	57	58	53	45	28	24	13	6	4	2	2	
88	74	81	67	65	54	62	44	44	25	31	17	11	5	9	7	47

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	OHIO.												
1	Total	65,459	11,445	2,464	1,043	561	450	15,963	1,275	887	1,618	2,380	2,496
2	Males	35,182	6,418	1,289	534	289	240	8,770	691	462	837	1,232	1,305
3	Females	30,277	5,027	1,175	509	272	210	7,193	584	425	781	1,148	1,191
4	White	63,194	11,089	2,382	1,014	540	438	15,463	1,227	844	1,530	2,250	2,350
5	Males	33,927	6,234	1,248	517	277	232	8,508	672	450	801	1,163	1,225
6	Females	29,267	4,855	1,134	497	263	206	6,955	555	394	729	1,087	1,125
7	Native	50,499	11,013	2,335	994	528	420	15,290	1,178	812	1,408	1,881	1,889
8	Males	26,565	6,195	1,228	505	272	223	8,423	642	433	719	911	907
9	Females	23,934	4,818	1,107	489	256	197	6,867	536	379	689	970	982
10	Both parents native (M)	16,462	4,084	818	355	188	156	5,601	477	323	504	615	552
	(F)	15,549	3,111	724	333	179	136	4,483	397	292	529	690	666
11	One or both parents foreign (M)	6,813	1,895	394	144	76	60	2,569	151	95	190	227	280
	(F)	5,688	1,507	361	147	72	57	2,144	122	76	134	223	252
12	Parentage unknown (M)	3,290	216	16	6	8	7	253	14	15	25	69	75
	(F)	2,697	200	22	9	5	4	240	17	11	26	57	64
13	Foreign	11,769	41	39	18	11	18	127	48	30	109	344	411
14	Males	6,748	20	16	10	4	9	59	30	16	74	233	274
15	Females	5,021	21	23	8	7	9	68	18	14	35	111	137
16	Unknown	926	35	8	2	1	.....	46	1	2	13	25	50
17	Males	614	19	4	2	1	.....	26	.....	1	8	19	44
18	Females	312	16	4	.....	.....	.....	20	1	1	5	6	6
19	Colored	2,265	356	82	29	21	12	500	48	43	88	130	146
20	Males	1,255	184	41	17	12	8	262	19	12	36	69	80
21	Females	1,010	172	41	12	9	4	238	29	31	52	61	66
22	Negro (M)	1,250	184	41	17	11	8	261	19	12	36	69	78
	(F)	1,010	172	41	12	9	4	238	29	31	52	61	66
23	Indian (M)	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	(F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	(F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	PENNSYLVANIA.												
26	Total	119,815	28,377	6,639	2,758	1,570	1,151	40,495	2,975	1,687	2,684	4,097	4,538
27	Males	65,130	15,897	3,460	1,463	844	586	22,250	1,531	878	1,460	2,340	2,538
28	Females	54,685	12,480	3,179	1,295	726	565	18,245	1,444	809	1,224	1,757	2,000
29	White	115,094	27,313	6,327	2,650	1,513	1,107	38,910	2,863	1,605	2,522	3,857	4,236
30	Males	62,586	15,320	3,289	1,414	817	564	21,404	1,478	837	1,384	2,217	2,372
31	Females	52,508	11,993	3,038	1,236	696	543	17,506	1,385	768	1,138	1,640	1,864
32	Native	90,651	27,135	6,206	2,581	1,455	1,068	38,445	2,724	1,501	2,101	2,643	2,759
33	Males	48,098	15,221	3,223	1,382	786	554	21,166	1,402	780	1,097	1,370	1,365
34	Females	42,553	11,914	2,983	1,199	669	514	17,279	1,322	721	1,004	1,273	1,394
35	Both parents native (M)	26,572	7,430	1,403	646	377	312	10,168	850	492	676	888	801
	(F)	24,403	5,675	1,238	562	325	260	8,060	783	481	680	817	901
36	One or both parents foreign (M)	17,591	7,469	1,781	718	394	232	10,594	526	268	388	424	466
	(F)	14,926	5,934	1,707	623	338	248	8,850	522	226	293	398	412
37	Parentage unknown (M)	3,935	322	39	18	15	10	404	26	20	33	58	98
	(F)	3,224	305	38	14	6	6	369	17	14	31	58	81
38	Foreign	23,427	133	112	64	53	39	401	137	100	409	1,168	1,421
39	Males	13,709	72	62	30	29	10	203	76	55	279	809	959
40	Females	9,718	61	50	34	24	29	198	61	45	130	359	462
41	Unknown	1,016	45	9	5	5	.....	64	2	4	12	46	56
42	Males	779	27	4	2	2	.....	35	.....	2	8	38	48
43	Females	237	18	5	3	3	.....	29	2	2	4	8	8
44	Colored	4,721	1,064	312	108	57	44	1,585	112	82	162	240	302
45	Males	2,544	577	171	49	27	22	846	53	41	76	123	166
46	Females	2,177	487	141	59	30	22	739	59	41	86	117	136
47	Negro (M)	2,497	576	170	49	27	22	844	53	41	74	121	163
	(F)	2,172	487	141	59	30	22	739	59	40	84	116	136
48	Indian (M)	4	1	1	.....	.....	.....	2	.....	.....	1	1	.....
	(F)	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....
49	Chinese (M)	37	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2
	(F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Japanese (M)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	(F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
2,453	2,631	2,533	2,734	3,142	3,269	3,909	4,598	4,844	4,610	3,430	1,846	619	125	25	72	1
1,366	1,465	1,462	1,555	1,835	1,852	2,218	2,433	2,487	2,330	1,653	832	280	55	12	50	2
1,087	1,166	1,071	1,179	1,307	1,417	1,691	2,165	2,357	2,280	1,777	1,014	339	70	13	22	3
2,305	2,466	2,397	2,580	3,014	3,144	3,804	4,510	4,763	4,535	3,387	1,812	608	121	17	67	4
1,274	1,354	1,379	1,470	1,752	1,785	2,156	2,378	2,448	2,282	1,632	813	275	53	11	46	5
1,031	1,112	1,018	1,110	1,262	1,359	1,648	2,132	2,315	2,253	1,755	999	333	68	6	21	6
1,826	1,946	1,799	1,910	2,235	2,290	2,646	3,050	3,290	3,045	2,263	1,209	411	82	7	32	7
967	1,020	966	1,008	1,242	1,266	1,466	1,585	1,660	1,495	1,085	528	181	37	5	19	8
859	926	833	902	993	1,024	1,180	1,465	1,630	1,550	1,178	681	230	45	2	13	9
555	531	489	492	630	718	895	968	1,054	930	665	317	111	22	4	9	10
538	554	508	526	603	616	772	952	1,049	983	789	439	130	24	1	8	
329	374	373	366	416	323	266	251	233	186	113	45	18	3	.....	5	11
241	278	238	272	286	271	227	260	243	200	115	74	26	5	.....	1	
83	115	104	150	196	225	305	366	373	379	307	166	52	12	1	5	12
80	94	87	104	104	137	181	253	338	367	274	168	74	16	1	4	
436	437	539	619	691	792	1,085	1,386	1,391	1,411	1,078	585	190	36	10	14	13
274	271	363	427	441	474	648	747	737	748	528	280	92	16	6	10	14
162	166	176	192	250	318	437	639	654	663	550	305	98	20	4	4	15
43	83	59	51	88	62	73	74	82	79	46	18	7	3	.....	21	16
33	63	50	35	69	45	42	46	51	39	19	5	2	.....	.....	17	17
10	20	9	16	19	17	31	28	31	40	27	13	5	3	.....	4	18
148	165	136	154	128	125	105	88	81	75	43	34	11	4	8	5	19
92	111	83	85	83	67	62	55	39	48	21	19	5	2	1	4	20
56	54	53	69	45	58	43	33	42	27	22	15	6	2	7	1	21
92	111	83	85	83	67	62	54	39	48	21	19	5	2	1	3	22
56	54	53	69	45	58	43	33	42	27	22	15	6	2	7	1	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
4,315	4,797	4,724	4,800	5,328	5,474	6,278	7,003	6,963	6,080	4,320	2,265	781	151	36	24	26
2,474	2,839	2,851	2,890	3,076	3,107	3,409	3,671	3,531	2,982	1,966	953	298	57	15	14	27
1,841	1,958	1,873	1,910	2,252	2,367	2,869	3,332	3,432	3,098	2,354	1,312	483	94	21	10	28
4,038	4,463	4,428	4,548	5,094	5,292	6,092	6,844	6,833	6,008	4,269	2,231	766	145	27	23	29
2,321	2,644	2,670	2,748	2,947	3,003	3,310	3,591	3,459	2,946	1,940	943	293	54	12	13	30
1,717	1,819	1,758	1,800	2,147	2,289	2,782	3,253	3,374	3,062	2,329	1,288	473	91	15	10	31
2,667	2,866	2,808	2,796	3,393	3,615	3,918	4,408	4,637	4,142	2,960	1,608	530	103	15	12	32
1,392	1,588	1,560	1,547	1,830	1,990	2,103	2,279	2,340	2,037	1,336	663	204	37	7	5	33
1,275	1,278	1,248	1,249	1,563	1,625	1,815	2,129	2,297	2,105	1,624	945	326	66	8	7	34
755	831	788	764	982	1,178	1,357	1,546	1,605	1,388	931	413	133	18	6	2	35
745	703	741	713	934	1,051	1,224	1,483	1,607	1,465	1,139	615	203	47	7	4	
523	616	608	570	623	517	378	339	288	220	127	82	25	6	.....	3	36
429	461	407	424	457	391	359	360	340	245	170	122	55	3	.....	2	
114	141	164	213	225	295	368	394	447	429	278	168	46	13	1	.....	37
101	114	100	112	172	183	232	286	350	395	315	208	68	16	1	1	
1,299	1,498	1,527	1,651	1,613	1,610	2,094	2,364	2,147	1,821	1,272	609	228	41	11	6	38
861	971	1,031	1,113	1,044	953	1,147	1,263	1,087	883	586	276	87	17	5	4	39
438	527	496	538	569	657	947	1,101	1,060	938	686	333	141	24	6	2	40
72	99	93	101	88	67	80	72	49	45	37	14	8	1	1	5	41
68	85	79	88	73	60	60	49	32	26	18	4	2	.....	.....	4	42
4	14	14	13	15	7	20	23	17	19	19	10	6	1	1	1	43
277	334	296	252	234	182	186	159	130	72	51	34	15	6	9	1	44
153	195	181	142	129	104	99	80	72	36	26	10	5	3	3	1	45
124	139	115	110	105	78	87	79	58	36	25	24	10	3	6	.....	46
147	190	173	140	126	97	93	79	72	36	26	10	5	3	3	1	47
124	138	115	110	105	78	87	79	58	36	25	24	10	3	6	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
4	3	8	2	3	7	6	1	.....	.....	.....	.....	.....	.....	.....	.....	49
2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	RHODE ISLAND.												
1	Total	9,305	2,129	454	180	102	74	2,939	180	115	208	229	322
2	Males	4,856	1,168	232	91	51	34	1,576	99	53	128	126	161
3	Females	4,449	961	222	89	51	40	1,363	81	62	80	103	161
4	White	9,051	2,070	446	173	99	72	2,860	173	111	203	226	313
5	Males	4,732	1,138	230	87	48	33	1,536	96	51	126	125	158
6	Females	4,319	932	216	86	51	39	1,324	77	60	77	101	155
7	Native	6,207	2,050	433	167	95	66	2,811	155	95	159	132	182
8	Males	3,294	1,130	223	84	46	30	1,513	85	46	102	77	98
9	Females	2,913	920	210	83	49	36	1,298	70	49	57	55	84
10	Both parents native (M)	1,399	296	48	16	9	10	379	27	19	34	27	34
	Both parents native (F)	1,315	221	39	22	14	14	310	19	20	19	25	29
11	One or both parents foreign (M)	1,736	797	173	66	37	20	1,093	58	27	52	41	60
	One or both parents foreign (F)	1,491	672	168	61	34	22	957	49	27	37	30	52
12	Parentage unknown (M)	159	37	2	2	.....	.....	41	.....	.....	16	9	4
	Parentage unknown (F)	107	27	3	.....	1	.....	31	2	2	1	.....	3
13	Foreign	2,786	13	13	6	4	6	42	18	16	44	93	128
14	Males	1,393	4	7	3	2	3	19	11	5	24	47	58
15	Females	1,393	9	6	3	2	3	23	7	11	20	46	70
16	Unknown	58	7	.....	.....	.....	.....	7	.....	.....	.....	1	3
17	Males	45	4	.....	.....	.....	.....	4	.....	.....	.....	1	2
18	Females	13	3	.....	.....	.....	.....	3	.....	.....	.....	.....	1
19	Colored	254	59	8	7	3	2	79	7	4	5	3	9
20	Males	124	30	2	4	3	1	40	3	2	2	1	3
21	Females	130	29	6	3	.....	1	39	4	2	3	2	6
22	Negro (M)	120	30	2	4	3	1	40	3	2	2	1	3
	Negro (F)	128	28	5	3	.....	1	37	4	2	3	2	6
23	Indian (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
24	Chinese (M)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	UTAH.												
25	Total	4,072	896	159	67	66	44	1,232	163	121	120	188	170
26	Males	2,314	500	86	39	32	22	679	88	66	68	115	105
27	Females	1,758	396	73	28	34	22	553	75	55	52	73	65
28	White	3,998	889	157	67	65	44	1,222	162	119	118	182	159
29	Males	2,263	495	85	39	32	22	673	87	65	68	109	95
30	Females	1,735	394	72	28	33	22	549	75	54	50	73	64
31	Native	2,664	887	152	65	64	43	1,211	154	111	103	138	102
32	Males	1,450	494	84	38	32	22	670	84	58	54	72	49
33	Females	1,214	393	68	27	32	21	541	70	53	49	66	53
34	Both parents native (M)	798	338	54	30	20	12	454	62	36	27	29	18
	Both parents native (F)	645	271	47	20	23	13	374	36	24	23	31	20
35	One or both parents foreign (M)	512	154	30	8	11	10	213	21	22	26	36	20
	One or both parents foreign (F)	476	115	20	7	8	8	158	33	28	25	32	31
36	Parentage unknown (M)	140	2	.....	.....	1	.....	3	1	.....	1	7	11
	Parentage unknown (F)	93	7	1	.....	1	.....	9	1	1	1	3	2
37	Foreign	1,218	2	5	2	1	1	11	7	8	15	34	46
38	Males	710	1	1	1	.....	.....	3	3	7	14	28	36
39	Females	508	1	4	1	1	1	8	4	1	1	6	10
40	Unknown	116	.....	.....	.....	.....	.....	.....	1	.....	.....	10	11
41	Males	103	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	10
42	Females	13	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1
43	Colored	74	7	2	.....	1	.....	10	1	2	2	6	11
44	Males	51	5	1	.....	.....	.....	6	1	1	.....	6	10
45	Females	23	2	1	.....	1	.....	4	.....	1	2	.....	1
46	Negro (M)	20	4	.....	.....	.....	.....	4	.....	1	.....	3	3
	Negro (F)	12	1	1	.....	.....	.....	2	.....	.....	.....	.....	1
47	Indian (M)	6	1	1	.....	.....	.....	2	1	.....	.....	.....	.....
	Indian (F)	9	1	.....	.....	1	.....	2	.....	1	1	.....	.....
48	Chinese (M)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
49	Japanese (M)	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
308	367	417	409	480	498	557	626	590	487	335	149	66	12	5	6	1
159	203	230	229	260	261	281	294	312	232	165	57	21	5	2	2	2
149	164	187	180	220	237	276	332	278	255	170	92	45	7	3	4	3
294	350	403	397	463	485	547	609	574	481	330	147	63	12	5	5	4
152	194	223	225	250	253	274	285	304	232	162	56	21	5	2	2	5
142	156	180	172	213	232	273	324	270	249	168	91	42	7	3	3	6
172	195	200	182	227	227	229	299	273	271	220	112	51	11	1	3	7
90	112	112	94	125	119	121	144	146	128	113	45	18	5	.....	1	8
82	83	88	88	102	108	108	155	127	143	107	67	33	6	1	2	9
28	39	34	41	57	72	89	116	125	113	101	42	17	5	.....	.....	10
32	30	34	43	45	69	78	127	111	129	96	62	30	6	1	.....	
54	68	70	49	60	41	26	18	8	7	2	.....	1	.....	.....	1	11
47	49	50	42	51	34	22	18	12	6	4	2	.....	.....	.....	2	
8	5	8	4	8	6	6	10	13	8	10	3	.....	.....	.....	.....	12
3	4	4	3	6	5	8	10	4	8	7	3	3	.....	.....	.....	
120	152	199	208	232	254	310	304	296	207	109	35	12	1	4	2	13
61	79	108	126	122	130	146	137	153	101	49	11	3	.....	2	1	14
59	73	91	82	110	124	164	167	143	106	60	24	9	1	2	1	15
2	3	4	7	4	4	8	6	5	3	1	.....	.....	.....	.....	.....	16
1	3	3	5	3	4	7	4	5	3	.....	.....	.....	.....	.....	.....	17
1	.....	1	2	1	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	18
14	17	14	12	17	13	10	17	16	6	5	2	3	.....	.....	1	19
7	9	7	4	10	8	7	9	8	.....	3	1	.....	.....	.....	.....	20
7	8	7	8	7	5	3	8	8	6	2	1	3	.....	.....	1	21
7	9	7	4	8	6	7	9	8	.....	3	1	.....	.....	.....	.....	22
7	8	7	8	7	5	3	8	8	6	2	1	3	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
210	178	164	171	154	176	166	167	184	193	143	109	40	4	1	18	25
131	94	97	103	98	109	100	90	112	95	77	50	18	3	.....	16	26
79	84	67	68	56	67	66	77	72	98	66	59	22	1	1	2	27
200	169	161	168	150	170	164	166	184	192	143	108	40	4	1	16	28
126	88	94	100	95	106	98	90	112	94	77	50	18	3	.....	15	29
74	81	67	68	55	64	66	76	72	98	66	58	22	1	1	1	30
112	106	110	93	67	67	61	44	52	64	32	21	9	2	.....	5	31
57	48	58	51	40	42	37	22	32	37	18	10	4	2	.....	5	32
55	58	52	42	27	25	24	22	20	27	14	11	5	.....	.....	.....	33
18	13	14	14	7	16	19	9	21	19	10	6	4	2	.....	.....	34
15	12	11	10	12	10	12	12	11	10	11	8	3	.....	.....	.....	
31	27	33	26	26	15	5	5	3	1	1	.....	.....	.....	.....	1	35
35	33	34	25	12	9	6	3	5	6	.....	1	.....	.....	.....	.....	
8	8	11	11	7	11	13	8	8	17	7	4	.....	.....	.....	4	36
5	13	7	7	3	6	6	7	4	11	3	2	2	.....	.....	.....	
70	52	39	64	76	96	95	117	130	127	109	86	31	2	1	2	37
52	31	25	38	50	58	53	63	78	57	58	39	14	1	.....	2	38
18	21	14	26	26	38	42	54	52	70	51	47	17	1	1	.....	39
18	11	12	11	7	7	8	5	2	1	2	1	.....	.....	.....	9	40
17	9	11	11	5	6	8	5	2	.....	1	1	.....	.....	.....	8	41
1	2	1	.....	2	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	42
10	9	3	3	4	6	2	1	.....	1	.....	1	.....	.....	.....	2	43
5	6	3	3	3	3	2	.....	.....	1	.....	.....	.....	.....	.....	1	44
5	3	.....	.....	1	3	.....	1	.....	.....	.....	1	.....	.....	.....	1	45
2	3	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	46
4	2	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
1	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	49

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	VERMONT.												
1	Total	5,704	791	110	60	39	23	1,023	98	61	101	142	128
2	Males	2,974	462	62	33	22	9	588	45	32	52	74	56
3	Females	2,730	329	48	27	17	14	435	53	29	49	68	72
4	White	5,674	787	110	59	38	23	1,017	98	61	101	138	123
5	Males	2,955	460	62	32	21	9	584	45	32	52	72	53
6	Females	2,719	327	48	27	17	14	433	53	29	49	66	70
7	Native	4,697	781	109	54	38	22	1,004	91	57	90	123	97
8	Males	2,446	458	61	28	21	9	577	43	30	43	63	41
9	Females	2,251	323	48	26	17	13	427	48	27	47	60	56
10	Both parents native (M)	1,476	250	35	14	12	9	320	28	18	23	46	29
	Both parents native (F)	1,420	200	33	15	10	10	268	29	14	31	36	30
11	One or both parents foreign (M)	521	173	24	13	8		218	13	12	19	13	8
	One or both parents foreign (F)	418	99	15	11	7	3	135	17	11	13	18	15
12	Parentage unknown (M)	449	35	2	1	1		39	2		1	4	4
	Parentage unknown (F)	413	24					24	2	2	3	6	11
13	Foreign	902	6	1	5		1	13	6	4	10	14	24
14	Males	459	2	1	4			7	2	2	8	8	10
15	Females	443	4		1		1	6	4	2	2	6	14
16	Unknown	75							1		1	1	2
17	Males	50									1	1	2
18	Females	25							1				
19	Colored	30	4		1	1		6				4	5
20	Males	19	2		1	1		4				2	3
21	Females	11	2					2				2	2
22	Negro (M)	18	2		1	1		4				2	3
	Negro (F)	11	2					2				2	2
23	Indian (M)	1											
	Indian (F)												
	WASHINGTON.												
24	Total	11,502	1,862	331	153	123	82	2,551	342	261	394	661	733
25	Males	7,163	1,104	176	86	71	37	1,474	163	129	235	415	446
26	Females	4,339	758	155	67	52	45	1,077	179	132	159	246	287
27	White	11,017	1,785	315	141	117	76	2,434	322	245	370	625	691
28	Males	6,844	1,060	168	78	69	32	1,407	156	120	219	388	412
29	Females	4,173	725	147	63	48	44	1,027	166	125	151	237	279
30	Native	7,575	1,768	310	139	110	74	2,401	294	225	320	434	422
31	Males	4,375	1,054	164	77	67	30	1,392	141	110	177	243	218
32	Females	3,200	714	146	62	43	44	1,009	153	115	143	191	204
33	Both parents native (M)	2,094	586	85	37	39	18	765	79	61	97	136	105
	Both parents native (F)	1,682	387	93	35	23	26	564	94	64	87	98	101
34	One or both parents foreign (M)	1,261	405	72	35	25	10	547	53	40	70	67	57
	One or both parents foreign (F)	952	270	48	25	19	17	379	55	46	47	73	58
35	Parentage unknown (M)	1,020	63	7	5	3	2	80	9	9	10	40	56
	Parentage unknown (F)	566	57	5	2	1	1	66	4	5	9	20	45
36	Foreign	2,788	9	5	2	6	1	23	22	16	39	165	218
37	Males	1,878	3	4	1	2	1	11	12	9	32	125	148
38	Females	910	6	1	1	4		12	10	7	7	40	70
39	Unknown	654	8			1	1	10	6	4	11	26	51
40	Males	591	3				1	4	3	1	10	20	46
41	Females	63	5			1		6	3	3	1	6	5
42	Colored	485	77	16	12	6	6	117	20	16	24	36	42
43	Males	319	44	8	8	2	5	67	7	9	16	27	34
44	Females	166	33	8	4	4	1	50	13	7	8	9	8
45	Negro (M)	65	6	2	1			9	2	1	1	4	7
	Negro (F)	32	4	2		2		8			1	1	3
46	Indian (M)	134	20	6	5	2	5	38	5	8	13	15	7
	Indian (F)	115	19	3	3	2	1	28	13	7	7	7	3
47	Chinese (M)	31									1		2
	Chinese (F)	2	1	1				2					
48	Japanese (M)	89	18		2			20			1	8	18
	Japanese (F)	17	9	2	1			12				1	2

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
148	174	171	198	224	330	379	491	581	583	442	273	121	28	5	3	1
66	91	94	104	109	178	205	261	311	296	220	119	55	12	4	2	2
82	83	77	94	115	152	174	230	270	287	222	154	66	16	1	1	3
148	173	168	197	222	329	379	488	581	582	442	271	121	27	5	3	4
66	91	92	103	107	177	205	259	311	296	220	118	55	11	4	2	5
82	82	76	94	115	152	174	229	270	286	222	153	66	16	1	1	6
122	135	126	157	173	255	312	380	459	453	332	208	98	20	3	2	7
55	67	67	83	82	127	167	204	257	233	165	89	42	8	2	1	8
67	68	59	74	91	128	145	176	202	220	167	119	56	12	1	1	9
33	32	36	46	48	71	111	129	174	143	102	46	33	5	2	1	10
41	39	42	50	52	82	102	103	123	152	113	68	35	8	1	1	
15	26	25	28	18	21	26	27	24	16	7	4	1				11
17	21	8	16	21	24	19	28	22	18	8	5	1	1			
7	9	6	9	16	35	30	48	59	74	56	39	8	3			12
9	8	9	8	18	22	24	45	57	50	46	46	20	3			
23	34	36	36	44	70	58	103	115	120	101	62	21	6	2		13
8	20	21	18	22	47	32	52	49	60	49	28	11	3	2		14
15	14	15	18	22	23	26	51	66	60	52	34	10	3			15
3	4	6	4	5	4	9	5	7	9	9	1	2	1		1	16
3	4	4	2	3	3	6	3	5	3	6	1	2			1	17
		2	2	2	1	3	2	2	6	3			1			18
	1	3	1	2	1		3		1		2		1			19
		2	1	2	1		2				1		1			20
	1	1					1		1		1					21
		2	1	1	1		2				1		1			
	1	1					1		1		1					22
				1												23
635	632	605	603	620	628	614	586	535	492	322	149	39	11	5	84	24
406	419	394	423	429	425	402	382	344	282	205	85	23	6	2	74	25
229	213	211	180	191	203	212	204	191	210	117	64	16	5	3	10	26
595	608	575	582	602	611	598	568	525	485	316	146	35	7	2	75	27
377	399	369	407	415	416	391	371	341	277	202	83	20	5	1	68	28
218	209	206	175	187	195	207	197	184	208	114	63	15	2	1	7	29
330	342	296	289	310	335	324	332	324	294	187	85	21	5		5	30
167	190	165	183	201	222	190	207	214	169	118	47	14	4		3	31
163	152	131	106	109	113	134	125	110	125	69	38	7	1		2	32
73	73	57	62	80	87	79	90	89	80	52	22	5	1		1	
89	73	65	50	47	52	69	72	46	59	31	16	4			1	33
50	57	46	54	53	47	29	25	31	17	11	6	1				
43	45	34	31	22	26	25	24	13	18	5	7				1	34
44	60	62	67	68	88	82	92	94	72	55	19	8	3		2	
31	34	32	25	40	35	40	29	51	48	33	15	3	1			35
207	179	211	231	230	240	238	210	182	170	121	57	14	1	2	12	36
155	125	140	165	153	160	169	143	112	90	77	34	6		1	11	37
52	54	71	66	77	80	69	67	70	80	44	23	8	1	1	1	38
58	87	68	62	62	36	36	26	19	21	8	4		1		58	39
55	84	64	59	61	34	32	21	15	18	7	2		1		54	40
3	3	4	3	1	2	4	5	4	3	1	2				4	41
40	24	30	21	18	17	16	18	10	7	6	3	4	4	3	9	42
29	20	25	16	14	9	11	11	3	5	3	2	3	1	1	6	43
11	4	5	5	4	8	5	7	7	2	3	1	1	3	2	3	44
5	6	7	3	4	2	4	6	1		1					2	
3	2	1	3	1	1	1	2	1	1	2	1					45
3	3	6	3	3	5	4	3	2	5	2	1	3	1	1	3	
8	2	3	2	2	7	4	5	6	1	1		1	3	2	3	46
2	4	4	4	6	2	3	2				1					47
19	7	8	6	1											1	
		1		1												48

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	WISCONSIN.												
1	Total	28,070	5,621	987	484	299	242	7,633	733	459	770	1,051	973
2	Males	15,689	3,205	528	242	147	135	4,257	382	287	400	579	521
3	Females	12,381	2,416	459	242	152	107	3,376	351	222	370	472	452
4	White	27,896	5,585	976	484	298	239	7,582	722	452	759	1,045	963
5	Males	15,582	3,187	521	242	146	134	4,230	375	232	394	575	513
6	Females	12,314	2,398	455	242	152	105	3,352	347	220	365	470	450
7	Native	17,106	5,565	961	474	285	229	7,514	692	435	698	846	705
8	Males	9,326	3,172	517	236	139	128	4,192	358	222	353	436	341
9	Females	7,780	2,393	444	238	146	101	3,322	334	213	345	410	364
10	Both parents native (M)	3,871	1,614	258	120	73	60	2,125	168	95	124	121	95
	Both parents native (F)	3,379	1,186	217	116	75	47	1,641	159	87	112	144	118
11	One or both parents foreign (M)	4,511	1,419	245	111	61	64	1,900	183	122	214	290	218
	One or both parents foreign (F)	3,776	1,099	223	115	70	52	1,559	168	123	219	244	219
12	Parentage unknown (M)	944	139	14	5	5	4	167	7	5	15	25	28
	Parentage unknown (F)	625	108	4	7	1	2	122	7	3	14	22	27
13	Foreign	10,424	13	12	8	11	10	54	30	17	54	182	238
14	Males	5,941	9	2	6	6	6	29	17	10	36	124	153
15	Females	4,483	4	10	2	5	4	25	13	7	18	58	85
16	Unknown	366	7	3	2	2	.....	14	.....	.....	7	17	20
17	Males	315	6	2	.....	1	.....	9	.....	.....	5	15	19
18	Females	51	1	1	2	1	.....	5	.....	.....	2	2	1
19	Colored	174	36	11	.....	1	3	51	11	7	11	6	10
20	Males	107	18	7	.....	1	1	27	7	5	6	4	8
21	Females	67	18	4	.....	.....	2	24	4	2	5	2	2
22	Negro (M)	42	9	3	.....	.....	.....	12	2	2	2	2	4
	Negro (F)	23	6	.....	.....	.....	.....	6	1	.....	1	1	1
23	Indian (M)	64	9	4	.....	1	1	15	5	3	4	1	4
	Indian (F)	44	12	4	.....	.....	2	18	3	2	4	1	1
24	Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—																
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	Deaths at unknown age.	
898	930	947	1,154	1,210	1,235	1,314	1,707	1,808	1,976	1,671	1,076	345	82	20	78	1
502	540	526	713	717	737	777	1,000	968	1,048	893	584	200	37	8	63	2
396	390	421	441	493	498	537	707	840	928	778	492	145	45	12	15	3
886	924	941	1,147	1,200	1,229	1,309	1,703	1,806	1,969	1,667	1,074	343	80	19	76	4
494	537	522	708	711	732	774	996	967	1,046	890	583	199	35	8	61	5
392	387	419	439	489	497	535	707	839	923	777	491	144	45	11	15	6
590	593	525	573	594	551	440	504	495	521	402	286	98	20	6	18	7
312	319	267	343	334	296	266	313	271	266	212	148	55	10	2	10	8
278	274	258	230	260	255	174	191	224	255	190	138	43	10	4	8	9
80	55	46	62	69	92	101	130	134	138	122	74	30	5	1	4	
84	55	57	50	71	83	91	109	125	163	111	84	22	6	4	3	10
212	228	193	241	222	161	120	72	43	39	20	22	7	2	----	2	
177	200	178	161	168	147	82	51	41	21	22	12	1	----	----	3	11
20	36	28	40	43	43	45	111	94	89	70	52	18	3	1	4	
17	19	23	19	21	25	21	31	58	71	57	42	20	4	----	2	12
276	303	391	533	573	651	847	1,178	1,296	1,428	1,253	784	243	60	13	20	13
165	191	231	328	348	412	489	665	686	766	669	433	142	25	6	16	14
111	112	160	205	225	239	358	513	610	662	584	351	101	35	7	4	15
20	28	25	41	33	27	22	21	15	20	12	4	2	----	----	38	16
17	27	24	37	29	24	19	18	10	14	9	2	2	----	----	35	17
3	1	1	4	4	3	3	3	5	6	3	2	----	----	----	3	18
12	6	6	7	10	6	5	4	2	7	4	2	2	2	1	2	19
8	3	4	5	6	5	3	4	1	2	3	1	1	2	----	2	20
4	3	2	2	4	1	2	----	1	5	1	1	1	----	1	----	21
3	1	1	2	1	2	1	2	----	1	1	----	1	----	----	2	
1	2	----	----	2	----	2	----	----	3	----	1	1	----	1	----	22
5	2	3	3	5	3	2	2	1	1	2	1	----	2	----	----	
3	1	2	2	2	1	----	----	1	2	1	----	----	----	----	----	23
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	24

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	REGISTRATION STATES.					CALIFORNIA.		COLORADO.		CONNECTICUT.	
		Registration area.	Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	805,412	703,608	400,305	303,303	101,804	502,109	18,609	13,792	4,705	6,364	12,032	5,466
	I.—General diseases	215,692	187,170	108,167	79,003	28,522	136,689	5,790	4,145	1,714	1,794	3,113	1,304
1	Typhoid fever	12,673	10,904	5,640	5,264	1,769	7,409	216	244	102	235	119	46
2	Typhus fever	2	2	2			2						
3	Relapsing fever	1	1	1			1						
4	Malaria	1,167	645	258	387	522	780	24	61	3	6	20	8
5	Smallpox	202	189	107	82	13	120		1		7		
6	Measles	6,598	5,990	3,377	2,613	608	3,985	97	80	18	46	69	23
7	Scarlet fever	6,255	5,430	3,567	1,863	825	4,392	42	28	43	61	105	24
8	Whooping cough	6,146	5,579	2,881	2,698	567	3,448	128	156	8	27	107	39
9	Diphtheria and croup	11,521	10,090	6,482	3,608	1,431	7,913	129	100	59	71	195	86
10	Influenza	7,774	6,324	2,663	4,161	950	3,613	73	78	31	46	145	98
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	563	528	192	336	35	227	4	4	2	5	4	5
14	Dysentery	3,446	2,971	1,096	1,875	475	1,571	45	70	7	31	33	15
15	Plague	1	1		1				1				
16	Yellow fever												
17	Leprosy	10	5	2	3	5	7	1	1				
18	Erysipelas	2,442	2,183	1,308	875	259	1,567	39	37	26	19	45	10
19	Other epidemic diseases	198	189	94	95	9	103	1	3	1	1	4	1
20	Purulent infection and septicemia	1,877	1,557	858	699	320	1,178	41	18	17	10	27	11
21	Glanders	7	7	7			7						
22	Anthrax	22	20	14	6	2	16	3			1		
23	Rabies	64	57	36	21	7	43	2	1				
24	Tetanus	1,373	936	512	424	437	949	26	22	4	4	16	4
25	Mycoses	32	26	20	6	6	26	5	1				
26	Pellagra	368	143	90	53	225	315	2	1				
27	Beriberi	10	10	7	3		7	4	2				
	Tuberculosis (total)	86,309	74,011	45,178	28,833	12,298	57,476	2,886	2,024	957	852	1,205	474
28	Tuberculosis of the lungs	73,214	62,436	37,995	24,441	10,778	48,773	2,469	1,748	862	788	1,018	408
29	Acute miliary tuberculosis	1,997	1,730	1,164	566	267	1,431	64	41	10	11	31	10
30	Tuberculous meningitis	4,654	4,185	2,943	1,242	469	3,412	145	91	37	21	72	21
31	Abdominal tuberculosis	3,159	2,746	1,500	1,246	413	1,913	109	71	22	11	33	13
32	Pott's disease	764	671	400	271	93	493	20	18	8		12	5
33	White swellings	422	372	204	168	50	254	12	11	1	1	8	3
34	Tuberculosis of other organs	1,118	1,001	555	446	117	672	41	22	7	9	19	6
35	Disseminated tuberculosis	981	870	417	453	111	528	26	22	10	11	12	8
36	Rickets	455	370	251	119	85	336	10	4	5	2	4	4
37	Syphilis	3,221	2,529	1,849	680	692	2,541	115	56	36	14	25	2
38	Gonococcus infection	197	163	134	29	34	168	6	1	2	1	2	
	Cancer and other malignant tumors (total)	41,039	36,364	20,505	15,859	4,675	25,180	1,302	711	251	217	602	291
39	Of the buccal cavity	1,576	1,381	764	617	195	959	50	42	9	9	27	10
40	Of the stomach, liver	16,475	14,675	7,992	6,683	1,800	9,792	511	308	95	92	228	104
41	Of the peritoneum, intestines, rectum	5,258	4,750	2,889	1,861	508	3,397	177	74	32	25	82	38
42	Of the female genital organs	6,147	5,253	3,264	1,989	894	4,158	205	76	44	22	79	37
43	Of the breast	3,730	3,380	1,840	1,540	350	2,190	112	58	19	14	65	39
44	Of the skin	1,459	1,307	513	794	152	665	36	27	7	16	14	13
45	Of other organs or of organs not specified	6,394	5,618	3,243	2,375	776	4,019	211	126	45	39	107	50
46	Other tumors (tumors of the female genital organs excepted)	553	479	246	233	74	320	11	8	2	2	14	
47	Acute articular rheumatism	3,328	2,942	1,647	1,295	386	2,033	51	41	26	25	50	
48	Chronic rheumatism and gout	676	608	286	322	68	354	20	14	3	2	11	
49	Scurvy	68	62	44	18	6	50	2				1	
50	Diabetes	8,040	7,282	4,232	3,050	758	4,990	236	142	34	33	155	
51	Exophthalmic goiter	687	595	335	260	92	427	17	10	5	2	7	
52	Addison's disease	220	199	112	87	21	133	8	3	4		2	
53	Leukemia	864	757	423	334	107	530	29	20	9	9	13	
54	Anemia, chlorosis	2,614	2,377	1,224	1,153	237	1,461	62	41	14	13	40	
55	Other general diseases	1,359	1,182	605	577	177	782	34	36	9	17	21	
56	Alcoholism (acute or chronic)	2,909	2,626	1,694	932	283	1,977	99	109	29	30	66	
57	Chronic lead poisoning	136	118	83	35	18	101	8		2		1	
58	Other chronic occupation poisonings	6	3	2	1	3	5						
59	Other chronic poisonings	259	216	103	113	43	146	21	16	5	5	5	
	II.—Diseases of the nervous system and of the organs of special sense	77,991	70,483	34,593	35,890	7,508	42,101	1,650	1,516	377	480	1,230	
60	Encephalitis	761	650	341	309	111	452	31	16	3	4	12	
61	Meningitis (total)	7,619	6,661	3,937	2,724	958	4,895	194	159	66	53	166	
	Simple meningitis	5,347	4,688	2,724	1,964	659	3,383	133	108	45	33	132	
	Cerebrospinal meningitis (undefined)	2,052	1,809	1,118	691	243	1,361	58	50	20	20	34	
	Cerebrospinal fever	220	164	95	69	56	151	3	1	1			
62	Locomotor ataxia	1,435	1,267	678	589	168	846	56	22	10	7	19	
63	Other diseases of the spinal cord (total)	4,101	3,751	1,717	2,034	350	2,067	105	73	10	23	73	
	Acute anterior poliomyelitis	1,459	1,364	544	820	95	639	11	18		4	24	
	Other diseases of the spinal cord [2]	2,642	2,387	1,173	1,214	255	1,428	94	55	10	19	49	
64	Cerebral hemorrhage, apoplexy	39,701	36,292	18,195	18,097	3,409	21,604	854	675	181	203	675	
65	Softening of the brain	1,066	917	342	575	149	491	38	36	4	5	10	
66	Paralysis without specified cause	7,756	6,873	2,532	4,341	883	3,415	160	191	38	59	54	
67	General paralysis of the insane	2,944	2,652	1,276	1,376	292	1,568	46	114	13	24	33	
68	Other forms of mental alienation	1,761	1,606	589	1,017	155	744	19	58	11	16	17	

[1] Including District of Columbia.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		Detailed Ins. List No.
							Cities.			Rural districts.							
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
6,511	3,744	2,767	12,468	23,980	3,380	9,346	11,690	8,969	2,721	9,115	6,489	2,626	41,996	12,305	16,369	23,519	
1,659	923	736	3,831	7,648	788	2,151	3,136	2,363	773	2,499	1,714	785	10,396	3,287	3,965	5,526	
77	45	32	275	644	56	95	281	236	45	247	183	64	353	68	326	341	1
																	2
																	3
9	4	5	33	80	1	2	12	10	2	10	8	2	12	11	3	18	4
				1											81	39	5
4	1	3	142	306	29	68	20	19	1	33	27	6	326	66	84	171	6
14	11	3	80	123	26	15	48	46	2	20	19	1	233	39	145	158	7
35	9	26	111	286	15	82	101	63	38	190	79	111	232	54	149	159	8
31	28	3	123	269	31	68	66	62	4	105	85	20	607	98	239	256	9
79	42	37	138	399	20	103	68	55	13	133	94	39	283	164	122	315	10
																	11
																	12
3	2	1	6	16		15	6	5	1	9	4	5	20	10	11	19	13
9	5	4	78	309	9	20	31	20	11	57	43	14	122	75	65	116	14
																	15
																	16
																	17
13	10	3	53	79	10	14	41	37	4	22	18	4	137	40	52	77	18
1	1		2	8	3		3	3					4	2	4	4	19
11	5	6	24	45	13	22	16	14	2	25	23	2	127	24	51	95	20
			1										2				21
				1		1	1	1					2				22
				4			1	1							1	1	23
19	8	11	40	44	3	8	21	14	7	21	11	10	47	6	16	38	24
						1							4	2	1		25
1	1						5	5		3	2	1		1	2		26
													1				27
840	364	476	1,605	3,108	301	811	1,498	981	517	1,064	660	404	4,154	1,350	1,188	1,564	
727	322	425	1,304	2,532	243	637	1,303	851	452	943	577	366	3,358	1,160	968	1,290	28
29	8	21	36	47	1	18	47	19	28	19	10	9	111	24	36	31	29
97	18	9	79	176	26	61	60	48	12	25	24	1	399	68	49	58	30
14	6	8	117	210	11	49	38	28	10	43	27	16	131	34	67	83	31
7	4	3	10	30	3	8	16	10	6	7	5	2	36	8	16	24	32
8	1	6	6	22	2	4	8	6	2	3	2	1	20	15	10	21	33
13	3	3	20	44	2	13	12	9	3	14	8	6	57	12	27	35	34
33	2	1	33	47	13	21	14	10	4	10	7	3	42	29	15	22	35
9	2	7	11	8	2	4	6	2	4	6	4	2	26	3	12	7	36
38	13	25	72	84	5	5	74	41	33	19	2	17	118	30	53	29	37
5	2	3	4	7		1	1	1					15		2	1	38
1,006	246	54	687	1,231	175	579	589	527	62	353	300	53	2,344	815	833	1,279	
32	10	3	24	49	6	22	17	15	2	10	10		89	28	27	58	39
80	65	15	253	535	62	229	262	237	25	149	128	21	827	261	327	552	40
48	39	9	82	122	31	83	56	52	4	30	26	4	391	142	94	139	41
179	41	16	143	179	24	77	104	87	17	51	38	13	349	95	136	163	42
68	4	64	112	17	61	57	48	9	30	24	6	222	91	75	110	43	
26	2	24	72	4	28	21	19	2	21	19	2	59	40	28	52	44	
84	5	77	162	31	79	72	69	3	62	55	7	407	158	146	205	45	
13	2	11	12	7	11	5	4	1	6	4	2	35	13	20	33	46	
121	13	58	95	9	26	38	30	8	40	27	13	126	52	67	118	47	
12	1	11	14	3	11	5	5		9	8	1	36	10	12	36	48	
3		3	1			1	1		1	1		13	2	2	1	49	
256	5	126	251	27	101	105	96	9	59	57	2	487	164	154	264	50	
55		20	35	3	6	7	6	1	1	1		23	5	27	42	51	
10		1	8	2	2	2	2					15	3	3	8	52	
29		13	20	2	9	7	7		6	5	1	44	22	14	22	53	
125	7	36	71	17	38	27	24	3	21	17	4	182	68	121	193	54	
65	3	23	39	5	18	16	14	2	11	9	2	81	34	49	66	55	
94	6	54	34	10	11	31	28	3	27	22	5	173	43	50	51	56	
8		4	3	1	1	2	2					5	4	3		57	
																	58
13		6	13	3	3	1	1		1	1		7	4	3	5	59	
1,032	224	1,032	2,519	451	1,189	1,141	886	255	1,104	847	257	4,110	1,561	1,681	2,915		
53	3	15	35	9	11	6	5	1	9	9		31	11	28	29	60	
309	9	94	165	56	111	129	108	21	95	73	22	495	93	211	198	61	
199	7	60	102	41	90	92	74	18	74	56	18	384	73	152	139		
55	1	31	47	14	20	31	30	1	21	17	4	96	16	58	54		
20	1	3	16	1	1	6	4	2				15	4	1	5		
107	5	37	45	13	15	15	12	3	21	18	3	69	18	33	62	62	
263	9	49	185	24	65	35	28	7	48	41	7	211	88	52	133	63	
58	6	9	40	13	18	8	5	3	27	22	5	84	38	11	37		
185	3	40	145	11	47	27	23	4	21	19	2	127	50	41	96		
1,526	138	568	1,388	207	671	537	439	98	408	315	93	2,372	908	678	1,374	64	
88	3	14	52	6	23	10	9	1	23	19	4	15	21	18	47	65	
516	16	84	258	48	126	161	114	47	270	204	66	205	93	198	554	66	
130	15	36	78	26	26	17	12	5	22	21	1	169	77	100	80	67	
88	4	10	64	21	24	13	9	4	38	35	3	43	48	40	34	68	

Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AN 1910–

[The term "cities" as here used is restricted to municipalities having 10,0

Detailed Int. List. No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in other states.	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
69	Epilepsy	2,287	2,111	818	1,293	176	994	39	66	10	37	37	33
70	Convulsions (nonpuerperal)	200	173	79	94	27	106	1				7	4
71	Convulsions of infants	4,802	4,376	2,331	2,045	426	2,757	24	33	7	22	62	39
72	Chorea	123	111	50	61	12	62	1	1	2	1	3	1
73	Neuralgia and neuritis	362	334	177	157	28	205	11	4	2	2	11	3
74	Other diseases of the nervous system	2,069	1,807	938	869	262	1,200	50	58	15	10	36	18
75	Diseases of the eyes and their annexa	37	35	19	16	2	21					1	
76	Diseases of the ears	967	867	574	293	100	674	21	10	5	14	14	5
	III.—Diseases of the circulatory system.	100,106	88,664	48,876	39,788	11,442	60,318	2,953	1,981	460	455	1,552	818
77	Pericarditis	650	544	280	264	106	386	31	13	3	3	2	7
78	Acute endocarditis	4,792	4,041	3,046	995	751	3,797	151	58	14	23	91	23
79	Organic diseases of the heart	76,178	67,780	36,618	31,162	8,398	45,016	2,263	1,582	338	354	1,163	635
80	Angina pectoris	3,869	3,534	1,668	1,866	335	2,003	98	87	27	24	72	39
81	Diseases of the arteries, atheroma, aneurism, etc.	11,657	10,153	5,753	4,400	1,504	7,257	341	198	50	37	168	92
82	Embolism and thrombosis	1,990	1,757	1,018	739	233	1,251	43	31	26	9	40	19
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	349	316	205	111	33	238	4	1	1	3	7	
84	Diseases of the lymphatic system (lymphangitis, etc.).	255	220	142	78	35	177	9	3			4	
85	Hemorrhage; other diseases of the circulatory system.	366	319	146	173	47	193	8	8	1	2	5	
	IV.—Diseases of the respiratory system.	100,835	86,874	54,172	32,702	13,961	68,133	1,772	1,230	489	752	1,602	
86	Diseases of the nasal fossae	135	118	47	71	17	64		4		1	1	
87	Diseases of the larynx	746	669	319	350	77	395	7	7	6	7	9	
88	Diseases of the thyroid body	224	187	101	86	37	138	5	1	2	3	2	
89	Acute bronchitis	7,229	6,643	4,230	2,413	586	4,816	109	54	17	40	133	
90	Chronic bronchitis	5,391	4,785	2,680	2,105	606	3,286	132	70	13	21	79	
91	Bronchopneumonia	25,337	21,913	15,352	6,561	3,424	18,776	340	195	80	116	285	
92	Pneumonia (total)	54,187	45,958	27,725	18,233	8,229	35,954	1,012	767	326	475	982	
	Lobar pneumonia	24,972	21,333	15,544	5,789	3,639	19,183	500	301	151	134	318	
	Pneumonia (undefined)	29,215	24,625	12,181	12,444	4,590	16,771	512	466	175	341	664	
93	Pleurisy	2,150	1,890	1,245	645	260	1,505	50	28	7	7	34	
94	Pulmonary congestion, pulmonary apoplexy.	2,499	2,180	1,189	991	319	1,508	54	54	6	12	46	
95	Gangrene of the lung	138	123	77	46	15	92	7	7	1	1	2	
96	Asthma	1,454	1,228	647	581	226	873	35	20	15	22	17	
97	Pulmonary emphysema	166	149	73	76	17	90	5	1		1	1	
98	Other diseases of the respiratory system (tuberculosis excepted).	1,179	1,031	487	544	148	635	16	22	16	46	11	
	V.—Diseases of the digestive system.	104,801	90,732	53,772	36,960	14,069	67,841	1,796	1,275	480	719		
99	Diseases of the mouth and annexa	423	361	184	177	62	246	5	7	2	3		
100	Diseases of the pharynx	840	772	384	388	68	452	13	10	5	19		
101	Diseases of the esophagus	120	103	59	44	17	76	7	2				
102	Ulcer of the stomach	2,203	1,924	1,211	713	279	1,490	82	41	17	19		
103	Other diseases of the stomach (cancer excepted).	8,403	7,494	3,434	4,060	909	4,343	146	132	37	60		
104	Diarrhea and enteritis (under 2 years)	54,266	47,197	29,712	17,485	7,069	36,781	499	437	192	33		
105	Diarrhea and enteritis (2 years and over)	8,914	7,676	3,682	3,994	1,238	4,920	135	145	28	6		
106	Ankylostomiasis	9	4	1	3	5	6	1					
107	Intestinal parasites	76	61	24	37	15	39	1	2				
108	Appendicitis and typhlitis	6,128	5,154	3,528	1,626	974	4,502	195	67	65	6		
109	Hernia, intestinal obstruction (total)	6,678	5,775	3,493	2,282	903	4,396	188	110	41	4		
	Hernia	2,192	1,883	1,255	628	309	1,564	67	32	12			
	Intestinal obstruction	4,486	3,892	2,238	1,654	594	2,832	121	78	29	3		
110	Other diseases of the intestines	1,571	1,356	703	653	215	918	42	32	7	1		
111	Acute yellow atrophy of the liver	224	190	89	101	34	123	5	10	1			
112	Hydatid tumor of the liver	24	19	16	3	5	21	2					
113	Cirrhosis of the liver	7,485	6,352	4,042	2,310	1,133	5,175	285	157	37			
114	Biliary calculi	1,501	1,277	714	563	224	938	36	15	14			
115	Other diseases of the liver	3,092	2,628	1,296	1,332	464	1,760	85	58	18			
116	Diseases of the spleen	96	85	40	45	11	51	4	2				
117	Simple peritonitis (nonpuerperal)	2,419	2,019	967	1,052	400	1,367	49	46	14			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	329	285	193	92	44	237	16	2	2			

[1] Including District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		Detailed Ind. List No.
							Cities.			Rural districts.							
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
16	10	6	52	114	5	31	29	16	13	34	25	9	80	83	51	75	69
			1	2	3	2	4	4		4	1	3	17	4	5	6	70
25	12	13	17	34	15	31	128	79	49	80	47	33	161	53	182	208	71
			1	6						3	3		8	2	5	5	72
4	4		5	8	3	6	8	7	1	7	6	1	12	3	11	20	73
14	12	2	27	58	11	40	32	29	3	36	26	10	146	46	50	61	74
													2		1	2	75
1		1	22		8	9	17	15	2	6	4	2	74	13	18	27	76
932	586	346	1,532	[illegible]	[illegible]	335	1,334	1,008	326	811	631	180	6,155	2,198	1,944	3,469	
7	4	3	14	[illegible]	[illegible]	[illegible]	5	3	2	5	4	1	21	5	13	27	77
46	19	27	64	72	[illegible]	[illegible]	61	44	17	20	15	5	348	69	100	62	78
705	434	271	1,149	2,563	[illegible]	[illegible]	1,035	756	279	673	522	151	4,391	1,613	1,474	2,830	79
28	20	8	66	171	[illegible]	[illegible]	56	53	3	23	22	1	198	78	68	156	80
121	92	29	199	348	[illegible]	[illegible]	[illegible]	115	16	70	56	14	1,009	377	220	295	81
18	14	4	23	48	15	[illegible]	[illegible]	21	1	7	5	2	116	42	46	51	82
3	1	2	10	11	3	[illegible]	[illegible]	6	3	5	2	3	34	4	8	11	83
1		1	1	4	1					1	1		15	3	4	12	84
3	2	1	6	10	5	[illegible]			5	7	4	3	23	7	11	25	85
794	374	420	1,331	2,252	432	1,182	[illegible]	[illegible]	358	1,044	721	323	5,944	1,416	1,904	2,053	
			2	4	1		1	1		3	1	2	6		2	3	86
2	1	1	11	23	4	10	3	2	1	8	6	2	34	11	25	35	87
1	1		3	9	1	2				1	1		13	5	7	3	88
72	29	43	91	145	28	103	94	72	22	87	57	30	488	107	178	260	89
49	37	12	74	156	11	69	92	82	10	66	53	13	284	137	145	163	90
150	75	75	355	499	76	178	368	268	100	188	126	62	1,282	245	457	296	91
428	186	242	710	1,285	258	725	770	565	205	611	414	197	3,534	821	895	1,023	92
171	94	77	392	533	31	86	399	294	105	128	94	34	1,312	237	386	217	
257	92	165	318	752	227	639	371	271	100	483	320	163	2,222	534	509	806	
12	7	5	26	40	7	20	31	27	4	15	11	4	121	28	48	65	93
44	28	16	6	29	36	45	54	47	7	33	28	5	100	38	56	98	94
	3	2	1	3	2	1	5	5		2	2		3	1	4	5	95
800	2	6	40	43	2	10	20	14	6	11	9	2	26	11	45	48	96
13			1	3	2	3	1	1		2	2		6		3	4	97
50	5	18	11	19	4	16	17	14	3	17	11	6	47	12	39	44	98
48																	
[illegible]	[illegible]	[illegible]	339	1,694	435	992	1,300	1,000	300	1,136	805	331	5,825	1,149	2,318	3,138	
43	8	11	2	10	15	2	4	4	4		16	8	8	26	6	7	15	99
600	8	55		16	32	1	9	7	4	3	10	8	2	50	4	26	34	100
	12			2	4			2	2					10	1	3	6	101
	30		9	35	62	8	19	16	12	4	15	12	3	133	23	40	59	102
	111	2	63	132	315	36	149	128	85	43	157	105	52	355	128	225	371	103
			179	851	1,265	203	447	699	522	177	642	453	189	3,544	567	1,077	1,273	104
			19	147	355	33	109	105	78	27	91	74	17	336	138	182	356	105
																		106
			1		3		2	1	1		4	1	3	2	1			107
			10	116	143	47	45	75	60	15	25	15	10	338	33	180	179	108
			22	114	187	40	65	96	82	14	50	35	15	348	67	173	217	109
			6	30	46	11	13	32	29	3	14	11	3	142	17	48	60	
			16	84	141	29	52	64	53	11	36	24	12	206	50	125	157	
							19	18	15	3	17	13	4	69	19	52	65	110
							1	2	2		3	3		8	1	2	5	111
														2				112
							84	80	72	8	45	35	10	265	75	132	213	113
							29	24	24		8	8		79	20	28	53	114
							31	28	3		21	12	9	94	31	[illegible]	139	115
											2	2		5	2	[illegible]	9	116
							9	6			30	21	9	138	31	[illegible]	133	117
							3	3						23	2	[illegible]	11	118

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,00

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in other states.	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	62,559	53,251	32,660	20,591	9,308	41,968	1,593	924	390	407	941	458
119	Acute nephritis	5,665	4,886	3,230	1,656	779	4,009	126	71	29	36	114	25
120	Bright's disease	47,665	40,464	24,801	15,663	7,201	32,002	1,200	698	275	297	711	373
121	Chyluria	1	1		1								
122	Other diseases of the kidneys and annexa	1,389	1,215	683	532	174	857	31	16	9	9	19	7
123	Calculi of the urinary passages	329	281	167	114	48	215	11	4	1	3	3	2
124	Diseases of the bladder	1,561	1,433	599	834	128	727	37	36	9	14	29	22
125	Diseases of the urethra, urinary abscess, etc.	237	179	133	46	58	191	6	3	1		2	
126	Diseases of the prostate	2,020	1,779	859	920	241	1,100	59	42	16	18	18	12
127	Nonvenereal diseases of the male genital organs.	75	65	39	26	10	50			1	1		2
128	Uterine hemorrhage (nonpuerperal)	81	72	31	41	9	49	3	6	1	2	1	
129	Uterine tumor (noncancerous)	933	764	554	210	169	723	37	10	15	5	7	7
130	Other diseases of the uterus	774	628	422	206	146	568	24	11	8	4	12	3
131	Cysts and other tumors of the ovary	500	432	290	142	68	358	14	9	10	5	8	2
132	Salpingitis and other diseases of the female genital organs.	1,298	1,029	837	192	269	1,106	41	17	15	13	17	3
133	Nonpuerperal diseases of the breast (cancer excepted).	31	23	15	8	8	23						
	VII.—The puerperal state	8,455	7,394	4,271	3,123	1,061	5,332	151	138	66	88	101	47
134	Accidents of pregnancy	877	760	454	306	117	571	13	24	8	10	9	11
135	Puerperal hemorrhage	754	680	374	306	74	448	19	15	5	9	6	3
136	Other accidents of labor	820	743	380	363	77	457	13	14	9	6	8	5
137	Puerperal septicemia	3,892	3,334	2,029	1,305	558	2,587	53	54	35	51	51	14
138	Puerperal albuminuria and convulsions.	1,824	1,614	889	725	210	1,099	42	28	7	9	22	11
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	230	212	127	85	18	145	11	2	2	2	5	1
140	Following childbirth (not otherwise defined).	53	47	15	32	6	21		1		1		2
141	Puerperal diseases of the breast	5	4	3	1	1	4						
	VIII.—Diseases of the skin and of the cellular tissue.	3,008	2,690	1,322	1,368	318	1,640	73	52	14	15	51	20
142	Gangrene	1,748	1,599	694	905	149	843	47	34	9	5	32	14
143	Furuncle	273	239	151	88	34	185	9	4	2	1	1	
144	Acute abscess	506	439	274	165	67	341	7	4	2	4	11	4
145	Other diseases of the skin and annexa	481	413	203	210	68	271	10	10	1	5	7	2
	IX.—Diseases of the bones and of the organs of locomotion.	1,317	1,165	822	343	152	974	34	11	10	5	13	2
146	Diseases of the bones (tuberculosis excepted).	1,145	1,013	725	288	132	857	31	8	8	4	12	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).	119	102	71	31	17	88				1	1	1
148	Amputations	7	5	4	1	2	6	1					
149	Other diseases of the organs of locomotion	46	45	22	23	1	23	2	3	2			
	X.—Malformations	7,998	7,258	3,911	3,347	740	4,651	161	133	47	75	114	49
150	Congenital malformations (stillbirths not included) (total).	7,998	[illegible]	3,911	3,347	740	4,651	161	133	47	75	114	49
	Hydrocephalus	685	590	330	260	95	425	12	10	2	5	9	5
	Congenital malformations of the heart	4,821	4,385	2,394	1,991	436	2,830	97	86	35	52	66	30
	Other congenital malformations	2,492	2,283	1,187	1,096	209	1,396	52	37	10	18	39	14
	XI.—Early infancy	39,388	35,020	21,014	14,006	4,368	25,382	648	415	222	354	745	273
151	Congenital debility, icterus, and sclerema (total).	32,350	28,790	17,072	11,718	3,560	20,632	540	340	191	288	576	224
	Premature birth	20,275	18,038	10,703	7,335	2,237	12,940	391	257	126	182	344	132
	Congenital debility, "atrophy," "marasmus," etc.	12,075	10,752	6,369	4,383	1,323	7,692	149	83	65	106	232	92
152	Other causes peculiar to early infancy (total).	6,906	6,120	3,888	2,232	786	4,674	105	73	31	65	166	49
	Injuries at birth	3,725	3,313	2,142	1,171	412	2,554	78	39	20	32	92	27
	Other causes peculiar to early infancy[2]	3,181	2,807	1,746	1,061	374	2,120	27	34	11	33	74	22
153	Lack of care	132	110	54	56	22	70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	XII.—Old age	13,604	12,218	4,655	7,563	1,386	5,041	277	274	74	134	133	94
154	Senility	13,604	12,218	[illegible]	7,563	1,386	5,041	277	274	74	134	133	94
	XIII.—External causes	57,196	49,855	[illegible]	22,760	7,341	34,436	1,641	1,565	[illegible]	[illegible]	[illegible]	[illegible]
	Suicide (total)	8,590	7,309	[illegible]	2,796	1,281	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
155	By poison	2,456	1,964	[illegible]	637	492	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
156	By asphyxia	941	785	[illegible]	55	156	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
157	By hanging or strangulation	1,265	1,163	[illegible]	628	102	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
158	By drowning	517	463	[illegible]	214	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
159	By firearms	2,561	2,181	[illegible]	971	380	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
160	By cutting or piercing instruments	544	476	[illegible]	191	68	355	36	29	4	11	26	6
161	By jumping from high places	137	119	[illegible]	13	18	124	3	2	2			
162	By crushing	88	84	[illegible]	41	4	47	6	9				
163	Other suicides	81	74	[illegible]	46	7	35	4	4				

[1] Including District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES Continued.

[50,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		Detailed Int. List No.
							Cities.			Rural districts.							
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
613	377	236	982	1,739	268	674	1,186	934	252	668	503	165	2,759	817	996	1,473	
58	29	29	82	121	30	55	112	73	39	43	28	15	212	54	90	115	119
479	299	180	681	1,330	181	530	950	762	188	559	425	134	2,084	631	664	1,066	120
																	121
12	10	2	22	51	9	16	15	15		11	7	4	81	21	32	59	122
3	2	1	7	9	1	2	8	6	2	6	5	1	18	3	7	11	123
5	3	2	23	53	7	26	14	12	2	15	12	3	65	46	43	69	124
2		2	3	2	2	1	4	3	1	1	1		16	4	4	2	125
18	14	4	43	96	11	24	17	16	1	9	8	1	83	32	43	71	126
			1	3		1	3	1	2				4		3	2	127
			1	1		2	1	1		3	1	2	6	2	2	5	128
12	6	6	32	14	5	4	20	13	7	5	5		48	10	26	22	129
8	7	1	10	15	10	10	13	10	3	5	3	2	42	6	29	27	130
3	2	1	18	16	3	2	7	6	1	6	4	2	32	6	12	11	131
13	5	8	59	28	9	1	22	16	6	5	4	1	65	2	40	12	132
													3		1	1	133
70	35	35	161	288	27	83	101	75	26	90	60	30	344	68	192	282	
11	9	2	14	28	3	5	14	10	4	11	8	3	39	4	26	24	134
7	4	3	10	21		7	9	8	1	14	10	4	32	9	14	29	135
			9	32	2	15	11	9	2	10	5	5	33	9	19	34	136
40	17	23	103	134	16	30	37	27	10	35	23	12	148	18	86	110	137
11	4	7	23	65	5	23	30	21	9	19	13	6	70	23	39	72	138
1	1		2	7	1	2							22	5	6	8	139
				1		1				1	1				2	5	140
																	141
20	8	12	36	106	18	52	52	41	11	25	17	8	153	46	70	134	
13	3	10	23	73	16	38	25	15	10	15	8	7	73	25	40	102	142
5	4	1	2	8		5	7	7		2	2		18	4	3		143
1	1		2	9	1	4	16	15	1	5	4	1	38	9	16	12	144
1		1	9	16	1	5	4	4		3	3		24	8	11	20	145
16	11	5	20	39	4	12	23	21	2	12	10	2	98	16	39	26	
15	10	5	20	31	3	10	20	18	2	11	9	2	81	10	31	24	146
1	1			4	1	2	2	2					13	5	7	2	147
													1				148
				4			1	1		1	1		3	1	1		149
29	23	6	159	297	19	60	80	70	10	63	52	11	469	110	168	281	
29	23	6	159	297	19	60	80	70	10	63	52	11	469	110	168	281	150
4	3	1	11	16	2	10	6	5	1	6	5	1	50	7	11	31	
18	14	4	105	170	8	25	55	48	7	34	29	5	277	74	93	145	
7	6	1	43	111	9	25	19	17	2	23	18	5	142	29	64	105	
308	180	188	532	1,051	136	404	739	553	186	421	299	122	2,484	514	1,144	1,188	
211	91	120	334	825	103	360	658	492	166	361	255	106	2,020	433	1,005	989	151
115	62	53	78	77	46	202	266	191	75	139	110	29	1,270	243	524	590	
96	27	14	119	221	57	158	392	301	91	222	145	77	750	190	481	399	
79	17	7	70	97	35	44	79	61	18	58	43	15	457	80	137	197	152
27	10	7	49	124	12	20	53	42	11	24	20	4	249	44	82	105	
		1	1	5	21	24	26	19	7	34	23	11	208	36	55	92	
							2		2	2	1	1	7	1	2	2	153
122	54	121	306	83	491	200	175	25	254	180	74	437	344	487	986		
122	54	121	306	83	491	200	175	25	254	180	74	437	343	487	986		
221	120	1,001	1,519	186	424	606	505			366	136	2,291	444	1,[illegible]	1,545		154
72	8	180	201	15		86	84			42	6	318			138		
19	1	105	59	3		28	28			6		61			56		155
19	1	8		1		10	10					65			42		156
9	1	14	50			8	8			9	2	47			43		157
3		8	14			4	4			3	3	20			6		158
14	5	33	63			26	26			20	1	44			53		159
5		6				5	5			2		8			11		160
3		2				1	1			1		1			1		161
		2				1	1					2			1		162
		2				1	1			1	1	2			5		163

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in other states.	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	45,416	40,361	21,160	19,201	5,055	26,215	1,073	1,176	215	900	586	273
164	Poisoning by food	157	145	67	78	12	79	9	14	1			1
165	Other acute poisonings	1,227	1,080	548	532	147	695	32	26	17	20	15	13
166	Conflagration	745	623	352	271	122	474	14	16	1	4	11	2
167	Burns (conflagration excepted)	4,182	3,575	2,270	1,305	607	2,877	79	63	16	23	64	22
168	Absorption of deleterious gases (conflagration excepted).	1,379	1,093	925	168	286	1,211	58	5	4	11	28	
169	Accidental drowning	4,818	4,441	2,050	2,391	377	2,427	117	158	4	53	64	57
170	Traumatism by firearms	1,161	998	327	671	163	490	26	69	11	36	6	
171	Traumatism by cutting or piercing instruments.	89	79	48	31	10	58	2	2			1	
172	Traumatism by fall	8,305	7,424	4,459	2,965	881	5,340	198	141	33	40	151	6
173	Traumatism in mines and quarries (total).	2,484	2,428	557	1,871	56	613	9	52	3	404	2	
	Traumatism in mines	2,366	2,318	524	1,794	48	572	2	45	3	403		
	Traumatism in quarries	118	110	33	77	8	41	7	7		1	2	
174	Traumatism by machines	1,299	1,145	707	438	154	861	36	34	6	24	10	
175	Traumatism by other crushing (total)	13,302	11,639	6,179	5,460	1,663	7,842	378	387	88	178	164	
	Railroad accidents and injuries	7,877	7,011	3,307	3,704	866	4,173	139	215	63	115	83	
	Street-car accidents and injuries	1,949	1,568	1,181	387	381	1,562	114	30	3	2	33	
	Automobile accidents and injuries.	980	834	575	259	146	721	50	36	7	9	25	
	Injuries by other vehicles	1,940	1,733	915	818	207	1,122	57	88	11	47	21	
	Landslide, other crushing	556	493	201	292	63	264	18	18	4	5	2	
176	Injuries by animals	502	467	168	299	35	203	17	36	9	9	8	
177	Starvation	38	34	15	19	4	19	4	2		1		
178	Excessive cold	254	247	66	181	7	73	1	5	1	18	3	
179	Effects of heat	826	734	460	274	92	552	3	22		3	10	
180	Lightning	156	150	12	138	6	18				23		1
181	Electricity (lightning excepted)	478	425	223	202	53	276	18	25	2	9	5	1
185	Fractures (cause not specified)	623	570	284	286	53	337	21	11	1	3	10	1
186	Other external violence	3,391	3,064	1,443	1,621	327	1,770	51	108	18	41	34	20
	Homicide (total)	3,190	2,185	1,422	763	1,005	2,427	146	115	37	57	18	9
182	By firearms	1,852	1,190	753	437	662	1,415	82	63	20	41	7	2
183	By cutting or piercing instruments	452	292	187	105	160	347	11	22	7	11	1	3
184	By other means	886	703	482	221	183	665	53	30	10	5	10	4
	XIV.—Ill-defined diseases	12,462	10,834	4,975	5,859	1,628	6,603	70	133	12	52	185	78
187	Ill-defined organic disease	622	486	124	362	136	260	6	17	1	3	2	1
188	Sudden death	271	255	72	183	16	88		3			1	2
189	Not specified or ill-defined (total)	11,569	10,093	4,779	5,314	1,476	6,255	64	113	11	49	182	75
	Ill-defined	9,932	8,702	4,497	4,205	1,230	5,727	55	88	11	39	168	66
	Not specified or unknown	1,637	1,391	282	1,109	246	528	9	25		10	14	9

[1] Including District of Columbia.



IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		Detailed Int. List No.
							Cities.			Rural districts.							
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
233	137	96	748	1,271	165	347	499	404	95	434	317	117	1,894	524	814	1,336	
			2	7			1		1	3	3		3		1	7	164
8	4	4	30	42	8	16	10	10		15	11	4	44	14	26	49	165
2		2	4	8	2	8	7	4	3	2	1	1	30	4	10	17	166
24	11	13	70	103	20	19	92	63	29	43	26	17	223	28	88	93	167
20	15	5	25	5	5	3	17	17		1	1		83	3	28	10	168
32	13	19	44	89	31	92	51	32	19	78	53	25	196	114	83	176	169
3	2	1	20	42	8	16	10	6	4	21	9	12	12	7	18	63	170
1		1	2	2	1	1	2	1	1	1	1		3	1	1	2	171
62	46	16	127	261	29	57	89	83	6	39	27	12	491	131	118	204	172
			14	48		3	1	1		8	7	1	2	2	24	126	173
			14	47			1	1		7	7			1	24	126	
				1		3				1		1	2	1			
3	1	2	29	26	2	10	17	13	4	6	5	1	68	9	19	35	174
48	31	17	287	409	39	67	135	120	15	96	77	19	504	134	263	300	175
9	8	1	174	239	27	33	74	69	5	73	60	13	250	87	148	168	
20	12	8	58	79	6	3	32	27	5	9	7	2	104	15	49	27	
7	6	1	21	12	1	6	7	7		2	1	1	55	13	34	16	
10	5	5	26	71	4	21	19	15	4	7	5	2	83	13	30	70	
2		2	8	8	1	4	3	2	1	5	4	1	12	6	2	19	
5	3	2	3	42	1	3	3	3		6	6		13	6	7	28	176
				1									1		1	2	177
3		3	2	8	1	4	2	2		3		3	5	5	4	12	178
6	2	4	7	15	1	3	11	6	5	13	7	6	21	8	19	26	179
			2	21		2				5	4	1	1	3		10	180
2	2		22	9	1	1	9	8	1	2	1	1	13	10	14	7	181
			8	16	2	5	7	7		26	23	3	16	8	21	31	185
14	7	7	50	117	14	37	35	28	7	66	55	11	165	37	69	138	186
28	12	16	73	47	6	7	21	17	4	20	7	13	79	11	45	26	
13	5	8	45	30	2	4	12	10	2	12	6	6	30	5	25	11	182
4	1	3	8	4	1	2	6	5	1	1		1	10	2	6	2	183
11	6	5	20	13	3	1	3	2	1	7	1	6	39	4	14	13	184
98	52	46	36	64	79	297	336	240	96	486	284	202	531	135	419	503	
			2	7	2	12	7	2	5	25	18	7	4		25	51	187
1	1		1	2	19	8	1	1		19	16	3	6	3	3	9	188
97	51	46	33	55	58	277	328	237	91	442	250	192	521	132	391	443	189
97	51	46	26	44	45	152	323	233	90	363	221	142	489	124	354	349	
			7	11	13	125	5	4	1	79	29	50	32	8	37	94	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	MINNESOTA.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.		
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.		
												Total.	White.	Colored.
	All causes	8,193	14,456	1,527	2,472	3,061	4,391	26,530	12,974	110,283	37,395	3,075	1,561	1,514
	I.—General diseases	2,714	4,130	496	608	642	984	7,174	3,392	30,247	9,007	1,036	551	485
1	Typhoid fever	319	349	69	82	20	26	247	124	1,023	374	84	46	38
2	Typhus fever							1						
3	Relapsing fever													
4	Malaria		2				1	9	17	50	32	42	13	29
5	Smallpox	4	6	1	1					6	2	1	1	
6	Measles	93	154	6	10	6	23	185	68	1,041	229	36	25	11
7	Scarlet fever	160	141	28	33	4	4	211	70	1,447	207	5	4	1
8	Whooping cough	35	120	16	25	18	24	291	134	526	217	18	9	9
9	Diphtheria and croup	293	250	26	35	41	36	536	211	2,193	242	20	15	5
10	Influenza	14	84	8	16	23	70	158	154	532	686	49	25	24
11	Miliary fever													
12	Asiatic cholera													
13	Cholera nostras	3	52	1			4	8	10	33	36	1	1	
14	Dysentery	21	102	5	12	17	21	83	56	216	179	54	29	25
15	Plague													
16	Yellow fever													
17	Leprosy		1							1				
18	Erysipelas	34	45	7	7	7	14	95	34	383	95	4	4	
19	Other epidemic diseases	1	3	6	7		1	5	5	24	13	2	1	1
20	Purulent infection and septicemia	36	44	11	6	8	9	49	27	131	58	10	6	4
21	Glanders									4				
22	Anthrax									2				
23	Rabies					1	1	4	3	8		1	1	
24	Tetanus	11	25	2	5	2	4	45	21	91	40	21	3	18
25	Mycoses	1								4	1			
26	Pellagra		2							2	2	70	46	24
27	Beriberi													
	Tuberculosis (total)	901	1,369	154	186	269	316	3,189	1,451	13,273	3,243	458	228	230
28	Tuberculosis of the lungs	720	1,086	131	156	208	269	2,668	1,257	11,291	2,814	395	196	199
29	Acute miliary tuberculosis	34	43	4	4	8	6	106	28	326	57	15	9	6
30	Tuberculous meningitis	63	98	7	7	24	7	220	65	994	131	14	10	4
31	Abdominal tuberculosis	41	59	4	4	15	13	94	38	287	109	21	8	13
32	Pott's disease	10	16	4	1	1	2	29	20	120	31	4	2	2
33	White swellings	6	10		2			16	5	58	17			
34	Tuberculosis of other organs	14	31	1	2	8	10	28	13	130	46	7	1	6
35	Disseminated tuberculosis	13	26	3	10	5	4	28	25	67	38	2	2	
36	Rickets	5	6		2		1	21	5	70	12	3	1	2
37	Syphilis	39	23	2	11	6	3	71	31	610	70	15	2	13
38	Gonococcus infection	3	1	1	1		1	6	4	37	1	1		1
	Cancer and other malignant tumors (total).	493	907	76	81	131	293	1,233	658	5,587	2,139	93	62	31
39	Of the buccal cavity	23	40	2	1	8	9	36	20	198	73			
40	Of the stomach, liver	214	465	40	35	39	114	482	246	2,198	869	27	19	8
41	Of the peritoneum, intestines, rectum.	51	117	5	5	14	46	160	84	903	285	9	8	1
42	Of the female genital organs	72	67	10	10	23	45	231	104	819	287	20	12	8
43	Of the breast	38	59	3	10	13	29	116	78	512	241	5	1	4
44	Of the skin	12	28	2	5	6	23	14	24	120	102	1	1	
45	Of other organs or of organs not specified.	83	131	14	15	28	27	194	102	837	282	31	21	10
46	Other tumors (tumors of the female genital organs excepted).	1	7	1	1	2	9	14	13	51	27	4	1	3
47	Acute articular rheumatism	42	62	11	14	10	8	139	46	470	141	6	1	5
48	Chronic rheumatism and gout	6	24		3	3	2	13	13	61	49	2	1	1
49	Scurvy							3	4	7	2			
50	Diabetes	75	168	19	19	35	45	292	141	1,250	444	15	9	6
51	Exophthalmic goiter	8	17	4	3	2		21	2	79	37	2	2	
52	Addison's disease	3	5		1	3	1	7	1	21	11			
53	Leukemia	14	26	1	3	2	7	31	6	114	42	1	1	
54	Anemia, chlorosis	28	55	5	7	16	27	59	26	237	183	9	5	4
55	Other general diseases	17	26	4	3	9	11	31	15	128	68	6	6	
56	Alcoholism (acute or chronic)	54	52	28	28	7	18	111	42	495	104	3	3	
57	Chronic lead poisoning		1	1			3	4		22	5			
58	Other chronic occupation poisonings													
59	Other chronic poisonings		1	3	6		1	2		18	16			
	II.—Diseases of the nervous system and of the organs of special sense.	597	1,392	91	241	429	596	2,301	1,760	7,982	5,019	270	154	116
60	Encephalitis	9	12		2	5	1	21	9	46	32	1	1	
61	Meningitis (total)	87	118	20	29	83	44	312	115	864	288	35	19	16
	Simple meningitis	58	77	10	14	74	33	218	88	473	217	30	17	13
	Cerebrospinal meningitis (undefined).	28	28	10	14	9	11	88	25	368	67	4	2	2
	Cerebrospinal fever	1	13		1			6	2	23	4	1		1
62	Locomotor ataxia	14	17		2	8	15	36	27	174	72	2	2	
63	Other diseases of the spinal cord (total)	53	221	6	22	17	35	82	68	388	238	4	3	1
	Acute anterior poliomyelitis	19	178	4	13	9	10	22	28	93	77	2	2	
	Other diseases of the spinal cord [2]	34	43	2	9	8	25	60	40	295	161	2	1	1
64	Cerebral hemorrhage, apoplexy	294	593	43	69	172	339	1,337	934	4,445	2,929	91	50	41

[1] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA—contd.			OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Rural districts.[1]			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.															
3,677	2,167	1,510	31,921	33,538	61,935	57,880	7,571	1,734	1,553	2,519	774	4,930	5,803	5,699	10,319	17,751	
1,262	709	553	8,976	9,433	15,150	13,571	2,014	380	403	553	199	1,166	1,755	1,572	2,969	4,591	
125	82	43	521	793	919	973	64	10	56	83	12	38	161	163	340	204	1
			1														2
					1												3
78	39	39	12	28	22	28	3	2				3	1		2		4
5	3	2	4	9	5	3			1	1			3	5	1	2	5
62	50	12	398	389	582	655	143	35	3	2	1	23	25	51	69	119	6
3	3		176	112	546	548	19	3	46	62	4	7	45	36	140	169	7
44	25	19	287	304	584	530	48	3	6	58	19	33	77	100	70	113	8
47	33	14	350	235	1,129	1,106	110	24	37	36	9	23	70	75	197	235	9
53	28	25	290	616	453	744	73	26	7	24	6	141	27	27	64	184	10
																	11
																	12
1	1		24	28	43	77	7	1	1	3		6	2		13	35	13
59	35	24	100	295	125	291	28	7	4			23	7	17	37	120	14
																	15
																	16
																1	17
9	7	2	117	103	173	165	15	3	5	16	1	14	16	24	35	48	18
2		2	6	8	17	29	5			1		2	3		2	5	19
15	11	4	77	57	141	127	9	5	5	18	3	9	11	12	40	62	20
																	21
				2	6	1											22
			7	2	8	8									3	1	23
22	4	18	44	39	78	95	6		2	4	2	2	3	4	13	16	24
			1		1	1									3		25
41	35	6		1	3		3					2	2				26
													2	1			27
525	234	291	3,745	3,463	5,898	4,387	865	128	99	67	72	332	651	592	970	1,527	
473	212	261	3,161	2,908	4,991	3,784	730	108	71	56	57	254	488	493	812	1,277	28
14	2	12	91	63	145	83	14	3	6	1	5	12	20	12	25	39	29
9	7	2	196	132	345	136	75	11	6	4	5	27	48	39	52	55	30
17	9	8	159	199	217	183	30	4	7	4	1	21	46	19	36	57	31
3	1	2	21	32	46	31	7		3	2	2	6	13	7	12	20	32
1		1	16	11	19	30	3	1				2	6	1	6	8	33
3	1	2	52	57	84	75	3		4			6	21	9	12	39	34
5	2	3	49	61	51	65	3	1	2		2	4	9	12	15	32	35
7	2	5	14	17	32	18	10			1	1	1	2	2	8	9	36
16	6	10	232	84	234	139	34	6	4	8	2	13	33	21	31	16	37
			14	4	31	3	3				1	1		1		1	38
78	63	15	1,672	1,927	2,720	2,380	387	87	57	77	43	350	339	254	611	1,152	
			53	85	117	90	20	7	3	4	1	12	15	11	26	37	39
23	19	4	682	776	1,076	1,022	124	33	22	35	20	141	153	121	270	573	40
4	4		207	206	346	253	56	20	7	6	7	40	36	25	95	117	41
22	16	6	294	252	444	324	71	6	8	4	6	50	51	25	74	93	42
7	4	3	122	203	262	251	40	7	4	3	3	40	24	19	38	78	43
1	1		50	134	62	114	15	5	3	5	2	16	5	15	15	53	44
21	19	2	264	271	413	326	61	9	10	20	4	51	55	38	93	201	45
7	4	3	12	26	29	26	5		3	4		4	9	1	6	14	46
13	7	6	151	166	250	264	19	6	8	27		6	26	20	57	102	47
2	1	1	32	36	43	43	6		5	1		9	2	6	7	27	48
			4		8	5								2			49
15	13	2	309	343	566	420	81	24	24	29	11	65	66	58	110	199	50
1		1	30	31	47	36	3		4	1		6	9	4	11	20	51
2	2		16	12	17	10	1		2			1	5	3		7	52
2	1	1	27	50	54	46	10		2	3	1	1	15	9	17	30	53
7	2	5	118	120	137	146	19	2	4	4	7	24	25	14	41	74	54
11	9	2	41	49	65	90	12	2	3	12		10	23	13	17	39	55
7	6	1	126	64	158	157	26	6	8	10	4	10	92	55	48	54	56
			10	4	15	7						3	2		2	3	57
			1		1	1											58
3	3		7	16	9	12			7	1		4	1	2	4	3	59
308	207	101	2,978	4,254	5,190	6,536	708	178	114	209	81	621	510	582	994	2,151	
3	2	1	31	35	59	66	2	3	2	3	1	4	16	3	7	17	60
47	35	12	377	368	424	460	60	14	22	24	9	34	41	36	149	216	61
39	30	9	257	248	350	364	34	9	16	19	5	17	12	12	114	164	
7	5	2	113	116	64	89	25	5	4	3	4	17	17	17	35	51	
1		1	7	4	10	7	1		2	2			12	7		1	
2	1	1	65	94	82	100	11	1	2			11	10	9	12	39	62
7	4	3	115	228	273	362	54	12	6	9	4	38	65	51	53	89	63
1		1	26	50	93	176	34	10	4	3		9	43	38	14	29	
6	4	2	89	178	180	186	20	2	2	6	4	29	22	13	39	60	
112	72	40	1,463	2,027	2,718	3,216	399	114	49	85	53	393	260	271	386	956	64

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	MINNESOTA.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.		
												Cities.		
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.													
65	Softening of the brain	5	8	4	4	5	7	26	17	44	71	3	3	
66	Paralysis without specified cause	28	113	3	14	43	69	124	231	382	515	79	42	37
67	General paralysis of the insane	13	41	2	30	17	9	48	112	329	355	3	3	
68	Other forms of mental alienation	9	30	1	30	22	11	30	76	109	89	13	13	
69	Epilepsy	17	54	2	12	13	17	38	66	201	117	10	6	4
70	Convulsions (nonpuerperal)		6	1	1		5	3	1	8	7			
71	Convulsions of infants	34	113	3	10	31	17	166	65	516	153	14	4	10
72	Chorea		5	1				5	2	11	6			
73	Neuralgia and neuritis	3	6		2	1	4	7	8	56	29	2		2
74	Other diseases of the nervous system	19	38	5	9	3	20	45	22	220	95	11	7	4
75	Diseases of the eyes and their annexa		1				2			8	3			
76	Diseases of the ears	12	16		5	4	1	21	7	181	20	2	1	1
	III.—Diseases of the circulatory system.	871	1,381	122	227	386	732	2,911	1,624	13,523	6,416	249	113	136
77	Pericarditis	6	4	2	2	3	8	16	13	63	26	2	1	1
78	Acute endocarditis	90	66	11	19	16	13	199	67	1,039	111	5	2	3
79	Organic diseases of the heart	612	1,086	88	169	279	586	2,252	1,252	10,144	4,939	202	87	115
80	Angina pectoris	24	46	7	6	26	35	85	71	378	284	9	5	4
81	Diseases of the arteries, atheroma, aneurism, etc.	86	142	10	22	45	70	260	163	1,529	865	17	12	5
82	Embolism and thrombosis	38	23	3	5	11	16	74	44	250	152	5	1	4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	5	6	1	1	2	3	7	3	59	19	1	1	
84	Diseases of the lymphatic system (lymphangitis, etc.).	4	3		1	3		13	6	40	7	3	2	1
85	Hemorrhage; other diseases of the circulatory system.	6	5		2	1	1	5	5	21	13	5	2	3
	IV.—Diseases of the respiratory system.	882	1,433	161	213	379	515	3,684	1,482	16,944	4,047	374	184	210
86	Diseases of the nasal fossae	2	8		2	1	2			10	1	1	1	
87	Diseases of the larynx	6	11	4	8		4	21	13	74	32	2	1	1
88	Diseases of the thyroid body	6	9	1	1	1		2	3	25	13			
89	Acute bronchitis	43	85	9	18	52	32	252	111	1,201	289	24	15	9
90	Chronic bronchitis	43	102	4	6	17	47	158	86	726	300	18	5	13
91	Bronchopneumonia	292	419	33	41	77	60	990	306	6,036	909	24	12	12
92	Pneumonia (total)	435	660	92	116	197	307	2,021	840	7,977	2,182	269	113	156
	Lobar pneumonia	292	466	54	43	29	34	1,039	307	6,216	878	22	15	7
	Pneumonia (undefined)	143	194	38	73	168	273	982	533	1,761	1,304	247	98	149
93	Pleurisy	15	36	7	4	5	12	76	32	411	83	5	3	2
94	Pulmonary congestion, pulmonary apoplexy.	16	26	5	5	24	35	108	51	234	132	17	8	9
95	Gangrene of the lung		2					3	1	18	6	1		1
96	Asthma	15	48	3	5	4	6	32	12	128	42	7	4	3
97	Pulmonary emphysema	1	4				1	1	7	18	13	1	1	
98	Other diseases of the respiratory system (tuberculosis excepted).	8	23	3	7	1	9	20	20	86	45	5	1	4
	V.—Diseases of the digestive system.	1,031	1,859	216	292	441	419	3,647	1,550	14,245	3,888	403	224	179
99	Diseases of the mouth and annexa	3	2	1		1	2	15	8	37	18	2		2
100	Diseases of the pharynx	5	14	2	3	3	4	25	17	88	46			
101	Diseases of the esophagus	2	3				1	2	1	16	7			
102	Ulcer of the stomach	35	55	3	2	10	8	62	20	349	104	8	7	1
103	Other diseases of the stomach (cancer excepted).	50	146	17	20	45	71	217	160	571	521	52	21	31
104	Diarrhea and enteritis (under 2 years)	521	820	85	141	259	153	2,178	826	8,266	1,474	199	113	86
105	Diarrhea and enteritis (2 years and over.)	77	223	8	23	28	54	233	175	903	492	51	30	21
106	Ankylostomiasis													
107	Intestinal parasites	1	1					2	1	9	5			
108	Appendicitis and typhlitis	131	189	40	25	19	16	188	54	934	143	18	13	5
109	Hernia, intestinal obstruction (total)	82	149	19	26	25	30	200	66	913	298	14	8	6
	Hernia	32	39	3	7	5	10	78	26	362	79	6	5	1
	Intestinal obstruction	50	110	16	19	20	20	122	40	551	219	8	3	5
110	Other diseases of the intestines	21	31	4	5	3	8	51	31	152	81	8	3	5
111	Acute yellow atrophy of the liver	3	7				1	6	5	32	14			
112	Hydatid tumor of the liver							2		7				
113	Cirrhosis of the liver	51	87	20	17	9	20	318	121	1,349	312	16	15	1
114	Biliary calculi	18	38	2	4	6	9	30	15	149	54			
115	Other diseases of the liver	39	51	6	13	15	20	75	34	281	167	13	7	6
116	Diseases of the spleen		4					3	1	8	3			
117	Simple peritonitis (nonpuerperal)	38	35	7	13	24	21	29	10	131	136	20	6	14
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	4	4	2		3	1	11	5	50	13	2	1	1

[1] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA—contd.			OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed List No.
Rural districts.[1]			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.															
9	7	2	32	117	70	88	9		1	1	1	9	3	1	11	18	65
76	54	22	268	689	440	677	37	12	17	16	4	28	33	61	88	228	66
3	2	1	185	94	122	166	50	2	3	6	1	16	11	30	14	68	67
2	1	1	108	113	65	202	19	1	2	13		20	7	47	13	91	68
9	5	4	44	192	125	200	14	3	3	10	2	25	15	24	15	91	69
			4	3	11	27	3			3		2	4	4	7	13	70
17	10	7	137	121	572	746	28	7	2	22	1	15	13	21	193	238	71
2	2		4	7	4	14	1			1			2	2	2	3	72
2	1	1	11	12	19	18	2	1		1		9	5	1	4	11	73
15	9	6	71	106	117	131	12	3	3	13	3	14	16	15	27	61	74
			1	3	4	4									1		75
2	2		62	45	85	59	7	5	2	2	2	3	9	6	12	12	76
272	153	119	3,932	4,873	6,749	6,006	923	203	154	240	117	912	588	533	1,035	2,049	
3		3	26	32	47	50	1	1	1	3	1	4	8	5	5	16	77
8	6	2	278	83	377	151	36	5	16	22	2	13	36	26	53	57	78
233	130	103	2,916	3,845	5,160	4,743	716	161	112	189	85	705	446	412	760	1,550	79
8	8		132	259	251	323	26	14	10	9	9	46	29	33	40	82	80
15	7	8	469	539	712	571	117	22	7	6	17	121	55	41	133	270	81
3	2	1	79	69	141	97	17		4	7	2	21	9	11	31	48	82
			14	15	24	17	6		1		1		3		2	8	83
			10	10	24	18	2		2	1		2	1	1	4	4	84
2		2	8	21	13	36	2		1	3			1	4	7	14	85
394	226	168	3,792	3,264	9,192	7,413	1,025	270	186	373	83	578	536	483	1,210	1,739	
5	1	4	5	8	6	17	2		1	1		1	4	2	2	3	86
3	2	1	30	36	56	96	7	6	2	5	1	5	1	7	14	21	87
			13	15	11	10	1	1	1			1	1		5	7	88
30	14	16	345	197	809	536	108	20	9	28	15	52	16	17	137	147	89
16	10	6	264	230	401	333	44	9	8	21	2	37	25	20	91	176	90
48	28	20	1,052	628	2,745	1,710	244	51	48	61	15	91	174	181	229	246	91
269	160	109	1,828	1,873	4,375	4,009	564	175	102	223	48	362	273	213	629	971	92
38	18	20	1,064	594	2,496	1,075	200	42	71	42	12	76	257	202	132	219	
231	142	89	764	1,279	1,379	2,934	364	133	31	181	36	286	16	11	497	752	
3	2	1	91	56	229	129	25	4	2	6	1	10	9	14	33	42	93
9	6	3	53	90	283	239	14	2	3	12		8	7	11	23	44	94
1		1	6	5	18	7								1	1	3	95
9	3	6	58	75	145	150	8	1	3	3	1	7	14	9	21	42	96
			9	13	17	19	2		2	1			2	2	1	2	97
1		1	38	38	97	158	6	1	5	12		4	10	6	24	35	98
546	360	186	4,571	3,709	9,564	8,995	1,102	259	185	277	110	473	630	497	1,493	2,269	
3	2	1	20	23	35	39	1	1	1	1		1	2	2		10	99
7	5	2	31	38	57	83	9	2	2	4		5	9	9	10	30	100
			5	7	5	5	2					3			2	3	101
4	3	1	103	76	159	86	24	6	9	6	4	17	22	16	41	62	102
54	34	20	276	397	652	938	77	30	7	21	5	61	47	51	116	217	103
300	190	110	2,457	1,580	5,750	5,331	678	159	70	115	50	156	240	195	754	948	104
54	37	17	334	388	702	827	86	21	11	14	8	58	39	59	89	274	105
3	2	1															106
2		2	2		4	13						2				1	107
24	22	2	287	166	457	184	54	2	28	34	17	43	98	44	124	132	108
20	13	7	287	268	528	365	57	10	18	37	15	31	66	41	104	169	109
7	3	4	93	87	195	94	24	2	7	7	7	11	18	5	35	54	
13	10	3	194	181	333	271	33	8	11	30	8	20	48	36	69	115	
11	5	6	73	67	94	111	10	3	1	9	2	10	12	8	21	50	110
3	2	1	6	12	16	19	3			1		1		2	2	2	111
			1	1		1									1	1	112
20	12	8	384	283	595	400	62	14	9	9	1	31	46	29	108	149	113
8	7	1	72	102	130	101	11	4	5	3	4	9	12	13	26	26	114
17	15	2	129	166	215	247	12	3	8	10	2	22	29	22	43	100	115
			2	4	5	6	2					1	1		4	4	116
14	10	4	93	118	131	219	11	4	14	13	2	22	4	5	42	85	117
2	1	1	9	13	29	20	3		2				3	1	6	6	118

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	MINNESOTA.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.		
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.		
												Total.	White.	Colored.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	549	928	97	158	206	358	2,203	1,098	10,313	3,012	195	111	84
119	Acute nephritis	46	86	14	11	22	28	277	99	1,030	272	22	11	11
120	Bright's disease	394	657	70	127	153	277	1,679	889	8,148	2,284	137	84	53
121	Chyluria													
122	Other diseases of the kidneys and annexa.	10	34	1	6	5	9	45	22	187	66	11	5	6
123	Calculi of the urinary passages	1	3	2	1	1	1	3	4	54	15	2	2	
124	Diseases of the bladder	14	37	1	3	13	20	41	34	116	135	6	4	2
125	Diseases of the urethra, urinary abscess, etc.	2			1		1	8	2	40	6	2		2
126	Diseases of the prostate	22	72	1	1	3	14	38	20	206	127	4		4
127	Nonvenereal diseases of the male genital organs.	1	1	1			1	2		12	3			
128	Uterine hemorrhage (nonpuerperal)	1		1		1				4	4	3	2	1
129	Uterine tumor (noncancerous)	12	10		1		6	30	9	158	38	5		5
130	Other diseases of the uterus	15	16	2	3	5		23	8	90	21			
131	Cysts and other tumors of the ovary	8	5		1		1	13	6	49	18	1	1	
132	Salpingitis and other diseases of the female genital organs.	23	6	4	3	3		42	5	214	23	2	2	
133	Nonpuerperal diseases of the breast (cancer excepted).		1					2		5				
	VII.—The puerperal state	95	152	25	37	22	30	303	94	1,105	281	39	16	23
134	Accidents of pregnancy	9	9	3	5	2	1	25	6	117	28			
135	Puerperal hemorrhage	6	17	2	6	3	3	27	8	109	23	4	1	3
136	Other accidents of labor	7	20	2	4	5	5	33	10	105	36	7	3	4
137	Puerperal septicemia	51	63	10	17	5	13	159	32	511	105	8	1	7
138	Puerperal albuminuria and convulsions	19	32	6	3	6	6	54	32	230	80	17	9	8
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	3	7	2	2	1	1	3	5	31	8	1		1
140	Following childbirth (not otherwise defined).		4				1	2	1	2	1	2	2	
141	Puerperal diseases of the breast													
	VIII.—Diseases of the skin and of the cellular tissue.	24	66	5	3	12	33	76	56	307	176	13	5	8
142	Gangrene	11	34	3	3	9	25	42	40	138	123	9	3	6
143	Furuncle	3	5			1	2	7	5	38	9			
144	Acute abscess	4	17	1		1	1	22	6	76	24	3	1	2
145	Other diseases of the skin and annexa.	6	10	1		1	5	5	5	55	20	1	1	
	IX.—Diseases of the bones and of the organs of locomotion.	15	21	5	1	4	4	36	6	276	42	5	3	2
146	Diseases of the bones (tuberculosis excepted).	14	19	4	1	3	3	32	4	249	36	4	2	2
147	Diseases of the joints (tuberculosis and rheumatism excepted).		1	1				3		21	2	1	1	
148	Amputations					1	1			1				
149	Other diseases of the organs of locomotion.	1	1					1	2	5	4			
	X.—Malformations	66	122	21	33	21	40	303	137	992	353	11	9	2
150	Congenital malformations (stillbirths not included) (total).	66	122	21	33	21	40	303	137	992	353	11	9	2
	Hydrocephalus	6	15	1	3	5	6	22	12	93	25	1	1	
	Congenital malformations of the heart.	37	55	14	21	7	23	169	94	625	213	4	4	
	Other congenital malformations	23	52	6	9	9	11	112	31	274	115	6	4	2
	XI.—Early infancy	422	701	69	124	226	192	1,450	538	5,749	1,382	135	74	61
151	Congenital debility, icterus, and sclerema (total).	361	604	56	97	192	165	1,173	445	4,466	1,132	122	66	56
	Premature birth	228	356	38	64	101	93	779	264	2,761	806	71	44	27
	Congenital debility, "atrophy," "marasmus," etc.	133	248	18	33	91	72	394	181	1,705	326	51	22	29
152	Other causes peculiar to early infancy	60	97	13	27	33	27	269	88	1,278	241	13	8	5
	Injuries at birth	24	50	8	7	12	13	165	45	643	154	2	2	
	Other causes peculiar to early infancy.[2]	36	47	5	20	21	14	104	43	635	87	11	6	5
153	Lack of care	1				1		8	5	5	9			
	XII.—Old age	194	675	17	28	85	216	222	198	845	756	34	15	19
154	Senility	194	675	17	28	85	216	222	198	845	756	34	15	19

[1] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA—contd.			OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Rural districts.[1]			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.															
210	125	85	2,307	2,249	5,160	3,254	626	131	152	148	58	399	447	335	619	1,151	
20	15	5	265	156	528	323	63	9	21	10	3	32	29	19	57	71	119
163	98	65	1,634	1,673	3,946	2,446	493	110	99	109	41	306	322	264	460	874	120
						1											121
6	2	4	50	55	104	89	8	1	1	5	1	2	17	5	13	42	122
1		1	12	17	23	17	4		2	1		3	3	1	1	10	123
7	4	3	53	88	79	133	11	4	5	10	1	15	9	6	18	61	124
1		1	9	5	23	11	1		3	3			3	2	2	1	125
1	1		79	157	123	111	16	3	8	6	6	26	18	13	27	64	126
			2	3	8	6								2	1	1	127
2		2	3	5	2	5						1			2	3	128
2	1	1	55	27	63	28	10	3	1	1	2	4	12	2	4	2	129
3	2	1	27	23	71	28	4		4	2		2	5	9	15	10	130
2	2		36	15	51	22	8	1	4		1	5	6	3	6	6	131
2		2	82	23	135	32	8		4	1	3	2	23	8	13	6	132
				2	4	2						1		1			133
72	41	31	375	352	789	652	70	12	29	40	8	53	101	93	97	171	
13	11	2	45	33	76	55	4	1	3	5	1	8	18	14	14	11	134
6	2	4	27	28	66	63	7	2	3	6	1	8	4	6	13	23	135
9	4	5	22	28	67	79	8	1	2	4		6	10	17	8	19	136
19	7	12	192	190	386	270	24	3	15	15	4	18	54	42	41	72	137
23	16	7	75	64	172	168	26	5	5	4		12	14	13	16	33	138
			11	5	16	13	1		1	4	2	1		1	5	11	139
2	1	1	2	3	4	4				2			1			2	140
			1	1	2												141
14	9	5	109	147	222	282	21	6	2	5	1	31	10	19	33	80	
11	7	4	50	110	120	168	12	5	2	3	1	24	4	11	15	42	142
1	1		14	9	33	24	3	1				2	2	2	3	4	143
1		1	18	4	40	43	3			1		3	2	3	10	11	144
1	1		27	24	29	47	3			1		2	2	3	5	23	145
5	3	2	60	44	121	67	8	3	3	1	2	6	18	2	12	18	
4	3	1	58	39	102	59	6	3	3	1	2	4	16	1	11	15	146
1		1	2	2	13	5	2					2	2	1	1	2	147
																	148
				3	6	3										1	149
16	16		327	418	676	791	58	22	11	29	15	52	66	73	98	193	
16	16		327	418	676	791	58	22	11	29	15	52	66	73	98	193	150
3	3		18	19	52	57	6	1		1		1	7	5	12	22	
9	9		200	273	447	492	34	16	7	15	14	36	34	39	48	89	
4	4		109	126	177	242	18	5	4	13	1	15	25	29	38	82	
135	88	47	1,541	1,423	2,949	3,178	406	82	80	210	46	172	306	271	617	978	
117	80	37	1,233	1,173	2,471	2,726	292	60	66	185	43	140	246	232	520	822	151
63	49	14	955	808	1,526	1,494	184	34	53	149	38	109	163	145	294	518	
54	31	23	278	365	945	1,232	108	26	13	36	5	31	83	87	226	304	
18	8	10	303	244	470	432	112	21	14	25	3	31	58	39	94	155	152
6	3	3	166	132	285	245	78	15	9	3	3	18	25	18	45	84	
12	5	7	137	112	185	187	34	6	5	22		13	33	21	49	71	
			5	6	8	20	2	1				1	2		3	1	153
65	42	23	241	590	506	889	103	49	39	104	16	168	104	125	267	798	
65	42	23	241	590	506	889	103	49	39	104	16	168	104	125	267	798	154

[2] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	MINNESOTA.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.		
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.		
												Total.	White.	Colored.
	XIII.—External causes	610	1,196	172	460	138	209	1,820	841	6,798	2,697	154	74	80
	Suicide (total)	104	138	31	50	24	30	318	118	1,127	405	15	13	2
155	By poison	33	21	19	13	2	8	87	20	188	102	4	4	
156	By asphyxia	16	2			3		67	11	304	14			
157	By hanging or strangulation	8	51	1	7	8	7	45	22	144	95	2	1	1
158	By drowning	7	10	1	1	5	2	17	7	39	39			
159	By firearms	30	36	6	27	5	10	72	49	304	106	3	2	1
160	By cutting or piercing instruments	7	12	4	2	1	3	17	7	74	37	2	2	
161	By jumping from high places	3						6	1	62	2			
162	By crushing		1					6	1	11	6			
163	Other suicides		5					1		1	4	4	4	
	Accidental or undefined (total)	478	1,018	133	381	111	178	1,417	697	5,293	2,218	127	56	71
164	Poisoning by food	3	3				1	5	4	19	10	1	1	
165	Other acute poisonings	16	23	5	8	3	5	32	13	113	55	6	4	2
166	Conflagration	10	26		7	2	3	48	12	104	42			
167	Burns (conflagration excepted)	35	84	6	7	15	14	178	42	564	99	21	5	16
168	Absorption of deleterious gases (conflagration excepted)	23	13	1	2	2	1	61	15	347	28			
169	Accidental drowning	48	168	1	48	18	32	154	146	639	382	10	3	7
170	Traumatism by firearms	15	60	8	25	3	7	15	18	28	44	13	8	5
171	Traumatism by cutting or piercing instruments	2	2	1	2			4	1	16	2			
172	Traumatism by fall	76	74	12	20	24	38	276	123	1,347	476	11	8	3
173	Traumatism in mines and quarries (total)	6	55	27	51			3	14	4	25			
	Traumatism in mines	5	55	27	51			2	13	2	22			
	Traumatism in quarries	1						1	1	2	3			
174	Traumatism by machines	14	26	3	6	1	7	41	9	163	45	1	1	
175	Traumatism by other crushing (total)	157	250	48	138	24	34	394	212	1,337	750	31	10	21
	Railroad accidents and injuries	101	165	34	97	14	23	249	152	529	543	19	8	11
	Street-car accidents and injuries	10	2	2		3	1	58	12	285	58	2	1	1
	Automobile accidents and injuries	17	6	2	3	3	2	26	15	161	47			
	Injuries by other vehicles	24	57	8	31	3	8	53	27	319	85	2	1	1
	Landslide, other crushing	5	20	2	7	1		8	6	43	17	8		8
176	Injuries by animals	3	27	5	12	1	2	7	5	40	22			
177	Starvation		2		1		1	3	2	3	2			
178	Excessive cold	2	22		9		5	7	7	14	25			
179	Effects of heat	18	11			2	3	55	12	138	15			
180	Lightning	1	13		7		1			2	14			
181	Electricity (lightning excepted)	7	4	5	5	3	5	11	2	42	32	1	1	
185	Fractures (cause not specified)	9	45		2	2	1	23	11	67	10	11	7	4
186	Other external violence	33	110	11	31	11	18	100	49	306	140	21	8	13
	Homicide (total)	28	40	8	29	3	1	85	26	378	74	12	5	7
182	By firearms	14	19	6	18			30	14	203	40	7	2	5
183	By cutting or piercing instruments	5	6		1	2		15	2	49	9	2		2
184	By other means	9	15	2	10	1	1	40	10	126	25	3	3	
	XIV.—Ill-defined diseases	73	400	30	47	70	63	400	198	957	319	157	48	109
187	Ill-defined organic disease	2	24		1	5	5	2	3	4	10	12	2	10
188	Sudden death	1	11		2		4	3	1	2	6	12	4	8
189	Not specified or ill-defined (total)	70	365	30	44	65	54	395	194	951	303	133	42	91
	Ill-defined	65	157	26	38	62	51	390	189	944	300	79	34	45
	Not specified or unknown	5	208	4	6	3	3	5	5	7	3	54	8	46

[1] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA—contd.			OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Rural districts.[1]			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.															
143	85	58	2,533	2,401	4,708	4,509	409	116	154	233	34	275	664	977	702	1,113	
11	11	.....	379	300	618	357	60	20	26	14	3	44	135	95	154	177	
5	5	.....	159	73	227	89	11	1	12	2	2	13	44	26	49	37	155
.....	.....	.....	7	5	84	5	14	.....	.....	.....	.....	1	7	1	8	2	156
1	1	.....	51	60	80	95	9	5	1	1	.....	8	8	11	27	53	157
.....	.....	.....	27	24	22	20	4	4	.....	.....	1	4	10	9	25	9	158
5	5	.....	111	121	151	123	15	9	9	8	.....	15	47	29	33	51	159
.....	.....	.....	18	10	34	23	6	1	2	2	.....	3	14	8	10	16	160
.....	.....	.....	2	.....	12	1	1	.....	2	.....	.....	.....	2	.....	.....	1	161
.....	.....	.....	3	3	1	.....	.....	.....	.....	.....	.....	.....	1	7	.....	3	162
.....	.....	.....	1	4	7	1	.....	.....	.....	1	.....	.....	2	4	2	5	163
120	72	48	2,002	2,041	3,887	3,993	332	91	112	214	31	224	480	850	530	915	
1	1	.....	11	6	5	15	1	.....	.....	.....	.....	2	3	3	2	1	164
6	5	1	47	83	91	83	10	7	12	8	2	10	14	11	7	25	165
1	1	.....	17	32	69	56	4	.....	.....	.....	.....	.....	12	19	5	12	166
20	10	10	190	172	465	366	49	2	5	16	2	14	22	20	42	55	167
1	1	.....	46	24	123	22	21	.....	2	3	2	1	18	5	11	10	168
6	3	3	154	125	197	299	43	29	7	24	1	33	77	158	79	124	169
18	11	7	34	64	60	73	1	3	9	13	.....	8	18	30	9	51	170
.....	.....	.....	1	5	6	6	1	.....	1	1	.....	.....	2	.....	1	3	171
8	6	2	367	417	770	603	84	15	7	10	16	57	81	48	90	141	172
.....	.....	.....	23	139	433	851	.....	.....	6	35	.....	6	.....	43	.....	9	173
.....	.....	.....	21	135	417	805	.....	.....	6	35	.....	.....	.....	42	.....	7	
.....	.....	.....	2	4	16	46	.....	.....	.....	.....	.....	6	.....	1	.....	2	
1	1	.....	77	36	168	103	11	1	2	2	.....	9	17	26	19	19	174
17	12	5	773	629	1,080	1,090	68	13	32	37	5	46	156	356	168	244	175
14	11	3	497	459	667	854	26	5	17	23	1	32	93	199	93	166	
.....	.....	.....	147	54	185	72	14	1	3	1	2	2	22	4	29	10	
1	.....	1	50	26	66	37	16	3	5	2	1	2	9	8	12	7	
1	.....	1	60	73	130	106	11	4	1	10	.....	9	17	22	26	50	
1	1	.....	19	17	32	21	1	.....	6	1	1	1	15	123	8	11	
1	1	.....	8	34	18	32	5	2	1	3	.....	4	6	7	8	16	176
.....	.....	.....	2	.....	.....	4	.....	.....	.....	.....	.....	1	.....	.....	1	.....	177
.....	.....	.....	4	5	10	18	3	4	1	4	.....	1	.....	5	3	18	178
.....	.....	.....	27	35	120	70	4	8	2	.....	.....	1	1	.....	15	26	179
2	2	.....	.....	11	2	15	1	.....	1	2	.....	4	.....	.....	2	4	180
2	2	.....	21	11	28	50	2	.....	4	10	.....	1	5	6	8	10	181
9	7	2	39	51	15	6	4	1	7	13	1	4	2	2	18	30	185
27	9	18	161	162	227	231	20	6	13	33	2	22	46	111	42	117	186
12	2	10	152	60	203	159	17	5	16	5	.....	7	49	32	18	21	
9	2	7	91	37	102	94	6	2	15	4	.....	3	34	19	9	10	182
1	.....	1	21	6	25	24	3	1	1	1	.....	1	5	4	5	2	183
2	.....	2	40	17	76	41	8	2	.....	.....	.....	3	10	9	4	9	184
235	103	132	179	381	959	1,737	98	23	41	97	4	24	68	137	173	450	
12	2	10	6	24	32	109	.....	.....	1	4	1	1	1	4	9	49	187
15	8	7	1	19	13	64	3	.....	1	1	.....	3	1	3	3	8	188
208	93	115	172	338	914	1,564	95	23	39	92	3	20	66	130	161	393	189
144	74	70	141	202	876	1,389	92	22	39	74	2	11	62	67	151	336	
64	19	45	31	136	38	175	3	1	.....	18	1	9	4	63	10	57	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	All causes	805,412	154,373	33,080	14,727	8,808	6,331	217,319	17,943	11,736	19,772	30,216	32,741
	Males	439,757	86,230	17,543	7,752	4,546	3,289	119,360	9,309	6,021	10,374	16,310	17,952
	Females	365,655	68,143	15,537	6,975	4,262	3,042	97,959	8,634	5,715	9,398	13,906	14,789
	I.—General diseases	215,692	14,250	9,123	6,018	4,235	3,262	36,888	8,891	4,978	9,770	14,784	15,383
	Males	111,349	7,594	4,750	3,080	2,118	1,662	19,204	4,362	2,183	4,583	7,503	8,137
	Females	104,343	6,656	4,373	2,938	2,117	1,600	17,684	4,529	2,795	5,187	7,281	7,246
1	Typhoid fever (M.)	7,750	38	65	70	69	81	323	331	365	928	1,331	1,190
	Typhoid fever (F.)	4,923	34	59	62	69	82	306	353	488	753	736	523
2	Typhus fever (M.)	1											
	Typhus fever (F.)	1									1		
3	Relapsing fever (M.)												
	Relapsing fever (F.)	1							1				
4	Malaria (M.)	609	34	19	17	17	12	99	32	11	37	44	33
	Malaria (F.)	558	43	21	19	14	8	105	26	29	30	40	42
5	Smallpox (M.)	121	21	6	3	3	1	34	3	4	12	8	12
	Smallpox (F.)	81	6	3	3	3	2	17	3	2	5	14	10
6	Measles (M.)	3,432	879	1,080	521	243	153	2,876	304	60	57	36	14
	Measles (F.)	3,166	661	947	481	220	153	2,462	284	92	55	42	39
7	Scarlet fever (M.)	3,037	167	364	466	429	324	1,750	832	192	105	68	33
	Scarlet fever (F.)	3,218	137	333	451	464	329	1,714	899	250	127	89	60
8	Whooping cough (M.)	2,769	1 625	589	247	120	70	2,651	91	10	4	4	2
	Whooping cough (F.)	3,377	1,720	824	383	177	103	3,207	137	7	6	3	1
9	Diphtheria and croup (M.)	5,971	516	1,056	950	768	589	3,879	1,426	321	125	64	42
	Diphtheria and croup (F.)	5,550	387	861	823	675	563	3,309	1,512	379	103	80	46
10	Influenza (M.)	3,544	297	109	43	30	16	495	56	34	65	66	76
	Influenza (F.)	4,230	225	85	56	29	15	410	66	39	54	75	90
11	Miliary fever (M.)												
	Miliary fever (F.)												
12	Asiatic cholera (M.)												
	Asiatic cholera (F.)												
13	Cholera nostras (M.)	299	63	18	10		2	93	9	4	2	3	2
	Cholera nostras (F.)	264	34	12	8	3	2	59	5	4	5	3	9
14	Dysentery (M.)	1,699	409	196	70	35	30	740	23	8	7	13	17
	Dysentery (F.)	1,747	336	149	64	27	20	596	24	7	6	11	24
15	Plague (M.)	1											
	Plague (F.)												
16	Yellow fever (M.)												
	Yellow fever (F.)												
17	Leprosy (M.)	6										1	1
	Leprosy (F.)	4										1	
18	Erysipelas (M.)	1,414	343	18	6	2	4	373	3	10	17	22	38
	Erysipelas (F.)	1,028	354	28	10	5	5	402	5	4	18	25	27
19	Other epidemic diseases (M.)	114	40	21	8	4	3	76	10	9	3	5	1
	Other epidemic diseases (F.)	84	30	17	9	5	1	62	13	2			1
20	Purulent infection and septicemia. (M.)	1,151	126	29	15	7	6	174	46	41	47	41	52
	Purulent infection and septicemia. (F.)	726	95	19	7	9	4	134	27	21	39	62	59
21	Glanders (M.)	7										1	2
	Glanders (F.)												
22	Anthrax (M.)	19	1					1			2	2	
	Anthrax (F.)	3											
23	Rabies (M.)	47		1	1	1	3	6	9	7	3	1	1
	Rabies (F.)	17	1			2	2	5	4	2	3		1
24	Tetanus (M.)	969	240	8	8	10	14	280	124	124	75	50	49
	Tetanus (F.)	404	187	3	3	3	5	201	38	29	13	11	17
25	Mycoses (M.)	22								1		2	2
	Mycoses (F.)	10									2		1
26	Pellagra (M.)	105					1	1	2	4	5	6	7
	Pellagra (F.)	263	1	1		1		3	2	1	7	17	33
27	Beriberi (M.)	8										2	2
	Beriberi (F.)	2										2	
	Tuberculosis (total) (M.)	48,394	1,282	938	496	289	232	3,237	676	585	2,636	5,187	5,830
	Tuberculosis (total) (F.)	37,915	1,134	813	406	319	225	2,897	746	1,049	3,463	5,515	5,491
28	Tuberculosis of the lungs (M.)	41,616	467	300	142	77	70	1,056	208	315	2,219	4,670	5,339
	Tuberculosis of the lungs (F.)	31,598	372	232	117	75	76	872	281	733	2,947	4,952	5,012
29	Acute miliary tuberculosis (M.)	1,093	48	19	28	15	8	118	37	26	90	155	144
	Acute miliary tuberculosis (F.)	904	36	28	17	12	10	103	40	57	126	169	118
30	Tuberculous meningitis (M.)	2,382	523	473	255	138	110	1,499	274	98	110	83	67
	Tuberculous meningitis (F.)	2,272	497	435	205	184	106	1,427	287	120	129	79	63
31	Abdominal tuberculosis (M.)	1,425	121	86	36	29	18	290	49	47	81	110	109
	Abdominal tuberculosis (F.)	1,734	133	64	33	20	10	260	55	59	151	188	170
32	Pott's disease (M.)	434	9	10	8	16	14	57	51	25	39	41	41
	Pott's disease (F.)	330	13	15	11	10	11	60	43	22	15	20	33
33	White swellings (M.)	274	5	8	4	2	4	23	15	28	23	28	18
	White swellings (F.)	148	8	3	3	4	4	22	9	18	16	10	8
34	Tuberculosis of other organs (M.)	631	62	26	15	7	7	117	24	27	29	42	60
	Tuberculosis of other organs (F.)	487	48	19	9	11	3	90	14	24	37	43	34
35	Disseminated tuberculosis (M.)	539	47	16	8	5	1	77	18	19	45	58	52
	Disseminated tuberculosis (F.)	442	27	17	11	3	5	63	17	16	42	54	53
36	Rickets (M.)	243	137	58	19	7	2	223	6	3	1	1	2
	Rickets (F.)	212	107	43	20	4	1	175	7	5	3	1	2
37	Syphilis (M.)	1,937	919	51	13	4	3	990	14	9	17	72	100
	Syphilis (F.)	1,284	739	43	21	8	4	815	10	2	19	45	64
38	Gonococcus infection (M.)	79	46	2				48			2	3	2
	Gonococcus infection (F.)	118	57	3				60		1	15	15	5
	Cancer and other malignant tumors (total). (M.)	16,373	17	13	32	12	23	97	46	42	79	122	179
	Cancer and other malignant tumors (total). (F.)	24,666	21	19	23	14	6	83	37	34	73	109	290
39	Of the buccal cavity (M.)	1,329			1		1	2	4	2	3	2	8
	Of the buccal cavity (F.)	247	2				1	3	4	1	3	2	5
40	Of the stomach, liver (M.)	8,135	3	2	7		2	14	10	1	12	15	64
	Of the stomach, liver (F.)	8,340	3	2	5	2		12	5	4	6	17	56
41	Of the peritoneum, intestines, rectum. (M.)	2,183			2	3	4	9	5	9	8	14	42
	Of the peritoneum, intestines, rectum. (F.)	3,075	1	2		2		5	5	4	7	15	45
42	Of the female genital organs (F.)	6,147		1				1	1	4	14	30	99
43	Of the breast (F.)	3,730	2	1	1			4			2	11	27
44	Of the skin (M.)	952			1		2	3	3	4	4	4	8
	Of the skin (F.)	507	3	2				5	1		1	3	1
45	Of other organs or of organs not specified. (M.)	3,774	14	11	21	9	14	69	24	26	52	87	57
	Of other organs or of organs not specified. (F.)	2,620	10	11	17	10	5	53	21	21	40	31	57
46	Other tumors (tumors of the female genital organs excepted). (M.)	142	10	2	3	2		17	2	3		2	6
	Other tumors (tumors of the female genital organs excepted). (F.)	411	8	2	1	2		13	7	1	6	11	9

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
32,731	35,665	35,523	37,412	40,958	40,582	46,021	50,630	50,500	45,500	33,372	18,029	6,175	1,427	372	788	
18,519	20,684	21,045	22,266	24,029	23,334	25,748	27,218	26,261	23,027	16,088	8,289	2,612	584	130	597	
14,212	14,981	14,478	15,146	16,929	17,248	20,273	23,412	24,239	22,473	17,284	9,740	3,563	843	242	191	
14,418	14,294	13,371	12,970	13,004	12,044	11,596	11,157	9,134	6,643	3,910	1,689	496	93	19	160	
8,027	8,076	7,534	7,148	6,952	6,260	5,900	5,430	4,274	2,998	1,685	740	207	42	5	99	
6,391	6,218	5,837	5,822	6,052	5,784	5,696	5,727	4,860	3,645	2,225	949	289	51	14	61	
848	657	459	396	327	227	143	102	60	37	10	2	3			11	1
364	317	264	222	178	137	90	70	70	25	18	4				5	
1																2
																3
38	32	29	32	35	43	41	30	22	26	12	9	2	2			4
34	26	21	29	38	20	28	30	18	13	16	7	3	1		2	
12	6	10	8	3		2	2	1	2	1					1	
4	8	7	5	3	1		2									5
20	14	12	11	5	6	3	5	4	1	3					1	
48	38	28	22	12	13	7	8	8	5	2					1	6
26	14	7	3	2	3										2	
28	20	6	10	6	4	2			1						2	7
		1	1				1	2							2	
	1	2		1	1	2	2	3	1		1	2				8
27	21	16	12	18	9	6	1	1	2						1	
25	24	24	13	11	5	2	5	7	2	1		1			1	9
80	103	110	138	161	191	228	314	398	406	331	202	70	14	4	2	
74	99	103	115	151	230	320	433	535	529	488	277	107	22	5	3	10
																11
																12
4	6	7	10	12	11	23	11	32	31	19	16	3	1			
3	7	4	8	5	12	12	22	24	35	24	13	6	3		1	13
20	29	50	36	54	58	57	99	114	139	137	65	23	9	1		
24	33	29	39	36	50	86	135	177	173	171	83	34	6	2	1	14
1																15
																16
			2	2												17
1		1	1													
54	74	90	99	97	91	86	110	83	73	49	34	9			2	
33	30	38	44	43	46	51	70	73	52	41	18	4	2	1	1	18
3	3		1	3												
1		1				1	2	1								19
62	75	82	81	99	85	62	69	59	35	25	13	1			2	
43	46	40	35	47	32	30	36	27	19	12	13	2		1	1	20
	3				1											21
3	1		2	5		1		1	1							
			1			1	1									22
1	4	3	3	2	3	2	2									23
			1	1												
48	49	32	38	24	36	18	11	5	6							24
6	25	9	12	9	12	1	5	6	5	5						
		2	5			4	2	3	1							25
	2	1	2			1				1						
12	9	9	13	11	8	9	4	2	2	1						
37	35	30	15	25	21	14	12	7	2	1					1	26
1		1	1	1												27
5,732	5,584	4,798	3,937	3,196	2,410	1,778	1,328	782	426	174	41	16	3		38	
4,487	3,692	2,679	1,933	1,563	1,176	988	876	677	421	181	50	10	2		19	
5,287	5,159	4,467	3,638	2,941	2,190	1,622	1,192	689	381	157	37	14	3		32	
4,103	3,339	2,434	1,725	1,386	1,031	867	748	591	367	147	38	8	2		15	28
130	120	75	55	53	41	24	17	7	1							29
97	63	37	29	23	10	6	12	7	5	1	1					
71	45	39	36	19	16	9	8	3	3	2						30
45	35	28	18	13	11	7	5	2	1	2						
104	117	97	94	69	80	56	54	34	22	6	2	1			3	
155	152	103	83	88	54	66	62	35	22	17	7				2	31
23	29	27	21	27	17	11	11	7	5	2						
27	11	11	15	12	20	10	12	12	7							32
20	20	15	20	16	13	8	11	10	2	2	1				1	
8	10	5	7	4	9	4	5	5	3	4					1	33
48	44	38	45	39	33	27	21	23	10	3		1				
23	39	28	31	21	25	17	18	17	12	7	4	2			1	34
49	50	40	28	32	20	21	14	9	2	2	1				2	
29	43	28	25	16	16	11	14	8	4	3						35
1			1	1	2				1		1					
1	3	2	2		1	3	2	3	2							36
111	126	106	107	90	77	56	29	17	10	3	1				2	
60	78	58	32	34	23	17	11	9	3	2	1				1	37
5	3	3	2	3	1	2	2	1	1	1						38
5	5	3	5		2		1	1								
290	462	825	1,280	1,774	2,019	2,395	2,354	1,983	1,350	711	284	54	12		15	
663	1,171	1,880	2,607	3,030	3,035	3,046	2,981	2,423	1,775	926	376	96	10	4	17	
13	20	50	102	172	144	195	201	161	99	90	48	9	3		1	
3	4	7	12	11	28	23	35	35	33	17	13	6	2			39
108	213	428	650	938	1,095	1,325	1,227	997	636	297	83	13	2		7	
132	248	408	679	921	1,137	1,164	1,286	1,061	699	351	126	22			6	40
51	84	132	194	239	284	300	312	248	149	71	27	2	1		2	
75	140	190	266	367	349	423	403	345	273	119	39	5				41
263	440	735	928	893	790	693	517	362	233	92	28	8	1	2	3	
96	189	332	493	508	450	375	408	308	259	154	84	23	2	1	4	42
10	15	25	49	59	78	107	117	144	137	103	57	20	4		1	43
5	9	12	22	25	19	45	55	74	77	88	44	17	2	1	1	44
108	130	190	285	366	418	468	497	433	329	150	69	10	2		4	
89	141	196	207	300	262	318	277	238	201	105	42	15	3		3	45
3	6	9	8	11	13	9	17	20	10	4	1	1				
18	28	31	44	42	34	23	37	34	36	25	10		2			46

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	I.—General diseases—Contd.												
47	Acute articular rheumatism	M. 1,626	18	10	15	13	25	81	161	169	132	79	60
		F. 1,702	13	7	16	17	30	83	166	188	129	96	72
48	Chronic rheumatism and gout	M. 262									5	5	5
		F. 414	1	1	1		1	4		2	3	2	7
49	Scurvy	M. 34	20	4	2	1		27				2	2
		F. 34	18	5	1	4		28	1			1	
50	Diabetes	M. 3,807	7	9	15	14	24	69	69	102	130	116	115
		F. 4,233	6	5	15	7	12	45	75	104	128	92	116
51	Exophthalmic goiter	M. 66	1					1			2	4	6
		F. 621								3	31	55	55
52	Addison's disease	M. 101								1	6	4	4
		F. 119								1	3	4	7
53	Leukemia	M. 542	18	11	14	10	7	60	25	27	25	33	41
		F. 322	6	12	6	4	1	29	19	8	14	24	28
54	Anemia, chlorosis	M. 1,138	100	26	11	6	9	152	20	17	21	22	24
		F. 1,476	104	20	11	4	5	144	19	23	49	56	58
55	Other general diseases	M. 689	220	56	25	22	28	351	40	19	24	28	18
		F. 670	191	38	37	28	21	315	43	17	21	30	24
56	Alcoholism (acute or chronic)	M. 2,556							2		7	45	154
		F. 353								1	1	9	29
57	Chronic lead poisoning	M. 126								1	1	3	5
		F. 10			1			1				1	
58	Other chronic occupation poisonings	M. 6									1	1	
		F.											
59	Other chronic poisonings	M. 133										4	8
		F. 126									2	4	6
	II.—Diseases of the nervous system and of the organs of special sense.	77,991	7,937	2,071	1,139	746	464	12,357	1,368	889	976	1,058	1,207
	Males	41,676	4,470	1,146	622	388	245	6,871	700	460	545	587	648
	Females	36,315	3,467	925	517	358	219	5,486	668	429	431	471	559
60	Encephalitis	M. 473	73	21	12	16	3	125	22	20	26	32	25
		F. 288	54	18	11	8	4	95	12	17	13	16	14
61	Meningitis (total)	M. 4,156	1,301	570	358	213	129	2,571	339	180	171	141	107
		F. 3,463	1,071	477	298	208	114	2,168	344	185	123	99	84
	Simple meningitis	M. 2,936	970	406	251	155	77	1,859	266	110	91	84	78
		F. 2,411	782	311	214	137	72	1,516	223	108	83	59	58
	Cerebrospinal meningitis (undefined)	M. 1,092	305	151	98	52	44	650	109	62	71	51	26
		F. 960	267	159	76	65	38	605	110	68	37	31	25
	Cerebrospinal fever	M. 128	26	13	9	6	8	62	24	8	9	6	3
		F. 92	22	7	8	6	4	47	11	9	3	9	1
62	Locomotor ataxia	M. 1,113				1		1		1		1	13
		F. 322							1		2	1	8
63	Other diseases of the spinal cord (total)	M. 2,285	162	146	105	68	59	540	134	77	84	64	55
		F. 1,816	143	131	71	52	50	447	130	69	46	36	41
	Acute anterior poliomyelitis	M. 804	142	136	100	63	56	497	123	53	49	32	18
		F. 655	123	121	65	48	44	401	116	57	27	15	14
	Other diseases of the spinal cord.[1]	M. 1,481	20	10	5	5	3	43	11	24	35	32	37
		F. 1,161	20	10	6	4	6	46	14	12	19	21	27
64	Cerebral hemorrhage, apoplexy	M. 20,347	307	34	21	12	9	383	24	25	52	93	160
		F. 19,354	217	21	25	14	7	284	23	21	51	79	114
65	Softening of the brain	M. 570										1	6
		F. 496				1		1			4	1	3
66	Paralysis without specified cause	M. 3,732	30	7	4	6	6	53	13	15	11	19	22
		F. 4,024	16	6	7	6	2	37	14	6	18	15	27
67	General paralysis of the insane	M. 2,229									2	9	35
		F. 715								1		6	23
68	Other forms of mental alienation	M. 857	1					1	1		14	29	28
		F. 904								2	12	27	51
69	Epilepsy	M. 1,337	52	14	8	8	17	99	47	70	100	113	115
		F. 950	35	9	9	5	6	64	32	48	72	88	93
70	Convulsions (nonpuerperal)	M. 64							26	5	4	3	4
		F. 136							28	4	14	24	21
71	Convulsions of infants	M. 2,705	270	78	29	8	2,705						
		F. 2,097	1,769	213	61	39	15	2,097					
72	Chorea	M. 49	4	1	2	2	1	10	3	5	17	3	2
		F. 74	2	1	1	1	1	6	10	13	24	7	
73	Neuralgia and neuritis	M. 159							3	1	1	2	4
		F. 203	1		1			2		1	6	7	9
74	Other diseases of the nervous system	M. 1,014	74	28	16	17	5	140	39	27	32	46	42
		F. 1,055	72	14	9	10	8	113	31	31	31	46	54
75	Diseases of the eyes and their annexa	M. 17	5			2	1	8				1	
		F. 20	3		1	1	1	6		1		2	
76	Diseases of the ears	M. 569	141	55	18	14	7	235	49	34	31	30	30
		F. 398	84	35	23	13	11	166	43	30	15	17	17
	III.—Diseases of the circulatory system.	100,106	1,430	201	160	131	162	2,084	999	1,319	1,447	1,646	1,972
	Males	53,766	816	98	84	55	92	1,145	456	580	710	785	977
	Females	46,340	614	103	76	76	70	939	543	739	737	861	995
77	Pericarditis	M. 366	10		3	2	2	17	12	17	7	11	14
		F. 284	7		3	2	4	16	20	15	7	11	12
78	Acute endocarditis	M. 2,503	84	15	15	10	21	145	89	88	99	104	124
		F. 2,289	74	26	17	23	24	164	114	138	97	133	119
79	Organic diseases of the heart	M. 40,205	532	64	52	40	58	746	328	450	570	611	756
		F. 35,973	393	66	45	44	42	590	388	561	588	645	773
80	Angina pectoris	M. 2,384	2	1				3	3	5	8	11	18
		F. 1,485	2			1		3	4	7	9	13	28
81	Diseases of the arteries, atheroma, aneurism, etc.	M. 6,917	3	1	1			5		3	5	16	27
		F. 4,740	3	1	1			5		3	6	8	10
82	Embolism and thrombosis	M. 898	31	3	2	1	3	40	10	9	10	25	31
		F. 1,092	18	2	4			24	10	10	23	40	40
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	M. 136	4	1			1	6	1	1	2	2	2
		F. 213	3					3			1	2	
84	Diseases of the lymphatic system (lymphangitis, etc.)	M. 158	69	9	9	2	6	95	10	6	6	2	
		F. 97	51	8	3	5		67	4	3	3		
85	Hemorrhage; other diseases of the circulatory system	M. 199	81	4	2		1	88	3	1	3	3	
		F. 167	63		3	1		67	3	2	3	9	

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
72	88	92	85	98	83	94	117	88	68	28	21	10	.....	.....	.....	47
69	89	78	72	92	87	77	88	100	108	78	22	8	.....	.....	.....	
7	8	12	11	16	27	36	27	34	37	22	8	1	1	.....	.....	48
4	11	10	23	30	38	36	65	72	51	39	10	6	1	.....	.....	
.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
132	149	175	264	384	427	477	488	360	215	102	26	7	.....	.....	5	50
120	127	163	241	400	544	616	609	405	279	121	40	7	1	.....	.....	
7	5	10	10	6	10	1	.....	2	1	.....	.....	.....	.....	.....	1	51
55	71	81	68	58	54	34	24	19	9	3	.....	.....	.....	.....	1	
8	11	13	9	16	10	10	4	1	4	.....	.....	.....	.....	.....	.....	52
18	11	11	10	10	14	10	10	6	4	.....	.....	.....	.....	.....	.....	
37	43	43	38	44	35	28	29	21	11	1	1	.....	.....	.....	.....	53
24	20	28	17	27	23	18	14	12	9	5	1	.....	.....	.....	2	
37	49	72	88	111	115	125	121	79	48	23	9	4	.....	.....	1	54
59	90	104	119	140	136	137	128	100	56	40	15	3	.....	.....	.....	
17	20	21	23	20	17	22	22	17	15	7	4	3	.....	.....	1	55
21	21	22	14	14	11	18	23	29	20	19	6	1	.....	1	.....	
285	387	403	361	289	216	163	115	70	31	15	2	.....	.....	.....	11	56
54	77	61	47	32	17	12	7	2	1	.....	1	.....	.....	.....	2	
12	17	19	18	21	11	7	6	3	2	.....	.....	.....	.....	.....	.....	57
.....	.....	2	1	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	
1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9	18	10	12	10	15	12	14	10	4	6	.....	.....	.....	.....	1	59
8	12	12	11	13	6	15	15	10	7	4	1	.....	.....	.....	.....	
1,650	2,180	2,773	3,624	4,805	5,241	6,660	8,109	8,346	7,889	5,378	2,550	709	128	29	65	
964	1,322	1,674	2,109	2,656	2,948	3,617	4,290	4,332	3,919	2,521	1,149	276	43	9	36	
686	858	1,099	1,515	2,149	2,293	3,043	3,819	4,014	3,970	2,857	1,401	433	85	20	29	
31	28	25	21	24	35	21	9	10	8	6	2	1	.....	.....	2	60
16	16	14	16	6	12	10	8	9	8	3	1	.....	.....	.....	2	
101	89	83	89	81	55	48	37	29	14	9	10	1	.....	.....	1	61
61	66	59	61	51	31	26	31	31	17	11	7	3	1	.....	4	
71	66	66	67	64	43	41	33	26	12	8	10	1	.....	.....	.....	
48	42	47	50	39	29	21	25	28	15	8	6	3	.....	.....	3	
25	20	14	20	15	12	6	4	3	2	1	.....	.....	.....	.....	1	
10	20	12	9	11	2	4	6	2	2	3	1	.....	1	.....	1	
5	3	3	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	4	.....	2	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
30	57	100	137	165	165	145	140	88	48	19	2	.....	.....	.....	1	62
14	17	21	35	41	40	46	44	36	13	3	.....	.....	.....	.....	.....	
68	57	83	117	137	129	154	181	171	133	65	26	3	.....	.....	2	63
45	43	55	79	112	106	149	156	137	89	49	20	5	.....	1	1	
8	2	7	5	3	1	2	2	1	1	.....	.....	.....	.....	.....	.....	
7	3	3	2	2	.....	5	1	1	.....	.....	1	.....	.....	.....	.....	
60	55	76	112	134	128	152	179	170	137	65	26	3	.....	.....	2	
38	40	52	77	110	106	144	155	136	89	49	19	5	.....	1	1	
269	395	599	931	1,379	1,861	2,478	2,992	3,118	2,747	1,772	816	195	32	8	18	64
176	324	532	870	1,317	1,590	2,130	2,730	2,876	2,876	2,048	937	290	58	14	14	
10	11	11	23	32	33	56	77	85	116	70	33	6	.....	.....	.....	65
8	5	8	25	24	31	42	62	81	74	72	36	15	3	.....	1	
42	80	100	160	213	259	368	532	558	597	409	211	59	9	1	1	66
50	63	76	105	240	251	399	516	611	665	513	308	88	16	4	2	
160	338	391	344	327	196	121	104	71	77	35	15	.....	.....	.....	4	67
47	72	93	73	69	49	51	57	51	59	37	19	5	2	.....	1	
56	47	58	58	76	73	78	80	89	73	68	21	4	.....	.....	3	68
59	66	63	86	89	64	73	74	72	64	56	29	13	3	.....	1	
102	121	103	95	88	60	67	48	39	38	24	2	1	1	.....	4	69
88	80	73	54	69	32	35	34	26	32	19	7	1	1	1	1	
2	4	7	1	.....	.....	.....	1	2	1	3	.....	1	.....	.....	.....	70
15	7	6	4	4	.....	2	3	1	2	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	3	.....	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	72
2	1	.....	1	1	1	2	4	1	1	.....	.....	.....	.....	.....	.....	
7	12	11	20	19	13	9	26	13	11	4	2	1	.....	.....	.....	73
17	12	14	17	19	11	9	23	18	11	13	12	2	.....	.....	.....	
63	62	78	86	95	53	56	45	56	49	32	9	3	1	.....	.....	74
73	77	75	70	91	64	61	64	58	54	28	21	11	1	.....	1	
2	2	1	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	75
.....	.....	1	.....	1	1	2	2	2	.....	1	1	.....	.....	.....	.....	
21	18	24	24	20	15	14	16	3	2	3	.....	.....	.....	.....	.....	76
15	9	9	19	15	10	6	11	4	5	4	3	.....	.....	.....	.....	
2,555	3,343	4,218	5,270	6,590	7,595	9,979	12,129	13,075	11,828	8,363	4,148	1,165	257	54	70	
1,340	1,782	2,306	2,878	3,733	4,312	5,563	6,758	7,083	6,419	4,214	2,031	529	101	21	43	
1,215	1,561	1,912	2,392	2,857	3,283	4,416	5,371	5,992	5,409	4,149	2,117	636	156	33	27	
20	27	18	28	23	34	27	31	28	28	15	8	1	.....	.....	.....	77
12	13	15	15	13	16	13	30	21	21	22	10	1	1	.....	.....	
160	191	209	265	285	324	100	94	87	69	40	23	6	1	.....	.....	78
135	161	162	181	237	253	85	112	78	58	37	17	6	2	.....	.....	
998	1,371	1,793	2,150	2,837	3,198	4,349	5,249	5,376	4,668	2,960	1,352	332	61	14	36	79
923	1,213	1,536	1,960	2,293	2,586	3,636	4,336	4,802	4,186	2,985	1,463	371	95	21	22	
40	47	78	136	200	273	369	391	334	267	131	53	13	2	.....	2	80
33	40	66	64	100	129	192	227	223	172	113	47	12	1	.....	2	
64	87	122	212	295	393	605	870	1,140	1,271	1,011	576	168	36	7	4	81
27	37	44	74	122	183	365	531	746	855	880	546	228	56	12	2	
35	40	59	59	67	73	87	96	98	91	47	12	7	1	.....	1	82
57	69	68	71	75	86	96	109	96	89	87	28	14	.....	.....	.....	
8	6	18	13	12	2	14	15	11	9	3	4	1	.....	.....	.....	83
20	18	12	21	10	18	20	19	21	17	18	2	1	1	.....	.....	
2	4	3	2	3	3	1	5	4	5	2	1	.....	.....	.....	.....	84
2	.....	2	1	1	4	2	2	2	2	.....	1	1	.....	.....	.....	
13	9	6	13	11	6	11	7	5	11	5	2	1	.....	.....	.....	85
6	10	7	5	6	8	7	5	3	9	7	3	2	.....	.....	1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	IV.—Diseases of the respiratory system.	100,835	24,375	8,782	3,508	1,615	986	39,266	2,035	956	1,517	2,132	2,485
	Males	55,029	13,742	4,641	1,836	864	501	21,584	1,048	477	916	1,317	1,498
	Females	45,806	10,633	4,141	1,672	751	485	17,682	987	479	601	815	987
86	Diseases of the nasal fossae	M 70	33	4	2	2	3	44	5	3	3	1	
		F 65	25	2	2			29	4	2	2		2
87	Diseases of the larynx	M 448	106	60	47	33	28	274	49	11	4	4	9
		F 298	61	49	25	17	21	173	41	2	7	8	7
88	Diseases of the thyroid body	M 40	6		1			7		4	1		2
		F 184	3	1		1		5	1	3	10	14	11
89	Acute bronchitis	M 3,690	2,339	436	141	61	21	2,998	38	10	11	13	13
		F 3,539	1,812	399	149	72	31	2,463	52	11	10	8	17
90	Chronic bronchitis	M 2,478	62	22	21	7	4	116	32	13	18	27	24
		F 2,913	45	28	17	3	2	95	30	17	18	35	35
91	Bronchopneumonia	M 13,117	6,004	2,169	767	331	178	9,449	258	63	77	82	113
		F 12,220	4,589	2,012	743	304	172	7,820	264	85	81	106	75
92	Pneumonia (total)	M 30,876	4,735	1,807	791	393	237	7,963	590	341	716	1,059	1,173
		F 23,311	3,708	1,541	681	319	236	6,485	548	323	424	571	748
	Lobar pneumonia	M 14,916	1,334	692	295	169	93	2,583	247	148	370	630	697
		F 10,056	991	581	264	131	92	2,059	247	125	213	292	408
	Pneumonia (undefined)	M 15,960	3,401	1,115	496	224	144	5,380	343	193	346	429	476
		F 13,255	2,717	960	417	188	144	4,426	301	198	211	279	340
93	Pleurisy	M 1,273	44	72	34	19	17	186	41	16	58	76	73
		F 877	59	59	29	23	15	185	25	16	25	37	34
94	Pulmonary congestion, pulmonary apoplexy.	M 1,272	341	52	22	10	8	433	17	6	9	21	24
		F 1,227	264	33	20	9	5	331	11	11	8	19	16
95	Gangrene of the lung	M 103			1	2		3	1			4	5
		F 35	1	2				3	1	1	1		5
96	Asthma	M 774	12	3	4	1	2	22	4	1	2	2	11
		F 680	8	4	2	2	2	18	4	3	3	6	9
97	Pulmonary emphysema	M 101	7	2				9	3	1	1	2	3
		F 65	4	1			1	6				2	4
98	Other diseases of the respiratory system (tuberculosis excepted).	M 787	53	14	5	5	3	80	10	8	16	26	48
		F 392	54	10	4	1		69	6	5	12	9	24
	V.—Diseases of the digestive system.	104,801	49,612	10,268	2,327	971	552	63,730	1,669	1,270	1,429	1,761	1,846
	Males	56,237	27,427	5,482	1,216	543	301	34,969	867	667	752	861	916
	Females	48,564	22,185	4,786	1,111	428	251	28,761	802	603	677	900	930
99	Diseases of the mouth and annexa.	M 227	154	12	6	3	5	180	7		3	1	5
		F 196	121	18	9	2	2	152	4	4	3	3	1
100	Diseases of the pharynx	M 493	72	30	26	18	16	162	67	25	25	27	22
		F 347	38	17	15	24	14	108	56	26	15	16	11
101	Diseases of the esophagus	M 69	2		2	1	2	7			2	2	1
		F 51	3	1	2	1		7	1	1	1		
102	Ulcer of the stomach	M 1,273	9	3	3	1	2	18	7	7	13	54	66
		F 930	10		4	1		15	6	11	34	64	58
103	Other diseases of the stomach (cancer excepted).	M 4,199	1,585	158	66	36	23	1,868	59	16	33	35	59
		F 4,204	1,270	170	62	39	21	1,562	57	41	40	71	73
104	Diarrhea and enteritis (under 2 years).	M 29,770	24,649	5,121				29,770					
		F 24,496	20,046	4,450				24,496					
105	Diarrhea and enteritis (2 years and over).	M 4,102			974	372	162	1,508	239	64	42	43	65
		F 4,812			924	274	143	1,341	230	68	49	85	97
106	Ankylostomiasis	M 5	1					1		2	1		
		F 4		1	2			3					
107	Intestinal parasites	M 38	1	7	6	3	3	20	7	1	1	3	2
		F 38	4	8	4	5	3	24	5	1	2	4	
108	Appendicitis and typhlitis	M 3,586	14	11	21	35	40	121	298	400	434	407	333
		F 2,542	16	8	17	17	23	81	273	318	320	283	232
109	Hernia, intestinal obstruction (total).	M 3,360	581	76	52	39	27	775	76	53	84	102	99
		F 3,318	347	46	31	32	16	472	59	41	54	90	119
	Hernia	M 1,142	122	11	4	3	1	141	5	3	14	25	31
		F 1,050	27	1	2	2	1	33	3	3	7	6	9
	Intestinal obstruction	M 2,218	459	65	48	36	26	634	71	50	70	77	68
		F 2,268	320	45	29	30	15	439	56	38	47	84	110
110	Other diseases of the intestines	M 780	173	17	12	6	2	210	15	9	9	23	25
		F 791	149	26	7	7	3	192	10	11	13	28	33
111	Acute yellow atrophy of the liver	M 85	5	3				8		1	3	6	7
		F 139	9		1	1	1	12	1	1	8	14	23
112	Hydatid tumor of the liver	M 20	2		1			3				1	3
		F 4										1	
113	Cirrhosis of the liver	M 5,073	3	1	4	1		9	9	8	10	32	82
		F 2,412	5	5	4	4		18	6	8	15	24	63
114	Biliary calculi	M 461	1		1			2		1		1	12
		F 1,040								1	2	19	19
115	Other diseases of the liver	M 1,479	82	14	15	10	5	126	23	15	21	44	70
		F 1,613	75	9	17	8	6	115	13	20	23	36	35
116	Diseases of the spleen	M 53	3					3		2		1	4
		F 43	3		1			4		1		1	
117	Simple peritonitis (nonpuerperal).	M 996	85	28	24	17	13	167	59	60	66	70	54
		F 1,423	84	26	11	13	19	153	73	49	96	154	151
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	M 168	5	1	3	1	1	11	1	3	5	9	7
		F 161	5	1				6	8	1	2	7	15

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	76 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
2,803	3,415	3,540	3,811	4,283	4,232	5,134	5,687	5,934	5,631	4,363	2,432	887	197	43	52	
1,749	2,212	2,366	2,503	2,759	2,535	2,820	2,780	2,731	2,479	1,831	966	330	83	12	33	
1,054	1,203	1,174	1,308	1,524	1,697	2,314	2,907	3,203	3,152	2,532	1,466	557	114	31	19	
1	1			1	1			1	2	4		3				86
	1			2	1		4	1	2	6	5	3	1			
10	13	9	14	9	7	5	9	7	4	8	1	1				87
8	10	2	9	4	2	7	6	3	4	2	2	1				
1	2	2	3	2	2	4	5	4		1						88
11	20	14	17	15	14	12	16	8	8	2	1	2				
8	20	11	15	22	28	47	55	76	92	108	71	47	6		1	89
8	19	19	14	26	34	64	89	143	158	189	133	70	8	2	2	
44	47	54	78	112	131	198	257	333	392	318	203	71	8	2		90
37	47	32	48	85	119	190	296	442	484	442	314	111	28	6	2	
102	182	181	176	216	225	315	352	412	398	290	155	49	16	5	1	91
94	99	104	126	170	234	334	502	564	609	529	280	107	26	8	3	
1,419	1,762	1,877	1,975	2,094	1,861	1,910	1,805	1,577	1,293	875	403	119	36	5	23	92
796	883	890	975	1,085	1,136	1,500	1,691	1,742	1,590	1,110	561	198	35	11	9	
894	1,077	1,142	1,204	1,225	1,035	1,054	906	698	541	297	112	33	12	2	9	
465	476	481	522	595	604	752	807	768	621	380	178	50	6	3	4	
525	685	735	771	869	826	856	899	879	752	578	291	86	24	3	14	
331	407	409	453	490	532	748	884	974	969	730	383	148	29	8	5	
67	73	93	82	99	75	83	64	79	60	27	13	4	3		1	
45	50	39	36	37	47	61	68	61	53	33	19	5		1		93
28	30	32	27	39	40	74	64	82	109	115	81	29	11		1	
18	25	17	26	35	38	51	89	115	120	135	98	49	12	2	1	94
5	6	8	10	13	14	13	10	5	2	1	3					
4	2	2	4	3	2		4	2	1							95
13	20	35	46	68	73	93	87	102	97	64	24	5	1		4	
15	23	30	37	32	48	67	101	87	91	51	44	7	2	1	1	96
2	3	6	10	6	7	9	9	11	8	7	4					
		1	4	7	4	2	8	9	5	9	3	1				97
49	53	58	67	78	71	69	63	42	22	13	8	2	2		2	
18	24	24	12	23	18	26	33	26	27	24	6	4	1		1	98
2,054	2,510	2,657	2,959	3,324	3,074	3,353	3,451	3,269	2,904	2,022	1,056	354	63	10	36	
1,081	1,344	1,459	1,646	1,905	1,700	1,839	1,760	1,560	1,351	914	444	153	24	3	22	
973	1,166	1,198	1,313	1,419	1,374	1,514	1,691	1,709	1,553	1,108	612	201	39	7	14	
3	3	2	3	1	4	2	3	4	1	3	1	1				99
	7	2	2	4	1	2	2	1	2	1	2	2	1			
23	16	22	12	17	18	8	16	8	10	10	5					100
13	15	6	8	12	10	7	11	9	11	8	4	1				
1	1	3	4	5	9	7	5	7	6	5	3		1			101
2	3	1	3	1	2	6	6	8	3	5	1					
88	110	122	144	136	133	117	91	76	52	25	11	3				102
58	78	65	74	85	75	70	67	82	55	18	10	4			1	
81	100	122	149	164	167	218	230	261	240	211	129	45	6	2	4	103
89	109	129	113	152	149	213	265	301	324	278	162	60	10	2	4	
																104
66	87	91	104	140	132	194	236	273	313	277	151	64	7	1	5	
95	97	130	130	156	195	218	342	424	433	379	231	83	22	4	3	105
1																106
		1														
3		1														107
							1		1							
306	289	228	198	201	109	107	82	41	22	5	2				3	108
189	196	156	127	96	91	64	45	34	17	13	5	1			1	
95	146	142	164	218	205	214	263	256	237	143	57	21	3		7	109
136	136	177	241	242	246	273	319	264	233	141	52	19	2		2	
23	49	55	64	97	74	86	113	126	119	73	31	10	1		2	
17	28	67	113	113	118	123	138	105	86	55	16	8	1		1	
72	97	87	100	121	131	128	150	130	118	70	26	11	2		5	
119	108	110	128	129	128	150	181	159	147	86	36	11	1		1	
37	36	26	50	44	46	47	42	43	47	45	16	7	3			110
37	47	47	42	44	28	35	38	53	67	33	20	12	1			
8	5	3	7	7	2	8	5	2	10	3						111
8	17	8	6	1	9	8	6	6	7	2	1				1	
1	2	3	2		2	1	1	1								112
					1	1	1									
196	353	489	609	682	637	645	563	383	232	94	31	5	3		1	113
98	150	202	253	284	247	280	253	224	157	87	35	6	1		1	
9	21	24	39	64	64	54	46	54	44	22	4					114
29	56	70	117	128	128	128	118	99	76	30	14	5			1	
79	91	105	98	143	119	145	118	102	89	56	26	7	1		1	115
56	92	97	111	133	127	143	167	159	128	90	60	6	1	1		
7	8	4	3	3	3	5	4	2	4							116
4	2	6	1	5	5	7	3		2	1		1				
65	58	56	44	55	37	57	48	42	38	12	7				1	117
147	145	88	73	61	45	47	40	37	29	20	14	1				
12	18	16	16	25	13	10	7	5	6	3	1					118
12	16	13	12	15	15	12	7	8	8	2	1		1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	62,559	942	275	202	185	141	1,745	509	447	780	1,362	2,074
	Males	34,554	580	146	110	87	72	995	266	183	307	478	799
	Females	28,005	362	129	92	98	69	750	243	264	473	884	1,275
119	Acute nephritis M	3,037	233	61	54	45	39	432	139	71	89	134	184
	Acute nephritis F	2,628	143	72	50	55	42	362	114	94	110	144	164
120	Bright's disease M	26,814	188	74	50	36	30	378	114	108	205	309	556
	Bright's disease F	20,851	142	48	32	40	26	288	110	155	235	376	587
121	Chyluria M	1											
	Chyluria F												
122	Other diseases of the kidneys and annexa. M	828	86	6	2	4	3	101	9	2	5	18	27
	Other diseases of the kidneys and annexa. F	561	63	8	6	3		80	13	4	11	21	41
123	Calculi of the urinary passages M	241	6	1		1		8	1	1	2	6	9
	Calculi of the urinary passages F	88	1		1			2	1	2	1	8	3
124	Diseases of the bladder M	1,313	27	2	3	1		33	2	1	5	5	10
	Diseases of the bladder F	248	6		2		1	9	1	1		2	8
125	Diseases of the urethra, urinary abscess, etc. M	223	5					5			1	4	10
	Diseases of the urethra, urinary abscess, etc. F	14	1					1			1		
126	Diseases of the prostate M	2,020										1	2
127	Nonvenereal diseases of the male genital organs. M	75	33	2	1			36	1			1	1
128	Uterine hemorrhage (nonpuerperal). F	81								1	5	12	11
129	Uterine tumor (noncancerous) F	933	1		1			2			1	7	24
130	Other diseases of the uterus F	774	2					2	1	5	29	79	120
131	Cysts and other tumors of the ovary. F	500							2		4	23	45
132	Salpingitis and other diseases of the female genital organs. F	1,298	1					1	1	2	75	211	271
133	Nonpuerperal diseases of the breast (cancer excepted). M	2	2					2					
	Nonpuerperal diseases of the breast (cancer excepted). F	29	2	1				3			1	1	1
	VII.—The puerperal state	8,455								11	620	1,815	2,034
134	Accidents of pregnancy F	877								1	36	134	236
135	Puerperal hemorrhage F	754									18	101	179
136	Other accidents of labor F	820									38	151	176
137	Puerperal septicemia F	3,892								4	328	952	973
138	Puerperal albuminuria and convulsions. F	1,824								6	184	426	397
139	Puerperal phlegmasia alba dolens, embolus, sudden death. F	230									10	40	55
140	Following childbirth (not otherwise defined). F	53									5	11	16
141	Puerperal diseases of the breast F	5									1		2
	VIII.—Diseases of the skin and of the cellular tissue.	3,008	447	46	13	18	13	537	26	14	31	44	35
	Males	1,699	246	27	9	9	5	296	12	5	23	24	20
	Females	1,309	201	19	4	9	8	241	14	9	8	20	15
142	Gangrene M	964	18	6	1	3	1	29	6	3	6	5	5
	Gangrene F	784	18	5	1	2	2	28	4	4	2	3	2
143	Furuncle M	192	21		1			22	1		8	8	5
	Furuncle F	81	19	3		1		23			3	4	3
144	Acute abscess M	315	89	13	6	4	3	115	5	2	9	6	10
	Acute abscess F	191	63	6	3	2	5	79	7	3		8	6
145	Other diseases of the skin and annexa. M	228	118	8	1	2	1	130				5	
	Other diseases of the skin and annexa. F	253	101	5		4	1	111	3	2	3	5	4
	IX.—Diseases of the bones and of the organs of locomotion.	1,317	121	55	39	28	25	268	100	95	89	56	73
	Males	820	69	35	24	17	14	159	48	58	63	39	39
	Females	497	52	20	15	11	11	109	52	37	26	17	34
146	Diseases of the bones (tuberculosis excepted). M	716	63	35	22	16	14	150	44	54	57	37	33
	Diseases of the bones (tuberculosis excepted). F	429	46	19	15	11	11	102	49	36	24	14	29
147	Diseases of the joints (tuberculosis and rheumatism excepted). M	69	5		1	1		7	3	3	3	1	6
	Diseases of the joints (tuberculosis and rheumatism excepted). F	50	5	1				6	3	1	2	3	3
148	Amputations M	5											
	Amputations F	2											
149	Other diseases of the organs of locomotion. M	30	1		1			2	1	1	3	1	
	Other diseases of the organs of locomotion. F	16	1					1					2
	X.—Malformations	7,998	7,501	208	69	29	27	7,834	76	36	20	13	5
	Males	4,558	4,282	114	41	13	18	4,468	41	23	11	7	2
	Females	3,440	3,219	94	28	16	9	3,366	35	13	9	6	3
150	Congenital malformations (stillbirths not included) (total). M	4,558	4,282	114	41	13	18	4,468	41	23	11	7	2
	Congenital malformations (stillbirths not included) (total). F	3,440	3,219	94	28	16	9	3,366	35	13	9	6	3
	Hydrocephalus M	390	275	43	20	6	9	353	20	8	2	3	1
	Hydrocephalus F	295	228	25	13	7	3	276	10	3	2	1	1
	Congenital malformations of the heart. M	2,813	2,706	43	14	4	5	2,772	13	15	7	3	
	Congenital malformations of the heart. F	2,008	1,893	50	10	6	3	1,962	20	10	6	3	2
	Other congenital malformations. M	1,355	1,301	28	7	3	4	1,343	8		2	1	1
	Other congenital malformations. F	1,137	1,098	19	5	3	3	1,128	5		1	2	

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
2,406	3,142	3,773	4,398	5,079	5,284	6,198	6,819	6,780	5,717	3,660	1,784	441	106	18	37	
993	1,402	1,815	2,318	2,839	3,080	3,730	4,091	4,090	3,500	2,238	1,084	255	52	11	28	
1,413	1,740	1,958	2,080	2,240	2,204	2,468	2,728	2,690	2,217	1,422	700	186	54	7	9	
177	210	217	218	231	205	205	160	148	99	72	36	9	.....	.....	1	119
176	184	185	164	150	145	165	157	121	92	52	30	15	3	.....	1	
746	1,106	1,484	1,941	2,448	2,656	3,173	3,336	3,183	2,590	1,535	729	156	29	9	23	120
733	985	1,222	1,455	1,796	1,893	2,125	2,389	2,411	1,980	1,277	615	158	47	6	8	
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	121
32	27	42	69	53	47	77	69	82	71	54	29	10	1	1	2	122
25	29	46	25	39	40	40	29	37	42	24	12	2	1	.....	.....	
9	16	7	19	18	26	22	32	33	22	8	2	.....	.....	.....	.....	123
6	3	8	8	8	11	4	6	8	6	3	.....	.....	.....	.....	.....	
10	20	24	26	31	49	81	141	196	271	217	137	43	9	1	1	124
2	7	5	9	7	8	15	28	39	31	32	33	8	2	1	.....	
10	17	29	25	28	24	13	21	19	9	6	.....	1	.....	.....	1	125
1	1	1	2	1	.....	2	1	1	2	.....	.....	.....	.....	.....	.....	
4	5	8	18	29	72	156	331	419	432	345	151	35	12	.....	.....	126
5	1	4	2	1	1	3	1	9	6	1	.....	1	1	.....	.....	127
11	11	10	11	5	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	128
77	118	185	189	116	47	52	39	29	27	17	2	.....	1	.....	.....	129
104	108	107	75	47	22	16	29	13	7	7	2	1	.....	.....	.....	130
45	54	55	52	44	28	38	41	29	27	6	5	2	.....	.....	.....	131
233	236	130	88	23	9	8	5	2	1	1	1	.....	.....	.....	.....	132
.....	4	4	2	4	1	1	2	.....	2	3	.....	.....	.....	.....	.....	133
1,781	1,456	662	70	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
214	183	65	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	134
181	192	71	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	135
156	189	100	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	136
814	548	245	25	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	137
348	291	158	12	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	138
55	44	23	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	139
12	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	140
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
61	62	73	99	125	137	180	254	336	369	322	201	72	24	4	2	
38	34	55	57	79	80	96	164	185	189	185	103	40	11	1	2	
23	28	18	42	46	57	84	90	151	180	137	98	32	13	3	.....	
8	13	22	24	31	42	55	107	139	162	165	91	39	9	1	2	142
6	12	10	20	19	36	57	70	117	147	115	89	30	11	2	.....	
12	7	11	11	18	22	14	22	16	6	5	3	.....	1	.....	.....	143
4	.....	2	2	8	7	5	3	8	4	2	2	.....	1	.....	.....	
14	14	16	14	18	14	19	23	16	10	8	2	.....	.....	.....	.....	144
9	7	3	7	8	6	10	6	12	11	6	1	1	1	.....	.....	
4	.....	6	8	12	2	8	12	14	11	7	7	1	1	.....	.....	145
4	9	3	13	11	8	12	11	14	18	14	6	1	.....	1	.....	
58	74	74	62	68	57	45	56	46	40	36	12	5	3	.....	.....	
40	58	51	44	43	34	24	34	30	23	21	6	3	3	.....	.....	
18	16	23	18	25	23	21	22	16	17	15	6	2	.....	.....	.....	
37	47	40	37	37	30	20	31	23	14	18	3	1	3	.....	.....	146
15	15	18	17	21	19	15	16	13	15	6	4	1	.....	.....	.....	
1	10	8	4	6	2	1	2	3	6	.....	1	2	.....	.....	.....	147
3	1	2	1	3	2	4	5	2	2	5	1	1	.....	.....	.....	
.....	.....	1	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	148
.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	2	3	.....	1	2	1	2	3	3	2	.....	.....	.....	.....	149
.....	.....	2	.....	1	2	1	1	1	.....	4	1	.....	.....	.....	.....	
3	5	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
3	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	150
3	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	XI.—Early infancy	39,388	39,361	10	4			39,375	3		1	2	3
	Males	22,498	22,486	5	1			22,492	2		1	1	2
	Females	16,890	16,875	5	3			16,883	1			1	1
151	Congenital debility, icterus, and sclerema (total).	M. 18,306	18,294	5	1			18,300	2		1	1	2
		F. 14,044	14,029	5	3			14,037	1			1	1
	Premature birth	M. 11,429	11,429					11,429					
		F. 8,846	8,846					8,846					
	Congenital debility, "atrophy," "marasmus," etc.	M. 6,877	6,865	5	1			6,871	2		1	1	2
		F. 5,198	5,183	5	3			5,191	1			1	1
152	Other causes peculiar to early infancy (total).	M. 4,121	4,121					4,121					
		F. 2,785	2,785					2,785					
	Injuries at birth	M. 2,290	2,290					2,290					
		F. 1,435	1,435					1,435					
	Other causes peculiar to early infancy.[1]	M. 1,831	1,831					1,831					
		F. 1,350	1,350					1,350					
153	Lack of care	M. 71	71					71					
		F. 61	61					61					
	XII.—Old age	13,604											
	Males	5,958											
	Females	7,646											
154	Senility	M. 5,958											
		F. 7,646											
	XIII.—External causes	57,196	1,497	1,148	1,081	795	662	5,183	2,193	1,678	3,024	5,446	5,496
	Males	44,872	839	637	643	423	359	2,901	1,466	1,363	2,426	4,653	4,828
	Females	12,324	658	511	438	372	303	2,282	727	315	598	793	668
	Suicide (total)	M. 6,610							1	18	148	543	656
		F. 1,980								13	178	302	234
155	By poison	M. 1,587								4	38	144	193
		F. 869								7	112	186	117
156	By asphyxia	M. 635									12	31	50
		F. 306								1	13	30	33
157	By hanging or strangulation	M. 1,017							1	8	16	51	60
		F. 248									6	17	18
158	By drowning	M. 335									9	19	28
		F. 182									15	23	23
159	By firearms	M. 2,341								5	67	253	261
		F. 220								5	23	35	28
160	By cutting or piercing instruments.	M. 478									3	27	35
		F. 66									2	2	2
161	By jumping from high places.	M. 91									2	9	10
		F. 46									5	5	6
162	By crushing	M. 75								1		7	11
		F. 13									1	2	3
163	Other suicides	M. 51									1	2	8
		F. 30									1	2	4
	Accidental or undefined (total)	M. 35,731	767	630	637	422	352	2,808	1,447	1,313	2,165	3,676	3,714
		F. 9,685	609	502	434	367	301	2,213	714	286	360	380	338
164	Poisoning by food	M. 99	18	10	6	2	3	39	10	4	4		3
		F. 58	13	8	3	2	2	28	3	3	3	1	4
165	Other acute poisonings	M. 728	72	85	67	24	18	266	20	6	10	28	50
		F. 499	42	68	49	16	12	187	20	12	37	38	38
166	Conflagration	M. 483	13	5	19	14	13	64	20	8	19	31	33
		F. 262	11	16	14	8	15	64	22	6	21	14	25
167	Burns (conflagration excepted).	M. 1,810	86	247	289	195	114	931	132	29	44	96	81
		F. 2,372	64	200	219	237	184	904	344	84	72	83	92
168	Absorption of deleterious gases (conflagration excepted).	M. 999	13	3	5	1	2	24	15	9	47	100	119
		F. 380	11	6	2	2	3	24	5	6	31	33	27
169	Accidental drowning	M. 4,396	18	82	65	36	41	242	391	397	491	577	445
		F. 422	14	43	22	14	10	103	33	47	60	56	19
170	Traumatism by firearms	M. 1,029	2	5	4	7	10	28	71	170	205	132	119
		F. 132	2	5	5	5	6	23	14	16	16	14	15
171	Traumatism by cutting or piercing instruments.	M. 80			1			1	3	3	9	10	5
		F. 9							1		1	1	3
172	Traumatism by fall	M. 5,320	70	89	86	50	32	327	158	114	135	291	333
		F. 2,985	59	57	47	30	23	216	58	29	32	43	31
173	Traumatism in mines and quarries (total).	M. 2,474	2					2	1	14	191	445	493
		F. 10							1	1	1	2	1
	Traumatism in mines	M. 2,356	2					2	1	14	181	418	477
		F. 10							1	1	1	2	1
	Traumatism in quarries	M. 118									10	27	16
		F.											
174	Traumatism by machines	M. 1,275					7	7	16	34	121	201	182
		F. 24		1				1	4	1	6	2	2
175	Traumatism by other crushing (total).	M. 12,030	19	40	46	57	79	241	481	359	626	1,326	1,366
		F. 1,272	9	35	41	35	34	154	165	61	54	76	57
	Railroad accidents and injuries	M. 7,435	5	11	9	6	11	42	98	136	437	980	987
		F. 442	1	17	7	3	5	33	21	19	26	41	25
	Street-car accidents and injuries	M. 1,611	2	9	16	21	23	71	93	69	70	133	133
		F. 338	1	2	16	15	14	48	55	10	10	15	13
	Automobile accidents and injuries	M. 781	1	1	4	5	5	15	116	65	39	56	60
		F. 199	3	2	3	4	4	16	48	12	9	14	10
	Injuries by other vehicles	M. 1,674	8	19	16	24	37	104	161	76	66	86	107
		F. 266	4	14	15	10	10	53	33	18	9	6	7
	Landslide, other crushing	M. 529	4		1	1	3	9	13	12	24	71	79
		F. 27				3	1	4	8	2			2

[1] Exclusive of injuries at birth.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
			1							1					1	
1			1							1					1	
1			1							1					1	151
1			1							1					1	
																152
																153
						189	519	1,379	2,475	3,716	3,116	1,587	443	173	7	
						77	218	634	1,097	1,708	1,338	648	175	59	4	
						112	301	745	1,378	2,008	1,778	939	268	114	3	
						77	218	634	1,097	1,708	1,338	648	175	59	4	154
						112	301	745	1,378	2,008	1,778	939	268	114	3	
4,817	4,994	4,207	3,937	3,402	2,621	2,311	2,019	1,740	1,520	1,169	719	319	88	14	299	
4,215	4,336	3,684	3,441	2,883	2,189	1,859	1,460	1,107	812	534	279	106	38	6	286	
602	658	523	496	519	432	452	559	633	708	635	440	213	50	8	13	
644	709	655	724	656	579	471	330	207	144	64	21	6	1	1	32	
221	232	172	158	137	101	73	68	44	29	9	4	2			3	
161	162	172	156	173	135	110	69	28	25	8	3		1	1	4	155
105	94	70	53	37	22	22	17	13	5	7	1				1	
48	75	83	81	70	66	54	32	17	11	1		1			3	156
40	36	31	27	25	22	14	16	10	7			1				
64	86	78	123	107	110	104	82	46	39	27	8	2			5	157
21	26	26	30	29	28	14	15	9	6	1	2					
31	39	22	33	32	30	31	18	22	10	4	1				6	
17	20	14	16	12	11	7	9	6	5	1		1			2	158
264	262	224	239	209	178	127	103	72	45	17	5	1			9	
26	39	15	15	12	10	7	2	2	1							159
49	63	51	68	46	43	33	18	19	10	7	3	2			1	
5	7	7	8	14	6	4	5	1	2		1					160
12	8	9	13	10	7	3	4	2	1						1	
4	8	5	3	3	1	2	1	1	2							161
10	10	11	8	8	3	3	1		1						1	
1			2	1		2		1								162
5	4	5	3	1	7	6	3	1	2		1				2	
2	2	4	4	4	1	1	3	1	1							163
3,218	3,284	2,815	2,541	2,118	1,540	1,342	1,104	885	659	465	256	100	37	5	239	
295	359	301	304	366	317	376	483	583	675	626	436	210	50	8	5	
5	4	8	4	6	3	1	4	2	1	1						164
1	5	2	3		1	1	1	1			1					
37	55	51	50	47	25	27	18	17	11	3	3	1			3	165
27	28	24	19	18	16	13	6	6	6	2		2				
51	41	43	36	34	19	22	17	11	9	5	5				15	166
10	11	10	12	11	9	14	13	8	7	1	3	1				
75	68	70	63	39	34	31	36	38	17	17	2	1	1	1	4	167
76	99	64	69	84	48	63	82	73	64	39	20	7	2	2	1	
70	80	100	78	96	56	58	49	42	25	16	7	1	3		4	168
27	25	27	25	29	20	16	24	27	15	15	4					
333	341	302	233	201	124	109	84	38	17	17	3	2		1	48	169
10	19	16	10	10	14	4	8	5	6	1					1	
78	62	45	38	29	14	14	13	5	2						4	170
10	5	5	5	1	1	4			3							
4	6	14	6	8	3	2	4	1	1							171
	1		1		1											
374	399	389	397	397	335	297	282	302	271	238	173	75	24	2	7	172
40	54	48	52	87	106	134	235	340	459	461	348	167	41	4		
366	313	255	177	96	59	26	15	11	2	1	3		1		3	173
1			1		1	1										
354	298	242	167	91	55	23	14	10	2	1	3		1		2	
1			1		1	1										
12	15	13	10	5	4	3	1	1							1	
145	138	127	108	78	51	30	17	14	3	1					2	174
2				2	1	1	1	1								
1,276	1,329	1,030	997	783	584	516	394	266	200	94	27	10	4		121	175
58	78	76	72	92	57	74	65	59	43	21	4	3	1		2	
929	899	659	616	470	339	272	192	121	90	40	12	5	1		110	
24	30	36	33	42	19	19	21	23	19	7	1	2			1	
140	133	137	137	117	93	87	72	53	40	17	10	2	1		3	
12	16	19	20	21	19	28	22	14	9	5	1	1				
55	71	43	59	44	30	34	38	23	17	10	2	2			1	
11	17	12	4	7	8	14	5	7	4		1					
106	149	134	140	121	103	101	84	64	49	25	3	1	1		3	
8	12	9	15	21	11	13	14	15	11	9	1		1			
46	77	57	45	31	19	22	8	5	4	2			1		4	
3	3			1			3								1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	XIII.—External causes—Con.												
	Accidental or undefined—Continued.												
176	Injuries by animals	M. 461	2	1	4	9	7	23	23	26	27	34	34
		F. 41		3	2	3	2	10	8	1	1	3	1
177	Starvation	M. 24	3	1	1	1	1	7			1		
		F. 14	4					4			1		
178	Excessive cold	M. 219	2					2		5	5	5	13
		F. 35	5					5			1		
179	Effects of heat	M. 557	95	10	4	3	1	113	9	4	13	29	30
		F. 269	75	21	2	1	1	100	5	2	6		7
180	Lightning	M. 134	1			1	1	3	5	11	22	15	9
		F. 22			1			1	2	1		3	1
181	Electricity (lightning excepted)	M. 464	1	1			1	3	8	25	40	98	95
		F. 14			1	1		2	1		5	1	1
185	Fractures (cause not specified)	M. 376	2		1	1	1	5	5	2	11	24	27
		F. 247	2					2		1	2	2	1
186	Other external violence	M. 2,773	348	51	39	21	21	480	79	93	144	234	277
		F. 618	298	39	26	13	9	385	28	15	10	8	13
	Homicide (total)	M. 2,531	72	7	6	1	7	93	18	32	113	434	458
		F. 659	49	9	4	5	2	69	13	16	60	111	96
		M. 1,508	2	2	2		3	9	8	16	73	273	305
182	By firearms	F. 344	1	3		2	1	7	6	7	37	69	58
183	By cutting or piercing instruments	M. 391	1		1		1	3		2	18	96	79
		F. 61	3		1			4	1	1	8	9	8
184	By other means	M. 632	69	5	3	1	3	81	10	14	22	65	74
		F. 254	45	6	3	3	1	58	6	8	15	33	30
	XIV.—Ill-defined diseases	12,462	6,900	893	167	55	37	8,052	74	43	68	97	128
	Males	6,741	3,679	462	86	29	20	4,276	41	22	37	55	86
	Females	5,721	3,221	431	81	26	17	3,776	33	21	31	42	42
187	Ill-defined organic disease	M. 305	10	1	3	2	1	17	1	2	3	5	8
		F. 317	6	2	1		1	10		4	3	3	5
188	Sudden death	M. 179	49					49	1		1	3	7
		F. 92	30	4	2		1	37		1		2	2
189	Not specified or ill-defined (total)	M. 6,257	3,620	461	83	27	19	4,210	39	20	33	47	71
		F. 5,312	3,185	425	78	26	15	3,729	33	16	28	37	35
	Ill-defined	M. 5,316	3,139	429	74	23	18	3,683	31	9	17	33	41
		F. 4,616	2,733	400	71	24	12	3,240	23	8	19	26	20
	Not specified or unknown	M. 941	481	32	9	4	1	527	8	11	16	14	30
		F. 696	452	25	7	2	3	489	10	8	9	11	15

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
20	35	38	31	41	35	27	18	33	8	6	2					
1	2	1	2	1		1	2	2	4	1						176
1		1		2	1	1	3	3	3						1	
	1	1		1	1	1		3						1		177
9	21	23	22	19	20	15	19	17	6	11	2		1		4	
	2	1	2	1	3	2	3	2	4	1	4	2	1		1	178
28	23	52	41	40	33	40	24	17	28	23	7	1	1		1	
7	8	10	10	6	15	14	9	16	17	18	13	4	2			179
13	10	11	7	7	9	6	3	1	2							
4			2	2	3	2				1						180
64	49	31	23	11	6	7	3								1	
	2	1					1									181
33	36	30	30	31	21	18	17	13	28	17	17	5	1	1	4	
2	3	2	5	10	5	16	15	25	37	57	36	22	3	1		185
236	274	195	200	153	108	95	84	54	25	15	5	4	1		17	
19	16	13	14	11	15	15	18	15	10	8	3	2				186
353	343	214	176	109	70	46	26	15	9	5	2				15	
86	67	50	34	16	14	3	8	6	4			1			5	
231	212	135	101	60	38	23	8	3	4	1					8	
48	31	34	20	9	9		6	2	1							182
60	58	28	15	13	4	5	3	3	1	1	1				1	
10	9	4	3	2			1								1	183
62	73	51	60	36	28	18	15	9	4	3	1				6	
28	27	12	11	5	5	3	1	4	3			1			4	184
124	190	174	211	272	297	376	430	461	484	432	322	140	25	8	54	
72	116	100	122	179	196	223	233	235	240	237	149	65	12	3	42	
52	74	74	89	93	101	153	197	226	244	195	173	75	13	5	12	
4	12	1	16	17	25	25	27	33	44	32	25	6			2	
3	10	17	17	22	15	29	30	43	41	34	21	8	1	1		187
3	13	9	5	12	12	15	15	16	6	9	2				1	
1	1	3	3	2	3	5	8	6	6	4	3	2	1	1	1	188
65	91	90	101	150	159	183	191	186	190	196	122	59	12	3	39	189
48	63	54	69	69	83	119	159	177	197	157	149	65	11	3	11	
46	63	60	73	104	127	150	163	165	173	182	115	56	12	2	11	
41	50	44	60	62	69	108	143	156	184	146	142	61	9	3	2	
19	28	30	28	46	32	33	28	21	17	14	7	3		1	28	
7	13	10	9	7	14	11	16	21	13	11	7	4	2		9	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	THE REGISTRATION AREA.																		
	All causes	805,412	154,373	33,080	14,727	8,808	6,331	17,943	31,508	62,957	68,396	72,935	81,540	96,651	96,000	51,401	7,602	372	788
	I.—General diseases	215,692	14,250	9,123	6,018	4,235	3,262	8,891	14,748	30,167	28,712	26,341	25,048	22,753	15,777	5,599	589	19	160
1	Typhoid fever	12,673	72	124	132	138	163	684	2,534	3,780	2,186	1,341	869	405	192	34	3	.....	16
2	Typhus fever	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	1,167	77	40	36	31	20	58	107	159	130	111	136	129	79	44	8	.....	2
5	Smallpox	202	27	9	6	6	3	6	23	44	30	30	7	6	3	1	.....	.....	1
6	Measles	6,598	1,540	2,027	1,002	463	306	588	264	131	120	73	36	23	18	5	.....	.....	2
7	Scarlet fever	6,255	304	697	917	893	653	1,731	674	250	88	26	15	2	1	.....	.....	.....	4
8	Whooping cough	6,146	3,345	1,413	630	297	173	228	27	10	1	4	2	4	7	1	2	.....	2
9	Diphtheria and croup	11,521	903	1,917	1,773	1,443	1,152	2,938	928	232	97	65	43	14	12	1	1	.....	2
10	Influenza	7,774	522	194	99	59	31	122	192	307	356	471	733	1,295	1,868	1,298	213	9	5
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	563	97	30	18	3	4	14	15	17	20	29	40	68	122	72	13	.....	1
14	Dysentery	3,446	745	345	134	62	50	47	28	65	106	154	198	377	603	456	72	3	1
15	Plague	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	10	.....	.....	.....	.....	.....	.....	.....	3	1	4	2	.....	.....	.....	.....	.....	.....
18	Erysipelas	2,442	697	46	16	7	9	8	49	112	191	271	277	317	281	142	15	1	3
19	Other epidemic diseases	198	70	38	17	9	4	23	14	7	7	2	3	1	3	.....	.....	.....	.....
20	Purulent infection and septicemia	1,877	221	39	22	16	10	73	148	214	226	238	263	197	140	63	3	1	3
21	Glanders	7	.....	.....	.....	.....	.....	.....	.....	3	3	.....	1	.....	.....	.....	.....	.....	.....
22	Anthrax	22	1	.....	.....	.....	.....	.....	2	2	4	3	5	3	2	.....	.....	.....	.....
23	Rabies	64	1	1	1	3	5	13	15	3	5	7	6	4	.....	.....	.....	.....	.....
24	Tetanus	1,373	427	11	11	13	19	162	241	127	128	91	81	35	22	5	.....	.....	.....
25	Mycoses	32	.....	.....	.....	.....	.....	.....	3	5	2	10	.....	7	4	1	.....	.....	.....
26	Pellagra	368	1	1	.....	1	1	4	17	63	93	67	65	39	13	2	.....	.....	1
27	Beriberi	10	.....	.....	.....	.....	.....	.....	.....	6	1	2	1	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	86,309	2,416	1,751	902	608	457	1,422	7,733	22,023	19,495	13,347	8,345	4,970	2,306	446	31	.....	57
28	Tuberculosis of the lungs	73,214	839	532	259	152	146	489	6,214	19,973	17,888	12,264	7,548	4,429	2,028	379	27	.....	47
29	Acute miliary tuberculosis	1,997	84	47	45	27	18	77	299	586	410	196	127	59	20	2	.....	.....	.....
30	Tuberculous meningitis	4,654	1,020	908	460	322	216	561	457	292	196	121	59	29	9	4	.....	.....	.....
31	Abdominal tuberculosis	3,159	254	150	69	49	28	104	338	577	528	382	291	238	113	32	1	.....	5
32	Pott's disease	764	22	25	19	26	25	94	101	135	90	74	76	44	31	2	.....	.....	.....
33	White swellings	422	13	11	7	6	8	24	85	64	58	47	42	28	20	7	.....	.....	2
34	Tuberculosis of other organs	1,118	110	45	24	18	10	38	117	179	154	142	118	83	62	14	3	.....	1
35	Disseminated tuberculosis	981	74	33	19	8	6	35	122	217	171	121	84	60	23	6	.....	.....	2
36	Rickets	455	244	101	39	11	3	13	12	6	5	5	3	4	6	3	.....	.....	.....
37	Syphilis	3,221	1,658	94	34	12	7	24	47	281	375	303	224	113	39	7	.....	.....	3
38	Gonococcus infection	197	103	5	.....	.....	.....	.....	18	25	18	13	6	5	3	1	.....	.....	.....
	Cancer and other malignant tumors (total)	41,039	38	32	55	26	29	83	228	700	2,586	6,592	9,858	10,776	7,531	2,297	172	4	32
39	Of the buccal cavity	1,576	2	.....	1	.....	2	8	9	17	40	171	355	454	328	168	20	.....	1
40	Of the stomach, liver	16,475	6	4	12	2	2	15	23	152	701	2,165	4,091	5,002	3,393	857	37	.....	13
41	Of the peritoneum, intestines, rectum	5,258	1	2	2	5	4	10	28	116	350	782	1,239	1,438	1,015	256	8	.....	2
42	Of the female genital organs	6,147	.....	1	.....	.....	.....	1	18	129	703	1,663	1,688	1,215	595	120	9	2	3
43	Of the breast	3,730	2	1	1	.....	.....	.....	2	38	285	825	958	783	567	238	25	1	4
44	Of the skin	1,459	3	2	1	.....	2	4	9	16	39	108	181	324	432	292	43	1	2
45	Of other organs or of organs not specified	6,394	24	22	38	19	19	45	139	232	468	878	1,346	1,560	1,201	366	30	.....	7
46	Other tumors (tumors of the female genital organs excepted)	553	18	4	4	4	.....	9	10	28	55	92	100	86	100	40	3	.....	.....
47	Acute articular rheumatism	3,328	31	17	31	30	55	327	618	307	318	327	360	376	364	149	18	.....	.....
48	Chronic rheumatism and gout	676	1	1	1	.....	1	.....	10	19	30	56	111	164	194	79	9	.....	.....
49	Scurvy	68	38	9	3	5	.....	1	.....	5	1	3	2	1	.....	.....	.....	.....	.....
50	Diabetes	8,040	13	14	30	21	36	144	464	439	528	843	1,755	2,185	1,259	289	15	.....	5
51	Exophthalmic goiter	687	1	.....	.....	.....	.....	.....	36	120	138	169	128	59	31	3	.....	.....	2
52	Addison's disease	220	.....	.....	.....	.....	.....	.....	11	19	48	43	50	34	15	.....	.....	.....	.....
53	Leukemia	864	24	23	20	14	8	44	74	126	124	126	129	89	53	8	.....	.....	2
54	Anemia, chlorosis	2,614	204	46	22	10	14	39	110	160	235	383	502	511	283	87	7	.....	1
55	Other general diseases	1,359	411	94	62	50	49	83	81	100	79	80	62	85	81	36	4	1	1
56	Alcoholism (acute or chronic)	2,909	.....	.....	.....	.....	.....	2	9	237	803	872	554	297	104	18	.....	.....	13
57	Chronic lead poisoning	136	.....	.....	1	.....	.....	.....	2	9	29	40	32	16	7	.....	.....	.....	.....
58	Other chronic occupation poisonings	6	.....	.....	.....	.....	.....	.....	1	1	1	3	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	259	.....	.....	.....	.....	.....	.....	2	22	47	45	44	56	31	11	.....	.....	1
	II.—Diseases of the nervous system and of the organs of special sense	77,991	7,937	2,071	1,139	746	464	1,368	1,865	2,265	3,830	6,397	10,046	14,769	16,235	7,928	837	29	65
60	Encephalitis	761	127	39	23	24	7	34	76	87	91	76	77	48	35	12	1	.....	4
61	Meningitis (total)	7,619	2,372	1,047	656	421	243	683	659	431	317	292	218	142	91	37	5	.....	5
	Simple meningitis	5,347	1,752	717	465	292	149	429	392	279	227	230	175	120	81	32	4	.....	3
	Cerebrospinal meningitis (undefined)	2,052	572	310	174	117	82	219	238	133	75	55	40	20	9	5	1	.....	2
	Cerebrospinal fever	220	48	20	17	12	12	35	29	19	15	7	3	2	1	.....	.....	.....	.....
62	Locomotor ataxia	1,435	.....	.....	.....	1	.....	1	3	23	118	293	411	375	185	24	.....	.....	1
63	Other diseases of the spinal cord (total)	4,101	305	277	176	120	109	264	276	196	213	334	484	640	535	160	8	1	3
	Acute anterior poliomyelitis	1,459	265	257	165	111	100	239	186	79	20	17	6	10	3	1	.....	.....	.....
	Other diseases of the spinal cord [1]	2,642	40	20	11	9	9	25	90	117	193	317	478	630	532	159	8	1	3
64	Cerebral hemorrhage, apoplexy	39,701	524	55	46	26	16	47	149	446	1,164	2,932	6,147	10,330	11,617	5,573	575	22	32
65	Softening of the brain	1,066	.....	.....	.....	1	.....	.....	4	11	34	67	120	237	356	211	24	.....	1
66	Paralysis without specified cause	7,756	46	13	11	12	8	27	50	83	235	441	963	1,815	2,431	1,441	172	5	3
67	General paralysis of the insane	2,944	.....	.....	.....	.....	.....	.....	3	73	617	901	641	333	258	106	7	.....	5
68	Other forms of mental alienation	1,761	1	.....	.....	.....	.....	1	28	135	228	265	302	305	298	174	20	.....	4

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	CALIFORNIA—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous)	47								1	12	18	7	2	5	2		
130	Other diseases of the uterus	40							5	10	9	10	3	2	1			
131	Cysts and other tumors of the ovary	23						1		3	2	3	4	6	3	1		
132	Salpingitis and other diseases of the female genital organs	58							5	20	20	12		1				
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	289							20	123	121	23						2
134	Accidents of pregnancy	37							1	7	23	6						
135	Puerperal hemorrhage	34								15	16	3						
136	Other accidents of labor	27							1	8	16	2						
137	Puerperal septicemia	107							10	52	39	4						2
138	Puerperal albuminuria and convulsions	70							7	35	22	6						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	13							1	5	5	2						
140	Following childbirth (not otherwise defined)	1								1								
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	125	11					1	1	6	1	7	11	18	32	32	5	
142	Gangrene	81	1							3		5	5	10	26	26	5	
143	Furuncle	13	2							1			3	4	2	1		
144	Acute abscess	11	1					1	1	1	1		2	2	1	1		
145	Other diseases of the skin and annexa	20	7							1		2	1	2	3	4		
	IX.—Diseases of the bones and of the organs of locomotion	45				2		3	5	8	7	6	4	4	4	2		
146	Diseases of the bones (tuberculosis excepted)	39				2		3	5	7	6	4	4	4	4			
147	Diseases of the joints (tuberculosis and rheumatism excepted)																	
148	Amputations	1										1						
149	Other diseases of the organs of locomotion	5								1	1	1				2		
	X.—Malformations	294	273	9	2	1	2	4	3									
150	Congenital malformations (stillbirths not included) (total)	294	273	9	2	1	2	4	3									
	Hydrocephalus	22	18	2				1	1									
	Congenital malformations of the heart	183	170	6	1		2	2	2									
	Other congenital malformations	89	85	1	1	1		1										
	XI.—Early infancy	1,063	1,063															
151	Congenital debility, icterus, and sclerema (total)	880	880															
	Premature birth	648	648															
	Congenital debility, "atrophy," "marasmus," etc	232	232															
152	Other causes peculiar to early infancy (total)	178	178															
	Injuries at birth	110	110															
	Other causes peculiar to early infancy[1]	68	68															
153	Lack of care	5	5															
	XII.—Old age	551												28	179	258	78	7	1
154	Senility	551												28	179	258	78	7	1
	XIII.—External causes	3,206	38	42	28	25	16	69	207	590	695	494	398	299	189	96	15		5
	Suicide (total)	696							9	120	191	129	105	87	39	15	1		
155	By poison	124							7	30	33	25	14	12	1	2			
156	By asphyxia	80								11	23	16	15	12	2	1			
157	By hanging or strangulation	60								9	11	8	14	12	3	3			
158	By drowning	36							1	3	14	3	4	8	2	1			
159	By firearms	303							1	54	80	59	44	31	28	5	1		
160	By cutting or piercing instruments	65								7	23	12	11	7	3	2			
161	By jumping from high places	5									2	2	1						
162	By crushing	15								5	3	3	1	3					
163	Other suicides	8								1	2	1	1	2		1			
	Accidental or undefined (total)	2,249	37	41	27	25	16	66	186	401	419	318	270	199	146	79	14		5
164	Poisoning by food	23	2	1		2	1	2	6	1	2	2	4						
165	Other acute poisonings	58	4	8	2	1	1		3	4	8	9	10	3	4	1			
166	Conflagration	30	2	1	1	1			2	2	5	5	5	3	2	1			
167	Burns (conflagration excepted)	142	5	5	9	7	8	12	6	21	16	12	15	12	8	5	1		
168	Absorption of deleterious gases (conflagration excepted)	63	2	1					6	5	9	14	13	2	8	2	1		
169	Accidental drowning	275	2	12	4	3	1	8	43	49	51	41	29	23	5	1			3
170	Traumatism by firearms	95			2			6	31	23	15	11	4		2				1
171	Traumatism by cutting or piercing instruments	4								1		1	2						
172	Traumatism by fall	339	2	5	4	2		10	13	44	44	40	33	41	45	46	10		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	CALIFORNIA—Continued.																	
	XIII.—External causes—Contd.																	
	Accidental or undefined—Continued.																	
173	Traumatism in mines and quarries (total)	61						1	5	22	14	10	4	2	2	1		
	Traumatism in mines	47						1	4	14	12	7	4	2	2	1		
	Traumatism in quarries	14							1	8	2	3						
174	Traumatism by machines	70							10	22	23	5	6	1	3			
175	Traumatism by other crushing (total)	765		3	3	6	4	22	42	138	178	126	100	79	49	12	2	1
	Railroad accidents and injuries	354		1				1	14	74	95	75	49	26	14	3	1	1
	Street-car accidents and injuries	144				1	1	5	9	22	30	17	22	19	14	4		
	Automobile accidents and injuries	86		1	1			10	8	14	15	13	9	8	6	1		
	Injuries by other vehicles	145		1	2	5	2	5	9	15	27	19	17	25	13	4	1	
	Landslide, other crushing	36					1	1	2	13	11	2	3	1	2			
176	Injuries by animals	53		2	1	1	1	2	4	9	8	6	8	10	1			
177	Starvation	6	1						1			2	1		1			
178	Excessive cold	6							1	1				3	1			
179	Effects of heat	25	4						2	1	4	2	5	2	4	1		
180	Lightning																	
181	Electricity (lightning excepted)	43							4	20	9	8	1	1				
185	Fractures (cause not specified)	32							1	6	3	1	4	5	5	7		
186	Other external violence	159	13	3	1	2		3	6	32	30	23	26	12	6	2		
	Homicide (total)	261	1	1	1			3	12	69	85	47	23	13	4	2		
182	By firearms	145						1	8	39	47	33	11	6				
183	By cutting or piercing instruments	33	1							11	9	3	3	4	1	1		
184	By other means	83		1	1			2	4	19	29	11	9	3	3	1		
	XIV.—Ill-defined diseases	203	63	6	6	1		1	3	2	10	12	18	22	33	20	5	1
187	Ill-defined organic disease	23									1		2	5	11	3	1	
188	Sudden death	3	1		1										1			
189	Not specified or ill-defined (total)	177	62	6	5	1		1	3	2	9	12	16	17	21	17	4	1
	Ill-defined	143	58	5	5	1					4	9	12	10	19	16	4	
	Not specified or unknown	34	4	1				1	3	2	5	3	4	7	2	1		1
	COLORADO.																	
	All causes	11,069	1,789	334	155	106	83	243	578	1,435	1,497	1,224	1,154	1,044	962	398	59	1	7
	I.—General diseases	3,508	151	80	54	63	40	120	250	720	739	475	365	254	152	42	2		1
1	Typhoid fever	337	3	6	4	8	7	25	64	98	52	34	26	7	3				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	9			1		1		1	2	2	1			1				
5	Smallpox	7	2							1	2	1	1						
6	Measles	64	12	17	4	7	5	4	7	1	6	1							
7	Scarlet fever	104	10	12	12	12	8	31	13	4	1	1							
8	Whooping cough	35	24	2	4	2	2	1											
9	Diphtheria and croup	130	6	16	18	24	13	28	19	4	1			1					
10	Influenza	77	7	1				2	2	2	7	6	13	11	20	5	1		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	7	4												2	1			
14	Dysentery	38	3	7	3	1		4			4	2	5	1	6	2			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	45	18	1						2	3	4	6	4	4	3			
19	Other epidemic diseases	2	1				1												
20	Purulent infection and septicemia	27	3	1				3	2	3	4	2	2	3	4				
21	Glanders																		
22	Anthrax	1										1							
23	Rabies																		
24	Tetanus	8		1				1	3	2	1								
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	1,809	28	14	5	3	1	16	114	562	573	291	134	53	12	2			1
28	Tuberculosis of the lungs	1,650	10	2	2		1	3	96	525	548	274	130	47	10	2			
29	Acute miliary tuberculosis	21							3	14	4								
30	Tuberculous meningitis	58	15	12	3	2		11	7	6		1	1						
31	Abdominal tuberculosis	33	3			1			1	2	5	13	6		1	1			
32	Pott's disease	8						1	2	2			2			1			
33	White swellings	2									1		1						
34	Tuberculosis of other organs	16							2	3	2	4	3	2					
35	Disseminated tuberculosis	21							2	7	5	3		3					1
36	Rickets	7	6						1										
37	Syphilis	50	16					1		11	6	6	5	2	3				
38	Gonococcus infection	3	1						1			1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	COLORADO—Continued.																	
	I.—General diseases—Continued.																	
	Cancer and other malignant tumors (total)	468		1		1	1		3	9	35	79	118	129	71	20	1		
39	Of the buccal cavity	18									1	3	6	1	5	2			
40	Of the stomach, liver	187								3	15	22	56	56	29	5	1		
41	Of the peritoneum, intestines, rectum	57							1	2	2	11	12	17	7	5			
42	Of the female genital organs	66								1	7	18	21	13	6				
43	Of the breast	33								1	5	6	10	6	2	3			
44	Of the skin	23										2	1	11	5	4			
45	Of other organs or of organs not specified	84		1		1	1		2	2	5	17	12	25	17	1			
46	Other tumors (tumors of the female genital organs excepted)	4	1								1		1			1			
47	Acute articular rheumatism	51	1			1		1	8	3	8	1	10	7	10	1			
48	Chronic rheumatism and gout	5										1	2	1	1				
49	Scurvy																		
50	Diabetes	67					1	1	6	6	5	6	12	15	9	6			
51	Exophthalmic goiter	7							1	2	1	2	1						
52	Addison's disease	4										2	2						
53	Leukemia	18				3				2	3	5	1	3	1				
54	Anemia, chlorosis	27	1	1					3	1	3	5	7	4	2				
55	Other general diseases	26	4		3	1		2	2	2	2	3	1	6					
56	Alcoholism (acute or chronic)	59									18	17	14	6	3	1			
57	Chronic lead poisoning	2										1	1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	10								3	1	2	3	1					
	II.—Diseases of the nervous system and of the organs of special sense	857	76	20	14	8	4	19	30	35	55	87	138	160	150	55	6		
60	Encephalitis	7	1					1	2	1	1	1							
61	Meningitis (total)	119	39	14	12	5	3	13	9	9	4	4	3	3	1				
	Simple meningitis	78	30	7	7	4	1	6	4	7	4	4	1	2	1				
	Cerebrospinal meningitis (undefined)	40	9	6	5	1	2	7	5	2			2	1					
	Cerebrospinal fever	1		1															
62	Locomotor ataxia	17								1	1	1	10	3	1				
63	Other diseases of the spinal cord (total)	33	1	1		2		1	4	3	4	3	3	8	2	1			
	Acute anterior poliomyelitis	4	1			1		1	1										
	Other diseases of the spinal cord [1]	29		1		1			3	3	4	3	3	8	2	1			
64	Cerebral hemorrhage, apoplexy	384	6				1	1		7	12	41	71	106	99	37	3		
65	Softening of the brain	9									1	1	3		3		1		
66	Paralysis without specified cause	97				1			1		3	3	20	24	33	11	1		
67	General paralysis of the insane	37									8	14	9	1	3	2			
68	Other forms of mental alienation	27								1	7	6	4	7	1	1			
69	Epilepsy	47							6	11	8	4	6	5	5	2			
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	29	27	1	1														
72	Chorea	3						1	2										
73	Neuralgia and neuritis	4							1			1	1		1				
74	Other diseases of the nervous system	25		1				1	2	2	5	4	6	1	1	1	1		
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	19	2	3	1			1	3		1	4	2	2					
	III.—Diseases of the circulatory system	915	9	1		1	4	11	41	50	95	117	167	179	177	60	3		
77	Pericarditis	6							1	2	1			1	1				
78	Acute endocarditis	37						1	6	2	5	8	6	4	3	2			
79	Organic diseases of the heart	692	8	1		1	4	8	33	43	82	95	119	130	127	39	2		
80	Angina pectoris	51								1	3	6	9	25	4	3			
81	Diseases of the arteries, atheroma, aneurism, etc	87								1	1	3	20	12	36	13	1		
82	Embolism and thrombosis	35	1					1	1		3	5	12	5	5	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4												2	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)																		
85	Hemorrhage; other diseases of the circulatory system	3						1		1			1						
	IV.—Diseases of the respiratory system	1,241	282	67	36	16	15	27	44	52	99	123	159	126	119	65	10		1
86	Diseases of the nasal fossae	1	1																
87	Diseases of the larynx	13	1	4	3		1	1	2							1			
88	Diseases of the thyroid body	5							1		1		1	1	1				
89	Acute bronchitis	57	46	5	2			1	1						1	1			
90	Chronic bronchitis	34						1			1	3	2	7	12	7	1		
91	Bronchopneumonia	196	105	23	12	3	4	2	3	3	6	1	7	7	9	8	3		
92	Pneumonia (total)	801	122	32	19	13	10	22	36	41	76	94	122	92	78	39	5		
	Lobar pneumonia	285	26	9	9	3	1	5	11	20	35	44	53	40	24	5			
	Pneumonia (undefined)	516	96	23	10	10	9	17	25	21	41	50	69	52	54	34	5		
93	Pleurisy	14	1	1						2	2	2	1	1	3		1		
94	Pulmonary congestion, pulmonary apoplexy	18	5	2						1				3	4	3			
95	Gangrene of the lung	2										1		1					
96	Asthma	37								1	3	7	7	8	6	4			1
97	Pulmonary emphysema	1										1							
98	Other diseases of the respiratory system (tuberculosis excepted)	62	1						1	4	10	14	19	6	5	2			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	COLORADO—Continued.																		
	V.—Diseases of the digestive system	1,199	482	137	29	9	9	32	48	50	72	82	77	74	70	25	3		
99	Diseases of the mouth and annexa	5	3					1	1										
100	Diseases of the pharynx	24		4	1		2	7	3	2	3			1	1				
101	Diseases of the esophagus																		
102	Ulcer of the stomach	36	1						1	3	5	10	7	2	4	2	1		
103	Other diseases of the stomach (cancer excepted)	97	45	5		2	1	3	1		1	9	5	11	10	4			
104	Diarrhea and enteritis (under 2 years)	528	406	122															
105	Diarrhea and enteritis (2 years and over)	95			24	5	4	5	2	2	6	6	7	5	20	9			
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	126		1	1	1	1	13	28	26	24	16	9	3	3				
109	Hernia, intestinal obstruction (total)	88	17	4	1	1	1		3	2	16	8	11	11	9	4			
	Hernia	21		1								4	4	7	3	2			
	Intestinal obstruction	67	17	3	1	1	1		3	2	16	4	7	4	6	2			
110	Other diseases of the intestines	17	4		1					1	1	1	4	1	2	1	1		
111	Acute yellow atrophy of the liver	3							1				1	1					
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	76							1	2	4	17	15	22	11	3	1		
114	Biliary calculi	24									3	2	9	4	4	2			
115	Other diseases of the liver	41	3		1					4	6	6	8	9	4				
116	Diseases of the spleen	3								1		2							
117	Simple peritonitis (nonpuerperal)	34	3	1				3	7	7	3	5		3	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2											1	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	797	16		3	3	4	12	25	54	82	110	134	156	149	45	4		
119	Acute nephritis	65	3			1	2	7	5	8	10	5	11	7	3	2	1		
120	Bright's disease	572	7		3	2	2	5	16	23	36	89	110	128	117	31	3		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	18	5							1	2	2	5	1	2				
123	Calculi of the urinary passages	4									1		2	1					
124	Diseases of the bladder	23										1		6	12	4			
125	Diseases of the urethra, urinary abscess, etc.	1											1						
126	Diseases of the prostate	34								1			2	11	13	7			
127	Nonvenereal diseases of the male genital organs	2	1												1				
128	Uterine hemorrhage (nonpuerperal)	3							1		2								
129	Uterine tumor (noncancerous)	20									8	8	2	1	1				
130	Other diseases of the uterus	12							1	7	4								
131	Cysts and other tumors of the ovary	15								3	7	2	1	1		1			
132	Salpingitis and other diseases of the female genital organs	28							2	11	12	3							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	154							10	74	55	15							
134	Accidents of pregnancy	18								8	7	3							
135	Puerperal hemorrhage	14							1	4	8	1							
136	Other accidents of labor	15							2	7	6								
137	Puerperal septicemia	86							4	45	27	10							
138	Puerperal albuminuria and convulsions	16							3	7	5	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4								3	1								
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	29	4	1			1			2	1	2	1	5	8	3	1		
142	Gangrene	14								1		2		2	6	2	1		
143	Furuncle	3								1	1			1					
144	Acute abscess	6	2				1						1	1	1				
145	Other diseases of the skin and annexa	6	2	1										1	1	1			
	IX.—Diseases of the bones and of the organs of locomotion	15					1	2	1	4	1		3	1	2				
146	Diseases of the bones (tuberculosis excepted)	12					1	2	1	4			2	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1									1								
148	Amputations																		
149	Other diseases of the organs of locomotion	2											1		1				
	X.—Malformations	122	112	3	2	1		2	2										
150	Congenital malformations (stillbirths not included) (total)	122	112	3	2	1		2	2										
	Hydrocephalus	7	3	2				1	1										
	Congenital malformations of the heart	87	83		1	1		1	1										
	Other congenital malformations	28	26	1	1														

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	COLORADO—Continued.																		
	XI.—Early infancy	576	576																
151	Congenital debility, icterus, and sclerema (total)	479	479																
	Premature birth	308	308																
	Congenital debility, "atrophy," "marasmus," etc.	171	171																
152	Other causes peculiar to early infancy (total)	96	96																
	Injuries at birth	38	38																
	Other causes peculiar to early infancy[1]	58	58																
153	Lack of care	1	1																
	XII.—Old age	216												8	90	89	28	1	
154	Senility	216												8	90	89	28	1	
	XIII.—External causes	1,376	34	24	17	4	5	18	127	394	297	210	108	79	42	10	2		5
	Suicide (total)	167							11	35	40	32	25	12	10				2
155	By poison	62							7	10	13	14	9	6	3				
156	By asphyxia	10								1	2	1	3	1	2				
157	By hanging or strangulation	9								1	2	3	1	1	1				
158	By drowning	5												1	2				
159	By firearms	66							4	19	20	11	9	2	1				2
160	By cutting or piercing instruments	9								3	1	2	3						
161	By jumping from high places	2									1			1					
162	By crushing	2									1	1							
163	Other suicides	2								1					1				
	Accidental or undefined (total)	1,115	32	23	17	4	5	16	113	323	231	162	78	66	31	10	2		2
164	Poisoning by food	1										1							
165	Other acute poisonings	37	2	4	5		1	1	2	10	4	1		6		1			
166	Conflagration	5		1				1					1	2					
167	Burns (conflagration excepted)	39	1	7	5	1	1	2	8	5	1	2	2	1	3				
168	Absorption of deleterious gases (conflagration excepted)	15						1	2	10	2								
169	Accidental drowning	57	2	1	2	2	1	5	15	11	8	3	4	2	1				
170	Traumatism by firearms	47				1		2	16	13	10	2	2		1				
171	Traumatism by cutting or piercing instruments	73	3	5			1		5	8	7	7	8	17	5	6	1		
172	Traumatism by fall																		
173	Traumatism in mines and quarries (total)	407	1						28	161	115	76	21	4					1
	Traumatism in mines	406	1						28	160	115	76	21	4					1
	Traumatism in quarries	1								1									
174	Traumatism by machines	30					1		4	14	3	5	2	1					
175	Traumatism by other crushing (total)	266	3	1	3			3	19	67	56	46	28	22	14	2	1		1
	Railroad accidents and injuries	178		1				1	11	50	41	39	15	14	4	1			1
	Street-car accidents and injuries	5			1					1	2				1				
	Automobile accidents and injuries	16							3	4	1		2	3	3				
	Injuries by other vehicles	58	3		2			2	5	8	11	4	10	5	6	1	1		
	Landslide, other crushing	9								4	1	3	1						
176	Injuries by animals	18			1				4	2	2	2	2	1	3	1			
177	Starvation	1												1					
178	Excessive cold	19							3	3	4	4	1	2	2				
179	Effects of heat	3	2	1															
180	Lightning	23							2	7	4	5	3	2					
181	Electricity (lightning excepted)	11						1	1	4	2	2		1					
185	Fractures (cause not specified)	4	2									1		1					
186	Other external violence	59	16	3	1				4	8	13	5	4	3	2				
	Homicide (total)	94	2	1				2	3	36	26	16	5	1	1				1
182	By firearms	61		1				1	2	21	18	11	5	1					1
183	By cutting or piercing instruments	18								8	5	4			1				
184	By other means	15	2					1	1	7	3	1							
	XIV.—Ill-defined diseases	64	47	1		1					1	3	2	2	3	4			
187	Ill-defined organic disease	4				1							1		1	1			
188	Sudden death																		
189	Not specified or ill-defined (total)	60	47	1							1	3	1	2	2	3			
	Ill-defined	50	43									1		1	2	3			
	Not specified or unknown	10	4	1							1	2	1	1					

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths. at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	CONNECTICUT.																	
	All causes	**17,498**	**3,476**	**620**	**287**	**184**	**136**	**366**	**573**	**1,038**	**1,444**	**1,468**	**1,708**	**2,246**	**2,384**	**1,308**	**198**	**9**	**53**
	I.—General diseases	4,417	283	175	113	95	78	179	294	481	590	529	500	504	398	161	26	.....	11
1	Typhoid fever	165	1	2	.....	1	1	5	36	43	27	28	11	6	2	2	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	28	2	1	1	1	.....	2	.....	2	.....	2	2	6	4	5	.....	.....	.....
5	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	92	29	31	10	4	2	9	2	1	1	1	1	.....	1	.....	.....	.....	.....
7	Scarlet fever	129	6	15	17	19	17	33	15	4	1	.....	1	.....	.....	.....	.....	.....	1
8	Whooping cough	146	81	31	16	7	7	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
9	Diphtheria and croup	281	24	43	41	49	30	67	16	4	3	3	.....	1	.....	.....	.....	.....	.....
10	Influenza	243	21	7	2	1	.....	5	3	3	13	13	24	33	65	40	13	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	9	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	3	1	1	.....	.....	.....
14	Dysentery	48	12	1	1	.....	1	.....	1	1	1	5	5	3	7	9	1	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	55	13	2	1	.....	.....	.....	.....	3	8	5	8	5	6	3	1	.....	.....
19	Other epidemic diseases	5	2	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	38	6	1	1	.....	.....	3	4	3	1	5	6	3	2	3	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	20	3	.....	.....	1	1	2	3	2	5	2	1	.....	.....	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,679	52	34	16	9	11	35	169	368	422	265	151	91	42	10	1	.....	3
28	Tuberculosis of the lungs	1,426	12	11	4	3	3	11	133	341	391	248	136	83	38	9	1	.....	2
29	Acute miliary tuberculosis	41	3	1	.....	1	.....	1	7	10	8	4	3	2	1	.....	.....	.....	.....
30	Tuberculous meningitis	93	25	17	9	3	2	15	11	2	6	2	.....	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	46	5	2	2	1	2	2	7	6	7	5	3	3	1	.....	.....	.....	.....
32	Pott's disease	17	.....	.....	.....	1	4	2	2	.....	2	3	1	1	1	.....	.....	.....	.....
33	White swellings	11	.....	1	.....	.....	.....	2	3	.....	2	.....	2	.....	.....	1	.....	.....	.....
34	Tuberculosis of other organs	25	6	1	.....	.....	.....	1	4	4	1	2	5	.....	1	.....	.....	.....	.....
35	Disseminated tuberculosis	20	1	1	1	.....	.....	1	2	5	5	1	1	1	.....	.....	.....	.....	1
36	Rickets	8	4	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
37	Syphilis	27	15	1	.....	.....	.....	.....	1	2	3	4	1	.....	.....	.....	.....	.....	.....
38	Gonococcus infection	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	893	.....	.....	.....	.....	1	2	7	15	54	120	199	236	191	58	7	.....	3
39	Of the buccal cavity	37	.....	.....	.....	.....	.....	.....	.....	1	2	2	5	15	8	3	1	.....	.....
40	Of the stomach, liver	332	.....	.....	.....	.....	.....	1	.....	5	24	45	71	94	75	15	1	.....	1
41	Of the peritoneum, intestines, rectum	120	.....	.....	.....	.....	.....	.....	.....	2	5	15	30	32	24	11	1	.....	.....
42	Of the female genital organs	116	.....	.....	.....	.....	.....	.....	1	3	11	26	30	27	13	5	.....	.....	.....
43	Of the breast	104	.....	.....	.....	.....	.....	.....	.....	1	2	13	30	19	25	11	3	.....	.....
44	Of the skin	27	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	7	7	5	1	.....	1
45	Of other organs or of organs not specified	157	.....	.....	.....	.....	1	1	6	3	9	19	28	42	39	8	.....	.....	1
46	Other tumors (tumors of the female genital organs excepted)	23	.....	.....	.....	.....	.....	.....	1	2	1	1	2	6	7	3	.....	.....	.....
47	Acute articular rheumatism	73	.....	.....	3	.....	2	9	14	4	2	10	4	9	10	5	1	.....	.....
48	Chronic rheumatism and gout	22	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	8	8	2	.....	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	221	.....	.....	.....	.....	2	.....	11	6	12	25	44	69	38	12	1	.....	1
51	Exophthalmic goiter	8	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	1	.....	.....	.....	1
52	Addison's disease	6	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	1	.....	.....	.....	.....	.....
53	Leukemia	14	1	.....	.....	.....	.....	2	1	2	4	.....	2	.....	2	.....	.....	.....	.....
54	Anemia, chlorosis	59	4	3	1	1	.....	.....	5	1	5	9	16	8	2	4	.....	.....	.....
55	Other general diseases	28	5	1	1	2	2	2	2	3	1	1	1	1	5	1	.....	.....	.....
56	Alcoholism (acute or chronic)	86	.....	.....	.....	.....	.....	.....	.....	8	22	23	15	13	3	.....	.....	.....	2
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,989	188	62	34	24	8	37	48	45	82	139	226	389	442	238	20	.....	7
60	Encephalitis	16	1	1	1	1	.....	.....	.....	1	4	1	2	1	2	1	.....	.....	.....
61	Meningitis (total)	223	68	28	22	15	8	19	18	12	7	8	5	5	4	3	.....	.....	1
	Simple meningitis	176	57	21	15	11	6	15	11	11	6	7	5	5	4	2	.....	.....	.....
	Cerebrospinal meningitis.(undefined)	47	11	7	7	4	2	4	7	1	1	1	.....	.....	.....	1	.....	.....	1
	Cerebrospinal fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	31	.....	.....	.....	.....	.....	.....	.....	.....	4	6	6	9	4	1	.....	.....	1
63	Other diseases of the spinal cord (total)	112	8	7	5	4	.....	9	7	7	4	5	9	19	17	9	2	.....	.....
	Acute anterior poliomyelitis	40	7	6	5	4	.....	9	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	72	1	1	.....	.....	.....	.....	1	4	4	5	9	19	17	9	2	.....	.....
64	Cerebral hemorrhage, apoplexy	1,107	14	1	.....	.....	.....	.....	5	7	30	58	155	302	336	183	14	.....	2
65	Softening of the brain	28	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	4	12	9	2	.....	.....
66	Paralysis without specified cause	115	1	1	.....	1	.....	.....	.....	.....	3	7	14	26	40	20	2	.....	.....
67	General paralysis of the insane	56	.....	.....	.....	.....	.....	.....	.....	1	6	22	14	7	4	1	.....	.....	1
68	Other forms of mental alienation	27	.....	.....	.....	.....	.....	.....	1	1	5	9	3	2	1	5	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	CONNECTICUT—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	70	3	4	1			4	7	7	13	6	8	4	8	3			2
70	Convulsions (nonpuerperal)	11						2	2	3		2			2				
71	Convulsions of infants	101	83	14	1	3													
72	Chorea	4		1	1				2										
73	Neuralgia and neuritis	14								2	1		3	3	5				
74	Other diseases of the nervous system	54	4	2	1			3	5	3	2	15	6	3	7	3			
75	Diseases of the eyes and their annexa	1									1								
76	Diseases of the ears	19	6	3	2				1	1	1		1	4					
	III.—Diseases of the circulatory system	2,370	33	6	4	2	4	17	52	77	130	176	331	518	635	339	41	1	4
77	Pericarditis	9	2		1					1			1	3	1				
78	Acute endocarditis	114	3	1	1	1	2	4	9	12	18	12	25	10	11	5			
79	Organic diseases of the heart	1,798	21	3	2		2	13	41	59	97	149	254	408	468	261	15	1	4
80	Angina pectoris	111								1	3	5	26	27	36	11	2		
81	Diseases of the arteries, atheroma, aneurism, etc	260								2	3	3	16	56	101	58	21		
82	Embolism and thrombosis	59							1	2	7	6	8	13	15	4	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8	1						1		2	1	1		2				
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	3	1		1													
85	Hemorrhage; other diseases of the circulatory system	6	3	1										1	1				
	IV.—Diseases of the respiratory system	2,171	454	192	72	27	17	37	41	74	164	165	186	249	296	163	30		4
86	Diseases of the nasal fossae	1											1						
87	Diseases of the larynx	11		1	1	2	1	3							1	2			
88	Diseases of the thyroid body	4								2				2					
89	Acute bronchitis	188	114	22	7	2		1		2	1		1	5	19	8	5		1
90	Chronic bronchitis	125	2		1			1	1		1	6	11	22	41	29	9		1
91	Bronchopneumonia	378	139	71	23	8	3	7	1	6	11	7	20	22	33	23	3		1
92	Pneumonia (total)	1,308	187	93	38	12	11	22	34	56	139	141	138	178	166	85	8		
	Lobar pneumonia	405	23	12	5	3	4	10	11	24	60	64	58	52	55	21	3		
	Pneumonia (undefined)	903	164	81	33	9	7	12	23	32	79	77	80	126	111	64	5		
93	Pleurisy	45	1	5	1	1	1	1	4	3	8	4	4	5	4	2	1		
94	Pulmonary congestion, pulmonary apoplexy	64	8		1	1		1		3		2	3	6	24	11	4		
95	Gangrene of the lung	2							1				1						
96	Asthma	24	1					1		1	2	2	5	4	4	3			1
97	Pulmonary emphysema	1													1				
98	Other diseases of the respiratory system (tuberculosis excepted)	20	2			1	1			1	2	3	2	5	3				
	V.—Diseases of the digestive system	2,136	1,123	154	24	16	10	29	39	56	82	90	126	165	127	79	12	1	3
99	Diseases of the mouth and annexa	9	9																
100	Diseases of the pharynx	29	5	2	3	1	1	8	2	3	2	1			1				
101	Diseases of the esophagus	2												2					
102	Ulcer of the stomach	43	1							4	7	7	9	8	5	1	1		
103	Other diseases of the stomach (cancer excepted)	178	57	7	2	1	2		1	4	11	5	14	21	22	26	4	1	
104	Diarrhea and enteritis (under 2 years)	1,162	1,022	140															
105	Diarrhea and enteritis (2 years and over)	155			17	9	6	8	1	3	4	4	11	26	29	29	7		1
106	Ankylostomiasis																		
107	Intestinal parasites	1													1				
108	Appendicitis and typhlitis	97	2			1	1	9	23	18	21	12	7	2	1				
109	Hernia, intestinal obstruction (total)	136	20	5	1	1		1	1	10	4	10	19	34	20	9			1
	Hernia	42	2							2	1	4	7	12	9	4			1
	Intestinal obstruction	94	18	5	1	1		1	1	8	3	6	12	22	11	5			
110	Other diseases of the intestines	17	3						1	1	3	2	3	2	1	1			
111	Acute yellow atrophy of the liver	5								1		1		2					1
112	Hydatid tumor of the liver	1													1				
113	Cirrhosis of the liver	161	1			1				3	13	31	40	46	21	5			
114	Biliary calculi	33									3	6	9	5	7	3			
115	Other diseases of the liver	54	1		1				2	4	5	7	8	10	13	3			
116	Diseases of the spleen	2												1	1				
117	Simple peritonitis (nonpuerperal)	44	2			2		3	7	5	7	3	4	5	5	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7							1		2	1	2	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,399	17	4	2	3		10	24	75	132	171	220	289	301	134	12	1	4
119	Acute nephritis	139	6	2	1	1		4	5	14	31	22	15	19	13	5	1		
120	Bright's disease	1,084	8	2	1	2		5	16	45	81	127	193	248	238	104	9	1	4
121	Chyluria																		
122	Other diseases of the kidneys and annexa	26						1	1	2	7	2	4	2	5	2			
123	Calculi of the urinary passages	5										1		3	1				
124	Diseases of the bladder	51	1							1	2	1	3	8	19	14	2		
125	Diseases of the urethra, urinary abscess, etc	2	1												1				
126	Diseases of the prostate	30												7	17	6			
127	Nonvenereal diseases of the male genital organs	2	1									1							
128	Uterine hemorrhage (nonpuerperal)	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	CONNECTICUT—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous)	14								1		5	2	2	3	1		
130	Other diseases of the uterus	15							2	2	2	5	2		1	1		
131	Cysts and other tumors of the ovary	10								1	2	2	1		4			
132	Salpingitis and other diseases of the female genital organs	20								9	7	4						
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	148							7	62	62	17						
134	Accidents of pregnancy	20								11	6	3						
135	Puerperal hemorrhage	9								2	6	1						
136	Other accidents of labor	13								4	8	1						
137	Puerperal septicemia	65							3	27	30	5						
138	Puerperal albuminuria and convulsions	33							4	15	9	5						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6								2	2	2						
140	Following childbirth (not otherwise defined)	2								1	1							
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	71	11			2	1			1	1	3	3	13	17	17	2	
142	Gangrene	46	2									2	2	9	16	14	1	
143	Furuncle	1												1				
144	Acute abscess	15	5			1	1			1		1		2	1	2	1	
145	Other diseases of the skin and annexa	9	4			1					1		1	1		1		
	IX.—Diseases of the bones and of the organs of locomotion	15	1					2	1	4		1	2	1	2	1		
146	Diseases of the bones (tuberculosis excepted)	13	1					2	1	3		1	2	1	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2								1						1		
148	Amputations																	
149	Other diseases of the organs of locomotion																	
	X.—Malformations	163	148	7	3	2			2		1							
150	Congenital malformations (stillbirths not included) (total)	163	148	7	3	2			2		1							
	Hydrocephalus	14	11	1	1	1												
	Congenital malformations of the heart	96	85	5	2	1			2		1							
	Other congenital malformations	53	52	1														
	XI.—Early infancy	1,018	1,018															
151	Congenital debility, icterus, and sclerema (total)	800	800															
	Premature birth	476	476															
	Congenital debility, "atrophy," "marasmus," etc	324	324															
152	Other causes peculiar to early infancy (total)	215	215															
	Injuries at birth	130	130															
	Other causes peculiar to early infancy [1]	85	85															
153	Lack of care	3	3															
	XII.—Old age	252												16	71	120	40	5
154	Senility	252												16	71	120	40	5
	XIII.—External causes	1,086	27	11	31	12	17	53	65	159	193	169	101	88	81	47	13	1	18
	Suicide (total)	200							6	37	48	43	27	22	13	1		3
155	By poison	64							3	17	16	11	9	6	2			
156	By asphyxia	20							1	1	6	5	4	2				1
157	By hanging or strangulation	37								7	9	10	5	3	2	1		
158	By drowning	20							1	1	4	3	3	4	3			1
159	By firearms	42							1	9	8	12	3	5	3			1
160	By cutting or piercing instruments	8								1	2	1	1	1	2			
161	By jumping from high places	2									1		1					
162	By crushing	5									1	1	1	1	1			
163	Other suicides	2								1	1							
	Accidental or undefined (total)	859	25	11	31	12	17	53	57	115	137	120	73	65	68	46	13	1	15
164	Poisoning by food	1											1					
165	Other acute poisonings	28	2		3	1			1	5	5	6	2	1	2			
166	Conflagration	18					1			1	6	3	2					
167	Burns (conflagration excepted)	86	4	6	15	7	11	14	1	10	4	6	1	2	2	1		1	1
168	Absorption of deleterious gases (conflagration excepted)	33						1	3	7	6	4	2	4	4	2			
169	Accidental drowning	121	1		6		2	19	17	19	22	17	7	5	1	2			3
170	Traumatism by firearms	9				1			3		3	1							1
171	Traumatism by cutting or piercing instruments	1								1									
172	Traumatism by fall	213	3	1	4			3	6	18	20	18	26	28	36	34	13		3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	CONNECTICUT—Continued.																	
	XIII.—External causes—Contd.																	
	Accidental or undefined—Continued.																	
173	Traumatism in mines and quarries (total)	2							1			1						
	Traumatism in mines																	
	Traumatism in quarries	2							1			1						
174	Traumatism by machines	14							1	2	1	6	2	2				
175	Traumatism by other crushing (total)	237		2	1	3	2	13	14	44	54	44	19	14	17	4		6
	Railroad accidents and injuries	125		1		1	2	5	29	34	24	8	6	7	2			6
	Street-car accidents and injuries	38			2		3	5	3	6	9	5	1	3	1			
	Automobile accidents and injuries	31			1		5	2	3	8	3	2	2	4	1			
	Injuries by other vehicles	39		1	1		1	3	2	7	5	8	3	5	3			
	Landslide, other crushing	4								2	1		1					
176	Injuries by animals	10	1				1	1		1	1	1	1	1		2		
177	Starvation																	
178	Excessive cold	6										1	3		1			1
179	Effects of heat	13	2	1					1	1		3	2	2	1			
180	Lightning	1							1									
181	Electricity (lightning excepted)	6							2	1	2	1						
185	Fractures (cause not specified)	11									2	3	2	1	3			
186	Other external violence	54	12	1	2			2	6	5	11	5	3	5	1	1		
	Homicide (total)	27	2						2	7	8	6	1	1				
182	By firearms	9							1	2	4	2						
183	By cutting or piercing instruments	4								2	1	1						
184	By other means	14	2						1	3	3	3	1	1				
	XIV.—Ill-defined diseases	263	173	9	4	1	1	2		4	7	8	13	14	14	9	2	2
187	Ill-defined organic disease	3	1								1			1				
188	Sudden death	3	1								1			1				
189	Not specified or ill-defined (total)	257	171	9	4	1	1	2		4	5	8	13	12	14	9	2	2
	Ill-defined	234	161	9	3	1	1	2		1	4	7	12	11	11	9	2	
	Not specified or unknown	23	10		1					3	1	1	1	1	3			2
	INDIANA.																	
	All causes	36,448	5,996	1,434	642	353	270	772	1,634	2,946	2,651	2,811	3,472	4,723	5,471	2,859	376	14	24
	I.—General diseases	11,479	796	485	291	179	158	419	911	1,659	1,254	1,182	1,260	1,320	1,084	422	49	2	8
1	Typhoid fever	919	6	11	10	12	19	60	195	227	141	92	73	31	34	8			
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	113	9	3	3	3	3	5	14	13	6	3	7	16	17	7	4		
5	Smallpox	1									1								
6	Measles	448	71	104	70	32	17	47	33	20	24	15	9	3	3				
7	Scarlet fever	203	12	24	22	24	20	61	28	11	1								
8	Whooping cough	397	205	85	48	24	13	17	1	1		1		1	1				
9	Diphtheria and croup	392	32	44	46	43	44	121	50	7	2	1	1	1					
10	Influenza	537	30	17	13	2	1	8	12	23	23	30	39	76	140	103	19	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	22	2	1	1							1	3	5	7	2			
14	Dysentery	387	71	53	19	5	5	2	5	3	5	12	17	49	75	56	10		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	132	28	6				1	1	4	10	13	14	22	21	11	1		
19	Other epidemic diseases	10	3	1	1		1		2	1	1								
20	Purulent infection and septicemia	69	6		1	1		1	7	3	2	8	10	13	11	6			
21	Glanders	1											1						
22	Anthrax	1											1						
23	Rabies	4				1	1					1	1						
24	Tetanus	84	30	3			1	9	15	10	5	2	6	2		1			
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	4,713	183	110	43	26	22	58	468	1,242	827	540	490	383	263	51	3		4
28	Tuberculosis of the lungs	3,836	70	35	14	8	7	22	376	1,093	732	466	423	321	223	40	2		4
29	Acute miliary tuberculosis	83	4	1	1		1	2	15	28	13	4	5	6	3				
30	Tuberculous meningitis	255	65	57	18	11	10	20	26	15	12	8	7	2	3	1			
31	Abdominal tuberculosis	327	27	10	2	3		10	31	63	41	35	36	38	21	9	1		
32	Pott's disease	40	1	2	3	1	2	1	4	9	5	5	4	1	2				
33	White swellings	28				1	1		4	5	1	5	5	3	2	1			
34	Tuberculosis of other organs	64	3	3	1	2	1	2	7	11	9	8	6	5	6				
35	Disseminated tuberculosis	80	13	2	4			1	5	18	14	9	4	7	3				
36	Rickets	19	12	3				1	1		2								
37	Syphilis	156	63	5	1			2	2	13	24	20	13	10	2				1
38	Gonococcus infection	11	4						1	3	1	1	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	INDIANA—Continued.																		
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	1,898		2	3	2		2	9	18	93	304	405	521	387	140	10	1	1
39	Of the buccal cavity	73								1	1	4	8	21	25	12	1		
40	Of the stomach, liver	788							2	4	25	86	166	246	192	63	4		
41	Of the peritoneum, intestines, rectum	204								2	13	34	54	50	38	12	1		
42	Of the female genital organs	322							1	3	31	99	80	76	31				1
43	Of the breast	176			1						10	44	44	39	26	11	1		
44	Of the skin	96							1		3	7	11	22	32	18	1	1	
45	Of other organs or of organs not specified	239		2	2	2		2	5	8	10	30	42	67	43	24	2		
46	Other tumors (tumors of the female genital organs excepted)	23	1					1		3		3	6	5	2	2			
47	Acute articular rheumatism	153	2	2	2	1	4	9	19	11	15	18	14	19	22	14	1		
48	Chronic rheumatism and gout	25							2		2	1	3	5	11	1			
49	Scurvy	4	2	2															
50	Diabetes	377	1	2	4	1	4	10	33	22	19	29	75	97	65	14	1		
51	Exophthalmic goiter	55								6	10	14	17	6	2				
52	Addison's disease	9								2		2	2	2	1				
53	Leukemia	33	1		1			1	3	3	3	8	6	5	1				1
54	Anemia, chlorosis	107	7	2	1		2	1	6	1	7	19	19	28	11	3			
55	Other general diseases	62	15	5	2	2	1	2	4	4	3	7	3	9	3	2			
56	Alcoholism (acute or chronic)	88								6	24	32	17	8					1
57	Chronic lead poisoning	7									3	2	2						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	19								2		3	5	3	5	1			
	II.—Diseases of the nervous system and of the organs of special sense	3,551	188	55	46	35	18	44	61	79	175	279	460	710	929	421	50	1	
60	Encephalitis	50	8	3	1	2		5	4	4	4	3	7	4	4	1			
61	Meningitis (total)	259	87	33	29	16	11	12	15	14	10	8	12	6	2	1	3		
	Simple meningitis	162	51	16	21	10	5	6	10	10	7	7	9	5	2	1	2		
	Cerebrospinal meningitis (undefined)	78	30	14	8	4	4	4	4	1	3	1	3	1			1		
	Cerebrospinal fever	19	6	3		2	2	2	1	3									
62	Locomotor ataxia	82				1		1		1	8	19	20	19	12	1			
63	Other diseases of the spinal cord (total)	234	10	7	6	7	4	13	7	5	9	14	31	43	57	21			
	Acute anterior poliomyelitis	49	8	7	6	5	4	12	4	2		1							
	Other diseases of the spinal cord [1]	185	2			2		1	3	3	9	13	31	43	57	21			
64	Cerebral hemorrhage, apoplexy	1,956	16	4	3	2			5	14	59	119	279	485	633	300	36	1	
65	Softening of the brain	66							1		2	3	7	12	27	11	3		
66	Paralysis without specified cause	342	1			1			1	1	8	18	41	80	121	64	6		
67	General paralysis of the insane	114								1	19	30	15	15	24	10			
68	Other forms of mental alienation	74							1	4	9	15	10	15	14	5	1		
69	Epilepsy	166	5	2	1	2	2	2	15	25	33	30	15	17	15	1	1		
70	Convulsions (nonpuerperal)	3						3											
71	Convulsions of infants	51	45	3	2		1												
72	Chorea	7							3	3		1							
73	Neuralgia and neuritis	13							1		1	1	1	4	5				
74	Other diseases of the nervous system	85	5	1	1	1		3	3	5	9	14	17	8	13	5			
75	Diseases of the eyes and their annexa	1														1			
76	Diseases of the ears	48	11	2	3	3		5	5	2	4	4	5	2	2				
	III.—Diseases of the circulatory system	4,785	69	7	9	6	5	27	96	114	197	358	608	1,126	1,405	679	76	1	2
77	Pericarditis	40			1			1	1	1	1	3	5	7	16	4			
78	Acute endocarditis	136	8	2	2	2	2	4	8	9	9	19	24	23	17	6	1		
79	Organic diseases of the heart	3,712	46	5	6	4	3	20	80	91	166	297	484	911	1,067	482	47	1	2
80	Angina pectoris	237							3	6	12	15	41	66	75	18	1		
81	Diseases of the arteries, atheroma, aneurism, etc	547	1						1	2	4	12	40	96	211	154	26		
82	Embolism and thrombosis	71	3						3	3	3	7	9	15	15	12	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	21	1					1		1	1	4	2	7	2	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	2					1					1	1					
85	Hemorrhage; other diseases of the circulatory system	16	8							1	1	1	2		2	1			
	IV.—Diseases of the respiratory system	3,583	880	234	106	51	36	88	92	138	163	186	264	366	576	352	48	3	
86	Diseases of the nasal fossae	6	2						1	1	1		1						
87	Diseases of the larynx	34	10	2	2	1	3	6	1	2	3	2			2				
88	Diseases of the thyroid body	12	2		1						1	3	2	2	1				
89	Acute bronchitis	236	131	18	5	5	2	7	2		2		3	11	23	22	5		
90	Chronic bronchitis	224	1	4			1	2	2		4	3	12	26	93	64	11	1	
91	Bronchopneumonia	854	359	99	46	18	10	19	12	11	16	19	25	50	93	63	13	1	
92	Pneumonia (total)	1,995	353	107	52	26	17	52	70	115	122	138	196	241	309	179	17	1	
	Lobar pneumonia	925	109	48	19	17	13	26	33	57	74	81	104	128	148	63	4	1	
	Pneumonia (undefined)	1,070	244	59	33	9	4	26	37	58	48	57	92	113	161	116	13		
93	Pleurisy	66	5	2			3	2	3	6	7	10	6	11	8	3			
94	Pulmonary congestion, pulmonary apoplexy	35	12	1							1	2	2	3	3	9	2		
95	Gangrene of the lung	4										1	1	1	1				
96	Asthma	83	1	1		1				1	4	5	11	14	36	9			
97	Pulmonary emphysema	4											1	1	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	30	4						1	2	2	3	4	6	6	2			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis.)

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	INDIANA—Continued.																		
	V.—Diseases of the digestive system	4,593	1,843	566	144	40	27	82	130	151	175	188	256	380	389	196	25	1	
99	Diseases of the mouth and annexa	25	17	1			1				1	1		1		1	2		
100	Diseases of the pharynx	48	3	1	3	5	3	9	8	4	1	2	5	1	2	1			
101	Diseases of the esophagus	6	1									1		2	1	1			
102	Ulcer of the stomach	97	1						4	8	15	8	14	23	22	1	1		
103	Other diseases of the stomach (cancer excepted)	447	164	18	6	5		2	6	13	17	8	21	62	62	58	5		
104	Diarrhea and enteritis (under 2 years)	2,116	1,585	531															
105	Diarrhea and enteritis (2 years and over)	502			117	24	13	20	10	12	10	20	31	73	98	61	12	1	
106	Ankylostomiasis																		
107	Intestinal parasites	3		1	1			1											
108	Appendicitis and typhlitis	259				1	2	25	68	58	31	27	24	18	5				
109	Hernia, intestinal obstruction (total)	301	37	9	6	2	5	10	13	16	22	26	31	39	60	22	3		
	Hernia	76	3							1	2	9	8	15	25	11	2		
	Intestinal obstruction	225	34	9	6	2	5	10	13	15	20	17	23	24	35	11	1		
110	Other diseases of the intestines	96	14	2	2	1	1	3	1	7	8	6	9	15	15	11	1		
111	Acute yellow atrophy of the liver	10									1		3	2	3	1			
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	306				1			1	7	25	52	59	88	58	15			
114	Biliary calculi	88								4	11	7	28	15	18	5			
115	Other diseases of the liver	190	14	1	6	1	2	7	3	10	12	20	25	34	38	16	1		
116	Diseases of the spleen	4	1								1	1		1					
117	Simple peritonitis (nonpuerperal)	82	5	2	3			5	16	9	18	7	5	5	5	2			
118	Other diseases of the digestive system (Cancer and tuberculosis excepted)	13	1							3	2	2	1	1	2	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,721	32	11	4	10	6	6	52	116	179	238	353	575	743	352	39	2	3
119	Acute nephritis	203	13	6	2	3	4	2	15	16	23	23	19	32	35	8	2		
120	Bright's disease	2,011	5	3	1	5	2	4	28	52	99	158	292	473	587	270	28	2	2
121	Chyluria																		
122	Other diseases of the kidneys and annexa	73	10	2		1			1	2	4	10	6	10	14	9	3		1
123	Calculi of the urinary passages	16	1			1				1	1			5	7				
124	Diseases of the bladder	76	2		1						2	1	7	13	22	25	3		
125	Diseases of the urethra, urinary abscess, etc	5										1	2	1	1				
126	Diseases of the prostate	139											4	32	62	38	3		
127	Nonvenereal diseases of the male genital organs	4	1								1	1			1				
128	Uterine hemorrhage (nonpuerperal)	2							1			1							
129	Uterine tumor (noncancerous)	46								4	9	14	9	5	5				
130	Other diseases of the uterus	25							2	7	4	7	2		2	1			
131	Cysts and other tumors of the ovary	34							1	4	8	4	7	2	7	1			
132	Salpingitis and other diseases of the female genital organs	87							4	30	28	18	5	2					
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	449							42	208	160	39							
134	Accidents of pregnancy	42							2	15	20	5							
135	Puerperal hemorrhage	31							1	16	12	2							
136	Other accidents of labor	41							4	19	15	3							
137	Puerperal septicemia	237							20	122	74	21							
138	Puerperal albuminuria and convulsions	88							15	32	33	8							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	9								4	5								
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	142	16	2			1		2	1	2	9	10	23	41	33	2		
142	Gangrene	96	1				1		1	1		4	5	17	33	31	2		
143	Furuncle	10										3	2	2	3				
144	Acute abscess	11	4								2	1	1	3					
145	Other diseases of the skin and annexa	25	11	2					1			1	2	1	5	2			
	IX.—Diseases of the bones and of the organs of locomotion	59	6	2	2	1		9	5	9	5	5	3	4	4	4			
146	Diseases of the bones (tuberculosis excepted)	51	5	2	2	1		9	5	9	5	1	3	3	3	3			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4										2		1		1			
148	Amputations																		
149	Other diseases of the organs of locomotion	4	1									2			1				
	X.—Malformations	456	436	8	3		1	5		2	1								
150	Congenital malformations (stillbirths not included) (total)	456	436	8	3		1	5		2	1								
	Hydrocephalus	27	20	2	1			3		1									
	Congenital malformations of the heart	275	268	2	1			2		1	1								
	Other congenital malformations	154	148	4	1		1												

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	INDIANA—Continued.																		
	XI.—Early infancy	1,583	1,583																
151	Congenital debility, icterus, and sclerema (total)	1,237	1,237																
	Premature birth	1,021	1,021																
	Congenital debility, "atrophy," "marasmus," etc.	216	216																
152	Other causes peculiar to early infancy (total)	340	340																
	Injuries at birth	167	167																
	Other causes peculiar to early infancy [1]	173	173																
153	Lack of care	6	6																
	XII.—Old age	427												16	105	238	65	3	
154	Senility	427												16	105	238	65	3	
	XIII.—External causes	2,520	88	60	36	31	18	92	242	466	339	325	254	199	185	151	22	1	11
	Suicide (total)	381							27	90	69	75	56	38	18	8			
155	By poison	164							16	52	33	27	20	12	2	2			
156	By asphyxia	8								2	2	1	1	2					
157	By hanging or strangulation	64							3	9	4	17	11	10	7	3			
158	By drowning	22							1	3	3	3	7	1	3	1			
159	By firearms	96							6	21	24	17	12	9	5	2			
160	By cutting or piercing instruments	12							1	1	1	4	2	2	1				
161	By jumping from high places	4								1		1	1	1					
162	By crushing	7									2	4	1						
163	Other suicides	4								1		1	1	1					
	Accidental or undefined (total)	2,019	87	60	36	31	18	92	205	335	241	231	189	154	103	143	22	1	11
164	Poisoning by food	9	3	2	1		1					1				1			
165	Other acute poisonings	72	9	15	8	5	1	2	2	5	6	5	7	3	1	1	1		1
166	Conflagration	12		2			1		1		3	2	2		1				
167	Burns (conflagration excepted)	173	8	19	13	15	5	19	17	16	14	8	11	13	10	4	1		
168	Absorption of deleterious gases (conflagration excepted)	30						1	3	4	4	3	9	3	1	1			1
169	Accidental drowning	133		6	2	2		13	38	34	18	7	3	1	4	4			1
170	Traumatism by firearms	62		1	1	2	1	8	21	13	6	5	1	3					
171	Traumatism by cutting or piercing instruments	4							1			2	1						
172	Traumatism by fall	388	9	7	3	3	2	7	22	18	19	28	29	34	81	108	16	1	1
173	Traumatism in mines and quarries (total)	62							3	20	15	15	5	2	2				
	Traumatism in mines	61							3	20	15	15	5	2	1				
	Traumatism in quarries	1													1				
174	Traumatism by machines	55					1	1	5	15	7	10	11	3	2				
175	Traumatism by other crushing (total)	696		4	2	1	3	28	67	163	125	110	70	66	37	12	1		7
	Railroad accidents and injuries	413					1	10	48	106	89	67	34	32	16	3	1		6
	Street-car accidents and injuries	137			1			5	8	35	18	22	20	14	8	5			1
	Automobile accidents and injuries	33		1			2	5	3	8	2	4	2	3	1	2			
	Injuries by other vehicles	97		3		1		7	7	13	13	12	14	13	12	2			
	Landslide, other crushing	16			1			1	1	1	3	5		4					
176	Injuries by animals	45					1	3	5	7	2	9	8	2	8				
177	Starvation	1													1				
178	Excessive cold	10								1	1	2	3		1	2			
179	Effects of heat	22	2	2				1		1		3	3	6	3	1			
180	Lightning	23						1	5	1	3	4	7	2					
181	Electricity (lightning excepted)	31				1		1	3	13	7	3	3						
185	Fractures (cause not specified)	24							1	1	2	3		4	4	6	3		
186	Other external violence	167	56	2	6	2	2	7	11	23	9	11	16	12	7	3			
	Homicide (total)	120	1						10	41	29	19	9	7	4				
182	By firearms	75							5	30	20	11	4	4	1				
183	By cutting or piercing instruments	12								7	4	1							
184	By other means	33	1						5	4	5	7	5	3	3				
	XIV.—Ill-defined diseases	100	59	4	1				1	3	1	2	4	4	10	11			
187	Ill-defined organic disease	9			1								1	1	3	3			
188	Sudden death	3	1											1	1				
189	Not specified or ill-defined (total)	88	58	4					1	3	1	2	3	2	6	8			
	Ill-defined	70	45	4					1	3	1		2	2	4	8			
	Not specified or unknown	18	13									2	1		2				

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MAINE.																		
	All causes	12,726	2,108	382	150	115	82	252	457	720	726	852	1,153	1,690	2,259	1,431	273	2	24
	I.—General diseases	2,939	196	106	48	44	36	102	192	348	312	328	363	355	361	129	17	.....	2
1	Typhoid fever	151	2	2	1	1	1	6	29	35	31	13	19	6	4	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
5	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	97	29	33	7	2	3	7	2	3	2	3	2	2	.....	2	.....	.....	.....
7	Scarlet fever	41	2	2	3	14	7	10	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	97	59	18	10	4	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	99	4	15	10	12	11	29	12	2	1	.....	.....	1	1	.....	.....	.....	.....
10	Influenza	123	14	5	3	.....	1	3	.....	1	3	2	7	23	23	30	8	.....	1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	15	7	2	1	.....	.....	2	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
14	Dysentery	29	6	1	1	.....	.....	1	.....	.....	1	1	.....	4	8	6	.....	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	24	5	.....	.....	.....	1	.....	1	.....	1	1	5	1	7	2	.....	.....	.....
19	Other epidemic diseases	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
20	Purulent infection and septicemia	35	1	.....	.....	.....	.....	4	5	3	4	5	5	3	2	3	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	11	3	.....	.....	.....	.....	.....	4	.....	2	1	1	.....	.....	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,112	39	17	11	7	6	27	114	272	200	154	125	74	52	13	1	.....	.....
28	Tuberculosis of the lungs	880	10	3	2	.....	3	7	88	234	171	133	109	66	43	10	1	.....	.....
29	Acute miliary tuberculosis	19	1	1	.....	.....	.....	.....	1	8	6	2	.....	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	87	20	9	8	7	2	15	9	8	3	.....	4	1	1	.....	.....	.....	.....
31	Abdominal tuberculosis	60	4	1	1	.....	.....	2	7	10	10	11	5	2	6	1	.....	.....	.....
32	Pott's disease	11	1	1	.....	.....	.....	1	1	1	2	1	2	.....	.....	1	.....	.....	.....
33	White swellings	6	.....	.....	.....	.....	.....	1	1	.....	.....	3	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	15	1	1	.....	.....	.....	.....	3	2	3	1	.....	2	2	.....	.....	.....	.....
35	Disseminated tuberculosis	34	2	1	.....	.....	1	1	4	9	5	3	4	3	.....	1	.....	.....	.....
36	Rickets	6	1	2	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	10	4	.....	.....	.....	.....	.....	.....	.....	5	.....	1	.....	.....	.....	.....	.....	.....
38	Gonococcus infection	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	754	.....	.....	.....	.....	.....	.....	3	9	35	109	148	185	197	61	6	.....	1
39	Of the buccal cavity	28	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	9	8	4	1	.....	.....
40	Of the stomach, liver	291	.....	.....	.....	.....	.....	.....	.....	2	4	34	50	77	100	22	2	.....	.....
41	Of the peritoneum, intestines, rectum	114	.....	.....	.....	.....	.....	.....	.....	2	3	15	24	29	31	10	.....	.....	.....
42	Of the female genital organs	101	.....	.....	.....	.....	.....	.....	.....	2	14	21	28	25	10	1	.....	.....	.....
43	Of the breast	78	.....	.....	.....	.....	.....	.....	.....	1	3	15	17	18	16	8	.....	.....	.....
44	Of the skin	32	.....	.....	.....	.....	.....	.....	.....	1	1	1	5	6	8	7	3	.....	.....
45	Of other organs or of organs not specified	110	.....	.....	.....	.....	.....	.....	3	1	8	21	22	21	24	9	.....	.....	1
46	Other tumors (tumors of the female genital organs excepted)	18	.....	.....	.....	.....	.....	.....	1	1	1	5	2	3	2	3	.....	.....	.....
47	Acute articular rheumatism	35	1	.....	1	.....	.....	1	7	1	2	5	6	2	5	2	2	.....	.....
48	Chronic rheumatism and gout	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	1	5	2	.....	.....	.....
49	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	128	1	.....	.....	2	.....	4	5	9	8	8	21	35	33	2	.....	.....	.....
51	Exophthalmic goiter	9	.....	.....	.....	.....	.....	.....	1	1	2	1	2	.....	2	.....	.....	.....	.....
52	Addison's disease	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....
53	Leukemia	11	.....	1	.....	.....	.....	1	.....	1	2	.....	2	1	3	.....	.....	.....	.....
54	Anemia, chlorosis	55	11	2	.....	.....	.....	3	1	4	2	4	10	9	8	1	.....	.....	.....
55	Other general diseases	23	6	6	.....	1	2	1	2	2	1	1	.....	.....	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	21	.....	.....	.....	.....	.....	.....	.....	.....	6	9	2	2	2	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	2	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,640	132	31	20	11	10	21	36	51	52	106	174	308	414	251	22	.....	1
60	Encephalitis	20	1	1	.....	.....	.....	1	2	3	3	3	3	2	.....	1	.....	.....	.....
61	Meningitis (total)	167	67	15	13	6	6	15	13	11	6	5	3	3	2	2	.....	.....	.....
	Simple meningitis	131	57	10	10	5	6	13	9	5	5	3	2	3	2	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	34	9	5	3	1	.....	1	4	6	1	2	1	.....	.....	1	.....	.....	.....
	Cerebrospinal fever	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	26	.....	.....	.....	.....	.....	.....	.....	.....	2	8	2	4	10	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	89	8	3	3	2	2	3	8	7	4	3	10	19	13	4	.....	.....	.....
	Acute anterior poliomyelitis	31	6	2	3	2	1	3	5	5	2	.....	1	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord[1]	58	2	1	.....	.....	1	.....	3	2	2	3	9	18	13	4	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	878	10	2	.....	1	.....	1	4	2	14	38	111	208	295	177	14	.....	1
65	Softening of the brain	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	8	11	5	1	.....	.....
66	Paralysis without specified cause	174	.....	.....	.....	.....	.....	.....	.....	3	3	10	15	36	57	45	5	.....	.....
67	General paralysis of the insane	52	.....	.....	.....	.....	.....	.....	.....	2	6	11	8	6	10	8	1	.....	.....
68	Other forms of mental alienation	45	.....	.....	.....	.....	.....	.....	1	6	5	7	6	9	7	4	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MAINE—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	36	2	2	.....	1	2	1	6	7	4	5	4	1	.....	1	.....	.....	.....
70	Convulsions (nonpuerperal)	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	1	.....	.....	.....
71	Convulsions of infants	46	39	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	9	.....	.....	.....	.....	.....	.....	1	.....	1	2	3	1	1	.....	.....	.....	.....
74	Other diseases of the nervous system	51	3	1	2	.....	.....	.....	1	6	3	10	3	11	7	3	1	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	12	2	2	.....	1	.....	.....	.....	3	.....	.....	3	.....	1	.....	.....	.....	.....
	III.—Diseases of the circulatory system	1,789	25	7	2	2	2	7	20	23	61	90	197	447	566	306	31	.....	3
77	Pericarditis	14	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	3	5	3	.....	.....	.....
78	Acute endocarditis	40	2	.....	.....	.....	1	1	3	5	6	5	4	5	6	2	.....	.....	.....
79	Organic diseases of the heart	1,370	17	6	2	1	1	5	16	15	40	71	157	363	435	223	16	.....	2
80	Angina pectoris	101	1	.....	.....	.....	.....	.....	.....	.....	6	6	12	36	28	9	3	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	193	.....	.....	.....	.....	.....	.....	.....	.....	2	1	9	30	79	60	12	.....	.....
82	Embolism and thrombosis	51	1	1	.....	.....	.....	.....	.....	3	4	6	10	8	10	7	.....	.....	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	12	3	.....	.....	1	.....	.....	1	.....	2	.....	2	1	1	1	.....	.....	.....
	IV.—Diseases of the respiratory system	1,614	298	101	36	25	7	47	57	47	64	89	112	160	310	217	40	.....	4
86	Diseases of the nasal fossae	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	14	4	1	1	1	.....	1	.....	.....	1	.....	1	1	2	.....	1	.....	.....
88	Diseases of the thyroid body	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
89	Acute bronchitis	131	52	12	3	2	.....	4	2	.....	1	.....	1	2	14	27	11	.....	.....
90	Chronic bronchitis	80	2	.....	.....	.....	.....	1	.....	1	1	2	2	9	31	27	4	.....	.....
91	Bronchopneumonia	254	71	25	10	9	4	8	2	2	2	6	8	19	49	33	6	.....	.....
92	Pneumonia (total)	983	153	59	22	13	3	28	44	36	52	66	86	101	189	114	14	.....	3
	Lobar pneumonia	117	12	9	2	2	.....	3	8	3	10	11	15	11	21	10	.....	.....	.....
	Pneumonia (undefined)	866	141	50	20	11	3	25	36	33	42	55	71	90	168	104	14	.....	3
93	Pleurisy	27	.....	.....	.....	.....	.....	3	4	2	1	2	4	4	5	1	.....	.....	1
94	Pulmonary congestion, pulmonary apoplexy	81	15	3	.....	.....	.....	2	4	3	1	6	6	13	12	13	3	.....	.....
95	Gangrene of the lung	3	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
96	Asthma	12	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	4	1	.....	.....	.....
97	Pulmonary emphysema	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	1	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	20	.....	.....	.....	.....	.....	.....	1	2	3	3	1	7	2	1	.....	.....	.....
	V.—Diseases of the digestive system	1,427	648	102	29	15	10	31	61	37	53	49	84	110	122	71	5	.....	.....
99	Diseases of the mouth and annexa	6	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....
100	Diseases of the pharynx	10	1	.....	.....	1	2	.....	.....	1	1	1	1	.....	1	1	.....	.....	.....
101	Diseases of the esophagus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	27	.....	.....	.....	.....	.....	.....	2	2	2	5	3	8	4	1	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	185	59	5	2	2	.....	4	5	2	6	9	11	22	33	22	3	.....	.....
104	Diarrhea and enteritis (under 2 years)	650	558	92	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	142	.....	.....	24	11	7	8	7	2	6	6	13	15	23	20	.....	.....	.....
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	92	.....	1	.....	.....	.....	10	30	12	14	8	12	3	2	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	105	13	3	2	.....	.....	4	3	3	8	4	15	20	19	10	1	.....	.....
	Hernia	24	2	1	.....	.....	.....	.....	.....	.....	.....	1	3	6	6	5	.....	.....	.....
	Intestinal obstruction	81	11	2	2	.....	.....	4	3	3	8	3	12	14	13	5	1	.....	.....
110	Other diseases of the intestines	25	7	.....	.....	.....	.....	.....	3	.....	1	.....	2	3	5	3	1	.....	.....
111	Acute yellow atrophy of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	62	.....	.....	.....	.....	.....	.....	.....	1	5	2	14	18	20	2	.....	.....	.....
114	Biliary calculi	12	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	6	3	1	.....	.....	.....
115	Other diseases of the liver	46	3	.....	.....	.....	.....	1	.....	3	3	7	7	9	6	7	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	56	3	1	.....	.....	1	4	10	11	4	7	5	3	3	4	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	942	11	.....	4	2	1	11	12	40	57	91	138	212	232	115	16	.....	.....
119	Acute nephritis	85	6	.....	2	1	1	6	1	9	14	5	12	16	7	4	1	.....	.....
120	Bright's disease	711	3	.....	2	1	.....	3	9	19	32	66	116	177	184	87	12	.....	.....
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	25	.....	.....	.....	.....	.....	2	.....	1	2	4	3	4	7	2	.....	.....	.....
123	Calculi of the urinary passages	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
124	Diseases of the bladder	33	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	5	19	7	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
126	Diseases of the prostate	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	12	15	1	.....	.....
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MAINE—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous)	9							1	5	1	2						
130	Other diseases of the uterus	20	1						2	5	2	5	2	2	1			
131	Cysts and other tumors of the ovary	5										3			1		1	
132	Salpingitis and other diseases of the female genital organs	10								5	3	1	1					
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	110							7	59	32	12						
134	Accidents of pregnancy	8							1	5	2							
135	Puerperal hemorrhage	7								2	5							
136	Other accidents of labor	17							2	8	3	4						
137	Puerperal septicemia	46							1	29	13	3						
138	Puerperal albuminuria and convulsions	28							2	14	8	4						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3							1	1		1						
140	Following childbirth (not otherwise defined)	1									1							
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	70	5					1			2	4	5	7	24	17	5	
142	Gangrene	54	1									3	3	6	21	15	5	
143	Furuncle	5									2				2	1		
144	Acute abscess	5	2					1					1			1		
145	Other diseases of the skin and annexa	6	2									1	1	1	1			
	IX.—Diseases of the bones and of the organs of locomotion	16	2	4					1		1	1	1	2	2	2		
146	Diseases of the bones (tuberculosis excepted)	13	2	3					1		1		1	1	2	2		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3		1								1		1				
148	Amputations																	
149	Other diseases of the organs of locomotion																	
	X.—Malformations	79	75		1			2	1									
150	Congenital malformations (stillbirths not included) (total)	79	75		1			2	1									
	Hydrocephalus	12	10		1			1										
	Congenital malformations of the heart	33	31					1	1									
	Other congenital malformations	34	34															
	XI.—Early infancy	540	540															
151	Congenital debility, icterus, and sclerema (total)	463	463															
	Premature birth	248	248															
	Congenital debility, "atrophy," "marasmus," etc	215	215															
152	Other causes peculiar to early infancy (total)	77	77															
	Injuries at birth	32	32															
	Other causes peculiar to early infancy [1]	45	45															
153	Lack of care																	
	XII.—Old age	574												11	127	312	121	2	1
154	Senility	574												11	127	312	121	2	1
	XIII.—External causes	610	6	17	7	12	14	27	57	107	81	61	64	49	50	34	13		11
	Suicide (total)	85							3	10	12	12	16	14	12	5			1
155	By poison	9							1	1	1	2		1	2	1			
156	By asphyxia	2								1		1							
157	By hanging or strangulation	20									1	2	3	3	7	4			
158	By drowning	7							1		3	2			1				
159	By firearms	36							1	6	6	4	10	6	2				1
160	By cutting or piercing instruments	5								1	1		1	2					
161	By jumping from high places	2										1	1						
162	By crushing																		
163	Other suicides	4								1			1	2					
	Accidental or undefined (total)	512	6	17	7	12	14	27	54	92	67	46	45	35	38	29	13		10
164	Poisoning by food																		
165	Other acute poisonings	24	1	1	1	1	1	1	1	3	4	2	3	2	3				
166	Conflagration	10		1		1	1	1		2				1	1				2
167	Burns (conflagration excepted)	39		4	2	6	5	2	2	3	4	1	2	4	2	2			
168	Absorption of deleterious gases (conflagration excepted)	8						1	2	2		2		1					
169	Accidental drowning	123		3	1		1	15	25	35	17	9	8	2	3	1			3
170	Traumatism by firearms	24				1		1	10	3	3	2	1	1	1				1
171	Traumatism by cutting or piercing instruments	2										2							
172	Traumatism by fall	86		4			1	1	3	6	4	4	7	9	17	19	11		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MAINE—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	3								1	2								
	Traumatism in mines																		
	Traumatism in quarries	3								1	2								
174	Traumatism by machines	12							2	4	1	3	2						
175	Traumatism by other crushing (total)	106		2	2	2	3	3	6	22	21	12	16	7	6				4
	Railroad accidents and injuries	60		2			1	1	4	18	13	6	5	5	2				3
	Street-car accidents and injuries	9			1			1		1	2	1	1		1				1
	Automobile accidents and injuries	7				1		1	1		1		2	1					
	Injuries by other vehicles	25			1	1	2			1	4	4	8	1	3				
	Landslide, other crushing	5							1	2	1	1							
176	Injuries by animals	4				1				1		1	1						
177	Starvation																		
178	Excessive cold	5								1		2	1				1		
179	Effects of heat	4		1									2		1				
180	Lightning	2			1								1						
181	Electricity (lightning excepted)	2								2									
185	Fractures (cause not specified)	7										1				5	1		
186	Other external violence	51	5	1			2	2	3	7	11	5	1	8	4	2			
	Homicide (total)	13								5	2	3	3						
182	By firearms	6								2	1	2	1						
183	By cutting or piercing instruments	3								2			1						
184	By other means	4								1	1	1	1						
	XIV.—Ill-defined diseases	376	170	14	3	4	2	3	13	8	11	21	15	29	51	27	3		2
187	Ill-defined organic disease	14	2							2				4	5	1			
188	Sudden death	27	8	1			1			2	1	2		4	7	1			
189	Not specified or ill-defined (total)	335	160	13	3	4	1	3	13	4	10	19	15	21	39	25	3		2
	Ill-defined	197	83	6		4		2	3	1	8	10	8	16	32	21	3		
	Not specified or unknown	138	77	7	3		1	1	10	3	2	9	7	5	7	4			2
	MARYLAND (TOTAL).																		
	All causes	**20,805**	**4,239**	**649**	**382**	**190**	**148**	**417**	**966**	**1,638**	**1,721**	**1,763**	**2,132**	**2,605**	**2,396**	**1,126**	**172**	**14**	**47**
	I.—General diseases	5,635	366	190	127	77	64	196	518	910	799	679	653	574	353	110	7		12
1	Typhoid fever	528	1		6	4	6	44	137	146	77	49	30	19	6	1			2
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	22	3				1		3	2	1	4	2	3	2	1			
5	Smallpox																		
6	Measles	53	13	20	4	4	1	4	3	3	1								
7	Scarlet fever	68	2	8	7	13	5	19	9	1	2		2						
8	Whooping cough	291	140	70	40	14	7	15	4	1									
9	Diphtheria and croup	171	19	24	37	13	23	38	11	2	3		1						
10	Influenza	201	4	11	5	1		6	7	7	12	12	24	43	48	18	2		1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	15	4	1				1	3	1	1		1	1	2				
14	Dysentery	88	20	6	1		2	3		1	2	4	6	13	16	13	1		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	63	20	1	1	1			1	2	3	9	5	10	6	3	1		
19	Other epidemic diseases	3	1	2															
20	Purulent infection and septicemia	41	3			1	2	3	6	4	5	4	4	2	6	1			
21	Glanders																		
22	Anthrax	1												1					
23	Rabies	1						1											
24	Tetanus	42	19	1		1	1	1	7	2	2	2	4	1	1				
25	Mycoses																		
26	Pellagra	8							1		2	2	1	1	1				
27	Beriberi																		
	Tuberculosis (total)	2,562	44	27	19	21	13	39	284	692	566	368	261	147	61	15			5
28	Tuberculosis of the lungs	2,246	12	9	7	12	6	20	233	626	525	344	240	138	57	12			5
29	Acute miliary tuberculosis	66	5	1		1	2	5	10	22	12	4	2	2					
30	Tuberculous meningitis	85	18	13	9	7	5	10	13	3	4	1	2						
31	Abdominal tuberculosis	81	3	2	2				14	19	14	10	11	2	3	1			
32	Pott's disease	23				1		2	6	7	3	1	1	2					
33	White swellings	11	1	1	1				1	3	2			1		1			
34	Tuberculosis of other organs	26	4	1				1	3	5	2	3	3	2	1	1			
35	Disseminated tuberculosis	24	1					1	4	7	4	5	2						
36	Rickets	12	3	5	2			1			1								
37	Syphilis	93	59	5	2			1	4	8	5	4	2	3					
38	Gonococcus infection	1		1															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

MARYLAND (TOTAL)—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	942	2			1		4	4	15	69	167	224	250	155	46	2		3
39	Of the buccal cavity	27						1				5	9	7	5				
40	Of the stomach, liver	411						1	1	7	18	54	107	125	77	20			1
41	Of the peritoneum, intestines, rectum	86									9	14	17	26	16	3			1
42	Of the female genital organs	155								3	20	48	36	32	14	1	1		
43	Of the breast	87									6	24	22	18	12	5			
44	Of the skin	42							1	1	1	5	5	10	10	8	1		
45	Of other organs or of organs not specified	134	2			1		2	2	4	15	17	28	32	21	9			1
46	Other tumors (tumors of the female genital organs excepted)	11									2	4	1	1	2	1			
47	Acute articular rheumatism	78	1				1	12	14	6	6	8	12	5	12	1			
48	Chronic rheumatism and gout	14									1	1	3	3	5	1			
49	Scurvy	2		1										1					
50	Diabetes	164		1	1		1	2	7	6	10	15	48	49	19	3	1		1
51	Exophthalmic goiter	8							2	2	2	1	1						
52	Addison's disease	2								1	1								
53	Leukemia	13			1				3	1	2	2	1	3					
54	Anemia, chlorosis	48	1				1	2	6	2	5	4	7	9	7	4			
55	Other general diseases	27	7	6	1	3			2	2	3	1		1	1				
56	Alcoholism (acute or chronic)	58								3	14	17	12	7	3	2			
57	Chronic lead poisoning	2										1	1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2									1			1					
	II.—Diseases of the nervous system and of the organs of special sense	2,245	280	81	45	15	17	45	51	69	108	147	292	442	446	174	26	1	6
60	Encephalitis	15	2			1	1	3	1	2			1	2			1		1
61	Meningitis (total)	224	74	42	31	8	8	21	18	6	5	3	2	3	2	1			
	Simple meningitis	166	56	31	24	6	5	16	12	3	5	3	2	2		1			
	Cerebrospinal meningitis (undefined)	52	17	11	6	2	2	4	5	2				1	2				
	Cerebrospinal fever	6	1		1		1	1	1	1									
62	Locomotor ataxia	36									3	7	10	9	6	1			
63	Other diseases of the spinal cord (total)	83	5	11	6	1	5	4	4	5	1	6	12	9	14				
	Acute anterior poliomyelitis	35	4	11	5	1	5	4	2	1			1	1					
	Other diseases of the spinal cord [1]	48	1		1				2	4	1	6	11	8	14				
64	Cerebral hemorrhage, apoplexy	945	9	3	2			2	3	22	41	77	156	262	247	104	14	1	2
65	Softening of the brain	33								1		1	5	3	14	9			
66	Paralysis without specified cause	431	1		1			4	7	2	16	22	64	123	129	52	9		1
67	General paralysis of the insane	39								2	7	10	6	6	5	3			
68	Other forms of mental alienation	51	1						3	5	4	6	14	5	11	1			1
69	Epilepsy	63	1	1				2	7	12	15	7	5	6	5	1			1
70	Convulsions (nonpuerperal)	8						4	1	3									
71	Convulsions of infants	208	178	22	3	4	1												
72	Chorea	3							1				1	1					
73	Neuralgia and neuritis	15			1				1		2		5	2	3		1		
74	Other diseases of the nervous system	68	4	1	1	1	1	4	3	6	10	5	10	9	10	2	1		
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	23	5	1			1	1	2	3	4	3	1	2					
	III.—Diseases of the circulatory system	2,145	37	7	3	4	4	23	74	91	137	232	371	462	485	194	13	3	5
77	Pericarditis	10	1					1				1	4	2	1				
78	Acute endocarditis	81		2			1	5	11	7	16	13	16	5	5				
79	Organic diseases of the heart	1,708	29	5	3	4	3	17	58	79	101	196	301	379	383	139	6	1	4
80	Angina pectoris	79							1		5	7	13	30	13	9	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	201							1	2	5	7	28	33	76	41	5	2	1
82	Embolism and thrombosis	29	2						1	3	3	1	6	6	5	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	14							1		3	1	2	3	2	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1											1					
85	Hemorrhage; other diseases of the circulatory system	21	4						1		4	6	1	3		1	1		
	IV.—Diseases of the respiratory system	2,500	552	213	119	52	25	58	78	102	154	158	201	310	297	154	26		1
86	Diseases of the nasal fossae	4	2						1							1			
87	Diseases of the larynx	11	2	3	1	1		1			1	1		1					
88	Diseases of the thyroid body	1							1										
89	Acute bronchitis	181	96	26	15	1		1	3	1	4	2	1	10	6	12	3		
90	Chronic bronchitis	158	2		2			6	5	2	2	8	8	33	56	31	3		
91	Bronchopneumonia	556	229	80	46	20	10	16	7	7	8	4	16	39	49	18	7		
92	Pneumonia (total)	1,381	202	102	54	27	14	29	55	84	125	122	145	195	153	64	9		1
	Lobar pneumonia	527	33	28	14	7	5	9	18	35	71	58	73	86	63	24	2		1
	Pneumonia (undefined)	854	169	74	40	20	9	20	37	49	54	64	72	109	90	40	7		
93	Pleurisy	46	1	1			1	1	3	5	6	11	6	6	3	2			
94	Pulmonary congestion, pulmonary apoplexy	87	15	1	1	2		2	3	1	1	2	7	9	20	20	3		
95	Gangrene of the lung	7										1	3	2	1				
96	Asthma	31				1				1	2	6	5	7	4	5			
97	Pulmonary emphysema	3												3					
98	Other diseases of the respiratory system (tuberculosis excepted)	34	3					2		1	5	1	10	5	5	2			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MARYLAND (TOTAL)—Continued.																		
	V.—Diseases of the digestive system	2,436	1,222	257	44	18	11	21	53	78	97	115	133	158	161	60	6	.....	2
99	Diseases of the mouth and annexa	20	11	4	.....	.....	.....	.....	1	1	.....	1	.....	2	.....	.....	.....	.....	.....
100	Diseases of the pharynx	17	2	3	1	2	.....	1	.....	1	4	.....	1	1	1	.....	.....	.....	.....
101	Diseases of the esophagus	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
102	Ulcer of the stomach	31	.....	.....	.....	.....	.....	.....	.....	3	4	4	6	7	4	3	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	285	75	10	2	3	1	5	8	11	21	19	30	32	45	20	2	.....	1
104	Diarrhea and enteritis (under 2 years)	1,341	1,105	236	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	196	.....	.....	34	10	3	4	7	7	4	11	13	28	50	21	3	.....	1
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	5	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	100	1	.....	.....	.....	3	6	19	19	20	16	8	7	1	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	146	12	.....	1	.....	2	2	10	18	9	18	20	24	25	5	.....	.....	.....
	Hernia	46	2	.....	.....	.....	.....	.....	2	1	1	6	9	12	13	.....	.....	.....	.....
	Intestinal obstruction	100	10	.....	1	.....	2	2	8	17	8	12	11	12	12	5	.....	.....	.....
110	Other diseases of the intestines	35	10	1	2	.....	1	.....	1	3	6	3	.....	.....	4	3	1	.....	.....
111	Acute yellow atrophy of the liver	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	125	.....	.....	1	1	.....	.....	1	2	11	26	32	29	18	4	.....	.....	.....
114	Biliary calculi	32	.....	.....	.....	.....	.....	.....	.....	3	3	3	8	7	7	1	.....	.....	.....
115	Other diseases of the liver	52	2	1	.....	.....	.....	.....	4	2	6	9	10	12	3	3	.....	.....	.....
116	Diseases of the spleen	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	39	4	1	2	1	.....	2	2	7	8	2	3	6	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,854	22	5	2	6	3	17	47	96	150	256	322	433	338	140	13	.....	4
119	Acute nephritis	155	7	3	.....	3	2	4	13	17	21	22	25	28	7	2	.....	.....	1
120	Bright's disease	1,509	12	2	2	3	1	12	28	59	100	198	281	379	300	117	12	.....	3
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	26	1	.....	.....	.....	.....	1	1	1	1	3	5	6	3	4	.....	.....	.....
123	Calculi of the urinary passages	14	.....	.....	.....	.....	.....	.....	1	1	3	2	1	4	2	.....	.....	.....	.....
124	Diseases of the bladder	29	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	11	8	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....
126	Diseases of the prostate	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	6	9	7	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	25	.....	.....	.....	.....	.....	.....	.....	1	6	13	1	2	1	1	.....	.....	.....
130	Other diseases of the uterus	18	.....	.....	.....	.....	.....	.....	.....	6	8	1	.....	1	2	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	13	.....	.....	.....	.....	.....	.....	.....	.....	4	2	5	.....	1	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	27	.....	.....	.....	.....	.....	.....	4	10	5	8	.....	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	191	.....	.....	.....	.....	.....	.....	20	86	69	16	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	25	.....	.....	.....	.....	.....	.....	2	9	13	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	23	.....	.....	.....	.....	.....	.....	1	10	8	4	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	21	.....	.....	.....	.....	.....	.....	1	7	13	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	72	.....	.....	.....	.....	.....	.....	9	32	25	6	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	49	.....	.....	.....	.....	.....	.....	7	27	10	5	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	77	9	1	.....	1	1	.....	3	3	6	7	6	15	11	10	3	.....	1
142	Gangrene	40	.....	.....	.....	.....	.....	.....	1	.....	3	3	5	8	6	10	3	.....	1
143	Furuncle	9	.....	1	.....	.....	.....	.....	.....	2	1	2	.....	1	2	.....	.....	.....	.....
144	Acute abscess	21	8	.....	.....	1	1	.....	2	1	2	1	1	3	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	7	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	35	7	3	.....	1	.....	1	3	1	7	4	1	4	2	.....	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	31	7	3	.....	1	.....	1	2	1	6	4	1	3	1	.....	1	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	X.—Malformations	143	130	7	3	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	143	130	7	3	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	12	8	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	89	82	3	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	42	40	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

† Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MARYLAND (TOTAL)—Continued.																		
	XI.—Early infancy	1,160	1,159	1															
151	Congenital debility, icterus, and sclerema (total)	1,019	1,018	1															
	Premature birth	405	405																
	Congenital debility, "atrophy," "marasmus," etc	614	613	1															
152	Other causes peculiar to early infancy (total)	137	137																
	Injuries at birth	77	77																
	Other causes peculiar to early infancy[1]	60	60																
153	Lack of care	4	4																
	XII.—Old age	454												37	151	197	60	9	
154	Senility	454												37	151	197	60	9	
	XIII.—External causes	1,108	39	30	22	14	18	53	106	190	164	125	109	94	82	36	11	1	14
	Suicide (total)	134							6	32	29	25	25	13	4				
155	By poison	34								8	12	5	4	4	1				
156	By asphyxia	10									1	4	3	2					
157	By hanging or strangulation	19							2	1	2	4	8		2				
158	By drowning	12							2	4	2	3		1					
159	By firearms	47							2	16	10	7	6	5	1				
160	By cutting or piercing instruments	7								2	2		2	1					
161	By jumping from high places	2										1	1						
162	By crushing	1											1						
163	Other suicides	2								1		1							
	Accidental or undefined (total)	933	38	30	22	14	18	53	95	146	124	96	80	79	78	36	10	1	13
164	Poisoning by food	4	2	1								1							
165	Other acute poisonings	25	2	2	3			2		3	4	6	1	1	1				
166	Conflagration	9			1			1	1	1	1		3	1					
167	Burns (conflagration excepted)	135	3	16	12	7	12	22	14	5	11	10	5	7	8	1	1	1	
168	Absorption of deleterious gases (conflagration excepted)	18						1	2	1	6	1	2	2	2				1
169	Accidental drowning	129	2	4	1		1	5	24	45	19	6	9	7	2				4
170	Traumatism by firearms	31			1			3	8	9	1	6		3					
171	Traumatism by cutting or piercing instruments	3						1		2									
172	Traumatism by fall	128	4	2	3	2	1	5	3	6	21	9	10	13	33	14	2		
173	Traumatism in mines and quarries (total)	9							1	2	2	3	1						
	Traumatism in mines	8							1	1	2	3	1						
	Traumatism in quarries	1								1									
174	Traumatism by machines	23							2	7	4	5	4		1				
175	Traumatism by other crushing (total)	231	1	2	1	2	2	7	22	47	37	37	30	22	11	3	1		6
	Railroad accidents and injuries	147		1		1	1	3	8	38	28	25	18	12	5	2			5
	Street-car accidents and injuries	41		1	1	1		3	4	4	4	5	5	7	5		1		
	Automobile accidents and injuries	9						1	3	1	1	1	1		1				
	Injuries by other vehicles	26					1		6	3	4	5	3	3		1			
	Landslide, other crushing	8	1						1	1		1	3						1
176	Injuries by animals	9						1	4			1	2			1			
177	Starvation																		
178	Excessive cold	5	1									1			2	1			
179	Effects of heat	24	4	2		1		1		1	2		2	5	2	3	1		
180	Lightning	5								2	1			2					
181	Electricity (lightning excepted)	11							1	6	2	1		1					
185	Fractures (cause not specified)	33									1	3	1	3	12	9	4		
186	Other external violence	101	19	1	1	1	2	4	13	9	12	6	10	12	4	4	1		2
	Homicide (total)	41	1						5	12	11	4	4	2			1		1
182	By firearms	24							3	6	6	3	4	1					1
183	By cutting or piercing instruments	7							2	3	2								
184	By other means	10	1							3	3	1		1			1		
	XIV.—Ill-defined diseases	822	416	54	17	2	4	3	11	12	30	24	44	76	70	51	6		2
187	Ill-defined organic disease	32			1			1	1		2	2	4	9	6	6			
188	Sudden death	20	1					1	1	2	1	3	2	3	2	3			1
189	Not specified or ill-defined (total)	770	415	54	16	2	4	1	9	10	27	19	38	64	62	42	6		1
	Ill-defined	686	359	51	13	2	4	1	7	6	25	18	37	63	54	39	6		1
	Not specified or unknown	84	56	3	3				2	4	2	1	1	1	8	3			

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MARYLAND (WHITE).																		
	All causes	15,458	2,975	571	248	123	106	296	600	1,049	1,195	1,245	1,680	2,147	2,099	980	123	3	28
	I.—General diseases	4,077	223	123	85	52	49	140	298	573	568	498	542	506	312	97	6	.....	5
1	Typhoid fever	419	1	.....	4	2	3	30	101	124	61	41	28	17	5	1	.....	.....	1
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	18	3	.....	.....	.....	1	.....	1	1	1	3	2	3	2	1	.....	.....	.....
5	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	46	12	19	4	2	1	2	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	65	2	8	7	12	5	18	8	1	2	.....	2	.....	.....	.....	.....	.....	.....
8	Whooping cough	142	77	34	13	8	3	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	147	9	20	35	10	22	38	10	1	1	.....	1	.....	.....	.....	.....	.....	.....
10	Influenza	149	3	6	3	1	.....	3	5	4	8	11	13	36	39	16	1	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	9	2	1	.....	.....	.....	1	1	.....	1	.....	.....	1	2	.....	.....	.....	.....
14	Dysentery	63	14	3	1	.....	2	1	.....	.....	1	3	4	10	13	10	1	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	55	16	1	1	1	.....	.....	.....	1	3	3	5	9	6	3	1	.....	.....
19	Other epidemic diseases	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	37	2	.....	.....	1	2	2	6	4	4	3	4	2	6	1	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	25	10	1	.....	1	1	1	2	1	2	1	4	.....	1	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	7	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	1	1	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,641	30	17	14	10	7	18	130	403	382	252	197	120	51	10	.....	.....	.....
28	Tuberculosis of the lungs	1,428	5	5	4	3	3	7	101	363	353	236	182	111	47	8	.....	.....	.....
29	Acute miliary tuberculosis	29	1	.....	.....	.....	1	1	6	9	7	2	.....	2	.....	.....	.....	.....	.....
30	Tuberculous meningitis	72	17	10	8	6	3	8	10	3	4	1	2	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	55	3	2	1	.....	.....	.....	5	13	10	7	8	2	3	1	.....	.....	.....
32	Pott's disease	15	.....	.....	.....	1	.....	2	3	3	3	.....	1	2	.....	.....	.....	.....	.....
33	White swellings	8	1	.....	1	.....	.....	.....	.....	3	1	.....	.....	1	.....	1	.....	.....	.....
34	Tuberculosis of other organs	17	2	.....	.....	.....	.....	.....	3	2	2	2	3	2	1	.....	.....	.....	.....
35	Disseminated tuberculosis	17	1	.....	.....	.....	.....	.....	2	7	2	4	1	.....	.....	.....	.....	.....	.....
36	Rickets	6	2	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	43	30	1	.....	.....	.....	1	.....	4	3	1	2	1	.....	.....	.....	.....	.....
38	Gonococcus infection	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	827	1	.....	.....	1	.....	4	2	11	57	129	199	232	142	44	2	.....	3
39	Of the buccal cavity	25	.....	.....	.....	.....	.....	1	.....	.....	.....	3	9	7	5	.....	.....	.....	.....
40	Of the stomach, liver	365	.....	.....	.....	.....	.....	1	.....	5	14	46	91	118	69	20	.....	.....	1
41	Of the peritoneum, intestines, rectum	78	.....	.....	.....	.....	.....	.....	.....	.....	7	13	17	23	14	3	.....	.....	1
42	Of the female genital organs	125	.....	.....	.....	.....	.....	.....	.....	2	15	30	34	28	14	1	1	.....	.....
43	Of the breast	72	.....	.....	.....	.....	.....	.....	.....	.....	5	19	16	17	11	4	.....	.....	.....
44	Of the skin	38	.....	.....	.....	.....	.....	.....	1	1	1	3	5	9	10	7	1	.....	.....
45	Of other organs or of organs not specified	124	1	.....	.....	1	.....	2	1	3	15	15	27	30	19	9	.....	.....	1
46	Other tumors (tumors of the female genital organs excepted)	8	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	2	1	.....	.....	.....
47	Acute articular rheumatism	57	1	.....	.....	.....	.....	12	9	2	4	4	12	3	9	1	.....	.....	.....
48	Chronic rheumatism and gout	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	5	1	.....	.....	.....
49	Scurvy	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
50	Diabetes	153	.....	1	1	.....	1	2	7	5	9	13	46	46	17	3	1	.....	1
51	Exophthalmic goiter	7	.....	.....	.....	.....	.....	.....	2	2	2	.....	1	.....	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	12	.....	.....	1	.....	.....	.....	2	1	2	2	1	3	.....	.....	.....	.....	.....
54	Anemia, chlorosis	41	1	.....	.....	.....	1	1	4	2	4	4	6	8	7	3	.....	.....	.....
55	Other general diseases	23	6	4	1	3	.....	.....	2	1	3	1	.....	1	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	50	.....	.....	.....	.....	.....	.....	.....	2	12	15	10	6	3	2	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,733	195	61	36	11	12	33	38	40	74	103	222	346	392	151	13	1	5
60	Encephalitis	14	2	.....	.....	1	1	3	1	1	.....	.....	1	2	.....	.....	1	.....	1
61	Meningitis (total)	181	65	36	22	7	7	15	12	4	4	3	2	2	1	1	.....	.....	.....
	Simple meningitis	130	47	25	16	5	4	10	9	2	4	3	2	2	.....	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	47	17	11	6	2	2	4	2	2	.....	.....	.....	.....	1	.....	.....	.....	.....
	Cerebrospinal fever	4	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	30	.....	.....	.....	.....	.....	.....	.....	.....	3	6	9	6	5	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	69	3	8	6	1	3	3	3	3	1	4	11	9	14	.....	.....	.....	.....
	Acute anterior poliomyelitis	27	2	8	5	1	3	3	2	1	.....	.....	1	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	42	1	.....	1	.....	.....	.....	1	2	1	4	10	8	14	.....	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	754	6	3	2	.....	.....	1	2	9	27	54	120	211	219	92	6	1	1
65	Softening of the brain	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	3	12	8	.....	.....	.....
66	Paralysis without specified cause	318	1	.....	1	.....	.....	2	4	.....	10	13	41	87	111	43	4	.....	1
67	General paralysis of the insane	33	.....	.....	.....	.....	.....	.....	.....	1	6	8	5	6	4	3	.....	.....	.....
68	Other forms of mental alienation	44	1	.....	.....	.....	.....	.....	3	5	2	4	12	5	10	1	.....	.....	1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MARYLAND (WHITE)—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	41						1	6	9	11	4	2	3	3	1		1
70	Convulsions (nonpuerperal)	5						4		1								
71	Convulsions of infants	126	110	12	3	1												
72	Chorea	3							1				1	1				
73	Neuralgia and neuritis	13			1				1		2		3	2	3		1	
74	Other diseases of the nervous system	55	3	1	1	1	1	4	3	4	5	4	9	7	10	1	1	
75	Diseases of the eyes and their annexa																	
76	Diseases of the ears	19	4	1					2	3	3	3	1	2				
	III.—Diseases of the circulatory system	1,639	33	5	3	3	3	21	55	54	80	134	251	376	440	168	10	1	2
77	Pericarditis	7	1									1	3	1	1			
78	Acute endocarditis	59		2			1	4	8	3	12	8	11	5	5			
79	Organic diseases of the heart	1,278	27	3	3	3	2	17	43	48	59	108	196	299	346	118	5		1
80	Angina pectoris	75							1		4	5	13	29	13	9	1		
81	Diseases of the arteries, atheroma, aneurism, etc	171							1	2	1	5	22	29	69	37	3	1	1
82	Embolism and thrombosis	26	2						1	1	3	1	5	6	5	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8							1		1	1		3	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1											1					
85	Hemorrhage; other diseases of the circulatory system	13	2									5	1	3		1	1		
	IV.—Diseases of the respiratory system	1,819	376	134	73	35	14	38	40	52	101	106	167	262	260	136	24		1
86	Diseases of the nasal fossae	2							1								1		
87	Diseases of the larynx	8	2	3	1	1						1							
88	Diseases of the thyroid body	1							1										
89	Acute bronchitis	129	75	9	9	1		1		1	3	1		8	6	12	3		
90	Chronic bronchitis	135	2					5			2	4	8	31	52	28	3		
91	Bronchopneumonia	394	154	58	29	12	4	11	3	2	8	1	13	33	42	18	6		
92	Pneumonia (total)	979	126	63	33	19	9	18	31	43	79	87	117	162	134	49	8		1
	Lobar pneumonia	388	23	18	8	6	5	5	9	17	42	39	59	78	58	18	2		1
	Pneumonia (undefined)	591	103	45	25	13	4	13	22	26	37	48	58	84	76	31	6		
93	Pleurisy	38	1	1			1	1	2	4	4	9	6	5	2	2			
94	Pulmonary congestion, pulmonary apoplexy	75	13		1	1		1	2	1	1	1	6	8	17	20	3		
95	Gangrene of the lung	7										1	3	2	1				
96	Asthma	23				1				1	1	1	5	5	4	5			
97	Pulmonary emphysema	3												3					
98	Other diseases of the respiratory system (tuberculosis excepted)	25	3					1			3		9	5	2	2			
	V.—Diseases of the digestive system	1,805	873	186	27	15	9	11	33	49	68	90	108	134	145	51	4		2
99	Diseases of the mouth and annexa	12	3	4					1	1		1		2					
100	Diseases of the pharynx	12	1	1	1	2		1		1	3		1		1				
101	Diseases of the esophagus	2											1	1					
102	Ulcer of the stomach	24								3	4	4	3	5	3	2			
103	Other diseases of the stomach (cancer excepted)	190	43	6	1	3	1	3	5	6	14	12	17	23	40	15			1
104	Diarrhea and enteritis (under 2 years)	975	803	172															
105	Diarrhea and enteritis (2 years and over)	152			20	7	2	2	5	3	3	8	11	24	43	20	3		1
106	Ankylostomiasis																		
107	Intestinal parasites	2				1	1												
108	Appendicitis and typhlitis	75	1				2	4	12	16	15	13	6	5	1				
109	Hernia, intestinal obstruction (total)	117	8		1		2	1	6	9	6	17	17	21	24	5			
	Hernia	40	1						1	1		6	7	11	13				
	Intestinal obstruction	77	7		1		2	1	5	8	6	11	10	10	11	5			
110	Other diseases of the intestines	28	9	1	2		1				5	2			4	3	1		
111	Acute yellow atrophy of the liver	5								1	1	1		1	1				
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	107			1	1			1		6	18	31	29	17	3			
114	Biliary calculi	32								3	3	3	8	7	7	1			
115	Other diseases of the liver	40	1	1					2	2	2	8	9	11	2	2			
116	Diseases of the spleen	2											1		1				
117	Simple peritonitis (nonpuerperal)	27	4	1	1	1			1	4	6	1	3	4	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3										2		1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,437	16	1	1	3	2	13	34	63	96	178	260	349	288	123	8		2
119	Acute nephritis	101	6	1		1	1	3	9	11	14	15	15	18	5	2			
120	Bright's disease	1,187	8		1	2	1	9	21	39	62	137	232	309	255	101	8		2
121	Chyluria																		
122	Other diseases of the kidneys and annexa	22	1					1	1	1	1	2	4	6	2	3			
123	Calculi of the urinary passages	11							1	1	3		1	3	2				
124	Diseases of the bladder	24	1									1		3	11	8			
125	Diseases of the urethra, urinary abscess, etc	4									1	1		2					
126	Diseases of the prostate	24										1	3	5	8	7			
127	Nonvenereal diseases of the male genital organs	1													1				
128	Uterine hemorrhage (nonpuerperal)	2								1		1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MARYLAND (WHITE)—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
129	Uterine tumor (noncancerous)	18								1	2	11		2	1	1			
130	Other diseases of the uterus	13								2	7	1		1	2				
131	Cysts and other tumors of the ovary	10									2	1	5		1	1			
132	Salpingitis and other diseases of the female genital organs	20							2	7	4	7							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	135							8	64	51	12							
134	Accidents of pregnancy	18								8	9	1							
135	Puerperal hemorrhage	18								8	7	3							
136	Other accidents of labor	14								5	9								
137	Puerperal septicemia	50							4	22	20	4							
138	Puerperal albuminuria and convulsions	34							4	20	6	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death																		
140	Following childbirth (not otherwise defined)	1								1									
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	58	3	1		1	1		2	2	3	6	2	12	11	6	3		
142	Gangrene	23										2	1	5	6	6	3		
143	Furuncle	9		1						2	1	2		1	2				
144	Acute abscess	19	7			1	1		2		2	1	1	3	1				
145	Other diseases of the skin and annexa	7	1									1		3	2				
	IX.—Diseases of the bones and of the organs of locomotion	31	5	3		1		1	3	1	7	3	1	3	2		1		
146	Diseases of the bones (tuberculosis excepted)	27	5	3		1		1	2	1	6	3	1	2	1		1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2									1				1				
148	Amputations																		
149	Other diseases of the organs of locomotion	2							1					1					
	X.—Malformations	122	112	6	1		1		2										
150	Congenital malformations (stillbirths not included) (total)	122	112	6	1		1		2										
	Hydrocephalus	10	6	2	1		1												
	Congenital malformations of the heart	77	73	2					2										
	Other congenital malformations	35	33	2															
	XI.—Early infancy	852	852																
151	Congenital debility, icterus, and sclerema (total)	747	747																
	Premature birth	301	301																
	Congenital debility, "atrophy," "marasmus," etc	446	446																
152	Other causes peculiar to early infancy (total)	104	104																
	Injuries at birth	62	62																
	Other causes peculiar to early infancy[1]	42	42																
153	Lack of care	1	1																
	XII.—Old age	355												27	120	160	47	1	
154	Senility	355												27	120	160	47	1	
	XIII.—External causes	871	23	26	15	6	13	36	82	142	131	101	97	76	75	30	8		10
	Suicide (total)	126							4	29	28	24	24	13	4				
155	By poison	34								8	12	5	4	4	1				
156	By asphyxia	10									1	4	3	2					
157	By hanging or strangulation	17							1	1	2	4	7		2				
158	By drowning	7							2	1	1	2		1					
159	By firearms	46							1	16	10	7	6	5	1				
160	By cutting or piercing instruments	7								2	2		2	1					
161	By jumping from high places	2										1	1						
162	By crushing	1											1						
163	Other suicides	2								1		1							
	Accidental or undefined (total)	721	23	26	15	6	13	36	75	106	97	75	69	62	71	30	8		9
164	Poisoning by food	3	1	1								1							
165	Other acute poisonings	21		2	2			2		3	4	5	1	1	1				
166	Conflagration	5							1	1	1		1	1					
167	Burns (conflagration excepted)	89	3	15	9	3	7	13	9	4	7	8	3	2	6				
168	Absorption of deleterious gases (conflagration excepted)	13						1	2	1	6	1	2	2	2				1
169	Accidental drowning	85		3	1		1	5	17	26	12	4	7	6	1				2
170	Traumatism by firearms	15						1	4	6	1	2		1					
171	Traumatism by cutting or piercing instruments	2								2									
172	Traumatism by fall	110	2	1	1	1	1	3	3	5	17	7	9	13	32	13	2		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MARYLAND (WHITE)—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	8							1	1	2	3	1						
	Traumatism in mines	8							1	1	2	3	1						
	Traumatism in quarries																		
174	Traumatism by machines	18							2	6	3	4	3						
175	Traumatism by other crushing (total)	197		2	1	1	2	6	19	38	31	30	29	18	11	3	1		5
	Railroad accidents and injuries	129		1			1	3	7	33	24	22	17	10	5	2			4
	Street-car accidents and injuries	34		1	1	1		2	3	3	3	3	5	6	5		1		
	Automobile accidents and injuries	8						1	2	1	1	1	1		1				
	Injuries by other vehicles	20					1		6		3	4	3	2		1			
	Landslide, other crushing	6							1	1			3						1
176	Injuries by animals	9						1	4			1	2			1			
177	Starvation																		
178	Excessive cold	2	1												1				
179	Effects of heat	13	1	1				1		1			2	3	2	1	1		
180	Lightning	4								1	1			2					
181	Electricity (lightning excepted)	9							1	4	2	1		1					
185	Fractures (cause not specified)	30									1	2	1	2	12	9	3		
186	Other external violence	83	15	1	1	1	2	3	12	7	9	6	8	10	3	3	1		1
	Homicide (total)	24							3	7	6	2	4	1					1
182	By firearms	16							2	3	4	2	4						1
183	By cutting or piercing instruments	5							1	3	1								
184	By other means	3								1	1			1					
	XIV.—Ill-defined diseases	524	259	25	7	1	2	3	5	9	16	14	30	56	54	38	4		1
187	Ill-defined organic disease	20						1			1	1		7	4	6			
188	Sudden death	17	1					1	1	2	1	2	2	2	2	3			
189	Not specified or ill-defined (total)	487	258	25	7	1	2	1	4	7	14	11	28	47	48	29	4		1
	Ill-defined	454	234	25	7	1	2	1	4	4	14	11	28	46	43	29	4		1
	Not specified or unknown	33	24							3				1	5				
	MARYLAND (COLORED).																		
	All causes	5,347	1,264	278	134	62	42	121	366	589	526	518	452	458	297	166	44	11	19
	I.—General diseases	1,558	143	67	42	25	15	56	220	337	231	181	111	68	41	13	1		7
1	Typhoid fever	109			2	2	3	14	36	22	16	8	2	2	1				1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	4							2	1		1							
5	Smallpox																		
6	Measles	7	1	1		2		2		1									
7	Scarlet fever	3				1		1	1										
8	Whooping cough	149	63	36	27	6	4	10	2	1									
9	Diphtheria and croup	24	10	4	2	3	1		1	1	2								
10	Influenza	52	1	5	2			3	2	3	4	1	11	7	9	2	1		1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	6	2						2	1			1						
14	Dysentery	25	6	3				2		1	1	1	2	3	3	3			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	8	4						1	1		1		1					
19	Other epidemic diseases																		
20	Purulent infection and septicemia	4	1					1			1	1							
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	17	9						5	1		1		1					
25	Mycoses																		
26	Pellagra	1									1								
27	Beriberi																		
	Tuberculosis (total)	921	14	10	5	11	6	21	154	289	184	116	64	27	10	5			5
28	Tuberculosis of the lungs	818	7	4	3	9	3	13	132	263	172	108	58	27	10	4			5
29	Acute miliary tuberculosis	37	4	1		1	1	4	4	13	5	2	2						
30	Tuberculous meningitis	13	1	3	1	1	2	2	3										
31	Abdominal tuberculosis	26			1				9	6	4	3	3						
32	Pott's disease	8							3	4		1							
33	White swellings	3		1					1		1								
34	Tuberculosis of other organs	9	2	1				1		3		1				1			
35	Disseminated tuberculosis	7						1	2		2	1	1						
36	Rickets	6	1	2	2			1											
37	Syphilis	50	29	4	2				4	4	2	3		2					
38	Gonococcus infection																		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	115	1						2	4	12	38	25	18	13	2			
39	Of the buccal cavity	2										2							
40	Of the stomach, liver	46							1	2	4	8	16	7	8				
41	Of the peritoneum, intestines, rectum	8									2	1		3	2				
42	Of the female genital organs	30								1	5	18	2	4					
43	Of the breast	15									1	5	6	1	1	1			
44	Of the skin	4										2		1		1			
45	Of other organs or of organs not specified	10	1						1	1		2	1	2	2				
46	Other tumors (tumors of the female genital organs excepted)	3									1	1	1						
47	Acute articular rheumatism	21					1		5	4	2	4		2	3				
48	Chronic rheumatism and gout	1									1								
49	Scurvy																		
50	Diabetes	11								1	1	2	2	3	2				
51	Exophthalmic goiter	1										1							
52	Addison's disease																		
53	Leukemia	1							1										
54	Anemia, chlorosis	7						1	2		1		1	1		1			
55	Other general diseases	4	1	2						1									
56	Alcoholism (acute or chronic)	8								1	2	2	2	1					
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings																		
	II.—Diseases of the nervous system and of the organs of special sense	512	85	20	9	4	5	12	13	29	34	44	70	96	54	23	13		1
60	Encephalitis	1								1									
61	Meningitis (total)	43	9	6	9	1	1	6	6	2	1			1	1				
	Simple meningitis	36	9	6	8	1	1	6	3	1	1								
	Cerebrospinal meningitis (undefined)	5							3					1	1				
	Cerebrospinal fever	2			1					1									
62	Locomotor ataxia	6										1	1	3	1				
63	Other diseases of the spinal cord (total)	14	2	3			2	1	1	2		2	1						
	Acute anterior poliomyelitis	8	2	3			2	1											
	Other diseases of the spinal cord[1]	6							1	2		2	1						
64	Cerebral hemorrhage, apoplexy	191	3					1	1	13	14	23	36	51	28	12	8		1
65	Softening of the brain	5								1		1			2	1			
66	Paralysis without specified cause	113						2	3	2	6	9	23	36	18	9	5		
67	General paralysis of the insane	6								1	1	2	1		1				
68	Other forms of mental alienation	7									2	2	2		1				
69	Epilepsy	22	1	1				1	1	3	4	3	3	3	2				
70	Convulsions (nonpuerperal)	3							1	2									
71	Convulsions of infants	82	68	10		3	1												
72	Chorea																		
73	Neuralgia and neuritis	2											2						
74	Other diseases of the nervous system	13	1							2	5	1	1	2		1			
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	4	1				1	1			1								
	III.—Diseases of the circulatory system	506	4	2		1	1	2	19	37	57	98	120	86	45	26	3	2	3
77	Pericarditis	3						1					1	1					
78	Acute endocarditis	22						1	3	4	4	5	5						
79	Organic diseases of the heart	430	2	2		1	1		15	31	42	88	105	80	37	21	1	1	3
80	Angina pectoris	4									1	2		1					
81	Diseases of the arteries, atheroma, aneurism, etc	30									4	2	6	4	7	4	2	1	
82	Embolism and thrombosis	3								2			1						
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6									2		2		1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)																		
85	Hemorrhage; other diseases of the circulatory system	8	2						1		4	1							
	IV.—Diseases of the respiratory system	681	176	79	46	17	11	20	38	50	53	52	34	48	37	18	2		
86	Diseases of the nasal fossae	2	2																
87	Diseases of the larynx	3						1			1			1					
88	Diseases of the thyroid body																		
89	Acute bronchitis	52	21	17	6				3		1	1	1	2					
90	Chronic bronchitis	23			2			1	5	2		4		2	4	3			
91	Bronchopneumonia	162	75	22	17	8	6	5	4	5		3	3	6	7		1		
92	Pneumonia (total)	402	76	39	21	8	5	11	24	41	46	35	28	33	19	15	1		
	Lobar pneumonia	139	10	10	6	1		4	9	18	29	19	14	8	5	6			
	Pneumonia (undefined)	263	66	29	15	7	5	7	15	23	17	16	14	25	14	9	1		
93	Pleurisy	8							1	1	2	2		1	1				
94	Pulmonary congestion, pulmonary apoplexy	12	2	1		1		1	1			1	1	1	3				
95	Gangrene of the lung																		
96	Asthma	8									1	5		2					
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	9						1		1	2	1	1		3				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MARYLAND (COLORED)—Continued.																	
	V.—Diseases of the digestive system	631	349	71	17	3	2	10	20	29	29	25	25	24	16	9	2		
99	Diseases of the mouth and annexa	8	8																
100	Diseases of the pharynx	5	1	2							1			1					
101	Diseases of the esophagus																		
102	Ulcer of the stomach	7											3	2	1	1			
103	Other diseases of the stomach (cancer excepted)	95	32	4	1			2	3	5	7	7	13	9	5	5	2		
104	Diarrhea and enteritis (under 2 years)	366	302	64															
105	Diarrhea and enteritis (2 years and over)	44			14	3	1	2	2	4	1	3	2	4	7	1			
106	Ankylostomiasis																		
107	Intestinal parasites	3		1	1			1											
108	Appendicitis and typhlitis	25					1	2	7	3	5	3	2	2					
109	Hernia, intestinal obstruction (total)	29	4					1	4	9	3	1	3	3	1				
	Hernia	6	1						1		1		2	1					
	Intestinal obstruction	23	3					1	3	9	2	1	1	2	1				
110	Other diseases of the intestines	7	1						1	3	1	1							
111	Acute yellow atrophy of the liver																		
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	18								2	5	8	1		1	1			
114	Biliary calculi																		
115	Other diseases of the liver	12	1						2		4	1	1	1	1	1			
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	12			1			2	1	3	2	1		2					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	417	6	4	1	3	1	4	13	33	54	78	62	84	50	17	5		2
119	Acute nephritis	54	1	2		2	1	1	4	6	7	7	10	10	2				1
120	Bright's disease	322	4	2	1	1		3	7	20	38	61	49	70	45	16	4		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	4										1	1		1	1			
123	Calculi of the urinary passages	3										2		1					
124	Diseases of the bladder	5										1	1	2			1		
125	Diseases of the urethra, urinary abscess, etc	1										1							
126	Diseases of the prostate	2												1	1				
127	Nonvenereal diseases of the male genital organs	2	1												1				
128	Uterine hemorrhage (nonpuerperal)	2									1	1							
129	Uterine tumor (noncancerous)	7									4	2	1						
130	Other diseases of the uterus	5								4	1								
131	Cysts and other tumors of the ovary	3									2	1							
132	Salpingitis and other diseases of the female genital organs	7							2	3	1	1							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	56							12	22	18	4							
134	Accidents of pregnancy	7							2	1	4								
135	Puerperal hemorrhage	5							1	2	1	1							
136	Other accidents of labor	7							1	2	4								
137	Puerperal septicemia	22							5	10	5	2							
138	Puerperal albuminuria and convulsions	15							3	7	4	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death																		
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	19	1						1	1	3	1	4	3		4			1
142	Gangrene	17							1		3	1	4	3		4			1
143	Furuncle																		
144	Acute abscess	2	1							1									
145	Other diseases of the skin and annexa																		
	IX.—Diseases of the bones and of the organs of locomotion	4	2									1		1					
146	Diseases of the bones (tuberculosis excepted)	4	2									1		1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	21	18	1	2														
150	Congenital malformations (stillbirths not included) (total)	21	18	1	2														
	Hydrocephalus	2	2																
	Congenital malformations of the heart	12	9	1	2														
	Other congenital malformations	7	7																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MARYLAND (COLORED)—Continued.																	
	XI.—Early infancy	308	307	1														
151	Congenital debility, icterus, and sclerema (total)	272	271	1														
	Premature birth	104	104															
	Congenital debility, "atrophy," "marasmus," etc	168	167	1														
152	Other causes peculiar to early infancy (total)	33	33															
	Injuries at birth	15	15															
	Other causes peculiar to early infancy [1]	18	18															
153	Lack of care	3	3															
	XII.—Old age	99												10	31	37	13	8
154	Senility	99												10	31	37	13	8
	XIII.—External causes	237	16	4	7	8	5	17	24	43	33	24	12	18	7	6	3	1	4
	Suicide (total)	8							2	3	1	1	1					
155	By poison																	
156	By asphyxia																	
157	By hanging or strangulation	2							1				1					
158	By drowning	5								3	1	1						
159	By firearms	1							1									
160	By cutting or piercing instruments																	
161	By jumping from high places																	
162	By crushing																	
163	Other suicides																	
	Accidental or undefined (total)	212	15	4	7	8	5	17	20	40	27	21	11	17	7	6	2	1	4
164	Poisoning by food	1	1															
165	Other acute poisonings	4	2		1							1						
166	Conflagration	4				1		1					2					
167	Burns (conflagration excepted)	46		1	3	4	5	9	5	1	4	2	2	5	2	1	1	1	
168	Absorption of deleterious gases (conflagration excepted)																	
169	Accidental drowning	44	2	1					7	19	7	2	2	1	1				2
170	Traumatism by firearms	16			1			2	4	3		4		2					
171	Traumatism by cutting or piercing instruments	1						1							1				
172	Traumatism by fall	18	2	1	2	1		2		1	4	2	1		1	1			
173	Traumatism in mines and quarries (total)	1								1									
	Traumatism in mines																		
	Traumatism in quarries	1								1									
174	Traumatism by machines	5								1	1	1	1		1				
175	Traumatism by other crushing (total)	34	1			1		1	3	9	6	7	1	4					1
	Railroad accidents and injuries	18				1			1	5	4	3	1	2					1
	Street-car accidents and injuries	7						1	1	1	1	2		1					
	Automobile accidents and injuries	1							1										
	Injuries by other vehicles	6								3	1	1		1					
	Landslide, other crushing	2	1									1							
176	Injuries by animals																		
177	Starvation																		
178	Excessive cold	3											1		1	1			
179	Effects of heat	11	3	1		1				2			2		2				
180	Lightning	1								1									
181	Electricity (lightning excepted)	2								2									
185	Fractures (cause not specified)	3																	
186	Other external violence	18	4					1	1	2	3		2	2	1	1			1
	Homicide (total)	17	1						2	5	5	2		1			1		
182	By firearms	8							1	3	2	1		1					
183	By cutting or piercing instruments	2							1		1								
184	By other means	7	1							2	2	1					1		
	XIV.—Ill-defined diseases	298	157	29	10	1	2		6	3	14	10	14	20	16	13	2		1
187	Ill-defined organic disease	12			1				1		1	1	4	2	2				
188	Sudden death	3										1		1					1
189	Not specified or ill-defined (total)	283	157	29	9	1	2		5	3	13	8	10	17	14	13	2		
	Ill-defined	232	125	26	6	1	2		3	2	11	7	9	17	11	10	2		
	Not specified or unknown	51	32	3	3				2	1	2	1	1		3	3			

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MASSACHUSETTS.																		
	All causes	54,301	11,377	2,151	843	575	387	1,093	1,682	3,336	4,107	4,610	5,484	7,171	6,967	3,846	603	23	46
	I.—General diseases	13,683	907	611	370	273	191	489	748	1,653	1,772	1,732	1,663	1,669	1,137	421	43	.....	4
1	Typhoid fever	421	3	4	.....	1	5	23	78	117	84	55	34	8	8	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	23	1	.....	1	.....	.....	2	1	3	2	2	1	3	3	2	2	.....	.....
5	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	392	104	144	61	29	13	25	8	2	5	.....	.....	1	.....	.....	.....	.....	.....
7	Scarlet fever	272	11	32	46	45	28	66	26	9	8	.....	.....	1	.....	.....	.....	.....	.....
8	Whooping cough	286	162	54	30	15	12	10	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
9	Diphtheria and croup	705	57	119	102	95	75	190	39	10	8	4	5	.....	.....	.....	1	.....	.....
10	Influenza	447	22	8	3	4	2	7	10	13	20	24	44	89	100	84	17	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	30	6	4	.....	.....	.....	.....	1	.....	1	.....	2	6	6	3	1	.....	.....
14	Dysentery	197	54	12	9	6	2	6	1	4	5	13	8	22	30	23	2	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	177	38	2	1	1	1	.....	3	6	17	20	29	21	22	14	2	.....	.....
19	Other epidemic diseases	6	1	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	151	25	2	2	3	1	5	12	18	20	15	18	12	15	2	1	.....	.....
21	Glanders	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	53	13	.....	.....	.....	1	4	5	6	9	4	9	1	1	.....	.....	.....	.....
25	Mycoses	6	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	1	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
27	Beriberi	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	5,504	211	189	93	57	33	90	453	1,307	1,225	856	524	311	128	27	.....	.....	.....
28	Tuberculosis of the lungs	4,518	53	42	15	8	8	26	369	1,192	1,130	773	477	285	116	24	.....	.....	.....
29	Acute miliary tuberculosis	135	9	9	5	3	.....	7	15	32	26	18	8	3	.....	.....	.....	.....	.....
30	Tuberculous meningitis	467	110	114	61	36	21	39	33	19	17	10	4	2	.....	1	.....	.....	.....
31	Abdominal tuberculosis	165	19	16	6	5	2	9	11	28	23	25	10	9	2	.....	.....	.....	.....
32	Pott's disease	44	1	1	3	1	1	3	5	10	5	6	5	1	2	.....	.....	.....	.....
33	White swellings	35	1	1	.....	.....	.....	2	11	2	5	4	5	4	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	69	10	3	3	1	.....	.....	3	9	10	10	7	5	7	1	.....	.....	.....
35	Disseminated tuberculosis	71	8	3	.....	3	1	4	6	15	9	10	8	2	1	1	.....	.....	.....
36	Rickets	29	15	11	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
37	Syphilis	148	90	8	1	.....	.....	.....	2	10	14	10	4	6	2	.....	.....	.....	1
38	Gonococcus infection	15	13	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	3,159	4	4	2	2	.....	4	15	46	197	493	695	862	611	206	17	.....	1
39	Of the buccal cavity	117	.....	.....	.....	.....	.....	.....	.....	.....	2	7	20	50	29	8	1	.....	.....
40	Of the stomach, liver	1,088	.....	1	1	1	.....	.....	2	8	37	143	250	331	238	73	3	.....	.....
41	Of the peritoneum, intestines, rectum	533	.....	1	.....	.....	.....	1	2	10	45	62	101	154	125	31	1	.....	.....
42	Of the female genital organs	444	.....	.....	.....	.....	.....	.....	.....	11	44	122	118	94	38	14	3	.....	.....
43	Of the breast	313	.....	.....	.....	.....	.....	.....	1	2	15	70	72	74	53	22	3	.....	1
44	Of the skin	99	2	.....	.....	.....	.....	.....	1	.....	4	9	12	28	19	22	2	.....	.....
45	Of other organs or of organs not specified	565	2	2	1	1	.....	3	9	15	50	80	122	131	109	36	4	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	48	.....	1	1	.....	.....	1	1	.....	3	9	7	10	10	5	.....	.....	.....
47	Acute articular rheumatism	178	2	.....	1	3	5	25	36	12	12	20	17	19	18	8	.....	.....	.....
48	Chronic rheumatism and gout	46	1	.....	1	.....	.....	.....	.....	2	1	2	11	7	13	8	.....	.....	.....
49	Scurvy	15	10	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	651	2	.....	3	1	1	19	34	31	39	62	130	185	120	24	.....	.....	.....
51	Exophthalmic goiter	28	.....	.....	.....	.....	.....	.....	1	6	4	8	5	2	2	.....	.....	.....	.....
52	Addison's disease	23	.....	.....	.....	.....	.....	.....	3	2	5	4	3	2	4	.....	.....	.....	.....
53	Leukemia	66	1	2	2	1	1	4	4	9	11	8	12	9	1	1	.....	.....	.....
54	Anemia, chlorosis	250	21	3	2	.....	2	2	7	13	22	39	55	47	31	6	.....	.....	.....
55	Other general diseases	115	40	7	8	7	8	5	5	5	2	4	3	11	7	3	.....	.....	.....
56	Alcoholism (acute or chronic)	216	.....	.....	.....	.....	.....	.....	.....	17	52	69	42	30	3	1	.....	.....	2
57	Chronic lead poisoning	9	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	2	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	11	.....	.....	.....	.....	.....	.....	.....	.....	2	5	1	2	.....	1	.....	.....	.....
	II. Diseases of the nervous system and of the organs of special sense	5,671	513	160	80	53	45	100	102	142	258	449	719	1,146	1,214	613	75	1	1
60	Encephalitis	42	8	4	3	1	.....	.....	3	3	9	3	2	6	.....	.....	.....	.....	.....
61	Meningitis (total)	588	210	97	40	29	25	50	34	29	14	28	17	7	7	1	.....	.....	.....
	Simple meningitis	457	169	80	35	23	18	33	17	19	12	23	15	6	7	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	112	37	14	5	5	6	14	16	6	1	4	2	1	.....	1	.....	.....	.....
	Cerebrospinal fever	19	4	3	.....	1	1	3	1	4	1	1	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	87	.....	.....	.....	.....	.....	.....	.....	1	5	16	20	32	11	2	.....	.....	.....
63	Other diseases of the spinal cord (total)	299	17	23	17	14	10	19	11	16	20	21	34	40	43	14	.....	.....	.....
	Acute anterior poliomyelitis	122	17	22	16	13	10	16	9	10	3	3	.....	2	1	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	177	.....	1	1	1	.....	3	2	6	17	18	34	38	42	14	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	3,280	50	2	1	3	.....	2	8	22	85	224	487	869	961	501	63	1	1
65	Softening of the brain	36	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	6	12	11	1	.....	.....
66	Paralysis without specified cause	298	2	1	.....	.....	1	2	2	2	6	12	30	84	108	45	3	.....	.....
67	General paralysis of the insane	246	.....	.....	.....	.....	.....	.....	.....	5	40	76	67	35	15	8	.....	.....	.....
68	Other forms of mental alienation	91	.....	.....	.....	.....	.....	1	2	3	8	10	8	17	19	18	5	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MASSACHUSETTS—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	163	6	2	2	2	1	5	11	33	30	18	20	20	9	4		
70	Convulsions (nonpuerperal)	21						1	3	7	6	1	1	1	1			
71	Convulsions of infants	214	184	18	10	1	1											
72	Chorea	10		1				2	5	1					1			
73	Neuralgia and neuritis	15						1		2	3	2	1	3	1	2		
74	Other diseases of the nervous system	192	18	4	3	2	6	10	13	11	23	29	24	20	21	6	2	
75	Diseases of the eyes and their annexa	2									1						1	
76	Diseases of the ears	87	18	8	4	1	1	7	10	6	8	8	4	6	5	1		
	III.—Diseases of the circulatory system	8,353	125	22	8	7	11	90	220	231	400	675	1,046	1,959	2,196	1,195	158	5	5
77	Pericarditis	26					1	1	4	2	3		5	4	5	1			
78	Acute endocarditis	417	15	9	2	3	4	30	40	26	50	57	105	39	23	11	3		
79	Organic diseases of the heart	6,004	79	12	5	4	6	55	171	188	305	525	760	1,491	1,550	768	79	2	4
80	Angina pectoris	276						1	2	2	3	22	45	90	83	27	1		
81	Diseases of the arteries, atheroma, aneurism, etc	1,386								3	7	30	104	302	498	367	72	3	
82	Embolism and thrombosis	158	3					2	3	8	22	28	19	27	27	17	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	38								2	6	11	5	5	6	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	18	10	1	1			1					2		3				
85	Hemorrhage; other diseases of the circulatory system	30	18								4	2	1	1	1	1	1		1
	IV.—Diseases of the respiratory system	7,360	1,698	659	199	112	47	120	136	295	456	572	677	897	862	541	80	6	3
86	Diseases of the nasal fossae	6	4					1	1										
87	Diseases of the larynx	45	10	9	2	5	1	6			3	2	1	1	4	1			
88	Diseases of the thyroid body	18	1						1	2	3	3	3	3	1	1			
89	Acute bronchitis	595	365	81	16	11	2	2		1	5	4	8	20	37	36	6	1	
90	Chronic bronchitis	421	6	2	3	1	1	2	8	12	8	16	37	89	118	103	13	2	
91	Bronchopneumonia	1,527	629	260	72	31	13	22	15	15	20	44	55	97	133	108	11	2	
92	Pneumonia (total)	4,355	633	286	96	59	26	74	104	241	386	468	525	633	513	264	43	1	3
	Lobar pneumonia	1,599	138	79	26	23	9	27	36	115	170	217	236	249	192	74	7		1
	Pneumonia (undefined)	2,756	495	207	70	36	17	47	68	126	216	251	289	384	321	190	36	1	2
93	Pleurisy	149	6	7	8	4	2	7	6	15	14	19	16	20	18	6	1		
94	Pulmonary congestion, pulmonary apoplexy	138	36	11	1		2	1		4	4	4	16	15	23	16	5		
95	Gangrene of the lung	4									2		1	1					
96	Asthma	37	1					1			4	4	7	7	8	5			
97	Pulmonary emphysema	6	1					1				1	1		2				
98	Other diseases of the respiratory system (tuberculosis excepted)	59	6	3	1	1		3	1	5	7	7	7	11	5	1	1		
	V.—Diseases of the digestive system	6,974	3,964	557	96	48	31	99	147	173	242	275	379	401	337	196	29		
99	Diseases of the mouth and annexa	32	23	1	1			1		1	2			1	2				
100	Diseases of the pharynx	54	7	6	3	3	2	7	3	2	7	4	2	2	5	1			
101	Diseases of the esophagus	11								1		1	6	2	1				
102	Ulcer of the stomach	156	3	1	2			1	4	16	20	22	37	26	21	3			
103	Other diseases of the stomach (cancer excepted)	483	216	22	7	1	2	5	5	8	13	24	26	42	52	57	3		
104	Diarrhea and enteritis (under 2 years)	4,111	3,603	508															
105	Diarrhea and enteritis (2 years and over)	474			71	34	19	19	12	12	20	31	46	53	80	64	13		
106	Ankylostomiasis																		
107	Intestinal parasites	3		3															
108	Appendicitis and typhlitis	371	1	2	3	3	4	48	81	60	60	42	31	27	6	3			
109	Hernia, intestinal obstruction (total)	415	62	7	2	3	2	6	13	23	20	32	60	77	70	29	9		
	Hernia	159	17	1				1	2	2	6	20	23	40	31	13	3		
	Intestinal obstruction	256	45	6	2	3	2	5	11	21	14	12	37	37	39	16	6		
110	Other diseases of the intestines	88	22	1	2	1		2	3	4	8	9	11	8	10	5	2		
111	Acute yellow atrophy of the liver	9	2	1						3	3								
112	Hydatid tumor of the liver	2								1				1					
113	Cirrhosis of the liver	340	1		1				4	9	30	66	88	84	43	13	1		
114	Biliary calculi	99								1	10	11	23	29	18	6	1		
115	Other diseases of the liver	125	4	1	1		1		4	10	14	10	26	32	12	10			
116	Diseases of the spleen	7	1								1	2	1	1	1				
117	Simple peritonitis (nonpuerperal)	169	19	4	2	3	1	10	18	22	29	14	17	14	11	5			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	25			1						5	7	4	3	5				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,576	63	17	12	11	6	29	61	199	322	463	610	725	740	294	23	1	
119	Acute nephritis	266	30	5	5	6	4	15	12	28	26	45	32	28	22	6	2		
120	Bright's disease	2,715	19	9	7	4	2	12	43	112	231	330	516	619	583	213	15		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	102	9	3						6	6	13	24	13	18	9	1		
123	Calculi of the urinary passages	21								3	1	2	4	2	8	1			
124	Diseases of the bladder	111	1			1		2			1	4	10	14	46	28	3	1	
125	Diseases of the urethra, urinary abscess, etc	20	1							1	2	8	4	4					
126	Diseases of the prostate	115											3	26	52	33	1		
127	Nonvenereal diseases of the male genital organs	4	2										1				1		
128	Uterine hemorrhage (nonpuerperal)	8								4	3		1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MASSACHUSETTS—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous)	58							1		11	29	10	2	4	1		
130	Other diseases of the uterus	48								12	11	14	2	5	3	1		
131	Cysts and other tumors of the ovary	38								7	6	7	3	9	4	2		
132	Salpingitis and other diseases of the female genital organs	67							4	26	24	10		3				
133	Nonpuerperal diseases of the breast (cancer excepted)	3	1						1			1						
	VII.—The puerperal state	412							30	158	187	37						
134	Accidents of pregnancy	43							4	16	19	4						
135	Puerperal hemorrhage	41							1	16	20	4						
136	Other accidents of labor	42							1	15	21	5						
137	Puerperal septicemia	166							18	68	72	8						
138	Puerperal albuminuria and convulsions	93							5	35	42	11						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	27							1	8	13	5						
140	Following childbirth (not otherwise defined)																	
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	199	32	3	2		2	2		3	14	15	16	19	50	37	4	
142	Gangrene	98	3	1				1			4	3	5	10	39	29	3	
143	Furuncle	22	1							2	3	4	5	3	1	3		
144	Acute abscess	47	13	2	2		2	1		1	7	7	2	4	4	2		
145	Other diseases of the skin and annexa	32	15									1	4	2	6	3	1	
	IX.—Diseases of the bones and of the organs of locomotion	114	11	4	5	1		5	16	11	12	11	10	14	6	5	3	
146	Diseases of the bones (tuberculosis excepted)	91	10	4	4	1		4	14	9	10	10	7	9	6	2	1	
147	Diseases of the joints (tuberculosis and rheumatism excepted)	18			1			1	2	1	2	1	2	3		3	2	
148	Amputations	1											1					
149	Other diseases of the organs of locomotion	4	1							1				2				
	X.—Malformations	579	546	15	2	4	2	4	5				1					
150	Congenital malformations (stillbirths not included) (total)	579	546	15	2	4	2	4	5				1					
	Hydrocephalus	57	47	5	1	2		2										
	Congenital malformations of the heart	351	331	9	1	1	2	1	5				1					
	Other congenital malformations	171	168	1		1		1										
	XI.—Early infancy	2,998	2,995		1					1						1		
151	Congenital debility, icterus, and sclerema	2,453	2,450		1					1						1		
	Premature birth	1,513	1,513															
	Congenital debility, "atrophy," "marasmus," etc	940	937		1					1						1		
152	Other causes peculiar to early infancy (total)	537	537															
	Injuries at birth	293	293															
	Other causes peculiar to early infancy[1]	244	244															
153	Lack of care	8	8															
	XII.—Old age	781												37	197	391	147	9
154	Senility	781												37	197	391	147	9
	XIII.—External causes	2,935	95	61	55	62	48	152	215	465	431	368	330	261	200	135	30	27
	Suicide (total)	427							25	80	83	72	73	56	30	4		4
155	By poison	81							8	11	22	16	12	10	2			
156	By asphyxia	63							1	15	10	11	17	9	5			
157	By hanging or strangulation	76							8	10	10	14	10	12	10			2
158	By drowning	56							5	11	11	7	6	10	4	1		1
159	By firearms	100							2	24	21	12	21	10	6	3		1
160	By cutting or piercing instruments	33							1	3	5	11	7	5	1			
161	By jumping from high places	3									2				1			
162	By crushing	8								5	2	1						
163	Other suicides	2								1					1			
	Accidental or undefined (total)	2,418	89	59	54	62	47	152	186	355	334	282	250	202	165	131	30	20
164	Poisoning by food	3	1		1			1										
165	Other acute poisonings	58	10	6	6	3		1	1	4	10	4	7	2	3	1		
166	Conflagration	34				1	1	4	3	3	2	5	4	6	3	2		
167	Burns (conflagration excepted)	251	10	28	25	35	19	25	6	21	15	18	20	11	12	4	2	
168	Absorption of deleterious gases (conflagration excepted)	86	1	1			1		4	14	14	13	15	9	11	3		
169	Accidental drowning	310	2	7	3	4	6	40	53	36	51	24	14	12	2			6
170	Traumatism by firearms	19						4	7	3	1	2			1			1
171	Traumatism by cutting or piercing instruments	4			1					1	1			1				
172	Traumatism by fall	622	9	8	10	8	9	13	16	33	62	65	81	79	95	109	25	

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MASSACHUSETTS—Continued.																	
	XIII.—External causes—Contd.																	
	Accidental or undefined—Continued.																	
173	Traumatism in mines and quarries (total)	4							2	2								
	Traumatism in mines	1							1									
	Traumatism in quarries	3							1	2								
174	Traumatism by machines	77						2	16	21	10	13	8	6	1			
175	Traumatism by other crushing (total)	638		4	6	7	7	51	58	125	129	94	66	51	23	5	2	10
	Railroad accidents and injuries	337		3		1	1	7	31	80	79	50	41	24	9	3	2	7
	Street-car accidents and injuries	119		1	5	3	2	11	9	21	21	19	8	16	2			1
	Automobile accidents and injuries	68				2		13	11	7	13	8	6	5	1	2		
	Injuries by other vehicles	96			1	2	4	14	5	17	15	11	11	5	10			1
	Landslide, other crushing	18						6	2		1	6		1	1			1
176	Injuries by animals	19						1		1	3	2	6	3	3			
177	Starvation	1													1			
178	Excessive cold	10										5	2	1	1	1		
179	Effects of heat	29	9	1		2		1	2			2	5	3	3	1		
180	Lightning	4							2		1	1						
181	Electricity (lightning excepted)	23					1		4	8	6	4						
185	Fractures (cause not specified)	24						1		5	2	5	1	3	1	5		1
186	Other external violence	202	47	4	2	2	3	8	12	28	27	25	21	15	5	1		2
	Homicide (total)	90	6	2	1		1		4	30	14	14	7	3	5			3
182	By firearms	35					1			12	4	11	5	1				1
183	By cutting or piercing instruments	12			1					5	3	1	1		1			
184	By other means	43	6	2					4	13	7	2	1	2	4			2
	XIV.—Ill-defined diseases	666	428	42	13	4	4	3	2	5	13	13	33	43	28	17	11	1	6
187	Ill-defined organic disease	4												2	1		1		
188	Sudden death	9	1								1		3	2	2				
189	Not specified or ill-defined (total)	653	427	42	13	4	4	3	2	5	12	13	30	39	25	17	10	1	6
	Ill-defined	613	406	41	11	4	4	3	2	4	11	10	28	36	24	17	10	1	1
	Not specified or unknown	40	21	1	2					1	1	3	2	3	1				5
	MICHIGAN.																	
	All causes	39,888	7,912	1,378	613	394	296	926	1,651	2,853	2,558	2,864	3,676	5,077	5,881	3,253	489	24	43
	I.—General diseases	9,491	593	326	217	183	149	437	732	1,292	961	1,008	1,099	1,160	935	359	29	2	9
1	Typhoid fever	667	1	8	8	9	6	29	120	213	107	85	41	25	14	1			
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	21			1			1	2	4	2	3	4	1	1	2			
5	Smallpox	120	6	2	3	2	1	4	20	32	16	24	5	3	1	1			
6	Measles	255	60	64	36	17	13	28	19	6	7	2	3						
7	Scarlet fever	303	17	33	30	47	26	95	34	12	5	2	2						
8	Whooping cough	308	183	65	27	9	9	12	3										
9	Diphtheria and croup	495	30	51	66	51	52	150	66	10	9	6	3	1					
10	Influenza	437	36	6	6	2	3	5	10	14	9	18	31	64	108	106	15	2	2
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	30	3	2						1	2		4	5	8	5			
14	Dysentery	181	27	17	1	4	5	4	2	4	4	1	11	9	46	40	6		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	129	32	2	1		3	2	5	3	6	14	16	19	24	7			1
19	Other epidemic diseases	8	2	2		1		1	1	1									
20	Purulent infection and septicemia	146	14	4	1	3	1	5	15	11	12	7	32	18	17	5			1
21	Glanders																		
22	Anthrax																		
23	Rabies	2						1	1										
24	Tetanus	54	4	1	1	1		9	16	5	6	7	4						
25	Mycoses	1												1					
26	Pellagra	2								1				1					
27	Beriberi																		
	Tuberculosis (total)	2,752	70	37	19	22	14	50	327	339	537	344	225	186	66	12			4
28	Tuberculosis of the lungs	2,258	30	15	4	8	5	13	247	746	471	296	197	153	59	11			3
29	Acute miliary tuberculosis	67	2	2	2		1	4	15	18	12	4	4	2		1			
30	Tuberculous meningitis	107	14	17	8	9	4	17	19	11	4	4							
31	Abdominal tuberculosis	150	9	2	4	2	1	4	21	29	27	19	9	19	3				1
32	Pott's disease	40	2	1	1		1	7	6	5	4	5	3	3	2				
33	White swellings	31	4				2	1	5	5	7	2	3	1	1				
34	Tuberculosis of other organs	62	7		1			4	8	13	4	12	6	7					
35	Disseminated tuberculosis	37	2		2				6	12	8	2	3	1	1				
36	Rickets	19	7	6	2			1	1				1	1					
37	Syphilis	82	37	3			1		1	4	10	10	8	5	3				
38	Gonococcus infection	3	2									1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MICHIGAN—Continued.																		
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	2,112	3	2	3	2	1	5	10	31	106	306	480	573	459	125	5	.....	1
39	Of the buccal cavity	85	.....	.....	.....	.....	.....	.....	4	.....	.....	8	15	25	19	14	.....	.....	.....
40	Of the stomach, liver	879	.....	1	.....	1	.....	.....	.....	11	25	106	201	271	221	39	2	.....	1
41	Of the peritoneum, intestines, rectum	233	.....	.....	.....	.....	.....	1	3	5	18	31	62	66	40	7	.....	.....	.....
42	Of the female genital organs	299	.....	.....	.....	.....	.....	.....	1	2	30	75	84	61	43	2	1	.....	.....
43	Of the breast	185	1	1	.....	.....	.....	.....	.....	2	14	37	44	38	35	13	.....	.....	.....
44	Of the skin	80	.....	.....	.....	.....	.....	.....	.....	1	1	4	6	10	28	29	1	.....	.....
45	Of other organs or of organs not specified	351	2	.....	3	1	1	4	2	10	18	45	68	102	73	21	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	53	3	.....	.....	.....	.....	1	.....	2	6	8	9	6	16	2	.....	.....	.....
47	Acute articular rheumatism	185	1	.....	2	2	2	12	28	21	16	14	23	26	29	9	.....	.....	.....
48	Chronic rheumatism and gout	48	.....	.....	.....	.....	.....	.....	2	.....	2	3	8	12	12	7	2	.....	.....
49	Scurvy	3	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	418	.....	1	2	5	4	12	28	28	31	47	85	99	55	21	.....	.....	.....
51	Exophthalmic goiter	69	.....	.....	.....	.....	.....	.....	3	9	11	18	15	10	3	.....	.....	.....	.....
52	Addison's disease	11	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	1	2	.....	.....	.....	.....
53	Leukemia	36	.....	1	.....	1	.....	2	1	8	4	6	4	4	4	1	.....	.....	.....
54	Anemia, chlorosis	314	17	8	1	1	3	5	12	16	25	46	64	67	38	11	.....	.....	.....
55	Other general diseases	115	36	11	7	3	5	3	5	8	1	6	3	7	16	3	1	.....	.....
56	Alcoholism (acute or chronic)	101	.....	.....	.....	.....	.....	.....	.....	9	21	27	20	14	9	1	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	2	3	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	4,596	542	105	71	43	31	83	116	129	192	328	542	875	1,027	464	45	.....	3
60	Encephalitis	57	10	4	.....	2	4	2	7	5	8	3	7	.....	4	1	.....	.....	.....
61	Meningitis (total)	409	118	59	38	26	15	44	44	21	16	8	8	6	5	1	.....	.....	.....
	Simple meningitis	291	89	39	26	21	7	33	29	13	12	6	5	5	5	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	112	27	20	11	5	7	10	14	8	4	2	3	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	6	2	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	95	.....	.....	.....	.....	.....	.....	1	3	8	18	26	26	11	2	.....	.....	.....
63	Other diseases of the spinal cord (total)	185	13	5	6	2	5	11	12	9	14	16	28	32	29	3	.....	.....	.....
	Acute anterior poliomyelitis	48	10	3	5	2	3	8	7	4	4	1	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	137	3	2	1	.....	2	3	5	5	10	15	28	31	29	3	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	2,052	32	5	8	2	1	7	12	25	45	136	297	539	655	265	22	.....	1
65	Softening of the brain	65	.....	.....	.....	.....	.....	.....	.....	1	3	5	7	13	22	13	1	.....	.....
66	Paralysis without specified cause	752	2	1	1	.....	2	2	4	8	19	33	79	188	246	149	18	.....	.....
67	General paralysis of the insane	180	.....	.....	.....	.....	.....	.....	.....	4	30	53	41	25	22	3	.....	.....	2
68	Other forms of mental alienation	74	.....	.....	.....	.....	.....	.....	.....	4	11	13	9	16	11	8	2	.....	.....
69	Epilepsy	126	6	1	1	.....	.....	3	16	25	22	16	13	9	6	7	1	.....	.....
70	Convulsions (nonpuerperal)	11	.....	.....	.....	.....	.....	4	2	4	.....	1	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	390	345	25	12	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	10	.....	.....	.....	.....	.....	1	6	2	.....	.....	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	31	.....	.....	.....	.....	.....	.....	.....	.....	4	5	5	5	5	7	.....	.....	.....
74	Other diseases of the nervous system	111	4	.....	.....	3	.....	6	9	13	10	16	20	15	11	3	1	.....	.....
75	Diseases of the eyes and their annexa	3	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	45	11	5	5	2	1	3	3	5	2	4	2	.....	.....	2	.....	.....	.....
	III.—Diseases of the circulatory system	5,413	114	7	12	3	6	47	132	154	238	405	746	1,242	1,578	657	64	2	6
77	Pericarditis	40	1	.....	.....	.....	.....	2	2	3	4	3	3	8	12	2	.....	.....	.....
78	Acute endocarditis	162	4	1	3	.....	2	13	17	17	20	18	43	14	7	3	.....	.....	.....
79	Organic diseases of the heart	4,304	82	6	6	2	4	30	105	114	184	331	595	1,016	1,278	500	44	1	6
80	Angina pectoris	224	.....	.....	.....	.....	.....	2	3	3	11	20	48	67	51	16	3	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	515	.....	.....	.....	.....	.....	.....	1	1	8	15	37	115	198	126	13	1	.....
82	Embolism and thrombosis	97	3	.....	2	1	.....	.....	3	12	7	11	14	15	20	7	2	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	19	1	.....	.....	.....	.....	.....	.....	1	2	1	3	4	5	1	1	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	16	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	4	.....	1	.....	.....
85	Hemorrhage; other diseases of the circulatory system	36	14	.....	1	.....	.....	.....	1	3	2	5	2	3	3	2	.....	.....	.....
	IV.—Diseases of the respiratory system	3,957	978	277	101	71	44	104	131	203	219	234	295	418	509	323	45	2	3
86	Diseases of the nasal fossae	11	7	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
87	Diseases of the larynx	60	9	11	3	4	6	9	4	4	2	2	3	2	.....	1	.....	.....	.....
88	Diseases of the thyroid body	10	.....	.....	.....	.....	.....	.....	.....	1	4	2	2	.....	1	.....	.....	.....	.....
89	Acute bronchitis	438	239	55	16	12	2	8	2	1	3	1	3	15	40	31	10	.....	.....
90	Chronic bronchitis	308	5	2	1	.....	2	5	5	7	7	7	7	24	47	99	82	14	1	.....
91	Bronchopneumonia	753	342	89	35	14	13	24	8	14	15	20	23	52	57	42	5	.....	.....
92	Pneumonia (total)	1,918	313	106	42	35	17	45	92	147	148	170	197	235	243	114	12	.....	2
	Lobar pneumonia	603	56	29	11	9	4	15	36	54	52	79	80	87	62	26	3	.....	.....
	Pneumonia (undefined)	1,315	257	77	31	26	13	30	56	93	96	91	117	148	181	88	9	.....	2
93	Pleurisy	113	2	4	.....	4	3	4	14	13	14	11	12	11	16	4	1	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	154	51	9	4	1	.....	5	.....	5	8	3	3	15	22	24	3	1	.....
95	Gangrene of the lung	9	.....	.....	.....	1	.....	.....	.....	.....	2	5	.....	.....	.....	1	.....	.....	.....
96	Asthma	93	3	.....	.....	.....	1	.....	2	3	2	5	16	27	21	13	.....	.....	.....
97	Pulmonary emphysema	7	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	2	2	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	83	7	1	.....	.....	.....	3	4	7	14	7	12	12	7	8	.....	.....	1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MICHIGAN—Continued.																		
	V.—Diseases of the digestive system	5,456	2,266	493	139	44	28	121	188	207	230	263	334	436	453	217	37	.....	.....
99	Diseases of the mouth and annexa	22	17	.....	.....	.....	.....	1	1	.....	2	.....	.....	1	.....	.....	.....	.....	.....
100	Diseases of the pharynx	60	7	1	4	1	1	11	7	6	4	1	6	6	4	1	.....	.....	.....
101	Diseases of the esophagus	9	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	5	1	.....	.....	.....
102	Ulcer of the stomach	99	1	.....	.....	.....	.....	.....	1	6	13	13	19	22	20	3	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	596	226	29	9	4	4	10	7	10	14	23	35	60	88	67	10	.....	.....
104	Diarrhea and enteritis (under 2 years)	2,350	1,906	444	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	538	.....	.....	117	29	16	26	20	13	21	24	36	54	100	63	19	.....	.....
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	359	2	.....	3	2	3	39	95	85	52	30	26	13	7	2	.....	.....	.....
109	Hernia, intestinal obstruction (total)	390	53	12	2	3	2	10	11	20	21	37	51	74	63	30	1	.....	.....
	Hernia	108	11	1	.....	.....	.....	.....	1	2	7	12	14	23	27	10	.....	.....	.....
	Intestinal obstruction	282	42	11	2	3	2	10	10	18	14	25	37	51	36	20	1	.....	.....
110	Other diseases of the intestines	117	20	2	.....	.....	.....	1	8	4	13	15	12	13	17	10	2	.....	.....
111	Acute yellow atrophy of the liver	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	2	.....	.....	.....
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	345	.....	1	.....	.....	.....	.....	2	5	26	49	77	98	70	15	2	.....	.....
114	Biliary calculi	81	.....	.....	.....	.....	.....	.....	1	6	6	14	14	20	18	1	1	.....	.....
115	Other diseases of the liver	216	12	.....	1	2	.....	2	12	9	13	28	34	45	42	15	1	.....	.....
116	Diseases of the spleen	12	.....	.....	.....	1	.....	.....	.....	.....	2	1	1	5	1	1	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	237	20	4	2	2	2	19	23	41	41	26	18	19	15	5	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	18	2	.....	1	.....	.....	2	.....	1	1	2	4	2	2	1	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,469	59	13	6	14	9	17	43	119	169	256	337	543	589	265	27	.....	3
119	Acute nephritis	205	13	5	3	6	3	5	14	17	19	23	33	26	27	9	2	.....	.....
120	Bright's disease	1,730	26	6	3	8	4	12	23	55	94	152	271	444	443	173	14	.....	2
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	91	14	.....	.....	.....	1	.....	.....	5	7	10	8	13	17	13	2	.....	1
123	Calculi of the urinary passages	18	.....	.....	.....	.....	.....	.....	.....	3	1	2	1	3	6	2	.....	.....	.....
124	Diseases of the bladder	112	4	1	.....	.....	1	.....	.....	1	1	3	5	13	41	35	7	.....	.....
125	Diseases of the urethra, urinary abscess, etc	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	2	1	.....	.....	.....
126	Diseases of the prostate	114	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	29	50	28	2	.....	.....
127	Nonvenereal diseases of the male genital organs	5	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	7	.....	.....	.....	.....	.....	.....	.....	2	2	3	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	48	.....	.....	.....	.....	.....	.....	.....	.....	4	29	5	7	1	2	.....	.....	.....
130	Other diseases of the uterus	56	.....	.....	.....	.....	.....	.....	4	14	13	16	5	2	1	1	.....	.....	.....
131	Cysts and other tumors of the ovary	23	.....	.....	.....	.....	.....	.....	.....	3	6	5	3	5	.....	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	52	.....	.....	.....	.....	.....	.....	1	19	21	11	.....	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	474	.....	.....	.....	.....	.....	.....	35	218	172	48	1	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	50	.....	.....	.....	.....	.....	.....	2	21	22	5	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	43	.....	.....	.....	.....	.....	.....	.....	18	20	5	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	53	.....	.....	.....	.....	.....	.....	.....	24	20	9	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	196	.....	.....	.....	.....	.....	.....	18	92	65	21	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	111	.....	.....	.....	.....	.....	.....	11	57	35	7	1	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	14	.....	.....	.....	.....	.....	.....	1	3	9	1	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	7	.....	.....	.....	.....	.....	.....	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	204	23	1	.....	1	.....	2	3	4	6	6	12	28	63	44	11	.....	.....
142	Gangrene	142	2	1	.....	1	.....	1	1	2	2	3	7	17	53	41	11	.....	.....
143	Furuncle	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
144	Acute abscess	28	7	.....	.....	.....	.....	.....	2	1	1	2	3	6	4	2	.....	.....	.....
145	Other diseases of the skin and annexa	31	14	.....	.....	.....	.....	1	.....	1	3	1	1	4	5	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	65	9	.....	4	1	.....	4	14	4	5	5	6	5	4	3	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	55	8	.....	4	1	.....	3	13	4	5	4	5	3	2	3	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1	.....	.....	.....	.....	1	.....	.....	.....	1	1	2	2	.....	1	.....	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	449	408	21	4	1	3	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	449	408	21	4	1	3	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	42	29	5	.....	1	1	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	238	223	8	2	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	169	156	8	2	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MICHIGAN—Continued.																		
	XI.—Early infancy	2,332	2,332																
151	Congenital debility, icterus, and sclerema (total)	1,994	1,994																
	Premature birth	1,114	1,114																
	Congenital debility, "atrophy," "marasmus," etc	880	880																
152	Other causes peculiar to early infancy (total)	334	334																
	Injuries at birth	187	187																
	Other causes peculiar to early infancy [1]	147	147																
153	Lack of care	4	4																
	XII.—Old age	1,453												71	443	733	190	15	1
154	Senility	1,453												71	443	733	190	15	1
	XIII.—External causes	2,607	99	75	52	30	24	101	240	503	348	291	269	228	199	104	26	3	15
	Suicide (total)	386							13	84	70	71	70	47	25	3	2		1
155	By poison	159							10	43	25	29	32	15	3	2			
156	By asphyxia	16								4	3	1	5	1	2				
157	By hanging or strangulation	68							1	6	13	10	12	13	10	1	2		
158	By drowning	15								4	1	3	3	4					
159	By firearms	97							2	20	22	20	16	10	7				
160	By cutting or piercing instruments	19								4	5	6	2	1	1				
161	By jumping from high places	1																	1
162	By crushing	3								1		1			1				
163	Other suicides	8								2	1	1		3	1				
	Accidental or undefined (total)	2,150	97	74	52	30	24	100	223	394	262	213	192	175	174	100	24	3	13
164	Poisoning by food	8	2	2					1			1	1	1					
165	Other acute poisonings	75	5	12	7	4		3	2	9	8	9	6	4	4		1		1
166	Conflagration	27	3		3	2	1	4	1	1	1	2	2	4	1	2			
167	Burns (conflagration excepted)	181	13	24	24	10	6	20	7	16	17	9	8	7	13	7			
168	Absorption of deleterious gases (conflagration excepted)	38	4	1	1			3	3	7	4	7	2	5		1			
169	Accidental drowning	259	1	11	6	5	3	18	59	63	25	22	17	12	10	1			6
170	Traumatism by firearms	81		1	1	1	3	6	34	16	7	8	3	1					
171	Traumatism by cutting or piercing instruments	3							1	1	1								
172	Traumatism by fall	322	7	6	2	3	1	5	12	19	14	20	30	47	78	58	19	1	
173	Traumatism in mines and quarries (total)	150	1						17	71	35	18	5	2	1				
	Traumatism in mines	150	1						17	71	35	18	5	2	1				
	Traumatism in quarries																		
174	Traumatism by machines	54						2	5	15	16	10	6						
175	Traumatism by other crushing (total)	563	4	6	3	4	5	28	49	125	93	60	70	58	44	12			2
	Railroad accidents and injuries	316	1	2	2	1		5	28	87	61	37	36	24	26	4			2
	Street-car accidents and injuries	76		1		2		3	3	18	7	10	11	13	6	2			
	Automobile accidents and injuries	50			1		1	7	6	8	8	7	4	5	2	1			
	Injuries by other vehicles	100	3	3		1	3	10	10	6	12	4	19	14	10	5			
	Landslide, other crushing	21					1	3	2	6	5	2		2					
176	Injuries by animals	35						3	6	4	3	5	4	4	6				
177	Starvation	3		1									1		1				
178	Excessive cold	16	1							1	3	1	3	4	1	1			1
179	Effects of heat	45	7	1			1		5	3	3	9	5	3	3	5			
180	Lightning	10	1						1	2	2	1	2	1					
181	Electricity (lightning excepted)	21	1						2	11	4	1		1					1
185	Fractures (cause not specified)	52								4	3	6	8	5	8	13	3	2	
186	Other external violence	207	47	9	5	1	4	8	18	26	23	24	19	16	4		1		2
	Homicide (total)	71	2	1				1	4	25	16	7	7	6		1			1
182	By firearms	36							2	15	9	4	2	4					
183	By cutting or piercing instruments	8	1							4	1	1	1						
184	By other means	27	1	1				1	2	6	6	2	4	2		1			1
	XIV.—Ill-defined diseases	922	489	60	7	3	2	4	13	18	18	20	35	71	81	84	14		3
187	Ill-defined organic disease	76	3						1	2	2	5	9	13	22	17	2		
188	Sudden death	12	5										1	5	1				
189	Not specified or ill-defined (total)	834	481	60	7	3	2	4	12	16	16	15	25	53	58	67	12		3
	Ill-defined	703	398	59	5	3	2	3	7	10	12	11	22	42	50	65	12		2
	Not specified or unknown	131	83	1	2			1	5	6	4	4	3	11	8	2			1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MINNESOTA.																		
	All causes	22,649	4,261	804	446	275	210	769	1,290	2,037	1,745	1,872	2,042	2,265	2,606	1,750	242	7	23
	I.—General diseases	6,844	453	240	180	133	108	421	651	1,049	790	740	771	652	459	180	13	.....	4
1	Typhoid fever	668	3	4	8	4	7	27	109	251	129	76	39	9	1	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
5	Smallpox	10	4	1	.....	.....	.....	.....	.....	2	1	.....	.....	1	1	.....	.....	.....	.....
6	Measles	247	65	56	31	18	9	26	27	6	6	2	1	.....	.....	.....	.....	.....	.....
7	Scarlet fever	301	14	28	29	34	31	97	52	9	3	3	1	.....	.....	.....	.....	.....	.....
8	Whooping cough	155	94	29	12	6	2	9	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	543	34	42	58	51	35	168	100	34	10	6	4	1	.....	.....	.....	.....	.....
10	Influenza	98	12	3	3	1	1	1	9	3	2	4	5	12	21	20	1	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	55	12	5	6	1	1	3	.....	.....	2	3	3	7	8	4	.....	.....	.....
14	Dysentery	123	37	10	5	3	3	3	1	.....	1	5	7	13	18	16	1	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
18	Erysipelas	79	20	.....	1	.....	.....	.....	3	6	4	11	7	6	12	7	2	.....	.....
19	Other epidemic diseases	4	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	80	8	1	2	1	.....	4	6	9	11	12	7	8	5	4	1	.....	1
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	36	12	.....	.....	.....	.....	4	3	6	4	4	1	2	.....	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,270	66	52	16	9	13	51	266	648	463	323	194	113	45	9	1	.....	1
28	Tuberculosis of the lungs	1,806	24	14	6	3	4	13	203	559	395	278	160	99	37	9	1	.....	1
29	Acute miliary tuberculosis	77	5	.....	.....	1	1	1	11	25	17	8	5	3	.....	.....	.....	.....	.....
30	Tuberculous meningitis	161	29	31	8	5	6	28	21	13	9	8	3	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	100	3	3	.....	.....	1	2	11	27	19	15	10	5	4	.....	.....	.....	.....
32	Pott's disease	26	.....	.....	.....	.....	.....	2	2	6	6	3	4	3	.....	.....	.....	.....	.....
33	White swellings	16	.....	1	.....	.....	.....	1	5	3	2	1	1	1	1	.....	.....	.....	.....
34	Tuberculosis of other organs	45	4	2	.....	.....	1	2	9	6	5	6	5	2	3	.....	.....	.....	.....
35	Disseminated tuberculosis	39	1	1	2	.....	.....	2	4	9	10	4	6	.....	.....	.....	.....	.....	.....
36	Rickets	11	8	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	62	36	.....	1	.....	.....	.....	.....	3	8	3	9	1	1	.....	.....	.....	.....
38	Gonococcus infection	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,400	1	1	3	1	1	4	9	14	68	184	368	375	265	100	5	.....	1
39	Of the buccal cavity	63	.....	.....	.....	.....	.....	1	1	.....	1	6	12	11	14	15	2	.....	.....
40	Of the stomach, liver	679	1	.....	.....	.....	.....	1	.....	3	23	70	187	217	135	40	1	.....	1
41	Of the peritoneum, intestines, rectum	168	.....	.....	.....	.....	.....	1	1	1	10	18	42	47	39	9	.....	.....	.....
42	Of the female genital organs	139	.....	.....	.....	.....	.....	.....	1	1	15	43	39	23	12	5	.....	.....	.....
43	Of the breast	97	.....	.....	.....	.....	.....	.....	.....	.....	5	23	35	18	12	4	.....	.....	.....
44	Of the skin	40	.....	.....	.....	.....	.....	.....	.....	.....	2	1	8	3	13	12	1	.....	.....
45	Of other organs or of organs not specified	214	.....	1	3	1	1	1	6	9	12	23	45	56	40	15	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	8	2	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	1	.....	.....	.....	.....
47	Acute articular rheumatism	104	1	1	.....	.....	2	10	23	14	6	8	7	16	12	4	.....	.....	.....
48	Chronic rheumatism and gout	30	.....	.....	.....	.....	.....	.....	1	.....	3	3	6	4	7	6	.....	.....	.....
49	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	243	.....	.....	2	1	1	9	29	14	16	29	45	51	40	5	1	.....	.....
51	Exophthalmic goiter	25	.....	.....	.....	.....	.....	.....	1	6	4	6	4	3	1	.....	.....	.....	.....
52	Addison's disease	8	.....	.....	.....	.....	.....	.....	.....	1	3	2	2	.....	.....	.....	.....	.....	.....
53	Leukemia	40	3	1	1	.....	.....	2	6	4	3	2	9	5	4	.....	.....	.....	.....
54	Anemia, chlorosis	83	4	.....	2	.....	.....	.....	2	3	9	13	26	13	11	.....	.....	.....	.....
55	Other general diseases	43	11	4	.....	2	2	2	1	3	3	3	5	1	2	3	1	.....	.....
56	Alcoholism (acute or chronic)	106	.....	.....	.....	.....	.....	1	1	11	28	32	18	10	4	.....	.....	.....	1
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,989	239	54	50	23	20	81	109	72	90	144	230	324	357	183	12	.....	1
60	Encephalitis	21	4	1	.....	1	.....	1	3	2	1	1	1	4	1	1	.....	.....	.....
61	Meningitis (total)	205	54	19	24	9	5	21	23	15	7	9	5	11	3	.....	.....	.....	.....
	Simple meningitis	135	38	10	16	6	3	15	14	7	4	7	3	9	3	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	56	14	7	6	3	2	2	7	7	2	2	2	2	.....	.....	.....	.....	.....
	Cerebrospinal fever	14	2	2	2	.....	.....	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	31	.....	.....	.....	.....	.....	.....	.....	1	2	3	13	8	4	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	274	30	21	21	7	11	44	51	15	11	14	15	22	9	3	.....	.....	.....
	Acute anterior poliomyelitis	197	29	20	21	7	11	44	47	10	5	2	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	77	1	1	.....	.....	.....	.....	4	5	6	12	15	21	9	3	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	887	10	.....	.....	.....	.....	3	5	8	26	61	135	226	269	137	7	.....	.....
65	Softening of the brain	13	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	3	3	3	.....	.....	.....
66	Paralysis without specified cause	141	.....	.....	1	.....	.....	1	1	2	5	5	20	28	46	28	4	.....	.....
67	General paralysis of the insane	54	.....	.....	.....	.....	.....	.....	.....	1	10	16	13	5	7	2	.....	.....	.....
68	Other forms of mental alienation	39	.....	.....	.....	.....	.....	.....	1	4	3	7	7	6	8	3	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MINNESOTA—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy	71	2					4	13	14	12	7	8	4	1	4	1		1
70	Convulsions (nonpuerperal)	6						1	2	3									
71	Convulsions of infants	147	126	10	4	4	3												
72	Chorea	5						1		1	2		1						
73	Neuralgia and neuritis	9										1	2	2	4				
74	Other diseases of the nervous system	57	5			2		1	7	4	9	16	6	4	2	1			
75	Diseases of the eyes and their annexa	1	1																
76	Diseases of the ears	28	7	3			1	4	2	2	2	2	3	1		1			
	III.—Diseases of the circulatory system	2,252	29	5	6	4	4	32	64	104	139	192	302	445	573	312	39	1	1
77	Pericarditis	10							2		2	1	3		1	1			
78	Acute endocarditis	156	2	1	2	3	1	8	11	17	19	21	41	12	12	5	1		
79	Organic diseases of the heart	1,698	22	1	1		3	24	49	77	102	141	215	355	462	219	25	1	1
80	Angina pectoris	70							2	1	5	6	18	21	12	5			
81	Diseases of the arteries, atheroma, aneurism, etc	228		1						1	5	9	13	39	73	75	12		
82	Embolism and thrombosis	61								8	4	10	8	15	9	6	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	11										3	3	2	3				
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	1	1	3	1										1			
85	Hemorrhage; other diseases of the circulatory system	11	4	1							2	1	1	1	1				
	IV.—Diseases of the respiratory system	2,315	609	159	58	41	16	59	91	102	131	142	165	226	301	190	22	1	2
86	Diseases of the nasal fossae	10	5	1	1			1							1	1			
87	Diseases of the larynx	17	3	1	2	3		3	1		1		1	1	1				
88	Diseases of the thyroid body	15							4	3	3	2	1	1	1				
89	Acute bronchitis	128	84	4	3	4		1	1	3				5	7	13	3		
90	Chronic bronchitis	145		3		1		4	3		3	1	7	20	61	38	4		
91	Bronchopneumonia	711	346	102	29	23	8	16	8	4	8	12	19	34	55	40	6	1	
92	Pneumonia (total)	1,095	149	43	22	8	8	31	68	82	107	115	112	146	128	67	7		2
	Lobar pneumonia	758	71	27	14	4	3	23	50	60	93	88	91	112	84	37	1		
	Pneumonia (undefined)	337	78	16	8	4	5	8	18	22	14	27	21	34	44	30	6		2
93	Pleurisy	51	2	1	1	1		1	3	6	4	5	9	4	11	3			
94	Pulmonary congestion, pulmonary apoplexy	42	10	2					1		2	1	1	4	7	12	2		
95	Gangrene of the lung	2		1									1						
96	Asthma	63						2	1	1	1	2	5	9	28	14			
97	Pulmonary emphysema	5								1		1	1	1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	31	10	1		1			1	2	2	3	8	1		2			
	V.—Diseases of the digestive system	2,940	1,233	275	105	42	30	84	126	129	122	165	169	163	169	118	10		
99	Diseases of the mouth and annexa	5	3						1						1				
100	Diseases of the pharynx	19	1	1	2	1	2	1	3	1	3		1	1	1	1			
101	Diseases of the esophagus	5					1						2		1	1			
102	Ulcer of the stomach	90	1			1			2	12	11	20	20	16	4	3			
103	Other diseases of the stomach (cancer excepted)	196	91	6	3	3	2	3	2	5	6	8	11	15	16	23	2		
104	Diarrhea and enteritis (under 2 years)	1,341	1,082	259															
105	Diarrhea and enteritis (2 years and over)	300			92	29	19	26	6	7	4	8	8	19	45	31	6		
106	Ankylostomiasis																		
107	Intestinal parasites	2						1			1								
108	Appendicitis and typhlitis	320	2	2	1	1	3	43	90	54	47	34	20	17	4	2			
109	Hernia, intestinal obstruction (total)	231	36	3	5	6	1	8	8	16	12	24	23	36	31	21	1		
	Hernia	71	5	1					1	4	2	9	10	18	11	9	1		
	Intestinal obstruction	160	31	2	5	6	1	8	7	12	10	15	13	18	20	12			
110	Other diseases of the intestines	52	8	1	1		1		1	3	5	4	8	3	8	9			
111	Acute yellow atrophy of the liver	10	3						2		1	1		1	2				
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	138								4	13	29	30	29	21	12			
114	Biliary calculi	56							1	5	3	13	11	6	13	3	1		
115	Other diseases of the liver	90	3		1	1		1	1	4	6	12	23	13	14	11			
116	Diseases of the spleen	4								1				2	1				
117	Simple peritonitis (nonpuerperal)	73	3	3			1	1	8	16	8	11	11	4	6	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8							1	1	2	1	1	1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,477	19	4	5	8	3	15	30	83	97	174	216	268	340	202	13		
119	Acute nephritis	132	3	1	4	4	3	6	12	15	9	22	16	15	13	9			
120	Bright's disease	1,051	9	3		4		7	14	40	61	120	176	217	245	144	11		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	44	5					1	1	2	2	3	7	6	11	6			
123	Calculi of the urinary passages	4	1							2			1						
124	Diseases of the bladder	51	1					1		2		2	3	7	20	14	1		
125	Diseases of the urethra, urinary abscess, etc	2								1				1					
126	Diseases of the prostate	94												22	45	26	1		
127	Nonvenereal diseases of the male genital organs	2			1										1				
128	Uterine hemorrhage (nonpuerperal)	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MINNESOTA—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
129	Uterine tumor (noncancerous)	22								2	4	8	6		1	1			
130	Other diseases of the uterus	31							1	6	9	9	5		1				
131	Cysts and other tumors of the ovary	13								2	3	4	1		3				
132	Salpingitis and other diseases of the female genital organs	29							2	11	9	5	1			1			
133	Nonpuerperal diseases of the breast (cancer excepted)	1														1			
	VII.—The puerperal state	247							20	109	86	32							
134	Accidents of pregnancy	18								8	9	1							
135	Puerperal hemorrhage	23							1	13	5	4							
136	Other accidents of labor	27								10	10	7							
137	Puerperal septicemia	114							13	52	38	11							
138	Puerperal albuminuria and convulsions	51							5	20	18	8							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10							1	4	4	1							
140	Following childbirth (not otherwise defined)	4								2	2								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	90	20	1				1		2	3	2	14	16	13	15	3		
142	Gangrene	45	1					1			2		5	10	11	12	3		
143	Furuncle	8	2									1	3	2					
144	Acute abscess	21	8	1						1	1	1	5	1	2	1			
145	Other diseases of the skin and annexa	16	9							1			1	3		2			
	IX.—Diseases of the bones and of the organs of locomotion	36	4		3		2	4	6	2	1	3	6	2	2	1			
146	Diseases of the bones (tuberculosis excepted)	33	4		3		2	4	6	1	1	2	6	2	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1								1									
148	Amputations																		
149	Other diseases of the organs of locomotion	2										1				1			
	X.—Malformations	188	173	7	2		1	3	2										
150	Congenital malformations (stillbirths not included) (total)	188	173	7	2		1	3	2										
	Hydrocephalus	21	15	3	1		1	1											
	Congenital malformations of the heart	92	85	3	1			1	2										
	Other congenital malformations	75	73	1				1											
	XI.—Early infancy	1,123	1,122		1														
151	Congenital debility, icterus, and sclerema (total)	965	964		1														
	Premature birth	584	584																
	Congenital debility, "atrophy," "marasmus," etc	381	380		1														
152	Other causes peculiar to early infancy (total)	157	157																
	Injuries at birth	74	74																
	Other causes peculiar to early infancy [1]	83	83																
153	Lack of care	1	1																
	XII.—Old age	869												32	260	459	115	3	
154	Senility	869												32	260	459	115	3	
	XIII.—External causes	1,806	54	43	35	22	26	65	186	380	283	269	159	110	83	56	9	2	18
	Suicide (total)	242							9	52	47	56	30	28	13	3			4
155	By poison	54							2	17	13	10	7	5					
156	By asphyxia	18							1	4		6	3	3					1
157	By hanging or strangulation	59								11	3	21	10	6	6	2			
158	By drowning	17							1	3	4	2		1	5				1
159	By firearms	66							5	15	16	10	8	9	1	1			1
160	By cutting or piercing instruments	19								2	6	5	1	4	1				
161	By jumping from high places	3									3								
162	By crushing	1									1								
163	Other suicides	5									1	2	1						1
	Accidental or undefined (total)	1,496	51	43	33	22	24	64	173	311	216	203	125	83	70	53	9	2	14
164	Poisoning by food	6	2					1			1	2							
165	Other acute poisonings	39	6	6	1	1	1		1	4	2	4	6	3	2	2			
166	Conflagration	36	2	3	2	2	1	3	7	2	5	6		1	1		1		
167	Burns (conflagration excepted)	119	2	14	12	9	11	15	6	13	8	9	5	4	7	3	1		
168	Absorption of deleterious gases (conflagration excepted)	36	1		1	1			1	8	7	5	3	3	4	2			
169	Accidental drowning	216	1	10	7	1	1	15	54	59	23	21	11	8	2	1			2
170	Traumatism by firearms	75	1		1	1	1	7	32	18	5	5	2	2					
171	Traumatism by cutting or piercing instruments	4							1		2				1				
172	Traumatism by fall	150	4	4	2	2	1		9	12	23	16	22	19	13	16	4	1	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MINNESOTA—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	61							2	40	11	7							1
	Traumatism in mines	60							2	40	11	6							1
	Traumatism in quarries	1										1							
174	Traumatism by machines	40						1	13	10	4	8	2	1	1				
175	Traumatism by other crushing (total)	407	1	1	1	3	5	10	25	106	88	81	45	22	9	3			7
	Railroad accidents and injuries	266	1	1	1	1		2	11	78	67	52	28	14	4				6
	Street-car accidents and injuries	12						2	2	2	1	3		1		1			
	Automobile accidents and injuries	23					1	1	2	5	4	5	2	1	2				
	Injuries by other vehicles	81				2	4	5	9	9	13	15	14	5	2	2			1
	Landslide, other crushing	25							1	12	3	6	1	1	1				
176	Injuries by animals	30			1		1	3	2	5	3	4	6	2	3				
177	Starvation	2													1			1	
178	Excessive cold	24	1						1	3	3	6	3	1	3	1	1		1
179	Effects of heat	29	3	1					3	3	1	3	5	3	3	4			
180	Lightning	14						1	3		1	1	3	2	2	1			
181	Electricity (lightning excepted)	11						1	3	5	1	1							
185	Fractures (cause not specified)	54						1	1	3	3	3	7	3	13	18	2		
186	Other external violence	143	27	4	5	2	2	6	9	20	25	21	5	9	5	2			1
	Homicide (total)	68	3		2		2	1	4	17	20	10	4	5					
182	By firearms	33							3	10	9	6	2	3					
183	By cutting or piercing instruments	11			1		1	1	1	4	2	1							
184	By other means	24	3		1		1			3	9	3	2	2					
	XIV.—Ill-defined diseases	473	306	16	1	2		4	5	5	3	9	10	21	49	34	6		2
187	Ill-defined organic disease	26											2	2	11	9	2		
188	Sudden death	12	3								2	1	1	1	2	2			
189	Not specified or ill-defined (total)	435	303	16	1	2		4	5	5	1	8	7	18	36	23	4		2
	Ill-defined	222	130	10		1		3	2	3		8	6	17	23	16	3		
	Not specified or unknown	213	173	6	1	1		1	3	2	1		1	1	13	7	1		2
	MONTANA.																		
	All causes	3,999	714	139	54	49	37	142	217	514	468	499	408	341	279	103	13		22
	I.—General diseases	1,104	72	44	20	23	14	71	73	179	170	159	138	85	39	14	1		2
1	Typhoid fever	151	3	1	1	5	1	5	17	61	36	11	7	1		1			1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria																		
5	Smallpox	2	2																
6	Measles	16	5	2	2	2	1	3				1							
7	Scarlet fever	61	2	7	6	4	5	23	10	2	2								
8	Whooping cough	41	25	12			1	2							1				
9	Diphtheria and croup	61	1	5	5	7	5	21	10	2	4				1				
10	Influenza	24	3	2		1		3	1	2	2	2	4	2	1	1			
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	1										1							
14	Dysentery	17	8	3	1						1	1	1	1		1			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	14	6							2		2	2	1		1			
19	Other epidemic diseases	13	1			1		1	3	3	1	1	2						
20	Purulent infection and septicemia	17	1	1						4	2	3	5	1					
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	7	4					1	2										
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	340	8	10	4	2	1	6	15	72	76	72	46	22	4	1			1
28	Tuberculosis of the lungs	287	1	5		1	1	1	10	63	72	67	41	19	4	1			1
29	Acute miliary tuberculosis	8	2							2	2	1	1						
30	Tuberculous meningitis	14	1	3	4	1			2	2		1							
31	Abdominal tuberculosis	8	1	2				2			1	2							
32	Pott's disease	5						1	1	1	1		1						
33	White swellings	2							1					1					
34	Tuberculosis of other organs	3						1		1			1						
35	Disseminated tuberculosis	13	3					1	1	3		1	2	2					
36	Rickets	2		1						1									
37	Syphilis	13	2								3	2	3	2	1				
38	Gonococcus infection	2							1		1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MONTANA—Continued.																	
	I.—General diseases—Continued.																	
	Cancer and other malignant tumors (total)	157						1	1	7	15	31	36	34	25	6	1		
39	Of the buccal cavity	3											1		2				
40	Of the stomach, liver	75									3	16	18	19	16	3			
41	Of the peritoneum, intestines, rectum	10								2	2	2	3		1				
42	Of the female genital organs	20								2	7	5	4	2					
43	Of the breast	13								2	1	3	2	2	2	1			
44	Of the skin	7						1				1		3	2				
45	Of other organs or of organs not specified	29							1	1	2	4	8	8	2	2	1		
46	Other tumors (tumors of the female genital organs excepted)	2											2						
47	Acute articular rheumatism	25						2	4	6	2	4	3	2	1	1			
48	Chronic rheumatism and gout	3											1		1	1			
49	Scurvy																		
50	Diabetes	38			1			3	7	1	1	10	7	6	2				
51	Exophthalmic goiter	7							1	2	1	3							
52	Addison's disease	1											1						
53	Leukemia	4								2	1			1					
54	Anemia, chlorosis	12	1							2		4	3	2					
55	Other general diseases	7				1			1	1	3		1						
56	Alcoholism (acute or chronic)	56								7	14	10	13	10	2				
57	Chronic lead poisoning	1								1									
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	9								1	5	1	1			1			
	II.—Diseases of the nervous system and of the organs of special sense	332	33	9	4	9	4	11	27	17	29	45	33	44	45	17	4		1
60	Encephalitis	2				1				1									
61	Meningitis (total)	49	17	5	1	6	2	7	6	2	1	2							
	Simple meningitis	24	10	1		3		2	4	2	1	1							
	Cerebrospinal meningitis (undefined)	24	7	4	1	3	2	4	2			1							
	Cerebrospinal fever	1						1											
62	Locomotor ataxia	2												1	1				
63	Other diseases of the spinal cord (total)	28	2	2	3		2	1	9	1		5		2	1				
	Acute anterior poliomyelitis	17	2	2	2		2	1	7	1									
	Other diseases of the spinal cord [1]	11			1				2			5		2	1				
64	Cerebral hemorrhage, apoplexy	112	1						1	4	4	15	23	29	23	11	1		
65	Softening of the brain	8									1	2	1	2	2				
66	Paralysis without specified cause	17						1					2	2	5	4	3		
67	General paralysis of the insane	32									12	13	3	2	1	1			
68	Other forms of mental alienation	31							1		5	4	3	4	12	1			1
69	Epilepsy	14							5	2	4	2		1					
70	Convulsions (nonpuerperal)	2								2									
71	Convulsions of infants	13	9	2		2													
72	Chorea	1								1									
73	Neuralgia and neuritis	2							1	1									
74	Other diseases of the nervous system	14	2						3	3	2	2	1	1					
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	5	2					2	1										
	III.—Diseases of the circulatory system	349	5	1		1		15	24	26	34	39	58	61	63	20	1		1
77	Pericarditis	4						1	1		1		1						
78	Acute endocarditis	30		1		1		2	6	3	6	3	8						
79	Organic diseases of the heart	257	3					12	16	21	23	30	39	47	53	11	1		1
80	Angina pectoris	13									2	1	4	3	3				
81	Diseases of the arteries, atheroma, aneurism, etc	32							1			3	5	9	6	8			
82	Embolism and thrombosis	8								1	1	2	1	2	1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2								1						1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1																
85	Hemorrhage; other diseases of the circulatory system	2	1								1								
	IV.—Diseases of the respiratory system	374	89	23	10	3	4	10	11	27	23	55	39	38	33	7	1		1
86	Diseases of the nasal fossae	2	2																
87	Diseases of the larynx	12	3	3	1			2		2		1							
88	Diseases of the thyroid body	2										1		1					
89	Acute bronchitis	27	19	3	1						1			1	2				
90	Chronic bronchitis	10									1	1	1	2	4	1			
91	Bronchopneumonia	74	34	9	5	2	2	4	1		1	3	3	4	5		1		
92	Pneumonia (total)	208	27	7	3	1	2	3	8	24	17	41	31	24	16	4			
	Lobar pneumonia	97	6	1	1		1	1	4	16	10	27	16	7	6	1			
	Pneumonia (undefined)	111	21	6	2	1	1	2	4	8	7	14	15	17	10	3			
93	Pleurisy	11		1					1	1		3	2	2	1				
94	Pulmonary congestion, pulmonary apoplexy	10	3					1	1		1	1			1	2			
95	Gangrene of the lung																		
96	Asthma	8										1	1	1	4				1
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	10	1								2	3	1	3					

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MONTANA—Continued.																	
	V.—Diseases of the digestive system	508	216	50	8	9	9	13	17	26	31	47	31	24	21	5			1
99	Diseases of the mouth and annexa	1											1						
100	Diseases of the pharynx	5						1	1	1	1	1							
101	Diseases of the esophagus																		
102	Ulcer of the stomach	5	1							1		1	1		1				
103	Other diseases of the stomach (cancer excepted)	37	17	2		1					2	5	4	2	4				
104	Diarrhea and enteritis (under 2 years)	226	180	46															
105	Diarrhea and enteritis (2 years and over)	31			6	5	7		1		1	2	2	1	3	3			
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	65		1	1	2	2	8	13	16	10	5	6	1					
109	Hernia, intestinal obstruction (total)	45	11	1	1	1		1	1	4		8	4	8	4				1
	Hernia	10	1							1		1	2	4	1				
	Intestinal obstruction	35	10	1	1	1		1	1	3		7	2	4	3				1
110	Other diseases of the intestines	9	2					1		2	1	2				1			
111	Acute yellow atrophy of the liver																		
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	37								1	7	10	8	6	4	1			
114	Biliary calculi	6										4		1	1				
115	Other diseases of the liver	19									2	6	3	5	3				
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	20	5					2	1	1	6	3	1		1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2									1		1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	255	11		1		1	2	9	23	26	46	43	47	34	11	1		
119	Acute nephritis	25	4		1		1	1	1	7	0	2			1	1			
120	Bright's disease	197	1					1	7	11	13	41	41	41	33	8			
121	Chyluria																		
122	Other diseases of the kidneys and annexa	7	5											1			1		
123	Calculi of the urinary passages	3										2		1					
124	Diseases of the bladder	4											2	1		1			
125	Diseases of the urethra, urinary abscess, etc	1												1					
126	Diseases of the prostate	2												1		1			
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	1								1									
129	Uterine tumor (noncancerous)	1									1								
130	Other diseases of the uterus	5							1	1	2			1					
131	Cysts and other tumors of the ovary	1										1							
132	Salpingitis and other diseases of the female genital organs	7								3	4								
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	62							6	28	21	7							
134	Accidents of pregnancy	8								2	4	2							
135	Puerperal hemorrhage	8								2	4	2							
136	Other accidents of labor	6							2	3	1								
137	Puerperal septicemia	27							4	13	9	1							
138	Puerperal albuminuria and convulsions	9								5	2	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4								3	1								
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	8	2								1		2	2	1				
142	Gangrene	6									1		2	2	1				
143	Furuncle																		
144	Acute abscess	1	1																
145	Other diseases of the skin and annexa	1	1																
	IX.—Diseases of the bones and of the organs of locomotion	6	1			1		1		1			1		1				
146	Diseases of the bones (tuberculosis excepted)	5				1		1		1			1		1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1																
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	54	49	3	1					1									
150	Congenital malformations (stillbirths not included) (total)	54	49	3	1					1									
	Hydrocephalus	4	2	1	1														
	Congenital malformations of the heart	35	33	2															
	Other congenital malformations	15	14							1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MONTANA—Continued.																		
	XI.—Early infancy	193	193																
151	Congenital debility, icterus, and sclerema (total)	153	153																
	Premature birth	102	102																
	Congenital debility, "atrophy," "marasmus," etc	51	51																
152	Other causes peculiar to early infancy (total)	40	40																
	Injuries at birth	15	15																
	Other causes peculiar to early infancy [1]	25	25																
153	Lack of care																		
	XII.—Old age	45												3	12	25	5		
154	Senility	45												3	12	25	5		
	XIII.—External causes	632	6	7	10	2	5	19	50	183	130	99	52	31	19	3			16
	Suicide (total)	81							3	21	12	17	16	4	4				4
155	By poison	32							2	11	6	7	4						2
156	By asphyxia																		
157	By hanging or strangulation	8								1	2	1	1	1	1				1
158	By drowning	2								1		1							
159	By firearms	33							1	7	3	7	9	3	2				1
160	By cutting or piercing instruments	6								1	1	1	2		1				
161	By jumping from high places																		
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	514	6	7	10	2	5	19	44	154	109	74	31	26	14	3			10
164	Poisoning by food																		
165	Other acute poisonings	13	2	2			1			4	1	2		1					
166	Conflagration	7			1			1				1							4
167	Burns (conflagration excepted)	13			4			3	1	4				1					
168	Absorption of deleterious gases (conflagration excepted)	3								2		1							
169	Accidental drowning	49		3	4	1	2	4	7	13	7	3	1	3					1
170	Traumatism by firearms	33		1				4	7	7	5	3	3	3					
171	Traumatism by cutting or piercing instruments	3							2	1									
172	Traumatism by fall	32	1					2	1	4	5	3	2	4	8	2			
173	Traumatism in mines and quarries (total)	78								31	27	12	5	2	1				
	Traumatism in mines	78								31	27	12	5	2	1				
	Traumatism in quarries																		
174	Traumatism by machines	9							1	4	2	1							1
175	Traumatism by other crushing (total)	186	1			1	1	2	13	65	42	34	15	7	2				3
	Railroad accidents and injuries	131						1	7	54	31	22	9	3	1				3
	Street-car accidents and injuries	2				1				1									
	Automobile accidents and injuries	5	1								3		1						
	Injuries by other vehicles	39					1	1	6	6	6	11	4	3	1				
	Landslide, other crushing	9								4	2	1	1	1					
176	Injuries by animals	17						1	2	3	3	4	2	1	1				
177	Starvation	1												1					
178	Excessive cold	9							3	1			2	1	2				
179	Effects of heat																		
180	Lightning	7							4	2	1								
181	Electricity (lightning excepted)	10							2	2	4	2							
185	Fractures (cause not specified)	2								1	1								
186	Other external violence	42	2	1	1		1	2	1	10	11	8	1	2		1			1
	Homicide (total)	37							3	8	9	8	5	1	1				2
182	By firearms	24							2	7	6	6	2		1				
183	By cutting or piercing instruments	1									1								
184	By other means	12							1	1	2	2	3	1					2
	XIV.—Ill-defined diseases	77	37	2		1				3	3	2	11	6	11	1			
187	Ill-defined organic disease	1											1						
188	Sudden death	2													2				
189	Not specified or ill-defined (total)	74	37	2		1				3	3	2	10	6	9	1			
	Ill-defined	64	33	2		1				3	3	2	8	4	7	1			
	Not specified or unknown	10	4										2	2	2				

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW HAMPSHIRE.																		
	All causes	7,452	1,373	179	82	54	50	126	199	391	430	508	722	1,074	1,218	826	170	5	45
	I.—General diseases	1,626	90	48	30	20	20	56	76	179	171	193	215	229	189	88	11	1	10
1	Typhoid fever	46					1	1	8	12	9	6	3	2	4				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	1													1				
5	Smallpox																		
6	Measles	29	8	10	3	1	1	1	2		1			1					1
7	Scarlet fever	8		1	1		1	3	1	1									
8	Whooping cough	42	27	7	3			4	1										
9	Diphtheria and croup	77		14	9	10	9	28	3	1	2				1				
10	Influenza	93	4	2		2			1	2		4	13	18	27	17	2	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	4								1					1	1	1		
14	Dysentery	38	2	3	3	1	1	1		1	5		3	5	5	5	3		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	21	3		1						2	5	2	2	1	5			
19	Other epidemic diseases	1	1																
20	Purulent infection and septicemia	17	1						2	3	3	3	2	2		1			
21	Glanders																		
22	Anthrax																		
23	Rabies	2	1									1							
24	Tetanus	6	1					1		2	1		1						
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	585	19	10	8	3	3	8	45	140	111	93	57	56	24	4			4
28	Tuberculosis of the lungs	477	8	4	1	2	1	4	37	123	91	80	51	48	22	3			2
29	Acute miliary tuberculosis	14	1							5	6	1	1						
30	Tuberculous meningitis	31	8	4	5	1	1	3	3	3	2	1							
31	Abdominal tuberculosis	33	1	1	2		1		2	7	5	6	3	3	1				1
32	Pott's disease	3						1			1			1					
33	White swellings																		
34	Tuberculosis of other organs	18	1	1					1	1	4	2	1	4	1	1			1
35	Disseminated tuberculosis	9							2	1	2	3	1						
36	Rickets	1	1																
37	Syphilis	9	8								1								
38	Gonococcus infection	1								1									
	Cancer and other malignant tumors (total)	424			1			2	3	3	22	53	93	98	101	42	4		2
39	Of the buccal cavity	17										4	2	6	3	2			
40	Of the stomach, liver	153							1	1	4	18	33	46	34	14			2
41	Of the peritoneum, intestines, rectum	60							1		4	3	13	12	18	9			
42	Of the female genital organs	68								2	9	11	17	14	15				
43	Of the breast	42									2	7	15	5	10	3			
44	Of the skin	29										4	2	6	7	6	4		
45	Of other organs or of organs not specified	55			1			2	1		3	6	11	9	14	8			
46	Other tumors (tumors of the female genital organs excepted)	11				1				1		3	3		2	1			
47	Acute articular rheumatism	18						2	4	2	1	3	2	1	1	2			
48	Chronic rheumatism and gout	5											2	2		1			
49	Scurvy																		
50	Diabetes	80			1	1	1	5	4	2	3	6	14	27	13	3			
51	Exophthalmic goiter	2										2							
52	Addison's disease	4									1		1	2					
53	Leukemia	9							1	2	1	1	1	1	2				
54	Anemia, chlorosis	43	3				1		1	4	1	4	12	9	4	3	1		
55	Other general diseases	20	11	1		1	2					1	1			3			
56	Alcoholism (acute or chronic)	25								1	7	7	5	1	1				3
57	Chronic lead poisoning	3										1		1	1				
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	1												1					
	II.—Diseases of the nervous system and of the organs of special sense	1,025	102	28	15	13	3	21	17	29	49	73	103	201	219	128	19		5
60	Encephalitis	6	4											1	1				
61	Meningitis (total)	127	52	14	6	7	3	13	7	7	5	4	4	2	1	1			1
	Simple meningitis	107	46	13	4	6	1	12	5	4	5	4	4	1	1				1
	Cerebrospinal meningitis (undefined)	20	6	1	2	1	2	1	2	3				1		1			
	Cerebrospinal fever																		
62	Locomotor ataxia	23									3	2	6	5	7				
63	Other diseases of the spinal cord (total)	52	6	3	3	2		2	1	7	3	4	2	7	11	1			
	Acute anterior poliomyelitis	19	5	3	2	2		2	1	4									
	Other diseases of the spinal cord [1]	33	1		1					3	3	4	2	7	11	1			
64	Cerebral hemorrhage, apoplexy	511	6	1	1				1	6	20	29	56	145	139	89	14		4
65	Softening of the brain	12										2		2	5	2	1		
66	Paralysis without specified cause	112							1		1	11	10	22	40	24	3		
67	General paralysis of the insane	26								2	2	5	9	3	4	1			
68	Other forms of mental alienation	33							1	1	5	6	5	4	4	6	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW HAMPSHIRE—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	30	1			1		2	3	2	5	4	6	2	3	1		
70	Convulsions (nonpuerperal)	5						3		1	1							
71	Convulsions of infants	48	32	9	5	2												
72	Chorea																	
73	Neuralgia and neuritis	5									1		1		1	2		
74	Other diseases of the nervous system	28		1		1		1	2	3	3	5	4	6	2			
75	Diseases of the eyes and their annexa	2													1	1		
76	Diseases of the ears	5	1						1			1		2				
	III.—Diseases of the circulatory system	1,118	14	1			1	3	18	25	32	68	138	270	328	190	22	1	7
77	Pericarditis	11	1					1	1				1	2	4	1			
78	Acute endocarditis	29	2						3	3	4	5	9	2	1				
79	Organic diseases of the heart	865	9	1			1	2	13	16	22	56	109	217	263	136	14		6
80	Angina pectoris	61								2		4	6	16	18	13	2		
81	Diseases of the arteries, atheroma, aneurism, etc	115									2		7	25	36	38	5	1	1
82	Embolism and thrombosis	27								3	4	3	3	8	4	1	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5											2		2	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	1						1	1									
85	Hemorrhage; other diseases of the circulatory system	2	1										1						
	IV.—Diseases of the respiratory system	894	182	42	16	8	6	12	17	33	46	45	81	131	143	103	25	1	3
86	Diseases of the nasal fossae	3	1				1		1										
87	Diseases of the larynx	4					1	1			1		1						
88	Diseases of the thyroid body	1										1							
89	Acute bronchitis	84	56	6	2			1				1	2	2	4	9	1		
90	Chronic bronchitis	64	1		1			1					3	11	25	20	2		
91	Bronchopneumonia	137	54	20	5	5	1	3		1	1	1	3	12	16	12	2		1
92	Pneumonia (total)	504	63	16	8	3	3	6	13	28	37	34	66	84	82	48	12	1	
	Lobar pneumonia	63	4	1	1		1	1	1	7	6	5	9	13	13	1			
	Pneumonia (undefined)	441	59	15	7	3	2	5	12	21	31	29	57	71	69	47	12	1	
93	Pleurisy	17							1	3	2	1		6	2	2			
94	Pulmonary congestion, pulmonary apoplexy	59	6						1	1	3	3	3	10	13	10	8		1
95	Gangrene of the lung																		
96	Asthma	10									1	2		3	1	2			1
97	Pulmonary emphysema	1											1						
98	Other diseases of the respiratory system (tuberculosis excepted)	10	1						1		1	2	2	3					
	V.—Diseases of the digestive system	860	413	41	13	6	11	13	23	25	29	34	47	65	88	36	12		4
99	Diseases of the mouth and annexa	3	2													1			
100	Diseases of the pharynx	7							3		1		1	1	1				
101	Diseases of the esophagus	1													1				
102	Ulcer of the stomach	18			1		1				1	3	3	3	5	1			
103	Other diseases of the stomach (cancer excepted)	116	30	4		2	2	1	2	4	4	6	9	12	24	10	4		2
104	Diarrhea and enteritis (under 2 years)	403	367	36															
105	Diarrhea and enteritis (2 years and over)	82			11	4	4	4	2	2	2	1	6	7	18	15	6		
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	35						6	7	8	5	4	4	1					
109	Hernia, intestinal obstruction (total)	55	8		1			1	1	2	5	2	5	13	11	3	1		2
	Hernia	15	1								1	1	1	6	5				
	Intestinal obstruction	40	7		1			1	1	2	4	1	4	7	6	3	1		2
110	Other diseases of the intestines	11	3							1			3	2	2				
111	Acute yellow atrophy of the liver	1										1							
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	29								1	1	5	6	8	7	1			
114	Biliary calculi	15									2	2	2	4	5				
115	Other diseases of the liver	35	1							1	1	4	4	10	9	4	1		
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	45	2	1			4		8	6	5	6	3	4	5	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4						1			2		1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	564	10	4		1	1	6	9	20	39	52	84	131	124	74	8		1
119	Acute nephritis	50	4	1		1	1	2	2	2	5	6	8	8	4	5	1		
120	Bright's disease	430	3	3				4	6	14	29	37	74	112	92	50	5		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	14	3						1		1	1	1	2	5				
123	Calculi of the urinary passages	2										1			1				
124	Diseases of the bladder	33										2		5	13	11	2		
125	Diseases of the urethra, urinary abscess, etc	1													1				
126	Diseases of the prostate	17												3	7	7			
127	Nonvenereal diseases of the male genital organs	1													1				
128	Uterine hemorrhage (nonpuerperal)	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW HAMPSHIRE—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous)	6									1	3	1			1		
130	Other diseases of the uterus	5								2	2	1						
131	Cysts and other tumors of the ovary	1												1				
132	Salpingitis and other diseases of the female genital organs	3								2		1						
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	52							1	27	19	5						
134	Accidents of pregnancy	3								2	1							
135	Puerperal hemorrhage	6								2	4							
136	Other accidents of labor	10								6	4							
137	Puerperal septicemia	18							1	9	6	2						
138	Puerperal albuminuria and convulsions	12								5	4	3						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								2								
140	Following childbirth (not otherwise defined)	1								1								
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	45	2	1					1	1		2	5	8	12	9	4	
142	Gangrene	34										1	4	6	12	7	4	
143	Furuncle	3								1		1		1				
144	Acute abscess	2	1	1														
145	Other diseases of the skin and annexa	6	1						1				1	1		2		
	IX.—Diseases of the bones and of the organs of locomotion	8	1	1					1				1	2	2			
146	Diseases of the bones (tuberculosis excepted)	6	1	1					1				1	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted)																	
148	Amputations	2													2			
149	Other diseases of the organs of locomotion																	
	X.—Malformations	61	57	3	1													
150	Congenital malformations (stillbirths not included) (total)	61	57	3	1													
	Hydrocephalus	11	8	2	1													
	Congenital malformations of the heart	30	29	1														
	Other congenital malformations	20	20															
	XI.—Early infancy	418	418															
151	Congenital debility, icterus, and sclerema (total)	357	357															
	Premature birth	194	194															
	Congenital debility, "atrophy," "marasmus," etc	163	163															
152	Other causes peculiar to early infancy (total)	60	60															
	Injuries at birth	25	25															
	Other causes peculiar to early infancy [1]	35	35															
153	Lack of care	1	1															
	XII.—Old age	301												7	67	162	62	2	1
154	Senility	301												7	67	162	62	2	1
	XIII.—External causes	347	15	6	5	4	7	15	35	50	43	32	37	22	36	22	5		13
	Suicide (total)	54							1	5	7	9	18	4	7	1			2
155	By poison	10									1	2	6	1					
156	By asphyxia	3									1		1		1				
157	By hanging or strangulation	15								1	2	1	7	1	2	1			
158	By drowning	7								2	1		2	1					1
159	By firearms	15							1	2	1	4	2		4				1
160	By cutting or piercing instruments	4									1	2		1					
161	By jumping from high places																		
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	289	15	6	5	4	7	15	33	44	36	22	19	18	29	21	5		10
164	Poisoning by food	1					1												
165	Other acute poisonings	8	3				1		1	3									
166	Conflagration	5		1							1	1	1		1				
167	Burns (conflagration excepted)	29		4	2	3	1	1		1	2	3		2	4	4			2
168	Absorption of deleterious gases (conflagration excepted)	3	1									1				1			
169	Accidental drowning	50		1	1	1	3	4	12	13	4	4	3	2	1				1
170	Traumatism by firearms	10						3	2	3	1		1						
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	62	1		1			2	2	4		3	1	9	16	14	5		

[1] Exclusive of injuries at birth.

TABLE 8.--DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW HAMPSHIRE—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	8							2	1	2	2	1						
175	Traumatism by other crushing (total)	58					1	2	5	11	13	6	6	2	5	1			6
	Railroad accidents and injuries	37					1	1	5	9	6	5	2	2					6
	Street-car accidents and injuries	4								1	2		1						
	Automobile accidents and injuries	5						1		1	2				1				
	Injuries by other vehicles	11									2	1	3		4	1			
	Landslide, other crushing	1									1								
176	Injuries by animals	3											1	1	1				
177	Starvation	1									1								
178	Excessive cold	5	1										1	1	1				1
179	Effects of heat	5	1							1			1	1		1			
180	Lightning	1						1											
181	Electricity (lightning excepted)	8							4	2	1	1							
185	Fractures (cause not specified)	3									1		2						
186	Other external violence	29	8		1			2	5	5	6	1	1						
	Homicide (total)	4							1	1		1							1
182	By firearms																		
183	By cutting or piercing instruments	2								1		1							
184	By other means	2							1										1
	XIV.—Ill-defined diseases	133	69	4	2	2	1		1	2	2	4	11	8	10	14	2		1
187	Ill-defined organic disease	10	2				1		1			2		1	1	2			
188	Sudden death	4										1	3						
189	Not specified or ill-defined (total)	119	67	4	2	2				2	2	1	8	7	9	12	2		1
	Ill-defined	113	64	4	2	2				2	2	1	7	6	9	12	2		
	Not specified or unknown	6	3										1	1					1
	NEW JERSEY.																		
	All causes	39,504	8,363	1,719	764	476	300	919	1,441	2,721	3,532	3,642	4,040	4,756	4,396	2,115	295	7	18
	I.—General diseases	10,566	792	522	332	229	159	449	649	1,364	1,546	1,342	1,226	1,086	636	209	22		3
1	Typhoid fever	371	2	2	3	5	1	11	68	102	80	45	32	14	6				
2	Typhus fever	1							1										
3	Relapsing fever																		
4	Malaria	26		1	3			1	3	3	5	1	1	4	2	1	1		
5	Smallpox																		
6	Measles	253	60	93	35	14	19	19	5	2	3	1	1	1					
7	Scarlet fever	281	9	30	33	43	22	68	47	22	4	1	1						1
8	Whooping cough	425	216	126	34	23	8	14		1					2				1
9	Diphtheria and croup	747	61	131	143	91	75	187	40	10	4	3	2						
10	Influenza	312	24	9	1		1	4	6	16	15	20	40	64	63	45	4		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	18	4		1			1	2			3	2	2		2	1		
14	Dysentery	139	53	11	1	1	2	1		2	6	4	3	17	21	13	4		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	129	54	1	1				1	3	12	10	13	12	12	10			
19	Other epidemic diseases	10	6	2	1	1													
20	Purulent infection and septicemia	76	17	1	2	1		3	7	4	8	11	6	9	6	1			
21	Glanders																		
22	Anthrax																		
23	Rabies	7			1	1			3				2						
24	Tetanus	66	16	1	1		1	11	21	4	4	3	2		1	1			
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	4,640	161	97	53	42	21	88	355	1,084	1,158	792	444	238	82	24			1
28	Tuberculosis of the lungs	3,925	50	21	17	10	6	28	283	981	1,069	735	411	216	76	21			1
29	Acute miliary tuberculosis	134	2	3	1	1		4	12	44	37	18	9	3					
30	Tuberculous meningitis	285	70	54	30	27	15	34	21	15	7	9	2	1					
31	Abdominal tuberculosis	132	21	9	1	2		9	17	18	19	14	9	8	2	3			
32	Pott's disease	49	5	3	3	2		8	5	8	5	4	4	2					
33	White swellings	21		1				1	5	5	3	1	1	2	2				
34	Tuberculosis of other organs	41	8	1				3	6	3	9	4	4	2	1				
35	Disseminated tuberculosis	53	5	5	1			1	6	10	9	7	4	4	1				
36	Rickets	26	19	3	2				1		1								
37	Syphilis	102	57	3				2	2	8	9	9	7	4	1				
38	Gonococcus infection	10	3						1	1		1	2	1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW JERSEY—Continued.																		
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	1,891	2	1	4	2	3	3	11	37	113	295	480	527	315	87	11	.....	.....
39	Of the buccal cavity	56	.....	.....	.....	.....	.....	.....	.....	.....	1	9	13	17	8	7	1	.....	.....
40	Of the stomach, liver	728	.....	.....	1	.....	.....	.....	.....	10	30	97	186	245	127	29	3	.....	.....
41	Of the peritoneum, intestines, rectum	244	.....	.....	.....	1	1	.....	1	9	11	30	58	81	42	10	.....	.....	.....
42	Of the female genital organs	335	.....	.....	.....	.....	.....	.....	1	6	37	81	102	69	33	6	.....	.....	.....
43	Of the breast	194	.....	.....	.....	.....	.....	.....	.....	3	15	34	53	44	30	10	5	.....	.....
44	Of the skin	38	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	12	13	9	1	.....	.....
45	Of other organs or of organs not specified	296	2	1	2	1	2	3	9	9	19	43	67	59	62	16	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	27	.....	1	.....	.....	.....	1	.....	1	4	2	6	7	2	3	.....	.....	.....
47	Acute articular rheumatism	185	1	1	4	2	4	23	40	15	15	21	14	21	22	2	.....	.....	.....
48	Chronic rheumatism and gout	26	.....	.....	.....	.....	.....	.....	.....	1	3	1	6	8	7	.....	.....	.....	.....
49	Scurvy	7	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	433	1	1	1	.....	.....	5	24	16	32	43	105	119	69	17	.....	.....	.....
51	Exophthalmic goiter	23	.....	.....	.....	.....	.....	.....	2	2	5	8	5	1	.....	.....	.....	.....	.....
52	Addison's disease	8	.....	.....	.....	.....	.....	.....	1	1	3	.....	2	.....	1	.....	.....	.....	.....
53	Leukemia	37	3	.....	4	.....	.....	1	2	8	5	3	4	3	4	.....	.....	.....	.....
54	Anemia, chlorosis	85	4	3	2	2	.....	5	3	5	7	11	14	17	12	.....	.....	.....	.....
55	Other general diseases	46	14	4	2	1	2	1	2	1	4	4	2	3	3	2	1	.....	.....
56	Alcoholism (acute or chronic)	153	.....	.....	.....	.....	.....	.....	1	13	44	49	28	13	4	1	.....	.....	.....
57	Chronic lead poisoning	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	4,061	411	102	58	40	19	63	66	83	190	332	552	831	870	389	49	3	3
60	Encephalitis	30	5	5	1	.....	1	1	4	3	4	1	1	3	.....	1	.....	.....	.....
61	Meningitis (total)	427	143	58	36	27	14	38	30	17	16	13	15	8	7	5	.....	.....	.....
	Simple meningitis	306	105	35	26	21	11	21	23	10	11	11	13	7	7	5	.....	.....	.....
	Cerebrospinal meningitis (undefined)	113	36	22	10	5	3	15	5	7	5	2	2	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	8	2	1	.....	1	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	63	.....	.....	.....	.....	.....	.....	.....	.....	7	9	20	16	10	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	150	18	10	5	4	3	8	7	7	2	9	21	28	20	8	.....	.....	.....
	Acute anterior poliomyelitis	50	13	10	5	4	3	8	4	1	.....	1	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	100	5	.....	.....	.....	.....	.....	3	6	2	8	21	27	20	8	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	2,271	30	2	4	2	1	3	6	15	57	180	378	624	648	285	32	2	2
65	Softening of the brain	43	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	10	15	9	2	.....	.....
66	Paralysis without specified cause	355	.....	1	1	.....	.....	1	4	.....	13	14	36	98	121	52	12	1	1
67	General paralysis of the insane	160	.....	.....	.....	.....	.....	.....	.....	3	34	52	30	18	17	6	.....	.....	.....
68	Other forms of mental alienation	106	.....	.....	.....	.....	.....	.....	2	9	13	19	21	12	17	11	2	.....	.....
69	Epilepsy	104	5	1	.....	1	.....	1	9	22	22	21	13	3	5	1	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
71	Convulsions of infants	231	197	21	8	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	7	3	.....	.....	.....	.....	1	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	15	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	4	2	2	.....	.....	.....
74	Other diseases of the nervous system	67	4	1	.....	1	.....	4	2	3	16	7	9	6	7	7	.....	.....	.....
75	Diseases of the eyes and their annexa	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	28	6	3	3	.....	.....	3	1	4	3	1	2	.....	1	1	.....	.....	.....
	III.—Diseases of the circulatory system	4,535	87	5	12	3	7	61	160	178	302	428	659	1,004	1,062	511	54	.....	2
77	Pericarditis	29	1	.....	1	.....	.....	3	3	3	5	4	2	2	1	4	.....	.....	.....
78	Acute endocarditis	266	20	1	3	2	1	18	25	30	30	40	62	15	13	5	1	.....	.....
79	Organic diseases of the heart	3,504	49	3	6	1	4	39	127	136	240	343	517	833	811	358	35	.....	2
80	Angina pectoris	156	.....	.....	.....	.....	.....	.....	1	1	7	8	27	48	46	16	2	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	423	.....	.....	.....	.....	.....	.....	.....	1	11	14	32	77	159	116	13	.....	.....
82	Embolism and thrombosis	118	5	1	.....	.....	1	.....	2	6	8	15	15	22	30	11	2	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10	1	.....	.....	.....	.....	.....	1	.....	1	3	1	2	.....	.....	1	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	19	7	.....	2	.....	1	1	1	1	.....	.....	2	3	1	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	10	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....
	IV.—Diseases of the respiratory system	5,166	1,299	495	181	80	37	113	120	211	332	369	443	554	598	291	42	1	.....
86	Diseases of the nasal fossae	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	34	9	5	4	1	1	4	.....	.....	5	1	1	3	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	5	.....	.....	.....	1	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....
89	Acute bronchitis	363	227	41	10	8	1	3	3	1	5	7	10	12	19	13	3	.....	.....
90	Chronic bronchitis	244	5	2	3	2	.....	2	.....	2	7	7	28	42	82	56	6	.....	.....
91	Bronchopneumonia	1,296	586	217	78	36	14	36	14	13	20	25	32	65	91	60	9	.....	.....
92	Pneumonia (total)	2,861	432	215	79	30	21	60	92	177	265	295	340	368	347	123	16	1	.....
	Lobar pneumonia	1,346	135	73	28	10	8	29	49	93	152	170	196	189	166	44	4	.....	.....
	Pneumonia (undefined)	1,515	297	142	51	20	13	31	43	84	113	125	144	179	181	79	12	1	.....
93	Pleurisy	108	4	9	4	2	.....	4	6	9	10	14	14	21	7	4	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	159	33	5	3	.....	.....	2	4	1	7	8	6	24	32	28	6	.....	.....
95	Gangrene of the lung	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....
96	Asthma	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	14	16	4	.....	.....	.....
97	Pulmonary emphysema	8	.....	.....	.....	.....	.....	1	.....	.....	1	2	2	.....	.....	2	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	40	3	1	.....	.....	.....	1	1	8	8	6	1	5	3	1	2	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW JERSEY—Continued.																		
	V.—Diseases of the digestive system	5,197	2,797	451	88	52	31	65	109	111	215	269	290	330	243	129	26	.....	.....
99	Diseases of the mouth and annexa	23	18	.....	.....	.....	.....	.....	1	.....	2	2	.....	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	42	9	3	1	2	1	6	3	3	8	1	2	2	.....	1	.....	.....	.....
101	Diseases of the esophagus	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
102	Ulcer of the stomach	82	.....	.....	.....	.....	.....	1	3	3	19	14	15	12	12	3	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	377	116	19	6	6	7	5	6	9	26	18	28	53	45	22	11	.....	.....
104	Diarrhea and enteritis (under 2 years)	3,004	2,584	420	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	408	.....	.....	71	33	20	22	13	11	16	20	33	46	58	54	11	.....	.....
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	3	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	242	3	1	1	1	1	20	59	44	34	31	18	23	4	2	.....	.....	.....
109	Hernia, intestinal obstruction (total)	266	38	7	4	4	.....	8	9	21	22	21	42	42	35	13	.....	.....	.....
	Hernia	104	7	.....	.....	1	.....	1	2	4	3	16	20	21	20	9	.....	.....	.....
	Intestinal obstruction	162	31	7	4	3	.....	7	7	17	19	5	22	21	15	4	.....	.....	.....
110	Other diseases of the intestines	82	17	.....	1	1	.....	1	5	4	7	7	11	12	10	3	3	.....	.....
111	Acute yellow atrophy of the liver	11	1	.....	.....	.....	.....	.....	.....	.....	6	1	1	1	1	.....	.....	.....	.....
112	Hydatid tumor of the liver	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	439	.....	.....	.....	.....	.....	1	4	7	48	110	104	105	47	12	1	.....	.....
114	Biliary calculi	45	.....	.....	.....	.....	.....	.....	.....	.....	1	9	11	13	7	4	.....	.....	.....
115	Other diseases of the liver	109	4	1	2	2	.....	.....	3	4	15	16	16	14	20	12	.....	.....	.....
116	Diseases of the spleen	4	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	39	4	.....	2	.....	.....	1	3	5	8	5	6	2	2	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	16	.....	.....	.....	1	1	.....	.....	.....	3	2	3	3	2	1	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,301	44	10	10	17	8	31	74	152	323	452	540	682	663	271	23	.....	1
119	Acute nephritis	376	23	7	6	11	6	12	21	41	55	60	48	56	21	9	.....	.....	.....
120	Bright's disease	2,568	12	3	2	4	2	18	48	80	213	341	463	566	578	222	15	.....	1
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	67	6	.....	2	2	.....	1	1	5	3	11	6	17	9	4	.....	.....	.....
123	Calculi of the urinary passages	7	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	2	1	.....	.....	.....
124	Diseases of the bladder	75	2	.....	.....	.....	.....	.....	.....	3	3	2	2	16	25	18	4	.....	.....
125	Diseases of the urethra, urinary abscess, etc	10	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	3	1	.....	.....	.....	.....
126	Diseases of the prostate	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	14	22	15	4	.....	.....
127	Nonvenereal diseases of the male genital organs	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	39	.....	.....	.....	.....	.....	.....	.....	.....	6	16	9	3	4	1	.....	.....	.....
130	Other diseases of the uterus	31	.....	.....	.....	.....	.....	.....	1	4	15	5	2	4	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	19	.....	.....	.....	.....	.....	.....	.....	5	2	7	2	1	1	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	47	.....	.....	.....	.....	.....	.....	3	12	23	7	2	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	397	.....	.....	.....	.....	.....	.....	20	184	159	34	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	31	.....	.....	.....	.....	.....	.....	1	12	16	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	35	.....	.....	.....	.....	.....	.....	2	15	14	4	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	43	.....	.....	.....	.....	.....	.....	.....	18	19	6	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	191	.....	.....	.....	.....	.....	.....	11	96	71	13	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	86	.....	.....	.....	.....	.....	.....	6	37	34	9	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8	.....	.....	.....	.....	.....	.....	.....	3	5	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	132	16	3	1	1	.....	.....	5	2	7	9	12	22	35	17	2	.....	.....
142	Gangrene	82	4	.....	.....	.....	.....	.....	3	.....	3	6	6	15	27	16	2	.....	.....
143	Furuncle	12	1	.....	.....	1	.....	.....	2	.....	1	1	2	1	3	.....	.....	.....	.....
144	Acute abscess	28	8	1	1	.....	.....	.....	.....	2	3	2	4	2	5	.....	.....	.....	.....
145	Other diseases of the skin and annexa	10	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	42	6	1	1	.....	2	2	5	4	3	5	4	2	5	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	36	6	1	1	.....	2	2	4	4	3	4	3	2	3	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
	X.—Malformations	440	414	10	4	2	1	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	2
150	Congenital malformations (stillbirths not included) (total)	440	414	10	4	2	1	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	2
	Hydrocephalus	34	26	2	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Congenital malformations of the heart	263	251	7	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1
	Other congenital malformations	143	137	1	2	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW JERSEY—Continued.																		
	XI.—Early infancy	1,988	1,985	2															1
	Congenital debility, icterus, and sclerema (total)	1,618	1,615	2															1
	Premature birth	1,043	1,043																
	Congenital debility, "atrophy," "marasmus," etc	575	572	2															1
152	Other causes peculiar to early infancy (total)	357	357																
	Injuries at birth	210	210																
	Other causes peculiar to early infancy [1]	147	147																
153	Lack of care	13	13																
	XII.—Old age	420												43	111	198	65	3	
154	Senility	420												43	111	198	65	3	
	XIII.—External causes	2,661	88	54	68	51	36	127	231	427	448	403	304	187	143	82	9		3
	Suicide (total)	436						1	19	68	93	95	81	53	22	3			1
155	By poison	107							6	18	25	21	20	12	4				1
156	By asphyxia	78							5	12	14	21	12	9	5				
157	By hanging or strangulation	67						1	3	5	11	16	12	13	4	2			
158	By drowning	24								3	4	6	8		3				
159	By firearms	121							4	26	28	22	20	16	5				
160	By cutting or piercing instruments	24							1	3	8	6	4		1	1			
161	By jumping from high places	7								1		1	3	2					
162	By crushing	7									2	2	2	1					
163	Other suicides	1									1								
	Accidental or undefined (total)	2,114	80	54	68	51	36	123	203	322	324	294	218	133	119	78	9		2
164	Poisoning by food	9	3				1		1		1	2			1				
165	Other acute poisonings	45	4	2	4	1	1	1	6	4	6	6	6	2	1	1			
166	Conflagration	60	2	1	1		2	4	9	17	9	6	6	3					
167	Burns (conflagration excepted)	220	4	25	37	34	16	27	11	12	10	11	11	12	9	1			
168	Absorption of deleterious gases (conflagration excepted)	76	3						2	15	11	16	9	10	8	2			
169	Accidental drowning	300	2	3	3	6	2	29	75	54	53	44	17	7	3	1			1
170	Traumatism by firearms	33		1	1	1	1	4	11	6	4	3		1					
171	Traumatism by cutting or piercing instruments	5						1	1	1		2							
172	Traumatism by fall	399	8	10	13	5	5	8	10	40	50	54	47	36	58	50	5		
173	Traumatism in mines and quarries (total)	17								8	4	4	1						
	Traumatism in mines	15								8	3	4							
	Traumatism in quarries	2									1		1						
174	Traumatism by machines	50					1	2	4	12	13	11	6	1					
175	Traumatism by other crushing (total)	606	2	6	4	2	4	37	56	123	124	100	78	40	23	5	1		1
	Railroad accidents and injuries	401			1	1	1	10	37	100	94	64	55	21	13	2	1		1
	Street-car accidents and injuries	70				1	2	10	7	7	13	7	15	4	4				
	Automobile accidents and injuries	41			1			7	4	8	6	6	2	3	3	1			
	Injuries by other vehicles	80		6	2		1	9	8	6	7	21	6	9	3	2			
	Landslide, other crushing	14	2					1		2	4	2		3					
176	Injuries by animals	12			1					1	1	2	3	1	2	1			
177	Starvation	5			1		1						2		1				
178	Excessive cold	14								1	2	1	4	4	1	1			
179	Effects of heat	67	23	2				2	2	2	7	11	7	3	4	4			
180	Lightning																		
181	Electricity (lightning excepted)	13								7	3	1	1	1					
185	Fractures (cause not specified)	34						2	1	1	2		5	5	6	9	3		
186	Other external violence	149	29	4	3	2	2	6	14	18	24	20	15	7	2	3			
	Homicide (total)	111	8					3	9	37	31	14	5	1	2	1			
182	By firearms	44						2	2	18	9	8	3		1	1			
183	By cutting or piercing instruments	17							2	6	8	1							
184	By other means	50	8					1	5	13	14	5	2	1	1				
	XIV.—Ill-defined diseases	598	424	64	9	1		3	2	3	7	8	10	15	30	16	3		3
187	Ill-defined organic disease	5	1									1		1	1	1			
188	Sudden death	4	1											1		2			
189	Not specified or ill-defined (total)	589	422	64	9	1		3	2	3	7	7	10	13	29	13	3		3
	Ill-defined	579	415	64	9	1		3	2	3	7	7	10	13	29	13	3		
	Not specified or unknown	10	7																3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW YORK.																		
	All causes	147,678	27,503	6,453	2,930	1,737	1,141	3,141	4,968	10,474	12,913	14,594	15,987	18,331	17,061	8,974	1,368	69	34
	I.—General diseases	39,254	2,476	1,912	1,301	895	587	1,598	2,205	4,954	5,535	5,292	4,693	4,048	2,667	972	110	5	4
1	Typhoid fever	1,397	4	13	12	11	13	62	229	444	267	163	100	57	17	2	2	.....	1
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	82	5	3	3	1	4	8	2	9	9	13	9	8	6	2	.....	.....	.....
5	Smallpox	8	2	.....	.....	.....	.....	.....	1	1	2	.....	.....	2	.....	.....	.....	.....	.....
6	Measles	1,270	287	441	215	93	54	82	28	22	17	16	9	4	2	.....	.....	.....	.....
7	Scarlet fever	1,654	82	193	289	237	141	434	148	88	28	9	4	1	.....	.....	.....	.....	.....
8	Whooping cough	743	416	167	76	32	16	28	3	.....	.....	1	1	2	1	.....	.....	.....	.....
9	Diphtheria and croup	2,435	226	583	411	312	226	492	105	37	18	14	6	2	3	.....	.....	.....	.....
10	Influenza	1,218	59	23	10	9	5	21	23	44	56	72	116	192	306	242	39	1	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	69	14	2	2	.....	.....	1	.....	1	4	3	5	8	19	7	3	.....	.....
14	Dysentery	395	70	24	13	9	4	4	3	4	5	15	38	43	83	69	9	2	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	478	185	10	4	1	3	2	5	21	30	50	43	59	47	16	1	1	.....
19	Other epidemic diseases	37	15	6	3	3	.....	3	2	.....	2	.....	.....	1	2	.....	.....	.....	.....
20	Purulent infection and septicemia	189	26	3	2	1	2	2	17	15	24	25	27	24	15	6	.....	.....	.....
21	Glanders	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
23	Rabies	8	.....	.....	.....	1	1	2	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
24	Tetanus	131	45	1	1	4	2	13	19	15	15	3	8	2	3	.....	.....	.....	.....
25	Mycoses	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....	.....
26	Pellagra	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	16,516	466	368	202	156	84	299	1,327	3,770	3,985	2,963	1,624	833	358	72	8	.....	1
28	Tuberculosis of the lungs	14,105	126	77	39	27	22	72	1,057	3,485	3,728	2,817	1,513	753	316	65	7	.....	1
29	Acute miliary tuberculosis	383	17	8	15	5	5	18	53	102	87	33	24	13	3	.....	.....	.....	.....
30	Tuberculous meningitis	1,125	234	244	129	97	46	149	103	46	36	19	10	9	2	1	.....	.....	.....
31	Abdominal tuberculosis	396	52	23	12	10	3	17	46	58	69	38	33	19	15	1	.....	.....	.....
32	Pott's disease	151	2	3	2	11	4	27	23	20	16	14	14	3	11	1	.....	.....	.....
33	White swellings	75	2	2	2	1	1	9	10	16	9	9	6	6	2	.....	.....	.....	.....
34	Tuberculosis of other organs	176	19	8	3	5	2	4	20	25	24	23	15	20	5	2	1	.....	.....
35	Disseminated tuberculosis	105	14	3	.....	.....	1	3	15	18	16	10	9	10	4	2	.....	.....	.....
36	Rickets	82	52	18	6	.....	.....	2	1	.....	1	.....	1	.....	1	.....	.....	.....	.....
37	Syphilis	680	388	24	12	3	3	10	6	44	78	55	36	15	4	2	.....	.....	.....
38	Gonococcus infection	38	15	1	.....	.....	.....	.....	5	6	3	6	1	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	7,726	8	6	14	3	5	11	45	144	499	1,311	1,889	2,007	1,336	418	28	1	1
39	Of the buccal cavity	271	.....	.....	.....	.....	.....	4	1	5	7	23	73	72	63	20	3	.....	.....
40	Of the stomach, liver	3,067	2	.....	4	.....	.....	1	2	26	143	450	795	886	585	164	8	.....	1
41	Of the peritoneum, intestines, rectum	1,188	.....	.....	1	.....	1	3	4	31	88	180	282	340	198	58	2	.....	.....
42	Of the female genital organs	1,106	.....	.....	.....	.....	.....	.....	6	18	118	312	288	223	118	22	.....	1	.....
43	Of the breast	753	.....	.....	.....	.....	.....	.....	1	9	63	166	192	167	95	56	4	.....	.....
44	Of the skin	222	.....	2	.....	.....	.....	.....	2	2	5	14	28	48	78	38	5	.....	.....
45	Of other organs or of organs not specified	1,119	6	4	9	3	4	3	29	53	75	166	231	271	199	60	6	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	78	4	1	2	1	.....	1	2	5	7	10	17	10	14	4	.....	.....	.....
47	Acute articular rheumatism	611	3	2	7	6	10	75	124	56	58	56	64	61	53	28	8	.....	.....
48	Chronic rheumatism and gout	110	.....	.....	.....	.....	.....	.....	1	1	6	7	15	29	35	13	3	.....	.....
49	Scurvy	9	4	2	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
50	Diabetes	1,694	.....	.....	4	3	4	18	55	80	100	184	423	495	260	62	5	.....	1
51	Exophthalmic goiter	116	.....	.....	.....	.....	.....	.....	7	21	19	27	22	9	10	1	.....	.....	.....
52	Addison's disease	32	.....	.....	.....	.....	.....	.....	1	5	7	3	9	6	1	.....	.....	.....	.....
53	Leukemia	156	6	6	3	2	3	9	15	18	26	26	22	10	8	2	.....	.....	.....
54	Anemia, chlorosis	420	29	5	3	1	.....	6	19	21	41	58	75	87	55	16	4	.....	.....
55	Other general diseases	196	65	10	7	5	7	13	9	17	17	10	11	12	9	4	.....	.....	.....
56	Alcoholism (acute or chronic)	599	.....	.....	.....	.....	.....	.....	2	57	195	178	105	48	11	3	.....	.....	.....
57	Chronic lead poisoning	27	.....	.....	.....	.....	.....	.....	1	2	6	9	4	5	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	34	.....	.....	.....	.....	.....	.....	.....	2	2	1	8	13	5	3	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	13,001	1,108	325	154	112	70	197	246	335	643	1,183	1,806	2,567	2,746	1,353	149	5	2
60	Encephalitis	78	10	5	4	3	.....	3	7	6	8	8	15	5	3	1	.....	.....	.....
61	Meningitis (total)	1,152	326	163	91	67	36	104	110	60	56	51	36	27	16	8	1	.....	.....
	Simple meningitis	690	210	96	55	33	17	49	50	36	39	35	24	23	14	8	1	.....	.....
	Cerebrospinal meningitis (undefined)	435	108	67	34	33	19	53	54	23	13	14	11	4	2	.....	.....	.....	.....
	Cerebrospinal fever	27	8	.....	2	1	.....	2	6	1	4	2	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	246	.....	.....	.....	.....	.....	.....	.....	1	19	47	75	73	26	5	.....	.....	.....
63	Other diseases of the spinal cord (total)	626	43	37	22	10	17	22	29	25	47	71	90	117	74	21	1	.....	.....
	Acute anterior poliomyelitis	170	38	33	22	9	16	16	18	12	3	2	1	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	456	5	4	.....	1	1	6	11	13	44	69	89	117	74	21	1	.....	.....
64	Cerebral hemorrhage, apoplexy	7,374	68	7	6	4	3	5	6	65	190	567	1,185	1,939	2,174	1,030	118	5	2
65	Softening of the brain	115	.....	.....	.....	1	.....	.....	.....	.....	2	7	4	28	38	34	1	.....	.....
66	Paralysis without specified cause	897	4	2	1	1	1	2	4	11	14	41	96	193	316	191	20	.....	.....
67	General paralysis of the insane	684	.....	.....	.....	.....	.....	.....	.....	18	170	219	161	72	26	18	.....	.....	.....
68	Other forms of mental alienation	198	.....	.....	.....	.....	.....	.....	5	28	20	22	46	34	23	17	3	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW YORK—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	318	16	3	3	3	5	14	34	51	53	53	34	24	21	4		
70	Convulsions (nonpuerperal)	15						4	1	5	1	2				2		
71	Convulsions of infants	669	570	77	12	7	3											
72	Chorea	17				1		3	8	2				2	1			
73	Neuralgia and neuritis	85						1	1	7	16	24	8	15	8	5		
74	Other diseases of the nervous system	315	20	11	7	7	2	16	14	33	37	59	43	29	17	15	5	
75	Diseases of the eyes and their annexa	11	1		1	2	1			1			1	2	1	1		
76	Diseases of the ears	201	50	20	7	6	2	23	27	22	10	12	12	7	2	1		
	III.—Diseases of the circulatory system	19,939	256	35	30	30	32	186	604	682	1,160	1,950	2,907	4,398	4,832	2,509	312	15	1
77	Pericarditis	89	1		1		1	7	6	8	9	11	11	12	16	6		
78	Acute endocarditis	1,150	61	5	7	5	8	32	102	113	150	213	261	99	67	22	5	
79	Organic diseases of the heart	15,083	137	22	21	23	23	139	470	515	902	1,482	2,194	3,464	3,683	1,800	198	10
80	Angina pectoris	662	1					2	4	7	17	65	127	201	177	58	3	
81	Diseases of the arteries, atheroma, aneurism, etc.	2,394	1						6	10	34	109	235	517	790	584	102	5	1
82	Embolism and thrombosis	402	8	2	1			3	12	20	34	47	63	88	85	35	4		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	78	2	1						5	11	19	11	15	11	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	47	30	5		2		1	3	1	2	1		1	1				
85	Hemorrhage; other diseases of the circulatory system	34	15					2	1	3	1	3	5	1	2	1			
	IV.—Diseases of the respiratory system	20,991	4,971	2,231	827	346	212	342	466	907	1,314	1,627	1,787	2,286	2,178	1,270	216	8	3
86	Diseases of the nasal fossae	11	7		1	1			2										
87	Diseases of the larynx	106	31	14	12	5	7	6	5	3	6	5	3	3	3	3			
88	Diseases of the thyroid body	38	2						2	4	2	8	7	7	4	2			
89	Acute bronchitis	1,490	871	159	50	25	10	15	9	7	10	14	32	60	96	100	32		
90	Chronic bronchitis	1,026	22	17	6	1		11	9	34	56	67	100	170	273	220	37	3	
91	Bronchopneumonia	6,945	2,836	1,312	434	162	101	112	86	105	142	167	221	427	500	280	56	4	
92	Pneumonia (total)	10,159	1,068	669	293	138	85	172	324	671	1,016	1,252	1,293	1,434	1,134	543	64		3
	Lobar pneumonia	7,094	586	470	195	102	60	113	222	531	822	986	1,002	1,012	688	277	26		2
	Pneumonia (undefined)	3,065	482	199	98	36	25	59	102	140	194	266	291	422	446	266	38		1
93	Pleurisy	494	39	46	25	11	9	20	24	47	40	52	57	61	45	16	2		
94	Pulmonary congestion, pulmonary apoplexy	366	82	5	3	2			1	11	14	12	23	44	67	80	21	1	
95	Gangrene of the lung	24				1		1		4	1	6	2	6	3				
96	Asthma	170	3		1			1	1	5	13	22	25	46	36	16	1		
97	Pulmonary emphysema	31		1				1		1		2	5	5	9	7			
98	Other diseases of the respiratory system (tuberculosis excepted)	131	10	8	2			3	3	15	14	20	19	23	8	3	3		
	V.—Diseases of the digestive system	18,133	8,895	1,589	336	154	76	228	415	561	818	1,048	1,196	1,180	1,019	525	89	2	2
99	Diseases of the mouth and annexa	55	22	7	5	2	3	2	1	2	4		2			3	2		
100	Diseases of the pharynx	134	20	10	6	6	2	20	18	10	10	7	8	3	6	8			
101	Diseases of the esophagus	23	1	1		1	1		1		1	3	2	4	3	5			
102	Ulcer of the stomach	453	3		2			1	16	61	79	94	80	52	50	12	2		1
103	Other diseases of the stomach (cancer excepted)	1,092	345	26	13	4	4	10	15	26	46	60	77	118	180	139	28	1	
104	Diarrhea and enteritis (under 2 years)	9,740	8,237	1,503															
105	Diarrhea and enteritis (2 years and over)	1,395			280	103	41	58	31	51	54	63	111	161	235	170	35	1	1
106	Ankylostomiasis																		
107	Intestinal parasites	14	3	4				1	1	4		1							
108	Appendicitis and typhlitis	1,077	5	5	8	19	13	91	255	189	173	124	105	61	20	9			
109	Hernia, intestinal obstruction (total)	1,211	164	17	10	10	5	18	27	58	90	138	190	216	182	76	10		
	Hernia	441	21	1	3	1	1	1	2	12	23	66	99	97	76	33	5		
	Intestinal obstruction	770	143	16	7	9	4	17	25	46	67	72	91	119	106	43	5		
110	Other diseases of the intestines	233	43	4	2	2	1	3	5	12	25	24	27	32	33	16	4		
111	Acute yellow atrophy of the liver	46	1	1	1	1	1		2	15	4	6	6	5	3				
112	Hydatid tumor of the liver	7								2	1	2		2					
113	Cirrhosis of the liver	1,661		1				3	5	48	209	387	418	372	182	35	1		
114	Biliary calculi	203							1	4	14	39	50	43	39	12	1		
115	Other diseases of the liver	448	28	4	4	2	1	3	11	21	46	62	78	82	68	33	5		
116	Diseases of the spleen	11	1								5		3	2					
117	Simple peritonitis (nonpuerperal)	267	21	5	5	4	4	18	22	46	42	26	27	23	16	7	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	63	1	1					4	12	15	12	12	4	2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	13,325	173	44	36	32	24	98	206	691	1,232	1,876	2,414	2,850	2,470	1,057	114	5	3
119	Acute nephritis	1,302	79	26	21	23	16	52	76	159	183	193	180	150	94	45	5		
120	Bright's disease	10,432	50	16	12	7	8	39	111	363	833	1,433	2,081	2,462	2,091	827	92	4	3
121	Chyluria																		
122	Other diseases of the kidneys and annexa	253	27	1	2	2		5	4	28	22	38	28	37	37	18	3	1	
123	Calculi of the urinary passages	69						1	1	4	8	10	18	13	10	4			
124	Diseases of the bladder	351	3	1	1				3	2	7	9	16	49	79	75	6		
125	Diseases of the urethra, urinary abscess, etc.	46								2	6	13	12	5	8				
126	Diseases of the prostate	333									4	6	17	90	128	80	8		
127	Nonvenereal diseases of the male genital organs	15	9									1	1		3	1			
128	Uterine hemorrhage (nonpuerperal)	8								2	2	1	1	2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW YORK—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous)	196	1							5	40	83	32	19	13	3		
130	Other diseases of the uterus	111	1						3	18	30	30	11	13	3	2		
131	Cysts and other tumors of the ovary	67								11	12	15	13	10	4	2		
132	Salpingitis and other diseases of the female genital organs	237	1					1	8	95	85	43	4					
133	Nonpuerperal diseases of the breast (cancer excepted)	5	2							2		1						
	VII.—The puerperal state	1,386							81	637	568	100						
134	Accidents of pregnancy	145							5	57	74	9						
135	Puerperal hemorrhage	132							2	39	76	15						
136	Other accidents of labor	141							4	62	56	19						
137	Puerperal septicemia	616							43	310	228	35						
138	Puerperal albuminuria and convulsions	310							26	151	114	19						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	39							1	15	20	3						
140	Following childbirth (not otherwise defined)	3								3								
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	483	71	7	4	2	2	3	5	20	25	27	43	67	107	80	17	2	1
142	Gangrene	261	4	2		1		1	2	2	3	9	14	47	80	72	16	2	1
143	Furuncle	47	5	2					1	6	4	4	12	5	6	1	1		
144	Acute abscess	100	29	1	4	1		2	2	8	9	10	10	10	11	3			
145	Other diseases of the skin and annexa	75	33	2			2			4	4	4	7	5	10	4			
	IX.—Diseases of the bones and of the organs of locomotion	318	40	14	10	5	5	22	49	27	35	34	30	25	10	10	2		
146	Diseases of the bones (tuberculosis excepted)	285	37	14	10	5	5	20	46	24	31	33	24	21	7	6	2		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	23	3					1	2	3	3		4	3	3	1			
148	Amputations	1												1					
149	Other diseases of the organs of locomotion	9						1	1		1	1	2			3			
	X.—Malformations	1,345	1,271	28	12	4	3	16	6	2	3								
150	Congenital malformations (stillbirths not included) (total)	1,345	1,271	28	12	4	3	16	6	2	3								
	Hydrocephalus	118	90	12	4		3	6	1	1	1								
	Congenital malformations of the heart	838	800	12	7	3		8	5	1	2								
	Other congenital malformations	389	381	4	1	1		2											
	XI.—Early infancy	7,131	7,123	3	2				1	1		1							
151	Congenital debility, icterus, and sclerema (total)	5,598	5,590	3	2				1	1		1							
	Premature birth	3,567	3,567																
	Congenital debility, "atrophy," "marasmus," etc	2,031	2,023	3	2				1	1		1							
152	Other causes peculiar to early infancy (total)	1,519	1,519																
	Injuries at birth	797	797																
	Other causes peculiar to early infancy [1]	722	722																
153	Lack of care	14	14																
	XII.—Old age	1,601												84	421	814	257	25	
154	Senility	1,601												84	421	814	257	25	
	XIII.—External causes	9,495	177	180	206	153	129	451	682	1,648	1,576	1,447	1,089	792	564	314	72		15
	Suicide (total)	1,532							54	275	299	319	293	193	80	17	2		
155	By poison	290							14	58	63	43	55	38	15	4			
156	By asphyxia	318							7	47	59	89	52	46	17		1		
157	By hanging or strangulation	239							5	22	40	57	54	38	17	6			
158	By drowning	78							2	12	19	10	19	9	5	2			
159	By firearms	410							17	94	83	80	72	46	17	1			
160	By cutting or piercing instruments	111							1	18	18	26	25	11	7	4	1		
161	By jumping from high places	64							6	20	11	11	11	3	2				
162	By crushing	17							2	4	5	1	4	1					
163	Other suicides	5									1	2	1	1					
	Accidental or undefined (total)	7,511	153	177	203	151	125	446	594	1,217	1,164	1,065	769	586	481	296	70		14
164	Poisoning by food	29	4	4	1	1		2	2	3	1	4	2	3	2				
165	Other acute poisonings	168	8	27	12	4	6	4	10	23	21	28	13	8	4				
166	Conflagration	146			3	3	7	7	7	24	24	21	15	16	8	2			9
167	Burns (conflagration excepted)	663	21	71	94	77	48	89	35	45	46	33	30	32	34	6	2		
168	Absorption of deleterious gases (conflagration excepted)	375	1	3	4	2	1	3	20	71	44	71	71	47	26	11			
169	Accidental drowning	1,021	8	14	10	4	7	94	164	226	159	161	102	49	13	8			2
170	Traumatism by firearms	72			1		1	2	22	20	13	4	5	3	1				
171	Traumatism by cutting or piercing instruments	18						1	2	3	4	3	4	1					
172	Traumatism by fall	1,823	19	33	47	32	20	75	76	158	211	216	193	195	268	219	61		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW YORK—Continued.																			
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	29								18	6	5							
	Traumatism in mines	24								14	6	4							
	Traumatism in quarries	5								4		1							
174	Traumatism by machines	208					1	3	22	66	45	41	18	7	5				
175	Traumatism by other crushing (total)	2,087	1	12	20	17	27	147	176	411	423	360	224	162	78	24	3		2
	Railroad accidents and injuries	1,072		4	5	2		9	81	271	260	209	121	61	35	12			2
	Street-car accidents and injuries	343	1	2	5	2	10	25	26	52	68	65	40	30	14	3			
	Automobile accidents and injuries	208		1		1	1	46	23	34	32	20	14	24	8	2	2		
	Injuries by other vehicles	404		5	10	10	16	66	37	40	50	55	44	44	19	7	1		
	Landslide, other crushing	60				2		1	9	14	13	11	5	3	2				
176	Injuries by animals	62	1	1	1	3	3	5	5	9	9	7	10	4	4				
177	Starvation	5	2											1	1				1
178	Excessive cold	39	1						1		9	5	3	10	5	5			
179	Effects of heat	153	20	6	2				3	17	18	28	20	17	12	9	1		
180	Lightning	16					1		4	3	3	1	3		1				
181	Electricity (lightning excepted)	74			1			2	9	33	21	4	3	1					
185	Fractures (cause not specified)	77	2			1			1	5	17	14	9	7	9	9	3		
186	Other external violence	446	65	6	7	7	3	12	35	82	90	59	44	23	10	3			
	Homicide (total)	452	24	3	3	2	4	5	34	156	113	63	27	13	3	1			1
182	By firearms	243		1	2	1	2	3	23	91	60	35	18	6	1				
183	By cutting or piercing instruments	58	1						3	23	21	6	3						1
184	By other means	151	23	2	1	1	2	2	8	42	32	22	6	7	2	1			
	XIV.—Ill-defined diseases	1,276	942	85	12	4	1		2	9	4	9	22	34	47	70	30	2	3
187	Ill-defined organic disease	14	1												9	3	1		
188	Sudden death	8								1			2	1	3	1			
189	Not specified or ill-defined (total)	1,254	941	85	12	4	1		2	8	4	9	20	33	35	66	29	2	3
	Ill-defined	1,244	938	85	12	4	1		1	6	4	8	20	33	35	66	29	2	
	Not specified or unknown	10	3						1	2		1							3
NORTH CAROLINA[1] (TOTAL).																			
	All causes	6,752	1,330	484	191	88	73	127	412	302	650	538	616	632	489	251	44	11	14
	I.—General diseases	2,298	183	146	83	46	38	58	238	465	319	228	210	158	88	28	6		4
1	Typhoid fever	209	2	7	8	6	5	4	60	70	27	8	6	3	3				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	120	16	16	6	8	3	8	15	8	6	7	14	7	4	2			
5	Smallpox	6	3	1							1				1				
6	Measles	98	19	22	17	10	6	9	5	1	4	1		2	1	1			
7	Scarlet fever	8		1	2	1		2	1	1									
8	Whooping cough	62	36	15	7	2	2												
9	Diphtheria and croup	67	12	11	14	10	7	9	4										
10	Influenza	102	5	7	2	1			1	7	8	11	9	19	19	9	3		1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	2								1					1				
14	Dysentery	113	31	31	7		1		1	5	3	7	3	8	13	3			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	13	2	2						1	1	2	3			2			
19	Other epidemic diseases	4	2	1				1											
20	Purulent infection and septicemia	25		2					3	6	4	3	5		2				
21	Glanders																		
22	Anthrax																		
23	Rabies	1							1										
24	Tetanus	43	20		1			2	7	1	1	5	1	5					
25	Mycoses																		
26	Pellagra	111						1	6	16	27	22	16	19	2	2			
27	Beriberi																		
	Tuberculosis (total)	983	16	20	14	6	12	16	124	322	203	110	84	37	11	5	1		2
28	Tuberculosis of the lungs	868	10	12	11	3	6	11	107	288	190	101	79	31	11	5	1		2
29	Acute miliary tuberculosis	29		2	1				6	15	3	2							
30	Tuberculous meningitis	23	4	1	2	2	3	3		4	2	1		1					
31	Abdominal tuberculosis	38	1	1			2		6	10	4	5	5	4					
32	Pott's disease	7	1	2			1		2	1									
33	White swellings	1		1															
34	Tuberculosis of other organs	10		1		1		2	1	2	2	1							
35	Disseminated tuberculosis	7							2	2	2			1					
36	Rickets	10	5	3	2														
37	Syphilis	31	6	3		1		1	1	6	4	5	2	1	1				
38	Gonococcus infection	1							1										

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA[1] (TOTAL)—Continued.																	
	I.—General diseases—Continued.																	
	Cancer and other malignant tumors (total)	171						1	2	2	18	35	46	40	23	2	1		1
39	Of the buccal cavity																		
40	Of the stomach, liver	50									5	6	11	19	7	2			
41	Of the peritoneum, intestines, rectum	13									1	2	8	1	1				
42	Of the female genital organs	42								2	5	14	13	4	3				1
43	Of the breast	12										5	2	3	1		1		
44	Of the skin	2												1	1				
45	Of other organs or of organs not specified	52						1	2		7	8	12	12	10				
46	Other tumors (tumors of the female genital organs excepted)	11						1			1	2	3	4					
47	Acute articular rheumatism	19	2					1	1	4	1	1	2	4	2		1		
48	Chronic rheumatism and gout	4		1									1	1	1				
49	Scurvy																		
50	Diabetes	30			2				2	5	5	3	8	1	3	1			
51	Exophthalmic goiter	3								1				2					
52	Addison's disease	2									1			1					
53	Leukemia	3								1	1		1						
54	Anemia, chlorosis	16	3	1	1		1		1	3		3	1		1	1			
55	Other general diseases	17	3	2		1	1	2	2	4	2								
56	Alcoholism (acute or chronic)	10									1	3	5	1					
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	3												3					
	II.—Diseases of the nervous system and of the organs of special sense	578	62	26	13	7	3	7	15	21	38	45	38	110	96	39	3	1	4
60	Encephalitis	4			1	1							1		1				
61	Meningitis (total)	82	22	19	10	5	2	5	4	4	5	1	2		3				
	Simple meningitis	69	17	16	7	4	2	5	4	4	5	1	2		2				
	Cerebrospinal meningitis (undefined)	11	4	3	2	1									1				
	Cerebrospinal fever	2	1		1														
62	Locomotor ataxia	4										2	1	1					
63	Other diseases of the spinal cord (total)	11	1	2	1				1		1	1	1	2	1				
	Acute anterior poliomyelitis	3		2	1														
	Other diseases of the spinal cord [2]	8	1						1		1	1	1	2	1				
64	Cerebral hemorrhage, apoplexy	203	3		1			2	2	7	19	21	39	52	41	12	1	1	2
65	Softening of the brain	12											2	4	4	1			1
66	Paralysis without specified cause	155	3	1					1	1	9	13	30	37	38	20	2		
67	General paralysis of the insane	6									1	1	1	2		1			
68	Other forms of mental alienation	15									1	2	5	3	3	1			
69	Epilepsy	19	3						2	5	1	1	1	4	1	1			
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	31	26	3		1	1												
72	Chorea	2							2										
73	Neuralgia and neuritis	4											1	1	2				
74	Other diseases of the nervous system	26	2	1					2	4	1	2	4	4	2	3			1
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	4	2						1			1							
	III.—Diseases of the circulatory system	521	11	2	4			3	19	33	49	62	82	107	102	40	5	2	
77	Pericarditis	5							1	1			1		2				
78	Acute endocarditis	13						1	2	2	2	3	3						
79	Organic diseases of the heart	435	9	2	2			1	15	26	42	53	69	93	87	30	4	2	
80	Angina pectoris	17									1	1	5	5	3	2			
81	Diseases of the arteries, atheroma, aneurism, etc.	32								1	3	2	2	7	9	7	1		
82	Embolism and thrombosis	8	1						1	1		2	1		1	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1										1							
84	Diseases of the lymphatic system (lymphangitis, etc.)	3			1			1						1					
85	Hemorrhage; other diseases of the circulatory system	7	1		1					2	1		1	1					
	IV.—Diseases of the respiratory system	768	188	67	38	14	10	19	51	82	46	48	63	60	42	32	7		1
86	Diseases of the nasal fossae	6	1	1		1				1					2				
87	Diseases of the larynx	5	1		1							2		1					
88	Diseases of the thyroid body																		
89	Acute bronchitis	54	31	9	7						1	1	1	1	3				
90	Chronic bronchitis	34	1		1			1	5	3	3	1	4	8	4	2	1		
91	Bronchopneumonia	72	26	18	8	2	1	4	4	1		1	1	1	2	2	1		
92	Pneumonia (total)	538	114	39	19	11	8	14	39	72	36	36	46	44	28	27	4		1
	Lobar pneumonia	60	6	4	1	2		1	4	13	9	6	7	3		3	1		
	Pneumonia (undefined)	478	108	35	18	9	8	13	35	59	27	30	39	41	28	24	3		1
93	Pleurisy	8	1						1	2	1		1	1	1				
94	Pulmonary congestion, pulmonary apoplexy	26	12		1				1	1	3	2	2	2		1	1		
95	Gangrene of the lung	2			1									1					
96	Asthma	16								1	1	5	6	1	2				
97	Pulmonary emphysema	1					1												
98	Other diseases of the respiratory system (tuberculosis excepted)	6	1						1		1	1	2						

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA[1] (TOTAL)—Continued.																	
	V.—Diseases of the digestive system	949	377	186	29	12	11	12	27	41	45	50	45	43	42	23	3		1
99	Diseases of the mouth and annexa	5	5																
100	Diseases of the pharynx	7				1	1		2			1		1	1				
101	Diseases of the esophagus																		
102	Ulcer of the stomach	12					1			1		5	1	3		1			
103	Other diseases of the stomach (cancer excepted)	106	32	10	1	1	3	1	2	6	6	15	9	8	11	1			
104	Diarrhea and enteritis (under 2 years)	499	326	173															
105	Diarrhea and enteritis (2 years and over)	105			26	7	5	5	3	1	2	9	7	9	17	12	2		
106	Ankylostomiasis	3	1						1		1								
107	Intestinal parasites	2				2													
108	Appendicitis and typhlitis	42			1			4	7	12	8	7	2		1				
109	Hernia, intestinal obstruction (total)	34	5				1	2	5	1	5	2	4	3	4	2			
	Hernia	13	1					1	1		1	1	1	2	4	1			
	Intestinal obstruction	21	4				1	1	4	1	4	1	3	1		1			
110	Other diseases of the intestines	19	4	3		1			1		4		3	1		1	1		
111	Acute yellow atrophy of the liver	3								1	1			1					
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	36	1								7	3	8	9	4	3			1
114	Biliary calculi	8										3	2	3					
115	Other diseases of the liver	30	1						2	5	4	4	5	4	2	3			
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	34	1		1				4	14	6	1	4	3					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	1								1				2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	405	6	12	7	3	4	8	9	23	41	46	79	89	49	23	2	3	1
119	Acute nephritis	42	2	3	1		1	3	4	6	5	7	6	3		1			
120	Bright's disease	300	3	6	6	3	3	3	4	12	24	32	64	78	43	14	1	3	1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	17	1	3				2			1	1	4		3	2			
123	Calculi of the urinary passages	3										1	1	1					
124	Diseases of the bladder	13									2	1	1	1	3	4	1		
125	Diseases of the urethra, urinary abscess, etc	3									1		1	1					
126	Diseases of the prostate	5												3		2			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)	5							1	2	1		1						
129	Uterine tumor (noncancerous)	7								2	3	1		1					
130	Other diseases of the uterus	3									2	1							
131	Cysts and other tumors of the ovary	3									1		1	1					
132	Salpingitis and other diseases of the female genital organs	4								1	1	2							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	111							17	46	43	5							
134	Accidents of pregnancy	13							1	3	9								
135	Puerperal hemorrhage	10							1	3	5	1							
136	Other accidents of labor	16							2	5	8	1							
137	Puerperal septicemia	27							4	15	7	1							
138	Puerperal albuminuria and convulsions	40							9	16	13	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1								1									
140	Following childbirth (not otherwise defined)	4								3	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	27	2			1				2	3	3		6	4	4	1	1	
142	Gangrene	20								1	1	2		6	4	4	1	1	
143	Furuncle	1	1																
144	Acute abscess	4								1	2	1							
145	Other diseases of the skin and annexa	2	1			1													
	IX.—Diseases of the bones and of the organs of locomotion	10	2					1	3	2			2						
146	Diseases of the bones (tuberculosis excepted)	8	1					1	3	2			1						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	1										1						
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	27	24	2				1											
150	Congenital malformations (stillbirths not included) (total)	27	24	2				1											
	Hydrocephalus	4	3	1															
	Congenital malformations of the heart	13	12					1											
	Other congenital malformations	10	9	1															

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA [1] (TOTAL)—Continued.																		
	XI.—Early infancy	270	269	1															
151	Congenital debility, icterus, and sclerema (total)	239	238	1															
	Premature birth	134	134																
	Congenital debility, "atrophy," "marasmus," etc	105	104	1															
152	Other causes peculiar to early infancy (total)	31	31																
	Injuries at birth	8	8																
	Other causes peculiar to early infancy [2]	23	23																
153	Lack of care																		
	XII.—Old age	99												6	38	40	12	3	
154	Senility	99												6	38	40	12	3	
	XIII.—External causes	297	18	2	10	3	5	13	29	71	47	35	19	19	12	11	2		1
	Suicide (total)	26							1	7	5	4	2	7					
155	By poison	9							1	5	2			1					
156	By asphyxia																		
157	By hanging or strangulation	3												3					
158	By drowning																		
159	By firearms	8								2	2	3		1					
160	By cutting or piercing instruments	2											1	1					
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	4									1	1	1	1					
	Accidental or undefined (total)	247	18	2	10	3	5	13	24	50	39	29	16	12	12	11	2		1
164	Poisoning by food	2		1											1				
165	Other acute poisonings	12	1		4			1		1		3		2					
166	Conflagration	1								1									
167	Burns (conflagration excepted)	41	2	1	4	2	4	8	4	2	1	3	2	2	1	5			
168	Absorption of deleterious gases (conflagration excepted)	1	1																
169	Accidental drowning	16	1					2	2	8	1	1		1					
170	Traumatism by firearms	31							4	13	6	3	3	2					
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	19				1		1	1	1	3	1	1	1	4	4	1		
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	2									1	1							
175	Traumatism by other crushing (total)	48							6	12	15	9	3	1		1			1
	Railroad accidents and injuries	33							5	8	12	4	2			1			1
	Street-car accidents and injuries	2								1		1							
	Automobile accidents and injuries	1								1									
	Injuries by other vehicles	3										2		1					
	Landslide, other crushing	9							1	2	3	2	1						
176	Injuries by animals	1							1										
177	Starvation																		
178	Excessive cold																		
179	Effects of heat																		
180	Lightning	2							2										
181	Electricity (lightning excepted)	3						1			2								
185	Fractures (cause not specified)	20								3	4	2	2	2	5	1	1		
186	Other external violence	48	13		2		1		4	9	6	6	5	1	1				
	Homicide (total)	24							4	14	3	2	1						
182	By firearms	16							2	9	3	1	1						
183	By cutting or piercing instruments	3								3									
184	By other means	5							2	2		1							
	XIV.—Ill-defined diseases	392	188	40	7	2	2	5	4	16	19	16	28	32	16	11	3	1	2
187	Ill-defined organic disease	24		1					1	3	2	3	3	3	5	2			1
188	Sudden death	27	10							2	2	1	2	5	1	2		1	1
189	Not specified or ill-defined (total)	341	178	39	7	2	2	5	3	11	15	12	23	24	10	7	3		
	Ill-defined	223	101	28	5		2	2	1	8	13	9	17	22	9	5	1		
	Not specified or unknown	118	77	11	2	2		3	2	3	2	3	6	2	1	2	2		

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA[1] (WHITE).																	
	All causes	3,728	704	260	101	51	46	58	191	360	343	288	375	415	347	166	18	.....	5
	I.—General diseases	1,260	93	75	45	27	23	28	108	214	185	128	134	107	66	22	3	.....	2
1	Typhoid fever	128	2	1	4	4	2	1	36	46	19	5	5	2	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	52	11	6	1	2	2	.....	7	4	2	5	5	2	3	2	.....	.....	.....
5	Smallpox	4	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
6	Measles	75	14	17	13	6	4	9	4	.....	3	1	.....	2	1	1	.....	.....	.....
7	Scarlet fever	7	.....	.....	2	1	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	34	22	7	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	48	5	9	9	10	6	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	53	1	2	2	.....	.....	.....	.....	.....	3	4	6	11	15	8	1	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
14	Dysentery	64	16	18	5	.....	.....	.....	1	1	2	1	3	4	11	2	.....	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	11	2	2	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	2	.....	.....	.....
19	Other epidemic diseases	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	17	.....	2	.....	.....	.....	.....	2	3	4	.....	5	.....	1	.....	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	7	2	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	.....	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	81	.....	.....	.....	.....	.....	.....	2	10	19	17	13	17	1	2	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	462	10	5	2	2	8	5	46	132	104	59	51	22	10	3	1	.....	2
28	Tuberculosis of the lungs	408	4	3	1	.....	4	3	37	122	97	55	48	18	10	3	1	.....	2
29	Acute miliary tuberculosis	11	.....	1	1	.....	.....	.....	3	4	1	1	.....	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	17	4	1	.....	2	3	2	.....	2	1	1	.....	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	17	1	.....	.....	.....	.....	.....	3	3	3	2	3	2	.....	.....	.....	.....	.....
32	Pott's disease	3	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	White swellings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	4	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....
36	Rickets	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	8	1	2	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....
38	Gonococcus infection	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	125	.....	.....	.....	.....	.....	1	1	.....	13	25	29	33	21	1	1	.....	.....
39	Of the buccal cavity	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Of the stomach, liver	38	.....	.....	.....	.....	.....	.....	.....	.....	3	5	6	16	7	1	.....	.....	.....
41	Of the peritoneum, intestines, rectum	12	.....	.....	.....	.....	.....	.....	.....	.....	1	2	7	1	1	.....	.....	.....	.....
42	Of the female genital organs	28	.....	.....	.....	.....	.....	.....	.....	.....	4	9	9	4	2	.....	.....	.....	.....
43	Of the breast	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	1	.....	.....
44	Of the skin	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
45	Of other organs or of organs not specified	40	.....	.....	.....	.....	.....	1	1	.....	5	6	7	10	10	.....	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....
47	Acute articular rheumatism	8	.....	.....	.....	.....	.....	1	.....	4	.....	.....	1	2	.....	.....	.....	.....	.....
48	Chronic rheumatism and gout	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
49	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	22	.....	.....	2	.....	.....	.....	1	5	5	2	6	1	.....	.....	.....	.....	.....
51	Exophthalmic goiter	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
53	Leukemia	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	7	1	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	1	.....	.....	.....
55	Other general diseases	15	3	2	.....	1	1	2	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	4	1	.....	.....	.....	.....
57	Chronic lead poisoning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	361	35	19	7	3	2	4	11	10	20	23	59	76	64	25	2	.....	1
60	Encephalitis	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
61	Meningitis (total)	54	14	14	6	2	1	3	3	2	3	1	2	.....	3	.....	.....	.....	.....
	Simple meningitis	47	12	11	5	2	1	3	3	2	3	1	2	.....	2	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	7	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	Cerebrospinal fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	7	.....	1	1	.....	.....	.....	1	.....	1	1	.....	1	1	.....	.....	.....	.....
	Acute anterior poliomyelitis	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord[2]	5	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	1	.....	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	122	3	.....	.....	.....	.....	1	1	3	11	13	22	34	24	8	1	.....	1
65	Softening of the brain	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	1	.....	.....	.....
66	Paralysis without specified cause	96	1	1	.....	.....	.....	.....	.....	1	3	5	19	27	26	12	1	.....	.....
67	General paralysis of the insane	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	1	.....	.....	.....
68	Other forms of mental alienation	14	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	3	3	1	.....	.....	.....

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA[1] (WHITE)—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	11	3						1	2			1	2	1	1		
70	Convulsions (nonpuerperal)																	
71	Convulsions of infants	14	11	2			1											
72	Chorea	2							2									
73	Neuralgia and neuritis	1											1					
74	Other diseases of the nervous system	16	1	1					2	2			4	4	1	1		
75	Diseases of the eyes and their annexa																	
76	Diseases of the ears	3	2						1									
	III.—Diseases of the circulatory system	266	8		3			1	10	13	16	22	40	57	68	27	1	
77	Pericarditis	1							1									
78	Acute endocarditis	8							1	2	2	2	1					
79	Organic diseases of the heart	217	8		2			1	8	9	14	18	34	47	56	19	1	
80	Angina pectoris	13										1	3	4	3	2		
81	Diseases of the arteries, atheroma, aneurism, etc	19								1			1	4	8	5		
82	Embolism and thrombosis	3											1		1	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1										1						
84	Diseases of the lymphatic system (lymphangitis, etc.)	2			1									1				
85	Hemorrhage; other diseases of the circulatory system	2								1				1				
	IV.—Diseases of the respiratory system	390	87	29	18	12	8	8	22	26	18	29	35	41	33	21	3	
86	Diseases of the nasal fossae	2													2			
87	Diseases of the larynx	3	1		1							1						
88	Diseases of the thyroid body																	
89	Acute bronchitis	29	18	5	2									1	3			
90	Chronic bronchitis	15									1		3	6	2	2	1	
91	Bronchopneumonia	40	13	7	4	2	1	4	2	1		1		1	2	2		
92	Pneumonia (total)	273	47	17	11	10	6	4	18	25	13	25	27	30	22	16	2	
	Lobar pneumonia	33	3	2		2			4	6	3	5	4	3		1		
	Pneumonia (undefined)	240	44	15	11	8	6	4	14	19	10	20	23	27	22	15	2	
93	Pleurisy	5	1								1		1	1	1			
94	Pulmonary congestion, pulmonary apoplexy	14	7						1		2		1	2		1		
95	Gangrene of the lung																	
96	Asthma	7									1	2	3		1			
97	Pulmonary emphysema	1					1											
98	Other diseases of the respiratory system (tuberculosis excepted)	1							1									
	V.—Diseases of the digestive system	584	211	121	17	6	7	6	16	25	28	27	29	36	34	19	2	
99	Diseases of the mouth and annexa	2	2															
100	Diseases of the pharynx	5				1			1			1		1	1			
101	Diseases of the esophagus																	
102	Ulcer of the stomach	10					1			1			5		2	1		
103	Other diseases of the stomach (cancer excepted)	55	17	2	1		3		2	4	5	4	2	6	8	1		
104	Diarrhea and enteritis (under 2 years)	303	185	118														
105	Diarrhea and enteritis (2 years and over)	67			15	4	2	1	1		1	7	4	6	15	9	2	
106	Ankylostomiasis	2							1		1							
107	Intestinal parasites																	
108	Appendicitis and typhlitis	35			1			4	7	11	6	4	1		1			
109	Hernia, intestinal obstruction (total)	21	3				1	1		1	3	1	4	2	3	2		
	Hernia	8						1			1		1	1	3	1		
	Intestinal obstruction	13	3				1			1	2	1	3	1		1		
110	Other diseases of the intestines	8	1	1		1					2		1	1		1		
111	Acute yellow atrophy of the liver	2								1				1				
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	27	1								5	1	8	8	2	2		
114	Biliary calculi	7										2	2	3				
115	Other diseases of the liver	22	1						1	3	2	2	4	4	2	3		
116	Diseases of the spleen																	
117	Simple peritonitis (nonpuerperal)	16	1						3	4	3		3	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2													2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	236	4	3	5	1		3	3	11	19	28	51	59	35	14		
119	Acute nephritis	26	1	2				2	1	3	2	6	6	3				
120	Bright's disease	182	3	1	5	1		1	2	7	10	17	42	53	31	9		
121	Chyluria																	
122	Other diseases of the kidneys and annexa	7									1	1	1		2	2		
123	Calculi of the urinary passages	2										1	1					
124	Diseases of the bladder	8									1	1		1	2	3		
125	Diseases of the urethra, urinary abscess, etc																	
126	Diseases of the prostate	1												1				
127	Nonvenereal diseases of the male genital organs																	
128	Uterine hemorrhage (nonpuerperal)	2								1	1							

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths, at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA[1] (WHITE)—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
129	Uterine tumor (noncancerous)	1									1								
130	Other diseases of the uterus	2									1	1							
131	Cysts and other tumors of the ovary	3									1		1	1					
132	Salpingitis and other diseases of the female genital organs	2									1	1							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	57							4	18	32	3							
134	Accidents of pregnancy	11							1	1	9								
135	Puerperal hemorrhage	3									3								
136	Other accidents of labor	7									6	1							
137	Puerperal septicemia	8								4	3	1							
138	Puerperal albuminuria and convulsions	25							3	11	10	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death																		
140	Following childbirth (not otherwise defined)	3								2	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	14	2			1				1		1		4	3	2			
142	Gangrene	10										1		4	3	2			
143	Furuncle	1	1																
144	Acute abscess	1								1									
145	Other diseases of the skin and annexa	2	1			1													
	IX.—Diseases of the bones and of the organs of locomotion	6	1					1	2				2						
146	Diseases of the bones (tuberculosis excepted)	5	1					1	2				1						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1											1						
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	25	22	2				1											
150	Congenital malformations (stillbirths not included) (total)	25	22	2				1											
	Hydrocephalus	4	3	1															
	Congenital malformations of the heart	13	12					1											
	Other congenital malformations	8	7	1															
	XI.—Early infancy	162	162																
151	Congenital debility, icterus, and sclerema (total)	146	146																
	Premature birth	93	93																
	Congenital debility, "atrophy," "marasmus," etc	53	53																
152	Other causes peculiar to early infancy (total)	16	16																
	Injuries at birth	5	5																
	Other causes peculiar to early infancy[2]	11	11																
153	Lack of care																		
	XII.—Old age	57												3	26	23	5		
154	Senility	57												3	26	23	5		
	XIII.—External causes	159	6	1	4		4	4	14	38	20	20	13	13	11	8	1		1
	Suicide (total)	24							1	7	4	4	2	6					
155	By poison	9							1	5	2			1					
156	By asphyxia																		
157	By hanging or strangulation	2												2					
158	By drowning																		
159	By firearms	7								2	1	3		1					
160	By cutting or piercing instruments	2											1	1					
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	4									1	1	1	1					
	Accidental or undefined (total)	128	6	1	4	1	4	4	11	27	16	16	10	7	11	8	1		1
164	Poisoning by food	2		1											1				
165	Other acute poisonings	9	1		3			1		1		2		1					
166	Conflagration	1								1									
167	Burns (conflagration excepted)	15	1		1		4	2		2			1		1	3			
168	Absorption of deleterious gases (conflagration excepted)	1	1																
169	Accidental drowning	6							1	3		1		1					
170	Traumatism by firearms	19							1	8	3	2	3	2					
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	14				1			1	1	2	1		1	3	4			

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA[1] (WHITE)—Continued.																	
	XIII.—External causes—Contd.																	
	Accidental or undefined—Continued.																	
173	Traumatism in mines and quarries (total)																	
	Traumatism in mines																	
	Traumatism in quarries																	
174	Traumatism by machines	2									1	1						
175	Traumatism by other crushing (total)	22							2	6	7	3	2	1				1
	Railroad accidents and injuries	19							1	6	7	2	2					1
	Street-car accidents and injuries	1										1						
	Automobile accidents and injuries																	
	Injuries by other vehicles	1												1				
	Landslide, other crushing	1							1									
176	Injuries by animals	1							1									
177	Starvation																	
178	Excessive cold																	
179	Effects of heat																	
180	Lightning	2							2									
181	Electricity (lightning excepted)	3						1			2							
185	Fractures (cause not specified)	14								3	1	1	1	1	5	1	1	
186	Other external violence	17	3						3	2		5	3		1			
	Homicide (total)	7							2	4			1					
182	By firearms	4								3			1					
183	By cutting or piercing instruments																	
184	By other means	3							2	1								
	XIV.—Ill-defined diseases	151	73	10	2		2	2	1	4	5	7	12	19	7	5	1	1
187	Ill-defined organic disease	4							1			1	1			1		
188	Sudden death	12	5							1			1	2	1	1		1
189	Not specified or ill-defined (total)	135	68	10	2		2	2		3	5	6	10	17	6	3	1	
	Ill-defined	108	47	9	2		2	1		3	5	5	10	15	5	3	1	
	Not specified or unknown	27	21	1				1				1		2	1			
	NORTH CAROLINA[1] (COLORED).																	
	All causes	**3,024**	**626**	**224**	**90**	**37**	**27**	**69**	**221**	**442**	**307**	**250**	**241**	**217**	**142**	**85**	**26**	**11**	**9**
	I.—General diseases	1,038	90	71	38	19	15	30	130	251	134	100	76	51	22	6	3		2
1	Typhoid fever	81		6	4	2	3	3	24	24	8	3	1	1	2				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	68	5	10	5	6	1	8	8	4	4	2	9	5	1				
5	Smallpox	2	2																
6	Measles	23	5	5	4	4	2		1	1	1								
7	Scarlet fever	1		1															
8	Whooping cough	28	14	8	3	1	2												
9	Diphtheria and croup	19	7	2	5		1	2	2										
10	Influenza	49	4	5		1			1	7	5	7	3	8	4	1	2		1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras																		
14	Dysentery	49	15	13	2		1			4	1	6		4	2	1			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	2								1		1							
19	Other epidemic diseases	3	2					1											
20	Purulent infection and septicemia	8							1	3		3			1				
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	36	18		1			2	5	1	1	3	1	4					
25	Mycoses																		
26	Pellagra	30						1	4	6	8	5	3	2	1				
27	Beriberi																		
	Tuberculosis (total)	521	6	15	12	4	4	11	78	190	99	51	33	15	1	2			
28	Tuberculosis of the lungs	460	6	9	10	3	2	8	70	166	93	46	31	13	1	2			
29	Acute miliary tuberculosis	18		1					3	11	2	1							
30	Tuberculous meningitis	6			2			1		2	1								
31	Abdominal tuberculosis	21		1			2		3	7	1	3	2	2					
32	Pott's disease	4		2					1	1									
33	White swellings	1		1															
34	Tuberculosis of other organs	8		1		1		2		2	1	1							
35	Disseminated tuberculosis	3							1	1	1								
36	Rickets	7	3	3	1														
37	Syphilis	23	5	1		1		1	1	5	1	4	2	1	1				
38	Gonococcus infection	1							1										

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	I.—General diseases—Contd.																		
	Cancer and other malignant tumors (total)	46							1	2	5	10	17	7	2	1			1
39	Of the buccal cavity																		
40	Of the stomach, liver	12									2	1	5	3		1			
41	Of the peritoneum, intestines, rectum	1											1						
42	Of the female genital organs	14								2	1	5	4		1				1
43	Of the breast	7										2	2	2	1				
44	Of the skin																		
45	Of other organs or of organs not specified	12							1		2	2	5	2					
46	Other tumors (tumors of the female genital organs excepted)	6						1				2	2	1					
47	Acute articular rheumatism	11	2						1		1	1	1	2	2		1		
48	Chronic rheumatism and gout	2		1											1				
49	Scurvy																		
50	Diabetes	8							1			1	2		3	1			
51	Exophthalmic goiter	1												1					
52	Addison's disease																		
53	Leukemia	1											1						
54	Anemia, chlorosis	9	2	1	1		1			2		1			1				
55	Other general diseases	2							1	1									
56	Alcoholism (acute or chronic)	1											1						
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings																		
	II.—Diseases of the nervous system and of the organs of special sense	217	27	7	6	4	1	3	4	11	18	22	29	34	32	14	1	1	3
60	Encephalitis	1			1														
61	Meningitis (total)	28	8	5	4	3	1	2	1	2	2								
	Simple meningitis	22	5	5	2	2	1	2	1	2	2								
	Cerebrospinal meningitis (undefined)	4	2		1	1													
	Cerebrospinal fever	2	1		1														
62	Locomotor ataxia	1										1							
63	Other diseases of the spinal cord (total)	4	1	1									1	1					
	Acute anterior poliomyelitis	1		1															
	Other diseases of the spinal cord[2]	3	1										1	1					
64	Cerebral hemorrhage, apoplexy	81			1			1	1	4	8	8	17	18	17	4		1	1
65	Softening of the brain	2												1					1
66	Paralysis without specified cause	59	2						1		6	8	11	10	12	8	1		
67	General paralysis of the insane	1												1					
68	Other forms of mental alienation	1										1							
69	Epilepsy	8							1	3	1	1		2					
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	17	15	1		1													
72	Chorea																		
73	Neuralgia and neuritis	3												1	2				
74	Other diseases of the nervous system	10	1							2	1	2			1	2			1
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	1										1							
	III.—Diseases of the circulatory system	255	3	2	1			2	9	20	33	40	42	50	34	13	4	2	
77	Pericarditis	4								1			1		2				
78	Acute endocarditis	5						1	1			1	2						
79	Organic diseases of the heart	218	1	2					7	17	28	35	35	46	31	11	3	2	
80	Angina pectoris	4									1		2	1					
81	Diseases of the arteries, atheroma, aneurism, etc	13									3	2	1	3	1	2	1		
82	Embolism and thrombosis	5	1						1	1		2							
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)																		
84	Diseases of the lymphatic system (lymphangitis, etc.)	1						1											
85	Hemorrhage; other diseases of the circulatory system	5	1		1					1	1		1						
	IV.—Diseases of the respiratory system	378	101	38	20	2	2	11	29	56	28	19	28	19	9	11	4		1
86	Diseases of the nasal fossae	4	1	1		1				1									
87	Diseases of the larynx	2										1		1					
88	Diseases of the thyroid body																		
89	Acute bronchitis	25	13	4	5				1	1			1						
90	Chronic bronchitis	19	1		1			1	5	3	2	1	1	2	2				
91	Bronchopneumonia	32	13	11	4				2				1				1		
92	Pneumonia (total)	265	67	22	8	1	2	10	21	47	23	11	19	14	6	11	2		1
	Lobar pneumonia	27	3	2	1			1		7	6	1	3			2	1		
	Pneumonia (undefined)	238	64	20	7	1	2	9	21	40	17	10	16	14	6	9	1		1
93	Pleurisy	3							1	2									
94	Pulmonary congestion, pulmonary apoplexy	12	5		1					1	1	2	1				1		
95	Gangrene of the lung	2			1									1					
96	Asthma	9								1		3	3	1	1				
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	5	1								1	1	2						

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths, at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	V.—Diseases of the digestive system	365	166	65	12	6	4	6	11	16	17	23	16	9	8	4	1	.....	1
99	Diseases of the mouth and annexa	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
101	Diseases of the esophagus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	51	15	8	.....	1	.....	1	.....	2	1	11	7	2	3	.....	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	196	141	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	38	.....	.....	11	3	3	4	2	1	1	2	3	3	2	3	.....	.....	.....
106	Ankylostomiasis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	7	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	13	2	.....	.....	.....	.....	1	5	.....	2	1	.....	1	1	.....	.....	.....	.....
	Hernia	5	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....
	Intestinal obstruction	8	1	.....	.....	.....	.....	1	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
110	Other diseases of the intestines	11	3	2	.....	.....	.....	.....	1	.....	2	.....	2	.....	.....	.....	1	.....	.....
111	Acute yellow atrophy of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	9	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	1	2	1	.....	.....	1
114	Biliary calculi	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
115	Other diseases of the liver	8	.....	.....	.....	.....	.....	.....	1	2	2	2	1	.....	.....	.....	.....	.....	.....
116	Diseases of the spleen	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	18	.....	.....	1	.....	.....	.....	1	10	3	1	1	1	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	169	2	9	2	2	4	5	6	12	22	18	28	30	14	9	2	3	1
119	Acute nephritis	16	1	1	1	.....	1	1	3	3	3	1	.....	.....	.....	1	.....	.....	.....
120	Bright's disease	118	.....	5	1	2	3	2	2	5	14	15	22	25	12	5	1	3	1
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	10	1	3	.....	.....	.....	2	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....
123	Calculi of the urinary passages	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
124	Diseases of the bladder	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
126	Diseases of the prostate	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	6	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	1	.....	.....	.....	.....	.....
130	Other diseases of the uterus	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	54	.....	.....	.....	.....	.....	.....	13	28	11	2	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	7	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	9	.....	.....	.....	.....	.....	.....	2	5	2	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	19	.....	.....	.....	.....	.....	.....	4	11	4	.....	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	15	.....	.....	.....	.....	.....	.....	6	5	3	1	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	13	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	2	1	2	1	1	.....
142	Gangrene	10	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	1	2	1	1	.....
143	Furuncle	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
144	Acute abscess	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	4	1	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	3	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed list No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	XI.—Early infancy	108	107	1															
151	Congenital debility, icterus, and sclerema (total)	93	92	1															
	Premature birth	41	41																
	Congenital debility, "atrophy," "marasmus," etc.	52	51	1															
152	Other causes peculiar to early infancy (total)	15	15																
	Injuries at birth	3	3																
	Other causes peculiar to early infancy[2]	12	12																
153	Lack of care																		
	XII.—Old age	42												3	12	17	7	3	
154	Senility	42												3	12	17	7	3	
	XIII.—External causes	138	12	1	6	2	1	9	15	33	27	15	6	6	1	3	1		
	Suicide (total)	2									1			1					
155	By poison																		
156	By asphyxia																		
157	By hanging or strangulation	1												1					
158	By drowning																		
159	By firearms	1									1								
160	By cutting or piercing instruments																		
161	By jumping from high places																		
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	119	12	1	6	2	1	9	13	23	23	13	6	5	1	3	1		
164	Poisoning by food																		
165	Other acute poisonings	3			1							1		1					
166	Conflagration																		
167	Burns (conflagration excepted)	26	1	1	3	2		6	4		1	3	1	2		2			
168	Absorption of deleterious gases (conflagration excepted)																		
169	Accidental drowning	10	1					2	1	5	1								
170	Traumatism by firearms	12							3	5	3	1							
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	5						1			1		1		1		1		
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines																		
175	Traumatism by other crushing (total)	26							4	6	8	6	1			1			
	Railroad accidents and injuries	14							4	2	5	2				1			
	Street-car accidents and injuries	1								1									
	Automobile accidents and injuries	1								1									
	Injuries by other vehicles	2										2							
	Landslide, other crushing	8								2	3	2	1						
176	Injuries by animals																		
177	Starvation																		
178	Excessive cold																		
179	Effects of heat																		
180	Lightning																		
181	Electricity (lightning excepted)																		
185	Fractures (cause not specified)	6									3	1	1	1					
186	Other external violence	31	10		2		1		1	7	6	1	2	1					
	Homicide (total)	17							2	10	3	2							
182	By firearms	12							2	6	3	1							
183	By cutting or piercing instruments	3								3									
184	By other means	2								1		1							
	XIV.—Ill-defined diseases	241	115	30	5	2		3	3	12	14	9	16	13	9	6	2	1	1
187	Ill-defined organic disease	20		1						3	2	2	2	3	5	1			1
188	Sudden death	15	5							1	2	1	1	3		1		1	
189	Not specified or ill-defined (total)	206	110	29	5	2		3	3	8	10	6	13	7	4	4	2		
	Ill-defined	115	54	19	3			1	1	5	8	4	7	7	4	2			
	Not specified or unknown	91	56	10	2	2		2	2	3	2	2	6			2	2		

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	OHIO.																		
	All causes	65,459	11,445	2,464	1,043	561	450	1,275	2,505	4,876	5,084	5,267	6,411	8,507	9,454	5,276	744	25	72
	I.—General diseases	18,409	1,202	727	446	264	232	650	1,270	2,465	2,248	1,973	2,117	2,268	1,775	685	69	.....	18
1	Typhoid fever	1,314	13	15	19	13	27	80	294	336	187	122	97	73	31	5	1	.....	1
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	40	3	.....	.....	1	.....	1	.....	4	5	6	8	4	4	4	.....	.....	.....
5	Smallpox	13	2	3	2	3	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	787	160	210	113	49	40	95	47	24	18	19	2	2	6	2	.....	.....	.....
7	Scarlet fever	288	15	31	34	47	37	76	32	11	5	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	591	314	142	70	26	20	16	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Diphtheria and croup	585	28	95	72	59	45	199	65	13	1	4	2	1	1	.....	.....	.....	.....
10	Influenza	906	57	14	15	6	5	13	18	26	35	52	70	132	254	181	28	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	52	3	2	1	.....	.....	.....	1	3	3	3	2	8	21	5	.....	.....	.....
14	Dysentery	395	56	38	18	8	3	3	6	2	4	14	14	47	96	73	13	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	220	51	5	1	1	.....	2	6	9	20	19	20	38	28	17	3	.....	.....
19	Other epidemic diseases	14	3	2	2	.....	1	4	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	134	27	2	1	.....	1	9	5	16	8	14	16	15	12	7	.....	.....	1
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
23	Rabies	9	.....	1	.....	.....	1	.....	4	1	.....	1	.....	1	.....	.....	.....	.....	.....
24	Tetanus	83	16	1	2	1	1	13	15	7	8	6	7	3	3	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	7,208	197	136	77	44	38	97	636	1,794	1,519	945	712	580	353	70	3	.....	7
28	Tuberculosis of the lungs	6,069	80	54	33	15	13	45	511	1,624	1,358	835	626	492	315	59	3	.....	6
29	Acute miliary tuberculosis	154	7	4	7	.....	1	6	21	45	27	13	11	9	3	.....	.....	.....	.....
30	Tuberculous meningitis	328	65	52	31	21	17	40	32	19	25	15	8	2	1	.....	.....	.....	.....
31	Abdominal tuberculosis	358	28	15	3	6	4	4	37	55	50	51	38	39	20	7	.....	.....	1
32	Pott's disease	53	1	2	1	.....	1	.....	5	9	10	5	4	11	4	.....	.....	.....	.....
33	White swellings	27	.....	.....	1	.....	.....	.....	5	3	5	5	3	2	2	1	.....	.....	.....
34	Tuberculosis of other organs	109	9	5	.....	2	1	1	10	17	25	10	10	11	6	2	.....	.....	.....
35	Disseminated tuberculosis	110	7	4	1	.....	1	1	15	22	19	11	12	14	2	1	.....	.....	.....
36	Rickets	31	15	3	4	.....	1	2	1	.....	.....	2	.....	1	.....	2	.....	.....	.....
37	Syphilis	316	176	7	1	.....	.....	2	5	23	31	33	26	7	4	1	.....	.....	.....
38	Gonococcus infection	18	9	1	.....	.....	.....	.....	1	.....	3	.....	.....	2	1	1	.....	.....	.....
	Cancer and other malignant tumors (total)	3,599	4	4	5	.....	3	5	20	52	202	496	846	974	732	235	13	.....	8
39	Of the buccal cavity	138	.....	.....	1	.....	1	.....	.....	.....	3	16	25	42	29	21	.....	.....	.....
40	Of the stomach, liver	1,458	1	.....	3	.....	.....	1	2	13	47	149	362	475	328	73	2	.....	2
41	Of the peritoneum, intestines, rectum	413	.....	.....	.....	.....	.....	.....	6	5	29	60	92	104	92	23	1	.....	1
42	Of the female genital organs	546	.....	1	.....	.....	.....	.....	2	13	65	134	158	108	48	16	.....	.....	1
43	Of the breast	325	1	.....	.....	.....	.....	.....	.....	3	24	64	90	74	45	21	1	.....	2
44	Of the skin	184	.....	.....	.....	.....	.....	.....	.....	.....	5	12	20	30	63	48	6	.....	.....
45	Of other organs or of organs not specified	535	2	3	1	.....	2	4	10	18	29	61	99	141	127	33	3	.....	2
46	Other tumors (tumors of the female genital organs excepted)	38	1	.....	.....	.....	.....	.....	.....	1	2	4	10	6	10	3	1	.....	.....
47	Acute articular rheumatism	317	.....	3	1	1	2	16	47	27	37	31	33	55	42	19	3	.....	.....
48	Chronic rheumatism and gout	68	.....	.....	.....	.....	.....	.....	.....	7	3	4	7	20	17	8	2	.....	.....
49	Scurvy	4	1	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	652	1	2	4	2	4	4	42	39	47	72	123	185	97	29	1	.....	.....
51	Exophthalmic goiter	61	.....	.....	.....	.....	.....	.....	4	12	11	13	11	6	3	1	.....	.....	.....
52	Addison's disease	28	.....	.....	.....	.....	.....	.....	1	2	4	5	8	6	2	.....	.....	.....	.....
53	Leukemia	77	.....	2	.....	.....	.....	4	8	13	13	7	14	7	6	3	.....	.....	.....
54	Anemia, chlorosis	238	22	3	1	1	.....	3	7	13	14	38	41	55	27	12	1	.....	.....
55	Other general diseases	90	27	5	3	2	3	4	2	3	3	8	7	8	11	4	.....	.....	.....
56	Alcoholism (acute or chronic)	190	.....	.....	.....	.....	.....	.....	2	21	59	46	30	20	9	2	.....	.....	1
57	Chronic lead poisoning	14	.....	.....	.....	.....	.....	.....	.....	1	2	3	3	3	2	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	23	.....	.....	.....	.....	.....	.....	.....	.....	1	5	7	6	3	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	7,232	603	163	76	59	49	102	186	213	369	558	913	1,321	1,667	854	90	4	5
60	Encephalitis	66	12	4	1	1	.....	4	8	7	5	8	4	5	4	2	.....	.....	1
61	Meningitis (total)	745	243	105	51	38	27	64	68	40	23	33	19	15	15	2	1	.....	1
	Simple meningitis	505	172	67	32	25	14	35	40	26	18	29	18	13	14	1	1	.....	.....
	Cerebrospinal meningitis (undefined)	229	69	35	19	13	12	27	28	14	4	4	1	.....	1	1	.....	.....	1
	Cerebrospinal fever	11	2	3	.....	.....	1	2	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....
62	Locomotor ataxia	159	.....	.....	.....	.....	.....	.....	2	4	7	35	48	33	27	3	.....	.....	.....
63	Other diseases of the spinal cord (total)	343	19	24	11	9	7	7	13	14	18	27	51	58	65	19	1	.....	.....
	Acute anterior poliomyelitis	76	12	24	8	9	5	7	5	3	.....	.....	1	1	.....	1	.....	.....	.....
	Other diseases of the spinal cord[1]	267	7	.....	3	.....	2	.....	8	11	18	27	50	57	65	18	1	.....	.....
64	Cerebral hemorrhage, apoplexy	3,490	54	5	3	2	3	1	19	53	104	237	517	832	1,082	521	52	3	2
65	Softening of the brain	149	.....	.....	.....	.....	.....	.....	.....	3	4	2	15	42	48	32	3	.....	.....
66	Paralysis without specified cause	957	4	.....	.....	2	2	5	3	6	20	44	103	199	313	227	28	1	.....
67	General paralysis of the insane	279	.....	.....	.....	.....	.....	.....	1	8	80	85	54	24	21	6	.....	.....	.....
68	Other forms of mental alienation	221	.....	.....	.....	.....	.....	.....	.....	10	21	31	37	51	44	24	3	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	OHIO—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	236	4	1	1	.....	2	5	34	43	52	22	29	26	15	2	.....	.....
70	Convulsions (nonpuerperal)	7	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	1	.....	.....	1
71	Convulsions of infants	258	236	13	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	11	.....	.....	.....	.....	1	1	6	.....	2	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	23	.....	.....	.....	.....	.....	1	1	3	1	2	2	4	3	5	1	.....
74	Other diseases of the nervous system	177	9	4	.....	2	.....	3	16	11	22	22	28	23	27	9	1	.....
75	Diseases of the eyes and their annexa	4	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	107	22	7	3	4	4	11	15	8	7	9	6	7	2	2	.....	.....
	III.—Diseases of the circulatory system	8,805	125	8	12	5	6	50	178	237	417	707	1,087	1,982	2,536	1,290	150	2	13
77	Pericarditis	58	2	.....	.....	.....	1	2	3	2	7	9	9	7	5	9	2	.....	.....
78	Acute endocarditis	361	10	3	2	2	.....	10	25	32	47	74	82	36	25	12	1	.....	.....
79	Organic diseases of the heart	6,761	84	5	9	3	4	37	139	169	310	537	843	1,590	1,998	931	91	1	10
80	Angina pectoris	391	1	.....	.....	.....	.....	.....	2	12	17	39	60	119	115	22	2	.....	2
81	Diseases of the arteries, atheroma, aneurism, etc	1,008	1	.....	.....	.....	.....	.....	1	5	13	30	61	193	355	296	51	1	1
82	Embolism and thrombosis	148	6	.....	.....	.....	.....	1	5	13	18	15	22	27	26	13	2	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	29	.....	.....	.....	.....	.....	.....	.....	1	2	2	5	7	6	5	1	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	20	7	.....	.....	.....	1	.....	3	1	.....	1	3	1	2	1	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	29	14	.....	1	.....	.....	.....	.....	2	3	.....	2	2	4	1	.....	.....	.....
	IV.—Diseases of the respiratory system	7,056	1,756	477	219	86	59	127	129	282	313	389	495	790	1,080	731	117	2	4
86	Diseases of the nasal fossae	13	4	.....	1	.....	.....	1	1	1	1	.....	.....	.....	.....	3	1	.....	.....
87	Diseases of the larynx	66	18	8	6	3	4	9	3	3	2	4	.....	4	1	1	.....	.....	.....
88	Diseases of the thyroid body	28	4	.....	.....	.....	.....	1	3	4	4	2	2	4	3	.....	1	.....	.....
89	Acute bronchitis	542	286	55	17	7	4	8	3	6	4	7	7	27	44	48	18	.....	1
90	Chronic bronchitis	494	2	3	1	.....	.....	3	2	5	7	12	25	99	159	151	25	.....	.....
91	Bronchopneumonia	1,680	674	218	97	34	17	22	16	24	23	34	59	107	193	143	18	1	.....
*92	Pneumonia (total)	3,701	703	185	94	39	30	78	97	211	240	287	351	476	551	314	41	1	3
	Lobar pneumonia	1,658	222	55	36	18	11	34	52	128	169	177	203	229	223	85	13	.....	3
	Pneumonia (undefined)	2,043	481	130	58	21	19	44	45	83	71	110	148	247	328	229	28	1	.....
93	Pleurisy	147	4	4	1	2	3	4	1	12	16	19	18	16	31	12	4	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	143	46	2	1	.....	1	1	1	2	2	2	7	10	32	30	6	.....	.....
95	Gangrene of the lung	11	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	3	.....	1	.....	.....	.....
96	Asthma	133	2	1	.....	1	.....	.....	.....	2	6	9	14	31	44	21	2	.....	.....
97	Pulmonary emphysema	22	4	.....	.....	.....	.....	.....	.....	2	1	1	2	4	6	2	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	76	9	1	1	.....	.....	.....	2	9	5	10	8	9	16	5	1	.....	.....
	V.—Diseases of the digestive system	8,280	3,577	921	173	77	32	107	187	245	331	425	520	628	657	361	37	.....	2
99	Diseases of the mouth and annexa	43	30	2	2	.....	.....	2	.....	.....	1	.....	2	1	2	1	.....	.....	.....
100	Diseases of the pharynx	69	10	1	2	4	2	6	12	8	2	3	6	4	5	4	.....	.....	.....
101	Diseases of the esophagus	12	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	4	3	2	.....	.....	.....
102	Ulcer of the stomach	179	2	.....	1	.....	.....	2	6	12	16	34	37	35	27	6	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	673	220	18	11	8	2	2	8	16	20	30	40	86	109	91	11	.....	1
104	Diarrhea and enteritis (under 2 years)	4,037	3,167	870	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	722	.....	.....	146	48	15	30	11	24	20	35	43	81	140	115	13	.....	1
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	453	4	.....	1	5	7	37	100	88	69	62	34	26	17	3	.....	.....	.....
109	Hernia, intestinal obstruction (total)	555	76	13	2	6	4	8	11	19	45	62	63	86	112	43	5	.....	.....
	Hernia	180	16	.....	.....	.....	.....	1	1	5	6	16	32	37	47	16	3	.....	.....
	Intestinal obstruction	375	60	13	2	6	4	7	10	14	39	46	31	49	65	27	2	.....	.....
110	Other diseases of the intestines	140	34	2	2	1	.....	3	4	9	16	5	11	14	22	15	2	.....	.....
111	Acute yellow atrophy of the liver	18	1	.....	.....	.....	.....	.....	2	5	2	1	.....	3	3	1	.....	.....	.....
112	Hydatid tumor of the liver	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	667	1	1	.....	1	.....	.....	5	9	62	120	175	158	107	26	2	.....	.....
114	Biliary calculi	174	.....	.....	.....	.....	.....	.....	.....	.....	8	25	44	48	35	14	.....	.....	.....
115	Other diseases of the liver	295	16	6	4	1	1	5	6	14	28	29	42	57	53	31	2	.....	.....
116	Diseases of the spleen	6	1	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	1	.....	.....
117	Simple peritonitis (nonpuerperal)	211	15	7	2	3	1	10	21	36	36	16	16	21	20	7	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	22	.....	1	.....	.....	.....	.....	.....	5	2	3	5	3	1	2	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	4,556	74	20	12	11	10	33	78	190	322	455	696	1,005	1,055	537	54	2	2
119	Acute nephritis	421	23	13	5	6	7	17	21	33	44	52	65	57	47	25	5	.....	1
120	Bright's disease	3,307	38	6	6	5	3	15	41	80	186	311	545	818	816	398	36	2	1
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	105	11	1	1	.....	.....	.....	.....	13	4	9	15	11	24	16	.....	.....	.....
123	Calculi of the urinary passages	29	.....	.....	.....	.....	.....	.....	.....	2	1	5	5	6	9	1	.....	.....	.....
124	Diseases of the bladder	141	1	.....	.....	.....	.....	.....	.....	2	6	7	10	31	42	36	6	.....	.....
125	Diseases of the urethra, urinary abscess, etc	14	.....	.....	.....	.....	.....	.....	.....	2	1	5	3	1	1	1	.....	.....	.....
126	Diseases of the prostate	236	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	12	55	102	56	7	.....	.....
127	Nonvenereal diseases of the male genital organs	5	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	8	.....	.....	.....	.....	.....	.....	.....	1	1	5	1	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	OHIO—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous)	82								4	12	32	19	9	5	1		
130	Other diseases of the uterus	50						1	2	13	11	6	10	4	1	2		
131	Cysts and other tumors of the ovary	51							1	4	10	12	7	11	6			
132	Salpingitis and other diseases of the female genital organs	105							13	36	44	7	3		1	1		
133	Nonpuerperal diseases of the breast (cancer excepted)	2											1		1			
	VII.—The puerperal state	727							53	326	282	65	1					
134	Accidents of pregnancy	78							2	35	34	6	1					
135	Puerperal hemorrhage	55							1	17	33	4						
136	Other accidents of labor	50							3	19	22	6						
137	Puerperal septicemia	382							33	182	137	30						
138	Puerperal albuminuria and convulsions	139							13	60	48	18						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	16							1	11	3	1						
140	Following childbirth (not otherwise defined)	5								1	4							
141	Puerperal diseases of the breast	2								1	1							
	VIII.—Diseases of the skin and of the cellular tissue	256	41	1			2	3	5	7	9	10	21	28	68	51	10	
142	Gangrene	160	2	1			1	2	1	2	3	3	12	19	60	44	10	
143	Furuncle	23	7						3		2	1	3	6		1		
144	Acute abscess	22	7				1			4	3	1	2	2	1	1		
145	Other diseases of the skin and annexa	51	25					1	1	1	1	5	4	1	7	5		
	IX.—Diseases of the bones and of the organs of locomotion	104	2	4	3	2	2	11	22	7	8	8	11	10	10	4		
146	Diseases of the bones (tuberculosis excepted)	97	2	4	3	2	2	11	22	6	7	8	10	9	8	3		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4								1	1				2			
148	Amputations																	
149	Other diseases of the organs of locomotion	3											1	1		1		
	X.—Malformations	745	719	8	4	2	3	6	2									1
150	Congenital malformations (stillbirths not included) (total)	745	719	8	4	2	3	6	2									1
	Hydrocephalus	37	32	2	1			1	1									
	Congenital malformations of the heart	473	458	5	2	2	1	3	1									1
	Other congenital malformations	235	229	1	1		2	2										
	XI.—Early infancy	2,964	2,963					1										
151	Congenital debility, icterus, and sclerema (total)	2,406	2,405					1										
	Premature birth	1,763	1,763															
	Congenital debility, "atrophy," "marasmus," etc	643	642					1										
152	Other causes peculiar to early infancy (total)	547	547															
	Injuries at birth	298	298															
	Other causes peculiar to early infancy [1]	249	249															
153	Lack of care	11	11															
	XII.—Old age	831												22	184	468	145	12
154	Senility	831												22	184	468	145	12
	XIII.—External causes	4,934	130	105	96	55	53	181	389	886	766	653	518	404	368	240	65	1	24
	Suicide (total)	679							36	142	136	135	124	67	31	6	2	
155	By poison	232							18	63	48	49	25	18	8	3		
156	By asphyxia	12							1	5	3	2		1				
157	By hanging or strangulation	111							2	13	15	21	28	20	9	3		
158	By drowning	51								9	7	12	11	7	4		1	
159	By firearms	232							15	45	54	47	47	18	6			
160	By cutting or piercing instruments	28								2	7	2	9	3	4		1	
161	By jumping from high places	2								1	1							
162	By crushing	6								3		1	2					
163	Other suicides	5								1	1	1	2					
	Accidental or undefined (total)	4,043	121	103	96	53	53	180	343	664	575	485	379	333	336	234	63	1	24
164	Poisoning by food	17	2	1	2			4	2	1	3	1		1					
165	Other acute poisonings	130	15	20	11	4	3	4	8	12	17	14	9	8	5				
166	Conflagration	49	1	3	3	2	2	1		5	5	5	7	7	5	3			
167	Burns (conflagration excepted)	362	12	45	41	25	27	38	23	33	30	24	11	18	22	12		1	
168	Absorption of deleterious gases (conflagration excepted)	70	1	1			2	2	5	18	9	9	9	10	4				
169	Accidental drowning	279		5	11	5	1	38	67	62	29	24	20	9	2	1			5
170	Traumatism by firearms	98	1	1			3	6	43	19	9	7	4	4	1				
171	Traumatism by cutting or piercing instruments	6						1			1	3	1						
172	Traumatism by fall	784	12	12	10	6	1	14	25	48	69	58	72	74	170	162	50		1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	OHIO—Continued.																	
	XIII.—External causes—Contd.																	
	Accidental or undefined—Continued.																	
173	Traumatism in mines and quarries (total)	162							15	55	30	35	20	3	1	1	1	1
	Traumatism in mines	156							14	54	30	32	20	3	1	1	1	
	Traumatism in quarries	6							1	1		3						1
174	Traumatism by machines	113							9	33	28	24	12	5	2			
175	Traumatism by other crushing (total)	1,402	5	4	8	5	8	55	106	303	280	220	161	143	71	16	2	15
	Railroad accidents and injuries	956		2	1		2	17	69	243	218	148	106	82	41	12	2	13
	Street-car accidents and injuries	201	1	1	5	3	4	10	16	34	29	30	22	30	14	2		
	Automobile accidents and injuries	76	2			1	1	16	11	6	8	12	6	10	2			1
	Injuries by other vehicles	133	2	1	2	1	1	12	6	13	18	25	19	18	13	2		
	Landslide, other crushing	36							4	7	7	5	8	3	1			1
176	Injuries by animals	42		1		3	1	1	4	6	3	6	8	3	4	2		
177	Starvation	2	1											1				
178	Excessive cold	9											1	3	3	2		
179	Effects of heat	62	7	1				1	2	5	4	5	7	8	11	8	3	
180	Lightning	11						1	3	1	1	3	1	1				
181	Electricity (lightning excepted)	32		1				1	6	9	5	8	2					
185	Fractures (cause not specified)	90							1	9	9	4	8	11	17	24	7	
186	Other external violence	323	64	8	10	3	5	13	24	45	43	35	26	24	18	3		2
	Homicide (total)	212	9	2		2		1	10	80	55	33	15	4	1			
182	By firearms	128		1					7	56	35	20	6	2	1			
183	By cutting or piercing instruments	27								12	11	2	2					
184	By other means	57	9	1		2		1	3	12	9	11	7	2				
	XIV.—Ill-defined diseases	560	253	30	2		2	4	6	18	19	24	32	49	54	55	7	2	3
187	Ill-defined organic disease	30	1								1	6	2	9	6	5		
188	Sudden death	20	5										1	5	6	2	1	
189	Not specified or ill-defined (total)	510	247	30	2		2	4	6	18	18	18	29	35	42	48	6	2	3
	Ill-defined	343	166	22	2		1	4	1	2	9	10	14	26	37	42	5	1	1
	Not specified or unknown	167	81	8			1		5	16	9	8	15	9	5	6	1	1	2
	PENNSYLVANIA.																	
	All causes	119,815	28,377	6,639	2,758	1,570	1,151	2,975	4,371	8,635	9,112	9,524	10,802	13,281	13,043	6,585	932	36	24
	I.—General diseases	28,721	2,288	1,633	1,099	739	592	1,514	1,863	3,676	3,453	3,106	3,129	2,838	2,042	663	77	2	7
1	Typhoid fever	1,892	3	10	22	13	29	111	376	577	324	191	146	54	27	7			2
2	Typhus fever																		
3	Relapsing fever	1						1											
4	Malaria	50	2	1	1			4	3	8	7	3	8	6	6	1			
5	Smallpox	8	1	1	1		1	1			2	1							
6	Measles	1,237	306	404	201	105	67	98	30	10	10	3		1	2				
7	Scarlet fever	1,094	64	126	180	150	137	308	91	27	9	1	1						
8	Whooping cough	1,114	581	285	109	59	34	41	2	1		1					1		
9	Diphtheria and croup	2,235	178	379	361	299	226	556	158	41	11	7	11	3	3	1			1
10	Influenza	1,197	93	39	15	10	4	20	42	51	51	77	106	210	293	156	29	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	120	14	4	3	1	2	3	1	5	1	9	9	15	25	23	5		
14	Dysentery	416	103	57	20	7	6	6	1	6	10	10	13	40	72	53	11		1
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	338	131	6	4	1		1	6	14	22	29	39	42	30	13			
19	Other epidemic diseases	46	17	10	7			9	3										
20	Purulent infection and septicemia	268	46	15	4	1	2	17	20	22	25	32	37	25	13	8	1		
21	Glanders																		
22	Anthrax	7									2	1	2	1	1				
23	Rabies	16					2	6	1	1	3	2	1						
24	Tetanus	173	31		2	2	2	37	29	16	24	12	9	3	5	1			
25	Mycoses	2								1		1							
26	Pellagra	3									2				1				
27	Beriberi																		
	Tuberculosis (total)	10,285	326	238	119	68	61	177	869	2,594	2,269	1,553	1,012	620	319	54	5		1
28	Tuberculosis of the lungs	8,775	138	87	47	18	20	69	701	2,364	2,103	1,417	914	567	280	46	4		
29	Acute miliary tuberculosis	228	10	5	3	4	4	8	40	60	37	28	18	6	4	1			
30	Tuberculous meningitis	481	122	87	38	32	25	56	44	45	14	12	5	1					
31	Abdominal tuberculosis	400	25	37	15	7	5	15	40	64	63	48	39	24	16	2			
32	Pott's disease	77	3	4	3	2	1	11	13	16	4	9	6	3	2				
33	White swellings	49	2	2	1	1	2	3	11	3	4	5	6	4	3	1			1
34	Tuberculosis of other organs	159	17	11	7	3	2	7	10	19	23	18	18	9	11	3	1		
35	Disseminated tuberculosis	116	9	5	5	1	2	8	10	23	21	16	6	6	3	1			
36	Rickets	50	23	10	7	1		4	2			2			1				
37	Syphilis	373	225	13	5	1		2	3	26	31	29	22	11	4	1			
38	Gonococcus infection	34	23	1					4	3	2	1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	PENNSYLVANIA—Continued.																		
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	5,100	6	6	10	4	1	11	32	88	330	787	1,275	1,315	947	264	21	1	2
39	Of the buccal cavity	207	1				1		1	2	6	23	47	56	41	25	4		
40	Of the stomach, liver	2,098	2	2	1			2	6	20	95	251	539	624	449	104	1		2
41	Of the peritoneum, intestines, rectum	599		1	1	1			4	18	26	86	147	163	122	30			
42	Of the female genital organs	768						1	2	11	94	208	223	144	73	11	1		
43	Of the breast	513								3	46	108	132	107	87	26	3	1	
44	Of the skin	176						1		3	3	20	23	52	40	27	7		
45	Of other organs or of organs not specified	739	3	3	8	3		7	19	31	60	91	164	169	135	41	5		
46	Other tumors (tumors of the female genital organs excepted)	55	4			1		1	1		5	6	8	11	11	7			
47	Acute articular rheumatism	514	5	5	6	6	9	61	100	48	59	42	60	55	41	16	1		
48	Chronic rheumatism and gout	86							1	3		7	10	23	28	14			
49	Scurvy	13	7	1	2	1				1		1							
50	Diabetes	986	2	3	2	2	2	14	44	59	68	108	216	288	150	26	2		
51	Exophthalmic goiter	83	1						7	12	25	19	10	5	4				
52	Addison's disease	27							2	1	4	7	5	6	2				
53	Leukemia	100	3	2	4	2		7	8	13	11	14	17	11	7	1			
54	Anemia, chlorosis	283	35	6	2	1	3	4	11	18	29	37	46	52	28	11			
55	Other general diseases	155	58	11	11	4	4	13	13	10	10	3	4	6	4	3	1		
56	Alcoholism (acute or chronic)	315						1	1	19	97	102	54	30	10	1			
57	Chronic lead poisoning	22			1				1	1	6	5	6	1	1				
58	Other chronic occupation poisonings	2							1		1								
59	Other chronic poisonings	21									3	3	2	4	7	2			
	II.—Diseases of the nervous system and of the organs of special sense	11,726	1,680	405	169	117	56	186	253	286	456	792	1,345	2,190	2,457	1,204	123	2	5
60	Encephalitis	125	29	6	3	4	1	5	12	14	13	12	9	7	8	1			1
61	Meningitis (total)	884	300	136	75	56	18	79	57	50	29	33	26	14	6	4			1
	Simple meningitis	714	254	111	59	45	14	54	40	39	22	29	24	12	6	4			1
	Cerebrospinal meningitis (undefined)	153	42	25	13	10	2	21	15	11	6	4	2	2					
	Cerebrospinal fever	17	4		3	1	2	4	2		1								
62	Locomotor ataxia	182								2	10	42	52	52	22	2			
63	Other diseases of the spinal cord (total)	635	60	61	32	28	23	45	44	22	25	43	76	86	69	19	2		
	Acute anterior poliomyelitis	269	54	55	31	27	20	40	27	8	2	3	1	1					
	Other diseases of the spinal cord [1]	366	6	6	1	1	3	5	17	14	23	40	75	85	69	19	2		
64	Cerebral hemorrhage, apoplexy	5,934	100	13	6	3	5	9	24	52	148	346	830	1,586	1,828	896	84	1	3
65	Softening of the brain	158									4	12	16	35	54	33	4		
66	Paralysis without specified cause	1,117	14	3	1	1	1	4	9	12	36	68	145	255	343	196	28	1	
67	General paralysis of the insane	288							2	7	63	86	54	34	33	7	2		
68	Other forms of mental alienation	267							2	19	41	45	47	39	49	25			
69	Epilepsy	325	14	5	2	1		11	48	63	45	54	34	30	14	4			
70	Convulsions (nonpuerperal)	38						16	7	4	5	4	1	1					
71	Convulsions of infants	1,318	1,098	163	37	17	3												
72	Chorea	18	1			1		1	10			1	1	2		1			
73	Neuralgia and neuritis	37	1							2	5	8	6	11	1	2	1		
74	Other diseases of the nervous system	248	18	3	5	3	1	4	19	22	27	29	41	31	30	13	2		
75	Diseases of the eyes and their annexa	8	3						1	1	1		1	1					
76	Diseases of the ears	144	42	15	8	3	4	12	18	16	4	9	6	6		1			
	III. Diseases of the circulatory system	12,755	229	33	26	25	37	187	405	521	735	1,184	1,760	2,834	3,075	1,516	184	3	1
77	Pericarditis	97	3		2		1	1	6	9	11	11	17	19	9	8			
78	Acute endocarditis	528	15	5	3	2	11	28	59	58	56	75	125	46	35	10			
79	Organic diseases of the heart	9,903	161	22	18	21	21	151	327	407	582	950	1,373	2,266	2,401	1,081	118	3	1
80	Angina pectoris	574						1	4	16	26	52	105	192	127	49	2		
81	Diseases of the arteries, atheroma, aneurism, etc	1,283	2		2					4	22	51	101	245	454	340	62		
82	Embolism and thrombosis	238	3				2	4	4	24	25	32	33	53	37	20	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	41							1	2	9	7	3	8	7	4			
84	Diseases of the lymphatic system (lymphangitis, etc.)	42	21	5	1	2	1	1	1	1	1	3	2	1	1	1			
85	Hemorrhage; other diseases of the circulatory system	49	24	1			1	1	3		3	3	1	4	4	3	1		
	IV. Diseases of the respiratory system	16,605	4,743	1,716	669	313	194	340	352	640	926	1,085	1,329	1,664	1,631	856	144	3	
86	Diseases of the nasal fossae	23	10				1	1			1			1	1	5	3		
87	Diseases of the larynx	152	31	29	17	15	14	17	2	3	5	4	5	5	1	3	1		
88	Diseases of the thyroid body	21		1					2	1	1	2	2	8	2	1	1		
89	Acute bronchitis	1,345	778	179	69	28	15	18	4	6	4	11	19	48	67	85	14		
90	Chronic bronchitis	734	35	13	8	3	2	7	9	8	22	24	69	143	225	132	34		
91	Bronchopneumonia	4,455	1,915	792	272	133	61	99	51	46	90	96	152	254	290	177	27		
92	Pneumonia (total)	8,384	1,757	632	272	116	86	176	248	500	696	817	905	966	830	333	48	2	
	Lobar pneumonia	3,571	365	186	89	43	31	63	121	305	444	498	502	480	334	99	11		
	Pneumonia (undefined)	4,813	1,392	446	183	73	55	113	127	195	252	319	403	486	496	234	37	2	
93	Pleurisy	358	25	27	12	7	6	9	16	34	46	37	34	44	43	16	1	1	
94	Pulmonary congestion, pulmonary apoplexy	522	167	32	13	9	7	8	9	16	21	18	36	47	65	61	13		
95	Gangrene of the lung	25								4	2	3	6	7	2	1			
96	Asthma	295	3	3	3			2	2	3	10	32	55	80	72	28	2		
97	Pulmonary emphysema	36	3	2					1		2	7	5	7	5	4			
98	Other diseases of the respiratory system (tuberculosis excepted)	255	19	6	3	2	2	3	8	19	26	34	41	54	28	10			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	PENNSYLVANIA—Continued.																		
	V.—Diseases of the digestive system	18,559	9,888	2,265	491	167	93	266	328	442	582	731	857	1,029	928	439	48	2	3
99	Diseases of the mouth and annexa	74	50	6	4	2	2	2	1	1			3	1	1	1			
100	Diseases of the pharynx	140	25	9	8	3	9	22	13	9	8	9	8	7	6	3	1		
101	Diseases of the esophagus	10	1		1					1	1		2	1	2	1			
102	Ulcer of the stomach	245	4	1	1			4	7	31	41	42	43	37	26	8			
103	Other diseases of the stomach (cancer excepted)	1,590	571	77	33	17	8	32	23	28	70	80	110	196	219	105	18	1	2
104	Diarrhea and enteritis (under 2 years)	11,081	8,969	2,112															
105	Diarrhea and enteritis (2 years and over)	1,529			393	116	50	91	34	37	48	69	82	131	228	179	19	1	1
106	Ankylostomiasis																		
107	Intestinal parasites	17		4	3	2	2	3	1	1				1					
108	Appendicitis and typhlitis	641	5	1	8	4	5	65	161	139	105	68	38	28	12	1	1		
109	Hernia, intestinal obstruction (total)	893	144	16	17	13	7	9	30	54	61	99	128	145	121	48	1		
	Hernia	289	22	4	1	3			7	9	17	36	57	59	52	21	1		
	Intestinal obstruction	604	122	12	16	10	7	9	23	45	44	63	71	86	69	27			
110	Other diseases of the intestines	205	53	15	1	1		3	2	17	15	26	16	21	21	12	2		
111	Acute yellow atrophy of the liver	35	5	1				1	3	6	5	2	3	2	6	1			
112	Hydatid tumor of the liver	1											1						
113	Cirrhosis of the liver	995	4	2	4			3	3	32	114	193	242	228	142	26	2		
114	Biliary calculi	231			1					9	18	45	58	54	39	7			
115	Other diseases of the liver	462	26	6	6	3	4	7	11	22	44	46	79	90	76	38	4		
116	Diseases of the spleen	11							1	1	1	1	3	4					
117	Simple peritonitis (nonpuerperal)	350	29	15	10	6	6	22	37	48	48	42	28	27	25	7			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	49	2		1			2	1	6	3	9	13	6	4	2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	8,414	138	59	47	28	26	100	196	508	679	1,033	1,341	1,779	1,714	694	66	3	3
119	Acute nephritis	851	55	35	24	15	13	66	62	90	100	105	95	106	67	16	2		
120	Bright's disease	6,392	49	21	18	11	12	29	113	274	438	792	1,141	1,487	1,408	548	46	3	2
121	Chyluria	1													1				
122	Other diseases of the kidneys and annexa	193	13	1	2	2	1	3	3	14	20	26	21	32	35	17	3		
123	Calculi of the urinary passages	40			1			1		3	5	5	6	12	7				
124	Diseases of the bladder	212	10		2				2	4	2	11	12	36	68	58	6		1
125	Diseases of the urethra, urinary abscess, etc	34	2							2	6	7	6	4	4	2	1		
126	Diseases of the prostate	234									1	3	10	59	104	50	7		
127	Nonvenereal diseases of the male genital organs	14	8	1				1			1			1	2				
128	Uterine hemorrhage (nonpuerperal)	7							1	1	2	3							
129	Uterine tumor (noncancerous)	91								3	13	25	26	18	3	2	1		
130	Other diseases of the uterus	99							2	32	29	22	9	3	2				
131	Cysts and other tumors of the ovary	73							1	9	12	15	9	16	11				
132	Salpingitis and other diseases of the female genital organs	167							12	76	50	19	6	3	1				
133	Nonpuerperal diseases of the breast (cancer excepted)	6	1	1										2	1	1			
	VII.—The puerperal state	1,441							118	639	538	145	1						
134	Accidents of pregnancy	131							3	57	57	14							
135	Puerperal hemorrhage	129							5	52	59	13							
136	Other accidents of labor	146							8	54	58	26							
137	Puerperal septicemia	656							58	328	220	50							
138	Puerperal albuminuria and convulsions	340							40	134	129	36	1						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	29							3	8	12	6							
140	Following childbirth (not otherwise defined)	8								6	2								
141	Puerperal diseases of the breast	2							1		1								
	VIII.—Diseases of the skin and of the cellular tissue	504	107	14	3	3	1	4	6	9	18	25	42	70	112	78	11	1	
142	Gangrene	288	11	1				1	1	1	6	12	26	54	93	73	9		
143	Furuncle	57	14		1				3	4	3	4	12	8	6	1	1		
144	Acute abscess	83	38	9	1	1	1	3	2	2	8	5	1	4	6	2			
145	Other diseases of the skin and annexa	76	44	4	1	2				2	1	4	3	4	7	2	1	1	
	IX.—Diseases of the bones and of the organs of locomotion	188	19	11	5	6	6	14	22	14	14	29	13	11	16	8			
146	Diseases of the bones (tuberculosis excepted)	161	18	11	4	6	6	12	18	11	10	22	12	10	15	6			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	18	1					2	3	2	3	5	1			1			
148	Amputations																		
149	Other diseases of the organs of locomotion	9			1				1	1	1	2		1	1	1			
	X.—Malformations	1,467	1,386	37	10	3	7	9	11	3		1							
150	Congenital malformations (stillbirths not included) (total)	1,467	1,386	37	10	3	7	9	11	3		1							
	Hydrocephalus	109	76	12	6	2	5	3	3	1		1							
	Congenital malformations of the heart	939	908	13	2		1	6	7	2									
	Other congenital malformations	419	402	12	2	1	1		1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	PENNSYLVANIA—Continued.																		
	XI.—Early infancy	6,127	6,125	1							1								
151	Congenital debility, icterus, and sclerema (total)	5,197	5,195	1							1								
	Premature birth	3,020	3,020																
	Congenital debility, "atrophy," "marasmus," etc.	2,177	2,175	1							1								
152	Other causes peculiar to early infancy (total)	902	902																
	Injuries at birth	530	530																
	Other causes peculiar to early infancy[1]	372	372																
153	Lack of care	28	28																
	XII.—Old age	1,395												80	406	709	184	16	
154	Senility	1,395												80	406	709	184	16	
	XIII.—External causes	9,217	259	210	210	155	132	338	808	1,867	1,662	1,332	875	605	452	250	59	2	1
	Suicide (total)	975							58	206	197	201	163	100	37	11	1		1
155	By poison	316							27	94	59	52	48	25	9	1	1		
156	By asphyxia	89							2	10	23	25	15	10	4				
157	By hanging or strangulation	175							6	23	24	38	39	28	10	7			
158	By drowning	42							3	8	9	6	7	5	2	1			1
159	By firearms	274							19	60	65	61	36	24	8	1			
160	By cutting or piercing instruments	57								5	12	14	16	5	4	1			
161	By jumping from high places	13								3	4	4		2					
162	By crushing	1								1									
163	Other suicides	8							1	2	1	1	2	1					
	Accidental or undefined (total)	7,880	240	208	209	154	130	336	734	1,551	1,355	1,068	686	499	411	239	58	2	
164	Poisoning by food	20	3	3	2	1	1	3	1	1	4	1							
165	Other acute poisonings	174	23	15	25	7	6	7	12	28	18	15	9	2	6	1			
166	Conflagration	125	7	5	7	4	3	8	12	18	21	15	12	7	3	3			
167	Burns (conflagration excepted)	331	33	94	118	105	75	99	29	66	62	52	31	34	23	9	1		
168	Absorption of deleterious gases (conflagration excepted)	145	2	1			1	4	11	28	24	23	23	15	11	2			
169	Accidental drowning	496	1	19	8	5	12	39	123	103	64	68	31	19	4				
170	Traumatism by firearms	133		1	1	1	3	9	53	32	15	10	5	2	1				
171	Traumatism by cutting or piercing instruments	12							2	3	1	1	2	2	1				
172	Traumatism by fall	1,373	27	24	20	6	5	33	50	105	129	140	167	183	246	183	53	2	
173	Traumatism in mines and quarries (total)	1,284						1	124	454	359	229	84	25	6	2			
	Traumatism in mines	1,222						1	119	432	345	217	78	22	6	2			
	Traumatism in quarries	62							5	22	14	12	6	3					
174	Traumatism by machines	271		1			1	4	38	90	64	42	18	13					
175	Traumatism by other crushing (total)	2,170	5	12	17	18	22	104	210	483	472	356	233	141	77	19	1		
	Railroad accidents and injuries	1,521	1	6	4	2	4	26	147	406	375	257	159	83	45	6			
	Street-car accidents and injuries	257	1	2	5	10	13	26	23	31	36	38	28	23	13	7	1		
	Automobile accidents and injuries	103			2			27	16	11	15	7	12	8	4	1			
	Injuries by other vehicles	236	3	4	6	6	5	24	20	19	34	42	29	25	15	4			
	Landslide, other crushing	53						1	4	16	12	12	5	2		1			
176	Injuries by animals	50			1	2		2	6	10	2	12	5	6	3	1			
177	Starvation	4				1							1	1	1				
178	Excessive cold	28								2	4	6	7	4	1	3	1		
179	Effects of heat	190	70	10	1	1	1	3	1	13	9	21	13	17	14	15	1		
180	Lightning	17				1		1	3	4	3	3	1	1					
181	Electricity (lightning excepted)	78						2	9	31	25	6	3	2					
185	Fractures (cause not specified)	21			1			1	2	2	3	4	4	2	1	1			
186	Other external violence	458	69	23	8	2		16	48	78	76	64	37	23	13		1		
	Homicide (total)	362	19	2	1	1	2	2	16	110	110	63	26	6	4				
182	By firearms	196	1	1			1		8	66	73	31	12	2	1				
183	By cutting or piercing instruments	49							4	17	12	12	3		1				
184	By other means	117	18	1	1	1	1	2	4	27	25	20	11	4	2				
	XIV.—Ill-defined diseases	2,696	1,515	255	29	14	7	17	9	30	48	61	110	181	210	168	36	2	4
187	Ill-defined organic disease	141	1			1			1	3	5	5	19	28	45	29	3	1	
188	Sudden death	77	35	3	1					1	5	7	9	6	4	4	2		
189	Not specified or ill-defined (total)	2,478	1,479	252	28	13	7	17	8	26	38	49	82	147	161	135	31	1	4
	Ill-defined	2,265	1,339	245	28	13	7	15	8	21	30	40	70	134	155	130	29	1	
	Not specified or unknown	213	140	7				2		5	8	9	12	13	6	5	2		4

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	RHODE ISLAND.																		
	All causes	9,305	2,129	454	180	102	74	180	323	551	675	826	978	1,183	1,077	434	78	5	6
	I.—General diseases	2,394	225	149	77	53	42	71	138	281	298	289	289	257	166	51	4		4
1	Typhoid fever	74	1	1				7	14	22	9	9	7	3	1				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	5			1	1				1			2						
5	Smallpox																		
6	Measles	178	66	58	27	8	7	9	1		1		1						
7	Scarlet fever	22	2	3	5	2	4	2	2	1	1								
8	Whooping cough	51	34	13	2	1			1										
9	Diphtheria and croup	134	12	25	23	15	19	29	7	2		2							
10	Influenza	99	11	2		2		1	1	6	2	7	10	17	23	16	1		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	8		1			1				1		1	1	3				
14	Dysentery	35	5	1		2					3	3	5	6	5	5			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	18	2						3	4	1		2	3	3				
19	Other epidemic diseases	5	2	1		1		1											
20	Purulent infection and septicemia	14	3	1		1		1		1	1		2	4					
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	6						1	1	2	1	1							
25	Mycoses																		
26	Pellagra	3								1		1	1						
27	Beriberi																		
	Tuberculosis (total)	993	50	31	17	16	10	13	91	217	221	155	88	59	19	3			3
28	Tuberculosis of the lungs	838	17	7	5	3	4	6	77	201	209	150	82	54	18	3			2
29	Acute miliary tuberculosis	17	1			1			2	5	2	3	2	1					
30	Tuberculous meningitis	86	25	18	9	12	5	5	6	3	2			1					
31	Abdominal tuberculosis	34	3	5	3		1		1	6	6	2	3	3	1				
32	Pott's disease	7		1				2	3		1								
33	White swellings	4	1							1			1						1
34	Tuberculosis of other organs	3	2							1									
35	Disseminated tuberculosis	4	1						2		1								
36	Rickets	10	2	6		1									1				
37	Syphilis	40	21	2	1					3	6	3	3	1					
38	Gonococcus infection	3	3																
	Cancer and other malignant tumors (total)	474		1			1	1	2	7	33	79	120	120	87	20	3		
39	Of the buccal cavity	27									1	4	7	9	4	1	1		
40	Of the stomach, liver	157							1		8	19	41	50	32	5	1		
41	Of the peritoneum, intestines, rectum	76						1		1	2	13	19	17	19	4			
42	Of the female genital organs	77								2	10	23	17	17	6	2			
43	Of the breast	47									3	11	12	7	12	2			
44	Of the skin	20									2		5	6	3	4			
45	Of other organs or of organs not specified	70		1		1		1	4	7	9	19	14	11	2	1			
46	Other tumors (tumors of the female genital organs excepted)	5										1	3		1				
47	Acute articular rheumatism	25	1		1	1		2	4	4	1	2	4	1	2	2			
48	Chronic rheumatism and gout	6											3	1	2				
49	Scurvy																		
50	Diabetes	105	1	1		1		1	7	2	6	10	25	33	14	4			
51	Exophthalmic goiter	3								2		1							
52	Addison's disease	1									1								
53	Leukemia	10	1	1				2	2	1	1		1	1					
54	Anemia, chlorosis	21	1	1					2	3		4	1	6	3				
55	Other general diseases	14	7			1		1				1	2			1			1
56	Alcoholism (acute or chronic)	32								2	9	10	8	1	2				
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings																		
	II.—Diseases of the nervous system and of the organs of special sense	886	79	25	15	9	6	14	24	15	37	81	123	185	181	81	9	1	1
60	Encephalitis	5			1			1	2				1						
61	Meningitis (total)	74	27	14	7	3	2	5	6	4	1	3		2					
	Simple meningitis	43	18	9	3	2		3	3	1		2		2					
	Cerebrospinal meningitis (undefined)	30	9	5	4	1	2	2	3	2	1	1							
	Cerebrospinal fever	1								1									
62	Locomotor ataxia	12									3	3	2	3	1				
63	Other diseases of the spinal cord (total)	66	11	6	3	5	3	8	8	1	3		5	5	7	1			
	Acute anterior poliomyelitis	44	11	6	3	5	3	8	6	1					1				
	Other diseases of the spinal cord [1]	22							2		3		5	5	6	1			
64	Cerebral hemorrhage, apoplexy	513	2	1	1		1			3	12	43	88	149	142	64	6		1
65	Softening of the brain	9										1	2	1	3	2			
66	Paralysis without specified cause	49								1	1	2	4	16	16	6	2	1	
67	General paralysis of the insane	52								1	10	19	13	2	4	3			
68	Other forms of mental alienation	20								1	2	1	1	4	6	4	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	RHODE ISLAND—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	17	2		1				3	2	3	4	1	1					
70	Convulsions (nonpuerperal)	3							1	1	1								
71	Convulsions of infants	35	32	2	1														
72	Chorea	1							1										
73	Neuralgia and neuritis	3										1	1		1				
74	Other diseases of the nervous system	15	1						2	1	1	3	3	2	1	1			
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	12	4	2	1	1			1			1	2						
	III.—Diseases of the circulatory system	1,126	6	2	2	1		10	30	41	59	121	179	275	273	115	11	1	
77	Pericarditis	2									1				1				
78	Acute endocarditis	41				1		2	2	4	9	7	9	3	2	2			
79	Organic diseases of the heart	877	5	2	2			7	27	34	47	105	150	223	196	74	5		
80	Angina pectoris	40								2		3	5	8	17	4	1		
81	Diseases of the arteries, atheroma, aneurism, etc	139							1			3	13	32	53	32	4	1	
82	Embolism and thrombosis	17									1	2	1	6	3	3	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6								1	1		1	3					
84	Diseases of the lymphatic system (lymphangitis, etc.)	2						1				1							
85	Hemorrhage; other diseases of the circulatory system	2	1												1				
	IV.—Diseases of the respiratory system	1,295	342	131	41	20	13	27	38	43	60	81	105	165	144	66	17	1	1
86	Diseases of the nasal fossae	2					1	1											
87	Diseases of the larynx	13	3	1	1	2	1	1	1		1	1			1				
88	Diseases of the thyroid body	2											2						
89	Acute bronchitis	128	92	18	2			2		1		1	2	4	3	2	1		
90	Chronic bronchitis	53	2					1		1	2	2	6	10	11	11	6		1
91	Bronchopneumonia	295	128	58	19	4	2	3	3	6	3	7	11	23	15	13			
92	Pneumonia (total)	739	115	50	16	13	7	19	28	32	50	68	80	119	97	36	8	1	
	Lobar pneumonia	242	20	11	1	6	1	5	9	10	24	27	38	47	34	5	3	1	
	Pneumonia (undefined)	497	95	39	15	7	6	14	19	22	26	41	42	72	63	31	5		
93	Pleurisy	29		2	2	1	1		6	3	2	1	2	6	3				
94	Pulmonary congestion, pulmonary apoplexy	16	1	2	1						1			1	6	2	2		
95	Gangrene of the lung																		
96	Asthma	9					1						1	1	5	1			
97	Pulmonary emphysema	2	1													1			
98	Other diseases of the respiratory system (tuberculosis excepted)	7									1	1	1	1	3				
	V.—Diseases of the digestive system	1,361	799	122	29	6	6	20	21	33	38	48	69	80	67	21	2		
99	Diseases of the mouth and annexa	2	1		1														
100	Diseases of the pharynx	11	1	1	1		1	2	1	1		1	1	1					
101	Diseases of the esophagus	2													1	1			
102	Ulcer of the stomach	30								4	5	5	7	4	3	2			
103	Other diseases of the stomach (cancer excepted)	107	53	5	4			1	2	2	2	3	6	15	12	1	1		
104	Diarrhea and enteritis (under 2 years)	837	724	113															
105	Diarrhea and enteritis (2 years and over)	107			23	5	4	8	5	5	4	2	7	14	20	10			
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	56	1			1		6	8	13	7	11	6	3					
109	Hernia, intestinal obstruction (total)	67	12					2	4	1	6	3	10	18	10	1			
	Hernia	26	2								2	3	8	6	4	1			
	Intestinal obstruction	41	10					2	4	1	4		2	12	6				
110	Other diseases of the intestines	13	4								1		2	1	5				
111	Acute yellow atrophy of the liver	3								1	1	1							
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	76						1		1	6	18	22	16	8	3	1		
114	Biliary calculi	15								1		2	3	4	4	1			
115	Other diseases of the liver	15	1								1	2	2	3	4	2			
116	Diseases of the spleen	2	1								1								
117	Simple peritonitis (nonpuerperal)	15	1	3			1		1	4	3		1	1					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3									1		2						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	757	12	3	2	1		4	14	37	68	112	146	152	155	48	3		
119	Acute nephritis	72	6		1			2	5	3	5	13	18	12	4	3			
120	Bright's disease	603	4	3	1	1		2	9	30	51	91	115	129	131	35	1		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	9	1							1	3	1	1	1	1				
123	Calculi of the urinary passages	4											2		2				
124	Diseases of the bladder	15											2	1	6	5	1		
125	Diseases of the urethra, urinary abscess, etc	1	1																
126	Diseases of the prostate	19											2	5	7	4	1		
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)																		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	RHODE ISLAND—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
129	Uterine tumor (noncancerous)	13									2	4	3	2	2				
130	Other diseases of the uterus	4								1	1	1	1						
131	Cysts and other tumors of the ovary	9								1	2		1	2	2	1			
132	Salpingitis and other diseases of the female genital organs	8								1	4	2	1						
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	82							5	36	37	4							
134	Accidents of pregnancy	5								3	2								
135	Puerperal hemorrhage	9								2	5	2							
136	Other accidents of labor	9								4	3	2							
137	Puerperal septicemia	27							2	11	14								
138	Puerperal albuminuria and convulsions	31							3	16	12								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1									1								
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	27		1	1							2	4	3	9	6	1		
142	Gangrene	17			1							1	1		7	6	1		
143	Furuncle	4										1	2		1				
144	Acute abscess	3		1									1		1				
145	Other diseases of the skin and annexa	3												3					
	IX.—Diseases of the bones and of the organs of locomotion	11	1		1		1	1	2	2			1	2					
146	Diseases of the bones (tuberculosis excepted)	9			1		1	1	1	2			1	2					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	1						1										
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	80	75	1		1			3										
150	Congenital malformations (stillbirths not included) (total)	80	75	1		1			3										
	Hydrocephalus	7	5			1			1										
	Congenital malformations of the heart	50	47	1					2										
	Other congenital malformations	23	23																
	XI.—Early infancy	488	487							1									
151	Congenital debility, icterus, and sclerema (total)	352	351							1									
	Premature birth	218	218																
	Congenital debility, "atrophy," "marasmus," etc	134	133							1									
152	Other causes peculiar to early infancy (total)	133	133																
	Injuries at birth	93	93																
	Other causes peculiar to early infancy [1]	40	40																
153	Lack of care	3	3																
	XII.—Old age	152												10	45	69	26	2	
154	Senility	152												10	45	69	26	2	
	XIII.—External causes	525	21	13	12	11	6	32	46	61	75	84	59	50	28	23	4		
	Suicide (total)	80								11	18	21	14	11	2	3			
155	By poison	12								1	2	5	3	1					
156	By asphyxia	14								1	4	5	2	1	1				
157	By hanging or strangulation	14								1	3	3	4	3					
158	By drowning	8								2	2	2	1	1					
159	By firearms	24								6	3	5	2	5	1	2			
160	By cutting or piercing instruments	7									3	1	2			1			
161	By jumping from high places	1									1								
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	423	18	12	12	11	6	32	43	46	55	60	42	37	26	19	4		
164	Poisoning by food	1	1																
165	Other acute poisonings	17	1	1	3			1	1	1	2	4	1	1	1				
166	Conflagration	4									1			3					
167	Burns (conflagration excepted)	51	1	6	3	8	3	4	5	4	1	4	4	5	1	2			
168	Absorption of deleterious gases (conflagration excepted)	21	1	1					2	3	3	4	2	3		2			
169	Accidental drowning	72	3	1	2	2	2	8	10	16	9	12	3	3	1				
170	Traumatism by firearms	4						1	3										
171	Traumatism by cutting or piercing instruments	1												1					
172	Traumatism by fall	99	2	2	2			2	3	9	12	11	13	14	13	14	2		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	RHODE ISLAND—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	12							2	2	1	4	3						
175	Traumatism by other crushing (total)	81					1	12	13	4	20	17	8	1	5				
	Railroad accidents and injuries	31						2	4	4	10	9	2						
	Street-car accidents and injuries	15						5	1		3	2	2		2				
	Automobile accidents and injuries	19					1	1	4		4	4	2	1	2				
	Injuries by other vehicles	15						4	4		2	2	2		1				
	Landslide, other crushing	1									1								
176	Injuries by animals	7							1		1	1	2	1	1				
177	Starvation																		
178	Excessive cold	7								1	1	2	1	2					
179	Effects of heat	12	2		1			1	1	1		1		1	2	1	1		
180	Lightning	1						1											
181	Electricity (lightning excepted)	2								1	1								
185	Fractures (cause not specified)	5											2	1	1		1		
186	Other external violence	26	7	1	1	1		2	2	4	3		3	1	1				
	Homicide (total)	22	3	1					3	4	2	3	3	2		1			
182	By firearms	8							1	2	1	2	1	1					
183	By cutting or piercing instruments	4	1						1	2									
184	By other means	10	2	1					1		1	1	2	1		1			
	XIV.—Ill-defined diseases	121	82	7				1	2	1	3	4	3	4	9	4	1		
187	Ill-defined organic disease																		
188	Sudden death	3	1								1	1							
189	Not specified or ill-defined (total)	118	81	7				1	2	1	2	3	3	4	9	4	1		
	Ill-defined	114	78	7				1	2	1	1	3	3	4	9	4	1		
	Not specified or unknown	4	3								1								
	UTAH.																		
	All causes	4,072	896	159	67	66	44	163	241	358	388	335	330	333	377	252	44	1	18
	I.—General diseases	956	90	47	35	36	25	78	93	104	119	93	82	77	54	17	1		5
1	Typhoid fever	139	2	5	1	3	3	7	29	41	22	13	8	4					1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria																		
5	Smallpox	2	1				1												
6	Measles	5	2	2	1														
7	Scarlet fever	108	5	13	10	15	11	35	16	2		1							
8	Whooping cough	64	39	9	7	4	1	2	2										
9	Diphtheria and croup	73	4	10	9	8	4	25	10	3									
10	Influenza	31	3	2	1	2		1	1		3	3	1	4	8	2			
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	4	1	1												2			
14	Dysentery	4	2												2				
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	21	7	1					1	2	2	2		2	3	1			
19	Other epidemic diseases	1	1																
20	Purulent infection and septicemia	23	4						2	2	7	2		3	2	1			
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	6				1	1	1	2	1									
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	166	4	1	3	2	1	5	11	35	39	26	22	14	2	1			
28	Tuberculosis of the lungs	127	1			1		1	8	25	36	23	18	11	2	1			
29	Acute miliary tuberculosis	7						1		4	1			1					
30	Tuberculous meningitis	10	3			1	1	1	2	2									
31	Abdominal tuberculosis	11		1				1	1	2	1	3	1	1					
32	Pott's disease	5			1			1		1	1		1						
33	White swellings																		
34	Tuberculosis of other organs	4			1								2	1					
35	Disseminated tuberculosis	2			1					1									
36	Rickets	1	1																
37	Syphilis	12	3							3	1	4	1						
38	Gonococcus infection																		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	UTAH—Continued.																	
	I.—General diseases—Continued.																	
	Cancer and other malignant tumors (total)	134	1	.....	2	.....	1	.....	1	2	12	22	30	33	23	5	1	.....	1
39	Of the buccal cavity	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	1	.....	.....	.....
40	Of the stomach, liver	57	.....	.....	.....	.....	.....	.....	.....	.....	3	9	12	19	12	2	.....	.....	.....
41	Of the peritoneum, intestines, rectum	13	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	2	1	.....	.....	.....	.....
42	Of the female genital organs	12	.....	.....	.....	.....	.....	.....	.....	.....	3	4	2	2	1	.....	.....	.....	.....
43	Of the breast	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....	.....	.....	.....
44	Of the skin	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	1	.....	.....
45	Of other organs or of organs not specified	30	1	.....	2	.....	1	.....	1	2	3	4	4	6	4	1	.....	.....	1
46	Other tumors (tumors of the female genital organs excepted)	7	.....	1	.....	.....	.....	.....	.....	1	2	1	.....	1	1	.....	.....	.....	.....
47	Acute articular rheumatism	35	2	.....	.....	1	1	.....	9	3	6	3	1	2	5	2	.....	.....	.....
48	Chronic rheumatism and gout	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	1	.....	.....	.....
49	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	53	.....	1	.....	.....	.....	1	6	3	9	4	11	11	6	.....	.....	.....	1
51	Exophthalmic goiter	5	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	5	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	8	.....	.....	.....	.....	1	.....	.....	1	2	1	.....	.....	.....	2	.....	.....	1
55	Other general diseases	15	8	1	1	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	18	.....	.....	.....	.....	.....	.....	.....	1	4	6	2	2	2	.....	.....	.....	1
57	Chronic lead poisoning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	3	3	1	1	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	323	41	13	3	7	3	6	17	11	26	30	43	46	46	26	3	.....	2
60	Encephalitis	5	1	1	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	46	7	5	2	4	1	3	5	5	3	5	5	1	.....	.....	.....	.....	.....
	Simple meningitis	35	4	4	2	4	1	2	4	5	2	3	3	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	7	2	1	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	4	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	15	1	3	1	1	.....	1	1	.....	1	3	.....	2	.....	.....	.....	.....	1
	Acute anterior poliomyelitis	7	1	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord[1]	8	.....	.....	.....	.....	.....	1	.....	.....	1	3	.....	2	.....	.....	.....	.....	1
64	Cerebral hemorrhage, apoplexy	134	3	1	.....	.....	.....	.....	3	2	12	9	17	32	33	20	2	.....	.....
65	Softening of the brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
66	Paralysis without specified cause	33	2	.....	.....	1	.....	.....	1	.....	1	2	6	6	10	3	1	.....	.....
67	General paralysis of the insane	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	1	1	1	1	.....	.....	.....
68	Other forms of mental alienation	15	.....	.....	.....	.....	.....	.....	1	1	3	2	5	2	.....	.....	.....	.....	1
69	Epilepsy	13	.....	.....	.....	.....	1	1	1	2	1	2	3	.....	.....	2	.....	.....	.....
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	24	21	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	16	5	.....	.....	.....	.....	.....	1	.....	4	1	2	2	1	.....	.....	.....	.....
75	Diseases of the eyes and their annexa	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	4	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	III.—Diseases of the circulatory system	394	14	2	2	.....	2	23	24	51	35	38	51	57	68	25	2	.....	.....
77	Pericarditis	4	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
78	Acute endocarditis	38	2	.....	.....	.....	1	4	6	9	2	2	3	3	5	1	.....	.....	.....
79	Organic diseases of the heart	301	11	2	1	.....	.....	17	18	36	29	33	39	51	46	18	.....	.....	.....
80	Angina pectoris	19	.....	.....	.....	.....	.....	.....	.....	3	1	1	8	.....	6	.....	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	4	2	.....	.....
82	Embolism and thrombosis	11	1	.....	.....	.....	.....	1	.....	2	1	1	1	.....	4	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....
	IV.—Diseases of the respiratory system	559	171	37	15	12	8	17	19	27	36	37	45	55	40	33	5	.....	2
86	Diseases of the nasal fossae	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
87	Diseases of the larynx	7	.....	1	1	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	37	32	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
90	Chronic bronchitis	29	.....	.....	.....	.....	.....	.....	.....	.....	2	2	5	2	7	9	2	.....	.....
91	Bronchopneumonia	109	59	15	6	3	3	3	.....	1	.....	4	2	5	1	7	.....	.....	.....
92	Pneumonia (total)	325	78	17	8	8	5	10	14	24	28	27	28	41	25	8	2	.....	2
	Lobar pneumonia	113	13	1	1	2	3	4	5	14	14	14	14	13	11	4	.....	.....	.....
	Pneumonia (undefined)	212	65	16	7	6	2	6	9	10	14	13	14	28	14	4	2	.....	2
93	Pleurisy	8	1	1	.....	.....	.....	.....	.....	1	1	1	1	.....	1	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	15	.....	1	.....	.....	.....	.....	2	1	.....	.....	3	2	2	4	.....	.....	.....
95	Gangrene of the lung	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
96	Asthma	6	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	1	.....	.....	.....
97	Pulmonary emphysema	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	17	1	.....	.....	.....	.....	.....	1	.....	3	1	6	3	2	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	UTAH—Continued.																	
	V.—Diseases of the digestive system	462	196	33	5	2	3	12	37	20	27	39	24	23	28	10	1		2
99	Diseases of the mouth and annexa	2	1							1									
100	Diseases of the pharynx	6	3					1	2										
101	Diseases of the esophagus																		
102	Ulcer of the stomach	15							1	3	2	3	3	2	1				
103	Other diseases of the stomach (cancer excepted)	28	14	2					1	1		1	2		3	4			
104	Diarrhea and enteritis (under 2 years)	185	155	30															
105	Diarrhea and enteritis (2 years and over)	25			5	1	1	3			3	2	1	2	4	2	1		
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	62					1	7	21	8	5	11	4	2	1				2
109	Hernia, intestinal obstruction (total)	55	18			1			6	3	4	10	3	6	2	2			
	Hernia	14	3							1	1	6		1		2			
	Intestinal obstruction	41	15			1			6	2	3	4	3	5	2				
110	Other diseases of the intestines	10	2	1			1				1			2	3				
111	Acute yellow atrophy of the liver	1									1								
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	18									4	3	5	2	4				
114	Biliary calculi	8							1			3	1	2	1				
115	Other diseases of the liver	18	1								1		4	5	6	1			
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	27	2					1	5	3	6	6	1		2	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2								1					1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	300	12	3	1	2	2	9	8	22	32	35	40	38	67	24	5		
119	Acute nephritis	31	4	2	1			2	2	8	2	3	2	3	1	1			
120	Bright's disease	208	5	1		2	2	7	6	11	23	25	30	30	46	16	4		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	6	2												3		1		
123	Calculi of the urinary passages	3									1		1		1				
124	Diseases of the bladder	15								1	1			2	7	4			
125	Diseases of the urethra, urinary abscess, etc	6	1								1	1	1		1	1			
126	Diseases of the prostate	14											2	2	8	2			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	2										1	1						
130	Other diseases of the uterus	6									3	2		1					
131	Cysts and other tumors of the ovary	4									1	1	2						
132	Salpingitis and other diseases of the female genital organs	5								2		2	1						
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	69							2	32	26	9							
134	Accidents of pregnancy	8								5	2	1							
135	Puerperal hemorrhage	9									7	2							
136	Other accidents of labor	6								2	4								
137	Puerperal septicemia	30							1	16	9	4							
138	Puerperal albuminuria and convulsions	9								7	1	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5								2	2	1							
140	Following childbirth (not otherwise defined)	2							1		1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	7	1			1					1		2	1	1				
142	Gangrene	5				1							2	1	1				
143	Furuncle																		
144	Acute abscess	1									1								
145	Other diseases of the skin and annexa	1	1																
	IX.—Diseases of the bones and of the organs of locomotion	4			1	1					1		1						
146	Diseases of the bones (tuberculosis excepted)	4			1	1					1		1						
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	40	35	1				1	2	1									
150	Congenital malformations (stillbirths not included) (total)	40	35	1				1	2	1									
	Hydrocephalus	1							1										
	Congenital malformations of the heart	22	19	1					1	1									
	Other congenital malformations	17	16					1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	UTAH—Continued.																		
	XI.—Early infancy	290	289						1										
151	Congenital debility, icterus, and sclerema (total)	251	250						1										
	Premature birth	202	202																
	Congenital debility, "atrophy," "marasmus," etc.	49	48						1										
152	Other causes peculiar to early infancy (total)	39	39																
	Injuries at birth	12	12																
	Other causes peculiar to early infancy [1]	27	27																
153	Lack of care																		
	XII.—Old age	143												5	40	77	20	1	
154	Senility	143												5	40	77	20	1	
	XIII.—External causes	387	15	16	5	4	1	15	37	85	79	50	34	17	17	6	1		5
	Suicide (total)	40							1	11	10	8	3	4	2	1			
155	By poison	14							1	5	3	2		2	1				
156	By asphyxia																		
157	By hanging or strangulation	2									1			1					
158	By drowning																		
159	By firearms	17								4	5	4	3	1					
160	By cutting or piercing instruments	4								1	1				1	1			
161	By jumping from high places	2								1		1							
162	By crushing																		
163	Other suicides	1										1							
	Accidental or undefined (total)	326	15	16	5	4	1	15	35	66	62	39	31	12	15	5	1		4
164	Poisoning by food																		
165	Other acute poisonings	20	3	5	1				1	3	1		3	2					1
166	Conflagration																		
167	Burns (conflagration excepted)	21	2		1	2		2		2	3	3	1		1	3			1
168	Absorption of deleterious gases (conflagration excepted)	5									2	3							
169	Accidental drowning	31	1	8	3			3	4	3	3	3		2	1				
170	Traumatism by firearms	22						2	6	5	4	1	3	1					
171	Traumatism by cutting or piercing instruments	2								1		1							
172	Traumatism by fall	17	1						2	1	3	2	2	1	3	1	1		
173	Traumatism in mines and quarries (total)	41							2	17	14	5	3						
	Traumatism in mines	41							2	17	14	5	3						
	Traumatism in quarries																		
174	Traumatism by machines	4					1		2				1						
175	Traumatism by other crushing (total)	69	2	1		1		3	5	16	17	8	8	2	4				2
	Railroad accidents and injuries	40	1						2	12	13	7	2		1				2
	Street-car accidents and injuries	4								1	1			1	1				
	Automobile accidents and injuries	7							1		1	1	3		1				
	Injuries by other vehicles	11	1	1		1		3	1	1			2		1				
	Landslide, other crushing	7							1	2	2		1	1					
176	Injuries by animals	4				1			1		1		1						
177	Starvation																		
178	Excessive cold	5								2		1	1	1					
179	Effects of heat	2										1	1						
180	Lightning	3							1		2								
181	Electricity (lightning excepted)	14							3	6	3	2							
185	Fractures (cause not specified)	20							2	4	3	3	3	2	3				
186	Other external violence	46	6	2				5	6	6	6	6	4	1	3	1			
	Homicide (total)	21							1	8	7	3		1					1
182	By firearms	19							1	7	6	3		1					1
183	By cutting or piercing instruments	2								1	1								
184	By other means																		
	XIV.—Ill-defined diseases	138	32	7		1		2	2	4	6	4	8	14	16	34	6		2
187	Ill-defined organic disease	5											1	1		3			
188	Sudden death	2	1							1									
189	Not specified or ill-defined (total)	131	31	7		1		2	2	3	6	4	7	13	16	31	6		2
	Ill-defined	113	23	5		1		1	2	2	5	4	5	12	15	31	6		1
	Not specified or unknown	18	8	2				1		1	1		2	1	1				1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	VERMONT.																		
	All causes	5,704	791	110	60	39	23	98	162	270	322	369	554	870	1,164	715	149	5	3
	I.—General diseases	1,365	75	33	16	13	15	30	64	117	136	135	188	218	216	92	16	1	
1	Typhoid fever	50		1				4	13	9	11	6	3	1	2				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	3									2			1					
5	Smallpox																		
6	Measles	24	1	6	2			2		2	4	2	1	1	3				
7	Scarlet fever	11		2		2		2	3	2									
8	Whooping cough	52	34	7	4	2	3	2											
9	Diphtheria and croup	32	3	3	4	6	5	6	1	1	1	1		1					
10	Influenza	147	9	2	1	1		1		4	4	4	14	24	44	30	8	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	6	1					1	1							3			
14	Dysentery	23	3	1			1					1		6	4	6	1		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	15	1									2	2	4	1	4	1		
19	Other epidemic diseases	2		1					1										
20	Purulent infection and septicemia	12	1					1	2	2	2		2			2			
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	4							1		1	1			1				
25	Mycoses																		
26	Pellagra	2									1			1					
27	Beriberi																		
	Tuberculosis (total)	404	13	9	4	2	4	8	30	78	89	53	52	36	16	8	2		
28	Tuberculosis of the lungs	311	3	1	2	1	1	1	21	68	70	45	49	27	15	6	1		
29	Acute miliary tuberculosis	17		1					1	1	10	1	1	2					
30	Tuberculous meningitis	32	7	7	1	1	2	6	1	1	1	4				1			
31	Abdominal tuberculosis	22	2		1				3	4	5	1	1	4		1			
32	Pott's disease	8							3	2	1			2					
33	White swellings	2									1	1							
34	Tuberculosis of other organs	6	1				1			1			1		1		1		
35	Disseminated tuberculosis	6						1	1	1	1	1		1					
36	Rickets	2	1							1									
37	Syphilis	15	2							3	1	3	2	1	3				
38	Gonococcus infection	2	2																
	Cancer and other malignant tumors (total)	393					1			6	11	42	80	106	109	34	4		
39	Of the buccal cavity	13											2	3	5	3			
40	Of the stomach, liver	161									3	13	32	49	47	15	2		
41	Of the peritoneum, intestines, rectum	47								2	1	6	5	14	16	2	1		
42	Of the female genital organs	56									2	15	19	16	9	1			
43	Of the breast	43								3	2	3	8	14	11	2			
44	Of the skin	18									1	1	1	6	4	4	1		
45	Of other organs or of organs not specified	55					1			1	2	4	13	10	17	7			
46	Other tumors (tumors of the female genital organs excepted)	4										1	1	2					
47	Acute articular rheumatism	6						2		1			1	1	1				
48	Chronic rheumatism and gout	9										1	1	3	3	1			
49	Scurvy																		
50	Diabetes	76					1	1	8	5	3	4	16	19	18	1			
51	Exophthalmic goiter	6									1	2	2	1					
52	Addison's disease	1												1					
53	Leukemia	2									1	1							
54	Anemia, chlorosis	31	2	1					2	1	1	4	7	7	4	2			
55	Other general diseases	10	2		1				2				1		3	1			
56	Alcoholism (acute or chronic)	14								2	1	5	2	1	3				
57	Chronic lead poisoning	3									1	2							
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	4									1		1	1	1				
	II.—Diseases of the nervous system and of the organs of special sense	702	38	12	7	4		13	11	15	13	35	82	161	199	97	14	1	
60	Encephalitis	5	1					1		1					2				
61	Meningitis (total)	43	14	7	5	3		3	2	2	2	3			1	1			
	Simple meningitis	22	5	5	3	2			1	2	1	1			1	1			
	Cerebrospinal meningitis (undefined)	21	9	2	2	1		3	1		1	2							
	Cerebrospinal fever																		
62	Locomotor ataxia	11										2	1	6	2				
63	Other diseases of the spinal cord (total)	42	2	1				1	3	2		4	6	9	10	4			
	Acute anterior poliomyelitis	9	2	1				1	2	1		1	1						
	Other diseases of the spinal cord [1]	33							1	1		3	5	9	10	4			
64	Cerebral hemorrhage, apoplexy	446	4					1	1	3	5	11	54	113	164	78	11	1	
65	Softening of the brain	10												2	6	1	1		
66	Paralysis without specified cause	32							1		2	5	4	9	5	5	1		
67	General paralysis of the insane	17									1	1	3	7	1	3	1		
68	Other forms of mental alienation	20								2		2	6	9	1				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	VERMONT—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	27	2		1			3	3	5	1	4	3	2	2	1		
70	Convulsions (nonpuerperal)	2							1				1					
71	Convulsions of infants	16	13	3														
72	Chorea																	
73	Neuralgia and neuritis	9									1	2	1	1	1	3		
74	Other diseases of the nervous system	17	1	1	1	1		1			1	1	3	2	4	1		
75	Diseases of the eyes and their annexa																	
76	Diseases of the ears	5	1					3						1				
	III.—Diseases of the circulatory system	1,029	13	3	2	1		1	9	11	36	51	108	225	346	197	25	1
77	Pericarditis	5	1						1					2	1			
78	Acute endocarditis	15		1					3	1	1	2	2	3	2			
79	Organic diseases of the heart	790	9	2	1	1		1	4	10	32	43	89	180	266	138	13	1
80	Angina pectoris	55	1								1	3	9	14	16	9	2	
81	Diseases of the arteries, atheroma, aneurism, etc	138									1	2	7	20	51	47	10	
82	Embolism and thrombosis	23	1						1		1	1	1	5	10	3		
83	Diseases of the veins (varices, hemorrhoids; phlebitis, etc.)	1												1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1		1													
85	Hemorrhage; other diseases of the circulatory system																	
	IV.—Diseases of the respiratory system	661	132	30	9	4	2	14	18	20	31	37	48	88	116	90	20	1	1
86	Diseases of the nasal fossae	1												1				
87	Diseases of the larynx	6	2	2								1		1				
88	Diseases of the thyroid body	1										1						
89	Acute bronchitis	67	39	6				3			1				4	12	1	1
90	Chronic bronchitis	39	1										1	5	7	18	7	
91	Bronchopneumonia	106	32	9	3	2		1	2	3	2	1	3	8	21	16	3	
92	Pneumonia (total)	410	54	13	6	2	1	10	15	16	27	31	40	69	78	40	7	1
	Lobar pneumonia	88	3	1	2	1			3	6	10	8	13	15	14	11	1	
	Pneumonia (undefined)	322	51	12	4	1	1	10	12	10	17	23	27	54	64	29	6	1
93	Pleurisy	11	2				1				1	1	2	3	1			
94	Pulmonary congestion, pulmonary apoplexy	8	1							1			1		1	2	2	
95	Gangrene of the lung																	
96	Asthma	8							1				1	1	4	1		
97	Pulmonary emphysema																	
98	Other diseases of the respiratory system (tuberculosis excepted)	4	1									2				1		
	V.—Diseases of the digestive system	583	222	21	18	12	4	23	24	23	23	30	35	52	54	35	7	
99	Diseases of the mouth and annexa	1											1					
100	Diseases of the pharynx	5	1			1			1		1			1				
101	Diseases of the esophagus	3													1	1		
102	Ulcer of the stomach	21							2	1		1	6	5	5	1		
103	Other diseases of the stomach (cancer excepted)	66	21	1				2	2	3	2	3	7	8	8	6	3	
104	Diarrhea and enteritis (under 2 years)	206	188	18														
105	Diarrhea and enteritis (2 years and over)	66			14	5	2	5	1		4	5	4	5	11	9	1	
106	Ankylostomiasis																	
107	Intestinal parasites	2			2													
108	Appendicitis and typhlitis	60			2	3	2	9	13	14	7	4	2	3	1			
109	Hernia, intestinal obstruction (total)	46	5	1		1		4	1		3	4	5	6	9	7		
	Hernia	18	2								1	2		4	6	3		
	Intestinal obstruction	28	3	1		1		4	1		2	2	5	2	3	4		
110	Other diseases of the intestines	12	6			1						2	1		1	1		
111	Acute yellow atrophy of the liver	1														1		
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	32									2	4	4	8	10	3	1	
114	Biliary calculi	13								1	1	3	1	5	2			
115	Other diseases of the liver	24								1	1	3	3	7	3	5	1	
116	Diseases of the spleen	1													1			
117	Simple peritonitis (nonpuerperal)	24	1	1		1		3	4	3	2	1	1	4	2	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	457	6	3	2			5	4	12	24	35	61	85	148	60	11	1	
119	Acute nephritis	35	4		2			3	1	5	2	5	3	2	5	2	1	
120	Bright's disease	347	1	2				2	3	5	18	26	51	74	118	41	6	
121	Chyluria																	
122	Other diseases of the kidneys and annexa	3		1								1			1			
123	Calculi of the urinary passages	3	1									1			1			
124	Diseases of the bladder	16											2	1	9	2	1	1
125	Diseases of the urethra, urinary abscess, etc																	
126	Diseases of the prostate	32											1	1	13	15	2	
127	Nonvenereal diseases of the male genital organs																	
128	Uterine hemorrhage (nonpuerperal)	1								1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	VERMONT—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous)	6									1	1	2	2				
130	Other diseases of the uterus	2											1	1				
131	Cysts and other tumors of the ovary	6											1	3	1		1	
132	Salpingitis and other diseases of the female genital organs	5								1	2	1		1				
133	Nonpuerperal diseases of the breast (cancer excepted)	1									1							
	VII.—The puerperal state	61							3	28	26	4						
134	Accidents of pregnancy	9							1	2	5	1						
135	Puerperal hemorrhage	9							1	5	2	1						
136	Other accidents of labor	6								3	3							
137	Puerperal septicemia	22							1	11	10							
138	Puerperal albuminuria and convulsions	12								6	4	2						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								1	2							
140	Following childbirth (not otherwise defined)																	
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	32	3					1					1	3	11	9	4	
142	Gangrene	25	1					1					1	2	7	9	4	
143	Furuncle	2													2			
144	Acute abscess	3												1	2			
145	Other diseases of the skin and annexa	2	2															
	IX.—Diseases of the bones and of the organs of locomotion	8						1		2			1	1	1	2		
146	Diseases of the bones (tuberculosis excepted)	6						1		1				1	1	2		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2								1			1					
148	Amputations																	
149	Other diseases of the organs of locomotion																	
	X.—Malformations	67	63	4														
150	Congenital malformations (stillbirths not included) (total)	67	63	4														
	Hydrocephalus	1	1															
	Congenital malformations of the heart	50	47	3														
	Other congenital malformations	16	15	1														
	XI.—Early infancy	218	217					1										
151	Congental debility, icterus, and sclerema (total)	183	182					1										
	Premature birth	147	147															
	Congenital debility, "atrophy," "marasmus," etc.	36	35					1										
152	Other causes peculiar to early infancy (total)	34	34															
	Injuries at birth	21	21															
	Other causes peculiar to early infancy [1]	13	13															
153	Lack of care	1	1															
	XII.—Old age	184												1	37	100	45	1
154	Senility	184												1	37	100	45	1
	XIII.—External causes	309	9	4	6	5	2	9	29	41	32	41	27	35	31	31	6	1
	Suicide (total)	47							1	8	5	8	11	8	5	1		
155	By poison	15								4	2	2	3	3	1			
156	By asphyxia	1								1								
157	By hanging or strangulation	8										1	2	3	1	1		
158	By drowning	5									1	1	1	1	1			
159	By firearms	15							1	3	2	3	5	1				
160	By cutting or piercing instruments	3										1			2			
161	By jumping from high places																	
162	By crushing																	
163	Other suicides																	
	Accidental or undefined (total)	255	8	4	6	5	2	9	28	31	26	30	16	27	26	30	6	1
164	Poisoning by food	2			1									1				
165	Other acute poisonings	12	1		1	1			2	1			3	2	1			
166	Conflagration																	
167	Burns (conflagration excepted)	16			2	1		2			3	3	4	1				
168	Absorption of deleterious gases (conflagration excepted)	3									1			2				
169	Accidental drowning	34		2	1	1		1	12	7	5		1	2	1		1	
170	Traumatism by firearms	8	1			1			3	3								
171	Traumatism by cutting or piercing instruments																	
172	Traumatism by fall	73		2		1	2	2	3	3	1	5	2	5	16	26	5	

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	VERMONT—Continued.																	
	XIII.—External causes—Contd.																	
	Accidental or undefined—Continued.																	
173	Traumatism in mines and quarries (total)	6							1	3	1	1						
	Traumatism in mines																	
	Traumatism in quarries	6							1	3	1	1						
174	Traumatism by machines	9						1	1	3	1	1		1		1		
175	Traumatism by other crushing (total)	51						2	2	10	7	11	4	7	5	2		1
	Railroad accidents and injuries	33						1	1	9	6	4	3	6	2			1
	Street-car accidents and injuries	4						1	1	1		1						
	Automobile accidents and injuries	3										3						
	Injuries by other vehicles	9									1	1	1	1	3	2		
	Landslide, other crushing	2										2						
176	Injuries by animals	4									2	1			1			
177	Starvation	1	1															
178	Excessive cold	1									1							
179	Effects of heat	1													1			
180	Lightning	4						1	1	1	1							
181	Electricity (lightning excepted)	1							1									
185	Fractures (cause not specified)	5							1		1		1	1		1		
186	Other external violence	24	5		1				1		2	8	1	5	1			
	Homicide (total)	7	1							2	1	3						
182	By firearms	3										3						
183	By cutting or piercing instruments	1									1							
184	By other means	3	1							2								
	XIV.—Ill-defined diseases	28	13						1	1	1	3	1	5	2	1		
187	Ill-defined organic disease	2												2				
188	Sudden death	3	1							1			1					
189	Not specified or ill-defined (total)	23	12								1	1	2	1	3	2	1	
	Ill-defined	13	5								1		1	1	3	1	1	
	Not specified, or unknown	10	7									1	1			1		
	WASHINGTON.																	
	All causes	11,502	1,862	331	153	123	82	342	655	1,394	1,267	1,208	1,248	1,200	1,027	471	50	5	84
	I.—General diseases	3,327	238	104	60	44	46	174	310	568	460	426	395	286	169	28	4	1	14
1	Typhoid fever	324	3	4	6	4	1	23	67	103	55	22	19	8	6				3
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	1										1							
5	Smallpox	8	1						1	4	1	1							
6	Measles	76	13	20	4	6	5	13	5	1	2	3	2	1					1
7	Scarlet fever	31	5	5	7	5	5	27	20	6		1							
8	Whooping cough	177	109	36	11	3	6	10	1	1									
9	Diphtheria and croup	145	8	9	14	13	12	51	27	5		1	2		1				
10	Influenza	54	5	1	1	1			2	2	6	2	2	5	15	10	1	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	2						1							1				
14	Dysentery	24	13	1		1	1			1		1	1	3	2				
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	40	10						1	2	4	7	5	3	7				1
19	Other epidemic diseases	3	2									1							
20	Purulent infection and septicemia	23	1		1			1	1	4	5	6	2		2				
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	7							5	2									
25	Mycoses																		
26	Pellagra	2									1	1							
27	Beriberi	3								2	1								
	Tuberculosis (total)	1,243	30	22	11	6	12	29	131	377	261	177	116	48	16	2			5
28	Tuberculosis of the lungs	981	8	5	1	1	5	12	102	310	223	152	97	45	13	2			5
29	Acute miliary tuberculosis	32	1		2			1	4	14	5	2	2		1				
30	Tuberculous meningitis	87	17	13	5	3	7	15	8	13	5		1						
31	Abdominal tuberculosis	65	2	2	2				8	13	14	15	5	3	1				
32	Pott's disease	20			1	1		1	2	6	3	1	5						
33	White swellings	7							1	3	1		1		1				
34	Tuberculosis of other organs	30	2	1					4	9	5	5	4						
35	Disseminated tuberculosis	21		1		1			2	9	5	2	1						
36	Rickets	4	1	3															
37	Syphilis	54	19						2	4	9	10	4	5					1
38	Gonococcus infection	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	WASHINGTON—Continued.																		
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	593		1	2			2	5	9	40	113	158	160	89	11	2		1
39	Of the buccal cavity	26									1	4	4	12	3		2		
40	Of the stomach, liver	274			1			1	1	3	14	52	81	71	44	5			1
41	Of the peritoneum, intestines, rectum	61								1	1	9	17	21	11	1			
42	Of the female genital organs	76								2	12	21	20	14	7				
43	Of the breast	43									4	12	10	10	6	1			
44	Of the skin	20									2	2	4	6	5	1			
45	Of other organs or of organs not specified	93		1	1			1	4	3	6	13	22	26	13	3			
46	Other tumors (tumors of the female genital organs excepted)	10									5	3	1	1					
47	Acute articular rheumatism	46				1		7	10	2	8	6	3	4	4	1			
48	Chronic rheumatism and gout	8							1	1		1	1	2	1		1		
49	Scurvy	2	2																
50	Diabetes	124	1		1		1	5	21	13	10	7	21	26	14	4			
51	Exophthalmic goiter	13							1	2	3	3	3	1					
52	Addison's disease	8								1	3	2	2						
53	Leukemia	24					2	1	3	4	5	1	6	2					
54	Anemia, chlorosis	39	2		1				1	5	4	9	10	4	3				
55	Other general diseases	36	13	2	1	2	1	4	3	5	1		1		3				
56	Alcoholism (acute or chronic)	147							1	10	35	45	36	13	5				2
57	Chronic lead poisoning	2									1	1							
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	3								2		1							
	II.—Diseases of the nervous system and of the organs of special sense	1,092	66	25	20	15	7	35	49	62	66	115	151	203	192	80	2		4
60	Encephalitis	19	1			1		1	1	5	2	4	4						
61	Meningitis (total)	77	16	9	9	4	1	6	11	7	6	3	1	2	2				
	Simple meningitis	24	7	2	4			3	1	1	1	3		2					
	Cerebrospinal meningitis (undefined)	34	8	6	2			2	8	3	3		1		1				
	Cerebrospinal fever	19	1	1	3	4	1	1	2	3	2				1				
62	Locomotor ataxia	19								1	2	5	7	4					
63	Other diseases of the spinal cord (total)	116	9	10	8	5	4	23	17	10	2	9	8	7	3	1			
	Acute anterior poliomyelitis	81	9	10	8	3	4	23	17	7									
	Other diseases of the spinal cord [1]	35				2				3	2	9	8	7	3	1			
64	Cerebral hemorrhage, apoplexy	531	5	1		1		1	3	11	18	57	92	141	141	54	2		4
65	Softening of the brain	4										2		1		1			
66	Paralysis without specified cause	94	2			1		1			1	8	10	24	27	20			
67	General paralysis of the insane	41								1	8	9	15	2	4	2			
68	Other forms of mental alienation	54							2	8	9	10	4	12	8	1			
69	Epilepsy	39		1				1	7	11	10	1	4	3		1			
70	Convulsions (nonpuerperal)	8							1	5	2								
71	Convulsions of infants	34	27	3	2	1	1												
72	Chorea	4			1				3										
73	Neuralgia and neuritis	6							1			1	1	2	1				
74	Other diseases of the nervous system	31	4					1	1		5	5	5	4	6				
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	15	2	1		2	1	1	2	3	1	1		1					
	III.—Diseases of the circulatory system	1,121	22	4		2	2	16	50	63	67	122	203	259	208	91	6	1	5
77	Pericarditis	13				1		1	2	2	3		1	3					
78	Acute endocarditis	62	4	1				4	7	12	6	8	18	1	1				
79	Organic diseases of the heart	858	15	3		1	2	11	39	44	47	99	151	206	160	70	5	1	4
80	Angina pectoris	62							1	1	1	4	15	17	17	5			1
81	Diseases of the arteries, atheroma, aneurism, etc	96								2	6	4	15	28	26	14	1		
82	Embolism and thrombosis	20	1							2	3	5	2	2	4	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3									1	1	1						
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1						1										
85	Hemorrhage; other diseases of the circulatory system	5	1									1		2		1			
	IV.—Diseases of the respiratory system	1,019	231	79	23	14	6	26	31	70	82	88	89	102	116	51	7		4
86	Diseases of the nasal fossae	6	1		1			1	1				1			1			
87	Diseases of the larynx	8	1		2			2	1		2								
88	Diseases of the thyroid body	1										1							
89	Acute bronchitis	33	20	3		2							1	1	3	3			
90	Chronic bronchitis	45	1						1		2	1	7	4	15	13	1		
91	Bronchopneumonia	355	149	49	16	6	3	9	3	10	14	13	14	24	27	16	1		1
92	Pneumonia (total)	486	48	25	4	4	2	14	23	51	56	68	55	60	57	13	3		3
	Lobar pneumonia	459	44	23	3	4	2	12	20	51	52	65	54	58	53	12	3		3
	Pneumonia (undefined)	27	4	2	1			2	3		4	3	1	2	4	1			
93	Pleurisy	23		1		1			1	5	2	2	2	6	3				
94	Pulmonary congestion, pulmonary apoplexy	18	6	1			1				1	2		2	2	2	1		
95	Gangrene of the lung	1											1						
96	Asthma	23							1	2	1	1	5	4	6	3			
97	Pulmonary emphysema	4	1							1				1		1			
98	Other diseases of the respiratory system (tuberculosis excepted)	16	4			1				1	4		3		3				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	WASHINGTON—Continued.																		
	V.—Diseases of the digestive system	1,127	447	84	32	29	13	31	54	57	56	79	93	74	56	28	1		3
99	Diseases of the mouth and annexa	4	3					1											
100	Diseases of the pharynx	18	1		1	2		1	1	1	1	4	4			2			
101	Diseases of the esophagus																		
102	Ulcer of the stomach	38								2	2	8	11	9	3	3			
103	Other diseases of the stomach (cancer excepted)	98	44	7	2	2		3	2	2	1	7	7	10	8	3			
104	Diarrhea and enteritis (under 2 years)	435	364	71															
105	Diarrhea and enteritis (2 years and over)	98			26	15	3	8	2	3	7	5	5	6	11	7			
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	142		1	1	2		15	37	33	23	15	6	6	2				1
109	Hernia, intestinal obstruction (total)	107	23	2	2	6		2	9	7	6	14	11	8	11	4			2
	Hernia	23	2						1	1	2	6	3	2	5	1			
	Intestinal obstruction	84	21	2	2	6		2	8	6	4	8	8	6	6	3			2
110	Other diseases of the intestines	20	9	2					1		2	1	3	1	1				
111	Acute yellow atrophy of the liver	2													2				
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	75								1	6	11	26	19	6	6			
114	Biliary calculi	25									1	5	13	1	5				
115	Other diseases of the liver	51	3	1		2			1	5	5	8	5	12	6	3			
116	Diseases of the spleen	1											1						
117	Simple peritonitis (nonpuerperal)	9						1		3	1		1	2	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4							1		1	1					1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	782	15	3	1		3	5	22	63	85	105	130	155	140	51	3		1
119	Acute nephritis	48	5	1	1		1	3	2	3	5	11	5	4	7				
120	Bright's disease	586	6	2			2	1	15	38	48	74	115	134	112	37	1		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	22	2						1	1	4	6	1	3	2	2			
123	Calculi of the urinary passages	4	1								1	1	1						
124	Diseases of the bladder	15								1	1		2	2	5	4			
125	Diseases of the urethra, urinary abscess, etc	5										1	1	2	1				
126	Diseases of the prostate	31										1		8	13	7	2		
127	Nonvenereal diseases of the male genital organs	2	1							1									
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	14									2	8	3	1					
130	Other diseases of the uterus	14							2	3	7	1		1					
131	Cysts and other tumors of the ovary	9						1		2	4		2						
132	Salpingitis and other diseases of the female genital organs	31							2	14	13	2							
133	Nonpuerperal diseases of the breast (cancer excepted)	1														1			
	VII.—The puerperal state	194							9	102	70	13							
134	Accidents of pregnancy	32							1	18	12	1							
135	Puerperal hemorrhage	10								5	5								
136	Other accidents of labor	27							2	13	9	3							
137	Puerperal septicemia	96							4	53	33	6							
138	Puerperal albuminuria and convulsions	27							2	11	11	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1								1									
140	Following childbirth (not otherwise defined)	1								1									
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	29	2			1		1	1		1	1	5	7	7	2	1		
142	Gangrene	15											2	7	5	1			
143	Furuncle	4							1		1				1	1			
144	Acute abscess	5						1				1	3						
145	Other diseases of the skin and annexa	5	2			1									1		1		
	IX.—Diseases of the bones and of the organs of locomotion	20	1				1	2	1	3	4	3	3	1	1				
146	Diseases of the bones (tuberculosis excepted)	17	1				1	2	1	3	3	2	3	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3									1	1			1				
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	139	130	4	2		1	1	1										
150	Congenital malformations (stillbirths not included) (total)	139	130	4	2		1	1	1										
	Hydrocephalus	12	7	2	2		1												
	Congenital malformations of the heart	73	72	1															
	Other congenital malformations	54	51	1				1	1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	WASHINGTON—Continued.																		
	XI.—Early infancy	577	577																
151	Congenital debility, icterus, and sclerema (total)	478	478																
	Premature birth	308	308																
	Congenital debility, "atrophy," "marasmus," etc.	170	170																
152	Other causes peculiar to early infancy (total)	97	97																
	Injuries at birth	43	43																
	Other causes peculiar to early infancy[1]	54	54																
153	Lack of care	2	2																
	XII.—Old age	229												12	76	118	20	2	1
154	Senility	229												12	76	118	20	2	1
	XIII.—External causes	1,641	28	21	15	17	12	46	125	403	368	246	168	83	44	12	5	1	47
	Suicide (total)	230							6	55	46	53	41	19	4	2			4
155	By poison	70							5	19	15	12	10	7	1				1
156	By asphyxia	8								2	1	2	2	1					
157	By hanging or strangulation	19								4	7	1	4	1		1			1
158	By drowning	19								5	4	6	2	1	1				
159	By firearms	76							1	19	12	18	18	6	2				
160	By cutting or piercing instruments	22								4	5	6	3	2		1			1
161	By jumping from high places	2										1	1						
162	By crushing	8								1	2	4							1
163	Other suicides	6								1		3	1	1					
	Accidental or undefined (total)	1,330	22	21	15	16	12	46	118	326	303	176	119	61	39	9	5	1	41
164	Poisoning by food	6	1							1	1	1	2						
165	Other acute poisonings	25	1	4	3		1	3	2	4	3	2		2					
166	Conflagration	31	2	1	3	1	2	3	2	3	2	2	5	1	4				
167	Burns (conflagration excepted)	42	2	8	3	5	1	7	2	8	3	1			2				
168	Absorption of deleterious gases (conflagration excepted)	23							3	6	8		4	1	1				
169	Accidental drowning	235		2	5	2	4	15	49	60	39	24	23	5				1	6
170	Traumatism by firearms	48						3	16	12	9	4	4						
171	Traumatism by cutting or piercing instruments	2										2							
172	Traumatism by fall	129	1	2		2	2	3	6	21	24	15	18	13	14	5	3		
173	Traumatism in mines and quarries (total)	43							1	16	19	6	1						
	Traumatism in mines	42							1	16	19	5	1						
	Traumatism in quarries	1										1							
174	Traumatism by machines	43					1	1	2	12	12	11	3	1					
175	Traumatism by other crushing (total)	512	1	2		4	1	6	25	133	139	82	47	29	10	2	1		30
	Railroad accidents and injuries	292		1					14	75	83	45	28	10	6	2			28
	Street-car accidents and injuries	26							3	1	8	7	2	5					
	Automobile accidents and injuries	17				1		2	1	7	1	3			2				
	Injuries by other vehicles	39		1		1		2	3	5	6	6	6	7	2				
	Landslide, other crushing	138	1			2	1	2	4	45	41	21	11	7			1		2
176	Injuries by animals	13				1		3	1	1	1	1	1	1	3				
177	Starvation																		
178	Excessive cold	5	1									2	1				1		
179	Effects of heat	1													1				
180	Lightning																		
181	Electricity (lightning excepted)	11							1	8	2								
185	Fractures (cause not specified)	4									2					1			1
186	Other external violence	157	13	2	1	1		2	8	41	39	23	10	8	4	1			4
	Homicide (total)	81	6			1			1	22	19	17	8	3	1	1			2
182	By firearms	53				1			1	17	14	12	6		1				1
183	By cutting or piercing instruments	9								1	3		1	3		1			
184	By other means	19	6							4	2	5	1						1
	XIV.—Ill-defined diseases	205	105	7		1	1	5	2	3	8	10	11	18	18	10	1		5
187	Ill-defined organic disease	5								1				1	1	2			
188	Sudden death	4	1									1		2					
189	Not specified or ill-defined (total)	196	104	7		1	1	5	2	2	8	9	11	15	17	8	1		5
	Ill-defined	129	77	6				1		1	6	5	7	11	9	3	1		2
	Not specified or unknown	67	27	1		1	1	4	2	1	2	4	4	4	8	5			3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	WISCONSIN.																	
	All causes	28,070	5,621	987	484	299	242	733	1,229	2,024	1,828	2,101	2,445	3,021	3,784	2,747	427	20	78
	I.—General diseases	7,560	431	237	181	144	128	364	608	1,039	842	814	879	857	728	266	26	1	15
1	Typhoid fever	544	1	8	2	4	8	25	99	183	108	56	30	11	4	1			4
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	2										1		1					
5	Smallpox	3	1	1								1							
6	Measles	188	43	49	29	12	5	29	13	6	1	1							
7	Scarlet fever	309	11	35	40	47	33	89	38	5	6	2	1						2
8	Whooping cough	183	112	29	19	11	3	7	1				1						
9	Diphtheria and croup	432	33	40	49	41	51	130	57	18	5	6	2						
10	Influenza	248	19	3	2	2	2	3	9	12	6	9	22	34	73	45	7		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	48	13	4	3	1		1	2	1	1	1	2	1	9	7	1		1
14	Dysentery	157	40	15	10	5	4	1	4	1	3	5	4	10	31	21	3		
15	Plague																		
16	Yellow fever																		
17	Leprosy	1										1							
18	Erysipelas	83	13	4					3	5	6	6	15	14	8	6	2		1
19	Other epidemic diseases	7	3	2	1			1											
20	Purulent infection and septicemia	102	8		2	2		4	6	18	15	13	14	12	7	1			
21	Glanders																		
22	Anthrax																		
23	Rabies	4							1				2	1					
24	Tetanus	29	6		1			4	8		3	3	4						
25	Mycoses	3							1					1	1				
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	2,497	59	37	13	11	11	35	265	698	522	333	234	175	83	16	1		4
28	Tuberculosis of the lungs	2,089	19	16	6	2	4	14	200	623	471	298	200	153	66	13	1		3
29	Acute miliary tuberculosis	64	1	1	1	1		2	12	20	14	6	5	1					
30	Tuberculous meningitis	107	25	18	5	7	4	8	18	8	5	4	2	3					
31	Abdominal tuberculosis	93	7				1	2	16	21	18	8	8	9	1	1			1
32	Pott's disease	32	1	1			2	4	2	5	3	1	7	4	2				
33	White swellings	14							1	4	1	1	1	1	4	1			
34	Tuberculosis of other organs	51	4		1	1		2	7	9	4	5	7	3	7	1			
35	Disseminated tuberculosis	47	2	1				3	9	8	6	10	4	1	3				
36	Rickets	17	13	2	1					1									
37	Syphilis	47	26						1	1	6	2	5	5	1				
38	Gonococcus infection	1	1																
	Cancer and other malignant tumors (total)	1,763	1	1	3	1	2	5	13	20	65	245	394	455	403	142	11		2
39	Of the buccal cavity	63								1	3	10	12	14	11	10	1		1
40	Of the stomach, liver	843						2	1	3	19	100	186	269	203	55	4		1
41	Of the peritoneum, intestines, rectum	212	1						2	2	8	23	56	58	50	12			
42	Of the female genital organs	167								3	10	41	51	35	21	6			
43	Of the breast	116								1	11	31	25	11	19	16	2		
44	Of the skin	68					1	1	1		1	2	8	6	27	18	3		
45	Of other organs or of organs not specified	294		1	3	1	1	2	9	10	13	38	56	62	72	25	1		
46	Other tumors (tumors of the female genital organs excepted)	20			1				1	1	2	2	4	3	5		1		
47	Acute articular rheumatism	159	2		1	1	4	13	43	11	12	13	19	8	21	11			
48	Chronic rheumatism and gout	34									1	3	8	10	10	2			
49	Scurvy																		
50	Diabetes	309	1	2	1		3	12	30	24	18	32	55	66	56	9			
51	Exophthalmic goiter	31							1	5	6	9	5	4	1				
52	Addison's disease	7								1	1	2	2		1				
53	Leukemia	47	1			2		2	3	7	6	8	6	7	4				1
54	Anemia, chlorosis	115	9	1				1	3	14	14	19	25	21	6	2			
55	Other general diseases	56	15	4	3	4	2	2	6	3	2	5		4	3	2	1		
56	Alcoholism (acute or chronic)	102								4	29	33	22	12	1	1			
57	Chronic lead poisoning	5									2	2	1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	7									2	1	2	2					
	II.—Diseases of the nervous system and of the organs of special sense	3,145	539	104	54	37	19	80	86	109	112	200	320	447	575	410	45	2	6
60	Encephalitis	24	3	3	1				4	7	2		2	1	1				
61	Meningitis (total)	365	107	48	35	25	9	39	33	27	13	9	9	7	1	2			1
	Simple meningitis	278	83	37	27	21	6	26	25	19	11	6	8	5	1	2			1
	Cerebrospinal meningitis (undefined)	86	23	11	8	4	3	13	8	8	2	3	1	2					
	Cerebrospinal fever	1	1																
62	Locomotor ataxia	51								1	5	10	16	12	6	1			
63	Other diseases of the spinal cord (total)	142	11	8	4	2	3	14	7	7	4	16	11	25	16	11	1		2
	Acute anterior poliomyelitis	43	10	7	4	2	3	13	1		1			1	1				
	Other diseases of the spinal cord [1]	99	1	1				1	6	7	3	16	11	24	15	11	1		2
64	Cerebral hemorrhage, apoplexy	1,342	18	1				5	8	20	25	82	190	283	399	272	36	1	2
65	Softening of the brain	29										3	4	10	8	4			
66	Paralysis without specified cause	316	3	1	3	2		2	4	1	6	12	29	66	92	89	5	1	
67	General paralysis of the insane	82								2	15	22	9	15	13	6			
68	Other forms of mental alienation	104								6	15	13	24	12	17	15	2		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	WISCONSIN—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy	106	1				5	7	18	16	12	20	7	5	10	3	1		1
70	Convulsions (nonpuerperal)	20						6		6	4	2		1	1				
71	Convulsions of infants	431	377	36	11	7													
72	Chorea	5						1	2			1		1					
73	Neuralgia and neuritis	15								1		3	5	3	1	2			
74	Other diseases of the nervous system	88	13	4		1		3	5	14	10	6	11	6	10	5			
75	Diseases of the eyes and their annexa	1	1																
76	Diseases of the ears	24	5	3			2	3	5	1	1	1	3						
	III.—Diseases of the circulatory system	3,034	47	11	7	6	8	33	66	77	127	221	361	612	903	558	40	2	5
77	Pericarditis	21	1			2		2	1	1				4	4	6			
78	Acute endocarditis	110		2	1	1	1	6	5	9	10	19	26	11	13	6			
79	Organic diseases of the heart	2,310	31	5	4	3	4	20	60	58	95	170	295	470	675	384	32	1	3
80	Angina pectoris	122		1						1	5	9	12	39	35	17	2		1
81	Diseases of the arteries, atheroma, aneurism, etc	403		1						3	5	10	18	69	155	134	6	1	1
82	Embolism and thrombosis	79	2		1			3		5	7	11	8	16	17	9			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10					1				3			3	1	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	4	2			2												
85	Hemorrhage; other diseases of the circulatory system	21	9		1			2			2	2	2		3				
	IV.—Diseases of the respiratory system	2,949	747	210	84	35	30	64	88	108	132	169	206	271	415	335	43	1	6
86	Diseases of the nasal fossae	5	1	1				1	1							1			
87	Diseases of the larynx	35	10	4	4		2	4	2	2	2	2		3					
88	Diseases of the thyroid body	12								1	3	3	4	1					
89	Acute bronchitis	284	181	24	10	5	5	2	1	1	1	1	1	5	20	23	4		
90	Chronic bronchitis	267	4	1	1				4	8		3	17	35	85	97	11	1	
91	Bronchopneumonia	475	206	86	26	7	8	5	4	6	3	3	8	32	44	34	3		
92	Pneumonia (total)	1,600	323	86	38	20	14	47	66	76	110	141	143	158	226	127	20		5
	Lobar pneumonia	351	38	18	2	1	1	15	15	21	40	45	36	47	45	24	2		1
	Pneumonia (undefined)	1,249	285	68	36	19	13	32	51	55	70	96	107	111	181	103	18		4
93	Pleurisy	75	1	6	2	2		5	3	8	2	6	15	5	10	10			
94	Pulmonary congestion, pulmonary apoplexy	67	12	1	1	1			1	3	5	2		6	11	19	5		
95	Gangrene of the lung	4									1		2	1					
96	Asthma	63	1		1		1					1	7	17	13	17	4		1
97	Pulmonary emphysema	3												1	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	59	8	1	1				6	3	5	7	9	7	5	6	1		
	V.—Diseases of the digestive system	3,762	1,642	341	108	45	29	100	119	155	130	188	231	235	274	135	21	1	8
99	Diseases of the mouth and annexa	10	9					1											
100	Diseases of the pharynx	40	5	1	1	3		8	2	8	2	1	3	3	1	2			
101	Diseases of the esophagus	5							2			1		1	1				
102	Ulcer of the stomach	103						1	5	8	16	22	20	15	15	1			
103	Other diseases of the stomach (cancer excepted)	333	172	13	4	1	3	6	3	1	3	11	18	22	37	32	6		1
104	Diarrhea and enteritis (under 2 years)	1,702	1,385	317															
105	Diarrhea and enteritis (2 years and over)	363			88	32	15	30	10	11	7	8	17	28	64	43	8	1	1
106	Ankylostomiasis																		
107	Intestinal parasites	1									1								
108	Appendicitis and typhlitis	256	4	2	3		5	32	62	61	33	27	11	7	7	1			1
109	Hernia, intestinal obstruction (total)	273	33	2	6	3	2	7	13	18	15	27	38	40	41	21	4		3
	Hernia	89	5		1		1		2	2	6	9	12	16	19	14			2
	Intestinal obstruction	184	28	2	5	3	1	7	11	16	9	18	26	24	22	7	4		1
110	Other diseases of the intestines	71	14	5		2		5		9	2	5	5	6	11	6	1		
111	Acute yellow atrophy of the liver	4							1	1	1			1					
112	Hydatid tumor of the liver	2			1									1					
113	Cirrhosis of the liver	257		1	1	1				5	21	35	66	64	47	13	2		1
114	Biliary calculi	52								3	5	7	13	10	12	2			
115	Other diseases of the liver	143	11		1			3	4	3	10	20	25	23	32	11			
116	Diseases of the spleen	8							1		2	3	2						
117	Simple peritonitis (nonpuerperal)	127	8		3	3	4	5	15	27	11	18	11	14	4	3			1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12	1					2	1		1	3	2		2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,770	40	10	4	5	7	21	50	76	116	172	222	351	413	245	35		3
119	Acute nephritis	128	16	4	3	2	6	11	8	12	13	11	8	9	13	11	1		
120	Bright's disease	1,334	15	5	1	3	1	10	35	41	83	137	196	298	314	172	20		3
121	Chyluria																		
122	Other diseases of the kidneys and annexa	55	6	1					1	2	1	9	8	11	10	6			
123	Calculi of the urinary passages	11	1						2				1	3	4				
124	Diseases of the bladder	79	2								1	3	2	11	29	21	10		
125	Diseases of the urethra, urinary abscess, etc	3											2		1				
126	Diseases of the prostate	91									1		1	15	37	34	3		
127	Nonvenereal diseases of the male genital organs	2													1		1		
128	Uterine hemorrhage (nonpuerperal)	5							2		1	1	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	WISCONSIN—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
129	Uterine tumor (noncancerous)	6									1	3	1		1				
130	Other diseases of the uterus	25								13	5	3	2	1		1			
131	Cysts and other tumors of the ovary	12								2	2	3		2	3				
132	Salpingitis and other diseases of the female genital organs	19							2	6	8	2		1					
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	268							18	122	97	31							
134	Accidents of pregnancy	25								16	9								
135	Puerperal hemorrhage	36								13	16	7							
136	Other accidents of labor	27							1	7	13	6							
137	Puerperal septicemia	113							11	52	42	8							
138	Puerperal albuminuria and convulsions	49							6	23	12	8							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	16								10	5	1							
140	Following childbirth (not otherwise defined)	2								1		1							
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	113	18	2	1		1	1	6	5	1	7	4	16	24	25	2		
142	Gangrene	57	1						2			4	3	8	17	20	2		
143	Furuncle	7	1						1	1			1	1	1	1			
144	Acute abscess	21	5	1	1			1	3	2		2		4	1	1			
145	Other diseases of the skin and annexa	28	11	1			1			2	1	1		3	5	3			
	IX.—Diseases of the bones and of the organs of locomotion	30		2			2	5	5	3	2	3	2	1	2	3			
146	Diseases of the bones (tuberculosis excepted)	26		2			2	5	5	3	2	3	2			2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3												1	2				
148	Amputations																		
149	Other diseases of the organs of locomotion	1														1			
	X.—Malformations	291	270	8	2	2		3	2	2	2								
150	Congenital malformations (stillbirths not included) (total)	291	270	8	2	2		3	2	2	2								
	Hydrocephalus	34	24	5	2	1			1		1								
	Congenital malformations of the heart	137	129	2		1		2	1	2									
	Other congenital malformations	120	117	1				1			1								
	XI.—Early infancy	1,595	1,595																
151	Congenital debility, icterus, and sclerema (total)	1,342	1,342																
	Premature birth	812	812																
	Congenital debility, "atrophy," "marasmus," etc	530	530																
152	Other causes peculiar to early infancy (total)	249	249																
	Injuries at birth	129	129																
	Other causes peculiar to early infancy [1]	120	120																
153	Lack of care	4	4																
	XII.—Old age	1,065												32	244	599	177	12	1
154	Senility	1,065												32	244	599	177	12	1
	XIII.—External causes	1,815	50	45	38	23	17	59	175	313	254	261	194	147	113	86	12	1	27
	Suicide (total)	331							20	59	60	61	59	40	20	8		1	3
155	By poison	86							8	18	14	14	16	7	6	2		1	
156	By asphyxia	10								2		3	3		1				1
157	By hanging or strangulation	80								5	20	10	18	18	5	3			1
158	By drowning	34							5	11	4	7	4	2	1				
159	By firearms	84							5	19	17	15	14	4	6	3			1
160	By cutting or piercing instruments	26							1	1	3	9	3	8	1				
161	By jumping from high places	1							1										
162	By crushing	3								1		2							
163	Other suicides	7								2	2	1	1	1					
	Accidental or undefined (total)	1,445	48	45	36	23	17	58	153	245	191	187	130	106	93	78	12		23
164	Poisoning by food	3		2					1										
165	Other acute poisonings	32	1	6	5	1	2		1	2	3	3	5	1	1	1			
166	Conflagration	17	1		2	1	2	1		4	2	1		3					
167	Burns (conflagration excepted)	97	5	16	13	11	8	3	4	5	7	8	3	6	5	2			1
168	Absorption of deleterious gases (conflagration excepted)	21						2	3	3	2	4			3	2	1		1
169	Accidental drowning	203		8	6	4	1	22	46	50	19	15	15	8	4	1	1		3
170	Traumatism by firearms	60		1			1	4	26	9	13	5	1						
171	Traumatism by cutting or piercing instruments	4							1			1	2						
172	Traumatism by fall	231	2	2	2	1		4	8	25	18	23	23	27	39	51	6		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	WISCONSIN—Continued.																	
	XIII.—External causes—Contd.																	
	Accidental or undefined—Continued.																	
173	Traumatism in mines and quarries (total)	9								3	2	2	2					
	Traumatism in mines	7								3	1	2	1					
	Traumatism in quarries	2									1		1					
174	Traumatism by machines	38							5	9	10	8	6					
175	Traumatism by other crushing (total)	412	1	3	3	5	1	15	39	90	73	65	49	36	15	4		13
	Railroad accidents and injuries	259	1	1	1	1		5	21	65	53	38	33	22	6			12
	Street-car accidents and injuries	39		1	1	2		3	5	10	2	6	4	2	2	1		
	Automobile accidents and injuries	19					1	3	4	1	4	2	2	1	1			
	Injuries by other vehicles	76		1	1	2		4	7	9	12	14	6	11	5	3		1
	Landslide, other crushing	19							2	5	2	5	4		1			
176	Injuries by animals	24						3	2	5	3	1	4	4	1	1		
177	Starvation	1							1									
178	Excessive cold	21								1	4	6	3	1	4	1		1
179	Effects of heat	41	6	1	2			1	1	5	5	6	1	5	5	2		1
180	Lightning	6							1	4	1							
181	Electricity (lightning excepted)	18							5	5	1	6		1				
185	Fractures (cause not specified)	48				1			2	2	5	5	4	6	9	11	2	1
186	Other external violence	159	32	6	3		1	3	7	23	23	28	12	8	7	2	2	2
	Homicide (total)	39	2		2			1	2	9	3	13	5	1				1
182	By firearms	19	1						1	5	1	6	3	1				1
183	By cutting or piercing instruments	7								3	1	3						
184	By other means	13	1		2			1	1	1	1	4	2					
	XIV.—Ill-defined diseases	623	242	17	5	2	1	3	6	15	13	35	26	52	93	85	21	7
187	Ill-defined organic disease	58	2		1				1			2	7	6	15	19	4	1
188	Sudden death	11	1							1	3	1	1	3	1			
189	Not specified or ill-defined (total)	554	239	17	4	2	1	3	5	14	10	32	18	43	77	66	17	6
	Ill-defined	487	202	16	3	1	1	2	2	11	7	29	15	39	76	65	14	4
	Not specified or unknown	67	37	1	1	1		1	3	3	3	3	3	4	1	1	3	2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
BIRMINGHAM, ALA. (TOTAL).																			
	All causes	**2,597**	**391**	**162**	**53**	**32**	**22**	**76**	**157**	**445**	**371**	**289**	**234**	**182**	**123**	**44**	**9**	**6**	**1**
1	Typhoid fever	66	.....	1	1	1	1	5	10	23	13	4	4	3	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	35	2	2	1	.....	.....	3	2	6	6	7	4	1	.....	1	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	24	4	5	5	2	2	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	4	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	13	4	4	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	16	3	3	3	2	.....	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	17	.....	.....	1	1	1	.....	.....	2	3	2	3	1	2	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	32	1	.....	1	.....	.....	1	1	5	4	5	3	7	3	.....	1	.....	.....
13	Tuberculosis of the lungs	369	3	7	2	.....	1	6	48	128	89	47	27	8	3	.....	.....	.....	.....
14	Tuberculous meningitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	6	.....	.....	.....	.....	.....	.....	1	1	3	.....	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	83	.....	.....	.....	.....	.....	1	2	5	13	24	17	15	4	2	.....	.....	.....
17	Meningitis	34	4	1	1	1	1	5	8	6	3	4	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	94	.....	.....	.....	.....	.....	.....	.....	1	4	16	26	28	16	3	.....	.....	.....
19	Organic diseases of the heart	168	2	1	.....	1	.....	5	10	18	22	30	21	24	27	7	.....	.....	.....
20	Acute bronchitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	242	29	14	5	2	3	8	12	40	29	33	24	20	16	4	2	1	.....
23a	Bronchopneumonia	62	28	13	4	4	.....	5	3	1	.....	.....	2	1	1	.....	.....	.....	.....
23b	Other diseases of the respiratory system	12	2	.....	1	.....	.....	.....	.....	2	2	1	3	1	.....	.....	.....	.....	.....
24	Diseases of the stomach	8	.....	.....	.....	.....	1	.....	.....	2	.....	2	2	.....	.....	1	.....	.....	.....
25 (37)	Diarrhea and enteritis	244	114	79	20	7	5	8	.....	5	.....	.....	1	3	2	.....	.....	.....	.....
26	Appendicitis and typhlitis	25	.....	.....	.....	.....	.....	1	6	9	4	1	4	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	18	2	.....	.....	.....	.....	.....	1	4	5	.....	3	2	1	.....	.....	.....	.....
28	Cirrhosis of the liver	26	.....	.....	.....	.....	.....	.....	.....	1	4	9	6	6	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	110	.....	.....	.....	1	.....	.....	4	9	14	21	25	20	11	5	.....	.....	.....
30	Diseases of the female genital organs	10	.....	.....	.....	.....	.....	.....	1	4	3	1	.....	1	.....	.....	.....	.....	.....
31	Puerperal fever	16	.....	.....	.....	.....	.....	.....	2	9	5	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	16	.....	.....	.....	.....	.....	.....	2	7	6	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	87	87	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	15	15	5	5	.....	.....
35	Violent deaths (excluding suicide)	251	8	4	.....	5	4	8	24	92	56	22	15	9	2	1	.....	.....	1
36	Suicide	27	.....	.....	.....	.....	.....	.....	1	8	9	5	2	2	.....	.....	.....	.....	.....
37	Other defined diseases	300	37	13	3	3	1	9	10	48	61	46	26	20	18	4	1	.....	.....
38	Diseases ill-defined or unknown	134	61	14	3	1	.....	2	7	6	11	8	15	4	2	.....	.....	.....	.....
BIRMINGHAM, ALA. (WHITE).																			
	All causes	**1,206**	**193**	**88**	**24**	**21**	**9**	**40**	**48**	**166**	**138**	**112**	**127**	**120**	**89**	**27**	**3**	.....	**1**
1	Typhoid	40	.....	1	.....	1	.....	3	4	17	7	2	3	2	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	Malaria	10	1	.....	.....	.....	.....	2	.....	.....	1	3	2	.....	.....	1	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	11	2	2	1	2	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	4	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	9	3	3	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	12	.....	3	3	2	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	8	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	1	2	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	16	1	.....	.....	.....	.....	1	.....	2	2	3	.....	5	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	119	1	2	1	.....	1	1	9	40	34	10	14	4	2	.....	.....	.....	.....
14	Tuberculous meningitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	52	.....	.....	.....	.....	.....	.....	2	3	7	14	12	10	3	1	.....	.....	.....
17	Meningitis	15	4	1	1	.....	1	3	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	49	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	7	21	12	1	.....	.....	.....
19	Organic diseases of the heart	72	1	1	.....	.....	.....	3	4	6	4	8	9	12	20	4	.....	.....	.....
20	Acute bronchitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	99	8	6	1	2	.....	6	3	6	10	13	16	12	12	3	1	.....	.....
23a	Bronchopneumonia	25	11	4	2	2	.....	2	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....
23b	Other diseases of the respiratory system	7	2	.....	1	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....
24	Diseases of the stomach	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
25 (37)	Diarrhea and enteritis	132	59	51	10	3	2	3	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	19	.....	.....	.....	.....	.....	.....	4	8	3	1	3	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	8	1	.....	.....	.....	.....	.....	.....	2	1	.....	2	1	1	.....	.....	.....	.....
28	Cirrhosis of the liver	12	.....	.....	.....	.....	.....	.....	.....	.....	2	2	4	4	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	56	.....	.....	.....	1	.....	.....	1	4	4	6	14	13	10	3	.....	.....	.....
30	Diseases of the female genital organs	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	8	.....	.....	.....	.....	.....	.....	1	4	2	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	57	57	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	9	9	2	.....	.....	.....
35	Violent deaths (excluding suicide)	114	3	3	.....	4	1	6	9	32	26	11	9	6	2	1	.....	.....	1
36	Suicide	24	.....	.....	.....	.....	.....	.....	1	7	7	5	2	2	.....	.....	.....	.....	.....
37	Other defined diseases	143	15	7	1	3	.....	3	5	23	23	16	17	16	11	3	.....	.....	.....
38	Diseases ill-defined or unknown	48	24	3	2	1	.....	1	.....	1	2	5	6	1	2	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	BIRMINGHAM, ALA. (COLORED).																		
	All causes	1,391	198	74	29	11	13	36	109	279	233	177	107	62	34	17	6	6	
1	Typhoid fever	26			1		1	2	6	6	6	2	1	1					
2	Typhus fever																		
3	Malaria	25	1	2	1			1	2	6	5	4	2	1					
4	Smallpox																		
5	Measles	13	2	3	4			2		1	1								
6	Scarlet fever																		
7	Whooping cough	4	1	1	1	1													
8	Diphtheria and croup	4	3							1									
9	Influenza	9			1	1	1				3	2	1						
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	16			1				1	3	2	2	3	2	1		1		
13	Tuberculosis of the lungs	250	2	5	1			5	39	88	55	37	13	4	1				
14	Tuberculous meningitis																		
15	Other forms of tuberculosis	5							1	1	3								
16	Cancer and other malignant tumors	31						1		2	6	10	5	5	1	1			
17	Meningitis	19				1		2	7	5	3	1							
18	Cerebral hemorrhage and softening	45								1	4	8	19	7	4	2			
19	Organic diseases of the heart	96	1			1		2	6	12	18	22	12	12	7	3			
20	Acute bronchitis																		
21	Chronic bronchitis	1						1											
22	Pneumonia	143	21	8	4		3	2	9	34	19	20	8	8	4	1	1	1	
23a	Bronchopneumonia	37	17	9	2	2		3	1				2		1				
23b	Other diseases of the respiratory system	5								1	2	1	1						
24	Diseases of the stomach	5					1			2		1				1			
25(37)	Diarrhea and enteritis	112	55	28	10	4	3	5		5			1		1				
26	Appendicitis and typhlitis	6						1	2	1	1		1						
27	Hernia, intestinal obstruction	10	1						1	2	4		1	1					
28	Cirrhosis of the liver	14								1	2	7	2	2					
29	Acute nephritis and Bright's disease	54							3	5	10	15	11	7	1	2			
30	Diseases of the female genital organs	6							1	2	1	1		1					
31	Puerperal fever	13							2	6	5								
32	Other puerperal affections	8							1	3	4								
33	Congenital debility and malformations	30	30																
34	Senility	21												1	6	6	3	5	
35	Violent deaths (excluding suicide)	137	5	1		1	3	2	15	60	30	11	6	3					
36	Suicide	3								1	2								
37	Other defined diseases	157	22	6	2		1	6	5	25	38	30	9	4	7	1	1		
38	Diseases ill-defined or unknown	86	37	11	1			1	7	5	9	3	9	3					
	LOS ANGELES, CAL.																		
	All causes	4,538	531	95	66	35	31	52	141	482	579	541	576	650	481	243	33	1	1
1	Typhoid fever	46			1	1	2	1	6	17	5	9	1	2	1				
2	Typhus fever																		
3	Malaria	3				1				1				1					
4	Smallpox																		
5	Measles	50	11	21	9	2	1	2	1	1			1	1					
6	Scarlet fever	14	1	1	2	3		2	2	2		1							
7	Whooping cough	19	8	7	2	1	1												
8	Diphtheria and croup	24	2	2	3	4	3	9	1										
9	Influenza	20	3							1		1	1	6	4	4			
10	Asiatic cholera																		
11	Cholera nostras	1													1				
12	Other epidemic diseases	25	3	2		1	1			1	2		2	8	3	2			
13	Tuberculosis of the lungs	743	15	5	5	5	1	7	36	215	192	127	81	39	11	4			
14	Tuberculous meningitis	37	14	8	6	3		2	2		1		1						
15	Other forms of tuberculosis	60	2	2	1	1	3	1	5	12	15	4	8	5	1				
16	Cancer and other malignant tumors	338								7	23	61	99	94	43	11			
17	Meningitis	58	14	7	6	1	1	1	6	2	10	5	5						
18	Cerebral hemorrhage and softening	201	2	1					2	5	10	17	31	47	61	24	1		
19	Organic diseases of the heart	444	1		1			2	5	25	36	46	86	110	87	39	5		1
20	Acute bronchitis	20	9	3	2		1					1		1		1	2		
21	Chronic bronchitis	25	1		1			1	1		1		1	5	7	7			
22	Pneumonia	215	32	3	4		3	3	7	13	19	23	18	34	37	18		1	
23a	Bronchopneumonia	60	24	9	6	1	1		1	2	2	1	1	6	4	1	1		
23b	Other diseases of the respiratory system	45								2	3	9	5	7	11	8			
24	Diseases of the stomach	49	7	2					1	6	4	5	4	9	6	5			
25(37)	Diarrhea and enteritis	109	66	13	5	1	1	1		1	4	2	4	5	6				
26	Appendicitis and typhlitis	48						2	9	8	14	8	4	1	2				
27	Hernia, intestinal obstruction	50	3		2		1	1	1	5	5	9	8	6	7	2			
28	Cirrhosis of the liver	52							1	2	9	9	18	11	2				
29	Acute nephritis and Bright's disease	308	6	1	1		2	1	6	17	27	46	58	70	50	21	2		
30	Diseases of the female genital organs	30							1	3	10	8	5	3					
31	Puerperal fever	11							1	4	6								
32	Other puerperal affections	27							2	12	13								
33	Congenital debility and malformations	215	209	2	1	1	1		1										
34	Senility	88												6	30	38	14		
35	Violent deaths (excluding suicide)	280	4	2	4	1	3	4	23	49	68	37	22	24	19	15	5		
36	Suicide	97							2	23	26	21	8	9	6	2			
37	Other defined diseases	703	78	4	4	8	5	12	18	46	74	90	102	138	81	40	3		
38	Diseases ill-defined or unknown	23	16									1	2	2	1	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	OAKLAND, CAL.																		
	All causes	1,929	253	50	29	14	11	36	63	133	183	189	249	304	258	131	25	1	
1	Typhoid fever	25	1		1			1	6	5	7	3		1					
2	Typhus fever																		
3	Malaria	2											1	1					
4	Smallpox																		
5	Measles	6	1	4				1											
6	Scarlet fever	5		1		1		1	1	1									
7	Whooping cough	31	19	7	4			1											
8	Diphtheria and croup	11	1	2	1		2	5											
9	Influenza	6												2	3	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7	2		1								2	1	1				
13	Tuberculosis of the lungs	191	3	2	2	1	1	3	14	44	46	27	24	21	3				
14	Tuberculous meningitis	14	1	4	3	1		2	1	1	1								
15	Other forms of tuberculosis	12	2	1	1		1		2	1	2	2							
16	Cancer and other malignant tumors	131									12	24	29	41	23	2			
17	Meningitis	22	8	3	4	1	1	1	2		1	1							
18	Cerebral hemorrhage and softening	96	2		1						3	5	20	25	27	11	2		
19	Organic diseases of the heart	305	1	1			1	3	4	12	11	22	54	86	72	29	9		
20	Acute bronchitis	9	4	2				1							1	1			
21	Chronic bronchitis	16								1		2	1	3	4	4	1		
22	Pneumonia	105	15	7	5	2		3	4	4	3	13	11	15	15	8			
23a	Bronchopneumonia	51	19	6	2	2		1			1	1	1	2	7	7	2		
23b	Other diseases of the respiratory system	25	4				2					2	2	2	5	7	1		
24	Diseases of the stomach	20	4	2						2	1	3	1	3	1	3			
25 (37)	Diarrhea and enteritis	69	55	4	1		1	1	1		1		1		3	1			
26	Appendicitis and typhlitis	19						1	2	3	8	1	4						
27	Hernia, intestinal obstruction	7									1	1	1	2	2				
28	Cirrhosis of the liver	27								1	2	4	8	8	2	2			
29	Acute nephritis and Bright's disease	147	1		1	2		1	5	12	12	16	21	26	30	18	2		
30	Diseases of the female genital organs	17						1		3	6	3	1	1	2				
31	Puerperal fever	3									3								
32	Other puerperal affections	16								5	10	1							
33	Congenital debility and malformations	82	82																
34	Senility	23													7	10	6		
35	Violent deaths (excluding suicide)	135	1	1	1	2	2	5	14	15	18	28	19	15	12	2			
36	Suicide	49							1	10	12	8	7	5	4	2			
37	Other defined diseases	243	26	3	1	2		4	6	13	21	22	41	44	34	23	2	1	
38	Diseases ill-defined or unknown	2	1								1								
	SAN FRANCISCO, CAL.																		
	All causes	6,319	699	136	51	50	26	86	165	492	772	894	921	899	731	363	32	1	1
1	Typhoid fever	65		1				2	2	23	18	13	4	2					
2	Typhus fever																		
3	Malaria	8								1	1	2	1	2		1			
4	Smallpox																		
5	Measles	22	8	3	7	1		3											
6	Scarlet fever	7			1	1	2	1	2										
7	Whooping cough	32	18	6	5		2					1							
8	Diphtheria and croup	37	1	7	3	5	1	11	6	1	2								
9	Influenza	7	1	1					1		1	2		1					
10	Asiatic cholera																		
11	Cholera nostras	1											1						
12	Other epidemic diseases	23	1							5	7	2	3	2	1	2			
13	Tuberculosis of the lungs	774	25	7	1	2		3	32	144	206	183	108	53	9	1			
14	Tuberculous meningitis	56	13	18	2	6	3	7	4	1		1		1					
15	Other forms of tuberculosis	56	4	2	3	3		6	5	9	8	5	3	6	2				
16	Cancer and other malignant tumors	475					1			6	29	100	129	127	66	17			
17	Meningitis	43	10	5	4	3	1	4	3	3	4	2	3	1					
18	Cerebral hemorrhage and softening	276	3		1						6	31	54	82	67	31	1		
19	Organic diseases of the heart	899	7	2				3	11	39	57	98	145	228	195	105	9		
20	Acute bronchitis	54	22	6	2	2		1	1			1	3	2	5	8	1		
21	Chronic bronchitis	47						1		2	2	2	3	3	19	14	1		
22	Pneumonia	378	45	15	5	3	5	7	13	26	52	68	57	34	35	13			
23a	Broncho pneumonia	153	48	19	6	4	3	4	2	5	7	5	11	13	15	11			
23b	Other diseases of the respiratory system	50		1		1	1		1	4	4	7	8	6	6	9	2		
24	Diseases of the stomach	88	31	3					1	2	11	9	12	5	9	4	1		
25 (37)	Diarrhea and enteritis	213	148	22	5	5	2	3	2		6	3	1	2	11	3			
26	Appendicitis and typhlitis	68						4	14	17	14	7	8	4					
27	Hernia, intestinal obstruction	70	6	1	1	2		1	7	5	8	11	8	9	8	3			
28	Cirrhosis of the liver	132						1		2	14	34	36	29	11	5			
29	Acute nephritis and Bright's disease	472	2	2		3		2	6	27	56	90	89	100	70	22	3		
30	Diseases of the female genital organs	36							2	6	13	8	3	1	2	1			
31	Puerperal fever	14								7	5	2							
32	Other puerperal affections	33							2	18	9	4							
33	Congenital debility and malformations	214	211	3															
34	Senility	74												5	27	33	8	1	
35	Violent deaths (excluding suicide)	399	8	5	1	4	2	11	22	58	90	60	67	32	25	13			1
36	Suicide	185							2	27	59	35	34	22	6				
37	Other defined diseases	846	77	6	4	5	3	11	24	54	83	108	130	127	142	66	6		
38	Diseases ill-defined or unknown	12	10	1												1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	DENVER, COLO.																		
	All causes	3,533	464	65	37	23	12	65	139	434	554	446	445	383	329	123	14		
1	Typhoid fever	59		1	1			2	8	21	18	2	4	2					
2	Typhus fever																		
3	Malaria	2							1	1									
4	Smallpox																		
5	Measles	7		1		1	1	1		1	1	1							
6	Scarlet fever	37	4	3	4	4	4	10	6		1	1							
7	Whooping cough	5	5																
8	Diphtheria and croup	40	1	6	6	8		12	5		1			1					
9	Influenza	20	1						1		3		1	3	7	4			
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	29	7	1				1			3	4	8	3	2				
13	Tuberculosis of the lungs	648	1						22	200	228	126	51	16	3	1			
14	Tuberculous meningitis	26	2	5	2	1		8	2	5			1						
15	Other forms of tuberculosis	36	1			1		1	4	6	13	8	1	1					
16	Cancer and other malignant tumors	201							2	3	20	43	52	53	24	4			
17	Meningitis	50	14	6	5	2		4	2	8	2	3	2	1	1				
18	Cerebral hemorrhage and softening	149	3					1		3	7	10	32	40	37	13	3		
19	Organic diseases of the heart	275	2	1			1	2	15	18	36	41	52	53	42	12			
20	Acute bronchitis	14	13		1														
21	Chronic bronchitis	9										1		2	3	3			
22	Pneumonia	249	25	9	6		1	2	8	10	27	35	44	36	36	10			
23a	Bronchopneumonia	43	20	5	2	1	2	1		1	1		4	2	2	2			
23b	Other diseases of the respiratory system	41	2	3					1	3	7	5	7	2	5	5	1		
24	Diseases of the stomach	37	9	2				1	1	3	2	7	5	1	4	1	1		
25 (37)	Diarrhea and enteritis	137	101	15	4		1		1	1	3	3	4		4				
26	Appendicitis and typhlitis	50				1		3	8	18	11	3	3	2	1				
27	Hernia, intestinal obstruction	33	4	1	1					1	7	4	8	4	2	1			
28	Cirrhosis of the liver	32							1	1	2	8	7	6	6	1			
29	Acute nephritis and Bright's disease	239	4		1	2		3	7	13	27	38	44	47	39	14			
30	Diseases of the female genital organs	37							4	11	10	8	2	2					
31	Puerperal fever	27								14	9	4							
32	Other puerperal affections	20							2	6	9	3							
33	Congenital debility and malformations	182	180	1	1														
34	Senility	70												1	35	27	7		
35	Violent deaths (excluding suicide)	178	7	3	3	1	1	4	15	42	30	25	14	18	12	3			
36	Suicide	68							6	14	20	11	7	6	4				
37	Other defined diseases	474	50	2		1	1	9	17	30	56	52	92	81	59	22	2		
38	Diseases ill-defined or unknown	8	7												1				
	BRIDGEPORT, CONN.																		
	All causes	1,562	367	61	28	22	15	38	45	113	170	152	172	162	136	70	8	1	2
1	Typhoid fever	5		1					1	2					1				
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	6		5	1														
6	Scarlet fever	20	2	2		1	5	6	3	1									
7	Whooping cough	27	16	3	4	2		2											
8	Diphtheria and croup	28	3	6	7	7	1	3				1							
9	Influenza	7	1							1					3		2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	1	1						1	1	1	2		1				
13	Tuberculosis of the lungs	183		2	1	1	1	2	17	37	65	36	14	6	1				
14	Tuberculous meningitis	11	3	2			1	1	2		2								
15	Other forms of tuberculosis	10			1	1	2	2	1	1	1		1						
16	Cancer and other malignant tumors	74						1		3	7	13	27	12	11				
17	Meningitis	23	4	5	2	3		2	1	2	1	2	1						
18	Cerebral hemorrhage and softening	55	2								1	3	8	20	10	11			
19	Organic diseases of the heart	118	1					2	1	5	6	15	16	35	21	16			
20	Acute bronchitis	9	7												2				
21	Chronic bronchitis	8	1										2	1	1	3			
22	Pneumonia	132	25	6	4	3	3	1	3	11	12	15	16	16	13	3	1		
23a	Bronchopneumonia	40	20	6	2	1					1	1	1	2	2	4			
23b	Other diseases of the respiratory system	20	1		1					2	3	2	3	4	1	2			1
24	Diseases of the stomach	18	4	1							2	3		1	5	2			
25 (37)	Diarrhea and enteritis	133	113	14		1				2				3					
26	Appendicitis and typhlitis	8						1	2		3	1	1						
27	Hernia, intestinal obstruction	10	3	1	1					1			1	2	1				
28	Cirrhosis of the liver	12								1	2	2	4	2	1				
29	Acute nephritis and Bright's disease	118	1					3	1	3	16	18	30	23	13	9	1		
30	Diseases of the female genital organs	5							1	1	3								
31	Puerperal fever	6								3	2	1							
32	Other puerperal affections	9							1	2	5	1							
33	Congenital debility and malformations	104	102	2															
34	Senility	13												1	4	5	2	1	
35	Violent deaths (excluding suicide)	75	5	2	3			6	3	9	12	12	8	5	5	4			1
36	Suicide	33							3	9	7	6	5	3					
37	Other defined diseases	212	35	2	1	1	1	6	5	16	18	19	32	25	39	11	1		
38	Diseases ill-defined or unknown	21	17			1	1								1		1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW HAVEN, CONN.																			
	All causes	2,219	406	83	35	16	17	46	69	144	213	201	257	314	271	123	16	1	2
1	Typhoid fever	24		1				2	5	6	2	5	1	2					
2	Typhus fever																		
3	Malaria	6	1											1	1	3			
4	Smallpox																		
5	Measles	6	2	4															
6	Scarlet fever	11			2	1	3	3	1		1								
7	Whooping cough	13	9	2			1	1											
8	Diphtheria and croup	17	1	5	2	1	3	5											
9	Influenza	19	6						1			1	3	4	1	2	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	7	1						1	1	1	3			3	1		
13	Tuberculosis of the lungs	197	5	3		1		4	22	48	61	20	19	9	4	1			
14	Tuberculous meningitis	21	4	5	1	1		4	1	1	1	2		1					
15	Other forms of tuberculosis	17		2	1		1	2	2	4	1	1	1	1	1				
16	Cancer and other malignant tumors	128							4	4	4	20	26	34	27	7	1		1
17	Meningitis	21	5	3	3	1		1	2	2	1	2		1					
18	Cerebral hemorrhage and softening	113	2								4	4	21	38	31	13			
19	Organic diseases of the heart	239	4					1	1	12	24	17	48	54	51	26	1		
20	Acute bronchitis	25	13	3	1					1			1		3	3			
21	Chronic bronchitis	19										1	1	6	5	5	1		
22	Pneumonia	211	24	19	8	3		2	2	10	30	27	26	34	18	8			
23a	Bronchopneumonia	68	21	12	9	3	1	3		3	2		3	3	5	1	1		1
23b	Other diseases of the respiratory system	23	2	1	1			1			3	1	5	2	6	1			
24	Diseases of the stomach	17	5	1			1			1		2	2	4		1			
25 (37)	Diarrhea and enteritis	135	103	13		1	2	2		1			2	6	3	2			
26	Appendicitis and typhlitis	18							3	5	4	3	2		1				
27	Hernia, intestinal obstruction	21	3	2		1				1	1	2	4	3	4				
28	Cirrhosis of the liver	16									1	6	4	4	1				
29	Acute nephritis and Bright's disease	170	1						2	9	19	22	32	39	35	10	1		
30	Diseases of the female genital organs	13								2	2	7			2				
31	Puerperal fever	10								3	7								
32	Other puerperal affections	9							3	4		2							
33	Congenital debility and malformations	101	101																
34	Senility	31												3	10	13	4	1	
35	Violent deaths (excluding suicide)	119	2	2	3	2	2	7	9	11	20	19	15	10	12	4	1		
36	Suicide	16								3	5	4	1	2	1				
37	Other defined diseases	297	58	3	4	1	3	8	11	12	21	28	30	51	45	18	4		
38	Diseases ill-defined or unknown	50	27	1							3	4	7	2	4	2			
WASHINGTON, D. C. (TOTAL).																			
	All causes	6,511	1,068	161	92	55	26	99	230	574	656	687	765	946	794	317	55	6	
1	Typhoid fever	77				1		2	22	26	12	5	6	2	1				
2	Typhus fever																		
3	Malaria	9				1	1			1	2		1	2	1				
4	Smallpox																		
5	Measles	4		2		2													
6	Scarlet fever	14	3	1	1	2		4	3										
7	Whooping cough	35	20	7	2	4		2											
8	Diphtheria and croup	31	3	5	7	7	2	6	1										
9	Influenza	79	4		1			2		8	6	8	9	24	10	7			
10	Asiatic cholera																		
11	Cholera nostras	3										1			1	1			
12	Other epidemic diseases	23	3							1	1		3	8	3	2	2		
13	Tuberculosis of the lungs	776		7	4	3		6	75	223	190	133	75	39	19	2			
14	Tuberculous meningitis	27	6	7	4	1	1	1	4	2				1					
15	Other forms of tuberculosis	37	2		1	2	2	3	6	6	5	3	3	2	2				
16	Cancer and other malignant tumors	300							1	6	25	53	71	76	53	14	1		
17	Meningitis	43	8	5	7	5	2	2	2	3	3	2	1	1	2				
18	Cerebral hemorrhage and softening	426	11						1	1	8	44	91	125	107	33	4	1	
19	Organic diseases of the heart	705	7					7	15	16	59	84	113	183	150	61	10		
20	Acute bronchitis	72	29	11	11	1		2	2	1			3	3	7		2		
21	Chronic bronchitis	49	1	1						2	1	1	3	17	9	10	4		
22	Pneumonia	428	80	21	15	6	4	9	7	34	54	43	52	55	38	10			
23a	Bronchopneumonia	150	49	22	13	3	2	5	4	3	2	6	7	10	18	5	1		
23b	Other diseases of the respiratory system	95	11	2	1			3	2	9	9	6	11	18	12	8	3		
24	Diseases of the stomach	147	14	3	3	1		3	4	11	14	29	30	19	11	4	1		
25 (37)	Diarrhea and enteritis	370	268	39	5	3		2		5	5	5	7	20	3	7	1		
26	Appendicitis and typhlitis	37				1			10	11	6	5	2	1		1			
27	Hernia, intestinal obstruction	58	1	1	1			4	3	6	8	5	10	11	8				
28	Cirrhosis of the liver	35								1	6	2	10	7	9				
29	Acute nephritis and Bright's disease	537	4		2	3		4	8	26	52	78	98	117	123	20	2		
30	Diseases of the female genital organs	36							1	11	11	8	1	4					
31	Puerperal fever	40							2	23	14	1							
32	Other puerperal affections	30							1	16	12	1							
33	Congenital debility and malformations	355	350	2	1	1		1											
34	Senility	176												22	62	73	15	4	
35	Violent deaths (excluding suicide)	261	7	5	1	1	3	13	27	52	44	30	24	23	19	11	1		
36	Suicide	80							3	19	22	14	13	7	2				
37	Other defined diseases	868	115	11	10	6	8	17	26	51	85	98	117	147	122	47	7	1	
38	Diseases ill-defined or unknown	98	72	9	2	1	1	1				2	4	2	2	1	1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	WASHINGTON, D. C. (WHITE).																		
	All causes	3,744	487	73	41	36	16	56	105	230	303	335	429	688	641	265	39	.....	.....
1	Typhoid fever	45	.....	.....	.....	.....	.....	.....	12	17	7	2	4	2	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	4	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	11	1	1	1	2	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	9	7	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	28	2	4	6	7	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	42	1	.....	.....	.....	.....	1	.....	2	3	2	3	17	8	5	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
12	Other epidemic diseases	16	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	8	2	1	1	.....	.....
13	Tuberculosis of the lungs	330	.....	3	2	.....	.....	.....	18	70	87	62	39	31	17	1	.....	.....	.....
14	Tuberculous meningitis	18	5	4	2	1	1	1	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	16	1	.....	.....	2	1	1	1	2	2	1	2	1	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	246	.....	.....	.....	.....	.....	.....	1	4	18	41	51	71	46	13	1	.....	.....
17	Meningitis	34	5	4	5	5	2	2	2	2	2	2	1	1	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	285	10	.....	.....	.....	.....	.....	1	.....	1	20	44	86	91	30	2	.....	.....
19	Organic diseases of the heart	434	7	.....	.....	.....	.....	6	10	6	16	34	59	127	119	44	6	.....	.....
20	Acute bronchitis	29	8	3	5	1	.....	.....	.....	.....	.....	.....	2	3	5	.....	2	.....	.....
21	Chronic bronchitis	37	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	13	8	10	4	.....	.....
22	Pneumonia	186	17	9	6	5	3	5	3	10	21	15	21	37	27	7	.....	.....	.....
23a	Bronchopneumonia	75	20	12	2	1	1	2	1	.....	.....	3	4	8	16	4	1	.....	.....
23b	Other diseases of the respiratory system	47	5	2	1	.....	.....	2	.....	1	2	2	5	8	10	7	2	.....	.....
24	Diseases of the stomach	75	4	3	1	.....	.....	2	2	4	5	13	16	12	8	4	1	.....	.....
25 (37)	Diarrhea and enteritis	172	112	16	3	1	.....	1	.....	3	3	3	5	16	3	5	1	.....	.....
26	Appendicitis and typhlitis	27	.....	.....	.....	1	.....	.....	8	8	3	4	1	1	.....	1	.....	.....	.....
27	Hernia, intestinal obstruction	36	1	1	.....	.....	.....	1	1	4	4	3	7	8	6	.....	.....	.....	.....
28	Cirrhosis of the liver	28	.....	.....	.....	.....	.....	.....	.....	.....	5	2	7	6	8	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	328	3	.....	.....	2	.....	3	3	13	21	33	53	81	99	15	2	.....	.....
30	Diseases of the female genital organs	20	.....	.....	.....	.....	.....	.....	.....	3	5	8	.....	4	.....	.....	.....	.....	.....
31	Puerperal fever	17	.....	.....	.....	.....	.....	.....	.....	7	10	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	18	.....	.....	.....	.....	.....	.....	.....	8	9	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	176	172	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	122	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	42	62	8	.....	.....
35	Violent deaths (excluding suicide)	149	.....	3	1	1	1	4	13	26	23	16	19	14	17	11	.....	.....	.....
36	Suicide	72	.....	.....	.....	.....	.....	.....	3	15	19	14	12	7	2	.....	.....	.....	.....
37	Other defined diseases	557	61	4	4	3	4	13	19	25	37	54	71	113	99	43	7	.....	.....
38	Diseases ill-defined or unknown	52	41	2	1	1	.....	1	.....	.....	.....	.....	1	1	2	1	1	.....	.....
	WASHINGTON, D. C. (COLORED).																		
	All causes	2,767	581	88	51	19	10	43	125	344	353	332	336	258	153	52	16	6	
1	Typhoid fever	32	.....	.....	.....	1	.....	2	10	9	5	3	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	26	13	6	2	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	37	3	.....	1	.....	.....	1	.....	6	3	6	6	7	2	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	7	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	1	1	.....	.....
13	Tuberculosis of the lungs	446	.....	4	2	3	.....	6	57	153	103	71	36	8	2	1	.....	.....	.....
14	Tuberculous meningitis	9	1	3	2	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	21	1	.....	1	.....	1	2	5	4	3	2	1	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	54	.....	.....	.....	.....	.....	.....	.....	2	7	12	20	5	7	1	.....	.....	.....
17	Meningitis	9	3	1	2	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	141	1	.....	.....	.....	.....	.....	.....	1	7	24	47	39	16	3	2	1	.....
19	Organic diseases of the heart	271	.....	.....	.....	.....	.....	1	5	10	43	50	54	56	31	17	4	.....	.....
20	Acute bronchitis	43	21	8	6	.....	.....	2	2	1	.....	.....	1	.....	2	.....	.....	.....	.....
21	Chronic bronchitis	12	.....	1	.....	.....	.....	.....	.....	2	1	1	2	4	1	.....	.....	.....	.....
22	Pneumonia	242	63	12	9	1	1	4	4	24	33	28	31	18	11	3	.....	.....	.....
23a	Bronchopneumonia	75	29	10	11	2	1	3	3	3	2	3	3	2	2	1	.....	.....	.....
23b	Other diseases of the respiratory system	48	6	.....	.....	.....	.....	1	2	8	7	4	6	10	2	1	1	.....	.....
24	Diseases of the stomach	72	10	.....	2	1	.....	1	2	7	9	16	14	7	3	.....	.....	.....	.....
25 (37)	Diarrhea and enteritis	198	156	23	2	2	.....	1	.....	2	2	2	2	4	.....	2	.....	.....	.....
26	Appendicitis and typhlitis	10	.....	.....	.....	.....	.....	.....	2	3	3	1	1	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	22	.....	.....	1	.....	.....	3	2	2	4	2	3	3	2	.....	.....	.....	.....
28	Cirrhosis of the liver	7	.....	.....	.....	.....	.....	.....	.....	1	1	.....	3	1	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	209	1	.....	2	1	.....	1	5	13	31	45	45	36	24	5	.....	.....	.....
30	Diseases of the female genital organs	16	.....	.....	.....	.....	.....	.....	1	8	6	.....	1	.....	.....	.....	.....	.....	.....
31	Puerperal fever	23	.....	.....	.....	.....	.....	.....	2	16	4	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	12	.....	.....	.....	.....	.....	.....	1	8	3	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	179	178	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	20	11	7	4	.....
35	Violent deaths (excluding suicide)	112	7	2	.....	.....	2	9	14	26	21	14	5	9	2	.....	1	.....	.....
36	Suicide	8	.....	.....	.....	.....	.....	.....	.....	4	3	.....	1	.....	.....	.....	.....	.....	.....
37	Other defined diseases	311	54	7	6	3	4	4	7	26	48	44	46	34	23	4	.....	1	.....
38	Diseases ill-defined or unknown	46	31	7	1	.....	1	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
ATLANTA, GA. (TOTAL).																			
	All causes	2,938	521	140	57	21	22	46	169	410	386	295	309	282	192	73	8	1	6
1	Typhoid fever	78	2	1	.....	1	2	5	12	20	19	7	7	1	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	4	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
5	Measles	14	3	5	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	8	1	.....	1	2	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	16	7	3	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	29	7	6	5	1	4	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	13	.....	1	.....	.....	.....	.....	1	1	1	2	2	4	.....	.....	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	56	14	13	1	2	1	.....	.....	1	3	4	4	6	4	3	.....	.....	.....
13	Tuberculosis of the lungs	282	1	1	1	.....	.....	2	36	99	80	23	22	13	2	1	.....	.....	1
14	Tuberculous meningitis	10	2	2	1	.....	.....	1	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	15	.....	.....	1	.....	.....	1	4	3	4	2	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	98	.....	.....	.....	.....	.....	.....	1	4	20	23	21	17	11	.....	.....	1	.....
17	Meningitis	20	7	2	1	.....	.....	1	2	2	3	1	.....	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	106	5	1	.....	.....	.....	.....	3	2	12	17	17	25	18	5	.....	.....	1
19	Organic diseases of the heart	168	1	.....	.....	.....	.....	.....	5	15	15	27	24	40	31	10	.....	.....	.....
20	Acute bronchitis	14	8	2	1	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
21	Chronic bronchitis	14	.....	.....	.....	.....	.....	.....	1	1	1	2	4	2	2	1	.....	.....	.....
22	Pneumonia	324	72	24	11	4	3	7	16	42	34	31	30	25	17	6	2	.....	.....
23a	Bronchopneumonia	51	25	4	3	1	.....	2	.....	4	.....	3	3	2	2	2	.....	.....	.....
23b	Other diseases of the respiratory system	25	6	2	.....	.....	1	1	.....	3	4	2	3	1	1	1	.....	.....	.....
24	Diseases of the stomach	93	14	3	1	.....	.....	.....	1	10	9	21	18	8	4	4	.....	.....	.....
25 (37)	Diarrhea and enteritis	202	105	49	6	3	1	2	1	4	3	6	7	6	7	2	.....	.....	.....
26	Appendicitis and typhlitis	31	.....	.....	.....	.....	.....	.....	5	11	6	5	4	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	23	4	.....	1	.....	.....	2	3	4	3	3	.....	3	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	10	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	1	2	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	253	3	2	2	.....	.....	.....	4	16	37	29	55	58	39	6	2	.....	.....
30	Disease of the female genital organs	31	.....	.....	.....	.....	.....	.....	.....	6	9	10	4	1	1	.....	.....	.....	.....
31	Puerperal fever	36	.....	.....	.....	.....	.....	.....	4	20	11	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	20	.....	.....	.....	.....	.....	.....	3	9	8	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	139	139	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10	10	3	.....	.....
35	Violent deaths (excluding suicide)	175	14	3	8	4	3	8	25	52	22	12	12	5	3	3	.....	.....	1
36	Suicide	22	.....	.....	.....	.....	.....	.....	1	9	5	1	5	1	.....	.....	.....	.....	.....
37	Other defined diseases	443	44	5	4	1	4	6	35	59	69	52	62	53	32	16	.....	.....	1
38	Diseases ill-defined or unknown	89	37	11	2	.....	1	.....	1	5	5	9	4	7	3	3	.....	.....	1
ATLANTA, GA. (WHITE).																			
	All causes	1,609	286	80	32	10	13	29	71	168	180	123	186	212	167	47	3	.....	2
1	Typhoid fever	58	1	1	.....	1	1	3	7	16	14	6	6	1	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	12	2	4	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	8	1	.....	1	2	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	7	3	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	20	4	5	4	.....	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	6	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	3	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	31	7	5	1	1	.....	.....	.....	1	2	3	1	3	4	3	.....	.....	.....
13	Tuberculosis of the lungs	127	.....	1	1	.....	.....	1	16	35	31	13	16	10	2	.....	.....	.....	1
14	Tuberculous meningitis	8	1	2	1	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	7	.....	.....	1	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	72	.....	.....	.....	.....	.....	.....	.....	3	13	16	15	16	9	.....	.....	.....	.....
17	Meningitis	10	4	1	1	.....	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	60	4	1	.....	.....	.....	.....	.....	1	2	4	11	17	17	3	.....	.....	.....
19	Organic diseases of the heart	91	.....	.....	.....	.....	.....	.....	4	7	6	5	8	25	29	7	.....	.....	.....
20	Acute bronchitis	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....
22	Pneumonia	111	25	10	4	2	1	3	2	10	4	5	11	15	16	2	1	.....	.....
23a	Bronchopneumonia	30	16	2	3	1	.....	1	.....	1	.....	.....	1	1	2	2	.....	.....	.....
23b	Other diseases of the respiratory system	16	4	2	.....	.....	1	.....	.....	2	2	1	3	.....	1	.....	.....	.....	.....
24	Diseases of the stomach	39	7	1	1	.....	.....	.....	.....	1	2	8	9	4	4	2	.....	.....	.....
25 (37)	Diarrhea and enteritis	127	59	33	3	1	1	2	.....	3	1	4	5	6	7	2	.....	.....	.....
26	Appendicitis and typhlitis	22	.....	.....	.....	.....	.....	.....	4	7	4	4	3	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	11	2	.....	1	.....	.....	2	.....	1	1	2	.....	2	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	2	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	166	1	1	1	.....	.....	.....	2	8	17	14	34	51	32	4	1	.....	.....
30	Diseases of the female genital organs	14	.....	.....	.....	.....	.....	.....	.....	3	7	3	1	.....	.....	.....	.....	.....	.....
31	Puerperal fever	18	.....	.....	.....	.....	.....	.....	1	9	7	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	14	.....	.....	.....	.....	.....	.....	2	6	6	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	88	88	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10	10	1	.....	.....
35	Violent deaths (excluding suicide)	80	5	2	2	1	3	6	9	21	11	5	6	5	2	2	.....	.....	.....
36	Suicide	17	.....	.....	.....	.....	.....	.....	1	4	5	1	5	1	.....	.....	.....	.....	.....
37	Other defined diseases	264	30	2	2	.....	2	3	15	23	37	24	46	45	26	8	.....	.....	1
38	Diseases ill-defined or unknown	38	19	5	.....	.....	.....	.....	1	.....	2	3	1	4	1	2	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	ATLANTA, GA.—(COLORED).																		
	All causes	1,329	235	60	25	11	9	17	98	242	206	172	123	70	25	26	5	1	4
1	Typhoid fever	20	1				1	2	5	4	5	1	1						
2	Typhus fever																		
3	Malaria	3							1		1			1					
4	Smallpox	1																	
5	Measles	2	1	1															1
6	Scarlet fever																		
7	Whooping cough	9	4	2	2		1												
8	Diphtheria and croup	9	3	1	1	1	1	1		1									
9	Influenza	7							1		1	2	1	1			1		
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	25	7	8		1	1				1	1	3	3					
13	Tuberculosis of the lungs	155	1					1	20	64	49	10	6	3		1			
14	Tuberculous meningitis	2	1							1									
15	Other forms of tuberculosis	8						1	2	1	2	2							
16	Cancer and other malignant tumors	26							1	1	7	7	6	1	2			1	
17	Meningitis	10	3	1				1	1	2	1	1							
18	Cerebral hemorrhage and softening	46	1						3	1	10	13	6	8	1	2			1
19	Organic diseases of the heart	77	1						1	8	9	22	16	15	2	3			
20	Acute bronchitis	11	5	2	1	1				1					1				
21	Chronic bronchitis	8							1	1		1	2	1	1	1			
22	Pneumonia	213	47	14	7	2	2	4	14	32	30	26	19	10	1	4	1		
23a	Bronchopneumonia	21	9	2				1		3		3	2	1					
23b	Other diseases of the respiratory system	9	2					1		1	2	1		1		1			
24	Diseases of the stomach	54	7	2					1	9	7	13	9	4		2			
25 (37)	Diarrhea and enteritis	75	46	16	3	2			1	1	2	2	2						
26	Appendicitis and typhlitis	9							1	4	2	1	1						
27	Hernia, intestinal obstruction	12	2						3	3	2	1		1					
28	Cirrhosis of the liver	5								1	1	2		1					
29	Acute nephritis and Bright's disease	87	2	1	1				2	8	20	15	21	7	7	2	1		
30	Diseases of the female genital organs	17								3	2	7	3	1	1				
31	Puerperal fever	18							3	11	4								
32	Other puerperal affections	6							1	3	2								
33	Congenital debility and malformations	51	51																
34	Senility	2															2		
35	Violent deaths (excluding suicide)	95	9	1	6	3		2	16	31	11	7	6		1	1			1
36	Suicide	5								5									
37	Other defined diseases	179	14	3	2	1	2	3	20	36	32	28	16	8	6	8			
38	Diseases ill-defined or unknown	51	18	6	2		1			5	3	6	3	3	2	1			1
	CHICAGO, ILL. (TOTAL).																		
	All causes	33,241	6,844	1,685	782	456	353	811	1,246	2,815	3,211	3,992	3,844	3,318	2,580	1,141	151	6	6
1	Typhoid fever	300	2	2	3	7	3	14	57	96	52	36	17	10	1				
2	Typhus fever																		
3	Malaria	11								3		3	2	2	1				
4	Smallpox	1				1													
5	Measles	191	39	67	37	11	14	16	6		1								
6	Scarlet fever	404	14	54	86	65	53	89	27	10	4	1	1						
7	Whooping cough	173	78	49	19	11	4	11											1
8	Diphtheria and croup	822	66	149	147	107	102	184	41	12	8	3	2	1					
9	Influenza	146	13	2	3	2		4	6	7	9	15	15	25	24	19	1		1
10	Asiatic cholera																		
11	Cholera nostras	8	2									1	3			2			
12	Other epidemic diseases	155	43	6	3	1		1		4	10	30	18	16	17	6			
13	Tuberculosis of the lungs	3,475	34	30	15	10	6	24	286	931	876	700	354	156	48	4	1		
14	Tuberculous meningitis	222	39	41	20	14	15	34	26	12	11	6	3	1					
15	Other forms of tuberculosis	211	6	5	11	5	1	7	27	52	35	25	24	7	5	1			
16	Cancer and other malignant tumors	1,804	2	1		3	3	3	9	41	144	378	504	447	208	54	7		
17	Meningitis	214	53	33	22	10	6	20	28	11	12	10	2	2	4	1			
18	Cerebral hemorrhage and softening	858	19		2	2				17	33	90	160	212	217	99	7		
19	Organic diseases of the heart	2,942	15	6	2	7	9	44	136	182	252	459	506	604	494	209	15	2	
20	Acute bronchitis	76	39	8	8	2	1	1	2		1		1	3	4	5	1		
21	Chronic bronchitis	95	6		4	1		1	1	1	7	6	7	16	25	13	7		
22	Pneumonia	3,526	531	232	104	50	37	61	75	242	343	496	483	419	302	128	22	1	
23a	Bronchopneumonia	1,760	788	312	133	47	33	40	14	26	19	43	54	75	112	54	8	2	
23b	Other diseases of the respiratory system	201	18	9	3	2	2	4	12	10	22	25	30	23	24	14	3		
24	Diseases of the stomach	198	26	3	1			1	4	22	24	33	33	21	15	13	2		
25 (37)	Diarrhea and enteritis	3,816	2,949	562	78	40	14	25	7	16	13	16	15	21	34	18	8		
26	Appendicitis and typhlitis	325			1	2	2	24	75	78	47	43	35	14	4				
27	Hernia, intestinal obstruction	261	36	3	4	1	2	8	5	14	32	46	42	29	30	6	3		
28	Cirrhosis of the liver	386							6	9	49	109	111	62	34	6			
29	Acute nephritis and Bright's disease	2,500	40	11	10	7	7	14	49	132	230	432	526	483	387	157	14		1
30	Diseases of the female genital organs	201							7	31	68	56	20	11	6	2			
31	Puerperal fever	178							14	85	67	12							
32	Other puerperal affections	157							7	64	70	16							
33	Congenital debility and malformations	1,166	1,146	10	4	2	2		1		1								
34	Senility	28													8	14	6		
35	Violent deaths (excluding suicide)	2,094	62	49	39	27	22	98	145	408	346	362	261	141	84	40	9		1
36	Suicide	458							18	89	104	92	87	50	18				
37	Other defined diseases	3,843	748	39	23	19	15	83	155	210	321	448	528	466	473	276	37	1	1
38	Diseases ill-defined or unknown	35	30	2										1	1				1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
CHICAGO, ILL. (WHITE).																		
	All causes	32,130	6,729	1,651	763	440	349	790	1,199	2,661	3,090	3,737	3,714	3,222	2,539	1,128	147	5	6
1	Typhoid fever	289	2	2	3	5	3	14	57	92	51	34	16	9	1				
2	Typhus fever																		
3	Malaria	11								3		3	2	2	1				
4	Smallpox	1				1													
5	Measles	186	39	66	37	10	13	14	6		1								
6	Scarlet fever	403	14	54	85	65	53	89	27	10	4	1	1						
7	Whooping cough	169	76	49	18	11	4	10											1
8	Diphtheria and croup	817	65	149	146	105	102	184	41	12	8	2	2	1					
9	Influenza	141	12	2	3	2		4	6	7	9	15	13	24	24	18	1		1
10	Asiatic cholera																		
11	Cholera nostras	8	2									1	3			2			
12	Other epidemic diseases	153	42	6	3	1		1		3	10	30	18	16	17	6			
13	Tuberculosis of the lungs	3,241	33	27	15	6	5	22	263	869	810	655	337	150	44	4	1		
14	Tuberculous meningitis	214	38	41	17	14	15	33	26	9	11	6	3	1					
15	Other forms of tuberculosis	194	5	4	10	5	1	7	22	48	31	24	24	7	5	1			
16	Cancer and other malignant tumors	1,760	2	1		3	3	3	9	38	136	368	491	439	206	54	7		
17	Meningitis	210	53	31	22	10	6	20	27	11	12	9	2	2	4	1			
18	Cerebral hemorrhage and softening	832	19		2	2				15	29	84	155	207	214	98	7		
19	Organic diseases of the heart	2,809	14	5	2	6	9	42	134	172	223	425	483	586	488	203	15	2	
20	Acute bronchitis	76	39	8	8	2	1	1	2		1		1	3	4	5	1		
21	Chronic bronchitis	93	6		4	1		1	1	1	6	6	7	16	25	13	6		
22	Pneumonia	3,394	518	221	100	49	37	59	70	224	325	473	466	405	297	128	22		
23a	Bronchopneumonia	1,719	773	306	127	44	31	39	14	25	19	43	52	70	112	54	8	2	
23b	Other diseases of the respiratory system	195	18	9	3	2	2	4	12	9	22	24	29	22	24	13	2		
24	Diseases of the stomach	197	26	3	1			1	4	21	24	33	33	21	15	13	2		
25 (37)	Diarrhea and enteritis	3,772	2,916	555	78	40	14	23	7	15	13	16	15	21	33	18	8		
26	Appendicitis and typhlitis	320			1	2	2	24	75	76	47	41	34	14	4				
27	Hernia, intestinal obstruction	248	36	3	3		2	6	5	14	29	46	38	28	29	6	3		
28	Cirrhosis of the liver	379							5	9	47	106	111	62	33	6			
29	Acute nephritis and Bright's disease	2,403	40	11	9	7	7	14	47	124	209	407	509	466	382	157	13		1
30	Diseases of the female genital organs	184							7	29	58	53	19	10	6	2			
31	Puerperal fever	170							12	80	66	12							
32	Other puerperal affections	154							7	62	69	16							
33	Congenital debility and malformations	1,138	1,118	10	4	2	2		1		1								
34	Senility	28														8	14	6	
35	Violent deaths (excluding suicide)	2,030	62	48	39	26	22	94	143	394	328	350	255	138	82	39	9		1
36	Suicide	449							18	87	99	92	86	49	18				
37	Other defined diseases	3,709	732	38	23	19	15	81	151	202	302	412	509	452	462	273	36	1	1
38	Diseases ill-defined or unknown	34	29	2										1	1				1
CHICAGO, ILL. (COLORED).																			
	All causes	1,111	115	34	19	16	4	21	47	154	211	205	130	96	41	13	4	1	
1	Typhoid fever	11				2				4	1	2	1	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	5		1		1	1	2											
6	Scarlet fever	1			1														
7	Whooping cough	4	2		1			1											
8	Diphtheria and croup	5	1		1	2						1							
9	Influenza	5	1										2	1		1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	2	1							1									
13	Tuberculosis of the lungs	234	1	3		4	1	2	23	62	66	45	17	6	4				
14	Tuberculous meningitis	8	1		3			1		3									
15	Other forms of tuberculosis	17	1	1	1				5	4	4	1							
16	Cancer and other malignant tumors	44								3	8	10	13	8	2				
17	Meningitis	4		2					1			1							
18	Cerebral hemorrhage and softening	26								2	4	6	5	5	3	1			
19	Organic diseases of the heart	133	1	1		1		2	2	10	29	34	23	18	6	6			
20	Acute bronchitis																		
21	Chronic bronchitis	2									1					1			
22	Pneumonia	132	13	11	4	1		2	5	18	18	23	17	14	5			1	
23a	Bronchopneumonia	41	15	6	6	3	2	1		1			2	5					
23b	Other diseases of the respiratory system	6								1		1	1	1		1	1		
24	Diseases of the stomach	1								1									
25 (37)	Diarrhea and enteritis	44	33	7				2		1					1				
26	Appendicitis and typhlitis	5								2		2	1						
27	Hernia, intestinal obstruction	13			1	1		2			3		4	1	1				
28	Cirrhosis of the liver	7							1		2	3			1				
29	Acute nephritis and Bright's disease	97			1				2	8	21	25	17	17	5		1		
30	Diseases of the female genital organs	17								2	10	3	1	1					
31	Puerperal fever	8							2	5	1								
32	Other puerperal affections	3								2	1								
33	Congenital debility and malformations	28	28																
34	Senility																		
35	Violent deaths (excluding suicide)	64		1		1		4	2	14	18	12	6	3	2	1			
36	Suicide	9								2	5		1	1					
37	Other defined diseases	134	16	1				2	4	8	19	36	19	14	11	3	1		
38	Diseases ill-defined or unknown	1	1																

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	INDIANAPOLIS, IND. (TOTAL).																		
	All causes	3,824	557	123	55	33	21	70	144	362	400	435	481	507	408	186	27	5	
1	Typhoid fever	67				4		3	9	17	19	7	6		2				
2	Typhus fever																		
3	Malaria	4	1						1	1	1								
4	Smallpox																		
5	Measles	42	6	9	12	4	2	6			1	2							
6	Scarlet fever	10	1		1		1	4	3										
7	Whooping cough	41	17	14	6	1	1	2											
8	Diphtheria and croup	16	2	1	3		4	4	1					1					
9	Influenza	54	2	1	1	1		1	1	5	4		7	9	16	4	1	1	
10	Asiatic cholera																		
11	Cholera nostras	1													1				
12	Other epidemic diseases	33	4		1			1		2	2	5	4	6	6	2			
13	Tuberculosis of the lungs	420	6	4	2			1	36	147	65	65	57	23	9	5			
14	Tuberculous meningitis	39	6	11	2	3	1	1	4	1	3	3	3		1				
15	Other forms of tuberculosis	66	3	2	1		1	4	5	16	11	10	4	5	3	1			
16	Cancer and other malignant tumors	182		1		1		1		3	14	52	43	39	20	8			
17	Meningitis	21	6	5	1			1	1		2		2	3					
18	Cerebral hemorrhage and softening	191	1						1	2	14	20	42	47	44	16	4		
19	Organic diseases of the heart	375	4		2			3	14	10	33	45	67	89	76	29	3		
20	Acute bronchitis	21	10	2		2			1		1		1		2	2			
21	Chronic bronchitis	24		1							1		3	5	9	4	1		
22	Pneumonia	191	18	8	4	2	3	4	6	20	24	21	29	31	14	7			
23a	Bronchopneumonia	144	48	30	5	2	1	3	2	4	3	8	8	10	12	7	1		
23b	Other diseases of the respiratory system	25						1	2	1	3	2	6	2	6	2			
24	Diseases of the stomach	52	15	1	1	1				4	5	3	4	9	5	3	1		
25 (37)	Diarrhea and enteritis	220	143	34	3	3	1	2		4	3	4	5	8	8	1		1	
26	Appendicitis and typhlitis	33						3	6	7	6	4	4	3					
27	Hernia, intestinal obstruction	42	1		2		1		1	4	6	5	6	6	4	5	1		
28	Cirrhosis of the liver	50								1	7	13	13	9	4	3			
29	Acute nephritis and Bright's disease	255	2	1	1	2		1	5	10	23	31	46	75	35	18	4	1	
30	Diseases of the female genital organs	47							2	6	16	15	6	1	1				
31	Puerperal fever	26							1	11	13	1							
32	Other puerperal affections	13							3	5	5								
33	Congenital debility and malformations	182	180	1				1											
34	Senility	31												2	11	12	5	1	
35	Violent deaths (excluding suicide)	205	5	3	1	5	1	12	20	38	33	29	17	15	11	13	1	1	
36	Suicide	56							3	18	11	9	6	6	2	1			
37	Other defined diseases	637	69	4	6	2	4	11	16	25	71	81	92	103	105	43	5		
38	Diseases ill-defined or unknown	8	7												1				
	INDIANAPOLIS, IND. (WHITE).																		
	All causes	3,275	478	108	42	32	18	56	111	289	322	370	404	460	386	173	24	2	
1	Typhoid fever	62				4		3	8	16	19	5	5		2				
2	Typhus fever																		
3	Malaria	4	1						1	1	1								
4	Smallpox																		
5	Measles	35	4	7	9	4	2	6			1	2							
6	Scarlet fever	8	1		1		1	4	1										
7	Whooping cough	40	17	13	6	1	1	2											
8	Diphtheria and croup	14	2	1	3		2	4	1					1					
9	Influenza	46	2	1	1	1		1	1	2	2		6	9	15	4	1		
10	Asiatic cholera																		
11	Cholera nostras	1													1				
12	Other epidemic diseases	29	4		1					2	2	4	3	5	6	2			
13	Tuberculosis of the lungs	323	3		1			1	19	119	48	57	45	18	8	4			
14	Tuberculous meningitis	36	6	10	1	3	1		4	1	3	3	3		1				
15	Other forms of tuberculosis	45	2	2	1		1		5	9	7	9	1	4	3	1			
16	Cancer and other malignant tumors	169		1		1		1		3	10	48	40	38	20	7			
17	Meningitis	18	4	5	1				1		2		2	3					
18	Cerebral hemorrhage and softening	175	1						1	2	10	15	38	44	44	16	4		
19	Organic diseases of the heart	324	4		2			3	12	8	24	33	60	79	73	23	3		
20	Acute bronchitis	18	8	2		2			1				1		2	2			
21	Chronic bronchitis	20											1	5	9	4	1		
22	Pneumonia	159	17	5	1	2	3	3	5	15	16	20	23	29	14	6			
23a	Bronchopneumonia	110	38	20	2	2	1	1	1	2	2	7	4	10	12	7	1		
23b	Other diseases of the respiratory system	23						1	1	1	3	2	5	2	6	2			
24	Diseases of the stomach	45	13	1	1	1				4	5	2	3	8	5	2			
25 (37)	Diarrhea and enteritis	195	124	32	3	3	1	1		4	3	3	5	8	7	1			
26	Appendicitis and typhlitis	30						2	6	7	6	4	3	2					
27	Hernia, intestinal obstruction	38	1		2		1		1	4	4	5	5	6	3	5	1		
28	Cirrhosis of the liver	46								1	6	11	13	8	4	3			
29	Acute nephritis and Bright's disease	204	2	1	1	2			3	7	18	24	30	68	30	16	2		
30	Diseases of the female genital organs	39							2	5	12	13	5	1	1				
31	Puerperal fever	22								9	12	1							
32	Other puerperal affections	13							3	5	5								
33	Congenital debility and malformations	156	154	1				1											
34	Senility	29												1	11	11	5	1	
35	Violent deaths (excluding suicide)	169	4	3	1	5		11	19	25	26	22	13	15	10	13	1	1	
36	Suicide	51							3	14	11	9	5	6	2	1			
37	Other defined diseases	571	59	3	4	1	4	11	12	23	64	71	85	90	96	43	5		
38	Diseases ill-defined or unknown	8	7												1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	INDIANAPOLIS, IND. (COLORED).																		
	All causes	549	79	25	13	1	3	14	33	73	78	65	77	47	22	13	3	3	
1	Typoid fever	5							1	1		2	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	7	2	2	3														
6	Scarlet fever	2							2										
7	Whooping cough	1		1															
8	Diphtheria and croup	2					2												
9	Influenza	8								3	2		1		1			1	
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4						1				1	1	1					
13	Tuberculosis of the lungs	97	3	4	1				17	28	17	8	12	5	1	1			
14	Tuberculous meningitis	3		1	1			1											
15	Other forms of tuberculosis	21	1					4		7	4	1	3	1					
16	Cancer and other malignant tumors	13									4	4	3	1		1			
17	Meningitis	3	2					1											
18	Cerebral hemorrhage and softening	16									4	5	4	3					
19	Organic diseases of the heart	51							2	2	9	12	7	10	3	6			
20	Acute bronchitis	3	2								1								
21	Chronic bronchitis	4		1							1		2						
22	Pneumonia	32	1	3	3			1	1	5	8	1	6	2		1			
23a	Bronchopneumonia	34	10	10	3			2	1	2	1	1	4						
23b	Other diseases of the respiratory system	2							1				1						
24	Diseases of the stomach	7	2									1	1	1		1	1		
25 (37)	Diarrhea and enteritis	25	19	2				1				1			1			1	
26	Appendicitis and typhlitis	3						1					1	1					
27	Hernia, intestinal obstruction	4									2		1		1				
28	Cirrhosis of the liver	4									1	2		1					
29	Acute nephritis and Bright's disease	51						1	2	3	5	7	16	7	5	2	2	1	
30	Diseases of the female genital organs	8								1	4	2	1						
31	Puerperal fever	4							1	2	1								
32	Other puerperal affections																		
33	Congenital debility and malformations	26	26																
34	Senility	2												1		1			
35	Violent deaths (excluding suicide)	36	1				1	1	1	13	7	7	4		1				
36	Suicide	5								4			1						
37	Other defined diseases	66	10	1	2	1			4	2	7	10	7	13	9				
38	Diseases ill-defined or unknown																		
	LOUISVILLE, KY. (TOTAL).																		
	All causes	3,756	503	118	71	34	40	82	199	371	436	417	487	426	396	159	14	1	2
1	Typhoid fever	71		1	1		1	6	15	17	14	8	4	2	2				
2	Typhus fever																		
3	Malaria	8	1						1	1	4		1						
4	Smallpox																		
5	Measles	3	1	1	1														
6	Scarlet fever	21	1	5		2	4	7	1		1								
7	Whooping cough	41	20	12	4	1	1	3											
8	Diphtheria and croup	24	1	3	4	5	6	3	1	1									
9	Influenza	30			1				1	3	1	2	6	9	6	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	25	2	1			2		1	2	1	3	3	6	1	2	1		
13	Tuberculosis of the lungs	499	4	2	3	2	1	6	70	144	114	75	51	21	5				1
14	Tuberculous meningitis	16	3	3			1	3			3	1	2						
15	Other forms of tuberculosis	27	2	3	1			2	2	5	2	6	3	1					
16	Cancer and other malignant tumors	135						1		2	11	28	31	37	21	4			
17	Meningitis	67	18	11	3	3	6	10	8	2		3	3						
18	Cerebral hemorrhage and softening	141	2						1	4	9	18	27	33	37	7	3		
19	Organic diseases of the heart	354	4	1	1	1	2	5	12	13	48	49	78	72	51	16	1		
20	Acute bronchitis	27	6	3	7		2	1		1	1	2	2		2				
21	Chronic bronchitis	56	2		1				2	6	9	6	3	13	9	5			
22	Pneumonia	305	41	25	11	7	3	10	9	14	38	39	48	24	28	8			
23a	Bronchopneumonia	37	11	5	8	1		1		1	1	2	1	1	3	2			
23b	Other diseases of the respiratory system	98	3	1	1	1		2		12	12	11	12	16	18	9			
24	Diseases of the stomach	64	3		1	1		2	2	3	14	9	13	8	8				
25 (37)	Diarrhea and enteritis	119	47	17	7	2		3	3	2	4	6	6	11	9	2			
26	Appendicitis and typhlitis	27						2	11	5	5	2	1	1					
27	Hernia, intestinal obstruction	34	2	2			1		2	3	2	5	4	7	6				
28	Cirrhosis of the liver	27						1		3	5	7	6	3	2				
29	Acute nephritis and Bright's disease	272		4	2	2	2	1	6	13	28	41	70	50	38	14			1
30	Diseases of the female genital organs	16								4	5	4	1	1	1				
31	Puerperal fever	10							2	7	1								
32	Other puerperal affections	6							1	2	1	2							
33	Congenital debility and malformations	219	218			1													
34	Senility	192												28	88	68	7	1	
35	Violent deaths (excluding suicide)	156			3	3	3	8	20	38	25	20	22	6	6	2			
36	Suicide	36							1	9	11	5	5	4	1				
37	Other defined diseases	510	56	10	6	1	4	5	25	51	64	60	83	71	53	19	2		
38	Diseases ill-defined or unknown	83	55	8	5	1	1		2		4	2	3	1	1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	LOUISVILLE, KY. (WHITE).																		
	All causes	2,667	372	81	37	24	26	62	130	231	263	257	344	339	347	142	11		
1	Typhoid fever	44						4	10	11	9	4	3	1	2				
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox																		
5	Measles	2	1		1														
6	Scarlet fever	15	1	1		2	3	7			1								
7	Whooping cough	26	15	8	1	1		1											
8	Diphtheria and croup	24	1	3	4	5	6	3	1	1									
9	Influenza	20								1	1	2	3	6	6	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	1	1			2		1	2	1	1	1	5	1	2			
13	Tuberculosis of the lungs	316	2			1		4	37	95	76	43	38	16	4				
14	Tuberculous meningitis	12	3	1			1	2		2	1	2							
15	Other forms of tuberculosis	22	2	1	1			1	1	5	2	5	3	1					
16	Cancer and other malignant tumors	120						1		1	8	23	28	34	21	4			
17	Meningitis	52	15	9	2	2	4	7	7	2		2	2						
18	Cerebral hemorrhage and softening	114	2						1	2	6	11	20	29	33	7	3		
19	Organic diseases of the heart	227	4	1	1	1		4	11	6	25	17	48	54	41	13	1		
20	Acute bronchitis	16	5	2	3		1				1		2		2				
21	Chronic bronchitis	30			1						3	2	2	10	8	4			
22	Pneumonia	180	24	19	3	5	1	7	6	5	18	20	25	19	22	6			
23a	Bronchopneumonia	24	5	3	5			1			1	2	1	1	3	2			
23b	Other diseases of the respiratory system	74	3	1		1		2		8	6	8	7	14	17	7			
24	Diseases of the stomach	38	1		1	1		1	1		5	5	8	7	8				
25(37)	Diarrhea and enteritis	88	38	13	4			2	2	2	2	4	3	9	8	1			
26	Appendicitis and typhlitis	24						2	10	3	5	2	1	1					
27	Hernia, intestinal obstruction	29	2	2					2	3		5	4	5	6				
28	Cirrhosis of the liver	23						1		3	3	6	5	3	2				
29	Acute nephritis and Bright's disease	208		4	1	1	2	1	5	5	17	28	57	39	34	13			1
30	Diseases of the female genital organs	13								3	5	3		1	1				
31	Puerperal fever	7								6	1								
32	Other puerperal affections	5							1	1	1	2							
33	Congenital debility and malformations	170	169			1													
34	Senility	165												21	76	62	6		
35	Violent deaths (excluding suicide)	111			3	2	3	7	12	26	15	14	17	6	4	2			
36	Suicide	34							1	8	10	5	5	4	1				
37	Other defined diseases	350	31	7	2	1	3	4	20	30	37	40	58	52	46	18	1		
38	Diseases ill-defined or unknown	65	47	5	4				1		2	1	3	1	1				
	LOUISVILLE, KY. (COLORED).																		
	All causes	1,089	131	37	34	10	14	20	69	140	173	160	143	87	49	17	3	1	1
1	Typhoid fever	27		1	1		1	2	5	6	5	4	1	1					
2	Typhus fever																		
3	Malaria	7	1						1	1	3		1						
4	Smallpox																		
5	Measles	1		1															
6	Scarlet fever	6		4			1		1										
7	Whooping cough	15	5	4	3		1	2											
8	Diphtheria and croup																		
9	Influenza	10			1				1	2			3	3					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7	1									2	2	1			1		
13	Tuberculosis of the lungs	183	2	2	3	1	1	2	33	49	38	32	13	5	1				1
14	Tuberculous meningitis	4		2				1		1									
15	Other forms of tuberculosis	5		2				1	1			1							
16	Cancer and other malignant tumors	15								1	3	5	3	3					
17	Meningitis	15	3	2	1	1	2	3	1			1	1						
18	Cerebral hemorrhage and softening	27								2	3	7	7	4	4				
19	Organic diseases of the heart	127					2	1	1	7	23	32	30	18	10	3			
20	Acute bronchitis	11	1	1	4		1	1		1		2							
21	Chronic bronchitis	26	2						2	6	6	4	1	3	1	1			
22	Pneumonia	125	17	6	8	2	2	3	3	9	20	19	23	5	6	2			
23a	Bronchopneumonia	13	6	2	3	1				1									
23b	Other diseases of the respiratory system	24			1					4	6	3	5	2	1	2			
24	Diseases of the stomach	26	2					1	1	3	9	4	5	1					
25(37)	Diarrhea and enteritis	31	9	4	3	2		1	1		2	2	3	2	1	1			
26	Appendicitis and typhlitis	3							1	2									
27	Hernia, intestinal obstruction	5					1				2			2					
28	Cirrhosis of the liver	4									2	1	1						
29	Acute nephritis and Bright's disease	64			1	1			1	8	11	13	13	11	4	1			
30	Diseases of the female genital organs	3								1		1	1						
31	Puerperal fever	3							2	1									
32	Other puerperal affections	1								1									
33	Congenital debility and malformations	49	49																
34	Senility	27												7	12	6	1	1	
35	Violent deaths (excluding suicide)	45				1		1	8	12	10	6	5		2				
36	Suicide	2								1	1								
37	Other defined diseases	160	25	3	4		1	1	5	21	27	20	25	19	7	1	1		
38	Diseases ill-defined or unknown	18	8	3	1	1	1		1		2	1							

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW ORLEANS, LA. (TOTAL).																			
	All causes	7,250	1,061	232	118	65	47	140	313	821	870	888	863	859	628	284	53	8	
1	Typhoid fever	107	2	1		1	1	3	27	35	18	12	5	2					
2	Typhus fever																		
3	Malaria	33		1	1		1		6	11	3	3		4	2	1			
4	Smallpox	2									1		1						
5	Measles	66	12	26	15	2	2	7	2										
6	Scarlet fever	28		2	3	1	5	11	5	1									
7	Whooping cough	14	7	4		1	1	1											
8	Diphtheria and croup	37	2	9	9	6	4	5		2									
9	Influenza	172	12	6	2	1	1	3	4	9	14	13	20	25	34	20	7	1	
10	Asiatic cholera																		
11	Cholera nostras	3									1			2					
12	Other epidemic diseases	63	2	1	3				1	5	7	14	11	9	7	2	1		
13	Tuberculosis of the lungs	905		4				2	58	294	243	164	86	38	14	1	1		
14	Tuberculous meningitis	21	4	2	3	1		2	3	2	3		1						
15	Other forms of tuberculosis	44			2			3	6	14	2	7	7	1	1	1			
16	Cancer and other malignant tumors	290			1	1	1	1	1	11	30	47	77	61	41	17	1		
17	Meningitis	48	10	7	6	2		5	7	5	5	1							
18	Cerebral hemorrhage and softening	255	2				1		1	5	15	36	59	64	49	21	2		
19	Organic diseases of the heart	704	1	1				4	10	41	64	96	126	176	126	52	5	2	
20	Acute bronchitis	72	43	11	3	3	1	2	1	1		2			2	3			
21	Chronic bronchitis	42	1							6	4	3	11	4	5	7	1		
22	Pneumonia	471	83	24	19	7	9	14	19	43	56	43	51	51	30	19	2	1	
23a	Bronchopneumonia	188	93	27	11	12	3	7	4	8	4	2	3	2	5	1	1		
23b	Other diseases of the respiratory system	70	4	3	6	1		1	2	9	4	11	10	11	6	2			
24	Diseases of the stomach	95	13	2	1			4		14	15	13	12	9	9	3			
25 (37)	Diarrhea and enteritis	546	368	80	15	10		7	5	8	9	10	10	9	9	6			
26	Appendicitis and typhlitis	43		1				3	9	7	7	7	5	1	2	1			
27	Hernia, intestinal obstruction	48	5				2		3	4	1	9	10	6	7	1			
28	Cirrhosis of the liver	137							1	10	15	32	37	29	11	2			
29	Acute nephritis and Bright's disease	811	4	2			1	8	18	62	102	159	142	173	107	29	4		
30	Diseases of the female genital organs	42								8	16	14	1	1	2				
31	Puerperal fever	34							6	22	5	1							
32	Other puerperal affections	40							3	18	15	4							
33	Congenital debility and malformations	217	213	4															
34	Senility	118												7	48	45	17	1	
35	Violent deaths (excluding suicide)	387	4	7	7	12	7	14	61	75	72	45	26	26	19	9	3		
36	Suicide	74							2	14	19	16	10	8	5				
37	Other defined diseases	989	146	4	10	4	7	32	48	76	120	124	141	138	87	41	8	3	
38	Diseases ill-defined or unknown	34	25	3	1			1		1			1	2					
NEW ORLEANS, LA. (WHITE).																			
	All causes	4,311	618	147	78	37	27	77	153	353	452	521	542	580	471	218	34	3	
1	Typhoid fever	67	2	1		1	1	2	15	20	13	8	3	1					
2	Typhus fever																		
3	Malaria	18		1			1		3	4	3	1		2	2	1			
4	Smallpox																		
5	Measles	59	12	23	15	2	1	5	1										
6	Scarlet fever	24		2	2	1	4	10	5										
7	Whooping cough	8	3	4			1												
8	Diphtheria and croup	30	2	8	8	6	4			2									
9	Influenza	107	5	1	2			1	1	5	7	6	13	18	26	19	3		
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	41	2	1	2					2	6	9	7	7	4	1			
13	Tuberculosis of the lungs	454		4					22	115	126	93	55	25	8		1		
14	Tuberculous meningitis	17	3	2	3			2	3	2	1		1						
15	Other forms of tuberculosis	20			1			1	2	5	1	5	5						
16	Cancer and other malignant tumors	220			1	1	1	1		4	19	35	56	54	32	15	1		
17	Meningitis	33	6	6	4	2		4	3	3	4	1							
18	Cerebral hemorrhage and softening	179	2				1		1		7	21	36	49	40	20	2		
19	Organic diseases of the heart	426	1					1	5	18	27	40	70	116	102	43	3		
20	Acute bronchitis	37	24	6	1	3									2	1			
21	Chronic bronchitis	27								2	1	2	5	4	5	7	1		
22	Pneumonia	231	40	15	8	6	4	6	5	13	24	18	26	30	21	12	2	1	
23a	Bronchopneumonia	72	37	9	5	2	2	4	1	2	1	2		2	4	1			
23b	Other diseases of the respiratory system	46	3	3	4	1		1	2	5	1	8	8	6	3	1			
24	Diseases of the stomach	53	12	2	1			2		4	7	6	6	4	7	2			
25 (37)	Diarrhea and enteritis	349	247	51	8	4		5	1	2	3	5	5	6	6	6			
26	Appendicitis and typhlitis	31						2	4	7	5	6	4	1	1	1			
27	Hernia, intestinal obstruction	33	2				1		2		1	7	9	5	6				
28	Cirrhosis of the liver	93							1	6	7	23	25	19	10	2			
29	Acute nephritis and Bright's disease	469	2	1				3	11	25	49	91	92	106	69	18	2		
30	Diseases of the female genital organs	19								3	6	8			2				
31	Puerperal fever	23							3	15	5								
32	Other puerperal affections	28								15	11	2							
33	Congenital debility and malformations	122	121	1															
34	Senility	83												7	31	33	12		
35	Violent deaths (excluding suicide)	220	2	3	6	5	2	7	35	31	37	31	20	17	15	7	2		
36	Suicide	67							1	10	18	16	10	7	5				
37	Other defined diseases	582	74	2	6	3	4	19	26	32	62	72	85	92	70	28	5	2	
38	Diseases ill-defined or unknown	22	16	1	1			1		1			1	1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW ORLEANS, LA. (COLORED).																		
	All causes	2,939	443	85	40	28	20	63	160	468	418	367	321	279	157	66	19	5	
1	Typhoid fever	40						1	12	15	5	4	2	1					
2	Typhus fever																		
3	Malaria	15			1				3	7		2		2					
4	Smallpox	2									1		1						
5	Measles	7		3			1	2	1										
6	Scarlet fever	4			1		1	1		1									
7	Whooping cough	6	4			1		1											
8	Diphtheria and croup	7		1	1			5											
9	Influenza	65	7	5		1	1	2	3	4	7	7	7	7	8	1	4	1	
10	Asiatic cholera																		
11	Cholera nostras	2									1			1					
12	Other epidemic diseases	22			1				1	3	1	5	4	2	3	1	1		
13	Tuberculosis of the lungs	451						2	36	179	117	66	31	13	6	1			
14	Tuberculous meningitis	4	1			1					2								
15	Other forms of tuberculosis	24			1			2	4	9	1	2	2	1	1	1			
16	Cancer and other malignant tumors	70							1	7	11	12	21	7	9	2			
17	Meningitis	15	4	1	2			1	4	2	1								
18	Cerebral hemorrhage and softening	76								5	8	15	23	15	9	1			
19	Organic diseases of the heart	278		1				3	5	23	37	56	56	60	24	9	2	2	
20	Acute bronchitis	35	19	5	2		1	2	1	1		2				2			
21	Chronic bronchitis	15	1							4	3	1	6						
22	Pneumonia	240	43	9	11	1	5	8	14	30	32	25	25	21	9	7			
23a	Broncho pneumonia	116	61	18	6	10	1	3	3	6	3		3		1		1		
23b	Other diseases of the respiratory system	24	1		2					4	3	3	2	5	3	1			
24	Diseases of the stomach	42	1					2		10	8	7	6	5	2	1			
25 (37)	Diarrhea and enteritis	197	121	29	7	6		2	4	6	6	5	5	3	3				
26	Appendicitis and typhlitis	12		1				1	5		2	1	1		1				
27	Hernia, intestinal obstruction	15	3				1		1	4		2	1	1	1	1			
28	Cirrhosis of the liver	44								4	8	9	12	10	1				
29	Acute nephritis and Bright's disease	342	2	1			1	5	7	37	53	68	50	67	38	11	2		
30	Diseases of the female genital organs	23								5	10	6	1	1					
31	Puerperal fever	11							3	7		1							
32	Other puerperal affections	12							3	3	4	2							
33	Congenital debility and malformations	95	92	3															
34	Senility	35													17	12	5	1	
35	Violent deaths (excluding suicide)	167	2	4	1	7	5	7	26	44	35	14	6	9	4	2	1		
36	Suicide	7							1	4	1			1					
37	Other defined diseases	407	72	2	4	1	3	13	22	44	58	52	56	46	17	13	3	1	
38	Diseases ill-defined or unknown	12	9	2										1					
BALTIMORE, MD. (TOTAL).																			
	All causes	10,753	2,146	401	170	99	71	193	448	885	1,006	1,096	1,263	1,347	1,065	470	83	8	2
1	Typhoid fever	235			3	2	2	14	52	72	49	25	6	8	2				
2	Typhus fever																		
3	Malaria	11	1						2			3	2	2	1				
4	Smallpox																		
5	Measles	20	2	12	2	1	1	1	1										
6	Scarlet fever	48	1	7	5	9	5	13	5	1	1		1						
7	Whooping cough	85	41	16	13	7		7	1										
8	Diphtheria and croup	64	5	12	14	7	8	14	1	1	2								
9	Influenza	64	1	6	1			1	3	2	5	5	11	16	9	3	1		
10	Asiatic cholera																		
11	Cholera nostras	6	2							1	1			1	1				
12	Other epidemic diseases	73	19	3		1				3	2	8	10	12	11	3	1		
13	Tuberculosis of the lungs	1,276	8	4	2	6	1	12	110	347	315	229	141	75	22	3			1
14	Tuberculous meningitis	57	12	8	3	4	4	7	11	3	3	1	1						
15	Other forms of tuberculosis	71	4	1	1	1		2	16	16	11	8	5	4	2				
16	Cancer and other malignant tumors	538				1		3	3	7	35	111	144	135	80	19			
17	Meningitis	124	41	26	20	4	3	11	9	4	3			1	2				
18	Cerebral hemorrhage and softening	510	3	2	1			1	1	9	24	46	89	149	121	52	11	1	
19	Organic diseases of the heart	972	15	4	1	2	2	10	41	60	70	134	197	194	168	70	3	1	
20	Acute bronchitis	89	50	10	7			1	2		2	1		6	3	5	2		
21	Chronic bronchitis	84						3	3		2	4	2	13	30	25	2		
22	Pneumonia	725	90	44	28	19	8	14	23	48	79	69	88	101	76	31	7		
23a	Broncho pneumonia	346	142	54	24	12	7	10	3	5	4	4	11	24	29	10	7		
23b	Other diseases of the respiratory system	120	11	3	1		1	3	4	5	7	13	16	15	22	18	1		
24	Diseases of the stomach	131	33	4	2	2	1	1	1	7	13	15	12	17	14	9			
25 (37)	Diarrhea and enteritis	740	535	104	12	5	3	2	4	6	2	5	10	15	27	8	2		
26	Appendicitis and typhlitis	69	1				2	2	11	13	14	14	7	4	1				
27	Hernia, intestinal obstruction	88	7		1				4	15	7	13	12	18	9	2			
28	Cirrhosis of the liver	73			1				1		6	18	23	15	7	2			
29	Acute nephritis and Bright's disease	999	6	1	1	3	2	11	23	57	83	151	195	241	159	59	7		
30	Diseases of the female genital organs	56							3	14	13	17	5	2	2				
31	Puerperal fever	34							5	15	12	2							
32	Other puerperal affections	58							6	24	23	5							
33	Congenital debility and malformations	693	684	4	2		1		2										
34	Senility	174												17	65	65	23	4	
35	Violent deaths (excluding suicide)	441	11	12	8	6	11	28	39	62	69	47	46	40	41	16	3	1	1
36	Suicide	81							4	20	23	11	14	7	2				
37	Other defined diseases	1,306	249	37	13	6	9	21	51	64	110	129	192	191	152	68	13	1	
38	Diseases ill-defined or unknown	292	172	27	4	1		1	3	4	16	8	23	24	7	2			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

BALTIMORE, MD. (WHITE).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	Deaths at unknown age.
	All causes	8,152	1,567	305	119	66	54	150	298	572	684	762	983	1,135	973	416	64	3	1
1	Typhoid fever	193			2	2	2	9	42	61	39	22	5	7	2				
2	Typhus fever																		
3	Malaria	9	1									3	2	2	1				
4	Smallpox																		
5	Measles	19	2	11	2	1	1	1	1										
6	Scarlet fever	46	1	7	5	8	5	13	4	1	1		1						
7	Whooping cough	47	28	9	4	3		3											
8	Diphtheria and croup	60	4	12	14	7	3	14	1										
9	Influenza	51		3	1			1	3		4	4	7	16	8	3	1		
10	Asiatic cholera																		
11	Cholera nostras	5	2								1			1	1				
12	Other epidemic diseases	58	15	2		1				1	1	6	8	11	9	3	1		
13	Tuberculosis of the lungs	816	4	3	1	1	1	2	58	201	202	157	104	63	18	1			
14	Tuberculous meningitis	45	11	5	2	3	2	6	8	3	3	1	1						
15	Other forms of tuberculosis	46	3	1	1	1		1	6	11	7	5	4	4	2				
16	Cancer and other malignant tumors	482				1		3	2	5	30	92	128	125	78	18			
17	Meningitis	103	38	22	14	4	3	7	8	3	2			1	1				
18	Cerebral hemorrhage and softening	414	3	2	1					4	14	31	71	126	108	49	5	1	
19	Organic diseases of the heart	700	13	3	1	2	1	10	33	37	39	74	119	153	152	60	3		
20	Acute bronchitis	68	41	5	5			1			1			5	3	5	2		
21	Chronic bronchitis	75						3			2	1	2	13	29	23	2		
22	Pneumonia	531	60	32	20	12	6	11	14	25	47	44	71	87	71	25	6		
23a	Bronchopneumonia	249	95	44	16	6	3	8	2	1	4	1	8	19	26	10	6		
23b	Other diseases of the respiratory system	99	11	2	1		1	3	2	3	5	6	14	13	19	18	1		
24	Diseases of the stomach	85	18	3	1	2	1	1		5	7	10	7	11	13	6			
25(37)	Diarrhea and enteritis	544	388	82	6	3	2	1	2	3	2	3	8	13	22	7	2		
26	Appendicitis and typhlitis	54	1				2	2	7	11	10	11	5	4	1				
27	Hernia, intestinal obstruction	74	5		1				3	9	4	13	11	17	9	2			
28	Cirrhosis of the liver	65			1				1		4	13	22	15	7	2			
29	Acute nephritis and Bright's disease	783	4		1	2	2	10	21	38	52	107	156	196	141	49	4		
30	Diseases of the female genital organs	39							2	8	8	13	4	2	2				
31	Puerperal fever	24							1	10	11	2							
32	Other puerperal affections	44							2	21	17	4							
33	Congenital debility and malformations	524	518	3			1		2										
34	Senility	150												12	60	58	19	1	
35	Violent deaths (excluding suicide)	344	8	11	7	3	7	20	32	41	57	35	37	31	38	13	3		1
36	Suicide	79							4	19	22	11	14	7	2				
37	Other defined diseases	1,019	167	26	11	4	6	19	35	47	79	90	157	162	143	63	9	1	
38	Diseases ill-defined or unknown	208	126	17	1			1	2	4	9	3	17	20	7	1			

BALTIMORE, MD. (COLORED).

	All causes	2,601	579	96	51	33	17	43	150	313	322	334	280	212	92	54	19	5	1
1	Typhoid fever	42			1			5	10	11	10	3	1	1					
2	Typhus fever																		
3	Malaria	2							2										
4	Smallpox																		
5	Measles	1		1															
6	Scarlet fever	2				1			1										
7	Whooping cough	38	13	7	9	4		4	1										
8	Diphtheria and croup	4	1							1	2								
9	Influenza	13	1	3						2	1	1	4		1				
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	15	4	1						2	1	2	2	1	2				
13	Tuberculosis of the lungs	460	4	1	1	5		10	52	146	113	72	37	12	4	2			1
14	Tuberculous meningitis	12	1	3	1	1	2	1	3										
15	Other forms of tuberculosis	25	1					1	10	5	4	3	1						
16	Cancer and other malignant tumors	56							1	2	5	19	16	10	2	1			
17	Meningitis	21	3	4	6			4	1	1	1				1				
18	Cerebral hemorrhage and softening	96						1	1	5	10	15	18	24	13	3	6		
19	Organic diseases of the heart	272	2	1			1		8	23	31	60	78	41	16	10		1	
20	Acute bronchitis	21	9	5	2				2		1	1		1					
21	Chronic bronchitis	9							3			3			1	2			
22	Pneumonia	194	30	12	8	7	2	3	9	23	32	25	17	14	5	6	1		
23a	Bronchopneumonia	97	47	10	8	6	4	2	1	4		3	3	5	3		1		
23b	Other diseases of the respiratory system	21		1					2	2	2	7	2	2	3				
24	Diseases of the stomach	46	15	1	1				1	2	6	5	5	6	1	3			
25(37)	Diarrhea and enteritis	196	147	22	6	2	1	1	2	3		2	2	2	5	1			
26	Appendicitis and typhlitis	15							4	2	4	3	2						
27	Hernia, intestinal obstruction	14	2						1	6	3		1	1					
28	Cirrhosis of the liver	8									2	5	1						
29	Acute nephritis and Bright's disease	216	2	1		1		1	2	19	31	44	39	45	18	10	3		
30	Diseases of the female genital organs	17							1	6	5	4	1						
31	Puerperal fever	10							4	5	1								
32	Other puerperal affections	14							4	3	6	1							
33	Congenital debility and malformations	169	166	1	2														
34	Senility	24												5	5	7	4	3	
35	Violent deaths (excluding suicide)	97	3	1	1	3	4	8	7	21	12	12	9	9	3	3		1	
36	Suicide	2								1	1								
37	Other defined diseases	287	82	11	2	2	3	2	16	17	31	39	35	29	9	5	4		
38	Diseases ill-defined or unknown	84	46	10	3	1			1		7	5	6	4		1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	BOSTON, MASS.																		
	All causes	11,562	2,246	462	194	138	73	246	382	752	1,119	1,315	1,361	1,507	1,147	536	71	5	3
1	Typhoid fever	76	1	1	.....	.....	1	4	13	20	20	11	4	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	96	27	38	13	6	3	5	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	62	2	7	12	12	4	13	5	4	3	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	51	24	12	7	2	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
8	Diphtheria and croup	161	26	26	15	22	12	37	14	2	3	3	1	.....	.....	.....	.....	.....	.....
9	Influenza	51	5	.....	.....	.....	.....	1	1	2	1	4	5	14	10	8	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
12	Other epidemic diseases	69	21	3	.....	1	1	.....	1	7	11	11	5	6	1	1	.....	.....	.....
13	Tuberculosis of the lungs	1,157	13	20	9	5	3	8	94	280	303	214	115	66	23	4	.....	.....	.....
14	Tuberculous meningitis	145	29	36	15	17	5	13	11	7	3	4	3	2	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	77	10	1	4	3	2	7	10	10	11	11	5	3	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	704	2	2	.....	1	.....	1	5	9	56	135	158	186	108	37	3	.....	1
17	Meningitis	105	36	17	8	6	5	9	7	4	2	6	3	1	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	617	10	.....	.....	1	.....	.....	.....	6	29	60	109	159	158	78	7	.....	.....
19	Organic diseases of the heart	1,355	10	2	2	3	1	19	66	47	98	166	200	342	265	117	16	1	.....
20	Acute bronchitis	101	64	7	2	2	.....	1	.....	.....	1	2	1	8	7	4	1	1	.....
21	Chronic bronchitis	65	1	1	1	1	.....	.....	.....	1	1	3	10	10	16	20	.....	.....	.....
22	Pneumonia	1,042	138	73	25	9	8	16	11	63	119	151	135	157	93	39	5	.....	.....
23a	Broncho pneumonia	393	152	67	33	9	2	3	3	4	7	16	16	23	35	21	2	.....	.....
23b	Other diseases of the respiratory system	80	9	6	3	2	.....	2	1	7	14	8	12	3	10	2	1	.....	.....
24	Diseases of the stomach	103	35	4	1	1	.....	.....	2	1	7	12	16	10	10	4	.....	.....	.....
25 (37)	Diarrhea and enteritis	729	590	88	8	4	1	3	1	1	3	3	3	5	11	8	.....	.....	.....
26	Appendicitis and typhlitis	110	1	.....	.....	1	.....	21	22	14	17	15	11	5	1	2	.....	.....	.....
27	Hernia, intestinal obstruction	93	16	1	1	.....	2	.....	3	5	3	13	19	16	10	3	1	.....	.....
28	Cirrhosis of the liver	97	1	.....	1	.....	.....	.....	.....	5	9	24	26	23	8	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	603	6	2	2	1	1	2	10	18	54	90	143	134	96	40	4	.....	.....
30	Diseases of the female genital organs	79	.....	.....	.....	.....	.....	.....	.....	17	17	22	10	9	3	1	.....	.....	.....
31	Puerperal fever	38	.....	.....	.....	.....	.....	.....	5	11	19	3	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	56	.....	.....	.....	.....	.....	.....	3	21	22	10	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	603	595	2	.....	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	13	21	7	1	.....
35	Violent deaths (excluding suicide)	646	17	9	18	14	9	40	38	93	114	111	68	49	41	19	4	.....	2
36	Suicide	103	.....	.....	.....	.....	.....	.....	6	23	29	13	17	9	6	.....	.....	.....	.....
37	Other defined diseases	1,731	331	32	9	12	11	37	48	75	145	188	248	256	214	165	18	2	.....
38	Diseases ill-defined or unknown	116	74	5	5	1	2	.....	.....	1	1	6	12	6	1	1	1	.....	.....
	CAMBRIDGE, MASS.																		
	All causes	1,576	293	57	27	13	12	25	61	114	145	165	175	219	164	98	6	1	1
1	Typhoid fever	10	.....	1	.....	.....	.....	.....	2	2	2	1	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	4	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	24	1	2	6	2	6	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	8	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	2	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
13	Tuberculosis of the lungs	258	.....	.....	1	1	.....	1	22	66	61	65	25	13	2	1	.....	.....	.....
14	Tuberculous meningitis	15	5	3	2	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	10	1	1	.....	.....	.....	.....	1	2	2	2	.....	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	85	.....	.....	.....	.....	.....	.....	.....	.....	5	13	19	27	18	3	.....	.....	.....
17	Meningitis	10	3	1	2	.....	.....	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	92	2	1	.....	.....	.....	.....	.....	1	3	5	18	22	25	14	1	.....	.....
19	Organic diseases of the heart	161	5	1	.....	.....	.....	1	10	4	7	15	22	41	38	17	.....	.....	.....
20	Acute bronchitis	11	6	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
21	Chronic bronchitis	18	.....	.....	.....	.....	1	.....	.....	.....	.....	2	3	6	4	2	.....	.....	.....
22	Pneumonia	140	19	10	3	3	.....	2	1	6	21	13	14	25	16	6	1	.....	.....
23a	Bronchopneumonia	52	25	5	2	1	1	2	1	.....	.....	.....	.....	6	5	4	.....	.....	.....
23b	Other diseases of the respiratory system	16	4	1	.....	.....	.....	.....	.....	.....	.....	3	3	4	.....	1	.....	.....	.....
24	Diseases of the stomach	22	12	1	.....	.....	.....	.....	1	.....	1	1	1	2	1	2	.....	.....	.....
25 (37)	Diarrhea and enteritis	109	84	15	2	.....	.....	.....	.....	.....	1	2	1	2	1	1	.....	.....	.....
26	Appendicitis and typhlitis	12	.....	.....	.....	.....	.....	1	2	2	5	1	.....	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	16	2	.....	.....	.....	.....	2	1	1	.....	.....	2	3	4	.....	1	.....	.....
28	Cirrhosis of the liver	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	2	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	82	2	.....	1	.....	.....	.....	1	7	6	15	22	14	7	7	.....	.....	.....
30	Diseases of the female genital organs	7	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	.....	.....	.....	.....	.....	.....
31	Puerperal fever	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	89	86	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	6	1	1	.....
35	Violent deaths (excluding suicide)	61	.....	1	2	2	1	3	7	7	8	5	8	8	3	4	1	.....	1
36	Suicide	9	.....	.....	.....	.....	.....	.....	1	3	2	.....	3	.....	.....	.....	.....	.....	.....
37	Other defined diseases	210	24	2	3	2	1	6	7	6	16	15	26	39	33	29	1	.....	.....
38	Diseases ill-defined or unknown	9	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	FALL RIVER, MASS.																		
	All causes	2,201	854	167	36	30	19	43	69	118	141	133	190	203	145	52	9	.....	1
1	Typhoid fever	18	1	.....	.....	.....	2	3	3	5	2	1	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	21	6	10	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	19	12	4	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
8	Diphtheria and croup	23	1	6	4	4	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	7	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	3	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	6	2	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	11	3	1	1	.....	1	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....
13	Tuberculosis of the lungs	170	5	2	1	.....	.....	3	17	40	46	27	22	6	1	.....	.....	.....	.....
14	Tuberculous meningitis	7	1	2	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	10	3	1	.....	1	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	97	.....	.....	.....	.....	.....	.....	.....	4	8	19	31	15	17	3	.....	.....	.....
17	Meningitis	28	10	6	1	3	1	3	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	92	6	.....	.....	.....	.....	.....	1	2	2	12	12	25	24	7	1	.....	.....
19	Organic diseases of the heart	152	5	.....	.....	.....	.....	.....	7	6	17	10	36	43	20	7	1	.....	.....
20	Acute bronchitis	69	50	12	3	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
21	Chronic bronchitis	25	1	.....	.....	.....	.....	.....	.....	.....	1	2	2	12	5	2	.....	.....	.....
22	Pneumonia	161	42	21	6	5	1	6	5	11	8	4	14	20	11	5	1	.....	1
23a	Bronchopneumonia	74	37	19	5	4	.....	1	.....	.....	1	1	2	1	2	1	.....	.....	.....
23b	Other diseases of the respiratory system	20	1	3	.....	.....	1	2	.....	3	2	2	.....	4	2	.....	.....	.....	.....
24	Diseases of the stomach	24	7	1	.....	.....	.....	.....	.....	2	1	1	3	3	3	3	.....	.....	.....
25 (37)	Diarrhea and enteritis	479	392	56	3	5	3	.....	3	1	.....	.....	.....	12	2	2	.....	.....	.....
26	Appendicitis and typhlitis	9	.....	.....	1	.....	.....	1	3	1	1	2	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	18	1	.....	.....	.....	.....	.....	.....	.....	2	1	.....	6	4	2	2	.....	.....
28	Cirrhosis of the liver	8	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	3	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	113	1	3	.....	.....	.....	1	2	10	13	13	31	24	14	1	.....	.....	.....
30	Diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	1	2	5	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	6	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	9	.....	.....	.....	.....	.....	.....	1	2	5	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	162	160	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7	4	3	.....	.....
35	Violent deaths (excluding suicide)	57	7	2	3	1	3	4	5	9	4	7	7	2	2	.....	1	.....	.....
36	Suicide	19	.....	.....	.....	.....	.....	.....	2	4	2	5	4	2	.....	.....	.....	.....	.....
37	Other defined diseases	210	59	9	1	3	2	9	8	9	19	13	22	22	24	10	.....	.....	.....
38	Diseases ill-defined or unknown	49	41	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	LOWELL, MASS.																		
	All causes	2,101	607	125	47	34	22	46	58	122	160	170	177	242	183	97	8	2	1
1	Typhoid fever	21	.....	.....	.....	.....	1	1	5	8	2	2	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	30	8	11	7	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	44	1	7	7	9	4	11	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	6	3	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	22	.....	5	6	6	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
12	Other epidemic diseases	9	2	.....	.....	.....	.....	.....	1	1	.....	1	1	1	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	120	3	.....	.....	.....	.....	.....	5	39	33	23	10	3	4	.....	.....	.....	.....
14	Tuberculous meningitis	21	11	4	2	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	13	.....	2	.....	1	.....	.....	.....	3	5	.....	.....	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	90	.....	.....	.....	.....	.....	.....	1	4	7	13	27	27	11	.....	.....	.....	.....
17	Meningitis	25	11	3	.....	1	1	1	3	2	1	.....	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	103	.....	.....	.....	.....	.....	1	.....	1	5	13	19	30	23	11	.....	.....	.....
19	Organic diseases of the heart	184	5	.....	.....	.....	.....	3	3	5	14	24	15	59	31	23	1	.....	1
20	Acute bronchitis	73	38	22	4	2	1	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	.....
21	Chronic bronchitis	17	.....	.....	.....	.....	.....	.....	1	2	.....	2	2	4	5	1	.....	.....	.....
22	Pneumonia	154	33	9	3	3	1	1	5	10	14	19	16	15	15	10	.....	.....	.....
23a	Bronchopneumonia	56	24	13	4	.....	1	2	.....	.....	.....	3	1	6	2	.....	.....	.....	.....
23b	Other diseases of the respiratory system	20	1	.....	.....	.....	.....	1	.....	2	5	2	3	2	4	.....	.....	.....	.....
24	Diseases of the stomach	23	4	3	.....	.....	.....	.....	.....	1	2	1	2	7	.....	3	.....	.....	.....
25 (37)	Diarrhea and enteritis	295	235	34	6	1	2	3	1	1	2	2	3	2	.....	3	.....	.....	.....
26	Appendicitis and typhlitis	16	.....	.....	.....	.....	.....	2	5	6	2	1	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	19	6	.....	.....	.....	.....	1	1	1	1	1	3	3	1	1	.....	.....	.....
28	Cirrhosis of the liver	16	.....	.....	.....	.....	.....	.....	1	.....	1	4	6	4	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	111	3	.....	1	1	.....	3	1	11	19	24	15	17	15	1	.....	.....	.....
30	Diseases of the female genital organs	10	.....	.....	.....	.....	.....	.....	1	2	3	2	1	1	.....	.....	.....	.....	.....
31	Puerperal fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	7	.....	.....	.....	.....	.....	.....	.....	3	4	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	156	153	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	10	21	4	2	.....
35	Violent deaths (excluding suicide)	74	5	4	1	4	1	6	7	7	10	6	5	9	8	1	.....	.....	.....
36	Suicide	17	.....	.....	.....	.....	.....	.....	1	3	2	2	4	4	1	.....	.....	.....	.....
37	Other defined diseases	273	41	3	5	3	4	6	10	10	24	23	36	41	46	18	3	.....	.....
38	Diseases ill-defined or unknown	24	19	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
WORCESTER, MASS.																			
	All causes	2,477	536	102	41	29	23	48	71	175	220	206	259	316	295	136	19	1	
1	Typhoid fever	23						2	2	8	3	6	1	1					
2	Typhus fever																		
3	Malaria	1														1			
4	Smallpox																		
5	Measles	23	7	9	3		2	2											
6	Scarlet fever	5				3				1	1								
7	Whooping cough	32	17	8	4	2	1												
8	Diphtheria and croup	51	3	13	6	7	8	9	3	2									
9	Influenza	7								2			1	1		3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	2	3	1							1	3	5	2	1			
13	Tuberculosis of the lungs	152	1	3					13	47	39	22	26	5	1	1			
14	Tuberculous meningitis	25	6	7	2	3	2		3	1	1								
15	Other forms of tuberculosis	16	1		1	1	1	1	1	5	2	1	1		1				
16	Cancer and other malignant tumors	140							4	11	25	35	38	22	5				
17	Meningitis	23	3	3	5	2		3	4			1	1		1				
18	Cerebral hemorrhage and softening	136	2							4	9	22	40	40	17	2			
19	Organic diseases of the heart	288	3		1		1	2	4	15	20	24	29	68	82	35	4		
20	Acute bronchitis	20	17	3															
21	Chronic bronchitis	20			1			1		1		1	4	5	3	3		1	
22	Pneumonia	194	27	10	2	2		1	6	14	19	18	25	27	28	13	2		
23a	Bronchopneumonia	85	42	11	3	1		1	2		1	1	1	10	7	5			
23b	Other diseases of the respiratory system	16		1	2	1	1	2	1				1	4	1	1	1		
24	Diseases of the stomach	23	5	1						3	2	2	2	6	1	1			
25 (37)	Diarrhea and enteritis	230	177	20	5	2	1	1			2	4	9	5	2	2			
26	Appendicitis and typhlitis	19			1		1	3	1	2	6	3	1	1					
27	Hernia, intestinal obstruction	24	6	1								3	4	4	5	1			
28	Cirrhosis of the liver	14							1		6	2	2		2	1			
29	Acute nephritis and Bright's disease	108		1		1		3	2	8	7	16	20	27	18	5			
30	Diseases of the female genital organs	14							2	4	4	1		3					
31	Puerperal fever	12							3	4	5								
32	Other puerperal affections	8							1	2	5								
33	Congenital debility and malformations	140	138	1					1										
34	Senility	29												2	13	8	6		
35	Violent deaths (excluding suicide)	129	4	1	2	3	3	9	11	26	24	13	17	10	3	3			
36	Suicide	11								3	3		2	2	1				
37	Other defined diseases	417	57	5	2	1	2	8	10	22	54	53	58	51	61	29	4		
38	Diseases ill-defined or unknown	24	18	1						1	1			1	1	1			
DETROIT, MICH.																			
	All causes	7,452	2,138	324	135	94	65	213	306	628	585	618	725	712	580	281	43	2	3
1	Typhoid fever	108			1	1		7	21	44	19	10	3	1	1				
2	Typhus fever																		
3	Malaria	3							1	2									
4	Smallpox																		
5	Measles	31	10	10	6	4			1										
6	Scarlet fever	76	5	13	9	11	4	22	6	5	1								
7	Whooping cough	108	69	19	11	4		4	1										
8	Diphtheria and croup	159	11	14	19	18	20	52	20	1	2		1	1					
9	Influenza	25	1		1					2	2	2	6	5	4	2			
10	Asiatic cholera																		
11	Cholera nostras	3								1			1			1			
12	Other epidemic diseases	47	11	3			1	2	3	2	3	5	2	4	5	5	1		
13	Tuberculosis of the lungs	465	8	4	3	3	2	3	60	149	96	79	40	16	1	1			
14	Tuberculous meningitis	23	2	4	3	3	1	5	3	1	1								
15	Other forms of tuberculosis	56	7	1	2	1	1	6	3	13	11	5	5	1					
16	Cancer and other malignant tumors	324	1		1				2	6	19	57	87	95	46	8	2		
17	Meningitis	127	41	23	11	5	4	12	13	5	5	2	3	1	1	1			
18	Cerebral hemorrhage and softening	255	11						2	8	13	30	52	60	60	18	1		
19	Organic diseases of the heart	515	11		2		1	8	18	29	46	75	107	105	78	33	2		
20	Acute bronchitis	81	44	11	4	3	2	2	1		1			3	3	6	1		
21	Chronic bronchitis	62	2					3	1	3	2	3	8	6	19	11	3	1	
22	Pneumonia	447	75	23	11	10	4	8	17	36	45	48	54	63	36	14	3		
23a	Bronchopneumonia	331	169	41	16	8	6	7	4	8	9	16	9	13	17	7	1		
23b	Other diseases of the respiratory system	109	8	4	1	4	3	6	9	8	11	11	7	21	10	5			1
24	Diseases of the stomach	98	42	4		1		1		4	5	7	8	11	13	2			
25 (37)	Diarrhea and enteritis	641	494	87	7	2		7	4	2	3	4	6	6	10	8	1		
26	Appendicitis and typhlitis	75						3	19	27	14	5	3	3	1				
27	Hernia, intestinal obstruction	97	15	2		1		1		7	10	15	15	16	9	6			
28	Cirrhosis of the liver	78								1	13	14	27	14	6	1	2		
29	Acute nephritis and Bright's disease	315	11	1		3	3	3	7	12	27	45	63	70	57	13			
30	Diseases of the female genital organs	41							1	11	11	12	3	3					
31	Puerperal fever	48							5	28	11	4							
32	Other puerperal affections	49							3	28	15	3							
33	Congenital debility and malformations	662	653	4	1		1	2	1										
34	Senility	204												15	76	91	22		
35	Violent deaths (excluding suicide)	400	18	13	15	4	2	23	37	76	70	45	36	28	22	8		1	2
36	Suicide	122							4	47	21	14	22	11	3				
37	Other defined diseases	1,037	254	15	10	6	9	24	35	59	94	103	155	137	95	37	4		
38	Diseases ill-defined or unknown	230	165	28	1	2	1	2	4	3	5	4	2	3	7	3			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
GRAND RAPIDS, MICH.																			
	All causes	1,648	329	59	23	13	11	34	59	135	120	123	171	220	216	122	12		1
1	Typhoid fever	32			1			2	1	15	6	3	4						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever	20	2	1	1	3	3	8	2										
7	Whooping cough	6	2	3			1												
8	Diphtheria and croup	12	1	2	3	1	1	4											
9	Influenza	6	2										1		1	1	1		
10	Asiatic cholera																		
11	Cholera nostras	1													1				
12	Other epidemic diseases	8		1				1				1	1	1	2	1			
13	Tuberculosis of the lungs	115							14	49	24	12	8	7	1				
14	Tuberculous meningitis	5		1	1	1		1		1									
15	Other forms of tuberculosis	20	3						3	4	1	4	2	2	1				
16	Cancer and other malignant tumors	103		1					1	1	8	20	26	24	21	1			
17	Meningitis	17	6	4	2			2	1		2								
18	Cerebral hemorrhage and softening	80	1		1				1		3	5	12	19	26	11	1		
19	Organic diseases of the heart	191	7	1				2	6	4	9	13	24	56	47	21	1		
20	Acute bronchitis	10	5	2				1						1	1				
21	Chronic bronchitis	20		1							1	1	2	4	4	7			
22	Pneumonia	75	10	2	1			1	4	7	8	6	13	8	12	3			
23a	Bronchopneumonia	18	7	4		2		1			1			2	1				
23b	Other diseases of the respiratory system	28	5	1				1		3	3	2	4	1	4	4			
24	Diseases of the stomach	56	16	2			1	1		1	5	1	1	9	9	9	1		
25 (37)	Diarrhea and enteritis	134	84	24	6	1	1	1	2		3	3	1	1	1	6			
26	Appendicitis and typhlitis	24			1	1		2	7	4	3	3	3						
27	Hernia, intestinal obstruction	16	2						1	1	2	3	1	3	2	1			
28	Cirrhosis of the liver	5									1			2	2				
29	Acute nephritis and Bright's disease	94	1	2		2				6	9	12	20	21	17	4			
30	Diseases of the female genital organs	13								3	3	5	1	1					
31	Puerperal fever	5								2	2	1							
32	Other puerperal affections	15								8	5	2							
33	Congenital debility and malformations	118	116	1	1														
34	Senility	57													18	33	6		
35	Violent deaths (excluding suicide)	66	4	2	2	1	2	3	6	9	6	7	5	14	4	1			
36	Suicide	13								3	3	1	2	3	1				
37	Other defined diseases	225	36	2	2	1	2	3	9	13	11	18	38	37	36	15	2		
38	Diseases ill-defined or unknown	40	19	2	1				1	1	1		2	4	4	4			1
MINNEAPOLIS, MINN.																			
	All causes	3,739	621	141	68	44	33	108	178	403	381	405	391	382	346	202	34	1	1
1	Typhoid fever	178	1	2	2	2	1	5	23	73	35	22	9	2		1			
2	Typhus fever																		
3	Malaria																		
4	Smallpox	1	1																
5	Measles	48	13	17	6	4	1	4	1	2									
6	Scarlet fever	50	2	7	6	6	5	14	5	4		1							
7	Whooping cough	7	4	2				1											
8	Diphtheria and croup	130	9	12	18	9	14	37	17	9	5								
9	Influenza	4											1	1		1	1		
10	Asiatic cholera																		
11	Cholera nostras	2		1												1			
12	Other epidemic diseases	25	5		1	1			2	2	1	3	1	1	3	4	1		
13	Tuberculosis of the lungs	367	4	1	1			2	33	107	100	64	33	13	5	4			
14	Tuberculous meningitis	28	4	6			1	2	6	3	1	3	2						
15	Other forms of tuberculosis	31	2	2	1				1	8	6	4	3	2	2				
16	Cancer and other malignant tumors	208		1	1	1				3	16	35	60	57	22	11	1		
17	Meningitis	41	8	2	3	3	1	3	5	2	3	6	1	3	1				
18	Cerebral hemorrhage and softening	127	1							3	5	8	18	30	45	15	2		
19	Organic diseases of the heart	290	4					7	7	19	17	24	37	77	65	29	3	1	
20	Acute bronchitis	19	12											2	3	2			
21	Chronic bronchitis	12				1					1		2	2	4	2			
22	Pneumonia	188	14	10	4	2		6	11	16	22	26	22	30	21	4			
23a	Bronchopneumonia	171	79	27	7	6	1	5	2	1	4	4	8	7	13	4	3		
23b	Other diseases of the respiratory system	33	4		1				1	2	3	7	4	4	4	3			
24	Diseases of the stomach	32	10		1	1			1	2	1	5	4	4	2	1			
25 (37)	Diarrhea and enteritis	283	203	37	8		4	1	2	1	1	1	1	6	10	6	2		
26	Appendicitis and typhlitis	56				1		5	10	10	11	11	6	2					
27	Hernia, intestinal obstruction	41	6	1		1		1	2	3	7	5	5	2	5	3			
28	Cirrhosis of the liver	25								2	2	8	4	5	4				
29	Acute nephritis and Bright's disease	224	2	2	1	3	1	1	6	10	19	32	45	39	38	23	2		
30	Diseases of the female genital organs	27							1	7	9	8	2						
31	Puerperal fever	25							1	16	7	1							
32	Other puerperal affections	14							1	5	5	3							
33	Congenital debility and malformations	148	147	1															
34	Senility	93												4	27	49	13		
35	Violent deaths (excluding suicide)	222	7	3	1	2	1	6	19	41	41	36	31	14	12	7	1		
36	Suicide	53								10	14	13	6	8	1				1
37	Other defined diseases	524	70	8	6	1	2	8	21	42	45	75	86	66	58	31	5		
38	Diseases ill-defined or unknown	12	9											1	1	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
ST. PAUL, MINN.																			
	All causes	2,558	498	94	43	45	32	117	147	239	204	220	281	259	232	131	15	.....	1
1	Typhoid fever	42	.....	.....	.....	.....	.....	1	10	15	7	8	.....	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	32	11	9	5	1	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	65	3	3	7	7	10	22	8	3	1	1	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	11	4	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	138	10	11	11	17	8	43	28	4	1	4	1	.....	.....	.....	.....	.....	.....
9	Influenza	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
12	Other epidemic diseases	12	4	.....	1	.....	.....	.....	1	1	1	1	.....	1	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	239	2	3	.....	.....	.....	1	26	73	46	33	32	22	.....	1	.....	.....	.....
14	Tuberculous meningitis	22	4	4	1	2	.....	7	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	34	2	.....	.....	.....	1	3	5	9	5	4	5	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	182	.....	.....	.....	.....	.....	.....	.....	3	15	30	55	43	29	5	2	.....	.....
17	Meningitis	25	7	2	2	.....	1	3	1	5	1	.....	2	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	101	2	.....	.....	.....	.....	.....	1	.....	3	5	19	34	24	13	.....	.....	.....
19	Organic diseases of the heart	201	3	.....	1	.....	2	3	8	15	16	22	36	37	41	15	2	.....	.....
20	Acute bronchitis	13	10	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	24	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	3	13	5	.....	.....	.....
22	Pneumonia	132	20	3	2	2	2	3	7	12	15	13	13	17	17	6	.....	.....	.....
23a	Bronchopneumonia	79	41	14	1	5	1	1	1	1	2	1	2	2	5	2	.....	.....	.....
23b	Other diseases of the respiratory system	20	3	1	1	.....	.....	.....	1	2	.....	.....	4	.....	2	5	1	.....	.....
24	Diseases of the stomach	22	11	.....	.....	.....	.....	.....	3	.....	1	2	2	1	2	.....	.....	.....	.....
25 (37)	Diarrhea and enteritis	169	122	29	3	1	2	1	.....	1	.....	2	.....	1	2	3	2	.....	.....
26	Appendicitis and typhlitis	41	1	.....	.....	.....	.....	5	9	7	8	4	3	3	.....	1	.....	.....	.....
27	Hernia, intestinal obstruction	25	4	.....	.....	2	.....	1	1	1	1	4	2	7	1	1	.....	.....	.....
28	Cirrhosis of the liver	17	.....	.....	.....	.....	.....	.....	.....	.....	2	6	6	3	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	145	.....	1	1	2	1	3	3	7	12	20	33	31	17	14	.....	.....	.....
30	Diseases of the female genital organs	18	.....	.....	.....	.....	.....	.....	.....	5	5	3	4	.....	.....	1	.....	.....	.....
31	Puerperal fever	11	.....	.....	.....	.....	.....	.....	1	7	2	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	14	.....	.....	.....	.....	.....	.....	1	9	4	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	153	153	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	64	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	22	34	5	.....	.....
35	Violent deaths (excluding suicide)	116	3	5	2	2	1	2	12	23	18	20	9	8	8	3	.....	.....	.....
36	Suicide	30	.....	.....	.....	.....	.....	.....	3	8	4	5	6	2	2	.....	.....	.....	.....
37	Other defined diseases	321	51	4	3	1	2	13	14	23	32	29	44	37	43	22	3	.....	.....
38	Diseases ill-defined or unknown	36	26	.....	.....	1	.....	1	.....	1	.....	2	2	1	1	.....	.....	.....	1
KANSAS CITY, MO. (TOTAL).																			
	All causes	3,966	654	91	50	29	35	116	197	480	457	417	478	437	341	151	23	2	8
1	Typhoid fever	136	2	.....	2	.....	1	11	32	40	24	10	7	6	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	10	2	.....	.....	.....	.....	.....	3	.....	3	.....	1	.....	.....	1	.....	.....	.....
4	Smallpox	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
5	Measles	71	15	15	11	2	6	11	5	4	1	.....	.....	1	.....	.....	.....	.....	.....
6	Scarlet fever	58	1	4	6	4	5	22	8	4	2	1	1	.....	.....	.....	.....	.....	.....
7	Whooping cough	8	6	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	54	4	2	6	4	4	21	7	3	1	1	1	.....	.....	.....	.....	.....	.....
9	Influenza	28	1	.....	.....	.....	.....	1	.....	2	2	1	4	9	4	4	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	14	3	.....	.....	.....	.....	.....	.....	1	2	1	2	2	2	1	.....	.....	.....
13	Tuberculosis of the lungs	375	5	4	2	1	2	3	35	125	77	46	47	25	2	.....	.....	.....	1
14	Tuberculous meningitis	10	4	.....	.....	.....	1	.....	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	36	6	.....	.....	2	.....	.....	2	3	8	4	4	5	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	202	1	.....	.....	.....	1	.....	2	9	16	42	58	45	20	7	1	.....	.....
17	Meningitis	48	18	.....	1	3	2	2	5	5	4	1	5	2	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	141	1	.....	.....	.....	.....	.....	1	1	4	16	22	39	40	16	1	.....	.....
19	Organic diseases of the heart	344	1	.....	.....	.....	.....	4	6	23	30	46	55	71	90	18	.....	.....	.....
20	Acute bronchitis	18	11	2	.....	1	.....	.....	.....	1	.....	.....	.....	1	1	1	.....	.....	.....
21	Chronic bronchitis	15	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	2	4	4	.....	.....	.....
22	Pneumonia	266	41	11	.....	1	1	7	12	28	29	28	39	37	21	11	.....	.....	.....
23a	Bronchopneumonia	100	41	8	5	2	2	4	3	6	3	1	8	5	10	1	1	.....	.....
23b	Other diseases of the respiratory system	39	4	.....	2	.....	.....	1	1	2	3	7	4	7	5	3	.....	.....	.....
24	Diseases of the stomach	46	12	1	.....	1	.....	1	.....	2	3	3	4	4	9	6	.....	.....	.....
25 (37)	Diarrhea and enteritis	145	103	20	4	.....	2	1	.....	2	1	2	3	.....	1	4	2	.....	.....
26	Appendicitis and typhlitis	55	.....	.....	.....	1	1	1	9	15	12	11	4	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	38	5	1	.....	.....	.....	2	.....	3	4	3	8	7	4	1	.....	.....	.....
28	Cirrhosis of the liver	36	.....	.....	.....	.....	.....	.....	2	.....	2	13	7	9	2	1	.....	.....	.....
29	Acute nephritis and Bright's disease	238	2	1	1	1	1	2	5	16	25	36	47	45	34	21	1	.....	.....
30	Diseases of the female genital organs	35	.....	.....	.....	.....	.....	.....	1	13	11	6	3	.....	1	.....	.....	.....	.....
31	Puerperal fever	28	.....	.....	.....	.....	.....	.....	1	17	10	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	17	.....	.....	.....	.....	.....	.....	2	9	6	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	238	238	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	41	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	8	17	12	1	.....
35	Violent deaths (excluding suicide)	309	12	3	5	2	1	11	19	61	69	49	37	26	7	2	.....	1	4
36	Suicide	85	.....	.....	.....	.....	.....	.....	5	28	22	16	8	3	.....	1	.....	.....	2
37	Other defined diseases	629	91	13	3	4	4	10	27	53	77	69	92	80	71	31	4	.....	.....
38	Diseases ill-defined or unknown	50	23	6	2	.....	1	.....	.....	2	5	1	4	2	2	.....	1	.....	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
KANSAS CITY, MO. (WHITE).																			
	All causes	3,317	559	74	42	24	31	96	152	354	356	342	409	389	318	145	18	1	7
1	Typhoid fever	117	1		2		1	6	27	35	23	9	7	5	1				
2	Typhus fever																		
3	Malaria	10	2						3		3		1			1			
4	Smallpox	2								1		1							
5	Measles	65	14	13	11	2	6	10	4	3	1			1					
6	Scarlet fever	56	1	4	5	4	5	21	8	4	2	1	1						
7	Whooping cough	5	4						1										
8	Diphtheria and croup	47	4	2	5	3	4	20	7		1		1						
9	Influenza	25	1					1		1	2	1	3	9	3	4			
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	14	3							1	2	1	2	2	2	1			
13	Tuberculosis of the lungs	225	3	3			1	1	20	73	46	28	32	15	2				1
14	Tuberculous meningitis	8	4						1	1		2							
15	Other forms of tuberculosis	28	5			2			1	1	5	4	4	4	2				
16	Cancer and other malignant tumors	188	1				1		2	8	15	35	55	43	20	7	1		
17	Meningitis	44	16		1	3	2	1	5	5	3	1	5	2					
18	Cerebral hemorrhage and softening	130	1							1	4	12	19	37	40	16			
19	Organic diseases of the heart	285	1					4	6	15	20	34	42	64	82	17			
20	Acute bronchitis	14	9	1						1				1	1	1			
21	Chronic bronchitis	13						1			1		2	2	4	3			
22	Pneumonia	205	29	8			1	3	9	18	21	24	30	32	19	11			
23a	Bronchopneumonia	83	34	7	4	1	2	3	2	5	3		7	5	9		1		
23b	Other diseases of the respiratory system	37	4		2			1	1	2	3	5	4	7	5	3			
24	Diseases of the stomach	39	8	1		1				2	3	2	3	4	9	6			
25 (37)	Diarrhea and enteritis	119	84	15	4		2	1		2	1	1	2		1	4	2		
26	Appendicitis and typhlitis	52				1	1	1	8	14	12	11	3	1					
27	Hernia, intestinal obstruction	34	5	1				2		3	2	3	7	6	4	1			
28	Cirrhosis of the liver	31							2		2	11	6	8	1	1			
29	Acute nephritis and Bright's disease	203	2	1		1	1	2	3	12	20	28	44	39	30	20			
30	Diseases of the female genital organs	28							1	11	8	4	3		1				
31	Puerperal fever	21								12	9								
32	Other puerperal affections	14							1	7	6								
33	Congenital debility and malformations	214	214																
34	Senility	34												2	7	16	9		
35	Violent deaths (excluding suicide)	259	12	3	5	2		9	16	44	54	45	32	24	6	2		1	4
36	Suicide	83							5	27	21	16	8	3		1			2
37	Other defined diseases	550	80	11	3	4	3	9	19	43	60	62	84	71	67	30	4		
38	Diseases ill-defined or unknown	34	16	4			1			2	3	1	2	2	2		1		
KANSAS CITY, MO. (COLORED).																			
	All causes	649	95	17	8	5	4	20	45	126	101	75	69	43	23	6	5	1	1
1	Typhoid fever	19	1					5	5	5	1	1		1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	6	1	2				1	1	1									
6	Scarlet fever	2			1			1											
7	Whooping cough	3	2						1										
8	Diphtheria and croup	7			1	1		1		3		1							
9	Influenza	3								1			1		1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	150	2	1	2	1	1	2	15	52	31	18	15	10					
14	Tuberculous meningitis	2					1		1										
15	Other forms of tuberculosis	8	1						1	2	3			1					
16	Cancer and other malignant tumors	14								1	1	7	3	2					
17	Meningitis	4	2					1			1								
18	Cerebral hemorrhage and softening	11							1			4	3	2			1		
19	Organic diseases of the heart	59								8	10	12	13	7	8	1			
20	Acute bronchitis	4	2	1		1													
21	Chronic bronchitis	2											1			1			
22	Pneumonia	61	12	3		1		4	3	10	8	4	9	5	2				
23a	Bronchopneumonia	17	7	1	1	1		1	1	1		1	1		1	1			
23b	Other diseases of the respiratory system	2										2							
24	Diseases of the stomach	7	4					1				1	1						
25 (37)	Diarrhea and enteritis	26	19	5								1	1						
26	Appendicitis and typhlitis	3							1	1			1						
27	Hernia, intestinal obstruction	4									2		1	1					
28	Cirrhosis of the liver	5										2	1	1	1				
29	Acute nephritis and Bright's disease	35			1				2	4	5	8	3	6	4	1	1		
30	Diseases of the female genital organs	7								2	3	2							
31	Puerperal fever	7							1	5	1								
32	Other puerperal affections	3							1	2									
33	Congenital debility and malformations	24	24																
34	Senility	7												1	1	1	3	1	
35	Violent deaths (excluding suicide)	50					1	2	3	17	15	4	5	2	1				
36	Suicide	2								1	1								
37	Other defined diseases	79	11	2			1	1	8	10	17	7	8	9	4	1			
38	Diseases ill-defined or unknown	16	7	2	2						2		2						1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
ST. LOUIS, MO. (TOTAL).																		
	All causes	10,888	1,689	343	189	111	80	237	390	946	1,238	1,333	1,286	1,339	1,152	485	59	5	6
1	Typhoid fever	103				1	1	5	29	31	14	15	6	1					
2	Typhus fever																		
3	Malaria	34	3	1		2			1	3	5	7	7	4		1			
4	Smallpox																		
5	Measles	64	29	17	7	5	2	2	1	1									
6	Scarlet fever	187	11	16	27	31	26	59	10	4	2	1							
7	Whooping cough	57	25	16	9	3	1	3											
8	Diphtheria and croup	111	8	14	24	19	7	30	6	1	2								
9	Influenza	129	6	7	1	1	2	3	6	9	8	8	15	23	24	16			
10	Asiatic cholera																		
11	Cholera nostras	6	3							1					1	1			
12	Other epidemic diseases	50	16	3	1				1	1	5	5	3	5	5	4		1	
13	Tuberculosis of the lungs	1,149	10	5	4	2		6	74	327	305	238	121	47	9	1			
14	Tuberculous meningitis	45	6	10	7		2	2	8	3	4	3							
15	Other forms of tuberculosis	81	1	2	1	1	4	7	13	17	16	9	7	2	1				
16	Cancer and other malignant tumors	587		1				1	2	14	51	111	143	151	94	17	2		
17	Meningitis	75	20	11	7	3	2	9	9	5	3	3		2	1				
18	Cerebral hemorrhage and softening	401	3	1					4	9	16	61	74	103	96	29	3	1	1
19	Organic diseases of the heart	905	6		2	1	1	11	34	42	101	127	138	195	187	52	6	1	1
20	Acute bronchitis	155	79	19	5	6	1	1	3	1	2		4	5	13	13	3		
21	Chronic bronchitis	152			1	1		1			7	6	17	30	52	33	4		
22	Pneumonia	712	73	22	17	6	3	16	25	53	97	80	110	111	80	18	1		
23a	Bronchopneumonia	394	122	55	19	5	9	15	9	8	14	15	22	38	39	17	6	1	
23b	Other diseases of the respiratory system	114	10	1	2	1	2	2	1	11	12	15	9	16	19	11	2		
24	Diseases of the stomach	106	10		4	1		3	4	12	10	15	18	9	11	8	1		
25 (37)	Diarrhea and enteritis	724	500	96	26	4	9	5	2	7	7	12	8	13	23	10	1		1
26	Appendicitis and typhlitis	74						6	20	13	21	7	3	1	3				
27	Hernia, intestinal obstruction	115	14	2	2			3	3	8	16	17	17	13	20				
28	Cirrhosis of the liver	210			1					10	23	59	59	43	13	2			
29	Acute nephritis and Bright's disease	1,140	17	4	2	2	1	7	16	56	103	168	218	249	205	84	6		2
30	Diseases of the female genital organs	81							3	19	31	17	7	3			1		
31	Puerperal fever	67							10	25	30	2							
32	Other puerperal affections	46							1	20	22	3							
33	Congenital debility and malformations	463	458	3				1	1										
34	Senility	57												7	21	27	2		
35	Violent deaths (excluding suicide)	604	14	11	11	10	4	20	52	100	104	90	56	62	44	22	4		
36	Suicide	199							7	43	49	40	31	14	11	3	1		
37	Other defined diseases	1,444	213	21	8	6	3	19	35	93	157	199	192	191	174	115	16	1	1
38	Diseases ill-defined or unknown	47	32	5	1								1	1	6	1			
ST. LOUIS, MO. (WHITE).																			
	All causes	9,733	1,542	303	159	99	73	217	343	777	1,015	1,175	1,162	1,247	1,099	465	53	1	3
1	Typhoid fever	94					1	5	27	28	12	14	6	1					
2	Typhus fever																		
3	Malaria	30	3	1		2				3	4	6	6	4		1			
4	Smallpox																		
5	Measles	63	29	17	7	4	2	2	1	1									
6	Scarlet fever	182	11	15	26	31	25	58	9	4	2	1							
7	Whooping cough	43	20	12	7	1	1	2											
8	Diphtheria and croup	110	8	14	24	19	7	30	6	1	1								
9	Influenza	120	5	6	1	1	1	3	6	8	5	8	14	23	24	15			
10	Asiatic cholera																		
11	Cholera nostras	5	3								1					1			
12	Other epidemic diseases	47	14	3	1				1	1	5	5	3	4	5	4		1	
13	Tuberculosis of the lungs	937	10	2	1	1		4	57	256	249	204	104	41	7	1			
14	Tuberculous meningitis	38	6	8	6		2	1	6	3	4	2							
15	Other forms of tuberculosis	59	1	1		1	3	5	9	12	13	4	7	2	1				
16	Cancer and other malignant tumors	550		1				1	2	9	43	107	134	145	90	16	2		
17	Meningitis	71	20	10	7	3	2	7	9	5	2	3		2	1				
18	Cerebral hemorrhage and softening	367	3						3	8	13	55	61	99	93	28	3		1
19	Organic diseases of the heart	789	5		2	1	1	11	32	38	71	104	117	180	177	46	4		
20	Acute bronchitis	135	69	16	1	5	1	1	3		2		4	4	13	13	3		
21	Chronic bronchitis	142				1		1			4	3	16	29	51	33	4		
22	Pneumonia	627	62	19	13	4	1	12	22	43	79	73	100	107	73	18	1		
23a	Bronchopneumonia	351	106	47	12	4	9	13	7	7	12	15	20	38	38	17	6		
23b	Other diseases of the respiratory system	104	9	1	2	1	2	2	1	11	6	13	9	16	19	11	1		
24	Diseases of the stomach	94	10		3	1		3	2	12	6	11	17	9	11	8	1		
25 (37)	Diarrhea and enteritis	682	476	90	23	4	7	5	2	6	7	10	7	13	20	10	1		1
26	Appendicitis and typhlitis	67						5	19	11	18	7	3	1	3				
27	Hernia, intestinal obstruction	108	13	2	2			3	3	5	15	17	16	12	20				
28	Cirrhosis of the liver	193			1					9	20	56	53	40	13	1			
29	Acute nephritis and Bright's disease	1,028	17	3	1		1	6	14	46	82	149	199	227	196	81	5		1
30	Diseases of the female genital organs	60							1	14	26	10	6	2			1		
31	Puerperal fever	62							9	22	29	2							
32	Other puerperal affections	44							1	19	21	3							
33	Congenital debility and malformations	423	418	3				1	1										
34	Senility	53												5	20	26	2		
35	Violent deaths (excluding suicide)	542	13	11	10	10	4	19	50	79	90	83	50	57	43	20	3		
36	Suicide	198							7	43	48	40	31	14	11	3	1		
37	Other defined diseases	1,271	182	16	8	5	3	17	33	73	125	170	178	171	164	111	15		
38	Diseases ill-defined or unknown	44	29	5	1								1	1	6	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
ST. LOUIS, MO. (COLORED).																			
	All causes	1,155	147	40	30	12	7	20	47	169	223	158	124	92	53	20	6	4	3
1	Typhoid fever	9				1			2	3	2	1							
2	Typhus fever																		
3	Malaria	4							1		1	1	1						
4	Smallpox																		
5	Measles	1				1													
6	Scarlet fever	5		1	1		1	1	1										
7	Whooping cough	14	5	4	2	2		1											
8	Diphtheria and croup	1									1								
9	Influenza	9	1	1			1			1	3		1			1			
10	Asiatic cholera																		
11	Cholera nostras	1													1				
12	Other epidemic diseases	3	2											1					
13	Tuberculosis of the lungs	212		3	3	1		2	17	71	56	34	17	6	2				
14	Tuberculous meningitis	7		2	1			1	2			1							
15	Other forms of tuberculosis	22		1	1		1	2	4	5	3	5							
16	Cancer and other malignant tumors	37								5	8	4	9	6	4	1			
17	Meningitis	4		1				2			1								
18	Cerebral hemorrhage and softening	34		1					1	1	3	6	13	4	3	1		1	
19	Organic diseases of the heart	116	1						2	4	30	23	21	15	10	6	2	1	1
20	Acute bronchitis	20	10	3	4	1				1				1					
21	Chronic bronchitis	10			1						3	3	1	1	1				
22	Pneumonia	85	11	3	4	2	2	4	3	10	18	7	10	4	7				
23[a]	Bronchopneumonia	43	16	8	7	1		2	2	1	2		2		1			1	
23[b]	Other diseases of the respiratory system	10	1								6	2					1		
24	Diseases of the stomach	12			1				2		4	4	1						
25 (37)	Diarrhea and enteritis	42	24	6	3		2			1		2	1		3				
26	Appendicitis and typhlitis	7						1	1	2	3								
27	Hernia, intestinal obstruction	7	1							3	1		1	1					
28	Cirrhosis of the liver	17								1	3	3	6	3		1			
29	Acute nephritis and Bright's disease	112		1	1	2		1	2	10	21	19	19	22	9	3	1		1
30	Diseases of the female genital organs	21							2	5	5	7	1	1					
31	Puerperal fever	5							1	3	1								
32	Other puerperal affections	2								1	1								
33	Congenital debility and malformations	40	40																
34	Senility	4												2	1	1			
35	Violent deaths (excluding suicide)	62	1		1			1	2	21	14	7	6	5	1	2	1		
36	Suicide	1									1								
37	Other defined diseases	173	31	5		1		2	2	20	32	29	14	20	10	4	1	1	1
38	Diseases ill-defined or unknown	3	3																
OMAHA, NEBR.																			
	All causes	1,879	293	40	22	17	11	45	110	211	215	235	244	208	134	79	13	2	
1	Typhoid fever	108		1				4	27	36	21	12	4	3					
2	Typhus fever																		
3	Malaria	1							1										
4	Smallpox																		
5	Measles	7	3				2			2									
6	Scarlet fever	19		1	2	3	1	6	4	2									
7	Whooping cough	19	13	2	3		1												
8	Diphtheria and croup	17		3	1	4	1	3	4	1									
9	Influenza	10	1			1				2				3	2	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	2						1	1	1	1	2	2	1				
13	Tuberculosis of the lungs	154	2						7	41	41	28	26	7	2				
14	Tuberculous meningitis	11	1	2	2	2		1	1	1		1							
15	Other forms of tuberculosis	16		1				1		3	3	5	2	1					
16	Cancer and other malignant tumors	114	1					1	1	4	7	22	36	29	12		1		
17	Meningitis	13	2	1			1	2	1	3	1		1	1					
18	Cerebral hemorrhage and softening	70			1					2	3	5	12	17	24	5	1		
19	Organic diseases of the heart	151		1				2	5	9	19	25	29	39	15	7			
20	Acute bronchitis	6	6																
21	Chronic bronchitis	8			1						1		1	1	1	3			
22	Pneumonia	124	5	3		1			5	12	19	22	18	13	16	8	2		
23[a]	Bronchopneumonia	75	48	9	7		1	2	2				2		2	2			
23[b]	Other diseases of the respiratory system	18								1		3	3	3	4				
24	Diseases of the stomach	19	1	1						2	1	1	7	2	3	1			
25 (37)	Diarrhea and enteritis	89	70	8	2	3				1		1	1			1			
26	Appendicitis and typhlitis	52		1			1	4	11	14	12	5	2	2					
27	Hernia, intestinal obstruction	30	2			1		1	1	2	5	4	6	4	3		1		
28	Cirrhosis of the liver	20						1			1	2	5	6	4	1			
29	Acute nephritis and Bright's disease	91		1					3	8	9	18	22	17	12	1			
30	Diseases of the female genital organs	19			1					7	4	5	1		1				
31	Puerperal fever	12								7	5								
32	Other puerperal affections	5								2	2	1							
33	Congenital debility and malformations	79	78					1											
34	Senility	37												2	8	20	5	2	
35	Violent deaths (excluding suicide)	127	3	3	1	1	2	5	13	20	25	22	20	3	5	4			
36	Suicide	31								6	9	4	7	4		1			
37	Other defined diseases	314	53	2	1	1	1	9	23	22	26	48	37	49	19	20	3		
38	Diseases ill-defined or unknown	2	2																

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	JERSEY CITY, N. J.																		
	All causes	4,401	954	218	84	48	31	95	164	326	507	504	483	471	373	123	18	.....	2
1	Typhoid fever	31	.....	.....	.....	.....	.....	.....	6	9	12	3	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	23	4	12	3	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	46	2	7	8	6	6	9	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	13	8	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	83	3	18	18	10	8	21	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	19	.....	.....	.....	.....	.....	.....	1	.....	1	5	3	4	3	1	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
12	Other epidemic diseases	29	12	.....	.....	.....	.....	.....	1	2	3	1	4	2	2	2	.....	.....	.....
13	Tuberculosis of the lungs	474	7	2	1	.....	1	2	26	118	144	102	48	19	4	.....	.....	.....	.....
14	Tuberculous meningitis	20	3	4	4	1	1	2	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	25	3	.....	.....	.....	.....	2	.....	7	10	2	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	184	.....	.....	.....	.....	.....	.....	1	2	12	38	52	51	22	5	1	.....	.....
17	Meningitis	57	19	9	5	2	2	7	4	2	1	3	2	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	212	4	.....	.....	.....	.....	.....	2	2	6	26	37	63	54	14	3	.....	1
19	Organic diseases of the heart	362	4	1	.....	.....	2	5	18	20	26	52	67	83	59	19	5	.....	1
20	Acute bronchitis	40	23	4	1	3	.....	.....	.....	.....	.....	.....	3	1	3	2	.....	.....	.....
21	Chronic bronchitis	22	.....	.....	.....	1	.....	.....	.....	1	1	.....	3	6	8	2	.....	.....	.....
22	Pneumonia	322	29	26	9	4	1	9	9	13	52	40	45	46	31	8	.....	.....	.....
23a	Bronchopneumonia	162	66	34	9	2	2	5	4	1	4	2	5	14	9	4	1	.....	.....
23b	Other diseases of the respiratory system	50	11	4	3	.....	.....	.....	1	1	3	3	5	5	9	5	.....	.....	.....
24	Diseases of the stomach	37	10	.....	2	.....	.....	.....	1	2	5	4	4	3	4	1	1	.....	.....
25 (37)	Diarrhea and enteritis	446	321	73	8	2	4	3	2	1	6	3	5	6	7	5	.....	.....	.....
26	Appendicitis and typhlitis	27	.....	.....	.....	.....	.....	1	9	7	3	5	1	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	32	6	.....	.....	.....	.....	1	2	2	4	2	8	2	4	1	.....	.....	.....
28	Cirrhosis of the liver	79	.....	.....	.....	.....	.....	.....	.....	2	18	23	20	10	5	1	.....	.....	.....
29	Acute nephritis and Bright's disease	343	3	1	.....	4	.....	4	10	26	44	63	61	65	54	8	.....	.....	.....
30	Diseases of the female genital organs	19	.....	.....	.....	.....	.....	.....	.....	2	9	4	3	.....	1	.....	.....	.....	.....
31	Puerperal fever	26	.....	.....	.....	.....	.....	.....	2	15	9	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	20	.....	.....	.....	.....	.....	.....	.....	8	7	5	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	233	229	1	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	15	19	4	.....	.....
35	Violent deaths (excluding suicide)	281	8	4	4	7	1	8	31	38	57	56	38	15	10	4	.....	.....	.....
36	Suicide	61	.....	.....	.....	.....	.....	.....	4	10	18	11	9	5	4	.....	.....	.....	.....
37	Other defined diseases	501	115	8	3	4	2	12	18	28	51	50	57	67	63	21	2	.....	.....
38	Diseases ill-defined or unknown	78	64	8	2	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....
	NEWARK, N. J.																		
	All causes	5,784	1,242	273	120	81	55	146	208	448	569	664	646	593	513	193	33	.....	.....
1	Typhoid fever	46	.....	.....	1	.....	.....	2	6	15	7	9	4	1	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	56	21	21	4	4	5	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	42	3	5	4	6	4	11	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	65	37	19	4	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	107	18	25	13	10	12	26	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
9	Influenza	40	6	4	.....	.....	.....	.....	1	3	2	4	5	5	8	1	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	43	21	2	1	.....	.....	.....	.....	.....	3	3	2	3	4	4	.....	.....	.....
13	Tuberculosis of the lungs	748	9	3	6	1	3	7	47	195	194	171	66	37	5	4	.....	.....	.....
14	Tuberculous meningitis	72	17	11	10	11	4	6	7	3	1	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	39	4	5	4	.....	.....	4	7	4	3	2	2	3	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	292	1	.....	1	1	1	.....	6	5	17	61	84	60	47	8	.....	.....	.....
17	Meningitis	58	15	7	8	7	4	4	3	1	2	1	3	1	.....	2	.....	.....	.....
18	Cerebral hemorrhage and softening	348	5	.....	.....	.....	.....	.....	1	6	14	36	71	98	77	35	5	.....	.....
19	Organic diseases of the heart	471	4	.....	2	1	2	3	23	20	35	56	68	109	106	37	5	.....	.....
20	Acute bronchitis	84	61	7	2	1	1	.....	1	.....	1	.....	3	2	3	2	.....	.....	.....
21	Chronic bronchitis	46	3	2	2	.....	.....	2	.....	.....	2	4	5	8	11	4	3	.....	.....
22	Pneumonia	351	43	25	6	3	2	8	16	32	41	46	39	40	40	8	2	.....	.....
23a	Bronchopneumonia	277	131	54	21	6	4	8	3	4	2	4	7	7	16	9	1	.....	.....
23b	Other diseases of the respiratory system	59	3	3	.....	1	.....	3	1	2	10	6	4	13	8	4	1	.....	.....
24	Diseases of the stomach	49	6	5	.....	.....	.....	.....	1	1	14	4	4	8	3	2	1	.....	.....
25 (37)	Diarrhea and enteritis	444	344	53	8	6	3	4	1	2	.....	1	10	5	4	3	.....	.....	.....
26	Appendicitis and typhlitis	46	.....	.....	.....	1	.....	2	16	5	5	4	6	5	1	1	.....	.....	.....
27	Hernia, intestinal obstruction	39	6	1	1	1	.....	4	1	2	5	2	7	3	3	3	.....	.....	.....
28	Cirrhosis of the liver	80	.....	.....	.....	.....	.....	.....	1	1	13	23	21	17	4	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	452	5	.....	.....	6	3	2	9	27	61	87	84	68	79	19	2	.....	.....
30	Diseases of the female genital organs	27	.....	.....	.....	.....	.....	.....	.....	4	8	9	4	1	1	.....	.....	.....	.....
31	Puerperal fever	33	.....	.....	.....	.....	.....	.....	1	19	13	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	30	.....	.....	.....	.....	.....	.....	1	11	14	4	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	322	318	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	5	17	7	.....	.....
35	Violent deaths (excluding suicide)	302	11	7	14	8	3	27	24	49	44	39	34	19	13	8	2	.....	.....
36	Suicide	74	.....	.....	.....	.....	.....	1	3	11	13	18	13	10	4	1	.....	.....	.....
37	Other defined diseases	562	119	7	6	5	3	19	19	23	43	67	99	63	66	21	2	.....	.....
38	Diseases ill-defined or unknown	40	31	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
PATERSON, N. J.																		
	All causes	**1,857**	**379**	**75**	**32**	**16**	**12**	**42**	**68**	**144**	**176**	**187**	**207**	**267**	**172**	**70**	**10**		
1	Typhoid fever	9							3	3	2		1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	11	5	5	1														
6	Scarlet fever	12	1		1	1	2	3	2	1		1							
7	Whooping cough	19	12	5	1	1													
8	Diphtheria and croup	26	1	7	6	1	2	7	1	1									
9	Influenza	5	1								1				2	1			
10	Asiatic cholera																		
11	Cholera nostras	2										1		1					
12	Other epidemic diseases	16	8	2			1						2	2	1				
13	Tuberculosis of the lungs	206		2		1		1	16	60	58	43	17	8					
14	Tuberculous meningitis	9		2	2			2		1	1	1							
15	Other forms of tuberculosis	16	4	2					3	2	2	1		2					
16	Cancer and other malignant tumors	85		1						1	8	9	23	32	8	3			
17	Meningitis	29	10	4	2	1		4		1	3	1	3						
18	Cerebral hemorrhage and softening	80	1			1						5	16	30	21	6			
19	Organic diseases of the heart	213	4		1			3	10	8	15	22	36	63	34	16	1		
20	Acute bronchitis	9	7									1		1					
21	Chronic bronchitis	17										2	2	4	5	4			
22	Pneumonia	137	16	9	4	3	2	3	6	9	13	19	19	13	17	4			
23a	Bronchopneumonia	67	32	12	6	1		3	1				1	3	3	4	1		
23b	Other diseases of the respiratory system	19	1		1					1		3	3	5	4		1		
24	Diseases of the stomach	18	1					1	1				4	3	7		1		
25 (37)	Diarrhea and enteritis	166	132	16	1		2	3	2			1		3	2	4			
26	Appendicitis and typhlitis	9							2	3		1	1	2					
27	Hernia, intestinal obstruction	14	2		1					1	1	4	2	1	2				
28	Cirrhosis of the liver	17										7	5	3	2				
29	Acute nephritis and Bright's disease	135	1					1	3	5	15	20	26	30	25	9			
30	Diseases of the female genital organs	8							1	3	3	1							
31	Puerperal fever	9							2	3	3	1							
32	Other puerperal affections	18								9	7	2							
33	Congenital debility and malformations	77	77																
34	Senility	22												6	2	10	4		
35	Violent deaths (excluding suicide)	93	5	3	3	4	3	9	6	12	17	11	11	4	3	2			
36	Suicide	27							1	3	6	6	6	5					
37	Other defined diseases	228	37	3	1	2		2	7	17	19	24	29	45	34	6	2		
38	Diseases ill-defined or unknown	29	21	2	1				1		2			1		1			
ALBANY, N. Y.																			
	All causes	**1,943**	**249**	**50**	**22**	**21**	**18**	**36**	**63**	**125**	**194**	**221**	**276**	**296**	**248**	**113**	**11**		
1	Typhoid fever	14		1					2	4	5	2							
2	Typhus fever																		
3	Malaria	1						1											
4	Smallpox																		
5	Measles	24	3	6	4	8	2	1											
6	Scarlet fever	12				2	3	5	1		1								
7	Whooping cough	10	3	4	2		1												
8	Diphtheria and croup	15		5	3	1		5	1										
9	Influenza	20	3								1		3	4	6	3			
10	Asiatic cholera																		
11	Cholera nostras	2										1		1					
12	Other epidemic diseases	9	3							1	1			2	2				
13	Tuberculosis of the lungs	240	5		1	1		2	21	45	73	41	30	12	7	2			
14	Tuberculous meningitis	5	3						2										
15	Other forms of tuberculosis	8	1	1					2	1	1		1		1				
16	Cancer and other malignant tumors	139							1	2	5	23	43	45	18	2			
17	Meningitis	21	5	1	3	1	1	4		2	2	2							
18	Cerebral hemorrhage and softening	102								1	5	6	19	36	23	11	1		
19	Organic diseases of the heart	236	1	1			1	2	4	11	16	36	29	52	60	21	2		
20	Acute bronchitis	7	3		1	1									2				
21	Chronic bronchitis	10										2	2	1	2	2	1		
22	Pneumonia	127	16	12	1	1	2	3	4	4	17	15	26	16	7	2	1		
23a	Bronchopneumonia	36	10	6		1	1		1		2	3	1	2	3	5	1		
23b	Other diseases of the respiratory system	25	3	1	1		1			3		2	5	5	3	1			
24	Diseases of the stomach	21	5						1		3	1	2	4	3	2			
25 (37)	Diarrhea and enteritis	49	50	4	2		1			2		1	2	2	4	1			
26	Appendicitis and typhlitis	14	1			1			3	3	3	1	1		1				
27	Hernia, intestinal obstruction	30	3			1				1	3	4	3	10	2	3			
28	Cirrhosis of the liver	23								2		5	7	6	2	1			
29	Acute nephritis and Bright's disease	172	3	1				1	2	3	11	24	42	37	34	13	1		
30	Diseases of the female genital organs	8								1	1	4	2						
31	Puerperal fever	4							1	2	1								
32	Other puerperal affections	7							1	3	2	1							
33	Congenital debility and malformations	61	60		1														
34	Senility	10												1	3	4	2		
35	Violent deaths (excluding suicide)	81	2	1			3	6	3	18	15	10	9	6	3	5			
36	Suicide	17								2	6	2	7						
37	Other defined diseases	343	48	6	3	3	2	6	13	14	19	35	42	53	62	35	2		
38	Diseases ill-defined or unknown	20	18								1			1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	BUFFALO, N. Y.																		
	All causes	6,940	1,623	352	151	117	79	194	252	498	562	671	736	728	615	318	41	1	2
1	Typhoid fever	87	.....	2	.....	.....	1	7	13	32	21	7	1	2	.....	.....	.....	.....	1
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
5	Measles	94	18	36	21	8	4	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	228	8	37	39	33	18	55	17	18	3	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	69	43	14	6	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	161	16	33	22	23	21	32	8	1	2	2	1	.....	.....	.....	.....	.....	.....
9	Influenza	30	4	.....	2	.....	.....	.....	2	1	1	4	2	5	7	1	.....	1	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	44	22	2	1	.....	1	.....	2	3	2	.....	4	4	1	2	.....	.....	.....
13	Tuberculosis of the lungs	528	1	.....	.....	1	.....	3	53	150	145	89	58	20	8	.....	.....	.....	.....
14	Tuberculous meningitis	44	4	12	3	5	2	8	5	2	1	1	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	41	10	1	1	2	.....	3	8	5	5	1	4	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	390	.....	.....	1	.....	1	.....	2	10	24	78	96	101	60	16	1	.....	.....
17	Meningitis	42	6	6	3	5	3	6	6	2	1	1	3	.....	.....	.....	.....	[a]	.....
18	Cerebral hemorrhage and softening	310	2	1	.....	.....	.....	.....	1	1	11	34	50	86	83	38	3	.....	.....
19	Organic diseases of the heart	681	1	1	1	2	.....	2	21	32	51	75	134	143	136	76	6	.....	.....
20	Acute bronchitis	83	57	10	.....	1	1	.....	.....	.....	1	1	1	2	3	6	.....	.....	.....
21	Chronic bronchitis	45	.....	2	.....	.....	.....	1	.....	.....	2	2	8	8	11	9	2	.....	.....
22	Pneumonia	349	56	30	6	8	4	3	9	27	34	48	34	41	33	13	3	.....	.....
23a	Bronchopneumonia	364	186	50	18	13	6	5	4	10	5	9	8	14	21	13	2	.....	.....
23b	Other diseases of the respiratory system	68	9	1	3	.....	.....	1	1	6	8	10	9	9	4	5	2	.....	.....
24	Diseases of the stomach	80	35	.....	.....	.....	.....	1	2	5	5	10	9	4	6	1	2	.....	.....
25 (37)	Diarrhea and enteritis	600	475	88	7	4	1	3	1	2	2	1	2	2	8	4	.....	.....	.....
26	Appendicitis and typhlitis	63	.....	.....	.....	1	1	9	16	11	11	8	3	3	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	61	13	2	.....	.....	.....	.....	4	5	3	9	14	8	3	.....	.....	.....	.....
28	Cirrhosis of the liver	96	.....	.....	.....	.....	.....	.....	.....	1	10	26	29	21	7	1	1	.....	.....
29	Acute nephritis and Bright's disease	417	20	4	3	1	2	7	7	17	32	59	71	88	74	30	1	.....	1
30	Diseases of the female genital organs	32	.....	.....	.....	.....	.....	.....	1	3	11	10	5	2	.....	.....	.....	.....	.....
31	Puerperal fever	26	.....	.....	.....	.....	.....	.....	1	14	8	3	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	27	.....	.....	.....	.....	.....	.....	.....	8	15	4	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	371	368	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	15	26	8	.....	.....
35	Violent deaths (excluding suicide)	411	10	8	7	2	6	25	32	85	63	68	47	33	18	4	3	.....	.....
36	Suicide	56	.....	.....	.....	.....	.....	.....	3	6	12	17	10	4	2	2	.....	.....	.....
37	Other defined diseases	965	240	7	5	6	5	16	32	40	73	94	131	123	115	71	7	.....	.....
38	Diseases ill-defined or unknown	23	19	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW YORK, N. Y. (TOTAL).																		
	All causes	76,787	16,159	4,349	1,910	1,107	690	1,850	2,674	5,966	7,900	8,733	8,661	8,322	5,345	2,269	309	32	11
1	Typhoid fever	556	2	5	5	4	1	20	83	193	128	58	37	14	4	2	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	32	2	.....	1	1	1	2	1	4	6	6	6	1	1	.....	.....	.....	.....
4	Smallpox	5	1	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	693	157	281	120	53	28	39	6	5	3	.....	1	.....	.....	.....	.....	.....	.....
6	Scarlet fever	959	49	122	185	151	81	230	84	38	13	3	2	1	.....	.....	.....	.....	.....
7	Whooping cough	282	151	68	28	17	6	11	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	1,710	177	460	300	224	152	304	51	21	10	6	3	.....	2	.....	.....	.....	.....
9	Influenza	295	17	13	6	2	1	8	5	18	27	28	48	50	52	18	2	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	16	4	.....	.....	.....	.....	1	.....	.....	2	1	1	2	4	.....	1	.....	.....
12	Other epidemic diseases	441	168	21	6	5	.....	2	2	15	24	44	45	49	40	17	1	2	.....
13	Tuberculosis of the lungs	8,881	65	55	37	15	18	46	624	2,166	2,495	1,933	934	383	96	10	4	.....	.....
14	Tuberculous meningitis	814	173	176	106	75	40	106	62	27	27	12	4	4	1	1	.....	.....	.....
15	Other forms of tuberculosis	432	55	20	11	21	7	47	62	61	57	41	30	11	8	1	.....	.....	.....
16	Cancer and other malignant tumors	3,746	5	5	9	3	3	7	23	91	311	789	1,010	929	460	96	5	.....	.....
17	Meningitis	549	159	89	38	35	14	54	52	26	28	28	17	8	.....	1	.....	.....	.....
18	Cerebral hemorrhage and softening	2,635	27	3	1	3	.....	2	2	34	98	274	557	707	663	232	28	3	1
19	Organic diseases of the heart	6,594	53	12	11	16	14	106	316	317	592	872	1,093	1,519	1,179	436	52	6	.....
20	Acute bronchitis	874	544	109	35	18	5	7	5	5	5	6	16	29	38	39	13	.....	.....
21	Chronic bronchitis	511	13	13	2	1	.....	6	7	30	43	49	71	101	105	63	5	2	.....
22	Pneumonia	5,866	549	456	212	93	51	103	189	432	711	815	835	771	465	169	13	.....	2
23a	Bronchopneumonia	4,834	2,073	1,063	344	111	72	82	58	59	93	113	152	270	222	98	23	1	.....
23b	Other diseases of the respiratory system	679	93	59	29	12	10	23	19	45	50	69	74	86	66	36	7	1	.....
24	Diseases of the stomach	459	77	8	3	1	2	3	13	51	62	62	61	44	53	17	2	.....	.....
25 (37)	Diarrhea and enteritis	6,487	4,979	928	161	49	19	31	17	22	32	28	55	60	67	34	4	1	.....
26	Appendicitis and typhlitis	627	3	3	4	8	9	50	146	116	105	70	68	32	11	2	.....	.....	.....
27	Hernia, intestinal obstruction	580	91	8	5	4	4	7	10	32	51	83	111	89	62	19	4	.....	.....
28	Cirrhosis of the liver	978	.....	.....	.....	.....	.....	2	3	34	147	260	253	191	78	10	.....	.....	.....
29	Acute nephritis and Bright's disease	6,842	56	22	22	22	18	60	114	341	731	1,121	1,441	1,480	1,039	334	38	1	2
30	Diseases of the female genital organs	367	2	.....	.....	.....	.....	1	6	87	117	108	29	14	2	1	.....	.....	.....
31	Puerperal fever	376	.....	.....	.....	.....	.....	.....	20	199	137	20	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	426	.....	.....	.....	.....	.....	.....	21	184	192	29	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	3,890	3,847	17	8	3	.....	8	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
34	Senility	545	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46	195	240	52	12	.....
35	Violent deaths (excluding suicide)	3,758	91	95	132	105	88	282	293	614	612	571	372	278	156	53	11	.....	5
36	Suicide	809	.....	.....	.....	.....	.....	.....	26	175	169	187	137	78	30	6	1	.....	.....
37	Other defined diseases	8,514	1,826	187	87	53	45	200	348	520	820	1,045	1,195	1,072	740	331	42	3	.....
38	Diseases ill-defined or unknown	725	650	51	2	2	1	.....	.....	1	.....	1	3	3	6	3	1	.....	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW YORK, N. Y. (WHITE).																		
	All causes	74,274	15,624	4,179	1,856	1,074	665	1,799	2,569	5,620	7,478	8,411	8,469	8,164	5,784	2,243	301	27	11
1	Typhoid fever	541	2	4	5	4	1	18	82	187	127	57	35	14	4	1			
2	Typhus fever																		
3	Malaria	29	2			1	1	2	1	4	5	5	6	1	1				
4	Smallpox	3	1						1		1								
5	Measles	682	153	279	119	52	27	39	6	4	2		1						
6	Scarlet fever	955	49	121	135	150	81	230	83	37	13	3	2	1					
7	Whooping cough	267	145	62	27	16	6	10	1										
8	Diphtheria and croup	1,690	176	455	297	221	150	301	51	20	10	4	3		2				
9	Influenza	279	13	12	6	2	1	7	4	15	26	26	47	49	51	18	2		
10	Asiatic cholera																		
11	Cholera nostras	15	3					1			2	1	1	2	4		1		
12	Other epidemic diseases	433	166	20	6	5		1	2	15	24	43	44	47	40	17	1	2	
13	Tuberculosis of the lungs	8,368	57	51	35	13	13	32	572	2,013	2,348	1,847	907	371	95	10	4		
14	Tuberculous meningitis	780	165	174	101	71	35	104	58	26	25	11	4	4	1	1			
15	Other forms of tuberculosis	405	52	18	10	20	6	42	58	57	55	40	28	11	7	1			
16	Cancer and other malignant tumors	3,678	5	5	9	3	3	7	23	89	297	765	997	916	459	95	5		
17	Meningitis	535	157	83	37	35	13	54	52	26	26	27	16	8		1			
18	Cerebral hemorrhage and softening	2,570	26	2	1	3		2	2	33	94	257	542	697	650	229	28	3	1
19	Organic diseases of the heart	6,426	52	11	10	14	13	105	307	309	553	838	1,062	1,496	1,169	431	51	5	
20	Acute bronchitis	834	523	102	32	15	5	7	4	4	5	5	16	27	37	39	13		
21	Chronic bronchitis	490	11	12	2	1		6	6	28	37	46	70	98	104	63	5	1	
22	Pneumonia	5,649	529	436	205	91	47	97	185	400	664	783	814	757	458	168	13		2
23a	Bronchopneumonia	4,655	1,999	1,010	327	104	71	79	55	56	88	112	148	265	221	97	22	1	
23b	Other diseases of the respiratory system	660	91	57	28	12	10	22	19	43	47	65	72	84	66	36	7	1	
24	Diseases of the stomach	449	75	8	3	1	2	2	13	49	60	61	61	43	52	17	2		
25 (37)	Diarrhea and enteritis	6,312	4,846	898	158	47	18	31	17	21	31	28	54	59	65	34	4	1	
26	Appendicitis and typhlitis	609	3	3	4	8	8	48	142	113	100	68	67	32	11	2			
27	Hernia, intestinal obstruction	560	89	8	5	4	4	7	10	27	51	80	107	85	61	19	3		
28	Cirrhosis of the liver	957						2	3	33	140	254	250	187	78	10			
29	Acute nephritis and Bright's disease	6,633	51	18	22	21	18	56	113	322	694	1,077	1,408	1,443	1,025	325	37	1	2
30	Diseases of the female genital organs	343	2					1	5	81	107	102	28	14	2	1			
31	Puerperal fever	356							19	187	130	20							
32	Other puerperal affections	416							21	178	188	29							
33	Congenital debility and malformations	3,739	3,698	17	7	3		8	3	2		1							
34	Senility	537												45	193	238	51	10	
35	Violent deaths (excluding suicide)	3,646	90	94	129	102	87	281	285	578	581	556	365	273	156	53	11		5
36	Suicide	802							26	171	167	187	136	78	30	6	1		
37	Other defined diseases	8,276	1,767	173	84	53	44	197	340	491	780	1,012	1,175	1,054	737	328	39	2	
38	Diseases ill-defined or unknown	695	626	46	2	2	1			1		1	3	3	5	3	1		1
NEW YORK, N. Y. (COLORED).																			
	All causes	2,513	535	170	54	33	25	51	105	346	422	322	192	158	61	26	8	5	
1	Typhoid fever	15		1				2	1	6	1	1	2			1			
2	Typhus fever																		
3	Malaria	3			1						1	1							
4	Smallpox	2								1	1								
5	Measles	11	4	2	1	1	1			1	1								
6	Scarlet fever	4		1		1			1	1									
7	Whooping cough	15	6	6	1	1		1											
8	Diphtheria and croup	20	1	5	3	3	2	3		1		2							
9	Influenza	16	4	1				1	1	3	1	2	1	1	1				
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	8	2	1				1				1	1	2					
13	Tuberculosis of the lungs	513	8	4	2	2	5	14	52	153	147	86	27	12	1				
14	Tuberculous meningitis	34	8	2	5	4	5	2	4	1	2	1							
15	Other forms of tuberculosis	27	3	2	1	1	1	5	4	4	2	1	2		1				
16	Cancer and other malignant tumors	68								2	14	24	13	13	1	1			
17	Meningitis	14	2	6	1		1				2	1	1						
18	Cerebral hemorrhage and softening	65	1	1						1	4	17	15	10	13	3			
19	Organic diseases of the heart	168	1	1	1	2	1	1	9	8	39	34	31	23	10	5	1	1	
20	Acute bronchitis	40	21	7	3	3			1	1		1		2	1				
21	Chronic bronchitis	21	2	1					1	2	6	3	1	3	1		1		
22	Pneumonia	217	20	20	7	2	4	6	4	32	47	32	21	14	7	1			
23a	Bronchopneumonia	179	74	53	17	7	1	3	3	3	5	1	4	5	1	1	1		
23b	Other diseases of the respiratory system	19	2	2	1			1		2	3	4	2	2					
24	Diseases of the stomach	10	2					1		2	2	1		1	1				
25 (37)	Diarrhea and enteritis	175	133	30	3	2	1			1	1		1	1	2				
26	Appendicitis and typhlitis	18					1	2	4	3	5	2	1						
27	Hernia, intestinal obstruction	20	2							5		3	4	4	1		1		
28	Cirrhosis of the liver	21								1	7	6	3	4					
29	Acute nephritis and Bright's disease	209	5	4		1		4	1	19	37	44	33	37	14	9	1		
30	Diseases of the female genital organs	24							1	6	10	6	1						
31	Puerperal fever	20							1	12	7								
32	Other puerperal affections	10								6	4								
33	Congenital debility and malformations	151	149		1				1										
34	Senility	8												1	2	2	1	2	
35	Violent deaths (excluding suicide)	112	1	1	3	3	1	1	8	36	31	15	7	5					
36	Suicide	7								4	2		1						
37	Other defined diseases	238	59	14	3		1	3	8	29	40	33	20	18	3	3	3	1	
38	Diseases ill-defined or unknown	30	24	5											1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW YORK, N. Y. (BRONX BOROUGH).																	
	All causes	**6,968**	**1,047**	**271**	**149**	**89**	**66**	**163**	**305**	**744**	**908**	**943**	**754**	**723**	**569**	**203**	**30**	**4**	
1	Typhoid fever	41				1			10	12	10	6	2						
2	Typhus fever																		
3	Malaria	4	1			1		1				1							
4	Smallpox																		
5	Measles	54	11	23	7	5	3	4		1									
6	Scarlet fever	77	2	7	14	17	3	15	12	3	3			1					
7	Whooping cough	26	11	8	2	2	1	2											
8	Diphtheria and croup	133	15	33	24	13	8	33	4	2					1				
9	Influenza	23	1	1	1					1		1	3	3	10	2			
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	26	9	2						1	4	3	3	2	2				
13	Tuberculosis of the lungs	1,796	15	8	5	1	2	10	135	473	512	393	160	63	17	1	1		
14	Tuberculous meningitis	86	20	19	8	9	11	12	4	2	1								
15	Other forms of tuberculosis	27		2		1	1	4	8	5	3	1	1	1					
16	Cancer and other malignant tumors	331	1				1	1	2	8	16	81	83	79	49	10			
17	Meningitis	48	13	9	7	3	1	3	3	3	3	1	2						
18	Cerebral hemorrhage and softening	294	3							3	11	31	53	92	77	22	1	1	
19	Organic diseases of the heart	555	7	2	4	2		4	24	24	41	75	84	123	111	44	9	1	
20	Acute bronchitis	52	27	5	3	1	1			1				2	4	4	4		
21	Chronic bronchitis	21								1		1	3	4	5	7			
22	Pneumonia	432	46	29	14	3	7	7	14	31	43	56	62	61	43	16			
23a	Bronchopneumonia	299	127	55	21	10	5	9	3	3	1	5	2	19	24	12	3		
23b	Other diseases of the respiratory system	48	8	2	1				2		3	5	1	9	12	5			
24	Diseases of the stomach	36	9							4	6	5	5	3	4				
25 (37)	Diarrhea and enteritis	381	279	45	16	3	4	3	1	2	4	4	3	6	6	5			
26	Appendicitis and typhlitis	44				1	2	4	8	7	10	7	2	1	2				
27	Hernia, intestinal obstruction	43	11	2			1		2	1	3	5	7	5	6				
28	Cirrhosis of the liver	84						1		2	17	27	17	11	9				
29	Acute nephritis and Bright's disease	580	3	1	1	3	1	8	11	18	60	102	139	122	84	21	6		
30	Diseases of the female genital organs	26								6	8	7	4	1					
31	Puerperal fever	34							2	19	12	1							
32	Other puerperal affections	32							2	13	14	3							
33	Congenital debility and malformations	252	247	1	1			2		1									
34	Senility	43												6	16	17	3	1	
35	Violent deaths (excluding suicide)	284	6	8	12	8	10	21	24	41	58	40	26	15	11	4			
36	Suicide	67							3	15	7	21	10	5	3	2	1		
37	Other defined diseases	635	126	6	8	5	4	19	31	41	58	60	82	89	72	31	2	1	
38	Diseases ill-defined or unknown	53	48	3								1			1				
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																		
	All causes	**25,686**	**5,063**	**1,519**	**710**	**386**	**255**	**705**	**925**	**1,883**	**2,496**	**2,712**	**2,870**	**2,970**	**2,173**	**888**	**117**	**7**	**7**
1	Typhoid fever	196		3	1		1	9	31	74	44	12	11	7	3				
2	Typhus fever																		
3	Malaria	14							1	2	3	4	4						
4	Smallpox	1									1								
5	Measles	349	73	129	70	29	16	19	6	4	2		1						
6	Scarlet fever	384	21	39	79	46	36	112	34	14	3								
7	Whooping cough	82	42	19	10	5	2	3	1										
8	Diphtheria and croup	561	48	126	106	87	53	110	20	7	1	2			1				
9	Influenza	116	9	4	2	1	1	2	2	9	10	12	17	23	21	3			
10	Asiatic cholera																		
11	Cholera nostras	9	2					1			1			2	2		1		
12	Other epidemic diseases	147	34	7	2	2		1	1	6	6	16	19	20	23	9		1	
13	Tuberculosis of the lungs	2,490	14	12	5	5	1	19	215	626	711	514	257	86	21	3	1		
14	Tuberculous meningitis	203	48	38	22	18	9	34	13	5	10	5		1					
15	Other forms of tuberculosis	151	33	8	4	7	4	13	17	23	16	16	8	2					
16	Cancer and other malignant tumors	1,218	3	1	3	1	1	1	7	16	104	244	345	294	161	37			
17	Meningitis	145	36	21	9	12	1	25	20	6	5	6	3	1					
18	Cerebral hemorrhage and softening	968	7	1		1		1	1	5	30	84	192	268	259	107	12		
19	Organic diseases of the heart	2,653	29	4	3	7	7	40	112	118	208	317	432	647	512	194	21	2	
20	Acute bronchitis	379	241	48	13	8	2	4	2	1	2	2	8	13	16	13	6		
21	Chronic bronchitis	319	4	5	1	1		5	6	26	36	40	46	57	61	27	3	1	
22	Pneumonia	2,036	195	157	81	41	20	38	73	153	237	279	257	276	163	59	6		1
23a	Bronchopneumonia	1,674	672	392	136	36	30	28	25	21	35	31	57	109	58	35	9		
23b	Other diseases of the respiratory system	223	18	21	8	6	3	8	8	16	20	27	25	32	18	10	3		
24	Diseases of the stomach	155	19	1				3	7	16	25	23	19	19	18	5			
25 (37)	Diarrhea and enteritis	2,408	1,820	364	62	13	8	12	8	9	11	10	18	33	25	12	3		
26	Appendicitis and typhlitis	219	1	1	1	3	4	23	51	47	27	23	20	11	5	2			
27	Hernia, intestinal obstruction	201	23	4	3		2	4	5	16	16	27	42	37	18	6	1		
28	Cirrhosis of the liver	367								13	53	88	100	77	32	4			
29	Acute nephritis and Bright's disease	2,236	25	10	8	8	9	21	42	125	245	329	453	474	362	115	8		2
30	Diseases of the female genital organs	123	2					1	1	25	39	40	7	6	1	1			
31	Puerperal fever	119							7	61	45	6							
32	Other puerperal affections	164							7	65	84	8							
33	Congenital debility and malformations	1,060	1,044	8	2	1		2	2			1							
34	Senility	211												19	67	97	25	3	
35	Violent deaths (excluding suicide)	1,095	28	30	48	31	31	89	71	171	167	161	99	83	56	20	6		4
36	Suicide	246							6	47	54	54	44	26	12	3			
37	Other defined diseases	2,722	536	65	31	17	14	77	123	159	245	331	384	346	256	126	12		
38	Diseases ill-defined or unknown	42	36	1									2	1	2				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).																		
	All causes	25,070	4,927	1,469	700	374	248	688	897	1,805	2,403	2,653	2,825	2,929	2,149	876	114	6	7
1	Typhoid fever	192		2	1		1	9	31	72	44	12	10	7	3				
2	Typhus fever																		
3	Malaria	13							1	2	3	3	4						
4	Smallpox																		
5	Measles	345	73	129	69	28	15	19	6	3	2		1						
6	Scarlet fever	383	21	39	79	46	36	112	34	13	3								
7	Whooping cough	79	40	18	10	5	2	3	1										
8	Diphtheria and croup	554	48	126	105	86	52	109	20	6	1					1			
9	Influenza	104	5	3	2	1	1	1	1	6	10	11	17	23	20	3			
10	Asiatic cholera																		
11	Cholera nostras	8	1					1			1			2	2		1		
12	Other epidemic diseases	144	34	7	2	2			1	6	6	16	18	19	23	9		1	
13	Tuberculosis of the lungs	2,397	14	12	5	5	1	15	201	597	689	497	253	84	20	3	1		
14	Tuberculous meningitis	198	45	38	22	16	9	34	13	5	10	5		1					
15	Other forms of tuberculosis	144	32	7	3	6	3	13	17	21	16	16	8	2					
16	Cancer and other malignant tumors	1,200	3	1	3	1	1	1	7	16	97	239	343	291	160	37			
17	Meningitis	142	35	19	9	12	1	25	20	6	5	6	3	1					
18	Cerebral hemorrhage and softening	953	7			1		1	1	5	29	83	187	266	255	106	12		
19	Organic diseases of the heart	2,612	29	4	3	6	7	39	110	116	201	311	423	641	509	191	21	1	
20	Acute bronchitis	361	232	43	12	7	2	4	1		2	2	8	13	16	13	6		
21	Chronic bronchitis	303	3	5	1	1		5	5	24	31	37	45	55	60	27	3	1	
22	Pneumonia	1,974	187	148	79	40	18	36	73	142	229	274	250	272	160	59	6		1
23a	Bronchopneumonia	1,635	662	377	135	35	30	26	24	19	32	30	56	108	58	34	9		
23b	Other diseases of the respiratory system	218	17	20	7	6	3	8	8	16	20	27	25	30	18	10	3		
24	Diseases of the stomach	151	19	1				2	7	16	24	22	19	19	17	5			
25 (37)	Diarrhea and enteritis	2,355	1,778	356	61	13	8	12	8	9	11	10	18	32	24	12	3		
26	Appendicitis and typhlitis	214	1	1	1	3	3	22	50	47	25	23	20	11	5	2			
27	Hernia, intestinal obstruction	196	23	4	3		2	4	5	12	16	26	41	36	18	6			
28	Cirrhosis of the liver	359								13	49	87	99	75	32	4			
29	Acute nephritis and Bright's disease	2,186	21	9	8	7	9	19	41	121	237	325	447	467	356	110	7		2
30	Diseases of the female genital organs	116	2					1	1	24	35	39	6	6	1	1			
31	Puerperal fever	114							7	59	42	6							
32	Other puerperal affections	162							7	63	84	8							
33	Congenital debility and malformations	1,024	1,009	8	2	1		2	1			1							
34	Senility	208												18	66	96	25	3	
35	Violent deaths (excluding suicide)	1,069	28	30	47	29	30	89	70	164	158	157	98	83	56	20	6		4
36	Suicide	244							6	46	53	54	44	26	12	3			
37	Other defined diseases	2,671	522	61	31	17	14	76	119	156	238	326	380	340	255	125	11		
38	Diseases ill-defined or unknown	42	36	1									2	1	2				
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).																			
	All causes	616	136	50	10	12	7	17	28	78	93	59	45	41	24	12	3	1	
1	Typhoid fever	4		1						2			1						
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox	1									1								
5	Measles	4			1	1	1			1									
6	Scarlet fever	1								1									
7	Whooping cough	3	2	1															
8	Diphtheria and croup	7			1	1	1	1		1		2							
9	Influenza	12	4	1				1	1	3		1			1				
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	3						1					1	1					
13	Tuberculosis of the lungs	93						4	14	29	22	17	4	2	1				
14	Tuberculous meningitis	5	3		2														
15	Other forms of tuberculosis	7	1	1	1	1	1			2									
16	Cancer and other malignant tumors	18									7	5	2	3	1				
17	Meningitis	3	1	2															
18	Cerebral hemorrhage and softening	15		1							1	1	5	2	4	1			
19	Organic diseases of the heart	41			1			1	2	2	7	6	9	6	3	3		1	
20	Acute bronchitis	18	9	5	1	1			1	1									
21	Chronic bronchitis	16	1						1	2	5	3	1	2	1				
22	Pneumonia	62	8	9	2	1	2	2		11	8	5	7	4	3				
23a	Bronchopneumonia	39	10	15	1	1		2	1	2	3	1	1	1		1			
23b	Other diseases of the respiratory system	5	1	1	1									2					
24	Diseases of the stomach	4						1			1	1			1				
25 (37)	Diarrhea and enteritis	53	42	8	1									1	1				
26	Appendicitis and typhlitis	5					1	1	1		2								
27	Hernia, intestinal obstruction	5								1		1	1	1			1		
28	Cirrhosis of the liver	8									4	1	1	2					
29	Acute nephritis and Bright's disease	50	4	1		1		2	1	4	8	4	6	7	6	5	1		
30	Diseases of the female genital organs	7								1	4	1	1						
31	Puerperal fever	5								2	3								
32	Other puerperal affections	2								2									
33	Congenital debility and malformations	36	35						1										
34	Senility	3												1	1	1			
35	Violent deaths (excluding suicide)	26			1	2	1		1	7	9	4	1						
36	Suicide	2								1	1								
37	Other defined diseases	51	14	4				1	4	3	7	5	4	6	1	1	1		
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).																		
	All causes	38,699	8,900	2,299	940	562	317	845	1,255	2,944	3,978	4,559	4,424	3,968	2,575	977	135	19	2
1	Typhoid fever	267	1	1	4	2	.....	10	33	89	66	36	17	5	1	2	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	8	1	.....	1	.....	.....	.....	.....	2	2	1	.....	1	.....	.....	.....	.....	.....
4	Smallpox	4	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	256	66	114	38	16	8	13	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	453	24	71	87	83	36	90	30	20	7	3	2	.....	.....	.....	.....	.....	.....
7	Whooping cough	150	81	38	14	9	2	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	895	107	276	157	109	76	131	17	9	7	3	3	.....	.....	.....	.....	.....	.....
9	Influenza	126	6	7	2	1	.....	4	3	4	13	13	25	19	15	12	2	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	250	121	9	2	3	.....	1	1	7	14	25	19	26	12	8	1	1	.....
13	Tuberculosis of the lungs	4,085	35	31	26	9	12	17	247	941	1,122	922	461	207	48	5	2	.....	.....
14	Tuberculous meningitis	490	98	112	72	45	19	56	40	18	14	7	4	3	1	1	.....	.....	.....
15	Other forms of tuberculosis	226	21	8	7	10	2	28	30	31	36	21	19	6	6	1	.....	.....	.....
16	Cancer and other malignant tumors	1,930	1	4	5	1	1	4	14	61	174	419	512	473	215	42	4	.....	.....
17	Meningitis	321	103	53	15	17	12	20	25	17	18	21	12	7	.....	1	.....	.....	.....
18	Cerebral hemorrhage and softening	1,117	17	1	1	2	.....	1	1	25	45	138	245	292	253	84	10	2	.....
19	Organic diseases of the heart	2,900	12	4	2	5	7	50	160	165	302	430	483	624	472	164	17	3	.....
20	Acute bronchitis	387	236	47	18	8	2	1	3	2	3	4	8	14	18	20	3	.....	.....
21	Chronic bronchitis	145	7	7	.....	.....	.....	.....	.....	3	6	7	22	34	31	25	2	1	.....
22	Pneumonia	2,981	277	247	102	46	17	47	85	221	372	429	455	380	219	78	5	.....	1
23a	Bronchopneumonia	2,592	1,154	563	172	60	31	36	26	35	54	69	85	126	122	47	11	1	.....
23b	Other diseases of the respiratory system	359	59	33	17	6	6	14	8	22	25	37	42	39	30	18	2	1	.....
24	Diseases of the stomach	218	42	4	1	.....	2	.....	5	28	28	28	33	13	23	9	2	.....	.....
25 (37)	Diarrhea and enteritis	3,193	2,488	462	72	21	5	16	8	9	13	12	26	20	26	13	1	1	.....
26	Appendicitis and typhlitis	328	2	1	2	4	3	21	74	58	66	36	44	15	2	.....	.....	.....	.....
27	Hernia, intestinal obstruction	304	52	1	2	2	1	3	3	14	31	48	58	43	33	11	2	.....	.....
28	Cirrhosis of the liver	449	.....	.....	.....	.....	.....	1	3	17	65	124	118	89	29	3	.....	.....	.....
29	Acute nephritis and Bright's disease	3,525	25	10	12	8	7	27	55	166	370	627	761	770	501	168	17	1	.....
30	Diseases of the female genital organs	212	.....	.....	.....	.....	.....	.....	5	55	70	60	16	5	1	.....	.....	.....	.....
31	Puerperal fever	203	.....	.....	.....	.....	.....	.....	11	105	74	13	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	200	.....	.....	.....	.....	.....	.....	11	92	80	17	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformation	2,306	2,287	8	4	2	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	210	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	77	90	21	6	.....
35	Violent deaths (excluding suicide)	2,054	52	52	65	61	42	152	166	328	331	325	213	158	80	23	5	.....	1
36	Suicide	439	.....	.....	.....	.....	.....	.....	16	106	98	95	73	38	12	1	.....	.....	.....
37	Other defined diseases	4,577	1,037	97	38	30	26	93	173	291	469	589	666	544	347	148	27	2	.....
38	Diseases ill-defined or unknown	536	486	38	2	2	.....	.....	.....	1	.....	.....	1	1	1	3	1	.....	.....
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																			
	All causes	37,129	8,543	2,194	905	545	303	818	1,193	2,723	3,702	4,341	4,296	3,889	2,556	968	133	18	2
1	Typhoid fever	259	1	1	4	2	.....	8	33	87	65	35	16	5	1	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	7	1	.....	.....	.....	.....	.....	.....	2	2	1	.....	1	.....	.....	.....	.....	.....
4	Smallpox	3	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	250	62	113	38	16	8	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	451	24	70	87	83	36	90	29	20	7	3	2	.....	.....	.....	.....	.....	.....
7	Whooping cough	141	79	34	13	8	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	883	106	272	155	107	75	129	17	9	7	3	3	.....	.....	.....	.....	.....	.....
9	Influenza	123	6	7	2	1	.....	4	3	4	12	12	24	19	15	12	2	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	246	119	9	2	3	.....	1	1	7	14	24	19	25	12	8	1	1	.....
13	Tuberculosis of the lungs	3,751	27	27	25	7	9	8	217	841	1,022	871	441	201	48	5	2	.....	.....
14	Tuberculous meningitis	470	95	111	69	44	15	55	36	17	13	6	4	3	1	1	.....	.....	.....
15	Other forms of tuberculosis	212	19	7	7	10	2	25	28	30	34	21	17	6	5	1	.....	.....	.....
16	Cancer and other malignant tumors	1,890	1	4	5	1	1	4	14	59	167	401	504	469	215	41	4	.....	.....
17	Meningitis	312	102	50	14	17	11	20	25	17	17	20	11	7	.....	1	.....	.....	.....
18	Cerebral hemorrhage and softening	1,081	16	1	1	2	.....	1	1	24	42	127	236	286	249	83	10	2	.....
19	Organic diseases of the heart	2,800	11	3	1	5	6	50	154	159	271	409	466	613	469	163	17	3	.....
20	Acute bronchitis	367	225	45	16	6	2	1	3	2	3	3	8	13	17	20	3	.....	.....
21	Chronic bronchitis	141	6	7	.....	.....	.....	.....	.....	3	5	7	22	33	31	25	2	.....	.....
22	Pneumonia	2,844	265	237	97	45	16	44	81	202	339	404	442	374	215	77	5	.....	1
23a	Bronchopneumonia	2,474	1,101	530	159	54	30	35	24	34	52	69	82	123	122	47	11	1	.....
23b	Other diseases of the respiratory system	347	58	32	17	6	6	13	8	20	23	33	41	39	30	18	2	1	.....
24	Diseases of the stomach	214	41	4	1	.....	2	.....	5	27	27	28	33	12	23	9	2	.....	.....
25 (37)	Diarrhea and enteritis	3,089	2,408	442	72	20	4	16	8	9	12	12	25	20	26	13	1	1	.....
26	Appendicitis and typhlitis	318	2	1	2	4	3	20	72	55	64	35	43	15	2	.....	.....	.....	.....
27	Hernia, intestinal obstruction	290	50	1	2	2	1	3	3	11	31	46	55	40	32	11	2	.....	.....
28	Cirrhosis of the liver	438	.....	.....	.....	.....	.....	1	3	16	62	120	116	88	29	3	.....	.....	.....
29	Acute nephritis and Bright's disease	3,394	24	7	12	8	7	26	55	152	344	592	738	749	497	165	17	1	.....
30	Diseases of the female genital organs	197	.....	.....	.....	.....	.....	.....	4	50	65	56	16	5	1	.....	.....	.....	.....
31	Puerperal fever	189	.....	.....	.....	.....	.....	.....	10	96	70	13	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	194	.....	.....	.....	.....	.....	.....	11	89	77	17	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformation	2,199	2,180	8	4	2	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	209	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	77	90	20	6	.....
35	Violent deaths (excluding suicide)	1,985	51	51	63	60	42	151	161	306	314	315	208	154	80	23	5	.....	1
36	Suicide	435	.....	.....	.....	.....	.....	.....	16	104	97	95	72	38	12	1	.....	.....	.....
37	Other defined diseases	4,414	997	87	35	30	25	92	169	269	442	563	650	534	346	147	26	2	.....
38	Diseases ill-defined or unknown	509	464	33	2	2	.....	.....	.....	1	.....	.....	1	1	1	3	1	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).																		
	All causes	1,570	357	105	35	17	14	27	62	221	276	218	128	79	19	9	2	1	
1	Typhoid fever	8						2		2	1	1	1			1			
2	Typhus fever																		
3	Malaria	1			1														
4	Smallpox	1								1									
5	Measles	6	4	1							1								
6	Scarlet fever	2		1					1										
7	Whooping cough	9	2	4	1	1		1											
8	Diphtheria and croup	12	1	4	2	2	1	2											
9	Influenza	3									1	1	1						
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	2									1		1					
13	Tuberculosis of the lungs	334	8	4	1	2	3	9	30	100	100	51	20	6					
14	Tuberculous meningitis	20	3	1	3	1	4	1	4	1	1	1							
15	Other forms of tuberculosis	14	2	1				3	2	1	2		2		1				
16	Cancer and other malignant tumors	40								2	7	18	8	4		1			
17	Meningitis	9	1	3	1		1				1	1	1						
18	Cerebral hemorrhage and softening	36	1							1	3	11	9	6	4	1			
19	Organic diseases of the heart	100	1	1	1		1		6	6	31	21	17	11	3	1			
20	Acute bronchitis	20	11	2	2	2						1		1	1				
21	Chronic bronchitis	4	1								1			1				1	
22	Pneumonia	137	12	10	5	1	1	3	4	19	33	25	13	6	4	1			
23a	Bronchopneumonia	118	53	33	13	6	1	1	2	1	2		3	3					
23b	Other diseases of the respiratory system	12	1	1				1		2	2	4	1						
24	Diseases of the stomach	4	1							1	1			1					
25 (37)	Diarrhea and enteritis	104	80	20		1	1				1				1				
26	Appendicitis and typhlitis	10						1	2	3	2	1	1						
27	Hernia, intestinal obstruction	14	2							3		2	3	3	1				
28	Cirrhosis of the liver	11								1	3	4	2	1					
29	Acute nephritis and Bright's disease	131	1	3				1		14	26	35	23	21	4	3			
30	Diseases of the female genital organs	15							1	5	5	4							
31	Puerperal fever	14							1	9	4								
32	Other puerperal affections	6								3	3								
33	Congenital debility and malformations	107	107																
34	Senility	1															1		
35	Violent deaths (excluding suicide)	69	1	1	2	1		1	5	22	17	10	5	4					
36	Suicide	4								2	1		1						
37	Other defined diseases	163	40	10	3		1	1	4	22	27	26	16	10	1	1	1		
38	Diseases ill-defined or unknown	27	22	5															
NEW YORK, N. Y. (QUEENS BOROUGH).																			
	All causes	3,965	865	201	94	59	40	109	138	289	377	391	440	463	360	121	15	2	1
1	Typhoid fever	41	1	1				1	9	12	6	2	7	2					
2	Typhus fever																		
3	Malaria	6					1	1			1		2		1				
4	Smallpox																		
5	Measles	28	5	12	5	3	1	2											
6	Scarlet fever	32	1	3	5	5	4	9	5										
7	Whooping cough	20	14	3	2	1													
8	Diphtheria and croup	101	6	20	12	13	15	24	8		2	1							
9	Influenza	20		1	1			2		2	2	1	3	3	5				
10	Asiatic cholera																		
11	Cholera nostras	3										1			2				
12	Other epidemic diseases	14	4	3	2								3	1	1				
13	Tuberculosis of the lungs	358	1	3	1		1		20	95	107	75	35	15	5				
14	Tuberculous meningitis	25	5	6	3	2		4	3	2									
15	Other forms of tuberculosis	20	1	1		3		1	6	2	1	1	1	1	2				
16	Cancer and other malignant tumors	192			1	1		1		4	12	35	53	59	21	5			
17	Meningitis	29	4	5	6	2		6	4		2								
18	Cerebral hemorrhage and softening	200		1						1	11	15	49	43	62	14	3		1
19	Organic diseases of the heart	368	3	2	1	2		9	16	8	34	43	72	95	60	21	2		
20	Acute bronchitis	49	35	7	1	1		2		1						2			
21	Chronic bronchitis	17	1		1			1			1	1		4	6	2			
22	Pneumonia	308	26	18	12	3	5	8	15	17	43	40	44	34	32	10	1		
23a	Bronchopneumonia	200	91	39	11	2	4	7	2		2	7	6	13	14	2			
23b	Other diseases of the respiratory system	35	5	3	2		1			7			4	5	5	1	2		
24	Diseases of the stomach	27	2	2	2					2	1	4	3	4	5	2			
25 (37)	Diarrhea and enteritis	390	298	45	11	11	2			2	3	1	7	1	6	3			
26	Appendicitis and typhlitis	23		1	1			2	7	3	2	2	1	2	2				
27	Hernia, intestinal obstruction	24	4	1		2				4	1	2	2	3	2	2	1		
28	Cirrhosis of the liver	55								2	10	16	11	10	4	2			
29	Acute nephritis and Bright's disease	346	3	1		3	1	3	3	26	44	49	65	72	56	16	4		
30	Diseases of the female genital organs	4										1	1	2					
31	Puerperal fever	17								12	5								
32	Other puerperal affections	16							1	8	7								
33	Congenital debility and malformations	214	212		1			1											
34	Senility	57												3	28	23	1	2	
35	Violent deaths (excluding suicide)	241	2	5	5	4	4	15	22	56	39	34	28	16	8	3			
36	Suicide	41							1	4	6	11	7	9	3				
37	Other defined diseases	389	92	13	8	1	1	10	16	19	35	49	36	65	30	13	1		
38	Diseases ill-defined or unknown	55	49	5										1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NEW YORK, N. Y. (RICHMOND BOROUGH).																		
	All causes	1,469	284	59	17	11	12	28	51	106	141	128	173	198	168	80	12	.....	1
1	Typhoid fever	11	.....	.....	.....	1	.....	.....	.....	6	2	2	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	6	2	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	13	1	2	.....	.....	2	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	4	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	20	1	5	1	2	.....	6	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	10	1	.....	.....	.....	.....	.....	.....	2	2	1	.....	2	1	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	152	.....	1	.....	.....	2	.....	7	31	43	29	21	12	5	1	.....	.....	.....
14	Tuberculous meningitis	10	2	1	1	1	1	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	8	.....	1	.....	.....	.....	1	1	.....	1	2	1	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	75	.....	.....	.....	.....	.....	.....	.....	2	5	10	17	24	14	2	1	.....	.....
17	Meningitis	6	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	56	.....	.....	.....	.....	.....	.....	.....	.....	1	6	18	12	12	5	2	.....	.....
19	Organic diseases of the heart	118	2	.....	1	.....	.....	3	4	2	7	7	22	30	24	13	3	.....	.....
20	Acute bronchitis	7	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	9	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2	2	2	.....	.....	.....
22	Pneumonia	109	5	5	3	.....	2	3	2	10	16	11	17	20	8	6	1	.....	.....
23a	Bronchopneumonia	69	29	14	4	3	2	2	2	.....	1	1	2	3	4	2	.....	.....	.....
23b	Other diseases of the respiratory system	14	3	.....	1	.....	.....	1	1	.....	2	.....	2	1	1	2	.....	.....	.....
24	Diseases of the stomach	23	5	1	.....	1	.....	.....	1	1	2	2	1	5	3	1	.....	.....	.....
25 (37)	Diarrhea and enteritis	115	94	12	.....	1	.....	.....	.....	.....	1	1	1	.....	4	1	.....	.....	.....
26	Appendicitis and typhlitis	13	.....	.....	.....	.....	.....	.....	6	1	.....	2	1	3	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	.....	.....	.....	.....
28	Cirrhosis of the liver	23	.....	.....	.....	.....	.....	.....	.....	.....	2	5	7	4	4	1	.....	.....	.....
29	Acute nephritis and Bright's disease	155	.....	.....	1	.....	.....	1	3	6	12	14	23	42	36	14	3	.....	.....
30	Diseases of the female genital organs	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
31	Puerperal fever	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	14	.....	.....	.....	.....	.....	.....	.....	6	7	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	58	57	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7	13	2	.....	.....
35	Violent deaths (excluding suicide)	84	3	.....	2	1	1	5	10	18	17	11	6	6	1	3	.....	.....	.....
36	Suicide	16	.....	.....	.....	.....	.....	.....	.....	3	4	6	3	.....	.....	.....	.....	.....	.....
37	Other defined diseases	191	35	6	2	.....	.....	1	5	10	13	16	27	28	35	13	.....	.....	.....
38	Diseases ill-defined or unknown	39	31	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1
	ROCHESTER, N. Y.																		
	All causes	3,215	443	104	47	36	19	58	110	239	261	349	415	458	416	232	26	2	.....
1	Typhoid fever	30	.....	.....	.....	.....	.....	.....	4	11	6	6	2	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	13	6	4	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
6	Scarlet fever	47	2	4	11	9	3	9	2	3	3	1	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	13	11	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	38	4	12	8	3	3	7	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	16	.....	1	.....	.....	.....	.....	.....	.....	.....	1	2	2	6	4	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	23	2	2	.....	1	1	.....	.....	1	1	5	2	1	6	1	.....	.....	.....
13	Tuberculosis of the lungs	301	6	1	2	2	1	4	21	83	69	50	31	24	6	1	.....	.....	.....
14	Tuberculous meningitis	16	2	4	.....	2	.....	2	5	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	33	1	3	1	.....	.....	2	3	9	3	3	3	4	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	218	.....	.....	1	.....	.....	.....	1	4	18	27	53	58	40	16	.....	.....	.....
17	Meningitis	15	1	4	.....	3	1	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	207	3	.....	.....	.....	.....	.....	.....	1	7	20	32	41	62	39	2	.....	.....
19	Organic diseases of the heart	346	2	.....	.....	.....	.....	2	12	8	21	27	54	87	82	49	2	.....	.....
20	Acute bronchitis	47	21	6	2	.....	1	1	.....	.....	.....	1	1	5	3	3	3	.....	.....
21	Chronic bronchitis	32	.....	.....	.....	.....	.....	1	.....	.....	.....	3	1	4	9	11	3	.....	.....
22	Pneumonia	160	5	7	.....	.....	1	2	5	11	23	24	14	35	24	7	2	.....	.....
23a	Bronchopneumonia	129	45	22	9	7	1	3	.....	2	2	5	3	13	7	8	2	.....	.....
23b	Other diseases of the respiratory system	31	4	1	.....	1	1	.....	2	1	1	2	5	3	3	6	1	.....	.....
24	Diseases of the stomach	34	6	.....	.....	.....	.....	1	.....	2	1	5	6	4	3	6	.....	.....	.....
25 (37)	Diarrhea and enteritis	253	197	22	3	2	.....	2	.....	.....	.....	1	6	6	9	4	1	.....	.....
26	Appendicitis and typhlitis	35	.....	.....	1	1	.....	1	10	5	3	7	5	1	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	39	4	.....	.....	1	.....	.....	1	4	2	5	4	9	6	3	.....	.....	.....
28	Cirrhosis of the liver	47	.....	.....	.....	.....	.....	.....	.....	.....	4	11	12	11	8	1	.....	.....	.....
29	Acute nephritis and Bright's disease	246	2	2	.....	.....	.....	2	4	10	16	36	55	60	42	17	.....	.....	.....
30	Diseases of the female genital organs	21	.....	.....	.....	.....	.....	.....	.....	12	3	5	1	.....	.....	.....	.....	.....	.....
31	Puerperal fever	17	.....	.....	.....	.....	.....	.....	1	9	5	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	20	.....	.....	.....	.....	.....	.....	1	8	9	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	61	60	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	12	8	2	.....
35	Violent deaths (excluding suicide)	156	3	4	3	3	4	13	15	25	23	20	16	11	7	9	.....	.....	.....
36	Suicide	36	.....	.....	.....	.....	.....	.....	1	3	3	9	9	9	2	.....	.....	.....	.....
37	Other defined diseases	493	47	4	4	1	1	4	17	26	38	70	95	67	82	35	2	.....	.....
38	Diseases ill-defined or unknown	12	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	SYRACUSE, N. Y.																		
	All causes	2,123	447	63	26	17	10	45	82	147	145	197	251	290	244	142	17		
1	Typhoid fever	39		1		1	1	3	5	12	8	3	3	1	1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	12	4	3	1	2		1			1								
6	Scarlet fever	23		2	6	1	2	7		4			1						
7	Whooping cough	4	3	1															
8	Diphtheria and croup	26	2	2	2	3	1	10	4	1	1								
9	Influenza	10								1	1				3	4	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	9	5				1							1		1	1		
13	Tuberculosis of the lungs	128	1			1		1	11	37	35	23	10	7	2				
14	Tuberculous meningitis	15	3	2	3	1		1		4		1							
15	Other forms of tuberculosis	8						2		2		3	1						
16	Cancer and other malignant tumors	127								1	5	17	40	36	21	7			
17	Meningitis	14	2	1		1		1	2	3		1		3					
18	Cerebral hemorrhage and softening	110	4							3	2	10	17	35	26	12	1		
19	Organic diseases of the heart	286	7	1			1	2	11	4	15	30	38	66	69	41	1		
20	Acute bronchitis	14	11										1	2					
21	Chronic bronchitis	18	3	1						1	1	1	1	1	3	4	2		
22	Pneumonia	151	10	10	2		1	7	5	12	13	19	29	18	17	8			
23a	Bronchopneumonia	59	24	10		1			2	2	2	3	3	2	3	6	1		
23b	Other diseases of the respiratory system	15	2								1	2	3	4	1	2			
24	Diseases of the stomach	38	13	1	1					1		4	3	6	7	2			
25 (37)	Diarrhea and enteritis	188	154	15	4		1		1	1		1	1	1	4	1			
26	Appendicitis and typhlitis	21							7	4		2	3	3	1	1			
27	Hernia, intestinal obstruction	16	1			1		1			1	1	1	3	5	2			
28	Cirrhosis of the liver	16								2		4	5	2	2	1			
29	Acute nephritis and Bright's disease	140	1			1	1		6	7	8	15	31	40	23	7			
30	Diseases of the female genital organs	10								2	2	3	1	1	1				
31	Puerperal fever	8							4	4									
32	Other puerperal affections	13								5	8								
33	Congenital debility and malformations	128	124	1				2			1								
34	Senility	12												2	1	7	2		
35	Violent deaths (excluding suicide)	123	4	3	3	3		5	8	17	18	17	15	9	14	6	1		
36	Suicide	30							4	4	4	10	2	3	3				
37	Other defined diseases	299	63	5	3	1	1	2	12	13	18	27	42	44	36	26	6		
38	Diseases ill-defined or unknown	13	6	4	1										1	1			
	CINCINNATI, OHIO (TOTAL).																		
	All causes	6,319	917	216	91	43	27	96	212	596	723	734	810	806	679	327	36	3	3
1	Typhoid fever	32	1	1	1			1	3	8	8	6	2		1				
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox																		
5	Measles	59	15	17	13	5	2	5	2										
6	Scarlet fever	16		2	4	4	1	2	3										
7	Whooping cough	30	11	11	1	2	2	3											
8	Diphtheria and croup	36	1	6	4	3	3	15	2	1				1					
9	Influenza	77	8	2		1			1	4	3	9	11	16	16	6			
10	Asiatic cholera																		
11	Cholera nostras	4							1			1			1	1			
12	Other epidemic diseases	32	5						1		9	3	3	6	1	4			
13	Tuberculosis of the lungs	953	8	7	6	2	3	6	74	257	260	169	114	34	11	1			1
14	Tuberculous meningitis	50	10	7	6	1	2	9	4	1	5	2	2	1					
15	Other forms of tuberculosis	54	2	2	1	2	1	1	4	6	11	12	5	2	4	1			
16	Cancer and other malignant tumors	310		1	1					6	17	61	87	75	44	18			
17	Meningitis	83	19	15	4	5	1	7	8	7	5	5	5	1	1				
18	Cerebral hemorrhage and softening	286	4						1	7	18	22	55	65	84	27	3		
19	Organic diseases of the heart	665	5		1			2	19	37	59	67	116	157	134	58	10		
20	Acute bronchitis	68	30	9	4	1					1	2		8	8	5			
21	Chronic bronchitis	103		1	1					1	2	4	8	25	31	28	2		
22	Pneumonia	376	43	24	14	4	3	13	7	39	43	44	38	49	36	18			1
23a	Bronchopneumonia	205	67	36	10	2	4	2	3	9	4	6	9	14	22	15	2		
23b	Other diseases of the respiratory system	55	4	1				1		5	4	7	9	6	12	5	1		
24	Diseases of the stomach	62	9	1	1	2			1	3	3	8	9	11	9	5			
25 (37)	Diarrhea and enteritis	401	278	50	5	4	1	3	3	3	4	5	9	10	14	12			
26	Appendicitis and typhlitis	50							8	12	12	6	6	5	1				
27	Hernia, intestinal obstruction	64	6						2	2	11	10	7	9	14	3			
28	Cirrhosis of the liver	110							1	1	16	27	30	25	8	1	1		
29	Acute nephritis and Bright's disease	500	8	2	1	1	1	3	5	21	37	71	92	124	85	45	4		
30	Diseases of the female genital organs	35							2	4	12	9	3	2	3				
31	Puerperal fever	29							2	15	10	2							
32	Other puerperal affections	26							4	10	8	4							
33	Congenital debility and malformations	258	257		1														
34	Senility	17												1	4	10	1	1	
35	Violent deaths (excluding suicide)	351	7	8	9	2	2	15	23	57	69	46	46	34	21	7	3	1	1
36	Suicide	63							1	16	12	11	15	4	3		1		
37	Other defined diseases	833	109	13	3	2	1	8	26	62	75	113	125	121	109	57	8	1	
38	Diseases ill-defined or unknown	25	10						1	2	4	2	4		2				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

CINCINNATI, OHIO (WHITE).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	Deaths at unknown age.
	Al. causes	5,750	834	195	82	37	25	86	187	512	618	637	745	768	663	322	36	1	2
1	Typhoid fever	30	1	1	1	.....	.....	1	1	8	8	6	2	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	53	14	14	12	4	2	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	15	.....	2	4	4	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	28	10	11	1	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	34	1	5	4	3	3	15	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Influenza	76	8	2	.....	1	.....	.....	1	4	3	9	10	16	16	6	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	.....
12	Other epidemic diseases	31	5	.....	.....	.....	.....	.....	1	.....	8	3	3	6	1	4	.....	.....	.....
13	Tuberculosis of the lungs	792	7	4	5	1	3	1	63	222	209	138	95	32	10	1	.....	.....	1
14	Tuberculous meningitis	46	9	7	6	1	2	9	3	.....	5	2	2	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	45	1	2	1	1	1	.....	3	3	11	10	5	2	4	1	.....	.....	.....
16	Cancer and other malignant tumors	304	.....	1	1	.....	.....	.....	.....	6	16	57	87	74	44	18	.....	.....	.....
17	Meningitis	81	18	15	4	5	1	7	8	7	5	5	5	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	268	4	.....	.....	.....	.....	.....	1	6	18	21	49	60	79	27	3	.....	.....
19	Organic diseases of the heart	609	5	.....	1	.....	.....	2	18	31	44	51	107	152	132	56	10	.....	.....
20	Acute bronchitis	64	28	9	4	1	.....	.....	.....	.....	1	2	.....	6	8	5	.....	.....	.....
21	Chronic bronchitis	97	.....	1	.....	.....	.....	.....	.....	1	2	4	7	22	30	28	2	.....	.....
22	Pneumonia	320	35	19	12	2	2	12	6	26	40	36	33	44	34	18	.....	.....	1
23a	Bronchopneumonia	186	60	30	8	2	3	2	3	9	4	5	8	13	22	15	2	.....	.....
23b	Other diseases of the respiratory system	51	4	1	.....	.....	.....	1	.....	4	3	6	9	6	11	5	1	.....	.....
24	Diseases of the stomach	60	9	1	1	2	.....	.....	1	3	2	8	8	11	9	5	.....	.....	.....
25 (37)	Diarrhea and enteritis	367	250	49	5	3	1	3	1	3	4	4	8	10	14	12	.....	.....	.....
26	Appendicitis and typhlitis	48	.....	.....	.....	.....	.....	.....	8	12	12	4	6	5	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	61	5	.....	.....	.....	.....	.....	2	2	10	9	7	9	14	3	.....	.....	.....
28	Cirrhosis of the liver	106	.....	.....	.....	.....	.....	.....	1	1	16	25	29	24	8	1	1	.....	.....
29	Acute nephritis and Bright's disease	462	8	1	1	1	1	3	3	17	35	58	84	118	83	45	4	.....	.....
30	Diseases of the female genital organs	28	.....	.....	.....	.....	.....	.....	2	3	8	7	3	2	3	.....	.....	.....	.....
31	Puerperal fever	28	.....	.....	.....	.....	.....	.....	1	15	10	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	25	.....	.....	.....	.....	.....	.....	3	10	8	4	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	240	239	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	10	1	.....	.....
35	Violent deaths (excluding suicide)	315	6	8	9	2	2	15	23	47	55	43	41	33	21	7	3	.....	.....
36	Suicide	63	.....	.....	.....	.....	.....	.....	1	16	12	11	15	4	3	.....	1	.....	.....
37	Other defined diseases	777	97	12	1	2	1	7	25	54	66	106	118	117	108	54	8	1	.....
38	Diseases ill-defined or unknown	21	10	.....	.....	.....	.....	.....	1	1	3	.....	4	.....	2	.....	.....	.....	.....

CINCINNATI, OHIO (COLORED).

	All causes	569	83	21	9	6	2	10	25	84	105	97	65	38	16	5	.....	2	1
1	Typhoid fever	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	6	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	161	1	3	1	1	.....	5	11	35	51	31	19	2	1	.....	.....	.....	.....
14	Tuberculous meningitis	4	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	9	1	.....	1	.....	.....	1	1	3	.....	2	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	6	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	1	.....	.....	.....	.....	.....
17	Meningitis	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	18	.....	.....	.....	.....	.....	.....	.....	1	.....	1	6	5	5	.....	.....	.....	.....
19	Organic diseases of the heart	56	.....	.....	.....	.....	.....	.....	1	6	15	16	9	5	2	2	.....	.....	.....
20	Acute bronchitis	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
21	Chronic bronchitis	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....
22	Pneumonia	56	8	5	2	2	1	1	1	13	3	8	5	5	2	.....	.....	.....	.....
23a	Bronchopneumonia	19	7	6	2	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
23b	Other diseases of the respiratory system	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....
24	Diseases of the stomach	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
25 (37)	Diarrhea and enteritis	34	28	1	.....	1	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	38	.....	1	.....	.....	.....	.....	2	4	2	13	8	6	2	.....	.....	.....	.....
30	Diseases of the female genital organs	7	.....	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	18	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....
35	Violent deaths (excluding suicide)	36	1	.....	.....	.....	.....	.....	.....	10	14	3	5	1	.....	.....	.....	1	1
36	Suicide	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Other defined diseases	56	12	1	2	.....	.....	1	1	8	9	7	7	4	1	3	.....	.....	.....
38	Diseases ill-defined or unknown	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
CLEVELAND, OHIO.																		
	All causes	8,047	2,033	431	159	91	80	161	297	634	698	797	841	846	631	302	45		1
1	Typhoid fever	101	1	1	2	1	1	3	24	32	11	13	7	4		1			
2	Typhus fever																		
3	Malaria	1													1				
4	Smallpox	2		1	1														
5	Measles	96	22	37	18	3	4	11	1										
6	Scarlet fever	71	3	7	13	10	11	17	3	6	1								
7	Whooping cough	37	16	11	4	2	3	1											
8	Diphtheria and croup	120	8	32	20	14	8	27	7	3			1						
9	Influenza	51	2	2	4		2	1	2	2	6	4	4	8	9	5			
10	Asiatic cholera																		
11	Cholera nostras	5	2										1		2				
12	Other epidemic diseases	54	15	4	1		1	1	1	5	3	5	2	7	1	5	3		
13	Tuberculosis of the lungs	717	5	11	7	1	2	1	53	188	192	139	70	33	12	3			
14	Tuberculous meningitis	61	18	7	3	5	4	8	9	2	3	1	1						
15	Other forms of tuberculosis	48	6	4	1		1		8	8	4	7	4	3	2				
16	Cancer and other malignant tumors	412	2		1		1	1	1	8	30	78	123	97	58	11			1
17	Meningitis	59	20	5	2	5	4	7	5	1	3	3	1	3					
18	Cerebral hemorrhage and softening	351	6						2	11	22	51	81	80	73	24	1		
19	Organic diseases of the heart	579	16	3		1	1	7	30	20	37	63	70	150	129	46	6		
20	Acute bronchitis	163	105	18	8	3	2	2	2	3			1	6	5	7	1		
21	Chronic bronchitis	57									2	3	3	14	18	16	1		
22	Pneumonia	421	53	24	10	7	4	7	11	33	46	58	61	52	39	14	2		
23a	Bronchopneumonia	297	132	48	27	7	3	3	3	7	4	7	10	18	16	11	1		
23b	Other diseases of the respiratory system	86	14	4		1	3	3	1	3	10	7	11	14	7	7	1		
24	Diseases of the stomach	71	24	2			1		3	3	2	9	7	9	5	4	2		
25 (37)	Diarrhea and enteritis	1,029	790	168	15	11	2	3	1	4		6	3	8	12	4	2		
26	Appendicitis and typhlitis	82	1			1	1	5	21	18	10	16	5	3	1				
27	Hernia, intestinal obstruction	65	10	1		2	1	1	1	1	2	7	10	19	6	4			
28	Cirrhosis of the liver	92	1							1	14	17	32	16	9	2			
29	Acute nephritis and Bright's disease	530	11	7	1	4	2	7	10	21	36	63	117	107	83	51	10		
30	Diseases of the female genital organs	40							2	9	14	8	6	1					
31	Puerperal fever	51							3	29	15	4							
32	Other puerperal affections	49							3	17	24	5							
33	Congenital debility and malformations	411	409	2															
34	Senility	25												2	6	16	1		
35	Violent deaths (excluding suicide)	471	12	11	13	9	10	26	38	100	70	64	42	31	26	13	6		
36	Suicide	103							3	24	16	21	18	15	5	1			
37	Other defined diseases	1,216	312	21	8	4	8	19	49	74	119	138	150	143	106	57	8		
38	Diseases ill-defined or unknown	23	17							1	2			3					
COLUMBUS, OHIO.																			
	All causes	2,810	397	80	32	21	18	47	136	277	324	299	334	360	324	142	15	2	2
1	Typhoid fever	33						3	10	12	4	1	3						
2	Typhus fever	1									1								
3	Malaria																		
4	Smallpox																		
5	Measles	43	5	12	8	4	4	5	2	2		1							
6	Scarlet fever	6			1		1	3	1										
7	Whooping cough	19	8	7	2	1	1												
8	Diphtheria and croup	21		6	2			7	5			1							
9	Influenza	15											1	4	6	4			
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	18	4	1	1						2	2	2	2	3	1			
13	Tuberculosis of the lungs	324	3	1	2		1	1	33	105	88	42	25	15	7	1			
14	Tuberculous meningitis	13	1	1	1	1	1	2	1		2	1	1	1					
15	Other forms of tuberculosis	52	10	1		1			11	6	9	4	6	4					
16	Cancer and other malignant tumors	166							1	6	17	25	43	45	26	3			
17	Meningitis	36	9	3	1	2	2	3	2	7	1	2	2	1	1				
18	Cerebral hemorrhage and softening	145							1	3	3	14	24	35	40	22	2	1	
19	Organic diseases of the heart	302	7		1			2	6	9	24	31	47	76	77	17	4		1
20	Acute bronchitis	16	8										2	1	3	2			
21	Chronic bronchitis	9										1	1	1	2	4			
22	Pneumonia	142	16	1	4	3	1		6	13	14	11	20	21	19	10	3		
23a	Bronchopneumonia	106	33	13	2	1	1	4	1	1	3	4	5	11	16	10	1		
23b	Other diseases of the respiratory system	22	1							3	2	5	3	2	2	4			
24	Diseases of the stomach	27	6	1	1						5	4	3	3		4			
25 (37)	Diarrhea and enteritis	139	96	19	1	1				1		2	4	9	4	2			
26	Appendicitis and typhlitis	31					1		10	7	4	5	3		1				
27	Hernia, intestinal obstruction	29	3	1				1		1	5	10	3	3	1	1			
28	Cirrhosis of the liver	23								2	1	4	2	5	8	1			
29	Acute nephritis and Bright's disease	145	1	1		1		2	5	4	13	18	35	32	21	11			1
30	Diseases of the female genital organs	27							2	4	9	6	4	2					
31	Puerperal fever	22							1	11	6	4							
32	Other puerperal affections	14							3	2	8	1							
33	Congenital debility and malformations	119	118		1														
34	Senility	40												1	15	20	3	1	
35	Violent deaths (excluding suicide)	206	6	3	3	6		8	12	34	36	33	23	12	19	9	2		
36	Suicide	44							2	13	9	9	7	2	2				
37	Other defined diseases	429	47	5	1		5	6	20	29	58	57	64	72	49	16			
38	Diseases ill-defined or unknown	25	15	4					1	1		1	1		2				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
DAYTON, OHIO.																			
	All causes	1,724	325	51	30	17	8	38	61	150	160	171	132	209	200	110	11	1	
1	Typhoid fever	25			1			1	3	12	4	1	2	1					
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	2			1		1												
6	Scarlet fever	11			3	2	1	3	1		1								
7	Whooping cough	23	16	4	1	2													
8	Diphtheria and croup	13			2	3	2	4	1	1									
9	Influenza	11		1					1		1	1	3	1	2	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	13	1									1	3	4	3	1			
13	Tuberculosis of the lungs	189	3	1				4	22	60	42	23	18	10	5		1		
14	Tuberculous meningitis	13		5	1			3	1	1	1		1						
15	Other forms of tuberculosis	19	2			1				8	2	2	2	1	1				
16	Cancer and other malignant tumors	106							1	1	8	22	23	26	15	9	1		
17	Meningitis	37	10	7	6	1	1	2	5	2		1			1		1		
18	Cerebral hemorrhage and softening	98	1	1		1			1	2	2	10	9	25	29	17			
19	Organic diseases of the heart	190	1					3	4	5	8	22	27	41	53	24	2		
20	Acute bronchitis	7	3	1								1				2			
21	Chronic bronchitis	3												1	2				
22	Pneumonia	108	26	2	3	3	1		1	5	9	13	16	8	14	7			
23a	Bronchopneumonia	79	30	4	6	3		2		1	1	1	2	6	12	9	2		
23b	Other diseases of the respiratory system	13	2							1	1	3	2	1	2	1			
24	Diseases of the stomach	12	6									4		1	1				
25 (37)	Diarrhea and enteritis	123	88	19	4		1	1		1		2	1		3	3			
26	Appendicitis and typhlitis	16	1					3	2	3	4	1		2					
27	Hernia, intestinal obstruction	16	3					1		2	3	1	3	3					
28	Cirrhosis of the liver	20									5	2	5	5	2	1			
29	Acute nephritis and Bright's disease	107								5	13	15	18	27	17	11	1		
30	Diseases of the female genital organs	11							1	2	1	1	3	3					
31	Puerperal fever	16							2	6	7	1							
32	Other puerperal affections	5								1	3	1							
33	Congenital debility and malformations	95	94						1										
34	Senility	6													2	1	2	1	
35	Violent deaths (excluding suicide)	101	9	4	1			7	7	15	14	15	13	8	5	2	1		
36	Suicide	27							3	3	6	7	4	3	1				
37	Other defined diseases	203	25	2	1	1	1	4	4	13	24	19	27	31	30	21			
38	Diseases ill-defined or unknown	5	4									1							
TOLEDO, OHIO.																			
	All causes	2,470	402	88	35	22	25	61	100	198	230	270	287	316	280	137	16	1	2
1	Typhoid fever	63			1		2	6	15	18	10	7	4						
2	Typhus fever																		
3	Malaria	3									1		1			1			
4	Smallpox																		
5	Measles	28	6	9	4	1	1	6			1								
6	Scarlet fever	10		1	1	3	1	2	2										
7	Whooping cough	10	7	3															
8	Diphtheria and croup	33	1	5	3	3	3	12	5	1									
9	Influenza	16	1		1	1			1	2	1	1	2	1	5				
10	Asiatic cholera																		
11	Cholera nostras	2												2					
12	Other epidemic diseases	29	3	1				1		1	1	1	7	5	7	2			
13	Tuberculosis of the lungs	235	3	2	1	1		1	25	71	59	35	19	14	3	1			
14	Tuberculous meningitis	8	2				3		1	1		1							
15	Other forms of tuberculosis	29		4		1	1		2	5	5	2	3	2	3	1			
16	Cancer and other malignant tumors	144					1	1	1	5	14	25	39	34	20	4			
7	Meningitis	21	5	8		2	1	1	1	1	1		1						
18	Cerebral hemorrhage and softening	100	3									8	21	30	27	10	1		
19	Organic diseases of the heart	254	2						6	8	26	34	38	55	63	21			1
20	Acute bronchitis	18	8	2	1						1	1	1		1	2			1
21	Chronic bronchitis	16						1				1		3	2	9			
22	Pneumonia	113	21	5	3		1	3	3	3	6	16	12	20	14	5	1		
23a	Bronchopneumonia	103	37	11	10	3	1	3			2	2	6	5	11	11	1		
23b	Other diseases of the respiratory system	21	4	1					1	2		1	1	2	8	1			
24	Diseases of the stomach	39	7	1			1	1	1	4	2	5	4	7	3	3			
25 (37)	Diarrhea and enteritis	175	124	26	3	2	3	2		1	2		1	2	5	4			
26	Appendicitis and typhlitis	24			1	1	1	3	3	8	2	1	3	1					
27	Hernia, intestinal obstruction	24	4	1					1	1	1	4	4	2	4	2			
28	Cirrhosis of the liver	35									5	6	10	8	5	1			
29	Acute nephritis and Bright's disease	130	2				1	2	1	2	9	18	29	39	23	4			
30	Diseases of the female genital organs	22							3	7	4	6	2						
31	Puerperal fever	12							1	4	6	1							
32	Other puerperal affections	15							1	6	5	3							
33	Congenital debility and malformations	108	108												5	16	8	1	
34	Senility	30																	
35	Violent deaths (excluding suicide)	139	1	4	5	1	3	11	7	22	18	28	11	14	9	2	3		
36	Suicide	37							3	11	4	10	8		1				
37	Other defined diseases	422	51	4	1	3	1	5	16	14	44	53	60	70	61	37	2		
38	Diseases ill-defined or unknown	2	2																

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
PORTLAND, OREG.																			
	All causes	2,308	325	47	39	31	14	64	107	256	235	259	283	292	233	106	16		1
1	Typhoid fever	47		1			1		5	22	10	3	3	2					
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	8	3	2		1		1		1									
6	Scarlet fever	21		1	2	2	1	6	4	4	1								
7	Whooping cough	15	10	1	1	3													
8	Diphtheria and croup	47	2	5	5	6	3	15	11										
9	Influenza	11	2	1				1	1		1			1	4				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	6		1	1				2	2	3	1		1	1			
13	Tuberculosis of the lungs	174				1		4	17	50	39	26	22	12	3				
14	Tuberculous meningitis	21	1	3	2	3		1	5	4	1				1				
15	Other forms of tuberculosis	32	2			1		2	2	5	5	6	5	4					
16	Cancer and other malignant tumors	147					1	2		3	13	26	44	40	15	2	1		
17	Meningitis	22	5	1	3		1	2	2	5	1	2							
18	Cerebral hemorrhage and softening	110	1	1							5	10	18	32	30	12	1		
19	Organic diseases of the heart	222	7					2	12	8	18	27	47	38	50	11	2		
20	Acute bronchitis	10	3	2	1									3	1				
21	Chronic bronchitis	15	1										1	3	4	5	1		
22	Pneumonia	122	14	3	3	1		2	8	14	12	18	15	17	12	3			
23a	Bronchopneumonia	38	23	3	1			2	1	1		1	2	2	2				
23b	Other diseases of the respiratory system	22		1	1					2		4	4	3	6	1			
24	Diseases of the stomach	26	6				1		1	1	3	3	5	2	1	3			
25 (37)	Diarrhea and enteritis	89	57	12	8	1	1			1		3	1	3	2				
26	Appendicitis and typhlitis	23				1		2	4	5	4	2	2	3					
27	Hernia, intestinal obstruction	33	2	1	1	1	1			7	5	4	2	5	3	1			
28	Cirrhosis of the liver	22						1			3	6	4	4	4				
29	Acute nephritis and Bright's disease	126	1				1	1	3	5	11	17	24	31	24	7			1
30	Diseases of the female genital organs	19							2	5	5	6	1						
31	Puerperal fever	16								11	4	1							
32	Other puerperal affections	19								12	6	1							
33	Congenital debility and malformations	127	122		1	1		2	1										
34	Senility	68												1	22	36	9		
35	Violent deaths (excluding suicide)	167	4		3	3	1	7	6	44	43	25	15	9	3	2	2		
36	Suicide	51							1	8	13	17	6	4	1	1			
37	Other defined diseases	397	35	9	6	5	2	11	21	34	30	47	61	73	42	21			
38	Diseases ill-defined or unknown	22	18							2					2				
PHILADELPHIA, PA. (TOTAL).																			
	All causes	27,045	5,334	1,317	552	330	251	585	872	1,997	2,492	2,799	3,031	3,306	2,690	1,274	201	11	3
1	Typhoid fever	272			3	1	4	25	56	83	53	27	11	4	4	1			
2	Typhus fever																		
3	Malaria	7							2	2		1	2						
4	Smallpox	5	1	1	1						1	1							
5	Measles	164	33	61	30	16	6	13	2	1	2								
6	Scarlet fever	152	3	31	31	16	25	32	10	2	2								
7	Whooping cough	318	150	84	46	18	7	13											
8	Diphtheria and croup	479	32	104	94	62	62	88	17	12	4	3							1
9	Influenza	159	4	6	1	3		1	4	6	9	9	21	35	40	16	4		
10	Asiatic cholera																		
11	Cholera nostras	10			1							1	2	4		2			
12	Other epidemic diseases	117	36	4	2			2		3	12	10	14	16	13	4			1
13	Tuberculosis of the lungs	3,007	44	33	13	5	7	23	213	769	789	563	328	153	56	9	2		
14	Tuberculous meningitis	184	48	32	15	13	7	27	19	11	5	3	3	1					
15	Other forms of tuberculosis	180	13	11	5	3	2	11	18	36	32	27	14	6	1	1			
16	Cancer and other malignant tumors	1,322	2		1		1	1	8	21	90	242	394	310	198	51	3		
17	Meningitis	119	28	19	12	10	4	17	7	6	2	7	4	2	1				
18	Cerebral hemorrhage and softening	1,166	18	3	1		1		3	7	38	78	194	325	318	160	20		
19	Organic diseases of the heart	2,691	26	4	3	3	7	34	90	137	203	299	429	628	540	248	38	2	
20	Acute bronchitis	349	180	56	21	12	5	8		3		3	4	14	17	22	4		
21	Chronic bronchitis	172	11	4	1	1		2	2	2	6	16	18	24	47	30	8		
22	Pneumonia	1,524	210	102	44	21	21	34	30	105	179	199	195	212	117	45	10		
23a	Bronchopneumonia	1,073	431	204	62	38	12	29	10	12	27	31	34	62	65	48	8		
23b	Other diseases of the respiratory system	359	47	21	4	6	4	11	6	22	38	37	43	47	50	22	1		
24	Diseases of the stomach	276	74	10	4	5		6	6	14	29	25	32	26	28	15	2		
25 (37)	Diarrhea and enteritis	2,616	1,975	361	72	26	13	12	9	7	11	10	16	39	32	29	4		
26	Appendicitis and typhlitis	185	1	1		2	2	17	43	39	29	21	18	9	3				
27	Hernia, intestinal obstruction	220	23	4	5	4	4	2	6	21	19	31	29	36	27	9			
28	Cirrhosis of the liver	281	2		1				2	9	42	61	65	61	33	5			
29	Acute nephritis and Bright's disease	2,672	31	13	6	10	5	20	48	131	212	369	494	596	524	191	22		
30	Diseases of the female genital organs	148							3	41	40	30	16	14	4				
31	Puerperal fever	142							11	65	54	12							
32	Other puerperal affections	148							7	68	59	14							
33	Congenital debility and malformations	1,158	1,136	9	3	2	2	2	3		1								
34	Senility	232												14	79	106	24	9	
35	Violent deaths (excluding suicide)	1,299	56	36	42	28	28	73	94	152	186	221	142	118	74	39	10		
36	Suicide	307							20	60	54	68	54	35	15	1			
37	Other defined diseases	3,260	517	82	23	23	19	80	122	150	264	375	450	509	397	212	37		
38	Diseases ill-defined or unknown	272	202	21	5	2	3	2	1			5	5	6	7	8	4		1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	PHILADELPHIA, PA. (WHITE).																	
	All causes	24,740	4,789	1,178	496	302	225	529	766	1,706	2,166	2,524	2,834	3,164	2,615	1,246	188	9	3
1	Typhoid fever	241	.....	.....	2	1	3	20	52	72	48	24	11	4	3	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	7	.....	.....	.....	.....	.....	.....	2	2	.....	1	2	.....	.....	.....	.....	.....	.....
4	Smallpox	5	1	1	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
5	Measles	158	30	59	29	16	6	13	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	146	3	30	31	15	23	32	9	2	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	271	132	70	38	15	6	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	452	30	100	91	54	58	83	17	12	4	2	.....	.....	.....	.....	.....	.....	1
9	Influenza	150	3	6	1	3	.....	1	4	5	9	7	19	33	39	16	4	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	10	.....	.....	1	.....	.....	.....	.....	.....	.....	1	2	4	.....	2	.....	.....	.....
12	Other epidemic diseases	111	35	4	2	.....	.....	2	.....	3	12	8	14	14	12	4	.....	.....	1
13	Tuberculosis of the lungs	2,548	37	22	7	4	5	13	172	632	655	495	306	140	50	8	2	.....	.....
14	Tuberculous meningitis	158	40	27	14	11	6	23	19	7	4	3	3	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	138	10	10	4	2	1	9	13	23	26	20	12	6	1	1	.....	.....	.....
16	Cancer and other malignant tumors	1,278	2	.....	1	.....	1	1	8	19	83	231	379	304	197	50	2	.....	.....
17	Meningitis	114	26	18	10	10	4	17	7	6	2	7	4	2	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	1,106	17	3	1	.....	.....	.....	3	6	36	70	178	309	307	158	18	.....	.....
19	Organic diseases of the heart	2,522	24	4	3	3	7	31	81	123	177	268	399	601	522	243	35	1	.....
20	Acute bronchitis	304	154	46	17	11	5	7	.....	2	.....	3	3	14	17	21	4	.....	.....
21	Chronic bronchitis	164	8	3	.....	1	.....	2	2	2	6	15	17	24	47	30	7	.....	.....
22	Pneumonia	1,343	172	85	37	19	19	30	24	88	143	168	187	206	112	43	10	.....	.....
23a	Bronchopneumonia	964	381	175	55	34	9	26	7	10	26	28	33	60	64	48	8	.....	.....
23b	Other diseases of the respiratory system	325	40	17	4	6	4	9	4	19	32	36	40	43	50	20	1	.....	.....
24	Diseases of the stomach	249	68	8	4	5	.....	6	5	11	23	19	30	25	28	15	2	.....	.....
25 (37)	Diarrhea and enteritis	2,400	1,806	336	65	23	11	12	7	6	10	10	13	38	32	28	3	.....	.....
26	Appendicitis and typhlitis	178	1	1	.....	2	2	17	41	38	26	21	17	9	3	.....	.....	.....	.....
27	Hernia, intestinal obstruction	205	21	4	5	2	3	2	5	19	15	31	28	34	27	9	.....	.....	.....
28	Cirrhosis of the liver	273	2	.....	1	.....	.....	.....	2	8	42	60	60	60	33	5	.....	.....	.....
29	Acute nephritis and Bright's disease	2,498	30	12	6	10	5	20	44	116	186	334	453	563	512	186	21	.....	.....
30	Diseases of the female genital organs	124	.....	.....	.....	.....	.....	.....	1	30	37	26	15	11	4	.....	.....	.....	.....
31	Puerperal fever	127	.....	.....	.....	.....	.....	.....	8	60	49	10	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	135	.....	.....	.....	.....	.....	.....	5	62	55	13	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,058	1,037	9	3	2	2	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	224	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14	75	103	24	8	.....
35	Violent deaths (excluding suicide)	1,195	47	35	41	28	23	67	86	130	167	202	132	117	74	37	9	.....	.....
36	Suicide	300	.....	.....	.....	.....	.....	.....	18	57	53	67	54	35	15	1	.....	.....	.....
37	Other defined diseases	3,023	460	76	18	23	19	74	114	135	235	338	418	487	383	209	34	.....	.....
38	Diseases ill-defined or unknown	236	172	17	4	2	3	1	1	.....	.....	5	5	6	7	8	4	.....	1
	PHILADELPHIA, PA. (COLORED).																		
	All causes	2,305	545	139	56	28	26	56	106	291	326	275	197	142	75	28	13	2	.....
1	Typhoid fever	31	.....	.....	1	.....	1	5	4	11	5	3	.....	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	6	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	6	.....	1	.....	1	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	47	18	14	8	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	27	2	4	3	8	4	5	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	9	1	.....	.....	.....	.....	.....	.....	1	.....	2	2	2	1	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	6	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	459	7	11	6	1	2	10	41	137	134	68	22	13	6	1	.....	.....	.....
14	Tuberculous meningitis	26	8	5	1	2	1	4	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	42	3	1	1	1	1	2	5	13	6	7	2	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	44	.....	.....	.....	.....	.....	.....	.....	2	7	11	15	6	1	1	1	.....	.....
17	Meningitis	5	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	60	1	.....	.....	.....	1	.....	.....	1	2	8	16	16	11	2	2	.....	.....
19	Organic diseases of the heart	169	2	.....	.....	.....	.....	3	9	14	26	31	30	27	18	5	3	1	.....
20	Acute bronchitis	45	26	10	4	1	.....	1	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....
21	Chronic bronchitis	8	3	1	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....
22	Pneumonia	181	38	17	7	2	2	4	6	17	36	31	8	6	5	2	.....	.....	.....
23a	Bronchopneumonia	109	50	29	7	4	3	3	3	2	1	3	1	2	1	.....	.....	.....	.....
23b	Other diseases of the respiratory system	34	7	4	.....	.....	.....	2	2	3	6	1	3	4	.....	2	.....	.....	.....
24	Diseases of the stomach	27	6	2	.....	.....	.....	.....	1	3	6	6	2	1	.....	.....	.....	.....	.....
25 (37)	Diarrhea and enteritis	216	169	25	7	3	2	.....	2	1	1	.....	3	1	.....	1	1	.....	.....
26	Appendicitis and typhlitis	7	.....	.....	.....	.....	.....	.....	2	1	3	.....	1	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	15	2	.....	.....	2	1	.....	1	2	4	.....	1	2	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	8	.....	.....	.....	.....	.....	.....	.....	1	.....	1	5	1	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	174	1	1	.....	.....	.....	.....	4	15	26	35	41	33	12	5	1	.....	.....
30	Diseases of the female genital organs	24	.....	.....	.....	.....	.....	.....	2	11	3	4	1	3	.....	.....	.....	.....	.....
31	Puerperal fever	15	.....	.....	.....	.....	.....	.....	3	5	5	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	13	.....	.....	.....	.....	.....	.....	2	6	4	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	100	99	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	.....	1	.....
35	Violent deaths (excluding suicide)	104	9	1	1	.....	5	6	8	22	19	19	10	1	.....	2	1	.....	.....
36	Suicide	7	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	.....	.....	.....	.....
37	Other defined diseases	237	57	6	5	.....	.....	6	8	15	29	37	32	22	14	3	3	.....	.....
38	Diseases ill-defined or unknown	36	30	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	PITTSBURGH, PA. (TOTAL).																		
	All causes	9,603	2,259	690	274	157	112	246	361	812	954	873	930	925	696	281	33		
1	Typhoid fever	149			2	2	1	10	33	59	27	9	5	1					
2	Typhus fever																		
3	Malaria	2												1	1				
4	Smallpox																		
5	Measles	177	33	65	31	20	13	13	1	1									
6	Scarlet fever	119	9	17	19	13	15	35	9	1		1							
7	Whooping cough	77	27	29	8	5	2	5		1									
8	Diphtheria and croup	136	12	20	26	21	17	28	8	3			1						
9	Influenza	76	1	1	2			1	1	5	10	4	10	19	17	5			
10	Asiatic cholera																		
11	Cholera nostras	8	1					1		1		1	1	3					
12	Other epidemic diseases	44	21	7		1				1	3	3	1	5	1	1			
13	Tuberculosis of the lungs	558	9	9	5	3	3	4	46	151	159	82	57	22	5	3			
14	Tuberculous meningitis	67	9	16	3	3	5	8	5	10	3	5							
15	Other forms of tuberculosis	70	2	7	2	1	1	5	10	8	16	9	7		1	1			
16	Cancer and other malignant tumors	351	1			1		1	4	11	36	62	94	86	44	11			
17	Meningitis	73	24	13	4	3	1	8	4	4	3	4	4	1					
18	Cerebral hemorrhage and softening	349	11	2	1			1	2	5	16	34	56	94	88	37	2		
19	Organic diseases of the heart	674	11	1	2	3	2	10	35	42	71	93	126	151	94	30	3		
20	Acute bronchitis	193	104	28	15	5	3	2			2	3	4	8	8	11			
21	Chronic bronchitis	89	1	2	3	1		1	2		1	2	8	21	28	16	3		
22	Pneumonia	991	62	45	25	9	8	10	29	111	154	146	151	135	79	25	2		
23a	Bronchopneumonia	742	254	135	49	23	10	22	8	11	27	20	40	52	65	24	2		
23b	Other diseases of the respiratory system	139	18	11	2	2	2	1	6	8	6	7	25	29	14	3	5		
24	Diseases of the stomach	130	22	6	6	1		2	5	7	12	19	10	20	16	4			
25 (37)	Diarrhea and enteritis	1,076	738	211	33	10	5	10	3	3	5	2	4	18	15	12	2		
26	Appendicitis and typhlitis	60			1			7	10	17	11	9	1	2	2				
27	Hernia, intestinal obstruction	73	18	1	1	2		1	2	5	3	12	9	11	6	2			
28	Cirrhosis of the liver	97			1					7	13	25	29	13	8	1			
29	Acute nephritis and Bright's disease	400	5	3	3	2	1	6	14	23	40	72	73	90	48	18	2		
30	Diseases of the female genital organs	48							4	15	13	11	3	2					
31	Puerperal fever	71							5	38	23	5							
32	Other puerperal affections	49							3	14	28	4							
33	Congenital debility and malformations	505	498	6			1												
34	Senility	55												3	31	20	1		
35	Violent deaths (excluding suicide)	719	25	11	10	17	13	32	68	151	139	93	77	36	26	16	5		
36	Suicide	122							5	31	34	28	16	6	2				
37	Other defined diseases	1,009	269	26	15	8	9	21	39	67	97	107	118	95	92	41	5		
38	Diseases ill-defined or unknown	105	74	18		1		1		1	2	1		1	5		1		
	PITTSBURGH, PA. (WHITE).																		
	All causes	8,993	2,119	639	261	140	108	231	332	762	873	788	869	882	679	277	33		
1	Typhoid fever	142			2	2	1	9	33	54	26	9	5	1					
2	Typhus fever																		
3	Malaria	2												1	1				
4	Smallpox																		
5	Measles	168	33	63	30	15	13	13	1										
6	Scarlet fever	118	9	17	19	13	15	35	8	1		1							
7	Whooping cough	62	25	23	6	3	2	3											
8	Diphtheria and croup	134	11	20	26	21	17	27	8	3			1						
9	Influenza	74	1	1	2			1	1	5	9	4	10	19	16	5			
10	Asiatic cholera																		
11	Cholera nostras	7	1					1		1		1		3					
12	Other epidemic diseases	42	20	7		1				1	3	3		5	1	1			
13	Tuberculosis of the lungs	488	7	8	4	1	1	4	37	140	145	70	45	18	5	3			
14	Tuberculous meningitis	61	9	14	3	2	4	7	5	10	3	4							
15	Other forms of tuberculosis	58	2	6	2	1	1	4	6	6	15	6	7		1	1			
16	Cancer and other malignant tumors	335	1			1		1	4	11	35	56	88	83	44	11			
17	Meningitis	70	23	13	4	2	1	8	3	4	3	4	4	1					
18	Cerebral hemorrhage and softening	323	10	2	1			1	2	4	13	31	51	85	85	36	2		
19	Organic diseases of the heart	626	11		2	3	2	10	33	41	63	75	122	144	89	28	3		
20	Acute bronchitis	176	94	23	14	5	3	2			2	3	4	8	7	11			
21	Chronic bronchitis	85	1	2	2	1		1	1			2	7	21	28	16	3		
22	Pneumonia	907	57	41	24	8	8	8	23	101	131	132	136	128	78	25	2		
23a	Bronchopneumonia	697	237	122	47	21	10	19	7	11	27	17	39	51	63	24	2		
23b	Other diseases of the respiratory system	133	17	11	2	2	2	1	6	7	5	7	23	28	14	3	5		
24	Diseases of the stomach	120	22	6	5			2	3	6	9	18	9	20	16	4			
25 (37)	Diarrhea and enteritis	1,016	695	198	37	10	5	8	3	3	5	2	4	17	15	12	2		
26	Appendicitis and typhlitis	59			1			7	9	17	11	9	1	2	2				
27	Hernia, intestinal obstruction	69	17	1	1	2		1	2	4	3	11	8	11	6	2			
28	Cirrhosis of the liver	94			1					6	12	25	28	13	8	1			
29	Acute nephritis and Bright's disease	371	5	3	3	1	1	6	13	21	36	64	68	84	46	18	2		
30	Diseases of the female genital organs	44							3	15	11	11	3	1					
31	Puerperal fever	69							5	36	23	5							
32	Other puerperal affections	46							3	13	26	4							
33	Congenital debility and malformations	478	471	6			1												
34	Senility	55												3	31	20	1		
35	Violent deaths (excluding suicide)	696	23	11	10	16	13	32	66	147	131	91	76	35	25	15	5		
36	Suicide	120							5	30	34	27	16	6	2				
37	Other defined diseases	951	248	24	13	8	8	20	37	64	90	95	114	93	91	41	5		
38	Diseases ill-defined or unknown	97	69	17		1					2	1		1	5		1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	PITTSBURGH, PA. (COLORED).																		
	All causes	610	140	51	13	17	4	15	29	50	81	85	61	43	17	4			
1	Typhoid fever	7						1		5	1								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	9		2	1	5				1									
6	Scarlet fever	1							1										
7	Whooping cough	15	2	6	2	2		2		1									
8	Diphtheria and croup	2	1					1											
9	Influenza	2									1				1				
10	Asiatic cholera																		
11	Cholera nostras	1											1						
12	Other epidemic diseases	2	1										1						
13	Tuberculosis of the lungs	70	2	1	1	2	2		9	11	14	12	12	4					
14	Tuberculous meningitis	6		2		1	1	1				1							
15	Other forms of tuberculosis	12		1				1	4	2	1	3							
16	Cancer and other malignant tumors	16									1	6	6	3					
17	Meningitis	3	1			1			1										
18	Cerebral hemorrhage and softening	26	1							1	3	3	5	9	3	1			
19	Organic diseases of the heart	48		1					2	1	8	18	4	7	5	2			
20	Acute bronchitis	17	10	5	1										1				
21	Chronic bronchitis	4			1				1		1		1						
22	Pneumonia	84	5	4	1	1		2	1	10	23	14	15	7	1				
23a	Bronchopneumonia	45	17	13	2	2		3	1			3	1	1	2				
23b	Other diseases of the respiratory system	6	1							1	1		2	1					
24	Diseases of the stomach	10			1	1			2	1	3	1	1						
25 (37)	Diarrhea and enteritis	60	43	13	1			2						1					
26	Appendicitis and typhlitis	1							1										
27	Hernia, intestinal obstruction	4	1							1		1	1						
28	Cirrhosis of the liver	3								1	1		1						
29	Acute nephritis and Bright's disease	29				1			1	2	4	8	5	6	2				
30	Diseases of the female genital organs	4							1		2			1					
31	Puerperal fever	2								2									
32	Other puerperal affections	3								1	2								
33	Congenital debility and malformations	27	27																
34	Senility																		
35	Violent deaths (excluding suicide)	23	2			1			2	4	8	2	1	1	1	1			
36	Suicide	2								1		1							
37	Other defined diseases	58	21	2	2		1	1	2	3	7	12	4	2	1				
38	Diseases ill-defined or unknown	8	5	1				1		1									
	SCRANTON, PA.																		
	All causes	2,140	520	135	44	24	19	47	98	168	193	207	208	226	193	55	3		
1	Typhoid fever	22					1	2	4	2	7	4		2					
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	11	2	6	2		1												
6	Scarlet fever	10	1		3	1	1	3	1										
7	Whooping cough	16	9	3	2	1	1												
8	Diphtheria and croup	37	6	4	7	4	6	7	2			1							
9	Influenza	11	1						3		1	1	1	1	2	1			
10	Asiatic cholera																		
11	Cholera nostras	7								1		2	1	2	1				
12	Other epidemic diseases	18	8	3										2	2	3			
13	Tuberculosis of the lungs	118	1	1		1		1	17	26	28	24	8	8	3				
14	Tuberculous meningitis	12	2	5		1	1	2		1									
15	Other forms of tuberculosis	7								2	4	1							
16	Cancer and other malignant tumors	86							1	2	12	13	19	25	10	4			
17	Meningitis	14	5	2	1	1		2				2	1						
18	Cerebral hemorrhage and softening	119	4	1			1	1	1	2	2	8	20	33	36	10			
19	Organic diseases of the heart	113	1				1	2	12	6	8	14	19	32	14	4			
20	Acute bronchitis	43	26	6	1	1			1			1	2		5				
21	Chronic bronchitis	18						1	1		2	1	3	3	5	1	1		
22	Pneumonia	148	19	10	4	1		3	6	10	17	23	19	15	16	5			
23a	Bronchopneumonia	123	60	24	7	3	1	1		1	2	2	7	9	4	2			
23b	Other diseases of the respiratory system	35	3	1	1		1			3	3	3	9	3	5	3			
24	Diseases of the stomach	44	17			1			1	1	5	4	8	4	2	1			
25 (37)	Diarrhea and enteritis	335	252	49	6	4		1		3	1	2	2	8	6	1			
26	Appendicitis and typhlitis	25			1			2	8	7	5	1		1					
27	Hernia, intestinal obstruction	27								1	2	5	6	6	7				
28	Cirrhosis of the liver	28								1	2	7	5	8	3	2			
29	Acute nephritis and Bright's disease	124	2	3	1	1	1	1	2	8	10	25	19	24	25	2			
30	Diseases of the female genital organs	11								5	4	2							
31	Puerperal fever	6							1	1	3	1							
32	Other puerperal affections	23							1	8	9	5							
33	Congenital debility and malformations	73	72	1															
34	Senility	2													1	1			
35	Violent deaths (excluding suicide)	218	1	6	3	4	2	10	24	53	42	32	16	10	13	2			
36	Suicide	14								4	4	3	3						
37	Other defined diseases	228	21	7	4		1	8	12	18	20	20	40	29	33	13	2		
38	Diseases ill-defined or unknown	13	7	3	1					2									

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
PROVIDENCE, R. I.																			
	All causes	3,980	827	198	72	45	33	74	144	267	329	411	443	512	442	154	24	4	1
1	Typhoid fever	40		1				3	7	16	6	4	2	1					
2	Typhus fever																		
3	Malaria	1			1														
4	Smallpox																		
5	Measles	72	23	29	10	4	2	3			1								
6	Scarlet fever	15	2	2	2	1	4	1	1	1	1								
7	Whooping cough	25	16	7	1	1													
8	Diphtheria and croup	49	6	13	7	1	6	10	5	1									
9	Influenza	37	4	1		1				5		3	2	6	8	6	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	17	2	1		1			1	2	3		3	1	2	1			
13	Tuberculosis of the lungs	346	11	6	4		1	1	39	74	86	61	31	22	10				
14	Tuberculous meningitis	42	10	6	6	9	3	2	2	2	1			1					
15	Other forms of tuberculosis	30	3	6	2		1	1	4	6	3	1	2	1					
16	Cancer and other malignant tumors	228					1	1	2	3	19	46	57	55	36	7	1		
17	Meningitis	30	10	6	4	1	1	2	1	2	1	2							
18	Cerebral hemorrhage and softening	222	1							2	4	22	42	56	63	30	2		
19	Organic diseases of the heart	404	1		1			4	14	17	29	56	66	105	84	24	3		
20	Acute bronchitis	45	31	6	1			1		1		1	1	1	2				
21	Chronic bronchitis	20	1								1	1	2	4	3	5	3		
22	Pneumonia	314	41	19	6	7	4	8	10	12	28	30	37	59	41	9	2	1	
23a	Bronchopneumonia	125	51	23	9	2		1		3	2	4	6	9	9	6			
23b	Other diseases of the respiratory system	33	1	3	3		3	1	2	3	3	1	2	2	7	1	1		
24	Diseases of the stomach	46	16	2						4	3	4	3	6	5	3			
25 (37)	Diarrhea and enteritis	315	238	41	6	4	1	3	2	2	1	2	2	6	5	2			
26	Appendicitis and typhlitis	46						6	7	13	6	9	4	1					
27	Hernia, intestinal obstruction	38	7					2	2	1	3	1	10	7	5				
28	Cirrhosis of the liver	41									4	10	11	10	5	1			
29	Acute nephritis and Bright's disease	323	5	1	1			2	8	21	28	53	67	64	61	12			
30	Diseases of the female genital organs	25								2	8	6	6	1	1	1			
31	Puerperal fever	18							2	7	9								
32	Other puerperal affections	28							2	12	12	2							
33	Congenital debility and malformations	186	184	1		1													
34	Senility	24													2	9	7	4	2
35	Violent deaths (excluding suicide)	212	11	5	1	7	4	13	19	25	20	34	28	19	14	10	2		
36	Suicide	38								6	8	13	5	5	1				
37	Other defined diseases	491	111	16	7	5	2	9	14	24	37	43	52	67	69	28	5	1	1
38	Diseases ill-defined or unknown	54	41	3							2	2	2	1	2	1			
MEMPHIS, TENN. (TOTAL).																			
	All causes	2,818	345	84	54	28	18	56	194	440	418	347	352	259	141	67	11	3	1
1	Typhoid fever	36		1	1			2	10	8	5	4	4		1				
2	Typhus fever																		
3	Malaria	97	6	1	4	1	1	3	12	17	13	8	15	8	4	3	1		
4	Smallpox																		
5	Measles	8			3			2	2	1									
6	Scarlet fever	7	1			2	2	2											
7	Whooping cough	5	3	1				1											
8	Diphtheria and croup	22	5	3	4	2	2	4	1						1				
9	Influenza	40	4	2		1			3	3	7	3	5	5	2	4	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	67	7	1	1		1		1	9	13	7	12	11	4				
13	Tuberculosis of the lungs	329	3	2			1	5	46	107	80	44	25	10	4	2			
14	Tuberculous meningitis	8	2				1		1	3			1						
15	Other forms of tuberculosis	13				1		1	1	2	3	3	2						
16	Cancer and other malignant tumors	84	1		1			2	2	3	12	16	25	14	7	1			
17	Meningitis	49	14	3	2	1	3	7	8	2	2	2	3	1	1				
18	Cerebral hemorrhage and softening	60	2		2	1		1	1	2	7	8	15	13	5	3			
19	Organic diseases of the heart	176	1	1	2	1		1	7	16	23	28	43	31	15	6		1	
20	Acute bronchitis	22	7	2	1				1	7	1			2		1			
21	Chronic bronchitis	18						1	2	5	2	2	2	3	1				
22	Pneumonia	80	3		2	2		1	7	18	15	11	8	7	4	2			
23a	Bronchopneumonia	178	29	18	4	6	2	4	11	19	27	20	15	10	9	4			
23b	Other diseases of the respiratory system	40	5				1		3	7	6	4	6	5	1	2			
24	Diseases of the stomach	40	4		1	2		1	1		4	10	7	8	1	1			
25 (37)	Diarrhea and enteritis	183	98	32	8	2		3	3	2	4	7	13	4	4	2	1		
26	Appendicitis and typhlitis	36						1	11	8	6	7	2	1					
27	Hernia, intestinal obstruction	33	3	1					3	9	7	4	2	2	2				
28	Cirrhosis of the liver	25								3	7	6	3	5	1				
29	Acute nephritis and Bright's disease	191	2	2	1			1	6	13	35	37	36	43	10	4	1		
30	Diseases of the female genital organs	23								7	8	6	2						
31	Puerperal fever	24							4	12	5	2	1						
32	Other puerperal affections	13							1	6	6								
33	Congenital debility and malformations	58	57							1									
34	Senility	63													7	25	23	6	2
35	Violent deaths (excluding suicide)	257	5	4	6	2	3	7	24	82	47	28	26	11	8	3			1
36	Suicide	30							1	13	4	4	4	3	1				
37	Other defined diseases	351	27	4	9	3		5	17	44	58	60	56	36	25	6	1		
38	Diseases ill-defined or unknown	152	56	6	2	1	1	1	4	11	11	16	19	19	5				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MEMPHIS, TENN. (WHITE).																		
	All causes	**1,326**	**176**	**38**	**28**	**15**	**6**	**29**	**62**	**159**	**170**	**160**	**172**	**170**	**89**	**49**	**3**		
1	Typhoid fever	15							3	6	3	2	1						
2	Typhus fever																		
3	Malaria	34	2	1	3	1			4	7	5	1	4	4	2				
4	Smallpox																		
5	Measles	5			1			2	1	1									
6	Scarlet fever	6	1			2	1	2											
7	Whooping cough	1	1																
8	Diphtheria and croup	14	1	1	3	1	2	4	1						1				
9	Influenza	13				1					2	2	2	1	1	4			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	33	3	1						3	5	4	7	7	3				
13	Tuberculosis of the lungs	115	1						8	35	30	17	13	7	2	2			
14	Tuberculous meningitis	7	2						1	3			1						
15	Other forms of tuberculosis	5						1		1		2	1						
16	Cancer and other malignant tumors	60			1			2	2	3	5	10	19	10	7	1			
17	Meningitis	25	4	2	1	1	1	3	5	1	1	2	2	1	1				
18	Cerebral hemorrhage and softening	40	2		1	1			1	1	5	6	6	12	2	3			
19	Organic diseases of the heart	77	1		1				1	6	7	9	20	18	9	5			
20	Acute bronchitis	2												1		1			
21	Chronic bronchitis	6								1		1		3	1				
22	Pneumonia	38				1			1	7	7	6	7	5	3	1			
23a	Bronchopneumonia	65	12	6	2	1		3	2	2	11	6	4	7	7	2			
23b	Other diseases of the respiratory system	17	1				1		1	3	2	3	3	2		1			
24	Diseases of the stomach	17	1		1	1			1		2	4	1	4	1	1			
25 (37)	Diarrhea and enteritis	117	65	19	6	2		3			3	4	6	4	3	2			
26	Appendicitis and typhlitis	22							7	5	4	3	2	1					
27	Hernia, intestinal obstruction	23	2	1					2	4	6	4	1	1	2				
28	Cirrhosis of the liver	19								1	4	6	3	4	1				
29	Acute nephritis and Bright's disease	105		1					3	6	18	15	18	33	7	3	1		
30	Diseases of the female genital organs	8								3	4		1						
31	Puerperal fever	9							2	5	2								
32	Other puerperal affections	4								3	1								
33	Congenital debility and malformations	43	43																
34	Senility	39												3	15	19	2		
35	Violent deaths (excluding suicide)	98	1	2	2	1	1	5	6	22	13	13	15	10	6	1			
36	Suicide	27							1	11	4	4	3	3	1				
37	Other defined diseases	167	7	2	5	1		3	8	17	24	31	29	25	12	3			
38	Diseases ill-defined or unknown	50	26	2	1	1		1	1	2	2	5	3	4	2				
	MEMPHIS, TENN. (COLORED).																		
	All causes	**1,492**	**169**	**46**	**26**	**13**	**12**	**27**	**132**	**281**	**243**	**187**	**180**	**89**	**52**	**18**	**8**	**3**	**1**
1	Typhoid fever	21		1	1			2	7	2	2	2	3		1				
2	Typhus fever																		
3	Malaria	63	4		1		1	3	8	10	8	7	11	4	2	3	1		
4	Smallpox																		
5	Measles	3			2				1										
6	Scarlet fever	1					1												
7	Whooping cough	4	2	1				1											
8	Diphtheria and croup	8	4	2	1	1													
9	Influenza	27	4	2					3	3	5	1	3	4	1		1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	34	4		1		1		1	5	8	3	5	4	1				
13	Tuberculosis of the lungs	214	2	2			1	5	38	72	50	27	12	3	2				
14	Tuberculous meningitis	1					1												
15	Other forms of tuberculosis	8				1			1	1	3	1	1						
16	Cancer and other malignant tumors	24	1								7	6	6	4					
17	Meningitis	24	10	1	1		2	4	3	1	1		1						
18	Cerebral hemorrhage and softening	20			1			1		1	2	2	9	1	3				
19	Organic diseases of the heart	99		1	1	1		1	6	10	16	19	23	13	6	1		1	
20	Acute bronchitis	20	7	2	1				1	7	1			1					
21	Chronic bronchitis	12						1	2	4	2	1	2						
22	Pneumonia	42	3		2	1		1	6	11	8	5	1	2	1	1			
23a	Bronchopneumonia	113	17	12	2	5	2	1	9	17	16	14	11	3	2	2			
23b	Other diseases of the respiratory system	23	4						2	4	4	1	3	3	1	1			
24	Diseases of the stomach	23	3			1		1			2	6	6	4					
25 (37)	Diarrhea and enteritis	66	33	13	2				3	2	1	3	7		1		1		
26	Appendicitis and typhilitis	14						1	4	3	2	4							
27	Hernia, intestinal obstruction	10	1						1	5	1		1	1					
28	Cirrhosis of the liver	6								2	3			1					
29	Acute nephritis and Bright's disease	86	2	1	1			1	3	7	17	22	18	10	3	1			
30	Diseases of the female genital organs	15								4	4	6	1						
31	Puerperal fever	15							2	7	3	2	1						
32	Other puerperal affections	9							1	3	5								
33	Congenital debility and malformations	15	14							1									
34	Senility	24												4	10	4	4	2	
35	Violent deaths (excluding suicide)	159	4	2	4	1	2	2	18	60	34	15	11	1	2	2			1
36	Suicide	3								2			1						
37	Other defined diseases	184	20	2	4	2		2	9	27	34	29	27	11	13	3	1		
38	Diseases ill-defined or unknown	102	30	4	1		1		3	9	9	11	16	15	3				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NASHVILLE, TENN. (TOTAL).																	
	All causes	2,063	289	95	40	15	16	44	127	262	217	220	230	223	183	76	20	6	
1	Typhoid fever	54				2		5	11	18	7	8	2		1				
2	Typhus fever																		
3	Malaria	11							2	1		3	1	4					
4	Smallpox																		
5	Measles	5		3	1			1											
6	Scarlet fever	2					2												
7	Whooping cough	6		1	3			2											
8	Diphtheria and croup	7		1	3		2	1											
9	Influenza	42	1		1					1	6	2	9	8	9	4	1		
10	Asiatic cholera																		
11	Cholera nostras	2								1		1							
12	Other epidemic diseases	23	4	4	2					1		1	3	3	3	2			
13	Tuberculosis of the lungs	234			1		1	4	32	83	55	25	20	10	3				
14	Tuberculous meningitis	13	3	1	1		1	4	1	1	1								
15	Other forms of tuberculosis	37		2		1	1	2	8	7	6	7	2		1				
16	Cancer and other malignant tumors	74							1	5	5	14	15	19	11	4			
17	Meningitis	23	4	3	1			3	2	4	2	2	2						
18	Cerebral hemorrhage and softening	73	1						1	7	5	6	13	19	16	4	1		
19	Organic diseases of the heart	201							6	14	13	32	41	44	35	11	4	1	
20	Acute bronchitis	7	4	2							1								
21	Chronic bronchitis	16		1				1	1	2		1	2	5	3				
22	Pneumonia	204	35	15	6	1	3	3	13	23	24	26	18	18	12	4	1	2	
23a	Bronchopneumonia	38	18	6	1	3		1		2	1			2	1	3			
23b	Other diseases of the respiratory system	30	1	1				1		5	5	1	7	3	2	5		1	
24	Diseases of the stomach	28	5	2				2	1	5	2	2	5	2	2				
25(37)	Diarrhea and enteritis	141	63	39	12	4	1	1		2	3	3	5	2	5	1			
26	Appendicitis and typhlitis	29							9	8	3	1	5	3					
27	Hernia, intestinal obstruction	32	4	1					4	4		6	3	4	5	1			
28	Cirrhosis of the liver	10							1		4	2	2		1				
29	Acute nephritis and Bright's disease	91	2	1	2				3	4	7	10	20	22	13	6	1		
30	Diseases of the female genital organs	19								5	3	8	1		2				
31	Puerperal fever	13							3	7	3								
32	Other puerperal affections	8							2	5	1								
33	Congenital debility and malformations	85	84	1															
34	Senility	50												4	17	16	11	2	
35	Violent deaths (excluding suicide)	110	15		3	2	3	6	10	19	14	13	9	7	7	2			
36	Suicide	20							1	7	5	4	3						
37	Other defined diseases	297	35	7	2	2	2	7	14	21	41	40	38	42	32	13	1		
38	Disease ill-defined or unknown	28	10	4	1				1			2	4	2	2	2			
	NASHVILLE, TENN. (WHITE).																		
	All causes	1,113	142	53	23	9	9	19	60	120	111	113	121	143	125	56	9		
1	Typhoid fever	37				2		3	5	14	6	5	2						
2	Typhus fever																		
3	Malaria	4							1	1				2					
4	Smallpox																		
5	Measles	3		3															
6	Scarlet fever	2					2												
7	Whooping cough	3			2			1											
8	Diphtheria and croup	5		1	3		1												
9	Influenza	17	1		1						1		2	4	5	2	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	16	2	3	1					1			2	3	2	2			
13	Tuberculosis of the lungs	115			1				13	36	30	12	14	7	2				
14	Tuberculous meningitis	5	2	1				1		1									
15	Other forms of tuberculosis	15						1	3	3	4	2	1		1				
16	Cancer and other malignant tumors	58							1	2	3	12	9	17	10	4			
17	Meningitis	15	1	2	1			3	1	3	2		2						
18	Cerebral hemorrhage and softening	45	1						1	4	3	2	8	8	13	4	1		
19	Organic diseases of the heart	92							2	4	2	14	16	28	15	9	2		
20	Acute bronchitis	4	1	2							1								
21	Chronic bronchitis	9		1								1	2	2	3				
22	Pneumonia	76	11	5	3		2	1	3	7	8	11	6	8	9	2			
23a	Bronchopneumonia	20	8	2		3		1		1				1	1	3			
23b	Other diseases of the respiratory system	13								2	1	1	3	3	2	1			
24	Diseases of the stomach	16	3	1				1		2		2	4	2	1				
25(37)	Diarrhea and enteritis	81	36	24	7	2				1	1	1	3	1	4	1			
26	Appendicitis and typhlitis	20							7	6	2		2	3					
27	Hernia, intestinal obstruction	23	3	1					3	1		4	2	4	5				
28	Cirrhosis of the liver	8									4	2	1		1				
29	Acute nephritis and Bright's disease	53	1		1				2	1	5	6	12	13	8	3	1		
30	Disease of the female genital organs	6								2	1	2			1				
31	Puerperal fever	6							1	3	2								
32	Other puerperal affections	2								1	1								
33	Congenital debility and malformations	47	46	1															
34	Senility	27												2	8	13	4		
35	Violent deaths (excluding suicide)	70	9		1		2	4	6	10	7	11	6	5	7	2			
36	Suicide	19							1	7	4	4	3		1				
37	Other defined diseases	170	13	4	2	2	2	3	10	7	23	21	19	29	25	10			
38	Diseases ill-defined or unknown	11	4	2									2	1	2				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	NASHVILLE, TENN. (COLORED).																		
	All causes	**950**	**147**	**42**	**17**	**6**	**7**	**25**	**67**	**142**	**106**	**107**	**109**	**80**	**58**	**20**	**11**	**6**	
1	Typhoid fever	17						2	6	4	1	3			1				
2	Typhus fever																		
3	Malaria	7							1			3	1	2					
4	Smallpox																		
5	Measles	2			1			1											
6	Scarlet fever																		
7	Whooping cough	3		1	1			1											
8	Diphtheria and croup	2					1	1											
9	Influenza	25								1	5	2	7	4	4	2			
10	Asiatic cholera																		
11	Cholera nostras	2								1		1							
12	Other epidemic diseases	7	2	1	1							1	1		1				
13	Tuberculosis of the lungs	119					1	4	19	47	25	13	6	3	1				
14	Tuberculous meningitis	8	1		1		1	3	1		1								
15	Other forms of tuberculosis	22		2		1	1	1	5	4	2	5	1						
16	Cancer and other malignant tumors	16								3	2	2	6	2	1				
17	Meningitis	8	3	1					1	1		2							
18	Cerebral hemorrhage and softening	28								3	2	4	5	11	3				
19	Organic diseases of the heart	109							4	10	11	18	25	16	20	2	2	1	
20	Acute bronchitis	3	3																
21	Chronic bronchitis	7						1	1	2				3					
22	Pneumonia	128	24	10	3	1	1	2	10	16	16	15	12	10	3	2	1	2	
23a	Bronchopneumonia	18	10	4	1					1	1			1					
23b	Other diseases of the respiratory system	17	1	1				1		3	4		4			2		1	
24	Diseases of the stomach	12	2	1				1	1	3	2		1		1				
25 (37)	Diarrhea and enteritis	60	27	15	5	2	1	1		1	2	2	2	1	1				
26	Appendicitis and typhlitis	9							2	2	1	1	3						
27	Hernia, intestinal obstruction	9	1						1	3		2	1			1			
28	Cirrhosis of the liver	2							1				1						
29	Acute nephritis and Bright's disease	38	1	1	1				1	3	2	4	8	9	5	3			
30	Diseases of the female genital organs	13								3	2	6	1		1				
31	Puerperal fever	7							2	4	1								
32	Other puerperal affections	6							2	4									
33	Congenital debility and malformations	38	38																
34	Senility	23												2	9	3	7	2	
35	Violent deaths (excluding suicide)	40	6		2	2	1	2	4	9	7	2	3	2					
36	Suicide	1									1								
37	Other defined diseases	127	22	3				4	4	14	18	19	19	13	7	3	1		
38	Diseases ill-defined or unknown	17	6	2	1				1			2	2	1		2			
	RICHMOND, VA. (TOTAL).																		
	All causes	**2,887**	**616**	**112**	**63**	**31**	**18**	**49**	**125**	**308**	**287**	**297**	**327**	**328**	**221**	**92**	**11**	**1**	**1**
1	Typhoid fever	28		1	2	2		1	10	7	3	1		1					
2	Typhus fever																		
3	Malaria	6								1	1	1	1	2					
4	Smallpox																		
5	Measles	27	6	10	3	2	1	4		1									
6	Scarlet fever																		
7	Whooping cough	47	28	9	4	4	1	1											
8	Diphtheria and croup	13		2	2	2	3	4											
9	Influenza	32	1	1						2		5	5	10	7	1			
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	18	4	1						2		1	4	4	2				
13	Tuberculosis of the lungs	286	3	3	1	1		3	38	104	71	32	18	7	5				
14	Tuberculous meningitis	13	6					2	1	1	2		1						
15	Other forms of tuberculosis	26	1		1			6	3	3	5	3	1	2		1			
16	Cancer and other malignant tumors	110			1					4	12	23	27	25	15	3			
17	Meningitis	23	7	2	1	5	2		2		2	1			1				
18	Cerebral hemorrhage and softening	198	3						2	4	13	18	42	60	46	8	2		
19	Organic diseases of the heart	225		2		1	1		2	12	25	42	44	39	36	19	2		
20	Acute bronchitis	29	14	5	1		2		1	1	1	1	1		1	1			
21	Chronic bronchitis	19			1						2	1	1	5	7	2			
22	Pneumonia	150	8	4	4	3	1	2	8	34	17	20	23	17	6	2	1		
23a	Bronchopneumonia	102	48	23	10	1	2	2	1		1		4	5	2	3			
23b	Other diseases of the respiratory system	83	10	3	3			2	3	12	14	7	12	9	5	2	1		
24	Diseases of the stomach	36	8	2	1					5	2	10	4	3	1				
25 (37)	Diarrhea and enteritis	202	150	21	7	2			1	3	5	3	2	3	3	1	1		
26	Appendicitis and typhlitis	32			1			6	10	6	4	4			1				
27	Hernia, intestinal obstruction	19	3		2			1		1	2	3	4	1	1	1			
28	Cirrhosis of the liver	26							2	2	2	2	7	7	3	1			
29	Acute nephritis and Bright's disease	243		1	2	1	2		1	12	21	39	53	60	33	17			1
30	Diseases of the female genital organs	25							2	7	6	8	2						
31	Puerperal fever	11							1	5	4	1							
32	Other puerperal affections	16							1	12	2	1							
33	Congenital debility and malformations	161	159	1	1														
34	Senility	41												9	15	12	4	1	
35	Violent deaths (excluding suicide)	160	17	2	5	3	2	8	18	34	23	15	13	9	6	5			
36	Suicide	12								6	3		2	1					
37	Other defined diseases	358	79	9	3	4	1	7	15	24	40	51	50	43	20	12			
38	Diseases ill-defined or unknown	109	61	10	7				3	3	4	4	6	5	5	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
RICHMOND, VA. (WHITE).																			
	All causes	1,470	266	50	23	13	9	30	52	122	130	134	152	216	183	82	7	1	
1	Typhoid fever	15		1	1	1			4	3	3	1		1					
2	Typhus fever																		
3	Malaria	2												2					
4	Smallpox																		
5	Measles	18	2	9	1	1	1	4											
6	Scarlet fever																		
7	Whooping cough	23	16	4		2		1											
8	Diphtheria and croup	10			2	2	3	3											
9	Influenza	19	1									3	3	5	6	1			
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	6	1	1									1	1	2				
13	Tuberculosis of the lungs	131	1					1	11	42	37	15	13	6	5				
14	Tuberculous meningitis	5	3					1	1										
15	Other forms of tuberculosis	16	1		1			2	2	2	3	2		2		1			
16	Cancer and other malignant tumors	84								2	8	19	15	22	15	3			
17	Meningitis	13	5	1		3	1		1		1				1				
18	Cerebral hemorrhage and softening	103	1						1	2	1	5	14	37	36	6			
19	Organic diseases of the heart	135		2					1	5	10	20	18	30	29	19	1		
20	Acute bronchitis	6	2	1								1			1	1			
21	Chronic bronchitis	12			1								1	2	6	2			
22	Pneumonia	65	5	1	1	2			5	10	3	7	11	12	6	1	1		
23a	Bronchopneumonia	32	13	7	2						1		1	3	2	3			
23b	Other diseases of the respiratory system	26	4	2	1			2	1		2	3		5	3	2	1		
24	Diseases of the stomach	17	7	1	1					1		2	4	1					
25 (37)	Diarrhea and enteritis	80	57	7	2				1	1	2	2	2	2	2	1	1		
26	Appendicitis and typhlitis	26			1			6	7	4	3	4			1				
27	Hernia, intestinal obstruction	14	2		2			1		1	1	2	2	1	1	1			
28	Cirrhosis of the liver	21							2	1	2	1	5	6	3	1			
29	Acute nephritis and Bright's disease	139		1	1		2			5	9	13	27	42	28	11			
30	Diseases of the female genital organs	7							1	1	2	2	1						
31	Puerperal fever	4								1	3								
32	Other puerperal affections	12								10	1	1							
33	Congenital debility and malformations	82	80	1	1														
34	Senility	28												3	10	11	3	1	
35	Violent deaths (excluding suicide)	84	5	2	2	2	2	5	6	15	13	10	6	6	5	5			
36	Suicide	10								5	2		2	1					
37	Other defined diseases	178	31	6	1			4	8	11	20	21	24	23	17	12			
38	Diseases ill-defined or unknown	46	29	3	2						3		2	2	4	1			
RICHMOND, VA. (COLORED).																			
	All causes	1,417	350	62	40	18	9	19	73	186	157	163	175	112	38	10	4		1
1	Typhoid fever	13			1	1		1	6	4									
2	Typhus fever																		
3	Malaria	4								1	1	1	1						
4	Smallpox																		
5	Measles	9	4	1	2	1				1									
6	Scarlet fever																		
7	Whooping cough	24	12	5	4	2	1												
8	Diphtheria and croup	3		2				1											
9	Influenza	13		1						2		2	2	5	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	12	3							2		1	3	3					
13	Tuberculosis of the lungs	155	2	3	1	1		2	27	62	34	17	5	1					
14	Tuberculous meningitis	8	3					1		1	2		1						
15	Other forms of tuberculosis	10						4	1	1	2	1	1						
16	Cancer and other malignant tumors	26			1					2	4	4	12	3					
17	Meningitis	10	2	1	1	2	1		1		1	1							
18	Cerebral hemorrhage and softening	95	2						1	2	12	13	28	23	10	2	2		
19	Organic diseases of the heart	90				1	1		1	7	15	22	26	9	7		1		
20	Acute bronchitis	23	12	4	1		2		1	1	1		1						
21	Chronic bronchitis	7									2	1		3	1				
22	Pneumonia	85	3	3	3	1	1	2	3	24	14	13	12	5		1			
23a	Bronchopneumonia	70	35	16	8	1	2	2	1					3	2				
23b	Other diseases of the respiratory system	57	6	1	2				2	12	12	4	12	4	2				
24	Diseases of the stomach	19	1	1						4	2	8		2	1				
25 (37)	Diarrhea and enteritis	122	93	14	5	2				2	3	1		1	1				
26	Appendicitis and typhlitis	6							3	2	1								
27	Hernia, intestinal obstruction	5	1								1	1	2						
28	Cirrhosis of the liver	5								1		1	2	1					
29	Acute nephritis and Bright's disease	104			1	1			1	7	12	26	26	18	5	6			1
30	Diseases of the female genital organs	18							1	6	4	6	1						
31	Puerperal fever	7							1	4	1	1							
32	Other puerperal affections	4							1	2	1								
33	Congenital debility and malformations	79	79																
34	Senility	13												6	5	1	1		
35	Violent deaths (excluding suicide)	76	12		3	1		3	12	19	10	5	7	3	1				
36	Suicide	2								1	1								
37	Other defined diseases	189	48	3	2	4	1	3	7	13	20	30	26	20	3				
38	Diseases ill-defined or unknown	63	32	7	5				3	3	1	4	4	3	1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	SEATTLE, WASH.																	
	All causes	2,408	348	61	23	11	10	50	107	309	314	336	289	264	183	93	8	2	.....
1	Typhoid fever	34	.....	1	.....	.....	.....	3	5	14	6	3	1	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	7	1	2	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	17	.....	1	.....	.....	1	7	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	30	23	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	15	2	1	1	1	.....	5	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	8	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	2	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	11	3	.....	.....	.....	.....	.....	.....	1	2	2	1	1	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	228	1	2	1	.....	.....	.....	19	79	57	37	24	7	1	.....	.....	.....	.....
14	Tuberculous meningitis	22	5	2	1	.....	1	4	2	5	1	.....	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	45	2	2	.....	1	.....	.....	5	14	9	8	3	.....	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	144	.....	.....	1	.....	.....	.....	.....	.....	8	31	45	34	22	2	1	.....	.....
17	Meningitis	13	3	1	1	.....	.....	2	1	.....	1	1	.....	1	2	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	107	2	.....	.....	.....	.....	.....	.....	.....	6	16	22	34	19	8	.....	.....	.....
19	Organic diseases of the heart	203	3	1	.....	.....	.....	1	10	11	17	26	43	44	28	18	.....	1	.....
20	Acute bronchitis	7	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
21	Chronic bronchitis	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	.....	.....	.....
22	Pneumonia	131	8	6	1	1	1	2	5	14	17	26	16	15	16	2	1	.....	.....
23a	Bronchopneumonia	64	23	9	3	1	1	3	.....	1	4	5	3	5	4	2	.....	.....	.....
23b	Other diseases of the respiratory system	22	2	1	1	.....	.....	.....	.....	2	3	2	6	3	2	.....	.....	.....	.....
24	Diseases of the stomach	29	8	1	.....	1	.....	.....	.....	2	.....	6	3	5	1	2	.....	.....	.....
25 (37)	Diarrhea and enteritis	87	63	13	2	1	.....	1	.....	1	2	.....	1	1	2	.....	.....	.....	.....
26	Appendicitis and typhlitis	40	.....	1	.....	.....	.....	3	12	8	10	4	.....	1	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	21	3	.....	.....	.....	.....	1	.....	2	4	6	2	3	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	17	.....	.....	.....	.....	.....	.....	.....	1	2	4	5	3	1	1	.....	.....	.....
29	Acute nephritis and Bright's disease	162	4	.....	.....	.....	.....	.....	1	14	11	38	24	39	21	9	1	.....	.....
30	Diseases of the female genital organs	25	.....	.....	.....	.....	.....	.....	.....	8	9	6	2	.....	.....	.....	.....	.....	.....
31	Puerperal fever	21	.....	.....	.....	.....	.....	.....	1	12	7	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	18	.....	.....	.....	.....	.....	.....	.....	10	8	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	115	112	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	59	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	16	33	3	.....	.....
35	Violent deaths (excluding suicide)	227	12	4	4	2	2	7	11	55	57	34	22	10	3	2	1	1	.....
36	Suicide	77	.....	.....	.....	.....	.....	.....	2	23	17	19	9	6	1	.....	.....	.....	.....
37	Other defined diseases	378	52	5	4	2	1	11	23	28	54	58	54	41	34	10	1	.....	.....
38	Diseases ill-defined or unknown	16	12	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
	SPOKANE, WASH.																	
	All causes	1,375	292	44	14	19	13	45	63	175	163	147	151	122	84	37	1	.....	5
1	Typhoid fever	48	.....	2	.....	1	.....	1	7	18	9	3	4	3	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	8	1	4	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	17	.....	1	1	.....	2	4	4	4	.....	1	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	21	13	6	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	19	1	.....	.....	3	3	9	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	11	1	.....	.....	.....	.....	.....	1	.....	2	.....	1	1	4	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	8	2	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	94	.....	1	.....	.....	1	.....	10	29	29	12	8	3	.....	.....	.....	.....	1
14	Tuberculous meningitis	8	.....	3	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	17	.....	1	.....	.....	.....	.....	1	3	6	2	3	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	72	.....	.....	.....	.....	.....	.....	.....	.....	8	17	22	15	9	1	.....	.....	.....
17	Meningitis	16	3	3	1	2	1	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	63	.....	.....	.....	.....	.....	.....	1	2	3	7	12	17	15	6	.....	.....	.....
19	Organic diseases of the heart	82	1	.....	.....	1	.....	2	7	10	2	12	19	13	8	7	.....	.....	.....
20	Acute bronchitis	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
21	Chronic bronchitis	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
22	Pneumonia	57	7	1	.....	.....	.....	1	2	12	6	7	7	6	6	2	.....	.....	.....
23a	Bronchopneumonia	60	30	7	3	2	.....	2	.....	4	3	1	2	1	2	3	.....	.....	.....
23b	Other diseases of the respiratory system	12	.....	.....	.....	.....	.....	1	1	2	3	.....	1	2	1	1	.....	.....	.....
24	Diseases of the stomach	20	8	.....	.....	.....	.....	1	.....	1	1	4	2	2	1	.....	.....	.....	.....
25 (37)	Diarrhea and enteritis	112	87	9	3	5	2	1	.....	.....	.....	1	1	.....	2	1	.....	.....	.....
26	Appendicitis and typhlitis	21	.....	.....	.....	.....	.....	2	4	7	4	3	1	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	22	1	.....	1	1	.....	1	3	2	1	4	3	2	2	.....	.....	.....	1
28	Cirrhosis of the liver	17	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	5	1	2	.....	.....	.....
29	Acute nephritis and Bright's disease	66	3	.....	.....	.....	1	.....	1	5	11	5	13	18	7	2	.....	.....	.....
30	Diseases of the female genital organs	11	.....	.....	.....	.....	.....	.....	.....	3	3	2	2	1	.....	.....	.....	.....	.....
31	Puerperal fever	11	.....	.....	.....	.....	.....	.....	.....	6	5	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	10	.....	.....	.....	.....	.....	.....	1	7	1	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	91	90	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	1	.....	.....
35	Violent deaths (excluding suicide)	119	1	3	1	3	1	6	7	29	27	20	12	5	3	.....	.....	.....	1
36	Suicide	25	.....	.....	.....	.....	.....	.....	.....	8	4	5	5	2	.....	.....	.....	.....	1
37	Other defined diseases	204	27	2	1	1	1	8	8	20	31	33	26	25	16	4	.....	.....	1
38	Diseases ill-defined or unknown	15	13	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	MILWAUKEE, WIS.																		
	All causes	5,205	1,368	235	116	69	54	169	243	446	386	413	506	481	409	264	44	2	
1	Typhoid fever	172		2				7	33	66	38	16	7	2		1			
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	40	7	13	10	6		3	1										
6	Scarlet fever	84		3	13	12	7	27	13	3	1								
7	Whooping cough	38	20	9	4	3	1	1											
8	Diphtheria and croup	133	6	16	17	14	20	41	12	3		4							
9	Influenza	27	3	1	1				1	2			3	4	6	5	1		
10	Asiatic cholera																		
11	Cholera nostras	2	1							1									
12	Other epidemic diseases	25	5	1	1					2	1	1	4	2	3	5			
13	Tuberculosis of the lungs	434		1	2	1		2	57	144	97	62	45	20	3				
14	Tuberculous meningitis	22	9	5		2		1	3	1			1						
15	Other forms of tuberculosis	39		2				5	5	10	4	2	6	1	3	1			
16	Cancer and other malignant tumors	264			1	1			4	2	12	45	80	73	29	15	1		
17	Meningitis	57	19	7	6	2	2	10	8	2	1								
18	Cerebral hemorrhage and softening	194	5					2	1	2	7	8	38	44	54	28	5		
19	Organic diseases of the heart	366	6	2	3	1	2	6	18	16	24	38	60	78	71	38	3		
20	Acute bronchitis	103	76	11	4	1	3	2					1	1	3	1			
21	Chronic bronchitis	55							1			2	6	14	16	11	5		
22	Pneumonia	303	64	24	6	7	6	6	10	16	24	28	36	29	28	17	2		
23a	Bronchopneumonia	173	77	37	14	4	3	1	1	4	1	1	4	9	10	7			
23b	Other diseases of the respiratory system	57	2	1	1		1	5	3	6	3	4	9	8	6	7	1		
24	Diseases of the stomach	103	68	4	1			1		2	3	8	8	2	1	5			
25 (37)	Diarrhea and enteritis	483	385	56	8	6	1	4	1	3	2	2	2	1	10	2			
26	Appendicitis and typhlitis	56	2	1	1		1	3	6	20	8	8	3	2	1				
27	Hernia, intestinal obstruction	49	6		1			2		7	4	6	10	6	5	2			
28	Cirrhosis of the liver	70								1	7	16	20	14	7	4	1		
29	Acute nephritis and Bright's disease	257	4	5	2		2	7	5	6	27	39	41	61	41	16	1		
30	Diseases of the female genital organs	19							1	4	7	4	2	1					
31	Puerperal fever	19							3	8	6	2							
32	Other puerperal affections	24								11	12	1							
33	Congenital debility and malformations	334	329	2	1	1		1											
34	Senility	111												5	29	55	20	2	
35	Violent deaths (excluding suicide)	239	7	6	5	4	1	12	25	45	41	42	20	13	10	8			
36	Suicide	88							5	20	20	13	15	10	4	1			
37	Other defined diseases	683	201	16	14	4	4	20	26	39	35	60	82	78	68	33	3		
38	Diseases ill-defined or unknown	81	66	5									3	3	1	2	1		

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY.													
	THE REGISTRATION AREA.													
	All causes	805,412	70,765	65,957	76,237	67,931	64,487	60,827	69,983	69,999	63,762	62,521	62,900	70,043
1	Typhoid fever	12,673	728	673	778	652	578	626	832	1,460	1,917	1,858	1,530	1,041
3	Malaria	1,167	48	39	37	60	79	83	115	176	182	187	110	51
5	Measles	6,598	596	770	1,107	1,025	1,029	743	446	218	115	79	163	307
6	Scarlet fever	6,255	729	716	760	756	738	557	333	263	241	286	393	483
7	Whooping cough	6,146	378	446	615	644	628	501	653	720	489	353	354	365
8	Diphtheria and croup	11,521	1,126	1,003	981	898	946	752	640	690	755	1,155	1,343	1,232
9	Influenza	7,774	1,094	1,262	1,979	1,173	545	226	94	66	32	149	330	774
13	Tuberculosis of the lungs	75,211	6,706	6,480	7,700	7,256	6,466	5,848	5,919	5,806	5,488	5,589	5,680	6,273
14–15	Other forms of tuberculosis	11,098	850	866	1,082	1,061	1,054	989	1,074	913	859	852	739	759
17	Meningitis	7,619	615	577	721	673	666	626	767	773	649	530	485	537
20–21	Bronchitis	12,620	1,509	1,445	1,509	1,238	1,033	778	572	463	622	827	1,132	1,492
22	Pneumonia	54,187	7,306	6,402	7,606	5,749	4,599	2,698	1,680	1,554	1,908	2,939	4,654	7,092
(23)	Bronchopneumonia	25,337	3,026	2,862	3,229	2,604	2,131	1,541	1,092	946	1,097	1,456	2,266	3,087
25	Diarrhea and enteritis (under 2 years)	54,266	1,410	1,337	1,711	1,704	2,198	4,204	12,535	12,565	8,364	4,775	1,992	1,471
(37)	Diarrhea and enteritis (2 years and over)	8,914	380	380	421	488	501	605	1,427	1,824	1,251	757	476	404
(33)	Congenital debility [1]	12,075	925	864	977	966	882	893	1,099	1,279	1,229	1,139	878	944
35	Violent deaths (excluding suicide)	48,606	3,807	3,286	3,742	3,609	3,675	4,329	5,391	4,434	4,077	4,115	3,972	4,169
36	Suicide	8,590	641	581	856	713	757	803	777	714	706	710	684	648
	All other causes	434,755	38,891	35,968	40,426	36,662	35,982	34,025	34,537	35,135	33,731	34,765	35,719	38,914
	REGISTRATION STATES.[2]													
	All causes	703,608	61,734	57,394	66,837	59,488	55,689	52,469	61,453	61,708	56,382	54,871	54,558	61,025
1	Typhoid fever	10,904	620	564	665	567	482	521	657	1,219	1,656	1,676	1,363	914
3	Malaria	645	29	27	24	36	48	49	66	90	89	104	49	34
5	Measles	5,990	571	724	1,003	911	917	657	402	198	104	76	153	274
6	Scarlet fever	5,430	645	631	667	665	624	482	289	231	210	251	331	404
7	Whooping cough	5,579	343	399	543	571	570	434	609	648	443	336	340	343
8	Diphtheria and croup	10,090	991	880	881	790	821	676	558	624	657	976	1,146	1,090
9	Influenza	6,824	921	1,080	1,796	1,093	485	196	87	58	75	126	263	644
13	Tuberculosis of the lungs	64,166	5,713	5,492	6,601	6,153	5,486	4,977	5,082	4,960	4,760	4,781	4,830	5,331
14–15	Other forms of tuberculosis	9,845	748	767	966	948	925	868	950	817	777	750	657	672
17	Meningitis	6,661	536	507	614	575	576	538	683	681	584	476	411	480
20–21	Bronchitis	11,428	1,332	1,298	1,379	1,132	941	707	514	415	557	754	1,039	1,360
22	Pneumonia	45,958	6,169	5,389	6,539	5,023	3,859	2,273	1,373	1,280	1,624	2,522	3,898	6,009
(23)	Bronchopneumonia	21,913	2,655	2,479	2,747	2,268	1,806	1,294	942	811	951	1,290	1,968	2,702
25	Diarrhea and enteritis (under 2 years)	47,197	1,150	1,074	1,381	1,345	1,615	3,385	11,201	11,396	7,536	4,243	1,652	1,214
(37)	Diarrhea and enteritis (2 years and over)	7,676	321	319	358	394	399	480	1,224	1,643	1,141	656	393	348
(33)	Congenital debility [1]	10,752	812	760	872	868	798	780	964	1,147	1,127	1,020	767	837
35	Violent deaths (excluding suicide)	42,546	3,298	2,832	3,276	3,167	3,226	3,817	4,846	3,872	3,585	3,605	3,468	3,554
36	Suicide	7,309	535	498	732	599	642	704	664	604	593	614	582	542
	All other causes	382,695	34,345	31,674	35,793	32,383	31,469	29,631	30,342	31,014	29,913	30,610	31,248	34,273
	CITIES IN REGISTRATION STATES.[2]													
	All causes	400,305	35,817	32,887	38,247	34,360	32,111	30,511	36,349	33,856	30,411	30,344	30,631	34,781
1	Typhoid fever	5,640	358	321	389	330	255	317	364	643	783	778	637	465
3	Malaria	258	13	13	7	19	22	26	27	30	26	41	20	14
5	Measles	3,377	362	373	569	483	466	380	260	132	68	31	71	182
6	Scarlet fever	3,567	414	421	449	441	430	327	188	144	119	157	200	277
7	Whooping cough	2,881	156	180	266	299	274	250	357	394	234	162	147	162
8	Diphtheria and croup	6,482	643	578	609	583	571	453	358	375	393	552	671	696
9	Influenza	2,663	399	434	685	394	167	61	37	20	23	52	116	275
13	Tuberculosis of the lungs	39,159	3,525	3,386	4,093	3,749	3,325	2,951	3,100	2,958	2,886	2,927	2,990	3,269
14–15	Other forms of tuberculosis	6,019	474	474	601	593	571	528	585	483	470	439	385	416
17	Meningitis	3,937	325	325	368	337	348	338	409	368	309	263	253	294
20–21	Bronchitis	6,910	833	770	850	712	615	449	323	255	321	424	595	763
22	Pneumonia	27,725	3,679	3,133	3,914	3,175	2,392	1,408	884	802	1,004	1,534	2,308	3,492
(23)	Bronchopneumonia	15,352	1,834	1,714	1,920	1,610	1,336	962	725	630	692	878	1,296	1,755
25	Diarrhea and enteritis (under 2 years)	29,712	748	746	941	913	1,111	2,480	7,784	6,551	4,105	2,484	1,057	792
(37)	Diarrhea and enteritis (2 years and over)	3,682	175	162	186	221	223	277	697	699	411	264	196	171
(33)	Congenital debility [1]	6,369	501	435	527	550	511	478	571	647	622	590	443	494
35	Violent deaths (excluding suicide)	22,582	1,782	1,508	1,707	1,777	1,763	1,969	2,584	1,994	1,841	1,904	1,828	1,925
36	Suicide	4,513	342	302	445	338	416	441	382	369	370	402	372	334
	All other causes	209,477	19,254	17,612	19,721	17,836	17,315	16,416	16,714	16,362	15,734	16,462	17,046	19,005
	RURAL PART OF REGISTRATION STATES.													
	All causes	303,303	25,917	24,507	28,590	25,128	23,578	21,958	25,104	27,852	25,971	24,527	23,927	26,244
1	Typhoid fever	5,264	262	243	276	237	227	204	293	576	873	898	726	449
3	Malaria	387	16	14	17	17	26	23	39	60	63	63	29	20
5	Measles	2,613	209	351	434	428	451	277	142	66	36	45	82	92
6	Scarlet fever	1,863	231	210	218	224	194	155	101	87	91	94	131	127
7	Whooping cough	2,698	187	219	277	272	296	184	252	254	209	174	193	181
8	Diphtheria and croup	3,608	348	302	272	207	250	223	200	249	264	424	475	394
9	Influenza	4,161	522	646	1,111	699	318	135	50	38	52	74	147	369
13	Tuberculosis of the lungs	25,007	2,188	2,106	2,508	2,404	2,161	2,026	1,982	2,002	1,874	1,854	1,840	2,062
14–15	Other forms of tuberculosis	3,826	274	293	365	355	354	340	365	334	307	311	272	256
17	Meningitis	2,724	211	182	246	238	228	200	274	313	275	213	158	186
20–21	Bronchitis	4,518	499	528	529	420	326	258	191	160	236	330	444	597
22	Pneumonia	18,233	2,490	2,256	2,625	1,848	1,467	865	489	478	620	988	1,590	2,517
(23)	Bronchopneumonia	6,561	821	765	827	658	470	332	217	181	259	412	672	947
25	Diarrhea and enteritis (under 2 years)	17,485	402	328	440	432	504	905	3,417	4,845	3,431	1,764	595	422
(37)	Diarrhea and enteritis (2 years and over)	3,994	146	157	172	173	176	203	527	944	730	392	197	177
(33)	Congenital debility [1]	4,383	311	325	345	318	287	302	393	500	505	430	324	343
35	Violent deaths (excluding suicide)	19,964	1,516	1,324	1,569	1,390	1,463	1,848	2,262	1,878	1,744	1,701	1,640	1,629
36	Suicide	2,796	193	196	287	261	226	263	282	235	223	212	210	208
	All other causes	173,218	15,091	14,062	16,072	14,547	14,154	13,215	13,628	14,652	14,179	14,148	14,202	15,268

[1] Excluding premature birth.

[2] Including District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY—Continued.													
	REGISTRATION CITIES IN OTHER STATES.													
	All causes	101,804	9,031	8,563	9,400	8,443	8,798	8,358	8,530	8,291	7,380	7,650	8,342	9,018
1	Typhoid fever	1,769	108	109	113	85	96	105	175	241	261	182	167	127
3	Malaria	522	19	12	13	24	31	34	49	86	93	83	61	17
5	Measles	608	25	46	104	114	112	86	44	20	11	3	10	33
6	Scarlet fever	825	84	85	93	91	114	75	44	32	31	35	62	79
7	Whooping cough	567	35	47	72	73	58	67	44	72	46	17	14	22
8	Diphtheria and croup	1,431	135	123	100	108	125	76	82	66	98	179	197	142
9	Influenza	950	173	182	183	80	60	30	7	8	7	23	67	130
13	Tuberculosis of the lungs	11,045	993	988	1,099	1,103	980	871	837	846	728	808	850	942
14–15	Other forms of tuberculosis	1,253	102	99	116	113	129	121	124	96	82	102	82	87
17	Meningitis	958	79	70	107	98	90	88	84	92	65	54	74	57
20–21	Bronchitis	1,192	177	147	130	106	92	71	58	48	65	73	93	132
22	Pneumonia	8,229	1,137	1,013	1,067	726	740	425	307	274	284	417	756	1,083
(23)	Bronchopneumonia	3,424	371	383	482	336	325	247	150	135	146	166	298	385
25	Diarrhea and enteritis (under 2 years)	7,069	260	263	330	359	583	819	1,334	1,169	828	527	340	257
(37)	Diarrhea and enteritis (2 years and over)	1,238	59	61	63	94	102	125	203	181	110	101	83	56
(33)	Congenital debility[1]	1,323	113	104	105	98	84	113	135	132	102	119	111	107
35	Violent deaths (excluding suicide)	6,060	509	454	466	442	449	512	545	562	492	510	504	615
36	Suicide	1,281	106	83	124	114	115	99	113	110	113	96	102	106
	All other causes	52,060	4,546	4,294	4,633	4,279	4,513	4,394	4,195	4,121	3,818	4,155	4,471	4,641
	ALL REGISTRATION CITIES.[2]													
	All causes	502,109	44,848	41,450	47,647	42,803	40,909	38,869	44,879	42,147	37,791	37,994	38,973	43,799
1	Typhoid fever	7,409	466	430	502	415	351	422	539	884	1,044	960	804	592
3	Malaria	780	32	25	20	43	53	60	76	116	119	124	81	31
5	Measles	3,985	387	419	673	597	578	466	304	152	79	34	81	215
6	Scarlet fever	4,392	498	506	542	532	544	402	232	176	150	192	262	356
7	Whooping cough	3,448	191	227	338	372	332	317	401	466	280	179	161	184
8	Diphtheria and croup	7,913	778	701	709	691	696	529	440	441	491	731	868	838
9	Influenza	3,613	572	616	868	474	227	91	44	28	30	75	183	405
13	Tuberculosis of the lungs	50,204	4,518	4,374	5,192	4,852	4,305	3,822	3,937	3,804	3,614	3,735	3,840	4,211
14–15	Other forms of tuberculosis	7,272	576	573	717	706	700	649	709	579	552	541	467	503
17	Meningitis	4,895	404	395	475	435	438	426	493	460	374	317	327	351
20–21	Bronchitis	8,102	1,010	917	980	818	707	520	381	303	386	497	688	895
22	Pneumonia	35,954	4,816	4,146	4,981	3,901	3,132	1,833	1,191	1,076	1,288	1,951	3,064	4,575
(23)	Bronchopneumonia	18,776	2,205	2,097	2,402	1,946	1,661	1,209	875	765	838	1,044	1,594	2,140
25	Diarrhea and enteritis (under 2 years)	36,781	1,008	1,009	1,271	1,272	1,694	3,299	9,118	7,720	4,933	3,011	1,397	1,049
(37)	Diarrhea and enteritis (2 years and over)	4,920	234	223	249	315	325	402	900	880	521	365	279	227
(33)	Congenital debility[1]	7,692	614	539	632	648	595	591	706	779	724	709	554	601
35	Violent deaths (excluding suicide)	28,642	2,291	1,962	2,173	2,219	2,212	2,481	3,129	2,556	2,333	2,414	2,332	2,540
36	Suicide	5,794	448	385	569	452	531	540	495	479	483	498	474	440
	All other causes	261,537	23,800	21,906	24,354	22,115	21,828	20,810	20,909	20,483	19,552	20,617	21,517	23,646
	REGISTRATION STATES.													
	CALIFORNIA.													
	All causes	32,401	2,994	2,631	2,768	2,589	2,779	2,576	2,620	2,570	2,365	2,739	2,755	3,015
1	Typhoid fever	460	21	19	24	27	31	55	43	50	55	49	47	39
3	Malaria	85	4	2	3	1	4	4	11	17	13	14	5	7
5	Measles	177	19	27	50	24	19	17	10	2	3	----	2	4
6	Scarlet fever	70	11	6	5	6	6	4	4	----	7	7	4	10
7	Whooping cough	284	13	17	35	34	32	38	44	25	13	12	10	11
8	Diphtheria and croup	220	12	13	12	21	20	18	22	18	11	23	24	26
9	Influenza	151	20	27	19	14	7	4	2	7	6	10	9	26
13	Tuberculosis of the lungs	4,322	442	406	406	384	378	331	300	341	270	305	372	387
14–15	Other forms of tuberculosis	588	39	46	60	45	84	58	54	40	37	36	45	44
17	Meningitis	353	25	31	27	26	35	44	25	43	25	23	22	27
20–21	Bronchitis	365	49	31	37	29	37	25	21	14	25	30	29	38
22	Pneumonia	1,779	258	180	139	128	150	108	82	86	112	137	161	238
(23)	Bronchopneumonia	535	67	41	56	45	41	43	41	33	34	34	50	50
25	Diarrhea and enteritis (under 2 years)	936	42	34	54	49	93	103	99	69	95	130	91	77
(37)	Diarrhea and enteritis (2 years and over)	280	18	12	15	22	25	31	32	22	18	30	26	29
(33)	Congenital debility[1]	232	19	22	20	10	18	21	15	22	22	24	24	15
35	Violent deaths (excluding suicide)	2,510	196	171	178	182	212	204	260	260	204	236	197	210
36	Suicide	696	67	53	73	49	50	62	54	62	51	61	55	59
	All other causes	18,358	1,672	1,493	1,555	1,493	1,537	1,406	1,501	1,459	1,364	1,578	1,582	1,718
	COLORADO.													
	All causes	11,069	1,020	879	929	857	840	839	949	957	887	941	950	1,021
1	Typhoid fever	337	10	16	6	11	6	14	23	34	44	85	69	19
3	Malaria	9	----	----	1	----	1	1	----	3	1	1	----	1
5	Measles	64	----	6	9	9	14	15	6	2	2	----	----	1
6	Scarlet fever	104	14	15	7	17	5	12	4	7	3	6	7	7
7	Whooping cough	35	6	5	3	3	4	2	2	3	4	1	1	1
8	Diphtheria and croup	130	10	25	15	6	15	5	11	15	8	9	4	7
9	Influenza	77	11	8	9	13	12	1	1	1	1	3	3	14
13	Tuberculosis of the lungs	1,671	149	138	148	162	133	118	141	146	136	110	158	132
14–15	Other forms of tuberculosis	138	11	11	18	9	10	10	14	10	11	14	7	13
17	Meningitis	119	19	7	13	7	7	12	15	6	4	9	8	12
20–21	Bronchitis	91	13	11	13	5	10	5	2	3	4	1	9	15
22	Pneumonia	801	110	78	87	76	65	39	22	20	31	56	81	136
(23)	Bronchopneumonia	196	18	29	21	17	11	12	4	7	6	9	25	37
25	Diarrhea and enteritis (under 2 years)	528	11	8	11	17	21	58	102	121	94	52	17	16
(37)	Diarrhea and enteritis (2 years and over)	95	5	1	7	7	4	10	10	25	13	4	8	1
(33)	Congenital debility[1]	171	12	10	16	8	10	12	10	18	23	23	13	16
35	Violent deaths (excluding suicide)	1,209	179	73	69	53	72	86	101	111	87	125	154	99
36	Suicide	167	14	14	16	5	17	16	19	10	16	15	11	14
	All other causes	5,127	428	424	460	432	423	411	462	415	399	418	375	480

[1] Excluding premature birth.

[2] Including District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	CONNECTICUT.													
	All causes	17,498	1,498	1,421	1,630	1,509	1,418	1,265	1,736	1,425	1,388	1,382	1,251	1,575
1	Typhoid fever	165	5	6	7	6	6	9	7	22	24	32	26	15
3	Malaria	28		1	1	5	4	3	4	2	5	1	1	1
5	Measles	92	12	8	15	7	16	9	12	3	1		2	7
6	Scarlet fever	129	21	18	13	17	15	5	3	6	4	9	6	12
7	Whooping cough	146	3	14	13	8	13	6	19	12	23	10	8	17
8	Diphtheria and croup	281	22	24	31	16	29	19	12	17	17	32	32	30
9	Influenza	243	30	33	67	52	23	2	2	2	2	4	6	20
13	Tuberculosis of the lungs	1,467	127	128	142	157	117	111	120	110	120	111	98	126
14–15	Other forms of tuberculosis	212	17	13	21	22	21	18	28	20	10	18	12	12
17	Meningitis	223	21	16	8	21	24	19	29	16	28	17	15	9
20–21	Bronchitis	313	42	35	41	28	31	10	17	16	9	18	28	38
22	Pneumonia	1,308	150	169	181	156	117	62	39	40	46	75	93	180
(23)	Bronchopneumonia	378	51	54	38	48	29	21	18	19	16	10	37	37
25	Diarrhea and enteritis (under 2 years)	1,162	17	22	28	23	28	113	401	244	141	76	41	28
(37)	Diarrhea and enteritis (2 years and over)	155	3	10	5	8	6	14	31	24	23	16	8	7
(33)	Congenital debility [1]	324	21	19	17	17	27	23	44	37	42	29	19	29
35	Violent deaths (excluding suicide)	886	60	62	62	83	66	73	120	71	65	89	63	72
36	Suicide	200	10	13	15	25	21	21	16	19	17	15	16	12
	All other causes	9,786	886	776	925	810	825	727	814	745	795	820	740	923
	INDIANA.													
	All causes	36,448	3,027	2,967	3,612	2,959	2,745	2,745	3,064	3,387	2,996	2,885	2,929	3,132
1	Typhoid fever	919	52	33	36	35	29	26	43	127	177	173	121	67
3	Malaria	113	7	3	5	1	5	10	10	15	21	19	12	5
5	Measles	448	20	61	100	86	84	36	20	15	3	3	10	10
6	Scarlet fever	203	17	34	26	20	21	12	12	10	8	11	21	11
7	Whooping cough	397	20	56	37	49	39	32	33	49	18	25	21	18
8	Diphtheria and croup	392	43	19	31	16	16	19	10	25	27	53	85	48
9	Influenza	537	70	116	152	69	29	8	10	4	2	9	15	53
13	Tuberculosis of the lungs	3,919	366	342	426	386	326	336	304	277	293	290	256	317
14–15	Other forms of tuberculosis	794	47	61	76	76	74	61	77	86	65	60	58	53
17	Meningitis	259	14	15	21	21	20	21	17	35	31	23	14	27
20–21	Bronchitis	460	46	56	53	32	23	24	18	20	25	36	66	61
22	Pneumonia	1,995	271	257	329	151	126	93	45	56	49	104	192	322
(23)	Bronchopneumonia	854	86	102	111	77	61	43	18	26	36	49	120	125
25	Diarrhea and enteritis (under 2 years)	2,116	46	33	54	51	73	138	498	530	354	209	78	52
(37)	Diarrhea and enteritis (2 years and over)	502	24	17	26	17	28	33	88	118	68	40	19	24
(33)	Congenital debility [1]	216	17	11	19	26	10	15	18	21	22	13	19	25
35	Violent deaths (excluding suicide)	2,139	157	133	188	148	145	186	225	211	212	159	167	208
36	Suicide	381	22	24	48	31	29	34	37	34	29	36	34	23
	All other causes	19,804	1,702	1,594	1,874	1,667	1,607	1,618	1,581	1,728	1,556	1,573	1,621	1,683
	MAINE.													
	All causes	12,726	1,132	1,064	1,175	1,127	1,029	874	936	1,150	1,097	1,064	1,028	1,050
1	Typhoid fever	151	14	3	11	12	9	6	12	17	26	16	14	11
3	Malaria	3	1			1								1
5	Measles	97	11	24	12	16	15	9	2	4		1	2	1
6	Scarlet fever	41	4	4	3	5	2	3	2	2	5	4	5	2
7	Whooping cough	97	9	9	13	10	12	3	11	8	4	5	7	6
8	Diphtheria and croup	99	18	7	3	5	4	8	4	9	8	9	9	15
9	Influenza	123	14	17	25	25	10	5	5	1	1	3	4	13
13	Tuberculosis of the lungs	899	80	63	82	105	81	73	91	74	52	62	67	69
14–15	Other forms of tuberculosis	213	16	18	21	22	23	19	20	9	20	14	17	14
17	Meningitis	167	9	19	17	17	17	8	17	22	17	10	3	11
20–21	Bronchitis	211	15	28	16	17	15	13	5	6	17	19	28	32
22	Pneumonia	983	130	117	163	97	71	47	27	33	45	59	80	114
(23)	Bronchopneumonia	254	37	28	32	32	19	6	10	8	14	16	36	16
25	Diarrhea and enteritis (under 2 years)	650	9	7	11	11	13	16	75	217	162	95	26	8
(37)	Diarrhea and enteritis (2 years and over)	142	4	4	13	6	8	6	14	31	22	15	8	11
(33)	Congenital debility [1]	215	12	16	27	14	19	20	16	18	17	21	12	23
35	Violent deaths (excluding suicide)	525	27	30	33	42	42	56	70	57	41	49	50	28
36	Suicide	85	5	7	5	6	9	7	11	8	7	7	7	6
	All other causes	7,771	717	663	688	684	660	569	544	626	639	659	653	669
	MARYLAND (TOTAL).													
	All causes	20,805	2,009	1,886	1,786	1,638	1,466	1,528	1,955	1,825	1,634	1,667	1,672	1,739
1	Typhoid fever	528	25	25	28	25	13	16	25	72	100	79	72	48
3	Malaria	22	1				2	3	4	1	2	5	2	2
5	Measles	53	6	13	8	3	4	6	1	2		1	3	6
6	Scarlet fever	68	6	7	9	10	8	4	3	3	3	2	7	6
7	Whooping cough	291	26	23	27	32	32	37	22	21	24	21	16	10
8	Diphtheria and croup	171	18	11	14	6	10	5	3	8	17	18	24	37
9	Influenza	201	44	45	50	19	12	4	3	1	3	2	7	11
13	Tuberculosis of the lungs	2,312	219	219	208	215	185	173	179	174	183	176	189	192
14–15	Other forms of tuberculosis	250	14	23	33	25	18	16	25	21	19	12	26	18
17	Meningitis	224	12	19	24	25	18	18	26	19	17	21	13	12
20–21	Bronchitis	339	37	53	35	28	25	19	14	13	18	14	37	46
22	Pneumonia	1,381	254	201	178	149	96	46	43	22	41	61	127	163
(23)	Bronchopneumonia	556	87	87	77	50	34	20	19	17	14	16	53	82
25	Diarrhea and enteritis (under 2 years)	1,341	25	24	13	21	25	113	414	324	174	128	55	25
(37)	Diarrhea and enteritis (2 years and over)	196	10	5	12	9	8	17	32	35	25	25	10	8
(33)	Congenital debility [1]	614	67	41	48	34	37	42	73	76	62	60	37	37
35	Violent deaths (excluding suicide)	974	99	68	54	66	66	92	100	93	80	91	73	92
36	Suicide	134	18	13	12	8	16	11	9	8	13	9	10	10
	All other causes	11,150	1,041	1,009	956	916	857	886	960	915	839	926	911	934

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MARYLAND (WHITE).													
	All causes	15,458	1,501	1,413	1,358	1,211	1,087	1,088	1,420	1,372	1,220	1,220	1,246	1,322
1	Typhoid fever	419	21	19	21	19	10	12	20	62	71	58	64	42
3	Malaria	18					2	3	3	1		5	2	2
5	Measles	46	6	11	7	2	3	6		1		1	3	6
6	Scarlet fever	65	6	7	8	10	8	4	2	3	2	2	7	6
7	Whooping cough	142	15	11	13	17	21	15	11	4	16	5	8	6
8	Diphtheria and croup	147	15	10	11	6	7	5	3	6	16	18	17	33
9	Influenza	149	32	37	33	15	10	3	1	1	1	1	5	10
13	Tuberculosis of the lungs	1,457	148	140	143	124	114	102	115	100	117	106	126	122
14–15	Other forms of tuberculosis	184	12	20	24	16	15	11	17	15	10	11	20	13
17	Meningitis	181	11	16	20	19	14	14	24	15	13	18	10	7
20–21	Bronchitis	264	26	40	28	23	20	13	10	10	13	11	32	38
22	Pneumonia	979	176	135	125	110	72	33	32	14	27	35	87	133
(23)	Bronchopneumonia	394	60	64	52	28	21	12	16	11	12	13	37	68
25	Diarrhea and enteritis (under 2 years)	975	22	18	8	14	18	72	287	254	129	96	41	16
(37)	Diarrhea and enteritis (2 years and over)	152	9	5	8	6	7	13	22	32	18	18	6	8
(33)	Congenital debility[1]	446	49	31	32	27	29	31	59	54	46	35	27	26
35	Violent deaths (excluding suicide)	745	70	52	47	56	53	65	77	70	63	68	58	66
36	Suicide	126	15	13	12	5	16	11	7	8	11	9	10	9
	All other causes	8,569	808	784	766	714	647	663	714	711	655	710	686	711
	MARYLAND (COLORED).													
	All causes	5,347	508	473	428	427	379	440	535	453	414	447	426	417
1	Typhoid fever	109	4	6	7	6	3	4	5	10	29	21	8	6
3	Malaria	4	1						1		2			
5	Measles	7		2	1	1	1		1	1				
6	Scarlet fever	3			1				1		1			
7	Whooping cough	149	11	12	14	15	11	22	11	17	8	16	8	4
8	Diphtheria and croup	24	3	1	3		3			2	1		7	4
9	Influenza	52	12	8	17	4	2	1	2		2	1	2	1
13	Tuberculosis of the lungs	855	71	79	65	91	71	71	64	74	66	70	63	70
14–15	Other forms of tuberculosis	66	2	3	9	9	3	5	8	6	9	1	6	5
17	Meningitis	43	1	3	4	6	4	4	2	4	4	3	3	5
20–21	Bronchitis	75	11	13	7	5	5	6	4	3	5	3	5	8
22	Pneumonia	402	78	66	53	39	24	13	11	8	14	26	40	30
(23)	Bronchopneumonia	162	27	23	25	22	13	8	3	6	2	3	16	14
25	Diarrhea and enteritis (under 2 years)	366	3	6	5	7	7	41	127	70	45	32	14	9
(37)	Diarrhea and enteritis (2 years and over)	44	1		4	3	1	4	10	3	7	7	4	
(33)	Congenital debility[1]	168	18	10	16	7	8	11	14	22	16	25	10	11
35	Violent deaths (excluding suicide)	229	29	16	7	10	13	27	23	23	17	23	15	26
36	Suicide	8	3						2		2			1
	All other causes	2,581	233	225	190	202	210	223	246	204	184	216	225	223
	MASSACHUSETTS.													
	All causes	54,301	4,799	4,379	5,165	4,743	4,325	3,969	4,393	4,729	4,366	4,173	4,105	4,655
1	Typhoid fever	421	20	15	30	24	25	28	27	48	70	52	49	33
3	Malaria	23	1	1	2	1	3	2	5	4	2	1		1
5	Measles	392	29	40	66	48	75	45	36	17	4	7	12	13
6	Scarlet fever	272	17	28	40	40	45	27	18	12	8	9	8	20
7	Whooping cough	286	16	12	24	25	15	18	31	31	36	18	27	33
8	Diphtheria and croup	705	80	57	56	60	55	53	44	32	57	75	61	75
9	Influenza	447	72	57	108	90	31	12	7	1	3	12	20	34
13	Tuberculosis of the lungs	4,653	430	379	467	451	402	367	369	378	350	321	353	386
14–15	Other forms of tuberculosis	851	73	55	78	91	84	71	71	64	81	74	51	58
17	Meningitis	588	53	44	46	66	56	54	62	45	50	39	36	37
20–21	Bronchitis	1,016	145	101	127	115	87	74	37	39	54	61	89	87
22	Pneumonia	4,355	582	516	653	562	367	177	124	110	192	232	353	487
(23)	Bronchopneumonia	1,527	164	135	173	129	125	110	75	53	67	120	152	224
25	Diarrhea and enteritis (under 2 years)	4,111	76	77	102	84	114	284	1,066	1,044	689	372	131	72
(37)	Diarrhea and enteritis (2 years and over)	474	30	16	19	17	23	28	102	105	55	28	23	27
(33)	Congenital debility[1]	940	77	72	76	113	68	72	68	87	83	87	77	60
35	Violent deaths (excluding suicide)	2,508	203	160	179	194	220	214	302	219	217	195	168	237
36	Suicide	427	28	19	43	33	30	46	52	41	37	36	40	22
	All other causes	30,305	2,703	2,595	2,876	2,600	2,500	2,287	2,397	2,398	2,311	2,434	2,455	2,749
	MICHIGAN.													
	All causes	39,888	3,247	3,144	3,825	3,373	3,182	3,097	3,101	3,785	3,498	3,198	3,118	3,320
1	Typhoid fever	667	32	43	43	30	27	22	29	74	106	120	86	55
3	Malaria	21	1	2	2	3	3			2	2	3	2	1
5	Measles	255	19	18	32	28	61	34	26	11		4	8	14
6	Scarlet fever	303	52	29	35	33	38	22	13	6	15	13	24	23
7	Whooping cough	308	13	19	26	41	44	29	25	31	21	17	20	22
8	Diphtheria and croup	495	39	44	30	28	34	40	29	42	49	55	60	45
9	Influenza	437	51	71	130	76	43	10	5	3	4	7	13	24
13	Tuberculosis of the lungs	2,325	191	198	239	218	207	188	168	189	184	205	173	165
14–15	Other forms of tuberculosis	427	29	36	38	36	55	33	42	36	30	30	29	33
17	Meningitis	409	22	23	42	38	22	33	35	59	45	27	24	39
20–21	Bronchitis	746	79	70	96	69	60	52	32	22	38	55	79	94
22	Pneumonia	1,918	258	237	305	219	159	102	58	49	55	86	133	257
(23)	Bronchopneumonia	753	82	71	93	99	74	69	18	27	27	37	75	81
25	Diarrhea and enteritis (under 2 years)	2,350	59	44	57	50	66	103	333	719	546	225	78	70
(37)	Diarrhea and enteritis (2 years and over)	538	19	25	25	21	29	28	55	134	115	39	27	21
(33)	Congenital debility[1]	880	57	70	73	56	74	78	71	84	96	82	67	72
35	Violent deaths (excluding suicide)	2,221	153	148	159	165	164	222	266	224	199	205	188	128
36	Suicide	386	27	28	42	31	31	41	27	29	43	25	29	33
	All other causes	24,449	2,064	1,968	2,358	2,132	1,991	1,991	1,869	2,044	1,923	1,963	2,003	2,143

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MINNESOTA.													
	All causes	22,649	1,774	1,660	2,053	1,908	1,790	1,787	1,703	2,212	2,007	1,813	1,817	2,130
1	Typhoid fever	668	28	57	72	40	15	19	21	56	106	108	96	50
3	Malaria	2								1	1			
5	Measles	247	9	18	44	59	55	28	11	8		3	4	8
6	Scarlet fever	301	27	28	33	36	38	33	21	18	15	15	14	23
7	Whooping cough	155	9	14	17	13	17	5	18	14	19	3	9	17
8	Diphtheria and croup	543	46	40	40	37	44	60	45	45	34	44	59	49
9	Influenza	98	10	12	25	15	5	4		1	3	1	3	19
13	Tuberculosis of the lungs	1,883	159	160	189	201	149	147	164	145	125	136	164	144
14–15	Other forms of tuberculosis	387	32	36	39	39	38	34	26	41	31	23	18	30
17	Meningitis	205	32	19	21	14	13	11	17	23	17	14	15	9
20–21	Bronchitis	273	29	27	25	24	27	15	6	7	15	23	33	42
22	Pneumonia	1,095	109	101	131	110	99	81	39	33	47	68	91	186
(23)	Bronchopneumonia	711	71	62	76	60	55	56	25	15	42	44	63	142
25	Diarrhea and enteritis (under 2 years)	1,341	42	38	51	36	37	73	177	397	256	131	52	51
(37)	Diarrhea and enteritis (2 years and over)	300	3	11	9	12	8	17	28	90	57	39	13	13
(33)	Congenital debility [1]	381	22	23	32	43	28	27	25	43	41	35	31	31
35	Violent deaths (excluding suicide)	1,564	95	84	111	120	121	177	159	145	141	150	140	121
36	Suicide	242	16	9	33	22	20	26	25	21	16	16	24	14
	All other causes	12,253	1,035	921	1,105	1,022	1,021	974	896	1,109	1,041	960	988	1,181
	MONTANA.													
	All causes	3,999	335	261	272	313	292	322	438	425	375	301	321	344
1	Typhoid fever	151	3	1	4	7	2	10	5	23	31	34	22	9
3	Malaria													
5	Measles	16			1	3	2					1	3	6
6	Scarlet fever	61	5	5	1	9	7	14	8	2	2		3	5
7	Whooping cough	41	4	5	8	4	4	2	4	6	3			1
8	Diphtheria and croup	61	11	4	3	3	7	6	6	4	3	2	6	6
9	Influenza	24	2	3	4	4	4		2	1		1	2	1
13	Tuberculosis of the lungs	295	36	23	27	26	28	12	23	35	18	16	23	28
14–15	Other forms of tuberculosis	45	1	3	2	6	2	1	3	2	9	6	4	6
17	Meningitis	49	6	4	2	1	5	4	7	7	2	4	3	4
20–21	Bronchitis	37	4	5	3	3	5	1	2		4	1	6	3
22	Pneumonia	208	21	25	15	18	12	10	9	11	20	15	16	36
(23)	Bronchopneumonia	74	11	3	5	5	6	7	4	2	5	2	9	15
25	Diarrhea and enteritis (under 2 years)	226	2	4	4	5	6	11	66	77	31	9	3	8
(37)	Diarrhea and enteritis (2 years and over)	31	1		1		3	2	8	9	2	2	1	2
(33)	Congenital debility [1]	51	5	2	5	2	2	6	5	4	5	5	4	6
35	Violent deaths (excluding suicide)	551	39	39	34	43	35	55	86	52	50	41	45	32
36	Suicide	81	6	8	7	4	4	4	7	15	5	7	11	3
	All other causes	1,997	178	127	146	170	158	177	193	175	185	155	160	173
	NEW HAMPSHIRE.													
	All causes	7,452	701	579	657	653	629	518	573	700	657	581	581	623
1	Typhoid fever	46	3	2	5	3	4	2	2	7	6	2	6	4
3	Malaria	1					1							
5	Measles	29	1	5	2	4	10	3	2	1				1
6	Scarlet fever	8	1		2	2	2					1		
7	Whooping cough	42	5	1	4	4	5		6	5	1	3	4	4
8	Diphtheria and croup	77	13	7	8	6	10	5	1	5	1	5	6	10
9	Influenza	93	11	14	16	21	12	4		1			4	10
13	Tuberculosis of the lungs	491	51	43	48	57	51	33	40	31	37	41	28	31
14–15	Other forms of tuberculosis	94	4	5	10	5	10	12	6	11	10	7	8	6
17	Meningitis	127	15	15	15	12	10	5	10	11	9	7	13	5
20–21	Bronchitis	148	20	20	13	12	8	10	7	6	9	10	11	22
22	Pneumonia	504	77	77	69	62	48	19	10	10	13	24	36	59
(23)	Bronchopneumonia	137	18	15	14	15	5	9	6	3	5	11	15	21
25	Diarrhea and enteritis (under 2 years)	403	11	11	6	11	9	15	71	114	94	34	15	12
(37)	Diarrhea and enteritis (2 years and over)	82	3	1	4	6	2	4	10	23	21	4	4	
(33)	Congenital debility [1]	163	10	12	12	16	12	14	13	11	27	11	13	7
35	Violent deaths (excluding suicide)	293	25	15	23	23	27	20	30	32	20	26	24	28
36	Suicide	54	3	4	5	6	5	3	4	5	3	7	5	4
	All other causes	4,660	430	332	401	388	398	360	350	424	401	388	389	399
	NEW JERSEY.													
	All causes	39,504	3,597	3,164	3,579	3,256	2,962	3,005	4,074	3,393	2,928	2,942	3,025	3,579
1	Typhoid fever	371	13	12	19	21	20	33	33	45	59	49	34	33
3	Malaria	26	1	1	1	4	1	4	1	2	5	2	1	3
5	Measles	253	34	21	30	25	31	30	17	7	10	1	12	35
6	Scarlet fever	281	26	39	38	41	33	25	16	19	7	7	8	22
7	Whooping cough	425	34	22	29	26	42	38	65	51	31	32	34	21
8	Diphtheria and croup	747	66	68	76	60	57	35	21	34	54	92	89	95
9	Influenza	312	54	44	70	34	19	8	3	4	2	5	11	58
13	Tuberculosis of the lungs	4,059	362	305	409	405	325	314	360	307	307	308	290	367
14–15	Other forms of tuberculosis	581	56	40	65	61	36	51	64	56	40	42	39	31
17	Meningitis	427	35	35	46	36	33	38	51	44	33	28	21	27
20–21	Bronchitis	607	64	80	77	49	30	32	32	21	26	42	59	95
22	Pneumonia	2,861	433	320	369	322	233	145	86	91	108	126	242	386
(23)	Bronchopneumonia	1,296	219	182	146	124	105	62	49	38	42	65	104	160
25	Diarrhea and enteritis (under 2 years)	3,004	57	52	66	71	85	284	998	642	383	242	77	47
(37)	Diarrhea and enteritis (2 years and over)	408	22	12	25	26	25	25	98	68	44	30	18	15
(33)	Congenital debility [1]	575	37	35	36	38	30	45	83	63	62	75	34	37
35	Violent deaths (excluding suicide)	2,225	150	148	164	142	177	184	286	213	176	182	200	203
36	Suicide	436	25	31	41	47	35	40	34	41	30	40	35	37
	All other causes	20,610	1,909	1,717	1,872	1,724	1,645	1,612	1,777	1,647	1,509	1,574	1,717	1,907

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	NEW YORK.													
	All causes	147,678	13,230	12,182	14,372	13,048	12,057	11,015	13,093	12,213	11,416	11,081	10,956	13,005
1	Typhoid fever	1,397	91	92	97	74	66	72	100	142	185	174	168	136
3	Malaria	82	5	7	3	7	11	7	10	9	5	11	4	3
5	Measles	1,270	171	166	234	192	144	125	87	41	28	11	28	43
6	Scarlet fever	1,654	225	232	254	233	176	139	74	37	42	54	88	100
7	Whooping cough	743	48	46	59	66	72	56	92	103	54	49	45	53
8	Diphtheria and croup	2,435	269	254	271	277	233	199	153	136	108	135	208	192
9	Influenza	1,218	124	164	343	224	90	39	13	14	18	31	32	126
13	Tuberculosis of the lungs	14,488	1,240	1,190	1,486	1,358	1,261	1,116	1,193	1,120	1,116	1,097	1,067	1,244
14-15	Other forms of tuberculosis	2,028	186	156	180	178	197	202	202	149	151	149	143	135
17	Meningitis	1,152	77	87	105	107	124	91	101	121	93	85	63	98
20-21	Bronchitis	2,516	301	258	304	292	208	151	122	114	129	153	138	296
22	Pneumonia	10,159	1,235	1,047	1,456	1,160	898	527	331	305	346	602	845	1,407
(23)	Bronchopneumonia	6,945	830	796	836	741	579	435	379	311	364	407	458	779
25	Diarrhea and enteritis (under 2 years)	9,740	258	241	286	327	399	686	2,339	2,161	1,515	937	335	256
(37)	Diarrhea and enteritis (2 years and over)	1,395	53	73	52	89	67	106	240	271	205	102	74	63
(33)	Congenital debility [1]	2,031	161	144	173	197	178	130	150	210	202	196	136	154
35	Violent deaths (excluding suicide)	7,963	647	515	568	589	612	688	1,043	749	648	670	638	596
36	Suicide	1,532	117	106	140	131	151	159	150	112	130	120	112	104
	All other causes	78,930	7,192	6,603	7,525	6,806	6,591	6,087	6,319	6,113	6,077	6,098	6,294	7,220
	NORTH CAROLINA [2] (TOTAL).													
	All causes	6,752	612	569	554	500	615	577	589	546	511	569	547	563
1	Typhoid fever	209	6	2	4	1	7	19	49	37	32	26	18	8
3	Malaria	120	2	3	1	2	4	7	14	19	18	32	12	6
5	Measles	98	15	18	19	19	13	10	3					1
6	Scarlet fever	8	2	1		1	2	1					1	
7	Whooping cough	62	8	6	5	6	6	6	8	6	3	2	3	3
8	Diphtheria and croup	67	7	1	3	1	4		2	7	10	10	14	8
9	Influenza	102	21	20	25	9	1	4	3	1	2	1	5	10
13	Tuberculosis of the lungs	897	86	80	92	82	76	69	65	55	56	72	81	83
14-15	Other forms of tuberculosis	86	9	5	12	9	8	7	8	3	7	10	5	3
17	Meningitis	82	6	9	7	7	7	5	10	6	7	5	9	4
20-21	Bronchitis	88	14	13	8	3	9	1	2	5	6	7	9	11
22	Pneumonia	538	109	104	56	41	39	23	7	8	11	19	41	80
(23)	Bronchopneumonia	72	8	11	7	8	2	2	1	1	3	7	8	14
25	Diarrhea and enteritis (under 2 years)	499	8	6	8	34	80	106	76	70	37	42	21	11
(37)	Diarrhea and enteritis (2 years and over)	105		5	4	6	17	19	14	12	8	7	7	6
(33)	Congenital debility [1]	105	8	11	6	1	14	8	13	8	9	9	10	8
35	Violent deaths (excluding suicide)	271	27	27	20	21	23	20	23	25	17	16	18	34
36	Suicide	26	3		4	1		6	3	5	1	1	1	1
	All other causes	3,317	273	247	273	248	303	264	288	278	284	303	284	272
	NORTH CAROLINA [2] (WHITE).													
	All causes	3,728	366	313	297	273	354	337	322	299	282	280	304	301
1	Typhoid fever	128	4	2	4		5	11	29	24	18	12	13	6
3	Malaria	52	2			2	1	5	5	8	7	12	8	2
5	Measles	75	14	17	15	12	10	5	1					1
6	Scarlet fever	7	2	1			2	1					1	
7	Whooping cough	34	6	3	2	4	2	4	4	2	2	1	1	3
8	Diphtheria and croup	48	3	1	2	1	3			5	9	8	0	6
9	Influenza	53	13	11	13	3	1		2		1		3	6
13	Tuberculosis of the lungs	419	45	39	47	39	34	25	33	23	25	33	37	39
14-15	Other forms of tuberculosis	43	2	1	9	7	5	5	3	1	3	4	3	
17	Meningitis	54	4	6	5	5	5	3	6	4	5	3	4	4
20-21	Bronchitis	44	8	3	4	1	2	1	2	2	5	3	7	6
22	Pneumonia	273	67	53	26	19	18	10	2	5	5	10	18	40
(23)	Bronchopneumonia	40	3	6	4	1		1	1	1	3	5	8	7
25	Diarrhea and enteritis (under 2 years)	303	4	2	4	18	58	74	48	38	23	20	11	3
(37)	Diarrhea and enteritis (2 years and over)	67		4		5	11	12	9	8	5	5	5	3
(33)	Congenital debility [1]	53	3	6	4	1	8	5	5	4	6	6	3	2
35	Violent deaths (excluding suicide)	135	13	9	13	10	14	12	14	12	8	6	8	16
36	Suicide	24	2		4	1		5	3	5	1	1	1	1
	All other causes	1,876	171	149	141	144	175	158	155	157	156	151	163	156
	NORTH CAROLINA [3] (COLORED).													
	All causes	3,024	246	256	257	227	261	240	267	247	229	289	243	262
1	Typhoid fever	81	2			1	2	8	20	13	14	14	5	2
3	Malaria	68		3	1		3	2	9	11	11	20	4	4
5	Measles	23	1	1	4	7	3	5	2					
6	Scarlet fever	1				1								
7	Whooping cough	28	2	3	3	2	4	2	4	4	1	1	2	
8	Diphtheria and croup	19	4		1		1		2	2	1	2	4	2
9	Influenza	49	8	9	12	6		4	1	1	1	1	2	4
13	Tuberculosis of the lungs	478	41	41	45	43	42	44	32	32	31	29	44	44
14-15	Other forms of tuberculosis	43	7	4	3	2	3	2	5	2	4	6	2	3
17	Meningitis	28	2	3	2	2	2	2	4	2	2	2	5	
20-21	Bronchitis	44	6	10	4	2	7			3	1	4	2	5
22	Pneumonia	265	42	51	30	22	21	13	5	3	6	9	23	40
(23)	Bronchopneumonia	32	5	5	3	7	2	1				2		7
25	Diarrhea and enteritis (under 2 years)	196	4	4	4	16	22	32	28	32	14	22	10	8
(37)	Diarrhea and enteritis (2 years and over)	38		1	4	1	6	7	5	4	3	2	2	3
(33)	Congenital debility [1]	52	5	5	2		6	3	8	4	3	3	7	6
35	Violent deaths (excluding suicide)	136	14	18	7	11	9	8	9	13	9	10	10	18
36	Suicide	2	1					1						
	All other causes	1,441	102	98	132	104	128	106	133	121	128	152	121	116

[1] Excluding premature birth.

[2] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	OHIO.													
	All causes	65,459	5,545	5,279	6,548	5,481	5,279	4,815	5,538	5,886	5,257	5,162	5,111	5,558
1	Typhoid fever	1,314	74	60	65	68	67	41	68	145	202	233	167	124
3	Malaria	40	1	4	4	6	2	2	1	5	5	4	4	2
5	Measles	787	74	99	177	152	116	62	35	15	11	7	18	21
6	Scarlet fever	288	24	19	30	27	30	30	9	16	9	21	21	52
7	Whooping cough	591	34	31	81	70	73	46	61	75	42	23	31	24
8	Diphtheria and croup	585	52	39	38	36	47	23	30	39	48	75	83	75
9	Influenza	906	99	145	269	143	67	34	12	6	10	12	44	65
13	Tuberculosis of the lungs	6,223	529	543	658	595	530	513	469	488	467	470	461	500
14–15	Other forms of tuberculosis	985	64	87	82	102	76	91	88	85	95	78	67	70
17	Meningitis	745	62	50	73	48	54	59	96	71	68	59	60	45
20–21	Bronchitis	1,036	118	109	114	105	104	73	48	32	56	69	90	118
22	Pneumonia	3,701	454	430	575	394	313	170	119	80	118	192	344	512
(23)	Bronchopneumonia	1,680	187	183	228	192	180	89	48	47	54	101	157	214
25	Diarrhea and enteritis (under 2 years)	4,037	113	107	137	115	122	207	893	1,107	624	344	159	109
(37)	Diarrhea and enteritis (2 years and over)	722	24	33	45	37	30	35	116	174	95	64	43	26
(33)	Congenital debility [1]	643	59	39	60	53	48	41	46	78	55	62	40	62
35	Violent deaths (excluding suicide)	4,255	306	287	315	306	335	402	434	389	390	384	348	359
36	Suicide	679	53	46	73	52	66	67	55	51	53	58	47	58
	All other causes	36,242	3,218	2,968	3,524	2,980	3,019	2,830	2,910	2,983	2,855	2,906	2,927	3,122
	PENNSYLVANIA.													
	All causes	119,815	10,585	10,111	11,719	10,044	9,016	8,495	10,948	10,887	9,533	9,205	9,206	10,066
1	Typhoid fever	1,892	130	124	138	125	91	78	80	208	275	284	208	151
3	Malaria	50	3	3	.....	4	7	5	4	7	7	5	4	1
5	Measles	1,237	122	154	152	174	170	137	91	53	35	27	41	81
6	Scarlet fever	1,094	127	112	109	103	115	98	64	71	58	68	87	82
7	Whooping cough	1,114	64	79	102	106	90	75	117	140	105	83	78	75
8	Diphtheria and croup	2,235	209	189	182	160	168	126	107	142	160	245	271	276
9	Influenza	1,197	197	205	328	181	63	30	7	4	16	15	54	97
13	Tuberculosis of the lungs	9,003	801	818	1,025	879	766	651	705	678	652	654	667	707
14–15	Other forms of tuberculosis	1,282	87	98	131	128	110	94	127	120	109	115	80	83
17	Meningitis	884	66	74	83	87	76	68	105	74	64	65	59	63
20–21	Bronchitis	2,079	240	283	294	195	171	114	94	71	78	139	184	216
22	Pneumonia	8,384	1,180	1,069	1,298	946	693	415	214	220	239	465	724	921
(23)	Bronchopneumonia	4,455	560	530	637	496	348	217	172	142	168	257	435	493
25	Diarrhea and enteritis (under 2 years)	11,081	265	271	325	303	316	807	2,950	2,664	1,654	912	336	278
(37)	Diarrhea and enteritis (2 years and over)	1,529	73	69	64	79	78	82	246	349	221	128	72	68
(33)	Congenital debility [1]	2,177	150	156	173	154	150	161	229	250	246	195	142	171
35	Violent deaths (excluding suicide)	8,242	654	624	707	648	608	743	889	620	706	639	636	768
36	Suicide	975	70	63	104	77	94	79	78	83	81	91	75	80
	All other causes	60,905	5,587	5,190	5,867	5,199	4,902	4,515	4,669	4,991	4,659	4,818	5,053	5,455
	RHODE ISLAND.													
	All causes	9,305	826	792	955	848	691	718	915	848	626	686	661	739
1	Typhoid fever	74	4	3	7	3	.....	1	8	8	11	11	11	7
3	Malaria	5	.....	.....	1	.....	.....	1	.....	1	.....	1	1	.....
5	Measles	178	10	23	22	26	40	30	13	8	1	1	2	2
6	Scarlet fever	22	2	2	2	3	1	1	1	2	1	1	3	3
7	Whooping cough	51	3	1	5	9	.....	4	4	8	4	2	7	4
8	Diphtheria and croup	134	10	13	13	5	12	10	4	6	11	14	20	16
9	Influenza	99	8	22	38	14	6	.....	2	.....	.....	.....	5	4
13	Tuberculosis of the lungs	855	68	80	72	87	84	62	67	81	57	66	70	61
14–15	Other forms of tuberculosis	138	5	11	17	14	15	16	11	13	5	10	5	16
17	Meningitis	74	7	2	5	3	3	10	8	10	9	4	8	5
20–21	Bronchitis	181	22	23	21	31	10	14	10	4	5	9	13	19
22	Pneumonia	739	109	94	127	100	69	34	21	15	19	33	52	66
(23)	Bronchopneumonia	295	43	31	40	39	28	15	10	11	4	20	21	33
25	Diarrhea and enteritis (under 2 years)	837	12	11	26	23	17	90	252	202	109	57	28	10
(37)	Diarrhea and enteritis (2 years and over)	107	4	7	7	6	5	10	22	18	10	6	7	5
(33)	Congenital debility [1]	134	9	13	10	13	11	10	10	22	12	9	7	8
35	Violent deaths (excluding suicide)	445	34	31	47	38	21	38	56	45	32	37	33	33
36	Suicide	80	5	8	3	11	7	6	9	6	4	6	6	9
	All other causes	4,857	471	417	492	423	362	366	407	388	332	399	362	438
	UTAH.													
	All causes	4,072	364	287	327	353	308	302	327	319	337	325	382	441
1	Typhoid fever	139	4	1	4	6	3	6	13	10	30	26	19	17
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	5	.....	1	1	.....	.....	.....	.....	.....	.....	1	1	1
6	Scarlet fever	108	14	7	9	19	21	10	6	3	6	3	5	5
7	Whooping cough	64	4	9	11	17	12	7	1	2	.....	.....	.....	1
8	Diphtheria and croup	73	6	3	10	3	4	5	1	2	4	10	14	11
9	Influenza	31	5	6	4	5	2	.....	.....	.....	.....	2	2	5
13	Tuberculosis of the lungs	134	10	11	15	10	15	12	14	7	8	11	6	15
14–15	Other forms of tuberculosis	32	1	4	3	4	1	4	3	2	3	3	3	1
17	Meningitis	46	2	1	10	4	7	4	6	2	3	3	1	3
20–21	Bronchitis	66	12	7	5	8	5	3	4	2	2	2	3	13
22	Pneumonia	325	43	30	30	32	12	13	11	11	19	23	35	66
(23)	Bronchopneumonia	109	12	7	11	5	9	7	4	1	.....	9	11	33
25	Diarrhea and enteritis (under 2 years)	185	5	4	3	4	9	8	31	49	39	18	8	7
(37)	Diarrhea and enteritis (2 years and over)	25	.....	1	.....	.....	1	.....	3	5	9	2	1	3
(33)	Congenital debility [1]	49	4	2	3	3	1	3	2	10	5	5	5	6
35	Violent deaths (excluding suicide)	347	27	20	24	25	33	36	36	30	28	26	29	33
36	Suicide	40	2	5	2	6	3	6	4	4	2	.....	4	2
	All other causes	2,294	213	168	182	202	170	178	188	179	179	181	235	219

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	VERMONT.													
	All causes	5,704	490	482	536	513	469	382	407	447	504	487	441	546
1	Typhoid fever	50	5	5	1	6	2	3	1	5	4	10	5	3
3	Malaria	3							2				1	
5	Measles	24	2	7	6	4	3	1	1					
6	Scarlet fever	11	1			4	1	1	4					
7	Whooping cough	52	5	5	4	4	9	2	1	10		5	3	4
8	Diphtheria and croup	32	3	5	4	4	1	1	1	1		5	5	2
9	Influenza	147	15	16	29	21	15	8	4	3	1	4	7	24
13	Tuberculosis of the lungs	328	28	29	40	34	26	25	17	37	18	25	25	24
14–15	Other forms of tuberculosis	76	2	5	9	7	5	7	11	6	4	6	9	5
17	Meningitis	43	5	6	1	2	3	2	3	4	3	6	4	4
20–21	Bronchitis	106	7	10	8	12	6	6	2	3	5	15	15	17
22	Pneumonia	410	54	51	52	48	40	19	11	8	10	23	37	57
(23)	Bronchopneumonia	106	14	11	14	4	9	5	5	1	5	10	6	22
25	Diarrhea and enteritis (under 2 years)	206	6	10	4	13	9	7	16	41	59	22	14	5
(37)	Diarrhea and enteritis (2 years and over)	66	2		2	7	2	2	8	19	7	12	2	3
(33)	Congenital debility [1]	36	2	3	7	3	5	1	2	3	4	1	3	2
35	Violent deaths (excluding suicide)	262	21	19	20	20	23	21	27	31	17	29	12	22
36	Suicide	47	1	5	6	3	3	5	8	3	3	3	3	4
	All other causes	3,699	317	295	329	317	307	266	283	272	364	311	290	348
	WASHINGTON.													
	All causes	11,502	937	905	1,089	887	978	830	962	1,024	1,008	923	997	962
1	Typhoid fever	324	22	10	12	9	17	11	24	45	44	45	50	35
3	Malaria	1										1		
5	Measles	76	10	8	8	15	9	9	9	2	1	1	2	2
6	Scarlet fever	81	17	9	11	5	10	4	7	4	3	5	3	3
7	Whooping cough	177	9	14	16	22	21	15	22	22	16	9	4	7
8	Diphtheria and croup	145	11	23	11	8	12	11	13	11	9	7	17	12
9	Influenza	54	8	4	9	6	9	2	2	2	1		6	5
13	Tuberculosis of the lungs	1,013	90	90	119	76	96	72	78	75	78	64	66	109
14–15	Other forms of tuberculosis	230	24	15	29	24	24	24	26	15	18	14	7	10
17	Meningitis	77	10	5	6	5	11	4	9	8	10	3	3	3
20–21	Bronchitis	78	7	9	4	11	7	4	7	2	3	6	9	9
22	Pneumonia	486	68	52	45	49	44	33	21	18	34	27	42	53
(23)	Bronchopneumonia	355	20	26	36	29	26	24	20	26	20	33	46	49
25	Diarrhea and enteritis (under 2 years)	435	12	14	21	13	24	28	73	102	75	50	17	6
(37)	Diarrhea and enteritis (2 years and over)	98	1	4	6	3	7	3	18	25	14	11	3	3
(33)	Congenital debility [1]	170	13	12	15	12	9	9	11	27	21	13	17	11
35	Violent deaths (excluding suicide)	1,411	77	72	190	123	92	108	139	132	109	108	149	112
36	Suicide	230	14	19	24	20	21	20	17	14	17	25	24	15
	All other causes	6,061	524	519	527	457	539	449	466	494	535	501	532	518
	WISCONSIN.													
	All causes	28,070	2,388	2,172	2,628	2,348	2,344	2,296	2,031	2,485	2,533	2,275	2,152	2,418
1	Typhoid fever	544	55	31	46	29	37	46	38	34	56	60	67	45
3	Malaria	2				1				1				
5	Measles	188	7	7	15	17	36	49	20	6	5	7	3	16
6	Scarlet fever	309	31	32	36	33	47	37	20	13	14	13	16	17
7	Whooping cough	183	9	9	15	19	26	12	18	20	18	15	11	11
8	Diphtheria and croup	432	39	28	29	28	37	28	38	25	20	57	50	53
9	Influenza	248	32	32	62	47	22	15	4	1		4	9	20
13	Tuberculosis of the lungs	2,153	181	180	224	181	190	195	175	148	162	180	161	176
14–15	Other forms of tuberculosis	344	23	32	34	38	30	33	38	25	21	24	20	26
17	Meningitis	365	34	23	36	27	29	27	24	49	48	23	16	29
20–21	Bronchitis	551	54	57	69	55	54	54	25	12	24	32	41	74
22	Pneumonia	1,600	194	170	203	165	181	87	48	44	54	84	134	236
(23)	Bronchopneumonia	475	53	57	63	44	52	33	10	14	16	29	44	60
25	Diarrhea and enteritis (under 2 years)	1,702	70	51	108	79	62	98	165	426	374	145	62	62
(37)	Diarrhea and enteritis (2 years and over)	363	15	11	13	16	16	6	32	77	103	48	15	11
(33)	Congenital debility [1]	530	44	42	40	48	35	40	42	45	58	44	46	46
35	Violent deaths (excluding suicide)	1,484	101	87	109	112	116	170	166	145	126	126	117	109
36	Suicide	331	22	20	25	27	18	39	35	27	31	32	28	27
	All other causes	16,266	1,424	1,303	1,501	1,382	1,356	1,327	1,133	1,373	1,403	1,352	1,312	1,400
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.													
	BIRMINGHAM, ALA. (TOTAL).													
	All causes	2,597	211	216	222	200	264	204	232	213	187	200	220	228
1	Typhoid fever	66	1	2	3	2	1	3	9	14	16	9	6	
3	Malaria	35	1	1			1	2	6	3	5	8	6	2
5	Measles	24			3	7	10	2	1	1				
6	Scarlet fever	4	2					1					1	
7	Whooping cough	13			4	1	2	1	2	1			1	1
8	Diphtheria and croup	16	3		4		1			1		3	3	1
9	Influenza	17	3	4	4	2	1							3
13	Tuberculosis of the lungs	369	34	30	27	30	44	25	38	29	27	27	30	28
14–15	Other forms of tuberculosis	7	1	3	3									
17	Meningitis	34	8	3	8	2	3	3	2	2	2	1		
20–21	Bronchitis	1		1										
22	Pneumonia	242	36	30	35	23	23	7	10	11	9	9	32	17
(23)	Bronchopneumonia	62	3	5	10	10	3	5	5	4	3	3	5	6
25	Diarrhea and enteritis (under 2 years)	193	1	4	5	6	33	33	37	26	16	16	10	6
(37)	Diarrhea and enteritis (2 years and over)	51	2	2	5	4	9	6	6	1	8	4	1	3
(33)	Congenital debility [1]	21	1		5	1	2	2	1	2	1	2	2	2
35	Violent deaths (excluding suicide)	251	29	20	21	17	18	20	17	22	17	19	13	38
36	Suicide	27	2	5	3	2	1	4	3	2	1	2	1	1
	All other causes	1,164	84	106	82	93	112	90	95	94	82	97	109	120

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BIRMINGHAM, ALA. (WHITE).													
	All causes	1,206	94	103	107	101	115	93	109	106	78	91	111	98
1	Typhoid fever	40		2		2		2	6	9	9	7	3	
3	Malaria	10					1	2			2	4	1	
5	Measles	11			2	3	5	1						
6	Scarlet fever	4	2					1					1	
7	Whooping cough	9			2		1	1	2	1			1	1
8	Diphtheria and croup	12	1		3					1		3	3	1
9	Influenza	8	2	2	1	2	1							
13	Tuberculosis of the lungs	119	13	14	9	12	6	4	14	11	6	9	14	7
14–15	Other forms of tuberculosis	2	1		1									
17	Meningitis	15	2	1	4	1	2	1	2	1	1			
20–21	Bronchitis													
22	Pneumonia	99	15	14	16	7	8	2	3	4	3	3	14	10
(23)	Bronchopneumonia	25	1	2	4	6			3	2	1	1	2	3
25	Diarrhea and enteritis (under 2 years)	110		4	2	3	21	19	20	13	8	13	4	3
(37)	Diarrhea and enteritis (2 years and over)	22	1	1		2	5	1	3		4	2	1	2
(33)	Congenital debility [1]	10	1		2	1	1	1		1		2		1
35	Violent deaths (excluding suicide)	114	15	10	9	9	6	10	7	10	9	8	5	16
36	Suicide	24	2	3	3	2	1	3	3	2	1	2	1	1
	All other causes	572	38	50	49	51	57	45	46	51	34	37	61	53
	BIRMINGHAM, ALA. (COLORED).													
	All causes	1,391	117	113	115	99	149	111	123	107	109	109	109	130
1	Typhoid fever	26	1		3		1	1	3	5	7	2	3	
3	Malaria	25	1	1					6	3	3	4	5	2
5	Measles	13			1	4	5	1	1	1				
6	Scarlet fever													
7	Whooping cough	4			2	1	1							
8	Diphtheria and croup	4	2		1		1							
9	Influenza	9	1	2	3									3
13	Tuberculosis of the lungs	250	21	16	18	18	38	21	24	18	21	18	16	21
14–15	Other forms of tuberculosis	5		3	2									
17	Meningitis	19	6	2	4	1	1	2		1	1	1		
20–21	Bronchitis	1		1										
22	Pneumonia	143	21	16	19	16	15	5	7	7	6	6	18	7
(23)	Bronchopneumonia	37	2	3	6	4	3	5	2	2	2	2	3	3
25	Diarrhea and enteritis (under 2 years)	83	1		3	3	12	14	17	13	8	3	6	3
(37)	Diarrhea and enteritis (2 years and over)	29	1	1	5	2	4	5	3	1	4	2		1
(33)	Congenital debility [1]	11			3		1	1	1	1	1		2	1
35	Violent deaths (excluding suicide)	137	14	10	12	8	12	10	10	12	8	11	8	22
36	Suicide	3		2				1						
	All other causes	592	46	56	33	42	55	45	49	43	48	60	48	67
	LOS ANGELES, CAL.													
	All causes	4,538	441	387	400	359	381	356	337	324	333	395	351	474
1	Typhoid fever	46	1	4	1	4	1	5	5	4	5	6	5	5
3	Malaria	3							2			1		
5	Measles	50	11	9	17	8	4	1						
6	Scarlet fever	14	2	2	1	1	1	2	1		1			3
7	Whooping cough	19		1	5		2	4	3	3	1			
8	Diphtheria and croup	24	1	2	3	1	3	4	1	1	1		4	3
9	Influenza	20	2	2	3	1	2			1	1	3	1	4
13	Tuberculosis of the lungs	743	79	84	72	58	59	55	57	54	42	56	56	71
14–15	Other forms of tuberculosis	97	9	11	9	10	10	9	7	6	7	4	6	9
17	Meningitis	58	4	5	5	6	3	5	4	10	4	5	3	4
20–21	Bronchitis	45	5	5	3	5	7	5		2	3	6	4	
22	Pneumonia	215	35	33	18	15	20	5	9	4	18	11	13	34
(23)	Bronchopneumonia	60	7	4	6	8	7	7	3	1	2	3	3	9
25	Diarrhea and enteritis (under 2 years)	79	7	1	2	4	12	11	5	8	7	8	7	7
(37)	Diarrhea and enteritis (2 years and over)	30	1	2	1	4	1	2	4	3	1	4	4	3
(33)	Congenital debility [1]	50	4	2	4	5	6	5	1	1	6	6	5	5
35	Violent deaths (excluding suicide)	280	20	17	21	18	19	13	25	19	23	46	32	27
36	Suicide	97	10	9	13	4	4	9	5	9	7	7	9	11
	All other causes	2,608	243	194	216	207	220	214	205	198	204	229	199	279
	OAKLAND, CAL.													
	All causes	1,929	201	154	192	160	162	149	130	160	158	149	159	155
1	Typhoid fever	25	4	2	2	1	2	1	4	1	2	4	1	1
3	Malaria	2		1									1	
5	Measles	6		1	1	1		1	1					1
6	Scarlet fever	5	2			1	1					1		
7	Whooping cough	31	3	1	1	6	2	4	4	3	3	3	1	
8	Diphtheria and croup	11				3		1	4	1				2
9	Influenza	6	1	1	1					1			1	1
13	Tuberculosis of the lungs	191	23	16	22	20	16	5	12	12	15	12	22	16
14–15	Other forms of tuberculosis	26		1			3	7	4		2	4	1	4
17	Meningitis	22	1	4	3	1	1	5		4	1	1	1	
20–21	Bronchitis	25	5	1	8	1	1	3	3		1		1	1
22	Pneumonia	105	16	10	8	9	8	14	3	6	5	8	8	10
(23)	Bronchopneumonia	51	7	4	6	2	5	5	3	5	4	5	1	4
25	Diarrhea and enteritis (under 2 years)	59	2	3	4	4	1	6	4	6	6	14	5	4
(37)	Diarrhea and enteritis (2 years and over)	10	1	1		1	2	1		1	1	1		1
(33)	Congenital debility [1]	21	1	2	1		1	2	2	2	6	1	2	1
35	Violent deaths (excluding suicide)	135	16	5	11	14	18	11	6	13	9	8	14	10
36	Suicide	49	5	4	7	2	1	4	2	9	3	3	7	2
	All other causes	1,149	114	97	117	94	100	79	78	96	100	84	93	97

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	[REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	SAN FRANCISCO, CAL.													
	All causes	6,319	601	501	584	538	536	443	532	501	454	575	524	530
1	Typhoid fever	65	1	2	5	6	5	10	3	9	10	6	6	2
3	Malaria	8						1			2	3	1	1
5	Measles	22		1	10	1	2	2	2	2	1		1	
6	Scarlet fever	7					2	1				1	1	2
7	Whooping cough	32	1	3	5	3	7	3	3	3	1	1	1	1
8	Diphtheria and croup	37	2	3	3	3	5	6	1	2	5	3	2	2
9	Influenza	7	3	2		2								
13	Tuberculosis of the lungs	774	82	59	83	85	51	47	65	66	44	66	62	64
14–15	Other forms of tuberculosis	112	10	8	14	5	21	13	7	6	9	6	4	9
17	Meningitis	43	6	3	2	5	6	2	3	2	2	4	3	5
20–21	Bronchitis	101	12	5	9	8	17	9	6	2	9	5	5	14
22	Pneumonia	378	52	31	39	38	36	19	23	32	25	29	28	26
(23)	Bronchopneumonia	153	16	10	21	11	11	16	16	8	5	13	10	16
25	Diarrhea and enteritis (under 2 years)	170	9	10	12	13	12	17	15	15	13	32	13	9
(37)	Diarrhea and enteritis (2 years and over)	43	5	2	2	6	2	2	4	1	2	5	6	6
(33)	Congenital debility [1]	38	5	6	5	1	2	2	5	5	1	4	2	
35	Violent deaths (excluding suicide)	399	47	33	26	39	31	23	40	32	34	31	34	29
36	Suicide	185	22	18	20	13	13	16	13	10	15	15	14	11
	All other causes	3,745	328	305	328	294	313	254	326	306	276	351	331	333
	DENVER, COLO.													
	All causes	3,533	329	315	333	298	262	241	302	286	267	285	284	331
1	Typhoid fever	59	1	1		2		2	3	6	6	19	15	4
3	Malaria	2								1		1		
5	Measles	7		3			2		1					1
6	Scarlet fever	37	6	6	4	5	4	4	2	2	2			2
7	Whooping cough	5					1		1		1	1	1	
8	Diphtheria and croup	40	1	10	4	3	5	2	3	5	2	2		3
9	Influenza	20	2	4	3	3	2					2	1	3
13	Tuberculosis of the lungs	648	61	60	60	53	47	40	61	54	56	42	65	49
14–15	Other forms of tuberculosis	62	5	4	9	5	7	3	6	5	3	8	3	4
17	Meningitis	50	8	2	5	3		3	9	2	2	5	5	6
20–21	Bronchitis	23	2	4	3	3	2		1		1		3	4
22	Pneumonia	249	45	21	31	25	22	11	3	3	9	22	16	41
(23)	Bronchopneumonia	43	1	5	7	8	3	3	2		3	1	3	7
25	Diarrhea and enteritis (under 2 years)	116	1	3	2	4	5	15	26	17	25	6	5	7
(37)	Diarrhea and enteritis (2 years and over)	21	2	1	1		1		1	5	4	2	3	1
(33)	Congenital debility [1]	52	4	1	7	1	5	3	4	6	5	11	1	4
35	Violent deaths (excluding suicide)	173	18	18	17	10	14	13	16	22	16	10	15	9
36	Suicide	68	5	9	5	1	5	6	7	5	6	9	5	5
	All other causes	1,853	167	163	175	172	137	136	156	153	126	144	143	181
	BRIDGEPORT, CONN.													
	All causes	1,562	138	130	154	137	142	127	150	115	115	115	110	129
1	Typhoid fever	5						1	1		1	2		
3	Malaria	1					1							
5	Measles	6		2		2	1	1						
6	Scarlet fever	20	7	6	5		1							1
7	Whooping cough	27		1		1	5	1	5	3	4	2	1	4
8	Diphtheria and croup	28	1	3	5	2	4	3		1		3	4	2
9	Influenza	7	2	1	1	1		1						1
13	Tuberculosis of the lungs	183	20	16	17	16	16	14	19	15	16	7	11	16
14–15	Other forms of tuberculosis	21	3	1	3	2	1	1	2	2	1	1	3	1
17	Meningitis	23			1	5	2	4	4	2		1	3	1
20–21	Bronchitis	17	1	2	4	2	1	1	1			1	1	3
22	Pneumonia	132	15	16	15	15	21	10	1	9	3	6	7	14
(23)	Bronchopneumonia	40	4	5	7	6	3	3	2			1	2	7
25	Diarrhea and enteritis (under 2 years)	127	1	5	2	6	6	21	40	21	13	6	4	2
(37)	Diarrhea and enteritis (2 years and over)	6				1	1		2	1		1		
(33)	Congenital debility [1]	43	4	3	3	3	8	2	2	2	5	5	2	4
35	Violent deaths (excluding suicide)	75	6	4	7	2	8	7	7	4	8	5	11	6
36	Suicide	33	1	4	2	3	3	5	2	4	2	2	3	2
	All other causes	768	73	61	82	70	60	52	62	51	62	72	58	65
	NEW HAVEN, CONN.													
	All causes	2,219	197	198	204	191	213	162	238	167	146	170	137	196
1	Typhoid fever	24	1	1	1		1	2	2	3	5	4	3	1
3	Malaria	6				2	2		2					
5	Measles	6			1		1	2	1		1			
6	Scarlet fever	11		5	1	3	1						1	
7	Whooping cough	13	1		2		4		2	3	1			
8	Diphtheria and croup	17	2	2	1		3	1		1	2		2	3
9	Influenza	19	7	2	4	1					1	1	1	2
13	Tuberculosis of the lungs	197	19	22	21	17	15	16	19	13	16	18	9	12
14–15	Other forms of tuberculosis	38	3	2	6	4	8		7	4		3	1	
17	Meningitis	21	4	1		4	1	2	3	2	1	3		
20–21	Bronchitis	44	7	6	3	3	5	2	2	4		2	4	6
22	Pneumonia	211	32	29	23	29	14	7	6	4	9	15	15	28
(23)	Bronchopneumonia	68	7	10	4	9	8	4	2	8	3	2	5	6
25	Diarrhea and enteritis (under 2 years)	116	2	3	2	1	9	17	36	23	9	6	1	7
(37)	Diarrhea and enteritis (2 years and over)	19	1	1	4	2	1		4	3	2			1
(33)	Congenital debility [1]	31		2	2		6	5	5	4	3		2	2
35	Violent deaths (excluding suicide)	119	6	15	4	17	13	6	18	4	6	14	7	9
36	Suicide	16	1	2			2	4	2		2		3	
	All other causes	1,243	104	95	125	99	119	94	127	91	85	102	83	119

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	WASHINGTON, D. C. (TOTAL).													
	All causes	6,511	624	580	658	546	475	514	596	490	459	472	553	544
1	Typhoid fever	77	3	4	6	5	5	4	6	10	13	8	8	5
3	Malaria	9	2							1	2	4		
5	Measles	4						2		1				1
6	Scarlet fever	14	1	4	4	1	1					2		1
7	Whooping cough	35	1	2	9	3	2	1	5	6	4	1	1	
8	Diphtheria and croup	31	7	6	1	4	2		1	1	1	1	5	2
9	Influenza	79	23	19	14	11	3	2					2	5
13	Tuberculosis of the lungs	776	68	67	79	84	60	59	40	64	71	61	55	68
14–15	Other forms of tuberculosis	64	8	7	8	7	4	6	6	3	1	5	4	5
17	Meningitis	43	4	3	6	1	2	1	10	6	1	1	1	7
20–21	Bronchitis	121	14	12	16	9	9	7	7	3	5	12	13	14
22	Pneumonia	428	70	64	78	38	27	23	6	10	15	11	39	47
(23)	Bronchopneumonia	150	17	18	33	9	8	9	6	9	9	4	13	15
25	Diarrhea and enteritis (under 2 years)	307	4	5	6	5	7	37	106	76	31	18	8	4
(37)	Diarrhea and enteritis (2 years and over)	63	7	2	4		7	2	17	8	6	4	4	2
(33)	Congenital debility [1]	115	6	5	4	7	12	2	13	10	13	21	11	11
35	Violent deaths (excluding suicide)	261	21	19	22	24	16	22	28	18	20	22	19	30
36	Suicide	80	7	3	11	7	12	6	10	6	4	4	5	5
	All other causes	3,854	361	340	357	331	298	331	335	258	263	293	365	322
	WASHINGTON, D. C. (WHITE).													
	All causes	3,744	370	366	358	338	282	279	343	265	247	260	308	328
1	Typhoid fever	45	2	4	4	5	3	3	4	5	4	5	3	3
3	Malaria	4									1	3		
5	Measles	1												1
6	Scarlet fever	11		4	3	1						2		1
7	Whooping cough	9		1	4			1	2	1				
8	Diphtheria and croup	28	7	6	1	3	2		1	1	1	1	4	1
9	Influenza	42	17	12	5	3							2	3
13	Tuberculosis of the lungs	330	27	34	25	41	31	23	19	28	31	25	20	26
14–15	Other forms of tuberculosis	34	5	5	5	3		5	3	3	1	2	1	1
17	Meningitis	34	2	3	4	1	2		9	4		1	1	7
20–21	Bronchitis	66	7	11	8	2	5	3	3	3	3	7	3	11
22	Pneumonia	186	27	34	38	19	11	8	3	2	6	5	16	17
(23)	Bronchopneumonia	75	12	8	16	4	3	3		5	6	1	7	10
25	Diarrhea and enteritis (under 2 years)	128	2	2	4	3	3	8	40	37	19	4	3	3
(37)	Diarrhea and enteritis (2 years and over)	44	5		1		6	2	13	7	5	2	1	2
(33)	Congenital debility [1]	62		4	3	4	5		9	8	6	10	9	4
35	Violent deaths (excluding suicide)	149	16	11	10	15	7	14	10	6	9	16	14	21
36	Suicide	72	7	3	9	7	10	6	9	5	3	4	5	4
	All other causes	2,424	234	224	218	227	194	203	218	150	152	172	219	213
	WASHINGTON, D. C. (COLORED).													
	All causes	2,767	254	214	300	208	193	235	253	225	212	212	245	216
1	Typhoid fever	32	1		2		2	1	2	5	9	3	5	2
3	Malaria	5	2							1	1	1		
5	Measles	3						2		1				
6	Scarlet fever	3	1		1		1							
7	Whooping cough	26	1	1	5	3	2		3	5	4	1	1	
8	Diphtheria and croup	3				1							1	1
9	Influenza	37	6	7	9	8	3	2						2
13	Tuberculosis of the lungs	446	41	33	54	43	29	36	21	36	40	36	35	42
14–15	Other forms of tuberculosis	30	3	2	3	4	4	1	3			3	3	4
17	Meningitis	9	2		2			1	1	2	1			
20–21	Bronchitis	55	7	1	8	7	4	4	4		2	5	10	3
22	Pneumonia	242	43	30	40	19	16	15	3	8	9	6	23	30
(23)	Bronchopneumonia	75	5	10	17	5	5	6	6	4	3	3	6	5
25	Diarrhea and enteritis (under 2 years)	179	2	3	2	2	4	29	66	39	12	14	5	1
(37)	Diarrhea and enteritis (2 years and over)	19	2	2	3		1		4	1	1	2	3	
(33)	Congenital debility [1]	53	6	1	1	3	7	2	4	2	7	11	2	7
35	Violent deaths (excluding suicide)	112	5	8	12	9	9	8	18	12	11	6	5	9
36	Suicide	8			2		2		1	1	1			1
	All other causes	1,430	127	116	139	104	104	128	117	108	111	121	146	109
	ATLANTA, GA. (TOTAL).													
	All causes	2,938	229	228	267	261	281	244	231	243	204	236	275	239
1	Typhoid fever	78	2	1	3	3	3	1	13	12	19	6	12	3
3	Malaria	4					1		1			1	1	
5	Measles	14				2	2	5	4	1				
6	Scarlet fever	8	1				1	1		1		2		2
7	Whooping cough	16	2	1	1	2	2	2	2	2	2			
8	Diphtheria and croup	29	2	4	1		3	1		1	2	9	4	2
9	Influenza	13	3	3		2	4	1						
13	Tuberculosis of the lungs	282	25	22	31	36	19	26	16	24	15	26	21	21
14–15	Other forms of tuberculosis	25	1		1	4	6	3	1	1	2	3	1	2
17	Meningitis	20		1	5	2	4	2	3	1			2	
20–21	Bronchitis	28	3	4	3	3	1	2	2	1	2		1	6
22	Pneumonia	324	29	43	53	36	20	10	11	13	9	18	39	43
(23)	Bronchopneumonia	51	4	6	12	2	1	4	1		1	2	7	11
25	Diarrhea and enteritis (under 2 years)	154	4	2	3	7	20	29	27	26	16	8	5	7
(37)	Diarrhea and enteritis (2 years and over)	48		3	3	4	4	9	4	4	4	8	4	1
(33)	Congenital debility [1]	43	8	4	2	5	3	3	3	2	2	4	5	2
35	Violent deaths (excluding suicide)	175	18	17	14	16	16	7	11	15	18	12	12	19
36	Suicide	22	2	3	2			4	1	3	1		3	3
	All other causes	1,604	125	114	133	137	171	134	131	136	111	137	158	117

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	ATLANTA, GA. (WHITE).													
	All causes	1,609	125	120	145	126	155	131	133	136	128	124	161	125
1	Typhoid fever	58	1		3	3	2	1	9	10	13	4	9	3
3	Malaria	1											1	
5	Measles	12				2	1	5	3	1				
6	Scarlet fever	8	1				1	1		1		2		2
7	Whooping cough	7	2	1			1	2			1			
8	Diphtheria and croup	20	1	4			1			1	2	7	4	
9	Influenza	6	1	3			2							
13	Tuberculosis of the lungs	127	11	7	17	18	9	11	8	11	6	7	9	13
14-15	Other forms of tuberculosis	15			1	2	6	1			2	1	1	1
17	Meningitis	10			3	1		2	2				2	
20-21	Bronchitis	9	2	1	1	2	1			1				1
22	Pneumonia	111	11	17	18	5	6	2	4	5	6	6	15	16
(23)	Bronchopneumonia	30	3	2	8	1	1	1			1	2	5	6
25	Diarrhea and enteritis (under 2 years)	92	1	1	3	4	15	19	16	16	8	5	2	2
(37)	Diarrhea and enteritis (2 years and over)	35		3	2	3	3	6	3	3	4	5	3	
(33)	Congenital debility[1]	29	6	3	1	2	2	2	3	1	1	3	3	2
35	Violent deaths (excluding suicide)	80	7	8	6	8	6		6	5	13	6	7	8
36	Suicide	17	2	2	2			3	1	1	1		2	3
	All other causes	942	76	68	80	75	98	75	78	80	70	76	98	68
	ATLANTA, GA. (COLORED).													
	All causes	1,329	104	108	122	135	126	113	98	107	76	112	114	114
1	Typhoid fever	20	1	1			1		4	2	6	2	3	
3	Malaria	3					1		1			1		
5	Measles	2					1		1					
6	Scarlet fever													
7	Whooping cough	9			1	2	1		2	2	1			
8	Diphtheria and croup	9	1		1		2	1				2		2
9	Influenza	7	2			2	2	1						
13	Tuberculosis of the lungs	155	14	15	14	18	10	15	8	13	9	19	12	8
14-15	Other forms of tuberculosis	10	1			2		2	1	1		2		1
17	Meningitis	10		1	2	1	4		1	1				
20-21	Bronchitis	19	1	3	2	1		2	2		2		1	5
22	Pneumonia	213	18	26	35	31	14	8	7	8	3	12	24	27
(23)	Bronchopneumonia	21	1	4	4	1		3	1				2	5
25	Diarrhea and enteritis (under 2 years)	62	3	1		3	5	10	11	10	8	3	3	5
(37)	Diarrhea and enteritis (2 years and over)	13			1	1	1	3	1	1		3	1	1
(33)	Congenital debility[1]	14	2	1	1	3	1	1		1	1	1	2	
35	Violent deaths (excluding suicide)	95	11	9	8	8	10	7	5	10	5	6	5	11
36	Suicide	5		1				1		2			1	
	All other causes	662	49	46	53	62	73	59	53	56	41	61	60	49
	CHICAGO, ILL. (TOTAL).													
	All causes	33,241	2,913	2,775	3,288	2,852	2,863	2,574	2,765	2,740	2,490	2,429	2,645	2,907
1	Typhoid fever	300	21	12	17	14	13	14	22	33	44	36	48	26
3	Malaria	11	4	1	1		1		2	1	1			
5	Measles	191	15	17	25	30	23	40	21	5	3	2	2	8
6	Scarlet fever	404	39	38	39	37	62	33	21	20	15	20	28	52
7	Whooping cough	173	10	19	27	31	17	14	10	21	13	4		7
8	Diphtheria and croup	822	67	59	60	70	66	52	61	41	50	85	116	95
9	Influenza	146	19	18	31	13	16	6	1	3	2	5	12	20
13	Tuberculosis of the lungs	3,475	312	324	394	344	306	250	245	275	221	251	275	278
14-15	Other forms of tuberculosis	433	36	37	46	43	46	48	44	35	18	34	21	25
17	Meningitis	214	17	16	31	30	14	21	18	20	12	14	15	6
20-21	Bronchitis	171	27	25	22	20	13	14	9	3	9	8	10	11
22	Pneumonia	3,526	435	376	455	331	367	239	158	112	130	174	291	458
(23)	Bronchopneumonia	1,760	188	184	236	190	177	140	91	64	80	91	153	166
25	Diarrhea and enteritis (under 2 years)	3,511	156	170	217	162	168	218	626	647	532	292	174	149
(37)	Diarrhea and enteritis (2 years and over)	305	14	11	15	22	13	28	49	61	37	27	18	10
(33)	Congenital debility[1]	160	12	14	15	12	12	12	17	16	8	14	11	17
35	Violent deaths (excluding suicide)	2,094	146	142	161	186	162	175	189	190	181	179	185	198
36	Suicide	458	40	26	44	51	44	35	41	37	35	38	30	37
	All other causes	15,087	1,355	1,286	1,452	1,266	1,343	1,235	1,140	1,156	1,099	1,155	1,256	1,344
	CHICAGO, ILL. (WHITE).													
	All causes	32,130	2,808	2,685	3,180	2,767	2,757	2,485	2,684	2,625	2,419	2,366	2,544	2,810
1	Typhoid fever	289	19	11	16	13	13	13	22	32	41	36	48	25
3	Malaria	11	4	1	1		1		2	1	1			
5	Measles	186	14	17	25	28	23	38	21	5	3	2	2	8
6	Scarlet fever	403	39	38	38	37	62	33	21	20	15	20	28	52
7	Whooping cough	169	9	19	27	31	17	14	9	21	12	4		6
8	Diphtheria and croup	817	67	58	60	69	65	52	61	41	50	85	115	94
9	Influenza	141	19	17	31	13	15	6	1	3	2	4	10	20
13	Tuberculosis of the lungs	3,241	286	304	379	324	283	232	222	251	208	240	257	255
14-15	Other forms of tuberculosis	408	34	34	41	42	45	46	40	32	18	32	20	24
17	Meningitis	210	17	15	31	30	13	20	17	20	12	14	15	6
20-21	Bronchitis	169	27	24	22	19	13	14	9	3	9	8	10	11
22	Pneumonia	3,394	420	361	436	323	353	230	154	107	124	168	273	445
(23)	Bronchopneumonia	1,719	180	183	227	184	171	137	90	64	79	89	150	165
25	Diarrhea and enteritis (under 2 years)	3,471	156	167	215	162	168	212	622	635	524	292	174	144
(37)	Diarrhea and enteritis (2 years and over)	301	14	10	15	21	13	28	48	61	36	27	18	10
(33)	Congenital debility[1]	158	12	14	15	12	12	12	16	16	8	14	10	17
35	Violent deaths (excluding suicide)	2,030	140	136	159	182	154	169	182	180	179	178	178	193
36	Suicide	449	39	26	43	50	44	35	41	34	35	38	28	36
	All other causes	14,564	1,312	1,250	1,399	1,227	1,292	1,194	1,106	1,099	1,063	1,115	1,208	1,299

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	CHICAGO, ILL. (COLORED).													
	All causes	1,111	105	90	108	85	106	89	81	115	71	63	101	97
1	Typhoid fever	11	2	1	1	1	.....	1	.....	1	3	.....	.....	1
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	5	1	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	4	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1
8	Diphtheria and croup	5	.....	1	.....	1	1	.....	.....	.....	.....	.....	1	1
9	Influenza	5	.....	1	.....	.....	1	.....	.....	.....	.....	1	2	.....
13	Tuberculosis of the lungs	234	26	20	15	20	23	18	23	24	13	11	18	23
14–15	Other forms of tuberculosis	25	2	3	5	1	1	2	4	3	.....	2	1	1
17	Meningitis	4	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....
20–21	Bronchitis	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	132	15	15	19	8	14	9	4	5	6	6	18	13
(23)	Bronchopneumonia	41	8	1	9	6	6	3	1	.....	1	2	3	1
25	Diarrhea and enteritis (under 2 years)	40	.....	3	2	.....	.....	6	4	12	8	.....	.....	5
(37)	Diarrhea and enteritis (2 years and over)	4	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....
(33)	Congenital debility [1]	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....
35	Violent deaths (excluding suicide)	64	6	6	2	4	8	6	7	10	2	1	7	5
36	Suicide	9	1	.....	1	1	.....	.....	.....	3	.....	.....	2	1
	All other causes	523	43	36	53	39	51	41	34	57	36	40	48	45
	INDIANAPOLIS, IND. (TOTAL).													
	All causes	3,824	302	296	405	341	313	347	328	313	287	292	278	322
1	Typhoid fever	67	3	4	5	.....	.....	2	5	13	13	12	3	7
3	Malaria	4	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....
5	Measles	42	6	7	9	7	7	2	3	1	.....	.....	.....	.....
6	Scarlet fever	10	.....	1	3	2	2	1	.....	1	.....	.....	.....	.....
7	Whooping cough	41	.....	4	3	7	6	3	5	7	2	2	1	1
8	Diphtheria and croup	16	2	1	.....	1	.....	.....	.....	1	2	3	5	1
9	Influenza	54	9	16	12	4	1	2	1	1	.....	1	2	5
13	Tuberculosis of the lungs	420	28	28	47	44	33	46	41	21	38	34	28	32
14–15	Other forms of tuberculosis	105	6	11	11	8	12	10	7	12	6	12	4	6
17	Meningitis	21	.....	1	4	2	2	3	2	3	.....	.....	1	3
20–21	Bronchitis	45	4	3	4	2	2	2	3	1	3	5	7	9
22	Pneumonia	191	19	19	25	21	18	12	4	7	7	12	15	32
(23)	Bronchopneumonia	144	11	13	18	20	13	10	4	4	8	7	17	19
25	Diarrhea and enteritis (under 2 years)	177	4	4	2	6	10	17	53	39	26	10	3	3
(37)	Diarrhea and enteritis (2 years and over)	43	3	.....	4	2	4	5	4	8	7	4	2	.....
(33)	Congenital debility [1]	17	1	.....	1	4	1	5	1	.....	.....	2	1	1
35	Violent deaths (excluding suicide)	205	19	14	16	14	17	17	16	17	19	17	19	20
36	Suicide	56	5	3	9	6	2	3	7	4	4	7	2	4
	All other causes	2,166	182	167	232	191	183	207	170	172	152	164	167	179
	INDIANAPOLIS, IND. (WHITE).													
	All causes	3,275	257	259	351	295	267	294	285	271	239	246	235	276
1	Typhoid fever	62	3	4	5	.....	.....	2	5	10	13	11	3	6
3	Malaria	4	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....
5	Measles	35	6	7	7	6	4	1	3	1	.....	.....	.....	.....
6	Scarlet fever	8	.....	1	2	1	2	1	.....	1	.....	.....	.....	.....
7	Whooping cough	40	.....	4	3	7	6	2	5	7	2	2	1	1
8	Diphtheria and croup	14	2	1	.....	.....	.....	.....	.....	1	2	3	4	1
9	Influenza	46	7	13	10	4	1	2	1	1	.....	1	2	4
13	Tuberculosis of the lungs	323	21	25	34	37	25	35	29	16	29	25	20	27
14–15	Other forms of tuberculosis	81	5	11	7	6	10	9	5	10	3	8	4	3
17	Meningitis	18	.....	1	4	2	2	2	1	3	.....	.....	.....	3
20–21	Bronchitis	38	3	2	4	1	1	2	3	1	3	3	6	9
22	Pneumonia	159	15	18	21	19	14	12	4	3	5	11	12	25
(23)	Bronchopneumonia	110	9	10	12	16	10	8	4	3	4	5	14	15
25	Diarrhea and enteritis (under 2 years)	156	3	4	.....	6	9	14	48	35	22	9	3	3
(37)	Diarrhea and enteritis (2 years and over)	39	2	.....	3	2	4	5	3	8	7	3	2	.....
(33)	Congenital debility [1]	11	1	.....	.....	1	1	4	1	.....	.....	1	1	1
35	Violent deaths (excluding suicide)	169	17	10	13	13	11	15	14	13	18	14	16	15
36	Suicide	51	5	2	9	5	2	3	6	3	4	6	2	4
	All other causes	1,911	158	146	217	169	165	177	151	154	127	144	144	159
	INDIANAPOLIS, IND. (COLORED).													
	All causes	549	45	37	54	46	46	53	43	42	48	46	43	46
1	Typhoid fever	5	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	1
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	7	.....	.....	2	1	3	1	.....	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....
9	Influenza	8	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....	1
13	Tuberculosis of the lungs	97	7	3	13	7	8	11	12	5	9	9	8	5
14–15	Other forms of tuberculosis	24	1	.....	4	2	2	1	2	2	3	4	.....	3
17	Meningitis	3	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....
20–21	Bronchitis	7	1	1	.....	1	1	.....	.....	.....	.....	2	1	.....
22	Pneumonia	32	4	1	4	2	4	.....	.....	4	2	1	3	7
(23)	Bronchopneumonia	34	2	3	6	4	3	2	.....	1	4	2	3	4
25	Diarrhea and enteritis (under 2 years)	21	1	.....	2	.....	1	3	5	4	4	1	.....	.....
(37)	Diarrhea and enteritis (2 years and over)	4	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....
(33)	Congenital debility [1]	6	.....	.....	1	3	.....	1	.....	.....	.....	1	.....	.....
35	Violent deaths (excluding suicide)	36	2	4	3	1	6	2	2	4	1	3	3	5
36	Suicide	5	.....	1	.....	1	.....	.....	1	1	.....	1	.....	.....
	All other causes	255	24	21	15	22	18	30	19	18	25	20	23	20

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	LOUISVILLE, KY. (TOTAL).													
	All causes	3,756	338	331	305	326	309	327	300	337	241	314	317	311
1	Typhoid fever	71	1	2	4	6	3	6	8	11	10	8	8	4
3	Malaria	8						1	1		1	4	1	
5	Measles	3						1	1	1				
6	Scarlet fever	21		1	8	6	3	2				1		
7	Whooping cough	41	1	5	3	4	3	10	1	10	2	1	1	
8	Diphtheria and croup	24	1	4		2	1		1		2	6	6	1
9	Influenza	30	7	10	3	3		1				1		5
13	Tuberculosis of the lungs	499	43	52	30	50	50	45	41	43	27	41	45	32
14-15	Other forms of tuberculosis	43	6	5	4	3	9		4	3	2	4	1	2
17	Meningitis	67	6	3	7	6	7	6	5	10	9		5	3
20-21	Bronchitis	83	14	9	3	13	8	3	4	6	4	3	9	7
22	Pneumonia	395	48	39	32	26	36	11	14	12	13	16	26	32
(23)	Bronchopneumonia	37	8	6	1	3	3	2		1		5	3	5
25	Diarrhea and enteritis (under 2 years)	64	4	2	1	2	3	18	13	11	6	2	2	
(37)	Diarrhea and enteritis (2 years and over)	55	2	4	3	4	2	7	9	9	4	5	3	3
(33)	Congenital debility [1]	86	5	5	7	5	2	11	8	17	8	5	5	8
35	Violent deaths (excluding suicide)	156	13	22	15	6	9	14	13	13	14	15	9	13
36	Suicide	36	3	2	4	2	1	4	4	4	2	4	3	3
	All other causes	2,127	176	160	180	185	169	185	173	186	137	193	190	193
	LOUISVILLE, KY. (WHITE).													
	All causes	2,667	234	237	216	232	208	228	210	243	170	229	231	229
1	Typhoid fever	44		2	2	2	2	1	4	10	7	7	5	2
3	Malaria	1										1		
5	Measles	2						1		1				
6	Scarlet fever	15		1	6	5	1	1				1		
7	Whooping cough	26	1	4	1	2	2	6		8	2			
8	Diphtheria and croup	24	1	4		2	1		1		2	6	6	1
9	Influenza	20	5	6	3	2		1				1		2
13	Tuberculosis of the lungs	316	28	30	17	30	31	23	28	27	19	27	33	23
14-15	Other forms of tuberculosis	34	5	4	4	2	7		3	3	2	2	1	1
17	Meningitis	52	5	3	6	6	3	6	3	5	8		4	3
20-21	Bronchitis	46	9	7	1	6	4	3		3		2	6	5
22	Pneumonia	180	24	25	17	17	23	8	6	6	8	9	15	22
(23)	Bronchopneumonia	24	6	3		2	2	1				4	2	4
25	Diarrhea and enteritis (under 2 years)	51	1	1	1	2	3	16	9	10	4	2	2	
(37)	Diarrhea and enteritis (2 years and over)	37	2	3	1	3		6	8	5	2	3	1	3
(33)	Congenital debility [1]	61	4	4	5	3	2	7	5	12	6	4	4	5
35	Violent deaths (excluding suicide)	111	8	17	11	4	8	13	10	9	7	10	5	9
36	Suicide	34	3	2	4	2		4	4	3	2	4	3	3
	All other causes	1,589	132	121	137	142	119	131	129	141	101	146	144	146
	LOUISVILLE, KY. (COLORED).													
	All causes	1,089	104	94	89	94	101	99	90	94	71	85	86	82
1	Typhoid fever	27	1		2	4	1	5	4	1	3	1	3	2
3	Malaria	7						1	1		1	3	1	
5	Measles	1							1					
6	Scarlet fever	6			2	1	2	1						
7	Whooping cough	15		1	2	2	1	4	1	2		1	1	
8	Diphtheria and croup													
9	Influenza	10	2	4		1								3
13	Tuberculosis of the lungs	183	15	22	13	20	19	22	13	16	8	14	12	9
14-15	Other forms of tuberculosis	9	1	1		1	2		1			2		1
17	Meningitis	15	1		1		4		2	5	1		1	
20-21	Bronchitis	37	5	2	2	7	4		4	3	4	1	3	2
22	Pneumonia	125	24	14	15	9	13	3	8	6	5	7	11	10
(23)	Bronchopneumonia	13	2	3	1	1	1	1		1		1	1	1
25	Diarrhea and enteritis (under 2 years)	13	3	1				2	4	1	2			
(37)	Diarrhea and enteritis (2 years and over)	18		1	2	1	2	1	1	4	2	2	2	
(33)	Congenital debility [1]	25	1	1	2	2		4	3	5	2	1	1	3
35	Violent deaths (excluding suicide)	45	5	5	4	2	1	1	3	4	7	5	4	4
36	Suicide	2					1			1				
	All other causes	538	44	39	43	43	50	54	44	45	36	47	46	47
	NEW ORLEANS, LA. (TOTAL).													
	All causes	7,250	675	622	614	648	682	580	547	544	504	551	625	658
1	Typhoid fever	107	5	8	7	7	5	13	12	13	14	9	7	7
3	Malaria	33	1		3		3	2	4	5	6	1	7	1
5	Measles	66	4	2	12	18	18	7	1	1			2	1
6	Scarlet fever	28	3	5	5	4	7	3				1		
7	Whooping cough	14		1		2		1	2	2		2	3	1
8	Diphtheria and croup	37	4	9	1	3	5	1		1	5	2	5	1
9	Influenza	172	26	34	21	14	7	5		1		5	25	34
13	Tuberculosis of the lungs	905	66	75	63	89	85	69	88	65	61	88	75	81
14-15	Other forms of tuberculosis	65	9	7	6	3	6	10	5	4	2	6	4	3
17	Meningitis	48	5	3	4	9	5	5	2	3	5	1	2	4
20-21	Bronchitis	114	23	14	13	10	5	4	8	4	8	4	10	11
22	Pneumonia	471	72	64	59	36	45	17	22	15	11	20	50	60
(23)	Bronchopneumonia	188	17	32	25	16	18	17	9	4	10	4	18	18
25	Diarrhea and enteritis (under 2 years)	448	15	15	10	55	85	75	35	56	30	24	24	24
(37)	Diarrhea and enteritis (2 years and over)	98	6	5	5	11	13	12	12	6	9	8	7	4
(33)	Congenital debility [1]	83	4	4	7	9	9	6	9	5	4	12	10	4
35	Violent deaths (excluding suicide)	387	42	32	32	25	27	27	33	40	34	32	21	42
36	Suicide	74	7	5	6	5	8	4	4	5	12	8	4	6
	All other causes	3,912	366	307	335	332	331	302	301	314	293	324	351	356

[1] Excluding prematurе birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW ORLEANS, LA. (WHITE).													
	All causes	4,311	410	390	381	376	426	321	310	313	291	332	362	399
1	Typhoid fever	67	3	6	5	6	5	6	6	9	8	6	4	3
3	Malaria	18			2			1		2	5		7	1
5	Measles	59	4	2	10	18	17	5		1			1	1
6	Scarlet fever	24	3	4	3	4	6	3				1		
7	Whooping cough	8		1		1				2		2	2	
8	Diphtheria and croup	30	2	9	1	2	4	1		1	2	2	5	1
9	Influenza	107	15	28	15	9	4	2				2	10	22
13	Tuberculosis of the lungs	454	42	39	27	44	41	26	50	25	24	42	45	49
14–15	Other forms of tuberculosis	37	5	3	2	1	4	7	4	2	1	4	3	1
17	Meningitis	33	4	3	3	4	4	3	1	3	4		2	2
20–21	Bronchitis	64	16	9	10	5	2	1	2	1	3	3	7	5
22	Pneumonia	231	42	31	30	15	23	4	10	5	6	9	24	32
(23)	Bronchopneumonia	72	7	14	12	7	6	5	4	2	5	1	3	6
25	Diarrhea and enteritis (under 2 years)	298	10	14	7	35	63	55	18	34	21	14	12	15
(37)	Diarrhea and enteritis (2 years and over)	51	5	5	2	5	8	4	2	3	6	3	4	4
(33)	Congenital debility[1]	32	1	1	4	5	1	4	2	4	1	3	5	1
35	Violent deaths (excluding suicide)	220	20	20	26	12	13	14	21	21	18	19	15	21
36	Suicide	67	7	4	6	5	8	4	3	5	9	6	4	6
	All other causes	2,439	224	197	216	198	217	176	187	193	178	215	209	229
	NEW ORLEANS, LA. (COLORED).													
	All causes	2,939	265	232	233	272	256	259	237	231	213	219	263	259
1	Typhoid fever	40	2	2	2	1		7	6	4	6	3	3	4
3	Malaria	15	1		1		3	1	4	3	1	1		
5	Measles	7			2		1	2	1				1	
6	Scarlet fever	4		1	2		1							
7	Whooping cough	6				1		1	2				1	1
8	Diphtheria and croup	7	2			1	1				3			
9	Influenza	65	11	6	6	5	3	3		1		3	15	12
13	Tuberculosis of the lungs	451	24	36	36	45	44	43	38	40	37	46	30	32
14–15	Other forms of tuberculosis	28	4	4	4	2	2	3	1	2	1	2	1	2
17	Meningitis	15	1		1	5	1	2	1		1	1		2
20–21	Bronchitis	50	7	5	3	5	3	3	6	3	5	1	3	6
22	Pneumonia	240	30	33	29	21	22	13	12	10	5	11	26	28
(23)	Bronchopneumonia	116	10	18	13	9	12	12	5	2	5	3	15	12
25	Diarrhea and enteritis (under 2 years)	150	5	1	3	20	22	20	17	22	9	19	12	9
(37)	Diarrhea and enteritis (2 years and over)	47	1		3	6	5	8	10	3	3	5	3	
(33)	Congenital debility[1]	51	3	3	3	4	8	2	7	1	3	9	5	3
35	Violent deaths (excluding suicide)	167	22	12	6	13	14	13	12	19	16	13	6	21
36	Suicide	7		1					1		3	2		
	All other causes	1,473	142	110	119	134	114	126	114	121	115	109	142	127
	BALTIMORE, MD. (TOTAL).													
	All causes	10,753	1,085	975	921	855	778	814	974	910	797	853	856	935
1	Typhoid fever	235	7	13	10	4	2	8	8	34	46	41	37	25
3	Malaria	11	1					2	3			2	1	2
5	Measles	20	1	5	3			4	1	1			1	4
6	Scarlet fever	48	5	6	8	6	6	2	3	2	1		4	5
7	Whooping cough	85	5	13	10	11	9	17	8	3	4	4	1	
8	Diphtheria and croup	64	10	3	4	2	3	2		2	5	6	11	16
9	Influenza	64	16	18	12	5	6	2		1	1		1	2
13	Tuberculosis of the lungs	1,276	110	111	119	118	104	92	101	107	97	103	105	109
14–15	Other forms of tuberculosis	128	8	10	20	15	10	9	15	8	13	5	7	8
17	Meningitis	124	5	14	13	10	12	13	13	9	9	12	9	5
20–21	Bronchitis	173	20	23	16	14	16	6	4	6	8	9	21	30
22	Pneumonia	725	136	98	83	78	56	29	21	14	23	30	68	89
(23)	Bronchopneumonia	346	58	61	40	29	18	13	11	13	13	11	34	45
25	Diarrhea and enteritis (under 2 years)	639	17	11	8	14	15	54	196	147	80	65	22	10
(37)	Diarrhea and enteritis (2 years and over)	101	5	2	8	6	5	9	17	25	6	8	5	5
(33)	Congenital debility[1]	380	44	26	30	29	30	32	40	40	29	36	19	25
35	Violent deaths (excluding suicide)	441	55	30	24	29	34	44	42	41	28	40	33	41
36	Suicide	81	10	8	8	3	6	9	6	7	6	6	6	6
	All other causes	5,812	572	523	505	482	446	467	485	450	428	475	471	508
	BALTIMORE, MD. (WHITE).													
	All causes	8,152	812	738	720	655	586	591	736	693	619	635	646	721
1	Typhoid fever	193	5	11	10	1	1	6	5	28	35	33	35	23
3	Malaria	9						2	2			2	1	2
5	Measles	19	1	5	3			4		1			1	4
6	Scarlet fever	46	5	6	7	6	6	2	2	2	1		4	5
7	Whooping cough	47	3	6	6	7	6	6	5	1	4	2	1	
8	Diphtheria and croup	60	9	3	4	2	3	2		1	5	6	9	16
9	Influenza	51	13	17	8	4	4	1		1			1	2
13	Tuberculosis of the lungs	816	70	73	80	76	62	54	64	62	71	61	72	71
14–15	Other forms of tuberculosis	91	7	7	17	8	9	6	10	5	5	5	5	7
17	Meningitis	103	4	12	12	7	10	11	11	6	7	12	7	4
20–21	Bronchitis	143	17	18	13	12	14	5	4	5	5	6	19	25
22	Pneumonia	531	93	69	64	57	41	21	16	9	18	21	49	73
(23)	Bronchopneumonia	249	42	43	27	17	13	7	9	8	11	9	25	38
25	Diarrhea and enteritis (under 2 years)	470	16	7	3	11	11	36	146	111	60	48	16	5
(37)	Diarrhea and enteritis (2 years and over)	74	4	2	5	3	4	7	12	22	3	5	2	5
(33)	Congenital debility[1]	291	33	20	22	25	25	25	34	34	26	18	13	16
35	Violent deaths (excluding suicide)	344	39	24	21	25	29	31	33	32	21	31	25	33
36	Suicide	79	10	8	8	3	6	9	4	7	6	6	6	6
	All other causes	4,536	441	407	410	391	342	356	379	358	341	370	355	386

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BALTIMORE, MD. (COLORED).													
	All causes	2,601	273	237	201	200	192	223	238	217	178	218	210	214
1	Typhoid fever	42	2	2		3	1	2	3	6	11	8	2	2
3	Malaria	2	1						1					
5	Measles	1							1					
6	Scarlet fever	2			1				1					
7	Whooping cough	38	2	7	4	4	3	11	3	2		2		
8	Diphtheria and croup	4	1							1			2	
9	Influenza	13	3	1	4	1	2	1			1			
13	Tuberculosis of the lungs	460	40	38	39	42	42	38	37	45	26	42	33	38
14–15	Other forms of tuberculosis	37	1	3	3	7	1	3	5	3	8		2	1
17	Meningitis	21	1	2	1	3	2	2	2	3	2		2	1
20–21	Bronchitis	30	3	5	3	2	2	1		1	3	3	2	5
22	Pneumonia	194	43	29	19	21	15	8	5	5	5	9	19	16
(23)	Bronchopneumonia	97	16	18	13	12	5	6	2	5	2	2	9	7
25	Diarrhea and enteritis (under 2 years)	169	1	4	5	3	4	18	50	36	20	17	6	5
(37)	Diarrhea and enteritis (2 years and over)	27	1		3	3	1	2	5	3	3	3	3	
(33)	Congenital debility [1]	89	11	6	8	4	5	7	6	6	3	18	6	9
35	Violent deaths (excluding suicide)	97	16	6	3	4	5	13	9	9	7	9	8	8
36	Suicide	2							2					
	All other causes	1,276	131	116	95	91	104	111	106	92	87	105	116	122
	BOSTON, MASS.													
	All causes	11,562	1,065	1,019	1,128	1,067	943	825	923	910	919	909	872	982
1	Typhoid fever	76	2	3	1	2	7	1	5	8	16	7	17	7
3	Malaria	1					1							
5	Measles	96	7	11	13	10	27	7	9	8	1		1	2
6	Scarlet fever	62	4	7	4	6	13	4	4	6	2	2	2	8
7	Whooping cough	51	4	2	4	5	1	4	3	3	7	7	6	5
8	Diptheria and croup	161	18	19	14	15	14	12	15	9	12	14	5	14
9	Influenza	51	5	10	10	10	7	1			1	1	1	5
13	Tuberculosis of the lungs	1,157	99	104	122	114	114	89	84	86	86	80	85	94
14–15	Other forms of tuberculosis	222	21	14	20	21	24	19	19	18	22	16	9	19
17	Meningitis	105	14	15	8	7	8	10	10	4	11	6	4	8
20–21	Bronchitis	166	24	20	20	15	15	5	4	6	12	13	20	12
22	Pneumonia	1,042	133	132	130	136	75	37	46	34	63	60	83	113
(23)	Bronchopneumonia	393	40	27	37	40	28	31	25	17	23	31	39	55
25	Diarrhea and enteritis (under 2 years)	678	12	25	29	16	14	24	112	168	149	75	41	13
(37)	Diarrhea and enteritis (2 years and over)	51	4	1	1		4	4	14	9	5	4		5
(33)	Congenital debility [1]	109	14	9	7	18	9	12	5	6	13	4	7	5
35	Violent deaths (excluding suicide)	646	58	47	49	65	61	60	59	50	63	49	42	43
36	Suicide	103	4	5	12	11	7	11	10	8	4	11	13	7
	All other causes	6,392	602	568	647	576	514	494	499	470	429	529	497	567
	CAMBRIDGE, MASS.													
	All causes	1,576	146	134	160	149	121	101	149	121	114	117	141	123
1	Typhoid fever	10				3	1	1	1		1	2		1
3	Malaria													
5	Measles	4				3			1					
6	Scarlet fever	3					2		1					
7	Whooping cough	4						1	1	1		1		
8	Diphtheria and croup	24	2	4	2		2	1	2		2	1	1	7
9	Influenza	8	2		2	2						1		1
13	Tuberculosis of the lungs	258	23	20	26	36	24	16	27	19	14	17	21	15
14–15	Other forms of tuberculosis	25	4	2	4	4	1	1		1	3	2		3
17	Meningitis	10	2	1			2		1		2	2		
20–21	Bronchitis	29	4	2	4	4	3	2	3	1	2		1	3
22	Pneumonia	140	18	18	21	24	10	8	3	2	6	10	11	9
(23)	Bronchopneumonia	52	8	3	7	1	2	4	2	4	3	4	7	7
25	Diarrhea and enteritis (under 2 years)	99	4	1	3	2	2	3	25	22	20	12	3	2
(37)	Diarrhea and enteritis (2 years and over)	10		1		1	2		3	1	1			1
(33)	Congenital debility [1]	22	1	2	4	1	2	2	2	1	2	1	3	1
35	Violent deaths (excluding suicide)	61	9	1	6	4	3	5	8	4	5	1	6	9
36	Suicide	9		1	2				1	1	2		2	
	All other causes	808	69	78	79	64	65	57	68	64	51	63	86	64
	FALL RIVER, MASS.													
	All causes	2,201	165	150	175	161	161	220	319	233	167	145	157	148
1	Typhoid fever	18	2				3		3	2	3	2	1	2
3	Malaria	1								1				
5	Measles	21			1			4	11	2	2	1		
6	Scarlet fever	3					1					1	1	
7	Whooping cough	19	1		1	1	1	1		4	2	2	1	5
8	Diphtheria and croup	23	1	3	1	2	2	1	3	1	1	3	2	3
9	Influenza	7	1		2	1	2							1
13	Tuberculosis of the lungs	170	13	21	12	10	18	14	19	16	11	13	12	11
14–15	Other forms of tuberculosis	17	3		2	3		3	2	1	1		1	1
17	Meningitis	28	5	2	3	5	3	3	1	4		1	1	
20–21	Bronchitis	94	12	9	16	17	5	9	5	4	4	3	5	5
22	Pneumonia	161	10	18	30	19	17	8	7	3	8	9	10	22
(23)	Bronchopneumonia	74	3	4	7	6	6	11	8	4	2	8	7	8
25	Diarrhea and enteritis (under 2 years)	448	11	9	2	6	22	67	161	87	43	21	15	4
(37)	Diarrhea and enteritis (2 years and over)	31		1	1	2	4	2	8	7		3	1	2
(33)	Congenital debility [1]	61	2	5	5	7	3	4	6	2	6	7	9	5
35	Violent deaths (excluding suicide)	57	6	6	4	2	6	5	11	4	1	5	2	5
36	Suicide	19			2		2	4		2	1	4	2	2
	All other causes	949	95	72	86	80	66	84	74	89	82	62	87	72

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	LOWELL, MASS.													
	All causes	2,101	186	187	208	172	145	153	224	157	160	181	146	182
1	Typhoid fever	21	2	1	1			2	2		6	3	4	
3	Malaria	2		1							1			
5	Measles	30	4	9	12	2	1	1				1		
6	Scarlet fever	44		1	7	10	10	9	2	2	1		1	1
7	Whooping cough	6					1	1				1	2	1
8	Diphtheria and croup	22	5	1	3		3		2		1	1		6
9	Influenza	8	2	1	1	2	1					1		
13	Tuberculosis of the lungs	120	10	13	11	12	9	4	10	16	9	10	10	6
14–15	Other forms of tuberculosis	34	1	2	4	7	2	1	3		4	2	2	6
17	Meningitis	25			3	3	4		3	1		6	3	2
20–21	Bronchitis	90	17	6	16	10	8	5	2	7	2	6	4	7
22	Pneumonia	154	19	22	25	20	12	3	2	8	8	8	16	11
(23)	Bronchopneumonia	56	10	7	8	8	2	4			1	4	7	5
25	Diarrhea and enteritis (under 2 years)	269	4	6	7	8	2	25	99	40	30	31	10	7
(37)	Diarrhea and enteritis (2 years and over)	26	5	4	3		1	1	4	2	3		1	2
(33)	Congenital debility [1]	81	9	4	7	3	6	3	5	6	8	13	10	7
35	Violent deaths (excluding suicide)	74	3	7	8	5	4	7	15	3	3	5	4	10
36	Suicide	17	2	3	1	2		2	3	2			1	1
	All other causes	1,022	93	99	91	80	79	85	72	70	83	89	71	110
	WORCESTER, MASS.													
	All causes	2,477	197	171	229	222	178	197	245	221	219	195	202	201
1	Typhoid fever	23	2	1	1					5	9	4		1
3	Malaria	1								1				
5	Measles	23	1	3	3	3	2	8					2	1
6	Scarlet fever	5		2			1	1					1	
7	Whooping cough	32	1		3	2	3	1	5	2	3	3	5	4
8	Diphtheria and croup	51	7	4	3	3	3	5	4	2	4	6	5	5
9	Influenza	7	1	1	2	2			1					
13	Tuberculosis of the lungs	152	18	12	15	14	10	12	11	15	10	10	17	8
14–15	Other forms of tuberculosis	41	2	1	6	5	2	6	2	3	6	3	3	2
17	Meningitis	23	1	1	1	3	3		3	2	2	1	3	3
20–21	Bronchitis	40	6	5	4	3	3	3	5		3	1	7	
22	Pneumonia	194	26	12	28	29	18	13	12	5	8	11	13	19
(23)	Bronchopneumonia	85	10	5	6	5	8	9	3	2	7	8	11	11
25	Diarrhea and enteritis (under 2 years)	197	3	3	4	3	7	19	57	47	33	16	3	2
(37)	Diarrhea and enteritis (2 years and over)	33			1	2	2	4	9	9	2	2	2	
(33)	Congenital debility [1]	38	1	3	1	4	1	3	6	4	3	7	3	2
35	Violent deaths (excluding suicide)	129	11	4	13	13	11	9	21	11	8	9	9	10
36	Suicide	11			1	1		2		1	2	1	1	2
	All other causes	1,392	107	114	137	130	104	102	106	112	119	113	117	131
	DETROIT, MICH.													
	All causes	7,452	605	540	734	652	579	623	736	664	606	570	575	568
1	Typhoid fever	108	4	6	7	2	4	3	5	20	22	12	14	9
3	Malaria	3					1				1	1		
5	Measles	31	10	2		1	4	8	2	2			1	1
6	Scarlet fever	76	16	8	8	11	10	7	3	1	2	3	6	1
7	Whooping cough	108	6	12	15	21	18	15	8	6	2	3	2	
8	Diphtheria and croup	159	13	19	12	9	7	8	6	12	16	19	19	19
9	Influenza	25	4	4	3	6	4	1					1	2
13	Tuberculosis of the lungs	465	38	37	45	33	29	41	36	41	41	49	34	41
14–15	Other forms of tuberculosis	79	4	8	8	7	13	5	10	2	3	7	6	6
17	Meningitis	127	8	10	13	9	10	8	13	14	9	7	8	18
20–21	Bronchitis	143	7	17	30	19	12	9	10	2	8	7	14	8
22	Pneumonia	447	65	63	88	65	29	18	10	11	11	18	27	42
(23)	Bronchopneumonia	331	25	22	41	59	39	33	7	14	12	13	32	34
25	Diarrhea and enteritis (under 2 years)	581	16	9	12	8	18	47	161	155	90	29	18	18
(37)	Diarrhea and enteritis (2 years and over)	60	3	1	1	1	5	7	18	9	6	3	3	3
(33)	Congenital debility [1]	302	25	22	25	18	20	35	27	27	22	26	25	30
35	Violent deaths (excluding suicide)	400	27	19	26	38	30	39	54	33	41	37	34	22
36	Suicide	122	4	8	14	10	12	10	12	7	12	12	12	9
	All other causes	3,885	330	273	386	335	314	329	354	308	308	324	319	305
	GRAND RAPIDS, MICH.													
	All causes	1,648	152	115	142	134	123	132	132	158	153	130	120	157
1	Typhoid fever	32	2	4	3	2		1	1		4	6	7	2
3	Malaria													
5	Measles													
6	Scarlet fever	20	4	2	6	1	2				1			4
7	Whooping cough	6		1		1		1			2	1		
8	Diphtheria and croup	12			1	2	2				1	3	3	
9	Influenza	6		2	3	1								
13	Tuberculosis of the lungs	115	12	10	12	12	7	12	8	9	7	10	9	7
14–15	Other forms of tuberculosis	25	2		1	3	3		4	3	2	2	3	2
17	Meningitis	17				1	1	4	3	4	3			1
20–21	Bronchitis	30	3	3	5	1	1	1		1	4	6	2	3
22	Pneumonia	75	12	10	9	6	7	2	1	2	3	5	5	13
(23)	Bronchopneumonia	18	4	1		1		1	2	1		1	2	5
25	Diarrhea and enteritis (under 2 years)	108	3	2	3	3	2	4	13	35	28	12		3
(37)	Diarrhea and enteritis (2 years and over)	26			2		2	4	5	5	4	1	2	1
(33)	Congenital debility [1]	43	2	1	4	2	6	2	3	3	6	7	4	3
35	Violent deaths (excluding suicide)	66	3	1	6	3	10	9	6	8	5	3	5	7
36	Suicide	13	2					2		1	4	1	1	2
	All other causes	1,036	103	78	87	95	80	89	86	86	79	72	77	104

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	MINNEAPOLIS, MINN.													
	All causes	3,739	268	303	345	326	301	309	324	342	295	294	300	332
1	Typhoid fever	178	13	31	42	23	5	2	4	11	21	10	11	5
3	Malaria													
5	Measles	48			13	14	11	8	1				1	
6	Scarlet fever	50	3	1	6	2	9	5	7	3	3	5	3	3
7	Whooping cough	7		2	1					3	1			
8	Diphtheria and croup	130	14	12	4	10	10	15	7	10	7	10	12	19
9	Influenza	4			3									1
13	Tuberculosis of the lungs	367	19	38	45	38	18	26	41	24	30	27	36	25
14–15	Other forms of tuberculosis	59	1	7	7	7	4	6	4	6	6	3		8
17	Meningitis	41	7	5	1	3	1	2	3	5	2	3	6	3
20–21	Bronchitis	31	4	1	2	2	2	1	1	3	3	3	6	3
22	Pneumonia	188	15	18	17	15	12	14	12	8	10	17	15	35
(23)	Bronchopneumonia	171	14	15	16	14	17	13	6	8	13	14	14	27
25	Diarrhea and enteritis (under 2 years)	240	9	9	9	6	4	16	55	56	28	24	13	11
(37)	Diarrhea and enteritis (2 years and over)	43	1		3	1	2	3	9	15	2	6		1
(33)	Congenital debility [1]	24	3	2	2	5	2		2	5	1	1		1
35	Violent deaths (excluding suicide)	222	14	10	22	14	15	27	20	20	20	21	22	17
36	Suicide	53	3	3	6	1	5	9	7	3	2	4	8	2
	All other causes	1,883	148	149	146	171	184	162	145	162	146	146	153	171
	ST. PAUL, MINN.													
	All causes	2,558	229	175	254	227	217	239	222	218	194	173	196	214
1	Typhoid fever	42	1	3	2	2	2	5	3	5	5	5	6	3
3	Malaria													
5	Measles	32	2	6	10	6	4	2		1				1
6	Scarlet fever	65	8	13	10	16	5	3	4		1	1	1	3
7	Whooping cough	11	1	1		1		1	1		5		1	
8	Diphtheria and croup	138	9	7	10	16	10	12	13	12	9	14	17	9
9	Influenza	2						1						1
13	Tuberculosis of the lungs	239	19	15	28	23	21	16	21	19	9	22	31	15
14–15	Other forms of tuberculosis	56	5	5	8	4	5	9	3	4	1	6	3	3
17	Meningitis	25	7	1	4	1	5	2	1	1	1		2	
20–21	Bronchitis	37	4	1	3	6	7	5		2	1	1	3	4
22	Pneumonia	132	18	6	17	10	17	12	8	6	3	10	13	12
(23)	Bronchopneumonia	79	6	4	9	10	15	10	6	2	4	2	3	8
25	Diarrhea and enteritis (under 2 years)	151	5	3	9	7	6	15	28	34	24	8	7	5
(37)	Diarrhea and enteritis (2 years and over)	18				1		3	1	6	2		2	3
(33)	Congenital debility [1]	58	4	4	7	6	4	5	3	6	5	6	6	2
35	Violent deaths (excluding suicide)	116	7	7	7	12	7	13	10	14	11	8	8	12
36	Suicide	30	4	1	8	3	2	2	2		3	3	1	1
	All other causes	1,327	129	98	122	103	107	123	118	106	110	87	92	132
	KANSAS CITY, MO. (TOTAL).													
	All causes	3,966	346	370	425	315	335	319	374	307	246	256	322	351
1	Typhoid fever	136	24	23	15	8	7	8	10	8	8	10	6	9
3	Malaria	10	1			1		1		2		4	1	2
5	Measles	71	1	15	28	17	8							2
6	Scarlet fever	58	11	13	10	9	6	1	4	1			2	1
7	Whooping cough	8	2			1	1	2				1	1	
8	Diphtheria and croup	54	7	7	5	1	6	1	3	2	1	11	5	5
9	Influenza	28	5	4	3	5		1	2				3	5
13	Tuberculosis of the lungs	375	36	29	34	37	31	36	34	28	18	23	33	36
14–15	Other forms of tuberculosis	46	1	4	3	4	6	6	3	3	3	7	3	3
17	Meningitis	48	5	6	2	2	5	4	2	10	2	2	5	3
20–21	Bronchitis	33	6	4	3		2	5	5		1	3	2	2
22	Pneumonia	266	41	39	34	17	18	7	10	8	9	15	22	46
(23)	Bronchopneumonia	100	6	5	23	13	13	8	4	2	4	4	6	7
25	Diarrhea and enteritis (under 2 years)	123	3	5	6	6	10	13	40	17	4	3	3	8
(37)	Diarrhea and enteritis (2 years and over)	22		1	2	2	1	6	3	4				3
(33)	Congenital debility [1]	93	5	13	10	2	3	5	11	5	8	13	10	8
35	Violent deaths (excluding suicide)	309	22	26	23	27	23	21	33	37	22	24	24	27
36	Suicide	85	5	7	11	14	5	8	4	8	7	3	5	8
	All other causes	2,101	165	169	213	144	190	181	206	172	159	133	191	178
	KANSAS CITY, MO. (WHITE).													
	All causes	3,317	294	312	359	252	275	253	317	261	209	207	279	299
1	Typhoid fever	117	22	21	12	7	5	6	10	7	7	9	5	6
3	Malaria	10	1			1		1		2		4	1	
5	Measles	65	1	15	27	14	6							2
6	Scarlet fever	56	11	13	10	8	5	1	4	1			2	1
7	Whooping cough	5	1			1	1					1	1	
8	Diphtheria and croup	47	7	7	4	1	5	1	3	2	1	7	5	4
9	Influenza	25	5	3	3	4		1	2				2	5
13	Tuberculosis of the lungs	225	25	20	18	17	18	17	19	19	10	16	20	26
14–15	Other forms of tuberculosis	36	1	2	2	2	5	4	3	3	3	6	2	3
17	Meningitis	44	5	4	1	2	5	4	2	10	1	2	5	3
20–21	Bronchitis	27	6	2	2		2	4	4			3	2	2
22	Pneumonia	205	34	28	27	10	15	5	9	7	6	12	18	34
(23)	Bronchopneumonia	83	5	4	15	15	13	8	3	1	4	3	5	7
25	Diarrhea and enteritis (under 2 years)	99	3	3	5	5	8	15	29	14	3	3	3	8
(37)	Diarrhea and enteritis (2 years and over)	20		1	2	2	1	5	3	4				2
(33)	Congenital debility [1]	82	5	11	10	2	1	5	9	4	7	10	10	8
35	Violent deaths (excluding suicide)	259	18	19	19	23	20	16	30	33	18	19	20	24
36	Suicide	83	4	7	11	13	5	8	4	8	7	3	5	8
	All other causes	1,829	140	152	191	125	160	152	183	146	142	109	173	156

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	KANSAS CITY, MO. (COLORED).													
	All causes	649	52	58	66	63	60	66	57	46	37	49	43	52
1	Typhoid fever	19	2	2	3	1	2	2		1	1	1	1	3
3	Malaria													
5	Measles	6			1	3	2							
6	Scarlet fever	2				1	1							
7	Whooping cough	3	1					2						
8	Diphtheria and croup	7			1		1					4		1
9	Influenza	3		1		1							1	
13	Tuberculosis of the lungs	150	11	9	16	20	13	19	15	9	8	7	13	10
14–15	Other forms of tuberculosis	10		2	1	2	1	2				1	1	
17	Meningitis	4		2	1						1			
20–21	Bronchitis	6		2	1			1	1		1			
22	Pneumonia	61	7	11	7	7	3	2	1	1	3	3	4	12
(23)	Bronchopneumonia	17	1	1	8	3			1	1		1	1	
25	Diarrhea and enteritis (under 2 years)	24		2	1	1	2	3	11	3	1			
(37)	Diarrhea and enteritis (2 years and over)	2						1						1
(33)	Congenital debility [1]	11		2			2		2	1	1	3		
35	Violent deaths (excluding suicide)	50	4	7	4	4	3	5	3	4	4	5	4	3
36	Suicide	2	1			1								
	All other causes	272	25	17	22	19	30	29	23	26	17	24	18	22
	ST. LOUIS, MO. (TOTAL).													
	All causes	10,888	995	970	1,054	842	922	934	931	831	778	818	857	956
1	Typhoid fever	103	5	4	9	3	9	2	5	12	20	12	14	8
3	Malaria	34		1		3	3	1	1	7	5	11	1	1
5	Measles	64	1	1	10	4	8	10	3	9	8	1	2	7
6	Scarlet fever	187	14	19	22	24	20	23	14	8	9	8	17	9
7	Whooping cough	57	4	7	8	3	10	5	7	7	4		2	
8	Diphtheria and croup	111	14	16	8	10	10	7	7	6	7	10	10	6
9	Influenza	129	25	21	32	8	14	3		2	1	2	8	13
13	Tuberculosis of the lungs	1,149	106	106	120	109	107	109	92	76	86	78	68	92
14–15	Other forms of tuberculosis	126	11	8	16	14	12	10	9	8	9	5	8	16
17	Meningitis	75	4	7	7	12	7	8	7	6	5	4	1	7
20–21	Bronchitis	307	35	39	38	29	25	15	15	13	14	24	31	29
22	Pneumonia	712	113	101	92	65	56	31	13	26	18	41	69	87
(23)	Bronchopneumonia	394	39	57	70	29	32	23	13	11	14	19	35	52
25	Diarrhea and enteritis (under 2 years)	596	13	21	29	21	25	81	148	100	66	56	22	14
(37)	Diarrhea and enteritis (2 years and over)	128	7	7	5	2	7	8	43	15	11	6	8	9
(33)	Congenital debility [1]	121	20	13	4	4	5	8	12	12	12	12	11	8
35	Violent deaths (excluding suicide)	604	51	45	52	41	42	58	54	57	42	52	46	64
36	Suicide	199	15	10	20	12	23	12	22	16	20	10	24	15
	All other causes	5,792	518	487	512	449	507	520	466	440	427	467	480	519
	ST. LOUIS, MO. (WHITE).													
	All causes	9,733	896	881	933	744	801	825	852	756	683	731	773	858
1	Typhoid fever	94	5	4	8	3	8	1	4	10	19	10	14	8
3	Malaria	30		1		3	2		1	7	4	10	1	1
5	Measles	63	1	1	9	4	8	10	3	9	8	1	2	7
6	Scarlet fever	182	14	19	22	23	20	22	12	8	9	8	17	8
7	Whooping cough	43	2	6	8	2	3	4	6	6	4		2	
8	Diphtheria and croup	110	14	16	8	10	9	7	7	6	7	10	10	6
9	Influenza	120	23	20	29	8	13	3		2	1	2	7	12
13	Tuberculosis of the lungs	937	88	86	100	89	81	85	78	63	67	66	58	76
14–15	Other forms of tuberculosis	97	9	6	13	8	7	8	9	7	7	5	7	11
17	Meningitis	71	4	7	7	11	7	7	7	5	4	4	1	7
20–21	Bronchitis	277	33	32	36	27	24	12	13	12	11	21	29	27
22	Pneumonia	627	98	96	75	60	48	27	12	23	15	34	62	77
(23)	Bronchopneumonia	351	37	55	59	25	27	15	11	10	13	18	32	49
25	Diarrhea and enteritis (under 2 years)	566	12	21	27	21	24	72	142	97	62	54	21	13
(37)	Diarrhea and enteritis (2 years and over)	116	7	7	5	1	5	7	40	14	10	5	8	7
(33)	Congenital debility [1]	107	17	11	4	4	5	8	11	11	7	11	11	7
35	Violent deaths (excluding suicide)	542	47	43	43	36	38	55	49	50	38	48	36	59
36	Suicide	198	15	10	20	12	23	12	21	16	20	10	24	15
	All other causes	5,202	470	440	460	397	449	470	426	400	377	414	431	468
	ST. LOUIS, MO. (COLORED).													
	All causes	1,155	99	89	121	98	121	109	79	75	95	87	84	98
1	Typhoid fever	9			1		1	1	1	2	1	2		
3	Malaria	4					1	1			1	1		
5	Measles	1			1									
6	Scarlet fever	5				1		1	2					1
7	Whooping cough	14	2	1		1	7	1	1	1				
8	Diphtheria and croup	1					1							
9	Influenza	9	2	1	3		1						1	1
13	Tuberculosis of the lungs	212	18	20	20	20	26	24	14	13	19	12	10	16
14–15	Other forms of tuberculosis	29	2	2	3	6	5	2		1	2		1	5
17	Meningitis	4				1		1		1	1			
20–21	Bronchitis	30	2	7	2	2	1	3	2	1	3	3	2	2
22	Pneumonia	85	15	5	17	5	8	4	1	3	3	7	7	10
(23)	Bronchopneumonia	43	2	2	11	4	5	8	2	1	1	1	3	3
25	Diarrhea and enteritis (under 2 years)	30	1		2		1	9	6	3	4	2	1	1
(37)	Diarrhea and enteritis (2 years and over)	12				1	2	1	3	1	1	1		2
(33)	Congenital debility [1]	14	3	2					1	1	5	1		1
35	Violent deaths (excluding suicide)	62	4	2	9	5	4	3	5	7	4	4	10	5
36	Suicide	1							1					
	All other causes	590	48	47	52	52	58	50	40	40	50	53	49	51

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	OMAHA, NEBR.													
	All causes	1,879	162	157	197	157	152	181	145	164	115	136	156	157
1	Typhoid fever	108	3	19	28	11	5	4	4	9	11	5	6	3
3	Malaria	1			1									
5	Measles	7			1		2	3	1					
6	Scarlet fever	19		2	4	3	3	5	1					1
7	Whooping cough	19	4	2	4	2		1		3	3			
8	Diphtheria and croup	17	1	3	2		2	3	1		1	1	3	
9	Influenza	10		1	1	2		2				1	1	2
13	Tuberculosis of the lungs	154	14	13	20	8	10	15	8	18	14	7	8	19
14–15	Other forms of tuberculosis	27	3	2	7		2	2		2		1	5	3
17	Meningitis	13	2	2		1	3			1	1		1	2
20–21	Bronchitis	14	2	2	1	1	3	1		1	1	1		1
22	Pneumonia	124	14	6	14	15	18	8	3	8	4	5	14	15
(23)	Bronchopneumonia	75	10	10	15	6	7	2	2	5	2	3	2	11
25	Diarrhea and enteritis (under 2 years)	78	8		2	4	3	6	12	21	6	5	6	5
(27)	Diarrhea and enteritis (2 years and over)	11	2			1			3	1	2		2	
(33)	Congenital debility [1]	28		4	1	6	3	4	1		1	2	3	3
35	Violent deaths (excluding suicide)	127	12	11	9	3	10	10	16	13	6	17	11	9
36	Suicide	31	4	4	2	1	1	3	2	1	4	3	4	2
	All other causes	1,016	83	76	85	93	80	112	91	81	59	85	90	81
	JERSEY CITY, N. J.													
	All causes	4,401	369	356	378	363	297	305	487	377	339	334	367	429
1	Typhoid fever	31			2		1	2	2	5	3	5	5	1
3	Malaria	3				1		1	1					
5	Measles	23		1	2	1	2	1	3		2		2	9
6	Scarlet fever	46	5	6	6	2	2	5	6	5	2	1	1	5
7	Whooping cough	13			1		1	1	1	3	2	1	2	1
8	Diphtheria and croup	83	4	9	7	9	6	7	3	1	7	7	11	12
9	Influenza	19	4		2	2	1	1			1	1	1	7
13	Tuberculosis of the lungs	474	37	41	60	50	33	27	41	41	33	39	30	37
14–15	Other forms of tuberculosis	45	3	6	6	5	2	2	5	4	3	5		4
17	Meningitis	57	5	6	4	5	3	6	7	5	7	1	5	3
20–21	Bronchitis	62	8	8	5	4	2	2	8	3	4	5	8	5
22	Pneumonia	322	38	30	36	31	25	14	11	13	9	22	37	56
(23)	Bronchopneumonia	162	24	19	15	13	14	10	10	8	6	5	13	25
25	Diarrhea and enteritis (under 2 years)	394	7	7	8	10	11	36	121	84	56	36	11	7
(37)	Diarrhea and enteritis (2 years and over)	52	2	1	5	4	3	1	14	5	8	5	4	
(33)	Congenital debility [1]	57	3	2	5	2	2	2	15	3	9	7	7	
35	Violent deaths (excluding suicide)	281	27	15	13	22	19	19	36	19	25	28	27	31
36	Suicide	61	4	4	3	5	2	7	3	5	7	4	10	7
	All other causes	2,216	198	201	198	197	168	161	200	173	146	162	193	219
	NEWARK, N. J.													
	All causes	5,784	562	463	529	497	465	417	545	422	426	419	463	576
1	Typhoid fever	46	2	1	2	3	2	2	4	8	10	5	4	3
3	Malaria	3								1	1			1
5	Measles	56	18	9	11	5	1	5	2	1	2		1	1
6	Scarlet fever	42	6	7		6	6	7	3	2	1		1	3
7	Whooping cough	65	5	3	6	2	6	6	8	12	6	5	3	3
8	Diphtheria and croup	107	9	14	16	9	8	6		3	5	12	10	15
9	Influenza	40	3	1	7	6	3	1					3	16
13	Tuberculosis of the lungs	748	76	58	66	69	75	54	66	48	59	47	64	66
14–15	Other forms of tuberculosis	111	13	7	16	8	6	3	10	15	7	9	11	6
17	Meningitis	53	3	8	6	3	5	4	6	6	3	6	1	2
20–21	Bronchitis	130	12	22	17	8	7	7	6	2	8	10	10	21
22	Pneumonia	351	52	25	55	50	34	11	9	7	12	10	26	60
(23)	Bronchopneumonia	277	66	33	35	30	18	10	8	7	6	14	16	34
25	Diarrhea and enteritis (under 2 years)	397	10	10	12	13	19	40	123	65	50	35	6	9
(37)	Diarrhea and enteritis (2 years and over)	47	2	3	2	3	3	3	10	7	8	3	2	1
(33)	Congenital debility [1]	77	3	5	5	5	4	8	7	4	5	15	8	8
35	Violent deaths (excluding suicide)	302	19	24	19	15	27	20	32	29	19	25	47	26
36	Suicide	74	3	3	10	7	2	7	7	6	7	7	4	11
	All other causes	2,853	260	230	244	255	239	223	239	199	212	216	246	290
	PATERSON, N. J.													
	All causes	1,857	184	148	171	159	128	130	187	150	147	145	140	168
1	Typhoid fever	9	1			2	1	1		1	1	2		
3	Malaria													
5	Measles	11	1		1	1	2	2	1	1			2	
6	Scarlet fever	12	1	1	1	3	1		2					3
7	Whooping cough	19	2		1		1	2		3	3	1	3	3
8	Diphtheria and croup	26	4	2		1		2	1	1	2	4	3	6
9	Influenza	5				2							2	1
13	Tuberculosis of the lungs	206	20	18	17	24	11	18	21	14	17	17	11	18
14–15	Other forms of tuberculosis	25	3	2	3	1	1	2	5	2	1	4	1	
17	Meningitis	29	4	1	3	1	1	1	3	3	2	2	3	5
20–21	Bronchitis	26	2	1	4	4		2		1	3	4	1	4
22	Pneumonia	137	27	14	20	18	10	2	2	6	6	7	9	16
(23)	Bronchopneumonia	67	10	11	11	5	3	2	3	3	2	4	5	8
25	Diarrhea and enteritis (under 2 years)	148	3	1	3	4	3	13	50	37	19	10	4	1
(37)	Diarrhea and enteritis (2 years and over)	18	2		3	2	1		6	3		1		
(33)	Congenital debility [1]	22	2	4	2	3	1		1	4	3	2		
35	Violent deaths (excluding suicide)	93	7	4	10	4	9	6	7	10	6	11	9	10
36	Suicide	27	3	1	2		3	2	4	3	3	2	2	2
	All other causes	977	92	88	90	84	80	75	81	58	79	74	85	91

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	ALBANY, N. Y.													
	All causes	1,943	171	173	198	180	171	128	202	110	127	137	138	208
1	Typhoid fever	14	.....	.....	2	1	2	1	2	2	1	1	.....	2
3	Malaria	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
5	Measles	24	6	12	.....	1	2	2	1	.....	.....	.....	.....	.....
6	Scarlet fever	12	.....	2	1	3	3	.....	2	1	.....	.....	.....	.....
7	Whooping cough	10	.....	.....	.....	.....	2	.....	2	3	1	1	1	.....
8	Diphtheria and croup	15	2	.....	1	1	1	1	2	1	1	2	2	1
9	Influenza	20	.....	2	7	5	3	.....	.....	.....	.....	1	1	1
13	Tuberculosis of the lungs	240	19	23	28	19	24	20	19	16	19	17	15	21
14–15	Other forms of tuberculosis	13	1	.....	.....	2	2	2	1	1	1	1	.....	2
17	Meningitis	21	1	.....	3	3	3	3	3	1	1	.....	.....	3
20–21	Bronchitis	17	2	2	2	4	1	.....	.....	.....	1	.....	3	2
22	Pneumonia	127	9	12	22	15	5	9	7	1	4	7	11	25
(23)	Bronchopneumonia	36	2	4	6	4	6	1	3	2	1	2	1	4
25	Diarrhea and enteritis (under 2 years)	54	2	1	.....	.....	3	3	25	9	5	4	1	1
(37)	Diarrhea and enteritis (2 years and over)	15	4	1	.....	2	1	2	2	.....	2	.....	.....	1
(33)	Congenital debility [1]	28	2	2	1	4	.....	1	3	7	1	3	.....	4
35	Violent deaths (excluding suicide)	81	6	2	3	13	6	5	14	7	7	3	4	11
36	Suicide	17	2	1	2	2	2	3	1	.....	.....	.....	4	.....
	All other causes	1,198	113	109	120	101	105	74	115	59	82	95	95	130
	BUFFALO, N. Y.													
	All causes	6,940	629	547	660	632	589	484	564	640	565	528	556	546
1	Typhoid fever	87	7	10	2	8	10	2	4	11	5	10	8	10
3	Malaria	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	94	42	16	13	5	4	5	4	3	.....	.....	1	1
6	Scarlet fever	228	39	22	32	19	13	22	16	6	14	10	15	20
7	Whooping cough	69	.....	.....	2	7	11	7	10	16	8	3	3	2
8	Diphtheria and croup	161	9	13	15	15	10	12	12	8	9	14	28	16
9	Influenza	30	3	3	5	6	5	3	1	.....	1	2	.....	1
13	Tuberculosis of the lungs	528	47	44	71	49	40	37	38	31	40	48	41	42
14–15	Other forms of tuberculosis	85	8	6	5	7	11	6	10	6	2	6	11	7
17	Meningitis	42	3	3	4	7	1	2	7	5	5	2	2	1
20–21	Bronchitis	128	14	9	22	15	20	13	3	10	5	4	5	8
22	Pneumonia	349	37	21	36	61	51	18	8	13	9	19	37	39
(23)	Bronchopneumonia	364	39	37	49	44	36	21	19	14	21	17	29	38
25	Diarrhea and enteritis (under 2 years)	563	16	12	20	21	24	13	90	162	107	46	31	21
(37)	Diarrhea and enteritis (2 years and over)	37	1	5	.....	4	7	3	1	5	6	2	1	2
(33)	Congenital debility [1]	57	4	6	10	4	4	3	5	7	4	1	5	4
35	Violent deaths (excluding suicide)	411	34	31	28	29	32	36	44	39	33	37	38	30
36	Suicide	56	4	2	7	2	6	7	3	5	4	8	3	5
	All other causes	3,650	322	307	338	329	304	274	289	299	292	299	298	299
	NEW YORK, N. Y. (TOTAL).													
	All causes	76,787	7,143	6,337	7,254	6,883	6,293	5,908	7,067	6,030	5,652	5,573	5,588	7,059
1	Typhoid fever	556	35	28	31	24	26	39	53	65	65	78	63	49
3	Malaria	32	1	5	.....	3	2	2	4	6	2	3	3	1
5	Measles	693	72	77	129	115	84	65	58	28	21	8	17	19
6	Scarlet fever	959	146	156	156	155	113	83	38	12	16	11	28	45
7	Whooping cough	282	17	14	19	31	27	23	40	36	19	17	17	22
8	Diphtheria and croup	1,710	197	190	211	220	181	151	111	91	56	78	108	116
9	Influenza	295	40	37	63	43	13	8	5	4	1	6	10	65
13	Tuberculosis of the lungs	8,881	785	714	887	826	753	676	726	682	697	696	654	785
14–15	Other forms of tuberculosis	1,246	123	100	102	110	132	124	122	87	102	84	78	82
17	Meningitis	549	42	39	46	48	65	47	44	45	46	41	32	54
20–21	Bronchitis	1,355	168	132	144	169	100	94	74	62	76	67	113	186
22	Pneumonia	5,866	718	536	787	643	498	314	214	198	211	351	495	901
(23)	Bronchopneumonia	4,834	577	531	548	510	407	317	292	238	288	273	329	524
25	Diarrhea and enteritis (under 2 years)	5,907	154	139	185	224	271	500	1,619	1,129	766	559	202	159
(37)	Diarrhea and enteritis (2 years and over)	580	21	28	23	46	24	53	134	93	54	46	34	24
(33)	Congenital debility [1]	1,365	107	94	119	149	132	83	94	140	123	125	86	113
35	Violent deaths (excluding suicide)	3,758	325	233	271	294	299	321	500	319	285	307	313	291
36	Suicide	809	69	59	66	64	81	90	79	61	63	65	60	52
	All other causes	37,080	3,546	3,225	3,467	3,209	3,085	2,918	2,860	2,734	2,761	2,758	2,946	3,571
	NEW YORK, N. Y. (WHITE).													
	All causes	74,274	6,919	6,144	7,033	6,673	6,093	5,696	6,825	5,829	5,438	5,386	5,395	6,843
1	Typhoid fever	541	34	28	31	22	26	37	52	62	62	76	62	49
3	Malaria	29	1	5	.....	3	2	2	3	5	2	2	3	1
5	Measles	682	71	76	129	112	83	62	56	28	21	8	17	19
6	Scarlet fever	955	145	155	156	155	113	81	38	12	16	11	28	45
7	Whooping cough	267	17	13	19	30	26	21	38	35	16	17	14	21
8	Diphtheria and croup	1,690	195	189	208	219	176	148	109	90	55	78	108	115
9	Influenza	279	38	35	60	40	12	8	4	3	1	5	9	64
13	Tuberculosis of the lungs	8,368	746	684	848	782	714	633	681	638	646	649	601	746
14–15	Other forms of tuberculosis	1,185	115	95	97	106	128	114	114	84	94	82	77	79
17	Meningitis	535	39	38	43	46	64	46	42	45	46	41	31	54
20–21	Bronchitis	1,324	163	129	132	159	96	88	72	60	73	65	108	179
22	Pneumonia	5,649	687	520	771	624	474	296	208	185	200	334	478	872
(23)	Bronchopneumonia	4,655	558	513	531	495	395	302	279	229	278	257	313	505
25	Diarrhea and enteritis (under 2 years)	5,744	151	137	180	216	267	489	1,570	1,095	746	546	197	150
(37)	Diarrhea and enteritis (2 years and over)	568	21	28	22	44	24	53	131	90	53	44	34	24
(33)	Congenital debility [1]	1,307	105	89	113	141	127	81	90	137	116	121	81	106
35	Violent deaths (excluding suicide)	3,646	314	224	264	285	292	314	482	312	273	299	307	280
36	Suicide	802	67	58	65	64	80	89	79	61	62	65	60	52
	All other causes	36,048	3,452	3,128	3,364	3,130	2,994	2,832	2,777	2,658	2,678	2,686	2,867	3,482

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.												
	NEW YORK, N. Y. (COLORED).												
	All causes	2,513	224	193	221	210	200	212	242	201	214	187	193	216
1	Typhoid fever	15	1			2		2	1	3	3	2	1	
3	Malaria	3							1	1		1		
5	Measles	11	1	1		3	1	3	2					
6	Scarlet fever	4	1	1				2						
7	Whooping cough	15		1		1	1	2	2	1	3		3	1
8	Diphtheria and croup	20	2	1	3	1	5	3	2	1	1			1
9	Influenza	16	2	2	3	3	1		1	1		1	1	1
13	Tuberculosis of the lungs	513	39	30	39	44	29	43	45	44	51	47	53	39
14–15	Other forms of tuberculosis	61	8	5	5	4	4	10	8	3	8	2	1	3
17	Meningitis	14	3	1	3	2	1	1	2				1	
20–21	Bronchitis	61	5	3	12	10	4	6	2	2	3	2	5	7
22	Pneumonia	217	31	16	16	19	24	18	6	13	11	17	17	29
(23)	Bronchopneumonia	179	19	18	17	15	12	15	13	9	10	16	16	19
25	Diarrhea and enteritis (under 2 years)	163	3	2	5	8	4	11	49	34	20	13	5	9
(37)	Diarrhea and enteritis (2 years and over)	12			1	2			3	3	1	2		
(33)	Congenital debility[1]	58	2	5	6	8	5	2	4	3	7	4	5	7
35	Violent deaths (excluding suicide)	112	11	9	7	9	7	7	18	7	12	8	6	11
36	Suicide	7	2	1	1		1	1			1			
	All other causes	1,032	94	97	103	79	91	86	83	76	83	72	79	89
	NEW YORK, N. Y. (BRONX BOROUGH).													
	All causes	6,968	635	614	660	640	574	525	568	522	549	546	496	639
1	Typhoid fever	41	2	4	2	3		3	4	4	6	4	6	3
3	Malaria	4		1			1		1			1		
5	Measles	54	5	6	7	9	11	3	5	3	1	2	1	1
6	Scarlet fever	77	11	20	9	13	6	6	3				3	6
7	Whooping cough	26	3	2	1	1	3	2	5	4	2		2	1
8	Diphtheria and croup	133	11	15	22	19	18	7	7	6	5	4	10	9
9	Influenza	23	7	3	3	5								5
13	Tuberculosis of the lungs	1,796	141	160	186	162	154	147	142	133	147	157	110	157
14–15	Other forms of tuberculosis	113	13	10	9	11	12	14	7	8	9	8	7	5
17	Meningitis	48	8	1	3	4	3	6	2	4	5	4	3	5
20–21	Bronchitis	73	6	7	7	8	4	1	2	7	4	6	8	13
22	Pneumonia	432	51	40	60	52	31	21	18	11	21	30	34	63
(23)	Bronchopneumonia	299	32	46	36	36	23	14	13	12	16	15	14	42
25	Diarrhea and enteritis (under 2 years)	324	11	4	5	14	10	27	85	53	55	39	13	8
(37)	Diarrhea and enteritis (2 years and over)	57	2	4		5	1	2	17	10	5	5	4	2
(33)	Congenital debility[1]	61	2	1	2	8	3	3	6	9	10	7	3	7
35	Violent deaths (excluding suicide)	284	16	17	23	30	17	26	33	22	28	21	31	20
36	Suicide	67	7	1	5	6	8	8	9	7	5	4	3	4
	All other causes	3,056	307	272	280	254	269	235	209	229	230	239	244	288
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).													
	All causes	25,686	2,497	2,059	2,432	2,271	2,118	2,020	2,429	1,949	1,817	1,775	1,876	2,443
1	Typhoid fever	196	16	10	8	10	10	14	21	20	20	24	22	21
3	Malaria	14	1	1		2		1	2	3		1	2	1
5	Measles	349	44	50	80	64	32	30	18	10	7	1	7	6
6	Scarlet fever	384	68	49	60	58	36	40	19	3	7	4	14	26
7	Whooping cough	82	6	3	3	6	7	8	11	13	7	5	3	10
8	Diphtheria and croup	561	66	54	74	71	59	46	35	26	14	28	37	51
9	Influenza	116	15	16	22	17	4	3	2	3		2	2	30
13	Tuberculosis of the lungs	2,490	217	180	248	216	218	198	225	190	181	201	204	212
14–15	Other forms of tuberculosis	354	35	20	28	34	39	37	35	23	36	28	17	22
17	Meningitis	145	8	9	7	11	19	10	13	12	13	11	10	22
20–21	Bronchitis	698	80	69	73	91	56	55	40	28	34	25	46	101
22	Pneumonia	2,036	262	181	266	220	179	108	67	68	67	106	173	339
(23)	Bronchopneumonia	1,674	221	176	213	172	143	114	86	75	97	93	106	178
25	Diarrhea and enteritis (under 2 years)	2,184	62	48	57	65	119	213	633	358	272	227	77	53
(37)	Diarrhea and enteritis (2 years and over)	224	6	7	11	18	8	23	59	37	21	14	11	9
(33)	Congenital debility[1]	163	13	7	18	17	19	11	11	16	20	16	7	8
35	Violent deaths (excluding suicide)	1,095	87	69	84	87	94	101	170	78	80	82	82	81
36	Suicide	246	19	21	23	21	18	26	26	21	16	24	18	13
	All other causes	12,675	1,271	1,089	1,157	1,091	1,058	982	956	965	925	883	1,038	1,260
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).													
	All causes	25,070	2,433	2,017	2,374	2,211	2,075	1,961	2,372	1,899	1,772	1,739	1,834	2,383
1	Typhoid fever	192	16	10	8	10	10	13	20	19	19	24	22	21
3	Malaria	13	1	1		2		1	1	3		1	2	1
5	Measles	345	43	50	80	63	31	30	17	10	7	1	7	6
6	Scarlet fever	383	68	49	60	58	36	39	19	3	7	4	14	26
7	Whooping cough	79	6	3	3	6	7	6	11	13	7	5	3	9
8	Diphtheria and croup	554	65	53	73	70	58	44	35	26	14	28	37	51
9	Influenza	104	13	14	19	17	3	3	1	2		2	1	29
13	Tuberculosis of the lungs	2,397	208	176	238	206	208	190	220	184	173	193	195	206
14–15	Other forms of tuberculosis	342	35	20	26	33	39	35	34	22	34	27	17	20
17	Meningitis	142	8	8	7	10	19	10	12	12	13	11	10	22
20–21	Bronchitis	664	77	68	67	85	54	52	38	26	32	25	44	96
22	Pneumonia	1,974	248	177	264	214	171	103	65	63	65	102	170	332
(23)	Bronchopneumonia	1,635	219	173	211	163	143	107	83	74	96	90	100	176
25	Diarrhea and enteritis (under 2 years)	2,134	61	48	57	63	117	208	617	349	267	221	77	49
(37)	Diarrhea and enteritis (2 years and over)	221	6	7	11	18	8	23	58	36	21	13	11	9
(33)	Congenital debility[1]	159	13	7	18	15	19	11	10	16	19	16	7	8
35	Violent deaths (excluding suicide)	1,069	80	67	81	85	94	100	166	78	78	81	81	78
36	Suicide	244	19	20	22	21	18	26	26	21	16	24	18	13
	All other causes	12,419	1,247	1,066	1,129	1,072	1,040	960	939	942	904	871	1,018	1,231

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).													
	All causes	616	64	42	58	60	43	59	57	50	45	36	42	60
1	Typhoid fever	4						1	1	1	1			
3	Malaria	1							1					
5	Measles	4	1			1	1		1					
6	Scarlet fever	1						1						
7	Whooping cough	3						2						
8	Diphtheria and croup	7	1	1	1	1	1	2						1
9	Influenza	12	2	2	3		1		1	1			1	1
13	Tuberculosis of the lungs	93	9	4	10	10	10	8	5	6	8	8	9	6
14–15	Other forms of tuberculosis	12			2	1		2	1	1	2	1		2
17	Meningitis	3		1		1			1					
20–21	Bronchitis	34	3	1	6	6	2	3	2	2	2		2	5
22	Pneumonia	62	14	4	2	6	8	5	2	5	2	4	3	7
(23)	Bronchopneumonia	39	2	3	2	9		7	3	1	1	3	6	2
25	Diarrhea and enteritis (under 2 years)	50	1			2	2	5	16	9	5	6		4
(37)	Diarrhea and enteritis (2 years and over)	3							1	1		1		
(33)	Congenital debility [1]	4				2			1		1			
35	Violent deaths (excluding suicide)	26	7	2	3	2		1	4		2	1	1	3
36	Suicide	2		1	1									
	All other causes	256	24	23	28	19	18	22	17	23	21	12	20	29
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).													
	All causes	38,699	3,537	3,269	3,714	3,539	3,189	2,930	3,456	3,044	2,871	2,855	2,809	3,486
1	Typhoid fever	267	14	13	20	8	13	19	23	31	33	43	28	22
3	Malaria	8		1			1		1	3	2			
5	Measles	256	22	17	35	40	34	30	29	13	13	4	7	12
6	Scarlet fever	453	63	79	76	76	64	36	13	8	8	7	11	12
7	Whooping cough	150	3	8	13	20	14	9	22	17	10	12	12	10
8	Diphtheria and croup	895	102	106	108	116	96	90	63	46	30	38	51	49
9	Influenza	126	15	14	29	18	7	5	3	1	1	3	7	23
13	Tuberculosis of the lungs	4,085	379	339	410	405	343	283	301	324	320	307	299	375
14–15	Other forms of tuberculosis	716	71	64	59	62	74	68	70	54	50	44	49	51
17	Meningitis	321	25	26	33	31	39	28	27	24	25	20	18	25
20–21	Bronchitis	532	72	47	56	62	33	29	28	23	35	29	53	65
22	Pneumonia	2,981	348	265	413	335	249	166	119	98	117	187	254	430
(23)	Bronchopneumonia	2,592	292	277	276	269	223	181	174	134	163	153	183	267
25	Diarrhea and enteritis (under 2 years)	2,950	77	77	116	137	132	233	733	618	396	251	94	86
(37)	Diarrhea and enteritis (2 years and over)	243	10	17	11	19	13	24	45	34	21	22	16	11
(33)	Congenital debility [1]	1,067	88	81	94	124	104	65	67	103	80	94	72	95
35	Violent deaths (excluding suicide)	2,054	195	135	147	152	161	167	243	170	150	133	180	171
36	Suicide	439	39	33	33	31	48	51	40	29	40	32	33	30
	All other causes	18,564	1,722	1,670	1,785	1,634	1,541	1,446	1,455	1,314	1,377	1,426	1,442	1,752
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).													
	All causes	37,129	3,405	3,149	3,576	3,406	3,074	2,802	3,296	2,923	2,730	2,727	2,685	3,353
1	Typhoid fever	259	13	13	20	7	13	18	23	30	32	41	27	22
3	Malaria	7		1			1		1	2	2			
5	Measles	250	22	17	35	33	34	27	28	13	13	4	7	12
6	Scarlet fever	451	62	78	76	76	64	36	13	8	8	7	11	12
7	Whooping cough	141	3	8	13	19	13	9	21	16	7	12	10	10
8	Diphtheria and croup	883	101	106	106	116	92	90	61	45	29	38	51	48
9	Influenza	123	15	14	29	16	7	5	3	1	1	2	7	23
13	Tuberculosis of the lungs	3,751	357	320	386	378	329	254	265	292	279	278	262	351
14–15	Other forms of tuberculosis	682	64	59	57	60	72	62	65	53	47	44	49	50
17	Meningitis	312	22	26	31	30	38	28	26	24	25	20	17	25
20–21	Bronchitis	508	71	45	50	58	31	26	28	23	34	27	51	64
22	Pneumonia	2,844	334	255	400	322	234	154	116	92	110	175	242	410
(23)	Bronchopneumonia	2,474	278	264	263	265	214	174	164	126	155	143	174	254
25	Diarrhea and enteritis (under 2 years)	2,850	75	75	112	131	130	227	702	597	384	244	90	83
(37)	Diarrhea and enteritis (2 years and over)	239	10	17	10	19	13	24	44	33	21	21	16	11
(33)	Congenital debility [1]	1,016	86	76	88	118	100	63	64	100	75	90	67	89
35	Violent deaths (excluding suicide)	1,985	191	130	143	145	156	162	234	166	142	176	175	165
36	Suicide	435	37	33	33	31	47	51	40	29	39	32	33	30
	All other causes	17,919	1,664	1,612	1,724	1,577	1,486	1,392	1,398	1,273	1,327	1,373	1,396	1,697
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).													
	All causes	1,570	132	120	138	133	115	128	160	121	141	128	124	130
1	Typhoid fever	8	1			1		1		1	1	2	1	
3	Malaria	1								1				
5	Measles	6				2		3	1					
6	Scarlet fever	2	1	1										
7	Whooping cough	9				1	1		1	1	3		2	
8	Diphtheria and croup	12	1		2		4		2	1	1			1
9	Influenza	3				2						1		
13	Tuberculosis of the lungs	334	22	19	24	27	14	29	36	32	41	29	37	24
14–15	Other forms of tuberculosis	34	7	5	2	2	2	6	5	1	3			1
17	Meningitis	9	3		2	1	1		1				1	
20–21	Bronchitis	24	1	2	6	4	2	3			1	2	2	1
22	Pneumonia	137	14	10	13	13	15	12	3	6	7	12	12	20
(23)	Bronchopneumonia	118	14	13	13	4	9	7	10	8	8	10	9	13
25	Diarrhea and enteritis (under 2 years)	100	2	2	4	6	2	6	31	21	12	7	4	3
(37)	Diarrhea and enteritis (2 years and over)	4			1				1	1		1		
(33)	Congenital debility [1]	51	2	5	6	6	4	2	3	3	5	4	5	6
35	Violent deaths (excluding suicide)	69	4	5	4	7	5	5	9	4	8	7	5	6
36	Suicide	4	2				1				1			
	All other causes	645	58	58	61	57	55	54	57	41	50	53	46	55

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (QUEENS BOROUGH).													
	All causes	3,965	356	282	317	309	308	313	443	377	315	287	304	354
1	Typhoid fever	41	2	1	1	3	2	2	4	7	5	4	7	3
3	Malaria	6		2		1		1				1	1	
5	Measles	28	1	4	5	1	6	1	5	2		1	2	
6	Scarlet fever	32	3	7	8	7	3	1	2		1			
7	Whooping cough	20	5	1	2	4	2	3	1	2				
8	Diphtheria and croup	101	15	9	5	14	7	8	5	10	7	6	9	6
9	Influenza	20	1	4	6	3						1		5
13	Tuberculosis of the lungs	358	36	22	28	27	30	31	40	27	37	25	32	23
14–15	Other forms of tuberculosis	45	4	4	3	2	6	5	7	2	3	3	2	4
17	Meningitis	29		3	3		4	3	1	5	2	5	1	2
20–21	Bronchitis	66	6	7	6	8	4	9	3	3	2	7	6	5
22	Pneumonia	308	39	33	38	27	28	16	9	18	3	20	26	51
(23)	Bronchopneumonia	200	22	24	18	25	16	6	10	10	8	9	22	30
25	Diarrhea and enteritis (under 2 years)	343	4	8	5	5	9	23	122	72	38	34	17	6
(37)	Diarrhea and enteritis (2 years and over)	47	2		1	4	1	2	10	12	6	4	3	2
(33)	Congenital debility [1]	58	3	5	3		4	4	7	9	10	6	4	3
35	Violent deaths (excluding suicide)	241	25	9	13	14	19	18	42	35	20	18	13	15
36	Suicide	41	3	2	3	4	7	4	3	3	2	3	4	3
	All other causes	1,981	185	137	169	160	160	176	172	160	171	140	155	196
	NEW YORK, N. Y. (RICHMOND BOROUGH).													
	All causes	1,469	118	113	131	124	104	120	171	138	100	110	103	137
1	Typhoid fever	11	1				1	1	1	3	1	3		
3	Malaria													
5	Measles	6			2	1	1	1	1					
6	Scarlet fever	13	1	1	3	1	4		1	1				1
7	Whooping cough	4					1	1	1					1
8	Diphtheria and croup	20	3	6	2		1		1	3		2	1	1
9	Influenza	10	2		3		2						1	2
13	Tuberculosis of the lungs	152	12	13	15	16	8	17	18	8	12	6	9	18
14–15	Other forms of tuberculosis	18		2	3	1	1		3		4	1	3	
17	Meningitis	6	1			2			1		1	1		
20–21	Bronchitis	16	4	2	2		3		1	1	1			2
22	Pneumonia	109	18	17	10	9	11	3	1	3	3	8	8	18
(23)	Bronchopneumonia	69	10	8	5	8	2	2	9	7	4	3	4	7
25	Diarrhea and enteritis (under 2 years)	106		2	2	3	1	4	46	28	5	8	1	6
(37)	Diarrhea and enteritis (2 years and over)	9	1				1	2	3		1	1		
(33)	Congenital debility [1]	16	1		2		2		3	3	3	2		
35	Violent deaths (excluding suicide)	84	2	3	4	11	8	9	12	14	7	3	7	4
36	Suicide	16	1	2	2	2		1	1	1		2	2	2
	All other causes	804	61	57	76	70	57	79	68	66	58	70	67	75
	ROCHESTER, N. Y.													
	All causes	3,215	317	250	334	262	242	229	253	276	266	280	238	268
1	Typhoid fever	30	4	1	1	1	2		1	2		6	7	5
3	Malaria	1						1						
5	Measles	13	2	3	3			2	2		1			
6	Scarlet fever	47	10	8	8	8	8	1	1	1		1		1
7	Whooping cough	13				1	3	1	4	2		1		1
8	Diphtheria and croup	38	3	5	5	5	3	3	1	1		4	3	5
9	Influenza	16	1	3	7	2						1		2
13	Tuberculosis of the lungs	301	24	35	41	29	27	15	31	13	19	19	23	25
14–15	Other forms of tuberculosis	49	4	3	2	7	1	9	6	2	2	7	4	2
17	Meningitis	15		1	2	1	2	2	2	3	1	1		
20–21	Bronchitis	79	9	3	8	8	7	5	5	5	4	6	9	10
22	Pneumonia	160	26	19	30	16	12	5		2	8	6	22	14
(23)	Bronchopneumonia	129	17	11	23	11	9	7	5	2	2	16	12	14
25	Diarrhea and enteritis (under 2 years)	219	1	7	4	5	9	10	24	61	60	21	9	8
(37)	Diarrhea and enteritis (2 years and over)	34		2	1	2		1	6	10	6		3	3
(33)	Congenital debility [1]	23	1		3	1	1	2	2	3	7	1	1	1
35	Violent deaths (excluding suicide)	156	11	8	11	13	8	11	13	20	19	13	16	13
36	Suicide	36	2	2	5	3	1	3	6	2	4	3	2	3
	All other causes	1,856	202	139	180	149	149	151	144	147	133	174	127	161
	SYRACUSE, N. Y.													
	All causes	2,123	183	194	193	202	182	153	188	204	156	175	134	159
1	Typhoid fever	39	1				1	3	4	4	8	6	9	3
3	Malaria													
5	Measles	12		1			1	3	1	2			2	2
6	Scarlet fever	23	2		2	3	3	3	2	3	1	1	3	
7	Whooping cough	4		1			1		1	1				
8	Diphtheria and croup	26	3		2	3	5		3	1	1	1	2	5
9	Influenza	10		5	4	1								
13	Tuberculosis of the lungs	128	10	16	17	14	14	7	15	15	3	8	5	4
14–15	Other forms of tuberculosis	23	1	2	1	2	4	2	1	5		2	3	
17	Meningitis	14	1	1	1	2			3	4	1	1		
20–21	Bronchitis	32	5	6	2	2	4	2	3	1	2	4	1	
22	Pneumonia	151	17	24	17	20	13	6	6	5	5	10	12	16
(23)	Bronchopneumonia	59	9	11	9	3	5	1	1	4	2	6	3	5
25	Diarrhea and enteritis (under 2 years)	169	8	3	5	8	8	10	29	39	28	19	8	4
(37)	Diarrhea and enteritis (2 years and over)	19	1	3	1	1		1	1	5	3	1	1	1
(33)	Congenital debility [1]	27	1	2	1	1	2	3	2	4	6	4		1
35	Violent deaths (excluding suicide)	123	10	8	11	9	9	8	10	11	13	9	15	10
36	Suicide	30	2	4	1	4	5	1	4		2	3	2	2
	All other causes	1,234	112	107	119	129	107	103	102	100	81	100	63	106

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	CINCINNATI, OHIO (TOTAL).													
	All causes	6,319	570	619	645	549	493	472	527	476	436	471	515	546
1	Typhoid fever	32	2	1	1	2	3	1	4	4	8	4	1	1
3	Malaria	1				1								
5	Measles	59	3	3	15	15	10	8	2		2			1
6	Scarlet fever	16	1			1				1	2	4	4	3
7	Whooping cough	30	3	3	10	3	4		1	5	1			
8	Diphtheria and croup	36	2	2	1	3	5	2	3	1	2	1	4	10
9	Influenza	77	9	17	29	7	1	1	1	1		1	7	3
13	Tuberculosis of the lungs	953	98	94	88	100	81	86	70	69	62	68	64	73
14–15	Other forms of tuberculosis	104	5	9	11	14	9	10	7	11	8	6	10	4
17	Meningitis	83	7	8	11	5	6	5	7	11	5	10	5	3
20–21	Bronchitis	171	25	20	21	17	23	11	8	5	5	11	10	15
22	Pneumonia	376	41	57	63	34	30	10	16	5	14	24	37	45
(23)	Bronchopneumonia	205	29	51	30	15	13	10	2	4	5	13	21	12
25	Diarrhea and enteritis (under 2 years)	328	8	8	14	22	11	27	87	64	33	25	13	16
(37)	Diarrhea and enteritis (2 years and over)	73	2	7	7	4	1	5	9	14	6	6	8	4
(33)	Congenital debility [1]	26	2	2	3		2	3	2	4	2	2	2	2
35	Violent deaths (excluding suicide)	351	30	33	24	22	25	25	45	26	37	28	32	24
36	Suicide	63	7	3	7	7	9	7	2	5	5	3	3	5
	All other causes	3,335	296	301	310	277	260	261	261	246	239	265	294	325
	CINCINNATI, OHIO (WHITE).													
	All causes	5,750	511	553	592	490	453	426	482	441	406	430	473	493
1	Typhoid fever	30	2	1	1	2	3	1	2	4	8	4	1	1
3	Malaria													
5	Measles	53	3	3	11	14	9	8	2		2			1
6	Scarlet fever	15	1			1					2	4	4	3
7	Whooping cough	28	2	3	9	3	4		1	5	1			
8	Diphtheria and croup	34	2	2	1	2	5	2	3	1	2	1	4	9
9	Influenza	76	9	16	29	7	1	1	1	1		1	7	3
13	Tuberculosis of the lungs	792	76	81	75	82	69	69	62	60	56	52	48	62
14–15	Other forms of tuberculosis	91	5	7	11	13	6	7	6	11	8	6	8	3
17	Meningitis	81	7	7	11	5	6	4	7	11	5	10	5	3
20–21	Bronchitis	161	22	19	21	16	22	9	7	5	5	11	10	14
22	Pneumonia	320	34	50	51	25	25	10	15	3	13	22	34	38
(23)	Bronchopneumonia	186	28	44	28	15	12	9	2	4	4	12	19	9
25	Diarrhea and enteritis (under 2 years)	299	7	7	12	20	10	22	77	62	32	24	11	15
(37)	Diarrhea and enteritis (2 years and over)	68	2	6	7	3	1	5	7	13	6	6	8	4
(33)	Congenital debility [1]	21	1	1	3		2	3	2	2	2	1	2	2
35	Violent deaths (excluding suicide)	315	27	29	21	18	23	24	39	21	34	28	29	22
36	Suicide	63	7	3	7	7	9	7	2	5	5	3	3	5
	All other causes	3,117	276	274	294	257	246	245	247	233	221	245	280	299
	CINCINNATI, OHIO (COLORED).													
	All causes	569	59	66	53	59	40	46	45	35	30	41	42	53
1	Typhoid fever	2							2					
3	Malaria	1				1								
5	Measles	6			4	1	1							
6	Scarlet fever	1								1				
7	Whooping cough	2	1		1									
8	Diphtheria and croup	2				1								1
9	Influenza	1		1										
13	Tuberculosis of the lungs	161	22	13	13	18	12	17	8	9	6	16	16	11
14–15	Other forms of tuberculosis	13		2		1	3	3	1				2	1
17	Meningitis	2		1				1						
20–21	Bronchitis	10	3	1		1	1	2	1					1
22	Pneumonia	56	7	7	12	9	5		1	2	1	2	3	7
(23)	Bronchopneumonia	19	1	7	2		1	1			1	1	2	3
25	Diarrhea and enteritis (under 2 years)	29	1	1	2	2	1	5	10	2	1	1	2	1
(37)	Diarrhea and enteritis (2 years and over)	5		1		1			2	1				
(33)	Congenital debility [1]	5	1	1						2		1		
35	Violent deaths (excluding suicide)	36	3	4	3	4	2	1	6	5	3		3	2
36	Suicide													
	All other causes	218	20	27	16	20	14	16	14	13	18	20	14	26
	CLEVELAND, OHIO.													
	All causes	8,047	654	620	792	676	684	664	799	767	628	573	566	624
1	Typhoid fever	101	10	6	5	13	7	2	4	4	15	15	10	10
3	Malaria	1						1						
5	Measles	96	9	10	22	19	19	8		3	3	2	1	
6	Scarlet fever	71	3	3	6	4	7	7	5	9	2	9	1	15
7	Whooping cough	37	2		1	4	4	4	6	9	3	1	1	2
8	Diphtheria and croup	120	12	7	8	11	5	8	9	12	10	10	12	16
9	Influenza	51	9	10	18	4	3	1		1			3	2
13	Tuberculosis of the lungs	717	45	67	95	63	68	55	55	50	62	48	59	50
14–15	Other forms of tuberculosis	109	8	12	15	15	7	13	8	8	9	5	5	4
17	Meningitis	59	6	4	6	1	1	7	7	7	5	6	5	4
20–21	Bronchitis	220	20	26	35	24	25	17	8	5	10	8	18	24
22	Pneumonia	421	54	45	46	47	29	32	17	15	11	31	41	53
(23)	Bronchopneumonia	297	32	23	43	48	39	17	9	7	13	10	20	36
25	Diarrhea and enteritis (under 2 years)	958	29	32	51	34	38	63	261	219	110	57	38	26
(37)	Diarrhea and enteritis (2 years and over)	71	2	4	5	3	9	2	12	14	11	3	4	2
(33)	Congenital debility [1]	70	8	2	11	4	9	7	2	9	3	5	5	5
35	Violent deaths (excluding suicide)	471	30	16	23	44	38	44	60	43	54	41	41	37
36	Suicide	103	7	7	7	4	12	16	4	6	14	9	7	10
	All other causes	4,074	363	346	395	334	364	360	332	346	293	313	295	328

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	COLUMBUS, OHIO.													
	All causes	2,810	208	208	233	246	241	225	240	246	208	224	223	258
1	Typhoid fever	33	3	1	1	3		1	4	5	6	5	3	1
3	Malaria													
5	Measles	43	5	1	13	6	8	5	4			1		
6	Scarlet fever	6	2	1	1	1			1					
7	Whooping cough	19	1		3	3	3	3	2	1	3			
8	Diphtheria and croup	21	1	1	1	2	6	1	1	3	2	1		2
9	Influenza	15		1	3	5	1	1		1				3
13	Tuberculosis of the lungs	324	25	25	31	39	34	23	33	26	16	23	24	25
14–15	Other forms of tuberculosis	65	3	3	4	5	7	7	6	7	9	5	3	6
17	Meningitis	36	1	7	3	1	2	5	4	3	3	1	3	3
20–21	Bronchitis	25	4	4		4	1	1		2		4	2	3
22	Pneumonia	142	20	11	22	17	14	5	9	2	3	10	10	19
(23)	Bronchopneumonia	106	6	8	14	14	10	8	6	1	4	7	10	18
25	Diarrhea and enteritis (under 2 years)	115	2	3	8	2	6	3	27	31	18	9	4	2
(37)	Diarrhea and enteritis (2 years and over)	24		1	3	1	1	2	4	5	2	3	1	1
(33)	Congenital debility [1]	25	2		5	1		3	2	1	3	4	3	1
35	Violent deaths (excluding suicide)	206	16	15	15	14	14	22	14	23	19	20	14	20
36	Suicide	44	5	4	4	4	1	5	3	2	4	2	5	5
	All other causes	1,561	112	122	152	124	133	130	120	133	116	129	141	149
	DAYTON, OHIO.													
	All causes	1,724	150	122	162	133	149	125	168	159	128	140	132	156
1	Typhoid fever	25	3	2	1	1	1		1	3	4	5	3	1
3	Malaria	1										1		
5	Measles	2								2				
6	Scarlet fever	11	1		3		3	2					2	
7	Whooping cough	23	1		4	2	1	2	7	3	2	1		
8	Diphtheria and croup	13	1	1	1	1	1	1	1		2	3	1	
9	Influenza	11	2	1	3	2							2	1
13	Tuberculosis of the lungs	189	18	13	20	20	17	18	13	11	17	14	12	16
14–15	Other forms of tuberculosis	32	5	2	1	3	2	2	6	4	1	2	2	2
17	Meningitis	37	3	1	4	2	6	2	3	2	4	3	3	4
20–21	Bronchitis	10			1	1		2	1	1			2	2
22	Pneumonia	108	14	13	13	10	6	9	2	2	5	6	15	13
(23)	Bronchopneumonia	79	9	5	12	8	6	2	5	4	2	6	7	13
25	Diarrhea and enteritis (under 2 years)	107	1	3	2	1	3	8	35	31	9	6	4	4
(37)	Diarrhea and enteritis (2 years and over)	16			1	2	2	1	3	4		2	1	
(33)	Congenital debility [1]	15	2	2	2	2	2		2		2	1		
35	Violent deaths (excluding suicide)	101	8	7	5	8	7	11	12	8	7	15	7	6
36	Suicide	27	1	2	1	2	4	2	5	4	1	1		4
	All other causes	917	81	70	88	68	88	63	72	80	72	74	71	90
	TOLEDO, OHIO.													
	All causes	2,470	212	183	245	215	222	195	185	218	196	217	199	183
1	Typhoid fever	63	4	5	4	2	5	3	3	9	6	13	4	5
3	Malaria	3				2	1							
5	Measles	28	6	8	7	2	2	2				1		
6	Scarlet fever	10			3	1	1	2					1	2
7	Whooping cough	10	3	1	3		3							
8	Diphtheria and croup	33	3	3	3	2	2	1	1	4	4	5	2	3
9	Influenza	16	2	1	4	2	4						1	2
13	Tuberculosis of the lungs	235	26	10	27	24	21	16	13	16	15	20	19	28
14–15	Other forms of tuberculosis	37	2	2	3	3	5	3	2	4	4	5	2	2
17	Meningitis	21	3	2		3		4	3	2	2		1	1
20–21	Bronchitis	34	5	5	4	5	3	2	2	1	1	1	2	3
22	Pneumonia	113	15	11	14	9	14	7	2	3	8	10	6	14
(23)	Bronchopneumonia	103	5	10	14	16	16	9	2	5	3	8	6	9
25	Diarrhea and enteritis (under 2 years)	150	5	4	5	4	8	6	21	41	24	19	11	2
(37)	Diarrhea and enteritis (2 years and over)	25		1	2	1	3	1	3	6	4	1		3
(33)	Congenital debility [1]	14	3	1		3	2		1		4			
35	Violent deaths (excluding suicide)	139	12	13	9	5	15	11	18	13	11	8	15	9
36	Suicide	37	1	2	3	5	4	2	4	4	3	4	3	2
	All other causes	1,399	117	104	140	126	113	126	110	110	107	122	126	98
	PORTLAND, OREG.													
	All causes	2,308	198	179	180	209	192	169	167	204	205	204	197	204
1	Typhoid fever	47	2	2		3	7	5	1	8	5	5	4	5
3	Malaria	1	1											
5	Measles	8		2	2		2		2					
6	Scarlet fever	21	3	2		1	7				2		3	3
7	Whooping cough	15	2	1		2	1	2		3	1		1	2
8	Diphtheria and croup	47	4	1	2	6	11	1	4	3	8	1	4	2
9	Influenza	11	2			1	1		1				3	3
13	Tuberculosis of the lungs	174	12	17	19	25	18	10	5	13	13	11	15	16
14–15	Other forms of tuberculosis	53	3	1	5	5	6	3	1	7	7	9	3	3
17	Meningitis	22	2		5	2	2		1	3	2	2	2	1
20–21	Bronchitis	25	3	4	3			3	2	3	1	3	1	2
22	Pneumonia	122	19	10	9	12	10	8	8	7	6	12	9	12
(23)	Bronchopneumonia	38	5	3	1	6	2	5	2	1	2	2	2	7
25	Diarrhea and enteritis (under 2 years)	69	3	1	2		3	3	7	22	12	8	5	3
(37)	Diarrhea and enteritis (2 years and over)	20	3	2	2	1	1	1	1	4	3	1		1
(33)	Congenital debility [1]	40	3	1	5	3	1	2	3	7	4	3	4	4
35	Violent deaths (excluding suicide)	167	12	9	10	9	11	16	20	10	17	17	20	16
36	Suicide	51	1	3	5	3	3	5	12	5	4	5		5
	All other causes	1,377	118	120	110	130	106	105	97	108	118	125	121	119

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PHILADELPHIA, PA. (TOTAL).													
	All causes	27,045	2,665	2,529	2,603	2,284	2,117	2,135	2,522	2,078	1,751	1,898	2,112	2,351
1	Typhoid fever	272	47	31	24	21	12	12	8	16	31	35	14	21
3	Malaria	7				1	1	1		1	2		1	
5	Measles	164	2	2	4	16	21	26	16	14	6	2	6	49
6	Scarlet fever	152	19	21	13	13	19	12	3	9	4	4	13	22
7	Whooping cough	318	7	16	18	30	25	31	57	62	28	21	13	10
8	Diphtheria and croup	479	34	49	44	43	43	35	26	27	23	36	47	72
9	Influenza	159	46	30	35	15	4	3			1		11	14
13	Tuberculosis of the lungs	3,007	296	284	328	296	258	207	232	239	206	229	209	223
14–15	Other forms of tuberculosis	364	33	26	39	50	38	23	44	23	23	25	14	26
17	Meningitis	119	14	14	9	9	8	5	14	11	9	5	7	14
20–21	Bronchitis	521	72	89	61	48	44	33	18	14	17	31	46	48
22	Pneumonia	1,524	243	238	222	145	103	85	42	36	36	70	133	171
(23)	Bronchopneumonia	1,073	153	168	137	93	85	57	58	40	43	38	112	89
25	Diarrhea and enteritis (under 2 years)	2,336	90	76	94	76	102	276	699	390	213	156	80	84
(37)	Diarrhea and enteritis (2 years and over)	280	16	15	7	21	18	30	52	44	23	19	21	14
(33)	Congenital debility[1]	268	27	19	21	21	22	25	26	28	22	14	22	21
35	Violent deaths (excluding suicide)	1,299	107	95	103	101	115	115	138	105	97	95	101	127
36	Suicide	307	24	14	29	23	30	21	28	23	32	33	29	21
	All other causes	14,396	1,435	1,342	1,415	1,262	1,169	1,138	1,061	996	935	1,085	1,233	1,325
	PHILADELPHIA, PA. (WHITE).													
	All causes	24,740	2,447	2,328	2,388	2,049	1,929	1,942	2,285	1,904	1,614	1,736	1,962	2,156
1	Typhoid fever	241	44	28	19	19	12	8	6	16	27	31	12	19
3	Malaria	7				1	1	1		1	2		1	
5	Measles	158	2	2	4	13	20	25	16	13	6	2	6	49
6	Scarlet fever	146	17	20	13	12	19	12	3	9	4	4	12	21
7	Whooping cough	271	5	15	18	25	21	28	48	52	23	16	11	9
8	Diphtheria and croup	452	33	47	40	39	37	34	24	25	23	33	46	71
9	Influenza	150	43	29	35	12	4	3			1		10	13
13	Tuberculosis of the lungs	2,548	246	243	291	243	223	172	194	204	176	193	173	190
14–15	Other forms of tuberculosis	296	24	20	31	43	30	19	36	19	20	20	13	21
17	Meningitis	114	14	14	9	7	7	5	12	11	9	5	7	14
20–21	Bronchitis	468	65	77	57	43	37	27	17	14	16	28	43	44
22	Pneumonia	1,343	220	210	195	131	93	74	30	25	29	61	122	153
(23)	Bronchopneumonia	964	142	153	117	83	71	48	53	35	43	34	104	81
25	Diarrhea and enteritis (under 2 years)	2,142	83	70	83	72	91	246	635	367	200	147	72	76
(37)	Diarrhea and enteritis (2 years and over)	258	15	14	6	16	17	25	50	42	22	18	20	13
(33)	Congenital debility[1]	237	25	19	15	20	19	21	23	23	20	13	20	19
35	Violent deaths (excluding suicide)	1,195	97	87	98	87	107	102	124	95	92	91	94	121
36	Suicide	300	23	13	28	23	30	20	28	22	32	31	29	21
	All other causes	13,450	1,849	1,267	1,329	1,160	1,090	1,072	986	931	869	1,009	1,167	1,221
	PHILADELPHIA, PA. (COLORED).													
	All causes	2,305	218	201	215	235	188	193	237	174	137	162	150	195
1	Typhoid fever	31	3	3	5	2		4	2		4	4	2	2
3	Malaria													
5	Measles	6				3	1	1		1				
6	Scarlet fever	6	2	1		1							1	1
7	Whooping cough	47	2	1		5	4	3	9	10	5	5	2	1
8	Diphtheria and croup	27	1	2	4	4	6	1	2	2		3	1	1
9	Influenza	9	3	1		3							1	1
13	Tuberculosis of the lungs	459	50	41	37	53	35	35	38	35	30	36	36	33
14–15	Other forms of tuberculosis	68	9	6	8	7	8	4	8	4	3	5	1	5
17	Meningitis	5				2	1		2					
20–21	Bronchitis	53	7	12	4	5	7	6	1		1	3	3	4
22	Pneumonia	181	23	28	27	14	10	11	12	11	7	9	11	18
(23)	Bronchopneumonia	109	11	15	20	10	14	9	5	5		4	8	8
25	Diarrhea and enteritis (under 2 years)	194	7	6	11	4	11	30	64	23	13	9	8	8
(37)	Diarrhea and enteritis (2 years and over)	22	1	1	1	5	1	5	2	2	1	1	1	1
(33)	Congenital debility[1]	31	2		6	1	3	4	3	5	2	1	2	2
35	Violent deaths (excluding suicide)	104	10	8	5	14	8	13	14	10	5	4	7	6
36	Suicide	7	1	1	1			1		1		2		
	All other causes	946	86	75	86	102	79	66	75	65	66	76	66	104
	PITTSBURGH, PA. (TOTAL).													
	All causes	9,603	872	789	1,100	958	745	671	857	727	657	733	713	781
1	Typhoid fever	149	7	11	19	12	10	10	8	15	13	17	10	17
3	Malaria	2						1				1		
5	Measles	177	27	21	22	27	29	16	11	10	3	3	2	6
6	Scarlet fever	119	11	4	4	7	17	14	6	8	3	10	17	18
7	Whooping cough	77	2	8	10	13	1	2	2	14	6	7	5	7
8	Diphtheria and croup	136	17	3	13	14	13	7	8	5	14	13	19	10
9	Influenza	76	11	7	26	13	4	4	1	1	2	1	5	1
13	Tuberculosis of the lungs	558	42	53	83	52	43	36	38	29	45	43	44	50
14–15	Other forms of tuberculosis	137	10	15	10	14	10	4	12	18	13	12	6	13
17	Meningitis	73	6	8	8	6	5	3	9	4	2	7	6	9
20–21	Bronchitis	282	31	39	55	20	20	14	12	9	7	17	29	29
22	Pneumonia	991	106	79	199	161	99	52	29	31	28	56	69	82
(23)	Bronchopneumonia	742	88	73	121	99	71	41	29	24	22	44	63	67
25	Diarrhea and enteritis (under 2 years)	949	27	53	28	35	33	89	244	157	124	84	44	31
(37)	Diarrhea and enteritis (2 years and over)	127	14	6	8	12	7	4	18	16	18	7	8	9
(33)	Congenital debility[1]	162	20	14	9	20	10	9	18	17	11	13	6	15
35	Violent deaths (excluding suicide)	719	72	54	62	58	45	64	81	51	64	55	57	56
36	Suicide	122	8	8	14	12	13	13	8	12	7	11	8	7
	All other causes	4,005	373	333	409	382	315	288	323	306	275	332	315	354

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PITTSBURGH, PA. (WHITE).													
	All causes	8,993	810	740	1,028	884	701	641	807	677	621	680	665	739
1	Typhoid fever	142	7	9	18	11	9	10	8	15	13	17	10	15
3	Malaria	2						1				1		
5	Measles	168	21	18	22	27	29	16	11	10	3	3	2	6
6	Scarlet fever	118	11	4	3	7	17	14	6	8	3	10	17	18
7	Whooping cough	62	1	7	10	11	1	2	2	9	5	7	2	5
8	Diphtheria and croup	134	17	3	12	14	13	7	8	5	14	12	19	10
9	Influenza	74	10	7	26	12	4	4	1	1	2	1	5	1
13	Tuberculosis of the lungs	488	35	48	75	43	35	33	35	26	41	33	37	47
14–15	Other forms of tuberculosis	119	10	14	9	14	10	3	10	16	9	7	5	12
17	Meningitis	70	6	8	8	5	4	3	9	4	1	7	6	9
20–21	Bronchitis	261	29	37	50	19	18	14	9	8	7	15	28	27
22	Pneumonia	907	98	72	182	139	91	46	27	27	27	53	66	79
(23)	Bronchopneumonia	697	82	71	112	93	66	41	27	21	21	41	61	61
25	Diarrhea and enteritis (under 2 years)	893	23	51	25	29	31	86	232	149	116	79	43	29
(37)	Diarrhea and enteritis (2 years and over)	123	13	6	8	11	7	4	17	15	18	7	8	9
(33)	Congenital debility [1]	155	20	13	9	20	10	8	16	16	10	13	5	15
35	Violent deaths (excluding suicide)	696	70	53	59	56	45	63	78	50	63	51	53	55
36	Suicide	120	8	8	13	13	12	13	8	12	7	11	8	7
	All other causes	3,764	349	311	387	360	299	273	303	235	261	312	290	334
	PITTSBURGH, PA. (COLORED).													
	All causes	610	62	49	72	74	44	30	50	50	36	53	48	42
1	Typhoid fever	7		2	1	1	1							2
3	Malaria													
5	Measles	9	6	3										
6	Scarlet fever	1			1									
7	Whooping cough	15	1	1		2				5	1		3	2
8	Diphtheria and croup	2			1							1		
9	Influenza	2	1			1								
13	Tuberculosis of the lungs	70	7	5	8	9	8	3	3	3	4	10	7	2
14–15	Other forms of tuberculosis	18		1	1			1	2	2	4	5	1	
17	Meningitis	3				1	1				1			
20–21	Bronchitis	21	2	2	5	1	2		3	1		2	1	2
22	Pneumonia	84	8	7	17	22	8	6	2	4	1	3	3	3
(23)	Bronchopneumonia	45	6	2	9	6	5		2	3	1	3	2	6
25	Diarrhea and enteritis (under 2 years)	56	4	2	3	6	2	3	12	8	8	5	1	2
(37)	Diarrhea and enteritis (2 years and over)	4	1			1			1	1				
(33)	Congenital debility [1]	7		1				1	2	1	1		1	
35	Violent deaths (excluding suicide)	23	2	1	3	2		1	3	1	1	4	4	1
36	Suicide	2			1		1							
	All other causes	241	24	22	22	22	16	15	20	21	14	20	25	20
	SCRANTON, PA.													
	All causes	2,140	194	154	183	187	167	174	256	209	159	163	132	162
1	Typhoid fever	22		1		1		1		4	3	5	2	5
3	Malaria	1	1											
5	Measles	11		4	1	4	1		1					
6	Scarlet fever	10	4		1		1	1	1	1	1			
7	Whooping cough	16		3	1	3	1		2	3	1	1	1	
8	Diphtheria and croup	37	7	3	3	4	6	3	2	4	2	2		1
9	Influenza	11	2	3	1	2	2							1
13	Tuberculosis of the lungs	118	15	10	15	15	9	8	10	8	7	5	7	9
14–15	Other forms of tuberculosis	19	1	1		2	3			3	4	3	1	1
17	Meningitis	14	2	1	2	2	1	2	1		3			
20–21	Bronchitis	61	8	4	9	6	10	4	4	4	1	2	3	6
22	Pneumonia	148	24	10	19	18	16	6	3	4	6	14	16	12
(23)	Bronchopneumonia	123	12	9	23	18	13	5	2	6	6	7	12	10
25	Diarrhea and enteritis (under 2 years)	301	3	7	7	11	4	44	96	60	36	23	6	4
(37)	Diarrhea and enteritis (2 years and over)	34	1	2	2		4	3	5	6	4	3	2	2
(33)	Congenital debility [1]	14				1	1	4	3	1	1	1		2
35	Violent deaths (excluding suicide)	218	20	19	19	20	11	18	30	19	15	17	12	18
36	Suicide	14	1		2	1	2	1	3				1	3
	All other causes	968	93	77	78	79	82	74	93	86	69	80	69	88
	PROVIDENCE, R. I.													
	All causes	3,980	380	357	431	348	314	318	370	305	243	284	306	324
1	Typhoid fever	40	3	1	6	2			5	3	7	6	6	1
3	Malaria	1								1				
5	Measles	72	5	12	11	5	12	17	8	2				
6	Scarlet fever	15	1	2	2	2	1	1	1				2	3
7	Whooping cough	25	1		3	4		2	3	5	2	1	3	1
8	Diphtheria and croup	49	4	3	3	2	8	5	1	1	6	5	5	6
9	Influenza	37	1	11	16	3	1		2				2	1
13	Tuberculosis of the lungs	346	31	25	31	32	32	31	24	37	22	22	32	27
14–15	Other forms of tuberculosis	72	1	6	7	6	8	5	5	10	3	7	3	11
17	Meningitis	30	6		3		2	6	3	1	2	2	4	1
20–21	Bronchitis	65	11	10	5	6	6	3	3	3	3	5	6	4
22	Pneumonia	314	44	43	49	47	27	18	12	8	5	11	25	25
(23)	Bronchopneumonia	125	26	10	15	17	12	7	3	2	1	9	8	15
25	Diarrhea and enteritis (under 2 years)	279	7	5	11	11	10	35	81	46	39	20	8	6
(37)	Diarrhea and enteritis (2 years and over)	36		2	5	1	2	3	10	4	2	1	5	1
(33)	Congenital debility [1]	45	2	8	4	1	5	3	4	3	4	4	5	2
35	Violent deaths (excluding suicide)	212	19	18	26	16	8	20	23	14	13	20	19	16
36	Suicide	38	3	3	1	5	4	4	3	2	2	5	2	4
	All other causes	2,179	215	198	233	188	176	158	179	163	132	166	171	200

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	MEMPHIS, TENN. (TOTAL).													
	All causes	2,818	237	220	281	215	223	256	225	242	181	221	251	266
1	Typhoid fever	36	2	1	1	1	3	3	3	3	9	7	2	1
3	Malaria	97	1	1	5	4	4	6	7	18	22	17	8	4
5	Measles	8				1		1						6
6	Scarlet fever	7			1		1	1	2				1	1
7	Whooping cough	5		1				1		1	1		1	
8	Diphtheria and croup	22		2	1	2	1		1	1	1	7	2	4
9	Influenza	40	6	5	13	6	1	3						6
13	Tuberculosis of the lungs	329	31	23	32	35	18	27	31	25	17	26	25	39
14–15	Other forms of tuberculosis	21	1	1	1		1	3	6	3	1	1	3	
17	Meningitis	49	6	3	7	6	7	2	1	5	1	1	8	2
20–21	Bronchitis	40	4	7	5	4	3	4		2	3	2	3	3
22	Pneumonia	80	14	8	14	9	7		3	2	2		9	12
(23)	Bronchopneumonia	178	20	19	21	14	15	4	2	7	7	7	23	39
25	Diarrhea and enteritis (under 2 years)	130	5	3	6	3	10	24	24	25	11	11	7	1
(37)	Diarrhea and enteritis (2 years and over)	53	3	1	2	4	5	7	6	10	3	4	5	3
(33)	Congenital debility [1]	42	5	3	2	3	6	8	4	3		5		3
35	Violent deaths (excluding suicide)	257	24	20	23	12	16	23	21	28	17	15	25	33
36	Suicide	30	4	2	4	1	2	1	1	5	1	1	6	2
	All other causes	1,394	111	120	143	110	123	138	113	104	85	117	123	107
	MEMPHIS, TENN. (WHITE).													
	All causes	1,326	103	102	128	93	99	122	101	123	81	111	131	132
1	Typhoid fever	15	2		1	1		1	1	3	3	2		1
3	Malaria	34			2	1		2	1	6	12	7	1	2
5	Measles	5						1						4
6	Scarlet fever	6			1		1	1	2				1	
7	Whooping cough	1						1						
8	Diphtheria and croup	14		1	1	1				1	1	5	2	2
9	Influenza	13	1	1	7	1		1						2
13	Tuberculosis of the lungs	115	11	14	9	14	6	8	13	6	3	6	9	16
14–15	Other forms of tuberculosis	12		1	1		1	1	4	1	1		2	
17	Meningitis	25	3	1	5	2	3			3	1		6	1
20–21	Bronchitis	8	3	2								1	1	1
22	Pneumonia	38	7	3	7	4	2		1	1	1		5	7
(23)	Bronchopneumonia	65	6	7	6	5	6	2	2	2	4	4	11	10
25	Diarrhea and enteritis (under 2 years)	84	4	1	6	2	8	18	12	14	6	7	5	1
(37)	Diarrhea and enteritis (2 years and over)	33	3	1	2	2	1	5	4	6	1	3	4	1
(33)	Congenital debility [1]	31	1	3	2	3	3	6	3	3		4		3
35	Violent deaths (excluding suicide)	98	6	9	9	3	4	12	8	12	8	6	10	11
36	Suicide	27	4	2	4		1	1	1	5	1		6	2
	All other causes	702	52	56	65	54	63	62	49	60	39	66	68	68
	MEMPHIS, TENN. (COLORED).													
	All causes	1,492	134	118	153	122	124	134	124	119	100	110	120	134
1	Typhoid fever	21		1			3	2	2		6	5	2	
3	Malaria	63	1	1	3	3	4	4	6	12	10	10	7	2
5	Measles	3				1								2
6	Scarlet fever	1												1
7	Whooping cough	4		1						1	1		1	
8	Diphtheria and croup	8		1		1	1		1			2		2
9	Influenza	27	5	4	6	5	1	2						4
13	Tuberculosis of the lungs	214	20	9	23	21	12	19	18	19	14	20	16	23
14–15	Other forms of tuberculosis	9	1					2	2	2		1	1	
17	Meningitis	24	3	2	2	4	4	2	1	2		1	2	1
20–21	Bronchitis	32	1	5	5	4	3	4		2	3	1	2	2
22	Pneumonia	42	7	5	7	5	5		2	1	1		4	5
(23)	Bronchopneumonia	113	14	12	15	9	9	2		5	3	3	12	29
25	Diarrhea and enteritis (under 2 years)	46	1	2		1	2	6	12	11	5	4	2	
(37)	Diarrhea and enteritis (2 years and over)	20				2	4	2	2	4	2	1	1	2
(33)	Congenital debility [1]	11	4				3	2	1			1		
35	Violent deaths (excluding suicide)	159	18	11	14	9	12	11	13	16	9	9	15	22
36	Suicide	3				1	1					1		
	All other causes	692	59	64	78	56	60	76	64	44	46	51	55	39
	NASHVILLE, TENN. (TOTAL).													
	All causes	2,063	209	174	153	154	159	167	196	186	158	150	164	193
1	Typhoid fever	54	2		1	2		3	9	10	15	4	4	4
3	Malaria	11			1	1		3	3			1	1	1
5	Measles	5			1		1			2			1	
6	Scarlet fever	2	1		1									
7	Whooping cough	6			1		1			1	1			2
8	Diphtheria and croup	7								1	1	2	3	
9	Influenza	42	9	8	4	3	3	2		1	2	2		8
13	Tuberculosis of the lungs	234	17	18	21	26	22	23	18	15	15	13	19	27
14–15	Other forms of tuberculosis	50	3	4	3	4	3	4	10	3	6	3	5	2
17	Meningitis	23	1	5	2	3	2	2	3		1	2	1	1
20–21	Bronchitis	23	4	3	3	2	1	1	2			3	3	1
22	Pneumonia	204	35	33	16	18	18	7	6	8	10	10	18	25
(23)	Bronchopneumonia	38	7	2	3	1	3	3	4	5	2		1	7
25	Diarrhea and enteritis (under 2 years)	102	3	1	2	3	1	13	29	17	11	12	7	3
(37)	Diarrhea and enteritis (2 years and over)	39	1	1		2	2	4	7	7	3	6	6	
(33)	Congenital debility [1]	27	2	5	2	1	1	3	4	2	2		2	3
35	Violent deaths (excluding suicide)	110	17	7	9	6	7	8	13	13	6	7	8	9
36	Suicide	20	3	2	1		2	1	4	1	1	1	3	1
	All other causes	1,066	104	85	82	82	92	90	84	100	82	84	82	99

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NASHVILLE, TENN. (WHITE).													
	All causes	1,113	111	102	90	86	85	88	103	97	87	78	89	97
1	Typhoid fever	37	1		1	2		1	4	7	11	4	3	3
3	Malaria	4				1		1	2					
5	Measles	3					1			2				
6	Scarlet fever	2	1		1									
7	Whooping cough	3								1	1			1
8	Diphtheria and croup	5									1	1	3	
9	Influenza	17	3	5		2	1					1		5
13	Tuberculosis of the lungs	115	11	9	10	15	9	10	9	5	5	5	13	14
14–15	Other forms of tuberculosis	20	1	2	2	3		2	4	2	1		3	
17	Meningitis	15		3	2	2	2	1	2		1	1	1	
20–21	Bronchitis	13	2	1	1	1	1	1	2			2	2	
22	Pneumonia	76	16	15	7	5	5	4	3	2	2	2	5	10
(23)	Bronchopneumonia	20	4	2	3		1		3	3	1			3
25	Diarrhea and enteritis (under 2 years)	60	3	1	2	2		8	19	9	7	6	3	
(37)	Diarrhea and enteritis (2 years and over)	21	1	1		2	1	3	4	3	2	2	2	
(33)	Congenital debility[1]	7		2	1					1	1		1	1
35	Violent deaths (excluding suicide)	70	11	4	6	6	6	4	4	9	3	4	7	6
36	Suicide	19	3	2	1		2	1	3	1	1	1	3	1
	All other causes	606	54	55	53	45	56	52	44	52	50	49	43	53
	NASHVILLE, TENN. (COLORED).													
	All causes	950	98	72	63	68	74	79	93	89	71	72	75	96
1	Typhoid fever	17	1					2	5	3	4		1	1
3	Malaria	7			1			2	1			1	1	1
5	Measles	2			1								1	
6	Scarlet fever													
7	Whooping cough	3			1		1							1
8	Diphtheria and croup	2								1		1		
9	Influenza	25	6	3	4	1	2	2		1	2	1		3
13	Tuberculosis of the lungs	119	6	9	11	11	13	13	9	10	10	8	6	13
14–15	Other forms of tuberculosis	30	2	2	1	1	3	2	6	1	5	3	2	2
17	Meningitis	8	1	2		1		1	1			1		1
20–21	Bronchitis	10	2	2	2	1						1	1	1
22	Pneumonia	128	19	18	9	13	13	3	3	6	8	8	13	15
(23)	Bronchopneumonia	18	3			1	2	3	1	2	1		1	4
25	Diarrhea and enteritis (under 2 years)	42				1	1	5	10	8	4	6	4	3
(37)	Diarrhea and enteritis (2 years and over)	18					1	1	3	4	1	4	4	
(33)	Congenital debility[1]	20	2	3	1	1	1	3	4	1	1		1	2
35	Violent deaths (excluding suicide)	40	6	3	3		1	4	9	4	3	3	1	3
36	Suicide	1							1					
	All other causes	460	50	30	29	37	36	38	40	48	32	35	39	46
	RICHMOND, VA. (TOTAL).													
	All causes	2,887	294	232	219	218	250	289	258	215	214	208	231	259
1	Typhoid fever	28		1		2	2	2	4	2	8	3	1	3
3	Malaria	6	1		1		1		1	1	1			
5	Measles	27				3	12	8	4					
6	Scarlet fever													
7	Whooping cough	47	4	1	4	6	7	7	3	4	6	2		3
8	Diphtheria and croup	13	2	2			2			1	1		2	3
9	Influenza	32	6	6	7	4	3					1		5
13	Tuberculosis of the lungs	286	44	29	28	28	17	16	21	23	14	15	21	30
14–15	Other forms of tuberculosis	39	5	2	1	2	8	3	4	1	5	3	1	4
17	Meningitis	23			3	1	3	1	5	2	2	1	2	3
20–21	Bronchitis	48	13	6	1	2	1	4	2	3	2	3	4	7
22	Pneumonia	150	25	23	19	16	9	3	1	7	5	7	15	20
(23)	Bronchopneumonia	102	15	3	10	7	12	10	3	9	6	7	8	12
25	Diarrhea and enteritis (under 2 years)	171	1	1	2	2	17	49	50	29	8	9	3	
(37)	Diarrhea and enteritis (2 years and over)	31	1	1	2	2	6	5	4	3		3	2	2
(33)	Congenital debility[1]	62	5	8	8	3	1	9	3	1	7	8	6	3
35	Violent deaths (excluding suicide)	160	11	15	6	9	12	15	13	11	11	16	20	21
36	Suicide	12	1	2	1	1	1	1		1	1	2	1	
	All other causes	1,650	160	132	126	130	136	156	140	117	137	128	145	143
	RICHMOND, VA. (WHITE).													
	All causes	1,470	163	124	114	108	122	143	129	91	115	95	116	150
1	Typhoid fever	15		1			1		3		4	2	1	3
3	Malaria	2	1		1									
5	Measles	18					9	6	3					
6	Scarlet fever													
7	Whooping cough	23	2		4	2	3	3	1	1	5	1		1
8	Diphtheria and croup	10	1	2			1			1	1		1	3
9	Influenza	19	4	5	5	1	1							3
13	Tuberculosis of the lungs	131	23	16	12	13	7	7	8	10	5	4	11	15
14–15	Other forms of tuberculosis	21	3	1	1	1	4	1	1		4	3		2
17	Meningitis	13			1				4	1	2	1	1	3
20–21	Bronchitis	18	6	3				3			2	1	2	1
22	Pneumonia	65	7	11	7	9	4	3		2	2	2	8	10
(23)	Bronchopneumonia	32	8	1	4	1	3	2		1	4	2	3	3
25	Diarrhea and enteritis (under 2 years)	64		1	1	1	10	15	21	7	3	4	1	
(37)	Diarrhea and enteritis (2 years and over)	16	1		1	1	3	3	2	1		1	2	1
(33)	Congenital debility[1]	27	1	4	4	1		4	3	1	3	3	3	
35	Violent deaths (excluding suicide)	84	5	8	4	5	3	10	5	5	7	9	10	13
36	Suicide	10		1	1	1	1	1		1	1	2	1	
	All other causes	902	101	70	68	72	72	85	78	60	72	60	72	92

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	RICHMOND, VA. (COLORED).													
	All causes	1,417	131	108	105	110	128	146	129	124	99	113	115	109
1	Typhoid fever	13				2	1	2	1	2	4	1		
3	Malaria	4					1		1	1	1			
5	Measles	9				3	3	2	1					
6	Scarlet fever													
7	Whooping cough	24	2	1		4	4	4	2	3	1	1		2
8	Diphtheria and croup	3	1				1						1	
9	Influenza	13	2	1	2	3	2					1		2
13	Tuberculosis of the lungs	155	21	13	16	15	10	9	13	13	9	11	10	15
14–15	Other forms of tuberculosis	18	2	1		1	4	2	3	1	1		1	2
17	Meningitis	10			2	1	3	1	1	1			1	
20–21	Bronchitis	30	7	3	1	2	1	1	2	3		2	2	6
22	Pneumonia	85	18	12	12	7	5		1	5	3	5	7	10
(23)	Bronchopneumonia	70	7	2	6	6	9	8	3	8	2	5	5	9
25	Diarrhea and enteritis (under 2 years)	107	1		1	1	7	34	29	22	5	5	2	
(37)	Diarrhea and enteritis (2 years and over)	15		1	1	1	3	2	2	2		2		1
(33)	Congenital debility[1]	35	4	4	4	2	1	5			4	5	3	3
35	Violent deaths (excluding suicide)	76	6	7	2	4	9	5	8	6	4	7	10	8
36	Suicide	2	1	1										
	All other causes	748	59	62	58	58	64	71	62	57	65	68	73	51
	SEATTLE, WASH.													
	All causes	2,408	188	188	204	192	218	162	189	214	227	191	200	235
1	Typhoid fever	34	5	1		2	2	3	2	4	3	1	6	5
3	Malaria													
5	Measles	7			1	1	1	2			1			1
6	Scarlet fever	17	5	2	1		1	2	2	1	1	1		1
7	Whooping cough	30				2	2	3	6	8	7	1		1
8	Diphtheria and croup	15	5	3			1	1		1		1	1	2
9	Influenza	8	2		1		2	1			1		1	
13	Tuberculosis of the lungs	228	17	23	27	10	24	11	20	14	19	15	19	29
14–15	Other forms of tuberculosis	67	6	5	8	10	2	6	8	4	11	4	1	2
17	Meningitis	13	1		1	2	1	1	1	1	2	1		2
20–21	Bronchitis	15		2	1	4	4	2	1					1
22	Pneumonia	131	14	12	10	14	9	10	7	10	9	11	10	15
(23)	Bronchopneumonia	64	2	5	3	6	8	3	5	2	6	7	8	9
25	Diarrhea and enteritis (under 2 years)	76	1	4	5	1	3		9	20	19	8	3	3
(37)	Diarrhea and enteritis (2 years and over)	11		1		1	3			2	2		1	1
(33)	Congenital debility[1]	25	2	1	1	1	1	1	2	6	2	2	3	3
35	Violent deaths (excluding suicide)	227	16	14	14	25	19	17	23	19	22	18	21	19
36	Suicide	77	3	7	9	7	6	2	4	4	5	11	12	7
	All other causes	1,363	109	108	122	106	129	97	99	118	117	110	114	134
	SPOKANE, WASH.													
	All causes	1,375	104	100	117	104	96	117	159	144	109	103	116	106
1	Typhoid fever	48	3		1	2	1	1	5	5	6	11	9	4
3	Malaria													
5	Measles	8			2	4			1	1				
6	Scarlet fever	17	1	2	2	1	2	1	2	2	1	1	2	
7	Whooping cough	21	1	2	2	4	1	3	2	1	2	2	1	
8	Diphtheria and croup	19	2	1			2	2		3	2	2	2	3
9	Influenza	11	2	2	1	1			2	1				2
13	Tuberculosis of the lungs	94	14	10	11	6	6	6	9	8	8	3	3	10
14–15	Other forms of tuberculosis	25	3	2	6		3	2	4	1	2	1		1
17	Meningitis	16		2	2		1		4	3	2	1		1
20–21	Bronchitis	7		2	2				1		2			
22	Pneumonia	57	6	8	8	4	6	2	3	1	7	2	2	8
(23)	Bronchopneumonia	60	1	4	6	3	4	7	2	5	3	7	9	9
25	Diarrhea and enteritis (under 2 years)	96	3	1	5	1	8	9	32	20	6	9	1	1
(37)	Diarrhea and enteritis (2 years and over)	16		1					10	4		1		
(33)	Congenital debility[1]	33	1		2	3	2	3	3	4	2	4	7	2
35	Violent deaths (excluding suicide)	119	10	6	8	13	9	10	9	17	7	4	13	8
36	Suicide	25	3	3	2	2	3	4	1	2		3	1	1
	All other causes	703	54	54	57	55	48	67	69	66	59	52	66	56
	MILWAUKEE, WIS.													
	All causes	5,205	437	429	555	475	491	449	398	439	378	364	379	411
1	Typhoid fever	172	22	15	18	12	17	28	17	9	12	10	9	3
3	Malaria	1								1				
5	Measles	40	1	3	1	3	9	15	5	1		1		1
6	Scarlet fever	84	6	6	7	6	13	18	7	3	6	4	3	5
7	Whooping cough	38	1	2	5	8	5	6	2	2	6			1
8	Diphtheria and croup	133	7	9	12	10	13	9	10	8	2	15	18	20
9	Influenza	27	2	7	10	3	1	2						2
13	Tuberculosis of the lungs	434	37	36	47	37	38	38	37	30	33	34	30	37
14–15	Other forms of tuberculosis	61	4	7	6	6	3	5	9	6	4	3	4	4
17	Meningitis	57	5	6	7	8	5	2	7	9	2	2		4
20–21	Bronchitis	158	8	21	24	20	23	11	6	5	5	7	10	18
22	Pneumonia	303	40	28	36	41	40	14	10	10	10	18	28	28
(23)	Bronchopneumonia	173	16	20	32	19	21	14	4	7	4	8	14	14
25	Diarrhea and enteritis (under 2 years)	441	21	24	44	37	23	27	62	97	54	20	12	20
(37)	Diarrhea and enteritis (2 years and over)	42	3	2	3	5	5	2	1	8	7	2	2	2
(33)	Congenital debility[1]	146	12	9	16	18	7	11	10	15	13	11	12	12
35	Violent deaths (excluding suicide)	239	15	17	16	21	23	26	28	20	19	19	18	17
36	Suicide	88	3	3	9	6	8	8	12	5	6	12	8	8
	All other causes	2,568	234	214	262	215	237	213	171	203	195	198	211	215

[1] Excluding premature birth.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY.															
	THE REGISTRATION AREA.															
	All causes	154,373	14,946	7,505	4,453	9,447	36,351	8,904	7,017	5,817	58,089	15,223	12,923	29,804	21,771	16,563
5	Measles	1,540	6	3	1	9	19	20	32	22	93	63	56	207	469	652
6	Scarlet fever	304	2	1	1	1	5	8	4	3	20	8	12	47	87	130
7	Whooping cough	3,345	.....	1	1	6	8	14	74	124	220	469	405	810	778	663
8	Diphtheria and croup	903	1	2	5	8	16	20	16	26	78	58	43	153	220	351
9	Influenza	522	.....	3	2	4	9	33	26	28	96	70	50	113	117	76
(12)	Dysentery	745	.....	.....	4	6	10	7	11	14	42	42	57	242	197	165
(12)	Erysipelas	697	.....	.....	1	9	10	43	69	84	206	169	77	106	90	49
(37)	Tetanus	427	4	6	16	130	156	211	34	10	411	6	1	3	3	3
13	Tuberculosis of the lungs	923	4	4	3	11	22	10	15	14	61	60	76	261	243	222
14	Tuberculous meningitis	1,020	1	1	.....	5	7	5	10	10	32	38	54	254	353	289
15	Other forms of tuberculosis	473	1	.....	.....	2	3	10	10	11	34	53	45	136	108	97
(37)	Syphilis	1,658	90	47	23	68	228	128	126	126	608	369	247	283	101	50
17	Meningitis	2,372	5	16	16	77	114	112	77	53	356	178	165	604	580	489
(37)	Convulsions	4,089	120	169	220	635	1,144	454	270	202	2,070	434	319	613	383	265
19	Organic diseases of the heart	925	88	76	57	127	348	72	54	41	515	98	70	137	55	50
20	Acute bronchitis	4,151	14	18	29	113	174	236	285	242	937	632	481	920	669	512
22	Pneumonia	8,443	22	52	69	222	365	388	433	350	1,536	918	826	1,970	1,745	1,448
(23)	Bronchopneumonia	10,593	18	40	64	225	347	388	442	444	1,621	1,192	1,026	2,486	2,329	1,939
24	Diseases of the stomach	2,874	11	22	38	130	201	189	174	167	731	493	398	726	335	191
25	Diarrhea and enteritis	44,695	25	48	95	516	684	1,110	1,334	1,349	4,477	4,692	4,980	13,881	9,871	6,794
(33)	Malformations	7,501	1,437	975	683	1,285	4,380	817	427	277	5,901	502	297	435	223	143
(33)	Premature birth	20,275	8,808	3,615	1,516	2,258	16,197	1,736	1,020	545	19,498	582	195	.....	.....	.....
(33, 37)	Congenital debility	15,361	2,007	1,275	767	1,894	5,943	1,841	1,357	1,132	10,273	2,863	2,118	63	31	13
(37)	Injuries at birth	3,725	1,740	693	386	611	3,430	167	67	25	3,689	28	8	.....	.....	.....
35	External causes	1,497	99	62	48	99	308	74	66	62	510	172	138	273	182	222
38	Diseases ill-defined or unknown	6,900	272	166	119	185	742	136	95	83	1,056	165	141	3,472	1,356	710
	All other causes	8,415	171	210	289	811	1,481	675	489	373	3,018	869	638	1,604	1,246	1,040
	REGISTRATION STATES.[1]															
	All causes	136,350	13,265	6,726	3,911	8,266	32,168	7,717	6,230	5,181	51,296	13,507	11,405	26,383	19,179	14,580
5	Measles	1,397	5	3	1	6	15	16	29	18	78	54	50	194	429	592
6	Scarlet fever	274	1	1	1	1	4	6	3	3	16	8	12	44	80	114
7	Whooping cough	3,064	.....	1	1	4	6	12	72	115	205	434	367	740	710	608
8	Diphtheria and croup	786	1	2	3	6	12	17	12	23	64	51	37	134	194	306
9	Influenza	452	.....	3	1	4	8	31	23	28	90	61	44	93	99	65
(12)	Dysentery	643	.....	.....	4	5	9	6	8	14	37	37	48	214	167	140
(12)	Erysipelas	652	.....	.....	1	9	10	40	64	77	191	162	69	102	84	44
(37)	Tetanus	238	1	2	9	68	80	118	23	7	228	5	.....	1	2	2
13	Tuberculosis of the lungs	825	4	4	2	9	19	9	13	14	55	54	64	232	225	195
14	Tuberculous meningitis	936	1	1	.....	4	6	4	10	10	30	36	48	229	325	268
15	Other forms of tuberculosis	437	1	.....	.....	2	3	10	10	9	32	49	39	127	98	92
(37)	Syphilis	1,352	64	41	16	53	174	101	115	105	495	296	212	225	80	44
17	Meningitis	2,101	5	12	14	68	99	95	66	49	309	160	160	526	510	436
(37)	Convulsions	3,735	110	152	207	575	1,044	397	252	185	1,878	406	298	557	354	242
19	Organic diseases of the heart	858	82	72	51	118	323	66	51	40	480	91	65	125	50	47
20	Acute bronchitis	3,857	11	17	27	98	153	216	266	227	862	582	448	849	634	482
22	Pneumonia	7,231	18	46	55	186	305	333	386	305	1,329	791	691	1,701	1,487	1,232
(23)	Bronchopneumonia	9,155	13	36	55	190	294	331	381	383	1,389	1,034	867	2,141	2,027	1,697
24	Diseases of the stomach	2,692	11	20	36	125	192	181	164	158	695	469	370	679	304	175
25	Diarrhea and enteritis	38,959	17	31	66	427	541	902	1,096	1,150	3,689	4,061	4,361	12,255	8,641	5,952
(33)	Malformations	6,819	1,284	897	621	1,158	3,960	764	398	250	5,372	463	262	391	204	127
(33)	Premature birth	18,038	7,801	3,241	1,343	1,985	14,370	1,546	929	499	17,344	522	172	.....	.....	.....
(33, 37)	Congenital debility	13,645	1,800	1,131	667	1,642	5,240	1,599	1,221	1,020	9,080	2,576	1,903	54	23	9
(37)	Injuries at birth	3,313	1,545	618	333	551	3,047	154	57	24	3,282	26	5	.....	.....	.....
35	External causes	1,302	87	48	41	82	258	64	60	53	435	151	119	242	161	194
38	Diseases ill-defined or unknown	6,125	246	158	109	165	678	114	88	77	957	150	126	3,115	1,178	599
	All other causes	7,464	157	189	247	725	1,318	585	433	338	2,674	778	568	1,413	1,113	918
	CITIES IN REGISTRATION STATES.[1]															
	All causes	82,168	7,549	3,790	2,218	4,636	18,193	4,277	3,691	3,055	29,216	8,368	6,964	16,433	12,041	9,146
5	Measles	811	2	.....	.....	5	7	7	9	5	28	16	16	98	266	387
6	Scarlet fever	165	.....	1	1	1	3	2	2	.....	7	6	6	29	47	70
7	Whooping cough	1,546	.....	.....	.....	1	1	7	22	43	73	200	180	382	389	322
8	Diphtheria and croup	516	.....	1	2	2	5	9	7	11	32	21	15	88	139	221
9	Influenza	155	.....	.....	.....	2	2	6	8	7	23	16	17	36	37	26
(12)	Dysentery	272	.....	.....	1	2	3	3	4	4	14	19	14	101	70	54
(12)	Erysipelas	422	.....	.....	1	6	7	24	47	57	135	103	45	63	50	26
(37)	Tetanus	125	1	1	6	35	43	58	14	6	121	3	.....	.....	.....	1
13	Tuberculosis of the lungs	458	1	4	1	9	15	6	5	6	32	38	30	123	132	103
14	Terbuculous meningitis	644	1	1	.....	3	5	1	5	4	15	18	29	164	229	189
15	Other forms of tuberculosis	271	.....	.....	.....	2	2	5	4	6	17	30	17	78	67	62
(37)	Syphilis	1,074	48	30	10	46	134	87	91	82	394	246	165	174	60	35
17	Meningitis	1,219	2	4	7	33	46	55	36	23	160	87	91	301	316	264
(37)	Convulsions	1,989	47	78	108	279	512	169	127	101	909	205	163	361	211	140
19	Organic diseases of the heart	475	43	34	30	59	166	33	25	23	247	47	44	71	36	30
20	Acute bronchitis	2,554	6	10	17	58	91	144	172	149	556	375	298	556	436	333
22	Pneumonia	3,906	11	18	27	89	145	145	204	150	644	394	354	911	831	772
(23)	Bronchopneumonia	6,503	11	28	31	130	200	226	276	259	961	672	566	1,517	1,505	1,282
24	Diseases of the stomach	1,330	6	10	19	60	95	70	84	71	320	238	187	343	149	93
25	Diarrhea and enteritis	25,006	8	18	36	236	298	530	689	732	2,249	2,771	2,871	7,934	5,493	3,688
(33)	Malformations	3,670	660	479	331	621	2,091	403	218	128	2,840	270	152	226	107	75
(33)	Premature birth	10,703	4,508	1,891	830	1,177	8,406	942	576	307	10,231	350	122	.....	.....	.....
(33, 37)	Congenital debility	8,154	999	616	383	930	2,928	873	741	647	5,189	1,711	1,196	36	15	7
(37)	Injuries at birth	2,142	985	410	200	364	1,959	106	39	16	2,120	19	3	.....	.....	.....
35	External causes	664	55	29	22	36	142	35	37	26	240	70	53	118	86	97
38	Diseases ill-defined or unknown	3,314	68	30	21	39	158	23	16	11	208	34	31	1,956	729	356
	All other causes	4,080	87	97	134	411	729	308	233	181	1,451	409	299	767	641	513

[1] Including District of Columbia.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY—Continued.															
	RURAL PART OF REGISTRATION STATES.															
	All causes	54,182	5,716	2,936	1,693	3,630	13,975	3,440	2,539	2,126	22,080	5,139	4,441	9,950	7,138	5,434
5	Measles	586	3	3	1	1	8	9	20	13	50	38	34	96	163	205
6	Scarlet fever	109	1	.....	.....	.....	1	4	1	3	9	2	6	15	33	44
7	Whooping cough	1,518	.....	1	1	3	5	5	50	72	132	234	187	358	321	286
8	Diphtheria and croup	270	1	1	1	4	7	8	5	12	32	30	22	46	55	85
9	Influenza	297	.....	3	1	2	6	25	15	21	67	45	27	57	62	39
(12)	Dysentery	371	.....	.....	3	3	6	3	4	10	23	18	34	113	97	86
(12)	Erysipelas	230	.....	.....	.....	3	3	16	17	20	56	59	24	39	34	18
(37)	Tetanus	113	.....	1	3	33	37	60	9	1	107	2	.....	1	2	1
13	Tuberculosis of the lungs	367	3	.....	1	.....	4	3	8	8	23	16	34	109	93	92
14	Tuberculous meningitis	292	.....	.....	.....	1	1	3	5	6	15	18	19	65	96	79
15	Other forms of tuberculosis	166	1	.....	.....	.....	1	5	6	3	15	19	22	49	31	30
(37)	Syphilis	278	16	11	6	7	40	14	24	23	101	50	47	51	20	9
17	Meningitis	882	3	8	7	35	53	40	30	26	149	73	69	225	194	172
(37)	Convulsions	1,746	63	74	99	296	532	228	125	84	969	201	135	196	143	102
19	Organic diseases of the heart	383	39	38	21	59	157	33	26	17	233	44	21	54	14	17
20	Acute bronchitis	1,303	5	7	10	40	62	72	94	78	306	207	150	293	198	149
22	Pneumonia	3,325	7	28	28	97	160	188	182	155	685	397	337	790	656	460
(23)	Bronchopneumonia	2,652	2	8	24	60	94	105	105	124	428	362	301	624	522	415
24	Diseases of the stomach	1,362	5	10	17	65	97	111	80	87	375	231	183	336	155	82
25	Diarrhea and enteritis	13,953	9	13	30	191	243	372	407	418	1,440	1,290	1,490	4,321	3,148	2,264
(33)	Malformations	3,149	624	418	290	537	1,869	361	180	122	2,532	193	110	165	97	52
(33)	Premature birth	7,335	3,293	1,350	513	808	5,964	604	353	192	7,113	172	50	.....	.....	.....
(33,37)	Congenital debility	5,491	801	515	284	712	2,312	726	480	373	3,891	865	707	18	8	2
(37)	Injuries at birth	1,171	560	208	133	187	1,088	48	18	8	1,162	7	2	.....	.....	.....
35	External causes	638	32	19	19	46	116	29	23	27	195	81	66	124	75	97
38	Diseases ill-defined or unknown	2,811	178	128	88	126	520	91	72	66	749	116	95	1,159	449	243
	All other causes	3,384	70	92	113	314	589	277	200	157	1,223	369	269	646	472	405
	REGISTRATION CITIES IN OTHER STATES.															
	All causes	18,023	1,681	779	542	1,181	4,183	1,187	787	636	6,793	1,716	1,518	3,421	2,592	1,983
5	Measles	143	1	.....	.....	3	4	4	3	4	15	9	6	13	40	60
6	Scarlet fever	30	1	.....	.....	.....	1	2	1	.....	4	.....	.....	3	7	16
7	Whooping cough	281	.....	.....	.....	2	2	2	2	9	15	35	38	70	68	55
8	Diphtheria and croup	117	.....	.....	2	2	4	3	4	3	14	7	6	19	26	45
9	Influenza	70	.....	.....	1	.....	1	2	3	.....	6	9	6	20	18	11
(12)	Dysentery	102	.....	.....	.....	1	1	1	3	.....	5	5	9	28	30	25
(12)	Erysipelas	45	.....	.....	.....	.....	.....	3	5	7	15	7	8	4	6	5
(37)	Tetanus	189	3	4	7	62	76	93	11	3	183	1	1	2	1	1
13	Tuberculosis of the lungs	98	.....	.....	1	2	3	1	2	.....	6	6	12	29	18	27
14	Tuberculous meningitis	84	.....	.....	.....	1	1	1	.....	.....	2	2	6	25	28	21
15	Other forms of tuberculosis	36	.....	.....	.....	.....	.....	.....	.....	2	2	4	6	9	10	5
(37)	Syphilis	306	26	6	7	15	54	27	11	21	113	73	35	58	21	6
17	Meningitis	271	.....	4	2	9	15	17	11	4	47	18	5	78	70	53
(37)	Convulsions	354	10	17	13	60	100	57	18	17	192	28	21	61	29	23
19	Organic diseases of the heart	67	6	4	6	9	25	6	3	1	35	7	5	12	5	3
20	Acute bronchitis	294	3	1	2	15	21	20	19	15	75	50	33	71	35	30
22	Pneumonia	1,212	4	6	14	36	60	55	47	45	207	127	135	269	258	216
(23)	Bronchopneumonia	1,438	5	4	9	35	53	57	61	61	232	158	159	345	302	242
24	Diseases of the stomach	182	.....	2	2	5	9	8	10	9	36	24	28	47	31	16
25	Diarrhea and enteritis	5,736	8	17	29	89	143	208	238	199	788	631	619	1,626	1,230	842
(33)	Malformations	682	153	78	62	127	420	53	29	27	529	39	35	44	19	16
(33)	Premature birth	2,237	1,007	374	173	273	1,827	190	91	46	2,154	60	23	.....	.....	.....
(33,37)	Congenital debility	1,716	207	144	100	252	703	242	136	112	1,193	287	215	9	8	4
(37)	Injuries at birth	412	195	75	53	60	383	13	10	1	407	2	3	.....	.....	.....
35	External causes	195	12	14	7	17	50	10	6	9	75	21	19	31	21	28
38	Diseases ill-defined or unknown	775	26	8	10	20	64	22	7	6	99	15	15	357	178	111
	All other causes	951	14	21	42	86	163	90	56	35	344	91	70	191	133	122
	ALL REGISTRATION CITIES.[1]															
	All causes	100,191	9,230	4,569	2,760	5,817	22,376	5,464	4,478	3,691	36,009	10,084	8,482	19,854	14,633	11,129
5	Measles	954	3	.....	.....	8	11	11	12	9	43	25	22	111	306	447
6	Scarlet fever	195	1	1	1	1	4	4	3	.....	11	6	6	32	54	86
7	Whooping cough	1,827	.....	.....	.....	3	3	9	24	52	88	235	218	452	457	377
8	Diphtheria and croup	633	.....	1	4	4	9	12	11	14	46	28	21	107	165	266
9	Influenza	225	.....	.....	1	2	3	8	11	7	29	25	23	56	55	37
(12)	Dysentery	374	.....	.....	1	3	4	4	7	4	19	24	23	129	100	79
(12)	Erysipelas	467	.....	.....	1	6	7	27	52	64	150	110	53	67	56	31
(37)	Tetanus	314	4	5	13	97	119	151	25	9	304	4	1	2	1	2
13	Tuberculosis of the lungs	556	1	4	2	11	18	7	7	6	38	44	42	152	150	130
14	Tuberculous meningitis	728	1	1	.....	4	6	2	5	4	17	20	35	189	257	210
15	Other forms of tuberculosis	307	.....	.....	.....	2	2	5	4	8	19	34	23	87	77	67
(37)	Syphilis	1,380	74	36	17	61	188	114	102	103	507	319	200	232	81	41
17	Meningitis	1,490	2	8	9	42	61	72	47	27	207	105	96	379	386	317
(37)	Convulsions	2,343	57	95	121	339	612	226	145	118	1,101	233	184	422	240	163
19	Organic diseases of the heart	542	49	38	36	68	191	39	28	24	282	54	49	83	41	33
20	Acute bronchitis	2,848	9	11	19	73	112	164	191	164	631	425	331	627	471	363
22	Pneumonia	5,118	15	24	41	125	205	200	251	195	851	521	439	1,180	1,089	988
(23)	Bronchopneumonia	7,941	16	32	40	165	253	283	337	320	1,193	830	725	1,862	1,807	1,524
24	Diseases of the stomach	1,512	6	12	21	65	104	78	94	80	356	262	215	390	180	109
25	Diarrhea and enteritis	30,742	16	35	65	325	441	738	927	931	3,037	3,402	3,490	9,560	6,723	4,530
(33)	Malformations	4,352	813	557	393	748	2,511	456	247	155	3,369	309	187	270	126	91
(33)	Premature birth	12,940	5,515	2,265	1,003	1,450	10,233	1,132	667	353	12,385	410	145	.....	.....	.....
(33,37)	Congenital debility	9,870	1,206	760	483	1,182	3,631	1,115	877	759	6,382	1,998	1,411	45	23	11
(37)	Injuries at birth	2,554	1,180	485	253	424	2,342	119	49	17	2,527	21	6	.....	.....	.....
35	External causes	859	67	43	29	53	192	45	43	35	315	91	72	149	107	125
38	Diseases ill-defined or unknown	4,089	94	38	31	59	222	45	23	17	307	49	46	2,313	907	467
	All other causes	5,031	101	118	176	497	832	398	289	216	1,795	560	369	958	774	635

[1] Including District of Columbia.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES.															
	CALIFORNIA.															
	All causes	3,720	458	199	123	293	1,073	267	168	137	1,645	368	310	641	392	364
5	Measles	44	1	1			2		2		4	4	4	9	5	18
6	Scarlet fever	2													1	1
7	Whooping cough	153						1	4	3	8	20	21	40	25	39
8	Diphtheria and croup	11						1			1	1		3	5	1
9	Influenza	10						3	1	2	6		1	1	1	1
(12)	Dysentery	26				1	1			1	2		2	7	7	8
(12)	Erysipelas	12						1	2	2	5	2		3	2	
(37)	Tetanus	8			2	3	5	2	1		8					
13	Tuberculosis of the lungs	72		1		4	5		3	5	13	4	5	21	16	13
14	Tuberculous meningitis	53										1	7	14	13	18
15	Other forms of tuberculosis	23										5	1	5	6	6
(37)	Syphilis	82	2	1		2	5	5	5	5	20	18	20	17	1	6
17	Meningitis	102			1	6	7	4	3	1	15	9	13	25	18	22
(37)	Convulsions	48	2	4	3	11	20	8	4	2	34		2	4	6	2
19	Organic diseases of the heart	24	1	3	2	4	10	2	3	1	16		2	3	2	1
20	Acute bronchitis	69	2	1		3	6	8	4	6	24	10	4	14	7	10
22	Pneumonia	257		1	2	11	14	16	16	11	57	34	21	61	44	40
(23)	Bronchopneumonia	187		3		5	8	9	8	6	31	24	18	49	40	25
24	Diseases of the stomach	92	1			2	3	4	3	2	12	22	20	24	9	5
25	Diarrhea and enteritis	778			2	13	15	25	28	27	95	105	106	234	137	101
(33)	Malformations	273	47	37	27	50	161	29	11	7	208	21	10	18	7	9
(33)	Premature birth	648	304	98	36	74	512	59	26	20	617	24	7			
(33,37)	Congenital debility	305	45	26	19	52	142	53	25	26	246	34	22	2	1	
(37)	Injuries at birth	110	46	15	15	25	101	5	2		108	2				
35	External causes	38	2	2	3	1	8	3	2	2	15	6		4	4	9
38	Diseases ill-defined or unknown	63	2		2	1	5	1	1		7		3	37	11	5
	All other causes	230	3	6	9	25	43	28	14	8	93	22	21	46	24	24
	COLORADO.															
	All causes	1,789	250	86	49	127	512	133	113	82	840	171	118	288	224	148
5	Measles	12								2	2	2	1	1	2	4
6	Scarlet fever	10											2	2	2	4
7	Whooping cough	24						1			1	1	3	9	8	2
8	Diphtheria and croup	6											1		2	3
9	Influenza	7										1		4	2	
(12)	Dysentery	3							1		1			1	1	
(12)	Erysipelas	18				1	1	3		2	6	3	1	3	3	2
(37)	Tetanus															
13	Tuberculosis of the lungs	10										1		6		3
14	Tuberculous meningitis	15										2		3	5	5
15	Other forms of tuberculosis	3												3		
(37)	Syphilis	16	1			1	2		1		3	6	2	4	1	
17	Meningitis	39				2	2	4	3	1	10	7		7	12	3
(37)	Convulsions	27	2	2	5	4	13	3	3	3	22	2	1	1	1	
19	Organic diseases of the heart	8				3	3	1		1	5		1	1	1	
20	Acute bronchitis	46				1	1	6	7	6	20	4	5	10	3	4
22	Pneumonia	122	1		1	4	6	6	12	4	28	12	9	35	21	17
(23)	Bronchopneumonia	105	1				1	7	1	4	13	18	15	23	24	12
24	Diseases of the stomach	46			1	1	2	5	5	1	13	6	6	12	7	2
25	Diarrhea and enteritis	406				7	7	9	18	23	57	53	33	106	99	58
(33)	Malformations	112	26	14	6	24	70	11	12	4	97	7	1	3	4	
(33)	Premature birth	308	167	48	17	28	260	23	16	3	302	5	1			
(33,37)	Congenital debility	230	32	13	11	33	89	46	27	19	181	28	21			
(37)	Injuries at birth	38	16	8	4	7	35	1	1	1	38					
35	External causes	34	1		1	2	4			4	8	2	4	8	4	8
38	Diseases ill-defined or unknown	47	1				1				1	1	1	28	11	5
	All other causes	97	2	1	3	9	15	7	6	4	32	10	10	18	11	16
	CONNECTICUT.															
	All causes	3,476	404	188	99	191	882	184	172	117	1,355	315	268	680	475	383
5	Measles	29						1	1		2	2		2	10	13
6	Scarlet fever	6														6
7	Whooping cough	81							1	2	3	7	12	27	18	14
8	Diphtheria and croup	24								1	1	1		7	8	7
9	Influenza	21						2	2	1	5	5		6	3	2
(12)	Dysentery	12								2	2	2		1	3	4
(12)	Erysipelas	13							1	2	3	6	2	1	1	
(37)	Tetanus	3						1	1		2	1				
13	Tuberculosis of the lungs	15										1		6	7	1
14	Tuberculous meningitis	25										3	3	9	6	4
15	Other forms of tuberculosis	12								1	1	1	1	3	3	3
(37)	Syphilis	15				1	1			1	2	6	1	2	2	2
17	Meningitis	68				3	3	3			6	3	5	17	20	17
(37)	Convulsions	83	5	3	7	15	30	6	2	3	41	8	4	17	6	7
19	Organic diseases of the heart	21	2	1		2	5	2	2		9	1	3	4	2	2
20	Acute bronchitis	114				5	5	7	11	9	32	12	17	18	15	20
22	Pneumonia	187		2	1	6	9	7	16	4	36	17	20	45	38	31
(23)	Bronchopneumonia	139			1		1	8	6	7	22	9	15	31	32	30
24	Diseases of the stomach	58	1			5	6	5	5	6	22	7	2	17	5	5
25	Diarrhea and enteritis	1,022		2	4	6	12	16	31	23	82	92	119	341	219	169
(33)	Malformations	148	32	19	14	30	95	18	9	6	128	8	5	3		4
(33)	Premature birth	476	225	92	43	33	393	38	23	7	461	13	2			
(33,37)	Congenital debility	412	61	40	14	48	163	47	43	32	285	81	45		1	
(37)	Injuries at birth	130	67	26	11	18	122	6	1	1	130					
35	External causes	27	3			1	4	2	2	1	9	2	3	4	6	3
38	Diseases ill-defined or unknown	173	4	1	2	2	9	1	1	1	12	2	5	95	43	16
	All other causes	162	4	2	2	16	24	14	14	7	59	25	4	24	27	23

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	INDIANA.															
	All causes	5,996	726	372	220	435	1,753	402	294	194	2,643	572	459	923	758	641
5	Measles	71	.....	.....	.....	1	1	3	5	1	10	6	6	12	21	16
6	Scarlet fever	12	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	2	1	7
7	Whooping cough	205	.....	.....	.....	.....	.....	.....	9	8	17	31	24	40	52	41
8	Diphtheria and croup	32	.....	2	.....	.....	2	.....	1	1	4	3	6	3	6	10
9	Influenza	30	.....	.....	.....	.....	.....	3	2	.....	5	7	3	3	3	9
(12)	Dysentery	71	.....	.....	1	1	2	.....	.....	1	3	6	6	28	11	17
(12)	Erysipelas	28	.....	.....	.....	.....	.....	.....	1	10	11	4	3	3	3	4
(37)	Tetanus	30	.....	.....	1	4	5	18	3	3	29	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	74	.....	.....	.....	1	1	3	3	.....	7	9	5	17	17	19
14	Tuberculous meningitis	65	.....	.....	.....	1	1	2	1	1	5	4	1	16	24	15
15	Other forms of tuberculosis	44	.....	.....	.....	.....	.....	2	1	1	4	6	6	15	7	6
(37)	Syphilis	63	3	4	.....	1	8	2	5	8	23	19	10	8	2	1
17	Meningitis	87	1	.....	.....	4	5	6	4	3	18	10	7	17	14	21
(37)	Convulsions	45	2	5	10	8	25	3	6	3	37	2	2	2	1	1
19	Organic diseases of the heart	46	2	3	3	12	20	3	4	2	29	1	6	5	2	3
20	Acute bronchitis	131	.....	2	1	6	9	10	14	8	41	19	20	20	20	11
22	Pneumonia	353	.....	1	4	6	11	15	24	12	62	47	50	71	60	63
(23)	Bronchopneumonia	359	1	3	7	12	23	18	20	16	77	67	34	66	69	46
24	Diseases of the stomach	165	1	2	4	12	19	15	16	11	61	27	17	35	14	11
25	Diarrhea and enteritis	1,585	2	6	4	34	46	55	44	46	191	154	166	449	346	279
(33)	Malformations	436	86	61	42	80	269	45	24	13	351	27	18	22	13	5
(33)	Premature birth	1,021	467	184	70	105	826	96	45	19	986	27	8	.....	.....	.....
(33,37)	Congenital debility	395	77	58	31	66	232	65	35	10	342	30	22	1	.....	.....
(37)	Injuries at birth	167	66	31	29	31	157	5	4	1	167	.....	.....	.....	.....	.....
35	External causes	88	2	1	4	10	17	5	5	.....	27	13	8	17	12	11
38	Diseases ill-defined or unknown	59	5	2	1	2	10	.....	1	1	12	3	1	26	12	5
	All other causes	334	11	7	8	38	64	28	16	15	123	49	29	45	48	40
	MAINE.															
	All causes	2,108	105	195	66	121	487	99	78	57	721	220	224	450	289	204
5	Measles	29	.....	.....	.....	.....	.....	.....	1	.....	1	4	1	3	10	10
6	Scarlet fever	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
7	Whooping cough	59	.....	.....	.....	.....	.....	.....	4	4	8	9	11	13	10	8
8	Diphtheria and croup	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....
9	Influenza	14	.....	1	.....	.....	1	1	1	1	4	1	2	2	2	3
(12)	Dysentery	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	.....
(12)	Erysipelas	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	1	.....	1
(37)	Tetanus	3	.....	.....	.....	.....	.....	2	1	.....	3	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	3
14	Tuberculous meningitis	20	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	5	3	9
15	Other forms of tuberculosis	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	3	.....
(37)	Syphilis	4	.....	.....	1	.....	1	.....	.....	.....	1	2	1	.....	.....	.....
17	Meningitis	67	.....	1	.....	.....	1	3	1	1	6	5	9	16	14	17
(37)	Convulsions	39	.....	2	4	3	9	4	2	4	19	5	3	6	4	2
19	Organic diseases of the heart	17	2	.....	1	1	4	2	2	.....	8	2	1	5	.....	1
20	Acute bronchitis	52	.....	.....	.....	.....	.....	7	3	3	13	8	5	16	4	6
22	Pneumonia	153	.....	1	1	3	5	7	6	3	21	18	13	48	27	26
(23)	Bronchopneumonia	71	.....	.....	.....	2	2	.....	3	1	6	6	8	18	16	17
24	Diseases of the stomach	59	.....	.....	1	.....	1	2	3	2	8	13	11	16	8	3
25	Diarrhea and enteritis	558	.....	.....	2	2	4	8	10	8	30	63	64	198	136	67
(33)	Malformations	75	11	11	5	12	39	4	4	4	51	12	3	6	3	.....
(33)	Premature birth	248	55	103	24	24	206	17	6	6	235	12	1	.....	.....	.....
(33,37)	Congenital debility	260	21	42	10	29	102	25	18	12	157	42	59	.....	1	1
(37)	Injuries at birth	32	4	10	5	10	29	2	1	.....	32	.....	.....	.....	.....	.....
35	External causes	6	.....	.....	.....	1	1	1	1	.....	3	1	1	1	.....	.....
38	Diseases ill-defined or unknown	170	11	19	9	14	53	6	2	3	64	5	5	60	25	11
	All other causes	136	1	5	3	20	29	8	7	5	49	11	16	24	17	19
	MARYLAND (TOTAL).															
	All causes	4,239	273	177	113	232	795	221	157	163	1,336	470	411	934	613	475
5	Measles	13	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	2	6	2
6	Scarlet fever	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
7	Whooping cough	140	.....	.....	.....	1	1	.....	1	3	5	12	15	44	25	39
8	Diphtheria and croup	19	.....	.....	.....	.....	.....	3	.....	1	4	2	2	1	3	7
9	Influenza	4	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	1	.....
(12)	Dysentery	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	7	8	2
(12)	Erysipelas	20	.....	.....	.....	.....	.....	.....	3	3	6	7	2	3	1	1
(37)	Tetanus	19	.....	.....	.....	7	7	11	1	.....	19	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	6	2	7
14	Tuberculous meningitis	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	8
15	Other forms of tuberculosis	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	4
(37)	Syphilis	59	7	1	1	2	11	6	11	6	34	11	6	6	.....	2
17	Meningitis	74	.....	.....	1	1	2	2	1	1	6	7	6	19	22	14
(37)	Convulsions	178	2	5	5	25	37	20	6	8	71	21	15	34	22	15
19	Organic diseases of the heart	29	5	.....	3	2	10	2	3	.....	15	4	1	5	2	2
20	Acute bronchitis	96	1	.....	1	3	5	4	4	4	17	18	8	26	16	11
22	Pneumonia	202	.....	.....	.....	3	3	4	9	11	27	14	25	49	45	42
(23)	Bronchopneumonia	229	.....	1	1	2	4	6	7	11	28	19	27	49	57	49
24	Diseases of the stomach	75	.....	.....	.....	2	2	3	4	6	15	10	15	20	10	5
25	Diarrhea and enteritis	1,105	.....	.....	.....	5	5	9	20	22	56	87	134	378	265	185
(33)	Malformations	130	25	17	17	23	82	14	7	2	105	9	1	8	5	2
(33)	Premature birth	405	135	79	42	67	323	42	12	14	391	12	2	.....	.....	.....
(33,37)	Congenital debility	677	37	43	21	52	153	69	55	60	337	200	118	13	5	4
(37)	Injuries at birth	77	43	13	5	11	72	4	.....	1	77	.....	.....	.....	.....	.....
35	External causes	39	4	.....	1	2	7	3	1	.....	11	7	5	6	5	5
38	Diseases ill-defined or unknown	416	12	15	8	9	44	6	2	2	54	10	11	212	80	49
	All other causes	167	2	3	7	15	27	12	9	8	56	17	12	40	24	18

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION STATES—Continued.															
	MARYLAND (WHITE).															
	All causes	2,975	207	135	87	151	580	157	122	109	968	338	277	618	431	343
5	Measles	12										1	1	2	6	2
6	Scarlet fever	2														2
7	Whooping cough	77				1	1			2	3	7	12	19	15	21
8	Diphtheria and croup	9								1	1		1	1	3	3
9	Influenza	3							1		1			2		
(12)	Dysentery	14											1	5	7	1
(12)	Erysipelas	16							3	1	4	6	1	3	1	1
(37)	Tetanus	10				3	3	6	1		10					
13	Tuberculosis of the lungs	6											1	1	1	3
14	Tuberculous meningitis	17												3	7	7
15	Other forms of tuberculosis	7												1	2	3
(37)	Syphilis	30	3	1	1		5	3	6	4	18	9	2			1
17	Meningitis	65			1	1	2	2	1	1	6	6	5	16	21	11
(37)	Convulsions	110	2	5	5	15	27	13	3	5	48	11	9	20	14	8
19	Organic diseases of the heart	27	5		3	2	10	1	3		14	3	1	5	2	2
20	Acute bronchitis	75	1			2	3	4	3	4	14	14	5	22	12	8
22	Pneumonia	126				2	2	3	9	8	22	9	18	28	25	24
(23)	Bronchopneumonia	154			1		1	5	6	9	21	14	18	31	32	38
24	Diseases of the stomach	43						1	3	4	8	6	7	10	9	3
25	Diarrhea and enteritis	803				5	5	6	15	17	43	63	88	266	198	145
(33)	Malformations	112	21	14	16	19	70	12	6	2	90	8	1	6	5	2
(33)	Premature birth	301	103	65	25	46	239	34	8	10	291	9	1			
(33,37)	Congenital debility	489	28	30	18	28	104	49	45	36	234	149	89	11	2	4
(37)	Injuries at birth	62	34	11	5	9	59	2		1	62					
35	External causes	23	2		1	1	4	2	1		7	4	3	2	3	4
38	Diseases ill-defined or unknown	259	6	8	6	4	24	3	1		28	5	4	135	51	36
	All other causes	123	2	1	5	13	21	11	7	4	43	14	8	29	15	14
	MARYLAND (COLORED).															
	All causes	1,264	66	42	26	31	215	64	35	54	368	132	134	316	182	132
5	Measles	1						1			1					
6	Scarlet fever															
7	Whooping cough	63							1	1	2	5	3	25	10	18
8	Diphtheria and croup	10						3			3	2	1			4
9	Influenza	1													1	
(12)	Dysentery	6										1	1	2	1	1
(12)	Erysipelas	4								2	2	1	1			
(37)	Tetanus	9				4	4	5			9					
13	Tuberculosis of the lungs	11											1	5	1	4
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	2														1
(37)	Syphilis	29	4			2	6	3	5	2	16	1				1
17	Meningitis	9										2	4	6		1
(37)	Convulsions	68				10	10	7	3	3	23	1	1	3	1	3
19	Organic diseases of the heart	2						1			1	10	6	14	8	7
20	Acute bronchitis	21			1	1	2		1		3	1				
22	Pneumonia	76				1	1	1		3	5	4	3	4	4	3
(23)	Bronchopneumonia	75		1		2	3	1	1	2	7	5	7	21	20	18
24	Diseases of the stomach	32				2	2	2	1	2	7	5	9	18	25	11
25	Diarrhea and enteritis	302						3	5	5	13	4	8	10	1	2
(33)	Malformations	18	4	3	1	4	12	2	1		15	24	46	112	67	40
(33)	Premature birth	104	32	14	17	21	84	8	4	4	100	1	1	2		
(33,37)	Congenital debility	188	9	13	3	24	49	20	10	24	103	3				
(37)	Injuries at birth	15	9	2		2	13	2			15	51	29	2	3	
35	External causes	16	2			1	3	1			4	3	2	4	2	1
38	Diseases ill-defined or unknown	157	6	7	2	5	20	3	1	2	26	5	7	77	29	13
	All other causes	44		2	2	2	6	1	2	4	13	3	4	11	9	4
	MASSACHUSETTS.															
	All causes	11,377	1,125	531	306	624	2,586	515	490	404	3,995	1,203	968	2,298	1,669	1,244
5	Measles	104				1	1	1		2	4	1	1	14	36	48
6	Scarlet fever	11												3	2	6
7	Whooping cough	162						1	1	5	7	18	15	43	43	36
8	Diphtheria and croup	57							2	1	3	2	5	10	12	25
9	Influenza	22				1	1		3		4	3		6	5	4
(12)	Dysentery	54							2	2	4	1	3	16	13	17
(12)	Erysipelas	38						3	4	3	10	15	5	1	6	1
(37)	Tetanus	13		1		5	6	5	2		13					
13	Tuberculosis of the lungs	62							1	2	3	2	11	18	14	14
14	Tuberculous meningitis	110		1		1	2			1	3	1	4	34	42	26
15	Other forms of tuberculosis	39						1		1	2	6	1	10	6	14
(37)	Syphilis	90	3	3		2	8	7	11	5	31	20	15	15	7	2
17	Meningitis	210		1	1	5	7	7	6	3	23	13	19	45	69	41
(37)	Convulsions	184	5	9	9	21	44	16	8	15	83	20	16	32	21	12
19	Organic diseases of the heart	79	7	5	4	5	21	4		5	30	13	9	17	5	5
20	Acute bronchitis	365	1		1	4	6	17	18	6	47	58	34	93	76	57
22	Pneumonia	633	1	2	4	12	19	19	32	28	98	53	57	159	148	118
(23)	Bronchopneumonia	629	1	1	1	13	16	13	25	28	82	69	53	155	149	121
24	Diseases of the stomach	219			4	10	14	11	7	10	42	44	35	56	25	17
25	Diarrhea and enteritis	3,603	1	4	1	19	25	73	96	92	286	436	417	1,157	771	536
(33)	Malformations	546	87	73	52	94	305	43	32	25	406	37	26	52	18	7
(33)	Premature birth	1,513	651	264	113	152	1,180	118	90	51	1,439	59	15			
(33,37)	Congenital debility	1,189	187	102	61	143	493	114	89	76	772	236	171	7	3	
(37)	Injuries at birth	293	154	36	30	49	269	12	7	3	291	2				
35	External causes	95	6	5	3	3	17	5	5	5	32	9	9	21	10	14
38	Diseases ill-defined or unknown	428	7	5	1	9	22	3	6	1	32	13	6	243	88	46
	All other causes	629	14	19	21	75	129	42	43	34	248	72	41	91	100	77

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MICHIGAN.															
	All causes	7,912	1,059	309	274	529	2,171	487	347	299	3,304	793	664	1,473	965	713
5	Measles	60	3	.....	.....	.....	3	1	1	2	7	4	4	11	16	18
6	Scarlet fever	17	.....	.....	.....	.....	.....	2	.....	.....	2	1	2	.....	5	7
7	Whooping cough	183	.....	.....	.....	1	1	2	2	8	13	34	29	42	35	30
8	Diphtheria and croup	30	.....	.....	.....	.....	.....	1	2	.....	3	3	.....	10	7	7
9	Influenza	36	.....	.....	1	.....	1	3	1	3	8	5	2	8	11	2
(12)	Dysentery	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	14	5	4
(12)	Erysipelas	32	.....	.....	.....	2	2	2	3	2	9	9	4	4	4	2
(37)	Tetanus	4	.....	.....	.....	1	1	2	.....	.....	3	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	32	1	.....	.....	.....	1	.....	.....	.....	1	1	1	7	10	12
14	Tuberculous meningitis	14	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	3	9	.....
15	Other forms of tuberculosis	24	.....	.....	.....	1	1	1	.....	.....	2	5	3	4	5	5
(37)	Syphilis	37	2	.....	.....	3	5	2	2	4	13	5	6	5	5	3
17	Meningitis	118	1	.....	.....	6	7	7	2	3	19	7	13	25	26	28
(37)	Convulsions	345	14	15	23	52	104	37	26	17	184	35	23	48	32	23
19	Organic diseases of the heart	82	10	6	8	11	35	6	3	5	49	12	4	11	2	4
20	Acute bronchitis	239	2	2	2	10	16	13	16	9	54	36	41	43	37	28
22	Pneumonia	313	.....	3	2	7	12	13	15	14	54	39	29	70	61	60
(23)	Bronchopneumonia	342	1	2	4	8	15	14	16	9	54	39	33	87	59	70
24	Diseases of the stomach	227	2	2	2	8	14	9	14	15	52	33	29	65	28	20
25	Diarrhea and enteritis	1,906	1	2	7	20	30	43	47	55	175	196	198	626	433	278
(33)	Malformations	408	93	45	43	56	237	51	14	14	316	25	22	25	12	8
(33)	Premature birth	1,114	614	126	73	112	925	82	49	21	1,077	28	9	.....	.....	.....
(33,37)	Congenital debility	1,031	165	59	59	119	402	116	82	82	682	191	154	1	3	.....
(37)	Injuries at birth	187	101	22	18	35	176	7	2	.....	185	1	1	.....	.....	.....
35	External causes	99	6	3	7	2	18	8	6	4	36	13	8	23	11	8
38	Diseases ill-defined or unknown	489	34	12	7	11	64	10	11	8	93	6	11	251	85	43
	All other causes	516	9	10	18	64	101	55	33	23	212	62	35	90	64	53
	MINNESOTA.															
	All causes	4,261	421	247	152	319	1,139	301	233	175	1,848	396	364	747	534	372
5	Measles	65	.....	1	.....	1	2	.....	3	1	6	2	1	13	19	24
6	Scarlet fever	14	.....	.....	.....	.....	.....	1	1	.....	2	.....	2	3	3	4
7	Whooping cough	94	.....	.....	.....	.....	.....	1	1	5	7	20	10	19	18	20
8	Diphtheria and croup	34	.....	.....	.....	1	1	4	.....	2	7	5	4	5	5	8
9	Influenza	12	.....	.....	.....	.....	.....	1	1	3	5	2	.....	2	2	1
(12)	Dysentery	37	.....	.....	.....	.....	.....	2	1	.....	3	2	7	10	10	5
(12)	Erysipelas	20	.....	.....	.....	.....	.....	.....	2	2	4	5	2	5	3	1
(37)	Tetanus	12	.....	.....	.....	1	1	10	.....	.....	11	.....	.....	.....	1	.....
13	Tuberculosis of the lungs	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	7	12	6
14	Tuberculous meningitis	29	1	.....	.....	.....	1	.....	.....	.....	1	.....	2	4	13	9
15	Other forms of tuberculosis	8	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	2	1	1
(37)	Syphilis	36	.....	.....	1	1	2	5	4	1	12	6	8	6	2	2
17	Meningitis	54	1	.....	.....	1	2	3	2	2	9	1	4	19	6	15
(37)	Convulsions	126	.....	4	5	28	37	27	9	8	81	14	6	11	10	4
19	Organic diseases of the heart	22	3	3	2	1	9	1	1	.....	11	4	.....	5	2	.....
20	Acute bronchitis	84	.....	.....	2	2	4	4	5	7	20	8	17	23	9	7
22	Pneumonia	149	1	4	3	5	13	10	13	7	43	17	15	27	29	18
(23)	Bronchopneumonia	346	.....	.....	3	12	15	19	19	18	71	47	41	75	64	48
24	Diseases of the stomach	92	.....	2	1	7	10	5	8	8	31	8	9	24	16	4
25	Diarrhea and enteritis	1,082	1	.....	8	33	42	34	50	35	161	110	121	331	226	133
(33)	Malformations	173	26	26	11	33	96	15	12	6	129	11	12	10	6	5
(33)	Premature birth	584	245	111	53	63	472	44	31	13	560	18	6	.....	.....	.....
(33,37)	Congenital debility	464	63	48	31	64	206	62	49	30	347	59	57	.....	.....	1
(37)	Injuries at birth	74	35	12	8	15	70	4	.....	.....	74	.....	.....	.....	.....	.....
35	External causes	54	6	3	1	3	13	2	1	.....	16	6	8	13	4	7
38	Diseases ill-defined or unknown	306	36	30	12	25	103	29	10	14	156	19	10	83	26	12
	All other causes	261	3	3	11	23	40	18	10	12	80	28	19	50	47	37
	MONTANA.															
	All causes	714	80	41	31	63	215	47	35	26	323	58	51	139	87	56
5	Measles	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2
6	Scarlet fever	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
7	Whooping cough	25	.....	.....	.....	.....	.....	.....	1	2	3	3	3	7	4	5
8	Diphtheria and croup	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
9	Influenza	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1
(12)	Dysentery	8	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	3	1	1
(12)	Erysipelas	6	.....	.....	.....	.....	.....	1	.....	1	2	2	.....	1	1	.....
(37)	Tetanus	4	.....	.....	1	2	3	.....	1	.....	4	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1
14	Tuberculous meningitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
15	Other forms of tuberculosis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1
(37)	Syphilis	2	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....
17	Meningitis	17	.....	.....	.....	1	1	1	.....	.....	2	1	2	5	4	3
(37)	Convulsions	9	.....	1	1	2	4	2	.....	1	7	.....	.....	1	1	.....
19	Organic diseases of the heart	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	1
20	Acute bronchitis	19	.....	.....	.....	1	1	2	2	1	6	1	1	7	3	1
22	Pneumonia	27	1	.....	.....	3	4	2	.....	2	8	6	1	6	4	2
(23)	Bronchopneumonia	34	.....	.....	1	1	2	.....	4	2	8	5	3	10	5	3
24	Diseases of the stomach	18	.....	.....	1	5	6	.....	.....	3	9	1	4	3	1	.....
25	Diarrhea and enteritis	180	.....	.....	1	.....	1	4	7	3	15	19	20	60	42	24
(33)	Malformations	49	6	8	6	8	28	8	4	1	41	2	2	1	2	1
(33)	Premature birth	102	55	19	6	11	91	5	2	2	100	1	1	.....	.....	.....
(33,37)	Congenital debility	76	9	5	6	16	36	14	4	6	60	8	8	.....	.....	.....
(37)	Injuries at birth	15	4	4	2	5	15	.....	.....	.....	15	.....	.....	.....	.....	.....
35	External causes	6	1	1	1	.....	3	.....	.....	1	4	.....	.....	.....	1	1
38	Diseases ill-defined or unknown	37	3	2	1	.....	6	2	1	1	10	.....	2	18	6	1
	All other causes	58	1	1	4	8	14	5	5	.....	24	6	3	12	7	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged List No. Int.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NEW HAMPSHIRE.															
	All causes	1,373	142	88	50	75	355	48	48	50	501	144	142	301	164	121
5	Measles	8											1	1	2	4
6	Scarlet fever															
7	Whooping cough	27								1	1	5	3	10	5	3
8	Diphtheria and croup															
9	Influenza	4										1	1	1	1	
(12)	Dysentery	2													1	1
(12)	Erysipelas	3										2		1		
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	9											1	3	5	
14	Tuberculous meningitis	8												2	3	3
15	Other forms of tuberculosis	2										1			1	
(37)	Syphilis	8		1			1		1		2	1	2	2	1	
17	Meningitis	52				1	1	3		1	5	6	6	10	15	10
(37)	Convulsions	32			1	4	5	3	3	4	15	2	5	4	1	5
19	Organic diseases of the heart	9	1	1	2	1	5	1		1	7	1	1			
20	Acute bronchitis	56	1			1	2	1	1	6	10	9	6	14	8	9
22	Pneumonia	63		1		1	2	3	2	1	8	4	4	21	15	11
(23)	Bronchopneumonia	54			1		1	1	1	3	6	5	7	13	14	9
24	Diseases of the stomach	30			1	1	2	1	2		5	5	6	9	4	1
25	Diarrhea and enteritis	367			1	2	3	7	13	9	32	43	49	137	60	46
(33)	Malformations	57	11	9	10	13	43	5	1		49	2		2	3	1
(33)	Premature birth	194	87	49	8	20	164	11	10	4	189	4	1			
(33,37)	Congenital debility	199	24	22	15	22	83	9	12	15	119	40	38	2		
(37)	Injuries at birth	25	15	2	7		24	1			25					
35	External causes	15			2		2	1		1	4	2	3	3	1	2
38	Diseases ill-defined or unknown	69	1	2			3	1			4	1		45	11	8
	All other causes	79	2	1	2	8	13		2	4	19	10	8	21	13	8
	NEW JERSEY.															
	All causes	8,363	878	281	190	410	1,759	440	394	292	2,885	779	689	1,733	1,311	966
5	Measles	60				1	1		2		3	1	2	12	20	22
6	Scarlet fever	9										1		3	1	4
7	Whooping cough	216							5	12	17	28	21	36	71	43
8	Diphtheria and croup	61				1	1				1	6	3	15	13	23
9	Influenza	24						2	2	3	7	2	1	9	1	4
(12)	Dysentery	53							1	2	3	3	7	17	15	8
(12)	Erysipelas	54				3	3	2	7	6	18	13	7	5	6	5
(37)	Tetanus	16				6	6	9	1		16					
13	Tuberculosis of the lungs	52						2			2	4	4	14	13	15
14	Tuberculous meningitis	70							2	1	3	2	4	13	27	21
15	Other forms of tuberculosis	39	1				1	1	1	1	4	4	5	8	10	8
(37)	Syphilis	57	3		2	2	7	3	5	4	19	13	11	10	3	1
17	Meningitis	143				7	7	6	6	2	21	13	14	27	44	24
(37)	Convulsions	197	6	7	1	27	41	15	19	5	80	20	21	42	18	16
19	Organic diseases of the heart	49	4	2	3	8	17	6	2	4	29	5	5	3	4	3
20	Acute bronchitis	227			3	7	10	11	17	13	51	35	26	49	37	29
22	Pneumonia	432	2	2	4	8	16	27	16	23	82	46	33	110	93	68
(23)	Bronchopneumonia	586	4	1	4	15	24	14	19	22	79	71	39	152	125	120
24	Diseases of the stomach	116		2	1	3	6	3	9	4	22	22	19	26	15	12
25	Diarrhea and enteritis	2,584	1	1	3	22	27	69	70	58	224	238	285	811	622	404
(33)	Malformations	414	108	46	30	52	236	50	35	11	332	27	13	24	7	11
(33)	Premature birth	1,043	481	139	76	115	811	94	62	33	1,000	32	11			
(33,37)	Congenital debility	732	114	36	24	76	250	82	79	56	467	147	116		1	1
(37)	Injuries at birth	210	123	30	17	20	190	11	4	3	208	2				
35	External causes	88	5	6		7	18	2	3	5	28	11	7	22	7	13
38	Diseases ill-defined or unknown	424	9	2	2	1	14	1	1		16	2	2	245	99	60
	All other causes	407	17	7	20	29	73	30	26	24	153	31	33	80	59	51
	NEW YORK.															
	All causes	27,503	2,395	1,474	714	1,497	6,080	1,382	1,244	1,094	9,800	2,761	2,334	5,273	4,135	3,200
5	Measles	287			1	1	2	1	3	2	8	3	5	28	87	156
6	Scarlet fever	82	1				1				1	1	2	12	30	36
7	Whooping cough	416				1	1	1	11	14	27	61	54	91	107	76
8	Diphtheria and croup	226				1	1	6	3	3	13	6	1	33	67	106
9	Influenza	59		1			1	3	1	2	7	7	7	13	19	6
(12)	Dysentery	70				1	1	1	1		3	5	2	25	21	14
(12)	Erysipelas	185						10	28	22	60	43	15	30	23	14
(37)	Tetanus	45		1	3	12	16	19	5	3	43	1				1
13	Tuberculosis of the lungs	143	1	1	1	1	4	1			5	9	7	39	49	34
14	Tuberculous meningitis	234				1	1	1	2	1	5	10	8	43	89	79
15	Other forms of tuberculosis	89						1	1	1	3	2	10	34	24	16
(37)	Syphilis	388	13	15	7	18	53	36	35	28	152	81	57	62	22	14
17	Meningitis	326		1	4	10	15	8	15	6	44	22	16	79	90	75
(37)	Convulsions	570	22	20	27	72	141	46	37	21	245	73	61	91	65	35
19	Organic diseases of the heart	137	12	18	9	16	55	8	8	6	77	13	16	13	11	7
20	Acute bronchitis	871	1	5	8	25	39	53	62	70	224	134	83	175	147	108
22	Pneumonia	1,068	4	7	9	31	51	38	44	33	166	92	93	212	260	245
(23)	Bronchopneumonia	2,836	4	11	10	60	85	96	119	101	401	273	241	618	696	607
24	Diseases of the stomach	348	1	4	4	21	30	24	22	23	99	62	51	90	25	21
25	Diarrhea and enteritis	8,237	1	1	10	73	85	179	226	265	755	894	974	2,596	1,811	1,207
(33)	Malformations	1,271	227	168	105	212	712	134	72	53	971	88	55	89	46	22
(33)	Premature birth	3,567	1,380	712	292	407	2,791	312	206	107	3,416	108	43			
(33,37)	Congenital debility	2,759	322	264	116	264	966	254	240	259	1,719	619	418	3		
(37)	Injuries at birth	797	355	197	62	124	738	31	16	5	790	6	1			
35	External causes	177	18	6	6	11	41	10	8	6	65	22	10	32	16	32
38	Diseases ill-defined or unknown	942	5	3	3	3	14	1	2	1	18	2		602	213	107
	All other causes	1,373	28	39	37	132	236	108	77	62	483	124	104	263	217	182

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NORTH CAROLINA [1] (TOTAL).															
	All causes	1,330	73	53	37	85	248	83	49	54	434	136	118	273	181	188
5	Measles	19						1		1	2	1		3	4	9
6	Scarlet fever															
7	Whooping cough	36										4	5	9	8	10
8	Diphtheria and croup	12										3	3	1	2	3
9	Influenza	5												1	4	
(12)	Dysentery	31						1		1	2		1	15	7	6
(12)	Erysipelas	2										1				1
(37)	Tetanus	20				8	8	10	1		19	1				
13	Tuberculosis of the lungs	10							1		1		3	4		2
14	Tuberculous meningitis	4											1			3
15	Other forms of tuberculosis	2										1				1
(37)	Syphilis	6		1			1				1	1	3	1		
17	Meningitis	22						2			2	3	2	5	5	5
(37)	Convulsions	26		1	1	5	7	6	2	1	16	2	4	1	2	1
19	Organic diseases of the heart	9		2	1		3		1	1	5	3		1		
20	Acute bronchitis	31		1	1	1	3	2		3	8	4	3	8	1	7
22	Pneumonia	114			1	2	3	2	8	6	19	17	11	32	13	22
(23)	Bronchopneumonia	26				1	1	1	2	2	6	5	2	3	7	3
24	Diseases of the stomach	32						2	1	2	5	4	2	11	4	6
25	Diarrhea and enteritis	326	2			6	8	13	3	10	34	19	27	99	80	67
(33)	Malformations	24	2	1	4	5	12	3	2	1	18			3	1	2
(33)	Premature birth	134	39	29	14	16	98	14	10	7	129	4	1			
(33,37)	Congenital debility	127	16	4	10	16	46	15	10	9	80	26	21			
(37)	Injuries at birth	8	4	1		1	6		1		7	1				
35	External causes	18						1			1	3	4	4	3	3
38	Diseases ill-defined or unknown	188	9	10	3	17	39	2	2	6	49	23	17	56	23	20
	All other causes	98	1	3	2	7	13	8	5	4	30	10	8	16	17	17
	NORTH CAROLINA [1] (WHITE).															
	All causes	704	52	28	25	27	132	34	31	26	223	72	70	150	86	103
5	Measles	14								1	1	1		3	3	6
6	Scarlet fever															
7	Whooping cough	22										3	4	6	5	4
8	Diphtheria and croup	5										2	1			2
9	Influenza	1													1	
(12)	Dysentery	16						1		1	2		1	8	4	1
(12)	Erysipelas	2										1				1
(37)	Tetanus	2				2	2				2					
13	Tuberculosis of the lungs	4											1	2		1
14	Tuberculous meningitis	4											1			3
15	Other forms of tuberculosis	2										1				1
(37)	Syphilis	1											1			
17	Meningitis	14						1			1	2	1	4	3	3
(37)	Convulsions	11		1	1		2	2		1	5	2	3			1
19	Organic diseases of the heart	8		2	1		3		1	1	5	3				
20	Acute bronchitis	18						2		1	3	2	2	6	1	4
22	Pneumonia	47						1	5	1	7	10	6	10	5	9
(23)	Bronchopneumonia	13				1	1		2	1	4	3	2	1	1	2
24	Diseases of the stomach	17						1	2	1	3	1	2	7	1	3
25	Diarrhea and enteritis	185	1			2	3	4	1	4	12	9	13	63	45	38
(33)	Malformations	22	2	1	4	4	11	2	2	1	16			3	1	2
(33)	Premature birth	93	32	20	10	7	69	11	7	4	91	1	1			
(33,37)	Congenital debility	64	9	1	5	5	20	4	7	3	34	17	13			
(37)	Injuries at birth	5	2	1		1	4				4	1				
35	External causes	6						1			1		1	2		2
38	Diseases ill-defined or unknown	73	6	2	2	3	13	1		3	17	6	6	29	5	10
	All other causes	55			2	2	4	4	5	2	15	7	6	6	11	10
	NORTH CAROLINA [1] (COLORED).															
	All causes	626	21	25	12	58	116	49	18	28	211	64	48	123	95	85
5	Measles	5						1			1				1	3
6	Scarlet fever															
7	Whooping cough	14										1	1	3	3	6
8	Diphtheria and croup	7										1	2	1	2	1
9	Influenza	4												1	3	
(12)	Dysentery	15												7	3	5
(12)	Erysipelas															
(37)	Tetanus	18				6	6	10	1		17	1				
13	Tuberculosis of the lungs	6							1		1		2	2		1
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	5		1			1				1	1	2	1		
17	Meningitis	8						1			1	1	1	1	2	2
(37)	Convulsions	15				5	5	4	2		11		1	1	2	
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	13		1	1	1	3			2	5	2	1	2		3
22	Pneumonia	67			1	2	3	1	3	5	12	7	5	22	8	13
(23)	Bronchopneumonia	13						1		1	2	2		2	6	1
24	Diseases of the stomach	15						2			2	3		4	3	3
25	Diarrhea and enteritis	141	1			4	5	9	2	6	22	10	9	36	35	29
(33)	Malformations	2				1	1	1			2					
(33)	Premature birth	41	7	9	4	9	29	3	3	3	38	3				
(33,37)	Congenital debility	63	7	3	5	11	26	11	3	6	46	9	8			
(37)	Injuries at birth	3	2				2		1		3					
35	External causes	12										3	3	2	3	1
38	Diseases ill-defined or unknown	115	3	8	1	14	26	1	2	3	32	17	11	27	18	10
	All other causes	43	1	3		5	9	4		2	15	3	2	10	6	7

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	OHIO.															
	All causes	11,445	1,347	660	380	772	3,159	719	539	469	4,886	1,101	843	2,020	1,494	1,101
5	Measles	160	1	1		1	3	3	5	3	14	8	6	23	42	67
6	Scarlet fever	15								1	1		1	4	8	1
7	Whooping cough	314		1			1	1	6	9	17	51	34	78	77	57
8	Diphtheria and croup	28				1	1			2	3	3	2	5	6	9
9	Influenza	57		1		1	2	7	2	4	15	10	7	6	6	13
(12)	Dysentery	56			1	1	2				2	2	2	19	14	17
(12)	Erysipelas	51				1	1	6	3	5	15	14	6	7	7	2
(37)	Tetanus	16	1		1	5	7	8	1		16					
13	Tuberculosis of the lungs	87	1	1		1	3		2	2	7	5	6	22	28	19
14	Tuberculous meningitis	65				1	1		1	1	3	2		24	20	16
15	Other forms of tuberculosis	45							3		3	5	4	9	15	9
(37)	Syphilis	176	8	7	3	7	25	4	13	14	56	52	26	28	11	3
17	Meningitis	243	1	2	5	8	16	14	10	11	51	20	13	74	49	36
(37)	Convulsions	236	9	16	22	45	92	26	24	9	151	26	13	20	14	12
19	Organic diseases of the heart	84	12	8	2	12	34	11	4	2	51	7	4	14	4	4
20	Acute bronchitis	286		1	3	7	11	18	24	20	73	38	38	63	43	31
22	Pneumonia	703	4	5	9	27	45	38	42	30	155	82	63	165	134	104
(23)	Bronchopneumonia	674		5	8	11	24	34	26	49	133	83	77	147	132	102
24	Diseases of the stomach	222	2	1	6	8	17	17	16	11	61	42	23	66	20	10
25	Diarrhea and enteritis	3,167	4	3	6	38	51	89	98	118	356	340	334	961	703	473
(33)	Malformations	719	135	114	64	117	430	93	38	23	584	50	27	32	18	8
(33)	Premature birth	1,763	824	313	124	194	1,455	133	77	47	1,712	44	7			
(33,37)	Congenital debility	902	170	82	56	148	456	122	84	59	721	108	70	2	1	
(37)	Injuries at birth	298	123	58	34	54	269	16	5	2	292	5	1			
35	External causes	129	8	4	1	13	26	3	7	8	44	17	14	22	13	19
38	Diseases ill-defined or unknown	253	20	12	13	11	56	10	9	4	79	12	10	106	30	16
	All other causes	696	24	25	22	60	131	66	39	35	271	75	55	123	99	73
	PENNSYLVANIA.															
	All causes	28,377	2,118	1,094	691	1,598	5,501	1,625	1,325	1,097	9,548	2,843	2,433	5,925	4,347	3,281
5	Measles	306						1	3	3	7	10	7	42	101	139
6	Scarlet fever	64		1	1	1	3	2	1	2	8	4	1	10	18	23
7	Whooping cough	581			1	1	2	2	11	24	39	77	60	144	129	132
8	Diphtheria and croup	173			2	2	4		3	8	15	11	10	25	36	31
9	Influenza	93						4	2	6	12	12	8	23	25	13
(12)	Dysentery	103			1	1	2	1		3	6	9	2	33	31	22
(12)	Erysipelas	131			1	2	3	9	6	14	32	28	14	27	22	8
(37)	Tetanus	31			1	11	12	13	2	1	28			1	1	1
13	Tuberculosis of the lungs	148		1	1	2	4	3	3	3	13	9	11	43	34	38
14	Tuberculous meningitis	122						1	1	3	5	6	8	32	42	29
15	Other forms of tuberculosis	56				1	1	3	3	2	9	7	4	14	11	11
(37)	Syphilis	225	15	4	1	10	30	22	14	23	89	37	32	44	16	7
17	Meningitis	300	1	5	1	6	13	16	12	8	49	21	19	87	61	63
(37)	Convulsions	1,098	22	32	47	156	257	112	68	54	491	124	93	184	120	86
19	Organic diseases of the heart	161	11	13	7	22	53	13	13	9	88	22	9	18	13	11
20	Acute bronchitis	773	2	2	3	16	23	32	48	37	140	123	90	194	133	93
22	Pneumonia	1,757	3	12	9	51	75	82	90	75	322	210	184	415	362	264
(23)	Bronchopneumonia	1,915	1	6	8	38	53	73	76	72	274	218	190	484	415	334
24	Diseases of the stomach	575	2	6	5	20	33	42	31	40	146	110	73	136	74	36
25	Diarrhea and enteritis	8,969	4	7	11	93	115	194	255	260	824	889	945	2,789	2,056	1,466
(33)	Malformations	1,386	250	167	116	238	771	179	93	57	1,100	100	55	65	40	26
(33)	Premature birth	3,020	1,213	521	231	368	2,333	297	169	100	2,899	82	39			
(33,37)	Congenital debility	2,575	273	165	108	294	840	334	269	192	1,635	512	405	16	5	2
(37)	Injuries at birth	530	233	80	54	104	471	40	9	5	525	4	1			
35	External causes	259	10	9	5	19	43	9	14	10	76	25	26	46	43	43
38	Diseases ill-defined or unknown	1,515	59	30	30	38	157	34	30	24	245	39	29	724	320	158
	All other causes	1,501	19	33	47	104	203	107	99	62	471	154	118	329	239	190
	RHODE ISLAND.															
	All causes	2,129	182	88	40	115	425	80	82	76	663	208	199	451	353	255
5	Measles	66						2	1	1	4	4	4	12	25	17
6	Scarlet fever	2												1	1	
7	Whooping cough	34							1	2	3	7	2	8	8	6
8	Diphtheria and croup	12								1	1			1	6	4
9	Influenza	11							1		1		3	1	3	3
(12)	Dysentery	5												4		1
(12)	Erysipelas	2										1	1			
(37)	Tetanus															
13	Tuberculosis of the lungs	18								1	1	1	1	4	7	4
14	Tuberculous meningitis	25										2	2	7	8	6
15	Other forms of tuberculosis	7								1	1	2		1		3
(37)	Syphilis	21	1	1		2	4	4		1	9	3	2	4	3	
17	Meningitis	27				1	1	2			3	2		7	11	4
(37)	Convulsions	32	1		2	7	10	6	2	1	19	3	1	6	2	1
19	Organic diseases of the heart	5	1	1		2	4				4					1
20	Acute bronchitis	92			1	1	2	6	9	3	20	18	16	12	17	9
22	Pneumonia	115				2	2	6	4	6	18	16	10	26	29	16
(23)	Bronchopneumonia	128				2	2	2	7	6	17	13	10	41	25	22
24	Diseases of the stomach	53				1	1		3	3	7	8	11	12	12	3
25	Diarrhea and enteritis	724				9	9	7	12	22	50	66	89	230	162	127
(33)	Malformations	75	10	9	6	14	39	7	7	4	57	7	2	3	3	3
(33)	Premature birth	218	93	39	15	30	177	13	16	4	210	2	6			
(33,37)	Congenital debility	176	19	14	7	21	61	21	12	12	106	44	25	1		
(37)	Injuries at birth	93	50	19	7	11	87		2	1	90	3				
35	External causes	21	4	2			6			1	7		2	3	4	5
38	Diseases ill-defined or unknown	82	1	3		5	9	1		1	11		1	48	17	5
	All other causes	85	2		2	7	11	3	5	5	24	6	11	19	10	15

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	UTAH.															
	All causes	896	120	67	27	57	271	67	55	51	444	75	50	137	112	78
5	Measles	2													1	1
6	Scarlet fever	5												1	1	3
7	Whooping cough	39							3	3	6	5	6	10	6	6
8	Diphtheria and croup	4												1	3	
9	Influenza	3				1	1			1	2					1
(12)	Dysentery	2												1		1
(12)	Erysipelas	7							1	1	2	1	1	3		
(37)	Tetanus															
13	Tuberculosis of the lungs	1											1			
14	Tuberculous meningitis	3												1	2	
15	Other forms of tuberculosis															
(37)	Syphilis	3							1	1	2			1		
17	Meningitis	7								3	3		1		1	2
(37)	Convulsions	21		3	3	4	10	1	1	1	13	3	2	1	1	1
19	Organic diseases of the heart	11	2		1	2	5	1			6			4		1
20	Acute bronchitis	32						4	5	2	11	5	3	5	5	3
22	Pneumonia	78		1			1	6	4	7	18	9	6	20	14	11
(23)	Bronchopneumonia	59				2	2	1	4	10	17	11	4	11	8	8
24	Diseases of the stomach	14			1		1	2			3	4		3	4	
25	Diarrhea and enteritis	155						4	10	4	18	17	13	45	38	24
(33)	Malformations	35	3	5	4	10	22	5	1	3	31	1	1		2	
(33)	Premature birth	202	95	37	13	18	163	21	11	5	200	2				
(33,37)	Congenital debility	75	9	10	1	9	29	15	11	4	59	9	7			
(37)	Injuries at birth	12	4	5	1	2	12				12					
35	External causes	15	2	1	2		5	1		1	7	1	1	1	2	3
38	Diseases ill-defined or unknown	32	4	1		1	6		2	1	9	2	1	11	6	3
	All other causes	79	1	4	1	8	14	6	1	4	25	5	3	18	18	10
	VERMONT.															
	All causes	791	106	41	36	46	229	54	42	43	368	77	72	128	79	67
5	Measles	1							1		1					
6	Scarlet fever															
7	Whooping cough	34							1	3	4	6	4	5	5	10
8	Diphtheria and croup	3												2		1
9	Influenza	9						1	1		2		1	1	5	
(12)	Dysentery	3							1		1				2	
(12)	Erysipelas	1						1			1					
(37)	Tetanus															
13	Tuberculosis of the lungs	3												2	1	
14	Tuberculous meningitis	7										1	1	1	1	3
15	Other forms of tuberculosis	3												2		1
(37)	Syphilis	2	1				1				1				1	
17	Meningitis	14				2	2			1	3		3	5		3
(37)	Convulsions	13			1	2	3	1	1	1	6	2		1	3	1
19	Organic diseases of the heart	9	2			3	5	1			6		2	1		
20	Acute bronchitis	39						3	3	1	7	6	6	10	7	3
22	Pneumonia	54		1	1		2	3	6	7	18	3	5	14	9	5
(23)	Bronchopneumonia	32			1	1	2	1	2		5	5	5	7	2	8
24	Diseases of the stomach	21	1		1		2	3		3	8	4	5	2	2	
25	Diarrhea and enteritis	188		2	1	5	8	6	9	10	33	25	28	51	26	25
(33)	Malformations	63	9	11	5	6	31	12	4	4	51	4	1	3	2	2
(33)	Premature birth	147	67	21	11	11	110	12	8	7	137	10				
(33,37)	Congenital debility	49	11	2	3	5	21	9	4	3	37	4	8			
(37)	Injuries at birth	21	12	2	2	2	18	1	1		20		1			
35	External causes	9	1		1		2			1	3			3	2	1
38	Diseases ill-defined or unknown	13	2		2	2	6			1	7	1		1	4	
	All other causes	53		2	7	7	16			1	17	6	2	17	7	4
	WASHINGTON.															
	All causes	1,862	197	140	76	157	570	112	96	64	842	178	143	320	228	151
5	Measles	13												2	2	9
6	Scarlet fever	5													3	2
7	Whooping cough	109						1	5	3	9	13	17	35	21	14
8	Diphtheria and croup	8								1	1				3	4
9	Influenza	5				1	1		1	1	3	1		1		
(12)	Dysentery	13			1		1			1	2	1	1	2	5	2
(12)	Erysipelas	10							1		1	2	3	2		2
(37)	Tetanus															
13	Tuberculosis of the lungs	9										2		2	5	
14	Tuberculous meningitis	17							2		2	1	1	3	4	6
15	Other forms of tuberculosis	4							1		1			2		1
(37)	Syphilis	19						2	3		5	2	5	4	2	1
17	Meningitis	16		1			1	1			2	4	2	3	3	2
(37)	Convulsions	27	2	1	2	5	10	1	6	1	18	3	1	1	2	2
19	Organic diseases of the heart	15	2	3	2	2	9		2		11	1		3		
20	Acute bronchitis	20						3	3		6	1	4	4	3	2
22	Pneumonia	48			2		2	5	3	1	11	6	5	10	7	9
(23)	Bronchopneumonia	149			3	3	6	4	7	5	22	25	22	31	25	24
24	Diseases of the stomach	44				5	5	1	4		10	9	10	9	4	2
25	Diarrhea and enteritis	364				4	4	5	7	16	32	34	37	123	88	50
(33)	Malformations	130	22	19	14	28	83	11	6	6	106	7	2	9	4	2
(33)	Premature birth	308	121	81	18	36	256	29	12	6	303	5				
(33,37)	Congenital debility	226	29	12	18	45	104	29	23	12	168	39	18	1		
(37)	Injuries at birth	43	10	14	8	7	39	3		1	43					
35	External causes	28	5	2		2	9	4			13	3	1	2	7	2
38	Diseases ill-defined or unknown	105	5	3	3	2	13	2	2	4	21	4	2	55	19	4
	All other causes	127	1	4	5	17	27	11	8	6	52	15	12	16	21	11

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	WISCONSIN.															
	All causes	5,621	643	344	208	456	1,651	398	233	206	2,488	545	459	1,028	631	470
5	Measles	43						1	1		2	1	6	3	18	13
6	Scarlet fever	11						1			1			2	3	5
7	Whooping cough	112						1	5	3	9	20	17	25	28	13
8	Diphtheria and croup	33	1		1		2	1	1	2	6	5		6	9	7
9	Influenza	19						1	1		2	2	8	2	3	2
(12)	Dysentery	40								1	1	2	6	10	11	10
(12)	Erysipelas	13						2	1	2	5	3	1	2	2	
(37)	Tetanus	6				1	1	4	1		6					
13	Tuberculosis of the lungs	20	1				1			1	2	2	3	7	2	4
14	Tuberculous meningitis	25								1	1	1	3	8	6	6
15	Other forms of tuberculosis	14						1			1		1	8	2	2
(37)	Syphilis	26	1	1			2	2	2	3	9	10	2	4	1	
17	Meningitis	107		1	1	4	6	3	1	2	12	6	6	31	25	27
(37)	Convulsions	377	16	21	26	78	141	50	21	22	234	40	25	44	20	14
19	Organic diseases of the heart	31	3	2	1	6	12	2	2	3	19	1		10		1
20	Acute bronchitis	181		3	1	4	8	5	10	11	34	31	19	34	39	24
22	Pneumonia	323	1	2	2	3	8	23	19	20	70	41	29	32	61	40
(23)	Bronchopneumonia	206		1	2	2	5	9	8	10	32	20	20	54	49	31
24	Diseases of the stomach	172		1	2	14	17	26	11	8	62	26	20	39	16	9
25	Diarrhea and enteritis	1,385		3	5	31	39	51	41	39	170	146	168	453	256	192
(33)	Malformations	270	55	36	38	51	180	24	9	6	219	17	6	11	8	9
(33)	Premature birth	812	376	147	50	83	656	69	38	16	779	25	8			
(33, 37)	Congenital debility	654	99	77	40	100	316	85	41	35	477	97	75	3	2	
(37)	Injuries at birth	129	65	30	14	16	125	4			129					
35	External causes	50	2	3	3	5	13	3	5	3	24	8	3	6	4	5
38	Diseases ill-defined or unknown	242	15	6	10	12	43	4	5	4	56	5	9	124	31	17
	All other causes	320	8	10	12	46	76	26	10	14	126	36	24	60	35	39
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.															
	BIRMINGHAM, ALA. (TOTAL).															
	All causes	391	46	16	5	24	91	27	18	13	149	25	41	65	44	67
5	Measles	4								1	1				1	2
6	Scarlet fever															
7	Whooping cough	4											1			3
8	Diphtheria and croup	3						1			1			1		1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	3											1		1	1
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	11	1			2	3				3	2	1	3	1	1
17	Meningitis	4												1	3	
(37)	Convulsions	6		2		2	4	1		1	6					
19	Organic diseases of the heart	2	1				1				1	1				
20	Acute bronchitis															
22	Pneumonia	29				2	2	2	1	1	6	1		12	5	5
(23)	Bronchopneumonia	28			1		1	2			3	1	3	7	6	8
24	Diseases of the stomach															
25	Diarrhea and enteritis	114						1	2	4	7	8	14	28	24	33
(33)	Malformations	8	2	1		1	4	3			7		1			
(33)	Premature birth	58	25	8	1	9	43	5	3	3	54	2	2			
(33, 37)	Congenital debility	27	2	2	1	2	7	4	4	1	16	5	6			
(37)	Injuries at birth	3	2				2		1		3					
35	External causes	8				2	2			1	3		4			1
38	Diseases ill-defined or unknown	61	13	2	2	3	20	5	6	1	32	4	6	10	2	7
	All other causes	16		1		1	2	2	1		5		2	3	1	5
	BIRMINGHAM, ALA. (WHITE).															
	All causes	193	33	6	5	13	57	13	10	8	88	13	17	20	18	37
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	3											1			2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis	4												1	3	
(37)	Convulsions	2				1	1			1	2					
19	Organic diseases of the heart	1	1				1				1					
20	Acute bronchitis															
22	Pneumonia	8						1		1	2	1		3	1	1
(23)	Bronchopneumonia	11			1		1	1			2	1		2	2	4
24	Diseases of the stomach															
25	Diarrhea and enteritis	59						1	1	3	5	4	7	10	9	24
(33)	Malformations	6	2	1		1	4	2			6					
(33)	Premature birth	41	20	3	1	6	30	3	3	3	39	1	1			
(33, 37)	Congenital debility	14	2		1	1	4	2	3		9	3	2			
(37)	Injuries at birth	3	2				2		1		3					
35	External causes	3				1	1				1		2			
38	Diseases ill-defined or unknown	24	6	1	2	2	11	1	1		13	2	3	3		3
	All other causes	10		1		1	2	2	1		5		1	1	1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	BIRMINGHAM, ALA. (COLORED).															
	All causes	198	13	10		11	34	14	8	5	61	12	24	45	26	30
5	Measles	2								1	1					1
6	Scarlet fever															
7	Whooping cough	1														1
8	Diphtheria and croup	3						1			1			1		1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2											1			1
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	11	1			2	3				3	2	1	3	1	1
17	Meningitis															
(37)	Convulsions	4		2		1	3	1			4					
19	Organic diseases of the heart	1										1				
20	Acute bronchitis															
22	Pneumonia	21				2	2	1	1		4			9	4	4
(23)	Bronchopneumonia	17						1			1		3	5	4	4
24	Diseases of the stomach															
25	Diarrhea and enteritis	55							1	1	2	4	7	18	15	9
(33)	Malformations	2						1			1		1			
(33)	Premature birth	17	5	5		3	13	2			15	1	1			
(33,37)	Congenital debility	13		2		1	3	2	1	1	7	2	4			
(37)	Injuries at birth															
35	External causes	5				1	1			1	2		2			1
38	Diseases ill-defined or unknown	37	7	1		1	9	4	5	1	19	2	3	7	2	4
	All other causes	6											1	2		3
	LOS ANGELES, CAL.															
	All causes	531	89	38	16	37	180	39	28	26	273	48	31	74	48	57
5	Measles	11										1		1	2	7
6	Scarlet fever	1														1
7	Whooping cough	8										2	1	2	2	1
8	Diphtheria and croup	2												2		
9	Influenza	3						1	1		2					1
(12)	Dysentery	3													2	1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	15				3	3			1	4	2		3	5	1
14	Tuberculous meningitis	14											1	6	3	4
15	Other forms of tuberculosis	2												1	1	
(37)	Syphilis	29	1	1			2	3	2	3	10	7	5	5	1	1
17	Meningitis	14				1	1	1			2		2	3		7
(37)	Convulsions	8			1	1	2	2	1	1	6			1	1	
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	9		1			1		1	1	3			1	3	2
22	Pneumonia	32						4	2	1	7	3	3	12	1	6
(23)	Bronchopneumonia	24						3		2	5	4	1	4	6	4
24	Diseases of the stomach	7						1			1	1	1	3	1	
25	Diarrhea and enteritis	66				1	1		6	2	9	8	9	15	11	14
(33)	Malformations	40	8	8	2	7	25	2	3		30	4	1	2	2	1
(33)	Premature birth	119	58	22	5	8	93	8	5	5	111	6	2			
(33,37)	Congenital debility	58	12	3	5	9	29	6	5	8	48	6	4			
(37)	Injuries at birth	18	7	2	3	4	16	2			18					
35	External causes	4	1				1				1	1			1	1
38	Diseases ill-defined or unknown	16												10	4	2
	All other causes	27	2	1		2	5	6	2	2	15	3	1	3	2	3
	OAKLAND, CAL.															
	All causes	253	42	11	6	26	85	13	7	8	113	24	25	49	23	19
5	Measles	1												1		
6	Scarlet fever															
7	Whooping cough	19							1		1	3	2	7	2	4
8	Diphtheria and croup	1												1		
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2										1		1		
(37)	Tetanus															
13	Tuberculosis of the lungs	3												2		1
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	2										2				
(37)	Syphilis	7								1	1		4	2		
17	Meningitis	8				1	1		1		2	2	1	2	1	
(37)	Convulsions	2												1	1	
19	Organic diseases of the heart	1														1
20	Acute bronchitis	4				1	1	2			3			1		
22	Pneumonia	15						1			1	2	1	5	4	2
(23)	Bronchopneumonia	19		1			1		1		2		2	7	7	1
24	Diseases of the stomach	4										1	1	2		
25	Diarrhea and enteritis	55				1	1	3		3	7	8	12	13	7	8
(33)	Malformations	15	5	2	1	5	13	1			14	1				
(33)	Premature birth	46	25	6	3	5	39	1	3		43	2	1			
(33,37)	Congenital debility	26	6	1	1	7	15	4	1	3	23	1	1		1	
(37)	Injuries at birth	7	6			1	7				7					
35	External causes	1														1
38	Diseases ill-defined or unknown	1												1		
	All other causes	13		1	1	5	7	1		1	9	1		3		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	SAN FRANCISCO, CAL.															
	All causes	699	65	27	28	59	179	52	33	30	294	84	70	113	69	69
5	Measles	8											1	2		5
6	Scarlet fever															
7	Whooping cough	18										1		7	3	7
8	Diphtheria and croup	1														1
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas	1								1	1					
(37)	Tetanus	3			1	2	3				3					
13	Tuberculosis of the lungs	25		1		1	2		3	2	7	1	4	5	3	5
14	Tuberculous meningitis	13										1	1	2	3	6
15	Other forms of tuberculosis	4										1			2	1
(37)	Syphilis	12				1	1	1	1	1	4	4	1	2		1
17	Meningitis	10											1	5	2	2
(37)	Convulsions	8	1	2			3	1	1		5			1	2	
19	Organic diseases of the heart	7				1	1	1	1	1	4		2		1	
20	Acute bronchitis	22				1	1	3		2	6	4	3	3	3	3
22	Pneumonia	45				1	1		3	2	6	5	5	7	11	11
(23)	Bronchopneumonia	48		2			2	3	2	2	9	5	6	9	12	7
24	Diseases of the stomach	31						1	2		3	8	10	9	1	
25	Diarrhea and enteritis	148				2	2	2	4	7	15	33	24	45	19	12
(33)	Malformations	59	5	5	8	10	28	8	2	2	40	6	3	5	2	3
(33)	Premature birth	114	46	9	7	23	85	14	6	3	108	5	1			
(33,37)	Congenital debility	52	5	5	6	7	23	10	5	6	44	4	4			
(37)	Injuries at birth	21	7	2	3	6	18	2			20	1				
35	External causes	8			2		2	1	2	1	6	1				1
38	Diseases ill-defined or unknown	10	1				1				1			6	2	1
	All other causes	30		1	1	4	6	5	1		12	4	4	4	3	3
	DENVER, COLO.															
	All causes	464	73	18	14	30	135	38	25	25	223	52	46	72	51	20
5	Measles															
6	Scarlet fever	4											2	1		1
7	Whooping cough	5											1	1	3	
8	Diphtheria and croup	1														1
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas	6						2		1	3			1	1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	2												1		1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	10										4	2	4		
17	Meningitis	14				1	1	2	2		5	3		3	3	
(37)	Convulsions	6		1	1		2		1	1	4		1	1		
19	Organic diseases of the heart	2				1	1				1				1	
20	Acute bronchitis	13						1		1	2	1	3	6		1
22	Pneumonia	25				1	1		2	1	4	3	3	6	6	3
(23)	Bronchopneumonia	20	1				1				1	4	8	2	3	2
24	Diseases of the stomach	9						1	1		2	3	2	1	1	
25	Diarrhea and enteritis	101						2	2	8	12	16	13	27	28	5
(33)	Malformations	33	8	6	2	7	23	2	3	1	29	2		1	1	
(33)	Premature birth	95	51	8	6	5	70	10	9	2	91	4				
(33,37)	Congenital debility	66	9	2	3	7	21	14	5	7	47	9	10			
(37)	Injuries at birth	9	3		1	4	8	1			9					
35	External causes	7	1				1			2	3	1		1	1	1
38	Diseases ill-defined or unknown	7												6	1	
	All other causes	26		1	1	4	6	3		1	10	2	1	7	2	4
	BRIDGEPORT, CONN.															
	All causes	367	27	13	13	28	81	21	21	10	133	32	32	73	61	36
5	Measles															
6	Scarlet fever	2														2
7	Whooping cough	16											1	8	5	2
8	Diphtheria and croup	3													2	1
9	Influenza	1								1	1					
(12)	Dysentery															
(12)	Erysipelas	1											1			
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis															
(37)	Syphilis	3				1	1				1	2				
17	Meningitis	4											2		1	1
(37)	Convulsions	8	1		1	4	6			1	7				1	
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	7								1	1		3	1		2
22	Pneumonia	25						1	2	1	4	1	2	6	7	5
(23)	Bronchopneumonia	20						1	1		2	1	3	3	9	2
24	Diseases of the stomach	4												2	1	1
25	Diarrhea and enteritis	113		1			1	2	4	3	10	15	12	37	26	13
(33)	Malformations	22	3	2	5	4	14	3	1		18	1	1	2		
(33)	Premature birth	37	14	5	3	7	29	7	1		37					
(33,37)	Congenital debility	48	5	3	1	8	17	4	8	3	32	12	4			
(37)	Injuries at birth	11	4	2	2	2	10	1			11					
35	External causes	5							2		2		1			2
38	Diseases ill-defined or unknown	17												11	5	1
	All other causes	16			1	2	3	2	2		7		1	3	3	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW HAVEN, CONN.															
	All causes	406	49	28	13	25	115	18	17	15	165	32	27	80	52	50
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	9											2	3	1	3
8	Diphtheria and croup	1													1	
9	Influenza	6						1	2		3	2				1
(12)	Dysentery	2								1	1				1	
(12)	Erysipelas	5								1	1	2	1	1		
(37)	Tetanus	1										1				
13	Tuberculosis of the lungs	5												2	3	
14	Tuberculous meningitis	4												3		1
15	Other forms of tuberculosis															
(37)	Syphilis	5										1		2		2
17	Meningitis	5													4	1
(37)	Convulsions	9		1		3	4		1		5	1		1	2	
19	Organic diseases of the heart	4	1			1	2	1	1		4					
20	Acute bronchitis	13						1	2	2	5	1	1	2	1	3
22	Pneumonia	24				3	3	1	2	1	7		1	8	6	2
(23)	Bronchopneumonia	21								2	2	2	1	4	5	7
24	Diseases of the stomach	5						1			1			1	2	1
25	Diarrhea and enteritis	103				1	1	2	3	2	8	9	15	34	15	22
(33)	Malformations	14	2	3	1	3	9	2		1	12			1		1
(33)	Premature birth	56	26	15	8	1	50	3	1		54	2				
(33, 37)	Congenital debility	43	11	5	2	6	24	5	4	4	37	9	2			
(37)	Injuries at birth	14	7	3	1	3	14				14					
35	External causes	2												1		1
38	Diseases ill-defined or unknown	27	2	1	1	1	5				5		3	13	5	1
	All other causes	21				3	3	1	1	1	6	2	1	4	6	2
	WASHINGTON, D. C. (TOTAL).															
	All causes	1,068	163	51	29	64	307	53	36	31	427	94	86	221	138	102
5	Measles															
6	Scarlet fever	3										1	1			1
7	Whooping cough	20								1	1	2	1	5	7	4
8	Diphtheria and croup	3						1			1			2		
9	Influenza	4								1	1	1		1	1	
(12)	Dysentery	1											1			
(12)	Erysipelas	1										1				
(37)	Tetanus	7				1	1	4	2		7					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	6												4		2
15	Other forms of tuberculosis	2										1			1	
(37)	Syphilis	17	4	2		1	7	1		1	9	3	3	2		
17	Meningitis	8												3	1	4
(37)	Convulsions	22		1	2	1	4	4	2	1	11	1		6	2	2
19	Organic diseases of the heart	7		1		3	4				4	1		2		
20	Acute bronchitis	29	1			1	2			2	4	4	2	11	4	4
22	Pneumonia	80		1		1	2	1	5		8	8	8	23	13	20
(23)	Bronchopneumonia	49		2			2	1	1	1	5	2	3	17	14	8
24	Diseases of the stomach	14			1		1	1			2	2	2	4	1	3
25	Diarrhea and enteritis	268				5	5	2	1	5	13	35	34	80	65	41
(33)	Malformations	25	13	1	2	2	18	3	1		22	1		2		
(33)	Premature birth	211	107	29	14	18	168	17	10	7	202	5	4			
(33, 37)	Congenital debility	132	17	7	6	20	50	13	9	11	83	22	25	2		
(37)	Injuries at birth	24	15	3		4	22	1	1		24					
35	External causes	7	1				1	1			2		2	1	2	
38	Diseases ill-defined or unknown	72	1				1				1			45	18	8
	All other causes	56	4	4	4	7	19	3	4	1	27	4		11	9	5
	WASHINGTON, D. C. (WHITE).															
	All causes	487	95	26	13	30	164	29	13	17	223	28	31	102	58	45
5	Measles															
6	Scarlet fever	1														1
7	Whooping cough	7								1	1		1	1	3	1
8	Diphtheria and croup	2												2		
9	Influenza	1													1	
(12)	Dysentery	1											1			
(12)	Erysipelas	1										1				
(37)	Tetanus	3						2	1		3					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	5												4		1
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	5						1		1	2	1	1	1		
17	Meningitis	5												2	1	2
(37)	Convulsions	12				1	1	3	2	1	7			3	1	1
19	Organic diseases of the heart	7		1		3	4				4	1		2		
20	Acute bronchitis	8								1	1	1	1	1	2	2
22	Pneumonia	17						1	2		3	2	1	6	1	4
(23)	Bronchopneumonia	20		1			1		1	1	3		1	6	6	4
24	Diseases of the stomach	4			1		1	1			2			2		
25	Diarrhea and enteritis	112				2	2	1		4	7	9	11	38	27	20
(33)	Malformations	19	11		1	1	13	3	1		17			2		
(33)	Premature birth	91	58	14	6	4	82	7		2	91					
(33, 37)	Congenital debility	72	14	4	4	10	32	6	2	6	46	11	14	1		
(37)	Injuries at birth	17	9	3		3	15	1	1		17					
35	External causes															
38	Diseases ill-defined or unknown	41	1				1				1			27	8	5
	All other causes	35	2	3	1	6	12	3	3		18	1		4	8	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	WASHINGTON, D. C. (COLORED).															
	All causes	581	68	25	16	34	143	24	23	14	204	66	55	119	80	57
5	Measles															
6	Scarlet fever	2										1	1			
7	Whooping cough	13										2		4	4	3
8	Diphtheria and croup	1						1			1					
9	Influenza	3								1	1	1		1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	4				1	1	2	1		4					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	1														
(37)	Syphilis	12	4	2		1	7				7	2	2	1		
17	Meningitis	3												1		2
(37)	Convulsions	10		1	2		3	1			4	1		3	1	1
19	Organic diseases of the heart															
20	Acute bronchitis	21	1			1	2			1	3	3	1	10	2	2
22	Pneumonia	63		1		1	2		3		5	6	7	17	12	16
(23)	Bronchopneumonia	29		1			1	1			2	2	2	11	8	4
24	Diseases of the stomach	10										2	2	2	1	3
25	Diarrhea and enteritis	156				3	3	1	1	1	6	26	23	42	38	21
(33)	Malformations	6	2	1	1	1	5				5	1				
(33)	Premature birth	120	49	15	8	14	86	10	10	5	111	5	4			
(33,37)	Congenital debility	60	3	3	2	10	18	7	7	5	37	11	11	1		
(37)	Injuries at birth	7	6			1	7				7					
35	External causes	7	1				1	1			2		2	1	2	
38	Diseases ill-defined or unknown	31												18	10	3
	All other causes	21	2	1	3	1	7		1	1	9	3		7	1	1
	ATLANTA, GA. (TOTAL).															
	All causes	521	58	23	9	33	123	28	19	22	192	49	44	103	70	63
5	Measles	3												1	1	1
6	Scarlet fever	1														1
7	Whooping cough	7								1	1	2	2	1	1	
8	Diphtheria and croup	7											2	3		2
9	Influenza															
(12)	Dysentery	14										3	1	5	1	4
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1										1				
14	Tuberculous meningitis	2										1			1	
15	Other forms of tuberculosis															
(37)	Syphilis	1										1				
17	Meningitis	7		1			1				1			4	1	1
(37)	Convulsions	7		1	1	1	3			2	5			2		
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	8			1		1			2	3	2	1	1	1	
22	Pneumonia	72				3	3	2	8	3	16	6	9	22	7	12
(23)	Bronchopneumonia	25				1	1	1	2	1	5	4	2	5	6	3
24	Diseases of the stomach	14						1	1		2	2	1	4	2	3
25	Diarrhea and enteritis	105				2	2	2	3	2	9	4	9	24	37	22
(33)	Malformations	13	4	1	1	3	9	1			10	1	1			1
(33)	Premature birth	83	38	16	2	17	73	5		2	80	2	1			
(33,37)	Congenital debility	56	10	1	1	5	17	8	3	8	36	12	8			
(37)	Injuries at birth	9	6	3			9				9					
35	External causes	14			2		2	2			4	4	2	3		1
38	Diseases ill-defined or unknown	37										1	1	23	5	7
	All other causes	34			1	1	2	6	2	1	11	3	4	4	7	5
	ATLANTA, GA. (WHITE).															
	All causes	286	41	13	5	15	74	15	9	12	110	26	31	48	34	37
5	Measles	2													1	1
6	Scarlet fever	1														1
7	Whooping cough	3								1	1		1	1		
8	Diphtheria and croup	4											2			2
9	Influenza															
(12)	Dysentery	7											1	3	1	2
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1										1				
15	Other forms of tuberculosis															
(37)	Syphilis	1														
17	Meningitis	4										1				
(37)	Convulsions	4		1	1	1	3				3			2	1	1
19	Organic diseases of the heart													1		
20	Acute bronchitis	3								1	1		1	1		
22	Pneumonia	25				1	1	2	4	1	8	3	4	6	1	3
(23)	Bronchopneumonia	16				1	1	1	1	1	4	4	2	1	2	3
24	Diseases of the stomach	7						1	1		2	1	1	2		1
25	Diarrhea and enteritis	59				1	1		1	1	3	1	7	16	20	12
(33)	Malformations	9	2	1	1	1	5	1			6	1	1			1
(33)	Premature birth	50	29	8	1	6	44	3		1	48	2				
(33,37)	Congenital debility	36	6		1	3	10	5	1	5	21	10	5			
(37)	Injuries at birth	7	4	3			7				7					
35	External causes	5											2	2		1
38	Diseases ill-defined or unknown	19												11	3	5
	All other causes	23			1	1	2	2	1	1	6	2	4	2	5	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ATLANTA, GA. (COLORED).															
	All causes	235	17	10	4	18	49	13	10	10	82	23	13	55	36	26
5	Measles	1												1		
6	Scarlet fever															
7	Whooping cough	4										2	1		1	
8	Diphtheria and croup	3												3		
9	Influenza															
(12)	Dysentery	7										3		2		2
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1										1				
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis	3		1			1				1			2		
(37)	Convulsions	3								2	2			1		
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	5			1		1			1	2	2			1	
22	Pneumonia	47				2	2		4	2	8	3	5	16	6	9
(23)	Bronchopneumonia	9							1		1			4	4	
24	Diseases of the stomach	7										1		2	2	2
25	Diarrhea and enteritis	46				1	1	2	2	1	6	3	2	8	17	10
(33)	Malformations	4	2			2	4				4					
(33)	Premature birth	33	9	8	1	11	29	2		1	32		1			
(33,37)	Congenital debility	20	4	1		2	7	3	2	3	15	2	3			
(37)	Injuries at birth	2	2				2				2					
35	External causes	9			2		2	2			4	4		1		
38	Diseases ill-defined or unknown	18										1	1	12	2	2
	All other causes	11						4	1		5	1		2	2	1
	CHICAGO, ILL. (TOTAL).															
	All causes	6,844	606	250	215	412	1,483	412	348	245	2,488	634	587	1,316	1.028	791
5	Measles	39				1	1	1	2		4	1		3	12	19
6	Scarlet fever	14	1				1	1			2			1	5	6
7	Whooping cough	78						1		6	7	9	8	20	16	18
8	Diphtheria and croup	66				1	1	1	1	1	4	2	2	10	19	29
9	Influenza	13			1		1	1			2			1	7	3
(12)	Dysentery	21												10	8	3
(12)	Erysipelas	22						1	3	3	7	4	4		3	4
(37)	Tetanus	6				3	3	2	1		6					
13	Tuberculosis of the lungs	34				1	1				1	1	5	7	7	13
14	Tuberculous meningitis	39						1			1		3	13	15	7
15	Other forms of tuberculosis	6										3		1	2	
(37)	Syphilis	114	7	2	6	5	20	9	4	8	41	29	16	20	7	1
17	Meningitis	53		2		1	3	4	1		8	3	1	12	13	16
(37)	Convulsions	34	2	5	3	5	15	1	1	4	21	2	3	5	3	
19	Organic diseases of the heart	15				1	1	2	1		4	2	3	2	3	1
20	Acute bronchitis	39	1			3	4	5	3	1	13	5	8	5	4	4
22	Pneumonia	531	3	2	8	16	29	21	22	21	93	57	51	107	116	107
(23)	Bronchopneumonia	788	3	3	6	18	30	31	45	38	144	98	92	175	151	128
24	Diseases of the stomach	26		1	1	1	3	1	3	1	8	4	3	5	5	1
25	Diarrhea and enteritis	2,949	6	14	20	61	101	146	156	125	528	335	328	803	570	385
(33)	Malformations	310	75	27	28	57	187	26	16	11	240	15	19	20	11	5
(33)	Premature birth	676	306	93	54	80	533	65	35	12	645	18	13			
(33,37)	Congenital debility	351	74	41	39	84	238	54	25	7	324	17	6	1	3	
(37)	Injuries at birth	241	116	44	31	34	225	8	6	1	240		1			
35	External causes	62	3	12	3	5	23	2	1	2	28	4	3	10	5	12
38	Diseases ill-defined or unknown	30						1			1	1	2	22	3	1
	All other causes	287	9	4	15	35	63	27	22	4	116	24	16	63	40	28
	CHICAGO, ILL. (WHITE).															
	All causes	6,729	593	239	205	407	1,444	410	346	242	2,442	623	575	1,298	1,016	775
5	Measles	39				1	1	1	2		4	1		3	12	19
6	Scarlet fever	14	1				1	1			2			1	5	6
7	Whooping cough	76						1		6	7	9	8	19	16	17
8	Diphtheria and croup	65				1	1	1	1	1	4	2	2	9	19	29
9	Influenza	12						1			1			1	7	3
(12)	Dysentery	20												10	8	2
(12)	Erysipelas	22						1	3	3	7	4	4		3	4
(37)	Tetanus	6				3	3	2	1		6					
13	Tuberculosis of the lungs	33				1	1				1	1	5	6	7	13
14	Tuberculous meningitis	38						1			1		2	13	15	7
15	Other forms of tuberculosis	5										3		1	1	
(37)	Syphilis	109	7	2	4	5	18	9	4	8	39	27	15	20	7	1
17	Meningitis	53		2		1	3	4	1		8	3	1	12	13	16
(37)	Convulsions	33	2	5	3	5	15	1	1	4	21	2	3	4	3	
19	Organic diseases of the heart	14				1	1	2	1		4	2	3	2	3	
20	Acute bronchitis	39	1			3	4	5	3	1	13	5	8	5	4	4
22	Pneumonia	518	2	1	8	16	27	21	22	21	91	56	50	106	114	101
(23)	Bronchopneumonia	773	3	3	5	18	29	30	45	38	142	97	90	172	147	125
24	Diseases of the stomach	26		1	1	1	3	1	3	1	8	4	3	5	5	1
25	Diarrhea and enteritis	2,916	6	14	20	60	100	146	156	122	524	328	322	796	565	381
(33)	Malformations	304	73	26	26	56	181	26	16	11	234	15	19	20	11	5
(33)	Premature birth	656	299	85	53	79	516	64	33	12	625	18	13			
(33,37)	Congenital debility	346	73	41	36	83	233	54	25	7	319	17	6	1	3	
(37)	Injuries at birth	237	115	43	31	33	222	8	6	1	237					
35	External causes	62	3	12	3	5	23	2	1	2	28	4	3	10	5	12
38	Diseases ill-defined or unknown	29						1			1	1	2	21	3	1
	All other causes	284	8	4	15	35	62	27	22	4	115	24	16	61	40	28

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CHICAGO, ILL. (COLORED).															
	All causes	115	13	11	10	5	39	2	2	3	46	11	12	13	12	16
5	Measles															
6	Scarlet fever															
7	Whooping cough	2												1		1
8	Diphtheria and croup	1												1		
9	Influenza	1			1		1				1					
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	1										1				
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	5			2		2				2	2	1			
17	Meningitis															
(37)	Convulsions	1												1		
19	Organic diseases of the heart	1														1
20	Acute bronchitis															
22	Pneumonia	13	1	1			2				2	1	1	1	2	6
(23)	Bronchopneumonia	15			1		1	1			2	1	2	3	4	3
24	Diseases of the stomach															
25	Diarrhea and enteritis	33				1	1			3	4	7	6	7	5	4
(33)	Malformations	6	2	1	2	1	6				6					
(33)	Premature birth	20	7	8	1	1	17	1	2		20					
(33,37)	Congenital debility	5	1		3	1	5				5					
(37)	Injuries at birth	4	1	1		1	3				3		1			
35	External causes															
38	Diseases ill-defined or unknown	1												1		
	All other causes	3	1				1				1			2		
	INDIANAPOLIS, IND. (TOTAL).															
	All causes	557	69	38	19	44	170	40	29	20	259	50	44	78	75	51
5	Measles	6							1		1				3	2
6	Scarlet fever	1												1		
7	Whooping cough	17										2	2	3	8	2
8	Diphtheria and croup	2													2	
9	Influenza	2						1			1		1			
(12)	Dysentery	1												1		
(12)	Erysipelas	3								1	1			1		1
(37)	Tetanus	3							1	2	3					
13	Tuberculosis of the lungs	6						2			2	1			1	2
14	Tuberculous meningitis	6												2	3	1
15	Other forms of tuberculosis	3						1			1		2			
(37)	Syphilis	20	1				1	1	4	3	9	7	2	2		
17	Meningitis	6												1	1	4
(37)	Convulsions															
19	Organic diseases of the heart	4				2	2	1			3				1	
20	Acute bronchitis	10							2	1	3	2	1		2	2
22	Pneumonia	18						3	2		5	1	4	4	1	3
(23)	Bronchopneumonia	48			1		1	4	2	1	8	9	3	9	9	10
24	Diseases of the stomach	15							2	3	5	4	1	4	1	
25	Diarrhea and enteritis	143				5	5	3	3	5	16	11	17	42	37	20
(33)	Malformations	64	12	8	7	17	44	6	5	1	56	5	1	1		1
(33)	Premature birth	99	48	24	6	6	84	10	2		96	2	1			
(33,37)	Congenital debility	32	5	4	4	5	18	5	2		25	3	4			
(37)	Injuries at birth	9	3	1		4	8		1		9					
35	External causes	5			1	1	2		1		3		1	1		
38	Diseases ill-defined or unknown	7							1		1		1	3	1	1
	All other causes	27		1		4	5	3		3	11	3	3	3	5	2
	INDIANAPOLIS, IND. (WHITE).															
	All causes	478	61	32	15	39	147	32	26	19	224	47	39	67	62	39
5	Measles	4							1		1				2	1
6	Scarlet fever	1												1		
7	Whooping cough	17										2	2	3	8	2
8	Diphtheria and croup	2													2	
9	Influenza	2						1			1		1			
(12)	Dysentery	1												1		
(12)	Erysipelas	3								1	1			1		1
(37)	Tetanus	3							1	2	3					
13	Tuberculosis of the lungs	3						2			2					1
14	Tuberculous meningitis	6												2	3	1
15	Other forms of tuberculosis	2											2			
(37)	Syphilis	18	1				1	1	3	3	8	7	1	2		
17	Meningitis	4												1		3
(37)	Convulsions															
19	Organic diseases of the heart	4				2	2	1			3				1	
20	Acute bronchitis	8							2	1	3	2	1		1	1
22	Pneumonia	17						3	2		5	1	3	4	1	3
(23)	Bronchopneumonia	38			1		1	3	2	1	7	9	3	7	7	5
24	Diseases of the stomach	13							2	3	5	3	1	3	1	
25	Diarrhea and enteritis	124				5	5	2	3	4	14	11	15	36	31	17
(33)	Malformations	59	11	8	5	16	40	5	5	1	51	5	1	1		1
(33)	Premature birth	84	42	19	5	5	71	9	1		81	2	1			
(33,37)	Congenital debility	22	4	3	3	3	13	3	1		17	2	3			
(37)	Injuries at birth	8	3	1		3	7		1		8					
35	External causes	4			1	1	2		1		3		1			
38	Diseases ill-defined or unknown	7							1		1		1	3	1	1
	All other causes	24		1		4	5	2		3	10	3	3	2	4	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	INDIANAPOLIS, IND. (COLORED).															
	All causes	79	8	6	4	5	23	8	3	1	35	3	5	11	13	12
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	3										1			1	1
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1						1			1					
(37)	Syphilis	2							1		1		1			
17	Meningitis	2													1	1
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	2													1	1
22	Pneumonia	1											1			
(23)	Bronchopneumonia	10						1			1			2	2	5
24	Diseases of the stomach	2										1		1		
25	Diarrhea and enteritis	19						1		1	2		2	6	6	3
(33)	Malformations	5	1		2	1	4	1			5					
(33)	Premature birth	15	6	5	1	1	13	1	1		15					
(33,37)	Congenital debility	10	1	1	1	2	5	2	1		8	1	1			
(37)	Injuries at birth	1				1	1				1					
35	External causes	1												1		
38	Diseases ill-defined or unknown															
	All other causes	3						1			1			1	1	
	LOUISVILLE, KY. (TOTAL).															
	All causes	503	50	52	27	39	168	27	16	13	224	45	41	89	67	37
5	Measles	1													1	
6	Scarlet fever	1														1
7	Whooping cough	20						1			1	2	2	6	7	2
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery	1														
(12)	Erysipelas	1											1			1
(37)	Tetanus	3						1		2	3					
13	Tuberculosis of the lungs	4												1	3	
14	Tuberculous meningitis	3												1	1	1
15	Other forms of tuberculosis	2								1	1				1	
(37)	Syphilis	4	1	1			2				2	1	1			
17	Meningitis	18						1		1	2	2		5	6	3
(37)	Convulsions	36		4	3	2	9	3	4	1	17	5	2	6	3	3
19	Organic diseases of the heart	4	1			2	3				3			1		
20	Acute bronchitis	6											2	2	1	1
22	Pneumonia	41				1	1	1	1		3	7	6	12	8	5
(23)	Bronchopneumonia	11												3	6	2
24	Diseases of the stomach	3						1			1			1	1	
25	Diarrhea and enteritis	47						1		1	2	5	5	19	9	7
(33)	Malformations	6	1		2	1	4				4	1	1			
(33)	Premature birth	126	41	40	18	19	118	4	2	1	125	1				
(33,37)	Congenital debility	89	5	4	2	13	24	12	9	6	51	18	20			
(37)	Injuries at birth	1	1				1				1					
35	External causes															
38	Diseases ill-defined or unknown	55			1		1				1	1		30	18	5
	All other causes	19		3	1	1	5	2			7	2	1	2	2	5
	LOUISVILLE, KY. (WHITE).															
	All causes	372	41	36	22	29	128	18	11	11	168	31	32	61	52	28
5	Measles	1													1	
6	Scarlet fever	1														1
7	Whooping cough	15										2	2	4	5	2
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1											1			
(37)	Tetanus	3						1		2	3					
13	Tuberculosis of the lungs	2													2	
14	Tuberculous meningitis	3												1	1	1
15	Other forms of tuberculosis	2								1	1				1	
(37)	Syphilis	2										1	1			
17	Meningitis	15						1		1	2	1		4	6	2
(37)	Convulsions	18		3	2	1	6	1	1	1	9	5	2	1		1
19	Organic diseases of the heart	4	1			2	3				3			1		
20	Acute bronchitis	5											2	1	1	1
22	Pneumonia	24							1		1	3	4	9	4	3
(23)	Bronchopneumonia	5													3	2
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	38						1		1	2	2	4	14	9	7
(33)	Malformations	6	1		2	1	4				4	1	1			
(33)	Premature birth	102	35	30	14	15	94	4	2	1	101	1				
(33,37)	Congenital debility	63	4	1	2	9	16	8	7	4	35	13	15			
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown	47			1		1				1	1		26	16	3
	All other causes	13		2	1	1	4	2			6	1			2	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	LOUISVILLE, KY. (COLORED).															
	All causes	131	9	16	5	10	40	9	5	2	56	14	9	28	15	9
5	Measles															
6	Scarlet fever															
7	Whooping cough	5						1			1			2	2	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	2	1	1			2				2					
17	Meningitis	3										1		1		1
(37)	Convulsions	18		1	1	1	3	2	3		8			5	3	2
19	Organic diseases of the heart															
20	Acute bronchitis	1												1		
22	Pneumonia	17				1	1	1			2	4	2	3	4	2
(23)	Bronchopneumonia	6												3	3	
24	Diseases of the stomach	2						1			1			1		
25	Diarrhea and enteritis	9										3	1	5		
(33)	Malformations															
(33)	Premature birth	24	6	10	4	4	24				24					
(33,37)	Congenital debility	26	1	3		4	8	4	2	2	16	5	5			
(37)	Injuries at birth	1	1				1				1					
35	External causes															
38	Diseases ill-defined or unknown	8												4	2	2
	All other causes	6		1			1				1	1	1	2		1
	NEW ORLEANS, LA. (TOTAL).															
	All causes	1,061	74	24	30	57	185	73	50	47	355	110	93	247	168	88
5	Measles	12											1	2	5	4
6	Scarlet fever															
7	Whooping cough	7										1	1	2	2	1
8	Diphtheria and croup	2													1	1
9	Influenza	12										1		5	2	4
(12)	Dysentery	2												2		
(12)	Erysipelas															
(37)	Tetanus	53	1		4	17	22	26	4		52			1		
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	4											1	2	1	
15	Other forms of tuberculosis															
(37)	Syphilis	19				1	1	3	3	2	9	3		5	2	
17	Meningitis	10						1			1		1	2	5	1
(37)	Convulsions	15	2		1	1	4	5			9	1		2	2	1
19	Organic diseases of the heart	1										1				
20	Acute bronchitis	43				1	1	4	4	3	12	9	3	10	8	1
22	Pneumonia	83			1	2	3	3	3	5	14	10	7	19	22	11
(23)	Bronchopneumonia	98				2	2	5	1	4	12	9	14	28	18	17
24	Diseases of the stomach	13				1	1			1	2	5	2	4		
25	Diarrhea and enteritis	368			2	2	4	8	16	12	40	41	34	127	87	39
(33)	Malformations	43	12	3	6	4	25	3	3	2	33	3	1	4	2	
(33)	Premature birth	88	44	11	11	10	76	3	5	3	87	1				
(33,37)	Congenital debility	100	9	6	2	10	27	11	6	13	57	20	22		1	
(37)	Injuries at birth	14	6	4	1	1	12	1			13		1			
35	External causes	4				1	1			1	2			1	1	
38	Diseases ill-defined or unknown	25												19	5	1
	All other causes	45			2	4	6		5	1	12	5	5	13	4	6
	NEW ORLEANS, LA. (WHITE).															
	All causes	618	59	11	17	21	108	33	30	28	199	59	47	151	104	58
5	Measles	12											1	2	5	4
6	Scarlet fever															
7	Whooping cough	3											1		1	1
8	Diphtheria and croup	2													1	1
9	Influenza	5												2	1	2
(12)	Dysentery	2												2		
(12)	Erysipelas															
(37)	Tetanus	16			3	2	5	9	1		15			1		
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3												2	1	
15	Other forms of tuberculosis															
(37)	Syphilis	12						2	3	1	6	2		3	1	
17	Meningitis	6											1	1	3	1
(37)	Convulsions	5	2				2	1			3			1		1
19	Organic diseases of the heart	1										1				
20	Acute bronchitis	24						3	2	1	6	8	1	6	3	
22	Pneumonia	40				2	2	2		4	8	6	3	6	12	5
(23)	Bronchopneumonia	37				1	1	3		2	6	2	5	7	6	11
24	Diseases of the stomach	12				1	1			1	2	5	1	4		
25	Diarrhea and enteritis	247			1	1	2	4	12	7	25	24	21	87	64	26
(33)	Malformations	29	9	1	4	2	16	2	3	2	23	1		4	1	
(33)	Premature birth	60	37	4	6	4	51	3	4	2	60					
(33,37)	Congenital debility	41	5	2	1	4	12	3	1	6	22	9	9		1	
(37)	Injuries at birth	13	6	4	1	1	12	1			13					
35	External causes	2				1	1			1	2					
38	Diseases ill-defined or unknown	16												13	2	1
	All other causes	30			1	2	3		4	1	8	1	4	10	2	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW ORLEANS, LA. (COLORED).															
	All causes	443	15	13	13	36	77	40	20	19	156	51	46	96	64	30
5	Measles															
6	Scarlet fever															
7	Whooping cough	4										1		2	1	
8	Diphtheria and croup															
9	Influenza	7										1		3	1	2
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	37	1		1	15	17	17	3		37					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1											1			
15	Other forms of tuberculosis															
(37)	Syphilis	7				1	1	1		1	3	1		2	1	
17	Meningitis	4						1			1			1	2	
(37)	Convulsions	10			1	1	2	4			6	1		1	2	
19	Organic diseases of the heart															
20	Acute bronchitis	19				1	1	1	2	2	6	1	2	4	5	1
22	Pneumonia	43			1		1	1	3	1	6	4	4	13	10	6
(23)	Bronchopneumonia	61				1	1	2	1	2	6	7	9	21	12	6
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	121			1	1	2	4	4	5	15	17	13	40	23	13
(33)	Malformations	14	3	2	2	2	9	1			10	2	1		1	
(33)	Premature birth	28	7	7	5	6	25		1	1	27	1				
(33,37)	Congenital debility	59	4	4	1	6	15	8	5	7	35	11	13			
(37)	Injuries at birth	1											1			
35	External causes	2													1	1
38	Diseases ill-defined or unknown	9												6	3	
	All other causes	15			1	2	3		1		4	4	1	3	2	1
	BALTIMORE, MD. (TOTAL).															
	All causes	2,146	169	74	49	106	398	116	106	93	713	263	198	446	287	239
5	Measles	2											1			1
6	Scarlet fever	1														1
7	Whooping cough	41										2	5	10	6	18
8	Diphtheria and croup	5													2	3
9	Influenza	1													1	
(12)	Dysentery	5											1	2	2	
(12)	Erysipelas	13							3	2	5	5	1	2		
(37)	Tetanus	3				1	1	2			3					
13	Tuberculosis of the lungs	8												2	1	5
14	Tuberculous meningitis	12												3	4	5
15	Other forms of tuberculosis	4										1		1	2	
(37)	Syphilis	46	6			2	8	5	10	5	28	8	4	4		2
17	Meningitis	41			1		1	2	1	1	5	1	3	10	14	8
(37)	Convulsions	95	2	3	1	12	18	7	2	3	30	14	6	22	16	7
19	Organic diseases of the heart	15	3		3		6	2	3		11	2			2	
20	Acute bronchitis	50	1		1	1	3	4	3	2	12	5	3	14	10	6
22	Pneumonia	90				1	1	1	6	5	13	7	12	15	18	25
(23)	Bronchopneumonia	142		1	1	2	4	1	5	7	17	13	13	32	36	31
24	Diseases of the stomach	33				1	1	1	3	4	9	5	4	6	6	3
25	Diarrhea and enteritis	535				1	1	5	11	11	28	52	63	188	117	82
(33)	Malformations	62	13	7	7	13	40	7	4	2	53	3		4	1	1
(33)	Premature birth	243	95	40	22	33	190	24	9	10	233	10				
(33,37)	Congenital debility	403	19	17	4	24	64	45	42	38	189	127	67	11	5	4
(37)	Injuries at birth	47	27	6	4	6	43	3		1	47					
35	External causes	11						1	1		2	2	2	2	2	1
38	Diseases ill-defined or unknown	172	3				3	1			4			103	35	30
	All other causes	66			5	9	14	5	3	2	24	6	8	15	7	6
	BALTIMORE, MD. (WHITE).															
	All causes	1,567	127	61	36	64	238	89	90	65	532	192	142	305	206	190
5	Measles	2											1			1
6	Scarlet fever	1														1
7	Whooping cough	28										1	5	4	5	13
8	Diphtheria and croup	4													2	2
9	Influenza															
(12)	Dysentery	3												1	2	
(12)	Erysipelas	11							3	1	4	5		2		
(37)	Tetanus	3				1	1	2			3					
13	Tuberculosis of the lungs	4													1	3
14	Tuberculous meningitis	11												3	4	4
15	Other forms of tuberculosis	3												1	2	
(37)	Syphilis	25	3				3	2	6	4	15	8	1			1
17	Meningitis	38			1		1	2	1	1	5	1	3	8	14	7
(37)	Convulsions	57	2	3	1	5	11	7	1	1	20	7	4	12	10	4
19	Organic diseases of the heart	13	3		3		6	1	3		10	1			2	
20	Acute bronchitis	41	1				1	4	3	2	10	4	2	12	9	4
22	Pneumonia	60						1	6	4	11	6	8	10	10	15
(23)	Bronchopneumonia	95			1		1	1	4	5	11	9	8	22	20	25
24	Diseases of the stomach	18							2	2	4	2	1	3	5	3
25	Diarrhea and enteritis	388				1	1	4	8	8	21	36	48	131	85	67
(33)	Malformations	54	10	6	6	11	33	7	4	2	46	2		4	1	1
(33)	Premature birth	173	69	32	13	20	134	17	6	8	165	8				
(33,37)	Congenital debility	307	17	15	4	12	48	32	39	24	143	95	53	10	2	4
(37)	Injuries at birth	37	20	5	4	5	34	2		1	37					
35	External causes	8						1	1		2	2	2		1	1
38	Diseases ill-defined or unknown	126	2				2	1			3			68	26	29
	All other causes	57			3	9	12	5	3	2	22	5	6	14	5	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	BALTIMORE, MD. (COLORED).															
	All causes	579	42	13	13	42	110	27	16	28	181	71	56	141	81	49
5	Measles															
6	Scarlet fever															
7	Whooping cough	13										1		6	1	5
8	Diphtheria and croup	1														1
9	Influenza	1													1	
(12)	Dysentery	2											1	1		
(12)	Erysipelas	2								1	1		1			
(37)	Tetanus															
13	Tuberculosis of the lungs	4												2		2
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	21	3			2	5	3	4	1	13		3	4		1
17	Meningitis	3												2		1
(37)	Convulsions	38				7	7		1	2	10	7	2	10	6	3
19	Organic diseases of the heart	2						1			1	1				
20	Acute bronchitis	9			1	1	2				2	1	1	2	1	2
22	Pneumonia	30				1	1			1	2	1	4	5	8	10
(23)	Bronchopneumonia	47		1		2	3		1	2	6	4	5	10	16	6
24	Diseases of the stomach	15				1	1	1	1	2	5	3	3	3	1	
25	Diarrhea and enteritis	147						1	3	3	7	16	20	57	32	15
(33)	Malformations	8	3	1	1	2	7				7	1				
(33)	Premature birth	70	26	8	9	13	56	7	3	2	68	2				
(33,37)	Congenital debility	96	2	2		12	16	13	3	14	46	32	14	1	3	
(37)	Injuries at birth	10	7	1		1	9	1			10					
35	External causes	3												2	1	
38	Diseases ill-defined or unknown	46	1				1				1			35	9	1
	All other causes	9			2		2				2	1	2	1	2	1
	BOSTON, MASS.															
	All causes	2,246	250	98	70	145	563	119	106	74	862	227	168	409	316	264
5	Measles	27										1		3	13	10
6	Scarlet fever	2												2		
7	Whooping cough	24							1		1		2	8	8	5
8	Diphtheria and croup	26							2		2	1	3	6	4	10
9	Influenza	5													2	3
(12)	Dysentery	5												1	3	1
(12)	Erysipelas	16						1	2		3	5	4	1	3	
(37)	Tetanus	3						3			3					
13	Tuberculosis of the lungs	13										1	1	2	5	4
14	Tuberculous meningitis	29				1	1				1		1	8	12	7
15	Other forms of tuberculosis	10								1	1	1		4	1	3
(37)	Syphilis	26				1	1	3	1	2	7	4	6	4	3	2
17	Meningitis	36				2	2	1			3	3	2	6	13	9
(37)	Convulsions	31	1		1	1	3	1	2	1	7	7		8	3	6
19	Organic diseases of the heart	10	2				2			1	3	2	2	2	1	
20	Acute bronchitis	64				1	1	2	9	3	15	19	5	8	11	6
22	Pneumonia	138		1	1	4	6	5	7	4	22	11	9	33	35	28
(23)	Bronchopneumonia	152				4	4	5	12	10	31	12	9	36	37	27
24	Diseases of the stomach	35				2	2	1	1	2	6	7	2	11	4	5
25	Diarrhea and enteritis	590	1			5	6	8	18	7	39	70	76	190	110	105
(33)	Malformations	134	20	19	12	28	79	16	6	5	106	9	6	9	2	2
(33)	Premature birth	352	145	55	29	35	264	37	17	15	333	16	3			
(33,37)	Congenital debility	166	19	6	10	23	58	20	14	13	105	38	21	1	1	
(37)	Injuries at birth	117	60	11	13	22	106	4	5	2	117					
35	External causes	17	2	3			5	1		1	7	2	2	4	1	1
38	Diseases ill-defined or unknown	74				2	2	1	2		5	3	3	38	17	8
	All other causes	144		3	4	14	21	10	7	7	45	15	11	24	27	22
	CAMBRIDGE, MASS.															
	All causes	293	42	18	10	16	86	15	10	8	119	25	21	59	40	29
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	3						1			1			1	1	
8	Diphtheria and croup	1												1		
9	Influenza															
(12)	Dysentery	1								1	1					
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	5		1			1				1			2	1	1
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	1							1		1					
17	Meningitis	3											1		1	1
(37)	Convulsions	1				1	1				1					
19	Organic diseases of the heart	5												4		1
20	Acute bronchitis	6	1				1				1	1	1	1	2	
22	Pneumonia	19										1	3	3	5	7
(23)	Bronchopneumonia	25				1	1		2	1	4	1	2	6	7	5
24	Diseases of the stomach	12			1	1	2	3			5	1	3	1	2	
25	Diarrhea and enteritis	84						2	2	4	8	12	5	32	15	12
(33)	Malformations	15	1	3	3	3	10	1	1		12	2		1		
(33)	Premature birth	49	26	8	6	3	43	2	3	1	49					
(33,37)	Congenital debility	27	9	2		3	14	3	1	1	19	4	4			
(37)	Injuries at birth	10	4	3		2	9	1			10					
35	External causes															
38	Diseases ill-defined or unknown	7												6	1	
	All other causes	17	1	1		2	4	2			6	2	2	1	5	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	FALL RIVER, MASS.															
	All causes	854	64	14	18	26	122	40	36	26	224	75	74	210	148	123
5	Measles	6													2	4
6	Scarlet fever															
7	Whooping cough	12											1	2	2	7
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery	3												2		1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	5												4	1	
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	3						1			1					2
(37)	Syphilis	2										1			1	
17	Meningitis	10							1		1	1	1	4	2	1
(37)	Convulsions	14	1		1	1	3	4	1	1	9	3		1	1	
19	Organic diseases of the heart	5								1	1	1		2	1	
20	Acute bronchitis	50						1	2		3	5	2	11	17	12
22	Pneumonia	42							1	5	6	1	3	13	11	8
(23)	Bronchopneumonia	37						2	1		3	4	3	5	12	10
24	Diseases of the stomach	7						1	1	1	3		2		2	
25	Diarrhea and enteritis	392				2	2	11	9	12	34	39	42	131	79	67
(33)	Malformations	14	3	1	1	3	8		2	1	11	2		1		
(33)	Premature birth	87	44	9	9	5	67	6	8	1	82	3	2			
(33,37)	Congenital debility	74	7	4	2	5	18	13	7	3	41	13	17	3		
(37)	Injuries at birth	9	6			3	9				9					
35	External causes	7	1				1				1		1	3		2
38	Diseases ill-defined or unknown	41				1	1		1		2	1		23	11	4
	All other causes	32	2		5	6	13	1	2	1	17	1		5	6	3
	LOWELL, MASS.															
	All causes	607	50	27	11	22	110	21	18	10	159	62	53	146	103	84
5	Measles	8												1	2	5
6	Scarlet fever	1													1	
7	Whooping cough	3										1		1		1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	2														2
(12)	Erysipelas															
(37)	Tetanus	1		1			1				1					
13	Tuberculosis of the lungs	3								1	1		1		1	
14	Tuberculous meningitis	11												2	8	1
15	Other forms of tuberculosis															
(37)	Syphilis	2										1		1		
17	Meningitis	11											2	2	5	2
(37)	Convulsions	2						1			1				1	
19	Organic diseases of the heart	5				1	1				1				2	2
20	Acute bronchitis	38							1		1	5	2	10	13	7
22	Pneumonia	33										3	2	8	11	9
(23)	Bronchopneumonia	24										2	2	5	7	8
24	Diseases of the stomach	4										2	1		1	
25	Diarrhea and enteritis	235				1	1	4	5	3	13	26	25	89	42	40
(33)	Malformations	21	4	2		3	9	3	2	1	15	1	2	2	1	
(33)	Premature birth	51	22	8	4	8	42	5	1		48	3				
(33,37)	Congenital debility	95	20	16	4	7	47	4	6	5	62	17	13	2	1	
(37)	Injuries at birth	5	3			1	4	1			5					
35	External causes	5			2		2		1		3			2		
38	Diseases ill-defined or unknown	19												13	2	4
	All other causes	28	1		1	1	3	3	2		8	1	3	8	5	3
	WORCESTER, MASS.															
	All causes	536	71	18	11	26	126	22	21	26	195	46	43	116	91	45
5	Measles	7													4	3
6	Scarlet fever															
7	Whooping cough	17								1	1	2	2	4	6	2
8	Diphtheria and croup	3								1	1				2	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2						1			1				1	
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	6								1	1			1	1	3
15	Other forms of tuberculosis	1														1
(37)	Syphilis	4		1			1	1			2	1		1		
17	Meningitis	3												2	1	
(37)	Convulsions	9				1	1	2		1	4		2	1	2	
19	Organic diseases of the heart	3										1		1		1
20	Acute bronchitis	17			1	1	2	1		1	4	2		7	3	1
22	Pneumonia	27							1	3	4	4	3	6	6	4
(23)	Bronchopneumonia	42		1			1		2	2	5	4	3	12	10	8
24	Diseases of the stomach	5											1	3	1	
25	Diarrhea and enteritis	177				2	2	4	4	6	16	21	23	61	39	17
(33)	Malformations	20	7	2	1	3	13				13	2	1	2	2	
(33)	Premature birth	80	43	11	4	6	64	6	3	5	78	2				
(33,37)	Congenital debility	50	12	1	4	8	25	6	6	2	39	5	6			
(37)	Injuries at birth	10	7	1	1	1	10				10					
35	External causes	4							1	1	2			1		1
38	Diseases ill-defined or unknown	18	1				1				1			10	4	3
	All other causes	30	1	1		4	6	1	4	2	13	2	2	4	8	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	DETROIT, MICH.															
	All causes	2,138	216	66	74	119	475	130	106	75	786	265	217	425	250	195
5	Measles	10											1	2	5	2
6	Scarlet fever	5						1			1		1		1	2
7	Whooping cough	69						2		1	3	10	10	15	17	14
8	Diphtheria and croup	11						1	1		2	1		2	3	3
9	Influenza	1														1
(12)	Dysentery	3												1	1	1
(12)	Erysipelas	8				1	1	1	2		4	2			2	
(37)	Tetanus															
13	Tuberculosis of the lungs	8												2	2	4
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis	7														
(37)	Syphilis	21				2	2			1	3	1	1		3	2
17	Meningitis	41				2	2	2	2	1	7	3	3	5	4	1
(37)	Convulsions	107	3	3	12	16	34	10	8	7	59	5	3	6	10	10
19	Organic diseases of the heart	11	2	1	1	1	5	1		2	8	9	9	15	10	5
20	Acute bronchitis	44				3	3	5	1	4	13	1			2	
22	Pneumonia	75			1	3	4	3	8	4	19	6	10	6	7	2
(23)	Bronchopneumonia	169		2	3	7	12	7	9	2	30	7	9	9	10	21
24	Diseases of the stomach	42	1				1	2	2	4	9	20	17	43	26	33
25	Diarrhea and enteritis	494		1		4	5	10	15	12	42	4	4	16	5	4
(33)	Malformations	73	18	9	11	10	48	5	3		56	78	53	173	87	61
(33)	Premature birth	278	141	36	19	21	217	26	14	8	265	8	3	4	1	1
(33, 37)	Congenital debility	330	25	5	14	28	72	37	33	22	164	10	3			
(37)	Injuries at birth	37	19	7	3	6	35	1	1		37	84	80		2	
35	External causes	18	3	1	4		8	3			11			2	2	3
38	Diseases ill-defined or unknown	165	2	1			3				3	1	1	103	40	17
	All other causes	109	2		6	15	23	13	7	7	50	15	7	20	9	8
	GRAND RAPIDS, MICH.															
	All causes	329	55	10	9	22	96	17	18	12	143	24	41	61	39	21
5	Measles															
6	Scarlet fever	2													1	1
7	Whooping cough	2											1	1		
8	Diphtheria and croup	1														1
9	Influenza	2								1	1			1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis	3											1	2		
(37)	Syphilis	3										1	1			1
17	Meningitis	6				2	2	1			3		1	1	1	
(37)	Convulsions	2						1			1		1			
19	Organic diseases of the heart	7	2	1	1	2	6				6	1				
20	Acute bronchitis	5				1	1		1		2		2	1		
22	Pneumonia	10						1	1		2	1	1	4	2	
(23)	Bronchopneumonia	7							1		1		1	1	2	2
24	Diseases of the stomach	16		1		1	2		3	1	6	1	5	4		
25	Diarrhea and enteritis	84			1	1	2	3	3	2	10	5	6	26	23	14
(33)	Malformations	19	8	2	1		11	2			13		4		2	
(33)	Premature birth	54	39	3		6	48	1	3	1	53		1			
(33, 37)	Congenital debility	49	4	1	2	3	10	6	2	6	24	13	12			
(37)	Injuries at birth	8	1	1	3	2	7	1			8					
35	External causes	4							1		1	1	2			
38	Diseases ill-defined or unknown	19												14	5	
	All other causes	26	1	1	1	4	7	1	3	1	12	1	2	6	3	2
	MINNEAPOLIS, MINN.															
	All causes	621	30	31	30	43	134	51	29	27	241	61	59	118	86	56
5	Measles	13				1	1				1			2	6	4
6	Scarlet fever	2											1	1		
7	Whooping cough	4						1			1	1			2	
8	Diphtheria and croup	9						2			2	1	1	2	1	2
9	Influenza															
(12)	Dysentery	2						1			1		1			
(12)	Erysipelas	3											1	1		1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	4												1	1	2
14	Tuberculous meningitis	4												1	2	1
15	Other forms of tuberculosis	2											1	1		
(37)	Syphilis	12						2			2	4	3	2		1
17	Meningitis	8	1			1	2	2			4			1	1	2
(37)	Convulsions	10		1		4	5	1		3	9			1		
19	Organic diseases of the heart	4	1	1	1		3				3	1				
20	Acute bronchitis	12							1	2	3		4	2	2	1
22	Pneumonia	14						1	2		3		3		4	4
(23)	Bronchopneumonia	79			1	3	4	8	4	6	22	8	9	12	16	12
24	Diseases of the stomach	10						1		1	2	1		4	2	1
25	Diarrhea and enteritis	203			4	5	9	5	8	8	30	25	18	71	41	18
(33)	Malformations	26	3	2	1	7	13	3	1	1	18	2	2	3		1
(33)	Premature birth	97	18	20	15	13	66	11	9	4	90	4	3			
(33, 37)	Congenital debility	36	2	4	4	3	13	6	3		22	9	4			1
(37)	Injuries at birth	9	4	1	1	2	8	1			9					
35	External causes	7		1			1		1		2		2	2	1	
38	Diseases ill-defined or unknown	9						2			2		1	5		1
	All other causes	41	1	1	3	4	9	3		2	14	5	5	6	7	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued															
	ST. PAUL, MINN.															
	All causes	493	45	25	12	40	122	33	26	19	200	50	48	92	66	42
5	Measles	11												2	5	4
6	Scarlet fever	3												1	1	1
7	Whooping cough	4										1		3		
8	Diphtheria and croup	10										1	2	1	2	4
9	Influenza															
(12)	Dysentery	2										1			1	
(12)	Erysipelas	2							1		1				1	
(37)	Tetanus															
13	Tuberculosis of the lungs	2										1			1	
14	Tuberculous meningitis	4												1	3	
15	Other forms of tuberculosis	2								1	1	1				
(37)	Syphilis	7						1	1		2	2	1		2	
17	Meningitis	7											1	3	2	1
(37)	Convulsions	11			1	2	3	2			5	1	1	3	1	
19	Organic diseases of the heart	3				1	1				1			1	1	
20	Acute bronchitis	10				1	1	1	2		4		2	3		1
22	Pneumonia	20			1	1	2	2	2	1	7		2	8	2	1
(23)	Bronchopneumonia	41						2		3	5	5	4	7	8	12
24	Diseases of the stomach	11				1	1		1		2	1	1	3	4	
25	Diarrhea and enteritis	122				3	3	3	7	8	21	16	20	31	21	13
(33)	Malformations	24	3	6	1	6	16	1	1	1	19		1		1	3
(33)	Premature birth	71	27	14	3	8	52	9	1	2	64	6	1			
(33,37)	Congenital debility	73	9	3	5	12	29	10	9	3	51	12	10			
(37)	Injuries at birth	7	6			1	7				7					
35	External causes	3				1	1				1			2		
38	Diseases ill-defined or unknown	26		2			2				2			17	6	1
	All other causes	22			1	3	4	2	1		7	2	2	6	4	1
	KANSAS CITY, MO. (TOTAL).															
	All causes	654	92	29	26	52	199	42	27	34	302	65	63	119	54	51
5	Measles	15	1			2	3	1			4	3	2	3	2	1
6	Scarlet fever	1							1		1					
7	Whooping cough	6										2		1	2	1
8	Diphtheria and croup	4			1	1	2				2					2
9	Influenza	1														1
(12)	Dysentery	3											1		1	1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	5			1		1				1		2	1		1
14	Tuberculous meningitis	4				1	1				1				2	1
15	Other forms of tuberculosis	6								1	1	1	2	2		
(37)	Syphilis	25	2				2			4	6	6	4	7	1	1
17	Meningitis	18			1	1	2	1	1		4			7	2	5
(37)	Convulsions	4				2	2				2			2		
19	Organic diseases of the heart	1	1				1				1					
20	Acute bronchitis	11								1	1		2	6		2
22	Pneumonia	41	1			3	4	2	3	3	12	4	2	14	7	2
(23)	Bronchopneumonia	41				1	1	2	2		5	6	7	9	6	8
24	Diseases of the stomach	12				1	1		1	1	3		2	3	1	3
25	Diarrhea and enteritis	103		1			1	2	2	7	12	15	9	36	19	12
(33)	Malformations	35	6	6	3	5	20	2		3	25	3	1	3	1	2
(33)	Premature birth	110	58	10	9	13	90	8	6	2	106	2	2			
(33,37)	Congenital debility	105	9	8	3	12	32	13	10	8	63	20	22			
(37)	Injuries at birth	21	11	3	3	3	20	1			21					
35	External causes	12		1		3	4	1	1		6		3		2	1
38	Diseases ill-defined or unknown	23	3		1	2	6	2			8			12	2	1
	All other causes	47			4	2	6	7		4	17	3	2	13	6	6
	KANSAS CITY, MO. (WHITE).															
	All causes	559	84	25	23	45	177	39	23	29	268	53	58	92	46	42
5	Measles	14	1			2	3	1			4	3	2	3	2	
6	Scarlet fever	1							1		1					
7	Whooping cough	4										1		1	2	
8	Diphtheria and croup	4			1	1	2				2					2
9	Influenza	1														1
(12)	Dysentery	3											1		1	1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	3											1	1		1
14	Tuberculous meningitis	4				1	1				1				2	1
15	Other forms of tuberculosis	5										1	2	2		
(37)	Syphilis	21	2				2			4	6	6	4	5		
17	Meningitis	16			1	1	2	1	1		4			6	1	5
(37)	Convulsions	4				2	2				2			2		
19	Organic diseases of the heart	1	1				1				1					
20	Acute bronchitis	9								1	1		2	4		2
22	Pneumonia	29	1			2	3	2	2	2	9	4	1	9	4	2
(23)	Bronchopneumonia	34				1	1	2	2		5	4	6	8	5	6
24	Diseases of the stomach	8				1	1			1	2		2	2	1	1
25	Diarrhea and enteritis	84						2	2	6	10	9	7	29	19	10
(33)	Malformations	29	4	5	3	4	16	2		2	20	3	1	2	1	2
(33)	Premature birth	103	54	10	8	12	84	7	6	2	99	2	2			
(33,37)	Congenital debility	93	9	6	3	9	27	12	8	7	54	17	22			
(37)	Injuries at birth	19	10	3	2	3	18	1			19					
35	External causes	12		1		3	4	1	1		6		3		2	1
38	Diseases ill-defined or unknown	16	2		1	1	4	2			6			8	1	1
	All other causes	42			4	2	6	6		4	16	3	2	10	5	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	KANSAS CITY, MO. (COLORED).															
	All causes	95	8	4	3	7	22	3	4	5	34	12	5	27	8	9
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	2										1				1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2			1		1				1		1			
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1								1	1					
(37)	Syphilis	4												2	1	1
17	Meningitis	2												1	1	
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	2												2		
22	Pneumonia	12				1	1		1	1	3		1	5	3	
(23)	Bronchopneumonia	7										2	1	1	1	2
24	Diseases of the stomach	4							1		1			1		2
25	Diarrhea and enteritis	19		1			1			1	2	6	2	7		2
(33)	Malformations	6	2	1		1	4			1	5			1		
(33)	Premature birth	7	4		1	1	6	1			7					
(33,37)	Congenital debility	12		2		3	5	1	2	1	9	3				
(37)	Injuries at birth	2	1		1		2				2					
35	External causes															
38	Diseases ill-defined or unknown	7	1			1	2				2			4	1	
	All other causes	5						1			1			3	1	
	ST. LOUIS, MO. (TOTAL).															
	All causes	1,689	215	65	44	93	417	109	77	56	659	182	134	309	223	182
5	Measles	29							1	1	2	1	1	1	11	13
6	Scarlet fever	11						1			1			2	1	7
7	Whooping cough	25							1		1	4	4	5	5	6
8	Diphtheria and croup	8							1	1	2		1	1	2	2
9	Influenza	6											1	2	2	1
(12)	Dysentery	8							2		2			1	3	2
(12)	Erysipelas	7						1		1	2	1	1	3		
(37)	Tetanus	14	1	1		8	10	4			14					
13	Tuberculosis of the lungs	10				1	1				1	1	1	6		1
14	Tuberculous meningitis	6												1	1	4
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	43	9	2	1	2	14	2		2	18	8	7	8	1	1
17	Meningitis	20						1	2		3	3		5	5	4
(37)	Convulsions	31	1			4	5	4	1	2	12	3	2	9	4	1
19	Organic diseases of the heart	6		1			1	2			3		1	1		1
20	Acute bronchitis	79				2	2	6	8	4	20	15	7	22	7	8
22	Pneumonia	73		1			1	5	1	4	11	8	11	12	14	17
(23)	Bronchopneumonia	122	1	1		1	3	5	6	4	18	10	10	39	24	21
24	Diseases of the stomach	10								2	2	2		2	3	1
25	Diarrhea and enteritis	500	1	1	2	5	9	16	23	9	57	70	57	136	111	69
(33)	Malformations	77	22	11	9	11	53	2	2	3	60	5	4	3	3	2
(33)	Premature birth	260	134	27	14	29	204	30	9	6	249	10	1			
(33,37)	Congenital debility	151	24	8	8	20	60	17	13	13	103	26	14	5	1	2
(37)	Injuries at birth	39	19	9	7	3	38				38	1				
35	External causes	14	1			1	2	1			3	1	1	3	4	2
38	Diseases ill-defined or unknown	32												23	5	4
	All other causes	107	2	3	3	6	14	12	7	4	37	13	10	19	15	13
	ST. LOUIS, MO. (WHITE).															
	All causes	1,542	196	58	38	83	375	99	71	53	598	175	124	279	207	159
5	Measles	29							1	1	2	1	1	1	11	13
6	Scarlet fever	11						1			1			2	1	7
7	Whooping cough	20							1		1	4	4	4	4	3
8	Diphtheria and croup	8							1	1	2		1	1	2	2
9	Influenza	5											1	1	2	1
(12)	Dysentery	6							2		2				2	2
(12)	Erysipelas	7						1		1	2	1	1	3		
(37)	Tetanus	14	1	1		8	10	4			14					
13	Tuberculosis of the lungs	10				1	1				1	1	1	6		1
14	Tuberculous meningitis	6												1	1	4
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	32	5	1	1	1	8	1		2	11	6	6	7	1	1
17	Meningitis	20						1	2		3	3		5	5	4
(37)	Convulsions	25	1			4	5	3		2	10	2	2	7	3	1
19	Organic diseases of the heart	5		1			1	2			3			1		1
20	Acute bronchitis	69				1	1	6	7	4	18	14	6	19	5	7
22	Pneumonia	62		1			1	5	1	4	11	8	8	11	11	13
(23)	Bronchopneumonia	106	1	1		1	3	5	5	4	17	10	9	36	21	13
24	Diseases of the stomach	10								2	2	2		2	3	1
25	Diarrhea and enteritis	476	1	1	2	5	9	14	22	9	54	70	56	125	106	65
(33)	Malformations	71	22	10	8	9	49	1	2	3	55	5	4	3	3	1
(33)	Premature birth	240	123	24	13	26	186	29	8	6	229	10	1			
(33,37)	Congenital debility	132	22	6	6	17	51	15	13	10	89	23	14	4	1	1
(37)	Injuries at birth	37	18	9	6	3	36				36	1				
35	External causes	13	1			1	2	1			3	1	1	2	4	2
38	Diseases ill-defined or unknown	29												21	5	3
	All other causes	98	1	3	2	6	12	10	6	4	32	13	8	17	15	13

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ST. LOUIS, MO. (COLORED).															
	All causes	147	19	7	6	10	42	10	6	3	61	7	10	30	16	23
5	Measles															
6	Scarlet fever															
7	Whooping cough	5												1	1	3
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery	2												1	1	
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	11	4	1		1	6	1			7	2	1	1		
17	Meningitis															
(37)	Convulsions	6						1	1		2	1		2	1	
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	10				1	1		1		2	1	1	3	2	1
22	Pneumonia	11											3	1	3	4
(23)	Bronchopneumonia	16							1		1		1	3	3	8
24	Diseases of the stomach															
25	Diarrhea and enteritis	24						2	1		3		1	11	5	4
(33)	Malformations	6		1	1	2	4	1			5					1
(33)	Premature birth	20	11	3	1	3	18	1	1		20					
(33,37)	Congenital debility	19	2	2	2	3	9	2		3	14	3		1		1
(37)	Injuries at birth	2	1		1		2				2					
35	External causes	1												1		
38	Diseases ill-defined or unknown	3												2		1
	All other causes	9	1		1		2	2	1		5		2	2		
	OMAHA, NEBR.															
	All causes	293	17	24	7	26	74	21	9	8	112	44	34	55	30	18
5	Measles	3														3
6	Scarlet fever															
7	Whooping cough	13										3	1	6	2	1
8	Diphtheria and croup															
9	Influenza	1													1	
(12)	Dysentery	1														1
(12)	Erysipelas	1											1			
(37)	Tetanus															
13	Tuberculosis of the lungs	2										1		1		
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis															
(37)	Syphilis	5								1	1	2		1	1	
17	Meningitis	2												2		
(37)	Convulsions	4				1	1	1	2		4					
19	Organic diseases of the heart															
20	Acute bronchitis	6			1	1	2			1	3	1	1		1	
22	Pneumonia	5				1	1				1			1	1	2
(23)	Bronchopneumonia	48				2	2	1			3	7	7	15	12	4
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	70				2	2	1	2	1	6	11	14	24	10	5
(33)	Malformations	18	3	2	1	5	11	2		2	15	1	2			
(33)	Premature birth	32	6	17	3	4	30	1	1		32					
(33,37)	Congenital debility	57	4	5	1	5	15	13	4	2	34	16	7			
(37)	Injuries at birth	6	4		1		5	1			6					
35	External causes	3										1				2
38	Diseases ill-defined or unknown	2												2		
	All other causes	12				5	5	1		1	7	1	1	2	1	
	JERSEY CITY, N. J.															
	All causes	954	101	28	23	47	199	47	44	37	327	81	75	194	161	116
5	Measles	4												1	3	
6	Scarlet fever	2												1		1
7	Whooping cough	8								1	1	1		1	3	2
8	Diphtheria and croup	3												1		2
9	Influenza															
(12)	Dysentery	4													3	1
(12)	Erysipelas	7							1	2	3	2		2		
(37)	Tetanus	2						2			2					
13	Tuberculosis of the lungs	7										1		1	4	1
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis	3												2		1
(37)	Syphilis	8	2				2		1	1	4	2	2			
17	Meningitis	19						1			1		2	6	7	3
(37)	Convulsions	37		1		4	5	3	3	1	12	6	6	7	3	3
19	Organic diseases of the heart	4						1			1			1	1	1
20	Acute bronchitis	23						2	2		4	4	3	3	7	2
22	Pneumonia	29								2	2	1	2	7	8	9
(23)	Bronchopneumonia	66				2	2	2	3	4	11	8	4	17	13	13
24	Diseases of the stomach	10								1	1	1	2	4		2
25	Diarrhea and enteritis	321				2	2	4	9	10	25	31	34	90	88	53
(33)	Malformations	59	18	7	4	9	38	6	6	1	51	4	1	1		2
(33)	Premature birth	113	42	16	13	13	84	14	8	4	110	3				
(33,37)	Congenital debility	74	12	1	2	7	22	9	8	7	46	12	16			
(37)	Injuries at birth	30	22	1	2	4	29	1			30					
35	External causes	8											1	1	1	5
38	Diseases ill-defined or unknown	64	2				2		1		3			40	13	8
	All other causes	46	3	2	2	6	13	2	2	3	20	5	2	8	6	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEWARK, N. J.															
	All causes	1,242	140	50	27	68	285	71	53	47	456	104	100	245	188	149
5	Measles	21											1	5	9	6
6	Scarlet fever	3										1				2
7	Whooping cough	37							1	3	4	6	3	7	8	9
8	Diphtheria and croup	18										3	1	5	4	5
9	Influenza	6								1	1		1	2		2
(12)	Dysentery	5												1	3	1
(12)	Erysipelas	15				2	2	1	2	1	6	3	2	1	1	2
(37)	Tetanus	2						2			2					
13	Tuberculosis of the lungs	9						1			1	1	2	2	2	1
14	Tuberculous meningitis	17							1		1		1	3	8	4
15	Other forms of tuberculosis	4												1	2	1
(37)	Syphilis	10				1	1	1	1	1	4		1	3	1	1
17	Meningitis	15						2	1	1	4	2		3	3	3
(37)	Convulsions	22	3			3	6	4	3	1	14	2	2	2	2	
19	Organic diseases of the heart	4				2	2				2		1		1	
20	Acute bronchitis	61				3	3	3	5	4	15	10	8	12	9	7
22	Pneumonia	43			1	2	3	1	1	3	8	1	5	8	12	9
(23)	Bronchopneumonia	131	1	1	1	4	7	3	1	4	15	19	6	32	34	25
24	Diseases of the stomach	6							1		1	2	2	1		
25	Diarrhea and enteritis	344		1		4	5	9	7	9	30	24	44	116	73	57
(33)	Malformations	46	11	6	4	6	27	3	4	1	35	2	2	3	2	2
(33)	Premature birth	195	88	27	12	21	148	18	9	9	184	9	2			
(33,37)	Congenital debility	96	18	8	2	14	42	15	9	6	72	15	9			
(37)	Injuries at birth	32	15	7	3	2	27	2	1	1	31	1				
35	External causes	11	1			1	2	1		1	4		1	4	1	1
38	Diseases ill-defined or unknown	31												23	5	3
	All other causes	58	3		4	3	10	5	6	1	22	3	6	11	8	8
	PATERSON, N. J.															
	All causes	379	42	14	11	15	82	20	9	11	122	33	29	89	61	45
5	Measles	5												1	3	1
6	Scarlet fever	1												1		
7	Whooping cough	12								1	1	1	3	2	4	1
8	Diphtheria and croup	1				1	1				1					
9	Influenza	1												1		
(12)	Dysentery	3												2		1
(12)	Erysipelas	4										1	2	1		
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis	4													2	2
(37)	Syphilis	5							1		1	1	1	2		
17	Meningitis	10				2	2			1	3	1		3	2	1
(37)	Convulsions	5				1	1	1			2	2			1	
19	Organic diseases of the heart	4	1		1		2			1	3			1		
20	Acute bronchitis	7			1		1				1		2	2	1	1
22	Pneumonia	16						2	2		4	3	1	6	1	1
(23)	Bronchopneumonia	32	1			1	2	1		1	4	1		13	4	10
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	132			1	1	2	4	1	3	10	18	9	42	31	22
(33)	Malformations	9	4		1	1	6	2			8		1			
(33)	Premature birth	46	21	6	5	5	37	6	1	1	45	1				
(33,37)	Congenital debility	33	7	3	1	3	14	3	4	2	23	2	8			
(37)	Injuries at birth	11	7	4			11				11					
35	External causes	5		1			1				1	1		2	1	
38	Diseases ill-defined or unknown	21												10	7	4
	All other causes	11	1		1		2	1		1	4	1	1		4	1
	ALBANY, N. Y.															
	All causes	249	15	17	7	14	53	16	15	5	89	27	20	52	43	18
5	Measles	3												1	2	
6	Scarlet fever															
7	Whooping cough	3							1		1		1		1	
8	Diphtheria and croup															
9	Influenza	3										1		1	1	
(12)	Dysentery	2										1			1	
(12)	Erysipelas	1												1		
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	5										1			2	2
14	Tuberculous meningitis	3												1	2	
15	Other forms of tuberculosis	1														1
(37)	Syphilis	3						1			1		1		1	
17	Meningitis	5							1		1	1		1	1	1
(37)	Convulsions	13			1	1	2	1	1	1	5	4	1	2	1	
19	Organic diseases of the heart	1	1				1				1					
20	Acute bronchitis	3								1	1			1	1	
22	Pneumonia	16						1	1	1	3	1	2	3	3	4
(23)	Bronchopneumonia	10				1	1		2		3	1		3	2	1
24	Diseases of the stomach	5											2	2	1	
25	Diarrhea and enteritis	50				1	1	1	1		3	5	3	16	16	7
(33)	Malformations	12	3	1	2	3	9	1			10		1		1	
(33)	Premature birth	21	6	9	1	1	17	3	1		21					
(33,37)	Congenital debility	35	2	3	1	1	7	6	3	1	17	10	8			
(37)	Injuries at birth	13	3	4	2	3	12		1		13					
35	External causes	2												2		
38	Diseases ill-defined or unknown	18												14	4	
	All other causes	20				3	3	2	2	1	8	2	1	4	3	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	BUFFALO, N. Y.															
	All causes	1,623	187	72	22	84	365	90	87	69	611	155	132	303	228	194
5	Measles	18											1	2	7	8
6	Scarlet fever	8												2	1	5
7	Whooping cough	43								1	1	10	6	10	8	8
8	Diphtheria and croup	16										1	1	2	6	6
9	Influenza	4											1		2	1
(12)	Dysentery	12						1	1		2	1	1	3	3	2
(12)	Erysipelas	7						1	2	2	5				2	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	1										1				
14	Tuberculous meningitis	4										1	1	1		1
15	Other forms of tuberculosis	10								1	1	1		4	2	2
(37)	Syphilis	55	1	1			2	4	7	6	19	16	6	11	2	1
17	Meningitis	6							1		1			1	2	2
(37)	Convulsions	21				4	4	1		3	8	1	2	5	3	2
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	57	1			2	3	2	1	2	8	5	9	14	12	9
22	Pneumonia	56	1		1	1	3		3	2	8	2	3	17	14	12
(23)	Bronchopneumonia	186		1		1	2	6	11	6	25	25	27	33	38	38
24	Diseases of the stomach	35		1	1		2	2	4	3	11	5	5	9	4	1
25	Diarrhea and enteritis	475				6	6	12	18	21	57	44	48	154	99	73
(33)	Malformations	84	20	13	5	16	54	8	7	1	70	4	2	5	2	1
(33)	Premature birth	227	111	32	8	23	174	23	9	11	217	6	4			
(33,37)	Congenital debility	84	13	8	4	9	34	17	7	6	64	12	7	1		
(37)	Injuries at birth	72	37	15	3	11	66	4	2		72					
35	External causes	10	1				1		1		2		1	2	1	4
38	Diseases ill-defined or unknown	19												12	4	3
	All other causes	111	2	1		11	14	8	12	4	38	20	7	15	16	15
	NEW YORK, N. Y. (TOTAL).															
	All causes	16,159	1,009	884	398	810	3,101	783	741	666	5,291	1,660	1,411	3,131	2,639	2,027
5	Measles	157						1		1	2		1	12	53	89
6	Scarlet fever	49										1		3	18	27
7	Whooping cough	151							3	7	10	19	18	31	43	30
8	Diphtheria and croup	177				1	1	4	3	3	11	1		24	54	87
9	Influenza	17						1			1		1	4	8	3
(12)	Dysentery	22										2		9	6	5
(12)	Erysipelas	141						8	19	17	44	32	12	23	18	12
(37)	Tetanus	19			3	5	8	7	1	2	18					1
13	Tuberculosis of the lungs	65	1	1			2				2	2	3	15	28	15
14	Tuberculous meningitis	173				1	1	1	2	1	5	5	6	33	68	56
15	Other forms of tuberculosis	55						1	1		2	1	7	21	16	8
(37)	Syphilis	217	7	11	5	14	37	27	14	13	91	43	30	35	11	7
17	Meningitis	159			1	5	6	3	5	4	18	12	6	33	49	41
(37)	Convulsions	315	11	9	11	31	62	16	25	12	115	40	39	60	42	19
19	Organic diseases of the heart	53	2	5	2	9	18	3	3	3	27	7	3	7	5	4
20	Acute bronchitis	544		3	5	14	22	40	49	47	158	36	52	97	88	63
22	Pneumonia	549	1	3	6	15	25	14	15	14	68	38	41	95	156	151
(23)	Bronchopneumonia	2,073	3	9	9	44	65	67	86	75	293	168	156	435	527	494
24	Diseases of the stomach	77				9	9	6	3	4	22	18	12	20	2	3
25	Diarrhea and enteritis	4,979	1		6	34	41	97	123	143	404	549	627	1,553	1,124	722
(33)	Malformations	590	66	78	49	92	285	76	33	29	423	45	35	53	21	13
(33)	Premature birth	1,897	601	439	169	242	1,451	179	122	59	1,811	63	23			
(33,37)	Congenital debility	1,880	165	187	77	164	593	155	181	198	1,127	464	288	1		
(37)	Injuries at birth	389	136	116	34	69	355	16	8	4	383	6				
35	External causes	91	6	5	4	6	21	7	5	1	34	13	4	12	13	15
38	Diseases ill-defined or unknown	650	2	3	1	2	8	1	1	1	11			411	158	70
	All other causes	670	7	15	16	53	91	53	39	28	211	45	47	144	131	92
	NEW YORK, N. Y. (WHITE).															
	All causes	15,624	977	854	388	780	2,999	748	720	645	5,112	1,616	1,366	3,025	2,545	1,960
5	Measles	153						1		1	2		1	12	52	86
6	Scarlet fever	49										1		3	18	27
7	Whooping cough	145							3	7	10	19	17	31	40	28
8	Diphtheria and croup	176				1	1	4	3	3	11	1		23	54	87
9	Influenza	13						1			1		1	3	6	2
(12)	Dysentery	22										2		9	6	5
(12)	Erysipelas	139						8	17	17	42	32	12	23	18	12
(37)	Tetanus	18			3	4	7	7	1	2	17					1
13	Tuberculosis of the lungs	57	1	1			2				2	2	3	13	23	14
14	Tuberculous meningitis	165				1	1	1	2	1	5	3	6	33	64	54
15	Other forms of tuberculosis	52						1	1		2	1	7	20	15	7
(37)	Syphilis	204	7	11	5	11	34	24	14	12	84	41	28	34	10	7
17	Meningitis	157			1	5	6	3	5	4	18	12	6	33	48	40
(37)	Convulsions	302	11	9	11	30	61	16	25	12	114	37	37	60	39	15
19	Organic diseases of the heart	52	2	5	2	8	17	3	3	3	26	7	3	7	5	4
20	Acute bronchitis	523		3	5	14	22	40	47	46	155	84	50	89	86	59
22	Pneumonia	529	1	3	6	15	25	13	14	14	66	38	37	92	152	144
(23)	Bronchopneumonia	1,999	3	9	8	44	64	66	82	74	286	164	150	413	503	483
24	Diseases of the stomach	75				9	9	6	3	4	22	18	12	18	2	3
25	Diarrhea and enteritis	4,846	1		5	33	39	92	122	139	392	538	611	1,510	1,094	701
(33)	Malformations	575	65	73	49	91	278	75	32	28	413	43	35	51	21	12
(33)	Premature birth	1,821	579	419	164	232	1,394	168	120	55	1,737	61	23			
(33,37)	Congenital debility	1,807	158	182	74	154	568	147	174	190	1,079	449	278	1		
(37)	Injuries at birth	385	134	116	34	68	352	15	8	4	379	6				
35	External causes	90	6	5	4	6	21	7	5	1	34	13	4	12	13	14
38	Diseases ill-defined or unknown	626	2	3	1	2	8	1	1	1	11			396	151	68
	All other causes	644	7	15	16	52	90	49	38	27	204	44	45	139	125	87

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (COLORED).															
	All causes	535	32	30	10	30	102	35	21	21	179	44	45	106	94	67
5	Measles	4													1	3
6	Scarlet fever															
7	Whooping cough	6											1		3	2
8	Diphtheria and croup	1												1		
9	Influenza	4												1	2	1
(12)	Dysentery															
(12)	Erysipelas	2							2		2					
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	8												2	5	1
14	Tuberculous meningitis	8										2			4	2
15	Other forms of tuberculosis	3												1	1	1
(37)	Syphilis	13				3	3	3		1	7	2	2	1	1	
17	Meningitis	2													1	1
(37)	Convulsions	13				1	1				1	3	2		3	4
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	21							2	1	3	2	2	8	2	4
22	Pneumonia	20						1	1		2		4	3	4	7
(23)	Bronchopneumonia	74			1		1	1	4	1	7	4	6	22	24	11
24	Diseases of the stomach	2												2		
25	Diarrhea and enteritis	133			1	1	2	5	1	4	12	11	16	43	30	21
(33)	Malformations	15	1	5		1	7	1	1	1	10	2		2		1
(33)	Premature birth	76	22	20	5	10	57	11	2	4	74	2				
(33,37)	Congenital debility	73	7	5	3	10	25	8	7	8	48	15	10			
(37)	Injuries at birth	4	2			1	3	1			4					
35	External causes	1														1
38	Diseases ill-defined or unknown	24												15	7	2
	All other causes	26				1	1	4	1	1	7	1	2	5	6	5
	NEW YORK, N. Y. (BRONX BOROUGH).															
	All causes	1,047	77	73	27	62	239	61	53	29	382	84	93	185	175	128
5	Measles	11													3	8
6	Scarlet fever	2													1	1
7	Whooping cough	11							1	1	2	1	2	1	4	1
8	Diphtheria and croup	15						1		1	2				3	10
9	Influenza	1													1	
(12)	Dysentery	3										1			2	
(12)	Erysipelas	5						2	2		4		1			
(37)	Tetanus															
13	Tuberculosis of the lungs	15										1	1		9	4
14	Tuberculous meningitis	20							1		1	1		3	7	8
15	Other forms of tuberculosis															
(37)	Syphilis	6														
17	Meningitis	13			1		1					4	1	1		
(37)	Convulsions	18	1			7	8	1	2		1	2	3	4	3	
19	Organic diseases of the heart	7		2		1	3			2	5		2	2	2	1
20	Acute bronchitis	27				2	2	2	1	3	8	5	5	1		1
22	Pneumonia	46			1		1	4	3		8	3	5	5	4	
(23)	Bronchopneumonia	127		1		4	5	4	5	4	18	6	16	5	11	14
24	Diseases of the stomach	9				2	2	2		1	5	2		25	39	23
25	Diarrhea and enteritis	279				2	2	9	11	6	28	29	37	1		1
(33)	Malformations	54	5	8	4	13	30	8	2	3	43	5	1	82	62	41
(33)	Premature birth	132	46	34	11	16	107	10	6	3	126	4	2	3		2
(33,37)	Congenital debility	94	17	10	3	4	34	11	14	4	63	16	15			
(37)	Injuries at birth	37	8	17	4	7	36	1			37					
35	External causes	6			1		1	1			2		1	2		1
38	Diseases ill-defined or unknown	48		1		1	2	1			3			26	16	3
	All other causes	61			2	3	5	4	5	1	15	4	1	24	8	9
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).															
	All causes	5,063	311	313	141	270	1,035	259	206	168	1,668	399	400	1,005	884	707
5	Measles	73								1	1		1	7	23	41
6	Scarlet fever	21												1	9	11
7	Whooping cough	42							1	2	3	5	4	10	12	8
8	Diphtheria and croup	48				1	1	2			3			10	10	25
9	Influenza	9												3	3	3
(12)	Dysentery	5										1		4		
(12)	Erysipelas	27						3	2	2	7	6	3	1	5	5
(37)	Tetanus	7			1		1	5		1	7					
13	Tuberculosis of the lungs	14		1			1				1		1	5	3	4
14	Tuberculous meningitis	48						1			1	1	2	10	22	12
15	Other forms of tuberculosis	33						1			1		6	13	9	4
(37)	Syphilis	55	1		2	4	7	10	6	4	27	5	4	13	3	3
17	Meningitis	36								1	1	3		4	16	12
(37)	Convulsions	110	1	2	4	6	13	6	5	4	28	16	14	27	20	5
19	Organic diseases of the heart	29	1	3		6	10	1	1	1	13	5	3	4	3	1
20	Acute bronchitis	241		2	2	6	10	21	26	19	76	40	17	43	39	26
22	Pneumonia	195		1	1	6	8	7	3	6	24	13	17	28	52	61
(23)	Bronchopneumonia	672	2	3	4	16	25	29	31	22	107	53	42	125	164	131
24	Diseases of the stomach	19				3	3	1			4	5	4	6		
25	Diarrhea and enteritis	1,820	1			16	17	32	35	48	132	168	216	598	436	270
(33)	Malformations	260	33	30	26	35	124	32	19	9	184	20	17	26	7	6
(33)	Premature birth	622	193	156	64	83	496	51	36	15	598	17	7			
(33,37)	Congenital debility	304	32	62	18	51	163	35	28	24	250	22	32			
(37)	Injuries at birth	135	44	45	15	18	122	4	5	2	133	2				
35	External causes	28	1	2	1	3	7	3	1		11	3		6	4	4
38	Diseases ill-defined or unknown	36				1	1				1			29	4	2
	All other causes	174	2	6	3	15	26	15	7	7	55	14	10	32	40	23

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).															
	All causes	4,927	303	303	136	265	1,007	252	204	163	1,626	388	389	973	858	693
5	Measles	73								1	1		1	7	23	41
6	Scarlet fever	21												1	9	11
7	Whooping cough	40							1	2	3	5	4	10	12	6
8	Diphtheria and croup	48				1	1	2			3			10	10	25
9	Influenza	5												2	1	2
(12)	Dysentery	5										1		4		
(12)	Erysipelas	27						3	2	2	7	6	3	1	5	5
(37)	Tetanus	7			1		1	5		1	7					
13	Tuberculosis of the lungs	14		1			1				1		1	5	3	4
14	Tuberculous meningitis	45						1			1		2	10	20	12
15	Other forms of tuberculosis	32						1			1		6	13	9	3
(37)	Syphilis	51	1		2	3	6	10	6	3	25	4	4	12	3	3
17	Meningitis	35								1	1	3		4	15	12
(37)	Convulsions	107	1	2	4	6	13	6	5	4	28	16	12	27	19	5
19	Organic diseases of the heart	29	1	3		6	10	1	1	1	13	5	3	4	3	1
20	Acute bronchitis	232		2	2	6	10	21	26	19	76	38	17	39	38	24
22	Pneumonia	187		1	1	6	8	7	3	6	24	13	15	26	50	59
(23)	Bronchopneumonia	662	2	3	3	16	24	29	31	22	106	53	42	120	160	181
24	Diseases of the stomach	19				3	3	1			4	5	4	6		
25	Diarrhea and enteritis	1,778	1			16	17	31	35	47	130	164	210	583	425	266
(33)	Malformations	254	33	28	26	34	121	32	19	8	180	20	17	25	7	5
(33)	Premature birth	597	187	149	60	81	477	43	35	14	574	16	7			
(33,37)	Congenital debility	299	32	61	18	50	161	34	27	24	246	21	32			
(37)	Injuries at birth	133	42	45	15	18	120	4	5	2	131	2				
35	External causes	28	1	2	1	3	7	3	1		11	3		6	4	4
38	Diseases ill-defined or unknown	36				1	1				1			29	4	2
	All other causes	163	2	6	3	15	26	13	7	6	52	13	9	29	38	22
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).															
	All causes	136	8	10	5	5	28	7	2	5	42	11	11	32	26	14
5	Measles															
6	Scarlet fever															
7	Whooping cough	2														2
8	Diphtheria and croup															
9	Influenza	4												1	2	1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3										1			2	
15	Other forms of tuberculosis	1														1
(37)	Syphilis	4				1	1			1	2	1		1		
17	Meningitis	1													1	
(37)	Convulsions	3											2		1	
19	Organic diseases of the heart															
20	Acute bronchitis	9										2		4	1	2
22	Pneumonia	8											2	2	2	2
(23)	Bronchopneumonia	10			1		1				1			5	4	
24	Diseases of the stomach															
25	Diarrhea and enteritis	42						1		1	2	4	6	15	11	4
(33)	Malformations	6		2		1	3			1	4			1		1
(33)	Premature birth	25	6	7	4	2	19	3	1	1	24	1				
(33,37)	Congenital debility	5		1		1	2	1	1		4	1				
(37)	Injuries at birth	2	2				2				2					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	11						2		1	3	1	1	3	2	1
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
	All causes	8,900	525	439	202	419	1,585	414	434	436	2,869	1,086	831	1,679	1,397	1,038
5	Measles	66						1			1			4	26	35
6	Scarlet fever	24										1		2	7	14
7	Whooping cough	81							1	4	5	10	10	15	25	16
8	Diphtheria and croup	107							3	2	5	1		14	39	48
9	Influenza	6											1	1	4	
(12)	Dysentery	12												4	3	5
(12)	Erysipelas	107						3	15	15	33	25	8	21	13	7
(37)	Tetanus	9			2	4	6	1		1	8					1
13	Tuberculosis of the lungs	35	1				1				1	1	1	9	16	7
14	Tuberculous meningitis	98				1	1		1	1	3	3	4	19	38	31
15	Other forms of tuberculosis	21										1	1	8	7	4
(37)	Syphilis	153	6	11	3	10	30	17	7	9	63	33	24	21	8	4
17	Meningitis	103				5	5	2	5	3	15	6	3	24	30	25
(37)	Convulsions	108	9	5	7	16	37	8	15	8	68	21	20	30	19	10
19	Organic diseases of the heart	12			1	1	2	1	2		5	2		2	1	2
20	Acute bronchitis	236		1	3	5	9	16	20	25	70	34	23	42	38	29
22	Pneumonia	277	1	2	3	7	13	3	9	8	33	21	17	57	79	70
(23)	Bronchopneumonia	1,154	1	5	5	23	34	32	45	44	155	99	86	253	298	263
24	Diseases of the stomach	42				2	2	3	2	3	10	9	8	11	2	2
25	Diarrhea and enteritis	2,488			4	13	17	51	68	80	216	321	336	733	534	348
(33)	Malformations	230	19	36	17	35	107	31	10	13	161	19	16	19	10	5
(33)	Premature birth	994	308	213	82	128	731	109	69	38	947	36	11			
(33,37)	Congenital debility	1,369	105	109	49	93	356	94	129	158	737	405	226	1		
(37)	Injuries at birth	182	65	44	13	40	162	11	3	2	178	4				
35	External causes	52	5	3	2	3	13	1	3	1	18	8	3	4	9	10
38	Diseases ill-defined or unknown	486	2	2	1		5		1	1	7			308	119	52
	All other causes	388	3	8	10	33	54	30	26	20	130	26	33	77	72	50

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).															
	All causes	8,543	504	420	199	396	1,519	387	415	420	2,741	1,059	799	1,616	1,339	989
5	Measles	62						1			1			4	25	32
6	Scarlet fever	24										1		2	7	14
7	Whooping cough	79							1	4	5	10	9	15	24	16
8	Diphtheria and croup	106							3	2	5	1		13	39	48
9	Influenza	6											1	1	4	
(12)	Dysentery	12												4	3	5
(12)	Erysipelas	105						3	13	15	31	25	8	21	13	7
(37)	Tetanus	8			2	3	5	1		1	7					1
13	Tuberculosis of the lungs	27	1				1				1	1	1	7	11	6
14	Tuberculous meningitis	95				1	1		1	1	3	3	4	19	36	30
15	Other forms of tuberculosis	19										1	1	7	6	4
(37)	Syphilis	144	6	11	3	8	28	14	7	9	58	32	22	21	7	4
17	Meningitis	102				5	5	2	5	3	15	6	3	24	30	24
(37)	Convulsions	158	9	5	7	15	36	8	15	8	67	18	20	30	17	6
19	Organic diseases of the heart	11			1		1	1	2		4	2		2	1	2
20	Acute bronchitis	225		1	3	5	9	16	18	24	67	34	21	39	37	27
22	Pneumonia	265	1	2	3	7	13	2	8	8	31	21	15	56	77	65
(23)	Bronchopneumonia	1,101	1	5	5	23	34	31	41	43	149	97	82	240	281	252
24	Diseases of the stomach	41				2	2	3	2	3	10	9	8	10	2	2
25	Diarrhea and enteritis	2,408			3	13	16	47	67	77	207	315	326	709	518	333
(33)	Malformations	222	18	33	17	35	103	30	9	13	155	18	16	18	10	5
(33)	Premature birth	946	294	200	81	121	696	101	68	35	900	35	11			
(33,37)	Congenital debility	1,306	99	106	48	84	337	87	123	150	697	392	216	1		
(37)	Injuries at birth	180	65	44	13	39	161	10	3	2	176	4				
35	External causes	51	5	3	2	3	13	1	3	1	18	8	3	4	9	9
38	Diseases ill-defined or unknown	464	2	2	1		5		1	1	7			293	113	51
	All other causes	376	3	8	10	32	53	29	25	20	127	26	32	76	69	46
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).															
	All causes	357	21	19	3	23	66	27	19	16	128	27	32	63	58	49
5	Measles	4													1	3
6	Scarlet fever															
7	Whooping cough	2											1		1	
8	Diphtheria and croup	1												1		
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2							2		2					
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	8												2	5	1
14	Tuberculous meningitis	3													2	1
15	Other forms of tuberculosis	2												1	1	
(37)	Syphilis	9				2	2	3			5	1	2		1	
17	Meningitis	1														1
(37)	Convulsions	10				1	1				1	3			2	4
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	11							2	1	3		2	3	1	2
22	Pneumonia	12						1	1		2		2	1	2	5
(23)	Bronchopneumonia	53						1	4	1	6	2	4	13	17	11
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	80			1		1	4	1	3	9	6	10	24	16	15
(33)	Malformations	8	1	3			4	1	1		6	1		1		
(33)	Premature birth	48	14	13	1	7	35	8	1	3	47	1				
(33,37)	Congenital debility	63	6	3	1	9	19	7	6	8	40	13	10			
(37)	Injuries at birth	2				1	1	1			2					
35	External causes	1														1
38	Diseases ill-defined or unknown	22												15	6	1
	All other causes	12				1	1	1	1		3		1	1	3	4
	NEW YORK, N. Y. (QUEENS BOROUGH).															
	All causes	865	72	44	21	46	183	36	35	26	280	73	65	189	149	109
5	Measles	5													1	4
6	Scarlet fever	1													1	
7	Whooping cough	14										2	1	4	2	5
8	Diphtheria and croup	6						1			1				2	3
9	Influenza															
(12)	Dysentery	2												1	1	
(12)	Erysipelas	2										1		1		
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	5												1	1	3
15	Other forms of tuberculosis	1							1		1					
(37)	Syphilis	2							1		1		1			
17	Meningitis	4										1				3
(37)	Convulsions	15				1	1	1	2		4	3	3	1	1	3
19	Organic diseases of the heart	3	1		1		2				2				1	
20	Acute bronchitis	35				1	1	1	2		4	7	6	4	7	7
22	Pneumonia	26			1	2	3				3	1	2	3	13	4
(23)	Bronchopneumonia	91				1	1	2	5	3	11	6	10	25	23	16
24	Diseases of the stomach	2										1		1		
25	Diarrhea and enteritis	298			1	3	4	4	6	9	23	23	28	108	70	46
(33)	Malformations	38	8	4	1	7	20	4	2	3	29	1	1	4	3	
(33)	Premature birth	116	42	27	7	14	90	8	7	3	108	6	2			
(33,37)	Congenital debility	90	10	5	7	13	35	10	8	8	61	19	10			
(37)	Injuries at birth	22	11	7	2	2	22				22					
35	External causes	2							1		1	1				
38	Diseases ill-defined or unknown	49												27	15	7
	All other causes	34		1	1	2	4	4			8	1	1	8	8	8

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (RICHMOND BOROUGH).															
	All causes	234	24	15	7	13	59	13	13	7	92	18	22	73	34	45
5	Measles	2												1		1
6	Scarlet fever	1														1
7	Whooping cough	3										1	1	1		
8	Diphtheria and croup	1														1
9	Influenza	1						1			1					
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	2				1	1		1		2					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis															
(37)	Syphilis	1										1				
17	Meningitis	3						1			1			1		1
(37)	Convulsions	4		2		1	3		1		4					
19	Organic diseases of the heart	2				1	1	1			2					
20	Acute bronchitis	5											1	3		1
22	Pneumonia	5												2	1	2
(23)	Bronchopneumonia	29								2	2	4	2	7	3	11
24	Diseases of the stomach	5				2	2		1		3	1		1		
25	Diarrhea and enteritis	94			1		1	1	3		5	8	10	32	22	17
(33)	Malformations	8	1		1	2	4	1		1	6			1	1	
(33)	Premature birth	33	12	9	5	1	27	1	4		32		1			
(33,37)	Congenital debility	23	1	1		3	5	5	2	4	16	2	5			
(37)	Injuries at birth	13	8	3		2	13				13					
35	External causes	3						2			2	1				
38	Diseases ill-defined or unknown	31												21	4	6
	All other causes	13	2				2		1		3		2	3	3	2
	ROCHESTER, N. Y.															
	All causes	443	3	12	9	34	58	25	14	17	114	58	46	106	69	50
5	Measles	6												2	1	3
6	Scarlet fever	2													2	
7	Whooping cough	11											1	6	3	1
8	Diphtheria and croup	4												1		3
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2								1	1			1		
(37)	Tetanus															
13	Tuberculosis of the lungs	6										1		2	2	1
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	6				2	2		1	1	4			2		
17	Meningitis	1				1	1				1					
(37)	Convulsions	11		1	1	1	3	1		1	5	2	1	1	1	1
19	Organic diseases of the heart	2						1		1	2					
20	Acute bronchitis	21			1		1	2		1	4	5	4	1	4	3
22	Pneumonia	5										1			2	2
(23)	Bronchopneumonia	45				1	1	2			3	10	7	13	8	4
24	Diseases of the stomach	6								1	1	2		1	1	1
25	Diarrhea and enteritis	197				1	1	5	6	6	18	23	24	67	37	28
(33)	Malformations	22	2	7	1	6	16	3			19	1		1	1	
(33)	Premature birth	15			1	4	5	5	3		13		2			
(33,37)	Congenital debility	32		2	2	9	13	1	1	4	19	10	3			
(37)	Injuries at birth	9	1	1	1	5	8	1			9					
35	External causes	3										1		1	1	
38	Diseases ill-defined or unknown	9												5	2	2
	All other causes	25		1	2	4	7	4	3	1	15	2	4	2	1	1
	SYRACUSE, N. Y.															
	All causes	447	68	22	14	20	124	24	22	16	186	55	38	84	55	29
5	Measles	4													1	3
6	Scarlet fever															
7	Whooping cough	3										1		1	1	
8	Diphtheria and croup	2										1		1		
9	Influenza															
(12)	Dysentery	3												1	2	
(12)	Erysipelas	2								1	1					1
(37)	Tetanus															
13	Tuberculosis of the lungs	1										1				
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis															
(37)	Syphilis	20	1	2			3		5	1	9	3	4	4		
17	Meningitis	2												1	1	
(37)	Convulsions	6		1		2	3		1		4	1				1
19	Organic diseases of the heart	7	2	2			4				4		2	1		
20	Acute bronchitis	11						1	1		2	3	3	3		
22	Pneumonia	10						1			1	1	2	2	2	2
(23)	Bronchopneumonia	24	1			2	3				3	1	2	8	5	5
24	Diseases of the stomach	13	1				1		2	2	5	2	3	1	2	
25	Diarrhea and enteritis	154				1	1	3	6	5	15	27	15	49	36	12
(33)	Malformations	18	2	3	1	1	7	3	2	1	13	2		2	1	
(33)	Premature birth	79	37	10	10	7	64	10	3	1	78		1			
(33,37)	Congenital debility	36	9	2	2	3	16	4	1	3	24	9	3			
(37)	Injuries at birth	16	13	1	1		15	1			16					
35	External causes	4	1				1	1			2					2
38	Diseases ill-defined or unknown	6												6		
	All other causes	23	1	1		4	6		1	2	9	3	3	4	3	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CINCINNATI, OHIO (TOTAL).															
	All causes	917	127	55	32	51	265	52	24	38	379	93	68	158	128	91
5	Measles	15												1	7	7
6	Scarlet fever															
7	Whooping cough	11										1		3	4	3
8	Diphtheria and croup	1												1		
9	Influenza	8				1	1		1	1	3		1	1	2	1
(12)	Dysentery	3												1		2
(12)	Erysipelas	2										1	1			
(37)	Tetanus															
13	Tuberculosis of the lungs	8										1	2	2	3	
14	Tuberculous meningitis	10										1		5	2	2
15	Other forms of tuberculosis	2										1			1	
(37)	Syphilis	25	1			2	3	1	2	5	11	4	3	3	2	2
17	Meningitis	19			1		1	3	1		5	1	1	7	3	2
(37)	Convulsions	8		1		1	2	1	1		4	1	1		2	
19	Organic diseases of the heart	5	2			1	3				3	1		1		
20	Acute bronchitis	30				1	1	1	2		4	3	7	8	4	4
22	Pneumonia	43			1	2	3	2	2	1	8	3	3	8	11	10
(23)	Bronchopneumonia	67						6		5	11	4	6	14	14	18
24	Diseases of the stomach	9				1	1		1		2	1	1	4		1
25	Diarrhea and enteritis	278				1	1	9	3	11	24	46	34	82	59	33
(33)	Malformations	38	12	3	4	7	26	4	1		31	4		2	1	
(33)	Premature birth	193	80	34	16	22	152	18	6	9	185	7	1			
(33,37)	Congenital debility	139	9	2	6	4	21	3	2	5	31	6	2			
(37)	Injuries at birth	40	21	10	3	5	39		1		40					
35	External causes	7	1				1				1	1		2	2	1
38	Diseases ill-defined or unknown	10		1			1				1	1		6	1	1
	All other causes	46	1	4	1	3	9	4	1	1	15	5	5	7	10	4
	CINCINNATI, OHIO (WHITE).															
	All causes	834	120	53	29	46	248	47	23	36	354	86	63	137	113	81
5	Measles	14												1	7	6
6	Scarlet fever															
7	Whooping cough	10										1		2	4	3
8	Diphtheria and croup	1												1		
9	Influenza	8				1	1		1	1	3		1	1	2	1
(12)	Dysentery	3												1		2
(12)	Erysipelas	2										1	1			
(37)	Tetanus															
13	Tuberculosis of the lungs	7										1	2	1	3	
14	Tuberculous meningitis	9										1		4	2	2
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	19	1			1	2	1	2	4	9	3	3	1	1	2
17	Meningitis	18			1		1	3	1		5	1	1	6	3	2
(37)	Convulsions	7		1		1	2	1	1		4		1		2	
19	Organic diseases of the heart	5	2			1	3				3	1		1		
20	Acute bronchitis	28						1	2		3	3	7	8	3	4
22	Pneumonia	35			1	2	3	2	1	1	7	2	3	7	7	9
(23)	Bronchopneumonia	60						6		5	11	4	5	12	12	16
24	Diseases of the stomach	9				1	1		1		2	1	1	4		1
25	Diarrhea and enteritis	250				1	1	8	3	10	22	44	31	70	54	29
(33)	Malformations	38	12	3	4	7	26	4	1		31	4		2	1	
(33)	Premature birth	180	76	32	14	20	142	15	6	9	172	7	1			
(33,37)	Congenital debility	34	8	2	5	4	19	2	2	5	28	5	1			
(37)	Injuries at birth	38	19	10	3	5	37		1		38					
35	External causes	6	1				1				1	1		2	1	1
38	Diseases ill-defined or unknown	10		1			1				1	1		6	1	1
	All other causes	42	1	4	1	2	8	4	1	1	14	5	5	7	9	2
	CINCINNATI, OHIO (COLORED).															
	All causes	83	7	2	3	5	17	5	1	2	25	7	5	21	15	10
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	1												1		
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	6				1	1			1	2	1		2	1	
17	Meningitis	1														
(37)	Convulsions	1										1		1		
19	Organic diseases of the heart															
20	Acute bronchitis	2				1	1				1				1	
22	Pneumonia	8							1		1	1		1	4	1
(23)	Bronchopneumonia	7											1	2	2	2
24	Diseases of the stomach															
25	Diarrhea and enteritis	28						1		1	2	2	3	12	5	4
(33)	Malformations															
(33)	Premature birth	13	4	2	2	2	10	3			13					
(33,37)	Congenital debility	5	1		1		2	1			3	1	1			
(37)	Injuries at birth	2	2				2				2					
35	External causes	1													1	
38	Diseases ill-defined or unknown															
	All other causes	4				1	1				1				1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CLEVELAND, OHIO.															
	All causes	2,033	205	91	50	104	450	103	90	87	730	221	156	397	322	207
5	Measles	22								1	1	2		1	5	13
6	Scarlet fever	3												2	1	
7	Whooping cough	16							1		1		3	5	5	2
8	Diphtheria and croup	8												3	2	3
9	Influenza	2											1	1		
(12)	Dysentery	7										2	1	3		1
(12)	Erysipelas	8								2	2	3	2			1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	5												1	4	
14	Tuberculous meningitis	18							1		1			6	4	7
15	Other forms of tuberculosis	6												1	5	
(37)	Syphilis	77	2	2		2	6	1	6	4	17	32	13	11	4	
17	Meningitis	20		1		1	2	2		1	5			6	4	5
(37)	Convulsions	56	1	4	3	8	16	6	2	3	27	11	2	9	5	2
19	Organic diseases of the heart	16	1		1	1	3	1	1		5	2	1	6	1	1
20	Acute bronchitis	105			1	1	2	6	8	8	24	17	13	20	18	13
22	Pneumonia	53			1	2	3	2	1		6	4	5	8	17	13
(23)	Bronchopneumonia	132		2	1		3	5	8	7	23	12	11	33	34	19
24	Diseases of the stomach	24		1		1	2	3	2		7	6	3	5	3	
25	Diarrhea and enteritis	790	1		1	10	12	29	24	34	99	83	81	234	188	105
(33)	Malformations	87	20	11	8	12	51	9	2	3	65	8	4	4	2	4
(33)	Premature birth	252	122	43	20	22	207	11	14	5	237	12	3			
(33,37)	Congenital debility	128	29	17	9	24	79	15	10	9	113	11	4			
(37)	Injuries at birth	55	25	6	2	13	46	7			53	2				
35	External causes	12	2				2			1	3	1	1	4	2	1
38	Diseases ill-defined or unknown	17												11	4	2
	All other causes	113	2	4	3	7	16	5	10	9	40	13	8	23	14	15
	COLUMBUS, OHIO.															
	All causes	397	50	19	13	31	113	22	18	17	170	50	35	68	33	41
5	Measles	5												1	1	3
6	Scarlet fever															
7	Whooping cough	8										1	2	2	2	1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	3						1	1		2		1			
(37)	Tetanus															
13	Tuberculosis of the lungs	3		1			1				1		1	1		
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis	10										1	2	4	1	2
(37)	Syphilis	6				1	1				1		1	3		1
17	Meningitis	9						1	3		4	2		2		1
(37)	Convulsions	14	2		2	3	7			1	8	1	1	2	1	1
19	Organic diseases of the heart	7	2	3			5	1			6				1	
20	Acute bronchitis	8							1	1	2		1	4	1	
22	Pneumonia	16						1	1		2	3	1	3	1	6
(23)	Bronchopneumonia	33						1	2	3	6	7	5	5	4	6
24	Diseases of the stomach	6							2	1	3	2		1		
25	Diarrhea and enteritis	96						1	4	5	10	17	12	24	16	17
(33)	Malformations	25	2	2	4	3	11	7		1	19	2	1	3		
(33)	Premature birth	68	33	8	4	9	54	8	2	2	66	2				
(33,37)	Congenital debility	37	9	4	2	9	24		2	1	27	4	6			
(37)	Injuries at birth	5	1	1	1	2	5				5					
35	External causes	6	1			1	2			1	3	2		1		
38	Diseases ill-defined or unknown	15				1	1				1			11	1	2
	All other causes	16				2	2	1		1	4	6	1		4	1
	DAYTON, OHIO.															
	All causes	325	50	21	6	21	98	24	12	7	141	30	27	71	32	24
5	Measles															
6	Scarlet fever															
7	Whooping cough	16								1	1	3	3	4	2	3
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	3										1		2		
14	Tuberculous meningitis															
15	Other forms of tuberculosis	2											1		1	
(37)	Syphilis	3	2				2				2			1		
17	Meningitis	10						1		1	2			4	1	3
(37)	Convulsions	2				2	2				2					
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	3							1		1				1	1
22	Pneumonia	26						1	3		4	1	3	12	1	5
(23)	Bronchopneumonia	30		1	1		2	3	1	2	8	2	5	8	2	5
24	Diseases of the stomach	6						1			1	1		2	2	
25	Diarrhea and enteritis	88				3	3	5	4		12	11	12	26	21	6
(33)	Malformations	8	4	1		1	6	1		1	8					
(33)	Premature birth	71	37	17	3	7	64	4	1		69	1	1			
(33,37)	Congenital debility	25	3	1	1	3	8	6	2	1	17	7	1			
(37)	Injuries at birth	6	4	1		1	6				6					
35	External causes	9				2	2				2	1	1	4		1
38	Diseases ill-defined or unknown	4												4		
	All other causes	11			1	1	2	2		1	5	2		3	1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	2 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	TOLEDO, OHIO.															
	All causes	402	50	26	11	22	109	22	24	14	169	37	39	80	44	33
5	Measles	6												2	1	3
6	Scarlet fever															
7	Whooping cough	7										1		2	4	
8	Diphtheria and croup	1														1
9	Influenza	1														1
(12)	Dysentery	1												1		
(12)	Erysipelas	2				1	1				1			1		
(37)	Tetanus	2	1				1	1			2					
13	Tuberculosis of the lungs	3											1		1	1
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	5				1	1				1	1	1	2		
17	Meningitis	5								1	1		1	3		
(37)	Convulsions															
19	Organic diseases of the heart	2		1			1		1		2					
20	Acute bronchitis	8						1	1	1	3		3	1		1
22	Pneumonia	21	1	1		1	3		2		5	2	2	4	5	3
(23)	Bronchopneumonia	37						2		1	3	8	6	6	8	6
24	Diseases of the stomach	7			1		1		1		2			5		
25	Diarrhea and enteritis	124	1			1	2	2	5	4	13	17	14	47	19	14
(33)	Malformations	29	3	9	2	3	17	2	4		23	1	3	1	1	
(33)	Premature birth	65	30	9	3	11	53	5	3	3	64		1			
(33,37)	Congenital debility	27	7		1	1	9	4	3	2	18	4	5			
(37)	Injuries at birth	13	6	3	1	2	12	1			13					
35	External causes	1							1		1					
38	Diseases ill-defined or unknown	2													1	1
	All other causes	31	1	3	3	1	8	4	3	2	17	3	2	4	3	2
	PORTLAND, OREG.															
	All causes	325	35	29	16	23	103	21	22	14	160	27	23	46	45	24
5	Measles	3						1			1			1	1	
6	Scarlet fever															
7	Whooping cough	10								1	1	2	1	4	1	1
8	Diphtheria and croup	2													1	1
9	Influenza	2											1	1		
(12)	Dysentery	3											1		2	
(12)	Erysipelas	3							1	1	2				1	
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis	2														2
(37)	Syphilis	4						1	1		2	1	1			
17	Meningitis	5				1	1	1			2	1		2		
(37)	Convulsions	1													1	
19	Organic diseases of the heart	7		1	1	1	3		1	1	5	1			1	
20	Acute bronchitis	3										1	1		1	
22	Pneumonia	14						2	1	1	4	1	1	3	3	2
(23)	Bronchopneumonia	23	1		1	2	4			2	6	1	2	2	8	4
24	Diseases of the stomach	6							1		1		2	1	1	1
25	Diarrhea and enteritis	57							2	4	6	7	4	16	16	8
(33)	Malformations	18	1	3	3	4	11	4	1		16	1				1
(33)	Premature birth	64	29	15	4	5	53	2	6	1	62	1	1			
(33,37)	Congenital debility	46	3	6	4	5	18	5	7	2	32	8	6			
(37)	Injuries at birth	6		2	1	3	6				6					
35	External causes	4										1		3		
38	Diseases ill-defined or unknown	18	1	1	2		4				4			9	4	1
	All other causes	23		1		2	3	5	1	1	10	1	2	3	4	3
	PHILADELPHIA, PA. (TOTAL).															
	All causes	5,334	404	147	111	275	937	279	212	177	1,605	529	461	1,193	893	653
5	Measles	33										1	2	4	7	19
6	Scarlet fever	3												1		2
7	Whooping cough	150							4	4	8	19	14	30	34	45
8	Diphtheria and croup	32			1		1				1	1		2	8	20
9	Influenza	4										1		1	2	
(12)	Dysentery	7				1	1				1	1		4	1	
(12)	Erysipelas	27						3		3	6	4	2	9	5	1
(37)	Tetanus	4				2	2	2			4					
13	Tuberculosis of the lungs	44		1		1	2	2	1		5	4	3	11	7	14
14	Tuberculous meningitis	48										4	2	13	18	11
15	Other forms of tuberculosis	13						1	1		2			4	4	3
(37)	Syphilis	63	5	1		3	9	11	6	4	30	4	11	12	5	1
17	Meningitis	23	1			2	3	2		1	6	1	2	7	7	5
(37)	Convulsions	124	2	4	3	15	24	12	6	6	48	9	10	22	18	17
19	Organic diseases of the heart	26	1	1	1	5	8	2			10	4	3	4	2	3
20	Acute bronchitis	180				1	1	7	12	7	27	31	25	37	37	23
22	Pneumonia	219	1	2		6	9	5	7	10	31	22	20	56	49	32
(23)	Bronchopneumonia	431		1	1	9	11	16	11	12	50	45	35	112	96	93
24	Diseases of the stomach	74	1	1		4	6	4	1	3	14	14	9	19	11	7
25	Diarrhea and enteritis	1,975		2	2	16	20	46	52	58	176	205	240	624	456	274
(33)	Malformations	271	55	21	16	42	134	33	20	15	202	23	8	22	10	6
(33)	Premature birth	593	250	78	51	80	459	60	31	15	565	23	10			
(33,37)	Congenital debility	350	45	16	17	43	121	39	31	31	222	80	43	4		1
(37)	Injuries at birth	107	42	14	8	27	91	12	4		107					
35	External causes	56		1	2	1	4	3	5		12	9	4	14	10	7
38	Diseases ill-defined or unknown	202		1		1	2	1			3	1		121	57	20
	All other causes	274	1	3	9	16	29	18	20	8	75	23	18	60	49	49

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PHILADELPHIA, PA. (WHITE).															
	All causes	4,789	370	133	102	249	854	258	197	164	1,473	475	417	1,066	782	576
5	Measles	30										1	2	4	6	17
6	Scarlet fever	3												1		2
7	Whooping cough	132							4	4	8	17	13	26	30	38
8	Diphtheria and croup	30			1		1				1	1		2	6	20
9	Influenza	3										1		1	1	
(12)	Dysentery	7				1	1				1	1		4	1	
(12)	Erysipelas	26						3		3	6	4	2	9	4	1
(37)	Tetanus	4				2	2	2			4					
13	Tuberculosis of the lungs	37		1		1	2	2	1		5	3	3	10	6	10
14	Tuberculous meningitis	40										4	2	8	17	9
15	Other forms of tuberculosis	10							1		1			3	3	3
(37)	Syphilis	51	3	1		2	6	10	6	4	26	3	9	9	3	1
17	Meningitis	26	1			2	3	2		1	6		2	7	7	4
(37)	Convulsions	108	2	3	3	14	22	11	6	5	44	8	10	17	15	14
19	Organic diseases of the heart	24	1	1	1	5	8	2			10	4	1	4	2	3
20	Acute bronchitis	154				1	1	7	10	7	25	26	23	31	31	18
22	Pneumonia	172	1	2		6	9	5	6	7	27	18	17	46	37	27
(23)	Bronchopneumonia	381		1	1	9	11	15	11	12	49	43	33	98	79	79
24	Diseases of the stomach	68	1	1		3	5	4	1	3	13	13	9	16	10	7
25	Diarrhea and enteritis	1,306		2	2	15	19	43	49	52	163	185	216	575	416	251
(33)	Malformations	264	53	19	16	42	130	33	20	15	198	23	8	21	8	6
(33)	Premature birth	537	224	73	48	68	413	54	26	13	506	22	9			
(33,37)	Congenital debility	312	45	12	12	37	106	34	29	30	199	68	40	4		1
(37)	Injuries at birth	97	38	13	7	25	83	10	4		97					
35	External causes	47		1	2		3	3	4		10	8	2	11	9	7
38	Diseases ill-defined or unknown	172		1		1	2	1			3	1		105	46	17
	All other causes	248	1	2	9	15	27	17	19	8	71	21	16	54	45	41
	PHILADELPHIA, PA. (COLORED).															
	All causes	545	34	14	9	26	83	21	15	13	132	54	44	127	111	77
5	Measles	3													1	2
6	Scarlet fever															
7	Whooping cough	18										2	1	4	4	7
8	Diphtheria and croup	2													2	
9	Influenza	1													1	
(12)	Dysentery															
(12)	Erysipelas	1													1	
(37)	Tetanus															
13	Tuberculosis of the lungs	7										1		1	1	4
14	Tuberculous meningitis	8												5	1	2
15	Other forms of tuberculosis	3						1			1			1	1	
(37)	Syphilis	12	2			1	3	1			4	1	2	3	2	
17	Meningitis	2										1				1
(37)	Convulsions	16		1		1	2	1		1	4	1		5	3	3
19	Organic diseases of the heart	2											2			
20	Acute bronchitis	26							2		2	5	2	6	6	5
22	Pneumonia	38							1	3	4	4	3	10	12	5
(23)	Bronchopneumonia	50						1			1	2	2	14	17	14
24	Diseases of the stomach	6				1	1				1	1		3	1	
25	Diarrhea and enteritis	169				1	1	3	3	6	13	20	24	49	40	23
(33)	Malformations	7	2	2			4				4			1	2	
(33)	Premature birth	61	26	5	3	12	46	6	5	2	59	1	1			
(33,37)	Congenital debility	38		4	5	6	15	5	2	1	23	12	3			
(37)	Injuries at birth	10	4	1	1	2	8	2			10					
35	External causes	9				1	1		1		2	1	2	3	1	
38	Diseases ill-defined or unknown	30												16	11	3
	All other causes	26		1		1	2	1	1		4	2	2	6	4	8
	PITTSBURGH, PA. (TOTAL).															
	All causes	2,259	205	82	49	114	450	101	95	87	733	240	197	456	348	285
5	Measles	33												2	10	21
6	Scarlet fever	9												1	5	3
7	Whooping cough	27										3	2	8	5	9
8	Diphtheria and croup	12												3	4	5
9	Influenza	1											1			
(12)	Dysentery	8										1	1	3	1	2
(12)	Erysipelas	12			1		1	1		2	4		1	4	3	
(37)	Tetanus	4			1	1	2	2			4					
13	Tuberculosis of the lungs	9										1	1	4	3	
14	Tuberculous meningitis	9								1	1		1	1	4	2
15	Other forms of tuberculosis	2										1			1	
(37)	Syphilis	38	1		1	3	5	2	1	1	9	12	3	11	1	2
17	Meningitis	24		1			1	1		4	6	1	1	9	3	4
(37)	Convulsions	50		1	2	6	9	2	4	1	16	6	5	11	5	7
19	Organic diseases of the heart	11	2			2	4		1	2	7	1		1	1	1
20	Acute bronchitis	104			1	1	2	3	7	4	16	14	14	24	20	16
22	Pneumonia	62			1	1	2	1	3		6	5	8	16	18	9
(23)	Bronchopneumonia	254				5	5	9	8	13	35	30	17	66	62	44
24	Diseases of the stomach	22				1	1	3	1		5	5	4	1	4	3
25	Dairrhea and enteritis	738		1	2	2	5	12	25	28	70	84	87	205	157	135
(33)	Malformations	93	21	13	6	19	59	10	2	1	72	6	4	5	5	1
(33)	Premature birth	243	116	34	18	22	190	25	10	8	233	5	5			
(33,37)	Congenital debility	196	22	16	6	24	68	18	21	15	122	46	28			
(37)	Injuries at birth	69	35	12	5	10	62	4	2	1	69					
35	External causes	25	2	2	1	3	8	1	3	1	13		3	2	4	3
38	Diseases ill-defined or unknown	74	2			1	3				3			49	15	7
	All other causes	130	4	2	4	13	23	7	7	5	42	19	11	30	17	11

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PITTSBURGH, PA. (WHITE).															
	All causes	2,119	191	77	47	106	421	100	92	81	694	231	186	425	321	262
5	Measles	33												2	10	21
6	Scarlet fever	9												1	5	3
7	Whooping cough	25										3	2	7	5	8
8	Diphtheria and croup	11												2	4	5
9	Influenza	1											1			
(12)	Dysentery	8										1	1	3	1	2
(12)	Erysipelas	11			1		1	1		2	4		1	4	2	
(37)	Tetanus	4			1	1	2	2			4					
13	Tuberculosis of the lungs	7										1	1	2	3	
14	Tuberculous meningitis	9								1	1		1	1	4	2
15	Other forms of tuberculosis	2										1			1	
(37)	Syphilis	33	1		1	3	5	2		1	8	10	2	10	1	2
17	Meningitis	23		1			1	1		4	6	1	1	8	3	4
(37)	Convulsions	47		1	2	5	8	2	4	1	15	6	5	9	5	7
19	Organic diseases of the heart	11	2			2	4		1	2	7	1		1	1	1
20	Acute bronchitis	94			1	1	2	3	6	3	14	13	13	22	19	13
22	Pneumonia	57			1	1	2	1	3		6	5	7	15	15	9
(23)	Bronchopneumonia	237				5	5	8	8	13	34	29	15	64	56	39
24	Diseases of the stomach	22				1	1	3	1		5	5	4	1	4	3
25	Diarrhea and enteritis	695		1	2	2	5	12	25	26	68	80	83	194	145	125
(33)	Malformations	90	21	13	6	17	57	10	1	1	69	6	4	5	5	1
(33)	Premature birth	226	107	30	17	21	175	25	10	6	216	5	5			
(33,37)	Congenital debility	188	21	15	6	21	63	18	21	14	116	45	27			
(37)	Injuries at birth	65	31	12	5	10	58	4	2	1	65					
35	External causes	23	2	2	1	3	8	1	3	1	13		3	2	3	2
38	Diseases ill-defined or unknown	69	2			1	3				3			46	14	6
	All other causes	119	4	2	3	12	21	7	7	5	40	19	10	26	15	9
	PITTSBURGH, PA. (COLORED).															
	All causes	140	14	5	2	8	29	1	3	6	39	9	11	31	27	23
5	Measles															
6	Scarlet fever															
7	Whooping cough	2												1		1
8	Diphtheria and croup	1												1		
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1													1	
(37)	Tetanus															
13	Tuberculosis of the lungs	2												2		
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	5							1		1	2	1	1		
17	Meningitis	1												1		
(37)	Convulsions	3				1	1				1			2		
19	Organic diseases of the heart															
20	Acute bronchitis	10							1	1	2	1	1	2	1	3
22	Pneumonia	5											1	1	3	
(23)	Bronchopneumonia	17						1			1	1	2	2	6	5
24	Diseases of the stomach															
25	Diarrhea and enteritis	43								2	2	4	4	11	12	10
(33)	Malformations	3				2	2		1		3					
(33)	Premature birth	17	9	4	1	1	15			2	17					
(33,37)	Congenital debility	8	1	1		3	5			1	6	1	1			
(37)	Injuries at birth	4	4				4				4					
35	External causes	2													1	1
38	Diseases ill-defined or unknown	5												3	1	1
	All other causes	11			1	1	2				2		1	4	2	2
	SCRANTON, PA.															
	All causes	520	2	10	13	25	50	29	23	20	122	63	52	117	96	70
5	Measles	2													1	1
6	Scarlet fever	1										1				
7	Whooping cough	9										3	1		4	1
8	Diphtheria and croup	6								1	1				1	4
9	Influenza	1											1			
(12)	Dysentery	4												3		1
(12)	Erysipelas	4										2			2	
(37)	Tetanus	2						2			2					
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	2												1		1
15	Other forms of tuberculosis															
(37)	Syphilis	2										1		1		
17	Meningitis	5						1			1			2	2	
(37)	Convulsions	10			1		1	1	2		4	1	1		3	1
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	26				2	2		2	3	7		2	7	6	4
22	Pneumonia	19							1	1	2	1	1	6	4	5
(23)	Bronchopneumonia	60				2	2	3	3	2	10	11	9	13	10	7
24	Diseases of the stomach	17							1	1	2	3	3	6	2	1
25	Diarrhea and enteritis	252				5	5	7	8	9	29	30	27	69	57	40
(33)	Malformations	15				2	2	3	2	2	9	4	2			
(33)	Premature birth	43	2	9	10	12	33	5	2	1	41	1	1			
(33,37)	Congenital debility	15			1	2	3	4	1		8	3	3		1	
(37)	Injuries at birth	3		1			1	1			2	1				
35	External causes	1														1
38	Diseases ill-defined or unknown	7												3	2	2
	All other causes	12			1		1	2	1		4	1	1	5	1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PROVIDENCE, R. I.															
	All causes	827	81	36	21	57	195	26	38	38	297	72	67	100	138	93
5	Measles	23										1		5	11	6
6	Scarlet fever	2												1	1	
7	Whooping cough	16							1	1	2	2	1	5	5	1
8	Diphtheria and croup	6								1	1				2	3
9	Influenza	4							1		1				2	1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	11										1	1	2	5	2
14	Tuberculous meningitis	10										2	2	2	2	2
15	Other forms of tuberculosis	3								1	1			1		1
(37)	Syphilis	11		1			1	3		1	5	1	1	3	1	
17	Meningitis	10												3	6	1
(37)	Convulsions	18			1	3	4	4	1	1	10	3		3	1	1
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	31			1	1	2	1	3		6	5	3	6	5	6
22	Pneumonia	41				1	1		1	3	5	5	4	8	12	7
(23)	Bronchopneumonia	51				1	1	1	3	2	7	4	3	20	9	8
24	Diseases of the stomach	16							1		1	3	3	3	5	1
25	Diarrhea and enteritis	238				4	4	4	6	13	27	21	33	65	53	39
(33)	Malformations	24	2	4	2	5	13	1	2		16	3		2	2	1
(33)	Premature birth	115	41	21	10	18	90	5	12	4	111	1	3			
(33,37)	Congenital debility	61	8	3	4	8	23	6	4	6	39	13	9			
(37)	Injuries at birth	46	27	5	2	7	41		1	1	43	3				
35	External causes	11	3	1			4			1	5		1	1	2	2
38	Diseases ill-defined or unknown	41		1		4	5			1	6			23	8	4
	All other causes	37			1	4	5	1	2	2	10	4	3	7	6	7
	MEMPHIS, TENN. (TOTAL).															
	All causes	345		2	11	24	37	25	17	16	95	40	27	71	65	47
5	Measles															
6	Scarlet fever	1														1
7	Whooping cough	3										2				1
8	Diphtheria and croup	5						1			1	1		2		1
9	Influenza	4						1			1			1	2	
(12)	Dysentery	6						1			1	1		1	1	2
(12)	Erysipelas	1													1	
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	3											1	2		
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis															
(37)	Syphilis	1								1	1					
17	Meningitis	14				2	2	1	1	1	5	1		5	1	2
(37)	Convulsions	12			1	4	5	2		1	8		1	2	1	
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	7								1	1			3	2	1
22	Pneumonia	3											1	1		1
(23)	Bronchopneumonia	29				2	2	1		2	5	1	2	5	11	5
24	Diseases of the stomach	4												2	2	
25	Diarrhea and enteritis	98				1	1	2	8	4	15	12	8	21	24	18
(33)	Malformations	3			1		1		1		2	1				
(33)	Premature birth	12			1	4	5	3	2		10	2				
(33,37)	Congenital debility	46		2	5	3	10	8	3	4	25	11	10			
(37)	Injuries at birth	1						1			1					
35	External causes	5				2	2				2				2	1
38	Diseases ill-defined or unknown	56			1	5	6	2	1	2	11	4	1	18	15	7
	All other causes	27			2		2	2	1		5	4	3	7	3	5
	MEMPHIS, TENN. (WHITE).															
	All causes	176		1	6	12	19	9	11	10	49	26	17	33	31	20
5	Measles															
6	Scarlet fever	1														1
7	Whooping cough	1										1				
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery	2												1		1
(12)	Erysipelas	1													1	
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis															
(37)	Syphilis	1								1	1					
17	Meningitis	4				1	1				1			2	1	
(37)	Convulsions															
19	Organic diseases of the heart	1												1		
20	Acute bronchitis															
22	Pneumonia															
(23)	Bronchopneumonia	12				2	2	1		1	4	1		2	2	3
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	65				1	1	2	4	4	11	9	8	11	18	8
(33)	Malformations	3			1		1		1		2	1				
(33)	Premature birth	9				3	3	2	2		7	2				
(33,37)	Congenital debility	31		1	3		4	3	3	4	14	9	8			
(37)	Injuries at birth	1						1			1					
35	External causes	1				1	1				1					
38	Diseases ill-defined or unknown	26			1	3	4				4			14	7	1
	All other causes	11			1		1		1		2	3	1	1	1	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	MEMPHIS, TENN. (COLORED).															
	All causes	169		1	5	12	18	16	6	6	46	14	10	38	34	27
5	Measles															
6	Scarlet fever															
7	Whooping cough	2										1				1
8	Diphtheria and croup	4						1			1	1		2		
9	Influenza	4						1			1			1	2	
(12)	Dysentery	4						1			1	1			1	1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2											1	1		
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis	10			1	1	1	1	1	1	4	1		3		2
(37)	Convulsions	12			1	4	5	2		1	8		1	2	1	
19	Organic diseases of the heart															
20	Acute bronchitis	7								1	1			3	2	1
22	Pneumonia	3											1	1		1
(23)	Bronchopneumonia	17								1	1		2	3	9	2
24	Diseases of the stomach	3												2	1	
25	Diarrhea and enteritis	33							4		4	3		10	6	10
(33)	Malformations															
(33)	Premature birth	3			1	1	2	1			3					
(33,37)	Congenital debility	15		1	2	3	6	5			11	2	2			
(37)	Injuries at birth															
35	External causes	4				1	1				1				2	1
38	Diseases ill-defined or unknown	30				2	2	2	1	2	7	4	1	4	8	6
	All other causes	16			1		1	2			3	1	2	6	2	2
	NASHVILLE, TENN. (TOTAL).															
	All causes	289	33	18	5	18	74	20	12	9	115	26	30	43	43	32
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery	4											1		1	2
(12)	Erysipelas															
(37)	Tetanus	2						2			2					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3											1		2	
15	Other forms of tuberculosis															
(37)	Syphilis	7	2				2	3		1	6			1		
17	Meningitis	4							1		1				3	
(37)	Convulsions	12	1	2		2	5	1	1	1	8	2	1			1
19	Organic diseases of the heart															
20	Acute bronchitis	4							1		1				2	1
22	Pneumonia	35			1	1	2			2	4	5	9	5	8	4
(23)	Bronchopneumonia	18				1	1	2		1	4	5		5	2	2
24	Diseases of the stomach	5												2	1	1
25	Diarrhea and enteritis	63						1	1	1	3	4	7	18	17	14
(33)	Malformations	10	2	2		3	7				7		1	1	1	
(33)	Premature birth	47	24	8	3	2	37	4	5		46	1				
(33,37)	Congenital debility	32	3	6		5	14	3	2	2	21	3	4	3		1
(37)	Injuries at birth	2	1			1	2				2					
35	External causes	15			1	2	3	2	1		6	3	3		2	1
38	Diseases ill-defined or unknown	10												5	2	3
	All other causes	15				1	1	2		1	4	3	1	3	2	2
	NASHVILLE, TENN. (WHITE).															
	All causes	142	16	10	3	9	38	8	6	3	55	10	14	25	24	14
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery	2											1			1
(12)	Erysipelas															
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis															
(37)	Syphilis	2								1	1			1		
17	Meningitis	1													1	
(37)	Convulsions	4		2		1	3				3	1				
19	Organic diseases of the heart															
20	Acute bronchitis	1													1	
22	Pneumonia	11			1		1			1	2	1	5		2	1
(23)	Bronchopneumonia	8				1	1				1	2		4	1	
24	Diseases of the stomach	3											1	1		1
25	Diarrhea and enteritis	36										1	2	12	11	10
(33)	Malformations	9	1	2		3	6				6		1	1	1	
(33)	Premature birth	30	15	6	1		22	3	5		30					
(33,37)	Congenital debility	8				2	2	1	1		4	1	2	1		
(37)	Injuries at birth															
35	External causes	9			1	1	2	2			4	2	1		2	
38	Diseases ill-defined or unknown	4												3	1	
	All other causes	10				1	1	1		1	3	2	1	1	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NASHVILLE, TENN. (COLORED).															
	All causes	147	17	8	2	9	36	12	6	6	60	16	16	18	19	18
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	2													1	1
(12)	Erysipelas															
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1											1			
15	Other forms of tuberculosis															
(37)	Syphilis	5	2				2	3			5					
17	Meningitis	3							1		1				2	
(37)	Convulsions	8	1			1	2	1	1	1	5	1	1			1
19	Organic diseases of the heart															
20	Acute bronchitis	3							1		1				1	1
22	Pneumonia	24				1	1			1	2	4	4	5	6	3
(23)	Bronchopneumonia	10						2		1	3	3		1	1	2
24	Diseases of the stomach	2											1		1	
25	Diarrhea and enteritis	27						1	1	1	3	3	5	6	6	4
(33)	Malformations	1	1				1				1					
(33)	Premature birth	17	9	2	2	2	15	1			16	1				
(33,37)	Congenital debility	24	3	6		3	12	2	1	2	17	2	2	2		1
(37)	Injuries at birth	2	1			1	2				2					
35	External causes	6				1	1		1		2	1	2			1
38	Diseases ill-defined or unknown	6												2	1	3
	All other causes	5						1			1	1		2		1
	RICHMOND, VA. (TOTAL).															
	All causes	616	59	20	13	42	134	26	24	12	196	78	49	125	87	81
5	Measles	6											1		3	2
6	Scarlet fever															
7	Whooping cough	28										3	4	9	7	5
8	Diphtheria and croup															
9	Influenza	1										1				
(12)	Dysentery	4												2		2
(12)	Erysipelas															
(37)	Tetanus	9	1		1	3	5	1	2		8					1
13	Tuberculosis of the lungs	3												1		2
14	Tuberculous meningitis	6											1	1	2	2
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	25	1			3	4	4			8	12	1	1	2	1
17	Meningitis	7						1	1		2			2		3
(37)	Convulsions	18	3			6	9	1			10	1		2	2	3
19	Organic diseases of the heart															
20	Acute bronchitis	14							1		1	4	3	1		5
22	Pneumonia	8						1			1	1	2		4	
(23)	Bronchopneumonia	48				1	1				1	4	3	13	13	14
24	Diseases of the stomach	8							1		1	1	2	2	2	
25	Diarrhea and enteritis	150				1	1	2	5	2	10	20	12	53	30	25
(33)	Malformations	16	3	1	2	2	8	1	1	2	12			3	1	
(33)	Premature birth	81	36	12	5	15	68	6	3	1	78	3				
(33,37)	Congenital debility	66	2	2	4	7	15	8	5	3	31	24	11			
(37)	Injuries at birth	10	2	3		3	8		1		9		1			
35	External causes	17	7	1	1		9		1		10	1	2	3		1
38	Diseases ill-defined or unknown	61	3	1			4				4	2	1	25	16	13
	All other causes	29	1			1	2	1	3	4	10	1	4	7	5	2
	RICHMOND, VA. (WHITE).															
	All causes	266	26	12	8	17	63	11	14	9	97	23	21	50	39	36
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	16										3	3	4	3	3
8	Diphtheria and croup															
9	Influenza	1										1				
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus	2				1	1		1		2					
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	3											1		1	1
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	3				1	1				1			1	1	
17	Meningitis	5						1	1		2			1		2
(37)	Convulsions	7	1			3	4				4	1				2
19	Organic diseases of the heart															
20	Acute bronchitis	2							1		1	1				
22	Pneumonia	5										1	1		3	
(23)	Bronchopneumonia	13										2		2	4	5
24	Diseases of the stomach	7										1	2	2	2	
25	Diarrhea and enteritis	57						1	2	1	4	5	2	19	16	11
(33)	Malformations	16	3	1	2	2	8	1	1	2	12			3	1	
(33)	Premature birth	37	20	5	3	4	32	3	2		37					
(33,37)	Congenital debility	29		1	2	2	5	5	3	3	16	5	8			
(37)	Injuries at birth	10	2	3		3	8		1		9		1			
35	External causes	5		1	1		2		1		3		1	1		
38	Diseases ill-defined or unknown	29		1			1				1	2		13	5	8
	All other causes	14				1	1		1	3	5	1	1	4	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	RICHMOND, VA. (COLORED).															
	All causes	350	33	8	5	25	71	15	10	3	99	55	28	75	48	45
5	Measles	4											1		2	1
6	Scarlet fever															
7	Whooping cough	12											1	5	4	2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	3												2		1
(12)	Erysipelas															
(37)	Tetanus	7	1		1	2	4	1	1		6					1
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	3												1	1	1
15	Other forms of tuberculosis															
(37)	Syphilis	22	1			2	3	4			7	12	1		1	1
17	Meningitis	2												1		1
(37)	Convulsions	11	2			3	5	1			6			2	2	1
19	Organic diseases of the heart															
20	Acute bronchitis	12										3	3	1		5
22	Pneumonia	3						1			1		1		1	
(23)	Bronchopneumonia	35				1	1				1	2	3	11	9	9
24	Diseases of the stomach	1							1		1					
25	Diarrhea and enteritis	93				1	1	1	3	1	6	15	10	34	14	14
(33)	Malformations															
(33)	Premature birth	44	16	7	2	11	36	3	1	1	41	3				
(33,37)	Congenital debility	37	2	1	2	5	10	3	2		15	19	3			
(37)	Injuries at birth															
35	External causes	12	7				7				7	1	1	2		1
38	Diseases ill-defined or unknown	32	3				3				3		1	12	11	5
	All other causes	15	1				1	1	2	1	5		3	3	3	1
	SEATTLE, WASH.															
	All causes	348	39	23	23	30	115	27	12	12	166	27	28	60	49	18
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	23										1	5	11	6	
8	Diphtheria and croup	2													1	1
9	Influenza															
(12)	Dysentery	1			1		1				1					
(12)	Erysipelas	1														1
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	5												1	1	3
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	4											1	3		
17	Meningitis	3						1			1	1			1	
(37)	Convulsions	5			1	1	2		1		3		1		1	
19	Organic diseases of the heart	3	1			1	2				2			1		
20	Acute bronchitis	4											1	2	1	
22	Pneumonia	8						2			2	2	1	2		1
(23)	Bronchopneumonia	23							2	1	3	5	5	4	4	2
24	Diseases of the stomach	8							1		1	1	1	3	1	1
25	Diarrhea and enteritis	63				2	2	1		4	7	3	9	20	18	6
(33)	Malformations	25	4	2	5	4	15	3		2	20	1		3		1
(33)	Premature birth	62	23	13	5	6	47	9	3	1	60	2				
(33,37)	Congenital debility	43	6	3	4	9	22	5	4	4	35	6	2			
(37)	Injuries at birth	15	2	4	4	5	15				15					
35	External causes	12	3	1			4	1			5	2	1		4	
38	Diseases ill-defined or unknown	12												8	3	1
	All other causes	22			3	2	5	5	1		11	3	1	1	6	
	SPOKANE, WASH.															
	All causes	292	24	14	7	24	69	15	13	9	106	46	19	53	40	28
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	13										3		4	3	3
8	Diphtheria and croup	1														1
9	Influenza	1								1	1					
(12)	Dysentery															
(12)	Erysipelas	1											1			
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	2										1			1	
17	Meningitis	3										1	1			1
(37)	Convulsions	3	1				1		1		2					1
19	Organic diseases of the heart	1										1				
20	Acute bronchitis	3						1	1		2				1	
22	Pneumonia	7			1		1				1	1	1	2		2
(23)	Bronchopneumonia	30			1	2	3	1	1		5	7	3	4	6	5
24	Diseases of the stomach	8							2		2	4	1	1		
25	Diarrhea and enteritis	87				1	1	1		2	4	11	8	28	24	12
(33)	Malformations	17	1	1	1	7	10	1	2		13	1		3		
(33)	Premature birth	40	17	9	1	6	33	3	1	1	38	2				
(33,37)	Congenital debility	42	5	1	2	6	14	6	5	3	28	10	3	1		
(37)	Injuries at birth	4		2	1		3	1			4					
35	External causes	1												1		
38	Diseases ill-defined or unknown	13						1			1			8	4	
	All other causes	14		1		2	3			2	5	4	1	1	1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	MILWAUKEE, WIS.															
	All causes	1,368	134	58	46	75	313	74	48	50	485	145	120	307	174	137
5	Measles	7													3	4
6	Scarlet fever															
7	Whooping cough	20										5	2	4	5	4
8	Diphtheria and croup	6			1		1			1	2				2	2
9	Influenza	3											1	1		1
(12)	Dysentery	2												1	1	
(12)	Erysipelas	3						1			1	2				
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	9											1	3	3	2
15	Other forms of tuberculosis															
(37)	Syphilis	7	1	1			2	1			3	4				
17	Meningitis	19										3		8	4	4
(37)	Convulsions	95	2	6	11	20	39	11	2	8	60	7	6	12	5	5
19	Organic diseases of the heart	6				1	1				1	1		4		
20	Acute bronchitis	76							3	4	7	17	9	18	11	14
22	Pneumonia	64		1			1	5	3	4	13	5	4	14	17	11
(23)	Bronchopneumonia	77						2	2	2	6	5	4	25	20	17
24	Diseases of the stomach	68		1	1	5	7	6	6	5	24	6	9	18	8	3
25	Diarrhea and enteritis	385		1	1	4	6	11	8	11	36	42	44	138	75	50
(33)	Malformations	41	9	3	3	6	21	6	2	1	30	4		3	3	1
(33)	Premature birth	142	71	18	11	12	112	11	7	4	134	6	2			
(33,37)	Congenital debility	184	36	19	14	15	84	13	12	8	117	32	31	3	1	
(37)	Injuries at birth	28	14	7	2	4	27	1			28					
35	External causes	7			1		1	1			2	2	1		1	1
38	Diseases ill-defined or unknown	66		1			1			1	2			47	10	7
	All other causes	52	1		1	8	10	4	3	1	18	4	6	8	5	11

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
SUMMARY.													
The registration area	753,308	220,010	10,737	17,658	26,844	58,406	64,416	72,370	82,017	97,830	77,157	25,165	698
United States	546,507	216,236	9,929	14,969	19,722	39,446	40,344	43,093	46,810	55,310	45,253	15,203	192
Austria	9,640	317	80	336	939	2,003	1,888	1,510	1,109	830	454	164	10
Canada	16,755	509	89	200	496	1,483	1,992	2,664	3,012	3,211	2,346	743	10
England and Wales	17,099	163	39	99	230	969	1,574	2,338	3,129	4,082	3,350	1,120	6
France	2,026	22	4	16	35	127	195	294	344	464	391	134	.....
Germany	48,850	174	52	128	425	1,872	3,477	6,142	8,972	12,958	11,353	3,283	14
Hungary	3,618	254	30	124	396	873	775	617	303	168	55	15	8
Ireland	46,431	68	12	73	437	2,294	4,375	5,909	9,604	12,760	8,277	2,583	39
Italy	11,338	662	160	667	1,263	2,336	1,880	1,645	1,421	843	353	103	5
Poland	3,118	113	21	104	307	588	619	518	369	257	146	73	3
Russia	9,337	465	140	315	832	1,776	1,710	1,498	1,213	870	373	140	5
Scandinavia	13,261	102	40	156	516	1,461	1,875	2,307	2,058	2,214	1,874	647	11
Scotland	4,585	63	10	18	77	292	448	631	828	979	914	322	3
Other foreign countries	10,675	334	96	326	812	1,667	1,436	1,383	1,416	1,648	1,180	361	16
Unknown	10,068	528	35	127	357	1,219	1,828	1,821	1,429	1,236	838	274	376
Registration states[1]	673,203	197,315	9,585	15,547	23,477	50,897	56,018	62,913	73,074	88,887	71,270	23,574	646
United States	490,920	193,943	8,851	13,149	17,078	34,151	34,871	37,620	42,370	51,315	42,828	14,566	178
Austria	7,899	265	70	281	823	1,688	1,582	1,185	849	652	360	134	10
Canada	15,824	494	85	195	479	1,406	1,831	2,466	2,823	3,043	2,266	726	10
England and Wales	15,783	155	35	87	216	899	1,455	2,109	2,868	3,817	3,088	1,049	5
France	1,713	19	4	15	32	112	171	246	290	391	318	115	.....
Germany	41,157	144	43	107	362	1,557	2,883	5,021	7,440	10,927	9,794	2,867	12
Hungary	3,200	219	29	115	359	783	703	553	283	150	44	14	8
Ireland	41,922	67	11	65	403	2,083	3,978	5,256	8,630	11,540	7,507	2,345	37
Italy	10,370	616	146	622	1,176	2,153	1,735	1,496	1,270	762	300	89	5
Poland	2,495	93	20	88	253	474	483	405	280	210	122	64	3
Russia	8,228	408	123	282	749	1,556	1,506	1,308	1,077	772	324	120	3
Scandinavia	11,284	86	36	139	451	1,242	1,544	1,915	1,702	1,884	1,669	605	11
Scotland	4,175	60	9	18	71	276	409	558	733	891	847	300	3
Other foreign countries	9,255	269	90	272	716	1,473	1,250	1,181	1,221	1,427	1,020	320	16
Unknown	8,918	477	33	112	309	1,044	1,617	1,594	1,238	1,106	783	260	345
Cities in registration states[1]	379,543	118,624	5,097	8,633	13,757	32,047	36,454	39,709	42,377	44,078	29,762	8,808	197
United States	258,996	116,174	4,572	6,955	9,407	20,321	21,060	21,344	20,475	19,949	14,182	4,512	45
Austria	4,958	165	43	191	489	1,016	997	795	597	422	186	63	.....
Canada	9,452	318	53	125	324	974	1,265	1,605	1,721	1,641	1,105	316	5
England and Wales	9,629	109	31	67	160	645	1,073	1,465	1,877	2,181	1,566	462	3
France	1,101	15	4	12	21	83	119	180	200	237	175	55	.....
Germany	26,930	96	23	77	248	1,148	2,164	3,728	5,303	7,039	5,621	1,480	3
Hungary	2,378	166	24	85	265	553	489	389	229	129	34	11	4
Ireland	31,788	51	9	55	331	1,839	3,481	4,453	7,033	8,520	4,744	1,246	26
Italy	7,851	470	121	459	859	1,522	1,268	1,183	1,053	612	235	67	2
Poland	1,800	72	16	61	177	341	375	317	204	136	68	33	.....
Russia	6,845	330	163	240	577	1,203	1,204	1,108	970	711	289	108	2
Scandinavia	5,063	49	17	69	280	767	903	1,038	774	655	404	106	1
Scotland	2,640	41	4	10	52	199	319	414	496	532	425	147	1
Other foreign countries	5,390	176	61	182	438	878	766	754	746	798	466	121	4
Unknown	4,722	392	16	45	145	558	971	936	699	516	262	81	101
Rural part of registration states	293,660	78,691	4,488	6,914	9,720	18,850	19,564	23,204	30,697	44,809	41,508	14,766	449
United States	231,924	77,769	4,279	6,194	7,671	13,830	13,811	16,276	21,895	31,366	28,646	10,054	133
Austria	2,941	109	27	90	340	672	585	390	252	230	174	71	10
Canada	6,372	176	32	70	155	432	566	861	1,102	1,402	1,161	410	5
England and Wales	6,154	46	4	20	66	254	382	644	991	1,636	1,522	587	2
France	612	4	.....	3	11	29	52	66	90	154	143	60	.....
Germany	14,227	48	20	30	114	409	719	1,293	2,137	3,888	4,173	1,387	9
Hungary	882	53	5	30	94	230	214	164	54	21	10	3	4
Ireland	10,134	16	2	10	72	244	497	803	1,597	3,020	2,763	1,099	11
Italy	2,519	146	25	163	317	631	467	313	217	150	65	22	3
Poland	695	21	4	27	76	133	108	88	76	74	54	31	3
Russia	1,383	78	20	42	172	353	302	200	107	61	35	12	1
Scandinavia	6,221	37	19	70	171	475	641	877	928	1,229	1,265	499	10
Scotland	1,535	19	5	8	19	77	90	144	237	359	422	153	2
Other foreign countries	3,865	93	29	90	278	595	484	427	475	629	554	199	12
Unknown	4,196	85	17	67	164	486	646	658	539	590	521	179	244
Registration cities in other states	80,105	22,695	1,152	2,111	3,367	7,509	8,398	9,457	8,943	8,943	5,887	1,591	52
United States	55,587	22,293	1,078	1,820	2,644	5,295	5,473	5,473	4,440	3,995	2,425	637	14
Austria	1,741	52	10	55	116	315	306	325	260	178	94	30	.....
Canada	931	15	4	5	17	77	161	198	189	168	80	17	.....
England and Wales	1,316	8	4	12	14	70	119	229	261	265	262	71	1
France	313	3	.....	1	3	15	24	48	54	73	73	19	.....
Germany	7,693	30	9	21	63	315	594	1,121	1,532	2,031	1,559	416	2
Hungary	358	35	1	9	37	90	72	64	20	18	11	1	.....
Ireland	4,509	1	1	8	34	211	397	653	974	1,220	770	238	2
Italy	968	46	14	45	87	183	145	149	151	81	53	14	.....
Poland	623	20	1	16	54	114	136	113	89	47	24	9	.....
Russia	1,109	57	17	33	83	220	204	190	136	98	49	20	2
Scandinavia	1,977	16	4	17	65	219	331	392	356	330	205	42	.....
Scotland	410	3	1	.....	6	16	39	73	95	88	67	22	.....
Other foreign countries	1,420	65	6	54	96	194	186	202	195	221	160	41	.....
Unknown	1,150	51	2	15	48	175	211	227	191	130	55	14	31

[1] Including District of Columbia.

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
SUMMARY—Continued.													
All registration cities [1]	459,648	141,319	6,249	10,744	17,124	39,556	44,852	49,166	51,320	53,021	35,649	10,399	249
United States	314,583	138,467	5,650	8,775	12,051	25,616	26,533	26,817	24,915	23,944	16,607	5,149	59
Austria	6,699	217	53	246	599	1,331	1,303	1,120	857	600	280	93	.....
Canada	10,383	333	57	130	341	1,051	1,426	1,803	1,910	1,809	1,185	333	5
England and Wales	10,945	117	35	79	164	715	1,192	1,694	2,138	2,446	1,828	533	4
France	1,414	18	4	13	24	98	143	228	254	310	248	74	.....
Germany	34,623	126	32	98	311	1,463	2,758	4,849	6,835	9,070	7,180	1,896	5
Hungary	2,736	201	25	94	302	643	561	453	249	147	45	12	4
Ireland	36,297	52	10	63	365	2,050	3,878	5,106	8,007	9,740	5,514	1,484	28
Italy	8,819	516	135	504	946	1,705	1,413	1,332	1,204	693	288	81	2
Poland	2,423	92	17	77	231	455	511	430	293	133	92	42	.....
Russia	7,954	387	120	273	660	1,423	1,408	1,298	1,106	809	338	128	4
Scandinavia	7,040	65	21	86	345	986	1,234	1,430	1,130	985	609	148	1
Scotland	3,050	44	5	10	58	215	358	487	591	620	492	169	1
Other foreign countries	6,810	241	67	236	534	1,072	952	956	941	1,019	626	162	4
Unknown	5,872	443	18	60	193	733	1,182	1,163	890	646	317	95	132
REGISTRATION STATES.													
California	30,685	5,423	351	692	1,170	3,090	3,376	3,704	3,748	4,490	3,600	1,027	14
United States	20,198	5,319	320	612	895	2,096	2,074	2,130	1,937	2,280	1,963	571	1
Austria	201	1	.....	4	21	35	33	40	28	19	17	3	.....
Canada	803	11	2	4	13	58	91	134	155	194	102	39	.....
England and Wales	1,074	2	.....	2	12	61	114	134	204	278	208	59	.....
France	353	2	.....	3	4	38	43	57	68	69	57	12	.....
Germany	1,707	1	2	3	7	64	148	220	359	428	378	97	.....
Hungary	28	.....	.....	.....	.....	5	6	7	3	3	3	1	.....
Ireland	1,941	1	.....	1	11	81	115	203	330	592	488	119	.....
Italy	600	17	3	20	47	91	99	103	97	87	26	10	.....
Poland	28	.....	.....	.....	1	3	.....	2	4	8	6	4	.....
Russia	155	8	2	1	10	31	34	23	17	22	6	1	.....
Scandinavia	726	.....	.....	5	24	91	120	149	133	121	66	17	.....
Scotland	301	1	.....	.....	5	10	33	43	46	71	68	24	.....
Other foreign countries	1,612	48	20	33	99	307	258	208	222	213	150	51	3
Unknown	958	12	2	4	21	119	208	251	145	105	62	19	10
Colorado	10,730	2,658	185	376	643	1,520	1,240	1,152	1,049	1,003	718	180	6
United States	7,897	2,625	169	319	490	996	768	692	627	639	460	111	1
Austria	243	4	5	11	33	80	56	25	17	7	4	.....	1
Canada	167	.....	.....	1	3	17	23	27	37	33	23	3	.....
England and Wales	339	1	.....	2	4	34	40	61	63	72	50	12	.....
France	31	.....	.....	1	.....	3	.....	7	7	4	7	2	.....
Germany	380	1	2	4	10	31	58	53	91	68	52	10	.....
Hungary	28	1	.....	.....	6	13	4	3	.....	1	.....	.....	.....
Ireland	310	.....	.....	.....	9	27	34	50	55	66	49	20	.....
Italy	191	6	1	13	25	57	39	25	8	13	3	1	.....
Poland	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....
Russia	161	10	4	8	11	46	41	17	14	4	6	.....	.....
Scandinavia	302	.....	.....	2	14	60	60	59	45	33	24	5	.....
Scotland	85	.....	1	.....	2	10	5	19	18	14	14	2	.....
Other foreign countries	246	3	2	9	21	85	46	36	15	15	10	3	1
Unknown	347	7	1	5	15	61	66	78	51	34	16	10	3
Connecticut	17,120	4,961	223	328	492	1,169	1,492	1,507	1,892	2,433	1,910	661	52
United States	12,018	4,864	202	245	304	712	816	812	934	1,366	1,254	493	16
Austria	137	8	3	8	15	25	31	19	15	8	2	2	1
Canada	367	10	3	6	15	40	45	63	66	69	40	9	1
England and Wales	461	4	.....	1	6	26	38	62	99	115	82	28	.....
France	46	.....	.....	.....	1	4	4	10	7	10	9	1	.....
Germany	593	3	.....	3	4	14	52	71	121	167	136	20	2
Hungary	141	8	2	6	15	38	34	22	10	6	.....	.....	.....
Ireland	1,884	5	2	1	14	86	185	229	442	557	283	73	7
Italy	425	23	3	39	45	81	85	58	61	21	6	3	.....
Poland	54	2	.....	3	7	15	15	6	3	.....	1	.....	2
Russia	301	21	6	7	46	63	60	40	34	18	5	1	.....
Scandinavia	239	3	.....	3	9	33	55	50	30	23	27	6	.....
Scotland	141	5	.....	.....	4	7	14	13	34	27	29	8	.....
Other foreign countries	93	1	.....	3	4	9	16	19	15	10	11	4	1
Unknown	220	4	2	3	3	16	42	33	21	36	25	13	22
Indiana	35,011	9,104	562	974	1,442	2,559	2,493	2,946	3,882	5,179	4,546	1,303	21
United States	30,768	9,070	554	945	1,328	2,345	2,204	2,562	3,278	4,095	3,435	945	7
Austria	132	3	1	4	28	31	29	14	6	5	9	2	.....
Canada	107	2	.....	.....	2	5	9	14	17	23	30	5	.....
England and Wales	313	4	.....	1	2	14	12	35	50	88	81	26	.....
France	89	.....	.....	.....	3	2	2	4	12	30	22	14	.....
Germany	1,956	3	1	4	6	30	60	142	313	568	627	202	.....
Hungary	98	7	1	5	12	21	28	13	3	4	2	1	1
Ireland	594	.....	.....	.....	4	11	22	34	86	194	188	55	.....
Italy	62	2	1	1	11	15	8	11	5	3	5	.....	.....
Poland	90	4	.....	.....	4	16	17	14	9	11	7	7	1
Russia	47	2	.....	.....	6	11	9	9	4	4	1	1	.....
Scandinavia	111	.....	.....	4	3	13	10	21	12	23	20	5	.....
Scotland	81	1	.....	.....	3	3	5	6	15	20	20	8	.....
Other foreign countries	236	3	3	5	20	22	25	23	27	45	51	12	.....
Unknown	327	3	1	5	10	20	53	44	45	66	48	20	12

[1] Including District of Columbia.

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
REGISTRATION STATES—Continued.													
Maine	12,703	3,088	185	270	352	699	797	1,002	1,303	2,054	2,113	816	24
United States	10,794	3,031	166	237	276	514	561	785	1,057	1,697	1,759	705	6
Austria	5			1	1		2	1					
Canada	1,109	47	13	21	51	121	145	142	150	181	183	51	4
England and Wales	103			3		11	4	17	16	22	23	7	
France	4					1	1			1	1		
Germany	31				1	2	2	3	4	8	9	2	
Hungary	1								1				
Ireland	322				2	11	23	24	44	101	88	28	1
Italy	29	2			5	10	8		1	1	1		1
Poland													
Russia	29	1	2	3	3	4	6	4	3	2	1		
Scandinavia	54		1	1	2	8	5	3	7	10	13	4	
Scotland	42					1	6	4	6	9	12	4	
Other foreign countries	43	3	3	1	6	7	8	6	2	3	3	1	
Unknown	137	4		3	5	9	26	13	12	19	20	14	12
Maryland	15,458	4,324	235	365	499	1,136	1,198	1,454	1,903	2,225	1,637	454	28
United States	12,725	4,258	230	339	443	966	978	1,119	1,423	1,546	1,109	301	13
Austria	115	2		2	7	20	16	26	17	18	6	1	
Canada	23	1				1	5	1	4	9	1	1	
England and Wales	141	1			1	8	14	16	26	35	33	7	
France	11						2		1	4	1	3	
Germany	1,270	6	1	5	9	32	62	135	223	345	345	107	
Hungary	17	1			3	3	3	3		2			2
Ireland	480				3	11	28	50	112	164	89	22	1
Italy	68	3		5	7	16	11	6	8	11	1		
Poland	45	1		1	4	7	11	11	1	6	3		
Russia	202	11	2	9	11	27	33	40	26	30	9	4	
Scandinavia	22				1	4	4	2	6	4	1		
Scotland	55	2				6	1	6	13	17	8	2	
Other foreign countries	46		1	2	3	4	8	3	7	9	7	2	
Unknown	238	38	1	2	7	31	22	36	36	25	24	4	12
Massachusetts	53,455	16,195	661	978	1,523	3,600	4,335	4,917	6,115	7,347	5,735	2,005	44
United States	36,760	15,815	585	757	946	2,041	2,201	2,589	3,075	3,760	3,558	1,430	3
Austria	194	14	6	6	22	57	35	17	15	11	7	4	
Canada	4,018	146	20	43	152	417	556	595	715	707	512	150	
England and Wales	1,511	19	2	8	21	106	195	231	288	368	223	49	1
France	82	3		1	3	7	13	15	14	14	10	2	
Germany	617	1		1	7	24	49	79	121	133	122	30	
Hungary	27	2		2	2	4	5	5	5	1	1		
Ireland	6,703	12	4	13	71	369	737	853	1,416	1,389	1,062	271	6
Italy	627	48	9	45	73	132	92	90	64	44	24	6	
Poland	79	4		11	14	19	19	7	4	1			
Russia	645	38	16	25	68	124	115	91	81	56	25	5	1
Scandinavia	530	6	1	6	29	75	98	103	78	75	45	14	
Scotland	428	8	1	6	10	32	45	62	74	97	70	23	
Other foreign countries	898	53	17	47	102	163	120	121	114	99	49	11	2
Unknown	336	26		2	3	30	55	59	51	42	27	10	31
Michigan	39,262	11,367	608	989	1,435	2,547	2,573	3,270	4,150	5,692	4,927	1,662	42
United States	28,020	11,183	581	856	1,091	1,778	1,624	1,889	2,348	3,157	2,631	869	13
Austria	255	9	1	12	25	59	47	38	25	23	12	4	
Canada	2,644	64	10	35	67	157	256	433	490	578	412	140	2
England and Wales	1,081	6		5	17	38	49	106	184	257	300	117	2
France	58						3	3	9	14	15	14	
Germany	2,998	13	3	12	43	124	195	357	481	796	747	226	1
Hungary	93	14		4	9	29	20	8	4	3	2		
Ireland	1,081	1			2	11	29	64	162	316	352	143	1
Italy	130	3	1	16	19	32	22	17	12	5	2	1	
Poland	208	6		4	20	35	29	32	25	28	22	7	
Russia	228	13	3	9	19	41	35	30	21	22	26	9	
Scandinavia	584	6	2	7	21	55	70	98	102	122	80	21	
Scotland	308	4		1	1	4	21	15	46	76	105	35	
Other foreign countries	1,113	24	1	22	87	145	113	111	166	217	169	57	1
Unknown	461	21	6	6	14	39	60	69	75	78	52	19	22
Minnesota	22,470	6,719	528	754	1,026	1,855	1,720	2,032	2,021	2,456	2,421	910	28
United States	13,291	6,595	501	648	712	1,077	828	837	651	644	591	204	3
Austria	421	5		14	35	77	48	52	52	64	53	20	1
Canada	625	16	1	6	15	49	64	104	122	125	95	28	
England and Wales	290	4		1	4	13	24	33	40	64	83	24	
France	26						2	4	5	5	8	2	
Germany	2,076	8	4	5	13	64	125	227	355	536	556	183	
Hungary	45	1		1	3	10	10	9	2	5	4		
Ireland	638	1		1	2	11	25	43	74	157	218	106	
Italy	63	4		5	8	20	12	7	4	1	1	1	
Poland	77	3		1	2	9	6	8	15	11	12	10	
Russia	91	3	2	1	8	13	12	13	26	7	4	2	
Scandinavia	3,727	29	10	50	137	315	405	545	541	695	709	289	2
Scotland	100					6	7	9	21	19	26	12	
Other foreign countries	515	17	10	12	59	115	65	62	50	67	40	18	
Unknown	485	33		9	28	76	87	79	63	56	21	11	22

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
REGISTRATION STATES—Continued.													
Montana	3,909	1,121	85	128	223	487	487	470	330	299	216	42	21
United States	2,522	1,099	83	112	126	251	223	207	147	138	111	22	3
Austria	70	3	.....	2	11	15	20	10	5	3	1	.....	.....
Canada	169	7	2	1	3	20	31	33	26	22	19	5	.....
England and Wales	152	1	.....	2	5	21	25	35	29	17	15	2	.....
France	12	.....	.....	.....	1	.....	2	1	2	2	4	.....	.....
Germany	105	.....	.....	.....	.....	9	7	26	24	28	7	4	.....
Hungary	9	1	.....	.....	.....	2	2	2	1	1	.....	.....	.....
Ireland	252	.....	.....	.....	7	33	49	45	40	42	28	7	1
Italy	47	.....	.....	2	8	12	11	9	2	2	1	.....	.....
Poland	7	1	.....	.....	.....	2	3	.....	.....	.....	1	.....	.....
Russia	16	4	.....	.....	3	3	1	.....	3	1	1	.....	.....
Scandinavia	150	2	.....	3	15	33	28	35	15	10	9	.....	.....
Scotland	35	.....	.....	.....	2	7	7	5	4	6	4	.....	.....
Other foreign countries	112	2	.....	3	25	32	19	17	5	5	4	.....	.....
Unknown	251	1	.....	3	17	47	59	45	27	22	11	2	17
New Hampshire	7,438	1,860	75	124	196	381	471	606	843	1,219	1,154	465	44
United States	5,861	1,809	66	95	134	213	322	395	597	903	928	386	13
Austria	14	.....	.....	1	3	4	1	1	3	.....	1	.....	.....
Canada	735	41	5	17	31	96	66	111	124	137	81	25	1
England and Wales	87	1	1	.....	.....	2	6	11	14	22	20	9	1
France	5	1	.....	.....	.....	2	.....	.....	.....	1	1	.....	.....
Germany	38	.....	1	.....	2	2	4	5	6	11	6	1	.....
Hungary	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ireland	326	.....	.....	1	3	17	33	41	52	90	60	24	5
Italy	17	.....	.....	.....	2	6	2	5	1	1	.....	.....	.....
Poland	10	1	.....	.....	2	5	1	.....	.....	1	.....	.....	.....
Russia	15	1	.....	2	.....	7	4	1	.....	.....	.....	.....	.....
Scandinavia	27	.....	.....	.....	.....	2	9	3	3	2	5	1	.....
Scotland	37	1	.....	.....	.....	.....	2	6	4	12	8	4	.....
Other foreign countries	50	.....	.....	7	15	10	7	6	1	3	.....	.....	1
Unknown	216	5	2	1	4	15	14	19	38	36	44	15	23
New Jersey	37,422	11,763	525	799	1,190	2,825	3,475	3,656	4,137	4,768	3,238	1,028	18
United States	26,508	11,593	475	640	809	1,811	1,990	1,982	2,153	2,477	1,906	664	8
Austria	413	13	7	14	36	89	99	63	44	37	10	1	.....
Canada	134	2	.....	3	5	8	15	19	23	36	17	6	.....
England and Wales	1,027	10	2	7	17	74	106	142	205	260	151	53	.....
France	142	1	.....	.....	2	5	16	14	31	39	27	7	.....
Germany	2,777	8	1	4	36	135	254	438	541	705	519	136	.....
Hungary	346	29	2	11	42	89	64	69	30	5	4	1	.....
Ireland	2,962	7	1	7	28	168	329	412	662	815	425	105	3
Italy	980	40	20	59	99	185	174	148	136	92	20	7	.....
Poland	208	11	3	16	22	34	62	33	10	16	.....	1	.....
Russia	456	17	8	15	40	81	121	71	53	36	7	7	.....
Scandinavia	268	7	1	4	10	38	61	54	45	32	11	5	.....
Scotland	336	2	1	1	11	28	45	58	67	64	47	12	.....
Other foreign countries	472	13	3	12	22	42	50	81	77	94	63	15	.....
Unknown	393	10	1	6	11	38	89	72	60	60	31	8	7
New York	144,144	41,748	1,826	2,970	4,680	11,084	13,506	15,134	16,637	18,425	13,518	4,582	34
United States	97,536	40,801	1,587	2,275	3,064	6,784	7,679	8,011	8,108	9,156	7,362	2,697	12
Austria	2,027	50	21	77	165	336	399	343	300	213	92	31	.....
Canada	2,115	66	9	23	54	185	230	334	364	385	335	129	1
England and Wales	3,232	44	15	30	48	180	319	442	573	712	636	233	.....
France	473	10	3	6	9	29	52	88	77	98	71	30	.....
Germany	10,910	42	13	26	88	475	950	1,563	2,134	2,846	2,216	556	1
Hungary	754	41	10	21	62	139	144	135	110	70	16	6	.....
Ireland	13,639	20	3	30	163	834	1,557	2,024	2,944	3,458	1,982	622	2
Italy	4,439	307	78	253	466	828	684	658	642	331	149	43	.....
Poland	462	8	5	19	63	90	89	83	54	28	17	6	.....
Russia	3,645	133	48	114	296	589	595	614	583	445	165	62	1
Scandinavia	1,243	10	11	19	73	213	242	245	199	135	72	24	.....
Scotland	871	12	4	6	7	67	100	125	166	161	159	64	.....
Other foreign countries	1,576	47	14	54	89	212	224	250	232	268	148	38	.....
Unknown	1,222	157	5	17	33	123	242	219	151	119	98	41	17
North Carolina[1]	3,728	1,222	61	130	189	356	310	320	384	393	290	70	5
United States	3,605	1,216	60	128	178	347	290	309	365	373	273	64	2
Austria	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Canada	5	.....	.....	.....	.....	.....	1	.....	.....	3	1	.....	.....
England and Wales	8	.....	.....	.....	.....	1	1	.....	2	2	1	1	.....
France	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Germany	18	.....	.....	.....	.....	1	3	3	2	4	5	.....	.....
Hungary	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ireland	6	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	.....
Italy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Poland	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Russia	5	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....
Scandinavia	3	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
Scotland	3	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Other foreign countries	11	.....	.....	.....	1	2	2	1	2	2	1	.....	.....
Unknown	60	2	1	2	9	4	7	5	10	6	7	4	3

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
REGISTRATION STATES—Continued.													
Ohio	63,194	16,690	844	1,530	2,250	4,655	4,863	5,594	6,948	9,273	7,922	2,558	67
United States	50,499	16,468	812	1,408	1,881	3,715	3,745	4,145	4,936	6,340	5,308	1,709	32
Austria	710	26	3	20	71	139	121	115	90	75	31	19	.....
Canada	386	8	2	4	9	39	39	84	79	72	37	13	.....
England and Wales	1,218	12	1	3	10	43	70	139	196	326	304	113	1
France	132	.....	.....	.....	2	6	8	7	18	38	42	11	.....
Germany	5,031	10	1	11	39	141	244	493	843	1,409	1,410	427	3
Hungary	670	53	9	22	77	169	142	104	57	25	6	3	3
Ireland	1,889	1	.....	3	7	44	115	146	363	589	458	162	1
Italy	383	25	2	16	57	104	57	47	33	24	13	3	2
Poland	222	17	1	5	21	41	43	43	29	13	6	3	.....
Russia	219	12	5	8	18	44	36	23	35	17	13	7	1
Scandinavia	115	2	1	1	7	9	24	23	15	16	15	2	.....
Scotland	218	2	.....	2	2	11	18	34	30	41	53	24	1
Other foreign countries	576	7	5	14	24	57	59	52	89	132	101	34	2
Unknown	926	47	2	13	25	93	142	139	135	156	125	28	21
Pennsylvania	115,094	41,773	1,605	2,522	3,857	8,274	8,891	9,642	11,384	13,677	10,277	3,169	23
United States	90,651	41,169	1,501	2,101	2,643	5,426	5,674	6,189	7,533	9,045	7,102	2,256	12
Austria	2,302	108	19	89	309	618	547	343	152	73	36	6	2
Canada	211	8	.....	4	6	23	25	37	42	38	24	4	.....
England and Wales	2,853	32	7	15	43	162	300	440	571	714	445	124	.....
France	165	2	.....	3	5	9	16	21	27	42	30	10	.....
Germany	5,007	29	5	16	56	194	343	579	880	1,401	1,168	336	.....
Hungary	892	55	5	40	116	231	218	157	46	18	4	1	1
Ireland	6,183	16	1	8	52	273	529	809	1,365	1,736	1,067	324	3
Italy	1,867	112	23	121	240	468	352	254	152	97	38	10	.....
Poland	598	24	9	21	70	150	129	90	56	28	17	4	.....
Russia	1,754	115	21	70	188	417	358	284	146	92	45	18	.....
Scandinavia	372	3	3	4	15	40	52	81	67	52	46	9	.....
Scotland	646	16	2	2	14	55	63	101	112	140	109	32	.....
Other foreign countries	577	18	5	16	54	80	93	68	88	80	64	11	.....
Unknown	1,016	66	4	12	46	128	192	189	147	121	82	24	5
Rhode Island	9,051	3,033	111	203	226	607	753	860	1,032	1,183	811	227	5
United States	6,207	2,966	95	159	132	354	395	409	456	572	491	175	3
Austria	35	.....	.....	3	6	13	11	2	.....	.....	.....	.....	.....
Canada	557	26	7	6	15	58	75	98	101	97	62	12	.....
England and Wales	468	6	4	3	11	31	61	92	95	99	56	10	.....
France	12	.....	.....	1	1	2	1	2	2	2	1	.....	.....
Germany	84	.....	.....	.....	1	7	8	18	11	20	17	2	.....
Hungary	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Ireland	1,041	3	.....	.....	13	53	105	124	271	303	142	25	2
Italy	175	11	4	13	20	27	23	29	24	21	3	.....	.....
Poland	8	1	.....	1	.....	.....	3	2	1	.....	.....	.....	.....
Russia	59	2	.....	4	2	9	14	19	5	3	1	.....	.....
Scandinavia	101	.....	.....	5	6	13	19	23	10	15	10	.....	.....
Scotland	116	1	.....	.....	3	8	13	14	30	27	19	1	.....
Other foreign countries	128	10	1	8	15	26	17	17	14	13	5	2	.....
Unknown	58	7	.....	.....	1	5	7	11	12	11	4	.....	.....
Utah	3,998	1,384	119	118	182	359	330	318	334	350	335	153	16
United States	2,664	1,365	111	103	138	214	216	160	128	96	96	32	5
Austria	38	2	.....	3	6	12	7	2	5	1	.....	.....	.....
Canada	33	.....	1	.....	2	3	2	2	8	5	6	4	.....
England and Wales	469	3	1	2	8	20	24	40	89	117	112	53	.....
France	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Germany	46	1	.....	.....	1	5	2	9	7	10	6	5	.....
Hungary	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Ireland	63	.....	.....	.....	2	6	5	12	15	10	12	1	.....
Italy	32	1	.....	2	.....	6	15	5	1	.....	1	1	.....
Poland	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Russia	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Scandinavia	339	4	3	4	4	21	17	51	46	72	73	43	1
Scotland	62	.....	.....	.....	.....	5	1	6	6	16	20	8	.....
Other foreign countries	131	7	3	4	11	37	17	12	12	16	6	5	1
Unknown	116	1	.....	.....	10	29	23	18	15	7	3	1	9
Vermont	5,674	1,115	61	101	138	271	341	419	708	1,069	1,024	424	3
United States	4,697	1,095	57	90	123	219	261	330	567	839	785	329	2
Austria	8	.....	.....	.....	2	2	2	.....	2	.....	.....	.....	.....
Canada	476	14	3	6	8	24	33	46	79	109	109	45	.....
England and Wales	60	1	1	.....	.....	4	5	9	9	10	16	5	.....
France	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Germany	17	.....	.....	.....	.....	1	.....	4	5	5	2	.....	.....
Hungary	4	1	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Ireland	225	.....	.....	.....	1	2	6	6	19	75	79	37	.....
Italy	27	2	.....	2	.....	5	7	6	1	3	1	.....	.....
Poland	3	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
Russia	4	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....
Scandinavia	8	.....	.....	.....	.....	.....	3	.....	.....	2	3	.....	.....
Scotland	57	.....	.....	.....	1	7	9	7	10	12	9	2	.....
Other foreign countries	13	1	.....	1	1	1	2	2	.....	1	2	2	.....
Unknown	75	1	.....	1	1	5	10	9	13	12	18	4	1

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
REGISTRATION STATES—Continued.													
Washington	11,017	2,756	245	370	625	1,286	1,183	1,184	1,209	1,093	801	190	75
United States	7,575	2,695	225	320	434	752	638	599	659	656	481	111	5
Austria	98	3	1	4	8	23	22	10	14	2	6	2	3
Canada	528	23	6	6	20	65	64	100	99	77	49	18	1
England and Wales	270	2	1	1	4	35	28	36	55	55	44	9	.....
France	32	.....	1	.....	1	4	4	10	6	6	.....	.....	.....
Germany	373	2	3	1	5	27	45	68	92	69	53	8	.....
Hungary	8	.....	.....	1	2	2	.....	.....	3	.....	.....	.....	.....
Ireland	265	.....	.....	.....	6	18	25	32	54	67	50	12	1
Italy	109	3	.....	3	28	40	16	10	6	2	.....	.....	1
Poland	13	.....	.....	.....	1	3	1	5	1	.....	2	.....	.....
Russia	64	3	2	1	7	17	10	5	13	2	4	.....	.....
Scandinavia	885	5	2	13	50	124	110	137	100	75	49	16	4
Scotland	114	2	.....	.....	5	8	12	19	19	20	23	6	.....
Other foreign countries	229	2	.....	9	28	59	53	29	16	17	11	3	2
Unknown	654	16	4	11	26	109	155	124	72	45	29	5	58
Wisconsin	27,896	8,304	452	759	1,045	1,849	1,865	2,347	2,538	3,509	3,636	1,516	76
United States	17,106	8,206	435	698	846	1,295	1,118	1,167	991	999	923	410	18
Austria	470	14	3	6	19	52	51	62	58	92	72	39	2
Canada	587	2	1	4	8	19	53	85	116	136	126	37	.....
England and Wales	558	1	.....	.....	2	13	16	22	50	163	190	101	.....
France	27	.....	.....	.....	.....	.....	1	3	2	7	8	6	.....
Germany	4,950	14	6	12	34	166	267	513	795	1,265	1,367	506	5
Hungary	93	5	.....	2	10	24	22	16	6	5	1	1	1
Ireland	854	.....	.....	.....	3	6	6	28	73	230	336	169	3
Italy	62	4	1	4	11	12	11	8	4	1	3	2	1
Poland	376	10	2	4	22	45	52	69	66	57	28	21	.....
Russia	109	13	2	4	12	25	16	17	9	5	4	2	.....
Scandinavia	1,660	9	1	8	30	95	151	224	245	364	386	143	4
Scotland	123	2	.....	.....	1	1	1	6	9	37	40	24	2
Other foreign countries	555	10	1	10	30	56	47	53	65	112	120	49	2
Unknown	366	14	.....	7	17	40	53	74	49	36	32	6	38
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910.													
Los Angeles, Cal	4,299	769	38	95	186	512	512	563	554	588	367	114	1
United States	3,062	747	29	82	143	336	322	377	355	366	233	72	.....
Austria	24	.....	.....	2	2	3	3	4	5	4	1	.....	.....
Canada	127	3	.....	1	3	10	20	20	21	28	14	7	.....
England and Wales	146	2	.....	1	4	11	18	21	19	42	22	6	.....
France	35	.....	.....	.....	.....	5	7	7	8	4	4	.....	.....
Germany	196	.....	1	2	1	11	19	25	47	49	30	11	.....
Hungary	7	.....	.....	.....	.....	1	1	3	.....	1	1	.....	.....
Ireland	125	.....	.....	.....	.....	12	12	16	17	38	24	6	.....
Italy	48	.....	.....	2	5	7	7	8	10	6	3	.....	.....
Poland	4	.....	.....	.....	1	.....	.....	.....	1	.....	.....	2	.....
Russia	42	1	1	.....	2	13	9	7	5	2	2	.....	.....
Scandinavia	88	.....	.....	.....	7	12	23	17	18	6	1	4	.....
Scotland	26	.....	.....	.....	.....	1	5	6	3	5	6	.....	.....
Other foreign countries	236	13	6	4	13	70	38	26	23	24	14	5	.....
Unknown	133	3	1	1	5	20	28	26	22	13	12	1	1
San Francisco, Cal	6,002	989	51	105	190	607	811	874	822	824	585	143	1
United States	3,169	972	49	91	137	394	456	408	265	197	161	39	.....
Austria	59	1	.....	1	9	6	8	12	10	4	8	.....	.....
Canada	130	2	.....	1	.....	10	18	21	22	32	15	9	.....
England and Wales	223	.....	.....	.....	1	12	31	43	54	42	31	9	.....
France	118	1	.....	3	1	11	13	18	28	18	23	2	.....
Germany	571	1	.....	.....	2	19	54	85	121	147	113	29	.....
Hungary	8	.....	.....	.....	.....	.....	2	1	2	1	2	.....	.....
Ireland	831	.....	.....	.....	4	33	49	97	159	268	185	36	.....
Italy	175	6	.....	5	13	22	31	34	25	31	6	2	.....
Poland	12	.....	.....	.....	.....	.....	.....	1	1	6	1	3	.....
Russia	33	.....	.....	.....	1	7	6	5	7	6	1	.....	.....
Scandinavia	174	.....	.....	2	3	31	34	45	35	16	8	.....	.....
Scotland	83	.....	.....	.....	3	5	11	10	16	17	16	5	.....
Other foreign countries	221	2	2	1	12	39	51	32	40	22	13	7	.....
Unknown	195	4	.....	1	4	18	47	62	37	17	2	2	1
Washington, D. C	3,744	709	38	67	94	288	319	379	527	750	441	132	.....
United States	3,018	701	36	62	85	245	266	302	400	537	302	82	.....
Austria	10	.....	.....	.....	.....	1	4	2	1	1	1	.....	.....
Canada	25	.....	.....	.....	.....	1	3	4	6	7	2	2	.....
England and Wales	68	1	.....	1	1	2	4	6	10	21	15	7	.....
France	11	.....	.....	.....	.....	.....	.....	.....	1	5	4	1	.....
Germany	173	2	.....	.....	.....	9	5	15	32	55	46	9	.....
Hungary	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
Ireland	264	.....	.....	.....	.....	11	21	27	50	87	49	19	.....
Italy	36	2	.....	3	5	6	7	.....	8	2	2	1	.....
Poland	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Russia	22	1	.....	1	.....	3	3	4	2	6	1	1	.....
Scandinavia	18	.....	.....	.....	.....	.....	.....	7	2	3	5	1	.....
Scotland	16	.....	.....	.....	.....	.....	.....	.....	2	5	4	5	.....
Other foreign countries	23	.....	1	.....	.....	2	1	4	2	6	5	2	.....
Unknown	56	2	1	.....	3	7	5	8	10	14	4	2	.....

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
Chicago, Ill.	32,130	10,722	425	774	1,236	2,840	3,399	3,927	3,359	3,030	1,887	525	6
United States	19,071	10,493	381	596	800	1,464	1,499	1,474	951	768	511	130	4
Austria	1,360	40	8	42	90	250	249	269	188	130	72	22	.....
Canada	633	8	.....	3	12	61	121	145	128	103	42	10	.....
England and Wales	609	5	2	5	6	37	59	123	134	117	91	30	.....
France	55	2	.....	.....	.....	4	5	7	13	14	8	2	.....
Germany	3,681	15	7	13	33	187	384	700	786	849	556	151	.....
Hungary	236	25	1	7	23	59	48	38	12	13	9	1	.....
Ireland	2,213	.....	.....	5	22	150	292	407	476	479	286	96	.....
Italy	514	34	7	31	57	92	80	67	81	34	23	8	.....
Poland	568	20	1	15	46	102	127	102	84	43	19	9	.....
Russia	757	36	12	26	52	159	145	122	85	74	32	14	.....
Scandinavia	1,527	12	4	14	48	165	245	311	277	261	157	33	.....
Scotland	206	2	.....	.....	4	8	23	40	49	42	30	8	.....
Other foreign countries	458	23	2	16	29	65	61	72	58	77	45	10	.....
Unknown	242	7	.....	1	14	37	61	50	37	26	6	1	2
New Orleans, La.	4,311	984	56	97	162	377	520	545	568	548	351	103	.....
United States	3,176	978	54	94	145	333	440	422	349	225	100	36	.....
Austria	21	.....	.....	.....	1	1	2	3	8	2	4	.....	.....
Canada	12	.....	.....	.....	.....	.....	1	3	3	3	2	.....	.....
England and Wales	51	.....	.....	1	.....	2	3	11	11	3	16	4	.....
France	132	1	.....	1	1	4	10	20	20	37	29	9	.....
Germany	354	.....	.....	.....	4	3	7	18	78	123	96	25	.....
Hungary	3	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
Ireland	271	.....	.....	.....	2	1	12	15	43	112	66	20	.....
Italy	162	5	1	1	5	22	24	32	34	20	15	3	.....
Poland	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Russia	16	.....	.....	.....	.....	2	1	5	2	2	3	1	.....
Scandinavia	14	.....	.....	.....	1	2	5	1	1	2	1	1	.....
Scotland	14	.....	.....	.....	1	1	.....	3	4	1	3	1	.....
Other foreign countries	73	.....	1	.....	2	6	10	8	13	16	14	3	.....
Unknown	12	.....	.....	.....	.....	.....	3	3	2	2	2	.....	.....
Baltimore, Md.	8,152	2,261	118	180	274	615	723	870	1,081	1,099	712	218	1
United States	6,164	2,203	113	160	244	493	558	618	711	593	355	116	.....
Austria	95	2	.....	2	5	15	13	20	15	17	5	1	.....
Canada	14	1	.....	.....	.....	1	2	.....	3	6	1	.....	.....
England and Wales	77	1	.....	.....	1	5	9	10	10	19	17	5	.....
France	8	.....	.....	.....	.....	.....	1	.....	1	3	1	2	.....
Germany	976	5	1	4	4	25	46	111	180	266	254	80	.....
Hungary	9	1	.....	.....	.....	2	2	2	.....	2	.....	.....	.....
Ireland	352	.....	.....	.....	2	8	25	40	90	125	54	8	.....
Italy	51	2	.....	3	4	12	7	6	5	11	1	.....	.....
Poland	35	1	.....	.....	2	6	11	9	1	3	2	.....	.....
Russia	177	10	2	8	9	23	29	32	24	30	6	4	.....
Scandinavia	17	.....	.....	.....	1	4	3	1	4	3	1	.....	.....
Scotland	22	.....	.....	.....	.....	4	1	4	7	5	.....	1	.....
Other foreign countries	30	.....	1	2	1	4	5	2	4	3	7	1	.....
Unknown	125	35	1	1	1	13	11	15	26	13	8	.....	1
Boston, Mass.	11,224	3,284	154	211	314	896	1,213	1,327	1,386	1,306	877	253	3
United States	6,946	3,211	133	160	195	478	564	605	574	491	397	138	.....
Austria	26	3	2	.....	1	1	6	4	6	3	.....	.....	.....
Canada	824	18	3	10	39	99	124	136	160	128	82	25	.....
England and Wales	255	2	.....	3	3	13	42	49	46	58	31	7	1
France	12	1	.....	.....	.....	2	3	1	2	1	2	.....	.....
Germany	208	.....	.....	.....	4	8	16	28	33	60	48	11	.....
Hungary	10	.....	.....	.....	.....	2	.....	3	3	2	.....	.....	.....
Ireland	1,957	2	.....	5	24	136	285	316	411	463	253	62	.....
Italy	263	19	5	15	19	46	39	49	35	20	14	2	.....
Poland	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Russia	279	13	9	13	12	49	41	43	47	29	16	2	.....
Scandinavia	135	1	.....	.....	6	25	30	22	24	13	12	2	.....
Scotland	84	2	.....	1	3	9	10	16	10	20	11	2	.....
Other foreign countries	100	3	2	4	7	17	19	17	15	9	6	1	.....
Unknown	123	9	.....	.....	1	11	33	33	19	9	5	1	2
Detroit, Mich.	7,305	2,931	104	194	339	530	581	687	678	667	451	140	3
United States	4,833	2,855	96	145	235	312	285	296	236	198	134	38	3
Austria	98	6	.....	7	5	26	17	13	12	7	3	2	.....
Canada	526	30	4	16	41	50	69	90	95	82	39	10	.....
England and Wales	174	1	.....	1	3	16	14	30	40	31	25	13	.....
France	17	.....	.....	.....	.....	.....	2	.....	3	5	3	4	.....
Germany	955	8	.....	8	19	46	97	171	183	220	159	44	.....
Hungary	46	4	.....	2	7	13	12	5	1	2	.....	.....	.....
Ireland	238	1	.....	.....	.....	5	16	20	52	79	49	16	.....
Italy	45	2	1	6	6	10	8	6	4	1	1	.....	.....
Poland	53	2	.....	3	8	12	9	9	2	3	4	1	.....
Russia	85	5	2	4	5	14	15	14	12	7	7	.....	.....
Scandinavia	15	1	.....	.....	.....	1	4	1	2	4	2	.....	.....
Scotland	69	.....	.....	.....	.....	2	9	5	15	12	20	6	.....
Other foreign countries	58	2	.....	1	7	9	6	7	9	10	3	4	.....
Unknown	93	14	1	1	3	14	18	20	12	6	2	2	.....

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
Minneapolis, Minn	3,681	1,004	67	109	201	391	364	410	359	379	284	112	1
United States	2,297	968	62	90	139	222	166	174	151	153	126	46	.....
Austria	39	1	.....	3	3	15	6	5	3	3	.....	.....	.....
Canada	120	3	.....	.....	4	8	11	20	22	28	17	7	.....
England and Wales	70	2	.....	.....	.....	5	8	7	13	19	10	6	.....
France	7	.....	.....	.....	.....	.....	1	.....	1	3	2	.....	.....
Germany	178	.....	1	1	1	11	18	24	32	34	44	12	.....
Hungary	9	.....	.....	.....	1	.....	3	2	1	2	.....	.....	.....
Ireland	103	.....	.....	1	1	1	7	10	14	30	30	9	.....
Italy	10	.....	.....	.....	1	5	1	1	1	.....	.....	1	.....
Poland	6	2	.....	.....	.....	1	1	1	.....	.....	1	.....	.....
Russia	22	.....	1	.....	1	3	1	6	9	.....	1	.....	.....
Scandinavia	604	11	2	11	42	83	104	125	78	78	44	26	.....
Scotland	15	.....	.....	.....	.....	2	2	2	3	2	3	1	.....
Other foreign countries	35	1	1	2	1	7	5	4	7	6	1	.....	.....
Unknown	166	16	.....	1	7	28	30	29	24	21	5	4	1
St. Louis, Mo	9,733	2,393	116	227	367	892	1,082	1,217	1,196	1,231	798	211	3
United States	6,373	2,344	113	198	311	692	812	795	499	354	197	57	1
Austria	157	4	.....	5	10	22	23	24	30	25	10	4	.....
Canada	49	.....	1	.....	.....	3	5	7	12	8	11	2	.....
England and Wales	141	2	.....	.....	.....	9	14	17	28	32	33	6	.....
France	34	.....	.....	.....	.....	.....	3	3	10	8	8	2	.....
Germany	1,609	3	.....	5	9	47	85	180	312	494	374	100	.....
Hungary	58	6	.....	1	6	18	11	10	2	3	1	.....	.....
Ireland	733	1	.....	3	4	18	38	82	210	231	115	30	1
Italy	88	3	1	3	5	26	17	10	11	9	2	1	.....
Poland	20	.....	.....	.....	3	6	3	2	4	2	.....	.....	.....
Russia	100	8	1	2	5	16	14	25	18	7	4	.....	.....
Scandinavia	44	.....	.....	.....	1	1	13	10	10	3	6	.....	.....
Scotland	40	1	.....	.....	.....	1	3	8	4	13	6	4	.....
Other foreign countries	168	5	.....	10	11	18	18	24	23	30	25	4	.....
Unknown	119	16	.....	.....	2	15	23	20	23	12	6	1	1
Jersey City, N. J	4,278	1,388	75	84	142	405	504	487	451	439	244	57	2
United States	2,748	1,371	71	69	102	257	274	229	158	123	73	20	1
Austria	47	1	.....	2	4	13	13	4	4	5	1	.....	.....
Canada	11	.....	.....	.....	.....	1	2	1	2	4	1	.....	.....
England and Wales	97	.....	.....	.....	2	8	8	12	22	24	15	6	.....
France	12	.....	.....	.....	.....	.....	.....	3	1	7	1	.....	.....
Germany	376	.....	.....	.....	2	15	35	61	80	89	77	17	.....
Hungary	6	.....	.....	.....	.....	2	1	.....	2	.....	.....	1	.....
Ireland	588	1	.....	1	4	43	82	107	134	145	58	12	1
Italy	110	7	2	8	13	22	13	14	18	9	4	.....	.....
Poland	40	2	.....	1	1	8	14	9	1	4	.....	.....	.....
Russia	59	4	2	1	8	14	16	8	4	2	.....	.....	.....
Scandinavia	46	.....	.....	1	2	5	17	8	8	3	2	.....	.....
Scotland	42	.....	.....	.....	1	4	6	8	4	13	6	.....	.....
Other foreign countries	41	.....	.....	1	2	5	5	10	4	8	5	1	.....
Unknown	55	2	.....	.....	1	8	18	13	9	3	1	.....	.....
Newark, N. J	5,484	1,803	73	125	181	491	594	609	595	601	325	87	.....
United States	3,586	1,784	62	95	115	305	315	273	255	213	130	39	.....
Austria	72	2	1	4	5	14	14	12	9	9	2	.....	.....
Canada	24	.....	.....	.....	2	1	2	6	4	8	.....	1	.....
England and Wales	145	.....	.....	.....	.....	17	15	28	25	37	17	6	.....
France	18	.....	.....	.....	.....	1	3	2	2	5	4	1	.....
Germany	566	.....	.....	.....	7	25	44	99	113	166	92	20	.....
Hungary	64	6	.....	2	7	15	15	10	7	1	1	.....	.....
Ireland	454	.....	.....	1	5	31	78	70	90	111	59	9	.....
Italy	219	3	6	13	21	41	36	42	38	12	4	3	.....
Poland	38	2	1	4	6	7	10	6	1	1	.....	.....	.....
Russia	125	4	2	2	9	15	32	23	20	14	1	3	.....
Scandinavia	32	1	.....	.....	.....	5	7	9	3	6	.....	1	.....
Scotland	51	1	.....	1	1	5	7	10	12	6	5	3	.....
Other foreign countries	45	.....	1	2	2	6	5	10	6	6	7	.....	.....
Unknown	45	.....	.....	1	1	3	11	9	10	6	3	1	.....
Buffalo, N. Y	6,874	2,499	93	157	225	516	610	728	679	724	482	159	2
United States	4,533	2,452	82	118	161	320	331	385	282	240	122	40	.....
Austria	77	.....	1	6	9	13	25	13	5	2	2	1	.....
Canada	208	8	1	7	3	24	37	46	31	26	20	4	1
England and Wales	153	1	.....	1	4	9	10	16	30	47	21	14	.....
France	22	.....	.....	.....	.....	.....	.....	2	5	6	6	3	.....
Germany	1,019	7	1	3	14	54	79	156	178	252	205	70	.....
Hungary	35	7	.....	2	5	7	9	2	2	1	.....	.....	.....
Ireland	399	.....	.....	1	1	24	38	42	88	113	71	20	1
Italy	153	17	4	14	11	27	24	18	21	10	6	1	.....
Poland	85	1	2	3	4	20	18	19	11	4	1	2	.....
Russia	68	4	2	2	10	10	18	8	5	4	4	1	.....
Scandinavia	20	1	.....	.....	.....	3	5	2	7	2	.....	.....	.....
Scotland	41	.....	.....	.....	1	3	8	6	5	6	11	1	.....
Other foreign countries	38	1	.....	.....	.....	1	3	6	4	10	11	2	.....
Unknown	23	.....	.....	.....	2	1	5	7	5	1	2	.....	.....

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
New York, N. Y.	74,274	25,197	980	1,589	2,541	6,569	8,151	8,710	8,272	7,311	3,868	1,075	11
United States	44,869	24,520	816	1,116	1,459	3,508	3,938	3,592	2,578	1,955	1,063	320	4
Austria	1,569	38	15	50	99	233	297	272	267	198	70	30	
Canada	481	13	3	3	9	53	69	109	83	78	50	11	
England and Wales	1,502	34	11	21	30	117	208	264	277	284	190	66	
France	324	7	3	5	8	24	40	71	58	61	33	14	
Germany	6,832	23	6	18	48	333	679	1,095	1,431	1,742	1,179	277	1
Hungary	606	29	8	16	44	107	108	110	99	66	15	4	
Ireland	8,607	17	3	24	131	693	1,257	1,564	1,958	1,889	862	209	
Italy	3,198	208	54	163	309	542	476	503	513	277	117	36	
Poland	158	1	1	2	25	29	34	28	18	11	7	2	
Russia	3,193	116	41	99	242	487	514	537	539	412	146	59	1
Scandinavia	904	6	4	16	55	170	185	192	147	85	32	12	
Scotland	471	9	2	5	4	50	72	94	97	75	41	22	
Other foreign countries	1,095	38	11	45	69	173	173	187	170	157	60	12	
Unknown	465	138	2	6	9	50	101	92	37	21	3	1	5
New York, N. Y. (Bronx Borough)	6,755	1,742	89	208	330	812	908	841	702	672	356	95	
United States	3,924	1,705	78	171	215	458	459	361	218	150	80	29	
Austria	126	2	1	1	7	25	25	22	21	17	4	1	
Canada	53	1		1		12	9	7	7	9	6	1	
England and Wales	140	1	1	2	2	20	24	30	15	26	16	3	
France	28					1	2	11	3	8	2	1	
Germany	823	3	1	2	6	43	81	141	166	202	143	35	
Hungary	62	2			6	13	11	14	7	8	1		
Ireland	858	1		3	19	86	172	148	167	171	70	21	
Italy	266	12	7	15	34	53	46	33	36	20	10		
Poland	22				6	2	5	3	3	1	2		
Russia	230	10		10	18	41	33	33	32	36	15	2	
Scandinavia	62	1			3	20	14	11	8	4	1		
Scotland	37			1		8	5	7	6	7	2	1	
Other foreign countries	108	2	1	2	14	25	16	19	11	13	4	1	
Unknown	16	2				5	6	1	2				
New York, N. Y. (Brooklyn Borough)	25,070	8,406	357	540	809	2,089	2,624	2,804	2,872	2,668	1,484	410	7
United States	15,858	8,246	311	394	517	1,273	1,457	1,307	974	801	440	137	1
Austria	287	4	2	17	21	47	60	43	41	33	12	7	
Canada	158	4	2		4	13	13	33	33	27	24	5	
England and Wales	587	18	3	8	10	27	56	85	122	132	88	38	
France	58	2		2	3	1	6	11	9	7	12	5	
Germany	2,342	6		9	12	102	213	350	472	632	452	93	1
Hungary	59	1	1		1	10	11	11	13	10	1		
Ireland	2,739	4		8	31	168	319	440	686	679	328	76	
Italy	909	54	14	60	87	150	128	151	145	77	33	10	
Poland	50	1		1	4	9	12	10	9	3		1	
Russia	947	42	14	18	75	141	155	149	175	123	38	16	1
Scandinavia	504	2	3	9	29	89	102	108	83	50	20	9	
Scotland	181	3	1	3		15	22	34	43	31	18	11	
Other foreign countries	321	17	5	10	14	37	47	54	60	57	18	2	
Unknown	70	2	1	1	1	7	23	18	7	6			4
New York, N. Y. (Manhattan Borough)	37,129	13,308	457	736	1,210	3,272	4,086	4,470	4,091	3,353	1,671	473	2
United States	21,703	12,855	357	461	591	1,526	1,725	1,639	1,188	812	424	124	1
Austria	1,084	30	12	29	67	154	202	194	192	135	49	20	
Canada	234	8	1	2	3	27	37	62	36	35	19	4	
England and Wales	647	13	6	10	16	64	116	130	112	96	65	19	
France	208	5	3	3	5	21	31	46	38	36	15	5	
Germany	2,904	11	5	6	27	154	319	484	617	699	461	121	
Hungary	472	25	7	16	35	80	85	83	76	48	13	4	
Ireland	4,535	11	3	13	73	419	705	897	996	918	407	93	
Italy	1,861	130	31	82	175	309	271	295	306	170	67	25	
Poland	56		1		6	10	13	8	5	7	5	1	
Russia	1,955	62	24	70	144	291	315	344	328	248	89	40	
Scandinavia	269	2	1	6	18	50	59	65	39	23	4	2	
Scotland	218	6			4	24	42	46	43	28	17	8	
Other foreign countries	624	18	5	33	39	107	102	110	88	83	33	6	
Unknown	359	132	1	5	7	36	64	67	27	15	3	1	1
New York, N. Y. (Queens Borough)	3,382	1,339	54	79	144	296	384	446	424	407	246	62	1
United States	2,469	1,318	49	70	105	184	218	219	119	103	67	15	1
Austria	62	1		3	3	6	9	10	11	12	5	2	
Canada	17						6	3	5	2		1	
England and Wales	88	1			1	5	12	12	20	17	16	4	
France	21					1	1	2	6	5	3	3	
Germany	632	3		1	3	33	50	99	140	172	106	25	
Hungary	9	1			2	1	1	1	3				
Ireland	302	1			2	12	39	54	79	74	32	9	
Italy	122	9	2	3	12	25	24	16	19	7	5		
Poland	28			1	7	8	4	7	1				
Russia	50	1	2	1	5	11	9	9	3	5	3	1	
Scandinavia	18	1			1	3	2	2	5	1	3		
Scotland	23		1			2	2	5	4	6	3		
Other foreign countries	31	1			1	3	7	3	8	3	3	2	
Unknown	10	2			1	2		4	1				

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
New York, N. Y. (Richmond Borough)	1,438	402	23	26	48	100	149	149	183	211	111	35	1
United States	915	396	21	20	30	67	79	66	79	89	52	15	1
Austria	10	1			1	1	1	3	2	1			
Canada	19				2	1	4	4	2	5	1		
England and Wales	40	1	1	1	1	1		7	8	13	5	2	
France	9							1	2	5	1		
Germany	131					1	16	21	36	37	17	3	
Hungary	4					3		1					
Ireland	173				6	8	22	25	30	47	25	10	
Italy	40	3		3	1	5	7	8	7	3	2	1	
Poland	2				2								
Russia	11	1	1			3	2	2	1		1		
Scandinavia	51			1	4	8	8	6	12	7	4	1	
Scotland	12			1		1	1	2	1	3	1	2	
Other foreign countries	11				1	1	1	1	3	1	2	1	
Unknown	10						8	2					
Cincinnati, Ohio	5,750	1,259	50	137	232	580	642	683	749	741	537	138	2
United States	3,933	1,239	50	128	212	492	531	485	385	240	137	33	1
Austria	16				1	2	1	3	4	3	2		
Canada	32				1	1	7	8	10	4	1		
England and Wales	76	1		1	1	2	5	13	9	19	16	8	1
France	17					2		1	4	6	4		
Germany	1,121	1		1	4	24	59	120	214	326	293	79	
Hungary	50	6		3	4	16	9	8	4				
Ireland	339				2	12	10	26	94	115	69	11	
Italy	31				4	8	2	3	5	6	3		
Poland	8	1					3	1	1	1	1		
Russia	34	4		1	2	8	3	3	7	2	1	3	
Scandinavia	1						1						
Scotland	6						1		1	2	2		
Other foreign countries	45	1		3	1	7	1	4	7	10	7	4	
Unknown	41	6				6	9	8	4	7	1		
Cleveland, Ohio	7,880	2,913	100	189	288	642	723	836	802	753	493	140	1
United States	4,969	2,832	87	146	179	347	349	353	275	208	147	46	
Austria	451	12	1	15	38	79	70	77	72	53	21	13	
Canada	128	5	1	1	3	12	13	31	27	18	13	4	
England and Wales	244	2	1		1	15	25	41	45	63	39	12	
France	8					2			3	2	1		
Germany	849	4		5	11	36	68	123	177	223	168	34	
Hungary	225	11	4	7	21	53	41	40	23	18	6	1	
Ireland	416			3	1	18	59	53	94	108	62	18	
Italy	84	5		3	8	18	12	13	9	7	7	2	
Poland	120	9	1	3	8	17	27	30	17	6		2	
Russia	97	3	4	3	8	16	17	11	16	10	7	2	
Scandinavia	41	1			5	2	12	10	3	5	2	1	
Scotland	44					3	4	14	6	9	4	3	1
Other foreign countries	84	1	1	2	4	9	7	15	19	11	13	2	
Unknown	120	28		1	1	15	19	25	16	12	3		
Philadelphia, Pa	24,740	7,519	308	458	775	1,930	2,392	2,731	2,972	3,043	1,993	616	3
United States	17,390	7,374	283	378	559	1,308	1,508	1,613	1,612	1,503	916	334	2
Austria	125	1	2	6	12	19	25	24	14	12	8	2	
Canada	45			1	2	1	10	8	8	9	6		
England and Wales	760	11	3	3	15	50	99	121	152	157	111	38	
France	42			1	1		3	9	11	8	8	1	
Germany	1,624	10	1	6	11	69	126	238	290	413	371	89	
Hungary	97	7		2	12	32	19	12	6	6	1		
Ireland	2,848	8	1	4	30	161	289	413	623	751	452	116	
Italy	474	31	6	17	48	93	88	63	61	43	18	6	
Poland	126	11	3	6	21	28	20	21	10	3	2	1	
Russia	570	38	6	30	47	105	100	91	69	46	28	10	
Scandinavia	73	1	3		4	10	11	17	14	5	7	1	
Scotland	178	3			5	16	25	27	27	36	30	9	
Other foreign countries	138	5		4	6	19	23	18	26	22	13	2	
Unknown	250	19			2	19	46	56	49	29	22	7	1
Pittsburgh, Pa	8,993	3,498	121	211	346	834	857	816	884	803	499	124	
United States	6,246	3,430	114	167	201	499	470	401	428	296	192	48	
Austria	254	13	2	11	32	78	64	35	14	3	1	1	
Canada	22	1			3	4	1	3	5	5			
England and Wales	236	3		4	4	16	35	42	50	51	25	6	
France	22	1			2	1	2	2	2	7	5		
Germany	724	3	1	2	8	30	56	89	148	209	147	31	
Hungary	83	1	1	2	13	23	19	17	4	2		1	
Ireland	685	3			10	46	81	89	150	181	99	26	
Italy	185	7	2	11	26	40	41	36	15	5	2		
Poland	113	5		4	8	33	26	17	12	6	2		
Russia	145	13		6	15	30	19	25	19	8	6	4	
Scandinavia	18			1	4	4	3	2	2	1		1	
Scotland	73	3			4	3	7	17	14	13	9	3	
Other foreign countries	82	3	1	2	10	10	11	14	11	9	9	2	
Unknown	105	12		1	6	17	22	27	10	7	2	1	

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Unknown.
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
Milwaukee, Wis.	5,186	2,002	81	160	229	408	369	486	478	461	371	141	.....
United States	3,245	1,967	77	137	165	257	179	195	139	71	38	20	.....
Austria	106	11	1	2	8	18	11	20	18	11	4	2	.....
Canada	27	.....	.....	1	.....	2	3	2	4	10	3	2	.....
England and Wales	54	1	.....	.....	.....	3	2	3	10	17	13	5	.....
France	5	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....
Germany	1,173	4	1	5	14	58	99	165	234	263	244	86	.....
Hungary	40	3	.....	1	6	12	8	6	.....	4	.....	.....	.....
Ireland	91	.....	.....	.....	.....	1	1	5	5	31	34	14	.....
Italy	19	2	.....	2	4	5	2	3	1	.....	.....	.....	.....
Poland	222	8	2	3	14	22	33	52	41	25	15	7	.....
Russia	29	3	.....	.....	4	6	4	6	5	1	.....	.....	.....
Scandinavia	49	.....	.....	1	3	4	7	7	7	11	7	2	.....
Scotland	12	1	.....	.....	.....	1	.....	.....	.....	5	3	2	.....
Other foreign countries	66	1	.....	7	9	10	6	10	8	7	7	1	.....
Unknown	48	1	.....	1	2	9	14	11	5	3	2	.....	.....

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION

[For relation of titles to Abridged

	COUNTRY OF BIRTH, SEX, AND AGE PERIOD.	CAUSE OF DEATH. All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Organic diseases of heart.
	ALL COUNTRIES.												
1	Total	753,308	11,791	66,498	39,875	3,782	7,888	2,811	133	248	45,074	28,890	71,902
2	Male	411,928	7,261	37,925	16,004	1,798	3,733	2,476	123	128	23,026	16,666	37,959
3	Female	341,380	4,530	28,573	23,871	1,984	4,155	335	10	120	22,048	12,224	33,943
4	Under 10 years M	120,616	585	1,169	140	230	138	1	.....	.....	450	6,645	1,041
	Under 10 years F	99,394	585	1,023	115	242	120	.....	1	.....	340	5,420	931
5	10 to 14 years M	5,560	332	251	39	165	101	.....	1	.....	35	385	430
	10 to 14 years F	5,177	435	588	34	182	103	.....	.....	.....	24	379	540
6	15 to 19 years M	9,399	853	1,949	78	134	126	7	1	1	57	458	542
	15 to 19 years F	8,259	691	2,558	68	129	128	1	.....	1	62	343	548
7	20 to 24 years M	14,611	1,257	4,159	117	81	114	42	3	5	94	446	556
	20 to 24 years F	12,233	665	4,404	95	91	91	9	1	1	79	355	583
8	25 to 34 years M	32,616	1,928	9,590	447	139	242	418	15	17	423	1,039	1,506
	25 to 34 years F	25,790	829	8,204	870	136	225	79	.....	12	300	807	1,479
9	35 to 44 years M	37,903	1,056	8,775	1,223	186	311	770	35	28	1,047	1,726	2,738
	35 to 44 years F	26,513	549	5,262	2,875	169	280	129	2	24	841	897	2,387
10	45 to 54 years M	42,872	674	6,069	2,968	196	623	628	39	19	2,438	1,987	4,493
	45 to 54 years F	29,498	380	2,890	5,404	197	623	75	1	24	2,236	1,076	3,833
11	55 to 64 years M	46,544	355	3,569	4,312	226	893	373	18	25	4,745	1,538	7,145
	55 to 64 years F	35,473	216	1,782	5,915	219	1,144	29	1	21	4,054	931	5,857
12	65 to 74 years M	51,690	159	1,807	4,273	253	834	181	9	22	6,999	1,383	10,285
	65 to 74 years F	46,140	133	1,300	5,327	309	1,003	9	4	25	6,487	1,078	8,864
13	75 to 84 years M	38,290	47	513	2,044	148	313	43	2	10	5,428	901	7,482
	75 to 84 years F	38,867	40	508	2,680	267	392	1	.....	11	5,959	714	7,014
14	85 years or over M	11,284	5	50	348	40	33	2	.....	.....	1,291	142	1,719
	85 years or over F	13,881	4	45	473	43	46	1	.....	1	1,655	215	1,887
15	Unknown M	543	10	24	15	.....	5	11	.....	1	19	16	32
	Unknown F	155	3	9	15	.....	.....	2	.....	.....	11	9	20
	UNITED STATES.												
16	Total	546,507	8,798	46,860	23,589	2,760	5,003	1,577	86	200	29,181	23,749	44,210
17	Male	293,032	5,052	25,430	8,426	1,303	2,466	1,386	77	94	14,987	13,445	23,348
18	Female	253,475	3,746	21,430	15,163	1,457	2,537	191	9	106	14,194	10,304	20,862
19	Under 10 years M	118,670	562	1,117	137	225	138	1	.....	.....	444	6,560	1,023
	Under 10 years F	97,566	564	980	106	230	116	.....	1	.....	332	5,342	901
20	10 to 14 years M	5,133	312	226	36	159	98	.....	.....	.....	33	360	392
	10 to 14 years F	4,796	412	535	33	168	101	.....	.....	.....	22	353	492
21	15 to 19 years M	7,748	688	1,669	68	124	116	5	1	1	50	396	486
	15 to 19 years F	7,221	618	2,253	56	122	122	.....	.....	1	57	295	487
22	20 to 24 years M	10,007	801	3,259	76	65	100	22	1	4	77	343	425
	20 to 24 years F	9,715	540	3,606	72	78	79	7	.....	1	66	294	450
23	25 to 34 years M	20,698	1,169	6,953	284	95	184	276	12	11	323	722	1,011
	25 to 34 years F	18,748	622	6,116	591	105	178	49	.....	11	228	629	1,090
24	35 to 44 years M	22,452	665	5,681	616	124	221	458	23	18	697	1,151	1,667
	35 to 44 years F	17,892	408	3,595	1,932	128	194	81	2	19	566	629	1,554
25	45 to 54 years M	24,153	464	3,333	1,539	123	400	326	28	14	1,604	1,332	2,699
	45 to 54 years F	18,940	278	1,880	3,523	121	385	36	1	20	1,535	779	2,432
26	55 to 64 years M	26,087	250	1,866	2,148	150	531	192	8	21	3,041	984	4,120
	55 to 64 years F	20,723	160	1,186	3,642	131	600	15	1	18	2,461	643	3,276
27	65 to 74 year M	29,101	105	993	2,145	135	484	84	3	19	4,403	907	6,042
	65 to 74 years F	26,209	104	866	3,208	182	529	1	4	24	3,950	704	4,909
28	75 to 84 years M	22,319	32	304	1,161	79	175	21	1	6	3,510	595	4,449
	75 to 84 years F	22,934	36	380	1,683	167	201	1	.....	11	3,817	480	4,130
29	85 years or over M	6,549	2	22	208	24	15	.....	.....	.....	801	90	1,020
	85 years or over F	8,654	3	29	310	25	32	1	.....	1	1,153	149	1,132
30	Unknown M	115	2	7	8	.....	4	1	.....	.....	4	5	14
	Unknown F	77	1	4	7	.....	.....	.....	.....	.....	7	7	9
	AUSTRIA.												
31	Total	9,640	314	1,461	621	45	99	52	3	.....	326	224	826
32	Male	6,268	237	955	301	30	37	47	3	.....	195	148	477
33	Female	3,372	77	506	320	15	62	5	.....	.....	131	76	349
34	Under 10 years M	146	2	2	1	1	.....	.....	.....	.....	.....	5	1
	Under 10 years F	171	.....	3	1	.....	1	.....	.....	.....	1	5	4
35	10 to 14 years M	42	5	3	.....	.....	.....	.....	.....	.....	.....	1	1
	10 to 14 years F	38	4	4	.....	1	.....	.....	.....	.....	1	5	4
36	15 to 19 years M	209	30	33	2	1	2	.....	.....	.....	1	5	8
	15 to 19 years F	127	12	33	1	1	.....	.....	.....	.....	.....	3	6
37	20 to 24 years M	616	66	115	5	4	.....	2	1	.....	2	9	21
	20 to 24 years F	323	21	90	4	.....	1	.....	.....	.....	2	7	11
38	25 to 34 years M	1,365	85	281	22	5	5	9	.....	.....	9	28	59
	25 to 34 years F	638	24	210	16	3	2	1	.....	.....	6	16	28
39	35 to 44 years M	1,357	28	258	47	5	1	15	1	.....	21	46	92
	35 to 44 years F	531	6	101	60	1	3	3	.....	.....	9	16	55
40	45 to 54 years M	1,066	12	172	75	6	6	14	1	.....	38	25	86
	45 to 54 years F	444	6	36	80	2	11	1	.....	.....	25	12	55
41	55 to 64 years M	683	7	72	84	5	12	4	.....	.....	51	15	79
	55 to 64 years F	426	3	16	88	3	24	.....	.....	.....	30	4	69
42	65 to 74 years M	456	2	15	49	1	8	3	.....	.....	46	10	76
	65 to 74 years F	374	.....	9	55	2	13	.....	.....	.....	36	5	68
43	75 to 84 years M	240	.....	3	15	2	2	.....	.....	.....	22	4	36
	75 to 84 years F	214	.....	3	13	1	5	.....	.....	.....	18	3	34
44	85 years or over M	80	.....	.....	1	.....	1	.....	.....	.....	5	.....	17
	85 years or over F	84	.....	.....	2	1	2	.....	.....	.....	3	.....	15
45	Unknown M	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1
	Unknown F	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910.

International List, see p. 22.]

CAUSE OF DEATH.																	
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.	
22,759	11,806	73,490	2,025	1,324	4,694	7,187	4,636	2,198	5,884	2,086	76,957	44,549	7,902	8,378	2,517	40,822	155,202	1
12,925	5,763	40,545	1,201	709	2,590	4,866	1,928	921	3,454	1,075	40,969	25,103	.....	6,449	1,676	32,480	82,175	2
9,834	6,043	32,945	824	615	2,104	2,321	2,708	1,277	2,430	1,011	35,988	19,446	7,902	1,929	841	8,342	73,027	3
497	2,929	16,784	225	24	871	18	154	216	413	134	32,989	462	.....	1	309	3,762	50,429	4
478	2,397	13,832	195	18	628	23	136	208	342	29	27,153	365	.....	.....	223	2,503	42,037	
120	16	370	15	1	32	6	17	57	393	2	158	102	.....	18	15	1,240	1,259	5
163	24	363	16	3	22	7	20	46	305	3	187	149	6	13	17	246	1,302	
127	23	706	55	2	28	9	21	60	421	10	180	186	.....	141	55	2,004	1,165	6
139	17	416	20	3	37	14	30	83	305	7	176	219	533	169	65	267	1,230	
156	28	962	69	2	49	25	46	60	395	20	237	278	.....	514	123	3,378	1,395	7
196	22	552	33	5	44	18	62	133	275	6	307	328	1,680	287	69	281	1,561	
471	75	2,382	122	16	148	248	163	104	596	51	627	1,161	.....	1,247	267	6,305	2,389	8
450	69	1,485	67	20	106	148	155	259	400	25	697	1,168	3,590	437	111	477	3,185	
817	110	3,589	150	44	188	792	229	103	493	93	874	2,289	.....	1,329	281	5,514	3,113	9
631	95	1,759	85	37	118	332	327	199	334	92	848	1,950	2,025	401	102	513	3,250	
1,478	208	4,115	171	98	251	1,238	331	90	384	150	1,126	4,024	.....	1,364	265	4,214	3,241	10
897	154	2,156	71	56	150	515	476	120	208	216	980	2,952	66	292	83	552	2,815	
2,233	371	4,060	151	154	293	1,235	382	88	208	152	1,316	5,459	.....	1,032	162	2,631	3,418	11
1,399	387	3,041	106	105	162	512	532	90	149	232	1,225	3,764	.....	172	64	594	2,770	
3,140	699	3,996	138	176	295	937	326	86	120	234	1,538	6,221	.....	536	124	1,792	5,127	12
2,167	948	4,376	123	182	310	471	554	76	75	235	1,916	4,596	.....	112	63	975	4,422	
2,967	899	2,788	84	159	292	320	220	49	26	187	1,424	4,010	.....	208	54	1,047	6,625	13
2,340	1,263	3,757	84	134	339	240	330	48	30	140	1,824	3,159	.....	37	38	1,246	6,272	
912	404	770	20	29	141	37	38	7	2	41	488	891	.....	29	14	374	3,457	14
969	664	1,197	24	51	187	41	84	15	6	25	666	790	.....	6	6	684	4,096	
7	1	23	1	4	2	1	1	1	3	1	12	20	.....	30	7	219	77	15
5	3	11	.....	1	1	.....	2	.....	1	1	9	6	2	3	.....	4	37	
13,869	8,387	53,711	1,349	579	3,324	4,011	3,113	1,693	4,564	1,112	69,992	27,056	5,271	4,905	1,596	24,417	131,545	16
7,892	4,197	29,132	762	281	1,806	2,714	1,270	680	2,617	582	37,526	15,270	.....	3,575	997	18,315	69,402	17
5,977	4,190	24,579	587	298	1,518	1,297	1,843	1,013	1,947	530	32,466	11,786	5,271	1,330	599	6,102	62,143	18
477	2,894	16,454	218	23	859	18	153	212	403	132	32,567	445	.....	1	306	3,580	49,721	19
468	2,344	13,480	188	17	612	23	136	203	325	29	26,799	360	.....	.....	219	2,399	41,392	
111	16	326	14	1	32	6	16	54	369	2	149	94	.....	16	12	1,127	1,172	20
148	20	334	15	3	22	7	17	45	283	3	177	144	5	13	15	226	1,203	
105	22	558	44	2	27	8	16	55	380	7	167	163	.....	110	36	1,484	960	21
116	13	349	20	2	33	12	28	72	280	6	153	193	441	137	47	225	1,083	
109	16	579	43	1	36	21	32	45	310	15	190	213	.....	344	71	1,849	960	22
158	15	396	25	4	30	13	53	109	229	5	254	274	1,229	227	47	198	1,256	
289	55	1,394	72	13	96	169	99	66	404	27	420	863	.....	763	155	2,995	1,778	23
330	49	984	46	14	82	103	121	215	305	17	524	855	2,324	313	84	325	2,438	
499	57	1,951	84	18	115	478	149	62	313	49	567	1,482	.....	793	146	2,429	1,939	24
423	66	1,120	49	20	74	194	221	155	231	57	596	1,343	1,237	259	61	301	2,377	
873	96	2,049	96	34	118	714	216	50	238	82	689	2,447	.....	679	109	1,847	1,954	25
546	74	1,219	44	33	103	259	319	82	136	126	638	1,811	35	195	49	322	1,959	
1,356	133	1,928	77	60	148	642	231	51	114	64	759	3,202	.....	520	74	1,322	2,095	26
757	168	1,556	59	49	83	283	331	51	92	109	722	2,103	.....	105	38	330	1,754	
1,811	258	1,966	58	64	135	483	208	52	70	105	894	3,546	.....	237	48	857	2,989	27
1,179	438	2,261	74	74	172	243	345	42	45	104	1,033	2,451	.....	60	24	512	2,621	
1,713	417	1,497	47	55	150	159	131	28	15	83	829	2,308	.....	101	30	600	3,823	28
1,266	620	2,132	51	53	187	132	209	30	17	64	1,087	1,764	.....	19	14	801	3,582	
545	232	426	9	10	88	16	19	5	.....	16	291	495	.....	8	10	213	1,984	29
583	382	743	16	29	119	28	62	9	3	10	427	483	.....	1	1	462	2,461	
4	1	4	.....	.....	2	.....	.....	.....	1	.....	4	12	.....	3	.....	12	27	30
3	1	5	.....	.....	1	.....	1	.....	1	.....	6	5	.....	1	.....	1	17	
257	69	883	23	29	50	196	61	33	91	47	270	630	296	231	54	1,540	909	31
165	38	577	15	20	37	141	28	19	55	28	157	379	.....	187	36	1,443	513	32
92	31	306	8	9	13	55	33	14	36	19	113	251	296	44	18	97	396	33
.....	4	31	1	1	1	.....	.....	.....	1	.....	34	1	.....	.....	.....	13	47	34
.....	5	42	.....	1	1	.....	.....	1	1	.....	33	.....	.....	.....	.....	7	65	
1	.....	4	.....	.....	.....	.....	.....	.....	3	.....	1	1	.....	1	.....	14	7	35
3	1	.....	1	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	.....	.....	.....	8	
3	1	14	.....	.....	1	.....	.....	.....	3	1	3	.....	.....	1	2	82	16	36
4	.....	7	.....	.....	1	.....	1	1	3	.....	3	3	11	6	5	5	21	
5	1	43	1	.....	2	.....	1	2	6	2	7	7	.....	17	4	252	41	37
7	2	24	1	.....	3	.....	1	3	5	.....	3	8	72	8	3	15	32	
23	3	91	2	.....	5	12	6	7	19	3	21	25	.....	47	7	478	113	38
12	1	51	2	2	.....	3	1	3	8	1	12	19	129	14	3	17	54	
28	5	133	1	3	3	36	6	5	14	4	28	56	.....	52	12	365	92	39
5	2	34	2	.....	1	12	5	2	7	1	8	31	81	6	1	17	62	
33	6	117	2	7	5	39	8	2	4	6	25	108	.....	36	4	166	63	40
13	3	41	1	.....	1	15	12	1	3	5	13	55	3	4	.....	12	34	
22	7	66	6	4	5	30	4	1	3	2	17	86	.....	20	3	41	37	41
14	1	36	.....	4	3	11	3	1	2	6	15	53	.....	2	1	9	28	
21	3	47	2	2	8	17	2	2	2	5	13	60	.....	11	3	19	29	42
10	6	37	1	.....	2	12	7	1	.....	2	14	47	.....	3	2	10	32	
22	6	23	.....	3	6	6	1	.....	.....	5	6	25	.....	1	1	6	45	43
17	8	25	.....	.....	.....	2	3	1	1	4	8	25	.....	1	3	4	35	
7	2	8	.....	.....	1	1	.....	.....	.....	.....	4	7	.....	.....	.....	3	23	44
7	2	9	.....	2	1	.....	.....	.....	.....	.....	4	10	.....	.....	.....	1	25	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	4	.....	45

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION

[For relation of titles to Abridged

	COUNTRY OF BIRTH, SEX, AND AGE PERIOD.	CAUSE OF DEATH. All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Organic diseases of heart.
	CANADA.												
1	Total	16,755	231	1,741	1,474	90	234	85	2	4	1,482	599	2,301
2	Male	8,881	153	934	600	32	105	71	2	2	729	322	1,199
3	Female	7,874	78	807	874	58	129	14	.....	2	753	237	1,102
4	Under 10 years	M. 259	2	7	.....	.....	.....	.....	.....	.....	1	19	2
		F. 250	1	6	1	2	.....	.....	.....	.....	.....	16	3
5	10 to 14 years	M. 48	1	1	1	.....	2	.....	.....	.....	1	4	4
		F. 41	3	7	.....	2	.....	.....	.....	.....	1	6	2
6	15 to 19 years	M. 104	9	25	.....	.....	1	.....	.....	.....	.....	3	6
		F. 96	6	26	2	.....	.....	.....	.....	.....	1	11	2
7	20 to 24 years	M. 238	18	66	3	1	1	1	.....	.....	2	10	8
		F. 258	11	88	2	2	2	1	.....	.....	.....	9	10
8	25 to 34 years	M. 733	46	201	5	3	7	5	.....	.....	9	25	33
		F. 750	21	247	26	5	6	3	.....	.....	12	25	28
9	35 to 44 years	M. 1,047	35	220	44	5	10	26	.....	.....	36	49	88
		F. 945	12	186	111	3	8	2	.....	1	41	36	103
10	45 to 54 years	M. 1,451	20	184	114	6	20	20	1	.....	82	73	175
		F. 1,213	14	123	232	11	26	5	.....	.....	104	45	142
11	55 to 64 years	M. 1,691	16	142	180	5	34	14	1	2	174	58	281
		F. 1,321	9	67	223	15	36	3	.....	1	150	39	243
12	65 to 74 years	M. 1,734	5	70	169	6	21	5	.....	.....	225	49	318
		F. 1,477	.....	48	192	9	40	.....	.....	.....	233	28	298
13	75 to 84 years	M. 1,206	1	17	73	6	8	.....	.....	.....	160	28	230
		F. 1,140	.....	9	65	9	11	.....	.....	.....	167	18	224
14	85 years or over	M. 364	.....	1	11	.....	1	.....	.....	.....	39	3	54
		F. 379	.....	.....	20	.....	.....	.....	.....	.....	44	4	45
15	Unknown	M. 6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F. 4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	ENGLAND AND WALES.												
16	Total	17,099	170	1,232	1,455	85	248	86	5	4	1,647	481	2,602
17	Male	9,698	125	807	614	38	121	74	5	2	823	304	1,461
18	Female	7,401	45	425	841	47	127	12	.....	2	824	177	1,141
19	Under 10 years	M. 85	2	2	1	.....	.....	.....	.....	.....	.....	4	.....
		F. 78	1	2	2	1	.....	.....	.....	.....	.....	7	1
20	10 to 14 years	M. 22	1	1	.....	.....	.....	.....	.....	.....	1	2	4
		F. 17	.....	.....	1	.....	.....	.....	.....	.....	.....	2	4
21	15 to 19 years	M. 61	3	10	2	.....	1	.....	.....	.....	.....	1	7
		F. 38	5	6	1	.....	1	.....	.....	.....	.....	1	6
22	20 to 24 years	M. 138	9	20	4	.....	.....	.....	1	1	2	6	6
		F. 92	4	33	1	1	1	.....	.....	.....	1	3	6
23	25 to 34 years	M. 517	44	135	6	3	3	6	.....	.....	4	16	26
		F. 452	9	106	25	1	2	3	.....	.....	3	12	32
24	35 to 44 years	M. 900	28	205	41	2	9	11	.....	1	19	37	76
		F. 674	7	108	81	5	12	3	.....	1	25	29	64
25	45 to 54 years	M. 1,457	19	191	100	5	17	20	1	.....	58	64	165
		F. 881	7	69	161	5	19	3	.....	.....	76	23	126
26	55 to 64 years	M. 1,808	12	137	167	4	34	17	1	.....	173	60	283
		F. 1,261	6	47	228	7	42	.....	.....	1	145	28	190
27	65 to 74 years	M. 2,301	6	84	194	16	42	17	1	.....	290	58	461
		F. 1,781	5	39	216	7	37	3	.....	.....	264	38	340
28	75 to 84 years	M. 1,764	1	22	81	7	11	3	1	.....	219	48	347
		F. 1,586	1	13	108	16	13	.....	.....	.....	249	29	301
29	85 years or over	M. 582	.....	.....	18	1	4	.....	.....	.....	57	8	86
		F. 538	.....	2	17	3	.....	.....	.....	.....	61	5	71
30	Unknown	M. 3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	FRANCE.												
31	Total	2,026	14	190	159	10	53	12	.....	.....	165	50	295
32	Male	1,233	10	127	80	6	25	10	.....	.....	90	32	174
33	Female	793	4	63	79	4	28	2	.....	.....	75	18	121
34	Under 10 years	M. 9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 13	.....	2	.....	.....	.....	.....	.....	.....	.....	2	.....
35	10 to 14 years	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	15 to 19 years	M. 5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 11	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	2
37	20 to 24 years	M. 23	.....	4	.....	.....	.....	.....	.....	.....	1	1	1
		F. 12	1	3	.....	.....	.....	.....	.....	.....	.....	.....	1
38	25 to 34 years	M. 75	1	20	.....	.....	.....	1	.....	.....	.....	2	6
		F. 52	1	17	2	1	.....	.....	.....	.....	.....	.....	1
39	35 to 44 years	M. 120	2	29	6	.....	1	3	.....	.....	2	6	8
		F. 75	1	12	7	1	2	2	.....	.....	4	6	3
40	45 to 54 years	M. 190	.....	32	16	.....	4	2	.....	.....	9	7	17
		F. 104	.....	13	17	.....	2	.....	.....	.....	8	1	16
41	55 to 64 years	M. 242	4	24	28	3	8	3	.....	.....	26	6	33
		F. 102	.....	5	15	.....	10	.....	.....	.....	6	1	19
42	65 to 74 years	M. 275	1	13	21	2	5	1	.....	.....	25	4	58
		F. 189	1	5	29	2	9	.....	.....	.....	21	6	31
43	75 to 84 years	M. 223	2	4	7	1	6	.....	.....	.....	18	6	43
		F. 168	.....	.....	7	.....	5	.....	.....	.....	29	2	36
44	85 years or over	M. 70	.....	.....	2	.....	1	.....	.....	.....	9	.....	8
		F. 64	.....	.....	2	.....	.....	.....	.....	.....	7	.....	12
45	Unknown	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910—Continued.

International List, see p. 22.]

CAUSE OF DEATH.																	
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.	
657	239	1,431	63	36	114	185	137	80	125	71	660	1,191	220	164	64	947	2,168	1
365	103	765	43	19	64	120	50	32	75	36	332	656	.....	130	48	797	1,097	2
292	136	666	20	17	50	65	87	48	50	35	328	535	220	34	16	150	1,071	3
.....	7	38	.....	.....	3	.....	.....	1	2	2	57	4	.....	.....	1	21	92	4
.....	10	40	.....	.....	4	.....	.....	.....	3	.....	67	.....	.....	.....	2	6	89	
.....	.....	7	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	1	12	10	5
.....	1	4	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	11	
2	.....	8	1	.....	.....	.....	.....	1	5	.....	2	2	.....	1	1	27	10	6
2	.....	7	.....	.....	.....	.....	.....	3	2	1	2	4	11	2	.....	3	11	
4	1	21	2	1	.....	.....	.....	2	4	.....	2	3	.....	1	1	72	14	7
4	1	17	1	.....	1	.....	2	5	5	.....	5	9	30	1	4	7	41	
7	1	72	6	.....	5	4	3	4	15	.....	11	20	.....	24	6	152	69	8
14	.....	52	3	.....	6	6	5	10	7	1	12	33	109	11	2	14	92	
20	2	105	7	1	8	20	5	4	17	3	21	60	.....	26	9	140	86	9
24	5	70	6	2	6	5	9	8	14	3	31	61	65	9	3	20	101	
55	6	119	5	3	12	31	13	6	18	3	41	125	.....	23	12	150	134	10
34	15	83	1	2	10	19	19	8	8	9	46	92	5	8	.....	18	134	
67	11	155	9	4	8	34	8	4	10	7	49	150	.....	31	7	104	126	11
53	16	114	4	3	5	14	22	6	5	6	45	118	.....	2	2	16	104	
107	33	125	10	5	12	27	15	4	2	10	69	164	.....	16	7	80	180	12
72	38	147	3	5	9	11	20	3	.....	9	52	116	.....	1	1	20	122	
84	33	84	3	3	13	3	4	4	1	7	61	104	.....	8	2	28	241	13
67	38	99	1	5	8	10	8	4	3	5	52	89	.....	.....	2	29	217	
19	9	30	.....	2	3	1	2	.....	.....	4	18	24	.....	.....	1	8	134	14
22	12	33	1	.....	1	.....	1	1	1	1	15	13	.....	.....	.....	17	148	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
889	274	1,528	64	83	152	231	157	45	95	88	592	1,563	146	203	56	890	2,028	16
538	146	910	44	52	96	153	63	21	54	40	281	897	.....	151	42	718	1,118	17
351	128	618	20	31	56	78	94	24	41	48	311	666	146	52	14	172	910	18
1	1	13	1	.....	1	.....	.....	.....	.....	.....	19	.....	.....	.....	.....	10	30	19
.....	1	9	1	.....	3	.....	.....	.....	.....	.....	15	.....	.....	.....	.....	6	29	
1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	3	5	20
1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	1	.....	.....	.....	1	3	
3	.....	2	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	3	.....	23	3	21
1	.....	2	.....	.....	.....	.....	.....	1	3	.....	1	.....	2	1	.....	.....	7	
4	.....	9	1	.....	.....	1	.....	1	6	.....	.....	3	.....	2	3	42	17	22
1	.....	9	.....	.....	.....	1	.....	1	2	.....	5	2	13	2	.....	1	5	
9	.....	41	5	1	2	1	4	.....	11	1	9	15	.....	14	3	114	44	23
16	.....	26	1	.....	1	2	.....	5	6	.....	14	21	84	13	3	8	59	
19	3	104	3	5	9	12	4	4	7	1	18	62	.....	24	6	132	58	24
21	.....	36	7	2	5	7	9	5	10	5	28	58	47	12	2	17	68	
53	6	175	9	10	17	31	11	3	5	4	38	130	.....	49	10	140	126	25
26	7	70	2	2	4	25	15	2	7	11	24	103	.....	11	3	9	71	
92	28	196	2	9	21	53	13	7	9	5	45	212	.....	30	10	99	149	26
68	18	111	3	4	8	14	28	2	3	13	54	134	.....	6	3	12	86	
157	33	191	13	10	19	33	16	4	7	13	76	241	.....	18	8	85	208	27
92	29	163	5	8	11	16	25	5	5	9	72	186	.....	5	.....	46	155	
148	52	134	6	15	16	20	12	2	5	12	55	188	.....	10	2	42	305	28
89	41	142	1	12	17	11	14	2	2	8	82	118	.....	2	2	49	264	
51	23	44	3	2	11	2	2	.....	.....	4	20	46	.....	.....	.....	28	172	29
36	32	49	.....	3	7	2	3	1	.....	2	15	43	.....	.....	1	23	162	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	30
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
96	30	162	4	8	9	57	11	8	12	8	62	206	17	48	9	105	226	31
59	19	99	4	6	7	41	6	5	7	4	28	131	.....	33	7	91	132	32
37	11	63	.....	2	2	16	5	3	5	4	34	75	17	15	2	14	94	33
.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	1	3	34
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	5	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	36
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	
1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	9	1	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	2	
.....	1	5	.....	.....	.....	2	2	1	2	.....	1	2	.....	7	2	13	7	38
.....	.....	2	.....	.....	.....	1	.....	1	1	1	1	3	11	2	.....	.....	7	
3	1	10	.....	.....	.....	3	.....	2	1	.....	1	9	.....	8	.....	14	11	39
2	.....	3	.....	.....	1	5	.....	.....	.....	.....	2	7	2	.....	.....	2	13	
6	1	15	1	1	2	17	1	1	1	1	5	14	.....	4	2	18	13	40
4	.....	7	.....	1	.....	5	2	1	1	.....	.....	16	.....	5	1	.....	4	
7	3	25	.....	1	1	8	.....	.....	3	.....	4	28	.....	5	.....	12	10	41
7	1	9	.....	.....	.....	1	.....	.....	2	1	7	12	.....	4	.....	1	1	
15	4	24	.....	1	.....	7	1	.....	.....	.....	7	41	.....	5	2	10	28	42
7	2	20	.....	1	.....	3	1	.....	.....	2	7	19	.....	2	.....	3	18	
23	7	14	3	.....	2	4	2	.....	.....	3	7	28	.....	2	.....	6	35	43
11	4	15	.....	.....	.....	1	2	1	.....	.....	11	14	.....	.....	1	5	24	
4	2	2	.....	3	2	.....	.....	.....	.....	.....	1	7	.....	1	.....	4	24	44
6	4	5	.....	.....	1	.....	.....	.....	.....	.....	5	4	.....	.....	.....	1	17	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION

[For relation of titles to Abridged

	COUNTRY OF BIRTH, SEX, AND AGE PERIOD.	CAUSE OF DEATH.											
		All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Organic diseases of heart.
	GERMANY.												
1	Total	48,850	373	3,116	4,829	244	967	139	11	9	4,497	1,128	7,549
2	Male	27,648	243	2,143	2,371	114	442	132	11	7	2,397	738	4,061
3	Female	21,202	130	973	2,458	130	525	7		2	2,100	390	3,488
4	Under 10 years (M)	90	3	3								6	4
	Under 10 years (F)	84	1	1		1					1	1	3
5	10 to 14 years (M)	29	2	2		1						3	5
	10 to 14 years (F)	23	2	2	1	2						3	4
6	15 to 19 years (M)	69	3	15		1	1					1	3
	15 to 19 years (F)	59	7	13	1		1					2	4
7	20 to 24 years (M)	242	32	55	2	1	1				2	4	10
	20 to 24 years (F)	183	11	47	3	1	1				2	4	10
8	25 to 34 years (M)	1,043	68	297	19	10	8	15			10	35	64
	25 to 34 years (F)	829	41	235	47	1	4	1			12	20	41
9	35 to 44 years (M)	2,142	46	457	110	8	20	25	4		65	102	160
	35 to 44 years (F)	1,335	18	208	178	9	12	1		2	53	42	122
10	45 to 54 years (M)	3,948	44	591	380	13	67	38	1		187	151	377
	45 to 54 years (F)	2,194	28	193	429	15	64	4			139	74	304
11	55 to 64 years (M)	5,518	24	425	694	17	132	32	4	2	420	156	812
	55 to 64 years (F)	3,454	11	122	661	21	179	1			355	64	576
12	65 to 74 years (M)	7,168	15	225	779	37	141	13	2	3	833	149	1,314
	65 to 74 years (F)	5,790	9	114	695	40	180				656	99	1,177
13	75 to 84 years (M)	5,813	4	62	345	21	67	8		2	704	109	1,083
	75 to 84 years (F)	5,540	2	34	394	33	81				718	57	999
14	85 years or over (M)	1,578	2	11	42	5	5	1			176	21	229
	85 years or over (F)	1,705		4	47	7	3				163	24	248
15	Unknown (M)	8										1	
	Unknown (F)	6			2						1		
	HUNGARY.												
16	Total	3,618	137	581	219	22	31	26	2	1	91	101	250
17	Male	2,317	107	360	109	13	14	24	2	1	66	72	133
18	Female	1,301	30	221	110	9	17	2			25	29	117
19	Under 10 years (M)	127	2	5								6	
	Under 10 years (F)	127	1	2							2	4	3
20	10 to 14 years (M)	19		1								1	5
	10 to 14 years (F)	11		2									3
21	15 to 19 years (M)	74	10	8	2							2	1
	15 to 19 years (F)	50	3	17			1	1				1	2
22	20 to 24 years (M)	232	25	41	5	1		1				3	4
	20 to 24 years (F)	164	7	52	2	1						4	7
23	25 to 34 years (M)	559	42	116	10	3	2	2	1	1	6	14	13
	25 to 34 years (F)	314	9	84	11	4	1					7	15
24	35 to 44 years (M)	536	21	93	22	2	2	13	1		11	27	37
	35 to 44 years (F)	239	8	44	27		2	1			5	2	22
25	45 to 54 years (M)	455	4	67	34	6	3	6			18	15	34
	45 to 54 years (F)	162	1	13	33	2	4				3	6	24
26	55 to 64 years (M)	179	1	24	22	1	6	2			13	3	23
	55 to 64 years (F)	124		7	25	1	5				6	4	16
27	65 to 74 years (M)	84	2	2	14		1				11		8
	65 to 74 years (F)	84	1		9	1	2				6		22
28	75 to 84 years (M)	36		1							5	1	5
	75 to 84 years (F)	19			3		2				1	1	3
29	85 years or over (M)	8									1		3
	85 years or over (F)	7									2		
30	Unknown (M)	8		2							1		
	Unknown (F)												
	IRELAND.												
31	Total	46,431	264	4,051	3,313	232	634	290	7	2	4,324	896	7,269
32	Male	22,323	166	2,488	1,375	102	220	230	7	1	1,804	460	3,250
33	Female	24,108	98	1,563	1,938	130	414	60		1	2,520	436	4,019
34	Under 10 years (M)	32		1								1	2
	Under 10 years (F)	36	1	3		1						1	2
35	10 to 14 years (M)	5	1	1									
	10 to 14 years (F)	7	1	3		2							
36	15 to 19 years (M)	27	1	11				1				1	1
	15 to 19 years (F)	46	4	18		1						3	1
37	20 to 24 years (M)	227	15	61			1	1			1	9	7
	20 to 24 years (F)	210	8	88	1	1	1				1	2	8
38	25 to 34 years (M)	1,254	55	427	10	2	6	29		1	12	29	53
	25 to 34 years (F)	1,040	20	362	51	6	5	11			17	20	65
39	35 to 44 years (M)	2,391	46	697	84	12	14	65	2		46	76	158
	35 to 44 years (F)	1,984	32	451	196	8	17	23			73	48	201
40	45 to 54 years (M)	3,219	23	619	208	12	38	65	3		150	82	286
	45 to 54 years (F)	2,690	15	264	361	17	54	15		1	182	58	364
41	55 to 64 years (M)	4,613	11	411	384	23	65	39	2		390	102	743
	55 to 64 years (F)	4,991	10	185	525	23	149	6			584	73	921
42	65 to 74 years (M)	5,769	10	204	457	27	71	22			653	91	1,112
	65 to 74 years (F)	6,991	6	134	536	44	130	5			933	133	1,382
43	75 to 84 years (M)	3,637	3	47	188	19	22	7			438	57	714
	75 to 84 years (F)	4,640	1	47	225	26	51				595	81	832
44	85 years or over (M)	1,130	1	8	43	7	3	1			110	12	172
	85 years or over (F)	1,453		6	40	1	7				134	16	239
45	Unknown (M)	19		1	1						4		2
	Unknown (F)	20		2	3						1	1	4

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910—Continued.

International List, see p. 22.]

CAUSE OF DEATH.																	
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.	
2,407	1,041	4,213	136	250	338	1,018	436	94	224	288	1,620	4,909	314	1,984	173	2,111	5,432	1
1,387	488	2,407	84	141	175	733	173	42	129	132	768	2,920	.....	817	121	1,619	2,853	2
1,020	553	1,806	52	109	163	285	263	52	95	156	852	1,989	314	167	52	492	2,579	3
3	2	17	1	.....	.....	.....	.....	.....	1	.....	21	1	.....	.....	.....	5	23	4
.....	.....	14	2	.....	3	.....	.....	.....	.....	.....	20	.....	.....	.....	.....	6	31	
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	6	6	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	3	3	
2	.....	5	.....	.....	.....	.....	.....	.....	3	.....	.....	2	.....	.....	1	22	10	
3	.....	2	.....	1	.....	.....	.....	.....	4	.....	1	2	7	2	2	3	4	6
3	.....	14	.....	.....	2	.....	.....	.....	5	.....	1	8	.....	10	8	59	25	
1	1	10	.....	1	2	1	1	4	1	.....	5	4	23	10	1	11	23	7
16	3	67	8	.....	7	17	5	1	16	3	26	32	.....	59	8	168	81	
12	5	37	4	1	1	5	5	8	13	3	26	33	145	24	3	15	87	8
52	13	217	8	6	15	63	10	.....	29	10	41	139	.....	122	15	262	143	
31	5	78	2	2	7	30	22	12	21	9	35	100	127	35	10	21	143	9
127	22	381	12	5	19	159	24	7	41	10	91	360	.....	220	35	355	231	
63	11	140	3	3	10	52	34	4	21	30	67	220	7	32	9	45	193	10
213	52	498	25	25	38	218	51	13	19	26	143	633	.....	206	24	296	320	
126	33	281	8	17	22	62	60	10	19	28	125	376	.....	29	7	55	206	11
397	136	626	18	48	37	193	44	12	12	33	191	928	.....	133	18	229	602	
277	144	529	11	44	36	82	84	6	11	47	236	656	.....	24	14	120	499	12
451	193	452	9	52	41	71	33	7	3	42	198	672	.....	55	11	159	959	
378	250	560	20	31	58	48	46	6	3	30	242	502	.....	9	4	135	900	13
123	67	125	3	5	16	12	6	2	.....	8	56	142	.....	11	1	57	452	
129	104	154	2	9	24	5	11	2	1	9	92	96	.....	2	2	78	489	14
.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	1	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	15
84	16	318	23	8	13	41	33	13	29	14	113	204	143	98	32	572	403	16
44	10	208	15	5	7	34	13	7	16	9	69	122	.....	71	24	540	222	17
40	6	110	8	3	6	7	20	6	13	5	44	82	143	27	8	32	181	18
.....	1	16	1	.....	1	.....	.....	.....	.....	.....	25	2	.....	.....	1	16	51	
3	3	22	2	.....	.....	.....	.....	.....	2	.....	20	.....	.....	.....	.....	7	56	19
.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	2	6	1	
1	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	20
1	.....	9	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	4	1	27	5	
1	.....	3	.....	.....	.....	.....	1	.....	.....	.....	1	1	3	4	3	3	5	21
3	1	16	1	.....	1	.....	1	1	4	.....	5	3	.....	14	3	85	14	
4	.....	11	2	.....	.....	.....	.....	1	4	1	4	2	41	3	1	4	13	22
11	.....	39	3	.....	1	3	3	3	6	1	13	16	.....	21	9	160	60	
2	.....	20	.....	.....	1	2	4	1	4	.....	9	18	69	8	1	4	40	23
9	1	50	4	1	2	10	5	.....	1	4	9	23	.....	12	3	139	34	
5	.....	11	2	.....	2	.....	9	2	1	.....	2	17	30	8	2	8	29	24
9	4	51	4	1	.....	11	3	2	.....	1	10	36	.....	13	4	81	38	
9	.....	15	.....	2	1	3	3	2	.....	1	5	12	.....	4	.....	2	17	25
5	.....	16	.....	3	1	7	1	.....	1	1	5	14	.....	6	1	15	8	
9	1	14	1	.....	1	.....	3	.....	.....	1	3	18	.....	.....	.....	1	8	26
4	1	8	1	.....	1	2	.....	.....	.....	2	.....	19	.....	.....	.....	6	2	
4	2	9	1	.....	.....	2	.....	.....	1	2	.....	12	.....	.....	.....	3	7	27
1	2	2	.....	.....	.....	1	.....	.....	.....	.....	1	9	.....	1	.....	.....	7	
2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	4	28
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
2,558	1,076	5,255	161	124	322	715	268	56	146	226	1,600	4,759	262	234	144	2,299	4,944	31
1,265	444	2,514	86	58	156	387	100	21	83	93	648	2,243	.....	169	92	1,617	2,244	32
1,293	632	2,741	75	66	166	328	168	35	63	133	952	2,516	262	65	52	682	2,709	33
2	1	4	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	3	12	
.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	5	1	.....	.....	.....	2	15	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	5	4	
.....	.....	2	.....	.....	.....	1	.....	.....	1	.....	2	2	.....	1	.....	1	9	36
3	1	18	1	.....	.....	.....	.....	.....	3	.....	3	4	.....	6	1	76	16	
1	.....	17	1	.....	.....	1	.....	1	5	.....	6	3	24	4	2	6	29	37
21	1	149	4	.....	3	14	2	.....	15	2	20	46	.....	26	11	239	77	
13	3	83	4	.....	4	14	2	2	11	1	29	58	134	6	1	15	103	38
45	10	293	18	1	9	59	11	2	20	.....	49	167	.....	35	13	306	153	
46	5	182	6	3	4	45	20	3	20	9	53	183	101	25	6	55	169	39
113	30	440	14	9	24	78	14	5	19	10	80	335	.....	31	30	324	177	
102	26	336	11	6	12	81	30	8	8	22	96	344	3	9	15	69	181	40
249	89	580	20	11	29	104	24	4	11	23	147	547	.....	37	18	267	283	
250	106	610	21	15	23	92	45	12	12	38	178	623	.....	7	8	112	363	41
391	151	597	20	17	43	97	22	7	11	34	146	710	.....	26	15	247	588	
393	208	871	21	24	58	66	38	5	4	38	302	787	.....	7	14	199	653	42
338	125	345	8	17	37	32	22	3	1	20	142	351	.....	6	3	109	583	
359	208	514	7	14	45	25	31	3	2	21	215	417	.....	5	6	159	751	43
102	36	87	1	3	11	3	5	.....	1	4	55	80	.....	2	1	35	347	
129	74	118	4	4	20	3	2	1	.....	3	65	98	.....	1	.....	64	424	44
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	4	3	
.....	2	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	3	45

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION

[For relation of titles to Abridged

	COUNTRY OF BIRTH, SEX, AND AGE PERIOD.	CAUSE OF DEATH.											
		All causes	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Organic diseases of heart.
	ITALY.												
1	Total	11,338	289	1,305	495	54	81	40	.....	.....	483	259	1,052
2	Male	7,401	225	743	247	31	40	40	.....	.....	282	186	528
3	Female	3,937	64	562	248	23	41	.....	.....	.....	201	73	524
4	Under 10 years	M. 350	5	4	.....	3	.....	.....	.....	.....	.....	11	2
		F. 312	5	9	2	2	1	.....	.....	.....	.....	11	4
5	10 to 14 years	M. 87	1	5	.....	1	.....	.....	.....	.....	.....	7	5
		F. 73	4	14	.....	2	1	.....	.....	.....	.....	1	10
6	15 to 19 years	M. 438	43	60	1	4	.....	1	.....	.....	2	13	14
		F. 234	7	79	1	2	.....	.....	.....	.....	1	10	14
7	20 to 24 years	M. 890	63	147	5	4	2	4	.....	.....	2	17	20
		F. 373	16	127	3	2	2	.....	.....	.....	1	4	25
8	25 to 34 years	M. 1,586	73	192	21	5	7	12	.....	.....	14	36	52
		F. 750	18	181	19	3	5	.....	.....	.....	5	17	43
9	35 to 44 years	M. 1,289	28	138	30	5	6	15	.....	.....	29	43	82
		F. 591	7	87	61	2	5	.....	.....	.....	16	8	66
10	45 to 54 years	M. 1,132	8	104	73	3	11	5	.....	.....	54	28	88
		F. 513	3	43	90	7	10	.....	.....	.....	34	13	88
11	55 to 64 years	M. 895	3	69	66	2	9	3	.....	.....	88	19	120
		F. 526	4	17	51	3	14	.....	.....	.....	66	5	120
12	65 to 74 years	M. 498	1	22	40	4	4	.....	.....	.....	62	8	97
		F. 345	.....	4	19	.....	3	.....	.....	.....	51	4	107
13	75 to 84 years	M. 189	.....	2	10	.....	1	.....	.....	.....	26	3	40
		F. 164	.....	.....	2	.....	.....	.....	.....	.....	23	.....	38
14	85 years or over	M. 47	.....	.....	1	.....	.....	.....	.....	.....	5	1	8
		F. 56	.....	1	.....	.....	.....	.....	.....	.....	4	.....	9
15	Unknown	M. 5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	POLAND.												
16	Total	3,118	90	486	217	18	18	18	3	1	96	72	273
17	Male	1,956	68	333	104	9	11	16	2	1	56	53	146
18	Female	1,162	22	153	113	9	7	2	1	.....	40	19	127
19	Under 10 years	M. 54	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....
		F. 59	.....	.....	1	.....	.....	.....	.....	.....	.....	3	2
20	10 to 14 years	M. 7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 14	.....	1	.....	1	.....	.....	.....	.....	.....	2	1
21	15 to 19 years	M. 54	9	10	.....	.....	.....	.....	.....	.....	.....	2	.....
		F. 50	2	17	.....	.....	.....	.....	.....	.....	1	.....	2
22	20 to 24 years	M. 192	18	45	.....	.....	.....	.....	.....	.....	.....	2	10
		F. 115	3	39	.....	1	.....	.....	1	.....	2	3	6
23	25 to 34 years	M. 372	23	93	6	1	2	3	.....	.....	2	9	13
		F. 216	10	42	9	1	1	.....	.....	.....	1	3	11
24	35 to 44 years	M. 436	14	91	19	3	.....	9	2	1	6	13	29
		F. 183	4	32	24	1	2	1	.....	.....	2	4	17
25	45 to 54 years	M. 364	3	53	31	2	2	3	.....	.....	12	12	29
		F. 154	3	14	31	2	1	1	.....	.....	8	.....	22
26	55 to 64 years	M. 223	.....	24	27	1	3	.....	.....	.....	12	4	26
		F. 146	.....	5	23	1	1	.....	.....	.....	10	2	33
27	65 to 74 years	M. 140	.....	14	17	.....	3	.....	.....	.....	10	5	18
		F. 117	.....	2	13	1	1	.....	.....	.....	9	.....	18
28	75 to 84 years	M. 80	.....	2	4	2	1	.....	.....	.....	11	2	15
		F. 66	.....	1	8	1	1	.....	.....	.....	4	2	8
29	85 years or over	M. 32	.....	.....	.....	.....	.....	.....	.....	.....	2	1	6
		F. 41	.....	.....	4	.....	.....	.....	.....	.....	3	.....	7
30	Unknown	M. 2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
		F. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	RUSSIA.												
31	Total	9,337	168	1,300	770	27	151	24	2	1	368	258	993
32	Male	5,647	127	874	408	9	63	23	2	.....	204	165	530
33	Female	3,690	41	426	362	18	88	1	.....	1	164	93	463
34	Under 10 years	M. 233	1	7	.....	.....	.....	.....	.....	.....	.....	8	2
		F. 232	4	5	.....	1	1	.....	.....	.....	.....	12	4
35	10 to 14 years	M. 73	1	3	1	.....	.....	.....	.....	.....	.....	4	10
		F. 67	1	4	.....	3	.....	.....	.....	.....	.....	3	14
36	15 to 19 years	M. 185	14	37	1	1	2	.....	.....	.....	.....	8	11
		F. 130	8	23	3	.....	1	.....	.....	.....	.....	8	15
37	20 to 24 years	M. 519	41	125	8	.....	5	3	.....	.....	.....	11	14
		F. 313	5	79	5	.....	1	.....	.....	.....	1	9	29
38	25 to 34 years	M. 1,094	46	256	32	2	7	7	1	.....	8	40	63
		F. 682	13	156	32	2	5	1	.....	.....	5	23	59
39	35 to 44 years	M. 1,131	15	216	82	2	6	9	1	.....	28	43	89
		F. 579	8	89	62	3	11	.....	.....	.....	13	15	56
40	45 to 54 years	M. 1,012	8	151	121	2	15	4	.....	.....	38	32	120
		F. 486	2	43	102	5	18	.....	.....	1	26	13	54
41	55 to 64 years	M. 682	.....	58	90	.....	14	.....	.....	.....	59	6	98
		F. 531	.....	17	92	.....	32	.....	.....	.....	46	4	93
42	65 to 74 years	M. 456	.....	14	53	2	12	.....	.....	.....	48	10	80
		F. 414	.....	9	46	4	16	.....	.....	.....	43	5	90
43	75 to 84 years	M. 188	1	5	18	.....	2	.....	.....	.....	19	3	32
		F. 185	.....	1	18	.....	3	.....	.....	.....	26	1	36
44	85 years or over	M. 69	.....	1	2	.....	.....	.....	.....	.....	4	.....	10
		F. 71	.....	.....	2	.....	.....	.....	.....	.....	4	.....	13
45	Unknown	M. 5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910—Continued.

International List, see p. 22.]

CAUSE OF DEATH.																	
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.	
296	123	1,658	49	24	69	159	77	35	130	46	314	568	365	151	79	1,748	1,389	1
191	60	1,127	37	13	45	127	49	21	92	37	191	332	.....	123	64	1,638	932	2
105	63	531	12	11	24	32	28	14	38	9	123	236	365	28	15	110	457	3
4	6	85	1	.....	2	.....	.....	1	2	.....	65	2	.....	.....	1	39	117	4
1	15	85	.....	.....	1	.....	.....	2	3	.....	42	.....	.....	.....	1	30	98	
4	.....	18	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....	27	15	5
5	1	6	.....	.....	.....	.....	.....	.....	4	.....	2	.....	1	.....	.....	8	14	
2	.....	57	6	.....	.....	.....	2	.....	9	1	3	5	.....	1	9	145	55	6
5	2	19	.....	.....	1	.....	.....	2	2	.....	7	3	25	6	1	9	38	
5	4	111	10	.....	4	.....	4	4	12	1	8	8	.....	20	8	315	112	7
3	1	31	.....	.....	3	1	2	2	5	.....	7	5	64	7	6	5	51	
29	6	186	10	.....	10	6	16	6	25	6	24	30	.....	38	20	522	240	8
10	3	84	4	1	3	3	7	3	8	.....	17	38	169	3	1	22	83	
30	4	196	5	.....	4	30	9	6	18	3	30	49	.....	24	13	328	164	9
13	4	66	3	3	4	7	6	3	7	2	14	27	102	7	2	13	56	
41	8	227	3	6	8	40	7	1	13	9	24	71	.....	22	5	171	102	10
22	6	56	2	1	3	8	5	1	3	1	11	49	4	2	2	12	37	
37	14	143	1	4	8	36	9	1	7	7	23	89	.....	12	7	64	54	11
21	11	80	3	1	3	6	4	1	5	4	6	63	.....	3	1	6	28	
23	13	69	.....	3	5	14	.....	1	5	7	7	47	.....	5	1	20	40	12
10	8	57	.....	3	2	4	4	.....	1	1	12	30	.....	.....	1	3	21	
12	3	31	.....	.....	4	1	1	1	.....	2	4	25	.....	.....	.....	2	21	13
10	8	37	.....	2	3	3	.....	.....	.....	1	3	14	.....	.....	.....	2	18	
4	2	4	.....	.....	.....	.....	.....	.....	.....	1	2	5	.....	1	.....	2	11	14
5	4	10	.....	.....	1	.....	.....	.....	.....	.....	2	7	.....	.....	.....	.....	13	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
74	32	315	9	20	20	74	22	10	28	10	122	211	123	31	9	406	310	16
40	15	217	8	13	14	45	11	6	20	6	61	127	.....	25	2	372	175	17
34	17	98	1	7	6	29	11	4	8	4	61	84	123	6	7	34	135	18
1	.....	12	1	.....	.....	.....	.....	.....	.....	.....	18	1	.....	.....	.....	6	11	19
.....	2	8	.....	.....	.....	.....	.....	.....	.....	.....	15	.....	.....	.....	.....	2	26	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	3	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	4	20
1	.....	8	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	16	5	
1	.....	5	.....	.....	1	1	.....	.....	.....	.....	1	1	9	.....	2	3	4	21
.....	.....	11	2	.....	1	1	1	1	2	1	3	3	.....	1	1	64	25	
4	.....	4	.....	.....	.....	.....	1	.....	2	.....	3	4	33	1	2	3	3	22
4	.....	33	.....	.....	4	4	.....	1	4	.....	6	11	.....	8	.....	119	26	
2	.....	17	.....	.....	1	3	2	1	4	.....	6	13	58	1	1	12	17	23
4	2	54	2	1	1	14	3	3	7	1	10	15	.....	4	1	96	31	
2	.....	18	.....	1	1	5	5	.....	.....	.....	7	8	23	1	1	3	21	24
11	2	47	2	3	6	13	1	.....	5	3	11	40	.....	4	.....	47	22	
5	.....	9	.....	2	1	7	.....	1	1	.....	7	23	.....	2	1	5	8	25
7	4	34	.....	3	1	9	3	.....	1	.....	4	30	.....	4	.....	15	11	
6	4	16	.....	1	1	8	2	2	.....	3	6	16	.....	.....	.....	.....	6	26
6	5	14	1	2	.....	.....	1	.....	.....	1	3	15	.....	2	.....	5	18	
5	7	10	.....	3	1	4	1	.....	1	1	11	11	.....	.....	.....	1	17	27
3	2	4	.....	4	.....	3	2	1	.....	.....	3	7	.....	2	.....	.....	12	
6	2	8	1	.....	.....	.....	.....	.....	.....	.....	4	6	.....	.....	.....	2	12	28
3	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	4	.....	.....	.....	2	11	
3	2	2	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	17	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	30
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
333	79	881	35	47	52	64	79	28	125	38	261	695	335	216	46	993	968	31
196	49	541	25	30	32	45	45	16	85	23	151	392	.....	171	34	866	541	32
137	30	340	10	17	20	19	34	12	40	15	110	303	335	45	12	127	427	33
7	6	32	1	.....	.....	.....	.....	1	2	.....	27	4	.....	.....	.....	32	103	34
4	1	44	.....	.....	2	.....	.....	2	3	.....	31	1	.....	.....	.....	20	97	
1	.....	7	.....	.....	.....	.....	.....	1	6	.....	2	3	.....	.....	.....	18	16	
3	.....	8	.....	.....	.....	.....	1	.....	3	.....	.....	1	.....	.....	.....	4	22	35
4	.....	15	.....	.....	.....	.....	.....	.....	5	.....	2	5	.....	11	2	42	25	
2	1	7	.....	.....	.....	.....	.....	1	5	.....	2	3	11	5	4	8	23	36
10	2	34	3	.....	.....	.....	3	3	12	.....	4	5	.....	35	5	157	39	
6	1	14	1	.....	1	1	1	1	4	.....	2	13	79	10	1	16	33	37
22	3	76	4	.....	3	2	10	4	27	2	31	32	.....	46	4	278	88	
17	2	50	.....	1	1	2	3	3	10	.....	11	24	163	11	3	21	64	38
31	4	120	4	1	5	16	9	3	23	7	39	64	.....	33	12	194	75	
22	4	44	1	3	1	4	13	1	9	3	21	35	79	13	2	13	54	39
29	13	100	6	9	3	16	10	4	8	5	24	89	.....	32	7	100	66	
24	4	38	4	1	1	6	8	1	2	4	21	59	3	6	.....	16	24	40
41	12	76	4	9	12	8	8	.....	2	3	11	80	.....	9	1	23	58	
27	4	61	2	3	6	4	6	2	2	3	9	72	.....	.....	.....	11	35	41
28	4	46	2	8	6	3	2	.....	.....	3	6	77	.....	5	2	13	32	
15	5	49	2	5	2	.....	2	1	2	5	11	61	.....	.....	1	11	29	42
14	1	28	1	.....	3	.....	2	.....	.....	3	4	23	.....	.....	.....	6	23	
14	4	15	.....	3	4	2	.....	.....	.....	.....	.....	29	.....	.....	1	4	24	43
9	4	6	.....	3	.....	.....	1	.....	.....	.....	1	10	.....	.....	1	1	16	
3	4	10	.....	1	2	.....	.....	.....	.....	.....	2	5	.....	.....	.....	3	22	44
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	45

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION

[For relation of titles to Abridged

	COUNTRY OF BIRTH, SEX, AND AGE PERIOD.	CAUSE OF DEATH. All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Organic diseases of heart.
	SCANDINAVIA.												
1	Total	13,261	411	1,640	1,265	88	146	108	5	1	844	344	1,454
2	Male	8,145	318	1,017	640	46	71	103	5	1	472	230	854
3	Female	5,116	93	623	625	42	75	5			372	114	600
4	Under 10 years	M 65	2	3	1							3	2
		F 37				2	1						2
5	10 to 14 years	M 20	1	1		1			1				2
		F 20	2	2			1					1	1
6	15 to 19 years	M 98	15	21	1	1	1					6	3
		F 58	11	14	1	1	1					3	1
7	20 to 24 years	M 341	63	77	2	1	2	1			2	6	8
		F 175	21	45	1		2				1	7	6
8	25 to 34 years	M 912	122	229	14	4	5	14			9	22	37
		F 549	14	204	19	2	9	1			3	8	31
9	35 to 44 years	M 1,230	62	274	57	9	6	26	1		21	44	86
		F 645	21	190	61	4	7	3			16	18	48
10	45 to 54 years	M 1,517	36	226	149	9	19	41	2	1	61	61	128
		F 790	15	92	167	3	14				40	26	86
11	55 to 64 years	M 1,345	12	126	203	7	16	11			97	46	160
		F 713	7	41	164	8	22	1			68	20	109
12	65 to 74 years	M 1,317	4	44	143	8	18	9	1		137	31	244
		F 897	1	29	141	11	14				101	18	148
13	75 to 84 years	M 995		13	59	5	4	1			120	9	152
		F 879		5	58	5	4				118	12	131
14	85 years or over	M 294		2	11	1					25	1	32
		F 353	1	1	13	6					25	1	37
15	Unknown	M 11	1	1								1	
		F											
	SCOTLAND.												
16	Total	4,585	39	382	378	23	52	33	1		423	122	670
17	Male	2,613	27	266	173	14	24	27	1		216	73	363
18	Female	1,972	12	116	205	9	28	6			207	49	307
19	Under 10 years	M 32	1	2								1	
		F 31		1							1	1	
20	10 to 14 years	M 5											1
		F 5											1
21	15 to 19 years	M 9		2			1					1	
		F 9		4							2	1	
22	20 to 24 years	M 44	4	14	1							2	
		F 33	2	5		1					1	2	4
23	25 to 34 years	M 182	13	48	1			4	1			2	10
		F 110	1	35	2		1	3				2	5
24	35 to 44 years	M 273	1	69	10	2	3	8			6	11	33
		F 175		31	14						2	12	21
25	45 to 54 years	M 403	4	73	28	2	3	5			18	15	47
		F 228	2	19	46	1	5	2			18	6	33
26	55 to 64 years	M 498	1	42	53		7	7			45	13	68
		F 330	3	11	56	1	10	1			39	7	47
27	65 to 74 years	M 554	3	9	52	5	6	3			71	14	88
		F 425	4	8	53	2	7				56	8	79
28	75 to 84 years	M 459		7	23	4	3				57	11	98
		F 455		2	31	4	4				73	4	94
29	85 years or over	M 152			4	1	1				19	3	18
		F 170			3		1				15	6	23
30	Unknown	M 2			1								
		F 1											
	OTHER FOREIGN COUNTRIES.												
31	Total	10,675	318	1,493	774	59	103	61	4	1	549	270	1,198
32	Male	6,940	247	950	378	36	55	55	4		304	193	739
33	Female	3,735	71	543	396	23	48	6		1	245	77	459
34	Under 10 years	M 190	1	8		1					2	11	2
		F 144	6	7	2	2					2	6	2
35	10 to 14 years	M 50	5	4	1	2	1					3	1
		F 46	5	12								2	3
36	15 to 19 years	M 223	22	39	1	2	1				1	16	1
		F 103	6	44	1		1					4	5
37	20 to 24 years	M 608	68	108	5	4	1	3			2	19	18
		F 204	12	88	1	3	1					2	6
38	25 to 34 years	M 1,178	93	252	14	6	3	11			3	29	40
		F 489	18	180	14	1	3	1			7	12	25
39	35 to 44 years	M 1,016	33	226	34	6	5	18			21	29	56
		F 420	15	90	51	3	4	4			9	13	27
40	45 to 54 years	M 936	13	159	71	4	9	11			39	34	100
		F 447	6	58	102	4	6	1		1	21	6	55
41	55 to 64 years	M 895	9	87	115	5	15	10	2		55	26	123
		F 521	2	37	94	2	16				45	10	91
42	65 to 74 years	M 962	2	47	98	4	15	2	2		94	16	214
		F 686	1	21	83	4	10				82	12	131
43	75 to 84 years	M 673		15	37	1	4				66	8	152
		F 507		4	41	4	6				61	8	96
44	85 years or over	M 195		4	2	1	1				21	1	32
		F 166		2	7		1				18	2	18
45	Unknown	M 14	1	1								1	
		F 2											

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910—Continued.

International List, see p. 22.]

CAUSE OF DEATH.																		
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.	
416	159	1,073	40	40	74	149	91	47	162	47	438	991	161	270	75	983	1,739	1
258	68	683	28	21	44	118	39	20	103	26	223	621	.....	230	57	875	974	2
158	91	390	12	19	30	31	52	27	59	21	215	370	161	40	18	108	765	3
1	1	11	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	.....	.....	.....	6	25	4
.....	2	7	.....	.....	.....	.....	.....	.....	3	.....	4	.....	.....	.....	1	1	14	
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....	4	5	5
.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	1	7	
1	.....	5	1	.....	.....	.....	1	.....	5	.....	.....	2	.....	2	.....	22	11	6
3	.....	1	.....	.....	.....	.....	.....	2	5	.....	1	2	3	2	.....	2	5	
1	1	22	1	.....	2	.....	.....	.....	13	1	3	6	.....	8	8	85	28	7
3	.....	10	.....	.....	1	.....	.....	2	5	.....	8	2	22	5	2	3	29	
14	.....	60	2	.....	3	3	2	5	20	.....	12	29	.....	38	9	192	67	8
3	2	34	2	.....	2	2	2	4	16	1	16	22	72	8	3	11	58	
26	3	136	3	1	7	25	6	5	19	5	15	62	.....	42	12	180	97	9
12	2	43	4	.....	3	5	4	3	5	3	20	34	61	7	4	7	60	
44	6	141	7	6	11	33	12	6	19	5	39	96	.....	62	17	178	102	10
16	6	56	2	2	3	11	15	5	13	2	30	87	3	6	2	16	72	
47	6	125	3	4	7	29	9	2	15	5	34	142	.....	45	5	109	80	11
20	6	54	2	2	3	5	13	2	6	7	22	62	.....	4	.....	9	56	
59	22	102	8	6	4	20	5	1	8	8	48	144	.....	20	3	56	164	12
35	22	74	2	7	7	5	8	7	2	7	54	79	.....	6	3	18	98	
49	20	67	2	3	7	8	4	1	1	.....	46	111	.....	11	3	35	264	13
48	39	82	.....	7	7	3	10	1	2	1	48	69	.....	.....	1	28	200	
16	9	13	1	1	3	.....	.....	.....	.....	2	15	27	.....	1	.....	5	129	14
18	12	27	.....	1	4	.....	.....	1	1	.....	11	12	.....	2	2	12	166	
.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	3	2	15
218	84	386	14	13	41	73	32	10	27	13	177	364	51	47	22	292	593	16
124	35	223	13	9	27	45	13	6	18	8	94	218	.....	41	15	235	305	17
94	49	163	1	4	14	28	19	4	9	10	83	146	51	6	7	57	288	18
.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	10	.....	.....	.....	.....	4	10	19
1	.....	2	.....	.....	.....	.....	.....	.....	1	.....	7	.....	.....	.....	.....	1	16	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	20
.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	21
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
.....	.....	6	1	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	12	.....	22
.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	1	1	8	.....	.....	1	4	
1	.....	14	1	.....	1	.....	.....	.....	4	1	7	6	.....	5	.....	53	10	23
3	.....	7	.....	.....	.....	.....	1	1	2	.....	2	6	26	1	1	1	10	
6	1	21	3	1	1	2	2	.....	3	.....	8	13	.....	7	7	33	22	24
4	.....	13	.....	1	1	5	1	.....	3	.....	6	13	17	3	3	6	19	
14	1	39	2	.....	5	11	2	2	4	.....	6	33	.....	10	3	45	31	25
9	.....	15	.....	.....	.....	12	3	1	1	2	7	18	.....	.....	.....	7	21	
20	3	47	2	6	5	16	6	.....	5	1	20	56	.....	9	1	33	32	26
13	6	31	.....	.....	1	3	4	.....	1	3	9	38	.....	1	.....	13	32	
39	9	53	1	.....	8	12	1	2	1	3	20	55	.....	8	3	32	56	27
23	13	36	.....	3	5	7	6	1	1	2	16	35	.....	1	1	9	49	
35	12	31	2	2	3	4	1	2	.....	3	14	40	.....	1	.....	12	94	28
30	14	44	1	.....	4	1	3	.....	.....	3	24	29	.....	.....	2	11	77	
9	9	7	1	.....	3	.....	1	.....	.....	.....	5	14	.....	1	.....	6	50	29
10	15	12	.....	.....	3	.....	.....	.....	.....	.....	10	6	.....	.....	.....	8	58	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	30
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
356	143	947	38	45	67	125	76	28	88	43	379	649	175	202	43	1,141	1,300	31
227	69	622	27	27	45	90	41	16	69	28	216	401	.....	178	37	1,063	823	32
129	74	325	11	18	22	35	35	12	19	15	163	248	175	24	6	78	477	33
.....	5	33	.....	.....	2	.....	.....	.....	2	.....	41	2	.....	.....	.....	21	59	34
1	11	16	.....	.....	1	.....	.....	.....	1	.....	30	.....	.....	.....	.....	10	47	
2	.....	4	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	14	10	35
2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	17	
2	.....	17	1	.....	.....	1	1	2	5	.....	3	1	.....	6	.....	55	46	36
.....	1	9	.....	.....	1	.....	.....	.....	.....	.....	.....	4	10	1	1	3	12	
6	1	64	3	.....	1	1	4	.....	14	.....	8	11	.....	22	4	168	73	37
3	1	6	1	.....	2	.....	.....	4	6	.....	2	1	28	3	.....	7	27	
18	1	95	5	2	4	7	7	5	23	4	16	17	.....	38	12	341	132	38
13	4	24	1	1	3	1	2	2	5	.....	11	13	86	9	1	7	45	
23	3	104	6	3	6	12	7	6	8	3	21	38	.....	30	5	223	90	39
10	2	29	1	.....	6	4	2	2	3	.....	13	16	47	4	1	11	53	
34	5	100	5	3	9	21	5	.....	5	3	21	52	.....	36	8	123	66	40
15	1	52	1	1	.....	9	9	1	2	2	13	37	3	2	1	8	30	
34	8	80	1	7	3	24	8	3	5	5	28	91	.....	30	2	57	62	41
21	8	45	3	6	1	5	8	.....	.....	8	18	49	.....	4	.....	5	43	
52	21	69	3	5	10	19	4	.....	2	6	33	92	.....	13	5	41	93	42
29	22	79	2	4	5	13	10	3	2	3	28	69	.....	.....	1	9	63	
45	19	45	1	5	8	5	4	.....	.....	6	33	80	.....	2	1	12	124	43
26	17	49	1	6	2	2	3	.....	.....	2	34	50	.....	1	1	8	85	
11	6	11	2	.....	2	.....	1	.....	1	1	12	17	.....	1	.....	2	66	44
9	7	14	1	.....	1	1	1	.....	.....	.....	11	9	.....	.....	.....	10	54	
.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	6	2	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION

[For relation of titles to Abridged

	COUNTRY OF BIRTH, SEX, AND AGE PERIOD.	CAUSE OF DEATH.											
		All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Organic diseases of heart.
	UNKNOWN.												
1	Total	10,068	175	660	317	25	68	260	2	24	598	377	960
2	Male	7,826	156	498	178	15	39	238	2	19	401	245	696
3	Female	2,242	19	162	139	10	29	22	.....	5	197	132	264
4	Under 10 years (M)	274	2	8	.....	.....	.....	.....	.....	.....	2	7	1
	Under 10 years (F)	254	1	2	.....	.....	.....	.....	.....	.....	1	9	.....
5	10 to 14 years (M)	19	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....
	10 to 14 years (F)	16	1	1	.....	.....	.....	.....	.....	.....	.....	1	1
6	15 to 19 years (M)	100	6	8	.....	.....	.....	.....	.....	.....	3	3	1
	15 to 19 years (F)	27	2	6	1	2	.....	.....	.....	.....	.....	1	1
7	20 to 24 years (M)	294	34	22	1	.....	1	4	.....	.....	1	4	4
	20 to 24 years (F)	63	3	14	.....	.....	.....	1	.....	.....	1	5	4
8	25 to 34 years (M)	1,048	48	90	3	.....	3	24	.....	4	14	30	26
	25 to 34 years (F)	171	8	29	6	1	3	5	.....	1	1	13	5
9	35 to 44 years (M)	1,583	32	121	21	1	7	69	.....	8	39	49	77
	35 to 44 years (F)	245	2	38	10	1	1	5	.....	1	7	19	28
10	45 to 54 years (M)	1,569	16	114	29	3	9	68	2	4	70	56	132
	45 to 54 years (F)	252	.....	30	30	2	4	7	.....	1	17	14	32
11	55 to 64 years (M)	1,125	5	62	51	3	7	39	.....	.....	101	40	176
	55 to 64 years (F)	304	1	19	28	3	4	2	.....	1	43	27	54
12	65 to 74 years (M)	875	3	51	42	6	3	22	.....	.....	91	31	155
	65 to 74 years (F)	361	1	12	32	.....	12	.....	.....	1	46	18	64
13	75 to 84 years (M)	468	3	9	23	1	7	3	.....	2	53	17	86
	75 to 84 years (F)	370	.....	9	24	1	5	.....	.....	.....	60	16	52
14	85 years or over (M)	134	.....	1	3	.....	1	.....	.....	.....	17	1	24
	85 years or over (F)	140	.....	.....	6	.....	.....	.....	.....	.....	19	8	18
15	Unknown (M)	337	6	9	5	.....	1	9	.....	1	10	7	14
	Unknown (F)	39	.....	2	2	.....	.....	2	.....	.....	2	1	5

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910—Continued.

International List, see p. 22.]

CAUSE OF DEATH.																		
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Childbirth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.	
249	54	729	17	18	49	89	43	18	38	30	357	553	23	594	115	2,378	1,248	1
174	22	520	10	14	35	73	27	9	31	23	224	394		548	100	2,291	844	2
75	32	209	7	4	14	16	16	9	7	7	133	159	23	46	15	87	404	3
1	1	33			1		1				87					5	125	4
	3	56	2		1						64	3				5	107	
		1							2		1					2	8	5
		3					1								1	1	6	
		7	1					1	1	1		1		2	2	48	15	6
1		2						1			1	1		1		1	6	
2		12						1	3		1	2		33	5	133	30	7
1		1	1		1				2		2		5	5		4	13	
7	1	60			4	4	4	1	5	1	10	17		113	21	481	77	8
3		14			1	1					7	12	11	13	4	5	28	
22	1	95	2	2	3	12	3	1	13	3	17	50		117	27	673	118	9
11		12	2		2	4	1	3	3		12	17	6	12	4	19	25	
36	2	114	3	1	12	24	4	1	4	8	22	88		143	19	469	116	10
9	1	19			1	3	2	2	2	1	2	26		6		11	30	
36	1	91	1	4	6	17	7	2	3	3	27	99		68	9	174	93	11
7	4	23			2	4	3	1		2	6	27		5	4	14	20	
30	6	59	1	5	7	10	5	1		4	25	82		37	9	92	98	12
16	4	34	1	1		3	3	2		3	18	37		3	1	11	38	
29	7	31	2		2	3	1			1	21	39		8	1	30	89	13
17	10	34	1	1	3		1			1	14	32			1	9	79	
8	3	6				1	1			1	7	13		3		8	36	14
9	10	9		1	3	1	4				6	3				4	39	
3		11		2		1	1	1		1	6	3		24	7	176	39	15
1		2		1			1				1	1	1	1		3	13	

TABLE 14.—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO SEX AND ACCORDING TO FOR THE ORIGINAL

[The states covered by this table (as well as by the tables in the 1908 and 1909 reports which give corresponding figures for the years 1900–1909, inclusive) are the original Michigan, New Hampshire, New Jersey,

	AGE (COMPLETED MONTHS OR YEARS).	DEATHS, 1910.							
		1. Aggregate.		2. Of white.		3a. Of native white (not including white of unknown nativity).		3b. Of white of unknown nativity.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	All ages	201,173	175,842	194,791	170,233	139,284	122,903	2,517	984
2	Under 5 years	55,246	45,403	53,425	43,787	52,663	43,090	114	111
3	Under 1 year	40,134	31,962	38,856	30,853	38,612	30,612	54	45
4	Under 1 month	15,257	11,404	14,803	11,044	14,789	11,032	6	7
5	1 month	4,057	3,110	3,941	3,007	3,923	2,992	10	7
6	2 months	3,349	2,757	3,233	2,664	3,218	2,649	8	6
7	3 months	2,858	2,374	2,774	2,284	2,756	2,268	6	2
8	4 months	2,534	2,016	2,457	1,943	2,436	1,921	7	5
9	5 months	2,224	1,923	2,158	1,861	2,138	1,833	4	4
10	6 months	2,133	1,767	2,052	1,703	2,029	1,687	3	1
11	7 months	1,850	1,477	1,789	1,407	1,768	1,382	2	1
12	8 months	1,697	1,415	1,640	1,363	1,614	1,333	1	2
13	9 months	1,565	1,301	1,503	1,255	1,484	1,236	2	2
14	10 months	1,261	1,194	1,216	1,138	1,195	1,120	2	4
15	11 months	1,349	1,224	1,290	1,184	1,267	1,159	3	4
16	1 year	8,024	7,017	7,719	6,730	7,489	6,532	40	44
17	2 years	3,531	3,112	3,400	3,009	3,271	2,910	14	13
18	3 years	2,116	1,968	2,053	1,901	1,971	1,815	4	7
19	4 years	1,441	1,344	1,397	1,294	1,320	1,221	2	2
20	5 to 9 years	4,129	3,843	4,005	3,726	3,736	3,439	6	9
21	5 years	1,100	1,075	1,072	1,047	1,014	976	3	3
22	6 years	951	905	921	891	858	829	----	1
23	7 years	808	749	789	724	730	660	1	----
24	8 years	672	587	651	564	601	526	----	3
25	9 years	598	527	572	500	533	448	2	2
26	10 to 14 years	2,617	2,478	2,523	2,353	2,278	2,127	9	9
27	10 years	501	465	486	450	435	408	1	1
28	11 years	537	404	517	382	476	347	----	1
29	12 years	478	510	464	484	416	438	3	1
30	13 years	553	497	532	469	474	425	4	2
31	14 years	548	602	524	568	477	509	1	4
32	15 to 19 years	4,317	3,908	4,129	3,673	3,314	3,046	39	5
33	15 years	577	588	549	554	490	502	3	----
34	16 years	661	680	629	639	540	552	4	----
35	17 years	903	805	865	759	722	637	9	----
36	18 years	1,030	895	996	840	768	661	14	2
37	19 years	1,146	940	1,090	881	794	694	9	3
38	20 to 24 years	6,474	5,948	6,152	5,616	4,114	4,178	73	15
39	20 years	1,189	1,081	1,143	1,018	800	793	14	6
40	21 years	1,276	1,097	1,207	1,039	840	801	10	1
41	22 years	1,379	1,232	1,320	1,172	864	873	21	4
42	23 years	1,311	1,249	1,240	1,176	796	855	17	3
43	24 years	1,319	1,289	1,242	1,211	814	856	11	1
44	25 to 29 years	7,085	6,367	6,697	6,023	4,267	4,129	116	24
45	25 years	1,414	1,216	1,344	1,149	844	781	42	7
46	26 years	1,348	1,269	1,285	1,195	829	839	18	6
47	27 years	1,427	1,277	1,340	1,214	856	849	19	5
48	28 years	1,540	1,371	1,447	1,291	890	840	23	2
49	29 years	1,356	1,234	1,281	1,174	848	820	14	4
50	30 to 34 years	7,713	6,378	7,265	6,045	4,623	3,997	142	25
51	30 years	1,731	1,378	1,607	1,301	914	827	82	5
52	31 years	1,239	1,090	1,179	1,033	824	725	11	2
53	32 years	1,605	1,324	1,528	1,254	973	817	20	8
54	33 years	1,524	1,267	1,441	1,205	933	793	15	6
55	34 years	1,614	1,319	1,510	1,252	979	835	14	4
56	35 to 39 years	8,997	6,926	8,540	6,591	5,165	4,185	248	44
57	35 years	2,043	1,435	1,925	1,357	1,100	876	145	14
58	36 years	1,634	1,324	1,570	1,265	988	809	30	6
59	37 years	1,660	1,332	1,572	1,279	1,006	820	22	7
60	38 years	1,944	1,513	1,839	1,434	1,073	868	44	13
61	39 years	1,716	1,322	1,634	1,256	998	812	7	4
62	40 to 44 years	9,295	6,891	8,871	6,554	4,925	4,045	256	55
63	40 years	2,427	1,680	2,293	1,568	1,164	922	189	26
64	41 years	1,520	1,149	1,462	1,111	913	750	14	4
65	42 years	2,005	1,457	1,913	1,397	1,043	844	21	14
66	43 years	1,697	1,312	1,625	1,252	931	777	15	6
67	44 years	1,646	1,293	1,578	1,226	874	752	17	5
68	45 to 49 years	9,772	7,253	9,398	6,963	5,125	4,178	221	45
69	45 years	2,229	1,495	2,119	1,423	991	782	143	11
70	46 years	1,749	1,320	1,693	1,269	889	774	23	4
71	47 years	1,827	1,403	1,770	1,350	1,030	824	15	2
72	48 years	2,035	1,589	1,959	1,532	1,104	880	24	16
73	49 years	1,932	1,446	1,857	1,389	1,111	918	16	12
74	50 to 54 years	10,686	8,319	10,316	8,019	5,899	4,864	237	53
75	50 years	2,664	2,008	2,533	1,902	1,268	1,097	161	26
76	51 years	1,737	1,406	1,695	1,359	1,021	820	17	8
77	52 years	2,228	1,732	2,158	1,666	1,257	1,004	19	11
78	53 years	1,959	1,574	1,888	1,542	1,142	981	20	3
79	54 years	2,098	1,599	2,042	1,550	1,211	962	20	5

COLOR, NATIVITY, AND PARENT NATIVITY OF DECEDENT, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, REGISTRATION STATES: 1910.

registration states included in the registration area as it existed in the calendar year 1900, namely, Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, New York, Rhode Island, and Vermont.]

DEATHS, 1910.														
4a. Of native white, both parents native.		4b. Of native white, one parent native, one unknown, or both unknown.		5. Of native white of foreign parents (one or both parents foreign born).		6. Of foreign-born white.		7. Of colored.		8. Of negro.		9. Of other colored.		
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
68,308	63,016	14,100	12,202	56,876	47,685	52,990	46,346	6,382	5,609	6,052	5,481	330	128	1
21,096	16,747	2,091	1,820	29,476	24,523	648	586	1,821	1,616	1,773	1,582	48	34	2
15,647	11,970	1,900	1,640	21,065	17,002	190	196	1,278	1,109	1,242	1,088	36	21	3
6,899	4,947	613	471	7,277	5,614	8	5	454	360	444	357	10	3	4
1,455	1,109	469	366	1,999	1,517	8	8	116	103	115	102	1	1	5
1,197	1,053	237	247	1,784	1,349	7	9	116	93	109	90	7	3	6
1,089	849	131	150	1,536	1,269	12	14	84	90	79	86	5	4	7
901	668	122	96	1,413	1,157	14	17	77	73	74	70	3	3	8
808	676	72	76	1,258	1,081	16	24	66	62	66	61	.....	1	9
733	577	68	67	1,228	1,043	20	15	81	64	79	63	2	1	10
647	469	56	48	1,060	865	24	24	61	70	59	69	2	1	11
546	433	42	36	1,026	864	25	28	57	52	56	50	1	2	12
499	444	31	26	954	766	17	17	62	46	60	45	2	1	13
422	371	27	35	746	714	19	14	45	56	44	56	1	.....	14
451	374	32	22	784	763	20	21	59	40	57	39	2	1	15
2,731	2,375	101	103	4,657	4,054	190	154	305	287	297	283	8	4	16
1,308	1,167	42	38	1,921	1,705	115	86	131	103	129	99	2	4	17
822	719	25	17	1,124	1,079	78	79	63	67	63	63	.....	4	18
588	516	23	22	709	683	75	71	44	50	42	49	2	1	19
1,751	1,600	55	45	1,930	1,794	263	278	124	117	114	110	10	7	20
450	420	9	11	555	545	55	68	28	28	26	25	2	3	21
404	394	12	8	442	427	63	61	30	14	27	14	3	.....	22
339	328	11	9	380	323	58	64	19	25	17	23	2	2	23
311	238	12	9	278	279	50	35	21	23	19	23	2	.....	24
247	220	11	8	275	220	37	50	26	27	25	25	1	2	25
1,180	1,128	48	41	1,050	958	236	217	94	125	91	116	3	9	26
213	206	10	9	212	193	50	41	15	15	14	14	1	1	27
238	190	14	10	224	147	41	34	20	22	20	21	.....	1	28
217	250	6	11	193	177	45	45	14	26	14	25	.....	1	29
241	224	11	6	222	195	54	42	21	28	21	24	.....	4	30
271	258	7	5	199	246	46	55	24	34	22	32	2	2	31
1,702	1,583	110	75	1,502	1,388	776	622	188	235	176	225	12	10	32
260	262	10	9	220	231	56	52	28	34	27	33	1	1	33
276	280	15	11	249	261	85	87	32	41	27	38	5	3	34
359	328	24	19	339	290	134	122	38	46	37	45	1	1	35
412	331	27	13	329	317	214	177	34	55	33	53	1	2	36
395	382	34	23	365	289	287	184	56	59	52	56	4	3	37
2,068	2,191	199	201	1,847	1,786	1,965	1,423	322	332	310	324	12	8	38
409	409	41	39	350	345	329	219	46	63	46	61	.....	2	39
414	444	41	38	385	319	357	237	69	58	64	57	5	1	40
443	443	35	35	386	395	435	295	59	60	56	58	3	2	41
391	455	43	47	362	353	427	318	71	73	69	72	2	1	42
411	440	39	42	364	374	417	354	77	78	75	76	2	2	43
2,002	2,077	251	236	2,014	1,816	2,314	1,870	388	344	367	337	21	7	44
422	396	52	37	370	348	458	361	70	67	68	65	2	2	45
393	428	45	44	391	367	438	350	63	74	60	74	3	.....	46
391	434	48	51	417	364	465	360	87	63	80	61	7	2	47
411	416	59	57	420	367	534	449	93	80	87	79	6	1	48
385	403	47	47	416	370	419	350	75	60	72	58	3	2	49
1,871	1,814	277	266	2,475	1,917	2,500	2,023	448	333	415	328	33	5	50
394	369	58	63	462	395	611	469	124	77	114	76	10	1	51
350	348	46	44	428	333	344	306	60	57	56	57	4	.....	52
395	385	59	57	519	375	535	429	77	70	73	68	4	2	53
370	348	53	56	510	389	493	406	83	62	78	61	5	1	54
362	364	61	46	556	425	517	413	104	67	94	66	10	1	55
2,017	1,869	375	340	2,773	1,976	3,127	2,362	457	335	431	330	26	5	56
401	377	91	64	608	435	680	467	118	78	107	78	11	.....	57
399	357	70	69	519	383	552	450	64	59	58	57	6	2	58
401	370	66	70	539	380	544	452	88	53	86	52	2	1	59
403	386	80	75	590	407	722	553	105	79	99	78	6	1	60
413	379	68	62	517	371	629	440	82	66	81	65	1	1	61
1,973	1,784	433	334	2,519	1,927	3,690	2,454	424	337	394	335	30	2	62
413	388	124	77	627	457	940	620	134	112	128	112	6	.....	63
378	324	75	61	460	365	535	357	58	38	50	38	8	.....	64
430	368	86	72	527	404	849	539	92	60	85	60	7	.....	65
381	358	79	66	471	353	679	469	72	60	66	58	6	2	66
371	346	69	58	434	348	687	469	68	67	65	67	3	.....	67
2,113	1,933	547	399	2,465	1,846	4,052	2,740	374	290	333	288	41	2	68
358	331	126	74	507	377	985	630	110	72	92	72	18	.....	69
362	342	79	66	448	366	781	491	56	51	50	49	6	2	70
442	416	98	74	490	334	725	524	57	53	54	53	3	.....	71
465	405	111	79	528	396	831	636	76	57	67	57	9	.....	72
486	439	133	106	492	373	730	459	75	57	70	57	5	.....	73
2,733	2,440	727	546	2,439	1,878	4,180	3,102	370	300	347	297	23	3	74
544	517	163	121	571	459	1,104	779	131	106	122	105	9	1	75
498	407	100	97	423	316	657	531	42	47	38	46	4	1	76
562	514	164	115	531	375	882	651	70	66	67	65	3	1	77
528	517	158	105	456	359	726	558	71	32	65	32	6	.....	78
601	485	152	108	458	369	811	583	56	49	55	49	1	.....	79

TABLE 14.—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO SEX AND ACCORDING TO COLOR, THE ORIGINAL REGISTRATION

[See note at head of this table.]

	AGE (COMPLETED MONTHS OR YEARS).	DEATHS, 1910.							
		1. Aggregate.		2. Of white.		3a. Of native white (not including white of unknown nativity).		3b. Of white of unknown nativity.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	55 to 59 years	10,849	8,685	10,551	8,433	6,058	4,882	177	51
2	55 years	2,329	1,777	2,249	1,711	1,214	980	91	12
3	56 years	2,143	1,719	2,087	1,676	1,231	999	22	10
4	57 years	2,090	1,630	2,036	1,594	1,190	964	16	3
5	58 years	2,237	1,827	2,176	1,772	1,250	982	36	10
6	59 years	2,050	1,732	2,003	1,680	1,173	957	12	16
7	60 to 64 years	12,300	10,468	12,018	10,224	6,593	5,440	184	76
8	60 years	2,849	2,459	2,763	2,369	1,365	1,138	97	32
9	61 years	2,027	1,693	1,994	1,655	1,155	928	23	9
10	62 years	2,432	2,117	2,366	2,078	1,312	1,141	25	18
11	63 years	2,502	2,074	2,449	2,033	1,417	1,104	20	9
12	64 years	2,490	2,125	2,446	2,089	1,344	1,129	19	8
13	65 to 69 years	13,168	12,131	12,893	11,895	7,302	6,554	148	80
14	65 years	3,074	2,810	2,970	2,736	1,582	1,388	64	15
15	66 years	2,398	2,214	2,347	2,177	1,338	1,267	17	13
16	67 years	2,483	2,271	2,442	2,221	1,383	1,228	20	22
17	68 years	2,651	2,466	2,604	2,427	1,480	1,318	20	14
18	69 years	2,562	2,370	2,530	2,334	1,519	1,353	27	16
19	70 to 74 years	13,057	12,636	12,856	12,475	7,572	7,131	169	96
20	70 years	3,113	3,096	3,034	3,020	1,597	1,497	75	30
21	71 years	2,267	2,122	2,245	2,105	1,356	1,275	21	13
22	72 years	2,595	2,543	2,561	2,514	1,543	1,447	28	19
23	73 years	2,623	2,478	2,589	2,467	1,586	1,474	21	18
24	74 years	2,459	2,397	2,427	2,369	1,490	1,438	24	16
25	75 to 79 years	11,387	11,592	11,251	11,463	6,977	6,913	105	114
26	75 years	2,662	2,707	2,614	2,660	1,518	1,458	34	26
27	76 years	2,467	2,469	2,443	2,445	1,526	1,487	20	18
28	77 years	2,222	2,220	2,199	2,206	1,438	1,410	25	24
29	78 years	2,127	2,124	2,104	2,097	1,266	1,273	15	23
30	79 years	1,909	2,072	1,891	2,055	1,229	1,285	11	23
31	80 to 84 years	7,988	8,919	7,884	8,819	4,897	5,624	72	80
32	80 years	2,055	2,317	2,009	2,272	1,157	1,317	25	21
33	81 years	1,585	1,628	1,571	1,618	987	1,075	14	15
34	82 years	1,614	1,861	1,601	1,846	1,044	1,191	16	14
35	83 years	1,446	1,593	1,432	1,578	900	1,083	6	16
36	84 years	1,288	1,520	1,271	1,505	809	958	11	14
37	85 to 89 years	4,172	5,099	4,134	5,043	2,647	3,383	53	48
38	85 years	1,134	1,426	1,123	1,409	679	887	12	13
39	86 years	1,011	1,147	1,005	1,136	635	780	12	10
40	87 years	805	1,006	799	995	520	677	10	10
41	88 years	691	804	684	798	462	542	10	8
42	89 years	531	716	523	707	351	497	9	7
43	90 to 94 years	1,347	1,945	1,335	1,919	890	1,323	15	21
44	90 years	478	681	474	665	304	415	5	9
45	91 years	320	415	318	412	224	287	4	2
46	92 years	227	376	225	372	159	277	2	1
47	93 years	197	272	195	270	122	190	4	7
48	94 years	125	201	123	200	81	154	----	2
49	95 to 99 years	296	466	285	449	175	298	3	4
50	95 years	109	169	103	164	72	114	----	1
51	96 years	74	108	72	105	43	66	2	1
52	97 years	58	92	57	91	29	66	1	1
53	98 years	29	73	29	69	16	37	----	1
54	99 years	26	24	24	20	15	15	----	----
55	100 years or over	60	109	51	88	16	42	1	1
56	100 years	20	42	18	32	9	19	----	----
57	101 years	4	20	4	19	1	8	----	----
58	102 years	12	14	10	13	1	7	----	----
59	103 years	9	10	9	9	4	5	1	----
60	104 years	3	3	3	3	----	----	----	----
61	105 years	1	5	----	5	----	2	----	----
62	106 years	3	2	2	2	----	----	----	----
63	107 years	1	1	----	1	----	----	----	----
64	108 years	2	3	2	2	1	1	----	1
65	109 years	1	----	1	----	----	----	----	----
66	110 years	4	3	2	----	----	----	----	----
67	111 years	----	1	----	1	----	----	----	----
68	112 years	----	3	----	1	----	----	----	----
69	113 years	----	1	----	----	----	----	----	----
70	114 years	----	----	----	----	----	----	----	----
71	115 years	----	----	----	----	----	----	----	----
72	116 years	----	----	----	----	----	----	----	----
73	117 years	----	----	----	----	----	----	----	----
74	118 years	----	----	----	----	----	----	----	----
75	119 years	----	----	----	----	----	----	----	----
76	120 years	----	1	----	----	----	----	----	----
77	Age unknown	218	78	212	75	48	35	129	18

NATIVITY, AND PARENT NATIVITY OF DECEDENT, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR STATES: 1910—Continued.

[See note at head of this table.]

DEATHS, 1910.														
4a. Of native white, both parents native.		4b. Of native white, one parent native, one unknown, or both unknown.		5. Of native white of foreign parents (one or both parents foreign born).		6. Of foreign-born white.		7. Of colored.		8. Of negro.		9. Of other colored.		
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
3,295	2,743	889	646	1,874	1,493	4,316	3,500	298	252	276	247	22	5	1
621	518	157	118	436	344	944	719	80	66	71	64	9	2	2
658	536	164	134	409	329	834	667	56	43	55	43	1	.....	3
645	548	177	149	368	267	830	627	54	36	51	34	3	2	4
701	589	209	107	340	286	890	780	61	55	55	54	6	1	5
670	552	182	138	321	237	818	707	47	52	44	52	3	.....	6
4,105	3,438	1,122	854	1,366	1,148	5,241	4,708	282	244	267	241	15	3	7
787	641	244	194	334	303	1,301	1,199	86	90	81	88	5	2	8
731	588	181	140	243	200	816	718	33	38	32	38	1	.....	9
834	746	190	158	288	237	1,029	919	66	39	61	39	5	.....	10
905	727	248	185	264	192	1,012	920	53	41	50	40	3	1	11
848	736	259	177	237	216	1,083	952	44	36	43	36	1	.....	12
4,758	4,396	1,405	1,089	1,139	1,069	5,443	5,261	275	236	267	229	8	7	13
972	908	314	214	296	266	1,324	1,333	104	74	101	70	3	4	14
879	845	253	201	206	221	992	897	51	37	50	36	1	1	15
917	815	245	211	221	202	1,039	971	41	50	40	49	1	1	16
988	895	278	232	214	191	1,104	1,095	47	39	45	39	2	.....	17
1,002	933	315	231	202	189	984	965	32	36	31	35	1	1	18
5,098	4,953	1,662	1,331	812	847	5,115	5,248	201	161	199	156	2	5	19
1,050	983	352	307	195	207	1,362	1,493	79	76	78	76	1	.....	20
925	902	298	238	133	135	868	817	22	17	22	17	.....	.....	21
1,041	1,041	338	234	164	172	990	1,048	34	29	34	28	.....	1	22
1,073	1,027	347	271	166	176	982	975	34	11	33	11	1	.....	23
1,009	1,000	327	281	154	157	913	915	32	28	32	24	.....	4	24
4,778	4,911	1,650	1,391	549	611	4,169	4,436	136	129	127	125	9	4	25
1,045	1,026	332	279	141	153	1,062	1,176	48	47	46	45	2	2	26
1,052	1,037	356	310	118	140	897	940	24	24	23	24	1	.....	27
967	1,026	365	271	106	113	736	772	23	14	22	13	1	1	28
870	906	512	262	84	105	823	801	23	27	19	26	4	1	29
844	916	285	269	100	100	651	747	18	17	17	17	1	.....	30
3,253	3,955	1,278	1,302	366	367	2,915	3,115	104	100	95	93	9	7	31
724	926	331	297	102	94	827	934	46	45	43	40	3	5	32
671	767	252	233	64	75	570	528	14	10	14	10	.....	.....	33
716	830	253	290	75	71	541	641	13	15	13	15	.....	.....	34
605	756	223	264	72	63	526	479	14	15	10	14	4	1	35
537	676	219	218	53	64	451	533	17	15	15	14	2	1	36
1,759	2,337	693	828	195	218	1,434	1,612	38	56	36	54	2	2	37
438	621	180	203	61	63	432	509	11	17	10	16	1	1	38
425	524	165	210	45	46	358	346	6	11	6	10	.....	1	39
354	471	137	157	29	49	269	308	6	11	6	11	.....	.....	40
304	373	118	133	40	36	212	246	7	8	7	8	.....	.....	41
238	348	93	125	20	24	163	203	8	9	7	9	1	.....	42
613	892	215	336	62	95	430	575	12	26	12	25	.....	1	43
221	276	60	103	23	36	165	241	4	16	4	15	.....	1	44
147	185	62	82	15	20	90	123	2	3	2	3	.....	.....	45
113	192	40	68	6	17	64	94	2	4	2	4	.....	.....	46
81	135	30	50	11	5	69	73	2	2	2	2	.....	.....	47
51	104	23	33	7	17	42	44	2	1	2	1	.....	.....	48
114	187	50	96	11	15	107	147	11	17	10	16	1	1	49
44	77	23	29	5	8	31	49	6	5	5	5	1	.....	50
30	39	10	26	3	1	27	38	2	3	2	2	.....	1	51
20	40	8	24	1	2	27	24	1	1	1	1	.....	.....	52
10	21	5	13	1	3	13	31	.....	4	.....	4	.....	.....	53
10	10	4	4	1	1	9	5	2	4	2	4	.....	.....	54
11	25	4	13	1	4	34	45	9	21	7	20	2	1	55
7	11	2	7	.....	1	9	13	2	10	2	9	.....	1	56
1	6	.....	2	.....	.....	3	11	.....	1	.....	1	.....	.....	57
1	3	.....	3	.....	1	9	6	2	1	2	1	.....	.....	58
1	4	2	.....	1	1	4	4	.....	1	.....	1	.....	.....	59
.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	.....	60
.....	.....	.....	1	.....	1	.....	3	1	.....	1	.....	.....	.....	61
.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	1	.....	62
.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	63
1	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	64
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	65
.....	.....	.....	.....	.....	.....	2	.....	2	3	2	3	.....	.....	66
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	67
.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	2	.....	.....	68
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	69
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	73
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	75
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	76
18	13	19	13	11	9	35	22	6	3	5	3	1	.....	77

INDEX.

Abdominal tuberculosis. *See* Tuberculosis.
Abscess, acute, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Absorption of deleterious gases (conflagration excepted), age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
Accidents and injuries, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
Acute articular rheumatism, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 82, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Acute miliary tuberculosis. *See* Tuberculosis.
Addison's disease, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Ages, average and median, at death, 11; deaths classified by, 204, 304, 348, 360, 455, 575, 586, 598.
Albany, N. Y., deaths in, by cause and by age, 479; by months, 522; in first year of life, 559.
Alcoholism (acute or chronic), age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350, 586; by age, 350, 360, 586; by country of birth, 586.
Amputations, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Amsterdam, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Anemia, chlorosis, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Aneurism. *See* Arteries, etc.
Angina pectoris, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Ankylostomiasis, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Anthrax, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Apoplexy. *See* Cerebral hemorrhage, etc.
Apoplexy and paralysis, deaths from, by sex and age, 586; by country of birth, 586.
Appendicitis and typhlitis, age at death from, 12.
—— death rate from 21, 139; by color, 89; in cities and rural districts, 144.
—— deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by country of birth, 587.
Arteries, diseases of, atheroma, aneurism, etc., age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Asiatic cholera, age at death from, 11.
—— death rate from, 21, 138; in cities and rural districts, 142.
—— deaths from, 21, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455.
Asphyxia, suicide by, age at death from, 13.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362.
Asthma, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
Atheroma. *See* Arteries, etc.
Atlanta, Ga., deaths in, by cause and by age, 461; by months, 512; in first year of life, 547.
Atrophy. *See* Congenital debility, etc.
Australian Commonwealth, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Austria, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
—— deaths of white persons born in, by sex and age, 586.
Automobile accidents and injuries. *See* Accidents, etc.

Baltimore, Md., deaths in, by cause, 468; by age, 468, 581; by months, 516; in first year of life, 552; by country of birth, 581.
Belfast, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Belgium, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Beriberi, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Berlin, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Biliary calculi, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Birmingham, Ala., deaths in, by cause and by age, 455; by months, 509; in first year of life, 543.
Bladder, diseases of, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Bones, diseases of (tuberculosis excepted), age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Bones and organs of locomotion, diseases of, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Boston, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
—— deaths in, by cause, 470; by age, 470, 581; by months, 517; in first year of life, 553; by country of birth, 581.
Breast, nonpuerperal diseases of (cancer excepted), age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Breast, puerperal diseases of, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
Breslau, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Bridgeport, Conn., deaths in, by cause and by age, 458; by months, 511; in first year of life, 545.
Bright's disease, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; by sex and age, 587; by country of birth, 587.
See also Nephritis, etc.
Bronchitis, age at death from, 12.
—— death rate from, 21, 139; by color, 89; in cities and rural districts, 144.
—— deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533; by country of birth, 587.
Bronchopneumonia, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
Bronx Borough, N. Y., deaths in, by cause, 482; by age, 482, 583; by months, 523; in first year of life, 561; by country of birth, 583.
Brooklyn Borough, N. Y., deaths in, by cause, 482; by age, 482, 583; by months, 523; in first year of life, 561; by country of birth, 583.

Brussels, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43.
Bucarest, death rate, from all causes, 16.
Budapest, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Buffalo, N. Y., deaths in, by cause, 480; by age, 480, 582; by months, 522; in first year of life, 560; by country of birth, 582.
Bulgaria, death rate, from all causes, 16.
Burns (conflagration excepted), age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 362.

Calculi of urinary passages, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 361.
California, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 310, 367, 576; by sex, color, and nativity, 310; in cities and rural districts, 332; by months, 503; in first year of life, 535; by country of birth, 576.
Cambridge, Mass., deaths in, by cause and by age, 470; by months, 517; in first year of life, 553.
Canada, deaths of white persons born in, by sex and age, 588.
Cancer and other malignant tumors, age at death from, 12.
—— death rate from, 21, 52, 53, 138; by color, 89; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 253; in cities and rural districts, 332; by sex, 348, 586; by age, 348, 360, 455, 586; in cities of 100,000 population or over, 455; by country of birth, 586.
Cancer of breast, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Cancer of buccal cavity, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Cancer of female genital organs, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Cancer of peritoneum, intestines, rectum, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Cancer of skin, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
Cancer of skin, deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Cancer of stomach and liver, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 82, 138; by sex, 348; by age, 348, 360.
Causes of death, in registration area, 21–63, 82, 88, 138, 252, 332, 348, 360, 502, 533, 586; in cities and rural districts of each registration state, 142, 332; in registration states, 360, 502, 533; in cities of 100,000 population or over, 455, 502, 533; by months, 502; in first year of life, 533; by country of birth, 586.
Cellular tissue. *See* Skin, etc.
Cerebral hemorrhage, apoplexy, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Cerebral hemorrhage and softening, death rate from, 21; by color, 89.
—— deaths from, 21; by color, 253; by age, 455; in cities of 100,000 population or over, 455.
Cerebrospinal fever, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Cerebrospinal meningitis, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 82, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Ceylon, death rate, from all causes, 16.
Chicago, Ill., death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
—— deaths in, by cause, 462; by age, 462, 581; by months, 513; in first year of life, 548; by country of birth, 581.
Childbirth, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362, 587; by country of birth, 587.
Chile, death rate, from all causes, 16.
Chinese, deaths of, in registration area, 14, 181; by age and by sex, 304.
Chlorosis. *See* Anemia, etc.
Cholera. *See* Asiatic cholera.
Cholera nostras, age at death from, 11.
—— death rate from, 21, 138; in cities and rural districts, 142.
—— deaths from, 21, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455.
Chorea, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Christiania, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Chronic rheumatism and gout, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Chyluria, age at death from, 12.
Chyluria, death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 361.
Cincinnati, Ohio, deaths in, by cause, 487; by age, 487, 584; by months, 526; in first year of life, 565; by country of birth, 584.
Circulatory system, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350, 587; by age, 350, 361, 587; by country of birth, 587.
Cirrhosis of liver, age at death from, 12.
—— death rate from, 21, 139; by color, 89; in cities and rural districts, 144.
—— deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by country of birth, 587.
Cities in registration states, population, 67.
—— death rates, per 1,000 population, 15, 67; per 100,000 population, by cause, 24–62, 82, 88, 138, 142; by color, 88.
—— deaths, 67; by cause, 138, 142, 252, 332; by month of death, 161; by color, 181, 204, 252, 306; by nativity, 181, 306; by age, 204, 306, 575; by sex, 306; by months, 502; in first year of life, 533; by country of birth, 575.
Cleveland, Ohio, deaths in, by cause, 489; by age, 489, 584; by months, 526; in first year of life, 566; by country of birth, 584.
Color, deaths classified by, 13, 14, 181, 204, 252, 304, 575, 598.
—— death rates by, 17, 19, 88.
Colorado, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 310, 370, 576; by sex, color, and nativity, 310; in cities and rural districts, 332; by months, 503; in first year of life, 535; by country of birth, 576.
Colored population, deaths of, in registration area, 14; by age, 204, 304; by sex, 304; by single years of age at last birthday, 599.
—— death rate, from all causes, 17, 19; from typhoid fever, 25; malaria, 29; measles, 34; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; pellagra, 46; tuberculosis, 48; cancer and other malignant tumors, 53; pneumonia, 57; diarrhea and enteritis, 61.
Columbus, Ohio, deaths in, by cause and by age, 489; by months, 527; in first year of life, 566.
Conflagration, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 362.
Congenital debility, "atrophy," "marasmus," etc., age at death from, 13.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362; in first year of life, 533.
Congenital debility, icterus, and sclerema, age at death from, 13.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age 356, 362.

Congenital debility and malformations, death rate from, 21, 140; by color, 89; in cities and rural districts, 146.
—— deaths from, 21, 88, 140; by color, 253; in cities and rural districts, 336; by sex, 356; by age, 356, 362, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
Congenital malformations (stillbirths not included), age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Congenital malformations of heart, age at death from, 12.
—— death rate from, 21, 140; in cities and rural districts, 146.
—— deaths from, 21, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Connecticut, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 312, 374, 576; by sex, color, and nativity, 312; in cities and rural districts, 332; by months, 504; in first year of life, 535; by country of birth, 576.
Convulsions (nonpuerperal), age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361; in first year of life, 533.
Convulsions of infants, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Copenhagen, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Croup. *See* Diphtheria, etc.
Crushing, suicide by. *See* Suicide.
Cutting or piercing instruments, homicide by. *See* Homicide.
—— suicide by. *See* Suicide.
—— traumatism by. *See* Traumatism.
Cysts and other tumors of ovary, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.

Dayton, Ohio, deaths in, by cause and by age, 490; by months, 527; in first year of life, 566.
Death rates, per 1,000 population, in registration area, 15, 67; in foreign countries and cities, 16; by color, 17, 19, 67.
—— per 100,000 population, by cause, 24–62, 82, 88, 138, 142; by color, 88; in cities and rural districts of each registration state, 142.
Deaths, classified by color, 14, 67, 181, 204, 252, 304; by nativity, 14, 181, 304, 598; by cause, 21–63, 82, 138, 252, 332, 348, 360, 455, 502, 533; by month of death, 161; by age, 204, 304, 348, 360, 575; by sex, 304, 348; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533; by country of birth, 575, 586; by single years of age at last birthday, 598.
Denmark, death rate, from all causes, 16.
Denver, Colo., deaths in, by cause and by age, 458; by months, 511; in first year of life, 545.
Detroit, Mich., deaths in, by cause, 472; by age, 472, 581; by months, 518; in first year of life, 555; by country of birth, 581.
Diabetes, age at death from, 12.
—— death rate from, 82; by color, 88; in cities and rural districts, 142.
—— deaths from, 82, 138; by color, 253; in cities and rural districts, 332; by sex, 350, 586; by age, 350, 360, 586; by country of birth, 586.
Diarrhea and enteritis, age at death from, 12.
—— death rate from, 21, 59, 61, 139; by color, 89; in cities and rural districts, 144.
—— deaths from, 21, 58, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352; by age, 352, 361, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
Digestive system, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
Diphtheria and croup, age at death from, 11.
—— death rate from, 21, 41, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
Disseminated tuberculosis. *See* Tuberculosis.
Dresden, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Drowning, accidental, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
Drowning, suicide by. *See* Suicide.
Dublin (registration area), death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Dysentery, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360; in first year of life, 533.

Ears, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Edinburgh, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Electricity (lightning excepted), age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
Embolism and thrombosis, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Encephalitis, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Endocarditis, acute, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
England and Wales, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
—— deaths of white persons born in, by sex and age, 588.
Enteritis. *See* Diarrhea, etc.
Epilepsy, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Erysipelas, age at death from, 11.
—— death rate from, by color, 88; in registration area, 138; in cities and rural districts, 142.
—— deaths from, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360; in first year of life, 533.
Esophagus, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Excessive cold, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
Exophthalmic goiter, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
External causes, age at death from, 13.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362; in first year of life, 533.
Eyes and annexa, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.

Fall, traumatism by. *See* Traumatism.
Fall River, Mass., deaths in, by cause and by age, 471; by months, 517; in first year of life, 554.
Female genital organs, diseases of, death rate from, 21.
—— deaths from, 21; in cities of 100,000 population or over, 455.
See also Salpingitis, etc.
Finland, death rate, from all causes, 16.
Firearms, homicide by. *See* Homicide.
—— suicide by. *See* Suicide.
—— traumatism by. *See* Traumatism.
Foreign countries and cities, death rates, from all causes, 16.
Foreign-born white population, deaths of, in registration area, 14, 181; by age and by sex, 304; by single years of age at last birthday, 599.
Fractures, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
France, death rate, from all causes, 16.
—— deaths of white persons born in, by sex and age, 588.

Furuncle, age at death, from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.

Gangrene, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Gangrene of lung, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Gases, deleterious, absorption of. *See* Absorption of deleterious gases.
Genito-urinary system and annexa, nonveneral diseases of, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 361.
German Empire, death rate, from all causes, 16.
Germany, deaths of white persons born in, by age and sex, 590.
Glanders, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Glasgow, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Gonococcus infection, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Gout. *See* Chronic rheumatism, etc.
Grand Rapids, Mich., deaths in, by cause and by age, 473; by months, 518; in first year of life, 555.

Hague, The, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Hamburg, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Hanging or strangulation, suicide by. *See* Suicide.
Heat, effects of, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
Heart, organic diseases of, age at death from, 12.
—— death rate from, 21, 55, 139; by color, 89; in cities and rural districts, 144.
—— deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 350, 586; by age, 350, 361, 455, 586; in cities of 100,000 population or over, 455; in first year of life, 533; by country of birth, 586.
Hemorrhage; other diseases of circulatory system, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Hemorrhoids. *See* Veins, etc.
Hernia, intestinal obstruction, age at death from, 12.
—— death rate from, 21, 139; by color, 89; in cities and rural districts, 144.
—— deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by country of birth, 587.
Homicide, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
Hungary, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
—— deaths of white persons born in, by sex and age, 590.
Hydatid tumor of liver, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Hydrocephalus, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.

Icterus. *See* Congenital debility, etc.
Ill-defined diseases, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363, 455; in cities of 100,000 population or over, 455; in first year of life, 533.
Indiana, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 312, 377, 576; by sex, color, and nativity, 312; in cities and rural districts, 333; by months, 504; in first year of life, 536; by country of birth, 576.
Indianapolis, Ind., deaths in, by cause and by age, 464; by months, 514; in first year of life, 549.
Indians, deaths of, in registration area, 14, 181; by age and by sex, 304.
Infantile paralysis. *See* Poliomyelitis, etc.
Influenza, age at death from, 11.
—— death rate from, 21, 44, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
Injuries. *See* Accidents, etc.
Injuries at birth, age at death from, 13.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362; in first year of life, 533.
Injuries by animals, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
International List, changes in, 21, 23.
Intestinal obstruction. *See* Hernia, etc.
Intestinal parasites, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Ireland, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
——deaths of white persons born in, by sex and age, 590.
Italy, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
—— deaths of white persons born in, by sex and age, 592.

Jamaica, death rate, from all causes, 16.
Japan, death rate, from all causes, 16; from whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Japanese, deaths of, in registration area, 14, 181; by age and by sex, 304.
Jersey City, N. J., deaths in, by cause, 478; by age, 478, 582; by months, 521; in first year of life, 558; by country of birth, 582.
Joints, diseases of (tuberculosis and rheumatism excepted), age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Jumping from high places, suicide by. *See* Suicide.

Kansas City, Mo., deaths in, by cause and by age, 474; by months, 519; in first year of life, 556.

Lack of care, age at death from, 13.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362.
Landslides, other crushing, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
Larynx, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Lead poisoning, chronic, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350, 586; by age, 350, 360, 586; by country of birth, 586.
Leprosy, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Leukemia, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Lightning, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
Locomotor ataxia, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.

London, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Los Angeles, Cal., deaths in, by cause, 456; by age, 456, 580; by months, 510; in first year of life, 544; by country of birth, 580.
Louisville, Ky., deaths in, by cause and by age, 465; by months, 515; in first year of life, 550.
Lowell, Mass., deaths in, by cause and by age, 471; by months, 518; in first year of life, 554.
Lymphatic system, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.

Machines, traumatism by. *See* Traumatism.
Maine, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 314, 381, 577; by sex, color, and nativity, 314; in cities and rural districts, 333; by months, 504; in first year of life, 536; by country of birth, 577.
Malaria, age at death from, 11.
—— death rate from, 21, 28, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502.
Male genital organs, nonvenereal diseases of, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
Malformations, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362; in first year of life, 533.
See also Congenital debility, etc.
Manhattan Borough, N. Y., deaths in, by cause, 484; by age, 484, 583; by months, 524; in first year of life, 562; by country of birth, 583.
Marasmus. *See* Congenital debility, etc.
Maryland, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 314, 384, 577; by sex, color, and nativity, 314; in cities and rural districts, 333; by months, 504; in first year of life, 536; by country of birth, 577.
Massachusetts, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
Massachusetts, deaths, by age, 316, 395, 577; by sex, color, and nativity, 316; in cities and rural districts, 333; by months, 505; in first year of life, 537; by country of birth, 577.
Measles, age at death from, 11.
—— death rate from, 21, 31, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
Melbourne, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Memphis, Tenn., deaths in, by cause and by age, 495; by months, 530; in first year of life, 570.
Meningitis, age at death from, 12.
—— death rate from, 21, 138; by color, 89; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 253; in cities and rural districts, 332; by sex, 350; by age, 350, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
See also Cerebrospinal meningitis *and* Tuberculous meningitis.
Michigan, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 316, 398, 577; by sex, color, and nativity, 316; in cities and rural districts, 333; by months, 505; in first year of life, 538; by country of birth, 577.
Milan, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Miliary fever, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Milwaukee, Wis., deaths in, by cause, 501; by age, 501, 585; by months, 532; in first year of life, 574; by country of birth, 585.
Mines and quarries, traumatism in, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
Minneapolis, Minn., deaths in, by cause, 473; by age, 473, 582; by months, 519; in first year of life, 555; by country of birth, 582.
Minnesota, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 318, 402, 577; by sex, color, and nativity, 318; in cities and rural districts, 340; by months, 506; in first year of life, 538; by country of birth, 577.
Montana, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
Montana, deaths, by age, 318, 405, 578; by sex, color, and nativity, 318; in cities and rural districts, 340; by months, 506; in first year of life, 538; by country of birth, 578.
Montreal, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Moscow, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Mouth and annexa, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Munich, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Mycoses, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.

Nasal fossae, diseases of, age at death from 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Nashville, Tenn., deaths in, by cause and by age, 497; by months, 530; in first year of life, 571.
Native white population, deaths of, in registration area, 14, 181; by age and by sex, 304; by single years of age at last birthday, 598, 599.
Nativity, deaths classified by, 13, 14, 181, 304, 598.
Nephritis, acute, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140.
See also Nephritis and Bright's disease,
Negroes, deaths of, in registration area, 14, 181; by age and by sex, 304; by single years of age at last birthday, 599.
Nephritis and Bright's disease, death rate from, 21, 62; by color, 89.
—— deaths from, 21; by color, 253; by age, 455; in cities of 100,000 population or over, 455.
Nervous system and organs of special sense, diseases of, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350, 586; by age, 350, 360, 586; by country of birth, 586.
Netherlands, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diptheria and croup, 43; tuberculosis, 51.
Neuralgia and neuritis, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Neuritis. *See* Neuralgia, etc.
New Hampshire, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.

New Hampshire, deaths, by age, 320, 409, 578; by sex, color, and nativity, 320; in cities and rural districts, 340; by months, 506; in first year of life, 539; by country of birth, 578.
New Haven, Conn., deaths in, by cause and by age, 459; by months, 511; in first year of life, 546.
New Jersey, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 320, 412, 578; by sex, color, and nativity, 320; in cities and rural districts, 340; by months, 506; in first year of life, 539; by country of birth, 578.
New Orleans, La., deaths in, by cause, 467; by age, 467, 581; by months, 515; in first year of life, 551; by country of birth, 581.
New York, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 322, 416, 578; by sex, color, and nativity, 322; in cities and rural districts, 340; by months, 507; in first year of life, 539; by country of birth, 578.
New York, N. Y., death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
—— deaths in, by cause, 480; by age, 480, 583; by months, 522; in first year of life, 560; by country of birth, 583.
New Zealand, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Newark, N. J., deaths in, by cause, 478; by age, 478, 582; by months, 521; in first year of life, 559; by country of birth, 582.
North Carolina, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 322, 419, 578; by sex, color, and nativity, 322; in cities and rural districts, 340; by months, 507; in first year of life, 540; by country of birth, 578.
Norway, death rate, from all causes, 16.

Oakland, Cal., deaths in, by cause and by age, 457; by months, 510; in first year of life, 544.
Ohio, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
Ohio, deaths, by age, 324, 430, 579; by sex, color, and nativity, 324; in cities and rural districts, 341; by months, 508; in first year of life, 541; by country of birth, 579.
Old age, age at death from, 13.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362.
Omaha, Nebr., deaths in, by cause and by age, 477; by months, 521; in first year of life, 558.
Ontario, Province of, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Organs of locomotion, diseases of. *See* Bones, etc.

Paralysis. *See* Apoplexy, etc.
Paralysis of insane, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 142.
—— deaths from, 139; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Paralysis without specified cause, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 142.
—— deaths from, 139; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Paris, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Paterson, N. J., deaths in, by cause and by age, 479; by months, 521; in first year of life, 559.
Pellagra, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 45, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Pennsylvania, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 324, 433, 579; by sex, color, and nativity, 324; in cities and rural districts, 341; by months, 508; in first year of life, 541; by country of birth, 579.
Pericarditis, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Peritonitis, simple (nonpuerperal), age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
Pharynx, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Philadelphia, Pa., death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Philadelphia, Pa., deaths in, by cause, 491; by age, 491, 584; by months, 528; in first year of life, 567; by country of birth, 584.
Phlebitis. *See* Veins, etc.
Pittsburgh, Pa., deaths in, by cause, 498; by age, 498, 584; by months, 528; in first year of life, 568; by country of birth, 584.
Plague, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Pleurisy, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
Pneumonia, age at death from, 12.
—— death rate from, 21, 56, 139; by color, 89; in cities and rural districts, 144.
—— deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533; by country of birth, 587.
Poison, suicide by. *See* Suicide.
Poisoning by food, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 362.
Poisonings, accidental, deaths from, by country of birth, 587.
Poland, deaths of white persons born in, by sex and age, 592.
Poliomyelitis, acute anterior (infantile paralysis), age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 53, 54, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Population, of United States and registration area, 1880 to 1910, 10; of registration area and subdivisions in 1910, 67.
Portland, Oreg., deaths in, by cause and by age, 491; by months, 527; in first year of life, 567.
Pott's disease, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Prague, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Pregnancy, accidents of, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
Premature birth, age at death from, 13.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362; in first year of life, 533.
Prostate, diseases of, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
Providence, R. I., deaths in, by cause and by age, 495; by months, 529; in first year of life, 570.

Prussia, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Puerperal albuminuria and convulsions, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
Puerperal fever, death rate from, 21; by color, 89.
—— deaths from, 21; by color, 253; by age, 455; in cities of 100,000 population or over, 455.
Puerperal hemorrhage, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
Puerperal phlegmasia alba dolens, embolus, sudden death, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
Puerperal septicemia, age at death from, 12.
—— death rate from, 21, 140; in cities and rural districts, 146.
—— deaths from, 21, 140; in cities and rural districts, 336; by age, 354, 362.
Pulmonary congestion, pulmonary apoplexy, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Pulmonary emphysema, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Pulmonary tuberculosis. *See* Tuberculosis of lungs.
Purulent infection and septicemia, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.

Quarries. *See* Mines, etc.
Queens Borough, N. Y., deaths in, by cause, 485; by age, 485, 583; by months, 525; in first year of life, 563; by country of birth, 583.

Rabies, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Railroad accidents and injuries. *See* Accidents, etc.
Registration area, extent and growth of, 10; population, 67.
—— death rate, per 1,000 population, 15, 16, 67; per 100,000 population, by cause, 24–62, 82, 88, 138; by color, 88.
—— deaths, by color, 14, 181, 204, 252, 304; by nativity, 14, 181, 304; by cause, 21, 82, 138, 252, 332, 348, 360; by month of death, 161; by age, 204, 304, 348, 360, 575; by sex, 304, 348; by months, 502; in first year of life, 533; by country of birth, 575, 586.
Registration cities, population, 67.
—— death rates, per 1,000 population, 15, 67; per 100,000 population, by cause, 24–62, 88, 138; by color, 88.
Registration cities, deaths, 67; by cause, 138, 252, 332; by month of death, 161; by color, 181, 204, 252, 308; by nativity, 181, 308; by age, 204, 308, 576; by sex, 308; by months, 503; in first year of life, 534; by country of birth, 576.
Registration cities of 100,000 population or over, list of, 15.
—— death rates, per 1,000 population, 15; per 100,000 population, by cause, 24–62.
—— deaths, by cause and by age, 455; by months, 509; in first year of life, 543.
Registration states, population, 67.
—— death rates, per 1,000 population, 15, 67; per 100,000 population, by cause, 24–62, 88, 138, 142; by color, 88.
—— deaths, 67; by cause, 138, 252, 332, 360, 502; by month of death, 161; by color, 181, 204, 252, 304; by nativity, 181, 304; by age, 204, 304, 360, 575; by sex, 304; in cities and rural districts, 332; by months, 502; in first year of life, 533; by country of birth, 575; by single years of age at last birthday, 598.
Relapsing fever, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Respiratory system, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
Rheumatism, death rate from, 88; deaths from, 252; by country of birth, 586. *See also* Acute articular rheumatism *and* Chronic rheumatism and gout.
Rhode Island, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 326, 437, 579; by sex, color, and nativity, 326; in cities and rural districts, 341; by months, 508; in first year of life, 541; by country of birth, 579.
Richmond, Va., deaths in, by cause and by age, 498; by months, 531; in first year of life, 572.
Richmond Borough, N. Y., deaths in, by cause, 486; by age, 486, 584: by months, 525; in first year of life, 564; by country of birth, 584.
Rickets, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Rio de Janeiro, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Rochester, N. Y., deaths in, by cause and by age, 486; by months, 525; in first year of life, 564.
Rotterdam, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Roumania, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43.
Rural part of registration states, population, 67.
—— death rate, per 1,000 population, 15, 67; per 100,000 population, by cause, 24–62, 88, 138, 142; by color, 88.
—— deaths, 67; by cause, 138, 142, 252, 332; by month of death, 161; by color, 181, 204, 252, 306; by nativity, 181, 306; by age, 204, 306, 575; by sex, 306; by months, 502; in first year of life, 534; by country of birth, 575.
Russia (European), death rate, from all causes, 16.
—— deaths of white persons born in, by sex and age, 592.

St. Louis, Mo., deaths in, by cause, 476; by age, 476, 582; by months, 520; in first year of life, 557; by country of birth, 582.
St. Paul, Minn., deaths in, by cause and by age, 474; by months, 519; in first year of life, 556.
St. Petersburg, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Salpingitis and other diseases of female genital organs, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362, 455; in cities of 100,000 population or over, 455.
San Francisco, Cal., deaths in, by cause, 580; by age, 457, 580; by months, 511; in first year of life, 545; by country of birth, 580.
Scandinavia, deaths of white persons born in, by sex and age, 594.
Scarlet fever, age at death from, 11.
—— death rate from, 21, 34, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
Sclerema. *See* Congenital debility, etc.
Scotland, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
—— deaths of white persons born in, by sex and age, 594.
Scranton, Pa., deaths in, by cause and by age, 494; by months, 529; in first year of life, 569.
Scurvy, age at death from, 12.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Seattle, Wash., deaths in, by cause and by age, 500; by months, 532; in first year of life, 573.
Senility, age at death from, 13.
—— death rate from, 21, 140; in cities and rural districts, 146.
—— deaths from, 21, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362, 455; in cities of 100,000 population or over, 455.
Septicemia. *See* Purulent infection, etc.
Servia, death rate, from all causes, 16; from typhoid fever, 24; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Sex, average and median ages at death by, 11; deaths classified by, 304, 348, 586, 598.
Skin and cellular tissue, diseases of, age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.

Smallpox, age at death from, 11.
—— death rate from, 21, 30, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455.
Softening of the brain, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 142.
—— deaths from, 139; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
Spain, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Spleen, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Spokane, Wash., deaths in, by cause and by age, 500; by months, 532; in first year of life, 573.
Starvation, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
Stockholm, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Stomach, diseases of (cancer excepted), age at death from, 21.
—— death rate from, 21, 139; in cities and rural districts, 144.
—— deaths from, 21, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361, 455; in cities of 100,000 population or over, 455; in first year of life, 533.
Strangulation, suicide by. *See* Hanging, etc.
Street-car accidents and injuries. *See* Accidents, etc.
Sudden death, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
Suicide, age at death from, 13.
—— death rate from, 21, 140; by color, 89; in cities and rural districts, 146.
—— deaths from, 21, 62, 86, 140; by color, 253; in cities and rural districts, 336; by sex, 356, 587; by age, 356, 362, 455, 587; in cities of 100,000 population or over, 455; by months, 502; by country of birth, 587.
Sweden, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43.
Switzerland, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Sydney, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Syphilis, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360; in first year of life, 533.
Syracuse, N. Y., deaths in, by cause and by age, 487; by months, 525; in first year of life, 564.
Tetanus, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360; in first year of life, 533.
Thrombosis. *See* Embolism, etc.
Thyroid body, diseases of, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Toledo, Ohio, deaths in, by cause and by age, 490; by months, 527; in first year of life, 567.
Toronto, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Traumatism, age at death from, 13.
—— death rate from, 141; in cities and rural districts, 148.
—— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
Trieste, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Tuberculosis, abdominal, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Tuberculosis, acute miliary, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Tuberculosis, disseminated, age at death from, 11.
—— death rate from, 47, 48, 51, 138; in cities and rural districts, 142.
—— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Tuberculosis of lungs, age at death from, 11.
—— death rate from, 21, 50, 51, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 47, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348, 586; by age, 348, 360, 455, 586; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533; by country of birth, 586.
Tuberculous meningitis, age at death from, 11.
—— death rate from, 21, 47, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; in first year of life, 533.
Turin, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
Typhlitis. *See* Appendicitis, etc.
Typhoid fever, age at death from, 11.
—— death rate from, 21, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348, 586; by age, 348, 360, 455, 586; in cities of 100,000 population or over, 455; by months, 502; by country of birth, 586.
Typhus fever, age at death from, 11.
—— death rate from, 21, 138; in cities and rural districts, 142.
—— deaths from. 21, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455.

Ulcer of stomach, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
United States, population and land area, 10; deaths of white persons born in, by sex and age, 586.
Urethra, diseases of, urinary abscess, etc., age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
Urinary abscess. *See* Urethra, etc.
Utah, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 326, 440, 579; by sex, color, and nativity, 326; in cities and rural districts, 341; by months, 508; in first year of life, 542; by country of birth, 579.
Uterine hemorrhage (nonpuerperal), age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
Uterine tumor (noncancerous), age at death from, 12.
—— death rate from, 140; in cities and rural districts, 146.
—— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.

Varices. *See* Veins, etc.
Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
Venice, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43.
Vermont, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 328, 444, 579; by sex, color, and nativity, 328; in cities and rural districts, 341; by months, 509; in first year of life, 542; by country of birth, 579.
Vienna, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.

Violent deaths (excluding suicide), age at death from, 13.
—— death rate from, 21, 141; by color, 89.
—— deaths from, 21, 62, 141; by color, 253; in cities and rural districts, 338; by age, 455; in cities of 100,000 population or over, 455; by months, 502.

Washington, population, by color, 67.
—— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; small pox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 328, 447, 580; by sex, color, and nativity, 328; in cities and rural districts, 341; by months, 509; in first year of life, 542; by country of birth, 580.
Washington, D. C., deaths in, by cause, 459; by age, 459, 580; by months, 512; in first year of life, 546; by country of birth, 580.
White population, deaths of, in registration area, 14; by nativity, 181; by age, 204, 304, 575, 586; by sex, 304, 586; by country of birth, 575, 586; by single years of age at last birthday, 598.
—— death rate, from all causes, 17, 19; from typhoid fever, 25; malaria, 29; measles, 34; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; pellagra, 46; tuberculosis, 48; cancer and other malignant tumors, 53; pneumonia, 57; diarrhea and enteritis, 61.
White swellings, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
Whooping cough, age at death from, 11.
—— death rate from, 21, 37, 138; by color, 88; in cities and rural districts, 142.
—— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
Wisconsin, population, by color, 67.
Wisconsin, death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
—— deaths, by age, 330, 451, 580; by sex, color, and nativity, 330; in cities and rural districts, 341; by months, 509; in first year of life, 543; by country of birth, 580.
Worcester, Mass., deaths in, by cause and by age, 472; by months, 518; in first year of life, 554.

Yellow atrophy of liver, acute, age at death from, 12.
—— death rate from, 139; in cities and rural districts, 144.
—— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
Yellow fever, age at death from, 11.
—— death rate from, 138; in cities and rural districts, 142.
—— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.