U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
OVETA CULP HOBBY, SECRETARY

PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1950

VOLUME III

MORTALITY DATA

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1953

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $4.00

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Assistant Chief*

IWAO M. MORIYAMA, *Mortality Analysis*

SAM SHAPIRO, *Natality Analysis*

HUGH CARTER, *Marriage and Divorce Analysis*

CARL C. DAUER, M. D., *Medical Adviser*

HAZEL V. AUNE, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

HOWARD WEST, *Statistical Processing*

PREFACE

This is one of three volumes presenting final, definitive vital statistics of the United States, its Territories, and certain possessions for the year 1950. Their subject matter consists of vital events that occurred in the United States during the year—marriages, divorces, births, fetal deaths, infant deaths, and deaths among the general population.

The annual report is organized as follows:

Volume I. Analysis and Summary Tables With Supplemental Tables for Alaska, Hawaii, Puerto Rico, and Virgin Islands

Volume II. Marriage, Divorce, Natality, Fetal Mortality, and Infant Mortality Data

Volume III. Mortality Data

This organization of material represents a change from previous years. From 1900, when the annual collection of mortality statistics for the national death-registration area was established, through 1914, annual reports entitled "Mortality Statistics" were published in single volumes. Beginning with the first year of the national birth-registration area in 1915, the annual report was published in two volumes, "Mortality Statistics" and "Birth Statistics for the Birth Registration Area of the United States." Stillbirth Statistics were added in 1922, and for the years through 1936 the two volumes were titled "Mortality Statistics" and "Birth, Stillbirth, and Infant Mortality Statistics."

Major changes in content and organization were made in the annual report for 1937. For the first time, all births and deaths reported in the United States were tabulated by place of residence, in addition to the usual tabulations by place of occurrence. In the new tabulations, births and deaths were assigned to the actual place of residence, no matter where they occurred. In view of the distinct uses of the new data by place of residence, the two types were issued in separate volumes: "Vital Statistics of the United States, Part I, Place of Occurrence" and "Vital Statistics of the United States, Part II, Place of Residence." During the period 1937 through 1949, when the report was issued in this form, the place-of-occurrence tables were gradually reduced, and the place-of-residence tables were expanded because residence data have greater value for most purposes. In the volumes for 1950, almost all natality and mortality tables are on a place-of-residence basis.

Statistics on marriages and divorces have been included in the annual reports beginning with 1946. All tabulations of marriages and divorces are by place of occurrence. Life tables for the United States have also been included beginning with 1946. Summary statistics of reported cases of certain notifiable diseases were first published in the annual report for 1949.

The year 1950 is of particular significance because of the availability of detailed population data obtained in the decennial census. Many vital rates for States, counties, and cities can be calculated for the census year or the period around it, which cannot be done at any other time. Also, for the country as a whole, population statistics are available on more characteristics and in greater detail. A special effort has been made in the annual report for 1950 to take advantage of the information from the population census. A considerable number of text and summary rate tables have been included in Volume I. In addition, the general tables in Volumes II and III provide detailed data which can be readily translated into meaningful rates by use of the published census figures. The full range of birth and death statistics tabulated for 1950 is indicated in the Guide to 1950 Tabulations in Volume I. The tabulations provide greater detail than is published in this report, particularly for individual counties and cities. All these data, as well as those for past years, can be made available upon request.

In using data from any of the three volumes, it is recommended that reference be made to the explanatory text in Volume I, which describes the sources, nature, and limitations of the statistics.

CONTENTS

Total Deaths (Exclusive of fetal deaths)

Table		Page
43.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1950	3
44.	Deaths by month: United States and each State, 1950	6
45.	Deaths by month, race, and sex: United States and each State, 1950	7
46.	Deaths by specified race and sex: United States and each State, 1950	12
47.	Deaths by age, race, and population-size group in metropolitan and nonmetropolitan counties: United States and each State, 1950	13
48.	Deaths by age, sex, race, and nativity of white by population-size group in metropolitan and nonmetropolitan counties: United States, 1950	48
49.	Deaths by age, sex, race, and nativity of white: United States and each State, 1950	52
50.	Deaths by marital status, age, race, and sex: United States, 1950	60
51.	Deaths and death rates for each cause, by race and sex: United States, 1950	61
52.	Deaths from 255 selected causes, by age, race, and sex: United States, 1950	76
53.	Deaths from 255 selected causes, by specified race and sex: United States, 1950	120
54.	Deaths from 255 selected causes, by race and sex: United States and each State, 1950	128
55.	Deaths from 64 selected causes, by month: United States and each State, 1950	196
56.	Deaths from 64 selected causes, by age, race, and sex: United States and each State, 1950	246
57.	Deaths from 32 selected causes by age, sex, race, and nativity of white: United States, 1950	452
58.	Deaths from 32 selected causes by population-size group in metropolitan and nonmetropolitan counties: United States and each State, 1950	456
59.	Deaths from 32 selected causes: United States and each State, 1950	484
60.	Deaths from 32 selected causes: United States, each State and county, and specified urban places, 1950	486

Symbols

Class or item not applicable (3 dots)	. . .
Data not available (3 dashes)	- - -
Quantity is zero, in frequency tables (1 dash)	-
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	-

TOTAL DEATHS
(Exclusive of fetal deaths)

Table 43. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1950

(Exclusive of fetal deaths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence[1]	DEATHS OF NONRESIDENTS													
			Total	Intra-State non-residents	Interstate nonresidents											
					Total	State of residence										
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,452,454	1,053,557	398,897	354,673	44,224	761	278	792	1,398	421	653	174	905	1,061	831	361	3,226
Alabama	26,660	20,364	6,296	5,711	585	...	-	5	7	1	4	-	1	125	143	1	20
Arizona	6,822	4,038	2,784	2,106	678	9	...	8	145	29	4	1	2	4	-	4	50
Arkansas	15,298	11,030	4,268	3,589	679	4	-	...	22	3	2	-	-	10	4	1	42
California	98,672	65,987	32,685	31,375	1,310	14	96	18	...	53	10	3	2	17	5	12	89
Colorado	12,578	8,489	4,089	3,370	719	3	4	5	64	...	-	1	7	1	2	3	29
Connecticut	18,908	13,560	5,348	4,910	438	-	4	1	2	1	...	-	3	10	2	-	4
Delaware	3,558	2,313	1,245	1,014	231	1	-	-	2	-	-	...	3	2	1	-	1
District of Columbia	8,867	7,655	1,212	...	1,212	4	2	2	3	-	2	2	...	18	12	1	14
Florida	27,939	19,026	8,913	6,482	2,431	95	2	8	21	3	61	7	21	...	198	2	187
Georgia	30,444	23,016	7,428	6,478	950	235	1	2	8	3	-	2	2	236	...	1	20
Idaho	4,714	3,094	1,620	1,382	238	3	2	-	18	3	-	-	-	-	-	...	4
Illinois	91,074	66,786	24,288	22,478	1,810	6	9	28	67	11	2	-	6	32	10	1	...
Indiana	40,374	29,881	10,493	9,320	1,173	3	2	7	13	2	-	-	1	28	8	1	466
Iowa	27,098	18,864	8,234	7,230	1,004	2	5	2	41	10	1	-	-	3	2	2	335
Kansas	19,234	13,434	5,800	4,663	1,137	3	5	17	20	41	3	-	1	-	1	2	32
Kentucky	27,600	21,140	6,460	5,570	890	6	-	4	7	2	1	-	2	16	8	1	71
Louisiana	23,898	17,308	6,591	6,001	590	26	-	55	10	-	-	1	-	23	5	-	20
Maine	9,868	6,815	3,053	2,804	249	-	-	-	2	-	12	1	1	4	-	-	2
Maryland	22,857	17,026	5,831	4,252	1,579	3	1	1	13	-	5	68	602	37	16	-	14
Massachusetts	49,370	40,140	9,230	8,260	970	4	4	-	10	1	112	1	6	16	3	-	11
Michigan	57,431	39,851	17,580	16,682	898	6	1	3	28	8	-	-	2	29	2	-	159
Minnesota	28,394	19,212	9,182	7,962	1,220	1	4	3	37	12	-	1	3	6	2	3	92
Mississippi	20,629	15,717	4,912	4,370	542	99	1	35	7	-	-	-	4	22	5	-	33
Missouri	43,954	32,659	11,295	9,361	1,934	9	7	105	41	13	3	1	6	7	5	6	772
Montana	5,789	3,809	1,980	1,741	239	-	-	-	20	5	-	-	-	-	-	13	6
Nebraska	12,541	9,228	3,313	2,809	504	-	1	1	28	24	-	-	1	1	-	4	25
Nevada	1,663	1,110	553	318	235	-	6	1	145	9	2	-	-	1	1	5	4
New Hampshire	6,102	4,424	1,678	1,275	403	-	-	-	-	-	13	-	2	5	-	-	4
New Jersey	47,976	31,745	16,231	14,803	1,428	5	2	1	5	1	28	10	9	36	5	-	8
New Mexico	5,589	3,981	1,608	1,123	485	1	68	5	47	39	2	1	1	6	3	-	16
New York	158,291	119,099	37,192	34,289	2,903	16	8	5	44	5	248	11	32	100	17	-	53
North Carolina	31,203	22,328	8,875	7,999	876	4	-	3	8	3	7	3	18	62	67	-	22
North Dakota	5,137	3,022	2,115	1,776	339	-	1	-	8	-	-	-	-	-	-	-	6
Ohio	80,517	60,620	19,897	18,110	1,787	9	1	4	46	3	4	3	2	28	7	3	54
Oklahoma	18,972	13,852	5,120	4,677	443	1	5	47	33	17	-	-	-	2	2	1	10
Oregon	14,011	9,380	4,631	4,035	596	-	2	-	123	8	3	-	1	3	-	75	6
Pennsylvania	109,727	80,360	29,367	27,394	1,973	2	-	1	12	5	15	54	18	40	6	-	27
Rhode Island	8,300	5,792	2,508	2,187	321	-	1	-	4	1	62	-	1	5	-	-	-
South Carolina	17,829	13,268	4,561	4,151	410	5	-	1	2	-	7	-	7	18	73	-	2
South Dakota	5,887	3,868	2,019	1,662	357	-	-	1	8	7	-	-	-	-	-	1	2
Tennessee	30,324	22,666	7,658	5,930	1,728	157	2	333	14	2	1	2	5	47	177	-	38
Texas	63,362	47,580	15,782	14,510	1,272	20	16	70	106	23	2	1	1	10	15	3	36
Utah	5,052	3,559	1,473	1,228	245	-	10	-	40	22	1	-	-	1	-	64	7
Vermont	4,166	2,912	1,254	1,029	226	-	-	-	-	-	19	-	-	2	-	-	1
Virginia	29,590	21,174	8,416	7,220	1,196	4	1	4	11	1	13	2	100	35	19	1	20
Washington	22,550	15,770	6,780	6,101	679	1	3	3	62	11	1	-	1	1	2	143	10
West Virginia	17,509	12,087	5,422	4,461	961	2	-	-	4	-	1	-	30	5	2	-	6
Wisconsin	33,847	22,988	10,859	9,937	922	-	1	1	16	4	2	-	1	6	-	-	394
Wyoming	2,298	1,530	768	539	229	-	-	2	24	35	-	-	-	1	1	7	10

[1] Unit of residence is defined as the individual urban place, or the rural area of the county, of which the decedent was a resident. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" according to special rules. For full discussion of residence allocation rules, see text in Volume I, "Vital Statistics of the United States, 1950."

Table 43. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1950—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,429	885	961	1,145	429	267	1,139	986	1,210	846	697	1,690	272	580	160	377	2,552	367	2,686
Alabama	8	1	5	9	17	-	1	-	8	1	81	3	-	-	-	-	1	-	8
Arizona	19	20	11	5	3	1	6	6	21	13	1	30	7	7	10	-	10	68	33
Arkansas	3	9	13	6	30	-	1	2	5	4	24	130	-	2	1	-	2	1	2
California	19	27	32	11	10	3	5	14	37	44	5	32	22	26	86	-	16	12	49
Colorado	18	16	79	5	1	3	-	5	11	12	-	38	8	66	4	1	5	52	29
Connecticut	2	-	-	-	-	7	1	75	2	1	-	3	1	-	-	6	33	1	220
Delaware	-	-	-	-	-	-	62	-	-	-	-	1	-	-	-	-	57	-	10
District of Columbia	7	5	1	3	2	2	545	12	3	8	4	5	-	3	-	-	14	1	26
Florida	97	19	2	34	9	23	31	113	154	21	11	24	2	1	-	17	144	6	467
Georgia	9	1	2	22	6	1	14	4	12	1	7	1	-	3	-	-	7	1	28
Idaho	-	-	4	-	1	-	-	1	2	4	-	4	17	5	4	-	-	5	1
Illinois	480	109	14	57	4	2	8	6	138	62	14	267	6	20	-	4	12	2	41
Indiana	...	6	6	141	7	-	-	5	148	5	4	18	-	-	-	-	6	1	14
Iowa	11	...	16	1	4	-	-	1	13	60	1	114	6	176	1	-	3	1	5
Kansas	5	14	...	5	2	-	1	1	4	8	1	677	2	49	1	-	2	6	8
Kentucky	207	2	3	...	-	2	2	1	24	1	4	18	-	-	-	-	4	1	12
Louisiana	3	1	-	2	...	-	4	3	2	3	161	14	1	-	-	-	3	4	8
Maine	-	-	-	-	-	...	6	87	2	-	-	2	-	-	-	59	15	-	37
Maryland	7	2	7	12	7	5	...	15	17	3	2	4	-	-	-	1	38	-	53
Massachusetts	5	3	1	2	2	87	2	...	12	6	1	5	-	-	1	164	37	4	151
Michigan	104	21	5	9	3	1	2	7	...	17	4	19	3	3	3	5	7	-	45
Minnesota	19	193	8	1	1	1	-	-	45	...	2	15	31	30	4	-	5	4	8
Mississippi	4	1	2	5	134	1	1	6	10	1	...	12	-	2	1	-	2	1	6
Missouri	48	94	487	23	5	-	2	4	24	6	13	...	5	27	1	-	6	4	12
Montana	3	5	2	-	-	-	-	-	4	18	5	-	...	3	2	-	-	2	4
Nebraska	4	143	99	3	-	-	-	2	5	11	-	25	8	...	1	1	5	1	-
Nevada	-	2	2	-	-	-	1	-	2	-	-	1	2	1	...	-	-	1	5
New Hampshire	-	-	-	-	-	76	4	144	1	-	-	1	-	-	-	...	10	-	27
New Jersey	-	1	2	1	2	3	27	21	5	1	2	4	-	2	3	1	...	1	627
New Mexico	4	9	11	2	1	-	1	3	5	5	4	5	1	4	-	2	3	...	11
New York	13	6	7	8	5	20	42	142	43	8	3	6	5	5	-	16	1,212	3	...
North Carolina	6	2	-	6	3	1	23	10	9	3	6	4	1	-	-	1	14	1	49
North Dakota	-	-	2	2	-	-	-	-	3	214	1	-	31	2	-	1	-	2	-
Ohio	225	9	4	318	4	4	9	9	207	2	3	13	1	2	-	4	15	-	68
Oklahoma	1	8	73	1	12	-	-	2	7	5	1	54	-	7	-	1	-	8	5
Oregon	-	6	4	1	1	-	1	2	4	10	2	4	12	7	4	-	-	2	6
Pennsylvania	12	7	1	11	3	4	142	20	21	2	3	9	-	1	4	3	784	3	347
Rhode Island	-	-	-	-	3	2	1	179	3	1	-	1	-	1	-	4	5	1	28
South Carolina	-	-	-	3	4	3	6	5	1	2	1	3	-	-	1	1	7	-	17
South Dakota	5	56	4	-	-	-	-	-	3	59	-	6	9	68	1	-	1	-	4
Tennessee	20	6	2	234	9	1	1	1	26	1	302	65	1	1	1	-	2	2	12
Texas	15	18	33	15	125	2	8	8	22	12	16	36	3	14	2	3	7	155	34
Utah	1	1	2	1	2	-	1	1	3	-	-	3	7	4	17	-	4	5	2
Vermont	-	2	-	-	-	4	-	43	1	-	-	-	-	-	-	81	9	-	58
Virginia	11	5	1	30	3	4	71	20	11	7	4	2	1	-	-	-	25	1	71
Washington	2	5	7	1	1	-	1	1	9	11	2	10	47	3	5	-	2	-	8
West Virginia	5	1	1	152	2	-	106	3	8	-	1	1	1	-	-	-	6	1	11
Wisconsin	27	49	3	2	1	3	-	1	104	185	1	16	3	7	1	1	2	-	15
Wyoming	2	1	3	1	-	1	-	1	3	8	-	5	28	28	1	-	-	3	4

Table 43. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1950—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																	Total deaths of residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	803	393	1,903	944	520	2,458	329	554	350	829	1,259	187	227	1,314	615	880	853	267	1,452,454
Alabama	17	-	12	6	-	8	1	10	-	62	8	-	-	5	2	2	4	-	26,836
Arizona	2	3	23	16	13	9	-	-	2	3	47	4	-	3	6	3	14	3	6,422
Arkansas	1	1	4	129	2	2	-	1	1	45	164	-	-	-	-	2	5	1	15,411
California	8	9	44	54	151	32	5	3	12	12	73	40	-	9	91	3	22	13	98,760
Colorado	2	3	12	28	6	14	1	1	10	2	52	25	-	5	6	1	5	74	12,260
Connecticut	1	-	5	1	-	19	17	-	-	-	3	-	10	2	-	-	1	-	19,123
Delaware	2	1	-	-	-	81	-	-	-	-	-	-	-	7	-	-	-	-	3,501
District of Columbia	19	1	11	2	1	38	5	10	-	5	3	-	-	388	1	21	5	1	8,560
Florida	40	5	198	6	4	177	17	18	3	44	13	1	17	33	4	27	41	2	26,569
Georgia	46	1	11	3	2	23	1	162	-	39	5	-	2	16	3	4	3	-	30,325
Idaho	-	1	2	1	41	-	-	-	2	-	7	31	-	-	67	-	2	6	4,837
Illinois	8	5	56	10	5	36	-	6	7	27	28	3	1	4	8	5	180	2	92,480
Indiana	1	2	213	1	2	10	-	1	5	11	13	-	1	5	2	6	8	-	40,630
Iowa	1	5	7	7	4	2	1	1	75	5	8	-	2	1	10	1	54	4	26,979
Kansas	-	2	8	160	4	2	-	-	3	2	27	-	-	4	3	2	6	3	19,058
Kentucky	7	-	204	2	-	11	-	2	-	179	6	-	-	40	2	35	3	-	27,855
Louisiana	7	-	6	9	-	9	-	3	1	7	195	-	-	2	-	1	1	-	23,738
Maine	-	-	3	-	-	7	2	-	-	-	1	-	-	5	-	-	1	-	9,886
Maryland	26	1	32	7	2	234	2	15	-	6	12	1	-	185	4	118	2	1	22,417
Massachusetts	4	-	12	1	1	21	217	5	-	2	5	1	35	8	1	5	1	-	49,386
Michigan	3	2	181	8	-	26	1	-	3	20	21	2	1	5	1	6	122	-	57,745
Minnesota	2	197	9	9	9	5	-	-	105	-	41	2	-	2	15	1	282	10	28,020
Mississippi	3	-	6	6	-	5	1	2	-	92	24	1	-	3	-	-	4	-	20,784
Missouri	3	2	28	80	3	5	9	-	5	12	33	-	2	3	3	2	6	2	43,710
Montana	2	32	3	3	4	4	-	-	5	-	8	4	-	-	44	-	1	37	5,822
Nebraska	-	3	2	5	2	-	-	-	40	1	16	3	1	-	2	1	4	31	12,617
Nevada	1	1	2	-	6	2	-	1	1	-	4	18	-	-	4	1	1	2	1,588
New Hampshire	-	-	3	1	-	3	3	-	-	-	1	-	102	-	1	-	2	-	6,076
New Jersey	7	1	18	2	-	556	4	7	-	1	4	-	1	10	1	-	4	1	49,100
New Mexico	1	1	11	39	2	11	-	5	-	3	129	5	-	5	6	2	3	2	5,471
New York	30	3	68	6	5	516	22	16	1	12	25	4	43	34	4	12	13	2	156,074
North Carolina	...	-	14	1	2	23	2	230	1	50	9	-	-	191	-	14	3	-	31,130
North Dakota	-	...	2	1	6	4	-	-	35	1	6	-	-	1	5	-	2	3	5,191
Ohio	7	3	...	7	4	304	3	-	-	17	31	-	1	23	7	314	5	1	80,633
Oklahoma	1	-	6	...	-	-	-	2	1	3	138	1	-	1	3	1	1	2	19,473
Oregon	1	5	3	4	...	3	1	-	5	2	2	6	-	-	274	-	2	1	13,935
Pennsylvania	13	2	236	1	-	...	4	10	-	5	5	-	2	28	3	93	4	-	110,812
Rhode Island	2	-	1	-	-	4	...	-	-	2	3	-	-	1	1	-	2	2	8,308
South Carolina	163	1	3	1	-	30	2	...	-	27	2	-	1	10	-	1	-	-	17,973
South Dakota	-	76	2	2	3	-	-	-	...	2	4	1	-	-	4	-	6	22	5,880
Tennessee	54	1	34	7	-	13	-	20	-	...	24	2	1	99	3	10	3	-	29,425
Texas	6	1	21	325	5	26	1	3	7	20	...	1	-	7	5	8	4	1	63,349
Utah	-	-	1	1	2	1	-	-	-	1	5	...	-	2	4	-	1	28	4,974
Vermont	-	-	-	-	-	2	2	-	-	-	1	-	...	-	-	-	1	-	4,167
Virginia	300	-	28	2	2	67	5	16	-	104	16	3	3	...	3	167	2	-	29,708
Washington	4	9	5	5	242	17	-	1	4	2	10	4	-	1	...	7	11	4	22,486
West Virginia	7	-	336	-	-	65	-	2	1	3	2	7	-	165	1	...	2	1	17,428
Wisconsin	1	9	13	1	1	7	-	1	9	-	17	1	1	1	5	4	...	5	33,778
Wyoming	-	3	3	4	4	4	-	-	6	-	10	16	-	-	6	-	4	...	2,336

Table 44. Deaths by Month: United States and Each State, 1950

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,452,454	129,348	117,286	139,976	125,929	121,574	116,060	112,559	110,338	109,993	119,028	119,412	131,951
Alabama	26,660	2,261	2,167	2,545	2,309	2,143	2,153	2,035	2,060	2,005	2,164	2,274	2,544
Arizona	8,822	671	598	600	570	569	526	554	501	512	507	530	684
Arkansas	15,298	1,393	1,259	1,565	1,294	1,224	1,280	1,182	1,131	1,145	1,221	1,211	1,393
California	98,672	9,374	7,918	8,774	8,055	8,144	7,867	8,113	7,729	7,813	8,172	8,000	8,713
Colorado	12,578	1,115	1,034	1,129	1,001	1,111	1,025	983	1,002	958	1,024	1,037	1,159
Connecticut	18,908	1,674	1,529	1,707	1,622	1,637	1,510	1,437	1,392	1,497	1,645	1,578	1,690
Delaware	3,558	319	270	342	306	309	275	294	291	284	300	286	292
District of Columbia	8,867	740	709	883	730	745	718	689	707	654	710	728	856
Florida	27,939	2,510	2,476	2,750	2,422	2,189	2,165	2,076	2,064	1,927	2,150	2,294	2,916
Georgia	30,444	2,671	2,424	2,758	2,626	2,373	2,684	2,291	2,352	2,231	2,356	2,527	3,051
Idaho	4,714	413	380	433	431	408	398	428	345	347	403	371	357
Illinois	91,074	7,982	7,279	8,704	7,863	7,639	7,195	7,022	6,928	7,001	7,407	7,571	8,483
Indiana	40,374	3,420	3,197	3,818	3,575	3,487	3,166	3,137	3,097	3,027	3,308	3,457	3,685
Iowa	27,098	2,418	2,193	2,634	2,440	2,267	2,148	2,130	2,074	2,100	2,176	2,225	2,363
Kansas	19,234	1,757	1,561	1,896	1,706	1,622	1,577	1,410	1,416	1,448	1,527	1,579	1,735
Kentucky	27,600	2,409	2,291	2,817	2,389	2,196	2,163	2,016	2,088	2,098	2,203	2,336	2,594
Louisiana	23,899	2,031	1,897	2,287	2,044	1,908	1,995	1,796	1,831	1,744	1,897	2,083	2,386
Maine	9,868	894	791	909	946	863	759	791	769	760	821	795	881
Maryland	22,857	1,923	1,864	2,527	1,950	1,870	1,724	1,780	1,717	1,756	1,885	1,820	2,041
Massachusetts	49,370	4,367	4,054	4,526	4,245	4,346	3,923	3,825	3,779	3,718	4,164	4,037	4,386
Michigan	57,431	4,905	4,509	5,022	4,914	5,048	4,780	4,536	4,477	4,601	4,750	4,803	5,086
Minnesota	29,394	2,635	2,175	2,740	2,509	2,406	2,327	2,211	2,070	2,130	2,353	2,320	2,518
Mississippi	20,629	1,690	1,634	2,091	1,891	1,869	1,668	1,606	1,539	1,576	1,655	1,749	1,861
Missouri	43,954	3,973	3,698	4,439	3,770	3,526	3,428	3,227	3,236	3,369	3,651	3,632	4,005
Montana	5,789	524	468	526	478	495	480	497	416	448	499	488	470
Nebraska	12,541	1,171	1,033	1,239	1,043	1,048	1,021	994	946	940	1,042	998	1,066
Nevada	1,663	136	123	162	127	156	136	155	138	139	125	123	143
New Hampshire	6,102	524	467	568	544	518	448	486	485	493	507	515	547
New Jersey	47,976	4,247	3,885	4,815	4,167	4,009	3,788	3,778	3,538	3,606	3,956	3,911	4,276
New Mexico	5,589	506	446	624	448	393	446	408	466	407	487	479	479
New York	156,291	13,792	12,574	15,654	13,575	13,198	12,290	11,963	11,594	11,939	13,205	12,636	13,871
North Carolina	31,203	2,621	2,520	3,094	2,703	2,498	2,530	2,381	2,402	2,280	2,577	2,627	2,970
North Dakota	5,137	444	374	447	451	451	420	418	412	414	414	413	479
Ohio	80,517	6,824	6,503	7,857	7,218	6,825	6,256	6,276	6,089	5,985	6,762	6,699	7,223
Oklahoma	18,972	1,853	1,617	1,955	1,592	1,525	1,550	1,379	1,396	1,447	1,431	1,488	1,739
Oregon	14,011	1,247	1,111	1,228	1,154	1,196	1,151	1,151	1,094	1,125	1,184	1,182	1,208
Pennsylvania	109,727	9,718	8,620	10,822	10,104	9,528	8,658	8,335	8,204	7,980	9,101	8,750	9,907
Rhode Island	6,300	737	693	759	722	750	705	654	631	589	646	651	763
South Carolina	17,829	1,553	1,544	1,796	1,590	1,458	1,516	1,374	1,266	1,306	1,346	1,500	1,600
South Dakota	5,887	526	499	575	508	490	459	457	480	459	458	485	521
Tennessee	30,324	2,719	2,643	3,010	2,573	2,322	2,495	2,230	2,274	2,225	2,414	2,577	2,842
Texas	63,362	5,511	5,232	5,926	5,268	5,365	5,107	4,919	5,047	4,747	5,013	5,277	5,950
Utah	5,032	429	429	461	445	449	418	410	366	411	424	411	379
Vermont	4,166	360	349	378	357	380	331	345	286	332	347	351	351
Virginia	29,590	2,484	2,367	3,114	2,554	2,356	2,424	2,316	2,294	2,186	2,327	2,314	2,854
Washington	22,550	2,114	1,798	2,052	1,952	1,901	1,791	1,724	1,778	1,717	1,904	1,848	1,971
West Virginia	17,509	1,508	1,386	1,714	1,661	1,487	1,308	1,375	1,324	1,304	1,463	1,444	1,515
Wisconsin	33,847	3,067	2,615	3,082	3,008	2,909	2,692	2,784	2,642	2,621	2,699	2,774	2,954
Wyoming	2,296	188	164	223	179	188	188	181	195	192	228	178	194

Table 45. Deaths by Month, Race, and Sex: United States and Each State, 1950

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,452,454	128,348	117,286	139,976	125,929	121,574	116,060	112,559	110,338	109,983	119,028	113,412	131,951
Male	827,749	72,801	66,743	79,060	71,494	68,933	66,015	64,511	63,265	62,874	68,087	66,317	75,649
Female	624,705	55,547	50,543	60,916	54,435	52,641	50,045	48,048	47,073	47,119	50,941	51,095	56,302
White	1,276,085	113,251	102,891	122,912	110,807	107,336	101,697	98,999	96,866	96,430	105,112	104,673	115,111
Male	731,366	64,641	58,969	69,811	63,209	61,244	58,248	57,029	55,790	55,419	60,509	60,153	66,344
Female	544,719	48,610	43,922	53,101	47,598	46,092	43,449	41,970	41,076	41,011	44,603	44,520	48,767
Nonwhite	176,369	15,097	14,385	17,064	15,122	14,238	14,363	13,560	13,472	13,563	13,916	14,739	16,840
Male	96,383	8,160	7,774	9,249	8,295	7,689	7,767	7,482	7,475	7,455	7,578	8,164	9,305
Female	79,986	6,937	6,621	7,815	6,837	6,549	6,596	6,078	5,997	6,108	6,338	6,575	7,535
ALABAMA	26,836	2,280	2,168	2,584	2,333	2,148	2,164	2,068	2,075	2,003	2,179	2,282	2,552
Male	15,139	1,260	1,218	1,452	1,289	1,217	1,223	1,194	1,154	1,102	1,282	1,329	1,419
Female	11,697	1,020	950	1,132	1,044	931	941	874	921	901	897	953	1,133
White	15,650	1,326	1,254	1,466	1,357	1,235	1,277	1,234	1,201	1,189	1,319	1,337	1,455
Male	9,197	778	737	850	772	724	755	741	702	670	805	814	849
Female	6,453	548	517	616	585	511	522	493	499	519	514	523	606
Nonwhite	11,186	954	914	1,118	976	913	887	834	874	814	860	945	1,097
Male	5,942	482	481	602	517	493	468	453	452	432	477	515	570
Female	5,244	472	433	516	459	420	419	381	422	382	383	430	527
ARIZONA	6,422	617	543	541	536	538	510	537	488	486	482	508	636
Male	4,073	385	350	358	348	326	317	327	302	300	314	332	414
Female	2,349	232	193	183	188	212	193	210	186	186	168	176	222
White	5,265	525	465	443	430	445	415	434	405	381	385	417	520
Male	3,396	332	304	299	295	271	258	270	255	234	256	281	341
Female	1,869	193	161	144	135	174	157	164	150	147	129	136	179
Nonwhite	1,157	92	78	98	106	93	95	103	83	105	97	91	116
Male	677	53	46	59	53	55	59	57	47	66	58	51	73
Female	480	39	32	39	53	38	36	46	36	39	39	40	43
ARKANSAS	15,411	1,399	1,269	1,575	1,325	1,222	1,287	1,193	1,147	1,151	1,219	1,203	1,421
Male	9,014	813	719	904	769	718	745	698	688	666	725	729	840
Female	6,397	586	550	671	556	504	542	495	459	485	494	474	581
White	11,101	1,017	928	1,136	917	887	919	862	836	829	885	851	1,034
Male	6,681	597	547	662	559	533	563	516	516	493	534	549	612
Female	4,420	420	381	474	358	354	356	346	320	336	351	302	422
Nonwhite	4,310	382	341	439	408	335	368	331	311	322	334	352	387
Male	2,333	216	172	242	210	185	182	182	172	173	191	180	228
Female	1,977	166	169	197	198	150	186	149	139	149	143	172	159
CALIFORNIA	98,760	9,339	7,881	8,752	8,072	8,176	7,876	8,185	7,713	7,867	8,210	7,991	8,898
Male	57,814	5,421	4,617	5,127	4,734	4,808	4,659	4,724	4,504	4,669	4,832	4,709	5,110
Female	40,946	3,918	3,264	3,625	3,338	3,368	3,217	3,461	3,209	3,198	3,378	3,282	3,788
White	93,626	8,895	7,428	8,318	7,626	7,766	7,472	7,771	7,313	7,458	7,806	7,544	8,229
Male	54,754	5,166	4,349	4,863	4,440	4,555	4,407	4,476	4,252	4,418	4,585	4,423	4,822
Female	38,872	3,729	3,079	3,455	3,186	3,211	3,065	3,295	3,061	3,042	3,221	3,121	3,407
Nonwhite	5,134	444	453	434	446	410	404	414	400	409	404	447	469
Male	3,160	255	268	264	294	253	252	248	252	253	247	286	288
Female	1,974	189	185	170	152	157	152	166	148	156	157	161	181
COLORADO	12,280	1,088	1,017	1,118	980	1,096	1,001	947	949	934	992	1,016	1,132
Male	7,025	615	579	661	583	621	547	525	548	537	573	595	643
Female	5,255	473	438	457	407	475	454	422	403	397	419	421	489
White	12,006	1,063	993	1,096	970	1,065	973	931	929	915	971	995	1,105
Male	6,886	603	567	653	571	604	531	516	534	533	562	585	627
Female	5,120	460	426	443	399	461	442	415	395	382	409	410	478
Nonwhite	274	25	24	22	20	31	28	16	20	19	21	21	27
Male	139	12	12	8	12	17	16	9	12	4	11	10	16
Female	135	13	12	14	8	14	12	7	8	15	10	11	11
CONNECTICUT	19,123	1,702	1,556	1,737	1,641	1,654	1,506	1,438	1,397	1,499	1,650	1,615	1,728
Male	10,613	936	862	970	909	931	855	802	780	823	874	863	988
Female	8,510	766	694	767	732	723	651	636	617	676	776	732	740
White	18,614	1,664	1,507	1,687	1,595	1,617	1,461	1,401	1,357	1,465	1,614	1,565	1,681
Male	10,340	920	835	944	884	913	832	787	754	801	858	851	963
Female	8,274	744	672	743	711	704	629	614	603	664	758	714	718
Nonwhite	509	38	49	50	46	37	45	37	40	34	36	50	47
Male	273	16	27	26	25	18	23	15	26	22	18	37	25
Female	236	22	22	24	21	19	22	22	14	12	18	18	22
DELAWARE	3,501	325	262	343	303	303	261	282	267	282	299	285	289
Male	1,965	168	142	212	160	165	153	149	155	168	175	159	159
Female	1,536	157	120	131	143	138	108	133	112	114	124	126	130
White	2,896	273	215	273	264	234	217	228	226	225	246	249	246
Male	1,613	140	118	164	139	126	123	122	134	133	144	136	134
Female	1,283	133	97	109	125	108	94	106	92	92	102	113	112
Nonwhite	605	52	47	70	39	69	44	54	41	57	53	36	43
Male	352	28	24	48	21	39	30	27	21	35	31	23	25
Female	253	24	23	22	18	30	14	27	20	22	22	13	18
DISTRICT OF COLUMBIA	8,560	709	696	836	692	717	685	679	677	651	684	703	821
Male	4,643	387	344	460	374	401	380	377	371	339	403	361	446
Female	3,917	322	352	376	318	316	305	302	306	312	281	342	375
White	5,370	416	414	556	416	458	450	436	420	410	428	459	507
Male	2,947	243	199	305	223	259	248	246	236	224	256	239	269
Female	2,423	173	215	251	193	199	202	190	184	186	172	220	238
Nonwhite	3,190	293	282	280	276	259	235	243	257	241	256	244	314
Male	1,696	144	145	155	151	142	132	131	135	115	147	122	177
Female	1,494	149	137	125	125	117	113	112	122	126	109	122	137
FLORIDA	28,569	2,207	2,127	2,371	2,234	2,154	2,170	2,126	2,116	1,960	2,161	2,232	2,711
Male	15,838	1,353	1,242	1,456	1,319	1,279	1,248	1,264	1,265	1,147	1,282	1,357	1,626
Female	10,731	854	885	915	915	875	922	862	851	813	879	875	1,085
White	19,494	1,675	1,556	1,759	1,631	1,571	1,572	1,553	1,567	1,438	1,574	1,617	1,981
Male	11,806	1,039	924	1,127	976	935	921	941	944	866	952	992	1,189
Female	7,688	636	632	632	655	636	651	612	623	572	622	625	792
Nonwhite	7,075	552	571	612	603	583	598	573	549	522	587	615	730
Male	4,032	314	318	329	343	344	327	323	321	281	330	365	437
Female	3,043	218	253	283	260	239	271	250	228	241	257	250	293

Table 45. Deaths by Month, Race, and Sex: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	30,325	2,676	2,407	2,745	2,617	2,357	2,683	2,298	2,328	2,222	2,351	2,604	3,047
Male	17,063	1,492	1,331	1,476	1,504	1,325	1,439	1,333	1,326	1,303	1,342	1,469	1,704
Female	13,262	1,194	1,076	1,269	1,113	1,032	1,244	955	1,002	919	1,009	1,116	1,343
White	18,001	1,600	1,418	1,601	1,621	1,400	1,615	1,411	1,389	1,286	1,400	1,543	1,707
Male	10,519	910	845	905	943	807	904	840	820	781	823	916	1,015
Female	7,482	690	573	696	678	593	711	571	569	505	577	627	692
Nonwhite	12,324	1,076	989	1,144	996	957	1,068	887	939	936	951	1,061	1,340
Male	6,544	582	486	571	561	518	535	493	506	512	519	572	689
Female	5,780	494	503	573	435	439	533	394	433	414	432	489	651
IDAHO	4,837	424	396	454	459	426	401	420	356	351	401	388	381
Male	3,048	283	263	292	277	275	263	260	224	230	228	260	225
Female	1,789	171	133	162	182	151	138	160	132	121	173	128	156
White	4,741	417	390	444	451	419	395	410	346	348	397	377	347
Male	2,986	248	260	287	272	268	261	252	218	229	228	250	215
Female	1,755	169	130	157	179	151	134	158	128	119	171	127	132
Nonwhite	96	7	6	10	8	7	6	10	10	3	4	11	14
Male	62	5	3	5	5	7	2	8	5	1	-	10	10
Female	34	2	3	5	3	-	4	2	4	2	4	1	4
ILLINOIS	92,490	8,149	7,392	8,834	7,953	7,727	7,317	7,177	7,111	7,114	7,504	7,653	9,559
Male	52,723	4,565	4,136	4,971	4,569	4,374	4,191	4,082	4,072	4,083	4,300	4,437	4,943
Female	39,767	3,584	3,256	3,863	3,384	3,353	3,126	3,095	3,039	3,031	3,204	3,216	3,616
White	84,706	7,511	6,738	8,122	7,288	7,093	6,736	6,578	6,500	6,467	6,872	7,005	7,796
Male	48,443	4,197	3,785	4,583	4,213	4,039	3,883	3,757	3,710	3,716	3,958	4,074	4,529
Female	36,263	3,314	2,953	3,539	3,075	3,054	2,853	2,821	2,790	2,751	2,914	2,931	3,268
Nonwhite	7,784	638	654	712	665	634	581	599	611	647	632	648	763
Male	4,280	368	351	388	356	335	308	325	362	367	342	365	415
Female	3,504	270	303	324	309	299	273	274	249	280	290	285	348
INDIANA	40,630	3,469	3,217	3,861	3,593	3,504	3,175	3,145	3,085	3,029	3,348	3,454	3,750
Male	23,047	1,980	1,852	2,180	2,003	1,981	1,823	1,789	1,729	1,745	1,897	1,916	2,172
Female	17,583	1,489	1,365	1,681	1,590	1,523	1,352	1,376	1,356	1,284	1,451	1,538	1,578
White	38,321	3,269	3,034	3,636	3,395	3,324	3,002	2,945	2,943	2,851	3,169	3,229	3,524
Male	21,833	1,873	1,753	2,057	1,904	1,891	1,734	1,669	1,654	1,649	1,804	1,805	2,040
Female	16,488	1,396	1,281	1,579	1,491	1,433	1,268	1,276	1,289	1,202	1,365	1,424	1,484
Nonwhite	2,309	200	183	225	198	180	173	200	142	178	179	225	226
Male	1,214	107	99	123	99	90	89	100	75	96	93	111	132
Female	1,095	93	84	102	99	90	84	100	67	82	86	114	94
IOWA	26,979	2,385	2,111	2,645	2,436	2,266	2,118	2,112	2,074	2,079	2,182	2,221	2,350
Male	15,312	1,340	1,223	1,487	1,355	1,286	1,195	1,215	1,162	1,162	1,269	1,235	1,337
Female	11,667	1,045	882	1,158	1,081	980	933	897	912	917	913	936	1,013
White	26,701	2,367	2,094	2,619	2,405	2,257	2,086	2,084	2,055	2,051	2,148	2,204	2,331
Male	15,153	1,327	1,222	1,472	1,337	1,280	1,164	1,200	1,151	1,148	1,253	1,273	1,326
Female	11,548	1,040	872	1,147	1,068	977	922	884	904	903	895	931	1,005
Nonwhite	278	18	17	26	31	9	32	28	19	28	34	17	19
Male	159	13	7	15	18	6	21	15	11	14	18	12	11
Female	119	5	10	11	13	3	11	13	8	14	16	5	8
KANSAS	19,058	1,748	1,541	1,871	1,701	1,588	1,579	1,384	1,405	1,449	1,493	1,554	1,745
Male	10,930	984	898	1,055	962	862	926	790	813	848	863	915	1,006
Female	8,128	764	643	816	739	726	653	594	592	603	630	659	739
White	17,971	1,657	1,455	1,788	1,605	1,487	1,483	1,298	1,333	1,357	1,404	1,478	1,646
Male	10,320	947	853	997	912	809	870	743	769	796	813	868	943
Female	7,651	710	602	771	693	679	613	555	564	561	591	610	703
Nonwhite	1,087	91	86	103	96	101	96	86	72	92	89	76	99
Male	610	47	45	58	50	53	56	47	44	50	50	47	63
Female	477	44	41	45	46	48	40	39	28	42	39	29	36
KENTUCKY	27,855	2,430	2,318	2,843	2,414	2,224	2,159	2,051	2,115	2,110	2,215	2,392	2,594
Male	15,828	1,354	1,298	1,568	1,369	1,280	1,235	1,185	1,247	1,183	1,291	1,361	1,457
Female	12,027	1,076	1,020	1,275	1,045	944	924	866	868	927	924	1,031	1,137
White	24,520	2,117	2,046	2,537	2,123	1,948	1,884	1,784	1,880	1,851	1,980	2,075	2,295
Male	14,027	1,164	1,163	1,388	1,204	1,129	1,088	1,040	1,115	1,043	1,173	1,199	1,301
Female	10,493	953	883	1,149	919	819	796	744	765	808	807	876	994
Nonwhite	3,335	313	272	306	291	276	275	267	235	259	235	317	299
Male	1,801	170	135	180	165	151	147	145	132	140	118	162	156
Female	1,534	143	137	126	126	125	128	122	103	119	117	145	143
LOUISIANA	23,738	2,018	1,882	2,263	2,023	1,888	1,993	1,790	1,842	1,727	1,876	2,078	2,358
Male	13,449	1,105	1,080	1,277	1,110	1,080	1,119	1,010	1,060	988	1,049	1,213	1,380
Female	10,289	915	802	986	913	828	874	780	782	739	827	865	978
White	13,740	1,150	1,098	1,312	1,151	1,106	1,141	1,020	1,061	1,004	1,046	1,255	1,376
Male	8,114	647	645	764	651	650	677	588	643	603	649	756	841
Female	5,626	503	453	548	460	456	464	432	418	401	437	499	535
Nonwhite	9,998	868	784	951	892	782	852	770	781	723	790	823	982
Male	5,335	456	435	513	459	410	442	422	417	385	400	457	539
Female	4,663	412	349	438	433	372	410	348	364	338	390	366	443
MAINE	9,886	918	792	914	862	871	754	780	743	754	828	793	897
Male	5,373	501	438	475	482	444	431	407	401	407	456	433	498
Female	4,513	417	354	439	380	427	323	353	342	347	372	360	399
White	9,860	916	790	912	861	869	753	757	741	750	826	788	897
Male	5,358	499	437	475	481	444	431	405	399	404	455	430	499
Female	4,502	417	353	437	380	425	322	352	342	346	371	358	399
Nonwhite	26	2	2	2	1	2	1	3	2	4	2	5	-
Male	15	2	1	-	1	-	-	2	2	3	1	3	-
Female	11	-	1	2	-	2	1	1	-	1	1	2	-
MARYLAND	22,417	1,899	1,804	2,507	1,923	1,817	1,710	1,737	1,684	1,716	1,921	1,783	2,016
Male	12,482	1,069	991	1,354	1,085	1,022	936	958	935	918	1,045	1,019	1,152
Female	9,935	830	813	1,153	838	795	774	781	749	798	776	764	864
White	17,801	1,513	1,408	1,984	1,569	1,447	1,322	1,398	1,328	1,350	1,448	1,425	1,608
Male	9,884	847	791	1,073	996	813	722	765	750	727	815	817	919
Female	7,917	666	58	911	683	634	600	633	578	623	633	608	689
Nonwhite	4,616	386	396	523	354	370	388	339	355	366	373	358	408
Male	2,598	222	241	281	199	209	214	191	185	191	230	202	233
Female	2,018	164	155	242	155	161	174	148	170	175	143	156	175

Table 45. Deaths by Month, Race, and Sex: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	49,386	4,367	4,062	4,537	4,236	4,332	3,936	3,868	3,785	3,692	4,144	4,041	4,386
Male	26,292	2,336	2,088	2,394	2,309	2,295	2,101	2,087	1,998	1,988	2,239	2,121	2,338
Female	23,094	2,031	1,974	2,143	1,927	2,037	1,835	1,781	1,789	1,704	1,905	1,920	2,048
White	48,528	4,286	4,004	4,479	4,164	4,267	3,849	3,792	3,703	3,630	4,069	3,974	4,311
Male	25,823	2,292	2,058	2,364	2,267	2,263	2,046	2,046	1,952	1,956	2,198	2,086	2,295
Female	22,705	1,994	1,946	2,115	1,897	2,004	1,803	1,746	1,751	1,674	1,871	1,888	2,016
Nonwhite	858	81	58	58	72	65	87	76	82	62	75	67	75
Male	469	44	30	30	42	32	55	41	44	32	41	35	43
Female	389	37	28	28	30	33	32	35	38	30	34	32	32
MICHIGAN	57,743	4,950	4,552	5,080	4,949	5,081	4,807	4,517	4,442	4,593	4,778	4,844	5,150
Male	33,882	2,909	2,693	2,907	2,841	2,961	2,851	2,675	2,664	2,740	2,746	2,844	3,051
Female	23,861	2,041	1,859	2,173	2,108	2,120	1,956	1,842	1,778	1,853	2,032	2,000	2,099
White	53,551	4,594	4,256	4,717	4,596	4,703	4,471	4,164	4,095	4,245	4,452	4,486	4,772
Male	31,559	2,706	2,530	2,717	2,636	2,756	2,661	2,478	2,459	2,553	2,580	2,652	2,831
Female	21,992	1,888	1,726	2,000	1,960	1,947	1,810	1,686	1,636	1,692	1,872	1,834	1,941
Nonwhite	4,192	356	296	363	353	378	336	353	347	348	326	358	378
Male	2,323	203	163	190	205	206	190	197	205	187	166	192	220
Female	1,869	153	133	173	148	173	146	156	142	161	160	166	159
MINNESOTA	28,020	2,600	2,173	2,698	2,469	2,401	2,276	2,162	2,012	2,085	2,337	2,295	2,514
Male	16,429	1,524	1,290	1,572	1,465	1,415	1,347	1,282	1,184	1,221	1,401	1,299	1,429
Female	11,591	1,076	883	1,126	1,004	986	929	880	828	864	936	994	1,085
White	27,666	2,569	2,146	2,665	2,435	2,372	2,240	2,135	1,988	2,057	2,312	2,264	2,483
Male	16,213	1,504	1,270	1,551	1,445	1,395	1,330	1,269	1,169	1,202	1,388	1,280	1,410
Female	11,453	1,065	876	1,114	990	977	910	866	819	855	924	984	1,073
Nonwhite	354	31	27	33	34	29	36	27	24	28	25	29	31
Male	216	20	20	21	20	20	17	13	15	18	13	19	19
Female	138	11	7	12	14	9	19	14	9	9	12	10	12
MISSISSIPPI	20,784	1,708	1,651	2,089	1,894	1,699	1,673	1,616	1,556	1,595	1,667	1,753	1,883
Male	11,570	956	927	1,161	1,067	917	916	884	887	890	926	968	1,071
Female	9,214	752	724	928	827	782	757	732	669	705	741	785	812
White	9,603	767	779	982	856	809	746	746	748	759	817	745	849
Male	5,648	464	450	584	508	457	429	442	456	440	479	428	511
Female	3,955	303	329	398	348	352	317	304	292	319	338	317	338
Nonwhite	11,181	941	872	1,107	1,038	890	927	870	808	836	850	1,008	1,034
Male	5,922	492	477	577	559	460	487	442	431	450	447	540	560
Female	5,259	449	395	530	479	430	440	428	377	386	403	468	474
MISSOURI	43,710	3,952	3,716	4,409	3,726	3,510	3,397	3,199	3,215	3,346	3,620	3,645	3,975
Male	24,780	2,246	2,102	2,518	2,077	1,972	1,869	1,826	1,837	1,920	2,085	2,070	2,268
Female	18,930	1,706	1,614	1,891	1,649	1,538	1,528	1,373	1,378	1,426	1,535	1,575	1,717
White	39,249	3,557	3,336	3,967	3,378	3,150	3,073	2,856	2,887	2,994	3,250	3,257	3,544
Male	22,288	2,028	1,897	2,282	1,896	1,771	1,685	1,635	1,655	1,714	1,874	1,846	2,005
Female	16,961	1,529	1,439	1,685	1,482	1,379	1,388	1,221	1,232	1,280	1,376	1,411	1,539
Nonwhite	4,461	395	380	442	348	360	324	343	328	352	370	388	431
Male	2,492	218	205	256	181	201	184	191	182	206	211	224	253
Female	1,969	177	175	206	167	159	140	152	146	146	159	164	178
MONTANA	5,822	528	477	536	476	499	479	498	416	441	505	489	478
Male	3,715	314	301	328	290	316	317	326	286	295	325	310	307
Female	2,107	214	176	208	186	183	162	172	130	146	180	179	171
White	5,578	497	450	517	456	482	465	481	405	420	490	468	447
Male	3,578	296	267	318	277	308	309	314	278	283	318	298	292
Female	2,000	201	183	199	179	174	156	167	127	137	172	170	155
Nonwhite	244	31	27	19	20	17	14	17	11	21	15	21	31
Male	137	18	14	10	13	8	8	12	8	12	7	12	15
Female	107	13	13	9	7	9	6	5	3	9	8	9	16
NEBRASKA	12,617	1,190	1,054	1,251	1,055	1,047	1,017	988	955	943	1,057	993	1,067
Male	7,353	697	633	749	614	576	604	574	544	539	614	581	628
Female	5,264	493	421	502	441	471	413	414	411	404	443	412	439
White	12,312	1,171	1,024	1,215	1,027	1,025	997	965	930	917	1,029	968	1,044
Male	7,180	684	614	731	600	564	594	560	529	526	600	564	614
Female	5,132	487	410	484	427	461	403	405	401	391	429	404	430
Nonwhite	305	19	30	36	28	22	20	23	25	26	28	25	23
Male	173	13	19	18	14	12	10	14	15	13	14	17	14
Female	132	6	11	18	14	10	10	9	10	13	14	8	9
NEVADA	1,598	139	121	155	128	143	128	133	125	129	122	120	145
Male	1,092	93	82	119	85	104	93	95	82	82	74	87	96
Female	496	46	39	36	43	39	35	38	43	47	48	33	49
White	1,468	129	113	145	116	136	120	121	106	120	113	111	138
Male	1,027	87	78	113	77	100	90	87	73	78	72	80	92
Female	441	42	35	32	39	36	30	34	33	42	41	31	46
Nonwhite	120	10	8	10	12	7	8	12	19	9	9	9	7
Male	65	6	4	6	8	4	3	9	9	4	2	7	4
Female	55	4	4	4	4	3	5	4	10	5	7	2	3
NEW HAMPSHIRE	6,076	523	475	589	552	519	449	462	456	486	509	513	543
Male	3,360	297	253	306	314	289	243	258	255	269	286	286	304
Female	2,716	226	222	283	238	230	206	204	201	217	223	227	239
White	6,061	521	474	588	552	518	448	461	455	484	507	513	540
Male	3,353	296	253	305	314	289	243	258	254	267	286	286	302
Female	2,708	225	221	283	238	229	205	203	201	217	221	227	238
Nonwhite	15	2	1	1	-	1	1	1	1	2	2	-	3
Male	7	1	-	1	-	-	-	-	1	2	-	-	2
Female	8	1	1	-	-	1	1	1	-	-	2	-	1
NEW JERSEY	49,100	4,375	4,013	4,983	4,274	4,089	3,872	3,802	3,576	3,663	4,054	4,005	4,394
Male	26,948	2,368	2,200	2,682	2,338	2,212	2,111	2,115	1,967	2,026	2,230	2,230	2,469
Female	22,152	2,007	1,813	2,301	1,936	1,877	1,761	1,687	1,609	1,637	1,824	1,775	1,925
White	45,429	4,052	3,695	4,603	3,989	3,796	3,583	3,518	3,314	3,351	3,738	3,723	4,087
Male	24,924	2,199	2,042	2,474	2,185	2,053	1,943	1,943	1,819	1,842	2,065	2,066	2,313
Female	20,505	1,853	1,653	2,129	1,804	1,743	1,640	1,575	1,495	1,509	1,673	1,657	1,774
Nonwhite	3,671	323	318	380	305	293	289	284	262	312	316	282	307
Male	2,024	169	158	208	173	159	168	172	148	184	165	164	186
Female	1,647	154	160	172	132	134	121	112	114	128	151	118	121

Table 45. Deaths by Month, Race, and Sex: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	5,471	489	437	618	431	402	438	394	445	403	479	474	461
Male	3,191	286	248	375	243	231	247	235	254	237	286	292	257
Female	2,280	203	189	243	188	171	191	159	191	166	193	182	204
White	4,837	433	386	548	377	351	390	355	398	349	422	417	410
Male	2,834	253	222	330	211	202	225	217	225	208	257	251	233
Female	2,003	180	164	219	166	149	165	138	173	141	165	166	177
Nonwhite	634	56	51	69	54	51	48	39	47	54	57	57	51
Male	357	33	26	45	32	29	22	18	29	29	29	41	24
Female	277	23	25	24	22	22	26	21	18	25	28	16	27
NEW YORK	156,074	13,772	12,589	15,673	13,572	13,180	12,245	11,916	11,615	11,931	13,157	12,591	13,833
Male	86,541	7,603	7,004	8,528	7,446	7,330	6,822	6,749	6,482	6,647	7,344	6,896	7,690
Female	69,533	6,169	5,585	7,145	6,126	5,850	5,423	5,167	5,133	5,284	5,813	5,695	6,143
White	146,417	12,940	11,819	14,740	12,793	12,351	11,514	11,164	10,817	11,174	12,373	11,847	12,885
Male	81,352	7,195	6,588	8,025	7,026	6,880	6,432	6,330	6,030	6,242	6,928	6,485	7,179
Female	65,065	5,745	5,231	6,715	5,765	5,471	5,082	4,834	4,787	4,932	5,445	5,362	5,706
Nonwhite	9,657	832	770	933	779	829	731	752	798	757	784	744	948
Male	5,189	408	416	503	418	450	390	419	452	405	416	401	511
Female	4,468	424	354	430	361	379	341	333	346	352	368	343	437
NORTH CAROLINA	31,130	2,627	2,529	3,093	2,691	2,492	2,522	2,359	2,381	2,295	2,554	2,635	2,952
Male	17,717	1,465	1,428	1,742	1,523	1,367	1,428	1,364	1,365	1,301	1,483	1,537	1,714
Female	13,413	1,162	1,101	1,351	1,168	1,125	1,094	995	1,016	994	1,071	1,098	1,238
White	20,370	1,693	1,633	2,093	1,803	1,669	1,625	1,533	1,544	1,508	1,664	1,713	1,892
Male	11,976	992	968	1,224	1,059	951	945	915	924	878	989	1,015	1,117
Female	8,394	701	665	869	745	718	680	618	620	630	675	698	775
Nonwhite	10,760	934	896	1,000	888	823	897	826	837	787	890	922	1,060
Male	5,741	473	460	518	465	416	483	449	441	423	494	522	597
Female	5,019	461	436	482	423	407	414	377	396	364	396	400	463
NORTH DAKOTA	5,191	458	379	467	466	447	423	420	415	419	405	411	481
Male	3,203	278	222	297	297	277	264	248	251	254	262	250	303
Female	1,988	180	157	170	169	170	159	172	164	165	143	161	178
White	5,086	448	366	459	457	434	413	408	404	410	398	400	469
Male	3,139	269	216	293	292	271	260	243	246	251	258	243	297
Female	1,947	179	150	166	165	163	153	165	158	159	140	157	172
Nonwhite	125	10	13	8	9	13	10	12	11	9	7	11	12
Male	64	9	6	4	5	6	4	5	5	3	4	7	6
Female	61	1	7	4	4	7	6	7	6	6	3	4	6
OHIO	80,633	6,837	6,529	7,878	7,237	6,816	6,279	6,274	6,117	5,962	6,764	6,707	7,233
Male	45,599	3,858	3,727	4,438	4,067	3,869	3,528	3,531	3,439	3,348	3,810	3,811	4,173
Female	35,034	2,979	2,802	3,440	3,170	2,947	2,751	2,743	2,678	2,614	2,954	2,896	3,060
White	74,837	6,344	6,059	7,363	6,737	6,327	5,818	5,812	5,664	5,522	6,287	6,214	6,690
Male	42,326	3,569	3,473	4,136	3,772	3,597	3,278	3,274	3,185	3,116	3,556	3,525	3,846
Female	32,511	2,775	2,586	3,227	2,965	2,730	2,540	2,538	2,479	2,406	2,732	2,689	2,844
Nonwhite	5,796	493	470	515	500	489	461	462	453	440	477	493	543
Male	3,273	289	254	302	295	272	250	257	254	232	255	286	327
Female	2,523	204	216	213	205	217	211	205	199	208	222	207	216
OKLAHOMA	19,473	1,911	1,661	1,984	1,623	1,576	1,578	1,438	1,437	1,473	1,481	1,533	1,778
Male	11,609	1,099	1,017	1,154	976	928	954	860	873	837	903	907	1,101
Female	7,864	812	644	830	647	648	624	578	564	636	578	626	677
White	17,173	1,711	1,448	1,723	1,452	1,389	1,402	1,284	1,261	1,277	1,311	1,341	1,574
Male	10,338	1,003	899	1,005	881	825	858	775	780	738	816	801	977
Female	6,835	708	549	718	571	564	544	509	501	539	495	540	597
Nonwhite	2,300	200	213	261	171	187	176	154	176	196	170	192	204
Male	1,271	96	118	149	95	103	96	85	113	99	87	106	124
Female	1,029	104	95	112	76	84	80	69	63	97	83	86	80
OREGON	13,935	1,238	1,108	1,233	1,153	1,189	1,138	1,134	1,081	1,128	1,181	1,163	1,209
Male	8,518	765	646	772	689	709	718	695	667	693	709	712	744
Female	5,417	473	462	461	464	480	420	439	414	435	453	451	465
White	13,695	1,208	1,089	1,213	1,131	1,172	1,124	1,113	1,061	1,112	1,137	1,146	1,189
Male	8,373	747	635	760	678	698	710	684	652	684	691	702	732
Female	5,322	461	454	453	453	474	414	429	409	428	446	444	457
Nonwhite	240	30	19	20	22	17	14	21	20	16	24	17	20
Male	145	18	11	12	11	11	8	11	15	9	17	10	12
Female	95	12	8	8	11	6	6	10	5	7	7	7	8
PENNSYLVANIA	110,212	9,728	8,684	10,849	10,164	9,548	8,686	8,435	8,270	8,048	9,084	8,779	9,937
Male	61,304	5,398	4,831	6,071	5,630	5,331	4,799	4,717	4,638	4,538	4,887	4,861	5,603
Female	48,908	4,330	3,853	4,778	4,534	4,217	3,887	3,718	3,632	3,510	4,197	3,918	4,334
White	102,557	9,063	8,108	10,072	9,501	8,893	8,055	7,838	7,681	7,439	8,498	8,181	9,238
Male	57,060	5,018	4,508	5,657	5,268	4,972	4,434	4,398	4,306	4,188	4,571	4,529	5,211
Female	45,497	4,045	3,600	4,415	4,233	3,921	3,621	3,440	3,375	3,251	3,917	3,652	4,027
Nonwhite	7,655	665	576	777	663	655	631	597	589	609	586	598	699
Male	4,244	380	323	414	362	359	365	319	332	350	316	332	392
Female	3,411	285	253	363	301	296	266	278	257	259	280	266	307
RHODE ISLAND	8,308	741	704	755	727	749	690	647	622	587	661	643	782
Male	4,479	404	381	399	399	377	377	378	334	312	348	341	429
Female	3,829	337	323	356	328	372	313	269	288	275	313	302	353
White	8,101	723	689	734	713	728	664	635	612	574	643	623	763
Male	4,373	390	371	390	393	369	365	357	331	306	338	332	421
Female	3,728	333	318	344	320	359	299	278	281	268	305	291	342
Nonwhite	207	18	15	21	14	21	26	12	10	13	18	20	19
Male	106	14	10	9	6	8	12	11	3	6	10	9	8
Female	101	4	5	12	8	13	14	1	7	7	8	11	11
SOUTH CAROLINA	17,973	1,567	1,546	1,803	1,590	1,446	1,540	1,364	1,296	1,320	1,374	1,509	1,618
Male	10,274	905	907	1,013	888	803	875	805	763	732	774	862	947
Female	7,699	662	639	790	702	643	665	559	533	588	600	647	671
White	9,581	834	817	936	814	735	789	716	669	673	756	799	843
Male	5,619	500	494	548	483	437	469	436	414	386	454	475	523
Female	3,762	334	323	388	331	298	320	280	255	287	302	324	320
Nonwhite	8,592	733	729	867	776	711	751	648	627	647	618	710	775
Male	4,655	405	413	465	405	366	406	369	349	346	320	387	424
Female	3,937	328	316	402	371	340	345	279	278	301	298	323	351

Table 45. Deaths by Month, Race, and Sex: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	5,880	530	505	566	495	486	471	456	462	456	448	466	539
Male	3,508	310	304	334	294	294	273	287	279	273	275	265	320
Female	2,372	220	201	232	201	192	198	169	183	183	173	201	219
White	5,532	500	470	528	460	459	448	428	436	431	428	436	508
Male	3,317	294	286	315	273	277	269	269	282	258	265	246	303
Female	2,215	206	184	213	187	182	179	159	174	173	163	190	205
Nonwhite	348	30	35	38	35	27	23	28	26	25	20	30	31
Male	191	16	18	19	21	17	4	18	17	15	10	19	17
Female	157	14	17	19	14	10	19	10	9	10	10	11	14
TENNESSEE	29,425	2,649	2,569	2,934	2,493	2,242	2,423	2,193	2,175	2,149	2,357	2,495	2,746
Male	16,532	1,494	1,412	1,598	1,396	1,255	1,349	1,226	1,215	1,247	1,389	1,387	1,564
Female	12,893	1,155	1,157	1,336	1,097	987	1,074	967	960	902	968	1,108	1,182
White	22,594	2,047	2,004	2,254	1,916	1,743	1,845	1,727	1,661	1,628	1,832	1,904	2,033
Male	12,940	1,184	1,112	1,236	1,083	1,009	1,043	975	954	959	1,111	1,097	1,177
Female	9,654	863	892	1,018	833	734	802	752	707	669	721	807	856
Nonwhite	6,831	602	565	680	577	499	578	466	514	521	525	591	715
Male	3,592	310	300	362	313	246	306	251	261	288	278	290	387
Female	3,239	292	265	318	264	253	272	215	253	233	247	301	326
TEXAS	63,349	5,461	5,216	5,929	5,267	5,364	5,133	4,939	5,074	4,774	5,005	5,247	5,940
Male	37,065	3,213	3,070	3,392	3,136	3,091	3,011	2,865	2,960	2,779	2,982	3,096	3,470
Female	26,284	2,248	2,146	2,537	2,131	2,273	2,122	2,074	2,114	1,995	2,023	2,151	2,470
White	52,747	4,587	4,319	4,915	4,359	4,471	4,260	4,104	4,285	3,935	4,144	4,363	4,885
Male	31,345	2,734	2,591	2,833	2,632	2,626	2,559	2,427	2,546	2,327	2,512	2,618	2,960
Female	21,402	1,853	1,728	2,082	1,727	1,845	1,741	1,677	1,739	1,608	1,632	1,745	2,025
Nonwhite	10,602	874	897	1,014	908	893	853	835	789	839	861	884	955
Male	5,720	479	479	559	504	465	472	438	414	452	470	478	510
Female	4,882	395	418	455	404	428	381	397	375	387	391	406	445
UTAH	4,974	433	420	458	436	433	419	409	373	402	413	398	380
Male	2,968	267	243	262	254	252	239	247	230	233	253	253	235
Female	2,006	166	177	196	182	181	180	162	143	169	160	145	145
White	4,841	422	413	451	419	423	406	397	360	388	404	385	373
Male	2,882	261	238	257	244	245	232	238	222	225	246	242	232
Female	1,959	161	175	194	175	178	174	159	138	163	158	143	141
Nonwhite	133	11	7	7	17	10	13	12	13	14	9	13	7
Male	86	6	5	5	10	7	7	9	8	8	7	11	3
Female	47	5	2	2	7	3	6	3	5	6	2	2	4
VERMONT	4,167	373	359	382	358	382	329	341	284	322	341	355	341
Male	2,307	206	206	202	191	209	172	204	153	183	179	207	195
Female	1,860	167	153	180	167	173	157	137	131	139	162	148	146
White	4,162	373	358	381	357	381	329	341	284	322	341	354	341
Male	2,302	206	205	201	190	208	172	204	153	183	179	206	195
Female	1,860	167	153	180	167	173	157	137	131	139	162	148	146
Nonwhite	5	-	1	1	1	1	-	-	-	-	-	1	-
Male	5	-	1	1	1	1	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	29,708	2,509	2,394	3,135	2,553	2,365	2,389	2,309	2,308	2,183	2,347	2,326	2,880
Male	16,986	1,421	1,356	1,765	1,414	1,334	1,358	1,390	1,359	1,292	1,370	1,350	1,579
Female	12,722	1,088	1,038	1,372	1,139	1,031	1,031	919	949	901	977	976	1,301
White	20,503	1,708	1,632	2,121	1,725	1,638	1,663	1,605	1,590	1,519	1,660	1,604	2,018
Male	11,861	992	939	1,202	964	941	963	965	924	868	999	952	1,132
Female	8,642	716	693	919	761	697	700	640	666	651	661	652	886
Nonwhite	9,205	801	762	1,014	828	727	726	704	718	674	687	722	862
Male	5,125	429	417	561	450	393	395	425	435	404	371	398	447
Female	4,080	372	345	453	378	334	331	279	283	270	296	324	415
WASHINGTON	22,486	2,115	1,797	2,049	1,935	1,890	1,804	1,708	1,765	1,693	1,920	1,844	1,968
Male	13,837	1,304	1,107	1,286	1,209	1,177	1,094	1,034	1,104	1,035	1,163	1,128	1,206
Female	8,649	811	690	763	726	713	720	674	659	658	757	716	762
White	21,818	2,057	1,741	1,981	1,882	1,844	1,752	1,662	1,712	1,637	1,855	1,790	1,905
Male	13,404	1,270	1,071	1,239	1,174	1,146	1,051	1,011	1,074	993	1,123	1,090	1,162
Female	8,414	787	670	742	708	698	701	651	638	644	732	700	743
Nonwhite	668	58	56	68	53	46	52	46	51	56	65	54	63
Male	433	34	36	47	35	31	33	23	30	42	40	38	44
Female	235	24	20	21	18	15	19	23	21	14	25	16	19
WEST VIRGINIA	17,428	1,514	1,382	1,712	1,655	1,483	1,301	1,360	1,306	1,288	1,476	1,444	1,507
Male	10,385	894	855	1,041	985	884	776	797	781	777	847	866	882
Female	7,043	620	527	671	670	599	525	563	525	511	629	578	625
White	16,044	1,400	1,259	1,577	1,534	1,385	1,198	1,250	1,199	1,171	1,354	1,334	1,383
Male	9,546	826	782	961	910	819	714	728	720	705	769	801	811
Female	6,498	574	477	616	624	566	484	522	479	466	585	533	572
Nonwhite	1,384	114	123	135	121	98	103	110	107	117	122	110	124
Male	839	68	73	80	75	65	62	69	61	72	78	65	71
Female	545	46	50	55	46	33	41	41	46	45	44	45	53
WISCONSIN	33,778	3,077	2,633	3,104	3,034	2,895	2,668	2,728	2,615	2,611	2,688	2,764	2,963
Male	19,303	1,765	1,511	1,767	1,731	1,650	1,495	1,573	1,559	1,463	1,558	1,593	1,638
Female	14,475	1,312	1,122	1,337	1,303	1,245	1,173	1,153	1,056	1,148	1,130	1,171	1,325
White	33,323	3,043	2,608	3,055	2,995	2,872	2,633	2,688	2,581	2,573	2,639	2,724	2,914
Male	19,048	1,749	1,492	1,742	1,706	1,637	1,471	1,555	1,541	1,443	1,529	1,570	1,613
Female	14,275	1,294	1,114	1,313	1,289	1,235	1,162	1,133	1,040	1,130	1,110	1,154	1,301
Nonwhite	455	34	27	49	39	23	35	38	34	38	49	40	49
Male	255	16	19	25	25	13	24	18	18	20	29	23	25
Female	200	18	8	24	14	10	11	20	16	18	20	17	24
WYOMING	2,336	205	172	233	183	193	191	173	189	162	225	187	203
Male	1,523	137	110	155	125	133	119	117	123	107	142	126	129
Female	813	68	62	78	58	60	72	56	66	75	83	61	74
White	2,258	203	167	220	178	185	184	165	185	176	221	176	198
Male	1,481	136	107	150	122	128	116	112	121	104	140	119	126
Female	777	67	60	70	56	57	69	53	64	72	81	57	72
Nonwhite	78	2	5	13	5	8	7	8	4	6	4	11	5
Male	42	1	3	5	3	5	3	5	2	3	2	7	3
Female	36	1	2	8	2	3	4	3	2	3	2	4	2

Table 46. Deaths by Specified Race and Sex: United States and Each State, 1950

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,452,454	827,749	624,705	731,366	544,719	92,004	77,802	2,497	1,943	888	169	658	207	336	65
Alabama	26,836	15,139	11,697	9,197	6,453	5,940	5,243	2	1	-	-	-	-	-	-
Arizona	6,422	4,073	2,349	3,596	1,869	200	128	456	345	13	6	3	-	5	1
Arkansas	15,411	9,014	6,397	8,681	4,420	2,328	1,976	2	-	1	1	2	-	2	-
California	98,780	57,914	40,866	54,754	38,872	2,025	1,569	181	143	332	103	402	122	220	37
Colorado	12,280	7,025	5,255	6,886	5,120	108	116	7	9	-	1	22	7	2	-
Connecticut	19,123	10,613	8,510	10,340	8,274	270	234	1	2	2	-	-	-	-	-
Delaware	3,501	1,965	1,536	1,613	1,283	347	251	1	1	2	-	-	-	2	1
District of Columbia	8,560	4,643	3,917	2,947	2,423	1,670	1,493	4	-	16	-	3	-	3	1
Florida	26,569	15,838	10,731	11,806	7,688	4,022	3,040	5	2	2	-	2	1	1	-
Georgia	30,325	17,063	13,262	10,513	7,482	6,540	5,779	1	1	2	-	-	-	1	-
Idaho	4,837	3,048	1,789	2,986	1,755	8	3	37	26	3	2	11	3	3	-
Illinois	92,490	52,723	39,767	48,443	36,263	4,158	3,472	8	9	57	3	49	18	8	2
Indiana	40,630	23,047	17,583	21,833	16,498	1,206	1,092	3	3	4	-	-	-	1	-
Iowa	26,979	15,312	11,667	15,153	11,548	147	113	8	6	2	-	-	-	2	-
Kansas	19,058	10,930	8,128	10,320	7,651	597	469	11	8	1	-	-	-	1	-
Kentucky	27,855	15,828	12,027	14,027	10,493	1,801	1,533	-	1	-	-	-	-	-	-
Louisiana	23,738	13,449	10,289	8,114	5,626	5,319	4,661	4	2	8	-	1	-	3	-
Maine	9,886	5,373	4,513	5,358	4,502	6	8	8	3	-	-	-	-	1	-
Maryland	22,417	12,482	9,935	9,884	7,917	2,588	2,012	1	1	9	2	-	1	-	2
Massachusetts	49,386	26,292	23,094	25,823	22,705	410	380	10	-	43	5	1	-	5	4
Michigan	57,743	33,882	23,861	31,558	21,992	2,256	1,820	45	47	15	2	2	-	5	-
Minnesota	28,020	16,429	11,591	16,213	11,453	131	78	74	57	7	-	2	3	2	-
Mississippi	20,784	11,570	9,214	5,648	3,955	5,905	5,249	14	9	3	1	-	-	-	-
Missouri	43,710	24,780	18,930	22,288	16,961	2,478	1,968	6	-	6	1	1	-	1	-
Montana	5,922	3,715	2,107	3,578	2,000	14	7	117	99	2	-	4	1	-	-
Nebraska	12,617	7,353	5,264	7,180	5,132	142	108	31	23	-	1	-	-	-	-
Nevada	1,596	1,092	496	1,027	441	20	18	40	37	2	-	1	-	2	-
New Hampshire	6,076	3,360	2,716	3,353	2,708	6	7	-	-	1	1	-	-	-	-
New Jersey	49,100	26,948	22,152	24,924	20,505	2,005	1,644	4	-	14	-	1	3	-	-
New Mexico	5,471	3,191	2,280	2,834	2,003	44	45	307	232	4	-	2	-	-	-
New York	156,074	86,541	69,533	81,352	65,065	4,871	4,373	68	58	204	24	28	6	18	7
North Carolina	31,130	17,717	13,413	11,978	8,394	5,618	4,934	121	85	2	-	-	-	-	-
North Dakota	5,191	3,203	1,988	3,139	1,927	2	4	61	57	-	-	1	-	-	-
Ohio	80,633	45,599	35,034	42,326	32,511	3,239	2,515	4	1	22	1	3	5	5	1
Oklahoma	19,473	11,609	7,864	10,338	6,835	953	789	317	240	-	-	1	-	-	-
Oregon	13,935	8,518	5,417	8,373	5,322	57	44	44	39	24	2	17	8	3	2
Pennsylvania	110,212	61,304	48,908	57,060	45,497	4,208	3,405	7	2	23	2	4	1	2	1
Rhode Island	8,308	4,479	3,829	4,373	3,728	95	98	3	3	8	-	-	-	-	-
South Carolina	17,973	10,274	7,699	5,619	3,762	4,652	3,935	2	2	1	-	-	-	-	-
South Dakota	5,980	3,508	2,372	3,317	2,215	4	1	187	156	-	-	-	-	-	-
Tennessee	29,425	16,532	12,893	12,940	9,654	3,591	3,237	1	2	-	-	-	-	-	-
Texas	63,349	37,065	26,284	31,345	21,402	5,696	4,874	4	5	13	2	3	1	4	-
Utah	4,974	2,968	2,006	2,882	1,958	17	18	36	23	-	-	28	6	5	-
Vermont	4,167	2,307	1,860	2,302	1,860	4	-	-	-	1	-	-	-	-	-
Virginia	29,708	16,986	12,722	11,861	8,642	5,116	4,079	6	1	3	-	-	-	-	-
Washington	22,486	13,837	8,649	13,404	8,414	185	102	139	101	30	8	61	20	28	4
West Virginia	17,428	10,385	7,043	9,546	6,498	839	545	-	-	-	-	-	-	-	-
Wisconsin	33,778	19,303	14,475	19,048	14,275	151	120	97	77	6	1	1	1	-	1
Wyoming	2,336	1,523	813	1,481	777	17	11	22	24	-	-	2	-	1	1

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,452,454	103,825	18,148	14,607	28,298	42,467	76,937	148,087	254,150	342,296	305,851	116,516	1,272
White	1,276,085	82,018	14,203	12,002	21,793	31,558	59,208	120,144	222,222	312,482	289,503	110,034	918
Nonwhite	176,369	21,807	3,945	2,605	6,505	10,909	17,729	27,943	31,928	29,814	16,348	6,482	354
Urban	938,170	61,224	9,300	7,146	15,372	26,626	51,647	104,086	176,780	225,016	190,484	69,789	700
White	826,817	49,115	7,389	5,919	11,590	19,340	39,076	84,054	155,181	206,739	181,296	66,567	551
Nonwhite	111,353	12,109	1,911	1,227	3,782	7,286	12,571	20,032	21,599	18,277	9,188	3,222	149
Places of 250,000 or more	374,589	21,025	3,095	2,412	5,503	10,722	22,454	46,805	77,838	91,359	69,550	23,573	153
White	321,834	15,647	2,286	1,879	3,707	7,019	16,031	36,655	67,574	83,107	65,459	22,341	119
Nonwhite	52,755	5,378	789	533	1,796	3,703	6,423	10,150	10,264	8,252	4,091	1,232	34
Places of 100,000 to 250,000	101,423	6,791	989	772	1,720	3,103	5,822	11,372	19,332	24,421	19,898	7,091	112
White	87,172	5,249	750	626	1,248	2,142	4,140	8,781	16,485	22,115	18,803	6,738	95
Nonwhite	14,251	1,542	239	146	472	961	1,682	2,591	2,847	2,306	1,095	353	17
Places of 50,000 to 100,000	94,007	6,198	954	706	1,583	2,700	5,116	10,254	17,432	22,380	19,359	7,225	100
White	84,096	5,099	786	616	1,240	2,041	3,974	8,411	15,436	20,865	18,606	6,943	79
Nonwhite	9,911	1,099	168	90	343	659	1,142	1,843	1,996	1,515	753	282	21
Places of 25,000 to 50,000	96,529	6,617	945	774	1,546	2,624	4,965	9,912	17,260	22,900	20,839	8,063	84
White	87,645	5,641	786	656	1,249	2,101	4,038	8,484	15,455	21,341	20,056	7,769	69
Nonwhite	8,884	976	159	118	297	523	927	1,428	1,805	1,559	783	294	15
Places of 10,000 to 25,000	125,330	9,198	1,473	1,128	2,181	3,415	6,153	12,509	21,335	29,669	27,532	10,613	124
White	114,150	7,835	1,257	972	1,816	2,761	5,071	10,608	19,363	27,653	26,508	10,206	100
Nonwhite	11,180	1,363	216	156	365	654	1,082	1,901	1,972	2,016	1,024	407	24
Places of 2,500 to 10,000	146,292	11,395	1,844	1,354	2,839	4,062	7,137	13,234	23,483	34,287	33,306	13,224	127
White	131,920	9,644	1,514	1,170	2,330	3,276	5,822	11,115	20,868	31,658	31,864	12,570	89
Nonwhite	14,372	1,751	330	184	509	786	1,315	2,119	2,615	2,629	1,442	654	38
Rural	514,284	42,601	8,848	7,461	12,926	15,841	25,290	44,001	77,370	117,280	115,367	46,727	572
White	449,268	32,903	6,814	6,083	10,203	12,218	20,132	36,090	67,041	105,743	108,207	43,467	367
Nonwhite	65,016	9,698	2,034	1,378	2,723	3,623	5,158	7,911	10,329	11,537	7,160	3,260	205
METROPOLITAN COUNTIES	830,252	51,804	8,255	6,533	13,465	23,528	46,759	94,669	160,940	200,019	164,223	59,443	614
White	737,956	41,862	6,668	5,529	10,307	17,312	35,969	77,717	142,913	185,305	156,816	57,016	522
Nonwhite	92,296	9,942	1,567	1,004	3,158	6,216	10,790	16,952	18,027	14,714	7,407	2,427	92
Urban	699,916	41,775	6,321	4,901	10,668	19,626	39,658	81,748	138,991	169,893	137,182	48,645	508
White	617,479	33,132	5,010	4,053	7,872	13,968	29,844	66,225	122,731	156,874	130,733	46,606	431
Nonwhite	82,437	8,643	1,311	848	2,796	5,658	9,814	15,523	16,260	13,019	6,449	2,039	77
Places of 250,000 or more	374,589	21,025	3,095	2,412	5,503	10,722	22,454	46,805	77,838	91,359	69,550	23,573	153
White	321,834	15,647	2,296	1,879	3,707	7,019	16,031	36,655	67,574	83,107	65,459	22,341	119
Nonwhite	52,755	5,378	799	533	1,796	3,703	6,423	10,150	10,264	8,252	4,091	1,232	34
Places of 100,000 to 250,000	101,423	6,791	989	772	1,720	3,103	5,822	11,372	19,332	24,421	19,898	7,091	112
White	87,172	5,249	750	626	1,248	2,142	4,140	8,781	16,485	22,115	18,803	6,738	95
Nonwhite	14,251	1,542	239	146	472	961	1,682	2,591	2,847	2,306	1,095	353	17
Places of 50,000 to 100,000	94,007	6,198	954	706	1,583	2,700	5,116	10,254	17,432	22,380	19,359	7,225	100
White	84,096	5,099	786	616	1,240	2,041	3,974	8,411	15,436	20,865	18,606	6,943	79
Nonwhite	9,911	1,099	168	90	343	659	1,142	1,843	1,996	1,515	753	282	21
Places of 25,000 to 50,000	41,576	2,400	346	274	581	975	2,007	4,290	7,950	10,274	9,006	3,436	39
White	39,746	2,189	315	248	520	867	1,819	3,978	7,578	9,957	8,859	3,379	37
Nonwhite	1,832	211	31	26	61	108	188	312	372	317	147	57	2
Places of 10,000 to 25,000	48,156	2,864	500	402	661	1,165	2,321	5,077	9,072	11,679	10,469	3,878	68
White	45,996	2,628	465	375	588	1,021	2,096	4,682	8,672	11,319	10,271	3,813	66
Nonwhite	2,160	236	35	27	73	144	225	395	400	360	198	65	2
Places of 2,500 to 10,000	40,163	2,497	437	335	620	961	1,938	3,950	7,267	9,780	8,900	3,442	36
White	38,635	2,320	398	309	569	878	1,784	3,718	6,986	9,511	8,735	3,392	35
Nonwhite	1,528	177	39	26	51	83	154	232	281	269	165	50	1
Rural	130,336	10,029	1,934	1,632	2,797	3,902	7,101	12,921	21,949	30,126	27,041	10,798	106
White	120,477	8,730	1,678	1,476	2,435	3,344	6,125	11,492	20,182	28,431	26,083	10,410	91
Nonwhite	9,859	1,299	256	156	362	558	976	1,429	1,767	1,695	958	388	15
NONMETROPOLITAN COUNTIES	622,202	52,021	9,893	8,074	14,833	18,939	30,178	53,418	93,210	142,277	141,628	57,073	658
White	538,129	40,156	7,535	6,473	11,486	14,246	23,239	42,427	79,309	127,177	132,687	53,018	396
Nonwhite	84,073	11,865	2,378	1,601	3,347	4,693	6,939	10,991	13,901	15,100	8,941	4,055	262
Urban	238,254	19,449	2,979	2,245	4,704	7,000	11,989	22,338	37,789	55,123	53,302	21,144	192
White	209,338	15,983	2,379	1,856	3,718	5,372	9,232	17,829	32,450	49,865	50,563	19,961	120
Nonwhite	28,916	3,466	600	379	986	1,628	2,757	4,509	5,339	5,258	2,739	1,183	72
Places of 25,000 to 50,000	54,951	4,217	599	500	965	1,649	2,958	5,622	9,310	12,626	11,633	4,627	45
White	47,899	3,452	471	408	729	1,234	2,219	4,506	7,877	11,384	11,197	4,390	32
Nonwhite	7,052	765	128	92	236	415	739	1,116	1,433	1,242	636	237	13
Places of 10,000 to 25,000	77,174	6,334	973	726	1,520	2,250	3,832	7,432	12,263	17,990	17,063	6,735	56
White	68,154	5,207	792	597	1,228	1,740	2,975	5,926	10,691	16,334	16,237	6,393	34
Nonwhite	9,020	1,127	181	129	292	510	857	1,506	1,572	1,656	826	342	22
Places of 2,500 to 10,000	106,129	8,898	1,407	1,019	2,219	3,101	5,199	9,264	16,216	24,507	24,406	9,782	91
White	93,285	7,324	1,116	861	1,761	2,398	4,038	7,397	13,882	22,147	23,129	9,178	54
Nonwhite	12,844	1,574	291	158	458	703	1,161	1,867	2,334	2,360	1,277	604	37
Rural	383,948	32,572	6,914	5,829	10,129	11,939	18,189	31,080	55,421	87,154	88,326	35,929	466
White	328,791	24,173	5,156	4,607	7,766	8,874	14,007	24,598	46,859	77,312	82,124	33,057	276
Nonwhite	55,157	8,399	1,778	1,222	2,361	3,065	4,182	6,482	8,562	9,842	6,202	2,872	190
ALABAMA	26,836	3,044	524	416	930	1,219	1,938	3,061	4,468	5,517	4,165	1,454	100
White	15,650	1,524	268	226	471	559	947	1,448	2,402	3,665	3,139	972	31
Nonwhite	11,186	1,520	256	190	459	660	991	1,613	2,066	1,854	1,026	482	69
Urban	11,617	1,192	171	138	381	569	986	1,596	2,142	2,332	1,587	502	21
White	6,603	569	76	70	173	254	452	664	1,108	1,566	1,256	391	4
Nonwhite	5,014	623	95	68	208	315	534	912	1,034	766	331	111	17
Places of 250,000 or more	3,047	245	30	21	93	159	268	486	639	595	396	114	1
White	1,598	110	16	9	32	58	109	180	311	380	306	86	1
Nonwhite	1,449	135	14	12	61	101	159	306	328	215	90	28	-
Places of 100,000 to 250,000	2,216	219	33	23	74	105	198	326	408	440	302	82	6
White	1,150	85	11	9	22	41	84	119	189	297	228	65	-
Nonwhite	1,066	134	22	14	52	64	114	207	219	143	74	17	6
Places of 50,000 to 100,000	359	42	13	6	11	17	31	42	68	64	43	22	-
White	244	23	10	4	7	13	16	26	43	50	33	19	-
Nonwhite	115	19	3	2	4	4	15	16	25	14	10	3	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
ALABAMA—Continued													
Places of 25,000 to 50,000	1,018	122	14	15	42	60	81	151	173	209	114	37	-
White	499	55	2	5	17	27	32	71	58	116	85	31	-
Nonwhite	519	67	12	10	25	33	49	80	115	93	29	6	-
Places of 10,000 to 25,000	2,223	267	38	28	74	117	183	290	387	462	279	96	2
White	1,266	122	19	15	40	52	73	124	222	300	229	70	-
Nonwhite	957	145	19	13	34	65	110	166	165	162	50	26	2
Places of 2,500 to 10,000	2,754	297	43	45	87	111	225	301	467	562	453	151	12
White	1,846	174	18	28	55	63	138	164	285	423	375	120	3
Nonwhite	908	123	25	17	32	48	87	137	182	139	78	31	9
Rural	15,219	1,852	353	278	549	650	952	1,465	2,386	3,185	2,578	952	79
White	9,047	955	192	156	298	305	495	764	1,294	2,097	1,883	581	27
Nonwhite	6,172	897	161	122	251	345	457	701	1,092	1,088	695	371	52
METROPOLITAN COUNTIES	9,528	994	149	116	331	462	816	1,344	1,840	1,848	1,225	391	12
White	5,121	455	77	60	133	178	346	544	901	1,216	926	283	2
Nonwhite	4,407	539	72	56	198	284	470	800	939	632	299	108	10
Urban	6,839	861	80	71	217	328	612	1,040	1,339	1,341	878	257	7
White	3,649	280	41	33	81	127	253	411	662	884	677	199	1
Nonwhite	3,190	381	47	38	136	201	359	629	677	457	201	58	6
Places of 250,000 or more	3,047	245	30	21	93	159	268	486	639	595	396	114	1
White	1,598	110	16	9	32	58	109	180	311	380	306	86	1
Nonwhite	1,449	135	14	12	61	101	159	306	328	215	90	28	-
Places of 100,000 to 250,000	2,216	219	33	23	74	105	198	326	408	440	302	82	6
White	1,150	85	11	9	22	41	84	119	189	297	228	65	-
Nonwhite	1,066	134	22	14	52	64	114	207	219	143	74	17	6
Places of 50,000 to 100,000	359	42	13	6	11	17	31	42	68	64	43	22	-
White	244	23	10	4	7	13	16	26	43	50	33	19	-
Nonwhite	115	19	3	2	4	4	15	16	25	14	10	3	-
Places of 25,000 to 50,000	338	42	2	6	12	17	25	60	63	73	31	7	-
White	117	11	-	2	2	4	7	23	15	30	18	5	-
Nonwhite	221	31	2	4	10	13	18	37	48	43	13	2	-
Places of 10,000 to 25,000	627	89	8	10	20	24	67	91	121	111	68	18	-
White	329	31	2	5	12	8	21	36	69	74	57	12	-
Nonwhite	298	58	6	5	8	16	46	55	52	37	11	6	-
Places of 2,500 to 10,000	252	24	2	5	7	6	25	35	40	58	38	14	-
White	211	20	2	4	6	3	16	25	35	53	35	12	-
Nonwhite	41	4	-	1	1	3	7	10	5	5	3	2	-
Rural	2,689	333	61	45	114	134	204	304	501	507	347	134	5
White	1,472	175	36	27	52	51	93	133	238	332	249	84	1
Nonwhite	1,217	158	25	18	62	83	111	171	262	175	98	50	4
NONMETROPOLITAN COUNTIES	17,308	2,050	375	300	599	757	1,122	1,717	2,628	3,669	2,940	1,063	88
White	10,529	1,069	191	166	338	381	601	904	1,501	2,447	2,213	689	29
Nonwhite	6,779	981	184	134	261	376	521	813	1,127	1,222	727	374	59
Urban	4,778	531	83	67	164	241	374	556	803	991	709	245	14
White	2,954	289	35	37	92	127	199	273	446	682	579	192	3
Nonwhite	1,824	242	48	30	72	114	175	283	357	309	130	53	11
Places of 25,000 to 50,000	680	80	12	9	30	43	56	91	110	136	83	30	-
White	382	44	2	3	15	23	25	48	43	86	67	26	-
Nonwhite	298	36	10	6	15	20	31	43	67	50	16	4	-
Places of 10,000 to 25,000	1,596	178	30	18	54	93	116	199	266	351	211	78	2
White	937	91	17	10	28	44	52	86	153	226	172	58	-
Nonwhite	659	87	13	8	26	49	64	113	113	125	39	20	2
Places of 2,500 to 10,000	2,502	273	41	40	80	105	202	266	427	504	415	137	12
White	1,635	154	16	24	49	60	122	139	250	370	340	108	3
Nonwhite	867	119	25	16	31	45	80	127	177	134	75	29	9
Rural	12,530	1,519	292	233	435	516	748	1,161	1,825	2,678	2,231	818	74
White	7,575	780	156	129	246	254	402	631	1,055	1,765	1,634	497	26
Nonwhite	4,955	739	136	104	189	262	346	530	770	913	597	321	48
ARIZONA	6,422	953	216	126	242	357	480	675	1,002	1,172	838	332	19
White	5,265	612	108	75	155	263	395	591	909	1,070	772	303	12
Nonwhite	1,157	341	108	51	87	94	85	84	93	102	66	29	7
Urban	3,415	378	53	46	95	161	274	401	582	735	493	193	4
White	3,136	334	44	38	79	138	239	368	542	692	473	186	3
Nonwhite	279	44	9	8	16	23	35	33	40	43	20	7	1
Places of 100,000 to 250,000	1,309	124	8	15	37	68	111	167	227	284	187	78	3
White	1,174	102	7	12	30	58	95	149	207	264	175	73	2
Nonwhite	135	22	1	3	7	10	16	18	20	20	12	5	1
Places of 25,000 to 50,000	872	81	11	13	22	52	72	116	158	180	125	41	1
White	809	73	8	9	20	48	64	108	146	169	122	41	1
Nonwhite	63	8	3	4	2	4	8	8	12	11	3	-	-
Places of 10,000 to 25,000	104	10	1	2	5	3	12	9	15	22	21	4	-
White	102	10	1	2	5	3	12	9	14	22	20	4	-
Nonwhite	2	-	-	-	-	-	-	-	1	-	1	-	-
Places of 2,500 to 10,000	1,130	163	33	16	31	38	79	109	182	249	160	70	-
White	1,051	149	28	15	24	29	68	102	175	237	156	68	-
Nonwhite	79	14	5	1	7	9	11	7	7	12	4	2	-
Rural	3,007	575	163	80	147	196	216	274	420	437	345	139	15
White	2,129	278	64	37	76	125	156	223	367	378	299	117	9
Nonwhite	878	297	99	43	71	71	60	51	53	59	46	22	6
METROPOLITAN COUNTIES	2,757	330	45	42	83	153	223	324	473	546	382	151	5
White	2,517	285	36	37	71	133	197	297	443	511	362	141	4
Nonwhite	240	45	9	5	12	20	26	27	30	35	20	10	1
Urban	1,630	170	14	20	52	78	145	198	266	353	239	92	3
White	1,479	146	12	17	44	66	126	178	245	330	226	87	2
Nonwhite	151	24	2	3	8	12	19	20	21	23	13	5	1

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
ARIZONA—Continued													
METROPOLITAN COUNTIES—Continued													
Places of 100,000 to 250,000	1,309	124	8	15	37	68	111	167	227	284	187	78	3
White	1,174	102	7	12	30	58	95	149	207	264	175	73	2
Nonwhite	135	22	1	3	7	10	16	18	20	20	12	5	1
Places of 10,000 to 25,000	104	10	1	2	5	3	12	9	15	22	21	4	-
White	102	10	1	2	5	3	12	9	14	22	20	4	-
Nonwhite	2	-	-	-	-	-	-	-	1	-	1	-	-
Places of 2,500 to 10,000	217	36	5	3	10	7	22	22	24	47	31	10	-
White	203	34	4	3	9	5	19	20	24	44	31	10	-
Nonwhite	14	2	1	-	1	2	3	2	-	3	-	-	-
Rural	1,127	160	31	22	31	75	78	126	207	193	143	58	2
White	1,038	139	24	20	27	67	71	119	198	181	136	54	2
Nonwhite	89	21	7	2	4	8	7	7	9	12	7	5	-
NONMETROPOLITAN COUNTIES	3,865	623	171	84	159	204	267	351	529	626	456	181	14
White	2,748	327	72	38	84	130	198	294	468	559	410	182	8
Nonwhite	917	296	99	46	75	74	69	57	62	67	46	19	6
Urban	1,785	209	39	26	43	83	129	203	316	382	254	101	1
White	1,657	188	32	21	35	72	113	190	297	362	247	99	1
Nonwhite	128	20	7	5	8	11	16	13	19	20	7	2	-
Places of 25,000 to 50,000	872	81	11	13	22	52	72	116	158	180	125	41	1
White	809	73	8	9	20	48	64	108	146	169	122	41	1
Nonwhite	63	8	3	4	2	4	8	8	12	11	3	-	-
Places of 2,500 to 10,000	913	127	28	13	21	31	57	87	158	202	129	60	-
White	848	115	24	12	15	24	49	82	151	193	125	58	-
Nonwhite	65	12	4	1	6	7	8	5	7	9	4	2	-
Rural	1,880	415	132	58	116	121	138	148	213	244	202	80	13
White	1,091	139	40	17	49	58	85	104	169	197	163	63	7
Nonwhite	789	276	92	41	67	63	53	44	44	47	39	17	6
ARKANSAS	15,411	1,209	315	246	429	525	905	1,510	2,553	3,508	3,191	1,018	4
White	11,101	832	188	167	250	323	591	962	1,756	2,582	2,636	812	2
Nonwhite	4,310	377	127	79	179	202	314	548	797	924	555	206	2
Urban	6,221	494	84	81	138	218	406	668	1,113	1,394	1,209	415	1
White	4,451	339	47	54	80	136	254	420	739	1,027	1,016	339	-
Nonwhite	1,770	155	37	27	58	82	152	248	374	367	193	76	1
Places of 100,000 to 250,000	1,081	75	10	8	19	30	68	124	204	253	216	74	-
White	768	50	2	6	11	22	33	83	132	182	188	59	-
Nonwhite	313	25	8	2	8	8	35	41	72	71	28	15	-
Places of 25,000 to 50,000	1,606	102	19	12	28	61	115	192	318	369	312	78	-
White	1,176	69	12	8	15	35	81	133	212	288	262	61	-
Nonwhite	430	33	7	4	13	26	34	59	106	81	50	17	-
Places of 10,000 to 25,000	953	82	13	14	24	37	76	120	169	205	157	56	-
White	638	61	8	4	13	17	44	67	103	152	122	47	-
Nonwhite	315	21	5	10	11	20	32	53	66	53	35	9	-
Places of 2,500 to 10,000	2,581	235	42	47	67	90	147	232	422	567	524	207	1
White	1,869	159	25	36	41	62	96	137	292	405	444	172	-
Nonwhite	712	76	17	11	26	28	51	95	130	162	80	35	1
Rural	9,190	715	231	165	291	307	499	842	1,440	2,112	1,982	603	3
White	6,650	493	141	113	170	187	337	542	1,017	1,555	1,620	473	2
Nonwhite	2,540	222	90	52	121	120	162	300	423	557	362	130	1
METROPOLITAN COUNTIES	1,775	130	21	16	35	54	107	222	347	395	338	110	-
White	1,226	81	10	10	22	39	59	142	224	278	279	82	-
Nonwhite	549	49	11	6	13	15	48	80	123	117	59	28	-
Urban	1,409	101	17	11	28	44	89	180	267	314	267	91	-
White	993	66	7	7	16	31	49	115	171	232	229	70	-
Nonwhite	416	35	10	4	12	13	40	65	96	82	38	21	-
Places of 100,000 to 250,000	1,081	75	10	8	19	30	68	124	204	253	216	74	-
White	768	50	2	6	11	22	33	83	132	182	188	59	-
Nonwhite	313	25	8	2	8	8	35	41	72	71	28	15	-
Places of 25,000 to 50,000	328	26	7	3	9	14	21	56	65	61	51	17	-
White	225	16	5	1	5	9	16	32	39	50	41	11	-
Nonwhite	103	10	2	2	4	5	5	24	26	11	10	6	-
Rural	366	29	4	5	7	10	18	42	80	81	71	19	-
White	233	15	3	3	6	8	10	27	53	46	50	12	-
Nonwhite	133	14	1	2	1	2	8	15	27	35	21	7	-
NONMETROPOLITAN COUNTIES	13,636	1,079	294	230	394	471	798	1,288	2,206	3,111	2,853	908	4
White	9,875	751	176	157	226	284	532	820	1,532	2,304	2,357	730	2
Nonwhite	3,761	328	116	73	166	187	266	468	674	807	496	178	2
Urban	4,812	393	67	70	110	174	317	488	846	1,080	942	324	1
White	3,458	273	40	47	64	105	205	305	566	795	787	269	-
Nonwhite	1,354	120	27	23	46	69	112	183	276	285	155	55	1
Places of 25,000 to 50,000	1,278	76	12	9	19	47	94	136	255	309	261	61	-
White	951	53	7	7	10	26	65	101	173	238	221	50	-
Nonwhite	327	23	5	2	9	21	29	35	82	70	40	11	-
Places of 10,000 to 25,000	953	82	13	14	24	37	76	120	169	205	157	56	-
White	638	61	8	4	13	17	44	67	103	152	122	47	-
Nonwhite	315	21	5	10	11	20	32	53	66	53	35	9	-
Places of 2,500 to 10,000	2,581	235	42	47	67	90	147	232	422	567	524	207	1
White	1,869	159	25	36	41	62	96	137	292	405	444	172	-
Nonwhite	712	76	17	11	26	28	51	95	130	162	80	35	1
Rural	8,824	686	227	160	284	297	481	800	1,360	2,031	1,911	584	3
White	6,417	478	136	110	164	179	327	515	964	1,509	1,570	461	2
Nonwhite	2,407	208	89	50	120	118	154	285	396	522	341	123	1

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
CALIFORNIA	98,760	6,115	1,058	802	1,762	2,915	5,624	10,678	17,681	23,696	20,452	7,930	47
White	93,626	5,460	939	738	1,607	2,544	5,003	9,877	16,837	22,817	19,994	7,768	42
Nonwhite	5,134	655	119	64	155	371	621	801	844	879	458	162	5
Urban	74,428	4,091	661	490	1,109	2,024	4,124	8,139	13,469	18,091	16,014	6,196	20
White	70,329	3,571	574	444	1,003	1,727	3,825	7,473	12,770	17,395	15,652	6,077	18
Nonwhite	4,099	520	87	46	106	297	499	666	699	696	362	119	2
Places of 250,000 or more	40,075	1,923	270	204	509	1,080	2,270	4,634	7,599	9,916	8,438	3,225	7
White	37,196	1,559	212	174	440	867	1,919	4,151	7,085	9,445	8,196	3,141	7
Nonwhite	2,879	364	58	30	69	213	351	483	514	471	242	84	-
Places of 100,000 to 250,000	4,154	177	26	22	59	80	187	389	719	1,049	1,025	420	1
White	3,859	149	21	18	51	61	151	349	673	983	987	415	1
Nonwhite	295	28	5	4	8	19	36	40	46	66	38	5	-
Places of 50,000 to 100,000	8,056	473	73	59	117	236	464	862	1,436	1,899	1,724	710	3
White	7,673	418	64	53	108	207	407	802	1,382	1,840	1,686	703	3
Nonwhite	383	55	9	6	9	29	57	60	54	59	38	7	-
Places of 25,000 to 50,000	5,703	356	74	48	87	156	293	587	961	1,374	1,243	512	2
White	5,554	336	71	46	84	145	277	575	935	1,344	1,233	506	2
Nonwhite	149	20	3	2	3	11	16	22	26	30	10	6	-
Places of 10,000 to 25,000	10,407	718	145	95	216	289	591	1,082	1,710	2,400	2,301	858	2
White	10,193	693	139	95	207	276	565	1,044	1,678	2,364	2,282	849	1
Nonwhite	214	25	6	-	9	13	26	38	32	36	19	9	1
Places of 2,500 to 10,000	6,033	444	73	62	121	183	319	575	1,044	1,453	1,283	471	5
White	5,854	416	67	58	113	171	306	552	1,017	1,419	1,268	463	4
Nonwhite	179	28	6	4	8	12	13	23	27	34	15	8	1
Rural	24,332	2,024	397	312	653	891	1,500	2,539	4,212	5,605	4,438	1,734	27
White	23,297	1,889	365	294	604	817	1,378	2,404	4,067	5,422	4,342	1,691	24
Nonwhite	1,035	135	32	18	49	74	122	135	145	183	96	43	3
METROPOLITAN COUNTIES	79,488	4,629	771	542	1,246	2,243	4,515	8,732	14,441	19,204	16,672	6,473	20
White	75,190	4,072	676	493	1,129	1,938	3,988	8,051	13,714	18,465	16,288	6,357	19
Nonwhite	4,298	557	95	49	117	305	527	681	727	739	384	116	1
Urban	65,572	3,452	550	400	910	1,771	3,655	7,237	12,007	16,012	14,099	5,464	15
White	61,617	2,962	470	358	816	1,493	3,192	6,630	11,359	15,376	13,763	5,363	15
Nonwhite	3,755	470	80	42	94	278	463	607	648	636	336	101	-
Places of 250,000 or more	40,075	1,923	270	204	509	1,080	2,270	4,634	7,599	9,916	8,438	3,225	7
White	37,196	1,559	212	174	440	867	1,919	4,151	7,085	9,445	8,196	3,141	7
Nonwhite	2,879	364	58	30	69	213	351	483	514	471	242	84	-
Places of 100,000 to 250,000	4,154	177	26	22	59	80	187	389	719	1,049	1,025	420	1
White	3,859	149	21	18	51	61	151	349	673	983	987	415	1
Nonwhite	295	28	5	4	8	19	36	40	46	66	38	5	-
Places of 50,000 to 100,000	8,056	473	73	59	117	236	464	862	1,436	1,899	1,724	710	3
White	7,673	418	64	53	108	207	407	802	1,382	1,840	1,686	703	3
Nonwhite	383	55	9	6	9	29	57	60	54	59	38	7	-
Places of 25,000 to 50,000	4,185	256	55	29	61	114	224	431	732	1,018	900	365	2
White	4,106	245	53	28	60	107	217	419	717	1,001	895	362	2
Nonwhite	79	11	2	1	1	7	7	12	15	17	5	1	-
Places of 10,000 to 25,000	6,255	432	87	58	110	166	364	655	1,049	1,428	1,393	512	1
White	6,186	427	84	58	105	161	356	646	1,038	1,415	1,386	509	1
Nonwhite	69	5	3	-	5	5	8	9	11	13	7	3	-
Places of 2,500 to 10,000	2,847	191	39	28	54	95	146	266	472	702	619	234	1
White	2,797	184	36	27	52	90	142	263	464	692	613	233	1
Nonwhite	50	7	3	1	2	5	4	3	8	10	6	1	-
Rural	13,916	1,177	221	142	336	472	860	1,495	2,434	3,192	2,573	1,009	5
White	13,373	1,090	206	135	313	445	796	1,421	2,355	3,089	2,525	994	4
Nonwhite	543	87	15	7	23	27	64	74	79	103	48	15	1
NONMETROPOLITAN COUNTIES	19,272	1,486	287	260	516	672	1,109	1,946	3,240	4,492	3,780	1,457	27
White	18,436	1,388	263	245	478	606	1,015	1,826	3,123	4,352	3,706	1,411	23
Nonwhite	836	98	24	15	38	66	94	120	117	140	74	46	4
Urban	8,856	639	111	90	199	253	469	902	1,462	2,079	1,915	732	5
White	8,512	589	104	86	187	234	433	843	1,411	2,019	1,889	714	3
Nonwhite	344	50	7	4	12	19	36	59	51	60	26	18	2
Places of 25,000 to 50,000	1,518	100	19	19	26	42	69	166	229	356	343	149	-
White	1,448	91	18	18	24	38	60	156	218	343	338	144	-
Nonwhite	70	9	1	1	2	4	9	10	11	13	5	5	-
Places of 10,000 to 25,000	4,152	286	58	37	106	123	227	427	661	972	908	346	1
White	4,007	266	55	37	102	115	209	398	640	949	896	340	-
Nonwhite	145	20	3	-	4	8	18	29	21	23	12	6	1
Places of 2,500 to 10,000	3,186	253	34	34	67	88	173	309	572	751	664	237	4
White	3,057	232	31	31	61	81	164	289	553	727	655	230	3
Nonwhite	129	21	3	3	6	7	9	20	19	24	9	7	1
Rural	10,416	847	176	170	317	419	640	1,044	1,778	2,413	1,865	725	22
White	9,924	799	159	159	291	372	582	985	1,712	2,333	1,817	697	20
Nonwhite	492	48	17	11	26	47	58	61	66	80	48	28	2
COLORADO	12,280	1,167	179	148	280	336	564	1,035	1,900	2,763	2,777	1,249	2
White	12,006	1,148	177	143	250	323	535	1,004	1,752	2,698	2,740	1,234	2
Nonwhite	274	19	2	5	10	13	29	31	48	65	37	15	-
Urban	8,346	694	72	79	134	203	386	721	1,222	1,962	1,975	899	1
White	8,106	676	72	76	126	192	359	692	1,181	1,905	1,940	886	1
Nonwhite	242	18	-	3	8	11	27	29	41	57	35	13	-
Places of 250,000 or more	4,223	303	33	30	62	89	229	413	684	992	937	451	-
White	4,047	287	33	28	56	80	207	392	654	954	914	442	-
Nonwhite	176	16	-	2	6	9	22	21	30	38	23	9	-
Places of 50,000 to 100,000	657	59	3	11	10	19	32	49	92	166	155	61	-
White	631	58	3	11	9	19	29	47	89	155	150	60	-
Nonwhite	26	-	-	-	1	-	3	2	3	11	5	1	-
Places of 25,000 to 50,000	634	52	4	10	9	18	21	49	76	157	166	71	1
White	613	51	4	10	8	17	19	45	71	154	164	69	1
Nonwhite	21	1	-	-	1	1	2	4	5	3	2	2	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	*Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
COLORADO—Continued													
Places of 10,000 to 25,000	1,179	105	13	17	18	46	40	79	163	261	295	142	-
White	1,170	104	13	16	18	46	40	79	161	259	292	142	-
Nonwhite	9	1	-	1	-	-	-	-	2	2	3	-	-
Places of 2,500 to 10,000	1,655	175	19	11	35	31	64	131	207	386	422	174	-
White	1,645	175	19	11	35	30	64	129	206	385	420	173	-
Nonwhite	10	-	-	-	-	1	-	2	1	3	2	1	-
Rural	3,932	475	107	69	126	133	178	314	578	801	802	350	1
White	3,900	472	105	67	124	131	176	312	571	795	800	348	1
Nonwhite	32	1	2	2	2	2	2	2	7	6	2	2	-
METROPOLITAN COUNTIES	6,022	525	57	59	96	152	324	564	955	1,386	1,305	601	-
White	5,806	506	56	57	88	143	298	541	918	1,335	1,274	590	-
Nonwhite	216	17	1	2	8	9	26	23	37	51	31	11	-
Urban	5,307	415	41	46	78	129	282	501	841	1,257	1,180	557	-
White	5,101	398	41	44	71	120	257	478	808	1,188	1,149	547	-
Nonwhite	206	17	-	2	7	9	25	23	33	49	31	10	-
Places of 250,000 or more	4,223	303	33	30	62	89	229	413	684	992	937	451	-
White	4,047	287	33	28	56	80	207	392	654	954	914	442	-
Nonwhite	176	16	-	2	6	9	22	21	30	38	23	9	-
Places of 50,000 to 100,000	657	59	3	11	10	19	32	49	92	166	155	81	-
White	631	59	3	11	9	19	29	47	89	155	150	80	-
Nonwhite	26	-	-	-	1	-	3	2	3	11	5	1	-
Places of 10,000 to 25,000	250	32	5	2	3	17	10	22	42	46	47	24	-
White	246	31	5	2	3	17	10	22	42	46	44	24	-
Nonwhite	4	1	-	-	-	-	-	-	-	-	3	-	-
Places of 2,500 to 10,000	177	21	-	3	3	4	11	17	23	33	41	21	-
White	177	21	-	3	3	4	11	17	23	33	41	21	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	715	108	16	13	18	23	42	63	114	149	125	44	-
White	705	108	15	13	17	23	41	63	110	147	125	43	-
Nonwhite	10	-	1	-	1	-	1	-	4	2	-	1	-
NONMETROPOLITAN COUNTIES	6,258	644	122	89	164	184	240	471	845	1,377	1,472	648	2
White	6,200	642	121	86	162	180	237	463	834	1,363	1,466	644	2
Nonwhite	58	2	1	3	2	4	3	8	11	14	6	4	-
Urban	3,041	279	31	33	56	74	104	220	381	725	795	342	1
White	3,006	278	31	32	55	72	102	214	373	717	791	339	1
Nonwhite	36	1	-	1	1	2	2	6	8	8	4	3	-
Places of 25,000 to 50,000	654	52	4	10	9	18	21	49	76	157	186	71	1
White	613	51	4	10	8	17	19	45	71	154	164	69	1
Nonwhite	21	1	-	-	1	1	2	4	5	3	2	2	-
Places of 10,000 to 25,000	929	73	8	15	15	29	30	57	121	215	248	118	-
White	924	73	8	14	15	29	30	57	119	213	248	118	-
Nonwhite	5	-	-	1	-	-	-	-	2	2	-	-	-
Places of 2,500 to 10,000	1,478	154	19	8	32	27	53	114	184	355	381	153	-
White	1,468	154	19	8	32	26	53	112	183	350	379	152	-
Nonwhite	10	-	-	-	-	1	-	2	1	3	2	1	-
Rural	3,217	365	91	56	108	110	136	251	464	652	677	306	1
White	3,195	364	90	54	107	108	135	249	461	646	675	305	1
Nonwhite	22	1	1	2	1	2	1	2	3	6	2	1	-
CONNECTICUT	19,123	886	147	118	213	415	835	1,815	3,786	4,883	4,366	1,647	12
White	18,614	828	142	113	200	378	777	1,727	3,709	4,791	4,312	1,626	12
Nonwhite	509	58	5	5	13	37	58	88	78	92	54	21	-
Urban	12,957	594	82	58	140	278	563	1,275	2,710	3,397	2,830	1,027	3
White	12,498	540	79	55	128	241	510	1,196	2,639	3,313	2,785	1,009	3
Nonwhite	459	54	3	3	12	37	53	79	71	84	45	18	-
Places of 100,000 to 250,000	6,225	291	31	24	66	131	282	656	1,380	1,653	1,277	433	1
White	5,897	257	28	22	59	101	239	599	1,336	1,592	1,242	421	1
Nonwhite	328	34	3	2	7	30	43	57	44	61	35	12	-
Places of 50,000 to 100,000	1,231	79	6	4	17	27	69	109	280	313	238	89	-
White	1,190	71	6	4	16	26	62	103	268	311	234	89	-
Nonwhite	41	8	-	-	1	1	7	6	12	2	4	-	-
Places of 25,000 to 50,000	3,256	144	29	15	32	83	124	319	636	829	756	288	1
White	3,195	136	29	15	29	78	122	304	626	817	753	285	1
Nonwhite	61	8	-	-	3	5	2	15	10	12	3	3	-
Places of 10,000 to 25,000	1,594	60	12	9	16	30	62	131	310	428	384	151	1
White	1,568	57	12	9	15	29	61	130	305	419	382	148	1
Nonwhite	26	3	-	-	1	1	1	1	5	9	2	3	-
Places of 2,500 to 10,000	651	20	4	6	9	7	26	60	104	174	175	66	-
White	648	19	4	5	9	7	26	60	104	174	174	66	-
Nonwhite	3	1	-	1	-	-	-	-	-	-	1	-	-
Rural	6,166	292	65	60	73	137	272	540	1,076	1,496	1,536	620	9
White	6,116	288	63	58	72	137	267	531	1,069	1,478	1,527	617	9
Nonwhite	50	4	2	2	1	-	5	9	7	8	9	3	-
METROPOLITAN COUNTIES	15,004	728	108	92	165	333	678	1,469	3,104	3,851	3,290	1,198	8
White	14,539	676	103	87	153	301	621	1,381	3,032	3,747	3,243	1,177	8
Nonwhite	465	52	5	5	12	32	57	78	72	84	47	21	-
Urban	11,046	526	66	47	117	242	487	1,092	2,364	2,906	2,371	827	1
White	10,619	477	63	44	106	210	435	1,021	2,297	2,826	2,330	809	1
Nonwhite	427	49	3	3	11	32	52	71	67	80	41	18	-
Places of 100,000 to 250,000	6,225	291	31	24	66	131	282	656	1,380	1,653	1,277	433	1
White	5,897	257	28	22	59	101	239	599	1,336	1,592	1,242	421	1
Nonwhite	328	34	3	2	7	30	43	57	44	61	35	12	-
Places of 50,000 to 100,000	1,231	79	6	4	17	27	69	109	280	313	238	89	-
White	1,190	71	6	4	16	26	62	103	268	311	234	89	-
Nonwhite	41	8	-	-	1	1	7	6	12	2	4	-	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
CONNECTICUT—Continued													
METROPOLITAN COUNTIES—Continued													
Places of 25,000 to 50,000	2,443	113	19	9	24	61	93	234	482	630	573	205	-
White	2,404	108	19	9	22	60	91	227	474	620	572	202	-
Nonwhite	39	5	-	-	2	1	2	7	8	10	1	3	-
Places of 10,000 to 25,000	1,065	43	9	7	10	20	39	84	210	285	264	94	-
White	1,047	41	9	7	9	20	39	83	207	278	263	91	-
Nonwhite	18	2	-	-	1	-	-	1	3	7	1	3	-
Places of 2,500 to 10,000	82	-	1	3	-	3	4	9	12	25	19	6	-
White	81	-	1	2	-	3	4	9	12	25	19	6	-
Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-
Rural	3,958	202	42	45	48	91	191	377	740	925	919	371	7
White	3,920	199	40	43	47	91	186	370	735	921	913	368	7
Nonwhite	38	3	2	2	1	-	5	7	5	4	6	3	-
NONMETROPOLITAN COUNTIES	4,119	158	39	26	48	82	157	346	682	1,052	1,076	449	4
White	4,075	152	39	26	47	77	156	336	676	1,044	1,069	449	4
Nonwhite	44	6	-	-	1	5	1	10	6	8	7	-	-
Urban	1,911	68	16	11	23	36	76	183	346	491	459	200	2
White	1,879	63	16	11	22	31	75	175	342	487	455	200	2
Nonwhite	32	5	-	-	1	5	1	8	4	4	4	-	-
Places of 25,000 to 50,000	813	31	10	6	8	22	31	85	154	199	183	83	1
White	791	28	10	6	7	18	31	77	152	197	181	83	1
Nonwhite	22	3	-	-	1	4	-	8	2	2	2	-	-
Places of 10,000 to 25,000	529	17	3	2	6	10	23	47	100	143	120	57	1
White	521	16	3	2	6	9	22	47	98	141	119	57	1
Nonwhite	8	1	-	-	-	1	1	-	2	2	1	-	-
Places of 2,500 to 10,000	569	20	3	3	9	4	22	51	92	149	156	60	-
White	567	19	3	3	9	4	22	51	92	149	155	60	-
Nonwhite	2	1	-	-	-	-	-	-	-	-	1	-	-
Rural	2,208	90	23	15	25	46	81	163	336	561	617	249	2
White	2,196	89	23	15	25	46	81	161	334	557	614	249	2
Nonwhite	12	1	-	-	-	-	-	2	2	4	3	-	-
DELAWARE	3,501	235	37	35	64	94	184	377	622	819	750	278	6
White	2,896	177	18	28	48	58	129	254	514	719	697	254	-
Nonwhite	605	58	19	7	16	36	55	123	108	100	53	24	6
Urban	2,003	123	15	10	36	53	99	228	395	478	416	148	2
White	1,651	100	5	8	26	34	63	148	326	420	388	135	-
Nonwhite	352	23	10	2	10	19	36	80	69	58	30	13	2
Places of 100,000 to 250,000	1,487	79	6	7	20	41	74	175	313	361	312	98	1
White	1,224	64	2	5	11	27	45	110	258	321	290	91	-
Nonwhite	263	15	4	2	9	14	29	65	55	40	22	7	1
Places of 2,500 to 10,000	516	44	9	3	16	12	25	53	82	117	104	50	1
White	427	36	3	3	15	7	18	38	66	99	96	44	-
Nonwhite	89	8	6	-	1	5	7	15	14	18	8	6	1
Rural	1,498	112	22	25	28	41	85	149	227	341	334	130	4
White	1,245	77	13	20	22	24	66	106	188	299	311	119	-
Nonwhite	253	35	9	5	6	17	19	43	39	42	23	11	4
METROPOLITAN COUNTIES	2,244	131	14	18	34	60	124	258	433	531	483	157	1
White	1,899	107	5	15	23	42	90	176	367	478	449	147	-
Nonwhite	345	24	9	3	11	18	34	82	66	53	34	10	1
Urban	1,656	94	10	10	26	44	85	187	348	397	347	107	1
White	1,371	76	2	8	16	29	55	119	291	354	321	100	-
Nonwhite	285	18	8	2	10	15	30	68	57	43	26	7	1
Places of 100,000 to 250,000	1,487	79	6	7	20	41	74	175	313	361	312	98	1
White	1,224	64	2	5	11	27	45	110	258	321	290	91	-
Nonwhite	263	15	4	2	9	14	29	65	55	40	22	7	1
Places of 2,500 to 10,000	169	15	4	3	6	3	11	12	35	36	35	9	-
White	147	12	-	3	5	2	10	9	33	33	31	9	-
Nonwhite	22	3	4	-	1	1	1	3	2	3	4	-	-
Rural	588	37	4	8	8	16	39	71	85	134	136	50	-
White	528	31	3	7	7	13	35	57	78	124	128	47	-
Nonwhite	60	6	1	1	1	3	4	14	8	10	8	3	-
NONMETROPOLITAN COUNTIES	1,257	104	23	17	30	34	60	119	189	288	267	121	5
White	997	70	13	13	25	16	39	78	147	241	248	107	-
Nonwhite	260	34	10	4	5	18	21	41	42	47	19	14	5
Urban	347	29	5	-	10	9	14	41	47	81	69	41	1
White	280	24	3	-	10	5	8	29	35	66	65	35	-
Nonwhite	67	5	2	-	-	4	6	12	12	15	4	6	1
Places of 2,500 to 10,000	347	29	5	-	10	9	14	41	47	81	69	41	1
White	280	24	3	-	10	5	8	29	35	66	65	35	-
Nonwhite	67	5	2	-	-	4	6	12	12	15	4	6	1
Rural	910	75	18	17	20	25	46	78	142	207	198	80	4
White	717	46	10	13	15	11	31	49	112	175	183	72	-
Nonwhite	193	29	8	4	5	14	15	29	30	32	15	8	4
DISTRICT OF COLUMBIA	8,560	603	66	54	160	366	717	1,104	1,631	1,844	1,490	522	3
White	5,370	339	28	17	62	139	295	576	1,063	1,285	1,164	400	2
Nonwhite	3,190	264	38	37	98	227	422	528	568	559	326	122	1
FLORIDA	26,569	2,078	354	289	606	993	1,888	3,394	4,711	5,915	4,695	1,615	31
White	19,494	1,229	210	193	354	525	1,044	2,054	3,314	4,929	4,213	1,416	13
Nonwhite	7,075	849	144	96	252	468	844	1,340	1,397	986	482	199	18
Urban	17,599	1,275	189	135	348	647	1,284	2,341	3,236	3,964	3,137	1,017	18
White	13,051	743	116	88	182	311	706	1,403	2,295	3,379	2,860	938	10
Nonwhite	4,548	532	83	47	164	336	578	938	941	585	257	79	8

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
FLORIDA—Continued													
Places of 100,000 to 250,000	6,453	454	79	52	135	281	575	977	1,230	1,390	971	300	9
White	4,688	274	46	33	79	128	313	609	856	1,170	890	282	8
Nonwhite	1,765	180	33	19	56	153	262	368	374	220	81	18	1
Places of 50,000 to 100,000	2,183	77	9	10	21	33	86	214	353	590	577	212	1
White	1,893	42	5	7	13	21	53	136	282	559	568	206	1
Nonwhite	290	35	4	3	8	12	33	78	71	31	9	6	-
Places of 25,000 to 50,000	3,247	254	28	26	64	131	238	488	642	690	526	178	2
White	2,362	158	17	17	35	70	133	281	449	571	473	158	-
Nonwhite	885	96	11	9	29	61	105	187	193	119	53	20	2
Places of 10,000 to 25,000	2,152	158	23	21	31	58	140	231	385	528	447	129	1
White	1,700	96	14	14	16	37	82	145	299	463	413	121	-
Nonwhite	452	62	9	7	15	21	58	86	86	65	34	8	1
Places of 2,500 to 10,000	3,564	332	60	26	95	144	245	451	626	766	616	198	5
White	2,408	173	34	17	39	55	125	232	409	616	556	171	1
Nonwhite	1,156	159	26	9	56	89	120	219	217	150	60	27	4
Rural	8,970	803	155	154	260	346	604	1,053	1,475	1,951	1,556	598	13
White	6,443	486	94	105	172	214	338	651	1,019	1,550	1,333	478	3
Nonwhite	2,527	317	61	49	88	132	266	402	456	401	225	120	10
METROPOLITAN COUNTIES	12,866	867	144	110	226	458	954	1,724	2,408	2,963	2,244	756	12
White	10,184	562	95	81	146	245	573	1,157	1,847	2,628	2,118	723	9
Nonwhite	2,682	305	49	29	80	213	381	567	561	335	126	33	3
Urban	10,358	671	109	71	175	369	767	1,425	1,945	2,376	1,834	606	10
White	8,089	418	66	47	104	185	441	930	1,451	2,105	1,734	579	9
Nonwhite	2,269	253	43	24	71	184	326	495	494	271	100	27	1
Places of 100,000 to 250,000	6,453	454	79	52	135	281	575	977	1,230	1,390	971	300	9
White	4,688	274	46	33	79	128	313	609	856	1,170	890	282	8
Nonwhite	1,765	180	33	19	56	153	262	368	374	220	81	18	1
Places of 50,000 to 100,000	2,183	77	9	10	21	33	86	214	353	590	577	212	1
White	1,893	42	5	7	13	21	53	136	282	559	568	206	1
Nonwhite	290	35	4	3	8	12	33	78	71	31	9	6	-
Places of 25,000 to 50,000	363	19	1	-	2	8	20	67	97	97	39	13	-
White	360	19	1	-	2	8	19	65	97	97	39	13	-
Nonwhite	3	-	-	-	-	-	1	2	-	-	-	-	-
Places of 10,000 to 25,000	589	50	8	4	5	17	32	62	117	146	116	32	-
White	545	42	8	3	4	13	23	54	108	144	114	32	-
Nonwhite	44	8	-	1	1	4	9	8	9	2	2	-	-
Places of 2,500 to 10,000	770	71	12	5	12	30	54	105	148	153	131	49	-
White	583	41	6	4	6	15	33	66	108	135	123	46	-
Nonwhite	187	30	6	1	6	15	21	39	40	18	8	3	-
Rural	2,508	196	35	39	51	89	187	299	463	587	410	150	2
White	2,115	144	29	34	42	60	132	227	396	523	384	144	-
Nonwhite	393	52	6	5	9	29	55	72	67	64	26	6	2
NONMETROPOLITAN COUNTIES	13,705	1,211	210	179	380	535	934	1,670	2,305	2,952	2,451	859	19
White	9,310	667	115	112	208	260	471	897	1,457	2,301	2,095	693	4
Nonwhite	4,393	544	95	67	172	255	463	773	836	651	356	166	15
Urban	7,241	604	90	64	171	278	517	916	1,291	1,588	1,303	411	8
White	4,982	325	50	41	78	126	265	473	844	1,274	1,146	359	1
Nonwhite	2,259	279	40	23	93	152	252	443	447	314	157	52	7
Places of 25,000 to 50,000	2,884	255	27	26	62	123	218	401	545	593	487	163	2
White	2,002	139	16	17	33	62	114	216	352	474	454	145	-
Nonwhite	882	96	11	9	29	61	104	185	193	119	53	20	2
Places of 10,000 to 25,000	1,563	108	15	17	26	41	108	169	268	382	331	97	1
White	1,155	54	6	11	12	24	59	91	191	319	299	89	-
Nonwhite	408	54	9	6	14	17	49	78	77	63	32	8	1
Places of 2,500 to 10,000	2,794	261	48	21	83	114	191	346	478	613	485	149	5
White	1,825	132	28	13	33	40	92	166	301	481	415	125	1
Nonwhite	969	129	20	8	50	74	99	180	177	132	72	24	4
Rural	6,462	607	120	115	209	257	417	754	1,012	1,364	1,148	448	11
White	4,328	342	65	71	130	154	206	424	623	1,027	949	334	3
Nonwhite	2,134	265	55	44	79	103	211	330	389	337	199	114	8
GEORGIA	30,325	3,064	560	428	932	1,535	2,426	3,916	5,239	5,965	4,601	1,606	53
White	18,001	1,520	283	236	461	673	1,043	1,756	2,984	4,214	3,669	1,146	16
Nonwhite	12,324	1,544	277	192	471	862	1,383	2,160	2,255	1,751	932	460	37
Urban	15,248	1,498	242	166	420	825	1,403	2,262	2,846	2,841	2,022	703	20
White	8,620	770	120	88	202	326	546	956	1,535	1,945	1,624	522	6
Nonwhite	6,628	728	122	78	218	499	857	1,326	1,311	896	398	181	14
Places of 250,000 or more	3,864	317	50	38	84	238	402	618	752	688	496	173	8
White	2,129	149	24	17	33	71	123	245	427	485	404	148	3
Nonwhite	1,735	168	26	21	51	167	279	373	325	203	92	25	5
Places of 100,000 to 250,000	1,386	124	25	19	40	72	151	250	283	235	138	49	-
White	636	52	9	9	18	21	35	74	116	151	113	38	-
Nonwhite	750	72	16	10	22	51	116	176	167	84	25	11	-
Places of 50,000 to 100,000	2,636	245	47	21	69	143	249	375	519	511	338	115	4
White	1,510	142	20	13	30	83	116	182	266	348	268	82	-
Nonwhite	1,126	103	27	8	39	60	133	213	253	163	70	33	4
Places of 25,000 to 50,000	1,032	111	20	21	30	43	94	146	183	213	131	40	-
White	630	60	12	11	11	28	38	74	104	153	111	28	-
Nonwhite	402	51	8	10	19	15	56	72	79	60	20	12	-
Places of 10,000 to 25,000	2,348	266	40	23	69	122	182	346	410	431	337	120	2
White	1,433	154	26	11	38	53	83	180	236	301	281	89	1
Nonwhite	915	112	14	12	31	69	99	186	174	130	56	31	1
Places of 2,500 to 10,000	3,982	435	60	44	128	207	325	527	699	763	582	206	6
White	2,282	213	29	27	72	90	151	221	386	507	447	137	2
Nonwhite	1,700	222	31	17	56	117	174	306	313	256	135	69	4
Rural	15,077	1,566	318	262	512	710	1,023	1,654	2,393	3,124	2,579	903	33
White	9,381	750	163	148	259	347	497	820	1,449	2,269	2,045	624	10
Nonwhite	5,696	816	155	114	253	363	526	834	944	855	534	279	23

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
GEORGIA—Continued													
METROPOLITAN COUNTIES	10,934	995	174	107	285	612	1,080	1,612	2,048	2,083	1,479	495	14
White	6,435	537	85	56	133	246	411	712	1,136	1,500	1,217	399	3
Nonwhite	4,499	458	89	51	152	366	619	900	912	583	262	96	11
Urban	8,701	779	137	83	217	502	865	1,348	1,675	1,608	1,098	377	12
White	4,888	405	66	40	97	185	318	548	897	1,130	896	303	3
Nonwhite	3,813	374	71	43	120	317	547	800	778	478	202	74	9
Places of 250,000 or more	3,864	317	50	38	84	239	402	618	752	688	496	173	8
White	2,129	149	24	17	33	71	123	245	427	485	404	148	3
Nonwhite	1,735	168	26	21	51	167	279	373	325	203	92	25	5
Places of 100,000 to 250,000	1,386	124	25	19	40	72	151	250	283	235	138	49	-
White	636	52	9	9	18	21	35	74	118	151	113	38	-
Nonwhite	750	72	16	10	22	51	116	176	167	84	25	11	-
Places of 50,000 to 100,000	2,636	245	47	21	69	143	249	375	519	511	338	115	4
White	1,510	142	20	13	30	63	116	162	266	348	288	82	-
Nonwhite	1,126	103	27	8	39	80	133	213	253	163	70	33	4
Places of 10,000 to 25,000	583	59	9	3	16	34	42	78	97	127	87	31	-
White	429	38	8	-	11	17	29	48	68	103	79	28	-
Nonwhite	154	21	1	3	5	17	13	30	29	24	8	3	-
Places of 2,500 to 10,000	232	34	6	2	8	15	21	27	24	47	39	9	-
White	184	24	5	1	5	13	15	19	20	43	32	7	-
Nonwhite	48	10	1	1	3	2	6	8	4	4	7	2	-
Rural	2,233	216	37	24	68	110	165	264	373	475	381	118	2
White	1,547	132	19	16	36	61	93	164	239	370	321	96	-
Nonwhite	686	84	18	8	32	49	72	100	134	105	60	22	2
NONMETROPOLITAN COUNTIES	19,391	2,069	386	321	647	923	1,396	2,304	3,191	3,882	3,122	1,111	39
White	11,566	983	198	180	328	427	632	1,044	1,848	2,714	2,452	747	13
Nonwhite	7,825	1,086	188	141	319	496	764	1,260	1,343	1,169	670	364	26
Urban	6,547	719	106	83	203	325	538	914	1,171	1,233	924	326	8
White	3,732	365	54	46	105	141	228	388	638	815	728	219	3
Nonwhite	2,815	354	51	35	98	182	310	526	533	418	196	107	5
Places of 25,000 to 50,000	1,032	111	20	21	30	43	94	146	183	213	131	40	-
White	630	60	12	11	11	28	38	74	104	153	111	28	-
Nonwhite	402	51	8	10	19	15	56	72	79	60	20	12	-
Places of 10,000 to 25,000	1,765	207	31	20	53	88	140	288	313	304	250	89	2
White	1,004	116	18	11	27	36	54	112	168	198	202	81	1
Nonwhite	761	91	13	9	26	52	86	156	145	106	48	28	1
Places of 2,500 to 10,000	3,750	401	54	42	120	192	304	500	675	716	543	197	6
White	2,098	189	24	26	67	77	136	202	366	464	415	130	2
Nonwhite	1,652	212	30	16	53	115	168	298	309	252	128	67	4
Rural	12,844	1,350	281	238	444	600	858	1,390	2,020	2,649	2,198	785	31
White	7,834	618	144	132	223	286	404	656	1,210	1,899	1,724	528	10
Nonwhite	5,010	732	137	106	221	314	454	734	810	750	474	257	21
IDAHO	4,837	434	92	75	157	165	237	406	756	1,138	961	407	9
White	4,741	425	86	71	150	157	234	400	744	1,117	951	401	5
Nonwhite	96	9	6	4	7	8	3	6	12	21	10	6	4
Urban	2,472	233	32	29	63	71	115	198	378	616	513	220	4
White	2,447	233	32	29	62	70	114	196	373	608	509	219	2
Nonwhite	25	-	-	-	1	1	1	2	5	8	4	1	2
Places of 25,000 to 50,000	661	59	11	10	26	24	35	62	80	168	130	54	2
White	650	59	11	10	25	24	35	60	79	164	129	53	1
Nonwhite	11	-	-	-	1	-	-	2	1	4	1	1	1
Places of 10,000 to 25,000	969	95	13	14	17	23	49	72	152	234	207	92	1
White	963	95	13	14	17	22	49	72	151	232	206	92	-
Nonwhite	6	-	-	-	-	1	-	-	1	2	1	-	1
Places of 2,500 to 10,000	842	79	8	5	20	24	31	64	146	214	176	74	1
White	834	79	8	5	20	24	30	64	143	212	174	74	1
Nonwhite	8	-	-	-	-	-	1	-	3	2	2	-	-
Rural	2,365	201	60	46	94	94	122	208	378	522	448	187	5
White	2,294	192	54	42	88	87	120	204	371	509	442	182	3
Nonwhite	71	9	6	4	6	7	2	4	7	13	6	5	2
NONMETROPOLITAN COUNTIES	4,837	434	92	75	157	165	237	406	756	1,138	961	407	9
White	4,741	425	86	71	150	157	234	400	744	1,117	951	401	5
Nonwhite	96	9	6	4	7	8	3	6	12	21	10	6	4
Urban	2,472	233	32	29	63	71	115	198	378	616	513	220	4
White	2,447	233	32	29	62	70	114	196	373	608	509	219	2
Nonwhite	25	-	-	-	1	1	1	2	5	8	4	1	2
Places of 25,000 to 50,000	661	59	11	10	26	24	35	62	80	168	130	54	2
White	650	59	11	10	25	24	35	60	79	164	129	53	1
Nonwhite	11	-	-	-	1	-	-	2	1	4	1	1	1
Places of 10,000 to 25,000	969	95	13	14	17	23	49	72	152	234	207	92	1
White	963	95	13	14	17	22	49	72	151	232	206	92	-
Nonwhite	6	-	-	-	-	1	-	-	1	2	1	-	1
Places of 2,500 to 10,000	842	79	8	5	20	24	31	64	146	214	176	74	1
White	834	79	8	5	20	24	30	64	143	212	174	74	1
Nonwhite	8	-	-	-	-	-	1	-	3	2	2	-	-
Rural	2,365	201	60	46	94	94	122	208	378	522	448	187	5
White	2,294	192	54	42	88	87	120	204	371	509	442	182	3
Nonwhite	71	9	6	4	6	7	2	4	7	13	6	5	2
ILLINOIS	92,490	4,868	824	712	1,413	2,360	4,725	10,029	17,978	22,635	19,728	7,201	16
White	84,706	4,155	672	625	1,140	1,793	3,853	8,624	16,442	21,317	19,082	6,989	14
Nonwhite	7,764	713	152	87	273	567	872	1,405	1,536	1,318	647	212	2
Urban	72,134	3,695	599	480	1,019	1,902	3,975	8,515	14,977	17,666	14,266	5,028	12
White	64,718	3,019	460	399	754	1,346	3,125	7,149	13,501	16,426	13,679	4,850	10
Nonwhite	7,416	676	139	81	265	556	850	1,366	1,476	1,240	587	178	2

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
ILLINOIS—Continued													
Places of 250,000 or more	40,920	1,990	329	242	554	1,234	2,561	5,521	9,559	10,103	6,727	2,085	5
White	34,944	1,439	224	184	335	751	1,855	4,372	8,356	9,149	6,294	1,980	5
Nonwhite	5,976	551	105	58	219	483	706	1,149	1,203	954	433	115	-
Places of 100,000 to 250,000	1,272	62	7	8	22	33	64	154	247	282	282	131	-
White	1,199	55	5	6	19	26	54	143	231	254	277	129	-
Nonwhite	73	7	2	2	3	7	10	11	16	8	5	2	-
Places of 50,000 to 100,000	7,695	398	55	59	134	166	366	809	1,459	1,916	1,708	621	4
White	7,147	347	45	54	110	137	296	712	1,341	1,827	1,670	605	3
Nonwhite	548	51	10	5	24	29	70	97	118	89	38	16	1
Places of 25,000 to 50,000	5,563	314	45	34	71	115	296	513	936	1,349	1,379	549	2
White	5,312	293	37	32	68	104	231	477	899	1,295	1,338	536	2
Nonwhite	251	21	8	2	3	11	25	36	37	54	41	13	-
Places of 10,000 to 25,000	7,050	388	70	53	104	152	312	666	1,209	1,743	1,717	655	1
White	6,729	344	66	49	95	132	292	623	1,148	1,667	1,675	638	-
Nonwhite	321	24	4	4	9	20	20	43	61	76	42	17	1
Places of 2,500 to 10,000	9,634	563	93	84	134	202	416	852	1,567	2,293	2,453	977	-
White	9,387	541	83	74	127	196	397	822	1,526	2,234	2,425	962	-
Nonwhite	247	22	10	10	7	6	19	30	41	59	28	15	-
Rural	20,356	1,173	225	232	394	458	750	1,514	3,001	4,969	5,463	2,173	4
White	19,988	1,136	212	226	386	447	728	1,475	2,941	4,891	5,403	2,139	4
Nonwhite	368	37	13	6	8	11	22	39	60	78	60	34	-
METROPOLITAN COUNTIES	65,352	3,470	580	472	980	1,800	3,784	8,080	14,074	15,910	12,094	4,117	11
White	58,242	2,805	439	391	724	1,255	2,943	6,728	12,843	14,768	11,571	3,966	9
Nonwhite	7,110	665	141	81	256	545	841	1,332	1,431	1,142	523	151	2
Urban	59,771	3,073	497	409	883	1,663	3,506	7,545	13,154	14,567	10,842	3,641	11
White	52,797	2,423	365	332	608	1,123	2,679	6,234	11,745	13,447	10,335	3,497	9
Nonwhite	6,974	650	132	77	255	540	827	1,311	1,409	1,120	507	144	2
Places of 250,000 or more	40,920	1,990	329	242	554	1,234	2,561	5,521	9,559	10,103	6,727	2,095	5
White	34,944	1,439	224	184	335	751	1,855	4,372	8,356	9,149	6,294	1,980	5
Nonwhite	5,976	551	105	58	219	483	706	1,149	1,203	954	433	115	-
Places of 100,000 to 250,000	1,272	62	7	8	22	33	64	154	247	262	282	131	-
White	1,199	55	5	6	19	26	54	143	231	254	277	129	-
Nonwhite	73	7	2	2	3	7	10	11	16	8	5	2	-
Places of 50,000 to 100,000	7,695	398	55	59	134	166	366	809	1,459	1,916	1,708	621	4
White	7,147	347	45	54	110	137	296	712	1,341	1,827	1,670	605	3
Nonwhite	548	51	10	5	24	29	70	97	118	89	38	16	1
Places of 25,000 to 50,000	3,027	194	25	23	47	69	149	299	558	720	678	264	1
White	2,920	182	21	21	47	64	133	283	541	702	666	259	1
Nonwhite	107	12	4	2	-	5	16	16	17	18	12	5	-
Places of 10,000 to 25,000	3,236	170	39	33	43	75	159	369	639	754	700	254	1
White	3,150	161	36	32	40	64	152	356	618	742	695	254	-
Nonwhite	86	9	3	1	3	11	7	13	21	12	5	-	1
Places of 2,500 to 10,000	3,621	259	42	44	63	86	207	393	692	812	747	276	-
White	3,437	239	34	35	57	81	199	368	658	773	733	270	-
Nonwhite	184	20	8	9	6	5	18	25	34	39	14	6	-
Rural	5,581	397	83	63	117	137	278	515	920	1,343	1,252	476	-
White	5,445	382	74	59	116	132	264	494	898	1,321	1,236	468	-
Nonwhite	136	15	9	4	1	5	14	21	22	22	16	7	-
NONMETROPOLITAN COUNTIES	27,138	1,398	244	240	433	560	941	1,969	3,904	6,725	7,635	3,084	5
White	26,464	1,350	233	234	416	538	910	1,896	3,799	6,549	7,511	3,023	5
Nonwhite	674	48	11	6	17	22	31	73	105	176	124	61	-
Urban	12,363	622	102	71	156	239	469	970	1,823	3,099	3,424	1,387	1
White	11,921	596	95	67	146	223	446	915	1,756	2,979	3,344	1,353	1
Nonwhite	442	26	7	4	10	16	23	55	67	120	80	34	-
Places of 25,000 to 50,000	2,536	120	20	11	24	46	107	214	378	629	701	285	1
White	2,392	111	16	11	21	40	98	194	358	593	672	277	1
Nonwhite	144	9	4	-	3	6	9	20	20	36	29	8	-
Places of 10,000 to 25,000	3,814	198	31	20	61	77	153	297	570	989	1,017	401	-
White	3,579	183	30	17	55	68	140	267	530	925	980	384	-
Nonwhite	235	15	1	3	6	9	13	30	40	64	37	17	-
Places of 2,500 to 10,000	6,013	304	51	40	71	116	209	459	875	1,481	1,706	701	-
White	5,950	302	49	39	70	115	208	454	868	1,461	1,692	692	-
Nonwhite	63	2	2	1	1	1	1	5	7	20	14	9	-
Rural	14,775	776	142	169	277	321	472	999	2,081	3,626	4,211	1,697	4
White	14,543	754	138	167	270	315	464	981	2,043	3,570	4,167	1,670	4
Nonwhite	232	22	4	2	7	6	8	18	38	56	44	27	-
INDIANA	40,630	2,520	470	415	730	981	1,853	3,576	6,626	9,630	9,905	3,898	26
White	38,321	2,310	433	397	638	859	1,596	3,185	6,194	9,223	9,657	3,808	21
Nonwhite	2,309	210	37	18	92	122	257	391	432	407	248	90	5
Urban	24,662	1,646	273	221	442	654	1,270	2,447	4,308	5,892	5,439	2,056	14
White	22,465	1,442	237	205	354	536	1,019	2,070	3,899	5,503	5,214	1,976	10
Nonwhite	2,197	204	36	16	88	118	251	377	409	389	225	80	4
Places of 250,000 or more	5,153	337	63	41	90	140	300	594	944	1,252	1,022	370	-
White	4,248	264	50	37	54	96	202	450	757	1,083	912	343	-
Nonwhite	905	73	13	4	36	44	98	144	187	169	110	27	-
Places of 100,000 to 250,000	5,115	359	51	53	89	148	341	621	984	1,232	926	311	-
White	4,378	286	36	44	64	104	234	476	853	1,117	872	292	-
Nonwhite	737	73	15	9	25	44	107	145	131	115	54	19	-
Places of 50,000 to 100,000	2,770	210	30	24	53	87	167	330	521	846	508	192	2
White	2,540	177	26	23	46	72	139	278	488	812	492	186	1
Nonwhite	230	33	4	1	7	15	28	52	33	34	16	6	1
Places of 25,000 to 50,000	3,673	271	35	38	66	89	166	348	646	813	866	331	4
White	3,488	251	33	38	54	83	151	322	612	780	842	320	2
Nonwhite	185	20	2	-	12	6	15	26	34	33	24	11	2
Places of 10,000 to 25,000	3,298	203	46	28	63	62	126	257	529	811	842	327	4
White	3,205	200	44	26	58	58	123	249	511	787	830	315	4
Nonwhite	93	3	2	2	5	4	3	8	18	24	12	12	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
INDIANA—Continued													
Places of 2,500 to 10,000	4,653	266	48	37	81	128	170	297	884	1,138	1,275	525	4
White	4,606	264	48	37	78	123	170	295	878	1,124	1,266	520	3
Nonwhite	47	2	-	-	3	5	-	2	6	14	9	5	1
Rural	15,966	874	197	194	288	327	583	1,129	2,318	3,738	4,466	1,842	12
White	15,856	868	196	192	284	323	577	1,115	2,295	3,720	4,443	1,832	11
Nonwhite	112	6	1	2	4	4	6	14	23	18	23	10	1
METROPOLITAN COUNTIES	17,170	1,224	204	174	325	495	1,004	1,912	3,172	4,075	3,355	1,225	5
White	15,187	1,037	170	159	251	389	768	1,556	2,792	3,737	3,161	1,164	3
Nonwhite	1,983	187	34	15	74	106	236	356	380	338	194	61	2
Urban	14,360	1,026	162	133	263	417	870	1,662	2,701	3,423	2,715	984	4
White	12,424	843	129	118	192	313	636	1,316	2,333	3,069	2,528	925	2
Nonwhite	1,936	183	33	15	71	104	234	346	368	334	187	59	2
Places of 250,000 or more	5,153	337	63	41	90	140	300	594	944	1,252	1,022	370	-
White	4,248	264	50	37	54	96	202	450	757	1,083	912	343	-
Nonwhite	905	73	13	4	36	44	98	144	187	169	110	27	-
Places of 100,000 to 250,000	5,115	359	51	53	89	148	341	621	984	1,232	926	311	-
White	4,378	286	36	44	64	104	234	476	853	1,117	872	292	-
Nonwhite	737	73	15	9	25	44	107	145	131	115	54	19	-
Places of 50,000 to 100,000	2,770	210	30	24	53	87	167	330	521	646	508	192	2
White	2,540	177	26	23	46	72	139	278	486	612	492	186	1
Nonwhite	230	33	4	1	7	15	28	52	35	34	16	6	1
Places of 25,000 to 50,000	612	49	5	6	11	16	33	55	122	136	119	58	2
White	582	48	5	6	11	16	32	51	114	127	115	56	1
Nonwhite	30	1	-	-	-	-	1	4	8	9	4	2	1
Places of 10,000 to 25,000	256	21	7	2	11	3	9	20	42	53	64	24	-
White	226	19	6	1	8	3	9	19	33	47	62	19	-
Nonwhite	30	2	1	1	3	-	-	1	9	6	2	5	-
Places of 2,500 to 10,000	454	50	6	7	9	23	20	42	88	104	76	29	-
White	450	49	6	7	9	22	20	42	88	103	75	29	-
Nonwhite	4	1	-	-	-	1	-	-	-	1	1	-	-
Rural	2,810	198	42	41	62	78	134	250	471	652	640	241	1
White	2,763	194	41	41	59	76	132	240	459	648	633	239	1
Nonwhite	47	4	1	-	3	2	2	10	12	4	7	2	-
NONMETROPOLITAN COUNTIES	23,460	1,298	266	241	405	486	849	1,664	3,454	5,555	6,550	2,673	21
White	23,134	1,273	263	236	387	470	828	1,629	3,402	5,486	6,496	2,644	18
Nonwhite	326	23	3	3	18	16	21	35	52	69	54	29	3
Urban	10,302	620	111	88	179	237	400	785	1,607	2,469	2,724	1,072	10
White	10,041	599	108	87	162	223	383	754	1,566	2,414	2,686	1,051	8
Nonwhite	261	21	3	1	17	14	17	31	41	55	38	21	2
Places of 25,000 to 50,000	3,081	222	30	32	55	73	133	293	524	677	747	273	2
White	2,906	203	28	32	43	67	119	271	498	653	727	284	1
Nonwhite	155	19	2	-	12	6	14	22	26	24	20	9	1
Places of 10,000 to 25,000	3,042	182	39	26	52	59	117	237	487	758	778	303	4
White	2,979	181	38	25	50	55	114	230	478	740	768	286	4
Nonwhite	63	1	1	1	2	4	3	7	9	18	10	7	-
Places of 2,500 to 10,000	4,199	216	42	30	72	105	150	255	596	1,034	1,199	496	4
White	4,156	215	42	30	69	101	150	253	590	1,021	1,191	491	3
Nonwhite	43	1	-	-	3	4	-	2	6	13	8	5	1
Rural	13,158	676	155	153	226	249	449	879	1,847	3,086	3,826	1,601	11
White	13,093	674	155	151	225	247	445	875	1,836	3,072	3,810	1,593	10
Nonwhite	65	2	-	2	1	2	4	4	11	14	16	8	1
IOWA	26,979	1,555	265	245	400	514	867	1,849	3,920	5,401	7,458	3,491	14
White	26,701	1,538	263	244	398	500	852	1,814	3,862	5,328	7,420	3,469	13
Nonwhite	278	17	2	1	2	14	15	35	58	73	38	22	1
Urban	13,964	868	122	103	165	260	468	1,021	2,170	3,400	3,726	1,654	7
White	13,714	851	120	102	163	248	454	987	2,117	3,340	3,690	1,636	6
Nonwhite	250	17	2	1	2	12	14	34	53	60	36	18	1
Places of 100,000 to 250,000	1,914	112	17	12	17	40	59	182	337	488	451	199	-
White	1,804	104	17	12	17	35	52	163	312	466	431	195	-
Nonwhite	110	8	-	-	-	5	7	19	25	22	20	4	-
Places of 50,000 to 100,000	2,989	201	31	26	28	63	124	253	526	710	730	296	1
White	2,923	195	29	25	27	60	117	244	515	697	723	290	1
Nonwhite	66	6	2	1	1	3	7	9	11	13	7	6	-
Places of 25,000 to 50,000	3,032	183	23	29	36	63	99	223	489	734	788	363	2
White	3,006	181	23	29	35	62	99	221	485	725	784	360	2
Nonwhite	26	2	-	-	1	1	-	2	4	9	4	3	-
Places of 10,000 to 25,000	1,720	113	15	8	18	25	48	123	257	421	474	217	1
White	1,690	113	15	8	18	22	48	119	250	410	472	214	1
Nonwhite	30	-	-	-	-	3	-	4	7	11	2	3	-
Places of 2,500 to 10,000	4,309	259	56	28	66	69	138	240	561	1,047	1,283	579	3
White	4,291	258	56	28	66	69	138	240	555	1,042	1,280	577	2
Nonwhite	18	1	-	-	-	-	-	-	6	5	3	2	1
Rural	13,015	687	143	142	235	254	398	828	1,750	3,001	3,732	1,657	7
White	12,987	687	143	142	235	252	398	827	1,745	2,988	3,730	1,653	7
Nonwhite	28	-	-	-	-	2	1	1	5	13	2	4	-
METROPOLITAN COUNTIES	6,867	418	75	57	82	152	249	596	1,143	1,667	1,699	725	4
White	6,678	404	73	56	81	142	234	567	1,105	1,630	1,669	713	4
Nonwhite	189	14	2	1	1	10	15	29	38	37	30	12	-
Urban	5,694	354	58	43	54	115	221	499	987	1,388	1,388	586	1
White	5,510	340	56	42	53	106	207	470	950	1,351	1,359	575	1
Nonwhite	184	14	2	1	1	9	14	29	37	37	29	11	-
Places of 100,000 to 250,000	1,914	112	17	12	17	40	59	182	337	488	451	199	-
White	1,804	104	17	12	17	35	52	163	312	466	431	195	-
Nonwhite	110	8	-	-	-	5	7	19	25	22	20	4	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
IOWA—Continued													
METROPOLITAN COUNTIES—Continued													
Places of 50,000 to 100,000	2,989	201	31	26	28	63	124	253	526	710	730	296	1
White	2,923	195	29	25	27	60	117	244	515	697	723	290	1
Nonwhite	66	6	2	1	1	3	7	9	11	13	7	6	-
Places of 25,000 to 50,000	476	21	6	1	7	10	20	41	68	117	134	51	-
White	469	21	6	1	7	9	20	40	67	115	133	50	-
Nonwhite	7	-	-	-	-	1	-	1	1	2	1	1	-
Places of 10,000 to 25,000	120	5	2	2	1	1	5	9	24	20	28	23	-
White	120	5	2	2	1	1	5	9	24	20	28	23	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	195	15	2	2	1	1	13	14	32	53	45	17	-
White	194	15	2	2	1	1	13	14	32	53	44	17	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	1	-	-
Rural	1,173	64	17	14	28	37	28	97	156	279	311	139	3
White	1,168	64	17	14	28	36	27	97	155	279	310	138	3
Nonwhite	5	-	-	-	-	1	1	-	1	-	1	1	-
NONMETROPOLITAN COUNTIES	20,112	1,137	190	188	318	362	618	1,253	2,777	4,734	5,759	2,766	10
White	20,023	1,134	190	188	317	358	618	1,247	2,757	4,698	5,751	2,756	9
Nonwhite	89	3	-	-	1	4	-	6	20	36	8	10	1
Urban	8,270	514	64	60	111	145	247	522	1,183	2,012	2,338	1,068	6
White	8,204	511	64	60	110	142	247	517	1,167	1,989	2,331	1,061	5
Nonwhite	66	3	-	-	1	3	-	5	16	23	7	7	1
Places of 25,000 to 50,000	2,556	162	17	28	29	53	79	182	421	617	654	312	2
White	2,537	160	17	28	28	53	79	181	418	610	651	310	2
Nonwhite	19	2	-	-	1	-	-	1	3	7	3	2	-
Places of 10,000 to 25,000	1,600	108	13	6	17	24	43	114	233	401	446	194	1
White	1,570	108	13	6	17	21	43	110	226	390	444	191	1
Nonwhite	30	-	-	-	-	3	-	4	7	11	2	3	-
Places of 2,500 to 10,000	4,114	244	34	26	65	68	125	226	529	994	1,238	562	3
White	4,097	243	34	26	65	68	125	226	523	989	1,236	560	2
Nonwhite	17	1	-	-	-	-	-	-	6	5	2	2	1
Rural	11,842	623	126	128	207	217	371	731	1,594	2,722	3,421	1,698	4
White	11,819	623	126	128	207	216	371	730	1,590	2,709	3,420	1,695	4
Nonwhite	23	-	-	-	-	1	-	1	4	13	1	3	-
KANSAS	19,058	1,130	215	177	364	458	700	1,397	2,654	4,498	5,136	2,507	22
White	17,971	1,035	194	170	329	413	630	1,256	2,453	4,291	4,858	2,229	13
Nonwhite	1,087	95	21	7	35	45	70	141	201	207	178	78	9
Urban	10,111	693	124	81	195	269	416	846	1,483	2,380	2,532	1,078	14
White	9,169	607	104	75	163	226	351	721	1,304	2,211	2,389	1,011	7
Nonwhite	942	86	20	6	32	43	65	125	179	169	143	67	7
Places of 100,000 to 250,000	3,102	260	40	30	67	101	161	319	512	716	644	250	2
White	2,616	219	31	28	47	77	121	240	408	634	582	228	1
Nonwhite	486	41	9	2	20	24	40	79	104	82	62	22	1
Places of 50,000 to 100,000	936	53	16	9	19	18	39	79	140	210	238	106	9
White	826	47	16	7	14	14	32	66	114	188	224	101	3
Nonwhite	110	6	-	2	5	4	7	13	26	22	14	5	6
Places of 25,000 to 50,000	629	37	5	5	12	17	23	64	98	141	169	58	-
White	605	35	4	5	11	15	23	61	93	137	167	54	-
Nonwhite	24	2	1	-	1	2	-	3	5	4	2	4	-
Places of 10,000 to 25,000	3,185	218	35	19	54	85	113	227	444	755	850	385	2
White	2,917	186	26	17	49	75	98	201	408	708	801	354	2
Nonwhite	268	32	9	2	5	10	15	26	39	52	49	29	-
Places of 2,500 to 10,000	2,259	125	28	18	43	48	80	187	289	568	631	281	1
White	2,205	120	27	18	42	45	77	183	284	549	615	274	1
Nonwhite	54	5	1	-	1	3	3	4	5	9	16	7	-
Rural	8,947	437	91	96	169	189	284	551	1,171	2,118	2,604	1,229	8
White	8,802	428	90	95	166	187	279	535	1,149	2,080	2,569	1,218	6
Nonwhite	145	9	1	1	3	2	5	16	22	38	35	11	2
METROPOLITAN COUNTIES	5,121	375	66	49	106	145	249	474	906	1,175	1,170	494	12
White	4,466	325	57	45	80	115	198	374	669	1,054	1,086	459	4
Nonwhite	655	50	9	4	26	30	51	100	137	121	84	35	8
Urban	4,101	316	56	39	86	119	204	400	659	945	899	367	11
White	3,497	268	47	35	61	91	154	307	529	838	823	340	4
Nonwhite	604	48	9	4	25	28	50	93	130	107	76	27	7
Places of 100,000 to 250,000	3,102	260	40	30	67	101	161	319	512	716	644	250	2
White	2,616	219	31	28	47	77	121	240	408	634	582	228	1
Nonwhite	486	41	9	2	20	24	40	79	104	82	62	22	1
Places of 50,000 to 100,000	836	53	16	9	19	18	39	79	140	210	238	106	9
White	826	47	16	7	14	14	32	66	114	188	224	101	3
Nonwhite	110	6	-	2	5	4	7	13	26	22	14	5	6
Places of 2,500 to 10,000	63	3	-	-	-	-	4	2	7	19	17	11	-
White	55	2	-	-	-	-	1	1	7	16	17	11	-
Nonwhite	8	1	-	-	-	-	3	1	-	3	-	-	-
Rural	1,020	59	10	10	20	26	45	74	147	230	271	127	1
White	969	57	10	10	19	24	44	67	140	216	263	119	-
Nonwhite	51	2	-	-	1	2	1	7	7	14	8	8	1
NONMETROPOLITAN COUNTIES	13,937	755	149	128	258	313	451	923	1,848	3,323	3,966	1,813	10
White	13,505	710	137	125	249	298	432	862	1,784	3,237	3,872	1,770	9
Nonwhite	432	45	12	3	9	15	19	41	64	86	94	43	1
Urban	6,010	377	68	42	109	150	212	446	824	1,435	1,633	711	3
White	5,672	339	57	40	102	135	197	414	775	1,373	1,566	671	3
Nonwhite	338	38	11	2	7	15	15	32	49	62	67	40	-
Places of 25,000 to 50,000	629	37	5	5	12	17	23	64	98	141	169	58	-
White	605	35	4	5	11	15	23	61	93	137	167	54	-
Nonwhite	24	2	1	-	1	2	-	3	5	4	2	4	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
KANSAS—Continued													
NONMETROPOLITAN COUNTIES—Continued													
Places of 10,000 to 25,000	3,185	218	35	19	54	85	113	227	444	755	850	383	2
White	2,917	186	26	17	49	75	98	201	405	703	801	354	2
Nonwhite	268	32	9	2	5	10	15	26	39	52	49	29	-
Places of 2,500 to 10,000	2,196	122	26	18	43	48	76	155	282	539	614	270	1
White	2,150	118	27	18	42	45	76	152	277	533	598	263	1
Nonwhite	46	4	1	-	1	3	-	3	5	6	16	7	-
Rural	7,927	378	81	86	149	163	239	477	1,024	1,888	2,333	1,102	7
White	7,833	371	80	85	147	163	235	468	1,009	1,864	2,306	1,099	6
Nonwhite	94	7	1	1	2	-	4	9	15	24	27	3	1
KENTUCKY	27,855	2,616	494	387	770	980	1,451	2,477	3,933	6,020	6,236	2,483	8
White	24,520	2,368	450	352	691	838	1,159	1,980	3,280	5,324	5,775	2,298	5
Nonwhite	3,335	248	44	35	79	142	292	497	653	696	461	185	3
Urban	12,002	961	141	107	255	383	703	1,299	1,962	2,665	2,563	941	2
White	9,639	806	112	86	202	278	473	904	1,496	2,178	2,258	846	-
Nonwhite	2,363	155	29	21	53	105	230	395	466	487	305	95	2
Places of 250,000 or more	4,397	333	46	33	79	143	308	531	731	966	918	287	2
White	3,410	271	31	26	56	92	176	362	546	784	803	263	-
Nonwhite	987	62	15	7	23	51	132	169	185	202	115	24	2
Places of 50,000 to 100,000	1,521	94	16	9	35	50	89	163	282	339	312	133	-
White	1,211	78	14	7	26	37	58	105	209	280	273	124	-
Nonwhite	310	16	1	2	9	13	31	58	73	59	39	9	-
Places of 25,000 to 50,000	1,502	117	20	14	28	39	75	153	238	385	311	122	-
White	1,292	108	18	10	24	30	61	117	184	336	291	113	-
Nonwhite	210	9	2	4	4	9	14	36	54	49	20	9	-
Places of 10,000 to 25,000	1,283	109	15	11	25	43	79	149	196	263	278	115	-
White	953	79	9	9	19	34	52	91	135	198	226	101	-
Nonwhite	330	30	6	2	6	9	27	58	61	65	52	14	-
Places of 2,500 to 10,000	3,299	308	45	40	88	108	152	303	535	692	744	284	-
White	2,775	270	40	34	77	85	126	229	422	580	665	245	-
Nonwhite	526	38	5	6	11	23	26	74	113	112	79	39	-
Rural	15,853	1,655	353	280	515	597	748	1,178	1,971	3,355	3,673	1,542	6
White	14,881	1,562	338	266	489	560	686	1,076	1,784	3,146	3,517	1,452	5
Nonwhite	972	93	15	14	26	37	62	102	187	209	156	90	1
METROPOLITAN COUNTIES	8,475	610	96	74	162	249	535	946	1,449	1,875	1,806	672	2
White	7,028	523	78	64	126	180	354	700	1,157	1,590	1,626	630	-
Nonwhite	1,447	87	18	10	36	68	181	246	292	285	180	42	2
Urban	7,151	514	77	51	134	221	461	812	1,233	1,610	1,497	539	2
White	5,806	434	60	42	101	154	293	576	964	1,342	1,337	503	-
Nonwhite	1,345	80	17	9	33	67	168	236	269	268	160	36	2
Places of 250,000 or more	4,397	333	46	33	79	143	308	531	731	966	918	287	2
White	3,410	271	31	26	56	92	176	362	546	784	803	263	-
Nonwhite	987	62	15	7	23	51	132	169	185	202	115	24	2
Places of 50,000 to 100,000	1,521	94	15	9	35	50	89	163	282	339	312	133	-
White	1,211	78	14	7	26	37	58	105	209	280	273	124	-
Nonwhite	310	16	1	2	9	13	31	58	73	59	39	9	-
Places of 25,000 to 50,000	667	58	10	7	11	15	41	62	98	173	140	52	-
White	629	56	9	7	10	12	36	55	91	166	137	50	-
Nonwhite	38	2	1	-	1	3	5	7	7	7	3	2	-
Places of 10,000 to 25,000	133	5	-	-	-	2	4	17	23	24	43	15	-
White	133	5	-	-	-	2	4	17	23	24	43	15	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	433	24	6	2	9	11	19	39	99	88	84	52	-
White	423	24	6	2	9	11	19	37	95	88	81	51	-
Nonwhite	10	-	-	-	-	-	-	2	4	-	3	1	-
Rural	1,324	96	19	23	28	27	74	134	216	265	309	133	-
White	1,222	89	18	22	25	26	61	124	198	248	289	127	-
Nonwhite	102	7	1	1	3	1	13	10	23	17	20	6	-
NONMETROPOLITAN COUNTIES	19,380	2,006	398	313	608	732	916	1,531	2,484	4,145	4,430	1,811	6
White	17,492	1,845	372	288	565	658	805	1,280	2,123	3,734	4,149	1,668	5
Nonwhite	1,888	161	26	25	43	74	111	251	361	411	281	143	1
Urban	4,651	447	64	56	121	162	242	487	749	1,055	1,066	402	-
White	3,633	372	52	44	101	124	180	328	532	836	921	343	-
Nonwhite	1,018	75	12	12	20	38	62	159	217	219	145	59	-
Places of 25,000 to 50,000	835	59	10	7	17	24	34	91	140	212	171	70	-
White	663	52	9	3	14	18	25	62	93	170	154	63	-
Nonwhite	172	7	1	4	3	6	9	29	47	42	17	7	-
Places of 10,000 to 25,000	1,150	104	15	11	25	41	75	132	173	239	235	100	-
White	820	74	9	9	19	32	48	74	112	174	163	86	-
Nonwhite	330	30	6	2	6	9	27	58	61	65	52	14	-
Places of 2,500 to 10,000	2,868	284	39	38	79	97	133	264	436	604	660	232	-
White	2,350	246	34	32	68	74	107	192	327	492	584	194	-
Nonwhite	518	38	5	6	11	23	26	72	109	112	76	38	-
Rural	14,529	1,559	334	257	487	570	674	1,044	1,735	3,090	3,364	1,409	6
White	13,859	1,473	320	244	464	534	625	952	1,591	2,898	3,228	1,325	5
Nonwhite	670	86	14	13	23	36	49	92	144	192	136	84	1
LOUISIANA	23,738	2,639	451	328	654	887	1,569	2,894	4,088	5,164	3,719	1,335	10
White	13,740	1,192	225	166	332	426	770	1,521	2,381	3,209	2,634	881	3
Nonwhite	9,998	1,447	226	162	322	461	799	1,373	1,707	1,955	1,085	454	7
Urban	13,496	1,358	205	118	305	497	978	1,838	2,578	2,917	2,033	664	5
White	8,087	692	107	61	151	230	466	949	1,510	1,905	1,542	473	1
Nonwhite	5,409	666	98	57	154	267	512	889	1,068	1,012	491	191	4
Places of 250,000 or more	6,169	445	57	37	101	198	442	952	1,310	1,393	950	304	-
White	3,970	233	30	17	47	96	217	489	799	1,007	790	245	-
Nonwhite	2,199	212	27	20	54	102	225	443	511	386	160	59	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
LOUISIANA—Continued													
Places of 100,000 to 250,000	2,127	246	32	28	43	99	174	277	407	455	265	98	3
White	1,126	109	18	13	21	39	70	133	232	246	183	61	1
Nonwhite	1,001	137	14	15	22	60	104	144	175	209	82	37	2
Places of 25,000 to 50,000	1,354	173	30	16	37	40	102	192	236	279	107	62	-
White	699	81	15	9	19	10	44	94	115	150	132	30	-
Nonwhite	655	92	15	7	18	30	58	98	121	129	55	32	-
Places of 10,000 to 25,000	1,243	179	35	16	37	64	102	161	195	208	189	57	-
White	759	95	18	9	21	37	52	81	128	143	138	37	-
Nonwhite	484	84	17	7	16	27	50	80	67	65	51	20	-
Places of 2,500 to 10,000	2,603	315	51	21	87	96	158	276	430	582	442	143	2
White	1,533	174	26	13	43	48	83	152	236	359	299	100	-
Nonwhite	1,070	141	25	8	44	48	75	124	194	223	143	43	2
Rural	10,242	1,281	246	210	349	390	591	1,056	1,510	2,247	1,686	671	5
White	5,853	500	118	105	181	196	304	572	871	1,304	1,092	408	2
Nonwhite	4,589	781	128	105	168	194	287	484	639	943	594	263	3
METROPOLITAN COUNTIES	9,703	853	123	90	202	362	711	1,590	1,932	2,120	1,444	472	4
White	5,961	426	64	42	100	176	339	728	1,167	1,425	1,140	353	1
Nonwhite	3,742	427	59	48	102	186	372	862	765	695	304	119	3
Urban	8,550	724	96	67	157	311	633	1,238	1,769	1,884	1,255	413	3
White	5,275	365	53	32	77	145	299	638	1,067	1,278	1,004	316	1
Nonwhite	3,275	359	43	35	80	166	334	600	702	606	251	97	2
Places of 250,000 or more	6,169	445	57	37	101	198	442	932	1,310	1,393	950	304	-
White	3,970	233	30	17	47	96	217	489	799	1,007	790	245	-
Nonwhite	2,199	212	27	20	54	102	225	443	511	386	160	59	-
Places of 100,000 to 250,000	2,127	246	32	28	43	99	174	277	407	455	265	98	3
White	1,126	109	18	13	21	39	70	133	232	246	183	61	1
Nonwhite	1,001	137	14	15	22	60	104	144	175	209	82	37	2
Places of 10,000 to 25,000	137	11	4	-	3	9	13	18	32	18	24	5	-
White	91	6	3	-	1	6	9	10	20	14	17	5	-
Nonwhite	46	5	1	-	2	3	4	8	12	4	7	-	-
Places of 2,500 to 10,000	117	22	3	2	10	5	4	11	20	18	16	6	-
White	88	17	2	2	8	4	3	6	16	11	14	5	-
Nonwhite	29	5	1	-	2	1	1	5	4	7	2	1	-
Rural	1,153	129	27	23	45	51	78	152	163	256	189	59	1
White	686	61	11	10	23	31	40	90	100	147	136	37	-
Nonwhite	467	68	16	13	22	20	38	62	63	89	53	22	1
NONMETROPOLITAN COUNTIES	14,035	1,786	328	238	452	525	858	1,504	2,156	3,044	2,275	863	6
White	7,779	766	181	124	232	250	451	795	1,214	1,784	1,494	528	2
Nonwhite	6,256	1,020	147	114	220	275	427	711	942	1,260	781	335	4
Urban	4,946	634	109	51	148	186	345	600	809	1,033	778	251	2
White	2,812	327	54	29	74	85	167	311	443	627	538	157	-
Nonwhite	2,134	307	55	22	74	101	178	289	366	406	240	94	2
Places of 25,000 to 50,000	1,354	173	30	16	37	40	102	192	236	279	187	62	-
White	699	81	15	9	19	10	44	94	115	150	132	30	-
Nonwhite	655	92	15	7	18	30	58	98	121	129	55	32	-
Places of 10,000 to 25,000	1,106	168	31	16	34	55	89	143	163	190	165	52	-
White	668	89	15	9	20	31	43	71	108	129	121	32	-
Nonwhite	438	79	16	7	14	24	46	72	55	61	44	20	-
Places of 2,500 to 10,000	2,486	293	48	19	77	91	154	265	410	564	426	137	2
White	1,445	157	24	11	35	44	80	146	220	348	285	95	-
Nonwhite	1,041	136	24	8	42	47	74	119	190	216	141	42	2
Rural	9,089	1,152	219	187	304	339	513	904	1,347	2,011	1,497	612	4
White	4,967	439	107	95	158	185	264	482	771	1,157	956	371	2
Nonwhite	4,122	713	112	92	146	174	249	422	576	854	541	241	2
MAINE	9,888	650	121	101	148	171	320	776	1,474	2,391	2,589	1,144	3
White	9,860	647	119	98	146	170	317	772	1,471	2,387	2,587	1,143	3
Nonwhite	28	3	2	3	-	1	3	4	3	4	2	1	-
Urban	3,785	203	33	30	42	62	123	337	641	921	975	417	1
White	3,772	203	31	29	42	61	122	335	640	919	973	416	1
Nonwhite	13	-	2	1	-	1	1	2	1	2	2	1	-
Places of 50,000 to 100,000	881	47	7	4	12	15	36	72	158	284	219	107	-
White	874	47	6	4	12	14	36	71	157	282	218	107	-
Nonwhite	7	-	1	-	-	1	-	1	1	2	1	-	-
Places of 25,000 to 50,000	760	37	4	4	7	17	30	80	137	176	203	65	-
White	757	37	4	4	7	17	29	79	137	176	203	64	-
Nonwhite	3	-	-	-	-	-	1	1	-	-	-	1	-
Places of 10,000 to 25,000	1,264	72	13	14	15	23	37	111	206	316	310	147	-
White	1,264	72	13	14	15	23	37	111	206	316	310	147	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	880	47	9	9	8	7	20	74	140	225	243	98	1
White	877	47	8	7	8	7	20	74	140	225	242	98	1
Nonwhite	3	-	1	1	-	-	-	-	-	-	1	-	-
Rural	6,101	447	88	71	104	109	197	439	833	1,470	1,614	727	2
White	6,088	444	88	69	104	109	195	437	831	1,468	1,614	727	2
Nonwhite	13	3	-	2	-	-	2	2	2	2	-	-	-
METROPOLITAN COUNTIES	1,839	106	22	12	20	27	55	137	309	436	480	235	-
White	1,829	106	20	11	20	26	55	136	308	433	479	235	-
Nonwhite	10	-	2	1	-	1	-	1	1	3	1	-	-
Urban	1,281	68	11	8	15	23	42	108	224	305	322	157	-
White	1,272	68	9	7	15	22	42	105	223	303	321	157	-
Nonwhite	9	-	2	1	-	1	-	1	1	2	1	-	-
Places of 50,000 to 100,000	881	47	7	4	12	15	36	72	158	284	219	107	-
White	874	47	6	4	12	14	36	71	157	282	218	107	-
Nonwhite	7	-	1	-	-	1	-	1	1	2	1	-	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
MAINE—Continued													
METROPOLITAN COUNTIES—Continued													
Places of 10,000 to 25,000	305	16	3	3	2	8	5	26	46	78	80	40	-
White	305	16	3	3	2	8	5	26	46	78	80	40	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	95	5	1	1	1	2	1	8	20	23	23	10	-
White	93	5	-	-	1	2	1	8	20	23	23	10	-
Nonwhite	2	-	1	1	-	-	-	-	-	-	-	-	-
Rural	558	38	11	4	5	4	13	31	85	131	158	78	-
White	557	38	11	4	5	4	13	31	85	130	158	78	-
Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-
NONMETROPOLITAN COUNTIES	8,047	544	99	89	126	144	265	639	1,165	1,955	2,109	909	3
White	8,031	541	99	87	126	144	262	636	1,163	1,954	2,108	908	3
Nonwhite	16	3	-	2	-	-	3	3	2	1	1	1	-
Urban	2,504	135	22	22	27	39	81	231	417	616	653	280	1
White	2,500	135	22	22	27	39	80	230	417	616	652	279	1
Nonwhite	4	-	-	-	-	-	1	1	-	-	1	1	-
Places of 25,000 to 50,000	760	37	4	4	7	17	30	80	137	176	203	65	-
White	757	37	4	4	7	17	29	79	137	176	203	64	-
Nonwhite	3	-	-	-	-	-	1	1	-	-	-	1	-
Places of 10,000 to 25,000	959	56	10	11	13	17	32	85	160	238	230	107	-
White	959	56	10	11	13	17	32	85	160	238	230	107	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	785	42	8	7	7	5	19	66	120	202	220	88	1
White	784	42	8	7	7	5	19	66	120	202	219	88	1
Nonwhite	1	-	-	-	-	-	-	-	-	-	1	-	-
Rural	5,543	409	77	67	99	105	184	408	748	1,339	1,456	649	2
White	5,531	406	77	65	99	105	182	406	746	1,338	1,456	649	2
Nonwhite	12	3	-	2	-	-	2	2	2	1	-	-	-
MARYLAND	22,417	1,465	246	208	407	821	1,393	2,588	4,158	5,132	4,392	1,571	36
White	17,801	960	167	155	254	493	919	1,825	3,285	4,335	3,962	1,423	23
Nonwhite	4,616	505	79	53	153	328	474	763	873	797	430	149	13
Urban	13,796	611	123	98	235	543	911	1,737	2,756	3,192	2,508	861	21
White	10,617	492	76	67	126	276	553	1,139	2,124	2,685	2,273	792	14
Nonwhite	3,179	119	47	31	109	267	358	598	632	507	235	69	7
Places of 250,000 or more	10,539	577	96	70	189	434	729	1,399	2,164	2,442	1,825	597	17
White	7,787	310	54	44	90	194	419	865	1,612	2,025	1,622	540	12
Nonwhite	2,752	267	42	26	99	240	310	534	552	417	203	57	5
Places of 25,000 to 50,000	1,068	67	5	6	10	23	63	117	215	280	243	77	2
White	1,015	61	4	6	9	22	51	106	197	244	237	78	2
Nonwhite	73	6	1	-	1	1	12	11	18	16	6	1	-
Places of 10,000 to 25,000	1,197	80	10	12	18	48	64	132	225	271	234	101	2
White	1,008	56	9	10	16	31	49	101	186	231	222	97	-
Nonwhite	189	24	1	2	2	17	15	31	39	40	12	4	2
Places of 2,500 to 10,000	972	87	12	10	18	38	55	89	152	219	206	88	-
White	807	65	9	7	11	29	34	67	129	185	192	79	-
Nonwhite	165	22	3	3	7	9	21	22	23	34	14	7	-
Rural	8,621	654	123	110	172	278	482	851	1,402	1,940	1,884	710	15
White	7,184	488	91	88	128	217	366	686	1,161	1,650	1,689	651	9
Nonwhite	1,437	166	32	22	44	61	116	165	241	290	195	59	6
METROPOLITAN COUNTIES	15,663	987	172	137	282	610	1,083	1,994	3,048	3,540	2,800	987	23
White	12,237	633	115	104	163	336	707	1,371	2,383	2,963	2,530	885	17
Nonwhite	3,426	354	57	33	119	274	376	623	665	557	270	92	6
Urban	11,595	687	111	84	207	476	807	1,522	2,368	2,660	1,994	682	17
White	8,722	385	66	58	105	224	479	972	1,793	2,221	1,785	622	12
Nonwhite	2,873	282	45	26	102	252	328	550	575	439	209	60	5
Places of 250,000 or more	10,539	577	96	70	189	434	729	1,399	2,164	2,442	1,825	597	17
White	7,787	310	54	44	90	194	419	865	1,612	2,025	1,622	540	12
Nonwhite	2,752	267	42	26	99	240	310	534	552	417	203	57	5
Places of 25,000 to 50,000	206	22	3	3	3	3	21	30	49	38	26	8	-
White	180	17	2	3	2	3	16	27	44	33	25	8	-
Nonwhite	26	5	1	-	1	-	5	3	5	5	1	-	-
Places of 10,000 to 25,000	614	38	9	9	11	29	37	73	122	129	104	54	-
White	553	35	7	9	10	20	30	61	109	118	101	53	-
Nonwhite	61	3	1	-	1	9	7	12	13	11	3	1	-
Places of 2,500 to 10,000	236	30	4	2	4	10	20	20	33	51	39	23	-
White	202	23	3	2	3	7	14	19	28	45	37	21	-
Nonwhite	34	7	1	-	1	3	6	1	5	6	2	2	-
Rural	4,068	320	61	53	75	134	276	472	680	880	806	305	6
White	3,515	248	49	46	58	112	228	399	590	762	745	273	5
Nonwhite	553	72	12	7	17	22	48	73	90	118	61	32	1
NONMETROPOLITAN COUNTIES	6,754	478	74	71	125	211	310	594	1,110	1,592	1,592	584	13
White	5,564	327	52	51	91	157	212	454	902	1,352	1,432	528	6
Nonwhite	1,190	151	22	20	34	54	98	140	208	240	160	56	7
Urban	2,201	144	12	14	28	67	104	215	388	532	514	179	4
White	1,895	107	10	9	21	52	74	167	351	464	496	170	2
Nonwhite	306	37	2	5	7	15	30	48	57	68	26	9	2
Places of 25,000 to 50,000	882	45	2	3	7	20	42	87	166	222	217	69	2
White	835	44	2	3	7	19	35	79	153	211	212	68	2
Nonwhite	47	1	-	-	-	1	7	8	13	11	5	1	-
Places of 10,000 to 25,000	583	42	2	3	7	19	27	59	103	142	130	47	2
White	455	21	2	1	6	11	19	40	77	113	121	44	-
Nonwhite	128	21	-	2	1	8	8	19	26	29	9	3	2

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
MARYLAND—Continued													
NONMETROPOLITAN COUNTIES—Continued													
Places of 2,500 to 10,000	736	57	8	8	14	28	35	69	119	168	167	63	-
White	605	42	6	5	8	22	20	48	101	140	155	58	-
Nonwhite	131	15	2	3	6	6	15	21	18	28	12	5	-
Rural	4,553	334	62	57	97	144	206	379	722	1,060	1,078	405	9
White	3,669	220	42	42	70	105	158	287	571	888	944	358	4
Nonwhite	884	114	20	15	27	39	68	92	151	172	134	47	5
MASSACHUSETTS	49,386	2,240	373	262	526	938	1,917	4,568	8,940	12,919	11,981	4,434	288
White	48,528	2,161	366	260	500	887	1,853	4,459	8,767	12,723	11,879	4,391	282
Nonwhite	858	79	7	2	26	51	64	109	173	196	102	43	6
Urban	44,749	2,025	333	237	451	814	1,699	4,188	8,240	11,794	10,820	3,894	254
White	43,936	1,951	326	235	429	769	1,641	4,004	8,074	11,607	10,720	3,852	240
Nonwhite	813	74	7	2	22	45	58	104	166	187	100	42	6
Places of 250,000 or more	9,167	410	65	45	67	180	407	1,006	1,846	2,491	2,011	624	15
White	8,684	368	61	44	57	152	370	941	1,748	2,376	1,955	598	14
Nonwhite	483	42	4	1	10	28	37	65	98	115	56	26	1
Places of 100,000 to 250,000	9,171	441	69	50	107	190	374	869	1,767	2,400	2,129	705	70
White	8,994	415	66	49	103	184	359	851	1,731	2,364	2,109	696	67
Nonwhite	177	26	3	1	4	6	15	18	36	36	20	9	3
Places of 50,000 to 100,000	8,711	381	67	42	77	157	288	817	1,610	2,270	2,168	782	52
White	8,658	377	67	42	74	151	288	809	1,601	2,260	2,159	779	51
Nonwhite	53	4	-	-	3	6	-	8	9	10	9	3	1
Places of 25,000 to 50,000	7,468	356	50	39	80	123	283	681	1,320	1,925	1,857	726	28
White	7,431	355	50	39	77	122	282	677	1,310	1,916	1,850	725	28
Nonwhite	37	1	-	-	3	1	1	4	10	9	7	1	-
Places of 10,000 to 25,000	7,782	360	63	50	88	125	272	609	1,314	2,045	2,000	795	61
White	7,742	359	63	50	86	124	268	605	1,306	2,034	1,993	794	60
Nonwhite	40	1	-	-	2	1	4	4	8	11	7	1	1
Places of 2,500 to 10,000	2,450	77	19	11	32	39	75	206	383	663	655	262	28
White	2,427	77	19	11	32	36	74	201	378	657	654	260	28
Nonwhite	23	-	-	-	-	3	1	5	5	6	1	2	-
Rural	4,637	215	40	25	75	124	218	380	700	1,125	1,161	540	34
White	4,592	210	40	25	71	118	212	375	693	1,116	1,159	539	34
Nonwhite	45	5	-	-	4	6	6	5	7	9	2	1	-
METROPOLITAN COUNTIES	48,144	2,177	363	258	499	914	1,884	4,468	8,761	12,602	11,677	4,281	282
White	47,311	2,101	356	256	473	865	1,804	4,360	8,591	12,413	11,579	4,238	276
Nonwhite	833	76	7	2	26	49	80	108	170	189	99	43	6
Urban	44,217	1,997	329	236	438	804	1,676	4,140	8,167	11,657	10,686	3,837	250
White	43,417	1,923	322	234	416	760	1,620	4,038	8,003	11,475	10,587	3,795	244
Nonwhite	800	74	7	2	22	44	56	102	164	182	99	42	6
Places of 250,000 or more	9,167	410	65	45	67	180	407	1,006	1,846	2,491	2,011	624	15
White	8,684	368	61	44	57	152	370	941	1,748	2,376	1,955	598	14
Nonwhite	483	42	4	1	10	28	37	65	98	115	56	26	1
Places of 100,000 to 250,000	9,171	441	69	50	107	190	374	869	1,767	2,400	2,129	705	70
White	8,994	415	66	49	103	184	359	851	1,731	2,364	2,109	696	67
Nonwhite	177	26	3	1	4	6	15	18	36	36	20	9	3
Places of 50,000 to 100,000	8,711	381	67	42	77	157	288	817	1,610	2,270	2,168	782	52
White	8,658	377	67	42	74	151	288	809	1,601	2,260	2,159	779	51
Nonwhite	53	4	-	-	3	6	-	8	9	10	9	3	1
Places of 25,000 to 50,000	7,468	356	50	39	80	123	283	681	1,320	1,925	1,857	726	28
White	7,431	355	50	39	77	122	282	677	1,310	1,916	1,850	725	28
Nonwhite	37	1	-	-	3	1	1	4	10	9	7	1	-
Places of 10,000 to 25,000	7,535	343	62	49	82	119	264	585	1,290	1,975	1,939	768	59
White	7,500	342	62	49	80	118	261	581	1,283	1,956	1,933	767	58
Nonwhite	35	1	-	-	2	1	3	4	7	9	6	1	1
Places of 2,500 to 10,000	2,165	66	16	11	25	35	60	182	334	586	582	232	26
White	2,150	66	16	11	25	33	60	179	330	583	581	230	26
Nonwhite	15	-	-	-	-	2	-	3	4	3	1	2	-
Rural	3,927	180	34	22	61	110	189	328	594	945	991	444	32
White	3,894	178	34	22	57	105	184	322	588	938	991	443	32
Nonwhite	33	2	-	-	4	5	4	4	6	7	-	1	-
NONMETROPOLITAN COUNTIES	1,242	63	10	4	27	24	53	102	179	317	304	153	6
White	1,217	60	10	4	27	22	49	99	176	310	301	153	6
Nonwhite	25	3	-	-	-	2	4	3	3	7	3	-	-
Urban	532	28	4	1	13	10	23	48	73	137	134	57	4
White	519	28	4	1	13	9	21	46	71	132	133	57	4
Nonwhite	13	-	-	-	-	1	2	2	2	5	1	-	-
Places of 10,000 to 25,000	247	17	1	1	6	6	8	24	24	70	61	27	2
White	242	17	1	1	6	6	7	24	23	68	60	27	2
Nonwhite	5	-	-	-	-	-	1	-	1	2	1	-	-
Places of 2,500 to 10,000	285	11	3	-	7	4	15	24	49	67	73	30	2
White	277	11	3	-	7	3	14	22	48	64	73	30	2
Nonwhite	8	-	-	-	-	1	1	2	1	3	-	-	-
Rural	710	35	6	3	14	14	30	54	106	180	170	96	2
White	698	32	6	3	14	13	28	53	105	176	168	96	2
Nonwhite	12	3	-	-	-	1	2	1	1	2	2	-	-
MICHIGAN	57,743	4,230	682	609	1,142	1,618	3,001	6,105	10,853	13,308	11,586	4,590	19
White	53,551	3,738	602	567	952	1,261	2,436	5,257	10,076	12,820	11,319	4,504	19
Nonwhite	4,192	492	80	42	190	357	565	848	777	488	267	86	-
Urban	38,153	2,828	417	322	730	1,173	2,188	4,509	7,784	8,668	6,918	2,614	4
White	34,277	2,371	343	285	560	842	1,645	3,700	7,057	8,229	6,701	2,540	4
Nonwhite	3,876	457	74	37	170	331	541	809	727	439	217	74	-
Places of 250,000 or more	16,756	1,223	174	124	312	613	1,197	2,468	3,983	3,581	2,310	771	-
White	13,829	895	121	100	187	352	770	1,830	3,405	3,284	2,162	723	-
Nonwhite	2,927	328	53	24	125	261	427	638	578	297	148	48	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
MICHIGAN—Continued													
Places of 100,000 to 250,000	3,360	229	30	31	55	80	133	318	620	820	745	299	-
White	3,197	206	29	30	51	70	114	289	589	791	731	297	-
Nonwhite	163	23	1	1	4	10	19	29	31	29	14	2	-
Places of 50,000 to 100,000	4,894	348	54	49	97	137	245	468	889	1,199	1,048	360	-
White	4,667	317	49	48	84	124	216	425	851	1,168	1,032	353	-
Nonwhite	227	31	5	1	13	13	29	43	38	31	16	7	-
Places of 25,000 to 50,000	3,671	283	38	25	75	111	181	393	728	852	676	308	1
White	3,479	257	33	21	64	92	155	358	703	824	669	302	1
Nonwhite	192	26	5	4	11	19	26	35	25	28	7	6	-
Places of 10,000 to 25,000	4,678	429	67	51	97	134	242	508	816	1,039	919	377	1
White	4,377	389	61	45	82	109	208	449	771	998	895	369	1
Nonwhite	301	40	6	6	15	25	34	57	45	41	24	8	-
Places of 2,500 to 10,000	4,794	316	54	42	84	98	168	356	748	1,177	1,220	499	2
White	4,728	307	50	41	82	95	162	349	738	1,164	1,212	496	2
Nonwhite	66	9	4	1	2	3	6	7	10	13	8	3	-
Rural	19,590	1,402	285	287	412	445	815	1,596	3,069	4,640	4,668	1,976	15
White	19,274	1,367	259	282	392	419	791	1,567	3,019	4,591	4,619	1,964	15
Nonwhite	316	35	6	5	20	26	24	39	50	49	50	12	-
METROPOLITAN COUNTIES	35,745	2,785	425	353	729	1,128	2,157	4,449	7,476	7,928	6,086	2,229	-
White	32,052	2,356	359	319	566	812	1,644	3,665	6,768	7,519	5,860	2,164	-
Nonwhite	3,693	429	66	34	163	316	513	784	708	409	206	65	-
Urban	29,429	2,219	326	251	567	969	1,836	3,828	6,408	6,534	4,809	1,682	-
White	25,821	1,805	261	218	409	659	1,329	3,055	5,718	6,137	4,615	1,617	-
Nonwhite	3,608	416	65	33	158	310	507	773	690	397	194	65	-
Places of 250,000 or more	16,756	1,223	174	124	312	613	1,197	2,468	5,983	5,581	2,510	771	-
White	13,829	995	121	100	187	352	770	1,830	3,405	3,284	2,162	723	-
Nonwhite	2,927	328	53	24	125	261	427	638	578	297	148	48	-
Places of 100,000 to 250,000	3,360	229	30	31	55	80	133	318	620	820	745	299	-
White	3,197	206	29	30	51	70	114	289	589	791	731	297	-
Nonwhite	163	23	1	1	4	10	19	29	31	29	14	2	-
Places of 50,000 to 100,000	4,894	348	54	49	97	137	245	468	889	1,199	1,048	360	-
White	4,667	317	49	48	84	124	216	425	851	1,168	1,032	353	-
Nonwhite	227	31	5	1	13	13	29	43	38	31	16	7	-
Places of 25,000 to 50,000	1,827	157	14	14	44	55	100	225	423	429	271	95	-
White	1,727	144	12	11	37	43	90	204	411	414	268	93	-
Nonwhite	100	13	2	3	7	12	10	21	12	15	3	2	-
Places of 10,000 to 25,000	1,578	172	37	23	38	52	103	232	309	307	224	81	-
White	1,406	153	33	20	29	39	82	193	283	286	212	76	-
Nonwhite	172	19	4	3	9	13	21	39	26	21	12	5	-
Places of 2,500 to 10,000	1,014	90	17	10	21	32	58	117	184	198	211	76	-
White	995	88	17	9	21	31	57	114	179	194	210	75	-
Nonwhite	19	2	-	1	-	1	1	3	5	4	1	1	-
Rural	6,316	566	99	102	162	159	321	621	1,068	1,394	1,277	547	-
White	6,231	553	98	101	157	153	315	610	1,050	1,382	1,265	547	-
Nonwhite	85	13	1	1	5	6	6	11	18	12	12	-	-
NONMETROPOLITAN COUNTIES	21,998	1,445	257	256	413	490	844	1,656	3,377	5,380	5,500	2,361	19
White	21,499	1,382	243	248	386	449	792	1,592	3,308	5,301	5,439	2,340	19
Nonwhite	499	63	14	8	27	41	52	64	69	79	61	21	-
Urban	8,724	609	91	71	183	204	350	681	1,376	2,134	2,109	932	4
White	8,456	568	82	67	151	183	316	645	1,339	2,092	2,086	923	4
Nonwhite	268	41	9	4	12	21	34	36	37	42	23	9	-
Places of 25,000 to 50,000	1,844	126	24	11	31	56	81	168	305	423	405	213	1
White	1,752	113	21	10	27	49	65	154	292	410	401	209	1
Nonwhite	92	13	3	1	4	7	16	14	13	13	4	4	-
Places of 10,000 to 25,000	3,100	257	30	28	59	82	139	274	507	732	695	296	1
White	2,971	236	28	25	53	70	126	256	488	712	683	293	1
Nonwhite	129	21	2	3	6	12	13	18	19	20	12	3	-
Places of 2,500 to 10,000	3,780	226	37	32	73	66	130	239	564	979	1,009	423	2
White	3,733	219	33	32	71	64	125	235	559	970	1,002	421	2
Nonwhite	47	7	4	-	2	2	5	4	5	9	7	2	-
Rural	13,274	836	166	185	230	286	494	975	2,001	3,246	3,391	1,429	15
White	13,043	814	161	181	235	266	476	947	1,969	3,209	3,353	1,417	15
Nonwhite	231	22	5	4	15	20	18	28	32	37	38	12	-
MINNESOTA	28,020	1,889	319	254	431	518	995	2,218	4,452	6,759	6,999	3,179	7
White	27,666	1,849	304	245	420	503	968	2,182	4,392	6,687	6,944	3,165	7
Nonwhite	354	40	15	9	11	15	27	36	60	72	55	14	-
Urban	15,899	1,073	139	124	190	294	568	1,370	2,754	3,875	3,775	1,711	6
White	15,665	1,058	135	120	186	283	570	1,340	2,707	3,822	3,739	1,699	6
Nonwhite	234	15	4	4	4	11	18	30	47	53	36	12	-
Places of 250,000 or more	8,571	497	75	52	95	141	327	811	1,601	2,139	1,947	882	4
White	8,362	485	71	49	91	131	313	784	1,555	2,091	1,916	872	4
Nonwhite	209	12	4	3	4	10	14	27	46	48	31	10	-
Places of 100,000 to 250,000	1,182	61	9	8	11	20	42	85	207	334	282	113	-
White	1,174	61	9	8	11	20	41	82	207	333	280	112	-
Nonwhite	8	-	-	-	-	-	1	3	-	1	2	1	-
Places of 25,000 to 50,000	800	55	12	7	15	20	28	68	125	175	188	107	-
White	799	55	12	7	15	19	28	68	125	175	188	107	-
Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,987	160	19	22	25	44	78	149	326	412	514	237	1
White	1,979	160	19	21	25	44	76	149	326	409	512	237	1
Nonwhite	8	-	-	1	-	-	2	-	-	3	2	-	-
Places of 2,500 to 10,000	3,359	300	24	35	44	69	113	247	495	815	844	372	1
White	3,351	297	24	35	44	69	112	247	494	814	843	371	1
Nonwhite	8	3	-	-	-	-	1	-	1	1	1	1	-
Rural	12,121	816	180	130	241	224	427	848	1,698	2,884	3,224	1,468	1
White	12,001	791	169	125	234	220	398	842	1,685	2,885	3,205	1,466	1
Nonwhite	120	25	11	5	7	4	9	6	13	19	19	2	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
MINNESOTA—Continued													
METROPOLITAN COUNTIES	12,562	789	123	90	153	227	507	1,148	2,299	3,173	2,813	1,255	5
White	12,335	777	119	87	149	217	490	1,118	2,251	3,121	2,777	1,224	5
Nonwhite	227	12	4	3	4	10	17	30	48	52	36	11	-
Urban	11,096	678	95	79	126	197	441	1,027	2,041	2,805	2,502	1,100	5
White	10,875	666	91	76	122	187	425	997	1,995	2,755	2,467	1,089	5
Nonwhite	221	12	4	3	4	10	16	30	46	50	35	11	-
Places of 250,000 or more	8,571	497	75	52	95	141	327	811	1,601	2,139	1,947	882	4
White	8,562	485	71	49	91	131	313	784	1,555	2,091	1,916	872	4
Nonwhite	209	12	4	3	4	10	14	27	46	48	31	10	-
Places of 100,000 to 250,000	1,182	61	9	8	11	20	42	95	207	354	282	113	-
White	1,174	61	9	8	11	20	41	92	207	353	280	112	-
Nonwhite	8	-	-	-	-	-	1	3	-	1	2	1	-
Places of 10,000 to 25,000	607	54	8	9	8	19	35	58	119	133	122	42	-
White	605	54	8	9	8	19	34	58	119	133	121	42	-
Nonwhite	2	-	-	-	-	-	1	-	-	-	1	-	-
Places of 2,500 to 10,000	736	66	3	10	12	17	37	63	114	199	151	63	1
White	734	66	3	10	12	17	37	63	114	198	150	63	1
Nonwhite	2	-	-	-	-	-	-	-	-	1	1	-	-
Rural	1,466	111	28	11	27	30	66	121	258	368	311	135	-
White	1,460	111	28	11	27	30	65	121	256	366	310	136	-
Nonwhite	6	-	-	-	-	-	1	-	2	2	1	-	-
NONMETROPOLITAN COUNTIES	15,458	1,100	196	164	278	291	488	1,070	2,153	3,586	4,186	1,944	2
White	15,331	1,072	185	158	271	286	478	1,064	2,141	3,566	4,167	1,941	2
Nonwhite	127	28	11	6	7	5	10	6	12	20	19	3	-
Urban	4,803	395	44	45	64	97	147	343	713	1,070	1,273	611	1
White	4,790	392	44	44	64	96	145	343	712	1,067	1,272	610	1
Nonwhite	13	3	-	1	-	1	2	-	1	3	1	1	-
Places of 25,000 to 50,000	800	55	12	7	15	20	28	68	125	175	188	107	-
White	799	55	12	7	15	19	28	68	125	175	188	107	-
Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,380	106	11	13	17	25	43	91	207	279	392	195	1
White	1,374	106	11	12	17	25	42	91	207	276	391	195	1
Nonwhite	6	-	-	1	-	-	1	-	-	3	1	-	-
Places of 2,500 to 10,000	2,623	234	21	25	32	52	76	184	381	616	693	309	-
White	2,617	231	21	25	32	52	75	184	380	616	693	308	-
Nonwhite	6	3	-	-	-	-	1	-	1	-	-	1	-
Rural	10,655	705	152	119	214	194	341	727	1,440	2,516	2,913	1,333	1
White	10,541	680	141	114	207	190	333	721	1,429	2,499	2,895	1,331	1
Nonwhite	114	25	11	5	7	4	8	6	11	17	18	2	-
MISSISSIPPI	20,784	2,385	486	358	692	889	1,380	2,190	2,977	4,496	3,530	1,371	30
White	9,603	784	154	129	243	323	504	864	1,437	2,332	2,117	712	4
Nonwhite	11,181	1,601	332	229	449	566	876	1,326	1,540	2,164	1,413	659	26
Urban	6,451	780	110	90	178	288	482	815	1,009	1,339	985	369	6
White	3,239	314	42	36	71	127	178	344	520	756	633	216	2
Nonwhite	3,212	466	68	54	107	161	304	471	489	583	352	153	4
Places of 50,000 to 100,000	841	129	15	11	23	43	66	101	125	169	120	41	-
White	440	55	4	2	6	16	30	47	73	99	85	23	-
Nonwhite	401	74	9	9	17	27	36	54	52	70	35	18	-
Places of 25,000 to 50,000	1,934	209	37	26	59	83	161	259	351	371	277	99	2
White	959	81	14	12	22	38	55	108	176	212	175	56	-
Nonwhite	975	118	23	14	37	45	106	151	175	159	102	43	2
Places of 10,000 to 25,000	1,378	177	24	20	37	61	97	184	208	309	188	72	1
White	685	67	12	7	18	28	36	73	106	162	126	49	1
Nonwhite	693	110	12	13	19	33	61	111	102	147	62	23	-
Places of 2,500 to 10,000	2,298	265	36	33	59	101	158	271	325	490	400	157	3
White	1,155	101	12	15	25	45	57	116	165	283	247	88	1
Nonwhite	1,143	164	24	18	34	56	101	155	160	207	153	69	2
Rural	14,333	1,605	376	268	514	601	898	1,375	1,968	3,157	2,545	1,002	24
White	6,364	470	112	93	172	196	328	520	917	1,576	1,484	496	2
Nonwhite	7,969	1,135	264	175	342	405	572	855	1,051	1,581	1,061	506	22
METROPOLITAN COUNTIES	1,254	183	21	19	37	61	90	146	187	268	180	62	-
White	565	59	5	6	6	21	38	60	93	137	106	31	-
Nonwhite	689	124	16	13	31	37	52	86	94	131	74	31	-
Urban	841	129	13	11	23	43	66	101	125	169	120	41	-
White	440	55	4	2	6	16	30	47	73	99	85	23	-
Nonwhite	401	74	9	9	17	27	36	54	52	70	35	18	-
Places of 50,000 to 100,000	841	129	13	11	23	43	66	101	125	169	120	41	-
White	440	55	4	2	6	16	30	47	73	99	85	23	-
Nonwhite	401	74	9	9	17	27	36	54	52	70	35	18	-
Rural	413	54	8	8	14	18	24	45	82	99	60	21	-
White	125	4	1	4	-	8	8	13	20	38	21	8	-
Nonwhite	288	50	7	4	14	10	16	32	42	61	39	13	-
NONMETROPOLITAN COUNTIES	19,530	2,202	465	339	655	828	1,290	2,044	2,790	4,228	3,350	1,309	30
White	9,038	725	149	123	237	299	466	804	1,344	2,195	2,011	681	4
Nonwhite	10,492	1,477	316	216	418	529	824	1,240	1,446	2,033	1,339	628	26
Urban	5,610	651	97	79	155	245	416	714	884	1,170	865	328	6
White	2,799	259	38	34	65	111	148	297	447	657	548	193	2
Nonwhite	2,811	392	59	45	90	134	268	417	437	513	317	135	4
Places of 25,000 to 50,000	1,934	209	37	26	59	83	161	259	351	371	277	99	2
White	959	81	14	12	22	38	55	108	176	212	175	56	-
Nonwhite	975	118	23	14	37	45	106	151	175	159	102	43	2
Places of 10,000 to 25,000	1,378	177	24	20	37	61	97	184	208	309	188	72	1
White	685	67	12	7	18	28	36	73	106	162	126	49	1
Nonwhite	693	110	12	13	19	33	61	111	102	147	62	23	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
MISSISSIPPI—Continued													
NONMETROPOLITAN COUNTIES—Continued													
Places of 2,500 to 10,000	2,298	265	36	33	59	101	158	271	325	490	400	157	3
White	1,155	101	12	16	25	45	57	116	165	283	247	88	1
Nonwhite	1,143	164	24	18	34	56	101	155	160	207	153	69	2
Rural	13,920	1,551	368	260	500	583	874	1,330	1,906	3,058	2,485	981	24
White	6,239	466	111	89	172	188	318	507	897	1,538	1,463	488	2
Nonwhite	7,681	1,085	257	171	328	395	556	823	1,009	1,520	1,022	493	22
MISSOURI	43,710	2,510	458	340	695	963	1,882	3,934	7,051	10,507	10,927	4,404	39
White	39,249	2,097	381	292	589	765	1,474	3,161	6,128	9,684	10,431	4,239	28
Nonwhite	4,461	413	77	48	126	198	408	773	923	823	496	165	11
Urban	26,672	1,487	230	162	389	606	1,294	2,757	4,773	6,483	6,177	2,297	17
White	22,844	1,159	178	124	290	435	925	2,057	3,945	5,773	5,777	2,169	12
Nonwhite	3,828	328	52	38	99	171	369	700	828	710	400	128	5
Places of 250,000 or more	15,725	827	118	103	225	385	866	1,848	3,103	3,787	3,327	1,131	5
White	12,713	572	75	73	142	243	544	1,255	2,430	3,275	3,042	1,058	4
Nonwhite	3,012	255	43	30	83	142	322	593	673	512	285	73	1
Places of 50,000 to 100,000	1,761	97	12	9	34	27	63	135	251	463	470	197	3
White	1,676	91	12	9	32	23	58	125	236	441	451	193	3
Nonwhite	85	6	-	-	2	4	5	10	13	22	19	4	-
Places of 25,000 to 50,000	1,642	99	15	8	20	30	67	152	279	404	411	155	2
White	1,537	87	14	6	18	27	61	143	258	390	385	147	1
Nonwhite	105	12	1	2	2	3	6	9	21	14	26	8	1
Places of 10,000 to 25,000	3,201	195	37	23	42	69	118	301	505	776	790	340	5
White	2,904	167	32	20	37	58	106	251	450	705	759	316	3
Nonwhite	297	28	5	3	5	11	12	50	55	71	31	24	2
Places of 2,500 to 10,000	4,343	269	48	19	68	95	180	321	635	1,053	1,179	474	2
White	4,014	242	45	16	61	84	156	283	569	962	1,140	455	1
Nonwhite	329	27	3	3	7	11	24	38	66	91	39	19	1
Rural	17,038	1,023	228	178	306	357	588	1,177	2,278	4,024	4,750	2,107	22
White	16,405	938	203	168	279	330	549	1,104	2,183	3,911	4,654	2,070	16
Nonwhite	633	85	25	10	27	27	39	73	95	113	96	37	6
METROPOLITAN COUNTIES	22,806	1,226	190	156	344	536	1,149	2,511	4,292	5,475	5,063	1,851	13
White	19,431	947	140	124	249	381	802	1,876	3,540	4,888	4,720	1,754	10
Nonwhite	3,375	279	50	32	95	155	347	635	752	587	343	97	3
Urban	20,343	1,062	161	124	291	481	1,039	2,278	3,886	4,928	4,471	1,613	9
White	17,095	795	114	92	203	329	702	1,664	3,156	4,364	4,144	1,525	7
Nonwhite	3,248	267	47	32	88	152	337	614	730	564	327	88	2
Places of 250,000 or more	15,725	827	118	103	225	385	866	1,848	3,103	3,787	3,327	1,131	5
White	12,713	572	75	73	142	243	544	1,255	2,430	3,275	3,042	1,058	4
Nonwhite	3,012	255	43	30	83	142	322	593	673	512	285	73	1
Places of 50,000 to 100,000	1,761	97	12	9	34	27	63	135	251	463	470	197	3
White	1,676	91	12	9	32	23	58	125	236	441	451	193	3
Nonwhite	85	6	-	-	2	4	5	10	15	22	19	4	-
Places of 25,000 to 50,000	737	38	4	3	7	14	23	74	147	172	177	77	1
White	711	36	4	2	6	14	22	72	142	170	169	74	-
Nonwhite	26	2	-	1	1	-	1	2	5	2	8	3	1
Places of 10,000 to 25,000	1,423	65	15	9	18	34	48	157	265	324	339	149	-
White	1,347	63	12	8	17	30	45	149	243	307	330	143	-
Nonwhite	76	2	3	1	1	4	3	8	22	17	9	6	-
Places of 2,500 to 10,000	697	35	12	-	7	21	39	64	120	182	158	59	-
White	648	33	11	-	6	19	33	63	103	171	152	57	-
Nonwhite	49	2	1	-	1	2	6	1	17	11	6	2	-
Rural	2,463	164	29	32	53	55	110	233	406	547	592	258	4
White	2,336	152	26	32	46	52	100	212	384	524	576	229	3
Nonwhite	127	12	3	-	7	3	10	21	22	23	16	9	1
NONMETROPOLITAN COUNTIES	20,904	1,284	268	184	351	427	733	1,423	2,759	5,032	5,864	2,553	26
White	19,818	1,150	241	168	320	384	672	1,285	2,588	4,796	5,711	2,485	18
Nonwhite	1,086	134	27	16	31	43	61	138	171	236	153	68	8
Urban	6,329	425	69	38	98	125	255	479	887	1,555	1,706	684	8
White	5,749	364	64	32	87	106	223	393	789	1,409	1,633	644	5
Nonwhite	580	61	5	6	11	19	32	86	98	146	73	40	3
Places of 25,000 to 50,000	905	61	11	5	13	16	44	78	132	232	234	78	1
White	826	51	10	4	12	13	39	71	116	220	216	73	1
Nonwhite	79	10	1	1	1	3	5	7	16	12	18	5	-
Places of 10,000 to 25,000	1,778	130	22	14	24	35	70	144	240	452	451	191	5
White	1,557	104	20	12	20	28	61	102	207	398	429	173	3
Nonwhite	221	26	2	2	4	7	9	42	33	54	22	18	2
Places of 2,500 to 10,000	3,646	234	36	19	61	74	141	257	515	871	1,021	415	2
White	3,366	209	34	18	55	65	123	220	466	791	988	398	1
Nonwhite	280	25	2	3	6	9	18	37	49	80	33	17	1
Rural	14,575	859	199	146	253	302	478	944	1,872	3,477	4,158	1,869	18
White	14,069	786	177	136	233	278	449	892	1,799	3,387	4,078	1,841	13
Nonwhite	506	73	22	10	20	24	29	52	73	90	80	28	5
MONTANA	5,822	441	92	73	138	168	299	480	984	1,453	1,224	464	6
White	5,578	382	72	67	121	153	289	461	965	1,420	1,190	452	6
Nonwhite	244	59	20	6	17	15	10	19	19	33	34	12	-
Urban	3,093	205	30	33	63	78	162	277	561	783	649	249	3
White	3,059	202	30	33	62	78	161	273	554	774	643	246	3
Nonwhite	34	3	-	-	1	-	1	4	7	9	6	3	-
Places of 25,000 to 50,000	1,331	88	13	14	20	29	66	142	268	335	243	91	2
White	1,314	87	13	14	20	29	65	140	262	332	240	90	2
Nonwhite	17	1	-	-	-	-	1	2	6	3	3	1	-
Places of 10,000 to 25,000	755	46	7	12	21	22	23	60	128	183	184	68	1
White	751	45	7	12	21	22	23	59	128	183	182	68	1
Nonwhite	4	1	-	-	-	-	-	1	-	-	2	-	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
MONTANA—Continued													
Places of 2,500 to 10,000	1,007	71	10	7	22	27	53	75	165	265	222	90	-
White	994	70	10	7	21	27	53	74	164	259	221	88	-
Nonwhite	13	1	-	-	1	-	-	1	1	6	1	2	-
Rural	2,729	236	62	40	75	90	137	203	423	670	575	215	3
White	2,519	180	42	34	59	75	128	188	411	646	547	206	3
Nonwhite	210	56	20	6	16	15	9	15	12	24	28	9	-
NONMETROPOLITAN COUNTIES	5,822	441	92	73	138	168	299	480	984	1,453	1,224	464	6
White	5,578	382	72	67	121	153	289	461	965	1,420	1,190	452	6
Nonwhite	244	59	20	6	17	15	10	19	19	33	34	12	-
Urban	3,093	205	30	33	63	78	162	277	561	783	649	249	3
White	3,059	202	30	33	62	78	161	273	554	774	643	246	3
Nonwhite	34	3	-	-	1	-	1	4	7	9	6	3	-
Places of 25,000 to 50,000	1,331	88	13	14	20	29	66	142	268	335	245	91	2
White	1,314	87	13	14	20	29	65	140	262	332	240	90	2
Nonwhite	17	1	-	-	-	-	1	2	6	3	3	1	-
Places of 10,000 to 25,000	755	46	7	12	21	22	25	60	128	183	184	68	1
White	751	45	7	12	21	22	25	59	128	183	182	68	1
Nonwhite	4	1	-	-	-	-	-	1	-	-	2	-	-
Places of 2,500 to 10,000	1,007	71	10	7	22	27	53	75	165	265	222	90	-
White	994	70	10	7	21	27	53	74	164	259	221	88	-
Nonwhite	13	1	-	-	1	-	-	1	1	6	1	2	-
Rural	2,729	236	62	40	75	90	137	203	423	670	575	215	3
White	2,519	180	42	34	59	75	128	188	411	646	547	206	3
Nonwhite	210	56	20	6	16	15	9	15	12	24	28	9	-
NEBRASKA	12,617	796	155	148	205	257	488	939	1,898	2,936	3,322	1,465	8
White	12,312	763	147	144	196	241	461	884	1,850	2,879	3,293	1,448	6
Nonwhite	305	33	8	4	9	16	27	55	48	57	29	17	2
Urban	6,355	448	62	59	95	139	270	522	977	1,511	1,559	708	5
White	6,098	422	62	56	88	126	247	473	934	1,462	1,534	691	3
Nonwhite	257	26	-	3	7	13	23	49	43	49	25	17	2
Places of 250,000 or more	2,621	175	21	23	35	51	131	253	459	637	591	241	4
White	2,412	155	21	20	29	42	111	210	422	596	574	229	3
Nonwhite	209	20	-	3	6	9	20	43	37	41	17	12	1
Places of 50,000 to 100,000	938	60	11	5	8	19	36	71	130	230	239	128	1
White	918	59	11	5	8	18	36	68	126	226	237	124	-
Nonwhite	20	1	-	-	-	1	-	3	4	4	2	4	1
Places of 10,000 to 25,000	1,283	118	19	18	27	32	57	87	173	285	321	146	-
White	1,265	116	19	18	26	31	54	84	171	284	316	146	-
Nonwhite	18	2	-	-	1	1	3	3	2	1	5	-	-
Places of 2,500 to 10,000	1,513	95	11	13	25	37	48	111	215	359	408	193	-
White	1,503	92	11	13	25	35	48	111	215	356	407	192	-
Nonwhite	10	3	-	-	-	2	-	-	-	3	1	1	-
Rural	6,262	348	93	89	110	118	218	417	921	1,425	1,763	757	3
White	6,214	341	85	88	108	115	214	411	916	1,417	1,759	757	3
Nonwhite	48	7	8	1	2	3	4	8	5	8	4	-	-
METROPOLITAN COUNTIES	3,877	257	34	30	46	75	177	347	646	946	905	409	5
White	3,645	236	34	27	40	65	156	300	605	900	886	393	3
Nonwhite	232	21	-	3	6	10	21	47	41	46	19	16	2
Urban	3,580	240	32	28	43	70	168	325	589	873	835	372	5
White	3,351	219	32	25	37	60	148	279	548	828	816	356	3
Nonwhite	229	21	-	3	6	10	20	46	41	45	19	16	2
Places of 250,000 or more	2,621	175	21	23	35	51	131	253	459	637	591	241	4
White	2,412	155	21	20	29	42	111	210	422	596	574	229	3
Nonwhite	209	20	-	3	6	9	20	43	37	41	17	12	1
Places of 50,000 to 100,000	938	60	11	5	8	19	36	71	130	230	239	128	1
White	918	59	11	5	8	18	36	68	126	226	237	124	-
Nonwhite	20	1	-	-	-	1	-	3	4	4	2	4	1
Places of 2,500 to 10,000	21	5	-	-	-	-	1	1	-	6	5	3	-
White	21	5	-	-	-	-	1	1	-	6	5	3	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	297	17	2	2	3	5	9	22	57	73	70	37	-
White	294	17	2	2	3	5	8	21	57	72	70	37	-
Nonwhite	3	-	-	-	-	-	1	1	-	1	-	-	-
NONMETROPOLITAN COUNTIES	8,740	539	121	118	159	182	311	592	1,252	1,990	2,417	1,056	3
White	8,667	527	113	117	156	176	305	584	1,245	1,979	2,407	1,055	3
Nonwhite	73	12	8	1	3	6	6	8	7	11	10	1	-
Urban	2,775	208	30	31	52	69	102	197	388	638	724	336	-
White	2,747	203	30	31	51	66	99	194	386	634	718	335	-
Nonwhite	28	5	-	-	1	3	3	3	2	4	6	1	-
Places of 10,000 to 25,000	1,283	118	19	18	27	32	57	87	173	285	321	146	-
White	1,265	116	19	18	26	31	54	84	171	284	316	146	-
Nonwhite	18	2	-	-	1	1	3	3	2	1	5	-	-
Places of 2,500 to 10,000	1,492	90	11	13	25	37	45	110	215	353	403	190	-
White	1,482	87	11	13	25	35	45	110	215	350	402	189	-
Nonwhite	10	3	-	-	-	2	-	-	-	3	1	1	-
Rural	5,965	331	91	87	107	113	209	395	864	1,352	1,693	720	3
White	5,920	324	83	86	105	110	206	390	859	1,345	1,688	720	3
Nonwhite	45	7	8	1	2	3	3	5	5	7	4	-	-
NEVADA	1,588	139	18	18	36	81	119	203	259	345	276	89	7
White	1,468	113	17	15	30	71	110	191	249	325	262	80	5
Nonwhite	120	26	1	3	6	10	9	12	10	18	14	9	2
Urban	907	69	9	6	17	41	76	131	138	211	154	52	3
White	859	60	9	5	14	38	72	125	131	204	147	51	3
Nonwhite	48	9	-	1	3	3	4	6	7	7	7	1	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NEVADA—Continued													
Places of 25,000 to 50,000	386	23	4	2	5	14	38	54	54	96	73	21	2
White	375	23	4	2	5	14	37	52	52	94	69	21	2
Nonwhite	11	-	-	-	-	-	1	2	2	2	4	-	-
Places of 10,000 to 25,000	251	22	3	1	6	10	18	42	42	66	34	7	-
White	224	13	3	-	4	9	16	39	39	62	32	7	-
Nonwhite	27	9	-	1	2	1	2	3	3	4	2	-	-
Places of 2,500 to 10,000	270	24	2	3	6	17	20	35	42	49	47	24	1
White	260	24	2	3	5	15	19	34	40	48	46	23	1
Nonwhite	10	-	-	-	1	2	1	1	2	1	1	1	-
Rural	681	70	9	12	19	40	43	72	121	132	122	37	4
White	609	53	8	10	16	33	38	66	118	121	115	29	2
Nonwhite	72	17	1	2	3	7	5	6	3	11	7	8	2
NONMETROPOLITAN COUNTIES	1,588	139	18	18	36	81	119	203	259	343	278	89	7
White	1,468	113	17	15	30	71	110	191	249	325	262	80	5
Nonwhite	120	26	1	3	6	10	9	12	10	18	14	9	2
Urban	907	69	9	6	17	41	76	131	158	211	154	52	3
White	859	60	9	5	14	38	72	125	131	204	147	51	3
Nonwhite	48	9	-	1	3	3	4	6	7	7	7	1	-
Places of 25,000 to 50,000	386	23	4	2	5	14	38	54	54	96	73	21	2
White	375	23	4	2	5	14	37	52	52	94	69	21	2
Nonwhite	11	-	-	-	-	-	1	2	2	2	4	-	-
Places of 10,000 to 25,000	251	22	3	1	6	10	18	42	42	66	34	7	-
White	224	13	3	-	4	9	16	39	39	62	32	7	-
Nonwhite	27	9	-	1	2	1	2	3	3	4	2	-	-
Places of 2,500 to 10,000	270	24	2	3	6	17	20	35	42	49	47	24	1
White	260	24	2	3	5	15	19	34	40	48	46	23	1
Nonwhite	10	-	-	-	1	2	1	1	2	1	1	1	-
Rural	681	70	9	12	19	40	43	72	121	132	122	37	4
White	609	53	8	10	16	33	38	66	118	121	115	29	2
Nonwhite	72	17	1	2	3	7	5	6	3	11	7	8	2
NEW HAMPSHIRE	6,076	282	48	46	73	111	252	472	992	1,557	1,590	642	11
White	6,061	280	48	44	72	111	251	469	990	1,554	1,589	642	11
Nonwhite	15	2	-	2	1	-	1	3	2	3	1	-	-
Urban	3,459	168	29	23	35	63	149	299	614	873	866	336	4
White	3,445	166	29	21	34	63	148	297	612	870	865	336	4
Nonwhite	14	2	-	2	1	-	1	2	2	3	1	-	-
Places of 50,000 to 100,000	955	40	9	4	6	15	37	77	182	265	238	81	1
White	951	39	9	4	6	15	36	76	181	265	238	81	1
Nonwhite	4	1	-	-	-	-	1	1	1	-	-	-	-
Places of 25,000 to 50,000	733	39	2	7	6	18	37	65	124	167	202	64	2
White	730	38	2	5	6	18	37	65	124	167	202	64	2
Nonwhite	3	1	-	2	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,186	59	13	8	17	19	60	108	214	294	267	128	1
White	1,179	59	13	8	16	19	60	107	213	291	266	128	1
Nonwhite	7	-	-	-	1	-	-	1	1	3	1	-	-
Places of 2,500 to 10,000	585	30	5	4	6	11	15	49	94	147	159	65	-
White	585	30	5	4	6	11	15	49	94	147	159	65	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	2,617	114	19	23	38	48	103	173	378	684	724	308	7
White	2,616	114	19	23	38	48	103	172	378	684	724	308	7
Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-
METROPOLITAN COUNTIES	1,837	80	13	13	14	36	66	164	338	478	462	170	3
White	1,831	79	13	11	14	36	65	163	337	478	462	170	3
Nonwhite	6	1	-	2	-	-	1	1	1	-	-	-	-
Urban	1,448	82	11	11	11	30	54	130	283	380	372	123	2
White	1,443	81	11	9	11	30	53	129	282	380	372	123	2
Nonwhite	6	1	-	2	-	-	1	1	1	-	-	-	-
Places of 50,000 to 100,000	955	40	9	4	6	15	37	77	182	265	238	81	1
White	951	39	9	4	6	15	36	76	181	265	238	81	1
Nonwhite	4	1	-	-	-	-	1	1	1	-	-	-	-
Places of 25,000 to 50,000	427	22	2	7	4	13	17	48	72	98	108	35	1
White	425	22	2	5	4	13	17	48	72	98	108	35	1
Nonwhite	2	-	-	2	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	67	-	-	-	1	2	-	5	9	17	26	7	-
White	67	-	-	-	1	2	-	5	9	17	26	7	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	368	18	2	2	3	6	12	34	75	98	90	47	1
White	368	18	2	2	3	6	12	34	75	98	90	47	1
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	4,239	202	35	33	59	75	186	308	654	1,079	1,128	472	8
White	4,230	201	35	33	58	75	186	306	653	1,076	1,127	472	8
Nonwhite	9	1	-	-	1	-	-	2	1	3	1	-	-
Urban	2,010	106	18	12	24	33	95	169	351	493	494	213	2
White	2,002	105	18	12	23	33	95	168	350	490	493	213	2
Nonwhite	8	1	-	-	1	-	-	1	1	3	1	-	-
Places of 25,000 to 50,000	306	17	-	-	2	5	20	17	52	69	94	29	1
White	305	16	-	-	2	5	20	17	52	69	94	29	1
Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,186	59	13	8	17	19	60	108	214	294	267	126	1
White	1,179	59	13	8	16	19	60	107	213	291	266	126	1
Nonwhite	7	-	-	-	1	-	-	1	1	3	1	-	-
Places of 2,500 to 10,000	518	30	5	4	5	9	15	44	85	130	133	58	-
White	518	30	5	4	5	9	15	44	85	130	133	58	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	2,229	96	17	21	35	42	91	139	303	586	634	259	6
White	2,228	96	17	21	35	42	91	138	303	586	634	259	5
Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NEW JERSEY	49,100	2,467	396	326	610	1,106	2,462	5,414	9,983	12,491	10,124	3,704	17
White	45,429	2,015	327	284	484	903	2,070	4,783	9,350	11,868	9,751	3,578	16
Nonwhite	3,671	452	69	42	126	203	392	631	633	623	373	126	1
Urban	39,815	1,825	294	251	477	898	2,067	4,569	8,316	10,053	8,090	2,860	16
White	36,633	1,555	237	216	364	711	1,722	3,998	7,758	9,526	7,770	2,761	15
Nonwhite	3,182	270	57	35	113	187	345	570	558	527	320	99	1
Places of 250,000 or more	8,338	451	64	46	125	230	547	1,148	1,868	2,042	1,370	436	13
White	7,188	293	38	34	72	148	394	910	1,685	1,905	1,288	411	12
Nonwhite	1,150	158	26	12	51	82	153	238	183	139	82	25	1
Places of 100,000 to 250,000	5,572	272	39	34	69	144	280	595	1,189	1,478	1,106	366	-
White	5,074	200	23	28	48	107	229	516	1,120	1,404	1,051	348	-
Nonwhite	498	72	16	6	21	37	51	79	69	74	55	18	-
Places of 50,000 to 100,000	5,570	230	35	33	70	121	279	667	1,274	1,464	1,048	349	-
White	5,116	196	31	29	59	104	245	590	1,156	1,372	996	338	-
Nonwhite	454	34	4	4	11	17	34	77	118	92	52	11	-
Places of 25,000 to 50,000	6,030	289	42	32	88	136	343	666	1,249	1,489	1,234	461	1
White	5,635	247	38	27	76	114	300	602	1,170	1,412	1,196	451	1
Nonwhite	395	42	3	5	12	22	43	64	79	77	38	10	-
Places of 10,000 to 25,000	7,748	376	61	53	61	147	322	821	1,516	1,896	1,806	687	2
White	7,290	334	57	47	52	126	277	741	1,447	1,801	1,742	664	2
Nonwhite	458	42	4	6	9	21	45	80	69	95	64	23	-
Places of 2,500 to 10,000	6,557	307	55	53	66	120	296	671	1,220	1,684	1,526	561	-
White	6,330	285	49	51	57	112	277	639	1,180	1,634	1,497	549	-
Nonwhite	227	22	4	2	9	8	19	32	40	50	29	12	-
Rural	9,285	542	102	75	133	208	395	846	1,667	2,438	2,034	844	1
White	8,796	460	90	68	120	192	348	785	1,592	2,342	1,981	817	1
Nonwhite	489	82	12	7	13	16	47	61	75	96	53	27	-
METROPOLITAN COUNTIES	43,564	2,197	339	284	556	1,000	2,236	4,913	9,011	11,032	8,791	3,186	17
White	40,284	1,796	277	247	440	812	1,881	4,342	8,439	10,490	8,482	3,082	16
Nonwhite	3,280	401	62	37	116	188	355	571	572	542	329	104	1
Urban	37,123	1,801	269	234	460	843	1,956	4,318	7,839	9,365	7,418	2,606	16
White	34,181	1,456	215	199	350	667	1,634	3,787	7,318	8,891	7,127	2,524	15
Nonwhite	2,942	345	56	35	110	176	322	529	521	474	291	82	1
Places of 250,000 or more	8,338	451	64	46	125	230	547	1,148	1,868	2,042	1,370	436	13
White	7,188	293	38	34	72	148	394	910	1,685	1,905	1,288	411	12
Nonwhite	1,150	158	26	12	51	82	153	238	183	139	82	25	1
Places of 100,000 to 250,000	5,572	272	39	34	69	144	280	595	1,189	1,478	1,106	366	-
White	5,074	200	23	28	48	107	229	516	1,120	1,404	1,051	348	-
Nonwhite	498	72	16	6	21	37	51	79	69	74	55	18	-
Places of 50,000 to 100,000	5,570	230	35	33	70	121	279	667	1,274	1,464	1,048	349	-
White	5,116	196	31	29	59	104	245	590	1,156	1,372	996	338	-
Nonwhite	454	34	4	4	11	17	34	77	118	92	52	11	-
Places of 25,000 to 50,000	6,030	289	42	32	88	136	343	666	1,249	1,489	1,234	461	1
White	5,635	247	39	27	76	114	300	602	1,170	1,412	1,196	451	1
Nonwhite	395	42	3	5	12	22	43	64	79	77	38	10	-
Places of 10,000 to 25,000	6,513	307	51	49	52	117	280	703	1,296	1,591	1,499	566	2
White	6,213	283	48	43	44	104	253	651	1,251	1,529	1,451	554	2
Nonwhite	300	24	3	6	8	13	27	52	45	62	48	12	-
Places of 2,500 to 10,000	5,100	252	38	40	58	95	227	537	963	1,301	1,161	428	-
White	4,955	237	34	38	51	90	213	516	936	1,271	1,145	422	-
Nonwhite	145	15	4	2	7	5	14	19	27	30	16	6	-
Rural	6,441	396	70	50	96	157	280	597	1,172	1,667	1,373	580	1
White	6,105	340	64	48	90	145	247	555	1,121	1,599	1,335	556	1
Nonwhite	338	56	6	2	8	12	33	42	51	68	38	22	-
NONMETROPOLITAN COUNTIES	5,536	270	57	42	52	106	226	501	972	1,459	1,333	518	-
White	5,145	219	50	37	44	91	189	441	911	1,378	1,269	496	-
Nonwhite	391	51	7	5	8	15	37	60	61	81	44	22	-
Urban	2,692	124	25	17	17	55	111	252	477	688	672	254	-
White	2,452	99	24	17	14	44	88	211	440	635	643	237	-
Nonwhite	240	25	1	-	3	11	23	41	37	53	29	17	-
Places of 10,000 to 25,000	1,235	69	10	4	9	30	42	118	220	305	307	121	-
White	1,077	51	9	4	8	22	24	90	196	272	291	110	-
Nonwhite	158	18	1	-	1	8	18	28	24	33	16	11	-
Places of 2,500 to 10,000	1,457	55	15	13	8	25	69	134	257	383	365	133	-
White	1,375	48	15	13	6	22	64	121	244	363	352	127	-
Nonwhite	82	7	-	-	2	3	5	13	13	20	13	6	-
Rural	2,844	146	32	25	35	51	115	249	495	771	661	264	-
White	2,693	120	26	20	30	47	101	230	471	743	646	259	-
Nonwhite	151	26	6	5	5	4	14	19	24	28	15	5	-
NEW MEXICO	5,471	1,211	210	132	248	276	331	444	706	816	764	322	11
White	4,837	1,017	148	104	196	242	287	397	666	751	720	299	10
Nonwhite	634	194	62	28	52	34	44	47	40	65	44	23	1
Urban	2,670	514	62	50	99	139	172	255	383	438	399	155	4
White	2,558	488	56	46	93	133	158	242	366	426	392	154	4
Nonwhite	112	26	6	4	6	6	14	13	17	12	7	1	-
Places of 50,000 to 100,000	752	138	21	10	24	44	52	92	106	114	104	47	-
White	732	133	19	10	24	42	51	90	102	110	104	47	-
Nonwhite	20	5	2	-	-	2	1	2	4	4	-	-	-
Places of 25,000 to 50,000	413	68	6	4	17	29	27	43	58	66	65	30	-
White	398	64	5	4	17	29	25	38	57	65	64	30	-
Nonwhite	15	4	1	-	-	-	2	5	1	1	1	-	-
Places of 10,000 to 25,000	483	89	12	14	17	23	36	42	70	67	89	23	1
White	445	81	11	12	14	22	30	37	65	62	87	23	1
Nonwhite	38	8	1	2	3	1	6	5	5	5	2	-	-
Places of 2,500 to 10,000	1,022	219	23	22	41	43	57	78	149	191	141	55	3
White	983	210	21	20	38	40	52	77	142	189	137	54	3
Nonwhite	39	9	2	2	3	3	5	1	7	2	4	1	-
Rural	2,801	697	148	82	149	137	159	189	323	378	365	167	7
White	2,279	529	92	58	103	109	129	155	300	325	328	145	6
Nonwhite	522	168	56	24	46	28	30	34	23	53	37	22	1

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NEW MEXICO—Continued													
METROPOLITAN COUNTIES	1,042	219	27	17	41	58	81	105	139	155	137	62	1
White	994	209	23	16	39	54	77	101	132	146	136	60	1
Nonwhite	48	10	4	1	2	4	4	4	7	9	1	2	-
Urban	752	138	21	10	24	44	52	92	106	114	104	47	-
White	732	133	19	10	24	42	51	90	102	110	104	47	-
Nonwhite	20	5	2	-	-	2	1	2	4	4	-	-	-
Places of 50,000 to 100,000	752	138	21	10	24	44	52	92	106	114	104	47	-
White	732	133	19	10	24	42	51	90	102	110	104	47	-
Nonwhite	20	5	2	-	-	2	1	2	4	4	-	-	-
Rural	290	81	6	7	17	14	29	13	33	41	33	15	1
White	262	76	4	6	15	12	26	11	30	36	32	13	1
Nonwhite	28	5	2	1	2	2	3	2	3	5	1	2	-
NONMETROPOLITAN COUNTIES	4,429	982	183	115	207	218	250	339	567	661	627	260	10
White	3,843	808	125	88	157	168	210	296	534	605	584	239	9
Nonwhite	586	184	58	27	50	30	40	43	33	56	43	21	1
Urban	1,918	376	41	40	75	95	120	163	277	324	295	108	4
White	1,826	355	37	36	69	91	107	152	264	316	288	107	4
Nonwhite	92	21	4	4	6	4	13	11	13	8	7	1	-
Places of 25,000 to 50,000	413	68	6	4	17	29	27	43	58	66	65	30	-
White	398	64	5	4	17	29	25	38	57	65	64	30	-
Nonwhite	15	4	1	-	-	-	2	5	1	1	1	-	-
Places of 10,000 to 25,000	483	89	12	14	17	23	36	42	70	67	89	23	1
White	445	81	11	12	14	22	30	37	65	62	87	23	1
Nonwhite	38	8	1	2	3	1	6	5	5	5	2	-	-
Places of 2,500 to 10,000	1,022	219	23	22	41	43	57	78	149	191	141	55	3
White	983	210	21	20	38	40	52	77	142	189	137	54	3
Nonwhite	39	9	2	2	3	3	5	1	7	2	4	1	-
Rural	2,511	616	142	75	132	123	130	176	290	337	332	152	6
White	2,017	453	88	52	88	97	103	144	270	289	296	132	5
Nonwhite	494	163	54	23	44	26	27	32	20	48	36	20	1
NEW YORK	156,074	7,429	1,168	1,015	1,976	3,477	7,888	17,743	31,350	40,088	32,370	11,504	66
White	146,417	6,357	1,013	908	1,578	2,771	6,543	15,929	29,575	38,711	31,678	11,293	61
Nonwhite	9,657	1,072	155	107	398	706	1,345	1,814	1,775	1,377	692	211	5
Urban	127,702	5,852	868	746	1,553	2,907	6,777	15,241	26,897	33,139	25,090	8,483	41
White	118,485	4,832	723	645	1,170	2,225	5,490	13,478	25,192	31,836	24,452	8,304	38
Nonwhite	9,217	1,020	143	101	383	682	1,287	1,763	1,705	1,303	638	189	3
Places of 250,000 or more	92,714	4,229	618	527	1,192	2,201	5,258	11,804	20,486	24,123	16,984	5,271	21
White	84,458	3,312	500	437	835	1,574	4,091	10,213	18,963	22,966	16,440	5,107	20
Nonwhite	8,256	917	118	90	357	627	1,167	1,591	1,523	1,157	544	164	1
Places of 100,000 to 250,000	6,950	334	54	47	69	156	284	732	1,351	1,843	1,559	521	-
White	6,738	310	47	42	61	142	256	697	1,316	1,810	1,540	517	-
Nonwhite	212	24	7	5	8	14	28	35	35	33	19	4	-
Places of 50,000 to 100,000	5,110	257	41	31	52	120	259	536	952	1,321	1,091	447	3
White	4,902	236	38	30	44	107	226	502	913	1,290	1,070	443	3
Nonwhite	208	21	3	1	8	13	33	34	39	31	21	4	-
Places of 25,000 to 50,000	6,292	297	37	40	64	142	258	582	1,185	1,645	1,436	597	7
White	6,080	278	29	38	60	129	234	547	1,137	1,609	1,420	592	7
Nonwhite	212	19	8	2	4	13	24	35	48	36	18	5	-
Places of 10,000 to 25,000	8,263	399	52	61	91	143	363	842	1,461	2,122	1,966	761	2
White	8,079	379	45	58	87	136	344	806	1,433	2,100	1,939	752	-
Nonwhite	184	20	7	3	4	7	19	36	28	22	27	9	2
Places of 2,500 to 10,000	8,373	436	64	40	85	145	355	745	1,462	2,085	2,052	896	8
White	8,228	417	64	40	83	137	339	713	1,430	2,061	2,043	893	8
Nonwhite	145	19	-	-	2	8	16	32	32	24	9	3	-
Rural	28,372	1,477	302	269	423	570	1,111	2,502	4,453	6,949	7,280	3,011	25
White	27,932	1,425	290	263	408	546	1,053	2,451	4,383	6,875	7,226	2,989	23
Nonwhite	440	52	12	6	15	24	58	51	70	74	54	22	2
METROPOLITAN COUNTIES	128,067	6,038	925	797	1,611	2,980	6,907	15,536	27,018	33,001	24,864	8,327	43
White	118,818	5,007	785	696	1,220	2,292	5,590	13,780	25,325	31,699	24,252	8,131	41
Nonwhite	9,249	1,031	140	101	391	688	1,317	1,756	1,693	1,302	612	196	2
Urban	114,968	5,307	777	676	1,439	2,672	6,281	14,178	24,756	29,868	21,862	7,122	30
White	106,015	4,312	646	579	1,060	2,002	5,013	12,458	23,108	28,614	21,253	6,941	29
Nonwhite	8,953	995	131	97	379	670	1,268	1,720	1,648	1,254	609	181	1
Places of 250,000 or more	92,714	4,229	618	527	1,192	2,201	5,258	11,804	20,486	24,123	16,984	5,271	21
White	84,458	3,312	500	437	835	1,574	4,091	10,213	18,963	22,966	16,440	5,107	20
Nonwhite	8,256	917	118	90	357	627	1,167	1,591	1,523	1,157	544	164	1
Places of 100,000 to 250,000	6,950	334	54	47	69	156	284	732	1,351	1,843	1,559	521	-
White	6,738	310	47	42	61	142	256	697	1,316	1,810	1,540	517	-
Nonwhite	212	24	7	5	8	14	28	35	35	33	19	4	-
Places of 50,000 to 100,000	5,110	257	41	31	52	120	259	536	952	1,321	1,091	447	3
White	4,902	236	38	30	44	107	226	502	913	1,290	1,070	443	3
Nonwhite	208	21	3	1	8	13	33	34	39	31	21	4	-
Places of 25,000 to 50,000	2,128	109	10	19	24	63	98	231	442	564	414	153	1
White	2,042	99	9	19	23	56	83	214	424	556	407	151	1
Nonwhite	86	10	1	-	1	7	15	17	18	8	7	2	-
Places of 10,000 to 25,000	3,984	173	19	34	54	75	193	457	765	1,006	885	323	-
White	3,893	166	17	33	50	73	181	436	750	994	875	318	-
Nonwhite	91	7	2	1	4	2	12	21	15	12	10	5	-
Places of 2,500 to 10,000	4,082	205	35	18	48	57	189	418	760	1,011	929	407	5
White	3,982	189	35	18	47	50	176	396	742	998	921	405	5
Nonwhite	100	16	-	-	1	7	13	22	18	13	8	2	-
Rural	13,099	731	148	121	172	308	626	1,358	2,262	3,133	3,022	1,205	13
White	12,803	695	139	117	160	290	577	1,322	2,217	3,085	2,999	1,190	12
Nonwhite	296	36	9	4	12	18	49	36	45	48	23	15	1

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NEW YORK—Continued													
NONMETROPOLITAN COUNTIES	28,007	1,391	243	218	365	497	981	2,207	4,332	7,087	7,486	3,177	23
White	27,599	1,350	228	212	358	479	953	2,149	4,250	7,012	7,426	3,162	20
Nonwhite	408	41	15	6	7	18	28	58	82	75	60	15	3
Urban	12,734	645	89	70	114	235	496	1,063	2,141	3,271	3,228	1,371	11
White	12,470	620	77	66	110	223	477	1,020	2,084	3,222	3,199	1,363	9
Nonwhite	264	25	12	4	4	12	19	43	57	49	29	8	2
Places of 25,000 to 50,000	4,164	168	27	21	40	79	160	351	743	1,081	1,024	444	6
White	4,038	179	20	19	37	73	151	333	715	1,053	1,013	441	6
Nonwhite	126	9	7	2	3	6	9	18	30	28	11	3	-
Places of 10,000 to 25,000	4,279	226	33	27	37	68	170	385	696	1,116	1,081	438	2
White	4,186	213	28	25	37	63	163	370	683	1,106	1,084	434	-
Nonwhite	93	13	5	2	-	5	7	15	13	10	17	4	2
Places of 2,500 to 10,000	4,291	231	29	22	37	88	166	327	702	1,074	1,123	489	3
White	4,246	228	29	22	36	87	163	317	688	1,063	1,122	488	3
Nonwhite	45	3	-	-	1	1	3	10	14	11	1	1	-
Rural	15,273	746	154	148	251	262	485	1,144	2,191	3,816	4,258	1,806	12
White	15,129	730	151	146	248	256	476	1,129	2,166	3,790	4,227	1,799	11
Nonwhite	144	16	3	2	3	6	9	15	25	26	31	7	1
NORTH CAROLINA	31,130	3,674	593	527	1,029	1,539	2,334	3,510	5,181	6,369	4,750	1,612	12
White	20,370	1,871	306	323	564	780	1,288	2,007	3,314	4,606	4,012	1,295	4
Nonwhite	10,760	1,803	287	204	465	759	1,046	1,503	1,867	1,763	738	317	8
Urban	11,071	1,187	158	116	291	597	998	1,570	2,041	2,181	1,431	501	-
White	6,733	651	76	72	151	268	481	820	1,192	1,476	1,201	385	-
Nonwhite	4,338	536	82	44	140	329	517	750	849	705	230	116	-
Places of 100,000 to 250,000	1,081	118	18	12	22	58	92	169	196	212	143	41	-
White	651	61	8	8	9	25	43	88	118	139	120	32	-
Nonwhite	430	57	10	4	13	33	49	81	78	73	23	9	-
Places of 50,000 to 100,000	3,163	309	22	26	95	176	323	486	607	582	382	155	-
White	1,761	146	12	17	35	61	132	226	328	373	319	112	-
Nonwhite	1,402	163	10	9	60	115	191	260	279	209	63	43	-
Places of 25,000 to 50,000	1,388	146	19	16	39	81	142	189	281	277	149	49	-
White	779	79	9	7	16	33	71	81	148	177	121	37	-
Nonwhite	609	67	10	9	23	48	71	108	133	100	28	12	-
Places of 10,000 to 25,000	2,852	339	44	31	78	148	223	406	506	570	383	124	-
White	1,766	182	19	17	37	67	101	225	302	399	315	102	-
Nonwhite	1,086	157	25	14	41	81	122	181	204	171	68	22	-
Places of 2,500 to 10,000	2,597	275	55	31	57	134	218	320	451	540	374	132	-
White	1,776	163	28	23	34	82	134	200	296	388	326	102	-
Nonwhite	811	112	27	8	23	52	84	120	155	152	48	30	-
Rural	20,059	2,487	435	411	738	942	1,336	1,940	3,140	4,188	3,319	1,111	12
White	13,637	1,240	230	251	433	512	807	1,187	2,122	3,130	2,811	910	4
Nonwhite	6,422	1,247	205	160	305	430	529	753	1,018	1,058	508	201	8
METROPOLITAN COUNTIES	6,886	700	90	71	201	354	606	927	1,241	1,332	1,004	360	-
White	4,441	389	45	45	108	162	300	496	796	950	670	290	-
Nonwhite	2,445	311	45	26	93	192	306	431	455	382	134	70	-
Urban	4,565	454	45	42	126	251	452	694	875	865	558	203	-
White	2,639	226	22	27	49	89	198	340	490	570	469	149	-
Nonwhite	1,926	228	23	15	77	162	254	354	385	295	89	54	-
Places of 100,000 to 250,000	1,081	118	18	12	22	58	92	169	196	212	143	41	-
White	651	61	8	8	9	25	43	88	118	139	120	32	-
Nonwhite	430	57	10	4	13	33	49	81	78	73	23	9	-
Places of 50,000 to 100,000	3,163	309	22	26	95	176	323	486	607	582	382	155	-
White	1,761	146	12	17	35	61	132	226	328	373	319	112	-
Nonwhite	1,402	163	10	9	60	115	191	260	279	209	63	43	-
Places of 25,000 to 50,000	302	26	5	4	9	16	33	35	69	69	31	5	-
White	215	18	2	2	5	12	20	22	43	58	29	4	-
Nonwhite	87	8	3	2	4	4	13	13	26	11	2	1	-
Places of 2,500 to 10,000	19	1	-	-	-	1	4	4	3	2	2	2	-
White	12	1	-	-	-	1	3	4	1	-	1	1	-
Nonwhite	7	-	-	-	-	-	1	-	2	2	1	1	-
Rural	2,321	246	45	29	75	103	154	233	366	467	446	157	-
White	1,802	163	23	18	59	63	102	156	296	380	401	141	-
Nonwhite	519	83	22	11	16	40	52	77	70	87	45	16	-
NONMETROPOLITAN COUNTIES	24,244	2,974	505	456	828	1,185	1,728	2,583	3,940	5,037	3,746	1,252	12
White	15,929	1,482	261	278	456	618	988	1,511	2,528	3,656	3,142	1,005	4
Nonwhite	8,315	1,492	242	178	372	567	740	1,072	1,412	1,381	604	247	8
Urban	6,506	733	113	74	165	346	546	876	1,166	1,316	873	298	-
White	4,094	405	54	45	82	169	283	480	702	906	732	236	-
Nonwhite	2,412	328	59	29	83	177	263	396	464	410	141	62	-
Places of 25,000 to 50,000	1,086	120	14	12	30	65	109	164	212	208	118	44	-
White	564	61	7	5	11	21	51	59	105	119	92	33	-
Nonwhite	522	59	7	7	19	44	58	95	107	89	26	11	-
Places of 10,000 to 25,000	2,852	339	44	31	78	148	223	406	506	570	383	124	-
White	1,766	182	19	17	37	67	101	225	302	399	315	102	-
Nonwhite	1,086	157	25	14	41	81	122	181	204	171	68	22	-
Places of 2,500 to 10,000	2,568	274	55	31	57	133	214	316	448	538	372	130	-
White	1,764	162	28	23	34	81	131	196	295	388	325	101	-
Nonwhite	804	112	27	8	23	52	83	120	153	150	47	29	-
Rural	17,738	2,241	390	382	663	839	1,182	1,707	2,774	3,721	2,873	954	12
White	11,835	1,077	207	233	374	449	705	1,031	1,826	2,750	2,410	769	4
Nonwhite	5,903	1,164	183	149	289	390	477	676	948	971	463	185	8
NORTH DAKOTA	5,181	455	83	69	114	121	209	377	801	1,191	1,283	482	8
White	5,056	425	73	62	106	117	204	367	787	1,177	1,271	469	8
Nonwhite	125	28	10	7	8	4	5	10	14	14	12	13	-
Urban	1,494	148	20	10	36	31	54	120	238	334	362	141	-
White	1,485	146	20	10	35	31	54	119	237	332	361	140	-
Nonwhite	9	2	-	-	1	-	-	1	1	2	1	1	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NORTH DAKOTA—Continued		9											
Places of 25,000 to 50,000	567	59	3	7	16	10	19	54	90	116	141	52	-
White	563	57	3	7	16	10	19	54	90	115	140	52	-
Nonwhite	4	2	-	-	-	-	-	-	-	1	1	-	-
Places of 10,000 to 25,000	433	42	7	3	10	8	18	38	72	90	100	45	-
White	430	42	7	3	9	8	18	38	71	89	100	45	-
Nonwhite	3	-	-	-	1	-	-	-	1	1	-	-	-
Places of 2,500 to 10,000	494	47	10	-	10	13	17	28	76	128	121	44	-
White	492	47	10	-	10	13	17	27	76	128	121	43	-
Nonwhite	2	-	-	-	-	-	-	1	-	-	-	1	-
Rural	3,697	305	63	59	78	90	155	257	563	857	921	341	8
White	3,581	279	53	52	71	86	150	248	550	845	910	329	8
Nonwhite	116	26	10	7	7	4	5	9	13	12	11	12	-
NONMETROPOLITAN COUNTIES	5,191	453	83	69	114	121	209	377	801	1,191	1,283	482	8
White	5,066	425	73	62	106	117	204	367	787	1,177	1,271	469	8
Nonwhite	125	28	10	7	8	4	5	10	14	14	12	13	-
Urban	1,494	148	20	10	36	31	54	120	238	334	362	141	-
White	1,485	146	20	10	35	31	54	119	237	332	361	140	-
Nonwhite	9	2	-	-	1	-	-	1	1	2	1	1	-
Places of 25,000 to 50,000	567	59	3	7	16	10	19	54	90	116	141	52	-
White	563	57	3	7	16	10	19	54	90	115	140	52	-
Nonwhite	4	2	-	-	-	-	-	-	-	1	1	-	-
Places of 10,000 to 25,000	433	42	7	3	10	8	18	38	72	90	100	45	-
White	430	42	7	3	9	8	18	38	71	89	100	45	-
Nonwhite	3	-	-	-	1	-	-	-	1	1	-	-	-
Places of 2,500 to 10,000	494	47	10	-	10	13	17	28	76	128	121	44	-
White	492	47	10	-	10	13	17	27	76	128	121	43	-
Nonwhite	2	-	-	-	-	-	-	1	-	-	-	1	-
Rural	3,697	305	63	59	78	90	155	257	563	857	921	341	8
White	3,581	279	53	52	71	86	150	248	550	845	910	329	8
Nonwhite	116	26	10	7	7	4	5	9	13	12	11	12	-
OHIO	80,633	4,990	852	728	1,276	2,023	3,745	7,590	13,817	19,643	18,776	7,163	30
White	74,837	4,391	750	673	1,102	1,668	3,132	6,542	12,756	18,653	18,207	6,957	26
Nonwhite	5,796	599	102	55	174	355	613	1,048	1,061	990	569	206	4
Urban	56,396	3,475	536	432	840	1,491	2,810	5,803	10,580	13,732	12,263	4,417	17
White	51,103	2,928	445	383	675	1,150	2,245	4,819	9,573	12,841	11,784	4,244	16
Nonwhite	5,293	547	91	49	165	341	565	984	1,007	891	479	173	1
Places of 250,000 or more	25,909	1,479	240	187	384	717	1,450	2,987	5,351	6,315	5,090	1,704	5
White	22,367	1,126	180	151	276	488	1,053	2,285	4,675	5,725	4,802	1,601	5
Nonwhite	3,542	353	60	36	108	229	397	702	676	590	288	103	-
Places of 100,000 to 250,000	5,777	476	71	45	108	188	297	581	1,127	1,397	1,089	395	3
White	5,091	395	60	42	76	139	224	454	990	1,289	1,039	380	3
Nonwhite	686	81	11	3	32	49	73	127	137	108	50	15	-
Places of 50,000 to 100,000	3,892	213	29	29	57	93	159	429	718	946	889	329	1
White	3,670	192	28	28	53	73	137	386	681	920	856	315	1
Nonwhite	222	21	1	1	4	20	22	43	37	26	33	14	-
Places of 25,000 to 50,000	6,658	454	62	56	102	175	319	639	1,206	1,604	1,495	542	4
White	6,288	412	51	49	92	151	278	584	1,136	1,543	1,454	534	4
Nonwhite	370	42	11	7	10	24	41	55	70	61	41	8	-
Places of 10,000 to 25,000	7,002	438	63	58	92	146	280	604	1,092	1,749	1,824	651	4
White	6,775	416	60	58	84	132	264	576	1,049	1,705	1,793	635	3
Nonwhite	227	22	3	1	8	14	16	28	43	44	31	16	1
Places of 2,500 to 10,000	7,158	415	71	56	97	172	305	563	1,086	1,721	1,876	796	-
White	6,912	387	66	55	94	167	289	534	1,042	1,659	1,840	779	-
Nonwhite	246	28	5	1	3	5	16	29	44	62	36	17	-
Rural	24,237	1,515	316	296	436	532	935	1,787	3,237	5,911	6,513	2,746	13
White	23,734	1,463	305	290	427	518	887	1,723	3,163	5,812	6,423	2,713	10
Nonwhite	503	52	11	6	9	14	48	64	74	99	90	33	3
METROPOLITAN COUNTIES	52,742	3,354	552	454	834	1,415	2,747	5,630	10,084	12,819	10,869	3,970	14
White	47,532	2,810	459	409	670	1,083	2,174	4,639	9,100	11,965	10,402	3,808	12
Nonwhite	5,210	544	93	45	164	332	573	991	984	854	467	161	2
Urban	44,513	2,754	439	340	666	1,226	2,340	4,806	8,842	10,783	9,036	3,170	11
White	39,595	2,244	353	298	508	900	1,600	3,860	7,904	9,979	8,616	3,022	11
Nonwhite	4,918	510	86	42	158	326	540	946	938	804	420	148	-
Places of 250,000 or more	25,909	1,479	240	187	384	717	1,450	2,987	5,351	6,315	5,090	1,704	5
White	22,367	1,126	180	151	276	488	1,053	2,285	4,675	5,725	4,802	1,601	5
Nonwhite	3,542	353	60	36	108	229	397	702	676	590	288	103	-
Places of 100,000 to 250,000	5,777	476	71	45	108	188	297	581	1,127	1,397	1,089	395	3
White	5,091	395	60	42	76	139	224	454	990	1,289	1,039	380	3
Nonwhite	686	81	11	3	32	49	73	127	137	108	50	15	-
Places of 50,000 to 100,000	3,892	213	29	29	57	93	159	429	718	946	889	329	1
White	3,670	192	28	28	53	73	137	386	681	920	856	315	1
Nonwhite	222	21	1	1	4	20	22	43	37	26	33	14	-
Places of 25,000 to 50,000	4,058	282	38	35	64	104	196	414	782	954	859	327	1
White	3,832	251	30	33	55	89	174	376	737	922	842	322	1
Nonwhite	226	31	8	2	9	15	24	38	45	32	17	5	-
Places of 10,000 to 25,000	2,019	143	17	18	15	54	85	213	377	522	442	132	1
White	1,905	132	15	18	12	44	72	196	361	500	430	124	1
Nonwhite	114	11	2	-	3	10	13	17	16	22	12	8	-
Places of 2,500 to 10,000	2,858	161	44	26	38	70	151	282	487	649	667	283	-
White	2,730	148	40	26	36	67	140	263	460	623	647	280	-
Nonwhite	128	13	4	-	2	3	11	19	27	26	20	3	-
Rural	8,229	600	113	114	168	189	407	724	1,242	2,036	1,833	800	3
White	7,937	566	106	111	162	183	374	679	1,196	1,986	1,786	767	1
Nonwhite	292	34	7	3	6	6	33	45	46	50	47	13	2
NONMETROPOLITAN COUNTIES	27,891	1,656	300	274	442	608	998	1,960	3,733	6,824	7,907	3,193	16
White	27,305	1,581	291	264	432	585	958	1,903	3,636	6,688	7,805	3,148	14
Nonwhite	586	55	9	10	10	23	40	57	97	136	102	45	2
Urban	11,883	721	97	92	174	265	470	897	1,738	2,949	3,227	1,247	6
White	11,508	684	92	85	167	250	445	859	1,689	2,862	3,168	1,222	5
Nonwhite	375	37	5	7	7	15	25	38	69	87	59	25	1

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
OHIO—Continued													
Places of 25,000 to 50,000	2,600	172	24	21	38	71	121	225	424	650	636	215	3
White	2,456	161	21	16	37	62	104	208	399	621	612	212	3
Nonwhite	144	11	3	5	1	9	17	17	25	29	24	3	-
Places of 10,000 to 25,000	4,965	295	46	41	77	92	195	391	715	1,227	1,382	519	3
White	4,870	284	45	40	72	88	192	380	688	1,205	1,363	511	2
Nonwhite	113	11	1	1	5	4	3	11	27	22	19	8	1
Places of 2,500 to 10,000	4,300	254	27	30	59	102	154	281	599	1,072	1,209	515	-
White	4,182	239	26	29	58	100	149	271	582	1,036	1,193	499	-
Nonwhite	118	15	1	1	1	2	5	10	17	36	16	14	-
Rural	16,008	915	203	182	268	343	528	1,063	1,995	3,875	4,680	1,946	10
White	15,797	897	199	179	265	335	513	1,044	1,967	3,826	4,657	1,926	9
Nonwhite	211	18	4	3	3	8	15	19	28	49	43	20	1
OKLAHOMA	19,473	1,514	305	232	465	518	947	1,741	2,753	4,389	4,700	1,878	31
White	17,173	1,212	235	193	372	424	780	1,464	2,437	3,956	4,358	1,729	13
Nonwhite	2,300	302	70	39	93	94	167	277	316	433	342	149	18
Urban	10,668	896	145	89	236	301	556	1,044	1,605	2,368	2,434	979	15
White	9,448	734	119	76	195	249	460	865	1,410	2,159	2,283	912	6
Nonwhite	1,220	162	26	13	41	52	96	179	195	229	151	67	9
Places of 100,000 to 250,000	3,795	304	45	31	88	122	238	480	618	792	769	305	3
White	3,336	246	34	26	78	105	187	392	540	714	725	289	2
Nonwhite	459	58	11	5	10	19	51	88	78	78	44	16	1
Places of 25,000 to 50,000	1,212	129	21	10	26	44	56	101	171	276	259	118	1
White	1,034	105	20	9	18	32	44	82	136	245	232	111	-
Nonwhite	178	24	1	1	8	12	12	19	35	31	27	7	1
Places of 10,000 to 25,000	2,505	203	38	18	48	71	116	230	378	582	578	238	7
White	2,215	163	30	14	37	58	99	191	344	525	533	219	2
Nonwhite	290	40	8	4	11	13	17	39	34	57	45	19	5
Places of 2,500 to 10,000	3,156	260	41	30	74	64	146	233	438	718	830	318	4
White	2,863	220	35	27	62	56	130	200	390	655	793	293	2
Nonwhite	293	40	6	3	12	8	16	33	48	63	37	25	2
Rural	8,805	618	160	143	229	217	391	697	1,148	2,021	2,266	899	16
White	7,725	478	116	117	177	175	320	598	1,027	1,817	2,075	817	7
Nonwhite	1,080	140	44	26	52	42	71	98	121	204	191	82	9
METROPOLITAN COUNTIES	4,636	385	59	42	112	142	273	566	734	964	970	385	4
White	4,090	318	48	37	95	121	216	470	640	866	909	367	3
Nonwhite	546	67	11	5	17	21	57	96	94	98	61	18	1
Urban	4,009	332	48	35	93	127	243	494	641	836	826	330	4
White	3,546	274	37	30	83	108	192	406	561	757	781	314	3
Nonwhite	463	58	11	5	10	19	51	88	80	79	45	16	1
Places of 100,000 to 250,000	3,795	304	45	31	88	122	238	480	618	792	769	305	3
White	3,336	246	34	26	78	103	187	392	540	714	725	289	2
Nonwhite	459	58	11	5	10	19	51	88	78	78	44	16	1
Places of 10,000 to 25,000	16	9	1	-	-	1	-	1	-	2	-	2	-
White	16	9	1	-	-	1	-	1	-	2	-	2	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	198	19	2	4	5	4	5	13	23	42	57	23	1
White	194	19	2	4	5	4	5	13	21	41	56	23	1
Nonwhite	4	-	-	-	-	-	-	-	2	1	1	-	-
Rural	627	53	11	7	19	15	30	72	93	120	144	55	-
White	544	44	11	7	12	13	24	64	79	109	128	53	-
Nonwhite	83	9	-	-	7	2	6	8	14	19	16	2	-
NONMETROPOLITAN COUNTIES	14,837	1,129	246	190	353	376	674	1,175	2,019	3,425	3,730	1,493	27
White	13,083	894	187	156	277	303	564	994	1,797	3,090	3,449	1,362	10
Nonwhite	1,754	235	59	34	76	73	110	181	222	335	281	131	17
Urban	6,659	564	97	54	143	174	313	550	964	1,532	1,608	649	11
White	5,902	460	82	46	112	141	268	459	849	1,382	1,502	598	3
Nonwhite	757	104	15	8	31	33	45	91	115	150	106	51	8
Places of 25,000 to 50,000	1,212	129	21	10	26	44	56	101	171	276	259	118	1
White	1,034	105	20	9	18	32	44	82	136	245	232	111	-
Nonwhite	178	24	1	1	8	12	12	19	35	31	27	7	1
Places of 10,000 to 25,000	2,489	194	37	18	48	70	116	229	378	580	576	238	7
White	2,199	154	29	14	37	57	99	190	344	523	533	217	2
Nonwhite	290	40	8	4	11	13	17	39	34	57	43	19	5
Places of 2,500 to 10,000	2,958	241	39	26	69	60	141	220	415	676	773	295	3
White	2,669	201	33	23	57	52	125	187	369	614	737	270	1
Nonwhite	289	40	6	3	12	8	16	33	46	62	36	25	2
Rural	8,178	565	149	136	210	202	361	625	1,055	1,893	2,122	844	16
White	7,181	434	105	110	165	162	296	535	948	1,708	1,947	764	7
Nonwhite	997	131	44	26	45	40	65	90	107	185	175	80	9
OREGON	13,935	812	149	140	304	428	696	1,324	2,286	3,366	3,128	1,286	9
White	13,695	779	148	140	292	411	673	1,293	2,243	3,328	3,105	1,275	8
Nonwhite	240	33	1	8	12	17	22	31	43	38	23	11	1
Urban	8,392	443	69	62	148	216	387	815	1,378	2,089	1,990	787	8
White	8,236	425	69	58	140	206	376	790	1,348	2,061	1,975	783	7
Nonwhite	156	18	-	4	8	10	11	25	32	28	15	4	1
Places of 250,000 or more	4,422	198	33	30	58	95	209	436	800	1,174	998	386	5
White	4,297	184	33	27	52	89	201	417	773	1,148	986	383	4
Nonwhite	125	14	-	3	6	6	8	19	27	26	12	3	1
Places of 25,000 to 50,000	861	55	7	6	18	22	36	90	135	180	210	102	-
White	858	53	7	6	18	22	36	89	135	180	210	102	-
Nonwhite	3	2	-	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000	1,059	62	9	11	29	44	47	108	185	234	237	91	2
White	1,047	60	9	11	28	42	46	104	184	234	236	91	2
Nonwhite	12	2	-	-	1	2	1	4	1	-	1	-	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
OREGON—Continued													
Places of 2,500 to 10,000	2,050	128	20	15	43	55	95	181	258	501	545	208	1
White	2,034	128	20	14	42	53	93	180	254	499	543	207	1
Nonwhite	16	-	-	1	1	2	2	1	4	2	2	1	-
Rural	5,543	369	80	86	156	212	308	509	908	1,377	1,138	499	1
White	5,459	354	79	82	152	205	297	503	897	1,367	1,130	492	1
Nonwhite	84	15	1	4	4	7	11	6	11	10	8	7	-
METROPOLITAN COUNTIES	6,345	289	59	49	85	145	288	628	1,117	1,659	1,437	584	5
White	6,204	275	59	44	79	137	278	608	1,087	1,629	1,425	579	4
Nonwhite	141	14	-	5	6	8	10	20	30	30	12	5	1
Urban	4,837	219	35	33	65	106	222	469	861	1,276	1,119	427	5
White	4,712	205	35	30	59	100	214	450	834	1,250	1,107	424	4
Nonwhite	125	14	-	3	6	6	8	19	27	26	12	3	1
Places of 250,000 or more	4,422	198	33	30	58	95	209	436	800	1,174	998	386	5
White	4,297	184	33	27	52	89	201	417	773	1,148	986	383	4
Nonwhite	125	14	-	3	6	6	8	19	27	26	12	3	1
Places of 2,500 to 10,000	415	21	2	3	7	11	13	33	61	102	121	41	-
White	415	21	2	3	7	11	13	33	61	102	121	41	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1,508	70	24	16	20	39	66	159	256	383	318	157	-
White	1,492	70	24	14	20	37	64	158	253	379	318	155	-
Nonwhite	16	-	-	2	-	2	2	1	3	4	-	2	-
NONMETROPOLITAN COUNTIES	7,590	523	90	99	219	283	407	696	1,169	1,707	1,691	702	4
White	7,491	504	89	96	213	274	395	685	1,156	1,699	1,680	696	4
Nonwhite	99	19	1	3	6	9	12	11	13	8	11	6	-
Urban	3,555	224	34	29	83	110	165	346	517	813	871	360	3
White	3,524	220	34	28	81	106	162	340	512	811	868	359	3
Nonwhite	31	4	-	1	2	4	3	6	5	2	3	1	-
Places of 25,000 to 50,000	861	55	7	6	18	22	36	90	135	180	210	102	-
White	858	53	7	6	18	22	36	89	135	180	210	102	-
Nonwhite	3	2	-	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000	1,059	62	9	11	29	44	47	108	185	234	237	91	2
White	1,047	60	9	11	28	42	46	104	184	234	236	91	2
Nonwhite	12	2	-	-	1	2	1	4	1	-	1	-	-
Places of 2,500 to 10,000	1,635	107	18	12	36	44	82	148	197	399	424	167	1
White	1,619	107	18	11	35	42	80	147	193	397	422	166	1
Nonwhite	16	-	-	1	1	2	2	1	4	2	2	1	-
Rural	4,035	299	56	70	136	173	242	350	652	894	820	342	1
White	3,967	284	55	68	132	168	233	345	644	888	812	337	1
Nonwhite	68	15	1	2	4	5	9	5	8	6	8	5	-
PENNSYLVANIA	110,212	6,126	981	851	1,606	2,686	5,353	11,146	20,995	27,899	24,031	8,475	63
White	102,557	5,306	872	763	1,374	2,225	4,592	9,636	19,488	26,631	23,349	8,275	46
Nonwhite	7,655	820	109	88	232	461	761	1,510	1,507	1,268	682	200	17
Urban	77,956	4,138	617	485	1,054	1,922	3,889	8,442	15,619	19,778	16,429	5,533	50
White	70,869	3,389	519	403	831	1,490	3,172	7,013	14,222	18,630	15,830	5,357	33
Nonwhite	7,087	749	98	82	223	432	717	1,429	1,397	1,148	599	176	17
Places of 250,000 or more	32,455	1,810	248	199	454	873	1,813	3,967	6,697	8,025	6,312	2,021	36
White	26,970	1,214	171	139	285	535	1,228	2,850	5,604	7,160	5,865	1,698	21
Nonwhite	5,485	596	77	60	169	338	585	1,117	1,093	865	447	123	15
Places of 100,000 to 250,000	5,461	259	40	26	57	115	235	520	1,144	1,487	1,180	398	2
White	5,371	243	39	23	53	111	226	500	1,126	1,479	1,173	396	2
Nonwhite	90	16	1	3	4	4	9	20	18	8	7	-	-
Places of 50,000 to 100,000	8,300	435	72	48	122	207	436	884	1,649	2,107	1,796	538	6
White	7,813	380	62	42	104	175	389	785	1,561	2,038	1,751	522	4
Nonwhite	487	55	10	6	18	32	47	99	88	69	45	16	2
Places of 25,000 to 50,000	5,257	261	46	28	64	112	242	511	971	1,306	1,247	468	1
White	5,015	234	43	26	57	98	225	486	926	1,255	1,229	455	1
Nonwhite	242	27	3	2	7	14	17	45	45	51	18	13	-
Places of 10,000 to 25,000	11,960	641	90	85	162	300	555	1,201	2,399	3,101	2,534	888	4
White	11,449	593	83	79	146	270	514	1,096	2,295	3,007	2,483	877	4
Nonwhite	511	48	7	6	14	30	41	105	104	94	51	11	-
Places of 2,500 to 10,000	14,523	732	121	99	195	315	608	1,359	2,759	3,752	3,360	1,222	1
White	14,251	705	121	94	184	301	590	1,316	2,710	3,691	3,329	1,209	1
Nonwhite	272	27	-	5	11	14	18	43	49	61	31	13	-
Rural	32,256	1,986	364	366	552	764	1,464	2,704	5,376	8,121	7,602	2,942	13
White	31,688	1,937	353	360	543	735	1,420	2,623	5,266	8,001	7,519	2,918	13
Nonwhite	568	51	11	6	9	29	44	81	110	120	83	24	-
METROPOLITAN COUNTIES	85,075	4,666	727	623	1,237	2,117	4,272	9,079	16,792	21,498	17,832	6,173	59
White	77,750	3,870	624	538	1,013	1,669	3,530	7,624	15,347	20,304	17,194	5,996	42
Nonwhite	7,325	796	103	85	224	449	742	1,455	1,445	1,194	638	177	17
Urban	67,201	3,621	529	406	933	1,684	3,433	7,494	13,629	17,028	13,814	4,590	50
White	60,284	2,862	434	326	715	1,259	2,728	6,092	12,265	15,917	13,235	4,428	33
Nonwhite	6,917	759	95	80	218	425	705	1,402	1,364	1,111	579	162	17
Places of 250,000 or more	32,455	1,810	248	199	454	873	1,813	3,967	6,697	8,025	6,312	2,021	36
White	26,970	1,214	171	139	285	535	1,228	2,850	5,604	7,160	5,865	1,698	21
Nonwhite	5,485	596	77	60	169	338	585	1,117	1,093	865	447	123	15
Places of 100,000 to 250,000	5,461	259	40	26	57	115	235	520	1,144	1,487	1,180	396	2
White	5,371	243	39	23	53	111	226	500	1,126	1,479	1,173	396	2
Nonwhite	90	16	1	3	4	4	9	20	18	8	7	-	-
Places of 50,000 to 100,000	8,300	435	72	48	122	207	436	884	1,649	2,107	1,796	538	6
White	7,813	380	62	42	104	175	389	785	1,561	2,038	1,751	522	4
Nonwhite	487	55	10	6	18	32	47	99	88	69	45	16	2
Places of 25,000 to 50,000	3,727	187	29	18	51	79	174	372	683	927	878	328	1
White	3,530	163	27	16	47	67	158	355	645	898	864	319	1
Nonwhite	197	24	2	2	4	12	16	37	38	39	14	9	-
Places of 10,000 to 25,000	7,358	404	58	49	110	193	365	799	1,526	1,916	1,433	498	4
White	6,915	360	53	44	97	165	328	705	1,440	1,834	1,391	494	4
Nonwhite	443	44	5	5	13	28	37	94	88	82	42	5	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
PENNSYLVANIA—Continued													
METROPOLITAN COUNTIES—Continued													
Places of 2,500 to 10,000	9,900	526	82	66	139	217	410	942	1,928	2,566	2,215	806	1
White	9,685	502	82	62	129	206	399	907	1,889	2,518	2,191	799	1
Nonwhite	215	24	-	4	10	11	11	35	39	48	24	9	-
Rural	17,874	1,045	198	217	304	433	839	1,595	3,163	4,470	4,018	1,583	9
White	17,466	1,008	190	212	298	409	802	1,542	3,082	4,387	3,959	1,568	9
Nonwhite	408	37	8	5	6	24	37	53	81	83	59	15	-
NONMETROPOLITAN COUNTIES	25,137	1,460	254	228	369	569	1,081	2,067	4,205	6,401	6,199	2,302	4
White	24,807	1,436	248	225	361	557	1,062	2,012	4,141	6,327	6,155	2,279	4
Nonwhite	330	24	6	3	8	12	19	55	62	74	44	23	-
Urban	10,755	517	88	79	121	238	456	958	1,990	2,750	2,615	943	-
White	10,585	507	85	77	116	231	444	951	1,957	2,715	2,595	929	-
Nonwhite	170	10	3	2	5	7	12	27	33	37	20	14	-
Places of 25,000 to 50,000	1,530	74	17	10	13	33	68	139	288	379	369	140	-
White	1,485	71	16	10	10	31	67	131	281	367	365	136	-
Nonwhite	45	3	1	-	3	2	1	8	7	12	4	4	-
Places of 10,000 to 25,000	4,602	237	32	36	52	107	190	402	871	1,185	1,101	389	-
White	4,534	233	30	35	51	105	186	391	855	1,173	1,092	383	-
Nonwhite	68	4	2	1	1	2	4	11	16	12	9	6	-
Places of 2,500 to 10,000	4,623	206	39	33	56	98	198	417	831	1,186	1,145	414	-
White	4,566	203	39	32	55	95	191	409	821	1,173	1,136	410	-
Nonwhite	57	3	-	1	1	3	7	8	10	13	7	4	-
Rural	14,382	943	166	149	248	331	625	1,109	2,213	3,651	3,584	1,359	4
White	14,222	929	163	148	245	326	618	1,081	2,184	3,614	3,560	1,350	4
Nonwhite	160	14	3	1	3	5	7	28	29	37	24	9	-
RHODE ISLAND	8,309	450	61	59	76	134	359	790	1,589	2,203	1,911	671	5
White	8,101	429	60	57	70	124	345	764	1,547	2,154	1,864	662	5
Nonwhite	207	21	1	2	6	10	14	26	42	49	27	9	-
Urban	7,430	381	52	42	65	117	320	719	1,453	1,989	1,702	587	3
White	7,231	361	51	40	60	107	307	694	1,412	1,941	1,677	578	3
Nonwhite	199	20	1	2	5	10	13	25	41	48	25	9	-
Places of 100,000 to 250,000	2,884	141	11	17	23	52	128	272	552	809	652	226	1
White	2,750	126	10	15	19	44	120	255	521	782	637	220	1
Nonwhite	134	15	1	2	4	8	8	17	31	27	15	6	-
Places of 50,000 to 100,000	1,914	96	16	7	21	24	85	203	384	494	427	157	-
White	1,901	96	16	7	21	23	85	200	381	489	427	156	-
Nonwhite	13	-	-	-	-	1	-	3	3	5	-	1	-
Places of 25,000 to 50,000	1,158	69	8	11	9	16	47	107	226	304	259	101	1
White	1,114	67	8	11	8	15	42	103	219	289	252	99	1
Nonwhite	44	2	-	-	1	1	5	4	7	15	7	2	-
Places of 10,000 to 25,000	1,144	57	12	3	9	18	48	120	234	289	280	73	1
White	1,136	54	12	3	9	18	48	119	234	288	277	73	1
Nonwhite	8	3	-	-	-	-	-	1	-	1	3	-	-
Places of 2,500 to 10,000	330	18	5	4	3	7	12	17	57	93	84	30	-
White	330	18	5	4	3	7	12	17	57	93	84	30	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	878	69	9	17	11	17	39	71	136	214	209	84	2
White	870	68	9	17	10	17	38	70	135	213	207	84	2
Nonwhite	8	1	-	-	1	-	1	1	1	1	2	-	-
METROPOLITAN COUNTIES	7,233	368	50	44	61	115	311	693	1,407	1,945	1,658	578	3
White	7,067	351	49	42	56	106	300	671	1,368	1,910	1,641	570	3
Nonwhite	166	17	1	2	5	9	11	22	39	35	17	8	-
Urban	6,884	346	48	38	59	107	295	664	1,358	1,852	1,571	545	1
White	6,720	329	47	36	54	98	284	642	1,320	1,818	1,554	537	1
Nonwhite	164	17	1	2	5	9	11	22	38	34	17	8	-
Places of 100,000 to 250,000	2,884	141	11	17	23	52	128	272	552	809	652	226	1
White	2,750	126	10	15	19	44	120	255	521	782	637	220	1
Nonwhite	134	15	1	2	4	8	8	17	31	27	15	6	-
Places of 50,000 to 100,000	1,914	96	16	7	21	24	85	203	384	494	427	157	-
White	1,901	96	16	7	21	23	85	200	381	489	427	156	-
Nonwhite	13	-	-	-	-	1	-	3	3	5	-	1	-
Places of 25,000 to 50,000	748	41	4	7	4	8	31	64	155	195	170	69	-
White	736	41	4	7	3	8	28	63	151	194	169	68	-
Nonwhite	12	-	-	-	1	-	3	1	4	1	1	1	-
Places of 10,000 to 25,000	1,008	50	12	3	8	16	39	108	210	261	258	63	-
White	1,003	48	12	3	8	16	39	107	210	260	257	63	-
Nonwhite	5	2	-	-	-	-	-	1	-	1	1	-	-
Places of 2,500 to 10,000	330	18	5	4	3	7	12	17	57	93	84	30	-
White	330	18	5	4	3	7	12	17	57	93	84	30	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	349	22	2	6	2	8	16	29	49	93	87	33	2
White	347	22	2	6	2	8	16	29	48	92	87	33	2
Nonwhite	2	-	-	-	-	-	-	-	1	1	-	-	-
NONMETROPOLITAN COUNTIES	1,075	82	11	15	15	19	48	97	182	258	253	93	2
White	1,034	78	11	15	14	18	45	93	179	244	243	92	2
Nonwhite	41	4	-	-	1	1	3	4	3	14	10	1	-
Urban	546	35	4	4	8	10	25	55	95	137	131	42	2
White	511	32	4	4	6	9	23	52	92	123	123	41	2
Nonwhite	35	3	-	-	-	1	2	3	3	14	8	1	-
Places of 25,000 to 50,000	410	28	4	4	5	8	16	43	71	109	89	32	1
White	378	26	4	4	5	7	14	40	68	95	83	31	1
Nonwhite	32	2	-	-	-	1	2	3	3	14	6	1	-
Places of 10,000 to 25,000	136	7	-	-	1	2	9	12	24	28	42	10	1
White	133	6	-	-	1	2	9	12	24	28	40	10	1
Nonwhite	3	1	-	-	-	-	-	-	-	-	2	-	-
Rural	529	47	7	11	9	9	23	42	87	121	122	51	-
White	523	48	7	11	8	9	22	41	87	121	120	51	-
Nonwhite	6	1	-	-	1	-	1	1	-	-	2	-	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
SOUTH CAROLINA	17,973	2,220	458	313	617	1,003	1,582	2,455	3,344	3,214	2,072	702	13
White	9,381	903	168	137	275	397	620	1,015	1,650	2,117	1,621	467	11
Nonwhite	8,592	1,317	270	176	342	606	962	1,440	1,694	1,097	451	235	2
Urban	6,257	668	125	85	176	345	604	955	1,232	1,122	704	230	11
White	3,572	348	57	42	81	150	241	429	662	794	584	174	10
Nonwhite	2,685	320	68	43	95	195	363	526	570	328	120	56	1
Places of 50,000 to 100,000	2,301	249	36	26	66	135	223	372	462	383	271	68	-
White	1,258	107	17	12	31	66	77	149	242	283	220	54	-
Nonwhite	1,043	142	19	14	35	69	146	223	220	110	51	14	-
Places of 25,000 to 50,000	430	41	5	5	12	18	42	63	87	84	56	16	1
White	260	29	3	2	6	6	16	29	47	58	48	15	1
Nonwhite	170	12	2	3	6	12	26	34	40	26	8	1	-
Places of 10,000 to 25,000	1,154	144	27	23	25	64	106	185	223	216	105	36	-
White	673	89	11	11	12	23	50	91	128	145	88	25	-
Nonwhite	481	55	16	12	13	41	56	94	95	71	17	11	-
Places of 2,500 to 10,000	2,372	234	57	31	73	128	233	335	460	429	272	110	10
White	1,381	123	26	17	32	55	98	160	245	308	228	80	9
Nonwhite	991	111	31	14	41	73	135	175	215	121	44	30	1
Rural	11,716	1,552	313	228	441	658	978	1,500	2,112	2,092	1,368	472	2
White	5,809	555	111	95	194	247	379	586	988	1,323	1,037	293	1
Nonwhite	5,907	997	202	133	247	411	599	914	1,124	769	331	179	1
METROPOLITAN COUNTIES	4,615	500	91	65	133	245	447	729	914	816	523	152	-
White	2,573	233	44	27	64	118	176	309	478	585	421	118	-
Nonwhite	2,042	267	47	38	69	127	271	420	436	231	102	34	-
Urban	2,473	263	39	26	70	140	242	400	500	425	291	77	-
White	1,368	117	20	12	33	66	86	164	263	308	236	63	-
Nonwhite	1,105	146	19	14	37	74	156	236	237	117	55	14	-
Places of 50,000 to 100,000	2,301	249	36	26	66	135	223	372	462	393	271	68	-
White	1,258	107	17	12	31	66	77	149	242	283	220	54	-
Nonwhite	1,043	142	19	14	35	69	146	223	220	110	51	14	-
Places of 2,500 to 10,000	172	14	3	-	4	5	19	28	38	32	20	9	-
White	110	10	3	-	2	-	9	15	21	25	18	9	-
Nonwhite	62	4	-	-	2	5	10	13	17	7	4	-	-
Rural	2,142	237	52	39	63	105	205	329	414	391	232	75	-
White	1,205	116	24	15	31	52	90	145	215	277	185	55	-
Nonwhite	937	121	28	24	32	53	115	184	199	114	47	20	-
NONMETROPOLITAN COUNTIES	13,358	1,720	367	248	484	758	1,135	1,726	2,430	2,398	1,549	550	13
White	6,808	670	124	110	211	279	444	706	1,172	1,532	1,200	349	11
Nonwhite	6,550	1,050	223	138	273	479	691	1,020	1,258	866	349	201	2
Urban	3,784	405	86	59	106	205	362	555	732	697	413	153	11
White	2,204	231	37	30	48	84	155	265	399	486	348	111	10
Nonwhite	1,580	174	49	29	58	121	207	290	333	211	65	42	1
Places of 25,000 to 50,000	430	41	5	5	12	18	42	63	87	84	56	16	1
White	260	29	3	2	6	6	16	29	47	58	48	15	1
Nonwhite	170	12	2	3	6	12	26	34	40	26	8	1	-
Places of 10,000 to 25,000	1,154	144	27	23	25	64	106	185	223	216	105	36	-
White	673	89	11	11	12	23	50	91	128	145	88	25	-
Nonwhite	481	55	16	12	13	41	56	94	95	71	17	11	-
Places of 2,500 to 10,000	2,200	220	54	31	69	123	214	307	422	397	252	101	10
White	1,271	113	23	17	30	55	89	145	224	285	212	71	9
Nonwhite	929	107	31	14	39	68	125	162	198	114	40	30	1
Rural	9,574	1,315	281	189	378	553	773	1,171	1,698	1,701	1,136	397	2
White	4,804	439	87	80	163	195	289	441	773	1,046	852	238	1
Nonwhite	4,970	876	194	109	215	358	484	730	925	655	284	159	1
SOUTH DAKOTA	5,880	473	118	77	146	144	207	446	904	1,337	1,419	603	8
White	5,532	397	67	68	122	122	190	427	871	1,301	1,371	592	4
Nonwhite	348	76	51	9	24	22	17	19	33	36	48	11	2
Urban	2,176	186	20	25	35	49	76	185	347	522	516	214	1
White	2,149	180	19	24	33	45	75	185	342	520	513	212	1
Nonwhite	27	6	1	1	2	4	1	-	5	2	3	2	-
Places of 50,000 to 100,000	455	44	5	6	9	15	18	32	80	100	102	44	-
White	453	44	5	6	9	15	18	32	79	100	101	44	-
Nonwhite	2	-	-	-	-	-	-	-	1	-	1	-	-
Places of 25,000 to 50,000	200	27	5	3	2	9	8	14	32	37	39	23	1
White	185	23	5	2	2	5	8	14	29	36	38	22	1
Nonwhite	15	4	-	1	-	4	-	-	3	1	1	1	-
Places of 10,000 to 25,000	601	38	5	5	11	9	16	54	93	155	149	66	-
White	600	38	5	5	11	9	16	54	93	155	149	65	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-
Places of 2,500 to 10,000	920	77	5	11	13	16	34	85	142	230	226	81	-
White	911	75	4	11	11	16	33	85	141	229	225	81	-
Nonwhite	9	2	1	-	2	-	1	-	1	1	1	-	-
Rural	3,704	287	98	52	111	95	131	261	557	815	903	389	5
White	3,383	217	48	44	89	77	115	242	529	781	858	380	3
Nonwhite	321	70	50	8	22	18	16	19	28	34	45	9	2
METROPOLITAN COUNTIES	613	58	7	9	12	21	21	47	101	131	145	61	-
White	611	58	7	9	12	21	21	47	100	131	144	61	-
Nonwhite	2	-	-	-	-	-	-	-	1	-	1	-	-
Urban	455	44	5	6	9	15	18	32	80	100	102	44	-
White	453	44	5	6	9	15	18	32	79	100	101	44	-
Nonwhite	2	-	-	-	-	-	-	-	1	-	1	-	-
Places of 50,000 to 100,000	455	44	5	6	9	15	18	32	80	100	102	44	-
White	453	44	5	6	9	15	18	32	79	100	101	44	-
Nonwhite	2	-	-	-	-	-	-	-	1	-	1	-	-
Rural	158	14	2	3	3	6	3	15	21	31	43	17	-
White	158	14	2	3	3	6	3	15	21	31	43	17	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
SOUTH DAKOTA—Continued													
NONMETROPOLITAN COUNTIES	5,267	415	111	68	134	123	186	399	803	1,206	1,274	542	6
White	4,921	339	60	59	110	101	169	380	771	1,170	1,227	531	4
Nonwhite	346	76	51	9	24	22	17	19	32	36	47	11	2
Urban	1,721	142	15	19	26	34	58	153	267	422	414	170	1
White	1,696	136	14	18	24	30	57	153	263	420	412	168	1
Nonwhite	25	6	1	1	2	4	1	-	4	2	2	2	-
Places of 25,000 to 50,000	200	27	5	3	2	9	8	14	32	37	39	25	1
White	185	23	5	2	2	5	8	14	29	36	38	22	1
Nonwhite	15	4	-	1	-	4	-	-	3	1	1	1	-
Places of 10,000 to 25,000	601	38	5	5	11	9	16	54	93	155	149	66	-
White	600	38	5	5	11	9	16	54	93	155	149	65	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-
Places of 2,500 to 10,000	920	77	5	11	13	16	34	85	142	230	226	81	-
White	911	75	4	11	11	16	33	85	141	229	225	81	-
Nonwhite	9	2	1	-	2	-	1	-	1	1	1	-	-
Rural	3,546	273	96	49	108	89	128	246	536	784	860	372	5
White	3,225	205	46	41	86	71	112	227	508	750	815	363	3
Nonwhite	321	70	50	8	22	18	16	19	28	34	45	9	2
TENNESSEE	29,425	2,961	513	402	789	1,156	1,846	2,869	4,517	6,368	5,982	2,077	5
White	22,594	2,215	404	319	547	776	1,234	1,883	3,228	5,013	5,256	1,707	2
Nonwhite	6,831	746	109	83	242	380	612	976	1,289	1,355	726	370	3
Urban	13,297	1,243	179	140	333	582	961	1,606	2,355	2,813	2,323	760	2
White	8,691	790	122	94	165	320	508	859	1,417	1,901	1,897	598	-
Nonwhite	4,606	453	57	46	148	262	453	747	938	912	426	162	2
Places of 250,000 or more	3,786	333	41	37	82	164	281	552	755	810	558	173	-
White	1,997	155	21	19	31	74	105	228	364	450	412	138	-
Nonwhite	1,789	178	20	18	51	90	176	324	391	360	146	35	-
Places of 100,000 to 250,000	5,058	423	63	46	142	227	414	642	941	1,060	827	273	-
White	3,326	258	42	30	85	110	227	345	569	750	687	223	-
Nonwhite	1,732	165	21	16	57	117	187	297	372	310	140	50	-
Places of 25,000 to 50,000	557	46	9	8	12	27	35	48	91	132	113	36	-
White	395	32	6	7	9	15	18	31	62	96	92	27	-
Nonwhite	162	14	3	1	3	12	17	17	29	36	21	9	-
Places of 10,000 to 25,000	1,294	171	25	13	42	70	80	116	197	269	241	72	-
White	991	138	19	10	23	52	58	79	150	195	211	56	-
Nonwhite	303	33	4	3	19	18	22	37	47	74	30	16	-
Places of 2,500 to 10,000	2,602	270	43	36	55	94	151	248	371	542	584	206	2
White	1,982	207	34	28	37	69	100	176	272	410	495	154	-
Nonwhite	620	63	9	8	18	25	51	72	99	132	89	52	2
Rural	16,128	1,718	334	262	456	574	885	1,263	2,162	3,555	3,659	1,317	3
White	13,903	1,425	282	225	362	456	726	1,054	1,811	3,112	3,359	1,109	2
Nonwhite	2,225	293	52	37	94	118	159	229	351	443	300	148	1
METROPOLITAN COUNTIES	12,190	1,135	178	138	320	518	923	1,540	2,199	2,560	2,025	653	1
White	8,038	711	123	96	190	271	508	838	1,329	1,771	1,661	539	1
Nonwhite	4,152	424	55	42	130	247	415	702	870	789	364	114	-
Urban	9,007	771	108	87	226	396	706	1,210	1,717	1,901	1,426	459	-
White	5,455	426	66	52	117	187	341	585	951	1,226	1,132	372	-
Nonwhite	3,552	345	42	35	109	209	365	625	766	675	294	87	-
Places of 250,000 or more	3,786	333	41	37	82	164	281	552	755	810	558	173	-
White	1,997	155	21	19	31	74	105	228	364	450	412	138	-
Nonwhite	1,789	178	20	18	51	90	176	324	391	360	146	35	-
Places of 100,000 to 250,000	5,058	423	63	46	142	227	414	642	941	1,060	827	273	-
White	3,326	258	42	30	85	110	227	345	569	750	687	223	-
Nonwhite	1,732	165	21	16	57	117	187	297	372	310	140	50	-
Places of 2,500 to 10,000	163	15	4	4	2	5	11	16	21	31	41	13	-
White	132	13	3	3	1	3	9	12	18	26	33	11	-
Nonwhite	31	2	1	1	1	2	2	4	3	5	8	2	-
Rural	3,183	364	70	51	94	122	217	330	482	659	598	194	1
White	2,583	285	57	44	73	84	167	253	378	545	529	167	1
Nonwhite	600	79	13	7	21	38	50	77	104	114	70	27	-
NONMETROPOLITAN COUNTIES	17,235	1,828	335	264	469	638	923	1,329	2,318	3,808	3,957	1,364	4
White	14,556	1,504	281	223	357	505	726	1,055	1,899	3,242	3,595	1,168	1
Nonwhite	2,679	322	54	41	112	133	197	274	419	566	362	196	3
Urban	4,290	472	71	53	107	186	255	396	638	912	897	301	2
White	3,236	364	56	42	68	133	167	274	466	675	765	226	-
Nonwhite	1,054	108	15	11	39	53	88	122	172	237	132	75	2
Places of 25,000 to 50,000	557	46	9	8	12	27	35	48	91	132	113	36	-
White	395	32	6	7	9	15	18	31	62	96	92	27	-
Nonwhite	162	14	3	1	3	12	17	17	29	36	21	9	-
Places of 10,000 to 25,000	1,294	171	23	13	42	70	80	116	197	269	241	72	-
White	991	138	19	10	23	52	58	79	150	195	211	56	-
Nonwhite	303	33	4	3	19	18	22	37	47	74	30	16	-
Places of 2,500 to 10,000	2,439	255	39	32	53	89	140	232	350	511	543	193	2
White	1,850	194	31	25	36	66	91	164	254	384	462	143	-
Nonwhite	589	61	8	7	17	23	49	68	96	127	81	50	2
Rural	12,945	1,354	264	211	362	452	668	933	1,680	2,896	3,060	1,063	2
White	11,320	1,140	225	181	289	372	559	781	1,433	2,567	2,830	942	1
Nonwhite	1,625	214	39	30	73	80	109	152	247	329	230	121	1
TEXAS	63,349	7,630	1,448	939	1,993	2,675	4,021	6,920	9,816	12,809	11,027	4,050	21
White	52,747	6,442	1,233	784	1,801	2,033	2,956	5,105	7,879	10,937	10,006	3,757	14
Nonwhite	10,602	1,188	215	155	392	642	1,065	1,815	1,937	1,872	1,021	293	7
Urban	40,430	5,170	881	517	1,185	1,784	2,731	4,774	6,488	7,951	6,530	2,400	9
White	33,612	4,384	757	445	933	1,360	1,961	3,508	5,171	6,862	5,969	2,254	8
Nonwhite	6,818	786	124	72	252	434	770	1,266	1,317	1,089	561	146	1

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
TEXAS—Continued													
Places of 250,000 or more	14,947	1,605	257	180	401	706	1,154	1,975	2,632	2,911	2,290	836	-
White	12,119	1,279	216	150	309	503	786	1,405	2,085	2,508	2,090	788	-
Nonwhite	2,828	326	41	30	92	203	368	570	547	403	200	48	-
Places of 100,000 to 250,000	2,811	409	60	48	75	121	183	325	487	542	402	158	1
White	2,542	378	58	48	64	104	157	279	447	492	367	147	1
Nonwhite	269	31	2	-	11	17	26	46	40	50	35	11	-
Places of 50,000 to 100,000	5,099	612	102	58	163	232	368	677	848	1,004	739	296	2
White	4,075	491	85	46	119	159	259	469	641	859	670	276	2
Nonwhite	1,024	121	17	10	44	73	110	208	207	145	69	20	-
Places of 25,000 to 50,000	1,394	241	35	18	40	69	83	166	198	240	227	77	-
White	1,201	218	30	16	31	53	58	140	162	215	203	75	-
Nonwhite	193	23	5	2	9	16	25	26	36	25	24	2	-
Places of 10,000 to 25,000	6,840	955	167	79	197	289	429	772	1,027	1,370	1,164	390	1
White	5,759	831	145	66	166	240	319	570	818	1,162	1,072	369	1
Nonwhite	1,081	124	22	13	31	49	110	202	209	208	92	21	-
Places of 2,500 to 10,000	9,339	1,548	260	136	309	377	514	859	1,296	1,864	1,708	843	5
White	7,916	1,187	223	119	244	301	383	645	1,018	1,626	1,567	599	4
Nonwhite	1,423	161	37	17	65	76	131	214	278	238	141	44	1
Rural	22,919	2,460	567	422	808	881	1,290	2,146	3,328	4,858	4,497	1,650	12
White	19,135	2,058	476	339	668	673	995	1,597	2,708	4,075	4,037	1,503	6
Nonwhite	3,784	402	91	83	140	208	295	549	620	783	460	147	6
METROPOLITAN COUNTIES	27,807	3,265	568	370	830	1,312	2,032	3,512	4,739	5,431	4,250	1,574	4
White	23,187	2,738	488	317	663	978	1,461	2,584	3,849	4,731	3,901	1,473	4
Nonwhite	4,720	547	80	53	167	334	571	928	890	700	349	101	-
Urban	24,136	2,781	459	299	677	1,127	1,784	3,109	4,188	4,703	3,663	1,363	3
White	19,922	2,295	398	259	527	825	1,267	2,269	3,358	4,092	3,348	1,281	3
Nonwhite	4,214	486	61	40	150	302	517	840	830	611	315	82	-
Places of 250,000 or more	14,947	1,605	257	180	401	706	1,154	1,975	2,632	2,911	2,290	836	-
White	12,119	1,279	216	150	309	503	786	1,405	2,085	2,508	2,090	788	-
Nonwhite	2,828	326	41	30	92	203	368	570	547	403	200	48	-
Places of 100,000 to 250,000	2,811	409	60	48	75	121	183	325	487	542	402	158	1
White	2,542	378	58	48	64	104	157	279	447	492	367	147	1
Nonwhite	269	31	2	-	11	17	26	46	40	50	35	11	-
Places of 50,000 to 100,000	5,099	612	102	56	163	232	368	677	848	1,004	739	296	2
White	4,075	491	85	46	119	159	258	469	641	859	670	276	2
Nonwhite	1,024	121	17	10	44	73	110	208	207	145	69	20	-
Places of 10,000 to 25,000	663	69	16	6	18	47	46	92	110	126	98	35	-
White	611	66	16	6	17	40	40	80	98	117	97	34	-
Nonwhite	52	3	-	-	1	7	6	12	12	9	1	1	-
Places of 2,500 to 10,000	616	86	24	9	20	21	33	40	91	120	134	38	-
White	575	81	23	9	18	19	26	36	87	116	124	36	-
Nonwhite	41	5	1	-	2	2	7	4	4	4	10	2	-
Rural	3,771	504	109	71	153	185	248	403	571	728	587	211	1
White	3,265	443	90	58	136	153	194	315	491	639	553	192	1
Nonwhite	506	61	19	13	17	32	54	88	80	89	34	19	-
NONMETROPOLITAN COUNTIES	35,442	4,345	880	569	1,163	1,363	1,988	3,408	5,077	7,378	6,777	2,476	17
White	29,560	3,704	745	467	938	1,055	1,495	2,521	4,030	6,206	6,105	2,284	10
Nonwhite	5,882	641	135	102	225	308	494	887	1,047	1,172	672	192	7
Urban	16,294	2,389	422	218	508	667	947	1,665	2,320	3,248	2,867	1,037	6
White	13,690	2,088	359	186	406	535	694	1,239	1,813	2,770	2,621	973	5
Nonwhite	2,604	300	63	32	102	132	253	426	507	478	246	64	1
Places of 25,000 to 50,000	1,394	241	35	18	40	69	83	166	198	240	227	77	-
White	1,201	218	30	16	31	53	58	140	162	215	203	75	-
Nonwhite	193	23	5	2	9	16	25	26	36	25	24	2	-
Places of 10,000 to 25,000	6,177	886	151	73	179	242	383	680	917	1,244	1,066	355	1
White	5,148	765	129	60	149	200	279	490	720	1,045	975	335	1
Nonwhite	1,029	121	22	13	30	42	104	190	197	199	91	20	-
Places of 2,500 to 10,000	8,723	1,262	236	127	289	356	481	819	1,205	1,764	1,574	605	5
White	7,341	1,106	200	110	226	282	357	609	931	1,510	1,443	563	4
Nonwhite	1,382	156	36	17	63	74	124	210	274	254	131	42	1
Rural	19,148	1,956	458	351	655	696	1,042	1,743	2,757	4,130	3,910	1,439	11
White	15,870	1,615	386	281	532	520	801	1,282	2,217	3,436	3,484	1,311	5
Nonwhite	3,278	341	72	70	123	176	241	461	540	694	426	128	6
UTAH	4,974	503	104	98	145	186	250	413	772	1,070	1,027	398	8
White	4,841	476	98	96	139	178	245	401	753	1,044	1,011	395	5
Nonwhite	133	27	6	2	6	8	5	12	19	26	16	3	3
Urban	3,284	316	56	41	82	134	163	298	529	722	688	254	1
White	3,216	304	54	41	80	131	160	292	516	705	678	254	1
Nonwhite	68	12	2	-	2	3	3	6	13	17	10	-	-
Places of 100,000 to 250,000	1,669	125	22	14	35	62	72	155	272	403	368	141	-
White	1,636	125	22	14	33	60	70	154	265	392	360	141	-
Nonwhite	33	-	-	-	2	2	2	1	7	11	8	-	-
Places of 50,000 to 100,000	442	46	8	6	12	26	24	48	62	92	89	29	-
White	421	41	6	6	12	25	24	44	59	88	87	29	-
Nonwhite	21	5	2	-	-	1	-	4	3	4	2	-	-
Places of 25,000 to 50,000	140	14	2	4	4	2	11	7	25	27	32	12	-
White	140	14	2	4	4	2	11	7	25	27	32	12	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	129	10	-	3	3	1	6	9	20	23	35	19	
White	129	10	-	3	3	1	6	9	20	23	35	19	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	904	121	24	14	28	43	50	79	150	177	164	53	1
White	890	114	24	14	28	43	49	78	147	175	164	53	1
Nonwhite	14	7	-	-	-	-	1	1	3	2	-	-	-
Rural	1,690	187	48	57	63	52	87	115	243	348	339	144	7
White	1,625	172	44	55	59	47	85	109	237	339	333	141	4
Nonwhite	65	15	4	2	4	5	2	6	6	9	6	3	3

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UTAH—Continued													
METROPOLITAN COUNTIES	2,649	227	43	35	60	110	120	247	431	597	558	220	1
White	2,588	219	40	35	58	107	117	242	421	581	547	220	1
Nonwhite	61	8	3	-	2	3	3	5	10	16	11	-	-
Urban	2,280	190	35	22	51	99	102	219	369	527	482	184	-
White	2,224	185	33	22	49	96	99	214	359	511	472	184	-
Nonwhite	56	5	2	-	2	3	3	5	10	16	10	-	-
Places of 100,000 to 250,000	1,669	125	22	14	35	62	72	155	272	403	368	141	-
White	1,636	125	22	14	33	60	70	154	265	392	360	141	-
Nonwhite	33	-	-	-	2	2	2	1	7	11	8	-	-
Places of 50,000 to 100,000	442	46	8	6	12	26	24	48	62	92	89	29	-
White	421	41	6	6	12	25	24	44	59	88	87	29	-
Nonwhite	21	5	2	-	-	1	-	4	3	4	2	-	-
Places of 2,500 to 10,000	169	19	5	2	4	11	6	16	35	32	25	14	-
White	167	19	5	2	4	11	5	16	35	31	25	14	-
Nonwhite	2	-	-	-	-	-	1	-	-	1	-	-	-
Rural	369	37	8	13	9	11	18	28	62	70	76	36	1
White	364	34	7	13	9	11	18	28	62	70	75	36	1
Nonwhite	5	3	1	-	-	-	-	-	-	-	1	-	-
NONMETROPOLITAN COUNTIES	2,325	276	61	63	85	76	130	166	341	475	469	178	7
White	2,253	257	58	61	81	71	128	159	332	463	464	175	4
Nonwhite	72	19	3	2	4	5	2	7	9	10	5	3	3
Urban	1,004	126	21	19	31	35	61	79	160	195	206	70	1
White	992	119	21	19	31	35	61	78	157	194	206	70	1
Nonwhite	12	7	-	-	-	-	-	1	3	1	-	-	-
Places of 25,000 to 50,000	140	14	2	4	4	2	11	7	25	27	32	12	-
White	140	14	2	4	4	2	11	7	25	27	32	12	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	129	10	-	3	3	1	6	9	20	23	35	19	-
White	129	10	-	3	3	1	6	9	20	23	35	19	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	735	102	19	12	24	32	44	63	115	145	139	39	1
White	723	95	19	12	24	32	44	62	112	144	139	39	1
Nonwhite	12	7	-	-	-	-	-	1	3	1	-	-	-
Rural	1,321	150	40	44	54	41	69	87	181	278	263	108	6
White	1,261	138	37	42	50	36	67	81	175	269	258	105	3
Nonwhite	60	12	3	2	4	5	2	6	6	9	5	3	3
VERMONT	4,167	221	53	34	64	85	142	306	585	1,080	1,106	479	12
White	4,162	221	53	34	64	85	142	305	584	1,079	1,104	479	12
Nonwhite	5	-	-	-	-	-	-	1	1	1	2	-	-
Urban	1,547	84	15	13	21	39	57	124	224	413	390	163	4
White	1,544	84	15	13	21	39	57	124	223	412	389	163	4
Nonwhite	3	-	-	-	-	-	-	-	1	1	1	-	-
Places of 25,000 to 50,000	284	25	1	1	6	7	8	24	39	67	77	29	-
White	283	25	1	1	6	7	8	24	39	66	77	29	-
Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-
Places of 10,000 to 25,000	336	10	1	2	7	9	17	26	51	98	83	31	1
White	336	10	1	2	7	9	17	26	51	98	83	31	1
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	927	49	13	10	8	23	32	74	134	248	230	103	3
White	925	49	13	10	8	23	32	74	133	248	229	103	3
Nonwhite	2	-	-	-	-	-	-	-	1	-	1	-	-
Rural	2,620	137	38	21	43	46	85	182	361	667	716	316	8
White	2,618	137	38	21	43	46	85	181	361	667	715	316	8
Nonwhite	2	-	-	-	-	-	-	1	-	-	1	-	-
NONMETROPOLITAN COUNTIES	4,167	221	53	34	64	85	142	306	585	1,080	1,106	479	12
White	4,162	221	53	34	64	85	142	305	584	1,079	1,104	479	12
Nonwhite	5	-	-	-	-	-	-	1	1	1	2	-	-
Urban	1,547	84	15	13	21	39	57	124	224	413	390	163	4
White	1,544	84	15	13	21	39	57	124	223	412	389	163	4
Nonwhite	3	-	-	-	-	-	-	-	1	1	1	-	-
Places of 25,000 to 50,000	284	25	1	1	6	7	8	24	39	67	77	29	-
White	283	25	1	1	6	7	8	24	39	66	77	29	-
Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-
Places of 10,000 to 25,000	336	10	1	2	7	9	17	26	51	98	83	31	1
White	336	10	1	2	7	9	17	26	51	98	83	31	1
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	927	49	13	10	8	23	32	74	134	248	230	103	3
White	925	49	13	10	8	23	32	74	133	248	229	103	3
Nonwhite	2	-	-	-	-	-	-	-	1	-	1	-	-
Rural	2,620	137	38	21	43	46	85	182	361	667	716	316	8
White	2,618	137	38	21	43	46	85	181	361	667	715	316	8
Nonwhite	2	-	-	-	-	-	-	1	-	-	1	-	-
VIRGINIA	28,708	2,836	462	382	805	1,262	1,954	3,218	4,966	6,438	5,383	1,941	41
White	20,505	1,736	295	267	500	697	1,120	1,906	3,077	4,731	4,555	1,609	10
Nonwhite	9,205	1,100	167	115	305	565	834	1,312	1,909	1,707	828	332	31
Urban	12,691	1,081	149	109	286	570	970	1,657	2,326	2,732	2,087	701	13
White	8,484	663	91	75	166	289	493	931	1,400	1,896	1,796	802	2
Nonwhite	4,207	418	58	34	120	301	477	726	926	736	301	99	11
Places of 100,000 to 250,000[1]	5,349	398	52	38	117	255	430	755	1,039	1,109	870	283	5
White	3,396	211	31	24	56	104	205	385	586	798	751	245	2
Nonwhite	1,953	187	21	14	61	151	225	370	453	313	119	38	1

[1]Includes Arlington County classified as urban under a special rule.

257476 O - 53 - 4

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
VIRGINIA—Continued													
Places of 50,000 to 100,000	2,120	182	33	24	49	104	167	268	408	448	324	114	1
White	1,444	116	16	20	34	45	93	153	268	323	275	101	-
Nonwhite	676	66	17	4	15	59	74	115	140	125	49	13	1
Places of 25,000 to 50,000	1,997	179	20	15	41	89	166	258	393	429	307	96	4
White	1,173	99	12	8	18	34	70	126	197	285	242	82	-
Nonwhite	824	80	8	7	23	55	96	132	196	144	65	14	4
Places of 10,000 to 25,000	1,232	108	19	11	31	49	69	150	178	307	238	72	-
White	922	77	16	8	19	29	36	102	116	245	213	61	-
Nonwhite	310	31	3	3	12	20	33	48	62	62	25	11	-
Places of 2,500 to 10,000	1,993	214	25	21	48	73	138	226	308	441	358	136	5
White	1,549	160	16	15	39	57	89	165	233	347	315	113	-
Nonwhite	444	54	9	6	9	16	49	61	75	94	43	23	5
Rural	17,017	1,755	313	273	519	692	984	1,561	2,660	3,706	3,286	1,240	28
White	12,019	1,073	204	192	334	428	627	975	1,677	2,735	2,759	1,007	8
Nonwhite	4,998	682	109	81	185	264	357	586	983	971	527	233	20
METROPOLITAN COUNTIES	9,908	830	122	98	228	472	771	1,318	1,851	2,045	1,617	551	5
White	6,895	499	72	73	131	223	425	747	1,133	1,508	1,398	484	2
Nonwhite	3,213	331	50	25	97	249	346	571	718	537	219	67	3
Urban	7,785	614	88	66	176	372	623	1,067	1,494	1,617	1,239	424	5
White	5,102	355	50	47	97	162	315	575	893	1,171	1,064	371	2
Nonwhite	2,683	259	38	19	79	210	308	492	601	446	175	53	3
Places of 100,000 to 250,000[1]	5,349	398	52	38	117	255	430	755	1,039	1,109	870	285	3
White	3,396	211	31	24	56	104	205	385	586	796	751	245	2
Nonwhite	1,953	187	21	14	61	151	225	370	453	313	119	38	1
Places of 50,000 to 100,000	2,120	182	33	24	49	104	167	268	408	448	324	114	1
White	1,444	116	16	20	34	45	93	153	268	323	275	101	-
Nonwhite	676	66	17	4	15	59	74	115	140	125	49	13	1
Places of 10,000 to 25,000	92	10	1	1	4	4	6	13	15	17	14	7	-
White	64	6	1	1	2	4	1	9	11	14	9	6	-
Nonwhite	28	4	-	-	2	-	5	4	4	3	5	1	-
Places of 2,500 to 10,000	224	24	2	3	6	9	20	31	32	45	31	20	1
White	198	22	2	2	5	9	16	28	28	38	29	19	-
Nonwhite	26	2	-	1	1	-	4	3	4	7	2	1	1
Rural	2,123	216	34	32	52	100	148	251	357	428	378	127	-
White	1,593	144	22	26	34	61	110	172	240	337	334	113	-
Nonwhite	530	72	12	6	18	39	38	79	117	91	44	14	-
NONMETROPOLITAN COUNTIES	19,800	2,006	340	284	577	790	1,183	1,900	3,135	4,393	3,766	1,390	36
White	13,808	1,237	223	194	369	474	695	1,159	1,944	3,223	3,157	1,125	8
Nonwhite	5,992	769	117	90	208	316	488	741	1,191	1,170	609	265	28
Urban	4,906	467	61	43	110	198	347	590	832	1,115	858	277	8
White	3,382	308	41	28	69	107	178	356	507	825	732	231	-
Nonwhite	1,524	159	20	15	41	91	169	234	325	290	126	46	8
Places of 25,000 to 50,000	1,997	179	20	15	41	89	166	258	393	429	307	96	4
White	1,173	99	12	8	18	34	70	126	197	285	242	82	-
Nonwhite	824	80	8	7	23	55	96	132	196	144	65	14	4
Places of 10,000 to 25,000	1,140	98	18	10	27	45	63	137	163	290	224	65	-
White	858	71	15	7	17	25	35	93	105	251	204	55	-
Nonwhite	282	27	3	3	10	20	28	44	58	39	20	10	-
Places of 2,500 to 10,000	1,769	190	23	18	42	64	118	195	276	396	327	116	4
White	1,351	139	14	13	34	48	73	137	205	309	286	94	-
Nonwhite	418	52	9	5	8	16	45	58	71	87	41	22	4
Rural	14,894	1,539	279	241	467	592	836	1,310	2,303	3,278	2,908	1,113	28
White	10,426	929	182	166	300	367	517	803	1,437	2,398	2,425	894	8
Nonwhite	4,468	610	97	75	167	225	319	507	866	880	483	219	20
WASHINGTON	22,486	1,522	260	243	375	621	1,092	1,989	3,697	5,621	4,964	2,089	13
White	21,818	1,406	248	229	347	570	1,022	1,912	3,617	5,508	4,887	2,059	13
Nonwhite	668	116	12	14	28	51	70	77	80	113	77	30	-
Urban	14,471	957	142	123	199	364	688	1,331	2,388	3,686	3,238	1,349	6
White	14,019	895	133	115	186	330	636	1,271	2,320	3,600	3,191	1,336	6
Nonwhite	452	62	9	8	13	34	52	60	68	86	47	13	-
Places of 250,000 or more	5,748	337	50	41	71	152	285	620	1,007	1,443	1,250	492	2
White	5,478	299	45	40	63	133	259	581	963	1,389	1,221	483	2
Nonwhite	270	38	5	1	8	19	24	39	44	54	29	9	-
Places of 100,000 to 250,000	3,462	219	41	24	54	84	175	247	571	917	781	346	3
White	3,377	208	39	22	52	79	156	237	557	903	775	346	3
Nonwhite	85	11	2	2	2	5	19	10	14	14	6	-	-
Places of 25,000 to 50,000	2,010	154	17	16	22	52	89	167	328	488	469	208	-
White	1,969	149	17	14	21	47	87	165	321	479	465	204	-
Nonwhite	41	5	-	2	1	5	2	2	7	9	4	4	-
Places of 10,000 to 25,000	1,643	124	19	25	28	32	65	165	259	426	355	144	1
White	1,618	123	19	24	27	31	63	159	257	421	349	144	1
Nonwhite	25	1	-	1	1	1	2	6	2	5	6	-	-
Places of 2,500 to 10,000	1,608	123	15	17	24	44	76	132	223	412	383	159	-
White	1,577	116	13	15	23	40	71	129	222	408	381	159	-
Nonwhite	31	7	2	2	1	4	5	3	1	4	2	-	-
Rural	8,015	565	118	120	176	257	404	658	1,309	1,935	1,726	740	7
White	7,799	511	115	114	161	240	386	641	1,297	1,908	1,696	723	7
Nonwhite	216	54	3	6	15	17	18	17	12	27	30	17	-
METROPOLITAN COUNTIES	12,808	794	142	115	188	345	640	1,177	2,161	3,256	2,815	1,167	6
White	12,409	733	135	112	175	318	596	1,122	2,098	3,182	2,775	1,157	6
Nonwhite	399	61	7	3	13	27	44	55	63	76	40	10	-
Urban	10,111	622	103	81	134	265	503	938	1,717	2,584	2,235	924	5
White	9,744	570	96	76	123	240	459	887	1,656	2,514	2,199	915	5
Nonwhite	367	52	7	3	11	25	44	51	59	70	36	9	-

[1]Includes Arlington County classified as urban under a special rule.

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
WASHINGTON—Continued													
METROPOLITAN COUNTIES—Continued													
Places of 250,000 or more	5,748	337	50	41	71	152	283	820	1,007	1,443	1,250	492	2
White	5,478	299	45	40	63	133	259	581	963	1,389	1,221	483	2
Nonwhite	270	38	5	1	8	19	24	39	44	54	29	9	-
Places of 100,000 to 250,000	3,462	219	41	24	54	84	175	247	571	917	781	348	3
White	3,377	208	39	22	52	79	156	237	557	903	775	346	3
Nonwhite	85	11	2	2	2	5	19	10	14	14	6	-	-
Places of 25,000 to 50,000	337	30	6	3	1	13	19	29	53	87	69	28	-
White	332	28	6	3	1	13	18	28	52	87	69	28	-
Nonwhite	5	2	-	-	-	-	1	1	1	-	-	-	-
Places of 10,000 to 25,000	218	18	4	8	2	3	9	15	27	60	49	23	-
White	213	17	4	8	2	3	9	14	27	58	48	23	-
Nonwhite	5	1	-	-	-	-	-	1	-	2	1	-	-
Places of 2,500 to 10,000	346	18	2	5	6	13	17	27	59	77	87	35	-
White	344	18	2	5	5	12	17	27	59	77	87	35	-
Nonwhite	2	-	-	-	1	1	-	-	-	-	-	-	-
Rural	2,697	172	39	34	54	80	137	239	444	674	580	243	1
White	2,665	163	39	34	52	78	137	235	440	668	576	242	1
Nonwhite	32	9	-	-	2	2	-	4	4	6	4	1	-
NONMETROPOLITAN COUNTIES	9,676	728	118	128	187	276	452	812	1,536	2,363	2,149	922	7
White	9,409	673	113	117	172	252	426	790	1,519	2,326	2,112	902	7
Nonwhite	269	55	5	11	15	24	26	22	17	37	37	20	-
Urban	4,360	335	39	42	65	99	185	393	671	1,102	1,003	425	1
White	4,275	325	37	37	63	90	177	384	662	1,086	992	421	1
Nonwhite	85	10	2	5	2	9	8	9	9	16	11	4	-
Places of 25,000 to 50,000	1,673	124	11	13	21	39	70	138	275	401	401	180	-
White	1,637	121	11	11	20	34	69	137	269	392	397	176	-
Nonwhite	36	3	-	2	1	5	1	1	6	9	4	4	-
Places of 10,000 to 25,000	1,425	106	15	17	28	29	56	150	232	366	306	121	1
White	1,405	106	15	16	25	28	54	145	230	363	301	121	1
Nonwhite	20	-	-	1	1	1	2	5	2	3	5	-	-
Places of 2,500 to 10,000	1,262	105	13	12	18	31	59	105	164	335	296	124	-
White	1,233	98	11	10	18	28	54	102	163	331	294	124	-
Nonwhite	29	7	2	2	-	3	5	3	1	4	2	-	-
Rural	5,318	393	79	86	122	177	267	419	865	1,261	1,146	497	6
White	5,134	348	76	80	109	162	249	406	857	1,240	1,120	481	6
Nonwhite	184	45	3	6	13	15	18	13	8	21	26	16	-
WEST VIRGINIA	17,428	1,822	311	252	448	637	1,054	1,687	2,606	3,779	3,462	1,307	63
White	16,044	1,678	289	236	415	571	921	1,465	2,318	3,521	3,327	1,255	48
Nonwhite	1,384	144	22	16	33	66	133	222	288	258	135	52	15
Urban	6,845	579	77	67	117	222	408	772	1,199	1,592	1,301	487	24
White	6,171	524	64	59	103	196	343	656	1,070	1,453	1,232	456	15
Nonwhite	674	55	13	8	14	26	65	116	129	139	69	31	9
Places of 50,000 to 100,000	2,458	190	36	28	33	77	134	296	417	581	489	172	5
White	2,188	175	28	27	31	65	112	250	362	526	456	154	2
Nonwhite	270	15	8	1	2	12	22	46	55	55	33	18	3
Places of 25,000 to 50,000	1,345	114	7	15	12	39	79	149	207	319	293	106	5
White	1,286	109	7	14	12	39	75	137	194	306	286	104	3
Nonwhite	59	5	-	1	-	-	4	12	13	13	7	2	2
Places of 10,000 to 25,000	1,012	106	11	9	26	36	73	109	213	240	119	62	8
White	865	88	10	7	19	33	56	85	187	207	112	57	4
Nonwhite	147	18	1	2	7	3	17	24	26	33	7	5	4
Places of 2,500 to 10,000	2,030	169	23	15	46	70	122	218	362	452	400	147	6
White	1,832	152	19	11	41	59	100	184	327	414	378	141	6
Nonwhite	198	17	4	4	5	11	22	34	35	38	22	6	-
Rural	10,583	1,243	234	185	331	415	646	915	1,407	2,187	2,161	820	39
White	9,873	1,154	225	177	312	375	578	809	1,248	2,068	2,095	799	33
Nonwhite	710	89	9	8	19	40	68	106	159	119	66	21	6
METROPOLITAN COUNTIES	5,572	515	96	78	118	199	341	617	939	1,246	1,037	380	6
White	5,051	471	84	72	112	172	292	537	831	1,149	973	355	3
Nonwhite	521	44	12	6	6	27	49	80	108	97	64	25	3
Urban	3,487	281	47	37	52	114	196	418	842	802	652	241	5
White	3,147	260	37	34	49	97	168	358	576	736	608	222	2
Nonwhite	340	21	10	3	3	17	28	60	66	66	44	19	3
Places of 50,000 to 100,000	2,458	190	36	28	33	77	134	296	417	581	489	172	5
White	2,188	175	28	27	31	65	112	250	362	526	456	154	2
Nonwhite	270	15	8	1	2	12	22	46	55	55	33	18	3
Places of 10,000 to 25,000	407	44	6	3	10	17	28	49	100	90	39	21	-
White	382	40	6	3	9	16	25	42	95	86	39	21	-
Nonwhite	25	4	-	-	1	1	3	7	5	4	-	-	-
Places of 2,500 to 10,000	622	47	5	6	9	20	34	73	125	131	124	48	-
White	577	45	3	4	9	16	31	66	119	124	113	47	-
Nonwhite	45	2	2	2	-	4	3	7	6	7	11	1	-
Rural	2,085	234	49	41	66	85	145	199	297	444	385	139	1
White	1,904	211	47	38	63	75	124	179	255	413	365	133	1
Nonwhite	181	23	2	3	3	10	21	20	42	31	20	6	-
NONMETROPOLITAN COUNTIES	11,856	1,307	215	174	330	438	713	1,070	1,667	2,533	2,425	927	57
White	10,993	1,207	205	164	303	399	629	928	1,487	2,372	2,354	900	45
Nonwhite	863	100	10	10	27	39	84	142	180	161	71	27	12
Urban	3,358	298	30	30	65	108	212	354	557	790	648	246	19
White	3,024	264	27	25	54	99	175	298	494	717	624	234	13
Nonwhite	334	34	3	5	11	9	37	56	63	73	25	12	6
Places of 25,000 to 50,000	1,345	114	7	15	12	39	79	149	207	319	293	106	5
White	1,286	109	7	14	12	39	75	137	194	306	286	104	3
Nonwhite	59	5	-	1	-	-	4	12	13	13	7	2	2

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
WEST VIRGINIA—Continued													
NONMETROPOLITAN COUNTIES—Continued													
Places of 10,000 to 25,000	605	62	5	6	16	19	45	60	113	150	80	41	8
White	483	48	4	4	10	17	31	43	92	121	73	36	4
Nonwhite	122	14	1	2	6	2	14	17	21	29	7	5	4
Places of 2,500 to 10,000	1,408	122	18	9	37	50	88	145	237	321	276	99	6
White	1,255	107	16	7	32	43	69	118	208	290	265	94	6
Nonwhite	153	15	2	2	5	7	19	27	29	31	11	5	-
Rural	8,498	1,009	185	144	265	330	501	716	1,110	1,743	1,776	681	38
White	7,969	943	178	139	249	300	454	630	993	1,655	1,730	666	32
Nonwhite	529	66	7	5	16	30	47	86	117	88	46	15	6
WISCONSIN	33,778	2,121	339	314	534	659	1,299	2,823	5,601	8,265	8,265	3,556	2
White	33,323	2,048	319	303	511	621	1,271	2,769	5,531	8,192	8,226	3,530	2
Nonwhite	455	73	20	11	23	38	28	54	70	73	39	26	-
Urban	19,685	1,240	165	145	288	375	765	1,835	3,505	4,839	4,634	1,914	-
White	19,409	1,204	154	140	254	349	742	1,792	3,453	4,797	4,620	1,904	-
Nonwhite	276	36	11	5	14	26	23	43	52	42	14	10	-
Places of 250,000 or more	6,483	378	51	48	83	153	305	698	1,337	1,670	1,313	467	-
White	6,261	349	41	43	73	111	284	664	1,292	1,639	1,301	464	-
Nonwhite	222	29	10	5	10	22	21	34	45	31	12	3	-
Places of 50,000 to 100,000	2,417	164	27	14	39	54	102	238	444	572	535	228	-
White	2,390	162	27	14	36	51	102	233	439	566	533	227	-
Nonwhite	27	2	-	-	3	3	-	5	5	6	2	1	-
Places of 25,000 to 50,000	4,472	285	39	32	58	77	164	395	769	1,109	1,112	432	-
White	4,452	282	38	32	57	77	163	392	767	1,104	1,112	428	-
Nonwhite	20	3	1	-	1	-	1	3	2	5	-	4	-
Places of 10,000 to 25,000	2,427	156	21	26	29	43	71	238	385	571	608	277	-
White	2,424	157	21	26	29	43	71	237	385	571	608	276	-
Nonwhite	3	1	-	-	-	-	-	1	-	-	-	1	-
Places of 2,500 to 10,000	3,986	255	27	25	59	68	123	286	570	917	1,066	510	-
White	3,982	254	27	25	59	67	122	286	570	917	1,066	509	-
Nonwhite	4	1	-	-	-	1	1	-	-	-	-	1	-
Rural	14,093	881	174	169	266	284	534	988	2,096	3,426	3,631	1,642	2
White	13,914	844	165	163	257	272	529	977	2,078	3,395	3,606	1,626	2
Nonwhite	179	37	9	6	9	12	5	11	18	31	25	16	-
METROPOLITAN COUNTIES	12,807	774	124	104	194	271	575	1,312	2,450	3,231	2,729	1,042	1
White	12,539	741	113	99	180	246	552	1,271	2,396	3,189	2,714	1,037	1
Nonwhite	268	33	11	5	14	25	23	41	54	42	15	5	-
Urban	10,794	636	93	76	150	226	492	1,133	2,140	2,751	2,274	853	-
White	10,539	604	83	71	137	201	460	1,093	2,089	2,693	2,260	848	-
Nonwhite	255	32	10	5	13	25	22	40	51	58	14	5	-
Places of 250,000 or more	6,483	378	51	48	83	133	305	698	1,337	1,670	1,313	467	-
White	6,261	349	41	43	73	111	284	664	1,292	1,659	1,301	464	-
Nonwhite	222	29	10	5	10	22	21	34	45	31	12	3	-
Places of 50,000 to 100,000	2,417	164	27	14	39	54	102	238	444	572	535	228	-
White	2,390	162	27	14	36	51	102	233	439	566	533	227	-
Nonwhite	27	2	-	-	3	3	-	5	5	6	2	1	-
Places of 25,000 to 50,000	1,144	63	9	6	18	24	41	116	223	302	248	94	-
White	1,138	62	9	6	18	24	40	115	222	301	248	93	-
Nonwhite	6	1	-	-	-	-	1	1	1	1	-	1	-
Places of 10,000 to 25,000	461	22	3	6	2	8	22	62	82	108	109	37	-
White	461	22	3	6	2	8	22	62	82	108	109	37	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	289	9	3	2	8	7	12	19	54	79	69	27	-
White	289	9	3	2	8	7	12	19	54	79	69	27	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	2,013	138	31	28	44	45	83	179	310	480	455	189	1
White	2,000	137	30	28	43	45	82	178	307	496	454	189	1
Nonwhite	13	1	1	-	1	-	1	1	3	4	1	-	-
NONMETROPOLITAN COUNTIES	20,971	1,347	215	210	340	388	724	1,511	3,151	5,034	5,536	2,514	1
White	20,784	1,307	206	204	331	375	719	1,498	3,135	5,005	5,512	2,493	1
Nonwhite	187	40	9	6	9	13	5	13	16	31	24	21	-
Urban	8,891	604	72	69	118	149	283	702	1,365	2,108	2,360	1,061	-
White	8,870	600	71	69	117	148	282	699	1,364	2,104	2,360	1,056	-
Nonwhite	21	4	1	-	1	1	1	3	1	4	-	5	-
Places of 25,000 to 50,000	3,328	222	30	26	40	53	123	279	546	907	864	338	-
White	3,314	220	29	26	39	53	123	277	545	903	864	335	-
Nonwhite	14	2	1	-	1	-	-	2	1	4	-	3	-
Places of 10,000 to 25,000	1,966	136	16	20	27	35	49	176	303	483	499	240	-
White	1,963	135	16	20	27	35	49	175	303	483	499	239	-
Nonwhite	3	1	-	-	-	-	-	1	-	-	-	1	-
Places of 2,500 to 10,000	3,597	246	24	23	51	61	111	247	516	838	997	483	-
White	3,593	245	24	23	51	60	110	247	516	838	997	482	-
Nonwhite	4	1	-	-	-	1	1	-	-	-	-	1	-
Rural	12,080	743	143	141	222	239	441	809	1,786	2,926	3,176	1,453	1
White	11,914	707	135	135	214	227	437	799	1,771	2,899	3,152	1,437	1
Nonwhite	168	36	8	6	8	12	4	10	15	27	24	16	-
WYOMING	2,336	217	39	48	101	96	148	216	375	493	422	151	-
White	2,258	228	36	45	95	94	138	210	366	481	418	147	-
Nonwhite	78	19	3	3	6	2	10	6	9	12	4	4	-
Urban	1,337	148	16	18	43	52	87	131	208	299	242	93	-
White	1,304	141	14	16	42	51	82	130	203	292	240	93	-
Nonwhite	33	7	2	2	1	1	5	1	5	7	2	-	-

Table 47. Deaths by Age, Race, and Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1950—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
WYOMING—Continued													
Places of 25,000 to 50,000	269	32	6	3	7	9	23	35	48	54	41	11	-
White	251	28	5	2	7	9	20	34	46	50	39	11	-
Nonwhite	18	4	1	1	-	-	3	1	2	4	2	-	-
Places of 10,000 to 25,000	543	59	3	5	21	22	32	41	88	126	101	45	-
White	537	58	3	5	20	21	31	41	86	126	101	45	-
Nonwhite	6	1	-	-	1	1	1	-	2	-	-	-	-
Places of 2,500 to 10,000	525	57	7	10	15	21	32	55	72	118	100	37	-
White	516	55	6	9	15	21	31	55	71	116	100	37	-
Nonwhite	9	2	1	1	-	-	1	-	1	3	-	-	-
Rural	999	99	23	30	58	44	61	85	167	194	180	58	-
White	954	87	22	29	53	43	56	80	163	189	178	54	-
Nonwhite	45	12	1	1	5	1	5	5	4	5	2	4	-
NONMETROPOLITAN COUNTIES	2,336	247	39	48	101	96	148	216	375	493	422	151	-
White	2,258	228	36	45	95	94	138	210	366	481	418	147	-
Nonwhite	78	19	3	3	6	2	10	6	9	12	4	4	-
Urban	1,337	148	16	18	43	52	87	131	208	299	242	93	-
White	1,304	141	14	16	42	51	82	130	205	292	240	93	-
Nonwhite	33	7	2	2	1	1	5	1	3	7	2	-	-
Places of 25,000 to 50,000	269	32	6	3	7	9	23	35	48	54	41	11	-
White	251	28	5	2	7	9	20	34	46	50	39	11	-
Nonwhite	18	4	1	1	-	-	3	1	2	4	2	-	-
Places of 10,000 to 25,000	543	59	3	5	21	22	32	41	88	126	101	45	-
White	537	58	3	5	20	21	31	41	86	126	101	45	-
Nonwhite	6	1	-	-	1	1	1	-	2	-	-	-	-
Places of 2,500 to 10,000	525	57	7	10	15	21	32	55	72	118	100	37	-
White	516	55	6	9	15	21	31	55	71	116	100	37	-
Nonwhite	9	2	1	1	-	-	1	-	1	3	-	-	-
Rural	999	99	23	30	58	44	61	85	167	194	180	58	-
White	954	87	22	29	53	43	56	80	163	189	178	54	-
Nonwhite	45	12	1	1	5	1	5	5	4	5	2	4	-

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in Standard Metropolitan Areas as defined by the Bureau of the Census, except in New England where the counties are those in the Metropolitan State Economic Areas, also as defined by the Bureau of the Census. The category "nonmetropolitan counties" includes all other counties in the State. The "urban-rural" classification is based on the "old" (1940) definition of the Bureau of the Census, in which "urban" consists of incorporated places of 2,500 population or more in the 1950 Census and a number of other places defined as urban under special rules. For further discussion of the "metropolitan-nonmetropolitan" and "urban-rural" classifications, see text in Volume I, "Vital Statistics of the United States, 1950."

Table 48. Deaths by Age, Sex, Race, and Nativity of White by Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States, 1950

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Deaths of white persons whose nativity was not stated are not shown separately, but are included in "White")

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
ALL COUNTIES	1,452,454	103,825	18,148	14,607	28,298	42,467	78,937	148,087	254,150	342,296	305,851	116,516	1,272
Male	827,749	59,727	10,062	8,769	18,332	25,111	45,402	92,356	160,422	198,428	157,095	51,240	805
Female	624,705	44,098	8,086	5,838	9,966	17,356	31,535	55,731	93,728	143,868	148,756	65,276	467
White	1,276,085	82,018	14,203	12,002	21,793	31,558	59,208	120,144	222,222	312,482	289,503	110,034	918
Male	731,366	47,595	7,921	7,298	14,769	19,323	36,293	77,150	142,419	181,770	147,984	48,249	595
Female	544,719	34,423	6,282	4,704	7,024	12,235	22,915	42,994	79,803	130,712	141,519	61,785	323
Native white	1,002,048	81,465	13,976	11,840	21,186	30,271	54,488	99,934	165,102	226,478	216,334	80,559	415
Male	571,690	47,291	7,794	7,200	14,349	18,571	33,476	64,152	105,053	129,983	109,258	34,348	235
Female	430,358	34,174	6,182	4,640	6,837	11,700	21,012	35,782	60,069	96,495	107,076	46,211	180
Foreign-born white	260,865	103	111	101	423	970	4,099	18,797	54,587	82,479	70,062	28,375	158
Male	150,211	53	61	60	279	533	2,377	11,690	35,379	49,286	36,871	13,336	86
Female	110,054	50	50	41	144	437	1,722	6,907	19,208	33,193	33,191	15,039	72
Nonwhite	176,369	21,807	3,945	2,605	6,505	10,909	17,729	27,943	31,928	29,814	16,348	6,482	354
Male	96,383	12,132	2,141	1,471	3,563	5,788	9,109	15,206	18,003	16,658	9,111	2,991	210
Female	79,986	9,675	1,804	1,134	2,942	5,121	8,620	12,737	13,925	13,156	7,237	3,491	144
Urban	938,170	61,224	9,300	7,146	15,372	26,626	51,647	104,086	176,780	225,016	180,484	69,789	00
Male	525,725	35,252	5,156	4,278	9,561	15,371	30,283	65,052	111,353	127,965	92,570	28,434	440
Female	412,445	25,972	4,144	2,868	5,811	11,255	21,354	39,034	65,427	97,051	87,914	41,355	260
White	826,817	49,115	7,388	5,919	11,590	18,340	39,076	84,054	155,181	206,739	181,298	66,567	551
Male	465,453	28,499	4,121	3,572	7,528	11,529	23,786	54,078	99,207	118,003	87,782	27,023	345
Female	361,364	20,616	3,268	2,347	4,062	7,811	15,290	29,976	55,974	88,736	93,534	39,544	206
Native white	609,761	48,835	7,280	5,826	11,244	18,454	35,301	66,939	107,252	137,359	125,515	45,528	228
Male	340,502	28,345	4,071	3,516	7,302	11,038	21,548	43,121	67,973	76,757	59,121	17,587	123
Female	269,259	20,490	3,209	2,310	3,942	7,416	13,753	23,818	39,279	60,602	66,394	27,941	105
Foreign-born white	207,934	48	60	68	262	710	3,355	16,058	46,052	66,946	53,852	20,406	117
Male	118,580	23	29	41	163	375	1,934	10,107	29,686	38,502	27,513	9,130	67
Female	89,354	25	31	27	99	335	1,421	5,951	16,356	27,444	26,339	11,276	50
Nonwhite	111,353	12,109	1,911	1,227	3,782	7,286	12,571	20,032	21,599	18,277	9,188	3,222	149
Male	60,272	6,753	1,035	706	2,033	3,842	6,507	10,874	12,146	9,962	4,808	1,411	95
Female	51,081	5,356	876	521	1,749	3,444	6,064	9,058	9,453	8,315	4,380	1,811	54
Places of 250,000 or more	374,589	21,025	3,095	2,412	5,503	10,722	22,454	46,805	77,938	91,359	69,550	23,573	153
Male	210,195	12,065	1,739	1,411	3,291	5,999	13,098	29,335	49,333	51,753	32,874	9,186	111
Female	164,394	8,960	1,356	1,001	2,212	4,723	9,356	17,470	28,605	39,606	36,676	14,387	42
White	321,834	15,647	2,296	1,879	3,707	7,019	16,031	36,855	67,574	83,107	65,459	22,341	119
Male	181,368	9,044	1,316	1,106	2,310	4,039	9,698	23,609	43,402	47,290	30,797	8,671	86
Female	140,466	6,603	980	773	1,397	2,980	6,333	13,046	24,172	35,817	34,662	13,670	33
Native white	208,421	15,520	2,250	1,842	3,570	6,599	13,841	26,611	40,630	46,266	38,285	12,962	45
Male	115,910	8,973	1,294	1,063	2,227	3,809	8,380	17,144	25,855	25,492	17,072	4,554	27
Female	92,511	6,547	956	759	1,343	2,790	5,461	9,467	14,775	20,774	21,213	8,408	18
Foreign-born white	108,784	15	27	31	113	348	1,967	9,410	25,778	35,538	26,394	9,151	12
Male	61,976	10	14	19	69	178	1,157	5,928	16,550	20,784	13,254	4,006	7
Female	46,808	5	13	12	44	170	810	3,482	9,228	14,754	13,140	5,145	5
Nonwhite	52,755	5,378	799	533	1,796	3,703	6,423	10,150	10,364	8,252	4,091	1,232	34
Male	28,827	3,021	423	305	981	1,960	3,400	5,726	5,931	4,463	2,077	515	25
Female	23,928	2,357	376	228	815	1,743	3,023	4,424	4,433	3,789	2,014	717	9
Places of 100,000 to 250,000	101,423	6,791	989	772	1,720	3,103	5,822	11,372	19,332	24,421	19,896	7,091	112
Male	56,761	3,868	554	450	1,053	1,792	3,383	7,072	12,142	13,903	9,664	2,821	59
Female	44,662	2,923	435	322	667	1,311	2,439	4,300	7,190	10,518	10,234	4,270	53
White	87,172	5,249	750	626	1,248	2,142	4,140	8,761	16,485	22,115	18,803	6,758	95
Male	48,119	3,025	428	369	806	1,278	2,517	5,665	10,547	12,675	9,087	2,674	48
Female	38,053	2,224	322	257	442	864	1,623	3,116	5,938	9,440	9,716	4,084	47
Native white	65,009	5,231	741	614	1,209	2,052	3,810	7,136	11,568	14,957	13,021	4,630	40
Male	36,428	3,014	423	365	784	1,229	2,329	4,648	7,353	8,399	6,119	1,751	15
Female	28,581	2,217	318	249	425	823	1,481	2,488	4,215	6,559	6,902	2,879	25
Foreign-born white	21,324	4	5	9	29	71	286	1,548	4,778	6,929	5,564	2,048	33
Male	12,128	1	4	4	13	34	154	946	3,089	4,117	2,854	892	20
Female	9,196	3	1	5	16	37	132	602	1,689	2,812	2,730	1,156	13
Nonwhite	14,251	1,542	239	146	472	961	1,682	2,591	2,847	2,306	1,095	353	17
Male	7,642	843	126	81	247	514	866	1,407	1,595	1,228	577	147	11
Female	6,609	699	113	65	225	447	816	1,184	1,252	1,078	518	206	6
Places of 50,000 to 100,000	94,007	6,198	954	706	1,583	2,700	5,116	10,254	17,432	22,380	19,359	7,225	100
Male	52,406	3,614	527	443	983	1,523	2,979	6,459	11,055	12,675	9,271	2,826	51
Female	41,601	2,584	427	263	600	1,177	2,137	3,795	6,377	9,705	10,088	4,399	49
White	84,096	5,099	786	616	1,240	2,041	3,974	8,411	15,436	20,865	18,606	6,943	79
Male	47,069	3,014	426	386	799	1,188	2,400	5,437	9,934	11,856	8,891	2,696	42
Female	37,027	2,085	360	230	441	853	1,574	2,974	5,502	9,009	9,715	4,247	37
Native white	63,867	5,081	779	612	1,201	1,957	3,657	6,952	11,125	14,383	13,203	4,888	29
Male	35,609	3,004	421	382	772	1,142	2,233	4,497	7,141	8,047	6,174	1,761	15
Female	28,258	2,077	358	230	429	815	1,424	2,455	3,984	6,336	7,029	3,107	14
Foreign-born white	19,468	3	3	2	28	69	288	1,388	4,183	6,282	5,210	1,994	17
Male	10,982	1	2	2	19	36	144	893	2,697	3,687	2,609	884	8
Female	8,486	2	1	-	9	33	144	496	1,486	2,595	2,601	1,110	9
Nonwhite	9,911	1,099	168	90	343	659	1,142	1,843	1,996	1,515	753	282	21
Male	5,337	600	101	57	184	335	579	1,022	1,121	819	380	130	9
Female	4,574	499	67	33	159	324	563	821	875	696	373	152	12
Places of 25,000 to 50,000	96,529	6,617	945	774	1,546	2,624	4,965	9,912	17,260	22,900	20,839	8,065	84
Male	53,691	3,815	524	476	995	1,539	2,895	6,091	10,873	12,921	10,204	3,304	54
Female	42,838	2,802	421	298	551	1,085	2,070	3,821	6,387	9,979	10,635	4,759	30
White	87,645	5,641	786	656	1,249	2,101	4,036	8,484	15,455	21,341	20,056	7,769	69
Male	48,898	3,263	435	407	837	1,275	2,433	5,329	9,854	12,067	9,777	3,177	44
Female	38,747	2,378	351	249	412	826	1,605	3,155	5,601	9,274	10,279	4,592	25
Native white	68,548	5,619	778	643	1,220	2,032	3,741	7,200	11,681	15,358	14,721	5,521	34
Male	38,025	3,250	430	399	817	1,237	2,259	4,529	7,356	8,547	7,053	2,129	19
Female	30,523	2,369	348	244	403	795	1,482	2,671	4,325	6,811	7,668	3,392	15
Foreign-born white	18,430	4	4	10	21	60	273	1,216	3,668	5,817	5,153	2,190	18
Male	10,450	2	2	5	13	35	159	747	2,414	3,416	2,626	1,018	13
Female	7,980	2	2	5	8	25	114	468	1,251	2,401	2,527	1,172	5
Nonwhite	8,884	976	159	118	297	523	927	1,428	1,805	1,559	783	294	15
Male	4,793	552	89	69	158	264	462	762	1,019	854	427	127	10
Female	4,091	424	70	49	139	259	465	666	786	705	356	167	5

Table 48. Deaths by Age, Sex, Race, and Nativity of White by Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States, 1950—Con.

(See headnote on p. 48)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
ALL COUNTIES—Continued													
Places of 10,000 to 25,000	125,330	9,198	1,473	1,128	2,181	3,415	6,153	12,509	21,335	29,669	27,532	10,613	124
Male	70,176	5,306	793	697	1,386	2,070	3,648	7,874	13,349	16,972	13,578	4,418	85
Female	55,154	3,892	680	431	795	1,345	2,505	4,635	7,988	12,697	13,954	6,195	39
White	114,150	7,835	1,257	972	1,816	2,761	5,071	10,608	19,363	27,853	26,508	10,206	100
Male	64,201	4,546	681	607	1,189	1,720	3,104	6,895	12,285	15,856	13,016	4,235	67
Female	49,949	3,289	576	365	627	1,041	1,967	3,713	7,078	11,997	13,492	5,971	33
Native white	91,917	7,783	1,235	961	1,751	2,658	4,732	9,079	14,966	20,778	20,321	7,604	51
Male	51,351	4,518	672	599	1,142	1,657	2,903	5,885	8,428	11,709	9,734	3,060	34
Female	40,566	3,265	563	362	609	999	1,829	3,184	5,538	9,069	10,587	4,544	17
Foreign-born white	21,265	14	13	9	49	77	292	1,447	4,234	6,644	5,957	2,512	17
Male	12,229	5	4	6	34	45	167	935	2,728	4,006	3,155	1,135	9
Female	9,036	9	9	3	15	32	125	512	1,506	2,638	2,802	1,377	8
Nonwhite	11,180	1,363	216	156	365	654	1,082	1,901	1,972	2,016	1,024	407	24
Male	5,975	760	112	90	197	350	544	979	1,064	1,116	562	183	18
Female	5,205	603	104	66	168	304	538	922	908	900	462	224	6
Places of 2,500 to 10,000	146,292	11,395	1,844	1,354	2,839	4,062	7,137	13,234	23,483	34,287	33,306	13,224	127
Male	82,496	6,584	1,019	801	1,853	2,448	4,290	8,221	14,601	19,741	16,979	5,879	80
Female	63,796	4,811	825	553	986	1,614	2,847	5,013	8,882	14,546	16,327	7,345	47
White	131,920	9,644	1,514	1,170	2,330	3,276	5,822	11,115	20,868	31,658	31,864	12,570	89
Male	74,798	5,607	855	697	1,587	2,029	3,634	7,143	13,185	18,259	16,194	5,570	58
Female	57,122	4,037	679	473	743	1,247	2,188	3,972	7,683	13,399	15,670	7,000	31
Native white	111,999	9,601	1,497	1,154	2,293	3,158	5,520	9,961	17,282	25,617	25,964	9,923	29
Male	63,179	5,586	851	688	1,560	1,964	3,444	6,408	10,840	14,564	12,969	4,312	13
Female	48,820	4,015	646	466	733	1,194	2,076	3,553	6,442	11,053	12,995	5,611	16
Foreign-born white	18,663	8	8	7	22	85	249	1,049	3,414	5,736	5,554	2,511	20
Male	10,815	4	3	5	15	47	153	658	2,218	3,492	3,015	1,195	10
Female	7,848	4	5	2	7	38	96	391	1,196	2,244	2,539	1,316	10
Nonwhite	14,372	1,751	330	184	509	786	1,315	2,119	2,615	2,629	1,442	654	38
Male	7,698	977	184	104	266	419	656	1,078	1,416	1,482	785	309	22
Female	6,674	774	146	80	243	367	659	1,041	1,199	1,147	657	345	16
Rural	514,284	42,601	8,848	7,461	12,926	15,841	25,290	44,001	77,370	117,280	115,367	46,727	572
Male	302,024	24,475	4,908	4,491	8,771	9,740	15,109	27,304	49,069	70,463	64,525	22,806	365
Female	212,260	18,126	3,942	2,970	4,155	6,101	10,181	16,697	28,301	46,817	50,842	23,921	207
White	449,268	32,903	6,814	6,083	10,203	12,218	20,132	36,090	67,041	105,743	108,207	43,467	367
Male	265,913	19,096	3,800	3,726	7,241	7,794	12,507	23,072	43,212	63,767	60,222	21,226	250
Female	183,355	13,807	3,014	2,357	2,962	4,424	7,625	13,018	23,829	41,976	47,985	22,241	117
Native white	392,287	32,630	6,696	6,014	9,942	11,817	19,187	32,995	57,850	89,119	90,819	35,031	187
Male	231,188	18,946	3,723	3,684	7,047	7,533	11,928	21,031	37,060	53,226	50,137	16,761	112
Female	161,099	13,684	2,973	2,330	2,895	4,284	7,259	11,964	20,790	35,893	40,682	18,270	75
Foreign-born white	52,331	55	51	33	161	260	744	2,739	8,535	15,533	16,210	7,969	41
Male	31,631	30	32	19	116	158	443	1,783	5,683	9,784	9,358	4,206	19
Female	20,700	25	19	14	45	102	301	956	2,852	5,749	6,852	3,763	22
Nonwhite	65,016	9,698	2,034	1,378	2,723	3,623	5,158	7,911	10,329	11,537	7,160	3,260	205
Male	36,111	5,379	1,108	765	1,530	1,946	2,602	4,232	5,857	6,696	4,303	1,580	115
Female	28,905	4,319	928	613	1,193	1,677	2,556	3,679	4,472	4,841	2,857	1,680	90
METROPOLITAN COUNTIES	830,252	51,804	8,255	6,533	13,465	23,528	46,759	94,669	160,940	200,019	164,223	59,443	614
Male	467,484	29,884	4,626	3,912	8,499	13,521	27,423	59,334	101,760	114,272	79,767	24,101	385
Female	362,768	21,920	3,629	2,621	4,966	10,007	19,338	35,335	59,180	85,747	84,456	35,342	229
White	737,956	41,862	6,688	5,529	10,307	17,312	35,869	77,717	142,913	185,305	156,816	57,016	522
Male	416,974	24,369	3,763	3,334	6,779	10,232	21,787	49,879	91,459	106,159	78,843	23,044	326
Female	320,982	17,493	2,925	2,195	3,528	7,080	14,182	27,838	51,454	79,146	80,973	33,972	196
Native white	526,360	41,626	6,598	5,451	9,998	16,474	32,194	60,525	94,939	117,078	103,604	37,659	214
Male	295,045	24,232	3,716	3,289	6,580	9,768	19,553	38,878	60,355	65,568	48,617	14,368	121
Female	231,315	17,394	2,882	2,162	3,418	6,706	12,641	21,647	34,584	51,510	54,987	23,291	93
Foreign-born white	203,526	38	47	59	240	887	3,412	16,223	46,222	66,061	51,570	18,852	115
Male	116,184	23	25	34	147	354	1,962	10,214	29,668	39,002	26,273	8,422	60
Female	87,342	15	22	25	93	333	1,450	6,009	16,554	27,059	25,297	10,430	55
Nonwhite	92,296	9,942	1,567	1,004	3,158	8,216	10,790	16,952	18,027	14,714	7,407	2,427	92
Male	50,510	5,515	863	578	1,720	3,289	5,636	8,455	10,301	8,113	3,924	1,057	59
Female	41,786	4,427	704	426	1,438	2,927	5,154	7,497	7,726	6,601	3,483	1,370	33
Urban	699,916	41,775	6,321	4,901	10,668	19,626	39,658	81,748	138,991	169,893	137,182	48,645	508
Male	391,200	24,055	3,533	2,923	6,548	11,144	23,162	51,129	87,703	96,247	65,275	19,169	312
Female	308,716	17,720	2,788	1,978	4,120	8,482	16,496	30,619	51,288	73,646	71,907	29,476	196
White	617,479	33,132	5,010	4,053	7,872	13,968	29,844	66,225	122,731	156,874	130,733	46,606	431
Male	346,344	19,240	2,827	2,437	5,035	8,161	18,045	42,461	78,430	89,182	61,962	18,302	262
Female	271,135	13,892	2,183	1,616	2,837	5,807	11,799	23,764	44,301	67,692	68,771	28,304	169
Native white	427,619	32,934	4,937	3,988	7,620	13,257	26,487	50,599	79,178	95,477	83,336	29,632	174
Male	237,415	19,127	2,791	2,398	4,878	7,770	16,057	32,479	50,221	52,618	37,953	10,830	93
Female	190,204	13,807	2,146	1,590	2,742	5,487	10,430	18,120	28,957	42,859	45,383	18,802	81
Foreign-born white	182,844	31	42	52	195	568	3,032	14,749	41,990	59,493	46,024	16,548	100
Male	103,917	18	22	32	115	303	1,745	9,266	26,916	34,959	23,221	7,264	58
Female	78,927	13	20	20	80	265	1,287	5,483	15,074	24,534	22,803	9,284	44
Nonwhite	82,437	8,643	1,311	848	2,796	5,658	9,814	15,523	16,260	13,019	6,449	2,039	77
Male	44,856	4,815	706	486	1,513	2,983	5,117	8,668	9,273	7,065	3,513	867	50
Female	37,581	3,828	605	362	1,283	2,675	4,697	6,855	6,987	5,954	3,136	1,172	27
Places of 250,000 or more	374,588	21,025	3,085	2,412	5,508	10,722	22,454	46,805	77,938	91,359	69,550	23,573	153
Male	210,195	12,065	1,739	1,411	3,291	5,999	13,098	29,335	49,333	51,753	32,874	9,186	111
Female	164,394	8,960	1,356	1,001	2,212	4,723	9,356	17,470	28,605	39,606	36,676	14,387	42
White	321,834	15,647	2,296	1,879	3,707	7,019	16,031	36,655	67,574	83,107	65,459	22,341	119
Male	181,368	9,044	1,516	1,106	2,310	4,039	9,698	23,609	43,402	47,290	30,797	8,671	86
Female	140,466	6,603	980	773	1,397	2,980	6,333	13,046	24,172	35,817	34,662	13,670	33
Native white	208,421	15,520	2,250	1,842	3,570	6,599	13,841	26,611	40,630	48,266	38,285	12,982	45
Male	115,910	8,973	1,294	1,083	2,227	3,809	8,380	17,144	25,855	25,492	17,072	4,554	27
Female	92,511	6,547	956	759	1,343	2,790	5,461	9,467	14,775	20,774	21,213	8,428	18
Foreign-born white	108,784	15	27	31	113	348	1,967	9,410	25,778	35,538	26,394	9,151	12
Male	61,976	10	14	19	69	178	1,157	5,928	16,550	20,784	13,254	4,008	7
Female	46,808	5	13	12	44	170	810	3,482	9,228	14,754	13,140	5,145	5
Nonwhite	52,755	5,378	799	533	1,796	3,703	6,423	10,150	10,364	8,252	4,091	1,232	34
Male	28,927	3,021	423	305	981	1,980	3,400	5,726	5,931	4,463	2,077	535	25
Female	23,928	2,357	376	228	815	1,743	3,023	4,424	4,433	3,789	2,014	717	9

Table 48. Deaths by Age, Sex, Race, and Nativity of White by Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States, 1950—Con.

(See headnote on p. 48)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
METROPOLITAN COUNTIES—Continued													
Places of 100,000 to 250,000	101,423	6,791	989	772	1,720	3,103	5,822	11,372	19,332	24,421	19,898	7,091	112
Male	56,761	3,868	554	450	1,053	1,792	3,383	7,072	12,142	13,903	9,664	2,821	59
Female	44,662	2,923	435	322	667	1,311	2,439	4,300	7,190	10,518	10,234	4,270	53
White	87,172	5,249	750	626	1,248	2,142	4,140	8,761	16,485	22,115	18,803	6,738	95
Male	49,119	3,025	428	369	806	1,278	2,517	5,665	10,547	12,675	8,987	2,674	48
Female	38,053	2,224	322	257	442	864	1,623	3,116	5,938	9,440	9,716	4,064	47
Native white	65,009	5,231	741	614	1,209	2,052	3,810	7,136	11,568	14,957	13,021	4,630	40
Male	36,428	3,014	423	365	784	1,229	2,328	4,648	7,353	8,398	6,118	1,751	15
Female	28,581	2,217	318	249	425	823	1,481	2,488	4,215	6,559	6,902	2,879	25
Foreign-born white	21,324	4	5	9	29	71	286	1,548	4,778	6,928	5,584	2,048	33
Male	12,128	1	4	4	13	34	154	948	3,089	4,117	2,854	892	20
Female	9,196	3	1	5	16	37	132	602	1,689	2,812	2,730	1,156	13
Nonwhite	14,251	1,542	239	146	472	961	1,682	2,591	2,847	2,306	1,095	353	17
Male	7,642	843	126	81	247	514	866	1,407	1,595	1,228	577	147	11
Female	6,609	699	113	65	225	447	816	1,184	1,252	1,078	518	206	6
Places of 50,000 to 100,000	94,007	6,190	954	706	1,503	2,700	5,116	10,254	17,432	22,380	19,359	7,225	100
Male	52,406	3,614	527	443	983	1,523	2,979	6,459	11,055	12,675	9,271	2,626	51
Female	41,601	2,564	427	263	600	1,177	2,137	3,795	6,377	9,705	10,088	4,599	49
White	84,096	5,099	786	616	1,240	2,041	3,974	8,411	15,436	20,865	18,606	6,943	79
Male	47,069	3,014	426	386	799	1,188	2,400	5,437	9,934	11,856	8,891	2,696	42
Female	37,027	2,085	360	230	441	853	1,574	2,974	5,502	9,009	9,715	4,247	37
Native white	63,867	5,081	779	612	1,201	1,957	3,657	6,952	11,125	14,383	13,203	4,688	29
Male	35,609	3,004	421	392	772	1,142	2,233	4,497	7,141	8,047	6,174	1,781	15
Female	28,258	2,077	358	220	429	815	1,424	2,455	3,984	6,336	7,029	3,107	14
Foreign-born white	19,468	3	3	2	28	69	288	1,389	4,183	6,282	5,210	1,994	17
Male	10,982	1	2	2	19	36	144	893	2,687	3,687	2,609	884	8
Female	8,486	2	1	-	9	33	144	496	1,486	2,595	2,601	1,110	9
Nonwhite	9,911	1,099	168	90	343	659	1,142	1,843	1,996	1,515	753	282	21
Male	5,337	600	101	57	184	335	579	1,022	1,121	819	380	130	9
Female	4,574	499	67	33	159	324	563	821	875	696	373	152	12
Places of 25,000 to 50,000	41,578	2,400	346	274	581	975	2,007	4,290	7,950	10,274	9,006	3,436	39
Male	22,988	1,444	193	172	386	586	1,171	2,593	5,024	5,767	4,253	1,373	26
Female	18,590	956	153	102	195	389	836	1,697	2,926	4,507	4,753	2,063	13
White	39,746	2,199	315	248	520	867	1,819	3,978	7,578	9,957	8,859	3,379	37
Male	21,930	1,312	178	155	356	531	1,071	2,408	4,793	5,582	4,173	1,347	24
Female	17,816	877	137	93	164	336	748	1,570	2,785	4,375	4,686	2,032	13
Native white	27,852	2,183	312	243	512	830	1,618	3,093	4,988	6,145	5,736	2,178	16
Male	15,208	1,306	176	151	352	509	947	1,872	3,108	3,359	2,611	807	9
Female	12,644	875	136	92	160	321	671	1,221	1,880	2,785	3,125	1,371	7
Foreign-born white	11,895	2	2	4	6	34	191	883	2,556	3,771	3,068	1,185	13
Male	6,596	1	1	3	2	21	115	516	1,661	2,200	1,536	531	9
Female	5,099	1	1	1	4	13	76	347	895	1,571	1,532	654	4
Nonwhite	1,832	211	31	26	61	108	188	312	372	317	147	57	2
Male	1,058	132	15	17	30	55	100	185	231	185	80	26	2
Female	774	79	16	9	31	53	88	127	141	132	67	31	-
Places of 10,000 to 25,000	48,156	2,864	500	402	661	1,165	2,321	5,077	9,072	11,679	10,469	3,878	68
Male	26,587	1,624	269	251	416	680	1,385	3,231	5,666	6,603	4,916	1,522	44
Female	21,569	1,240	231	151	245	485	936	1,846	3,406	5,076	5,553	2,356	24
White	45,996	2,628	465	375	588	1,021	2,096	4,682	8,672	11,319	10,271	3,813	66
Male	25,432	1,504	250	238	375	602	1,282	3,016	5,435	6,399	4,816	1,493	42
Female	20,564	1,124	215	137	213	419	814	1,666	3,237	4,920	5,455	2,320	24
Native white	32,994	2,606	458	369	567	970	1,902	3,689	5,835	7,125	6,811	2,526	36
Male	18,005	1,492	248	234	360	575	1,149	2,374	3,653	3,865	3,071	940	24
Female	14,989	1,114	210	135	207	395	753	1,315	2,182	3,240	3,740	1,586	12
Foreign-born white	12,764	4	4	6	15	44	181	987	2,782	4,114	3,366	1,248	13
Male	7,221	2	1	4	10	21	101	620	1,744	2,465	1,711	535	7
Female	5,543	2	3	2	5	23	80	347	1,038	1,649	1,675	713	6
Nonwhite	2,160	236	35	27	73	144	225	395	400	360	198	65	2
Male	1,155	120	19	13	41	78	103	215	231	204	100	29	2
Female	1,005	116	16	14	32	66	122	180	169	156	98	36	-
Places of 2,500 to 10,000	40,163	2,487	437	335	620	961	1,938	3,950	7,267	9,780	8,900	3,442	36
Male	22,263	1,440	251	196	419	564	1,166	2,430	4,463	5,546	4,297	1,441	21
Female	17,900	1,057	186	139	201	397	772	1,511	2,784	4,234	4,603	2,001	15
White	38,635	2,320	398	309	569	878	1,784	3,718	6,986	9,511	8,735	3,392	35
Male	21,426	1,341	229	183	389	523	1,097	2,326	4,319	5,380	4,198	1,421	20
Female	17,209	979	169	126	180	355	687	1,392	2,667	4,131	4,537	1,971	15
Native white	29,576	2,313	397	308	561	849	1,659	3,118	5,032	6,603	6,280	2,448	8
Male	16,255	1,336	229	183	383	506	1,019	1,944	3,111	3,638	2,906	997	3
Female	13,321	977	168	125	178	343	640	1,174	1,921	2,965	3,374	1,451	5
Foreign-born white	8,909	3	1	-	4	22	119	572	1,913	2,859	2,382	922	12
Male	5,014	3	-	-	2	13	74	363	1,175	1,706	1,257	416	5
Female	3,795	-	1	-	2	9	45	209	738	1,153	1,125	506	7
Nonwhite	1,528	177	39	26	51	83	154	232	281	269	165	50	1
Male	937	99	22	13	30	41	69	113	164	166	99	20	1
Female	691	78	17	13	21	42	85	119	117	103	66	30	-
Rural	130,336	10,029	1,934	1,632	2,797	3,902	7,101	12,921	21,949	30,126	27,041	10,798	106
Male	76,284	5,829	1,093	989	1,951	2,377	4,281	8,205	14,057	18,025	14,492	4,932	73
Female	54,052	4,200	841	643	846	1,525	2,840	4,716	7,892	12,101	12,549	5,866	33
White	120,477	8,730	1,678	1,476	2,435	3,344	6,125	11,492	20,182	28,431	26,083	10,410	91
Male	70,630	5,129	936	897	1,744	2,071	3,742	7,418	13,029	16,977	13,881	4,742	64
Female	49,847	3,601	742	579	691	1,273	2,383	4,074	7,153	11,454	12,202	5,668	27
Native white	98,741	8,692	1,661	1,463	2,378	3,217	5,707	9,926	15,761	21,601	20,268	8,027	40
Male	57,630	5,105	925	891	1,702	1,998	3,496	6,399	10,134	12,750	10,664	3,538	28
Female	41,111	3,587	736	572	676	1,219	2,211	3,527	5,627	8,851	9,604	4,489	12
Foreign-born white	20,682	7	5	7	45	99	380	1,474	4,232	6,568	5,546	2,304	15
Male	12,267	5	3	2	32	51	217	949	2,752	4,043	3,052	1,158	4
Female	8,415	2	2	5	13	48	163	526	1,480	2,525	2,494	1,146	11
Nonwhite	9,859	1,299	256	156	362	558	976	1,429	1,767	1,695	958	388	15
Male	5,654	700	157	92	207	306	519	787	1,028	1,048	611	190	9
Female	4,205	599	99	64	155	252	457	642	739	647	347	198	6

Table 48. Deaths by Age, Sex, Race, and Nativity of White by Population-Size Group in Metropolitan and Nonmetropolitan Counties: United States, 1950—Con.

(See headnote on p. 48)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45 54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NONMETROPOLITAN COUNTIES	622,202	52,021	9,893	8,074	14,833	18,939	30,178	53,418	93,210	142,277	141,628	57,073	658
Male	360,265	29,843	5,436	4,857	9,833	11,590	17,979	33,022	58,662	84,156	77,328	27,139	420
Female	261,937	22,178	4,457	3,217	5,000	7,349	12,199	20,396	34,548	58,121	64,300	29,934	238
White	538,129	40,156	7,515	6,473	11,488	14,246	23,239	42,427	79,309	127,177	132,687	53,018	396
Male	314,392	23,226	4,158	3,964	7,990	9,091	14,506	27,271	50,960	75,611	72,141	25,205	269
Female	223,737	16,930	3,357	2,509	3,498	5,155	8,733	15,156	28,349	51,566	60,546	27,813	127
Native white	475,688	39,859	7,378	6,389	11,188	13,797	22,294	39,408	70,163	109,400	112,730	42,900	201
Male	276,645	23,059	4,078	3,911	7,769	8,803	13,923	25,274	44,678	64,415	60,841	19,960	114
Female	199,043	16,780	3,300	2,478	3,419	4,994	8,371	14,135	25,485	44,985	52,089	22,920	87
Foreign-born white	58,739	85	64	42	183	283	687	2,574	8,365	16,418	18,492	9,523	43
Male	34,027	30	36	25	132	179	415	1,676	5,711	10,284	10,598	4,914	26
Female	22,712	35	28	18	51	104	272	898	2,654	6,134	7,894	4,609	17
Nonwhite	84,073	11,865	2,378	1,601	3,347	4,693	6,939	10,991	13,901	15,100	8,941	4,055	262
Male	45,873	6,617	1,278	893	1,843	2,499	3,473	5,751	7,702	8,545	5,187	1,934	151
Female	38,200	5,248	1,100	708	1,504	2,194	3,466	5,240	6,199	6,555	3,754	2,121	111
Urban	238,254	19,449	2,979	2,245	4,704	7,000	11,889	22,338	37,789	55,123	53,302	21,144	192
Male	134,525	11,197	1,623	1,355	3,013	4,227	7,131	13,923	23,650	31,718	27,295	9,265	126
Female	103,729	8,252	1,356	890	1,691	2,773	4,858	8,415	14,139	23,405	26,007	11,879	64
White	208,338	15,983	2,579	1,866	3,718	5,372	9,232	17,829	32,450	49,865	50,563	19,961	120
Male	119,109	9,259	1,294	1,135	2,493	3,368	5,741	11,617	20,777	28,821	25,800	8,721	83
Female	90,229	6,724	1,085	731	1,225	2,004	3,491	6,212	11,673	21,044	24,763	11,240	37
Native white	182,142	15,901	2,543	1,838	3,624	5,197	8,814	16,340	28,074	41,882	42,179	15,896	54
Male	103,087	9,218	1,280	1,118	2,424	3,268	5,491	10,642	17,752	23,939	21,168	6,757	30
Female	79,055	6,683	1,063	720	1,200	1,929	3,323	5,698	10,322	17,943	21,011	9,139	24
Foreign-born white	25,090	17	18	16	67	122	323	1,309	4,082	7,455	7,828	3,858	17
Male	14,663	5	7	9	48	72	189	841	2,780	4,543	4,292	1,866	11
Female	10,427	12	11	7	19	50	134	468	1,282	2,910	3,536	1,992	6
Nonwhite	28,916	3,466	600	379	986	1,628	2,757	4,509	5,339	5,258	2,739	1,183	72
Male	15,416	1,938	329	220	520	859	1,390	2,306	2,873	2,897	1,495	544	45
Female	13,500	1,528	271	159	466	769	1,367	2,203	2,466	2,361	1,244	639	27
Places of 25,000 to 50,000	54,951	4,217	599	500	965	1,649	2,958	5,622	9,310	12,626	11,833	4,627	45
Male	30,703	2,371	331	304	609	953	1,724	3,498	5,849	7,154	5,951	1,951	28
Female	24,248	1,846	268	196	356	696	1,234	2,124	3,461	5,472	5,882	2,676	17
White	47,899	3,452	471	408	729	1,234	2,219	4,506	7,877	11,384	11,197	4,390	32
Male	26,968	1,951	257	252	481	744	1,362	2,921	5,061	6,485	5,604	1,830	20
Female	20,931	1,501	214	156	248	490	857	1,585	2,816	4,899	5,593	2,560	12
Native white	40,696	3,436	466	400	708	1,202	2,123	4,107	6,693	9,215	8,985	3,343	18
Male	22,817	1,942	254	248	465	726	1,312	2,657	4,248	5,189	4,442	1,322	10
Female	17,879	1,494	212	152	243	474	811	1,450	2,445	4,026	4,543	2,021	8
Foreign-born white	6,735	2	2	6	15	26	82	352	1,109	2,046	2,085	1,005	5
Male	3,854	1	1	2	11	14	44	231	753	1,216	1,090	487	4
Female	2,881	1	1	4	4	12	38	121	356	830	995	518	1
Nonwhite	7,052	765	128	92	236	415	739	1,116	1,433	1,242	636	237	13
Male	3,735	420	74	52	128	209	362	577	788	669	347	101	8
Female	3,317	345	54	40	108	206	377	539	645	573	289	136	5
Places of 10,000 to 25,000	77,174	6,334	973	726	1,520	2,250	3,852	7,432	12,263	17,990	17,063	6,735	56
Male	43,589	3,682	524	446	970	1,390	2,283	4,643	7,683	10,389	8,662	2,896	41
Female	33,585	2,652	449	280	550	860	1,569	2,789	4,580	7,621	8,401	3,839	15
White	68,154	5,207	792	597	1,228	1,740	2,975	5,926	10,691	16,334	16,237	6.395	34
Male	38,769	3,042	431	369	814	1,118	1,842	3,879	6,850	9,457	8,200	2,742	25
Female	29,385	2,165	361	228	414	622	1,133	2,047	3,841	6,877	8,037	3,651	9
Native white	59,023	5,177	777	592	1,184	1,686	2,830	5,390	9,131	13,653	13,510	5,078	15
Male	33,346	3,026	424	365	782	1,082	1,754	3,521	5,775	7,824	6,663	2,120	10
Female	25,677	2,151	353	227	402	604	1,076	1,869	3,356	5,829	6,847	2,958	5
Foreign-born white	8,501	10	9	3	34	33	111	480	1,452	2,530	2,571	1,264	4
Male	5,008	3	3	2	24	24	66	315	984	1,541	1,444	600	2
Female	3,493	7	6	1	10	9	45	165	468	989	1,127	664	2
Nonwhite	9,020	1.127	181	129	292	510	857	1,506	1,572	1,656	826	342	22
Male	4,820	640	93	77	156	272	441	764	833	912	462	154	16
Female	4,200	487	88	52	136	238	416	742	739	744	364	188	6
Places of 2,500 to 10,000	106,129	8,898	1,407	1,019	2,219	3,101	5,199	9,284	16,218	24,507	24,406	9,782	91
Male	60,233	5,144	768	605	1,434	1,884	3,124	5,782	10,118	14,195	12,882	4,458	59
Female	45,896	3,754	639	414	785	1,217	2,075	3,502	6,098	10,312	11,724	5,344	32
White	93,285	7,324	1,116	861	1,761	2,398	4,038	7,597	13,882	22,147	23,129	9,178	54
Male	53,372	4,266	606	514	1,198	1,506	2,537	4,817	8,886	12,879	11,996	4,149	38
Female	39,913	3,058	510	347	563	892	1,501	2,580	5,016	9,268	11,133	5,029	16
Native white	82,423	7,288	1,100	846	1,732	2,309	3,861	6,843	12,250	19,014	19,684	7,478	21
Male	46,924	4,250	602	505	1,177	1,458	2,425	4,464	7,729	10,926	10,063	3,315	10
Female	35,499	3,038	498	341	555	851	1,436	2,379	4,521	8,088	9,621	4,160	11
Foreign-born white	9,854	5	7	7	18	63	130	477	1,501	2,877	3,172	1,589	8
Male	5,801	1	3	5	13	34	79	295	1,043	1,786	1,758	779	5
Female	4,053	4	4	2	5	29	51	182	458	1,091	1,414	810	3
Nonwhite	12,844	1,574	291	158	458	703	1,161	1,687	2,334	2,360	1,277	604	37
Male	6,861	878	162	91	236	378	587	965	1,252	1,316	686	289	21
Female	5,983	696	129	67	222	325	574	922	1,082	1,044	591	315	16
Rural	383,948	32,572	6,914	5,829	10,129	11,939	18,189	31,080	55,421	87,154	88,326	35,929	466
Male	225,740	18,646	3,813	3,502	6,820	7,363	10,848	19,099	35,012	52,438	50,033	17,874	292
Female	158,208	13,926	3,101	2,327	3,309	4,576	7,341	11,981	20,409	34,716	38,293	18,055	174
White	328,791	24,173	5,136	4,607	7,768	8,874	14,007	24,598	46,859	77,312	82,124	33,057	276
Male	195,283	15,967	2,864	2,829	5,497	5,725	8,765	15,654	30,183	46,790	46,341	16,484	186
Female	133,508	10,206	2,272	1,778	2,271	3,151	5,242	8,944	16,676	30,522	35,783	16,573	90
Native white	293,546	23,938	5,035	4,551	7,584	8,600	13,480	23,069	42,089	67,518	70,551	27,004	147
Male	173,558	13,841	2,798	2,793	5,345	5,535	8,432	14,632	26,926	40,476	39,473	13,223	84
Female	119,988	10,097	2.237	1,758	2,219	3,065	5,048	8,437	15,163	27,042	31,078	13,781	63
Foreign-born white	31,649	48	46	26	116	161	364	1,265	4,303	8,965	10,664	5,685	28
Male	19,364	25	28	17	84	107	226	835	2,931	5,741	6,306	3,048	15
Female	12,285	23	17	9	32	54	138	430	1,372	3,224	4,358	2,617	11
Nonwhite	55,157	8,399	1,778	1,222	2,361	3,065	4,182	6,482	8,562	9,842	6,202	2,872	190
Male	30,457	4,679	949	673	1,323	1,640	2,083	3,445	4,829	5,648	3,692	1,380	106
Female	24,700	3,720	829	549	1,038	1,425	2,099	3,037	3,733	4,194	2,510	1,482	84

See NOTE on p. 47, table 47, for discussion of the "metropolitan-nonmetropolitan" and "urban-rural" classifications.

Table 49. Deaths by Age, Sex, Race, and Nativity of White: United States and Each State, 1950

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Deaths of white persons whose nativity was not stated are not shown separately, but are included in "White")

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,452,454	103,825	18,148	14,607	28,298	42,467	76,937	148,087	254,150	342,296	305,851	116,516	1,272
White	1,276,085	82,018	14,203	12,002	21,793	31,556	59,208	120,144	222,222	312,482	289,503	110,034	918
Male	731,366	47,595	7,921	7,298	14,769	19,323	36,295	77,150	142,419	181,770	147,984	48,249	595
Female	544,719	34,423	6,282	4,704	7,024	12,235	22,915	42,994	79,803	130,712	141,519	61,785	323
Native white	1,002,048	81,465	13,976	11,840	21,186	30,271	54,488	99,934	165,102	226,478	216,334	80,559	415
Male	571,690	47,291	7,794	7,200	14,349	18,571	33,476	64,152	105,033	129,983	109,258	34,348	235
Female	430,358	34,174	6,182	4,640	6,837	11,700	21,012	35,782	60,069	96,495	107,076	46,211	180
Foreign-born white	260,265	103	111	101	423	970	4,099	18,797	54,587	82,479	70,062	28,375	158
Male	150,211	53	61	60	279	533	2,377	11,890	35,379	49,266	36,871	13,336	86
Female	110,054	50	50	41	144	437	1,722	6,907	19,208	33,193	33,191	15,039	72
Nonwhite	176,369	21,807	3,945	2,605	6,505	10,908	17,729	27,943	31,928	29,814	16,348	6,482	354
Male	96,383	12,132	2,141	1,471	3,563	5,786	9,109	15,208	18,003	16,658	9,111	2,991	210
Female	79,986	9,675	1,804	1,134	2,942	5,121	8,620	12,737	13,925	13,156	7,237	3,491	144
ALABAMA	26,836	3,044	524	418	930	1,219	1,938	3,061	4,468	5,517	4,165	1,454	100
White	15,650	1,524	268	226	471	559	947	1,448	2,402	3,663	3,139	972	31
Male	9,197	894	153	148	322	350	605	935	1,532	2,137	1,664	439	18
Female	6,453	630	115	78	149	209	342	513	870	1,526	1,475	533	13
Native white	15,106	1,493	261	220	462	548	929	1,417	2,322	3,517	2,998	913	26
Male	8,864	875	147	146	314	345	596	915	1,471	2,045	1,585	409	16
Female	6,242	618	114	74	148	203	333	502	851	1,472	1,413	504	10
Foreign-born white	315	1	2	-	3	1	8	16	50	95	94	45	-
Male	199	1	2	-	2	-	3	13	38	58	57	24	-
Female	116	-	-	-	1	1	5	3	12	36	37	21	-
Nonwhite	11,186	1,520	256	190	459	660	991	1,613	2,066	1,854	1,028	482	69
Male	5,942	845	134	101	258	322	479	838	1,117	1,003	576	235	36
Female	5,244	675	122	89	201	338	512	775	949	851	450	249	33
ARIZONA	6,422	953	216	126	242	357	490	675	1,002	1,172	838	332	19
White	5,265	812	198	75	155	263	395	591	909	1,070	772	303	12
Male	3,396	335	57	42	109	176	248	421	655	714	478	152	9
Female	1,869	277	51	33	46	87	147	170	254	356	294	151	3
Native white	4,300	606	105	73	144	242	359	469	690	811	603	195	3
Male	2,775	332	56	40	100	162	225	340	492	545	382	99	2
Female	1,525	274	49	33	44	80	134	129	198	266	221	96	1
Foreign-born white	850	6	3	2	8	16	29	97	195	239	153	99	3
Male	525	3	1	2	7	9	17	60	142	153	85	45	1
Female	325	3	2	-	1	7	12	37	53	86	68	54	2
Nonwhite	1,157	341	108	51	87	94	95	84	93	102	66	29	7
Male	677	200	54	25	46	57	57	55	56	63	38	19	6
Female	480	141	54	26	41	37	38	29	37	39	27	10	1
ARKANSAS	15,411	1,209	315	246	429	525	905	1,510	2,553	3,508	3,191	1,018	4
White	11,101	832	188	167	250	323	591	962	1,756	2,582	2,636	812	2
Male	6,881	505	98	107	164	200	384	613	1,184	1,530	1,468	427	1
Female	4,420	327	90	60	86	123	207	349	572	1,052	1,168	385	1
Native white	10,543	821	185	167	246	315	570	929	1,672	2,440	2,447	749	2
Male	6,316	497	96	107	162	194	370	589	1,120	1,438	1,355	387	1
Female	4,227	324	89	60	84	121	200	340	552	1,002	1,092	362	1
Foreign-born white	256	2	-	-	1	4	4	12	42	61	87	43	-
Male	178	1	-	-	1	4	3	10	32	40	58	28	-
Female	78	1	-	-	-	-	1	2	10	21	28	15	-
Nonwhite	4,310	377	127	79	179	202	314	548	797	924	555	206	2
Male	2,333	208	72	47	92	106	148	267	448	525	324	105	1
Female	1,977	169	55	32	87	96	166	281	349	399	231	101	1
CALIFORNIA	98,760	6,115	1,058	802	1,762	2,915	5,624	10,578	17,681	23,696	20,452	7,930	47
White	93,526	5,480	939	738	1,607	2,544	5,003	9,877	16,837	22,817	19,994	7,768	42
Male	54,754	3,274	530	453	1,158	1,588	3,109	6,609	11,191	13,711	9,920	3,177	34
Female	38,872	2,186	409	285	449	956	1,894	3,268	5,646	9,106	10,074	4,591	8
Native white	71,356	5,445	930	718	1,521	2,356	4,436	7,900	12,287	16,094	14,269	5,394	6
Male	41,356	3,263	525	443	1,086	1,466	2,766	5,307	8,064	9,481	6,830	2,123	2
Female	30,000	2,182	405	275	435	890	1,670	2,593	4,223	6,613	7,439	3,271	4
Foreign-born white	21,518	11	8	19	75	165	525	1,867	4,390	6,532	5,588	2,328	10
Male	12,789	8	4	9	63	103	309	1,204	2,982	4,069	3,004	1,028	6
Female	8,729	3	4	10	12	62	216	663	1,408	2,463	2,584	1,300	4
Nonwhite	5,134	655	119	64	155	371	621	801	844	879	458	162	5
Male	3,160	351	66	42	86	223	352	508	554	596	295	83	4
Female	1,974	304	53	22	69	148	269	293	290	283	163	79	1
COLORADO	12,280	1,167	179	148	260	336	564	1,035	1,800	2,763	2,777	1,249	2
White	12,006	1,148	177	143	250	323	535	1,004	1,752	2,698	2,740	1,234	2
Male	6,886	668	109	87	156	195	313	620	1,089	1,646	1,434	558	1
Female	5,120	480	68	56	94	128	222	384	663	1,052	1,306	676	1
Native white	10,137	1,146	174	143	244	314	513	902	1,497	2,140	2,113	950	1
Male	5,791	668	106	87	150	190	300	548	926	1,286	1,094	426	-
Female	4,356	478	68	56	94	124	213	354	571	854	1,019	524	1
Foreign-born white	1,734	1	2	-	2	7	15	85	230	520	598	273	1
Male	1,010	-	2	-	2	4	9	60	154	331	322	125	1
Female	724	1	-	-	-	3	6	25	76	189	276	148	-
Nonwhite	274	19	2	5	10	13	29	31	48	65	37	15	-
Male	139	12	2	1	3	7	12	15	26	36	18	5	-
Female	135	7	-	4	7	6	17	16	22	27	19	10	-
CONNECTICUT	19,123	986	147	118	213	415	835	1,815	3,786	4,883	4,366	1,647	12
White	18,614	828	142	113	200	378	777	1,727	3,708	4,791	4,312	1,626	12
Male	10,340	478	82	65	140	213	465	1,095	2,333	2,766	2,039	657	7
Female	8,274	350	60	48	60	165	312	632	1,375	2,025	2,273	969	5

Table 49. Deaths by Age, Sex, Race, and Nativity of White: United States and Each State, 1950—Continued

(See headnote on p. 52)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
CONNECTICUT—Continued													
White—Continued													
Native white	11,420	826	141	112	192	358	682	1,209	1,991	2,459	2,435	1,012	3
Male	6,234	477	81	65	134	202	406	763	1,232	1,378	1,115	582	1
Female	5,186	349	60	47	58	156	276	446	759	1,081	1,322	630	2
Foreign-born white	7,114	-	1	1	8	18	93	512	1,697	2,315	1,862	603	4
Male	4,065	-	1	-	6	10	58	327	1,087	1,381	922	272	1
Female	3,049	-	-	1	2	8	35	185	610	934	940	331	3
Nonwhite	509	58	5	5	13	37	58	88	78	92	54	21	-
Male	273	26	3	4	8	19	30	50	41	54	30	8	-
Female	236	32	2	1	5	18	28	38	37	38	24	13	-
DELAWARE	3,501	238	37	35	64	94	184	377	622	819	750	278	6
White	2,696	177	18	28	48	58	129	254	514	719	697	254	-
Male	1,613	104	10	16	33	35	86	169	313	406	346	95	-
Female	1,283	73	8	12	15	23	43	85	201	313	351	159	-
Native white	2,490	176	16	27	48	58	128	228	415	591	577	226	-
Male	1,390	104	8	16	33	35	86	151	256	332	284	85	-
Female	1,100	72	8	11	15	23	42	77	159	259	293	141	-
Foreign-born white	381	-	2	-	-	-	1	22	95	121	113	27	-
Male	209	-	2	-	-	-	-	14	53	72	58	10	-
Female	172	-	-	-	-	-	1	8	42	49	55	17	-
Nonwhite	805	58	19	7	16	36	55	123	108	100	53	24	6
Male	352	36	12	6	13	25	25	68	60	58	32	13	4
Female	253	22	7	1	3	11	30	55	48	42	21	11	2
DISTRICT OF COLUMBIA	8,560	603	66	54	160	366	717	1,104	1,631	1,844	1,490	522	3
White	5,370	339	28	17	62	139	295	576	1,063	1,285	1,164	400	2
Male	2,947	191	17	13	37	81	197	370	691	718	502	130	-
Female	2,423	148	11	4	25	58	98	206	372	567	662	270	2
Native white	4,473	329	27	17	57	132	264	487	851	1,028	950	331	-
Male	2,411	186	16	13	36	78	173	307	543	565	401	93	-
Female	2,062	143	11	4	21	54	91	180	308	463	549	238	-
Foreign-born white	712	-	1	-	4	4	24	62	179	215	167	56	-
Male	439	-	1	-	1	2	18	45	130	130	80	32	-
Female	273	-	-	-	3	2	6	17	49	85	87	24	-
Nonwhite	3,190	264	38	37	98	227	422	528	568	559	326	122	1
Male	1,696	153	18	25	53	117	236	311	317	271	146	50	1
Female	1,494	111	20	14	45	110	186	217	251	288	180	72	-
FLORIDA	26,569	2,078	354	289	606	993	1,868	3,394	4,711	5,915	4,695	1,615	31
White	19,494	1,229	210	198	354	525	1,044	2,054	3,314	4,929	4,213	1,416	13
Male	11,806	704	122	137	245	337	630	1,370	2,224	3,013	2,326	690	8
Female	7,688	525	88	56	109	188	414	684	1,090	1,916	1,887	726	5
Native white	16,685	1,227	209	192	338	509	995	1,832	2,724	3,976	3,494	1,180	9
Male	10,011	704	121	137	236	328	602	1,224	1,808	2,398	1,886	563	4
Female	6,674	523	88	55	102	181	393	608	916	1,578	1,608	617	5
Foreign-born white	2,598	1	1	1	14	13	39	197	552	904	659	216	1
Male	1,660	-	1	-	7	8	20	130	391	583	401	118	1
Female	938	1	-	1	7	5	19	67	161	321	258	98	-
Nonwhite	7,075	849	144	96	252	468	844	1,340	1,397	986	482	199	18
Male	4,032	484	87	65	156	240	441	756	820	583	289	100	11
Female	3,043	365	57	31	96	228	403	584	577	403	193	99	7
GEORGIA	30,325	3,064	560	428	932	1,535	2,426	3,916	5,239	5,965	4,601	1,606	53
White	18,001	1,520	283	238	461	673	1,043	1,756	2,984	4,214	3,669	1,146	16
Male	10,519	909	159	155	317	437	888	1,189	1,957	2,424	1,838	455	11
Female	7,482	611	124	81	144	236	355	567	1,047	1,790	1,831	691	5
Native white	17,198	1,504	279	231	453	645	1,011	1,667	2,847	3,984	3,472	1,082	13
Male	10,055	898	156	153	315	423	670	1,129	1,838	2,307	1,727	431	8
Female	7,143	606	123	78	138	222	341	538	1,009	1,687	1,745	651	5
Foreign-born white	260	-	-	1	1	2	2	30	42	80	70	32	-
Male	152	-	-	-	-	-	2	21	35	46	37	11	-
Female	108	-	-	1	1	2	-	9	7	34	33	21	-
Nonwhite	12,324	1,544	277	192	471	862	1,383	2,160	2,255	1,751	932	460	37
Male	6,544	849	136	112	272	448	708	1,144	1,204	952	498	200	21
Female	5,780	695	141	80	199	414	675	1,016	1,051	799	434	260	16
IDAHO	4,837	434	92	75	157	165	257	408	756	1,138	861	407	9
White	4,741	425	86	71	150	157	234	400	744	1,117	951	401	5
Male	2,986	244	53	44	104	109	164	271	503	726	551	212	5
Female	1,755	181	33	27	46	48	70	129	241	391	400	189	-
Native white	4,063	424	84	70	146	152	218	363	636	920	758	290	2
Male	2,530	244	52	44	102	106	155	243	421	584	432	145	2
Female	1,533	180	32	26	44	46	63	120	215	336	326	145	-
Foreign-born white	619	-	-	1	1	4	13	30	98	181	182	107	2
Male	410	-	-	-	-	3	6	23	74	129	109	64	2
Female	209	-	-	1	1	1	7	7	24	52	73	43	-
Nonwhite	96	9	6	4	7	8	3	6	12	21	10	6	4
Male	62	8	3	-	4	5	1	5	8	16	7	2	3
Female	34	1	3	4	3	3	2	1	4	5	3	4	1
ILLINOIS	92,490	4,868	824	712	1,413	2,360	4,725	10,029	17,978	22,635	19,729	7,201	16
White	84,706	4,155	672	625	1,140	1,793	3,853	8,624	15,442	21,317	19,082	6,989	14
Male	48,443	2,423	383	388	771	1,033	2,380	5,571	10,547	12,323	9,618	2,993	13
Female	36,263	1,732	289	237	369	760	1,473	3,053	5,895	8,994	9,464	3,996	1
Native white	60,916	4,147	669	620	1,127	1,742	3,516	6,858	11,022	13,709	12,919	4,603	4
Male	34,389	2,418	381	384	765	1,005	2,176	4,372	6,943	7,638	6,410	1,894	3
Female	26,527	1,729	288	236	362	737	1,340	2,486	4,079	6,071	6,509	2,709	1
Foreign-born white	22,665	4	3	3	9	45	297	1,646	5,153	7,283	5,954	2,326	*2
Male	13,197	3	2	3	3	23	175	1,078	3,349	4,414	3,069	1,076	2
Female	9,468	1	1	-	6	22	122	568	1,784	2,869	2,885	1,250	-
Nonwhite	7,784	713	152	87	273	567	872	1,405	1,536	1,318	647	212	2
Male	4,280	413	73	52	142	310	454	792	850	741	361	90	2
Female	3,504	300	79	35	131	257	418	613	686	577	286	122	-

Table 49. Deaths by Age, Sex, Race, and Nativity of White: United States and Each State, 1950—Continued

(See headnote on p. 52)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
INDIANA	40,630	2,520	470	415	730	981	1,853	3,576	6,626	9,630	9,905	3,898	26
White	38,321	2,310	433	397	638	859	1,596	3,185	6,194	9,223	9,657	3,808	21
Male	21,833	1,342	250	247	426	522	949	2,031	3,920	5,271	5,114	1,750	11
Female	16,488	968	183	150	212	337	647	1,154	2,274	3,952	4,543	2,058	10
Native white	35,189	2,298	432	389	626	843	1,551	2,982	5,485	8,250	8,637	3,462	14
Male	19,859	1,335	249	242	419	514	923	1,884	3,406	4,641	4,638	1,592	6
Female	15,310	963	183	147	207	328	628	1,088	2,079	3,609	4,199	1,870	8
Foreign-born white	2,757	1	-	5	6	9	33	163	643	873	715	305	4
Male	1,723	1	-	3	4	3	18	109	467	563	408	144	3
Female	1,034	-	-	2	2	6	15	54	176	310	307	161	1
Nonwhite	2,309	210	37	18	92	122	257	391	432	407	248	90	5
Male	1,214	108	19	11	49	60	140	210	238	216	121	39	3
Female	1,095	102	18	7	43	62	117	181	194	191	127	51	2
IOWA	26,979	1,555	265	245	400	514	867	1,849	3,920	6,401	7,458	3,491	14
White	26,701	1,538	263	244	398	500	852	1,814	3,862	6,328	7,420	3,469	13
Male	15,153	949	154	152	265	317	491	1,164	2,412	3,777	3,868	1,593	11
Female	11,548	589	109	92	133	183	361	650	1,450	2,551	3,552	1,876	2
Native white	23,108	1,537	261	244	394	494	832	1,712	3,522	5,470	6,085	2,852	5
Male	13,145	949	152	152	263	313	478	1,101	2,173	3,265	3,155	1,140	4
Female	9,963	588	109	92	131	181	354	611	1,349	2,205	2,930	1,712	1
Foreign-born white	3,434	-	1	-	2	4	16	88	325	822	1,279	897	-
Male	1,913	-	1	-	-	3	10	53	228	494	680	444	-
Female	1,521	-	-	-	2	1	6	35	97	328	599	453	-
Nonwhite	278	17	2	1	2	14	15	35	58	73	38	22	1
Male	159	8	1	1	2	9	8	16	34	44	24	11	1
Female	119	9	1	-	-	5	7	19	24	29	14	11	-
KANSAS	19,058	1,130	215	177	364	458	700	1,397	2,654	4,498	5,156	2,307	22
White	17,971	1,035	194	170	329	413	630	1,256	2,453	4,291	4,958	2,229	13
Male	10,320	608	102	103	222	267	384	825	1,531	2,575	2,671	1,024	8
Female	7,651	427	92	67	107	146	246	431	922	1,716	2,287	1,205	5
Native white	16,293	1,027	194	169	324	406	617	1,196	2,300	3,861	4,344	1,847	8
Male	9,384	602	102	102	219	264	376	788	1,429	2,313	2,348	838	3
Female	6,909	425	92	67	105	142	241	408	871	1,548	1,996	1,009	5
Foreign-born white	1,457	1	-	-	3	5	6	41	122	370	553	355	1
Male	800	1	-	-	1	2	4	22	79	226	269	175	1
Female	657	-	-	-	2	3	2	19	43	144	264	180	-
Nonwhite	1,087	95	21	7	35	45	70	141	201	207	178	78	9
Male	610	56	14	3	13	33	33	78	121	121	97	35	6
Female	477	39	7	4	22	12	37	63	80	86	81	43	3
KENTUCKY	27,855	2,616	494	387	770	980	1,451	2,477	3,933	6,020	6,236	2,483	8
White	24,520	2,368	450	352	691	838	1,159	1,980	3,280	5,324	5,775	2,298	5
Male	14,027	1,389	243	194	439	517	719	1,270	2,086	3,049	3,044	1,072	5
Female	10,493	979	207	158	252	321	440	710	1,194	2,275	2,731	1,226	-
Native white	22,881	2,321	433	343	682	829	1,136	1,918	3,165	5,127	5,553	2,169	4
Male	12,528	1,363	235	188	433	511	708	1,227	2,014	2,923	2,920	1,002	4
Female	10,153	958	198	155	249	318	428	692	1,151	2,204	2,633	1,167	-
Foreign-born white	438	-	1	2	-	1	6	24	66	126	130	82	-
Male	260	-	1	1	-	-	4	19	44	78	70	43	-
Female	178	-	-	1	-	1	2	5	22	48	60	39	-
Nonwhite	3,335	248	44	35	79	142	292	497	653	696	461	185	3
Male	1,801	137	24	24	45	78	141	256	376	379	259	82	-
Female	1,534	111	20	11	34	64	151	241	277	317	202	103	3
LOUISIANA	23,738	2,639	451	328	654	887	1,569	2,894	4,088	5,164	3,719	1,335	10
White	13,740	1,192	225	166	332	426	770	1,521	2,381	3,209	2,634	881	3
Male	8,114	673	120	96	223	296	479	1,042	1,590	1,887	1,372	354	2
Female	5,626	519	105	70	109	130	291	479	791	1,322	1,262	547	1
Native white	12,771	1,187	222	163	328	416	737	1,448	2,208	2,933	2,360	768	1
Male	7,477	672	119	93	220	287	458	991	1,462	1,692	1,198	285	-
Female	5,294	515	103	70	108	129	279	457	746	1,241	1,162	483	1
Foreign-born white	819	1	1	-	3	7	25	57	145	235	242	103	-
Male	531	1	-	-	2	6	17	40	107	160	154	44	-
Female	288	-	1	-	1	1	8	17	38	75	88	59	-
Nonwhite	9,998	1,447	226	162	322	461	799	1,373	1,707	1,955	1,085	454	7
Male	5,335	757	130	102	183	241	387	730	933	1,053	607	206	6
Female	4,663	690	96	60	139	220	412	643	774	902	478	248	1
MAINE	9,886	650	121	101	146	171	320	776	1,474	2,391	2,589	1,144	3
White	9,860	647	119	98	146	170	317	772	1,471	2,387	2,587	1,143	3
Male	5,358	372	67	58	103	90	184	471	892	1,359	1,275	484	3
Female	4,502	275	52	40	43	80	133	301	579	1,028	1,312	659	-
Native white	7,657	647	117	98	144	161	284	649	1,120	1,765	1,940	910	2
Male	4,264	372	65	58	101	85	168	386	671	1,007	956	383	2
Female	3,573	275	52	40	43	76	116	263	449	758	984	527	-
Foreign-born white	1,958	-	1	-	1	8	31	122	344	601	621	229	-
Male	1,047	-	1	-	1	5	14	74	217	335	301	99	-
Female	911	-	-	-	-	3	17	48	127	266	320	130	-
Nonwhite	26	3	2	3	-	1	3	4	3	4	2	1	-
Male	15	3	1	2	-	1	2	1	1	2	1	1	-
Female	11	-	1	1	-	-	1	3	2	2	1	-	-
MARYLAND	22,417	1,465	246	209	407	821	1,393	2,588	4,158	5,132	4,392	1,571	36
White	17,801	960	167	155	254	493	919	1,825	3,285	4,335	3,962	1,423	23
Male	9,884	549	87	93	157	289	594	1,203	2,061	2,380	1,888	568	15
Female	7,917	411	80	62	97	204	325	622	1,224	1,955	2,074	855	8
Native white	15,415	943	161	153	247	469	864	1,626	2,787	3,585	3,346	1,219	15
Male	8,583	540	93	93	155	275	556	1,066	1,748	1,956	1,613	484	10
Female	6,832	403	78	60	92	194	306	560	1,039	1,627	1,733	735	5
Foreign-born white	2,056	-	-	-	3	7	35	164	442	689	536	178	2
Male	1,112	-	-	-	1	5	21	112	268	389	241	74	1
Female	944	-	-	-	2	2	14	52	174	300	295	104	1
Nonwhite	4,616	505	79	53	153	328	474	763	873	797	430	148	13
Male	2,598	271	44	29	91	178	258	446	501	460	241	69	10
Female	2,018	234	35	24	62	150	216	317	372	337	189	79	3

Table 49. Deaths by Age, Sex, Race, and Nativity of White: United States and Each State, 1950—Continued

(See headnote on p. 52)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
MASSACHUSETTS	49,386	2,240	373	262	526	938	1,917	4,568	8,940	12,919	11,961	4,434	288
White	48,528	2,181	366	260	500	887	1,853	4,458	8,767	12,723	11,879	4,391	282
Male	25,823	1,256	213	154	317	490	1,121	2,784	5,314	6,885	5,503	1,630	156
Female	22,705	905	153	106	183	397	732	1,675	3,453	5,838	6,376	2,761	126
Native white	29,214	2,130	359	255	477	821	1,607	3,218	5,010	6,426	6,324	2,465	124
Male	15,664	1,239	208	149	303	464	998	2,055	3,036	3,431	2,864	842	75
Female	13,550	891	151	104	174	357	609	1,163	1,974	2,995	3,460	1,623	49
Foreign-born white	18,717	1	3	5	15	56	231	1,206	3,673	6,166	5,401	1,874	86
Male	9,840	-	2	3	7	20	112	704	2,233	3,379	2,571	766	43
Female	8,877	1	1	2	8	36	119	502	1,440	2,787	2,830	1,108	43
Nonwhite	858	79	7	2	26	51	64	109	173	196	102	43	6
Male	469	41	4	2	16	24	43	58	93	118	50	17	3
Female	389	38	3	-	10	27	21	51	80	78	52	26	3
MICHIGAN	57,743	4,230	682	609	1,142	1,618	3,001	6,105	10,853	13,308	11,586	4,590	19
White	53,551	3,738	602	567	952	1,261	2,436	5,257	10,076	12,820	11,319	4,504	19
Male	31,559	2,165	339	332	644	757	1,501	3,345	6,776	7,701	5,882	2,103	14
Female	21,992	1,573	263	235	308	504	935	1,912	3,300	5,119	5,437	2,401	5
Native white	38,471	3,708	583	560	927	1,199	2,156	4,073	6,673	8,372	7,431	2,785	4
Male	22,483	2,149	329	327	630	726	1,335	2,582	4,416	4,891	3,843	1,252	3
Female	15,988	1,559	254	233	297	473	821	1,491	2,257	3,481	3,588	1,533	1
Foreign-born white	14,578	9	8	5	19	51	260	1,135	3,296	4,318	3,794	1,679	4
Male	8,724	5	5	3	10	26	148	722	2,267	2,713	1,987	856	2
Female	5,854	4	3	2	9	25	112	413	1,029	1,605	1,807	843	2
Nonwhite	4,192	492	80	42	190	357	565	848	777	488	267	86	-
Male	2,323	285	46	28	96	185	288	473	455	287	143	39	-
Female	1,869	209	34	14	94	172	277	375	322	201	124	47	-
MINNESOTA	26,020	1,389	319	254	431	518	995	2,218	4,452	6,759	6,999	3,179	7
White	27,666	1,849	304	245	420	503	968	2,182	4,392	6,687	6,944	3,165	7
Male	16,213	1,027	170	136	294	326	608	1,370	2,843	4,042	3,852	1,538	7
Female	11,453	822	134	109	126	177	360	812	1,549	2,645	3,092	1,627	-
Native white	19,075	1,842	302	243	416	488	918	1,963	3,353	4,278	3,914	1,357	1
Male	11,137	1,023	170	134	291	317	575	1,251	2,136	2,545	2,106	608	1
Female	7,938	819	132	109	125	171	343	732	1,217	1,733	1,808	749	-
Foreign-born white	8,494	1	2	2	2	12	46	211	1,019	2,381	3,018	1,800	-
Male	4,999	1	-	2	1	7	30	132	688	1,474	1,740	924	-
Female	3,495	-	2	-	1	5	16	79	331	907	1,278	876	-
Nonwhite	354	40	15	9	11	15	27	36	60	72	55	14	-
Male	216	24	7	5	7	9	18	23	43	40	37	3	-
Female	138	16	8	4	4	6	9	13	17	32	18	11	-
MISSISSIPPI	20,784	2,365	486	358	692	889	1,380	2,190	2,977	4,496	3,530	1,371	30
White	9,603	784	154	129	243	323	504	864	1,437	2,332	2,117	712	4
Male	5,648	436	79	83	177	200	329	551	965	1,395	1,124	306	3
Female	3,955	348	75	46	66	123	175	313	472	937	993	406	1
Native white	9,330	776	152	128	236	315	497	846	1,393	2,253	2,044	696	4
Male	5,467	431	77	82	171	192	323	540	927	1,347	1,083	291	3
Female	3,863	345	75	46	65	123	174	306	466	906	961	395	1
Foreign-born white	163	-	-	-	5	2	-	6	30	55	47	18	-
Male	109	-	-	-	4	2	-	5	25	35	28	10	-
Female	54	-	-	-	1	-	-	1	5	20	19	8	-
Nonwhite	11,181	1,601	332	229	449	566	876	1,326	1,540	2,164	1,413	659	26
Male	5,922	906	187	131	238	270	388	629	831	1,218	790	321	13
Female	5,259	695	145	98	211	296	488	697	709	946	623	338	13
MISSOURI	43,710	2,510	458	340	695	963	1,882	3,934	7,051	10,507	10,927	4,404	39
White	39,249	2,097	381	292	569	785	1,474	3,161	6,128	9,684	10,431	4,239	28
Male	22,288	1,206	206	180	397	471	861	2,019	3,920	5,583	5,475	1,952	18
Female	16,961	891	175	112	172	294	613	1,142	2,208	4,101	4,956	2,287	10
Native white	35,720	2,086	379	291	565	751	1,424	2,978	5,607	8,622	9,312	3,695	10
Male	20,221	1,200	205	180	395	465	831	1,908	3,558	4,942	4,859	1,673	5
Female	15,499	886	174	111	170	286	593	1,070	2,049	3,680	4,453	2,022	5
Foreign-born white	2,952	-	1	1	2	9	28	149	433	898	964	465	2
Male	1,691	-	1	-	1	4	16	87	298	529	515	239	1
Female	1,261	-	-	1	1	5	12	62	135	369	449	226	1
Nonwhite	4,461	413	77	48	126	198	408	773	923	823	496	165	11
Male	2,492	247	33	29	74	101	215	425	552	458	281	89	8
Female	1,969	166	44	19	52	97	193	348	391	365	215	76	3
MONTANA	5,822	441	92	73	138	168	299	480	984	1,453	1,224	464	6
White	5,578	382	72	67	121	153	289	461	965	1,420	1,190	452	6
Male	3,578	213	39	45	82	109	201	320	665	940	712	247	5
Female	2,000	169	33	22	39	44	88	141	300	480	478	205	1
Native white	4,075	380	68	65	115	139	257	384	711	921	760	272	3
Male	2,577	212	37	43	76	100	180	262	471	603	440	151	2
Female	1,498	168	31	22	39	39	77	122	240	318	320	121	1
Foreign-born white	1,397	2	-	1	5	11	22	63	233	467	419	173	1
Male	921	1	-	1	5	7	15	45	177	312	265	92	1
Female	476	1	-	-	-	4	7	18	56	155	154	81	-
Nonwhite	244	59	20	6	17	15	10	19	19	33	34	12	-
Male	137	27	9	4	9	10	6	8	12	25	20	7	-
Female	107	32	11	2	8	5	4	11	7	8	14	5	-
NEBRASKA	12,617	796	155	148	205	257	488	939	1,898	2,936	3,322	1,465	8
White	12,312	763	147	144	196	241	461	884	1,850	2,879	3,293	1,448	6
Male	7,180	442	88	80	137	154	273	584	1,216	1,702	1,793	707	4
Female	5,132	321	59	64	59	87	188	300	634	1,177	1,500	741	2
Native white	9,820	751	144	141	190	231	439	813	1,620	2,255	2,315	918	3
Male	5,772	436	86	78	131	147	257	538	1,072	1,339	1,234	453	1
Female	4,048	315	58	63	59	84	182	275	548	916	1,081	465	2
Foreign-born white	2,290	1	-	1	1	4	16	60	206	564	924	512	1
Male	1,280	-	-	-	1	2	11	38	127	330	526	244	1
Female	1,010	1	-	1	-	2	5	22	79	234	398	268	-
Nonwhite	305	33	8	4	9	16	27	55	48	57	29	17	2
Male	173	20	1	2	5	7	15	31	30	30	22	8	2
Female	132	13	7	2	4	9	12	24	18	27	7	9	-

Table 49. Deaths by Age, Sex, Race, and Nativity of White: United States and Each State, 1950—Continued

(See headnote on p. 52)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NEVADA	1,588	139	18	18	36	81	119	203	259	343	276	89	7
White	1,468	113	17	15	30	71	110	191	249	325	262	80	5
Male	1,027	76	11	7	22	45	75	147	198	235	164	43	4
Female	441	37	6	8	8	26	35	44	51	90	98	37	1
Native white	1,206	113	17	15	29	68	97	165	195	246	205	54	2
Male	820	76	11	7	21	42	66	124	153	170	121	28	1
Female	386	37	6	8	8	26	31	41	42	76	84	26	1
Foreign-born white	223	-	-	-	1	1	9	22	47	70	46	26	1
Male	173	-	-	-	1	1	5	19	39	57	35	15	1
Female	50	-	-	-	-	-	4	3	8	13	11	11	-
Nonwhite	120	26	1	3	6	10	9	12	10	18	14	9	2
Male	65	15	1	-	3	8	6	4	5	13	6	3	1
Female	55	11	-	3	3	2	3	8	5	5	8	6	1
NEW HAMPSHIRE	6,076	282	48	46	73	111	252	472	992	1,557	1,590	642	11
White	6,061	280	48	44	72	111	251	469	990	1,554	1,589	642	11
Male	3,353	169	29	30	47	64	135	300	635	887	794	254	9
Female	2,708	111	19	14	25	47	116	169	355	667	795	388	2
Native white	4,297	278	47	44	70	103	221	366	660	997	1,054	453	3
Male	2,399	168	29	30	45	61	122	237	418	574	534	179	2
Female	1,898	111	18	14	25	42	99	129	242	423	520	274	1
Foreign-born white	1,693	-	-	-	2	8	28	102	314	544	515	179	1
Male	916	-	-	-	2	3	12	82	211	306	251	69	-
Female	777	-	-	-	-	5	16	40	103	238	264	110	1
Nonwhite	15	2	-	2	1	-	1	3	2	3	1	-	-
Male	7	-	-	2	-	-	1	2	2	-	-	-	-
Female	8	2	-	-	1	-	-	1	-	3	1	-	-
NEW JERSEY	49,100	2,467	396	326	610	1,106	2,462	5,414	9,985	12,491	10,124	3,704	17
White	45,429	2,015	327	284	484	903	2,070	4,783	9,350	11,868	9,751	3,578	16
Male	24,924	1,169	183	168	304	506	1,211	2,970	5,865	6,632	4,473	1,427	16
Female	20,505	846	144	116	180	397	859	1,813	3,485	5,236	5,278	2,151	-
Native white	29,620	2,009	320	280	473	860	1,827	3,434	5 635	6,709	5,804	2,268	1
Male	16,053	1,165	181	165	300	482	1,071	2,147	3,510	3,651	2,553	827	1
Female	13,567	844	139	115	173	378	756	1,287	2,125	3,058	3,251	1,441	-
Foreign-born white	15,554	2	4	4	9	40	239	1,317	3,663	5,093	3,899	1,284	-
Male	8,688	2	1	3	2	23	137	797	2,313	2,929	1,891	590	-
Female	6,866	-	3	1	7	17	102	520	1,350	2,164	2,008	694	-
Nonwhite	3,671	452	69	42	126	203	392	631	633	623	373	126	1
Male	2,024	273	48	20	58	95	192	376	387	320	195	59	1
Female	1,647	179	21	22	68	108	200	255	246	303	178	67	-
NEW MEXICO	5,471	1,211	210	132	248	276	331	444	706	816	764	322	11
White	4,837	1,017	148	104	196	242	287	397	666	751	720	299	10
Male	2,854	546	90	62	124	150	168	259	397	483	404	154	7
Female	2,003	471	58	42	72	92	119	138	269	268	316	145	3
Native white	4,453	1,015	146	103	188	231	266	360	596	656	825	262	5
Male	2,584	544	79	62	119	142	152	236	352	411	349	135	3
Female	1,869	471	67	41	69	89	114	124	244	245	276	127	2
Foreign-born white	321	1	1	1	7	10	15	34	60	77	79	35	1
Male	202	1	-	-	4	7	11	23	40	55	42	18	1
Female	119	-	1	1	3	3	4	11	20	22	37	17	-
Nonwhite	634	194	62	28	52	34	44	47	40	65	44	23	1
Male	357	99	39	17	29	14	23	27	26	40	28	14	1
Female	277	95	23	11	23	20	21	20	14	25	16	9	-
NEW YORK	156,074	7,429	1,168	1,015	1,976	3,477	7,888	17,743	31,350	40,088	32,370	11,504	66
White	146,417	6,357	1,013	908	1,578	2,771	6,543	15,929	29,575	38,711	31,678	11,293	61
Male	81,352	3,659	588	541	981	1,583	3,790	10,058	18,543	21,810	15,234	4,521	44
Female	65,065	2,698	425	367	597	1,188	2,753	5,871	11,032	16,901	16,444	6,772	17
Native white	88,705	6,296	998	895	1,503	2,554	5,391	10,489	15,942	19,874	17,980	6,758	24
Male	48,499	3,621	582	536	938	1,469	3,111	6,574	9,876	10,959	8,283	2,537	13
Female	40,206	2,675	417	359	565	1,085	2,280	3,915	6,066	8,915	9,697	4,221	11
Foreign-born white	56,095	9	10	12	65	198	1,081	5,207	13,222	18,380	13,450	4,456	5
Male	31,583	5	6	5	36	98	629	3,289	8,312	10,477	6,784	1,939	3
Female	24,512	4	4	7	29	100	452	1,918	4,910	7,903	6,666	2,517	2
Nonwhite	9,657	1,072	155	107	398	706	1,345	1,814	1,775	1,377	692	211	5
Male	5,189	611	68	55	220	359	717	1,034	1,030	695	323	75	4
Female	4,468	461	87	52	178	347	628	780	745	684	369	136	1
NORTH CAROLINA	31,130	3,674	593	527	1,029	1,539	2,334	3,510	5,181	6,369	4,750	1,612	12
White	20,370	1,871	306	323	564	780	1,288	2,007	3,314	4,606	4,012	1,295	4
Male	11,976	1,082	165	196	401	517	873	1,300	2,162	2,620	2,091	567	2
Female	8,394	789	141	127	163	263	415	707	1,152	1,986	1,921	728	2
Native white	20,110	1,869	305	322	559	774	1,282	1,970	3,258	4,543	3,951	1,273	4
Male	11,800	1,082	164	195	398	513	870	1,273	2,122	2,579	2,046	556	2
Female	8,310	787	141	127	161	261	412	697	1,136	1,964	1,905	717	2
Foreign-born white	190	-	-	-	4	3	2	29	47	47	43	16	-
Male	135	-	-	-	3	2	2	21	34	30	34	9	-
Female	55	-	-	-	1	1	-	7	13	17	9	7	-
Nonwhite	10,760	1,803	287	204	465	759	1,046	1,503	1,867	1,763	738	317	8
Male	5,741	995	157	96	247	431	545	768	1,019	920	405	133	5
Female	5,019	808	130	108	218	328	501	715	848	843	333	184	3
NORTH DAKOTA	5,191	453	83	69	114	121	209	377	801	1,191	1,283	482	8
White	5,066	425	73	62	106	117	204	367	787	1,177	1,271	469	8
Male	3,139	242	46	39	79	82	145	240	510	746	751	252	7
Female	1,927	183	27	23	27	35	59	127	277	431	520	217	1
Native white	3,204	424	73	62	102	114	199	323	586	816	541	160	4
Male	2,013	242	46	39	78	80	141	208	371	390	320	94	4
Female	1,191	182	27	23	24	34	58	115	215	226	221	66	-
Foreign-born white	1,827	-	-	-	4	2	2	42	197	553	722	302	3
Male	1,099	-	-	-	1	1	1	30	136	350	424	154	2
Female	728	-	-	-	3	1	1	12	61	203	298	148	1
Nonwhite	125	28	10	7	8	4	5	10	14	14	12	15	-
Male	64	14	7	3	4	-	3	5	7	8	8	5	-
Female	61	14	3	4	4	4	2	5	7	6	4	8	-

Table 49. Deaths by Age, Sex, Race, and Nativity of White: United States and Each State, 1950—Continued

(See headnote on p. 52)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
OHIO	80,633	4,990	852	728	1,276	2,023	3,745	7,590	13,817	19,643	18,776	7,163	30
White	74,837	4,391	750	673	1,102	1,668	3,132	6,542	12,736	18,653	18,207	6,957	26
Male	42,326	2,586	421	400	757	986	1,890	4,069	8,091	10,848	9,303	2,959	14
Female	32,511	1,805	329	273	345	680	1,242	2,473	4,645	7,805	8,904	3,998	12
Native white	62,670	4,375	746	667	1,091	1,637	2,979	5,697	9,839	14,671	15,195	5,760	13
Male	35,001	2,575	419	395	750	972	1,803	3,520	6,161	8,333	7,636	2,431	6
Female	27,669	1,800	327	272	341	665	1,176	2,177	3,678	6,338	7,559	3,329	7
Foreign-born white	11,640	2	1	3	8	24	133	803	2,785	3,857	2,893	1,146	5
Male	6,959	2	1	3	5	11	72	511	1,841	2,411	1,597	503	2
Female	4,681	-	-	-	3	13	61	292	944	1,426	1,296	643	3
Nonwhite	5,796	599	102	55	174	355	613	1,048	1,081	990	569	206	4
Male	3,273	336	51	29	105	198	329	598	656	573	301	94	3
Female	2,523	263	51	26	69	157	284	450	425	417	268	112	1
OKLAHOMA	19,473	1,514	305	232	465	518	947	1,741	2,753	4,389	4,700	1,878	31
White	17,173	1,212	235	193	372	424	780	1,464	2,437	3,956	4,358	1,729	13
Male	10,338	716	138	109	259	262	496	964	1,612	2,424	2,456	897	5
Female	6,835	496	97	84	113	162	284	500	825	1,532	1,902	832	8
Native white	16,248	1,202	233	193	365	415	761	1,415	2,319	3,725	4,054	1,560	8
Male	9,740	711	136	109	253	255	484	931	1,527	2,268	2,259	806	1
Female	6,508	491	97	84	112	160	277	484	792	1,455	1,775	774	7
Foreign-born white	521	1	-	-	1	2	4	17	59	127	205	105	-
Male	333	-	-	-	1	2	3	10	43	84	128	62	-
Female	188	1	-	-	-	-	1	7	16	43	77	43	-
Nonwhite	2,300	302	70	39	93	94	167	277	316	433	342	149	18
Male	1,271	157	37	23	50	48	78	144	175	267	197	86	9
Female	1,029	145	33	16	43	46	89	133	141	166	145	63	9
OREGON	13,935	812	149	148	304	428	695	1,324	2,286	3,366	3,128	1,286	9
White	13,695	779	148	140	292	411	673	1,283	2,243	3,328	3,105	1,275	8
Male	8,373	451	80	88	220	277	441	836	1,523	2,104	1,690	659	4
Female	5,322	328	68	52	72	134	232	457	720	1,224	1,415	616	4
Native white	11,311	777	146	140	290	396	638	1,164	1,844	2,566	2,416	929	5
Male	6,841	450	80	88	219	267	417	738	1,231	1,602	1,288	459	2
Female	4,470	327	66	52	71	129	221	426	613	964	1,128	470	3
Foreign-born white	2,240	-	1	-	2	12	28	108	373	728	652	336	-
Male	1,424	-	-	-	1	8	18	78	268	476	381	194	-
Female	816	-	1	-	1	4	10	30	105	252	271	142	-
Nonwhite	240	33	1	8	12	17	22	31	43	38	23	11	1
Male	145	18	-	3	7	11	14	22	25	26	12	6	1
Female	95	15	1	5	5	6	8	9	18	12	11	5	-
PENNSYLVANIA	110,212	6,126	981	851	1,606	2,686	5,353	11,146	20,995	27,699	24,031	8,475	65
White	102,557	5,306	872	763	1,374	2,225	4,592	9,636	19,498	26,631	23,349	8,275	46
Male	57,060	3,040	469	460	911	1,292	2,706	6,002	12,062	15,070	11,589	3,432	27
Female	45,497	2,266	403	303	463	933	1,886	3,634	7,426	11,561	11,760	4,843	19
Native white	78,715	5,269	865	757	1,355	2,174	4,268	8,013	13,464	18,315	17,716	6,484	15
Male	43,114	3,021	465	456	900	1,265	2,517	5,006	8,257	10,048	8,582	2,591	6
Female	35,601	2,248	400	301	455	909	1,751	3,007	5,207	8,267	9,134	3,893	9
Foreign-born white	23,134	2	4	3	13	41	278	1,565	5,868	8,127	5,479	1,747	7
Male	13,435	1	3	2	7	20	166	949	3,673	4,885	2,912	813	4
Female	9,699	1	1	1	6	21	112	616	2,195	3,242	2,567	934	3
Nonwhite	7,655	820	109	88	232	461	761	1,510	1,507	1,268	682	200	17
Male	4,244	456	59	52	115	237	402	858	876	726	374	77	12
Female	3,411	364	50	36	117	224	359	652	631	542	308	123	5
RHODE ISLAND	8,308	450	61	59	76	134	359	790	1,589	2,203	1,911	671	5
White	8,101	429	60	57	70	124	345	764	1,547	2,154	1,884	662	5
Male	4,373	216	39	33	47	76	208	468	933	1,189	902	258	4
Female	3,728	213	21	24	23	48	137	296	614	965	982	404	1
Native white	4,809	429	59	57	70	113	302	548	892	1,070	945	322	2
Male	2,599	216	38	33	47	72	181	334	560	576	433	107	2
Female	2,210	213	21	24	23	41	121	214	332	494	512	215	-
Foreign-born white	3,260	-	1	-	-	9	43	213	652	1,073	929	340	-
Male	1,752	-	1	-	-	3	27	133	370	605	462	151	-
Female	1,508	-	-	-	-	6	16	80	282	468	467	189	-
Nonwhite	207	21	1	2	6	10	14	26	42	49	27	9	-
Male	108	9	1	1	4	5	6	13	24	29	11	3	-
Female	101	12	-	1	2	5	8	13	18	20	16	6	-
SOUTH CAROLINA	17,975	2,220	438	313	617	1,003	1,582	2,455	3,344	3,214	2,072	702	13
White	9,381	903	168	137	275	397	620	1,015	1,650	2,117	1,621	467	11
Male	5,619	533	96	78	199	268	404	688	1,100	1,222	834	189	8
Female	3,762	370	72	59	76	129	216	327	550	895	787	278	3
Native white	9,181	902	168	136	271	393	612	989	1,615	2,051	1,579	453	2
Male	5,496	532	96	78	196	266	402	672	1,077	1,188	809	180	-
Female	3,685	370	72	58	75	127	210	317	538	873	770	273	2
Foreign-born white	115	-	-	-	1	1	5	16	21	36	24	11	-
Male	71	-	-	-	-	1	1	10	15	23	14	7	-
Female	44	-	-	-	1	-	4	6	6	13	10	4	-
Nonwhite	8,592	1,317	270	176	342	606	962	1,440	1,694	1,097	451	235	2
Male	4,655	730	154	91	201	336	503	761	900	611	265	101	2
Female	3,937	587	116	85	141	270	459	679	794	486	186	134	-
SOUTH DAKOTA	5,880	473	118	77	146	144	207	446	904	1,337	1,419	603	6
White	5,532	397	67	68	122	122	190	427	871	1,301	1,371	592	4
Male	3,317	234	40	42	80	88	124	284	554	811	781	277	2
Female	2,215	163	27	26	42	34	66	143	317	490	590	315	2
Native white	4,238	392	67	67	121	122	177	400	744	988	843	316	1
Male	2,577	230	40	42	79	88	118	268	473	617	477	144	1
Female	1,661	162	27	25	42	34	59	132	271	371	366	172	-
Foreign-born white	1,237	1	-	1	1	-	7	21	117	302	512	274	1
Male	706	1	-	-	1	-	4	13	74	186	295	132	-
Female	531	-	-	1	-	-	3	8	43	116	217	142	1
Nonwhite	348	76	51	9	24	22	17	19	33	36	48	11	2
Male	191	42	22	5	12	12	9	7	20	22	34	6	-
Female	157	34	29	4	12	10	8	12	13	14	14	5	2

Table 49. Deaths by Age, Sex, Race, and Nativity of White: United States and Each State, 1950—Continued

(See headnote on p. 52)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
TENNESSEE	29,425	2,961	513	402	789	1,156	1,646	2,869	4,517	6,368	5,982	2,017	5
White	22,594	2,215	404	319	547	776	1,234	1,893	3,228	5,013	5,256	1,707	2
Male	12,940	1,236	213	192	364	493	771	1,207	2,024	2,884	2,783	773	-
Female	9,654	979	191	127	183	283	463	686	1,204	2,129	2,473	934	2
Native white	22,071	2,193	398	316	543	766	1,218	1,858	3,131	4,875	5,136	1,635	2
Male	12,607	1,224	208	191	361	489	760	1,178	1,980	2,796	2,707	733	-
Female	9,464	969	190	125	182	277	458	680	1,171	2,079	2,429	902	2
Foreign-born white	281	-	-	-	1	3	1	19	69	76	70	42	-
Male	188	-	-	-	1	1	1	17	49	49	47	23	-
Female	93	-	-	-	-	2	-	2	20	27	23	19	-
Nonwhite	6,831	746	109	83	242	380	612	976	1,289	1,355	726	310	3
Male	3,592	415	68	43	122	185	303	514	673	713	418	138	-
Female	3,239	331	41	40	120	195	309	462	616	642	308	172	3
TEXAS	63,349	7,630	1,448	939	1,995	2,675	4,021	6,920	9,816	12,809	11,027	4,050	21
White	52,747	6,442	1,233	784	1,601	2.033	2,956	5,105	7,879	10,937	10,006	3,757	14
Male	31,345	3,678	666	490	1,070	1,260	1,846	3,361	5,279	6,560	5,365	1,760	10
Female	21,402	2,764	567	294	531	773	1,110	1,744	2,600	4,377	4,641	1,997	4
Native white	47,099	6,389	1,184	759	1,484	1,890	2,668	4,539	6,860	9,446	8,745	3,129	6
Male	27,985	3,658	642	473	975	1,155	1,667	3,005	4,642	5,698	4,631	1,435	4
Female	18,114	2,731	542	286	509	735	1,001	1,534	2,218	3,748	4,114	1,694	2
Foreign-born white	4,652	39	42	22	86	100	225	483	909	1,290	1,085	569	2
Male	2,610	13	19	16	70	67	129	297	553	740	616	289	1
Female	2,042	26	23	6	16	33	96	186	356	550	469	280	1
Nonwhite	10,602	1,188	215	155	392	642	1,065	1,815	1,937	1,872	1,021	293	7
Male	5,720	652	114	87	224	347	495	931	1,081	1,057	584	145	3
Female	4,882	536	101	68	168	295	570	884	856	815	437	148	4
UTAH	4,974	503	104	98	145	186	250	413	772	1,070	1,027	398	8
White	4,841	476	98	96	139	178	245	401	753	1,044	1,011	395	5
Male	2,882	297	53	64	90	116	149	272	498	625	524	192	2
Female	1,959	179	45	32	49	62	96	129	255	419	487	203	3
Native white	3,942	476	97	96	137	176	238	360	613	794	716	235	4
Male	2,375	297	52	64	88	114	143	250	406	471	367	121	2
Female	1,567	179	45	32	49	62	95	110	207	323	349	114	2
Foreign-born white	862	-	-	-	2	-	5	39	132	238	286	159	1
Male	474	-	-	-	2	-	4	20	85	144	149	70	-
Female	388	-	-	-	-	-	1	19	47	94	137	89	1
Nonwhite	133	27	6	2	6	8	5	12	19	26	16	3	3
Male	88	19	3	1	3	6	2	6	11	19	12	2	2
Female	47	8	3	1	3	2	3	6	8	7	4	1	1
VERMONT	4,167	221	53	34	64	85	142	306	585	1,080	1,106	479	12
White	4,162	221	53	34	64	85	142	305	584	1,079	1,104	479	12
Male	2,302	125	34	20	41	56	80	195	381	615	548	199	8
Female	1,860	96	19	14	23	29	62	110	203	464	556	280	4
Native white	3,432	219	51	34	62	80	128	250	470	848	887	397	6
Male	1,902	123	34	20	41	53	74	156	312	477	450	158	4
Female	1,530	96	17	14	21	27	54	94	158	371	437	239	2
Foreign-born white	662	-	1	-	2	5	12	50	110	213	196	71	2
Male	363	-	-	-	-	3	5	35	67	129	87	37	-
Female	299	-	1	-	2	2	7	15	43	84	109	34	2
Nonwhite	5	-	-	-	-	-	-	1	1	1	2	-	-
Male	5	-	-	-	-	-	-	1	1	1	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	29,708	2,836	462	382	805	1,262	1.954	3,218	4,986	6,438	5,383	1,941	41
White	20,503	1,736	296	267	500	697	1,120	1,906	3,077	4,731	4,555	1,609	10
Male	11,861	1,019	159	160	370	444	731	1,247	1,996	2,705	2,353	673	4
Female	8,642	717	136	107	130	253	389	659	1,081	2,026	2,202	936	6
Native white	19,737	1,730	292	264	489	678	1,089	1,854	2,940	4,528	4,350	1,514	9
Male	11,394	1,017	158	158	361	433	711	1,209	1,899	2,590	2,226	629	3
Female	8,343	713	134	106	128	245	378	645	1,041	1,938	2,124	885	6
Foreign-born white	619	-	-	-	4	10	17	34	114	181	175	84	-
Male	368	-	-	-	2	6	12	25	79	99	106	39	-
Female	251	-	-	-	2	4	5	9	35	82	69	45	-
Nonwhite	9,205	1,100	167	115	305	565	834	1,312	1,909	1,707	828	332	31
Male	5,125	624	99	68	157	317	464	709	1,081	969	467	151	19
Female	4,080	476	68	47	148	248	370	603	828	738	361	181	12
WASHINGTON	22,486	1,522	260	243	375	621	1,092	1,989	3,697	5,621	4,964	2,089	13
White	21,818	1,406	248	229	347	570	1,022	1,912	3,617	5,508	4,887	2,059	13
Male	13,404	818	135	149	236	389	649	1,280	2,458	3,485	2,756	1,037	12
Female	8,414	588	113	80	111	181	373	632	1,159	2,023	2,131	1,022	1
Native white	16,433	1,401	245	226	334	540	926	1,651	2,783	3,822	3,186	1,313	6
Male	9,995	814	133	147	227	367	592	1,105	1,863	2,355	1,761	626	5
Female	6,438	587	112	79	107	173	334	546	920	1,467	1,425	687	1
Foreign-born white	5,385	2	3	2	9	20	90	243	799	1,629	1,640	726	-
Male	3,241	1	2	1	6	12	53	157	566	1,090	959	394	-
Female	1,922	1	1	1	3	8	37	86	233	539	681	332	-
Nonwhite	668	116	12	14	28	51	70	77	80	113	77	30	-
Male	433	74	7	7	16	28	43	48	54	82	55	19	-
Female	235	42	5	7	12	23	27	29	26	31	22	11	-
WEST VIRGINIA	17,428	1,822	311	252	448	637	1,054	1,687	2,606	3,779	3,462	1,307	63
White	16,044	1,678	289	236	415	571	921	1,465	2,318	3,521	3,327	1,255	48
Male	9,546	1,018	150	137	292	370	574	933	1,504	2,067	1,846	620	35
Female	6,498	660	139	99	123	201	347	532	814	1,454	1,481	635	13
Native white	14,865	1,656	277	232	402	557	897	1,374	2,046	3,148	3,082	1,168	26
Male	8,737	1.009	144	134	280	362	561	867	1,302	1,800	1,683	580	15
Female	6,128	647	133	98	122	195	336	507	744	1,348	1,399	588	11
Foreign-born white	839	-	1	1	1	2	11	68	237	297	161	57	5
Male	578	-	-	1	1	1	6	44	174	212	109	25	5
Female	261	-	1	-	-	1	5	22	63	85	52	32	-
Nonwhite	1,384	144	22	16	33	66	133	222	288	258	135	52	15
Male	839	78	10	8	17	43	73	133	196	166	85	24	6
Female	545	66	12	8	16	23	60	89	92	92	50	28	9

Table 49. Deaths by Age, Sex, Race, and Nativity of White: United States and Each State, 1950—Continued

(See headnote on p. 52)

AREA, SEX, RACE, AND NATIVITY OF WHITE	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
WISCONSIN	35,778	2,121	339	314	534	659	1,299	2,825	5,601	8,265	8,265	3,556	2
White	33,323	2,048	319	303	511	621	1,271	2,769	5,531	8,182	8,226	3,530	2
Male	19,048	1,185	177	197	373	378	773	1,704	3,443	4,773	4,328	1,715	2
Female	14,275	863	142	106	138	243	498	1,065	2,088	3,419	3,898	1,815	-
Native white	25,137	2,045	318	301	505	605	1,215	2,463	4,458	5,823	5,433	1,951	-
Male	14,255	1,183	176	195	370	372	736	1,514	2,724	3,306	2,796	883	-
Female	10,882	862	142	106	135	233	479	969	1,734	2,517	2,637	1,068	-
Foreign-born white	8,053	1	1	2	6	13	53	280	1,058	2,337	2,746	1,556	-
Male	4,703	1	1	2	3	4	34	185	706	1,446	1,504	817	-
Female	3,350	-	-	-	3	9	19	95	352	891	1,242	739	-
Nonwhite	455	73	20	11	23	38	28	54	70	73	39	26	-
Male	255	34	15	7	15	21	11	28	49	44	19	12	-
Female	200	39	5	4	8	17	17	26	21	29	20	14	-
WYOMING	2,336	247	39	48	101	96	148	216	375	493	422	151	-
White	2,258	229	36	45	95	94	138	210	366	481	418	147	-
Male	1,481	144	19	28	63	60	91	154	251	315	258	98	-
Female	777	84	17	17	32	34	47	56	115	166	160	49	-
Native white	1,899	228	36	44	94	92	129	184	304	362	311	115	-
Male	1,231	144	19	27	63	58	84	133	204	230	191	78	-
Female	668	84	17	17	31	34	45	51	100	132	120	37	-
Foreign-born white	332	-	-	-	1	1	6	23	54	113	105	29	-
Male	227	-	-	-	-	1	5	18	39	79	66	19	-
Female	105	-	-	-	1	-	1	5	15	34	39	10	-
Nonwhite	78	19	3	3	6	2	10	6	9	12	4	4	-
Male	42	8	1	2	3	2	5	4	4	8	2	3	-
Female	36	11	2	1	3	-	5	2	5	4	2	1	-

Table 50. Deaths by Marital Status, Age, Race, and Sex: United States, 1950

(Exclusive of fetal deaths and of deaths among armed forces overseas)

AGE AND RACE	BOTH SEXES						MALE						FEMALE					
	Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated
ALL RACES----	1,452,454	296,030	665,886	435,732	39,655	14,951	827,749	181,391	447,164	159,555	27,793	11,846	624,705	114,639	218,722	276,177	12,062	3,105
Under 15 years-	136,580	136,558	14	3	-	5	78,558	78,548	7	1	-	2	58,022	58,010	7	2	-	3
15-19 years----	11,531	10,129	1,151	40	42	169	7,472	7,036	283	9	15	129	4,059	3,093	868	31	27	40
20-24 years----	16,787	9,479	6,588	140	328	232	10,960	7,240	3,204	55	178	183	5,907	2,239	3,384	85	150	49
25-34 years----	42,467	10,832	27,922	917	2,197	599	25,111	7,732	15,319	279	1,513	468	17,356	3,100	12,603	638	684	131
35-44 years----	76,957	11,669	55,780	3,680	4,746	1,062	45,402	8,267	32,159	1,168	3,017	811	31,535	3,402	23,641	2,512	1,729	251
45-54 years----	148,087	17,139	105,651	14,964	8,285	2,048	92,356	12,487	67,244	5,090	5,866	1,669	55,731	4,652	38,407	9,874	2,419	379
55-59 years----	113,036	11,823	77,727	17,267	4,879	1,340	72,159	8,713	52,421	6,337	3,559	1,129	40,877	3,110	25,306	10,930	1,320	211
60-64 years----	141,114	14,550	90,111	29,673	4,930	1,850	88,263	10,480	61,328	11,283	3,588	1,584	52,851	4,070	28,783	18,390	1,342	266
65-69 years----	166,510	16,972	94,779	47,879	4,877	2,003	99,715	11,547	65,110	17,835	3,551	1,670	66,797	5,425	29,669	30,044	1,326	333
70-74 years----	175,786	17,445	84,784	67,860	3,921	1,776	99,715	10,648	59,206	24,695	2,764	1,412	77,071	6,797	25,578	43,165	1,167	364
75-79 years----	169,800	16,456	65,133	83,728	2,996	1,487	89,750	8,806	47,040	30,606	2,177	1,121	80,050	7,650	18,093	53,122	819	366
80-84 years----	136,051	12,656	37,477	82,892	1,696	1,128	67,345	6,042	28,811	30,572	1,151	769	68,706	6,816	8,666	52,320	545	359
85 and over----	116,516	9,927	18,404	86,331	930	924	51,240	3,728	14,814	31,481	607	610	65,276	6,199	3,590	54,850	323	314
Not stated-----	1,272	193	365	358	28	328	805	117	238	144	17	289	467	76	127	214	11	39
WHITE----------	1,276,085	249,618	591,957	387,558	35,551	11,401	731,366	153,323	401,422	142,095	25,228	9,298	544,719	96,295	190,535	245,463	10,323	2,103
Under 15 years-----	108,223	108,209	6	3	-	5	62,814	62,809	2	1	-	2	45,409	45,400	4	2	-	3
15-19 years--------	9,008	8,021	818	23	36	110	6,116	5,784	225	2	13	92	2,892	2,237	593	21	23	18
20-24 years--------	12,765	7,418	4,861	81	272	153	8,653	5,863	2,469	36	158	127	4,132	1,555	2,392	45	114	26
25-34 years--------	31,558	7,974	21,089	445	1,709	341	19,323	5,837	11,972	158	1,071	285	12,235	2,137	9,117	287	638	56
35-44 years--------	59,208	8,978	43,894	1,844	3,891	601	36,293	6,420	26,139	652	2,585	497	22,915	2,558	17,755	1,192	1,306	104
45-54 years--------	120,144	14,345	88,507	8,816	7,122	1,354	77,150	10,452	57,150	3,209	5,175	1,164	42,994	3,893	31,357	5,607	1,947	190
55-59 years--------	97,085	10,626	68,745	12,346	4,374	994	63,046	7,793	46,477	4,676	3,219	881	34,039	2,833	22,268	7,670	1,155	113
60-64 years--------	125,137	13,455	82,107	23,542	4,523	1,510	79,373	9,702	55,934	9,078	3,324	1,335	45,764	3,753	26,173	14,464	1,199	175
65-69 years--------	149,978	15,885	87,362	40,622	4,514	1,595	90,410	10,743	59,846	15,151	3,307	1,363	59,568	5,142	27,516	25,471	1,207	232
70-74 years--------	162,504	16,603	79,682	61,037	3,715	1,467	91,360	10,059	55,422	22,074	2,622	1,183	71,144	6,544	24,260	38,963	1,093	284
75-79 years--------	159,778	15,867	61,640	78,143	2,868	1,260	84,077	8,421	44,319	28,325	2,065	947	75,701	7,446	17,321	49,818	803	313
80-84 years--------	128,725	12,484	35,718	78,819	1,634	970	63,907	5,804	27,408	28,921	1,107	667	65,818	6,680	8,310	49,998	527	303
85 and over--------	110,034	9,604	17,259	81,498	876	797	48,249	3,549	13,880	29,714	571	535	61,785	6,055	3,379	51,784	305	262
Not stated---------	918	149	269	239	17	244	595	87	179	98	11	220	323	62	90	141	6	24
NONWHITE---------	176,369	46,412	73,929	48,174	4,304	3,550	96,383	28,068	45,742	17,460	2,565	2,548	79,986	18,344	28,187	30,714	1,739	1,002
Under 15 years-----	28,357	28,349	8	-	-	-	15,744	15,738	5	-	-	-	12,613	12,610	3	-	-	-
15-19 years--------	2,523	2,108	333	17	6	59	1,356	1,252	58	7	2	37	1,167	856	275	10	4	22
20-24 years--------	3,982	2,061	1,727	59	56	79	2,207	1,377	735	19	20	56	1,775	684	992	40	36	23
25-34 years--------	10,909	2,858	6,833	472	488	258	5,788	1,895	3,347	121	242	183	5,121	963	3,486	351	246	75
35-44 years--------	17,729	2,691	11,886	1,836	855	461	9,109	1,847	6,000	516	432	314	8,620	844	5,886	1,320	423	147
45-54 years--------	27,943	2,794	17,144	6,148	1,163	694	15,206	2,035	10,094	1,881	691	505	12,737	759	7,050	4,267	472	189
55-59 years--------	15,951	1,197	8,982	4,921	505	346	9,113	920	5,944	1,661	340	248	6,838	277	3,038	3,260	165	98
60-64 years--------	15,977	1,095	8,004	6,131	407	340	8,990	778	5,394	2,205	264	249	7,087	317	2,610	3,926	143	91
65-69 years--------	16,532	1,087	7,417	7,257	363	408	9,303	804	5,264	2,684	244	307	7,229	283	2,153	4,573	119	101
70-74 years--------	13,282	842	5,102	6,823	206	309	7,355	589	3,784	2,621	132	229	5,927	253	1,318	4,202	74	80
75-79 years--------	10,022	589	3,493	5,585	128	227	5,673	385	2,721	2,281	112	174	4,349	204	772	3,304	16	53
80-84 years--------	6,328	374	1,759	3,973	82	158	3,438	238	1,403	1,651	44	102	2,888	136	356	2,322	18	56
85 and over--------	6,482	323	1,145	4,853	54	127	2,991	179	934	1,767	36	75	3,491	144	211	3,086	18	52
Not stated---------	354	44	96	119	11	84	210	30	59	46	6	69	144	14	37	73	5	15

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950

(Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 population in each specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1950, and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,452,454	731,366	544,719	96,383	79,986	963.8	1089.5	805.3	1251.1	993.5
	I. Infective and parasitic diseases										
	Tuberculosis of respiratory system (001-008)										
001	Respiratory tuberculosis with mention of occupational disease of lung	635	590	5	40	-	0.4	0.9	0.0	0.5	0
002	Pulmonary tuberculosis	29,228	14,589	6,285	4,879	3,475	19.4	21.7	9.3	63.3	43.2
003	Pleural tuberculosis	385	195	93	65	32	0.3	0.3	0.1	0.8	0.4
.0	Pleurisy specified as tuberculous	222	112	44	49	17	0.1	0.2	0.1	0.6	0.2
.1	Pleurisy with effusion without mention of cause	163	83	49	16	15	0.1	0.1	0.1	0.2	0.2
004	Primary tuberculosis complex with symptoms	8	3	2	3	-	0.0	0.0	0.0	0.0	0
005	Tracheobronchial glandular tuberculosis with symptoms	14	5	2	6	1	0.0	0.0	0.0	0.1	0.0
007	Other respiratory tuberculosis	34	17	10	6	1	0.0	0.0	0.0	0.1	0.0
008	Tuberculosis, unspecified site	789	355	206	132	96	0.5	0.5	0.3	1.7	1.2
	Tuberculosis, other forms (010-019)										
010	Tuberculosis of meninges and central nervous system	1,094	359	314	245	196	0.7	0.5	0.5	3.2	2.4
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	229	62	73	45	49	0.2	0.1	0.1	0.6	0.6
012	Tuberculosis of bones and joints, active or unspecified	242	108	54	49	31	0.2	0.2	0.1	0.6	0.4
.0	Active or unspecified tuberculosis of vertebral column	177	69	46	38	24	0.1	0.1	0.1	0.5	0.3
.1	Active or unspecified tuberculosis of hip	20	13	2	3	2	0.0	0.0	0.0	0.0	0.0
.2	Active or unspecified tuberculosis of knee	5	2	2	-	1	0.0	0.0	0.0	0	0.0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	40	24	4	8	4	0.0	0.0	0.0	0.1	0.0
013	Late effects of tuberculosis of bones and joints	6	4	2	-	-	0.0	0.0	0.0	0	0
.0	Late effects of tuberculosis of vertebral column	5	3	2	-	-	0.0	0.0	0.0	0	0
.1-.3	Late effects of tuberculosis of all other and unspecified bones and joints	1	1	-	-	-	0.0	0.0	0	0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	12	4	6	2	-	0.0	0.0	0.0	0.0	0
015	Tuberculosis of lymphatic system	67	19	28	9	11	0.0	0.0	0.0	0.1	0.1
016	Tuberculosis of genito-urinary system	274	164	71	22	17	0.2	0.2	0.1	0.3	0.2
017	Tuberculosis of adrenal glands	29	11	12	3	3	0.0	0.0	0.0	0.0	0.0
018	Tuberculosis of other organs	38	22	5	7	4	0.0	0.0	0.0	0.1	0.0
019	Disseminated tuberculosis	875	300	181	239	155	0.6	0.4	0.3	3.1	1.9
.0	Acute miliary tuberculosis, specified as nonpulmonary	2	-	-	2	-	0.0	0	0	0.0	0
.1	Acute miliary tuberculosis, unspecified	64	19	21	15	9	0.0	0.0	0.0	0.2	0.1
.2	Other forms of disseminated tuberculosis	809	281	160	222	146	0.5	0.4	0.2	2.9	1.8
	Syphilis and its sequelae (020-029)										
020	Congenital syphilis	253	59	48	78	68	0.2	0.1	0.1	1.0	0.8
.0	Interstitial keratitis	1	-	-	-	1	0.0	0	0	0	0.0
.1	Juvenile neurosyphilis	20	5	8	2	5	0.0	0.0	0.0	0.0	0.1
.2	Other congenital syphilis	232	54	40	76	62	0.2	0.1	0.1	1.0	0.8
021	Early syphilis	3	1	-	1	1	0.0	0.0	0	0.0	0.0
022	Aneurysm of aorta	2,377	1,444	441	341	151	1.6	2.2	0.7	4.4	1.9
023	Other cardiovascular syphilis	2,351	1,086	327	682	256	1.6	1.6	0.5	8.9	3.2
024	Tabes dorsalis	174	118	29	17	9	0.1	0.2	0.0	0.2	0.1
025	General paralysis of insane	1,301	576	209	401	115	0.9	0.9	0.3	5.2	1.4
026	Other syphilis of central nervous system	826	368	138	206	114	0.5	0.5	0.2	2.7	1.4
027	Other forms of late syphilis	156	69	47	24	16	0.1	0.1	0.1	0.3	0.2
028	Latent syphilis	15	3	6	3	3	0.0	0.0	0.0	0.0	0.0
029	Syphilis, unqualified	112	39	15	33	25	0.1	0.1	0.0	0.4	0.3
	Gonococcal infection and other venereal diseases (030-039)										
030	Acute or unspecified gonorrhea	5	-	-	-	5	0.0	0	0	0	0.1
031	Chronic gonococcal infection of genito-urinary system	16	1	3	1	11	0.0	0.0	0.0	0.0	0.1
034	Gonococcal infection of other sites	1	1	-	-	-	0.0	0.0	0	0	0
035	Late effects of gonococcal infection	15	3	-	12	-	0.0	0.0	0	0.2	0
037	Lymphogranuloma venereum	29	1	2	2	24	0.0	0.0	0.0	0.0	0.3
038	Granuloma inguinale, venereal	12	-	1	6	5	0.0	0	0.0	0.1	0.1
039	Other and unspecified venereal diseases	2	1	-	1	-	0.0	0.0	0	0.0	0
	Infectious diseases commonly arising in intestinal tract (040-049)										
040	Typhoid fever	96	28	27	24	17	0.1	0.0	0.0	0.3	0.2
041	Paratyphoid fever	18	8	6	3	1	0.0	0.0	0.0	0.0	0.0
042	Other Salmonella infections	25	10	5	8	2	0.0	0.0	0.0	0.1	0.0
044	Brucellosis (undulant fever)	36	19	15	2	-	0.0	0.0	0.0	0.0	0
045	Bacillary dysentery	335	135	102	56	42	0.2	0.2	0.2	0.7	0.5
.0	Flexner-Boyd group	6	4	2	-	-	0.0	0.0	0.0	0	0
.1	Schmitz	1	-	-	1	-	0.0	0	0	0.0	0
.2	Shiga	22	12	7	2	1	0.0	0.0	0.0	0.0	0.0
.3	Sonne	4	2	-	1	1	0.0	0.0	0	0.0	0.0
.4	Bacillary, other, and unspecified	302	117	93	52	40	0.2	0.2	0.1	0.7	0.5
046	Amebiasis	136	67	34	26	9	0.1	0.1	0.1	0.3	0.1
047	Other protozoal dysentery	5	2	3	-	-	0.0	0.0	0.0	0	0
048	Unspecified forms of dysentery	447	199	151	56	41	0.3	0.3	0.2	0.7	0.5
049	Food poisoning (infection and intoxication)	199	67	63	35	34	0.1	0.1	0.1	0.5	0.4
.0	Staphylococcal	2	2	-	-	-	0.0	0.0	0	0	0
.1	Botulism	16	8	4	1	3	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	181	57	59	34	31	0.1	0.1	0.1	0.4	0.4
	Other bacterial diseases (050-064)										
050	Scarlet fever	35	21	11	1	2	0.0	0.0	0.0	0.0	0.0
051	Streptococcal sore throat	311	140	122	20	29	0.2	0.2	0.2	0.3	0.4
052	Erysipelas	54	24	27	1	2	0.0	0.0	0.0	0.0	0.0
053	Septicemia and pyemia	616	286	218	48	64	0.4	0.4	0.3	0.6	0.8
.0	Streptococcus	76	31	31	6	8	0.1	0.0	0.0	0.1	0.1
.1	Staphylococcus	62	36	18	1	7	0.0	0.1	0.0	0.0	0.1
.2	Pneumococcus	20	8	7	2	3	0.0	0.0	0.0	0.0	0.0
.3	Other specified organism	29	14	8	4	3	0.0	0.0	0.0	0.1	0.0
.4	Organism unspecified	429	197	154	35	43	0.3	0.3	0.2	0.5	0.5

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Continued										
	Other bacterial diseases (050-064)—Continued										
054	Bacterial toxemia	1	-	1	-	-	0.0	0	0.0	0	0
055	Diphtheria	410	172	151	43	44	0.3	0.3	0.2	0.6	0.5
056	Whooping cough	1,118	304	401	191	222	0.7	0.5	0.6	2.5	2.8
.0	Without mention of pneumonia	410	117	147	67	79	0.3	0.2	0.2	0.9	1.0
.1	With pneumonia	708	187	254	124	143	0.5	0.3	0.4	1.6	1.8
057	Meningococcal infections	974	475	368	84	47	0.6	0.7	0.5	1.1	0.6
.0	Meningococcal meningitis	608	273	226	71	38	0.4	0.4	0.3	0.9	0.5
.1	Acute and unspecified meningococcemia	365	201	142	13	9	0.2	0.3	0.2	0.2	0.1
.2	Chronic meningococcemia	1	1	-	-	-	0.0	0.0	0	0	0
058	Plague	1	1	-	-	-	0.0	0.0	0	0	0
059	Tularemia	15	6	2	4	3	0.0	0.0	0.0	0.1	0.0
060	Leprosy	3	-	3	-	-	0.0	0	0.0	0	0
061	Tetanus	336	132	68	82	54	0.2	0.2	0.1	1.1	0.7
062	Anthrax	5	3	1	-	1	0.0	0.0	0.0	0	0.0
063	Gas gangrene	33	16	12	3	2	0.0	0.0	0.0	0.0	0.0
064	Other bacterial diseases	4	2	1	1	-	0.0	0.0	0.0	0.0	0
	Spirochetal diseases, except syphilis (070-074)										
070	Vincent's infection	23	9	6	3	5	0.0	0.0	0.0	0.0	0.1
072	Leptospirosis icterohemorrhagica (Weil's disease)	16	7	1	6	2	0.0	0.0	0.0	0.1	0.0
074	Other spirochetal and leptospirochetal infections	2	1	1	-	-	0.0	0.0	0.0	0	0
	Diseases attributable to viruses (080-096)										
080	Acute poliomyelitis	1,904	1,094	717	47	46	1.3	1.6	1.1	0.6	0.6
.0	Specified as bulbar or polioencephalitis	1,294	768	482	23	21	0.9	1.1	0.7	0.3	0.3
.1	With other paralysis	88	41	22	3	-	0.0	0.1	0.0	0.0	0
.3	Unspecified	544	285	213	21	25	0.4	0.4	0.3	0.3	0.3
081	Late effects of acute poliomyelitis	79	50	21	5	3	0.1	0.1	0.0	0.1	0.0
082	Acute infectious encephalitis	394	179	162	22	31	0.3	0.3	0.2	0.3	0.4
083	Late effects of acute infectious encephalitis	161	89	63	8	1	0.1	0.1	0.1	0.1	0.0
.0	Postencephalitis Parkinsonism	109	60	43	6	-	0.1	0.1	0.1	0.1	0
.2	Postencephalitic psychosis	10	9	1	-	-	0.0	0.0	0.0	0	0
.3	Other postencephalitic conditions	42	20	19	2	1	0.0	0.0	0.0	0.0	0.0
084	Smallpox	1	1	-	-	-	0.0	0.0	0	0	0
085	Measles	468	194	180	42	52	0.3	0.3	0.3	0.5	0.6
.0	Without mention of pneumonia	210	100	78	16	16	0.1	0.1	0.1	0.2	0.2
.1	With pneumonia	258	94	102	26	36	0.2	0.1	0.2	0.3	0.4
086	Rubella (German measles)	9	5	4	-	-	0.0	0.0	0.0	0	0
087	Chickenpox	87	36	34	12	1	0.1	0.1	0.1	0.2	0.1
088	Herpes zoster	36	18	17	-	1	0.0	0.0	0.0	0.0	0.0
089	Mumps	40	20	12	3	5	0.0	0.0	0.0	0.0	0.1
092	Infectious hepatitis	552	259	235	24	34	0.4	0.4	0.3	0.3	0.4
093	Glandular fever (infectious mononucleosis)	9	4	4	1	-	0.0	0.0	0.0	0.0	0
094	Rabies	18	16	1	1	-	0.0	0.0	0.0	0.0	0
096	Other diseases attributable to viruses	250	121	106	11	12	0.2	0.2	0.2	0.1	0.1
.0	Herpes febrilis	18	7	10	-	1	0.0	0.0	0.0	0	0.0
.9	Other	232	114	96	11	11	0.2	0.2	0.1	0.1	0.1
	Typhus and other rickettsial diseases (100-108)										
102	Brill's disease, not specified as louse- or flea-borne typhus	2	-	-	-	2	0.0	0	0	0	0.0
104	Tick-borne typhus	31	19	10	2	-	0.0	0.0	0.0	0.0	0
A	Rocky Mountain spotted fever	31	19	10	2	-	0.0	0.0	0.0	0.0	0
107	Typhus, unspecified	13	4	2	3	4	0.0	0.0	0.0	0.0	0.0
108	Other rickettsial diseases	1	1	-	-	-	0.0	0.0	0	0	0
	Malaria (110-117)										
110	Vivax malaria (benign tertian)	1	1	-	-	-	0.0	0.0	0	0	0
112	Falciparum malaria (malignant tertian)	15	6	4	2	3	0.0	0.0	0.0	0.0	0.0
115	Blackwater fever	1	-	1	-	-	0.0	0	0.0	0	0
116	Other and unspecified forms of malaria	59	20	8	17	14	0.0	0.0	0.0	0.2	0.2
	Other infective and parasitic diseases (120-138)										
120	Leishmaniasis	4	2	-	2	-	0.0	0.0	0	0.0	0
122	Other protozoal diseases	14	8	4	1	1	0.0	0.0	0.0	0.0	0.0
123	Schistosomiasis	2	1	1	-	-	0.0	0.0	0.0	0	0
125	Hydatid disease	7	5	1	1	-	0.0	0.0	0.0	0.0	0
126	Other cestode infestation	1	-	1	-	-	0.0	0	0.0	0	0
127	Filariasis	2	-	1	1	-	0.0	0	0.0	0.0	0
128	Trichiniasis	9	3	6	-	-	0.0	0.0	0.0	0	0
129	Ankylostomiasis	7	1	2	2	2	0.0	0.0	0.0	0.0	0.0
130	Infestation with worms of other, mixed, and unspecified type	70	23	14	15	18	0.0	0.0	0.0	0.2	0.2
131	Dermatophytosis	3	2	1	-	-	0.0	0.0	0.0	0	0
132	Actinomycosis	36	22	5	6	3	0.0	0.0	0.0	0.1	0.0
133	Coccidioidomycosis	83	25	9	39	11	0.1	0.0	0.0	0.5	0.1
134	Other fungus infections	289	164	81	31	13	0.2	0.2	0.1	0.4	0.2
.0	Blastomycosis	39	17	10	11	1	0.0	0.0	0.0	0.1	0.0
.1	Cryptococcosis (torulosis)	31	18	8	2	3	0.0	0.0	0.0	0.0	0.0
.2	Histoplasmosis	44	26	14	3	1	0.0	0.0	0.0	0.0	0.0
.3	Moniliasis	88	48	30	8	2	0.1	0.1	0.0	0.1	0.0
.5	Other	87	55	19	7	6	0.1	0.1	0.0	0.1	0.1
135	Scabies	1	-	1	-	-	0.0	0	0.0	0	0
136	Pediculosis	1	1	-	-	-	0.0	0.0	0	0	0
138	Other infective and parasitic diseases	129	45	29	25	30	0.1	0.1	0.0	0.3	0.4
	II. Neoplasms										
	Malignant neoplasm of buccal cavity and pharynx (140-148)										
140	Malignant neoplasm of lip	463	412	41	6	4	0.3	0.6	0.1	0.1	0.0
141	Malignant neoplasm of tongue	1,277	949	223	82	23	0.8	1.4	0.3	1.1	0.3
142	Malignant neoplasm of salivary gland	448	259	160	15	14	0.3	0.4	0.2	0.2	0.2
.0	Mixed salivary gland tumor	55	27	21	4	3	0.0	0.0	0.0	0.1	0.0
.1	Other	393	232	139	11	11	0.3	0.3	0.2	0.1	0.1

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasm of buccal cavity and pharynx (140-148)—Continued										
143	Malignant neoplasm of floor of mouth	212	162	34	11	5	0.1	0.2	0.1	0.1	0.1
144	Malignant neoplasm of other parts of mouth and mouth unspecified	814	582	175	34	23	0.5	0.9	0.3	0.4	0.3
145	Malignant neoplasm of oral mesopharynx	346	263	56	24	3	0.2	0.4	0.1	0.3	0.0
146	Malignant neoplasm of nasopharynx	309	208	67	27	7	0.2	0.3	0.1	0.4	0.1
147	Malignant neoplasm of hypopharynx	125	106	11	7	1	0.1	0.2	0.0	0.1	0.0
148	Malignant neoplasm of pharynx, unspecified	1,144	858	189	67	30	0.8	1.3	0.3	0.9	0.4
	Malignant neoplasm of digestive organs and peritoneum (150-159)										
150	Malignant neoplasm of esophagus	3,866	2,620	717	414	115	2.6	3.9	1.1	5.4	1.4
151	Malignant neoplasm of stomach	24,258	13,633	8,119	1,647	859	16.1	20.3	12.0	21.4	10.7
152	Malignant neoplasm of small intestine, including duodenum	794	381	358	24	31	0.5	0.6	0.5	0.3	0.4
153	Malignant neoplasm of large intestine, except rectum	22,206	9,473	11,581	502	650	14.7	14.1	17.1	6.5	8.1
154	Malignant neoplasm of rectum	10,383	5,597	4,081	379	326	6.9	8.3	6.0	4.9	4.0
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	4,653	1,669	2,716	152	116	3.1	2.5	4.0	2.0	1.4
156	Malignant neoplasm of liver (secondary and unspecified)	5,658	2,524	2,577	308	249	3.8	3.8	3.8	4.0	3.1
A	Not stated whether primary or secondary	5,121	2,284	2,341	268	228	3.4	3.4	3.5	3.5	2.8
B	Secondary	537	240	236	40	21	0.4	0.4	0.3	0.5	0.3
157	Malignant neoplasm of pancreas	8,952	4,868	3,520	345	219	5.9	7.3	5.2	4.5	2.7
158	Malignant neoplasm of peritoneum	761	332	375	33	21	0.5	0.5	0.6	0.4	0.3
159	Malignant neoplasm of unspecified digestive organs	732	313	295	54	70	0.5	0.5	0.4	0.7	0.9
	Malignant neoplasm of respiratory system (160-165)										
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	645	359	232	37	17	0.4	0.5	0.3	0.5	0.2
161	Malignant neoplasm of larynx	1,852	1,555	169	106	22	1.2	2.3	0.2	1.4	0.3
162	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	7,618	6,008	1,073	437	100	5.1	8.9	1.6	5.7	1.2
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	10,695	7,973	2,089	504	129	7.1	11.9	3.1	6.5	1.6
164	Malignant neoplasm of mediastinum	409	261	110	30	8	0.3	0.4	0.2	0.4	0.1
165	Malignant neoplasm of thoracic organs (secondary)	284	143	112	18	11	0.2	0.2	0.2	0.2	0.1
	Malignant neoplasm of breast and genito-urinary organs (170-181)										
170	Malignant neoplasm of breast	18,973	216	17,445	23	1,289	12.6	0.3	25.7	0.3	16.0
171	Malignant neoplasm of cervix uteri	8,336	...	6,886	...	1,450	5.5	...	10.2	...	18.0
172	Malignant neoplasm of corpus uteri	1,060	...	980	...	80	0.7	...	1.4	...	1.0
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	96	...	73	...	23	0.1	...	0.1	...	0.3
174	Malignant neoplasm of uterus, unspecified	6,593	...	5,511	...	1,082	4.4	...	8.1	...	13.4
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	5,652	...	5,329	...	323	3.8	...	7.9	...	4.0
176	Malignant neoplasm of other and unspecified female genital organs	700	...	629	...	71	0.5	...	0.9	...	0.9
177	Malignant neoplasm of prostate	11,339	10,270	...	1,069	...	7.5	15.3	...	13.9	...
178	Malignant neoplasm of testis	632	614	...	18	...	0.4	0.9	...	0.2	...
179	Malignant neoplasm of other and unspecified male genital organs	334	281	...	53	...	0.2	0.4	...	0.7	...
180	Malignant neoplasm of kidney	3,643	2,124	1,310	120	89	2.4	3.2	1.9	1.6	1.1
181	Malignant neoplasm of bladder and of urinary organs	6,401	4,102	1,871	249	179	4.2	6.1	2.8	3.2	2.2
	Malignant neoplasm of other and unspecified sites (190-199)										
190	Malignant melanoma of skin	1,280	684	572	11	13	0.8	1.0	0.8	0.1	0.2
191	Other malignant neoplasm of skin	2,173	1,257	816	49	51	1.4	1.9	1.2	0.6	0.6
192	Malignant neoplasm of eye	341	170	156	8	7	0.2	0.3	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system	4,252	2,431	1,611	124	86	2.8	3.6	2.4	1.6	1.1
194	Malignant neoplasm of thyroid gland	933	299	555	28	51	0.6	0.4	0.8	0.4	0.6
195	Malignant neoplasm of other endocrine glands	386	217	137	24	8	0.3	0.3	0.2	0.3	0.1
196	Malignant neoplasm of bone (including jaw bone)	2,190	1,232	761	98	89	1.4	1.8	1.1	1.3	1.1
197	Malignant neoplasm of connective tissue	559	290	227	29	13	0.4	0.4	0.3	0.4	0.2
198	Secondary and unspecified malignant neoplasm of lymph nodes	355	220	120	9	6	0.2	0.3	0.2	0.1	0.1
A	Not stated whether primary or secondary	282	175	97	7	3	0.2	0.3	0.1	0.1	0.0
B	Secondary	73	45	23	2	3	0.0	0.1	0.0	0.0	0.0
199	Malignant neoplasm of other and unspecified sites	8,855	3,642	4,338	400	475	5.9	5.4	6.4	5.2	5.9
A	Of other specified sites, not stated to be secondary	2,808	1,221	1,327	120	140	1.9	1.8	2.0	1.6	1.7
B	Of unspecified site, not stated to be secondary	732	269	335	44	84	0.5	0.4	0.5	0.6	1.0
C	Of small intestine, including duodenum, specified as secondary	8	1	6	-	1	0.0	0.0	0.0	0	0.0
D	Of large intestine, except rectum, specified as secondary	108	57	43	1	5	0.1	0.1	0.1	0.0	0.1
E	Of brain and other parts of nervous system specified as secondary	153	88	53	8	4	0.1	0.1	0.1	0.1	0.0
F	Of bone (including jaw bone), specified as secondary	174	88	76	4	6	0.1	0.1	0.1	0.1	0.1
G	Specified as secondary of any other site except liver, thoracic organs, and lymph nodes	1,231	418	699	43	71	0.8	0.6	1.0	0.6	0.9
H	Generalized and metastatic neoplasm of multiple sites	3,643	1,500	1,799	180	164	2.4	2.2	2.7	2.5	2.0
	Neoplasms of lymphatic and hematopoietic tissues (200-205)										
200	Lymphosarcoma and reticulosarcoma	3,467	1,954	1,318	120	75	2.3	2.9	1.9	1.6	0.9
.0	Reticulum cell sarcoma	531	320	179	22	10	0.4	0.5	0.3	0.3	0.1
.1	Lymphosarcoma	2,478	1,396	957	71	54	1.6	2.1	1.4	0.9	0.7
.2	Other primary malignant neoplasms of lymphoid tissue	458	238	182	27	11	0.3	0.4	0.3	0.4	0.1
201	Hodgkin's disease	2,537	1,503	856	101	77	1.7	2.2	1.3	1.3	1.0
202	Other forms of lymphoma (reticulosis)	563	310	210	33	10	0.4	0.5	0.3	0.4	0.1
.0	Giant follicular lymphoma (Brill-Symmer's disease)	42	28	13	-	1	0.0	0.0	0.0	0	0.0
.1	Other	521	282	197	33	9	0.3	0.4	0.3	0.4	0.1
203	Multiple myeloma (plasmocytoma)	1,278	651	515	63	49	0.8	1.0	0.8	0.8	0.6
204	Leukemia and aleukemia	8,845	4,783	3,574	275	213	5.9	7.1	5.3	3.6	2.6
..0	Lymphatic leukemia	3,657	2,087	1,381	119	70	2.4	3.1	2.0	1.5	0.9
.1	Myeloid leukemia	2,884	1,534	1,202	79	79	1.9	2.3	1.8	1.0	1.0
.2	Monocytic leukemia	530	264	244	11	11	0.4	0.4	0.4	0.1	0.1
.3	Acute leukemia, unspecified type	729	378	308	28	15	0.5	0.6	0.5	0.4	0.2
.4	Other and unspecified leukemia	1,055	520	439	38	38	0.7	0.8	0.6	0.5	0.5
205	Mycosis fungoides	66	41	18	5	2	0.0	0.1	0.0	0.1	0.0

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Benign neoplasm (210-229)										
210	Benign neoplasm of buccal cavity and pharynx	7	4	1	-	2	0.0	0.0	0.0	0	0.0
211	Benign neoplasm of other parts of digestive system	187	96	84	3	4	0.1	0.1	0.1	0.0	0.0
212	Benign neoplasm of respiratory system	68	32	22	7	7	0.0	0.0	0.0	0.1	0.1
213	Benign neoplasm of breast	3	-	3	-	-	0.0	0	0.0	0	0
214	Uterine fibromyoma	857	...	541	...	316	0.6	...	0.8	...	3.9
215	Other benign neoplasm of uterus	80	...	66	...	14	0.1	...	0.1	...	0.2
216	Benign neoplasm of ovary	318	...	279	...	39	0.2	...	0.4	...	0.5
217	Benign neoplasm of other female genital organs	6	...	6	...	-	0.0	...	0.0	...	0
219	Benign neoplasm of kidney and other urinary organs	91	54	33	4	-	0.1	0.1	0.0	0.1	0
221	Pilonidal cyst	2	1	1	-	-	0.0	0.0	0.0	0	0
222	Other benign neoplasm of skin	3	-	3	-	-	0.0	0	0.0	0	0
223	Benign neoplasm of brain and other parts of nervous system	859	394	392	33	40	0.6	0.6	0.6	0.4	0.5
224	Benign neoplasm of endocrine glands	207	95	94	8	10	0.1	0.1	0.1	0.1	0.1
225	Benign neoplasm of bone and cartilage	54	25	16	5	8	0.0	0.0	0.0	0.1	0.1
226	Lipoma	26	11	12	-	3	0.0	0.0	0.0	0	0.0
227	Other benign neoplasm of muscular and connective tissue	14	4	6	1	3	0.0	0.0	0.0	0.0	0.0
228	Hemangioma and lymphangioma	104	40	54	3	7	0.1	0.1	0.1	0.0	0.1
229	Benign neoplasm of other and unspecified organs and tissues	42	11	23	3	5	0.0	0.0	0.0	0.0	0.1
	Neoplasm of unspecified nature (230-239)										
230	Neoplasm of unspecified nature of digestive organs	259	119	113	12	15	0.2	0.2	0.2	0.2	0.2
231	Neoplasm of unspecified nature of respiratory organs	227	134	62	22	9	0.2	0.2	0.1	0.3	0.1
232	Neoplasm of unspecified nature of breast	3	-	2	-	1	0.0	0	0.0	0	0.0
233	Neoplasm of unspecified nature of uterus	24	...	17	...	7	0.0	...	0.0	...	0.1
234	Neoplasm of unspecified nature of ovary	17	...	15	...	2	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs	3	...	1	...	2	0.0	...	0.0	...	0.0
236	Neoplasm of unspecified nature of other genito-urinary organs	78	48	19	7	4	0.1	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,541	755	635	77	74	1.0	1.1	0.9	1.0	0.9
238	Neoplasm of unspecified nature of skin and musculoskeletal system	31	9	17	3	2	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	263	91	134	11	27	0.2	0.1	0.2	0.1	0.3
	III. Allergic, endocrine system, metabolic, and nutritional diseases										
	Allergic disorders (240-245)										
240	Hay fever	2	-	2	-	-	0.0	0	0.0	0	0
241	Asthma	4,322	2,462	1,438	233	189	2.9	3.7	2.1	3.0	2.3
242	Angioneurotic edema	18	9	6	2	1	0.0	0.0	0.0	0.0	0.0
243	Urticaria	13	4	6	2	1	0.0	0.0	0.0	0.0	0.0
244	Allergic eczema	4	3	-	-	1	0.0	0.0	0	0	0.0
245	Other allergic disorders	6	3	3	-	-	0.0	0.0	0.0	0	0
	Diseases of thyroid gland (250-254)										
250	Simple goiter	78	14	48	3	13	0.1	0.0	0.1	0.0	0.2
251	Nontoxic nodular goiter	105	18	77	2	8	0.1	0.0	0.1	0.0	0.1
252	Thyrotoxicosis with or without goiter	1,326	197	984	23	122	0.9	0.3	1.5	0.3	1.5
.0	Toxic diffuse goiter	1,119	164	825	18	112	0.7	0.2	1.2	0.2	1.4
.1	Toxic nodular goiter	207	33	159	5	10	0.1	0.0	0.2	0.1	0.1
253	Myxedema and cretinism	146	30	107	3	6	0.1	0.0	0.2	0.0	0.1
254	Other diseases of thyroid gland	49	8	37	2	2	0.0	0.0	0.1	0.0	0.0
	Diabetes mellitus (260)										
260	Diabetes mellitus	24,419	8,580	13,567	768	1,504	16.2	12.8	20.0	10.0	18.7
	Diseases of other endocrine glands (270-277)										
270	Disorders of pancreatic internal secretion other than diabetes mellitus	17	5	8	2	2	0.0	0.0	0.0	0.0	0.0
271	Diseases of parathyroid gland	31	11	17	-	3	0.0	0.0	0.0	0	0.0
272	Diseases of pituitary gland	188	62	108	7	11	0.1	0.1	0.2	0.1	0.1
273	Diseases of thymus gland	641	342	191	67	41	0.4	0.5	0.3	0.9	0.5
274	Diseases of adrenal glands	416	177	220	13	6	0.3	0.3	0.3	0.2	0.1
275	Ovarian dysfunction	1	...	1	...	-	0.0	...	0.0	...	0
277	Polyglandular dysfunction and other diseases of endocrine glands	48	20	22	2	4	0.0	0.0	0.0	0.0	0.0
	Avitaminoses, and other metabolic diseases (280-289)										
280	Beriberi	36	18	14	4	2	0.0	0.0	0.0	0.1	0.0
281	Pellagra	260	50	132	29	49	0.2	0.1	0.2	0.4	0.6
282	Scurvy	27	8	8	6	5	0.0	0.0	0.0	0.1	0.1
283	Active rickets	28	9	8	7	4	0.0	0.0	0.0	0.1	0.0
284	Late effects of rickets	1	1	-	-	-	0.0	0.0	0	0	0
285	Osteomalacia	14	6	8	-	-	0.0	0.0	0.0	0	0
286	Other avitaminoses and nutritional deficiency states	714	290	281	83	60	0.5	0.4	0.4	1.1	0.7
.0	Steatorrhea and sprue	60	26	25	7	2	0.0	0.0	0.0	0.1	0.0
.1-.4	Other vitamin deficiency states	3	3	-	-	-	0.0	0.0	0	0	0
.5	Malnutrition, unqualified	460	194	167	59	40	0.3	0.3	0.2	0.8	0.5
.6	Other and multiple deficiency states	191	67	89	17	18	0.1	0.1	0.1	0.2	0.2
287	Obesity, not specified as of endocrine origin	3	1	1	-	1	0.0	0.0	0.0	0	0.0
288	Gout	17	15	2	-	-	0.0	0.0	0.0	0	0
289	Other metabolic diseases	283	151	111	11	10	0.2	0.2	0.2	0.1	0.1
	IV. Diseases of the blood and blood-forming organs										
	Diseases of blood and blood-forming organs (290-299)										
290	Pernicious and other hyperchromic anemias	2,168	931	1,142	45	52	1.4	1.4	1.7	0.6	0.6
.0	Pernicious anemia	2,030	874	1,070	42	44	1.3	1.3	1.6	0.5	0.5
.1	Subacute combined degeneration of spinal cord	88	37	45	1	5	0.1	0.1	0.1	0.0	0.1
.2	Other hyperchromic anemias	50	20	27	-	3	0.0	0.0	0.0	0	0.0
291	Iron deficiency anemias (hypochromic anemias)	73	35	24	3	11	0.0	0.1	0.0	0.0	0.1

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IV. Diseases of the blood and blood-forming organs—Continued										
	Diseases of blood and blood-forming organs (290-299)—Continued										
292	Other anemias of specified type	913	425	318	89	81	0.6	0.6	0.5	1.2	1.0
.0	Familial acholuric jaundice	1	1	-	-	-	0.0	0.0	0	0	0
.1	Acute hemolytic anemia	24	10	13	1	-	0.0	0.0	0.0	0.0	0
.2	Other hemolytic anemias	129	57	60	8	4	0.1	0.1	0.1	0.1	0.0
.3	Leuko-erythroblastic anemia	31	19	10	2	-	0.0	0.0	0.0	0.0	0
.4	Aplastic anemia	610	331	232	23	24	0.4	0.5	0.3	0.3	0.3
.5	Nonregenerative anemia	4	3	1	-	-	0.0	0.0	0.0	0	0
.6	Sickle cell anemia	111	2	1	55	53	0.1	0.0	0.0	0.7	0.7
.7	Other specified anemias	3	2	1	-	-	0.0	0.0	0.0	0	0
293	Anemia of unspecified type	918	362	411	66	79	0.6	0.5	0.6	0.9	1.0
294	Polycythemia	197	110	81	4	2	0.1	0.2	0.1	0.1	0.0
295	Hemophilia	79	62	3	12	2	0.1	0.1	0.0	0.2	0.0
296	Purpura and other hemorrhagic conditions	563	228	296	12	27	0.4	0.3	0.4	0.2	0.3
297	Agranulocytosis	135	56	67	9	3	0.1	0.1	0.1	0.1	0.0
298	Diseases of spleen	294	129	153	7	5	0.2	0.2	0.2	0.1	0.1
.0	Hepatolienal fibrosis	192	76	108	5	3	0.1	0.1	0.2	0.1	0.0
.1	Other	102	53	45	2	2	0.1	0.1	0.1	0.0	0.0
299	Other diseases of blood and blood-forming organs	139	71	49	11	8	0.1	0.1	0.1	0.1	0.1
	V. Mental, psychoneurotic, and personality disorders										
	Psychoses (300-309)										
300	Schizophrenic disorders (dementia praecox)	349	146	146	33	24	0.2	0.2	0.2	0.4	0.3
301	Manic-depressive reaction	159	47	61	25	26	0.1	0.1	0.1	0.3	0.3
302	Involutional melancholia	48	7	40	-	1	0.0	0.0	0.1	0	0.0
303	Paranoia and paranoid states	4	1	3	-	-	0.0	0.0	0.0	0	0
304	Senile psychosis	1,053	440	516	50	47	0.7	0.7	0.8	0.6	0.6
305	Presenile psychosis	61	24	34	1	2	0.0	0.0	0.1	0.0	0.0
307	Alcholic psychosis	255	204	19	28	4	0.2	0.3	0.0	0.4	0.0
309	Other and unspecified psychoses	247	79	115	18	35	0.2	0.1	0.2	0.2	0.4
	Psychoneurotic disorders (310-318)										
310	Anxiety reaction without mention of somatic symptoms	1	-	1	-	-	0.0	0	0.0	0	0
311	Hysterical reaction without mention of anxiety reaction	24	6	17	-	1	0.0	0.0	0.0	0	0.0
312	Phobic reaction	1	1	-	-	-	0.0	0.0	0	0	0
313	Obsessive-compulsive reaction	2	1	1	-	-	0.0	0.0	0.0	0	0
314	Neurotic-depressive reaction	5	1	4	-	-	0.0	0.0	0.0	0	0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	3	1	1	1	-	0.0	0.0	0.0	0.0	0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	1	1	-	-	-	0.0	0.0	0	0	0
318	Psychoneurotic disorders; other, mixed, and unspecified types	17	8	8	-	1	0.0	0.0	0.0	0	0.0
	Disorders of character, behavior, and intelligence (320-326)										
320	Pathological personality	4	3	1	-	-	0.0	0.0	0.0	0	0
322	Alcoholism	2,267	1,633	259	288	87	1.5	2.4	0.4	3.7	1.1
.0	Acute	793	542	77	131	43	0.5	0.8	0.1	1.7	0.5
.1	Chronic	880	666	125	68	21	0.6	1.0	0.2	0.9	0.3
.2	Unspecified	594	425	57	89	23	0.4	0.6	0.1	1.2	0.3
323	Other drug addiction	60	33	23	4	-	0.0	0.0	0.0	0.1	0
325	Mental deficiency	252	132	98	11	11	0.2	0.2	0.1	0.1	0.1
	VI. Diseases of the nervous system and sense organs										
	Vascular lesions affecting central nervous system (330-334)										
330	Subarachnoid hemorrhage	3,037	1,345	1,262	214	216	2.0	2.0	1.9	2.8	2.7
331	Cerebral hemorrhage	106,016	44,738	48,057	6,282	6,939	70.4	66.6	70.9	81.5	86.2
332	Cerebral embolism and thrombosis	25,676	12,152	11,616	969	939	17.0	18.1	17.1	12.6	11.7
333	Spasm of cerebral arteries	20	9	9	2	-	0.0	0.0	0.0	0.0	0
334	Other and ill-defined vascular lesions affecting central nervous system	22,002	9,218	9,076	1,743	1,965	14.6	13.7	13.4	22.6	24.4
	Inflammatory diseases of central nervous system (340-345)										
340	Meningitis, except meningococcal and tuberculous	1,839	794	528	301	216	1.2	1.2	0.8	3.9	2.7
.0	H. influenza	322	137	96	49	40	0.2	0.2	0.1	0.6	0.5
.1	Pneumococcus	342	145	90	61	46	0.2	0.2	0.1	0.8	0.6
.2	Due to other specified organism	134	65	37	13	19	0.1	0.1	0.1	0.2	0.2
.3	Unspecified cause	1,041	447	305	178	111	0.7	0.7	0.4	2.3	1.4
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	29	17	9	1	2	0.0	0.0	0.0	0.0	0.0
342	Intracranial and intraspinal abscess	327	161	101	39	26	0.2	0.2	0.1	0.5	0.3
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	758	330	302	57	69	0.5	0.5	0.4	0.7	0.9
344	Late effects of intracranial abscess or pyogenic infection	779	353	309	67	50	0.5	0.5	0.5	0.9	0.6
A	Hydrocephalus, not otherwise specified	559	235	223	58	43	0.4	0.4	0.3	0.8	0.5
B	Other late effects of intracranial abscess or pyogenic infection	220	118	86	9	7	0.1	0.2	0.1	0.1	0.1
345	Multiple sclerosis	1,278	591	636	17	34	0.8	0.9	0.9	0.2	0.4
	Other diseases of central nervous system (350-357)										
350	Paralysis agitans	1,934	1,111	770	32	21	1.3	1.7	1.1	0.4	0.3
351	Cerebral spastic infantile paralysis	658	348	243	46	24	0.4	0.5	0.4	0.6	0.3
352	Other cerebral paralysis	848	337	296	106	109	0.6	0.5	0.4	1.4	1.4
353	Epilepsy	2,206	1,011	732	304	159	1.5	1.5	1.1	3.9	2.0
.0	Petit mal	13	5	7	1	-	0.0	0.0	0.0	0.0	0
.1	Grand mal	243	105	96	26	16	0.2	0.2	0.1	0.3	0.2
.2	Status epilepticus	490	206	183	61	30	0.3	0.3	0.3	0.8	0.4
.3	Other and unspecified	1,470	695	446	216	113	1.0	1.0	0.7	2.8	1.4
355	Other diseases of brain	663	323	268	41	31	0.4	0.5	0.4	0.5	0.4

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Continued										
	Other diseases of central nervous system (350-357)—Continued										
356	Motor neurone disease and muscular atrophy	1,006	599	354	32	21	0.7	0.9	0.5	0.4	0.3
.0	Progressive muscular atrophy	317	178	120	11	8	0.2	0.3	0.2	0.1	0.1
.1	Amyotrophic lateral sclerosis	667	408	228	18	13	0.4	0.6	0.3	0.2	0.2
.2	Spinal type of muscular atrophy	19	11	5	3	-	0.0	0.0	0.0	0.0	0
.3	Other and unspecified manifestations	3	2	1	-	-	0.0	0.0	0.0	0	0
357	Other diseases of spinal cord	242	123	87	19	13	0.2	0.2	0.1	0.2	0.2
	Diseases of nerves and peripheral ganglia (360-369)										
360	Facial paralysis	4	3	1	-	-	0.0	0.0	0.0	0	0
361	Trigeminal neuralgia	27	15	11	-	1	0.0	0.0	0.0	0	0.0
362	Brachial neuritis	2	1	1	-	-	0.0	0.0	0.0	0	0
363	Sciatica	3	1	1	1	-	0.0	0.0	0.0	0.0	0
364	Polyneuritis and polyradiculitis	118	66	40	6	6	0.1	0.1	0.1	0.1	0.1
366	Other and unspecified forms of neuralgia and neuritis	37	13	15	2	7	0.0	0.0	0.0	0.0	0.1
367	Other diseases of cranial nerves	19	8	9	1	1	0.0	0.0	0.0	0.0	0.0
368	Other diseases of peripheral nerves except autonomic	30	13	9	4	4	0.0	0.0	0.0	0.1	0.0
369	Diseases of peripheral autonomic nervous system	2	1	1	-	-	0.0	0.0	0.0	0	0
	Inflammatory diseases of eye (370-379)										
370	Conjunctivitis and ophthalmia	3	-	2	1	-	0.0	0	0.0	0.0	0
372	Hordeolum (sty)	1	1	-	-	-	0.0	0.0	0	0	0
373	Iritis	1	1	-	-	-	0.0	0.0	0	0	0
376	Other inflammation of uveal tract	2	1	1	-	-	0.0	0.0	0.0	0	0
378	Inflammation of lachrymal glands and ducts	1	1	-	-	-	0.0	0.0	0	0	0
379	Other inflammatory diseases of eye	9	6	1	-	2	0.0	0.0	0.0	0	0.0
	Other diseases and conditions of eye (380-389)										
384	Strabismus	14	6	7	1	-	0.0	0.0	0.0	0.0	0
385	Cataract	80	38	32	3	7	0.1	0.1	0.0	0.0	0.1
386	Detachment of retina	1	1	-	-	-	0.0	0.0	0	0	0
387	Glaucoma	18	6	9	1	2	0.0	0.0	0.0	0.0	0.0
388	Other diseases of eye	11	6	3	1	1	0.0	0.0	0.0	0.0	0.0
389	Blindness	2	-	-	-	2	0.0	0	0	0	0.0
	Diseases of ear and mastoid process (390-398)										
391	Otitis media without mention of mastoiditis	397	209	133	33	22	0.3	0.3	0.2	0.4	0.3
.0	Acute	77	35	30	7	5	0.1	0.1	0.0	0.1	0.1
.1	Chronic	50	37	11	1	1	0.0	0.1	0.0	0.0	0.0
.2	Unspecified	270	137	92	25	16	0.2	0.2	0.1	0.3	0.2
392	Otitis media with mastoiditis	55	28	21	5	1	0.0	0.0	0.0	0.1	0.0
.0	Acute	10	3	7	-	-	0.0	0.0	0.0	0	0
.1	Chronic	20	12	6	1	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	25	13	8	4	-	0.0	0.0	0.0	0.1	0
393	Mastoiditis without mention of otitis media	86	41	30	5	10	0.1	0.1	0.0	0.1	0.1
.0	Acute	16	8	6	-	2	0.0	0.0	0.0	0	0.0
.1	Chronic	26	15	6	3	2	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	44	18	18	2	6	0.0	0.0	0.0	0.0	0.1
394	Other inflammatory diseases of ear	4	-	3	-	1	0.0	0	0.0	0	0.0
395	Ménière's disease	5	1	4	-	-	0.0	0.0	0.0	0	0
396	Other diseases of ear and mastoid process	6	5	1	-	-	0.0	0.0	0.0	0	0
	VII. Diseases of the circulatory system										
	Rheumatic fever (400-402)										
400	Rheumatic fever without mention of heart involvement	325	114	119	40	52	0.2	0.2	0.2	0.5	0.6
401	Rheumatic fever with heart involvement	1,569	657	651	128	133	1.0	1.0	1.0	1.7	1.7
.0	Active rheumatic pericarditis	142	69	47	14	12	0.1	0.1	0.1	0.2	0.1
.1	Active rheumatic endocarditis	382	176	159	25	22	0.3	0.3	0.2	0.3	0.3
.2	Active rheumatic myocarditis	124	46	49	13	16	0.1	0.1	0.1	0.2	0.2
.3	Active rheumatic fever with other and multiple types of heart involvement	921	366	396	76	83	0.6	0.5	0.8	1.0	1.0
402	Chorea	30	8	17	2	3	0.0	0.0	0.0	0.0	0.0
.0	Without mention of heart involvement	12	4	6	1	1	0.0	0.0	0.0	0.0	0.0
.1	With heart involvement	18	4	11	1	2	0.0	0.0	0.0	0.0	0.0
	Chronic rheumatic heart disease (410-416)										
410	Diseases of mitral valve	8,667	3,873	3,730	531	533	5.8	5.8	5.5	6.9	6.6
411	Diseases of aortic valve specified as rheumatic	836	573	220	29	14	0.6	0.9	0.3	0.4	0.2
412	Diseases of tricuspid valve	26	16	9	-	1	0.0	0.0	0.0	0	0.0
413	Diseases of pulmonary valve specified as rheumatic	1	1	-	-	-	0.0	0.0	0	0	0
414	Other endocarditis specified as rheumatic	1,283	596	610	47	30	0.9	0.9	0.9	0.6	0.4
415	Other myocarditis specified as rheumatic	1,013	461	481	35	36	0.7	0.7	0.7	0.5	0.4
416	Other heart disease specified as rheumatic	8,568	3,797	4,026	370	373	5.7	5.7	5.9	4.8	4.6
	Arteriosclerotic and degenerative heart disease (420-422)										
420	Arteriosclerotic heart disease, including coronary disease	321,003	197,339	105,795	10,526	7,344	213.0	294.0	156.0	136.6	91.2
.0	Arteriosclerotic heart disease, so described	101,171	52,849	42,168	3,414	2,740	67.1	78.7	62.2	44.3	34.0
.1	Heart disease specified as involving coronary arteries	217,518	143,074	62,949	6,986	4,509	144.3	213.1	92.8	90.7	56.0
.2	Angina pectoris without mention of coronary disease	2,314	1,415	676	126	95	1.5	2.1	1.0	1.6	1.2
421	Chronic endocarditis not specified as rheumatic	10,107	4,644	3,806	898	759	6.7	6.9	5.6	11.7	9.4
.0	Of mitral valve, specified as nonrheumatic	226	113	91	11	11	0.1	0.2	0.1	0.1	0.1
.1	Of aortic valve, not specified as rheumatic	1,905	993	515	244	153	1.3	1.5	0.8	3.2	1.9
.2	Of tricuspid valve, specified as nonrheumatic	3	3	-	-	-	0.0	0.0	0	0	0
.3	Of pulmonary valve, not specified as rheumatic	6	-	4	2	-	0.0	0	0.0	0.0	0
.4	Other and ill-defined, not specified as rheumatic	7,967	3,535	3,196	641	595	5.3	5.3	4.7	8.3	7.4
422	Other myocardial degeneration	75,052	35,103	32,735	3,902	3,412	48.8	52.3	48.3	49.4	42.4
.0	Fatty degeneration	125	49	66	5	5	0.1	0.1	0.1	0.1	0.1
.1	With arteriosclerosis	34,847	15,966	16,288	1,388	1,205	23.1	23.8	24.0	18.0	15.0
.2	Other	40,080	19,088	16,381	2,409	2,202	26.6	28.4	24.2	31.3	27.3

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Other diseases of heart (430-434)										
430	Acute and subacute endocarditis	1,004	510	307	90	97	0.7	0.8	0.5	1.2	1.2
.0	Acute and subacute bacterial endocarditis	730	404	235	47	44	0.5	0.6	0.3	0.6	0.5
.1	Other acute endocarditis	274	106	72	43	53	0.2	0.2	0.1	0.6	0.7
431	Acute myocarditis not specified as rheumatic	3,114	1,346	1,104	323	341	2.1	2.0	1.6	4.2	4.2
432	Acute pericarditis specified as nonrheumatic	52	24	24	2	2	0.0	0.0	0.0	0.0	0.0
433	Functional disease of heart	2,422	1,170	1,124	66	62	1.6	1.7	1.7	0.9	0.8
.0	Heart block	582	355	193	19	15	0.4	0.5	0.3	0.2	0.2
.1	Other disorders of heart rhythm	1,819	802	925	45	47	1.2	1.2	1.4	0.6	0.6
.2	Other functional diseases of heart	21	13	6	2	-	0.0	0.0	0.0	0.0	0
434	Other and unspecified diseases of heart	17,366	9,087	5,065	1,851	1,363	11.5	13.5	7.5	24.0	16.9
.0	Kyphoscoliotic heart disease	81	27	52	-	2	0.1	0.0	0.1	0	0.0
.1	Congestive heart failure	3,877	1,819	1,364	373	321	2.6	2.7	2.0	4.8	4.0
.2	Left ventricular failure	947	530	301	65	51	0.6	0.8	0.4	0.8	0.6
.3	Other and unspecified disease of heart	12,461	6,711	3,348	1,413	989	8.3	10.0	4.9	18.3	12.3
	Hypertensive disease (440-447)										
440	Essential benign hypertension with heart disease	845	357	441	23	24	0.6	0.5	0.7	0.3	0.3
441	Essential malignant hypertension with heart disease	826	336	323	88	79	0.5	0.5	0.5	1.1	1.0
442	Hypertensive heart disease with arteriolar nephrosclerosis	25,449	10,646	10,203	2,392	2,208	16.9	15.9	15.0	31.0	27.4
443	Other and unspecified hypertensive heart disease	58,073	20,823	26,228	5,101	5,921	38.5	31.0	38.7	66.2	73.5
444	Essential benign hypertension without mention of heart	2,872	1,082	1,146	288	356	1.9	1.6	1.7	3.7	4.4
445	Essential malignant hypertension without mention of heart	1,149	427	319	200	203	0.8	0.6	0.5	2.6	2.5
446	Hypertension with arteriolar nephrosclerosis without mention of heart	6,000	2,787	2,258	516	439	4.0	4.2	3.3	6.7	5.5
447	Other hypertensive disease without mention of heart	2,542	948	1,285	133	176	1.7	1.4	1.9	1.7	2.2
	Diseases of arteries (450-456)										
450	General arteriosclerosis	30,736	14,567	14,146	1,109	912	20.4	21.7	20.9	14.4	11.3
.0	Without mention of gangrene	28,514	13,378	13,328	995	813	18.9	19.9	19.7	12.9	10.1
.1	With gangrene	2,220	1,189	818	114	99	1.5	1.8	1.2	1.5	1.2
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	1,826	1,233	424	103	66	1.2	1.8	0.6	1.3	0.8
452	Other aneurysm, except of heart and aorta	330	175	116	29	10	0.2	0.3	0.2	0.4	0.1
453	Peripheral vascular disease	362	252	87	14	9	0.2	0.4	0.1	0.2	0.1
.0	Raynaud's disease	41	16	22	3	-	0.0	0.0	0.0	0.0	0
.1	Thrombo-angiitis obliterans	287	213	58	7	9	0.2	0.3	0.1	0.1	0.1
.2	Chilblains	2	2	-	-	-	0.0	0.0	0	0	0
.3	Other	32	21	7	4	-	0.0	0.0	0.0	0.1	0
454	Arterial embolism and thrombosis	337	162	145	19	11	0.2	0.2	0.2	0.2	0.1
455	Gangrene of unspecified cause	299	157	90	29	23	0.2	0.2	0.1	0.4	0.3
456	Other diseases of arteries	690	241	355	22	72	0.5	0.4	0.5	0.3	0.9
	Diseases of veins and other diseases of circulatory system (460-468)										
460	Varicose veins of lower extremities	287	102	159	11	15	0.2	0.2	0.2	0.1	0.2
461	Hemorrhoids	121	73	36	9	3	0.1	0.1	0.1	0.1	0.0
462	Varicose veins of other specified sites	270	165	89	11	5	0.2	0.2	0.1	0.1	0.1
463	Phlebitis and thrombophlebitis of lower extremities	562	285	227	22	28	0.4	0.4	0.3	0.3	0.3
464	Phlebitis and thrombophlebitis of other sites	340	156	157	10	17	0.2	0.2	0.2	0.1	0.2
465	Pulmonary embolism and infarction	1,088	524	409	90	65	0.7	0.8	0.6	1.2	0.8
466	Other venous embolism and thrombosis	538	236	251	31	20	0.4	0.4	0.4	0.4	0.2
467	Other diseases of circulatory system	262	141	73	26	22	0.2	0.2	0.1	0.3	0.3
.0	Hypotension	53	25	9	9	10	0.0	0.0	0.0	0.1	0.1
.1	Diseases of capillaries	18	13	3	1	1	0.0	0.0	0.0	0.0	0.0
.2	Other and unspecified circulatory diseases	191	103	61	16	11	0.1	0.2	0.1	0.2	0.1
468	Certain diseases of lymph nodes and lymph channels	85	31	32	10	12	0.1	0.0	0.0	0.1	0.1
	VIII. Diseases of the respiratory system										
	Acute upper respiratory infections (470-475)										
470	Acute nasopharyngitis (common cold)	129	32	34	35	28	0.1	0.0	0.1	0.5	0.3
471	Acute sinusitis	18	9	5	4	-	0.0	0.0	0.0	0.1	0
472	Acute pharyngitis	123	63	39	17	4	0.1	0.1	0.1	0.2	0.0
473	Acute tonsillitis	172	68	65	18	21	0.1	0.1	0.1	0.2	0.3
474	Acute laryngitis and tracheitis	191	102	63	14	12	0.1	0.2	0.1	0.2	0.1
475	Acute upper respiratory infection of multiple or unspecified sites	148	62	57	13	16	0.1	0.1	0.1	0.2	0.2
	Influenza (480-483)										
480	Influenza with pneumonia	3,492	1,255	1,251	480	506	2.3	1.9	1.8	6.2	6.3
481	Influenza with other respiratory manifestations, and influenza unqualified	2,857	1,177	1,176	233	271	1.9	1.8	1.7	3.0	3.4
482	Influenza with digestive manifestations, but without respiratory symptoms	242	113	87	28	14	0.2	0.2	0.1	0.4	0.2
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	6	1	5	-	-	0.0	0.0	0.0	0	0
	Pneumonia (490-493)										
490	Lobar pneumonia	13,638	6,507	4,267	1,654	1,231	9.1	9.7	6.3	21.2	15.3
491	Bronchopneumonia	18,883	8,586	6,903	1,894	1,520	12.5	12.8	10.2	24.6	18.9
492	Primary atypical pneumonia	4,095	1,977	1,635	278	205	2.7	2.9	2.4	3.6	2.5
493	Pneumonia, other and unspecified	3,906	1,635	1,265	545	461	2.6	2.4	1.9	7.1	5.7
	Bronchitis (500-502)										
500	Acute bronchitis	1,036	492	374	84	86	0.7	0.7	0.6	1.1	1.1
501	Bronchitis, unqualified	748	347	268	81	52	0.5	0.5	0.4	1.1	0.6
502	Chronic bronchitis	1,205	743	390	36	36	0.8	1.1	0.6	0.5	0.4
.0	Bronchitis with emphysema	247	210	31	4	2	0.2	0.3	0.0	0.1	0.0
.1	Other	958	533	359	32	34	0.6	0.8	0.5	0.4	0.4

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII. Diseases of the respiratory system—Continued										
	Other diseases of respiratory system (510-527)										
510	Hypertrophy of tonsils and adenoids	339	160	129	22	28	0.2	0.2	0.2	0.3	0.3
.0	Without mention of tonsillectomy or adenoidectomy	34	15	11	6	2	0.0	0.0	0.0	0.1	0.0
.1	With tonsillectomy or adenoidectomy	305	145	118	16	26	0.2	0.2	0.2	0.2	0.3
511	Peritonsillar abscess (quinsy)	44	19	13	7	5	0.0	0.0	0.0	0.1	0.1
512	Chronic pharyngitis and nasopharyngitis	3	1	1	1	-	0.0	0.0	0.0	0.0	0
513	Chronic sinusitis	130	71	46	5	8	0.1	0.1	0.1	0.1	0.1
514	Deflected nasal septum	5	4	1	-	-	0.0	0.0	0.0	0	0
515	Nasal polyp	7	4	1	2	-	0.0	0.0	0.0	0.0	0
516	Chronic laryngitis	6	4	-	1	1	0.0	0.0	0	0.0	0.0
517	Other diseases of upper respiratory tract	256	132	80	21	23	0.2	0.2	0.1	0.3	0.3
518	Empyema	215	128	43	32	12	0.1	0.2	0.1	0.4	0.1
519	Pleurisy	245	126	76	22	21	0.2	0.2	0.1	0.3	0.3
.0	Without mention of effusion or tuberculosis	167	89	52	14	12	0.1	0.1	0.1	0.2	0.1
.1	With effusion with mention of a bacterial cause other than tuberculosis	7	2	3	-	2	0.0	0.0	0.0	0	0.0
.2	Other specified forms of effusion, except tuberculous	71	35	21	8	7	0.0	0.1	0.0	0.1	0.1
520	Spontaneous pneumothorax	59	40	11	4	4	0.0	0.1	0.0	0.1	0.0
521	Abscess of lung	582	344	111	91	36	0.4	0.5	0.2	1.2	0.4
522	Pulmonary congestion and hypostasis	1,346	585	620	93	48	0.9	0.9	0.9	1.2	0.8
523	Pneumoconiosis due to silica and silicates (occupational)	1,373	1,329	9	35	-	0.9	2.0	0.0	0.5	0
.0	Silicosis	621	589	4	28	-	0.4	0.9	0.0	0.4	0
.1	Anthracosilicosis	597	593	2	2	-	0.4	0.9	0.0	0.0	0
.2	Asbestosis	8	6	1	1	-	0.0	0.0	0.0	0.0	0
.3	Other, including pneumoconiosis unspecified	157	151	2	4	-	0.1	0.2	0.0	0.1	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	60	49	8	3	-	0.0	0.1	0.0	0.0	0
525	Other chronic interstitial pneumonia	1,023	666	287	46	24	0.7	1.0	0.4	0.6	0.3
526	Bronchiectasis	2,127	1,331	693	68	35	1.4	2.0	1.0	0.9	0.4
527	Other diseases of lung and pleural cavity	1,829	1,291	360	119	59	1.2	1.9	0.5	1.5	0.7
.0	Pulmonary collapse (1 year and over)	121	69	41	4	7	0.1	0.1	0.1	0.1	0.1
.1	Emphysema without mention of bronchitis	1,204	982	144	69	9	0.8	1.5	0.2	0.9	0.1
.2	Other	504	240	175	46	43	0.3	0.4	0.3	0.6	0.5
	IX. Diseases of the digestive system										
	Diseases of buccal cavity and esophagus (530-539)										
530	Dental caries	15	8	5	1	1	0.0	0.0	0.0	0.0	0.0
531	Abscesses of supporting structures of teeth	36	16	12	4	4	0.0	0.0	0.0	0.1	0.0
532	Other inflammatory diseases of supporting structures of teeth	121	62	31	17	11	0.1	0.1	0.0	0.2	0.1
533	Disorders of occlusion, eruption, and tooth development	4	-	3	-	1	0.0	0	0.0	0	0.0
535	Other diseases of teeth and supporting structures	75	27	32	6	10	0.0	0.0	0.0	0.1	0.1
536	Stomatitis	18	8	7	1	2	0.0	0.0	0.0	0.0	0.0
537	Diseases of salivary glands	50	19	30	1	-	0.0	0.0	0.0	0.0	0
538	Other diseases of buccal cavity	44	10	11	16	7	0.0	0.0	0.0	0.2	0.1
539	Diseases of esophagus	366	200	131	17	18	0.2	0.3	0.2	0.2	0.2
	Diseases of stomach and duodenum (540-545)										
540	Ulcer of stomach	4,533	3,236	829	366	102	3.0	4.8	1.2	4.8	1.3
.0	Without mention of perforation	2,763	1,961	532	207	63	1.8	2.9	0.8	2.7	0.8
.1	With perforation	1,770	1,275	297	159	39	1.2	1.9	0.4	2.1	0.5
541	Ulcer of duodenum	3,681	2,872	588	173	48	2.4	4.3	0.9	2.2	0.6
.0	Without mention of perforation	2,226	1,753	348	98	27	1.5	2.6	0.5	1.3	0.3
.1	With perforation	1,455	1,119	240	75	21	1.0	1.7	0.4	1.0	0.3
542	Gastrojejunal ulcer	100	85	13	1	1	0.1	0.1	0.0	0.0	0.0
.0	Without mention of perforation	63	53	8	1	1	0.0	0.1	0.0	0.0	0.0
.1	With perforation	37	32	5	-	-	0.0	0.0	0.0	0	0
543	Gastritis and duodenitis	343	146	93	54	50	0.2	0.2	0.1	0.7	0.6
544	Disorders of function of stomach	389	123	89	90	87	0.3	0.2	0.1	1.2	1.1
.0	Disorders of gastric secretion	4	2	2	-	-	0.0	0.0	0.0	0	0
.1	Disorders of gastric motility	43	19	14	5	5	0.0	0.0	0.0	0.1	0.1
.2	Other	342	102	73	85	82	0.2	0.2	0.1	1.1	1.0
545	Other diseases of stomach and duodenum	271	166	75	20	10	0.2	0.2	0.1	0.3	0.1
	Appendicitis (550-553)										
550	Acute appendicitis	2,735	1,491	819	251	174	1.8	2.2	1.2	3.3	2.2
.0	Without mention of peritonitis	559	345	153	40	21	0.4	0.5	0.2	0.5	0.3
.1	With peritonitis	2,176	1,146	666	211	153	1.4	1.7	1.0	2.7	1.9
551	Appendicitis, unqualified	100	52	30	11	7	0.1	0.1	0.0	0.1	0.1
552	Other appendicitis	62	30	27	4	1	0.0	0.0	0.0	0.1	0.0
553	Other diseases of appendix	183	104	55	13	11	0.1	0.2	0.1	0.2	0.1
	Hernia of abdominal cavity (560-561)										
560	Hernia of abdominal cavity without mention of obstruction	1,279	716	448	75	40	0.8	1.1	0.7	1.0	0.5
.0	Inguinal	305	259	15	30	1	0.2	0.4	0.0	0.4	0.0
.1	Femoral	17	8	8	1	-	0.0	0.0	0.0	0.0	0
.2	Umbilical	199	73	94	12	20	0.1	0.1	0.1	0.2	0.2
.3	Ventral (incisional)	208	77	120	2	9	0.1	0.1	0.2	0.0	0.1
.4	Other specified site	408	196	189	14	9	0.3	0.3	0.3	0.2	0.1
.5	Unspecified site	142	103	22	16	1	0.1	0.2	0.0	0.2	0.0
561	Hernia of abdominal cavity with obstruction	2,626	1,297	1,025	201	103	1.7	1.9	1.5	2.6	1.3
.0	Inguinal	889	651	110	112	16	0.6	1.0	0.2	1.5	0.2
.1	Femoral	334	101	224	5	4	0.2	0.2	0.3	0.1	0.0
.2	Umbilical	295	73	185	6	31	0.2	0.1	0.3	0.1	0.4
.3	Ventral (incisional)	411	91	284	6	30	0.3	0.1	0.4	0.1	0.4
.4	Other specified site	162	73	68	11	10	0.1	0.1	0.1	0.1	0.1
.5	Unspecified site	535	308	154	61	12	0.4	0.5	0.2	0.8	0.1

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	III. Diseases of the digestive system—Continued										
	Other diseases of intestines and peritoneum (570-578)										
570	Intestinal obstruction without mention of hernia	4,989	1,969	2,238	391	391	3.3	2.9	3.3	5.1	4.9
.0	Intussusception	292	137	92	38	25	0.2	0.2	0.1	0.5	0.3
.1	Paralytic ileus	288	138	116	14	20	0.2	0.2	0.2	0.2	0.2
.2	Mesenteric infarction	1,056	535	409	66	46	0.7	0.8	0.6	0.9	0.6
.3	Volvulus	656	286	248	72	50	0.4	0.4	0.4	0.9	0.6
.4	Impaction of intestine	172	41	110	11	10	0.1	0.1	0.2	0.1	0.1
.5	Other	2,525	832	1,263	190	240	1.7	1.2	1.9	2.5	3.0
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5,350	2,110	1,780	817	643	3.6	3.1	2.6	10.6	8.0
.0	Ages between 4 weeks and 2 years	4,173	1,654	1,303	681	535	2.8	2.5	1.9	8.8	6.6
.1	Ages 2 years and over	1,177	456	477	136	108	0.8	0.7	0.7	1.8	1.3
572	Chronic enteritis and ulcerative colitis	1,929	851	963	58	57	1.3	1.3	1.4	0.8	0.7
.0	Regional enteritis	107	53	48	4	2	0.1	0.1	0.1	0.1	0.0
.1	Diverticulitis	958	440	482	19	17	0.6	0.7	0.7	0.2	0.2
.2	Ulcerative colitis	706	298	355	26	27	0.5	0.4	0.5	0.3	0.3
.3	Other	158	60	78	9	11	0.1	0.1	0.1	0.1	0.1
573	Functional disorders of intestines	80	27	27	13	13	0.1	0.0	0.0	0.2	0.2
574	Anal fissure and fistula	16	7	2	6	1	0.0	0.0	0.0	0.1	0.0
575	Abscess of anal and rectal regions	89	48	17	13	11	0.1	0.1	0.0	0.2	0.1
576	Peritonitis	515	231	183	41	60	0.3	0.3	0.3	0.5	0.7
577	Peritoneal adhesion	49	19	25	2	3	0.0	0.0	0.0	0.0	0.0
578	Other diseases of intestines and peritoneum	1,395	692	507	109	87	0.9	1.0	0.7	1.4	1.1
	Diseases of liver, gallbladder, and pancreas (580-587)										
580	Acute and subacute yellow atrophy of liver	674	297	283	40	44	0.4	0.4	0.4	0.5	0.5
581	Cirrhosis of liver	13,855	8,456	4,378	603	418	9.2	12.6	6.5	7.8	5.2
.0	Without mention of alcoholism	10,656	6,293	3,556	470	337	7.1	9.4	5.2	6.1	4.2
.1	With alcoholism	3,199	2,163	822	133	81	2.1	3.2	1.2	1.7	1.0
582	Suppurative hepatitis and liver abscess	151	73	55	11	12	0.1	0.1	0.1	0.1	0.1
583	Other diseases of liver	534	237	216	40	41	0.4	0.4	0.3	0.5	0.5
584	Cholelithiasis	3,741	1,269	2,364	24	84	2.5	1.9	3.5	0.3	1.0
585	Cholecystitis without mention of calculi	2,129	790	1,236	37	66	1.4	1.2	1.8	0.5	0.8
586	Other diseases of gallbladder and biliary ducts	793	285	463	19	26	0.5	0.4	0.7	0.2	0.3
587	Diseases of pancreas	1,379	772	470	89	48	0.9	1.2	0.7	1.2	0.6
.0	Acute pancreatitis	1,008	557	339	72	40	0.7	0.8	0.5	0.9	0.5
.1	Chronic pancreatitis	143	89	46	7	1	0.1	0.1	0.1	0.1	0.0
.2	Other diseases of pancreas	228	126	85	10	7	0.2	0.2	0.1	0.1	0.1
	X. Diseases of the genito-urinary system										
	Nephritis and nephrosis (590-594)										
590	Acute nephritis	2,032	878	641	275	238	1.3	1.3	0.9	3.6	3.0
591	Nephritis with edema, including nephrosis	1,438	633	505	164	136	1.0	0.9	0.7	2.1	1.7
592	Chronic nephritis	19,960	8,672	7,544	1,885	1,879	13.3	12.9	11.1	24.5	23.3
593	Nephritis not specified as acute or chronic	4,367	1,811	1,511	540	506	2.9	2.7	2.2	7.0	6.3
594	Other renal sclerosis	330	130	100	47	53	0.2	0.2	0.1	0.6	0.7
	Other diseases of urinary system (600-609)										
600	Infections of kidney	3,129	1,363	1,285	241	240	2.1	2.0	1.9	3.1	3.0
.0	Pyelitis, pyelocystitis, and pyelonephritis	2,954	1,280	1,220	226	228	2.0	1.9	1.8	2.9	2.8
.1	Abscess of kidney and perirenal tissue	118	58	43	11	6	0.1	0.1	0.1	0.1	0.1
.2	Other	57	25	22	4	6	0.0	0.0	0.0	0.1	0.1
601	Hydronephrosis	228	110	93	16	9	0.2	0.2	0.1	0.2	0.1
602	Calculi of kidney and ureter	949	506	367	38	40	0.6	0.8	0.5	0.5	0.5
603	Other diseases of kidney and ureter	310	138	114	34	24	0.2	0.2	0.2	0.4	0.3
604	Calculi of other parts of urinary system	113	91	12	9	1	0.1	0.1	0.0	0.1	0.0
605	Cystitis	365	179	139	31	16	0.2	0.3	0.2	0.4	0.2
606	Other diseases of bladder	257	181	40	28	8	0.2	0.3	0.1	0.4	0.1
607	Urethritis (nonvenereal)	10	5	1	3	1	0.0	0.0	0.0	0.0	0.0
608	Stricture of urethra	233	123	6	103	1	0.2	0.2	0.0	1.3	0.0
609	Other diseases of urethra	113	65	20	23	5	0.1	0.1	0.0	0.3	0.1
	Diseases of male genital organs (610-617)										
610	Hyperplasia of prostate	6,359	5,645	...	714	...	4.2	8.4	...	9.3	...
611	Prostatitis	481	403	...	78	...	0.3	0.6	...	1.0	...
612	Other diseases of prostate	274	250	...	24	...	0.2	0.4	...	0.3	...
613	Hydrocele	18	14	...	4	...	0.0	0.0	...	0.1	...
614	Orchitis and epididymitis	12	11	...	1	...	0.0	0.0	...	0.0	...
615	Redundant prepuce and phimosis	12	8	...	4	...	0.0	0.0	...	0.1	...
617	Other diseases of male genital organs	44	35	...	9	...	0.0	0.1	...	0.1	...
	Diseases of breast, ovary, fallopian tube, and parametrium (620-626)										
620	Chronic cystic disease of breast	2	-	2	-	-	0.0	0	0.0	0	0
621	Other diseases of breast	14	1	9	1	3	0.0	0.0	0.0	0.0	0.0
622	Acute salpingitis and oophoritis	10	...	7	...	3	0.0	...	0.0	...	0.0
623	Chronic salpingitis and oophoritis	24	...	13	...	11	0.0	...	0.0	...	0.1
624	Salpingitis and oophoritis, unqualified	137	...	60	...	77	0.1	...	0.1	...	1.0
625	Other diseases of ovary and fallopian tube	31	...	22	...	9	0.0	...	0.0	...	0.1
626	Diseases of parametrium and pelvic peritoneum (female)	163	...	97	...	66	0.1	...	0.1	...	0.8
	Diseases of uterus and other female genital organs (630-637)										
630	Infective disease of uterus, vagina, and vulva	68	...	57	...	11	0.0	...	0.1	...	0.1
631	Uterovaginal prolapse	226	...	221	...	5	0.1	...	0.3	...	0.1
632	Malposition of uterus	14	...	14	...	-	0.0	...	0.0	...	0
633	Other diseases of uterus	147	...	114	...	33	0.1	...	0.2	...	0.4
634	Disorders of menstruation	12	...	8	...	4	0.0	...	0.0	...	0.0
635	Menopausal symptoms	6	...	5	...	1	0.0	...	0.0	...	0.0
637	Other diseases of female genital organs	35	...	33	...	2	0.0	...	0.0	...	0.0

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium										
	Complications of pregnancy (640-649)										
640	Pyelitis and pyelonephritis of pregnancy	11	...	8	...	3	0.0	...	0.0	...	0.0
641	Other infections of genito-urinary tract during pregnancy	6	...	2	...	4	0.0	...	0.0	...	0.0
642	Toxemias of pregnancy	811	...	481	...	330	0.5	...	0.7	...	4.1
.0	Hypertensive disease arising during pregnancy	46	...	16	...	30	0.0	...	0.0	...	0.4
.1	Renal disease arising during pregnancy	135	...	74	...	61	0.1	...	0.1	...	0.8
.2	Preeclampsia of pregnancy	60	...	35	...	25	0.0	...	0.1	...	0.3
.3	Eclampsia of pregnancy	348	...	205	...	143	0.2	...	0.3	...	1.8
.4	Hyperemesis gravidarum	12	...	9	...	3	0.0	...	0.0	...	0.0
.5	Other	210	...	142	...	68	0.1	...	0.2	...	0.8
643	Placenta praevia	14	...	8	...	6	0.0	...	0.0	...	0.1
644	Other hemorrhage of pregnancy	25	...	17	...	8	0.0	...	0.0	...	0.1
645	Ectopic pregnancy	192	...	99	...	93	0.1	...	0.1	...	1.2
.0	Without mention of sepsis	151	...	76	...	75	0.1	...	0.1	...	0.9
.1	With sepsis	41	...	23	...	18	0.0	...	0.0	...	0.2
646	Anemia of pregnancy	10	...	8	...	2	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus	1	...	1	...	-	0.0	...	0.0	...	0
648	Other complications arising from pregnancy	84	...	61	...	23	0.1	...	0.1	...	0.3
.0	Threatened abortion	2	...	1	...	1	0.0	...	0.0	...	0.0
.1	Hydatidiform mole	5	...	4	...	1	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere	6	...	3	...	3	0.0	...	0.0	...	0.0
.3	Other	71	...	53	...	18	0.0	...	0.1	...	0.2
	Abortion (650-652)										
650	Abortion without mention of sepsis or toxemia	94	...	56	...	38	0.1	...	0.1	...	0.5
.0	Spontaneous or unspecified	64	...	30	...	34	0.0	...	0.0	...	0.4
.1	Induced for medical or legal indications	9	...	7	...	2	0.0	...	0.0	...	0.0
.2	Induced for other reasons	21	...	19	...	2	0.0	...	0.0	...	0.0
651	Abortion with sepsis	191	...	114	...	77	0.1	...	0.2	...	1.0
.0	Spontaneous or unspecified	122	...	70	...	52	0.1	...	0.1	...	0.6
.1	Induced for medical or legal indications	5	...	5	...	-	0.0	...	0.0	...	0
.2	Induced for other reasons	63	...	38	...	25	0.0	...	0.1	...	0.3
.3	Other	1	...	1	...	-	0.0	...	0.0	...	0
652	Abortion with toxemia, without mention of sepsis	31	...	23	...	8	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified	21	...	15	...	6	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications	3	...	3	...	-	0.0	...	0.0	...	0
.2	Induced for other reasons	7	...	5	...	2	0.0	...	0.0	...	0.0
	Delivery without complication (660)										
660	Delivery without complication	119	...	79	...	40	0.1	...	0.1	...	0.5
	Delivery with specified complication (670-678)										
670	Delivery complicated by placenta praevia or antepartum hemorrhage	201	...	128	...	73	0.1	...	0.2	...	0.9
671	Delivery complicated by retained placenta	44	...	28	...	16	0.0	...	0.0	...	0.2
672	Delivery complicated by other postpartum hemorrhage	252	...	166	...	86	0.2	...	0.2	...	1.1
673	Delivery complicated by abnormality of bony pelvis	13	...	8	...	5	0.0	...	0.0	...	0.1
674	Delivery complicated by disproportion or malposition of fetus	56	...	32	...	24	0.0	...	0.0	...	0.3
675	Delivery complicated by prolonged labor of other origin	81	...	55	...	26	0.1	...	0.1	...	0.3
676	Delivery with laceration of perineum, without mention of other laceration	3	...	2	...	1	0.0	...	0.0	...	0.0
677	Delivery with other trauma	84	...	65	...	19	0.1	...	0.1	...	0.2
678	Delivery with other complications of childbirth	33	...	28	...	5	0.0	...	0.0	...	0.1
	Complications of the puerperium (680-689)										
680	Puerperal urinary infection without other sepsis	2	...	2	...	-	0.0	...	0.0	...	0
681	Sepsis of childbirth and the puerperium	119	...	60	...	59	0.1	...	0.1	...	0.7
682	Puerperal phlebitis and thrombosis	98	...	72	...	26	0.1	...	0.1	...	0.3
683	Pyrexia of unknown origin during the puerperium	1	...	1	...	-	0.0	...	0.0	...	0
684	Puerperal pulmonary embolism	184	...	142	...	42	0.1	...	0.2	...	0.5
685	Puerperal eclampsia	134	...	79	...	55	0.1	...	0.1	...	0.7
686	Other forms of puerperal toxemia	7	...	3	...	4	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium	39	...	30	...	9	0.0	...	0.0	...	0.1
688	Other and unspecified complications of the puerperium	19	...	15	...	4	0.0	...	0.0	...	0.0
689	Mastitis and other disorders of lactation	1	...	-	...	1	0.0	...	0	...	0.0
	XII. Diseases of the skin and cellular tissue										
	Infections of skin and subcutaneous tissue (690-698)										
690	Boil and carbuncle	44	16	15	7	6	0.0	0.0	0.0	0.1	0.1
691	Cellulitis of finger and toe	6	1	2	1	2	0.0	0.0	0.0	0.0	0.0
692	Other cellulitis and abscess without mention of lymphangitis	246	115	85	25	21	0.2	0.2	0.1	0.3	0.3
693	Other cellulitis and abscess with lymphangitis	6	5	-	1	-	0.0	0.0	0	0.0	0
694	Acute lymphadenitis	1	-	1	-	-	0.0	0	0.0	0	0
695	Impetigo	8	2	3	3	-	0.0	0.0	0.0	0.0	0
698	Other local infections of skin and subcutaneous tissue	43	16	16	4	7	0.0	0.0	0.0	0.1	0.1
	Other diseases of skin and subcutaneous tissue (700-716)										
700	Seborrheic dermatitis	2	-	1	-	1	0.0	0	0.0	0	0.0
701	Eczema	23	12	7	4	-	0.0	0.0	0.0	0.1	0
702	Occupational dermatitis	1	1	-	-	-	0.0	0.0	0	0	0
703	Other dermatitis	33	11	15	4	3	0.0	0.0	0.0	0.1	0.0
704	Pemphigus	283	113	142	10	18	0.2	0.2	0.2	0.1	0.2
705	Erythematous conditions	221	63	114	9	35	0.1	0.1	0.2	0.1	0.4
706	Psoriasis and similar disorders	7	3	4	-	-	0.0	0.0	0.0	0	0
708	Pruritus and related conditions	2	-	-	1	1	0.0	0	0	0.0	0.0
710	Other hypertrophic and atrophic conditions of skin	173	61	93	6	13	0.1	0.1	0.1	0.1	0.2
711	Other dermatoses	1	-	-	-	1	0.0	0	0	0	0.0

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue—Continued										
	Other diseases of skin and subcutaneous tissue (700-716)—Con.										
712	Diseases of nail	2	-	1	-	1	0.0	0	0.0	0	0.0
714	Diseases of sweat and sebaceous glands	1	1	-	-	-	0.0	0.0	0	0	0
715	Chronic ulcer of skin	207	67	96	22	22	0.1	0.1	0.1	0.3	0.3
716	Other diseases of skin	5	2	2	-	1	0.0	0.0	0.0	0	0.0
	XIII. Diseases of the bones and organs of movement										
	Arthritis and rheumatism, except rheumatic fever (720-727)										
720	Acute arthritis due to pyogenic organisms	36	16	10	4	6	0.0	0.0	0.0	0.1	0.1
722	Rheumatoid arthritis and allied conditions	807	242	501	25	39	0.5	0.4	0.7	0.3	0.5
.0	Rheumatoid arthritis	794	232	498	25	39	0.5	0.3	0.7	0.3	0.5
.1	Spondylitis ankylopoietica	11	8	3	-	-	0.0	0.0	0.0	0	0
.2	Chronic rheumatoid nodular fibrositis	2	2	-	-	-	0.0	0.0	0	0	0
723	Osteo-arthritis (arthrosis) and allied conditions	391	110	253	15	13	0.3	0.2	0.4	0.2	0.2
.0	Osteo-arthritis (arthrosis)	381	108	246	14	13	0.3	0.2	0.4	0.2	0.2
.1	Spondylitis osteo-arthritica (spondylarthrosis)	8	2	5	1	-	0.0	0.0	0.0	0.0	0
.2	Adult osteochondrosis of spine	2	-	2	-	-	0.0	0	0.0	0	0
724	Other specified forms of arthritis	28	13	10	3	2	0.0	0.0	0.0	0.0	0.0
725	Arthritis, unspecified	372	127	189	22	34	0.2	0.2	0.3	0.3	0.4
726	Muscular rheumatism	15	4	9	2	-	0.0	0.0	0.0	0.0	0
727	Rheumatism unspecified	63	25	22	8	8	0.0	0.0	0.0	0.1	0.1
	Osteomyelitis and other diseases of bone and joint (730-738)										
730	Osteomyelitis and periostitis	218	103	58	29	28	0.1	0.2	0.1	0.4	0.3
.0	Acute osteomyelitis	11	3	4	1	3	0.0	0.0	0.0	0.0	0.0
.1	Chronic osteomyelitis	67	33	17	10	7	0.0	0.0	0.0	0.1	0.1
.2	Unspecified osteomyelitis	135	64	36	18	17	0.1	0.1	0.1	0.2	0.2
.3	Periostitis without mention of osteomyelitis	5	3	1	-	1	0.0	0.0	0.0	0	0.0
731	Osteitis deformans	107	49	55	-	3	0.1	0.1	0.1	0	0.0
732	Osteochondrosis	3	3	-	-	-	0.0	0.0	0	0	0
733	Other diseases of bone	124	45	76	2	2	0.1	0.1	0.1	0.0	0.0
734	Internal derangement of knee joint	3	1	-	1	1	0.0	0.0	0	0.0	0.0
735	Displacement of intervertebral disc	40	24	13	3	-	0.0	0.0	0.0	0.0	0
736	Affection of sacro-iliac joint	2	-	1	-	1	0.0	0	0.0	0	0.0
737	Ankylosis of joint	6	4	2	-	-	0.0	0.0	0.0	0	0
738	Other diseases of joint	10	4	5	1	-	0.0	0.0	0.0	0.0	0
	Other diseases of musculoskeletal system (740-749)										
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	4	4	-	-	-	0.0	0.0	0	0	0
743	Infective myositis and other inflammatory diseases of tendon and fascia	1	-	1	-	-	0.0	0	0.0	0	0
744	Other diseases of muscle, tendon, and fascia	545	287	209	26	23	0.4	0.4	0.3	0.3	0.3
.0	Myasthenia gravis	226	103	104	10	9	0.1	0.2	0.2	0.1	0.1
.1	Inborn defect of muscle	287	171	93	12	11	0.2	0.3	0.1	0.2	0.1
.2	Other	32	13	12	4	3	0.0	0.0	0.0	0.1	0.0
745	Curvature of spine	50	21	22	3	4	0.0	0.0	0.0	0.0	0.0
748	Clubfoot	8	6	1	-	1	0.0	0.0	0.0	0	0.0
749	Other deformities	17	5	10	1	1	0.0	0.0	0.0	0.0	0.0
	XIV. Congenital malformations										
	Congenital malformations (750-759)										
750	Monstrosity	891	327	512	25	27	0.6	0.5	0.8	0.3	0.3
751	Spina bifida and meningocele	1,659	659	923	36	41	1.1	1.0	1.4	0.5	0.5
752	Congenital hydrocephalus	1,447	666	640	83	58	1.0	1.0	0.9	1.1	0.7
753	Other congenital malformations of nervous system and sense organs	566	257	254	25	30	0.4	0.4	0.4	0.3	0.4
.0	Congenital cataract	9	5	4	-	-	0.0	0.0	0.0	0	0
.1	Other	557	252	250	25	30	0.4	0.4	0.4	0.3	0.4
754	Congenital malformations of circulatory system	8,675	4,375	3,417	462	421	5.8	6.5	5.0	6.0	5.2
.0	Tetralogy of Fallot	319	163	137	6	13	0.2	0.2	0.2	0.1	0.2
.1	Patent ductus arteriosus (Botalli)	406	202	159	19	26	0.3	0.3	0.2	0.2	0.3
.2	Interventricular septal defect	413	206	182	9	16	0.3	0.3	0.3	0.1	0.2
.3	Interauricular septal defect	656	347	240	36	33	0.4	0.5	0.4	0.5	0.4
.4	Other and unspecified malformations of heart	5,862	2,933	2,295	344	290	3.9	4.4	3.4	4.5	3.8
.5	Coarctation of aorta	204	138	55	5	6	0.1	0.2	0.1	0.1	0.1
.6	Other circulatory malformations	815	386	349	43	37	0.5	0.6	0.5	0.6	0.5
755	Cleft palate and harelip	167	82	67	11	7	0.1	0.1	0.1	0.1	0.1
756	Congenital malformations of digestive system	2,332	1,237	805	170	120	1.5	1.8	1.2	2.2	1.5
.0	Congenital hypertrophic pyloric stenosis	232	136	47	32	17	0.2	0.2	0.1	0.4	0.2
.1	Imperforate anus	169	113	42	12	2	0.1	0.2	0.1	0.2	0.0
.2	Other	1,931	988	716	126	101	1.3	1.5	1.1	1.6	1.3
757	Congenital malformations of genito-urinary system	1,216	674	430	78	34	0.8	1.0	0.6	1.0	0.4
.0	Undescended testicle	2	2	...	-	...	0.0	0.0	...	0	...
.1	Polycystic disease of kidney	744	396	299	27	22	0.5	0.6	0.4	0.4	0.3
.2	Congenital malformations of external genital organs	22	18	4	-	-	0.0	0.0	0.0	0	0
.3	Other	448	258	127	51	12	0.3	0.4	0.2	0.7	0.1
758	Congenital malformations of bone and joint	279	147	108	13	11	0.2	0.2	0.2	0.2	0.1
759	Other and unspecified congenital malformations, not elsewhere classified	1,193	618	423	81	71	0.8	0.9	0.6	1.1	0.9
.0	Of respiratory system	389	222	119	25	23	0.3	0.3	0.2	0.3	0.3
.1	Of skin	22	8	9	4	1	0.0	0.0	0.0	0.1	0.0
.2	Of muscle	90	47	37	2	4	0.1	0.1	0.1	0.0	0.0
.3	Other and unspecified	692	341	258	50	43	0.5	0.5	0.4	0.6	0.5

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XV. Certain diseases of early infancy										
	Birth injuries, asphyxia, and infections of newborn (760-769)										
760	Intracranial and spinal injury at birth	4,955	2,666	1,444	518	327	3.3	4.0	2.1	6.7	4.1
.0	Without mention of immaturity	3,632	1,964	1,034	387	247	2.4	2.9	1.5	5.0	3.1
.5	With immaturity	1,323	702	410	131	80	0.9	1.0	0.6	1.7	1.0
761	Other birth injury	6,921	3,614	2,488	468	351	4.6	5.4	3.7	6.1	4.4
.0	Without mention of immaturity	2,532	1,241	817	277	197	1.7	1.8	1.2	3.6	2.4
.5	With immaturity	4,389	2,373	1,671	191	154	2.9	3.5	2.5	2.5	1.9
762	Postnatal asphyxia and atelectasis	13,200	6,803	4,331	1,188	898	8.8	10.1	6.4	15.2	11.2
.0	Without mention of immaturity	4,915	2,506	1,570	478	361	3.3	3.7	2.3	6.2	4.5
.5	With immaturity	8,285	4,297	2,761	690	537	5.5	6.4	4.1	9.0	6.7
763	Pneumonia of newborn	2,771	1,198	851	376	348	1.8	1.8	1.3	4.9	4.3
.0	Without mention of immaturity	1,907	813	549	291	254	1.3	1.2	0.8	3.8	3.2
.5	With immaturity	864	385	302	85	92	0.6	0.6	0.4	1.1	1.1
764	Diarrhea of newborn	730	288	219	140	83	0.5	0.4	0.3	1.8	1.0
.0	Without mention of immaturity	526	209	162	102	53	0.3	0.3	0.2	1.3	0.7
.5	With immaturity	204	79	57	38	30	0.1	0.1	0.1	0.5	0.4
765	Pemphigus neonatorum	25	12	5	4	4	0.0	0.0	0.0	0.1	0.0
.0	Without mention of immaturity	18	7	4	3	4	0.0	0.0	0.0	0.0	0.0
.5	With immaturity	7	5	1	1	-	0.0	0.0	0.0	0.0	0
767	Umbilical sepsis	100	38	20	22	20	0.1	0.1	0.0	0.3	0.2
.0	Without mention of immaturity	90	35	18	20	17	0.1	0.1	0.0	0.3	0.2
.5	With immaturity	10	3	2	2	3	0.0	0.0	0.0	0.0	0.0
768	Other sepsis of newborn	220	88	58	41	33	0.1	0.1	0.1	0.5	0.4
.0	Without mention of immaturity	137	61	34	24	18	0.1	0.1	0.1	0.3	0.2
.5	With immaturity	83	27	24	17	15	0.1	0.0	0.0	0.2	0.2
769	Neonatal disorders arising from maternal toxemia	1,055	508	365	103	79	0.7	0.8	0.5	1.3	1.0
.0-.4	Without mention of immaturity	268	118	87	35	28	0.2	0.2	0.1	0.5	0.3
.0	Attributed to "toxemia of pregnancy"	211	94	62	30	25	0.1	0.1	0.1	0.4	0.3
.1	Attributed to maternal diabetes	31	13	17	-	1	0.0	0.0	0.0	0	0.0
.3	Attributed to toxoplasmosis	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.4	Attributed to other or unspecified maternal toxemia	23	10	7	4	2	0.0	0.0	0.0	0.1	0.0
.5-.9	With immaturity	787	390	278	68	51	0.5	0.6	0.4	0.9	0.6
.5	Attributed to "toxemia of pregnancy"	626	301	223	58	44	0.4	0.4	0.3	0.8	0.5
.6	Attributed to maternal diabetes	82	47	28	5	2	0.1	0.1	0.0	0.1	0.0
.7	Attributed to maternal rubella	1	1	-	-	-	0.0	0.0	0	0	0
.8	Attributed to toxoplasmosis	1	-	1	-	-	0.0	0	0.0	0	0
.9	Attributed to other or unspecified maternal toxemia	77	41	26	5	5	0.1	0.1	0.0	0.1	0.1
	Other diseases peculiar to early infancy (770-776)										
770	Hemolytic disease of newborn (erythroblastosis)	2,549	1,398	981	107	63	1.7	2.1	1.4	1.4	0.8
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,897	1,055	710	80	52	1.3	1.6	1.0	1.0	0.6
.1	Kernicterus, without mention of immaturity	109	71	31	6	1	0.1	0.1	0.0	0.1	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	42	19	12	7	4	0.0	0.0	0.0	0.1	0.0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	480	243	218	14	5	0.3	0.4	0.3	0.2	0.1
.6	Kernicterus, with immaturity	19	9	10	-	-	0.0	0.0	0.0	0	0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	2	1	-	-	1	0.0	0.0	0	0	0.0
771	Hemorrhagic disease of newborn	860	419	250	120	71	0.6	0.6	0.4	1.6	0.9
.0	Without mention of immaturity	568	259	164	94	51	0.4	0.4	0.2	1.2	0.6
.5	With immaturity	292	160	86	26	20	0.2	0.2	0.1	0.3	0.2
772	Nutritional maladjustment	1,024	349	285	230	160	0.7	0.5	0.4	3.0	2.2
.0	Without mention of immaturity	672	237	175	148	114	0.4	0.4	0.3	1.9	1.4
.5	With immaturity	352	112	90	84	66	0.2	0.2	0.1	1.1	0.8
773	Ill-defined diseases peculiar to early infancy	2,728	1,204	842	369	313	1.8	1.8	1.2	4.8	3.9
.0	Without mention of immaturity	706	265	181	141	119	0.5	0.4	0.3	1.8	1.5
.5	With immaturity	2,022	939	661	228	194	1.3	1.4	1.0	3.0	2.4
774	Immaturity with mention of any other subsidiary condition	1,438	628	527	150	133	1.0	0.9	0.8	1.9	1.7
776	Immaturity unqualified	22,413	10,113	7,440	2,665	2,195	14.9	15.1	11.0	34.6	27.3
	XVI. Symptoms, senility, and ill-defined conditions										
	Symptoms referable to systems or organs (780-789)										
780	Certain symptoms referable to nervous system and special senses	221	94	63	36	28	0.1	0.1	0.1	0.5	0.3
.0	Coma and stupor	26	4	12	5	5	0.0	0.0	0.0	0.1	0.1
.1	Delirium	2	2	-	-	-	0.0	0.0	0	0	0
.2	Convulsions	175	83	45	25	22	0.1	0.1	0.1	0.3	0.3
.3	Jacksonian epilepsy	6	2	3	1	-	0.0	0.0	0.0	0.0	0
.4-.9	Other specified symptoms referable to nervous system and special senses	12	3	3	5	1	0.0	0.0	0.0	0.1	0.0
781	Other symptoms referable to nervous system and special senses	22	7	13	-	2	0.0	0.0	0.0	0	0.0
782	Symptoms referable to cardiovascular and lymphatic system	2,126	1,131	600	236	159	1.4	1.7	0.9	3.1	2.0
.0	Precordial pain	4	4	-	-	-	0.0	0.0	0	0	0
.1	Palpitation	1	1	-	-	-	0.0	0.0	0	0	0
.2	Tachycardia	8	5	3	-	-	0.0	0.0	0.0	0	0
.3	Pallor and cyanosis (not of newborn)	1	1	-	-	-	0.0	0.0	0	0	0
.4	Acute heart failure, undefined	2,008	1,090	565	218	135	1.3	1.6	0.8	2.8	1.7
.5	Syncope or collapse	9	4	4	1	-	0.0	0.0	0.0	0.0	0
.6	Edema and dropsy (not of newborn)	48	10	8	15	15	0.0	0.0	0.0	0.2	0.2
.7	Enlargement of lymph node	2	2	-	-	-	0.0	0.0	0	0	0
.8	Splenomegaly	7	2	5	-	-	0.0	0.0	0.0	0	0
.9	Shock without mention of trauma	38	12	15	2	9	0.0	0.0	0.0	0.0	0.1
783	Symptoms referable to respiratory system	223	101	49	49	24	0.1	0.2	0.1	0.6	0.3
.0	Epistaxis	10	7	2	1	-	0.0	0.0	0.0	0.0	0
.1	Hemoptysis	185	86	39	43	17	0.1	0.1	0.1	0.6	0.2
.2	Dyspnea	11	1	3	3	4	0.0	0.0	0.0	0.0	0.0
.3-.7	Other symptoms referable to respiratory system	17	7	5	2	3	0.0	0.0	0.0	0.0	0.0
784	Symptoms referable to upper gastro-intestinal tract	209	111	57	27	14	0.1	0.2	0.1	0.4	0.2

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions—Continued										
	Symptoms referable to systems or organs (780-789)—Continued										
785	Symptoms referable to abdomen and lower gastro-intestinal system	215	81	62	40	32	0.1	0.1	0.1	0.5	0.4
.2	Jaundice	112	42	32	23	15	0.1	0.1	0.0	0.3	0.2
.8	Diarrhea, age 2 years and over	60	20	20	9	11	0.0	0.0	0.0	0.1	0.1
.0, .1, .3-.5, .7-.9	Other symptoms referable to abdomen and lower gastro-intestinal system	43	19	10	8	6	0.0	0.0	0.0	0.1	0.1
786	Symptoms referable to genito-urinary system	46	25	9	11	1	0.0	0.0	0.0	0.1	0.0
787	Symptoms referable to limbs and back	3	-	2	1	-	0.0	0	0.0	0.0	0
788	Other general symptoms	138	39	48	29	22	0.1	0.1	0.1	0.4	0.3
.0-.5	Other specified general symptoms	32	8	17	5	2	0.0	0.0	0.0	0.1	0.0
.6	Acidosis	29	9	5	10	4	0.0	0.0	0.0	0.1	0.0
.7	Alkalosis	2	-	1	1	-	0.0	0	0.0	0.0	0
.8	Pyrexia of unknown origin	74	22	24	12	16	0.0	0.0	0.0	0.2	0.2
.9	Other specified symptoms not classifiable elsewhere	1	-	-	1	-	0.0	0	0	0.0	0
789	Abnormal urinary constituents of unspecified cause	14	8	4	1	1	0.0	0.0	0.0	0.0	0.0
	Senility and ill-defined diseases (790-795)										
790	Nervousness and debility	37	12	16	6	3	0.0	0.0	0.0	0.1	0.0
791	Headache	3	1	-	1	1	0.0	0.0	0	0.0	0.0
792	Uremia, unqualified	442	217	144	48	33	0.3	0.3	0.2	0.6	0.4
794	Senility without mention of psychosis	5,689	2,057	2,523	541	568	3.8	3.1	3.7	7.0	7.1
795	Ill-defined and unknown causes of mortality	13,129	4,482	2,467	3,431	2,749	8.7	6.7	3.6	44.5	34.1
.0	Other ill-defined conditions	769	343	216	130	80	0.5	0.5	0.3	1.7	1.0
.2	Sudden death (cause unknown)	742	288	127	185	144	0.5	0.4	0.2	2.4	1.8
.3	Found dead (cause unknown)	551	233	137	109	72	0.4	0.3	0.2	1.4	0.9
.4	Died without sign of disease	3,750	1,541	715	844	652	2.5	2.3	1.1	11.0	8.1
.5	Other, unknown, and unspecified causes	7,317	2,077	1,274	2,165	1,801	4.9	3.1	1.9	28.1	22.4
	XVII. Accidents, poisonings, and violence										
	Railway accidents (E800-E802)										
E800	Railway accident involving railroad employee	387	360	-	27	-	0.3	0.5	0	0.4	0
E801	Railway accident involving passenger	243	206	20	16	1	0.2	0.3	0.0	0.2	0.0
E802	Railway accident involving other and unspecified person	1,496	1,082	130	260	24	1.0	1.6	0.2	3.4	0.3
	Motor-vehicle traffic accidents (E810-E825)										
E810	Motor-vehicle traffic accident involving collision with railway train	1,541	1,049	364	100	28	1.0	1.6	0.5	1.3	0.3
E811	Motor-vehicle traffic accident involving collision with streetcar	89	47	19	4	19	0.1	0.1	0.0	0.1	0.2
E812	Motor-vehicle traffic accident to pedestrian	8,440	5,519	1,750	887	284	5.6	8.2	2.6	11.5	3.5
E813	Motor-vehicle traffic accident to pedal cyclist	373	302	33	34	4	0.2	0.4	0.0	0.4	0.0
E814	Motor-vehicle traffic accident to rider or passenger of motor-cycle, in collision with nonmotor vehicle or object	50	49	1	-	-	0.0	0.1	0.0	0	0
E815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	528	472	40	14	2	0.4	0.7	0.1	0.2	0.0
E816	Other motor-vehicle traffic accident involving two or more motor vehicles	8,319	5,290	2,269	578	182	5.5	7.9	3.3	7.5	2.3
E817	Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	1	1	-	-	-	0.0	0.0	0	0	0
E818	Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle	69	45	6	16	2	0.0	0.1	0.0	0.2	0.0
E819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	1,749	1,185	415	114	35	1.2	1.8	0.6	1.5	0.4
E820	Motor-vehicle traffic accident while boarding and alighting	28	12	13	3	-	0.0	0.0	0.0	0.0	0
E821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	357	309	33	13	2	0.2	0.5	0.0	0.2	0.0
E822	Motor-vehicle traffic accident involving overturning in roadway	1,814	1,342	248	186	38	1.2	2.0	0.4	2.4	0.5
E823	Motor-vehicle traffic accident involving running off roadway	5,066	3,792	808	367	99	3.4	5.6	1.2	4.8	1.2
E824	Other noncollision motor-vehicle traffic accident	878	551	217	109	21	0.6	0.8	0.3	1.4	0.3
E825	Motor-vehicle traffic accident of unspecified nature	4,561	3,023	964	445	129	3.0	4.5	1.4	5.8	1.6
	Motor-vehicle nontraffic accidents (E830-E835)										
E830	Motor-vehicle nontraffic accident to pedestrian	551	337	153	45	16	0.4	0.5	0.2	0.6	0.2
E831	Motor-vehicle nontraffic accident to pedal cyclist	1	1	-	-	-	0.0	0.0	0	0	0
E832	Motor-vehicle nontraffic accident to rider or passenger of motorcycle	17	17	-	-	-	0.0	0.0	0	0	0
E833	Other motor-vehicle nontraffic accident involving two or more motor vehicles	18	15	3	-	-	0.0	0.0	0.0	0	0
E834	Motor-vehicle nontraffic accident while boarding and alighting	14	7	7	-	-	0.0	0.0	0.0	0	0
E835	Motor-vehicle nontraffic accident of other and unspecified nature	299	229	38	27	5	0.2	0.3	0.1	0.4	0.1
	Other road-vehicle accidents (E840-E845)										
E840	Streetcar accident to pedestrian	102	63	31	7	1	0.1	0.1	0.0	0.1	0.0
E841	Other streetcar accident, except collision with motor vehicle	18	8	9	1	-	0.0	0.0	0.0	0.0	0
E842	Accident to pedestrian caused by pedal cycle	19	10	5	2	2	0.0	0.0	0.0	0.0	0.0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	59	37	16	4	2	0.0	0.1	0.0	0.1	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle	16	7	5	3	1	0.0	0.0	0.0	0.0	0.0
E845	Other nonmotor road-vehicle accidents	319	218	37	60	4	0.2	0.3	0.1	0.8	0.0
	Water-transport accidents (E850-E858)										
E850	Submersion of occupant of small boat	1,215	970	102	131	12	0.8	1.4	0.2	1.7	0.1
E851	Other water-transport injury by submersion	131	105	4	22	-	0.1	0.2	0.0	0.3	0
E852	Fall on stairs and ladders in water transport	8	6	1	1	-	0.0	0.0	0.0	0.0	0
E853	Other falls from one level to another in water transport	35	31	1	3	-	0.0	0.0	0.0	0.0	0
E854	Falls on same level in water transport	1	1	-	-	-	0.0	0.0	0	0	0

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Water-transport accidents (E850-E858)—Continued										
E855	Unspecified falls in water transport	4	3	-	1	-	0.0	0.0	0	0.0	0
E856	Machinery accident in water transport	10	6	-	4	-	0.0	0.0	0	0.1	0
E857	Other specified accidents in water transport	94	80	1	12	1	0.1	0.1	0.0	0.2	0.0
E858	Water-transport accident of unspecified cause	4	4	-	-	-	0.0	0.0	0	0	0
	Aircraft accidents (E860-E866)										
E860	Accident to personnel in military aircraft	149	146	-	3	-	0.1	0.2	0	0.0	0
E861	Injury to occupant by accident to commercial "transport" aircraft	89	69	20	-	-	0.1	0.1	0.0	0	0
E862	Other injury in commercial "transport" aircraft	1	1	-	-	-	0.0	0.0	0	0	0
E863	Injury to occupant by accident to other aircraft	131	121	10	-	-	0.1	0.2	0.0	0	0
E864	Aircraft accident at airfield to person not in aircraft	11	9	2	-	-	0.0	0.0	0.0	0	0
E865	Aircraft accident elsewhere to person not in aircraft	24	21	2	1	-	0.0	0.0	0.0	0.0	0
E866	Other and unspecified aircraft accidents	1,031	959	67	4	1	0.7	1.4	0.1	0.1	0.0
	Accidental poisoning by solid and liquid substances (E870-E888)										
E870	Accidental poisoning by morphine and other opium derivatives	22	14	2	6	-	0.0	0.0	0.0	0.1	0
E871	Accidental poisoning by barbituric acid and derivatives	409	171	226	7	5	0.3	0.3	0.3	0.1	0.1
E872	Accidental poisoning by aspirin and salicylates	99	57	36	4	2	0.1	0.1	0.1	0.1	0.0
E873	Accidental poisoning by bromides	14	7	6	-	1	0.0	0.0	0.0	0	0.0
E874	Accidental poisoning by other analgesic and soporific drugs	109	50	56	2	1	0.1	0.1	0.1	0.0	0.0
E875	Accidental poisoning by sulphonamides	4	2	2	-	-	0.0	0.0	0.0	0	0
E876	Accidental poisoning by strychnine	23	10	13	-	-	0.0	0.0	0.0	0	0
E877	Accidental poisoning by belladonna, hyoscine, and atropine	2	2	-	-	-	0.0	0.0	0	0	0
E878	Accidental poisoning by other and unspecified drugs	59	23	26	7	3	0.0	0.0	0.0	0.1	0.0
E879	Accidental poisoning by noxious foodstuffs	18	11	4	1	2	0.0	0.0	0.0	0.0	0.0
E880	Accidental poisoning by alcohol	246	142	13	65	26	0.2	0.2	0.0	0.8	0.3
E881	Accidental poisoning by petroleum products	112	41	22	29	20	0.1	0.1	0.0	0.4	0.2
E882	Accidental poisoning by industrial solvents	34	24	3	5	2	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	78	29	18	19	12	0.1	0.0	0.0	0.2	0.1
E884	Accidental poisoning by mercury and its compounds	23	11	5	3	4	0.0	0.0	0.0	0.0	0.0
E885	Accidental poisoning by lead and its compounds	61	27	11	16	7	0.0	0.0	0.0	0.2	0.1
E886	Accidental poisoning by arsenic and antimony, and their compounds	58	32	19	5	2	0.0	0.0	0.0	0.1	0.0
E887	Accidental poisoning by fluorides	9	3	3	1	2	0.0	0.0	0.0	0.0	0.0
E888	Accidental poisoning by other and unspecified solid and liquid substances	204	111	47	31	15	0.1	0.2	0.1	0.4	0.2
	Accidental poisoning by gases and vapors (E890-E895)										
E890	Accidental poisoning by utility (illuminating) gas	1,012	575	355	58	24	0.7	0.9	0.5	0.8	0.3
E891	Accidental poisoning by motor-vehicle exhaust gas	351	282	42	19	8	0.2	0.4	0.1	0.2	0.1
E892	Accidental poisoning by other carbon monoxide gas	251	148	76	18	9	0.2	0.2	0.1	0.2	0.1
E893	Accidental poisoning by cyanide gas	9	4	4	1	-	0.0	0.0	0.0	0.0	0
E894	Accidental poisoning by other specified gases and vapors	105	88	11	4	2	0.1	0.1	0.0	0.1	0.0
E895	Accidental poisoning by unspecified gases and vapors	41	26	8	5	2	0.0	0.0	0.0	0.1	0.0
	Accidental falls (E900-E904)										
E900	Fall on stairs	2,832	1,499	1,185	100	48	1.9	2.2	1.7	1.3	0.6
E901	Fall from ladders	342	304	23	12	3	0.2	0.5	0.0	0.2	0.0
E902	Other falls from one level to another	3,943	2,298	1,287	263	95	2.6	3.4	1.9	3.4	1.2
E903	Fall on same level	4,569	1,891	2,728	76	76	3.0	2.5	4.0	1.0	0.9
E904	Unspecified falls	9,097	3,367	5,280	246	204	6.0	5.0	7.8	3.2	2.5
	Other accidents (E910-E936)										
E910	Blow from falling object	1,613	1,328	52	227	6	1.1	2.0	0.1	2.9	0.1
E911	Accident caused by vehicle	149	133	-	16	-	0.1	0.2	0	0.2	0
E912	Accident caused by machinery	1,771	1,553	67	146	5	1.2	2.3	0.1	1.9	0.1
E913	Accident caused by cutting and piercing instruments	224	101	46	57	20	0.1	0.2	0.1	0.7	0.2
E914	Accident caused by electric current	955	829	63	59	5	0.6	1.2	0.1	0.8	0.1
E915	Accident caused by explosion of pressure vessel	47	36	2	7	2	0.0	0.1	0.0	0.1	0.0
E916	Accident caused by fire and explosion of combustible material	6,405	2,697	1,918	911	879	4.3	4.0	2.8	11.8	10.9
E917	Accident caused by hot substance, corrosive liquid, and steam	842	377	232	128	105	0.6	0.6	0.3	1.7	1.3
E919	Accident caused by firearm	2,174	1,586	187	328	73	1.4	2.4	0.3	4.3	0.9
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,088	560	331	108	89	0.7	0.8	0.5	1.4	1.1
E922	Inhalation and ingestion of other object causing obstruction or suffocation	262	136	66	35	25	0.2	0.2	0.1	0.5	0.3
E923	Foreign body entering other orifice	142	71	45	13	13	0.1	0.1	0.1	0.2	0.2
E924	Accidental mechanical suffocation in bed and cradle	1,360	592	431	189	148	0.9	0.9	0.6	2.5	1.8
E925	Accidental mechanical suffocation in other and unspecified circumstances	480	298	89	63	30	0.3	0.4	0.1	0.8	0.4
E926	Lack of care of infants under 1 year of age	59	21	14	14	10	0.0	0.0	0.0	0.2	0.1
E927	Accidents caused by bites and stings of venomous animals and insects	51	32	12	6	1	0.0	0.0	0.0	0.1	0.0
E928	Other accidents caused by animals	219	182	15	20	2	0.1	0.3	0.0	0.3	0.0
E929	Accidental drowning and submersion	4,785	3,367	624	708	85	3.2	5.0	0.9	9.2	1.1
E930	High and low air pressure	1	1	-	-	-	0.0	0.0	.0	.0	.0
E931	Excessive heat and insolation	137	77	21	30	9	0.1	0.1	0.0	0.4	0.1
E932	Excessive cold	250	162	27	46	15	0.2	0.2	0.0	0.6	0.2
E933	Hunger, thirst, and exposure	176	87	33	38	18	0.1	0.1	0.0	0.5	0.2
E934	Cataclysm	251	130	90	21	10	0.2	0.2	0.1	0.3	0.1
E935	Lightning	219	144	29	29	17	0.1	0.2	0.0	0.4	0.2
E936	Other and unspecified accidents	1,903	1,226	371	224	82	1.3	1.8	0.5	2.9	1.0
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)										
E940	Generalized vaccinia following vaccination	1	-	-	1	-	0.0	0	0	0.0	0
E941	Postvaccinal encephalitis	5	2	2	-	1	0.0	0.0	0.0	0	0.0
E942	Other complications of smallpox vaccination	2	1	1	-	-	0.0	0.0	0.0	0	0

Table 51. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1950—Continued

(See headnote on p. 61)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Complications due to nontherapeutic medical and surgical procedures (E940-E948)—Continued										
E944	Other complications of prophylactic inoculation	12	7	4	-	1	0.0	0.0	0.0	0	0.0
E945	Complications of anesthesia for nontherapeutic purpose	11	4	5	-	2	0.0	0.0	0.0	0	0.0
E948	Other complications due to nontherapeutic medical and surgical procedures	28	15	7	2	4	0.0	0.0	0.0	0.0	0.0
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)										
E950	Therapeutic misadventure in surgical treatment	184	76	79	8	21	0.1	0.1	0.1	0.1	0.3
E951	Therapeutic misadventure in infusion or transfusion	45	19	22	1	3	0.0	0.0	0.0	0.0	0.0
E952	Therapeutic misadventure in local applications	4	1	3	-	-	0.0	0.0	0.0	0	0
E953	Therapeutic misadventure in administration of drugs or biologicals	68	33	25	6	4	0.0	0.0	0.0	0.1	0.0
E954	Therapeutic misadventure in anesthesia	76	34	30	6	6	0.1	0.1	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure	13	5	6	2	-	0.0	0.0	0.0	0.0	0
E956	Late complication of surgical operation	133	28	90	3	12	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump	1	-	-	1	-	0.0	0	0	0.0	0
E958	Late complication of irradiation	2	-	2	-	-	0.0	0	0.0	0	0
E959	Late complications of other forms of treatment	4	3	1	-	-	0.0	0.0	0.0	0	0
	Late effects of injury and poisoning (E960-E965)										
E960	Late effect of motor-vehicle accident	59	41	12	4	2	0.0	0.1	0.0	0.1	0.0
E961	Late effect of accidental poisoning	10	5	2	2	1	0.0	0.0	0.0	0.0	0.0
E962	Late effect of other accidental injury	532	266	213	37	16	0.4	0.4	0.3	0.5	0.2
E963	Late effect of self-inflicted injury	2	1	1	-	-	0.0	0.0	0.0	0	0
E964	Late effect of injury purposely inflicted by another person (not in war)	12	3	-	9	-	0.0	0.0	0	0.1	0
E965	Late effects of injuries due to war operations	32	29	-	3	-	0.0	0.0	0	0.0	0
	Suicide and self-inflicted injury (E970-E979)										
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	808	316	485	5	2	0.5	0.5	0.7	0.1	0.0
A	Suicide by morphine and other opium derivatives	21	12	9	-	-	0.0	0.0	0.0	0	0
B	Suicide by barbituric acid and derivatives	684	260	419	3	2	0.5	0.4	0.6	0.0	0.0
C	Suicide by acetylsalicylic acid	7	2	5	-	-	0.0	0.0	0.0	0	0
D	Suicide by methyl salicylate	5	1	3	1	-	0.0	0.0	0.0	0.0	0
E	Suicide by other salicylates	5	3	2	-	-	0.0	0.0	0.0	0	0
F	Suicide by bromides	1	-	1	-	-	0.0	0	0.0	0	0
H	Suicide by other analgesic and soporific substances	77	34	42	1	-	0.1	0.1	0.1	0.0	0
M	Suicide by unspecified drugs	8	4	4	-	-	0.0	0.0	0.0	0	0
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	998	533	411	26	28	0.7	0.8	0.6	0.3	0.3
A	Suicide by poisoning with strychnine	130	89	39	2	-	0.1	0.1	0.1	0.0	0
B	Suicide by phenol compounds	101	73	26	1	1	0.1	0.1	0.0	0.0	0.0
C	Suicide by lye and potash	70	19	39	6	6	0.0	0.0	0.1	0.1	0.1
D	Suicide by cresol compounds	38	9	24	3	2	0.0	0.0	0.0	0.0	0.0
E	Suicide by mercury and its compounds	48	12	31	3	2	0.0	0.0	0.0	0.0	0.0
F	Suicide by arsenic and its compounds	116	61	48	3	4	0.1	0.1	0.1	0.0	0.0
G	Suicide by flourides	60	13	42	2	3	0.0	0.0	0.1	0.0	0.0
H	Suicide by other and unspecified solid and liquid substances	435	257	162	6	10	0.3	0.4	0.2	0.1	0.1
E972	Suicide and self-inflicted poisoning by gases in domestic use	1,107	628	454	17	8	0.7	0.9	0.7	0.2	0.1
E973	Suicide and self-inflicted poisoning by other gases	1,056	933	119	3	1	0.7	1.4	0.2	0.0	0.0
A	Suicide by motor-vehicle exhaust gas	920	823	94	2	1	0.6	1.2	0.1	0.0	0.0
B	Suicide by other motor exhaust gas	6	6	-	-	-	0.0	0.0	0	0	0
C	Suicide by other carbon monoxide	97	81	16	-	-	0.1	0.1	0.0	0	0
D	Suicide by other poisonous gases	33	23	9	1	-	0.0	0.0	0.0	0.0	0
E974	Suicide and self-inflicted injury by hanging and strangulation	3,592	2,681	812	78	21	2.4	4.0	1.2	1.0	0.3
E975	Suicide and self-inflicted injury by submersion (drowning)	667	359	261	34	13	0.4	0.5	0.4	0.4	0.2
E976	Suicide and self-inflicted injury by firearms and explosives	7,377	6,283	768	308	38	4.9	9.3	1.1	4.0	0.5
E977	Suicide and self-inflicted injury by cutting and piercing instruments	537	411	105	19	2	0.4	0.6	0.2	0.2	0.0
E978	Suicide and self-inflicted injury by jumping from high place	638	382	194	33	19	0.4	0.6	0.3	0.4	0.2
E979	Suicide and self-inflicted injury by other and unspecified means	365	238	103	19	3	0.2	0.4	0.2	0.2	0.0
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)										
E980	Nonaccidental poisoning by another person	54	23	22	6	3	0.0	0.0	0.0	0.1	0.0
E981	Assault by firearms and explosives	4,179	1,392	552	1,771	464	2.8	2.1	0.8	23.0	5.8
E982	Assault by cutting and piercing instruments	1,879	337	91	1,173	278	1.2	0.5	0.1	15.2	3.5
E983	Assault by other means	1,455	657	285	357	156	1.0	1.0	0.4	4.6	1.9
E984	Injury by intervention of police	282	135	2	145	-	0.2	0.2	0.0	1.9	0
E985	Execution	81	39	-	42	-	0.1	0.1	0	0.5	0
	Injury resulting from operations of war (E990-E999)										
E991	Injury due to war operations by gunshot	6	5	-	1	-	0.0	0.0	0	0.0	0
E998	Injury due to war operations by other and unspecified means	2	2	-	-	-	0.0	0.0	0	0	0

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,452,454	103,625	7,722	4,515	3,594	2,317	121,973	8,150	6,457	11,531
2		Male	827,749	59,727	4,298	2,514	1,975	1,275	69,789	4,765	4,004	7,472
3		Female	624,705	44,098	3,424	2,001	1,619	1,042	52,184	3,385	2,453	4,059
4		White—Male	731,366	47,595	3,202	1,980	1,679	1,060	55,516	3,980	3,318	6,116
5		Female	544,719	34,423	2,598	1,577	1,284	823	40,705	2,741	1,963	2,892
6		Negro—Male	92,004	11,395	978	481	274	200	13,328	727	644	1,285
7		Female	77,602	9,097	729	387	301	204	10,718	601	451	1,092
8		Other—Male	4,379	737	116	53	22	15	945	58	42	71
9		Female	2,384	578	97	37	34	15	761	43	39	75
10		I. Infective and parasitic diseases	51,650	2,782	1,212	709	509	318	5,530	1,070	726	1,211
11		White—Male	25,131	1,029	439	272	209	145	2,094	484	313	334
12		Female	12,152	689	416	259	184	110	1,858	375	244	321
13		Negro—Male	8,046	416	155	80	47	31	729	94	54	201
14		Female	5,406	356	152	75	54	25	642	88	86	303
15		Other—Male	533	42	40	18	6	4	110	15	9	16
16		Female	382	50	30	5	9	3	97	14	20	36
17	001-019	Tuberculosis, all forms	33,959	268	408	210	144	61	1,091	221	219	790
18		White—Male	16,787	72	129	60	41	27	329	61	55	117
19		Female	7,349	77	124	75	55	18	349	65	60	163
20		Negro—Male	5,336	54	65	37	19	4	179	41	20	169
21		Female	3,763	37	52	25	16	9	138	31	58	269
22		Other—Male	416	11	23	10	6	3	53	13	8	16
23		Female	308	17	15	3	7	1	43	10	18	36
24	001-008	Tuberculosis of respiratory system	31,093	108	139	67	42	20	376	75	142	673
25		White—Male	15,754	30	36	15	11	9	101	16	26	91
26		Female	6,603	28	43	22	15	5	113	21	35	162
27		Negro—Male	4,774	22	24	16	10	3	75	12	14	143
28		Female	3,354	15	16	7	4	2	44	16	50	234
29		Other—Male	357	5	11	6	1	1	24	5	3	14
30		Female	251	8	9	1	1	-	19	5	14	29
31	010	Tuberculosis of meninges and central nervous system	1,094	99	204	106	74	34	517	104	50	53
32		White—Male	339	23	73	37	20	16	169	32	17	12
33		Female	314	30	68	36	28	11	173	32	17	11
34		Negro—Male	206	22	28	16	8	1	75	23	3	12
35		Female	158	13	21	13	9	3	59	10	5	13
36		Other—Male	39	3	9	2	5	2	21	5	5	2
37		Female	37	8	5	2	4	1	20	2	3	3
38	011	Tuberculosis of intestines, peritoneum, and mesenteric glands	229	4	2	4	1	-	11	5	3	12
39		White—Male	62	2	1	-	1	-	4	-	1	2
40		Female	73	-	-	2	-	-	2	2	1	2
41		Negro—Male	42	-	1	1	-	-	2	2	-	3
42		Female	46	1	-	-	-	-	1	1	1	5
43		Other—Male	3	1	-	1	-	-	2	-	-	-
44		Female	3	-	-	-	-	-	-	-	-	-
45	012.0,013.0	Tuberculosis of vertebral column	182	1	-	-	5	1	7	8	1	5
46		White—Male	72	-	-	-	3	-	3	5	1	-
47		Female	48	-	-	-	2	1	3	-	-	-
48		Negro—Male	36	-	-	-	-	-	-	3	-	2
49		Female	22	-	-	-	-	-	-	-	-	3
50		Other—Male	2	1	-	-	-	-	1	-	-	-
51		Female	2	-	-	-	-	-	-	-	-	-
52	012.1-012.3, 013.1-013.3	Tuberculosis of other bones and joints	66	-	1	-	1	-	2	-	2	3
53		White—Male	40	-	-	-	-	-	-	-	2	1
54		Female	8	-	-	-	1	-	1	-	-	-
55		Negro—Male	11	-	-	-	-	-	-	-	-	1
56		Female	7	-	1	-	-	-	1	-	-	1
57		Other—Male	-	-	-	-	-	-	-	-	-	-
58		Female	-	-	-	-	-	-	-	-	-	-
59	016	Tuberculosis of genito-urinary system	274	-	-	-	-	-	-	-	5	11
60		White—Male	164	-	-	-	-	-	-	-	3	5
61		Female	71	-	-	-	-	-	-	-	2	2
62		Negro—Male	19	-	-	-	-	-	-	-	-	-
63		Female	17	-	-	-	-	-	-	-	-	4
64		Other—Male	3	-	-	-	-	-	-	-	-	-
65		Female	-	-	-	-	-	-	-	-	-	-
66	014,015, 017,018	Tuberculosis of lymphatic system and other organs	146	1	3	4	1	1	10	-	2	2
67		White—Male	56	-	2	-	-	-	2	-	1	1
68		Female	51	1	-	3	1	-	5	-	1	1
69		Negro—Male	21	-	1	1	-	-	2	-	-	-
70		Female	17	-	-	-	-	1	1	-	-	-
71		Other—Male	-	-	-	-	-	-	-	-	-	-
72		Female	1	-	-	-	-	-	-	-	-	-
73	019	Disseminated tuberculosis	675	55	59	29	20	5	168	29	14	31
74		White—Male	300	17	17	8	6	2	50	8	4	5
75		Female	181	18	13	12	8	1	52	10	4	5
76		Negro—Male	227	10	11	3	1	-	25	1	3	8
77		Female	141	8	14	5	3	2	32	4	2	9
78		Other—Male	12	1	3	1	-	-	5	3	-	-
79		Female	14	1	1	-	2	-	4	3	1	4
80	020-029	Syphilis and its sequelae	7,568	201	4	3	2	-	210	2	8	18
81		White—Male	3,764	43	-	-	-	-	43	1	1	7
82		Female	1,260	31	-	-	-	-	31	-	-	6
83		Negro—Male	1,733	62	2	2	1	-	67	-	3	3
84		Female	744	50	1	-	1	-	52	1	4	2
85		Other—Male	53	9	1	1	-	-	11	-	-	-
86		Female	14	6	-	-	-	-	6	-	-	-
87	020	Congenital syphilis	253	200	3	3	2	-	208	1	5	8
88		White—Male	59	43	-	-	-	-	43	-	1	2
89		Female	48	31	-	-	-	-	31	-	-	5
90		Negro—Male	67	61	1	2	1	-	65	-	-	1
91		Female	62	50	1	-	1	-	52	1	4	-
92		Other—Male	11	9	1	1	-	-	11	-	-	-
93		Female	6	6	-	-	-	-	6	-	-	-

Age, Race, and Sex: United States, 1950

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16,767	19,506	22,961	31,908	45,029	61,879	86,208	113,036	141,114	166,510	175,786	169,800	136,051	77,712	30,647	6,677	1,480	1,272	1
10,860	11,774	13,337	18,486	26,916	38,071	54,285	72,159	88,263	99,713	98,715	89,750	67,345	35,571	12,643	2,491	535	805	2
5,907	7,732	9,624	13,422	18,113	23,808	31,923	40,877	52,851	66,797	77,071	80,050	68,706	42,141	18,004	4,186	945	467	3
8,653	9,103	10,220	14,541	21,752	31,566	45,584	63,046	79,373	90,410	91,360	84,077	63,907	33,833	11,950	2,167	299	595	4
4,132	5,432	6,803	9,581	13,334	18,135	24,859	34,039	45,764	59,568	71,144	75,701	65,818	40,374	17,123	3,746	542	323	5
2,082	2,547	3,017	3,807	5,004	6,289	8,421	8,806	8,529	8,892	6,986	5,356	3,250	1,654	653	302	230	195	6
1,678	2,201	2,756	3,747	4,685	5,589	6,952	6,723	6,970	7,081	5,809	4,231	2,805	1,715	846	425	369	137	7
125	124	100	138	160	216	280	307	361	411	369	317	188	84	40	22	6	15	8
97	99	65	94	94	84	112	115	117	148	118	119	82	52	35	15	14	7	9
2,123	2,635	2,889	3,314	3,658	3,991	4,485	4,617	4,438	4,169	3,085	2,125	1,057	365	105	23	7	29	10
481	715	869	1,252	1,647	1,966	2,523	2,861	2,916	2,700	1,918	1,235	572	190	44	5	2	10	11
617	789	844	849	740	678	613	664	720	814	760	663	388	148	49	11	3	4	12
400	490	582	836	787	917	914	798	532	434	260	139	51	16	4	2	1	5	13
551	575	558	530	442	381	379	260	218	172	106	57	31	8	5	3	1	10	14
26	31	16	24	23	39	47	26	39	38	32	26	12	2	2	-	-	-	15
48	35	20	23	19	10	9	8	13	11	7	5	3	1	1	2	-	-	16
1,707	2,137	2,405	2,698	2,902	2,965	3,262	3,271	3,071	2,823	2,052	1,390	681	214	48	8	5	19	17
296	511	673	1,030	1,386	1,578	1,983	2,145	2,095	1,888	1,282	821	384	121	23	1	2	6	18
469	600	701	694	572	493	408	445	479	529	514	433	251	79	17	3	1	4	19
360	433	504	509	581	601	589	498	321	267	149	76	24	7	2	1	1	4	20
511	530	493	421	325	252	236	157	132	98	54	33	11	4	3	1	1	5	21
24	30	15	24	20	31	38	20	32	30	27	23	8	2	2	-	-	-	22
47	33	19	20	18	10	8	6	12	11	6	4	3	1	1	2	-	-	23
1,543	1,982	2,233	2,563	2,735	2,820	3,096	3,098	2,906	2,666	1,957	1,333	642	197	48	8	4	16	24
260	475	632	992	1,323	1,520	1,910	2,069	2,004	1,800	1,228	796	366	114	23	1	2	5	25
430	576	660	668	536	469	379	400	450	481	486	412	232	71	17	3	1	3	26
311	387	459	475	538	564	544	460	290	253	142	70	24	6	2	1	1	3	27
478	490	450	388	303	229	218	143	120	91	48	28	10	4	3	1	-	5	28
21	25	14	23	20	29	37	20	30	30	27	23	8	2	2	-	-	-	29
43	29	18	18	15	9	8	6	12	11	6	4	2	-	1	2	-	-	30
59	55	56	39	37	24	28	24	19	15	8	3	2	1	-	-	-	-	31
12	9	10	8	12	7	12	12	14	6	3	1	2	1	-	-	-	-	32
18	7	10	11	9	4	4	6	4	4	2	2	-	-	-	-	-	-	33
13	15	21	9	8	9	8	4	1	3	2	-	-	-	-	-	-	-	34
14	17	13	10	6	4	3	2	-	2	1	-	-	-	-	-	-	-	35
1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
1	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	37
15	15	13	10	19	25	10	19	15	27	13	10	6	1	-	-	-	-	38
2	2	-	2	3	11	3	6	6	13	4	2	1	-	-	-	-	-	39
4	2	4	3	2	6	4	5	5	10	8	7	5	1	-	-	-	-	40
4	4	3	1	8	5	2	4	2	2	-	-	-	-	-	-	-	-	41
3	7	6	4	6	1	1	4	2	2	1	1	-	-	-	-	-	-	42
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	43
2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	44
12	12	12	10	13	14	15	20	18	13	10	4	4	4	-	-	-	-	45
2	5	1	4	4	7	7	8	9	5	6	3	1	1	-	-	-	-	46
1	-	3	1	2	2	3	9	6	7	4	1	3	3	-	-	-	-	47
8	4	3	4	3	1	3	3	1	1	-	-	-	-	-	-	-	-	48
-	3	5	-	3	4	2	-	2	-	-	-	-	-	-	-	-	-	49
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
3	4	4	2	4	3	4	5	6	6	11	2	4	1	-	-	-	-	52
1	1	2	1	3	3	3	1	3	6	9	2	2	-	-	-	-	-	53
1	-	-	-	1	-	-	1	-	-	1	-	2	1	-	-	-	-	54
-	3	1	1	-	-	1	-	3	-	1	-	-	-	-	-	-	-	55
1	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
4	15	19	18	33	25	41	31	25	21	13	6	5	2	-	-	-	-	59
3	10	12	9	14	16	24	19	19	13	7	4	5	1	-	-	-	-	60
1	1	7	4	10	6	10	7	5	8	5	2	-	1	-	-	-	-	61
-	1	-	1	8	1	3	4	1	-	-	-	-	-	-	-	-	-	62
-	1	-	3	1	2	4	1	-	-	1	-	-	-	-	-	-	-	63
-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
7	10	8	11	9	5	11	15	13	17	6	12	6	2	-	-	-	-	66
2	4	2	2	5	2	3	6	8	8	4	4	1	1	-	-	-	-	67
2	1	2	4	1	2	4	5	4	8	2	5	3	1	-	-	-	-	68
3	3	1	2	1	1	2	3	1	1	-	1	-	-	-	-	-	-	69
-	2	3	3	2	-	2	1	-	-	-	2	1	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	72
64	44	60	45	52	49	57	59	69	59	34	20	12	6	-	-	1	3	73
14	5	14	12	22	12	21	24	32	37	21	9	6	3	-	-	-	1	74
12	13	15	5	11	4	4	12	5	11	6	4	6	1	-	-	-	1	75
21	16	16	16	15	20	26	20	22	7	4	5	-	1	-	-	-	1	76
15	10	15	12	4	12	6	3	8	3	3	2	-	-	-	-	1	-	77
1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	78
1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	79
39	63	105	263	452	706	903	1,039	1,077	1,057	780	507	237	69	20	7	-	6	80
15	9	19	62	121	236	392	556	655	681	487	312	123	31	9	1	-	3	81
9	11	16	39	72	98	111	129	160	175	160	124	77	30	8	4	-	-	82
5	24	45	98	172	272	282	267	188	141	92	50	19	7	1	-	-	-	83
10	18	25	65	85	95	110	80	66	53	38	18	14	1	2	2	-	3	84
-	-	-	-	1	6	7	5	7	7	3	2	4	-	-	-	-	-	85
-	1	-	1	1	-	1	2	1	-	-	1	-	-	-	-	-	-	86
10	4	5	2	4	3	-	-	-	1	1	1	-	-	-	-	-	-	87
6	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	88
2	3	2	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	89
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	90
2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
		Syphilis and its sequelae—Continued										
1	021	Early syphilis	3	-	-	-	-	-	-	-	-	-
2		White—Male	1	-	-	-	-	-	-	-	-	-
3		Female	-	-	-	-	-	-	-	-	-	-
4		Negro—Male	1	-	-	-	-	-	-	-	-	-
5		Female	1	-	-	-	-	-	-	-	-	-
6		Other—Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	022	Aneurysm of aorta	2,377	-	-	-	-	-	-	-	1	1
9		White—Male	1,444	-	-	-	-	-	-	-	-	1
10		Female	441	-	-	-	-	-	-	-	-	-
11		Negro—Male	335	-	-	-	-	-	-	-	1	-
12		Female	150	-	-	-	-	-	-	-	-	-
13		Other—Male	6	-	-	-	-	-	-	-	-	-
14		Female	1	-	-	-	-	-	-	-	-	-
15	023	Other cardiovascular syphilis	2,351	-	1	-	-	-	1	-	-	2
16		White—Male	1,086	-	-	-	-	-	-	-	-	1
17		Female	327	-	-	-	-	-	-	-	-	-
18		Negro—Male	663	-	1	-	-	-	1	-	-	-
19		Female	253	-	-	-	-	-	-	-	-	1
20		Other—Male	19	-	-	-	-	-	-	-	-	-
21		Female	3	-	-	-	-	-	-	-	-	-
22	024	Tabes dorsalis	174	-	-	-	-	-	-	-	-	-
23		White—Male	119	-	-	-	-	-	-	-	-	-
24		Female	29	-	-	-	-	-	-	-	-	-
25		Negro—Male	15	-	-	-	-	-	-	-	-	-
26		Female	8	-	-	-	-	-	-	-	-	-
27		Other—Male	2	-	-	-	-	-	-	-	-	-
28		Female	1	-	-	-	-	-	-	-	-	-
29	025	General paralysis of insane	1,301	-	-	-	-	-	-	-	1	4
30		White—Male	576	-	-	-	-	-	-	-	-	1
31		Female	209	-	-	-	-	-	-	-	-	-
32		Negro—Male	390	-	-	-	-	-	-	-	1	2
33		Female	114	-	-	-	-	-	-	-	-	1
34		Other—Male	11	-	-	-	-	-	-	-	-	-
35		Female	1	-	-	-	-	-	-	-	-	-
36	026	Other syphilis of central nervous system	826	1	-	-	-	-	1	1	1	2
37		White—Male	388	-	-	-	-	-	-	1	-	2
38		Female	138	-	-	-	-	-	-	-	-	-
39		Negro—Male	202	1	-	-	-	-	1	-	1	-
40		Female	113	-	-	-	-	-	-	-	-	-
41		Other—Male	4	-	-	-	-	-	-	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	027-029	Other syphilis	283	-	-	-	-	-	-	-	-	1
44		White—Male	111	-	-	-	-	-	-	-	-	-
45		Female	68	-	-	-	-	-	-	-	-	1
46		Negro—Male	60	-	-	-	-	-	-	-	-	-
47		Female	43	-	-	-	-	-	-	-	-	-
48		Other—Male	-	-	-	-	-	-	-	-	-	-
49		Female	1	-	-	-	-	-	-	-	-	-
50	030-035	Gonococcal infection	37	1	-	-	-	-	1	-	-	1
51		White—Male	5	1	-	-	-	-	1	-	-	-
52		Female	3	-	-	-	-	-	-	-	-	-
53		Negro—Male	13	-	-	-	-	-	-	-	-	-
54		Female	16	-	-	-	-	-	-	-	-	1
55		Other—Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	040	Typhoid fever	96	3	3	1	1	-	8	4	2	8
58		White—Male	28	1	-	-	-	-	1	2	-	2
59		Female	27	-	-	1	1	-	2	1	1	3
60		Negro—Male	23	1	1	-	-	-	2	-	-	1
61		Female	14	-	1	-	-	-	1	1	1	2
62		Other—Male	1	-	1	-	-	-	1	-	-	-
63		Female	3	1	-	-	-	-	1	-	-	-
64	041	Paratyphoid fever	18	3	2	1	-	-	6	-	-	-
65		White—Male	8	1	1	-	-	-	2	-	-	-
66		Female	6	1	-	1	-	-	2	-	-	-
67		Negro—Male	2	-	1	-	-	-	1	-	-	-
68		Female	1	1	-	-	-	-	1	-	-	-
69		Other—Male	1	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	042	Other Salmonella infections	25	8	5	1	-	-	14	-	1	-
72		White—Male	10	4	-	-	-	-	4	-	-	-
73		Female	5	2	3	-	-	-	5	-	-	-
74		Negro—Male	7	1	1	1	-	-	3	-	1	-
75		Female	2	-	1	-	-	-	1	-	-	-
76		Other—Male	1	1	-	-	-	-	1	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	043	Cholera	-	-	-	-	-	-	-	-	-	-
79		White—Male	-	-	-	-	-	-	-	-	-	-
80		Female	-	-	-	-	-	-	-	-	-	-
81		Negro—Male	-	-	-	-	-	-	-	-	-	-
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other—Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	044	Brucellosis (undulant fever)	36	-	2	1	-	-	3	-	-	-
86		White—Male	19	-	2	1	-	-	3	-	-	-
87		Female	15	-	-	-	-	-	-	-	-	-
88		Negro—Male	2	-	-	-	-	-	-	-	-	-
89		Female	-	-	-	-	-	-	-	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	045-048	Dysentery, all forms	923	521	67	27	13	9	637	21	4	7
93		White—Male	403	238	21	12	7	4	282	10	3	3
94		Female	290	163	27	7	4	3	204	7	-	1
95		Negro—Male	127	62	10	3	2	2	79	4	-	-
96		Female	86	49	6	5	-	-	60	-	1	3
97		Other—Male	11	6	1	-	-	-	7	-	-	-
98		Female	6	3	2	-	-	-	5	-	-	-

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 and over	Not stated	
1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
4	5	12	39	93	141	213	279	349	429	336	277	136	43	14	4	-	1	8
3	2	4	9	19	49	109	175	256	301	230	185	74	19	8	-	-	-	9
-	2	2	3	14	21	22	26	39	74	80	72	55	24	6	2	-	-	10
1	1	3	15	44	46	63	53	43	34	14	16	2	-	-	-	-	-	11
1	-	3	12	16	24	18	25	10	19	12	3	4	-	-	2	-	1	12
-	-	-	-	-	1	1	-	2	1	-	1	1	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	14
8	21	33	104	149	244	344	383	352	318	225	110	43	9	2	2	-	1	15
1	1	4	30	47	76	137	193	187	193	134	59	18	3	1	1	-	-	16
3	3	4	13	16	36	39	40	50	44	38	25	12	2	-	1	-	-	17
2	8	16	41	51	102	120	117	85	52	41	18	5	3	1	-	-	-	18
2	9	9	19	35	29	45	29	28	24	8	6	7	1	-	-	-	1	19
-	-	-	-	-	1	3	3	1	5	3	2	1	-	-	-	-	-	20
-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	21
-	2	-	2	3	9	14	23	23	38	30	18	10	2	-	-	-	2	22
-	-	-	-	-	2	9	14	19	27	28	10	6	1	-	-	-	2	23
-	-	-	1	2	2	2	4	3	7	1	5	2	-	-	-	-	-	24
-	1	-	-	1	3	1	3	1	1	-	1	2	1	-	-	-	-	25
-	1	-	1	-	1	2	-	-	1	-	2	-	-	-	-	-	-	26
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	28
3	12	24	61	102	188	205	198	202	138	81	50	19	10	2	1	-	-	29
2	3	3	15	29	67	82	102	105	80	43	29	10	5	-	-	-	-	30
1	-	3	9	19	22	31	34	41	19	16	8	2	3	-	1	-	-	31
-	6	15	25	41	79	65	55	38	32	17	8	4	2	-	-	-	-	32
-	3	3	12	12	18	23	7	14	7	5	5	2	-	2	-	-	-	33
-	-	-	-	1	2	3	-	4	-	-	-	1	-	-	-	-	-	34
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	35
7	14	21	37	77	99	101	114	113	105	73	35	19	3	1	-	-	2	36
1	1	5	5	21	32	44	55	67	63	40	20	8	2	-	-	-	1	37
1	2	3	10	14	12	10	14	22	22	13	8	5	1	1	-	-	-	38
3	8	9	9	23	36	26	31	14	18	13	5	5	-	-	-	-	-	39
2	2	4	13	19	18	21	13	10	1	7	2	-	-	-	-	-	1	40
-	1	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
6	5	10	18	24	22	26	42	37	30	33	16	10	2	1	-	-	-	43
1	1	1	2	3	9	11	17	21	17	11	9	7	1	-	-	-	-	44
2	1	2	3	6	4	7	11	8	8	10	5	1	-	1	-	-	-	45
3	3	2	6	11	5	7	8	8	4	7	2	1	1	-	-	-	-	46
-	-	5	7	3	4	1	6	4	1	5	-	1	-	-	-	-	-	47
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	2	7	6	2	5	2	2	2	3	1	2	1	-	-	-	-	-	49
-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	50
-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	51
-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	1	1	-	3	-	2	1	1	1	2	1	-	-	-	-	-	53
-	1	6	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
5	8	7	10	10	4	7	5	4	3	5	6	-	-	-	-	-	-	57
2	-	2	3	2	-	1	1	3	1	3	5	-	-	-	-	-	-	58
1	7	1	2	2	1	3	1	-	1	1	1	-	-	-	-	-	-	59
1	1	3	3	4	2	3	1	-	1	1	-	-	-	-	-	-	-	60
1	-	1	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
1	1	-	-	1	1	3	2	-	-	1	2	-	-	-	-	-	-	64
1	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-	65
-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	2	-	-	2	2	-	-	1	1	1	1	-	-	-	-	71
-	-	-	1	-	-	-	1	-	-	1	1	1	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	2	2	-	-	2	2	10	3	5	2	2	-	-	-	-	-	85
-	-	-	1	-	-	1	-	6	2	3	-	1	-	-	-	-	-	86
-	-	2	1	-	-	2	1	4	-	2	2	1	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
3	12	12	16	14	15	17	19	33	20	31	27	15	12	6	2	-	-	92
2	7	4	7	6	4	6	8	19	7	13	9	6	5	2	-	-	-	93
1	4	2	5	2	4	2	6	7	8	8	15	5	5	3	1	-	-	94
-	1	4	3	4	4	4	3	4	3	6	2	2	2	1	-	-	-	95
-	-	2	1	2	2	3	2	3	2	2	1	2	-	-	-	-	-	96
-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	050	Scarlet fever	35	4	-	1	3	2	10	10	3	6
2		White—Male	21	2	-	1	2	1	6	7	2	3
3		Female	11	1	-	-	1	1	3	2	1	3
4		Negro—Male	1	1	-	-	-	-	1	-	-	-
5		Female	2	-	-	-	-	-	-	1	-	-
6		Other—Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	051	Streptococcal sore throat	311	25	25	20	9	10	89	35	22	18
9		White—Male	140	14	12	10	4	4	44	23	6	7
10		Female	122	6	8	8	4	3	29	10	14	7
11		Negro—Male	20	3	3	1	-	2	9	-	1	2
12		Female	27	-	2	1	1	1	5	2	1	2
13		Other—Male	-	-	-	-	-	-	-	-	-	-
14		Female	2	2	-	-	-	-	2	-	-	-
15	052	Erysipelas	54	4	-	-	-	-	4	-	-	1
16		White—Male	24	4	-	-	-	-	4	-	-	1
17		Female	27	-	-	-	-	-	-	-	-	-
18		Negro—Male	1	-	-	-	-	-	-	-	-	-
19		Female	2	-	-	-	-	-	-	-	-	-
20		Other—Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	053	Septicemia and pyemia	616	179	40	16	16	6	257	14	16	9
23		White—Male	286	87	25	6	8	4	128	5	5	2
24		Female	218	70	14	7	5	1	97	6	9	5
25		Negro—Male	46	12	1	1	1	1	16	1	1	1
26		Female	64	10	2	2	2	-	16	1	1	1
27		Other—Male	2	-	-	-	-	-	-	1	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	055	Diphtheria	410	21	41	62	58	49	231	99	16	6
30		White—Male	172	10	13	23	26	17	89	37	9	1
31		Female	151	7	16	25	19	17	84	41	2	4
32		Negro—Male	40	2	8	4	6	6	26	11	3	-
33		Female	40	2	4	9	6	8	29	8	1	1
34		Other—Male	3	-	-	1	-	1	2	-	-	-
35		Female	4	-	-	1	-	-	1	2	1	-
36	056	Whooping cough	1,118	745	202	70	35	21	1,073	31	8	1
37		White—Male	304	222	40	11	8	9	290	9	3	-
38		Female	401	254	79	33	12	8	386	9	3	1
39		Negro—Male	172	120	27	10	5	3	165	5	1	-
40		Female	197	127	39	13	9	-	188	8	1	-
41		Other—Male	19	8	10	1	-	-	19	-	-	-
42		Female	25	14	7	2	1	1	25	-	-	-
43	057	Meningococcal infections	974	252	134	100	69	41	596	81	44	39
44		White—Male	475	119	63	61	38	24	305	37	16	22
45		Female	368	99	56	36	22	13	226	37	18	12
46		Negro—Male	77	18	9	1	5	2	35	6	7	2
47		Female	45	13	5	1	4	2	25	1	2	3
48		Other—Male	7	2	1	1	-	-	4	-	1	-
49		Female	2	1	-	-	-	-	1	-	-	-
50	058	Plague	1	-	-	-	-	-	-	-	-	-
51		White—Male	1	-	-	-	-	-	-	-	-	-
52		Female	-	-	-	-	-	-	-	-	-	-
53		Negro—Male	-	-	-	-	-	-	-	-	-	-
54		Female	-	-	-	-	-	-	-	-	-	-
55		Other—Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	059	Tularemia	15	-	1	-	-	-	1	1	-	3
58		White—Male	6	-	1	-	-	-	1	-	-	1
59		Female	2	-	-	-	-	-	-	-	-	1
60		Negro—Male	4	-	-	-	-	-	-	1	-	-
61		Female	3	-	-	-	-	-	-	-	-	1
62		Other—Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	060	Leprosy	3	-	-	-	-	-	-	-	-	-
65		White—Male	-	-	-	-	-	-	-	-	-	-
66		Female	3	-	-	-	-	-	-	-	-	-
67		Negro—Male	-	-	-	-	-	-	-	-	-	-
68		Female	-	-	-	-	-	-	-	-	-	-
69		Other—Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	061	Tetanus	336	120	3	10	10	7	150	34	23	10
72		White—Male	132	32	2	5	4	2	45	12	12	6
73		Female	68	18	1	-	4	1	24	7	6	2
74		Negro—Male	82	37	-	4	-	4	45	10	5	2
75		Female	54	33	-	1	2	-	36	5	-	-
76		Other—Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	062	Anthrax	5	-	-	-	-	-	-	1	-	-
79		White—Male	3	-	-	-	-	-	-	-	-	-
80		Female	1	-	-	-	-	-	-	1	-	-
81		Negro—Male	-	-	-	-	-	-	-	-	-	-
82		Female	1	-	-	-	-	-	-	-	-	-
83		Other—Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	080	Acute poliomyelitis	1,904	61	67	64	73	56	341	342	260	182
86		White—Male	1,094	45	37	30	38	32	182	203	153	113
87		Female	717	28	20	26	32	20	126	120	103	60
88		Negro—Male	46	5	5	4	1	1	16	8	1	6
89		Female	43	3	4	4	2	2	15	10	3	3
90		Other—Male	1	-	1	-	-	-	1	-	-	-
91		Female	3	-	-	-	-	1	1	1	-	-
92	081	Late effects of acute poliomyelitis	79	-	-	1	1	4	6	5	11	9
93		White—Male	50	-	-	1	-	-	1	3	8	7
94		Female	21	-	-	-	1	3	4	2	1	1
95		Negro—Male	5	-	-	-	-	-	-	-	1	1
96		Female	2	-	-	-	-	1	1	-	1	-
97		Other—Male	-	-	-	-	-	-	-	-	-	-
98		Female	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1
1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
8	7	8	14	15	10	10	13	8	13	11	12	10	4	3	-	1	-	8
2	2	6	6	8	6	4	4	3	2	7	4	3	2	1	-	-	-	9
2	2	-	3	4	3	3	7	4	10	4	8	7	2	2	-	1	-	10
1	-	-	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	11
3	3	2	1	2	1	1	2	1	1	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	5	-	1	2	1	2	5	8	7	10	6	3	1	-	-	-	15
-	-	-	-	1	1	-	1	1	3	3	3	4	1	1	-	-	-	16
-	-	3	-	-	-	-	1	3	5	4	7	2	2	-	-	-	-	17
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
15	15	11	27	21	24	26	21	33	31	26	29	20	13	5	-	1	2	22
2	3	4	11	5	15	15	12	23	13	11	13	13	4	1	-	-	1	23
6	6	1	7	7	3	8	7	5	9	12	11	6	8	4	-	1	-	24
1	2	1	2	3	4	1	1	3	4	1	2	1	-	-	-	-	1	25
6	4	5	7	6	2	2	1	2	5	2	2	-	1	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
2	2	1	11	6	9	8	3	2	4	6	3	-	1	-	-	-	-	29
-	1	-	6	4	7	5	2	1	3	5	1	-	1	-	-	-	-	30
1	-	1	5	2	2	3	1	1	1	1	2	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	36
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	38
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
25	17	14	18	20	26	19	20	15	13	17	5	2	2	1	-	-	-	43
9	7	7	8	10	9	9	10	7	4	11	2	1	1	-	-	-	-	44
8	9	5	5	8	7	6	5	6	8	4	3	1	1	1	-	-	-	45
3	1	3	3	1	6	4	3	2	-	1	-	-	-	-	-	-	-	46
4	-	-	1	1	4	-	2	-	1	1	-	-	-	-	-	-	-	47
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	1	-	1	-	-	1	1	4	1	-	1	-	-	-	-	-	57
-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	59
-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
8	7	10	4	5	9	19	14	11	16	4	5	5	1	1	-	-	-	71
2	2	1	2	3	7	10	9	3	7	4	5	-	1	1	-	-	-	72
2	3	6	2	-	1	4	2	2	4	-	-	3	-	-	-	-	-	73
3	1	1	-	1	-	3	1	4	5	-	-	2	-	-	-	-	-	74
1	2	2	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	78
-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
205	238	156	80	46	20	15	10	4	2	2	1	-	-	-	-	-	-	85
109	129	93	44	29	15	8	8	4	2	1	1	-	-	-	-	-	-	86
89	99	59	32	15	5	6	2	-	-	1	-	-	-	-	-	-	-	87
5	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	88
2	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
7	6	7	9	8	2	2	3	1	-	2	1	-	-	-	-	-	-	92
2	4	5	5	7	2	-	3	1	-	2	-	-	-	-	-	-	-	93
3	1	1	4	1	-	2	-	-	-	-	1	-	-	-	-	-	-	94
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	082	Acute infectious encephalitis	394	43	31	17	16	4	111	24	13	15
2		White—Male	179	12	17	9	10	5	51	12	4	7
3		Female	162	20	10	6	6	1	43	9	4	6
4		Negro—Male	20	3	1	-	-	-	4	-	1	2
5		Female	30	5	3	2	-	-	10	3	4	-
6		Other—Male	2	2	-	-	-	-	2	-	-	-
7		Female	1	1	-	-	-	-	1	-	-	-
8	083	Late effects of acute infectious encephalitis	161	-	-	-	2	1	3	1	1	3
9		White—Male	89	-	-	-	2	-	2	-	-	2
10		Female	63	-	-	-	-	1	1	1	1	-
11		Negro—Male	8	-	-	-	-	-	-	-	-	1
12		Female	1	-	-	-	-	-	-	-	-	-
13		Other—Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	084	Smallpox	1	-	-	-	-	-	-	-	-	-
16		White—Male	1	-	-	-	-	-	-	-	-	-
17		Female	-	-	-	-	-	-	-	-	-	-
18		Negro—Male	-	-	-	-	-	-	-	-	-	-
19		Female	-	-	-	-	-	-	-	-	-	-
20		Other—Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	085	Measles	468	113	92	41	27	21	294	69	29	21
23		White—Male	194	42	41	16	11	7	117	30	9	12
24		Female	180	43	29	17	8	11	108	31	12	4
25		Negro—Male	37	10	11	3	2	2	28	3	4	2
26		Female	43	13	5	2	6	1	27	5	4	3
27		Other—Male	5	1	1	3	-	-	5	-	-	-
28		Female	9	4	5	-	-	-	9	-	-	-
29	091	Yellow fever	-	-	-	-	-	-	-	-	-	-
30		White—Male	-	-	-	-	-	-	-	-	-	-
31		Female	-	-	-	-	-	-	-	-	-	-
32		Negro—Male	-	-	-	-	-	-	-	-	-	-
33		Female	-	-	-	-	-	-	-	-	-	-
34		Other—Male	-	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	092	Infectious hepatitis	552	21	5	5	3	2	36	8	9	29
37		White—Male	259	13	2	2	1	2	20	4	3	10
38		Female	235	5	3	2	1	-	11	2	6	11
39		Negro—Male	23	2	-	1	1	-	4	-	-	3
40		Female	34	1	-	-	-	-	1	2	-	5
41		Other—Male	1	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	094	Rabies	18	-	-	-	1	-	1	6	6	-
44		White—Male	16	-	-	-	1	-	1	4	6	-
45		Female	1	-	-	-	-	-	-	1	-	-
46		Negro—Male	1	-	-	-	-	-	-	1	-	-
47		Female	-	-	-	-	-	-	-	-	-	-
48		Other—Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	104	Tick-borne typhus	31	-	2	5	-	-	7	5	1	5
51		White—Male	19	-	-	3	-	-	3	2	1	4
52		Female	10	-	2	2	-	-	4	2	-	1
53		Negro—Male	1	-	-	-	-	-	-	-	-	-
54		Female	-	-	-	-	-	-	-	-	-	-
55		Other—Male	1	-	-	-	-	-	-	1	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	104A	Rocky Mountain spotted fever	31	-	2	5	-	-	7	5	1	5
58		White—Male	19	-	-	3	-	-	3	2	1	4
59		Female	10	-	2	2	-	-	4	2	-	1
60		Negro—Male	1	-	-	-	-	-	-	-	-	-
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other—Male	1	-	-	-	-	-	-	1	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	104B	Other forms of tick-borne typhus	-	-	-	-	-	-	-	-	-	-
65		White—Male	-	-	-	-	-	-	-	-	-	-
66		Female	-	-	-	-	-	-	-	-	-	-
67		Negro—Male	-	-	-	-	-	-	-	-	-	-
68		Female	-	-	-	-	-	-	-	-	-	-
69		Other—Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	100-103, 105-108	Typhus, etc.,* and other rickettsial diseases	16	1	-	-	-	-	1	1	-	-
72		White—Male	5	1	-	-	-	-	1	-	-	-
73		Female	2	-	-	-	-	-	-	-	-	-
74		Negro—Male	3	-	-	-	-	-	-	-	-	-
75		Female	6	-	-	-	-	-	-	1	-	-
76		Other—Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	110-117	Malaria	76	2	1	1	1	1	6	1	-	3
79		White—Male	27	-	1	-	-	-	1	-	-	1
80		Female	13	-	-	-	-	-	-	-	-	1
81		Negro—Male	18	2	-	1	-	-	3	1	-	1
82		Female	17	-	-	-	1	1	2	-	-	-
83		Other—Male	1	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	123	Schistosomiasis	2	-	-	-	-	-	-	-	-	-
86		White—Male	1	-	-	-	-	-	-	-	-	-
87		Female	1	-	-	-	-	-	-	-	-	-
88		Negro—Male	-	-	-	-	-	-	-	-	-	-
89		Female	-	-	-	-	-	-	-	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	125	Hydatid disease	7	-	-	-	-	-	-	-	-	-
93		White—Male	5	-	-	-	-	-	-	-	-	-
94		Female	1	-	-	-	-	-	-	-	-	-
95		Negro—Male	1	-	-	-	-	-	-	-	-	-
96		Female	-	-	-	-	-	-	-	-	-	-
97		Other—Male	-	-	-	-	-	-	-	-	-	-
98		Female	-	-	-	-	-	-	-	-	-	-

* For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
17	26	24	32	13	19	23	17	21	16	12	7	3	1	-	-	-	-	1
5	10	13	12	4	10	12	11	11	7	7	2	1	-	-	-	-	-	2
8	13	8	14	8	6	9	6	9	7	4	5	2	1	-	-	-	-	3
3	3	1	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	4
1	-	2	3	1	3	1	-	-	1	1	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
3	3	5	9	15	23	14	23	15	11	18	11	3	-	-	-	-	-	8
5	2	2	6	11	12	6	11	11	4	11	5	1	-	-	-	-	-	9
-	1	3	3	4	10	6	9	4	6	7	5	2	-	-	-	-	-	10
-	-	-	-	-	1	2	3	-	1	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
10	10	8	1	4	2	3	3	1	1	4	5	1	1	-	-	-	1	22
7	4	3	1	2	1	2	2	1	-	1	1	-	1	-	-	-	-	23
2	5	4	-	2	1	1	1	-	1	3	4	1	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
22	18	34	32	42	54	54	57	29	36	41	18	18	10	3	2	-	-	36
7	5	11	12	15	27	21	31	17	21	30	9	10	3	2	1	-	-	37
11	12	18	16	24	21	23	23	11	12	8	9	8	7	1	1	-	-	38
1	-	2	1	-	2	4	3	-	1	2	-	-	-	-	-	-	-	39
3	1	3	3	3	4	6	-	1	1	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	41
1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	3	-	-	-	-	1	3	1	4	1	-	-	-	-	-	-	-	50
-	2	-	-	-	-	1	3	-	2	1	-	-	-	-	-	-	-	51
-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	3	-	-	-	-	1	3	1	4	1	-	-	-	-	-	-	-	57
-	2	-	-	-	-	1	3	-	2	1	-	-	-	-	-	-	-	58
-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	1	1	2	2	1	4	2	1	-	-	-	-	-	-	71
-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	72
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	73
-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	74
-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
2	5	4	7	4	3	9	4	6	6	7	6	2	1	-	-	-	-	78
1	4	3	1	3	-	2	1	2	4	1	3	-	-	-	-	-	-	79
1	-	-	2	1	1	-	-	1	1	1	1	2	1	-	-	-	-	80
-	1	1	2	-	-	3	-	1	1	2	2	-	-	-	-	-	-	81
-	-	-	2	-	2	4	3	2	-	2	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	94
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	127	Filariasis	2	-	-	-	-	-	-	-	-	-
2		White—Male	-	-	-	-	-	-	-	-	-	-
3		Female	1	-	-	-	-	-	-	-	-	-
4		Negro—Male	1	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other—Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	129	Ankylostomiasis	7	-	1	3	-	1	5	-	-	1
9		White—Male	1	-	-	-	-	1	1	-	-	-
10		Female	2	-	-	2	-	-	2	-	-	-
11		Negro—Male	2	-	-	-	-	-	-	-	-	1
12		Female	2	-	1	1	-	-	2	-	-	-
13		Other—Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	124,126,	Other diseases due to helminths	80	2	20	19	2	4	47	10	1	1
16	128,130	White—Male	26	1	9	6	-	-	16	3	1	-
17		Female	21	-	3	5	-	1	9	3	-	1
18		Negro—Male	15	1	6	3	1	2	13	1	-	-
19		Female	18	-	2	5	1	1	9	3	-	-
20		Other—Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	Residual	All other infective and parasitic diseases	1,312	164	56	30	23	18	291	44	29	24
23		White—Male	577	65	25	15	8	8	121	19	16	5
24		Female	395	64	21	6	9	8	108	18	3	8
25		Negro—Male	179	20	4	4	3	2	33	1	5	4
26		Female	149	12	4	4	3	-	23	5	4	7
27		Other—Male	8	2	1	1	-	-	4	-	-	-
28		Female	4	1	1	-	-	-	2	1	1	-
29		II. Neoplasms	216,107	411	346	476	507	339	2,079	1,082	738	929
30		White—Male	100,782	201	164	247	243	178	1,033	542	380	478
31		Female	97,549	160	141	190	233	132	856	442	289	340
32		Negro—Male	7,986	24	23	20	14	12	93	57	37	53
33		Female	9,218	19	16	15	14	14	78	36	29	58
34		Other—Male	405	5	1	3	2	3	14	1	2	-
35		Female	217	2	1	1	1	-	5	4	1	-
36	140-205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	210,733	274	305	439	474	303	1,795	983	652	840
37		White—Male	98,799	135	146	230	230	160	901	492	337	438
38		Female	94,898	104	123	173	218	120	738	403	255	305
39		Negro—Male	7,782	18	19	19	10	11	77	52	32	45
40		Female	8,657	13	15	14	14	10	66	31	26	52
41		Other—Male	390	3	1	2	1	2	9	1	2	-
42		Female	207	1	1	1	1	-	4	4	-	-
43	140-148	Malignant neoplasm of buccal cavity and pharynx	5,138	1	-	1	1	-	3	8	5	8
44		White—Male	3,799	1	-	-	1	-	2	6	3	5
45		Female	956	-	-	1	-	-	1	2	2	3
46		Negro—Male	251	-	-	-	-	-	-	-	-	-
47		Female	105	-	-	-	-	-	-	-	-	-
48		Other—Male	22	-	-	-	-	-	-	-	-	-
49		Female	5	-	-	-	-	-	-	-	-	-
50	140	Of lip	463	-	-	-	-	-	-	-	-	-
51		White—Male	412	-	-	-	-	-	-	-	-	-
52		Female	41	-	-	-	-	-	-	-	-	-
53		Negro—Male	6	-	-	-	-	-	-	-	-	-
54		Female	4	-	-	-	-	-	-	-	-	-
55		Other—Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	141	Of tongue	1,277	1	-	-	-	-	1	-	-	-
58		White—Male	949	1	-	-	-	-	1	-	-	-
59		Female	223	-	-	-	-	-	-	-	-	-
60		Negro—Male	80	-	-	-	-	-	-	-	-	-
61		Female	23	-	-	-	-	-	-	-	-	-
62		Other—Male	2	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	142-144	Of other and unspecified parts of buccal cavity	1,474	-	-	-	-	-	-	2	1	-
65		White—Male	1,003	-	-	-	-	-	-	1	-	-
66		Female	389	-	-	-	-	-	-	1	1	-
67		Negro—Male	56	-	-	-	-	-	-	-	-	-
68		Female	41	-	-	-	-	-	-	-	-	-
69		Other—Male	4	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	145-148	Of pharynx	1,924	-	-	1	1	-	2	6	4	8
72		White—Male	1,435	-	-	-	1	-	1	5	3	5
73		Female	323	-	-	1	-	-	1	1	1	3
74		Negro—Male	109	-	-	-	-	-	-	-	-	-
75		Female	37	-	-	-	-	-	-	-	-	-
76		Other—Male	16	-	-	-	-	-	-	-	-	-
77		Female	4	-	-	-	-	-	-	-	-	-
78	150-156A,	Malignant neoplasm of digestive organs and peritoneum	81,726	17	17	18	5	7	64	22	21	54
79	157-159	White—Male	41,170	8	7	8	1	4	28	11	13	28
80		Female	34,103	6	7	7	3	3	26	10	5	16
81		Negro—Male	3,630	-	2	1	1	-	4	1	-	3
82		Female	2,563	2	1	2	-	-	5	-	3	7
83		Other—Male	188	-	-	-	-	-	-	-	-	-
84		Female	72	1	-	-	-	-	1	-	-	-
85	150	Of esophagus	3,866	1	-	-	-	-	1	-	-	2
86		White—Male	2,620	1	-	-	-	-	1	-	-	2
87		Female	717	-	-	-	-	-	-	-	-	-
88		Negro—Male	403	-	-	-	-	-	-	-	-	-
89		Female	113	-	-	-	-	-	-	-	-	-
90		Other—Male	11	-	-	-	-	-	-	-	-	-
91		Female	2	-	-	-	-	-	-	-	-	-
92	151	Of stomach	24,258	1	1	2	1	-	5	2	2	5
93		White—Male	13,633	1	-	1	-	-	2	1	1	1
94		Female	8,119	-	1	-	-	-	1	-	-	2
95		Negro—Male	1,569	-	-	1	1	-	2	1	-	-
96		Female	832	-	-	-	-	-	-	-	1	2
97		Other—Male	78	-	-	-	-	-	-	-	-	-
98		Female	27	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
4	3	3	-	4	3	-	1	1	-	1	-	-	1	-	-	-	-	15
2	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	16
1	2	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
35	51	57	66	71	82	79	77	83	89	62	70	49	31	17	4	-	1	22
11	11	20	29	30	31	44	38	48	43	30	34	25	18	4	2	-	-	23
4	13	12	14	12	17	12	18	22	33	25	29	20	12	13	2	-	-	24
13	18	12	6	17	23	12	14	6	5	3	5	2	-	-	-	-	-	25
6	9	13	17	10	10	11	7	7	8	4	2	4	1	-	-	-	1	26
1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1,176	2,023	3,153	5,528	8,788	12,950	18,441	24,380	28,906	30,379	28,667	23,180	15,063	6,352	1,772	319	54	148	29
563	852	1,111	1,713	2,736	4,649	7,471	11,213	14,528	15,417	14,765	11,807	7,591	2,968	746	90	10	59	30
482	899	1,566	2,925	4,753	6,547	8,613	10,777	12,085	12,822	12,384	10,405	6,978	3,133	964	200	23	66	31
50	100	115	224	356	636	1,043	1,140	1,154	1,120	806	540	266	126	15	17	7	11	32
76	163	349	637	903	1,081	1,251	1,170	1,050	930	656	377	211	110	46	12	14	11	33
3	3	8	14	21	26	39	49	60	65	42	35	14	9	-	-	-	-	34
2	6	4	15	19	11	24	31	29	25	14	16	3	6	1	-	-	1	35
1,067	1,854	2,909	5,151	8,289	12,426	17,946	23,843	28,389	29,959	28,318	22,932	14,870	6,270	1,739	310	52	139	36
521	800	1,048	1,621	2,617	4,503	7,314	10,987	14,314	15,239	14,604	11,706	7,521	2,848	737	87	10	56	37
431	826	1,441	2,749	4,496	6,261	8,357	10,521	11,840	12,623	12,228	10,269	6,861	3,076	940	195	22	61	38
47	90	109	210	349	620	1,015	1,126	1,129	1,107	796	539	285	125	15	16	7	11	39
63	131	301	543	789	1,005	1,198	1,131	1,017	902	656	367	208	109	46	12	13	10	40
3	2	8	13	21	25	38	49	60	63	40	35	13	8	-	-	-	-	41
2	5	2	15	17	11	24	29	29	25	14	16	2	6	1	-	-	1	42
15	23	32	69	158	267	435	593	707	771	721	612	454	181	60	9	1	6	43
10	11	12	38	107	181	294	441	543	596	566	479	328	122	44	5	-	6	44
3	11	16	16	30	49	75	92	98	136	123	114	117	50	15	3	-	-	45
1	1	1	9	13	17	45	47	46	24	25	15	4	4	1	1	1	-	46
1	-	2	4	6	17	17	8	16	11	8	6	4	5	-	-	-	-	47
-	-	1	2	1	3	4	4	1	4	1	-	1	-	-	-	-	-	48
-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	49
-	3	2	7	13	10	29	31	42	58	70	74	67	38	15	3	-	1	50
-	3	2	6	13	9	25	28	39	55	63	67	57	28	13	3	-	1	51
-	-	-	1	-	-	2	2	2	2	6	7	9	9	1	-	-	-	52
-	-	-	-	-	1	2	1	-	-	-	-	1	-	1	-	-	-	53
-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	7	10	35	65	113	157	184	209	201	158	90	36	8	2	-	1	57
-	-	4	7	23	47	75	115	141	167	153	119	67	23	5	1	-	1	58
-	-	2	1	7	10	17	30	21	30	36	34	20	12	3	-	-	-	59
-	-	-	1	4	4	16	11	18	9	11	3	1	1	-	1	-	-	60
-	-	1	1	1	4	4	1	4	2	1	2	2	-	-	-	-	-	61
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
4	6	7	15	40	66	109	151	198	226	204	192	169	58	22	1	-	2	64
2	2	1	6	27	37	65	110	139	160	151	141	107	36	16	-	-	2	65
2	4	6	4	8	19	27	24	39	57	45	47	59	19	6	1	-	-	66
-	-	-	3	4	2	9	12	11	4	5	3	2	1	-	-	-	-	67
-	-	-	1	1	8	8	4	7	4	3	1	1	3	-	-	-	-	68
-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	70
11	14	16	37	70	126	184	254	283	278	246	186	128	48	15	3	1	2	71
8	6	5	19	44	88	129	168	224	214	199	152	97	35	10	1	-	2	72
1	7	8	10	15	20	29	36	36	47	36	26	29	10	5	2	-	-	73
1	1	1	5	5	10	18	23	17	11	7	7	-	2	-	-	1	-	74
1	-	1	2	4	5	5	3	4	4	3	3	1	1	-	-	-	-	75
-	-	1	1	1	3	3	3	-	2	1	-	1	-	-	-	-	-	76
-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	77
114	286	522	1,093	1,981	3,494	5,768	8,608	11,449	13,164	12,985	10,930	7,255	2,969	745	137	18	47	78
58	133	218	478	852	1,613	2,749	4,375	6,173	6,999	6,841	5,525	3,464	1,274	281	37	1	21	79
44	104	210	448	818	1,306	2,165	3,278	4,307	5,227	5,486	4,961	3,560	1,576	440	87	10	21	80
9	30	42	82	153	320	470	560	543	557	402	250	125	60	8	7	1	3	81
5	18	49	77	146	239	361	360	379	337	236	163	97	52	15	6	6	2	82
-	-	3	5	8	12	19	23	33	31	18	24	8	4	-	-	-	-	83
-	1	-	3	4	4	6	12	14	13	2	7	1	3	1	-	-	-	84
2	4	13	29	71	179	323	487	627	701	596	429	267	103	21	3	4	4	85
2	1	7	14	34	83	187	327	448	508	445	314	174	59	9	-	1	4	86
-	1	2	4	14	34	40	71	85	118	121	91	85	37	10	2	2	-	87
-	1	1	8	13	47	78	70	73	55	24	17	8	6	1	1	-	-	88
-	1	3	3	8	13	18	17	18	18	5	4	-	1	1	-	1	-	89
-	-	-	-	1	-	-	2	3	1	1	3	-	-	-	-	-	-	90
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	91
14	55	136	273	506	922	1,596	2,425	3,233	3,953	4,053	3,520	2,290	967	219	57	6	19	92
6	20	51	127	243	482	817	1,397	1,952	2,350	2,580	1,984	1,217	474	104	15	-	9	93
6	21	56	95	159	229	436	669	911	1,218	1,394	1,346	981	446	105	34	3	7	94
1	8	12	32	60	140	209	238	234	244	188	112	52	28	2	4	1	1	95
1	5	17	19	40	63	124	103	119	120	83	65	38	17	7	4	2	2	96
-	-	-	-	4	4	6	11	12	18	8	12	2	1	-	-	-	-	97
-	1	-	-	-	4	4	7	5	3	-	1	-	1	1	-	-	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
		Malignant neoplasm of digestive organs and peritoneum—Con.										
1	152,153	Of intestine, except rectum	23,000	3	3	1	-	3	10	6	10	24
2		White—Male	9,854	1	-	-	-	1	2	1	6	14
3		Female	11,938	1	3	1	-	2	7	5	3	8
4		Negro—Male	505	-	-	-	-	-	-	-	-	1
5		Female	672	1	-	-	-	-	1	-	1	1
6		Other—Male	21	-	-	-	-	-	-	-	-	-
7		Female	9	-	-	-	-	-	-	-	-	-
8	154	Of rectum	10,383	-	-	-	-	-	-	-	2	5
9		White—Male	5,597	-	-	-	-	-	-	-	2	3
10		Female	4,081	-	-	-	-	-	-	-	-	1
11		Negro—Male	360	-	-	-	-	-	-	-	-	-
12		Female	321	-	-	-	-	-	-	-	-	1
13		Other—Male	19	-	-	-	-	-	-	-	-	-
14		Female	5	-	-	-	-	-	-	-	-	-
15	155	Of biliary passages and of liver (stated to be primary site)	4,653	1	6	1	-	-	8	2	1	3
16		White—Male	1,669	1	5	-	-	-	6	2	1	1
17		Female	2,716	-	1	1	-	-	2	-	-	2
18		Negro—Male	135	-	-	-	-	-	-	-	-	-
19		Female	106	-	-	-	-	-	-	-	-	-
20		Other—Male	17	-	-	-	-	-	-	-	-	-
21		Female	10	-	-	-	-	-	-	-	-	-
22	156A	Of liver not specified whether primary or secondary	5,121	4	5	8	2	2	21	5	2	8
23		White—Male	2,284	2	1	5	1	1	10	3	1	2
24		Female	2,341	1	2	1	1	1	6	2	-	1
25		Negro—Male	250	-	1	-	-	-	1	-	-	2
26		Female	219	-	1	2	-	-	3	-	1	3
27		Other—Male	18	-	-	-	-	-	-	-	-	-
28		Female	9	1	-	-	-	-	1	-	-	-
29	157	Of pancreas	8,952	1	-	-	-	-	1	1	2	2
30		White—Male	4,868	1	-	-	-	-	1	1	-	1
31		Female	3,520	-	-	-	-	-	-	-	2	1
32		Negro—Male	325	-	-	-	-	-	-	-	-	-
33		Female	209	-	-	-	-	-	-	-	-	-
34		Other—Male	20	-	-	-	-	-	-	-	-	-
35		Female	10	-	-	-	-	-	-	-	-	-
36	158,159	Of peritoneum and of unspecified digestive organs	1,493	6	2	6	2	2	18	6	2	5
37		White—Male	645	1	1	2	-	2	6	3	2	4
38		Female	670	4	-	4	2	-	10	3	-	1
39		Negro—Male	83	-	1	-	-	-	1	-	-	-
40		Female	91	1	-	-	-	-	1	-	-	-
41		Other—Male	4	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	160-164	Malignant neoplasm of respiratory system	21,219	3	2	2	6	3	16	13	11	28
44		White—Male	16,156	3	1	1	3	1	9	9	4	13
45		Female	3,673	-	1	1	3	2	7	3	6	11
46		Negro—Male	1,046	-	-	-	-	-	-	1	1	3
47		Female	265	-	-	-	-	-	-	-	-	1
48		Other—Male	68	-	-	-	-	-	-	-	-	-
49		Female	11	-	-	-	-	-	-	-	-	-
50	161	Of larynx	1,852	-	-	-	1	-	1	-	-	-
51		White—Male	1,555	-	-	-	1	-	1	-	-	-
52		Female	169	-	-	-	-	-	-	-	-	-
53		Negro—Male	104	-	-	-	-	-	-	-	-	-
54		Female	22	-	-	-	-	-	-	-	-	-
55		Other—Male	2	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	162	Of trachea, and of bronchus and lung specified as primary	7,618	-	-	-	1	-	1	1	1	2
58		White—Male	6,008	-	-	-	-	-	-	1	-	-
59		Female	1,073	-	-	-	1	-	1	-	1	2
60		Negro—Male	411	-	-	-	-	-	-	-	-	-
61		Female	98	-	-	-	-	-	-	-	-	-
62		Other—Male	26	-	-	-	-	-	-	-	-	-
63		Female	2	-	-	-	-	-	-	-	-	-
64	163	Of lung and bronchus, unspecified as primary or secondary	10,695	-	1	2	2	3	8	5	7	15
65		White—Male	7,973	-	-	1	1	1	3	3	3	8
66		Female	2,069	-	1	1	1	2	5	2	3	4
67		Negro—Male	469	-	-	-	-	-	-	-	1	3
68		Female	120	-	-	-	-	-	-	-	-	-
69		Other—Male	35	-	-	-	-	-	-	-	-	-
70		Female	9	-	-	-	-	-	-	-	-	-
71	160,164	Of other parts of respiratory system	1,054	3	1	-	2	-	6	7	3	11
72		White—Male	620	3	1	-	1	-	5	5	1	5
73		Female	342	-	-	-	1	-	1	1	2	5
74		Negro—Male	82	-	-	-	-	-	-	1	-	-
75		Female	25	-	-	-	-	-	-	-	-	1
76		Other—Male	5	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	170	Malignant neoplasm of breast	18,973	-	-	-	-	-	-	-	1	3
79		White—Male	216	-	-	-	-	-	-	-	-	-
80		Female	17,445	-	-	-	-	-	-	-	1	3
81		Negro—Male	22	-	-	-	-	-	-	-	-	-
82		Female	1,271	-	-	-	-	-	-	-	-	-
83		Other—Male	1	-	-	-	-	-	-	-	-	-
84		Female	18	-	-	-	-	-	-	-	-	-
85	171-179	Malignant neoplasm of genital organs	34,742	-	3	7	9	2	21	15	22	62
86		White—Male	11,165	-	-	5	7	-	12	8	2	19
87		Female	19,406	-	3	-	1	2	6	7	19	30
88		Negro—Male	1,119	-	-	-	-	-	-	-	-	-
89		Female	2,876	-	-	1	1	-	2	-	1	13
90		Other—Male	21	-	-	1	-	-	1	-	-	-
91		Female	53	-	-	-	-	-	-	-	-	-
92	171	Of cervix uteri	8,336	-	-	1	-	-	1	-	-	6
93		White—Female	6,866	-	-	-	-	-	-	-	-	3
94		Negro—Female	1,421	-	-	1	-	-	1	-	-	3
95		Other—Female	29	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
41	119	180	368	647	969	1,569	2,321	2,972	3,540	3,592	3,117	2,258	938	262	39	6	12	1
23	54	70	137	254	361	613	1,007	1,396	1,605	1,657	1,324	931	337	70	8	-	4	2
14	51	88	195	349	501	829	1,155	1,412	1,765	1,799	1,689	1,274	568	185	30	4	8	3
2	9	10	11	22	36	45	65	62	82	69	52	26	9	3	1	-	-	4
2	5	12	25	41	70	80	89	92	85	66	48	26	22	4	-	2	-	5
-	-	-	-	1	1	1	5	5	3	1	2	1	1	-	-	-	-	6
-	-	-	-	-	-	1	-	5	-	-	2	-	1	-	-	-	-	7
21	36	77	178	284	492	736	1,102	1,563	1,658	1,555	1,307	904	349	93	15	2	4	8
11	19	37	85	109	220	368	568	893	931	913	732	486	154	37	7	-	2	9
9	12	27	63	127	211	275	420	568	634	573	529	386	184	54	6	1	2	10
2	4	3	9	20	28	38	43	60	56	46	26	18	6	1	-	-	-	11
-	1	9	17	26	32	52	50	38	35	21	18	12	5	1	2	1	-	12
-	-	1	2	-	1	3	1	4	2	2	1	2	-	-	-	-	-	13
-	-	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	14
12	13	22	52	118	177	331	550	775	801	769	571	300	117	27	3	-	1	15
2	6	11	19	48	70	124	203	267	291	261	200	100	45	11	-	-	1	16
7	4	6	24	52	84	163	315	461	475	487	353	195	68	16	2	-	-	17
3	2	3	5	9	11	19	21	25	18	9	9	2	-	-	1	-	-	18
-	1	2	2	9	12	24	9	15	11	10	6	3	2	-	-	-	-	19
-	-	-	2	-	-	1	-	5	4	2	2	-	1	-	-	-	-	20
-	-	-	-	-	-	-	2	2	4	-	1	-	1	-	-	-	-	21
8	18	32	88	96	234	388	515	704	781	812	720	465	185	52	7	-	2	22
3	6	12	27	34	117	174	211	339	373	361	325	189	74	19	3	-	1	23
4	4	12	28	41	73	153	217	286	341	399	372	261	104	32	4	-	1	24
-	4	3	6	8	21	31	39	36	41	28	16	8	6	-	-	-	-	25
1	4	3	4	11	20	24	45	39	24	22	6	7	1	1	-	-	-	26
-	-	2	-	2	3	6	2	2	-	1	-	-	-	-	-	-	-	27
-	-	-	1	-	-	-	1	2	2	1	1	-	-	-	-	-	-	28
1	27	45	100	214	453	723	1,053	1,383	1,493	1,382	1,091	654	259	55	10	-	3	29
-	16	18	58	127	253	423	588	800	829	717	570	323	114	25	4	-	-	30
1	8	16	27	59	148	224	360	495	578	619	495	313	137	29	6	-	2	31
-	2	9	9	19	33	40	68	44	48	27	11	8	5	1	-	-	1	32
-	1	2	5	8	16	33	34	42	32	15	12	7	2	-	-	-	-	33
-	-	-	1	-	3	2	1	2	3	3	2	2	1	-	-	-	-	34
-	-	-	-	1	-	1	2	-	3	1	1	1	-	-	-	-	-	35
15	14	17	27	45	68	102	155	192	237	226	175	117	51	16	3	-	2	36
9	11	12	11	23	27	43	54	78	112	107	76	44	17	6	-	-	-	37
4	3	3	12	17	26	43	71	88	98	94	86	65	32	9	3	-	1	38
1	-	1	2	2	4	10	16	9	15	11	7	3	-	-	-	-	1	39
1	-	1	2	3	11	6	13	16	12	14	4	4	2	1	-	-	-	40
-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
26	59	165	344	758	1,485	2,492	3,429	3,910	3,352	2,480	1,522	748	286	71	10	2	12	43
16	28	97	225	551	1,126	1,940	2,777	3,150	2,625	1,838	1,057	477	183	38	2	1	10	44
5	14	45	77	140	213	295	416	540	555	540	417	250	99	31	7	1	1	45
2	11	12	30	64	117	200	185	177	123	72	31	15	2	-	-	-	-	46
3	6	9	10	20	24	46	37	31	31	22	14	5	2	2	1	-	1	47
-	-	2	2	3	5	10	12	11	15	5	2	1	-	-	-	-	-	48
-	-	-	-	-	-	1	2	1	3	3	1	-	-	-	-	-	-	49
4	-	2	19	47	96	197	246	323	326	262	165	108	45	7	1	-	3	50
2	-	-	9	30	76	155	208	284	288	225	146	90	32	6	-	-	3	51
1	-	2	4	6	7	14	20	22	24	25	16	14	12	1	1	-	-	52
-	-	-	4	9	11	25	12	14	11	12	3	2	1	-	-	-	-	53
1	-	-	2	2	2	2	5	3	3	-	-	2	-	-	-	-	-	54
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
9	16	60	134	296	571	1,003	1,351	1,504	1,151	785	434	201	73	16	3	-	6	57
6	9	37	99	213	454	801	1,120	1,248	919	604	317	117	48	8	2	-	5	58
2	3	10	22	49	67	102	125	172	171	138	102	76	22	7	1	-	-	59
-	2	7	7	27	44	76	85	71	43	29	12	7	1	-	-	-	-	60
1	2	6	5	5	4	20	17	10	10	11	2	1	2	1	-	-	1	61
-	-	-	1	2	2	3	3	3	8	3	1	-	-	-	-	-	-	62
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	63
8	23	65	162	367	750	1,211	1,711	1,851	1,744	1,300	819	374	128	20	3	1	3	64
4	7	58	103	259	569	935	1,375	1,532	1,335	935	536	232	79	10	-	-	2	65
2	8	25	41	73	118	159	237	313	320	327	255	134	49	10	2	1	1	66
2	5	3	17	24	55	91	77	81	64	25	15	6	-	-	-	-	-	67
-	3	2	1	11	16	20	13	17	15	9	11	1	-	-	1	-	-	68
-	-	2	-	-	2	6	8	7	7	1	1	1	-	-	-	-	-	69
-	-	-	-	-	-	-	1	1	3	3	1	-	-	-	-	-	-	70
5	20	18	29	46	68	81	121	132	131	133	104	65	40	28	3	1	-	71
4	12	7	14	29	37	49	74	86	83	74	58	38	24	14	-	1	-	72
-	3	8	10	12	21	20	34	33	40	50	44	26	16	13	3	-	-	73
-	4	2	2	4	7	8	11	11	5	6	1	-	-	-	-	-	-	74
1	1	1	2	2	2	4	2	1	3	2	1	1	-	1	-	-	-	75
-	-	-	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
16	95	368	825	1,451	1,878	2,233	2,372	2,348	2,170	2,007	1,560	957	471	171	24	7	16	78
-	1	1	1	12	15	19	17	30	40	32	19	21	4	1	2	-	1	79
14	81	317	729	1,293	1,676	2,027	2,181	2,190	2,006	1,876	1,489	907	452	162	22	5	14	80
-	1	-	2	1	2	1	1	8	1	3	1	-	-	-	-	1	-	81
2	12	50	90	144	184	186	166	119	121	95	50	28	14	8	-	1	1	82
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	83
-	-	-	3	1	1	-	7	1	2	-	1	1	1	-	-	-	-	84
155	372	640	1,194	1,842	2,485	3,055	3,575	4,008	4,408	4,525	4,038	2,777	1,155	312	43	4	34	85
66	112	110	80	81	84	203	490	974	1,582	2,216	2,351	1,789	753	204	19	1	9	86
66	196	398	833	1,394	1,962	2,308	2,579	2,549	2,358	1,960	1,442	849	335	89	17	-	11	87
3	3	2	7	13	28	97	119	166	204	171	148	97	45	4	4	1	7	88
19	58	128	268	345	408	435	382	310	261	168	91	41	20	15	3	2	6	89
-	-	1	-	-	-	1	1	4	1	5	4	1	2	-	-	-	-	90
1	3	1	6	9	3	11	4	5	2	5	2	-	-	-	-	-	1	91
29	143	331	620	913	1,120	1,082	1,023	941	803	588	425	212	65	22	6	-	6	92
21	105	247	460	712	894	879	863	814	696	521	391	199	57	16	4	-	4	93
8	35	83	158	194	225	195	159	124	107	65	33	13	8	6	2	-	2	94
-	3	1	2	7	1	8	1	3	-	2	1	-	-	-	-	-	-	95

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
		Malignant neoplasms of genital organs—Continued										
1	172-174	Of other and unspecified parts of uterus	7,749	-	2	-	1	1	4	-	-	7
2		White--Female	6,564	-	2	-	1	1	4	-	-	2
3		Negro--Female	1,166	-	-	-	-	-	-	-	-	5
4		Other--Female	19	-	-	-	-	-	-	-	-	-
5	175	Of ovary, fallopian tube, and broad ligament	5,652	-	-	-	-	1	1	7	20	29
6		White--Female	5,329	-	-	-	-	1	1	7	19	24
7		Negro--Female	318	-	-	-	-	-	-	-	1	5
8		Other--Female	5	-	-	-	-	-	-	-	-	-
9	176	Of other and unspecified female genital organs	700	-	1	-	1	-	2	-	-	1
10		White--Female	629	-	1	-	-	-	1	-	-	1
11		Negro--Female	71	-	-	-	1	-	1	-	-	-
12		Other--Female	-	-	-	-	-	-	-	-	-	-
13	177	Of prostate	11,339	-	-	1	3	-	4	3	1	5
14		White--Male	10,270	-	-	1	3	-	4	3	1	5
15		Negro--Male	1,051	-	-	-	-	-	-	-	-	-
16		Other--Male	18	-	-	-	-	-	-	-	-	-
17	178,179	Of testis, and of other and unspecified male genital organs	966	-	-	5	4	-	9	5	1	14
18		White--Male	895	-	-	4	4	-	8	5	1	14
19		Negro--Male	68	-	-	-	-	-	-	-	-	-
20		Other--Male	3	-	-	1	-	-	1	-	-	-
21	180,181	Malignant neoplasm of urinary organs	10,044	29	29	43	50	34	185	73	6	12
22		White--Male	6,226	11	13	17	21	21	83	22	3	5
23		Female	3,181	15	12	20	23	9	79	42	5	5
24		Negro--Male	351	3	3	3	2	1	12	5	-	1
25		Female	284	-	1	3	3	2	9	3	-	1
26		Other--Male	18	-	-	-	-	1	1	-	-	-
27		Female	4	-	-	-	1	-	1	1	-	-
28	180	Of kidney	3,643	26	29	38	49	33	175	71	6	11
29		White--Male	2,124	9	13	13	20	21	76	21	3	5
30		Female	1,310	14	12	20	23	9	78	41	5	4
31		Negro--Male	112	3	3	3	2	1	12	5	-	1
32		Female	87	-	1	2	3	2	8	3	-	1
33		Other--Male	8	-	-	-	-	-	-	-	-	-
34		Female	2	-	-	-	1	-	1	1	-	-
35	181	Of bladder and other urinary organs	6,401	3	-	5	1	1	10	2	-	1
36		White--Male	4,102	2	-	4	1	-	7	1	-	-
37		Female	1,871	1	-	-	-	-	1	1	-	1
38		Negro--Male	239	-	-	-	-	-	-	-	-	-
39		Female	177	-	-	1	-	-	1	-	-	-
40		Other--Male	10	-	-	-	-	1	1	-	-	-
41		Female	2	-	-	-	-	-	-	-	-	-
42	156B,165, 190-199	Malignant neoplasm of other and unspecified sites	22,135	80	108	111	118	84	501	319	233	298
43		White--Male	10,825	39	51	61	50	42	243	147	111	145
44		Female	8,641	32	44	38	58	32	204	139	92	117
45		Negro--Male	800	5	6	9	3	5	28	20	17	21
46		Female	802	4	7	3	6	5	25	11	11	15
47		Other--Male	38	-	-	-	1	-	1	1	2	-
48		Female	29	-	-	-	-	-	-	1	-	-
49	190,191	Of skin	3,453	1	-	1	2	-	4	3	3	10
50		White--Male	1,941	1	-	1	1	-	3	1	2	5
51		Female	1,388	-	-	-	1	-	1	1	1	4
52		Negro--Male	60	-	-	-	-	-	-	1	-	-
53		Female	62	-	-	-	-	-	-	-	-	1
54		Other--Male	-	-	-	-	-	-	-	-	-	-
55		Female	2	-	-	-	-	-	-	-	-	-
56	192	Of eye	341	1	3	15	10	11	40	3	3	2
57		White--Male	170	1	1	8	4	5	19	1	2	2
58		Female	156	-	2	4	2	5	13	1	1	-
59		Negro--Male	8	-	-	2	2	-	4	-	-	-
60		Female	7	-	-	1	2	1	4	1	-	-
61		Other--Male	-	-	-	-	-	-	-	-	-	-
62		Female	-	-	-	-	-	-	-	-	-	-
63	193	Of brain and other parts of nervous system	4,252	49	71	72	80	48	320	238	131	106
64		White--Male	2,431	23	37	40	36	26	162	111	61	56
65		Female	1,611	24	24	24	40	15	127	102	55	43
66		Negro--Male	119	-	5	6	1	3	15	16	9	3
67		Female	82	2	5	2	3	4	16	7	6	4
68		Other--Male	5	-	-	-	-	-	-	1	-	-
69		Female	4	-	-	-	-	-	-	1	-	-
70	194	Of thyroid gland	933	1	-	-	-	-	1	-	1	1
71		White--Male	299	1	-	-	-	-	1	-	-	-
72		Female	555	-	-	-	-	-	-	-	-	-
73		Negro--Male	25	-	-	-	-	-	-	-	-	1
74		Female	48	-	-	-	-	-	-	-	1	-
75		Other--Male	3	-	-	-	-	-	-	-	-	-
76		Female	3	-	-	-	-	-	-	-	-	-
77	196	Of bone (including jaw bone)	2,180	1	8	2	5	6	22	26	50	121
78		White--Male	1,232	1	1	2	1	1	6	11	24	57
79		Female	761	-	7	-	4	4	15	14	22	47
80		Negro--Male	96	-	-	-	-	1	1	-	1	12
81		Female	86	-	-	-	-	-	-	1	2	5
82		Other--Male	2	-	-	-	-	-	-	-	1	-
83		Female	3	-	-	-	-	-	-	-	-	-
84	197	Of connective tissue	559	4	3	4	-	6	17	9	12	11
85		White--Male	290	-	1	2	-	3	6	6	7	6
86		Female	227	1	2	1	-	2	6	3	3	4
87		Negro--Male	29	1	-	1	-	1	3	-	1	1
88		Female	13	2	-	-	-	-	2	-	1	-
89		Other--Male	-	-	-	-	-	-	-	-	-	-
90		Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
30	59	107	248	406	617	825	1,028	1,035	1,082	897	687	446	200	54	9	2	8	1
21	44	78	171	293	480	636	862	889	959	814	642	422	190	45	8	-	4	2
8	15	29	73	111	136	187	161	145	121	81	45	24	10	9	1	2	3	3
1	-	-	4	2	1	2	3	1	2	2	-	-	-	-	-	-	1	4
26	50	84	220	403	595	803	851	823	637	532	333	160	56	18	1	-	3	5
24	44	72	193	369	555	752	801	788	610	515	322	156	55	18	1	-	3	6
2	6	12	27	34	39	50	50	34	27	16	10	4	1	-	-	-	-	7
-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	8
1	5	5	19	26	41	44	65	65	99	116	90	72	34	10	4	-	1	9
-	3	1	9	20	33	41	53	58	93	110	87	72	33	10	4	-	-	10
1	2	4	10	6	8	3	12	7	6	6	3	-	1	-	-	-	1	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
1	5	2	12	28	59	253	536	1,086	1,714	2,329	2,436	1,845	778	202	22	2	16	13
1	4	2	8	20	38	166	427	924	1,518	2,158	2,286	1,748	731	198	18	1	9	14
-	1	-	4	8	21	87	108	158	195	166	146	96	45	4	4	1	7	15
-	-	-	-	-	-	-	1	4	1	5	4	1	2	-	-	-	-	16
68	110	111	75	66	53	48	74	58	73	63	67	42	22	6	1	-	-	17
65	108	108	72	61	46	37	63	50	64	58	65	41	22	6	1	-	-	18
3	2	2	3	5	7	10	11	8	9	5	2	1	-	-	-	-	-	19
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	20
19	28	42	116	218	387	695	1,166	1,386	1,575	1,591	1,239	865	338	76	15	4	8	21
10	13	19	53	121	233	450	776	931	991	1,011	731	507	212	45	4	1	5	22
6	9	10	39	60	100	177	306	373	491	510	471	342	113	30	9	1	3	23
1	-	6	11	16	33	39	45	45	49	40	31	8	7	-	1	1	-	24
2	4	7	12	19	20	29	37	34	43	24	5	8	4	1	1	1	-	25
-	-	-	-	2	1	-	2	3	1	5	1	-	2	-	-	-	-	26
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	27
16	21	29	70	117	207	360	508	532	542	451	291	166	46	13	4	3	2	28
8	11	13	38	75	126	238	326	337	305	271	154	85	25	5	-	1	1	29
6	6	7	23	31	54	103	157	171	212	172	129	79	18	8	4	1	1	30
-	-	3	4	5	20	12	14	11	13	5	5	1	1	-	-	-	-	31
2	4	6	5	4	7	7	9	12	12	1	2	1	2	-	-	1	-	32
-	-	-	-	2	-	-	2	1	-	2	1	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
3	5	13	46	101	180	335	658	854	1,033	1,140	948	699	292	63	11	1	6	35
2	2	6	15	46	107	212	450	594	686	740	577	422	187	40	4	-	4	36
-	3	3	16	29	46	74	149	202	279	338	342	263	95	22	5	-	2	37
1	-	3	7	11	13	27	31	34	36	35	26	7	6	-	1	1	-	38
-	-	1	7	15	13	22	28	22	31	23	3	7	2	1	1	-	-	39
-	-	-	-	-	1	-	-	2	1	3	-	-	2	-	-	-	-	40
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	41
324	390	509	801	1,047	1,434	1,916	2,413	2,660	2,645	2,388	1,926	1,276	704	261	67	14	9	42
164	183	252	373	477	692	925	1,176	1,405	1,357	1,162	939	638	311	105	15	4	1	43
127	178	208	341	448	606	801	1,019	1,074	1,102	1,100	902	600	374	149	48	5	7	44
19	15	16	35	45	58	96	109	86	105	57	46	14	7	2	3	2	1	45
13	13	31	51	71	73	86	101	86	77	65	31	23	10	5	1	3	-	46
1	1	1	1	4	3	2	5	5	4	2	4	1	-	-	-	-	-	47
-	-	1	-	2	2	6	3	4	2	2	4	-	2	-	-	-	-	48
58	73	96	104	154	169	214	294	313	375	406	418	366	237	112	35	7	2	49
28	36	48	55	76	91	124	185	180	241	236	253	206	109	48	8	3	1	50
26	35	43	46	67	67	77	96	123	117	156	154	158	122	63	27	3	1	51
1	2	-	-	7	5	7	7	4	10	8	4	-	3	-	-	1	-	52
3	-	4	3	4	6	6	6	6	7	6	6	2	2	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	55
2	2	7	6	9	15	21	36	38	36	32	28	33	16	9	1	1	1	56
2	-	2	2	1	5	11	18	23	24	19	12	18	5	3	1	-	-	57
-	2	4	4	7	10	9	18	15	12	13	15	15	11	8	-	1	1	58
-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	59
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
99	142	198	313	330	429	492	553	468	260	100	44	20	8	-	-	-	1	63
49	60	117	172	194	267	297	310	317	155	64	27	9	3	-	-	-	-	64
43	75	71	121	112	155	167	227	144	102	35	17	10	5	-	-	-	-	65
6	4	2	14	7	5	21	8	6	2	-	-	-	-	-	-	-	1	66
1	3	7	6	15	2	5	7	-	1	1	-	1	-	-	-	-	-	67
-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	69
1	5	12	18	24	46	67	131	142	162	137	101	42	31	7	3	-	1	70
1	1	3	7	9	15	23	46	49	55	46	23	9	9	2	-	-	-	71
-	2	6	6	14	21	34	73	84	99	81	76	31	21	4	2	-	1	72
-	1	1	-	1	3	5	3	4	1	3	2	-	-	-	-	-	-	73
-	1	1	5	-	6	4	8	5	7	6	-	1	1	1	1	-	-	74
-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	75
-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	76
68	50	35	61	85	116	167	212	255	282	258	188	114	54	14	1	-	1	77
44	24	16	22	55	59	81	110	151	173	160	130	71	34	3	1	-	-	78
17	18	16	30	18	40	66	85	79	85	88	51	38	20	11	-	-	1	79
4	5	1	5	7	5	7	9	11	13	6	7	2	-	-	-	-	-	80
2	3	2	4	5	12	12	7	13	11	4	-	3	-	-	-	-	-	81
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	83
25	16	20	38	42	31	49	57	56	60	44	39	18	13	2	-	-	-	84
11	12	11	18	17	17	28	29	32	30	21	19	12	6	2	-	-	-	85
9	4	8	15	22	12	16	24	21	25	23	19	6	7	-	-	-	-	86
3	1	1	4	1	1	3	4	3	4	-	-	-	-	-	-	-	-	87
2	-	-	1	2	1	2	-	-	1	-	1	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued Malignant neoplasms, including neoplasms, etc.*—Con. Malignant neoplasms of other and unspecified sites—Con.										
1	195,198A,	Of other specified sites, not stated to be secondary--------	3,476	17	12	14	14	6	63	31	23	32
2	199A	White--------Male----	1,613	9	7	6	6	4	32	16	11	13
3		Female--	1,561	6	3	8	8	2	27	14	8	13
4		Negro--------Male----	140	2	1	-	-	-	3	-	4	3
5		Female--	147	-	1	-	-	-	1	1	-	3
6		Other --------Male----	11	-	-	-	-	-	-	-	-	-
7		Female--	4	-	-	-	-	-	-	-	-	-
8	156B,165,	Of unspecified sites----------	6,941	6	11	3	7	7	34	9	10	15
9	198B,	White--------Male----	2,849	3	4	2	2	3	14	1	4	6
10	199B-H	Female--	3,382	1	6	1	3	4	15	4	2	6
11		Negro--------Male----	323	2	-	-	-	-	2	3	2	1
12		Female--	357	-	1	-	1	-	2	1	1	2
13		Other--------Male----	17	-	-	-	1	-	1	-	1	-
14		Female--	13	-	-	-	-	-	-	-	1	-
15	204	Leukemia and aleukemia----------	8,645	127	128	230	251	157	893	426	265	231
16		White--------Male----	4,783	64	66	124	124	84	462	221	143	129
17		Female--	3,574	46	48	97	121	65	377	173	105	82
18		Negro--------Male----	256	8	8	5	2	4	27	16	9	11
19		Female--	203	6	5	3	4	3	21	14	8	9
20		Other--------Male----	19	3	1	1	-	1	6	-	-	-
21		Female--	10	-	-	-	-	-	-	2	-	-
22	200-203,205	Lymphosarcoma, etc.*----------	7,911	17	18	27	34	16	112	107	86	144
23		White--------Male----	4,459	9	8	14	23	8	62	68	58	94
24		Female--	2,917	5	8	9	9	7	38	27	20	38
25		Negro--------Male----	307	2	-	1	2	1	6	9	5	6
26		Female--	208	1	1	2	-	-	4	3	3	6
27		Other--------Male----	15	-	-	-	-	-	-	-	-	-
28		Female--	5	-	1	1	-	-	2	-	-	-
29	200	Lymphosarcoma and reticulosarcoma----------	3,467	3	8	12	29	16	68	70	47	62
30		White--------Male----	1,954	3	5	7	19	8	42	42	34	48
31		Female--	1,318	-	3	3	8	7	21	18	11	9
32		Negro--------Male----	114	-	-	1	2	1	4	7	2	4
33		Female--	74	-	-	1	-	-	1	3	-	1
34		Other--------Male----	6	-	-	-	-	-	-	-	-	-
35		Female--	1	-	-	-	-	-	-	-	-	-
36	201	Hodgkin's disease----------	2,537	2	1	2	1	-	6	23	32	71
37		White--------Male----	1,503	1	-	-	1	-	2	15	18	39
38		Female--	856	-	-	-	-	-	-	6	9	26
39		Negro--------Male----	97	1	-	-	-	-	1	2	2	2
40		Female--	74	-	1	1	-	-	2	-	3	4
41		Other--------Male----	4	-	-	-	-	-	-	-	-	-
42		Female--	3	-	-	1	-	-	1	-	-	-
43	202,203,205	Other neoplasms of lymphatic and hematopoietic tissues------	1,907	12	9	13	4	-	38	14	7	11
44		White--------Male----	1,002	5	3	7	3	-	18	11	8	7
45		Female--	743	5	5	6	1	-	17	3	-	3
46		Negro--------Male----	96	1	-	-	-	-	1	-	1	-
47		Female--	60	1	-	-	-	-	1	-	-	1
48		Other--------Male----	5	-	-	-	-	-	-	-	-	-
49		Female--	1	-	1	-	-	-	1	-	-	-
50	210-239	Benign neoplasms and neoplasms of unspecified nature----------	5,374	137	41	37	33	36	284	99	86	89
51		White--------Male----	1,923	66	18	17	13	18	132	50	43	40
52		Female--	2,651	56	18	17	15	12	118	39	34	35
53		Negro--------Male----	184	6	4	1	4	1	16	5	5	8
54		Female--	591	6	1	1	-	4	12	5	3	6
55		Other--------Male----	15	2	-	1	1	1	5	-	-	-
56		Female--	10	1	-	-	-	-	1	-	1	-
57	214-217	Benign neoplasms of female genital organs----------	1,261	-	-	-	-	1	1	1	1	5
58		White--------Female--	892	-	-	-	-	-	-	1	1	5
59		Negro--------Female--	367	-	-	-	-	1	1	-	-	-
60		Other--------Female--	2	-	-	-	-	-	-	-	-	-
61	223	Benign neoplasm of brain and other parts of nervous system--	859	19	10	10	4	12	55	21	15	21
62		White--------Male----	394	12	5	5	1	7	30	9	8	9
63		Female--	392	4	4	4	3	2	17	9	7	9
64		Negro--------Male----	30	-	-	-	-	1	1	2	-	-
65		Female--	40	2	1	1	-	1	5	1	-	3
66		Other--------Male----	3	1	-	-	-	1	2	-	-	-
67		Female--	-	-	-	-	-	-	-	-	-	-
68	210-213,	Other benign neoplasms----------	808	63	7	8	9	4	89	18	15	14
69	218-222,	White--------Male----	373	25	4	2	3	3	37	11	7	7
70	224-229	Female--	352	30	3	3	4	1	41	7	6	5
71		Negro--------Male----	32	3	-	-	2	-	5	-	1	1
72		Female--	47	4	-	-	-	-	4	-	1	1
73		Other--------Male----	2	1	-	1	-	-	2	-	-	-
74		Female--	2	-	-	-	-	-	-	-	-	-
75	233-235	Neoplasm of unspecified nature of female genital organs-----	44	-	-	-	-	-	-	-	-	1
76		White--------Female--	33	-	-	-	-	-	-	-	-	1
77		Negro--------Female--	10	-	-	-	-	-	-	-	-	-
78		Other--------Female--	1	-	-	-	-	-	-	-	-	-
79	237	Neoplasm of unspecified nature of brain, etc.*----------	1,541	17	18	14	20	17	86	53	50	38
80		White--------Male----	755	10	7	7	9	7	40	25	25	18
81		Female--	635	4	8	7	8	9	36	21	18	12
82		Negro--------Male----	72	2	3	-	2	-	7	3	4	6
83		Female--	71	-	-	-	-	1	1	4	2	2
84		Other--------Male----	5	-	-	-	1	-	1	-	-	-
85		Female--	3	1	-	-	-	-	1	-	1	-
86	230-232,	Other neoplasms of unspecified nature----------	861	38	6	7	-	2	53	8	5	10
87	236,238,	White--------Male----	401	19	2	3	-	1	25	5	3	6
88	239	Female--	347	18	3	3	-	-	24	1	2	3
89		Negro--------Male----	50	1	1	1	-	-	3	-	-	1
90		Female--	56	-	-	-	-	1	1	-	-	-
91		Other--------Male----	5	-	-	-	-	-	-	-	-	-
92		Female--	2	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
37	48	48	67	151	190	251	315	406	461	470	365	293	152	56	12	3	2	1
15	26	16	43	44	79	103	142	206	232	221	164	150	69	28	2	1	-	2
17	18	23	33	64	82	121	128	160	192	226	179	140	77	27	9	1	2	3
3	2	7	4	6	11	16	19	20	16	10	10	1	3	-	1	1	-	4
2	1	2	7	15	16	11	23	18	19	13	9	2	3	1	-	-	-	5
-	1	-	-	1	1	-	2	2	1	-	3	-	-	-	-	-	-	6
-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	7
34	54	93	174	272	438	655	815	982	1,009	941	743	390	193	61	15	3	1	8
14	24	38	54	81	159	258	336	447	447	395	311	163	76	18	3	-	-	9
15	24	37	86	144	219	311	368	448	470	478	391	204	111	38	10	-	1	10
2	1	4	8	15	28	36	59	38	57	30	22	10	1	2	2	-	-	11
3	5	14	25	30	30	46	50	44	31	35	15	13	4	3	-	3	-	12
-	-	-	1	2	1	1	1	3	3	2	1	-	-	-	-	-	-	13
-	-	-	-	-	1	3	1	2	1	1	3	-	1	-	-	-	-	14
183	286	276	332	397	416	596	725	893	921	887	654	319	109	27	2	2	5	15
88	140	140	155	182	217	307	380	509	538	551	362	178	63	12	2	2	2	16
80	128	114	143	174	162	249	302	335	357	310	282	138	45	15	-	-	3	17
4	11	11	14	19	20	19	27	29	15	16	6	2	-	-	-	-	-	18
9	7	11	15	20	16	19	15	19	7	8	3	1	1	-	-	-	-	19
1	-	-	3	2	-	2	1	-	3	1	-	-	-	-	-	-	-	20
1	-	-	2	-	1	-	-	1	1	1	1	-	-	-	-	-	-	21
215	317	355	377	437	580	756	962	1,028	953	734	451	219	57	16	3	-	2	22
111	179	199	218	254	342	427	555	599	511	387	243	119	24	7	1	-	1	23
86	105	123	123	139	187	262	348	374	391	323	191	98	32	9	2	-	1	24
8	18	19	20	25	25	48	33	29	31	12	13	-	-	-	-	-	-	25
9	13	14	16	18	25	19	25	23	14	10	4	1	1	-	-	-	-	26
1	1	-	-	1	1	-	1	3	4	2	-	1	-	-	-	-	-	27
-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	28
63	82	102	141	193	225	323	433	459	466	347	216	124	28	14	3	-	1	29
30	47	58	80	120	132	178	234	272	251	183	121	61	14	5	1	-	1	30
25	28	35	49	62	73	122	174	164	194	159	88	61	14	9	2	-	-	31
4	4	6	6	7	12	15	14	10	13	2	4	-	-	-	-	-	-	32
3	2	3	6	4	8	8	11	11	6	3	3	1	-	-	-	-	-	33
1	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	35
138	217	214	179	162	225	223	234	227	226	185	103	57	14	-	-	-	1	36
72	122	126	109	94	140	136	166	141	123	99	59	36	6	-	-	-	-	37
59	69	75	56	45	74	66	56	75	94	77	42	21	7	-	-	-	1	38
2	14	8	9	11	7	17	6	4	4	6	2	-	-	-	-	-	-	39
5	11	7	5	11	3	4	6	6	4	2	-	-	1	-	-	-	-	40
-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	41
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	42
14	18	39	57	82	130	210	295	342	261	202	132	38	15	2	-	-	-	43
9	10	15	29	40	70	113	155	186	137	105	63	22	4	2	-	-	-	44
2	8	15	18	32	40	74	118	135	103	87	51	16	11	-	-	-	-	45
2	-	5	5	7	6	16	13	15	14	4	7	-	-	-	-	-	-	46
1	-	4	5	3	14	7	8	6	4	5	1	-	-	-	-	-	-	47
-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
109	169	244	377	499	524	495	537	517	420	349	248	193	82	33	9	2	9	50
42	52	63	92	119	146	157	226	214	178	161	101	70	22	9	3	-	3	51
51	73	125	176	257	286	256	256	245	199	156	136	117	57	24	5	1	5	52
3	10	6	14	7	16	28	14	25	13	10	1	1	1	-	1	-	-	53
13	32	48	94	114	75	53	39	33	28	20	10	3	1	-	-	1	1	54
-	1	-	1	-	1	1	-	-	2	2	-	1	1	-	-	-	-	55
-	1	2	-	2	-	-	2	-	-	-	-	1	-	-	-	-	-	56
15	33	83	159	236	214	147	86	82	56	44	42	32	15	5	2	-	-	57
11	21	52	87	145	150	117	66	64	46	36	37	32	14	5	2	-	-	58
4	11	31	72	92	64	30	20	18	10	8	5	-	1	-	-	-	-	59
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
31	45	48	63	73	86	83	107	96	58	35	12	8	1	-	-	-	1	61
14	25	19	32	38	35	32	48	44	27	15	6	5	-	-	-	-	-	62
16	14	25	24	29	45	41	53	46	29	20	6	3	1	-	-	-	-	63
-	3	2	3	1	2	6	3	6	1	-	-	-	-	-	-	-	-	64
1	5	4	4	5	4	3	3	-	1	-	-	-	-	-	-	-	1	65
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
16	12	24	52	40	45	44	70	82	81	89	54	32	10	6	2	-	1	68
7	2	9	17	12	22	18	34	48	36	57	31	11	4	2	1	-	-	69
5	7	11	25	19	20	20	34	32	38	27	22	20	5	6	1	-	1	70
-	-	1	3	1	2	4	1	4	4	4	-	-	1	-	-	-	-	71
4	3	2	7	7	1	2	1	8	3	1	1	1	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	74
2	1	3	1	2	1	4	3	5	4	4	5	2	4	2	-	-	-	75
-	1	-	1	2	1	1	2	5	3	3	5	2	4	2	-	-	-	76
2	-	2	-	-	-	3	1	-	1	1	-	-	-	-	-	-	-	77
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
39	69	77	88	128	151	166	191	162	119	66	30	18	3	2	-	-	5	79
18	25	31	41	62	75	80	95	84	64	42	17	10	-	1	-	-	2	80
16	26	38	33	56	62	66	84	70	47	22	13	8	3	1	-	-	3	81
3	6	2	6	3	8	12	6	4	2	-	-	-	-	-	-	-	-	82
2	11	6	7	7	5	8	5	4	6	1	-	-	-	-	-	-	-	83
-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	85
6	9	9	14	18	27	51	80	80	102	111	105	101	49	16	5	2	2	86
3	2	4	2	7	14	27	49	38	51	47	47	44	18	6	2	-	1	87
3	4	1	6	6	8	11	17	28	36	48	53	52	30	10	2	1	1	88
-	1	1	2	2	4	6	4	11	6	6	1	1	-	-	1	-	-	89
-	2	3	4	3	1	7	9	3	7	9	4	2	-	-	-	1	-	90
-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	91
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	92

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		III. Allergic, endocrine system, metabolic, and nutritional diseases	33,213	640	170	96	52	35	1,193	127	114	161
2		White--Male	12,492	427	70	36	27	12	572	55	45	53
3		White--Female	17,407	255	61	37	20	13	386	53	47	93
4		Negro--Male	1,196	90	19	13	3	5	130	10	7	8
5		Negro--Female	1,999	58	14	8	1	5	86	9	14	27
6		Other--Male	73	8	4	-	-	-	12	-	1	-
7		Other--Female	46	2	2	2	1	-	7	-	-	-
8	241	Asthma	4,322	73	36	36	16	16	177	24	15	22
9		White--Male	2,462	30	22	13	5	7	77	9	5	5
10		White--Female	1,438	23	7	14	9	4	57	8	6	12
11		Negro--Male	227	11	3	5	1	4	24	6	3	2
12		Negro--Female	185	9	4	4	1	1	19	1	1	3
13		Other--Male	6	-	-	-	-	-	-	-	-	1
14		Other--Female	4	-	-	-	-	-	-	-	-	1
15	250,251	Nontoxic goiter	183	-	-	-	-	-	-	-	-	5
16		White--Male	32	-	-	-	-	-	-	-	-	1
17		White--Female	125	-	-	-	-	-	-	-	-	5
18		Negro--Male	5	-	-	-	-	-	-	-	-	-
19		Negro--Female	21	-	-	-	-	-	-	-	-	-
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Other--Female	-	-	-	-	-	-	-	-	-	-
22	252	Thyrotoxicosis with or without goiter	1,326	-	-	-	-	1	1	2	-	5
23		White--Male	197	-	-	-	-	-	-	-	-	1
24		White--Female	984	-	-	-	-	-	-	1	-	3
25		Negro--Male	22	-	-	-	-	1	1	-	-	-
26		Negro--Female	118	-	-	-	-	-	-	1	-	2
27		Other--Male	1	-	-	-	-	-	-	-	-	-
28		Other--Female	4	-	-	-	-	-	-	-	-	-
29	253,254	Myxedema, cretinism, and other diseases of thyroid gland	195	13	4	3	1	1	22	2	2	4
30		White--Male	38	8	1	-	-	-	9	1	1	2
31		White--Female	144	5	3	3	-	1	12	1	1	2
32		Negro--Male	5	-	-	-	1	-	1	-	-	-
33		Negro--Female	8	-	-	-	-	-	-	-	-	-
34		Other--Male	-	-	-	-	-	-	-	-	-	-
35		Other--Female	-	-	-	-	-	-	-	-	-	-
36	260	Diabetes mellitus	24,419	23	14	10	9	5	61	57	79	126
37		White--Male	8,580	14	5	4	5	-	28	26	26	36
38		White--Female	13,567	7	8	3	4	2	24	27	36	64
39		Negro--Male	719	2	-	1	-	-	3	1	4	5
40		Negro--Female	1,474	-	1	2	-	3	6	3	13	21
41		Other--Male	49	-	-	-	-	-	-	-	-	-
42		Other--Female	30	-	-	-	-	-	-	-	-	-
43	273	Diseases of thymus gland	641	535	37	16	11	3	602	18	3	6
44		White--Male	342	282	19	9	8	1	319	12	2	3
45		White--Female	191	156	15	7	2	2	182	2	1	2
46		Negro--Male	60	52	2	-	1	-	55	2	-	1
47		Negro--Female	40	37	1	-	-	-	38	2	-	-
48		Other--Male	7	7	-	-	-	-	7	-	-	-
49		Other--Female	1	1	-	-	-	-	1	-	-	-
50	274	Diseases of adrenal glands	416	70	6	6	1	2	85	3	1	2
51		White--Male	177	44	3	2	1	2	52	-	1	2
52		White--Female	220	23	2	3	-	-	28	3	-	-
53		Negro--Male	13	2	1	1	-	-	4	-	-	-
54		Negro--Female	6	1	-	-	-	-	1	-	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Other--Female	-	-	-	-	-	-	-	-	-	-
57	281	Pellagra	260	2	-	-	-	-	2	-	-	-
58		White--Male	50	1	-	-	-	-	1	-	-	-
59		White--Female	132	1	-	-	-	-	1	-	-	-
60		Negro--Male	29	-	-	-	-	-	-	-	-	-
61		Negro--Female	49	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Other--Female	-	-	-	-	-	-	-	-	-	-
64	280,282-286	All other avitaminoses and nutritional deficiency states	820	65	56	18	7	3	149	11	4	5
65		White--Male	330	22	13	7	5	1	48	1	3	3
66		White--Female	319	19	16	1	2	2	40	7	1	2
67		Negro--Male	91	15	13	6	-	-	34	1	-	-
68		Negro--Female	66	8	8	2	-	-	18	2	-	-
69		Other--Male	9	1	4	-	-	-	5	-	-	-
70		Other--Female	5	-	2	2	-	-	4	-	-	-
71	Residual	Other allergic, endocrine, and metabolic diseases	631	59	17	7	7	4	94	10	10	6
72		White--Male	284	26	7	1	3	1	38	6	7	2
73		White--Female	287	21	10	6	3	2	42	4	2	3
74		Negro--Male	25	8	-	-	-	-	8	-	-	-
75		Negro--Female	32	3	-	-	-	1	4	-	-	1
76		Other--Male	1	-	-	-	-	-	-	-	1	-
77		Other--Female	2	1	-	-	1	-	2	-	-	-
78		IV. Diseases of the blood and blood-forming organs	5,479	253	77	44	33	19	426	77	81	89
79		White--Male	2,409	114	30	24	12	5	185	29	26	32
80		White--Female	2,544	86	21	12	8	7	134	29	21	41
81		Negro--Male	244	31	16	8	5	4	64	10	6	6
82		Negro--Female	262	18	7	-	8	3	36	9	8	9
83		Other--Male	12	2	2	-	-	-	4	-	-	-
84		Other--Female	8	2	1	-	-	-	3	-	-	1
85	290-293	Anemias	4,072	122	52	25	20	8	227	53	36	36
86		White--Male	1,753	45	17	10	7	2	81	16	13	10
87		White--Female	1,895	42	10	10	3	3	68	21	11	12
88		Negro--Male	192	21	15	5	3	2	46	9	4	5
89		Negro--Female	216	11	7	-	7	1	26	7	8	8
90		Other--Male	9	1	2	-	-	-	3	-	-	-
91		Other--Female	7	2	1	-	-	-	3	-	-	1

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
239	412	467	616	881	1,263	2,091	3,156	4,325	5,270	5,069	4,191	2,403	904	242	37	16	16	1
69	140	161	218	331	473	792	1,169	1,800	1,940	1,849	1,641	923	350	92	12	2	5	2
118	201	204	239	321	535	905	1,585	2,370	2,963	2,949	2,359	1,405	516	132	18	4	4	3
23	20	32	56	71	89	127	119	124	140	104	78	35	11	5	1	4	2	4
27	49	69	98	151	163	261	269	218	209	154	104	39	25	12	6	6	3	5
1	-	1	4	4	2	2	8	8	11	10	5	1	-	1	-	-	2	6
1	2	-	1	3	1	4	6	5	7	3	4	-	2	-	-	-	-	7
54	69	104	120	181	271	408	488	595	575	479	377	216	101	40	4	-	2	8
14	13	24	35	73	135	244	307	400	402	292	236	120	51	16	3	-	1	9
28	38	54	52	68	104	125	138	160	142	167	122	90	46	20	-	-	1	10
3	5	9	16	19	16	25	19	22	21	15	12	4	1	3	-	-	-	11
8	13	17	16	21	13	14	19	13	9	5	6	2	3	1	1	-	-	12
-	-	-	1	-	-	-	3	-	1	-	1	-	-	-	-	-	-	13
1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	14
1	2	4	6	11	13	16	16	19	28	28	20	11	3	-	-	-	-	15
-	-	-	1	2	4	1	3	3	7	5	4	2	-	-	-	-	-	16
1	1	2	3	6	6	12	10	15	19	20	13	9	3	-	-	-	-	17
-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	18
-	1	1	2	2	2	2	3	1	2	2	3	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
18	28	31	47	67	94	132	167	188	207	178	108	44	7	2	-	-	-	22
2	3	5	5	10	17	22	32	29	36	20	12	4	-	-	-	-	-	23
14	19	19	21	37	62	93	115	144	164	156	91	37	7	1	-	-	-	24
-	-	-	4	-	6	3	6	-	2	-	-	-	-	-	-	-	-	25
2	5	7	16	20	9	13	13	14	5	2	5	3	-	1	-	-	-	26
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	27
-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	28
2	4	1	3	7	14	17	26	21	23	26	13	3	4	-	1	-	-	29
-	1	-	-	-	1	5	2	4	6	3	1	-	2	-	-	-	-	30
1	2	1	3	7	12	9	20	16	17	23	12	2	2	-	1	-	-	31
-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	32
1	1	-	-	-	-	2	3	-	-	-	-	1	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
122	256	255	359	539	773	1,373	2,288	3,347	4,255	4,184	3,464	2,001	696	146	20	5	13	36
40	103	108	151	218	276	463	759	1,095	1,408	1,468	1,308	741	263	53	6	-	4	37
52	115	95	112	163	308	599	1,235	1,970	2,542	2,504	2,014	1,202	406	85	10	1	3	38
15	15	20	32	49	55	89	72	88	106	68	57	27	8	1	1	1	2	39
14	22	32	61	102	132	217	214	182	183	131	77	30	18	7	3	3	3	40
1	-	-	3	4	2	2	3	7	9	10	4	1	-	-	-	-	1	41
-	1	-	-	3	-	3	3	5	7	3	4	-	1	-	-	-	-	42
3	2	2	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	43
-	1	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	44
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
14	17	20	21	24	33	35	37	42	28	26	16	9	2	-	1	-	-	50
6	8	7	6	8	6	10	18	18	12	13	6	3	1	-	-	-	-	51
7	8	9	15	16	23	24	18	23	16	12	10	6	1	-	1	-	-	52
1	-	1	-	-	3	1	1	1	-	1	-	-	-	-	-	-	-	53
-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	2	4	4	2	3	18	27	16	38	44	61	18	13	6	2	-	-	57
-	-	-	-	-	-	2	1	2	12	8	11	6	4	3	-	-	-	58
-	1	1	1	-	1	8	10	7	18	24	38	11	8	2	1	-	-	59
-	-	1	2	-	-	2	6	4	3	5	6	-	-	-	-	-	-	60
-	1	2	1	2	2	6	10	3	5	7	6	1	1	1	1	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
3	4	11	10	15	22	31	42	37	68	73	101	92	75	48	7	11	1	64
1	1	5	2	4	10	13	16	17	37	27	51	41	26	20	2	2	-	65
1	2	3	5	7	8	13	12	9	21	25	43	46	43	24	4	3	-	66
1	-	-	2	2	3	1	9	6	6	14	3	3	2	1	-	3	-	67
-	1	2	1	2	1	4	5	5	3	7	4	2	3	2	1	3	-	68
-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	69
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	70
22	28	35	45	34	40	61	64	59	48	30	31	9	3	-	2	-	-	71
6	10	10	18	15	24	32	31	31	20	12	12	6	3	-	1	-	-	72
12	14	20	26	17	11	22	27	26	24	18	16	2	-	-	1	-	-	73
2	-	-	-	-	2	4	4	2	2	-	-	1	-	-	-	-	-	74
2	4	5	1	2	3	3	2	-	2	-	3	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
98	97	104	109	135	171	209	320	466	599	738	805	590	277	83	19	2	4	78
30	24	29	36	48	70	81	136	211	279	367	398	273	117	30	4	1	3	79
41	44	37	52	60	75	93	143	228	287	347	387	302	156	52	15	-	-	80
8	8	14	10	7	6	20	14	16	20	14	12	6	2	-	-	-	1	81
16	21	24	11	20	20	13	24	9	13	10	7	8	2	1	-	1	-	82
2	-	-	-	-	-	1	2	1	-	-	1	1	-	-	-	-	-	83
1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	84
53	54	59	56	80	107	129	189	304	460	609	710	547	261	81	16	1	4	85
15	10	12	17	23	38	46	73	135	214	303	348	251	112	29	3	1	3	86
18	22	20	21	38	46	53	85	146	215	285	343	281	145	52	13	-	-	87
5	7	8	9	5	5	17	10	12	18	12	11	6	2	-	-	-	1	88
13	15	19	9	14	18	11	20	9	13	9	7	8	2	-	-	-	-	89
1	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	90
1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	91

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		IV. Diseases of the blood and blood-forming organs--Continued										
		Anemias--Continued										
1	290	Pernicious and other hyperchromic anemias	2,168	12	2	-	3	-	17	1	4	5
2		White--Male	931	8	1	-	2	-	11	-	-	2
3		Female	1,142	2	1	-	-	-	3	-	2	1
4		Negro--Male	42	2	-	-	-	-	2	1	-	1
5		Female	51	-	-	-	1	-	1	-	2	1
6		Other--Male	1	-	-	-	-	-	-	-	-	-
7		Female	1	-	-	-	-	-	-	-	-	-
8	291-293	Anemias of other and unspecified type	1,904	110	50	25	17	8	210	52	32	31
9		White--Male	822	37	16	10	5	2	70	16	13	8
10		Female	753	40	9	10	3	3	65	21	9	11
11		Negro--Male	150	19	15	5	3	2	44	8	4	4
12		Female	165	11	7	-	6	1	25	7	6	7
13		Other--Male	8	1	2	-	-	-	3	-	-	-
14		Female	6	2	1	-	-	-	3	-	-	1
15	296	Purpura and other hemorrhagic conditions	565	79	10	9	2	7	107	11	12	25
16		White--Male	228	41	6	5	1	2	55	5	6	4
17		Female	296	32	4	2	-	4	42	5	5	20
18		Negro--Male	11	3	-	2	1	1	7	-	1	-
19		Female	27	3	-	-	-	-	3	1	-	1
20		Other--Male	1	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	294,295,	All other diseases of blood and blood-forming organs	844	52	15	10	11	4	92	13	13	28
23	297-299	White--Male	428	28	7	9	4	1	49	8	7	18
24		Female	353	12	7	-	5	-	24	3	5	9
25		Negro--Male	41	7	1	1	1	1	11	1	1	1
26		Female	19	4	-	-	1	2	7	1	-	-
27		Other--Male	2	1	-	-	-	-	1	-	-	-
28		Female	1	-	-	-	-	-	-	-	-	-
29		V. Mental, psychoneurotic, and personality disorders	4,813	84	25	24	14	7	154	25	13	30
30		White--Male	2,768	42	16	14	8	2	82	9	9	12
31		Female	1,347	35	8	9	4	2	58	12	3	4
32		Negro--Male	434	2	1	1	-	2	6	3	1	8
33		Female	227	4	-	-	2	1	7	1	-	4
34		Other--Male	25	-	-	-	-	-	-	-	-	1
35		Female	12	1	-	-	-	-	1	-	-	1
36	304	Senile psychosis	1,053	-	-	-	-	-	-	-	-	-
37		White--Male	440	-	-	-	-	-	-	-	-	-
38		Female	516	-	-	-	-	-	-	-	-	-
39		Negro--Male	50	-	-	-	-	-	-	-	-	-
40		Female	44	-	-	-	-	-	-	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	3	-	-	-	-	-	-	-	-	-
43	307	Alcoholic psychosis	255	-	-	-	-	-	-	-	-	1
44		White--Male	204	-	-	-	-	-	-	-	-	-
45		Female	19	-	-	-	-	-	-	-	-	-
46		Negro--Male	27	-	-	-	-	-	-	-	-	1
47		Female	4	-	-	-	-	-	-	-	-	-
48		Other--Male	1	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	300-303,	Other psychoses	868	-	-	-	-	-	-	-	1	11
51	305,306,	White--Male	304	-	-	-	-	-	-	-	-	2
52	308,309	Female	399	-	-	-	-	-	-	-	1	3
53		Negro--Male	75	-	-	-	-	-	-	-	-	3
54		Female	85	-	-	-	-	-	-	-	-	3
55		Other--Male	2	-	-	-	-	-	-	-	-	-
56		Female	3	-	-	-	-	-	-	-	-	-
57	322	Alcoholism	2,267	1	-	1	1	-	3	1	2	10
58		White--Male	1,633	1	-	1	-	-	2	-	2	4
59		Female	259	-	-	-	-	-	-	-	-	-
60		Negro--Male	267	-	-	-	-	-	-	1	-	3
61		Female	82	-	-	-	1	-	1	-	-	1
62		Other--Male	21	-	-	-	-	-	-	-	-	1
63		Female	5	-	-	-	-	-	-	-	-	1
64	325	Mental deficiency	252	83	25	23	13	7	151	24	10	7
65		White--Male	132	41	16	13	8	2	80	9	7	6
66		Female	98	35	8	9	4	2	58	12	2	1
67		Negro--Male	11	2	1	1	-	2	6	2	1	-
68		Female	10	4	-	-	1	1	6	1	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	1	1	-	-	-	-	1	-	-	-
71	310-321,	Psychoneuroses and other disorders of personality	118	-	-	-	-	-	-	-	-	1
72	323,324,	White--Male	55	-	-	-	-	-	-	-	-	-
73	326	Female	56	-	-	-	-	-	-	-	-	-
74		Negro--Male	4	-	-	-	-	-	-	-	-	1
75		Female	2	-	-	-	-	-	-	-	-	-
76		Other--Male	1	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78		VI. Diseases of the nervous system and sense organs	170,256	1,524	517	293	232	166	2,732	471	403	523
79		White--Male	74,029	661	223	143	103	72	1,202	221	180	255
80		Female	74,990	488	181	99	87	70	925	161	155	158
81		Negro--Male	9,961	183	62	27	19	11	302	39	37	64
82		Female	10,744	156	46	20	20	12	254	25	30	42
83		Other--Male	355	23	3	-	1	1	28	2	-	1
84		Female	157	13	2	4	2	-	21	3	1	3
85	330-334	Vascular lesions affecting central nervous system	156,751	160	52	30	27	10	279	59	55	113
86		White--Male	67,462	82	26	18	15	5	146	24	25	50
87		Female	70,020	39	17	9	7	3	75	22	22	37
88		Negro--Male	6,904	17	5	-	1	1	24	6	4	10
89		Female	9,940	16	3	3	3	1	26	5	4	16
90		Other--Male	306	4	-	-	1	-	5	1	-	-
91		Female	119	2	1	-	-	-	3	-	-	-

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
6	6	8	13	16	34	54	68	162	272	390	496	371	166	48	9	-	2	1
2	2	2	-	2	6	22	29	73	119	189	227	156	72	15	1	-	1	2
3	3	4	6	11	20	24	48	83	140	190	260	211	92	33	8	-	-	3
-	-	-	2	-	1	6	1	3	7	7	7	2	1	-	-	-	1	4
1	1	2	5	3	7	2	10	2	6	4	1	2	1	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	7
47	48	51	43	64	73	75	101	142	188	219	214	176	95	33	7	1	2	8
13	8	10	17	21	32	24	44	62	95	114	121	95	40	14	2	1	2	9
15	19	16	15	27	26	29	37	63	75	95	83	70	53	19	5	-	-	10
5	7	8	7	5	4	11	9	9	11	5	4	4	1	-	-	-	-	11
12	14	17	4	11	11	9	10	7	7	5	6	6	1	-	-	-	-	12
1	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	13
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	14
25	24	20	30	26	29	30	38	49	42	34	31	17	9	1	3	-	-	15
4	5	5	9	7	15	10	13	18	22	17	20	9	2	-	1	-	-	16
18	13	10	20	13	13	19	24	30	20	16	11	8	7	-	2	-	-	17
-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	6	3	1	5	1	1	1	-	-	1	-	-	-	1	-	-	-	19
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
20	19	25	23	29	35	50	93	113	97	95	64	26	7	1	-	1	-	22
11	9	12	10	18	17	25	50	57	45	47	30	13	3	1	-	-	-	23
5	9	7	11	9	16	21	34	52	52	46	33	13	4	-	-	-	-	24
3	1	4	1	1	1	3	4	4	2	2	1	-	-	-	-	-	-	25
1	-	2	1	1	1	1	3	-	-	-	-	-	-	-	-	1	-	26
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	28
79	151	216	411	476	494	465	354	356	318	285	311	311	224	107	23	4	6	29
36	65	105	224	291	322	327	238	251	212	158	149	126	96	41	8	1	*6	30
19	33	49	83	100	97	83	75	67	83	93	132	168	115	62	12	1	-	31
14	34	36	62	55	51	36	32	21	15	18	18	10	8	3	2	1	-	32
9	18	23	32	29	20	16	6	15	7	16	9	5	7	1	1	1	-	33
-	-	1	8	1	3	3	3	2	1	-	1	1	-	-	-	-	-	34
1	1	2	2	-	1	-	-	-	-	-	2	1	-	-	-	-	-	35
-	-	-	-	-	-	2	4	17	68	143	228	259	208	98	22	4	-	36
-	-	-	-	-	-	-	3	5	32	69	99	97	89	38	7	1	-	37
-	-	-	-	-	-	-	-	4	28	58	106	147	104	56	12	1	-	38
-	-	-	-	-	-	-	1	2	2	8	14	9	8	3	2	1	-	39
-	-	-	-	-	-	2	-	6	6	8	7	5	7	1	1	1	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	42
-	11	15	34	39	44	38	29	17	11	9	4	1	-	-	-	-	1	43
-	6	10	24	31	41	28	27	15	9	9	2	1	-	-	-	-	1	44
-	2	1	5	3	-	3	2	1	-	-	2	-	-	-	-	-	-	45
-	2	4	2	5	3	7	-	1	2	-	-	-	-	-	-	-	-	46
-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
37	49	58	92	89	82	104	81	81	59	47	31	29	9	7	1	-	-	50
18	19	26	30	25	27	41	32	27	18	12	10	11	3	2	1	-	-	51
10	16	18	33	43	37	49	42	41	36	24	17	18	6	5	-	-	-	52
1	6	6	13	11	8	5	5	5	5	5	2	-	-	-	-	-	-	53
7	8	7	14	10	10	8	2	8	-	6	2	-	-	-	-	-	-	54
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	55
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
27	75	133	276	326	352	309	224	217	166	73	42	20	5	2	-	-	5	57
12	32	64	163	226	247	251	170	190	145	63	35	17	4	1	-	-	5	58
3	8	26	43	43	52	27	21	12	13	4	4	1	1	1	-	-	-	59
10	25	25	47	39	40	24	26	13	6	5	2	1	-	-	-	-	-	60
2	9	16	16	17	9	5	4	-	1	1	-	-	-	-	-	-	-	61
-	-	1	5	1	3	2	3	2	1	-	1	1	-	-	-	-	-	62
-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	63
10	9	5	3	10	6	1	3	5	1	3	1	2	1	-	-	-	-	64
5	6	2	3	5	4	-	1	2	-	1	1	-	-	-	-	-	-	65
4	2	3	-	4	1	1	2	3	1	1	-	2	1	-	-	-	-	66
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
5	7	5	7	12	10	10	13	19	13	10	5	-	1	-	-	-	-	71
1	2	3	4	4	3	7	5	12	8	4	2	-	-	-	-	-	-	72
2	5	1	2	7	7	3	8	6	5	6	3	-	1	-	-	-	-	73
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	75
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
663	849	1,194	1,952	3,248	5,363	8,231	11,573	16,304	22,145	26,344	27,933	22,624	12,502	4,098	790	160	154	78
297	341	467	699	1,093	1,857	3,020	4,860	7,424	10,363	12,158	12,678	9,912	5,146	1,534	247	25	60	79
218	306	391	654	1,117	1,896	2,907	4,217	6,161	8,996	11,915	13,499	11,648	6,760	2,364	439	54	49	80
71	91	165	274	441	697	1,083	1,239	1,269	1,329	1,100	892	478	249	77	36	30	19	81
71	103	168	331	591	895	1,178	1,205	1,398	1,395	1,108	809	557	333	117	64	47	23	82
4	6	2	9	11	10	29	38	40	51	47	37	21	10	3	2	2	2	83
2	2	1	5	5	8	14	15	12	11	16	18	8	4	3	2	2	1	84
250	369	640	1,372	2,643	4,717	7,492	10,713	15,245	21,006	25,252	27,043	22,110	12,294	4,028	771	157	144	85
102	133	219	430	818	1,545	2,662	4,416	6,847	9,760	11,526	12,223	9,657	5,059	1,497	242	24	57	86
80	125	193	424	893	1,679	2,650	3,892	5,763	8,556	11,521	13,118	11,451	6,854	2,335	432	54	44	87
28	40	93	216	379	621	1,015	1,181	1,221	1,271	1,072	862	460	242	76	35	30	19	88
38	67	133	295	539	855	1,125	1,172	1,344	1,359	1,072	789	534	325	115	59	45	25	89
2	4	2	3	9	9	27	37	40	49	45	36	20	10	2	1	2	2	90
-	-	-	4	5	8	13	15	10	11	16	15	8	4	3	2	2	-	91

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VI. Diseases of the nervous system and sense organs—Continued										
		Vascular lesions affecting central nervous system—Con.										
1	330	Subarachnoid hemorrhage	3,057	25	6	4	4	2	41	7	12	37
2		White—Male	1,345	14	4	3	2	1	24	4	5	13
3		Female	1,262	4	1	1	2	-	8	1	5	14
4		Negro—Male	198	2	-	-	-	-	2	2	1	3
5		Female	211	5	-	-	-	1	6	-	1	7
6		Other—Male	16	-	-	-	-	-	-	-	-	-
7		Female	5	-	1	-	-	-	1	-	-	-
8	331	Cerebral hemorrhage	106,016	96	26	8	13	3	146	29	33	57
9		White—Male	44,758	47	10	3	6	1	69	11	16	30
10		Female	48,057	25	11	4	2	2	44	14	14	18
11		Negro—Male	6,058	9	3	-	1	-	13	-	2	5
12		Female	6,854	9	2	1	2	-	14	3	1	4
13		Other—Male	224	4	-	-	-	-	4	1	-	-
14		Female	85	2	-	-	-	-	2	-	-	-
15	332	Cerebral embolism and thrombosis	25,676	15	3	3	1	2	24	1	1	11
16		White—Male	12,152	8	2	1	1	1	13	-	1	4
17		Female	11,616	4	-	1	-	1	6	1	-	4
18		Negro—Male	931	2	-	-	-	-	2	-	-	-
19		Female	930	1	1	1	-	-	3	-	-	3
20		Other—Male	38	-	-	-	-	-	-	-	-	-
21		Female	9	-	-	-	-	-	-	-	-	-
22	333,334	Other vascular lesions affecting central nervous system	22,022	24	17	15	9	3	68	21	9	8
23		White—Male	9,227	13	10	11	4	2	40	9	3	3
24		Female	9,085	6	5	3	3	-	17	6	3	1
25		Negro—Male	1,717	4	2	-	-	1	7	4	1	2
26		Female	1,945	1	-	1	1	-	3	2	2	2
27		Other—Male	28	-	-	-	1	-	1	-	-	-
28		Female	20	-	-	-	-	-	-	-	-	-
29	340	Meningitis, except meningococcal and tuberculous	1,839	573	186	79	59	42	939	91	53	50
30		White—Male	794	227	71	41	24	15	378	48	19	22
31		Female	528	157	54	23	22	19	275	27	16	14
32		Negro—Male	284	88	35	8	9	5	145	8	9	9
33		Female	205	87	24	7	4	2	124	7	9	4
34		Other—Male	17	8	2	-	-	1	11	-	-	-
35		Female	11	6	-	-	-	-	6	1	-	1
36	345	Multiple sclerosis	1,278	-	-	-	-	-	-	1	-	9
37		White—Male	591	-	-	-	-	-	-	-	-	1
38		Female	636	-	-	-	-	-	-	1	-	4
39		Negro—Male	16	-	-	-	-	-	-	-	-	1
40		Female	31	-	-	-	-	-	-	-	-	2
41		Other—Male	1	-	-	-	-	-	-	-	-	-
42		Female	3	-	-	-	-	-	-	-	-	1
43	350	Paralysis agitans	1,934	-	-	-	-	-	-	-	-	1
44		White—Male	1,111	-	-	-	-	-	-	-	-	1
45		Female	770	-	-	-	-	-	-	-	-	-
46		Negro—Male	30	-	-	-	-	-	-	-	-	-
47		Female	21	-	-	-	-	-	-	-	-	-
48		Other—Male	2	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	351	Cerebral spastic infantile paralysis	658	70	52	40	43	42	257	95	77	63
51		White—Male	345	37	32	19	21	16	125	50	37	39
52		Female	243	24	24	16	19	20	103	33	35	18
53		Negro—Male	45	5	3	4	2	2	16	9	2	5
54		Female	23	3	2	1	1	4	11	3	3	1
55		Other—Male	1	1	-	-	-	-	1	-	-	-
56		Female	1	-	1	-	-	-	1	-	-	-
57	353	Epilepsy	2,206	21	13	19	18	21	92	63	97	167
58		White—Male	1,011	8	6	8	5	13	40	28	47	77
59		Female	732	6	5	6	8	7	32	24	34	52
60		Negro—Male	300	3	1	2	2	-	8	6	9	29
61		Female	152	4	1	2	3	1	11	5	6	8
62		Other—Male	4	-	-	-	-	-	-	-	-	-
63		Female	7	-	-	1	-	-	1	-	1	1
64	370-379	Inflammatory diseases of eye	17	2	-	-	-	-	2	-	1	-
65		White—Male	10	1	-	-	-	-	1	-	-	-
66		Female	4	-	-	-	-	-	-	-	1	-
67		Negro—Male	1	1	-	-	-	-	1	-	-	-
68		Female	2	-	-	-	-	-	-	-	-	-
69		Other—Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	385	Cataract	80	-	-	-	-	-	-	1	-	-
72		White—Male	38	-	-	-	-	-	-	1	-	-
73		Female	32	-	-	-	-	-	-	-	-	-
74		Negro—Male	3	-	-	-	-	-	-	-	-	-
75		Female	7	-	-	-	-	-	-	-	-	-
76		Other—Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	387	Glaucoma	18	-	-	-	-	-	-	-	-	1
79		White—Male	6	-	-	-	-	-	-	-	-	-
80		Female	9	-	-	-	-	-	-	-	-	1
81		Negro—Male	1	-	-	-	-	-	-	-	-	-
82		Female	2	-	-	-	-	-	-	-	-	-
83		Other—Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	391-393	Otitis media and mastoiditis	536	145	37	19	10	6	217	18	26	21
86		White—Male	278	68	18	10	9	4	109	7	12	12
87		Female	184	49	12	6	1	1	69	6	11	6
88		Negro—Male	37	15	4	2	-	-	19	2	1	3
89		Female	30	8	3	-	-	1	12	-	2	-
90		Other—Male	6	5	-	-	-	-	5	1	-	-
91		Female	3	2	-	1	-	-	3	-	-	-
92	Residual	Other diseases of nervous system and sense organs	4,937	553	167	106	75	45	946	144	94	98
93		White—Male	2,383	238	70	47	29	19	403	63	40	53
94		Female	1,832	215	69	39	30	20	371	66	36	26
95		Negro—Male	360	56	14	11	5	3	89	8	12	7
96		Female	331	38	13	7	9	3	70	5	6	11
97		Other—Male	18	5	1	-	-	-	6	-	-	1
98		Female	13	3	-	2	2	-	7	2	-	-

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
81	108	156	238	330	370	363	328	293	249	180	124	76	26	15	-	-	3	1
38	49	72	108	157	159	166	142	137	102	76	58	33	13	7	-	-	1	2
30	38	50	84	128	156	141	156	125	117	95	58	37	11	7	-	-	1	3
7	10	11	18	30	29	29	13	15	16	4	5	2	1	-	-	-	1	4
6	10	23	25	33	25	23	15	13	13	3	3	3	1	1	-	-	-	5
-	1	-	1	1	2	2	2	3	1	2	-	1	-	-	-	-	-	6
-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	7
133	204	387	916	1,874	3,508	5,496	7,820	10,844	14,749	17,035	17,849	14,134	7,752	2,401	451	98	100	8
52	67	116	255	549	1,124	1,889	3,196	4,770	6,714	7,646	7,921	6,096	3,139	882	146	13	37	9
41	69	114	291	656	1,262	2,040	2,949	4,303	6,184	7,934	8,793	7,359	4,246	1,401	240	32	33	10
15	23	72	156	263	456	718	809	821	867	688	568	315	159	52	26	18	12	11
23	42	83	211	397	634	820	824	912	937	724	534	345	197	64	37	31	17	12
2	3	2	1	6	5	21	32	28	38	32	24	14	7	1	-	2	1	13
-	-	-	2	3	7	8	10	10	9	11	9	5	4	1	2	2	-	14
17	28	47	87	180	370	806	1,324	2,231	3,310	4,427	4,913	4,301	2,452	913	179	31	23	15
7	10	17	27	66	150	368	655	1,184	1,706	2,179	2,325	1,962	1,059	349	52	7	13	16
4	13	17	24	55	121	246	429	768	1,340	1,974	2,376	2,240	1,325	537	115	14	7	17
3	2	3	16	20	41	97	137	143	130	137	110	43	29	10	2	4	2	18
3	3	10	19	38	56	93	98	130	130	126	93	53	39	16	9	6	-	19
-	-	-	-	1	1	2	2	6	4	8	9	2	-	1	1	-	1	20
-	-	-	1	-	1	-	3	-	-	1	2	1	-	-	-	-	-	21
19	29	50	131	259	469	827	1,241	1,877	2,698	3,610	4,157	3,599	2,064	699	141	28	18	22
5	7	14	39	66	112	239	423	756	1,238	1,625	1,921	1,566	848	259	44	4	6	23
5	5	12	25	54	120	223	358	587	915	1,518	1,891	1,795	1,072	390	77	8	3	24
3	5	7	26	66	96	171	222	242	258	243	179	100	53	14	7	8	3	25
6	12	17	40	71	140	189	235	289	279	217	159	133	88	34	13	8	6	26
-	-	-	1	1	1	2	1	3	6	3	3	3	3	-	-	-	-	27
-	-	-	-	1	-	3	2	-	2	4	4	2	-	2	-	-	-	28
36	39	49	55	57	72	75	79	73	62	51	30	15	8	2	1	-	2	29
17	17	14	25	19	33	34	41	36	30	34	10	10	6	1	-	-	-	30
11	9	19	9	17	14	22	21	19	21	15	15	4	2	1	-	-	1	31
5	6	11	12	13	16	11	14	11	7	2	4	1	-	-	-	-	-	32
2	7	5	7	7	8	8	2	7	4	2	2	-	-	-	-	-	-	33
-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	1	-	-	34
1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	35
19	42	85	101	126	133	138	153	130	130	91	69	33	9	8	1	-	-	36
6	11	37	45	53	63	65	66	67	75	49	30	15	3	4	1	-	-	37
10	30	41	48	69	62	68	86	60	54	41	36	18	5	3	-	-	-	38
-	-	3	4	2	1	1	-	1	1	-	-	-	1	1	-	-	-	39
3	1	4	3	2	7	2	1	2	-	1	3	-	-	-	-	-	-	40
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
-	4	2	8	15	24	47	100	243	366	469	387	199	51	16	1	-	1	43
-	2	1	6	9	12	23	61	138	207	299	215	108	24	7	-	-	-	44
-	1	-	1	4	8	18	33	97	154	165	167	88	26	8	1	-	1	45
-	-	-	1	-	4	3	4	5	3	2	5	2	1	-	-	-	-	46
-	1	1	-	2	-	3	2	3	1	4	2	1	-	1	-	-	-	47
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
29	29	24	17	9	8	9	5	7	9	6	7	6	1	-	-	-	-	50
17	15	14	11	4	5	6	2	4	4	3	3	5	1	-	-	-	-	51
11	9	10	4	4	1	1	3	1	4	3	3	-	-	-	-	-	-	52
1	4	-	1	-	1	1	-	2	1	-	1	1	-	-	-	-	-	53
-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
207	246	238	211	171	150	129	116	89	87	66	33	32	6	3	2	-	1	57
102	107	101	88	77	58	54	64	46	47	35	22	15	1	2	-	-	-	58
63	86	77	61	51	43	41	35	31	27	28	7	10	3	-	-	-	1	59
24	34	44	29	28	32	20	13	5	9	-	4	4	2	-	-	-	-	60
17	16	15	10	15	11	14	4	7	4	3	-	3	-	1	2	-	-	61
-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	1	1	-	1	-	-	2	1	2	1	4	1	-	-	-	64
-	-	-	1	-	-	-	-	-	1	1	2	1	2	1	-	-	-	65
-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	1	-	-	1	2	2	2	4	12	18	14	14	7	1	1	-	-	71
-	-	-	-	-	1	1	-	2	6	8	5	6	4	1	1	-	-	72
-	1	-	-	1	1	1	1	2	2	7	8	5	3	-	-	-	-	73
-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	1	-	-	-	1	4	-	2	2	3	4	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	79
-	-	-	-	-	-	-	3	-	1	-	2	2	-	-	-	-	-	80
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	81
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
16	12	17	17	14	18	24	24	33	27	19	18	10	5	2	-	-	-	85
9	7	7	13	10	12	18	11	12	13	8	10	5	1	2	-	-	-	86
3	3	6	3	4	5	4	9	16	13	10	8	2	4	-	-	-	-	87
2	2	3	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	88
2	-	1	1	-	1	2	2	4	-	1	-	2	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
108	107	138	170	211	239	313	377	480	442	369	327	200	117	37	13	3	6	92
44	49	74	80	93	128	157	199	272	219	193	159	86	45	19	3	1	3	93
40	42	45	64	74	77	102	134	152	163	129	137	88	61	17	6	-	2	94
11	5	11	11	19	22	32	23	23	35	22	16	9	3	-	1	-	1	95
9	10	8	14	24	12	21	21	31	24	24	12	16	8	-	3	2	-	96
2	1	-	1	1	-	1	-	-	1	1	1	1	-	1	-	-	-	97
-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		VII. Diseases of the circulatory system	588,323	176	95	47	48	55	421	412	587	861
2		White--Male	315,224	87	33	17	19	21	177	146	205	331
3		White--Female	218,822	56	35	18	18	21	148	162	251	304
4		Negro--Male	28,047	13	18	8	5	5	49	42	53	100
5		Negro--Female	24,868	15	9	4	6	8	42	56	72	114
6		Other--Male	979	2	-	-	-	-	2	3	1	7
7		Other--Female	383	3	-	-	-	-	3	3	5	5
8	400-402	Rheumatic fever	1,924	19	11	5	13	16	64	193	253	200
9		White--Male	779	7	3	1	2	4	17	58	90	75
10		White--Female	787	3	1	2	7	7	20	80	104	69
11		Negro--Male	162	4	5	1	3	-	13	22	21	30
12		Negro--Female	177	4	2	1	1	5	13	30	38	21
13		Other--Male	8	1	-	-	-	-	1	1	-	3
14		Other--Female	11	-	-	-	-	-	-	2	2	2
15	410-443	Diseases of heart	535,705	109	69	31	32	34	275	198	309	594
16		White--Male	290,701	57	22	11	17	16	123	78	112	239
17		White--Female	196,231	36	29	12	8	11	96	72	128	202
18		Negro--Male	25,272	7	12	6	2	5	32	19	30	63
19		Negro--Female	22,271	9	6	2	5	2	24	26	35	83
20		Other--Male	902	-	-	-	-	-	-	2	1	4
21		Other--Female	528	-	-	-	-	-	-	1	3	3
22	410-416	Chronic rheumatic heart disease	20,392	...	4	1	6	8	19	86	184	284
23		White--Male	9,317	...	1	-	1	3	5	29	65	111
24		White--Female	9,076	...	2	1	2	1	6	28	78	107
25		Negro--Male	977	...	1	-	-	3	4	12	18	28
26		Negro--Female	968	...	-	-	3	1	4	15	21	35
27		Other--Male	35	...	-	-	-	-	-	1	-	1
28		Other--Female	19	...	-	-	-	-	-	1	2	2
29	410	Diseases of mitral valve	8,867	...	2	-	1	1	4	16	37	59
30		White--Male	3,873	...	-	-	-	-	-	7	11	17
31		White--Female	3,730	...	2	-	1	-	3	7	16	30
32		Negro--Male	512	...	-	-	-	1	1	-	3	3
33		Negro--Female	520	...	-	-	-	-	-	2	5	7
34		Other--Male	19	...	-	-	-	-	-	-	-	-
35		Other--Female	13	...	-	-	-	-	-	-	2	2
36	411	Diseases of aortic valve specified as rheumatic	836	...	-	-	-	-	-	3	3	2
37		White--Male	573	...	-	-	-	-	-	2	1	1
38		White--Female	220	...	-	-	-	-	-	1	1	1
39		Negro--Male	27	...	-	-	-	-	-	-	1	-
40		Negro--Female	14	...	-	-	-	-	-	-	-	-
41		Other--Male	2	...	-	-	-	-	-	-	-	-
42		Other--Female	-	...	-	-	-	-	-	-	-	-
43	412	Diseases of tricuspid valve	26	...	-	-	-	-	-	-	1	-
44		White--Male	16	...	-	-	-	-	-	-	-	-
45		White--Female	9	...	-	-	-	-	-	-	1	-
46		Negro--Male	-	...	-	-	-	-	-	-	-	-
47		Negro--Female	1	...	-	-	-	-	-	-	-	-
48		Other--Male	-	...	-	-	-	-	-	-	-	-
49		Other--Female	-	...	-	-	-	-	-	-	-	-
50	413,414	Diseases of pulmonary valve, etc.,* specified as rheumatic	1,284	...	1	-	-	1	2	7	20	19
51		White--Male	597	...	1	-	-	1	2	3	8	9
52		White--Female	610	...	-	-	-	-	-	2	9	6
53		Negro--Male	46	...	-	-	-	-	-	1	1	2
54		Negro--Female	30	...	-	-	-	-	-	1	2	2
55		Other--Male	1	...	-	-	-	-	-	-	-	-
56		Other--Female	-	...	-	-	-	-	-	-	-	-
57	415,416	Other diseases of heart specified as rheumatic	9,579	...	1	1	5	6	13	60	123	204
58		White--Male	4,258	...	-	-	1	2	3	17	45	84
59		White--Female	4,507	...	-	1	1	1	3	18	51	70
60		Negro--Male	392	...	1	-	-	2	3	11	13	23
61		Negro--Female	403	...	-	-	3	1	4	12	14	26
62		Other--Male	13	...	-	-	-	-	-	1	-	1
63		Other--Female	6	...	-	-	-	-	-	1	-	-
64	420	Arteriosclerotic heart disease, including coronary disease	321,003	39	6	3	3	4	55	15	15	85
65		White--Male	197,338	22	3	2	2	3	32	6	5	36
66		White--Female	105,795	12	1	1	1	-	15	7	6	28
67		Negro--Male	10,019	4	2	-	-	-	6	1	3	13
68		Negro--Female	7,226	1	-	-	-	1	2	1	1	6
69		Other--Male	507	-	-	-	-	-	-	-	-	2
70		Other--Female	118	-	-	-	-	-	-	-	-	-
71	420.0	Arteriosclerotic heart disease so described	101,171	6	-	1	-	1	8	1	-	12
72		White--Male	52,849	5	-	1	-	1	7	1	-	3
73		White--Female	42,168	1	-	-	-	-	1	-	-	8
74		Negro--Male	3,260	-	-	-	-	-	-	-	-	1
75		Negro--Female	2,699	-	-	-	-	-	-	-	-	-
76		Other--Male	154	-	-	-	-	-	-	-	-	-
77		Other--Female	41	-	-	-	-	-	-	-	-	-
78	420.1	Heart disease specified as involving coronary arteries	217,518	33	6	2	3	3	47	13	13	73
79		White--Male	143,074	17	3	1	2	2	25	5	4	33
80		White--Female	62,949	11	1	1	1	-	14	7	6	20
81		Negro--Male	6,636	4	2	-	-	-	6	-	2	12
82		Negro--Female	4,433	1	-	-	-	1	2	1	1	6
83		Other--Male	350	-	-	-	-	-	-	-	-	2
84		Other--Female	76	-	-	-	-	-	-	-	-	-
85	420.2	Angina pectoris without mention of coronary disease	2,314	-	-	-	-	-	-	1	2	-
86		White--Male	1,415	-	-	-	-	-	-	-	1	-
87		White--Female	678	-	-	-	-	-	-	-	-	-
88		Negro--Male	123	-	-	-	-	-	-	1	1	-
89		Negro--Female	94	-	-	-	-	-	-	-	-	-
90		Other--Male	3	-	-	-	-	-	-	-	-	-
91		Other--Female	1	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,201	2,067	3,563	7,076	13,390	21,857	34,488	48,544	64,194	79,134	86,377	86,581	72,357	42,826	17,479	3,766	683	479	1
414	839	1,589	3,591	7,667	13,251	21,205	30,501	39,115	45,385	46,354	43,433	34,036	18,604	6,748	1,260	153	220	2
463	690	1,026	1,701	2,637	4,531	7,393	11,682	18,269	26,443	34,059	38,484	35,324	22,541	9,966	2,140	277	131	3
151	220	447	828	1,417	2,027	3,179	3,472	3,628	3,941	3,098	2,469	1,545	770	327	147	83	74	4
182	308	485	934	1,423	1,947	2,803	2,762	3,036	3,164	2,677	2,035	1,337	860	418	200	165	50	5
5	4	10	14	30	55	81	97	122	147	146	117	78	31	11	15	1	2	6
6	6	8	8	16	26	27	30	24	54	43	43	37	20	9	4	4	2	7
128	173	183	215	206	65	40	46	48	43	27	18	11	7	3	1	-	-	8
46	73	77	94	96	28	17	27	29	25	13	6	4	3	1	-	-	-	9
58	68	82	100	86	21	14	15	17	16	13	11	6	4	2	1	-	-	10
5	13	15	11	10	8	4	3	1	2	1	1	1	-	-	-	-	-	11
18	17	7	10	11	7	5	1	1	-	-	-	-	-	-	-	-	-	12
-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	13
1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	14
900	1,633	2,988	6,230	12,298	20,691	32,842	46,418	61,022	74,731	80,089	78,365	62,909	35,675	13,776	2,842	497	433	15
326	699	1,398	3,296	7,240	12,753	20,438	29,416	37,435	43,095	43,152	39,422	29,568	15,349	5,317	931	111	203	16
320	513	815	1,422	2,512	4,222	6,946	11,071	17,313	24,935	31,533	34,757	30,737	18,876	7,832	1,620	194	115	17
111	178	368	703	1,264	1,851	2,956	3,243	3,341	3,607	2,789	2,181	1,351	664	269	121	66	67	18
135	238	394	791	1,246	1,777	2,402	2,570	2,794	2,903	2,444	1,856	1,151	739	340	157	122	44	19
4	3	9	11	24	54	76	92	119	142	131	108	71	29	9	10	1	2	20
4	2	6	7	12	24	24	26	20	49	40	41	31	18	9	3	3	2	21
407	615	890	1,262	1,639	2,006	2,060	2,221	2,089	1,915	1,546	1,411	984	550	177	36	13	18	22
152	268	417	552	744	906	953	1,074	1,008	929	745	647	420	201	63	18	1	9	23
175	262	364	563	732	913	922	965	891	823	679	655	485	310	96	14	3	5	24
33	32	54	60	84	88	89	96	105	84	61	54	50	14	6	1	2	2	25
48	51	51	86	76	92	90	82	63	75	54	51	27	25	12	3	7	2	26
-	2	4	-	1	6	5	3	1	3	3	4	1	-	-	-	-	-	27
1	-	-	1	2	1	1	1	1	1	4	-	1	-	-	-	-	-	28
118	182	281	418	522	692	722	854	864	899	858	857	676	412	144	33	11	8	29
46	81	114	177	228	294	316	386	416	427	418	398	300	155	58	17	1	6	30
53	77	134	198	232	308	305	351	341	356	333	372	307	221	71	13	1	1	31
8	9	12	18	31	38	45	60	62	62	53	44	44	12	3	1	2	1	32
10	15	18	25	31	46	54	56	43	53	47	39	24	24	12	2	7	-	33
-	-	3	-	-	5	1	1	1	-	3	4	1	-	-	-	-	-	34
1	-	-	-	-	1	1	-	1	1	4	-	-	-	-	-	-	-	35
11	17	29	51	62	88	109	143	125	90	45	34	10	8	4	-	-	2	38
5	11	23	39	46	63	80	105	84	60	24	18	4	4	-	-	-	1	37
4	6	4	6	9	16	22	33	37	29	20	14	6	4	4	-	-	1	38
2	-	2	2	2	5	6	3	2	-	1	1	-	-	-	-	-	-	39
-	-	-	4	3	2	1	1	2	-	-	1	-	-	-	-	-	-	40
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	1	-	-	1	3	2	4	2	5	3	1	2	1	-	-	-	-	43
-	-	-	-	1	2	1	3	2	3	2	1	1	-	-	-	-	-	44
-	-	-	-	-	1	1	1	-	2	1	-	1	1	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
26	50	46	86	107	140	131	148	129	105	98	85	62	18	6	-	-	1	50
10	20	24	35	45	63	68	73	73	57	44	38	19	3	2	-	-	1	51
13	25	21	39	56	65	56	70	47	44	54	44	41	14	4	-	-	-	52
-	2	-	5	4	8	5	5	6	3	-	1	2	1	-	-	-	-	53
3	3	-	7	2	4	2	-	3	1	-	-	-	-	-	-	-	-	54
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
252	365	534	707	947	1,083	1,096	1,072	949	816	542	436	234	111	23	3	2	7	57
91	156	256	301	422	484	488	507	433	382	257	192	96	39	3	1	-	1	58
105	154	205	320	435	521	538	510	466	392	271	225	130	70	17	1	2	3	59
23	21	40	35	47	37	33	28	35	19	7	8	4	1	3	-	-	1	60
33	32	33	50	40	40	33	25	15	21	7	11	3	1	-	1	-	2	61
-	2	-	-	1	1	4	1	-	2	-	-	-	-	-	-	-	-	62
-	-	-	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	63
150	444	1,088	2,985	7,023	12,807	21,192	30,861	40,588	48,595	49,890	45,847	33,602	17,717	6,414	1,184	207	239	64
67	249	694	2,116	5,274	9,647	15,670	22,359	27,679	30,830	29,257	24,879	16,997	8,144	2,620	398	51	129	65
44	97	181	412	871	1,780	3,464	6,213	10,284	15,197	18,616	19,386	15,680	9,068	3,604	689	87	66	66
23	52	121	284	499	781	1,228	1,377	1,367	1,453	1,089	855	478	221	87	48	27	26	67
14	46	87	186	356	555	785	851	975	1,004	638	656	409	255	97	45	41	16	68
-	-	4	5	18	34	38	50	72	93	76	56	31	19	3	4	1	1	69
2	-	1	3	5	10	7	11	11	18	14	15	7	10	3	-	-	1	70
4	15	40	178	564	1,330	3,078	5,720	9,633	13,855	17,284	18,768	16,169	9,735	3,830	740	119	88	71
1	11	22	116	369	854	1,985	3,586	5,805	7,858	9,291	9,419	7,592	4,174	1,462	237	33	43	72
2	3	10	30	88	243	639	1,486	2,973	4,996	7,041	8,541	8,050	5,279	2,253	447	50	28	73
1	-	5	20	58	124	258	370	469	552	509	420	259	114	49	31	10	10	74
-	1	3	12	47	104	193	264	370	428	404	349	249	155	63	24	26	7	75
-	-	-	-	1	4	2	14	13	31	31	32	15	8	2	1	-	-	76
-	-	-	-	1	1	1	-	3	10	8	7	4	5	1	-	-	-	77
143	424	1,027	2,781	6,398	11,374	17,939	24,918	30,696	34,359	32,225	26,745	17,243	7,886	2,556	434	86	148	78
66	236	661	1,983	4,886	8,715	13,565	18,610	21,993	22,754	19,731	15,260	9,307	3,932	1,145	160	17	86	79
41	93	169	378	770	1,523	2,802	4,694	7,251	10,088	11,449	10,708	7,549	3,738	1,337	236	37	38	80
22	51	112	242	437	649	956	992	881	885	565	423	215	102	37	17	16	14	81
12	44	82	169	305	448	574	575	594	562	429	302	153	98	34	18	15	8	82
-	-	3	5	16	30	36	36	59	62	45	24	16	11	1	2	1	1	83
2	-	-	3	4	9	6	11	8	8	6	8	3	5	2	-	-	1	84
3	5	21	26	61	103	175	223	269	381	381	334	190	96	28	10	2	3	85
-	2	11	16	39	78	120	163	181	238	235	180	98	38	13	1	1	-	86
1	1	2	3	13	14	23	33	60	113	126	137	81	51	14	6	-	-	87
-	1	4	2	4	8	14	15	17	16	15	12	4	5	1	-	1	2	88
2	1	2	5	4	3	18	12	11	14	5	5	7	2	-	2	-	1	89
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	90
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
1	421	Chronic endocarditis not specified as rheumatic	10,107	...	4	3	-	1	8	8	16	25
2		White--Male	4,644	...	2	1	-	-	3	4	6	13
3		Female	3,806	...	-	1	-	1	2	2	8	8
4		Negro--Male	885	...	1	1	-	-	2	1	-	2
5		Female	753	...	1	-	-	-	1	1	2	2
6		Other--Male	13	...	-	-	-	-	-	-	-	-
7		Female	6	...	-	-	-	-	-	-	-	-
8	421.0	Of mitral valve, specified as nonrheumatic	226	...	-	-	-	-	-	-	1	-
9		White--Male	113	...	-	-	-	-	-	-	-	-
10		Female	91	...	-	-	-	-	-	-	1	-
11		Negro--Male	10	...	-	-	-	-	-	-	-	-
12		Female	11	...	-	-	-	-	-	-	-	-
13		Other--Male	1	...	-	-	-	-	-	-	-	-
14		Female	-	...	-	-	-	-	-	-	-	-
15	421.1	Of aortic valve, not specified as rheumatic	1,905	...	1	-	-	-	1	1	1	5
16		White--Male	993	...	-	-	-	-	-	-	1	5
17		Female	515	...	-	-	-	-	-	-	-	-
18		Negro--Male	244	...	1	-	-	-	1	-	-	-
19		Female	151	...	-	-	-	-	-	1	-	-
20		Other--Male	-	...	-	-	-	-	-	-	-	-
21		Female	2	...	-	-	-	-	-	-	-	-
22	421.2-421.4	Of other valves, not specified as rheumatic	7,976	...	3	3	-	1	7	7	14	20
23		White--Male	3,538	...	2	1	-	-	3	4	5	8
24		Female	3,200	...	-	1	-	1	2	2	7	8
25		Negro--Male	631	...	-	1	-	-	1	1	-	2
26		Female	591	...	1	-	-	-	1	-	2	2
27		Other--Male	12	...	-	-	-	-	-	-	-	-
28		Female	4	...	-	-	-	-	-	-	-	-
29	422	Other myocardial degeneration	75,052	...	11	8	5	7	31	16	29	75
30		White--Male	35,103	...	2	2	2	5	11	7	9	30
31		Female	32,735	...	3	3	2	2	10	7	13	22
32		Negro--Male	3,684	...	4	2	1	-	7	-	3	5
33		Female	3,343	...	2	1	-	-	3	2	3	17
34		Other--Male	118	...	-	-	-	-	-	-	1	1
35		Female	69	...	-	-	-	-	-	-	-	-
36	422.1	With arteriosclerosis	34,847	...	-	-	-	-	-	2	1	6
37		White--Male	15,966	...	-	-	-	-	-	1	1	2
38		Female	16,288	...	-	-	-	-	-	1	-	4
39		Negro--Male	1,341	...	-	-	-	-	-	-	-	-
40		Female	1,176	...	-	-	-	-	-	-	-	-
41		Other--Male	47	...	-	-	-	-	-	-	-	-
42		Female	27	...	-	-	-	-	-	-	-	-
43	422.0,422.2	Without mention of arteriosclerosis	40,205	...	11	8	5	7	31	14	28	69
44		White--Male	19,137	...	2	2	2	5	11	6	8	28
45		Female	16,447	...	3	3	2	2	10	6	13	18
46		Negro--Male	2,343	...	4	2	1	-	7	-	3	5
47		Female	2,165	...	2	1	-	-	3	2	3	17
48		Other--Male	71	...	-	-	-	-	-	-	1	1
49		Female	42	...	-	-	-	-	-	-	-	-
50	430-434	Other diseases of heart	23,958	70	42	16	18	14	160	69	59	103
51		White--Male	12,137	35	14	6	12	5	72	30	25	45
52		Female	7,624	24	23	6	3	7	63	26	20	30
53		Negro--Male	2,275	3	3	3	1	2	12	5	5	12
54		Female	1,834	8	2	1	2	-	13	7	8	15
55		Other--Male	57	-	-	-	-	-	-	1	-	-
56		Female	31	-	-	-	-	-	-	-	1	1
57	430	Acute and subacute endocarditis	1,004	11	3	1	5	1	21	11	15	24
58		White--Male	510	4	2	1	4	1	12	4	7	8
59		Female	307	4	1	-	1	-	6	4	7	12
60		Negro--Male	89	-	-	-	-	-	-	1	-	1
61		Female	95	3	-	-	-	-	3	2	1	2
62		Other--Male	1	-	-	-	-	-	-	-	-	-
63		Female	2	-	-	-	-	-	-	-	-	1
64	431	Acute myocarditis not specified as rheumatic	3,114	29	12	2	2	3	48	19	7	19
65		White--Male	1,346	18	4	1	2	-	25	11	3	10
66		Female	1,104	7	6	-	-	2	15	7	1	3
67		Negro--Male	321	1	1	-	-	1	3	-	1	2
68		Female	336	3	1	1	-	-	5	1	2	4
69		Other--Male	2	-	-	-	-	-	-	-	-	-
70		Female	5	-	-	-	-	-	-	-	-	-
71	432	Acute pericarditis specified as nonrheumatic	52	5	1	-	-	2	8	1	-	-
72		White--Male	24	1	-	-	-	-	1	-	-	-
73		Female	24	3	1	-	-	2	6	1	-	-
74		Negro--Male	2	-	-	-	-	-	-	-	-	-
75		Female	2	1	-	-	-	-	1	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	433	Functional disease of heart	2,422	18	-	-	1	1	21	2	2	9
79		White--Male	1,170	10	-	-	1	-	11	2	1	7
80		Female	1,124	7	-	-	-	1	8	-	1	1
81		Negro--Male	84	2	-	-	-	-	2	-	-	-
82		Female	59	-	-	-	-	-	-	-	-	1
83		Other--Male	2	-	-	-	-	-	-	-	-	-
84		Female	3	-	-	-	-	-	-	-	-	-
85	434	Other and unspecified diseases of heart	17,366	6	26	13	10	7	62	36	35	51
86		White--Male	9,087	2	8	4	5	4	23	13	14	20
87		Female	5,065	3	15	6	2	2	28	14	11	14
88		Negro--Male	1,799	-	2	3	1	1	7	4	4	9
89		Female	1,342	1	1	-	2	-	4	4	5	8
90		Other--Male	52	-	-	-	-	-	-	1	-	-
91		Female	21	-	-	-	-	-	-	-	1	-
92	440-443	Hypertension with heart disease	85,193	-	2	-	-	-	2	4	6	22
93		White--Male	32,162	-	-	-	-	-	-	2	2	4
94		Female	37,195	-	-	-	-	-	-	2	3	7
95		Negro--Male	7,432	-	1	-	-	-	1	-	1	3
96		Female	8,147	-	1	-	-	-	1	-	-	8
97		Other--Male	172	-	-	-	-	-	-	-	-	-
98		Female	65	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
35	58	82	157	228	373	514	731	986	1,337	1,487	1,574	1,321	811	278	72	13	13	1
6	17	21	65	88	155	219	387	485	652	728	718	618	322	109	24	1	5	2
15	18	24	34	64	91	131	171	276	442	563	709	606	426	152	38	-	4	3
8	9	9	29	36	56	89	97	123	144	93	71	59	36	10	6	3	2	4
6	13	8	30	40	69	73	74	101	98	81	73	34	25	7	4	9	2	5
-	-	-	1	-	1	2	2	1	-	2	2	1	1	-	-	-	-	6
-	1	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	7
2	3	-	6	5	7	15	17	18	38	37	40	22	11	3	1	-	-	8
1	-	-	4	3	2	8	10	11	18	22	20	7	6	-	-	-	-	9
-	1	-	1	2	4	3	5	7	12	15	18	13	5	3	1	-	-	10
-	2	-	-	-	-	1	2	-	3	-	1	1	-	-	-	-	-	11
1	-	-	1	-	1	1	-	-	5	-	1	1	-	-	-	-	-	12
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
5	10	13	44	61	113	144	198	241	280	253	233	180	87	27	4	3	1	15
1	5	4	24	30	58	76	121	148	150	146	99	82	31	11	2	-	1	16
2	-	2	3	12	14	22	33	41	72	76	106	77	42	13	-	-	-	17
2	2	3	9	13	23	29	26	32	36	23	16	15	10	2	1	1	-	18
-	3	4	8	6	18	17	18	22	21	8	12	6	3	1	1	2	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	21
28	45	49	107	162	253	355	516	727	1,019	1,197	1,301	1,119	713	248	67	10	12	22
4	12	17	35	55	95	134	256	328	484	560	599	529	285	98	22	1	4	23
13	17	22	30	50	73	106	133	228	358	492	585	518	379	136	37	-	4	24
6	5	6	20	23	33	59	69	91	105	70	54	43	28	8	5	2	2	25
5	10	4	21	34	50	55	56	79	72	73	60	27	22	6	3	7	2	26
-	-	-	1	-	1	1	2	1	-	2	2	1	1	-	-	-	-	27
-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	28
72	128	214	419	786	1,298	2,129	3,410	5,357	7,841	10,742	13,231	13,971	9,624	4,455	1,037	149	50	29
19	36	61	163	323	615	1,000	1,721	2,808	4,159	5,395	6,383	6,283	4,033	1,665	337	39	26	30
30	40	65	99	193	315	516	965	1,650	2,867	4,434	6,069	7,105	5,236	2,603	609	77	10	31
8	23	50	65	118	190	365	378	488	548	448	391	313	161	73	31	9	10	32
14	29	38	89	148	164	244	331	392	446	441	374	235	167	106	53	23	4	33
-	-	-	3	3	1	3	10	17	8	19	21	20	3	3	5	-	-	34
1	-	-	-	1	3	1	5	2	13	5	13	15	4	3	2	1	-	35
5	12	28	46	119	234	510	918	1,902	3,194	5,085	6,738	7,673	5,286	2,455	539	60	24	36
-	3	6	13	39	90	211	444	946	1,615	2,551	3,268	3,435	2,240	898	174	16	13	37
1	6	6	6	25	45	121	262	622	1,183	2,159	3,120	3,976	2,904	1,482	327	33	5	38
1	2	8	9	22	53	106	113	185	219	189	167	150	77	20	12	4	4	39
3	1	8	17	33	46	70	95	141	168	174	163	101	73	53	23	7	2	40
-	-	-	1	-	-	2	2	7	3	11	11	6	-	2	2	-	-	41
-	-	-	-	-	-	-	2	1	6	1	9	5	2	-	1	-	-	42
67	116	186	373	667	1,094	1,619	2,492	3,455	4,647	5,857	6,493	6,298	4,328	1,998	498	89	26	43
19	33	55	150	284	525	789	1,277	1,862	2,544	2,844	3,095	2,848	1,793	767	163	23	13	44
29	34	59	93	168	270	395	703	1,028	1,484	2,275	2,949	3,129	2,532	1,121	282	44	5	45
7	21	42	56	95	137	259	265	303	329	259	224	163	84	53	19	5	6	46
11	28	30	72	115	118	174	236	251	278	267	211	134	114	53	30	16	2	47
-	-	-	2	3	1	1	8	10	5	8	10	14	3	1	3	-	-	48
1	-	-	-	1	3	1	3	1	7	4	4	10	2	3	1	1	-	49
168	241	340	535	800	1,127	1,642	2,054	2,638	3,094	3,113	3,092	2,458	1,462	581	161	25	36	50
61	94	122	227	360	539	836	1,098	1,492	1,652	1,723	1,588	1,182	684	244	63	5	15	51
40	56	98	122	168	241	311	451	687	905	1,019	1,183	1,122	698	291	79	7	7	52
26	32	49	87	159	185	266	294	259	304	224	186	75	55	21	6	7	8	53
38	58	67	97	112	156	219	204	197	219	139	122	77	40	24	12	6	5	54
3	-	1	1	-	3	5	6	3	12	6	9	2	4	1	-	-	-	55
-	1	3	1	1	3	5	1	-	2	3	4	2	1	-	1	-	1	56
31	30	56	60	65	83	103	98	114	89	77	77	30	14	4	1	1	1	57
17	9	22	29	29	48	56	53	70	45	41	39	15	4	1	1	-	-	58
7	14	21	18	17	16	24	29	29	27	24	28	14	8	2	-	-	-	59
1	1	6	7	11	11	8	10	7	10	6	5	-	2	-	-	1	1	60
6	6	7	5	8	7	15	6	8	6	6	5	1	-	1	-	-	-	61
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	63
29	34	44	69	89	138	176	260	297	377	391	408	355	231	92	25	1	5	64
12	18	15	28	34	48	58	108	125	175	192	176	158	96	41	11	-	2	65
10	8	12	15	16	34	44	59	92	114	143	181	172	119	43	13	-	3	66
4	2	3	10	20	25	36	53	33	49	29	25	13	8	4	-	1	-	67
3	6	13	16	18	31	37	40	47	38	26	25	12	7	4	1	-	-	68
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	69
-	-	1	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	70
-	-	2	3	3	3	7	2	6	5	4	6	1	1	-	-	-	-	71
-	-	1	1	2	2	2	1	5	2	3	4	-	-	-	-	-	-	72
-	-	1	1	1	1	3	1	1	3	1	2	1	1	-	-	-	-	73
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
5	13	26	27	59	89	124	169	285	335	373	378	275	168	65	14	3	-	78
-	4	11	11	30	45	63	91	129	166	191	184	117	74	27	5	1	-	79
4	7	11	12	20	32	50	67	121	149	169	183	150	93	36	8	2	-	80
-	-	2	3	3	6	6	8	8	8	4	7	5	1	1	-	-	-	81
1	2	2	1	6	5	4	2	6	12	9	3	3	-	1	1	-	-	82
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	84
103	164	212	378	584	814	1,232	1,525	1,956	2,289	2,268	2,223	1,787	1,048	420	121	20	30	85
32	63	73	158	265	396	657	845	1,163	1,264	1,296	1,185	892	480	175	46	4	13	86
19	27	53	78	114	158	190	295	444	612	682	789	785	477	210	58	5	4	87
21	29	38	66	125	143	215	223	211	237	185	149	55	44	16	8	5	7	88
28	44	45	75	80	113	162	156	136	163	97	89	61	33	18	10	6	5	89
3	-	1	-	-	2	5	6	2	11	6	9	2	3	1	-	-	-	90
-	1	2	1	-	2	3	-	-	2	2	2	2	1	-	1	-	1	91
88	147	394	872	1,822	3,080	5,305	7,141	9,384	11,949	13,311	13,210	10,573	5,511	1,873	352	90	77	92
21	35	83	176	451	891	1,760	2,777	3,783	4,873	5,304	5,227	4,088	1,985	616	91	14	19	93
16	40	83	192	484	882	1,802	2,306	3,525	4,901	6,202	6,755	5,737	3,138	1,086	191	20	23	94
13	30	83	198	368	551	919	1,001	999	1,074	874	624	378	177	72	29	18	19	95
17	41	143	303	514	741	991	1,028	1,066	1,061	892	580	369	207	94	40	36	15	96
1	1	-	1	2	9	23	21	25	26	25	16	16	2	2	1	-	1	97
-	-	2	2	3	6	10	8	6	14	14	8	5	2	3	-	2	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Hypertension with heart disease—Continued										
1	442	Hypertensive heart disease with arteriolar nephrosclerosis--	25,449	-	1	-	-	-	1	2	4	9
2		White--------Male----	10,646	-	-	-	-	-	-	2	1	2
3		Female--	10,203	-	-	-	-	-	-	-	2	2
4		Negro--------Male----	2,343	-	1	-	-	-	1	-	1	-
5		Female--	2,181	-	-	-	-	-	-	-	-	5
6		Other--------Male----	49	-	-	-	-	-	-	-	-	-
7		Female--	27	-	-	-	-	-	-	-	-	-
8	440,441,443	Essential hypertension with heart disease, etc.*----------	59,744	-	1	-	-	-	1	2	2	13
9		White--------Male----	21,516	-	-	-	-	-	-	-	1	2
10		Female--	26,992	-	-	-	-	-	-	2	1	5
11		Negro--------Male----	5,089	-	-	-	-	-	-	-	-	3
12		Female--	5,966	-	1	-	-	-	1	-	-	3
13		Other--------Male----	123	-	-	-	-	-	-	-	-	-
14		Female--	58	-	-	-	-	-	-	-	-	-
15	444-447	Hypertension without mention of heart----------	12,563	-	1	-	-	-	1	1	3	9
16		White--------Male----	5,244	-	-	-	-	-	-	1	1	3
17		Female--	5,008	-	1	-	-	-	1	-	2	4
18		Negro--------Male----	1,121	-	-	-	-	-	-	-	-	1
19		Female--	1,161	-	-	-	-	-	-	-	-	1
20		Other--------Male----	16	-	-	-	-	-	-	-	-	-
21		Female--	13	-	-	-	-	-	-	-	-	-
22	446	Hypertension with arteriolar nephrosclerosis, etc.*----------	6,000	-	1	-	-	-	1	-	1	5
23		White--------Male----	2,787	-	-	-	-	-	-	-	-	1
24		Female--	2,258	-	1	-	-	-	1	-	1	2
25		Negro--------Male----	506	-	-	-	-	-	-	-	-	1
26		Female--	436	-	-	-	-	-	-	-	-	1
27		Other--------Male----	10	-	-	-	-	-	-	-	-	-
28		Female--	3	-	-	-	-	-	-	-	-	-
29	444,445,447	Essential hypertension, other hypertensive disease, etc.*---	6,563	-	-	-	-	-	-	1	2	4
30		White--------Male----	2,457	-	-	-	-	-	-	1	1	2
31		Female--	2,750	-	-	-	-	-	-	-	1	2
32		Negro--------Male----	615	-	-	-	-	-	-	-	-	-
33		Female--	725	-	-	-	-	-	-	-	-	-
34		Other--------Male----	6	-	-	-	-	-	-	-	-	-
35		Female--	10	-	-	-	-	-	-	-	-	-
36	450-456	Diseases of arteries----------	34,578	7	1	-	1	3	12	14	20	40
37		White--------Male----	16,787	4	-	-	-	1	5	5	2	9
38		Female--	15,363	3	1	-	1	2	7	9	15	24
39		Negro--------Male----	1,281	-	-	-	-	-	-	-	2	2
40		Female--	1,082	-	-	-	-	-	-	-	1	5
41		Other--------Male----	44	-	-	-	-	-	-	-	-	-
42		Female--	21	-	-	-	-	-	-	-	-	-
43	450	General arteriosclerosis----------	30,734	-	-	-	-	-	-	-	-	-
44		White--------Male----	14,567	-	-	-	-	-	-	-	-	-
45		Female--	14,146	-	-	-	-	-	-	-	-	-
46		Negro--------Male----	1,071	-	-	-	-	-	-	-	-	-
47		Female--	894	-	-	-	-	-	-	-	-	-
48		Other--------Male----	38	-	-	-	-	-	-	-	-	-
49		Female--	18	-	-	-	-	-	-	-	-	-
50	451	Aortic aneurysm specified as nonsyphilitic, etc.*----------	1,826	-	-	-	-	-	-	1	1	2
51		White--------Male----	1,233	-	-	-	-	-	-	1	-	1
52		Female--	424	-	-	-	-	-	-	-	-	1
53		Negro--------Male----	98	-	-	-	-	-	-	-	1	-
54		Female--	65	-	-	-	-	-	-	-	-	-
55		Other--------Male----	5	-	-	-	-	-	-	-	-	-
56		Female--	1	-	-	-	-	-	-	-	-	-
57	455	Gangrene of unspecified cause----------	299	4	-	-	-	-	4	-	1	1
58		White--------Male----	157	1	-	-	-	-	1	-	-	1
59		Female--	90	3	-	-	-	-	3	-	-	-
60		Negro--------Male----	29	-	-	-	-	-	-	-	1	-
61		Female--	25	-	-	-	-	-	-	-	-	-
62		Other--------Male----	-	-	-	-	-	-	-	-	-	-
63		Female--	-	-	-	-	-	-	-	-	-	-
64	452-454,456	Other arterial diseases----------	1,719	3	1	-	1	3	8	13	18	37
65		White--------Male----	830	3	-	-	-	1	4	4	2	7
66		Female--	703	-	1	-	1	2	4	9	15	23
67		Negro--------Male----	63	-	-	-	-	-	-	-	-	2
68		Female--	100	-	-	-	-	-	-	-	1	5
69		Other--------Male----	1	-	-	-	-	-	-	-	-	-
70		Female--	2	-	-	-	-	-	-	-	-	-
71	460-468	Diseases of veins and other diseases of circulatory system----	3,553	41	13	11	2	2	69	6	2	18
72		White--------Male----	1,713	19	8	5	-	-	32	4	-	5
73		Female--	1,433	14	3	4	2	1	24	1	2	5
74		Negro--------Male----	211	2	1	1	-	-	4	1	-	4
75		Female--	177	2	1	1	-	1	5	-	-	4
76		Other--------Male----	9	1	-	-	-	-	1	-	-	-
77		Female--	10	3	-	-	-	-	3	-	-	-
78		VIII. Diseases of the respiratory system----------	60,539	9,739	1,762	735	500	267	13,003	779	385	436
79		White--------Male----	29,433	3,852	689	269	227	107	5,124	313	180	173
80		Female--	20,373	2,937	548	253	164	95	3,997	299	119	140
81		Negro--------Male----	5,614	1,479	287	90	56	31	1,943	79	46	53
82		Female--	4,483	1,220	201	97	41	29	1,588	75	38	59
83		Other--------Male----	352	131	28	14	5	2	180	8	-	4
84		Female--	284	120	29	12	7	3	171	5	2	7
85	470-475	Acute upper respiratory infections----------	781	306	78	46	33	21	484	55	17	16
86		White--------Male----	338	141	28	16	18	9	212	29	6	7
87		Female--	263	77	30	21	6	9	143	17	8	5
88		Negro--------Male----	90	44	7	5	4	2	62	4	2	3
89		Female--	76	36	12	3	5	1	57	2	1	1
90		Other--------Male----	11	4	1	-	-	-	5	3	-	-
91		Female--	5	4	-	1	-	-	5	-	-	-

*For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
27	54	142	300	494	835	1,322	1,746	2,264	3,141	3,728	4,180	3,824	2,265	869	175	39	28	1
8	13	35	62	120	240	465	734	947	1,372	1,670	1,870	1,725	966	342	57	7	8	2
4	17	33	70	134	218	355	488	729	1,132	1,512	1,939	1,856	1,151	455	86	11	9	3
8	10	28	58	107	183	246	280	313	321	314	213	131	71	37	13	6	6	4
9	14	47	109	131	192	246	233	265	303	223	152	105	75	34	18	15	5	5
-	-	-	-	-	-	6	9	9	9	5	5	4	1	-	1	-	-	6
-	-	1	1	2	2	4	2	1	4	4	1	3	1	1	-	-	-	7
41	93	252	572	1,328	2,245	3,985	5,395	7,120	8,808	9,583	9,030	6,749	3,246	1,004	177	51	49	8
13	22	48	114	331	651	1,295	2,043	2,816	3,501	3,634	3,357	2,343	1,019	274	34	7	11	9
12	23	50	122	350	664	1,247	1,818	2,796	3,769	4,690	4,816	3,881	1,967	631	105	9	14	10
7	20	57	140	261	366	673	721	686	753	560	411	247	106	35	16	12	13	11
8	27	96	194	383	549	745	795	801	758	669	428	264	132	60	22	21	10	12
1	1	-	1	2	9	17	12	16	17	20	11	12	1	2	-	-	1	13
-	-	1	1	1	4	6	6	5	10	10	7	2	1	2	-	2	-	14
41	101	213	350	525	578	759	800	1,048	1,324	1,588	1,785	1,807	1,075	439	88	16	12	15
14	23	57	92	166	221	305	370	453	587	727	769	786	474	165	27	1	2	16
12	27	51	71	134	134	204	224	347	499	676	861	907	546	246	53	6	3	17
7	22	50	84	104	110	127	90	116	126	97	90	53	26	11	1	1	5	18
8	28	54	102	119	113	120	109	129	109	82	64	61	29	17	7	8	2	19
-	-	-	1	-	-	2	4	1	3	4	1	-	-	-	-	-	-	20
-	1	1	-	2	-	1	3	2	1	2	-	-	-	-	-	-	-	21
14	44	86	129	211	239	308	368	499	614	781	902	912	586	259	46	11	4	22
5	12	22	36	67	95	127	174	228	307	398	432	457	296	113	18	1	-	23
4	10	19	28	51	49	76	103	164	212	311	405	410	246	135	26	4	1	24
3	9	20	27	49	50	56	43	53	57	46	40	27	17	5	-	1	2	25
2	13	25	38	44	45	48	44	52	56	25	24	18	7	6	2	5	1	26
-	-	-	-	-	-	1	3	1	2	2	1	-	-	-	-	-	-	27
-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	28
27	57	127	221	314	339	451	432	549	710	807	885	895	509	180	42	5	8	29
9	11	35	56	99	126	178	196	225	280	351	337	329	178	52	9	-	2	30
8	17	32	43	83	85	128	121	183	287	365	456	497	300	111	27	2	2	31
4	13	30	57	55	60	71	47	83	89	51	50	26	9	8	1	-	3	32
6	15	29	64	75	58	72	65	77	72	57	40	43	22	11	5	3	1	33
-	-	-	1	-	-	1	1	-	1	2	-	-	-	-	-	-	-	34
-	1	1	-	2	-	1	2	1	1	1	-	-	-	-	-	-	-	35
87	91	113	161	201	296	557	916	1,645	2,575	4,202	6,062	7,383	5,951	3,222	932	169	29	38
16	29	43	66	87	152	299	511	960	1,437	2,218	3,061	3,553	2,730	1,249	301	41	13	37
50	45	42	59	38	73	157	243	439	799	1,636	2,700	3,560	3,050	1,864	465	77	11	38
4	2	7	15	27	35	66	97	146	191	197	185	137	78	47	25	18	2	39
15	14	21	21	27	35	52	63	97	142	139	107	121	89	60	35	35	3	40
1	1	-	-	2	-	2	1	2	2	11	7	6	2	2	5	-	-	41
1	-	-	-	-	1	1	1	1	4	1	2	6	2	-	1	-	-	42
2	4	9	19	40	94	247	508	1,132	2,085	3,751	5,707	7,141	5,812	3,177	815	163	28	43
-	1	5	10	14	41	117	244	612	1,099	1,925	2,849	3,411	2,662	1,230	295	40	12	44
1	-	-	2	10	17	54	143	314	696	1,498	2,576	3,468	2,985	1,840	455	76	11	45
-	1	-	1	7	17	41	70	120	160	186	173	133	75	46	25	14	2	46
1	1	4	6	8	19	34	49	83	125	131	100	118	86	59	34	33	3	47
-	1	-	-	1	-	-	1	2	2	10	7	5	2	2	5	-	-	48
-	-	-	-	-	-	1	1	1	3	1	2	6	2	-	1	-	-	49
3	9	12	37	54	86	160	232	324	304	292	151	101	45	8	4	1	1	50
2	7	6	17	30	47	103	162	252	233	203	87	56	21	3	1	-	1	51
1	2	3	6	7	19	28	43	54	46	81	63	43	20	5	2	-	-	52
-	-	1	9	9	11	12	17	10	20	5	1	1	1	-	-	-	-	53
-	-	2	5	7	9	15	10	8	4	2	-	-	1	-	1	1	-	54
-	-	-	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	56
-	1	2	5	7	7	9	17	23	39	33	39	43	45	14	6	3	-	57
-	1	1	3	5	2	5	11	7	16	18	21	30	26	7	2	-	-	58
-	-	-	1	1	2	3	3	11	12	7	10	10	18	5	4	-	-	59
-	-	1	1	-	1	1	2	5	4	4	3	2	1	1	-	2	-	60
-	-	-	-	1	2	-	1	-	7	4	5	1	-	1	-	1	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
82	77	90	100	100	109	141	159	166	147	128	165	98	51	23	7	2	-	64
14	20	31	36	38	62	74	94	89	89	72	104	56	21	9	3	1	-	65
48	43	39	50	40	35	52	54	60	45	50	51	39	27	14	4	1	-	66
4	1	5	4	11	6	12	8	11	7	2	8	1	1	-	-	-	-	67
14	13	15	10	11	5	3	3	6	6	2	2	2	2	-	-	-	-	68
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	70
45	69	66	120	160	217	290	364	431	461	471	351	247	118	39	3	1	5	71
12	15	14	43	78	97	146	177	238	241	244	175	125	48	18	1	-	2	72
23	37	36	49	47	81	92	129	153	194	201	155	114	65	22	1	-	2	73
4	5	8	15	12	23	26	39	24	15	14	12	3	2	-	-	-	-	74
8	11	7	10	20	15	24	19	15	11	12	8	4	3	1	1	-	1	75
-	-	1	2	1	1	1	-	-	-	-	1	1	-	-	-	-	-	76
-	1	-	1	2	-	1	-	1	-	-	-	-	-	-	-	1	-	77
517	585	751	1,059	1,498	1,915	2,688	3,459	4,179	5,132	5,794	6,066	5,656	3,931	1,994	513	153	46	78
212	211	264	430	714	991	1,447	2,097	2,570	3,028	3,177	3,094	2,636	1,742	822	157	37	16	79
180	188	227	291	543	380	534	694	916	1,412	1,980	2,537	2,696	1,991	1,060	311	66	12	80
57	82	119	167	249	317	403	408	404	399	330	216	147	98	49	20	21	7	81
84	96	133	162	183	216	288	240	289	265	274	181	154	85	52	24	27	10	82
2	4	6	2	3	7	11	11	16	17	22	30	15	5	7	-	1	1	83
2	4	2	7	6	4	5	9	4	13	11	8	8	10	4	1	1	-	84
5	17	16	13	10	10	13	17	11	16	17	17	11	16	13	5	2	-	85
5	9	6	4	3	4	5	6	6	9	4	3	6	7	5	-	-	-	86
-	3	6	6	3	5	6	7	4	6	8	12	5	7	6	5	1	-	87
-	2	1	1	4	-	1	3	1	-	3	1	-	-	2	-	-	-	88
-	3	2	2	-	-	1	1	-	1	2	-	-	2	-	-	1	-	89
-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VIII. Diseases of the respiratory system—Continued										
1	480-483	Influenza	6,597	734	153	76	42	24	1,029	71	50	60
2		White—Male	2,546	253	55	26	17	7	358	15	16	21
3		Female	2,519	225	51	25	12	12	325	31	14	16
4		Negro—Male	715	134	26	7	9	1	177	12	10	12
5		Female	773	108	15	18	2	4	147	11	8	10
6		Other—Male	26	9	2	-	1	-	12	2	-	-
7		Female	18	5	4	-	1	-	10	-	-	1
8	490-493	Pneumonia, except pneumonia of newborn	40,523	7,702	1,256	477	283	155	9,873	408	242	286
9		White—Male	18,685	2,996	460	181	118	52	3,787	158	117	107
10		Female	14,070	2,316	377	155	94	52	2,994	153	70	84
11		Negro—Male	4,072	1,190	218	68	36	26	1,538	47	29	29
12		Female	3,178	981	154	70	25	21	1,251	44	25	37
13		Other—Male	279	113	23	12	4	2	154	3	-	3
14		Female	239	106	24	11	6	2	149	3	1	6
15	490	Lobar pneumonia	13,639	1,337	244	104	61	40	1,786	133	87	114
16		White—Male	6,507	505	87	26	28	13	659	42	33	44
17		Female	4,267	394	73	35	23	10	535	54	24	36
18		Negro—Male	1,553	213	49	15	4	8	289	22	16	15
19		Female	1,166	173	26	19	5	9	232	15	13	16
20		Other—Male	81	27	6	4	-	-	37	-	-	-
21		Female	65	25	3	5	1	-	34	-	1	3
22	491	Bronchopneumonia	18,983	4,574	729	266	156	80	5,805	193	98	86
23		White—Male	8,566	1,768	266	97	62	27	2,220	76	54	36
24		Female	6,903	1,381	220	77	50	30	1,758	72	28	26
25		Negro—Male	1,765	722	124	42	26	12	926	19	9	10
26		Female	1,405	582	95	40	15	8	740	22	7	11
27		Other—Male	129	62	9	5	1	1	78	2	-	1
28		Female	115	59	15	5	2	2	83	2	-	2
29	492	Primary atypical pneumonia	4,095	676	130	46	30	14	896	34	27	43
30		White—Male	1,877	308	56	16	13	5	398	16	13	17
31		Female	1,635	234	48	23	13	7	325	13	12	18
32		Negro—Male	261	72	14	3	1	2	92	3	2	1
33		Female	193	51	11	4	2	-	68	2	-	6
34		Other—Male	17	5	-	-	1	-	6	-	-	1
35		Female	12	6	1	-	-	-	7	-	-	-
36	493	Pneumonia, other and unspecified	3,906	1,115	153	61	36	21	1,386	48	30	23
37		White—Male	1,635	415	51	22	15	7	510	24	17	10
38		Female	1,265	307	36	20	8	5	376	14	6	4
39		Negro—Male	493	183	31	8	5	4	231	3	2	3
40		Female	414	175	22	7	3	4	211	5	5	4
41		Other—Male	52	19	8	3	2	1	33	1	-	1
42		Female	47	16	5	1	3	-	25	1	-	1
43	500	Acute bronchitis	1,036	330	105	41	32	16	524	25	11	5
44		White—Male	492	157	50	20	18	8	253	17	7	1
45		Female	374	96	38	19	12	5	170	8	2	2
46		Negro—Male	81	36	11	1	2	-	50	-	2	1
47		Female	82	37	4	-	-	3	44	-	-	1
48		Other—Male	3	1	1	1	-	-	3	-	-	-
49		Female	4	3	1	-	-	-	4	-	-	-
50	501,502	Bronchitis, chronic and unqualified	1,953	254	65	35	26	7	387	31	8	2
51		White—Male	1,090	123	28	18	10	4	183	11	6	-
52		Female	658	81	24	9	11	-	125	11	1	1
53		Negro—Male	112	33	8	4	2	2	49	4	1	-
54		Female	84	15	5	3	3	-	26	5	-	1
55		Other—Male	5	2	-	1	-	-	3	-	-	-
56		Female	4	-	-	-	-	1	1	-	-	-
57	510	Hypertrophy of tonsils and adenoids	339	1	5	20	50	30	106	120	14	18
58		White—Male	160	1	1	9	27	19	57	57	3	4
59		Female	129	-	2	8	21	11	42	47	8	9
60		Negro—Male	22	-	1	2	1	-	4	5	-	1
61		Female	27	-	1	1	1	-	3	11	2	4
62		Other—Male	-	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	1	-
64	518,521	Empyema and abscess of lung	797	31	7	-	-	-	38	7	5	10
65		White—Male	472	13	3	-	-	-	16	2	3	3
66		Female	154	9	2	-	-	-	11	4	1	2
67		Negro—Male	122	6	2	-	-	-	8	-	1	4
68		Female	45	3	-	-	-	-	3	-	-	1
69		Other—Male	1	-	-	-	-	-	-	-	-	-
70		Female	3	-	-	-	-	-	-	1	-	-
71	519	Pleurisy	245	11	1	-	-	-	12	-	2	5
72		White—Male	126	5	-	-	-	-	5	-	1	2
73		Female	76	3	-	-	-	-	3	-	1	1
74		Negro—Male	20	-	1	-	-	-	1	-	-	1
75		Female	20	3	-	-	-	-	3	-	-	1
76		Other—Male	2	-	-	-	-	-	-	-	-	-
77		Female	1	-	-	-	-	-	-	-	-	-
78	Residual	All other respiratory diseases	3,268	370	92	40	34	14	550	62	36	54
79		White—Male	5,526	163	44	19	19	8	253	24	19	28
80		Female	2,130	130	24	16	8	6	184	28	14	20
81		Negro—Male	360	36	13	3	2	-	54	7	1	2
82		Female	198	37	10	2	5	-	54	2	2	3
83		Other—Male	25	2	1	-	-	-	3	-	-	1
84		Female	9	2	-	-	-	-	2	1	-	-
85		IX. Diseases of the digestive system	54,699	5,248	652	233	179	101	6,413	299	237	311
86		White—Male	28,801	2,221	254	102	87	48	2,712	129	99	115
87		Female	19,570	1,630	228	85	63	37	2,043	109	91	110
88		Negro—Male	3,361	694	81	25	14	8	822	38	26	45
89		Female	2,507	503	59	17	10	6	595	23	17	36
90		Other—Male	274	107	15	1	2	1	126	-	4	3
91		Female	186	93	13	3	3	1	115	2	-	2
92	530-535	Diseases of teeth and supporting structures	251	2	-	-	1	-	3	5	1	4
93		White—Male	113	-	-	-	-	-	-	2	-	1
94		Female	83	1	-	-	1	-	2	2	1	2
95		Negro—Male	20	-	-	-	-	-	-	-	-	-
96		Female	27	1	-	-	-	-	1	1	-	1
97		Other—Male	2	-	-	-	-	-	-	-	-	-
98		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
49	73	80	95	140	169	247	297	412	518	673	798	849	571	289	94	29	4	1
17	13	21	35	38	66	77	89	170	216	298	354	364	232	118	25	3	-	2
19	28	24	24	29	28	52	92	101	177	253	366	422	299	146	61	12	-	3
4	13	8	15	29	37	49	62	70	61	55	33	28	21	11	2	6	-	4
9	19	26	20	44	38	66	53	69	63	64	40	35	18	15	6	8	4	5
-	-	-	-	-	-	2	1	2	-	2	5	-	-	-	-	-	-	6
-	-	1	1	-	-	1	-	-	1	1	-	-	1	1	-	-	-	7
340	374	463	708	992	1,289	1,662	1,977	2,416	3,121	3,788	4,124	3,946	2,755	1,334	333	101	31	8
144	128	155	269	475	625	822	1,094	1,339	1,687	1,976	2,072	1,838	1,201	550	101	28	12	9
121	112	132	191	223	266	353	436	617	958	1,369	1,738	1,879	1,415	710	189	42	8	10
38	57	85	118	175	214	288	268	276	279	234	159	106	68	31	16	13	4	11
33	69	86	123	111	157	189	163	169	173	184	127	107	57	34	17	16	6	12
2	4	4	2	3	5	7	8	11	13	16	21	10	5	6	-	1	1	13
2	4	1	5	5	2	3	8	4	11	9	7	6	9	3	-	1	-	14
129	166	251	353	500	644	834	891	1,065	1,317	1,421	1,476	1,232	801	355	70	24	10	15
54	57	71	123	259	307	434	508	590	709	761	731	583	353	149	27	9	4	16
44	43	59	89	92	121	141	154	226	393	471	608	554	396	186	32	7	2	17
13	32	47	73	90	129	156	136	151	116	100	75	50	25	8	7	3	-	18
17	31	52	63	55	84	97	85	94	91	80	53	42	22	11	4	5	4	19
1	2	2	2	1	3	4	4	3	7	5	7	1	1	1	-	-	-	20
-	1	-	3	3	-	2	4	1	1	4	2	2	4	-	-	-	-	21
120	129	138	212	303	377	566	714	909	1,197	1,643	1,900	1,987	1,506	717	212	60	11	22
44	45	49	88	136	188	268	378	521	657	867	968	937	660	288	63	15	6	23
44	42	47	62	77	93	134	187	250	376	601	808	960	779	395	131	29	4	24
18	14	22	28	50	50	95	92	76	103	93	58	35	36	15	8	6	-	25
11	26	19	34	36	44	66	53	56	51	73	52	44	26	16	10	7	1	26
1	1	1	-	1	1	3	3	5	4	8	11	7	2	2	-	-	-	27
2	1	-	-	1	1	-	1	1	6	3	3	4	3	1	-	1	-	28
56	45	64	90	116	135	156	226	283	351	426	429	369	208	111	23	6	1	29
29	19	28	40	47	76	82	140	150	202	206	213	167	81	49	1	2	1	30
22	15	16	32	41	31	55	60	100	115	186	198	193	122	57	22	2	-	31
2	3	11	7	19	16	8	16	23	22	21	7	3	3	2	-	-	-	32
3	6	9	11	8	11	11	10	8	12	11	8	6	1	1	-	1	-	33
-	1	-	-	1	-	-	-	2	-	1	3	-	-	1	-	1	-	34
-	1	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	35
35	34	30	53	73	113	106	146	159	256	298	319	358	240	151	28	11	9	36
17	7	7	18	31	54	38	68	78	119	142	160	151	107	64	10	2	1	37
11	12	10	8	13	21	23	35	41	74	111	124	172	118	72	14	4	2	38
5	8	5	10	16	19	29	24	26	38	20	19	18	4	6	1	2	4	39
2	6	6	15	12	18	15	15	11	19	20	14	15	8	6	3	3	1	40
-	-	1	-	-	1	-	1	1	2	4	-	2	2	2	-	-	1	41
-	1	1	2	1	-	1	3	2	4	1	2	-	1	1	-	-	-	42
8	9	12	14	16	12	23	39	29	43	37	61	59	56	43	6	3	1	43
3	2	4	8	4	5	11	22	19	26	21	26	19	22	17	4	1	-	44
3	6	2	3	1	2	7	10	5	11	14	32	36	31	24	2	2	1	45
1	-	3	1	8	2	2	1	2	3	1	1	1	1	1	-	-	-	46
1	1	3	2	3	3	3	6	3	3	1	2	3	2	1	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
6	11	7	17	22	42	68	130	162	205	225	218	181	136	70	18	6	1	50
1	3	2	7	11	23	43	95	123	143	118	117	85	67	40	8	3	-	51
4	5	3	4	8	11	14	24	23	51	85	98	87	63	29	9	1	1	52
1	1	1	3	2	5	3	7	7	6	12	2	4	3	-	-	1	-	53
-	2	1	3	1	2	8	3	8	5	9	-	4	3	1	1	1	-	54
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	55
-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	56
12	12	12	8	9	8	6	5	1	3	1	3	1	-	-	-	-	-	57
3	8	5	5	5	2	2	4	1	2	-	1	1	-	-	-	-	-	58
3	2	5	1	1	3	3	1	-	1	1	2	-	-	-	-	-	-	59
4	1	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	60
2	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
12	16	36	39	51	57	74	101	98	83	67	60	27	14	2	-	-	-	64
4	7	13	15	27	24	47	71	69	55	50	41	17	8	-	-	-	-	65
5	5	9	11	12	7	8	9	14	16	10	15	10	4	1	-	-	-	66
-	3	8	8	7	21	13	19	11	9	5	3	-	2	-	-	-	-	67
3	1	6	4	5	4	6	2	3	3	2	1	-	-	1	-	-	-	68
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	69
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	70
10	2	2	4	12	18	23	23	27	33	18	17	14	16	5	1	1	-	71
3	1	2	1	4	10	11	13	21	18	7	10	8	8	1	-	-	-	72
3	1	-	2	2	1	7	7	5	12	9	5	5	8	4	-	-	-	73
2	-	-	1	3	3	2	2	1	-	1	1	1	-	-	-	1	-	74
2	-	-	-	3	4	2	1	-	3	-	1	-	-	-	-	-	-	75
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	77
75	71	123	161	246	330	572	870	1,023	1,110	968	768	568	367	238	56	11	9	78
32	40	56	86	147	232	429	703	822	870	703	470	297	197	93	19	2	4	79
22	26	46	49	64	57	84	108	147	180	231	269	252	164	140	35	8	2	80
7	5	11	19	20	33	44	46	36	41	19	18	7	3	4	2	-	3	81
14	-	9	7	14	7	13	11	17	14	12	10	5	3	-	-	1	-	82
-	-	1	-	-	1	1	2	1	4	2	3	5	-	1	-	-	-	83
-	-	-	-	1	-	1	-	-	1	1	1	-	2	-	-	-	-	84
456	646	1,130	1,870	2,820	3,816	4,440	5,165	5,878	5,998	5,593	4,397	3,064	1,525	477	93	23	28	85
187	260	475	940	1,542	2,145	2,517	3,061	3,529	3,443	3,009	2,196	1,505	689	197	33	6	12	86
168	220	420	585	818	1,145	1,357	1,604	1,908	2,133	2,288	1,974	1,452	802	265	51	7	10	87
44	79	119	164	245	268	301	340	258	225	173	125	56	17	7	4	3	4	88
56	83	107	172	202	235	239	159	158	170	93	84	44	16	6	5	7	2	89
1	2	4	3	11	14	16	19	20	17	18	12	3	1	-	-	-	-	90
-	2	5	6	2	9	10	2	7	10	2	6	4	-	2	-	-	-	91
14	6	7	12	19	14	20	26	18	35	25	20	13	5	3	-	1	-	92
5	2	2	5	5	9	6	15	7	22	11	9	7	4	1	-	-	-	93
6	3	4	2	4	4	5	9	6	6	11	9	5	1	1	-	-	-	94
1	-	-	2	5	-	4	1	3	4	3	2	-	-	-	-	1	-	95
2	1	1	3	5	1	4	1	2	2	-	-	1	-	1	-	-	-	96
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		IX. Diseases of the digestive system--Continued										
1	540	Ulcer of stomach	4,533	35	-	2	-	1	38	1	4	9
2		White--Male	3,236	16	-	1	-	1	18	-	-	3
3		Female	629	9	-	1	-	-	10	1	3	3
4		Negro--Male	343	7	-	-	-	-	7	-	1	1
5		Female	96	3	-	-	-	-	3	-	-	2
6		Other--Male	23	-	-	-	-	-	-	-	-	-
7		Female	6	-	-	-	-	-	-	-	-	-
8	541	Ulcer of duodenum	3,681	15	1	-	1	-	17	4	5	5
9		White--Male	2,872	11	1	-	-	-	12	3	4	2
10		Female	588	2	-	-	-	-	2	1	-	2
11		Negro--Male	167	2	-	-	1	-	3	-	1	1
12		Female	48	-	-	-	-	-	-	-	-	-
13		Other--Male	6	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	543	Gastritis and duodenitis	343	19	4	-	6	1	30	4	1	2
16		White--Male	146	6	1	-	3	-	10	-	-	-
17		Female	93	4	3	-	3	-	10	2	-	1
18		Negro--Male	52	3	-	-	-	-	3	1	-	-
19		Female	50	6	-	-	-	1	7	1	1	-
20		Other--Male	2	-	-	-	-	-	-	-	-	1
21		Female	-	-	-	-	-	-	-	-	-	-
22	550-553	Appendicitis	3,080	19	26	44	61	32	182	126	116	128
23		White--Male	1,677	10	9	24	32	16	91	51	53	55
24		Female	931	5	13	17	21	16	72	47	43	35
25		Negro--Male	268	3	2	-	4	-	9	14	12	21
26		Female	189	1	2	3	4	-	10	12	6	15
27		Other--Male	11	-	-	-	-	-	-	-	2	1
28		Female	4	-	-	-	-	-	-	2	-	1
29	560,561,570	Hernia and intestinal obstruction	8,894	960	59	33	20	12	1,084	39	31	32
30		White--Male	3,982	482	30	18	10	6	546	22	15	10
31		Female	3,711	333	12	7	6	3	341	12	7	12
32		Negro--Male	646	98	11	4	2	2	117	4	4	8
33		Female	519	59	5	4	1	1	70	1	3	2
34		Other--Male	22	3	1	-	1	-	5	-	2	-
35		Female	15	5	-	-	-	-	5	-	-	-
36	571,572	Gastro-enteritis and colitis, except diarrhea of newborn	7,279	3,729	487	106	56	29	4,407	62	23	35
37		White--Male	2,961	1,492	178	37	24	13	1,744	27	6	13
38		Female	2,743	1,148	173	38	20	8	1,387	23	12	17
39		Negro--Male	753	519	60	19	4	3	605	9	3	2
40		Female	590	391	48	8	5	3	455	3	2	2
41		Other--Male	122	95	14	1	1	1	112	-	-	-
42		Female	110	84	14	3	2	1	104	-	-	1
43	581	Cirrhosis of liver	13,855	37	6	3	4	3	53	12	20	24
44		White--Male	8,456	19	1	-	2	1	22	3	8	6
45		Female	4,378	12	4	2	2	1	21	6	7	15
46		Negro--Male	557	4	-	1	-	-	5	1	3	-
47		Female	395	2	1	-	-	1	4	2	2	3
48		Other--Male	46	1	-	-	-	-	1	-	-	-
49		Female	23	-	-	-	-	-	-	-	-	-
50	581.0	Without mention of alcoholism	10,656	37	6	3	4	3	53	11	19	21
51		White--Male	6,293	18	1	-	2	1	22	3	7	5
52		Female	3,556	12	4	2	2	1	21	5	7	13
53		Negro--Male	435	4	-	1	-	-	5	1	3	-
54		Female	324	2	1	-	-	1	4	2	2	3
55		Other--Male	35	1	-	-	-	-	1	-	-	-
56		Female	13	-	-	-	-	-	-	-	-	-
57	581.1	With alcoholism	3,199	-	-	-	-	-	-	1	1	3
58		White--Male	2,163	-	-	-	-	-	-	-	1	1
59		Female	822	-	-	-	-	-	-	1	-	2
60		Negro--Male	122	-	-	-	-	-	-	-	-	-
61		Female	71	-	-	-	-	-	-	-	-	-
62		Other--Male	11	-	-	-	-	-	-	-	-	-
63		Female	10	-	-	-	-	-	-	-	-	-
64	584,585	Cholelithiasis and cholecystitis	5,870	2	1	-	-	-	3	-	-	4
65		White--Male	2,059	-	1	-	-	-	1	-	-	-
66		Female	3,600	-	-	-	-	-	-	-	-	3
67		Negro--Male	47	1	-	-	-	-	1	-	-	1
68		Female	134	1	-	-	-	-	1	-	-	-
69		Other--Male	14	-	-	-	-	-	-	-	-	-
70		Female	16	-	-	-	-	-	-	-	-	-
71	Residual	Other diseases of digestive system	6,913	430	68	45	30	23	596	46	36	68
72		White--Male	3,299	186	33	22	16	11	268	21	13	25
73		Female	2,614	136	23	20	10	9	198	15	18	20
74		Negro--Male	503	57	8	1	3	3	72	7	2	11
75		Female	459	39	3	2	-	-	44	3	3	11
76		Other--Male	26	8	-	-	-	-	8	-	-	1
77		Female	12	4	1	-	1	-	6	-	-	-
78		X. Diseases of the genito-urinary system	41,943	158	82	95	107	66	508	241	205	364
79		White--Male	21,252	77	35	43	54	33	242	114	91	176
80		Female	13,040	34	28	31	42	23	158	88	87	116
81		Negro--Male	4,163	27	15	15	5	6	68	18	13	33
82		Female	3,335	15	4	8	8	4	35	21	14	35
83		Other--Male	107	2	-	-	-	-	2	-	-	2
84		Female	46	3	-	-	-	-	3	-	-	2
85	590-594	Nephritis and nephrosis	26,147	86	66	88	103	63	406	219	187	315
86		White--Male	12,124	34	26	40	51	31	182	108	85	157
87		Female	10,301	19	23	30	41	22	135	77	76	101
88		Negro--Male	2,840	18	13	14	5	6	56	16	12	28
89		Female	2,776	12	4	4	6	4	30	18	14	26
90		Other--Male	71	1	-	-	-	-	1	-	-	2
91		Female	33	2	-	-	-	-	2	-	-	1
92	590	Acute nephritis	2,052	40	29	26	18	14	129	50	55	68
93		White--Male	676	14	10	11	7	6	48	19	25	37
94		Female	641	12	9	9	6	4	40	18	21	11
95		Negro--Male	270	7	7	6	3	3	26	6	5	11
96		Female	253	5	3	2	2	1	13	7	4	9
97		Other--Male	5	-	-	-	-	-	-	-	-	-
98		Female	5	2	-	-	-	-	2	-	-	-

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
32	34	81	143	239	345	426	566	652	650	514	391	272	101	28	3	-	4	1
18	26	53	91	143	239	312	432	500	483	374	256	203	63	18	2	-	2	2
5	1	13	21	41	50	53	66	113	122	110	107	61	38	9	1	-	1	3
3	5	12	22	38	40	44	59	31	27	22	24	5	-	1	-	-	1	4
5	1	3	8	15	14	14	3	4	16	5	2	1	-	-	-	-	-	5
1	-	-	1	2	2	3	6	3	1	3	1	-	-	-	-	-	-	6
-	1	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	7
12	34	57	125	233	310	402	473	542	481	421	291	180	73	15	1	-	-	8
7	26	38	98	181	231	321	382	455	387	330	214	132	44	7	-	-	-	9
-	3	5	15	29	49	53	55	70	78	76	67	47	29	7	-	-	-	10
4	5	14	9	17	22	19	29	15	13	8	5	-	-	1	1	-	-	11
1	-	-	3	6	8	8	6	4	2	5	4	1	-	-	-	-	-	12
-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
6	6	14	14	12	17	26	25	38	29	37	29	27	13	9	2	1	1	15
3	3	3	7	4	6	13	13	19	8	19	13	15	5	4	1	-	-	16
1	1	4	3	2	3	3	4	5	10	11	13	10	6	4	-	-	-	17
1	2	6	2	-	3	7	4	7	5	4	1	2	1	1	-	1	1	18
1	-	1	2	6	4	3	4	7	6	3	2	-	1	-	1	-	-	19
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
96	91	128	136	176	211	216	228	306	299	277	167	119	53	20	2	-	1	22
51	42	65	73	105	116	119	140	174	169	163	87	74	26	12	1	-	-	23
30	22	37	27	29	50	50	55	103	102	96	60	40	25	8	-	-	-	24
5	13	15	18	26	21	26	24	18	21	13	6	4	2	-	-	-	-	25
10	13	11	20	16	21	20	9	10	5	5	3	1	-	-	1	-	1	26
-	1	-	-	-	3	-	-	1	2	-	1	-	-	-	-	-	-	27
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	28
62	100	126	176	278	396	537	637	810	942	1,093	1,065	838	468	138	29	7	6	29
17	21	33	53	99	136	196	286	399	466	512	497	389	224	59	7	2	3	30
18	41	48	67	108	156	211	243	304	389	502	511	405	235	77	20	2	2	31
16	12	22	24	33	46	61	67	67	45	52	31	26	6	1	1	1	1	32
11	26	21	32	38	57	65	38	47	38	25	23	16	3	-	1	2	-	33
-	-	2	-	-	-	3	2	2	1	2	2	1	-	-	-	-	-	34
-	-	-	-	-	-	1	1	1	1	3	-	1	1	-	1	-	-	35
83	73	79	96	94	149	172	186	276	319	347	341	274	176	86	12	6	3	36
40	36	23	40	38	66	94	82	142	139	150	117	110	70	15	5	3	1	37
39	27	48	42	34	51	57	79	105	145	183	189	150	100	46	8	1	2	38
1	6	3	5	11	15	11	16	17	15	7	17	4	4	2	-	-	-	39
3	4	5	8	8	14	10	9	11	17	7	15	9	2	3	1	2	-	40
-	-	-	1	3	1	-	-	1	2	-	2	-	-	-	-	-	-	41
-	-	-	-	-	2	-	-	-	1	-	1	1	-	-	-	-	-	42
52	125	363	758	1,259	1,595	1,721	1,825	1,806	1,619	1,200	780	429	172	45	7	1	9	43
12	53	158	396	742	984	1,076	1,182	1,217	1,071	755	447	216	75	27	1	-	5	44
33	43	155	269	379	475	502	522	489	456	389	302	197	93	18	5	-	2	45
3	16	14	39	62	75	76	80	62	58	35	19	7	1	-	-	-	1	46
4	12	31	48	50	55	57	36	26	27	14	10	8	3	-	1	1	1	47
-	1	1	1	4	2	6	5	9	6	7	2	1	-	-	-	-	-	48
-	-	4	5	2	4	4	-	3	1	-	-	-	-	-	-	-	-	49
39	75	243	485	821	1,128	1,217	1,361	1,457	1,346	1,040	715	405	163	42	7	1	7	50
9	29	99	248	490	670	724	851	947	862	628	404	198	68	24	1	-	4	51
26	25	107	170	249	350	382	415	426	404	364	284	193	91	18	5	-	1	52
2	11	11	25	46	57	59	57	53	50	29	18	6	1	-	-	-	1	53
2	9	22	39	31	47	46	34	23	25	13	9	7	3	-	1	1	1	54
-	1	1	1	4	1	5	4	6	4	6	-	1	-	-	-	-	-	55
-	-	3	2	1	3	1	-	2	1	-	-	-	-	-	-	-	-	56
13	50	120	273	418	467	504	464	349	273	160	65	24	9	3	-	-	2	57
3	24	59	148	252	314	352	331	270	209	127	43	18	7	3	-	-	1	58
7	18	48	99	130	125	120	107	63	52	25	18	4	2	-	-	-	1	59
1	5	3	14	16	18	17	23	9	8	6	1	1	-	-	-	-	-	60
2	3	9	9	19	8	11	2	3	2	1	1	1	-	-	-	-	-	61
-	-	-	-	-	1	1	1	3	2	1	2	-	-	-	-	-	-	62
-	-	1	3	1	1	3	-	1	-	-	-	-	-	1	-	-	-	63
12	38	59	105	158	287	419	583	777	861	955	758	517	244	76	13	1	-	64
2	7	10	36	43	112	132	199	284	311	336	288	188	83	24	3	-	-	65
7	25	42	60	100	157	258	354	470	520	606	456	323	158	50	10	1	-	65
-	1	3	1	6	5	6	9	2	3	2	4	3	-	-	-	-	-	67
3	4	4	7	8	11	19	18	17	25	8	4	2	2	1	-	-	-	68
-	-	-	-	1	-	2	3	2	-	1	3	1	1	-	-	-	-	69
-	1	-	1	-	2	2	-	2	2	2	3	-	-	1	-	-	-	70
87	139	216	303	372	492	501	636	853	783	724	555	395	220	77	24	6	4	71
32	44	90	141	182	246	248	330	344	387	359	258	171	95	30	13	1	1	72
29	54	64	79	92	150	165	217	243	305	314	260	214	117	45	9	3	3	73
10	19	30	42	47	41	47	51	36	34	27	16	5	3	1	2	-	-	74
16	22	30	41	50	50	39	35	28	32	21	21	5	5	1	-	2	-	75
-	-	1	-	1	5	-	2	2	3	3	-	-	-	-	-	-	-	76
-	-	1	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	77
572	744	918	1,209	1,670	1,633	2,363	2,921	3,670	4,660	5,423	5,610	4,831	2,903	1,102	200	57	39	78
263	295	329	432	562	698	969	1,295	1,763	2,355	2,991	3,275	2,923	1,729	635	98	17	10	79
198	269	327	403	485	616	698	894	1,128	1,400	1,593	1,690	1,459	970	378	64	10	11	80
38	64	84	125	227	251	346	402	461	561	525	413	304	136	52	18	13	11	81
67	111	173	244	290	271	339	310	298	328	300	222	134	65	35	20	17	6	82
3	3	4	2	2	3	9	14	13	12	13	9	10	3	2	-	-	1	83
3	2	1	3	6	4	2	6	7	4	1	1	1	-	-	-	-	-	84
449	595	718	918	1,214	1,411	1,841	2,129	2,532	3,065	3,360	3,359	2,846	1,733	660	117	41	32	85
230	266	291	362	475	577	762	918	1,093	1,300	1,440	1,503	1,311	740	269	41	7	7	86
145	192	223	267	329	451	515	675	856	1,123	1,307	1,389	1,229	840	323	49	9	10	87
51	60	75	107	179	187	267	260	303	348	328	259	171	89	36	10	10	8	88
37	73	125	179	224	210	290	264	264	283	275	203	130	63	32	17	15	6	89
3	3	3	1	2	3	7	8	10	8	9	4	5	1	-	-	-	1	90
3	1	1	2	5	3	-	4	6	3	1	1	-	-	-	-	-	-	91
66	56	84	102	134	121	143	146	160	167	168	152	115	79	31	3	-	3	92
30	16	37	38	47	56	67	68	69	79	61	72	52	43	11	2	-	1	93
16	16	20	17	31	28	34	38	59	57	74	62	50	31	16	1	-	1	94
7	12	13	22	26	22	27	21	16	19	18	9	5	1	3	-	-	1	95
13	11	14	24	29	15	15	19	14	11	14	8	8	4	1	-	-	-	96
-	1	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	97
-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		X. Diseases of the genito-urinary system—Continued										
		Nephritis and nephrosis—Continued										
1	591	Nephritis with edema, including nephrosis	1,438	22	17	31	40	16	126	45	24	30
2		White—Male	633	11	8	17	21	8	65	32	7	14
3		Female	505	6	6	11	17	5	45	6	10	10
4		Negro—Male	160	3	3	2	1	2	11	5	2	3
5		Female	134	2	-	1	1	1	5	2	5	3
6		Other—Male	4	-	-	-	-	-	-	-	-	-
7		Female	2	-	-	-	-	-	-	-	-	-
8	592-594	Chronic and unspecified nephritis and other renal sclerosis	24,677	24	20	29	45	33	151	124	108	217
9		White—Male	10,613	9	8	12	23	17	69	57	53	106
10		Female	9,155	1	8	10	18	13	50	53	45	80
11		Negro—Male	2,410	8	3	6	1	1	19	5	5	14
12		Female	2,411	5	1	1	3	2	12	9	5	14
13		Other—Male	62	1	-	-	-	-	1	-	-	2
14		Female	26	-	-	-	-	-	-	-	-	1
15	600	Infections of kidney	3,129	37	9	-	3	-	49	14	9	21
16		White—Male	1,363	22	5	-	3	-	30	4	3	9
17		Female	1,285	9	4	-	-	-	13	7	6	8
18		Negro—Male	231	4	-	-	-	-	4	1	-	2
19		Female	232	2	-	-	-	-	2	2	-	1
20		Other—Male	10	-	-	-	-	-	-	-	-	-
21		Female	8	-	-	-	-	-	-	-	-	1
22	602,604	Calculi of urinary system	1,062	-	-	-	-	-	-	-	-	7
23		White—Male	597	-	-	-	-	-	-	-	-	5
24		Female	379	-	-	-	-	-	-	-	-	2
25		Negro—Male	42	-	-	-	-	-	-	-	-	-
26		Female	39	-	-	-	-	-	-	-	-	-
27		Other—Male	3	-	-	-	-	-	-	-	-	-
28		Female	2	-	-	-	-	-	-	-	-	-
29	601,603, 605-609	Other diseases of urinary system	1,516	31	6	5	1	2	45	5	6	5
30		White—Male	801	20	3	3	-	1	27	2	3	3
31		Female	413	6	1	1	1	1	10	2	2	-
32		Negro—Male	235	2	2	-	-	-	4	1	1	2
33		Female	63	1	-	1	-	-	2	-	-	-
34		Other—Male	3	1	-	-	-	-	1	-	-	-
35		Female	1	1	-	-	-	-	1	-	-	-
36	610	Hyperplasia of prostate	6,359	-	-	-	-	-	-	-	-	1
37		White—Male	5,645	-	-	-	-	-	-	-	-	1
38		Negro—Male	694	-	-	-	-	-	-	-	-	-
39		Other—Male	20	-	-	-	-	-	-	-	-	-
40	611-617	Other diseases of male genital organs	841	4	1	1	-	1	7	-	-	2
41		White—Male	721	1	1	-	-	1	3	-	-	1
42		Negro—Male	120	3	-	1	-	-	4	-	-	1
43		Other—Male	-	-	-	-	-	-	-	-	-	-
44	620,621	Diseases of breast	16	-	-	-	-	-	-	-	-	-
45		White—Male	1	-	-	-	-	-	-	-	-	-
46		Female	11	-	-	-	-	-	-	-	-	-
47		Negro—Male	1	-	-	-	-	-	-	-	-	-
48		Female	3	-	-	-	-	-	-	-	-	-
49		Other—Male	-	-	-	-	-	-	-	-	-	-
50		Female	-	-	-	-	-	-	-	-	-	-
51	622-637	Diseases of female genital organs	873	-	-	1	-	-	1	3	3	13
52		White—Female	651	-	-	-	-	-	-	2	3	5
53		Negro—Female	220	-	-	1	-	-	1	1	-	6
54		Other—Female	2	-	-	-	-	-	-	-	-	-
55		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	2,960	...	...	...	...	...	...	...	16	284
56		White—Female	1,873	...	...	...	...	...	...	...	3	141
57		Negro—Female	1,041	...	...	...	...	...	...	...	13	140
58		Other—Female	46	...	...	...	...	...	...	...	-	3
59	640,641, 681,682, 684	Sepsis of pregnancy, childbirth, and puerperium	418	...	...	...	...	...	...	...	3	41
60		White—Female	284	...	...	...	...	...	...	...	-	24
61		Negro—Female	129	...	...	...	...	...	...	...	3	17
62		Other—Female	5	...	...	...	...	...	...	...	-	-
63	642,685,686	Toxemias of pregnancy and puerperium, etc.*	952	...	...	...	...	...	...	...	8	134
64		White—Female	563	...	...	...	...	...	...	...	1	66
65		Negro—Female	376	...	...	...	...	...	...	...	7	67
66		Other—Female	13	...	...	...	...	...	...	...	-	1
67	643,644, 670-672	Hemorrhage of pregnancy and childbirth	536	...	...	...	...	...	...	...	-	20
68		White—Female	347	...	...	...	...	...	...	...	-	13
69		Negro—Female	179	...	...	...	...	...	...	...	-	7
70		Other—Female	10	...	...	...	...	...	...	...	-	-
71	645	Ectopic pregnancy	192	...	...	...	...	...	...	...	-	11
72		White—Female	99	...	...	...	...	...	...	...	-	4
73		Negro—Female	91	...	...	...	...	...	...	...	-	7
74		Other—Female	2	...	...	...	...	...	...	...	-	-
75	650	Abortion without mention of sepsis or toxemia	94	...	...	...	...	...	...	...	1	8
76		White—Female	56	...	...	...	...	...	...	...	-	2
77		Negro—Female	36	...	...	...	...	...	...	...	1	5
78		Other—Female	2	...	...	...	...	...	...	...	-	1
79	651	Abortion with sepsis	191	...	...	...	...	...	...	...	2	20
80		White—Female	114	...	...	...	...	...	...	...	-	7
81		Negro—Female	75	...	...	...	...	...	...	...	2	13
82		Other—Female	2	...	...	...	...	...	...	...	-	-
83	652	Abortion with toxemia, without mention of sepsis	31	...	...	...	...	...	...	...	-	3
84		White—Female	23	...	...	...	...	...	...	...	-	1
85		Negro—Female	8	...	...	...	...	...	...	...	-	2
86		Other—Female	-	...	...	...	...	...	...	...	-	-
87	Residual	Other complications of pregnancy, childbirth, and puerperium	546	...	...	...	...	...	...	...	2	47
88		White—Female	387	...	...	...	...	...	...	...	2	24
89		Negro—Female	147	...	...	...	...	...	...	...	-	22
90		Other—Female	12	...	...	...	...	...	...	...	-	1

*For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
34	48	59	57	71	78	78	124	104	133	135	124	101	48	17	2	-	-	1
21	23	24	22	26	31	33	62	45	51	54	47	47	19	11	1	-	-	2
9	10	18	14	23	19	22	35	36	50	62	62	45	23	6	-	-	-	3
3	6	7	10	10	23	14	12	12	14	8	12	3	5	-	-	-	-	4
1	9	9	11	12	4	8	14	13	16	11	3	6	1	-	1	-	-	5
-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	7
349	491	575	759	1,009	1,212	1,620	1,859	2,268	2,765	3,057	3,063	2,630	1,606	612	112	41	29	8
179	227	230	302	402	490	662	788	981	1,170	1,325	1,384	1,212	678	247	38	7	6	9
120	166	185	236	275	384	459	602	761	1,016	1,171	1,265	1,134	786	301	48	9	9	10
21	42	55	75	143	142	226	227	275	315	302	238	163	83	33	10	10	7	11
23	53	102	144	183	191	267	231	237	256	250	192	116	58	31	16	15	6	12
3	2	2	1	1	2	6	8	9	7	8	3	5	1	-	-	-	1	13
3	1	1	1	5	3	-	3	5	1	1	1	-	-	-	-	-	-	14
54	57	61	85	135	166	201	276	320	343	383	385	340	157	59	11	2	1	15
24	14	18	23	38	55	77	109	145	165	190	182	173	72	27	4	1	-	16
22	28	32	41	53	61	72	100	128	129	158	165	144	80	30	6	1	1	17
4	3	4	9	18	17	24	39	21	20	21	24	17	3	-	-	-	-	18
4	11	7	11	26	32	25	26	24	27	15	12	4	2	2	1	-	-	19
-	-	-	1	-	-	1	2	1	1	1	2	1	-	-	-	-	-	20
-	1	-	-	-	1	2	-	1	1	-	-	1	-	-	-	-	-	21
7	12	30	52	50	75	104	139	139	139	122	96	55	21	13	1	-	-	22
5	8	13	27	25	29	59	75	84	89	68	58	35	13	6	-	-	-	23
2	5	10	18	19	34	33	49	47	42	51	36	17	7	6	1	-	-	24
-	-	1	1	4	8	5	4	6	4	2	2	3	1	1	-	-	-	25
-	1	5	6	2	4	7	8	1	4	1	-	-	-	-	-	-	-	26
-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	28
12	16	18	40	52	62	93	105	138	211	197	208	140	95	45	18	3	2	29
3	8	5	16	16	17	38	47	61	131	129	124	78	58	29	5	1	-	30
6	5	9	11	16	20	25	24	40	35	38	64	50	33	15	8	-	-	31
3	-	3	7	16	20	26	28	31	34	21	16	12	4	1	3	-	2	32
-	3	1	6	4	5	4	5	6	10	9	4	-	-	-	2	2	-	33
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	1	12	21	52	188	431	733	1,197	1,348	1,250	784	280	46	11	4	36
-	-	-	1	5	8	30	126	343	601	1,059	1,243	1,158	751	266	42	8	3	37
-	-	-	-	7	15	21	60	87	130	135	102	88	31	12	4	3	1	38
-	-	-	-	-	-	1	2	1	2	3	3	4	2	2	-	-	-	39
1	2	3	4	5	8	6	31	50	93	123	175	181	103	40	7	-	-	40
1	1	2	3	2	2	3	20	37	69	105	165	168	95	38	6	-	-	41
-	1	1	1	3	6	3	11	13	24	18	10	13	8	2	1	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
2	-	-	2	2	3	1	-	1	2	1	1	-	1	-	-	-	-	44
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	-	-	-	1	3	-	-	1	1	1	1	-	1	-	-	-	-	46
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	47
-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
47	82	88	107	100	87	65	53	59	74	40	38	19	9	5	-	-	-	51
21	39	53	66	65	67	53	46	56	70	38	35	19	9	4	-	-	-	52
26	23	35	40	34	20	12	7	3	4	2	3	-	-	1	-	-	-	53
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	54
538	649	644	561	238	25	2	2	...	...	...	...	...	...	...	...	...	1	55
347	409	405	370	176	19	-	2	...	...	...	...	...	...	...	...	...	1	56
178	230	230	183	61	4	2	-	...	...	...	...	...	...	...	...	...	-	57
13	10	9	8	1	2	-	-	...	...	...	...	...	...	...	...	...	-	58
73	83	94	81	38	4	-	1	...	...	...	...	...	...	...	...	...	-	59
42	62	63	61	28	3	-	1	...	...	...	...	...	...	...	...	...	-	60
31	20	29	19	10	-	-	-	...	...	...	...	...	...	...	...	...	-	61
-	1	2	1	-	1	-	-	...	...	...	...	...	...	...	...	...	-	62
165	177	191	176	92	9	-	-	...	...	...	...	...	...	...	...	...	-	63
101	98	114	110	67	8	-	-	...	...	...	...	...	...	...	...	...	-	64
60	76	75	64	24	3	-	-	...	...	...	...	...	...	...	...	...	-	65
4	3	2	2	1	-	-	-	...	...	...	...	...	...	...	...	...	-	66
89	132	123	120	45	6	1	-	...	...	...	...	...	...	...	...	...	-	67
65	87	72	72	33	5	-	-	...	...	...	...	...	...	...	...	...	-	68
22	45	49	43	12	-	1	-	...	...	...	...	...	...	...	...	...	-	69
2	-	2	5	-	1	-	-	...	...	...	...	...	...	...	...	...	-	70
28	58	54	31	8	1	1	-	...	...	...	...	...	...	...	...	...	-	71
12	27	30	19	6	1	-	-	...	...	...	...	...	...	...	...	...	-	72
16	30	23	12	2	-	1	-	...	...	...	...	...	...	...	...	...	-	73
-	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-	74
21	24	20	14	6	-	-	-	...	...	...	...	...	...	...	...	...	-	75
15	12	13	9	5	-	-	-	...	...	...	...	...	...	...	...	...	-	76
6	12	6	5	1	-	-	-	...	...	...	...	...	...	...	...	...	-	77
-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-	78
50	39	35	29	15	-	-	-	...	...	...	...	...	...	...	...	...	1	79
33	24	17	20	12	-	-	-	...	...	...	...	...	...	...	...	...	1	80
17	13	18	9	3	-	-	-	...	...	...	...	...	...	...	...	...	-	81
-	2	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-	82
6	11	3	8	-	-	-	-	...	...	...	...	...	...	...	...	...	-	83
6	6	3	7	-	-	-	-	...	...	...	...	...	...	...	...	...	-	84
-	5	-	1	-	-	-	-	...	...	...	...	...	...	...	...	...	-	85
-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-	86
106	125	124	102	34	5	-	1	...	...	...	...	...	...	...	...	...	-	87
73	93	93	72	25	4	-	1	...	...	...	...	...	...	...	...	...	-	88
26	29	30	30	9	1	-	-	...	...	...	...	...	...	...	...	...	-	89
7	3	1	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-	90

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		XII. Diseases of the skin and cellular tissue	1,315	77	7	4	7	1	96	15	15	26
2		White--Male	489	33	3	2	5	-	43	7	5	3
3		White--Female	597	27	-	1	-	-	28	7	7	13
4		Negro--Male	83	6	2	1	1	1	11	-	-	3
5		Negro--Female	127	6	2	-	1	-	9	1	2	7
6		Other--Male	14	4	-	-	-	-	4	-	-	-
7		Other--Female	5	1	-	-	-	-	1	-	1	-
8	690-698	Infections of skin and subcutaneous tissue	354	35	2	2	2	1	42	5	2	6
9		White--Male	155	14	-	1	1	-	16	2	-	2
10		White--Female	122	13	-	-	-	-	13	3	2	-
11		Negro--Male	34	2	1	1	1	1	6	-	-	1
12		Negro--Female	35	2	1	-	-	-	3	-	-	3
13		Other--Male	7	3	-	-	-	-	3	-	-	-
14		Other--Female	1	1	-	-	-	-	1	-	-	-
15	700-716	Other diseases of skin and subcutaneous tissue	961	42	5	2	5	-	54	10	13	20
16		White--Male	334	19	3	1	4	-	27	5	5	1
17		White--Female	475	14	-	1	-	-	15	4	5	13
18		Negro--Male	49	4	1	-	-	-	5	-	-	2
19		Negro--Female	92	4	1	-	1	-	6	1	2	4
20		Other--Male	7	1	-	-	-	-	1	-	-	-
21		Other--Female	4	-	-	-	-	-	-	-	1	-
22		XIII. Diseases of the bones and organs of movement	2,850	124	29	10	6	8	177	15	25	45
23		White--Male	1,093	68	12	2	4	4	90	6	17	27
24		White--Female	1,446	49	11	6	2	3	71	8	3	10
25		Negro--Male	143	2	1	1	-	-	4	1	2	2
26		Negro--Female	159	4	5	1	-	1	11	-	3	6
27		Other--Male	2	-	-	-	-	-	-	-	-	-
28		Other--Female	7	1	-	-	-	-	1	-	-	-
29	720-725	Arthritis and spondylitis	1,634	1	-	-	1	1	3	2	1	3
30		White--Male	508	1	-	-	-	1	2	1	-	-
31		White--Female	963	-	-	-	1	-	1	1	1	2
32		Negro--Male	69	-	-	-	-	-	-	-	-	-
33		Negro--Female	89	-	-	-	-	-	-	-	-	1
34		Other--Male	-	-	-	-	-	-	-	-	-	-
35		Other--Female	5	-	-	-	-	-	-	-	-	-
36	726,727	Muscular rheumatism and rheumatism, unspecified	78	-	-	-	-	1	1	-	-	1
37		White--Male	29	-	-	-	-	1	1	-	-	-
38		White--Female	31	-	-	-	-	-	-	-	-	-
39		Negro--Male	10	-	-	-	-	-	-	-	-	-
40		Negro--Female	7	-	-	-	-	-	-	-	-	1
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Other--Female	1	-	-	-	-	-	-	-	-	-
43	730	Osteomyelitis and periostitis	218	6	3	3	-	1	13	1	2	2
44		White--Male	103	3	-	1	-	-	4	-	-	-
45		White--Female	58	1	1	1	-	1	4	1	1	2
46		Negro--Male	29	-	1	-	-	-	1	-	1	-
47		Negro--Female	28	2	1	1	-	-	4	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Other--Female	-	-	-	-	-	-	-	-	-	-
50	737,745-749	Ankylosis and acquired musculoskeletal deformities	81	25	1	1	2	1	30	2	-	2
51		White--Male	36	13	-	-	1	1	15	-	-	1
52		White--Female	35	7	-	1	1	-	9	1	-	-
53		Negro--Male	4	2	-	-	-	-	2	1	-	-
54		Negro--Female	5	2	1	-	-	-	3	-	-	1
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Other--Female	1	1	-	-	-	-	1	-	-	-
57	731-736, 738-744	All other diseases of musculoskeletal system	839	92	25	6	3	4	130	10	22	37
58		White--Male	417	51	12	1	3	1	68	5	17	26
59		White--Female	359	41	10	4	-	2	57	5	1	6
60		Negro--Male	31	-	-	1	-	-	1	-	1	2
61		Negro--Female	30	-	3	-	-	1	4	-	3	3
62		Other--Male	2	-	-	-	-	-	-	-	-	-
63		Other--Female	-	-	-	-	-	-	-	-	-	-
64		XIV. Congenital malformations	18,425	14,074	787	332	207	113	15,513	345	230	198
65		White--Male	9,042	6,907	376	147	105	48	7,583	162	124	101
66		White--Female	7,579	5,807	331	141	85	44	6,408	141	80	76
67		Negro--Male	930	696	52	19	9	10	786	21	16	6
68		Negro--Female	784	588	27	22	8	10	655	19	9	15
69		Other--Male	54	45	1	1	-	1	48	2	1	-
70		Other--Female	36	31	-	2	-	-	33	-	-	-
71	751	Spina bifida and meningocele	1,659	1,526	60	18	10	2	1,616	16	7	2
72		White--Male	659	609	26	3	6	-	644	2	3	-
73		White--Female	923	845	34	15	3	2	899	11	4	2
74		Negro--Male	34	33	-	-	1	-	34	-	-	-
75		Negro--Female	40	36	-	-	-	-	36	3	-	-
76		Other--Male	2	2	-	-	-	-	2	-	-	-
77		Other--Female	1	1	-	-	-	-	1	-	-	-
78	752,753	Congenital hydrocephalus, etc.*	2,013	1,403	237	87	51	36	1,814	86	36	25
79		White--Male	923	630	95	45	26	18	814	49	25	14
80		White--Female	894	649	109	29	19	13	819	29	9	10
81		Negro--Male	104	60	24	8	4	3	99	4	1	-
82		Negro--Female	85	55	9	5	2	2	73	4	1	1
83		Other--Male	4	4	-	-	-	-	4	-	-	-
84		Other--Female	5	5	-	-	-	-	5	-	-	-
85	754	Congenital malformations of circulatory system	8,675	6,516	345	138	100	52	7,151	169	137	136
86		White--Male	4,375	3,349	176	56	51	25	3,657	76	66	69
87		White--Female	3,417	2,515	142	64	44	18	2,783	66	55	48
88		Negro--Male	440	326	16	7	2	2	353	15	10	5
89		Negro--Female	408	299	11	9	3	6	328	10	6	14
90		Other--Male	22	15	-	1	-	1	17	2	-	-
91		Other--Female	15	12	-	1	-	-	13	-	-	-

*For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
32	47	41	52	71	65	85	106	106	114	125	118	101	63	28	8	1	-	1
5	4	12	13	22	18	28	38	51	42	61	50	46	29	6	6	-	-	2
16	32	15	26	30	25	43	48	40	51	51	59	48	34	22	2	-	-	3
2	-	3	3	7	9	6	9	5	11	7	3	4	-	-	-	-	-	4
8	9	11	9	12	10	7	10	9	10	4	5	3	-	-	-	1	-	5
-	1	-	1	-	3	1	-	1	-	2	1	-	-	-	-	-	-	6
1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	7
4	8	6	13	17	17	20	29	31	30	40	29	24	20	10	1	-	-	8
2	3	3	5	6	3	10	10	21	12	21	16	12	8	3	-	-	-	9
-	3	2	1	7	5	5	11	8	10	12	11	9	12	7	1	-	-	10
1	-	1	3	2	4	2	4	-	3	4	1	2	-	-	-	-	-	11
1	1	-	4	2	3	3	4	2	5	2	1	1	-	-	-	-	-	12
-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
28	39	35	39	54	48	65	77	75	84	85	89	77	43	18	7	1	-	15
3	1	9	8	16	15	18	28	30	30	40	34	34	21	3	6	-	-	16
16	29	13	25	23	20	38	37	32	41	39	48	39	22	15	1	-	-	17
1	-	2	-	5	5	4	5	5	8	3	2	2	-	-	-	-	-	18
7	8	11	5	10	7	4	6	7	5	2	4	2	-	-	-	1	-	19
-	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-	-	20
1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
51	38	40	52	73	100	133	210	275	344	352	391	281	162	65	15	3	3	22
22	16	17	19	31	40	53	76	120	147	118	146	64	48	11	4	-	1	23
14	16	16	14	28	37	52	100	126	169	209	225	184	103	49	8	2	2	24
8	2	1	11	8	8	12	19	20	11	13	9	5	5	1	1	-	-	25
7	3	6	8	4	15	16	14	8	16	11	11	8	6	3	2	1	-	26
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	27
-	1	-	-	2	-	-	-	1	1	-	-	-	-	1	-	-	-	28
10	12	10	15	39	44	61	126	173	220	244	273	217	120	50	7	2	2	29
-	4	6	6	16	19	16	30	70	85	66	86	56	35	8	2	-	-	30
5	6	1	5	17	12	28	71	85	119	165	172	152	76	38	3	1	2	31
1	-	-	3	1	4	5	15	13	5	8	6	2	4	1	1	-	-	32
4	1	3	1	3	9	12	10	4	10	5	9	7	5	3	1	1	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	1	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	35
-	-	1	1	-	2	6	7	8	2	7	22	9	7	3	1	-	-	36
-	-	1	-	-	-	3	2	4	-	2	11	4	-	1	-	-	-	37
-	-	-	-	-	1	1	3	1	1	3	9	4	7	1	-	-	-	38
-	-	-	1	-	1	1	-	2	1	2	1	1	-	-	-	-	-	39
-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	1	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	42
8	3	10	9	5	12	15	19	21	29	24	19	11	12	3	-	-	-	43
2	1	5	2	2	5	8	10	11	16	13	11	6	7	-	-	-	-	44
2	1	3	1	-	2	3	6	6	4	4	6	4	5	3	-	-	-	45
2	-	-	3	3	1	3	2	3	5	3	1	1	-	-	-	-	-	46
2	1	2	3	-	4	1	1	1	4	4	1	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
1	4	-	1	2	5	7	8	3	6	2	3	4	1	-	-	-	-	50
1	-	-	-	-	2	4	6	2	3	1	-	1	-	-	-	-	-	51
-	3	-	1	2	3	2	2	1	3	1	3	3	1	-	-	-	-	52
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
32	19	19	26	27	37	44	50	70	87	75	74	40	22	9	7	1	1	57
19	11	5	11	13	14	22	28	33	43	36	38	17	6	2	2	-	1	58
7	6	12	7	9	19	18	18	33	42	36	35	21	14	7	5	1	-	59
5	1	1	4	4	2	3	2	2	-	-	1	1	1	-	-	-	-	60
1	1	1	4	1	2	1	1	2	2	2	-	1	1	-	-	-	-	61
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
198	226	220	222	252	258	199	196	116	107	64	41	26	6	3	2	-	3	64
95	115	107	107	128	129	90	111	68	55	31	15	14	2	2	1	-	2	65
79	91	95	85	100	110	87	71	44	43	29	24	11	4	1	-	-	-	66
12	7	9	16	14	11	7	12	1	6	3	1	1	-	-	1	-	-	67
11	13	8	15	8	7	15	2	3	3	1	1	-	-	-	-	-	1	68
-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	69
1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	70
6	1	-	1	4	1	2	-	1	-	-	-	1	-	1	-	-	-	71
4	-	-	-	4	-	1	-	-	-	-	-	1	-	-	-	-	-	72
1	1	-	1	-	1	1	-	1	-	-	-	-	-	1	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
18	13	4	5	1	2	-	2	1	3	1	1	1	-	-	-	-	-	78
6	4	1	3	-	2	-	-	1	2	1	1	-	-	-	-	-	-	79
11	7	2	2	1	-	-	2	-	1	-	-	1	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
133	169	153	138	134	115	79	71	35	24	18	9	2	1	-	-	-	1	85
67	88	88	61	59	50	38	35	19	11	8	4	-	-	-	-	-	1	86
49	67	73	60	60	53	32	31	14	11	7	5	2	1	-	-	-	-	87
9	6	5	10	8	7	3	5	1	1	2	-	-	-	-	-	-	-	88
7	10	6	6	6	4	6	-	1	1	1	-	-	-	-	-	-	-	89
-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	90
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XIV. Congenital malformations—Continued										
1	750,755-759	Other congenital malformations	6,078	4,629	145	89	46	23	4,932	74	50	35
2		White—Male	3,085	2,319	79	43	22	5	2,468	35	30	18
3		Female	2,345	1,798	46	33	19	11	1,907	35	12	16
4		Negro—Male	352	277	12	4	2	5	300	2	5	1
5		Female	255	198	7	8	3	2	218	2	2	-
6		Other—Male	28	24	1	-	-	-	25	-	1	-
7		Female	15	13	-	1	-	-	14	-	-	-
8		XV. Certain diseases of early infancy	60,989	60,967	13	2	4	-	60,986	2	1	-
9		White—Male	29,326	29,311	9	2	3	-	29,325	1	-	-
10		Female	20,086	20,080	3	-	1	-	20,084	1	1	-
11		Negro—Male	6,218	6,217	1	-	-	-	6,218	-	-	-
12		Female	4,902	4,902	-	-	-	-	4,902	-	-	-
13		Other—Male	263	263	-	-	-	-	263	-	-	-
14		Female	194	194	-	-	-	-	194	-	-	-
15	760,761	Birth injuries	11,876	11,876	-	-	-	-	11,876	-	-	-
16		White—Male	6,280	6,280	-	-	-	-	6,280	-	-	-
17		Female	3,932	3,932	-	-	-	-	3,932	-	-	-
18		Negro—Male	947	947	-	-	-	-	947	-	-	-
19		Female	651	651	-	-	-	-	651	-	-	-
20		Other—Male	39	39	-	-	-	-	39	-	-	-
21		Female	27	27	-	-	-	-	27	-	-	-
22	762	Postnatal asphyxia and atelectasis	13,200	13,199	-	1	-	-	13,200	-	-	-
23		White—Male	6,803	6,802	-	1	-	-	6,803	-	-	-
24		Female	4,331	4,331	-	-	-	-	4,331	-	-	-
25		Negro—Male	1,121	1,121	-	-	-	-	1,121	-	-	-
26		Female	859	859	-	-	-	-	859	-	-	-
27		Other—Male	47	47	-	-	-	-	47	-	-	-
28		Female	39	39	-	-	-	-	39	-	-	-
29	763-768	Infections of newborn	3,846	3,846	-	-	-	-	3,846	-	-	-
30		White—Male	1,624	1,624	-	-	-	-	1,624	-	-	-
31		Female	1,153	1,153	-	-	-	-	1,153	-	-	-
32		Negro—Male	543	543	-	-	-	-	543	-	-	-
33		Female	455	455	-	-	-	-	455	-	-	-
34		Other—Male	40	40	-	-	-	-	40	-	-	-
35		Female	31	31	-	-	-	-	31	-	-	-
36	770	Hemolytic disease of newborn (erythroblastosis)	2,549	2,530	11	1	4	-	2,546	2	1	-
37		White—Male	1,398	1,386	7	1	3	-	1,397	1	-	-
38		Female	981	975	3	-	1	-	979	1	1	-
39		Negro—Male	105	104	1	-	-	-	105	-	-	-
40		Female	59	59	-	-	-	-	59	-	-	-
41		Other—Male	2	2	-	-	-	-	2	-	-	-
42		Female	4	4	-	-	-	-	4	-	-	-
43	769,771,772	All other defined diseases of early infancy	2,939	2,938	1	-	-	-	2,939	-	-	-
44		White—Male	1,276	1,275	1	-	-	-	1,276	-	-	-
45		Female	880	880	-	-	-	-	880	-	-	-
46		Negro—Male	430	430	-	-	-	-	430	-	-	-
47		Female	311	311	-	-	-	-	311	-	-	-
48		Other—Male	23	23	-	-	-	-	23	-	-	-
49		Female	19	19	-	-	-	-	19	-	-	-
50	773-776	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	26,579	26,578	1	-	-	-	26,579	-	-	-
51		White—Male	11,945	11,944	1	-	-	-	11,945	-	-	-
52		Female	8,809	8,809	-	-	-	-	8,809	-	-	-
53		Negro—Male	3,072	3,072	-	-	-	-	3,072	-	-	-
54		Female	2,567	2,567	-	-	-	-	2,567	-	-	-
55		Other—Male	112	112	-	-	-	-	112	-	-	-
56		Female	74	74	-	-	-	-	74	-	-	-
57		XVI. Symptoms, senility, and ill-defined conditions	22,517	3,636	232	147	75	49	4,139	120	81	140
58		White—Male	8,366	945	66	46	22	17	1,096	38	24	38
59		Female	6,057	723	54	33	19	9	838	28	13	29
60		Negro—Male	4,209	1,049	49	29	14	7	1,148	28	19	29
61		Female	3,447	822	43	27	13	13	918	21	20	35
62		Other—Male	248	60	8	8	1	1	78	2	2	3
63		Female	190	37	12	4	6	2	61	3	3	6
64	794	Senility without mention of psychosis	5,689	-	-	-	-	-	-	-	-	-
65		White—Male	2,057	-	-	-	-	-	-	-	-	-
66		Female	2,523	-	-	-	-	-	-	-	-	-
67		Negro—Male	488	-	-	-	-	-	-	-	-	-
68		Female	528	-	-	-	-	-	-	-	-	-
69		Other—Male	53	-	-	-	-	-	-	-	-	-
70		Female	40	-	-	-	-	-	-	-	-	-
71	780-793,795	Symptoms, ill-defined and unknown causes	16,828	3,636	232	147	75	49	4,139	120	81	140
72		White—Male	6,309	945	66	46	22	17	1,096	38	24	38
73		Female	3,534	723	54	33	19	9	838	28	13	29
74		Negro—Male	3,721	1,049	49	29	14	7	1,148	28	19	29
75		Female	2,919	822	43	27	13	13	918	21	20	35
76		Other—Male	195	60	8	8	1	1	78	2	2	3
77		Female	150	37	12	4	6	2	61	3	3	6
78		XVII. Accidents, poisonings, and violence	116,376	3,732	1,716	1,268	1,114	773	8,603	3,070	2,620	5,903
79		White—Male	70,769	1,620	803	614	551	368	3,956	1,724	1,620	3,988
80		Female	29,287	1,167	532	403	354	257	2,713	806	549	996
81		Negro—Male	11,369	466	196	144	82	67	955	289	327	674
82		Female	4,063	411	164	95	117	73	860	217	96	202
83		Other—Male	883	43	16	8	5	2	74	25	22	34
84		Female	185	25	5	4	5	6	45	9	6	9
85	E800-E962	Accidents	91,249	3,595	1,689	1,252	1,095	758	8,389	3,004	2,515	5,200
86		White—Male	55,412	1,560	795	606	547	362	3,870	1,698	1,569	3,623
87		Female	24,622	1,115	523	398	343	250	2,629	786	523	855
88		Negro—Male	7,458	455	192	143	81	67	938	280	310	491
89		Female	3,053	398	159	93	114	72	836	206	89	121
90		Other—Male	545	42	15	8	5	2	72	25	19	31
91		Female	159	25	5	4	5	5	44	9	5	9

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
41	43	63	78	113	140	118	123	79	80	45	31	22	5	2	2	-	2	1
18	25	38	43	65	77	51	76	48	42	22	10	13	2	2	1	-	1	2
18	16	20	22	39	56	54	38	29	31	22	19	8	3	-	-	-	-	3
3	1	4	6	6	4	4	7	-	5	1	1	1	-	-	1	-	-	4
2	1	1	7	2	3	9	2	2	2	-	1	-	-	-	-	-	1	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
208	253	336	457	598	830	968	1,044	1,280	1,663	1,860	2,026	2,259	1,996	1,410	504	250	95	57
69	73	103	160	229	346	382	473	617	714	808	855	860	783	497	136	31	34	58
43	59	72	91	128	135	150	158	224	291	443	599	699	877	668	238	62	12	59
50	42	72	101	114	189	251	248	254	377	321	304	258	168	98	46	61	31	60
37	63	63	96	116	153	178	154	168	262	262	228	206	144	127	73	89	14	61
3	7	3	5	7	5	4	7	11	11	15	27	24	16	10	5	2	1	62
6	9	3	4	4	2	3	4	6	8	11	13	12	8	10	6	5	3	63
-	-	-	-	-	-	10	9	46	114	352	702	1,304	1,433	1,123	394	190	12	64
-	-	-	-	-	-	1	1	9	28	121	287	509	567	398	112	22	2	65
-	-	-	-	-	-	-	1	9	35	100	263	592	688	574	207	52	2	66
-	-	-	-	-	-	6	4	16	25	56	64	101	82	57	24	50	3	67
-	-	-	-	-	-	3	3	10	24	67	72	82	78	79	45	62	3	68
-	-	-	-	-	-	-	-	-	1	3	10	14	13	7	3	1	1	69
-	-	-	-	-	-	-	-	2	1	5	6	6	5	8	3	3	1	70
208	253	336	457	598	830	958	1,035	1,234	1,549	1,508	1,324	955	563	287	110	80	83	71
69	73	103	160	229	346	381	472	608	686	687	588	351	216	98	24	9	32	72
43	59	72	91	128	135	150	157	215	256	343	336	307	189	94	31	10	10	73
50	42	72	101	114	189	245	244	238	352	285	240	157	86	41	22	11	28	74
37	63	63	96	116	153	175	151	158	238	195	156	124	66	48	28	27	11	75
3	7	3	5	7	5	4	7	11	10	12	17	10	3	3	2	1	-	76
6	9	3	4	4	2	3	4	4	7	6	7	6	3	2	3	2	2	77
8,816	8,084	7,295	7,420	7,333	6,968	6,920	6,969	6,621	6,478	5,012	6,025	5,428	3,676	1,682	365	67	221	78
5,910	5,153	4,582	4,707	4,721	4,621	4,679	4,917	4,610	4,332	3,596	3,105	2,406	1,340	545	106	14	157	79
1,129	1,186	1,109	1,233	1,300	1,309	1,331	1,325	1,478	1,861	2,034	2,664	2,856	2,226	1,091	237	33	21	80
1,174	1,308	1,219	1,130	1,006	813	693	555	382	303	214	137	84	48	15	7	6	30	81
318	356	331	287	250	171	167	138	115	137	137	101	69	54	23	15	12	7	82
75	63	45	51	46	48	37	32	28	41	21	16	8	7	4	-	-	6	83
10	18	9	12	10	6	13	2	8	4	10	2	5	1	4	-	2	-	84
6,919	5,885	4,979	4,921	4,878	4,590	4,609	4,782	4,584	4,858	4,892	5,300	5,047	3,540	1,646	358	67	186	85
5,198	4,239	3,480	3,582	3,298	3,116	3,079	3,292	3,124	3,065	2,719	2,509	2,083	1,228	520	104	14	133	86
875	801	722	739	787	828	860	932	1,135	1,376	1,844	2,555	2,805	2,207	1,081	232	33	17	87
614	622	580	594	597	503	501	405	291	254	177	126	79	44	15	7	6	24	88
161	163	156	160	157	109	133	126	106	128	129	95	68	53	23	15	12	7	89
61	46	36	38	32	32	27	25	21	31	14	13	7	7	3	-	-	5	90
10	15	5	8	7	2	9	2	7	4	9	2	5	1	4	-	2	-	91

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued Accidents—Continued										
1	E800-E802	Railway accidents	2,126	2	10	11	2	5	30	39	44	80
2		White—Male	1,648	-	5	7	2	3	17	27	30	68
3		Female	150	2	4	3	-	1	10	5	10	5
4		Negro—Male	282	-	1	1	-	1	3	7	4	4
5		Female	24	-	-	-	-	-	-	-	-	1
6		Other—Male	21	-	-	-	-	-	-	-	-	2
7		Female	1	-	-	-	-	-	-	-	-	-
8	E810-E835	Motor-vehicle accidents	34,763	264	381	400	419	303	1,767	1,266	886	3,145
9		White—Male	23,574	128	168	199	240	166	901	737	566	2,265
10		Female	7,381	104	166	161	132	105	668	365	222	623
11		Negro—Male	2,713	17	23	28	23	11	102	85	60	164
12		Female	792	10	19	10	22	19	80	62	29	59
13		Other—Male	229	1	4	1	1	1	8	12	7	9
14		Female	74	4	1	1	1	1	8	4	2	5
15	E810-E825	Motor-vehicle traffic accidents	33,863	257	228	311	383	265	1,444	1,213	862	3,095
16		White—Male	22,968	126	97	160	224	144	751	706	543	2,221
17		Female	7,180	100	101	117	117	95	530	352	221	618
18		Negro—Male	2,645	17	14	25	20	9	85	80	60	183
19		Female	773	9	12	9	20	16	66	60	29	59
20		Other—Male	225	1	3	-	1	-	5	11	7	9
21		Female	72	4	1	-	1	1	7	4	2	5
22	E810	Motor-vehicle traffic accident with railway train*	1,541	17	8	7	8	4	44	35	51	191
23		White—Male	1,049	8	2	4	2	1	17	13	24	137
24		Female	364	6	5	3	5	3	22	20	19	39
25		Negro—Male	91	1	1	-	1	-	3	1	3	13
26		Female	23	1	-	-	-	-	1	1	2	2
27		Other—Male	9	-	-	-	-	-	-	-	2	-
28		Female	5	1	-	-	-	-	1	-	1	-
29	E812	Motor-vehicle traffic accident to pedestrian	8,440	11	104	108	237	174	714	798	261	212
30		White—Male	5,519	8	49	93	140	103	393	461	169	137
31		Female	1,750	2	39	69	67	54	231	222	61	37
32		Negro—Male	808	1	8	19	14	7	49	81	18	29
33		Female	265	-	5	7	15	10	37	47	10	7
34		Other—Male	79	-	2	-	1	-	3	5	2	2
35		Female	19	-	1	-	-	-	1	2	1	-
36	E811,E813-E819	Other motor-vehicle traffic accidents, etc.*	11,178	127	39	56	58	38	319	202	332	1,134
37		White—Male	7,391	59	14	31	32	13	149	130	223	816
38		Female	2,765	54	19	21	22	19	135	59	72	245
39		Negro—Male	716	6	2	4	1	2	15	9	23	48
40		Female	230	5	3	-	4	3	15	2	12	22
41		Other—Male	44	1	1	-	-	-	2	2	2	2
42		Female	14	2	-	-	-	1	3	-	-	1
43	E820-E824	Motor-vehicle noncollision traffic accidents	8,143	53	42	39	55	37	226	105	144	1,064
44		White—Male	5,386	31	17	23	39	20	130	66	84	780
45		Female	1,319	16	22	13	12	14	77	28	43	200
46		Negro—Male	612	2	1	2	3	-	8	3	13	62
47		Female	135	3	2	1	-	3	9	3	3	16
48		Other—Male	66	-	-	-	-	-	-	2	1	2
49		Female	25	1	-	-	1	-	2	2	-	4
50	E825	Motor-vehicle traffic accident of unspecified nature	4,561	49	35	21	24	12	141	73	74	494
51		White—Male	3,023	20	15	9	11	7	62	36	43	351
52		Female	964	22	16	11	11	5	65	22	26	97
53		Negro—Male	418	7	2	-	1	-	10	6	3	31
54		Female	120	-	2	1	1	-	4	7	2	12
55		Other—Male	27	-	-	-	-	-	-	2	-	3
56		Female	9	-	-	-	-	-	-	-	-	-
57	E830-E835	Motor-vehicle nontraffic accidents	900	7	153	69	36	38	323	53	24	50
58		White—Male	606	2	71	39	16	22	150	31	23	44
59		Female	201	4	65	44	15	10	138	14	1	5
60		Negro—Male	68	-	9	3	3	2	17	5	-	1
61		Female	19	1	7	1	2	3	14	2	-	-
62		Other—Male	4	-	1	1	-	1	3	1	-	-
63		Female	2	-	-	1	-	-	1	-	-	-
64	E840-E845	Other road-vehicle accidents	533	-	3	3	10	6	22	38	56	22
65		White—Male	343	-	1	1	4	-	6	22	32	13
66		Female	103	-	1	2	3	3	9	11	12	8
67		Negro—Male	65	-	1	-	2	1	4	1	11	1
68		Female	9	-	-	-	1	1	2	2	-	-
69		Other—Male	12	-	-	-	-	-	-	2	1	-
70		Female	1	-	-	-	-	1	1	-	-	-
71	E850-E858	Water-transport accidents	1,502	2	5	4	3	6	20	69	85	125
72		White—Male	1,206	2	4	3	3	5	17	48	61	98
73		Female	109	-	1	1	-	1	3	14	13	17
74		Negro—Male	164	-	-	-	-	-	-	10	10	8
75		Female	12	-	-	-	-	-	-	-	1	4
76		Other—Male	10	-	-	-	-	-	-	-	-	-
77		Female	1	-	-	-	-	-	-	-	-	-
78	E860-E866	Aircraft accidents	1,436	1	-	1	1	2	5	10	15	79
79		White—Male	1,326	-	-	1	1	-	2	6	8	72
80		Female	101	1	-	-	-	2	3	4	7	5
81		Negro—Male	8	-	-	-	-	-	-	-	-	2
82		Female	1	-	-	-	-	-	-	-	-	-
83		Other—Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	E870-E888	Accidental poisoning by solid and liquid substances	1,584	49	220	84	46	12	411	16	10	25
86		White—Male	767	18	92	39	19	7	175	6	6	9
87		Female	512	15	58	25	16	3	117	5	3	9
88		Negro—Male	187	9	45	14	6	2	76	3	1	6
89		Female	103	6	23	6	5	-	40	2	-	1
90		Other—Male	14	1	1	-	-	-	2	-	-	-
91		Female	1	-	1	-	-	-	1	-	-	-
92	E890-E895	Accidental poisoning by gases and vapors	1,769	21	12	10	7	1	51	16	20	65
93		White—Male	1,123	11	7	6	3	-	27	11	7	36
94		Female	496	6	4	3	4	1	18	5	10	25
95		Negro—Male	95	1	1	-	-	-	2	-	1	2
96		Female	42	2	-	-	-	-	2	-	2	2
97		Other—Male	10	-	-	1	-	-	1	-	-	-
98		Female	3	1	-	-	-	-	1	-	-	-

*For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
127	138	173	194	219	203	194	166	148	136	83	64	46	15	4	1	2	20	1
98	108	133	146	150	161	154	134	128	115	63	51	34	13	3	1	-	18	2
7	6	5	11	9	5	10	10	8	13	13	12	9	1	1	-	-	-	3
19	22	30	31	57	31	26	21	9	4	6	1	2	1	-	-	2	2	4
3	1	3	2	2	3	2	1	2	3	-	-	1	-	-	-	-	-	5
2	1	1	4	1	3	2	-	1	1	1	-	-	-	-	-	-	2	6
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
4,455	3,362	2,493	2,264	2,095	1,940	1,908	1,956	1,924	1,839	1,425	1,090	637	202	50	6	2	51	8
3,386	2,366	1,715	1,537	1,406	1,281	1,198	1,309	1,280	1,220	988	757	457	136	31	5	1	32	9
617	548	430	387	401	405	447	436	490	483	360	278	147	53	16	1	-	5	10
310	357	264	258	211	191	205	159	117	93	54	39	20	9	1	-	1	13	11
92	72	64	64	59	44	40	41	21	24	17	11	9	3	-	-	-	1	12
41	26	17	14	13	17	13	10	9	17	5	5	3	1	-	-	-	-	13
9	11	3	4	5	2	5	1	7	2	1	2	1	-	2	-	-	-	14
4,378	3,320	2,451	2,212	2,063	1,899	1,876	1,930	1,897	1,822	1,398	1,073	628	199	47	6	2	48	15
3,321	2,331	1,682	1,495	1,382	1,248	1,172	1,289	1,258	1,207	966	745	451	133	31	5	1	30	16
615	546	425	383	395	403	446	432	489	480	356	272	144	53	14	1	-	5	17
301	333	260	252	209	185	200	157	113	92	53	39	20	9	1	-	1	12	18
91	71	64	64	59	44	40	41	21	24	17	10	9	3	-	-	-	1	19
41	28	17	14	13	17	13	10	9	17	5	5	3	1	-	-	-	-	20
9	11	3	4	5	2	5	1	7	2	1	2	1	-	1	-	-	-	21
169	155	106	102	106	104	91	117	102	77	51	21	14	5	-	-	-	-	22
126	90	79	68	76	64	66	90	75	55	43	12	9	5	-	-	-	-	23
32	46	18	20	24	24	18	23	23	19	7	7	3	-	-	-	-	-	24
7	12	7	15	2	12	6	4	3	1	1	1	2	-	-	-	-	-	25
2	4	1	-	4	4	1	-	-	1	-	-	-	-	-	-	-	-	26
1	2	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	27
1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	28
220	201	225	280	344	421	543	647	767	836	747	663	387	126	26	5	2	15	29
134	123	131	172	212	264	348	428	543	582	522	483	293	89	20	5	1	9	30
36	29	32	45	55	68	93	118	141	170	171	139	68	27	4	-	-	2	31
28	31	45	49	56	70	75	78	66	59	37	28	16	7	1	-	1	4	32
13	8	15	11	14	13	18	18	10	13	14	8	7	2	-	-	-	-	33
8	9	2	3	4	5	6	5	4	12	2	3	3	1	-	-	-	-	34
1	1	-	-	2	1	3	-	3	-	1	2	-	-	1	-	-	-	35
1,683	1,295	967	809	777	655	639	629	580	471	329	202	113	25	7	-	-	12	36
1,248	860	653	530	501	414	377	395	340	284	215	132	77	15	4	-	-	8	37
292	256	215	168	187	185	202	177	207	164	106	65	33	9	3	-	-	2	38
106	122	77	79	64	38	48	37	24	16	4	3	2	-	-	-	-	1	39
29	29	20	27	20	13	9	17	5	4	2	1	1	1	-	-	-	1	40
8	4	1	2	3	5	3	2	3	2	2	1	-	-	-	-	-	-	41
-	2	1	2	2	-	-	1	1	1	-	-	-	-	-	-	-	-	42
1,604	1,107	769	563	545	447	348	296	262	242	135	91	56	18	10	1	-	10	43
1,288	835	579	486	404	333	236	213	179	164	95	58	34	10	4	-	-	8	44
161	141	85	97	78	59	63	58	70	66	30	28	20	7	6	1	-	-	45
108	101	80	58	47	41	38	19	9	9	8	5	-	1	-	-	-	2	46
24	16	16	15	10	8	8	3	1	1	1	-	1	-	-	-	-	-	47
17	9	8	7	5	5	3	3	1	2	1	-	-	-	-	-	-	-	48
6	5	1	-	1	1	-	-	2	-	-	-	1	-	-	-	-	-	49
702	564	394	358	291	272	255	241	186	196	136	96	58	25	4	-	-	11	50
525	403	240	239	189	173	145	163	121	122	91	60	38	14	3	-	-	5	51
94	74	75	52	50	67	70	56	48	61	42	33	20	10	1	-	-	1	52
52	67	51	53	40	24	33	19	11	7	3	2	-	1	-	-	-	5	53
23	14	12	11	11	6	4	3	5	5	-	1	-	-	-	-	-	-	54
7	4	5	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	55
1	2	1	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	56
77	42	42	52	32	41	32	28	27	17	27	17	9	3	3	-	-	3	57
65	35	33	42	24	33	26	20	22	15	22	12	6	3	-	-	-	2	58
2	2	5	4	6	2	1	4	1	3	4	4	3	-	2	-	-	-	59
9	4	4	6	2	6	5	2	4	1	1	-	-	-	-	-	-	1	60
1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	63
25	9	18	17	25	31	36	38	47	49	34	33	19	7	6	1	-	-	64
13	6	15	11	16	20	22	27	31	39	26	27	10	4	3	-	-	-	65
7	1	3	1	3	3	5	5	9	5	3	4	9	2	2	1	-	-	66
5	2	-	5	4	6	5	5	5	4	4	2	-	-	1	-	-	-	67
-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	68
-	-	-	-	1	2	3	-	1	1	-	-	-	1	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
175	168	146	164	145	123	86	76	47	21	13	12	3	-	-	-	-	26	71
139	132	112	129	122	102	74	65	39	20	11	11	3	-	-	-	-	26	72
11	12	11	7	7	6	3	4	-	-	1	-	-	-	-	-	-	-	73
20	22	18	24	15	15	8	6	7	1	1	1	-	-	-	-	-	-	74
1	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	75
2	1	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	76
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
294	400	262	120	76	78	43	24	12	6	2	-	-	-	-	-	-	10	78
276	389	244	113	67	67	36	23	8	4	2	-	-	-	-	-	-	9	79
14	8	18	7	9	11	7	1	4	2	-	-	-	-	-	-	-	1	80
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
44	81	103	162	175	140	134	107	61	47	32	15	12	5	1	-	-	3	85
16	41	37	63	89	75	78	65	37	28	22	8	7	4	1	-	-	-	86
15	24	37	77	61	49	40	28	16	11	9	5	5	1	-	-	-	-	87
9	5	16	8	13	11	13	12	7	4	-	1	-	-	-	-	-	2	88
3	9	12	11	11	4	3	1	-	3	1	1	-	-	-	-	-	1	89
1	2	1	3	1	1	-	1	1	1	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
116	101	114	131	113	145	137	140	133	118	130	109	86	36	5	1	-	2	92
72	70	83	83	84	89	93	88	88	76	78	62	49	22	3	1	-	1	93
30	20	18	30	22	41	29	41	35	31	45	44	36	13	2	-	-	1	94
9	5	8	8	4	10	12	10	7	8	6	2	1	-	-	-	-	-	95
5	4	4	7	3	4	3	1	3	2	-	-	-	-	-	-	-	-	96
-	1	-	3	-	1	-	-	-	1	1	1	-	1	-	-	-	-	97
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued Accidents—Continued										
1	E900-E904	Accidental falls	20,783	145	108	54	44	18	369	104	75	136
2		White—Male	9,159	61	55	34	26	11	187	58	51	105
3		White—Female	10,501	51	30	12	11	5	109	33	16	12
4		Negro—Male	652	20	10	6	2	1	39	6	7	16
5		Negro—Female	410	10	10	2	4	1	27	5	1	1
6		Other—Male	45	2	3	-	1	-	6	1	-	2
7		Other—Female	16	1	-	-	-	-	1	1	-	-
8	E900-E902	Fall from one level to another	7,117	110	85	41	32	10	278	68	43	93
9		White—Male	4,101	42	44	26	16	7	135	40	31	78
10		White—Female	2,495	42	22	8	11	2	85	20	8	4
11		Negro—Male	354	16	9	5	2	1	33	4	4	9
12		Negro—Female	137	7	7	2	3	-	19	3	-	1
13		Other—Male	21	2	3	-	-	-	5	1	-	1
14		Other—Female	9	1	-	-	-	-	1	-	-	-
15	E903	Fall on same level	4,569	5	10	2	5	-	22	10	11	6
16		White—Male	1,891	3	4	1	5	-	13	4	9	3
17		White—Female	2,726	-	2	1	-	-	3	3	2	1
18		Negro—Male	67	1	1	-	-	-	2	1	-	2
19		Negro—Female	75	1	3	-	-	-	4	2	-	-
20		Other—Male	9	-	-	-	-	-	-	-	-	-
21		Other—Female	1	-	-	-	-	-	-	-	-	-
22	E904	Unspecified falls	9,097	30	13	11	7	8	69	26	21	37
23		White—Male	3,367	16	7	7	5	4	39	14	11	24
24		White—Female	5,280	9	5	3	-	3	21	10	6	7
25		Negro—Male	231	3	-	1	-	-	4	1	3	5
26		Negro—Female	198	2	-	-	1	1	4	-	1	-
27		Other—Male	15	-	-	-	1	-	1	-	-	1
28		Other—Female	6	-	-	-	-	-	-	1	-	-
29	E910	Blow from falling object	1,613	4	5	8	21	16	54	43	28	74
30		White—Male	1,328	2	2	5	18	7	32	29	20	62
31		White—Female	52	1	3	3	4	7	18	9	2	2
32		Negro—Male	224	-	-	-	-	1	1	5	6	9
33		Negro—Female	4	-	-	-	1	-	1	-	-	-
34		Other—Male	3	-	-	-	-	-	-	-	-	1
35		Other—Female	2	1	-	-	-	1	2	-	-	-
36	E912	Accident caused by machinery	1,771	1	22	17	20	13	73	47	61	103
37		White—Male	1,553	1	16	10	16	8	51	37	46	90
38		White—Female	67	-	4	6	4	4	18	9	4	3
39		Negro—Male	137	-	2	1	-	-	3	1	9	7
40		Negro—Female	3	-	-	-	-	-	-	-	1	-
41		Other—Male	9	-	-	-	-	-	-	-	1	3
42		Other—Female	2	-	-	-	-	1	1	-	-	-
43	E914	Accident caused by electric current	955	7	4	6	4	6	27	20	23	68
44		White—Male	829	3	4	3	2	4	16	14	16	58
45		White—Female	63	3	-	3	2	2	10	5	5	5
46		Negro—Male	58	1	-	-	-	-	1	-	1	5
47		Negro—Female	5	-	-	-	-	-	-	1	1	-
48		Other—Male	-	-	-	-	-	-	-	-	-	-
49		Other—Female	-	-	-	-	-	-	-	-	-	-
50	E916	Accident caused by fire and explosion, etc.*	6,405	316	280	265	285	189	1,323	453	189	154
51		White—Male	2,697	91	79	80	71	48	369	117	66	66
52		White—Female	1,918	73	80	70	95	68	386	175	67	47
53		Negro—Male	871	72	60	50	38	30	260	47	22	14
54		Negro—Female	859	79	68	50	59	42	298	108	32	24
55		Other—Male	40	1	2	1	1	-	5	4	1	1
56		Other—Female	20	-	1	2	1	1	5	2	1	2
57	E917,E918	Accident caused by hot substance, etc.*	842	46	100	67	35	21	269	32	13	5
58		White—Male	377	26	42	22	10	6	106	8	2	1
59		White—Female	232	14	25	19	10	9	77	10	7	2
60		Negro—Male	125	2	19	14	4	4	43	5	1	1
61		Negro—Female	100	3	13	11	10	2	39	8	2	1
62		Other—Male	3	1	-	1	-	-	2	-	-	-
63		Other—Female	5	-	1	-	1	-	2	1	1	-
64	E919	Accident caused by firearm	2,174	7	11	18	30	27	93	129	229	340
65		White—Male	1,586	2	4	7	17	12	42	77	181	255
66		White—Female	187	2	6	3	6	7	24	27	21	19
67		Negro—Male	306	2	-	4	2	5	13	21	35	56
68		Negro—Female	71	1	1	3	5	3	13	2	6	6
69		Other—Male	22	-	-	1	-	-	1	2	6	3
70		Other—Female	2	-	-	-	-	-	-	-	-	1
71	E921,E922	Inhalation and ingestion of food or other object, etc.*	1,350	882	131	40	14	10	1,077	13	3	5
72		White—Male	696	420	67	17	10	8	522	8	2	3
73		White—Female	397	271	36	13	4	2	326	5	1	2
74		Negro—Male	131	94	12	7	-	-	113	1	-	-
75		Negro—Female	111	86	14	3	-	-	103	1	-	-
76		Other—Male	12	8	2	-	-	-	10	-	-	-
77		Other—Female	3	3	-	-	-	-	3	-	-	-
78	E929	Accidental drowning	4,785	58	262	199	106	74	699	516	566	556
79		White—Male	3,367	32	179	141	73	57	482	372	345	342
80		White—Female	624	20	69	50	28	12	179	65	91	46
81		Negro—Male	671	4	6	2	2	5	21	68	120	153
82		Negro—Female	81	2	4	3	2	-	11	9	9	10
83		Other—Male	38	-	2	2	-	-	4	2	1	4
84		Other—Female	4	-	-	1	1	-	2	-	-	1
85	E931	Excessive heat and insolation	137	14	-	2	-	-	16	1	-	6
86		White—Male	77	8	-	-	-	-	8	-	-	3
87		White—Female	21	2	-	1	-	-	3	1	-	2
88		Negro—Male	26	1	-	1	-	-	2	-	-	1
89		Negro—Female	8	2	-	-	-	-	2	-	-	-
90		Other—Male	2	-	-	-	-	-	-	-	-	-
91		Other—Female	1	1	-	-	-	-	1	-	-	-
92	E940-E959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*	589	20	9	3	12	4	48	12	7	12
93		White—Male	228	11	5	3	8	-	27	6	4	7
94		White—Female	277	5	4	-	3	3	15	4	3	1
95		Negro—Male	27	1	-	-	-	-	1	2	-	2
96		Negro—Female	53	3	-	-	-	1	4	-	-	2
97		Other—Male	3	-	-	-	1	-	1	-	-	-
98		Other—Female	1	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
153	201	280	396	473	568	705	935	1,132	1,508	2,211	3,107	3,630	2,958	1,454	315	50	23	1
112	131	182	260	298	387	475	620	689	796	958	1,152	1,227	923	436	87	12	13	2
18	25	47	62	84	112	136	227	360	616	1,154	1,895	2,356	1,994	994	216	30	5	3
18	33	38	53	73	55	67	59	41	50	41	19	14	10	7	3	-	3	4
5	11	12	19	15	11	22	26	40	40	50	39	28	27	14	9	7	1	5
-	1	1	1	2	3	4	3	2	6	3	2	3	3	1	-	-	1	6
-	-	-	1	1	-	1	-	-	-	5	-	2	1	2	-	1	-	7
106	132	172	229	270	320	398	517	574	610	705	846	848	560	276	54	10	7	8
80	90	121	156	176	219	288	380	398	395	415	410	354	191	111	24	4	5	9
9	13	21	34	46	62	64	92	141	181	256	422	487	359	160	26	4	1	10
13	22	24	28	41	32	34	31	23	22	17	8	2	2	3	1	-	1	11
4	7	6	9	6	4	10	11	11	10	13	6	4	8	1	3	1	-	12
-	-	-	1	1	3	2	3	1	2	1	-	-	-	-	-	-	-	13
-	-	-	1	-	-	1	-	-	-	3	-	1	-	1	-	1	-	14
3	12	21	39	56	60	79	135	176	314	519	779	976	821	416	102	11	1	15
3	6	14	29	35	35	45	71	99	128	210	275	308	263	122	17	2	-	16
-	2	5	6	12	17	26	45	65	169	294	490	663	548	285	83	7	-	17
-	3	2	3	5	7	4	13	5	5	5	4	-	4	1	1	-	-	18
-	1	-	1	4	1	4	6	7	8	9	10	4	4	7	1	2	-	19
-	-	-	-	-	-	-	-	-	4	-	-	1	2	1	-	-	1	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	21
44	57	87	128	147	168	227	285	382	584	987	1,482	1,906	1,577	762	159	29	15	22
29	35	47	75	87	133	142	169	192	273	333	467	565	469	203	46	6	8	23
9	10	21	22	36	33	46	90	154	266	604	983	1,206	1,087	549	107	19	4	24
5	8	12	22	27	16	29	15	13	23	19	7	12	4	3	1	-	2	25
1	3	6	9	5	6	8	9	22	22	28	23	20	15	6	5	4	1	26
-	1	1	-	1	-	2	-	1	-	2	2	2	1	-	-	-	-	27
-	-	-	-	1	-	-	-	-	-	1	-	1	1	1	-	-	-	28
138	135	151	156	179	145	149	140	81	76	32	19	8	3	1	-	-	1	29
121	116	122	136	142	115	120	121	70	68	28	17	6	2	-	-	-	1	30
-	1	-	-	1	3	1	1	2	3	4	2	1	1	1	-	-	-	31
16	18	28	20	35	27	28	18	9	4	-	-	-	-	-	-	-	-	32
-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
146	140	128	166	182	157	129	136	119	94	43	31	12	3	-	-	-	1	36
124	127	115	152	159	137	116	121	105	90	40	27	12	3	-	-	-	1	37
2	-	3	4	3	3	2	3	5	3	3	2	-	-	-	-	-	-	38
18	12	9	8	20	17	11	11	8	1	-	2	-	-	-	-	-	-	39
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	41
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
113	147	128	93	94	89	56	41	24	20	6	2	3	1	-	-	-	-	43
105	134	116	81	86	77	47	34	20	18	5	1	1	-	-	-	-	-	44
5	5	3	2	2	4	5	4	2	2	1	1	1	1	-	-	-	-	45
3	8	8	9	6	8	4	3	2	-	-	-	-	-	-	-	-	-	46
-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
233	253	312	299	340	293	307	301	297	350	380	388	299	155	51	11	8	9	50
111	119	164	157	181	149	159	166	157	176	175	165	127	50	17	2	-	5	51
60	75	76	70	77	86	71	59	83	85	128	160	120	69	20	2	2	-	52
37	32	39	49	46	37	47	38	32	49	30	29	30	20	5	2	3	3	53
24	24	28	22	33	19	26	36	25	37	43	30	19	15	8	5	2	1	54
1	2	5	1	3	2	3	2	-	2	1	4	1	1	1	-	-	-	55
-	1	-	-	-	-	2	-	-	1	3	-	2	-	-	-	1	-	56
21	21	24	35	42	22	32	43	45	45	57	58	45	18	7	3	3	2	57
12	9	15	17	24	11	16	20	27	20	21	31	18	12	4	1	-	2	58
2	5	2	7	4	5	5	11	7	16	25	19	20	5	1	1	1	-	59
4	2	7	8	10	5	7	8	7	4	7	4	1	-	-	1	-	-	60
3	4	-	3	4	1	4	4	4	5	4	4	6	1	1	-	2	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	62
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
244	192	136	168	126	124	118	100	74	51	24	18	7	-	1	-	-	-	64
174	130	91	125	90	103	95	87	69	46	20	13	7	-	1	-	-	-	65
16	20	14	13	12	5	3	5	3	1	2	2	-	-	-	-	-	-	66
43	30	22	23	17	14	15	7	2	4	2	2	-	-	-	-	-	-	67
8	8	7	5	7	2	5	1	-	-	-	1	-	-	-	-	-	-	68
3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
14	13	10	13	14	20	28	23	27	22	20	22	15	6	2	2	-	1	71
3	5	4	9	11	15	20	16	21	17	13	13	12	2	-	2	-	-	72
6	4	2	3	3	5	7	2	5	3	6	7	3	4	2	-	-	1	73
3	3	3	1	-	-	1	3	-	1	1	1	-	-	-	-	-	-	74
1	1	1	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	75
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
366	254	212	249	218	191	194	187	178	147	111	55	35	19	4	-	-	28	78
267	169	153	178	161	133	154	153	136	121	80	34	27	15	4	-	-	21	79
28	17	17	16	17	22	22	21	28	18	17	11	5	1	-	-	-	3	80
57	40	38	49	31	30	15	8	12	5	10	9	3	1	-	-	-	1	81
8	4	2	4	4	4	3	1	-	3	4	1	-	2	-	-	-	2	82
6	4	2	2	4	2	-	4	2	-	-	-	-	-	-	-	-	1	83
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	84
9	3	5	13	10	8	14	14	15	4	7	6	5	1	-	-	-	-	85
8	-	3	11	4	3	11	5	8	2	6	3	4	-	-	-	-	-	86
2	-	-	-	2	-	-	4	2	1	1	2	1	-	-	-	-	-	87
-	3	1	1	4	4	3	5	3	1	-	-	-	-	-	-	-	-	88
1	-	1	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	89
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
15	24	27	42	47	43	44	46	57	49	44	40	21	7	3	-	1	-	92
5	4	9	11	13	10	15	17	26	21	21	22	6	3	-	-	1	-	93
9	9	14	19	26	25	19	24	25	26	18	18	15	4	3	-	-	-	94
1	4	1	4	2	1	4	1	1	1	2	-	-	-	-	-	-	-	95
-	7	3	8	6	7	5	4	4	-	3	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	98

Table 52. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
1	Residual	All other accidents	8,132	1,758	116	62	56	45	2,035	180	205	200
2		White—Male	3,528	744	65	28	26	20	883	120	146	140
3		Female	1,481	545	32	23	21	15	636	33	29	22
4		Negro—Male	774	231	10	5	2	6	254	18	22	22
5		Female	365	194	7	5	5	3	214	6	5	10
6		Other—Male	72	28	1	1	1	1	32	2	2	6
7		Female	22	14	1	-	1	-	16	1	1	-
8	E963,E970-E979	Suicide	17,145	-	-	-	-	-	-	1	37	283
9		White—Male	12,755	-	-	-	-	-	-	1	28	172
10		Female	3,713	-	-	-	-	-	-	-	6	87
11		Negro—Male	457	-	-	-	-	-	-	-	-	14
12		Female	120	-	-	-	-	-	-	-	-	10
13		Other—Male	85	-	-	-	-	-	-	-	2	-
14		Female	15	-	-	-	-	-	-	-	1	-
15	E970-E973	Suicide by poisoning	3,989	-	-	-	-	-	-	-	5	72
16		White—Male	2,410	-	-	-	-	-	-	-	1	25
17		Female	1,469	-	-	-	-	-	-	-	4	40
18		Negro—Male	42	-	-	-	-	-	-	-	-	1
19		Female	33	-	-	-	-	-	-	-	-	6
20		Other—Male	9	-	-	-	-	-	-	-	-	-
21		Female	6	-	-	-	-	-	-	-	-	-
22	E974	Suicide by hanging and strangulation	3,592	-	-	-	-	-	-	1	16	57
23		White—Male	2,681	-	-	-	-	-	-	1	13	45
24		Female	812	-	-	-	-	-	-	-	1	9
25		Negro—Male	53	-	-	-	-	-	-	-	-	2
26		Female	13	-	-	-	-	-	-	-	-	1
27		Other—Male	25	-	-	-	-	-	-	-	2	-
28		Female	8	-	-	-	-	-	-	-	-	-
29	E976	Suicide by firearms and explosives	7,377	-	-	-	-	-	-	-	14	131
30		White—Male	6,263	-	-	-	-	-	-	-	12	90
31		Female	768	-	-	-	-	-	-	-	1	29
32		Negro—Male	272	-	-	-	-	-	-	-	-	10
33		Female	37	-	-	-	-	-	-	-	-	2
34		Other—Male	36	-	-	-	-	-	-	-	-	-
35		Female	1	-	-	-	-	-	-	-	1	-
36	E963,E975,	Suicide by all other means	2,207	-	-	-	-	-	-	-	2	23
37	E977-E979	White—Male	1,401	-	-	-	-	-	-	-	2	12
38		Female	664	-	-	-	-	-	-	-	-	9
39		Negro—Male	90	-	-	-	-	-	-	-	-	1
40		Female	37	-	-	-	-	-	-	-	-	1
41		Other—Male	15	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	E964,E980-E985	Homicide	7,942	137	27	16	19	15	214	65	68	417
44		White—Male	2,586	60	8	8	4	6	86	25	23	120
45		Female	952	52	9	5	11	7	84	20	20	54
46		Negro—Male	3,480	11	4	1	1	-	17	9	17	169
47		Female	890	13	5	2	3	1	24	11	7	71
48		Other—Male	53	1	1	-	-	-	2	-	1	3
49		Female	11	-	-	-	-	1	1	-	-	-
50	E981	Assault by firearms and explosives	4,179	10	8	5	3	6	32	29	42	210
51		White—Male	1,392	6	-	2	-	3	11	13	15	65
52		Female	552	2	4	2	1	1	10	8	10	29
53		Negro—Male	1,745	1	1	1	1	-	4	5	12	79
54		Female	457	1	3	-	1	1	6	3	4	36
55		Other—Male	26	-	-	-	-	-	-	-	1	1
56		Female	7	-	-	-	-	1	1	-	-	-
57	E982	Assault by cutting and piercing instruments	1,879	6	2	1	3	1	13	7	7	124
58		White—Male	337	4	1	1	-	-	6	1	2	21
59		Female	91	1	1	-	3	1	6	-	1	5
60		Negro—Male	1,164	-	-	-	-	-	-	1	3	68
61		Female	277	1	-	-	-	-	1	5	1	30
62		Other—Male	9	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	E964,E980,	Assault by other means	1,521	121	17	10	13	8	169	29	17	48
65	E983	White—Male	683	50	7	5	4	3	69	11	4	12
66		Female	307	49	4	3	7	5	68	12	9	19
67		Negro—Male	355	10	3	-	-	-	13	3	2	11
68		Female	156	11	2	2	2	-	17	3	2	5
69		Other—Male	17	1	1	-	-	-	2	-	-	1
70		Female	3	-	-	-	-	-	-	-	-	-
71	E984	Injury by intervention of police	282	-	-	-	-	-	-	-	2	33
72		White—Male	135	-	-	-	-	-	-	-	2	22
73		Female	2	-	-	-	-	-	-	-	-	1
74		Negro—Male	144	-	-	-	-	-	-	-	-	9
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other—Male	1	-	-	-	-	-	-	-	-	1
77		Female	-	-	-	-	-	-	-	-	-	-
78	E985	Execution	81	-	-	-	-	-	-	-	-	2
79		White—Male	39	-	-	-	-	-	-	-	-	-
80		Female	-	-	-	-	-	-	-	-	-	-
81		Negro—Male	42	-	-	-	-	-	-	-	-	2
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other—Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	E965,E990-E999	Injury resulting from operations of war	40	-	-	-	-	-	-	-	-	3
86		White—Male	36	-	-	-	-	-	-	-	-	3
87		Female	-	-	-	-	-	-	-	-	-	-
88		Negro—Male	4	-	-	-	-	-	-	-	-	-
89		Female	-	-	-	-	-	-	-	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1950—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
233	243	257	239	305	270	295	309	263	276	238	231	164	104	57	18	1	9	1
160	162	187	163	195	161	197	221	185	188	162	115	76	39	17	5	-	6	2
26	21	22	23	44	38	48	46	51	57	54	95	77	58	39	11	-	1	3
39	41	50	35	49	41	30	31	22	20	13	14	8	3	1	1	-	-	4
5	18	15	13	12	10	18	6	3	10	6	6	3	4	-	1	1	1	5
3	3	3	3	5	-	2	4	2	-	3	1	-	-	-	-	-	1	6
-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	7
714	990	1,166	1,464	1,608	1,752	1,876	1,855	1,730	1,449	1,016	663	358	124	35	7	-	15	8
489	635	801	994	1,139	1,271	1,404	1,457	1,378	1,163	825	561	309	108	25	2	-	13	9
181	282	283	385	409	403	421	349	308	262	167	94	46	14	9	5	-	2	10
43	50	53	60	44	48	32	42	34	15	15	3	2	2	-	-	-	-	11
13	13	20	15	7	17	11	2	3	2	4	3	-	-	-	-	-	-	12
8	9	6	8	8	11	5	5	6	7	6	2	1	-	1	-	-	-	13
-	1	3	2	1	2	3	-	1	-	1	-	-	-	-	-	-	-	14
194	252	330	395	463	487	466	381	331	247	164	104	56	15	4	1	-	2	15
105	140	194	218	274	302	287	262	211	153	110	68	46	10	3	-	-	1	16
78	102	121	169	178	172	175	117	117	93	50	35	10	5	1	1	-	1	17
6	4	7	4	6	8	1	2	2	-	1	-	-	-	-	-	-	-	18
4	5	5	2	3	3	3	-	-	1	1	-	-	-	-	-	-	-	19
1	-	1	1	1	1	-	-	1	-	2	1	-	-	-	-	-	-	20
-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	21
85	144	179	244	274	308	394	466	477	376	251	181	97	39	15	4	-	4	22
67	94	114	166	195	219	276	353	384	291	203	136	79	35	7	1	-	4	23
10	39	49	71	77	76	107	104	86	81	45	24	17	6	7	3	-	-	24
8	7	7	4	2	6	5	8	2	1	1	-	-	-	-	-	-	-	25
-	1	4	1	-	2	2	-	1	-	-	1	-	-	-	-	-	-	26
-	3	4	1	-	4	1	1	3	3	1	-	1	-	1	-	-	-	27
-	-	1	1	-	1	3	-	1	-	1	-	-	-	-	-	-	-	28
372	480	536	696	694	775	774	751	676	596	405	278	149	49	5	1	-	5	29
270	350	428	534	571	646	679	664	619	550	376	270	145	48	5	1	-	5	30
67	94	78	100	87	92	71	57	33	30	20	5	4	-	-	-	-	-	31
26	30	24	43	28	25	17	26	22	11	8	1	-	1	-	-	-	-	32
3	3	5	5	2	7	5	2	1	1	-	1	-	-	-	-	-	-	33
6	3	1	4	6	5	2	2	1	4	1	1	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
63	114	121	139	177	182	242	257	246	230	198	120	56	21	11	1	-	4	36
27	51	65	76	99	104	162	178	164	169	136	87	39	17	10	-	-	3	37
26	47	35	46	67	63	68	71	72	58	52	30	15	3	1	1	-	1	38
3	9	15	9	8	9	9	6	8	3	5	2	2	1	-	-	-	-	39
6	4	6	7	2	5	1	-	1	-	3	1	-	-	-	-	-	-	40
1	3	-	2	1	1	2	2	1	-	2	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
976	1,203	1,141	1,034	845	626	433	325	206	169	102	62	23	12	1	-	-	20	43
237	275	292	331	282	234	194	162	107	102	52	35	14	4	-	-	-	11	44
73	103	104	109	104	78	50	44	35	23	23	15	5	5	1	-	-	2	45
516	635	586	475	365	262	160	107	57	34	22	8	3	2	-	-	-	6	46
144	180	155	112	86	45	23	10	6	7	4	3	1	1	-	-	-	-	47
6	8	3	5	6	5	5	2	1	3	1	1	-	-	-	-	-	1	48
-	2	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	49
526	679	625	564	470	355	222	166	108	80	31	22	7	2	-	-	-	9	50
133	164	170	193	164	145	101	82	51	48	13	15	4	-	-	-	-	5	51
49	70	75	71	73	48	28	30	22	11	8	6	2	1	-	-	-	1	52
262	340	290	240	193	132	78	46	30	19	10	-	1	1	-	-	-	3	53
78	100	87	57	36	24	11	7	5	2	-	1	-	-	-	-	-	-	54
4	4	3	2	3	4	3	1	-	-	-	-	-	-	-	-	-	-	55
-	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	56
286	339	305	283	194	125	81	51	30	23	15	8	3	2	-	-	-	3	57
47	40	38	47	35	26	22	20	12	10	7	1	1	-	-	-	-	1	58
8	13	7	15	10	5	6	3	2	5	2	2	-	1	-	-	-	-	59
174	222	219	174	112	83	49	26	16	5	4	4	1	1	-	-	-	2	60
55	60	41	27	34	11	4	1	-	3	2	1	1	-	-	-	-	-	61
2	4	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63
91	115	153	169	148	122	116	98	67	66	53	31	12	8	1	-	-	8	64
33	37	59	71	69	51	61	53	44	44	30	18	8	4	-	-	-	5	65
16	19	22	23	21	25	16	11	11	7	13	7	3	3	1	-	-	1	66
31	38	44	43	41	35	29	32	10	10	7	4	1	-	-	-	-	1	67
11	20	27	28	16	10	8	2	1	2	2	1	-	1	-	-	-	-	68
-	-	-	3	1	1	2	-	1	3	1	1	-	-	-	-	-	1	69
-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
59	53	43	31	25	17	6	8	-	-	3	1	1	-	-	-	-	-	71
21	24	18	16	10	8	5	5	-	-	2	1	1	-	-	-	-	-	72
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
38	28	25	15	15	9	1	3	-	-	1	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
14	17	15	7	8	7	8	2	1	-	-	-	-	-	-	-	-	-	78
3	10	7	4	4	4	5	2	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
11	7	8	3	4	3	3	-	1	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
7	6	9	1	2	-	2	7	1	2	-	-	-	-	-	-	-	-	85
6	5	9	-	2	-	2	6	1	2	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 53. Deaths From 255 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	Intermediate[1] List number	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		ALL CAUSES	1,452,454	827,749	624,705
2		I. Infective and parasitic diseases	51,650	33,710	17,940
3		Tuberculosis, all forms--001-019	33,959	22,539	11,420
4	A 1	Tuberculosis of respiratory system--001-008	31,093	20,885	10,208
5	A 2	Tuberculosis of meninges and central nervous system--010	1,094	584	510
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands--011	229	107	122
7	A 4 pt.	Tuberculosis of vertebral column--012.0,013.0	182	110	72
8	A 4 pt.	Tuberculosis of other bones and joints--012.1-012.3,013.1-013.3	66	51	15
9	A 5 pt.	Tuberculosis of genito-urinary system--015	274	186	88
10	A 5 pt.	Tuberculosis of lymphatic system and other organs--014,015,017,018	146	77	69
11	A 5 pt.	Disseminated tuberculosis--019	875	539	336
12		Syphilis and its sequelae--020-029	7,568	5,550	2,018
13	A 6	Congenital syphilis--020	253	137	116
14	A 7	Early syphilis--021	3	2	1
15	A 10 pt.	Aneurysm of aorta--022	2,377	1,785	592
16	A 10 pt.	Other cardiovascular syphilis--023	2,351	1,768	583
17	A 8	Tabes dorsalis--024	174	136	38
18	A 9	General paralysis of insane--025	1,301	977	324
19	A 10 pt.	Other syphilis of central nervous system--026	826	574	252
20	A 10 pt.	Other syphilis--027-029	283	171	112
21	A 11	Gonococcal infection--030-035	37	18	19
22	A 12	Typhoid fever--040	96	52	44
23	A 13 pt.	Paratyphoid fever--041	18	11	7
24	A 13 pt.	Other Salmonella infections--042	25	18	7
25	A 14	Cholera--043	-	-	-
26	A 15	Brucellosis (undulant fever)--044	36	21	15
27	A 16	Dysentery, all forms--045-048	923	541	382
28	A 17	Scarlet fever--050	35	22	13
29	A 18	Streptococcal sore throat--051	311	160	151
30	A 19	Erysipelas--052	54	25	29
31	A 20	Septicemia and pyemia--053	616	334	282
32	A 21	Diphtheria--055	410	215	195
33	A 22	Whooping cough--056	1,116	495	623
34	A 23	Meningococcal infections--057	974	559	415
35	A 24	Plague--058	1	1	-
36	A 43 pt.	Tularemia--059	15	10	5
37	A 25	Leprosy--060	3	-	3
38	A 26	Tetanus--061	336	214	122
39	A 27	Anthrax--062	5	3	2
40	A 28	Acute poliomyelitis--080	1,904	1,141	763
41	A 30 pt.	Late effects of acute poliomyelitis--081	79	55	24
42	A 29	Acute infectious encephalitis--082	394	201	193
43	A 30 pt.	Late effects of acute infectious encephalitis--083	161	97	64
44	A 31	Smallpox--084	1	1	-
45	A 32	Measles--085	468	236	232
46	A 33	Yellow fever--091	-	-	-
47	A 34	Infectious hepatitis--092	552	283	269
48	A 35	Rabies--094	18	17	1
49	A 36 pt.	Tick-borne typhus--104	31	21	10
50		Rocky Mountain spotted fever--104A	31	21	10
51		Other forms of tick-borne typhus--104B	-	-	-
52	A 36 pt.	Typhus, other and unspecified, and other rickettsial diseases--100-103,105-108	16	8	8
53	A 37	Malaria--110-117	76	46	30
54	A 38	Schistosomiasis--123	2	1	1
55	A 39	Hydatid disease--125	7	6	1
56	A 40	Filariasis--127	2	1	1
57	A 41	Ankylostomiasis--129	7	3	4
58	A 42	Other diseases due to helminths--124,126,128,130	80	41	39
59	A 43 pt.	All other infective and parasitic diseases--036-039,049,054,063-074,086-090,095,095,096,120-122,131-138	1,312	764	548
60		II. Neoplasms	216,107	109,093	107,014
61		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	210,733	106,971	103,762
62	A 44	Malignant neoplasm of buccal cavity and pharynx--140-148	5,138	4,072	1,066
63		Malignant neoplasm of lip--140	463	418	45
64		Malignant neoplasm of tongue--141	1,277	1,031	246
65		Malignant neoplasm of other and unspecified parts of buccal cavity--142-144	1,474	1,063	411
66		Malignant neoplasm of pharynx--145-148	1,924	1,560	364
67		Malignant neoplasm of digestive organs and peritoneum--150-156A,157-159	81,726	44,988	36,738
68	A 45	Malignant neoplasm of esophagus--150	3,866	3,034	832
69	A 46	Malignant neoplasm of stomach--151	24,258	15,280	8,978
70	A 47	Malignant neoplasm of intestine, except rectum--152,153	23,000	10,380	12,620
71	A 48	Malignant neoplasm of rectum--154	10,383	5,976	4,407
72	A 57 pt.	Malignant neoplasm of biliary passages and of liver (stated to be primary site)--155	4,653	1,821	2,832
73	A 57 pt.	Malignant neoplasm of liver not specified whether primary or secondary--156A	5,121	2,552	2,569
74	A 57 pt.	Malignant neoplasm of pancreas--157	8,952	5,213	3,739
75	A 57 pt.	Malignant neoplasm of peritoneum and of unspecified digestive organs--158,159	1,493	732	761
76		Malignant neoplasm of respiratory system--160-164	21,219	17,270	3,949
77	A 49	Malignant neoplasm of larynx--161	1,852	1,661	191
78	A 50 pt.	Malignant neoplasm of trachea, and of bronchus and lung specified as primary--162	7,618	6,445	1,173
79	A 50 pt.	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary--163	10,695	8,477	2,218
80	A 57 pt.	Malignant neoplasm of other parts of respiratory system--160,164	1,054	687	367
81	A 51	Malignant neoplasm of breast--170	18,973	239	18,734
82		Malignant neoplasm of genital organs--171-179	34,742	12,305	22,437
83	A 52	Malignant neoplasm of cervix uteri--171	8,336	...	8,336
84	A 53	Malignant neoplasm of other and unspecified parts of uterus--172-174	7,749	...	7,749
85	A 57 pt.	Malignant neoplasm of ovary, fallopian tube, and broad ligament--175	5,652	...	5,652
86	A 57 pt.	Malignant neoplasm of other and unspecified female genital organs--176	700	...	700
87	A 54	Malignant neoplasm of prostate--177	11,339	11,339	...
88	A 57 pt.	Malignant neoplasm of testis, and of other and unspecified male genital organs--178,179	966	966	...

[1]Intermediate List of 150 Causes for Tabulation of Mortality, International Statistical Classification of Diseases, Injuries, and Causes of Death, adopted 1948.

Specified Race and Sex: United States, 1950

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,276,085	731,366	544,719	169,606	92,004	77,602	4,440	2,497	1,943	1,057	888	169	885	858	207	401	336	65	1
37,285	25,131	12,152	13,452	8,046	5,406	662	307	355	133	126	7	76	61	15	44	39	5	2
24,136	16,787	7,349	9,089	5,336	3,763	511	228	283	113	107	6	65	51	14	35	30	5	3
22,357	15,754	6,603	8,128	4,774	3,354	408	180	228	107	101	6	62	49	13	31	27	4	4
655	339	314	365	206	159	70	35	35	2	2	-	2	1	1	2	1	1	5
135	62	73	88	42	46	5	2	3	1	1	-	-	-	-	-	-	-	6
120	72	48	58	36	22	4	2	2	-	-	-	-	-	-	-	-	-	7
48	40	8	18	11	7	-	-	-	-	-	-	-	-	-	-	-	-	8
235	164	71	36	19	17	2	2	-	-	-	-	1	1	-	-	-	-	9
107	56	51	38	21	17	1	-	1	-	-	-	-	-	-	-	-	-	10
481	300	181	368	227	141	21	7	14	3	3	-	-	-	-	2	2	-	11
5,024	3,764	1,260	2,477	1,733	744	40	26	14	13	13	-	7	7	-	7	7	-	12
107	59	48	129	67	62	17	11	6	-	-	-	-	-	-	-	-	-	13
1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	14
1,885	1,444	441	485	335	150	2	1	1	3	3	-	2	2	-	-	-	-	15
1,413	1,086	327	916	663	253	12	9	3	3	3	-	5	5	-	2	2	-	16
148	119	29	23	15	8	2	1	1	-	-	-	-	-	-	1	1	-	17
785	576	209	504	390	114	2	1	1	6	6	-	-	-	-	4	4	-	18
506	368	138	315	202	113	4	3	1	1	1	-	-	-	-	-	-	-	19
179	111	68	103	60	43	1	-	1	-	-	-	-	-	-	-	-	-	20
8	5	3	29	13	16	-	-	-	-	-	-	-	-	-	-	-	-	21
55	28	27	37	23	14	4	1	3	-	-	-	-	-	-	-	-	-	22
14	8	6	3	2	1	-	-	-	1	1	-	-	-	-	-	-	-	23
15	10	5	9	7	2	1	1	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
34	19	15	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	26
693	403	290	213	127	86	14	8	6	3	3	-	-	-	-	-	-	-	27
32	21	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	28
262	140	122	47	20	27	2	-	2	-	-	-	-	-	-	-	-	-	29
51	24	27	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	30
504	286	218	110	46	64	2	2	-	-	-	-	-	-	-	-	-	-	31
323	172	151	80	40	40	7	3	4	-	-	-	-	-	-	-	-	-	32
705	304	401	369	172	197	44	19	25	-	-	-	-	-	-	-	-	-	33
843	475	368	122	77	45	8	6	2	1	1	-	-	-	-	-	-	-	34
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
8	6	2	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	36
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
200	132	68	136	82	54	-	-	-	-	-	-	-	-	-	-	-	-	38
4	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	39
1,811	1,094	717	89	48	41	4	1	3	-	-	-	-	-	-	-	-	-	40
71	50	21	7	5	2	-	-	-	-	-	-	1	-	1	-	-	-	41
341	179	162	50	20	30	3	2	1	-	-	-	-	-	-	-	-	-	42
152	89	63	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	43
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
374	194	180	80	37	43	13	4	9	-	-	-	1	1	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
494	259	235	57	23	34	-	-	-	-	-	-	1	1	-	-	-	-	47
17	16	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
29	19	10	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	49
29	19	10	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
7	5	2	9	3	6	-	-	-	-	-	-	-	-	-	-	-	-	52
40	27	13	35	18	17	1	1	-	-	-	-	-	-	-	-	-	-	53
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
6	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	55
1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
3	1	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	57
47	26	21	33	15	18	-	-	-	-	-	-	-	-	-	-	-	-	58
972	577	395	328	179	149	7	4	3	2	1	1	1	1	-	2	2	-	59
198,271	100,722	97,549	17,214	7,966	9,248	256	115	141	144	121	23	171	126	45	51	43	8	60
193,697	98,799	94,898	16,459	7,782	8,657	244	109	135	142	120	22	164	121	43	47	40	7	61
4,755	3,799	956	356	251	105	6	4	2	16	13	3	3	3	-	2	2	-	62
453	412	41	10	6	4	-	-	-	-	-	-	-	-	-	-	-	-	63
1,172	949	223	103	80	23	1	1	-	1	1	-	-	-	-	-	-	-	64
1,372	1,003	369	97	56	41	1	-	1	1	1	-	2	2	-	1	1	-	65
1,758	1,435	323	146	109	37	4	3	1	14	11	3	1	1	-	1	1	-	66
75,273	41,170	34,103	6,193	3,630	2,563	86	49	37	53	48	5	103	74	29	17	16	1	67
3,337	2,620	717	516	403	113	2	1	1	2	2	-	8	7	1	1	1	-	68
21,752	13,633	8,119	2,401	1,569	832	31	24	7	12	11	1	57	38	19	5	5	-	69
21,793	9,854	11,939	1,177	505	672	9	4	5	12	10	2	9	7	2	-	-	-	70
9,678	5,597	4,081	681	360	321	8	5	3	7	7	-	5	3	2	4	4	-	71
4,385	1,669	2,716	241	135	106	9	3	6	4	3	1	12	9	3	2	2	-	72
4,625	2,284	2,341	469	250	219	12	5	7	9	8	1	1	1	-	5	4	1	73
8,388	4,868	3,520	534	325	209	14	6	8	6	6	-	10	8	2	-	-	-	74
1,315	645	670	174	83	91	1	1	-	1	1	-	1	1	-	1	1	-	75
19,829	16,156	3,673	1,311	1,046	265	20	11	9	26	26	-	26	24	2	7	7	-	76
1,724	1,555	169	126	104	22	-	-	-	-	-	-	-	-	-	2	2	-	77
7,081	6,008	1,073	509	411	98	3	2	1	10	10	-	13	12	1	2	2	-	78
10,082	7,973	2,089	589	469	120	14	6	8	14	14	-	13	12	1	3	3	-	79
982	820	342	87	62	25	3	3	-	2	2	-	-	-	-	-	-	-	80
17,861	216	17,445	1,293	22	1,271	15	1	14	3	-	3	1	-	1	-	-	-	81
30,573	11,165	19,408	4,095	1,119	2,976	52	12	40	9	3	6	8	5	3	5	1	4	82
6,886	...	6,886	1,421	...	1,421	23	...	23	2	...	2	2	...	2	2	...	2	83
6,564	...	6,564	1,166	...	1,166	15	...	15	2	...	2	1	...	1	1	...	1	84
5,329	...	5,329	318	...	318	2	...	2	2	...	2	-	...	-	1	...	1	85
629	...	629	71	...	71	-	...	-	-	...	-	-	...	-	-	...	-	86
10,270	10,270	...	1,051	1,051	...	11	11	...	3	3	...	4	4	...	-	-	...	87
895	895	...	68	68	...	1	1	...	-	-	...	1	1	...	1	1	...	88

Table 53. Deaths From 255 Selected Causes, by Specified

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	Intermediate[1] List number	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		II. Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1	A 57 pt.	Malignant neoplasm of urinary organs---180,181	10,044	6,595	3,449
2		Malignant neoplasm of kidney---180	3,643	2,244	1,399
3		Malignant neoplasm of bladder and other urinary organs---181	6,401	4,351	2,050
4		Malignant neoplasm of other and unspecified sites---156B,165,190-199	22,135	11,663	10,472
5	A 55	Malignant neoplasm of skin---190,191	3,453	2,001	1,452
6	A 57 pt.	Malignant neoplasm of eye---192	341	178	163
7	A 57 pt.	Malignant neoplasm of brain and other parts of nervous system---193	4,252	2,555	1,697
8	A 57 pt.	Malignant neoplasm of thyroid gland---194	933	327	606
9	A 56 pt.	Malignant neoplasm of bone (including jaw bone)---196	2,180	1,330	850
10	A 56 pt.	Malignant neoplasm of connective tissue---197	559	319	240
11	A 57 pt.	Malignant neoplasm of other specified sites, not stated to be secondary---195,198A,199A	3,476	1,764	1,712
12	A 57 pt.	Malignant neoplasm of unspecified site---156B,165,198B,199B-E	6,941	3,189	3,752
13	A 58	Leukemia and aleukemia---204	8,845	5,058	3,787
14	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues---200-203,205	7,911	4,781	3,130
15		Lymphosarcoma and reticulosarcoma---200	3,467	2,074	1,393
16		Hodgkin's disease---201	2,537	1,604	933
17		Other neoplasms of lymphatic and hematopoietic tissues---202,203,205	1,907	1,103	804
18	A 60	Benign neoplasms and neoplasms of unspecified nature---210-239	5,374	2,122	3,252
19		Benign neoplasms of female genital organs---214-217	1,261	...	1,261
20		Benign neoplasm of brain and other parts of nervous system---223	859	427	432
21		Other benign neoplasms---210-213,218-222,224-229	808	407	401
22		Neoplasm of unspecified nature of female genital organs---233-235	44	...	44
23		Neoplasm of unspecified nature of brain and other parts of nervous system---237	1,541	832	709
24		Other neoplasms of unspecified nature---230-232,236,238,239	861	456	405
25		III. Allergic, endocrine system, metabolic, and nutritional diseases----	33,213	13,761	19,452
26	A 66 pt.	Asthma---241	4,322	2,695	1,627
27	A 61	Nontoxic goiter---250,251	183	37	146
28	A 62	Thyrotoxicosis with or without goiter---252	1,326	220	1,106
29	A 66 pt.	Myxedema, cretinism, and other diseases of thyroid gland---253,254	198	43	152
30	A 63	Diabetes mellitus---260	24,419	9,348	15,071
31	A 66 pt.	Diseases of thymus gland---273	641	409	232
32	A 66 pt.	Diseases of adrenal glands---274	416	190	226
33	A 64 pt.	Pellagra---281	260	79	181
34	A 64 pt.	All other avitaminoses and nutritional deficiency states---280,282-286	820	430	390
35	A 66 pt.	Other allergic, endocrine, and metabolic diseases---240,242-245,270-272,275-277,287-289	631	310	321
36		IV. Diseases of the blood and blood-forming organs----	5,479	2,665	2,814
37	A 65	Anemias---290-293	4,072	1,954	2,118
38		Pernicious and other hyperchromic anemias---290	2,168	974	1,194
39		Anemias of other and unspecified type---291-293	1,904	980	924
40	A 66 pt.	Purpura and other hemorrhagic conditions---296	563	240	323
41	A 66 pt.	All other diseases of blood and blood-forming organs---284,285,297-299	844	471	373
42		V. Mental, psychoneurotic, and personality disorders----	4,813	3,227	1,586
43	A 67 pt.	Senile psychosis---304	1,053	490	563
44	A 67 pt.	Alcoholic psychosis---307	255	232	23
45	A 67 pt.	Other psychoses---300-303,305,306,308,309	868	381	487
46	A 68 pt.	Alcoholism---322	2,267	1,921	346
47	A 69	Mental deficiency---325	252	143	109
48	A 68 pt.	Psychoneuroses and other disorders of personality---310-321,323,324,326	118	60	58
49		VI. Diseases of the nervous system and sense organs----	170,256	84,365	85,891
50	A 70	Vascular lesions affecting central nervous system---330-334	156,751	76,672	80,079
51		Subarachnoid hemorrhage---330	3,037	1,559	1,478
52		Cerebral hemorrhage---331	106,016	51,020	54,996
53		Cerebral embolism and thrombosis---332	25,676	13,121	12,555
54		Other vascular lesions affecting central nervous system---333,334	22,022	10,972	11,050
55	A 71	Meningitis, except meningococcal and tuberculous---340	1,839	1,095	744
56	A 72	Multiple sclerosis---345	1,278	608	670
57	A 78 pt.	Paralysis agitans---350	1,934	1,143	791
58	A 78 pt.	Cerebral spastic infantile paralysis---351	658	391	267
59	A 73	Epilepsy---353	2,206	1,315	891
60	A 74	Inflammatory diseases of eye---370-379	17	11	6
61	A 75	Cataract---385	80	41	39
62	A 76	Glaucoma---387	18	7	11
63	A 77	Otitis media and mastoiditis---391-393	538	321	217
64	A 78 pt.	Other diseases of nervous system and sense organs---341-344,352,354-369,380-384,386,388-390,394-398	4,937	2,761	2,176
65		VII. Diseases of the circulatory system----	588,323	344,250	244,073
66	A 79	Rheumatic fever---400-402	1,924	949	975
67		Diseases of heart---410-443	535,705	316,675	218,830
68	A 80	Chronic rheumatic heart disease---410-416	20,392	10,329	10,063
69		Diseases of mitral valve---410	8,667	4,404	4,263
70		Diseases of aortic valve specified as rheumatic---411	836	602	234
71		Diseases of tricuspid valve---412	26	16	10
72		Diseases of pulmonary valve and other endocarditis specified as rheumatic---413,414	1,284	644	640
73		Other diseases of heart specified as rheumatic---415,416	9,579	4,663	4,916
74	A 81 pt.	Arteriosclerotic heart disease, including coronary disease---420	321,003	207,864	113,139
75		Arteriosclerotic heart disease so described---420.0	101,171	56,263	44,908
76		Heart disease specified as involving coronary arteries---420.1	217,518	150,060	67,458
77		Angina pectoris without mention of coronary disease---420.2	2,314	1,541	773

[1]Intermediate List of 150 Causes for Tabulation of Mortality, International Statistical Classification of Diseases, Injuries, and Causes of Death, adopted 1948.

Race and Sex: United States, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
9,407	5,226	3,181	615	351	264	11	7	4	4	4	-	5	5	-	2	2	-	1
3,434	2,124	1,310	199	112	87	4	2	2	3	3	-	1	1	-	2	2	-	2
5,973	4,102	1,871	416	259	157	7	5	2	1	1	-	4	4	-	-	-	-	3
20,486	10,825	9,641	1,602	800	802	40	18	22	13	11	2	7	2	5	7	7	-	4
3,329	1,941	1,388	122	60	62	2	-	2	-	-	-	-	-	-	-	-	-	5
326	170	156	15	8	7	-	-	-	-	-	-	-	-	-	-	-	-	6
4,042	2,431	1,611	201	119	82	5	3	2	2	1	1	1	-	1	1	1	-	7
954	299	655	73	25	48	3	1	2	1	1	-	1	-	1	1	1	-	8
1,993	1,232	761	182	96	86	4	2	2	1	-	1	-	-	-	-	-	-	9
517	290	227	42	29	13	-	-	-	-	-	-	-	-	-	-	-	-	10
3,174	1,613	1,561	287	140	147	9	6	3	3	3	-	1	-	1	2	2	-	11
6,231	2,849	3,382	680	323	357	17	6	11	6	6	-	4	2	2	3	3	-	12
8,357	4,783	3,574	459	256	203	10	5	5	12	9	3	4	3	1	3	2	1	13
7,376	4,459	2,917	515	307	208	4	2	2	6	6	-	7	5	2	3	2	1	14
3,272	1,954	1,318	188	114	74	1	1	-	1	1	-	4	3	1	1	1	-	15
2,559	1,503	856	171	97	74	1	-	1	3	3	-	1	-	1	2	1	1	16
1,745	1,002	743	156	96	60	2	1	1	2	2	-	2	2	-	-	-	-	17
4,574	1,923	2,651	775	184	591	12	6	6	2	1	1	7	5	2	4	3	1	18
892	...	892	367	...	367	1	...	1	1	...	1	-	...	-	-	...	-	19
786	394	392	70	30	40	-	-	-	-	-	-	2	2	-	1	1	-	20
725	373	352	79	32	47	4	2	2	-	-	-	-	-	-	-	-	-	21
33	...	33	10	...	10	-	...	-	-	...	-	1	...	1	-	...	-	22
1,390	755	635	143	72	71	4	2	2	-	-	-	2	1	1	2	2	-	23
748	401	347	106	50	56	3	2	1	1	1	-	2	2	-	1	-	1	24
29,899	12,492	17,407	3,195	1,196	1,999	76	36	40	23	20	3	15	14	1	5	3	2	25
3,900	2,462	1,438	412	227	185	5	3	2	4	3	1	-	-	-	1	-	1	26
157	32	125	26	5	21	-	-	-	-	-	-	-	-	-	-	-	-	27
1,181	197	984	140	22	118	3	1	2	1	-	1	1	-	1	-	-	-	28
182	38	144	13	5	8	-	-	-	-	-	-	-	-	-	-	-	-	29
22,147	8,580	13,567	2,193	719	1,474	48	19	29	17	16	1	13	13	-	1	1	-	30
533	342	191	100	60	40	4	4	-	1	1	-	-	-	-	3	2	1	31
397	177	220	19	13	6	-	-	-	-	-	-	-	-	-	-	-	-	32
182	50	132	78	29	49	-	-	-	-	-	-	-	-	-	-	-	-	33
649	330	319	157	91	66	13	8	5	-	-	-	1	1	-	-	-	-	34
571	284	287	57	25	32	3	1	2	-	-	-	-	-	-	-	-	-	35
4,953	2,409	2,544	506	244	262	10	5	5	4	4	-	3	2	1	3	1	2	36
3,648	1,753	1,895	408	192	216	10	5	5	1	1	-	2	2	-	3	1	2	37
2,073	931	1,142	93	42	51	1	-	1	-	-	-	1	1	-	-	-	-	38
1,575	822	753	315	150	165	9	5	4	1	1	-	1	1	-	3	1	2	39
524	228	296	38	11	27	-	-	-	1	1	-	-	-	-	-	-	-	40
781	428	353	60	41	19	-	-	-	2	2	-	1	-	1	-	-	-	41
4,115	2,768	1,347	661	434	227	31	19	12	1	1	-	3	3	-	2	2	-	42
956	440	516	94	50	44	3	-	3	-	-	-	-	-	-	-	-	-	43
223	204	19	31	27	4	1	1	-	-	-	-	-	-	-	-	-	-	44
703	304	399	160	75	85	4	1	3	-	-	-	-	-	-	1	1	-	45
1,892	1,633	259	349	267	82	22	17	5	-	-	-	3	3	-	1	1	-	46
230	132	98	21	11	10	1	-	1	-	-	-	-	-	-	-	-	-	47
111	55	56	6	4	2	-	-	-	1	1	-	-	-	-	-	-	-	48
149,019	74,029	74,990	20,725	9,981	10,744	262	156	106	87	68	19	120	93	27	43	38	5	49
137,482	67,462	70,020	18,844	8,904	9,940	193	119	74	60	65	15	114	88	26	38	34	4	50
2,607	1,345	1,262	409	198	211	3	2	1	8	7	1	5	3	2	5	4	1	51
92,795	44,738	48,057	12,912	6,058	6,854	141	91	50	51	41	10	85	63	22	32	29	3	52
23,768	12,152	11,616	1,861	931	930	19	13	6	13	10	3	15	15	-	-	-	-	53
18,512	9,227	9,085	3,662	1,717	1,945	30	13	17	8	7	1	9	7	2	1	1	-	54
1,322	794	528	489	284	205	23	13	10	1	-	1	1	1	-	3	3	-	55
1,227	591	636	47	16	31	3	1	2	-	-	-	1	-	1	-	-	-	56
1,881	1,111	770	51	30	21	1	1	-	1	1	-	-	-	-	-	-	-	57
588	345	243	68	45	23	2	1	1	-	-	-	-	-	-	-	-	-	58
1,743	1,011	732	452	300	152	11	4	7	-	-	-	-	-	-	-	-	-	59
14	10	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	60
70	38	32	10	3	7	-	-	-	-	-	-	-	-	-	-	-	-	61
15	6	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	62
462	278	184	67	37	30	8	5	3	-	-	-	-	-	-	1	1	-	63
4,215	2,383	1,832	691	360	331	21	12	9	5	2	3	4	4	-	1	-	1	64
534,046	315,224	218,822	52,915	28,047	24,868	708	416	292	302	271	31	252	201	51	100	91	9	65
1,586	779	787	339	162	177	13	4	9	2	2	-	1	-	1	3	2	1	66
486,932	290,701	196,231	47,543	25,272	22,271	631	381	250	275	249	26	235	190	45	89	82	7	67
18,393	9,317	9,076	1,945	977	968	30	14	16	12	11	1	5	4	1	7	6	1	68
7,603	3,873	3,730	1,032	512	520	22	10	12	5	5	-	3	2	1	2	2	-	69
793	573	220	41	27	14	1	1	-	-	-	-	-	-	-	1	1	-	70
25	16	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	71
1,207	597	610	76	46	30	1	1	-	-	-	-	-	-	-	-	-	-	72
8,765	4,258	4,507	795	392	403	6	2	4	7	6	1	2	2	-	4	3	1	73
303,133	197,338	105,795	17,245	10,019	7,226	263	175	88	157	148	9	156	136	20	49	48	1	74
95,017	52,849	42,168	5,959	3,260	2,699	65	35	30	65	61	4	50	44	6	15	14	1	75
206,023	143,074	62,949	11,069	6,636	4,433	194	137	57	92	87	5	106	92	14	34	34	-	76
2,093	1,415	678	217	123	94	4	3	1	-	-	-	-	-	-	-	-	-	77

Table 53. Deaths From 255 Selected Causes, by Specified

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	Intermediate[1] List number	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII. Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Chronic endocarditis not specified as rheumatic—421	10,107	5,542	4,565
2		Of mitral valve, specified as nonrheumatic—421.0	226	124	102
3		Of aortic valve, not specified as rheumatic—421.1	1,906	1,237	668
4		Of other valves, not specified as rheumatic—421.2-421.4	7,976	4,181	3,795
5	A 81 pt.	Other myocardial degeneration—422	75,052	38,905	36,147
6		With arteriosclerosis—422.1	34,847	17,354	17,493
7		Without mention of arteriosclerosis—422.0,422.2	40,205	21,551	18,654
8	A 82	Other diseases of heart—430-434	23,858	14,469	9,389
9		Acute and subacute endocarditis—430	1,004	600	404
10		Acute myocarditis not specified as rheumatic—431	3,114	1,669	1,445
11		Acute pericarditis specified as nonrheumatic—432	52	26	26
12		Functional disease of heart—433	2,422	1,236	1,186
13		Other and unspecified diseases of heart—434	17,368	10,938	6,428
14	A 83	Hypertension with heart disease—440-443	85,193	39,766	45,427
15		Hypertensive heart disease with arteriolar nephrosclerosis—442	25,449	13,038	12,411
16		Essential hypertension with heart disease, other and unspecified hypertensive heart disease—440,441,443	59,744	26,728	33,016
17	A 84	Hypertension without mention of heart—444-447	12,563	6,381	6,182
18		Hypertension with arteriolar nephrosclerosis without mention of heart—446	6,000	3,303	2,697
19		Essential hypertension and other hypertensive disease without mention of heart—444,445,447	6,563	3,078	3,485
20	A 85	Diseases of arteries—450-456	34,578	18,112	16,466
21		General arteriosclerosis—450	30,734	15,676	15,058
22		Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm—451	1,826	1,336	490
23		Gangrene of unspecified cause—455	299	186	113
24		Other arterial diseases—452-454,456	1,719	914	805
25	A 86	Diseases of veins and other diseases of circulatory system—460-468	3,553	1,933	1,620
26		VIII. Diseases of the respiratory system	60,539	35,399	25,140
27	A 87	Acute upper respiratory infections—470-475	781	437	344
28	A 88	Influenza—480-483	6,597	3,287	3,310
29		Pneumonia, except pneumonia of newborn—490-493	40,523	23,036	17,487
30	A 89	Lobar pneumonia—490	13,639	8,141	5,498
31	A 90	Bronchopneumonia—491	18,883	10,460	8,423
32	A 91 pt.	Primary atypical pneumonia—492	4,095	2,255	1,840
33	A 91 pt.	Pneumonia, other and unspecified—493	3,906	2,180	1,726
34	A 92	Acute bronchitis—500	1,036	576	460
35	A 93	Bronchitis, chronic and unqualified—501,502	1,953	1,207	746
36	A 94	Hypertrophy of tonsils and adenoids—510	339	182	157
37	A 95	Empyema and abscess of lung—518,521	787	585	202
38	A 96	Pleurisy—519	245	148	97
39	A 97	All other respiratory diseases—511-517,520,522-527	8,268	5,931	2,337
40		IX. Diseases of the digestive system	54,699	32,436	22,263
41	A 98	Diseases of teeth and supporting structures—530-535	251	141	110
42	A 99	Ulcer of stomach—540	4,533	3,602	931
43	A 100	Ulcer of duodenum—541	3,681	3,045	636
44	A 101	Gastritis and duodenitis—543	343	200	143
45	A 102	Appendicitis—550-553	3,080	1,956	1,124
46	A 103	Hernia and intestinal obstruction—560,561,570	8,994	4,649	4,345
47	A 104	Gastro-enteritis and colitis, except diarrhea of newborn—571,572	7,279	3,836	3,443
48	A 105	Cirrhosis of liver—581	13,855	9,059	4,796
49		Without mention of alcoholism—581.0	10,656	6,763	3,893
50		With alcoholism—581.1	3,199	2,296	903
51	A 106	Cholelithiasis and cholecystitis—584,585	5,870	2,120	3,750
52	A 107	Other diseases of digestive system—536-539,542,544,545,573-580,582,583,586,587	6,913	3,828	3,085
53		X. Diseases of the genito-urinary system	41,943	25,522	16,421
54		Nephritis and nephrosis—590-594	28,147	15,035	13,112
55	A 108	Acute nephritis—590	2,032	1,153	879
56	A 109 pt.	Nephritis with edema, including nephrosis—591	1,438	797	641
57	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis—592-594	24,677	13,085	11,592
58	A 110	Infections of kidney—600	3,129	1,604	1,525
59	A 111	Calculi of urinary system—602,604	1,062	642	420
60	A 114 pt.	Other diseases of urinary system—601,603,605-609	1,516	1,039	477
61	A 112	Hyperplasia of prostate—610	6,359	6,359	...
62	A 114 pt.	Other diseases of male genital organs—611-617	841	841	...
63	A 113	Diseases of breast—620-621	16	2	14
64	A 114 pt.	Diseases of female genital organs—622-637	873	...	873
65		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	2,960	...	2,960
66	A 115	Sepsis of pregnancy, childbirth, and puerperium—640,641,681,682,684	418	...	418
67	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia—642,685,686	952	...	952
68	A 117	Hemorrhage of pregnancy and childbirth—643,644,670-672	536	...	536
69	A 120 pt.	Ectopic pregnancy—645	192	...	192
70	A 118	Abortion without mention of sepsis or toxemia—650	94	...	94
71	A 119	Abortion with sepsis—651	191	...	191
72	A 116 pt.	Abortion with toxemia, without mention of sepsis—652	31	...	31
73	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium—646-649,680,673-680,683,687-689	546	...	546
74		XII. Diseases of the skin and cellular tissue	1,315	586	729
75	A 121	Infections of skin and subcutaneous tissue—690-698	354	196	158
76	A 126 pt.	Other diseases of skin and subcutaneous tissue—700-716	961	390	571
77		XIII. Diseases of the bones and organs of movement	2,850	1,238	1,612
78	A 122	Arthritis and spondylitis—720-725	1,634	577	1,057
79	A 123	Muscular rheumatism and rheumatism, unspecified—726,727	78	39	39
80	A 124	Osteomyelitis and periostitis—730	218	132	86
81	A 125	Ankylosis and acquired musculoskeletal deformities—737,745-749	81	40	41
82	A 126 pt.	All other diseases of musculoskeletal system—731-736,738-744	839	450	389

[1]Intermediate List of 150 Causes for Tabulation of Mortality, International Statistical Classification of Diseases, Injuries, and Causes of Death, adopted 1948.

Race and Sex: United States, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
8,450	4,644	3,806	1,638	885	753	11	8	3	2	2	-	5	4	1	1	1	-	1
204	113	91	21	10	11	-	-	-	-	-	-	1	1	-	-	-	-	2
1,508	993	515	395	244	151	1	-	1	-	-	-	1	-	1	-	-	-	3
6,738	3,538	3,200	1,222	631	591	10	6	4	2	2	-	3	3	-	1	1	-	4
67,958	35,103	32,735	7,027	3,684	3,343	125	62	63	30	27	3	26	24	2	6	5	1	5
32,254	15,966	16,288	2,519	1,341	1,178	45	20	25	13	11	2	15	15	-	1	1	-	6
35,584	19,137	16,447	4,508	2,343	2,165	80	42	38	17	16	1	11	9	2	5	4	1	7
19,761	12,137	7,624	4,109	2,275	1,834	75	48	27	5	5	-	5	2	3	3	2	1	8
817	510	307	184	89	95	2	1	1	-	-	-	1	-	1	-	-	-	9
2,450	1,346	1,104	657	321	336	7	2	5	-	-	-	-	-	-	-	-	-	10
48	24	24	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	11
2,294	1,170	1,124	123	64	59	3	-	3	-	-	-	1	1	-	1	1	-	12
14,152	9,087	5,065	3,141	1,799	1,342	63	45	18	5	5	-	3	1	2	2	1	1	13
69,357	32,162	37,195	15,579	7,432	8,147	127	76	51	69	56	13	38	20	18	23	20	3	14
20,849	10,646	10,203	4,524	2,343	2,181	44	26	18	11	8	3	13	8	5	8	7	1	15
48,508	21,516	26,992	11,055	5,089	5,966	83	50	33	58	48	10	25	12	13	15	13	2	16
10,252	5,244	5,008	2,282	1,121	1,161	17	9	8	4	3	1	5	1	4	3	3	-	17
5,045	2,787	2,258	942	506	436	7	5	2	3	3	-	2	1	1	1	1	-	18
5,207	2,457	2,750	1,340	615	725	10	4	6	1	-	1	3	-	3	2	2	-	19
32,150	16,787	15,363	2,363	1,281	1,082	36	18	18	15	13	2	9	9	-	5	4	1	20
28,713	14,567	14,146	1,965	1,071	894	34	18	16	12	11	1	8	8	-	2	1	1	21
1,657	1,233	424	163	98	65	1	-	1	1	1	-	1	1	-	3	3	-	22
247	157	90	52	29	23	-	-	-	-	-	-	-	-	-	-	-	-	23
1,533	830	703	185	85	100	1	-	1	2	1	1	-	-	-	-	-	-	24
3,146	1,713	1,433	388	211	177	11	4	7	6	4	2	2	1	1	-	-	-	25
49,806	29,433	20,373	10,097	5,614	4,483	534	277	257	55	39	16	35	27	8	12	9	3	26
598	336	263	166	90	76	14	9	5	1	1	-	1	1	-	-	-	-	27
5,065	2,546	2,519	1,488	715	773	43	26	17	-	-	-	1	-	1	-	-	-	28
32,755	18,685	14,070	7,250	4,072	3,178	442	222	220	43	32	11	25	19	6	8	6	2	29
10,774	6,507	4,267	2,719	1,553	1,166	129	68	61	9	6	3	6	5	1	2	2	-	30
15,469	8,566	6,903	3,170	1,765	1,405	194	92	102	28	22	6	18	13	5	4	2	2	31
3,612	1,977	1,635	454	261	193	24	12	12	4	4	-	1	1	-	-	-	-	32
2,900	1,635	1,265	907	493	414	95	50	45	2	-	2	-	-	-	2	2	-	33
886	492	374	163	81	82	4	2	2	2	1	1	-	-	-	1	-	1	34
1,748	1,090	658	196	112	84	8	4	4	1	1	-	-	-	-	-	-	-	35
289	160	129	49	22	27	1	-	1	-	-	-	-	-	-	-	-	-	36
626	472	154	167	122	45	1	-	1	2	1	1	1	-	1	-	-	-	37
202	126	76	40	20	20	2	1	1	1	1	-	-	-	-	-	-	-	38
7,656	5,526	2,130	578	380	198	19	13	6	5	2	3	7	7	-	3	3	-	39
48,371	28,801	19,570	5,868	3,361	2,507	330	168	162	71	63	8	36	26	10	23	17	6	40
196	113	83	53	26	27	1	1	-	-	-	-	-	-	-	1	1	-	41
4,065	3,236	829	439	343	96	9	5	4	15	12	1	5	4	1	2	2	-	42
3,460	2,872	588	215	167	48	-	-	-	3	3	-	2	2	-	1	1	-	43
239	146	93	102	52	50	-	-	-	1	1	-	1	1	-	-	-	-	44
2,608	1,677	931	457	268	189	9	6	3	2	2	-	2	1	1	2	2	-	45
7,693	3,982	3,711	1,164	645	519	22	13	9	7	6	1	5	2	3	3	1	2	46
5,704	2,961	2,743	1,343	753	590	221	114	107	3	1	2	4	4	-	4	3	1	47
12,834	8,456	4,378	952	557	395	29	10	19	24	23	1	10	9	1	6	4	2	48
9,849	6,293	3,556	759	435	324	20	9	11	17	16	1	8	8	-	3	2	1	49
2,985	2,163	822	193	122	71	9	1	8	7	7	-	2	1	1	3	2	1	50
5,659	2,059	3,600	181	47	134	19	6	13	5	4	1	4	2	2	2	2	-	51
5,913	3,299	2,614	962	503	459	20	13	7	13	11	2	3	1	2	2	1	1	52
34,292	21,252	13,040	7,498	4,163	3,335	86	53	33	36	30	6	18	14	4	13	10	3	53
22,425	12,124	10,301	5,618	2,840	2,778	55	31	24	27	23	4	14	11	3	8	6	2	54
1,519	878	641	503	270	233	9	4	5	-	-	-	1	1	-	-	-	-	55
1,138	633	505	294	160	134	3	2	1	1	-	1	1	1	-	1	1	-	56
19,768	10,613	9,155	4,821	2,410	2,411	43	25	18	26	23	3	12	9	3	7	5	2	57
2,648	1,363	1,285	463	231	232	14	7	7	3	2	1	1	1	-	-	-	-	58
976	597	379	81	42	39	-	-	-	4	3	1	1	-	1	-	-	-	59
1,214	801	413	298	235	63	4	3	1	-	-	-	-	-	-	-	-	-	60
5,645	5,645	...	694	694	...	12	12	...	2	2	...	2	2	...	4	4	...	61
721	721	...	120	120	...	-	-	...	-	-	...	-	-	...	-	-	...	62
12	1	11	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	63
651	...	651	220	...	220	1	...	1	-	...	-	-	...	-	1	...	1	64
1,873	...	1,873	1,041	...	1,041	35	...	35	8	...	8	1	...	1	2	...	2	65
284	...	284	129	...	129	5	...	5	-	...	-	-	...	-	-	...	-	66
563	...	563	376	...	376	11	...	11	-	...	-	1	...	1	1	...	1	67
347	...	347	179	...	179	7	...	7	3	...	3	-	...	-	-	...	-	68
99	...	99	91	...	91	-	...	-	1	...	1	-	...	-	1	...	1	69
56	...	56	36	...	36	2	...	2	-	...	-	-	...	-	-	...	-	70
114	...	114	75	...	75	1	...	1	1	...	1	-	...	-	-	...	-	71
23	...	23	8	...	8	-	...	-	-	...	-	-	...	-	-	...	-	72
387	...	387	147	...	147	9	...	9	3	...	3	-	...	-	-	...	-	73
1,086	489	597	210	83	127	12	10	2	2	2	-	3	1	2	2	1	1	74
277	155	122	69	34	35	7	6	1	1	1	-	-	-	-	-	-	-	75
809	334	475	141	49	92	5	4	1	1	1	-	3	1	2	2	1	1	76
2,539	1,093	1,446	302	143	159	6	1	5	1	-	1	2	1	1	-	-	-	77
1,471	508	963	158	69	89	4	-	4	-	-	-	1	-	1	-	-	-	78
60	29	31	17	10	7	1	-	1	-	-	-	-	-	-	-	-	-	79
161	103	58	57	29	28	-	-	-	-	-	-	-	-	-	-	-	-	80
71	36	35	9	4	5	-	-	-	1	-	1	-	-	-	-	-	-	81
776	417	359	61	31	30	1	1	-	-	-	-	1	1	-	-	-	-	82

Table 53. Deaths From 255 Selected Causes, by Specified

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	Intermediate[1] List number	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XIV. Congenital malformations	18,425	10,026	8,399
2	A 127	Spina bifida and meningocele—751	1,659	695	964
3	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	2,013	1,031	982
4	A 128	Congenital malformations of circulatory system—754	8,675	4,837	3,838
5	A 129 pt.	Other congenital malformations—750,755-759	6,078	3,463	2,615
6		XV. Certain diseases of early infancy	60,989	35,807	25,182
7	A130	Birth injuries—760,761	11,876	7,266	4,610
8	A131	Postnatal asphyxia and atelectasis—762	13,200	7,971	5,229
9	A132	Infections of newborn—763-769	3,846	2,207	1,639
10	A133	Hemolytic disease of newborn (erythroblastosis)—770	2,549	1,505	1,044
11	A134	All other defined diseases of early infancy—769,771,772	2,939	1,729	1,210
12	A135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	26,579	15,129	11,450
13		XVI. Symptoms, senility, and ill-defined conditions	22,517	12,823	9,694
14	A136	Senility without mention of psychosis—794	5,689	2,598	3,091
15	A137	Symptoms, ill-defined and unknown causes—780,793,795	16,828	10,225	6,603
16		XVII. Accidents, poisonings, and violence	116,376	82,941	33,535
17		Accidents—E800-E962	91,249	63,415	27,834
18	AE 139 pt.	Railway accidents—E800-E802	2,126	1,951	175
19	AE 138	Motor-vehicle accidents—E810-E835	34,763	26,516	8,247
20		Motor-vehicle traffic accidents—E810-E825	33,863	25,838	8,025
21		Motor-vehicle traffic accident involving collision with railway train—E810	1,541	1,149	392
22		Motor-vehicle traffic accident to pedestrian—E812	8,440	6,406	2,034
23		Other motor-vehicle traffic accidents involving collision—E811,E813-E819	11,178	8,151	3,027
24		Motor-vehicle noncollision traffic accidents—E820-E824	8,143	6,664	1,479
25		Motor-vehicle traffic accident of unspecified nature—E825	4,561	3,468	1,093
26		Motor-vehicle nontraffic accidents—E830-E835	900	678	222
27	AE 139 pt.	Other road-vehicle accidents—E840-E845	533	420	113
28	AE 139 pt.	Water-transport accidents—E850-E858	1,502	1,380	122
29	AE 139 pt.	Aircraft accidents—E860-E866	1,436	1,334	102
30	AE 140 pt.	Accidental poisoning by solid and liquid substances—E870-E888	1,584	968	616
31	AE 140 pt.	Accidental poisoning by gases and vapor—E890-E895	1,769	1,228	541
32	AE 141	Accidental falls—E900-E904	20,783	9,856	10,927
33		Fall from one level to another—E900-E902	7,117	4,476	2,641
34		Fall on same level—E903	4,569	1,767	2,802
35		Unspecified falls—E904	9,097	3,613	5,484
36	AE 147 pt.	Blow from falling object—E910	1,613	1,555	58
37	AE 142	Accident caused by machinery—E912	1,771	1,699	72
38	AE 147 pt.	Accident caused by electric current—E914	955	887	68
39	AE 143	Accident caused by fire and explosion of combustible material—E916	8,405	5,608	2,797
40	AE 144	Accident caused by hot substance, corrosive liquid, steam and radiation—E917,E918	842	505	337
41	AE 145	Accident caused by firearm—E919	2,174	1,914	260
42	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	1,350	839	511
43	AE 146	Accidental drowning—E929	4,785	4,076	709
44	AE 147 pt.	Excessive heat and insolation—E931	137	107	30
45	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	589	258	331
46	AE 147 pt.	All other accidents—E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	6,132	4,314	1,818
47	AE 148	Suicide—E963,E970-E979	17,145	13,297	3,848
48		Suicide by poisoning—E970-E973	3,969	2,461	1,508
49		Suicide by hanging and strangulation—E974	3,592	2,759	833
50		Suicide by firearms and explosives—E978	7,377	6,571	806
51		Suicide by all other means—E963,E975,E977-E979	2,207	1,506	701
52	AE 149	Homicide—E964,E980-E985	7,942	6,089	1,853
53		Assault by firearms and explosives—E981	4,179	3,163	1,016
54		Assault by cutting and piercing instruments—E982	1,879	1,510	369
55		Assault by other means—E964,E980,E983	1,521	1,055	466
56		Injury by intervention of police—E984	282	280	2
57		Execution—E985	81	81	-
58	AE 150	Injury resulting from operations of war—E965,E990-E999	40	40	-

[1]Intermediate List of 150 Causes for Tabulation of Mortality, International Statistical Classification of Diseases, Injuries, and Causes of Death, adopted 1948.

Race and Sex: United States, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
16,621	9,042	7,579	1,714	930	784	47	33	14	18	8	10	20	10	10	5	3	2	1
1,582	659	923	74	34	40	3	2	1	-	-	-	-	-	-	-	-	-	2
1,817	923	894	187	104	83	7	4	3	1	-	1	1	-	1	-	-	-	3
7,792	4,375	3,417	846	440	406	15	12	3	11	6	5	9	3	6	2	1	1	4
5,430	3,085	2,345	607	352	255	22	15	7	6	2	4	10	7	3	3	2	1	5
49,412	29,326	20,086	11,120	6,218	4,902	336	189	147	57	35	22	32	19	13	32	20	12	6
10,212	6,280	3,932	1,598	947	651	45	25	20	7	5	2	10	5	5	4	4	-	7
11,134	6,803	4,331	1,980	1,121	859	46	27	19	21	10	11	10	7	3	9	3	6	8
2,777	1,624	1,153	998	543	455	62	34	28	7	4	3	1	1	-	1	1	-	9
2,379	1,398	981	164	105	59	5	2	3	1	-	1	-	-	-	-	-	-	10
2,156	1,276	880	741	430	311	38	21	17	1	-	1	1	-	1	2	2	-	11
20,754	11,945	8,809	5,639	3,072	2,567	140	80	60	20	16	4	10	6	4	16	10	6	12
14,423	8,366	6,057	7,656	4,209	3,447	408	221	187	17	16	1	9	8	1	4	3	1	13
4,580	2,057	2,523	1,016	488	528	87	48	39	3	2	1	3	3	-	-	-	-	14
9,843	6,309	3,534	6,640	3,721	2,919	321	173	148	14	14	-	6	5	1	4	3	1	15
100,076	70,789	29,287	15,432	11,369	4,063	641	491	150	98	84	14	69	52	17	70	56	14	16
80,034	55,412	24,622	10,511	7,458	3,053	560	422	138	49	42	7	52	42	10	43	39	4	17
1,798	1,648	150	306	282	24	19	18	1	1	1	-	2	2	-	-	-	-	18
30,955	23,574	7,381	3,505	2,713	792	250	188	62	15	12	3	21	14	7	17	15	2	19
30,148	22,968	7,180	3,418	2,645	773	246	184	62	15	12	3	19	14	5	17	15	2	20
1,413	1,049	364	114	91	23	11	7	4	-	-	-	3	2	1	-	-	-	21
7,269	5,519	1,750	1,073	808	265	74	56	18	8	8	-	9	8	1	7	7	-	22
10,174	7,391	2,783	946	716	230	44	34	10	2	1	1	4	3	1	8	6	2	23
7,305	5,986	1,319	747	612	135	83	61	22	4	2	2	2	1	1	2	2	-	24
3,987	3,023	964	538	418	120	34	26	8	1	1	-	1	-	1	-	-	-	25
807	606	201	87	68	19	4	4	-	-	-	-	2	-	2	-	-	-	26
446	343	103	74	65	9	13	12	1	-	-	-	-	-	-	-	-	-	27
1,315	1,206	109	176	164	12	5	4	1	-	-	-	1	1	-	5	5	-	28
1,427	1,326	101	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	29
1,279	767	512	290	187	103	13	12	1	1	1	-	1	1	-	-	-	-	30
1,619	1,123	496	157	95	62	7	4	3	5	5	-	-	-	-	1	1	-	31
19,660	9,159	10,501	1,062	652	410	39	23	16	8	8	-	6	6	-	8	8	-	32
6,596	4,101	2,495	491	354	137	18	9	9	5	5	-	3	3	-	4	4	-	33
4,417	1,691	2,726	142	67	75	5	4	1	2	2	-	1	1	-	2	2	-	34
8,647	3,367	5,280	429	231	198	16	10	6	1	1	-	2	2	-	2	2	-	35
1,380	1,328	52	228	224	4	4	3	1	1	-	1	-	-	-	-	-	-	36
1,620	1,553	67	140	137	3	8	7	1	-	-	-	2	1	1	1	1	-	37
892	829	63	63	58	5	-	-	-	-	-	-	-	-	-	-	-	-	38
4,615	2,697	1,918	1,750	871	859	52	33	19	5	4	1	2	2	-	1	1	-	39
609	377	232	225	125	100	4	1	3	1	-	1	3	2	1	-	-	-	40
1,773	1,586	187	377	306	71	21	19	2	2	2	-	-	-	-	1	1	-	41
1,093	696	397	242	131	111	11	8	3	-	-	-	2	2	-	2	2	-	42
3,991	3,367	624	752	671	81	32	28	4	4	4	-	4	4	-	2	2	-	43
98	77	21	36	28	8	2	1	1	-	-	-	1	1	-	-	-	-	44
505	228	277	80	27	53	2	1	1	1	1	-	1	1	-	-	-	-	45
4,959	3,528	1,431	1,079	714	365	78	60	18	5	4	1	6	5	1	5	3	2	46
16,468	12,755	3,713	577	457	120	35	33	2	39	33	6	16	9	7	10	10	-	47
3,879	2,410	1,469	75	42	33	2	1	1	7	5	2	6	3	3	-	-	-	48
3,493	2,681	812	66	53	13	8	8	-	14	10	4	7	3	4	4	4	-	49
7,031	6,263	768	309	272	37	21	20	1	11	11	-	-	-	-	5	5	-	50
2,065	1,401	664	127	90	37	4	4	-	7	7	-	3	3	-	1	1	-	51
3,538	2,586	952	4,340	3,450	890	46	36	10	10	9	1	1	1	-	7	7	-	52
1,944	1,392	552	2,202	1,745	457	25	19	6	6	5	1	-	-	-	2	2	-	53
428	337	91	1,441	1,164	277	7	6	1	-	-	-	-	-	-	3	3	-	54
990	683	307	511	355	156	13	10	3	4	4	-	1	1	-	2	2	-	55
137	135	2	144	144	-	1	1	-	-	-	-	-	-	-	-	-	-	56
39	39	-	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	57
36	36	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	58

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	1,452,454	731,366	544,719	96,383	79,986	26,836	9,197	6,453	5,942	5,244
2	I. Infective and parasitic diseases	51,650	25,131	12,152	8,579	5,788	1,296	363	213	387	333
3	Tuberculosis, all forms-001-019	33,959	16,787	7,349	5,752	4,071	838	236	144	246	212
4	Tuberculosis of respiratory system-001-008	31,093	15,754	6,603	5,131	3,605	771	214	138	221	198
5	Tuberculosis of meninges and central nervous system-010	1,094	339	314	245	196	27	7	3	9	8
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	229	62	73	45	49	7	1	3	2	1
7	Tuberculosis of vertebral column-012.0,013.0	182	72	48	38	24	5	1	-	3	1
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	66	40	8	11	7	1	1	-	-	-
9	Tuberculosis of genito-urinary system-015	274	164	71	22	17	3	3	-	-	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	146	56	51	21	18	-	-	-	-	-
11	Disseminated tuberculosis-019	675	300	181	239	155	24	9	-	11	4
12	Syphilis and its sequelae-020-029	7,568	3,764	1,260	1,786	758	165	39	9	73	44
13	Congenital syphilis-020	253	59	48	78	68	16	2	-	7	7
14	Early syphilis-021	3	1	-	1	1	-	-	-	-	-
15	Aneurysm of aorta-022	2,377	1,444	441	341	151	47	22	5	14	6
16	Other cardiovascular syphilis-023	2,351	1,086	327	682	256	41	2	3	22	14
17	Tabes dorsalis-024	174	119	29	17	9	3	2	-	1	-
18	General paralysis of insane-025	1,301	576	209	401	115	21	5	1	9	6
19	Other syphilis of central nervous system-026	826	368	138	206	114	26	4	-	16	6
20	Other syphilis-027-029	283	111	68	60	44	11	2	-	4	5
21	Gonococcal infection-030-035	37	5	3	13	16	1	-	1	-	-
22	Typhoid fever-040	96	28	27	24	17	3	1	-	1	1
23	Paratyphoid fever-041	16	8	6	3	1	1	1	-	-	-
24	Other Salmonella infections-042	25	10	5	8	2	-	-	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	36	19	15	2	-	-	-	-	-	-
27	Dysentery, all forms-045-048	923	403	290	138	92	30	14	3	9	4
28	Scarlet fever-050	35	21	11	1	2	-	-	-	-	-
29	Streptococcal sore throat-051	311	140	122	20	29	7	4	2	-	1
30	Erysipelas-052	54	24	27	1	2	2	2	-	-	-
31	Septicemia and pyemia-053	616	286	218	48	64	12	4	3	2	3
32	Diphtheria-055	410	172	151	43	44	23	11	7	2	3
33	Whooping cough-056	1,118	304	401	191	222	50	6	8	15	21
34	Meningococcal infections-057	974	475	368	84	47	28	9	11	6	2
35	Plague-058	1	1	-	-	-	-	-	-	-	-
36	Tularemia-059	15	6	2	4	3	-	-	-	-	-
37	Leprosy-060	3	-	3	-	-	-	-	-	-	-
38	Tetanus-061	336	132	68	82	54	20	2	1	10	7
39	Anthrax-062	5	3	1	-	1	-	-	-	-	-
40	Acute poliomyelitis-080	1,904	1,094	717	47	46	18	9	7	1	1
41	Late effects of acute poliomyelitis-081	79	50	21	5	3	3	-	1	1	1
42	Acute infectious encephalitis-082	394	179	162	22	31	6	1	4	-	1
43	Late effects of acute infectious encephalitis-083	161	89	63	8	1	1	-	1	-	-
44	Smallpox-084	1	1	-	-	-	-	-	-	-	-
45	Measles-085	468	194	180	42	52	11	3	-	2	6
46	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis-092	552	259	235	24	34	14	5	4	1	4
48	Rabies-094	18	16	1	1	-	-	-	-	-	-
49	Tick-borne typhus-104	31	19	10	2	-	1	1	-	-	-
50	Rocky Mountain spotted fever-104A	31	19	10	2	-	1	1	-	-	-
51	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
52	Typhus, etc.* and other rickettsial diseases-100-103,105-108	16	5	2	3	6	-	-	-	-	-
53	Malaria-110-117	76	27	13	19	17	13	1	-	5	7
54	Schistosomiasis-123	2	1	1	-	-	-	-	-	-	-
55	Hydatid disease-125	7	5	1	1	-	-	-	-	-	-
56	Filariasis-127	2	-	1	1	-	-	-	-	-	-
57	Ankylostomiasis-129	7	1	2	2	2	1	1	-	-	-
58	Other diseases due to helminths-124,125,126,130	80	26	21	15	18	1	-	-	1	-
59	All other infective and parasitic diseases-Residual	1,312	577	395	187	153	47	13	7	12	15
60	II. Neoplasms	216,107	100,722	97,549	8,371	9,465	3,020	1,049	1,086	399	486
61	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	210,733	98,799	94,898	8,172	8,864	2,933	1,021	1,059	392	461
62	Malignant neoplasm of buccal cavity and pharynx-140-148	5,138	3,799	956	273	110	89	45	28	9	7
63	Of lip-140	463	412	41	6	4	6	4	2	-	-
64	Of tongue-141	1,277	949	223	82	23	17	6	7	1	3
65	Of other and unspecified parts of buccal cavity-142-144	1,474	1,003	389	60	42	32	14	11	4	3
66	Of pharynx-145-148	1,924	1,435	323	125	41	34	21	8	4	1
67	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	81,726	41,170	34,103	3,818	2,635	1,003	367	324	183	129
68	Of esophagus-150	3,866	2,620	717	414	115	39	13	12	10	4
69	Of stomach-151	24,258	13,633	8,119	1,647	859	368	132	98	84	52
70	Of intestine, except rectum-152,153	23,000	9,854	11,939	526	681	247	89	107	22	29
71	Of rectum-154	10,383	5,597	4,081	379	326	100	36	24	24	16
72	Of biliary passages and of liver (stated to be primary site)-155	4,653	1,669	2,716	152	116	104	36	38	19	11
73	Of liver not specified whether primary or secondary-156A	5,121	2,284	2,341	268	228	39	11	12	10	6
74	Of pancreas-157	8,952	4,868	3,520	345	219	86	43	25	11	7
75	Of peritoneum and of unspecified digestive organs-158,159	1,493	645	670	87	91	22	7	8	3	4
76	Malignant neoplasm of respiratory system-160-164	21,219	16,156	3,873	1,114	276	265	150	52	40	23
77	Of larynx-161	1,852	1,555	169	106	22	23	15	1	5	2
78	Of trachea, and of bronchus and lung specified as primary-162	7,618	6,008	1,073	437	100	184	111	36	22	15
79	Of lung and bronchus, unspecified as primary or secondary-163	10,695	7,973	2,089	504	129	42	18	10	11	3
80	Of other parts of respiratory system-160,164	1,054	620	342	67	25	16	6	5	2	3
81	Malignant neoplasm of breast-170	18,973	216	17,445	23	1,289	212	6	146	2	58

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,422	3,396	1,869	677	480	15,411	6,681	4,420	2,333	1,977	98,760	54,754	38,872	3,160	1,974	12,280	6,886	5,120	139	135	1
587	261	116	107	103	915	340	222	201	152	3,456	2,063	874	365	154	336	208	113	6	9	2
447	215	82	74	76	615	236	156	113	110	2,312	1,422	538	236	116	207	130	66	5	6	3
395	207	76	55	57	578	222	145	107	104	2,122	1,324	486	214	98	188	122	55	5	6	4
42	7	4	16	15	20	6	7	3	4	66	29	20	9	8	5	2	3	-	-	5
2	-	1	-	1	2	-	1	-	1	12	6	4	1	1	1	-	1	-	-	6
-	-	-	-	-	-	-	-	-	-	10	5	4	-	1	5	2	3	-	-	7
-	-	-	-	-	2	1	-	1	-	5	4	1	-	-	-	-	-	-	-	8
2	-	1	1	-	-	-	-	-	-	22	15	5	2	-	4	2	2	-	-	9
-	-	-	-	-	1	1	-	-	-	4	2	2	-	-	2	1	1	-	-	10
6	1	-	2	3	12	6	3	2	1	71	37	16	10	8	2	1	1	-	-	11
46	18	10	15	3	104	27	9	49	19	585	386	128	75	18	49	33	12	1	3	12
10	1	2	6	1	5	-	-	3	2	9	3	3	1	2	1	-	1	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
8	6	1	1	-	19	5	2	8	4	230	150	58	17	5	17	12	4	-	1	15
15	7	2	5	1	45	13	5	21	6	209	137	30	34	8	13	9	2	1	1	16
3	2	-	-	1	4	3	-	1	-	12	7	4	1	-	1	1	-	-	-	17
4	1	3	-	-	14	3	-	8	3	53	30	12	10	1	11	9	1	-	1	18
3	-	1	2	-	14	3	1	8	2	59	32	15	10	2	5	2	3	-	-	19
3	1	1	1	-	3	-	1	-	2	15	7	4	2	-	1	-	1	-	-	20
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	21
5	2	-	1	2	4	1	1	1	1	8	5	2	1	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	26
22	11	6	3	2	32	9	6	11	6	27	14	8	4	1	7	4	3	-	-	27
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	28
1	-	-	1	-	10	4	5	-	1	8	5	3	-	-	6	2	4	-	-	29
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
3	-	2	1	-	5	3	1	-	1	37	22	14	1	-	6	3	3	-	-	31
8	-	2	2	4	10	4	6	-	-	38	25	10	1	2	-	-	-	-	-	32
21	1	4	7	9	36	10	4	14	8	30	13	15	-	2	6	3	3	-	-	33
1	-	-	-	1	15	6	7	1	1	37	20	14	2	1	10	6	4	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
1	1	-	-	-	5	-	1	3	1	8	4	2	1	1	2	1	1	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
6	3	2	-	1	20	11	7	2	-	112	65	47	-	-	8	5	3	-	-	40
1	1	-	-	-	5	4	1	-	-	3	1	1	-	1	1	1	-	-	-	41
3	1	2	-	-	6	2	3	-	1	38	17	17	2	2	5	4	1	-	-	42
-	-	-	-	-	-	-	-	-	-	20	11	8	1	-	4	2	2	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	-	-	-	2	6	2	3	1	-	10	3	6	1	-	9	4	5	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
5	2	3	-	-	5	3	2	-	-	45	18	26	1	-	5	2	3	-	-	47
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	49
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	1	-	-	-	6	2	1	2	1	3	2	1	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
11	3	2	3	3	23	10	8	3	2	125	43	34	38	10	9	7	2	-	-	59
721	366	300	31	24	1,980	750	815	174	221	15,218	7,338	7,226	345	309	1,753	830	880	24	19	60
706	362	291	30	23	1,897	729	792	170	206	14,862	7,194	7,055	330	283	1,706	812	853	24	17	61
14	8	2	4	-	48	26	11	4	7	359	268	70	15	6	26	20	5	1	-	62
4	3	-	1	-	3	3	-	-	-	20	18	2	-	-	4	4	-	-	-	63
5	2	-	3	-	8	5	-	2	1	84	65	26	2	1	7	6	1	-	-	64
1	1	-	-	-	15	7	6	-	2	108	82	23	2	1	8	5	2	1	-	65
4	2	2	-	-	22	11	5	2	4	137	103	19	11	4	7	5	2	-	-	66
260	155	91	10	4	671	278	265	82	46	5,349	2,839	2,274	160	76	630	327	281	16	6	67
12	8	2	2	-	20	5	6	9	-	263	189	52	17	5	18	11	7	-	-	68
88	62	23	2	2	234	98	77	38	21	1,546	940	530	53	23	206	129	67	8	2	69
50	26	23	1	-	143	50	75	10	8	1,489	649	802	22	16	154	70	80	3	1	70
33	16	15	1	1	58	23	24	5	6	680	355	301	15	9	70	38	30	1	1	71
22	11	10	1	-	77	22	39	6	10	369	143	204	16	6	69	28	41	-	-	72
13	10	3	-	-	45	24	16	5	-	216	105	94	10	7	23	7	16	-	-	73
36	19	13	3	1	80	46	26	7	1	686	402	253	23	8	75	39	31	3	2	74
5	3	2	-	-	14	10	2	2	-	100	56	38	4	2	15	5	9	1	-	75
83	65	15	4	1	159	95	39	21	4	1,586	1,262	271	45	8	153	118	31	3	1	76
10	9	-	1	-	20	14	5	1	-	127	113	10	4	-	11	10	1	-	-	77
28	18	7	2	1	100	64	21	12	3	745	604	114	23	4	94	76	16	2	-	78
42	36	6	-	-	24	15	7	2	-	640	500	122	16	2	42	32	9	1	-	79
3	2	-	1	-	15	2	6	6	1	74	45	25	2	2	6	-	5	-	1	80
58	1	54	-	3	135	2	111	-	22	1,532	13	1,473	-	46	170	2	165	-	3	81

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	34,742	11,165	19,408	1,140	3,029	645	135	268	71	171
2	Of cervix uteri----------171	8,336	...	6,886	...	1,450	201	...	114	...	87
3	Of other and unspecified parts of uterus----------172-174	7,749	...	6,564	...	1,185	166	...	96	...	70
4	Of ovary, fallopian tube, and broad ligament----------175	5,652	...	5,329	...	323	64	...	53	...	11
5	Of other and unspecified female genital organs----------176	700	...	629	...	71	8	...	5	...	3
6	Of prostate----------177	11,339	10,270	...	1,069	...	196	125	...	71	...
7	Of testis, and of other and unspecified male genital organs----178,179	966	895	...	71	...	10	10	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	10,044	6,226	3,181	369	268	112	56	27	17	12
9	Of kidney----------180	3,643	2,124	1,310	120	89	36	17	12	5	2
10	Of bladder and other urinary organs----------181	6,401	4,102	1,871	249	179	76	39	15	12	10
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	22,135	10,825	9,641	838	831	386	161	149	34	42
12	Of skin----------190,191	3,453	1,941	1,388	80	84	73	39	27	1	6
13	Of eye----------192	341	170	156	8	7	10	2	5	1	2
14	Of brain and other parts of nervous system----------193	4,252	2,431	1,611	124	86	70	35	30	2	3
15	Of thyroid gland----------194	933	299	555	28	51	10	3	6	1	-
16	Of bone (including jaw bone)----------196	2,160	1,232	761	98	89	49	14	22	5	8
17	Of connective tissue----------197	559	290	227	29	13	10	5	3	2	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	3,476	1,613	1,561	151	151	66	27	19	10	10
19	Of unspecified sites----------156B,165,196B,199B-H	6,941	2,849	3,382	340	370	98	36	37	12	13
20	Leukemia and aleukemia----------204	8,845	4,785	3,574	275	213	121	53	37	19	12
21	Lymphosarcoma, etc.*----------200-203,205	7,911	4,459	2,917	322	213	100	48	28	17	7
22	Lymphosarcoma and reticulosarcoma----------200	3,467	1,954	1,318	120	75	39	21	11	6	1
23	Hodgkin's disease----------201	2,537	1,503	856	101	77	42	19	8	10	5
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	1,907	1,002	743	101	61	19	8	9	1	1
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,374	1,923	2,651	199	601	87	28	27	7	25
26	Benign neoplasms of female genital organs----------214-217	1,261	...	892	...	369	27	...	11	...	16
27	Benign neoplasm of brain and other parts of nervous system---------223	859	394	392	33	40	14	6	6	1	1
28	Other benign neoplasms----------210-213,218-222,224-229	808	373	352	34	49	12	8	3	1	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	44	...	33	...	11	2	...	1	...	1
30	Neoplasm of unspecified nature of brain, etc.*----------237	1,541	755	635	77	74	21	9	4	3	5
31	Other neoplasms of unspecified nature----------230-232,236,238,239	861	401	347	55	58	11	5	2	2	2
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	33,213	12,492	17,407	1,269	2,045	442	119	139	71	113
33	Asthma----------241	4,322	2,462	1,438	233	189	66	20	24	9	13
34	Nontoxic goiter----------250,251	185	32	125	5	21	1	1	-	-	-
35	Thyrotoxicosis with or without goiter----------252	1,325	197	984	23	122	21	2	10	2	7
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	195	38	144	5	8	2	-	-	1	1
37	Diabetes mellitus----------260	24,419	8,580	13,567	768	1,504	274	83	77	38	76
38	Diseases of thymus gland----------273	641	342	191	67	41	11	2	1	5	3
39	Diseases of adrenal glands----------274	415	177	220	13	6	5	2	2	1	-
40	Pellagra----------281	260	50	132	29	49	32	4	14	5	9
41	All other avitaminoses and nutritional deficiency states-----280,282-286	820	330	319	100	71	23	3	8	10	4
42	Other allergic, endocrine, and metabolic diseases----------Residual	631	284	267	26	34	5	2	3	-	-
43	IV. Diseases of the blood and blood-forming organs----------	5,479	2,409	2,544	256	270	96	41	29	11	15
44	Anemias----------290-293	4,072	1,755	1,895	201	223	67	23	21	9	14
45	Pernicious and other hyperchromic anemias----------290	2,168	931	1,142	43	52	18	8	3	2	5
46	Anemias of other and unspecified type----------291-293	1,904	822	753	158	171	49	15	18	7	9
47	Purpura and other hemorrhagic conditions----------296	563	228	296	12	27	16	9	6	-	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	844	428	353	43	20	15	9	2	2	-
49	V. Mental, psychoneurotic, and personality disorders----------	4,813	2,766	1,347	458	239	130	48	30	33	19
50	Senile psychosis----------304	1,053	440	516	50	47	18	5	7	2	4
51	Alcoholic psychosis----------307	255	204	19	28	4	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	868	304	399	77	88	44	4	15	14	11
53	Alcoholism----------322	2,267	1,633	259	288	87	60	34	5	17	4
54	Mental deficiency----------325	252	132	98	11	11	5	2	3	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	118	55	56	5	2	3	3	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	170,256	74,029	74,990	10,336	10,901	3,465	1,026	935	723	781
57	Vascular lesions affecting central nervous system----------330-334	156,751	67,462	70,020	9,210	10,059	3,155	926	880	636	713
58	Subarachnoid hemorrhage----------330	3,037	1,345	1,262	214	216	55	19	13	10	13
59	Cerebral hemorrhage----------331	106,016	44,736	48,057	6,282	6,939	2,226	637	632	462	495
60	Cerebral embolism and thrombosis----------332	25,676	12,152	11,616	969	939	244	93	77	33	41
61	Other vascular lesions affecting central nervous system--------333,334	22,022	9,227	9,085	1,745	1,965	630	177	158	131	164
62	Meningitis, except meningococcal and tuberculous----------340	1,839	794	528	301	216	59	13	7	21	18
63	Multiple sclerosis----------345	1,278	591	636	17	34	11	7	2	1	1
64	Paralysis agitans----------350	1,934	1,111	770	32	21	15	9	6	-	-
65	Cerebral spastic infantile paralysis----------351	658	345	243	46	24	27	16	3	5	3
66	Epilepsy----------353	2,206	1,011	732	304	159	68	13	12	29	14
67	Inflammatory diseases of eye----------370-379	17	10	4	1	2	-	-	-	-	-
68	Cataract----------385	80	36	32	3	7	-	-	-	-	-
69	Glaucoma----------387	16	6	9	1	2	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	536	276	184	45	33	15	6	1	5	3
71	Other diseases of nervous system and sense organs----------Residual	4,937	2,383	1,852	378	344	115	36	24	26	29
72	VII. Diseases of the circulatory system----------	588,323	315,224	218,822	29,026	25,251	8,565	3,306	2,084	1,689	1,486
73	Rheumatic fever----------400-402	1,924	779	787	170	198	41	8	13	12	8
74	Diseases of heart----------410-443	535,705	290,701	196,231	26,174	22,599	7,836	3,070	1,902	1,539	1,325
75	Chronic rheumatic heart disease----------410-416	20,392	9,317	9,078	1,012	987	293	86	70	61	76
76	Diseases of mitral valve----------410	8,667	3,873	3,730	531	533	164	48	30	39	47
77	Diseases of aortic valve specified as rheumatic----------411	836	573	220	29	14	4	2	1	-	1
78	Diseases of tricuspid valve----------412	26	16	9	-	1	1	-	-	-	1
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	1,284	597	610	47	30	12	5	4	2	1
80	Other diseases of heart specified as rheumatic----------415,416	9,579	4,258	4,507	405	409	112	31	35	20	26

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948/

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
128	51	68	2	7	409	105	179	25	100	2,374	789	1,465	27	93	316	119	189	2	6	1
38	...	33	...	5	109	...	80	...	28	598	...	536	...	62	79	...	77	...	2	2
23	...	22	...	1	131	...	68	...	63	443	...	421	...	22	56	...	55	...	1	3
11	...	11	...	-	33	...	26	...	7	466	...	458	...	8	55	...	52	...	3	4
3	...	2	...	1	7	...	5	...	2	51	...	50	...	1	5	...	5	...	-	5
49	47	...	2	...	122	99	...	23	...	728	704	...	24	...	110	108	...	2	...	6
4	4	...	-	...	8	6	...	2	...	88	85	...	3	...	11	11	...	-	...	7
19	6	11	1	1	76	42	21	8	5	775	501	249	18	7	85	56	29	-	-	8
9	1	7	-	1	28	12	12	2	2	269	163	97	7	2	41	27	14	-	-	9
10	5	4	1	-	48	30	9	6	3	506	338	152	11	5	44	29	15	-	-	10
84	41	32	6	5	251	112	105	15	19	1,595	801	729	35	30	172	90	81	1	-	11
16	12	4	-	-	60	30	27	3	-	273	159	110	1	3	24	12	12	-	-	12
-	-	-	-	-	5	2	2	1	-	26	14	12	-	-	3	2	1	-	-	13
19	9	9	1	-	48	25	18	3	2	361	201	149	6	5	42	28	14	-	-	14
4	3	1	-	-	3	2	1	-	-	63	24	36	-	3	11	2	9	-	-	15
11	6	3	1	1	31	18	7	1	5	125	84	39	1	1	21	15	6	-	-	16
2	-	1	1	-	1	-	1	-	-	48	24	22	1	1	7	3	4	-	-	17
16	7	5	2	2	54	18	27	5	4	170	80	84	3	3	18	9	9	-	-	18
16	4	9	1	2	49	17	22	2	8	529	215	277	23	14	46	19	26	1	-	19
31	17	11	2	1	87	35	43	8	1	657	361	275	14	7	76	43	33	-	-	20
29	18	9	1	1	61	34	18	7	2	635	360	249	16	10	78	37	39	1	1	21
12	7	3	1	1	27	15	8	4	-	305	175	118	9	3	32	14	17	1	-	22
11	7	4	-	-	18	10	5	1	2	182	99	74	4	5	26	14	11	-	1	23
6	4	2	-	-	16	9	5	2	-	148	86	57	3	2	20	9	11	-	-	24
15	4	9	1	1	63	21	23	4	15	356	144	171	15	26	47	18	27	-	2	25
4	...	4	...	-	15	...	5	...	10	55	...	40	...	15	14	...	13	...	1	26
-	-	-	-	-	6	1	4	-	1	83	41	36	4	2	12	5	6	-	1	27
3	1	2	-	-	8	5	3	-	-	68	33	30	3	2	6	3	3	-	-	28
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	29
6	2	2	1	1	20	11	6	3	-	94	40	47	3	4	9	8	1	-	-	30
2	1	1	-	-	14	4	5	1	4	54	30	17	5	2	6	2	4	-	-	31
182	88	74	12	8	280	96	109	29	46	1,516	672	767	48	29	257	121	130	2	4	32
87	81	22	3	1	47	29	11	5	2	316	167	134	9	6	71	46	22	1	2	33
-	-	-	-	-	5	2	2	-	1	18	5	13	-	-	3	-	2	-	1	34
5	-	4	-	1	10	-	8	-	2	62	14	45	-	3	10	-	10	-	-	35
1	-	1	-	-	1	1	-	-	-	14	2	12	-	-	4	-	4	-	-	36
63	18	38	4	3	180	51	73	22	34	934	398	486	33	17	144	63	80	-	1	37
3	1	1	1	-	-	-	-	-	-	40	22	14	3	1	11	7	4	-	-	38
2	-	2	-	-	3	2	1	-	-	41	17	23	1	-	2	-	2	-	-	39
3	1	2	-	-	10	1	4	-	5	3	2	1	-	-	-	-	-	-	-	40
15	5	3	4	3	14	6	5	1	2	37	21	15	1	-	5	3	1	1	-	41
3	2	1	-	-	10	4	5	1	-	51	24	24	1	2	7	2	5	-	-	42
27	11	10	4	2	49	18	22	4	5	328	157	154	10	7	49	32	15	2	-	43
18	8	5	4	2	33	12	13	3	5	234	104	117	8	5	35	21	12	2	-	44
5	3	2	-	-	17	6	9	-	2	95	43	50	1	1	25	14	10	1	-	45
14	5	3	4	2	16	6	4	3	3	139	61	67	7	4	10	7	2	1	-	46
1	-	1	-	-	8	2	5	1	-	41	18	21	1	1	2	1	1	-	-	47
7	3	4	-	-	8	4	4	-	-	53	35	16	1	1	12	10	2	-	-	48
27	13	11	2	1	51	21	13	11	6	356	214	120	16	6	64	42	22	-	-	49
8	2	3	-	1	20	6	9	2	3	87	37	48	3	1	12	6	6	-	-	50
1	1	-	-	-	-	-	-	-	-	12	8	1	2	1	3	2	1	-	-	51
3	-	2	1	-	11	2	3	4	2	52	18	32	1	1	9	2	7	-	-	52
17	10	6	1	-	18	12	1	5	-	190	141	37	10	2	36	31	5	-	-	53
-	-	-	-	-	2	1	-	-	1	9	6	2	-	1	1	-	1	-	-	54
-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	3	1	2	-	-	55
539	250	227	29	33	1,847	688	583	267	309	10,938	4,965	5,492	277	204	1,256	619	608	13	16	56
466	218	203	21	24	1,696	630	535	242	289	10,166	4,545	5,192	251	178	1,159	558	573	12	16	57
11	6	4	-	1	27	9	11	2	5	217	91	103	13	10	16	5	11	-	-	58
331	150	142	18	21	1,174	439	378	158	199	6,240	2,731	3,237	159	113	822	395	404	10	13	59
64	34	28	1	1	110	51	36	13	10	2,606	1,236	1,275	57	38	180	91	85	1	3	60
60	28	29	2	1	385	131	110	69	75	1,103	487	577	22	17	141	67	73	1	-	61
14	2	6	2	4	21	6	6	5	4	103	55	31	10	7	8	6	2	-	-	62
4	2	2	-	-	7	5	1	-	1	70	28	39	-	3	9	6	2	1	-	63
9	6	2	-	1	10	6	3	1	-	142	91	48	1	2	13	7	6	-	-	64
6	3	3	-	-	6	3	3	-	-	35	18	16	-	1	7	4	3	-	-	65
7	4	1	2	-	25	9	6	7	3	89	50	37	1	1	11	4	7	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
6	1	1	2	2	8	2	3	2	1	28	16	10	1	1	10	7	3	-	-	70
27	14	9	2	2	74	27	26	10	11	300	158	118	13	11	39	27	12	-	-	71
1,727	1,100	503	76	48	5,231	2,540	1,424	706	561	42,063	24,333	16,243	913	574	4,585	2,595	1,900	44	46	72
18	5	8	1	4	28	14	3	6	5	111	43	53	8	7	33	8	24	-	1	73
1,530	1,005	425	64	36	4,763	2,342	1,280	652	489	37,907	22,338	14,249	813	507	4,133	2,376	1,678	40	39	74
89	49	35	3	2	171	71	51	33	16	1,536	741	729	40	26	240	112	124	1	3	75
31	16	13	1	1	102	35	28	29	10	648	293	323	21	11	114	59	54	-	1	76
2	2	-	-	-	1	1	-	-	-	127	86	39	2	-	9	5	3	1	-	77
-	-	-	-	-	3	2	1	-	-	3	1	2	-	-	-	-	-	-	-	78
7	2	5	-	-	6	3	2	-	1	81	40	38	1	2	22	11	11	-	-	79
49	29	17	2	1	59	30	20	4	5	677	321	327	16	13	95	37	56	-	2	80

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	321,003	197,338	105,795	10,526	7,344	3,575	1,841	866	497	371
2	Arteriosclerotic heart disease so described----420.0	101,171	52,849	42,168	3,414	2,740	833	353	232	141	107
3	Heart disease specified as involving coronary arteries----420.1	217,518	143,074	62,949	6,986	4,509	2,661	1,440	618	349	254
4	Angina pectoris without mention of coronary disease----420.2	2,314	1,415	678	126	95	81	48	16	7	10
5	Chronic endocarditis not specified as rheumatic----421	10,107	4,644	3,806	898	759	249	57	44	73	75
6	Of mitral valve, specified as nonrheumatic----421.0	226	113	91	11	11	1	1	-	-	-
7	Of aortic valve, not specified as rheumatic----421.1	1,905	993	515	244	153	36	8	7	13	8
8	Of other valves, not specified as rheumatic----421.2-421.4	7,976	3,538	3,200	843	595	212	48	37	60	67
9	Other myocardial degeneration----422	75,052	35,103	32,735	3,802	3,412	1,017	320	257	225	215
10	With arteriosclerosis----422.1	34,847	15,966	16,288	1,388	1,205	396	134	86	98	78
11	Without mention of arteriosclerosis----422.0,422.2	40,205	19,137	16,447	2,414	2,207	621	186	171	127	137
12	Other diseases of heart----430-434	23,958	12,137	7,624	2,332	1,865	520	201	104	127	88
13	Acute and subacute endocarditis----430	1,004	510	307	80	97	21	6	7	5	3
14	Acute myocarditis not specified as rheumatic----431	3,114	1,346	1,104	323	341	86	31	20	18	17
15	Acute pericarditis specified as nonrheumatic----432	52	24	24	2	2	-	-	-	-	-
16	Functional disease of heart----433	2,422	1,170	1,124	66	62	22	9	8	1	4
17	Other and unspecified diseases of heart----434	17,366	9,087	5,085	1,851	1,363	391	155	69	103	64
18	Hypertension with heart disease----440-443	85,193	32,162	37,195	7,604	8,232	2,182	565	561	556	500
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	25,449	10,646	10,203	2,392	2,208	696	198	197	171	130
20	Essential hypertension with heart disease, etc.*----440,441,443	59,744	21,516	26,992	5,212	6,024	1,486	367	364	385	370
21	Hypertension without mention of heart----444-447	12,563	5,244	5,008	1,137	1,174	302	83	56	68	95
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	6,000	2,787	2,258	516	439	102	34	23	20	25
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	6,563	2,457	2,750	621	735	200	49	33	48	70
24	Diseases of arteries----450-456	34,578	16,787	15,363	1,325	1,103	332	128	99	61	44
25	General arteriosclerosis----450	30,734	14,567	14,146	1,109	912	276	108	83	53	34
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	1,826	1,233	424	103	66	13	7	2	2	2
27	Gangrene of unspecified cause----455	299	157	90	29	23	10	2	4	1	3
28	Other arterial diseases----452-454,456	1,719	830	703	84	102	31	11	10	5	5
29	Diseases of veins and other diseases of circulatory system----460-468	3,553	1,713	1,433	220	187	54	17	14	9	14
30	VIII. Diseases of the respiratory system----	60,539	29,433	20,373	5,966	4,767	1,492	400	384	389	319
31	Acute upper respiratory infections----470-475	761	336	263	101	81	28	2	7	10	9
32	Influenza----480-483	6,587	2,546	2,519	741	791	264	54	73	72	65
33	Pneumonia, except pneumonia of newborn----490-493	40,523	18,685	14,070	4,351	3,417	1,028	269	252	281	226
34	Lobar pneumonia----490	13,639	6,507	4,267	1,634	1,231	389	101	83	111	94
35	Bronchopneumonia----491	18,883	8,586	6,903	1,894	1,520	451	111	123	122	95
36	Primary atypical pneumonia----492	4,095	1,977	1,635	278	205	104	32	35	20	17
37	Pneumonia, other and unspecified----493	3,906	1,635	1,265	545	461	84	25	11	28	20
38	Acute bronchitis----500	1,036	492	374	84	86	16	5	3	4	4
39	Bronchitis, chronic and unqualified----501,502	1,953	1,090	658	117	88	24	12	5	2	5
40	Hypertrophy of tonsils and adenoids----510	339	160	129	22	28	4	2	1	-	1
41	Empyema and abscess of lung----518,521	797	472	154	123	48	18	6	5	4	3
42	Pleurisy----519	245	126	76	22	21	5	-	2	1	2
43	All other respiratory diseases----Residual	8,268	5,526	2,130	405	207	105	50	36	15	4
44	IX. Diseases of the digestive system----	54,699	28,801	19,570	3,635	2,693	863	312	196	197	158
45	Diseases of teeth and supporting structures----530-535	251	113	83	28	27	10	2	3	2	3
46	Ulcer of stomach----540	4,533	3,236	829	366	102	61	27	9	20	5
47	Ulcer of duodenum----541	3,681	2,672	588	173	48	48	30	6	8	4
48	Gastritis and duodenitis----543	345	146	93	54	50	17	1	1	5	10
49	Appendicitis----550-553	3,080	1,677	931	279	193	66	26	8	17	15
50	Hernia and intestinal obstruction----560,561,570	8,894	3,982	3,711	667	534	166	51	43	44	28
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	7,279	2,961	2,743	875	700	177	49	31	53	44
52	Cirrhosis of liver----581	13,855	8,456	4,378	603	418	133	76	31	14	12
53	Without mention of alcoholism----581.0	10,656	6,293	3,556	470	337	121	69	26	14	12
54	With alcoholism----581.1	3,199	2,163	822	133	81	12	7	5	-	-
55	Cholelithiasis and cholecystitis----584,585	5,870	2,058	3,600	61	150	59	16	32	4	7
56	Other diseases of digestive system----Residual	6,913	3,299	2,614	529	471	126	34	32	30	30
57	X. Diseases of the genito-urinary system----	41,943	21,252	13,040	4,270	3,381	1,063	305	211	298	249
58	Nephritis and nephrosis----590-594	28,147	12,124	10,301	2,911	2,811	804	200	166	213	225
59	Acute nephritis----590	2,032	878	641	275	238	62	14	13	17	18
60	Nephritis with edema, including nephrosis----591	1,438	633	505	164	136	37	12	2	13	10
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	24,677	10,613	9,155	2,472	2,437	705	174	151	185	197
62	Infections of kidney----600	3,129	1,363	1,285	241	240	52	14	21	8	9
63	Calculi of urinary system----602,604	1,062	597	379	45	41	30	20	8	2	-
64	Other diseases of urinary system----601,603,605-609	1,516	801	413	238	64	37	4	7	22	4
65	Hyperplasia of prostate----610	6,359	5,645	...	714	...	111	63	...	48	...
66	Other diseases of male genital organs----611-617	841	721	...	120	...	9	4	...	5	...
67	Diseases of breast----620,621	16	1	11	1	3	-	-	-	-	-
68	Diseases of female genital organs----622-637	873	...	651	...	222	20	...	9	...	11
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	2,960	...	1,873	...	1,087	143	...	51	...	92
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	418	...	284	...	134	18	...	4	...	14
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	952	...	563	...	389	56	...	21	...	35
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	536	...	347	...	189	23	...	6	...	17
73	Ectopic pregnancy----545	192	...	99	...	93	9	...	4	...	5
74	Abortion without mention of sepsis or toxemia----650	94	...	56	...	38	4	...	3	...	1
75	Abortion with sepsis----651	191	...	114	...	77	12	...	5	...	7
76	Abortion with toxemia, without mention of sepsis----652	31	...	23	...	8	1	...	1	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual	546	...	387	...	159	20	...	7	...	13

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
878	625	211	26	14	2,447	1,411	620	257	159	26,136	16,775	8,678	481	202	2,669	1,703	917	26	23	1
222	149	67	3	3	595	303	192	59	41	8,679	4,887	3,549	160	83	1,024	604	391	14	15	2
649	473	142	23	11	1,814	1,085	421	193	115	17,389	11,850	5,103	318	118	1,635	1,095	520	12	8	3
5	3	2	-	-	38	23	7	5	3	68	38	26	3	1	10	4	6	-	-	4
5	1	2	-	2	152	61	24	39	28	392	208	159	12	13	87	35	47	3	2	5
-	-	-	-	-	1	1	-	-	-	15	6	8	1	-	2	1	1	-	-	6
1	-	-	-	1	22	9	-	8	5	139	92	41	3	3	15	6	6	2	1	7
4	1	2	-	1	129	51	24	31	23	238	110	110	8	10	70	28	40	1	1	8
236	145	70	15	6	477	187	159	74	57	4,041	1,996	1,920	67	58	498	244	248	3	3	9
111	72	29	7	3	155	65	51	25	16	2,265	1,091	1,116	35	23	213	102	108	1	2	10
125	73	41	8	3	322	122	108	51	41	1,776	905	804	32	35	285	142	140	2	1	11
114	69	33	5	7	534	249	117	86	82	692	360	299	18	15	109	60	49	-	-	12
7	4	2	1	-	28	5	2	9	12	69	44	19	3	3	11	6	5	-	-	13
14	5	5	1	3	37	14	9	5	9	82	36	38	5	3	7	5	2	-	-	14
-	-	-	-	-	1	-	1	-	-	7	3	4	-	-	2	1	1	-	-	15
9	5	4	-	-	27	13	10	2	2	142	63	77	2	-	17	6	11	-	-	16
84	55	22	3	4	441	217	95	70	59	392	214	161	8	9	72	42	30	-	-	17
210	116	74	15	5	982	363	309	163	147	5,110	2,258	2,464	195	193	530	222	293	7	8	18
58	35	21	2	-	251	84	75	57	35	1,140	565	486	48	41	255	117	133	2	3	19
152	81	53	13	5	731	279	234	106	112	3,970	1,693	1,978	147	152	275	105	160	5	5	20
45	22	17	4	2	176	69	51	26	30	676	325	307	21	23	78	39	36	1	2	21
22	14	6	1	1	67	26	22	9	10	375	210	136	15	14	36	22	12	1	1	22
23	8	11	3	1	109	43	29	17	20	301	115	171	6	9	42	17	24	-	1	23
116	58	47	6	4	239	105	82	19	33	3,115	1,468	1,531	63	53	300	153	142	1	4	24
95	46	41	4	4	208	91	73	16	28	2,687	1,237	1,375	46	29	259	132	125	1	1	25
11	6	3	2	-	9	6	1	-	2	304	196	91	15	2	21	13	7	-	1	26
-	-	-	-	-	6	2	2	2	-	10	7	3	-	-	-	-	-	-	-	27
10	7	3	-	-	16	6	6	1	3	114	48	62	2	2	20	8	10	-	2	28
18	9	6	1	2	25	10	8	3	4	254	139	103	8	4	41	19	20	2	-	29
448	225	96	68	59	859	321	263	144	131	3,649	2,129	1,251	170	99	810	493	296	10	11	30
4	1	2	-	1	11	5	3	2	1	32	22	9	1	-	5	1	3	1	-	31
24	11	6	4	3	134	47	42	21	24	58	23	32	1	2	59	28	29	1	1	32
258	96	54	57	51	604	205	187	115	97	2,577	1,450	924	128	75	604	357	231	6	10	33
80	31	16	18	15	268	90	81	51	46	732	461	207	47	17	158	100	56	1	1	34
117	37	26	30	24	226	73	72	46	35	1,501	798	586	70	47	390	222	154	5	9	35
24	14	3	3	4	68	28	28	5	7	260	138	107	8	7	43	26	17	-	-	36
37	14	9	6	8	42	14	6	13	9	84	53	24	3	4	13	9	4	-	-	37
10	2	7	-	1	7	2	3	1	1	63	33	22	4	4	16	6	10	-	-	38
17	12	2	2	1	22	12	6	2	2	103	61	36	2	4	14	9	5	-	-	39
2	-	1	-	1	2	1	1	-	-	29	14	13	2	-	7	4	2	1	-	40
3	3	-	-	-	5	3	-	-	2	80	59	12	6	3	3	3	-	-	-	41
3	-	1	1	1	2	1	-	-	1	17	10	6	1	-	-	-	-	-	-	42
127	100	23	4	-	72	45	21	3	3	690	457	197	25	11	102	85	16	1	-	43
370	149	107	59	55	528	238	138	87	65	4,403	2,545	1,603	148	107	636	366	259	5	6	44
2	-	2	-	-	4	-	-	3	1	15	4	8	3	-	2	2	-	-	-	45
27	17	8	2	-	55	34	11	8	2	334	239	72	19	4	46	36	8	1	1	46
16	12	3	1	-	16	15	-	1	-	338	259	62	10	7	68	57	11	-	-	47
1	-	1	-	-	8	2	-	2	4	20	13	6	1	-	2	-	2	-	-	48
16	12	3	1	-	48	18	11	11	8	165	97	55	8	5	40	27	11	-	2	49
32	13	15	2	2	92	34	21	19	18	555	268	251	16	20	110	46	62	2	-	50
183	48	42	45	48	86	24	32	18	12	416	212	170	23	11	110	61	49	-	-	51
45	26	14	3	2	87	58	13	13	3	1,714	1,037	601	43	33	112	68	39	2	3	52
38	24	10	2	2	78	52	11	12	3	987	569	366	32	20	87	52	31	1	3	53
7	2	4	1	-	9	6	2	1	-	727	468	235	11	13	25	16	8	1	-	54
19	9	9	1	-	40	14	23	1	2	358	137	207	6	8	94	44	50	-	-	55
29	12	10	4	3	92	39	27	11	15	488	279	171	19	19	52	25	27	-	-	56
161	90	45	16	10	776	336	175	160	105	2,105	1,213	740	84	68	337	205	123	4	5	57
100	47	37	9	7	588	230	152	112	94	1,201	583	523	52	43	197	98	94	2	3	58
7	3	3	1	-	52	27	9	10	6	66	35	28	1	2	13	6	6	-	1	59
5	2	3	-	-	14	3	5	2	4	94	46	39	6	3	10	8	2	-	-	60
88	42	31	8	7	522	200	138	100	84	1,041	502	456	45	38	174	84	86	2	2	61
12	6	4	1	1	23	10	7	3	3	261	128	118	6	9	36	17	18	-	1	62
2	2	-	-	-	12	6	6	-	-	81	42	36	-	3	7	6	1	-	-	63
8	2	3	3	-	16	10	1	4	1	97	65	24	8	-	8	4	4	-	-	64
30	27	...	3	...	86	54	...	32	...	379	364	...	15	...	73	71	...	2	...	65
6	6	...	-	...	34	25	...	9	...	34	31	...	3	...	9	9	...	-	...	66
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	67
3	...	1	...	2	18	...	9	...	7	51	...	38	...	13	7	...	6	...	1	68
22	...	12	...	10	74	...	29	...	45	126	...	99	...	27	28	...	26	...	2	69
7	...	3	...	4	11	...	3	...	8	15	...	14	...	1	4	...	4	...	-	70
8	...	4	...	2	28	...	7	...	21	38	...	33	...	5	12	...	11	...	1	71
3	...	1	...	2	14	...	10	...	4	21	...	16	...	5	4	...	4	...	-	72
2	...	2	...	-	8	...	3	...	5	14	...	7	...	7	-	...	-	...	-	73
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	1	...	1	...	-	74
-	...	-	...	-	5	...	1	...	4	10	...	9	...	1	1	...	1	...	-	75
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	1	...	-	...	1	76
4	...	2	...	2	7	...	5	...	2	24	...	16	...	8	5	...	5	...	-	77

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	1,315	409	597	97	132	47	9	10	12	16
2	Infections of skin and subcutaneous tissue--690-698	354	155	122	41	36	19	1	2	8	8
3	Other diseases of skin and subcutaneous tissue--700-716	961	334	475	56	96	28	8	8	4	8
4	XIII. Diseases of the bones and organs of movement	2,850	1,093	1,446	145	156	62	20	21	7	14
5	Arthritis and spondylitis--720-725	1,634	508	963	69	94	47	13	17	6	11
6	Muscular rheumatism and rheumatism, unspecified--726,727	78	29	31	10	8	3	1	1	-	1
7	Osteomyelitis and periostitis--730	218	103	58	29	28	2	-	-	-	2
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	81	36	35	4	6	2	1	1	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	839	417	359	33	30	8	5	2	1	-
10	XIV. Congenital malformations	18,425	9,042	7,579	984	820	327	134	96	53	44
11	Spina bifida and meningocele--751	1,659	659	923	36	41	22	12	8	-	2
12	Congenital hydrocephalus, etc.*--752,753	2,013	923	894	108	88	30	10	11	5	4
13	Congenital malformations of circulatory system--754	8,675	4,375	3,417	462	421	147	58	42	25	22
14	Other congenital malformations--750,755-759	6,078	3,085	2,345	378	270	128	54	35	23	16
15	XV. Certain diseases of early infancy	60,969	29,326	20,086	6,481	5,096	1,643	561	374	397	311
16	Birth injuries--760,761	11,876	6,280	3,932	986	678	312	143	73	81	35
17	Postnatal asphyxia and atelectasis--762	13,200	6,803	4,331	1,168	898	263	113	71	45	34
18	Infections of newborn--763-768	3,846	1,624	1,153	583	486	119	29	22	38	30
19	Hemolytic disease of newborn (erythroblastosis)--770	2,549	1,398	981	107	63	44	18	16	6	4
20	All other defined diseases of early infancy--769,771,772	2,939	1,276	880	453	330	102	30	22	33	17
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	26,579	11,945	8,809	3,184	2,641	803	228	170	214	191
22	XVI. Symptoms, senility, and ill-defined conditions	22,517	8,366	6,057	4,457	3,637	1,536	295	211	514	516
23	Senility without mention of psychosis--794	5,689	2,057	2,523	541	568	237	39	51	69	78
24	Symptoms, ill-defined and unknown causes--780-793,795	16,828	6,309	3,534	3,916	3,069	1,299	256	160	445	438
25	XVII. Accidents, poisonings, and violence	116,376	70,789	29,287	12,052	4,248	2,646	1,209	383	762	292
26	Accidents--E800-E962	91,249	55,412	24,622	8,003	3,212	2,005	994	324	476	211
27	Railway accidents--E800-E802	2,126	1,648	150	303	25	48	29	1	15	3
28	Motor-vehicle accidents--E810-E835	34,763	23,574	7,361	2,942	886	855	528	118	170	39
29	Motor-vehicle traffic accidents--E810-E825	33,863	22,968	7,180	2,870	845	827	512	112	164	39
30	Motor-vehicle traffic accident with railway train*--E810	1,541	1,049	364	100	28	18	13	1	4	-
31	Motor-vehicle traffic accident to pedestrian--E812	8,440	5,519	1,750	887	284	198	98	32	52	15
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	11,178	7,391	2,785	760	244	271	169	45	43	14
33	Motor-vehicle noncollision traffic accidents--E820-E824	8,143	5,986	1,319	678	160	241	168	22	44	7
34	Motor-vehicle traffic accident of unspecified nature--E825	4,551	3,023	964	445	129	99	63	12	21	3
35	Motor-vehicle nontraffic accidents--E826-E835	900	606	201	72	21	28	16	6	6	-
36	Other road-vehicle accidents--E840-E845	533	343	103	77	10	14	4	1	9	-
37	Water-transport accidents--E830-E838	1,502	1,206	109	174	13	57	35	4	16	2
38	Aircraft accidents--E840-E866	1,436	1,326	101	8	1	17	14	2	1	-
39	Accidental poisoning by solid and liquid substances--E870-E888	1,584	767	512	201	104	43	14	8	14	7
40	Accidental poisoning by gases and vapors--E890-E895	1,769	1,123	496	105	45	12	6	1	3	2
41	Accidental falls--E900-E904	20,783	9,159	10,501	697	426	216	82	88	24	22
42	Fall from one level to another--E900-E902	7,117	4,101	2,495	375	146	69	39	16	9	5
43	Fall on same level--E903	4,569	1,691	2,726	76	76	68	21	35	5	7
44	Unspecified falls--E904	9,097	3,367	5,280	246	204	79	22	37	10	10
45	Blow from falling object--E910	1,613	1,328	52	227	6	49	24	1	24	-
46	Accident caused by machinery--E912	1,771	1,553	67	146	5	43	27	1	15	-
47	Accident caused by electric current--E914	955	829	63	58	5	25	18	2	5	-
48	Accident caused by fire and explosion, etc.*--E916	6,405	2,697	1,918	911	879	189	50	39	38	62
49	Accident caused by hot substance, etc.*--E917,E918	842	377	232	128	105	41	12	6	13	10
50	Accident caused by firearm--E919	2,174	1,586	187	328	73	92	43	8	32	9
51	Inhalation and ingestion of food or other object, etc.*--E911,E922	1,350	696	397	143	114	23	11	1	4	7
52	Accidental drowning--E929	4,765	3,367	624	709	85	97	36	12	40	9
53	Excessive heat and insolation--E931	137	77	21	30	9	2	1	-	1	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	589	228	277	30	54	18	2	7	3	6
55	All other accidents--Residual	6,132	3,528	1,431	786	387	164	58	24	49	33
56	Suicide--E963,E970-E979	17,145	12,755	3,713	542	135	209	145	38	21	5
57	Suicide by poisoning--E970-E973	3,969	2,410	1,469	51	39	29	18	9	1	1
58	Suicide by hanging and strangulation--E974	3,592	2,681	812	78	21	13	5	6	1	1
59	Suicide by firearms and explosives--E976	7,377	6,263	768	308	38	144	106	17	19	2
60	Suicide by all other means--E963,E975,E977-E979	2,207	1,401	664	105	37	23	16	6	-	1
61	Homicide--E964,E980-E985	7,942	2,586	952	3,503	901	432	70	21	265	76
62	Assault by firearms and explosives--E981	4,179	1,392	552	1,771	464	250	51	15	135	49
63	Assault by cutting and piercing instruments--E982	1,879	337	91	1,173	278	117	5	2	87	23
64	Assault by other means--E964,E980,E983	1,521	683	307	372	159	46	12	4	26	4
65	Injury by intervention of police--E984	282	135	2	145	-	15	1	-	14	-
66	Execution--E985	81	39	-	42	-	4	1	-	3	-
67	Injury resulting from operations of war--E965,E990-E999	40	36	-	4	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4	1	1	2	-	21	8	6	5	2	72	26	35	5	6	11	5	5	-	1	1
2	-	-	2	-	13	5	3	5	-	14	6	7	1	-	4	3	1	-	-	2
2	1	1	-	-	8	3	3	-	2	58	20	28	4	6	7	2	4	-	1	3
10	5	3	-	2	37	13	17	4	3	145	49	86	3	7	30	14	16	-	-	4
8	3	3	-	2	25	9	12	3	1	76	19	51	2	4	11	2	9	-	-	5
-	-	-	-	-	5	2	3	-	-	1	-	1	-	-	-	-	-	-	-	6
1	1	-	-	-	1	-	-	1	-	8	6	2	-	-	4	2	2	-	-	7
1	1	-	-	-	2	1	-	-	1	5	1	3	-	1	2	1	1	-	-	8
-	-	-	-	-	4	1	2	-	1	55	23	29	1	2	13	9	4	-	-	9
125	49	56	13	7	177	91	55	18	13	1,295	710	478	50	57	176	105	70	-	1	10
9	2	5	1	1	15	11	3	-	1	45	24	18	2	1	10	2	8	-	-	11
13	3	7	2	1	16	7	4	3	2	125	63	51	4	7	19	12	7	-	-	12
57	23	30	2	2	84	39	32	8	5	724	394	280	26	34	83	49	34	-	-	13
46	21	14	8	3	62	34	16	7	5	401	239	129	18	15	64	42	21	-	1	14
466	198	160	70	38	607	295	170	73	69	3,837	2,050	1,389	225	173	678	400	263	10	5	15
79	41	29	6	3	116	58	33	15	10	880	490	328	49	23	172	112	56	3	1	16
60	37	26	10	7	117	70	30	13	4	1,173	621	410	86	56	181	98	57	4	2	17
34	9	9	13	3	45	11	13	10	11	283	107	70	11	15	43	19	23	-	1	18
15	5	9	1	-	21	13	5	2	1	168	102	60	2	4	32	14	16	1	1	19
35	10	12	8	5	51	25	9	8	9	133	73	46	9	5	32	17	14	1	-	20
223	96	75	32	20	257	118	80	25	34	1,270	657	475	68	70	238	140	97	1	-	21
239	104	35	58	42	576	161	122	157	136	395	232	143	15	5	61	25	32	2	2	22
43	13	15	11	4	161	46	54	28	33	96	37	58	1	-	30	8	22	-	-	23
196	91	20	47	38	415	115	68	129	103	299	195	85	14	5	31	17	10	2	2	24
767	486	113	130	38	1,423	765	257	293	108	8,858	6,058	2,172	486	142	1,213	826	362	17	8	25
829	402	88	108	31	1,138	607	237	207	87	6,484	4,415	1,628	337	104	968	650	300	13	5	26
21	15	-	6	-	27	18	-	8	1	145	130	8	6	1	16	15	1	-	-	27
278	189	45	36	8	385	253	55	59	16	3,171	2,209	738	157	57	408	295	105	7	1	28
272	185	43	36	8	370	243	54	58	15	3,089	2,150	721	162	56	385	280	97	7	1	29
7	4	3	-	-	19	6	3	10	-	113	67	31	9	6	16	14	2	-	-	30
60	40	7	11	2	91	60	10	16	5	780	543	183	42	12	74	58	13	3	-	31
97	82	21	10	4	75	53	11	8	3	1,391	891	330	63	17	126	83	39	3	-	32
91	57	9	13	2	63	49	5	8	1	826	602	161	45	18	135	97	36	1	1	33
17	12	3	2	-	122	75	25	16	6	69	47	16	3	3	35	28	7	-	-	34
8	4	2	-	-	15	10	1	1	3	82	59	17	5	1	23	15	8	-	-	35
8	2	-	3	1	11	8	2	1	-	34	17	16	1	-	5	5	-	-	-	36
4	3	-	1	-	34	25	1	7	1	122	104	6	12	-	9	8	1	-	-	37
33	33	-	-	-	9	8	-	1	-	199	189	10	-	-	27	25	2	-	-	38
9	2	5	2	-	22	9	6	4	3	165	84	69	9	1	18	9	9	-	-	39
8	4	2	-	-	7	4	2	1	-	100	61	25	12	2	14	11	2	-	1	40
52	25	15	8	4	186	67	98	11	10	970	501	430	34	5	194	80	111	2	1	41
18	12	-	5	1	47	22	17	7	1	304	200	85	17	2	83	41	42	-	-	42
12	5	6	1	-	31	11	18	1	1	158	74	80	4	-	70	27	42	-	1	43
22	8	9	2	3	108	34	63	3	8	508	227	265	13	3	41	12	27	2	-	44
4	3	-	1	-	24	19	2	3	-	86	80	3	2	1	12	12	-	-	-	45
6	4	-	1	1	30	23	-	7	-	100	90	4	6	-	17	14	2	-	1	46
8	6	-	2	-	19	15	2	2	-	56	50	5	1	-	11	11	-	-	-	47
42	27	7	5	3	142	42	35	37	28	357	212	110	19	16	39	31	8	-	-	48
4	1	-	1	2	18	2	4	7	5	34	18	10	4	2	6	4	1	1	-	49
36	22	1	11	2	39	26	1	9	3	113	97	7	8	1	35	29	5	1	-	50
14	5	1	6	2	8	3	3	2	-	112	68	34	7	3	14	5	9	-	-	51
39	23	4	9	3	66	32	3	29	2	316	251	45	18	2	58	41	16	1	-	52
13	10	2	-	1	2	2	-	-	-	24	13	8	2	1	-	-	-	-	-	53
4	2	2	-	-	9	3	1	1	4	45	20	21	3	1	5	2	3	-	-	54
50	26	4	16	4	102	48	22	18	14	337	221	79	26	11	80	53	25	1	1	55
95	71	18	7	1	136	110	18	6	2	1,909	1,411	430	54	14	201	149	50	1	1	56
24	15	8	-	1	26	16	10	-	-	624	403	209	6	6	59	39	19	-	1	57
4	3	1	-	-	9	9	-	-	-	287	209	61	12	5	34	22	12	-	-	58
58	45	6	5	-	87	77	4	5	1	723	614	84	23	2	93	79	14	-	-	59
11	8	1	2	-	14	8	4	1	1	275	185	76	13	1	15	9	5	1	-	60
43	13	9	15	6	149	48	2	80	19	462	229	114	95	24	44	27	12	3	2	61
20	6	8	4	2	82	32	2	37	11	221	94	70	46	11	21	12	6	1	2	62
9	1	-	6	2	30	3	-	22	5	79	37	9	27	6	8	5	2	1	-	63
13	5	1	5	2	23	8	-	12	3	137	79	35	16	7	15	10	4	1	-	64
-	-	-	-	-	12	3	-	9	-	18	14	-	4	-	-	-	-	-	-	65
1	1	-	-	-	2	2	-	-	-	7	5	-	2	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	19,123	10,340	8,274	273	236	3,501	1,613	1,283	352	253
2	I. Infective and parasitic diseases	481	324	125	24	8	115	43	25	27	20
3	Tuberculosis, all forms 001-019	322	227	76	15	4	76	30	14	21	11
4	Tuberculosis of respiratory system 001-008	300	214	69	13	4	68	28	14	17	9
5	Tuberculosis of meninges and central nervous system 010	4	-	3	1	-	3	1	-	-	2
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	3	2	1	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	1	-	-	1	-	1	1	-	-	-
9	Tuberculosis of genito-urinary system 016	4	2	2	-	-	2	-	-	2	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	4	3	1	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	6	6	-	-	-	2	-	-	2	-
12	Syphilis and its sequelae 020-029	91	61	20	7	3	11	5	2	3	1
13	Congenital syphilis 020	2	1	-	1	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	39	24	14	1	-	6	3	2	1	-
16	Other cardiovascular syphilis 023	22	18	2	2	-	2	-	-	1	1
17	Tabes dorsalis 024	1	1	-	-	-	1	1	-	-	-
18	General paralysis of insane 025	9	4	3	2	-	2	1	-	1	-
19	Other syphilis of central nervous system 026	15	10	1	1	3	-	-	-	-	-
20	Other syphilis 027-029	3	3	-	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	1	-	-	1	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	-	-	-	-	-	-	-	-	-	-
28	Scarlet fever 050	-	-	-	-	-	-	-	-	-	-
29	Streptococcal sore throat 051	1	-	1	-	-	-	-	-	-	-
30	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
31	Septicemia and pyemia 053	6	5	1	-	-	-	-	-	-	-
32	Diphtheria 055	1	-	1	-	-	-	-	-	-	-
33	Whooping cough 056	3	-	2	1	-	10	2	3	-	5
34	Meningococcal infections 057	9	8	1	-	-	4	1	-	2	1
35	Plague 058	-	-	-	-	-	-	-	-	-	-
36	Tularemia 059	-	-	-	-	-	-	-	-	-	-
37	Leprosy 060	-	-	-	-	-	-	-	-	-	-
38	Tetanus 061	1	-	1	-	-	-	-	-	-	-
39	Anthrax 062	-	-	-	-	-	1	1	-	-	-
40	Acute poliomyelitis 080	22	10	12	-	-	3	2	1	-	-
41	Late effects of acute poliomyelitis 081	1	1	-	-	-	-	-	-	-	-
42	Acute infectious encephalitis 082	3	2	1	-	-	-	-	-	-	-
43	Late effects of acute infectious encephalitis 083	1	1	-	-	-	2	-	2	-	-
44	Smallpox 084	-	-	-	-	-	-	-	-	-	-
45	Measles 085	1	-	1	-	-	2	1	1	-	-
46	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis 092	6	3	3	-	-	1	-	1	-	-
48	Rabies 094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
50	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
51	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
52	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
53	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
54	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
55	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
56	Filariasis 127	-	-	-	-	-	-	-	-	-	-
57	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
58	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
59	All other infective and parasitic diseases Residual	13	6	5	1	1	4	1	1	-	2
60	II. Neoplasms	3,510	1,774	1,662	41	33	507	240	212	26	29
61	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	3,426	1,736	1,621	38	31	500	237	208	26	29
62	Malignant neoplasm of buccal cavity and pharynx 140-148	87	74	13	-	-	18	14	3	1	-
63	Of lip 140	3	3	-	-	-	3	2	1	-	-
64	Of tongue 141	23	21	2	-	-	8	5	1	-	-
65	Of other and unspecified parts of buccal cavity 142-144	25	19	6	-	-	4	3	1	-	-
66	Of pharynx 145-148	36	31	5	-	-	5	4	-	1	-
67	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	1,363	713	621	22	7	197	100	78	12	7
68	Of esophagus 150	84	71	10	3	-	8	5	1	2	-
69	Of stomach 151	381	232	144	5	-	50	28	13	5	4
70	Of intestine, except rectum 152,153	395	158	230	5	2	60	25	33	1	1
71	Of rectum 154	208	115	86	4	3	30	17	12	1	-
72	Of biliary passages and of liver (stated to be primary site) 155	73	22	49	1	1	18	7	8	-	1
73	Of liver not specified whether primary or secondary 155A	46	23	22	1	-	11	7	2	1	1
74	Of pancreas 157	150	76	70	3	1	19	9	8	2	-
75	Of peritoneum and of unspecified digestive organs 156,159	26	16	10	-	-	3	2	1	-	-
76	Malignant neoplasm of respiratory system 160-164	367	301	59	6	1	58	42	8	5	3
77	Of larynx 161	34	32	1	1	-	6	4	1	-	1
78	Of trachea, and of bronchus and lung specified as primary 162	75	61	14	-	-	27	19	3	3	2
79	Of lung and bronchus, unspecified as primary or secondary 163	241	195	40	5	1	24	18	4	2	-
80	Of other parts of respiratory system 160,164	17	13	4	-	-	1	1	-	-	-
81	Malignant neoplasm of breast 170	302	-	295	-	7	45	1	38	-	6

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,560	2,947	2,423	1,698	1,494	26,589	11,806	7,688	4,032	3,043	30,325	10,519	7,482	6,544	5,780	4,837	2,986	1,755	62	34	1
491	139	47	186	119	907	319	133	295	160	1,328	352	193	425	358	132	83	36	9	4	2
395	105	32	155	103	531	193	64	174	100	808	210	106	244	248	66	38	18	7	3	3
352	98	31	137	88	508	184	62	168	94	732	196	96	217	223	55	33	15	6	1	4
13	2	-	8	3	5	-	-	4	1	23	5	3	8	7	1	-	1	-	-	5
5	-	1	2	2	5	2	1	-	2	11	-	2	3	6	2	1	1	-	-	6
1	1	-	-	-	1	1	-	-	-	2	-	-	1	1	3	1	1	1	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
3	-	-	1	2	5	4	-	-	1	5	3	-	1	1	-	-	-	-	-	9
1	-	-	-	1	1	-	1	-	-	6	1	4	-	1	-	-	-	-	-	10
20	6	-	7	7	6	2	-	2	2	29	5	1	14	9	5	3	-	-	2	11
67	23	8	27	9	183	65	19	71	28	203	42	16	98	47	22	18	3	-	1	12
1	-	1	-	-	9	-	-	2	7	14	-	1	10	3	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
40	20	4	10	6	80	45	12	18	5	56	17	3	24	12	13	12	1	-	-	15
16	2	1	12	1	51	10	3	30	8	47	9	4	22	12	3	2	1	-	-	16
1	-	-	-	1	1	-	-	1	-	3	1	-	1	1	-	-	-	-	-	17
4	1	1	2	-	17	6	1	7	3	62	11	6	33	12	2	2	-	-	-	18
5	-	1	3	1	16	3	2	8	3	15	3	2	5	5	3	1	1	-	1	19
-	-	-	-	-	9	1	1	5	2	6	1	-	3	2	1	1	-	-	-	20
-	-	-	-	-	1	-	-	-	1	4	-	-	3	1	-	-	-	-	-	21
1	-	-	1	-	1	-	-	1	-	3	-	-	3	-	1	1	-	-	-	22
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	26
-	-	-	-	-	24	3	3	11	7	47	15	10	14	8	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	28
3	1	1	-	1	2	-	1	1	-	13	5	3	5	-	1	1	-	-	-	29
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	30
2	-	1	-	1	11	4	1	3	3	18	5	4	4	5	5	3	2	-	-	31
-	-	-	-	-	8	2	4	1	1	18	4	7	2	5	1	-	1	-	-	32
1	-	-	-	1	8	2	3	1	2	44	11	10	14	9	6	2	4	-	-	33
7	2	1	3	1	19	7	8	2	2	34	14	12	6	2	7	4	2	1	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	28	5	4	14	5	19	4	2	4	9	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
4	3	-	-	1	22	13	4	2	3	17	10	4	-	3	11	9	2	-	-	40
2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	41
2	1	-	-	1	11	3	7	-	1	9	3	3	2	1	2	-	2	-	-	42
1	1	-	-	-	2	2	-	-	-	2	-	1	1	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	4	-	4	-	-	9	-	1	6	2	3	2	-	1	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
3	1	2	-	-	7	2	1	1	3	9	5	2	1	1	2	1	1	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	3	1	-	1	1	4	-	1	-	3	-	-	-	-	-	52
-	-	-	-	-	3	1	1	1	-	6	-	1	3	2	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	4	-	1	2	1	1	-	-	-	1	-	-	-	-	-	57
-	-	-	-	-	7	3	-	4	-	3	2	-	1	-	-	-	-	-	-	58
3	-	2	-	1	24	12	5	5	2	49	18	7	14	10	4	4	-	-	-	59
1,303	424	469	199	211	3,764	1,668	1,476	298	322	3,457	1,221	1,285	374	577	598	313	272	5	6	60
1,251	414	451	192	194	3,661	1,635	1,436	294	296	3,348	1,186	1,252	362	548	584	306	267	5	6	61
25	13	4	7	1	101	62	19	16	4	115	62	33	13	7	11	11	-	-	-	62
2	1	1	-	-	8	5	2	1	-	8	4	1	1	-	2	2	-	-	-	63
10	6	2	2	-	22	14	5	2	1	28	13	9	4	2	3	3	-	-	-	64
4	2	1	1	-	22	14	1	6	1	34	16	11	4	3	4	4	-	-	-	65
9	4	-	4	1	49	29	11	7	2	47	29	12	4	2	2	2	-	-	-	66
448	168	129	100	51	1,250	591	448	134	77	1,083	397	377	149	160	231	128	97	2	4	67
38	15	-	16	7	73	41	6	18	8	80	23	17	15	5	4	2	2	-	-	68
105	35	19	41	10	364	171	106	63	24	334	130	75	69	60	91	59	27	1	4	69
136	51	57	12	16	349	159	160	13	17	282	78	124	22	38	61	33	28	-	-	70
66	26	22	8	10	149	75	52	16	6	92	25	40	10	17	13	7	6	-	-	71
21	10	6	3	2	46	17	23	3	3	65	26	28	3	6	13	5	8	-	-	72
18	2	8	6	2	106	47	41	8	10	84	24	29	13	18	14	5	8	1	-	73
52	25	14	10	3	143	76	51	10	6	147	77	49	11	10	31	16	15	-	-	74
12	4	3	4	1	20	5	9	3	3	39	14	15	4	6	4	1	3	-	-	75
131	85	17	22	7	430	319	79	23	9	320	215	48	42	15	47	38	8	1	-	76
16	6	2	7	1	32	26	1	4	1	25	18	-	7	-	4	4	-	-	-	77
60	41	6	11	2	153	119	24	8	2	159	112	23	16	8	1	16	3	-	-	78
46	33	8	2	3	223	164	47	8	4	115	74	19	17	5	21	17	3	1	-	79
9	5	1	2	1	22	10	7	3	2	21	11	6	2	2	3	1	2	-	-	80
142	-	106	1	35	275	-	234	1	40	260	2	184	1	73	50	-	50	-	-	81

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	497	194	291	4	8	68	12	45	2	9
2	Of cervix uteri----------171	101	...	98	...	3	26	...	20	...	6
3	Of other and unspecified parts of uterus----------172-174	87	...	82	...	5	13	...	11	...	2
4	Of ovary, fallopian tube, and broad ligament----------175	103	...	103	...	-	14	...	13	...	1
5	Of other and unspecified female genital organs----------176	8	...	8	...	-	1	...	1	...	-
6	Of prostate----------177	181	177	...	4	...	12	10	...	2	...
7	Of testis, and of other and unspecified male genital organs----176,179	17	17	...	-	...	2	2	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	182	133	48	-	1	31	19	8	2	2
9	Of kidney----------180	65	43	22	-	-	14	9	3	1	1
10	Of bladder and other urinary organs----------181	117	90	26	-	1	17	10	5	1	1
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	345	175	163	4	3	58	31	20	3	2
12	Of skin----------190,191	63	36	27	-	-	3	3	-	-	-
13	Of eye----------192	2	2	-	-	-	1	-	1	-	-
14	Of brain and other parts of nervous system----------193	54	35	18	1	-	14	9	5	-	-
15	Of thyroid gland----------194	17	6	11	-	-	2	1	1	-	-
16	Of bone (including jaw bone)----------196	31	20	11	-	-	8	4	2	2	-
17	Of connective tissue----------197	10	4	6	-	-	-	-	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	41	16	25	-	-	9	6	3	-	-
19	Of unspecified sites----------156B,165,198B,199B-B	127	56	65	3	3	19	8	8	1	2
20	Leukemia and aleukemia----------204	137	70	66	-	1	17	10	6	1	-
21	Lymphosarcoma, etc.*----------200-203,205	146	76	65	2	3	10	8	2	-	-
22	Lymphosarcoma and reticulosarcoma----------200	55	26	29	-	-	5	3	2	-	-
23	Hodgkin's disease----------201	42	28	12	1	1	3	3	-	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	49	22	24	1	2	2	2	-	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	84	38	41	3	2	7	3	4	-	-
26	Benign neoplasms of female genital organs----------214-217	12	...	11	...	1	-	...	-	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	15	8	5	2	-	3	2	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	12	7	5	-	-	1	-	1	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	32	18	12	1	1	2	-	2	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	13	5	8	-	-	1	1	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	474	179	290	3	2	101	30	59	3	9
33	Asthma----------241	47	29	17	1	-	4	3	1	-	-
34	Nontoxic goiter----------250,251	1	-	1	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	9	-	8	-	-	1	-	-	-	1
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	3	1	2	-	-	3	-	2	-	1
37	Diabetes mellitus----------260	387	137	246	2	2	86	23	54	2	7
38	Diseases of thymus gland----------273	3	2	1	-	-	3	3	-	-	-
39	Diseases of adrenal glands----------274	5	1	4	-	-	-	-	-	-	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	3	-	3	-	-	2	-	1	1	-
42	Other allergic, endocrine, and metabolic diseases----------Residual	16	9	7	-	-	2	1	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	60	27	32	-	1	8	3	4	1	-
44	Anemias----------280-283	43	19	23	-	1	5	3	2	-	-
45	Pernicious and other hyperchromic anemias----------280	22	9	13	-	-	4	2	2	-	-
46	Anemias of other and unspecified type----------281-283	21	10	10	-	1	1	1	-	-	-
47	Purpura and other hemorrhagic conditions----------286	3	2	1	-	-	3	-	2	1	-
48	All other diseases of blood and blood-forming organs-----284,285,287-289	14	6	8	-	-	-	-	-	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	81	52	22	5	2	22	16	5	-	1
50	Senile psychosis----------304	16	6	10	-	-	-	-	-	-	-
51	Alcoholic psychosis----------307	2	1	1	-	-	2	2	-	-	-
52	Other psychoses----------300-303,305,306,308,309	9	4	5	-	-	5	1	3	-	1
53	Alcoholism----------322	53	40	6	5	2	14	13	1	-	-
54	Mental deficiency----------325	1	1	-	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	1	-	1	-	-
56	VI. Diseases of the nervous system and sense organs----------	2,069	951	1,065	22	31	320	118	151	24	27
57	Vascular lesions affecting central nervous system----------330-334	1,936	893	993	20	30	279	101	138	18	22
58	Subarachnoid hemorrhage----------330	51	20	28	2	1	5	1	2	2	-
59	Cerebral hemorrhage----------331	1,253	559	659	13	22	191	67	94	15	15
60	Cerebral embolism and thrombosis----------332	487	242	236	4	5	51	21	26	-	4
61	Other vascular lesions affecting central nervous system---------333,334	145	72	70	1	2	32	12	16	1	3
62	Meningitis, except meningococcal and tuberculous----------340	19	12	6	1	-	10	3	3	2	2
63	Multiple sclerosis----------345	19	5	13	1	-	3	1	2	-	-
64	Paralysis agitans----------350	26	14	12	-	-	8	4	4	-	-
65	Cerebral spastic infantile paralysis----------351	7	-	7	-	-	2	1	-	1	-
66	Epilepsy----------353	18	10	7	-	1	7	3	1	2	1
67	Inflammatory diseases of eye----------370-379	1	-	1	-	-	-	-	-	-	-
68	Cataract----------385	2	1	1	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	7	1	6	-	-	2	2	-	-	-
71	Other diseases of nervous system and sense organs----------Residual	34	15	19	-	-	9	3	3	1	2
72	VII. Diseases of the circulatory system----------	8,698	4,838	3,678	87	95	1,573	768	570	126	109
73	Rheumatic fever----------400-402	24	11	13	-	-	6	3	1	1	1
74	Diseases of heart----------410-443	8,039	4,537	3,334	81	87	1,448	711	514	119	102
75	Chronic rheumatic heart disease----------410-416	278	124	147	2	5	46	23	15	5	3
76	Diseases of mitral valve----------410	101	42	56	1	2	19	12	5	1	1
77	Diseases of aortic valve specified as rheumatic----------411	10	8	2	-	-	3	-	3	-	-
78	Diseases of tricuspid valve----------412	1	1	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	14	7	7	-	-	5	2	1	1	1
80	Other diseases of heart specified as rheumatic----------415,416	152	66	82	1	3	19	9	6	3	1

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948,

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
235	44	100	20	71	707	185	355	51	116	734	148	319	70	197	85	40	43	-	2	1
75	...	37	...	38	206	...	145	...	61	248	...	151	...	97	11	...	11	...	-	2
53	...	32	...	21	163	...	122	...	41	194	...	108	...	86	21	...	19	...	2	3
39	...	29	...	10	90	...	80	...	10	67	...	55	...	12	11	...	11	...	-	4
4	...	2	...	2	12	...	8	...	4	7	...	5	...	2	2	...	2	...	-	5
58	41	...	17	...	221	175	...	46	...	202	136	...	66	...	36	36	...	-	...	6
6	3	...	3	...	15	10	...	5	...	16	12	...	4	...	4	4	...	-	...	7
59	24	17	10	8	172	100	51	13	8	138	56	43	18	21	24	15	9	-	-	8
15	6	5	1	3	48	27	16	2	3	59	21	20	9	9	9	5	4	-	-	9
44	18	12	9	5	124	73	35	11	5	79	35	23	9	12	15	10	5	-	-	10
131	52	47	20	12	480	241	169	39	31	430	162	166	41	61	72	38	32	2	-	11
14	9	3	1	1	81	48	29	3	1	78	38	31	7	2	16	9	7	-	-	12
-	-	-	-	-	4	2	1	1	-	5	2	1	1	1	-	-	-	-	-	13
23	11	6	4	2	76	49	22	3	2	80	38	29	4	9	15	8	7	-	-	14
5	2	1	1	1	12	5	5	2	-	11	-	6	1	4	3	-	2	1	-	15
11	2	6	3	-	29	16	5	4	4	39	10	18	4	6	5	3	2	-	-	16
5	3	2	-	-	12	5	4	2	1	9	3	5	-	1	1	1	-	-	-	17
22	10	6	3	3	90	36	33	11	10	68	24	27	5	12	4	2	1	1	-	18
51	15	23	8	5	176	80	70	13	13	141	47	49	19	26	28	15	13	-	-	19
40	17	16	6	1	120	70	41	5	4	146	89	37	14	6	37	20	17	-	-	20
40	11	15	6	8	126	67	40	12	7	122	55	45	14	8	27	16	11	-	-	21
13	3	9	1	-	64	34	20	6	4	48	22	18	6	2	12	7	5	-	-	22
10	3	2	1	4	33	20	8	4	1	46	25	14	4	3	9	5	4	-	-	23
17	5	4	4	4	29	13	12	2	2	28	8	13	4	3	6	4	2	-	-	24
58	10	18	7	17	103	33	40	4	26	109	35	33	12	29	12	7	5	-	-	25
12	...	4	...	8	37	...	21	...	16	31	...	12	...	19	2	...	2	...	-	26
9	-	5	1	3	9	4	4	-	1	14	7	4	1	2	2	2	-	-	-	27
8	2	2	2	2	15	8	4	2	1	16	8	5	1	2	-	-	-	-	-	28
1	...	1	...	-	4	...	-	...	4	-	...	-	...	-	-	...	-	...	-	29
16	8	4	2	2	18	10	5	-	3	31	15	9	4	3	6	5	1	-	-	30
6	-	2	2	2	20	11	6	2	1	17	5	3	6	3	2	-	2	-	-	31
156	47	58	18	33	523	184	210	44	85	619	179	197	83	160	116	57	58	1	-	32
16	8	5	1	2	90	50	20	13	7	84	31	26	11	16	20	13	7	-	-	33
2	-	1	-	1	1	-	1	-	-	2	-	-	1	1	1	-	1	-	-	34
6	1	2	1	2	22	4	13	1	4	28	1	13	2	12	4	1	3	-	-	35
1	-	1	-	-	-	-	-	-	-	2	-	1	-	1	2	-	2	-	-	36
121	35	45	14	27	353	107	157	21	68	413	151	123	52	107	83	41	41	1	-	37
2	-	1	1	-	7	3	2	2	-	9	3	2	2	2	2	1	1	-	-	38
4	2	1	-	1	4	3	1	-	-	3	2	1	-	-	-	-	-	-	-	39
-	-	-	-	-	10	1	2	3	4	37	6	17	6	8	-	-	-	-	-	40
1	-	1	-	-	29	13	12	2	2	31	4	8	9	10	3	1	2	-	-	41
3	1	1	1	-	7	3	2	2	-	10	1	6	-	3	1	-	1	-	-	42
51	7	14	2	8	110	53	40	6	11	113	39	40	19	15	11	5	6	-	-	43
24	7	9	1	7	84	43	27	5	9	78	23	28	14	13	5	2	3	-	-	44
12	3	5	1	3	30	18	11	1	-	27	10	10	5	2	3	2	1	-	-	45
12	4	4	-	4	54	25	16	4	9	51	13	18	9	11	2	-	2	-	-	46
3	-	2	-	1	12	5	7	-	-	14	4	7	1	2	2	1	1	-	-	47
4	-	3	1	-	14	5	6	1	2	21	12	5	4	-	4	2	2	-	-	48
12	4	3	3	2	74	37	21	10	6	119	53	14	23	29	22	14	6	-	2	49
1	-	1	-	-	8	2	5	1	-	11	-	7	1	3	6	3	3	-	-	50
1	1	-	-	-	4	4	-	-	-	5	5	-	-	-	-	-	-	-	-	51
3	1	1	-	1	8	1	7	-	-	31	9	2	4	16	2	1	-	-	1	52
6	2	1	3	-	45	25	7	8	5	68	36	4	18	10	11	8	2	-	1	53
1	-	-	-	1	6	2	2	1	1	1	1	-	-	-	3	2	1	-	-	54
-	-	-	-	-	3	3	-	-	-	3	2	1	-	-	-	-	-	-	-	55
805	221	300	129	155	3,310	1,210	1,065	533	502	4,530	1,280	1,185	994	1,071	569	304	256	7	2	56
727	206	279	102	140	3,053	1,090	1,001	491	471	4,179	1,166	1,102	910	1,001	521	274	239	6	2	57
20	10	5	2	3	77	28	27	10	12	75	22	20	17	16	8	4	4	-	-	58
437	111	179	64	83	2,117	740	693	344	340	2,822	780	744	621	677	404	197	199	6	2	59
205	68	70	28	39	431	184	166	49	32	506	200	152	74	80	49	29	20	-	-	60
65	17	25	8	15	428	138	115	88	87	776	164	186	198	228	60	44	16	-	-	61
13	4	2	5	2	56	21	13	14	8	56	13	8	16	19	4	2	2	-	-	62
4	-	3	-	1	14	9	4	-	1	14	10	2	1	1	4	3	1	-	-	63
6	-	5	1	-	38	24	12	1	1	27	10	12	3	2	5	3	2	-	-	64
3	1	1	-	1	14	7	4	3	-	14	6	3	4	1	5	4	1	-	-	65
13	1	2	8	2	32	14	5	6	7	90	21	15	33	21	9	7	2	-	-	66
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	67
2	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	68
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
1	-	-	1	-	5	1	2	1	1	11	4	4	2	1	1	-	-	1	-	70
35	9	7	11	8	97	44	25	17	13	138	50	39	25	24	20	11	9	-	-	71
3,635	1,353	1,038	619	625	9,580	4,915	2,781	1,043	841	10,001	3,993	2,475	1,811	1,622	1,757	1,141	601	11	4	72
10	-	3	5	2	28	11	9	4	5	43	8	9	17	9	11	3	7	-	1	73
3,312	1,258	932	552	570	8,701	4,510	2,511	945	735	9,069	3,674	2,217	1,722	1,456	1,564	1,036	518	10	2	74
104	34	31	20	19	311	122	118	44	27	243	80	68	49	46	58	28	29	1	-	75
43	16	12	8	7	140	53	45	23	19	140	40	35	33	32	17	8	9	-	-	76
5	3	1	1	-	12	5	5	2	-	9	6	1	2	-	2	-	2	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
8	2	1	2	1	27	12	13	2	-	13	6	6	1	-	5	4	1	-	-	79
50	13	17	9	11	132	52	55	17	8	81	28	26	13	14	34	16	17	1	-	80

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	5,571	3,406	2,077	52	36	769	447	244	50	28
2	Arteriosclerotic heart disease so described----420.0	2,436	1,258	1,126	27	23	236	102	100	22	12
3	Heart disease specified as involving coronary arteries----420.1	3,131	2,144	949	25	13	529	343	143	27	16
4	Angina pectoris without mention of coronary disease----420.2	4	4	-	-	-	4	2	1	1	-
5	Chronic endocarditis not specified as rheumatic----421	68	36	30	1	1	26	11	9	3	3
6	Of mitral valve, specified as nonrheumatic----421.0	2	-	2	-	-	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----421.1	8	6	1	1	-	2	1	1	-	-
8	Of other valves, not specified as rheumatic----421.2-421.4	58	30	27	-	1	24	10	8	3	3
9	Other myocardial degeneration----422	832	421	389	9	13	235	101	91	25	18
10	With arteriosclerosis----422.1	556	280	265	5	6	125	53	52	12	8
11	Without mention of arteriosclerosis----422.0,422.2	276	141	124	4	7	110	48	39	13	10
12	Other diseases of heart----430-434	132	75	52	4	1	24	12	7	3	2
13	Acute and subacute endocarditis----430	13	9	3	1	-	2	1	1	-	-
14	Acute myocarditis not specified as rheumatic----431	22	13	9	-	-	4	3	-	-	1
15	Acute pericarditis specified as nonrheumatic----432	2	-	2	-	-	-	-	-	-	-
16	Functional disease of heart----433	19	13	6	-	-	2	-	1	-	1
17	Other and unspecified diseases of heart----434	76	40	32	3	1	16	8	5	3	-
18	Hypertension with heart disease----440-443	1,158	475	639	13	31	346	117	148	33	48
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	308	140	157	4	7	137	50	62	13	12
20	Essential hypertension with heart disease, etc.*----440,441,443	650	335	482	9	24	209	67	86	20	36
21	Hypertension without mention of heart----444-447	139	64	69	2	4	22	11	7	2	2
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	82	32	47	2	1	15	8	4	2	1
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	57	32	22	-	3	7	3	3	-	1
24	Diseases of arteries----450-456	431	192	231	4	4	93	39	46	4	4
25	General arteriosclerosis----450	372	161	206	2	3	85	32	45	4	4
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	20	16	3	-	1	3	3	-	-	-
27	Gangrene of unspecified cause----455	2	1	1	-	-	-	-	-	-	-
28	Other arterial diseases----452-454,456	37	14	21	2	-	5	4	1	-	-
29	Diseases of veins and other diseases of circulatory system----460-468	65	34	31	-	-	6	4	2	-	-
30	VIII. Diseases of the respiratory system----	469	278	173	12	6	138	59	40	30	9
31	Acute upper respiratory infections----470-475	9	5	4	-	-	1	-	1	-	-
32	Influenza----480-483	12	6	3	1	-	7	3	4	-	-
33	Pneumonia, except pneumonia of newborn----490-493	323	178	133	7	5	93	36	25	24	8
34	Lobar pneumonia----490	117	58	55	2	2	42	15	10	14	3
35	Bronchopneumonia----491	146	86	54	5	1	30	10	11	5	4
36	Primary atypical pneumonia----492	33	20	13	-	-	7	5	1	1	-
37	Pneumonia, other and unspecified----493	27	14	11	-	2	14	6	3	4	1
38	Acute bronchitis----500	10	7	2	-	1	1	1	-	-	-
39	Bronchitis, chronic and unqualified----501,502	22	11	9	2	-	9	4	4	-	1
40	Hypertrophy of tonsils and adenoids----510	2	2	-	-	-	1	-	1	-	-
41	Empyema and abscess of lung----518,521	13	7	5	1	-	5	2	1	2	-
42	Pleurisy----519	6	4	2	-	-	1	1	-	-	-
43	All other respiratory diseases----Residual	72	56	15	1	-	20	12	4	4	-
44	IX. Diseases of the digestive system----	723	421	285	9	8	115	58	40	13	4
45	Diseases of teeth and supporting structures----530-535	4	2	2	-	-	2	-	1	1	-
46	Ulcer of stomach----540	50	37	13	-	-	6	5	-	1	-
47	Ulcer of duodenum----541	68	50	18	-	-	6	5	-	1	-
48	Gastritis and duodenitis----543	3	2	1	-	-	1	1	-	-	-
49	Appendicitis----550-553	32	16	15	1	-	6	5	1	-	-
50	Hernia and intestinal obstruction----560,561,570	99	43	52	-	4	13	1	8	3	1
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	53	24	28	-	1	15	7	5	2	1
52	Cirrhosis of liver----581	233	154	75	2	2	33	22	8	2	1
53	Without mention of alcoholism----581.0	191	129	60	-	2	27	17	8	2	-
54	With alcoholism----581.1	42	25	15	2	-	6	5	-	-	1
55	Cholelithiasis and cholecystitis----584,585	69	26	42	-	1	13	3	10	-	-
56	Other diseases of digestive system----Residual	112	67	39	6	-	20	9	7	3	1
57	X. Diseases of the genito-urinary system----	409	248	147	10	4	101	46	32	12	11
58	Nephritis and nephrosis----590-594	260	139	111	6	4	74	30	28	8	8
59	Acute nephritis----590	14	10	4	-	-	7	4	-	1	2
60	Nephritis with edema, including nephrosis----591	12	6	6	-	-	1	-	1	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	234	123	101	6	4	66	26	27	7	6
62	Infections of kidney----600	34	14	19	1	-	6	3	1	-	2
63	Calculi of urinary system----602,604	18	12	6	-	-	3	2	1	-	-
64	Other diseases of urinary system----601,603,605-609	23	14	7	2	-	4	1	2	1	-
65	Hyperplasia of prostate----610	61	61	...	-	...	13	10	...	3	...
66	Other diseases of male genital organs----611-617	9	8	...	1	...	-	-	...	-	...
67	Diseases of breast----620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	4	...	4	...	-	1	...	-	...	1
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	18	...	18	...	-	7	...	4	...	3
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	1	...	1	...	-	3	...	1	...	2
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	4	...	4	...	-	2	...	2	...	-
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	1	...	1	...	-	-	...	-	...	-
73	Ectopic pregnancy----645	-	...	-	...	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----650	1	...	1	...	-	-	...	-	...	-
75	Abortion with sepsis----651	3	...	3	...	-	1	...	1	...	-
76	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual	8	...	8	...	-	1	...	-	...	1

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,574	807	464	162	141	5,267	3,186	1,451	361	269	4,247	2,231	1,056	524	436	934	689	239	5	1	1
495	193	156	71	75	1,263	648	457	105	73	802	351	250	112	89	195	126	69	-	-	2
1,071	607	307	91	66	3,921	2,503	979	250	189	3,357	1,836	783	400	338	729	554	169	5	1	3
8	7	1	-	-	63	35	15	6	7	88	44	23	12	9	10	9	1	-	-	4
28	6	8	5	9	199	59	57	45	38	206	52	40	53	61	33	19	14	-	-	5
-	-	-	-	-	3	1	1	1	-	1	-	-	-	1	-	-	-	-	-	6
12	4	3	3	2	27	13	4	6	4	53	9	9	20	15	6	6	-	-	-	7
16	2	5	2	7	169	45	52	38	34	152	43	31	33	45	27	13	14	-	-	8
573	159	160	122	132	835	342	287	119	87	1,082	318	301	253	190	255	141	113	1	-	9
196	59	73	31	33	351	148	126	47	30	412	114	119	108	71	102	52	49	1	-	10
377	100	87	91	99	484	194	161	72	57	650	204	182	145	119	153	89	64	-	-	11
139	41	31	39	28	726	358	189	122	79	907	299	152	252	204	105	78	26	1	-	12
12	3	2	3	4	13	1	4	2	6	27	8	5	8	6	2	1	1	-	-	13
12	2	3	4	3	82	18	13	13	18	111	17	16	32	46	4	2	2	-	-	14
2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	15
7	2	5	-	-	36	19	12	4	1	28	10	13	3	2	17	8	9	-	-	16
106	33	21	31	21	614	318	139	103	54	741	264	114	209	150	82	67	14	1	-	17
894	211	238	204	241	1,383	445	429	254	255	2,404	694	600	591	519	179	81	95	2	1	18
369	98	106	84	81	441	148	143	93	57	800	247	206	193	154	79	38	39	2	-	19
525	113	132	120	160	922	297	286	161	178	1,604	447	394	398	365	100	43	56	-	1	20
82	14	16	24	28	251	99	67	40	45	335	105	81	80	69	38	16	21	1	-	21
35	5	7	11	12	103	42	27	19	15	127	48	32	31	16	12	7	4	1	-	22
47	9	9	13	16	148	57	40	21	30	208	57	49	49	53	26	9	17	-	-	23
191	62	77	29	23	535	262	173	47	53	488	183	150	83	72	127	75	52	-	-	24
158	52	65	21	20	458	217	154	42	45	415	148	137	70	62	110	66	44	-	-	25
18	7	5	5	1	37	29	6	2	-	30	19	4	5	2	7	5	2	-	-	26
2	-	1	1	-	8	3	2	1	2	5	1	3	-	1	3	1	2	-	-	27
13	3	6	2	2	32	13	11	2	6	38	17	6	8	7	7	3	4	-	-	28
40	19	10	9	2	64	33	21	7	3	66	23	18	9	16	17	11	5	-	1	29
312	89	74	69	60	1,055	409	265	198	183	1,770	497	386	455	432	232	142	74	7	9	30
4	1	1	1	1	17	3	7	2	5	46	11	4	18	13	2	1	-	-	1	31
8	-	4	1	3	161	48	31	32	50	343	82	62	76	103	28	13	9	-	-	32
215	55	51	64	45	645	220	178	137	111	1,128	293	237	314	284	140	82	43	7	8	33
101	24	18	34	25	226	74	48	58	46	393	111	72	108	102	33	22	9	1	1	34
81	25	21	20	15	301	102	95	54	50	452	119	99	125	109	55	32	20	3	-	35
17	2	9	3	3	67	27	22	14	4	126	47	43	23	13	19	13	6	-	-	36
16	4	3	7	2	52	17	13	11	11	157	18	23	58	60	33	15	8	3	7	37
5	1	3	-	1	14	2	7	3	2	25	1	10	5	9	5	3	2	-	-	38
12	6	3	2	1	36	23	7	3	3	45	18	12	6	9	7	3	4	-	-	39
-	-	-	-	-	8	3	2	-	3	6	1	3	1	1	2	2	-	-	-	40
14	1	3	7	3	20	7	3	7	3	20	9	1	8	2	2	2	-	-	-	41
3	1	1	1	-	2	1	1	-	-	7	2	4	1	-	-	-	-	-	-	42
51	24	8	13	6	151	102	29	14	6	150	80	33	26	11	46	30	16	-	-	43
394	160	93	78	63	1,028	451	270	185	122	1,051	350	255	251	195	173	113	58	2	-	44
-	-	-	-	-	5	1	1	2	1	9	1	3	1	4	5	5	-	-	-	45
26	11	5	8	2	82	45	10	21	6	80	29	16	29	6	18	15	3	-	-	46
32	19	2	7	4	67	48	10	7	2	50	32	5	10	3	17	16	1	-	-	47
1	1	-	-	-	12	1	1	6	4	11	6	2	2	1	1	1	-	-	-	48
12	3	1	7	1	59	33	9	9	8	70	25	14	20	11	16	13	3	-	-	49
62	27	10	14	11	182	64	48	43	27	206	58	52	51	45	25	10	15	-	-	50
21	7	10	1	3	130	31	33	37	29	218	44	46	69	59	14	7	6	1	-	51
156	72	39	23	22	230	116	67	31	16	181	90	42	26	23	22	14	8	-	-	52
116	53	33	16	14	197	100	56	28	13	114	52	29	14	19	19	11	8	-	-	53
40	19	6	7	8	33	16	11	3	3	67	38	13	12	4	3	3	-	-	-	54
24	6	10	3	5	76	35	35	2	4	70	18	40	3	9	26	13	13	-	-	55
60	14	16	15	15	185	77	56	27	25	186	47	35	40	34	29	19	9	1	-	56
212	72	44	45	51	934	390	212	190	142	1,246	353	276	364	253	143	86	53	2	2	57
123	30	31	23	39	698	232	172	133	121	923	227	230	247	219	101	53	45	2	1	58
3	-	2	-	1	79	23	16	19	21	118	21	26	40	31	7	2	5	-	-	59
9	1	-	5	3	39	8	13	9	9	37	4	7	11	15	7	4	3	-	-	60
111	29	29	18	35	540	201	143	105	91	788	202	197	196	173	87	47	37	2	1	61
20	3	7	5	5	59	29	19	5	6	76	31	23	15	7	10	4	5	-	1	62
7	3	2	1	1	25	17	6	-	2	32	12	13	6	1	1	-	1	-	-	63
18	9	2	5	2	34	13	6	12	3	43	11	5	20	7	4	3	1	-	-	64
34	25	...	9	...	123	88	...	35	...	124	55	...	69	...	25	25	...	-	...	65
4	2	...	2	...	16	11	...	5	...	24	17	...	7	...	1	1	...	-	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
6	...	2	...	4	19	...	9	...	10	24	...	5	...	19	1	...	1	...	-	68
7	...	2	...	5	87	...	34	...	53	148	...	52	...	96	7	...	7	...	-	69
-	...	-	...	-	6	...	3	...	3	30	...	10	...	20	1	...	1	...	-	70
3	...	-	...	3	32	...	12	...	20	53	...	19	...	34	2	...	2	...	-	71
1	...	1	...	-	13	...	6	...	7	28	...	12	...	16	-	...	-	...	-	72
3	...	1	...	2	5	...	-	...	5	3	...	-	...	3	-	...	-	...	-	73
-	...	-	...	-	6	...	2	...	4	4	...	1	...	3	-	...	-	...	-	74
-	...	-	...	-	4	...	2	...	2	9	...	2	...	7	-	...	-	...	-	75
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	1	...	1	...	-	76
-	...	-	...	-	20	...	8	...	12	19	...	6	...	13	3	...	3	...	-	77

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	12	8	4	-	-	2	-	2	-	-
2	Infections of skin and subcutaneous tissue--690-698	2	1	1	-	-	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue--700-716	10	7	3	-	-	2	-	2	-	-
4	XIII. Diseases of the bones and organs of movement	26	9	15	-	2	5	2	3	-	-
5	Arthritis and spondylitis--720-725	14	2	10	-	2	3	1	2	-	-
6	Muscular rheumatism and rheumatism, unspecified--726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis--730	2	1	1	-	-	1	-	1	-	-
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	-	-	-	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	10	6	4	-	-	1	1	-	-	-
10	XIV. Congenital malformations	240	109	123	2	6	40	17	16	4	3
11	Spina bifida and meningocele--751	15	6	9	-	-	4	-	3	1	-
12	Congenital hydrocephalus, etc.*--752,753	34	13	20	-	1	5	1	4	-	-
13	Congenital malformations of circulatory system--754	108	53	52	1	2	21	9	7	3	2
14	Other congenital malformations--750,755-759	83	37	42	1	3	10	7	2	-	1
15	XV. Certain diseases of early infancy	581	329	211	20	21	156	70	50	25	11
16	Birth injuries--760,761	116	67	39	6	4	21	9	7	4	1
17	Postnatal asphyxia and atelectasis--762	190	112	64	6	8	41	23	10	6	2
18	Infections of newborn--763-768	29	15	13	-	1	8	5	2	1	-
19	Hemolytic disease of newborn (erythroblastosis)--770	28	16	12	-	-	6	3	3	-	-
20	All other defined diseases of early infancy--769,771,772	14	9	4	1	-	5	2	1	1	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	204	110	79	7	8	75	28	27	13	7
22	XVI. Symptoms, senility, and ill-defined conditions	82	40	40	1	1	23	3	12	5	3
23	Senility without mention of psychosis--794	33	11	22	-	-	14	-	11	1	2
24	Symptoms, ill-defined and unknown causes--780-793,795	49	29	18	1	1	9	3	1	4	1
25	XVII. Accidents, poisonings, and violence	1,190	753	384	37	16	268	140	58	56	14
26	Accidents--E800-E962	926	585	320	30	11	206	107	47	39	13
27	Railway accidents--E800-E802	8	6	1	1	1	4	2	-	2	-
28	Motor-vehicle accidents--E810-E835	291	214	65	10	2	80	47	14	15	4
29	Motor-vehicle traffic accidents--E810-E825	283	208	64	9	2	79	47	14	14	4
30	Motor-vehicle traffic accident with railway train*--E810	3	1	2	-	-	3	2	1	-	-
31	Motor-vehicle traffic accident to pedestrian--E812	120	95	24	1	-	19	8	3	6	2
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	68	48	15	2	1	25	13	6	5	1
33	Motor-vehicle noncollision traffic accidents--E820-E824	70	50	16	3	1	30	23	3	3	1
34	Motor-vehicle traffic accident of unspecified nature--E825	24	14	7	3	-	2	1	1	-	-
35	Motor-vehicle nontraffic accidents--E830-E835	8	6	1	1	-	1	-	-	1	-
36	Other road-vehicle accidents--E840-E845	-	-	-	-	-	-	-	-	-	-
37	Water-transport accidents--E850-E858	17	16	-	1	-	1	1	-	-	-
38	Aircraft accidents--E860-E866	12	12	-	-	-	2	2	-	-	-
39	Accidental poisoning by solid and liquid substances--E870-E888	23	16	6	1	-	5	1	-	2	2
40	Accidental poisoning by gases and vapors--E890-E895	39	23	14	2	-	1	-	1	-	-
41	Accidental falls--E900-E904	305	127	172	5	1	44	18	23	2	1
42	Fall from one level to another--E900-E902	108	60	45	3	-	23	11	11	1	-
43	Fall on same level--E903	40	15	25	-	-	8	4	3	-	1
44	Unspecified falls--E904	157	52	102	2	1	13	3	9	1	-
45	Blow from falling object--E910	7	5	-	2	-	1	1	-	-	-
46	Accident caused by machinery--E912	7	5	-	2	-	2	2	-	-	-
47	Accident caused by electric current--E914	10	9	1	-	-	-	-	-	-	-
48	Accident caused by fire and explosion, etc.*--E916	60	33	19	3	5	24	7	1	13	3
49	Accident caused by hot substance, etc.*--E917,E918	6	2	4	-	-	2	1	1	-	-
50	Accident caused by firearm--E919	8	5	1	-	-	8	5	3	-	-
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	13	10	2	-	1	2	1	-	-	1
52	Accidental drowning--E929	58	45	11	2	-	14	10	1	3	-
53	Excessive heat and insolation--E931	1	1	-	-	-	1	-	-	-	1
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	12	6	5	-	1	3	1	2	-	-
55	All other accidents--Residual	50	30	19	1	-	12	8	1	2	1
56	Suicide--E963,E970-E979	236	175	60	1	-	39	27	11	1	-
57	Suicide by poisoning--E970-E973	77	38	38	1	-	9	3	6	-	-
58	Suicide by hanging and strangulation--E974	64	56	8	-	-	7	5	2	-	-
59	Suicide by firearms and explosives--E976	60	55	5	-	-	17	15	1	1	-
60	Suicide by all other means--E963,E975,E977-E979	35	26	9	-	-	6	4	2	-	-
61	Homicide--E964,E980-E985	28	13	4	6	5	23	6	-	16	1
62	Assault by firearms and explosives--E981	11	4	3	2	2	8	3	-	4	1
63	Assault by cutting and piercing instruments--E982	3	1	-	2	-	12	1	-	11	-
64	Assault by other means--E964,E980,E983	14	8	1	2	3	2	1	-	1	-
65	Injury by intervention of police--E984	-	-	-	-	-	1	1	-	-	-
66	Execution--E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11	4	3	1	3	30	10	10	5	4	42	9	15	5	13	8	3	4	1	-	1
2	1	1	-	-	10	2	4	3	1	14	3	5	2	4	2	1	-	1	-	2
9	3	2	1	3	20	8	6	3	3	28	6	10	3	9	6	2	4	-	-	3
12	2	6	3	1	60	25	23	4	8	74	21	34	11	8	13	4	9	-	-	4
5	-	3	2	-	35	11	19	2	3	48	9	29	5	5	8	2	6	-	-	5
-	-	-	-	-	-	-	-	-	-	6	1	1	4	-	-	-	-	-	-	6
3	1	-	1	1	7	2	1	-	4	4	-	1	1	2	-	-	-	-	-	7
1	-	1	-	-	4	2	2	-	-	2	1	-	1	-	1	-	1	-	-	8
3	1	2	-	-	14	10	1	2	1	14	10	3	-	1	4	2	2	-	-	9
103	36	25	28	14	294	127	106	39	22	377	152	120	56	49	79	50	29	-	-	10
10	4	3	-	3	31	10	18	1	2	30	13	12	2	3	4	2	2	-	-	11
6	2	-	4	-	28	12	12	2	2	39	11	14	10	4	10	7	3	-	-	12
45	16	13	10	6	159	64	46	17	12	173	76	53	19	25	43	28	15	-	-	13
42	14	9	14	5	98	41	30	19	6	135	52	41	25	17	22	13	9	-	-	14
422	136	113	96	77	1,302	478	332	283	209	1,713	572	357	432	352	270	147	122	1	-	15
56	20	13	12	11	247	87	66	63	31	293	117	77	62	37	62	29	33	-	-	16
176	56	50	37	33	225	107	61	30	27	312	140	85	44	43	47	25	21	1	-	17
22	6	7	5	4	47	14	10	14	9	144	32	23	49	40	15	9	6	-	-	18
11	5	4	1	1	49	24	18	4	3	50	23	16	6	5	18	13	5	-	-	19
9	1	-	7	1	57	12	12	16	17	103	23	10	39	31	12	8	4	-	-	20
148	48	39	34	27	677	234	165	156	122	811	237	146	232	196	116	63	53	-	-	21
29	9	6	9	5	915	291	168	275	181	794	158	115	283	238	112	77	24	8	3	22
7	-	3	3	1	171	64	56	33	18	213	34	47	66	66	44	28	10	3	3	23
22	9	3	6	4	744	227	112	242	163	581	124	68	217	172	68	49	14	5	-	24
625	244	128	191	62	2,596	1,239	542	623	192	2,943	1,290	483	859	312	597	447	140	8	2	25
454	174	96	131	53	1,917	949	436	397	135	2,146	988	402	536	220	503	365	128	8	2	26
5	3	-	2	-	35	21	2	12	-	47	19	5	21	2	4	2	2	-	-	27
134	61	17	39	17	842	482	166	147	47	906	502	144	209	51	226	159	61	4	2	28
132	60	16	39	17	816	465	163	142	46	872	486	141	199	46	217	154	57	4	2	29
2	2	-	-	-	47	22	7	9	9	43	21	12	7	3	16	11	5	-	-	30
52	20	7	15	10	197	117	35	34	11	182	80	24	64	14	20	12	5	2	1	31
30	12	3	11	4	183	105	45	28	5	135	76	32	20	7	52	33	19	-	-	32
29	15	2	10	2	159	93	28	30	8	190	115	25	42	8	65	47	16	1	1	33
19	11	4	3	1	230	128	48	41	13	322	194	48	66	14	64	51	12	1	-	34
2	1	1	-	-	26	17	3	5	1	34	16	3	10	5	9	5	4	-	-	35
-	-	-	-	-	5	3	1	1	-	15	4	1	9	1	3	2	1	-	-	36
5	4	-	1	-	49	31	3	15	-	31	20	2	8	1	6	5	1	-	-	37
7	7	-	-	-	46	45	1	-	-	19	19	-	-	-	13	13	-	-	-	38
9	1	4	3	1	26	11	5	7	3	50	26	8	11	5	6	2	4	-	-	39
4	1	1	1	1	29	12	12	3	2	13	3	1	7	2	2	2	-	-	-	40
149	45	52	40	12	270	97	139	23	11	292	96	142	31	23	62	33	27	2	-	41
71	26	13	27	5	78	38	22	14	4	99	48	27	17	7	23	16	7	-	-	42
9	1	3	3	2	61	21	36	2	2	72	17	45	5	5	10	5	4	1	-	43
69	18	36	10	5	131	36	81	7	5	121	31	70	9	11	29	12	16	1	-	44
6	2	-	4	-	34	14	1	19	-	47	23	1	22	1	14	14	-	-	-	45
3	2	-	1	-	16	8	-	8	-	45	31	3	11	-	23	23	-	-	-	46
6	2	-	3	1	34	30	4	-	-	21	19	-	1	1	7	5	2	-	-	47
36	11	5	9	11	126	27	28	35	36	210	44	37	65	64	30	16	14	-	-	48
4	2	1	1	-	13	2	3	5	3	26	7	5	6	8	1	1	-	-	-	49
2	1	1	-	-	53	26	6	19	2	89	56	3	24	6	20	19	1	-	-	50
10	4	2	4	-	29	10	11	6	2	39	17	4	9	9	8	7	1	-	-	51
23	13	3	7	-	163	78	18	60	7	93	46	11	28	8	38	30	6	2	-	52
-	-	-	-	-	5	-	-	4	1	6	2	-	3	1	-	-	-	-	-	53
5	-	2	2	1	12	1	5	1	5	12	1	7	1	3	3	1	2	-	-	54
46	15	8	14	9	130	51	31	32	16	185	53	28	70	34	37	31	6	-	-	55
92	55	24	12	1	316	225	72	16	3	286	201	49	28	8	85	73	12	-	-	56
20	10	9	1	-	95	54	37	2	2	56	37	17	2	-	12	9	3	-	-	57
24	16	6	2	-	25	18	7	-	-	16	8	7	1	-	12	12	-	-	-	58
25	17	3	5	-	164	135	18	10	1	193	146	21	20	6	51	45	6	-	-	59
23	12	6	4	1	32	18	10	4	-	21	10	4	5	2	10	7	3	-	-	60
79	15	8	48	8	362	64	34	210	54	509	100	32	293	84	9	9	-	-	-	61
25	2	3	16	4	180	37	20	102	21	298	69	22	157	50	5	5	-	-	-	62
27	4	1	21	1	118	8	4	81	25	120	5	1	92	22	2	2	-	-	-	63
22	6	4	9	3	52	13	10	21	8	66	18	9	27	12	2	2	-	-	-	64
5	3	-	2	-	11	5	-	6	-	14	5	-	9	-	-	-	-	-	-	65
-	-	-	-	-	1	1	-	-	-	11	3	-	8	-	-	-	-	-	-	66
-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	67

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	92,490	48,443	36,263	4,280	3,504	40,630	21,833	16,488	1,214	1,095
2	I. Infective and parasitic diseases	2,958	1,596	590	456	316	1,295	700	407	125	63
3	Tuberculosis, all forms-001-019	2,135	1,128	372	373	262	786	419	237	82	48
4	Tuberculosis of respiratory system-001-008	1,958	1,064	337	335	222	700	387	205	71	37
5	Tuberculosis of meninges and central nervous system-010	55	15	10	15	15	40	13	15	6	6
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	14	5	5	3	1	9	1	4	2	1
7	Tuberculosis of vertebral column-012.0,013.0	17	7	2	4	4	8	2	2	-	2
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	3	2	-	-	1	2	2	-	-	-
9	Tuberculosis of genito-urinary system-016	13	7	4	-	2	9	6	3	-	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	6	4	1	1	-	3	-	3	-	-
11	Disseminated tuberculosis-019	69	24	13	15	17	18	8	5	3	2
12	Syphilis and its sequelae-020-029	426	253	76	68	29	233	131	60	35	7
13	Congenital syphilis-020	5	3	2	-	-	4	1	2	1	-
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	141	103	26	8	4	61	41	14	5	1
16	Other cardiovascular syphilis-023	110	61	12	28	9	60	28	19	11	2
17	Tabes dorsalis-024	13	11	1	1	-	11	6	4	1	-
18	General paralysis of insane-025	114	55	23	25	11	62	37	12	11	2
19	Other syphilis of central nervous system-026	34	16	9	5	4	26	13	5	6	2
20	Other syphilis-027-029	9	4	3	1	1	9	5	4	-	-
21	Gonococcal infection-030-035	3	-	1	2	-	-	-	-	-	-
22	Typhoid fever-040	1	-	1	-	-	-	-	-	-	-
23	Paratyphoid fever-041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections-042	1	-	-	-	1	1	1	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	3	3	-	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	21	12	8	-	1	9	4	4	1	-
28	Scarlet fever-050	-	-	-	-	-	1	1	-	-	-
29	Streptococcal sore throat-051	10	2	8	-	-	10	5	4	-	1
30	Erysipelas-052	2	-	2	-	-	6	3	3	-	-
31	Septicemia and pyemia-053	25	15	6	3	1	23	11	9	3	-
32	Diphtheria-055	2	1	-	-	1	8	5	3	-	-
33	Whooping cough-056	21	4	13	-	4	26	12	9	2	3
34	Meningococcal infections-057	49	27	17	3	2	21	9	11	-	1
35	Plague-058	-	-	-	-	-	-	-	-	-	-
36	Tularemia-059	1	1	-	-	-	-	-	-	-	-
37	Leprosy-060	-	-	-	-	-	-	-	-	-	-
38	Tetanus-061	7	4	1	-	2	4	3	1	-	-
39	Anthrax-062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis-080	127	82	44	-	1	84	49	33	-	2
41	Late effects of acute poliomyelitis-081	4	4	-	-	-	1	1	-	-	-
42	Acute infectious encephalitis-082	15	7	6	-	2	12	7	5	-	-
43	Late effects of acute infectious encephalitis-083	11	9	2	-	-	4	2	2	-	-
44	Smallpox-084	-	-	-	-	-	-	-	-	-	-
45	Measles-085	8	2	4	2	-	19	6	12	-	1
46	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis-092	28	11	12	1	4	7	3	4	-	-
48	Rabies-094	-	-	-	-	-	4	4	-	-	-
49	Tick-borne typhus-104	3	3	-	-	-	-	-	-	-	-
50	Rocky Mountain spotted fever-104A	3	3	-	-	-	-	-	-	-	-
51	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
52	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
53	Malaria-110-117	3	1	1	1	-	1	1	-	-	-
54	Schistosomiasis-123	-	-	-	-	-	-	-	-	-	-
55	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
56	Filariasis-127	-	-	-	-	-	1	-	1	-	-
57	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
58	Other diseases due to helminths-124,126,128,130	-	-	-	-	-	1	1	-	-	-
59	All other infective and parasitic diseases-Residual	52	27	16	3	6	33	22	9	2	-
60	II. Neoplasms	14,782	7,190	6,626	448	518	5,807	2,691	2,815	118	183
61	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	14,517	7,107	6,470	445	495	5,656	2,633	2,733	116	174
62	Malignant neoplasm of buccal cavity and pharynx-140-148	358	289	55	9	5	113	85	21	4	3
63	Of lip-140	27	25	2	-	-	6	6	-	-	-
64	Of tongue-141	90	75	11	3	1	35	22	10	2	1
65	Of other and unspecified parts of buccal cavity-142-144	111	83	24	1	3	23	18	4	-	1
66	Of pharynx-145-148	130	106	18	5	1	49	39	7	2	1
67	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	5,985	3,178	2,445	213	149	2,170	1,059	1,005	56	50
68	Of esophagus-150	340	252	50	32	6	70	51	9	9	1
69	Of stomach-151	1,682	992	560	94	36	586	330	221	21	14
70	Of intestine, except rectum-152,153	1,661	767	853	24	37	639	259	359	10	11
71	Of rectum-154	843	477	315	25	26	267	147	102	8	10
72	Of biliary passages and of liver (stated to be primary site)-155	345	116	214	7	8	135	44	88	-	3
73	Of liver not specified whether primary or secondary-156A	370	174	175	7	14	194	84	100	2	8
74	Of pancreas-157	642	363	240	20	19	240	125	107	5	3
75	Of peritoneum and of unspecified digestive organs-158,159	82	37	38	4	3	39	19	19	1	-
76	Malignant neoplasm of respiratory system-160-164	1,481	1,159	248	60	14	532	407	104	14	7
77	Of larynx-161	125	104	10	10	1	46	44	-	1	1
78	Of trachea, and of bronchus and lung specified as primary-162	557	447	76	31	3	164	132	27	2	3
79	Of lung and bronchus, unspecified as primary or secondary-163	731	568	139	16	8	296	215	67	11	3
80	Of other parts of respiratory system-160,164	68	40	23	3	2	26	16	10	-	-
81	Malignant neoplasm of breast-170	1,278	13	1,182	-	83	484	3	454	-	27

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,979	15,153	11,548	159	119	19,058	10,320	7,651	610	477	27,855	14,027	10,493	1,801	1,534	23,738	8,114	5,626	5,335	4,663	1
504	314	179	7	4	397	218	118	42	19	1,574	784	576	133	81	1,235	365	162	431	277	2
207	128	72	5	2	190	106	55	18	11	1,075	520	392	98	65	717	250	89	225	153	3
192	120	65	5	2	177	101	50	16	10	972	471	361	78	62	671	240	82	207	142	4
5	3	2	-	-	3	1	1	1	-	47	24	17	6	-	16	2	4	6	4	5
2	2	-	-	-	-	-	-	-	-	6	4	2	-	-	8	2	1	5	-	6
2	-	2	-	-	1	-	1	-	-	4	2	-	2	-	1	-	1	-	-	7
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
2	1	1	-	-	4	2	2	-	-	7	5	-	2	-	3	2	-	-	1	9
-	-	-	-	-	-	-	-	-	-	6	2	2	1	1	1	1	-	-	-	10
3	1	2	-	-	5	2	1	1	1	33	12	10	9	2	17	3	1	7	6	11
105	73	28	2	2	96	55	16	19	6	91	52	15	18	6	273	54	12	145	62	12
1	1	-	-	-	1	-	-	1	-	6	2	3	-	1	15	1	1	6	7	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
29	21	7	1	-	41	26	7	5	3	21	12	3	5	1	57	17	4	27	9	15
35	23	11	-	1	24	16	2	6	-	27	18	2	6	1	115	18	4	67	26	16
5	4	1	-	-	3	1	1	1	-	4	3	1	-	-	1	-	-	-	1	17
12	8	4	-	-	8	3	1	3	1	16	9	2	3	2	35	7	1	25	2	18
18	13	4	1	-	12	4	3	3	2	12	7	3	2	-	30	7	2	11	10	19
5	3	1	-	1	7	5	2	-	-	5	1	1	2	1	20	4	-	9	7	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	1	-	-	-	-	-	-	-	-	3	1	2	-	-	9	2	2	2	3	22
-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	23
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	3	-	3	-	-	26
10	9	1	-	-	3	1	1	1	-	59	30	24	5	-	23	3	6	7	7	27
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	1	-	-	1	-	28
6	4	2	-	-	7	5	2	-	-	13	8	5	-	-	2	-	-	1	1	29
2	2	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	30
9	4	5	-	-	8	3	5	-	-	16	4	11	-	1	22	4	8	4	6	31
4	2	2	-	-	-	-	-	-	-	35	17	18	-	-	6	4	-	2	-	32
11	4	7	-	-	8	2	5	1	-	54	21	29	1	3	29	6	3	11	9	33
17	9	8	-	-	15	9	6	-	-	50	35	14	-	1	23	9	10	2	2	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	1	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
6	4	2	-	-	3	2	1	-	-	13	6	4	3	-	18	2	1	8	7	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
64	39	25	-	-	34	19	13	1	1	45	22	19	3	1	22	8	8	4	2	40
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	1	-	1	-	-	41
5	2	3	-	-	10	6	3	-	1	11	5	4	1	1	6	1	1	2	2	42
3	2	1	-	-	2	2	-	-	-	5	4	-	1	-	1	-	1	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
16	11	5	-	-	1	-	1	-	-	33	21	11	-	1	10	1	3	3	3	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
12	6	6	-	-	4	1	3	-	-	12	3	7	1	1	12	7	3	-	2	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	1	52
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	1	1	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
1	1	-	-	-	-	-	-	-	-	5	2	3	-	-	10	-	3	4	3	58
22	12	10	-	-	14	6	6	2	-	36	21	12	2	1	36	11	5	8	12	59
4,150	2,087	2,023	24	16	2,682	1,258	1,276	74	74	3,350	1,462	1,571	138	179	3,248	1,135	1,021	544	548	60
4,032	2,042	1,953	23	14	2,615	1,232	1,239	73	71	3,263	1,434	1,527	135	167	3,148	1,107	989	525	527	61
94	79	13	1	1	60	45	15	-	-	79	63	13	3	-	90	52	13	16	9	62
23	23	-	-	-	8	6	2	-	-	13	10	3	-	-	5	3	2	-	-	63
16	11	5	-	-	14	13	1	-	-	12	11	-	1	-	28	18	3	4	3	64
20	16	3	-	1	22	16	6	-	-	23	16	7	-	-	25	10	7	4	2	65
35	29	5	1	-	16	10	6	-	-	31	26	3	2	-	34	21	1	8	4	66
1,588	833	740	12	3	976	472	442	37	25	1,260	591	559	59	51	1,102	394	301	240	167	67
51	38	10	3	-	20	13	5	2	-	40	24	10	2	4	49	20	5	17	7	68
503	305	194	3	1	312	178	108	15	11	382	211	138	22	11	402	143	75	128	56	69
486	208	271	5	2	284	119	147	9	9	389	155	197	14	23	243	71	106	23	43	70
175	99	75	1	-	92	54	36	2	-	101	47	44	8	2	101	38	34	17	12	71
79	27	52	-	-	59	19	37	2	1	76	26	45	3	2	35	11	13	9	2	72
114	48	66	-	-	83	29	52	2	-	132	58	67	4	5	107	40	26	20	21	73
155	91	64	-	-	112	57	48	5	2	123	66	50	4	3	122	62	29	18	13	74
25	17	8	-	-	14	3	9	-	2	17	6	8	2	1	43	9	13	8	13	75
319	234	80	4	1	247	172	61	9	5	278	186	66	18	8	402	253	56	79	14	76
23	20	2	1	-	12	9	2	-	1	17	14	1	-	2	37	30	3	3	1	77
100	77	23	-	-	73	51	14	6	2	77	55	16	7	1	132	80	12	36	4	78
184	132	48	3	1	146	99	42	3	2	165	109	40	11	5	213	131	35	38	9	79
12	5	7	-	-	16	13	3	-	-	19	10	9	-	-	20	12	6	2	-	80
375	9	364	-	2	244	7	229	-	8	253	-	229	3	21	218	1	151	1	65	81

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	2,273	706	1,346	48	173	1,065	373	621	13	58
2	Of cervix uteri----171	513	...	437	...	76	251	...	228	...	23
3	Of other and unspecified parts of uterus----172-174	576	...	509	...	67	265	...	242	...	23
4	Of ovary, fallopian tube, and broad ligament----175	368	...	342	...	26	142	...	131	...	11
5	Of other and unspecified female genital organs----176	62	...	58	...	4	21	...	20	...	1
6	Of prostate----177	693	648	...	45	...	354	341	...	13	...
7	Of testis, and of other and unspecified male genital organs----178,179	61	58	...	3	...	32	32	...	-	...
8	Malignant neoplasm of urinary organs----180,181	772	489	239	33	11	247	145	87	6	9
9	Of kidney----180	301	190	98	10	3	90	51	35	2	2
10	Of bladder and other urinary organs----181	471	299	141	23	8	157	94	52	4	7
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	1,283	668	536	46	33	602	300	274	12	16
12	Of skin----190,191	189	107	74	5	3	87	43	43	-	1
13	Of eye----192	25	14	11	-	-	4	3	1	-	-
14	Of brain and other parts of nervous system----193	290	166	111	9	4	118	67	48	2	1
15	Of thyroid gland----194	67	24	39	2	2	25	11	13	-	1
16	Of bone (including jaw bone)----196	141	84	45	5	7	53	35	15	2	1
17	Of connective tissue----197	40	26	12	2	-	11	5	4	1	1
18	Of other specified sites, not stated to be secondary----195,198A,199A	186	100	78	5	3	128	72	52	1	3
19	Of unspecified sites----156B,165,198B,199B-H	345	147	166	18	14	176	64	98	6	8
20	Leukemia and aleukemia----204	589	325	235	12	17	246	141	98	6	1
21	Lymphosarcoma, etc.*----200-203,205	498	280	184	24	10	197	120	69	5	3
22	Lymphosarcoma and reticulosarcoma----200	227	119	94	9	5	96	56	36	3	1
23	Hodgkin's disease----201	157	93	53	7	4	60	40	19	1	-
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	114	68	37	8	1	41	24	14	1	2
25	Benign neoplasms and neoplasms of unspecified nature----210-239	265	83	156	3	23	151	58	82	2	9
26	Benign neoplasms of female genital organs----214-217	81	...	63	...	18	42	...	39	...	3
27	Benign neoplasm of brain and other parts of nervous system----223	69	33	33	1	1	30	18	11	-	1
28	Other benign neoplasms----210-213,218-222,224-229	47	19	28	-	-	22	12	8	-	2
29	Neoplasm of unspecified nature of female genital organs----233-235	2	...	1	...	1	2	...	2	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	41	17	21	2	1	36	18	15	1	2
31	Other neoplasms of unspecified nature----230-232,236,238,239	26	14	10	-	2	19	10	7	1	1
32	III. Allergic, endocrine system, metabolic, and nutritional diseases	2,149	803	1,242	32	72	966	370	538	24	34
33	Asthma----241	201	108	81	7	5	127	69	47	6	5
34	Nontoxic goiter----250,251	8	-	8	-	-	2	-	2	-	-
35	Thyrotoxicosis with or without goiter----252	102	16	84	-	2	51	8	39	-	4
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	14	1	13	-	-	6	2	4	-	-
37	Diabetes mellitus----260	1,701	618	1,003	21	59	706	261	410	13	22
38	Diseases of thymus gland----273	30	16	10	1	3	19	8	8	2	1
39	Diseases of adrenal glands----274	27	14	12	-	1	12	5	7	-	-
40	Pellagra----281	2	1	1	-	-	4	1	2	1	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	22	9	10	3	-	27	11	15	1	-
42	Other allergic, endocrine, and metabolic diseases----Residual	42	20	20	-	2	12	5	4	1	2
43	IV. Diseases of the blood and blood-forming organs	372	167	186	10	9	196	95	91	6	4
44	Anemias----280-283	284	125	144	8	7	150	71	70	5	4
45	Pernicious and other hyperchromic anemias----280	177	73	99	4	1	82	38	42	1	1
46	Anemias of other and unspecified type----281-283	107	52	45	4	6	68	33	26	4	3
47	Purpura and other hemorrhagic conditions----286	37	17	18	1	1	13	5	8	-	-
48	All other diseases of blood and blood-forming organs----284,285,287-289	51	25	24	1	1	33	19	13	1	-
49	V. Mental, psychoneurotic, and personality disorders	155	93	48	9	5	127	74	42	8	3
50	Senile psychosis----304	26	6	20	-	-	22	13	9	-	-
51	Alcoholic psychosis----307	11	8	1	2	-	7	6	1	-	-
52	Other psychoses----300-303,305,306,308,309	32	13	14	1	4	37	11	21	5	-
53	Alcoholism----322	73	58	8	6	1	51	39	7	3	2
54	Mental deficiency----325	8	5	3	-	-	5	3	2	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	5	3	2	-	-	5	2	2	-	1
56	VI. Diseases of the nervous system and sense organs	9,995	4,563	4,717	332	383	5,462	2,622	2,568	119	153
57	Vascular lesions affecting central nervous system----330-334	9,246	4,165	4,444	288	349	5,077	2,401	2,424	107	145
58	Subarachnoid hemorrhage----330	139	69	50	10	10	59	32	25	1	1
59	Cerebral hemorrhage----331	6,360	2,820	3,148	171	221	3,745	1,772	1,788	79	106
60	Cerebral embolism and thrombosis----332	1,531	708	696	64	63	595	279	292	10	14
61	Other vascular lesions affecting central nervous system----333,334	1,216	568	550	43	55	678	318	319	17	24
62	Meningitis, except meningococcal and tuberculous----340	84	54	15	9	6	41	23	14	4	-
63	Multiple sclerosis----345	97	47	45	1	4	41	16	24	-	1
64	Paralysis agitans----350	106	56	48	2	-	72	47	24	1	-
65	Cerebral spastic infantile paralysis----351	34	23	9	1	1	17	10	6	1	-
66	Epilepsy----353	113	52	51	7	3	46	28	16	2	-
67	Inflammatory diseases of eye----370-379	1	1	-	-	-	-	-	-	-	-
68	Cataract----385	9	2	6	-	1	2	1	1	-	-
69	Glaucoma----387	2	-	1	-	1	-	-	-	-	-
70	Otitis media and mastoiditis----391-393	34	19	12	1	2	8	6	2	-	-
71	Other diseases of nervous system and sense organs----Residual	269	144	86	23	16	158	90	57	4	7
72	VII. Diseases of the circulatory system	41,168	22,411	15,841	1,582	1,334	16,833	9,657	6,396	411	369
73	Rheumatic fever----400-402	76	32	32	10	2	51	26	19	2	4
74	Diseases of heart----410-443	38,170	20,952	14,519	1,453	1,246	15,017	8,747	5,585	362	323
75	Chronic rheumatic heart disease----410-416	1,415	662	659	48	46	577	293	256	17	11
76	Diseases of mitral valve----410	603	283	283	20	17	278	127	131	11	9
77	Diseases of aortic valve specified as rheumatic----411	61	51	10	-	-	11	9	2	-	-
78	Diseases of tricuspid valve----412	2	1	1	-	-	1	1	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	92	38	48	5	1	42	27	14	1	-
80	Other diseases of heart specified as rheumatic----415,416	857	289	317	23	28	245	129	109	5	2

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
698	320	369	4	5	476	194	249	11	22	616	210	323	21	62	545	78	222	78	167	1
116	...	114	...	2	84	...	72	...	12	144	...	121	...	23	176	...	91	...	85	2
135	...	132	...	3	107	...	101	...	6	159	...	132	...	27	134	...	71	...	63	3
112	...	112	...	-	75	...	72	...	3	73	...	63	...	10	64	...	50	...	14	4
11	...	11	...	-	5	...	4	...	1	9	...	7	...	2	15	...	10	...	5	5
307	303	...	4	...	196	186	...	10	...	203	186	...	17	...	147	71	...	76	...	6
17	17	...	-	...	9	8	...	1	...	28	24	...	4	...	9	7	...	2	...	7
183	134	49	-	-	112	73	33	4	2	130	46	74	6	4	149	65	39	26	19	8
67	43	24	-	-	48	34	13	1	-	56	18	36	2	-	49	24	16	6	3	9
116	91	25	-	-	64	39	20	3	2	74	28	38	4	4	100	41	23	20	16	10
424	217	203	2	2	274	140	123	7	4	382	185	165	19	13	400	165	126	51	58	11
71	42	29	-	-	51	38	13	-	-	81	46	34	1	-	65	27	30	4	4	12
11	4	7	-	-	4	2	2	-	-	14	2	12	-	-	8	3	1	-	1	13
74	45	28	1	-	50	31	18	-	1	70	39	26	2	3	56	28	19	5	4	14
15	7	8	-	-	16	3	11	1	1	11	3	7	-	1	14	3	6	2	3	15
44	26	17	-	1	29	20	9	-	-	41	23	12	6	-	33	18	6	5	4	16
9	4	5	-	-	7	4	3	-	-	6	4	1	1	-	7	5	1	1	-	17
73	29	44	-	-	44	20	22	2	-	69	37	27	1	4	55	24	15	5	11	18
127	60	65	1	1	73	22	45	4	2	90	31	46	8	5	165	57	48	29	31	19
197	120	77	-	-	143	77	61	2	3	129	67	57	1	4	144	56	51	19	18	20
154	96	58	-	-	83	52	26	3	2	136	86	41	5	4	98	43	30	15	10	21
60	36	24	-	-	36	26	8	1	1	60	36	20	2	2	43	23	11	5	4	22
49	33	16	-	-	26	14	12	-	-	53	37	13	2	1	36	14	12	6	4	23
45	27	18	-	-	21	12	6	2	1	23	13	8	1	1	19	6	7	4	2	24
118	45	70	1	2	67	26	37	1	3	87	28	44	3	12	100	28	32	19	21	25
17	...	15	...	2	17	...	16	...	1	23	...	15	...	8	18	...	7	...	11	26
16	7	9	-	-	11	5	4	1	1	18	8	7	3	-	12	1	6	4	1	27
10	6	4	-	-	10	7	3	-	-	14	5	7	-	2	17	5	6	1	5	28
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	29
43	21	22	-	-	16	10	5	-	1	23	9	12	-	2	37	19	7	8	3	30
32	11	20	1	-	12	4	8	-	-	8	6	2	-	-	16	3	6	6	1	31
627	264	357	1	5	480	210	249	10	11	520	214	238	23	45	450	102	157	73	118	32
87	54	32	-	1	59	32	22	2	3	99	54	36	2	7	48	20	10	11	7	33
4	1	3	-	-	3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	34
24	7	17	-	-	24	3	21	-	-	15	1	12	-	2	14	3	5	2	4	35
11	3	8	-	-	7	2	4	1	-	4	1	2	-	1	3	-	1	1	1	36
457	183	270	1	3	341	148	183	3	7	349	140	160	19	30	335	68	127	43	97	37
6	4	2	-	-	19	10	4	4	1	8	1	5	1	1	8	3	2	3	-	38
9	2	7	-	-	7	3	4	-	-	5	2	3	-	-	3	-	1	2	-	39
-	-	-	-	-	1	-	1	-	-	5	-	4	-	1	3	1	1	1	-	40
16	8	8	-	-	13	7	6	-	-	22	11	9	1	1	28	6	7	9	6	41
13	2	10	-	1	6	5	1	-	-	13	4	7	-	2	7	1	2	1	3	42
119	56	62	-	1	103	49	52	2	-	108	59	40	5	4	69	22	17	11	19	43
99	42	56	-	1	85	41	42	2	-	87	46	34	3	4	48	15	10	9	14	44
61	27	34	-	-	46	24	21	1	-	49	26	21	1	1	16	8	3	1	4	45
38	15	22	-	1	39	17	21	1	-	38	20	13	2	3	32	7	7	8	10	46
2	2	-	-	-	5	1	4	-	-	9	7	2	-	-	10	4	2	-	4	47
18	12	6	-	-	13	7	6	-	-	12	6	4	2	-	11	3	5	2	1	48
128	61	65	2	-	59	28	30	-	1	104	63	25	10	6	51	22	6	17	6	49
75	32	43	-	-	16	3	13	-	-	30	12	13	3	2	23	5	4	9	5	50
3	3	-	-	-	2	2	-	-	-	4	4	-	-	-	1	1	-	-	-	51
16	3	12	1	-	12	3	8	-	1	15	7	5	2	1	7	2	2	2	1	52
19	17	1	1	-	23	18	5	-	-	43	31	4	5	3	18	12	-	6	-	53
12	5	7	-	-	4	1	3	-	-	6	4	2	-	-	1	1	-	-	-	54
3	1	2	-	-	2	1	1	-	-	6	5	1	-	-	1	1	-	-	-	55
4,022	1,988	1,992	15	27	2,661	1,287	1,224	75	75	3,472	1,580	1,442	214	236	2,538	885	700	575	577	56
3,726	1,835	1,850	15	26	2,464	1,171	1,155	69	69	3,138	1,426	1,301	194	217	2,320	617	645	519	539	57
39	18	21	-	-	29	12	13	4	-	46	19	21	3	3	31	10	12	5	4	58
2,676	1,309	1,333	13	21	1,747	817	836	47	47	2,148	973	912	116	147	1,824	462	471	425	466	59
482	244	234	2	2	341	184	140	8	9	441	213	171	34	23	204	84	75	31	14	60
529	264	262	-	3	347	158	166	10	13	503	221	197	41	44	261	61	87	58	55	61
15	7	8	-	-	12	7	3	2	-	45	21	17	5	2	69	18	10	24	17	62
49	17	32	-	-	18	11	7	-	-	13	6	7	-	-	4	2	1	1	-	63
65	38	27	-	-	47	32	15	-	-	45	24	19	1	1	7	3	3	1	-	64
10	5	5	-	-	13	10	3	-	-	14	4	6	3	1	12	5	4	3	-	65
44	27	17	-	-	21	8	10	1	2	57	23	25	5	4	42	10	10	16	6	66
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	67
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	2	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	69
5	5	-	-	-	8	5	3	-	-	13	7	6	-	-	6	5	-	-	1	70
105	52	52	-	1	78	43	28	3	4	147	69	61	6	11	72	24	23	11	12	71
11,061	6,557	4,405	60	39	7,720	4,445	2,906	203	166	10,168	5,217	3,671	673	607	8,811	3,358	2,073	1,719	1,661	72
25	19	6	-	-	20	10	7	-	3	44	14	24	3	3	15	1	5	1	8	73
9,973	5,983	3,896	56	38	6,855	4,006	2,519	181	149	9,117	4,735	3,242	594	546	8,110	3,170	1,879	1,559	1,502	74
348	188	156	1	1	249	133	100	8	8	384	181	162	24	17	216	62	46	40	68	75
181	101	78	1	1	149	85	54	5	5	174	85	61	15	13	120	21	19	28	52	76
8	7	1	-	-	11	8	3	-	-	10	6	4	-	-	5	1	1	3	-	77
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	78
26	13	13	-	-	15	6	9	-	-	18	7	9	-	-	6	2	3	1	-	79
130	66	64	-	-	74	34	34	3	3	183	83	87	9	4	85	38	23	8	16	80

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	20,576	12,645	6,946	626	359	8,572	5,632	2,627	184	129
2	Arteriosclerotic heart disease so described----420.0	6,342	3,280	2,603	266	193	2,097	1,169	829	56	43
3	Heart disease specified as involving coronary arteries----420.1	14,111	9,286	4,300	359	166	6,404	4,413	1,778	127	88
4	Angina pectoris without mention of coronary disease----420.2	123	79	43	1	-	71	50	20	1	-
5	Chronic endocarditis not specified as rheumatic----421	506	267	210	13	16	324	176	136	4	8
6	Of mitral valve, specified as nonrheumatic----421.0	9	3	5	-	1	6	6	-	-	-
7	Of aortic valve, not specified as rheumatic----421.1	97	56	35	2	4	41	30	9	1	1
8	Of other valves, not specified as rheumatic----421.2-421.4	400	206	170	11	11	277	140	127	3	7
9	Other myocardial degeneration----422	8,651	4,328	3,627	362	334	2,143	1,085	970	50	38
10	With arteriosclerosis----422.1	3,161	1,469	1,620	35	37	870	452	394	15	9
11	Without mention of arteriosclerosis----422.0,422.2	5,490	2,859	2,007	327	297	1,273	633	576	35	29
12	Other diseases of heart----430-434	1,534	897	507	74	66	821	445	324	26	26
13	Acute and subacute endocarditis----430	61	34	21	3	3	31	16	12	-	3
14	Acute myocarditis not specified as rheumatic----431	286	148	124	11	3	118	64	49	2	3
15	Acute pericarditis specified as nonrheumatic----432	3	3	-	-	-	1	1	-	-	-
16	Functional disease of heart----433	132	66	64	1	1	110	51	56	1	2
17	Other and unspecified diseases of heart----434	1,052	636	298	59	59	561	313	207	25	16
18	Hypertension with heart disease----440-443	5,488	2,163	2,570	330	425	2,580	1,116	1,272	61	111
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	1,273	606	542	44	81	1,380	637	673	34	36
20	Essential hypertension with heart disease, etc.*----440,441,443	4,215	1,557	2,028	286	344	1,200	479	599	47	75
21	Hypertension without mention of heart----444-447	763	341	315	53	54	369	178	157	16	18
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	476	222	181	43	30	179	84	67	12	16
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	287	119	134	10	24	190	94	90	4	2
24	Diseases of arteries----450-456	1,959	987	888	55	29	1,306	661	594	29	22
25	General arteriosclerosis----450	1,770	874	820	50	26	1,219	621	554	25	19
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	81	60	18	3	-	34	24	8	1	1
27	Gangrene of unspecified cause----455	14	12	2	-	-	11	3	7	1	-
28	Other arterial diseases----452-454,456	94	41	48	2	3	42	13	25	2	2
29	Diseases of veins and other diseases of circulatory system----460-468	200	99	87	11	3	90	45	41	2	2
30	VIII. Diseases of the respiratory system----	3,193	1,661	1,138	241	153	1,655	844	674	76	61
31	Acute upper respiratory infections----470-475	34	18	13	3	-	13	6	7	-	-
32	Influenza----480-483	142	75	59	6	2	221	105	100	8	8
33	Pneumonia, except pneumonia of newborn----490-493	2,397	1,186	873	209	129	1,118	553	459	59	47
34	Lobar pneumonia----490	748	370	287	62	49	387	212	140	21	14
35	Bronchopneumonia----491	1,413	690	508	141	74	496	237	207	27	25
36	Primary atypical pneumonia----492	201	107	85	4	5	152	61	81	5	5
37	Pneumonia, other and unspecified----493	35	19	13	2	1	93	43	31	6	3
38	Acute bronchitis----500	70	35	26	4	5	11	5	6	-	-
39	Bronchitis, chronic and unqualified----501,502	127	72	48	4	3	36	16	17	-	3
40	Hypertrophy of tonsils and adenoids----510	21	13	5	-	3	5	2	2	1	-
41	Empyema and abscess of lung----518,521	32	23	6	2	1	17	12	3	1	1
42	Pleurisy----519	11	9	1	-	1	7	4	3	-	-
43	All other respiratory diseases----Residual	359	230	107	13	9	227	141	77	7	2
44	IX. Diseases of the digestive system----	3,501	1,960	1,298	143	100	1,441	792	557	56	36
45	Diseases of teeth and supporting structures----530-535	19	12	6	1	-	5	3	2	-	-
46	Ulcer of stomach----540	321	234	65	19	3	137	98	30	6	3
47	Ulcer of duodenum----541	269	217	41	7	4	79	61	13	5	-
48	Gastritis and duodenitis----543	12	4	8	-	-	9	4	5	-	-
49	Appendicitis----550-553	227	122	73	17	15	93	63	24	4	2
50	Hernia and intestinal obstruction----560,561,570	557	260	253	28	16	234	108	107	8	11
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	296	121	131	21	23	188	95	79	9	5
52	Cirrhosis of liver----581	1,006	668	288	31	19	336	202	114	12	8
53	Without mention of alcoholism----581.0	676	422	228	13	13	291	170	104	10	7
54	With alcoholism----581.1	330	246	60	18	6	45	32	10	2	1
55	Cholelithiasis and cholecystitis----584,585	453	157	288	2	6	171	62	104	2	3
56	Other diseases of digestive system----Residual	341	165	145	17	14	189	96	79	10	4
57	X. Diseases of the genito-urinary system----	2,845	1,609	1,030	164	142	1,123	661	391	26	45
58	Nephritis and nephrosis----590-594	1,997	932	835	113	117	787	407	321	18	41
59	Acute nephritis----590	100	54	33	7	6	53	30	20	2	1
60	Nephritis with edema, including nephrosis----591	99	45	42	5	7	48	29	18	-	1
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,798	833	760	101	104	686	348	283	18	39
62	Infections of kidney----600	203	85	87	19	12	60	25	32	1	2
63	Calculi of urinary system----802,804	78	44	29	2	3	28	18	10	-	-
64	Other diseases of urinary system----601,603,605-608	91	57	24	8	2	35	27	7	1	-
65	Hyperplasia of prostate----610	474	457	...	17	...	162	158	...	4	...
66	Other diseases of male genital organs----611-617	39	34	...	5	...	28	26	...	2	...
67	Diseases of breast----820,821	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	63	...	55	...	8	23	...	21	...	2
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	112	...	86	...	26	61	...	53	...	8
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	18	...	16	...	2	11	...	9	...	2
71	Toxemias of pregnancy and puerperium, etc.*----642,665,686	37	...	28	...	9	14	...	13	...	1
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	17	...	13	...	4	14	...	12	...	2
73	Ectopic pregnancy----645	13	...	6	...	7	7	...	6	...	1
74	Abortion without mention of sepsis or toxemia----650	4	...	3	...	1	1	...	1	...	-
75	Abortion with sepsis----651	4	...	2	...	2	1	...	1	...	-
76	Abortion with toxemia, without mention of sepsis----652	1	...	1	...	-	1	...	1	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual	18	...	17	...	1	12	...	10	...	2

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,274	4,086	2,137	32	19	4,105	2,702	1,269	64	50	4,450	2,628	1,431	239	152	4,513	2,255	1,062	665	531	1
1,372	781	579	8	4	911	521	354	24	12	1,019	504	433	45	37	1,844	770	510	309	255	2
4,827	3,256	1,533	24	14	3,158	2,160	900	60	38	3,347	2,063	978	192	114	2,635	1,463	549	352	271	3
75	49	25	-	1	36	21	15	-	-	84	61	20	2	1	34	22	3	4	5	4
219	132	85	-	2	213	104	98	5	6	339	173	117	26	23	197	58	39	50	50	5
6	3	3	-	-	5	3	2	-	-	1	1	-	-	-	4	1	-	-	3	6
38	21	15	-	2	26	8	14	1	3	42	13	20	5	4	39	12	1	15	11	7
175	108	67	-	-	182	93	82	4	3	296	159	97	21	19	154	45	38	35	36	8
1,503	772	713	13	5	965	464	453	23	25	1,164	508	470	91	95	890	271	219	221	179	9
706	354	342	8	2	443	205	217	11	10	400	179	165	24	32	338	98	98	83	59	10
797	418	371	5	3	522	259	236	12	15	764	329	305	67	63	552	173	121	138	120	11
428	236	186	2	2	303	167	120	11	5	818	421	264	63	70	501	154	85	135	127	12
13	7	6	-	-	12	7	5	-	-	17	7	7	1	2	15	4	2	7	2	13
35	21	14	-	-	35	17	13	2	1	111	44	18	24	25	63	11	13	14	25	14
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	15
65	55	30	-	-	58	32	25	-	1	43	18	25	1	1	35	13	15	4	3	16
312	173	135	2	2	200	111	77	9	3	647	352	218	37	42	387	125	55	110	97	17
1,205	569	619	8	9	1,020	436	479	50	55	1,962	824	798	151	189	1,793	370	428	448	547	18
429	232	192	3	2	366	179	159	13	15	687	327	227	60	73	309	63	66	95	85	19
776	337	427	5	7	654	257	320	37	40	1,275	497	571	91	116	1,494	307	362	353	462	20
216	105	109	2	3	211	95	101	9	6	261	118	101	20	22	260	58	48	73	81	21
76	40	36	-	-	121	65	51	3	2	116	59	38	11	10	75	22	15	19	19	22
140	65	73	2	-	90	30	50	6	4	145	59	65	9	12	185	36	33	54	62	23
784	416	367	1	-	581	305	256	13	7	685	324	276	53	32	364	110	125	69	60	24
735	380	354	1	-	521	267	239	10	5	634	298	254	51	31	295	80	108	57	50	25
19	15	4	-	-	27	19	6	1	1	12	8	3	-	1	27	15	5	3	4	26
3	3	-	-	-	5	3	1	1	-	15	9	5	1	-	12	4	3	3	2	27
27	18	9	-	-	28	16	10	1	1	24	9	14	1	-	30	11	9	6	4	28
63	34	27	1	1	53	29	23	-	1	61	26	28	3	4	62	19	16	17	10	29
1,012	550	450	9	3	733	378	297	40	18	1,634	732	698	112	92	1,139	324	251	298	266	30
16	8	8	-	-	15	8	6	1	-	13	9	4	-	-	9	-	1	8	-	31
181	76	85	-	-	111	62	43	4	2	240	93	118	14	15	148	28	30	41	49	32
621	332	280	6	3	452	216	193	29	14	1,143	504	482	89	68	782	202	173	218	189	33
217	126	87	2	2	132	66	51	10	5	343	168	125	29	21	193	45	47	54	47	34
257	123	131	2	1	236	107	108	14	7	483	201	213	36	33	421	109	86	120	108	35
81	48	32	1	-	59	32	23	4	-	87	39	39	7	2	88	33	23	16	16	36
66	35	30	1	-	25	11	11	1	2	230	96	105	17	12	80	15	17	28	20	37
14	10	4	-	-	17	10	6	1	-	21	7	9	2	3	13	3	4	2	4	38
45	26	19	-	-	29	22	7	-	-	46	21	23	-	2	32	16	6	4	6	39
5	2	3	-	-	9	3	6	-	-	5	3	2	-	-	4	1	2	1	-	40
9	7	2	-	-	6	4	2	-	-	19	12	5	1	1	13	3	1	7	2	41
1	1	-	-	-	6	2	4	-	-	4	2	1	-	1	6	2	2	1	1	42
140	88	49	3	-	88	51	30	5	2	143	81	54	6	2	132	69	32	16	15	43
870	501	358	10	1	673	389	265	28	11	1,014	523	364	71	56	799	293	193	178	135	44
2	-	2	-	-	7	2	3	1	1	2	1	-	1	-	3	2	-	-	1	45
76	57	17	2	-	66	50	12	2	2	78	62	8	7	1	71	29	6	28	8	46
84	68	15	1	-	44	35	7	2	-	48	40	5	3	-	33	16	6	10	1	47
3	-	3	-	-	7	4	2	1	-	10	3	2	3	2	7	3	2	1	1	48
47	29	17	1	-	54	33	16	3	2	55	24	21	5	5	46	19	13	10	4	49
189	95	90	3	1	126	66	55	2	3	151	62	65	16	8	158	50	37	36	35	50
69	30	38	1	-	74	36	31	6	1	254	118	105	17	14	146	31	33	41	41	51
151	109	42	-	-	110	64	36	8	2	188	120	46	10	12	185	93	33	23	16	52
127	91	36	-	-	100	60	30	8	2	161	88	42	9	12	144	78	28	22	16	53
24	18	6	-	-	10	4	6	-	-	27	22	4	1	-	21	15	5	1	-	54
135	52	82	1	-	88	29	59	-	-	98	33	59	1	5	59	18	34	1	6	55
114	61	52	1	-	97	50	44	3	-	130	60	53	8	9	111	32	28	28	22	56
696	446	238	4	8	686	398	234	29	25	955	506	279	114	56	792	237	172	196	187	57
426	236	182	2	6	453	214	198	17	24	677	314	234	76	53	574	154	128	134	158	58
18	11	7	-	-	28	13	12	1	2	47	12	18	8	9	56	18	13	13	12	59
25	16	9	-	-	20	9	8	2	1	36	18	12	5	1	39	11	8	11	9	60
383	209	166	2	6	405	192	178	14	21	594	284	204	63	43	479	125	107	110	137	61
39	20	17	-	2	39	26	13	-	-	54	30	18	5	1	49	13	18	6	12	62
20	9	11	-	-	8	6	1	1	-	10	5	4	1	-	24	9	9	3	3	63
37	21	16	-	-	23	11	9	2	1	36	15	8	12	1	23	7	6	8	2	64
138	136	...	2	...	130	121	...	9	...	135	116	...	19	...	87	49	...	38	...	65
24	24	...	-	...	20	20	...	-	...	27	26	...	1	...	11	5	...	6	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	67
12	...	12	...	-	13	...	13	...	-	16	...	15	...	1	23	...	11	...	12	68
35	...	34	...	1	24	...	20	...	4	73	...	61	...	12	72	...	22	...	50	69
10	...	10	...	-	4	...	3	...	1	11	...	9	...	2	8	...	1	...	7	70
11	...	10	...	1	8	...	8	...	-	21	...	18	...	3	32	...	11	...	21	71
6	...	6	...	-	3	...	3	...	-	14	...	12	...	2	11	...	4	...	7	72
1	...	1	...	-	2	...	1	...	1	4	...	4	...	-	6	...	-	...	6	73
-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	3	...	-	...	3	74
-	...	-	...	-	-	...	-	...	-	4	...	2	...	2	5	...	1	...	4	75
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	76
5	...	5	...	-	5	...	3	...	2	18	...	15	...	3	5	...	3	...	2	77

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	68	21	41	3	3	44	14	26	2	2
2	Infections of skin and subcutaneous tissue--690-698	10	7	2	1	-	12	3	6	2	1
3	Other diseases of skin and subcutaneous tissue--700-716	58	14	39	2	3	32	11	20	-	1
4	XIII. Diseases of the bones and organs of movement	139	61	74	3	1	82	30	49	2	1
5	Arthritis and spondylitis--720-725	53	18	33	1	1	53	18	34	-	1
6	Muscular rheumatism and rheumatism, unspecified--726,727	2	1	1	-	-	2	-	2	-	-
7	Osteomyelitis and periostitis--730	18	8	10	-	-	8	4	2	2	-
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	4	2	2	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	62	32	28	2	-	19	8	11	-	-
10	XIV. Congenital malformations	1,083	529	449	45	40	521	265	229	19	8
11	Spina bifida and meningocele--751	105	41	61	1	2	53	16	35	1	1
12	Congenital hydrocephalus, etc.*--752,753	133	70	54	4	5	63	21	35	5	2
13	Congenital malformations of circulatory system--754	457	228	183	27	21	251	146	92	8	5
14	Other congenital malformations--750,755-759	369	192	151	13	12	154	82	67	5	-
15	XV. Certain diseases of early infancy	2,998	1,519	1,016	273	190	1,455	803	535	53	64
16	Birth injuries--760,761	667	368	231	40	28	244	149	78	8	9
17	Postnatal asphyxia and atelectasis--762	1,032	527	308	124	73	320	185	119	8	8
18	Infections of newborn--763-768	181	85	47	29	20	120	51	27	36	6
19	Hemolytic disease of newborn (erythroblastosis)--770	121	76	37	3	5	54	32	21	-	1
20	All other defined diseases of early infancy--769,771,772	99	46	40	7	6	56	36	17	-	3
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	898	417	353	70	58	681	350	273	1	37
22	XVI. Symptoms, senility, and ill-defined conditions	436	209	199	17	11	216	86	120	3	7
23	Senility without mention of psychosis--794	223	78	132	6	7	123	38	80	3	2
24	Symptoms, ill-defined and unknown causes--780-793,795	213	131	67	11	4	93	48	40	-	5
25	XVII. Accidents, poisonings, and violence	6,456	4,051	1,682	522	201	3,346	2,129	997	166	54
26	Accidents--E800-E962	5,021	3,165	1,401	312	143	2,648	1,649	853	106	40
27	Railway accidents--E800-E802	147	103	24	19	1	79	64	6	8	1
28	Motor-vehicle accidents--E810-E835	2,042	1,402	481	103	56	1,097	777	253	40	17
29	Motor-vehicle traffic accidents--E810-E825	2,009	1,377	475	100	56	1,071	764	250	40	17
30	Motor-vehicle traffic accident with railway train*--E810	122	92	28	1	1	114	84	28	2	-
31	Motor-vehicle traffic accident to pedestrian--E812	563	383	119	44	17	238	171	44	20	3
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	835	544	226	36	29	409	288	89	11	11
33	Motor-vehicle noncollision traffic accidents--E820-E824	394	295	77	15	7	204	152	46	5	1
34	Motor-vehicle traffic accident of unspecified nature--E825	95	63	26	4	2	106	69	33	2	2
35	Motor-vehicle nontraffic accidents--E830-E835	33	25	5	3	-	16	13	3	-	-
36	Other road-vehicle accidents--E840-E845	49	30	15	4	-	13	11	2	-	-
37	Water-transport accidents--E850-E858	63	46	8	7	2	29	23	6	-	-
38	Aircraft accidents--E860-E866	61	54	7	-	-	29	24	4	-	1
39	Accidental poisoning by solid and liquid substances--E870-E888	89	42	38	7	2	33	19	9	4	1
40	Accidental poisoning by gases and vapors--E890-E895	74	57	13	3	1	43	26	15	2	-
41	Accidental falls--E900-E904	1,171	560	551	41	19	671	265	389	7	10
42	Fall from one level to another--E900-E902	423	268	126	25	4	194	98	90	4	2
43	Fall on same level--E903	296	118	171	6	1	127	51	75	1	-
44	Unspecified falls--E904	452	174	254	10	14	350	116	224	2	8
45	Blow from falling object--E910	72	62	1	8	1	35	31	3	1	-
46	Accident caused by machinery--E912	107	100	3	4	-	65	58	1	6	-
47	Accident caused by electric current--E914	43	38	3	1	1	39	35	3	1	-
48	Accident caused by fire and explosion, etc.*--E916	352	157	97	56	42	163	78	70	10	5
49	Accident caused by hot substance, etc.*--E917,E918	60	37	12	7	4	19	6	10	3	-
50	Accident caused by firearm--E919	107	83	13	9	2	50	42	5	2	1
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	44	26	13	3	2	46	29	15	1	1
52	Accidental drowning--E929	234	160	34	18	2	97	75	15	6	1
53	Excessive heat and insolation--E931	3	3	-	-	-	3	3	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	25	9	13	1	2	16	9	7	-	-
55	All other accidents--Residual	278	176	75	21	6	131	74	40	15	2
56	Suicide--E963,E970-E979	1,015	748	230	25	12	557	427	118	10	2
57	Suicide by poisoning--E970-E973	149	69	76	-	4	110	71	38	1	-
58	Suicide by hanging and strangulation--E974	320	240	73	6	1	145	99	43	2	1
59	Suicide by firearms and explosives--E978	404	358	33	12	1	238	212	20	6	-
60	Suicide by all other means--E963,E975,E977-E979	142	81	48	7	6	64	45	17	1	1
61	Homicide--E964,E980-E985	417	135	51	165	46	140	52	28	50	12
62	Assault by firearms and explosives--E981	206	70	33	82	21	74	29	16	25	4
63	Assault by cutting and piercing instruments--E982	106	11	10	73	12	32	7	2	18	5
64	Assault by other means--E964,E980,E983	78	39	8	18	13	27	12	8	4	3
65	Injury by intervention of police--E964	24	13	-	11	-	6	3	-	3	-
66	Execution--E985	3	2	-	1	-	1	1	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	3	3	-	-	-	1	1	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22	11	11	-	-	15	7	8	-	-	18	7	9	1	1	11	1	5	1	4	1
8	5	3	-	-	3	2	1	-	-	9	4	4	1	-	2	-	1	-	1	2
14	6	8	-	-	12	5	7	-	-	9	3	5	-	1	9	1	4	1	3	3
60	25	34	1	-	44	16	25	1	2	91	32	47	4	8	39	10	14	4	11	4
34	13	21	-	-	24	7	14	1	2	66	23	35	2	6	23	4	9	1	9	5
2	1	1	-	-	2	2	-	-	-	4	2	2	-	-	-	-	-	-	-	6
3	3	-	-	-	4	2	2	-	-	6	1	2	1	2	5	2	-	2	1	7
3	3	-	-	-	2	-	2	-	-	3	2	1	-	-	2	-	2	-	-	8
18	5	12	1	-	12	5	7	-	-	12	4	7	1	-	9	4	3	1	1	9
338	207	128	1	2	260	125	128	3	7	340	183	138	10	9	370	128	113	68	61	10
31	17	14	-	-	18	8	10	-	-	28	15	11	2	-	16	4	7	4	1	11
33	18	15	-	-	22	12	10	-	-	28	15	12	-	1	54	13	15	13	13	12
170	110	57	1	2	137	62	68	3	4	168	89	70	3	6	191	65	82	33	31	13
104	62	42	-	-	83	43	37	-	3	116	64	45	5	2	108	46	29	18	16	14
978	588	377	6	7	690	397	238	28	27	1,390	787	484	66	53	1,601	428	324	445	404	15
225	141	84	-	-	178	109	57	10	2	255	141	87	5	2	317	109	67	76	65	16
226	132	89	3	2	158	99	48	6	5	298	166	109	16	7	279	91	79	57	52	17
43	27	14	-	2	44	21	18	2	3	126	66	50	6	4	125	9	10	60	46	18
45	31	14	-	-	31	19	11	-	1	47	34	9	3	1	42	14	16	8	4	19
44	23	21	-	-	31	20	8	-	3	105	55	34	8	8	103	16	20	41	26	20
395	234	155	3	3	248	129	96	10	13	579	325	195	28	31	735	189	132	203	211	21
230	112	113	3	2	190	86	88	8	8	527	262	213	28	24	430	86	74	151	119	22
168	73	90	3	2	105	41	56	1	7	207	86	104	7	10	110	21	23	31	35	23
62	39	23	-	-	85	45	32	7	1	320	176	109	21	14	320	65	51	120	84	24
2,127	1,386	722	16	3	1,641	1,049	496	67	29	2,517	1,616	637	199	65	2,083	918	322	623	220	25
1,764	1,103	646	12	3	1,343	843	437	41	22	1,992	1,263	553	121	55	1,648	751	280	442	175	26
39	31	5	3	-	22	19	2	1	-	75	65	5	5	-	47	19	2	24	2	27
634	471	158	4	1	529	378	131	13	7	722	526	137	44	15	551	300	91	129	31	28
620	461	154	4	1	514	369	125	13	7	712	520	134	43	15	533	288	88	126	31	29
55	42	13	-	-	40	31	9	-	-	18	13	5	-	-	32	15	8	7	2	30
91	69	21	1	-	47	31	12	3	1	161	115	31	11	4	135	58	22	43	12	31
248	172	75	1	-	189	123	55	6	5	195	136	43	10	6	196	117	39	34	6	32
170	140	28	1	1	119	95	21	2	1	189	153	27	7	2	110	63	13	29	5	33
56	38	17	1	-	119	89	28	2	-	149	103	28	15	3	60	35	6	13	6	34
14	10	4	-	-	15	9	6	-	-	10	6	3	1	-	18	12	3	3	-	35
8	8	-	-	-	10	9	1	-	-	8	8	-	-	-	12	3	1	7	1	36
21	17	4	-	-	10	8	2	-	-	36	31	3	2	-	82	52	3	24	3	37
16	13	3	-	-	26	21	5	-	-	25	23	2	-	-	17	16	1	-	-	38
17	8	9	-	-	16	8	7	1	-	30	21	7	2	-	28	17	4	5	2	39
20	15	5	-	-	26	16	9	1	-	18	13	1	4	-	10	5	4	1	-	40
550	226	323	-	1	321	117	195	7	2	394	151	226	8	9	229	80	104	27	18	41
142	82	60	-	-	87	39	43	5	-	103	56	37	6	4	58	24	22	8	4	42
184	61	123	-	-	114	35	76	1	2	90	29	59	-	2	39	6	25	3	4	43
224	85	140	-	1	120	43	76	1	-	201	66	130	2	3	133	50	57	16	10	44
14	11	3	-	-	22	20	-	2	-	78	72	3	3	-	27	16	1	10	-	45
45	42	3	-	-	42	39	2	1	-	31	27	2	2	-	45	36	1	8	-	46
13	12	1	-	-	17	16	1	-	-	27	23	2	2	-	23	20	1	2	-	47
122	52	67	3	-	92	45	36	5	6	176	58	83	18	17	175	29	19	66	61	48
34	11	3	-	-	16	7	6	2	1	20	6	8	3	3	18	7	5	2	4	49
25	22	2	1	-	30	26	1	3	-	66	46	10	9	1	57	36	4	13	4	50
25	16	9	-	-	13	6	5	-	2	16	10	3	2	1	31	10	3	7	11	51
79	65	13	1	-	54	41	12	1	-	102	79	16	5	2	133	53	8	69	3	52
-	-	-	-	-	3	1	1	-	1	4	3	1	-	-	6	1	1	2	2	53
8	4	4	-	-	8	3	5	-	-	9	1	5	2	1	17	6	7	1	3	54
114	79	34	-	1	86	63	16	4	3	155	100	39	10	6	140	45	20	45	30	55
328	267	60	1	-	233	185	45	3	-	270	212	53	3	2	184	129	32	17	6	56
56	35	21	-	-	29	21	8	-	-	41	27	14	-	-	20	14	5	-	1	57
79	62	17	-	-	46	31	15	-	-	41	31	9	1	-	14	9	3	1	1	58
158	148	9	1	-	136	121	12	3	-	151	130	18	2	1	125	92	20	11	2	59
35	22	13	-	-	22	12	10	-	-	37	24	12	-	1	25	14	4	5	2	60
35	16	16	3	-	65	21	14	23	7	254	140	31	75	8	251	38	10	164	39	61
17	6	10	1	-	41	13	10	15	3	169	97	18	50	4	117	22	6	73	16	62
5	2	1	2	-	8	2	-	6	-	35	13	1	18	3	77	2	-	58	16	63
13	8	5	-	-	15	5	4	-	4	38	22	11	4	1	42	14	4	17	7	64
-	-	-	-	-	2	1	-	1	-	10	6	1	3	-	13	-	-	13	-	65
-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	2	-	-	2	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	9,886	5,358	4,502	15	11	22,417	9,884	7,917	2,588	2,018
2	I. Infective and parasitic diseases	224	144	78	1	1	1,103	400	158	356	188
3	Tuberculosis, all forms-001-019	153	93	59	-	1	815	298	110	258	149
4	Tuberculosis of respiratory system-001-008	133	85	47	-	1	750	288	95	235	132
5	Tuberculosis of meninges and central nervous system-010	8	5	3	-	-	25	1	7	9	8
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	4	-	4	-	-	4	1	2	1	-
7	Tuberculosis of vertebral column-012.0,013.0	1	-	1	-	-	4	1	-	1	2
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	-	-	-	-	-	3	1	-	2	-
9	Tuberculosis of genito-urinary system-016	4	2	2	-	-	4	1	3	-	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	1	-	1	-	-	2	1	-	1	-
11	Disseminated tuberculosis-019	2	1	1	-	-	23	4	3	9	7
12	Syphilis and its sequelae-020-029	34	29	5	-	-	178	50	19	80	29
13	Congenital syphilis-020	-	-	-	-	-	5	1	1	3	-
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	14	13	1	-	-	53	22	11	13	7
16	Other cardiovascular syphilis-023	10	8	2	-	-	65	12	5	37	11
17	Tabes dorsalis-024	1	1	-	-	-	3	3	-	-	-
18	General paralysis of insane-025	5	5	-	-	-	36	5	2	21	8
19	Other syphilis of central nervous system-026	3	2	1	-	-	12	4	-	5	3
20	Other syphilis-027-029	1	-	1	-	-	4	3	-	1	-
21	Gonococcal infection-030-035	-	-	-	-	-	1	-	-	-	1
22	Typhoid fever-040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever-041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections-042	-	-	-	-	-	3	-	-	3	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	1	1	-	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	-	-	-	-	-	1	-	1	-	-
28	Scarlet fever-050	-	-	-	-	-	-	-	-	-	-
29	Streptococcal sore throat-051	1	1	-	-	-	4	1	2	1	-
30	Erysipelas-052	2	-	2	-	-	1	-	-	-	1
31	Septicemia and pyemia-053	2	1	1	-	-	10	5	1	4	-
32	Diphtheria-055	1	1	-	-	-	4	2	2	-	-
33	Whooping cough-056	6	3	3	-	-	5	-	1	2	2
34	Meningococcal infections-057	4	3	1	-	-	23	13	6	3	1
35	Plague-058	-	-	-	-	-	-	-	-	-	-
36	Tularemia-059	-	-	-	-	-	-	-	-	-	-
37	Leprosy-060	-	-	-	-	-	-	-	-	-	-
38	Tetanus-061	-	-	-	-	-	7	3	2	2	-
39	Anthrax-062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis-080	8	6	2	-	-	25	15	6	2	1
41	Late effects of acute poliomyelitis-081	-	-	-	-	-	-	-	-	-	-
42	Acute infectious encephalitis-082	2	1	1	-	-	7	6	1	-	-
43	Late effects of acute infectious encephalitis-083	-	-	-	-	-	1	-	1	-	-
44	Smallpox-084	-	-	-	-	-	-	-	-	-	-
45	Measles-085	2	1	1	-	-	2	-	1	1	-
46	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis-092	3	2	1	-	-	3	-	3	-	-
48	Rabies-094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus-104	-	-	-	-	-	1	1	-	-	-
50	Rocky Mountain spotted fever-104A	-	-	-	-	-	1	1	-	-	-
51	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
52	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
53	Malaria-110-117	-	-	-	-	-	-	-	-	-	-
54	Schistosomiasis-123	-	-	-	-	-	-	-	-	-	-
55	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
56	Filariasis-127	-	-	-	-	-	-	-	-	-	-
57	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
58	Other diseases due to helminths-124,126,128,130	-	-	-	-	-	-	-	-	-	-
59	All other infective and parasitic diseases-Residual	5	2	2	1	-	12	5	2	-	5
60	II. Neoplasms	1,620	776	837	2	5	3,338	1,383	1,433	289	233
61	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	1,589	765	818	2	4	3,275	1,367	1,408	279	221
62	Malignant neoplasm of buccal cavity and pharynx-140-148	49	40	9	-	-	97	69	12	11	5
63	Of lip-140	8	7	1	-	-	3	3	-	-	-
64	Of tongue-141	13	11	2	-	-	22	15	3	3	1
65	Of other and unspecified parts of buccal cavity-142-144	9	8	1	-	-	31	20	6	2	3
66	Of pharynx-145-148	19	14	5	-	-	41	31	3	6	1
67	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	678	360	314	2	2	1,212	518	492	134	68
68	Of esophagus-150	27	18	9	-	-	72	44	8	15	5
69	Of stomach-151	190	118	71	-	1	345	155	105	63	22
70	Of intestine, except rectum-152,153	225	112	112	-	1	308	117	166	14	11
71	Of rectum-154	83	47	36	-	-	156	67	66	14	9
72	Of biliary passages and of liver (stated to be primary site)-155	18	6	12	-	-	61	18	36	4	3
73	Of liver not specified whether primary or secondary-156A	54	24	28	2	-	89	36	37	8	8
74	Of pancreas-157	67	27	40	-	-	155	70	65	15	5
75	Of peritoneum and of unspecified digestive organs-158,159	14	8	6	-	-	26	11	9	1	5
76	Malignant neoplasm of respiratory system-160-164	115	99	16	-	-	387	270	64	40	5
77	Of larynx-161	10	8	2	-	-	28	19	6	3	-
78	Of trachea, and of bronchus and lung specified as primary-162	35	33	2	-	-	121	92	12	16	1
79	Of lung and bronchus, unspecified as primary or secondary-163	66	56	10	-	-	219	158	38	19	4
80	Of other parts of respiratory system-160,164	4	2	2	-	-	19	9	8	2	-
81	Malignant neoplasm of breast-170	147	1	145	-	1	311	3	277	1	30

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
49,386	25,823	22,705	469	389	57,743	31,559	21,992	2,323	1,869	28,020	16,213	11,453	216	138	20,784	5,648	3,955	5,922	5,259	1
1,300	856	362	49	33	1,988	1,051	431	314	172	578	364	179	18	17	367	202	99	356	310	2
1,005	675	267	37	26	1,268	647	221	258	142	336	215	98	11	12	573	139	52	193	189	3
946	645	245	31	25	1,134	600	186	235	113	289	196	85	8	10	526	132	49	175	170	4
17	7	7	3	-	37	9	12	7	9	8	5	3	-	-	18	4	1	5	8	5
1	-	1	-	-	12	1	5	2	4	-	-	-	-	-	7	-	1	5	1	6
4	3	1	-	-	13	6	3	3	1	5	4	1	-	-	2	-	-	-	2	7
2	2	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	8
8	6	2	-	-	20	15	3	1	1	7	7	-	-	-	3	1	-	1	1	9
9	3	5	1	-	4	-	3	-	1	4	-	4	-	-	5	1	1	1	2	10
18	9	8	2	1	44	12	9	10	13	13	3	5	3	2	12	1	-	6	5	11
159	102	45	9	3	329	207	66	37	19	114	85	24	4	1	120	20	1	65	34	12
-	-	-	-	-	5	3	1	1	-	1	1	-	-	-	6	-	-	2	4	13
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	14
89	59	25	3	2	149	96	29	17	7	42	34	8	-	-	24	9	1	10	4	15
38	24	11	2	1	90	58	17	8	7	39	30	6	3	-	48	6	-	30	12	16
2	1	1	-	-	3	2	1	-	-	5	3	2	-	-	1	-	-	-	1	17
16	8	6	2	-	40	21	8	8	3	16	10	4	1	1	16	4	-	10	2	18
9	7	1	1	-	31	21	6	2	2	7	4	3	-	-	19	1	-	9	9	19
5	3	1	1	-	11	6	4	1	-	3	2	1	-	-	6	-	-	4	2	20
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	2	21
-	-	-	-	-	4	2	1	1	-	1	-	1	-	-	2	-	-	1	1	22
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	1	1	-	26
3	3	-	-	-	20	9	5	5	1	4	-	3	-	1	41	3	6	21	11	27
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	28
3	1	2	-	-	10	5	4	1	-	4	1	3	-	-	12	4	1	1	6	29
2	-	2	-	-	5	4	1	-	-	2	1	1	-	-	1	-	-	-	1	30
25	18	6	-	1	22	9	9	2	2	13	5	7	-	1	8	1	2	3	2	31
9	6	3	-	-	2	1	1	-	-	10	7	3	-	-	19	2	4	8	5	32
10	3	5	1	1	27	8	15	-	4	12	6	5	1	-	56	6	5	22	23	33
19	12	6	1	-	30	14	13	3	-	15	6	9	-	-	14	6	5	2	1	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
2	1	1	-	-	6	2	3	1	-	3	3	-	-	-	14	-	1	8	5	38
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
10	8	2	-	-	127	82	44	1	-	21	13	8	-	-	14	7	1	4	2	40
-	-	-	-	-	4	1	2	1	-	1	-	1	-	-	-	-	-	-	-	41
8	6	2	-	-	11	4	7	-	-	8	3	5	-	-	6	-	2	3	1	42
2	1	1	-	-	4	1	2	1	-	4	3	1	-	-	1	-	-	1	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	1	1	-	-	28	18	10	-	-	10	3	5	1	1	35	6	9	7	13	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
14	7	7	-	-	23	13	10	-	-	5	4	1	-	-	6	1	2	-	3	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	1	1	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	6	2	1	1	2	58
21	11	9	-	1	40	19	15	2	4	14	9	3	1	1	30	5	5	13	7	59
8,615	4,226	4,266	62	61	8,965	4,455	3,986	262	282	4,476	2,381	2,051	24	10	2,242	726	651	351	514	60
8,425	4,151	4,158	59	57	8,733	4,374	3,845	255	259	4,390	2,348	2,012	23	9	2,156	702	631	345	478	61
227	186	36	4	1	222	174	37	10	1	76	64	12	-	-	63	37	11	9	6	62
14	14	-	-	-	19	18	-	1	-	13	12	1	-	-	10	8	1	-	1	63
70	59	9	2	-	48	41	6	2	-	12	10	2	-	-	8	1	1	3	1	64
56	39	15	2	-	60	43	16	1	-	25	20	5	-	-	23	11	7	2	3	65
87	74	12	-	1	94	72	15	6	1	26	22	4	-	-	24	17	2	4	1	66
3,560	1,873	1,635	31	21	3,432	1,886	1,365	106	75	1,779	1,022	743	11	3	768	256	204	166	142	67
198	156	34	5	1	133	99	19	11	4	76	57	18	1	-	28	10	3	12	3	68
932	526	392	11	3	1,086	673	350	40	23	632	408	219	4	1	274	87	54	75	58	69
1,135	512	609	7	7	948	453	462	15	18	428	220	207	1	-	179	58	66	22	33	70
510	291	212	3	4	432	266	141	12	13	212	113	96	3	-	63	16	18	17	12	71
159	57	99	1	2	200	71	120	6	3	118	39	78	1	-	22	11	5	2	4	72
205	102	101	2	-	246	124	107	10	5	68	34	32	-	2	96	26	30	19	21	73
366	208	157	2	1	328	178	136	8	6	227	144	82	1	-	78	42	20	11	5	74
57	23	31	-	3	59	22	30	4	3	18	7	11	-	-	28	6	8	8	6	75
770	621	139	8	2	923	739	118	59	7	367	279	84	4	-	176	104	30	31	11	76
76	68	7	1	-	72	62	6	4	-	21	19	2	-	-	19	10	3	4	2	77
179	155	22	2	-	324	272	30	21	1	144	112	31	1	-	48	34	7	7	-	78
482	379	97	4	2	485	381	69	29	6	187	139	45	3	-	100	54	18	19	9	79
33	19	13	1	-	42	24	13	5	-	15	9	6	-	-	9	6	2	1	-	80
842	11	823	-	8	766	7	710	-	49	410	4	405	-	1	159	1	96	2	60	81

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	297	96	200	-	1	571	161	295	57	78
2	Of cervix uteri----171	71	...	70	...	1	136	...	98	...	38
3	Of other and unspecified parts of uterus----172-174	68	...	68	...	-	138	...	106	...	32
4	Of ovary, fallopian tube, and broad ligament----175	54	...	54	...	-	89	...	81	...	8
5	Of other and unspecified female genital organs----176	8	...	8	...	-	10	...	10	...	-
6	Of prostate----177	95	95	...	-	...	185	149	...	36	...
7	Of testis, and of other and unspecified male genital organs----178,179	1	1	...	-	...	13	12	...	1	...
8	Malignant neoplasm of urinary organs----180,181	67	46	21	-	-	145	93	37	11	4
9	Of kidney----180	22	15	7	-	-	45	30	12	1	2
10	Of bladder and other urinary organs----181	45	31	14	-	-	100	63	25	10	2
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	138	65	73	-	-	317	127	143	30	17
12	Of skin----190,191	17	12	5	-	-	52	27	20	3	2
13	Of eye----192	2	2	-	-	-	3	2	1	-	-
14	Of brain and other parts of nervous system----193	17	8	9	-	-	79	35	34	7	3
15	Of thyroid gland----194	7	2	5	-	-	14	1	11	1	1
16	Of bone (including jaw bone)----196	24	16	8	-	-	33	14	16	2	1
17	Of connective tissue----197	1	1	-	-	-	6	2	2	2	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	20	6	14	-	-	42	14	19	6	3
19	Of unspecified sites----156B,165,198B,199B-H	50	18	32	-	-	88	32	40	9	7
20	Leukemia and aleukemia----204	53	29	24	-	-	113	53	47	4	9
21	Lymphosarcoma, etc.*----200-203,205	45	29	16	-	-	122	65	41	11	5
22	Lymphosarcoma and reticulosarcoma----200	13	12	1	-	-	39	28	9	2	-
23	Hodgkin's disease----201	26	13	13	-	-	46	25	17	3	1
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	6	4	2	-	-	37	12	15	6	4
25	Benign neoplasms and neoplasms of unspecified nature----210-239	31	11	19	-	1	63	16	25	10	12
26	Benign neoplasms of female genital organs----214-217	11	...	11	...	-	14	...	6	...	8
27	Benign neoplasm of brain and other parts of nervous system----223	4	3	1	-	-	5	1	2	2	-
28	Other benign neoplasms----210-213,218-222,224-229	8	2	5	-	1	13	4	7	1	1
29	Neoplasm of unspecified nature of female genital organs----233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	7	5	2	-	-	19	6	9	2	2
31	Other neoplasms of unspecified nature----230-232,236,238,239	1	1	-	-	-	12	5	1	5	1
32	III. Allergic, endocrine system, metabolic, and nutritional diseases	200	82	118	-	-	526	180	267	29	50
33	Asthma----241	27	17	10	-	-	57	26	16	12	3
34	Nontoxic goiter----250,251	1	-	1	-	-	4	-	3	-	1
35	Thyrotoxicosis with or without goiter----252	2	1	1	-	-	29	6	20	-	3
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	1	1	-	-	-	4	1	3	-	-
37	Diabetes mellitus----260	154	55	99	-	-	399	134	215	11	39
38	Diseases of thymus gland----273	5	5	-	-	-	5	3	-	-	2
39	Diseases of adrenal glands----274	3	-	3	-	-	9	3	4	1	1
40	Pellagra----281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	5	2	3	-	-	7	1	2	4	-
42	Other allergic, endocrine, and metabolic diseases----Residual	2	1	1	-	-	12	6	4	1	1
43	IV. Diseases of the blood and blood-forming organs	44	24	20	-	-	62	28	25	5	6
44	Anemias----280-283	34	19	15	-	-	43	19	18	3	3
45	Pernicious and other hyperchromic anemias----280	23	13	10	-	-	16	9	7	-	-
46	Anemias of other and unspecified type----281-283	11	6	5	-	-	27	10	11	3	3
47	Purpura and other hemorrhagic conditions----286	6	3	3	-	-	8	2	3	1	2
48	All other diseases of blood and blood-forming organs----284,285,287-289	4	2	2	-	-	11	5	4	1	1
49	V. Mental, psychoneurotic, and personality disorders	33	24	9	-	-	85	44	21	18	2
50	Senile psychosis----304	7	2	5	-	-	6	2	4	-	-
51	Alcoholic psychosis----307	3	3	-	-	-	4	4	-	-	-
52	Other psychoses----300-303,305,306,308,309	3	1	2	-	-	13	2	5	5	1
53	Alcoholism----322	17	15	2	-	-	51	33	6	11	1
54	Mental deficiency----325	3	3	-	-	-	9	2	5	2	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	2	1	1	-	-
56	VI. Diseases of the nervous system and sense organs	1,287	614	672	1	-	2,163	841	859	225	238
57	Vascular lesions affecting central nervous system----330-334	1,200	563	637	-	-	1,950	751	799	188	212
58	Subarachnoid hemorrhage----330	9	3	6	-	-	69	31	22	7	9
59	Cerebral hemorrhage----331	866	409	457	-	-	1,326	482	554	131	159
60	Cerebral embolism and thrombosis----332	221	101	120	-	-	322	144	137	21	20
61	Other vascular lesions affecting central nervous system----333,334	104	50	54	-	-	233	94	86	29	24
62	Meningitis, except meningococcal and tuberculous----340	15	9	5	1	-	32	11	4	8	9
63	Multiple sclerosis----345	12	6	6	-	-	17	3	12	1	1
64	Paralysis agitans----350	20	12	8	-	-	22	9	11	1	1
65	Cerebral spastic infantile paralysis----351	-	-	-	-	-	8	2	4	-	2
66	Epilepsy----353	7	5	2	-	-	45	22	10	12	1
67	Inflammatory diseases of eye----370-379	-	-	-	-	-	1	1	-	-	-
68	Cataract----385	-	-	-	-	-	2	-	1	-	1
69	Glaucoma----387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----381-383	5	3	2	-	-	12	3	4	4	1
71	Other diseases of nervous system and sense organs----Residual	26	16	12	-	-	74	39	14	11	10
72	VII. Diseases of the circulatory system	4,114	2,296	1,813	3	2	9,931	4,651	3,660	859	761
73	Rheumatic fever----400-402	10	6	4	-	-	26	11	5	6	4
74	Diseases of heart----410-443	3,678	2,099	1,575	2	2	9,159	4,354	3,352	771	682
75	Chronic rheumatic heart disease----410-416	115	61	54	-	-	297	130	119	23	25
76	Diseases of mitral valve----410	53	23	30	-	-	114	42	48	13	11
77	Diseases of aortic valve specified as rheumatic----411	8	6	2	-	-	15	11	2	1	1
78	Diseases of tricuspid valve----412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	7	6	1	-	-	12	3	9	-	-
80	Other diseases of heart specified as rheumatic----415,416	47	26	21	-	-	156	74	60	9	13

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948).

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,175	452	700	8	15	1,327	420	791	32	84	656	316	334	2	4	479	88	142	62	187	1
213	...	207	...	6	319	...	275	...	44	81	...	78	...	3	131	...	53	...	78	2
232	...	228	...	4	279	...	256	...	23	113	...	113	...	-	148	...	51	...	97	3
250	...	246	...	4	245	...	231	...	14	130	...	129	...	1	46	...	35	...	11	4
20	...	19	...	1	32	...	29	...	3	14	...	14	...	-	4	...	3	...	1	5
432	424	...	8	...	418	387	...	31	...	295	293	...	2	...	135	75	...	60	...	6
28	28	...	-	...	34	33	...	1	...	23	23	...	-	...	15	13	...	2	...	7
434	289	144	-	1	422	289	113	10	10	224	150	74	-	-	85	37	16	14	16	8
146	97	49	-	-	158	103	47	4	4	92	61	31	-	-	29	10	8	4	7	9
288	192	95	-	1	264	186	66	6	6	132	89	43	-	-	56	27	10	10	9	10
788	379	401	4	4	929	478	420	12	19	423	228	192	3	-	278	100	93	43	42	11
102	55	47	-	-	113	64	49	-	-	50	35	15	-	-	49	27	19	-	3	12
11	4	7	-	-	8	4	4	-	-	10	2	8	-	-	10	4	4	1	1	13
135	76	58	1	-	187	115	71	1	-	87	53	34	-	-	34	13	11	8	2	14
32	15	17	-	-	49	14	35	-	-	19	7	11	1	-	5	-	4	1	-	15
75	40	35	-	-	78	48	28	1	1	49	36	13	-	-	35	13	9	6	7	16
25	9	16	-	-	13	8	5	-	-	8	4	4	-	-	7	1	2	4	-	17
114	57	57	-	-	178	84	80	6	8	58	27	30	1	-	66	26	18	11	11	18
294	123	164	3	4	303	141	148	4	10	142	64	77	1	-	72	16	26	12	18	19
305	160	141	2	2	333	172	143	10	8	236	147	88	1	-	86	45	23	11	7	20
324	180	139	2	3	379	209	148	16	6	219	136	80	2	1	62	34	14	7	7	21
132	68	62	1	1	152	83	61	6	2	51	30	20	-	1	30	18	7	5	-	22
107	68	36	1	2	101	58	38	3	2	84	51	33	-	-	18	7	4	1	6	23
85	44	41	-	-	126	68	49	7	2	64	55	27	2	-	14	8	5	1	1	24
190	75	108	3	4	232	81	121	7	23	86	45	39	1	1	86	24	20	6	36	25
30	...	27	...	3	85	...	47	...	16	9	...	9	...	-	36	...	7	...	29	26
27	12	14	1	-	32	16	15	-	1	22	14	7	-	1	13	7	3	1	2	27
25	7	17	-	1	35	23	10	-	2	18	10	8	-	-	8	2	2	1	1	28
1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	29
65	30	34	1	-	78	31	38	5	4	23	15	7	1	-	21	12	4	3	2	30
42	26	15	1	-	24	11	11	2	-	12	6	6	-	-	9	3	3	1	2	31
1,181	455	705	10	11	1,834	746	990	32	66	678	295	372	6	5	361	91	97	71	102	32
122	77	44	1	-	197	128	62	3	4	99	63	34	1	1	55	26	4	15	10	33
5	-	5	-	-	11	2	8	-	1	5	-	5	-	-	5	-	2	-	3	34
23	4	19	-	-	76	17	52	1	6	22	4	17	1	-	12	-	1	3	8	35
5	-	5	-	-	11	4	7	-	-	3	-	3	-	-	2	-	2	-	-	36
963	340	607	7	9	1,398	519	807	20	52	506	205	293	4	4	235	58	70	39	68	37
3	-	3	-	-	64	41	16	4	3	7	4	3	-	-	4	-	-	4	-	38
17	8	8	1	-	22	9	13	-	-	8	4	4	-	-	2	-	1	1	-	39
1	-	1	-	-	3	2	-	1	-	-	-	-	-	-	16	1	7	-	8	40
20	14	5	1	-	19	11	7	1	-	14	7	7	-	-	22	4	5	9	4	41
22	12	8	-	2	33	13	18	2	-	14	8	6	-	-	8	2	5	-	1	42
157	74	80	1	2	304	134	157	5	8	151	84	65	-	2	44	14	10	11	9	43
120	55	64	-	1	254	110	133	4	7	114	55	57	-	2	32	9	6	8	9	44
74	27	47	-	-	152	66	83	-	3	78	36	41	-	1	11	3	3	1	4	45
46	28	17	-	1	102	44	50	4	4	36	19	16	-	1	21	8	3	7	5	46
10	4	5	-	1	19	11	7	1	-	15	12	3	-	-	5	2	2	1	-	47
27	15	11	1	-	31	13	17	-	1	22	17	5	-	-	7	3	2	2	-	48
123	92	23	7	1	140	99	33	6	2	123	76	45	1	1	53	21	9	17	6	49
3	1	2	-	-	47	32	15	-	-	53	26	27	-	-	14	5	3	5	1	50
8	6	1	1	-	9	7	1	1	-	11	10	1	-	-	2	1	-	1	-	51
11	6	5	-	-	23	10	12	-	1	15	7	7	-	1	14	2	4	5	3	52
96	78	13	4	1	51	44	1	5	1	31	28	2	1	-	20	11	1	6	2	53
1	-	-	1	-	10	6	4	-	-	9	5	4	-	-	1	-	1	-	-	54
4	1	2	1	-	-	-	-	-	-	4	-	4	-	-	2	2	-	-	-	55
5,803	2,539	3,186	34	44	7,015	3,338	3,243	216	218	3,901	1,967	1,894	26	14	2,476	550	558	638	730	56
5,399	2,315	3,011	32	41	6,463	3,053	3,014	194	202	3,623	1,824	1,761	24	14	2,249	491	514	571	673	57
124	63	53	2	6	128	52	62	8	6	58	22	35	1	-	32	10	11	8	3	58
3,705	1,554	2,111	17	23	4,365	2,034	2,085	112	134	2,428	1,214	1,191	16	7	1,538	330	369	367	472	59
1,249	551	679	11	8	1,101	535	483	45	38	532	275	249	4	4	111	48	36	17	10	60
321	147	160	2	4	869	432	384	29	24	605	313	286	3	3	568	103	98	179	188	61
50	26	22	1	1	77	29	30	13	5	29	17	12	-	-	48	8	4	19	17	62
68	34	34	-	-	63	30	33	-	-	28	11	17	-	-	6	2	2	1	1	63
66	34	32	-	-	81	48	30	3	-	46	29	17	-	-	7	4	2	1	-	64
13	6	6	1	-	28	16	10	1	1	27	14	13	-	-	11	4	1	2	4	65
70	50	19	-	1	89	53	31	3	2	45	20	23	2	-	38	8	8	13	9	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
2	-	2	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
21	14	7	-	-	12	7	5	-	-	8	3	5	-	-	10	1	4	4	1	70
114	60	53	-	1	200	101	89	2	8	94	48	46	-	-	107	32	23	27	25	71
22,339	11,973	10,051	165	150	22,679	13,236	8,187	678	578	11,342	6,917	4,319	63	43	6,151	2,156	1,334	1,421	1,240	72
63	25	38	-	-	78	37	31	4	6	40	18	21	-	1	36	3	11	9	13	73
20,393	11,066	9,048	149	130	20,526	12,138	7,264	615	509	10,059	6,238	3,726	57	38	5,585	1,980	1,187	1,295	1,123	74
823	346	464	5	8	920	473	387	36	24	408	191	214	2	1	283	75	58	72	58	75
253	109	140	1	3	395	200	178	9	8	247	114	131	1	1	186	55	40	51	40	76
42	28	14	-	-	41	33	5	1	2	33	23	9	1	-	6	3	2	-	1	77
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	78
36	14	19	2	1	53	21	29	2	1	35	12	23	-	-	14	1	2	8	3	79
492	195	291	2	4	429	217	175	24	13	93	42	51	-	-	57	16	14	13	14	80

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	2,312	1,433	875	2	2	4,350	2,558	1,383	261	148
2	Arteriosclerotic heart disease so described----------420.0	581	300	279	1	1	1,008	495	385	74	54
3	Heart disease specified as involving coronary arteries----------420.1	1,694	1,109	583	1	1	3,316	2,048	989	185	94
4	Angina pectoris without mention of coronary disease----------420.2	37	24	13	-	-	26	15	9	2	-
5	Chronic endocarditis not specified as rheumatic----------421	117	68	49	-	-	150	51	69	16	14
6	Of mitral valve, specified as nonrheumatic----------421.0	-	-	-	-	-	3	1	2	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	17	10	7	-	-	19	7	6	5	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	100	58	42	-	-	128	43	61	11	13
9	Other myocardial degeneration----------422	511	258	253	-	-	1,882	795	774	149	144
10	With arteriosclerosis----------422.1	274	133	141	-	-	1,413	603	603	99	108
11	Without mention of arteriosclerosis----------422.0,422.2	237	125	112	-	-	449	192	171	50	36
12	Other diseases of heart----------430-434	120	80	40	-	-	203	83	64	33	23
13	Acute and subacute endocarditis----------430	8	7	1	-	-	14	6	3	2	3
14	Acute myocarditis not specified as rheumatic----------431	20	10	10	-	-	42	12	14	9	7
15	Acute pericarditis specified as nonrheumatic----------432	1	-	1	-	-	1	-	1	-	-
16	Functional disease of heart----------433	19	13	6	-	-	31	17	12	2	-
17	Other and unspecified diseases of heart----------434	72	50	22	-	-	115	48	34	20	13
18	Hypertension with heart disease----------440-443	503	199	304	-	-	2,297	737	943	289	328
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	152	76	76	-	-	768	271	283	103	111
20	Essential hypertension with heart disease, etc.*----------440,441,443	351	123	228	-	-	1,529	466	660	186	217
21	Hypertension without mention of heart----------444-447	95	39	55	1	-	208	71	68	30	39
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	46	16	29	1	-	116	43	35	20	18
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	49	23	26	-	-	92	28	33	10	21
24	Diseases of arteries----------450-456	299	134	165	-	-	488	195	218	45	30
25	General arteriosclerosis----------450	277	122	155	-	-	420	158	203	35	24
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	6	5	1	-	-	27	16	5	5	1
27	Gangrene of unspecified cause----------455	4	1	3	-	-	7	4	1	2	-
28	Other arterial diseases----------452-454,456	12	6	6	-	-	34	17	9	3	5
29	Diseases of veins and other diseases of circulatory system--------460-468	32	18	14	-	-	50	20	17	7	6
30	VIII. Diseases of the respiratory system----------	344	164	160	-	-	818	338	235	141	104
31	Acute upper respiratory infections----------470-475	5	3	2	-	-	12	8	1	1	2
32	Influenza----------480-483	46	19	27	-	-	88	30	36	12	10
33	Pneumonia, except pneumonia of newborn----------490-493	228	115	113	-	-	512	181	154	98	79
34	Lobar pneumonia----------490	73	40	33	-	-	214	82	59	39	34
35	Bronchopneumonia----------491	107	51	56	-	-	203	67	61	43	32
36	Primary atypical pneumonia----------492	35	17	18	-	-	57	24	19	8	6
37	Pneumonia, other and unspecified----------493	13	7	6	-	-	38	8	15	8	7
38	Acute bronchitis----------500	7	3	4	-	-	24	10	9	2	3
39	Bronchitis, chronic and unqualified----------501, 502	15	13	2	-	-	32	16	9	4	3
40	Hypertrophy of tonsils and adenoids----------510	-	-	-	-	-	5	3	2	-	-
41	Empyema and abscess of lung----------513,521	1	1	-	-	-	20	8	2	9	1
42	Pleurisy----------	-	-	-	-	-	2	1	-	1	-
43	All other respiratory diseases----------Residual	42	30	12	-	-	123	81	22	14	6
44	IX. Diseases of the digestive system----------	347	207	138	1	1	726	367	236	69	54
45	Diseases of teeth and supporting structures----------530-535	2	2	-	-	-	2	2	-	-	-
46	Ulcer of stomach----------540	35	24	11	-	-	51	35	7	8	1
47	Ulcer of duodenum----------541	20	19	1	-	-	45	34	8	2	1
48	Gastritis and duodenitis----------543	-	-	-	-	-	3	2	1	-	-
49	Appendicitis----------550-553	24	17	7	-	-	29	12	12	4	1
50	Hernia and intestinal obstruction----------560,561,570	67	37	30	-	-	128	49	48	18	13
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	52	23	28	1	-	81	30	24	14	13
52	Cirrhosis of liver----------581	71	50	21	-	-	200	119	61	10	10
53	Without mention of alcoholism----------581.0	69	49	20	-	-	154	90	50	6	8
54	With alcoholism----------581.1	3	2	1	-	-	46	29	11	4	2
55	Cholelithiasis and cholecystitis----------584,585	40	19	20	-	1	72	25	45	1	1
56	Other diseases of digestive system----------Residual	36	16	20	-	-	115	59	30	12	14
57	X. Diseases of the genito-urinary system----------	307	164	142	1	-	643	242	193	118	90
58	Nephritis and nephrosis----------590-594	220	101	118	1	-	459	146	152	88	73
59	Acute nephritis----------580	11	3	8	-	-	16	2	6	5	3
60	Nephritis with edema, including nephrosis----------591	9	4	5	-	-	26	12	9	3	2
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	200	94	105	1	-	417	132	137	80	68
62	Infections of kidney----------600	23	11	12	-	-	41	11	18	4	8
63	Calculi of urinary system----------602,604	5	3	2	-	-	22	10	8	3	1
64	Other diseases of urinary system----------601,603,605-609	11	5	6	-	-	27	14	6	3	4
65	Hyperplasia of prostate----------610	40	40	...	-	...	72	55	...	17	...
66	Other diseases of male genital organs----------611-617	4	4	...	-	...	9	6	...	3	...
67	Diseases of breast----------620, 621	1	-	1	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	3	...	3	...	-	13	...	9	...	4
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	10	...	10	...	-	41	...	24	...	17
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	1	...	-	2	...	1	...	1
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	4	...	4	...	-	6	...	5	...	1
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	4	...	4	...	-	8	...	5	...	3
73	Ectopic pregnancy----------645	-	...	-	...	-	6	...	1	...	5
74	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	4	...	1	...	3
75	Abortion with sepsis----------651	-	...	-	...	-	4	...	3	...	1
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual	-	...	-	...	-	11	...	8	...	3

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,985	8,230	5,598	96	61	12,916	8,501	3,887	301	227	6,590	4,483	2,050	35	22	2,259	1,184	498	342	235	1
5,692	2,839	2,768	47	38	3,398	1,855	1,378	92	73	992	579	400	8	5	533	242	134	100	57	2
8,232	5,356	2,804	49	23	9,459	6,592	2,486	208	153	5,568	3,881	1,643	27	17	1,672	914	354	234	170	3
61	35	26	-	-	79	54	23	1	1	30	23	7	-	-	54	28	10	8	8	4
284	118	163	2	1	426	226	179	16	5	217	134	81	1	1	217	55	37	78	47	5
10	7	3	-	-	12	5	7	-	-	9	3	6	-	-	7	-	1	4	2	6
66	41	25	-	-	58	43	9	6	-	71	49	21	1	-	48	14	10	19	5	7
208	70	135	2	1	356	178	163	10	5	137	82	54	-	1	162	41	26	55	40	8
2,121	967	1,110	13	11	2,722	1,410	1,187	79	46	1,086	563	517	4	2	812	212	180	213	207	9
1,185	529	642	8	6	1,041	524	486	20	11	526	284	241	1	-	213	64	53	50	46	10
936	458	460	5	5	1,681	886	701	59	35	560	279	276	3	2	599	148	127	163	161	11
568	318	236	7	7	833	463	319	27	24	431	257	166	5	3	508	140	109	151	108	12
29	17	11	-	1	41	25	13	2	1	27	19	7	1	-	13	5	-	5	3	13
78	45	33	-	-	172	77	71	12	12	24	16	8	-	-	31	3	10	13	5	14
1	-	1	-	-	2	1	1	-	-	3	2	1	-	-	-	-	-	-	-	15
57	30	25	2	-	101	54	44	2	1	61	36	24	-	1	29	8	15	3	3	16
403	226	166	5	6	517	306	190	11	10	316	184	126	4	2	435	124	84	130	97	17
2,612	1,067	1,477	26	42	2,709	1,065	1,305	166	183	1,327	610	698	10	9	1,526	314	305	439	468	18
437	212	212	5	8	700	320	321	26	33	223	126	93	3	1	556	108	98	180	170	19
2,175	855	1,265	21	34	2,009	745	984	130	150	1,104	484	605	7	8	970	206	207	259	298	20
396	190	192	10	4	441	170	215	27	29	305	147	155	2	1	196	61	35	54	46	21
219	115	95	6	3	179	80	78	13	8	85	47	37	1	-	64	18	10	20	16	22
177	75	97	4	1	262	90	137	14	21	220	100	118	1	1	132	43	25	34	30	23
1,329	617	695	4	13	1,493	806	655	26	26	857	469	383	3	2	294	98	93	55	48	24
1,211	544	650	4	13	1,339	708	591	24	16	790	425	361	2	2	254	81	88	46	41	25
51	36	15	-	-	77	53	17	1	6	30	21	8	1	-	19	12	3	3	1	26
9	7	2	-	-	14	9	4	1	-	5	4	1	-	-	6	-	1	3	2	27
58	30	28	-	-	63	36	23	-	4	32	19	13	-	-	15	5	3	3	4	28
158	75	78	2	3	141	85	42	6	8	81	45	34	1	1	40	14	8	8	10	29
1,554	891	618	25	20	2,055	1,193	652	136	74	1,202	685	486	20	11	1,013	232	214	303	264	30
12	6	6	-	-	31	13	15	2	1	18	9	8	1	-	23	3	6	4	10	31
32	15	16	1	-	123	70	50	-	3	112	59	50	2	1	253	58	61	57	77	32
1,108	592	481	16	19	1,423	795	457	111	60	813	447	346	11	9	600	124	118	206	152	33
315	178	128	6	5	542	301	182	55	24	226	122	96	5	3	225	47	37	82	59	34
598	313	270	4	11	577	310	196	41	30	429	239	181	5	4	200	42	51	59	48	35
138	66	67	2	3	154	81	45	4	4	65	38	24	1	-	64	22	13	19	10	36
57	35	18	4	-	170	103	54	11	2	95	48	45	-	2	111	13	17	46	35	37
34	17	17	-	-	27	19	8	-	-	15	7	8	-	-	11	5	2	2	2	38
62	45	17	-	-	76	50	20	5	1	53	33	17	2	1	33	9	7	12	5	39
12	7	5	-	-	12	7	3	1	1	2	2	-	-	-	9	2	3	3	1	40
22	18	2	2	-	35	25	4	6	-	13	9	4	-	-	11	3	-	4	4	41
11	8	3	-	-	20	9	7	1	3	3	1	2	-	-	4	1	-	2	1	42
261	183	71	6	1	308	205	88	10	5	173	118	51	4	-	69	27	17	13	12	43
1,944	1,077	853	20	14	2,304	1,320	855	80	49	915	542	361	8	4	677	188	139	197	153	44
7	1	6	-	-	8	2	4	1	1	1	1	-	-	-	9	-	1	5	3	45
152	113	34	5	-	214	162	40	11	1	74	59	14	1	-	39	20	4	11	4	46
190	154	32	2	2	186	150	27	9	-	79	65	12	2	-	26	15	5	5	1	47
12	9	3	-	-	11	7	3	-	1	7	3	4	-	-	8	-	1	3	4	48
71	39	32	-	-	122	70	39	8	5	52	33	19	-	-	58	15	8	23	12	49
276	143	128	-	5	366	182	165	12	7	172	102	68	2	-	151	40	31	47	33	50
188	64	98	4	-	230	125	88	9	8	88	48	37	2	1	186	23	32	66	65	51
628	371	248	7	3	591	371	196	14	10	164	109	54	-	1	77	36	14	17	10	52
458	275	177	5	1	531	325	185	13	8	140	89	51	-	-	69	32	13	14	10	53
171	96	71	2	2	80	46	11	1	2	24	20	3	-	1	8	4	1	3	-	54
201	65	134	1	1	298	104	189	1	4	150	56	92	-	2	50	15	26	4	5	55
240	118	118	1	3	278	147	104	15	12	128	66	61	1	-	73	24	17	16	16	56
1,117	644	447	19	7	1,562	871	527	83	81	540	354	174	7	5	984	211	132	360	281	57
685	331	321	9	4	991	479	407	51	54	314	176	130	4	4	747	138	112	246	251	58
40	24	16	-	-	74	42	20	7	5	24	14	10	-	-	63	14	13	19	17	59
33	21	12	-	-	65	26	28	3	4	27	17	10	-	-	32	4	2	12	14	60
592	286	293	9	4	854	409	359	41	45	263	145	110	4	4	652	120	97	215	220	61
154	81	67	5	1	122	57	49	11	5	38	15	22	1	-	41	11	9	13	8	62
29	14	14	1	-	49	29	16	1	3	18	13	4	-	1	15	7	3	2	3	63
57	35	20	2	-	80	49	18	7	6	24	17	6	1	-	27	9	3	14	1	64
167	165	...	2	...	224	211	...	13	...	125	124	...	1	...	108	39	...	69	...	65
18	18	...	-	...	46	46	...	-	...	9	9	...	-	...	23	7	...	16	...	66
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
26	...	24	...	2	50	...	37	...	13	12	...	12	...	-	23	...	5	...	18	68
52	...	50	...	2	87	...	62	...	25	39	...	38	...	1	159	...	28	...	131	69
7	...	6	...	1	11	...	9	...	2	1	...	1	...	-	18	...	4	...	14	70
12	...	11	...	1	23	...	16	...	7	15	...	15	...	-	75	...	10	...	65	71
14	...	14	...	-	21	...	14	...	7	5	...	4	...	1	32	...	4	...	28	72
-	...	-	...	-	10	...	6	...	4	1	...	1	...	-	5	...	-	...	5	73
2	...	2	...	-	-	...	-	...	-	3	...	3	...	-	3	...	2	...	1	74
3	...	3	...	-	4	...	3	...	1	3	...	3	...	-	6	...	1	...	5	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	76
14	...	14	...	-	18	...	14	...	4	11	...	11	...	-	19	...	7	...	12	77

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	6	4	2	-	-	15	2	8	2	3
2	Infections of skin and subcutaneous tissue--690-698	3	2	1	-	-	2	-	2	-	-
3	Other diseases of skin and subcutaneous tissue--700-716	3	2	1	-	-	13	2	6	2	3
4	XIII. Diseases of the bones and organs of movement	17	3	14	-	-	47	18	19	4	6
5	Arthritis and spondylitis--720-725	16	3	13	-	-	20	5	11	3	1
6	Muscular rheumatism and rheumatism, unspecified--726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis--730	-	-	-	-	-	7	3	-	-	4
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	-	-	-	-	-	2	1	-	-	1
9	All other diseases of musculoskeletal system--731-736,738-744	1	-	1	-	-	18	9	8	1	-
10	XIV. Congenital malformations	114	56	58	-	-	280	103	110	37	30
11	Spina bifida and meningocele--751	17	3	14	-	-	25	7	15	1	2
12	Congenital hydrocephalus, etc.*--752,753	8	5	3	-	-	22	7	11	3	1
13	Congenital malformations of circulatory system--754	65	35	30	-	-	135	43	52	23	17
14	Other congenital malformations--750,755-759	24	13	11	-	-	98	46	32	10	10
15	XV. Certain diseases of early infancy	406	238	168	-	-	855	336	246	146	125
16	Birth injuries--760,761	111	70	41	-	-	202	86	63	27	26
17	Postnatal asphyxia and atelectasis--762	81	50	31	-	-	193	86	49	32	26
18	Infections of newborn--763-768	23	15	8	-	-	56	14	13	15	14
19	Hemolytic disease of newborn (erythroblastosis)--770	20	11	9	-	-	23	11	11	1	-
20	All other defined diseases of early infancy--763,771,772	27	16	11	-	-	33	18	4	6	5
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	144	76	68	-	-	348	121	108	65	54
22	XVI. Symptoms, senility, and ill-defined conditions	95	47	47	1	-	81	33	21	15	12
23	Senility without mention of psychosis--794	63	29	34	-	-	13	3	7	1	2
24	Symptoms, ill-defined and unknown causes--780-793,795	32	18	13	1	-	68	30	14	14	10
25	XVII. Accidents, poisonings, and violence	718	495	216	5	2	1,703	920	400	285	98
26	Accidents--E800-E962	543	363	174	4	2	1,282	694	326	187	75
27	Railway accidents--E800-E802	4	4	-	-	-	19	9	1	7	2
28	Motor-vehicle accidents--E810-E835	155	110	42	3	-	442	262	93	73	14
29	Motor-vehicle traffic accidents--E810-E825	149	107	39	3	-	431	257	91	71	12
30	Motor-vehicle traffic accident with railway train*--E810	9	6	3	-	-	7	5	1	1	-
31	Motor-vehicle traffic accident to pedestrian--E812	58	42	13	3	-	149	76	41	30	2
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	34	22	12	-	-	122	78	24	17	3
33	Motor-vehicle noncollision traffic accidents--E820-E824	44	36	8	-	-	110	74	17	16	3
34	Motor-vehicle traffic accident of unspecified nature--E825	4	1	2	-	-	43	24	8	7	4
35	Motor-vehicle nontraffic accidents--E830-E835	6	3	3	-	-	11	5	2	2	2
36	Other road-vehicle accidents--E840-E845	5	5	-	-	-	10	5	2	2	1
37	Water-transport accidents--E850-E858	30	29	1	-	-	36	23	2	11	-
38	Aircraft accidents--E860-E866	3	3	-	-	-	22	18	4	-	-
39	Accidental poisoning by solid and liquid substances--E870-E888	9	6	3	-	-	28	11	7	8	2
40	Accidental poisoning by gases and vapors--E890-E895	11	8	3	-	-	31	20	7	2	2
41	Accidental falls--E900-E904	126	53	73	-	-	324	145	153	16	10
42	Fall from one level to another--E900-E902	53	35	18	-	-	148	76	55	13	4
43	Fall on same level--E903	36	8	28	-	-	55	23	29	1	2
44	Unspecified falls--E904	37	10	27	-	-	121	46	69	2	4
45	Blow from falling object--E910	10	8	2	-	-	11	7	-	4	-
46	Accident caused by machinery--E912	11	11	-	-	-	20	14	1	3	2
47	Accident caused by electric current--E914	7	7	-	-	-	12	8	2	2	-
48	Accident caused by fire and explosion, etc.*--E916	69	38	29	-	2	99	42	21	18	18
49	Accident caused by hot substance, etc.*--E917,E918	2	1	1	-	-	14	4	2	6	2
50	Accident caused by firearm--E919	19	18	1	-	-	20	12	-	6	2
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	15	7	8	-	-	26	10	6	5	5
52	Accidental drowning--E929	35	30	5	-	-	92	60	12	17	3
53	Excessive heat and insolation--E931	-	-	-	-	-	2	1	-	-	1
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	3	1	2	-	-	12	6	4	-	2
55	All other accidents--Residual	29	24	4	1	-	62	37	9	7	9
56	Suicide--E963,E970-E979	161	121	38	1	-	273	193	64	13	3
57	Suicide by poisoning--E970-E973	37	20	17	-	-	78	42	34	-	2
58	Suicide by hanging and strangulation--E974	26	21	5	-	-	49	37	8	4	-
59	Suicide by firearms and explosives--E976	84	72	12	-	-	117	98	14	4	1
60	Suicide by all other means--E963,E975,E977-E979	14	8	5	1	-	29	16	8	5	-
61	Homicide--E964,E980-E985	14	11	3	-	-	148	33	10	85	20
62	Assault by firearms and explosives--E981	7	5	2	-	-	78	11	7	51	9
63	Assault by cutting and piercing instruments--E982	-	-	-	-	-	37	8	-	22	7
64	Assault by other means--E964,E980,E983	7	6	1	-	-	30	12	3	11	4
65	Injury by intervention of police--E984	-	-	-	-	-	3	2	-	1	-
66	Execution--E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
39	9	28	-	2	56	18	33	1	4	32	21	10	1	-	15	1	2	4	8	1
7	3	4	-	-	10	4	5	-	1	3	1	2	-	-	6	1	-	1	4	2
32	6	24	-	2	46	14	28	1	3	29	20	8	1	-	9	-	2	3	4	3
84	37	45	1	1	102	40	54	1	7	82	39	43	-	-	50	14	15	7	14	4
33	13	20	-	-	62	18	40	1	3	49	20	29	-	-	32	10	12	2	8	5
3	-	3	-	-	-	-	-	-	-	3	2	1	-	-	3	-	-	1	2	6
8	6	1	1	-	9	4	4	-	1	4	2	2	-	-	5	1	-	3	1	7
2	-	1	-	1	4	2	2	-	-	-	-	-	-	-	1	-	1	-	-	8
38	18	20	-	-	27	16	8	-	3	26	15	11	-	-	9	3	2	1	3	9
524	266	250	4	4	946	464	421	33	28	465	220	239	3	3	225	80	55	53	37	10
70	29	41	-	-	129	47	79	1	2	56	19	37	-	-	15	4	8	1	2	11
62	30	31	1	-	101	53	44	2	2	58	28	30	-	-	21	6	6	6	3	12
215	108	103	1	3	428	213	183	18	14	198	97	98	2	1	119	42	28	27	22	13
177	99	75	2	1	288	151	115	12	10	153	76	74	1	2	70	28	13	19	10	14
1,464	837	576	28	23	2,543	1,300	918	178	147	1,157	652	484	13	8	1,060	263	211	336	250	15
264	166	88	9	1	496	284	153	40	19	259	163	94	2	-	194	70	48	43	33	16
367	211	139	8	9	480	240	171	30	39	173	112	59	1	1	132	48	36	28	20	17
71	45	24	1	1	144	74	49	11	10	44	18	25	-	1	73	7	8	34	24	18
85	42	43	-	-	154	87	59	6	2	75	39	36	-	-	32	14	8	9	1	19
42	24	18	-	-	101	53	37	9	2	54	33	20	1	-	97	12	17	35	33	20
635	349	264	10	12	1,168	562	449	82	75	552	287	250	9	6	532	112	94	187	139	21
174	94	75	3	2	416	201	197	11	7	199	104	89	4	2	2,509	264	166	1,119	960	22
22	3	19	-	-	227	89	135	1	2	94	38	54	1	1	222	33	30	69	90	23
152	91	56	3	2	189	112	62	10	5	105	66	35	3	1	2,287	251	136	1,050	870	24
2,916	1,753	1,110	41	12	4,767	3,093	1,266	287	121	2,140	1,502	604	22	12	1,798	635	235	678	250	25
2,409	1,410	959	28	12	3,819	2,481	1,084	173	81	1,753	1,190	537	16	10	1,370	514	210	456	190	26
31	28	1	2	-	47	44	1	1	1	37	31	6	-	-	23	10	1	12	-	27
544	398	133	10	3	1,692	1,190	395	82	25	587	450	129	6	2	519	251	71	160	37	28
532	389	130	10	3	1,665	1,172	387	81	25	561	431	122	6	2	499	244	67	153	35	29
8	6	2	-	-	90	62	24	3	1	43	33	10	-	-	22	14	2	4	2	30
212	149	59	3	1	388	297	70	27	4	134	110	20	2	2	85	27	7	38	15	31
107	76	27	3	1	705	466	197	30	12	202	142	59	1	-	208	112	43	50	3	32
112	90	21	1	-	383	286	72	18	7	151	124	24	3	-	145	74	9	50	12	33
93	68	21	3	1	89	61	24	3	1	31	22	9	-	-	39	17	6	13	3	34
12	9	3	-	-	27	18	8	1	-	26	19	7	-	-	20	7	4	7	2	35
10	6	4	-	-	20	14	5	1	-	9	5	4	-	-	15	3	-	12	-	36
19	17	1	1	-	70	59	5	4	2	40	38	2	1	1	31	17	2	12	-	37
15	13	2	-	-	47	43	4	-	-	37	31	6	-	-	5	5	-	-	-	38
58	27	31	1	-	58	33	12	10	3	23	14	9	-	-	34	7	2	14	11	39
93	58	34	1	-	69	44	19	4	2	27	22	5	-	-	6	3	1	1	1	40
1,081	460	613	5	3	890	418	440	16	16	513	258	254	-	1	136	43	63	14	16	41
329	181	145	2	1	288	178	97	8	5	183	123	60	-	-	45	15	16	7	7	42
201	65	133	2	1	144	66	74	2	2	162	65	96	-	1	25	5	17	2	1	43
551	214	335	1	1	458	174	269	6	9	168	70	98	-	-	66	23	30	5	8	44
13	13	-	-	-	61	59	1	1	-	18	18	-	-	-	33	15	1	16	1	45
18	17	-	1	-	70	64	5	1	-	53	50	3	-	-	32	20	-	11	1	46
9	9	-	-	-	27	25	1	1	-	13	11	2	-	-	22	18	1	3	-	47
94	61	30	2	1	255	141	78	19	17	109	52	48	4	5	184	31	34	53	66	48
37	22	14	1	-	36	18	11	4	3	10	6	4	-	-	25	2	6	9	8	49
20	17	3	-	-	48	43	4	-	1	30	27	2	1	-	57	25	2	24	6	50
34	23	9	-	2	43	26	14	1	2	20	12	8	-	-	18	1	4	6	7	51
120	104	16	-	-	156	121	21	12	2	101	84	16	1	-	113	36	5	61	11	52
-	-	-	-	-	4	4	-	-	-	1	1	-	-	-	2	-	-	2	-	53
44	22	22	-	-	14	8	5	-	1	8	5	2	1	-	15	6	4	-	5	54
168	115	46	4	3	212	127	63	16	6	117	77	37	2	1	100	21	13	46	20	55
447	307	133	7	-	700	536	143	16	5	349	288	59	2	-	126	80	22	22	2	56
174	104	70	-	-	155	106	45	1	3	59	34	25	-	-	13	7	5	1	-	57
120	90	26	4	-	165	123	41	-	1	88	76	12	-	-	8	5	1	2	-	58
79	70	8	1	-	292	252	29	11	-	153	142	9	2	-	91	61	13	15	2	59
74	43	29	2	-	88	55	28	4	1	49	36	13	-	-	14	7	3	4	-	60
59	35	18	6	-	246	74	39	98	35	37	23	8	4	2	301	40	3	200	58	61
17	13	2	2	-	113	40	24	37	12	11	7	2	1	1	182	27	2	118	35	62
9	3	3	3	-	65	11	1	41	12	9	4	2	2	1	79	3	-	58	18	63
31	17	13	1	-	63	20	14	18	11	15	10	4	1	-	28	10	1	12	5	64
2	2	-	-	-	5	3	-	2	-	2	2	-	-	-	8	-	-	8	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	66
1	1	-	-	-	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	67

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	43,710	22,288	16,961	2,492	1,969	5,822	3,578	2,000	137	107
2	I. Infective and parasitic diseases	1,438	781	342	208	107	176	99	38	20	19
3	Tuberculosis, all forms-001-019	907	525	204	115	63	111	58	22	17	14
4	Tuberculosis of respiratory system-001-008	852	492	188	111	61	93	52	17	13	11
5	Tuberculosis of meninges and central nervous system-010	25	13	9	1	2	7	-	1	3	3
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	2	2	-	-	-	2	1	1	-	-
7	Tuberculosis of vertebral column-012.0,013.0	3	1	1	1	-	1	1	-	-	-
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system-016	6	4	1	1	-	2	1	1	-	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	1	1	-	-	-	2	1	1	-	-
11	Disseminated tuberculosis-019	18	12	5	1	-	4	2	1	1	-
12	Syphilis and its sequelae-020-029	275	136	37	76	26	31	22	6	1	2
13	Congenital syphilis-020	7	1	1	4	1	5	1	1	1	2
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	74	45	11	11	7	14	12	2	-	-
16	Other cardiovascular syphilis-023	87	40	13	25	9	4	4	-	-	-
17	Tabes dorsalis-024	8	6	-	1	1	-	-	-	-	-
18	General paralysis of insane-025	54	21	6	23	4	3	1	2	-	-
19	Other syphilis of central nervous system-026	31	15	4	9	3	2	1	1	-	-
20	Other syphilis-027-029	14	8	2	3	1	3	3	-	-	-
21	Gonococcal infection-030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever-040	3	1	1	1	-	-	-	-	-	-
23	Paratyphoid fever-041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections-042	-	-	-	-	-	-	-	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	3	3	-	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	10	3	7	-	-	2	2	-	-	-
28	Scarlet fever-050	-	-	-	-	-	-	-	-	-	-
29	Streptococcal sore throat-051	12	6	6	-	-	4	1	3	-	-
30	Erysipelas-052	3	3	-	-	-	1	-	1	-	-
31	Septicemia and pyemia-053	21	10	7	2	2	5	4	1	-	-
32	Diphtheria-055	8	2	5	-	1	2	2	-	-	-
33	Whooping cough-056	55	25	18	7	5	10	5	-	2	3
34	Meningococcal infections-057	19	8	9	1	1	2	-	2	-	-
35	Plague-058	-	-	-	-	-	-	-	-	-	-
36	Tularemia-059	-	-	-	-	-	-	-	-	-	-
37	Leprosy-060	-	-	-	-	-	-	-	-	-	-
38	Tetanus-061	8	5	2	-	1	-	-	-	-	-
39	Anthrax-062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis-080	30	17	10	2	1	3	1	2	-	-
41	Late effects of acute poliomyelitis-081	3	2	1	-	-	-	-	-	-	-
42	Acute infectious encephalitis-082	7	3	4	-	-	1	1	-	-	-
43	Late effects of acute infectious encephalitis-083	5	1	4	-	-	-	-	-	-	-
44	Smallpox-084	-	-	-	-	-	-	-	-	-	-
45	Measles-085	13	4	8	-	1	-	-	-	-	-
46	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis-092	12	1	6	1	4	1	1	-	-	-
48	Rabies-094	1	1	-	-	-	-	-	-	-	-
49	Tick-borne typhus-104	1	1	-	-	-	1	1	-	-	-
50	Rocky Mountain spotted fever-104A	1	1	-	-	-	1	1	-	-	-
51	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
52	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
53	Malaria-110-117	1	1	-	-	-	-	-	-	-	-
54	Schistosomiasis-123	-	-	-	-	-	-	-	-	-	-
55	Hydatid disease-125	1	1	-	-	-	-	-	-	-	-
56	Filariasis-127	-	-	-	-	-	-	-	-	-	-
57	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
58	Other diseases due to helminths-124,126,128,130	-	-	-	-	-	-	-	-	-	-
59	All other infective and parasitic diseases-Residual	40	22	13	3	2	2	1	1	-	-
60	II. Neoplasms	6,485	2,994	2,981	247	263	764	417	332	9	6
61	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	6,318	2,938	2,895	243	242	736	408	314	9	5
62	Malignant neoplasm of buccal cavity and pharynx-140-148	178	138	28	11	1	14	10	4	-	-
63	Of lip-140	12	8	4	-	-	1	1	-	-	-
64	Of tongue-141	40	33	4	3	-	4	3	1	-	-
65	Of other and unspecified parts of buccal cavity-142-144	55	38	13	3	1	3	2	1	-	-
66	Of pharynx-145-148	71	59	7	5	-	6	4	2	-	-
67	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	2,451	1,232	1,034	109	76	282	161	113	6	2
68	Of esophagus-150	105	70	16	16	3	12	9	3	-	-
69	Of stomach-151	680	392	237	36	15	93	65	22	4	2
70	Of intestine, except rectum-152,153	710	292	383	16	19	75	30	45	-	-
71	Of rectum-154	290	161	102	13	14	34	27	7	-	-
72	Of biliary passages and of liver (stated to be primary site)-155	161	67	88	1	5	16	6	9	1	-
73	Of liver not specified whether primary or secondary-156A	208	90	101	11	6	16	7	9	-	-
74	Of pancreas-157	260	147	86	15	12	32	17	14	1	-
75	Of peritoneum and of unspecified digestive organs-158,159	37	13	21	1	2	4	-	4	-	-
76	Malignant neoplasm of respiratory system-160-164	583	425	113	39	6	82	66	13	1	2
77	Of larynx-161	51	43	6	2	-	2	2	-	-	-
78	Of trachea, and of bronchus and lung specified as primary-162	219	171	29	15	4	30	26	3	1	-
79	Of lung and bronchus, unspecified as primary or secondary-163	287	196	69	20	2	46	34	10	-	2
80	Of other parts of respiratory system-160,164	26	15	9	2	-	4	4	-	-	-
81	Malignant neoplasm of breast-170	570	5	523	-	42	53	1	52	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,617	7,160	5,132	173	132	1,588	1,027	441	65	55	6,076	3,353	2,708	7	8	49,100	24,924	20,505	2,024	1,647	1
239	143	73	12	11	60	46	6	2	6	114	80	33	1	-	1,581	861	351	248	121	2
111	65	32	7	7	34	29	-	1	4	61	47	14	-	-	1,171	648	234	193	96	3
104	63	29	7	5	30	28	-	1	1	54	43	11	-	-	1,079	625	207	165	82	4
3	-	2	-	1	2	-	-	-	2	2	2	-	-	-	34	9	10	11	4	5
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	8	2	3	2	1	6
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	11	5	4	2	-	9
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	10
1	-	-	-	1	-	-	-	-	-	4	2	2	-	-	33	4	8	12	9	11
36	22	9	3	2	15	12	1	-	2	31	18	12	1	-	176	91	31	41	13	12
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
6	5	1	-	-	7	6	1	-	-	10	7	3	-	-	47	25	10	10	2	15
11	6	3	2	-	3	2	-	-	1	9	5	3	1	-	53	27	10	11	5	16
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	6	6	-	-	-	17
9	5	2	1	1	2	1	-	-	1	6	3	3	-	-	34	16	6	8	4	18
8	4	3	-	1	1	1	-	-	-	4	2	2	-	-	27	13	5	9	2	19
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	8	4	1	3	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	2	4	21
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	26
2	2	-	-	-	1	-	-	1	-	-	-	-	-	-	3	3	-	-	-	27
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	28
4	3	1	-	-	1	-	1	-	-	2	2	-	-	-	12	6	4	2	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	30
7	3	4	-	-	2	2	-	-	-	2	1	1	-	-	10	3	7	-	-	31
3	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	32
6	4	2	-	-	-	-	-	-	-	2	1	1	-	-	4	-	2	2	-	33
11	6	4	1	-	-	-	-	-	-	4	3	1	-	-	17	8	7	2	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
19	15	4	-	-	1	-	1	-	-	1	-	1	-	-	68	36	28	-	3	40
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	5	4	1	-	-	41
8	5	3	-	-	2	1	1	-	-	2	2	-	-	-	10	5	5	-	-	42
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	43
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	44
12	2	7	1	2	-	-	-	-	-	-	-	-	-	-	25	22	3	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
5	3	2	-	-	2	-	2	-	-	-	-	-	-	-	26	11	12	2	1	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
7	4	3	-	-	1	1	-	-	-	7	5	2	-	-	33	14	12	3	4	59
2,080	1,058	977	25	20	206	116	83	6	1	983	485	495	-	3	8,701	4,238	3,978	225	260	60
2,053	1,040	948	25	20	200	115	78	6	1	954	476	475	-	3	8,516	4,168	3,883	220	245	61
41	30	6	4	1	1	-	1	-	-	15	13	2	-	-	215	167	34	12	2	62
4	4	-	-	-	-	-	-	-	-	1	1	-	-	-	15	15	-	-	-	63
9	6	-	2	1	-	-	-	-	-	1	1	-	-	-	67	54	7	6	-	64
14	12	2	-	-	-	-	-	-	-	5	4	1	-	-	54	39	13	2	-	65
14	6	4	2	-	1	-	1	-	-	8	7	1	-	-	78	59	14	4	2	66
860	473	371	11	5	68	47	18	3	-	428	220	207	-	1	3,463	1,763	1,520	99	81	67
27	22	2	3	-	2	1	1	-	-	22	19	3	-	-	197	140	41	14	2	68
278	171	103	4	-	28	22	4	2	-	105	66	38	-	1	972	548	366	30	28	69
256	121	134	-	1	14	9	5	-	-	142	53	89	-	-	1,048	422	576	26	24	70
93	55	37	-	1	8	6	2	-	-	62	37	25	-	-	469	272	196	11	11	71
45	13	30	1	1	2	1	1	-	-	26	9	17	-	-	178	73	101	2	2	72
37	18	19	-	-	3	2	1	-	-	26	12	14	-	-	164	74	78	8	4	73
109	64	40	3	2	10	5	4	1	-	43	22	21	-	-	338	192	132	5	9	74
15	9	6	-	-	1	1	-	-	-	2	2	-	-	-	77	42	31	3	1	75
157	113	39	3	2	30	23	6	1	-	74	67	7	-	-	1,017	811	161	36	9	76
14	12	2	-	-	5	3	1	1	-	7	7	-	-	-	108	94	10	3	1	77
57	43	12	2	-	7	7	-	-	-	21	19	2	-	-	329	276	40	11	2	78
75	49	23	1	2	16	12	4	-	-	42	38	4	-	-	543	416	102	19	6	79
11	9	2	-	-	2	1	1	-	-	4	3	1	-	-	37	25	9	3	-	80
196	4	191	-	1	10	-	10	-	-	83	1	82	-	-	819	10	776	-	33	81

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,070	378	579	35	78	118	47	70	-	1
2	Of cervix uteri----------171	247	...	201	...	46	17	...	17	...	-
3	Of other and unspecified parts of uterus----------172-174	244	...	225	...	19	21	...	20	...	1
4	Of ovary, fallopian tube, and broad ligament----------175	146	...	137	...	9	30	...	30	...	-
5	Of other and unspecified female genital organs----------176	20	...	16	...	4	3	...	3	...	-
6	Of prostate----------177	387	354	...	33	...	44	44	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	26	24	...	2	...	3	3	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	291	161	108	12	10	41	30	11	-	-
9	Of kidney----------180	105	50	49	4	2	14	7	7	-	-
10	Of bladder and other urinary organs----------181	186	111	59	8	8	27	23	4	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,155,190-199	693	343	316	21	13	77	51	25	1	-
12	Of skin----------190,191	134	80	51	1	2	10	7	3	-	-
13	Of eye----------192	12	7	3	1	1	4	3	1	-	-
14	Of brain and other parts of nervous system----------193	102	60	38	3	1	18	10	7	1	-
15	Of thyroid gland----------194	27	6	17	1	3	2	1	1	-	-
16	Of bone (including jaw bone)----------196	65	38	23	3	1	6	5	1	-	-
17	Of connective tissue----------197	16	7	6	2	1	-	-	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	107	53	50	4	-	15	13	2	-	-
19	Of unspecified sites----------156B,165,198B,199B-H	230	92	128	6	4	22	12	10	-	-
20	Leukemia and aleukemia----------204	270	137	116	9	8	43	25	17	1	-
21	Lymphosarcoma, etc.*----------200-203,205	212	119	78	7	8	26	17	9	-	-
22	Lymphosarcoma and reticulosarcoma----------200	117	68	42	3	4	14	10	4	-	-
23	Hodgkin's disease----------201	58	37	16	3	2	9	5	4	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	37	14	20	1	2	3	2	1	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	167	56	86	4	21	28	9	18	-	1
26	Benign neoplasms of female genital organs----------214-217	36	...	27	...	9	3	...	3	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	18	10	6	1	1	1	-	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	19	7	10	1	1	9	4	4	-	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	2	...	2	...	-	1	...	1	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	63	30	29	1	3	9	3	6	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	29	9	12	1	7	5	2	3	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,008	388	524	51	45	118	53	63	1	1
33	Asthma----------241	138	93	36	5	4	28	17	11	-	-
34	Nontoxic goiter----------250,251	3	1	1	-	1	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	44	3	37	1	3	7	1	6	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	7	1	6	-	-	-	-	-	-	-
37	Diabetes mellitus----------260	730	251	412	32	35	68	28	38	1	1
38	Diseases of thymus gland----------275	35	18	8	9	-	6	4	2	-	-
39	Diseases of adrenal glands----------274	12	4	7	1	-	1	-	1	-	-
40	Pellagra----------281	1	-	1	-	-	1	-	1	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	24	11	10	1	2	5	1	4	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual	14	6	6	2	-	2	2	-	-	-
43	IV. Diseases of the blood and blood-forming organs----------	197	83	98	6	10	32	14	18	-	-
44	Anemias----------290-293	157	67	76	5	9	22	11	11	-	-
45	Pernicious and other hyperchromic anemias----------290	105	44	58	1	2	13	5	8	-	-
46	Anemias of other and unspecified type----------291-293	52	23	18	4	7	9	6	3	-	-
47	Purpura and other hemorrhagic conditions----------296	14	6	7	-	1	5	1	4	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	26	10	15	1	-	5	2	3	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	136	62	55	16	3	43	39	3	1	-
50	Senile psychosis----------304	40	15	22	3	-	21	20	1	-	-
51	Alcoholic psychosis----------307	7	5	-	1	1	1	1	-	-	-
52	Other psychoses----------300-303,305,306,308,309	26	9	15	1	1	1	1	-	-	-
53	Alcoholism----------322	55	29	15	10	1	20	17	2	1	-
54	Mental deficiency----------325	6	4	2	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	2	-	1	1	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	5,531	2,515	2,484	265	267	646	324	308	10	4
57	Vascular lesions affecting central nervous system----------330-334	5,161	2,338	2,337	234	252	594	296	287	9	2
58	Subarachnoid hemorrhage----------330	55	18	21	9	7	12	4	8	-	-
59	Cerebral hemorrhage----------331	3,355	1,500	1,587	128	140	431	214	206	9	2
60	Cerebral embolism and thrombosis----------332	737	364	315	43	35	73	40	33	-	-
61	Other vascular lesions affecting central nervous system--------333,334	994	456	414	54	70	76	38	40	-	-
62	Meningitis, except meningococcal and tuberculous----------340	52	21	21	7	3	5	2	2	-	1
63	Multiple sclerosis----------345	31	8	21	1	1	9	3	6	-	-
64	Paralysis agitans----------350	49	31	17	-	1	8	7	1	-	-
65	Cerebral spastic infantile paralysis----------351	20	14	5	-	1	3	2	1	-	-
66	Epilepsy----------353	56	27	18	9	2	6	4	2	-	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	2	1	1	-	-	1	1	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------381-383	13	6	6	1	-	3	1	1	-	1
71	Other diseases of nervous system and sense organs----------Residual	147	69	58	13	7	17	8	8	1	-
72	VII. Diseases of the circulatory system----------	17,500	9,404	6,575	817	704	2,114	1,381	698	23	14
73	Rheumatic fever----------400-402	43	21	18	1	3	8	7	1	-	-
74	Diseases of heart----------410-443	15,895	8,627	5,921	752	615	1,902	1,255	611	22	14
75	Chronic rheumatic heart disease----------410-416	848	304	277	37	30	86	45	37	2	2
76	Diseases of mitral valve----------410	375	175	153	22	25	41	17	20	2	2
77	Diseases of aortic valve specified as rheumatic----------411	18	14	4	-	-	1	1	-	-	-
78	Diseases of tricuspid valve----------412	2	1	1	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	28	13	13	2	-	13	9	4	-	-
80	Other diseases of heart specified as rheumatic----------415,416	225	101	106	13	5	31	18	13	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
342	162	171	3	6	35	14	21	-	-	166	65	100	-	1	1,197	373	724	26	74	1
55	...	52	...	3	4	...	4	...	-	34	...	34	...	-	226	...	194	...	32	2
68	...	66	...	2	6	...	6	...	-	21	...	20	...	1	302	...	273	...	29	3
49	...	48	...	1	10	...	10	...	-	38	...	38	...	-	239	...	228	...	11	4
5	...	5	...	-	1	...	1	...	-	8	...	8	...	-	51	...	29	...	2	5
153	151	...	2	...	9	9	...	-	...	61	61	...	-	...	363	341	...	22	...	6
12	11	...	1	...	5	5	...	-	...	4	4	...	-	...	36	32	...	4	...	7
73	44	27	-	2	11	8	3	-	-	37	29	8	-	-	488	331	139	12	6	8
30	15	15	-	-	5	3	2	-	-	18	15	3	-	-	142	84	51	5	2	9
43	29	12	-	2	6	5	1	-	-	19	14	5	-	-	346	247	88	7	4	10
190	113	75	1	1	27	13	11	2	1	75	36	38	-	1	726	380	299	23	24	11
37	23	14	-	-	5	4	1	-	-	13	8	5	-	-	114	65	45	1	3	12
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	11	7	3	1	-	13
48	33	15	-	-	4	3	1	-	-	10	6	4	-	-	167	100	59	4	4	14
5	3	1	1	-	1	1	-	-	-	2	-	2	-	-	41	15	26	-	-	15
22	18	4	-	-	1	1	-	-	-	5	4	1	-	-	82	45	31	3	3	16
4	4	-	-	-	-	-	-	-	-	2	-	2	-	-	18	8	8	1	1	17
31	16	15	-	-	4	-	3	1	-	6	3	3	-	-	109	56	44	6	3	18
43	16	26	-	1	12	4	6	1	1	35	14	20	-	1	184	84	83	7	10	19
103	55	44	2	2	12	6	6	-	-	36	23	13	-	-	311	174	121	7	9	20
71	46	24	1	-	6	4	2	-	-	40	22	18	-	-	280	159	109	5	7	21
22	10	12	-	-	3	2	1	-	-	10	4	6	-	-	127	71	52	-	4	22
26	17	8	1	-	3	2	1	-	-	15	9	6	-	-	93	59	31	2	1	23
23	19	4	-	-	-	-	-	-	-	15	9	6	-	-	60	29	26	3	2	24
47	18	29	-	-	6	1	5	-	-	29	9	20	-	-	185	70	95	5	15	25
12	...	12	...	-	1	...	1	...	-	6	...	6	...	-	47	...	39	...	8	26
11	6	5	-	-	-	-	-	-	-	2	1	1	-	-	22	10	10	-	2	27
10	8	4	-	-	-	-	-	-	-	3	2	1	-	-	33	14	15	1	3	28
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	29
8	3	5	-	-	3	-	3	-	-	12	5	7	-	-	52	31	18	2	1	30
6	3	3	-	-	2	1	1	-	-	5	1	4	-	-	31	15	13	2	1	31
338	143	188	5	2	24	16	7	-	1	138	63	75	-	-	1,184	411	672	30	71	32
43	29	12	2	-	4	3	1	-	-	12	7	5	-	-	113	64	40	7	2	33
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5	1	4	-	-	34
15	3	9	1	-	1	-	-	-	1	5	-	5	-	-	37	-	30	-	7	35
1	-	1	-	-	-	-	-	-	-	3	1	2	-	-	3	1	2	-	-	36
258	98	156	2	2	17	11	6	-	-	107	50	57	-	-	952	309	567	19	57	37
6	3	3	-	-	2	2	-	-	-	1	1	-	-	-	27	12	8	4	3	38
7	4	3	-	-	-	-	-	-	-	3	-	3	-	-	12	5	7	-	-	39
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	40
5	4	1	-	-	-	-	-	-	-	5	2	3	-	-	14	9	3	-	2	41
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	20	10	10	-	-	42
74	33	37	3	1	6	4	2	-	-	20	5	15	-	-	148	52	84	5	7	43
55	23	29	2	1	4	2	2	-	-	16	5	11	-	-	99	38	52	4	5	44
30	12	18	-	-	3	2	1	-	-	9	1	8	-	-	45	17	26	-	2	45
25	11	11	2	1	1	-	1	-	-	7	4	3	-	-	54	21	26	4	3	46
6	3	3	-	-	1	1	-	-	-	2	-	2	-	-	19	2	15	-	2	47
13	7	5	1	-	1	1	-	-	-	2	-	2	-	-	30	12	17	1	-	48
44	25	17	2	-	13	10	2	1	-	26	19	7	-	-	148	85	47	8	8	49
14	7	7	-	-	-	-	-	-	-	3	1	2	-	-	34	13	20	-	1	50
4	3	-	1	-	1	1	-	-	-	3	3	-	-	-	17	14	1	1	1	51
11	4	6	1	-	1	-	1	-	-	4	2	2	-	-	27	10	13	1	3	52
13	11	2	-	-	10	9	-	1	-	11	11	-	-	-	49	38	5	5	1	53
2	-	2	-	-	-	-	-	-	-	3	2	1	-	-	16	8	6	-	2	54
-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	5	2	2	1	-	55
1,672	864	771	19	18	140	83	48	5	4	740	361	379	-	-	5,134	2,157	2,627	164	186	56
1,538	792	710	18	18	129	74	46	5	4	694	333	361	-	-	4,754	1,960	2,486	154	174	57
14	11	3	-	-	2	2	-	-	-	5	1	4	-	-	110	40	57	7	6	58
1,037	513	498	13	13	86	45	34	4	3	485	231	254	-	-	3,027	1,188	1,598	109	120	59
265	138	99	4	4	24	15	8	1	-	146	72	74	-	-	980	464	471	20	25	60
242	130	110	1	1	17	12	4	-	1	58	29	29	-	-	637	257	339	18	23	61
10	5	5	-	-	2	1	1	-	-	4	3	1	-	-	45	22	18	3	2	62
20	9	11	-	-	1	1	-	-	-	6	2	4	-	-	42	25	16	-	1	63
24	13	11	-	-	-	-	-	-	-	7	5	2	-	-	81	44	34	2	1	64
6	3	3	-	-	1	-	1	-	-	2	1	1	-	-	8	3	5	-	-	65
23	14	9	-	-	2	2	-	-	-	12	8	4	-	-	52	24	25	2	1	66
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	69
2	-	2	-	-	1	1	-	-	-	2	1	1	-	-	16	7	7	-	2	70
48	28	19	1	-	4	4	-	-	-	13	8	5	-	-	134	71	55	3	5	71
4,877	2,032	1,859	48	38	576	395	156	8	17	2,604	1,604	1,197	1	2	22,419	11,820	9,355	678	566	72
19	10	9	-	-	4	3	1	-	-	11	7	4	-	-	39	23	14	1	1	73
4,423	2,693	1,648	46	36	522	361	140	6	15	2,533	1,460	1,069	1	1	20,697	11,004	8,551	614	518	74
181	102	72	4	3	18	10	8	-	-	105	55	50	-	-	764	316	399	24	25	75
109	61	43	3	2	7	3	4	-	-	43	20	23	-	-	250	117	120	6	7	76
6	3	2	1	-	-	-	-	-	-	3	2	1	-	-	34	23	9	2	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
12	5	7	-	-	2	-	2	-	-	5	3	2	-	-	50	19	27	-	4	79
54	33	20	-	1	9	7	2	-	-	54	30	24	-	-	430	157	243	18	14	80

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	8,505	5,253	2,813	258	181	1,135	824	300	7	4
2	Arteriosclerotic heart disease so described----420.0	2,218	1,182	887	75	64	200	119	78	2	1
3	Heart disease specified as involving coronary arteries----420.1	6,175	3,988	1,894	179	114	926	698	220	5	3
4	Angina pectoris without mention of coronary disease----420.2	112	73	32	4	3	9	7	2	-	-
5	Chronic endocarditis not specified as rheumatic----421	443	229	164	30	20	53	31	21	1	-
6	Of mitral valve, specified as nonrheumatic----421.0	22	14	6	-	-	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----421.1	86	53	20	10	3	10	6	2	-	-
8	Of other valves, not specified as rheumatic----421.2-421.4	335	162	136	20	17	43	23	19	1	-
9	Other myocardial degeneration----422	2,904	1,388	1,340	94	82	278	155	117	3	3
10	With arteriosclerosis----422.1	1,140	541	545	39	15	103	53	39	1	-
11	Without mention of arteriosclerosis----422.0,422.2	1,764	847	795	55	67	175	92	78	2	3
12	Other diseases of heart----430-434	790	435	249	59	47	169	116	47	5	1
13	Acute and subacute endocarditis----430	48	31	16	-	1	3	2	1	-	-
14	Acute myocarditis not specified as rheumatic----431	175	78	58	15	24	22	18	4	-	-
15	Acute pericarditis specified as nonrheumatic----432	2	1	1	-	-	1	1	-	-	-
16	Functional disease of heart----433	90	48	41	1	2	9	4	5	-	-
17	Other and unspecified diseases of heart----434	475	279	133	43	20	134	91	37	5	1
18	Hypertension with heart disease----440-443	2,605	1,018	1,078	254	255	181	64	89	4	4
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	829	407	333	45	44	77	41	30	3	3
20	Essential hypertension with heart disease, etc.*----440,441,443	1,776	611	745	209	211	104	43	59	1	1
21	Hypertension without mention of heart----444-447	433	191	155	43	44	48	25	23	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	200	105	54	24	17	18	11	7	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	233	86	101	19	27	30	14	16	-	-
24	Diseases of arteries----450-456	1,009	501	441	31	36	142	85	56	1	-
25	General arteriosclerosis----450	881	424	409	21	27	122	70	51	1	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	59	36	11	5	7	8	7	1	-	-
27	Gangrene of unspecified cause----455	15	6	7	2	-	1	1	-	-	-
28	Other arterial diseases----452-454,456	54	35	14	3	2	11	7	4	-	-
29	Diseases of veins and other diseases of circulatory system----460-468	120	64	40	10	6	14	9	5		-
30	VIII. Diseases of the respiratory system----	2,117	1,015	805	150	147	293	181	67	21	24
31	Acute upper respiratory infections----470-475	13	5	6	1	1	6	4	1	1	-
32	Influenza----480-483	252	112	123	7	10	30	16	8	4	2
33	Pneumonia, except pneumonia of newborn----490-493	1,466	687	552	113	114	172	91	47	13	21
34	Lobar pneumonia----490	634	290	222	84	58	86	41	15	3	7
35	Bronchopneumonia----491	536	279	221	40	46	52	20	18	5	9
36	Primary atypical pneumonia----492	148	70	72	1	5	19	12	5	1	1
37	Pneumonia, other and unspecified----493	98	48	37	8	5	35	18	9	4	4
38	Acute bronchitis----500	21	13	4	-	4	4	4	-	-	-
39	Bronchitis, chronic and unqualified----501,502	75	42	29	1	3	5	4	1	-	-
40	Hypertrophy of tonsils and adenoids----510	10	5	5	-	-	-	-	-	-	-
41	Empyema and abscess of lung----518,521	40	23	6	7	4	1	1	-	-	-
42	Pleurisy----519	4	1	-	1	2	1	1	-	-	-
43	All other respiratory diseases----Residual	236	127	80	20	9	74	60	10	3	1
44	IX. Diseases of the digestive system----	1,548	836	563	84	65	221	134	72	5	10
45	Diseases of teeth and supporting structures----530-535	7	3	4	-	-	-	-	-	-	-
46	Ulcer of stomach----540	146	109	24	9	4	18	15	2	-	1
47	Ulcer of duodenum----541	90	64	15	9	2	18	16	2	-	-
48	Gastritis and duodenitis----543	10	6	1	2	1	2	1	1	-	-
49	Appendicitis----550-553	84	60	18	3	3	13	7	6	-	-
50	Hernia and intestinal obstruction----560,561,570	300	137	129	21	13	43	25	15	1	2
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	151	70	60	9	12	24	12	7	3	2
52	Cirrhosis of liver----581	370	214	126	12	18	45	29	14	1	1
53	Without mention of alcoholism----581.0	302	168	110	10	14	37	24	11	1	1
54	With alcoholism----581.1	68	46	16	2	4	8	5	3	-	-
55	Cholelithiasis and cholecystitis----584,585	166	60	101	2	3	30	15	13	-	2
56	Other diseases of digestive system----Residual	224	113	85	17	9	28	14	12	-	2
57	X. Diseases of the genito-urinary system----	1,693	880	593	128	92	148	102	40	4	2
58	Nephritis and nephrosis----590-594	1,203	569	499	72	63	88	54	31	2	1
59	Acute nephritis----590	68	40	20	5	3	10	8	1	-	1
60	Nephritis with edema, including nephrosis----591	65	25	31	6	4	7	6	1	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,069	504	448	61	56	71	40	29	2	-
62	Infections of kidney----600	123	43	45	17	18	12	6	4	1	1
63	Calculi of urinary system----602,604	23	12	10	-	1	3	3	-	-	-
64	Other diseases of urinary system----601,603,605-609	44	23	11	5	5	5	4	1	-	-
65	Hyperplasia of prostate----610	219	192	...	27	...	33	32	...	1	...
66	Other diseases of male genital organs----611-617	48	41	...	7	...	3	3	...	-	...
67	Diseases of breast----620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	33	...	28	...	5	4	...	4	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	67	...	53	...	14	18	...	16	...	2
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	12	...	10	...	2	2	...	2	...	-
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	21	...	17	...	4	6	...	6	...	-
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	14	...	10	...	4	-	...	-	...	-
73	Ectopic pregnancy----645	4	...	4	...	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----650	2	...	2	...	-	3	...	2	...	1
75	Abortion with sepsis----651	4	...	3	...	1	2	...	2	...	-
76	Abortion with toxemia, without mention of sepsis----652	1	...	1	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium----Residual	9	...	6	...	3	5	...	4	...	1

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,399	1,637	735	18	9	358	262	86	2	8	1,685	1,059	625	-	1	12,468	7,408	4,575	287	198	1
378	224	146	5	3	106	70	33	-	3	652	358	293	-	1	4,772	2,369	2,198	104	101	2
1,996	1,394	583	13	6	249	189	53	2	5	1,023	695	328	-	-	7,662	5,021	2,361	183	97	3
25	19	6	-	-	3	3	-	-	-	10	6	4	-	-	32	16	16	-	-	4
107	63	41	2	1	9	4	4	1	-	52	30	22	-	-	275	115	140	13	7	5
2	-	2	-	-	-	-	-	-	-	3	1	2	-	-	6	3	2	-	1	6
15	13	1	1	-	2	2	-	-	-	11	8	3	-	-	57	27	20	7	3	7
90	50	38	1	1	7	2	4	1	-	38	21	17	-	-	212	85	118	6	3	8
788	418	362	10	8	53	30	18	2	3	255	118	137	-	-	3,789	1,819	1,739	121	110	9
263	138	125	-	-	24	13	9	1	1	151	70	81	-	-	1,803	787	894	59	63	10
535	280	237	10	8	29	17	9	1	2	104	48	56	-	-	1,986	1,032	845	62	47	11
301	168	124	3	6	40	32	7	-	1	105	60	45	-	-	532	274	214	23	21	12
8	4	4	-	-	1	1	-	-	-	6	3	3	-	-	45	26	17	-	2	13
28	15	12	-	1	5	5	-	-	-	6	1	5	-	-	106	45	50	4	7	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	15
40	19	21	-	-	9	6	3	-	-	11	4	7	-	-	76	32	39	2	3	16
225	130	87	3	5	25	20	4	-	1	82	52	30	-	-	304	170	108	17	9	17
637	305	314	9	9	44	23	17	1	3	329	138	190	1	-	2,861	1,074	1,484	146	157	18
255	139	116	7	3	16	9	5	-	2	64	38	26	-	-	914	353	459	51	51	19
372	166	198	2	6	28	14	12	1	1	265	100	164	1	-	1,947	721	1,025	95	106	20
86	42	42	1	1	10	6	4	-	-	41	22	19	-	-	400	178	176	24	22	21
30	16	13	1	-	5	5	-	-	-	21	11	10	-	-	224	107	96	14	7	22
56	26	29	-	1	5	1	4	-	-	20	11	9	-	-	176	71	80	10	15	23
312	165	145	1	1	38	21	11	2	2	207	109	97	-	1	1,172	556	558	36	22	24
278	147	129	1	1	26	13	9	2	2	193	103	89	-	1	1,026	456	520	33	17	25
13	10	3	-	-	6	6	-	-	-	7	4	3	-	-	84	63	17	2	2	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	-	-	27
21	8	13	-	-	4	2	2	-	-	7	2	5	-	-	56	35	17	1	3	28
37	22	15	-	-	4	4	-	-	-	14	6	8	-	-	121	59	56	3	3	29
467	250	194	11	12	69	43	18	3	5	179	88	90	1	-	1,526	819	542	96	69	30
5	3	2	-	-	1	-	-	-	1	1	1	-	-	-	8	2	5	-	1	31
66	26	38	-	2	4	3	-	1	-	15	8	7	-	-	79	34	36	2	7	32
300	161	121	9	9	43	25	12	2	4	120	55	64	1	-	1,107	575	403	76	53	33
90	42	42	4	2	12	7	3	-	2	38	17	21	-	-	405	220	131	36	18	34
130	71	52	4	3	18	9	6	1	2	47	17	29	1	-	546	274	212	34	26	35
40	23	15	1	1	7	5	2	-	-	20	11	9	-	-	139	73	55	5	6	36
40	25	12	-	3	6	4	1	1	-	15	10	5	-	-	17	8	5	1	3	37
4	2	2	-	-	1	1	-	-	-	2	1	1	-	-	25	11	9	5	-	38
23	10	13	-	-	2	2	-	-	-	7	3	4	-	-	50	26	24	-	-	39
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	6	1	4	-	1	40
2	2	-	-	-	3	1	2	-	-	2	2	-	-	-	24	17	6	-	1	41
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4	1	-	2	42
62	43	16	2	1	15	11	4	-	-	32	18	14	-	-	220	149	54	13	4	43
466	263	192	9	2	88	40	22	4	2	228	114	113	-	1	1,838	1,026	714	60	38	44
5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	1	45
46	34	11	1	-	8	8	-	-	-	18	14	4	-	-	163	127	32	3	1	46
32	27	4	1	-	3	3	-	-	-	19	12	7	-	-	148	116	29	3	-	47
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	6	4	2	-	-	48
32	20	12	-	-	6	4	2	-	-	14	9	5	-	-	100	60	34	2	4	49
90	50	39	1	-	7	4	3	-	-	48	27	21	-	-	268	120	121	16	11	50
33	18	14	1	-	6	-	2	3	1	23	3	20	-	-	124	57	56	7	4	51
86	51	31	2	2	24	14	8	1	1	41	28	13	-	-	588	363	200	16	9	52
76	43	29	2	2	23	13	8	1	1	35	22	13	-	-	493	296	177	12	8	53
10	8	2	-	-	1	1	-	-	-	6	6	-	-	-	95	67	23	4	1	54
82	31	50	1	-	7	3	4	-	-	28	8	20	-	-	257	83	151	-	3	55
56	28	28	2	-	7	4	3	-	-	34	11	22	-	1	200	95	88	12	5	56
366	253	104	7	2	40	28	11	-	1	142	80	62	-	-	1,208	634	436	73	65	57
221	129	85	5	2	26	16	9	-	1	99	47	52	-	-	814	374	345	45	50	58
15	9	5	1	-	5	4	1	-	-	1	-	1	-	-	54	28	17	5	4	59
11	4	7	-	-	1	1	-	-	-	5	4	1	-	-	54	25	20	3	6	60
195	116	73	4	2	20	11	8	-	1	93	43	50	-	-	706	321	308	37	40	61
29	18	11	-	-	3	2	1	-	-	3	1	2	-	-	90	30	47	7	6	62
9	6	2	1	-	1	-	1	-	-	7	3	4	-	-	36	24	9	1	2	63
12	10	2	-	-	-	-	-	-	-	3	3	-	-	-	36	17	15	3	1	64
82	81	...	1	...	10	10	...	-	...	25	25	...	-	...	185	172	...	13	...	65
9	9	...	-	...	-	-	...	-	...	1	1	...	-	...	21	17	...	4	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
4	...	4	...	-	-	...	-	...	-	4	...	4	...	-	26	...	20	...	6	68
15	...	14	...	1	2	...	1	...	1	9	...	9	...	-	67	...	45	...	22	69
4	...	4	...	-	-	...	-	...	-	-	...	-	...	-	9	...	8	...	1	70
1	...	1	...	-	-	...	-	...	-	3	...	3	...	-	20	...	12	...	8	71
4	...	4	...	-	-	...	-	...	-	1	...	1	...	-	10	...	7	...	3	72
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	7	...	5	...	2	73
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	74
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	5	...	2	...	3	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	76
5	...	4	...	1	1	...	-	...	1	2	...	2	...	-	15	...	10	...	5	77

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	38	19	14	3	2	8	4	3	1	-
2	Infections of skin and subcutaneous tissue-690-698	12	5	4	1	2	1	1	-	-	-
3	Other diseases of skin and subcutaneous tissue-700-716	26	14	10	2	-	7	3	3	1	-
4	XIII. Diseases of the bones and organs of movement	98	31	61	4	2	15	9	5	-	1
5	Arthritis and spondylitis-720-725	83	15	43	3	2	11	5	5	-	1
6	Muscular rheumatism and rheumatism, unspecified-726,727	1	-	1	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis-730	7	6	-	1	-	1	1	-	-	-
8	Ankylosis and acquired musculoskeletal deformities-737,745-749	1	-	1	-	-	1	1	-	-	-
9	All other diseases of musculoskeletal system-731-736,738-744	26	10	16	-	-	2	2	-	-	-
10	XIV. Congenital malformations	450	242	191	9	8	83	52	29	2	-
11	Spina bifida and meningocele-751	37	12	23	1	1	5	2	3	-	-
12	Congenital hydrocephalus, etc.*-752,753	41	24	15	-	2	8	4	4	-	-
13	Congenital malformations of circulatory system-754	226	126	92	4	4	36	26	9	1	-
14	Other congenital malformations-750,755-759	146	80	61	4	1	34	20	13	1	-
15	XV. Certain diseases of early infancy	1,495	735	605	149	106	239	119	101	9	10
16	Birth injuries-760,761	297	160	115	13	9	55	23	27	2	3
17	Postnatal asphyxia and atelectasis-762	298	149	100	26	23	33	20	12	-	1
18	Infections of newborn-763-768	134	52	41	25	16	12	9	-	2	1
19	Hemolytic disease of newborn (erythroblastosis)-770	61	30	31	-	-	17	9	7	-	1
20	All other defined diseases of early infancy-769,771,772	80	38	27	5	10	11	4	5	1	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-773-776	625	306	191	80	48	111	54	50	4	3
22	XVI. Symptoms, senility, and ill-defined conditions	581	330	176	48	27	198	127	52	9	10
23	Senility without mention of psychosis-794	183	88	83	5	7	72	35	29	4	4
24	Symptoms, ill-defined and unknown causes-780-793,795	398	242	93	43	20	126	92	23	5	6
25	XVII. Accidents, poisonings, and violence	3,328	1,973	941	307	107	706	523	157	22	4
26	Accidents-E800-E962	2,621	1,531	815	192	83	562	409	130	19	4
27	Railway accidents-E800-E802	51	42	4	4	1	17	15	1	1	-
28	Motor-vehicle accidents-E810-E835	942	633	214	72	23	191	141	38	9	3
29	Motor-vehicle traffic accidents-E810-E825	920	620	209	68	23	183	134	38	8	3
30	Motor-vehicle traffic accident with railway train*-E810	22	16	5	1	-	5	4	1	-	-
31	Motor-vehicle traffic accident to pedestrian-E812	216	131	48	25	12	27	16	8	3	-
32	Other motor-vehicle traffic accidents, etc.*-E811,E813-E819	339	226	93	14	6	60	45	14	1	-
33	Motor-vehicle noncollision traffic accidents-E820-E824	211	158	32	18	3	79	58	14	4	3
34	Motor-vehicle traffic accident of unspecified nature-E825	132	89	31	10	2	12	11	1	-	-
35	Motor-vehicle nontraffic accidents-E830-E835	22	13	5	4	-	8	7	-	1	-
36	Other road-vehicle accidents-E840-E845	13	11	2	-	-	10	9	-	1	-
37	Water-transport accidents-E850-E858	35	26	7	2	-	7	6	1	-	-
38	Aircraft accidents-E860-E866	22	21	1	-	-	23	18	5	-	-
39	Accidental poisoning by solid and liquid substances-E870-E888	41	16	22	1	2	8	4	2	2	-
40	Accidental poisoning by gases and vapors-E890-E895	27	19	7	1	-	14	12	2	-	-
41	Accidental falls-E900-E904	742	317	385	23	17	96	48	47	-	1
42	Fall from one level to another-E900-E902	212	125	72	13	2	29	22	6	-	1
43	Fall on same level-E903	150	48	96	2	4	36	14	22	-	-
44	Unspecified falls-E904	380	144	217	8	11	31	12	19	-	-
45	Blow from falling object-E910	35	27	1	6	1	18	17	1	-	-
46	Accident caused by machinery-E912	58	51	2	3	-	16	15	-	1	-
47	Accident caused by electric current-E914	22	19	2	1	-	10	10	-	-	-
48	Accident caused by fire and explosion, etc.*-E916	237	104	75	34	24	42	29	12	1	-
49	Accident caused by hot substance, etc.*-E917,E918	30	10	10	4	6	-	-	-	-	-
50	Accident caused by firearm-E919	73	56	11	2	4	27	24	2	1	-
51	Inhalation and ingestion of food or other object, etc.*-E921,E922	24	10	11	3	-	9	5	4	-	-
52	Accidental drowning-E929	109	81	11	16	1	30	26	4	-	-
53	Excessive heat and insolation-E931	1	1	-	-	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-E940-E959	18	6	7	5	-	1	-	1	-	-
55	All other accidents-Residual	143	81	43	15	4	43	30	10	3	-
56	Suicide-E963,E970-E979	473	357	96	14	6	121	98	22	1	-
57	Suicide by poisoning-E970-E973	61	34	24	2	1	18	14	4	-	-
58	Suicide by hanging and strangulation-E974	91	64	27	-	-	9	5	4	-	-
59	Suicide by firearms and explosives-E976	259	223	26	10	-	76	66	9	1	-
60	Suicide by all other means-E963,E975,E977-E979	62	36	19	2	5	18	13	5	-	-
61	Homicide-E964,E980-E985	233	84	30	101	18	23	16	5	2	-
62	Assault by firearms and explosives-E981	128	50	18	51	9	12	7	4	1	-
63	Assault by cutting and piercing instruments-E982	51	7	5	33	6	-	-	-	-	-
64	Assault by other means-E964,E980,E983	41	19	7	12	3	10	9	1	-	-
65	Injury by intervention of police-E984	12	7	-	5	-	1	-	-	1	-
66	Execution-E985	1	1	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war-E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
14	5	7	1	1	-	-	-	-	-	3	-	3	-	-	44	21	18	1	4	1
5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	13	10	2	-	1	2
9	3	5	1	-	-	-	-	-	-	3	-	3	-	-	31	11	16	1	3	3
31	11	20	-	-	4	1	3	-	-	13	7	6	-	-	74	30	42	2	-	4
16	5	11	-	-	4	1	3	-	-	4	-	4	-	-	34	12	22	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	6
2	2	-	-	-	-	-	-	-	-	3	2	1	-	-	8	4	3	1	-	7
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	8
13	4	9	-	-	-	-	-	-	-	5	4	1	-	-	29	12	16	1	-	9
169	102	65	2	-	15	10	2	1	2	68	37	31	-	-	547	264	234	28	21	10
15	8	7	-	-	-	-	-	-	-	9	1	8	-	-	52	23	22	4	3	11
15	8	5	-	-	2	2	-	-	-	4	1	3	-	-	80	41	36	2	1	12
74	47	26	1	-	11	7	1	1	2	39	27	12	-	-	237	113	102	11	11	13
67	39	27	1	-	2	1	1	-	-	16	9	8	-	-	178	87	74	11	6	14
522	294	214	6	8	89	54	26	5	4	174	104	69	-	1	1,578	769	516	184	109	15
98	56	39	3	-	16	8	7	-	1	44	28	16	-	-	319	177	103	29	10	16
105	60	41	-	4	26	19	5	1	1	32	19	13	-	-	427	222	137	44	24	17
29	17	11	-	1	6	2	1	1	2	10	3	7	-	-	81	29	33	10	9	18
28	23	6	-	-	2	2	-	-	-	12	5	6	-	1	89	47	34	6	2	19
19	10	9	-	-	-	-	-	-	-	12	7	5	-	-	59	18	22	10	9	20
242	128	108	3	3	39	23	13	3	-	64	42	22	-	-	603	278	187	85	55	21
179	77	96	2	4	43	33	5	4	1	34	23	11	-	-	137	63	64	4	6	22
118	40	76	1	1	17	11	3	2	1	6	1	5	-	-	65	25	36	2	2	23
61	37	20	1	3	26	22	2	2	-	28	22	6	-	-	72	38	28	2	4	24
1,064	727	304	21	12	233	148	49	26	10	401	283	113	4	1	2,766	1,874	780	216	94	25
860	571	267	11	11	178	116	35	19	8	307	212	92	3	-	2,028	1,196	584	177	71	26
19	16	3	-	-	8	6	1	-	1	4	4	-	-	-	37	29	2	6	-	27
305	224	75	4	2	81	51	17	9	4	96	79	17	-	-	646	442	139	57	8	28
299	219	74	4	2	79	49	17	9	4	90	74	16	-	-	631	431	138	54	8	29
16	12	2	1	1	2	2	-	-	-	3	3	-	-	-	13	11	2	-	-	30
50	38	12	-	-	17	11	1	4	1	24	21	3	-	-	255	167	64	21	3	31
94	60	34	-	-	12	8	3	1	-	14	12	2	-	-	189	132	41	14	2	32
69	58	7	3	1	20	13	5	1	1	40	29	11	-	-	149	110	23	14	2	33
70	51	19	-	-	28	15	8	3	2	9	9	-	-	-	25	11	8	5	1	34
6	5	1	-	-	2	2	-	-	-	6	5	1	-	-	15	11	1	3	-	35
11	10	1	-	-	2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	36
5	4	1	-	-	1	1	-	-	-	13	11	-	2	-	48	43	-	5	-	37
25	21	4	-	-	7	7	-	-	-	2	2	-	-	-	17	17	-	-	-	38
9	6	3	-	-	4	-	1	3	-	5	2	3	-	-	28	15	10	2	3	39
12	7	4	-	1	2	1	1	-	-	3	2	1	-	-	108	55	43	6	4	40
220	100	116	-	4	15	9	6	-	-	87	40	46	1	-	610	297	278	24	11	41
52	30	19	-	3	5	4	1	-	-	36	23	12	1	-	283	183	94	16	10	42
66	25	41	-	-	2	-	2	-	-	24	8	16	-	-	120	54	63	3	-	43
102	45	56	-	1	8	5	3	-	-	27	9	18	-	-	207	80	121	5	1	44
6	4	2	-	-	2	1	1	-	-	4	4	-	-	-	9	6	-	3	-	45
34	31	3	-	-	4	4	-	-	-	7	7	-	-	-	20	16	-	4	-	46
12	11	1	-	-	5	4	1	-	-	3	3	-	-	-	11	11	-	-	-	47
49	27	18	2	2	7	5	-	1	1	32	18	14	-	-	123	40	26	26	31	48
2	-	2	-	-	1	1	-	-	-	4	2	2	-	-	19	11	2	2	4	49
19	16	1	2	-	9	7	1	1	-	9	9	-	-	-	18	14	2	2	-	50
14	8	5	-	1	5	1	3	-	1	4	3	1	-	-	33	15	10	7	1	51
40	29	10	-	1	10	9	-	1	-	16	14	2	-	-	140	102	21	14	3	52
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	3	3	-	-	-	53
6	4	2	-	-	-	-	-	-	-	6	3	3	-	-	19	6	11	1	1	54
71	52	16	3	-	15	7	3	4	1	11	8	3	-	-	137	74	40	18	5	55
164	135	27	2	-	40	27	9	2	2	87	69	17	1	-	616	428	173	8	7	56
24	20	4	-	-	8	5	3	-	-	25	15	10	-	-	246	141	100	2	3	57
42	33	8	1	-	4	2	1	1	-	21	18	2	1	-	163	134	29	-	-	58
78	70	7	1	-	23	17	3	1	2	28	28	-	-	-	124	105	15	3	1	59
20	12	8	-	-	5	3	2	-	-	13	8	5	-	-	83	48	29	3	3	60
39	20	10	8	1	15	5	5	5	-	7	2	4	-	1	120	48	23	33	16	61
20	13	3	3	1	9	4	3	2	-	3	-	3	-	-	38	10	10	11	7	62
7	1	1	5	-	1	-	-	1	-	2	-	1	-	1	28	9	1	14	4	63
12	6	6	-	-	4	1	2	1	-	1	1	-	-	-	49	26	12	6	5	64
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4	3	-	1	-	65
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	66
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	67

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	5,471	2,834	2,003	357	277	156,074*	81,352	65,065	5,189	4,468
2	I. Infective and parasitic diseases	391	163	134	42	52	5,058	2,889	1,042	706	441
3	Tuberculosis, all forms-001-019	250	96	81	33	40	3,759	2,152	700	571	336
4	Tuberculosis of respiratory system-001-008	217	90	66	27	34	3,484	2,061	617	519	287
5	Tuberculosis of meninges and central nervous system-010	15	3	8	3	1	102	30	29	21	22
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	3	1	1	1	-	18	5	8	3	2
7	Tuberculosis of vertebral column-012.0,013.0	-	-	-	-	-	16	4	6	3	3
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	-	-	-	-	-	5	1	2	1	1
9	Tuberculosis of genito-urinary system-016	2	-	2	-	-	35	21	11	2	1
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	-	-	-	-	-	20	8	5	4	3
11	Disseminated tuberculosis-019	13	2	4	2	5	79	22	22	18	17
12	Syphilis and its sequelae-020-029	41	24	9	4	4	690	394	116	113	67
13	Congenital syphilis-020	7	1	1	3	2	13	6	4	-	3
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	8	6	2	-	-	205	136	41	17	11
16	Other cardiovascular syphilis-023	12	10	-	-	2	248	131	34	56	27
17	Tabes dorsalis-024	1	1	-	-	-	18	13	3	2	-
18	General paralysis of insane-025	4	2	1	1	-	113	64	19	18	12
19	Other syphilis of central nervous system-026	7	4	3	-	-	84	40	12	18	14
20	Other syphilis-027-029	2	-	2	-	-	9	4	3	2	-
21	Gonococcal infection-030-035	-	-	-	-	-	4	1	-	1	2
22	Typhoid fever-040	1	-	1	-	-	2	-	1	-	1
23	Paratyphoid fever-041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections-042	1	-	1	-	-	1	1	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	1	1	-	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	35	12	19	3	1	12	9	2	1	-
28	Scarlet fever-050	-	-	-	-	-	-	-	-	-	-
29	Streptococcal sore throat-051	1	-	-	-	1	23	14	8	-	1
30	Erysipelas-052	1	1	-	-	-	4	1	3	-	-
31	Septicemia and pyemia-053	2	2	-	-	-	33	18	9	1	5
32	Diphtheria-055	2	-	2	-	-	7	5	2	-	-
33	Whooping cough-056	24	8	13	1	2	15	6	8	-	1
34	Meningococcal infections-057	1	-	1	-	-	71	34	24	5	8
35	Plague-058	1	1	-	-	-	-	-	-	-	-
36	Tularemia-059	-	-	-	-	-	-	-	-	-	-
37	Leprosy-060	-	-	-	-	-	-	-	-	-	-
38	Tetanus-061	2	2	-	-	-	8	5	-	1	-
39	Anthrax-062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis-080	8	6	2	-	-	186	110	72	2	2
41	Late effects of acute poliomyelitis-081	1	1	-	-	-	2	1	1	-	-
42	Acute infectious encephalitis-082	3	1	-	-	2	41	18	15	2	6
43	Late effects of acute infectious encephalitis-083	-	-	-	-	-	23	9	13	1	-
44	Smallpox-084	-	-	-	-	-	-	-	-	-	-
45	Measles-085	8	4	1	1	2	20	12	5	1	2
46	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis-092	4	1	3	-	-	71	36	32	2	1
48	Rabies-094	-	-	-	-	-	1	1	-	-	-
49	Tick-borne typhus-104	-	-	-	-	-	-	-	-	-	-
50	Rocky Mountain spotted fever-104A	-	-	-	-	-	-	-	-	-	-
51	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
52	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
53	Malaria-110-117	-	-	-	-	-	3	2	-	-	1
54	Schistosomiasis-123	-	-	-	-	-	1	-	1	-	-
55	Hydatid disease-125	-	-	-	-	-	1	1	-	-	-
56	Filariasis-127	-	-	-	-	-	-	-	-	-	-
57	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
58	Other diseases due to helminths-124,126,128,130	-	-	-	-	-	4	1	3	-	-
59	All other infective and parasitic diseases-Residual	4	3	1	-	-	78	38	27	5	8
60	II. Neoplasms	502	238	246	12	8	27,161	13,297	12,484	864	716
61	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	473	226	228	12	7	26,548	13,063	12,159	652	674
62	Malignant neoplasm of buccal cavity and pharynx-140-148	11	8	3	-	-	622	477	109	27	9
63	Of lip-140	2	2	-	-	-	32	29	3	-	-
64	Of tongue-141	3	3	-	-	-	191	150	33	7	1
65	Of other and unspecified parts of buccal cavity-142-144	3	2	1	-	-	176	127	38	6	5
66	Of pharynx-145-148	3	1	2	-	-	223	171	35	14	3
67	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	170	84	80	3	3	10,889	5,848	4,719	310	212
68	Of esophagus-150	7	4	3	-	-	572	394	117	53	8
69	Of stomach-151	53	31	20	2	-	3,104	1,796	1,128	115	65
70	Of intestine, except rectum-152,153	40	16	22	1	1	3,170	1,370	1,690	43	67
71	Of rectum-154	14	4	10	-	-	1,710	971	680	35	24
72	Of biliary passages and of liver (stated to be primary site)-155	10	4	5	-	1	561	212	334	7	8
73	Of liver not specified whether primary or secondary-156A	19	11	8	-	-	439	212	200	18	9
74	Of pancreas-157	25	12	12	-	1	1,146	520	475	28	23
75	Of peritoneum and of unspecified digestive organs-158,159	2	2	-	-	-	187	73	95	11	8
76	Malignant neoplasm of respiratory system-160-164	48	31	15	2	-	3,099	2,546	419	116	18
77	Of larynx-161	5	3	2	-	-	307	269	25	12	1
78	Of trachea, and of bronchus and lung specified as primary-162	17	14	3	-	-	1,039	862	123	45	9
79	Of lung and bronchus, unspecified as primary or secondary-163	23	11	10	2	-	1,649	1,349	242	52	6
80	Of other parts of respiratory system-160,164	3	3	-	-	-	104	66	29	7	2
81	Malignant neoplasm of breast-170	34	-	33	1	-	2,614	33	2,464	4	113

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
31,130	11,976	8,394	5,741	5,019	5,191	3,139	1,927	64	61	80,633	42,326	32,511	3,273	2,525	19,473	10,338	6,835	1,271	1,029	1
1,233	316	213	376	328	107	59	26	8	14	2,637	1,374	662	394	207	795	402	207	99	87	2
758	190	110	237	221	68	37	13	4	14	1,659	858	363	290	148	505	253	120	69	57	3
706	181	102	215	208	59	33	11	3	12	1,506	797	325	259	125	472	253	104	66	49	4
16	3	4	5	4	3	1	-	1	1	60	19	16	14	11	15	4	5	3	3	5
5	2	-	-	3	2	-	1	-	1	10	4	2	2	2	4	1	1	-	2	6
6	-	-	4	2	-	-	-	-	-	13	4	4	2	3	2	-	2	-	-	7
4	1	-	2	1	-	-	-	-	-	8	4	2	1	1	1	-	1	-	-	8
3	1	2	-	-	-	-	-	-	-	15	10	4	-	1	2	-	2	-	-	9
6	-	2	2	2	1	1	-	-	-	9	4	2	-	3	1	-	-	-	1	10
12	2	-	9	1	3	2	1	-	-	38	16	8	12	2	8	1	5	-	2	11
165	43	17	71	34	21	16	3	2	-	499	268	110	83	38	119	68	21	16	14	12
7	1	-	3	3	-	-	-	-	-	9	4	5	-	-	5	1	1	-	3	13
1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	14
51	20	8	16	7	8	6	2	-	-	130	85	24	16	5	44	28	9	3	3	15
45	8	2	21	14	5	4	1	-	-	161	80	30	34	17	33	16	8	5	4	16
4	1	1	2	-	-	-	-	-	-	11	9	2	-	-	-	-	-	-	-	17
24	7	1	15	1	1	1	-	-	-	109	56	24	23	6	20	17	1	2	-	18
22	5	4	8	5	4	4	-	-	-	59	27	18	9	5	14	3	1	6	4	19
11	1	1	5	4	3	1	-	2	-	19	7	7	1	4	3	2	1	-	-	20
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	21
1	-	-	1	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	1	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
2	1	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	26
29	5	7	7	10	1	-	-	1	-	12	7	3	1	1	16	10	1	3	2	27
3	1	1	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	28
7	2	3	1	1	-	-	-	-	-	24	13	9	-	2	6	2	3	-	1	29
-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-	-	30
19	7	4	2	6	2	1	1	-	-	43	22	16	3	2	14	7	6	-	1	31
26	7	10	4	5	-	-	-	-	-	8	4	4	-	-	9	3	5	1	-	32
60	10	12	19	19	3	-	2	1	-	46	18	20	3	5	20	5	10	3	2	33
28	10	8	6	4	6	1	5	-	-	68	29	33	2	4	11	7	3	-	1	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
8	2	2	4	-	-	-	-	-	-	6	2	3	1	-	4	2	-	2	-	38
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
19	7	10	1	1	1	-	1	-	-	117	62	52	2	1	39	18	17	1	3	40
5	3	2	-	-	-	-	-	-	-	8	5	3	-	-	-	-	-	-	-	41
15	3	2	4	4	1	1	-	-	-	18	10	7	-	1	6	1	5	-	-	42
2	2	-	-	-	-	-	-	-	-	8	3	5	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
16	3	9	-	4	-	-	-	-	-	27	17	10	-	-	1	-	1	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
12	5	6	1	-	-	-	-	-	-	23	15	7	1	-	4	3	1	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
6	4	1	1	-	-	-	-	-	-	3	1	2	-	-	1	-	-	1	-	49
6	4	1	1	-	-	-	-	-	-	3	1	2	-	-	1	-	-	1	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
2	-	-	1	1	-	-	-	-	-	2	1	1	-	-	2	-	-	1	1	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
9	2	1	1	5	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	58
39	9	6	13	11	3	3	-	-	-	56	31	13	7	5	35	16	14	2	3	59
3,290	1,140	1,329	321	500	756	412	337	2	5	12,311	5,829	5,787	356	339	2,767	1,352	1,205	106	104	60
3,187	1,112	1,297	314	464	740	406	327	2	5	12,043	5,741	5,635	351	316	2,683	1,323	1,156	105	99	61
87	48	27	6	6	16	13	3	-	-	270	199	52	15	4	72	60	9	3	-	62
8	6	1	-	1	3	3	-	-	-	31	25	4	-	1	12	12	-	-	-	63
21	11	8	1	1	4	3	1	-	-	64	45	13	6	1	9	7	1	1	-	64
30	12	11	4	3	5	4	1	-	-	74	51	22	1	-	21	15	5	1	-	65
28	19	7	1	1	4	3	1	-	-	101	77	14	8	2	30	26	3	1	-	66
1,072	416	372	151	133	302	175	123	2	2	4,708	2,455	2,001	155	97	994	507	415	44	28	67
57	24	12	12	9	10	8	2	-	-	199	148	32	17	1	31	22	6	3	-	68
370	162	86	80	42	126	79	44	2	1	1,262	754	418	66	24	348	211	101	25	11	69
263	70	130	21	42	62	31	31	-	-	1,388	658	681	16	33	243	105	129	3	6	70
114	40	41	15	18	29	16	13	-	-	632	333	261	23	15	70	29	35	4	2	71
89	32	38	12	7	16	6	10	-	-	305	104	191	6	4	55	16	35	2	2	72
24	7	11	4	2	14	7	6	-	1	372	182	171	15	4	104	45	54	3	2	73
131	71	46	7	7	42	25	17	-	-	458	241	197	7	13	120	66	47	4	3	74
24	10	8	-	6	3	3	-	-	-	92	34	50	5	3	23	13	8	-	2	75
243	157	52	23	11	51	38	13	-	-	1,170	894	205	55	16	256	200	41	9	6	76
24	17	4	2	1	3	2	1	-	-	99	87	8	2	2	22	19	3	-	-	77
156	102	35	12	7	21	15	6	-	-	402	321	53	23	5	72	64	6	1	1	78
36	21	7	7	1	25	20	5	-	-	610	450	127	27	6	149	107	29	8	5	79
27	17	6	2	2	2	1	1	-	-	59	36	17	3	3	13	10	3	-	-	80
280	2	214	-	64	68	3	64	-	1	1,096	13	1,036	1	46	189	3	170	-	16	81

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms--Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued										
1	Malignant neoplasm of genital organs----171-179	92	33	56	-	3	3,622	1,129	2,227	62	204
2	Of cervix uteri----171	21	...	20	...	1	859	...	739	...	120
3	Of other and unspecified parts of uterus----172-174	29	...	27	...	2	703	...	662	...	41
4	Of ovary, fallopian tube, and broad ligament----175	9	...	9	...	-	788	...	750	...	38
5	Of other and unspecified female genital organs----176	-	...	-	...	-	81	...	76	...	5
6	Of prostate----177	31	31	...	-	...	1,097	1,041	...	56	...
7	Of testis, and of other and unspecified male genital organs----178,179	2	2	...	-	...	94	88	...	6	...
8	Malignant neoplasm of urinary organs----180,181	19	13	4	2	-	1,289	851	395	22	21
9	Of kidney----180	9	4	4	1	-	448	266	169	7	6
10	Of bladder and other urinary organs----181	10	9	-	1	-	841	585	226	15	15
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	66	34	28	3	1	2,307	1,216	981	57	53
12	Of skin----190,191	14	9	4	1	-	313	185	117	5	6
13	Of eye----192	1	1	-	-	-	28	16	12	-	-
14	Of brain and other parts of nervous system----193	7	5	2	-	-	484	272	187	15	10
15	Of thyroid gland----194	3	-	3	-	-	112	51	56	1	4
16	Of bone (including jaw bone)----196	12	7	4	1	-	224	135	84	1	4
17	Of connective tissue----197	3	2	1	-	-	78	43	31	2	2
18	Of other specified sites, not stated to be secondary----195,198A,198A	13	6	6	1	-	232	113	107	8	4
19	Of unspecified sites----156B,165,198B,199B-H	13	4	8	-	1	856	401	387	25	23
20	Leukemia and aleukemia----204	24	15	8	1	-	1,029	568	427	19	15
21	Lymphosarcoma, etc.*----200-203,205	9	8	1	-	-	1,077	595	418	35	29
22	Lymphosarcoma and reticulosarcoma----200	5	5	-	-	-	533	299	204	16	14
23	Hodgkin's disease----201	3	2	1	-	-	310	173	120	9	8
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	1	1	-	-	-	234	123	94	10	7
25	Benign neoplasms and neoplasms of unspecified nature----210-239	29	10	18	-	1	613	234	325	12	42
26	Benign neoplasms of female genital organs----214-217	10	...	9	...	1	134	...	106	...	28
27	Benign neoplasm of brain and other parts of nervous system----223	4	3	1	-	-	118	48	64	2	4
28	Other benign neoplasms----210-213,216-222,224-229	8	4	4	-	-	87	44	37	-	6
29	Neoplasm of unspecified nature of female genital organs----233-235	-	...	-	...	-	5	...	4	...	1
30	Neoplasm of unspecified nature of brain, etc.*----237	5	3	2	-	-	149	80	64	2	2
31	Other neoplasms of unspecified nature----230-232,236,238,239	2	-	2	-	-	121	62	50	8	1
32	III. Allergic, endocrine system, metabolic, and nutritional diseases	79	32	38	4	5	3,540	1,325	2,022	69	124
33	Asthma----241	14	8	6	-	-	385	223	134	13	15
34	Nontoxic goiter----250,251	2	1	1	-	-	22	6	14	1	1
35	Thyrotoxicosis with or without goiter----252	6	-	5	-	1	116	20	90	3	3
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	1	-	1	-	-	17	5	12	-	-
37	Diabetes mellitus----260	38	14	19	1	4	2,823	978	1,695	50	100
38	Diseases of thymus gland----273	5	4	-	1	-	44	24	18	-	2
39	Diseases of adrenal glands----274	3	2	1	-	-	39	18	20	1	-
40	Pellagra----281	2	-	2	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	5	2	1	2	-	28	17	10	-	1
42	Other allergic, endocrine, and metabolic diseases----Residual	3	1	2	-	-	66	34	29	1	2
43	IV. Diseases of the blood and blood-forming organs	13	5	7	1	-	445	182	234	15	14
44	Anemias----290-293	5	3	1	1	-	300	119	158	12	11
45	Pernicious and other hyperchromic anemias----290	3	2	1	-	-	182	70	110	1	1
46	Anemias of other and unspecified type----291-293	2	1	-	1	-	118	49	48	11	10
47	Purpura and other hemorrhagic conditions----296	3	2	1	-	-	71	23	45	-	3
48	All other diseases of blood and blood-forming organs----294,295,297-299	5	-	5	-	-	74	40	31	3	-
49	V. Mental, psychoneurotic, and personality disorders	18	11	5	2	-	459	286	121	38	14
50	Senile psychosis----304	3	1	2	-	-	26	7	19	-	-
51	Alcoholic psychosis----307	-	-	-	-	-	34	24	4	6	-
52	Other psychoses----300-303,305,306,308,309	4	1	3	-	-	111	51	51	3	6
53	Alcoholism----322	11	9	-	2	-	251	184	32	27	8
54	Mental deficiency----325	-	-	-	-	-	25	15	10	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	12	5	5	2	-
56	VI. Diseases of the nervous system and sense organs	365	186	152	17	10	14,898	6,620	7,596	301	381
57	Vascular lesions affecting central nervous system----330-334	309	162	130	9	8	13,766	6,021	7,170	238	337
58	Subarachnoid hemorrhage----330	4	3	1	-	-	389	180	169	17	23
59	Cerebral hemorrhage----331	222	112	98	7	5	8,665	3,697	4,587	153	218
60	Cerebral embolism and thrombosis----332	27	13	12	2	-	3,245	1,494	1,643	45	63
61	Other vascular lesions affecting central nervous system----333,334	56	34	19	-	3	1,467	650	761	23	33
62	Meningitis, except meningococcal and tuberculous----340	16	5	5	4	2	163	76	52	21	14
63	Multiple sclerosis----345	1	-	1	-	-	123	59	59	2	3
64	Paralysis agitans----350	3	3	-	-	-	197	102	94	1	-
65	Cerebral spastic infantile paralysis----351	3	1	2	-	-	48	33	12	1	2
66	Epilepsy----353	7	5	2	-	-	195	96	60	25	14
67	Inflammatory diseases of eye----370-379	-	-	-	-	-	1	1	-	-	-
68	Cataract----385	-	-	-	-	-	10	6	4	-	-
69	Glaucoma----387	-	-	-	-	-	1	1	-	-	-
70	Otitis media and mastoiditis----381-383	7	3	2	2	-	42	28	12	1	1
71	Other diseases of nervous system and sense organs----Residual	19	7	10	2	-	352	197	133	12	10
72	VII. Diseases of the circulatory system	1,235	720	451	39	25	72,863	39,090	30,544	1,596	1,633
73	Rheumatic fever----400-402	15	8	4	2	1	192	85	83	13	11
74	Diseases of heart----410-443	1,111	677	380	31	23	68,071	36,868	28,230	1,467	1,506
75	Chronic rheumatic heart disease----410-416	90	42	46	1	1	2,578	1,150	1,268	83	77
76	Diseases of mitral valve----410	37	22	14	-	1	731	327	383	9	12
77	Diseases of aortic valve specified as rheumatic----411	3	2	1	-	-	101	66	28	2	5
78	Diseases of tricuspid valve----412	-	-	-	-	-	2	-	2	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	5	1	4	-	-	195	93	94	5	3
80	Other diseases of heart specified as rheumatic----415,416	45	17	27	1	-	1,549	664	781	67	57

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
670	149	303	55	163	108	56	51	-	1	2,065	701	1,209	51	102	484	176	250	24	34	1
208	...	129	...	79	15	...	15	...	-	484	...	442	...	42	97	...	85	...	12	2
171	...	103	...	68	14	...	13	...	1	454	...	410	...	44	114	...	99	...	15	3
74	...	64	...	10	22	...	22	...	-	319	...	305	...	14	68	...	63	...	5	4
13	...	7	...	6	1	...	1	...	-	54	...	52	...	2	5	...	3	...	2	5
184	133	...	51	...	54	54	...	-	...	686	637	...	49	...	183	161	...	22	...	6
20	16	...	4	...	2	2	...	-	...	66	64	...	2	...	17	15	...	2	...	7
106	42	42	10	12	39	25	14	-	-	553	326	206	10	11	112	81	43	7	1	8
47	18	18	5	6	17	10	7	-	-	187	105	72	5	5	48	23	21	4	-	9
59	24	24	5	6	22	15	7	-	-	366	221	134	5	6	64	38	22	3	1	10
465	184	192	40	49	84	49	34	-	1	1,209	605	544	36	24	362	194	146	11	11	11
69	28	37	4	-	13	5	8	-	-	151	86	58	3	4	57	34	22	1	-	12
14	7	7	-	-	-	-	-	-	-	16	6	10	-	-	5	4	1	-	-	13
102	52	32	11	7	19	10	9	-	-	249	140	98	9	2	55	42	10	1	2	14
23	5	10	2	6	6	1	5	-	-	52	14	34	1	3	15	4	11	-	-	15
48	11	23	6	8	8	6	2	-	-	121	78	38	3	2	36	20	13	1	2	16
9	6	3	-	-	2	1	1	-	-	33	16	14	3	-	8	4	3	-	1	17
69	28	28	4	8	13	9	3	-	1	229	113	108	6	2	71	36	29	4	2	18
131	47	51	13	20	23	17	6	-	-	358	152	184	11	11	115	50	57	4	4	19
148	53	64	19	12	44	28	18	-	-	498	275	207	9	7	117	66	47	2	2	20
116	61	31	10	14	28	21	7	-	-	476	273	175	19	9	97	56	35	5	1	21
43	23	8	6	6	8	6	2	-	-	198	118	72	6	2	47	28	17	1	1	22
48	26	15	2	5	6	4	2	-	-	159	100	51	6	2	24	17	5	2	-	23
25	12	8	2	3	14	11	3	-	-	119	55	52	7	5	26	11	13	2	-	24
103	28	32	7	36	16	6	10	-	-	268	86	152	5	23	84	29	49	1	5	25
34	...	12	...	22	2	...	2	...	-	71	...	55	...	16	26	...	24	...	2	26
17	5	7	-	5	2	2	-	-	-	47	22	22	-	3	6	4	2	-	-	27
13	5	2	4	2	5	-	5	-	-	48	20	25	3	-	7	5	1	-	1	28
-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	2	...	2	...	-	29
25	12	8	2	3	5	3	2	-	-	59	31	24	2	2	29	13	16	-	-	30
14	6	3	1	4	2	1	1	-	-	40	15	24	-	1	14	7	4	1	2	31
589	176	223	90	100	145	63	81	-	1	2,304	841	1,316	53	94	482	207	221	25	29	32
73	28	27	13	5	24	17	7	-	-	242	146	75	8	13	98	58	33	4	3	33
3	-	-	-	3	3	1	2	-	-	6	2	4	-	-	4	-	2	1	1	34
23	3	14	1	5	3	1	2	-	-	127	20	101	-	6	18	1	17	-	-	35
-	-	-	-	-	-	-	-	-	-	8	2	6	-	-	7	2	5	-	-	36
400	123	147	58	72	109	41	67	-	1	1,790	613	1,069	38	70	299	120	144	14	21	37
9	4	2	3	-	2	1	1	-	-	38	22	14	1	1	13	9	2	1	1	38
5	5	-	-	-	-	-	-	-	-	16	5	9	1	1	3	2	1	-	-	39
26	2	18	5	1	-	-	-	-	-	5	2	3	-	-	11	2	8	-	1	40
37	8	9	8	11	3	1	2	-	-	36	13	19	3	1	20	6	6	4	2	41
13	3	6	1	3	1	1	-	-	-	36	16	16	2	2	9	5	3	1	-	42
107	31	41	19	16	31	18	13	-	-	346	169	154	13	10	80	36	34	5	5	43
80	23	27	15	15	25	15	10	-	-	274	131	123	11	9	59	27	23	5	4	44
24	10	8	2	4	16	11	5	-	-	171	79	87	4	1	28	13	11	3	1	45
56	13	19	13	11	9	4	5	-	-	103	52	36	7	8	31	14	12	2	3	46
13	3	8	2	-	2	1	1	-	-	29	16	13	-	-	10	2	8	-	-	47
14	5	6	2	1	4	2	2	-	-	43	22	18	2	1	11	7	3	-	1	48
135	53	27	39	16	26	17	9	-	-	246	182	60	13	11	120	55	43	12	10	49
15	4	4	3	4	5	2	3	-	-	37	18	18	-	1	68	29	28	5	5	50
5	5	-	-	-	-	-	-	-	-	16	12	2	2	-	4	3	-	1	-	51
18	3	7	4	4	9	5	4	-	-	34	11	19	1	3	23	5	13	2	3	52
82	35	9	31	7	8	8	-	-	-	141	111	13	10	7	19	14	-	4	1	53
10	4	4	1	1	2	2	-	-	-	12	6	6	-	-	5	3	1	-	1	54
5	2	3	-	-	2	-	2	-	-	6	4	2	-	-	1	1	-	-	-	55
4,229	1,473	1,329	705	722	690	389	296	1	4	10,204	4,785	4,784	324	311	2,493	1,217	1,008	141	127	56
3,924	1,371	1,254	647	672	607	342	260	1	4	9,399	4,369	4,452	292	286	2,274	1,098	945	121	110	57
81	36	28	7	10	7	4	3	-	-	179	80	76	11	12	27	17	10	-	-	58
2,686	926	854	455	451	401	226	172	-	3	6,547	3,007	3,229	212	199	1,523	727	646	83	67	59
458	181	166	40	51	78	40	38	-	-	1,419	732	619	38	30	282	144	98	11	9	60
719	228	186	145	160	121	72	47	1	1	1,154	550	528	31	45	462	210	191	27	34	61
45	12	10	13	10	4	3	1	-	-	89	42	33	5	9	21	10	5	4	2	62
16	6	10	-	-	12	6	6	-	-	98	46	50	-	2	16	10	5	-	1	63
20	12	5	1	2	16	8	8	-	-	137	81	54	2	-	33	29	4	-	-	64
26	12	9	4	1	7	4	3	-	-	38	18	18	2	-	7	4	3	-	-	65
71	20	12	21	18	12	7	5	-	-	141	65	57	15	4	38	21	7	2	8	66
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	67
2	-	1	-	1	-	-	-	-	-	2	1	1	-	-	2	1	1	-	-	68
1	-	1	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	69
15	5	7	2	1	1	1	-	-	-	25	10	13	-	2	9	5	2	1	1	70
109	35	40	17	17	31	18	13	-	-	267	149	102	8	8	95	39	36	13	7	71
11,080	4,819	2,955	1,735	1,571	1,924	1,239	665	12	8	33,095	18,307	12,929	998	863	6,808	3,925	2,288	348	267	72
55	13	12	13	17	11	5	6	-	-	90	42	39	4	5	24	10	10	1	3	73
10,139	4,478	2,685	1,558	1,438	1,694	1,102	574	11	7	29,793	16,653	11,479	904	757	6,103	3,573	1,982	315	233	74
335	138	90	56	51	82	30	30	1	1	1,230	576	584	27	43	203	85	95	9	14	75
147	52	41	31	23	28	12	14	1	1	578	267	271	17	23	95	40	41	6	8	76
5	4	-	1	-	2	1	1	-	-	54	35	16	1	2	8	6	2	-	-	77
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	78
17	9	5	1	2	8	4	2	-	-	65	32	30	-	3	5	-	5	-	-	79
166	73	44	23	26	26	13	13	-	-	532	242	266	9	15	95	39	47	3	6	80

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	582	409	158	11	4	47,633	28,269	17,921	894	749
2	Arteriosclerotic heart disease so described----420.0	151	87	61	2	1	22,682	11,692	10,023	469	498
3	Heart disease specified as involving coronary arteries----420.1	425	318	97	8	2	25,073	16,540	7,859	424	250
4	Angina pectoris without mention of coronary disease----420.2	6	4	-	1	1	76	37	39	1	1
5	Chronic endocarditis not specified as rheumatic----421	40	22	16	-	2	800	389	385	16	10
6	Of mitral valve, specified as nonrheumatic----421.0	2	-	2	-	-	19	9	8	1	1
7	Of aortic valve, not specified as rheumatic----421.1	4	2	1	-	1	110	73	34	2	1
8	Of other valves, not specified as rheumatic----421.2-421.4	34	20	13	-	1	671	307	343	13	8
9	Other myocardial degeneration----422	148	72	63	6	7	7,385	3,297	3,751	163	174
10	With arteriosclerosis----422.1	36	13	18	-	5	5,087	2,186	2,630	137	134
11	Without mention of arteriosclerosis----422.0,422.2	112	59	45	6	2	2,298	1,111	1,121	26	40
12	Other diseases of heart----430-434	96	59	30	5	2	852	490	338	15	9
13	Acute and subacute endocarditis----430	4	2	2	-	-	73	48	22	2	1
14	Acute myocarditis not specified as rheumatic----431	6	4	2	-	-	173	90	81	-	2
15	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	10	5	4	-	1
16	Functional disease of heart----433	6	4	2	-	-	113	48	65	-	-
17	Other and unspecified diseases of heart----434	80	49	24	5	2	483	299	166	13	5
18	Hypertension with heart disease----440-443	155	73	67	8	7	8,623	3,273	4,567	236	487
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	55	29	19	5	2	1,456	637	709	44	66
20	Essential hypertension with heart disease, etc.*----440,441,443	100	44	48	3	5	7,167	2,636	3,858	252	421
21	Hypertension without mention of heart----444-447	29	6	20	3	-	1,120	480	545	44	51
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	17	1	15	1	-	774	355	361	28	30
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	12	5	5	2	-	346	125	184	16	21
24	Diseases of arteries----450-456	69	23	42	3	1	3,202	1,530	1,562	55	55
25	General arteriosclerosis----450	62	20	38	3	1	2,867	1,328	1,457	44	38
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	2	2	-	-	-	185	131	42	7	5
27	Gangrene of unspecified cause----455	-	-	-	-	-	11	8	2	1	-
28	Other arterial diseases----452-454,456	5	1	4	-	-	139	63	61	3	12
29	Diseases of veins and other diseases of circulatory system----460-468	11	6	5	-	-	278	127	124	17	10
30	VIII. Diseases of the respiratory system----	426	188	162	45	33	5,245	2,873	1,855	319	198
31	Acute upper respiratory infections----470-475	9	4	1	4	-	66	43	18	4	1
32	Influenza----480-483	37	16	15	5	1	198	99	87	8	4
33	Pneumonia, except pneumonia of newborn----490-493	302	120	119	34	29	3,982	2,055	1,471	270	186
34	Lobar pneumonia----490	110	45	41	16	8	1,440	822	449	112	57
35	Bronchopneumonia----491	119	42	46	15	16	2,239	1,081	910	146	102
36	Primary atypical pneumonia----492	29	16	13	-	-	190	105	73	9	3
37	Pneumonia, other and unspecified----493	44	17	19	3	5	93	47	39	3	4
38	Acute bronchitis----500	14	8	5	-	1	106	51	43	5	7
39	Bronchitis, chronic and unqualified----501,502	14	4	9	1	-	160	111	40	3	6
40	Hypertrophy of tonsils and adenoids----510	7	4	2	-	1	17	10	4	2	1
41	Empyema and abscess of lung----518,521	7	5	1	-	1	72	39	28	5	2
42	Pleurisy----519	2	1	1	-	-	15	7	7	-	1
43	All other respiratory diseases----Residual	36	26	9	1	-	649	459	159	22	10
44	IX. Diseases of the digestive system----	340	158	130	25	27	6,023	3,421	2,263	205	134
45	Diseases of teeth and supporting structures----530-535	1	-	1	-	-	8	7	1	-	-
46	Ulcer of stomach----540	15	9	4	1	1	600	465	106	25	4
47	Ulcer of duodenum----541	8	6	2	-	-	491	386	89	13	3
48	Gastritis and duodenitis----543	1	-	1	-	-	18	7	11	-	-
49	Appendicitis----550-553	13	8	4	1	-	333	176	126	12	19
50	Hernia and intestinal obstruction----560,561,570	48	21	23	2	2	843	413	385	27	18
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	162	55	64	20	23	473	221	220	17	15
52	Cirrhosis of liver----581	48	36	11	1	-	1,968	1,196	645	79	48
53	Without mention of alcoholism----581.0	35	24	10	1	-	1,369	801	487	50	31
54	With alcoholism----581.1	13	12	1	-	-	599	395	158	29	17
55	Cholelithiasis and cholecystitis----584,585	19	7	12	-	-	692	246	431	5	10
56	Other diseases of digestive system----Residual	25	16	8	-	1	597	304	249	27	17
57	X. Diseases of the genito-urinary system----	140	84	45	9	2	3,174	1,869	1,073	113	119
58	Nephritis and nephrosis----590-594	92	51	35	5	1	1,916	966	819	55	76
59	Acute nephritis----590	7	5	2	-	-	98	56	37	2	3
60	Nephritis with edema, including nephrosis----591	5	4	1	-	-	100	54	40	3	3
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	80	42	32	5	1	1,718	856	742	50	70
62	Infections of kidney----600	9	4	3	1	1	324	148	143	18	15
63	Calculi of urinary system----602,604	2	2	-	-	-	104	65	31	4	4
64	Other diseases of urinary system----601,603,605-609	4	3	1	-	-	113	70	31	8	4
65	Hyperplasia of prostate----610	23	20	...	3	...	605	580	...	25	...
66	Other diseases of male genital organs----611-617	4	4	...	-	...	43	40	...	3	...
67	Diseases of breast----620,621	-	-	-	-	-	2	-	2	-	-
68	Diseases of female genital organs----622-637	6	...	6	...	-	67	...	47	...	20
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	33	...	25	...	8	193	...	146	...	47
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	5	...	4	...	1	26	...	24	...	2
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	6	...	4	...	2	43	...	32	...	11
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	8	...	7	...	1	26	...	20	...	6
73	Ectopic pregnancy----645	1	...	1	...	-	18	...	10	...	8
74	Abortion without mention of sepsis or toxemia----650	1	...	-	...	1	9	...	5	...	4
75	Abortion with sepsis----651	2	...	2	...	-	18	...	12	...	6
76	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	7	...	5	...	2
77	Other complications of pregnancy, childbirth, and puerperium----Residual	10	...	7	...	3	46	...	38	...	8

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,763	2,632	1,233	509	389	1,042	727	308	5	2	18,164	11,309	6,111	471	273	3,535	2,313	1,031	111	80	1
845	380	277	87	101	262	169	91	2	-	5,492	2,851	2,368	166	107	671	401	226	26	18	2
3,809	2,185	930	413	281	770	550	215	3	2	12,546	8,378	3,700	302	166	2,817	1,881	793	84	59	3
109	67	26	9	7	10	8	2	-	-	126	80	43	3	-	47	31	12	1	3	4
218	74	50	57	37	45	30	14	1	-	487	233	219	19	16	106	46	39	15	6	5
10	3	2	3	2	-	-	-	-	-	15	11	4	-	-	2	-	2	-	-	6
44	9	7	17	11	14	13	1	-	-	101	61	36	1	3	27	9	12	5	1	7
164	62	41	37	24	31	17	13	1	-	371	161	179	18	13	77	37	25	10	5	8
1,298	514	400	188	197	188	115	69	3	1	4,292	2,100	1,968	123	101	668	348	247	40	33	9
605	243	186	85	91	90	52	36	2	-	2,048	1,038	951	27	32	188	99	73	12	4	10
694	271	214	103	106	98	63	33	1	1	2,244	1,062	1,017	96	69	480	249	174	28	29	11
967	392	199	210	166	123	86	35	-	2	1,074	574	416	43	41	670	391	191	58	30	12
11	2	5	2	2	5	2	2	-	1	42	20	16	3	3	18	13	2	2	1	13
55	13	13	16	13	9	6	3	-	-	142	71	49	10	12	34	18	11	3	2	14
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	15
46	24	13	6	3	20	12	8	-	-	161	75	79	4	3	59	34	18	3	4	16
855	353	188	186	148	89	66	22	-	1	728	407	272	26	23	568	326	160	49	23	17
2,557	728	693	538	598	234	114	118	1	1	4,546	1,861	2,181	221	283	921	380	379	82	70	18
1,026	296	284	217	229	67	37	29	-	1	1,602	762	690	78	72	297	124	126	32	15	19
1,531	432	409	321	369	167	77	89	1	-	2,944	1,099	1,491	143	211	624	256	253	50	55	20
325	110	77	81	57	62	39	23	-	-	709	330	290	38	51	210	84	93	13	20	21
136	51	39	29	17	17	11	6	-	-	398	207	143	19	29	45	23	16	3	3	22
189	59	38	52	40	45	28	17	-	-	311	123	147	19	22	165	61	77	10	17	23
504	193	183	76	52	144	88	56	-	-	2,282	1,186	1,023	38	35	423	239	161	12	11	24
447	166	163	68	50	133	80	53	-	-	2,065	1,046	961	30	28	371	205	149	10	7	25
26	14	8	2	2	4	3	1	-	-	86	56	23	5	2	7	6	1	-	-	26
4	1	2	1	-	-	-	-	-	-	19	15	2	1	1	10	6	1	1	2	27
27	12	10	5	-	7	5	2	-	-	112	69	37	2	4	35	22	10	1	2	28
57	25	18	7	7	13	5	6	1	1	221	96	98	12	15	48	19	22	7	-	29
1,718	496	464	386	372	213	104	93	12	4	3,091	1,667	1,138	172	114	1,032	479	348	103	102	30
50	12	13	13	12	-	-	-	-	-	37	16	18	-	3	14	7	4	1	2	31
252	61	80	54	57	28	16	12	-	-	436	204	203	17	12	206	93	73	21	19	32
1,159	314	291	280	274	139	61	66	9	3	1,869	968	692	127	82	635	289	197	75	74	33
325	95	90	75	65	63	26	33	4	-	655	353	227	48	27	175	89	43	22	21	34
502	126	106	133	137	34	16	14	2	2	867	429	333	63	42	203	88	66	24	25	35
127	40	45	22	20	12	6	4	-	-	198	105	77	10	6	70	39	19	8	4	36
205	53	50	50	52	30	11	15	3	1	149	81	55	6	7	187	73	69	21	24	37
24	5	9	5	5	8	6	1	1	-	47	26	18	2	1	7	3	2	1	1	38
43	14	15	11	3	2	-	1	1	-	123	57	50	5	1	29	14	12	1	2	39
12	2	2	4	4	2	-	2	-	-	30	10	18	2	-	6	3	2	1	-	40
15	8	3	4	-	1	1	-	-	-	41	25	10	2	4	15	12	3	-	-	41
6	4	2	-	-	1	-	1	-	-	13	9	4	-	-	3	2	-	1	-	42
157	76	49	15	17	32	20	10	1	1	495	342	125	17	11	117	58	55	2	4	43
1,079	417	227	244	191	182	106	69	3	4	2,958	1,599	1,160	121	78	716	361	253	52	50	44
9	4	-	-	5	1	1	-	-	-	12	6	6	-	-	5	3	1	1	-	45
75	50	9	13	3	20	16	4	-	-	230	178	36	10	6	59	46	7	2	4	46
58	38	7	8	5	11	10	1	-	-	161	126	23	11	1	43	32	10	1	-	47
8	3	1	2	2	1	1	-	-	-	22	14	6	1	1	4	1	-	2	1	48
84	24	18	24	18	20	10	8	1	1	166	94	58	11	3	48	28	10	7	3	49
162	59	39	34	30	28	20	8	-	-	526	241	249	21	15	134	62	57	8	7	50
300	54	47	112	87	15	9	5	-	1	293	133	131	16	13	100	35	40	12	13	51
184	111	33	26	14	27	19	6	1	1	811	517	243	33	18	131	83	38	5	5	52
152	87	26	25	14	22	14	6	1	1	629	379	211	27	12	122	77	36	4	5	53
32	24	7	1	-	5	5	-	-	-	182	136	32	6	6	9	6	2	1	-	54
74	26	39	2	7	30	9	19	1	1	358	108	243	2	4	87	30	49	2	6	55
125	48	34	23	20	29	11	18	-	-	379	181	165	16	17	105	41	41	12	11	56
1,127	417	247	242	221	138	97	36	3	2	2,140	1,195	755	99	91	725	387	205	80	53	57
852	268	201	185	198	81	49	30	2	-	1,271	602	567	46	56	469	203	159	61	46	58
64	22	12	18	12	8	3	4	1	-	98	42	44	6	6	34	12	12	6	4	59
35	5	5	10	15	5	4	1	-	-	71	38	25	5	3	20	7	10	3	-	60
753	241	184	157	171	68	42	25	1	-	1,102	522	498	35	47	415	184	137	52	42	61
59	23	18	10	8	7	5	1	-	1	237	111	87	12	27	44	21	19	1	3	62
37	20	12	-	5	-	-	-	-	-	54	34	18	2	-	21	15	5	1	-	63
16	5	5	6	-	5	3	1	-	1	94	47	34	10	3	33	18	10	4	1	64
131	94	...	37	...	38	37	...	1	...	379	353	...	26	...	125	113	...	12	...	65
11	7	...	4	...	3	3	...	-	...	51	48	...	3	...	18	17	...	1	...	66
1	-	-	-	1	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	67
20	...	11	...	9	4	...	4	...	-	52	...	47	...	5	15	...	12	...	3	68
126	...	45	...	81	3	...	3	...	-	107	...	89	...	18	41	...	28	...	13	69
16	...	7	...	9	-	...	-	...	-	13	...	12	...	1	6	...	5	...	1	70
43	...	14	...	29	1	...	1	...	-	33	...	26	...	7	12	...	9	...	3	71
32	...	14	...	18	2	...	2	...	-	20	...	17	...	3	7	...	2	...	5	72
4	...	-	...	4	-	...	-	...	-	9	...	6	...	3	5	...	3	...	2	73
4	...	1	...	3	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	74
5	...	2	...	3	-	...	-	...	-	6	...	5	...	1	2	...	2	...	-	75
3	...	1	...	2	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	76
19	...	6	...	13	-	...	-	...	-	25	...	22	...	3	7	...	5	...	2	77

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	5	-	5	-	-	132	53	68	6	5
2	Infections of skin and subcutaneous tissue--690-698	1	-	1	-	-	35	17	17	1	-
3	Other diseases of skin and subcutaneous tissue--700-716	4	-	4	-	-	97	36	51	5	5
4	XIII. Diseases of the bones and organs of movement	9	5	4	-	-	206	85	106	7	8
5	Arthritis and spondylitis--720-725	5	3	2	-	-	87	23	61	2	1
6	Muscular rheumatism and rheumatism, unspecified--726,727	-	-	-	-	-	1	-	1	-	-
7	Osteomyelitis and periostitis--730	1	-	1	-	-	11	7	3	-	1
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	-	-	-	-	-	11	5	5	-	1
9	All other diseases of musculoskeletal system--731-736,738-744	3	2	1	-	-	96	50	36	5	5
10	XIV. Congenital malformations	103	55	40	7	1	1,641	827	694	57	63
11	Spina bifida and meningocele--751	6	2	3	1	-	156	68	84	1	3
12	Congenital hydrocephalus, etc.*--752,753	10	3	5	2	-	191	89	89	7	6
13	Congenital malformations of circulatory system--754	48	29	17	2	-	702	363	290	20	29
14	Other congenital malformations--750,755-759	39	21	15	2	1	592	307	231	29	25
15	XV. Certain diseases of early infancy	494	262	184	18	30	4,811	2,373	1,710	428	300
16	Birth injuries--760,761	71	40	23	3	5	938	511	327	57	43
17	Postnatal asphyxia and atelectasis--762	64	38	23	2	1	1,264	629	449	112	74
18	Infections of newborn--763-768	46	18	15	4	9	294	168	95	3	28
19	Hemolytic disease of newborn (erythroblastosis)--770	19	12	5	1	1	222	120	98	3	1
20	All other defined diseases of early infancy--769,771,772	29	14	12	-	3	140	82	41	10	7
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	265	140	106	8	11	1,953	863	700	243	147
22	XVI. Symptoms, senility, and ill-defined conditions	634	272	228	79	55	854	458	276	85	35
23	Senility without mention of psychosis--794	37	10	16	5	6	90	47	39	2	2
24	Symptoms, ill-defined and unknown causes--780-793,795	587	262	212	74	49	764	411	237	83	33
25	XVII. Accidents, poisonings, and violence	682	457	147	57	21	9,371	5,724	2,831	580	236
26	Accidents--E800-E962	578	377	133	48	20	7,301	4,392	2,339	392	178
27	Railway accidents--E800-E802	9	7	1	1	-	273	222	24	27	-
28	Motor-vehicle accidents--E810-E835	263	175	57	23	8	2,098	1,455	499	103	41
29	Motor-vehicle traffic accidents--E810-E825	254	169	54	23	8	2,064	1,427	493	103	41
30	Motor-vehicle traffic accident with railway train*--E810	9	7	-	2	-	68	49	17	1	1
31	Motor-vehicle traffic accident to pedestrian--E812	51	33	7	6	5	855	572	203	48	12
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	81	56	20	3	2	521	328	152	26	15
33	Motor-vehicle noncollision traffic accidents--E820-E824	101	65	24	11	1	428	327	77	20	4
34	Motor-vehicle traffic accident of unspecified nature--E825	12	8	3	1	-	212	151	44	8	9
35	Motor-vehicle nontraffic accidents--E830-E835	9	6	3	-	-	34	28	6	-	-
36	Other road-vehicle accidents--E840-E845	13	7	1	5	-	24	13	8	2	-
37	Water-transport accidents--E850-E858	-	-	-	-	-	111	103	4	4	-
38	Aircraft accidents--E860-E866	26	25	1	-	-	62	56	5	1	-
39	Accidental poisoning by solid and liquid substances--E870-E888	8	5	3	-	-	97	50	39	3	5
40	Accidental poisoning by gases and vapors--E890-E895	13	10	3	-	-	351	205	123	15	8
41	Accidental falls--E900-E904	54	23	27	3	1	2,615	1,226	1,238	103	48
42	Fall from one level to another--E900-E902	18	10	6	1	1	1,035	603	348	59	25
43	Fall on same level--E903	12	5	7	-	-	642	240	394	-	8
44	Unspecified falls--E904	24	8	14	2	-	959	383	496	44	15
45	Blow from falling object--E910	9	8	-	-	1	52	46	5	1	-
46	Accident caused by machinery--E912	15	14	-	1	-	73	64	6	3	-
47	Accident caused by electric current--E914	5	5	-	-	-	47	42	4	1	-
48	Accident caused by fire and explosion, etc.*--E916	57	30	17	5	5	405	185	153	29	38
49	Accident caused by hot substance, etc.*--E917,E918	2	1	1	-	-	68	38	22	4	4
50	Accident caused by firearm--E919	21	17	4	-	-	61	57	2	2	-
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	8	3	4	1	-	91	50	29	7	5
52	Accidental drowning--E929	25	17	5	3	-	415	310	54	45	6
53	Excessive heat and insolation--E931	-	-	-	-	-	3	1	1	1	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	4	1	2	-	1	59	24	27	2	6
55	All other accidents--Residual	46	29	7	6	4	396	245	95	39	17
56	Suicide--E963,E970-E979	61	48	9	4	-	1,671	1,179	435	44	13
57	Suicide by poisoning--E970-E973	13	11	2	-	-	544	306	224	11	3
58	Suicide by hanging and strangulation--E974	7	5	1	1	-	516	410	92	9	5
59	Suicide by firearms and explosives--E976	35	28	4	3	-	313	283	19	11	-
60	Suicide by all other means--E963,E975,E977-E979	6	4	2	-	-	298	180	100	13	5
61	Homicide--E964,E980-E985	42	31	5	5	1	396	151	57	143	45
62	Assault by firearms and explosives--E981	26	19	3	3	1	96	41	17	29	9
63	Assault by cutting and piercing instruments--E982	5	4	1	-	-	152	46	13	71	22
64	Assault by other means--E964,E980,E983	11	8	1	2	-	118	46	27	31	14
65	Injury by intervention of police--E984	-	-	-	-	-	27	15	-	12	-
66	Execution--E985	-	-	-	-	-	3	3	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	1	1	-	-	-	3	2	-	1	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28	5	8	7	8	5	1	4	-	-	82	37	37	3	5	20	7	9	3	1	1
5	-	1	2	2	2	-	2	-	-	28	16	10	1	1	7	2	3	2	-	2
23	5	7	5	6	3	1	2	-	-	54	21	27	2	4	13	5	6	1	1	3
86	21	28	21	16	12	4	8	-	-	170	74	85	4	7	50	21	26	3	-	4
53	12	20	12	9	5	2	3	-	-	97	32	60	-	5	38	15	22	1	-	5
3	1	1	-	1	-	-	-	-	-	4	3	1	-	-	3	1	1	1	-	6
6	1	-	4	1	2	1	1	-	-	13	6	5	2	-	1	-	1	-	-	7
3	-	-	2	1	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	8
21	7	7	3	4	5	1	4	-	-	52	31	17	2	2	8	5	2	1	-	9
476	191	159	78	51	103	59	43	1	-	1,073	538	467	42	26	241	129	97	6	9	10
36	11	23	1	1	9	2	7	-	-	111	48	60	-	3	19	9	9	-	1	11
47	16	22	4	5	7	4	3	-	-	119	43	66	6	4	23	14	7	1	1	12
247	95	85	39	28	49	35	13	1	-	493	261	204	17	11	119	63	50	4	2	13
146	69	29	31	17	38	18	20	-	-	350	186	137	19	8	80	43	31	1	5	14
1,934	642	438	490	364	274	154	108	7	5	3,032	1,618	1,038	212	164	906	451	296	91	68	15
326	130	82	74	40	64	36	27	1	-	844	344	228	37	35	166	87	50	16	13	16
310	118	78	63	51	50	31	19	-	-	661	348	252	42	39	175	101	50	12	12	17
125	26	23	43	31	8	4	3	-	1	161	67	72	17	5	61	25	20	10	6	18
60	22	24	13	1	16	9	7	-	-	156	97	49	6	6	31	19	11	1	-	19
143	42	26	45	30	14	4	8	2	-	108	58	36	8	6	47	18	10	11	8	20
970	304	205	250	211	122	70	44	4	4	1,300	704	421	102	73	426	201	155	41	29	21
794	239	164	196	195	123	71	38	4	10	661	296	269	59	37	512	245	167	60	40	22
124	31	49	19	25	57	26	21	4	6	190	73	109	3	5	203	86	86	19	12	23
670	208	115	177	170	66	45	17	-	4	471	223	160	56	32	309	159	81	41	28	24
3,099	1,540	497	795	267	459	346	98	11	4	6,176	3,835	1,761	412	148	1,685	1,064	420	137	64	25
2,371	1,212	417	535	207	393	290	88	11	4	4,944	3,055	1,541	247	101	1,393	874	364	100	55	26
56	35	2	16	3	13	10	3	-	-	124	108	5	10	1	30	23	1	5	1	27
1,113	670	169	214	60	111	91	18	1	1	1,892	1,334	432	94	32	510	340	124	31	15	28
1,082	650	163	211	58	106	86	18	1	1	1,849	1,303	421	93	32	491	328	120	29	14	29
39	20	18	1	-	10	9	1	-	-	123	88	31	4	-	19	14	3	2	-	30
245	124	36	64	21	15	10	5	-	-	471	340	92	28	11	74	49	19	3	3	31
370	230	67	58	15	30	24	5	1	-	621	413	163	35	10	108	66	28	9	5	32
379	246	35	79	19	33	28	4	-	1	389	276	64	14	5	84	57	19	5	3	33
49	30	7	9	3	18	15	3	-	-	275	186	71	12	6	206	142	51	10	3	34
31	20	6	3	2	5	5	-	-	-	43	31	11	1	-	19	12	4	2	1	35
11	5	1	5	-	3	3	-	-	-	19	13	5	-	1	12	10	1	1	-	36
55	41	5	8	1	1	1	-	-	-	51	44	6	1	-	11	9	1	1	-	37
27	25	1	1	-	11	10	1	-	-	51	47	4	-	-	29	25	4	-	-	38
66	23	17	17	9	10	9	1	-	-	87	48	21	14	4	20	12	7	1	-	39
9	7	2	-	-	10	8	1	1	-	128	85	26	13	4	27	16	11	-	-	40
288	115	124	30	19	88	47	40	-	1	1,449	636	766	30	17	274	131	123	8	12	41
109	52	32	20	5	17	13	4	-	-	491	298	173	18	6	56	39	15	1	1	42
103	33	57	5	8	14	7	7	-	-	259	101	150	6	2	44	19	20	3	2	43
76	30	35	5	6	57	27	29	-	1	699	239	443	8	9	174	73	88	4	9	44
44	20	1	23	-	3	3	-	-	-	52	47	1	4	-	15	12	2	1	-	45
43	30	2	11	-	23	21	1	1	-	79	69	5	5	-	31	31	-	-	-	46
27	20	1	6	-	5	5	-	-	-	33	30	3	-	-	18	15	2	1	-	47
174	55	32	39	48	22	13	7	1	1	294	135	104	30	25	120	59	32	17	12	48
29	7	4	8	10	3	3	-	-	-	36	16	15	3	2	13	8	3	-	2	49
57	29	5	19	4	22	19	2	1	-	69	55	6	7	1	60	48	2	6	4	50
53	14	10	16	13	7	2	5	-	-	73	38	22	11	2	15	9	5	1	-	51
99	49	3	45	2	21	17	3	1	-	175	133	28	11	3	71	49	9	11	2	52
5	-	1	4	-	-	-	-	-	-	4	2	1	1	-	5	3	2	-	-	53
12	5	3	2	2	2	1	1	-	-	22	8	13	-	1	9	3	6	-	-	54
203	62	34	71	36	38	27	5	5	1	306	207	78	13	8	123	71	29	16	7	55
348	238	54	46	10	63	54	9	-	-	906	686	191	23	6	191	143	42	4	2	56
50	28	16	5	1	14	12	2	-	-	170	105	59	3	3	35	17	16	1	1	57
29	18	5	4	2	21	19	2	-	-	237	161	66	9	1	32	19	13	-	-	58
239	175	29	32	3	23	20	3	-	-	390	345	34	9	2	101	91	8	1	1	59
30	17	4	5	4	5	3	2	-	-	109	75	32	2	-	23	16	5	2	-	60
380	90	26	214	50	3	2	1	-	-	322	90	49	142	41	99	45	14	33	7	61
242	52	17	140	33	1	-	1	-	-	153	35	29	66	23	60	30	9	17	4	62
66	9	1	43	13	1	1	-	-	-	70	12	6	43	9	21	8	-	13	-	63
59	23	8	24	4	1	1	-	-	-	78	33	14	22	9	15	5	5	2	3	64
8	3	-	5	-	-	-	-	-	-	17	7	-	10	-	3	2	-	1	-	65
5	3	-	2	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	2	2	-	-	-	67

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	13,935	8,373	5,322	145	95	110,212	57,060	45,497	4,244	3,411
2	I. Infective and parasitic diseases	342	235	77	17	13	3,383	1,817	756	502	308
3	Tuberculosis, all forms---001-019	202	129	46	16	11	2,474	1,373	469	389	243
4	Tuberculosis of respiratory system---001-008	183	121	40	13	9	2,283	1,295	425	348	215
5	Tuberculosis of meninges and central nervous system---010	8	2	2	2	2	62	19	17	15	11
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	2	-	1	1	-	18	8	3	2	5
7	Tuberculosis of vertebral column---012.0,013.0	1	1	-	-	-	14	7	5	2	-
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	-	-	-	-	-	5	2	1	-	2
9	Tuberculosis of genito-urinary system---016	1	1	-	-	-	17	10	4	1	2
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	2	1	1	-	-	8	6	1	-	1
11	Disseminated tuberculosis---019	5	3	2	-	-	57	26	13	21	7
12	Syphilis and its sequelae---020-029	66	58	7	1	-	402	192	88	86	36
13	Congenital syphilis---020	2	1	-	1	-	13	2	3	3	5
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	33	31	2	-	-	86	41	19	16	10
16	Other cardiovascular syphilis---023	18	15	3	-	-	136	59	31	38	8
17	Tabes dorsalis---024	2	2	-	-	-	17	10	2	2	3
18	General paralysis of insane---025	4	4	-	-	-	91	56	11	17	7
19	Other syphilis of central nervous system---026	7	5	2	-	-	39	18	9	8	4
20	Other syphilis---027-029	-	-	-	-	-	20	6	11	2	1
21	Gonococcal infection---030-035	-	-	-	-	-	1	1	-	-	-
22	Typhoid fever---040	1	-	-	-	1	3	1	2	-	-
23	Paratyphoid fever---041	-	-	-	-	-	2	2	-	-	-
24	Other Salmonella infections---042	-	-	-	-	-	1	-	1	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	1	1	-	-	-
27	Dysentery, all forms---045-048	2	2	-	-	-	10	5	4	1	-
28	Scarlet fever---050	-	-	-	-	-	5	1	4	-	-
29	Streptococcal sore throat---051	2	2	-	-	-	10	5	5	-	-
30	Erysipelas---052	1	1	-	-	-	-	-	-	-	-
31	Septicemia and pyemia---053	2	2	-	-	-	42	20	16	4	2
32	Diphtheria---055	7	4	3	-	-	7	1	6	-	-
33	Whooping cough---056	5	1	3	-	1	68	20	32	6	10
34	Meningococcal infections---057	6	5	1	-	-	55	32	18	4	1
35	Plague---058	-	-	-	-	-	-	-	-	-	-
36	Tularemia---059	-	-	-	-	-	-	-	-	-	-
37	Leprosy---060	-	-	-	-	-	-	-	-	-	-
38	Tetanus---061	1	-	1	-	-	8	4	4	-	-
39	Anthrax---062	-	-	-	-	-	2	2	-	-	-
40	Acute poliomyelitis---080	30	19	11	-	-	102	61	36	3	2
41	Late effects of acute poliomyelitis---081	1	1	-	-	-	3	2	-	1	-
42	Acute infectious encephalitis---082	1	-	1	-	-	34	16	16	2	-
43	Late effects of acute infectious encephalitis---083	-	-	-	-	-	22	13	7	1	1
44	Smallpox---084	-	-	-	-	-	-	-	-	-	-
45	Measles---085	1	1	-	-	-	12	5	6	1	-
46	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis---092	5	4	1	-	-	49	24	20	-	5
48	Rabies---094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
50	Rocky Mountain spotted fever---104A	-	-	-	-	-	-	-	-	-	-
51	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
52	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
53	Malaria---110-117	-	-	-	-	-	3	2	-	1	-
54	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
55	Hydatid disease---125	-	-	-	-	-	-	-	-	-	-
56	Filariasis---127	-	-	-	-	-	-	-	-	-	-
57	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
58	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	2	1	1	-	-
59	All other infective and parasitic diseases---Residual	9	6	3	-	-	65	33	23	3	6
60	II. Neoplasms	2,122	1,086	1,006	14	16	16,776	7,927	7,913	485	451
61	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	2,083	1,070	983	14	16	16,326	7,755	7,676	475	420
62	Malignant neoplasm of buccal cavity and pharynx---140-148	55	42	13	-	-	395	300	72	18	5
63	Of lip---140	12	12	-	-	-	28	28	-	-	-
64	Of tongue---141	8	7	1	-	-	113	88	19	5	1
65	Of other and unspecified parts of buccal cavity---142-144	17	10	7	-	-	122	85	29	6	2
66	Of pharynx---145-148	18	13	5	-	-	132	99	24	7	2
67	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	788	434	343	7	4	6,778	3,481	2,931	226	140
68	Of esophagus---150	31	20	11	-	-	334	253	48	29	4
69	Of stomach---151	267	163	97	5	2	1,861	1,099	625	94	43
70	Of intestine, except rectum---152,153	211	100	109	1	1	2,100	883	1,144	33	40
71	Of rectum---154	97	59	38	-	-	903	517	341	23	22
72	Of biliary passages and of liver (stated to be primary site)---155	38	18	19	1	-	351	117	222	7	5
73	Of liver not specified whether primary or secondary---156A	39	15	24	-	-	410	182	210	10	8
74	Of pancreas---157	91	52	38	-	1	690	373	279	24	14
75	Of peritoneum and of unspecified digestive organs---158,159	14	7	7	-	-	129	57	62	6	4
76	Malignant neoplasm of respiratory system---160-164	212	164	42	4	2	1,660	1,247	309	91	13
77	Of larynx---161	13	10	2	1	-	151	130	13	7	1
78	Of trachea, and of bronchus and lung specified as primary---162	106	89	15	1	1	583	459	78	41	5
79	Of lung and bronchus, unspecified as primary or secondary---163	80	58	20	1	1	836	606	182	41	7
80	Of other parts of respiratory system---160,164	13	7	5	1	-	90	52	36	2	-
81	Malignant neoplasm of breast---170	194	3	188	-	3	1,452	11	1,388	2	71

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,308	4,373	3,728	106	101	17,973	5,619	3,762	4,655	3,937	5,880	3,317	2,215	191	157	29,425	12,940	9,654	3,592	3,239	1
220	148	60	6	6	824	163	85	343	233	190	85	37	28	40	1,619	604	486	297	232	2
151	101	39	5	6	443	90	38	180	135	113	45	16	22	30	1,110	420	327	190	173	3
140	95	37	3	5	411	86	37	162	126	93	38	15	15	25	1,009	392	302	159	156	4
3	-	2	1	-	10	2	1	5	2	10	-	-	5	5	49	13	13	15	8	5
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	13	4	3	3	3	6
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	2	-	-	2	-	7
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	8
3	2	-	-	1	-	-	-	-	-	3	2	-	1	-	7	4	2	-	1	9
1	-	-	1	-	5	1	-	4	-	2	2	-	-	-	4	1	1	1	1	10
3	3	-	-	-	14	1	-	7	6	4	3	1	-	-	24	5	5	10	4	11
36	23	12	1	-	139	29	8	75	27	17	12	4	-	1	141	43	16	61	21	12
-	-	-	-	-	9	-	1	6	2	1	1	-	-	-	5	1	-	2	2	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
11	6	4	1	-	38	15	4	13	6	6	4	2	-	-	36	18	4	11	3	15
11	8	3	-	-	42	7	1	24	10	3	2	1	-	-	53	14	4	26	9	16
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	17
5	2	3	-	-	36	6	2	26	2	5	4	1	-	-	28	5	5	16	2	18
3	3	-	-	-	9	1	-	4	4	-	-	-	-	-	14	3	2	6	3	19
4	3	1	-	-	5	-	-	2	3	1	-	-	-	1	4	2	-	-	2	20
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	3	1	-	1	1	21
-	-	-	-	-	6	-	-	3	3	-	-	-	-	-	7	2	2	2	1	22
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	26
2	2	-	-	-	21	4	6	7	4	1	1	-	-	-	42	18	11	6	7	27
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	6	5	1	-	-	28
1	-	1	-	-	6	1	-	1	4	2	1	1	-	-	9	3	3	1	2	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	30
3	2	1	-	-	11	4	3	1	3	2	1	-	1	-	16	7	7	1	1	31
1	1	-	-	-	22	2	6	10	4	1	-	1	-	-	19	9	9	-	1	32
1	-	1	-	-	49	8	7	16	18	9	-	1	3	5	64	12	29	10	13	33
5	4	1	-	-	19	5	3	8	3	6	2	1	2	1	39	14	24	1	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
3	2	1	-	-	8	-	-	6	2	-	-	-	-	-	18	2	4	6	6	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
3	1	2	-	-	10	4	-	4	2	16	11	5	-	-	34	21	8	3	2	40
1	1	-	-	-	3	1	-	2	-	-	-	-	-	-	2	1	1	-	-	41
1	1	-	-	-	5	2	-	2	1	2	2	-	-	-	7	4	3	-	-	42
2	1	1	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	23	7	6	7	3	6	3	1	-	2	24	8	12	3	1	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
4	3	1	-	-	7	-	2	3	2	5	4	1	-	-	15	9	3	3	-	47
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	6	5	1	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	4	-	1	1	2	-	-	-	-	-	2	1	1	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
1	1	-	-	-	9	-	1	2	6	-	-	-	-	-	1	1	-	-	-	58
4	4	-	-	-	31	4	4	12	11	9	2	6	-	1	47	16	20	8	3	59
1,450	735	682	16	17	1,815	566	615	267	367	868	456	395	11	6	3,535	1,398	1,519	258	360	60
1,410	717	660	16	17	1,753	548	599	261	345	843	447	380	10	6	3,447	1,368	1,486	250	343	61
38	33	5	-	-	44	27	7	4	6	15	12	2	-	1	99	59	33	5	2	62
6	6	-	-	-	4	4	-	-	-	7	7	-	-	-	16	12	4	-	-	63
12	11	1	-	-	10	7	3	-	-	-	-	-	-	-	13	9	1	2	1	64
9	7	2	-	-	15	8	2	1	4	6	4	2	-	-	36	15	19	2	-	65
11	9	2	-	-	15	8	2	3	2	2	1	-	-	1	34	23	9	1	1	66
566	298	259	6	3	566	173	159	134	100	348	195	146	6	1	1,166	495	475	105	91	67
23	20	3	-	-	62	14	11	20	17	13	11	2	-	-	43	30	6	5	2	68
155	95	56	3	1	182	58	37	55	32	119	70	48	1	-	357	166	112	48	31	69
190	81	107	2	-	126	38	52	16	20	84	46	37	1	-	295	106	151	22	16	70
89	47	41	-	1	53	16	20	8	9	40	27	13	-	-	117	47	47	7	16	71
18	5	12	1	-	17	5	9	1	2	15	3	12	-	-	78	22	49	5	2	72
28	14	14	-	-	60	20	11	16	13	25	9	12	3	1	118	47	47	10	14	73
56	34	22	-	-	52	19	14	13	6	41	22	18	1	-	136	66	53	8	9	74
7	2	4	-	1	14	3	5	5	1	11	7	4	-	-	22	11	10	-	1	75
129	105	21	2	1	180	110	37	24	9	72	57	13	2	-	310	201	70	32	7	76
6	5	1	-	-	17	11	-	3	3	3	2	1	-	-	28	24	4	-	-	77
34	27	6	-	1	48	34	8	5	1	23	21	2	-	-	109	72	14	19	4	78
75	62	11	2	-	97	58	25	10	4	38	30	7	1	-	157	97	45	12	3	79
14	11	3	-	-	18	7	4	6	1	8	4	3	1	-	16	8	7	1	-	80
138	3	131	-	4	111	4	77	-	34	73	-	73	-	-	302	3	240	1	58	81

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	326	122	202	1	1	2,516	788	1,560	39	129
2	Of cervix uteri----171	68	...	67	...	1	574	...	515	...	59
3	Of other and unspecified parts of uterus----172-174	70	...	70	...	-	649	...	598	...	51
4	Of ovary, fallopian tube, and broad ligament----175	57	...	57	...	-	414	...	397	...	17
5	Of other and unspecified female genital organs----176	8	...	8	...	-	52	...	50	...	2
6	Of prostate----177	115	114	...	1	...	760	724	...	36	...
7	Of testis, and of other and unspecified male genital organs----178,179	8	8	...	-	...	67	64	...	3	...
8	Malignant neoplasm of urinary organs----180,181	105	67	38	-	-	842	545	262	20	15
9	Of kidney----180	37	21	16	-	-	274	165	96	6	7
10	Of bladder and other urinary organs----181	68	46	22	-	-	568	380	166	14	8
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	224	127	92	1	4	1,525	749	708	43	27
12	Of skin----190,191	36	20	16	-	-	226	138	84	3	1
13	Of eye----192	1	1	-	-	-	26	19	7	-	-
14	Of brain and other parts of nervous system----193	51	35	15	-	1	271	160	107	4	-
15	Of thyroid gland----194	13	5	7	-	1	82	21	55	3	3
16	Of bone (including jaw bone)----196	15	9	6	-	-	182	110	61	8	3
17	Of connective tissue----197	4	2	2	-	-	40	22	18	2	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	30	16	13	1	-	303	135	156	7	5
19	Of unspecified sites----156B,165,198B,199B-H	74	39	33	-	2	395	144	220	16	15
20	Leukemia and aleukemia----204	90	55	33	1	1	612	331	254	15	12
21	Lymphosarcoma, etc.*----200-203,205	89	56	32	-	1	546	303	214	21	8
22	Lymphosarcoma and reticulosarcoma----200	44	29	15	-	-	239	133	97	6	3
23	Hodgkin's disease----201	28	20	8	-	-	183	109	65	5	4
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	17	7	9	-	1	124	61	52	10	1
25	Benign neoplasms and neoplasms of unspecified nature----210-239	39	16	23	-	-	450	172	237	10	31
26	Benign neoplasms of female genital organs----214-217	6	...	6	...	-	100	...	85	...	15
27	Benign neoplasm of brain and other parts of nervous system----223	5	2	3	-	-	53	20	32	-	1
28	Other benign neoplasms----210-213,218-222,224-229	12	5	7	-	-	66	31	29	2	4
29	Neoplasm of unspecified nature of female genital organs----233-235	-	...	-	...	-	4	...	4	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	12	7	5	-	-	156	79	63	7	7
31	Other neoplasms of unspecified nature----230-232,236,238,239	4	2	2	-	-	71	42	24	1	4
32	III. Allergic, endocrine system, metabolic, and nutritional diseases	269	124	142	-	3	3,082	1,048	1,881	53	100
33	Asthma----241	56	39	17	-	-	310	194	96	12	8
34	Nontoxic goiter----250,251	5	-	5	-	-	20	3	16	1	-
35	Thyrotoxicosis with or without goiter----252	14	3	11	-	-	120	17	98	-	5
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	-	-	-	-	-	18	6	11	-	1
37	Diabetes mellitus----260	171	70	99	-	2	2,418	733	1,575	34	76
38	Diseases of thymus gland----273	4	4	-	-	-	77	41	27	3	6
39	Diseases of adrenal glands----274	8	2	6	-	-	39	17	21	1	-
40	Pellagra----281	-	-	-	-	-	3	1	2	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	1	-	1	-	-	42	22	16	2	2
42	Other allergic, endocrine, and metabolic diseases----Residual	10	6	3	-	1	35	14	19	-	2
43	IV. Diseases of the blood and blood-forming organs	50	27	21	1	1	401	175	201	14	11
44	Anemias----280-283	39	20	17	1	1	304	126	157	13	8
45	Pernicious and other hyperchromic anemias----290	19	8	10	-	1	169	67	99	1	2
46	Anemias of other and unspecified type----291-293	20	12	7	1	-	135	59	59	12	6
47	Purpura and other hemorrhagic conditions----296	4	1	3	-	-	37	19	17	-	1
48	All other diseases of blood and blood-forming organs----294,295,297-299	7	6	1	-	-	60	30	27	1	2
49	V. Mental, psychoneurotic, and personality disorders	58	38	16	1	3	266	157	84	18	7
50	Senile psychosis----304	12	5	7	-	-	63	19	42	1	1
51	Alcoholic psychosis----307	4	3	1	-	-	19	14	-	4	1
52	Other psychoses----300-303,305,306,308,309	11	6	3	-	2	58	28	28	1	1
53	Alcoholism----322	29	23	4	1	1	105	83	6	12	4
54	Mental deficiency----325	2	1	1	-	-	17	11	6	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	4	2	2	-	-
56	VI. Diseases of the nervous system and sense organs	1,687	840	826	14	7	11,997	5,416	5,859	327	395
57	Vascular lesions affecting central nervous system----330-334	1,538	771	748	12	7	11,045	4,933	5,466	275	369
58	Subarachnoid hemorrhage----330	30	12	17	-	1	242	113	107	8	14
59	Cerebral hemorrhage----331	1,067	542	510	10	5	7,189	3,108	3,664	184	233
60	Cerebral embolism and thrombosis----332	300	156	141	2	1	2,043	984	948	47	64
61	Other vascular lesions affecting central nervous system----333,334	141	61	80	-	-	1,569	728	747	36	58
62	Meningitis, except meningococcal and tuberculous----340	14	7	7	-	-	112	60	33	14	5
63	Multiple sclerosis----345	18	5	13	-	-	119	55	59	2	3
64	Paralysis agitans----350	26	13	13	-	-	154	65	86	1	2
65	Cerebral spastic infantile paralysis----351	6	2	4	-	-	39	22	15	2	-
66	Epilepsy----353	25	10	14	1	-	156	75	63	16	2
67	Inflammatory diseases of eye----370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----385	1	1	-	-	-	10	4	6	-	-
69	Glaucoma----387	-	-	-	-	-	4	2	2	-	-
70	Otitis media and mastoiditis----381-383	7	4	3	-	-	39	18	17	1	3
71	Other diseases of nervous system and sense organs----Residual	52	27	24	1	-	321	162	132	16	11
72	VII. Diseases of the circulatory system	5,695	3,609	2,031	33	22	48,327	25,942	19,869	1,332	1,184
73	Rheumatic fever----400-402	14	8	5	-	1	200	78	104	8	10
74	Diseases of heart----410-443	5,125	3,273	1,802	32	18	43,793	23,857	17,710	1,176	1,050
75	Chronic rheumatic heart disease----410-416	243	132	110	1	-	1,693	777	834	40	42
76	Diseases of mitral valve----410	95	51	44	-	-	611	285	302	14	10
77	Diseases of aortic valve specified as rheumatic----411	12	9	3	-	-	52	38	12	2	-
78	Diseases of tricuspid valve----412	-	-	-	-	-	1	1	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	21	16	5	-	-	140	54	80	4	2
80	Other diseases of heart specified as rheumatic----415,416	115	56	58	1	-	899	399	440	30	30

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948,

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
205	91	105	2	5	381	50	153	44	134	125	62	60	-	3	690	184	328	50	128	1
36	...	34	...	2	119	...	60	...	59	18	...	17	...	1	225	...	155	...	70	2
44	...	43	...	1	123	...	62	...	61	25	...	23	...	2	154	...	107	...	47	3
27	...	25	...	2	35	...	25	...	10	18	...	18	...	-	63	...	55	...	8	4
3	...	3	...	-	10	...	6	...	4	2	...	2	...	-	14	...	11	...	3	5
88	86	...	2	...	87	46	...	41	...	58	58	...	-	...	212	166	...	46	...	6
5	5	...	-	...	7	4	...	3	...	4	4	...	-	...	22	18	...	4	...	7
65	43	19	2	1	69	28	25	7	9	37	29	8	-	-	153	78	48	17	10	8
28	20	6	-	-	32	11	10	6	5	19	12	7	-	-	57	32	15	6	4	9
37	23	11	2	1	37	17	15	1	4	18	17	1	-	-	96	46	33	11	6	10
172	92	77	1	2	245	82	89	33	41	86	38	45	2	1	446	200	192	25	29	11
20	12	8	-	-	46	17	20	5	4	12	9	3	-	-	87	44	38	1	4	12
1	-	1	-	-	3	-	3	-	-	1	1	-	-	-	4	1	3	-	-	13
22	19	3	-	-	49	26	14	8	1	15	5	10	-	-	77	41	27	3	6	14
8	3	5	-	-	12	1	5	3	3	4	-	3	-	1	11	2	8	-	1	15
20	13	6	1	-	27	11	6	4	6	4	2	1	1	-	44	21	17	4	2	16
4	1	3	-	-	6	1	4	-	1	3	2	1	-	-	8	6	1	-	1	17
35	16	18	-	1	53	13	20	6	14	10	4	6	-	-	86	41	31	9	5	18
62	28	33	-	1	49	13	17	7	12	37	15	21	1	-	129	44	67	8	10	19
38	15	22	1	-	99	48	38	8	5	52	31	21	-	-	170	92	58	9	11	20
61	37	21	2	1	58	30	14	7	7	35	23	12	-	-	111	55	42	6	7	21
32	22	9	-	1	30	17	9	2	2	15	10	5	-	-	49	20	23	4	2	22
22	14	7	1	-	17	7	3	3	4	15	11	4	-	-	32	20	10	1	1	23
7	1	5	1	-	11	6	2	2	1	5	2	3	-	-	30	16	9	1	4	24
40	18	22	-	-	62	18	16	6	22	25	9	15	1	-	88	30	33	8	17	25
5	...	5	...	-	16	...	3	...	13	5	...	5	...	-	23	...	11	...	12	26
4	3	1	-	-	7	-	5	1	1	4	1	3	-	-	22	13	8	-	1	27
7	4	3	-	-	12	6	2	2	2	3	-	2	1	-	12	4	3	4	1	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	29
10	6	4	-	-	17	8	3	3	3	11	8	3	-	-	23	8	10	3	2	30
14	5	9	-	-	10	4	3	-	3	2	-	2	-	-	8	5	1	1	1	31
328	96	223	4	5	382	121	113	51	97	154	79	67	3	5	507	181	207	40	79	32
22	12	9	-	1	41	16	12	7	6	27	20	5	1	1	89	45	27	7	10	33
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	34
7	1	6	-	-	17	1	6	1	9	5	-	4	-	1	23	-	18	1	4	35
1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	2	-	1	-	1	36
284	76	201	3	4	283	89	90	34	70	116	55	56	2	3	314	107	126	23	58	37
-	-	-	-	-	9	2	1	2	4	2	2	-	-	-	3	3	-	-	-	38
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	10	5	4	1	-	39
-	-	-	-	-	7	4	-	1	2	-	-	-	-	-	22	6	13	2	1	40
3	2	1	-	-	18	7	2	5	4	-	-	-	-	-	27	10	12	4	1	41
7	2	4	1	-	6	2	1	1	2	2	1	1	-	-	15	5	6	2	2	42
28	9	17	1	1	64	12	19	15	18	40	17	21	2	-	98	38	40	9	11	43
22	9	12	-	1	43	7	11	10	15	30	13	15	2	-	68	28	23	9	8	44
10	4	6	-	-	14	2	7	4	1	11	6	5	-	-	37	17	15	1	4	45
12	5	6	-	1	29	5	4	6	14	19	7	10	2	-	31	11	8	8	4	46
1	-	1	-	-	7	1	5	-	1	3	-	3	-	-	18	5	11	-	2	47
5	-	4	1	-	14	4	3	5	2	7	4	3	-	-	12	5	6	-	1	48
17	11	5	1	-	60	22	6	25	7	15	10	4	1	-	143	78	34	16	15	49
1	-	1	-	-	7	3	2	2	-	2	1	1	-	-	50	21	17	5	7	50
3	2	1	-	-	5	5	-	-	-	1	1	-	-	-	2	1	-	1	-	51
5	2	3	-	-	15	4	-	8	3	2	1	1	-	-	26	9	9	3	5	52
7	6	-	1	-	27	9	1	14	3	6	5	-	1	-	52	38	5	7	2	53
1	1	-	-	-	5	-	3	1	1	2	2	-	-	-	8	5	2	-	1	54
-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	5	4	1	-	-	55
907	418	471	6	12	2,453	662	561	644	586	816	426	371	8	11	3,744	1,475	1,367	407	495	56
845	389	441	4	11	2,259	612	523	579	545	740	378	350	6	6	3,463	1,364	1,283	358	458	57
17	10	6	-	1	48	18	8	12	8	10	5	4	-	1	78	40	28	5	5	58
495	218	264	4	9	1,551	390	363	405	393	491	247	235	5	4	2,462	988	940	227	307	59
235	114	120	-	1	298	100	89	58	51	117	65	51	1	-	418	177	147	46	48	60
98	47	51	-	-	364	104	63	104	93	122	61	60	-	1	505	159	168	80	98	61
4	2	2	-	-	38	5	8	14	11	11	6	1	1	3	57	17	9	20	11	62
8	3	3	1	1	9	3	3	2	1	10	6	4	-	-	12	5	5	-	2	63
8	5	2	1	-	7	4	1	1	1	16	9	6	1	-	26	12	7	3	4	64
5	5	-	-	-	7	2	2	3	-	3	3	-	-	-	10	6	2	-	2	65
14	6	8	-	-	48	12	9	17	10	5	3	2	-	-	43	17	15	9	2	66
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	68
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	69
2	2	-	-	-	6	1	1	3	1	3	3	-	-	-	19	9	4	5	1	70
21	6	15	-	-	76	22	14	24	16	27	17	8	-	2	113	44	42	12	15	71
3,657	2,013	1,589	36	39	6,122	2,224	1,311	1,367	1,220	2,144	1,304	799	27	14	9,716	4,653	3,028	1,072	963	72
6	3	2	1	-	41	8	5	11	17	7	5	2	-	-	53	18	20	8	7	73
3,302	1,843	1,390	33	36	5,440	1,994	1,169	1,199	1,078	1,935	1,189	707	26	13	8,878	4,345	2,730	950	853	74
104	45	56	2	1	198	39	43	45	71	72	41	28	2	1	341	149	123	37	32	75
33	15	18	-	-	126	23	26	30	47	34	18	14	1	1	192	81	66	23	22	76
5	3	2	-	-	5	-	1	2	2	2	-	2	-	-	8	5	3	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	78
3	2	1	-	-	7	2	2	2	1	2	1	1	-	-	16	7	8	-	1	79
65	25	35	2	1	60	14	14	11	21	34	22	11	1	-	123	54	46	14	9	80

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	3,178	2,272	883	16	7	25,278	15,494	8,910	498	386
2	Arteriosclerotic heart disease so described----420.0	855	534	316	5	-	7,707	3,997	3,377	183	150
3	Heart disease specified as involving coronary arteries----420.1	2,309	1,751	560	11	7	17,429	11,407	5,463	303	256
4	Angina pectoris without mention of coronary disease----420.2	14	7	7	-	-	142	90	50	2	-
5	Chronic endocarditis not specified as rheumatic----421	85	57	27	-	1	932	436	408	49	39
6	Of mitral valve, specified as nonrheumatic----421.0	2	2	-	-	-	19	13	6	-	-
7	Of aortic valve, not specified as rheumatic----421.1	33	21	12	-	-	154	73	47	19	15
8	Of other valves, not specified as rheumatic----421.2-421.4	50	34	15	-	1	759	350	355	30	24
9	Other myocardial degeneration----422	411	214	195	-	2	7,423	3,535	3,557	195	136
10	With arteriosclerosis----422.1	161	73	86	-	2	3,639	1,728	1,812	56	43
11	Without mention of arteriosclerosis----422.0,422.2	250	141	109	-	-	3,784	1,807	1,745	139	93
12	Other diseases of heart----430-434	276	166	101	8	1	1,734	901	666	90	77
13	Acute and subacute endocarditis----430	10	7	2	1	-	79	35	34	5	5
14	Acute myocarditis not specified as rheumatic----431	23	9	10	4	-	336	153	149	18	16
15	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	3	-	3	-	-
16	Functional disease of heart----433	40	20	20	-	-	193	89	98	3	3
17	Other and unspecified diseases of heart----434	203	130	69	3	1	1,123	624	382	64	53
18	Hypertension with heart disease----440-443	932	432	486	7	7	6,733	2,714	3,335	314	370
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	403	203	195	3	2	2,360	1,062	1,106	102	90
20	Essential hypertension with heart disease, etc.*----440,441,443	529	229	291	4	5	4,373	1,652	2,229	212	280
21	Hypertension without mention of heart----444-447	73	36	35	-	2	957	379	451	67	60
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	21	10	11	-	-	516	219	234	38	25
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	52	26	24	-	2	441	160	217	29	35
24	Diseases of arteries----450-456	453	279	172	1	1	3,088	1,498	1,469	66	55
25	General arteriosclerosis----450	414	252	160	1	1	2,723	1,283	1,355	46	39
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	22	16	6	-	-	204	127	52	15	10
27	Gangrene of unspecified cause----455	2	2	-	-	-	23	14	8	-	1
28	Other arterial diseases----452-454,456	15	9	6	-	-	138	74	54	5	5
29	Diseases of veins and other diseases of circulatory system----460-468	30	13	17	-	-	289	130	135	15	9
30	VIII. Diseases of the respiratory system----	443	275	161	4	3	4,777	2,869	1,448	298	162
31	Acute upper respiratory infections----470-475	5	2	3	-	-	36	19	13	2	2
32	Influenza----480-483	23	10	13	-	-	413	205	179	17	12
33	Pneumonia, except pneumonia of newborn----490-493	300	180	114	3	3	2,703	1,396	983	206	118
34	Lobar pneumonia----490	95	62	32	-	1	1,061	599	316	98	48
35	Bronchopneumonia----491	186	103	59	3	1	1,044	505	406	82	51
36	Primary atypical pneumonia----492	22	6	16	-	-	379	183	170	14	12
37	Pneumonia, other and unspecified----493	17	9	7	-	1	219	109	91	12	7
38	Acute bronchitis----500	7	5	2	-	-	169	89	51	17	12
39	Bronchitis, chronic and unqualified----501,502	28	21	7	-	-	157	87	54	12	4
40	Hypertrophy of tonsils and adenoids----510	5	4	1	-	-	23	9	9	2	3
41	Empyema and abscess of lung----518,521	11	6	5	-	-	58	37	7	13	1
42	Pleurisy----519	4	4	-	-	-	31	13	10	5	3
43	All other respiratory diseases----Residual	60	43	16	1	-	1,187	1,014	142	24	7
44	IX. Diseases of the digestive system----	439	268	162	6	3	4,099	2,249	1,579	155	116
45	Diseases of teeth and supporting structures----530-535	3	-	3	-	-	17	10	6	-	1
46	Ulcer of stomach----540	44	35	7	1	1	355	262	68	17	8
47	Ulcer of duodenum----541	36	28	8	-	-	279	224	42	10	3
48	Gastritis and duodenitis----543	6	5	1	-	-	23	12	3	6	2
49	Appendicitis----550-553	20	16	3	1	-	223	135	77	7	4
50	Hernia and intestinal obstruction----560,561,570	61	37	24	-	-	703	321	333	30	19
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	37	19	16	1	1	368	183	152	19	14
52	Cirrhosis of liver----581	113	66	44	2	1	1,099	674	351	43	31
53	Without mention of alcoholism----581.0	89	52	36	1	-	964	575	325	36	28
54	With alcoholism----581.1	24	14	8	1	1	135	99	26	7	3
55	Cholelithiasis and cholecystitis----584,585	47	18	29	-	-	521	167	343	3	8
56	Other diseases of digestive system----Residual	72	44	27	1	-	511	261	204	20	26
57	X. Diseases of the genito-urinary system----	310	210	94	4	2	3,421	1,810	1,215	220	176
58	Nephritis and nephrosis----590-594	185	106	75	2	2	2,498	1,179	1,009	162	148
59	Acute nephritis----590	13	9	4	-	-	157	80	62	8	7
60	Nephritis with edema, including nephrosis----591	9	1	7	1	-	117	53	55	8	1
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	163	96	64	1	2	2,224	1,046	892	146	140
62	Infections of kidney----600	41	27	13	1	-	175	70	80	13	12
63	Calculi of urinary system----602,604	6	4	2	-	-	68	28	33	2	5
64	Other diseases of urinary system----601,603,605-609	13	10	3	-	-	130	73	39	17	1
65	Hyperplasia of prostate----610	56	55	...	1	...	432	409	...	23	...
66	Other diseases of male genital organs----611-617	8	8	...	-	...	54	51	...	3	...
67	Diseases of breast----620,621	-	-	-	-	-	1	-	1	-	-
68	Diseases of female genital organs----622-637	1	...	1	...	-	63	...	53	...	10
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	20	...	20	...	-	170	...	144	...	26
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	6	...	6	...	-	20	...	19	...	1
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	7	...	7	...	-	41	...	36	...	5
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	-	...	-	...	-	30	...	27	...	3
73	Ectopic pregnancy----645	-	...	-	...	-	14	...	12	...	2
74	Abortion without mention of sepsis or toxemia----650	-	...	-	...	-	5	...	3	...	2
75	Abortion with sepsis----651	1	...	1	...	-	22	...	12	...	10
76	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	1	...	1	...	-
77	Other complications of pregnancy, childbirth, and puerperium----Residual	6	...	6	...	-	37	...	34	...	3

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,280	1,381	852	26	21	2,514	1,304	547	381	282	1,198	798	388	8	4	4,126	2,487	1,199	252	188	1
1,058	570	467	13	8	378	159	95	64	60	188	104	83	1	-	1,017	534	344	82	57	2
1,212	804	382	13	13	2,069	1,110	435	306	218	1,004	691	302	7	4	3,016	1,893	638	162	123	3
10	7	3	-	-	67	35	17	11	4	6	3	3	-	-	93	60	17	8	8	4
30	18	12	-	-	156	28	26	53	49	47	27	20	-	-	250	89	55	58	48	5
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	6
5	5	-	-	-	43	14	2	19	8	5	5	-	-	-	72	26	11	18	17	7
23	13	10	-	-	113	14	24	34	41	42	22	20	-	-	175	62	43	39	31	8
273	125	146	-	2	604	175	173	114	142	266	141	118	5	2	1,319	588	465	130	136	9
127	51	74	-	2	287	81	84	51	71	82	39	40	2	1	412	165	164	39	44	10
146	74	72	-	-	317	94	89	63	71	184	102	78	3	1	907	423	301	91	92	11
86	51	33	1	1	293	81	57	79	76	117	66	40	8	3	770	341	199	133	97	12
2	1	1	-	-	20	4	1	7	8	2	1	1	-	-	31	7	8	4	12	13
22	8	13	-	1	34	6	6	12	10	10	6	4	-	-	109	22	20	35	32	14
1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	15
9	5	4	-	-	12	3	6	-	3	11	7	4	-	-	48	18	22	5	3	16
52	36	15	1	-	226	68	44	60	54	94	52	31	8	3	582	294	149	89	50	17
529	223	291	4	11	1,675	367	323	527	458	235	116	113	3	3	2,072	691	689	340	352	18
136	69	64	1	2	599	112	93	217	177	104	56	46	2	-	556	214	175	95	72	19
393	154	227	3	9	1,076	255	230	310	281	131	60	67	1	3	1,516	477	514	245	280	20
81	41	38	-	2	191	55	35	66	35	42	22	20	-	-	326	109	95	56	66	21
56	27	27	-	2	71	28	12	22	9	13	8	5	-	-	139	47	31	25	36	22
25	14	11	-	-	120	27	23	44	26	29	14	15	-	-	187	62	64	31	30	23
243	117	124	2	-	415	153	94	87	81	143	81	61	1	-	391	157	155	45	34	24
226	107	117	2	-	374	134	90	79	71	132	72	59	1	-	338	134	141	35	28	25
8	7	1	-	-	18	11	-	3	4	1	1	-	-	-	23	13	2	5	3	26
-	-	-	-	-	5	1	1	1	2	2	2	-	-	-	3	-	2	-	1	27
9	3	6	-	-	18	7	3	4	4	8	6	2	-	-	27	10	10	5	2	28
25	9	15	-	1	35	14	8	4	9	17	7	9	-	1	68	24	28	13	3	29
208	127	71	7	3	1,027	224	194	335	274	266	127	90	25	24	1,615	644	567	228	178	30
5	2	3	-	-	19	5	3	5	6	10	5	3	1	1	23	11	7	2	3	31
16	10	5	-	1	203	31	39	62	71	32	16	12	2	2	302	98	128	42	36	32
133	75	49	7	2	679	134	126	237	182	173	78	55	22	20	1,056	420	364	158	114	33
52	30	19	2	1	252	43	47	97	65	47	19	18	3	7	404	144	129	71	60	34
49	29	17	3	-	293	55	53	102	83	70	32	23	7	8	491	194	182	70	45	35
17	7	8	2	-	70	26	20	13	11	17	11	5	-	1	86	47	29	7	3	36
15	9	5	-	1	64	10	6	25	23	39	14	9	12	4	75	35	24	10	6	37
4	2	2	-	-	10	3	1	4	2	4	2	2	-	-	24	5	5	6	8	38
9	7	2	-	-	30	16	6	6	2	16	9	6	-	1	47	22	11	6	8	39
1	1	-	-	-	4	1	3	-	-	3	2	1	-	-	6	5	-	-	1	40
2	2	-	-	-	10	2	2	4	2	1	1	-	-	-	17	9	4	3	1	41
4	3	1	-	-	3	-	1	2	-	-	-	-	-	-	2	-	1	-	1	42
34	25	9	-	-	69	32	13	15	9	27	16	11	-	-	138	76	47	9	6	43
325	198	120	4	3	564	175	109	157	123	194	107	69	8	10	1,018	472	332	124	90	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	45
28	22	5	1	-	49	15	9	21	4	15	12	3	-	-	79	50	10	15	4	46
29	28	1	-	-	23	16	1	6	-	13	12	1	-	-	49	40	6	3	-	47
-	-	-	-	-	6	-	2	3	1	-	-	-	-	-	13	-	-	7	6	48
16	8	8	-	-	47	14	8	12	13	15	10	4	-	1	60	24	18	10	8	49
58	31	26	1	-	109	34	24	25	26	48	22	24	1	1	187	75	72	19	21	50
22	10	11	-	1	150	24	24	56	46	19	8	3	3	5	220	95	76	31	18	51
91	63	26	1	1	57	29	14	8	6	27	20	6	1	-	181	109	47	20	5	52
61	37	23	-	1	52	25	13	8	6	24	17	6	1	-	156	91	43	17	5	53
30	26	3	1	-	5	4	1	-	-	3	3	-	-	-	25	18	4	3	-	54
34	14	20	-	-	32	11	16	1	4	35	14	18	1	2	63	16	43	-	4	55
47	22	23	1	1	91	32	11	25	23	22	11	10	-	1	163	60	60	19	24	56
241	126	108	4	2	609	154	107	196	152	143	102	37	2	2	1,034	459	298	163	114	57
160	68	89	2	1	462	98	81	149	134	83	50	30	1	2	744	292	246	116	90	58
6	3	3	-	-	45	11	9	13	12	4	2	2	-	-	84	26	22	11	5	59
11	3	8	-	-	15	2	1	6	6	4	3	1	-	-	34	12	10	11	1	60
143	62	78	2	1	402	85	71	130	116	75	45	27	1	2	646	254	214	94	84	61
19	5	12	1	1	30	11	8	5	6	11	9	1	1	-	71	27	24	9	11	62
3	2	1	-	-	22	10	9	2	1	4	3	1	-	-	27	16	10	1	-	63
8	5	3	-	-	14	2	-	9	3	6	4	2	-	-	34	10	10	6	8	64
44	43	...	1	...	54	29	...	25	...	33	33	...	-	...	122	97	...	25	...	65
3	3	...	-	...	10	4	...	6	...	3	3	...	-	...	23	17	...	6	...	66
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	2	-	-	67
4	...	4	...	-	16	...	9	...	7	3	...	3	...	-	11	...	6	...	5	68
9	...	7	...	2	93	...	23	...	70	15	...	11	...	4	108	...	65	...	43	69
4	...	3	...	1	15	...	4	...	11	5	...	4	...	1	12	...	8	...	4	70
1	...	1	...	-	41	...	9	...	32	2	...	1	...	1	43	...	27	...	16	71
1	...	1	...	-	19	...	3	...	16	2	...	1	...	1	14	...	9	...	5	72
-	...	-	...	-	3	...	-	...	3	1	...	1	...	-	5	...	1	...	4	73
1	...	-	...	1	1	...	-	...	1	1	...	1	...	-	4	...	1	...	3	74
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	6	...	4	...	2	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	76
2	...	2	...	-	12	...	7	...	5	4	...	3	...	1	23	...	14	...	9	77

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	13	9	4	-	-	100	42	52	3	3
2	Infections of skin and subcutaneous tissue--690-698	2	2	-	-	-	27	11	15	1	-
3	Other diseases of skin and subcutaneous tissue--700-716	11	7	4	-	-	73	31	37	2	3
4	XIII. Diseases of the bones and organs of movement	30	11	19	-	-	176	68	102	3	3
5	Arthritis and spondylitis--720-725	13	3	10	-	-	97	32	63	-	2
6	Muscular rheumatism and rheumatism, unspecified--726,727	3	1	2	-	-	5	3	2	-	-
7	Osteomyelitis and periostitis--730	-	-	-	-	-	13	8	4	1	-
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	-	-	-	-	-	2	-	2	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	14	7	7	-	-	59	25	31	2	1
10	XIV. Congenital malformations	185	98	82	4	1	1,177	579	519	42	37
11	Spina bifida and meningocele--751	10	6	4	-	-	138	47	87	4	-
12	Congenital hydrocephalus, etc.*--752,753	26	13	13	-	-	134	71	54	1	8
13	Congenital malformations of circulatory system--754	91	47	41	2	1	533	291	206	24	12
14	Other congenital malformations--750,755-759	58	32	24	2	-	372	170	172	13	17
15	XV. Certain diseases of early infancy	521	300	203	9	9	3,835	1,925	1,366	305	239
16	Birth injuries--760,761	103	59	41	1	2	760	404	281	40	35
17	Postnatal asphyxia and atelectasis--762	131	86	41	2	2	763	390	253	70	50
18	Infections of newborn--763-768	23	12	9	1	1	204	117	66	9	12
19	Hemolytic disease of newborn (erythroblastosis)--770	32	21	11	-	-	190	105	81	3	1
20	All other defined diseases of early infancy--769,771,772	19	13	6	-	-	153	80	49	15	9
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	213	109	95	5	4	1,765	829	636	168	132
22	XVI. Symptoms, senility, and ill-defined conditions	238	140	88	5	5	1,140	572	408	93	67
23	Senility without mention of psychosis--794	129	75	48	4	2	257	103	141	6	7
24	Symptoms, ill-defined and unknown causes--780-793,795	109	65	40	1	3	883	469	267	87	60
25	XVII. Accidents, poisonings, and violence	1,513	1,103	370	33	7	7,065	4,464	2,101	394	126
26	Accidents--E800-E962	1,234	892	311	25	6	5,697	3,550	1,790	257	100
27	Railway accidents--E800-E802	18	15	1	2	-	164	143	8	12	1
28	Motor-vehicle accidents--E810-E835	465	344	103	13	5	1,744	1,249	397	76	22
29	Motor-vehicle traffic accidents--E810-E825	435	318	99	13	5	1,709	1,225	386	76	22
30	Motor-vehicle traffic accident with railway train*--E810	16	11	5	-	-	34	25	9	-	-
31	Motor-vehicle traffic accident to pedestrian--E812	82	57	21	3	1	565	390	139	22	14
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	163	121	33	5	4	521	356	138	26	1
33	Motor-vehicle noncollision traffic accidents--E820-E824	136	110	24	2	-	330	261	46	18	5
34	Motor-vehicle traffic accident of unspecified nature--E825	38	19	16	3	-	259	193	54	10	2
35	Motor-vehicle nontraffic accidents--E830-E835	30	26	4	-	-	35	24	11	-	-
36	Other road-vehicle accidents--E840-E845	6	5	1	-	-	51	35	15	-	1
37	Water-transport accidents--E850-E858	36	32	4	-	-	42	37	3	2	-
38	Aircraft accidents--E860-E866	29	25	4	-	-	52	50	1	1	-
39	Accidental poisoning by solid and liquid substances--E870-E886	15	9	2	4	-	100	52	29	10	9
40	Accidental poisoning by gases and vapors--E890-E895	19	14	5	-	-	121	84	29	4	4
41	Accidental falls--E900-E904	198	94	103	-	1	1,841	798	985	38	20
42	Fall from one level to another--E900-E902	62	36	25	-	1	780	428	320	22	10
43	Fall on same level--E903	50	19	31	-	-	285	110	169	2	4
44	Unspecified falls--E904	86	39	47	-	-	776	280	496	14	6
45	Blow from falling object--E910	80	78	1	1	-	198	185	4	9	-
46	Accident caused by machinery--E912	44	42	2	-	-	111	104	4	3	-
47	Accident caused by electric current--E914	14	14	-	-	-	63	57	2	3	1
48	Accident caused by fire and explosion, etc.*--E916	71	46	25	-	-	334	159	131	28	16
49	Accident caused by hot substance, etc.*--E917,E918	5	3	2	-	-	38	22	11	4	1
50	Accident caused by firearm--E919	38	31	7	-	-	97	84	7	6	-
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	29	19	9	1	-	105	58	29	11	7
52	Accidental drowning--E929	72	51	19	2	-	246	186	28	30	2
53	Excessive heat and insolation--E931	1	-	-	1	-	2	1	1	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	3	-	3	-	-	16	4	12	-	-
55	All other accidents--Residual	91	70	20	1	-	372	242	94	20	16
56	Suicide--E963,E970-E979	231	175	51	4	1	1,101	815	258	24	4
57	Suicide by poisoning--E970-E973	47	32	15	-	-	213	120	89	2	2
58	Suicide by hanging and strangulation--E974	34	23	8	2	1	319	231	85	3	-
59	Suicide by firearms and explosives--E976	124	102	21	1	-	409	356	37	14	2
60	Suicide by all other means--E963,E975,E977-E979	26	18	7	1	-	160	108	47	5	-
61	Homicide--E964,E980-E985	48	36	8	4	-	284	96	53	113	22
62	Assault by firearms and explosives--E981	27	22	4	1	-	121	44	27	45	5
63	Assault by cutting and piercing instruments--E982	5	2	1	2	-	71	12	3	47	9
64	Assault by other means--E964,E980,E983	14	10	3	1	-	79	30	23	18	8
65	Injury by intervention of police--E984	2	2	-	-	-	7	4	-	3	-
66	Execution--E985	-	-	-	-	-	6	6	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	-	-	-	-	-	3	3	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5	2	3	-	-	16	2	2	6	6	5	3	2	-	-	25	7	7	1	8	1
3	2	1	-	-	4	-	-	2	2	1	1	-	-	-	3	-	1	-	2	2
2	-	2	-	-	12	2	2	4	4	4	2	2	-	-	20	7	6	1	6	3
17	8	9	-	-	33	11	13	7	2	20	11	9	-	-	90	38	36	10	6	4
11	5	6	-	-	23	9	10	4	-	14	7	7	-	-	59	22	28	6	3	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	2	1	2	6
-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	6	3	1	1	1	7
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	5	3	2	-	-	8
6	3	3	-	-	6	2	2	1	1	6	4	2	-	-	14	9	3	2	-	9
108	48	55	-	5	218	80	66	38	34	86	37	47	1	1	390	189	147	21	33	10
20	5	13	-	2	16	6	7	1	2	11	6	5	-	-	27	10	14	2	1	11
7	4	3	-	-	13	3	2	4	4	11	4	7	-	-	47	23	19	3	2	12
43	23	18	-	2	107	41	25	20	21	38	12	22	1	-	183	90	68	8	17	13
38	16	21	-	1	82	30	32	13	7	29	15	13	-	1	133	66	46	8	13	14
294	147	136	5	6	1,157	353	220	313	271	264	151	95	10	8	1,520	658	501	198	163	15
61	28	32	-	1	171	65	37	37	32	53	31	22	-	-	258	122	91	27	18	16
71	41	27	2	1	189	73	46	34	36	56	34	18	2	2	254	126	82	27	19	17
11	2	8	1	-	83	15	6	31	31	17	7	5	4	1	107	38	35	12	22	18
14	6	8	-	-	37	12	9	13	3	17	9	8	-	-	45	24	19	1	1	19
7	2	3	-	2	93	22	17	34	20	10	5	2	1	2	95	40	32	13	10	20
130	68	58	2	2	584	166	105	164	149	111	65	40	3	3	761	308	242	118	93	21
40	17	23	-	-	772	92	47	343	280	128	41	24	36	27	1,811	658	495	364	294	22
13	4	9	-	-	57	6	10	14	27	49	17	17	8	7	228	72	114	19	23	23
27	13	14	-	-	715	86	37	329	263	79	24	7	28	20	1,583	586	381	345	271	24
454	270	168	16	-	1,764	758	271	548	187	532	361	137	29	5	2,454	1,388	525	386	155	25
376	216	146	14	-	1,399	604	238	405	152	458	306	121	27	4	1,879	1,074	445	240	120	26
3	2	1	-	-	28	16	1	11	-	6	6	-	-	-	50	32	3	15	-	27
89	63	20	6	-	633	330	94	164	45	196	136	44	15	1	778	509	149	89	31	28
86	61	19	6	-	614	322	87	161	44	187	129	42	15	1	758	496	144	88	30	29
-	-	-	-	-	30	14	7	8	1	8	5	2	1	-	26	19	7	-	-	30
32	25	5	2	-	140	59	17	46	18	26	16	6	4	-	184	99	43	29	13	31
14	9	5	-	-	92	48	8	28	7	45	27	16	2	-	285	188	56	31	10	32
15	11	1	3	-	91	56	13	21	1	49	40	7	2	-	199	147	24	23	5	33
25	16	8	1	-	261	145	42	57	17	59	41	11	6	1	64	43	14	5	2	34
3	2	1	-	-	19	8	7	3	1	9	7	2	-	-	20	13	5	1	1	35
1	-	1	-	-	9	3	-	4	2	4	4	-	-	-	16	8	2	6	-	36
3	2	-	1	-	35	26	1	8	-	10	8	2	-	-	38	34	2	2	-	37
4	4	-	-	-	27	26	1	-	-	8	7	1	-	-	40	37	-	3	-	38
9	4	5	-	-	37	13	7	9	8	4	3	-	-	1	31	17	9	4	1	39
17	12	5	-	-	13	6	5	1	1	10	7	1	1	1	12	6	5	-	1	40
162	60	101	1	-	140	39	77	12	12	88	38	47	3	-	319	127	149	23	20	41
72	31	40	1	-	28	12	7	4	5	29	19	10	-	-	82	49	16	10	7	42
46	11	35	-	-	8	-	5	3	-	13	5	7	1	-	46	15	22	3	6	43
44	18	26	-	-	104	27	65	5	7	46	14	30	2	-	191	63	111	10	7	44
1	1	-	-	-	18	1	-	17	-	8	8	-	-	-	30	26	3	1	-	45
8	8	-	-	-	18	8	2	6	-	19	19	-	-	-	27	23	-	4	-	46
-	-	-	-	-	15	9	-	6	-	4	4	-	-	-	21	15	2	3	1	47
11	6	3	2	-	138	22	15	54	47	19	13	4	2	-	185	52	50	42	41	48
4	4	-	-	-	9	3	-	5	1	4	-	4	-	-	18	9	6	2	1	49
2	2	-	-	-	58	23	3	25	7	14	10	3	1	-	66	42	5	14	5	50
5	2	3	-	-	20	4	6	5	5	7	4	3	-	-	29	12	13	2	2	51
27	24	3	-	-	70	34	6	28	2	16	12	4	-	-	79	52	9	16	2	52
1	-	-	1	-	8	3	2	3	-	-	-	-	-	-	1	-	-	1	-	53
2	2	-	-	-	5	2	2	1	-	2	1	-	-	1	11	2	4	1	4	54
27	20	4	3	-	120	36	16	46	22	39	26	8	5	-	128	71	34	12	11	55
66	50	14	2	-	137	100	19	14	4	67	54	11	2	-	273	211	51	9	2	56
28	19	8	1	-	18	8	8	1	1	9	8	1	-	-	29	22	6	-	1	57
14	11	3	-	-	8	6	2	-	-	18	11	6	1	-	28	19	8	1	-	58
17	16	-	1	-	103	79	9	13	2	37	33	3	1	-	178	144	25	8	1	59
7	4	3	-	-	8	7	-	-	1	3	2	1	-	-	38	26	12	-	-	60
12	4	8	-	-	228	54	14	129	31	7	1	5	-	1	301	103	29	136	33	61
5	2	3	-	-	145	42	8	77	18	4	-	4	-	-	190	66	20	81	23	62
1	1	-	-	-	53	3	3	37	10	1	-	1	-	-	52	8	-	38	6	63
6	1	5	-	-	20	7	3	7	3	2	1	-	-	1	43	25	8	6	4	64
-	-	-	-	-	5	1	-	4	-	-	-	-	-	-	15	4	1	10	-	65
-	-	-	-	-	5	1	-	4	-	-	-	-	-	-	1	-	-	1	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	67

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	63,349	31,345	21,402	5,720	4,882	4,974	2,882	1,959	86	47
2	I. Infective and parasitic diseases	3,509	1,685	1,142	362	300	121	75	31	10	5
3	Tuberculosis, all forms-001-019	2,006	969	681	191	165	54	38	10	4	2
4	Tuberculosis of respiratory system-001-008	1,811	881	613	166	151	51	35	10	4	2
5	Tuberculosis of meninges and central nervous system-010	101	49	42	6	4	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	10	3	3	1	3	-	-	-	-	-
7	Tuberculosis of vertebral column-012.0,013.0	10	5	2	2	1	1	1	-	-	-
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	5	4	-	-	1	-	-	-	-	-
9	Tuberculosis of genito-urinary system-016	10	5	3	2	-	1	1	-	-	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	9	4	2	2	1	-	-	-	-	-
11	Disseminated tuberculosis-019	50	18	16	12	4	1	1	-	-	-
12	Syphilis and its sequelae-020-029	449	215	57	124	53	26	19	2	3	2
13	Congenital syphilis-020	31	12	6	7	6	-	-	-	-	-
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	145	85	26	24	10	9	6	2	-	1
16	Other cardiovascular syphilis-023	114	42	8	46	18	7	7	-	-	-
17	Tabes dorsalis-024	8	7	-	1	-	2	2	-	-	-
18	General paralysis of insane-025	78	31	10	26	11	6	4	-	2	-
19	Other syphilis of central nervous system-026	57	32	2	16	7	2	-	-	1	1
20	Other syphilis-027-029	16	6	5	4	1	-	-	-	-	-
21	Gonococcal infection-030-035	3	1	-	2	-	-	-	-	-	-
22	Typhoid fever-040	10	2	4	3	1	1	-	-	-	1
23	Paratyphoid fever-041	3	1	1	1	-	1	-	1	-	-
24	Other Salmonella infections-042	2	1	1	-	-	1	-	-	1	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	4	1	3	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	300	155	122	9	14	2	2	-	-	-
28	Scarlet fever-050	-	-	-	-	-	-	-	-	-	-
29	Streptococcal sore throat-051	19	6	9	1	3	2	-	2	-	-
30	Erysipelas-052	1	1	-	-	-	-	-	-	-	-
31	Septicemia and pyemia-053	51	20	19	2	10	4	2	2	-	-
32	Diphtheria-055	50	22	13	7	8	2	-	2	-	-
33	Whooping cough-056	75	22	39	4	10	3	1	2	-	-
34	Meningococcal infections-057	43	19	19	5	-	1	1	-	-	-
35	Plague-058	-	-	-	-	-	-	-	-	-	-
36	Tularemia-059	1	-	-	1	-	2	1	1	-	-
37	Leprosy-060	2	-	2	-	-	-	-	-	-	-
38	Tetanus-061	85	50	19	8	8	-	-	-	-	-
39	Anthrax-062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis-080	204	110	80	7	7	8	7	1	-	-
41	Late effects of acute poliomyelitis-081	4	3	-	-	1	-	-	-	-	-
42	Acute infectious encephalitis-082	19	9	7	2	1	3	-	3	-	-
43	Late effects of acute infectious encephalitis-083	4	1	3	-	-	-	-	-	-	-
44	Smallpox-084	-	-	-	-	-	-	-	-	-	-
45	Measles-085	14	4	7	-	3	6	1	4	1	-
46	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis-092	28	15	8	3	2	1	-	-	1	-
48	Rabies-094	1	1	-	-	-	-	-	-	-	-
49	Tick-borne typhus-104	-	-	-	-	-	-	-	-	-	-
50	Rocky Mountain spotted fever-104A	-	-	-	-	-	-	-	-	-	-
51	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
52	Typhus, etc.* and other rickettsial diseases-100-103,105-108	3	-	1	1	1	-	-	-	-	-
53	Malaria-110-117	12	6	4	1	1	1	1	-	-	-
54	Schistosomiasis-123	-	-	-	-	-	-	-	-	-	-
55	Hydatid disease-125	1	-	-	1	-	-	-	-	-	-
56	Filariasis-127	-	-	-	-	-	-	-	-	-	-
57	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
58	Other diseases due to helminths-124,126,128,130	3	1	1	-	1	-	-	-	-	-
59	All other infective and parasitic diseases-Residual	112	50	42	9	11	3	2	1	-	-
60	II. Neoplasms	8,387	3,557	3,695	541	594	647	318	317	8	4
61	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	8,079	3,448	3,562	524	545	625	307	306	8	4
62	Malignant neoplasm of buccal cavity and pharynx-140-148	195	127	48	14	5	20	16	3	1	-
63	Of lip-140	23	18	2	2	1	3	3	-	-	-
64	Of tongue-141	40	22	11	5	2	4	4	-	-	-
65	Of other and unspecified parts of buccal cavity-142-144	48	27	17	3	1	11	9	2	-	-
66	Of pharynx-145-148	84	60	19	4	1	2	-	1	1	-
67	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	2,688	1,223	1,062	248	155	225	118	101	5	1
68	Of esophagus-150	131	58	45	22	6	6	4	-	2	-
69	Of stomach-151	811	408	249	103	51	69	43	24	2	-
70	Of intestine, except rectum-152,153	693	279	337	38	39	54	17	36	-	1
71	Of rectum-154	233	104	95	19	15	27	13	14	-	-
72	Of biliary passages and of liver (stated to be primary site)-155	110	44	56	8	2	14	7	7	-	-
73	Of liver not specified whether primary or secondary-156A	291	126	121	23	21	8	4	4	-	-
74	Of pancreas-157	373	189	139	31	14	42	27	14	1	-
75	Of peritoneum and of unspecified digestive organs-158,159	46	15	20	4	7	5	3	2	-	-
76	Malignant neoplasm of respiratory system-160-164	822	597	143	66	16	48	39	8	1	-
77	Of larynx-161	66	53	6	7	-	-	-	-	-	-
78	Of trachea, and of bronchus and lung specified as primary-162	228	182	26	16	4	24	20	4	-	-
79	Of lung and bronchus, unspecified as primary or secondary-163	473	333	89	39	12	20	16	3	1	-
80	Of other parts of respiratory system-160,164	55	29	22	4	-	4	3	1	-	-
81	Malignant neoplasm of breast-170	655	6	577	2	70	55	-	54	-	1

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,167	2,302	1,860	5	-	29,708	11,861	8,642	5,125	4,080	22,486	13,404	8,414	433	235	17,428	9,546	6,498	839	545	1
106	70	35	1	-	1,382	424	271	407	280	552	347	137	47	21	744	372	263	69	40	2
71	52	18	1	-	917	267	166	278	206	356	225	80	31	19	424	221	147	35	21	3
65	50	14	1	-	836	252	154	241	189	320	205	72	27	16	378	205	125	30	18	4
4	1	3	-	-	31	4	5	13	9	12	5	5	1	1	18	4	12	1	1	5
-	-	-	-	-	7	1	2	1	3	2	-	1	1	-	3	-	1	1	1	6
-	-	-	-	-	3	1	-	2	-	4	3	-	-	1	4	1	2	1	-	7
-	-	-	-	-	3	-	-	3	-	1	1	-	-	-	3	3	-	-	-	8
1	1	-	-	-	6	2	1	1	2	5	3	1	1	-	2	2	-	-	-	9
-	-	-	-	-	3	-	1	2	-	3	3	-	-	-	2	-	2	-	-	10
1	-	1	-	-	28	7	3	15	3	8	5	1	1	1	14	6	5	2	1	11
14	7	7	-	-	187	54	22	81	30	91	65	13	12	1	108	47	28	25	8	12
-	-	-	-	-	17	5	3	4	5	-	-	-	-	-	3	2	1	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	1	-	-	-	55	26	9	12	8	19	16	1	2	-	15	11	3	1	-	15
5	2	3	-	-	50	10	5	28	7	39	28	6	5	-	40	19	9	9	3	16
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	2	1	-	1	-	17
5	2	3	-	-	37	5	-	27	5	13	7	4	2	-	28	7	9	11	1	18
2	1	1	-	-	20	7	2	8	3	16	11	1	3	1	15	6	4	3	2	19
1	1	-	-	-	7	-	3	2	2	2	2	-	-	-	5	1	2	-	2	20
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	4	1	2	1	-	1	1	-	-	-	2	1	1	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	26
-	-	-	-	-	16	5	2	6	3	9	3	6	-	-	8	6	1	-	1	27
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1	1	-	-	-	9	3	1	3	2	1	1	-	-	-	7	5	2	-	-	29
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	30
-	-	-	-	-	9	2	2	1	4	8	7	1	-	-	11	3	7	-	1	31
1	-	1	-	-	12	4	3	2	3	2	2	-	-	-	12	7	3	1	1	32
4	3	1	-	-	48	10	9	14	15	5	-	1	3	1	48	13	26	4	5	33
2	2	-	-	-	41	21	12	4	4	10	5	5	-	-	32	18	10	3	1	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	2	1	1	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
2	-	2	-	-	63	33	28	1	1	30	17	13	-	-	24	14	8	1	1	40
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	2	2	-	-	-	41
1	-	1	-	-	8	3	3	-	2	6	5	1	-	-	4	2	2	-	-	42
1	1	-	-	-	2	1	-	1	-	2	1	1	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	7	1	2	1	3	3	1	2	-	-	19	10	9	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
2	1	1	-	-	5	1	3	-	1	11	5	5	1	-	13	8	5	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	48
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	2	-	2	-	-	49
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	2	-	2	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	4	1	2	1	-	1	1	-	-	-	5	2	2	-	1	58
7	3	4	-	-	37	13	7	12	5	15	7	8	-	-	19	11	8	-	-	59
630	309	320	1	-	3,489	1,323	1,351	397	418	3,353	1,749	1,532	35	37	2,246	1,019	1,071	83	73	60
615	303	311	1	-	3,387	1,301	1,319	386	381	3,282	1,717	1,494	34	37	2,187	995	1,044	83	65	61
14	10	4	-	-	84	51	16	12	5	71	64	6	1	-	39	27	10	2	-	62
-	-	-	-	-	4	4	-	-	-	12	12	-	-	-	4	4	-	-	-	63
3	2	1	-	-	21	12	2	7	-	16	15	1	-	-	9	5	3	1	-	64
6	5	1	-	-	20	11	6	-	3	19	17	2	-	-	12	9	2	1	-	65
5	3	2	-	-	39	24	8	5	2	24	20	3	1	-	14	9	5	-	-	66
224	114	109	1	-	1,196	455	431	179	131	1,297	728	542	18	11	812	395	357	38	22	67
13	10	3	-	-	38	18	10	10	1	52	33	18	1	-	23	14	4	4	1	68
54	36	18	-	-	408	149	109	93	57	394	255	124	10	5	266	147	95	16	8	69
77	31	46	-	-	321	113	149	23	36	347	162	183	1	1	211	79	119	8	5	70
36	16	20	-	-	120	49	37	17	17	181	107	71	2	1	85	51	28	4	2	71
7	1	6	-	-	47	15	25	4	3	77	29	46	1	1	76	32	39	3	2	72
12	7	4	1	-	112	37	51	13	11	56	29	25	1	1	50	26	21	1	2	73
21	12	9	-	-	127	63	43	18	3	161	98	61	-	2	86	39	43	2	2	74
4	1	3	-	-	22	11	7	1	3	29	15	14	-	-	15	7	8	-	-	75
58	44	14	-	-	363	243	65	48	7	295	230	56	7	-	219	165	40	11	3	76
5	2	3	-	-	29	20	4	5	-	27	23	3	1	-	27	22	2	3	-	77
16	12	4	-	-	106	85	11	9	1	132	107	21	4	-	104	81	18	3	2	78
34	27	7	-	-	210	128	46	32	4	120	89	29	2	-	71	51	16	4	-	79
3	3	-	-	-	18	10	4	2	2	14	11	3	-	-	17	11	4	1	1	80
56	2	54	-	-	294	9	225	-	60	265	6	254	-	5	172	3	156	-	13	81

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,459	393	809	79	178	88	32	54	-	2
2	Of cervix uteri----------171	435	...	360	...	75	15	...	15	...	-
3	Of other and unspecified parts of uterus----------172-174	320	...	242	...	78	23	...	21	...	2
4	Of ovary, fallopian tube, and broad ligament----------175	216	...	194	...	22	16	...	16	...	-
5	Of other and unspecified female genital organs----------176	16	...	13	...	3	2	...	2	...	-
6	Of prostate----------177	427	352	...	75	...	32	32	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	45	41	...	4	...	-	-	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	333	185	118	20	10	30	21	8	1	-
9	Of kidney----------180	136	74	53	6	3	15	12	3	-	-
10	Of bladder and other urinary organs----------181	197	111	65	14	7	15	9	5	1	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,265	552	560	67	86	92	42	50	-	-
12	Of skin----------190,191	237	126	100	5	6	13	4	9	-	-
13	Of eye----------192	21	13	6	1	1	1	1	-	-	-
14	Of brain and other parts of nervous system----------193	169	103	61	3	2	26	14	12	-	-
15	Of thyroid gland----------194	26	7	13	2	4	5	1	4	-	-
16	Of bone (including jaw bone)----------196	90	42	38	7	3	10	3	7	-	-
17	Of connective tissue----------197	27	11	14	1	1	4	3	1	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	209	89	95	12	13	12	5	7	-	-
19	Of unspecified sites----------156B,165,198B,199B-H	486	161	233	36	56	21	11	10	-	-
20	Leukemia and aleukemia----------204	377	207	144	13	13	42	21	21	-	-
21	Lymphosarcoma, etc.*----------200-203,205	285	158	100	15	12	25	18	7	-	-
22	Lymphosarcoma and reticulosarcoma----------200	128	64	57	2	5	11	7	4	-	-
23	Hodgkin's disease----------201	89	54	26	6	3	10	7	3	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	68	40	17	7	4	4	4	-	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	308	109	133	17	49	22	11	11	-	-
26	Benign neoplasms of female genital organs----------214-217	61	...	32	...	29	3	...	3	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	24	7	13	3	1	4	4	-	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	22	8	10	1	3	6	3	3	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	2	...	1	...	1	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	127	56	49	11	9	8	4	4	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	72	36	28	2	6	1	-	1	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,351	547	587	84	133	115	49	63	1	2
33	Asthma----------241	205	105	58	27	15	18	10	8	-	-
34	Nontoxic goiter----------250,251	9	1	4	-	4	1	1	-	-	-
35	Thyrotoxicosis with or without goiter----------252	35	5	24	-	6	8	1	7	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	9	1	6	2	-	-	-	-	-	-
37	Diabetes mellitus----------260	870	342	395	44	89	78	33	43	-	2
38	Diseases of thymus gland----------273	39	25	8	1	5	3	2	-	1	-
39	Diseases of adrenal glands----------274	15	8	7	-	-	2	2	-	-	-
40	Pellagra----------281	37	8	21	1	7	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	97	35	50	6	6	3	-	3	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual	35	17	14	3	1	2	-	2	-	-
43	IV. Diseases of the blood and blood-forming organs----------	240	111	95	14	20	17	7	10	-	-
44	Anemias----------290-293	155	67	62	12	14	10	3	7	-	-
45	Pernicious and other hyperchromic anemias----------290	50	17	29	2	2	5	1	4	-	-
46	Anemias of other and unspecified type----------291-293	105	50	33	10	12	5	2	3	-	-
47	Purpura and other hemorrhagic conditions----------296	35	17	14	1	3	1	-	1	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	50	27	19	1	3	6	4	2	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	210	124	59	12	15	14	9	3	-	2
50	Senile psychosis----------304	69	32	26	4	5	4	-	2	-	2
51	Alcoholic psychosis----------307	5	5	-	-	-	1	1	-	-	-
52	Other psychoses----------300-303,305,306,308,309	41	22	11	4	4	1	1	-	-	-
53	Alcoholism----------322	80	59	11	4	6	7	7	-	-	-
54	Mental deficiency----------325	7	5	2	-	-	1	-	1	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	8	1	7	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	6,715	2,867	2,512	602	734	508	244	249	8	7
57	Vascular lesions affecting central nervous system----------330-334	6,007	2,531	2,274	531	671	438	212	216	4	6
58	Subarachnoid hemorrhage----------330	143	71	53	8	11	11	8	3	-	-
59	Cerebral hemorrhage----------331	4,032	1,705	1,570	329	430	292	132	152	3	5
60	Cerebral embolism and thrombosis----------332	707	317	287	51	52	90	52	37	1	-
61	Other vascular lesions affecting central nervous system--------333,334	1,125	440	364	143	178	45	20	24	-	1
62	Meningitis, except meningococcal and tuberculous----------340	106	45	33	16	12	11	5	3	2	1
63	Multiple sclerosis----------345	23	12	10	-	1	6	3	3	-	-
64	Paralysis agitans----------350	67	41	26	-	-	14	6	8	-	-
65	Cerebral spastic infantile paralysis----------351	50	22	21	5	2	2	-	2	-	-
66	Epilepsy----------353	107	53	26	15	13	6	3	3	-	-
67	Inflammatory diseases of eye----------370-379	1	1	-	-	-	-	-	-	-	-
68	Cataract----------385	3	1	-	1	1	1	1	-	-	-
69	Glaucoma----------387	1	1	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	36	24	9	1	2	6	2	3	1	-
71	Other diseases of nervous system and sense organs----------Residual	314	136	113	33	32	24	12	11	1	-
72	VII. Diseases of the circulatory system----------	20,557	11,046	6,393	1,672	1,446	1,883	1,125	730	18	10
73	Rheumatic fever----------400-402	76	30	28	7	11	16	6	9	-	1
74	Diseases of heart----------410-443	18,752	10,245	5,686	1,529	1,292	1,726	1,040	661	17	8
75	Chronic rheumatic heart disease----------410-416	460	225	170	52	33	133	66	65	1	1
76	Diseases of mitral valve----------410	216	103	69	23	21	34	13	19	1	1
77	Diseases of aortic valve specified as rheumatic----------411	15	9	3	3	-	8	7	1	-	-
78	Diseases of tricuspid valve----------412	2	2	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	26	12	10	3	1	10	4	6	-	-
80	Other diseases of heart specified as rheumatic----------415,416	221	99	88	23	11	61	42	39	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
112	40	72	-	-	621	154	292	63	112	570	234	320	2	14	418	135	258	12	13	1
27	...	27	...	-	175	...	124	...	51	123	...	115	...	8	124	...	120	...	4	2
32	...	32	...	-	130	...	82	...	48	94	...	89	...	5	98	...	92	...	6	3
11	...	11	...	-	88	...	80	...	8	107	...	106	...	1	44	...	41	...	3	4
2	...	2	...	-	11	...	6	...	5	10	...	10	...	-	5	...	5	...	-	5
35	35	...	-	...	194	136	...	58	...	221	219	...	2	...	136	124	...	12	...	6
5	5	...	-	...	23	18	...	5	...	15	15	...	-	...	11	11	...	-	...	7
42	32	10	-	-	137	70	34	18	15	158	105	50	1	2	98	51	36	9	2	8
15	12	3	-	-	54	31	14	4	5	59	38	21	-	-	34	15	15	4	-	9
27	20	7	-	-	83	39	20	14	10	99	67	29	1	2	64	36	21	5	2	10
46	25	21	-	-	406	180	157	36	33	326	169	152	3	2	246	118	116	3	9	11
5	3	2	-	-	63	31	25	1	6	33	15	18	-	-	53	28	24	-	1	12
1	1	-	-	-	4	1	3	-	-	6	1	5	-	-	7	2	5	-	-	13
15	8	7	-	-	75	41	27	1	6	71	40	30	1	-	33	16	16	-	1	14
1	-	1	-	-	14	5	5	-	4	16	3	13	-	-	9	4	4	-	1	15
2	2	-	-	-	48	20	15	7	6	35	23	11	-	1	27	17	9	-	1	16
1	1	-	-	-	10	7	1	1	1	9	7	2	-	-	12	9	3	-	-	17
2	1	1	-	-	71	32	32	4	3	49	26	23	-	-	34	9	23	-	2	18
19	9	10	-	-	121	43	49	22	7	107	54	50	2	1	71	33	32	3	3	19
39	19	20	-	-	156	71	62	14	9	152	86	61	2	3	96	56	34	4	2	20
24	17	7	-	-	130	68	37	16	9	150	95	53	2	-	87	45	37	4	1	21
13	11	2	-	-	61	33	21	4	3	60	37	22	1	-	36	21	14	1	-	22
5	4	1	-	-	42	24	7	8	3	58	36	21	1	-	32	13	16	2	1	23
6	2	4	-	-	27	11	9	4	3	32	22	10	-	-	19	11	7	1	-	24
15	6	9	-	-	102	22	32	11	37	71	32	38	1	-	59	24	27	-	8	25
5	...	5	...	-	31	...	7	...	24	7	...	7	...	-	11	...	7	...	4	26
1	1	-	-	-	8	4	-	3	1	24	12	12	-	-	10	5	5	-	-	27
3	2	1	-	-	14	3	6	3	2	15	9	6	-	-	4	1	3	-	-	28
-	...	-	...	-	1	...	-	...	1	2	...	2	...	-	1	...	1	...	-	29
4	2	2	-	-	34	12	15	3	4	15	8	6	1	-	19	10	7	-	2	30
2	1	1	-	-	14	3	4	2	5	8	3	5	-	-	14	8	4	-	2	31
64	34	30	-	-	557	166	235	50	106	488	207	262	13	6	394	137	227	12	18	32
16	11	5	-	-	96	50	31	6	9	79	42	33	3	1	71	35	31	4	1	33
-	-	-	-	-	5	1	3	1	-	4	2	2	-	-	-	-	-	-	-	34
1	-	1	-	-	25	3	13	1	8	20	4	16	-	-	32	8	23	1	2	35
2	-	2	-	-	3	-	2	-	1	2	-	2	-	-	2	-	2	-	-	36
60	22	38	-	-	365	94	160	33	78	339	142	190	3	4	244	73	151	5	15	37
1	1	-	-	-	6	1	4	1	-	14	6	1	6	1	12	5	7	-	-	38
1	-	1	-	-	10	4	4	-	2	12	3	8	1	-	8	3	5	-	-	39
-	-	-	-	-	10	2	4	2	2	1	-	1	-	-	2	1	-	1	-	40
2	-	2	-	-	24	6	7	5	6	7	3	4	-	-	16	10	6	-	-	41
1	-	1	-	-	13	5	7	1	-	10	5	5	-	-	7	4	2	1	-	42
23	6	17	-	-	103	39	34	14	16	78	36	41	1	-	68	31	35	2	-	43
19	5	14	-	-	72	28	21	10	13	58	29	29	-	-	52	28	24	-	-	44
14	5	9	-	-	26	10	9	4	3	33	17	16	-	-	23	10	13	-	-	45
5	-	5	-	-	46	18	12	6	10	25	12	13	-	-	29	18	11	-	-	46
2	-	2	-	-	9	4	4	-	1	9	3	6	-	-	5	1	3	1	-	47
2	1	1	-	-	22	7	9	4	2	11	4	6	1	-	11	2	8	1	-	48
5	4	1	-	-	139	61	24	38	16	121	90	23	7	1	68	55	23	7	3	49
-	-	-	-	-	9	2	7	-	-	15	10	5	-	-	21	11	9	-	1	50
1	1	-	-	-	8	3	1	4	-	4	4	-	-	-	5	4	1	-	-	51
-	-	-	-	-	19	6	5	1	7	6	3	3	-	-	11	3	7	1	-	52
3	3	-	-	-	89	46	7	28	8	90	71	11	7	1	47	34	5	6	2	53
-	-	-	-	-	11	4	2	5	-	4	1	3	-	-	4	3	1	-	-	54
1	-	1	-	-	3	-	2	-	1	2	1	1	-	-	-	-	-	-	-	55
577	273	304	-	-	4,021	1,356	1,273	719	373	2,698	1,513	1,316	49	21	2,087	1,087	836	83	81	56
536	249	287	-	-	3,685	1,232	1,164	657	632	2,642	1,358	1,219	46	19	1,921	990	775	78	78	57
5	3	2	-	-	99	40	31	16	12	54	30	21	3	-	35	19	12	2	2	58
373	160	213	-	-	2,563	834	792	474	463	1,799	897	863	26	13	1,428	738	563	65	62	59
106	57	49	-	-	398	169	162	31	36	457	257	182	13	5	171	95	70	4	4	60
52	29	23	-	-	625	189	179	136	121	332	174	153	4	1	287	140	130	7	10	61
6	3	3	-	-	39	14	6	11	8	36	23	11	2	-	25	15	9	-	1	62
8	4	4	-	-	17	8	6	1	2	33	17	15	-	1	13	6	7	-	-	63
8	6	2	-	-	30	10	16	2	2	41	27	14	-	-	10	5	5	-	-	64
-	-	-	-	-	15	6	6	3	-	10	3	7	-	-	13	10	3	-	-	65
6	2	4	-	-	64	25	12	20	7	29	15	13	-	1	28	15	10	2	1	66
-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	-	1	-	6	6	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	17	9	3	1	4	8	5	3	-	-	15	10	5	-	-	70
13	9	4	-	-	152	52	60	23	17	92	58	32	1	-	62	36	22	3	1	71
1,756	989	765	2	-	11,064	4,741	3,281	1,649	1,393	9,080	5,714	3,202	101	63	6,053	3,455	2,154	274	170	72
2	-	2	-	-	39	9	13	6	11	29	18	9	2	-	46	25	19	1	1	73
1,551	886	663	2	-	9,800	4,330	2,924	1,457	1,189	8,168	5,205	2,817	92	54	5,483	3,137	1,936	253	157	74
42	22	20	-	-	358	144	125	41	48	300	160	131	3	6	213	100	98	6	9	75
17	8	9	-	-	185	78	57	28	22	137	71	61	2	3	76	33	34	1	8	76
3	2	1	-	-	10	5	4	1	-	15	10	5	-	-	7	4	3	-	-	77
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	78
5	4	1	-	-	12	7	4	1	-	22	18	4	-	-	15	8	7	-	-	79
17	8	9	-	-	151	54	60	11	26	125	60	61	1	3	115	55	54	5	1	80

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	11,016	6,835	3,089	634	458	972	652	307	9	4
2	Arteriosclerotic heart disease so described----420.0	2,039	1,069	757	110	103	282	164	116	1	1
3	Heart disease specified as involving coronary arteries----420.1	8,825	5,690	2,288	509	338	684	482	191	8	3
4	Angina pectoris without mention of coronary disease----420.2	152	76	44	15	17	6	6	-	-	-
5	Chronic endocarditis not specified as rheumatic----421	276	116	71	50	39	33	13	19	-	1
6	Of mitral valve, specified as nonrheumatic----421.0	3	2	1	-	-	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----421.1	54	28	10	7	9	1	-	1	-	-
8	Of other valves, not specified as rheumatic----421.2-421.4	219	86	60	43	30	32	13	18	-	1
9	Other myocardial degeneration----422	2,093	959	812	169	153	263	148	111	4	-
10	With arteriosclerosis----422.1	568	270	246	30	22	83	50	31	2	-
11	Without mention of arteriosclerosis----422.0,422.2	1,525	689	566	139	131	180	98	80	2	-
12	Other diseases of heart----430-434	2,021	1,008	509	275	229	64	39	24	1	-
13	Acute and subacute endocarditis----430	49	20	12	8	9	4	-	4	-	-
14	Acute myocarditis not specified as rheumatic----431	175	67	45	29	34	11	8	3	-	-
15	Acute pericarditis specified as nonrheumatic----432	1	1	-	-	-	-	-	-	-	-
16	Functional disease of heart----433	145	71	58	9	7	13	5	8	-	-
17	Other and unspecified diseases of heart----434	1,651	849	394	229	179	36	26	9	1	-
18	Hypertension with heart disease----440-443	2,866	1,102	1,035	349	380	261	122	135	2	2
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	750	294	267	95	94	86	43	42	1	-
20	Essential hypertension with heart disease, etc.*----440,441,443	2,116	808	768	254	286	175	79	93	1	2
21	Hypertension without mention of heart----444-447	550	223	195	55	77	33	14	17	1	1
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	146	63	49	15	19	13	8	5	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	404	160	146	40	58	20	6	12	1	1
24	Diseases of arteries----450-456	1,021	468	430	71	52	94	56	38	-	-
25	General arteriosclerosis----450	889	399	376	56	38	77	44	33	-	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	35	27	4	4	-	8	8	-	-	-
27	Gangrene of unspecified cause----455	19	8	5	3	3	-	-	-	-	-
28	Other arterial diseases----452-454,456	98	34	45	8	11	9	4	5	-	-
29	Diseases of veins and other diseases of circulatory system----460-468	158	80	54	10	14	14	9	5	-	-
30	VIII. Diseases of the respiratory system----	3,333	1,459	1,193	368	313	211	134	70	4	3
31	Acute upper respiratory infections----470-475	44	19	16	8	1	2	1	1	-	-
32	Influenza----480-483	546	212	192	74	68	18	6	12	-	-
33	Pneumonia, except pneumonia of newborn----490-493	2,152	930	769	237	216	131	79	45	4	3
34	Lobar pneumonia----490	571	239	176	79	77	42	23	16	1	2
35	Bronchopneumonia----491	682	294	263	66	59	56	36	19	1	-
36	Primary atypical pneumonia----492	239	115	100	13	11	11	7	4	-	-
37	Pneumonia, other and unspecified----493	680	282	230	79	69	22	13	6	2	1
38	Acute bronchitis----500	37	15	17	3	2	3	2	1	-	-
39	Bronchitis, chronic and unqualified----501,502	103	42	50	9	2	5	5	-	-	-
40	Hypertrophy of tonsils and adenoids----510	19	9	7	1	2	3	2	1	-	-
41	Empyema and abscess of lung----518,521	42	21	8	10	3	1	1	-	-	-
42	Pleurisy----519	8	5	1	2	-	-	-	-	-	-
43	All other respiratory diseases----Residual	382	206	133	24	19	48	38	10	-	-
44	IX. Diseases of the digestive system----	2,954	1,431	1,085	230	208	184	100	72	9	3
45	Diseases of teeth and supporting structures----530-535	19	9	6	1	3	1	1	-	-	-
46	Ulcer of stomach----540	128	86	21	15	6	23	16	7	-	-
47	Ulcer of duodenum----541	96	82	9	3	2	12	7	5	-	-
48	Gastritis and duodenitis----543	23	9	4	2	8	2	1	1	-	-
49	Appendicitis----550-553	140	77	38	17	8	9	5	3	-	1
50	Hernia and intestinal obstruction----560,561,570	413	159	163	47	44	45	23	20	2	-
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	956	444	418	57	37	22	10	8	2	2
52	Cirrhosis of liver----581	490	275	150	32	33	23	14	7	2	-
53	Without mention of alcoholism----581.0	443	244	140	30	29	15	11	3	1	-
54	With alcoholism----581.1	47	31	10	2	4	8	3	4	1	-
55	Cholelithiasis and cholecystitis----584,585	233	85	133	4	11	12	6	6	-	-
56	Other diseases of digestive system----Residual	456	205	143	52	56	35	17	15	3	-
57	X. Diseases of the genito-urinary system----	2,109	985	584	302	238	125	70	52	3	-
58	Nephritis and nephrosis----590-594	1,400	550	446	196	208	80	36	43	1	-
59	Acute nephritis----590	153	58	45	20	30	7	2	5	-	-
60	Nephritis with edema, including nephrosis----591	51	25	12	8	6	7	3	3	1	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,196	467	389	168	172	66	31	35	-	-
62	Infections of kidney----600	166	70	59	18	19	11	7	4	-	-
63	Calculi of urinary system----602,604	36	15	15	5	1	3	2	1	-	-
64	Other diseases of urinary system----601,603,605-609	81	29	28	22	2	4	2	2	-	-
65	Hyperplasia of prostate----610	313	266	...	47	...	20	18	...	2	...
66	Other diseases of male genital organs----611-617	69	55	...	14	...	5	5	...	-	...
67	Diseases of breast----620,621	1	-	1	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	43	...	35	...	8	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	221	...	151	...	70	5	...	5	...	-
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	34	...	26	...	8	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	71	...	49	...	22	2	...	2	...	-
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	43	...	30	...	13	-	...	-	...	-
73	Ectopic pregnancy----645	9	...	5	...	4	1	...	1	...	-
74	Abortion without mention of sepsis or toxemia----650	10	...	5	...	5	-	...	-	...	-
75	Abortion with sepsis----651	21	...	14	...	7	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual	33	...	22	...	11	1	...	1	...	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,050	642	408	-	-	5,200	2,800	1,394	623	383	5,322	3,706	1,542	57	17	2,939	1,863	897	119	60	1
398	214	184	-	-	1,529	669	518	215	127	1,318	825	477	12	4	755	391	308	33	23	2
639	419	220	-	-	3,594	2,088	859	395	252	3,981	2,869	1,056	43	13	2,157	1,454	584	83	36	3
13	9	4	-	-	77	43	17	13	4	23	12	9	2	-	27	18	5	3	1	4
48	27	21	-	-	288	81	58	78	71	225	126	92	3	4	208	115	84	6	3	5
1	1	-	-	-	7	3	4	-	-	2	1	1	-	-	3	2	1	-	-	6
12	7	5	-	-	59	19	6	24	10	34	21	13	-	-	32	18	10	3	1	7
35	19	16	-	-	222	59	48	54	61	189	104	78	3	4	173	95	73	3	2	8
202	96	105	1	-	1,527	514	546	257	210	756	415	326	7	8	804	437	317	27	23	9
115	50	65	-	-	616	220	222	103	71	230	125	102	3	-	289	151	118	12	8	10
87	46	40	1	-	911	294	324	154	139	526	290	224	4	8	515	286	199	15	15	11
39	19	20	-	-	497	196	144	85	72	500	297	189	8	6	379	211	134	27	7	12
2	2	-	-	-	8	4	1	3	-	12	9	3	-	-	9	3	6	-	-	13
2	-	2	-	-	45	16	15	9	5	43	26	17	-	-	33	17	13	3	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
5	3	2	-	-	49	23	17	4	5	77	38	36	1	2	37	23	14	-	-	16
30	14	16	-	-	395	153	111	69	62	368	224	133	7	4	300	168	101	24	7	17
170	80	89	1	-	2,030	595	657	373	405	1,065	501	537	14	13	940	411	406	68	55	18
60	30	30	-	-	754	240	251	131	132	408	204	200	1	3	288	141	117	18	13	19
110	50	59	1	-	1,276	355	406	242	273	657	297	337	13	10	651	270	289	50	42	20
46	27	19	-	-	302	97	67	64	74	191	105	80	3	3	161	83	64	8	6	21
34	22	12	-	-	117	41	25	30	21	67	48	16	2	1	79	42	31	2	4	22
12	5	7	-	-	185	56	42	34	53	124	57	64	1	2	82	41	33	6	2	23
149	70	79	-	-	753	275	260	109	109	620	341	271	4	4	307	180	111	11	5	24
140	66	74	-	-	655	225	236	97	97	542	291	245	3	3	277	159	103	11	4	25
4	1	3	-	-	40	24	7	5	4	47	35	12	-	-	10	9	-	-	1	26
1	1	-	-	-	10	1	4	2	3	2	1	1	-	-	8	6	2	-	-	27
4	2	2	-	-	48	25	13	5	5	29	14	13	1	1	12	6	6	-	-	28
8	6	2	-	-	70	30	17	13	10	72	45	25	-	2	56	30	24	1	1	29
181	106	75	-	-	1,512	507	414	319	272	843	497	301	25	20	970	522	370	48	30	30
3	2	1	-	-	25	9	10	3	3	15	10	5	-	-	7	5	2	-	-	31
11	6	5	-	-	282	72	85	61	64	60	31	27	1	1	163	69	84	7	3	32
126	70	56	-	-	970	306	263	218	183	597	333	224	22	18	613	338	227	24	24	33
36	19	17	-	-	290	82	66	69	73	151	89	55	2	5	206	107	74	16	9	34
61	36	25	-	-	427	145	115	92	75	322	186	116	11	9	305	177	115	4	9	35
21	10	11	-	-	95	32	36	17	10	74	30	39	3	2	40	16	20	3	1	36
8	5	3	-	-	158	47	48	40	25	50	28	14	6	2	62	38	18	1	5	37
3	2	1	-	-	17	4	6	5	2	11	10	1	-	-	16	12	4	-	-	38
6	4	2	-	-	45	23	9	7	6	26	18	8	-	-	21	10	9	2	-	39
1	-	1	-	-	5	3	1	-	1	7	6	1	-	-	6	2	4	-	-	40
1	1	-	-	-	22	10	3	8	1	12	8	3	-	1	6	3	2	-	1	41
1	-	1	-	-	6	4	1	1	-	3	1	2	-	-	3	2	-	-	1	42
29	21	8	-	-	140	76	36	16	12	112	80	30	2	-	135	81	38	15	1	43
142	82	60	-	-	978	433	283	166	96	753	434	282	26	11	621	346	220	36	19	44
1	-	1	-	-	9	2	1	4	2	3	2	1	-	-	4	1	3	-	-	45
11	9	2	-	-	85	49	13	19	4	65	49	15	-	1	43	31	7	4	1	46
11	11	-	-	-	62	42	8	9	3	64	54	10	-	-	26	20	3	3	-	47
3	2	1	-	-	15	4	6	4	1	4	4	-	-	-	3	1	1	1	-	48
11	8	3	-	-	70	29	17	15	9	33	21	10	2	-	37	27	7	3	-	49
26	8	18	-	-	185	66	56	34	29	126	68	51	5	2	85	39	36	5	5	50
11	6	5	-	-	164	58	50	41	15	70	30	30	8	2	145	81	48	12	4	51
32	20	12	-	-	191	104	60	16	11	176	106	64	4	2	141	94	40	5	2	52
29	17	12	-	-	141	66	51	13	11	137	80	54	3	-	122	78	38	4	2	53
3	3	-	-	-	50	38	9	3	-	39	26	10	1	2	19	16	2	1	-	54
16	6	10	-	-	65	22	36	1	6	85	33	48	2	2	69	20	44	-	5	55
20	12	8	-	-	132	57	36	23	16	127	67	53	5	2	68	32	31	3	2	56
108	73	34	1	-	999	353	206	255	185	496	317	164	11	4	572	313	199	38	22	57
57	32	25	-	-	740	228	157	196	159	283	154	119	8	2	410	199	167	28	16	58
4	2	2	-	-	73	24	16	22	11	24	17	6	-	1	34	12	15	5	2	59
3	3	-	-	-	29	9	5	9	6	16	10	5	1	-	20	14	4	1	1	60
50	27	23	-	-	638	195	136	165	142	243	127	108	7	1	356	173	148	22	13	61
4	2	2	-	-	71	14	27	15	15	49	25	22	2	-	30	15	14	-	1	62
5	3	2	-	-	22	13	5	3	1	13	7	6	-	-	9	6	3	-	-	63
3	2	1	-	-	30	10	9	10	1	26	19	7	-	-	20	12	5	3	-	64
27	26	...	1	...	108	81	...	27	...	107	106	...	1	...	77	70	...	7	...	65
8	8	...	-	...	11	7	...	4	...	6	6	...	-	...	11	11	...	-	...	66
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
4	...	4	...	-	16	...	8	...	8	12	...	10	...	2	15	...	10	...	5	68
9	...	9	...	-	82	...	38	...	44	24	...	21	...	3	46	...	41	...	5	69
2	...	2	...	-	10	...	4	...	6	3	...	3	...	-	7	...	6	...	1	70
3	...	3	...	-	31	...	14	...	17	4	...	3	...	1	10	...	9	...	1	71
3	...	3	...	-	14	...	9	...	5	5	...	5	...	-	12	...	12	...	-	72
-	...	-	...	-	4	...	-	...	4	1	...	1	...	-	3	...	2	...	1	73
-	...	-	...	-	2	...	1	...	1	3	...	3	...	-	-	...	-	...	-	74
-	...	-	...	-	8	...	3	...	5	2	...	1	...	1	2	...	2	...	-	75
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	76
1	...	1	...	-	12	...	7	...	5	6	...	5	...	1	11	...	9	...	2	77

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	58	25	24	3	6	6	4	2	-	-
2	Infections of skin and subcutaneous tissue---690-698	14	11	2	-	1	2	2	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	44	14	22	3	5	4	2	2	-	-
4	XIII. Diseases of the bones and organs of movement	149	56	73	11	9	7	3	4	-	-
5	Arthritis and spondylitis---720-725	99	32	57	4	6	4	1	3	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	7	1	3	2	1	-	-	-	-	-
7	Osteomyelitis and periostitis---730	13	7	3	2	1	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	-	-	-	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	30	16	10	3	1	2	2	-	-	-
10	XIV. Congenital malformations	970	490	393	49	38	112	64	45	2	1
11	Spina bifida and meningocele---751	72	27	44	1	-	6	4	2	-	-
12	Congenital hydrocephalus, etc.*---752,753	96	50	39	4	3	11	8	3	-	-
13	Congenital malformations of circulatory system---754	496	261	188	25	22	63	34	28	1	-
14	Other congenital malformations---750,755-759	306	152	122	19	13	32	18	12	1	1
15	XV. Certain diseases of early infancy	4,091	2,007	1,401	380	303	279	177	96	5	1
16	Birth injuries---760,761	622	360	183	41	38	49	31	18	-	-
17	Postnatal asphyxia and atelectasis---762	572	280	203	51	38	83	56	25	1	1
18	Infections of newborn---763-768	356	176	123	28	29	10	4	5	1	-
19	Hemolytic disease of newborn (erythroblastosis)---770	116	64	43	3	6	10	7	3	-	-
20	All other defined diseases of early infancy---769,771,772	299	146	105	28	22	11	7	4	-	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	2,126	981	744	231	170	116	72	41	3	-
22	XVI. Symptoms, senility, and ill-defined conditions	1,544	698	469	233	144	180	94	68	11	7
23	Senility without mention of psychosis---794	528	209	215	61	43	65	27	33	4	1
24	Symptoms, ill-defined and unknown causes---780-793,795	1,016	489	254	172	101	115	67	35	7	6
25	XVII. Accidents, poisonings, and violence	6,951	4,257	1,546	837	311	560	409	142	7	2
26	Accidents---E800-E962	5,521	3,471	1,320	506	224	487	351	129	6	1
27	Railway accidents---E800-E802	98	79	5	13	1	8	7	-	1	-
28	Motor-vehicle accidents---E810-E835	2,498	1,706	528	202	64	202	137	60	4	1
29	Motor-vehicle traffic accidents---E810-E825	2,429	1,659	510	199	61	194	135	56	3	-
30	Motor-vehicle traffic accident with railway train*---E810	101	65	19	16	1	8	6	2	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	410	269	86	38	17	42	29	13	-	-
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	1,072	712	259	72	29	66	46	19	1	-
33	Motor-vehicle noncollision traffic accidents---E820-E824	595	459	83	45	8	60	44	15	1	-
34	Motor-vehicle traffic accident of unspecified nature---E825	251	154	63	28	6	18	10	7	1	-
35	Motor-vehicle nontraffic accidents---E830-E835	69	47	16	3	3	8	2	4	1	1
36	Other road-vehicle accidents---E840-E845	26	23	2	1	-	6	6	-	-	-
37	Water-transport accidents---E850-E858	49	41	6	2	-	1	1	-	-	-
38	Aircraft accidents---E860-E866	128	124	4	-	-	19	19	-	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	81	27	34	8	12	4	4	-	-	-
40	Accidental poisoning by gases and vapors---E890-E895	30	20	5	2	3	2	2	-	-	-
41	Accidental falls---E900-E904	770	323	386	37	24	88	49	39	-	-
42	Fall from one level to another---E900-E902	226	129	75	16	6	43	28	15	-	-
43	Fall on same level---E903	195	66	120	5	4	21	8	13	-	-
44	Unspecified falls---E904	349	128	191	16	14	24	13	11	-	-
45	Blow from falling object---E910	65	40	5	20	-	15	15	-	-	-
46	Accident caused by machinery---E912	119	111	1	7	-	17	16	1	-	-
47	Accident caused by electric current---E914	90	76	7	7	-	9	9	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	422	174	125	53	70	26	19	6	1	-
49	Accident caused by hot substance, etc.*---E917,E918	54	17	14	12	11	3	1	2	-	-
50	Accident caused by firearm---E919	191	135	17	33	6	20	20	-	-	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	73	37	20	7	9	12	7	5	-	-
52	Accidental drowning---E929	363	293	39	28	3	18	13	5	-	-
53	Excessive heat and insolation---E931	12	9	-	3	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	39	14	22	2	1	1	-	1	-	-
55	All other accidents---Residual	393	222	102	49	20	36	26	10	-	-
56	Suicide---E963,E970-E979	692	497	163	29	3	63	53	9	1	-
57	Suicide by poisoning---E970-E973	121	61	57	3	-	18	17	1	-	-
58	Suicide by hanging and strangulation---E974	88	57	28	3	-	9	8	-	1	-
59	Suicide by firearms and explosives---E976	423	338	63	19	3	31	24	7	-	-
60	Suicide by all other means---E963,E975,E977-E979	60	41	15	4	-	5	4	1	-	-
61	Homicide---E964,E980-E985	735	287	63	301	84	10	5	4	-	1
62	Assault by firearms and explosives---E981	440	183	40	168	49	8	3	3	-	-
63	Assault by cutting and piercing instruments---E982	190	50	7	104	29	2	-	1	-	1
64	Assault by other means---E964,E980,E983	77	40	16	15	6	-	-	-	-	-
65	Injury by intervention of police---E984	15	10	-	5	-	2	2	-	-	-
66	Execution---E985	13	4	-	9	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	3	2	-	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	1	2	-	-	29	8	9	4	8	29	13	14	2	-	18	10	6	-	2	1
1	1	-	-	-	9	3	-	2	4	11	7	3	1	-	3	3	-	-	-	2
2	-	2	-	-	20	5	9	2	4	18	6	11	1	-	15	7	6	-	2	3
15	7	6	-	-	77	26	26	11	14	48	21	26	1	-	45	17	24	1	1	4
11	5	6	-	-	49	15	22	6	6	26	8	18	-	-	28	9	19	-	-	5
-	-	-	-	-	3	2	-	1	-	1	1	-	-	-	1	1	-	-	-	6
1	1	-	-	-	8	1	-	3	4	3	2	1	-	-	5	2	1	1	1	7
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	4	3	1	-	-	8
1	1	-	-	-	16	7	4	1	4	17	9	7	1	-	5	2	3	-	-	9
58	26	32	-	-	392	176	145	42	31	281	147	130	3	1	301	159	129	4	9	10
12	5	7	-	-	26	16	9	1	-	21	6	15	-	-	41	20	19	1	1	11
6	2	4	-	-	49	13	28	6	2	35	15	19	1	-	26	16	9	-	1	12
20	9	11	-	-	183	92	57	17	17	137	80	56	1	-	133	70	58	1	4	13
20	10	10	-	-	154	55	49	18	12	88	46	40	1	1	101	53	43	2	3	14
108	69	39	-	-	1,692	622	429	363	278	936	509	377	30	20	993	567	340	47	39	15
22	13	9	-	-	295	127	82	48	38	186	106	72	4	4	182	107	61	9	5	16
25	16	9	-	-	339	135	100	64	40	274	164	96	6	8	203	129	57	11	6	17
8	5	1	-	-	124	42	20	37	25	34	14	18	1	1	64	36	19	4	5	18
4	2	2	-	-	41	17	17	3	4	51	24	27	-	-	33	19	12	1	1	19
5	4	1	-	-	106	36	20	35	15	31	16	10	3	2	49	20	24	4	1	20
46	29	17	-	-	787	265	190	176	156	360	185	154	16	5	462	256	167	18	21	21
44	21	23	-	-	440	140	125	98	77	339	222	101	8	8	508	286	192	23	7	22
14	5	9	-	-	119	38	48	16	17	116	60	53	2	1	135	65	64	2	4	23
30	16	14	-	-	321	102	77	82	60	223	162	48	6	7	373	221	128	21	3	24
320	232	88	-	-	2,752	1,486	500	593	173	2,167	1,588	486	74	19	1,676	1,170	368	112	26	25
266	187	79	-	-	2,085	1,144	399	410	132	1,673	1,193	408	58	16	1,349	944	311	73	21	26
6	6	-	-	-	46	29	3	13	1	28	25	-	3	-	49	40	3	6	-	27
82	66	16	-	-	657	542	120	164	31	548	394	130	18	6	422	324	73	19	6	28
78	62	16	-	-	641	530	119	161	31	530	380	126	18	6	415	317	71	19	6	29
5	3	2	-	-	27	21	3	3	-	19	14	4	1	-	14	8	4	2	-	30
14	10	4	-	-	199	101	33	50	15	125	96	23	5	1	106	73	21	9	3	31
16	14	2	-	-	163	103	30	27	3	147	106	39	1	1	91	67	18	5	1	32
28	22	6	-	-	177	124	15	33	5	124	90	25	8	1	139	115	22	2	-	33
15	13	2	-	-	275	181	38	48	8	115	74	35	3	3	63	54	6	1	2	34
4	4	-	-	-	16	12	1	3	-	18	14	4	-	-	9	7	2	-	-	35
1	1	-	-	-	7	3	1	2	1	4	1	2	-	1	3	3	-	-	-	36
8	6	2	-	-	43	31	2	10	-	49	45	1	3	-	7	6	1	-	-	37
-	-	-	-	-	30	29	1	-	-	66	57	9	-	-	11	11	-	-	-	38
6	4	2	-	-	53	24	10	14	5	23	13	8	1	1	18	9	7	1	1	39
5	2	3	-	-	33	20	8	4	1	64	51	6	6	1	31	18	11	2	-	40
63	27	36	-	-	326	133	151	25	17	324	167	147	7	3	232	113	113	4	2	41
17	13	4	-	-	97	56	29	10	2	103	68	27	5	3	72	48	21	2	1	42
19	5	14	-	-	67	27	37	1	2	68	30	38	-	-	71	30	39	1	1	43
27	9	18	-	-	162	50	85	14	13	153	69	82	2	-	89	35	53	1	-	44
4	4	-	-	-	41	32	-	9	-	53	51	1	1	-	131	123	-	8	-	45
9	7	2	-	-	27	22	-	5	-	40	38	-	2	-	31	29	-	2	-	46
5	5	-	-	-	22	19	-	3	-	28	23	5	-	-	18	17	-	1	-	47
17	9	8	-	-	209	67	49	51	42	79	51	23	3	2	72	28	36	5	3	48
4	3	1	-	-	27	7	6	9	5	13	12	-	-	1	12	7	3	-	2	49
12	11	1	-	-	67	36	5	25	1	38	28	8	2	-	47	36	6	5	-	50
3	2	1	-	-	29	11	3	7	8	46	34	12	-	-	15	7	5	1	2	51
23	20	3	-	-	109	63	10	36	-	124	99	21	3	1	78	61	10	5	2	52
1	1	-	-	-	2	1	-	1	-	1	1	-	-	-	3	3	-	-	-	53
1	-	1	-	-	8	5	2	-	1	14	6	8	-	-	9	6	3	-	-	54
16	13	3	-	-	149	70	28	32	19	131	97	27	7	-	160	103	40	14	3	55
52	44	8	-	-	365	280	74	27	4	428	354	65	7	2	206	185	37	3	1	56
8	4	4	-	-	80	44	34	2	-	140	109	28	1	2	27	16	10	1	-	57
6	6	-	-	-	46	37	6	2	1	67	54	10	3	-	30	23	7	-	-	58
33	31	2	-	-	195	156	22	16	1	182	161	18	3	-	125	110	12	2	1	59
5	3	2	-	-	44	23	12	7	2	39	30	9	-	-	24	16	8	-	-	60
2	1	1	-	-	301	81	27	156	37	64	39	13	11	1	121	61	20	36	4	61
1	-	1	-	-	175	50	16	89	20	30	16	8	5	1	75	38	14	21	2	62
-	-	-	-	-	72	13	2	47	10	10	3	1	6	-	23	8	2	13	-	63
1	1	-	-	-	49	16	9	17	7	22	18	4	-	-	20	12	4	2	2	64
-	-	-	-	-	3	2	-	1	-	2	2	-	-	-	3	3	-	-	-	65
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	67

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	33,778	19,048	14,275	255	200	2,336	1,481	777	42	36
2	I. Infective and parasitic diseases	635	394	199	31	11	47	30	10	3	4
3	Tuberculosis, all forms-001-019	350	222	97	22	9	18	11	2	3	2
4	Tuberculosis of respiratory system-001-008	314	203	86	17	8	16	9	2	3	2
5	Tuberculosis of meninges and central nervous system-010	13	7	2	3	1	1	1	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	3	1	2	-	-	1	1	-	-	-
7	Tuberculosis of vertebral column-012.0,013.0	4	2	1	1	-	-	-	-	-	-
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	3	3	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system-016	7	4	3	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	3	1	2	-	-	-	-	-	-	-
11	Disseminated tuberculosis-019	3	1	1	1	-	-	-	-	-	-
12	Syphilis and its sequelae-020-029	98	71	22	5	-	11	7	3	-	1
13	Congenital syphilis-020	1	-	1	-	-	-	-	-	-	-
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	38	29	9	-	-	5	4	-	-	1
16	Other cardiovascular syphilis-023	33	26	4	3	-	4	3	1	-	-
17	Tabes dorsalis-024	4	2	2	-	-	-	-	-	-	-
18	General paralysis of insane-025	10	4	4	2	-	1	-	1	-	-
19	Other syphilis of central nervous system-026	5	5	-	-	-	-	-	-	-	-
20	Other syphilis-027-029	7	5	2	-	-	1	-	1	-	-
21	Gonococcal infection-030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever-040	1	1	-	-	-	-	-	-	-	-
23	Paratyphoid fever-041	1	1	-	-	-	-	-	-	-	-
24	Other Salmonella infections-042	-	-	-	-	-	-	-	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	2	1	1	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	4	3	1	-	-	-	-	-	-	-
28	Scarlet fever-050	2	2	-	-	-	-	-	-	-	-
29	Streptococcal sore throat-051	9	3	6	-	-	3	1	1	-	1
30	Erysipelas-052	2	-	2	-	-	-	-	-	-	-
31	Septicemia and pyemia-053	7	5	2	-	-	2	2	-	-	-
32	Diphtheria-055	-	-	-	-	-	1	1	-	-	-
33	Whooping cough-056	14	7	6	-	1	-	-	-	-	-
34	Meningococcal infections-057	25	11	11	3	-	1	1	-	-	-
35	Plague-058	-	-	-	-	-	-	-	-	-	-
36	Tularemia-059	-	-	-	-	-	-	-	-	-	-
37	Leprosy-060	-	-	-	-	-	-	-	-	-	-
38	Tetanus-061	5	5	-	-	-	-	-	-	-	-
39	Anthrax-062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis-080	55	29	25	-	1	7	4	3	-	-
41	Late effects of acute poliomyelitis-081	2	1	1	-	-	-	-	-	-	-
42	Acute infectious encephalitis-082	5	2	3	-	-	-	-	-	-	-
43	Late effects of acute infectious encephalitis-083	9	6	3	-	-	-	-	-	-	-
44	Smallpox-084	-	-	-	-	-	-	-	-	-	-
45	Measles-085	6	3	2	1	-	1	-	1	-	-
46	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis-092	14	7	7	-	-	2	2	-	-	-
48	Rabies-094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus-104	-	-	-	-	-	-	-	-	-	-
50	Rocky Mountain spotted fever-104A	-	-	-	-	-	-	-	-	-	-
51	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
52	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
53	Malaria-110-117	1	1	-	-	-	-	-	-	-	-
54	Schistosomiasis-123	1	1	-	-	-	-	-	-	-	-
55	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
56	Filariasis-127	-	-	-	-	-	-	-	-	-	-
57	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
58	Other diseases due to helminths-124,126,128,130	1	1	-	-	-	-	-	-	-	-
59	All other infective and parasitic diseases-Residual	21	11	10	-	-	1	1	-	-	-
60	II. Neoplasms	5,397	2,787	2,553	27	30	302	165	127	3	7
61	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	5,301	2,754	2,493	25	29	291	161	122	3	5
62	Malignant neoplasm of buccal cavity and pharynx-140-148	98	77	20	1	-	8	5	3	-	-
63	Of lip-140	11	9	2	-	-	2	2	-	-	-
64	Of tongue-141	23	18	5	-	-	2	-	2	-	-
65	Of other and unspecified parts of buccal cavity-142-144	27	21	6	-	-	3	2	1	-	-
66	Of pharynx-145-148	37	29	7	1	-	1	1	-	-	-
67	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	2,289	1,311	951	15	12	101	64	34	2	1
68	Of esophagus-150	132	107	22	2	1	2	1	1	-	-
69	Of stomach-151	756	472	278	5	1	48	33	14	1	-
70	Of intestine, except rectum-152,153	571	294	271	-	6	18	9	9	-	-
71	Of rectum-154	309	166	119	3	1	14	12	2	-	-
72	Of biliary passages and of liver (stated to be primary site)-155	154	55	98	-	1	5	1	4	-	-
73	Of liver not specified whether primary or secondary-156A	111	58	53	-	-	2	1	-	-	1
74	Of pancreas-157	232	127	99	4	2	10	6	4	-	-
75	Of peritoneum and of unspecified digestive organs-158,159	24	12	11	1	-	2	1	-	1	-
76	Malignant neoplasm of respiratory system-160-164	412	331	76	3	2	35	31	4	-	-
77	Of larynx-161	36	34	2	-	-	3	3	-	-	-
78	Of trachea, and of bronchus and lung specified as primary-162	122	106	14	1	1	15	14	1	-	-
79	Of lung and bronchus, unspecified as primary or secondary-163	235	180	52	2	1	14	12	2	-	-
80	Of other parts of respiratory system-160,164	19	11	8	-	-	3	2	1	-	-
81	Malignant neoplasm of breast-170	509	8	496	-	5	17	-	16	-	1

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948,

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	834	341	485	2	6	56	20	35	-	1
2	Of cervix uteri---171	192	...	188	...	4	12	...	11	...	1
3	Of other and unspecified parts of uterus----172-174	121	...	119	...	2	15	...	15	...	-
4	Of ovary, fallopian tube, and broad ligament----175	155	...	155	...	-	8	...	8	...	-
5	Of other and unspecified female genital organs----176	23	...	23	...	-	1	...	1	...	-
6	Of prostate---177	327	325	...	2	...	20	20	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	16	16	...	-	...	-	-	...	-	...
8	Malignant neoplasm of urinary organs----180,181	259	181	76	2	-	14	6	8	-	-
9	Of kidney---180	111	72	39	-	-	6	2	4	-	-
10	Of bladder and other urinary organs----181	148	109	37	2	-	8	4	4	-	-
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	501	261	237	-	3	34	16	16	-	2
12	Of skin---190,191	57	38	19	-	-	7	4	2	-	1
13	Of eye---192	8	5	3	-	-	1	-	1	-	-
14	Of brain and other parts of nervous system----193	109	64	44	-	1	5	2	2	-	1
15	Of thyroid gland---194	27	7	20	-	-	1	1	-	-	-
16	Of bone (including jaw bone)---196	51	26	25	-	-	1	-	1	-	-
17	Of connective tissue---197	13	6	7	-	-	-	-	-	-	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	86	46	39	-	1	6	3	3	-	-
19	Of unspecified sites----156B,165,198B,199B-E	150	69	80	-	1	13	6	7	-	-
20	Leukemia and aleukemia---204	229	141	87	1	-	15	10	4	1	-
21	Lymphosarcoma, etc.*---200-203,205	170	103	65	1	1	11	9	2	-	-
22	Lymphosarcoma and reticulosarcoma---200	64	39	25	-	-	7	5	2	-	-
23	Hodgkin's disease---201	61	43	17	-	1	4	4	-	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	45	21	23	1	-	-	-	-	-	-
25	Benign neoplasms and neoplasms of unspecified nature---210-239	96	33	60	2	1	11	4	5	-	2
26	Benign neoplasms of female genital organs---214-217	33	...	32	...	1	3	...	3	...	-
27	Benign neoplasm of brain and other parts of nervous system---223	18	9	8	1	-	2	1	-	-	1
28	Other benign neoplasms----210-213,218-222,224-229	14	8	6	-	-	2	1	-	-	1
29	Neoplasm of unspecified nature of female genital organs---233-235	1	...	1	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*---237	20	11	9	-	-	3	1	2	-	-
31	Other neoplasms of unspecified nature----230-232,236,238,239	10	5	4	1	-	1	1	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases	867	373	480	5	9	48	28	19	-	1
33	Asthma---241	84	51	32	1	-	8	8	-	-	-
34	Nontoxic goiter---250,251	2	-	2	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter---252	45	10	35	-	-	2	1	1	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	3	-	3	-	-	-	-	-	-	-
37	Diabetes mellitus---260	671	277	385	2	7	33	15	17	-	1
38	Diseases of thymus gland---273	12	5	5	1	1	2	2	-	-	-
39	Diseases of adrenal glands---274	14	6	8	-	-	-	-	-	-	-
40	Pellagra---281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	15	10	4	1	1	2	2	-	-	-
42	Other allergic, endocrine, and metabolic diseases----Residual	20	14	6	-	-	1	-	1	-	-
43	IV. Diseases of the blood and blood-forming organs	145	63	80	1	1	14	9	5	-	-
44	Anemias---290-293	118	49	67	1	1	9	5	4	-	-
45	Pernicious and other hyperchromic anemias---290	81	31	50	-	-	4	2	2	-	-
46	Anemias of other and unspecified type---291-293	37	18	17	1	1	5	3	2	-	-
47	Purpura and other hemorrhagic conditions---296	12	4	8	-	-	1	1	-	-	-
48	All other diseases of blood and blood-forming organs----294,295,297-299	15	10	5	-	-	4	3	1	-	-
49	V. Mental, psychoneurotic, and personality disorders	102	60	39	2	1	22	14	7	1	-
50	Senile psychosis---304	25	12	12	1	-	2	1	1	-	-
51	Alcoholic psychosis---307	9	9	-	-	-	1	1	-	-	-
52	Other psychoses----300-303,305,306,308,309	27	7	19	1	-	2	-	2	-	-
53	Alcoholism---322	29	25	4	-	-	15	12	2	1	-
54	Mental deficiency---325	9	5	3	-	1	2	-	2	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	3	2	1	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs	4,425	2,144	2,238	26	17	238	128	104	2	2
57	Vascular lesions affecting central nervous system----330-334	4,087	1,957	2,094	20	16	206	111	92	2	1
58	Subarachnoid hemorrhage---330	55	24	29	2	-	2	-	2	-	-
59	Cerebral hemorrhage---331	2,810	1,318	1,469	12	11	154	84	69	1	-
60	Cerebral embolism and thrombosis---332	551	288	258	3	2	28	11	16	1	-
61	Other vascular lesions affecting central nervous system----333,334	671	327	338	3	3	22	16	5	-	1
62	Meningitis, except meningococcal and tuberculous---340	41	21	18	2	-	3	2	1	-	-
63	Multiple sclerosis---345	47	25	22	-	-	5	3	2	-	-
64	Paralysis agitans---350	62	38	24	-	-	7	5	2	-	-
65	Cerebral spastic infantile paralysis---351	14	7	6	1	-	2	-	1	-	1
66	Epilepsy---353	67	36	30	1	-	9	4	5	-	-
67	Inflammatory diseases of eye----370-379	1	1	-	-	-	-	-	-	-	-
68	Cataract---385	2	1	1	-	-	-	-	-	-	-
69	Glaucoma---387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis---391-393	7	4	3	-	-	1	1	-	-	-
71	Other diseases of nervous system and sense organs----Residual	97	54	40	2	1	3	2	1	-	-
72	VII. Diseases of the circulatory system	14,442	8,492	5,830	69	51	800	525	257	11	7
73	Rheumatic fever---400-402	39	18	19	1	1	7	3	3	1	-
74	Diseases of heart---410-443	13,103	7,789	5,208	61	45	736	492	226	9	7
75	Chronic rheumatic heart disease---410-416	491	276	208	2	5	42	23	17	1	1
76	Diseases of mitral valve---410	176	101	73	-	2	22	13	8	-	1
77	Diseases of aortic valve specified as rheumatic---411	24	20	4	-	-	-	-	-	-	-
78	Diseases of tricuspid valve---412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	46	30	15	-	1	4	-	3	1	-
80	Other diseases of heart specified as rheumatic---415,416	245	125	116	2	2	16	10	6	-	-

*For complete category title, refer to table 51.

Table 54. Deaths From 255 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	8,102	5,248	2,806	28	20	394	298	91	4	1
2	Arteriosclerotic heart disease as described----420.0	2,549	1,343	1,180	10	16	80	55	22	3	-
3	Heart disease specified as involving coronary arteries----420.1	5,528	3,886	1,620	18	4	311	242	67	1	1
4	Angina pectoris without mention of coronary disease----420.2	25	19	6	-	-	3	1	2	-	-
5	Chronic endocarditis not specified as rheumatic----421	226	133	92	1	-	14	5	9	-	-
6	Of mitral valve, specified as nonrheumatic----421.0	5	4	1	-	-	1	-	1	-	-
7	Of aortic valve, not specified as rheumatic----421.1	33	19	14	-	-	4	1	3	-	-
8	Of other valves, not specified as rheumatic----421.2-421.4	188	110	77	1	-	9	4	5	-	-
9	Other myocardial degeneration----422	2,401	1,258	1,123	8	12	162	97	62	1	2
10	With arteriosclerosis----422.1	1,206	627	568	5	6	42	29	13	-	-
11	Without mention of arteriosclerosis----422.0,422.2	1,195	631	555	3	6	120	68	49	1	2
12	Other diseases of heart----430-434	352	202	144	4	2	43	31	10	1	1
13	Acute and subacute endocarditis----430	15	11	4	-	-	11	10	1	-	-
14	Acute myocarditis not specified as rheumatic----431	55	29	25	-	1	1	1	-	-	-
15	Acute pericarditis specified as nonrheumatic----432	1	-	1	-	-	-	-	-	-	-
16	Functional disease of heart----433	68	33	35	-	-	8	3	4	-	1
17	Other and unspecified diseases of heart----434	213	129	79	4	1	23	17	5	1	-
18	Hypertension with heart disease----440-443	1,531	672	835	18	6	81	38	39	2	2
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	417	206	204	7	-	45	23	20	2	-
20	Essential hypertension with heart disease, etc.*----440,441,443	1,114	466	631	11	6	36	15	19	-	2
21	Hypertension without mention of heart----444-447	256	114	137	3	2	16	6	9	1	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	111	60	49	1	1	4	2	1	1	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	145	54	88	2	1	12	4	8	-	-
24	Diseases of arteries----450-456	955	526	423	3	3	38	22	16	-	-
25	General arteriosclerosis----450	872	478	391	1	2	34	19	15	-	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	34	23	10	1	-	2	2	-	-	-
27	Gangrene of unspecified cause----455	7	6	1	-	-	-	-	-	-	-
28	Other arterial diseases----452-454,456	42	19	21	1	1	2	1	1	-	-
29	Diseases of veins and other diseases of circulatory system----460-468	89	45	43	1	-	3	2	1	-	-
30	VIII. Diseases of the respiratory system----	1,069	609	436	10	14	120	76	32	5	7
31	Acute upper respiratory infections----470-475	15	5	9	1	-	2	1	1	-	-
32	Influenza----480-483	133	71	61	1	-	17	10	5	1	1
33	Pneumonia, except pneumonia of newborn----490-493	724	413	293	8	10	79	46	23	4	6
34	Lobar pneumonia----490	240	146	90	1	3	25	14	10	1	-
35	Bronchopneumonia----491	370	197	160	7	6	34	21	8	1	4
36	Primary atypical pneumonia----492	89	55	33	-	1	9	5	2	1	1
37	Pneumonia, other and unspecified----493	25	15	10	-	-	11	6	3	1	1
38	Acute bronchitis----500	31	15	15	-	1	1	1	-	-	-
39	Bronchitis, chronic and unqualified----501,502	29	16	11	-	-	1	1	-	-	-
40	Hypertrophy of tonsils and adenoids----510	9	4	2	-	3	1	1	-	-	-
41	Empyema and abscess of lung----518,521	10	8	2	-	-	-	-	-	-	-
42	Pleurisy----519	6	4	2	-	-	-	-	-	-	-
43	All other respiratory diseases----Residual	112	71	41	-	-	19	16	3	-	-
44	IX. Diseases of the digestive system----	1,151	666	469	5	11	115	63	49	2	1
45	Diseases of teeth and supporting structures----530-535	14	12	2	-	-	-	-	-	-	-
46	Ulcer of stomach----540	96	81	15	-	-	15	10	5	-	-
47	Ulcer of duodenum----541	64	50	14	-	-	6	5	1	-	-
48	Gastritis and duodenitis----543	2	1	1	-	-	-	-	-	-	-
49	Appendicitis----550-553	73	50	20	1	2	5	2	2	1	-
50	Hernia and intestinal obstruction----560,561,570	207	97	108	1	1	27	14	13	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	120	65	49	2	4	18	5	11	1	1
52	Cirrhosis of liver----581	256	162	92	1	1	21	14	7	-	-
53	Without mention of alcoholism----581.0	217	135	80	1	1	17	11	6	-	-
54	With alcoholism----581.1	39	27	12	-	-	4	3	1	-	-
55	Cholelithiasis and cholecystitis----584,585	177	60	115	-	2	8	4	4	-	-
56	Other diseases of digestive system----Residual	142	88	53	-	1	15	9	6	-	-
57	X. Diseases of the genito-urinary system----	842	530	298	7	7	56	37	19	-	-
58	Nephritis and nephrosis----590-594	538	287	239	6	6	36	20	16	-	-
59	Acute nephritis----590	24	17	6	1	-	4	4	-	-	-
60	Nephritis with edema, including nephrosis----591	20	10	8	1	1	-	-	-	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	494	260	225	4	5	32	16	16	-	-
62	Infections of kidney----600	56	24	32	-	-	3	1	2	-	-
63	Calculi of urinary system----602,604	22	14	8	-	-	1	1	-	-	-
64	Other diseases of urinary system----601,603,605-609	15	13	2	-	-	4	4	-	-	-
65	Hyperplasia of prostate----610	181	180	...	1	...	9	9	...	-	...
66	Other diseases of male genital organs----611-617	12	12	...	-	...	2	2	...	-	...
67	Diseases of breast----620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	18	...	17	...	1	1	...	1	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	36	...	33	...	3	9	...	9	...	-
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	6	...	6	...	-	2	...	2	...	-
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	12	...	12	...	-	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	9	...	8	...	1	3	...	3	...	-
73	Ectopic pregnancy----645	2	...	2	...	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----650	-	...	-	...	-	2	...	2	...	-
75	Abortion with sepsis----651	-	...	-	...	-	1	...	1	...	-
76	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual	7	...	5	...	2	-	...	-	...	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948,

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	24	8	15	-	1	6	4	1	1	-
2	Infections of skin and subcutaneous tissue--690-698	5	2	3	-	-	3	2	-	1	-
3	Other diseases of skin and subcutaneous tissue--700-716	19	6	12	-	1	3	2	1	-	-
4	XIII. Diseases of the bones and organs of movement	65	27	37	-	1	3	1	2	-	-
5	Arthritis and spondylitis--720-725	35	11	24	-	-	3	1	2	-	-
6	Muscular rheumatism and rheumatism, unspecified--726,727	2	-	1	-	1	-	-	-	-	-
7	Osteomyelitis and periostitis--730	1	-	1	-	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	1	1	-	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	26	15	11	-	-	-	-	-	-	-
10	XIV. Congenital malformations	465	221	235	6	3	34	16	15	3	-
11	Spina bifida and meningocele--751	45	18	27	-	-	1	1	-	-	-
12	Congenital hydrocephalus, etc.*--752,753	76	33	39	3	1	1	-	1	-	-
13	Congenital malformations of circulatory system--754	191	88	98	3	2	21	10	10	1	-
14	Other congenital malformations--750,755-759	153	82	71	-	-	11	5	4	2	-
15	XV. Certain diseases of early infancy	1,326	784	507	13	22	153	98	51	-	4
16	Birth injuries--760,761	288	174	107	3	4	32	24	7	-	1
17	Postnatal asphyxia and atelectasis--762	248	156	84	1	7	23	14	9	-	-
18	Infections of newborn--763-768	75	43	25	2	5	6	5	1	-	-
19	Hemolytic disease of newborn (erythroblastosis)--770	65	41	24	-	-	7	5	1	-	-
20	All other defined diseases of early infancy--769,771,772	49	28	20	-	1	5	-	5	-	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	601	342	247	7	5	80	49	28	-	3
22	XVI. Symptoms, senility, and ill-defined conditions	290	152	133	2	3	28	20	5	1	2
23	Senility without mention of psychosis--794	183	86	94	1	2	8	5	3	-	-
24	Symptoms, ill-defined and unknown causes--780-793,795	107	66	39	1	1	20	15	2	1	2
25	XVII. Accidents, poisonings, and violence	2,497	1,738	693	51	15	343	267	65	10	1
26	Accidents--E800-E962	2,032	1,380	598	41	13	289	223	56	9	1
27	Railway accidents--E800-E802	37	32	4	1	-	13	12	-	1	-
28	Motor-vehicle accidents--E810-E835	806	599	181	21	5	117	86	27	4	-
29	Motor-vehicle traffic accidents--E810-E825	788	590	173	20	5	115	85	26	4	-
30	Motor-vehicle traffic accident with railway train*--E810	75	55	20	-	-	2	2	-	-	-
31	Motor-vehicle traffic accident to pedestrian--E812	162	116	38	7	1	9	7	1	1	-
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	225	152	67	5	1	29	21	5	2	-
33	Motor-vehicle noncollision traffic accidents--E820-E824	149	124	19	3	3	69	50	18	1	-
34	Motor-vehicle traffic accident of unspecified nature--E825	177	143	29	5	-	8	5	1	-	-
35	Motor-vehicle nontraffic accidents--E830-E835	18	9	8	1	-	2	1	1	-	-
36	Other road-vehicle accidents--E840-E845	14	11	3	-	-	3	3	-	-	-
37	Water-transport accidents--E850-E858	39	36	3	-	-	2	2	-	-	-
38	Aircraft accidents--E860-E868	28	27	1	-	-	5	5	-	-	-
39	Accidental poisoning by solid and liquid substances--E870-E888	18	9	7	2	-	4	3	1	-	-
40	Accidental poisoning by gases and vapors--E890-E895	41	31	9	1	-	12	9	3	-	-
41	Accidental falls--E900-E904	519	237	280	1	1	29	18	10	1	-
42	Fall from one level to another--E900-E902	173	105	67	-	1	14	11	3	-	-
43	Fall on same level--E903	189	75	114	-	-	8	3	4	1	-
44	Unspecified falls--E904	157	57	99	1	-	7	4	3	-	-
45	Blow from falling object--E910	36	35	-	1	-	6	5	1	-	-
46	Accident caused by machinery--E912	58	53	5	-	-	13	13	-	-	-
47	Accident caused by electric current--E914	15	15	-	-	-	4	4	-	-	-
48	Accident caused by fire and explosion, etc.*--E916	99	55	35	6	3	16	12	3	1	-
49	Accident caused by hot substance, etc.*--E917,E918	18	13	5	-	-	-	-	-	-	-
50	Accident caused by firearm--E919	43	37	3	2	1	14	14	-	-	-
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	30	19	11	-	-	8	5	3	-	-
52	Accidental drowning--E929	92	77	11	4	-	16	13	3	-	-
53	Excessive heat and insolation--E931	-	-	-	-	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	12	5	6	-	1	1	1	-	-	-
55	All other accidents--Residual	127	89	34	2	2	26	18	5	2	1
56	Suicide--E963,E970-E979	426	338	84	3	1	50	42	7	1	-
57	Suicide by poisoning--E970-E973	61	44	17	-	-	10	6	4	-	-
58	Suicide by hanging and strangulation--E974	150	113	36	-	1	7	7	-	-	-
59	Suicide by firearms and explosives--E976	189	145	43	1	-	31	27	3	1	-
60	Suicide by all other means--E963,E975,E977-E979	56	36	18	2	-	2	2	-	-	-
61	Homicide--E964,E980-E985	39	20	11	7	1	4	2	2	-	-
62	Assault by firearms and explosives--E981	17	9	5	2	1	2	1	1	-	-
63	Assault by cutting and piercing instruments--E982	8	2	2	4	-	-	-	-	-	-
64	Assault by other means--E964,E980,E983	10	6	4	-	-	2	1	1	-	-
65	Injury by intervention of police--E984	4	3	-	1	-	-	-	-	-	-
66	Execution--E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES----All causes	1,452,454	128,348	117,286	139,976	125,929	121,574	116,060	112,559	110,338	109,993	119,028	119,412	131,951
Tuberculosis, all forms----001-019	33,959	3,019	2,868	3,451	3,029	3,055	2,882	2,658	2,670	2,563	2,525	2,546	2,692
Tuberculosis of respiratory system----001-008	31,083	2,779	2,616	3,191	2,782	2,795	2,614	2,424	2,414	2,318	2,312	2,348	2,492
Tuberculosis, other forms----010-019	2,886	240	253	260	237	260	268	234	256	247	213	198	200
Syphilis and its sequelae----020-029	7,568	715	671	699	680	646	624	588	558	569	619	569	631
Typhoid fever----040	96	10	7	7	4	3	10	14	9	9	7	6	10
Cholera----043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms----045-048	923	66	65	70	55	58	87	113	103	88	65	71	74
Scarlet fever and streptococcal sore throat-050,051	346	44	32	24	40	24	21	22	18	21	33	23	44
Diphtheria----055	410	70	44	33	29	12	5	15	19	34	54	46	49
Whooping cough----056	1,118	74	84	102	109	124	115	99	103	63	73	77	95
Meningococcal infections----057	974	79	106	130	81	93	81	43	51	41	90	69	110
Plague----058	1	-	-	-	-	-	-	1	-	-	-	-	-
Acute poliomyelitis----080	1,904	59	37	43	33	37	84	187	345	401	400	177	101
Smallpox----084	1	-	-	-	-	1	-	-	-	-	-	-	-
Measles----085	468	29	37	74	84	86	60	25	7	7	11	21	27
Typhus and other rickettsial diseases----100-108	47	2	2	-	1	6	9	12	10	5	-	-	-
Malaria----110-117	76	6	8	3	4	10	8	8	6	8	5	6	4
All other infective and parasitic diseases-Residual	3,759	344	278	387	381	328	287	266	293	292	313	277	313
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues----140-205	210,733	17,746	16,204	18,159	17,097	17,736	17,404	17,560	17,782	17,215	17,991	17,501	18,338
Malignant neoplasm of buccal cavity and pharynx----140-148	5,138	418	449	412	432	436	437	418	416	415	411	419	475
Malignant neoplasm of digestive organs and peritoneum----150-156A,157-159	81,726	6,934	6,285	6,945	6,693	6,893	6,799	6,840	6,873	6,789	6,986	6,753	6,956
Malignant neoplasm of respiratory system--160-164	21,219	1,720	1,617	1,773	1,683	1,728	1,768	1,872	1,895	1,708	1,806	1,749	1,900
Malignant neoplasm of breast----170	18,973	1,550	1,434	1,635	1,547	1,584	1,609	1,530	1,608	1,551	1,621	1,560	1,744
Malignant neoplasm of genital organs----171-179	34,742	2,997	2,726	3,170	2,776	2,989	2,791	2,864	2,790	2,742	2,931	2,980	3,006
Malignant neoplasm of urinary organs----180,181	10,044	896	738	908	835	879	833	809	852	855	807	806	826
Malignant neoplasm of other and unspecified sites----156B,165,190-199	22,135	1,814	1,664	1,919	1,779	1,837	1,829	1,883	1,904	1,825	1,925	1,867	1,909
Leukemia and aleukemia----204	8,845	729	640	735	718	730	723	755	781	714	794	724	802
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----200-203,205	7,911	688	651	672	634	660	615	609	663	636	700	683	720
Benign neoplasms and neoplasms of unspecified nature----210-239	5,374	465	446	507	438	438	423	452	458	432	426	429	460
Diabetes mellitus----260	24,419	2,203	1,936	2,405	2,048	2,032	1,838	1,966	1,869	1,863	2,054	2,037	2,168
Anemias----290-293	4,072	377	328	407	364	348	344	306	295	325	327	316	335
Meningitis, except meningococcal and tuberculous-340	1,839	206	160	210	155	156	139	122	105	116	136	148	186
Major cardiovascular-renal diseases----330-334,400-468,592-594	769,751	69,012	63,363	75,649	68,112	64,867	60,989	58,047	55,891	56,621	62,553	63,443	71,204
Diseases of cardiovascular system---330-334,400-468	745,074	66,657	61,217	73,054	65,869	62,750	59,066	56,270	54,196	54,813	60,624	61,459	69,099
Vascular lesions affecting central nervous system----330-334	156,751	13,747	12,873	14,989	13,890	13,148	12,630	11,924	11,558	11,603	12,635	13,090	14,864
Rheumatic fever----400-402	1,924	182	157	195	173	174	167	147	152	136	131	144	166
Diseases of heart----410-443	535,705	48,280	44,084	52,851	47,321	45,212	42,205	40,382	38,716	39,335	43,732	44,059	49,528
Chronic rheumatic heart disease----410-416	20,392	1,883	1,665	2,042	1,801	1,727	1,615	1,526	1,464	1,514	1,689	1,668	1,798
Arteriosclerotic heart disease, including coronary disease----420	321,003	28,596	25,895	30,638	28,059	26,945	25,138	24,451	23,594	23,860	26,572	27,017	30,248
Nonrheumatic chronic endocarditis and other myocardial degeneration----421,422	85,159	7,944	7,382	9,174	7,964	7,085	6,702	6,119	5,865	6,024	6,625	6,604	7,771
Other diseases of heart----430-434	23,958	2,114	1,988	2,371	2,161	2,040	1,931	1,782	1,798	1,745	1,905	1,921	2,204
Hypertension with heart disease----440-443	85,193	7,743	7,164	8,626	7,436	7,415	6,919	6,504	5,995	6,192	6,943	6,849	7,507
Hypertension without mention of heart----444-447	12,563	1,100	1,031	1,193	1,087	1,104	1,089	971	963	905	977	1,028	1,115
General arteriosclerosis----450	30,734	2,684	2,477	3,125	2,736	2,497	2,400	2,306	2,232	2,264	2,549	2,517	2,947
Other diseases of circulatory system----451-468	7,597	664	595	701	662	615	575	540	575	570	600	621	679
Chronic and unspecified nephritis and other renal sclerosis----592-594	24,677	2,355	2,146	2,595	2,243	2,117	1,923	1,777	1,695	1,808	1,929	1,984	2,105
Influenza and pneumonia, except pneumonia of newborn----490-493	47,120	5,199	4,937	7,772	5,410	3,515	2,659	2,008	2,012	2,378	3,012	3,445	4,773
Influenza----480-483	6,597	680	816	1,937	1,159	473	190	108	94	161	212	301	466
Pneumonia, except pneumonia of newborn----490-493	40,523	4,519	4,121	5,835	4,251	3,042	2,469	1,900	1,918	2,217	2,800	3,144	4,307
Bronchitis----500-502	2,989	365	348	400	294	244	179	133	114	141	240	225	306
Ulcer of stomach and duodenum----540,541	8,214	751	627	782	710	697	654	609	580	655	645	707	817
Appendicitis----550-553	3,080	269	214	302	243	252	301	274	272	261	235	230	227
Hernia and intestinal obstruction----560,561,570	8,894	839	694	825	725	894	773	789	715	708	726	692	716
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----543,571,572	7,822	681	605	640	539	535	710	681	674	676	641	659	581
Cirrhosis of liver----581	13,855	1,225	1,073	1,200	1,129	1,151	1,140	1,053	1,075	1,111	1,240	1,197	1,261
Acute nephritis and nephritis with edema, including nephrosis----590,591	3,470	333	306	358	312	296	280	255	254	247	267	276	286
Hyperplasia of prostate----610	6,359	532	503	622	565	555	489	504	493	498	578	539	480
Deliveries and complications of pregnancy, childbirth, and the puerperium----640-689	2,980	288	229	249	217	259	250	288	246	262	239	205	227
Abortion----650-652	316	42	20	30	33	25	30	36	20	21	16	14	29
All other complications----640-649,660-689	2,644	247	209	219	184	234	220	252	226	241	223	191	198
Congenital malformations----750-759	18,425	1,624	1,362	1,616	1,553	1,529	1,534	1,434	1,453	1,550	1,615	1,604	1,551
Certain diseases of early infancy----760-776	60,989	4,865	4,424	5,019	4,794	5,209	5,245	5,493	5,446	5,173	5,094	4,974	5,253
Birth injuries, postnatal asphyxia, and atelectasis----760-762	25,076	2,000	1,851	2,122	1,983	2,046	2,131	2,236	2,288	2,126	2,100	2,045	2,148
Infections of newborn----763-768	3,846	334	296	319	286	297	290	315	324	349	327	349	360
Other diseases peculiar to early infancy, and immaturity unqualified----769-776	32,067	2,531	2,277	2,578	2,525	2,866	2,824	2,942	2,834	2,698	2,667	2,580	2,745
Symptoms, senility, and ill-defined conditions----780-795	22,517	2,097	1,961	2,297	1,996	1,720	1,729	1,625	1,620	1,600	1,718	2,012	2,142
All other diseases----Residual	61,746	5,666	5,195	5,972	5,366	5,227	4,827	4,697	4,674	4,556	5,011	4,998	5,557
Accidents----E800-E962	91,249	7,121	6,285	7,284	7,135	7,397	7,642	8,047	7,931	7,498	8,070	7,992	8,857
Motor-vehicle accidents----E810-E835	34,763	2,461	2,258	2,473	2,644	2,684	2,653	3,111	3,153	3,128	3,528	3,142	3,528
All other accidents----E800-E802,E840-E962	56,486	4,660	4,027	4,811	4,491	4,713	4,989	4,936	4,778	4,360	4,542	4,850	5,329
Suicide----E963,E970-E979	17,145	1,358	1,248	1,626	1,546	1,600	1,507	1,449	1,460	1,338	1,383	1,304	1,346
Homicide----E964,E980-E985	7,942	626	591	638	648	629	721	712	725	674	660	589	729
Injury resulting from operations of war-E965,E990-E999	40	2	7	4	3	5	-	4	2	7	2	3	1

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—All causes	26,836	2,280	2,168	2,594	2,333	2,148	2,164	2,068	2,075	2,003	2,179	2,282	2,552
Tuberculosis, all forms—001-019	838	65	66	94	52	85	84	65	66	68	69	58	66
Tuberculosis of respiratory system—001-008	771	62	62	85	48	78	76	59	61	59	61	55	65
Tuberculosis, other forms—010-019	67	3	4	9	4	7	8	6	5	9	8	3	1
Syphilis and its sequelae—020-029	165	18	11	19	14	10	14	13	14	10	18	12	12
Typhoid fever—040	3	1	-	-	-	-	1	1	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	30	2	1	2	5	2	4	5	5	-	1	2	1
Scarlet fever and streptococcal sore throat—050,051	7	-	-	-	2	-	1	-	1	1	1	1	-
Diphtheria—055	23	4	1	1	-	-	-	2	2	3	3	6	1
Whooping cough—056	50	6	2	2	4	4	6	10	5	3	4	2	2
Meningococcal infections—057	28	3	3	3	1	5	4	-	1	-	1	2	5
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	18	1	-	-	-	-	2	4	4	3	-	4	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	11	-	-	1	5	5	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	-	1	-	-	-	-
Malaria—110-117	13	-	1	1	1	4	1	-	1	-	1	3	-
All other infective and parasitic diseases-Residual	109	9	8	14	11	13	6	10	7	9	8	8	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,933	254	206	253	262	243	229	251	249	252	244	246	244
Malignant neoplasm of buccal cavity and pharynx—140-148	89	7	9	5	6	11	4	7	7	10	10	7	6
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,003	99	75	91	76	78	71	87	93	92	81	82	78
Malignant neoplasm of respiratory system—160-164	265	25	13	20	27	19	15	30	24	17	22	29	24
Malignant neoplasm of breast—170	212	24	15	13	18	12	24	20	14	18	22	16	16
Malignant neoplasm of genital organs—171-179	645	44	47	59	69	61	48	43	49	61	56	53	55
Malignant neoplasm of urinary organs—180,181	112	10	2	9	9	7	13	7	11	13	7	11	13
Malignant neoplasm of other and unspecified sites—156B,165,190-199	386	34	28	38	34	33	33	39	32	25	34	33	23
Leukemia and aleukemia—204	121	3	8	11	12	12	16	9	9	8	9	11	13
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	100	8	9	7	11	10	5	9	10	8	3	4	16
Benign neoplasms and neoplasms of unspecified nature—210-239	87	8	4	14	11	4	6	2	11	6	5	10	6
Diabetes mellitus—260	274	24	21	24	28	12	18	22	21	18	25	30	31
Anemias—290-293	67	7	5	4	4	8	6	6	5	7	5	2	8
Meningitis, except meningococcal and tuberculous-340	59	8	5	8	6	2	6	1	-	4	3	5	11
Major cardiovascular-renal diseases—330-334,400-468,592-594	12,425	1,067	1,027	1,191	1,090	1,016	998	955	887	925	1,011	1,060	1,198
Diseases of cardiovascular system—330-334,400-468	11,720	1,004	957	1,110	1,034	948	953	912	843	869	962	1,005	1,123
Vascular lesions affecting central nervous system—330-334	3,155	263	267	281	255	256	256	230	222	237	290	281	317
Rheumatic fever—400-402	41	2	6	3	7	1	4	4	3	1	5	2	3
Diseases of heart—410-443	7,836	683	612	751	723	638	644	616	574	583	614	655	743
Chronic rheumatic heart disease—410-416	293	34	35	31	28	22	22	19	19	14	21	20	28
Arteriosclerotic heart disease, including coronary disease—420	3,575	292	253	345	332	291	289	277	270	268	298	315	345
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,266	116	106	110	126	107	103	109	86	98	86	100	119
Other diseases of heart—430-434	520	45	42	46	53	47	38	34	43	38	41	48	45
Hypertension with heart disease—440-443	2,182	196	176	219	184	171	192	177	156	165	168	172	206
Hypertension without mention of heart—444-447	302	26	24	30	25	22	22	28	28	20	20	29	28
General arteriosclerosis—450	278	21	37	35	17	23	18	23	9	20	24	29	24
Other diseases of circulatory system—451-468	108	9	11	12	7	8	9	11	7	8	9	9	8
Chronic and unspecified nephritis and other renal sclerosis—592-594	705	63	70	81	56	68	45	43	44	56	49	55	75
Influenza and pneumonia, except pneumonia of newborn—480-493	1,292	131	156	217	147	65	69	63	65	61	77	115	126
Influenza—480-483	264	29	36	77	40	11	7	6	6	6	6	22	18
Pneumonia, except pneumonia of newborn—490-493	1,028	102	120	140	107	54	62	57	59	55	71	93	108
Bronchitis—500-502	40	5	6	7	2	2	1	1	2	2	2	3	7
Ulcer of stomach and duodenum—540,541	109	7	15	11	7	10	5	6	15	3	10	7	13
Appendicitis—550-553	66	4	8	4	7	5	2	6	10	5	5	3	7
Hernia and intestinal obstruction—560,561,570	166	15	11	14	8	18	13	18	11	13	18	20	7
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	194	18	18	11	10	16	23	17	15	18	22	16	10
Cirrhosis of liver—581	133	11	14	10	8	9	16	8	10	15	14	11	7
Acute nephritis and nephritis with edema, including nephrosis—590,591	99	9	8	10	11	2	5	10	8	7	8	10	11
Hyperplasia of prostate—610	111	5	14	15	10	9	10	7	4	7	10	11	9
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	143	16	8	7	10	12	17	13	14	12	10	9	15
Abortion—650-652	17	2	2	1	2	1	1	2	3	-	-	1	2
All other complications—640-649,660-689	126	14	6	6	8	11	16	11	11	12	10	8	13
Congenital malformations—750-759	327	34	25	25	24	27	27	32	24	24	30	24	31
Certain diseases of early infancy—760-776	1,643	140	113	154	137	115	147	136	176	131	128	132	134
Birth injuries, postnatal asphyxia, and atelectasis—760-762	575	54	39	58	36	42	53	46	61	48	48	36	54
Infections of newborn—763-768	119	2	13	13	14	7	5	14	9	9	10	16	7
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	949	84	61	83	87	66	89	76	106	74	70	80	73
Symptoms, senility, and ill-defined conditions—780-795	1,536	151	126	164	133	103	124	95	110	90	137	135	168
All other diseases—Residual	1,190	89	101	107	103	108	109	82	77	94	97	92	131
Accidents—E800-E962	2,005	113	132	153	168	175	153	169	192	161	171	202	216
Motor-vehicle accidents—E810-E835	855	49	55	63	71	81	57	77	67	77	98	69	91
All other accidents—E800-E802,E840-E962	1,150	64	77	90	97	94	96	92	125	84	73	133	125
Suicide—E963,E970-E979	209	20	19	17	19	15	14	20	22	16	12	11	24
Homicide—E964,E980-E985	432	35	33	27	33	44	43	38	40	35	29	30	45
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARIZONA—All causes	6,422	617	543	541	536	538	510	537	488	486	482	508	636
Tuberculosis, all forms—001-019	447	41	37	47	43	36	41	38	35	32	36	29	32
Tuberculosis of respiratory system—001-008	395	36	34	41	39	29	36	30	33	28	35	27	27
Tuberculosis, other forms—010-019	52	5	3	6	4	7	5	8	2	4	1	2	5
Syphilis and its sequelae—020-029	46	4	6	4	4	3	7	2	5	2	4	2	3
Typhoid fever—040	5	-	1	-	1	-	-	1	-	-	1	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	22	2		1	-	2	2	-	3	1	5	2	4
Scarlet fever and streptococcal sore throat—050,051	1	-		-	-	-	1	-	-	-	-	-	-
Diphtheria—055	8	3		-	-	-	-	1	-	1	-	-	1
Whooping cough—056	21	-	-	-	-	-	2	1	4	-	2	4	8
Meningococcal infections—057	1	1	-	-	-	-	-	-	-	-	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	6	1	-	-	-	-	1	1	3	-	-	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	2	-	-	1	1	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	1	-	-	-	-	1	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	27	2	1	3	1	4	-	2	1	3	1	2	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	706	58	52	49	72	73	54	56	60	59	61	54	58
Malignant neoplasm of buccal cavity and pharynx—140-148	14	-	2	1	1	1	3	-	-	1	2	3	-
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	260	20	17	22	22	24	29	22	20	26	23	14	21
Malignant neoplasm of respiratory system—160-164	83	4	9	7	10	9	5	6	10	3	6	6	8
Malignant neoplasm of breast—170	58	5	5	3	5	2	5	6	8	7	4	1	7
Malignant neoplasm of genital organs—171-179	128	13	10	5	15	13	3	12	10	13	13	15	6
Malignant neoplasm of urinary organs—180,181	19	3	2	3	1	2	1	-	2	2	1	-	2
Malignant neoplasm of other and unspecified sites—156B,165,190-199	84	7	4	4	11	14	4	6	5	4	10	7	8
Leukemia and aleukemia—204	31	3	2	4	5	4	2	1	4	1	-	3	2
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	29	3	1	-	2	4	2	3	1	2	2	5	4
Benign neoplasms and neoplasms of unspecified nature—210-239	15	-	1	-	-	2	3	1	3	1	2	1	1
Diabetes mellitus—260	63	5	5	4	5	9	3	7	4	7	6	1	7
Anemias—290-293	19	2	1	2	4	-	-	-	1	-	4	1	4
Meningitis, except meningococcal and tuberculous-340	14	4	3	-	-	1	1	-	-	1	-	1	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,281	247	203	198	191	192	190	190	171	159	148	173	219
Diseases of cardiovascular system—330-334,400-468	2,193	239	195	192	185	186	185	183	165	144	140	168	211
Vascular lesions affecting central nervous system—330-334	466	37	41	34	31	45	45	51	36	36	35	37	39
Rheumatic fever—400-402	18	2	2	2	1	3	1	2	2	-	-	1	2
Diseases of heart—410-443	1,530	185	131	141	136	119	126	119	115	97	92	115	154
Chronic rheumatic heart disease—410-416	89	18	8	5	6	7	6	4	10	4	6	7	8
Arteriosclerotic heart disease, including coronary disease—420	876	95	71	86	83	60	67	62	69	59	55	78	91
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	241	30	26	27	20	20	22	19	9	11	18	12	27
Other diseases of heart—430-434	114	13	7	7	10	17	11	13	18	9	2	3	4
Hypertension with heart disease—440-443	210	29	19	16	17	15	20	21	9	14	11	15	24
Hypertension without mention of heart—444-447	45	3	4	2	5	8	5	2	1	-	6	6	3
General arteriosclerosis—450	95	8	9	12	8	6	7	8	9	7	6	7	8
Other diseases of circulatory system—451-468	39	4	8	1	4	5	1	1	2	4	1	2	6
Chronic and unspecified nephritis and other renal sclerosis—592-594	88	8	8	6	6	6	5	7	6	15	8	5	8
Influenza and pneumonia, except pneumonia of newborn—480-493	282	26	32	28	29	18	20	25	17	17	11	24	35
Influenza—480-483	24	5	2	5	5	3	1	1	-	-	-	-	2
Pneumonia, except pneumonia of newborn—490-493	258	21	30	23	24	15	19	24	17	17	11	24	33
Bronchitis—500-502	27	-	6	3	4	3	1	-	3	2	2	-	3
Ulcer of stomach and duodenum—540,541	43	3	3	6	7	2	4	2	1	2	3	4	6
Appendicitis—550-553	16	1	3	2	2	2	1	1	-	3	1	-	-
Hernia and intestinal obstruction—560,561,570	32	6	2	1	6	1	2	3	4	2	1	1	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	184	7	6	4	10	15	11	18	19	28	19	28	19
Cirrhosis of liver—581	45	4	4	7	3	2	2	3	5	5	3	5	2
Acute nephritis and nephritis with edema, including nephrosis—590,591	12	1	2	-	1	-	1	1	1	1	1	2	1
Hyperplasia of prostate—610	30	2	4	1	4	5	2	1	1	2	5	1	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	22	5	2	1	1	5	2	3	-	-	-	2	1
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	22	5	2	1	1	5	2	3	-	-	-	2	1
Congenital malformations—750-759	125	12	9	9	10	13	11	10	9	7	9	14	12
Certain diseases of early infancy—760-776	466	37	34	40	36	41	32	34	47	39	38	37	51
Birth injuries, postnatal asphyxia, and atelectasis—760-762	159	18	15	16	14	13	8	10	16	12	10	10	17
Infections of newborn—763-768	34	1	2	2	4	1	3	4	3	6	2	3	3
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	273	18	17	22	18	27	21	20	28	21	26	24	31
Symptoms, senility, and ill-defined conditions—780-795	239	24	18	16	25	18	19	25	12	21	22	11	28
All other diseases—Residual	447	54	42	43	31	30	42	36	32	28	35	36	40
Accidents—E800-E962	629	49	47	57	30	50	46	65	44	56	55	62	68
Motor-vehicle accidents—E810-E835	278	27	24	15	13	22	12	26	20	26	34	27	32
All other accidents—E800-E802,E840-E962	351	22	23	42	17	28	34	39	24	30	21	35	36
Suicide—E963,E970-E979	95	8	11	11	9	10	9	5	3	7	4	8	12
Homicide—E964,E980-E985	43	8	6	3	6	-	-	5	-	2	3	5	5
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS—All causes	15,411	1,399	1,269	1,575	1,325	1,222	1,287	1,193	1,147	1,151	1,219	1,203	1,421
Tuberculosis, all forms—001-019	615	37	58	64	70	52	56	53	44	38	46	48	49
Tuberculosis of respiratory system—001-008	578	37	53	59	67	50	54	49	44	35	41	44	45
Tuberculosis, other forms—010-019	37	-	5	5	3	2	2	4	-	3	5	4	4
Syphilis and its sequelae—020-029	104	13	4	12	11	8	10	10	7	11	6	2	10
Typhoid fever—040	4	1	-	1	-	-	-	1	-	-	-	1	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	32	1	1	2	1	1	3	7	5	3	4	2	2
Scarlet fever and streptococcal sore throat-050,051	10	3	-	1	1	-	1	-	-	-	3	1	-
Diphtheria—055	10	2	-	1	-	1	-	-	-	1	2	-	3
Whooping cough—056	36	2	4	2	2	3	5	5	7	1	3	-	2
Meningococcal infections—057	15	-	-	7	-	-	1	1	3	-	1	2	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	20	1	1	-	1	1	4	3	4	3	-	1	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	6	-	2	1	2	1	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	3	-	-	-	-	1	-	2	-	-	-	-	-
Malaria—110-117	6	-	-	-	-	-	2	2	1	1	-	-	-
All other infective and parasitic diseases-Residual	54	4	2	5	5	11	5	3	4	4	5	1	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,897	191	144	181	142	167	162	152	157	152	160	133	156
Malignant neoplasm of buccal cavity and pharynx—140-148	48	4	7	3	1	1	1	5	5	4	7	5	5
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	671	71	54	73	40	65	56	42	58	52	55	48	57
Malignant neoplasm of respiratory system--160-164	159	24	9	13	12	11	12	15	13	17	7	13	13
Malignant neoplasm of breast—170	135	15	10	13	10	7	8	16	12	11	10	11	12
Malignant neoplasm of genital organs—171-179	409	34	32	32	38	43	39	29	28	35	33	30	36
Malignant neoplasm of urinary organs—180,181	76	13	3	4	5	7	6	5	6	7	6	6	8
Malignant neoplasm of other and unspecified sites—156B,165,190-199	251	17	19	27	19	25	27	26	20	21	24	11	15
Leukemia and aleukemia—204	87	11	3	10	11	4	6	9	10	3	9	6	5
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	61	2	7	6	6	4	7	5	5	2	9	3	5
Benign neoplasms and neoplasms of unspecified nature—210-239	63	3	10	6	7	4	4	4	6	2	8	4	5
Diabetes mellitus—260	180	22	13	18	12	13	11	19	15	12	13	15	17
Anemias—290-293	33	4	2	1	2	-	6	2	4	5	2	1	4
Meningitis, except meningococcal and tuberculous-340	21	1	2	1	1	2	3	2	1	1	-	5	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	7,449	674	836	748	630	588	634	558	538	569	585	602	687
Diseases of cardiovascular system—330-334,400-468	6,927	626	589	691	585	548	598	509	501	535	536	559	650
Vascular lesions affecting central nervous system—330-334	1,686	151	134	163	157	127	150	133	127	134	124	134	162
Rheumatic fever—400-402	28	2	1	3	3	1	-	1	3	3	3	5	3
Diseases of heart—410-443	4,765	437	415	491	386	391	404	342	337	365	373	379	445
Chronic rheumatic heart disease—410-416	171	15	13	19	15	18	19	16	10	15	13	11	9
Arteriosclerotic heart disease, including coronary disease—420	2,447	219	226	252	198	181	208	179	191	166	189	205	233
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	629	62	54	71	40	51	50	47	47	59	56	43	49
Other diseases of heart—430-434	534	41	44	49	55	50	53	35	26	41	39	41	60
Hypertension with heart disease—440-443	982	100	78	100	80	91	74	65	63	84	76	79	92
Hypertension without mention of heart—444-447	176	14	15	12	18	12	16	13	16	13	13	17	17
General arteriosclerosis—450	208	19	19	19	16	14	20	16	17	17	16	19	16
Other diseases of circulatory system—451-468	56	3	5	3	5	3	8	4	1	3	7	5	9
Chronic and unspecified nephritis and other renal sclerosis—592-594	522	48	47	57	45	40	36	49	37	34	49	43	37
Influenza and pneumonia, except pneumonia of newborn—480-493	738	76	71	136	108	56	44	23	29	32	42	48	73
Influenza—480-483	134	10	13	42	26	9	5	2	1	1	4	7	14
Pneumonia, except pneumonia of newborn—490-493	604	66	58	94	82	47	39	21	28	31	38	41	59
Bronchitis—500-502	29	2	5	1	1	3	2	2	-	1	4	1	7
Ulcer of stomach and duodenum—540,541	71	4	4	3	9	6	6	6	6	11	3	2	11
Appendicitis—550-553	48	3	7	5	6	5	4	4	2	4	3	4	1
Hernia and intestinal obstruction—560,561,570	92	8	7	8	5	9	9	7	11	7	6	7	8
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	94	8	6	5	1	3	9	13	11	15	5	5	13
Cirrhosis of liver—581	87	11	5	4	9	5	4	9	11	6	4	10	9
Acute nephritis and nephritis with edema, including nephrosis—590,591	66	4	3	11	4	7	7	11	5	7	6	1	-
Hyperplasia of prostate—610	86	5	5	16	3	8	6	7	6	5	9	8	8
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	74	8	5	9	5	8	7	4	3	7	8	5	5
Abortion—650-652	6	-	2	-	-	1	2	1	-	-	-	-	-
All other complications—640-649,660-689	68	8	3	9	5	7	5	3	3	7	8	5	5
Congenital malformations—750-759	177	20	15	11	10	13	13	15	11	22	14	17	16
Certain diseases of early infancy—760-776	607	61	48	40	50	53	41	58	56	58	52	44	48
Birth injuries, postnatal asphyxia, and atelectasis—760-762	233	26	26	13	14	20	14	26	19	19	20	16	20
Infections of newborn—763-768	45	8	5	3	4	1	3	3	4	3	6	2	3
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	329	27	15	24	32	32	24	29	33	36	26	26	25
Symptoms, senility, and ill-defined conditions—780-795	576	65	50	64	58	46	40	35	35	41	42	43	57
All other diseases—Residual	685	59	66	78	61	53	59	60	58	47	52	37	55
Accidents—E800-E962	1,138	81	80	104	78	73	105	84	84	66	106	130	147
Motor-vehicle accidents—E810-E835	383	16	25	31	33	23	25	33	26	30	42	45	55
All other accidents—E800-E802,E840-E962	755	65	55	73	45	50	80	51	58	36	64	84	94
Suicide—E963,E970-E979	136	10	7	11	14	12	10	21	9	4	13	16	9
Homicide—E964,E980-E985	149	15	8	18	16	9	14	10	14	15	12	7	11
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA—All causes	98,760	9,339	7,881	8,752	8,072	8,176	7,876	8,185	7,713	7,867	8,210	7,991	8,698
Tuberculosis, all forms—001-019	2,312	216	216	243	204	195	184	200	181	162	160	179	172
Tuberculosis of respiratory system—001-008	2,122	201	194	225	189	177	173	184	161	144	151	167	156
Tuberculosis, other forms—010-019	190	15	22	18	15	18	11	16	20	18	9	12	16
Syphilis and its sequelae—020-029	585	58	52	54	54	58	52	40	38	54	45	43	39
Typhoid fever—040	8	-	-	1	1	-	1	1	2	1	-	1	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	27	3	3	2	1	3	3	4	-	3	1	2	2
Scarlet fever and streptococcal sore throat—050,051	10	-	1	1	-	-	1	1	1	2	1	1	1
Diphtheria—055	38	8	2	3	3	4	-	1	3	4	4	1	5
Whooping cough—056	30	3	3	5	3	3	4	1	4	-	2	-	2
Meningococcal infections—057	37	11	4	8	1	-	4	2	-	-	1	1	5
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	112	6	6	4	3	5	5	12	17	18	15	13	8
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	10	-	2	-	3	-	4	-	-	-	-	1	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	3	-	-	-	-	1	-	-	1	1	-	-	-
All other infective and parasitic diseases-Residual	284	26	27	22	28	18	30	25	20	22	17	26	23
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	14,862	1,241	1,097	1,315	1,217	1,256	1,214	1,281	1,261	1,232	1,255	1,201	1,292
Malignant neoplasm of buccal cavity and pharynx—140-148	359	27	27	38	27	37	36	35	34	24	20	18	36
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	5,349	451	404	468	440	456	452	462	436	473	443	417	447
Malignant neoplasm of respiratory system—160-164	1,586	119	113	130	130	140	139	135	152	126	127	136	139
Malignant neoplasm of breast—170	1,532	126	111	125	130	130	139	129	136	120	136	115	135
Malignant neoplasm of genital organs—171-179	2,374	209	173	230	194	193	182	198	214	188	205	192	196
Malignant neoplasm of urinary organs—180,181	775	67	72	75	65	70	67	54	68	61	52	61	63
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,595	140	111	138	128	118	118	140	119	134	153	143	153
Leukemia and aleukemia—204	657	46	37	62	52	54	45	74	51	58	55	61	62
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	635	56	49	49	51	58	36	54	51	48	64	58	61
Benign neoplasms and neoplasms of unspecified nature—210-239	356	36	23	37	37	24	28	31	26	27	30	29	28
Diabetes mellitus—260	934	83	70	72	77	67	79	84	78	72	80	90	82
Anemias—290-293	234	28	15	26	19	23	20	20	17	24	13	11	18
Meningitis, except meningococcal and tuberculous-340	103	13	13	10	6	8	8	8	6	5	11	6	9
Major cardiovascular-renal diseases—330-334,400-468,592-594	53,270	5,206	4,355	4,772	4,421	4,490	4,182	4,246	4,010	4,128	4,427	4,335	4,698
Diseases of cardiovascular system—330-334,400-468	52,229	5,101	4,272	4,678	4,313	4,387	4,108	4,170	3,951	4,040	4,362	4,258	4,609
Vascular lesions affecting central nervous system—330-334	10,166	1,005	808	928	776	879	780	822	821	760	832	881	874
Rheumatic fever—400-402	111	4	9	6	13	11	13	9	7	9	6	12	12
Diseases of heart—410-443	37,907	3,728	3,134	3,403	3,201	3,153	3,000	3,044	2,788	2,942	3,171	3,028	3,315
Chronic rheumatic heart disease—410-416	1,536	151	130	146	112	129	127	124	111	110	153	124	119
Arteriosclerotic heart disease, including coronary disease—420	26,136	2,575	2,170	2,330	2,204	2,172	2,080	2,063	1,966	1,968	2,167	2,087	2,354
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	4,433	448	386	422	402	352	342	353	315	379	355	334	345
Other diseases of heart—430-434	692	81	45	64	63	74	60	53	39	47	56	51	59
Hypertension with heart disease—440-443	5,110	473	403	441	420	426	391	451	357	438	440	432	438
Hypertension without mention of heart—444-447	676	47	51	52	57	74	64	46	58	55	55	50	67
General arteriosclerosis—450	2,687	262	205	226	205	216	196	198	206	223	234	234	282
Other diseases of circulatory system—451-468	682	55	65	63	61	54	55	51	51	51	64	53	59
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,041	105	83	94	108	103	74	76	79	68	65	77	89
Influenza and pneumonia, except pneumonia of newborn—480-493	2,635	379	316	269	193	176	182	167	143	178	170	194	248
Influenza—480-483	58	11	9	7	2	4	-	4	4	3	7	2	5
Pneumonia, except pneumonia of newborn—490-493	2,577	368	307	262	191	172	182	163	139	175	163	192	243
Bronchitis—500-502	166	29	14	16	7	14	7	12	7	14	10	13	23
Ulcer of stomach and duodenum—540,541	672	57	49	58	53	51	54	48	53	59	47	72	71
Appendicitis—550-553	165	15	5	12	9	15	15	17	16	15	16	13	17
Hernia and intestinal obstruction—560,561,570	555	65	44	50	29	46	41	60	51	46	52	31	40
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	436	42	29	41	29	29	39	36	35	33	37	47	39
Cirrhosis of liver—581	1,714	165	122	124	139	157	131	142	135	135	172	142	150
Acute nephritis and nephritis with edema, including nephrosis—590,591	160	17	7	25	16	11	10	10	12	14	14	13	11
Hyperplasia of prostate—610	379	28	34	35	27	32	29	30	31	28	36	29	38
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	126	13	10	10	10	11	11	9	9	17	8	9	9
Abortion—650-652	14	2	2	-	2	-	1	-	1	3	1	-	2
All other complications—640-649,660-689	112	11	8	10	8	11	10	9	8	14	7	9	7
Congenital malformations—750-759	1,295	128	66	129	110	102	113	98	115	101	103	118	112
Certain diseases of early infancy—760-776	3,837	320	285	320	284	324	324	346	335	324	299	325	351
Birth injuries, postnatal asphyxia, and atelectasis—760-762	2,063	158	159	169	147	161	162	198	183	177	166	177	206
Infections of newborn—763-768	203	13	12	19	18	14	14	14	26	22	16	15	20
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,571	149	114	132	119	149	148	134	126	125	117	133	125
Symptoms, senility, and ill-defined conditions—780-795	395	37	43	32	29	34	34	29	22	40	24	50	31
All other diseases—Residual	4,152	418	317	379	322	323	326	378	327	322	353	318	369
Accidents—E800-E962	6,484	494	449	482	540	501	526	622	551	602	611	503	603
Motor-vehicle accidents—E810-E835	3,171	205	203	215	259	224	268	285	280	312	339	282	319
All other accidents—E800-E802,E840-E962	3,313	289	246	267	281	277	258	337	271	290	272	221	284
Suicide—E963,E970-E979	1,909	168	156	166	163	159	172	165	167	145	150	141	157
Homicide—E964,E980-E985	462	28	46	38	34	35	43	39	39	39	44	33	44
Injury resulting from operations of war-E965,E990-E999	3	-	-	1	-	1	-	-	-	-	-	-	1

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO—All causes	12,280	1,088	1,017	1,118	990	1,096	1,001	947	949	934	992	1,016	1,132
Tuberculosis, all forms—001-019	207	18	17	18	22	18	23	18	14	15	7	15	24
Tuberculosis of respiratory system—001-008	188	17	16	12	21	14	22	17	13	14	7	13	22
Tuberculosis, other forms—010-019	19	1	1	4	1	4	1	1	1	1	-	2	2
Syphilis and its sequelae—020-029	49	10	2	6	2	7	6	3	1	4	1	3	4
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	7	-	-	-	-	-	1	2	1	2	1	-	-
Scarlet fever and streptococcal sore throat—050,051	7	1	2	-	-	2	-	-	-	-	2	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	6	-	1	-	-	-	1	-	1	1	-	1	1
Meningococcal infections—057	10	-	2	-	1	3	2	-	-	-	2	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	8	2	-	-	-	-	-	1	2	1	1	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	9	1	1	-	2	-	1	2	1	-	-	-	1
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	1	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	32	1	2	6	4	2	4	2	4	1	1	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,706	124	126	144	125	151	139	164	152	154	127	150	150
Malignant neoplasm of buccal cavity and pharynx—140-148	26	3	-	1	-	2	2	6	3	3	1	2	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	630	46	54	49	49	51	47	63	59	60	49	51	52
Malignant neoplasm of respiratory system—160-164	153	12	16	7	7	18	12	17	16	8	7	14	19
Malignant neoplasm of breast—170	170	10	9	14	13	17	13	18	17	13	13	19	14
Malignant neoplasm of genital organs—171-179	316	26	18	29	21	29	32	28	23	30	24	30	26
Malignant neoplasm of urinary organs—180,181	85	4	7	8	9	8	9	10	4	10	6	7	3
Malignant neoplasm of other and unspecified sites—156B,165,190-199	172	12	12	24	14	14	14	13	15	12	15	15	14
Leukemia and aleukemia—204	76	6	2	5	8	9	4	6	9	7	6	7	7
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	78	5	8	7	4	3	6	3	6	11	8	5	12
Benign neoplasms and neoplasms of unspecified nature—210-239	47	3	3	2	4	5	3	8	4	3	5	3	4
Diabetes mellitus—260	144	18	6	18	8	5	16	13	12	11	14	13	12
Anemias—290-293	35	2	2	4	2	3	3	4	2	5	3	4	1
Meningitis, except meningococcal and tuberculous-340	8	-	1	-	2	2	1	-	-	-	1	1	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	5,918	554	513	554	505	522	471	436	439	418	462	493	551
Diseases of cardiovascular system—330-334,400-468	5,744	539	499	536	494	507	455	425	431	403	447	474	534
Vascular lesions affecting central nervous system—330-334	1,159	92	94	98	98	108	99	81	95	95	102	95	102
Rheumatic fever—400-402	33	2	2	6	3	3	4	3	2	3	2	2	1
Diseases of heart—410-443	4,133	402	368	389	360	367	317	318	301	279	310	340	362
Chronic rheumatic heart disease—410-416	240	30	25	21	19	24	13	21	17	14	21	18	17
Arteriosclerotic heart disease, including coronary disease—420	2,669	246	245	245	237	235	223	201	182	177	206	221	251
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	585	52	43	61	52	44	45	55	56	35	40	48	54
Other diseases of heart—430-434	109	14	11	9	9	9	7	7	9	11	10	4	9
Hypertension with heart disease—440-443	530	60	44	53	43	55	29	34	37	42	33	49	51
Hypertension without mention of heart—444-447	78	8	7	8	5	5	5	2	12	8	4	6	8
General arteriosclerosis—450	259	26	21	25	24	17	23	15	14	13	22	22	37
Other diseases of circulatory system—451-468	82	9	7	10	4	7	7	6	7	5	7	9	4
Chronic and unspecified nephritis and other renal sclerosis—592-594	174	15	14	18	11	15	16	11	8	15	15	19	17
Influenza and pneumonia, except pneumonia of newborn—480-493	663	65	81	82	49	56	49	30	23	33	68	53	74
Influenza—480-483	59	6	14	13	3	2	6	-	2	1	1	2	9
Pneumonia, except pneumonia of newborn—490-493	604	59	67	69	46	54	43	30	21	32	67	51	65
Bronchitis—500-502	30	4	6	1	2	3	3	-	1	1	3	1	5
Ulcer of stomach and duodenum—540,541	114	18	6	15	9	11	12	8	1	10	9	8	7
Appendicitis—550-553	40	4	1	5	2	8	5	2	3	6	1	1	2
Hernia and intestinal obstruction—560,561,570	110	14	9	9	7	14	10	10	10	8	11	4	4
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	112	2	3	4	4	5	2	6	16	19	24	21	6
Cirrhosis of liver—581	112	6	19	14	7	13	5	7	9	2	11	8	11
Acute nephritis and nephritis with edema, including nephrosis—590,591	23	6	2	3	2	2	1	-	1	-	3	1	2
Hyperplasia of prostate—610	73	5	5	9	7	8	7	5	6	5	5	6	5
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	28	3	2	1	-	5	4	4	-	4	2	1	2
Abortion—650-652	3	-	-	-	-	1	1	-	-	1	-	-	-
All other complications—640-649,660-689	25	3	2	1	-	4	3	4	-	3	2	1	2
Congenital malformations—750-759	176	13	19	16	15	17	12	8	17	15	16	12	16
Certain diseases of early infancy—760-776	678	52	58	56	56	54	58	60	52	58	60	51	83
Birth injuries, postnatal asphyxia, and atelectasis—760-762	333	24	33	27	18	31	25	36	30	32	25	22	30
Infections of newborn—763-768	43	1	3	5	7	1	4	2	4	3	3	5	5
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	302	27	22	24	31	22	29	22	18	23	32	24	28
Symptoms, senility, and ill-defined conditions—780-795	61	9	6	2	2	5	5	2	4	6	4	5	11
All other diseases—Residual	653	64	45	51	47	65	52	44	52	49	58	59	67
Accidents—E800-E962	968	68	62	70	84	82	84	89	105	85	74	80	85
Motor-vehicle accidents—E810-E835	408	31	26	21	41	20	33	42	37	51	31	38	37
All other accidents—E800-E802,E840-E962	560	37	36	49	43	62	51	47	68	34	43	42	48
Suicide—E963,E970-E979	201	18	12	25	14	26	16	16	13	14	12	15	20
Homicide—E964,E980-E985	44	5	3	5	6	2	4	3	3	4	4	3	2
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT—All causes	19,123	1,702	1,556	1,737	1,641	1,654	1,506	1,438	1,397	1,499	1,650	1,615	1,728
Tuberculosis, all forms—001-019	322	32	24	25	23	30	26	36	27	25	32	23	19
Tuberculosis of respiratory system—001-008	300	31	23	24	20	28	24	32	22	24	31	23	18
Tuberculosis, other forms—010-019	22	1	1	1	3	2	2	4	5	1	1	-	1
Syphilis and its sequelae—020-029	91	18	6	5	10	9	6	8	6	8	7	4	4
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	1	-	-	-	-	-	1	-	-	-	-	-	-
Diphtheria—055	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	3	-	-	-	1	1	1	-	-	-	-	-	-
Meningococcal infections—057	9	1	1	1	2	-	-	-	2	-	-	1	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	22	-	1	-	1	-	1	1	6	3	4	3	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	1	-	-	-	-	-	-	-	-	-	1	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	31	7	2	3	6	-	3	2	1	3	-	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,426	284	293	291	272	308	260	270	284	269	297	287	311
Malignant neoplasm of buccal cavity and pharynx—140-148	87	4	10	2	8	8	5	6	7	13	8	7	9
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,363	118	115	116	102	128	103	97	114	108	118	125	119
Malignant neoplasm of respiratory system—160-164	367	30	29	26	29	25	30	36	33	38	31	30	28
Malignant neoplasm of breast—170	302	23	26	26	28	24	15	25	27	32	25	19	32
Malignant neoplasm of genital organs—171-179	497	44	43	50	40	49	33	43	38	28	39	43	42
Malignant neoplasm of urinary organs—180,181	182	16	15	18	13	15	20	13	22	8	11	10	21
Malignant neoplasm of other and unspecified sites—156B,165,190-199	345	28	28	30	29	34	28	27	21	25	28	30	37
Leukemia and aleukemia—204	137	11	12	8	14	10	13	14	8	6	18	12	11
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	146	10	10	11	9	15	13	11	14	11	19	11	12
Benign neoplasms and neoplasms of unspecified nature—210-238	84	6	11	7	5	9	3	10	5	9	8	2	9
Diabetes mellitus—260	387	42	23	44	40	31	20	22	30	33	29	43	30
Anemias—290-293	43	5	3	5	3	3	-	3	5	2	7	2	5
Meningitis, except meningococcal and tuberculous-340	19	3	3	3	1	1	1	2	-	1	1	1	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	10,868	951	883	1,002	956	903	874	809	746	827	928	969	1,020
Diseases of cardiovascular system—330-334,400-468	10,634	921	863	983	938	887	856	790	732	812	911	940	1,001
Vascular lesions affecting central nervous system—330-334	1,936	141	164	158	203	158	139	151	137	150	166	195	174
Rheumatic fever—400-402	24	4	-	1	3	3	3	1	1	1	2	2	3
Diseases of heart—410-443	8,039	710	655	774	684	663	669	579	561	614	677	684	769
Chronic rheumatic heart disease—410-416	278	27	20	34	21	31	26	21	16	20	26	17	19
Arteriosclerotic heart disease, including coronary disease—420	5,571	476	450	523	484	440	467	401	391	430	463	480	566
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	900	78	84	102	82	75	81	55	52	48	82	81	80
Other diseases of heart—430-434	132	12	2	10	8	17	5	9	11	14	16	14	14
Hypertension with heart disease—440-443	1,158	117	99	105	89	100	90	93	91	102	90	92	90
Hypertension without mention of heart—444-447	139	13	6	10	12	13	10	8	13	10	20	14	10
General arteriosclerosis—450	372	39	24	33	24	37	25	42	15	29	34	34	36
Other diseases of circulatory system—451-468	124	14	14	7	12	13	10	9	5	8	12	11	9
Chronic and unspecified nephritis and other renal sclerosis—592-594	234	30	20	19	18	16	18	19	14	15	17	29	19
Influenza and pneumonia, except pneumonia of newborn—480-493	355	37	38	40	50	27	19	11	13	16	30	25	28
Influenza—480-483	12	2	3	1	3	-	-	-	-	1	2	-	-
Pneumonia, except pneumonia of newborn—490-493	323	35	36	39	47	27	19	11	13	15	28	25	28
Bronchitis—500-502	32	5	2	2	3	4	6	1	1	1	1	3	3
Ulcer of stomach and duodenum—540,541	118	12	11	11	8	8	7	4	17	9	10	8	13
Appendicitis—550-553	32	1	3	4	4	1	3	4	3	2	3	2	2
Hernia and intestinal obstruction—560,561,570	99	9	7	10	7	11	8	14	4	8	8	7	6
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	56	5	8	9	4	5	2	1	3	4	5	5	5
Cirrhosis of liver—581	233	23	21	21	21	20	22	16	16	17	20	17	19
Acute nephritis and nephritis with edema, including nephrosis—590,591	26	4	-	3	3	3	5	1	-	1	3	1	2
Hyperplasia of prostate—610	61	9	2	9	4	5	6	3	5	4	5	3	6
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	18	3	3	1	-	2	1	-	1	4	2	-	1
Abortion—650-652	4	1	-	1	-	-	-	-	-	1	-	-	1
All other complications—640-649,660-689	14	2	3	-	-	2	1	-	1	3	2	-	-
Congenital malformations—750-759	240	27	26	24	18	17	18	14	17	23	23	16	17
Certain diseases of early infancy—760-776	581	43	46	52	49	49	43	48	49	87	42	38	55
Birth injuries, postnatal asphyxia, and atelectasis—760-762	306	20	28	27	28	25	24	24	33	37	20	12	28
Infections of newborn—763-768	29	-	4	4	1	2	3	3	1	-	1	4	6
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	246	23	14	21	20	22	16	21	15	30	21	22	21
Symptoms, senility, and ill-defined conditions—780-795	82	10	10	3	6	8	7	7	4	9	5	8	5
All other diseases—Residual	712	53	43	61	64	71	70	59	60	58	72	47	54
Accidents—E800-E962	926	69	68	74	66	98	73	63	69	71	85	78	92
Motor-vehicle accidents—E810-E835	291	36	21	22	19	30	19	19	26	16	27	23	33
All other accidents—E800-E802,E840-E962	635	33	47	52	47	68	54	44	43	55	58	55	59
Suicide—E963,E970-E979	236	23	14	23	12	27	19	23	23	21	18	19	14
Homicide—E964,E980-E985	28	-	2	4	2	3	1	6	-	4	4	-	2
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE—All causes	3,501	325	262	343	305	303	261	282	267	282	299	285	289
Tuberculosis, all forms—001-019	76	3	6	8	12	8	6	5	7	6	2	3	10
Tuberculosis of respiratory system—001-008	68	3	6	7	12	6	3	5	7	5	2	3	9
Tuberculosis, other forms—010-019	8	-	-	1	-	2	3	-	-	1	-	-	1
Syphilis and its sequelae—020-029	11	-	2	1	-	1	-	3	1	-	1	1	1
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	10	-	2	1	1	2	2	2	-	-	-	-	-
Meningococcal infections—057	4	-	1	-	1	1	-	-	-	-	-	-	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	3	-	1	-	-	-	-	-	-	2	-	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	2	-	-	2	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	9	-	1	2	-	-	1	-	2	-	-	-	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	500	48	37	39	37	45	43	37	41	41	41	51	40
Malignant neoplasm of buccal cavity and pharynx—140-148	18	3	2	3	-	1	1	4	-	1	-	2	1
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	197	27	18	10	14	20	20	17	16	12	14	15	16
Malignant neoplasm of respiratory system—160-164	58	3	6	5	3	3	4	3	6	5	11	7	2
Malignant neoplasm of breast—170	45	1	1	2	3	2	3	2	2	6	3	12	8
Malignant neoplasm of genital organs—171-179	68	5	3	7	7	9	5	4	5	6	8	5	4
Malignant neoplasm of urinary organs—180,181	31	3	2	5	2	4	1	1	2	3	1	5	2
Malignant neoplasm of other and unspecified sites—156B,165,190-199	56	5	3	7	7	4	8	2	5	3	2	4	6
Leukemia and aleukemia—204	17	-	2	-	1	-	-	3	4	2	1	3	1
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	10	1	-	-	-	2	1	1	1	3	1	-	-
Benign neoplasms and neoplasms of unspecified nature—210-239	7	2	-	-	1	-	-	-	-	-	1	1	2
Diabetes mellitus—260	86	9	6	8	5	9	5	8	4	8	5	7	12
Anemias—290-293	5	-	-	-	-	1	1	-	-	2	-	-	1
Meningitis, except meningococcal and tuberculous-340	10	1	-	3	3	1	-	1	-	-	-	1	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	1,918	170	154	187	170	173	140	148	147	150	173	154	152
Diseases of cardiovascular system—330-334,400-468	1,852	163	148	182	162	166	137	146	138	141	168	153	148
Vascular lesions affecting central nervous system—330-334	279	27	29	24	27	36	21	21	14	19	24	23	14
Rheumatic fever—400-402	6	-	-	-	-	2	-	1	-	1	-	1	1
Diseases of heart—410-443	1,446	125	108	147	125	118	110	117	112	110	129	118	127
Chronic rheumatic heart disease—410-416	46	3	5	4	5	7	3	3	2	5	4	1	4
Arteriosclerotic heart disease, including coronary disease—420	769	66	59	67	65	64	65	60	61	61	59	66	76
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	261	23	20	34	19	21	14	17	23	19	27	26	18
Other diseases of heart—430-434	24	3	2	2	5	3	-	1	3	1	1	3	-
Hypertension with heart disease—440-443	346	30	22	40	31	23	28	36	23	24	38	22	29
Hypertension without mention of heart—444-447	22	3	2	1	2	2	1	2	2	1	5	-	1
General arteriosclerosis—450	85	5	8	9	6	8	4	4	9	9	6	10	5
Other diseases of circulatory system—451-468	14	3	1	1	2	-	1	1	1	1	2	1	-
Chronic and unspecified nephritis and other renal sclerosis—592-594	66	7	6	5	8	7	3	2	9	9	5	1	4
Influenza and pneumonia, except pneumonia of newborn—480-493	100	16	8	20	10	3	7	1	4	9	6	6	10
Influenza—480-483	7	2	-	3	1	1	-	-	-	-	-	-	-
Pneumonia, except pneumonia of newborn—490-493	93	14	8	17	9	2	7	1	4	9	6	6	10
Bronchitis—500-502	10	-	2	2	-	1	-	-	-	1	1	3	-
Ulcer of stomach and duodenum—540,541	12	1	1	1	-	3	-	2	-	1	-	1	2
Appendicitis—550-553	6	-	-	2	1	1	1	-	1	-	-	-	-
Hernia and intestinal obstruction—560,561,570	13	2	1	-	1	-	1	3	-	2	-	1	2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	16	-	-	2	2	1	1	2	3	1	1	1	2
Cirrhosis of liver—581	33	4	2	5	3	3	1	2	-	2	5	3	3
Acute nephritis and nephritis with edema, including nephrosis—590,591	8	-	-	1	1	-	-	2	2	-	-	1	1
Hyperplasia of prostate—610	13	2	-	4	-	-	-	2	1	1	1	1	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	7	1	2	-	-	2	-	1	-	-	-	1	-
Abortion—650-652	1	-	1	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,680-689	6	1	1	-	-	2	-	1	-	-	-	1	-
Congenital malformations—750-759	40	8	3	3	2	1	6	2	3	1	4	3	4
Certain diseases of early infancy—760-776	156	16	14	10	15	9	9	16	13	15	17	13	9
Birth injuries, postnatal asphyxia, and atelectasis—760-762	62	8	5	2	8	2	3	10	5	6	3	3	7
Infections of newborn—763-769	8	1	1	-	1	-	-	2	-	-	1	2	-
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	86	7	8	8	6	7	6	4	8	9	13	8	2
Symptoms, senility, and ill-defined conditions—780-796	23	1	1	3	2	1	4	1	2	1	6	-	1
All other diseases—Residual	155	16	7	18	12	14	12	13	9	13	13	16	12
Accidents—E800-E962	206	20	10	16	16	18	15	21	22	22	16	13	17
Motor-vehicle accidents—E810-E835	60	9	5	7	4	5	8	6	8	8	10	4	6
All other accidents—E800-E802,E840-E962	126	11	5	9	12	13	7	15	14	14	6	9	11
Suicide—E963,E970-E979	39	3	-	5	6	3	2	6	3	2	4	3	2
Homicide—E964,E980-E985	23	2	1	-	2	2	4	4	2	2	2	1	1
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DISTRICT OF COLUMBIA—All causes	8,560	709	696	836	692	717	695	679	677	651	694	703	821
Tuberculosis, all forms—001-019	395	33	30	36	31	39	36	25	33	29	33	38	32
Tuberculosis of respiratory system—001-008	352	29	25	33	28	36	33	23	29	23	29	36	28
Tuberculosis, other forms—010-019	43	4	5	3	3	3	3	2	4	6	4	2	4
Syphilis and its sequelae—020-029	67	7	4	9	5	3	7	4	3	2	5	8	10
Typhoid fever—040	1	-	-	-	-	-	-	-	-	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	3	-	-	-	-	-	-	-	-	2	-	-	1
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	1	-	-	-	-	-	-	-	-	-	-	-	1
Meningococcal infections—057	7	-	1	-	-	1	-	1	-	1	1	1	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	4	1	-	-	-	-	-	2	1	-	-	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-109	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	13	2	1	-	3	2	-	1	2	1	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,251	115	93	109	93	104	122	109	100	103	95	98	110
Malignant neoplasm of buccal cavity and pharynx—140-148	25	6	1	-	3	1	1	3	2	1	2	2	3
Malignant neoplasm of digestive organs and peritoneum—150-158A,157-159	448	32	34	36	33	36	51	36	37	41	34	38	40
Malignant neoplasm of respiratory system—160-164	131	14	10	14	8	11	14	11	16	9	8	8	8
Malignant neoplasm of breast—170	142	15	11	9	14	12	15	16	10	12	10	5	13
Malignant neoplasm of genital organs—171-179	235	31	24	17	14	20	17	18	19	20	12	23	22
Malignant neoplasm of urinary organs—180,181	59	3	2	5	6	7	4	7	1	6	7	5	6
Malignant neoplasm of other and unspecified sites—156B,165,190-199	131	7	8	20	9	10	9	10	12	8	14	10	14
Leukemia and aleukemia—204	40	4	-	4	2	2	6	5	2	4	5	4	2
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	40	3	3	4	4	5	5	5	1	2	3	3	2
Benign neoplasms and neoplasms of unspecified nature—210-239	52	1	5	5	1	6	9	5	3	4	3	7	3
Diabetes mellitus—260	121	9	15	13	9	6	6	8	14	8	15	5	13
Anemias—290-293	24	2	-	3	1	3	2	-	1	4	2	5	1
Meningitis, except meningococcal and tuberculous-340	13	1	1	4	2	1	1	1	-	-	-	-	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	4,473	362	372	466	381	358	342	333	333	342	378	379	427
Diseases of cardiovascular system—330-334,400-468	4,362	354	363	445	374	348	332	326	329	335	369	372	415
Vascular lesions affecting central nervous system—330-334	727	51	61	77	60	66	51	56	48	63	66	58	72
Rheumatic fever—400-402	10	3	-	1	-	-	-	1	1	2	-	1	1
Diseases of heart—410-443	3,512	282	265	341	289	253	255	240	260	240	280	289	318
Chronic rheumatic heart disease—410-416	104	8	7	7	11	15	8	6	9	3	5	13	12
Arteriosclerotic heart disease, including coronary disease—420	1,574	120	115	165	125	127	123	112	127	109	146	144	161
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	601	50	51	65	55	43	36	56	55	40	44	56	50
Other diseases of heart—430-434	139	13	16	17	7	8	16	9	6	12	10	10	15
Hypertension with heart disease—440-443	894	91	76	87	91	60	72	57	63	76	75	66	80
Hypertension without mention of heart—444-447	82	5	9	8	3	7	4	9	3	10	10	4	10
General arteriosclerosis—450	158	9	18	13	14	13	16	12	12	18	10	13	10
Other diseases of circulatory system—451-468	73	4	10	5	8	9	6	8	5	2	3	9	4
Chronic and unspecified nephritis and other renal sclerosis—592-594	111	8	9	21	7	10	10	7	4	7	9	7	12
Influenza and pneumonia, except pneumonia of newborn—480-493	223	26	29	40	23	15	13	10	12	7	20	10	18
Influenza—480-483	8	-	-	3	3	-	1	-	-	1	-	-	-
Pneumonia, except pneumonia of newborn—490-493	215	26	29	37	20	15	12	10	12	6	20	10	18
Bronchitis—500-502	17	3	2	3	3	1	2	2	-	-	-	-	1
Ulcer of stomach and duodenum—540,541	58	4	3	7	4	11	9	3	3	3	4	2	5
Appendicitis—550-553	12	3	-	1	1	-	1	4	-	1	1	-	-
Hernia and intestinal obstruction—560,561,570	82	12	3	5	5	3	7	3	5	1	3	2	13
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	22	4	1	3	2	1	-	2	2	-	1	4	2
Cirrhosis of liver—581	156	8	17	8	18	9	11	11	12	10	16	13	22
Acute nephritis and nephritis with edema, including nephrosis—590,591	12	-	-	-	1	3	1	2	-	1	1	-	3
Hyperplasia of prostate—610	34	2	2	4	2	1	1	-	5	6	3	4	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	7	-	-	1	1	-	1	-	-	1	1	1	1
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	7	-	-	1	1	-	1	-	-	1	1	1	1
Congenital malformations—750-759	103	10	6	8	6	10	9	9	13	8	9	7	8
Certain diseases of early infancy—760-776	422	34	31	28	25	39	40	47	45	29	32	38	34
Birth injuries, postnatal asphyxia, and atelectasis—760-762	232	22	18	17	15	19	13	23	22	19	23	21	20
Infections of newborn—763-768	22	2	2	2	2	1	3	4	2	1	2	-	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	188	10	11	9	8	19	24	20	21	9	7	17	13
Symptoms, senility, and ill-defined conditions—780-795	29	2	3	1	3	5	4	4	2	-	1	1	3
All other diseases—Residual	353	28	30	33	26	41	26	35	33	24	20	24	33
Accidents—E800-E962	454	26	34	31	34	42	35	42	41	45	27	43	54
Motor-vehicle accidents—E810-E835	134	7	9	6	10	12	13	12	17	14	4	15	15
All other accidents—E800-E802,E840-E962	320	19	25	25	24	30	22	30	24	31	23	28	39
Suicide—E963,E970-E979	92	6	7	11	8	10	4	9	8	9	3	4	11
Homicide—E964,E980-E985	79	6	6	6	4	3	6	7	6	10	10	9	6
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA—All causes	26,569	2,207	2,127	2,371	2,234	2,154	2,170	2,126	2,116	1,960	2,161	2,232	2,711
Tuberculosis, all forms—001-019	531	60	50	43	48	34	34	42	48	33	46	46	47
Tuberculosis of respiratory system—001-008	508	59	47	41	45	32	30	41	45	33	44	45	45
Tuberculosis, other forms—010-019	23	1	3	2	2	2	4	1	3	-	2	1	2
Syphilis and its sequelae—020-029	183	14	15	11	18	14	15	18	15	10	15	23	15
Typhoid fever—040	1	-	-	-	-	-	-	-	-	1	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	24	5	2	2	4	2	3	-	-	2	2	-	2
Scarlet fever and streptococcal sore throat—050,051	2	-	1	-	-	-	-	-	-	-	-	-	1
Diphtheria—055	8	2	2	1	-	-	-	-	-	1	1	1	-
Whooping cough—056	8	-	-	1	1	-	3	-	1	-	-	-	2
Meningococcal infections—057	19	1	1	-	1	1	1	1	2	-	2	2	7
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	22	1	1	1	1	-	-	-	7	5	3	-	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	4	-	-	1	-	2	1	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	3	-	-	-	-	2	-	-	-	1	-	-	-
Malaria—110-117	3	1	-	-	-	1	-	1	-	-	-	-	-
All other infective and parasitic diseases-Residual	99	12	8	9	13	5	11	5	8	5	11	8	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,661	279	257	264	288	319	359	339	318	297	309	293	339
Malignant neoplasm of buccal cavity and pharynx—140-148	101	4	9	4	6	9	11	11	6	13	13	8	7
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,250	101	83	98	100	107	120	123	108	92	113	99	106
Malignant neoplasm of respiratory system—160-164	430	29	28	40	37	28	50	35	36	29	39	40	39
Malignant neoplasm of breast—170	275	12	18	16	19	25	30	28	28	26	23	22	28
Malignant neoplasm of genital organs—171-179	707	62	54	54	62	72	46	55	65	63	49	49	76
Malignant neoplasm of urinary organs—180,181	172	15	13	12	13	17	24	15	17	8	11	15	12
Malignant neoplasm of other and unspecified sites—156B,165,190-199	480	36	33	23	32	36	50	50	43	47	34	44	52
Leukemia and aleukemia—204	120	13	6	11	8	14	12	7	7	6	17	8	11
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	126	7	13	6	11	11	16	15	8	13	10	8	8
Benign neoplasms and neoplasms of unspecified nature—210-239	103	8	5	7	3	10	6	10	10	14	13	7	10
Diabetes mellitus—260	353	26	31	29	26	28	24	36	33	20	30	35	35
Anemias—290-293	84	6	10	7	5	6	8	4	6	5	10	9	8
Meningitis, except meningococcal and tuberculous-340	56	6	1	3	4	2	4	7	4	6	5	6	8
Major cardiovascular-renal diseases—330-334,400-468,592-594	13,173	1,105	1,067	1,269	1,109	1,066	1,018	977	1,022	942	1,067	1,133	1,398
Diseases of cardiovascular system—330-334,400-468	12,633	1,063	1,027	1,206	1,061	1,024	972	935	975	906	1,034	1,091	1,339
Vascular lesions affecting central nervous system—330-334	3,053	252	209	288	264	258	282	227	210	223	248	261	331
Rheumatic fever—400-402	29	4	2	1	5	3	2	-	2	4	2	1	3
Diseases of heart—410-443	8,701	743	755	823	711	697	610	646	690	604	735	759	928
Chronic rheumatic heart disease—410-416	311	23	25	33	18	28	24	25	24	20	26	28	37
Arteriosclerotic heart disease, including coronary disease—420	5,267	458	467	473	438	403	347	422	428	363	443	450	575
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,034	82	95	119	87	87	86	62	71	64	84	92	105
Other diseases of heart—430-434	726	50	70	72	67	75	45	48	50	52	62	59	66
Hypertension with heart disease—440-443	1,563	130	98	126	101	104	108	89	117	105	120	120	145
Hypertension without mention of heart—444-447	251	18	20	30	27	20	26	24	12	24	12	18	18
General arteriosclerosis—450	458	34	32	49	39	37	41	29	47	35	27	40	48
Other diseases of circulatory system—451-468	141	12	9	15	15	9	9	9	14	16	10	12	11
Chronic and unspecified nephritis and other renal sclerosis—592-594	540	42	40	63	48	42	46	42	47	36	33	42	59
Influenza and pneumonia, except pneumonia of newborn—480-493	807	97	72	99	80	57	59	54	48	51	37	54	99
Influenza—480-483	161	30	16	28	25	8	8	6	2	6	1	10	21
Pneumonia, except pneumonia of newborn—490-493	646	67	56	71	55	49	51	48	46	45	36	44	78
Bronchitis—500-502	50	8	4	3	2	2	2	3	-	3	4	7	12
Ulcer of stomach and duodenum—540,541	149	14	11	17	14	11	14	10	6	11	11	11	19
Appendicitis—550-553	59	2	6	3	4	6	5	7	5	5	8	5	3
Hernia and intestinal obstruction—560,561,570	182	14	16	19	7	6	27	16	13	11	14	17	22
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	142	7	18	14	13	14	14	9	11	5	14	10	13
Cirrhosis of liver—581	230	24	19	16	19	15	20	19	16	23	18	19	22
Acute nephritis and nephritis with edema, including nephrosis—590,591	118	11	6	6	9	9	16	7	8	9	12	8	17
Hyperplasia of prostate—610	123	9	8	12	12	7	8	11	5	5	15	17	14
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	87	5	7	7	7	8	9	12	7	6	5	10	4
Abortion—650-652	11	1	-	-	2	2	1	3	-	1	-	1	-
All other complications—640-649,660-689	76	4	7	7	5	6	8	9	7	5	5	9	4
Congenital malformations—750-759	294	31	23	22	25	23	19	24	27	29	31	22	18
Certain diseases of early infancy—760-776	1,302	100	105	73	112	101	108	122	137	126	119	108	91
Birth injuries, postnatal asphyxia, and atelectasis—760-762	472	39	37	27	41	36	42	35	46	45	50	35	39
Infections of newborn—763-768	47	4	2	-	3	2	1	8	9	1	5	8	4
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	783	57	66	46	68	63	65	79	82	80	64	65	48
Symptoms, senility, and ill-defined conditions—780-795	915	69	69	91	100	74	81	82	60	63	65	83	98
All other diseases—Residual	1,178	81	93	100	92	108	90	98	99	97	96	100	124
Accidents—E800-E962	1,917	146	158	186	164	152	151	151	151	132	144	167	215
Motor-vehicle accidents—E810-E835	842	68	73	73	69	75	64	76	84	61	58	76	84
All other accidents—E800-E802,E840-E962	1,075	78	85	113	95	77	87	75	87	71	85	91	131
Suicide—E963,E970-E979	316	34	22	31	22	29	25	29	21	16	29	26	32
Homicide—E964,E980-E985	362	29	39	24	31	40	35	32	28	26	24	25	29
Injury resulting from operations of war-E965,E990-E999	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA—All causes	30,325	2,676	2,407	2,745	2,617	2,357	2,683	2,288	2,328	2,222	2,351	2,604	3,047
Tuberculosis, all forms—001-019	808	74	54	95	69	73	71	52	62	61	71	61	65
Tuberculosis of respiratory system—001-008	732	71	48	87	64	70	63	49	52	48	65	55	60
Tuberculosis, other forms—010-019	76	3	6	8	5	3	8	3	10	13	6	6	5
Syphilis and its sequelae—020-029	203	26	18	16	21	17	20	8	9	19	14	19	16
Typhoid fever—040	3	-	-	-	1	-	2	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	47	3	3	4	6	2	8	11	1	7	-	-	2
Scarlet fever and streptococcal sore throat—050,051	15	1	4	-	-	2	1	2	2	-	1	-	2
Diphtheria—055	18	1	2	-	1	-	1	1	-	3	3	3	3
Whooping cough—056	44	2	-	3	10	3	6	1	1	3	3	4	8
Meningococcal infections—057	34	3	3	5	4	4	3	2	2	1	2	2	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	17	-	-	-	-	-	3	1	4	3	2	2	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	9	-	-	-	1	1	3	3	-	1	-	-	-
Typhus and other rickettsial diseases—100-108	5	-	1	-	-	-	1	2	-	1	-	-	-
Malaria—110-117	6	-	-	-	-	1	1	1	-	2	-	-	1
All other infective and parasitic diseases-Residual	119	10	8	9	16	7	13	7	8	10	12	9	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,348	314	280	251	266	258	287	266	276	257	296	296	301
Malignant neoplasm of buccal cavity and pharynx—140-148	115	14	9	7	9	6	11	7	16	5	10	9	12
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,083	100	82	73	83	85	87	87	104	84	104	93	101
Malignant neoplasm of respiratory system—160-164	320	26	20	20	29	24	32	23	28	36	19	40	23
Malignant neoplasm of breast—170	260	24	19	19	26	28	27	17	15	21	25	18	21
Malignant neoplasm of genital organs—171-179	734	70	72	74	60	57	64	55	45	50	56	60	71
Malignant neoplasm of urinary organs—180,181	138	20	9	13	7	6	12	8	18	11	9	12	13
Malignant neoplasm of other and unspecified sites—156B,165,190-199	430	36	42	33	40	29	39	37	26	23	48	40	37
Leukemia and aleukemia—204	146	13	16	3	5	10	8	19	13	17	14	14	14
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	122	11	11	9	7	13	7	13	11	10	11	10	9
Benign neoplasms and neoplasms of unspecified nature—210-239	109	9	6	8	12	10	7	11	6	7	6	7	16
Diabetes mellitus—260	413	27	48	38	43	25	28	29	31	44	34	20	46
Anemias—290-293	78	9	7	4	8	4	8	4	9	5	6	6	8
Meningitis, except meningococcal and tuberculous-340	56	12	5	3	4	6	3	3	5	3	2	1	9
Major cardiovascular-renal diseases—330-334,400-468,592-594	14,948	1,288	1,165	1,345	1,323	1,174	1,351	1,107	1,090	1,076	1,165	1,318	1,546
Diseases of cardiovascular system—330-334,400-468	14,180	1,204	1,100	1,269	1,244	1,113	1,283	1,068	1,041	1,020	1,112	1,242	1,484
Vascular lesions affecting central nervous system—330-334	4,179	342	297	351	384	310	413	322	304	282	335	388	451
Rheumatic fever—400-402	43	8	-	6	2	6	2	3	3	1	3	4	5
Diseases of heart—410-443	9,069	786	736	826	788	739	791	675	678	677	692	775	906
Chronic rheumatic heart disease—410-416	243	29	15	28	14	20	24	16	20	20	17	20	20
Arteriosclerotic heart disease, including coronary disease—420	4,247	334	333	368	362	345	376	345	312	324	358	372	418
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,268	118	116	126	109	84	107	87	80	95	94	120	132
Other diseases of heart—430-434	907	82	76	80	92	76	72	60	82	78	56	71	82
Hypertension with heart disease—440-443	2,404	223	196	224	211	214	212	167	184	160	167	192	254
Hypertension without mention of heart—444-447	335	31	20	28	24	23	29	25	20	17	33	38	47
General arteriosclerosis—450	415	27	39	41	37	24	36	32	28	32	36	28	55
Other diseases of circulatory system—451-468	139	10	8	17	9	11	12	11	8	11	13	9	20
Chronic and unspecified nephritis and other renal sclerosis—592-594	768	84	65	76	79	61	68	39	49	56	53	76	62
Influenza and pneumonia, except pneumonia of newborn—480-493	1,471	200	169	209	180	92	84	46	68	58	73	119	193
Influenza—480-483	343	61	56	73	46	14	10	7	2	5	11	20	38
Pneumonia, except pneumonia of newborn—490-493	1,128	139	113	136	114	78	74	39	66	53	62	99	155
Bronchitis—500-502	70	10	5	6	9	6	5	1	5	1	8	5	9
Ulcer of stomach and duodenum—540,541	130	7	8	15	9	13	8	10	14	7	11	12	16
Appendicitis—550-553	70	6	2	5	7	6	6	11	7	8	5	2	5
Hernia and intestinal obstruction—560,561,570	206	19	14	17	21	17	15	15	21	16	12	20	19
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	229	17	8	22	11	15	36	20	19	28	17	23	13
Cirrhosis of liver—581	181	13	18	16	16	5	16	11	13	16	19	17	21
Acute nephritis and nephritis with edema, including nephrosis—590,591	155	9	20	13	14	15	16	14	15	11	11	9	8
Hyperplasia of prostate—610	124	8	11	9	13	10	10	11	11	12	10	8	11
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	148	15	8	20	10	19	16	14	10	6	13	12	5
Abortion—650-652	15	5	1	1	1	1	2	2	2	-	-	-	-
All other complications—640-649,660-689	133	10	7	19	9	18	14	12	8	6	13	12	5
Congenital malformations—750-759	377	31	27	31	24	34	42	31	26	32	33	35	31
Certain diseases of early infancy—760-776	1,713	164	132	142	129	136	155	159	155	127	139	124	151
Birth injuries, postnatal asphyxia, and atelectasis—760-762	605	54	41	39	56	49	65	43	53	48	50	52	56
Infections of newborn—763-768	144	21	12	13	4	11	10	9	15	8	8	22	11
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	964	89	79	91	69	76	80	107	87	71	81	50	84
Symptoms, senility, and ill-defined conditions—780-795	794	58	64	77	56	60	78	53	65	46	53	91	93
All other diseases—Residual	1,434	133	98	147	123	108	115	108	125	106	105	136	132
Accidents—E800-E962	2,146	151	162	171	169	169	191	194	172	170	173	180	244
Motor-vehicle accidents—E810-E835	906	56	70	77	61	74	72	92	85	79	85	67	88
All other accidents—E800-E802,E840-E962	1,240	95	92	94	108	95	119	102	87	91	88	113	156
Suicide—E963,E970-E979	286	23	29	23	19	21	32	29	30	18	19	21	22
Homicide—E964,E980-E985	509	33	28	41	42	45	41	50	64	57	51	41	36
Injury resulting from operations of war-E965,E990-E999	2	-	-	-	-	1	-	-	-	-	-	1	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IDAHO—All causes	4,037	424	396	454	459	426	401	420	356	351	401	386	361
Tuberculosis, all forms—001-019	66	5	2	3	7	9	5	6	9	4	4	8	4
Tuberculosis of respiratory system—001-008	55	5	2	3	6	9	5	5	9	2	-	6	3
Tuberculosis, other forms—010-019	11	-	-	-	1	-	-	1	-	2	4	2	1
Syphilis and its sequelae—020-029	22	1	5	2	5	2	2	2	-	1	-	-	2
Typhoid fever—040	1	-	-	-	-	-	-	-	-	1	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	1	-	-	-	-	-	-	-	-	-	-	-	1
Diphtheria—055	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough—056	6	1	-	2	-	1	1	-	1	-	-	-	-
Meningococcal infections—057	7	2	1	1	-	-	1	-	-	-	1	1	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	11	-	1	-	-	-	-	1	3	1	3	2	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	3	-	-	1	-	1	1	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	14	3	1	1	1	3	-	-	-	-	2	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	584	50	57	41	60	48	49	50	48	45	46	43	47
Malignant neoplasm of buccal cavity and pharynx—140-148	11	-	-	1	3	-	2	1	1	2	-	1	-
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	231	26	26	15	22	19	15	17	19	10	19	19	24
Malignant neoplasm of respiratory system—160-164	47	3	4	2	3	3	8	5	6	4	3	3	3
Malignant neoplasm of breast—170	50	3	4	9	7	3	1	9	3	1	4	4	2
Malignant neoplasm of genital organs—171-179	85	8	11	5	5	7	8	6	2	14	7	7	5
Malignant neoplasm of urinary organs—180,181	24	3	1	3	5	2	2	2	1	1	3	-	1
Malignant neoplasm of other and unspecified sites—156B,165,190-199	72	4	5	2	8	8	9	5	9	6	4	4	8
Leukemia and aleukemia—204	37	1	4	3	3	2	3	3	4	2	5	4	3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	27	2	2	1	4	4	1	2	3	5	1	1	1
Benign neoplasms and neoplasms of unspecified nature—210-239	12	1	2	1	1	1	1	3	-	-	-	-	2
Diabetes mellitus—260	83	10	10	8	9	4	6	3	8	2	6	7	10
Anemias—290-293	5	-	1	1	1	2	-	-	-	-	-	-	-
Meningitis, except meningococcal and tuberculous-340	4	-	-	-	-	1	1	-	-	-	1	1	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,365	216	180	237	212	205	210	219	182	160	176	178	190
Diseases of cardiovascular system—330-334,400-468	2,278	210	175	230	203	195	202	212	175	155	169	171	181
Vascular lesions affecting central nervous system—330-334	521	44	38	50	43	49	45	48	44	41	46	37	36
Rheumatic fever—400-402	11	2	-	1	1	1	1	3	2	-	-	-	-
Diseases of heart—410-443	1,564	146	117	156	144	127	141	152	111	107	107	122	134
Chronic rheumatic heart disease—410-416	58	8	3	5	3	4	2	8	5	5	9	3	3
Arteriosclerotic heart disease, including coronary disease—420	934	83	72	102	84	84	82	81	70	69	53	81	73
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	288	29	22	29	23	19	30	28	21	19	16	20	32
Other diseases of heart—430-434	105	11	10	4	11	8	13	14	6	2	12	7	7
Hypertension with heart disease—440-443	179	15	10	16	23	12	14	21	9	12	17	11	19
Hypertension without mention of heart—444-447	38	6	3	2	3	6	2	3	3	1	6	1	2
General arteriosclerosis—450	110	7	16	17	10	10	8	4	10	5	7	9	7
Other diseases of circulatory system—451-468	34	5	1	4	2	2	5	2	5	1	3	2	2
Chronic and unspecified nephritis and other renal sclerosis—592-594	87	6	5	7	9	10	8	7	7	5	7	7	9
Influenza and pneumonia, except pneumonia of newborn—480-493	168	21	18	29	15	17	10	8	4	7	11	17	11
Influenza—480-483	28	9	1	11	2	2	1	-	-	1	-	-	1
Pneumonia, except pneumonia of newborn—490-493	140	12	17	18	13	15	9	8	4	6	11	17	10
Bronchitis—500-502	12	-	1	5	2	1	-	1	-	-	2	-	-
Ulcer of stomach and duodenum—540,541	35	3	2	4	4	4	3	1	2	2	2	2	6
Appendicitis—550-553	16	-	3	1	2	2	2	1	-	-	2	2	1
Hernia and intestinal obstruction—560,561,570	25	2	2	1	4	3	2	2	-	1	1	5	2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	15	3	1	-	-	-	-	2	1	2	4	1	1
Cirrhosis of liver—581	22	1	3	3	-	2	-	2	2	4	2	2	1
Acute nephritis and nephritis with edema, including nephrosis—590,591	14	-	1	5	1	2	2	1	-	1	-	1	-
Hyperplasia of prostate—610	25	3	2	2	1	2	1	3	3	3	3	2	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	7	-	1	1	1	-	-	-	2	-	2	-	-
Abortion—650-652	1	-	1	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	6	-	-	1	1	-	-	-	2	-	2	-	-
Congenital malformations—750-759	79	5	4	4	9	9	8	5	6	7	8	6	8
Certain diseases of early infancy—760-776	270	26	28	25	23	28	22	15	16	18	18	26	25
Birth injuries, postnatal asphyxia, and atelectasis—760-762	109	10	17	11	13	10	7	6	8	7	5	6	9
Infections of newborn—763-768	15	1	-	2	-	5	2	-	-	-	1	1	3
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	146	15	11	12	10	13	13	9	8	11	12	19	13
Symptoms, senility, and ill-defined conditions—780-795	112	13	10	10	14	6	7	8	6	12	10	10	6
All other diseases—Residual	255	25	26	29	26	14	24	13	18	16	26	26	12
Accidents—E800-E962	503	24	26	28	49	44	38	67	40	56	66	37	28
Motor-vehicle accidents—E810-E835	226	3	6	14	27	23	12	22	19	33	35	15	16
All other accidents—E800-E802,E840-E962	277	21	20	14	22	21	26	45	21	23	31	22	12
Suicide—E963,E970-E979	85	9	7	8	12	14	4	6	4	8	4	6	3
Homicide—E964,E980-E985	9	-	1	1	-	1	1	1	1	-	1	2	-
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS—All causes	92,490	8,149	7,392	8,834	7,953	7,727	7,317	7,177	7,111	7,114	7,504	7,653	8,559
Tuberculosis, all forms—001-019	2,135	175	205	227	168	209	176	176	175	187	153	136	148
Tuberculosis of respiratory system—001-008	1,958	166	188	203	151	197	165	155	157	169	137	127	143
Tuberculosis, other forms—010-019	177	9	17	24	17	12	11	21	18	18	16	9	5
Syphilis and its sequelae—020-029	426	36	43	39	38	31	37	40	26	32	41	25	38
Typhoid fever—040	1	-	-	-	-	-	-	-	-	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	21	2	2	2	2	1	-	1	4	1	-	2	4
Scarlet fever and streptococcal sore throat-050,051	10	-	1	1	-	1	-	2	1	-	-	-	4
Diphtheria—055	2	-	-	-	-	1	-	-	-	-	-	-	1
Whooping cough—056	21	5	3	5	1	4	2	-	-	1	-	-	-
Meningococcal infections—057	49	1	4	11	7	3	3	4	1	1	3	8	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	127	5	1	1	1	-	2	8	34	34	32	3	6
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	8	-	-	1	1	1	2	1	-	-	1	-	1
Typhus and other rickettsial diseases—100-109	3	-	-	-	-	-	1	-	2	-	-	-	-
Malaria—110-117	3	-	2	-	-	-	-	-	-	-	1	-	-
All other infective and parasitic diseases-Residual	152	15	9	15	14	13	7	17	10	9	19	13	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	14,517	1,290	1,106	1,260	1,101	1,199	1,252	1,215	1,247	1,170	1,224	1,202	1,251
Malignant neoplasm of buccal cavity and pharynx—140-148	358	36	21	32	32	28	35	34	25	33	27	22	33
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	5,985	537	458	521	462	481	509	506	525	460	481	531	514
Malignant neoplasm of respiratory system—160-164	1,481	133	116	124	110	113	122	128	130	120	133	111	141
Malignant neoplasm of breast—170	1,278	123	107	98	104	98	112	104	98	122	104	97	111
Malignant neoplasm of genital organs—171-179	2,273	200	188	214	162	196	191	189	195	174	200	179	185
Malignant neoplasm of urinary organs—180,181	772	62	56	73	59	74	59	60	65	56	74	74	60
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,283	112	97	103	92	106	122	106	115	111	109	98	112
Leukemia and aleukemia—204	589	45	34	50	39	54	59	46	51	50	49	54	58
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	498	42	29	45	41	49	43	42	43	44	47	36	37
Benign neoplasms and neoplasms of unspecified nature—210-239	265	21	23	34	21	27	20	29	14	13	24	17	22
Diabetes mellitus—260	1,701	162	127	160	158	119	121	147	127	128	148	149	155
Anemias—290-293	284	28	42	31	25	28	22	18	9	27	14	14	26
Meningitis, except meningococcal and tuberculous-340	84	12	5	10	7	11	6	5	6	2	5	7	8
Major cardiovascular-renal diseases—330-334,400-468,592-594	52,212	4,622	4,317	5,061	4,639	4,395	4,052	3,951	3,834	3,877	4,165	4,291	5,008
Diseases of cardiovascular system—330-334,400-468	50,414	4,425	4,163	4,888	4,466	4,262	3,902	3,820	3,735	3,723	4,035	4,143	4,852
Vascular lesions affecting central nervous system—330-334	9,246	840	784	860	815	804	712	726	679	664	730	761	870
Rheumatic fever—400-402	76	7	5	9	5	7	7	1	7	4	8	9	7
Diseases of heart—410-443	38,170	3,324	3,120	3,721	3,375	3,194	2,967	2,881	2,815	2,830	3,057	3,166	3,720
Chronic rheumatic heart disease—410-416	1,415	132	116	130	115	118	122	103	87	100	120	115	157
Arteriosclerotic heart disease, including coronary disease—420	20,576	1,709	1,634	1,937	1,795	1,751	1,585	1,555	1,589	1,548	1,672	1,760	2,041
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	9,157	872	800	971	858	698	694	700	627	644	722	700	871
Other diseases of heart—430-434	1,534	133	119	141	127	142	110	113	111	124	123	136	155
Hypertension with heart disease—440-443	5,488	478	451	542	480	485	456	410	401	414	420	455	496
Hypertension without mention of heart—444-447	763	66	63	82	62	74	49	64	65	54	65	61	58
General arteriosclerosis—450	1,770	139	154	178	166	149	131	125	142	139	153	119	175
Other diseases of circulatory system—451-468	369	49	37	38	42	34	36	23	27	32	22	27	22
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,798	197	154	173	173	133	150	131	99	154	150	148	156
Influenza and pneumonia, except pneumonia of newborn—480-493	2,539	243	230	359	262	219	156	128	120	185	167	188	282
Influenza—480-483	142	12	18	41	17	10	2	5	2	7	4	9	15
Pneumonia, except pneumonia of newborn—490-493	2,397	231	212	318	245	209	154	123	118	178	163	179	267
Bronchitis—500-502	197	24	23	29	13	12	15	9	9	5	16	15	27
Ulcer of stomach and duodenum—540,541	590	44	47	58	48	40	49	58	36	51	42	60	56
Appendicitis—550-553	227	16	22	25	20	22	28	19	17	14	6	19	17
Hernia and intestinal obstruction—560,561,570	557	45	58	58	49	45	45	51	47	44	34	48	35
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	308	26	26	34	24	27	23	17	25	24	25	28	31
Cirrhosis of liver—581	1,006	96	68	87	78	87	73	59	73	92	80	105	108
Acute nephritis and nephritis with edema, including nephrosis—590,591	199	24	11	16	20	10	15	13	14	15	12	21	28
Hyperplasia of prostate—610	474	41	21	58	45	30	47	40	36	46	44	39	27
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	112	5	9	11	9	5	10	18	9	11	9	7	9
Abortion—650-652	9	1	-	-	-	-	1	2	1	-	1	-	3
All other complications—640-649,660-689	103	4	9	11	9	5	9	16	8	11	8	7	6
Congenital malformations—750-759	1,063	91	62	93	86	81	77	83	94	111	112	82	91
Certain diseases of early infancy—760-776	2,998	220	197	261	246	232	275	276	277	215	296	266	237
Birth injuries, postnatal asphyxia, and atelectasis—760-762	1,699	124	125	147	155	134	150	150	147	121	167	140	139
Infections of newborn—763-768	181	15	13	18	18	13	14	15	9	10	17	21	18
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,118	81	59	96	73	85	111	111	121	84	112	105	80
Symptoms, senility, and ill-defined conditions—780-795	436	33	28	34	27	45	39	40	42	45	31	34	38
All other diseases—Residual	3,307	313	270	311	296	296	249	235	230	246	254	268	319
Accidents—E800-E962	5,021	447	339	396	400	410	407	403	473	403	434	462	447
Motor-vehicle accidents—E810-E835	2,042	178	141	149	150	168	151	156	179	190	186	219	175
All other accidents—E800-E802,E840-E962	2,979	269	198	247	250	242	256	247	294	213	248	243	272
Suicide—E963,E970-E979	1,015	70	68	108	108	87	75	75	84	81	77	97	85
Homicide—E964,E980-E985	417	37	25	38	39	36	31	37	34	44	33	28	35
Injury resulting from operations of war-E965,E990-E999	3	-	-	-	-	-	-	1	1	-	-	1	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA—All causes	40,630	3,469	3,217	3,861	3,593	3,504	3,175	3,145	3,085	3,029	3,548	3,454	3,750
Tuberculosis, all forms—001-019	786	62	63	90	85	75	59	58	77	47	67	60	63
Tuberculosis of respiratory system—001-008	700	56	57	77	59	65	52	52	69	41	57	59	56
Tuberculosis, other forms—010-019	86	6	6	13	6	10	7	6	8	6	10	1	7
Syphilis and its sequelae—020-029	233	24	21	28	29	15	11	15	10	21	22	15	22
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	9	-	-	1	-	1	1	1	-	-	2	2	1
Scarlet fever and streptococcal sore throat—050,051	11	1	1	-	2	1	2	1	-	-	2	-	1
Diphtheria—055	8	4	-	-	3	-	-	-	-	-	1	-	-
Whooping cough—056	26	3	2	4	2	2	1	2	1	1	1	5	2
Meningococcal infections—057	21	2	2	3	3	1	1	2	2	1	-	2	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	84	2	-	2	2	3	-	2	11	13	33	8	8
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	19	1	-	3	2	7	2	2	-	-	-	1	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	1	-	-	-	-	-	-	-	-	-	-	1	-
All other infective and parasitic diseases-Residual	97	5	10	13	12	8	4	2	15	5	9	9	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	5,656	499	406	488	442	508	462	476	481	433	467	489	505
Malignant neoplasm of buccal cavity and pharynx—140-148	113	11	9	8	15	16	8	6	7	8	7	12	7
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,170	188	143	187	164	208	165	210	181	165	179	185	195
Malignant neoplasm of respiratory system—160-164	532	53	32	33	41	44	48	50	38	44	53	45	51
Malignant neoplasm of breast—170	484	40	34	43	42	39	40	41	53	28	38	42	44
Malignant neoplasm of genital organs—171-179	1,065	83	82	99	85	106	82	77	97	77	86	96	95
Malignant neoplasm of urinary organs—180,181	247	25	17	23	14	23	23	12	18	19	20	23	30
Malignant neoplasm of other and unspecified sites—156B,165,190-199	602	55	52	54	48	39	51	43	47	57	52	51	53
Leukemia and aleukemia—204	246	21	16	20	19	20	25	23	26	18	21	19	18
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	197	23	22	21	14	13	20	14	14	17	11	16	12
Benign neoplasms and neoplasms of unspecified nature—210-239	151	7	12	12	14	9	12	17	13	12	9	17	17
Diabetes mellitus—260	706	64	61	69	63	43	57	72	37	46	54	64	76
Anemias—290-293	150	9	13	17	13	11	11	10	17	6	18	20	5
Meningitis, except meningococcal and tuberculous-340	41	5	5	3	4	5	2	1	1	4	3	4	4
Major cardiovascular-renal diseases—330-334,400-468,592-594	22,596	1,923	1,841	2,152	2,025	1,950	1,774	1,710	1,648	1,643	1,814	1,935	2,181
Diseases of cardiovascular system—330-334,400-468	21,910	1,882	1,781	2,094	1,953	1,889	1,714	1,660	1,590	1,603	1,751	1,884	2,109
Vascular lesions affecting central nervous system—330-334	5,077	412	411	480	422	453	403	396	408	396	385	445	466
Rheumatic fever—400-402	51	5	5	9	6	2	5	4	3	2	5	2	3
Diseases of heart—410-443	15,017	1,298	1,209	1,429	1,370	1,288	1,186	1,125	1,055	1,078	1,221	1,293	1,465
Chronic rheumatic heart disease—410-416	577	54	54	38	55	47	49	41	36	38	47	53	65
Arteriosclerotic heart disease, including coronary disease—420	8,572	712	681	749	763	721	706	674	626	609	707	792	832
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,467	227	183	279	252	230	183	156	153	165	182	192	245
Other diseases of heart—430-434	821	72	62	87	76	71	74	66	51	58	72	58	74
Hypertension with heart disease—440-443	2,580	233	229	276	224	219	174	188	189	168	213	198	249
Hypertension without mention of heart—444-447	369	34	29	34	33	30	31	30	27	25	26	35	35
General arteriosclerosis—450	1,219	119	112	128	108	99	80	88	79	87	97	100	122
Other diseases of circulatory system—451-468	177	14	15	14	14	17	9	17	18	15	17	9	18
Chronic and unspecified nephritis and other renal sclerosis—592-594	698	41	60	58	72	61	60	50	58	40	63	51	72
Influenza and pneumonia, except pneumonia of newborn—480-493	1,339	141	135	228	191	98	65	60	49	57	95	96	124
Influenza—480-483	221	18	21	79	42	11	5	3	4	8	7	13	10
Pneumonia, except pneumonia of newborn—490-493	1,118	123	114	149	149	87	60	57	45	49	88	83	114
Bronchitis—500-502	47	5	9	7	6	2	2	2	3	1	3	3	4
Ulcer of stomach and duodenum—540,541	216	13	19	17	16	19	16	13	21	26	22	19	15
Appendicitis—550-553	93	9	6	9	7	4	7	9	11	7	10	7	7
Hernia and intestinal obstruction—560,561,570	234	14	19	15	12	25	22	31	19	27	14	13	23
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	197	23	17	8	15	9	15	18	22	24	17	17	12
Cirrhosis of liver—581	336	21	31	25	27	33	28	19	29	19	42	28	34
Acute nephritis and nephritis with edema, including nephrosis—590,591	101	7	6	8	4	10	5	10	14	15	7	7	10
Hyperplasia of prostate—610	162	16	8	7	19	12	13	16	12	16	14	13	16
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	61	6	3	6	5	7	3	11	3	5	5	6	1
Abortion—650-652	3	-	-	-	1	1	-	1	-	-	-	-	-
All other complications—640-649,660-689	58	6	3	6	4	6	3	10	3	5	5	6	1
Congenital malformations—750-759	521	53	55	33	43	51	31	55	45	44	40	47	44
Certain diseases of early infancy—760-776	1,455	111	90	120	122	118	116	120	140	141	118	123	136
Birth injuries, postnatal asphyxia, and atelectasis—760-762	564	44	34	41	41	50	56	46	57	59	41	45	50
Infections of newborn—763-768	120	15	8	12	7	9	6	14	6	11	10	7	15
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	771	52	48	67	74	59	54	60	77	71	67	71	71
Symptoms, senility, and ill-defined conditions—780-795	216	22	20	27	22	17	14	11	16	12	14	15	26
All other diseases—Residual	1,711	158	156	189	155	148	132	120	123	127	131	149	123
Accidents—E800-E962	2,648	192	189	205	207	254	244	217	214	223	248	219	236
Motor-vehicle accidents—E810-E835	1,087	77	63	76	93	102	87	90	102	91	118	105	83
All other accidents—E800-E802,E840-E962	1,561	115	126	129	114	152	157	127	112	132	130	114	153
Suicide—E963,E970-E979	557	53	33	59	54	47	49	44	41	39	55	47	36
Homicide—E964,E980-E985	140	14	4	12	7	11	14	18	10	16	11	13	10
Injury resulting from operations of war-E965,E980-E999	1	-	-	1	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IOWA—All causes	26,979	2,385	2,111	2,645	2,436	2,266	2,118	2,112	2,074	2,079	2,182	2,221	2,350
Tuberculosis, all forms—001-019	207	15	16	14	18	24	19	26	15	22	13	16	9
Tuberculosis of respiratory system—001-008	192	13	16	13	18	19	19	26	14	20	11	14	9
Tuberculosis, other forms—010-019	15	2	-	1	-	5	-	-	1	2	2	2	-
Syphilis and its sequelae—020-029	105	10	10	11	5	9	9	10	4	12	8	9	8
Typhoid fever—040	1	1	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	10	2	-	4	1	1	-	-	-	1	-	1	-
Scarlet fever and streptococcal sore throat—050,051	6	1	1	-	1	-	-	-	1	-	-	2	-
Diphtheria—055	4	-	1	1	-	-	-	1	-	-	1	-	-
Whooping cough—056	11	2	-	1	3	1	1	-	-	-	3	-	-
Meningococcal infections—057	17	1	2	1	1	3	-	1	2	1	1	1	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—060	64	2	1	1	-	-	1	4	13	22	11	7	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	16	2	2	4	5	2	-	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	63	6	3	12	5	4	1	7	3	4	7	5	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,032	311	284	355	363	334	311	342	325	322	375	354	356
Malignant neoplasm of buccal cavity and pharynx—140-148	94	7	14	8	7	12	7	5	3	12	6	5	8
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,588	132	102	134	151	143	123	130	133	127	153	135	125
Malignant neoplasm of respiratory system—160-164	319	18	26	36	17	29	21	31	28	20	25	33	35
Malignant neoplasm of breast—170	375	28	34	35	35	28	34	33	24	41	23	32	28
Malignant neoplasm of genital organs—171-179	698	50	42	60	69	53	52	66	55	57	68	62	64
Malignant neoplasm of urinary organs—180,181	183	9	11	15	21	17	15	14	21	13	22	10	15
Malignant neoplasm of other and unspecified sites—155B,165,190-199	424	33	28	38	37	32	33	29	31	30	45	48	40
Leukemia and aleukemia—204	197	24	12	19	17	7	15	19	15	11	17	16	25
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	154	10	15	10	9	13	11	15	15	11	16	13	16
Benign neoplasms and neoplasms of unspecified nature—210-239	118	16	5	10	12	8	11	11	11	11	11	8	4
Diabetes mellitus—260	457	44	39	48	34	39	39	36	32	29	44	40	33
Anemias—290-293	99	11	7	14	5	7	7	8	11	9	4	7	9
Meningitis, except meningococcal and tuberculous—340	15	-	1	3	2	-	2	3	-	3	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	15,170	1,366	1,221	1,504	1,405	1,286	1,175	1,131	1,120	1,148	1,209	1,265	1,340
Diseases of cardiovascular system—330-334,400-468	14,787	1,327	1,193	1,472	1,364	1,257	1,146	1,099	1,095	1,119	1,181	1,221	1,315
Vascular lesions affecting central nervous system—330-334	3,726	318	337	378	357	302	290	284	267	262	272	337	322
Rheumatic fever—400-402	25	1	1	2	3	2	-	5	2	1	2	4	2
Diseases of heart—410-443	9,973	917	764	978	899	867	783	740	749	778	822	790	886
Chronic rheumatic heart disease—410-416	346	24	27	28	30	32	27	34	36	23	20	32	33
Arteriosclerotic heart disease, including coronary disease—420	6,274	567	480	613	549	560	496	466	483	481	523	502	554
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,722	168	129	169	177	130	140	122	125	139	149	127	147
Other diseases of heart—430-434	426	35	27	48	37	34	34	29	27	38	31	37	39
Hypertension with heart disease—440-443	1,205	123	101	120	106	111	86	89	68	97	99	92	113
Hypertension without mention of heart—444-447	216	18	18	19	19	14	17	15	18	12	24	18	24
General arteriosclerosis—450	735	64	60	83	77	57	52	50	52	58	48	63	70
Other diseases of circulatory system—451-468	112	9	13	12	9	15	4	5	7	7	13	9	9
Chronic and unspecified nephritis and other renal sclerosis—592-594	383	39	28	32	41	29	29	32	25	29	28	44	27
Influenza and pneumonia, except pneumonia of newborn—480-493	782	81	69	154	96	55	40	23	32	35	36	65	96
Influenza—480-483	161	16	15	49	31	13	2	1	-	7	5	9	13
Pneumonia, except pneumonia of newborn—490-493	621	65	54	105	65	42	38	22	32	28	31	56	83
Bronchitis—500-502	59	9	4	10	6	4	4	4	1	5	3	1	8
Ulcer of stomach and duodenum—540,541	180	15	7	22	14	16	8	19	7	15	11	12	14
Appendicitis—550-553	47	7	3	2	7	5	7	4	2	5	2	1	2
Hernia and intestinal obstruction—560,561,570	189	16	23	17	13	17	15	9	19	13	16	14	17
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	72	2	9	8	11	4	8	3	3	2	8	6	8
Cirrhosis of liver—581	151	13	11	13	12	12	12	17	8	14	8	15	16
Acute nephritis and nephritis with edema, including nephrosis—590,591	43	3	3	6	1	3	2	5	2	3	5	4	6
Hyperplasia of prostate—610	138	12	10	9	7	11	14	6	14	10	16	20	9
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	35	3	5	2	3	3	3	5	4	2	2	3	-
Abortion—650-652	2	-	-	-	-	-	1	1	-	-	-	-	-
All other complications—640-649,660-689	33	3	5	2	3	3	2	4	4	2	2	3	-
Congenital malformations—750-759	358	31	31	41	36	24	25	27	24	33	19	26	21
Certain diseases of early infancy—760-776	978	80	57	82	77	99	92	90	105	79	74	65	78
Birth injuries, postnatal asphyxia, and atelectasis—760-762	451	41	26	34	33	47	38	50	45	35	38	26	38
Infections of newborn—763-768	43	3	3	6	2	1	2	4	6	6	3	3	4
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	484	36	28	42	42	51	52	36	54	38	33	36	36
Symptoms, senility, and ill-defined conditions—780-795	230	23	23	36	18	15	12	14	20	12	11	22	24
All other diseases—Residual	1,235	105	114	117	118	106	93	103	95	91	102	80	111
Accidents—E800-E962	1,764	171	119	117	125	140	163	172	160	155	160	138	144
Motor-vehicle accidents—E810-E835	654	37	43	28	40	46	56	61	63	65	63	66	66
All other accidents—E800-E802,E840-E962	1,130	134	76	89	85	94	107	111	97	90	97	72	78
Suicide—E963,E970-E979	328	22	26	25	29	31	38	29	38	19	20	30	21
Homicide—E964,E980-E985	35	2	4	1	3	3	6	1	3	2	2	4	4
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS—All causes	19,058	1,748	1,541	1,871	1,701	1,588	1,579	1,584	1,405	1,449	1,493	1,554	1,745
Tuberculosis, all forms—001-019	190	18	11	19	21	12	19	15	14	20	10	14	17
Tuberculosis of respiratory system—001-008	177	17	11	18	20	10	15	14	13	19	10	14	16
Tuberculosis, other forms—010-019	13	1	-	1	1	2	4	1	1	1	-	-	1
Syphilis and its sequelae—020-029	96	7	9	4	8	14	7	9	7	7	9	3	12
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	3	-	-	-	-	-	-	1	-	-	-	1	1
Scarlet fever and streptococcal sore throat-050,051	7	-	1	-	-	2	1	-	1	-	1	-	1
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	8	2	1	-	1	1	1	-	1	-	1	-	-
Meningococcal infections—057	15	-	3	-	-	5	1	2	-	-	1	1	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	34	-	1	1	-	-	2	4	5	8	7	3	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	1	-	-	-	-	-	1	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	43	4	3	5	4	6	3	4	4	1	3	1	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,615	206	177	224	243	215	228	218	232	211	212	199	250
Malignant neoplasm of buccal cavity and pharynx—140-148	60	2	2	5	6	2	11	5	4	6	4	4	9
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	976	73	67	80	103	79	82	76	83	93	76	69	95
Malignant neoplasm of respiratory system--160-164	247	28	18	23	16	15	22	18	24	21	23	14	25
Malignant neoplasm of breast—170	244	19	19	19	21	27	20	25	20	12	14	18	30
Malignant neoplasm of genital organs—171-179	476	37	29	41	47	48	39	42	34	38	36	42	43
Malignant neoplasm of urinary organs—180,181	112	7	8	13	8	11	8	8	12	9	12	9	7
Malignant neoplasm of other and unspecified sites—156B,165,190-199	274	16	21	25	24	21	21	25	24	21	30	23	23
Leukemia and aleukemia—204	143	14	6	11	12	5	12	16	27	9	7	13	11
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	83	10	7	7	6	7	13	3	4	2	10	7	7
Benign neoplasms and neoplasms of unspecified nature—210-239	67	3	7	6	7	5	7	5	4	3	7	6	7
Diabetes mellitus—260	341	23	33	40	23	22	28	33	35	20	32	28	24
Anemias—290-293	85	5	8	13	7	4	2	7	8	10	4	11	8
Meningitis, except meningococcal and tuberculous-340	12	2	-	2	2	-	-	-	1	2	1	1	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	10,569	1,013	889	1,085	943	916	861	729	737	776	839	888	933
Diseases of cardiovascular system—330-334,400-468	10,184	962	855	1,014	912	882	823	712	718	739	809	860	898
Vascular lesions affecting central nervous system—330-334	2,464	248	195	221	207	245	212	180	168	155	187	218	229
Rheumatic fever—400-402	20	1	3	5	1	2	1	2	1	-	-	1	3
Diseases of heart—410-443	6,855	618	602	685	626	570	540	477	485	534	561	567	590
Chronic rheumatic heart disease—410-416	249	22	23	23	22	21	21	14	22	18	19	27	17
Arteriosclerotic heart disease, including coronary disease—420	4,105	382	325	394	377	336	308	292	307	335	351	356	342
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,178	99	121	138	113	101	103	77	70	78	86	82	110
Other diseases of heart—430-434	303	35	35	36	19	23	26	15	22	21	25	18	28
Hypertension with heart disease—440-443	1,020	80	98	94	95	89	82	79	64	82	80	84	93
Hypertension without mention of heart—444-447	211	25	16	31	14	21	20	12	12	9	18	18	15
General arteriosclerosis—450	521	53	30	60	47	38	40	38	42	37	40	50	46
Other diseases of circulatory system—451-468	113	17	9	12	17	6	10	3	10	4	3	6	16
Chronic and unspecified nephritis and other renal sclerosis—592-594	405	51	34	51	31	34	38	17	19	37	30	28	35
Influenza and pneumonia, except pneumonia of newborn—480-493	563	78	67	111	55	35	27	14	19	29	30	43	55
Influenza—480-483	111	18	16	28	13	7	3	-	1	5	3	5	12
Pneumonia, except pneumonia of newborn—490-493	452	60	51	83	42	28	24	14	18	24	27	38	43
Bronchitis—500-502	46	3	4	13	6	3	3	-	-	3	3	2	6
Ulcer of stomach and duodenum—540,541	110	10	5	5	15	10	11	12	10	9	6	5	12
Appendicitis—550-553	54	6	5	5	4	4	5	4	6	6	2	4	3
Hernia and intestinal obstruction—560,561,570	126	13	10	10	4	8	8	14	12	9	14	11	13
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	81	8	13	6	11	6	4	3	4	5	1	9	11
Cirrhosis of liver—581	110	9	16	8	10	8	9	8	4	9	9	13	7
Acute nephritis and nephritis with edema, including nephrosis—590,591	48	1	1	9	4	4	6	3	5	4	2	4	5
Hyperplasia of prostate—610	130	13	7	9	14	12	14	6	12	13	7	16	7
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	24	3	2	1	3	1	1	2	1	3	-	5	2
Abortion—650-652	2	-	-	-	-	1	-	-	-	1	-	-	-
All other complications—640-649,660-689	22	3	2	1	3	-	1	2	1	2	-	5	2
Congenital malformations—750-759	260	23	23	22	21	19	32	20	19	22	18	22	19
Certain diseases of early infancy—760-776	690	48	46	53	64	68	61	69	59	64	54	42	62
Birth injuries, postnatal asphyxia, and atelectasis—760-762	335	28	19	23	33	34	29	27	32	36	26	23	26
Infections of newborn—763-768	44	1	2	2	1	5	4	5	2	8	2	3	9
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	310	19	25	28	30	29	28	37	25	20	26	16	27
Symptoms, senility, and ill-defined conditions—780-795	190	14	20	20	17	10	18	15	10	18	13	17	18
All other diseases—Residual	879	98	70	95	83	60	68	64	55	67	65	70	84
Accidents—E800-E962	1,343	125	84	100	106	110	127	94	109	110	116	109	153
Motor-vehicle accidents—E810-E835	529	40	29	41	47	41	46	38	46	48	45	50	56
All other accidents—E800-E802,E840-E962	814	85	55	59	59	69	81	56	61	62	71	59	97
Suicide—E963,E970-E979	233	10	21	19	21	21	21	25	23	15	21	18	18
Homicide—E964,E980-E985	65	3	6	6	4	7	3	4	8	5	5	8	6
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY—All causes	27,855	2,450	2,318	2,643	2,414	2,224	2,159	2,051	2,115	2,110	2,215	2,382	2,594
Tuberculosis, all forms—001-019	1,075	83	92	127	91	101	91	71	77	88	78	87	89
Tuberculosis of respiratory system—001-008	972	75	82	119	84	92	80	65	67	81	69	78	80
Tuberculosis, other forms—010-019	103	8	10	8	7	9	11	6	10	7	9	9	9
Syphilis and its sequelae—020-029	91	6	7	9	5	13	8	8	6	7	7	7	8
Typhoid fever—040	3	1	1	-	-	-	-	-	1	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	59	4	5	-	1	2	6	15	10	7	7	2	-
Scarlet fever and streptococcal sore throat—050,051	16	4	1	-	3	-	2	1	-	-	3	1	1
Diphtheria—055	35	5	1	4	3	-	-	1	1	3	5	5	7
Whooping cough—056	54	5	5	7	3	2	3	4	5	4	5	3	8
Meningococcal infections—057	50	4	7	4	4	3	5	1	2	2	7	4	7
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	45	-	1	1	-	2	1	6	6	8	8	8	4
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	33	1	3	2	6	6	2	1	1	-	-	9	2
Typhus and other rickettsial diseases—100-108	1	1	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	2	-	1	-	-	-	-	-	1	-	-	-	-
All other infective and parasitic diseases-Residual	110	6	8	6	15	13	7	7	9	12	11	10	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,263	282	246	293	266	248	261	251	274	247	340	285	266
Malignant neoplasm of buccal cavity and pharynx—140-148	79	8	5	6	11	7	8	6	7	2	8	8	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,260	102	99	114	99	92	95	94	107	118	132	104	104
Malignant neoplasm of respiratory system—160-164	278	21	14	26	20	28	22	23	24	20	28	23	29
Malignant neoplasm of breast—170	253	23	24	28	24	12	25	20	12	19	27	22	17
Malignant neoplasm of genital organs—171-179	616	56	45	49	46	52	53	50	56	40	68	57	44
Malignant neoplasm of urinary organs—180,181	130	12	9	18	14	8	9	12	10	9	9	13	7
Malignant neoplasm of other and unspecified sites—156B,165,190-199	382	38	23	27	31	34	33	22	31	25	42	37	39
Leukemia and aleukemia—204	129	12	16	12	9	7	6	13	12	9	13	10	10
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	136	10	13	13	12	8	10	11	15	5	13	11	15
Benign neoplasms and neoplasms of unspecified nature—210-239	87	8	10	6	8	6	10	7	10	8	6	5	3
Diabetes mellitus—260	349	31	33	32	28	37	26	25	27	21	24	24	41
Anemias—290-293	87	8	5	13	6	9	8	6	5	9	5	6	7
Meningitis, except meningococcal and tuberculous-340	45	5	5	5	1	3	4	4	2	4	3	4	5
Major cardiovascular-renal diseases—330-334,400-468,592-594	13,900	1,230	1,198	1,389	1,235	1,119	1,071	1,010	1,001	1,053	1,066	1,177	1,353
Diseases of cardiovascular system—330-334,400-468	13,306	1,169	1,141	1,333	1,179	1,067	1,027	966	960	1,000	1,032	1,121	1,311
Vascular lesions affecting central nervous system—330-334	3,138	242	266	319	276	258	247	275	222	222	238	265	308
Rheumatic fever—400-402	44	5	5	3	9	3	3	2	2	2	3	6	1
Diseases of heart—410-443	9,117	826	782	912	828	734	695	630	668	701	716	731	894
Chronic rheumatic heart disease—410-416	384	37	22	34	35	39	25	40	33	32	25	19	43
Arteriosclerotic heart disease, including coronary disease—420	4,450	374	368	436	423	351	342	295	336	325	356	379	465
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,503	165	140	165	136	111	112	98	99	118	107	117	135
Other diseases of heart—430-434	818	71	62	76	79	72	61	61	60	60	61	76	79
Hypertension with heart disease—440-443	1,962	179	190	201	155	161	155	136	140	166	167	140	172
Hypertension without mention of heart—444-447	261	25	23	28	17	17	19	13	24	20	22	32	21
General arteriosclerosis—450	634	64	57	55	43	50	55	39	38	37	45	74	77
Other diseases of circulatory system—451-468	112	7	8	15	6	5	8	7	6	18	8	13	10
Chronic and unspecified nephritis and other renal sclerosis—592-594	594	61	55	56	56	52	44	44	41	53	34	56	42
Influenza and pneumonia, except pneumonia of newborn—480-493	1,365	144	145	283	162	93	49	49	65	59	70	100	164
Influenza—480-483	240	20	30	93	41	14	8	3	2	4	4	8	13
Pneumonia, except pneumonia of newborn—490-493	1,143	124	115	190	121	79	41	46	63	55	66	92	151
Bronchitis—500-502	67	9	9	7	5	4	3	7	3	3	4	5	8
Ulcer of stomach and duodenum—540,541	126	8	11	16	11	11	7	5	9	12	9	12	15
Appendicitis—550-553	55	7	2	4	7	6	4	6	7	2	3	4	3
Hernia and intestinal obstruction—560,561,570	151	17	13	19	12	2	15	11	13	11	12	14	12
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	264	16	25	9	10	11	29	31	32	33	29	22	17
Cirrhosis of liver—581	198	14	9	12	14	14	20	20	24	19	15	10	17
Acute nephritis and nephritis with edema, including nephrosis—590,591	83	6	10	7	13	8	5	6	6	10	2	6	4
Hyperplasia of prostate—610	135	15	16	14	7	10	16	10	6	9	12	13	7
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	73	10	6	7	7	3	6	6	2	7	5	7	7
Abortion—650-652	5	2	1	-	1	-	-	-	-	1	-	-	-
All other complications—640-649,660-689	68	8	5	7	6	3	6	6	2	6	5	7	7
Congenital malformations—750-759	340	28	31	30	16	32	31	22	26	26	27	44	27
Certain diseases of early infancy—760-776	1,390	123	93	136	120	103	126	111	123	121	115	103	117
Birth injuries, postnatal asphyxia, and atelectasis—760-762	533	48	29	51	46	41	59	37	60	45	43	35	39
Infections of newborn—763-768	126	12	9	10	16	2	10	10	10	12	12	8	15
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	731	63	55	74	58	60	57	64	53	64	60	60	63
Symptoms, senility, and ill-defined conditions—780-795	527	42	39	61	39	41	57	34	29	38	43	48	56
All other diseases—Residual	1,251	116	120	136	102	95	80	97	109	91	90	109	106
Accidents—E800-E962	1,992	147	122	160	177	178	150	175	176	157	166	200	184
Motor-vehicle accidents—E810-E835	722	49	57	53	68	69	37	70	70	63	66	57	84
All other accidents—E800-E802,E840-E962	1,270	99	65	107	109	109	113	105	106	94	100	143	120
Suicide—E963,E970-E979	270	23	22	28	18	33	20	19	18	20	21	24	24
Homicide—E964,E980-E985	254	21	16	16	19	16	36	24	29	19	17	24	17
Injury resulting from operations of war-E965,E990-E999	1	-	-	1	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA—All causes	23,738	2,018	1,882	2,263	2,023	1,888	1,993	1,790	1,842	1,727	1,876	2,078	2,358
Tuberculosis, all forms—001-019	717	65	57	64	69	71	58	61	50	53	47	56	66
Tuberculosis of respiratory system—001-008	671	62	54	57	65	63	54	57	47	51	44	53	64
Tuberculosis, other forms—010-019	46	3	3	7	4	8	4	4	3	2	3	3	2
Syphilis and its sequelae—020-029	273	21	27	27	15	26	24	25	23	17	20	23	25
Typhoid fever—040	9	1	1	1	-	-	1	2	-	1	1	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	23	3	1	2	-	-	2	4	2	5	2	2	-
Scarlet fever and streptococcal sore throat-050,051	3	-	-	-	1	-	-	-	-	-	1	-	1
Diphtheria—055	6	1	-	-	-	-	-	-	-	-	1	2	2
Whooping cough—056	29	4	1	-	2	3	2	4	-	1	4	4	4
Meningococcal infections—057	23	1	4	6	1	1	1	2	2	-	4	1	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	22	1	-	1	3	-	2	4	2	1	5	2	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	10	-	1	2	1	-	3	1	-	-	-	1	1
Typhus and other rickettsial diseases—100-108	4	-	-	-	1	-	-	-	3	-	-	-	-
Malaria—110-117	2	-	-	-	-	-	1	-	-	1	-	-	-
All other infective and parasitic diseases-Residual	114	17	6	8	11	5	9	7	7	17	6	12	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,148	262	239	286	262	265	259	239	247	259	272	281	277
Malignant neoplasm of buccal cavity and pharynx—140-148	90	5	7	4	9	12	5	7	8	9	7	8	9
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,102	93	81	103	99	86	87	104	92	86	86	96	89
Malignant neoplasm of respiratory system--160-164	402	37	27	35	33	29	33	24	34	36	35	35	44
Malignant neoplasm of breast—170	218	17	13	19	17	21	17	15	25	23	17	18	18
Malignant neoplasm of genital organs—171-179	545	47	48	49	40	53	50	39	34	39	53	47	46
Malignant neoplasm of urinary organs—180,181	149	11	14	10	14	16	13	8	10	15	17	12	9
Malignant neoplasm of other and unspecified sites—156B,165,190-199	400	31	31	41	26	28	29	29	27	37	39	42	40
Leukemia and aleukemia—204	144	13	9	11	13	12	17	10	11	9	10	15	14
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	98	8	9	14	11	8	8	3	6	5	8	10	8
Benign neoplasms and neoplasms of unspecified nature—210-239	100	10	4	7	10	11	6	7	11	10	3	6	15
Diabetes mellitus—260	355	25	34	34	28	28	24	31	25	29	26	23	28
Anemias—280-293	48	5	3	3	12	2	3	4	2	3	4	4	3
Meningitis, except meningococcal and tuberculous-340	69	3	9	10	5	6	3	5	3	5	7	5	8
Major cardiovascular-renal diseases—330-334,400-468,592-594	11,610	981	931	1,103	1,002	925	1,000	833	887	820	936	1,024	1,168
Diseases of cardiovascular system—330-334,400-468	11,131	945	890	1,058	961	884	958	796	853	777	896	984	1,129
Vascular lesions affecting central nervous system—330-334	2,320	200	197	222	210	175	212	164	171	164	189	207	229
Rheumatic fever—400-402	15	2	-	-	1	1	3	1	1	-	1	3	2
Diseases of heart—410-443	8,110	675	640	786	685	661	680	572	623	570	676	716	826
Chronic rheumatic heart disease—410-416	216	18	18	21	21	16	15	11	21	11	11	28	25
Arteriosclerotic heart disease, including coronary disease—420	4,513	385	330	416	385	382	388	313	337	311	382	422	462
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,087	82	103	124	84	79	100	78	96	71	85	71	108
Other diseases of heart—430-434	501	39	47	54	43	44	47	33	41	29	32	41	51
Hypertension with heart disease—440-443	1,793	151	138	171	152	140	130	137	128	148	166	154	180
Hypertension without mention of heart—444-447	260	21	25	19	28	17	25	18	24	17	19	22	25
General arteriosclerosis—450	235	35	18	21	26	21	26	27	21	13	23	28	36
Other diseases of circulatory system—451-468	131	12	10	10	11	9	12	14	13	13	8	8	11
Chronic and unspecified nephritis and other renal sclerosis—592-594	479	36	41	45	41	41	42	37	34	43	40	40	39
Influenza and pneumonia, except pneumonia of newborn—480-493	930	85	110	158	101	55	51	50	41	38	47	87	109
Influenza—480-483	148	5	23	42	26	10	4	3	3	3	4	11	14
Pneumonia, except pneumonia of newborn—490-493	782	80	87	116	75	45	47	47	38	33	43	76	85
Bronchitis—500-502	45	4	4	3	4	4	1	1	3	1	7	5	8
Ulcer of stomach and duodenum—540,541	104	14	8	9	5	10	10	12	6	5	8	7	10
Appendicitis—550-553	46	2	1	5	3	5	3	1	10	6	3	3	4
Hernia and intestinal obstruction—560,561,570	158	14	14	22	14	6	18	14	9	9	14	11	13
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	155	20	11	12	25	15	9	8	10	8	6	12	17
Cirrhosis of liver—581	165	14	18	16	6	18	13	13	15	8	15	15	16
Acute nephritis and nephritis with edema, including nephrosis—590,591	95	10	8	17	9	5	13	8	1	7	6	4	5
Hyperplasia of prostate—610	87	9	4	6	7	6	3	9	8	7	4	13	11
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	72	7	2	3	5	8	6	5	11	8	2	8	7
Abortion—650-652	10	2	-	1	-	3	1	-	2	-	-	-	1
All other complications—640-649,660-689	62	5	2	2	5	5	5	5	9	8	2	8	6
Congenital malformations—750-759	370	37	29	35	27	25	27	30	27	39	29	35	30
Certain diseases of early infancy—760-776	1,601	136	82	108	117	143	140	144	162	157	133	138	139
Birth injuries, postnatal asphyxia, and atelectasis—760-762	596	52	26	45	43	46	51	50	62	56	54	52	59
Infections of newborn—765-768	125	11	6	7	11	16	12	11	7	15	8	9	12
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	880	75	50	56	63	81	77	83	93	86	71	77	68
Symptoms, senility, and ill-defined conditions—780-795	430	41	32	50	45	30	31	21	26	29	31	40	54
All other diseases—Residual	854	71	79	89	73	57	82	66	77	45	66	69	80
Accidents—E800-E962	1,648	122	136	138	121	119	155	141	134	109	120	154	199
Motor-vehicle accidents—E810-E835	551	49	37	47	30	39	40	47	41	54	49	40	78
All other accidents—E800-E802,E840-E962	1,097	73	99	91	91	80	115	94	93	55	71	114	121
Suicide—E963,E970-E979	184	13	8	14	20	19	15	16	19	10	18	10	22
Homicide—E964,E980-E985	251	17	20	24	19	19	18	22	19	21	26	21	25
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE—All causes	9,886	918	792	914	862	871	754	760	743	754	828	793	897
Tuberculosis, all forms—001-019	153	17	12	14	10	15	11	15	15	10	13	11	10
Tuberculosis of respiratory system—001-008	133	16	10	12	8	13	10	12	13	9	12	10	8
Tuberculosis, other forms—010-019	20	1	2	2	2	2	1	3	2	1	1	1	2
Syphilis and its sequelae—020-029	34	1	6	2	1	3	6	-	2	2	2	4	5
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	1	-	-	-	-	-	-	-	1	-	-	-	-
Diphtheria—055	1	-	-	-	-	-	-	1	-	-	-	-	-
Whooping cough—056	6	-	-	-	-	1	1	2	-	-	-	1	1
Meningococcal infections—057	4	1	-	1	-	1	-	-	-	-	-	1	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	8	-	-	-	-	-	-	2	1	-	3	1	1
Smallpox—094	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	2	1	-	1	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	15	2	-	1	2	1	1	1	1	-	1	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,589	140	127	131	115	136	127	133	143	127	130	138	142
Malignant neoplasm of buccal cavity and pharynx—140-148	49	3	3	2	3	4	4	2	6	4	4	6	8
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	678	73	50	57	50	53	54	63	61	50	50	56	61
Malignant neoplasm of respiratory system—160-164	115	6	7	10	10	10	8	12	13	9	8	11	11
Malignant neoplasm of breast—170	147	11	14	13	9	11	11	11	15	12	16	13	11
Malignant neoplasm of genital organs—171-179	237	24	28	21	18	29	19	20	24	29	24	32	29
Malignant neoplasm of urinary organs—180,181	67	8	6	8	8	1	9	4	4	3	4	7	5
Malignant neoplasm of other and unspecified sites—156B,165,190-199	138	8	15	14	12	16	15	12	13	5	12	8	8
Leukemia and aleukemia—204	53	3	1	3	5	9	5	5	3	5	9	1	4
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	45	4	3	3	-	3	2	4	4	10	3	4	5
Benign neoplasms and neoplasms of unspecified nature—210-239	31	4	2	3	1	5	4	3	1	1	4	2	1
Diabetes mellitus—260	154	13	14	20	12	11	7	10	10	14	9	20	14
Anemias—290-293	34	2	3	2	9	2	-	3	5	-	4	2	2
Meningitis, except meningococcal and tuberculous-340	15	2	-	3	1	1	1	1	2	-	1	1	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	5,514	523	451	526	504	481	427	412	372	404	467	437	510
Diseases of cardiovascular system—330-334,400-468	5,314	509	428	501	481	456	407	395	361	393	452	425	496
Vascular lesions affecting central nervous system—330-334	1,200	110	110	130	124	91	100	87	84	75	90	76	123
Rheumatic fever—400-402	10	1	1	1	-	-	1	-	2	-	-	3	1
Diseases of heart—410-443	3,678	358	285	327	328	324	283	271	242	282	325	316	337
Chronic rheumatic heart disease—410-416	115	9	11	8	13	9	7	13	6	10	11	9	9
Arteriosclerotic heart disease, including coronary disease—420	2,312	231	181	210	198	207	180	170	158	177	197	200	203
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	628	65	49	64	54	55	45	41	30	50	62	54	59
Other diseases of heart—430-434	120	16	11	8	11	7	9	7	11	9	12	10	9
Hypertension with heart disease—440-443	503	37	33	37	52	46	42	40	37	36	43	43	57
Hypertension without mention of heart—444-447	95	5	4	11	8	14	4	7	7	8	11	8	8
General arteriosclerosis—450	277	32	23	24	24	22	18	28	24	27	20	15	20
Other diseases of circulatory system—451-468	54	3	5	8	7	5	1	2	2	1	6	7	7
Chronic and unspecified nephritis and other renal sclerosis—592-594	200	14	23	25	13	25	20	17	11	11	15	12	14
Influenza and pneumonia, except pneumonia of newborn—480-493	274	37	22	35	33	25	12	18	11	19	18	16	28
Influenza—480-483	46	6	2	9	6	10	1	1	1	1	3	3	3
Pneumonia, except pneumonia of newborn—490-493	228	31	20	26	27	15	11	17	10	18	15	13	25
Bronchitis—500-502	22	3	2	-	4	2	1	1	1	2	2	1	3
Ulcer of stomach and duodenum—540,541	55	10	5	3	4	1	5	3	1	8	4	5	6
Appendicitis—550-553	24	-	5	1	1	1	3	3	4	2	2	2	-
Hernia and intestinal obstruction—560,561,570	67	3	4	9	5	11	11	4	2	6	5	3	4
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	52	9	2	6	2	2	4	6	3	5	4	4	5
Cirrhosis of liver—581	71	7	7	4	5	6	5	7	6	4	8	7	5
Acute nephritis and nephritis with edema, including nephrosis—580,591	20	-	2	-	2	-	3	-	1	5	3	2	2
Hyperplasia of prostate—610	40	2	3	3	5	5	3	3	3	3	1	6	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	10	-	-	-	-	4	-	1	1	2	-	1	1
Abortion—650-652	1	-	-	-	-	1	-	-	-	-	-	-	-
All other complications—640-649,660-689	9	-	-	-	-	3	-	1	1	2	-	1	1
Congenital malformations—750-759	114	16	12	9	8	12	10	8	5	9	9	7	9
Certain diseases of early infancy—760-776	406	32	35	30	41	31	25	39	43	38	38	24	29
Birth injuries, postnatal asphyxia, and atelectasis—760-762	192	15	15	14	22	15	7	21	22	16	19	13	13
Infections of newborn—763-768	23	2	1	1	-	2	2	2	-	4	5	2	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	191	15	19	15	19	14	16	16	21	18	15	9	14
Symptoms, senility, and ill-defined conditions—780-795	95	5	7	9	8	7	7	6	7	9	12	10	8
All other diseases—Residual	357	33	27	38	31	37	25	19	36	26	33	24	28
Accidents—E800-E962	543	48	36	53	41	46	39	46	51	40	36	44	65
Motor-vehicle accidents—E810-E835	155	10	11	10	10	13	10	11	19	13	7	15	26
All other accidents—E800-E802,E840-E962	388	38	25	43	31	33	29	35	32	27	29	29	39
Suicide—E963,E970-E979	161	9	8	9	15	22	16	12	15	16	14	15	10
Homicide—E964,E980-E985	14	-	-	1	2	2	-	1	-	2	4	1	1
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—All causes	22,417	1,899	1,804	2,507	1,923	1,817	1,710	1,737	1,684	1,716	1,821	1,763	2,016
Tuberculosis, all forms—001-019	815	78	66	71	66	86	76	54	68	59	66	63	62
Tuberculosis of respiratory system—001-008	750	72	56	67	61	81	68	53	62	57	58	57	58
Tuberculosis, other forms—010-019	65	6	10	4	5	5	8	1	6	2	8	6	4
Syphilis and its sequelae—020-029	178	16	15	16	21	8	14	18	13	14	16	13	14
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	1	-	-	-	-	-	-	-	1	-	-	-	-
Scarlet fever and streptococcal sore throat-050,051	4	1	1	-	-	-	-	-	-	2	-	-	-
Diphtheria—055	4	1	-	2	-	-	-	-	-	-	-	-	1
Whooping cough—056	8	1	-	-	-	1	1	-	-	1	-	-	1
Meningococcal infections—057	23	1	2	3	-	6	3	2	1	2	1	-	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	25	-	-	-	-	-	-	2	2	8	9	3	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	2	-	-	1	-	-	1	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	-	1	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	45	2	5	2	6	7	1	2	6	4	3	4	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,275	285	258	299	255	303	267	287	268	270	272	289	261
Malignant neoplasm of buccal cavity and pharynx—140-148	97	7	8	8	12	8	8	4	10	6	11	7	8
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,212	96	100	103	92	104	101	119	87	98	111	96	105
Malignant neoplasm of respiratory system—160-164	387	33	27	36	27	49	27	34	27	26	36	36	29
Malignant neoplasm of breast—170	311	33	26	22	25	35	32	22	29	19	18	21	29
Malignant neoplasm of genital organs—171-179	571	42	54	66	46	39	32	58	38	52	48	50	45
Malignant neoplasm of urinary organs—180,181	145	12	10	13	11	12	13	11	20	18	10	7	8
Malignant neoplasm of other and unspecified sites—156B,165,190-199	317	24	24	32	25	32	31	21	36	30	17	29	16
Leukemia and aleukemia—204	113	10	4	8	10	13	11	11	9	10	7	11	9
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	122	8	6	11	7	11	12	7	12	11	13	12	12
Benign neoplasms and neoplasms of unspecified nature—210-239	63	4	6	9	5	3	1	5	3	7	7	7	6
Diabetes mellitus—260	399	34	40	58	32	31	27	31	28	31	33	25	29
Anemias—290-293	43	5	5	6	1	2	4	3	2	5	3	4	5
Meningitis, except meningococcal and tuberculous-340	32	2	1	4	4	3	3	-	4	3	2	3	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	12,298	1,057	1,010	1,469	1,095	957	924	934	871	880	989	954	1,148
Diseases of cardiovascular system—330-334,400-468	11,881	1,009	973	1,417	1,058	917	899	905	849	864	958	922	1,110
Vascular lesions affecting central nervous system—330-334	1,950	173	157	236	177	142	149	141	168	150	130	149	178
Rheumatic fever—400-402	26	2	2	5	2	2	1	2	5	2	1	-	2
Diseases of heart—410-443	9,159	765	764	1,071	812	727	683	706	632	655	766	721	857
Chronic rheumatic heart disease—410-416	297	26	20	39	28	15	20	26	22	25	18	28	30
Arteriosclerotic heart disease, including coronary disease—420	4,350	375	365	478	400	346	328	326	306	301	372	322	431
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,012	167	188	255	178	153	155	146	135	138	153	158	186
Other diseases of heart—430-434	203	16	20	27	21	12	8	15	10	16	25	18	17
Hypertension with heart disease—440-443	2,297	181	171	272	185	201	172	193	159	175	200	195	195
Hypertension without mention of heart—444-447	208	21	16	26	17	11	18	22	15	18	10	16	18
General arteriosclerosis—450	420	37	29	63	40	27	39	25	21	27	40	30	42
Other diseases of circulatory system—451-468	118	11	5	16	10	8	9	9	8	12	11	6	13
Chronic and unspecified nephritis and other renal sclerosis—592-594	417	48	37	52	37	40	25	29	22	26	31	32	38
Influenza and pneumonia, except pneumonia of newborn—480-493	600	43	63	145	74	37	24	18	28	26	42	36	64
Influenza—480-483	88	4	5	43	19	4	1	2	-	2	3	2	3
Pneumonia, except pneumonia of newborn—490-493	512	39	58	102	55	33	23	16	28	24	39	34	61
Bronchitis—500-502	56	6	4	14	6	2	1	1	2	1	5	4	10
Ulcer of stomach and duodenum—540,541	96	8	8	8	9	14	8	5	5	2	10	13	6
Appendicitis—550-553	29	-	4	5	2	1	3	1	1	4	1	5	2
Hernia and intestinal obstruction—560,561,570	128	11	9	11	10	4	10	21	7	12	11	11	11
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	84	6	14	10	4	5	9	-	7	7	4	9	9
Cirrhosis of liver—581	200	9	11	16	14	17	15	17	21	15	17	25	23
Acute nephritis and nephritis with edema, including nephrosis—590,591	42	8	3	2	4	4	4	2	5	3	-	5	2
Hyperplasia of prostate—610	72	3	5	7	4	8	8	7	7	5	7	8	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	41	6	4	1	3	5	3	4	3	4	2	2	4
Abortion—650-652	8	2	-	-	-	-	-	2	-	-	1	1	2
All other complications—640-649,660-689	33	4	4	1	3	5	3	2	3	4	1	1	2
Congenital malformations—750-759	280	26	26	17	19	22	26	22	18	31	27	18	28
Certain diseases of early infancy—760-776	855	65	52	79	62	70	70	81	79	78	66	80	73
Birth injuries, postnatal asphyxia, and atelectasis—760-762	395	30	25	36	26	35	36	41	37	35	26	40	28
Infections of newborn—763-768	56	7	4	2	6	3	6	4	8	3	1	2	10
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	404	28	23	41	30	32	28	36	34	40	39	38	35
Symptoms, senility, and ill-defined conditions—780-795	81	7	8	11	3	10	3	5	9	12	2	7	4
All other diseases—Residual	937	93	66	100	91	66	71	66	72	79	72	74	67
Accidents—E800-E962	1,282	99	91	99	100	106	101	118	113	108	115	112	120
Motor-vehicle accidents—E810-E835	442	34	27	26	23	40	32	44	34	32	48	53	47
All other accidents—E800-E802,E840-E962	840	65	64	73	77	66	69	74	79	76	67	59	73
Suicide—E963,E970-E979	273	30	18	29	26	30	16	14	22	24	26	15	23
Homicide—E964,E980-E985	148	14	8	13	7	9	16	17	17	9	13	14	11
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS—All causes	49,386	4,367	4,062	4,537	4,236	4,332	3,936	3,868	3,785	3,692	4,144	4,041	4,386
Tuberculosis, all forms—001-019	1,005	96	83	94	103	85	85	73	67	66	82	85	86
Tuberculosis of respiratory system—001-008	946	87	79	94	93	84	80	71	62	58	80	81	77
Tuberculosis, other forms—010-019	59	9	4	-	10	1	5	2	5	8	2	4	9
Syphilis and its sequelae—020-029	159	17	13	16	11	9	9	18	11	17	17	10	11
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	3	-	1	-	-	-	2	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat-050,051	4	-	-	-	2	-	-	1	-	-	-	-	1
Diphtheria—055	9	3	-	-	1	-	1	1	-	-	2	-	1
Whooping cough—056	10	2	-	1	1	-	-	1	3	-	1	1	-
Meningococcal infections—057	19	1	-	4	2	3	2	-	1	2	2	-	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	10	-	-	-	-	-	-	1	-	1	4	2	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	2	-	-	-	-	1	-	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	79	8	8	9	7	4	4	5	4	7	8	7	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	8,425	682	649	723	652	701	698	711	733	690	706	711	769
Malignant neoplasm of buccal cavity and pharynx—140-148	227	14	14	18	18	20	16	16	14	27	16	25	29
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	3,560	314	278	295	267	296	297	304	299	273	290	326	321
Malignant neoplasm of respiratory system—160-164	770	52	57	60	64	75	68	68	71	59	64	67	65
Malignant neoplasm of breast—170	842	59	67	86	56	80	64	65	83	74	65	63	80
Malignant neoplasm of genital organs—171-179	1,175	100	86	113	96	82	96	104	99	109	114	83	93
Malignant neoplasm of urinary organs—180,181	434	35	37	37	45	38	28	36	33	33	35	37	40
Malignant neoplasm of other and unspecified sites—156B,165,190-199	788	62	48	69	60	60	65	74	75	66	63	62	84
Leukemia and aleukemia—204	305	21	31	21	18	16	33	31	37	26	22	21	28
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	324	25	31	24	28	34	31	13	22	23	37	27	29
Benign neoplasms and neoplasms of unspecified nature—210-239	190	16	16	21	20	13	14	16	21	14	10	15	14
Diabetes mellitus—260	963	70	76	81	85	82	66	95	75	73	93	78	89
Anemias—280-293	120	9	8	12	6	14	11	12	8	12	19	4	5
Meningitis, except meningococcal and tuberculous-340	50	5	5	7	4	3	6	3	2	3	3	3	6
Major cardiovascular-renal diseases—330-334,400-468,592-594	28,330	2,532	2,375	2,642	2,518	2,509	2,231	2,135	2,112	2,102	2,362	2,291	2,521
Diseases of cardiovascular system—330-334,400-468	27,738	2,472	2,323	2,582	2,463	2,452	2,189	2,096	2,066	2,064	2,304	2,243	2,484
Vascular lesions affecting central nervous system—330-334	5,399	484	477	475	466	489	425	407	386	407	453	445	485
Rheumatic fever—400-402	63	4	6	9	4	5	3	7	3	5	2	10	5
Diseases of heart—410-443	20,393	1,834	1,667	1,914	1,823	1,794	1,611	1,528	1,527	1,532	1,690	1,632	1,841
Chronic rheumatic heart disease—410-416	823	68	71	79	91	67	66	60	62	53	68	66	72
Arteriosclerotic heart disease, including coronary disease—420	13,985	1,263	1,161	1,256	1,203	1,236	1,090	1,076	1,028	1,097	1,170	1,136	1,269
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,405	231	183	236	221	216	198	174	186	157	186	196	221
Other diseases of heart—430-434	568	60	50	53	50	43	47	32	62	39	45	39	48
Hypertension with heart disease—440-443	2,612	212	202	290	258	232	210	186	189	186	221	195	231
Hypertension without mention of heart—444-447	396	36	39	40	38	30	37	31	27	30	28	27	33
General arteriosclerosis—450	1,211	88	108	111	109	112	89	98	105	74	110	106	101
Other diseases of circulatory system—451-468	276	26	26	33	23	22	24	25	18	16	21	23	19
Chronic and unspecified nephritis and other renal sclerosis—592-594	592	60	52	60	55	57	42	39	46	38	58	48	37
Influenza and pneumonia, except pneumonia of newborn—480-493	1,140	139	101	136	116	106	92	62	62	67	76	82	101
Influenza—480-483	32	8	3	3	5	3	2	-	-	1	1	5	1
Pneumonia, except pneumonia of newborn—490-493	1,108	131	98	133	111	103	90	62	62	66	75	77	100
Bronchitis—500-502	96	11	10	12	11	11	4	4	2	4	11	5	11
Ulcer of stomach and duodenum—540,541	342	28	27	35	24	28	25	33	19	27	32	31	33
Appendicitis—550-553	71	8	4	6	3	8	15	7	4	3	4	4	5
Hernia and intestinal obstruction—560,561,570	276	24	19	31	28	17	30	17	31	15	27	20	19
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	178	25	14	20	11	19	15	13	19	7	13	11	11
Cirrhosis of liver—581	629	54	52	43	54	47	65	51	53	49	62	52	47
Acute nephritis and nephritis with edema, including nephrosis—590,591	73	9	11	10	4	8	9	4	3	1	3	6	5
Hyperplasia of prostate—610	187	15	12	19	19	15	15	9	12	10	12	17	12
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-669	52	7	6	4	4	6	5	5	3	4	4	5	1
Abortion—650-652	5	1	-	-	1	-	-	1	-	-	2	-	-
All other complications—640-649,660-669	47	6	6	4	3	6	5	4	3	4	2	3	1
Congenital malformations—750-759	524	34	44	47	39	49	51	35	41	40	62	45	37
Certain diseases of early infancy—760-776	1,464	117	113	129	106	145	102	143	129	104	110	128	138
Birth injuries, postnatal asphyxia, and atelectasis—760-762	631	52	41	64	47	67	41	58	57	35	46	60	63
Infections of newborn—763-768	71	8	4	9	4	6	2	9	6	6	5	6	6
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	762	57	68	56	55	72	59	76	66	63	59	62	69
Symptoms, senility, and ill-defined conditions—780-795	174	17	15	19	14	15	12	15	18	7	14	15	13
All other diseases—Residual	1,906	177	161	160	149	176	146	160	112	146	162	173	164
Accidents—E800-E962	2,409	219	201	199	186	216	178	190	205	172	206	204	233
Motor-vehicle accidents—E810-E835	544	43	35	35	36	39	44	45	45	46	50	45	80
All other accidents—E800-E802,E840-E962	1,865	176	166	164	150	177	134	144	160	126	156	159	153
Suicide—E963,E970-E979	447	38	31	30	51	38	38	38	31	45	32	37	38
Homicide—E964,E980-E985	59	4	7	7	7	4	5	9	4	3	5	1	3
Injury resulting from operations of war-E965,E990-E999	1	-	-	-	-	-	-	-	-	1	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN—All causes	57,743	4,950	4,552	5,080	4,949	5,081	4,807	4,517	4,442	4,593	4,778	4,844	5,150
Tuberculosis, all forms—001-019	1,268	118	96	103	117	116	115	97	121	98	87	99	101
Tuberculosis of respiratory system—001-008	1,134	99	88	98	108	105	101	84	104	86	77	93	91
Tuberculosis, other forms—010-019	134	19	8	5	9	11	14	13	17	12	10	6	10
Syphilis and its sequelae—020-029	329	26	23	26	28	21	21	19	33	36	32	29	35
Typhoid fever—040	4	1	1	-	-	-	-	-	-	1	-	1	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	20	2	3	2	1	1	-	2	2	2	2	2	1
Scarlet fever and streptococcal sore throat—050,051	11	2	-	2	-	1	3	-	-	1	-	1	1
Diphtheria—055	2	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	27	1	5	6	3	3	1	1	4	-	-	1	2
Meningococcal infections—057	30	3	2	2	3	4	4	1	1	2	4	2	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	127	6	2	-	1	2	2	6	21	33	38	11	5
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	28	-	4	11	4	3	4	-	2	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	1	-	-	-	1	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	121	14	7	16	10	12	5	6	12	8	8	8	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	8,733	730	643	736	741	768	741	692	722	763	708	739	750
Malignant neoplasm of buccal cavity and pharynx—140-148	222	20	14	19	18	20	19	15	16	24	18	25	18
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	3,432	270	267	280	290	295	301	258	291	308	296	278	298
Malignant neoplasm of respiratory system—160-164	923	75	71	58	76	78	96	80	72	85	74	74	84
Malignant neoplasm of breast—170	766	63	45	67	68	74	55	66	61	72	53	73	69
Malignant neoplasm of genital organs—171-179	1,327	111	104	131	118	132	107	103	104	86	112	112	107
Malignant neoplasm of urinary organs—180,181	422	36	17	43	35	47	33	36	37	35	29	44	30
Malignant neoplasm of other and unspecified sites—156B,165,190-199	929	83	72	83	71	68	70	80	87	87	80	72	76
Leukemia and aleukemia—204	333	27	24	30	24	28	29	26	24	28	28	27	38
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	379	45	29	25	41	26	31	30	30	38	18	34	32
Benign neoplasms and neoplasms of unspecified nature—210-239	232	17	23	18	19	22	14	21	20	17	22	20	19
Diabetes mellitus—260	1,398	124	114	129	125	136	100	107	105	107	123	119	109
Anemias—290-293	254	24	14	19	29	27	28	21	17	19	14	23	19
Meningitis, except meningococcal and tuberculous-340	77	8	5	5	6	10	8	6	7	4	8	6	4
Major cardiovascular-renal diseases—330-334,400-468,592-594	29,996	2,574	2,433	2,721	2,618	2,648	2,458	2,302	2,167	2,301	2,452	2,542	2,780
Diseases of cardiovascular system—330-334,400-468	29,142	2,490	2,361	2,638	2,550	2,588	2,387	2,227	2,105	2,242	2,375	2,466	2,711
Vascular lesions affecting central nervous system—330-334	6,463	557	555	564	581	587	506	521	480	465	518	514	615
Rheumatic fever—400-402	78	6	4	7	11	12	7	2	4	5	3	6	11
Diseases of heart—410-443	20,526	1,767	1,630	1,862	1,787	1,791	1,697	1,557	1,472	1,618	1,683	1,772	1,890
Chronic rheumatic heart disease—410-416	920	92	84	88	73	74	84	68	62	82	84	73	76
Arteriosclerotic heart disease, including coronary disease—420	12,916	1,093	1,014	1,135	1,107	1,131	1,061	974	932	1,035	1,072	1,159	1,203
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	3,148	279	256	297	288	273	249	243	216	257	256	245	289
Other diseases of heart—430-434	833	86	75	74	75	67	63	77	67	64	61	68	76
Hypertension with heart disease—440-443	2,709	237	221	268	244	246	240	195	195	180	210	227	246
Hypertension without mention of heart—444-447	441	42	41	39	39	36	39	32	32	33	29	43	36
General arteriosclerosis—450	1,339	93	106	143	110	131	110	95	99	102	116	108	126
Other diseases of circulatory system—451-468	295	25	25	23	22	31	28	20	18	19	26	25	33
Chronic and unspecified nephritis and other renal sclerosis—592-594	854	84	72	83	68	60	71	75	62	59	77	74	69
Influenza and pneumonia, except pneumonia of newborn—480-493	1,546	172	136	175	182	143	114	87	70	85	127	106	149
Influenza—480-483	123	7	4	29	26	24	6	3	1	2	5	8	8
Pneumonia, except pneumonia of newborn—490-493	1,423	165	132	146	156	119	108	84	69	83	122	98	141
Bronchitis—500-502	103	15	13	8	9	12	10	3	4	2	9	11	7
Ulcer of stomach and duodenum—540,541	400	38	41	33	31	31	34	26	33	36	24	31	42
Appendicitis—550-553	122	18	9	12	4	9	13	8	8	15	10	7	9
Hernia and intestinal obstruction—560,561,570	366	29	25	52	27	20	31	22	31	25	37	32	35
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	241	27	31	18	18	11	17	18	26	15	11	20	29
Cirrhosis of liver—581	581	53	46	58	49	52	56	37	45	45	55	41	53
Acute nephritis and nephritis with edema, including nephrosis—590,591	137	13	11	7	14	15	3	17	7	10	9	19	12
Hyperplasia of prostate—610	224	21	16	26	13	25	18	18	13	22	22	13	17
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	87	12	3	5	9	9	6	8	10	10	8	2	5
Abortion—650-652	4	1	-	-	1	1	-	-	-	-	-	-	1
All other complications—640-649,660-689	83	11	3	5	8	8	6	8	10	10	8	2	4
Congenital malformations—750-759	946	74	73	78	76	93	88	68	73	78	87	84	74
Certain diseases of early infancy—760-776	2,543	187	187	215	190	239	221	225	222	202	198	235	222
Birth injuries, postnatal asphyxia, and atelectasis—760-762	976	78	75	85	70	94	85	84	78	81	71	94	83
Infections of newborn—763-768	144	19	8	17	8	12	6	10	12	10	15	15	12
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,423	92	104	113	112	133	130	131	132	111	112	126	127
Symptoms, senility, and ill-defined conditions—780-795	416	38	32	37	51	37	35	36	23	20	34	41	32
All other diseases—Residual	2,596	254	216	226	212	207	229	199	210	208	253	161	211
Accidents—E800-E962	3,819	280	288	258	281	310	351	371	346	350	325	339	330
Motor-vehicle accidents—E810-E835	1,692	112	94	97	139	133	132	162	155	175	174	156	161
All other accidents—E800-E802,E840-E962	2,127	178	174	161	142	177	219	209	191	175	151	181	169
Suicide—E963,E970-E979	700	42	52	61	61	75	58	63	70	61	55	53	49
Homicide—E964,E980-E985	246	17	16	13	18	19	19	40	17	15	15	26	31
Injury resulting from operations of war-E965,E990-E999	2	-	1	-	-	-	-	-	-	-	1	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA—All causes	28,020	2,600	2,173	2,698	2,469	2,401	2,276	2,162	3,012	2,085	2,337	2,235	2,514
Tuberculosis, all forms—001-019	336	32	31	43	32	18	25	26	22	25	26	26	30
Tuberculosis of respiratory system—001-008	299	28	29	37	29	16	23	23	20	22	23	22	27
Tuberculosis, other forms—010-019	37	4	2	6	3	2	2	3	2	3	3	4	3
Syphilis and its sequelae—020-029	114	10	10	9	13	14	10	9	8	8	8	10	5
Typhoid fever—040	1	1	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	4	1	-	-	-	-	-	1	-	1	-	-	1
Scarlet fever and streptococcal sore throat—050,051	4	1	-	1	1	-	-	-	-	-	1	-	-
Diphtheria—055	10	3	2	-	2	-	-	-	-	2	-	1	-
Whooping cough—056	12	-	1	-	3	3	1	-	-	1	-	2	1
Meningococcal infections—057	15	3	2	-	3	2	-	-	1	2	-	-	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	21	1	-	-	-	-	-	-	5	6	6	3	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	10	2	1	-	1	3	-	-	-	-	-	-	3
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	51	3	4	3	6	4	8	3	2	6	6	1	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,390	369	349	381	360	393	363	324	361	351	406	352	381
Malignant neoplasm of buccal cavity and pharynx—140-148	76	2	9	6	6	4	8	2	6	6	8	8	11
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,779	123	148	166	151	160	159	130	143	142	167	131	153
Malignant neoplasm of respiratory system—160-164	367	28	27	26	32	31	28	33	23	38	37	24	40
Malignant neoplasm of breast—170	410	41	28	23	34	35	38	25	39	35	37	36	39
Malignant neoplasm of genital organs—171-179	656	64	43	61	47	66	51	52	53	47	55	53	54
Malignant neoplasm of urinary organs—180,181	224	26	14	19	17	20	20	15	15	19	16	22	21
Malignant neoplasm of other and unspecified sites—156B,165,190-199	423	30	41	39	32	36	38	36	41	33	37	34	26
Leukemia and aleukemia—204	256	29	19	23	26	27	8	15	19	18	23	14	15
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	219	20	20	18	15	14	13	16	22	13	26	20	22
Benign neoplasms and neoplasms of unspecified nature—210-239	86	4	10	10	6	5	10	8	6	7	5	7	8
Diabetes mellitus—260	506	58	35	41	33	52	42	36	39	49	41	32	48
Anemias—280-283	114	13	8	9	7	11	13	11	5	13	8	8	8
Meningitis, except meningococcal and tuberculous-340	29	1	4	2	5	1	3	1	2	2	4	1	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	15,226	1,500	1,200	1,496	1,366	1,290	1,208	1,153	1,038	1,095	1,253	1,232	1,397
Diseases of cardiovascular system—330-334,400-468	14,965	1,472	1,179	1,467	1,331	1,272	1,184	1,133	1,026	1,069	1,235	1,204	1,373
Vascular lesions affecting central nervous system—330-334	3,623	362	283	351	342	279	289	268	271	262	287	296	333
Rheumatic fever—400-402	40	3	4	5	1	5	6	3	4	2	4	1	2
Diseases of heart—410-443	10,059	1,012	791	1,003	963	874	785	749	657	724	855	819	907
Chronic rheumatic heart disease—410-416	408	46	32	48	33	34	36	23	24	30	28	38	38
Arteriosclerotic heart disease, including coronary disease—420	6,590	680	517	604	582	569	510	517	430	469	561	546	605
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,303	114	84	147	121	118	101	99	84	106	107	108	114
Other diseases of heart—430-434	431	36	30	53	44	33	30	30	30	24	36	42	43
Hypertension with heart disease—440-443	1,327	136	128	151	103	120	108	80	89	95	125	85	107
Hypertension without mention of heart—444-447	305	18	23	26	20	35	21	26	25	26	23	24	38
General arteriosclerosis—450	790	63	65	70	74	68	67	75	61	63	54	52	78
Other diseases of circulatory system—451-468	148	14	13	12	11	11	16	12	8	12	12	12	15
Chronic and unspecified nephritis and other renal sclerosis—592-594	263	28	21	29	35	18	24	20	12	6	18	28	24
Influenza and pneumonia, except pneumonia of newborn—480-493	925	90	62	187	109	82	42	39	44	41	46	84	99
Influenza—480-483	112	6	4	42	33	6	3	1	3	4	2	4	4
Pneumonia, except pneumonia of newborn—490-493	813	84	58	145	76	76	39	38	41	37	44	80	95
Bronchitis—500-502	68	6	7	7	7	9	2	2	3	4	8	9	4
Ulcer of stomach and duodenum—540,541	153	19	12	13	14	13	13	13	14	5	9	16	12
Appendicitis—550-553	52	5	6	4	3	5	4	7	5	-	5	3	5
Hernia and intestinal obstruction—560,561,570	172	23	8	9	24	18	15	5	11	17	13	21	8
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	95	11	7	12	10	10	4	9	7	8	5	8	4
Cirrhosis of liver—581	164	20	13	13	15	15	12	13	12	12	10	16	13
Acute nephritis and nephritis with edema, including nephrosis—590,591	51	3	4	2	8	3	6	2	4	6	2	3	8
Hyperplasia of prostate—610	125	9	10	18	8	10	11	10	12	8	13	4	12
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	39	1	6	4	3	1	5	2	5	3	5	1	3
Abortion—650-652	6	-	-	2	-	-	1	-	1	-	-	-	2
All other complications—640-649,660-689	33	1	6	2	3	1	4	2	4	3	5	1	1
Congenital malformations—750-759	465	40	40	46	43	42	34	37	28	38	41	42	34
Certain diseases of early infancy—760-776	1,157	94	87	112	90	84	114	112	100	75	89	95	105
Birth injuries, postnatal asphyxia, and atelectasis—760-762	432	35	37	37	33	30	36	38	45	27	38	35	35
Infections of newborn—763-768	44	5	2	4	-	4	6	5	6	4	1	2	5
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	681	54	48	71	51	50	72	69	49	44	50	58	65
Symptoms, senility, and ill-defined conditions—780-795	199	19	16	14	20	15	13	18	18	13	19	15	19
All other diseases—Residual	1,284	115	103	115	110	123	99	115	82	93	105	102	122
Accidents—E800-E962	1,753	123	103	122	136	140	172	170	145	162	174	167	139
Motor-vehicle accidents—E810-E835	587	30	25	27	42	33	52	62	58	75	67	62	54
All other accidents—E800-E802,E840-E962	1,166	93	78	95	94	107	120	108	87	87	107	105	85
Suicide—E963,E970-E979	349	17	30	25	27	32	45	34	29	27	24	28	31
Homicide—E964,E980-E985	37	3	2	-	3	3	2	2	4	5	5	4	4
Injury resulting from operations of war-E965,E990-E999	1	-	-	-	1	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSISSIPPI—All causes	20,784	1,708	1,651	2,089	1,894	1,699	1,673	1,616	1,556	1,595	1,667	1,753	1,883
Tuberculosis, all forms—001-019	573	49	39	63	48	49	39	45	43	52	50	45	51
Tuberculosis of respiratory system—001-008	526	46	35	54	41	47	36	40	38	50	50	43	46
Tuberculosis, other forms—010-019	47	3	4	9	7	2	3	5	5	2	-	2	5
Syphilis and its sequelae—020-029	120	18	10	9	15	10	10	3	12	11	2	9	11
Typhoid fever—040	2	-	-	-	-	-	1	-	-	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	41	-	1	3	2	3	9	4	2	8	1	5	3
Scarlet fever and streptococcal sore throat—050,051	12	2	-	1	-	-	-	-	2	2	-	2	3
Diphtheria—055	19	2	2	1	1	-	-	1	2	3	4	1	2
Whooping cough—056	56	1	3	4	2	8	12	5	7	3	5	4	2
Meningococcal infections—057	14	1	1	1	1	3	1	-	1	-	1	2	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	14	-	-	-	-	-	1	3	3	1	4	2	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	35	3	4	11	5	4	2	-	1	-	3	1	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	2	-	-	-	-	-	1	-	1	-	-	-	-
All other infective and parasitic diseases-Residual	79	6	7	5	11	7	5	7	6	4	11	6	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,156	167	179	196	172	180	167	187	180	190	190	184	164
Malignant neoplasm of buccal cavity and pharynx—140-148	63	7	5	6	5	4	7	8	1	4	8	6	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	768	58	73	64	64	66	55	71	53	68	72	62	62
Malignant neoplasm of respiratory system—160-164	176	14	13	13	13	15	12	11	14	16	14	25	16
Malignant neoplasm of breast—170	159	9	10	16	13	15	15	11	19	10	17	16	8
Malignant neoplasm of genital organs—171-179	479	34	40	45	39	38	36	44	36	44	44	40	39
Malignant neoplasm of urinary organs—180,181	85	9	5	15	6	3	10	4	12	7	5	3	6
Malignant neoplasm of other and unspecified sites—156B,165,190-199	278	18	23	27	22	26	21	19	33	28	17	21	23
Leukemia and aleukemia—204	86	8	6	6	7	6	6	12	8	11	5	6	5
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	62	10	4	4	3	7	5	7	4	2	8	5	3
Benign neoplasms and neoplasms of unspecified nature—210-239	86	5	10	8	6	5	7	7	10	8	5	6	9
Diabetes mellitus—260	235	21	17	24	18	19	20	14	22	19	20	20	23
Anemias—290-293	32	2	3	5	5	2	2	4	1	2	1	3	2
Meningitis, except meningococcal and tuberculous-340	48	8	4	6	5	1	4	5	2	4	2	4	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	9,052	709	721	898	854	756	751	720	681	651	732	750	829
Diseases of cardiovascular system—330-334,400-468	8,400	653	670	819	788	706	707	648	636	605	688	706	774
Vascular lesions affecting central nervous system—330-334	2,249	173	184	223	231	187	171	163	162	173	173	201	208
Rheumatic fever—400-402	36	2	1	5	2	4	2	4	4	3	3	4	2
Diseases of heart—410-443	5,585	435	443	540	514	474	490	450	423	394	468	454	500
Chronic rheumatic heart disease—410-416	263	16	25	30	29	18	27	16	27	10	19	25	23
Arteriosclerotic heart disease, including coronary disease—420	2,259	178	168	210	208	192	172	190	177	177	200	182	205
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,029	91	80	107	92	85	104	79	65	65	74	85	102
Other diseases of heart—430-434	508	34	42	53	46	36	48	51	39	38	45	35	41
Hypertension with heart disease—440-443	1,526	116	130	140	139	143	139	114	115	104	130	127	129
Hypertension without mention of heart—444-447	196	15	19	23	12	17	17	12	21	12	13	15	20
General arteriosclerosis—450	254	20	18	24	18	14	23	16	18	19	25	28	31
Other diseases of circulatory system—451-468	80	8	5	4	11	10	4	3	8	4	6	4	13
Chronic and unspecified nephritis and other renal sclerosis—592-594	652	56	51	79	66	50	44	72	45	46	44	44	55
Influenza and pneumonia, except pneumonia of newborn—480-493	853	90	80	161	125	55	25	34	33	39	44	67	100
Influenza—480-483	253	29	21	70	54	24	2	4	3	7	7	8	24
Pneumonia, except pneumonia of newborn—490-493	600	61	59	91	71	31	23	30	30	32	37	59	76
Bronchitis—500-502	44	4	6	8	7	2	-	1	1	2	6	3	4
Ulcer of stomach and duodenum—540,541	65	8	7	6	4	5	7	4	2	7	6	7	2
Appendicitis—550-553	58	1	2	6	5	8	8	4	5	4	2	6	7
Hernia and intestinal obstruction—560,561,570	151	16	10	12	14	10	13	10	13	17	8	15	13
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	194	13	8	12	8	16	37	27	11	18	15	12	17
Cirrhosis of liver—581	77	6	10	10	4	4	11	6	5	6	8	2	5
Acute nephritis and nephritis with edema, including nephrosis—590,591	95	13	13	10	11	4	5	6	4	7	6	10	6
Hyperplasia of prostate—610	108	9	7	9	9	13	11	12	11	8	9	5	5
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	159	16	10	14	7	10	15	11	11	20	15	12	18
Abortion—650-652	10	3	-	3	-	1	1	-	1	-	-	1	-
All other complications—640-649,660-689	149	13	10	11	7	9	14	11	10	20	15	11	18
Congenital malformations—750-759	225	24	22	18	21	17	8	18	20	20	19	24	14
Certain diseases of early infancy—760-776	1,060	85	62	78	83	104	85	97	91	114	88	92	81
Birth injuries, postnatal asphyxia, and atelectasis—760-762	326	27	25	21	17	40	32	22	33	40	28	18	23
Infections of newborn—763-768	73	8	5	5	6	8	7	6	4	7	4	7	8
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	661	50	32	52	60	58	46	69	54	67	56	67	50
Symptoms, senility, and ill-defined conditions—780-795	2,509	222	186	271	240	179	215	168	177	185	198	227	243
All other diseases—Residual	812	73	83	91	76	64	57	62	59	61	64	78	64
Accidents—E800-E962	1,370	92	119	114	94	125	112	122	103	102	111	126	150
Motor-vehicle accidents—E810-E835	519	35	60	33	35	50	41	45	35	49	38	42	56
All other accidents—E800-E802,E840-E962	851	57	59	81	59	75	71	77	68	53	73	84	94
Suicide—E963,E970-E979	126	10	10	15	14	11	10	8	11	11	14	4	8
Homicide—E964,E980-E985	301	32	34	19	29	25	22	21	23	18	23	19	36
Injury resulting from operations of war-E965,E990-E999	1	-	1	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI—All causes	43,710	3,952	3,716	4,409	3,726	3,510	3,397	3,199	3,215	3,346	3,620	3,645	3,975
Tuberculosis, all forms—001-019	907	89	86	95	92	84	63	78	59	66	67	64	64
Tuberculosis of respiratory system—001-008	852	86	80	91	88	76	60	69	54	64	61	60	61
Tuberculosis, other forms—010-019	55	1	6	4	4	8	3	9	5	2	6	4	3
Syphilis and its sequelae—020-029	275	21	25	32	27	19	14	27	17	16	30	22	25
Typhoid fever—040	3	1	-	-	-	-	-	-	1	-	1	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	10	1	1	1	-	-	1	1	-	1	2	1	1
Scarlet fever and streptococcal sore throat-050,051	12	1	1	3	-	1	-	-	-	-	1	2	3
Diphtheria—055	8	1	1	-	-	-	-	-	1	1	2	1	1
Whooping cough—056	55	4	3	6	6	7	2	2	11	3	6	2	3
Meningococcal infections—057	19	1	3	2	1	1	-	-	1	5	2	-	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	30	1	1	1	-	-	1	2	5	6	8	2	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	13	-	-	1	2	1	2	1	-	1	1	2	2
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—110-117	1	-	-	-	-	-	-	-	-	-	-	-	1
All other infective and parasitic diseases-Residual	104	13	7	13	6	7	6	9	5	7	14	9	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	6,318	517	503	546	496	508	537	524	524	525	570	524	544
Malignant neoplasm of buccal cavity and pharynx—140-148	178	14	20	17	19	14	14	17	9	8	13	13	20
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,451	202	169	192	181	197	212	207	212	205	251	214	209
Malignant neoplasm of respiratory system--160-164	563	33	52	57	45	40	55	47	54	48	51	49	52
Malignant neoplasm of breast—170	570	50	45	55	41	39	48	37	50	57	47	45	56
Malignant neoplasm of genital organs—171-179	1,070	101	101	108	84	103	93	84	73	76	81	87	79
Malignant neoplasm of urinary organs—180,181	291	16	24	21	25	31	24	24	31	26	29	21	17
Malignant neoplasm of other and unspecified sites—156B,165,190-199	693	63	56	61	55	49	64	62	54	54	52	64	60
Leukemia and aleukemia—204	270	23	23	20	24	19	13	34	21	25	25	20	23
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	212	13	13	15	22	17	14	12	20	26	21	11	28
Benign neoplasms and neoplasms of unspecified nature—210-239	167	10	19	15	16	19	14	12	10	12	15	13	12
Diabetes mellitus—260	730	61	61	87	66	59	59	50	55	53	63	52	64
Anemias—290-293	157	16	13	15	19	6	14	16	10	9	11	12	16
Meningitis, except meningococcal and tuberculous-340	52	6	5	5	2	5	4	3	5	5	4	3	5
Major cardiovascular-renal diseases—330-334,400-468,592-594	23,730	2,216	2,081	2,402	2,021	1,909	1,652	1,705	1,704	1,738	1,907	2,021	2,192
Diseases of cardiovascular system—330-334,400-468	22,661	2,130	1,961	2,277	1,933	1,817	1,757	1,634	1,636	1,676	1,817	1,935	2,068
Vascular lesions affecting central nervous system—330-334	5,161	470	458	501	463	392	394	346	380	391	413	451	502
Rheumatic fever—400-402	43	9	4	6	5	5	2	2	3	3	-	2	2
Diseases of heart—410-443	15,895	1,495	1,360	1,633	1,321	1,298	1,237	1,170	1,132	1,160	1,276	1,337	1,456
Chronic rheumatic heart disease—410-416	648	65	55	68	63	50	46	43	41	58	43	54	62
Arteriosclerotic heart disease, including coronary disease—420	8,505	800	700	888	649	676	665	661	637	588	705	749	787
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	3,347	328	319	344	329	262	251	213	228	263	256	260	294
Other diseases of heart—430-434	790	75	63	87	58	73	58	53	67	62	62	60	72
Hypertension with heart disease—440-443	2,605	227	243	246	222	237	217	200	159	189	210	214	241
Hypertension without mention of heart—444-447	433	42	33	37	39	38	41	47	37	29	29	32	29
General arteriosclerosis—450	881	93	70	85	74	69	61	53	59	77	78	89	73
Other diseases of circulatory system—451-468	248	21	16	15	31	15	22	16	25	16	21	24	26
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,069	88	120	125	88	92	75	71	68	62	90	86	104
Influenza and pneumonia, except pneumonia of newborn—480-493	1,718	184	181	318	216	134	102	59	54	76	93	118	183
Influenza—480-483	252	15	27	79	47	29	12	4	3	4	4	15	13
Pneumonia, except pneumonia of newborn—490-493	1,466	169	154	239	169	105	90	55	51	72	89	103	170
Bronchitis—500-502	96	8	10	18	7	7	7	5	1	4	8	13	8
Ulcer of stomach and duodenum—540,541	236	15	13	26	23	19	16	16	14	21	25	19	27
Appendicitis—550-553	84	7	5	14	6	7	8	4	7	9	8	4	5
Hernia and intestinal obstruction—560,561,570	300	32	18	25	20	14	28	28	22	28	26	37	22
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	161	25	12	18	11	8	12	10	14	14	12	12	13
Cirrhosis of liver—581	370	27	32	33	25	26	33	34	31	35	30	37	27
Acute nephritis and nephritis with edema, including nephrosis—590,591	134	13	17	12	13	14	11	10	7	10	7	11	9
Hyperplasia of prostate—610	219	12	18	23	26	17	15	11	16	17	23	26	15
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	67	3	5	6	1	3	12	5	8	8	8	1	7
Abortion—650-652	7	-	1	-	1	-	1	1	-	1	2	-	-
All other complications—640-649,660-689	60	3	4	6	-	3	11	4	8	7	6	1	7
Congenital malformations—750-759	450	38	25	55	42	36	31	28	25	41	50	39	40
Certain diseases of early infancy—760-776	1,495	98	115	118	98	133	134	125	148	151	149	116	110
Birth injuries, postnatal asphyxia, and atelectasis—760-762	595	37	52	43	47	41	56	49	51	62	63	43	51
Infections of newborn—763-768	134	11	16	13	2	9	13	10	14	18	10	8	10
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	766	50	47	62	49	83	65	66	83	71	76	65	49
Symptoms, senility, and ill-defined conditions—780-795	581	64	58	53	56	45	43	43	40	40	39	43	57
All other diseases—Residual	1,879	191	165	200	151	157	147	113	130	145	156	160	164
Accidents—E800-E962	2,621	218	174	197	217	201	182	229	229	235	224	228	287
Motor-vehicle accidents—E810-E835	942	54	58	74	67	57	52	96	90	98	90	91	115
All other accidents—E800-E802,E840-E962	1,679	164	116	123	150	144	130	133	139	137	134	137	172
Suicide—E963,E970-E979	473	38	44	43	43	41	41	37	35	43	34	34	40
Homicide—E964,E980-E985	233	18	14	24	17	21	26	12	26	20	24	17	14
Injury resulting from operations of war-E965,E990-E999	1	-	-	-	-	-	-	-	-	1	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—All causes	5,822	528	477	536	476	499	479	498	416	441	505	489	478
Tuberculosis, all forms—001-019	111	7	11	14	13	13	10	9	6	11	6	3	8
Tuberculosis of respiratory system—001-008	93	5	10	13	11	10	7	8	6	9	4	2	8
Tuberculosis, other forms—010-019	18	2	1	1	2	3	3	1	-	2	2	1	-
Syphilis and its sequelae—020-029	31	-	5	3	4	1	4	3	3	4	1	1	2
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	2	-	-	-	-	-	-	-	1	-	1	-	-
Scarlet fever and streptococcal sore throat—050,051	4	-	1	-	-	-	-	-	-	-	-	-	3
Diphtheria—055	2	-	-	-	-	1	-	-	-	-	-	-	1
Whooping cough—056	10	-	-	-	-	-	1	-	1	2	1	3	2
Meningococcal infections—057	2	-	-	-	-	-	-	-	1	-	1	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	3	-	-	-	-	-	-	-	-	1	-	-	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	10	2	-	-	-	1	2	2	-	-	1	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	736	55	48	65	67	68	54	62	66	61	61	62	69
Malignant neoplasm of buccal cavity and pharynx—140-148	14	1	1	1	1	2	1	1	2	1	-	1	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	282	22	25	20	26	24	19	25	27	16	23	30	23
Malignant neoplasm of respiratory system—160-164	82	9	3	9	7	6	7	7	5	8	4	5	12
Malignant neoplasm of breast—170	53	3	3	6	7	6	4	5	4	2	5	5	3
Malignant neoplasm of genital organs—171-179	118	4	3	12	17	10	9	11	13	9	8	10	12
Malignant neoplasm of urinary organs—180,181	41	3	1	3	2	5	5	1	5	3	5	2	6
Malignant neoplasm of other and unspecified sites—156B,165,190-199	77	9	6	7	5	7	3	9	5	11	8	6	1
Leukemia and aleukemia—204	43	1	2	4	1	5	4	3	4	8	3	2	6
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	26	1	4	3	1	3	2	-	1	1	5	1	4
Benign neoplasms and neoplasms of unspecified nature—210-239	28	5	3	3	-	3	3	1	-	4	2	2	2
Diabetes mellitus—260	68	5	9	1	5	3	9	9	3	4	10	6	4
Anemias—290-293	22	2	1	2	1	4	2	1	-	2	2	2	3
Meningitis, except meningococcal and tuberculous-340	5	-	-	2	1	1	-	-	1	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,779	257	229	275	221	249	251	248	182	194	254	213	226
Diseases of cardiovascular system—330-334,400-468	2,708	251	224	264	209	246	226	243	179	189	250	208	219
Vascular lesions affecting central nervous system—330-334	594	44	57	61	46	58	51	46	47	34	54	47	49
Rheumatic fever—400-402	8	-	-	-	3	-	-	1	1	1	1	-	1
Diseases of heart—410-443	1,902	187	157	186	140	175	155	175	122	132	179	143	151
Chronic rheumatic heart disease—410-416	86	5	10	9	6	4	12	7	3	9	8	7	6
Arteriosclerotic heart disease, including coronary disease—420	1,135	109	96	105	91	102	85	106	72	68	112	89	100
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	331	41	27	41	25	31	24	27	21	27	22	19	26
Other diseases of heart—430-434	169	16	11	13	12	16	16	17	17	10	20	13	8
Hypertension with heart disease—440-443	181	16	13	18	6	22	18	18	9	18	17	15	11
Hypertension without mention of heart—444-447	48	5	3	5	5	3	4	4	5	4	3	3	4
General arteriosclerosis—450	122	12	7	8	10	8	10	12	4	16	9	14	10
Other diseases of circulatory system—451-468	34	3	-	4	5	2	6	5	-	-	4	1	4
Chronic and unspecified nephritis and other renal sclerosis—592-594	71	6	5	11	12	3	5	5	3	5	4	5	7
Influenza and pneumonia, except pneumonia of newborn—480-493	202	19	28	31	23	11	12	6	4	7	20	16	25
Influenza—480-483	30	1	6	9	4	2	-	1	1	-	1	2	3
Pneumonia, except pneumonia of newborn—490-493	172	18	22	22	19	9	12	5	3	7	19	14	22
Bronchitis—500-502	9	4	1	1	1	-	-	-	-	-	-	-	2
Ulcer of stomach and duodenum—540,541	36	6	-	2	2	5	4	2	1	5	2	4	3
Appendicitis—550-553	13	3	-	-	-	1	3	-	3	1	1	-	1
Hernia and intestinal obstruction—560,561,570	43	6	4	2	5	1	4	3	6	3	3	3	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	26	1	2	1	2	3	1	3	2	2	3	4	2
Cirrhosis of liver—581	45	4	4	4	3	5	5	3	4	5	2	5	1
Acute nephritis and nephritis with edema, including nephrosis—590,591	17	3	4	-	-	-	3	1	1	2	1	2	-
Hyperplasia of prostate—610	33	5	4	1	4	1	-	6	3	2	1	4	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	18	1	1	6	-	3	2	-	1	2	2	-	-
Abortion—650-652	5	-	-	2	-	1	1	-	-	-	1	-	-
All other complications—640-649,680-689	13	1	1	4	-	2	1	-	1	2	1	-	-
Congenital malformations—750-759	83	4	3	8	8	7	10	12	4	4	4	15	6
Certain diseases of early infancy—760-776	259	25	19	19	22	23	19	14	20	18	23	20	17
Birth injuries, postnatal asphyxia, and atelectasis—760-762	88	8	8	9	6	8	7	4	5	9	6	13	5
Infections of newborn—763-768	12	2	1	-	1	3	1	-	2	1	-	1	-
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	139	15	10	10	15	12	11	10	13	8	17	6	12
Symptoms, senility, and ill-defined conditions—780-795	198	18	22	18	12	14	16	14	11	19	13	23	18
All other diseases—Residual	340	35	29	36	34	34	20	29	25	19	27	25	27
Accidents—E800-E962	562	58	37	26	34	34	50	56	53	52	54	71	37
Motor-vehicle accidents—E810-E835	191	15	10	4	9	14	21	21	17	14	27	27	12
All other accidents—E800-E802,E840-E962	371	43	27	22	25	20	29	35	36	38	27	44	25
Suicide—E963,E970-E979	121	5	8	15	14	12	11	11	11	14	7	4	9
Homicide—E964,E980-E985	23	-	4	1	-	1	3	3	3	2	2	2	2
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA—All causes	12,617	1,190	1,054	1,251	1,055	1,047	1,017	988	955	943	1,057	993	1,067
Tuberculosis, all forms—001-019	111	13	11	9	12	3	11	8	8	7	8	11	12
Tuberculosis of respiratory system—001-008	104	12	10	9	11	3	9	7	8	7	7	11	12
Tuberculosis, other forms—010-019	7	1	1	-	1	-	2	1	-	-	1	-	-
Syphilis and its sequelae—020-029	36	3	3	5	-	4	8	1	1	1	5	4	1
Typhoid fever—040	1	-	-	-	-	-	-	1	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	2	-	-	-	-	-	-	1	1	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	6	2	-	1	1	-	1	-	-	-	1	-	-
Diphtheria—055	3	-	-	2	-	-	-	-	-	1	-	-	-
Whooping cough—056	6	-	-	1	-	1	1	2	-	-	-	-	1
Meningococcal infections—057	11	-	1	1	1	-	-	-	-	-	2	4	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	19	3	1	-	-	1	-	2	1	4	1	4	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	12	2	2	2	2	1	2	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	1	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	31	3	4	3	4	5	3	-	-	4	-	1	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,033	175	147	183	158	181	186	164	172	164	197	151	155
Malignant neoplasm of buccal cavity and pharynx—140-148	41	5	6	3	4	3	1	4	3	3	4	3	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	860	81	61	74	84	80	78	71	76	78	66	64	67
Malignant neoplasm of respiratory system—160-164	157	14	11	8	19	9	12	13	18	15	13	11	14
Malignant neoplasm of breast—170	196	15	13	24	14	17	13	17	13	18	20	17	15
Malignant neoplasm of genital organs—171-179	342	28	20	37	23	28	42	30	19	19	46	25	25
Malignant neoplasm of urinary organs—180,181	73	6	5	6	6	7	8	7	8	6	6	4	4
Malignant neoplasm of other and unspecified sites—156B,165,190-199	190	13	19	16	13	20	15	12	19	13	19	16	15
Leukemia and aleukemia—204	103	7	5	11	8	10	14	5	6	8	16	6	7
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	71	6	7	4	7	7	3	5	10	4	7	5	6
Benign neoplasms and neoplasms of unspecified nature—210-239	47	2	6	3	6	3	3	6	3	1	6	5	3
Diabetes mellitus—260	258	29	25	25	22	28	19	13	18	21	23	12	23
Anemias—290-293	55	7	7	4	5	1	6	5	7	3	2	4	4
Meningitis, except meningococcal and tuberculous-340	10	1	-	1	2	1	2	-	-	-	1	2	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	6,610	641	560	684	561	536	491	506	499	493	514	533	592
Diseases of cardiovascular system—330-334,400-468	6,415	624	546	658	545	523	476	491	477	477	502	517	579
Vascular lesions affecting central nervous system—330-334	1,538	168	128	142	129	119	113	125	126	130	121	110	127
Rheumatic fever—400-402	19	1	2	2	1	3	3	-	-	1	1	1	4
Diseases of heart—410-443	4,423	426	375	479	372	363	318	334	317	320	347	375	397
Chronic rheumatic heart disease—410-416	181	12	21	24	18	16	12	8	16	15	14	13	12
Arteriosclerotic heart disease, including coronary disease—420	2,399	259	188	259	207	182	166	195	168	164	189	219	223
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	905	80	87	104	73	75	64	61	64	77	74	63	83
Other diseases of heart—430-434	301	36	21	27	22	26	24	17	22	23	25	30	28
Hypertension with heart disease—440-443	637	59	58	65	52	64	52	53	47	41	45	50	51
Hypertension without mention of heart—444-447	86	6	6	5	7	11	13	9	3	6	4	6	10
General arteriosclerosis—450	276	15	30	22	27	20	25	20	25	17	25	20	32
Other diseases of circulatory system—451-468	71	8	5	8	9	7	4	3	6	3	4	5	9
Chronic and unspecified nephritis and other renal sclerosis—592-594	195	17	14	26	16	13	15	15	22	16	12	16	13
Influenza and pneumonia, except pneumonia of newborn—480-493	366	55	38	52	32	30	20	7	16	21	32	24	39
Influenza—480-483	66	14	10	10	9	4	4	-	1	1	7	4	2
Pneumonia, except pneumonia of newborn—490-493	300	41	28	42	23	26	16	7	15	20	25	20	37
Bronchitis—500-502	27	5	1	1	2	-	1	1	2	5	4	1	4
Ulcer of stomach and duodenum—540,541	78	5	7	7	5	5	7	6	-	7	7	14	8
Appendicitis—550-553	32	-	4	7	2	1	1	4	4	4	3	-	2
Hernia and intestinal obstruction—560,561,570	90	5	12	10	7	12	5	10	7	3	5	9	5
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	35	5	2	6	2	4	4	4	3	1	1	3	-
Cirrhosis of liver—581	86	12	5	10	4	13	10	4	1	7	8	6	6
Acute nephritis and nephritis with edema, including nephrosis—590,591	26	1	2	1	4	3	4	4	1	-	3	2	1
Hyperplasia of prostate—610	82	4	6	12	12	4	5	8	7	6	12	2	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	15	3	1	2	-	1	1	1	2	1	1	2	-
Abortion—650-652	1	-	-	-	-	-	-	-	-	1	-	-	-
All other complications—640-649,660-689	14	3	1	2	-	1	1	1	2	-	1	2	-
Congenital malformations—750-759	169	21	11	12	14	11	13	19	13	19	10	18	8
Certain diseases of early infancy—760-776	522	36	51	43	41	40	49	54	41	39	49	46	33
Birth injuries, postnatal asphyxia, and atelectasis—760-762	203	18	19	22	19	4	21	20	17	10	21	22	10
Infections of newborn—763-768	29	4	1	1	2	1	1	3	4	3	3	1	5
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	290	14	31	20	20	35	27	31	20	26	25	23	18
Symptoms, senility, and ill-defined conditions—780-795	179	20	16	17	16	17	13	13	8	11	8	13	27
All other diseases—Residual	594	55	58	69	57	43	42	49	45	39	50	42	45
Accidents—E800-E962	860	66	54	63	64	76	85	77	76	67	87	71	74
Motor-vehicle accidents—E810-E835	305	21	18	12	21	23	35	26	23	29	47	23	27
All other accidents—E800-E802,E840-E962	555	45	36	51	43	53	50	51	53	38	40	48	47
Suicide—E963,E970-E979	164	12	17	12	13	17	18	14	14	15	15	9	10
Homicide—E964,E980-E985	39	4	-	3	6	5	6	3	7	1	2	-	2
Injury resulting from operations of war-E965,E990-E999	1	-	1	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—All causes	1,588	139	121	155	128	143	128	153	125	129	122	120	145
Tuberculosis, all forms—001-019	34	4	4	7	3	1	2	2	4	3	2	2	-
Tuberculosis of respiratory system—001-008	30	4	4	7	2	-	2	2	2	3	2	2	-
Tuberculosis, other forms—010-019	4	-	-	-	1	1	-	-	2	-	-	-	-
Syphilis and its sequelae—020-029	15	4	1	2	2	1	1	-	1	1	1	1	-
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	1	-	-	-	-	-	-	-	-	-	-	1	-
Scarlet fever and streptococcal sore throat—050,051	1	-	-	1	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	1	1	-	-	-	-	-	-	-	-	-	-	-
Smallpox—084	1	-	-	-	-	1	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	7	2	-	2	2	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	200	8	13	25	22	20	17	8	12	18	19	17	21
Malignant neoplasm of buccal cavity and pharynx—140-148	1	-	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	68	4	3	9	5	7	5	4	1	9	7	5	9
Malignant neoplasm of respiratory system—160-164	30	3	3	5	5	1	3	-	4	2	-	2	2
Malignant neoplasm of breast—170	10	1	-	-	1	1	-	1	1	-	2	1	2
Malignant neoplasm of genital organs—171-179	35	-	3	3	5	5	1	1	3	3	3	4	4
Malignant neoplasm of urinary organs—180,181	11	-	1	1	2	1	-	-	1	1	3	-	1
Malignant neoplasm of other and unspecified sites—156B,165,190-199	27	-	1	4	2	4	8	-	1	2	2	1	2
Leukemia and aleukemia—204	12	-	2	2	2	-	-	1	1	-	1	3	-
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	6	-	-	1	-	1	-	1	-	1	-	1	1
Benign neoplasms and neoplasms of unspecified nature—210-239	6	1	-	1	1	1	1	-	-	-	-	-	1
Diabetes mellitus—260	17	2	-	1	2	3	1	4	2	-	-	-	2
Anemias—290-293	4	1	1	-	-	1	-	-	-	-	1	-	-
Meningitis, except meningococcal and tuberculous-340	2	1	-	-	-	-	-	-	-	-	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	725	72	52	66	50	70	60	69	55	54	55	49	73
Diseases of cardiovascular system—330-334,400-468	705	67	50	64	49	69	60	67	54	53	53	47	72
Vascular lesions affecting central nervous system—330-334	129	12	11	13	12	10	12	11	6	10	9	8	15
Rheumatic fever—400-402	4	-	-	-	-	-	1	-	1	1	-	-	1
Diseases of heart—410-443	522	53	37	49	34	53	40	53	44	35	40	34	50
Chronic rheumatic heart disease—410-416	18	4	-	1	-	2	1	2	1	1	3	1	2
Arteriosclerotic heart disease, including coronary disease—420	358	38	29	27	21	36	25	35	22	27	31	28	39
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	62	3	3	12	7	3	4	5	10	3	2	4	6
Other diseases of heart—430-434	40	4	2	6	2	4	8	4	5	1	3	-	1
Hypertension with heart disease—440-443	44	4	3	3	4	8	2	7	6	3	1	1	2
Hypertension without mention of heart—444-447	10	-	1	-	-	-	4	2	-	1	1	1	-
General arteriosclerosis—450	26	2	-	1	2	2	2	1	1	6	2	2	5
Other diseases of circulatory system—451-468	14	-	1	1	1	4	1	-	2	-	1	2	1
Chronic and unspecified nephritis and other renal sclerosis—592-594	20	5	2	2	1	1	-	2	1	1	2	2	1
Influenza and pneumonia, except pneumonia of newborn—480-493	47	4	6	7	6	1	4	5	2	1	4	3	4
Influenza—480-483	4	-	1	1	1	-	-	-	-	-	-	-	1
Pneumonia, except pneumonia of newborn—490-493	43	4	5	6	5	1	4	5	2	1	4	3	3
Bronchitis—500-502	3	-	-	-	-	-	-	1	-	-	2	-	-
Ulcer of stomach and duodenum—540,541	11	1	1	1	1	2	1	1	3	-	-	-	-
Appendicitis—550-553	6	1	1	-	-	-	-	1	1	-	1	-	1
Hernia and intestinal obstruction—560,561,570	7	-	-	-	2	2	-	-	-	1	1	-	1
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	6	1	-	-	1	-	-	-	1	-	1	2	-
Cirrhosis of liver—581	24	6	3	1	2	4	-	-	2	3	1	1	1
Acute nephritis and nephritis with edema, including nephrosis—590,591	6	1	1	-	-	1	-	-	-	-	1	2	-
Hyperplasia of prostate—610	10	2	-	1	-	2	-	2	-	1	-	1	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	2	1	-	-	-	-	-	-	1	-	-	-	-
Abortion—650-652	1	1	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	1	-	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations—750-759	15	2	2	1	4	1	1	-	1	-	1	1	1
Certain diseases of early infancy—760-776	89	2	9	10	6	9	10	10	8	9	3	8	5
Birth injuries, postnatal asphyxia, and atelectasis—760-762	42	1	3	5	3	3	5	4	6	3	2	4	3
Infections of newborn—763-768	6	-	-	2	-	1	1	1	-	1	-	-	-
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	41	1	6	3	3	5	4	5	2	5	1	4	2
Symptoms, senility, and ill-defined conditions—780-795	43	5	7	4	1	1	3	3	3	3	2	9	2
All other diseases—Residual	72	5	9	4	8	3	4	7	8	6	4	7	7
Accidents—E800-E962	178	9	7	15	11	12	18	15	14	25	21	12	21
Motor-vehicle accidents—E810-E835	81	2	1	10	4	3	8	6	7	13	11	3	13
All other accidents—E800-E802,E840-E962	97	7	6	5	7	9	10	9	7	10	10	9	8
Suicide—E963,E970-E979	40	2	2	5	3	5	5	3	5	4	1	3	2
Homicide—E964,E980-E985	15	1	2	1	1	1	-	2	2	2	1	1	1
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE—All causes	6,076	523	475	589	552	519	449	462	456	486	509	513	543
Tuberculosis, all forms—001-019	61	6	5	8	2	7	2	5	6	5	6	3	6
Tuberculosis of respiratory system—001-008	54	6	5	7	1	7	1	5	6	5	4	3	4
Tuberculosis, other forms—010-019	7	-	-	1	1	-	1	-	-	-	2	-	2
Syphilis and its sequelae—020-029	31	2	1	-	3	3	1	3	3	5	5	1	4
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	2	1	-	-	-	-	-	-	-	-	1	-	-
Diphtheria—055	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough—056	2	-	-	-	-	-	-	-	1	-	-	-	1
Meningococcal infections—057	4	-	-	1	1	-	-	-	-	-	1	-	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	1	-	-	-	-	-	-	-	-	1	-	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	12	2	1	1	-	1	-	-	1	1	1	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	954	68	60	88	81	79	87	70	99	94	69	84	75
Malignant neoplasm of buccal cavity and pharynx—140-148	15	3	1	1	1	2	1	1	-	1	1	1	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	428	31	26	25	37	32	48	33	40	45	31	39	41
Malignant neoplasm of respiratory system—160-164	74	2	3	10	9	8	2	5	12	7	1	13	2
Malignant neoplasm of breast—170	83	4	5	12	2	8	9	5	14	2	10	5	7
Malignant neoplasm of genital organs—171-179	166	12	13	20	18	13	15	11	16	17	10	13	8
Malignant neoplasm of urinary organs—180,181	37	5	2	2	1	6	5	2	3	4	3	2	2
Malignant neoplasm of other and unspecified sites—156B,165,190-199	75	6	7	8	11	4	5	5	9	6	4	3	7
Leukemia and aleukemia—204	36	4	1	4	2	1	-	5	3	5	3	4	4
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	40	1	2	6	-	5	2	3	2	7	6	4	2
Benign neoplasms and neoplasms of unspecified nature—210-239	29	3	5	1	3	1	3	2	4	-	1	2	4
Diabetes mellitus—260	107	5	4	9	12	10	10	12	6	10	4	16	9
Anemias—290-293	16	2	2	3	1	2	1	1	-	2	-	1	1
Meningitis, except meningococcal and tuberculous-340	4	-	-	-	2	-	-	-	-	1	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	3,591	321	289	356	340	328	258	273	232	271	319	291	313
Diseases of cardiovascular system—330-334,400-468	3,498	308	278	348	333	319	253	269	229	263	314	282	302
Vascular lesions affecting central nervous system—330-334	694	51	61	75	61	58	48	51	41	51	68	60	69
Rheumatic fever—400-402	11	-	-	1	1	1	-	3	1	-	-	1	3
Diseases of heart—410-443	2,531	236	191	250	248	233	183	197	164	185	219	204	221
Chronic rheumatic heart disease—410-416	105	9	7	19	10	11	6	7	4	7	8	5	12
Arteriosclerotic heart disease, including coronary disease—420	1,685	162	124	165	156	150	128	134	106	129	147	129	155
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	307	34	13	26	29	21	19	25	26	23	30	41	20
Other diseases of heart—430-434	105	9	12	9	17	15	7	11	5	4	7	4	5
Hypertension with heart disease—440-443	329	22	35	31	36	36	23	20	23	22	27	25	29
Hypertension without mention of heart—444-447	41	5	6	6	4	3	1	1	4	4	5	-	2
General arteriosclerosis—450	193	14	15	16	16	22	20	16	14	18	21	16	5
Other diseases of circulatory system—451-468	28	2	5	-	3	2	1	1	5	5	1	1	2
Chronic and unspecified nephritis and other renal sclerosis—592-594	93	13	11	8	7	9	5	4	3	8	5	9	11
Influenza and pneumonia, except pneumonia of newborn—480-493	135	8	12	14	21	15	14	7	8	8	10	7	11
Influenza—480-483	15	-	-	1	2	1	5	1	-	1	2	1	1
Pneumonia, except pneumonia of newborn—490-493	120	8	12	13	19	14	9	6	8	7	8	6	10
Bronchitis—500-502	9	1	-	-	3	1	-	1	1	1	-	1	-
Ulcer of stomach and duodenum—540,541	37	3	4	5	2	3	2	3	3	3	2	4	3
Appendicitis—550-553	14	-	2	2	2	1	2	1	-	-	-	1	3
Hernia and intestinal obstruction—560,561,570	48	5	2	3	5	3	5	2	8	2	6	5	2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	26	8	2	4	-	1	1	4	2	-	1	2	1
Cirrhosis of liver—581	41	4	2	4	6	1	2	1	4	4	1	6	6
Acute nephritis and nephritis with edema, including nephrosis—590,591	6	1	2	1	-	-	-	-	-	-	-	1	1
Hyperplasia of prostate—610	25	3	6	2	-	3	1	1	1	-	3	2	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	9	-	1	1	-	1	-	2	-	2	-	-	2
Abortion—650-652	1	-	-	-	-	-	-	-	-	-	-	-	1
All other complications—640-649,660-689	8	-	1	1	-	1	-	2	-	2	-	-	1
Congenital malformations—750-759	68	5	6	7	6	4	8	7	3	2	7	6	7
Certain diseases of early infancy—760-776	174	15	16	17	10	11	11	12	15	22	13	16	16
Birth injuries, postnatal asphyxia, and atelectasis—760-762	76	7	5	9	4	5	2	3	9	14	5	7	6
Infections of newborn—763-768	10	1	2	1	1	1	1	-	-	-	-	1	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	88	7	9	7	5	5	8	9	6	8	8	8	8
Symptoms, senility, and ill-defined conditions—780-795	34	5	3	3	1	2	-	2	6	2	4	4	2
All other diseases—Residual	234	19	24	21	20	14	14	20	15	21	21	25	20
Accidents—E800-E962	307	32	17	32	19	20	22	27	28	23	27	22	38
Motor-vehicle accidents—E810-E835	96	7	3	6	3	5	11	5	13	6	14	9	14
All other accidents—E800-E802,E840-E962	211	25	14	26	16	15	11	22	15	17	13	13	24
Suicide—E963,E970-E979	87	4	8	5	10	8	5	6	9	6	5	11	10
Homicide—E964,E980-E985	7	-	1	1	2	-	-	-	1	-	2	-	-
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY—All causes	49,100	4,375	4,013	4,983	4,274	4,089	3,872	3,802	3,576	3,663	4,054	4,005	4,394
Tuberculosis, all forms—001-019	1,171	111	99	122	114	95	97	112	83	79	85	92	82
Tuberculosis of respiratory system—001-008	1,079	105	90	114	101	90	88	106	73	74	81	79	78
Tuberculosis, other forms—010-019	92	6	9	8	13	5	9	6	10	5	4	13	4
Syphilis and its sequelae—020-029	176	20	17	20	17	10	7	10	16	15	17	15	12
Typhoid fever—040	2	1	-	-	-	-	-	-	-	1	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	3	-	-	-	-	-	-	-	-	2	-	-	1
Scarlet fever and streptococcal sore throat—050,051	13	-	1	1	3	-	1	1	-	-	-	4	2
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	4	1	-	2	-	-	-	1	-	-	-	-	-
Meningococcal infections—057	17	1	5	2	1	2	-	-	2	-	2	-	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	68	2	1	1	3	1	1	11	12	18	13	3	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	25	1	-	-	8	14	1	-	-	1	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	101	6	8	14	8	13	7	8	14	8	4	5	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	8,516	730	664	758	678	704	711	757	702	681	684	725	724
Malignant neoplasm of buccal cavity and pharynx—140-148	215	16	20	17	23	16	15	22	23	14	18	9	22
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	3,463	309	280	318	285	282	292	288	288	268	289	285	281
Malignant neoplasm of respiratory system—160-164	1,017	74	90	84	81	79	82	98	73	97	78	98	85
Malignant neoplasm of breast—170	819	71	56	69	49	75	72	77	76	58	77	72	67
Malignant neoplasm of genital organs—171-179	1,197	105	81	111	83	102	96	105	83	102	103	112	114
Malignant neoplasm of urinary organs—180,181	489	56	37	37	41	27	50	46	46	43	33	29	43
Malignant neoplasm of other and unspecified sites—156B,165,190-199	726	57	56	75	62	74	63	65	52	56	39	62	65
Leukemia and aleukemia—204	311	16	22	18	34	31	17	26	40	25	29	31	22
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	280	26	22	29	22	18	24	30	21	18	18	25	27
Benign neoplasms and neoplasms of unspecified nature—210-239	185	15	10	16	10	19	16	15	17	15	18	18	16
Diabetes mellitus—260	952	74	76	95	67	95	74	72	74	77	75	91	82
Anemias—290-293	99	13	4	9	13	9	11	6	6	7	5	6	10
Meningitis, except meningococcal and tuberculous-340	45	4	6	5	7	3	1	3	1	1	7	1	6
Major cardiovascular-renal diseases—330-334,400-468,592-594	27,879	2,557	2,311	3,002	2,483	2,290	2,169	2,029	1,932	1,998	2,307	2,231	2,590
Diseases of cardiovascular system—330-334,400-468	27,173	2,492	2,246	2,917	2,402	2,228	2,113	1,980	1,887	1,961	2,247	2,171	2,529
Vascular lesions affecting central nervous system—330-334	4,754	450	388	522	430	373	371	335	330	346	397	359	453
Rheumatic fever—400-402	39	4	6	5	1	1	3	3	2	1	6	3	4
Diseases of heart—410-443	20,687	1,885	1,719	2,206	1,816	1,714	1,601	1,515	1,445	1,488	1,686	1,690	1,922
Chronic rheumatic heart disease—410-416	764	63	45	82	71	60	70	58	59	55	75	66	80
Arteriosclerotic heart disease, including coronary disease—420	12,466	1,086	1,017	1,266	1,090	1,027	944	951	904	914	1,017	1,050	1,200
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	4,064	397	364	458	352	336	311	280	280	307	299	323	377
Other diseases of heart—430-434	532	46	32	62	51	39	33	44	41	37	60	44	43
Hypertension with heart disease—440-443	2,861	293	261	338	252	252	243	202	161	175	235	207	242
Hypertension without mention of heart—444-447	400	39	32	53	32	38	37	31	23	26	33	24	32
General arteriosclerosis—450	1,026	85	83	105	96	77	79	81	66	82	97	77	98
Other diseases of circulatory system—451-468	267	29	18	26	27	25	22	15	21	18	28	18	20
Chronic and unspecified nephritis and other renal sclerosis—592-594	706	65	65	85	61	62	56	49	45	37	60	60	61
Influenza and pneumonia, except pneumonia of newborn—480-493	1,186	113	121	200	156	82	80	54	55	53	82	85	105
Influenza—480-483	79	5	7	24	20	2	5	1	-	-	4	5	6
Pneumonia, except pneumonia of newborn—490-493	1,107	108	114	176	136	80	75	53	55	53	78	80	99
Bronchitis—500-502	75	12	10	10	6	6	4	4	2	2	8	9	2
Ulcer of stomach and duodenum—540,541	311	29	24	35	24	29	19	25	16	22	33	18	37
Appendicitis—550-553	100	7	5	9	9	9	5	13	6	14	8	7	10
Hernia and intestinal obstruction—560,561,570	268	28	25	24	15	23	26	27	18	20	22	23	17
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	130	12	16	11	9	15	13	12	10	5	9	9	9
Cirrhosis of liver—581	588	41	51	47	52	46	55	41	49	43	47	65	51
Acute nephritis and nephritis with edema, including nephrosis—590,591	108	14	15	15	11	10	3	3	6	5	8	8	10
Hyperplasia of prostate—610	185	17	10	12	16	20	9	11	13	19	24	15	19
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	67	4	9	5	7	7	3	8	5	6	9	1	3
Abortion—650-652	6	-	1	-	2	-	-	-	1	-	1	1	-
All other complications—640-649,660-689	61	4	8	5	5	7	3	8	4	6	8	-	3
Congenital malformations—750-759	547	56	39	50	41	37	47	41	54	54	50	41	37
Certain diseases of early infancy—760-776	1,578	113	106	115	133	143	127	159	129	151	142	123	137
Birth injuries, postnatal asphyxia, and atelectasis—760-762	746	51	59	61	59	60	67	71	51	77	58	62	70
Infections of newborn—763-769	81	8	5	7	9	11	4	4	6	8	9	8	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	751	54	42	47	65	72	56	84	72	66	75	53	65
Symptoms, senility, and ill-defined conditions—780-795	137	15	6	14	11	16	10	14	6	9	12	12	12
All other diseases—Residual	1,797	167	166	188	157	149	134	131	121	135	147	143	159
Accidents—E800-E962	2,028	154	150	140	173	169	175	175	153	154	187	203	195
Motor-vehicle accidents—E810-E835	646	41	46	54	43	50	46	59	50	45	70	63	79
All other accidents—E800-E802,E840-E962	1,382	113	104	86	130	119	129	116	103	109	117	140	116
Suicide—E963,E970-E979	616	49	45	53	52	58	60	46	62	58	45	39	49
Homicide—E964,E980-E985	120	8	13	8	10	15	6	12	12	8	6	15	7
Injury resulting from operations of war-E965,E990-E999	2	-	-	-	-	-	-	1	-	1	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO—All causes	5,471	489	437	618	431	402	438	394	445	403	479	474	481
Tuberculosis, all forms—001-019	250	23	23	28	24	21	18	21	14	18	19	21	20
Tuberculosis of respiratory system—001-008	217	18	21	26	22	16	15	21	10	17	15	20	16
Tuberculosis, other forms—010-019	33	5	2	2	2	5	3	-	4	1	4	1	4
Syphilis and its sequelae—020-029	41	6	8	2	1	1	7	2	6	-	4	1	3
Typhoid fever—040	1	-	-	-	-	-	-	-	-	-	-	1	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	35	-	-	-	-	1	2	2	9	10	6	3	2
Scarlet fever and streptococcal sore throat—050,051	1	-	-	-	-	-	1	-	-	-	-	-	-
Diphtheria—055	2	-	1	-	-	-	-	-	-	-	-	-	1
Whooping cough—056	24	1	1	-	1	1	2	4	2	3	2	3	4
Meningococcal infections—057	1	-	-	1	-	-	-	-	-	-	-	-	-
Plague—058	1	-	-	-	-	-	-	1	-	-	-	-	-
Acute poliomyelitis—080	8	-	-	1	-	1	-	-	2	-	1	3	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	8	1	3	2	-	1	-	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	19	2	3	1	3	2	2	3	2	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	473	42	35	45	38	34	40	41	38	33	51	37	39
Malignant neoplasm of buccal cavity and pharynx—140-148	11	1	1	1	1	1	2	1	-	-	-	1	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	170	13	15	13	14	14	15	15	10	11	20	18	12
Malignant neoplasm of respiratory system—160-164	48	5	4	3	4	4	3	1	6	8	4	3	3
Malignant neoplasm of breast—170	34	4	2	2	4	3	4	2	4	2	1	2	4
Malignant neoplasm of genital organs—171-179	92	9	5	12	4	5	7	10	6	5	11	8	10
Malignant neoplasm of urinary organs—180,181	19	5	2	2	-	1	1	2	1	1	3	-	1
Malignant neoplasm of other and unspecified sites—156B,165,190-199	66	3	5	5	7	5	5	4	8	4	9	4	7
Leukemia and aleukemia—204	24	2	1	3	4	1	3	4	1	2	2	1	-
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	9	-	-	4	-	-	-	2	2	-	1	-	-
Benign neoplasms and neoplasms of unspecified nature—210-239	29	1	4	2	4	2	2	3	1	1	-	6	3
Diabetes mellitus—260	38	3	3	4	3	2	5	3	1	1	5	5	3
Anemias—290-293	5	-	-	-	1	-	1	1	-	-	2	-	-
Meningitis, except meningococcal and tuberculous-340	16	2	1	2	1	3	1	1	1	1	1	1	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	1,624	135	142	195	132	140	137	113	118	123	119	135	135
Diseases of cardiovascular system—330-334,400-468	1,544	130	137	180	127	130	128	109	113	115	115	130	130
Vascular lesions affecting central nervous system—330-334	309	20	34	33	24	35	30	33	19	21	15	18	27
Rheumatic fever—400-402	15	3	1	1	1	1	-	1	1	1	1	-	4
Diseases of heart—410-443	1,111	99	89	136	95	86	86	70	83	84	92	99	92
Chronic rheumatic heart disease—410-416	90	11	7	10	11	2	11	2	9	4	11	5	7
Arteriosclerotic heart disease, including coronary disease—420	582	50	50	69	45	51	36	41	42	42	49	56	51
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	168	19	15	24	16	17	10	9	15	21	14	15	12
Other diseases of heart—430-434	96	7	8	14	7	7	11	7	5	9	4	10	7
Hypertension with heart disease—440-443	155	12	8	19	16	9	18	11	12	8	14	13	15
Hypertension without mention of heart—444-447	29	6	3	2	1	2	4	3	3	-	3	2	-
General arteriosclerosis—450	62	-	7	7	5	4	8	1	6	8	3	8	5
Other diseases of circulatory system—451-468	18	2	3	1	1	2	-	1	1	1	1	3	2
Chronic and unspecified nephritis and other renal sclerosis—592-594	80	5	5	15	5	10	9	4	5	8	4	5	5
Influenza and pneumonia, except pneumonia of newborn—480-493	339	39	29	70	30	21	20	8	21	9	26	32	33
Influenza—480-483	37	2	2	16	4	3	2	-	-	-	1	2	5
Pneumonia, except pneumonia of newborn—490-493	302	37	27	54	26	18	18	9	21	9	25	30	28
Bronchitis—500-502	28	6	5	5	1	2	1	-	1	1	1	2	3
Ulcer of stomach and duodenum—540,541	23	2	2	2	2	2	-	2	2	2	-	2	5
Appendicitis—550-553	13	1	1	-	1	2	-	1	3	2	-	2	-
Hernia and intestinal obstruction—560,561,570	48	2	1	5	2	3	4	4	5	6	7	3	6
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	165	3	4	5	3	6	8	14	28	25	32	26	9
Cirrhosis of liver—581	48	8	2	8	4	2	8	3	2	2	3	3	3
Acute nephritis and nephritis with edema, including nephrosis—590,591	12	-	-	3	1	1	-	2	-	1	-	1	3
Hyperplasia of prostate—610	23	-	1	4	4	1	3	1	2	2	-	3	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-669	33	4	4	2	6	1	2	2	1	5	2	2	2
Abortion—650-652	3	1	-	-	-	1	-	-	-	-	-	1	-
All other complications—640-649,660-669	30	3	4	2	6	-	2	2	1	5	2	1	2
Congenital malformations—750-759	103	12	8	7	8	7	8	12	10	6	9	8	10
Certain diseases of early infancy—760-776	494	46	39	40	41	34	41	36	43	41	44	37	52
Birth injuries, postnatal asphyxia, and atelectasis—760-762	135	14	12	17	12	8	14	11	13	8	9	9	8
Infections of newborn—763-768	46	2	4	3	1	2	4	-	5	7	6	5	7
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	313	30	23	20	28	24	23	25	25	26	29	23	37
Symptoms, senility, and ill-defined conditions—780-795	634	70	55	85	39	42	41	47	54	39	66	49	47
All other diseases—Residual	252	33	22	29	24	17	15	15	18	20	20	27	12
Accidents—E800-E962	578	45	31	61	46	41	58	45	49	46	48	54	54
Motor-vehicle accidents—E810-E835	263	18	12	26	22	18	22	21	25	28	19	28	26
All other accidents—E800-E802,E840-E962	315	27	19	35	24	23	36	24	24	20	29	28	28
Suicide—E963,E970-E979	61	2	5	4	6	6	7	4	10	3	5	6	3
Homicide—E964,E980-E985	42	-	4	5	5	5	4	1	2	2	6	2	6
Injury resulting from operations of war-E965,E990-E999	1	-	-	-	-	-	-	-	-	1	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK—All causes	156,074	13,772	12,589	15,673	13,572	13,160	12,245	11,916	11,615	11,951	13,157	12,591	13,833
Tuberculosis, all forms—001-019	3,759	356	300	422	345	322	303	301	267	277	300	271	295
Tuberculosis of respiratory system—001-008	3,484	331	284	402	329	289	285	280	243	250	270	250	271
Tuberculosis, other forms—010-019	275	25	16	20	16	33	18	21	24	27	30	21	24
Syphilis and its sequelae—020-029	690	63	52	68	62	62	55	67	54	40	54	49	64
Typhoid fever—040	2	-	-	1	-	-	-	-	-	-	1	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	12	2	1	1	2	1	1	-	-	2	1	-	1
Scarlet fever and streptococcal sore throat—050,051	23	1	2	1	3	2	1	5	-	4	2	1	1
Diphtheria—055	7	4	-	-	2	-	-	-	-	1	-	-	-
Whooping cough—056	15	3	1	-	1	2	2	2	1	-	2	-	1
Meningococcal infections—057	71	5	7	9	4	7	5	3	1	4	11	4	11
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	186	5	1	1	-	-	3	15	43	39	42	21	16
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	20	2	1	2	2	4	5	-	1	1	1	-	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	3	1	1	-	-	-	-	1	-	-	-	-	-
All other infective and parasitic diseases-Residual	270	19	14	35	39	19	28	14	23	22	18	14	25
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	26,548	2,237	2,122	2,332	2,166	2,207	2,146	2,175	2,221	2,140	2,283	2,214	2,305
Malignant neoplasm of buccal cavity and pharynx—140-148	622	41	58	51	58	47	58	42	54	47	58	58	50
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	10,889	905	852	939	906	912	887	915	913	917	910	902	931
Malignant neoplasm of respiratory system—160-164	3,089	261	269	273	228	249	254	258	305	228	270	241	283
Malignant neoplasm of breast—170	2,614	205	220	238	231	217	206	195	188	227	239	222	226
Malignant neoplasm of genital organs—171-179	3,622	328	291	324	282	286	296	312	304	266	283	305	345
Malignant neoplasm of urinary organs—180,181	1,289	125	99	118	108	118	96	115	86	106	106	107	105
Malignant neoplasm of other and unspecified sites—156B,165,190-199	2,307	193	167	197	178	223	205	171	188	176	208	197	204
Leukemia and aleukemia—204	1,029	89	80	90	101	75	68	73	82	84	106	91	90
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	1,077	90	86	102	74	80	76	94	101	89	103	91	91
Benign neoplasms and neoplasms of unspecified nature—210-239	613	72	38	67	49	46	49	46	53	54	46	41	54
Diabetes mellitus—260	2,823	243	202	273	238	239	209	252	212	240	228	250	237
Anemias—290-293	300	29	22	24	19	26	28	21	29	28	30	23	21
Meningitis, except meningococcal and tuberculous-340	153	21	9	26	18	16	5	10	8	6	17	10	17
Major cardiovascular-renal diseases—330-334,400-468,592-594	88,347	7,882	7,311	9,161	7,794	7,522	6,815	6,560	6,283	6,654	7,438	7,013	7,914
Diseases of cardiovascular system—330-334,400-468	86,629	7,716	7,177	8,990	7,632	7,367	6,694	6,439	6,167	6,525	7,282	6,874	7,766
Vascular lesions affecting central nervous system—330-334	13,766	1,181	1,110	1,396	1,230	1,154	1,101	1,034	969	1,098	1,145	1,127	1,221
Rheumatic fever—400-402	192	17	15	15	9	21	22	13	22	14	15	11	18
Diseases of heart—410-443	68,071	6,099	5,692	7,081	5,958	5,815	5,228	5,049	4,829	5,073	5,753	5,355	6,139
Chronic rheumatic heart disease—410-416	2,578	198	217	260	229	211	176	212	193	225	218	222	227
Arteriosclerotic heart disease, including coronary disease—420	47,833	4,240	3,941	4,973	4,138	4,008	3,651	3,585	3,425	3,642	4,086	3,759	4,385
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	8,185	758	727	885	766	741	645	578	509	561	672	633	710
Other diseases of heart—430-434	852	87	58	81	81	80	66	65	70	64	71	54	75
Hypertension with heart disease—440-443	8,623	816	749	882	744	775	690	609	642	501	706	687	742
Hypertension without mention of heart—444-447	1,120	95	89	108	112	99	89	89	78	90	90	94	87
General arteriosclerosis—450	2,857	277	227	335	265	231	206	208	213	205	227	228	245
Other diseases of circulatory system—451-468	613	47	44	55	58	47	48	46	56	45	52	59	56
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,718	166	134	171	162	155	121	121	116	129	156	139	148
Influenza and pneumonia, except pneumonia of newborn—480-493	4,160	427	370	727	486	335	268	175	187	216	316	294	359
Influenza—480-483	198	21	14	49	43	20	5	1	8	5	13	9	10
Pneumonia, except pneumonia of newborn—490-493	3,962	406	356	678	443	315	263	174	179	211	303	285	349
Bronchitis—500-502	286	32	29	31	32	18	21	10	12	11	23	20	27
Ulcer of stomach and duodenum—540,541	1,091	96	87	89	94	88	93	72	90	81	88	96	117
Appendicitis—550-553	333	29	24	30	27	21	27	34	30	27	23	32	29
Hernia and intestinal obstruction—560,561,570	843	90	71	72	73	65	75	75	54	75	68	52	73
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	491	46	37	51	46	46	54	38	41	30	25	43	34
Cirrhosis of liver—581	1,968	167	136	199	169	176	151	143	148	161	180	159	179
Acute nephritis and nephritis with edema, including nephrosis—590,591	198	15	20	19	11	24	22	12	18	13	13	16	15
Hyperplasia of prostate—610	605	51	46	50	53	68	42	59	43	45	60	48	40
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	193	20	17	14	13	16	15	16	24	8	22	11	17
Abortion—650-652	34	3	-	7	7	2	3	4	2	1	2	1	2
All other complications—640-649,660-689	159	17	17	7	6	14	12	12	22	7	20	10	15
Congenital malformations—750-759	1,641	148	127	146	139	122	146	156	125	131	135	140	126
Certain diseases of early infancy—760-776	4,811	382	370	402	384	410	404	411	391	383	417	417	440
Birth injuries, postnatal asphyxia, and atelectasis—760-762	2,202	176	156	179	168	184	181	204	191	192	178	210	183
Infections of newborn—763-768	294	22	20	34	24	32	26	25	19	24	23	17	28
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	2,315	184	194	189	192	194	197	182	181	167	216	190	229
Symptoms, senility, and ill-defined conditions—780-795	854	95	58	69	73	76	72	58	63	66	63	71	92
All other diseases—Residual	5,397	475	422	504	453	473	427	407	413	398	444	478	503
Accidents—E800-E962	7,301	594	560	630	581	573	570	603	620	618	633	661	868
Motor-vehicle accidents—E810-E835	2,098	153	161	148	162	167	165	171	185	192	196	182	216
All other accidents—E800-E802,E840-E962	5,203	431	399	482	419	406	405	432	435	426	437	479	452
Suicide—E963,E970-E979	1,671	128	102	102	163	163	164	135	127	130	139	120	118
Homicide—E964,E980-E985	396	42	32	35	30	31	39	40	33	26	34	21	33
Injury resulting from operations of war—E965,E990-E999	3	-	1	-	1	-	-	-	-	-	-	1	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA—All causes	31,130	2,627	2,529	3,093	2,691	2,492	2,522	2,359	2,381	2,295	2,554	2,635	2,952
Tuberculosis, all forms—001-019	758	77	64	81	71	59	70	50	64	48	58	56	60
Tuberculosis of respiratory system—001-008	706	68	61	79	68	54	63	44	60	44	55	55	55
Tuberculosis, other forms—010-019	52	9	3	2	3	5	7	6	4	4	3	1	5
Syphilis and its sequelae—020-029	165	19	17	16	19	15	11	5	14	9	12	11	17
Typhoid fever—040	1	-	-	-	-	-	-	1	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	29	3	2	2	1	1	4	2	10	-	1	2	1
Scarlet fever and streptococcal sore throat—050,051	10	4	2	-	-	-	-	-	1	2	-	1	-
Diphtheria—055	26	3	2	4	-	-	-	-	2	2	6	4	3
Whooping cough—056	60	5	6	2	5	3	8	9	7	3	2	4	6
Meningococcal infections—057	28	2	-	8	3	4	4	-	1	-	1	2	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	19	-	1	1	-	-	-	2	5	6	2	2	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	16	2	2	3	2	5	-	1	-	-	-	1	-
Typhus and other rickettsial diseases—100-108	7	-	-	-	-	-	3	3	-	1	-	-	-
Malaria—110-117	2	-	-	-	-	-	1	-	-	1	-	-	-
All other infective and parasitic diseases-Residual	112	7	11	11	6	8	10	9	7	10	12	10	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,187	275	268	261	243	277	273	260	275	276	257	271	251
Malignant neoplasm of buccal cavity and pharynx—140-148	87	7	6	9	3	6	4	6	7	9	10	8	12
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,072	101	82	87	74	93	93	85	97	101	87	90	82
Malignant neoplasm of respiratory system—160-164	243	20	25	17	14	21	25	18	27	18	18	20	20
Malignant neoplasm of breast—170	260	19	19	30	26	18	19	12	24	27	31	28	27
Malignant neoplasm of genital organs—171-179	670	43	69	54	61	57	65	63	51	53	42	57	55
Malignant neoplasm of urinary organs—180,181	106	11	6	12	11	6	12	10	4	10	7	12	5
Malignant neoplasm of other and unspecified sites—156B,165,190-199	465	43	41	33	37	48	41	39	44	42	36	34	27
Leukemia and aleukemia—204	148	15	11	10	10	19	7	13	15	10	16	7	15
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	116	16	9	9	7	9	7	14	6	6	10	15	8
Benign neoplasms and neoplasms of unspecified nature—210-239	103	9	11	8	8	7	6	7	9	14	7	7	10
Diabetes mellitus—260	400	38	27	43	38	31	29	32	25	24	38	37	38
Anemias—290-293	80	6	2	5	7	9	8	4	8	12	3	8	8
Meningitis, except meningococcal and tuberculous-340	45	5	4	7	1	1	3	1	6	3	3	4	7
Major cardiovascular-renal diseases—330-334,400-468,592-594	15,757	1,333	1,239	1,574	1,387	1,287	1,260	1,196	1,179	1,164	1,286	1,347	1,503
Diseases of cardiovascular system—330-334,400-468	15,004	1,256	1,173	1,516	1,321	1,223	1,201	1,141	1,128	1,100	1,230	1,285	1,422
Vascular lesions affecting central nervous system—330-334	3,924	333	303	394	345	335	311	297	285	295	294	356	376
Rheumatic fever—400-402	55	5	7	5	4	4	2	8	5	7	2	1	5
Diseases of heart—410-443	10,139	851	797	1,022	891	832	805	759	780	737	854	857	954
Chronic rheumatic heart disease—410-416	335	19	30	27	34	39	14	27	24	22	49	27	23
Arteriosclerotic heart disease, including coronary disease—420	4,763	402	352	475	420	396	398	343	367	350	406	403	451
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,517	123	134	163	149	121	128	92	111	103	115	114	164
Other diseases of heart—430-434	967	83	79	88	76	74	80	90	80	71	64	85	97
Hypertension with heart disease—440-443	2,557	224	202	269	212	202	185	207	198	191	220	228	219
Hypertension without mention of heart—444-447	325	28	17	37	31	20	33	29	20	24	29	28	29
General arteriosclerosis—450	447	30	43	49	37	26	44	37	31	28	39	34	49
Other diseases of circulatory system—451-468	114	9	6	9	13	6	6	11	7	17	12	9	9
Chronic and unspecified nephritis and other renal sclerosis—592-594	753	77	66	58	66	64	59	57	51	56	58	62	81
Influenza and pneumonia, except pneumonia of newborn—480-493	1,411	144	197	275	149	80	78	39	48	62	76	95	168
Influenza—480-483	252	22	48	93	35	14	8	2	2	5	2	5	16
Pneumonia, except pneumonia of newborn—490-493	1,159	122	149	182	114	66	70	37	46	57	74	90	152
Bronchitis—500-502	67	4	9	9	6	2	2	2	2	5	6	9	11
Ulcer of stomach and duodenum—540,541	133	13	6	11	14	11	8	8	11	14	12	8	17
Appendicitis—550-553	84	6	5	11	7	10	9	4	7	7	10	4	4
Hernia and intestinal obstruction—560,561,570	162	12	12	14	18	8	12	17	11	10	17	16	15
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	308	20	20	25	10	19	41	41	31	44	20	25	12
Cirrhosis of liver—581	184	20	15	9	16	14	19	16	11	11	23	12	18
Acute nephritis and nephritis with edema, including nephrosis—590,591	99	8	9	15	8	9	5	3	8	5	6	9	14
Hyperplasia of prostate—610	131	12	15	12	20	7	4	14	12	10	8	14	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	126	14	5	11	11	12	11	15	11	10	9	4	13
Abortion—650-652	12	1	1	3	-	-	2	2	1	-	1	-	1
All other complications—640-649,660-689	114	13	4	8	11	12	9	13	10	10	8	4	12
Congenital malformations—750-759	476	45	44	46	46	38	35	28	42	32	34	27	59
Certain diseases of early infancy—760-776	1,934	158	140	163	153	147	175	186	162	147	184	161	158
Birth injuries, postnatal asphyxia, and atelectasis—760-762	636	48	43	70	60	52	56	60	40	44	58	52	53
Infections of newborn—763-768	125	11	7	10	7	6	11	11	14	12	10	15	11
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,173	99	90	83	86	69	108	115	108	91	116	94	94
Symptoms, senility, and ill-defined conditions—780-795	794	69	79	76	58	72	52	48	56	46	74	86	76
All other diseases—Residual	1,317	97	124	120	118	117	103	93	97	85	96	139	128
Accidents—E800-E962	2,371	167	150	201	206	175	209	193	208	171	221	202	268
Motor-vehicle accidents—E810-E835	1,113	80	70	91	84	70	82	96	95	86	129	106	124
All other accidents—E800-E802,E840-E962	1,258	87	80	110	122	105	127	97	113	85	92	96	144
Suicide—E963,E970-E979	348	21	22	37	31	36	33	30	26	26	35	27	24
Homicide—E964,E980-E985	360	29	19	30	29	28	36	38	25	35	35	30	46
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA—All causes	5,191	458	379	467	466	447	423	420	415	419	405	411	481
Tuberculosis, all forms—001-019	68	3	2	5	6	13	7	9	7	6	3	2	5
Tuberculosis of respiratory system—001-008	59	3	2	5	5	10	7	8	7	4	2	1	5
Tuberculosis, other forms—010-019	9	-	-	-	1	3	-	1	-	2	1	1	-
Syphilis and its sequelae—020-029	21	4	2	1	2	1	1	3	1	-	2	2	2
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	3	-	-	-	-	-	-	-	-	1	1	1	-
Meningococcal infections—057	6	-	-	-	2	-	-	1	2	-	-	-	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	1	-	-	-	-	-	-	-	1	-	-	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	7	-	1	-	2	1	1	-	-	2	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	740	61	54	56	59	64	54	71	75	70	45	59	72
Malignant neoplasm of buccal cavity and pharynx—140-148	16	2	1	2	1	2	1	2	1	1	1	-	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	302	20	22	20	22	27	23	34	37	31	22	22	22
Malignant neoplasm of respiratory system—160-164	51	7	4	1	5	2	6	5	3	3	3	4	8
Malignant neoplasm of breast—170	69	10	2	8	4	7	1	3	8	6	4	8	7
Malignant neoplasm of genital organs—171-179	108	7	7	7	12	12	8	11	9	11	5	11	8
Malignant neoplasm of urinary organs—180,181	39	5	3	2	4	6	1	3	4	5	3	-	3
Malignant neoplasm of other and unspecified sites—156B,165,190-199	84	8	8	11	2	5	8	9	4	6	3	6	14
Leukemia and aleukemia—204	44	1	4	5	4	2	4	2	7	5	2	3	5
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	28	1	3	-	5	1	2	2	2	2	2	5	3
Benign neoplasms and neoplasms of unspecified nature—210-239	16	3	-	1	-	2	2	1	2	-	2	1	2
Diabetes mellitus—260	109	11	9	4	6	7	7	12	12	14	11	9	7
Anemias—290-293	25	2	2	5	1	4	-	-	2	1	2	5	1
Meningitis, except meningococcal and tuberculous-340	4	1	-	1	-	-	1	-	-	-	1	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,599	244	192	253	242	216	205	193	199	200	210	210	235
Diseases of cardiovascular system—330-334,400-468	2,531	242	185	246	234	206	200	190	196	196	204	205	227
Vascular lesions affecting central nervous system—330-334	607	67	39	60	50	52	52	49	51	39	46	43	59
Rheumatic fever—400-402	11	-	1	2	1	2	2	1	2	-	-	-	-
Diseases of heart—410-443	1,694	160	132	164	164	139	128	119	126	138	131	149	144
Chronic rheumatic heart disease—410-416	62	8	3	7	9	4	4	2	3	5	4	4	9
Arteriosclerotic heart disease, including coronary disease—420	1,042	87	82	97	102	79	79	79	78	93	82	92	92
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	233	20	24	24	21	22	20	10	18	22	18	19	15
Other diseases of heart—430-434	123	13	4	15	16	12	14	10	9	4	8	9	11
Hypertension with heart disease—440-443	234	32	19	21	16	22	11	18	18	14	21	25	17
Hypertension without mention of heart—444-447	62	3	4	8	5	4	4	8	5	5	4	4	8
General arteriosclerosis—450	133	11	8	11	12	7	12	12	8	11	21	7	13
Other diseases of circulatory system—451-468	24	1	1	1	2	2	2	1	4	3	2	2	3
Chronic and unspecified nephritis and other renal sclerosis—592-594	68	2	7	7	8	10	5	3	3	4	6	5	8
Influenza and pneumonia, except pneumonia of newborn—480-493	167	18	15	20	19	15	6	10	7	8	17	14	18
Influenza—480-483	28	5	1	4	5	4	1	1	-	-	2	2	3
Pneumonia, except pneumonia of newborn—490-493	139	13	14	16	14	11	5	9	7	8	15	12	15
Bronchitis—500-502	10	3	-	-	-	3	1	1	-	-	-	-	2
Ulcer of stomach and duodenum—540,541	31	2	-	1	2	4	4	1	2	4	5	3	3
Appendicitis—550-553	20	-	2	5	2	1	1	-	1	4	1	2	1
Hernia and intestinal obstruction—560,561,570	28	4	1	5	2	-	2	4	-	3	3	-	4
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	16	2	1	2	4	1	1	2	-	-	1	1	1
Cirrhosis of liver—581	27	2	3	1	1	5	1	2	2	5	3	2	-
Acute nephritis and nephritis with edema, including nephrosis—590,591	13	1	1	3	-	1	1	1	-	1	-	3	1
Hyperplasia of prostate—610	38	3	3	5	6	2	-	3	6	4	1	2	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	3	1	-	1	-	-	-	-	-	-	-	1	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	3	1	-	1	-	-	-	-	-	-	-	1	-
Congenital malformations—750-759	103	7	9	10	8	10	10	7	6	5	6	6	19
Certain diseases of early infancy—760-776	274	29	18	15	20	26	31	24	21	24	21	21	24
Birth injuries, postnatal asphyxia, and atelectasis—760-762	114	11	8	5	11	12	14	11	8	9	9	7	9
Infections of newborn—763-768	8	2	1	-	-	-	1	-	1	-	1	-	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	152	16	9	10	9	14	16	13	12	15	11	14	13
Symptoms, senility, and ill-defined conditions—780-795	123	11	11	11	18	9	8	14	8	6	7	13	7
All other diseases—Residual	279	28	30	22	18	22	31	21	19	22	20	18	28
Accidents—E800-E962	393	15	20	38	34	33	40	36	40	31	35	30	41
Motor-vehicle accidents—E810-E835	111	3	4	3	8	13	12	7	14	10	12	10	15
All other accidents—E800-E802,E840-E962	282	12	16	35	26	20	28	29	26	21	23	20	26
Suicide—E963,E970-E979	63	3	1	2	12	7	8	4	2	8	7	5	4
Homicide—E964,E980-E985	3	-	1	-	-	-	-	-	-	-	1	1	-
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO—All causes	80,633	6,857	6,529	7,878	7,237	6,816	6,279	6,274	6,117	5,962	6,764	6,707	7,233
Tuberculosis, all forms—001-019	1,659	147	131	170	136	138	132	140	123	111	137	144	150
Tuberculosis of respiratory system—001-008	1,506	129	122	159	125	129	118	129	110	101	122	125	137
Tuberculosis, other forms—010-019	153	18	9	11	11	9	14	11	13	10	15	19	13
Syphilis and its sequelae—020-029	499	44	48	52	37	45	39	43	35	28	44	45	39
Typhoid fever—040	2	-	-	1	1	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	12	-	1	-	1	1	-	1	2	1	3	-	2
Scarlet fever and streptococcal sore throat—050,051	26	4	4	1	4	2	2	-	1	1	2	1	4
Diphtheria—055	8	1	1	-	4	-	-	-	-	1	-	1	-
Whooping cough—056	46	4	6	4	14	5	4	2	1	1	2	1	2
Meningococcal infections—057	68	4	8	6	8	7	7	3	5	2	6	4	8
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	117	2	3	2	1	1	-	6	23	30	30	14	5
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	27	-	2	2	7	4	6	-	-	-	1	-	5
Typhus and other rickettsial diseases—100-108	3	-	-	-	-	-	-	2	1	-	-	-	-
Malaria—110-117	2	1	1	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	168	16	8	28	17	17	8	8	14	16	9	12	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	12,043	1,033	983	1,005	1,032	969	925	1,033	999	959	1,054	1,017	1,034
Malignant neoplasm of buccal cavity and pharynx—140-148	270	28	27	24	23	23	16	21	28	15	21	19	25
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	4,708	403	393	410	403	358	396	405	369	405	434	369	363
Malignant neoplasm of respiratory system—160-164	1,170	92	83	88	116	90	86	113	97	87	105	110	102
Malignant neoplasm of breast—170	1,096	98	86	81	92	94	84	92	89	86	89	100	105
Malignant neoplasm of genital organs—171-179	2,063	174	181	175	157	174	144	173	171	160	184	182	188
Malignant neoplasm of urinary organs—180,181	553	46	36	51	50	43	43	43	46	49	53	44	49
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,209	106	87	106	109	105	75	117	111	81	97	113	102
Leukemia and aleukemia—204	498	49	40	34	41	38	46	33	42	45	38	38	54
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	476	37	50	35	41	44	35	36	46	31	33	42	46
Benign neoplasms and neoplasms of unspecified nature—210-239	288	21	19	29	20	25	21	22	27	23	19	27	15
Diabetes mellitus—260	1,790	149	140	193	155	139	128	150	135	127	150	150	156
Anemias—290-293	274	17	23	30	19	33	13	23	18	16	34	29	19
Meningitis, except meningococcal and tuberculous-340	89	7	10	7	7	9	9	6	5	4	6	15	4
Major cardiovascular-renal diseases—330-334,400-468,592-594	43,596	3,734	3,570	4,356	3,969	3,672	3,439	3,305	3,188	3,118	3,571	3,657	4,017
Diseases of cardiovascular system—330-334,400-468	42,494	3,644	3,484	4,262	3,865	3,571	3,354	3,220	3,079	3,041	3,476	3,564	3,934
Vascular lesions affecting central nervous system—330-334	9,399	826	757	907	842	799	733	685	681	712	777	777	903
Rheumatic fever—400-402	90	7	7	10	8	12	3	7	6	8	3	9	10
Diseases of heart—410-443	29,793	2,545	2,444	3,035	2,694	2,475	2,360	2,272	2,153	2,098	2,445	2,531	2,741
Chronic rheumatic heart disease—410-416	1,230	107	97	141	114	107	98	87	100	87	87	109	96
Arteriosclerotic heart disease, including coronary disease—420	18,164	1,531	1,442	1,751	1,596	1,509	1,426	1,408	1,298	1,323	1,516	1,598	1,766
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	4,779	414	427	559	457	413	373	335	357	308	363	373	400
Other diseases of heart—430-434	1,074	93	94	118	104	86	76	82	92	73	85	80	91
Hypertension with heart disease—440-443	4,546	400	384	466	423	360	387	360	306	307	394	371	388
Hypertension without mention of heart—444-447	709	57	66	67	66	65	65	46	61	54	54	43	65
General arteriosclerosis—450	2,065	169	167	195	221	186	171	172	142	138	163	165	176
Other diseases of circulatory system—451-468	438	40	43	48	34	34	22	38	38	31	34	39	39
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,102	90	86	94	104	101	85	85	109	77	95	93	83
Influenza and pneumonia, except pneumonia of newborn—480-493	2,305	229	253	449	279	193	115	90	60	122	146	169	200
Influenza—480-483	436	30	60	151	85	33	13	8	8	15	17	18	18
Pneumonia, except pneumonia of newborn—490-493	1,869	199	193	318	194	160	102	82	52	107	129	151	182
Bronchitis—500-502	170	21	22	23	15	14	15	8	4	9	18	9	12
Ulcer of stomach and duodenum—540,541	391	36	29	33	34	31	33	31	26	25	32	33	46
Appendicitis—550-553	166	19	8	18	12	15	16	12	13	8	16	14	15
Hernia and intestinal obstruction—560,561,570	526	42	48	49	48	45	30	39	30	34	40	37	44
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	315	35	29	35	23	20	28	23	29	25	35	18	15
Cirrhosis of liver—581	811	75	57	69	70	66	76	66	51	70	51	77	83
Acute nephritis and nephritis with edema, including nephrosis—590,591	169	14	12	20	19	17	15	14	11	7	13	12	15
Hyperplasia of prostate—610	379	32	32	38	34	30	34	30	31	21	34	31	32
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	107	12	9	11	7	6	8	11	9	11	9	9	5
Abortion—650-652	7	1	-	1	-	-	-	2	-	2	1	-	-
All other complications—640-649,660-689	100	11	9	10	7	6	8	9	9	9	8	9	5
Congenital malformations—750-759	1,073	76	69	87	109	108	79	82	82	99	99	90	93
Certain diseases of early infancy—760-776	3,032	227	202	247	245	302	257	281	260	273	270	218	250
Birth injuries, postnatal asphyxia, and atelectasis—760-762	1,305	97	92	116	106	116	112	129	113	114	108	96	108
Infections of newborn—763-768	161	18	12	15	10	14	10	6	13	15	19	13	16
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,566	112	98	116	129	172	135	146	134	144	145	109	126
Symptoms, senility, and ill-defined conditions—780-795	661	63	58	55	73	56	55	48	54	43	54	62	40
All other diseases—Residual	3,655	304	313	350	327	331	256	278	297	260	290	304	343
Accidents—E800-E962	4,944	378	352	404	393	399	406	411	443	407	487	406	458
Motor-vehicle accidents—E810-E835	1,892	148	128	126	151	134	182	174	176	180	201	145	166
All other accidents—E800-E802,E840-E962	3,052	230	223	278	242	265	244	237	267	227	286	261	292
Suicide—E963,E970-E979	906	57	60	88	88	90	81	77	71	71	74	71	78
Homicide—E964,E980-E985	322	31	18	16	30	26	20	28	28	38	28	30	29
Injury resulting from operations of war-E965,E990-E999	4	-	-	-	1	-	-	1	1	1	-	-	4

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OKLAHOMA—All causes	19,473	1,911	1,661	1,984	1,623	1,576	1,578	1,438	1,437	1,475	1,481	1,533	1,778
Tuberculosis, all forms—001-019	505	51	48	51	48	35	53	34	38	37	32	40	38
Tuberculosis of respiratory system—001-008	472	45	45	47	42	33	49	33	37	35	31	37	38
Tuberculosis, other forms—010-019	33	6	3	4	6	2	4	1	1	2	1	3	- -
Syphilis and its sequelae—020-029	119	11	8	13	9	16	13	4	5	11	8	9	12
Typhoid fever—040	1	-	-	-	-	-	-	-	-	-	1	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	16	2	1	1	1	-	1	-	2	3	1	3	1
Scarlet fever and streptococcal sore throat-050,051	6	2	2	-	1	-	-	-	-	-	-	-	1
Diphtheria—055	9	3	-	2	-	-	-	-	-	-	2	1	1
Whooping cough—056	20	-	2	3	1	4	-	4	1	4	-	1	-
Meningococcal infections—057	11	2	-	1	2	1	-	-	-	1	2	-	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	39	1	1	2	2	2	5	6	6	2	9	2	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	1	-	-	-	-	-	-	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	1	-	-	-	-	-
Malaria—110-117	2	-	-	-	-	-	-	-	1	-	1	-	-
All other infective and parasitic diseases-Residual	65	6	4	1	8	10	7	6	3	2	6	3	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,683	235	189	253	198	263	217	215	204	234	213	212	250
Malignant neoplasm of buccal cavity and pharynx—140-148	72	5	6	3	10	10	2	6	5	7	5	4	9
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	994	82	74	96	70	104	77	82	71	99	73	79	87
Malignant neoplasm of respiratory system—160-164	256	20	10	24	16	30	19	24	20	14	28	22	29
Malignant neoplasm of breast—170	189	19	15	21	11	18	16	9	16	16	18	12	18
Malignant neoplasm of genital organs—171-179	484	39	37	43	38	48	43	33	44	36	37	38	48
Malignant neoplasm of urinary organs—180,181	112	8	6	12	9	13	10	14	7	11	5	5	12
Malignant neoplasm of other and unspecified sites—156B,165,190-199	362	32	23	34	27	32	23	30	28	39	28	38	28
Leukemia and aleukemia—204	117	13	10	12	7	4	18	10	5	8	10	10	10
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	97	17	8	8	10	4	9	7	8	4	9	4	9
Benign neoplasms and neoplasms of unspecified nature—210-239	84	8	12	9	3	8	8	5	8	4	7	5	7
Diabetes mellitus—260	299	32	36	26	19	32	18	20	24	20	19	27	26
Anemias—280-285	59	9	3	8	3	5	3	4	3	6	5	3	7
Meningitis, except meningococcal and tuberculous-340	21	3	-	-	2	1	2	2	1	2	1	2	5
Major cardiovascular-renal diseases—330-334,400-468,592-594	9,497	959	827	961	815	726	784	673	673	713	719	769	878
Diseases of cardiovascular system—330-334,400-468	9,082	912	791	916	779	690	750	640	642	681	698	742	841
Vascular lesions affecting central nervous system—330-334	2,274	213	193	228	196	199	201	160	154	173	163	194	200
Rheumatic fever—400-402	24	2	1	2	2	1	1	7	2	3	-	2	1
Diseases of heart—410-443	6,103	608	537	616	538	455	492	417	440	447	490	498	565
Chronic rheumatic heart disease—410-416	203	24	25	24	13	17	17	7	12	15	20	9	20
Arteriosclerotic heart disease, including coronary disease—420	3,535	351	276	335	314	278	274	253	252	290	295	298	319
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	774	72	86	94	83	41	65	50	55	42	48	63	75
Other diseases of heart—430-434	670	55	66	61	55	43	58	45	56	48	65	60	58
Hypertension with heart disease—440-443	921	106	84	102	73	76	78	62	65	52	62	68	93
Hypertension without mention of heart—444-447	210	33	14	17	17	10	21	16	15	12	15	17	23
General arteriosclerosis—450	371	49	39	40	19	16	27	33	25	33	24	27	39
Other diseases of circulatory system—451-468	100	7	7	13	7	9	8	7	6	13	6	4	13
Chronic and unspecified nephritis and other renal sclerosis—592-594	415	47	36	45	36	36	34	33	31	32	21	27	37
Influenza and pneumonia, except pneumonia of newborn—480-493	841	120	120	174	90	53	36	26	23	35	51	47	66
Influenza—480-483	206	20	34	85	26	12	5	2	-	2	7	5	8
Pneumonia, except pneumonia of newborn—490-493	636	100	86	89	64	41	31	24	23	33	44	42	58
Bronchitis—500-502	36	7	3	3	1	5	3	1	4	2	-	3	4
Ulcer of stomach and duodenum—540,541	102	4	8	15	14	13	13	8	3	4	6	6	8
Appendicitis—550-553	48	4	4	6	1	2	3	6	3	5	4	6	4
Hernia and intestinal obstruction—560,561,570	134	14	15	15	8	11	11	15	13	8	10	8	6
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	104	10	5	7	9	4	9	11	14	18	9	5	3
Cirrhosis of liver—581	131	11	13	15	8	8	12	11	12	15	11	6	9
Acute nephritis and nephritis with edema, including nephrosis—590,591	54	12	6	5	3	3	5	2	4	4	2	6	2
Hyperplasia of prostate—610	125	9	15	9	7	10	6	14	10	13	10	11	11
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	41	5	2	2	2	5	6	2	2	3	5	1	6
Abortion—650-652	4	-	-	-	-	1	1	-	-	1	-	-	1
All other complications—640-649,660-689	37	5	2	2	2	4	5	2	2	2	5	1	5
Congenital malformations—750-759	241	22	17	19	25	18	19	16	17	26	19	25	18
Certain diseases of early infancy—760-776	908	62	54	68	76	72	81	95	91	85	62	76	84
Birth injuries, postnatal asphyxia, and atelectasis—760-762	341	28	18	22	26	21	26	44	40	31	29	24	32
Infections of newborn—763-768	61	3	4	7	7	6	5	5	2	8	3	7	4
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	504	31	32	39	43	45	50	46	49	46	30	45	48
Symptoms, senility, and ill-defined conditions—780-795	512	61	55	57	46	41	32	35	34	27	37	52	35
All other diseases—Residual	1,075	101	88	122	89	86	82	73	85	75	80	83	111
Accidents—E800-E962	1,393	126	101	106	106	111	124	120	127	94	125	104	149
Motor-vehicle accidents—E810-E835	510	32	36	38	39	48	37	42	51	35	60	37	55
All other accidents—E800-E802,E840-E962	883	94	65	68	67	63	87	78	76	59	65	67	94
Suicide—E963,E970-E979	191	13	11	17	22	24	15	19	16	15	15	9	15
Homicide—E964,E980-E985	99	6	10	12	4	7	10	9	10	5	9	8	9
Injury resulting from operations of war-E965,E990-E999	2	-	1	1	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON—All causes	13,935	1,238	1,108	1,233	1,153	1,189	1,138	1,134	1,081	1,128	1,161	1,163	1,209
Tuberculosis, all forms—001-019	202	19	15	22	24	20	11	9	19	19	18	11	15
Tuberculosis of respiratory system—001-008	183	19	12	22	24	16	10	6	18	17	16	11	12
Tuberculosis, other forms—010-019	19	-	3	-	-	4	1	3	1	2	2	-	3
Syphilis and its sequelae—020-029	66	8	5	5	6	4	5	9	6	4	3	7	4
Typhoid fever—040	1	-	-	-	-	-	-	-	-	-	1	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-046	2	-	-	-	-	1	-	-	1	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	2	-	-	-	1	-	-	1	-	-	-	-	-
Diphtheria—055	7	-	2	-	-	-	-	-	2	1	-	1	1
Whooping cough—056	5	1	1	1	-	-	-	-	1	-	-	-	1
Meningococcal infections—057	6	1	-	-	-	-	-	-	2	1	-	-	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	30	-	-	2	1	2	1	-	5	5	4	7	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	1	-	-	1	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	20	2	2	3	3	2	-	1	-	2	3	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,083	174	153	186	154	198	169	163	148	162	185	186	205
Malignant neoplasm of buccal cavity and pharynx—140-148	55	5	6	3	2	6	6	2	2	5	3	6	9
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	788	68	67	68	66	69	52	63	65	62	75	59	74
Malignant neoplasm of respiratory system—160-164	212	12	10	23	17	21	21	23	12	13	19	23	18
Malignant neoplasm of breast—170	194	16	13	18	17	21	13	16	14	13	18	18	15
Malignant neoplasm of genital organs—171-179	326	34	23	31	22	37	28	23	21	28	25	32	22
Malignant neoplasm of urinary organs—180,181	105	8	5	8	5	11	11	10	11	8	8	9	11
Malignant neoplasm of other and unspecified sites—156B,165,190-199	224	19	14	20	12	19	16	9	15	20	24	23	33
Leukemia and aleukemia—204	90	5	8	5	8	10	13	9	4	5	4	7	12
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	89	7	7	10	5	4	9	6	4	8	9	9	11
Benign neoplasms and neoplasms of unspecified nature—210-239	39	5	4	5	1	2	2	3	5	6	-	5	1
Diabetes mellitus—260	171	16	15	13	15	14	15	12	8	19	14	15	15
Anemias—290-293	39	-	4	8	-	2	7	5	-	3	5	3	2
Meningitis, except meningococcal and tuberculous-340	14	3	1	1	1	1	2	-	-	1	-	3	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	7,396	689	608	653	634	636	623	600	27	565	601	618	642
Diseases of cardiovascular system—330-334,400-468	7,233	671	594	643	619	619	612	588	511	554	584	604	634
Vascular lesions affecting central nervous system—330-334	1,538	129	145	142	133	124	131	121	112	127	116	120	138
Rheumatic fever—400-402	14	3	2	-	3	1	-	-	-	1	2	2	-
Diseases of heart—410-443	5,125	490	404	459	443	449	425	425	360	380	408	434	448
Chronic rheumatic heart disease—410-416	243	32	17	17	20	20	21	18	15	21	16	23	25
Arteriosclerotic heart disease, including coronary disease—420	3,178	297	238	277	276	266	265	253	243	242	256	281	286
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	496	54	40	59	38	47	25	48	24	43	44	40	34
Other diseases of heart—430-434	276	20	19	18	25	31	21	26	12	18	24	31	31
Hypertension with heart disease—440-443	932	87	92	88	84	85	93	80	66	56	68	59	74
Hypertension without mention of heart—444-447	73	11	5	2	9	8	4	5	7	5	5	8	4
General arteriosclerosis—450	414	36	31	36	24	29	44	32	29	36	45	34	38
Other diseases of circulatory system—451-468	69	2	7	4	7	8	8	5	3	5	8	6	6
Chronic and unspecified nephritis and other renal sclerosis—592-594	163	18	14	10	15	17	11	12	16	11	17	14	8
Influenza and pneumonia, except pneumonia of newborn—480-493	323	35	31	40	43	38	13	20	19	16	20	22	26
Influenza—480-483	23	-	3	3	7	4	1	1	2	-	1	-	1
Pneumonia, except pneumonia of newborn—490-493	300	35	28	37	36	34	12	19	17	16	19	22	25
Bronchitis—500-502	35	5	6	1	2	2	2	1	1	6	4	3	2
Ulcer of stomach and duodenum—540,541	80	9	7	10	7	7	5	8	2	7	6	4	6
Appendicitis—550-553	20	3	-	4	2	-	-	2	3	2	2	2	-
Hernia and intestinal obstruction—560,561,570	61	6	6	10	6	3	7	4	3	4	-	5	7
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	43	5	6	4	5	2	6	1	3	4	3	2	2
Cirrhosis of liver—581	113	11	7	11	13	7	8	4	14	11	13	3	11
Acute nephritis and nephritis with edema, including nephrosis—590,591	22	2	2	1	-	2	2	1	4	1	3	3	1
Hyperplasia of prostate—610	56	4	8	3	1	9	3	5	4	5	2	7	5
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-669	20	1	7	2	2	-	-	-	2	1	1	1	3
Abortion—650-652	1	-	1	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	19	1	6	2	2	-	-	-	2	1	1	1	3
Congenital malformations—750-759	185	18	9	14	9	18	15	12	17	16	21	22	14
Certain diseases of early infancy—760-776	521	54	41	51	36	29	40	48	51	43	52	29	47
Birth injuries, postnatal asphyxia, and atelectasis—760-762	234	23	17	27	15	14	16	24	27	15	17	20	19
Infections of newborn—763-768	23	2	1	4	1	-	1	1	6	-	4	1	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	264	29	23	20	20	15	23	23	18	28	31	8	26
Symptoms, senility, and ill-defined conditions—780-795	238	15	20	18	24	20	17	20	12	25	21	24	22
All other diseases—Residual	621	55	57	42	58	45	47	52	56	49	46	50	64
Accidents—E800-E962	1,234	78	70	96	86	105	103	130	142	123	117	103	81
Motor-vehicle accidents—E810-E835	485	18	18	28	28	32	39	65	59	50	48	45	35
All other accidents—E800-E802,E840-E962	769	60	52	68	58	73	64	65	83	73	69	58	46
Suicide—E963,E970-E979	231	16	17	30	17	17	31	21	20	20	13	19	20
Homicide—E964,E980-E985	48	3	4	6	2	3	4	2	4	7	3	6	4
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA—All causes	110,212	9,728	8,684	10,849	10,164	9,548	8,686	8,435	8,270	8,048	9,084	8,779	9,937
Tuberculosis, all forms—001-019	2,474	208	204	217	235	261	209	187	198	208	172	180	195
Tuberculosis of respiratory system—001-008	2,283	193	177	204	218	246	189	167	183	195	161	163	187
Tuberculosis, other forms—010-019	191	15	27	13	17	15	20	20	15	13	11	17	8
Syphilis and its sequelae—020-029	402	30	31	38	27	38	38	31	40	38	31	20	40
Typhoid fever—040	3	-	1	-	-	-	1	-	1	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	10	3	1	1	-	1	1	1	-	1	-	-	1
Scarlet fever and streptococcal sore throat—050,051	15	1	-	4	3	2	-	-	-	1	1	1	3
Diphtheria—055	7	1	2	-	-	1	1	2	-	-	-	-	-
Whooping cough—056	68	4	7	10	5	12	5	6	4	2	4	5	4
Meningococcal infections—057	55	4	6	8	4	2	5	1	5	3	7	2	8
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	102	1	1	1	2	3	2	9	10	34	23	12	4
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	12	-	1	-	3	-	2	1	-	-	-	2	3
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	3	-	1	-	1	-	-	-	-	-	-	1	-
All other infective and parasitic diseases-Residual	232	24	15	23	26	24	19	17	19	18	19	10	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	16,326	1,373	1,217	1,399	1,410	1,357	1,367	1,363	1,374	1,336	1,414	1,296	1,420
Malignant neoplasm of buccal cavity and pharynx—140-148	395	30	44	37	22	25	39	38	38	32	28	31	31
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	6,778	585	498	544	595	576	555	580	560	556	583	548	598
Malignant neoplasm of respiratory system—160-164	1,660	132	120	152	153	145	138	146	131	138	147	107	151
Malignant neoplasm of breast—170	1,452	120	113	124	128	110	114	112	130	98	146	109	148
Malignant neoplasm of genital organs—171-179	2,516	213	166	245	201	193	227	205	204	216	207	231	208
Malignant neoplasm of urinary organs—180,181	842	75	67	79	70	60	60	74	61	75	62	77	62
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,525	121	110	113	143	125	139	140	140	123	136	111	124
Leukemia and aleukemia—204	612	49	59	49	46	53	55	41	67	45	59	37	52
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	546	48	40	56	52	50	40	27	43	53	46	45	46
Benign neoplasms and neoplasms of unspecified nature—210-239	450	41	28	43	41	31	30	35	48	38	31	42	42
Diabetes mellitus—260	2,418	241	176	251	215	225	183	169	174	168	225	178	213
Anemias—290-293	304	23	24	30	34	26	21	23	26	21	25	25	26
Meningitis, except meningococcal and tuberculous-340	112	9	10	10	9	18	8	6	6	10	11	8	7
Major cardiovascular-renal diseases—330-334,400-468,592-594	61,594	5,483	5,033	6,280	5,716	5,361	4,855	4,645	4,394	4,285	4,974	4,927	5,641
Diseases of cardiovascular system—330-334,400-468	59,370	5,295	4,841	6,011	5,507	5,146	4,682	4,506	4,244	4,136	4,803	4,741	5,458
Vascular lesions affecting central nervous system—330-334	11,043	951	887	1,084	1,005	941	892	866	802	754	933	908	1,020
Rheumatic fever—400-402	200	19	16	21	14	20	25	9	19	19	16	9	13
Diseases of heart—410-443	43,793	3,918	3,631	4,464	4,060	3,819	3,433	3,325	3,093	3,038	3,503	3,489	4,020
Chronic rheumatic heart disease—410-416	1,693	165	138	169	167	158	144	117	121	124	135	118	137
Arteriosclerotic heart disease, including coronary disease—420	25,278	2,215	2,031	2,424	2,324	2,144	1,979	1,943	1,827	1,787	2,052	2,142	2,410
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	6,355	773	706	944	803	754	645	609	597	519	683	569	773
Other diseases of heart—430-434	1,734	135	176	205	169	145	147	121	114	131	116	126	148
Hypertension with heart disease—440-443	6,733	629	580	722	597	618	518	535	434	477	537	534	552
Hypertension without mention of heart—444-447	957	93	76	76	96	81	86	73	65	82	70	77	82
General arteriosclerosis—450	2,723	253	188	303	278	232	195	182	211	181	231	199	270
Other diseases of circulatory system—451-468	654	61	43	63	54	53	51	51	54	62	50	59	53
Chronic and unspecified nephritis and other renal sclerosis—592-594	2,224	188	192	269	209	215	173	139	150	149	171	186	183
Influenza and pneumonia, except pneumonia of newborn—480-493	3,116	335	243	497	439	307	172	128	139	152	234	199	273
Influenza—480-483	413	41	25	95	104	44	7	7	6	12	25	12	35
Pneumonia, except pneumonia of newborn—490-493	2,703	292	218	402	335	263	165	121	133	140	209	187	238
Bronchitis—500-502	326	41	37	57	53	30	19	15	9	11	18	17	19
Ulcer of stomach and duodenum—540,541	634	48	49	66	72	58	53	40	55	38	48	47	60
Appendicitis—550-553	223	28	13	26	21	17	25	14	12	19	23	9	16
Hernia and intestinal obstruction—560,561,570	703	53	42	71	73	63	60	52	62	63	53	45	86
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	391	44	35	36	45	22	32	31	19	36	25	30	36
Cirrhosis of liver—581	1,099	98	88	101	82	97	83	89	83	79	93	98	108
Acute nephritis and nephritis with edema, including nephrosis—590,591	274	23	23	32	21	33	19	17	21	21	32	13	19
Hyperplasia of prostate—610	432	34	40	44	42	33	32	35	38	32	45	28	29
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	170	21	11	12	12	21	13	17	14	16	9	15	9
Abortion—650-652	28	4	4	1	2	3	4	4	1	1	-	2	2
All other complications—640-649,660-689	142	17	7	11	10	18	9	13	13	15	9	13	7
Congenital malformations—750-759	1,177	92	76	95	100	104	103	95	84	97	112	105	114
Certain diseases of early infancy—760-776	3,835	317	260	308	313	340	317	343	338	312	320	322	345
Birth injuries, postnatal asphyxia, and atelectasis—760-762	1,523	130	104	142	117	127	127	133	132	114	131	128	138
Infections of newborn—763-768	204	25	14	9	18	14	17	15	11	20	23	21	17
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	2,108	162	142	157	178	199	173	195	195	178	166	173	190
Symptoms, senility, and ill-defined conditions—780-795	1,140	76	103	89	110	93	80	73	99	79	96	124	118
All other diseases—Residual	5,020	469	447	481	507	428	390	367	358	343	397	400	433
Accidents—E800-E962	5,697	495	367	487	419	417	442	512	504	487	513	508	546
Motor-vehicle accidents—E810-E835	1,744	149	120	139	115	119	127	158	169	134	179	167	168
All other accidents—E800-E802,E840-E962	3,953	346	247	348	304	298	315	354	335	353	334	341	378
Suicide—E963,E970-E979	1,101	92	73	112	103	91	74	87	107	82	101	93	86
Homicide—E964,E980-E985	284	18	19	20	21	29	25	24	29	19	28	17	35
Injury resulting from operations of war—E965,E990-E999	3	-	-	-	-	3	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND—All causes	8,308	741	704	755	727	749	690	647	622	587	661	643	782
Tuberculosis, all forms—001-019	151	13	7	14	11	17	14	11	17	15	7	8	17
Tuberculosis of respiratory system—001-008	140	11	7	14	11	16	14	11	16	13	6	8	13
Tuberculosis, other forms—010-019	11	2	-	-	-	1	-	-	1	2	1	-	4
Syphilis and its sequelae—020-029	36	7	3	3	2	2	1	4	3	2	1	2	6
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	2	-	-	-	-	-	-	1	-	-	1	-	-
Scarlet fever and streptococcal sore throat—050,051	1	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	1	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—056	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningococcal infections—057	5	-	-	-	2	-	1	-	-	1	-	1	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	3	-	-	-	-	-	-	-	1	1	-	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	1	-	-	-	-	1	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	19	-	2	2	2	1	1	-	5	1	3	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,410	121	121	130	110	115	125	122	116	106	114	107	123
Malignant neoplasm of buccal cavity and pharynx—140-148	38	1	4	3	1	3	4	7	3	1	6	2	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	566	57	56	48	46	54	47	44	49	36	44	39	44
Malignant neoplasm of respiratory system—160-164	129	7	11	13	7	7	8	16	9	11	16	7	17
Malignant neoplasm of breast—170	138	12	8	19	9	5	16	19	7	10	11	11	11
Malignant neoplasm of genital organs—171-179	203	18	11	16	18	14	15	18	14	19	18	20	22
Malignant neoplasm of urinary organs—180,181	65	5	7	7	5	4	4	3	3	4	7	8	8
Malignant neoplasm of other and unspecified sites—156B,165,190-199	172	19	14	13	16	20	20	6	20	13	10	10	11
Leukemia and aleukemia—204	38	1	4	6	5	2	3	2	3	4	1	3	4
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	61	1	6	5	3	6	8	7	8	6	1	7	3
Benign neoplasms and neoplasms of unspecified nature—210-239	40	2	6	5	3	2	4	1	5	2	3	3	4
Diabetes mellitus—260	284	20	23	17	20	29	28	27	33	20	21	21	25
Anemias—290-293	22	1	-	2	1	4	3	3	2	1	3	1	1
Meningitis, except meningococcal and tuberculous-340	4	-	-	-	1	1	-	1	1	-	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	4,645	418	382	407	440	444	374	342	326	315	383	383	431
Diseases of cardiovascular system—330-334,400-468	4,502	408	371	382	429	431	363	331	317	303	373	371	423
Vascular lesions affecting central nervous system—330-334	845	77	71	71	81	85	77	56	44	59	69	65	80
Rheumatic fever—400-402	6	1	-	2	-	-	-	1	1	-	-	1	-
Diseases of heart—410-443	3,302	306	272	281	315	291	252	253	244	225	278	270	315
Chronic rheumatic heart disease—410-416	104	8	6	9	9	5	6	11	10	9	13	10	8
Arteriosclerotic heart disease, including coronary disease—420	2,280	219	191	184	212	202	189	166	175	146	184	191	221
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	303	30	25	38	28	24	19	27	14	24	24	21	29
Other diseases of heart—430-434	86	8	7	8	8	6	3	6	8	5	12	6	9
Hypertension with heart disease—440-443	529	41	43	42	58	54	35	43	37	41	45	42	48
Hypertension without mention of heart—444-447	81	6	4	8	8	13	7	1	7	5	4	11	7
General arteriosclerosis—450	226	18	18	14	23	27	23	18	15	11	19	22	18
Other diseases of circulatory system—451-468	42	-	6	6	2	5	4	2	6	3	3	2	3
Chronic and unspecified nephritis and other renal sclerosis—592-594	143	10	11	25	11	13	11	11	9	12	10	12	8
Influenza and pneumonia, except pneumonia of newborn—480-493	149	16	18	21	22	15	11	5	3	9	6	6	15
Influenza—480-483	16	1	1	2	6	1	-	1	-	2	1	-	1
Pneumonia, except pneumonia of newborn—490-493	133	15	17	19	16	14	11	4	3	7	5	6	14
Bronchitis—500-502	13	-	3	3	1	-	1	1	-	1	-	1	2
Ulcer of stomach and duodenum—540,541	57	12	6	6	4	1	5	6	4	6	3	2	2
Appendicitis—550-553	16	-	-	5	-	1	2	1	3	-	1	2	1
Hernia and intestinal obstruction—560,561,570	58	3	3	5	7	5	8	6	3	5	5	4	4
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	22	3	1	1	1	1	-	2	3	3	-	1	6
Cirrhosis of liver—581	91	9	10	12	3	8	7	6	1	4	11	6	14
Acute nephritis and nephritis with edema, including nephrosis—590,591	17	2	3	1	-	1	-	-	3	3	1	1	2
Hyperplasia of prostate—810	44	6	5	3	3	4	4	3	5	3	4	1	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	9	1	1	2	1	1	-	-	1	1	-	-	1
Abortion—650-652	1	-	-	1	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	8	1	1	1	1	1	-	-	1	1	-	-	1
Congenital malformations—750-759	108	9	11	12	13	6	7	6	11	7	8	10	8
Certain diseases of early infancy—760-776	294	31	24	25	18	26	26	25	14	20	23	23	39
Birth injuries, postnatal asphyxia, and atelectasis—760-762	132	15	12	17	7	12	11	11	8	7	11	6	15
Infections of newborn—763-768	11	-	1	1	1	1	-	-	-	1	2	3	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	151	16	11	7	10	13	15	14	6	12	10	14	23
Symptoms, senility, and ill-defined conditions—780-795	40	3	4	5	4	1	1	4	3	3	5	4	3
All other diseases—Residual	311	23	34	29	32	24	28	29	25	25	23	16	23
Accidents—E800-E962	376	29	31	37	21	33	32	37	25	28	30	31	42
Motor-vehicle accidents—E810-E835	89	5	7	9	4	6	5	9	5	13	4	7	15
All other accidents—E800-E802,E840-E962	287	24	24	28	17	27	27	28	20	15	26	24	27
Suicide—E963,E970-E979	66	11	5	7	4	6	5	3	4	4	4	4	9
Homicide—E964,E980-E985	12	-	1	1	1	-	2	-	5	1	1	-	-
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA—All causes	17,973	1,567	1,546	1,905	1,590	1,446	1,540	1,364	1,296	1,320	1,374	1,509	1,618
Tuberculosis, all forms—001-019	443	34	36	38	39	45	46	29	36	32	39	38	31
Tuberculosis of respiratory system—001-008	411	32	32	36	37	40	43	26	36	30	38	32	29
Tuberculosis, other forms—010-019	32	2	4	2	2	5	3	3	-	2	1	6	2
Syphilis and its sequelae—020-029	139	9	19	16	15	9	15	10	11	12	7	7	9
Typhoid fever—040	6	1	-	-	-	-	-	2	1	1	-	1	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	21	2	2	2	-	2	8	4	1	2	-	-	-
Scarlet fever and streptococcal sore throat—050,051	7	1	-	1	1	-	-	-	-	-	2	1	1
Diphtheria—055	22	2	2	4	-	1	-	1	2	1	3	3	3
Whooping cough—056	49	1	2	3	6	6	7	7	6	2	3	2	4
Meningococcal infections—057	19	-	-	2	2	-	8	3	1	-	1	3	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—060	10	-	1	2	-	-	1	3	-	1	2	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	23	5	3	5	4	3	1	-	-	1	-	1	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	4	-	-	-	-	1	-	1	-	1	-	-	1
All other infective and parasitic diseases-Residual	81	8	3	3	9	6	7	10	6	8	5	7	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,753	149	152	164	142	145	155	150	153	117	138	152	136
Malignant neoplasm of buccal cavity and pharynx—140-148	44	5	3	3	5	6	4	2	4	-	3	4	5
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	566	50	48	64	48	55	46	48	49	35	40	38	45
Malignant neoplasm of respiratory system—160-164	180	14	16	15	17	13	24	13	17	15	11	13	12
Malignant neoplasm of breast—170	111	8	9	10	8	7	11	14	7	8	9	16	4
Malignant neoplasm of genital organs—171-179	381	34	38	26	31	32	29	37	28	26	36	32	32
Malignant neoplasm of urinary organs—160,181	69	6	3	7	4	6	8	9	5	5	3	5	8
Malignant neoplasm of other and unspecified sites—156B,165,190-199	245	20	24	22	17	13	23	18	30	13	22	23	20
Leukemia and aleukemia—204	99	6	7	10	10	10	9	6	6	9	9	14	3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	58	6	4	7	2	3	1	3	7	6	5	7	7
Benign neoplasms and neoplasms of unspecified nature—210-239	62	6	5	4	5	5	9	7	5	4	5	4	3
Diabetes mellitus—260	283	38	23	30	23	22	29	22	14	23	20	18	21
Anemias—290-293	43	5	3	4	6	4	3	4	5	3	-	5	1
Meningitis, except meningococcal and tuberculous-340	38	5	3	10	1	2	1	1	2	2	4	5	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	8,783	786	730	948	823	734	716	639	633	642	694	759	787
Diseases of cardiovascular system—330-334,400-468	8,381	739	702	801	779	705	682	612	602	606	666	729	758
Vascular lesions affecting central nervous system—330-334	2,259	209	188	223	216	178	202	153	161	165	185	183	196
Rheumatic fever—400-402	41	5	5	4	5	6	-	5	3	2	3	1	2
Diseases of heart—410-443	5,440	471	448	528	508	466	432	401	387	392	425	488	494
Chronic rheumatic heart disease—410-416	198	20	13	26	21	16	15	11	12	19	20	12	13
Arteriosclerotic heart disease, including coronary disease—420	2,514	209	217	242	238	191	219	179	190	171	193	231	234
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	780	85	71	80	68	63	53	62	43	58	46	80	71
Other diseases of heart—430-434	293	33	23	21	28	34	25	16	26	24	16	15	32
Hypertension with heart disease—440-443	1,675	144	124	159	153	162	120	133	116	120	150	150	144
Hypertension without mention of heart—444-447	191	22	23	12	16	17	13	18	12	19	12	15	12
General arteriosclerosis—450	374	27	34	30	30	29	30	26	30	25	36	35	42
Other diseases of circulatory system—451-468	76	5	4	4	4	9	5	9	9	3	5	7	12
Chronic and unspecified nephritis and other renal sclerosis—592-594	402	49	28	47	44	29	34	27	21	36	28	30	29
Influenza and pneumonia, except pneumonia of newborn—480-493	882	97	114	164	98	45	44	24	32	34	40	71	119
Influenza—480-483	203	31	31	56	35	11	5	2	2	2	6	6	16
Pneumonia, except pneumonia of newborn—490-493	679	66	83	108	63	34	39	22	30	32	34	65	103
Bronchitis—500-502	40	4	7	5	5	1	1	-	1	2	2	4	8
Ulcer of stomach and duodenum—540,541	72	3	8	5	5	6	5	8	6	9	6	6	5
Appendicitis—550-553	47	3	3	2	4	3	6	2	5	2	3	10	4
Hernia and intestinal obstruction—560,561,570	109	6	7	9	8	11	16	9	5	11	12	7	6
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	156	12	9	12	13	7	36	24	8	9	11	10	5
Cirrhosis of liver—581	57	3	4	6	7	4	5	8	3	5	2	5	5
Acute nephritis and nephritis with edema, including nephrosis—590,591	60	4	4	9	5	3	7	4	3	5	7	4	5
Hyperplasia of prostate—610	54	7	5	4	3	6	5	2	6	3	4	6	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	93	5	5	10	14	12	6	6	9	10	4	4	8
Abortion—650-652	3	-	-	1	-	-	1	-	1	-	-	-	-
All other complications—640-649,660-689	90	5	5	9	14	12	5	6	8	10	4	4	8
Congenital malformations—750-759	218	15	20	25	11	21	16	14	11	17	22	18	28
Certain diseases of early infancy—760-778	1,157	78	101	97	101	94	108	100	94	112	84	81	107
Birth injuries, postnatal asphyxia, and atelectasis—760-762	360	25	36	31	22	32	37	38	33	27	29	25	25
Infections of newborn—763-768	83	5	4	6	13	7	11	2	4	9	8	5	9
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	714	48	61	60	66	55	60	60	57	76	47	51	73
Symptoms, senility, and ill-defined conditions—780-795	772	61	76	90	67	58	62	60	53	55	56	56	79
All other diseases—Residual	706	70	82	87	40	62	66	55	59	52	44	76	53
Accidents—E800-E962	1,399	107	99	131	108	103	118	133	99	109	118	128	146
Motor-vehicle accidents—E810-E835	633	46	48	61	47	40	50	57	46	58	63	60	57
All other accidents—E800-E802,E840-E962	766	61	51	70	61	63	68	76	53	51	55	68	89
Suicide—E963,E970-E979	137	18	18	13	10	6	12	11	15	13	8	6	9
Homicide—E964,E980-E985	228	20	20	18	15	19	25	11	21	20	29	11	19
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA—All causes	5,680	530	505	586	495	486	471	456	462	456	448	466	539
Tuberculosis, all forms 001-019	113	8	14	8	7	9	9	10	9	13	6	14	6
Tuberculosis of respiratory system 001-008	93	8	13	7	6	8	6	6	7	8	5	13	6
Tuberculosis, other forms 010-019	20	-	1	1	1	1	3	4	2	5	1	1	-
Syphilis and its sequelae 020-029	17	3	4	1	2	-	-	1	1	1	1	1	2
Typhoid fever 040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera 043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms 045-048	1	-	-	-	-	-	-	1	-	-	-	-	-
Scarlet fever and streptococcal sore throat 050,051	2	-	1	-	1	-	-	-	-	-	-	-	-
Diphtheria 055	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough 056	9	-	-	-	2	2	2	1	-	-	1	-	1
Meningococcal infections 057	6	-	-	1	1	1	-	-	-	-	-	1	2
Plague 058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis 060	16	1	-	-	-	1	1	1	2	3	3	3	1
Smallpox 084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 085	6	-	-	-	1	-	2	2	-	-	1	-	-
Typhus and other rickettsial diseases 100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria 110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	19	1	5	2	1	2	1	3	-	1	-	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	843	67	70	67	62	65	80	78	81	67	62	79	85
Malignant neoplasm of buccal cavity and pharynx 140-148	15	-	1	4	-	-	2	1	-	3	2	1	1
Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	348	24	28	23	31	26	39	29	40	28	23	34	23
Malignant neoplasm of respiratory system 160-164	72	8	7	7	5	6	10	1	3	8	1	10	6
Malignant neoplasm of breast 170	73	4	7	5	3	5	8	12	8	4	5	3	9
Malignant neoplasm of genital organs 171-179	125	18	9	8	9	15	6	13	8	7	10	10	12
Malignant neoplasm of urinary organs 180,181	37	2	3	6	2	4	2	2	5	3	4	2	2
Malignant neoplasm of other and unspecified sites 156B,165,190-199	86	5	12	7	8	4	7	8	5	8	9	11	2
Leukemia and aleukemia 204	52	1	1	6	1	2	3	9	7	4	6	4	8
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues 200-203,205	35	5	2	1	3	3	3	3	5	2	2	4	2
Benign neoplasms and neoplasms of unspecified nature 210-239	25	2	-	1	1	2	-	4	1	5	2	2	5
Diabetes mellitus 260	116	12	13	7	8	6	7	7	13	10	10	11	12
Anemias 280-283	30	5	3	2	2	3	2	1	3	4	1	2	2
Meningitis, except meningococcal and tuberculous 340	11	-	-	2	-	-	2	2	-	1	1	2	1
Major cardiovascular-renal diseases 330-334,400-468,592-594	2,959	286	266	288	265	252	225	204	220	223	223	221	286
Diseases of cardiovascular system 330-334,400-468	2,884	279	260	278	262	242	216	201	213	215	217	218	283
Vascular lesions affecting central nervous system 330-334	740	52	73	68	68	62	53	43	56	56	67	63	79
Rheumatic fever 400-402	7	-	-	1	1	1	1	-	-	-	1	-	2
Diseases of heart 410-443	1,935	204	169	188	174	163	150	142	146	146	150	138	185
Chronic rheumatic heart disease 410-416	72	11	7	10	6	7	3	4	5	9	1	2	7
Arteriosclerotic heart disease, including coronary disease 420	1,198	121	103	114	107	92	99	91	94	89	82	92	114
Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	313	30	28	23	28	29	33	20	25	20	23	25	29
Other diseases of heart 430-434	117	14	9	11	8	10	7	8	10	8	13	8	11
Hypertension with heart disease 440-443	235	28	22	30	25	25	8	19	12	20	11	11	24
Hypertension without mention of heart 444-447	42	7	8	4	2	2	4	2	-	1	4	5	3
General arteriosclerosis 450	132	11	9	12	13	13	7	11	9	11	13	10	13
Other diseases of circulatory system 451-468	28	5	1	5	4	1	1	3	2	1	2	2	1
Chronic and unspecified nephritis and other renal sclerosis 592-594	75	7	8	10	3	10	9	3	7	8	6	3	3
Influenza and pneumonia, except pneumonia of newborn 480-493	205	27	18	35	28	15	12	8	14	9	11	14	18
Influenza 480-483	32	3	4	7	6	4	-	1	1	1	-	4	1
Pneumonia, except pneumonia of newborn 490-493	173	24	12	28	22	11	12	7	13	8	11	10	15
Bronchitis 500-502	20	2	2	6	3	2	2	1	-	-	1	-	1
Ulcer of stomach and duodenum 540,541	28	2	2	-	2	3	5	1	1	4	2	2	4
Appendicitis 550-553	15	-	-	1	2	3	-	2	-	1	3	1	2
Hernia and intestinal obstruction 560,561,570	48	6	2	6	2	4	2	7	5	6	1	4	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	19	1	1	2	-	-	-	1	4	1	2	2	5
Cirrhosis of liver 581	27	2	3	5	3	2	1	3	3	-	3	1	1
Acute nephritis and nephritis with edema, including nephrosis 590,591	8	1	2	1	-	-	2	-	-	-	2	-	-
Hyperplasia of prostate 610	33	4	3	4	2	5	4	1	2	4	-	2	2
Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	15	1	1	5	1	1	-	2	1	1	1	-	1
Abortion 650-652	1	-	-	-	-	-	-	1	-	-	-	-	-
All other complications 640-649,660-689	14	1	1	5	1	1	-	1	1	1	1	-	1
Congenital malformations 750-759	86	7	6	10	6	8	6	5	4	8	11	12	3
Certain diseases of early infancy 760-776	264	26	13	20	16	22	24	30	29	23	21	19	21
Birth injuries, postnatal asphyxia, and atelectasis 760-762	109	8	4	9	10	8	11	13	13	13	10	4	6
Infections of newborn 763-768	17	-	1	3	1	-	2	3	-	2	2	2	1
Other diseases peculiar to early infancy, and immaturity unqualified 769-776	138	18	8	8	5	14	11	14	16	8	9	13	14
Symptoms, senility, and ill-defined conditions 780-795	128	10	18	18	14	12	12	12	2	11	9	3	7
All other diseases—Residual	278	26	26	30	23	18	19	26	19	16	23	18	34
Accidents E800-E962	458	27	29	39	31	40	42	33	45	39	40	46	47
Motor-vehicle accidents E810-E835	196	9	9	14	20	17	12	18	26	18	18	15	20
All other accidents E800-E802,E840-E962	262	18	20	25	11	23	30	15	19	21	22	31	27
Suicide E963,E970-E979	67	2	5	5	9	7	7	9	3	4	6	3	7
Homicide E964,E980-E985	7	-	-	-	-	1	2	-	-	1	1	1	1
Injury resulting from operations of war E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE—All causes.	29,425	2,649	2,569	2,934	2,493	2,242	2,423	2,193	2,175	2,149	2,357	2,495	2,746
Tuberculosis, all forms—001-019	1,110	109	106	119	93	89	101	81	86	87	65	91	83
Tuberculosis of respiratory system—001-008	1,009	104	99	101	84	79	89	72	77	78	58	89	79
Tuberculosis, other forms—010-019	101	5	7	18	9	10	12	9	9	9	7	2	4
Syphilis and its sequelae—020-029	141	8	10	14	10	21	18	3	7	10	14	17	9
Typhoid fever—040	7	-	-	1	-	1	1	2	-	-	-	-	2
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	42	1	-	-	2	2	5	5	12	1	3	6	5
Scarlet fever and streptococcal sore throat—050,051	15	3	-	-	-	-	1	2	2	1	-	1	5
Diphtheria—055	19	3	3	1	3	1	1	-	-	2	4	1	-
Whooping cough—056	64	4	8	5	6	6	9	5	1	4	6	6	4
Meningococcal infections—057	39	3	5	3	2	4	6	4	2	-	4	4	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	34	-	1	-	1	-	3	5	5	10	3	5	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	24	2	-	5	5	4	5	3	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	2	-	-	-	-	2	-	-	-	-	-	-	-
Malaria—110-117	2	1	-	-	-	-	1	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	120	6	8	12	13	14	15	8	9	9	10	10	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,447	309	277	309	288	274	300	279	271	304	281	290	285
Malignant neoplasm of buccal cavity and pharynx—140-148	99	7	9	7	9	8	13	9	13	8	2	6	8
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,166	91	98	105	89	93	106	95	94	103	106	91	95
Malignant neoplasm of respiratory system—160-164	310	29	22	22	21	23	21	32	26	30	24	28	32
Malignant neoplasm of breast—170	302	29	24	23	26	31	26	27	18	26	23	23	26
Malignant neoplasm of genital organs—171-179	690	68	43	70	48	53	63	54	54	67	52	68	50
Malignant neoplasm of urinary organs—180,181	153	13	16	20	13	9	7	10	16	13	16	11	9
Malignant neoplasm of other and unspecified sites—156B,165,190-199	446	41	42	39	38	40	36	30	36	37	36	33	38
Leukemia and aleukemia—204	170	19	14	14	14	11	15	13	10	12	15	19	14
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	111	12	9	9	10	6	13	9	4	8	7	11	13
Benign neoplasms and neoplasms of unspecified nature—210-239	88	8	6	6	8	6	10	5	8	11	10	5	5
Diabetes mellitus—260	314	22	38	30	36	21	30	20	19	20	25	26	29
Anemias—290-293	68	4	5	6	9	3	6	3	7	5	5	7	8
Meningitis, except meningococcal and tuberculous-340	57	6	9	4	3	5	7	4	2	2	4	6	5
Major cardiovascular-renal diseases—330-334,400-468,592-594	13,825	1,202	1,193	1,393	1,185	1,055	1,128	1,020	993	944	1,141	1,195	1,380
Diseases of cardiovascular system—330-334,400-468	13,179	1,145	1,124	1,324	1,139	1,008	1,079	986	943	891	1,075	1,140	1,325
Vascular lesions affecting central nervous system—330-334	3,463	265	318	342	293	242	271	247	261	225	312	307	380
Rheumatic fever—400-402	53	9	4	4	3	3	7	6	4	4	3	3	3
Diseases of heart—410-443	8,878	807	747	894	777	708	745	667	608	595	705	758	869
Chronic rheumatic heart disease—410-416	341	32	31	37	38	24	26	31	25	26	21	25	25
Arteriosclerotic heart disease, including coronary disease—420	4,126	370	344	388	362	350	337	308	299	280	334	344	410
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,569	168	138	170	135	106	141	117	97	88	129	120	159
Other diseases of heart—430-434	770	65	62	85	64	61	75	55	45	45	55	78	80
Hypertension with heart disease—440-443	2,072	172	172	214	178	167	164	156	142	155	166	191	195
Hypertension without mention of heart—444-447	326	31	21	26	24	28	22	28	30	27	26	32	31
General arteriosclerosis—450	336	23	25	42	35	16	25	30	34	29	24	26	29
Other diseases of circulatory system—451-468	121	10	9	16	7	11	11	8	8	11	5	14	13
Chronic and unspecified nephritis and other renal sclerosis—592-594	646	57	69	69	44	45	49	34	50	53	66	55	55
Influenza and pneumonia, except pneumonia of newborn—480-493	1,358	161	164	248	146	63	54	47	57	77	81	92	168
Influenza—480-483	302	45	50	90	38	11	6	4	5	5	8	12	28
Pneumonia, except pneumonia of newborn—490-493	1,056	116	114	158	108	52	48	43	52	72	73	80	140
Bronchitis—500-502	71	5	7	10	7	6	1	6	6	5	7	4	7
Ulcer of stomach and duodenum—540,541	128	16	12	7	9	10	10	10	9	10	14	14	7
Appendicitis—550-553	60	7	3	6	6	4	6	6	6	4	5	4	3
Hernia and intestinal obstruction—560,561,570	187	24	12	12	12	21	10	21	10	21	19	13	12
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	233	12	8	7	10	14	29	37	39	27	19	17	14
Cirrhosis of liver—581	161	15	14	18	14	14	10	12	17	15	14	20	18
Acute nephritis and nephritis with edema, including nephrosis—590,591	98	10	8	8	12	4	7	6	9	5	8	10	11
Hyperplasia of prostate—610	122	13	15	12	14	10	4	5	12	12	13	7	5
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	108	12	13	10	6	4	10	10	9	8	9	8	9
Abortion—650-652	11	-	-	1	2	1	-	3	1	-	-	1	2
All other complications—640-649,660-689	97	12	13	9	4	3	10	7	8	8	9	7	7
Congenital malformations—750-759	390	36	29	29	32	29	39	28	26	36	33	43	30
Certain diseases of early infancy—760-776	1,520	134	125	129	108	148	147	111	110	121	121	132	134
Birth injuries, postnatal asphyxia, and atelectasis—760-762	512	46	50	57	38	44	37	36	37	43	47	42	35
Infections of newborn—763-768	107	8	10	6	2	5	13	8	8	7	6	20	14
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	901	80	65	66	68	99	97	67	65	71	68	70	85
Symptoms, senility, and ill-defined conditions—780-795	1,811	180	168	202	151	113	132	130	134	157	124	168	172
All other diseases—Residual	1,286	132	129	115	128	100	104	86	94	88	102	91	117
Accidents—E800-E962	1,879	141	157	154	156	151	166	185	153	124	165	161	166
Motor-vehicle accidents—E810-E835	778	62	69	68	60	59	65	70	83	46	79	55	62
All other accidents—E800-E802,E840-E962	1,101	79	88	86	96	92	101	115	70	78	86	106	104
Suicide—E963,E970-E979	273	34	16	34	18	26	21	19	25	19	24	26	11
Homicide—E964,E980-E985	301	26	22	25	22	19	26	24	35	30	24	15	33
Injury resulting from operations of war—E965,E990-E999	1	-	-	-	-	-	-	1	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS—All causes	63,349	5,461	5,216	5,929	5,267	5,364	5,133	4,939	5,074	4,774	5,005	5,247	5,940
Tuberculosis, all forms—001-019	2,006	177	179	201	187	182	164	152	164	156	147	132	165
Tuberculosis of respiratory system—001-008	1,811	160	155	185	171	168	156	139	150	137	140	117	153
Tuberculosis, other forms—010-019	195	17	24	16	16	14	28	13	14	19	7	15	12
Syphilis and its sequelae—020-029	449	44	45	31	48	45	35	34	32	33	34	39	29
Typhoid fever—040	10	-	1	1	-	1	1	1	1	1	1	-	2
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	300	21	25	35	21	24	26	33	22	16	15	28	34
Scarlet fever and streptococcal sore throat—050,051	19	4	2	1	1	2	-	2	2	2	3	-	-
Diphtheria—055	50	9	8	4	2	2	-	-	4	3	8	7	3
Whooping cough—056	75	2	7	7	9	11	8	2	8	6	4	9	4
Meningococcal infections—057	43	6	8	3	3	4	4	1	1	2	5	2	4
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	204	7	8	15	8	12	37	31	25	22	26	10	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	14	-	-	2	2	3	2	-	-	1	-	1	3
Typhus and other rickettsial diseases—100-108	3	1	-	-	-	-	1	-	1	-	-	-	-
Malaria—110-117	12	2	-	2	1	1	-	1	-	1	2	1	1
All other infective and parasitic diseases-Residual	324	30	29	32	17	27	18	17	32	23	37	30	32
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	8,079	651	638	682	632	722	644	679	687	693	663	664	724
Malignant neoplasm of buccal cavity and pharynx—140-148	195	23	17	16	16	19	15	18	14	15	12	13	17
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,688	221	206	218	216	246	222	227	211	229	214	234	244
Malignant neoplasm of respiratory system—160-164	822	76	78	75	60	68	56	73	79	64	64	56	73
Malignant neoplasm of breast—170	655	39	39	60	56	58	62	51	60	34	60	61	74
Malignant neoplasm of genital organs—171-179	1,458	127	133	131	100	136	124	116	121	111	112	129	119
Malignant neoplasm of urinary organs—160,181	333	23	26	19	34	33	31	21	23	39	28	25	29
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,265	87	93	105	100	93	81	123	121	136	119	104	103
Leukemia and aleukemia—204	377	27	27	36	24	43	31	27	38	39	34	20	31
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	285	28	17	22	26	25	22	23	20	26	20	22	34
Benign neoplasms and neoplasms of unspecified nature—210-239	308	27	31	23	26	23	23	23	21	25	26	26	34
Diabetes mellitus—260	870	94	69	101	63	71	64	53	64	65	76	77	74
Anemias—290-293	155	23	17	16	11	7	14	10	11	9	12	14	11
Meningitis, except meningococcal and tuberculous-340	106	13	8	10	11	8	7	5	10	9	4	6	15
Major cardiovascular-renal diseases—330-334,400-468,592-594	27,760	2,423	2,255	2,571	2,362	2,290	2,302	2,089	2,186	2,065	2,222	2,325	2,670
Diseases of cardiovascular system—330-334,400-468	26,564	2,311	2,123	2,446	2,271	2,188	2,201	1,989	2,104	1,978	2,127	2,237	2,569
Vascular lesions affecting central nervous system—330-334	6,007	498	465	509	538	470	538	478	511	438	474	495	593
Rheumatic fever—400-402	76	6	7	4	7	5	6	3	7	8	8	4	11
Diseases of heart—410-443	18,752	1,674	1,513	1,752	1,587	1,544	1,503	1,376	1,451	1,434	1,509	1,590	1,819
Chronic rheumatic heart disease—410-416	480	50	36	50	36	43	37	33	31	31	42	44	47
Arteriosclerotic heart disease, including coronary disease—420	11,016	959	870	1,013	941	921	883	811	869	862	917	905	1,065
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,369	218	187	254	205	179	190	160	170	180	160	227	239
Other diseases of heart—430-434	2,021	183	171	167	172	163	179	144	149	149	162	172	210
Hypertension with heart disease—440-443	2,866	264	249	268	233	238	214	228	232	212	228	242	258
Hypertension without mention of heart—444-447	550	34	47	57	50	54	53	39	38	36	42	47	53
General arteriosclerosis—450	689	71	71	99	68	82	80	73	61	43	68	72	81
Other diseases of circulatory system—451-468	310	28	20	25	21	33	21	20	36	19	26	29	32
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,196	112	132	125	91	102	101	100	82	87	95	88	81
Influenza and pneumonia, except pneumonia of newborn—480-493	2,688	291	355	458	301	187	131	89	117	127	154	221	267
Influenza—480-483	546	51	88	178	95	25	12	6	6	12	17	24	32
Pneumonia, except pneumonia of newborn—490-493	2,152	240	267	280	206	162	119	83	111	115	137	197	235
Bronchitis—500-502	140	11	22	22	6	15	10	9	7	13	10	8	7
Ulcer of stomach and duodenum—540,541	224	23	20	23	19	23	17	13	15	16	22	15	18
Appendicitis—550-553	140	10	11	10	12	7	19	15	18	11	10	11	6
Hernia and intestinal obstruction—560,561,570	413	35	30	28	39	31	31	40	35	41	31	32	40
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	979	101	85	101	76	86	87	67	81	46	77	84	88
Cirrhosis of liver—581	490	48	31	41	48	37	37	41	37	46	45	39	40
Acute nephritis and nephritis with edema, including nephrosis—590,591	204	13	20	16	19	19	15	17	20	13	23	15	14
Hyperplasia of prostate—610	313	29	22	34	23	27	20	29	24	25	20	31	29
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	221	14	15	15	16	14	16	24	21	20	21	20	25
Abortion—650-652	31	4	2	1	6	1	2	4	1	4	2	1	3
All other complications—640-649,660-689	190	10	13	14	10	13	14	20	20	16	19	19	22
Congenital malformations—750-759	970	76	70	90	81	80	78	72	93	79	78	92	81
Certain diseases of early infancy—760-776	4,091	282	283	304	303	366	369	402	401	353	329	332	367
Birth injuries, postnatal asphyxia, and atelectasis—760-762	1,194	83	79	75	92	91	111	118	135	99	101	111	99
Infections of newborn—763-768	356	31	34	23	23	24	21	33	38	31	39	28	31
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	2,541	168	170	206	188	251	237	251	228	223	189	193	237
Symptoms, senility, and ill-defined conditions—780-795	1,544	167	153	179	111	105	107	114	132	107	99	140	130
All other diseases—Residual	3,184	282	264	304	252	295	262	243	244	246	265	243	284
Accidents—E800-E962	5,521	428	388	444	444	517	440	486	447	386	438	494	605
Motor-vehicle accidents—E810-E835	2,498	181	152	176	202	231	174	214	211	188	251	225	295
All other accidents—E800-E802,E840-E962	3,023	247	236	268	242	286	266	274	236	200	187	269	312
Suicide—E963,E970-E979	692	63	59	55	48	75	76	51	62	52	46	45	60
Homicide—E964,E980-E985	735	53	58	68	65	45	68	62	71	58	52	54	81
Injury resulting from operations of war-E965,E990-E999	3	1	1	-	-	-	-	-	-	1	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—ALL causes	4,974	433	420	458	436	433	419	409	373	402	413	398	380
Tuberculosis, all forms—001-019	54	6	4	3	4	5	4	6	6	2	4	6	4
Tuberculosis of respiratory system—001-008	51	6	3	3	4	5	4	6	5	2	4	6	3
Tuberculosis, other forms—010-019	3	-	1	-	-	-	-	-	1	-	-	-	1
Syphilis and its sequelae—020-029	26	4	2	2	1	4	1	1	3	3	3	1	1
Typhoid fever—040	1	-	-	-	-	-	-	-	-	1	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	2	-	-	-	-	1	-	-	-	-	-	-	1
Scarlet fever and streptococcal sore throat—050,051	2	1	-	-	1	-	-	-	-	-	-	-	-
Diphtheria—055	2	-	-	-	-	-	-	1	-	-	-	-	1
Whooping cough—056	3	-	-	-	-	2	-	-	1	-	-	-	-
Meningococcal infections—057	1	-	1	-	-	-	-	-	-	-	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	8	1	-	-	-	-	-	-	-	1	3	-	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	6	-	1	1	3	-	-	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	1	-	1	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	15	3	2	1	2	-	-	1	-	4	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	625	35	48	49	59	61	48	55	59	56	59	46	50
Malignant neoplasm of buccal cavity and pharynx—140-148	20	3	1	-	4	4	1	4	-	-	2	-	1
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	225	11	15	16	22	22	19	13	26	21	22	17	21
Malignant neoplasm of respiratory system—160-164	48	3	5	4	4	3	2	7	3	6	6	2	3
Malignant neoplasm of breast—170	55	3	7	7	6	2	8	4	3	3	1	8	3
Malignant neoplasm of genital organs—171-179	88	4	5	10	6	7	7	13	11	6	7	3	9
Malignant neoplasm of urinary organs—180,181	30	3	1	5	4	1	1	1	3	3	3	3	2
Malignant neoplasm of other and unspecified sites—156B,165,190-199	92	7	6	4	10	10	6	6	8	11	13	8	3
Leukemia and aleukemia—204	42	-	3	3	3	9	2	6	3	3	1	3	6
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	25	1	5	-	-	3	2	1	2	3	4	2	2
Benign neoplasms and neoplasms of unspecified nature—210-239	22	5	3	3	3	2	-	2	1	-	2	1	-
Diabetes mellitus—260	78	3	7	9	10	7	5	8	6	9	4	4	6
Anemias—280-293	10	1	-	1	3	1	1	-	-	1	1	1	-
Meningitis, except meningococcal and tuberculous-340	11	-	1	1	-	-	3	1	-	2	2	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,387	233	215	210	204	195	211	184	165	182	198	212	178
Diseases of cardiovascular system—330-334,400-468	2,321	224	211	202	197	186	204	181	162	180	193	206	175
Vascular lesions affecting central nervous system—330-334	438	38	41	27	37	36	48	36	29	41	39	35	31
Rheumatic fever—400-402	16	4	1	2	1	-	-	3	1	1	1	1	1
Diseases of heart—410-443	1,726	173	159	158	139	138	147	130	124	125	144	158	131
Chronic rheumatic heart disease—410-416	133	8	9	12	7	17	13	18	5	14	9	8	13
Arteriosclerotic heart disease, including coronary disease—420	972	98	85	84	83	63	77	70	82	72	84	106	68
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	296	37	35	33	21	34	31	17	15	16	18	16	23
Other diseases of heart—430-434	64	5	7	7	7	4	3	3	3	2	9	9	5
Hypertension with heart disease—440-443	261	25	23	22	21	20	23	22	19	21	24	19	22
Hypertension without mention of heart—444-447	33	-	5	3	6	3	2	3	1	3	1	3	3
General arteriosclerosis—450	77	8	5	8	10	6	4	7	6	8	7	3	5
Other diseases of circulatory system—451-468	31	1	-	4	4	3	3	2	1	2	1	6	4
Chronic and unspecified nephritis and other renal sclerosis—592-594	66	9	4	8	7	9	7	3	3	2	5	6	3
Influenza and pneumonia, except pneumonia of newborn—480-493	149	12	13	29	14	10	13	14	9	5	9	11	10
Influenza—480-483	18	1	2	6	3	2	1	1	1	-	1	-	-
Pneumonia, except pneumonia of newborn—490-493	131	11	11	23	11	8	12	13	8	5	8	11	10
Bronchitis—500-502	8	1	4	-	-	2	-	-	-	-	-	1	-
Ulcer of stomach and duodenum—540,541	35	6	-	4	4	6	2	2	2	3	2	2	-
Appendicitis—550-553	9	-	2	1	1	1	1	-	-	1	1	-	1
Hernia and intestinal obstruction—560,561,570	45	7	3	3	6	4	5	1	1	3	3	6	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	24	-	3	2	-	1	3	3	1	3	4	3	1
Cirrhosis of liver—581	23	1	4	1	2	3	4	-	3	2	2	-	1
Acute nephritis and nephritis with edema, including nephrosis—590,591	14	2	1	2	-	3	2	3	-	-	-	1	-
Hyperplasia of prostate—610	20	1	1	3	-	3	2	2	4	2	-	-	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	5	1	2	-	-	-	-	-	-	-	-	2	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	5	1	2	-	-	-	-	-	-	-	-	2	-
Congenital malformations—750-759	112	13	8	9	8	14	7	7	10	7	7	9	13
Certain diseases of early infancy—760-776	279	20	22	30	31	21	21	32	18	24	23	23	14
Birth injuries, postnatal asphyxia, and atelectasis—760-762	132	8	12	17	16	9	12	11	6	13	11	11	6
Infections of newborn—763-768	10	1	1	-	1	-	-	-	1	4	1	-	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	137	11	9	13	14	12	9	21	11	7	11	12	7
Symptoms, senility, and ill-defined conditions—780-795	180	10	23	18	25	17	14	10	16	17	8	11	11
All other diseases—Residual	257	26	23	25	19	19	17	22	21	19	23	16	27
Accidents—E800-E962	487	32	23	43	26	45	47	50	43	50	47	37	44
Motor-vehicle accidents—E810-E835	202	11	6	19	10	20	16	17	18	20	18	16	25
All other accidents—E800-E802,E840-E962	285	21	17	24	16	25	31	33	25	30	29	21	19
Suicide—E963,E970-E979	63	7	3	8	9	6	5	3	4	3	3	4	6
Homicide—E964,E980-E985	10	-	-	-	1	-	3	-	-	2	2	1	1
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT—All causes	4,167	373	359	382	358	382	329	341	284	322	341	355	341
Tuberculosis, all forms—001-019	71	8	7	7	7	6	3	2	7	6	4	6	8
Tuberculosis of respiratory system—001-008	65	7	6	7	5	6	3	2	6	6	4	5	8
Tuberculosis, other forms—010-019	6	1	1	-	2	-	-	-	1	-	-	1	-
Syphilis and its sequelae—020-029	14	-	1	3	1	1	4	1	1	-	1	-	2
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	1	-	-	-	1	-	-	-	-	-	-	-	-
Diphtheria—055	1	-	-	-	-	-	-	1	-	-	-	-	-
Whooping cough—056	4	-	1	-	1	-	-	-	1	-	-	-	1
Meningococcal infections—057	2	-	-	1	-	-	-	-	-	1	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	2	-	-	-	-	-	-	1	-	-	1	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	11	1	-	2	-	-	1	4	-	1	-	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	615	54	46	56	42	54	48	47	46	65	60	55	42
Malignant neoplasm of buccal cavity and pharynx—140-148	14	4	2	1	2	-	-	2	-	-	2	-	1
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	224	20	18	26	12	26	18	14	18	18	20	19	14
Malignant neoplasm of respiratory system—160-164	58	5	1	7	2	6	3	6	4	8	6	4	6
Malignant neoplasm of breast—170	56	4	3	5	5	3	8	3	4	7	5	3	6
Malignant neoplasm of genital organs—171-179	112	11	9	4	12	7	9	5	9	13	15	14	4
Malignant neoplasm of urinary organs—180,181	42	3	2	2	1	4	-	7	4	8	3	5	3
Malignant neoplasm of other and unspecified sites—156B,165,190-199	46	2	5	7	3	1	3	4	3	4	5	4	5
Leukemia and aleukemia—204	39	3	5	2	3	4	4	3	2	5	4	3	1
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	24	2	1	2	2	3	2	3	2	2	-	3	2
Benign neoplasms and neoplasms of unspecified nature—210-239	15	1	1	2	2	1	1	3	1	-	1	1	1
Diabetes mellitus—260	60	2	5	7	6	4	3	7	8	3	4	7	4
Anemias—290-293	19	2	4	2	-	1	1	4	1	1	-	1	2
Meningitis, except meningococcal and tuberculous-340	6	-	-	1	2	-	1	1	-	-	-	1	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,342	215	202	210	227	218	192	176	151	173	195	181	202
Diseases of cardiovascular system—330-334,400-468	2,292	212	198	205	221	214	185	170	147	172	192	179	197
Vascular lesions affecting central nervous system—330-334	536	46	44	53	48	55	47	40	38	44	45	35	41
Rheumatic fever—400-402	2	-	1	-	-	-	-	-	-	1	-	-	-
Diseases of heart—410-443	1,551	144	134	130	157	142	124	115	93	115	127	126	144
Chronic rheumatic heart disease—410-416	42	5	7	1	4	3	2	2	3	4	7	2	2
Arteriosclerotic heart disease, including coronary disease—420	1,050	91	89	90	115	97	81	75	63	78	78	96	97
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	250	29	21	19	19	23	23	18	13	18	20	17	30
Other diseases of heart—430-434	39	1	4	2	3	3	3	4	3	4	6	4	2
Hypertension with heart disease—440-443	170	18	13	18	16	16	15	16	11	11	16	7	13
Hypertension without mention of heart—444-447	46	6	-	4	4	6	7	2	4	5	2	5	1
General arteriosclerosis—450	140	14	17	18	11	9	6	11	10	6	17	12	11
Other diseases of circulatory system—451-468	17	2	2	2	1	2	1	2	2	1	1	1	-
Chronic and unspecified nephritis and other renal sclerosis—592-594	50	3	4	5	6	4	7	6	4	1	3	2	5
Influenza and pneumonia, except pneumonia of newborn—480-493	137	14	19	18	9	18	8	6	3	10	10	11	11
Influenza—480-483	11	1	4	2	-	2	-	1	-	-	-	1	-
Pneumonia, except pneumonia of newborn—490-493	126	13	15	16	9	16	8	5	3	10	10	10	11
Bronchitis—500-502	9	1	2	2	-	-	2	1	1	-	-	-	-
Ulcer of stomach and duodenum—540,541	22	2	1	3	1	4	1	2	-	2	3	1	2
Appendicitis—550-553	11	1	1	-	1	1	2	1	1	-	-	2	1
Hernia and intestinal obstruction—560,561,570	26	3	2	3	2	1	1	3	1	2	4	-	4
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	14	2	1	1	-	2	-	3	1	2	-	2	-
Cirrhosis of liver—581	32	4	3	6	2	1	3	2	1	2	3	3	2
Acute nephritis and nephritis with edema, including nephrosis—590,591	7	-	-	-	-	1	-	1	3	-	-	2	-
Hyperplasia of prostate—610	27	2	2	4	4	1	2	4	1	1	2	1	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	9	1	1	-	1	-	-	-	1	1	2	1	1
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	9	1	1	-	1	-	-	-	1	1	2	1	1
Congenital malformations—750-759	53	5	3	7	7	4	8	6	8	3	2	2	3
Certain diseases of early infancy—760-776	108	7	14	10	7	11	10	5	5	8	5	16	10
Birth injuries, postnatal asphyxia, and atelectasis—760-762	47	3	6	3	8	4	4	1	4	1	3	7	5
Infections of newborn—763-768	6	1	1	1	-	-	-	-	-	1	1	-	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	55	3	7	6	1	7	6	4	1	6	1	9	4
Symptoms, senility, and ill-defined conditions—780-795	44	5	7	2	2	3	1	3	4	5	1	3	3
All other diseases—Residual	180	20	18	16	14	24	12	10	12	15	13	13	13
Accidents—E800-E962	266	18	16	12	16	24	20	32	23	18	26	37	24
Motor-vehicle accidents—E810-E835	82	9	4	4	6	5	5	5	5	3	9	14	13
All other accidents—E800-E802,E840-E962	184	9	12	8	10	19	15	27	18	15	17	23	11
Suicide—E963,E970-E979	52	5	2	7	2	3	5	9	3	3	4	7	2
Homicide—E964,E980-E985	2	-	-	-	1	-	-	1	-	-	-	-	-
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—All causes	29,708	2,509	2,394	3,135	2,553	2,365	2,389	2,509	2,308	2,193	2,347	2,326	2,680
Tuberculosis, all forms—001-019	917	73	70	98	70	86	100	65	92	64	61	63	75
Tuberculosis of respiratory system—001-008	836	65	65	93	61	76	91	59	84	58	55	58	71
Tuberculosis, other forms—010-019	81	8	5	5	9	10	9	6	8	6	6	5	4
Syphilis and its sequelae—020-029	187	21	10	16	22	18	20	10	15	11	14	17	13
Typhoid fever—040	4	-	1	-	-	-	-	1	1	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	16	1	1	-	-	2	3	1	3	3	1	1	-
Scarlet fever and streptococcal sore throat—050,051	10	-	1	-	2	1	-	3	1	-	1	1	-
Diphtheria—055	12	1	1	-	3	-	1	-	-	-	1	2	3
Whooping cough—056	48	1	1	6	2	6	7	6	8	4	1	3	3
Meningococcal infections—057	41	3	9	7	2	3	3	2	1	3	3	2	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	63	-	-	-	1	-	-	16	17	15	9	3	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	7	-	-	2	1	-	1	1	-	-	1	-	1
Typhus and other rickettsial diseases—100-108	3	-	-	-	-	-	1	1	1	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	74	6	8	8	7	3	6	8	7	3	6	5	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,387	279	263	311	275	244	276	267	324	275	285	278	310
Malignant neoplasm of buccal cavity and pharynx—140-148	84	7	7	8	9	2	11	6	5	8	3	12	6
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,196	102	90	122	101	97	100	77	106	99	102	101	99
Malignant neoplasm of respiratory system—160-164	363	32	29	27	20	18	22	42	50	26	45	30	23
Malignant neoplasm of breast—170	294	18	22	23	25	21	35	22	21	22	17	30	38
Malignant neoplasm of genital organs—171-179	621	55	58	50	60	46	44	49	56	50	55	43	55
Malignant neoplasm of urinary organs—180,181	137	12	8	10	11	12	13	15	18	11	7	7	13
Malignant neoplasm of other and unspecified sites—156B,165,190-199	406	31	26	41	28	32	28	38	44	36	34	34	36
Leukemia and aleukemia—204	156	17	9	18	10	7	15	10	13	13	12	10	22
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	130	5	14	12	11	9	10	8	11	11	10	11	18
Benign neoplasms and neoplasms of unspecified nature—210-239	102	10	12	11	2	8	8	7	12	8	8	10	6
Diabetes mellitus—260	365	28	18	45	26	33	24	34	33	32	37	20	35
Anemias—280-285	72	7	9	8	5	5	4	8	6	3	6	4	7
Meningitis, except meningococcal and tuberculous-340	39	9	3	7	6	1	3	4	2	-	1	1	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	15,387	1,265	1,257	1,658	1,397	1,300	1,225	1,185	1,074	1,106	1,204	1,208	1,508
Diseases of cardiovascular system—330-334,400-468	14,749	1,201	1,204	1,579	1,342	1,241	1,161	1,138	1,035	1,058	1,152	1,172	1,446
Vascular lesions affecting central nervous system—330-334	3,685	325	279	392	311	291	300	295	274	269	273	285	391
Rheumatic fever—400-402	39	2	4	5	3	1	4	5	4	3	4	2	2
Diseases of heart—410-443	9,900	785	839	1,054	938	866	771	751	679	707	784	794	932
Chronic rheumatic heart disease—410-416	358	33	28	40	36	30	27	28	18	19	27	36	36
Arteriosclerotic heart disease, including coronary disease—420	5,200	397	419	507	461	458	392	416	353	412	451	426	508
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,815	159	172	219	179	153	134	116	126	119	119	145	174
Other diseases of heart—430-434	497	34	47	64	53	36	39	34	38	30	39	35	49
Hypertension with heart disease—440-443	2,030	162	173	224	209	189	179	157	144	127	149	152	165
Hypertension without mention of heart—444-447	302	23	26	31	23	33	34	22	25	8	25	20	32
General arteriosclerosis—450	655	48	45	85	53	39	54	51	41	53	56	58	74
Other diseases of circulatory system—451-468	168	18	11	12	14	11	18	14	12	18	10	15	15
Chronic and unspecified nephritis and other renal sclerosis—592-594	638	64	53	79	55	59	44	47	39	48	52	36	62
Influenza and pneumonia, except pneumonia of newborn—480-493	1,252	141	164	270	133	71	56	40	41	51	75	71	139
Influenza—480-483	282	22	57	106	41	15	4	4	3	5	1	7	17
Pneumonia, except pneumonia of newborn—490-493	970	119	107	164	92	56	52	36	38	46	74	64	122
Bronchitis—500-502	62	7	9	10	9	5	3	2	3	-	4	4	6
Ulcer of stomach and duodenum—540,541	147	12	9	22	11	6	9	16	13	12	12	12	13
Appendicitis—550-553	70	8	4	3	5	4	8	8	5	11	3	5	6
Hernia and intestinal obstruction—560,561,570	185	19	20	7	11	18	14	20	17	13	14	18	14
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	179	14	15	17	9	10	14	16	20	17	22	16	9
Cirrhosis of liver—581	191	15	9	12	13	11	15	25	18	11	21	21	20
Acute nephritis and nephritis with edema, including nephrosis—590,591	102	15	10	12	9	7	10	6	10	5	6	5	5
Hyperplasia of prostate—610	108	13	12	10	11	8	10	4	3	8	11	8	10
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	82	7	9	9	5	5	7	9	7	7	6	4	7
Abortion—650-652	11	2	-	1	2	-	1	-	1	1	-	2	1
All other complications—640-649,660-689	71	5	9	8	3	5	6	9	6	6	6	2	6
Congenital malformations—750-759	392	32	34	30	35	28	29	30	33	31	42	32	36
Certain diseases of early infancy—760-776	1,892	138	116	148	122	146	152	155	146	152	117	157	143
Birth injuries, postnatal asphyxia, and atelectasis—760-762	834	45	44	61	44	49	55	58	66	50	44	67	51
Infections of newborn—763-768	124	8	14	8	12	9	11	14	10	9	9	13	7
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	934	85	58	79	66	88	86	83	70	93	64	77	85
Symptoms, senility, and ill-defined conditions—780-795	440	37	43	43	28	39	29	37	30	33	34	34	53
All other diseases—Residual	1,320	115	90	129	117	107	107	99	110	104	106	96	140
Accidents—E800-E962	2,085	179	131	170	165	145	180	165	184	152	188	178	248
Motor-vehicle accidents—E810-E835	857	79	51	62	72	57	55	62	88	69	92	69	101
All other accidents—E800-E802,E840-E962	1,228	100	80	108	93	88	125	103	96	83	96	109	147
Suicide—E963,E970-E979	365	33	28	38	28	29	30	32	37	28	26	26	32
Homicide—E964,E980-E985	301	20	26	28	23	16	34	26	34	31	19	21	23
Injury resulting from operations of war-E965,E990-E999	1	-	1	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON—All causes	22,486	2,115	1,797	2,049	1,935	1,890	1,804	1,708	1,763	1,693	1,920	1,844	1,968
Tuberculosis, all forms—001-019	355	22	30	31	27	39	41	20	30	28	24	25	39
Tuberculosis of respiratory system—001-008	320	19	26	26	27	36	35	17	28	26	20	24	36
Tuberculosis, other forms—010-019	35	3	4	5	-	2	6	3	2	2	4	1	3
Syphilis and its sequelae—020-029	81	10	12	6	9	8	8	4	12	3	5	8	6
Typhoid fever—040	1	-	-	-	-	1	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	9	-	4	-	-	-	2	1	1	1	-	-	-
Scarlet fever and streptococcal sore throat—050,051	1	-	-	-	-	-	-	-	-	-	-	-	1
Diphtheria—055	2	1	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—056	5	-	-	-	1	1	-	-	-	2	-	-	1
Meningococcal infections—057	10	1	2	1	1	1	-	1	-	-	3	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	30	-	-	1	-	-	-	3	3	8	10	2	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	3	-	-	-	-	1	-	-	-	-	1	1	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	45	2	4	6	3	3	3	1	3	9	6	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,282	264	247	286	260	264	278	266	280	267	286	289	313
Malignant neoplasm of buccal cavity and pharynx—140-148	71	5	8	4	2	10	5	3	3	6	8	11	6
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,297	100	87	100	112	107	109	95	115	109	124	116	123
Malignant neoplasm of respiratory system—160-164	293	17	21	30	19	23	28	29	37	20	22	18	29
Malignant neoplasm of breast—170	265	30	27	24	12	27	20	21	23	20	16	19	26
Malignant neoplasm of genital organs—171-179	570	43	42	44	47	42	48	51	41	45	61	49	58
Malignant neoplasm of urinary organs—180,181	158	16	14	12	11	10	12	16	11	17	7	19	13
Malignant neoplasm of other and unspecified sites—156B,165,190-199	326	31	20	26	31	21	26	27	31	28	24	31	30
Leukemia and aleukemia—204	152	9	13	12	13	13	13	15	8	11	16	13	16
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	150	13	15	14	13	11	17	9	11	11	10	14	12
Benign neoplasms and neoplasms of unspecified nature—210-239	71	2	7	6	5	9	5	5	7	6	5	8	6
Diabetes mellitus—260	339	34	24	31	26	22	30	28	27	25	27	36	29
Anemias—290-293	58	3	3	8	5	3	7	5	1	1	10	5	7
Meningitis, except meningococcal and tuberculous—340	36	1	5	2	1	4	3	4	3	3	1	6	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	11,965	1,188	989	1,111	1,058	1,035	928	906	923	859	954	970	1,044
Diseases of cardiovascular system—330-334,400-468	11,722	1,151	965	1,089	1,032	1,020	908	891	906	848	942	951	1,019
Vascular lesions affecting central nervous system—330-334	2,642	248	207	244	248	232	188	195	210	208	222	206	234
Rheumatic fever—400-402	29	2	2	6	5	1	6	1	-	1	2	3	-
Diseases of heart—410-443	8,168	835	678	743	694	705	651	626	624	580	662	659	711
Chronic rheumatic heart disease—410-416	300	26	28	32	28	22	31	27	16	17	25	24	24
Arteriosclerotic heart disease, including coronary disease—420	5,322	557	443	451	451	452	398	393	428	393	419	458	479
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	981	100	84	88	90	96	81	80	71	61	89	58	83
Other diseases of heart—430-434	500	38	46	54	37	43	44	45	40	37	42	33	41
Hypertension with heart disease—440-443	1,065	114	77	118	88	92	97	81	69	72	87	86	84
Hypertension without mention of heart—444-447	191	10	17	20	17	23	13	19	22	7	10	15	18
General arteriosclerosis—450	542	40	50	60	51	49	40	44	40	41	34	52	41
Other diseases of circulatory system—451-468	150	16	11	16	17	10	10	6	10	11	12	16	15
Chronic and unspecified nephritis and other renal sclerosis—592-594	243	37	24	22	26	15	20	15	17	11	12	19	25
Influenza and pneumonia, except pneumonia of newborn—480-493	657	100	63	81	75	48	48	34	31	24	46	56	51
Influenza—480-483	60	9	5	9	9	6	4	3	3	2	2	5	3
Pneumonia, except pneumonia of newborn—490-493	597	91	58	72	66	42	44	31	28	22	44	51	48
Bronchitis—500-502	37	5	1	6	5	3	3	1	4	1	3	3	2
Ulcer of stomach and duodenum—540,541	129	18	6	14	11	11	7	5	7	13	5	21	11
Appendicitis—550-553	33	3	1	4	1	3	2	1	3	3	4	5	3
Hernia and intestinal obstruction—560,561,570	126	15	3	14	14	8	9	10	9	8	15	14	7
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	74	4	15	3	7	4	5	7	3	5	11	5	5
Cirrhosis of liver—581	176	20	16	18	11	18	19	12	12	9	16	11	14
Acute nephritis and nephritis with edema, including nephrosis—590,591	40	4	4	5	6	5	1	3	2	2	4	4	-
Hyperplasia of prostate—610	107	9	10	12	8	11	9	4	10	10	8	12	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	24	6	2	1	2	1	4	1	-	2	2	1	2
Abortion—650-652	5	2	-	-	-	1	1	-	-	1	-	-	-
All other complications—640-649,660-689	19	4	2	1	2	-	3	1	-	1	2	1	2
Congenital malformations—750-759	281	19	19	22	31	21	26	16	26	20	27	25	29
Certain diseases of early infancy—760-776	936	73	77	86	75	82	90	69	80	87	84	61	72
Birth injuries, postnatal asphyxia, and atelectasis—760-762	460	40	32	40	45	30	44	31	43	47	47	26	35
Infections of newborn—763-768	34	2	7	1	-	9	1	2	2	3	1	5	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	442	31	38	45	30	43	45	36	35	37	36	30	36
Symptoms, senility, and ill-defined conditions—780-795	339	35	33	35	29	17	23	24	20	27	32	35	29
All other diseases—Residual	1,057	101	94	98	98	93	81	70	79	73	95	75	100
Accidents—E800-E962	1,673	128	88	132	129	138	137	163	149	157	184	127	141
Motor-vehicle accidents—E810-E835	548	27	9	41	36	41	41	59	54	57	80	54	49
All other accidents—E800-E802,E840-E962	1,125	101	79	91	93	97	96	104	95	100	104	73	92
Suicide—E963,E970-E979	428	39	35	43	31	32	30	38	36	36	36	33	39
Homicide—E964,E980-E985	64	7	3	6	6	5	5	6	2	3	14	3	4
Injury resulting from operations of war—E965,E990-E999	2	1	-	-	-	-	-	-	-	1	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WEST VIRGINIA—All causes	17,428	1,514	1,382	1,712	1,655	1,483	1,301	1,380	1,308	1,288	1,476	1,444	1,507
Tuberculosis, all forms—001-019	424	31	48	46	37	31	36	23	29	36	37	37	33
Tuberculosis of respiratory system—001-008	378	28	41	40	33	30	34	20	22	30	37	32	31
Tuberculosis, other forms—010-019	46	3	7	6	4	1	2	3	7	6	-	5	2
Syphilis and its sequelae—020-029	108	7	15	8	8	4	7	14	7	8	12	10	10
Typhoid fever—040	2	-	-	-	-	-	-	-	1	-	-	1	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-049	8	-	2	-	1	-	1	-	2	-	2	-	-
Scarlet fever and streptococcal sore throat—050,051	7	-	-	1	4	1	-	-	-	-	-	-	1
Diphtheria—055	12	1	4	1	1	-	-	-	-	-	1	3	1
Whooping cough—056	48	2	5	5	4	7	-	6	5	4	2	4	4
Meningococcal infections—057	32	3	2	8	2	3	2	2	2	1	2	4	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	24	1	-	1	-	-	1	2	6	4	8	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	19	3	2	3	3	5	3	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	2	-	-	-	-	-	1	1	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	58	11	4	5	3	7	8	5	3	1	4	3	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,187	202	154	178	189	188	178	175	180	175	214	162	192
Malignant neoplasm of buccal cavity and pharynx—140-148	39	4	2	4	3	4	2	4	2	4	4	3	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	812	80	55	63	74	66	73	71	65	64	71	57	73
Malignant neoplasm of respiratory system—160-164	219	16	14	19	19	22	12	22	23	16	20	18	18
Malignant neoplasm of breast—170	172	13	10	12	16	14	17	8	18	22	16	11	15
Malignant neoplasm of genital organs—171-179	418	44	35	35	35	40	28	32	28	34	40	32	35
Malignant neoplasm of urinary organs—180,181	98	8	5	4	9	8	10	8	10	10	13	2	11
Malignant neoplasm of other and unspecified sites—156B,165,190-199	248	17	17	26	17	20	20	24	20	15	30	19	21
Leukemia and aleukemia—204	96	10	4	9	7	7	11	1	9	3	13	10	12
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	87	10	12	6	9	7	5	5	5	7	7	10	4
Benign neoplasms and neoplasms of unspecified nature—210-239	59	3	10	6	7	2	6	6	2	5	4	3	5
Diabetes mellitus—260	244	28	23	33	19	24	15	16	19	16	15	18	18
Anemias—290-293	52	4	4	6	8	5	6	3	4	2	4	1	5
Meningitis, except meningococcal and tuberculous-340	25	4	4	4	1	-	-	7	1	-	1	-	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	8,330	716	676	831	796	739	605	654	606	598	681	713	725
Diseases of cardiovascular system—330-334,400-468	7,974	683	651	793	760	715	578	629	576	564	640	692	691
Vascular lesions affecting central nervous system—330-334	1,921	157	162	179	175	163	170	145	139	138	156	166	171
Rheumatic fever—400-402	46	6	7	5	7	1	3	3	1	4	5	3	1
Diseases of heart—410-443	5,483	481	440	558	530	506	363	441	393	393	432	481	465
Chronic rheumatic heart disease—410-416	213	28	16	23	14	18	10	14	21	16	17	22	14
Arteriosclerotic heart disease, including coronary disease—420	2,939	253	228	278	275	282	193	236	199	224	238	285	248
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,012	76	82	105	110	95	73	87	92	51	75	68	98
Other diseases of heart—430-434	379	43	29	39	35	34	23	29	23	32	31	30	31
Hypertension with heart disease—440-443	940	81	85	113	98	77	64	75	58	70	71	76	74
Hypertension without mention of heart—444-447	161	9	12	11	10	14	18	13	15	11	16	16	16
General arteriosclerosis—450	277	24	22	31	28	24	21	22	21	14	23	17	30
Other diseases of circulatory system—451-468	86	6	8	9	10	7	3	5	9	4	8	9	8
Chronic and unspecified nephritis and other renal sclerosis—592-594	356	33	25	38	36	24	27	25	28	24	41	21	34
Influenza and pneumonia, except pneumonia of newborn—480-493	776	74	69	122	105	61	40	26	28	49	48	72	82
Influenza—480-483	163	9	16	47	37	14	6	3	3	6	4	9	9
Pneumonia, except pneumonia of newborn—490-493	613	65	53	75	68	47	34	23	25	43	44	63	73
Bronchitis—500-502	37	4	3	3	5	7	3	1	-	1	2	6	2
Ulcer of stomach and duodenum—540,541	69	4	4	6	7	9	7	3	3	7	7	7	5
Appendicitis—550-553	37	6	4	2	1	3	4	2	3	4	2	4	2
Hernia and intestinal obstruction—560,561,570	85	7	5	9	6	5	5	12	8	4	6	11	9
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	148	7	6	6	8	7	5	17	22	28	21	13	8
Cirrhosis of liver—581	141	13	8	15	18	5	9	10	15	17	13	9	9
Acute nephritis and nephritis with edema, including nephrosis—590,591	54	6	5	2	6	4	2	5	3	5	5	5	6
Hyperplasia of prostate—610	77	5	4	4	5	15	5	5	5	8	8	5	10
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	46	1	2	4	3	7	1	9	4	2	7	5	1
Abortion—650-652	3	-	-	2	-	-	-	-	-	-	1	-	-
All other complications—640-649,660-689	43	1	2	2	3	7	1	9	4	2	6	5	1
Congenital malformations—750-759	301	26	28	30	34	27	27	16	20	22	23	26	22
Certain diseases of early infancy—760-776	993	105	99	86	71	74	74	70	89	71	93	76	85
Birth injuries, postnatal asphyxia, and atelectasis—760-762	385	34	40	34	32	30	27	17	33	32	34	29	43
Infections of newborn—763-768	64	4	7	3	2	7	4	5	10	5	5	7	5
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	544	67	52	49	37	37	43	48	46	34	54	40	37
Symptoms, senility, and ill-defined conditions—780-795	508	40	38	57	60	40	32	44	33	41	43	42	38
All other diseases—Residual	839	84	67	93	88	67	51	59	66	61	69	58	76
Accidents—E800-E962	1,349	94	71	106	111	108	145	128	121	101	117	125	124
Motor-vehicle accidents—E810-E835	422	29	29	28	42	25	35	44	41	32	43	40	36
All other accidents—E800-E802,E840-E962	927	65	42	80	69	81	110	84	80	69	74	85	88
Suicide—E963,E970-E979	206	12	15	22	28	19	13	25	15	18	14	12	13
Homicide—E964,E980-E985	121	10	3	9	16	13	9	14	6	9	11	8	13
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN—All causes	33,778	3,077	2,633	3,104	3,034	2,895	2,868	2,726	2,615	2,611	2,688	2,764	2,963
Tuberculosis, all forms—001-019	350	31	31	29	32	34	36	35	27	28	19	20	28
Tuberculosis of respiratory system—001-008	314	24	29	25	28	30	33	33	25	25	19	20	25
Tuberculosis, other forms—010-019	36	7	2	4	4	4	3	2	4	3	-	-	3
Syphilis and its sequelae—020-029	98	8	8	6	13	9	6	12	10	7	7	4	8
Typhoid fever—040	1	-	-	-	-	-	1	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	4	-	-	-	2	-	-	1	-	-	-	1	-
Scarlet fever and streptococcal sore throat—050,051	11	1	1	-	1	3	-	-	1	1	2	1	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	14	1	-	3	2	2	-	-	-	2	2	1	1
Meningococcal infections—057	25	2	3	4	3	3	1	-	-	1	2	2	4
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	55	2	-	-	-	-	-	3	18	15	14	2	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	6	-	-	-	-	2	1	-	1	1	-	-	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	1	-	-	-	-	-	-	1	-	-	-	-	-
All other infective and parasitic diseases-Residual	70	8	4	9	9	5	6	7	3	4	5	2	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	5,301	444	400	420	426	428	414	469	490	424	453	444	499
Malignant neoplasm of buccal cavity and pharynx—140-148	98	7	10	8	7	9	6	6	11	8	7	10	11
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,289	189	184	181	215	181	180	198	202	178	192	205	184
Malignant neoplasm of respiratory system—160-164	412	39	30	29	31	26	36	41	37	30	38	30	45
Malignant neoplasm of breast—170	508	30	34	30	33	38	52	42	54	48	45	38	57
Malignant neoplasm of genital organs—171-179	834	78	58	77	60	71	55	68	76	62	84	70	95
Malignant neoplasm of urinary organs—180,181	259	23	24	19	19	18	20	23	30	26	20	13	24
Malignant neoplasm of other and unspecified sites—156B,165,190-199	501	38	33	36	37	41	41	54	41	48	46	44	42
Leukemia and aleukemia—204	229	23	13	17	12	27	14	26	19	18	19	23	18
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	170	17	14	17	12	17	10	11	20	6	22	11	13
Benign neoplasms and neoplasms of unspecified nature—210-239	96	7	10	6	3	15	10	10	5	9	9	4	8
Diabetes mellitus—260	671	58	40	54	49	75	61	44	49	56	43	62	68
Anemias—290-293	118	11	8	8	17	11	16	4	6	7	8	8	16
Meningitis, except meningococcal and tuberculous—340	41	3	3	6	1	5	3	1	2	5	3	5	4
Major cardiovascular-renal diseases—330-334,400-468,592-594	19,025	1,783	1,536	1,799	1,744	1,655	1,492	1,468	1,350	1,418	1,486	1,600	1,692
Diseases of cardiovascular system—330-334,400-468	18,529	1,731	1,499	1,750	1,700	1,617	1,454	1,430	1,318	1,389	1,454	1,565	1,642
Vascular lesions affecting central nervous system—330-334	4,087	380	336	393	385	349	283	309	294	324	324	353	357
Rheumatic fever—400-402	39	3	5	1	5	4	6	4	1	1	1	5	3
Diseases of heart—410-443	13,103	1,217	1,053	1,237	1,202	1,153	1,048	1,021	948	941	1,025	1,102	1,156
Chronic rheumatic heart disease—410-416	491	46	41	43	38	43	38	34	41	38	45	40	44
Arteriosclerotic heart disease, including coronary disease—420	8,102	757	620	738	759	723	621	640	600	589	600	701	748
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,627	254	226	270	231	229	228	190	165	176	218	212	228
Other diseases of heart—430-434	352	30	30	33	40	21	30	29	21	27	32	25	34
Hypertension with heart disease—440-443	1,551	130	136	153	134	137	131	128	121	111	124	124	102
Hypertension without mention of heart—444-447	256	27	35	33	14	20	25	16	16	16	16	18	20
General arteriosclerosis—450	872	87	56	73	81	78	79	64	52	72	69	70	91
Other diseases of circulatory system—451-468	172	17	14	13	13	15	13	16	7	15	19	17	15
Chronic and unspecified nephritis and other renal sclerosis—592-594	494	52	37	49	44	38	38	38	32	49	32	35	50
Influenza and pneumonia, except pneumonia of newborn—480-493	857	114	72	134	113	74	43	36	32	45	49	52	93
Influenza—480-483	133	16	7	36	26	18	5	1	2	4	5	4	9
Pneumonia, except pneumonia of newborn—490-493	724	98	65	98	87	56	38	35	30	41	44	48	84
Bronchitis—500-502	60	10	7	6	5	6	2	3	2	2	5	7	5
Ulcer of stomach and duodenum—540,541	160	13	11	12	16	13	12	13	9	17	7	19	16
Appendicitis—550-553	73	5	3	8	7	6	5	9	7	5	8	5	5
Hernia and intestinal obstruction—560,561,570	207	20	23	23	23	20	11	18	18	11	19	11	10
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	122	8	14	12	10	12	9	11	10	14	8	7	7
Cirrhosis of liver—581	256	22	17	19	20	21	17	19	26	22	27	23	23
Acute nephritis and nephritis with edema, including nephrosis—590,591	44	8	3	3	6	3	4	5	2	3	2	2	3
Hyperplasia of prostate—610	181	12	14	15	25	16	16	17	11	11	17	14	13
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	36	4	2	1	4	4	1	9	3	1	2	3	2
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	36	4	2	1	4	4	1	9	3	1	2	3	2
Congenital malformations—750-759	465	39	35	41	45	35	45	44	39	24	33	45	40
Certain diseases of early infancy—760-776	1,326	105	104	111	117	101	109	133	116	114	111	103	102
Birth injuries, postnatal asphyxia, and atelectasis—760-762	536	36	39	42	51	36	35	51	48	56	51	44	47
Infections of newborn—763-768	75	3	6	5	10	10	5	8	5	11	4	5	3
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	715	66	59	64	56	55	69	74	63	47	56	54	52
Symptoms, senility, and ill-defined conditions—780-795	290	37	22	33	32	27	14	26	19	18	18	21	23
All other diseases—Residual	1,319	117	111	128	118	115	100	111	102	96	114	99	108
Accidents—E800-E962	2,032	160	116	169	148	153	189	182	219	213	171	157	155
Motor-vehicle accidents—E810-E835	806	56	44	60	59	64	49	71	106	94	76	71	56
All other accidents—E800-E802,E840-E962	1,226	104	72	109	89	89	140	111	113	119	95	86	99
Suicide—E963,E970-E979	426	30	33	41	34	41	40	32	35	34	41	36	29
Homicide—E964,E980-E985	39	4	2	4	7	1	4	3	3	1	3	6	1
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 55. Deaths From 64 Selected Causes, by Month: United States and Each State, 1950—Continued

(See headnote on p. 196)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—All causes	2,336	205	172	233	183	193	191	173	189	182	225	187	203
Tuberculosis, all forms—001-019	18	1	3	3	1	1	1	2	3	1	1	-	1
Tuberculosis of respiratory system—001-008	16	1	2	3	1	1	1	2	3	-	1	-	1
Tuberculosis, other forms—010-019	2	-	1	-	-	-	-	-	-	1	-	-	-
Syphilis and its sequelae—020-029	11	-	2	1	2	1	-	1	-	-	3	-	1
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat-050,051	3	-	-	2	-	-	-	-	-	-	1	-	-
Diphtheria—055	1	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	1	-	-	-	-	-	-	-	-	1	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	7	1	-	-	1	-	1	1	1	1	-	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	1	-	-	-	-	-	-	-	-	-	-	-	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	5	-	-	1	-	-	-	-	1	1	-	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	291	29	24	28	24	25	21	17	27	19	29	27	23
Malignant neoplasm of buccal cavity and pharynx—140-148	8	-	2	-	-	-	1	-	1	1	-	3	-
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	101	7	5	9	8	13	8	4	13	4	11	10	9
Malignant neoplasm of respiratory system—160-164	35	3	4	4	5	1	5	4	2	3	2	1	1
Malignant neoplasm of breast—170	17	1	2	1	-	1	-	-	4	1	2	2	3
Malignant neoplasm of genital organs—171-179	58	6	4	6	5	6	4	3	4	1	5	6	6
Malignant neoplasm of urinary organs—180,181	14	2	1	1	1	-	-	1	1	2	3	1	1
Malignant neoplasm of other and unspecified sites—156B,185,190-199	34	7	4	5	-	-	2	2	-	5	5	2	2
Leukemia and aleukemia—204	15	1	2	-	4	2	-	1	2	-	-	2	1
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	11	2	-	-	1	2	1	2	-	2	1	-	-
Benign neoplasms and neoplasms of unspecified nature—210-239	11	4	-	-	-	-	1	-	3	1	1	1	-
Diabetes mellitus—260	35	3	2	4	2	3	3	2	3	3	3	1	4
Anemias—290-293	9	-	1	-	-	1	1	1	-	4	-	1	-
Meningitis, except meningococcal and tuberculous-340	3	-	-	1	-	-	-	-	-	1	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	1,038	100	78	110	76	91	90	65	76	80	94	82	96
Diseases of cardiovascular system—330-334,400-468	1,006	96	77	108	73	88	85	62	74	76	92	80	95
Vascular lesions affecting central nervous system—330-334	206	15	20	19	17	22	16	14	14	20	18	17	16
Rheumatic fever—400-402	7	2	-	1	-	1	1	-	1	-	1	-	-
Diseases of heart—410-443	736	75	54	78	49	61	63	45	56	53	68	59	75
Chronic rheumatic heart disease—410-416	42	4	4	2	4	3	2	4	5	2	2	5	5
Arteriosclerotic heart disease, including coronary disease—420	394	45	27	44	24	26	35	28	25	26	43	34	37
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	176	14	15	20	13	18	12	2	18	18	13	12	21
Other diseases of heart—430-434	43	2	3	6	3	6	4	5	3	2	4	1	4
Hypertension with heart disease—440-443	81	10	5	6	5	8	10	8	5	5	6	7	8
Hypertension without mention of heart—444-447	16	2	1	-	1	1	2	1	2	2	2	-	2
General arteriosclerosis—450	34	3	2	5	5	3	3	2	1	1	3	4	2
Other diseases of circulatory system—451-468	7	1	-	5	1	-	-	-	-	-	-	-	-
Chronic and unspecified nephritis and other renal sclerosis—592-594	32	4	1	2	3	3	5	3	2	4	2	2	1
Influenza and pneumonia, except pneumonia of newborn—480-493	96	7	15	17	7	8	6	4	2	5	13	6	6
Influenza—480-485	17	1	1	7	2	2	1	-	-	1	1	1	-
Pneumonia, except pneumonia of newborn—490-493	79	6	14	10	5	6	5	4	2	4	12	5	6
Bronchitis—500-502	2	1	-	1	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum—540,541	21	2	1	2	4	-	1	3	2	2	3	1	-
Appendicitis—550-553	5	-	1	-	-	-	1	1	1	-	-	1	-
Hernia and intestinal obstruction—560,561,570	27	2	1	2	1	2	4	2	2	1	5	1	4
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	18	1	1	1	-	1	1	-	1	8	2	-	2
Cirrhosis of liver—581	21	1	2	-	2	4	3	1	1	-	4	3	-
Acute nephritis and nephritis with edema, including nephrosis—580,591	4	2	-	1	1	-	-	-	-	-	-	-	-
Hyperplasia of prostate—610	9	-	-	-	2	-	1	2	-	-	3	1	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	9	1	-	1	-	-	1	1	1	-	-	2	2
Abortion—650-652	3	-	-	-	-	-	-	-	-	-	-	1	2
All other complications—640-649,660-689	6	1	-	1	-	-	1	1	1	-	-	1	-
Congenital malformations—750-759	34	5	3	3	3	2	3	2	1	4	2	1	5
Certain diseases of early infancy—760-776	153	9	13	15	13	14	13	15	15	10	10	14	12
Birth injuries, postnatal asphyxia, and atelectasis—760-762	55	3	6	6	5	5	7	3	8	-	3	5	4
Infections of newborn—763-768	6	-	1	-	1	1	1	1	-	-	-	-	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	92	6	6	9	7	8	5	11	7	10	7	9	7
Symptoms, senility, and ill-defined conditions—780-795	28	3	1	2	3	3	1	-	3	4	3	2	3
All other diseases—Residual	134	10	10	17	13	16	10	10	6	12	12	8	10
Accidents—E800-E962	269	19	11	18	19	18	26	36	37	21	28	27	29
Motor-vehicle accidents—E810-E835	117	6	5	6	10	4	16	16	18	4	10	6	16
All other accidents—E800-E802,E840-E962	172	13	6	12	9	14	10	20	19	17	18	21	13
Suicide—E963,E970-E979	50	3	3	5	8	3	2	7	2	3	8	6	-
Homicide—E964,E980-E985	4	1	-	-	1	-	-	-	1	-	-	-	1
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

	Sixth Revision number	AREA, CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES										
1		ALL CAUSES	1,452,454	103,825	7,722	4,515	3,594	2,317	121,973	8,150	6,457	11,531
2		White--M--	731,366	47,595	3,202	1,980	1,679	1,060	55,516	3,980	3,318	6,116
3		F--	544,719	34,423	2,598	1,577	1,284	823	40,705	2,741	1,963	2,892
4		Nonwhite--M--	96,383	12,132	1,096	534	296	215	14,273	785	686	1,356
5		F--	79,986	9,675	826	424	335	219	11,479	644	490	1,167
6	001-019	Tuberculosis, all forms	33,959	268	408	210	144	61	1,091	221	219	790
7		White--M--	16,787	72	129	60	41	27	329	61	55	117
8		F--	7,349	77	124	75	55	18	349	65	60	183
9		Nonwhite--M--	5,752	65	88	47	25	7	232	54	28	185
10		F--	4,071	54	67	28	23	9	181	41	76	305
11	001-008	Tuberculosis of respiratory system	31,093	108	139	67	42	20	376	75	142	673
12		White--M--	15,754	30	36	15	11	9	101	16	26	91
13		F--	6,603	28	43	22	15	5	113	21	35	162
14		Nonwhite--M--	5,131	27	35	22	11	4	99	17	17	157
15		F--	3,605	23	25	8	5	2	63	21	64	263
16	010-019	Tuberculosis, other forms	2,866	160	269	143	102	41	715	146	77	117
17		White--M--	1,033	42	93	45	30	18	228	45	29	26
18		F--	746	49	81	53	40	13	236	44	25	21
19		Nonwhite--M--	621	38	53	25	14	3	133	37	11	28
20		F--	466	31	42	20	18	7	118	20	12	42
21	020-029	Syphilis and its sequelae	7,568	201	4	3	2	-	210	2	8	18
22		White--M--	3,764	43	-	-	-	-	43	1	1	7
23		F--	1,250	31	-	-	-	-	31	-	-	6
24		Nonwhite--M--	1,786	71	3	3	1	-	78	-	3	3
25		F--	758	56	1	-	1	-	58	1	4	2
26	040	Typhoid fever	96	3	3	1	1	-	8	4	2	8
27		White--M--	28	1	-	-	-	-	1	2	-	2
28		F--	27	-	-	1	1	-	2	1	1	3
29		Nonwhite--M--	24	1	2	-	-	-	3	-	-	1
30		F--	17	1	1	-	-	-	2	1	1	2
31	045-048	Dysentery, all forms	923	521	67	27	13	9	637	21	4	7
32		White--M--	403	238	21	12	7	4	282	10	3	3
33		F--	290	163	27	7	4	3	204	7	-	1
34		Nonwhite--M--	138	68	11	3	2	2	86	4	-	-
35		F--	92	52	8	5	-	-	65	-	1	3
36	050,051	Scarlet fever and streptococcal sore throat	346	29	25	21	12	12	99	45	25	24
37		White--M--	161	16	12	11	6	5	50	30	8	10
38		F--	133	7	8	8	5	4	32	12	15	10
39		Nonwhite--M--	21	4	3	1	-	2	10	-	1	2
40		F--	31	2	2	1	1	1	7	3	1	2
41	055	Diphtheria	410	21	41	62	58	49	231	99	16	6
42		White--M--	172	10	13	23	26	17	89	37	9	1
43		F--	151	7	16	25	19	17	84	41	2	4
44		Nonwhite--M--	43	2	8	5	6	7	28	11	3	-
45		F--	44	2	4	9	7	8	30	10	2	1
46	056	Whooping cough	1,118	745	202	70	35	21	1,073	31	8	1
47		White--M--	304	222	40	11	8	9	290	9	3	-
48		F--	401	254	79	33	12	8	386	9	3	1
49		Nonwhite--M--	191	128	37	11	5	3	184	5	1	-
50		F--	222	141	46	15	10	1	213	8	1	-
51	057	Meningococcal infections	974	252	134	100	69	41	596	61	44	39
52		White--M--	475	119	63	61	38	24	305	37	16	22
53		F--	368	99	56	38	22	13	226	37	18	12
54		Nonwhite--M--	84	20	10	2	5	2	39	6	8	2
55		F--	47	14	5	1	4	2	26	1	2	3
56	080	Acute poliomyelitis	1,904	81	67	64	73	56	341	342	260	182
57		White--M--	1,094	45	37	30	38	32	182	203	153	113
58		F--	717	28	20	26	32	20	126	120	103	80
59		Nonwhite--M--	47	5	6	4	1	1	17	8	1	6
60		F--	46	3	4	4	2	3	16	11	3	3
61	084	Smallpox	1	-	-	-	-	-	-	-	-	-
62		White--M--	1	-	-	-	-	-	-	-	-	-
63		F--	-	-	-	-	-	-	-	-	-	-
64		Nonwhite--M--	-	-	-	-	-	-	-	-	-	-
65		F--	-	-	-	-	-	-	-	-	-	-
66	085	Measles	468	113	92	41	27	21	294	69	29	21
67		White--M--	194	42	41	16	11	7	117	30	9	12
68		F--	180	43	29	17	8	11	108	31	12	4
69		Nonwhite--M--	42	11	12	6	2	2	33	3	4	2
70		F--	52	17	10	2	6	1	36	5	4	3
71	100-108	Typhus and other rickettsial diseases	47	1	2	5	-	-	8	6	1	5
72		White--M--	24	1	-	3	-	-	4	2	1	4
73		F--	12	-	2	2	-	-	4	2	-	1
74		Nonwhite--M--	5	-	-	-	-	-	-	1	-	-
75		F--	6	-	-	-	-	-	-	1	-	-

and Sex: United States and Each State, 1950

and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16,767	19,506	22,961	31,908	45,029	61,879	86,208	113,036	141,114	166,510	175,786	169,800	136,051	77,712	30,647	6,677	1,480	1,272	1
8,653	9,103	10,220	14,541	21,752	31,566	45,584	63,046	79,373	90,410	91,360	84,077	63,907	33,633	11,950	2,167	299	595	2
4,132	5,432	6,803	9,581	13,334	18,135	24,859	34,039	45,764	59,568	71,144	75,701	65,816	40,374	17,123	3,746	542	323	3
2,207	2,671	3,117	3,945	5,164	6,505	8,701	9,113	8,890	9,303	7,355	5,673	3,438	1,758	693	324	236	210	4
1,775	2,300	2,821	3,841	4,779	5,673	7,064	6,838	7,087	7,229	5,927	4,349	2,888	1,767	881	440	403	144	5
1,707	2,137	2,405	2,698	2,902	2,965	3,262	3,271	3,071	2,823	2,032	1,390	681	214	48	8	5	19	6
296	511	673	1,030	1,386	1,578	1,983	2,145	2,095	1,888	1,282	821	384	121	23	1	2	6	7
469	600	701	694	572	493	408	445	479	529	514	433	251	79	17	3	1	4	8
384	465	519	533	601	632	627	518	353	297	176	99	32	9	4	1	1	4	9
558	563	512	441	343	262	244	163	144	109	60	37	14	5	4	3	1	5	10
1,543	1,982	2,233	2,563	2,735	2,820	3,096	3,098	2,906	2,666	1,957	1,333	642	197	48	8	4	16	11
260	475	632	992	1,323	1,520	1,810	2,069	2,004	1,800	1,228	796	366	114	23	1	2	5	12
430	576	660	666	536	469	378	400	450	481	486	412	232	71	17	3	1	3	13
332	412	473	498	558	593	581	480	320	283	169	93	32	8	4	1	1	3	14
521	519	468	407	318	238	226	149	152	102	54	32	12	4	4	3	-	5	15
164	155	172	135	167	145	166	173	165	157	95	57	39	17	-	-	1	3	16
36	36	41	38	63	58	73	76	91	88	54	25	18	7	-	-	-	1	17
39	24	41	28	36	24	29	45	29	48	28	21	19	8	-	-	-	1	18
52	51	46	35	43	39	46	38	33	14	7	6	-	1	-	-	-	1	19
37	44	44	34	25	24	18	14	12	7	6	5	2	1	-	-	1	-	20
39	63	105	263	452	706	903	1,039	1,077	1,057	780	507	237	69	20	7	-	6	21
15	9	19	62	121	236	392	556	655	681	487	312	123	31	9	1	-	3	22
9	11	16	39	72	98	111	129	160	175	160	124	77	30	8	4	-	-	23
5	24	45	98	173	277	289	272	195	148	95	52	23	7	1	-	-	-	24
10	19	25	66	86	95	111	82	67	53	38	19	14	1	2	2	-	3	25
5	8	7	10	10	4	7	5	4	3	5	6	-	-	-	-	-	-	26
2	-	2	3	2	-	1	1	3	1	3	5	-	-	-	-	-	-	27
-	7	1	2	2	1	3	1	-	1	1	1	-	-	-	-	-	-	28
1	1	3	3	4	2	3	1	-	1	1	-	-	-	-	-	-	-	29
2	-	1	2	2	1	-	2	1	-	-	-	-	-	-	-	-	-	30
3	12	12	16	14	15	17	19	33	20	31	27	15	12	6	2	-	-	31
2	7	4	7	6	4	6	8	19	7	13	9	6	5	2	-	-	-	32
1	4	2	5	2	4	2	6	7	8	8	15	5	5	3	1	-	-	33
-	1	4	3	4	5	6	3	4	3	7	2	2	2	1	1	-	-	34
-	-	2	1	2	2	3	2	3	2	3	1	2	-	-	-	-	-	35
9	7	9	16	15	11	10	13	8	13	11	13	10	4	3	-	1	-	36
3	2	6	7	8	7	4	4	3	2	7	4	3	2	1	-	-	-	37
2	2	1	3	4	3	3	7	4	10	4	9	7	2	2	-	1	-	38
1	-	-	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	39
3	3	2	2	2	1	1	2	1	1	-	-	-	-	-	-	-	-	40
2	2	1	11	6	9	8	3	2	4	6	3	-	1	-	-	-	-	41
-	1	-	6	4	7	5	2	1	3	5	1	-	1	-	-	-	-	42
1	-	1	5	2	2	3	1	1	1	1	2	-	-	-	-	-	-	43
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	46
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	48
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
25	17	14	18	20	26	19	20	15	13	17	5	2	2	1	-	-	-	51
9	7	7	8	10	9	9	10	7	4	11	2	1	1	-	-	-	-	52
8	9	3	5	8	7	6	5	6	8	4	3	1	1	1	-	-	-	53
4	1	4	3	1	6	4	3	2	-	1	-	-	-	-	-	-	-	54
4	-	-	2	1	4	-	2	-	1	1	-	-	-	-	-	-	-	55
205	238	156	80	46	20	15	10	4	2	2	1	-	-	-	-	-	-	56
109	129	93	44	29	15	8	8	4	2	1	1	-	-	-	-	-	-	57
89	99	59	32	15	5	6	2	-	-	1	-	-	-	-	-	-	-	58
5	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	59
2	5	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
10	10	8	1	4	2	3	3	1	1	4	5	1	1	-	-	-	1	66
7	4	3	1	2	1	2	2	1	-	1	1	-	1	-	-	-	-	67
2	5	4	-	2	1	1	1	-	1	3	4	1	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	70
-	3	-	-	1	1	3	5	2	8	3	1	-	-	-	-	-	-	71
-	2	-	-	-	-	1	4	1	3	1	1	-	-	-	-	-	-	72
-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	73
-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	74
-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	75

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

	Sixth Revision number	AREA, CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES--Continued										
1	110-117	Malaria	76	2	1	1	1	1	6	1	-	3
2		White--M	27	-	1	-	-	-	1	-	-	1
3		F	13	-	-	-	-	-	-	-	-	1
4		Nonwhite--M	19	2	-	1	-	-	3	1	-	1
5		F	17	-	-	-	1	1	2	-	-	-
6	Residual	All other infective and parasitic diseases	3,759	545	166	104	74	47	936	148	110	106
7		White--M	1,696	220	82	45	34	20	401	62	55	41
8		F	1,251	180	55	29	26	16	306	50	30	35
9		Nonwhite--M	427	81	15	15	6	9	126	16	14	15
10		F	385	64	14	15	8	2	103	20	11	15
11	140-205	Malignant neoplasms, etc.*	210,733	274	305	439	474	303	1,795	983	652	840
12		White--M	98,789	135	148	230	230	160	901	492	337	438
13		F	94,898	104	123	173	218	120	738	403	255	305
14		Nonwhite--M	8,172	21	20	21	11	13	86	53	34	45
15		F	8,864	14	18	15	15	10	70	35	26	52
16	140-148	Of buccal cavity and pharynx	5,138	1	-	1	1	-	3	8	5	8
17		White--M	3,799	1	-	-	1	-	2	6	3	5
18		F	956	-	-	1	-	-	1	2	2	3
19		Nonwhite--M	273	-	-	-	-	-	-	-	-	-
20		F	110	-	-	-	-	-	-	-	-	-
21	150-156A, 157-159	Of digestive organs and peritoneum	81,726	17	17	18	5	7	64	22	21	54
22		White--M	41,170	8	7	8	1	4	28	11	13	28
23		F	34,103	6	7	7	3	3	26	10	5	16
24		Nonwhite--M	3,818	-	2	1	1	-	4	1	-	3
25		F	2,635	3	1	2	-	-	6	-	3	7
26	160-164	Of respiratory system	21,219	3	2	2	6	3	16	13	11	28
27		White--M	16,156	3	1	1	3	1	9	9	4	13
28		F	3,673	-	1	1	3	2	7	3	6	11
29		Nonwhite--M	1,114	-	-	-	-	-	-	1	1	3
30		F	276	-	-	-	-	-	-	-	-	1
31	170	Of breast	18,973	-	-	-	-	-	-	-	1	3
32		White--M	216	-	-	-	-	-	-	-	-	-
33		F	17,445	-	-	-	-	-	-	-	1	3
34		Nonwhite--M	23	-	-	-	-	-	-	-	-	-
35		F	1,289	-	-	-	-	-	-	-	-	-
36	171-179	Of genital organs	34,742	-	3	7	9	2	21	15	22	62
37		White--M	11,165	-	-	5	7	-	12	8	2	19
38		F	19,408	-	3	-	1	2	6	7	19	30
39		Nonwhite--M	1,140	-	-	1	-	-	1	-	-	-
40		F	3,029	-	-	1	1	-	2	-	1	13
41	180,181	Of urinary organs	10,044	29	29	43	50	34	185	73	8	12
42		White--M	6,226	11	13	17	21	21	83	22	3	5
43		F	3,181	15	12	20	23	9	79	42	5	5
44		Nonwhite--M	369	3	3	3	2	2	13	5	-	1
45		F	268	-	1	3	4	2	10	4	-	1
46	156B, 165, 190-199	Of other and unspecified sites	22,135	80	108	111	118	84	501	319	233	298
47		White--M	10,825	39	51	61	50	42	243	147	111	145
48		F	9,641	32	44	38	58	32	204	139	92	117
49		Nonwhite--M	838	5	6	9	4	5	29	21	19	21
50		F	831	4	7	3	6	5	25	12	11	15
51	204	Leukemia and aleukemia	8,845	127	128	230	251	157	893	428	265	231
52		White--M	4,783	64	66	124	124	84	462	221	143	129
53		F	3,574	46	48	97	121	65	377	173	105	82
54		Nonwhite--M	275	11	9	6	2	5	33	16	9	11
55		F	213	6	5	3	4	3	21	16	8	9
56	200-203, 205	Lymphosarcoma and other neoplasms, etc.*	7,911	17	18	27	34	16	112	107	86	144
57		White--M	4,459	9	8	14	23	9	62	68	58	94
58		F	2,917	5	8	9	9	7	38	27	20	38
59		Nonwhite--M	322	2	-	1	2	1	6	9	5	6
60		F	213	1	2	3	-	-	6	3	3	6
61	210-239	Benign neoplasms and neoplasms of unspecified nature	5,374	137	41	37	33	36	284	99	86	89
62		White--M	1,923	66	18	17	13	18	132	50	43	40
63		F	2,651	56	18	17	15	12	118	39	34	35
64		Nonwhite--M	199	8	4	2	5	2	21	5	5	8
65		F	601	7	1	1	-	4	13	5	4	6
66	260	Diabetes mellitus	24,419	23	14	10	9	5	61	57	79	126
67		White--M	8,580	14	5	4	5	-	28	26	28	36
68		F	13,567	7	8	3	4	2	24	27	38	64
69		Nonwhite--M	768	2	-	1	-	-	3	1	4	5
70		F	1,504	-	1	2	-	3	6	3	13	21
71	280-293	Anemias	4,072	122	52	25	20	8	227	53	36	36
72		White--M	1,753	45	17	10	7	2	81	16	13	10
73		F	1,895	42	10	10	3	3	68	21	11	12
74		Nonwhite--M	201	17	5	3	2	2	49	9	4	5
75		F	223	13	8	-	7	1	29	7	8	9

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2	5	4	7	4	3	9	4	6	6	7	6	2	1	-	-	-	-	1
1	4	3	1	3	-	2	1	2	4	1	3	-	-	-	-	-	-	2
1	-	-	2	1	1	-	-	1	1	1	1	2	1	-	-	-	-	3
-	1	1	2	-	-	3	-	1	1	3	2	-	-	-	-	-	-	4
-	-	-	2	-	2	4	3	2	-	2	-	-	-	-	-	-	-	5
114	133	168	193	184	229	229	225	215	218	184	160	109	61	27	6	1	3	6
36	39	59	82	76	109	110	120	125	104	106	75	55	28	9	3	-	1	7
35	52	56	62	60	63	69	67	61	77	62	70	44	30	18	3	1	-	8
25	23	20	14	25	34	26	27	16	21	8	10	6	-	-	-	-	1	9
18	19	33	35	23	23	24	11	13	16	8	5	4	3	-	-	-	1	10
1,087	1,854	2,909	5,151	8,289	12,426	17,946	23,843	28,389	29,959	28,318	22,932	14,870	6,270	1,739	310	52	139	11
521	800	1,048	1,621	2,617	4,503	7,314	10,887	14,314	15,239	14,604	11,706	7,521	2,946	737	87	10	56	12
431	826	1,441	2,749	4,496	6,261	8,357	10,521	11,840	12,623	12,228	10,269	6,861	3,076	940	195	22	61	13
50	92	117	223	370	645	1,053	1,175	1,189	1,170	856	574	278	133	15	16	7	11	14
65	136	303	558	806	1,017	1,222	1,160	1,046	927	650	383	210	115	47	12	13	11	15
15	23	32	69	158	267	435	593	707	771	721	612	454	181	60	9	1	6	16
10	11	12	38	107	181	294	441	543	596	566	479	328	122	44	5	-	6	17
3	11	16	18	30	49	75	92	98	136	125	114	117	50	15	3	-	-	18
1	1	2	11	14	20	49	51	47	28	24	13	5	4	1	1	1	-	19
1	-	2	4	7	17	17	9	19	11	8	6	4	5	-	-	-	-	20
114	286	522	1,093	1,981	3,494	5,768	8,608	11,449	13,164	12,985	10,930	7,255	2,969	745	137	18	47	21
56	133	218	478	852	1,613	2,749	4,375	6,173	6,999	6,841	5,525	3,464	1,274	281	37	1	21	22
44	104	210	448	818	1,306	2,163	3,278	4,307	5,227	5,486	4,961	3,560	1,576	440	87	10	21	23
9	30	45	87	161	332	489	583	576	598	420	274	133	64	8	7	1	3	24
5	19	49	80	150	243	367	372	393	350	238	170	98	55	16	6	6	2	25
26	59	165	344	758	1,485	2,492	3,429	3,910	3,352	2,480	1,522	748	286	71	10	2	12	26
16	28	97	225	531	1,126	1,940	2,777	3,150	2,625	1,838	1,057	477	183	38	2	1	10	27
5	14	45	77	140	213	295	416	540	555	540	417	250	99	31	7	1	1	28
2	11	14	32	67	122	210	197	188	138	77	53	18	2	-	-	-	-	29
3	6	9	10	20	24	47	39	32	34	25	15	5	2	2	1	-	1	30
18	95	368	825	1,451	1,876	2,233	2,372	2,348	2,170	2,007	1,560	957	471	171	24	7	18	31
-	1	1	1	12	15	19	17	30	40	32	19	21	4	1	2	-	1	32
14	61	317	729	1,293	1,676	2,027	2,181	2,190	2,006	1,876	1,489	907	452	162	22	5	14	33
-	1	-	2	1	2	1	1	8	1	4	1	-	-	-	-	1	-	34
2	12	50	93	145	185	186	173	120	123	95	51	29	15	8	-	1	1	35
155	372	640	1,194	1,842	2,485	3,055	3,575	4,008	4,408	4,525	4,038	2,777	1,155	312	43	4	34	36
66	112	110	80	81	84	203	490	974	1,592	2,216	2,351	1,789	753	204	19	1	9	37
66	196	398	833	1,394	1,962	2,308	2,579	2,549	2,358	1,960	1,442	849	335	89	17	-	11	38
3	3	3	7	13	28	98	120	170	205	176	152	98	47	4	4	1	7	39
20	61	129	274	354	411	446	386	315	263	173	93	41	20	15	3	2	7	40
19	26	42	116	218	387	695	1,166	1,386	1,575	1,591	1,239	865	338	76	15	4	8	41
10	13	19	53	121	233	450	776	931	991	1,011	731	507	212	45	4	1	5	42
6	9	10	39	60	100	177	306	373	491	510	471	342	113	30	9	1	3	43
1	-	6	11	18	34	39	47	48	50	45	32	8	9	-	1	1	-	44
2	4	7	13	19	20	29	37	34	43	25	5	8	4	1	1	1	-	45
324	390	509	801	1,047	1,434	1,916	2,413	2,660	2,645	2,388	1,926	1,276	704	261	67	14	9	46
164	183	252	373	477	692	925	1,176	1,405	1,357	1,162	939	638	311	105	15	4	1	47
127	178	208	341	448	806	801	1,019	1,074	1,102	1,100	902	600	374	149	48	5	7	48
20	16	17	36	49	61	98	114	91	107	59	50	15	7	2	3	2	1	49
13	13	32	51	73	75	92	104	90	79	67	35	23	12	5	1	3	-	50
183	286	276	332	397	416	596	725	893	921	887	654	319	109	27	2	2	5	51
88	140	140	155	182	217	307	380	509	538	551	362	178	63	12	2	2	2	52
80	128	114	143	174	162	249	302	335	357	310	282	138	45	15	-	-	3	53
5	11	11	17	21	20	21	28	29	18	17	6	2	-	-	-	-	-	54
10	7	11	17	20	17	19	15	20	8	9	4	1	1	-	-	-	-	55
215	317	355	377	437	560	756	962	1,028	953	734	451	219	57	18	3	-	2	56
111	179	199	218	254	342	427	555	599	511	387	243	119	24	7	1	-	1	57
86	105	123	123	139	187	262	348	374	391	323	191	98	32	9	2	-	1	58
9	19	19	20	26	26	48	34	32	35	14	13	1	-	-	-	-	-	59
9	14	14	16	18	25	19	25	23	16	10	4	1	1	-	-	-	-	60
109	169	244	377	499	524	495	537	517	420	349	248	193	82	33	9	2	9	61
42	52	63	92	119	146	157	226	214	178	161	101	70	22	9	3	-	3	62
51	73	125	176	257	286	256	256	245	199	156	136	117	57	24	5	1	5	63
3	11	6	15	7	17	29	14	25	15	12	1	2	2	-	1	-	-	64
13	33	50	94	116	75	53	41	33	28	20	10	4	1	-	-	1	1	65
122	256	255	359	539	775	1,373	2,288	3,347	4,255	4,184	3,464	2,001	696	146	20	5	13	66
40	103	108	151	218	276	463	759	1,095	1,408	1,468	1,308	741	263	53	6	-	4	67
52	115	95	112	163	308	599	1,235	1,970	2,542	2,504	2,014	1,202	406	85	10	1	3	68
16	15	20	35	53	57	91	77	95	115	78	61	28	8	1	1	1	3	69
14	23	32	61	105	132	220	217	187	190	134	81	30	19	7	3	3	3	70
53	54	59	56	80	107	129	189	304	460	609	710	547	261	81	16	1	4	71
15	10	12	17	23	38	46	73	135	214	303	348	251	112	29	3	1	3	72
18	22	20	21	38	46	53	85	148	215	285	343	281	145	52	13	-	-	73
6	7	8	9	5	5	18	11	13	18	12	12	7	2	-	-	-	1	74
14	15	19	9	14	18	12	20	10	13	9	7	8	2	-	-	-	-	75

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

	Sixth Revision number	AREA, CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES—Continued										
1	340	Meningitis, except meningococcal and tuberculous	1,639	573	186	79	59	42	939	91	53	50
2		White—M	794	227	71	41	24	15	378	48	19	22
3		F	528	157	54	23	22	19	275	27	16	14
4		Nonwhite—M	301	96	37	8	9	6	156	8	9	9
5		F	216	93	24	7	4	2	130	8	9	5
6	330-334, 400-468, 592-594	Major cardiovascular-renal diseases	769,751	360	167	106	120	98	851	594	750	1,191
7		White—M	393,299	178	67	47	57	43	392	227	283	487
8		F	297,997	96	60	37	43	37	273	237	318	421
9		Nonwhite—M	40,708	45	26	14	8	7	100	57	63	133
10		F	37,747	41	14	8	12	11	86	73	86	150
11	330-334, 400-468	Diseases of cardiovascular system	745,074	336	147	77	75	65	700	470	642	974
12		White—M	382,686	169	59	35	34	26	323	170	230	381
13		F	288,842	95	52	27	25	24	223	184	273	341
14		Nonwhite—M	38,236	36	23	8	7	6	80	52	58	117
15		F	35,310	36	13	7	9	9	74	64	81	135
16	330-334	Vascular lesions affecting central nervous system	156,751	160	52	30	27	10	279	58	55	113
17		White—M	67,462	82	26	18	15	5	146	24	25	50
18		F	70,020	39	17	9	7	3	75	22	22	37
19		Nonwhite—M	9,210	21	5	-	2	1	29	7	4	10
20		F	10,059	18	4	3	3	1	29	5	4	16
21	400-402	Rheumatic fever	1,924	19	11	5	13	16	64	193	253	200
22		White—M	779	7	3	1	2	4	17	58	90	75
23		F	787	3	1	2	7	7	20	80	104	69
24		Nonwhite—M	170	5	5	1	3	-	14	23	21	33
25		F	188	4	2	1	1	5	13	32	38	23
26	410-443	Diseases of heart	535,705	109	69	31	32	34	275	198	309	594
27		White—M	290,701	57	22	11	17	16	123	78	112	239
28		F	196,231	36	29	12	8	11	96	72	128	202
29		Nonwhite—M	26,174	7	12	6	2	5	32	21	31	67
30		F	22,599	9	6	2	5	2	24	27	38	86
31	410-416	Chronic rheumatic heart disease	20,392	...	4	1	6	8	19	86	184	284
32		White—M	9,317	...	1	-	1	3	5	29	65	111
33		F	9,076	...	2	1	2	1	6	28	78	107
34		Nonwhite—M	1,012	...	1	-	-	3	4	13	18	29
35		F	987	...	-	-	3	1	4	16	23	37
36	420	Arteriosclerotic heart disease, etc.*	321,003	39	6	3	3	4	55	15	15	85
37		White—M	197,338	22	3	2	2	3	32	6	5	36
38		F	105,795	12	1	1	1	-	15	7	6	29
39		Nonwhite—M	10,526	4	2	-	-	-	6	1	3	15
40		F	7,344	1	-	-	-	1	2	1	1	6
41	421,422	Nonrheumatic chronic endocarditis, etc.*	85,159	...	15	11	5	8	39	24	45	100
42		White—M	39,747	...	4	3	2	5	14	11	15	43
43		F	36,541	...	3	4	2	3	12	9	21	30
44		Nonwhite—M	4,700	...	5	3	1	-	9	1	4	8
45		F	4,171	...	3	1	-	-	4	3	5	19
46	430-434	Other diseases of heart	23,958	70	42	16	18	14	160	69	59	103
47		White—M	12,137	35	14	6	12	5	72	30	25	45
48		F	7,624	24	23	6	3	7	63	26	20	30
49		Nonwhite—M	2,332	3	3	3	1	2	12	6	5	12
50		F	1,865	8	2	1	2	-	13	7	9	16
51	440-443	Hypertension with heart diseases	85,198	-	2	-	-	-	2	4	6	22
52		White—M	32,162	-	-	-	-	-	-	2	2	4
53		F	37,195	-	-	-	-	-	-	2	3	7
54		Nonwhite—M	7,604	-	1	-	-	-	1	-	1	3
55		F	8,232	-	1	-	-	-	1	-	-	8
56	444-447	Hypertension without mention of heart	12,563	-	1	-	-	-	1	1	3	9
57		White—M	5,244	-	-	-	-	-	-	1	1	3
58		F	5,008	-	1	-	-	-	1	-	2	4
59		Nonwhite—M	1,137	-	-	-	-	-	-	-	-	1
60		F	1,174	-	-	-	-	-	-	-	-	1
61	450	General arteriosclerosis	30,734	-	-	-	-	-	-	-	-	-
62		White—M	14,567	-	-	-	-	-	-	-	-	-
63		F	14,146	-	-	-	-	-	-	-	-	-
64		Nonwhite—M	1,109	-	-	-	-	-	-	-	-	-
65		F	912	-	-	-	-	-	-	-	-	-
66	451-468	Other diseases of circulatory system	7,397	48	14	11	3	5	81	20	22	58
67		White—M	3,933	23	8	5	-	1	37	9	2	14
68		F	2,650	17	4	4	3	3	31	10	17	29
69		Nonwhite—M	436	3	1	1	-	-	5	1	2	6
70		F	378	5	1	1	-	1	8	-	1	9
71	592-594	Chronic and unspecified nephritis and other renal sclerosis	24,677	24	20	29	45	33	151	124	108	217
72		White—M	10,613	9	8	12	23	17	69	57	53	106
73		F	9,155	1	8	10	18	13	50	53	45	80
74		Nonwhite—M	2,472	9	3	6	1	1	20	5	5	16
75		F	2,437	5	1	1	3	2	12	9	5	15

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
36	39	49	55	57	72	75	79	73	62	51	30	15	8	2	1	-	2	1
17	17	14	25	19	33	34	41	36	30	34	10	10	6	1	-	-	-	2
11	9	19	9	17	14	22	21	19	21	13	13	4	2	1	-	-	1	3
5	6	11	14	14	17	11	15	11	7	2	4	1	-	-	1	-	-	4
3	7	5	7	7	8	8	2	7	4	2	3	-	-	-	-	-	1	5
1,800	2,927	4,778	9,207	17,042	27,766	43,600	61,116	81,707	102,905	114,686	116,707	97,097	56,728	22,118	4,649	881	652	6
695	1,199	2,038	4,323	8,887	15,286	24,529	35,705	46,943	56,315	59,205	57,040	44,905	24,341	8,492	1,540	184	283	7
663	981	1,404	2,361	4,005	6,594	10,502	16,176	24,813	36,015	46,751	52,867	47,889	29,981	12,602	2,620	340	184	8
180	312	609	1,137	1,979	2,856	4,534	5,022	5,295	5,750	4,671	3,725	2,271	1,137	449	208	126	104	9
252	435	727	1,386	2,171	3,030	4,035	4,213	4,656	4,845	4,059	3,075	2,052	1,267	576	281	231	81	10
1,451	2,436	4,203	8,448	18,033	28,554	41,980	59,257	79,439	100,140	111,629	113,624	94,467	55,120	21,507	4,537	840	623	11
516	972	1,808	4,021	8,485	14,796	23,667	34,917	45,962	55,145	57,880	55,656	43,693	23,663	8,245	1,502	177	277	12
543	815	1,219	2,125	3,730	6,210	10,043	15,574	24,052	34,999	45,580	51,602	46,755	29,195	12,301	2,572	331	175	13
166	268	552	1,061	1,835	2,712	4,302	4,787	5,011	5,408	4,361	3,484	2,103	1,053	416	198	116	96	14
226	381	624	1,241	1,983	2,836	3,768	3,979	4,414	4,588	3,808	2,892	1,916	1,209	545	265	216	75	15
250	369	640	1,372	2,643	4,717	7,492	10,713	15,245	21,006	25,252	27,043	22,110	12,294	4,028	771	157	144	16
102	133	219	430	818	1,545	2,662	4,416	6,847	9,760	11,526	12,223	9,657	5,059	1,487	242	24	57	17
80	125	193	424	893	1,679	2,650	3,892	5,783	8,556	11,521	13,118	11,431	6,654	2,335	432	54	44	18
30	44	96	219	388	630	1,042	1,218	1,261	1,320	1,117	898	480	252	78	36	32	20	19
38	67	133	289	544	863	1,138	1,187	1,354	1,370	1,088	804	542	329	118	61	47	23	20
128	173	185	215	206	65	40	46	48	43	27	18	11	7	3	1	-	-	21
46	73	77	94	96	28	17	27	29	25	13	6	4	3	1	-	-	-	22
58	68	82	100	86	21	14	15	17	16	13	11	6	4	2	1	-	-	23
5	13	16	11	13	8	4	3	1	2	1	1	1	-	-	-	-	-	24
19	19	8	10	11	8	5	1	1	-	-	-	-	-	-	-	-	-	25
900	1,633	2,988	6,230	12,298	20,681	32,842	46,418	61,022	74,731	80,089	78,365	62,909	35,675	13,776	2,842	497	433	26
326	699	1,398	3,296	7,240	12,753	20,438	29,416	37,435	43,095	43,152	39,422	29,568	15,349	5,317	931	111	203	27
320	513	815	1,422	2,512	4,222	6,946	11,071	17,313	24,955	31,533	34,757	30,737	18,876	7,852	1,620	194	115	28
115	181	375	714	1,288	1,905	3,032	3,335	3,460	3,749	2,920	2,289	1,422	693	278	131	67	69	29
139	240	400	798	1,258	1,801	2,426	2,596	2,814	2,952	2,484	1,897	1,182	757	349	160	125	46	30
407	615	890	1,262	1,639	2,006	2,060	2,221	2,069	1,915	1,546	1,411	984	550	177	36	13	18	31
152	268	417	552	744	906	953	1,074	1,008	929	745	647	420	201	63	18	1	9	32
175	262	364	563	732	913	922	965	891	823	679	655	485	310	96	14	3	5	33
33	34	58	60	85	94	94	99	106	87	64	58	51	14	6	1	2	2	34
47	51	51	87	78	93	91	83	64	76	58	51	28	25	12	3	7	2	35
150	444	1,088	2,985	7,023	12,807	21,192	30,861	40,588	48,595	49,890	45,847	33,602	17,717	6,414	1,184	207	239	36
67	249	684	2,115	5,274	9,647	15,670	22,359	27,879	30,830	29,257	24,879	16,997	8,144	2,620	398	51	129	37
44	97	181	412	871	1,780	3,464	6,213	10,284	15,197	18,616	19,386	15,680	9,068	3,604	689	87	68	38
23	52	125	269	517	815	1,266	1,427	1,439	1,546	1,165	911	509	240	90	52	26	27	39
16	46	88	189	381	565	792	862	986	1,022	852	671	416	265	100	45	41	17	40
107	186	276	576	1,014	1,661	2,643	4,141	6,343	9,178	12,229	14,806	15,292	10,435	4,731	1,109	162	63	41
25	53	82	226	411	770	1,219	2,108	3,295	4,811	6,123	7,081	6,901	4,355	1,774	361	40	31	42
45	58	89	133	257	406	647	1,136	1,926	3,109	5,017	6,778	7,713	5,662	2,755	647	77	14	43
16	32	59	98	157	248	459	487	629	700	562	485	393	201	86	42	12	12	44
21	43	46	119	189	237	318	410	495	558	527	461	295	217	116	59	33	8	45
168	241	340	535	800	1,127	1,642	2,054	2,638	3,094	3,113	3,092	2,458	1,462	581	161	25	36	46
61	94	122	227	360	539	836	1,098	1,492	1,652	1,723	1,588	1,182	664	244	63	5	15	47
40	56	98	122	168	241	311	451	687	905	1,019	1,183	1,122	698	291	79	7	7	48
29	32	50	88	159	188	271	300	262	316	230	195	75	59	22	6	7	8	49
38	59	70	98	113	159	224	205	197	221	141	126	79	41	24	13	6	6	50
68	147	394	872	1,822	3,080	5,305	7,141	9,384	11,949	13,311	13,210	10,573	5,511	1,873	352	90	77	51
21	35	83	176	451	881	1,780	2,777	3,763	4,873	5,304	5,227	4,068	1,985	616	91	14	19	52
16	40	83	192	484	882	1,602	2,306	3,525	4,901	6,202	6,755	5,737	3,138	1,096	191	20	23	53
14	31	83	199	370	560	942	1,022	1,024	1,100	899	640	394	179	74	30	18	20	54
17	41	145	305	517	747	1,001	1,036	1,072	1,075	906	588	374	209	97	40	38	15	55
41	101	213	350	525	578	759	800	1,048	1,324	1,588	1,785	1,807	1,075	439	88	16	12	56
14	23	57	92	166	221	305	370	453	587	727	769	786	474	165	27	1	2	57
12	27	51	71	134	134	204	224	347	499	676	861	907	546	246	53	6	3	58
7	22	50	85	104	110	129	94	117	129	101	91	53	26	11	1	1	5	59
8	29	55	102	121	113	121	112	131	109	84	64	61	29	17	7	8	2	60
2	4	9	19	40	94	247	508	1,132	2,085	3,751	5,707	7,141	5,812	3,177	815	163	28	61
-	1	5	10	14	41	117	244	612	1,099	1,925	2,849	3,411	2,662	1,230	295	40	12	62
1	-	-	2	10	17	54	143	314	696	1,498	2,576	3,468	2,985	1,840	455	76	11	63
-	2	-	1	8	17	41	71	122	168	196	180	138	77	48	30	14	2	64
1	1	4	6	8	19	35	50	84	128	132	102	124	68	59	35	33	3	65
130	156	170	262	321	419	600	772	944	951	922	706	489	257	84	20	7	6	66
28	43	52	99	151	208	328	444	586	579	537	387	287	116	35	7	1	3	67
72	82	78	106	95	137	175	229	278	297	339	279	206	130	46	11	1	2	68
9	6	16	31	34	42	54	66	50	46	26	25	9	5	1	-	2	-	69
21	25	24	26	41	32	43	33	30	29	20	15	7	6	2	2	3	1	70
349	491	575	759	1,009	1,212	1,620	1,859	2,268	2,765	3,057	3,083	2,630	1,606	612	112	41	29	71
179	227	230	302	402	490	662	788	981	1,170	1,325	1,384	1,212	678	247	36	7	6	72
120	166	186	236	275	384	458	602	761	1,016	1,171	1,265	1,134	786	301	48	9	9	73
24	44	57	76	144	144	232	235	284	322	310	241	168	84	33	10	10	8	74
26	54	103	145	188	194	267	234	242	257	251	193	116	58	31	16	15	6	75

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

	Sixth Revision number	AREA, CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES—Continued										
1	480-493	Influenza and pneumonia, except pneumonia of newborn	47,120	8,436	1,409	553	325	179	10,902	479	282	326
2		White—M	21,231	3,249	515	187	135	59	4,145	173	135	128
3		F	16,589	2,541	428	180	106	64	3,319	184	84	100
4		Nonwhite—M	5,092	1,446	268	87	50	29	1,881	64	39	44
5		F	4,208	1,200	197	99	34	27	1,557	58	34	54
6	480-483	Influenza	6,597	734	153	76	42	24	1,029	71	50	60
7		White—M	2,546	253	55	26	17	7	358	15	18	21
8		F	2,519	225	51	25	12	12	325	31	14	16
9		Nonwhite—M	741	143	28	7	10	1	189	14	10	12
10		F	791	113	19	18	3	4	157	11	8	11
11	490-493	Pneumonia, except pneumonia of newborn	40,523	7,702	1,256	477	283	155	9,873	408	242	266
12		White—M	18,685	2,996	460	181	118	52	3,787	158	117	107
13		F	14,070	2,316	377	155	94	52	2,994	153	70	84
14		Nonwhite—M	4,351	1,303	241	80	40	28	1,692	50	29	32
15		F	3,417	1,087	178	81	31	23	1,400	47	26	43
16	500-502	Bronchitis	2,989	584	170	76	58	23	911	56	19	7
17		White—M	1,582	280	78	38	28	12	436	28	13	1
18		F	1,032	177	62	28	23	5	295	19	3	3
19		Nonwhite—M	201	72	20	7	4	2	105	4	3	1
20		F	174	55	10	3	3	4	75	5	-	2
21	540,541	Ulcer of stomach and duodenum	8,214	50	1	2	1	1	55	5	9	14
22		White—M	6,108	27	1	1	-	1	30	3	4	5
23		F	1,417	11	-	1	-	-	12	2	3	5
24		Nonwhite—M	539	9	-	-	1	-	10	-	2	2
25		F	150	3	-	-	-	-	3	-	-	2
26	550-553	Appendicitis	3,080	19	26	44	61	32	182	126	116	128
27		White—M	1,677	10	9	24	32	16	91	51	53	55
28		F	931	5	13	17	21	16	72	47	43	35
29		Nonwhite—M	279	3	2	-	4	-	9	14	14	22
30		F	193	1	2	3	4	-	10	14	6	16
31	560,561,570	Hernia and intestinal obstruction	8,894	960	59	33	20	12	1,084	39	31	32
32		White—M	3,982	482	30	18	10	6	546	22	15	10
33		F	3,711	313	12	7	6	3	341	12	7	12
34		Nonwhite—M	667	101	12	4	3	2	122	4	6	8
35		F	534	64	5	4	1	1	75	1	3	2
36	543,571,572	Gastritis, duodenitis, enteritis, and colitis, etc.*	7,622	3,748	491	106	62	30	4,437	66	24	37
37		White—M	3,107	1,498	179	37	27	13	1,754	27	6	13
38		F	2,836	1,152	176	38	23	8	1,397	25	12	18
39		Nonwhite—M	929	617	74	20	5	4	720	10	3	3
40		F	750	481	62	11	7	5	566	4	3	3
41	581	Cirrhosis of liver	13,855	37	6	3	4	3	53	12	20	24
42		White—M	8,456	18	1	-	2	1	22	3	8	6
43		F	4,378	12	4	2	2	1	21	6	7	15
44		Nonwhite—M	603	5	-	1	-	-	6	1	3	-
45		F	418	2	1	-	-	1	4	2	2	3
46	580,591	Acute nephritis and nephritis with edema, etc.*	3,470	62	46	59	58	30	255	95	79	98
47		White—M	1,511	25	18	28	28	14	113	51	32	51
48		F	1,146	18	15	20	23	9	85	24	31	21
49		Nonwhite—M	439	10	10	8	4	5	37	11	7	14
50		F	374	9	3	3	3	2	20	9	9	12
51	610	Hyperplasia of prostate	6,359	-	-	-	-	-	-	-	-	1
52		White—M	5,645	-	-	-	-	-	-	-	-	1
53		Nonwhite—M	714	-	-	-	-	-	-	-	-	-
54	640-689	Deliveries and complications of pregnancy, childbirth, etc.*	2,960	...	...	...	...	...	...	...	16	284
55		White—F	1,873	...	...	...	...	...	...	...	3	141
56		Nonwhite—F	1,087	...	...	...	...	...	...	...	13	143
57	650-652	Abortion	316	...	...	...	...	...	...	...	3	31
58		White—F	193	...	...	...	...	...	...	...	-	10
59		Nonwhite—F	123	...	...	...	...	...	...	...	3	21
60	640-649, 660-689	All other complications	2,644	...	...	...	...	...	...	...	13	253
61		White—F	1,680	...	...	...	...	...	...	...	3	131
62		Nonwhite—F	964	...	...	...	...	...	...	...	10	122
63	750-759	Congenital malformations	18,425	14,074	787	332	207	113	15,513	345	230	198
64		White—M	9,042	6,907	376	147	105	48	7,583	182	124	101
65		F	7,579	5,807	331	141	85	44	6,408	141	80	76
66		Nonwhite—M	984	741	53	20	9	11	834	23	17	6
67		F	820	619	27	24	8	10	688	19	9	15

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
389	447	543	803	1,132	1,439	1,909	2,274	2,828	3,639	4,461	4,922	4,795	3,326	1,823	427	130	35	1
161	141	176	304	513	681	899	1,185	1,509	1,903	2,274	2,426	2,202	1,433	666	126	31	12	2
140	140	156	215	252	294	405	528	718	1,135	1,622	2,104	2,301	1,714	856	260	54	8	3
44	74	97	135	207	256	346	339	359	353	307	218	144	94	48	18	20	5	4
44	93	114	149	160	197	259	224	242	248	258	174	148	83	53	23	25	10	5
49	73	80	95	140	169	247	297	412	518	673	798	849	571	289	94	29	4	6
17	13	21	35	38	66	77	89	170	216	298	354	364	232	116	25	3	-	7
19	28	24	24	29	28	52	92	101	177	253	366	422	299	146	61	12	-	8
4	13	8	15	29	37	51	63	72	61	57	38	28	21	11	2	6	-	9
9	19	27	21	44	39	67	53	69	64	65	40	35	19	16	6	8	4	10
340	374	463	708	992	1,269	1,662	1,977	2,416	3,121	3,788	4,124	3,946	2,755	1,334	333	101	31	11
144	128	155	289	475	625	822	1,094	1,339	1,687	1,976	2,072	1,838	1,201	550	101	28	12	12
121	112	132	191	223	266	353	436	617	958	1,369	1,738	1,879	1,415	710	199	42	8	13
40	61	89	120	178	219	295	276	287	292	250	180	116	73	37	16	14	5	14
35	73	87	128	116	159	192	171	173	184	193	154	113	66	37	17	17	6	15
14	20	19	31	38	54	91	169	191	248	262	279	240	192	113	24	9	2	16
4	5	6	15	15	28	54	117	142	169	139	143	105	89	57	12	4	-	17
7	11	5	7	9	13	21	34	28	62	99	130	123	94	53	11	3	2	18
2	1	4	4	10	7	5	8	10	9	14	3	5	4	1	-	1	-	19
1	3	4	5	4	6	11	10	11	8	10	3	7	5	2	1	1	-	20
44	68	138	268	472	655	828	1,039	1,194	1,131	935	682	452	174	43	4	-	4	21
25	52	91	189	324	470	633	814	953	870	704	470	335	107	25	2	-	2	22
5	4	18	36	70	99	108	121	183	200	186	174	108	67	16	1	-	1	23
8	10	26	32	57	64	67	95	49	42	35	31	5	-	2	1	-	1	24
6	2	3	11	21	22	22	9	9	19	10	7	4	-	-	-	-	-	25
96	91	128	138	176	211	216	228	306	299	277	167	119	53	20	2	-	1	26
51	42	65	73	105	116	119	140	174	169	163	97	74	26	12	1	-	-	27
30	22	37	27	29	50	50	55	103	102	96	60	40	25	8	-	-	-	28
5	14	15	18	26	24	26	24	19	23	13	7	4	2	-	-	-	-	29
10	13	11	20	16	21	21	9	10	5	5	3	1	-	-	1	-	1	30
62	100	126	176	278	396	537	637	810	942	1,093	1,065	838	468	138	29	7	6	31
17	21	33	53	99	136	196	286	389	466	512	497	389	224	59	7	2	3	32
18	41	48	67	108	156	211	243	304	389	502	511	405	235	77	20	2	2	33
16	12	24	24	33	46	64	69	69	46	54	33	27	6	1	1	1	1	34
11	26	21	32	38	58	66	39	48	41	25	24	17	3	1	1	2	-	35
89	79	93	110	106	166	198	211	314	348	384	370	301	189	75	14	7	4	36
43	39	26	47	42	72	107	95	161	147	169	130	125	75	19	6	3	1	37
40	28	52	45	36	54	60	83	110	155	194	202	160	106	50	6	1	2	38
2	8	9	8	14	20	18	20	25	22	11	20	6	5	3	-	1	1	39
4	4	6	10	14	20	13	13	18	24	10	18	10	3	3	2	2	-	40
52	125	363	758	1,239	1,595	1,721	1,825	1,806	1,619	1,200	780	429	172	45	7	1	9	41
12	53	158	398	742	984	1,076	1,182	1,217	1,071	755	447	216	75	27	1	-	5	42
33	43	155	269	379	475	502	522	489	456	389	302	197	93	18	5	-	2	43
3	17	15	40	66	77	82	85	71	64	42	21	8	1	-	-	-	1	44
4	12	35	53	52	59	61	36	29	28	14	10	8	3	-	1	1	1	45
100	104	143	159	205	199	221	270	264	300	303	276	216	127	48	5	-	3	46
51	39	61	60	73	87	100	130	112	130	115	119	99	62	22	3	-	1	47
25	26	38	31	54	47	56	73	95	107	136	124	95	54	22	1	-	1	48
10	19	21	32	37	46	42	33	29	34	27	22	8	6	3	-	-	1	49
14	20	23	36	41	19	23	34	28	29	25	11	14	5	1	1	-	-	50
-	-	-	1	12	21	52	188	431	733	1,197	1,348	1,250	784	280	46	11	4	51
-	-	-	1	5	8	30	126	343	601	1,059	1,243	1,158	751	286	42	8	3	52
-	-	-	-	7	13	22	62	88	132	138	105	92	33	14	4	3	1	53
538	649	644	561	238	25	2	2	...	...	...	...	...	...	...	...	...	1	54
347	409	405	370	176	19	-	2	...	...	...	...	...	...	...	...	...	1	55
191	240	239	191	62	6	2	-	...	...	...	...	...	...	...	...	...	-	56
77	74	58	51	21	-	-	-	...	...	...	...	...	...	...	...	...	1	57
54	42	33	36	17	-	-	-	...	...	...	...	...	...	...	...	...	1	58
23	32	25	15	4	-	-	-	...	...	...	...	...	...	...	...	...	-	59
461	575	586	510	217	25	2	2	...	...	...	...	...	...	...	...	...	-	60
293	367	372	334	159	19	-	2	...	...	...	...	...	...	...	...	...	-	61
168	208	214	176	58	6	2	-	...	...	...	...	...	...	...	...	...	-	62
198	226	220	222	252	258	199	196	116	107	64	41	26	6	3	2	-	3	63
95	115	107	107	128	129	90	111	68	55	31	15	14	2	2	1	-	2	64
79	91	95	85	100	110	87	71	44	43	29	24	11	4	1	-	-	-	65
12	7	9	17	15	12	7	12	1	6	3	1	1	-	-	1	-	-	66
12	13	9	13	9	7	15	2	3	3	1	1	-	-	-	-	-	1	67

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

	Sixth Revision number	AREA, CAUSE OF DEATH, RACE, AND SEX	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES—Continued										
1	760-776	Certain diseases of early infancy	60,989	60,967	13	2	4	-	60,986	2	1	-
2		White—M	29,326	29,311	9	2	3	-	29,325	1	-	-
3		F	20,086	20,080	3	-	1	-	20,084	1	1	-
4		Nonwhite—M	6,481	6,480	1	-	-	-	6,481	-	-	-
5		F	5,096	5,096	-	-	-	-	5,096	-	-	-
6	760-762	Birth injuries, postnatal asphyxia, and atelectasis	25,076	25,075	-	1	-	-	25,076	-	-	-
7		White—M	13,083	13,082	-	1	-	-	13,083	-	-	-
8		F	8,263	8,263	-	-	-	-	8,263	-	-	-
9		Nonwhite—M	2,154	2,154	-	-	-	-	2,154	-	-	-
10		F	1,576	1,576	-	-	-	-	1,576	-	-	-
11	763-768	Infections of newborn	3,846	3,846	-	-	-	-	3,846	-	-	-
12		White—M	1,624	1,624	-	-	-	-	1,624	-	-	-
13		F	1,153	1,153	-	-	-	-	1,153	-	-	-
14		Nonwhite—M	583	583	-	-	-	-	583	-	-	-
15		F	486	486	-	-	-	-	486	-	-	-
16	769-776	Other diseases of early infancy, and immaturity unqualified	32,067	32,046	13	1	4	-	32,064	2	1	-
17		White—M	14,619	14,605	9	1	3	-	14,618	1	-	-
18		F	10,670	10,664	3	-	1	-	10,668	1	1	-
19		Nonwhite—M	3,744	3,743	1	-	-	-	3,744	-	-	-
20		F	3,034	3,034	-	-	-	-	3,034	-	-	-
21	780-795	Symptoms, senility, and ill-defined conditions	22,517	3,636	232	147	75	49	4,139	120	81	140
22		White—M	8,566	945	66	46	22	17	1,096	38	24	38
23		F	6,057	724	54	33	19	9	838	28	13	29
24		Nonwhite—M	4,457	1,109	57	37	15	8	1,226	30	21	32
25		F	3,637	859	55	31	19	15	979	24	23	41
26	Residual	All other diseases	61,746	3,249	789	485	381	262	5,166	798	537	796
27		White—M	30,265	1,529	354	217	191	122	2,413	354	250	352
28		F	24,109	1,066	279	185	132	104	1,766	317	213	269
29		Nonwhite—M	4,018	378	87	49	25	20	559	68	40	94
30		F	3,354	276	69	34	33	16	428	49	34	61
31	E800-E962	Accidents	91,249	3,595	1,689	1,252	1,095	758	8,389	3,004	2,515	5,200
32		White—M	55,412	1,560	795	606	547	362	3,870	1,699	1,589	3,693
33		F	24,622	1,115	523	398	343	250	2,629	786	523	955
34		Nonwhite—M	8,003	497	207	151	86	69	1,010	305	329	522
35		F	3,212	423	164	97	119	77	880	215	94	130
36	E810-E835	Motor-vehicle accidents	34,763	264	381	400	419	303	1,767	1,266	896	3,145
37		White—M	23,574	128	168	199	240	166	901	737	566	2,265
38		F	7,381	104	166	161	132	105	668	366	222	623
39		Nonwhite—M	2,942	18	27	29	24	12	110	97	67	193
40		F	866	14	20	11	23	20	88	66	31	64
41	E800-E802, E840-E962	All other accidents	56,486	3,331	1,308	852	676	455	6,622	1,738	1,629	2,055
42		White—M	31,838	1,432	627	407	307	196	2,969	961	1,003	1,429
43		F	17,241	1,011	357	237	211	145	1,961	420	301	232
44		Nonwhite—M	5,061	479	180	122	62	57	900	208	262	329
45		F	2,346	409	144	86	96	57	792	149	63	88
46	E963, E970-E979	Suicide	17,145	-	-	-	-	-	-	1	37	283
47		White—M	12,755	-	-	-	-	-	-	1	29	172
48		F	3,713	-	-	-	-	-	-	-	6	87
49		Nonwhite—M	542	-	-	-	-	-	-	-	2	14
50		F	135	-	-	-	-	-	-	-	1	10
51	E964, E980-E985	Homicide	7,942	137	27	16	19	15	214	65	68	417
52		White—M	2,586	60	8	8	4	6	86	25	25	120
53		F	952	52	9	5	11	7	84	20	20	54
54		Nonwhite—M	3,503	12	5	1	1	-	19	9	18	172
55		F	901	13	5	2	3	2	25	11	7	71
56	E965, E990-E999	Injury resulting from operations of war	40	-	-	-	-	-	-	-	-	3
57		White—M	36	-	-	-	-	-	-	-	-	3
58		F	-	-	-	-	-	-	-	-	-	-
59		Nonwhite—M	4	-	-	-	-	-	-	-	-	-
60		F	-	-	-	-	-	-	-	-	-	-

NOTE.—The 64 selected causes include cholera (043) and plague (058). There were no deaths reported from cholera, and 1 death from plague was reported in New Mexico—a white male between 15 and 19 years of age—which is included in totals.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
208	253	336	457	598	830	968	1,044	1,280	1,663	1,860	2,026	2,259	1,996	1,410	504	250	95	21
69	73	103	160	229	346	382	473	617	714	808	855	860	783	497	136	31	34	22
43	59	72	91	128	135	150	158	224	291	443	599	699	877	668	238	62	12	23
53	49	75	106	121	194	255	255	265	388	336	331	262	184	108	51	63	32	24
43	72	86	100	120	155	181	158	174	270	273	241	218	152	137	79	94	17	25
1,051	1,326	1,730	2,285	2,786	3,404	4,243	5,315	6,178	6,773	6,458	5,603	3,918	2,141	942	220	50	36	26
404	474	660	948	1,226	1,630	2,153	2,820	3,425	3,699	3,342	2,782	1,854	986	388	80	9	16	27
393	557	665	828	977	1,187	1,478	1,866	2,235	2,538	2,717	2,502	1,881	1,064	510	113	20	13	28
107	125	189	255	281	332	340	386	296	313	237	186	114	48	23	12	6	7	29
147	170	216	254	302	255	272	243	222	223	162	133	69	43	21	15	15	-	30
6,919	5,885	4,979	4,921	4,878	4,590	4,609	4,782	4,684	4,858	4,892	5,300	5,047	3,540	1,648	358	67	186	31
5,188	4,238	3,490	3,382	3,298	3,116	3,079	3,292	3,124	3,065	2,719	2,509	2,083	1,228	520	104	14	133	32
875	801	722	739	787	828	880	932	1,135	1,376	1,644	2,555	2,805	2,207	1,081	232	33	17	33
675	668	616	632	629	535	528	430	312	285	191	139	86	51	18	7	6	29	34
171	178	161	168	164	111	142	128	113	132	138	97	73	54	27	15	14	7	35
4,455	3,362	2,493	2,264	2,095	1,940	1,908	1,956	1,924	1,839	1,425	1,090	637	202	50	6	2	51	36
3,386	2,366	1,715	1,537	1,406	1,281	1,198	1,309	1,280	1,220	988	757	457	136	31	5	1	32	37
617	548	430	387	401	405	447	436	490	483	360	276	147	53	16	1	-	5	38
351	365	281	272	224	208	218	169	126	110	59	44	23	10	1	-	1	13	39
101	83	67	68	64	46	45	42	28	26	18	13	10	3	2	-	-	1	40
2,464	2,523	2,486	2,657	2,783	2,650	2,701	2,826	2,760	3,019	3,467	4,210	4,410	3,338	1,598	352	65	135	41
1,812	1,872	1,765	1,845	1,892	1,835	1,881	1,983	1,844	1,845	1,731	1,752	1,626	1,092	489	99	13	101	42
258	253	292	352	386	423	413	496	645	893	1,484	2,279	2,658	2,154	1,065	231	33	12	43
324	303	335	360	405	327	310	261	186	175	132	95	63	41	17	7	5	16	44
70	95	94	100	100	65	97	86	85	108	120	84	63	51	25	15	14	6	45
714	990	1,166	1,464	1,608	1,752	1,876	1,855	1,730	1,449	1,018	663	358	124	35	7	-	15	46
469	635	801	994	1,139	1,271	1,404	1,457	1,378	1,163	825	561	309	108	25	2	-	13	47
181	282	283	385	409	403	421	349	308	262	167	94	46	14	9	5	-	2	48
51	59	58	66	52	59	37	47	40	22	21	5	3	2	1	-	-	-	49
13	14	23	17	8	19	14	2	4	2	5	3	-	-	-	-	-	-	50
976	1,203	1,141	1,034	845	626	433	325	206	169	102	62	23	12	1	-	-	20	51
237	275	292	331	282	234	194	162	107	102	52	35	14	4	-	-	-	11	52
73	103	104	109	104	78	50	44	35	23	23	15	5	5	1	-	-	2	53
522	643	589	480	371	267	165	109	58	37	23	9	3	2	-	-	-	7	54
144	182	156	114	88	47	24	10	6	7	4	3	1	1	-	-	-	-	55
7	6	9	1	2	-	2	7	1	2	-	-	-	-	-	-	-	-	56
6	5	9	-	2	-	2	6	1	2	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA																										
	ALL CAUSES	26,836	3,044	228	148	81	67	214	202	385	545	551	668	796	1,142	1,291	1,770	2,047	2,421	2,802	2,715	2,416	1,749	858	419	129	188
	White---M	9,197	894	61	39	27	26	77	71	143	179	162	188	253	352	390	545	693	839	1,035	1,102	991	673	261	133	21	22
	F	6,453	630	39	42	19	15	44	34	60	89	99	110	141	201	247	266	376	494	688	838	825	650	317	167	40	22
	Nonwhite---M	5,942	845	64	42	17	11	47	54	99	159	144	178	179	300	332	506	529	588	592	411	346	230	126	56	29	58
	F	5,244	675	64	25	18	15	46	43	85	118	146	192	225	289	322	453	449	500	467	364	254	196	114	63	39	66
001-019	Tuberculosis, all forms	838	7	10	6	3	1	5	9	42	67	57	77	69	78	63	68	69	60	67	36	23	12	5	-	-	4
	White---M	236	3	2	2	1	1	1	2	2	4	8	10	19	17	21	30	21	27	29	16	9	7	4	-	-	-
	F	144	1	-	2	-	-	-	-	4	13	5	16	12	12	7	6	9	11	21	12	8	4	1	-	-	-
	Nonwhite---M	246	3	3	2	2	-	2	3	17	19	18	26	16	30	17	23	22	17	11	7	6	1	-	-	-	1
	F	212	-	5	-	-	-	2	4	19	31	26	25	22	19	18	9	17	5	6	1	-	-	-	-	-	3
001-008	Tuberculosis of respiratory system	771	1	2	1	2	1	2	6	38	64	54	75	65	72	61	66	65	54	64	35	22	12	5	-	-	4
	White---M	214	1	-	1	-	1	-	-	2	4	7	10	18	16	21	28	20	23	27	15	9	7	4	-	-	-
	F	138	-	-	-	-	-	-	-	4	12	5	16	12	12	7	6	9	11	20	12	7	4	1	-	-	-
	Nonwhite---M	221	-	1	-	2	-	1	3	15	19	16	25	14	26	15	23	20	15	11	7	6	1	-	-	-	1
	F	198	-	1	-	-	-	1	3	17	29	26	24	21	18	18	9	16	5	6	1	-	-	-	-	-	3
010-019	Tuberculosis, other forms	67	6	8	5	1	-	3	3	4	3	3	2	4	6	2	2	4	6	3	1	1	-	-	-	-	-
	White---M	22	2	2	1	1	-	1	2	-	-	1	-	1	1	-	2	1	4	2	1	-	-	-	-	-	-
	F	6	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite---M	25	3	2	2	-	-	1	-	2	-	2	1	2	4	2	-	2	2	-	-	-	-	-	-	-	-
	F	14	-	4	-	-	-	1	1	2	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	165	13	2	-	1	-	-	2	-	3	7	4	10	16	11	22	24	15	18	5	5	4	-	-	-	3
	White---M	39	2	-	-	-	-	-	-	-	-	-	-	4	1	1	3	7	3	9	2	4	1	-	-	-	2
	F	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	1	1	1	-	-	-	-
	Nonwhite---M	73	6	1	-	1	-	-	1	-	1	3	1	5	9	5	10	12	9	7	1	-	1	-	-	-	-
	F	44	5	1	-	-	-	-	1	-	2	3	3	1	6	4	8	3	2	2	1	-	1	-	-	-	1
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	30	12	-	1	-	1	-	-	-	-	1	2	2	1	1	-	-	5	1	2	-	-	-	-	1	-
	White---M	14	7	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite---M	9	1	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	1	1	-	-	-	-	-	1	-
	F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	2	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White---M	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	23	-	5	4	2	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	11	-	2	2	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	50	37	5	3	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	6	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	15	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	16	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	28	9	1	2	3	-	1	4	1	2	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-
	White---M	9	2	-	1	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	4	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
	Nonwhite---M	6	2	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	18	-	2	1	1	2	4	4	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	9	-	-	1	-	1	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	2	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	11	5	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White---M	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	13	2	-	1	-	-	-	-	1	-	-	-	-	-	2	2	1	3	1	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	5	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	109	15	5	3	6	3	4	3	4	4	3	3	6	4	7	6	7	3	6	8	2	3	3	-	-	1
	White---M	29	1	2	1	1	1	2	-	-	1	-	-	2	1	2	2	2	-	2	5	1	1	2	-	-	-
	F	22	2	1	2	2	-	-	-	2	2	-	1	2	-	3	1	1	2	-	1	-	-	-	-	-	-
	Nonwhite---M	27	7	1	-	-	1	1	1	-	1	2	1	-	3	1	-	3	1	2	-	1	1	-	-	-	-
	F	31	5	1	-	3	1	1	2	2	-	1	1	2	-	1	3	1	-	2	2	-	1	1	-	-	1

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
140-205	Malignant neoplasms, etc.*----	2,833	7	10	6	7	4	18	16	25	25	36	67	99	174	210	276	317	368	408	381	245	162	44	14	5	9
	White-----M--	1,021	3	3	2	1	4	9	5	14	6	10	23	23	41	53	79	97	125	145	168	115	71	17	6	-	1
	F--	1,059	2	6	1	4	-	6	5	6	11	15	17	37	64	82	90	120	129	145	133	95	69	13	7	1	1
	Nonwhite--M--	392	-	1	1	2	-	3	3	3	4	5	7	6	22	29	43	44	65	65	43	19	11	9	-	2	4
	F--	461	2	-	2	-	-	-	3	2	4	6	20	33	47	46	64	56	49	52	37	16	11	5	1	2	3
140-148	Of buccal cavity and pharynx------	89	-	-	-	-	-	1	-	-	-	-	-	1	-	9	12	7	9	13	15	9	10	2	-	-	1
	White-----M--	45	-	-	-	-	-	1	-	-	-	-	-	-	-	7	5	4	3	5	7	7	4	1	-	-	1
	F--	28	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	5	5	6	2	5	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	2	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	1	-	-	-
150-156A, 157--	Of digestive organs and peritoneum------	1,003	-	1	-	-	-	2	-	-	5	6	18	19	48	53	85	107	143	162	163	92	75	15	5	2	2
159	White-----M--	367	-	-	-	-	-	1	-	-	1	1	9	8	14	14	26	37	45	58	76	42	29	4	2	-	-
	F--	324	-	1	-	-	-	1	-	-	3	3	2	4	7	16	23	35	44	52	54	37	34	5	2	-	1
	Nonwhite--M--	183	-	-	-	-	-	-	-	-	1	2	4	3	14	13	18	18	34	34	22	10	6	3	-	1	-
	F--	129	-	-	-	-	-	-	-	-	-	-	3	4	13	10	18	17	20	18	11	3	6	3	1	1	1
160-164	Of respiratory system----------	265	-	-	-	1	1	1	-	-	1	1	2	8	12	20	43	42	44	35	29	17	6	1	-	1	-
	White-----M--	150	-	-	-	-	1	1	-	-	1	-	2	4	7	12	24	24	26	17	19	9	3	-	-	-	-
	F--	52	-	-	-	1	-	-	-	-	-	-	-	2	1	2	6	3	9	13	7	5	2	1	-	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	1	-	-	3	5	6	9	8	4	3	1	-	-	*	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	2	1	1	7	6	1	1	-	2	1	-	-	1	-
170	Of breast----------	212	-	-	-	-	-	-	-	-	2	2	4	13	19	25	28	31	18	30	18	10	9	-	1	-	2
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	1	-	-	-	-
	F--	146	-	-	-	-	-	-	-	-	1	2	2	10	17	19	14	23	10	21	13	6	7	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	F--	58	-	-	-	-	-	-	-	-	1	-	2	3	2	4	13	8	7	7	5	4	1	-	-	-	1
171-173	Of genital organs-	645	-	-	1	-	-	-	-	1	5	9	15	37	52	55	53	66	79	81	78	56	36	13	4	1	3
	White-----M--	135	-	-	-	-	-	-	-	1	-	2	-	1	2	-	2	5	13	22	30	27	23	5	2	-	-
	F--	268	-	-	-	-	-	-	-	-	3	5	7	12	28	31	26	35	34	28	28	19	8	2	2	-	-
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	7	15	14	9	5	4	5	-	1	2
	F--	171	-	-	1	-	-	-	-	-	2	2	8	23	22	21	20	19	17	17	11	5	1	1	-	-	1
180, 181	Of urinary organs-	112	1	1	-	-	-	-	-	-	-	1	1	-	6	5	8	9	19	23	18	9	7	3	1	-	-
	White-----M--	56	1	-	-	-	-	-	-	-	-	-	1	-	2	1	4	5	12	8	11	4	4	2	1	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	4	6	4	4	3	1	-	-	-
	Nonwhite--M--	17	-	1	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	5	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	4	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	386	3	4	1	1	1	8	6	11	7	10	15	14	19	31	34	37	36	43	38	37	16	9	3	1	1
	White-----M--	161	2	1	-	-	1	5	1	5	3	4	6	8	8	13	13	13	15	20	13	18	6	5	1	-	-
	F--	149	1	3	-	-	-	3	3	3	1	4	3	5	5	10	14	16	17	15	16	15	9	3	2	1	-
	Nonwhite--M--	34	-	-	-	1	-	-	-	2	2	1	2	1	1	2	4	4	2	4	4	2	-	1	-	-	1
	F--	42	-	-	1	-	-	-	2	1	1	1	4	-	5	6	3	4	2	4	5	2	1	-	-	-	-
204	Leukemia and aleukemia----------	121	2	3	2	5	1	5	7	7	4	2	5	2	10	9	7	7	11	10	11	9	2	-	-	-	-
	White-----M--	53	-	2	1	1	1	1	3	3	1	1	2	-	4	2	4	4	4	6	6	6	1	-	-	-	-
	F--	37	-	1	1	3	-	2	2	3	3	-	2	1	1	3	1	3	4	2	2	3	-	-	-	-	-
	Nonwhite--M--	19	-	-	-	1	-	2	2	1	-	-	-	-	1	3	2	-	3	2	2	-	-	-	-	-	-	-
	F--	12	2	-	-	-	-	-	-	-	-	1	1	1	4	1	-	-	-	-	1	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	100	1	1	2	-	1	1	3	6	1	5	7	5	8	3	6	11	9	11	11	6	1	1	-	-	-
	White-----M--	48	-	-	1	-	1	-	1	5	-	2	3	2	4	2	1	5	6	7	6	2	-	-	-	-	-
	F--	28	1	1	-	-	-	-	-	-	-	1	1	2	3	-	2	3	2	3	3	4	1	1	-	-	-
	Nonwhite--M--	17	-	-	1	-	-	1	1	-	1	1	1	1	1	1	3	3	-	1	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	87	3	-	1	-	1	3	1	1	4	5	8	10	9	9	8	10	6	3	3	1	1	-	-	-	-
	White-----M--	28	2	-	-	-	-	2	1	-	-	1	1	1	1	4	6	3	3	-	2	-	1	-	-	-	-
	F--	27	1	-	1	-	1	-	-	1	2	2	2	3	3	4	1	3	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	25	-	-	-	-	-	1	-	-	1	1	4	4	5	1	1	2	2	1	1	1	-	-	-	-	-
260	Diabetes mellitus-	274	1	-	2	-	-	-	2	2	8	8	5	7	11	16	20	25	33	46	41	33	12	3	1	-	-
	White-----M--	85	1	-	1	-	-	-	1	-	-	4	4	-	1	4	1	4	13	18	13	12	6	-	-	-	-
	F--	77	-	-	-	-	-	-	-	1	2	1	-	3	1	6	3	6	10	10	15	13	3	2	1	-	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	3	1	-	1	2	-	5	4	1	10	5	4	1	1	-	-	-
	F--	76	-	-	1	-	-	1	1	1	2	1	3	7	6	11	11	9	8	8	4	2	-	-	-	-	-
290-293	Anemias----------	67	7	1	2	-	-	1	1	2	3	3	2	-	3	6	2	4	2	8	7	4	6	2	-	-	1
	White-----M--	23	3	-	1	-	-	1	-	-	1	-	-	-	1	-	2	1	1	5	3	1	3	-	-	-	-
	F--	21	1	1	1	-	-	-	-	-	2	1	-	-	1	3	-	-	-	1	3	3	2	2	-	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1
	F--	14	1	-	-	-	-	1	1	-	1	2	-	1	3	-	1	-	2	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	59	20	10	2	3	-	2	2	1	2	-	1	1	1	1	2	3	2	2	1	2	1	-	-	-	-
	White-----M--	13	2	2	1	-	-	2	-	1	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	F--	7	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	21	9	3	1	1	-	-	1	-	-	-	-	-	1	-	-	3	1	-	-	1	-	-	-	-	-
	F--	18	6	5	-	1	-	-	1	-	-	-	1	1	-	-	1	-	-	1	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	12,425	9	7	4	3	2	15	26	36	65	70	134	237	414	600	973	1,165	1,504	1,738	1,746	1,604	1,164	543	227	69	70
	White-----M--	4,406	2	1	-	2	-	-	7	8	12	9	34	63	124	162	292	408	513	649	720	664	453	190	72	12	9
	F--	3,115	1	2	-	-	-	8	4	10	13	18	29	40	63	86	117	162	267	410	534	555	438	217	99	25	17
	Nonwhite--M--	2,508	3	2	3	-	-	3	5	8	10	16	27	47	111	165	305	308	383	357	254	221	148	68	28	16	20
	F--	2,396	3	2	1	1	2	4	10	10	30	27	44	87	116	187	259	287	341	322	238	164	125	68	28	16	24
330-334, 400-468	Diseases of cardiovascular system-	11,720	8	6	3	3	2	13	25	33	55	62	111	212	376	565	920	1,105	1,450	1,646	1,657	1,524	1,091	511	213	66	63
	White-----M--	4,232	2	1	-	2	-	-	6	7	7	8	30	60	117	153	288	397	497	635	692	639	428	177	66	12	8
	F--	2,964	1	1	-	-	-	7	4	9	11	16	23	36	58	82	107	156	256	391	511	532	420	209	95	23	16
	Nonwhite--M--	2,325	3	2	2	-	-	3	5	8	9	15	23	42	96	159	284	291	368	327	231	206	129	63	27	15	17
	F--	2,199	2	2	1	1	2	3	10	9	28	25	35	74	105	171	241	261	329	293	223	147	114	62	25	16	22
330-334	Vascular lesions, etc.*----------	3,155	5	2	-	2	-	1	-	3	12	10	19	48	95	156	239	275	433	456	482	409	288	132	50	13	25
	White-----M--	926	1	1	-	2	-	-	-	-	3	1	7	9	20	28	50	63	116	141	179	145	100	40	18	-	2
	F--	880	1	-	-	-	-	-	-	1	2	1	1	10	16	23	35	51	90	120	165	158	120	53	20	5	8
	Nonwhite--M--	636	3	-	-	-	-	1	-	1	1	2	3	10	28	47	78	62	111	87	64	54	34	16	3	5	5
	F--	713	-	1	-	-	-	-	-	1	6	6	8	19	30	58	76	79	116	108	74	52	34	23	9	3	10
400-402	Rheumatic fever---	41	-	1	1	-	1	9	9	6	4	2	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	3	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	5	1	2	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	-	1	1	-	-	2	2	2	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	1	2	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA--Con.																										
410-443	Diseases of heart	7,636	2	3	1	1	-	3	15	22	30	46	76	144	256	388	640	786	938	1,120	1,061	1,027	703	334	145	44	31
	White--M	3,070	1	-	-	-	-	-	3	4	4	7	17	46	92	121	230	318	360	475	473	460	282	119	43	10	5
	F	1,902	-	1	-	-	-	2	3	6	4	11	19	26	39	54	70	97	151	258	323	342	270	137	67	15	7
	Nonwhite--M	1,539	-	1	1	-	-	-	3	4	6	11	18	27	63	105	190	199	234	221	155	136	64	44	20	9	8
	F	1,325	1	1	-	1	-	1	6	8	16	17	22	45	62	108	150	172	193	166	130	89	67	34	15	10	11
410-416	Chronic rheumatic heart disease	293	...	1	-	1	-	1	5	14	9	12	14	13	16	16	23	30	24	20	23	25	29	12	1	1	1
	White--M	86	...	-	-	-	-	-	2	4	1	1	5	2	4	3	4	13	7	8	10	10	9	2	-	1	-
	F	70	...	-	-	-	-	1	1	4	2	5	6	4	6	3	5	5	-	3	5	6	9	5	-	-	-
	Nonwhite--M	61	...	1	-	-	-	-	1	2	1	3	2	1	3	6	4	5	9	4	5	4	8	2	-	-	-
	F	76	...	-	-	1	-	-	1	4	5	3	1	6	5	4	10	7	8	5	3	5	3	3	1	-	1
420	Arteriosclerotic heart dis., etc.*	3,575	-	-	-	-	-	1	-	-	4	15	24	65	119	187	316	406	468	544	519	444	283	111	47	10	12
	White--M	1,841	-	-	-	-	-	-	-	-	1	3	8	33	72	84	166	225	246	293	276	221	137	52	18	3	3
	F	866	-	-	-	-	-	-	-	-	1	3	6	10	10	29	38	47	91	127	164	160	109	44	20	4	3
	Nonwhite--M	497	-	-	-	-	-	-	-	-	1	4	2	11	26	43	63	74	73	70	47	41	20	7	8	3	4
	F	371	-	-	-	-	-	1	-	-	1	5	8	11	11	31	49	60	58	54	32	22	17	8	1	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,266	...	-	-	-	-	-	3	4	6	3	4	17	23	36	78	89	146	162	173	189	157	96	53	21	6
	White--M	377	...	-	-	-	-	-	-	-	-	-	-	3	3	8	13	19	34	51	65	73	55	35	12	6	-
	F	301	...	-	-	-	-	-	-	-	-	-	-	1	3	5	1	5	3	20	34	40	61	63	34	26	5	-
	Nonwhite--M	298	...	-	-	-	-	-	-	1	1	2	2	3	6	13	35	31	49	45	34	29	19	17	4	5	2
	F	290	...	-	-	-	-	-	3	3	5	1	1	8	9	14	25	36	43	32	34	26	20	10	11	5	4
430-434	Other diseases of heart	520	2	2	1	-	-	1	7	2	6	7	13	11	26	29	47	55	56	78	65	49	38	15	6	3	1
	White--M	201	1	-	-	-	-	-	1	-	2	2	3	3	6	8	15	23	24	32	34	24	16	5	2	-	-
	F	104	-	1	-	-	-	1	2	1	1	1	1	1	6	4	4	7	5	17	13	13	15	6	3	2	-
	Nonwhite--M	127	-	-	1	-	-	-	2	1	1	-	3	3	7	10	18	14	15	20	13	8	6	3	1	1	-
	F	88	1	1	-	-	-	-	2	-	2	4	6	4	7	7	10	11	12	9	5	4	1	1	-	-	1
440-443	Hypertension with heart dis.	2,182	-	-	-	-	-	-	-	2	5	9	21	36	70	130	176	206	244	316	301	320	196	100	36	9	11
	White--M	565	-	-	-	-	-	-	-	-	-	1	1	5	7	18	32	38	49	91	88	132	65	25	11	-	2
	F	561	-	-	-	-	-	-	-	1	-	2	5	8	12	17	18	35	35	77	101	102	74	48	18	4	4
	Nonwhite--M	556	-	-	-	-	-	-	-	-	2	2	9	9	21	33	70	75	88	82	56	54	31	15	7	-	2
	F	500	-	-	-	-	-	-	-	1	3	4	6	16	30	52	56	58	72	66	56	32	26	12	2	5	3
444-447	Hypertension without mention of heart	302	-	-	-	-	-	-	-	-	1	2	7	13	15	12	24	23	39	29	35	31	44	17	6	1	3
	White--M	83	-	-	-	-	-	-	-	-	-	-	3	1	2	3	4	5	6	6	14	10	19	7	2	1	-
	F	56	-	-	-	-	-	-	-	-	-	2	-	-	2	1	2	3	4	5	7	9	11	6	4	-	-
	Nonwhite--M	68	-	-	-	-	-	-	-	-	-	-	1	4	2	3	8	6	16	8	4	8	5	1	-	-	2
	F	95	-	-	-	-	-	-	-	-	1	-	3	8	9	5	10	9	13	10	10	4	9	3	-	-	1
450	General arteriosclerosis	278	-	-	-	-	-	-	-	-	1	-	1	2	1	1	10	8	29	31	50	45	52	25	10	8	4
	White--M	108	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	5	9	10	22	20	25	10	2	1	1
	F	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	6	14	20	17	11	3	3	1
	Nonwhite--M	53	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	2	6	9	8	5	6	2	4	1	2
	F	34	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	7	6	6	-	4	2	1	3	-
451-468	Other diseases of circulatory sys.	108	1	-	1	-	1	-	1	2	7	2	4	4	7	8	7	13	11	9	9	12	4	3	2	-	-
	White--M	37	-	-	-	-	-	-	-	1	-	-	-	2	3	1	3	6	6	3	4	4	2	1	1	-	-
	F	30	-	-	-	-	-	-	-	-	2	2	2	-	-	4	-	4	4	2	2	3	2	2	1	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	1	2	-	-	1	1	3	2	2	1	1	-	3	-	-	-	-	-
	F	24	1	-	1	-	1	-	1	-	3	-	2	1	3	-	2	1	-	3	3	2	-	-	-	-	-
592-594	Chronic nephritis, etc.*	705	1	1	1	-	-	2	1	3	10	8	23	25	38	35	53	60	54	92	89	80	73	32	14	3	7
	White--M	174	-	-	-	-	-	-	1	1	5	1	4	3	7	9	4	11	16	14	28	25	25	13	6	-	1
	F	151	-	1	-	-	-	1	-	1	2	2	6	4	5	4	10	6	11	19	23	23	18	8	4	2	1
	Nonwhite--M	183	-	-	1	-	-	-	-	-	1	1	4	5	15	6	21	17	15	30	23	15	19	5	1	1	3
	F	197	1	-	-	-	-	1	-	1	2	4	9	13	11	16	18	26	12	29	15	17	11	6	3	-	2
480-493	Influenza and pneumonia, etc.*	1,292	266	37	26	8	9	14	11	11	14	14	19	20	35	29	60	53	92	85	110	128	103	77	44	12	15
	White--M	323	54	6	3	2	3	3	1	1	4	2	2	2	4	7	8	6	22	21	36	51	37	25	19	1	3
	F	325	57	5	7	2	2	1	3	1	2	1	3	2	4	7	4	7	14	21	36	44	47	29	18	7	1
	Nonwhite--M	353	88	15	14	2	2	5	4	4	5	4	9	8	15	6	27	22	26	24	27	16	9	11	4	3	3
	F	291	67	11	2	2	2	5	3	5	3	7	5	8	12	9	21	18	30	19	11	17	10	12	3	1	8
480-483	Influenza	264	32	3	3	1	2	4	3	-	5	4	3	4	7	10	13	12	20	19	22	38	25	18	9	3	4
	White--M	54	5	2	1	-	-	-	-	-	1	-	-	-	-	1	2	-	4	3	8	9	9	4	5	-	-
	F	73	8	-	1	-	2	1	1	-	-	-	1	-	2	4	-	2	1	4	3	23	12	3	2	2	1
	Nonwhite--M	72	12	-	1	-	-	1	-	-	2	-	2	3	4	1	6	8	8	6	9	3	2	4	2	-	-
	F	65	7	1	-	1	-	2	2	-	2	4	-	1	1	4	5	4	7	8	2	3	2	7	-	1	3
490-493	Pneumonia, etc.*	1,028	234	34	23	7	7	10	8	11	9	10	16	16	28	19	47	41	72	66	88	90	78	59	35	9	11
	White--M	269	49	4	2	2	3	3	1	1	3	2	2	2	4	6	6	6	18	18	28	42	28	21	14	1	3
	F	252	49	5	6	2	-	-	2	1	2	1	2	2	2	3	4	5	13	17	33	21	35	26	16	5	-
	Nonwhite--M	281	76	15	13	2	2	4	4	4	3	4	7	5	11	5	21	15	18	18	18	13	7	7	2	3	3
	F	226	60	10	2	1	2	3	1	5	1	3	5	7	11	5	16	14	23	13	9	14	8	5	3	-	5
500-502	Bronchitis	40	9	5	2	1	-	2	-	-	-	-	-	-	-	1	2	-	4	2	3	5	1	2	-	-	1
	White--M	17	4	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	2	-	1	-	-	-
	F	8	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	1
	Nonwhite--M	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	9	1	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum	109	1	-	-	-	-	-	-	-	2	2	6	5	12	10	12	15	9	12	11	8	3	-	-	-	1
	White--M	57	-	-	-	-	-	-	-	-	-	1	2	4	6	3	7	6	2	9	7	7	2	-	-	-	1
	F	15	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	2	1	4	1	1	-	-	-	-
	Nonwhite--M	28	1	-	-	-	-	-	-	-	1	1	2	1	4	5	2	6	5	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	2	-	2	-	-	-	-	-	-	-	-
550-553	Appendicitis	66	-	-	2	-	-	9	1	5	2	1	2	10	3	4	5	5	3	5	3	3	1	1	1	-	-
	White--M	26	-	-	1	-	-	5	-	3	2	1	-	3	1	1	1	2	1	-	1	1	1	1	1	-	-
	F	8	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	2	-	-	-	-	-
	Nonwhite--M	17	-	-	-	-	-	1	-	2	-	-	-	4	-	1	2	2	1	4	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	3	1	-	-	-	1	2	2	1	2	-	1	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	166	19	3	3	-	1	-	1	-	3	1	5	5	10	11	11	14	17	15	18	14	6	8	1	-	-
	White--M	51	9	1	1	-	1	-	1	-	-	-	2	1	3	1	4	1	5	6	3	6	1	4	1	-	-
	F	43	6	-	1	-	-	-	-	-	-	-	1	2	1	3	-	6	2	3	8	5	3	2	-	-	-
	Nonwhite--M	44	4	1	-	-	-	-	-	-	3	-	-	2	2	4	3	3	8	5	6	-	1	2	-	-	-
	F	28	-	1	1	-	-	-	-	-	-	1	2	-	4	3	4	4	2	1	1	3	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
543, 571, 572	Gastritis, etc.*--	194	114	12	5	1	2	4	1	-	3	1	1	3	3	2	1	4	10	7	6	5	6	-	3	-	-
	White-----M--	50	28	5	1	-	-	2	1	-	-	-	-	-	1	1	-	3	4	-	1	1	2	-	-	-	-
	F--	32	14	-	3	-	-	-	-	-	1	1	-	1	1	-	-	-	1	2	3	2	1	-	2	-	-
	Nonwhite--M--	58	41	2	1	1	1	1	-	-	1	-	-	-	1	-	-	1	2	1	1	2	1	-	1	-	-
	F--	54	31	5	-	-	1	1	-	-	1	-	1	2	-	1	1	-	3	4	1	-	2	-	-	-	-
581	Cirrhosis of liver	133	-	-	-	-	-	-	-	1	-	1	5	6	14	11	18	18	14	15	12	12	5	-	1	-	-
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	2	2	11	3	10	11	11	6	9	8	3	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	1	3	1	2	3	4	4	3	4	2	1	2	-	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	-	4	1	2	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	-	2	-	2	4	1	-	1	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	99	2	4	1	-	2	4	2	2	2	7	2	5	11	3	12	3	9	9	10	3	3	2	-	1	-
	White-----M--	26	1	2	-	-	-	1	-	1	-	2	1	1	1	1	4	1	1	1	4	2	1	1	-	-	-
	F--	15	-	-	-	-	1	1	1	-	1	1	-	1	1	-	1	-	3	2	-	-	1	-	-	1	-
	Nonwhite--M--	30	1	2	1	-	-	-	-	1	1	-	1	-	3	-	6	2	3	5	3	-	1	-	-	-	-
	F--	28	-	-	-	-	1	2	1	1	-	3	1	2	6	2	1	-	2	1	3	1	-	1	-	-	-
610	Hyperplasia of prostate----------	111	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	10	17	21	24	21	5	4	1	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6	13	15	15	4	4	1	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	5	11	8	9	6	1	-	-	-
640-689	Complications of pregnancy, etc.*-	143	...	...	...	...	...	...	1	16	24	35	33	16	16	-	1	1	...	...	...	...	...	...	...	...	-
	White-----F--	51	...	...	...	...	...	...	1	5	11	14	9	3	7	-	-	1	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	92	...	...	...	...	...	...	-	11	13	21	24	13	9	-	1	-	...	...	...	...	...	...	...	...	-
650-652	Abortion----------	17	...	...	...	...	...	...	-	1	6	3	5	-	2	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	9	...	...	...	...	...	...	-	-	4	2	1	-	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	1	2	1	4	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications--------	126	...	...	...	...	...	...	1	15	18	32	28	16	14	-	1	1	...	...	...	...	...	...	...	...	-
	White-----F--	42	...	...	...	...	...	...	1	5	7	12	8	3	5	-	-	1	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	84	...	...	...	...	...	...	-	10	11	20	20	13	9	-	1	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations--------	327	261	15	9	3	3	10	7	2	5	-	-	2	-	2	4	-	1	1	1	1	-	-	-	-	-
	White-----M--	134	104	7	3	2	3	3	2	1	2	-	-	1	-	2	3	-	1	-	-	-	-	-	-	-	-
	F--	96	82	3	4	1	-	2	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	53	41	4	1	-	-	3	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	44	34	1	1	-	-	2	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,643	1,643	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	561	561	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	374	374	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	397	397	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	311	311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	575	575	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	949	949	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	253	253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	1,536	393	16	12	8	4	7	9	8	9	13	21	27	32	54	67	69	82	120	112	115	125	77	81	31	44
	White-----M--	295	51	2	3	2	-	-	3	1	3	3	1	9	6	14	11	24	23	26	29	26	25	12	16	4	1
	F--	211	40	1	1	1	-	2	1	-	-	1	1	2	4	4	7	4	8	15	25	23	28	21	17	4	1
	Nonwhite--M--	514	160	7	2	2	2	3	3	3	1	-	5	8	11	20	24	22	29	39	26	36	40	23	22	5	21
	F--	516	142	6	6	3	2	2	2	4	5	9	14	8	11	16	25	19	22	40	32	30	32	21	26	18	21
Residual	All other diseases	1,190	81	22	9	7	7	24	13	24	22	39	43	54	70	68	73	98	91	119	100	102	64	36	15	3	8
	White-----M--	372	18	5	2	5	3	9	5	3	7	9	13	20	20	22	18	29	33	40	32	36	26	13	4	-	2
	F--	342	17	4	3	-	2	8	2	5	4	10	9	10	11	18	19	31	22	39	38	37	27	16	10	-	-
	Nonwhite--M--	256	33	6	4	2	2	2	3	8	4	7	9	9	19	18	15	23	15	27	16	18	6	5	-	2	3
	F--	220	13	7	-	2	-	5	3	8	7	13	12	15	20	10	21	15	21	13	14	11	5	2	1	1	1
E800-E962	Accidents----------	2,005	105	52	38	22	18	74	82	161	193	154	141	128	143	108	88	108	61	75	68	73	43	29	27	6	10
	White-----M--	994	30	17	11	9	3	30	36	99	117	94	76	75	79	57	42	56	28	41	29	27	16	7	10	3	2
	F--	324	19	10	11	5	6	13	12	20	21	19	12	13	14	12	4	14	14	9	18	29	21	13	12	2	1
	Nonwhite--M--	476	26	12	9	3	3	19	28	33	47	35	42	30	34	32	32	28	12	18	11	11	1	5	1	-	4
	F--	211	30	13	7	5	6	12	6	9	8	6	11	10	16	7	10	10	7	7	8	6	5	4	4	1	3
E810-E835	Motor-vehicle accidents--------	855	3	14	9	7	3	35	29	102	115	67	80	64	62	48	47	44	26	34	18	16	4	3	1	-	4
	White-----M--	528	1	8	3	3	-	18	18	70	83	58	46	41	39	28	24	23	15	24	11	9	4	1	1	-	-
	F--	118	2	4	5	1	3	7	5	17	10	10	7	9	8	9	2	7	4	3	2	2	-	-	-	-	1
	Nonwhite--M--	170	-	2	1	1	-	6	5	13	18	16	22	12	10	9	18	10	6	6	4	5	-	2	-	-	3
	F--	39	-	-	-	2	-	4	1	2	4	3	5	2	5	2	2	4	1	1	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,150	102	38	29	15	15	39	53	59	78	67	61	64	81	60	41	64	35	41	48	57	39	26	26	6	6
	White-----M--	466	29	9	8	6	3	12	18	29	34	36	30	34	40	29	18	33	15	17	18	18	12	6	9	3	2
	F--	206	17	6	6	4	3	6	7	3	11	9	5	4	6	3	2	7	10	6	16	27	21	13	12	2	-
	Nonwhite--M--	306	26	10	8	2	3	13	23	20	29	19	20	18	24	23	13	18	6	12	7	6	1	3	1	-	1
	F--	172	30	13	7	3	6	8	5	7	4	3	6	8	11	5	8	6	6	6	7	5	5	4	4	1	3
E963, E970-E979	Suicide----------	209	-	-	-	-	-	-	-	7	13	15	13	18	40	26	22	14	12	17	9	2	-	-	-	-	1
	White-----M--	145	-	-	-	-	-	-	-	3	11	7	8	11	27	18	17	9	10	15	6	2	-	-	-	-	1
	F--	38	-	-	-	-	-	-	-	4	2	3	1	3	9	4	4	2	2	2	2	2	-	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	4	3	3	4	4	-	3	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide----------	432	1	2	-	-	1	2	4	30	71	76	73	55	41	33	15	12	5	4	3	1	1	1	-	-	1
	White-----M--	70	-	-	-	-	1	-	2	3	5	11	8	10	6	10	4	2	3	3	1	1	-	-	-	-	-
	F--	21	-	-	-	-	-	-	1	1	1	3	4	5	3	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	265	-	-	-	-	-	2	-	19	56	44	43	33	26	19	9	9	1	-	1	-	1	1	-	-	1
	F--	76	1	2	-	-	-	-	1	7	9	18	18	7	6	3	2	-	1	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA																										
	ALL CAUSES	6,422	953	100	51	39	26	68	58	105	137	185	172	212	278	301	374	484	518	620	552	497	341	204	88	27	32
	White---M	3,396	335	24	12	13	8	27	15	45	64	85	91	98	150	182	239	313	342	379	335	308	170	102	36	11	12
	F	1,869	277	19	17	8	7	18	15	19	27	41	46	62	85	83	87	124	130	173	163	152	142	85	46	13	10
	Nonwhite--M	677	200	30	13	9	2	15	10	19	27	35	22	35	22	21	34	33	23	42	21	20	19	13	3	2	7
	F	480	141	27	9	9	9	8	18	22	19	24	13	17	21	15	14	14	25	26	13	17	10	4	3	1	3
001-019	Tuberculosis, all forms	447	5	10	6	4	4	5	14	24	25	39	44	35	44	35	37	35	22	21	19	8	2	5	2	-	2
	White---M	215	-	2	-	-	1	-	-	3	7	16	14	19	24	25	25	25	14	12	16	7	-	2	1	-	2
	F	82	-	3	2	-	-	-	1	3	5	4	17	9	11	5	6	6	3	2	2	-	2	1	-	-	-
	Nonwhite--M	74	1	3	3	3	1	4	4	5	5	8	9	5	4	3	4	2	2	4	1	1	-	1	1	-	-
	F	76	4	2	1	1	2	1	9	13	8	11	4	2	5	2	2	2	3	3	-	-	-	1	-	-	-
001-008	Tuberculosis of respiratory system	395	2	4	2	-	1	-	7	18	22	35	42	35	43	34	36	35	22	20	18	8	2	4	2	-	2
	White---M	207	-	-	-	-	-	-	-	2	5	16	14	19	24	24	25	25	14	11	16	7	-	2	1	-	2
	F	76	-	2	-	-	-	-	-	3	5	4	16	9	11	5	5	6	3	2	2	-	2	1	-	-	-
	Nonwhite--M	55	1	1	2	-	-	-	-	4	5	6	8	5	4	3	4	2	2	4	1	1	-	1	1	-	-
	F	57	1	1	-	-	1	-	7	9	7	9	4	2	4	2	2	2	3	3	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	52	3	6	4	4	3	5	7	6	3	4	2	-	1	1	1	-	-	1	-	-	-	1	-	-	-
	White---M	8	-	2	-	-	1	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	1	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	19	-	2	1	3	1	4	4	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	3	1	1	1	1	1	2	4	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
020-029	Syphilis and its sequelae	46	10	-	-	-	-	-	-	-	1	-	-	2	2	1	5	7	5	5	2	3	3	-	-	-	-
	White---M	18	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	4	-	3	2	-	-	-	-
	F	10	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	2	-	-	-	-	-	-
	Nonwhite--M	15	6	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	-	1	-	-	1	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
040	Typhoid fever	5	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	22	13	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-
	White---M	11	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	8	-	-	-	1	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	21	11	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	6	-	-	1	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	27	8	-	1	-	-	3	3	-	1	2	1	2	1	1	1	-	1	-	-	2	-	-	-	-	-
	White---M	10	4	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	10	1	-	-	-	-	-	1	-	1	2	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	4	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
140-205	Malignant neoplasms, etc.*—	708	4	1	1	-	3	6	2	1	4	7	3	17	35	39	56	88	84	117	91	79	42	17	5	2	2
	White— M—	362	2	1	-	-	-	1	2	1	2	1	2	3	9	15	28	48	44	75	52	46	22	7	1	-	-
	F—	291	2	-	1	-	3	4	-	-	2	6	1	13	20	21	24	32	35	33	33	28	17	8	4	2	2
	Nonwhite— M—	30	-	-	-	-	-	1	-	-	-	-	-	1	2	1	3	4	3	6	5	1	1	2	-	-	-
	F—	23	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	4	2	3	1	4	2	-	-	-	-
140-148	Of buccal cavity and pharynx—	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	5	1	-	-	-	-	-	-
	White— M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	1	1	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite— M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum—	260	-	-	-	-	-	-	-	-	-	-	-	4	8	10	17	31	34	53	42	28	17	11	2	2	1
	White— M—	155	-	-	-	-	-	-	-	-	-	-	-	-	3	3	11	19	22	40	25	19	8	4	1	-	-
	F—	91	-	-	-	-	-	-	-	-	-	-	-	3	3	6	6	9	11	11	15	9	8	6	1	2	1
	Nonwhite— M—	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	2	-	-	1	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-
160-164	Of respiratory system—	83	-	-	-	-	-	-	-	-	-	-	3	2	-	7	8	13	11	17	11	8	2	1	-	-	-
	White— M—	65	-	-	-	-	-	-	-	-	-	-	2	1	-	6	7	13	7	14	7	6	1	1	-	-	-
	F—	13	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	3	2	2	2	1	-	-	-	-
	Nonwhite— M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Of breast—	58	-	-	-	-	-	-	-	-	-	1	-	3	9	3	10	6	8	8	2	5	2	-	1	-	-
	White— M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	54	-	-	-	-	-	-	-	-	-	1	-	3	8	3	10	6	8	7	2	4	1	-	1	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
171-179	Of genital organs—	128	-	-	-	-	-	-	-	-	1	2	-	6	9	9	5	12	11	17	18	24	10	2	1	-	1
	White— M—	51	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	6	8	11	15	6	-	-	-	-
	F—	68	-	-	-	-	-	-	-	-	-	2	-	5	6	7	3	11	5	7	6	8	4	2	1	-	1
	Nonwhite— M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	1	-	-	-	-	-
180, 181	Of urinary organs—	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	-	3	2	2	2	-	-	-
	White— M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	-
	F—	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	1	1	-	-	-	-
	Nonwhite— M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	84	1	-	-	-	-	1	1	1	2	3	-	1	6	7	7	13	5	10	8	9	7	1	1	-	-
	White— M—	41	1	-	-	-	-	-	1	1	-	1	-	-	3	3	5	4	3	5	4	4	5	1	-	-	-
	F—	32	-	-	-	-	-	-	-	-	2	2	-	1	2	3	2	5	2	4	4	2	2	-	1	-	-
	Nonwhite— M—	6	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-
204	Leukemia and aleukemia—	31	1	1	1	-	2	5	1	-	-	1	-	1	2	1	1	3	5	2	3	1	-	-	-	-	-
	White— M—	17	1	1	-	-	-	1	1	-	-	-	-	1	1	1	-	3	3	2	2	-	-	-	-	-	-
	F—	11	-	-	1	-	2	4	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite— M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	29	-	-	-	-	1	-	-	-	1	-	-	-	1	1	4	5	4	5	3	2	2	-	-	-	-
	White— M—	18	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	4	2	4	2	1	1	-	-	-	-
	F—	9	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	2	-	1	1	-	-	-	-	-
	Nonwhite— M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	15	1	-	-	1	-	1	1	-	-	-	2	-	1	1	1	1	1	1	1	1	-	1	-	-	-
	White— M—	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F—	9	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	1	1	-	1	-	-	1	-	-	-
	Nonwhite— M—	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus—	63	-	-	-	-	-	-	-	-	1	4	1	1	3	4	8	5	9	7	10	4	4	-	1	-	1
	White— M—	18	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	4	3	2	-	-	1	-	-
	F—	38	-	-	-	-	-	-	-	-	-	3	1	1	1	1	6	4	6	2	7	2	4	-	-	-	-
	Nonwhite— M—	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1
	F—	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
290-293	Anemias—	19	1	-	-	-	-	3	-	1	2	-	1	-	-	-	-	1	-	3	1	3	2	1	-	-	-
	White— M—	8	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	-	-
	F—	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-
	Nonwhite— M—	4	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis—	14	9	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White— M—	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	2,281	2	1	2	3	1	9	10	6	10	25	23	49	69	102	130	212	260	325	312	299	214	131	62	17	7
	White— M—	1,360	-	-	2	1	1	5	1	1	3	11	13	25	33	64	95	139	182	201	186	185	109	67	27	7	3
	F—	737	-	1	-	1	-	3	6	3	4	11	6	15	21	29	22	52	60	94	113	97	97	58	34	9	1
	Nonwhite— M—	105	1	-	-	1	-	1	-	2	3	-	3	4	7	4	7	17	10	20	5	6	6	4	-	1	3
	F—	79	1	-	-	-	-	-	3	-	-	3	1	5	8	5	6	4	8	10	8	11	3	2	1	-	-
330-334, 400-468	Diseases of cardiovascular system—	2,193	2	1	2	2	1	7	9	3	7	20	21	42	65	92	127	202	251	321	302	292	210	130	62	16	6
	White— M—	1,318	-	-	2	1	1	5	1	-	2	8	12	21	33	57	93	136	177	199	182	180	105	66	27	7	3
	F—	706	-	1	-	-	-	1	5	2	3	9	6	14	21	27	22	47	56	93	107	95	96	58	34	8	1
	Nonwhite— M—	97	1	-	-	1	-	1	-	1	2	-	2	4	7	4	6	15	10	19	5	6	6	4	-	1	2
	F—	72	1	-	-	-	-	-	3	-	-	3	1	3	4	4	6	4	8	10	8	11	3	2	1	-	-
330-334	Vascular lesions, etc.*—	466	1	-	2	2	-	-	-	-	1	1	3	5	11	15	19	33	48	63	76	77	56	37	10	4	2
	White— M—	218	-	-	2	1	-	-	-	-	-	-	-	1	5	3	9	16	24	32	37	45	21	16	3	2	1
	F—	203	-	-	-	-	-	-	-	-	-	1	2	2	6	8	6	12	17	23	35	30	33	18	7	2	1
	Nonwhite— M—	21	1	-	-	1	-	-	-	-	1	-	1	-	-	1	2	2	3	6	1	-	1	1	-	-	-
	F—	24	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	3	4	2	3	2	1	2	-	-	-
400-402	Rheumatic fever—	18	-	-	-	-	-	2	6	-	1	4	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-
	White— M—	5	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	8	-	-	-	-	-	-	3	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
410-443	Diseases of heart	1,550	-	1	-	-	1	4	3	2	3	14	16	31	49	72	105	161	185	237	200	188	131	74	43	4	4
	White-----M--	1,005	-	-	-	-	1	3	-	-	2	7	11	16	27	53	82	118	140	156	132	120	70	43	21	1	2
	F--	425	-	1	-	-	-	1	2	1	2	5	4	10	14	16	16	31	36	63	62	56	54	28	21	2	-
	Nonwhite--M--	64	-	-	-	-	-	-	-	1	1	-	1	4	5	2	3	11	6	11	3	5	5	3	-	1	2
	F--	36	-	-	-	-	-	-	1	-	-	2	-	1	3	1	4	1	3	7	3	7	2	-	1	-	-
410-416	Chronic rheumatic heart disease----	89	...	-	-	-	-	2	-	1	2	7	8	8	11	13	11	9	6	4	4	2	-	1	-	-	-
	White-----M--	49	...	-	-	-	-	2	-	-	1	3	5	4	4	9	6	6	4	1	3	1	-	-	-	-	-
	F--	35	...	-	-	-	-	-	-	1	1	3	3	3	5	4	5	3	1	3	1	1	-	1	-	-	-
	Nonwhite--M--	3	...	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	...	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	876	-	-	-	-	-	-	-	-	2	3	6	14	27	38	66	93	115	154	124	109	74	32	16	2	1
	White-----M--	625	-	-	-	-	-	-	-	-	1	3	5	10	18	30	59	75	93	105	82	73	44	20	6	-	1
	F--	211	-	-	-	-	-	-	-	-	1	-	-	3	4	6	6	13	17	40	39	31	29	11	10	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	-	4	1	-	5	3	5	2	2	1	1	-	1	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	4	1	3	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	241	...	-	-	-	1	1	1	1	-	1	1	1	2	6	8	16	24	34	30	42	31	22	18	-	1
	White-----M--	148	...	-	-	-	1	1	-	-	-	1	-	-	-	5	5	10	17	20	19	25	16	15	10	-	1
	F--	72	...	-	-	-	-	-	1	-	-	-	-	-	2	1	1	3	6	10	10	14	11	5	7	-	-
	Nonwhite--M--	15	...	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1	2	1	2	3	2	-	-	-
	F--	8	...	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	1	1	-	1	-	-
430-434	Other diseases of heart---------	114	-	1	-	-	-	1	2	-	1	2	1	4	6	6	7	16	17	11	12	12	6	6	2	1	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	1	-	2	5	5	12	15	9	8	6	2	3	1	-	-
	F--	33	-	1	-	-	-	1	1	-	-	1	-	3	3	-	1	3	2	2	3	4	3	3	1	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-
440-443	Hypertension with heart dis.---	210	-	-	-	-	-	-	-	-	-	1	-	4	3	9	13	27	23	34	30	23	20	13	7	1	2
	White-----M--	116	-	-	-	-	-	-	-	-	-	-	-	2	3	4	7	15	11	21	20	15	8	5	4	1	-
	F--	74	-	-	-	-	-	-	-	-	-	1	-	1	-	5	3	9	10	8	9	6	11	8	3	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	4	-	1	1	-	-	-	
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	45	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	5	4	7	4	7	4	6	-	2	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	6	1	3	1	4	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	2	3	2	-	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
450	General arteriosclerosis--------	95	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	8	8	15	17	17	11	9	6	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	2	7	9	11	3	3	4	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	6	7	6	8	6	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.--	39	1	-	-	-	-	1	-	1	-	1	1	2	3	1	1	2	6	6	7	3	1	2	-	-	-
	White-----M--	22	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	5	3	5	3	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	1	2	2	-	-	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
582-594	Chronic nephritis, etc.*----------	88	-	-	-	1	-	2	1	3	3	5	2	7	4	10	3	10	9	4	10	7	4	1	-	1	1
	White-----M--	42	-	-	-	-	-	-	-	1	1	3	1	4	-	7	2	3	5	2	4	5	3	1	-	-	-
	F--	31	-	-	-	1	-	2	1	1	1	2	-	1	-	2	-	5	4	1	6	2	1	-	-	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	2	-	1	-	-	-	-	-	-	1
	F--	7	-	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	282	87	17	6	3	2	5	1	5	2	6	4	9	7	9	13	10	12	23	19	17	11	12	1	-	1
	White-----M--	107	19	7	-	-	-	2	-	1	1	-	-	2	6	3	9	6	7	7	14	10	5	7	1	-	-
	F--	60	15	1	-	1	1	1	1	-	1	3	-	1	1	1	1	3	3	9	1	5	6	4	-	-	1
	Nonwhite--M--	61	31	5	3	2	-	-	-	1	-	3	1	3	-	2	1	-	2	2	3	2	-	-	-	-	-
	F--	54	22	4	3	-	1	2	-	3	-	-	3	3	-	3	2	1	-	5	1	-	-	1	-	-	-
480-483	Influenza---------	24	3	1	-	1	-	1	-	2	-	-	2	1	-	-	1	1	2	2	2	1	-	3	-	-	1
	White-----M--	11	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	2	2	-	-	2	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1
	Nonwhite--M--	4	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*---	258	84	16	6	2	2	4	1	3	2	6	2	8	7	9	12	9	10	21	17	16	11	9	1	-	-
	White-----M--	96	19	6	-	-	-	1	-	-	1	-	-	2	6	3	8	6	6	5	12	10	5	5	1	-	-
	F--	54	13	1	-	1	1	1	1	-	1	3	-	1	1	1	1	2	2	9	1	5	6	3	-	-	-
	Nonwhite--M--	57	31	5	3	1	-	-	-	1	-	3	-	2	-	2	1	-	2	2	3	1	-	-	-	-	-
	F--	51	21	4	3	-	1	2	-	2	-	-	2	3	-	3	2	1	-	5	1	-	-	1	-	-	-
500-502	Bronchitis---------	27	5	2	1	-	1	-	-	-	-	-	1	1	1	1	2	1	4	3	-	-	2	1	-	-	1
	White-----M--	14	1	1	-	-	-	-	-	-	-	-	1	1	1	-	1	1	4	1	-	-	2	-	-	-	-
	F--	9	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1	-	-	1
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	43	-	-	-	-	-	-	-	-	-	-	2	1	3	2	3	7	9	7	7	1	-	1	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	4	7	5	5	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	2	1	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	16	-	-	1	-	-	-	1	-	2	1	1	-	3	1	1	1	2	-	1	-	1	-	-	-	-
	White-----M--	12	-	-	1	-	-	-	1	-	2	-	-	-	3	1	-	1	2	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	32	2	-	1	1	-	-	1	1	-	-	-	1	1	3	3	1	3	2	3	4	2	-	3	-	-
	White-----M--	13	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	3	1	1	1	2	-	1	-	-
	F--	15	2	-	1	1	-	-	-	-	-	-	-	1	1	2	1	-	-	1	1	3	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
543,	Gastritis, etc.*--	184	127	25	3	3	-	1	1	1	-	-	1	-	-	3	3	-	1	1	3	7	1	3	-	-	-
571,	White-----M--	48	36	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	3	-	1	-	-	-
572	F--	43	26	4	1	-	-	1	1	-	-	-	1	-	-	-	2	-	1	-	1	4	-	2	-	-	-
	Nonwhite--M--	45	37	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	48	28	11	2	2	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
581	Cirrhosis of liver	45	-	-	-	-	-	-	1	1	1	-	-	1	2	2	3	3	10	6	4	7	-	4	-	-	-
	White-----M--	26	-	-	-	-	-	-	1	1	-	-	-	-	1	1	3	3	8	4	1	5	-	3	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	2	1	2	1	2	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	12	2	-	1	-	-	-	1	-	2	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	F--	6	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate-------	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	6	7	8	5	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	6	7	5	5	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	22	***	***	***	***	***	***	-	3	3	5	5	5	1	-	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	12	***	***	***	***	***	***	-	2	-	3	3	3	1	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	10	***	***	***	***	***	***	-	1	3	2	2	2	-	-	-	-	***	***	***	***	***	***	***	***	-
650-	Abortion-------	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
652	White-----F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-	All other com-																										
649,	plications------	22	***	***	***	***	***	***	-	3	3	5	5	5	1	-	-	-	***	***	***	***	***	***	***	***	-
650-	White-----F--	12	***	***	***	***	***	***	-	2	-	3	3	3	1	-	-	-	***	***	***	***	***	***	***	***	-
689	Nonwhite--F--	10	***	***	***	***	***	***	-	1	3	2	2	2	-	-	-	-	***	***	***	***	***	***	***	***	-
750-	Congenital mal-																										
759	formations------	125	97	3	6	3	-	3	2	2	-	2	2	-	1	-	1	2	-	1	-	-	-	-	-	-	-
	White-----M--	49	37	-	1	2	-	1	-	1	-	2	2	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	F--	58	41	3	5	1	-	1	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	12	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	466	466	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	(Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied)----------	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	239	39	1	4	3	-	2	3	1	4	7	2	8	9	7	14	19	20	10	18	17	22	11	7	3	8
795	White-----M--	104	9	-	-	-	-	1	1	-	1	1	-	3	4	5	7	13	14	7	10	11	8	2	3	2	2
	F--	35	3	-	-	-	-	-	-	-	-	1	-	1	2	2	3	3	7	1	6	2	4	5	2	-	4
	Nonwhite--M--	58	14	1	2	1	-	1	-	-	1	3	-	4	2	2	4	1	3	-	1	4	8	4	1	1	-
	F--	42	13	-	2	2	-	-	2	1	2	2	2	1	1	-	1	2	3	2	1	-	2	-	1	-	2
Re-	All other diseases	447	26	10	5	4	3	2	2	7	6	2	18	21	36	35	40	42	49	56	30	22	16	8	3	2	2
sid-	White-----M--	263	5	3	1	3	3	1	1	3	2	-	8	10	23	24	27	30	32	39	21	10	8	7	-	1	1
ual	F--	130	7	3	2	-	-	1	1	3	4	1	6	8	12	10	12	12	12	12	7	6	7	1	3	-	-
	Nonwhite--M--	32	9	2	1	-	-	-	-	1	-	-	3	2	-	1	1	-	1	3	2	4	1	-	-	1	1
	F--	22	5	2	1	1	-	-	-	-	-	1	1	1	-	-	-	-	4	2	-	2	-	-	-	1	-
E800-	Accidents-------	629	35	15	12	11	10	23	12	43	61	69	50	38	40	42	34	29	19	23	15	19	8	8	4	3	6
E962	White-----M--	402	14	6	6	5	3	12	5	31	41	47	41	24	29	30	24	23	14	12	8	16	4	3	1	1	2
	F--	88	5	1	4	3	3	5	1	4	5	4	4	5	5	7	2	3	2	8	5	2	2	3	2	2	1
	Nonwhite--M--	108	9	5	2	1	-	5	4	6	13	17	5	9	5	5	7	3	2	3	1	1	-	2	1	-	2
	F--	31	7	3	-	2	4	1	2	2	2	1	-	-	1	-	1	-	1	-	1	-	2	-	1	-	1
E810-	Motor-vehicle																										
E835	accidents-------	278	3	5	2	6	4	9	7	29	35	34	23	17	14	21	17	15	6	11	5	10	2	1	-	-	2
	White-----M--	189	2	2	-	3	1	3	4	23	22	22	18	10	11	16	11	14	5	8	3	8	2	1	-	-	2
	F--	45	-	1	2	2	1	4	1	4	4	4	3	4	1	5	2	-	1	4	1	1	-	-	-	-	-
	Nonwhite--M--	36	-	1	-	1	-	2	2	2	7	7	2	3	2	-	3	1	-	1	1	1	-	-	-	-	-
	F--	8	1	1	-	-	2	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	351	32	10	10	5	6	14	5	14	26	35	27	21	26	21	17	14	13	12	10	9	6	7	4	3	4
E802,	White-----M--	213	12	4	6	2	2	9	1	8	19	25	23	14	18	14	13	9	9	6	5	8	2	2	1	1	-
E840-	F--	43	5	-	2	1	2	1	-	-	1	-	1	1	4	2	-	3	1	4	4	1	2	3	2	2	1
E962	Nonwhite--M--	72	9	4	2	-	-	3	2	4	6	10	3	6	3	5	4	2	2	2	-	-	-	2	1	-	2
	F--	23	6	2	-	2	2	1	2	2	-	-	-	-	1	-	-	1	-	-	1	-	2	-	-	-	1
E963,	Suicide----------	95	-	-	-	-	-	-	1	-	7	4	7	8	16	10	13	10	7	4	5	1	1	-	-	-	-
E970-	White-----M--	71	-	-	-	-	-	-	1	-	3	4	5	6	12	7	10	7	7	3	3	1	1	-	-	-	-
E979	F--	16	-	-	-	-	-	-	-	-	2	-	2	-	4	2	1	3	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	43	1	-	-	-	-	-	-	5	4	10	2	10	1	2	2	1	1	1	1	1	-	-	-	-	1
E980-	White-----M--	13	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	1	1	-	-	-	-	-	-	-	1
E985	F--	9	-	-	-	-	-	-	-	1	1	3	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	15	1	-	-	-	-	-	-	4	1	2	-	4	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS																										
	ALL CAUSES	15,411	1,209	142	80	54	39	132	114	203	226	246	279	374	531	675	835	1,183	1,370	1,756	1,750	1,830	1,361	659	254	75	34
	White--M	6,681	505	34	27	22	15	59	48	72	92	102	98	152	252	267	346	547	637	732	798	854	614	294	110	22	2
	F	4,420	327	40	23	16	11	34	26	42	44	52	71	94	113	171	178	244	328	506	546	653	515	251	100	29	6
	Nonwhite--M	2,333	208	39	16	8	9	19	28	42	40	49	57	58	90	110	157	233	215	297	228	200	124	64	19	10	13
	F	1,977	169	29	14	8	4	20	12	47	50	43	53	70	96	127	154	159	190	221	178	123	108	50	25	14	13
001-019	Tuberculosis, all forms	615	6	11	2	3	-	5	2	24	45	33	36	48	48	46	39	53	53	47	46	44	19	3	2	-	-
	White--M	236	-	2	1	1	-	2	-	1	6	6	10	17	18	19	17	28	28	20	23	23	13	1	-	-	-
	F	156	3	4	-	1	-	1	-	3	8	9	10	17	8	10	8	8	14	13	17	14	5	1	2	-	-
	Nonwhite--M	113	1	2	1	1	-	-	-	8	9	4	11	6	15	5	11	12	6	11	3	5	1	1	-	-	-
	F	110	2	3	-	-	-	2	2	12	22	14	5	8	7	12	3	5	5	3	3	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system	578	2	3	1	1	-	3	2	23	42	32	35	46	46	46	39	49	51	45	45	43	19	3	2	-	-
	White--M	222	-	-	1	-	-	-	-	1	5	6	10	17	17	19	17	26	26	19	22	22	13	1	-	-	-
	F	145	-	-	-	-	-	1	-	3	8	8	10	16	8	10	8	8	14	12	17	14	5	1	2	-	-
	Nonwhite--M	107	1	1	-	1	-	-	-	8	9	4	10	5	14	5	11	11	6	11	3	5	1	1	-	-	-
	F	104	1	2	-	-	-	2	2	11	20	14	5	8	7	12	3	4	5	3	3	2	-	-	-	-	-
010-019	Tuberculosis, other forms	37	4	8	1	2	-	2	-	1	3	1	1	2	2	-	-	4	2	2	1	1	-	-	-	-	-
	White--M	14	-	2	-	1	-	2	-	-	1	-	-	-	1	-	-	2	2	1	1	1	-	-	-	-	-
	F	11	3	4	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	6	-	1	1	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	104	4	-	-	-	-	-	1	-	-	1	-	4	7	12	11	20	10	9	13	9	2	1	-	-	-
	White--M	27	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	1	4	1	7	2	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	1	2	-	-	-	-	-
	Nonwhite--M	49	3	-	-	-	-	-	-	-	-	1	-	1	3	5	7	9	6	5	8	-	-	1	-	-	-
	F	19	1	-	-	-	-	-	1	-	-	-	-	-	3	2	1	5	3	-	3	-	-	-	-	-	-
040	Typhoid fever	4	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	32	18	7	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-
	White--M	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	11	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	10	2	-	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White--M	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	10	1	1	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	36	27	3	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	10	7	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	14	10	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	15	1	2	-	1	2	2	1	2	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White--M	6	-	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	20	2	3	-	2	1	2	2	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	11	1	1	-	2	1	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	1	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	6	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	54	13	4	4	-	-	2	2	-	4	2	3	4	2	2	-	1	4	3	2	-	2	-	-	-	-
	White--M	26	5	2	1	-	-	2	-	-	2	1	1	1	2	2	-	1	3	-	1	-	2	-	-	-	-
	F	16	3	2	2	-	-	-	1	-	2	-	1	2	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M	7	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	5	2	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
140-205	Malignant neoplasms, etc.*	1,897	5	6	7	11	8	12	5	13	16	18	33	62	91	124	183	199	251	248	219	230	113	48	8	6	3
	White—M	729	2	2	3	3	5	4	2	3	7	6	13	18	23	35	58	69	100	98	93	107	55	19	1	3	-
	F	792	2	2	4	6	-	6	2	5	8	8	12	29	42	51	73	89	84	101	87	99	46	25	7	3	1
	Nonwhite—M	170	1	2	-	1	1	1	1	1	1	1	3	2	7	12	20	24	21	27	18	13	5	2	-	-	1
	F	206	-	-	-	1	-	1	-	4	-	3	5	13	19	26	32	17	26	22	21	6	7	2	-	-	1
140-148	Of buccal cavity and pharynx	48	-	-	-	-	-	1	-	-	1	-	1	1	2	5	4	7	6	8	4	4	2	2	-	-	-
	White—M	28	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	2	4	3	2	3	2	1	-	-	-
	F	11	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	3	2	3	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	1	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	671	-	-	-	-	-	-	-	3	3	2	8	16	18	29	55	73	91	111	97	90	47	22	2	2	2
	White—M	278	-	-	-	-	-	-	-	1	1	-	6	9	5	9	22	29	40	41	39	47	20	7	-	2	-
	F	265	-	-	-	-	-	-	-	1	2	1	1	5	6	8	13	30	33	49	43	31	22	15	2	-	1
	Nonwhite—M	82	-	-	-	-	-	-	-	-	-	1	1	1	4	7	14	9	13	13	7	10	2	-	-	-	-
	F	46	-	-	-	-	-	-	-	1	-	-	-	1	3	5	4	5	5	8	8	2	3	-	-	-	1
160-164	Of respiratory system	159	-	-	-	-	-	-	-	-	1	1	1	4	6	13	20	29	24	24	9	17	9	1	-	-	-
	White—M	95	-	-	-	-	-	-	-	-	1	-	-	-	4	8	14	16	19	17	5	5	6	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	-	3	1	3	3	5	4	5	2	9	3	1	-	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	7	1	2	2	3	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
170	Of breast	135	-	-	-	-	-	-	-	-	-	-	2	8	12	14	22	15	17	15	13	10	5	1	1	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	111	-	-	-	-	-	-	-	-	-	-	1	8	8	12	17	14	14	12	11	8	4	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	1	-	3	2	5	1	2	3	2	2	1	-	-	-	-
171-179	Of genital organs	409	-	-	-	-	-	-	-	4	2	6	10	16	38	34	44	38	42	44	45	52	23	9	1	-	-
	White—M	105	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	6	4	16	25	29	13	5	1	-	-
	F	179	-	-	-	-	-	-	-	1	2	4	5	8	24	19	21	23	17	16	11	20	6	2	-	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	7	4	2	2	1	-	-	-
	F	100	-	-	-	-	-	-	-	3	-	2	3	8	12	14	16	7	16	5	6	1	2	1	-	-	-
180, 181	Of urinary organs	76	-	3	1	1	-	3	-	-	-	-	-	1	-	3	8	8	7	5	14	14	8	2	-	-	-
	White—M	42	-	1	1	1	-	-	-	-	-	-	-	1	-	2	5	4	6	1	6	9	6	1	-	-	-
	F	21	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	3	6	5	1	1	-	-	-
	Nonwhite—M	8	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
158B, 165, 190-199	Of other sites, etc.*	251	1	1	1	2	-	3	3	3	7	4	6	9	8	16	23	16	30	28	28	28	15	9	4	4	1
	White—M	112	1	1	1	-	-	1	1	1	3	2	3	5	6	7	8	8	17	15	11	9	7	4	-	1	-
	F	105	-	-	-	-	-	2	1	1	3	2	3	3	1	5	12	5	11	9	12	17	7	4	4	3	-
	Nonwhite—M	15	-	-	-	1	-	-	1	1	1	-	-	-	-	1	1	2	1	1	2	2	-	-	-	-	-
	F	19	-	-	-	1	-	-	-	-	-	-	-	1	1	3	2	1	1	4	3	-	1	1	-	-	-
204	Leukemia and aleukemia	87	4	1	5	6	4	4	1	2	2	3	2	4	5	4	4	8	6	6	4	9	2	1	-	-	-
	White—M	35	1	-	1	-	4	2	1	-	1	2	-	1	2	3	1	4	4	2	3	2	-	1	-	-	-
	F	43	2	-	4	6	-	2	-	2	1	1	2	1	2	1	3	3	1	3	1	6	2	-	-	-	-
	Nonwhite—M	8	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	61	-	1	-	2	2	1	1	1	-	2	3	3	2	6	5	5	8	6	4	6	2	1	-	-	-
	White—M	34	-	-	-	2	1	1	-	1	-	2	2	2	2	3	4	-	5	3	2	3	1	-	-	-	-
	F	18	-	1	-	-	-	1	-	-	-	-	-	1	-	2	-	4	2	1	1	3	1	1	-	-	-
	Nonwhite—M	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	63	2	-	-	-	-	-	3	3	1	-	2	4	6	9	4	7	4	6	1	4	4	2	-	-	1
	White—M	21	1	-	-	-	-	-	2	-	-	-	1	-	3	1	2	2	3	2	1	2	1	-	-	-	-
	F	23	-	-	-	-	-	-	1	1	-	-	1	1	1	7	1	4	-	2	-	1	1	2	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	15	1	-	-	-	-	-	-	-	1	-	-	2	2	1	1	1	2	-	1	1	-	-	-	-	1
260	Diabetes mellitus	180	1	-	1	-	-	1	1	3	3	2	4	8	2	7	9	16	20	38	26	21	15	4	-	1	-
	White—M	51	-	-	-	-	-	-	-	1	-	1	1	4	2	1	1	2	5	9	12	5	6	1	-	-	-
	F	73	-	-	-	-	-	1	1	1	2	-	1	-	-	1	4	8	8	15	10	11	8	2	-	-	-
	Nonwhite—M	22	1	-	1	-	-	-	-	-	-	-	1	1	-	1	-	2	1	8	2	2	-	1	-	-	-
	F	34	-	-	-	-	-	-	-	1	1	1	1	3	-	1	-	4	6	3	2	3	1	-	-	1	-
280-285	Anemias	33	2	-	1	-	-	-	-	-	-	-	-	-	2	2	1	2	2	6	5	4	4	2	-	-	-
	White—M	12	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	3	3	1	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	1	2	1	-	-	-
	Nonwhite—M	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis	21	8	3	-	-	1	-	1	1	-	-	-	1	1	-	-	3	2	-	-	-	-	-	-	-	-	-
	White—M	6	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	6	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,449	4	5	2	-	2	10	22	18	17	32	50	82	186	288	388	632	811	1,084	1,121	1,193	883	413	152	41	13
	White—M	3,370	2	4	-	-	1	4	11	3	6	11	13	32	86	112	171	298	384	464	550	567	406	190	83	11	1
	F	2,097	-	-	1	-	1	3	5	6	3	9	12	13	33	71	64	99	177	297	339	413	322	154	57	15	3
	Nonwhite—M	1,048	-	1	-	-	-	1	1	6	2	7	11	17	32	46	74	132	125	181	142	127	81	39	13	6	4
	F	934	2	-	1	-	-	2	5	3	6	5	14	20	35	59	78	103	125	142	110	86	74	30	19	9	5
330-334, 400-468	Diseases of cardiovascular system	6,927	4	5	1	-	2	9	17	17	13	27	41	71	176	262	361	600	766	1,029	1,046	1,098	812	383	139	36	11
	White—M	3,170	2	4	-	-	1	3	7	3	6	8	10	30	83	105	164	285	371	445	503	528	371	175	57	9	1
	F	1,959	-	-	-	-	1	3	4	5	1	8	9	11	29	62	61	94	173	285	314	382	302	146	53	13	3
	Nonwhite—M	948	-	1	-	-	-	1	1	6	2	6	10	14	29	44	69	124	112	167	125	111	72	34	11	6	3
	F	850	2	-	1	-	-	2	5	3	4	5	12	16	35	51	67	97	110	134	104	77	67	28	18	8	4
330-334	Vascular lesions, etc.*	1,696	3	3	-	-	-	1	1	3	1	4	6	16	28	67	81	134	189	261	262	301	212	91	23	6	3
	White—M	630	1	3	-	-	-	1	1	-	-	-	1	5	7	20	20	39	71	90	106	125	92	40	9	-	-
	F	535	-	-	-	-	1	-	-	1	-	2	2	3	2	12	22	25	48	82	94	113	80	38	7	2	1
	Nonwhite—M	242	-	-	-	-	-	-	-	1	-	-	1	3	11	13	19	37	26	40	29	35	16	7	2	1	1
	F	289	2	-	-	-	-	-	-	1	1	2	2	5	6	22	20	33	44	49	33	28	24	6	5	3	1
400-402	Rheumatic fever	28	-	1	-	-	-	1	8	5	4	1	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	1	2	4	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
410-443	Diseases of heart-	4,763	1	1	1	-	2	6	8	9	7	19	24	47	140	189	270	440	537	725	722	716	526	250	95	22	6
	White-----M--	2,342	1	1	-	-	1	3	5	1	2	6	6	22	72	84	139	233	281	341	370	366	245	114	41	7	1
	F--	1,280	-	-	-	-	1	-	2	4	-	5	7	6	26	49	35	68	117	190	203	234	196	95	35	6	1
	Nonwhite--M--	652	-	-	-	-	-	1	-	3	2	6	5	10	17	29	49	82	78	119	93	72	50	21	9	4	2
	F--	489	-	-	1	-	-	2	1	1	3	2	6	9	25	27	47	57	61	75	56	44	35	20	10	5	2
410-416	Chronic rheumatic heart disease----	171	...	-	-	-	-	2	2	5	-	5	3	3	11	10	13	14	19	26	18	23	13	2	2	-	-
	White-----M--	71	...	-	-	-	-	1	-	-	-	3	1	1	8	1	6	5	7	15	6	13	2	1	1	-	-
	F--	51	...	-	-	-	-	-	2	3	-	2	2	1	2	6	5	6	3	3	4	5	6	1	-	-	-
	Nonwhite--M--	33	...	-	-	-	-	-	-	1	-	-	-	-	-	3	2	3	4	5	7	2	5	-	1	-	-
	F--	16	...	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	5	3	1	3	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,447	-	-	-	-	-	-	-	1	2	10	12	26	68	100	150	255	296	386	375	370	247	98	42	7	2
	White-----M--	1,411	-	-	-	-	-	-	-	-	1	3	4	15	42	52	98	163	192	215	215	221	119	46	21	3	1
	F--	820	-	-	-	-	-	-	-	1	-	2	2	4	12	28	12	33	57	105	108	106	91	41	17	1	-
	Nonwhite--M--	257	-	-	-	-	-	-	-	-	1	4	3	3	5	12	23	38	29	51	31	25	21	6	3	2	-
	F--	159	-	-	-	-	-	-	-	-	-	1	3	4	9	8	17	21	18	15	21	18	16	5	1	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	629	...	-	-	-	-	2	1	-	1	2	2	4	13	14	28	41	54	85	92	103	91	70	18	7	1
	White-----M--	248	...	-	-	-	-	2	1	-	-	-	-	-	2	6	7	12	23	25	45	43	40	30	10	2	-
	F--	183	...	-	-	-	-	-	-	-	-	1	-	-	3	5	4	8	9	22	23	41	32	27	5	3	-
	Nonwhite--M--	113	...	-	-	-	-	-	-	-	-	1	1	2	4	1	9	15	11	27	14	11	10	5	1	1	-
	F--	85	...	-	-	-	-	-	-	-	1	-	1	2	4	2	8	6	11	11	10	8	9	8	2	1	1
430-434	Other diseases of heart---------	534	1	1	1	-	2	2	4	2	3	1	5	8	23	26	32	48	56	71	80	58	54	34	18	2	2
	White-----M--	249	1	1	-	-	1	-	3	1	-	-	1	4	9	14	16	21	25	30	40	27	34	16	5	-	-
	F--	117	-	-	-	-	1	-	-	-	-	-	2	1	2	4	3	3	13	14	21	16	14	11	10	1	1
	Nonwhite--M--	86	-	-	-	-	-	1	-	1	1	1	1	3	5	5	4	12	12	13	10	9	3	4	-	-	1
	F--	82	-	-	1	-	-	1	1	-	2	-	1	-	7	3	9	12	6	14	9	6	3	3	3	1	-
440-443	Hypertension with heart dis.---	982	-	-	-	-	-	-	1	1	1	1	2	6	25	39	47	82	112	157	157	162	121	46	15	6	1
	White-----M--	363	-	-	-	-	-	-	1	-	1	-	-	2	11	11	12	32	34	56	64	62	50	21	4	2	-
	F--	309	-	-	-	-	-	-	-	-	-	-	1	-	7	6	11	18	35	46	47	66	53	15	3	1	-
	Nonwhite--M--	163	-	-	-	-	-	-	-	1	-	-	-	2	3	8	11	14	22	23	31	25	11	6	4	1	1
	F--	147	-	-	-	-	-	-	-	-	-	1	1	2	4	14	13	18	21	32	15	9	7	4	4	2	-
444-447	Hypertension without mention of heart----------	176	-	-	-	-	-	-	-	-	-	-	4	4	2	3	4	13	21	25	26	32	27	11	4	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	8	10	5	11	13	11	6	1	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	3	7	8	15	10	2	2	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	4	5	2	3	5	2	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	4	4	8	5	1	1	1	1	-	-
450	General arteriosclerosis--------	208	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	13	11	33	40	45	29	16	8	2
	White-----M--	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	4	15	20	21	14	5	2	-
	F--	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	8	15	16	11	9	5	1
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	1	1	1	3	-	1	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	9	4	7	1	2	-	1
451-468	Other diseases of circulatory sys.--	56	-	-	-	-	-	1	-	-	1	3	4	1	4	2	4	5	6	7	3	10	2	2	1	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2	3	2	3	1	5	2	1	1	-	-
	F--	17	-	-	-	-	-	1	-	-	1	1	-	-	1	-	2	1	1	3	1	5	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	-	-	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	1	1	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*-----------	522	-	-	1	-	-	1	5	1	4	5	9	11	10	26	27	32	45	55	75	94	71	30	13	5	2
	White-----M--	200	-	-	-	-	-	1	4	-	3	3	2	3	7	7	13	13	21	27	38	35	15	6	2	-
	F--	138	-	-	1	-	-	-	1	1	2	1	3	2	4	9	3	5	4	12	25	31	20	8	4	2	-
	Nonwhite--M--	100	-	-	-	-	-	-	-	-	-	1	1	3	3	2	5	8	13	14	17	16	9	5	2	-	1
	F--	84	-	-	-	-	-	-	-	-	2	-	2	4	-	8	12	6	15	8	6	9	7	2	1	1	1
480-493	Influenza and pneumonia, etc.*-	738	120	27	17	7	3	9	5	10	6	4	4	9	16	17	32	34	42	68	67	77	83	50	23	6	2
	White-----M--	252	31	2	7	2	1	-	1	3	3	1	3	5	4	6	7	12	20	22	25	31	27	24	14	1	-
	F--	229	31	7	6	3	1	5	-	4	1	-	-	1	2	2	6	2	10	19	21	32	44	20	8	4	-
	Nonwhite--M--	136	41	6	-	1	1	2	3	1	-	2	-	2	4	4	13	11	8	12	8	8	5	1	1	1	1
	F--	121	17	12	4	1	-	2	1	2	2	1	1	1	6	5	6	9	4	15	13	6	7	5	-	-	1
480-483	Influenza---------	134	13	1	1	-	-	2	-	1	-	2	2	2	5	4	5	2	12	13	11	19	18	15	3	2	1
	White-----M--	47	2	-	1	-	-	-	-	-	-	-	1	1	1	1	1	-	5	3	4	8	7	10	1	1	-
	F--	42	4	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	4	4	4	6	10	3	2	1	-
	Nonwhite--M--	21	3	-	-	-	-	1	-	-	-	1	-	1	1	1	2	-	2	3	1	3	-	1	-	-	1
	F--	24	4	1	-	-	-	-	-	-	-	1	1	-	2	2	1	2	1	3	2	2	1	1	-	-	-
490-493	Pneumonia, etc.*--	604	107	26	16	7	3	7	5	9	6	2	2	7	11	13	27	32	30	55	56	58	65	35	20	4	1
	White-----M--	205	29	2	8	2	1	-	1	3	3	1	2	4	3	5	6	12	15	19	21	23	20	14	13	-	-
	F--	187	27	7	6	3	1	4	-	3	1	-	-	1	1	2	5	2	6	15	17	26	34	17	6	3	-
	Nonwhite--M--	115	38	6	-	1	1	1	3	1	-	1	-	1	3	3	11	11	6	9	7	5	5	-	1	1	-
	F--	97	13	11	4	1	-	2	1	2	2	-	-	1	4	3	5	7	3	12	11	4	6	4	-	-	1
500-502	Bronchitis---------	29	5	5	2	-	-	1	-	-	-	-	-	-	-	-	-	1	1	3	2	5	3	-	1	-	-
	White-----M--	14	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	1	-	-
	F--	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-
	Nonwhite--M--	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	71	-	-	-	-	-	1	-	-	-	-	-	3	5	5	4	11	7	7	14	8	4	2	-	-	-
	White-----M--	49	-	-	-	-	-	1	-	-	-	-	-	1	3	3	2	8	6	4	10	8	2	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	2	-	2	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	1	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	48	-	-	2	2	3	1	2	1	-	4	5	3	1	3	2	4	6	3	2	2	2	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	1	1	-	-	2	1	1	1	-	4	3	1	1	1	1	-	-	-	-
	F--	11	-	-	1	-	3	-	1	-	-	-	-	1	-	-	-	-	2	1	-	1	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	1	-	1	-	-	-	3	2	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	F--	8	-	-	1	1	-	-	-	-	-	1	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	92	9	-	1	-	-	1	-	-	1	3	2	4	8	4	9	7	8	9	7	9	8	2	-	-	-
	White-----M--	34	-	-	1	-	-	-	-	-	1	1	-	1	1	1	5	3	3	3	1	7	4	2	-	-	-
	F--	21	3	-	-	-	-	-	-	-	-	1	1	1	5	1	-	-	-	1	4	1	3	-	-	-	-
	Nonwhite--M--	19	3	-	-	-	-	1	-	-	-	1	1	1	-	1	1	2	4	2	2	-	-	-	-	-	-
	F--	18	3	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	1	3	-	1	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
543, 571, 572	Gastritis, etc.*—	94	47	13	3	1	-	-	1	1	-	-	2	1	-	1	1	4	2	5	2	3	6	1	-	-	-
	White—M—	26	15	2	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	3	-	-	-	-
	F—	32	20	3	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	2	-	2	2	-	-	-	-
	Nonwhite—M—	20	5	6	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	1	-	-	-
	F—	16	7	2	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	1	-	-	-	-
581	Cirrhosis of liver	87	1	-	-	-	-	-	-	-	-	-	1	-	3	12	10	12	12	13	12	6	1	4	-	-	-
	White—M—	58	1	-	-	-	-	-	-	-	-	-	1	-	3	9	6	9	5	6	9	4	1	4	-	-	-
	F—	13	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	2	2	1	-	-	-	-	-
	Nonwhite—M—	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	1	1	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	66	1	2	3	1	-	2	1	3	2	1	2	2	3	4	5	5	3	3	3	8	6	3	3	-	-
	White—M—	30	-	-	2	1	-	1	1	1	-	1	1	-	2	1	2	2	-	2	1	5	3	2	2	-	-
	F—	14	-	-	-	-	-	1	-	1	1	-	1	-	-	2	1	-	1	-	1	3	2	-	-	-	-
	Nonwhite—M—	12	1	2	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	1	-	1	-	-	-
	F—	10	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	2	1	-	1	-	-	1	-	-	-
610	Hyperplasia of prostate—	86	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	4	6	9	17	15	15	14	2	-	1
	White—M—	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	9	12	9	14	1	-	-
	Nonwhite—M—	32	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	2	6	8	3	6	-	1	-	1
640-689	Complications of pregnancy, etc.*—	74	...	...	...	...	...	...	-	10	10	9	20	17	8	-	-	-	...	...	...	...	...	...	...	...	-
	White—F—	29	...	...	...	...	...	...	-	2	3	2	9	9	4	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	45	...	...	...	...	...	...	-	8	7	7	11	8	4	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	6	...	...	...	...	...	...	-	2	-	-	2	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	White—F—	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	5	...	...	...	...	...	...	-	2	-	-	2	-	1	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications—	68	...	...	...	...	...	...	-	8	10	9	18	16	7	-	-	-	...	...	...	...	...	...	...	...	-
	White—F—	28	...	...	...	...	...	...	-	2	3	2	9	8	4	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	40	...	...	...	...	...	...	-	6	7	7	9	8	3	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	177	134	10	2	1	-	7	3	2	1	-	4	1	3	3	-	2	-	2	1	1	-	-	-	-	-
	White—M—	91	70	1	1	-	-	4	3	1	-	-	2	-	3	2	-	1	-	1	1	1	-	-	-	-	-
	F—	55	41	6	-	1	-	1	-	1	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	18	15	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	8	1	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	607	607	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	295	295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	329	329	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	576	91	3	4	4	-	5	-	6	3	1	9	7	10	16	17	23	34	56	51	58	70	54	32	14	8
	White—M—	161	21	-	2	2	-	2	-	1	1	2	1	3	2	6	10	7	16	15	14	23	11	18	4	-	-
	F—	122	11	-	-	1	-	1	-	1	-	-	3	3	-	5	2	3	5	7	11	13	23	21	7	4	1
	Nonwhite—M—	157	25	1	1	1	-	1	-	2	2	-	1	1	4	4	6	7	15	18	13	22	13	13	1	2	4
	F—	136	34	2	1	-	-	1	-	3	-	-	3	2	3	5	3	3	7	15	12	9	11	9	6	4	3
Residual	All other diseases	685	45	12	3	3	3	9	8	12	13	18	17	23	32	38	36	49	58	73	72	67	47	28	14	3	2
	White—M—	305	19	5	2	1	1	7	5	2	7	5	4	10	13	15	18	29	29	32	33	26	20	14	6	1	1
	F—	221	12	5	-	2	1	1	1	2	3	8	5	5	10	10	9	13	16	24	24	30	20	11	7	1	1
	Nonwhite—M—	84	10	-	1	-	1	-	2	2	2	2	1	6	4	8	3	5	9	6	8	6	5	2	1	-	-
	F—	75	4	2	-	-	-	1	-	6	1	3	7	2	5	5	6	2	4	11	7	5	2	1	-	1	-
E800-E962	Accidents—	1,138	52	25	18	13	16	54	50	81	75	82	50	58	66	51	54	68	43	47	57	58	67	28	17	4	4
	White—M—	607	21	7	8	8	3	25	18	51	52	59	33	37	44	34	29	43	24	23	23	23	30	10	4	2	-
	F—	237	14	7	5	-	3	9	11	9	9	11	9	8	6	4	5	5	4	12	24	25	30	13	12	2	-
	Nonwhite—M—	207	9	8	5	2	6	11	18	17	11	10	7	10	11	10	11	17	10	10	7	6	5	3	1	-	2
	F—	87	8	3	2	5	4	9	3	4	3	2	1	3	5	3	9	3	5	2	3	4	2	2	-	-	2
E810-E835	Motor-vehicle accidents—	383	6	3	2	2	6	14	18	38	45	34	24	26	27	24	22	35	13	15	15	8	7	1	-	-	-
	White—M—	253	1	1	2	2	2	10	8	26	32	23	17	22	19	15	14	23	6	6	10	7	6	1	-	-	-
	F—	55	2	-	-	-	2	2	6	4	8	5	5	2	5	2	2	3	1	3	2	1	-	-	-	-	-
	Nonwhite—M—	59	2	2	-	-	1	1	4	4	2	4	1	2	2	7	4	9	6	5	2	-	1	-	-	-	-
	F—	16	1	-	-	-	1	1	-	2	3	2	1	-	1	-	2	-	-	1	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	755	46	22	16	11	10	40	32	43	30	48	26	32	39	27	32	33	30	32	42	50	60	27	17	4	4
	White—M—	354	20	6	4	4	1	15	10	25	20	36	16	15	25	19	15	20	18	17	13	16	24	9	4	2	-
	F—	182	12	7	5	-	1	7	5	5	1	6	4	6	1	2	3	2	3	9	22	24	30	13	12	2	-
	Nonwhite—M—	149	7	6	5	2	5	10	14	13	9	6	6	8	9	3	7	8	4	5	5	6	4	3	1	-	2
	F—	71	7	3	2	5	3	8	3	2	-	-	-	3	4	3	7	3	5	1	2	4	2	2	-	-	2
E963, E970-E979	Suicide—	156	-	-	-	-	-	-	-	1	4	8	12	12	14	14	19	14	8	13	7	6	4	-	-	-	-
	White—M—	110	-	-	-	-	-	-	-	-	1	5	8	11	13	12	15	12	6	13	5	6	3	-	-	-	-
	F—	18	-	-	-	-	-	-	-	1	2	2	3	-	1	2	3	1	1	-	1	-	1	-	-	-	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	149	-	-	-	-	-	-	-	8	18	26	21	19	17	14	6	10	3	3	2	1	1	-	-	-	-
	White—M—	49	-	-	-	-	-	-	-	2	2	4	2	12	6	6	2	6	2	3	1	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	80	-	-	-	-	-	-	-	2	13	18	16	6	8	8	2	3	1	-	1	1	1	-	-	-	-
	F—	19	-	-	-	-	-	-	-	3	3	4	3	1	3	-	2	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA																										
	ALL CAUSES	98,760	6,115	410	285	245	118	455	347	656	1,106	1,348	1,567	2,283	3,341	4,585	6,093	7,825	9,856	11,577	12,119	11,396	9,056	5,306	2,098	448	127
	White----M	54,754	3,274	192	144	132	62	251	202	442	718	762	826	1,220	1,889	2,855	3,774	4,974	6,217	6,985	6,726	5,748	4,172	2,249	780	125	57
	F	38,872	2,186	161	103	98	47	166	119	182	267	410	546	787	1,107	1,394	1,874	2,439	3,207	4,109	4,997	5,342	4,732	2,962	1,276	305	56
	Nonwhite--M	3,160	351	36	19	7	4	25	17	21	65	113	110	157	195	227	281	267	287	323	273	203	92	49	21	9	8
	F	1,974	304	21	19	6	5	13	9	11	58	63	85	119	150	129	164	145	145	160	123	103	60	46	21	7	6
001-019	Tuberculosis, all forms	2,312	11	30	18	12	3	15	17	31	106	125	135	183	193	232	234	245	231	172	146	109	39	19	4	1	1
	White----M	1,422	6	9	8	5	3	12	6	14	28	44	45	76	110	150	185	193	176	139	100	75	19	14	2	-	1
	F	538	4	14	7	7	-	2	7	14	43	45	54	57	46	54	24	34	32	21	29	22	16	4	1	1	-
	Nonwhite--M	236	1	4	1	-	-	1	1	1	12	23	14	30	25	24	20	15	19	11	16	12	4	1	1	-	-
	F	116	-	3	2	-	-	-	3	2	23	13	22	18	12	4	5	3	4	1	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	2,122	6	11	4	4	-	6	8	29	95	113	128	172	179	220	224	238	220	163	138	104	36	18	4	1	1
	White----M	1,324	3	4	1	1	-	3	2	12	24	41	41	74	106	144	180	188	168	131	95	72	17	14	2	-	1
	F	486	2	5	1	3	-	2	4	14	42	44	51	55	41	51	22	32	30	21	26	20	15	3	1	1	-
	Nonwhite--M	214	1	1	-	-	-	1	-	1	9	18	14	29	23	23	17	15	18	10	16	12	4	1	1	-	-
	F	98	-	1	2	-	-	-	2	2	20	10	22	14	9	2	5	3	4	1	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	190	5	19	14	8	3	9	9	2	11	12	7	11	14	12	10	7	11	9	8	5	3	1	-	-	-
	White----M	98	3	5	7	4	3	9	4	2	4	3	4	4	4	6	5	5	8	8	5	3	2	-	-	-	-
	F	52	2	9	6	4	-	-	3	-	1	1	3	2	5	3	2	2	2	-	3	2	1	1	-	-	-
	Nonwhite--M	22	-	3	1	-	-	-	1	-	3	5	-	1	2	1	3	-	1	1	-	-	-	-	-	-	-
	F	18	-	2	-	-	-	-	1	-	3	3	-	4	3	2	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	585	8	-	-	-	-	-	-	1	1	2	5	12	42	46	63	67	93	103	59	49	27	5	2	-	-
	White----M	366	3	-	-	-	-	-	-	1	1	1	1	7	18	22	45	46	67	69	45	26	13	-	1	-	-
	F	126	2	-	-	-	-	-	-	-	-	1	-	3	14	6	9	9	17	22	10	16	11	5	1	-	-
	Nonwhite--M	75	1	-	-	-	-	-	-	-	-	-	3	1	7	14	6	11	9	12	3	6	2	-	-	-	-
	F	18	2	-	-	-	-	-	-	-	-	-	1	1	3	4	3	1	-	-	1	1	1	-	-	-	-
040	Typhoid fever	8	2	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	White----M	5	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	27	8	1	-	1	2	3	3	1	-	1	-	2	-	1	1	1	1	-	1	-	-	-	-	-	-
	White----M	14	4	1	-	-	1	2	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	8	1	-	-	1	1	1	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	10	-	-	-	-	1	1	1	2	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-
	White----M	6	-	-	-	-	1	1	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	38	-	1	2	2	1	6	-	-	-	-	1	4	4	4	3	2	2	1	3	2	-	-	-	-	-
	White----M	25	-	1	-	2	-	2	-	-	-	-	-	2	3	4	3	2	1	1	3	1	-	-	-	-	-
	F	10	-	-	-	-	1	3	-	-	-	-	1	2	1	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	30	18	4	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	13	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	6	3	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	37	5	3	4	4	1	5	1	2	-	2	1	1	1	2	-	-	1	2	1	-	1	-	-	-	-
	White----M	20	3	1	3	2	1	-	1	1	-	-	1	-	1	2	-	-	1	2	-	-	1	-	-	-	-
	F	14	2	2	1	1	-	4	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	112	4	4	8	5	1	12	15	6	15	14	15	6	4	1	1	-	-	-	1	-	-	-	-	-	-
	White----M	65	2	-	5	2	1	6	9	2	11	11	9	2	3	-	1	-	-	-	1	-	-	-	-	-	-
	F	47	2	4	3	3	-	6	6	4	4	3	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	10	2	5	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	284	22	9	5	5	3	5	6	7	11	20	14	17	15	30	24	15	12	21	15	16	5	3	2	2	-
	White----M	122	9	5	3	3	2	1	-	3	3	4	6	12	4	10	9	10	6	12	8	7	3	-	1	1	-
	F	103	11	3	1	2	1	4	2	2	2	10	4	1	4	9	10	3	5	8	6	8	2	3	1	1	-
	Nonwhite--M	45	1	1	-	-	-	-	4	1	5	3	4	3	6	10	4	2	-	-	-	1	-	-	-	-	-
	F	14	1	-	1	-	-	-	-	1	1	3	-	1	1	1	1	-	1	1	1	-	-	-	-	-	-

*For complete category title, refer to table 51

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
140-205	Malignant neoplasms, etc.*----	14,862	15	16	42	34	14	70	51	52	76	136	213	396	598	898	1,309	1,707	2,002	2,103	2,007	1,524	1,006	445	117	24	7
	White-----M--	7,194	9	9	24	16	5	38	31	34	44	67	83	130	189	378	558	815	1,050	1,105	1,090	752	505	202	53	4	3
	F--	7,055	4	7	15	18	8	29	19	17	27	61	114	230	358	464	672	815	882	912	866	734	486	229	64	20	4
	Nonwhite--M--	330	1	-	1	-	-	2	-	1	3	5	7	14	20	21	47	39	47	50	28	26	10	8	-	-	-
	F--	283	1	-	2	-	1	1	1	-	2	3	9	22	31	35	32	38	23	36	23	12	5	6	-	-	-
140-148	Of buccal cavity and pharynx------	359	-	-	1	-	-	1	-	-	-	-	2	6	14	24	24	45	53	55	58	32	29	10	4	1	-
	White-----M--	268	-	-	-	-	-	1	-	-	-	-	1	2	9	20	15	30	42	44	50	23	23	4	3	1	-
	F--	70	-	-	1	-	-	-	-	-	-	-	1	2	3	3	6	11	6	8	8	6	6	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	2	3	3	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	5,349	-	-	3	-	1	1	2	3	8	20	23	68	120	267	387	575	755	852	847	686	465	207	46	10	3
	White-----M--	2,839	-	-	1	-	-	-	2	2	2	11	11	31	56	146	197	309	448	474	475	337	229	91	14	3	-
	F--	2,274	-	-	1	-	1	1	-	1	6	6	9	32	53	99	164	231	274	340	351	325	226	112	32	7	3
	Nonwhite--M--	160	-	-	-	-	-	-	-	-	-	3	2	2	8	14	18	23	27	24	13	17	7	2	-	-	-
	F--	76	-	-	1	-	-	-	-	-	-	-	1	3	3	8	8	12	6	14	8	7	3	2	-	-	-
160-164	Of respiratory system----------	1,586	1	-	-	1	-	2	3	-	1	6	12	32	54	104	200	246	272	261	204	108	51	19	4	2	3
	White-----M--	1,282	1	-	-	1	-	2	3	-	-	5	6	20	40	81	161	207	239	208	156	75	35	15	4	-	3
	F--	271	-	-	-	-	-	-	-	-	-	1	5	10	12	19	24	33	28	43	46	31	15	4	-	2	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	1	-	1	2	1	3	14	3	6	9	2	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	-	-	-	-	-	-	-
170	Of breast---------	1,532	-	-	-	-	-	-	1	1	6	27	69	120	135	192	187	213	183	165	121	74	23	9	6	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	3	3	-	1	-	-	-	-
	F--	1,473	-	-	-	-	-	-	1	1	5	24	65	115	130	180	184	206	176	158	119	72	22	9	6	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	-	-	-	-	-	-	-	-	1	3	4	5	5	8	3	5	4	4	2	1	1	-	-	-	-
171-179	Of genital organs-	2,374	-	-	1	1	-	1	1	3	9	33	49	80	133	162	209	251	288	311	276	260	192	85	27	2	-
	White-----M--	789	-	-	1	1	-	1	-	2	6	17	14	7	11	7	12	38	80	125	140	145	113	51	20	-	-
	F--	1,465	-	-	-	-	-	-	1	1	1	15	30	62	108	138	182	199	201	177	125	109	78	29	7	2	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	2	4	5	4	-	5	-	-	-
	F--	93	-	-	-	-	-	-	-	-	2	1	4	11	12	17	13	12	5	7	8	2	1	-	-	-	-
180, 181	Of urinary organs-	775	1	2	4	1	1	4	-	-	1	1	3	6	20	34	40	77	110	130	140	108	59	27	5	1	-
	White-----M--	501	-	1	-	1	-	1	-	-	-	-	-	3	10	23	32	60	79	82	91	68	34	15	3	-	-
	F--	249	1	1	4	-	1	2	-	-	1	1	2	3	8	10	6	16	30	43	41	40	25	11	2	1	-
	Nonwhite--M--	18	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	1	3	8	2	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	-	-	-	-	-	-
156B, 185, 190-199	Of other sites, etc.*----------	1,595	3	7	12	8	2	23	21	21	25	26	39	75	80	99	153	195	172	172	174	120	90	57	18	2	1
	White-----M--	801	1	4	10	1	1	11	12	16	16	10	21	35	34	53	81	103	83	88	90	58	45	20	8	-	-
	F--	729	1	3	2	7	-	11	9	5	8	16	16	35	35	44	66	83	83	74	79	62	43	34	10	2	1
	Nonwhite--M--	35	-	-	-	-	-	1	-	-	1	-	1	4	5	1	6	5	4	3	2	-	2	-	-	-	-
	F--	30	1	-	-	-	1	-	-	-	-	-	1	1	6	1	-	4	2	7	3	-	-	3	-	-	-
204	Leukemia and aleukemia----------	657	10	6	18	21	10	35	17	16	17	23	27	29	20	27	39	51	61	62	77	53	25	10	3	-	-
	White-----M--	361	7	4	12	11	4	20	8	8	12	13	13	15	9	15	16	25	35	38	51	25	14	5	1	-	-
	F--	275	2	2	5	10	6	14	8	7	5	10	13	9	9	11	22	24	24	23	26	27	11	5	2	-	-
	Nonwhite--M--	14	1	-	1	-	-	-	-	1	-	-	1	3	1	1	-	2	2	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	1	-	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	635	-	1	3	2	-	3	7	8	14	21	31	31	37	46	65	80	78	77	66	36	21	7	1	-	-
	White-----M--	360	-	-	-	1	-	2	6	6	8	11	17	17	20	33	40	43	42	45	34	23	11	1	-	-	-
	F--	249	-	1	2	1	-	1	1	2	5	7	14	12	15	10	22	34	32	28	32	13	10	6	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	2	-	1	1	1	3	2	2	3	-	-	-	-	-	-	-
	F--	10	-	-	1	-	-	-	-	-	-	1	-	1	1	2	-	1	2	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	356	15	3	4	3	2	7	12	5	6	12	15	27	21	30	29	26	33	38	25	18	18	6	1	-	-
	White-----M--	144	7	1	2	-	-	3	5	2	3	5	5	11	5	10	13	8	14	24	11	9	6	-	-	-	-
	F--	171	5	2	2	3	-	3	5	3	2	5	8	11	12	15	14	14	15	12	13	9	11	6	1	-	-
	Nonwhite--M--	15	1	-	-	-	1	1	1	-	-	1	-	1	-	3	-	-	2	2	1	-	1	-	-	-	-
	F--	26	2	-	-	-	1	-	1	-	1	1	2	4	4	2	2	4	2	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	934	-	-	-	-	-	4	1	7	3	15	10	23	27	34	42	77	127	136	163	146	77	36	6	-	-
	White-----M--	398	-	-	-	-	-	2	1	2	1	7	4	13	16	12	17	36	55	55	61	63	35	17	1	-	-
	F--	486	-	-	-	-	-	2	-	5	1	8	5	7	10	19	21	40	63	73	92	78	40	18	4	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	6	4	8	4	2	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	3	4	2	1	-	1	1	-	-
290-293	Anemias----------	234	9	6	1	1	-	4	1	6	2	3	8	3	9	10	6	10	28	19	34	35	26	6	7	-	-
	White-----M--	104	4	2	-	1	-	1	1	2	-	-	1	1	3	3	1	6	11	10	20	16	16	3	2	-	-
	F--	117	4	1	1	-	-	3	-	2	1	3	6	2	6	6	4	3	17	8	14	18	10	3	5	-	-
	Nonwhite--M--	8	1	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis---------	103	23	9	4	2	3	4	4	1	3	1	4	1	6	7	9	5	2	8	3	3	-	1	-	-	-
	White-----M--	55	11	6	1	1	1	1	2	-	-	1	1	1	3	6	7	2	-	6	2	2	-	1	-	-	-
	F--	31	8	1	1	1	2	2	2	1	2	-	2	-	1	1	2	2	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	10	3	-	1	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	1	-	-	-	-	-
	F--	7	1	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	53,270	16	10	4	10	5	20	31	44	69	171	256	552	1,105	1,879	2,885	4,189	5,720	7,296	8,037	8,077	6,780	4,066	1,669	542	77
	White-----M--	29,380	9	7	3	3	1	9	11	20	35	76	139	319	706	1,306	1,937	2,842	3,745	4,446	4,383	3,989	2,997	1,667	609	93	28
	F--	21,891	4	2	1	6	4	8	19	21	25	67	89	171	278	429	711	1,102	1,746	2,573	3,419	3,905	3,678	2,333	1,028	234	38
	Nonwhite--M--	1,209	1	1	-	-	-	1	1	2	4	13	13	30	62	83	133	146	147	186	158	111	56	31	16	9	5
	F--	790	2	-	-	1	-	2	-	1	5	15	15	32	59	61	84	79	82	91	77	72	43	35	16	6	6
330-334, 400-468	Diseases of cardiovascular system-	52,229	16	9	2	6	2	15	25	33	51	135	224	505	1,054	1,816	2,803	4,080	5,621	7,184	7,920	7,974	6,690	4,002	1,648	540	74
	White-----M--	28,878	9	6	1	2	1	5	8	14	24	55	125	297	682	1,275	1,903	2,799	3,695	4,586	4,339	3,938	2,956	1,636	603	93	26
	F--	21,435	4	2	1	3	1	7	16	17	20	59	77	152	260	405	689	1,069	1,705	2,526	3,352	3,854	3,633	2,301	1,013	252	37
	Nonwhite--M--	1,164	1	1	-	-	-	1	1	1	3	10	11	27	58	79	130	138	142	182	154	111	53	31	16	9	5
	F--	752	2	-	-	1	-	2	-	1	4	11	11	29	54	57	81	74	79	90	75	71	48	34	16	6	6
330-334	Vascular lesions, etc.*----------	10,166	11	1	-	-	-	-	5	7	6	19	27	76	134	231	417	620	903	1,320	1,662	1,878	1,566	916	301	54	12
	White-----M--	4,545	6	1	-	-	-	-	3	4	3	9	13	28	49	91	182	319	472	663	794	838	614	346	82	15	3
	F--	5,192	3	-	-	-	-	-	2	3	1	7	7	35	61	114	184	253	381	598	809	1,005	930	556	208	37	5
	Nonwhite--M--	251	-	-	-	-	-	-	-	-	2	2	4	4	12	13	28	27	34	37	39	24	8	10	3	1	3
	F--	178	2	-	-	-	-	-	-	-	-	1	3	9	12	13	23	21	16	22	20	15	14	4	3	1	1
400-402	Rheumatic fever---	111	1	1	-	1	2	5	4	2	3	15	12	22	18	7	1	5	3	4	2	1	2	-	-	-	-
	White-----M--	43	-	-	-	-	1	2	-	-	-	3	6	8	11	1	-	4	3	2	1	-	1	-	-	-	-
	F--	58	-	-	1	1	1	2	3	2	2	8	5	14	5	4	-	1	-	2	1	1	1	-	-	-	-
	Nonwhite--M--	8	1	1	-	-	-	-	1	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA--Con.																										
410-443	Diseases of heart-	37,907	2	7	1	5	-	9	14	16	30	66	170	369	643	1,512	2,295	3,316	4,469	5,497	5,690	5,369	4,382	2,528	1,056	198	43
	White-----M--	22,338	1	5	1	2	-	3	4	9	16	36	104	246	594	1,137	1,666	2,398	3,071	3,496	3,225	2,762	2,041	1,064	386	50	17
	F--	14,249	1	2	-	2	-	4	10	5	11	37	56	89	174	276	480	764	1,241	1,808	2,315	2,479	2,273	1,417	644	140	21
	Nonwhite--M--	813	-	-	-	-	-	1	-	1	1	5	3	21	39	58	95	104	102	130	101	76	39	19	12	5	1
	F--	507	-	-	-	1	-	1	-	1	2	6	7	13	36	41	54	50	55	63	49	52	29	28	12	3	4
410-416	Chronic rheumatic heart disease----	1,536	...	-	-	1	-	1	7	5	16	40	54	85	139	155	180	181	169	173	123	107	59	29	9	3	-
	White-----M--	741	...	-	-	-	-	-	2	3	6	13	28	44	67	81	85	89	88	93	59	55	19	6	1	2	-
	F--	729	...	-	-	1	-	-	5	2	8	20	24	39	62	68	83	85	75	77	60	49	40	23	7	1	-
	Nonwhite--M--	40	...	-	-	-	-	1	-	-	-	5	1	1	6	5	8	4	3	2	2	2	-	-	-	-	-
	F--	26	...	-	-	-	-	-	-	-	2	2	1	1	4	1	4	3	3	1	2	1	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	26,136	-	2	-	1	-	1	-	1	3	21	76	205	521	1,074	1,669	2,533	3,417	4,046	3,892	3,591	2,771	1,509	567	114	22
	White-----M--	16,775	-	2	-	1	-	1	-	-	2	14	61	166	443	910	1,351	1,979	2,451	2,715	2,408	1,936	1,368	699	227	30	11
	F--	8,679	-	-	-	-	-	-	-	-	1	5	13	26	54	118	249	469	869	1,218	1,502	1,584	1,369	786	328	79	8
	Nonwhite--M--	481	-	-	-	-	-	-	-	1	-	-	-	11	18	29	52	71	68	83	57	47	20	13	6	4	1
	F--	202	-	-	-	-	-	-	-	-	-	2	2	2	6	17	17	14	29	30	25	24	14	11	6	1	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	4,433	...	-	1	-	-	-	3	3	3	7	8	28	52	65	100	193	283	450	654	781	815	589	322	58	12
	White-----M--	2,204	...	-	1	-	-	-	-	3	3	2	5	16	30	42	65	108	194	269	347	399	366	229	110	12	3
	F--	2,079	...	-	-	-	-	-	3	-	-	5	3	8	13	16	27	70	81	161	288	362	433	351	207	43	8
	Nonwhite--M--	79	...	-	-	-	-	-	-	-	-	-	-	3	2	4	4	9	8	10	12	12	7	3	4	1	-
	F--	71	...	-	-	-	-	-	-	-	-	-	-	1	7	3	4	6	6	10	7	8	9	6	1	2	1
430-434	Other diseases of heart---------	692	2	5	-	3	-	6	4	6	5	12	14	15	22	34	41	54	69	81	89	85	65	52	22	5	1
	White-----M--	360	1	3	-	1	-	1	2	3	4	6	4	7	11	17	27	41	48	46	47	36	24	22	6	2	1
	F--	299	1	2	-	1	-	4	2	2	-	5	7	6	9	10	12	11	18	33	41	47	40	29	16	3	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	-	1	1	1	6	1	1	2	2	1	-	-	1	-	-	-
	F--	15	-	-	-	1	-	1	-	1	-	1	2	1	1	1	1	1	1	-	-	2	1	-	-	-	-
440-443	Hypertension with heart dis.--	5,110	-	-	-	-	-	1	-	1	3	6	18	36	109	184	305	355	525	747	832	805	672	349	136	18	8
	White-----M--	2,258	-	-	-	-	-	1	-	-	1	3	6	13	43	87	158	181	280	373	364	336	264	108	44	4	2
	F--	2,464	-	-	-	-	-	-	-	1	2	2	9	10	36	64	109	129	198	319	424	437	391	228	86	14	5
	Nonwhite--M--	195	-	-	-	-	-	-	-	-	-	-	1	5	12	14	30	19	21	33	29	15	12	2	2	-	-
	F--	193	-	-	-	-	-	-	-	-	-	1	2	8	18	19	28	26	16	22	15	17	5	11	4	-	1
444-447	Hypertension without mention of heart----------	676	-	-	-	-	-	-	-	-	1	5	6	17	37	26	39	38	42	72	93	106	107	59	23	4	1
	White-----M--	325	-	-	-	-	-	-	-	-	1	1	2	8	16	18	23	22	28	42	42	50	37	23	11	-	1
	F--	307	-	-	-	-	-	-	-	-	-	2	2	2	11	2	11	14	12	28	48	56	68	36	12	3	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	1	1	1	5	3	3	1	1	2	2	-	1	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	1	1	6	5	3	2	1	1	-	1	-	1	-	-	1	-
450	General arteriosclerosis--------	2,687	-	-	-	-	-	-	-	-	-	1	-	-	-	6	13	29	97	197	389	554	583	476	265	81	18
	White-----M--	1,237	-	-	-	-	-	-	-	-	-	-	-	-	-	6	10	17	56	115	208	255	234	195	109	27	5
	F--	1,375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11	33	69	146	283	341	277	152	50	11
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	9	11	10	4	2	1	3	1
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	4	6	4	2	1	1	1
451-468	Other diseases of circulatory sys.--	682	2	-	1	-	-	1	2	8	11	9	9	21	22	34	38	72	107	94	104	66	50	23	5	3	-
	White-----M--	390	2	-	-	-	-	-	1	1	4	4	-	7	12	22	22	39	65	68	69	33	29	8	3	1	-
	F--	259	-	-	1	-	-	1	1	7	6	5	7	12	9	9	12	26	38	21	33	32	20	15	2	2	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	5	3	4	1	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	1	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,041	-	1	2	4	3	5	6	11	18	36	32	47	51	63	62	89	99	112	117	103	90	64	21	2	3
	White-----M--	502	-	1	2	1	-	4	3	6	11	21	14	22	24	31	34	43	50	60	44	51	41	31	6	-	2
	F--	456	-	-	-	3	3	1	3	4	5	8	12	19	18	24	22	33	41	47	67	51	45	32	15	2	1
	Nonwhite--M--	45	-	-	-	-	-	-	-	1	1	3	2	3	4	4	3	8	5	4	4	-	3	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	1	4	4	3	3	4	3	5	3	1	2	1	1	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	2,635	404	65	26	18	7	13	9	12	26	24	29	43	91	113	145	126	157	204	237	296	276	203	76	27	8
	White-----M--	1,473	217	31	9	11	4	7	7	7	13	9	9	24	58	80	93	79	109	131	132	171	144	97	22	7	2
	F--	956	142	27	9	3	1	4	2	4	10	14	9	11	25	21	39	35	37	61	94	106	123	101	53	19	6
	Nonwhite--M--	129	16	3	7	3	2	2	-	-	3	-	7	4	3	11	11	7	7	9	9	14	6	4	1	-	-
	F--	77	29	4	1	1	-	-	-	1	-	1	4	4	5	1	2	5	4	3	2	5	3	1	-	1	-
480-483	Influenza---------	58	4	1	2	1	-	-	-	-	-	-	-	3	-	2	2	2	4	5	4	5	7	14	2	-	-
	White-----M--	25	2	-	1	1	-	-	-	-	-	-	-	2	-	-	1	-	1	4	-	1	4	6	-	-	-
	F--	32	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	4	4	3	8	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	2,577	400	64	24	17	7	13	9	12	26	24	29	40	91	111	143	124	153	199	233	291	269	189	74	27	8
	White-----M--	1,450	215	31	8	10	4	7	7	7	13	9	9	22	58	80	92	79	108	127	132	170	140	91	22	7	2
	F--	924	140	27	8	3	1	4	2	4	10	14	9	11	25	20	38	33	34	60	90	102	120	93	51	19	6
	Nonwhite--M--	128	16	3	7	3	2	2	-	-	3	-	7	4	3	10	11	7	7	9	9	14	6	4	1	-	-
	F--	75	29	3	1	1	-	-	-	1	-	1	4	3	5	1	2	5	4	3	2	5	3	1	-	1	-
500-502	Bronchitis---------	166	40	9	3	6	2	2	-	1	-	-	1	1	1	3	3	9	8	9	21	19	10	11	7	-	-
	White-----M--	94	22	4	1	4	2	1	-	-	-	-	-	-	1	3	1	7	8	7	9	13	3	4	4	-	-
	F--	58	12	3	1	2	-	1	-	1	-	-	1	-	-	-	1	1	-	2	11	6	7	6	3	-	-
	Nonwhite--M--	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum-----	672	2	-	-	-	-	-	-	-	1	4	8	16	33	44	72	73	101	99	77	65	51	21	4	-	1
	White-----M--	498	-	-	-	-	-	-	-	-	1	4	4	12	22	32	55	60	81	77	60	45	35	9	1	-	-
	F--	134	1	-	-	-	-	-	-	-	-	-	2	4	8	7	10	10	15	16	11	19	16	12	3	-	-
	Nonwhite--M--	29	1	-	-	-	-	-	-	-	-	-	2	-	2	3	5	3	4	2	5	1	-	-	-	-	1
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	4	1	-	-	-	-	-	-
550-553	Appendicitis------	165	1	-	1	2	2	8	9	3	5	2	5	4	7	10	13	13	17	17	26	6	10	2	-	-	-
	White-----M--	97	1	-	-	2	1	5	1	1	2	2	1	-	3	8	9	10	10	11	21	2	6	1	-	-	-
	F--	55	-	-	1	-	1	3	7	2	3	-	3	3	1	1	2	3	6	4	6	4	4	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	1	2	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	555	62	2	-	-	-	3	2	-	1	5	6	9	17	25	29	24	42	67	91	77	44	38	10	-	1
	White-----M--	268	32	1	-	-	-	-	2	-	-	1	3	6	9	12	15	16	22	34	38	33	21	17	5	-	1
	F--	251	24	-	-	-	-	3	-	-	1	3	3	3	5	12	9	6	16	28	51	40	21	21	5	-	-
	Nonwhite--M--	16	3	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	1	3	1	-	-	-	-
	F--	20	3	-	-	-	-	-	-	-	-	1	-	-	1	1	4	1	3	3	1	1	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
543,	Gastritis, etc.*	436	194	16	5	3	1	5	1	2	4	5	7	5	7	12	11	12	25	31	30	26	15	15	3	-	1
571,	White—M	225	107	5	4	1	-	3	-	-	3	3	3	4	5	9	7	7	16	15	14	7	5	6	1	-	-
572	F	176	66	8	1	2	1	1	-	1	1	2	4	1	-	3	4	4	9	14	15	17	10	9	2	-	1
	Nonwhite—M	24	13	2	-	-	-	1	1	1	-	-	-	-	2	-	-	1	-	2	1	-	-	-	-	-	-
	F	11	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
581	Cirrhosis of liver	1,714	5	-	1	-	-	1	2	-	6	20	67	128	208	250	236	228	176	165	108	59	31	17	5	2	1
	White—M	1,037	3	-	-	-	-	1	-	-	1	14	26	61	122	157	151	135	120	109	69	33	22	9	3	-	1
	F	601	1	-	-	-	-	-	1	-	5	4	35	55	78	87	72	86	50	50	32	25	8	8	2	2	-
	Nonwhite—M	43	1	-	1	-	-	-	1	-	-	1	1	3	6	3	7	5	3	4	5	1	1	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	1	5	9	2	3	6	2	3	2	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	160	6	1	-	5	1	11	4	3	6	3	8	4	8	10	8	12	7	17	15	11	11	7	2	-	-
	White—M	81	4	1	-	4	1	9	3	2	3	3	4	-	4	7	6	6	2	6	9	2	3	2	-	-	-
	F	67	1	-	-	1	-	2	1	1	1	-	1	2	4	3	2	6	4	10	6	7	8	5	2	-	-
	Nonwhite—M	7	1	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate	379	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	26	40	62	91	65	41	17	2	1
	White—M	364	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	25	39	78	88	64	41	17	2	1
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	1	4	3	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	126	...	...	...	...	...	...	-	13	21	33	28	23	7	1	-	-	...	...	...	...	...	...	...	...	-
	White—F	99	...	...	...	...	...	...	-	13	17	25	21	16	6	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F	27	...	...	...	...	...	...	-	-	4	8	7	7	1	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion	14	...	...	...	...	...	...	-	-	1	7	3	1	2	-	-	-	...	...	...	...	...	...	...	...	-
652	White—F	13	...	...	...	...	...	...	-	-	1	6	3	1	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications	112	...	...	...	...	...	...	-	13	20	26	25	22	5	1	-	-	...	...	...	...	...	...	...	...	-
660-	White—F	86	...	...	...	...	...	...	-	13	16	19	18	15	4	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F	26	...	...	...	...	...	...	-	-	4	7	7	7	1	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations	1,295	930	46	19	23	8	30	14	15	15	12	16	27	34	21	22	22	10	8	12	4	5	1	1	-	-
	White—M	710	510	24	9	12	5	16	9	12	12	7	9	12	16	12	11	13	6	5	6	1	2	-	1	-	-
	F	478	334	19	6	9	3	11	3	3	3	4	7	14	15	9	10	8	4	3	6	3	3	1	-	-	-
	Nonwhite—M	50	37	2	2	1	-	2	1	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	57	49	1	2	1	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	3,837	3,836	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2,050	2,049	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,388	1,388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	2,063	2,065	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,111	1,111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	738	738	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied	1,571	1,570	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	832	831	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	581	581	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	395	29	5	6	1	1	4	3	2	8	9	14	13	19	17	19	16	33	31	26	32	34	30	20	15	8
795	White—M	232	13	3	4	-	1	3	3	2	5	6	10	6	14	8	12	13	25	23	16	21	10	13	11	5	5
	F	143	11	1	2	1	-	1	-	-	3	1	4	5	2	7	7	3	8	7	8	9	24	17	9	10	3
	Nonwhite—M	15	4	1	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	2	2	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	1	1	-	-
Re-	All other diseases	4,152	194	49	35	28	16	48	27	29	62	70	119	156	199	243	305	353	421	471	459	376	259	157	58	14	4
sid-	White—M	2,229	96	31	21	16	8	21	12	15	30	27	49	74	103	142	171	211	245	285	257	187	126	77	19	5	1
ual	F	1,668	72	13	13	12	7	21	13	13	24	36	62	58	83	79	106	123	153	162	186	176	130	77	37	9	3
	Nonwhite—M	137	13	2	-	-	-	3	1	-	3	2	5	13	2	14	14	10	15	15	11	8	3	2	1	-	-
	F	118	13	3	1	-	1	3	1	1	5	5	3	11	11	8	14	9	8	9	5	5	-	1	1	-	-
E800-	Accidents	6,484	244	114	90	77	43	163	124	375	529	500	400	396	427	419	377	373	374	344	318	285	231	167	83	16	15
E962	White—M	4,415	138	47	45	46	23	102	91	300	430	377	301	294	303	306	276	269	266	239	198	149	108	62	28	7	12
	F	1,628	74	48	34	24	17	47	27	59	70	74	62	72	85	90	77	96	85	88	101	126	118	101	53	9	1
	Nonwhite—M	337	19	13	5	3	1	10	4	14	21	40	31	29	30	19	23	17	15	13	14	6	4	3	1	-	2
	F	104	13	6	6	4	2	4	2	2	8	9	6	1	9	4	1	1	8	4	5	4	1	1	3	-	-
E810-	Motor-vehicle																										
E835	accidents	3,171	26	39	39	36	16	78	50	270	368	331	218	197	207	200	185	191	209	178	140	101	58	21	8	1	4
	White—M	2,209	14	14	21	27	9	47	34	213	291	229	156	141	144	140	117	135	141	124	85	65	41	13	3	1	4
	F	738	8	18	14	8	7	25	12	49	56	65	40	43	45	46	52	49	56	45	45	31	14	6	4	-	-
	Nonwhite—M	167	1	4	1	1	-	4	2	7	14	29	16	12	15	10	16	7	7	7	8	3	2	1	-	-	-
	F	57	3	3	3	-	-	2	2	1	7	8	6	1	3	4	-	-	5	2	2	2	1	1	1	-	-
E800-	All ot. accidents	3,313	218	75	51	41	27	85	74	105	161	169	182	199	220	219	192	182	165	166	178	184	173	148	75	15	11
E802,	White—M	2,206	124	33	24	19	14	55	57	87	139	148	145	153	159	166	159	134	125	115	113	84	67	49	23	6	8
E840-	F	890	66	30	20	18	10	22	15	10	14	9	22	29	40	44	25	37	29	43	56	95	104	95	49	9	1
E962	Nonwhite—M	170	18	9	4	2	1	6	2	7	7	11	15	17	15	9	7	10	8	6	6	3	2	2	1	-	2
	F	47	10	3	3	4	2	2	-	1	1	1	-	-	6	-	1	1	3	2	3	2	-	-	2	-	-
E963,	Suicide	1,909	-	-	-	-	-	-	2	21	75	105	123	161	204	202	230	212	190	159	113	66	32	9	5	1	1
E970-	White—M	1,411	-	-	-	-	-	-	1	13	58	72	85	115	144	136	168	168	147	125	89	54	26	7	1	1	1
E979	F	430	-	-	-	-	-	-	-	7	14	30	31	38	52	58	57	40	35	31	18	11	5	2	1	-	-
	Nonwhite—M	54	-	-	-	-	-	-	1	-	3	3	5	8	6	6	2	4	6	3	4	1	1	-	1	-	-
	F	14	-	-	-	-	-	-	-	1	-	-	2	-	2	2	3	-	2	-	2	-	-	-	-	-	-
E964,	Homicide	462	10	2	-	1	-	10	7	14	54	52	58	67	52	37	33	18	16	15	9	3	2	-	1	-	1
E980-	White—M	229	3	-	-	1	-	5	3	7	31	20	26	34	23	17	20	11	9	9	6	1	1	-	-	-	1
E985	F	114	4	1	-	-	-	4	4	6	8	11	12	13	12	10	11	5	5	3	2	2	-	-	1	-	-
	Nonwhite—M	95	1	1	-	-	-	-	-	1	10	18	14	16	14	10	2	2	2	3	1	-	-	-	-	-	-
	F	24	2	-	-	-	-	1	-	-	5	3	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
E990-	White—M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO																										
	ALL CAUSES	12,280	1,167	81	39	39	30	74	74	110	150	147	199	227	337	433	602	784	1,016	1,301	1,462	1,494	1,293	848	307	85	11
	White--M	6,866	668	46	24	25	14	41	46	67	89	83	112	125	188	255	365	477	622	789	857	775	658	394	132	30	5
	F	5,120	480	34	14	14	6	30	26	38	56	60	68	98	126	161	223	280	373	486	586	689	617	441	173	55	8
	Nonwhite--M	139	12	1	1	-	-	-	1	2	1	2	5	2	10	8	7	16	10	13	25	10	8	5	-	-	-
	F	135	7	-	-	-	-	3	1	3	4	2	4	4	13	9	7	11	11	13	14	10	9	8	2	-	-
001-019	Tuberculosis, all forms	207	1	3	1	2	2	3	2	4	8	8	12	12	11	16	21	25	24	22	14	10	4	2	-	-	-
	White--M	130	-	1	1	-	1	-	1	1	2	4	5	5	6	10	13	22	20	17	9	8	3	1	-	-	-
	F	66	1	2	-	2	1	2	-	2	4	4	5	7	2	6	8	3	3	5	5	2	1	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	188	1	3	1	1	-	1	1	4	7	6	12	12	10	15	19	22	23	22	13	9	4	2	-	-	-
	White--M	122	-	1	1	-	-	-	-	1	1	4	5	5	5	9	13	21	19	17	9	7	3	1	-	-	-
	F	55	1	2	-	1	-	-	-	2	4	2	5	7	2	6	6	1	3	5	4	2	1	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	19	-	-	-	1	2	2	1	-	1	2	-	-	1	1	2	3	1	-	1	1	-	-	-	-	-
	White--M	8	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-
	F	11	-	-	-	1	1	2	-	-	-	2	-	-	-	-	2	2	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	49	1	-	-	-	-	-	-	-	-	-	-	-	2	4	5	7	10	8	7	2	2	-	1	-	-
	White--M	33	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	7	5	5	1	1	-	-	-	-
	F	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	1	1	1	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	10	4	-	1	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	8	-	-	-	1	-	1	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	5	-	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	9	5	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other ricketteial dis.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	32	5	1	1	2	-	1	-	2	-	2	2	2	-	-	4	3	4	1	-	1	1	-	-	-	-
	White--M	20	2	1	-	2	-	1	-	1	-	2	-	2	-	-	2	1	4	1	-	1	-	-	-	-	-
	F	12	3	-	1	-	-	-	-	1	-	-	2	-	-	-	2	2	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
140-205	Malignant neoplasms, etc.*----	1,706	-	7	3	4	1	5	11	8	11	7	23	35	65	88	141	168	224	241	267	195	129	49	21	3	-
	White-----M--	812	-	6	3	2	1	2	7	3	6	3	11	15	21	33	49	66	111	117	154	97	73	25	7	-	-
	F--	853	-	1	-	2	-	3	4	5	5	4	12	19	41	51	87	93	106	120	108	97	54	24	14	3	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	5	3	3	1	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	2	1	2	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx-----	26	-	-	-	-	-	-	1	-	-	-	1	-	1	1	4	2	2	1	2	6	2	3	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	2	5	2	2	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	630	-	1	-	-	-	-	1	1	-	-	3	8	10	20	39	67	92	100	120	86	67	10	5	-	-
	White-----M--	327	-	1	-	-	-	-	-	-	-	-	3	5	3	10	19	28	51	51	71	42	37	5	1	-	-
	F--	281	-	-	-	-	-	-	1	1	-	-	-	2	5	9	18	33	38	47	47	43	28	5	4	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	2	1	2	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	1	-	-	-	-
160-164	Of respiratory system----------	153	-	-	-	-	-	-	-	-	-	-	1	3	6	7	14	15	28	27	32	12	5	2	1	-	-
	White-----M--	118	-	-	-	-	-	-	-	-	-	-	1	2	4	6	12	12	24	23	25	5	2	2	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	4	6	7	3	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Of breast----------	170	-	-	-	-	-	-	-	-	-	-	2	6	8	22	25	25	18	19	16	15	7	4	3	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	165	-	-	-	-	-	-	-	-	-	-	2	6	8	21	25	24	16	19	15	15	7	4	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
171-179	Of genital organs-	316	-	-	-	-	-	-	1	-	3	2	3	5	20	20	20	24	42	42	47	38	25	17	5	2	-
	White-----M--	119	-	-	-	-	-	-	1	-	1	1	-	1	2	3	-	4	13	16	24	22	18	10	3	-	-
	F--	189	-	-	-	-	-	-	-	-	2	1	3	4	17	15	19	19	28	26	21	16	7	7	2	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs-	85	-	1	-	-	-	-	-	-	-	-	-	-	3	8	8	9	9	13	18	7	6	2	-	1	-
	White-----M--	56	-	1	-	-	-	-	-	-	-	-	-	-	2	5	4	5	6	11	13	5	3	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	3	2	5	2	3	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	172	-	1	2	2	-	2	3	3	4	1	5	8	8	6	17	14	20	21	13	19	9	8	6	-	-
	White-----M--	80	-	1	2	1	-	1	2	2	3	1	1	4	4	6	7	9	8	8	7	12	5	3	3	-	-
	F--	81	-	-	-	1	-	1	1	1	1	-	4	4	4	-	10	5	12	12	6	7	4	5	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	76	-	4	1	2	1	-	5	3	1	3	4	1	5	-	3	8	3	6	12	8	3	3	-	-	-
	White-----M--	43	-	3	1	1	1	-	4	1	-	1	3	-	4	-	1	4	2	2	6	5	2	2	-	-	-
	F--	33	-	1	-	1	-	-	1	2	1	2	1	1	1	-	2	4	1	4	6	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	78	-	-	-	-	-	3	-	1	3	1	4	4	4	4	11	4	10	12	7	4	5	-	1	-	-
	White-----M--	37	-	-	-	-	-	1	-	-	2	-	3	3	1	2	3	2	4	6	5	1	4	-	-	-	-
	F--	39	-	-	-	-	-	2	-	1	1	1	1	1	3	2	6	2	6	6	2	3	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	47	3	1	-	-	-	-	2	1	-	2	3	3	6	3	5	3	6	4	3	1	-	-	1	-	-
	White-----M--	18	2	1	-	-	-	-	2	-	-	-	-	-	2	3	1	2	2	2	1	-	-	-	-	-	-
	F--	27	1	-	-	-	-	-	-	1	-	2	3	3	3	-	3	1	4	2	2	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	144	-	-	-	-	-	-	-	-	1	3	3	3	4	6	9	6	24	18	22	26	10	8	-	1	-
	White-----M--	63	-	-	-	-	-	-	-	-	1	-	1	1	1	4	5	3	8	9	8	13	6	3	-	-	-
	F--	80	-	-	-	-	-	-	-	-	-	3	2	2	3	2	3	3	16	9	14	13	4	5	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	35	-	1	-	-	-	-	-	1	1	-	-	-	1	-	1	1	1	6	4	9	7	2	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	4	3	5	5	1	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	1	3	2	1	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	8	3	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	5,918	1	1	-	2	-	5	15	13	17	22	35	46	101	164	246	391	510	743	871	980	875	606	206	63	5
	White-----M--	3,237	-	1	-	1	-	1	5	7	4	8	15	28	58	105	164	250	323	459	505	490	421	271	97	25	1
	F--	2,559	1	-	-	1	-	4	10	5	12	14	17	18	36	53	76	126	179	270	343	477	443	325	107	38	4
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	-	-	2	-	2	3	3	8	3	5	15	7	6	4	-	-	-
	F--	64	-	-	-	-	-	-	-	1	1	-	1	-	5	3	3	7	5	9	10	6	5	6	2	-	-
330-334, 400-468	Diseases of cardiovascular system-	5,744	1	1	-	2	-	5	12	9	13	17	30	43	96	154	234	383	494	724	856	958	856	587	201	63	5
	White-----M--	3,153	-	1	-	1	-	1	3	5	2	5	12	26	58	100	158	248	315	449	493	480	412	263	95	25	1
	F--	2,473	1	-	-	1	-	4	9	3	10	12	16	17	32	48	70	120	171	261	338	465	433	315	105	38	4
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	8	3	5	15	7	6	3	-	-	-
	F--	62	-	-	-	-	-	-	-	1	1	-	1	-	4	3	3	7	5	9	10	6	5	6	1	-	-
330-334	Vascular lesions, etc.*----------	1,159	-	1	-	2	-	-	1	-	-	1	3	3	17	18	35	63	83	126	199	211	217	138	27	14	-
	White-----M--	558	-	1	-	1	-	-	1	-	-	1	-	2	8	9	13	28	44	72	100	100	109	49	14	6	-
	F--	575	-	-	-	1	-	-	-	-	-	-	2	1	5	8	21	31	37	54	94	106	107	86	12	8	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	3	-	2	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	2	1	-	4	2	1	1	1	-	-
400-402	Rheumatic fever----	33	-	-	-	-	-	3	7	3	4	-	5	1	3	-	-	1	1	2	3	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	1	-	1	1	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-
	F--	24	-	-	-	-	-	2	7	1	3	-	4	1	1	-	-	1	-	1	3	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO--Con.																										
410-443	Diseases of heart	4,133	-	-	-	-	-	2	4	3	6	13	22	37	73	127	190	301	391	563	609	676	558	374	139	42	4
	White-----M--	2,376	-	-	-	-	-	-	2	2	-	4	11	23	47	85	139	209	260	359	364	352	264	172	65	17	1
	F--	1,678	-	-	-	-	-	2	2	1	6	9	10	14	24	38	46	84	125	191	227	316	285	197	73	25	3
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	2	4	12	4	6	1	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	4	9	6	4	3	4	-	-	-
410-416	Chronic rheumatic heart disease----	240	...	-	-	-	-	1	3	3	2	10	11	16	13	25	25	31	27	19	18	22	4	8	1	1	-
	White-----M--	112	...	-	-	-	-	-	1	2	-	3	6	7	5	13	12	16	14	9	11	9	-	2	1	1	-
	F--	124	...	-	-	-	-	1	2	1	2	7	5	9	8	12	13	13	13	9	6	13	4	6	-	-	-
	Nonwhite--M--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,669	-	-	-	-	-	-	-	-	1	1	6	13	43	79	135	218	288	411	418	445	320	193	79	16	3
	White-----M--	1,705	-	-	-	-	-	-	-	-	-	1	4	12	33	63	109	163	205	264	273	249	163	98	38	7	1
	F--	917	-	-	-	-	-	-	-	-	1	-	2	1	9	14	23	51	78	116	134	192	152	92	41	9	2
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	1	4	7	2	4	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	7	4	2	1	3	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	565	...	-	-	-	-	-	-	-	3	-	2	4	9	9	9	20	29	51	72	96	120	105	33	22	1
	White-----M--	279	...	-	-	-	-	-	-	-	-	-	-	2	4	4	6	12	18	32	34	50	54	43	13	7	-
	F--	295	...	-	-	-	-	-	-	-	3	-	1	2	4	5	2	7	10	19	36	45	64	61	20	15	1
	Nonwhite--M--	6	...	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	1	-	-	-	-
	F--	5	...	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	-	-	-
430-434	Other diseases of heart----------	109	-	-	-	-	-	1	1	-	-	1	2	3	4	3	8	7	12	15	7	13	15	11	5	1	-
	White-----M--	60	-	-	-	-	-	-	1	-	-	-	1	2	4	2	7	5	6	8	4	7	4	4	4	1	-
	F--	49	-	-	-	-	-	1	-	-	-	1	1	1	-	1	1	2	6	7	3	6	11	7	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	530	-	-	-	-	-	-	-	-	-	1	1	1	4	11	13	25	35	67	94	100	99	57	20	2	-
	White-----M--	222	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	13	17	26	42	37	43	25	9	1	-
	F--	283	-	-	-	-	-	-	-	-	-	1	1	1	3	6	7	11	18	40	48	60	54	31	11	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	1	1	-	-	-
444-447	Hypertension without mention of heart----------	78	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2	5	4	9	12	12	12	14	3	1	-
	White-----M--	39	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	2	4	8	5	5	7	1	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	3	7	7	6	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
450	General arteriosclerosis--------	259	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	13	26	50	64	58	33	5	1
	White-----M--	132	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	7	17	21	30	33	15	2	-
	F--	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	8	29	33	25	18	3	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	82	1	-	-	-	-	-	-	2	3	3	-	2	3	5	5	9	13	11	7	9	5	3	-	1	-
	White-----M--	40	-	-	-	-	-	-	-	1	1	-	-	1	1	3	3	6	6	6	4	2	4	2	-	-	-
	F--	37	1	-	-	-	-	-	-	1	1	3	-	1	2	1	2	1	7	4	3	7	1	1	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	174	-	-	-	-	-	-	3	4	4	5	5	3	5	10	12	8	16	19	15	22	19	19	5	-	-
	White-----M--	84	-	-	-	-	-	-	2	2	2	3	3	2	-	5	6	2	8	10	10	10	9	8	2	-	-
	F--	86	-	-	-	-	-	-	1	2	2	2	1	1	4	5	6	6	8	9	5	12	10	10	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	663	130	16	4	2	1	2	2	2	3	1	4	7	15	11	16	18	30	47	63	79	91	79	28	8	4
	White-----M--	385	78	10	2	2	1	-	1	1	1	-	2	4	9	7	13	12	25	28	38	47	48	40	13	2	1
	F--	260	50	6	2	-	-	2	1	1	2	-	2	3	5	3	3	6	4	16	25	30	39	36	15	6	3
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	1	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	3	2	-	-	-
480-483	Influenza---------	59	8	1	2	-	-	-	-	-	1	-	-	-	-	1	1	-	5	4	8	11	6	7	3	-	1
	White-----M--	28	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	4	9	2	2	2	-	-
	F--	29	6	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	4	2	4	4	1	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*---	604	122	15	2	2	1	2	2	2	2	1	4	7	15	10	15	18	25	43	55	68	85	72	25	8	3
	White-----M--	357	76	10	1	2	1	-	1	1	1	-	2	4	9	6	13	12	22	26	34	38	48	38	11	2	1
	F--	231	44	5	1	-	-	2	1	1	1	-	2	3	5	3	2	6	3	14	21	28	35	32	14	6	2
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	3	2	-	-	-
500-502	Bronchitis---------	30	12	3	1	1	1	1	-	-	1	-	-	-	-	1	-	2	1	2	1	1	1	-	1	-	-
	White-----M--	15	5	-	1	-	1	1	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	1	-	-
	F--	15	7	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	114	-	-	-	-	-	-	-	-	-	1	-	4	3	9	8	10	16	20	15	16	10	2	-	-	-
	White-----M--	93	-	-	-	-	-	-	-	-	-	1	-	4	3	8	6	10	11	16	11	12	9	2	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	3	3	4	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis-------	40	1	-	-	2	-	2	1	1	1	-	-	-	2	4	1	7	1	6	3	4	3	1	-	-	-
	White-----M--	27	-	-	-	2	-	-	1	-	1	-	-	-	1	2	1	5	1	2	3	4	3	1	-	-	-
	F--	11	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	2	-	4	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	110	9	-	-	-	-	-	-	-	-	2	2	2	3	4	7	10	13	6	12	13	16	7	4	-	-
	White-----M--	46	5	-	-	-	-	-	-	-	-	-	1	2	1	2	3	7	7	3	3	6	3	3	-	-	-
	F--	62	4	-	-	-	-	-	-	-	-	2	1	-	2	2	4	3	6	2	8	7	13	4	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
543,	Gastritis, etc.*--	112	79	4	1	3	1	1	-	-	-	-	-	1	1	-	1	-	4	4	2	2	6	1	1	-	-
571,	White-----M--	61	42	1	1	2	1	1	-	-	-	-	-	-	1	-	-	-	3	2	2	1	3	1	-	-	-
572	F--	51	37	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	1	3	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	112	2	-	-	-	-	1	-	1	-	1	3	7	14	10	14	9	7	20	14	3	2	3	1	-	-
	White-----M--	68	1	-	-	-	-	1	-	-	-	1	1	4	7	5	10	7	7	14	7	1	-	2	-	-	-
	F--	39	1	-	-	-	-	-	-	1	-	-	2	3	7	3	4	2	-	6	5	1	2	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*-----------	23	1	-	-	-	-	-	-	-	1	1	1	1	2	3	-	1	-	3	3	4	-	1	1	-	-
	White-----M--	14	1	-	-	-	-	-	-	-	1	-	-	1	1	3	-	1	-	1	3	1	-	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	3	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate--------	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	16	12	17	8	4	1	-
	White-----M--	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	7	15	12	17	8	4	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	28	...	...	...	...	...	...	-	1	5	9	3	6	4	-	-	-	...	...	...	...	...	...	...	...	-
	White------F--	26	...	...	...	...	...	...	-	1	5	8	2	6	4	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	3	...	...	...	...	...	...	-	-	1	1	-	-	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White------F--	2	...	...	...	...	...	...	-	-	1	-	-	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications--------	25	...	...	...	...	...	...	-	1	4	8	3	6	3	-	-	-	...	...	...	...	...	...	...	...	-
660-	White------F--	24	...	...	...	...	...	...	-	1	4	8	2	6	3	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	176	138	9	6	2	-	3	1	-	4	-	1	3	-	4	1	1	1	1	1	-	-	-	-	-	-
	White-----M--	105	79	5	5	1	-	1	1	-	3	-	1	2	-	3	-	1	1	1	1	-	-	-	-	-	-
	F--	70	58	4	1	1	-	2	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	678	678	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	400	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	263	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*------------	333	333	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied------------	302	302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	61	6	-	-	-	1	-	-	-	-	-	1	2	4	1	-	1	1	4	2	6	6	14	7	3	2
795	White-----M--	25	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	3	1	3	2	5	1	1	1
	F--	32	1	-	-	-	1	-	-	-	-	-	-	1	2	-	-	1	-	1	1	2	4	9	6	2	1
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Re-	All other diseases	653	28	4	3	4	3	12	3	6	9	10	18	19	25	30	50	50	60	73	81	68	56	24	14	3	-
sid-	White-----M--	385	15	1	1	2	3	5	2	4	3	3	12	6	15	13	37	28	34	49	50	44	36	15	6	1	-
ual	F--	256	13	3	2	2	-	7	1	2	6	7	4	11	8	15	13	22	25	22	30	24	20	9	8	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-
E800-	Accidents---------	968	44	27	18	13	6	32	31	61	71	56	61	43	51	53	50	48	51	48	45	46	53	41	16	3	-
E962	White-----M--	650	19	17	9	9	4	23	22	47	53	48	50	35	40	40	38	36	32	36	27	23	25	16	1	-	-
	F--	300	25	10	8	4	2	7	8	12	17	6	11	7	9	13	11	12	18	11	16	22	28	25	15	3	-
	Nonwhite--M--	13	-	-	1	-	-	-	1	2	-	2	-	-	1	-	1	-	1	1	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	408	11	8	6	7	2	13	8	34	45	35	32	22	25	24	23	23	28	21	21	6	10	4	-	-	-
	White-----M--	295	4	6	3	5	1	9	5	25	33	28	26	18	21	15	16	16	16	16	16	4	8	4	-	-	-
	F--	105	7	2	3	2	1	3	2	9	12	5	6	4	3	9	7	7	11	4	4	2	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	560	33	19	12	8	4	19	23	27	26	21	29	21	26	29	27	25	23	27	24	40	43	37	16	3	-
E802,	White-----M--	355	15	11	6	4	3	14	17	22	20	20	24	17	19	25	22	20	16	20	11	19	17	12	1	-	-
E840-	F--	195	18	8	5	2	1	4	6	3	5	1	5	3	6	4	4	5	7	7	12	20	26	25	15	3	-
E962	Nonwhite--M--	6	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide-----------	201	-	-	-	-	-	-	1	4	10	13	13	24	20	18	19	19	22	13	12	4	3	-	1	-	-
E970-	White-----M--	149	-	-	-	-	-	-	1	1	8	10	10	13	17	10	17	16	18	10	10	4	3	-	1	-	-
E979	F--	50	-	-	-	-	-	-	-	3	2	8	3	11	2	8	2	3	3	3	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	44	5	-	-	-	-	-	1	1	6	3	4	6	2	4	2	2	1	2	3	1	1	-	-	-	-
E980-	White-----M--	27	2	-	-	-	-	-	1	1	5	2	2	2	1	2	2	-	1	2	2	1	1	-	-	-	-
E985	F--	12	3	-	-	-	-	-	-	-	-	1	1	3	-	2	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT																										
	ALL CAUSES	19,123	886	58	32	33	24	68	50	81	132	168	247	324	511	719	1,096	1,668	2,116	2,405	2,478	2,457	1,909	1,096	442	95	26
	White--M	10,340	478	31	18	18	15	40	25	58	82	84	129	172	293	407	688	1,042	1,291	1,418	1,348	1,212	827	468	154	31	11
	F	8,274	350	25	13	13	9	26	22	19	41	64	101	130	182	267	365	591	784	937	1,088	1,210	1,063	615	282	64	13
	Nonwhite--M	273	26	1	1	1	-	2	2	2	6	11	6	15	15	23	27	18	23	28	26	18	12	5	2	-	1
	F	236	32	1	-	1	-	-	1	2	3	9	9	7	21	22	16	17	20	22	16	17	7	8	4	-	1
001-019	Tuberculosis, all forms	322	3	2	-	1	-	-	-	1	7	9	21	21	29	19	26	45	32	42	24	22	10	6	1	-	1
	White--M	227	1	-	-	-	-	-	-	-	3	1	10	12	18	12	21	41	27	32	19	19	7	2	1	-	1
	F	76	1	2	-	1	-	-	-	1	3	6	10	8	9	2	1	3	5	9	5	3	3	4	-	-	-
	Nonwhite--M	15	1	-	-	-	-	-	-	-	-	2	1	1	-	4	4	1	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	300	1	1	-	-	-	-	-	1	7	8	21	19	26	19	24	44	32	39	23	20	10	3	1	-	1
	White--M	214	-	-	-	-	-	-	-	-	3	1	10	10	16	12	21	40	27	29	18	17	7	1	1	-	1
	F	69	-	1	-	-	-	-	-	1	3	6	10	8	8	2	-	3	5	9	5	3	3	2	-	-	-
	Nonwhite--M	13	1	-	-	-	-	-	-	-	-	1	1	1	-	4	3	1	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	22	2	1	-	1	-	-	-	-	-	1	-	2	3	-	2	1	-	3	1	2	-	3	-	-	-
	White--M	13	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	3	1	2	-	1	-	-	-
	F	7	1	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	91	1	-	-	-	-	-	-	-	-	1	1	-	2	4	9	11	18	11	19	7	7	-	-	-	-
	White--M	61	-	-	-	-	-	-	-	-	-	-	1	-	1	2	7	7	16	8	13	3	3	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	6	4	4	-	-	-	-
	Nonwhite--M	7	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	9	2	2	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-
	White--M	8	1	2	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	22	-	-	-	-	-	3	-	3	3	7	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	10	-	-	-	-	-	-	-	1	1	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	3	-	2	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	31	5	2	1	1	-	-	1	1	-	3	-	-	2	1	4	4	2	2	-	-	1	-	1	-	-
	White--M	18	3	1	-	-	-	1	1	-	1	-	-	-	2	1	3	2	1	2	-	-	-	-	-	-	-
	F	11	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
140-205	Malignant neoplasms, etc.*----	3,426	1	2	6	3	8	13	7	6	8	14	55	68	105	176	277	390	471	501	478	415	272	111	38	1	-
	White-----M--	1,736	1	1	3	3	4	7	2	4	5	8	28	18	32	66	133	201	251	259	277	230	152	58	14	1	-
	F--	1,621	-	1	2	-	4	6	5	2	3	5	26	48	67	102	136	181	213	234	192	181	135	55	23	-	-
	Nonwhite--M--	38	-	-	1	-	-	-	-	-	-	-	1	2	1	2	6	4	4	5	6	2	4	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	1	-	-	5	6	2	4	3	3	3	2	1	-	1	-	-
140-148	Of buccal cavity and pharynx------	87	-	-	-	-	-	-	-	-	-	-	-	1	3	6	8	8	11	9	14	15	10	2	-	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	-	1	2	3	7	8	8	9	14	13	7	2	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	3	-	-	2	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,363	-	-	-	-	-	-	-	1	1	2	8	20	23	59	78	152	183	223	197	205	132	60	18	1	-
	White-----M--	713	-	-	-	-	-	-	1	1	2	5	8	8	32	45	87	105	112	113	106	56	28	7	1	-	-
	F--	621	-	-	-	-	-	-	-	-	-	2	12	14	24	31	61	79	105	80	97	73	32	11	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	1	4	4	1	3	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	1	-	-	-	-	-
160-164	Of respiratory system----------	367	-	-	-	-	-	-	-	-	1	2	4	4	9	14	43	57	62	57	62	30	13	7	2	-	-
	White-----M--	301	-	-	-	-	-	-	-	-	1	1	4	2	7	10	39	47	59	50	46	24	8	3	-	-	-
	F--	59	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	10	3	6	15	6	5	4	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	302	-	-	-	-	-	-	-	-	1	-	8	12	19	27	34	35	47	31	33	27	20	4	4	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	295	-	-	-	-	-	-	-	-	1	-	8	12	18	25	34	35	46	31	31	27	20	4	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	2	-	-	-	1	-	-
171-179	Of genital organs-	497	-	-	-	-	-	1	-	-	-	2	10	9	22	33	40	49	68	71	68	54	44	20	6	-	-
	White-----M--	194	-	-	-	-	-	-	-	-	-	1	3	-	4	2	3	9	20	27	36	39	28	18	4	-	-
	F--	291	-	-	-	-	-	1	-	-	-	1	7	9	15	29	37	38	45	44	31	14	16	2	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	1	-	-	1	-	-	-	-	-
180, 181	Of urinary organs-	182	-	-	-	-	4	2	-	-	-	-	-	-	3	2	14	27	17	37	24	22	27	2	1	-	-
	White-----M--	133	-	-	-	-	3	-	-	-	-	-	-	-	2	1	13	20	15	24	19	15	19	1	1	-	-
	F--	48	-	-	-	-	1	2	-	-	-	-	-	-	1	1	1	7	2	13	5	7	7	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	345	-	2	2	1	1	4	1	2	4	6	10	8	15	18	36	32	48	45	41	33	18	13	5	-	-
	White-----M--	175	-	1	1	1	1	3	1	1	2	3	5	2	4	10	16	17	27	21	27	19	9	3	1	-	-
	F--	163	-	1	-	-	-	1	-	1	2	3	5	6	10	8	19	15	19	23	14	14	8	10	4	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	137	-	-	3	2	3	6	6	2	-	1	4	4	4	8	11	15	17	11	17	17	4	2	-	-	-
	White-----M--	70	-	-	2	2	-	4	1	2	-	1	2	1	1	4	5	6	10	7	10	8	3	1	-	-	-
	F--	66	-	-	1	-	3	2	5	-	-	-	2	3	3	4	6	8	7	4	7	9	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	146	1	-	1	-	-	-	-	1	1	1	11	10	7	9	13	15	18	17	22	12	4	1	2	-	-
	White-----M--	76	1	-	-	-	-	-	-	-	1	-	9	4	4	4	7	7	9	9	12	6	2	-	1	-	-
	F--	65	-	-	1	-	-	-	-	1	-	1	2	5	3	5	5	7	9	8	9	5	2	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	84	2	1	-	-	-	1	3	2	1	4	4	4	5	5	7	12	10	6	5	4	5	2	1	-	-
	White-----M--	38	1	1	-	-	-	-	2	2	1	3	-	1	5	2	4	5	3	3	1	2	1	1	-	-	-
	F--	41	1	-	-	-	-	1	1	-	-	-	4	2	-	3	2	6	7	3	4	2	4	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	387	-	-	-	-	-	1	-	1	1	4	5	3	9	12	14	37	49	78	65	64	31	12	1	-	-
	White-----M--	137	-	-	-	-	-	1	-	1	1	2	2	3	2	5	4	16	18	35	16	20	10	1	-	-	-
	F--	246	-	-	-	-	-	-	-	-	-	2	3	-	5	6	10	21	31	42	49	44	21	11	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	43	1	-	1	-	-	1	-	-	1	2	3	1	-	-	3	1	2	3	5	7	5	4	-	3	-
	White-----M--	19	-	-	1	-	-	1	-	-	-	-	2	-	-	-	2	-	1	1	4	4	2	1	-	-	-
	F--	23	1	-	-	-	-	-	-	-	1	2	-	1	-	-	1	1	1	2	1	3	3	3	-	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	19	3	2	-	-	1	2	1	1	1	-	1	1	1	1	1	2	-	1	-	-	-	-	-	-	-
	White-----M--	12	2	2	-	-	1	1	-	1	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	10,866	6	2	1	2	1	6	5	10	18	35	57	96	211	338	549	926	1,240	1,477	1,609	1,650	1,376	827	332	76	18
	White-----M--	5,854	3	-	1	1	1	4	1	5	5	13	29	61	139	223	371	612	773	889	863	786	580	350	111	25	8
	F--	4,772	3	2	-	1	-	2	4	4	10	18	21	27	58	97	155	298	438	557	718	836	782	485	217	51	8
	Nonwhite--M--	113	-	-	-	-	-	-	-	1	1	-	3	5	5	8	12	5	12	15	17	14	8	4	2	-	1
	F--	129	-	-	-	-	-	-	-	-	2	4	4	3	9	10	11	11	17	16	11	14	6	8	2	-	1
330-334, 400-468	Diseases of cardiovascular system-	10,634	6	2	-	1	-	4	4	9	15	27	51	87	196	324	531	905	1,222	1,448	1,574	1,631	1,360	819	327	75	16
	White-----M--	5,731	3	-	-	1	-	3	-	4	4	8	26	57	129	216	358	604	763	873	846	778	573	346	108	25	7
	F--	4,671	3	2	-	1	-	1	4	4	9	16	19	23	54	91	150	285	430	546	701	826	773	461	215	50	7
	Nonwhite--M--	107	-	-	-	-	-	-	-	1	-	-	2	4	5	7	12	5	12	14	16	14	8	4	2	-	1
	F--	125	-	-	-	-	-	-	-	-	2	3	4	3	8	10	11	11	17	15	11	13	6	8	2	-	1
330-334	Vascular lesions, etc.*----------	1,936	3	-	-	-	-	1	-	1	2	5	7	19	21	40	77	125	188	287	308	342	286	162	46	13	3
	White-----M--	893	2	-	-	-	-	1	-	1	2	-	2	9	8	21	35	67	98	148	147	150	115	70	14	2	1
	F--	993	1	-	-	-	-	-	-	-	-	4	3	8	10	14	36	55	84	134	154	165	168	90	32	11	2
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	2	4	4	2	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	1	1	2	4	3	2	4	3	3	3	1	2	-	-	-
400-402	Rheumatic fever---	24	1	-	-	1	-	1	-	1	1	3	6	-	6	1	1	1	1	-	-	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	1	-	2	2	-	3	-	1	1	1	-	-	-	-	-	-	-	-
	F--	13	1	-	-	1	-	1	-	-	1	1	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
410-443	Diseases of heart	8,039	1	2	-	-	-	1	1	6	9	15	33	65	154	270	430	750	992	1,118	1,182	1,183	972	574	225	47	9
	White----M--	4,537	1	-	-	-	-	1	-	2	2	5	20	46	109	186	307	522	643	698	663	576	416	242	75	18	5
	F--	3,334	-	2	-	-	-	-	1	3	5	8	9	14	38	73	106	215	328	396	499	589	546	322	147	29	4
	Nonwhite--M--	81	-	-	-	-	-	-	-	1	-	-	1	3	3	6	9	4	10	12	12	9	5	4	2	-	-
	F--	87	-	-	-	-	-	-	-	-	2	2	3	2	4	5	8	9	11	12	8	9	5	6	1	-	-
410-416	Chronic rheumatic heart disease	278	...	-	-	-	-	-	-	5	3	4	13	14	29	39	31	45	37	19	15	10	8	5	1	-	-
	White----M--	124	...	-	-	-	-	-	-	2	-	2	4	7	13	13	11	23	21	10	10	3	3	2	-	-	-
	F--	147	...	-	-	-	-	-	-	3	2	2	8	7	15	26	18	22	15	9	5	6	5	3	1	-	-
	Nonwhite--M--	2	...	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	...	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,571	-	-	-	-	-	-	-	1	4	6	11	34	97	177	317	549	714	818	823	825	650	358	149	30	8
	White----M--	3,406	-	-	-	-	-	-	-	-	2	2	10	30	84	148	253	421	500	532	487	423	287	157	53	13	4
	F--	2,077	-	-	-	-	-	-	-	-	1	4	1	3	12	22	58	118	202	270	325	395	357	194	94	17	4
	Nonwhite--M--	52	-	-	-	-	-	-	-	1	-	-	-	-	1	5	5	4	7	8	9	5	4	2	1	-	-
	F--	36	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	6	5	8	2	2	2	5	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	900	...	-	-	-	-	-	-	-	1	1	3	3	4	9	22	33	75	97	136	171	168	119	46	11	1
	White----M--	457	...	-	-	-	-	-	-	-	-	1	3	2	-	4	15	21	48	56	74	89	72	52	18	3	1
	F--	419	...	-	-	-	-	-	-	-	1	-	-	1	3	5	5	12	25	36	59	76	93	65	30	8	-
	Nonwhite--M--	10	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	-	1	-	-	-
	F--	14	...	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	4	3	1	-	-	-
430-434	Other diseases of heart	132	1	2	-	-	-	1	-	-	1	-	1	6	3	11	6	12	25	14	20	12	12	4	-	1	-
	White----M--	75	1	-	-	-	-	1	-	-	-	-	1	4	2	5	4	7	12	8	15	5	6	3	-	1	-
	F--	52	-	2	-	-	-	-	-	-	1	-	-	1	-	5	1	5	13	6	5	6	6	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	1,158	-	-	-	-	-	-	1	-	-	4	5	8	21	34	54	111	141	170	188	185	134	88	29	5	-
	White----M--	475	-	-	-	-	-	-	-	-	-	-	2	3	10	16	24	50	62	92	77	56	48	28	8	1	-
	F--	639	-	-	-	-	-	-	1	-	-	2	-	2	8	15	24	58	73	75	105	106	85	59	22	4	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	1	1	1	1	1	1	1	-	-
	F--	31	-	-	-	-	-	-	-	-	-	2	2	1	2	3	4	3	5	2	5	2	-	-	-	-	-
444-447	Hypertension without mention of heart	139	-	-	-	-	-	1	-	-	1	-	4	2	6	6	9	11	11	8	14	24	21	12	6	2	1
	White----M--	64	-	-	-	-	-	1	-	-	-	-	2	2	3	5	5	6	3	5	7	13	7	4	1	-	-
	F--	69	-	-	-	-	-	-	-	-	1	-	2	-	1	-	3	5	7	3	7	10	14	8	5	2	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis	378	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	9	15	18	51	72	73	67	49	12	3
	White----M--	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	9	19	35	31	28	17	5	1
	F--	206	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	5	9	32	36	41	39	31	7	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1
451-468	Other diseases of circulatory sys.	124	1	-	-	-	-	3	1	2	4	1	1	1	8	7	12	9	15	17	19	10	8	4	1	1	-
	White----M--	65	1	-	-	-	-	-	-	-	1	-	-	-	6	4	8	4	8	13	10	4	4	2	1	-	-
	F--	56	1	-	-	-	-	3	1	2	3	1	1	1	1	3	3	5	6	4	9	6	4	2	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	234	-	-	1	1	1	2	1	1	3	8	6	9	15	14	18	21	18	29	35	19	16	8	5	1	2
	White----M--	123	-	-	1	1	1	1	1	1	1	5	3	4	10	7	13	8	10	16	17	8	7	4	3	-	1
	F--	101	-	-	-	-	-	1	-	-	1	2	2	4	4	6	5	13	8	11	17	10	9	4	2	1	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	335	24	5	6	1	-	4	-	3	1	4	4	4	5	11	15	9	24	35	37	41	54	31	12	4	1
	White----M--	186	14	4	5	-	-	2	-	2	1	3	1	2	1	8	12	4	18	22	20	22	27	11	4	3	-
	F--	136	8	-	1	1	-	2	-	1	-	-	3	1	3	2	3	4	4	10	17	19	27	20	8	1	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	3	-	-	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
480-483	Influenza	12	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	3	-	2	2	1	-	1	-
	White----M--	8	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	-	-	1	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	323	24	5	5	1	-	3	-	3	1	4	4	4	5	10	15	9	24	32	37	39	52	30	12	3	1
	White----M--	178	14	4	4	-	-	2	-	2	1	3	1	2	1	7	12	4	18	21	20	20	25	11	4	2	-
	F--	133	8	-	1	1	-	1	-	1	-	-	3	1	3	2	3	4	4	9	17	19	27	19	8	1	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	32	2	-	3	3	-	-	-	1	-	1	1	1	-	-	1	-	1	6	3	4	3	2	-	-	-
	White----M--	16	-	-	2	3	-	-	-	1	-	1	-	-	-	-	-	-	1	3	-	3	2	2	-	-	-
	F--	11	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	3	1	1	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	118	-	-	-	-	-	-	-	-	-	2	-	4	11	12	16	21	16	21	6	4	5	-	-	-	-
	White----M--	87	-	-	-	-	-	-	-	-	-	1	-	3	8	11	12	16	14	14	2	4	2	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	5	2	7	4	-	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	32	-	-	-	1	-	-	-	1	-	-	-	3	-	1	3	2	7	2	5	4	2	-	1	-	-
	White----M--	16	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	2	2	1	2	3	1	-	-	-	-
	F--	15	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	4	1	3	1	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	99	11	-	-	-	-	1	1	-	-	-	2	1	-	1	7	10	8	8	10	15	13	5	4	2	-
	White----M--	43	6	-	-	-	-	1	-	-	-	-	1	1	-	-	3	6	2	3	5	3	6	3	1	-	-
	F--	52	4	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	6	5	4	12	7	2	3	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
543,	Gastritis, etc.*--	56	10	3	1	-	-	-	1	-	3	1	1	-	1	1	3	5	3	3	8	5	4	2	1	-	-
571,	White-----M--	26	6	-	1	-	-	-	-	-	-	1	1	-	1	1	2	3	3	1	3	2	-	-	1	-	-
572	F--	29	4	3	-	-	-	-	1	-	3	-	-	-	-	-	1	2	-	1	5	3	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	233	-	-	-	-	-	-	-	-	2	2	2	14	25	24	33	33	44	24	15	13	3	3	-	-	-
	White-----M--	154	-	-	-	-	-	-	-	-	-	2	1	6	16	12	24	24	33	14	10	8	1	3	-	-	-
	F--	75	-	-	-	-	-	-	-	-	2	-	-	7	7	10	9	9	11	10	3	5	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
580,	Acute nephritis,																										
591	etc.*----------	26	-	-	2	1	-	-	-	1	1	1	2	1	2	2	3	3	3	-	3	-	1	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	1	1	1	1	1	2	1	3	1	2	-	2	-	-	-	-	-	-
	F--	10	-	-	2	1	-	-	-	-	-	-	1	-	-	1	-	2	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	12	20	8	4	5	-	-
	White-----M--	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	12	20	8	4	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	18	...	...	...	...	...	...	-	-	3	5	3	5	1	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	18	...	...	...	...	...	...	-	-	3	5	3	5	1	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	4	...	...	...	...	...	...	-	-	1	-	-	2	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	4	...	...	...	...	...	...	-	-	1	-	-	2	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	14	...	...	...	...	...	...	-	-	2	5	3	3	-	1	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	14	...	...	...	...	...	...	-	-	2	5	3	3	-	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	240	178	12	4	2	1	3	3	2	5	3	3	2	8	4	2	1	3	3	-	1	-	-	-	-	-
	White-----M--	109	77	9	1	-	-	2	2	2	3	2	2	-	2	2	1	1	-	2	-	1	-	-	-	-	-
	F--	123	94	3	3	2	1	1	1	-	2	1	-	2	6	2	1	-	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	581	580	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	329	328	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	211	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	246	245	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	135	134	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	82	7	-	-	-	-	-	-	1	1	1	3	3	1	3	5	1	4	7	5	7	12	8	10	1	2
795	White-----M--	40	5	-	-	-	-	-	-	1	1	-	1	2	-	2	4	1	1	4	5	5	1	3	4	-	-
	F--	40	1	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	3	3	-	2	11	5	6	1	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	712	18	6	2	9	1	9	6	5	11	14	17	30	27	44	51	79	91	80	72	72	31	26	8	3	-
sid-	White-----M--	382	11	2	1	5	-	6	3	3	5	4	7	17	20	21	32	38	58	52	33	36	14	13	2	1	-
ual	F--	305	6	4	1	4	1	3	3	2	4	9	10	10	5	21	17	36	32	26	38	36	17	12	6	2	-
	Nonwhite--M--	19	1	-	-	1	-	-	-	-	2	1	-	3	1	1	-	5	1	1	1	-	-	1	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-
E800-	Accidents----------	926	30	17	3	9	12	24	20	37	54	38	38	37	44	34	45	55	68	60	66	88	65	47	27	5	3
E962	White-----M--	585	19	8	3	8	9	15	12	28	47	29	26	25	31	24	28	40	50	42	34	33	26	15	11	1	1
	F--	320	9	9	-	1	3	8	7	6	5	5	9	9	8	6	15	14	16	17	29	52	39	32	15	4	2
	Nonwhite--M--	30	1	-	-	-	-	1	1	1	2	3	2	1	5	4	2	1	2	-	2	2	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-	1	1	1	-	-	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	291	-	2	-	3	4	15	7	21	36	18	22	17	14	7	14	24	33	18	13	15	5	2	1	-	-
	White-----M--	214	-	-	-	3	3	9	5	15	31	12	17	12	8	4	7	16	26	17	9	13	5	1	1	-	-
	F--	65	-	2	-	-	1	5	2	4	4	3	4	5	4	2	6	8	7	1	4	2	-	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	1	-	1	1	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E:.0-	All ot. accidents-	655	30	15	3	6	8	9	13	16	18	20	16	20	30	27	31	31	35	42	53	73	60	45	26	5	3
E802,	White-----M--	351	19	8	3	5	6	6	7	13	16	17	9	13	23	20	21	24	24	25	25	20	21	14	10	1	1
E840-	F--	255	9	7	-	1	2	3	5	2	1	2	5	4	4	4	9	6	9	16	25	50	39	31	15	4	2
E962	Nonwhite--M--	20	1	-	-	-	-	-	1	-	1	1	1	1	3	3	1	1	2	-	2	2	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	1	1	1	-	-	1	-	-
E963,	Suicide----------	256	-	-	-	-	-	-	1	5	10	16	17	19	23	23	25	23	12	31	17	11	2	1	-	-	-
E970-	White-----M--	175	-	-	-	-	-	-	1	4	8	8	12	15	13	16	20	20	10	22	14	9	2	1	-	-	-
E979	F--	60	-	-	-	-	-	-	-	1	2	7	5	4	10	7	5	3	2	9	3	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	28	-	-	-	-	-	-	1	-	1	3	2	7	6	2	-	1	2	1	-	1	-	-	-	-	1
E980-	White-----M--	13	-	-	-	-	-	-	1	-	-	-	2	3	2	-	-	-	2	1	-	1	-	-	-	-	1
E985	F--	4	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE																										
	ALL CAUSES	3,501	235	18	8	8	3	18	17	27	37	46	48	74	110	162	215	273	349	390	429	428	322	200	68	7	9
	White--M	1,613	104	5	2	2	1	9	7	15	18	19	16	34	52	71	98	136	177	200	206	200	146	71	21	2	1
	F	1,283	73	4	3	1	-	7	5	6	9	10	13	18	25	38	47	87	114	145	168	193	158	109	45	3	2
	Nonwhite--M	352	36	4	2	5	1	1	5	5	8	12	13	7	18	26	42	30	30	23	35	21	11	10	2	1	4
	F	253	22	5	1	-	1	1	-	1	2	5	6	15	15	27	28	20	28	22	20	14	7	10	-	1	2
001-019	Tuberculosis, all forms	76	1	3	-	-	-	1	-	3	2	3	6	2	7	6	8	7	8	7	5	4	2	-	-	-	1
	White--M	30	-	1	-	-	-	1	-	-	-	1	1	1	2	-	3	2	3	5	5	3	2	-	-	-	-
	F	14	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	3	3	2	-	-	-	-	-	-	-
	Nonwhite--M	21	-	1	-	-	-	-	1	1	1	2	-	3	3	5	2	2	-	-	-	-	-	-	-	-	-
	F	11	1	1	-	-	-	-	-	1	1	1	1	-	1	2	-	-	-	-	-	1	-	-	-	-	1
001-008	Tuberculosis of respiratory system	68	-	1	-	-	-	-	-	2	2	3	6	2	7	6	8	6	7	7	4	4	2	-	-	-	1
	White--M	28	-	1	-	-	-	-	-	-	-	1	1	1	2	-	3	2	3	5	4	3	2	-	-	-	-
	F	14	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	3	3	2	-	-	-	-	-	-	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	-	1	1	2	-	3	3	5	1	1	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	1	1	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	1
010-019	Tuberculosis, other forms	8	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	2	-	-	-	-	-
	White--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	10	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	4	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	9	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	1	1	-	-	-	-	1	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
140-205	Malignant neoplasms, etc.*	500	-	-	3	-	-	2	1	1	2	5	5	16	25	29	44	60	76	65	63	59	28	12	4	-	-
	White—M	237	-	-	2	-	-	1	1	-	-	1	1	4	16	12	20	26	39	30	35	29	16	3	1	-	-
	F	208	-	-	1	-	-	1	-	-	1	2	2	7	9	12	19	24	26	28	23	29	12	9	3	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	1	1	2	-	-	-	1	4	4	3	5	4	1	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	2	5	-	4	1	6	8	2	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	2	-	5	2	1	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	-	5	2	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	197	-	-	-	-	-	-	-	-	-	3	-	2	5	10	17	16	31	33	29	30	13	5	3	-	-
	White—M	100	-	-	-	-	-	-	-	-	-	1	-	5	6	8	9	17	16	16	12	8	1	1	-	-	-
	F	78	-	-	-	-	-	-	-	-	-	1	-	2	-	3	7	4	9	13	11	17	5	4	2	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	2	2	2	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	-	-	-	-	-	-	-
160-164	Of respiratory system	58	-	-	-	-	-	-	-	-	1	-	-	2	3	1	6	11	14	8	10	-	2	-	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	-	-	1	3	1	5	8	10	6	7	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	1	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
170	Of breast	45	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	6	7	3	5	4	4	3	3	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	5	2	5	4	4	2	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	-	-	-	-	-	-	-	-
171-179	Of genital organs	68	-	-	-	-	-	-	-	-	-	-	-	2	5	5	7	2	10	10	3	11	8	2	2	1	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	5	2	1	1	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	-	2	2	4	5	1	7	8	3	4	6	1	1	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	3	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	31	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	4	4	2	2	5	3	1	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	2	1	1	4	2	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	56	-	-	1	-	-	1	1	-	-	2	-	3	4	1	7	7	6	10	5	6	2	-	-	-	-
	White—M	31	-	-	-	-	-	-	1	-	-	-	-	-	3	1	3	5	3	5	4	5	1	-	-	-	-
	F	20	-	-	1	-	-	1	-	-	-	1	-	2	1	-	4	2	2	3	1	1	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	17	-	-	2	-	-	1	-	1	-	-	-	-	3	1	1	3	2	1	1	-	1	-	-	-	-
	White—M	10	-	-	2	-	-	1	-	-	-	-	-	-	2	1	-	2	1	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	10	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	3	1	1	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	1	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	7	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	1	-	-	-	-	1	-	1	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	86	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	10	6	18	16	19	7	1	-	-	1
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	4	7	4	-	-	-	-
	F	54	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	6	3	15	10	12	3	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	1	-	-	1
290-295	Anemias	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	10	2	-	-	-	-	-	1	-	-	-	-	1	-	-	3	1	-	1	1	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,918	5	-	-	-	-	-	3	1	6	5	16	18	40	76	103	123	205	252	263	308	250	168	51	6	4
	White—M	895	3	-	-	-	-	-	-	-	1	4	5	11	17	37	43	69	107	136	132	141	107	63	16	2	1
	F	735	1	-	-	-	-	-	2	-	3	1	3	4	7	14	18	34	64	83	112	135	128	87	34	3	2
	Nonwhite—M	151	1	-	-	-	-	-	1	1	2	-	5	1	5	13	22	11	15	14	23	15	9	10	1	1	1
	F	137	-	-	-	-	-	-	-	-	-	-	3	2	11	12	20	9	19	19	16	12	6	8	-	-	-
330-334, 400-468	Diseases of cardiovascular system	1,852	5	-	-	-	-	-	3	1	5	5	15	17	36	73	101	119	194	240	279	297	242	161	49	6	4
	White—M	869	3	-	-	-	-	-	-	-	1	4	4	10	16	37	42	67	103	133	131	138	105	57	15	2	1
	F	708	1	-	-	-	-	-	2	-	2	1	3	4	6	13	18	33	60	75	109	133	124	86	33	3	2
	Nonwhite—M	144	1	-	-	-	-	-	1	1	2	-	5	1	4	12	22	10	13	13	23	14	9	10	1	1	1
	F	131	-	-	-	-	-	-	-	-	-	-	3	2	10	11	19	9	18	19	16	12	4	8	-	-	-
330-334	Vascular lesions, etc.*	279	3	-	-	-	-	-	1	-	2	1	4	2	8	11	12	21	22	33	40	37	43	30	8	2	1
	White—M	101	2	-	-	-	-	-	-	-	-	1	1	-	4	2	3	8	9	15	16	10	16	12	1	1	-
	F	138	-	-	-	-	-	-	1	-	2	-	-	1	1	6	3	8	11	15	20	24	25	14	5	1	1
	Nonwhite—M	18	1	-	-	-	-	-	-	-	-	-	2	-	1	1	3	3	1	1	2	-	2	1	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	1	2	2	3	-	3	-	-	-
400-402	Rheumatic fever	6	1	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
410-443	Diseases of heart	1,446	1	-	-	-	-	-	1	1	2	3	10	13	26	62	66	94	162	204	225	234	166	119	31	3	3
	White----M	711	-	-	-	-	-	-	-	-	1	3	3	9	11	35	38	56	88	117	108	114	72	42	13	-	1
	F	514	1	-	-	-	-	-	-	-	-	-	3	3	5	7	14	24	46	58	85	98	84	65	18	2	1
	Nonwhite--M	119	-	-	-	-	-	-	1	1	1	-	2	1	3	11	19	7	11	12	19	14	7	8	-	1	1
	F	102	-	-	-	-	-	-	-	-	-	-	2	-	7	9	15	7	17	17	13	8	3	4	-	-	-
410-416	Chronic rheumatic heart disease	46	...	-	-	-	-	-	1	1	2	-	5	3	3	4	7	6	2	3	4	3	1	1	-	-	-
	White----M	23	...	-	-	-	-	-	-	-	1	-	1	3	1	3	3	3	1	2	1	2	1	1	-	-	-
	F	15	...	-	-	-	-	-	-	-	-	-	3	-	1	-	3	2	1	1	3	1	-	-	-	-	-
	Nonwhite--M	5	...	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	...	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	769	1	-	-	-	-	-	-	-	-	1	2	6	11	39	53	56	104	116	111	111	90	54	11	2	1
	White----M	447	-	-	-	-	-	-	-	-	-	1	2	5	8	27	30	41	69	74	62	63	40	20	5	-	-
	F	244	1	-	-	-	-	-	-	-	-	-	-	-	-	4	8	9	25	31	43	41	47	29	6	2	-
	Nonwhite--M	50	-	-	-	-	-	-	-	-	-	-	-	1	1	4	12	5	4	5	5	6	2	4	-	-	1
	F	28	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	1	6	6	1	1	1	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	261	...	-	-	-	-	-	-	-	-	-	1	1	4	7	7	6	22	27	46	54	38	36	11	-	1
	White----M	112	...	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	6	16	20	27	19	13	3	-	1
	F	100	...	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	5	7	15	21	15	21	8	-	-
	Nonwhite--M	28	...	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	6	2	7	2	4	2	-	-	-
	F	21	...	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	5	2	4	4	-	-	-	-	-
430-434	Other diseases of heart	24	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	3	5	6	3	1	1	-	-
	White----M	12	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	4	4	-	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	3	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	346	-	-	-	-	-	-	-	-	-	1	1	2	7	12	18	26	34	55	59	60	34	27	8	1	1
	White----M	117	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	9	12	24	21	18	12	8	4	-	-
	F	148	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	10	15	19	23	33	19	15	4	-	1
	Nonwhite--M	33	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	2	1	4	7	6	1	1	-	1	-
	F	48	-	-	-	-	-	-	-	-	-	-	1	-	3	3	6	5	6	8	8	3	2	3	-	-	-
444-447	Hypertension without mention of heart	22	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	3	-	2	4	4	2	1	-	-
	White----M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	2	2	1	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
450	General arteriosclerosis	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	8	20	27	10	11	1	-
	White----M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	10	13	2	-	1	-
	F	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	9	14	6	10	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-
451-468	Other diseases of circulatory sys.	14	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	-	4	2	2	-	-	-	-
	White----M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	4	2	2	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	66	-	-	-	-	-	-	-	-	1	-	1	1	4	3	2	4	11	12	4	6	8	7	2	-	-
	White----M	26	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	4	3	1	3	2	6	1	-	-
	F	27	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	4	8	3	2	4	1	1	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	2	-	-	-	-
480-493	Influenza and pneumonia, etc.*	100	17	-	1	1	-	2	-	-	1	3	-	4	5	4	4	5	10	4	12	13	8	2	3	-	1
	White----M	39	5	-	-	-	-	1	-	-	1	1	-	1	2	2	1	1	3	3	4	6	6	2	-	-	-
	F	29	5	-	1	-	-	1	-	-	-	-	-	1	1	-	-	1	3	1	5	5	2	-	3	-	-
	Nonwhite--M	24	4	-	-	1	-	-	-	-	-	1	-	2	2	-	2	3	4	-	3	1	-	-	-	-	1
	F	8	3	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
480-483	Influenza	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-
	White----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	93	16	-	-	1	-	2	-	-	1	3	-	4	5	4	4	4	9	4	11	13	7	2	2	-	1
	White----M	36	5	-	-	-	-	1	-	-	1	1	-	1	2	2	1	1	2	3	3	6	5	2	-	-	-
	F	25	4	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	3	1	5	5	2	-	2	-	-
	Nonwhite--M	24	4	-	-	1	-	-	-	-	-	1	-	2	2	-	2	3	4	-	3	1	-	-	-	-	1
	F	8	3	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
500-502	Bronchitis	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	3	1	-	-	1	-	-
	White----M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	3	2	1	-	-	-	-	-
	White----M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	2	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	-	-	-	-	-	-
	White----M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	13	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	2	-	1	2	1	1	2	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	1	-	-	-
	Nonwhite--M	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
543,	Gastritis, etc.*—	16	4	1	-	-	1	-	-	-	1	2	1	-	-	-	1	1	-	1	1	-	1	1	-	-	-
571,	White-----M--	8	2	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-
572	F--	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	53	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	8	3	2	4	-	1	-	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	6	2	1	3	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	8	-	1	-	-	-	-	-	-	1	-	1	1	-	2	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	-	2	1	1	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	2	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	7	***	***	***	***	***	***	-	1	1	2	1	1	1	-	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	4	***	***	***	***	***	***	-	1	-	1	1	1	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	3	***	***	***	***	***	***	-	-	1	1	-	-	1	-	-	-	***	***	***	***	***	***	***	***	-
650-	Abortion----------	1	***	***	***	***	***	***	-	-	-	-	-	1	-	-	-	-	***	***	***	***	***	***	***	***	-
652	White-----F--	1	***	***	***	***	***	***	-	-	-	-	-	1	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-	All other com-																										
649,	plications-------	6	***	***	***	***	***	***	-	1	1	2	-	1	1	-	-	-	***	***	***	***	***	***	***	***	-
660-	White-----F--	3	***	***	***	***	***	***	-	1	-	1	-	1	-	-	-	-	***	***	***	***	***	***	***	***	-
689	Nonwhite--F--	3	***	***	***	***	***	***	-	-	1	1	-	-	1	-	-	-	***	***	***	***	***	***	***	***	-
750-	Congenital mal-																										
759	formations-------	40	29	2	-	-	-	1	-	-	-	1	1	1	-	3	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	17	14	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	16	11	1	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied-----------	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	23	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	4	4	7	2	1	1
795	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	2	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
Re-	All other diseases	155	7	2	-	-	1	3	-	5	3	4	4	10	4	11	12	22	18	11	14	12	9	1	1	-	1
sid-	White-----M--	72	6	-	-	-	-	-	-	3	-	2	1	7	2	6	6	11	9	5	6	4	3	1	-	-	-
ual	F--	56	-	1	-	-	-	2	-	1	3	1	2	1	1	2	3	7	8	6	7	6	5	-	-	-	-
	Nonwhite--M--	17	1	-	-	-	1	1	-	1	-	-	1	1	1	2	2	1	1	-	1	2	-	-	1	-	1
	F--	10	-	1	-	-	-	1	-	-	1	-	1	1	1	1	1	3	-	-	-	-	1	-	-	-	-
E800-	Accidents----------	206	8	4	2	5	1	7	7	14	15	14	10	11	16	10	11	18	6	10	12	9	8	4	4	-	-
E962	White-----M--	107	3	-	-	2	-	4	4	11	12	6	4	7	7	4	6	11	2	5	7	5	5	2	2	-	-
	F--	47	1	1	-	-	-	2	1	3	1	3	3	1	2	1	1	4	2	4	5	4	2	2	2	-	-
	Nonwhite--M--	39	2	2	2	3	-	-	2	-	2	4	3	-	7	3	3	2	2	1	-	-	1	-	-	-	-
	F--	13	2	1	-	-	1	1	-	-	-	-	-	3	-	2	1	1	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	80	-	-	-	1	-	3	4	5	11	11	6	8	6	5	3	9	1	3	1	-	3	-	-	-	-
	White-----M--	47	-	-	-	1	-	2	1	4	9	5	3	5	3	2	1	5	-	3	-	-	3	-	-	-	-
	F--	14	-	-	-	-	-	1	1	1	1	2	2	1	1	-	1	2	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	1	2	-	1	4	1	-	2	2	1	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	126	8	4	2	4	1	4	3	9	4	3	4	3	10	5	8	9	5	7	11	9	5	4	4	-	-
E802,	White-----M--	60	3	-	-	1	-	2	3	7	3	1	1	2	4	2	5	6	2	2	7	5	2	-	2	-	-
E840-	F--	33	1	1	-	-	-	1	-	2	-	1	1	-	1	1	-	2	2	4	4	4	2	4	2	-	-
E962	Nonwhite--M--	24	2	2	2	3	-	-	-	-	1	-	2	-	5	1	2	1	1	1	-	-	1	-	-	-	-
	F--	9	2	1	-	-	1	1	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	39	-	-	-	-	-	-	1	-	1	1	2	2	4	7	4	5	6	4	2	-	-	-	-	-	-
E970-	White-----M--	27	-	-	-	-	-	-	1	-	-	1	2	2	3	3	4	3	3	4	1	-	-	-	-	-	-
E979	F--	11	-	-	-	-	-	-	-	-	1	-	-	-	1	4	-	2	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	23	-	-	-	-	-	-	-	1	4	4	1	3	1	3	1	2	1	1	1	-	-	-	-	-	-
E980-	White-----M--	6	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
E985	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	2	3	1	2	1	1	1	1	1	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA																										
	ALL CAUSES	8,560	603	22	17	16	11	33	21	59	101	143	223	286	431	470	634	755	876	917	827	840	650	322	150	46	7
	White--M	2,947	191	4	6	3	4	8	5	13	24	32	49	66	131	160	210	319	372	341	377	291	211	91	32	7	-
	F	2,423	148	5	2	1	3	2	2	9	16	21	37	35	63	70	136	158	214	272	295	356	306	162	87	20	3
	Nonwhite--M	1,696	153	9	5	3	1	14	9	19	34	51	66	97	139	142	169	160	157	151	120	94	52	32	11	5	3
	F	1,494	111	4	4	9	3	9	5	18	27	39	71	88	98	98	119	116	133	153	135	99	81	37	20	14	1
001-019	Tuberculosis, all forms	395	4	5	2	2	-	4	5	11	22	22	40	36	46	40	37	39	32	20	18	6	2	1	1	-	-
	White--M	105	2	-	-	-	-	1	1	-	1	1	5	3	16	8	15	16	15	9	9	2	-	-	1	-	-
	F	32	-	-	-	-	-	-	-	1	2	-	7	4	1	4	3	-	1	2	3	2	2	-	-	-	-
	Nonwhite--M	155	2	4	1	-	-	2	1	4	8	10	11	16	16	22	14	19	13	5	6	1	-	-	-	-	-
	F	103	-	1	1	2	-	1	3	6	11	11	17	13	13	6	5	4	3	4	-	1	-	1	-	-	-
001-008	Tuberculosis of respiratory system	352	-	2	1	-	-	2	5	10	18	20	36	34	42	35	36	38	30	17	17	5	2	1	1	-	-
	White--M	96	-	-	-	-	-	-	1	-	1	1	4	3	16	7	15	16	14	7	8	2	-	-	1	-	-
	F	31	-	-	-	-	-	-	-	1	2	-	7	4	1	3	3	-	1	2	3	2	2	-	-	-	-
	Nonwhite--M	137	-	2	-	-	-	1	1	3	5	8	11	15	14	21	14	18	12	5	6	1	-	-	-	-	-
	F	88	-	-	1	-	-	1	3	6	10	11	14	12	11	4	4	4	3	3	-	-	-	1	-	-	-
010-019	Tuberculosis, other forms	43	4	3	1	2	-	2	-	1	4	2	4	2	4	5	1	1	2	3	1	1	-	-	-	-	-
	White--M	9	2	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	2	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	18	2	2	1	-	-	1	-	1	3	2	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-
	F	15	-	1	-	2	-	-	-	-	1	-	3	1	2	2	1	-	-	1	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae	67	1	-	-	-	-	-	-	-	-	-	1	1	5	4	11	7	14	11	7	4	-	1	-	-	-
	White--M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	5	5	4	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	1	-	-	-
	Nonwhite--M	27	-	-	-	-	-	-	-	-	-	-	1	1	5	3	6	3	4	2	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	7	1	-	1	-	1	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	White--M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
080	Acute poliomyelitis	4	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	13	1	-	-	-	-	-	1	-	-	1	2	2	-	2	-	1	1	1	1	-	-	-	-	-	-
	White--M	5	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
140-205	Malignant neoplasms, etc.*—	1,251	3	2	1	1	2	4	2	5	4	11	25	29	73	76	125	150	169	176	149	104	93	30	13	3	1
	White—M	414	1	2	1	-	-	-	-	1	-	3	5	7	19	23	32	50	70	64	51	42	35	4	3	1	-
	F	451	1	-	-	1	2	1	-	1	3	3	7	5	30	19	48	49	52	65	62	37	40	17	7	-	1
	Nonwhite—M	192	1	-	-	-	-	3	2	-	-	2	4	5	10	18	19	31	26	23	18	18	8	5	-	1	-
	F	194	-	-	-	-	-	-	-	3	1	3	9	12	14	16	26	20	21	24	18	9	10	4	3	1	-
140-148	Of buccal cavity and pharynx	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	5	5	3	1	2	1	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	1	2	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	448	-	-	-	-	-	-	-	2	1	-	4	7	16	27	45	51	65	81	49	41	46	6	6	-	1
	White—M	168	-	-	-	-	-	-	-	-	-	-	1	3	6	8	11	23	24	32	19	21	18	1	1	-	-
	F	129	-	-	-	-	-	-	-	1	-	-	-	1	3	2	14	8	23	18	20	10	20	3	5	-	1
	Nonwhite—M	100	-	-	-	-	-	-	-	-	-	-	2	1	4	12	12	17	11	20	8	7	4	2	-	-	-
	F	51	-	-	-	-	-	-	-	2	-	-	1	2	3	5	8	3	7	11	2	3	4	-	-	-	-
160-164	Of respiratory system	151	-	-	-	-	-	-	-	-	-	-	3	2	7	11	15	19	28	16	17	6	2	4	1	-	-
	White—M	85	-	-	-	-	-	-	-	-	-	-	1	2	3	9	10	12	21	12	9	4	1	1	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	3	4	1	-	3	-	-	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	1	7	1	4	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	1	-	-	1	-	-
170	Of breast	142	-	-	-	-	-	-	-	-	-	1	5	5	12	10	19	17	13	20	20	9	7	4	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	106	-	-	-	-	-	-	-	-	-	-	2	2	11	6	13	13	12	17	15	8	4	3	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	1	3	3	1	4	6	4	-	3	5	1	3	1	-	-	-
171-179	Of genital organs	235	-	-	-	-	-	-	-	1	1	2	8	6	17	17	24	30	27	24	23	25	17	7	4	2	-
	White—M	44	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	4	4	5	6	11	8	-	1	-	-
	F	100	-	-	-	-	-	-	-	-	-	1	4	1	9	9	14	13	11	11	7	8	6	5	1	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	3	1	3	4	2	1	-	1	-
	F	71	-	-	-	-	-	-	-	1	-	4	4	7	7	9	9	9	7	7	2	1	1	2	1	-	-
180, 181	Of urinary organs	59	-	-	-	-	-	-	-	-	-	-	1	1	3	4	10	8	11	8	5	5	2	1	-	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	6	7	3	3	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	4	2	3	-	1	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	-	-	1	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	131	1	1	-	1	2	1	2	-	2	3	2	5	13	4	8	18	14	10	17	10	11	4	1	1	-
	White—M	32	1	1	-	-	-	-	-	-	2	1	1	5	3	3	7	6	6	5	2	5	2	1	1	-
	F	47	-	-	-	1	2	-	-	-	2	-	-	-	5	-	3	6	4	3	9	4	4	2	-	-	-
	Nonwhite—M	20	-	-	-	-	-	1	2	-	-	1	2	3	1	2	2	2	2	-	1	2	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	2	1	2	2	1	-	-	-	-
204	Leukemia and aleukemia	40	2	1	1	-	-	2	-	1	-	2	2	1	3	3	4	-	5	2	6	4	1	-	-	-	-
	White—M	17	-	1	1	-	-	-	-	-	-	-	2	-	1	1	2	-	3	-	5	1	-	-	-	-	-
	F	16	1	-	-	-	-	1	-	1	-	2	-	-	-	1	2	-	1	2	1	3	1	-	-	-	-
	Nonwhite—M	6	1	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	40	-	-	-	-	-	1	-	1	-	3	1	2	4	-	2	2	4	7	6	3	2	2	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	2	1	2	-	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	6	2	1	1	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	2	-	-	1	-	-	-
210-239	Benign and unspecified neoplasms	52	-	-	-	-	2	1	-	2	1	2	1	4	7	7	4	6	6	2	2	1	2	1	1	-	-
	White—M	10	-	-	-	-	1	1	-	-	-	-	-	1	-	3	1	-	2	-	-	-	-	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	1	2	1	-	2	-	1	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	1	-	-	1	-	2	1	3	4	2	-	1	-	-	1	1	-	-	-	-	-	-
260	Diabetes mellitus	121	-	-	-	-	-	-	-	-	-	-	3	5	4	5	14	18	20	14	11	15	10	2	1	1	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	5	8	4	3	5	1	1	-	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	4	5	6	5	10	9	1	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	4	1	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	4	1	3	4	4	3	3	3	-	-	-	1	1	-	-
280-285	Anemias	24	1	-	-	-	-	2	-	-	-	1	-	2	-	1	1	2	-	3	3	5	1	1	-	1	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	-	-	-	-
	F	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	1	-	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	7	1	-	-	-	-	1	-	-	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis	13	2	1	-	-	1	-	-	-	1	-	-	1	1	1	1	-	1	1	1	1	-	-	-	-	-
	White—M	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	5	1	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 582-594	Major cardiovascular-renal diseases	4,473	-	2	1	2	-	2	2	10	17	39	58	92	180	224	308	406	504	573	612	606	453	235	111	32	4
	White—M	1,588	-	-	-	1	-	-	-	3	2	7	10	19	50	77	106	197	211	216	255	196	142	67	23	6	-
	F	1,346	-	2	-	-	-	-	-	1	5	7	4	12	18	31	52	65	119	161	188	270	213	117	64	16	1
	Nonwhite—M	739	-	-	1	-	-	2	2	3	3	16	21	27	67	60	89	67	85	91	76	61	35	25	8	2	2
	F	800	-	-	-	1	-	2	-	3	7	9	23	34	45	56	61	77	89	105	93	79	63	28	16	8	1
330-334, 400-468	Diseases of cardiovascular system	4,362	-	2	1	1	-	2	2	8	16	36	51	89	174	221	303	403	489	565	596	597	440	226	104	32	4
	White—M	1,559	-	-	-	-	-	-	-	2	2	5	8	19	50	77	105	198	206	215	248	193	141	66	22	6	-
	F	1,317	-	2	-	-	-	-	-	-	5	7	4	10	17	30	50	65	116	150	186	268	209	111	60	16	1
	Nonwhite—M	721	-	-	1	-	-	2	3	2	16	21	26	64	58	88	67	81	90	74	60	33	23	8	2	2
	F	765	-	-	-	1	-	2	-	3	7	8	18	34	43	56	60	75	86	102	88	76	57	26	14	8	1
330-334	Vascular lesions, etc.*	727	-	1	-	1	-	1	-	-	-	5	8	13	17	35	40	61	70	98	111	105	95	47	13	5	1
	White—M	206	-	-	-	-	-	-	-	-	-	-	-	2	3	4	7	21	25	34	43	25	29	11	2	-	-
	F	279	-	1	-	-	-	-	-	-	-	2	-	2	1	8	12	16	18	32	48	58	44	27	7	3	-
	Nonwhite—M	102	-	-	-	-	-	-	-	-	-	2	3	4	6	7	12	9	13	14	8	13	5	4	1	-	1
	F	140	-	-	-	1	-	1	-	-	-	1	5	5	7	16	9	15	14	18	12	9	17	5	3	2	-
400-402	Rheumatic fever	10	-	-	-	-	-	-	1	1	1	2	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
410-443	Diseases of heart	3,312	-	1	1	-	-	1	1	7	13	26	41	68	147	173	248	327	390	439	435	447	295	149	75	25	3
	White----M--	1,258	-	-	-	-	-	-	-	2	2	5	8	16	46	68	95	171	174	172	186	152	95	46	16	4	-
	F--	932	-	1	-	-	-	-	-	-	4	2	4	8	15	21	33	46	80	123	126	188	143	70	44	13	1
	Nonwhite--M--	552	-	-	1	-	-	-	1	2	2	12	16	17	54	47	74	52	62	69	54	44	22	15	5	2	1
	F--	570	-	-	-	-	-	1	-	3	5	7	13	27	32	37	46	58	64	75	69	83	35	18	10	6	1
410-416	Chronic rheumatic heart disease----	104	...	-	-	-	-	1	-	3	3	5	6	8	15	11	13	7	8	11	3	6	3	-	1	-	-
	White----M--	34	...	-	-	-	-	-	-	-	-	3	-	1	6	5	5	3	5	4	-	1	1	-	-	-	-
	F--	31	...	-	-	-	-	-	-	-	2	-	2	2	2	3	4	2	3	5	2	2	1	-	1	-	-
	Nonwhite--M--	20	...	-	-	-	-	-	-	-	-	2	3	2	4	2	3	-	-	1	1	2	-	-	-	-	-
	F--	19	...	-	-	-	-	1	-	3	1	-	1	3	3	1	1	2	-	1	-	1	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,574	-	-	-	-	-	-	-	-	1	2	6	14	48	75	92	175	196	257	231	226	144	59	39	6	3
	White----M--	807	-	-	-	-	-	-	-	-	1	1	4	11	28	46	59	125	106	124	122	87	61	22	10	-	-
	F--	464	-	-	-	-	-	-	-	-	-	1	-	2	4	7	10	20	52	81	75	91	67	24	24	5	1
	Nonwhite--M--	182	-	-	-	-	-	-	-	-	-	-	2	-	12	16	17	17	23	25	15	18	7	6	2	1	1
	F--	141	-	-	-	-	-	-	-	-	-	-	-	1	4	6	6	13	15	27	19	30	9	7	3	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	601	...	-	1	-	-	-	-	2	-	4	10	11	20	20	42	41	68	62	82	92	68	46	20	12	-
	White----M--	165	...	-	-	-	-	-	-	1	-	-	2	1	5	4	7	13	23	20	32	25	18	8	4	2	-
	F--	168	...	-	-	-	-	-	-	-	-	-	-	2	-	4	6	9	9	8	17	43	28	25	11	5	-
	Nonwhite--M--	127	...	-	1	-	-	-	-	1	-	3	5	4	8	5	20	9	18	16	13	9	7	6	1	1	-
	F--	141	...	-	-	-	-	-	-	-	-	1	3	4	7	7	9	10	18	17	20	15	15	7	4	4	-
430-434	Other diseases of heart----------	139	-	1	-	-	-	-	1	2	4	8	8	8	12	10	15	9	12	13	10	14	5	3	4	-	-
	White----M--	41	-	-	-	-	-	-	-	1	1	-	2	2	4	4	4	2	6	2	3	7	1	1	1	-	-
	F--	31	-	1	-	-	-	-	-	-	2	1	1	1	2	-	4	2	3	3	3	5	1	1	1	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	1	1	-	4	3	3	4	5	6	5	1	2	1	1	1	-	1	-	-
	F--	28	-	-	-	-	-	-	-	-	1	3	2	2	2	1	1	-	2	6	3	1	2	1	1	-	-
440-443	Hypertension with heart dis.---	894	-	-	-	-	-	-	-	-	5	7	11	27	52	57	86	95	106	86	109	109	75	41	11	7	-
	White----M--	211	-	-	-	-	-	-	-	-	-	1	-	1	3	9	20	28	34	22	29	32	14	15	1	2	-
	F--	238	-	-	-	-	-	-	-	-	-	-	1	1	7	7	9	13	23	25	29	47	46	20	7	3	-
	Nonwhite--M--	204	-	-	-	-	-	-	-	2	3	3	8	18	19	28	21	20	25	24	14	7	3	1	-	-
	F--	241	-	-	-	-	-	-	-	3	3	7	17	16	22	29	33	29	24	27	16	8	3	2	2	-
444-447	Hypertension without mention of heart----------	82	-	-	-	-	-	-	-	-	-	1	2	5	6	5	4	7	11	6	9	9	9	4	3	1	-
	White----M--	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	2	1	2	2	1	1	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	6	2	2	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	1	2	3	2	2	1	4	2	1	2	-	3	-	1	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	1	4	2	3	2	5	4	2	2	2	-	1	-	-
450	General arteriosclerosis--------	158	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	13	32	30	37	22	13	1	-
	White----M--	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	14	10	14	6	3	1	-
	F--	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	15	19	12	9	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	3	2	1	1	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	5	2	2	3	-	-	-
451-468	Other diseases of circulatory sys.-	73	-	-	-	-	-	-	-	-	2	2	-	3	3	6	8	6	10	9	9	6	4	4	-	-	-
	White----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	2	5	4	3	5	1	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	1	2	-	-	1	1	4	3	4	1	3	1	1	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	3	3	-	1	3	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-
592-594	Chronic nephritis etc.*----------	111	-	-	-	1	-	-	-	2	1	3	7	3	6	3	5	3	15	8	16	9	13	9	7	-	-
	White----M--	29	-	-	-	1	-	-	-	1	-	2	2	-	-	-	1	1	5	3	7	3	1	1	1	-	-
	F--	29	-	-	-	-	-	-	-	1	-	-	-	2	1	1	2	-	3	1	2	2	4	6	4	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	-	-	1	3	2	1	-	4	1	2	1	2	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	1	5	-	2	-	1	2	3	3	5	3	6	2	2	-	-
480-493	Influenza and pneumonia, etc.*-	223	14	3	2	2	-	2	-	2	4	3	4	9	14	12	11	17	13	23	27	20	21	12	5	3	-
	White----M--	55	1	-	1	-	-	-	-	-	-	1	-	1	6	3	3	2	5	7	11	5	6	2	1	-	-
	F--	55	2	1	-	-	-	-	-	-	-	-	1	1	-	-	3	4	3	7	5	9	9	8	1	1	-
	Nonwhite--M--	65	6	1	-	1	-	2	-	-	-	-	2	7	5	5	3	9	3	5	5	4	2	1	3	1	-
	F--	48	5	1	1	1	-	-	-	2	4	2	1	-	3	4	2	2	2	4	6	2	4	1	-	1	-
480-483	Influenza----------	8	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	215	14	3	2	2	-	1	-	2	3	2	4	9	14	12	11	16	13	23	26	20	20	10	5	3	-
	White----M--	55	1	-	1	-	-	-	-	-	-	1	-	1	6	3	3	2	5	7	11	5	6	2	1	-	-
	F--	51	2	1	-	-	-	-	-	-	-	-	1	1	-	3	3	3	3	7	4	9	8	7	1	1	-
	Nonwhite--M--	64	6	1	-	1	-	1	-	-	-	-	2	7	5	5	3	9	3	5	5	4	2	1	3	1	-
	F--	45	5	1	1	1	-	-	-	2	3	1	1	-	3	4	2	2	2	4	6	2	4	-	-	1	-
500-502	Bronchitis--------	17	1	-	-	-	-	-	-	-	-	1	-	-	-	3	3	1	1	1	1	3	-	1	1	-	-
	White----M--	7	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	58	1	-	-	-	-	-	-	-	-	1	4	-	3	6	10	8	6	5	6	5	2	2	-	-	-
	White----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	4	5	2	3	2	1	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	1	-	-	-	-
	Nonwhite--M--	15	1	-	-	-	-	-	-	-	-	1	4	-	1	1	1	2	1	2	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	1	-	-	-	-	-
550-553	Appendicitis------	12	-	-	-	-	-	-	-	-	-	1	1	2	-	1	3	-	2	1	-	-	1	-	-	-	-
	White----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	62	11	-	1	-	-	-	-	1	1	-	1	2	1	3	7	3	2	7	5	6	7	3	1	-	-
	White----M--	27	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	4	2	4	5	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	1	2	-	1	-	-
	Nonwhite--M--	14	3	-	-	-	-	-	-	1	1	-	1	1	-	1	2	1	1	1	-	-	-	1	-	-	-
	F--	11	4	-	1	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	1	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
543,	Gastritis, etc.*--	22	6	-	-	-	-	-	-	-	1	-	1	1	-	3	1	-	2	2	2	2	-	-	1	-	-
571,	White-----M--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	1	-	-
572	F--	10	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	2	1	2	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	156	-	-	-	1	-	-	-	-	-	3	8	12	21	25	18	18	18	13	10	3	3	2	1	-	-
	White-----M--	72	-	-	-	1	-	-	-	-	-	-	1	5	8	14	8	8	7	7	7	3	2	1	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	2	2	4	6	4	4	8	5	2	-	-	1	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	-	2	2	3	5	4	3	1	1	-	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	2	5	3	7	2	1	2	-	-	-	-	-	-	-	-	-
590;	Acute nephritis,																										
591	etc.*----------	12	-	-	1	-	-	1	-	-	-	2	1	1	1	-	-	-	2	-	3	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	34	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	4	3	9	7	2	2	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	2	7	5	2	2	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	2	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	7	***	***	***	***	***	***	-	-	-	3	2	2	-	-	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	2	***	***	***	***	***	***	-	-	-	1	1	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	5	***	***	***	***	***	***	-	-	-	2	1	2	-	-	-	-	***	***	***	***	***	***	***	***	-
650-	Abortion----------	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
652	White-----F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-	All other com-																										
649,	plications-------	7	***	***	***	***	***	***	-	-	-	3	2	2	-	-	-	-	***	***	***	***	***	***	***	***	-
680-	White-----F--	2	***	***	***	***	***	***	-	-	-	1	1	-	-	-	-	-	***	***	***	***	***	***	***	***	-
689	Nonwhite--F--	5	***	***	***	***	***	***	-	-	-	2	1	2	-	-	-	-	***	***	***	***	***	***	***	***	-
750-	Congenital mal-																										
759	formations-------	103	77	1	-	3	-	3	-	1	-	1	4	3	1	1	3	3	-	1	-	-	1	-	-	-	-
	White-----M--	36	26	-	-	1	-	2	-	1	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	18	1	-	-	-	-	-	-	-	-	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	38	21	-	-	2	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
	F--	14	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	422	422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	232	232	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	29	5	-	-	-	-	1	-	-	-	1	-	4	1	3	-	-	2	-	3	2	3	1	-	2	1
795	White-----M--	9	2	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	1	-	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	Nonwhite--M--	9	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	1	1	2	-	-	2	1
	F--	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	353	17	4	2	1	1	-	1	5	4	8	22	15	20	20	30	37	42	30	30	26	23	10	2	2	1
sid-	White-----M--	97	5	-	-	-	-	-	1	-	1	2	3	-	4	5	11	12	18	6	9	9	8	2	1	-	-
ual	F--	101	4	1	-	-	-	-	-	2	1	3	4	2	3	2	7	11	12	10	10	9	12	5	1	1	1
	Nonwhite--M--	87	6	2	1	-	-	-	2	1	1	1	6	10	9	8	8	10	3	9	3	6	1	1	-	-	-
	F--	68	2	1	1	1	1	-	-	1	1	2	9	3	4	5	4	4	9	5	8	2	2	-	1	-	-
E800-	Accidents----------	454	33	4	6	4	3	11	7	16	33	24	27	36	31	20	31	27	22	21	27	22	21	16	10	2	-
E962	White-----M--	174	11	1	3	-	2	2	-	6	19	12	13	16	15	6	12	9	8	9	13	8	4	5	-	-	-
	F--	96	3	-	2	-	-	-	1	3	1	3	3	3	2	2	5	6	5	5	7	10	15	9	10	1	-
	Nonwhite--M--	131	13	2	1	-	-	6	4	5	12	8	8	11	9	12	8	9	7	6	5	3	-	1	-	1	-
	F--	53	6	1	-	4	1	3	2	2	1	1	3	6	5	-	6	3	2	1	2	1	2	1	-	-	-
E810-	Motor-vehicle a																										
E835	accidents---------	134	-	-	2	2	2	6	1	10	18	13	12	9	10	7	11	7	6	4	6	5	-	3	-	-	-
	White-----M--	61	-	-	1	-	1	1	-	5	12	7	5	4	6	3	6	1	1	2	3	2	-	1	-	-	-
	F--	17	-	-	1	-	-	-	-	3	1	1	1	-	1	-	-	2	2	-	2	2	-	1	-	-	-
	Nonwhite--M--	39	-	-	-	-	-	3	1	2	5	4	3	4	2	4	2	2	3	1	1	1	-	1	-	-	-
	F--	17	-	-	-	2	1	2	-	-	-	1	3	1	1	-	3	2	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	320	33	4	4	2	1	5	6	6	15	11	15	27	21	13	20	20	16	17	21	17	21	13	10	2	-
E802,	White-----M--	113	11	1	2	-	1	1	-	1	7	5	8	12	9	3	6	8	7	7	10	5	4	4	-	-	-
E840-	F--	79	3	-	1	-	-	-	1	-	-	2	2	3	1	2	5	4	3	5	5	8	15	8	10	1	-
E962	Nonwhite--M--	92	13	2	1	-	-	3	3	3	7	4	5	7	7	8	6	7	4	5	4	2	-	-	-	1	-
	F--	36	6	1	-	2	-	1	2	2	1	-	-	5	4	-	3	1	2	-	2	1	2	1	-	-	-
E963,	Suicide----------	92	-	-	-	-	-	-	-	2	3	9	8	9	10	10	7	10	11	6	5	-	-	2	-	-	-
E970-	White-----M--	55	-	-	-	-	-	-	-	1	-	4	6	4	7	10	4	5	8	3	2	-	-	1	-	-	-
E979	F--	24	-	-	-	-	-	-	-	-	1	3	2	2	2	-	3	4	3	-	3	-	-	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	2	2	-	2	1	-	-	1	-	3	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	79	2	-	-	-	1	-	1	4	10	9	9	18	10	3	5	3	2	1	1	-	-	-	-	-	-
E980-	White-----M--	15	-	-	-	-	-	1	1	1	1	-	2	4	-	-	1	2	1	1	1	-	-	-	-	-	-
E985	F--	8	1	-	-	-	1	-	-	1	2	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	48	1	-	-	-	-	-	2	2	5	8	6	11	9	2	4	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	2	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA																										
	ALL CAUSES	26,569	2,078	156	90	66	42	170	119	232	374	424	569	834	1,054	1,455	1,939	2,195	2,516	2,916	2,999	2,630	2,065	1,101	378	108	59
	White-----M	11,806	704	52	29	26	15	82	55	95	150	155	182	257	373	543	827	988	1,236	1,466	1,547	1,313	1,013	494	159	33	12
	F	7,688	525	36	22	16	12	36	20	39	70	78	110	177	237	315	369	463	627	882	1,034	1,006	881	497	174	50	10
	Nonwhite--M	4,032	484	41	25	17	4	36	29	59	97	103	137	212	229	321	435	449	371	326	257	188	101	63	19	13	16
	F	3,043	365	25	14	7	11	16	15	39	57	88	140	188	215	276	308	295	282	242	161	123	70	47	26	12	21
001-019	Tuberculosis, all forms	531	3	1	2	1	1	1	2	10	28	42	46	52	44	52	58	43	37	53	23	19	11	1	1	-	-
	White-----M	193	-	-	-	-	-	-	-	-	3	5	5	12	18	22	23	18	19	31	15	13	8	1	-	-	-
	F	64	-	-	-	-	1	1	-	2	3	5	8	2	6	1	-	6	6	9	6	5	3	-	-	-	-
	Nonwhite--M	174	2	1	1	1	-	-	1	3	9	15	17	21	15	19	28	18	10	10	2	1	-	-	-	-	-
	F	100	1	-	1	-	-	-	1	5	13	17	16	17	5	10	7	1	2	3	-	-	-	-	1	-	-
001-008	Tuberculosis of respiratory system	508	-	1	1	-	1	1	2	9	27	42	45	51	40	51	56	43	37	51	22	19	8	-	1	-	-
	White-----M	184	-	-	-	-	-	-	-	-	2	5	5	11	16	21	23	18	19	31	14	13	6	-	-	-	-
	F	62	-	-	-	-	1	1	-	2	3	5	7	2	6	1	-	6	6	9	6	5	2	-	-	-	-
	Nonwhite--M	168	-	1	1	-	-	-	1	3	9	15	17	21	13	19	27	18	10	10	2	1	-	-	-	-	-
	F	94	-	-	-	-	-	-	1	4	13	17	16	17	5	10	6	1	2	1	-	-	-	-	1	-	-
010-019	Tuberculosis, other forms	23	3	-	1	1	-	-	-	1	1	-	1	1	4	1	2	-	-	2	1	-	3	1	-	-	-
	White-----M	9	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	1	-	2	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	6	2	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	183	8	-	-	-	-	1	-	-	1	1	5	11	11	25	23	16	24	19	21	12	3	2	-	-	-
	White-----M	65	-	-	-	-	-	-	-	-	-	-	-	3	1	7	8	5	8	13	8	9	3	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	4	5	3	-	1	-	-	-
	Nonwhite--M	71	2	-	-	-	-	-	-	-	-	1	4	7	4	11	13	7	11	2	8	-	-	1	-	-	-
	F	28	6	-	-	-	-	1	-	-	1	-	1	1	5	5	2	3	3	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	24	10	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	-	1	-	-	-	-
	White-----M	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M	11	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
	F	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
050, 051	Scarlet fever, etc.*	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	8	1	3	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	19	8	-	-	-	1	5	-	-	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-
	White-----M	7	4	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	22	-	-	3	-	-	3	1	2	3	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	13	-	-	1	-	-	3	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	99	15	7	9	4	3	5	1	3	2	3	3	4	4	7	1	8	4	5	5	1	3	1	1	-	-
	White-----M	32	4	4	1	-	-	-	1	1	-	-	-	-	1	3	-	4	2	2	5	-	3	1	-	-	-
	F	22	2	-	3	2	1	1	-	1	-	1	3	1	1	1	-	1	1	1	-	1	-	-	1	-	-
	Nonwhite--M	29	7	2	4	1	2	3	-	1	2	1	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-
	F	16	2	1	1	1	-	1	-	-	-	1	-	2	2	3	-	1	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,681	2	5	2	10	3	14	7	14	20	26	57	111	163	253	362	421	465	487	483	377	251	94	22	7	5
	White----M--	1,635	2	1	2	6	1	4	4	7	7	12	15	26	46	65	138	187	225	245	252	206	123	46	12	3	-
	F--	1,436	-	4	-	3	1	6	3	5	8	5	22	45	66	118	130	150	172	188	192	148	116	39	9	3	3
	Nonwhite--M--	294	-	-	-	1	-	4	-	2	1	2	5	12	20	25	58	45	36	29	24	16	7	5	-	1	1
	F--	296	-	-	-	-	1	-	-	-	4	7	15	28	31	45	36	39	32	25	15	7	5	4	1	-	1
140-148	Of buccal cavity and pharynx------	101	-	-	-	-	-	-	-	-	-	-	1	3	5	3	14	22	13	11	13	9	5	2	-	-	-
	White----M--	62	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	13	6	10	9	8	4	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	6	-	3	1	1	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	5	6	1	-	1	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,250	-	1	-	-	-	1	-	2	4	8	7	21	31	76	113	115	151	172	223	152	120	39	12	2	-
	White----M--	591	-	-	-	-	-	-	-	2	1	6	2	6	15	26	38	81	76	83	115	79	58	16	6	1	-
	F--	448	-	1	-	-	-	-	-	-	2	1	3	5	3	23	31	32	52	64	87	61	58	19	5	1	-
	Nonwhite--M--	134	-	-	-	-	-	1	-	-	1	-	1	3	7	18	30	15	14	15	15	10	2	2	-	-	-
	F--	77	-	-	-	-	-	-	-	-	-	1	1	7	6	9	14	7	9	10	6	2	2	2	1	-	-
160-164	Of respiratory system----------	430	-	-	-	-	-	-	-	-	-	-	4	5	16	24	55	79	82	58	49	33	20	4	1	-	-
	White----M--	319	-	-	-	-	-	-	-	-	-	-	1	4	11	17	41	59	62	47	35	24	15	2	1	-	-
	F--	79	-	-	-	-	-	-	-	-	-	-	1	-	2	4	9	14	13	10	12	7	5	2	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	5	5	-	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	1	-	1	-	-	-	-	-
170	Of breast----------	275	-	-	-	-	-	-	-	1	1	2	2	13	31	34	28	36	32	33	23	18	11	7	1	-	2
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	264	-	-	-	-	-	-	-	1	1	1	1	9	24	28	24	27	29	31	19	18	11	7	1	-	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	1	1	4	7	6	4	9	3	2	3	-	-	-	-	-	-
171-179	Of genital organs----	707	-	-	1	-	-	-	-	-	6	4	18	34	42	61	60	70	82	87	78	84	50	23	5	1	3
	White----M--	185	-	-	1	-	-	-	-	-	2	1	-	-	1	1	7	8	16	25	34	47	23	15	3	1	-
	F--	355	-	-	-	-	-	-	-	-	1	1	7	22	28	40	36	41	39	47	35	29	21	4	2	-	1
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	-	1	2	-	7	8	12	8	3	4	3	2	-	-	1
	F--	116	-	-	-	-	-	-	-	-	3	2	9	11	10	20	10	13	15	7	6	4	3	2	-	-	1
180, 181	Of urinary organs----	172	1	1	-	-	1	1	-	1	-	-	2	3	7	6	10	12	22	35	31	18	16	3	2	-	-
	White----M--	100	1	-	-	-	-	-	-	-	-	-	-	-	2	1	7	8	15	25	20	10	9	1	1	-	-
	F--	51	-	1	-	-	-	1	-	-	-	-	-	1	-	3	2	2	6	9	10	7	6	2	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	-	-	1	1	3	-	1	2	-	1	1	1	1	1	-	-	-
	F--	8	-	-	-	-	1	-	-	-	-	-	1	1	2	2	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	480	1	1	-	4	2	5	5	3	5	9	17	20	21	34	54	58	51	52	40	48	21	14	1	4	-
	White----M--	241	1	-	-	2	1	2	3	2	2	4	7	9	12	13	23	21	30	36	21	29	11	10	1	1	-
	F--	169	-	1	-	1	1	3	2	1	3	2	6	6	5	14	17	22	16	17	18	18	9	4	-	2	-
	Nonwhite--M--	39	-	-	-	1	-	-	-	-	-	1	2	3	3	3	9	6	3	5	1	-	1	-	-	1	-
	F--	31	-	-	-	-	-	-	-	-	-	2	2	2	1	4	5	9	2	4	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	120	-	2	1	6	-	4	2	3	2	1	3	4	3	4	12	11	12	15	18	10	5	2	-	-	-
	White----M--	70	-	1	1	4	-	2	1	2	1	-	2	1	-	2	7	8	8	11	11	6	1	1	-	-	-
	F--	41	-	1	-	2	-	2	1	1	-	-	1	1	1	2	3	3	3	4	7	4	4	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	126	-	-	-	-	-	3	-	4	2	2	5	8	7	11	16	18	20	14	8	5	3	-	-	-	-
	White----M--	67	-	-	-	-	-	-	-	1	1	1	3	5	3	4	8	9	12	8	7	3	2	-	-	-	-
	F--	40	-	-	-	-	-	-	-	2	1	-	2	1	1	3	6	6	8	6	1	2	1	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	3	-	1	-	-	-	-	3	1	1	3	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	2	-	3	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	103	4	-	-	1	-	2	1	-	1	3	2	8	10	14	14	11	8	8	9	4	3	-	-	-	-
	White----M--	33	2	-	-	-	-	2	1	-	-	-	1	2	3	3	2	4	3	4	4	1	1	-	-	-	-
	F--	40	2	-	-	-	-	-	-	-	-	2	1	1	4	3	6	6	4	2	4	3	2	-	-	-	-
	Nonwhite--M--	4	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	1	1	-	4	3	7	6	-	1	2	1	-	-	-	-	-	-
260	Diabetes mellitus----	353	1	-	-	-	1	2	1	4	-	3	1	9	16	16	27	35	52	54	48	40	30	13	-	-	-
	White----M--	107	-	-	-	-	-	-	-	-	-	1	-	-	3	4	5	8	13	19	18	16	15	5	-	-	-
	F--	157	1	-	-	-	-	2	-	2	-	1	1	4	2	4	7	16	21	33	25	17	14	7	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	3	4	-	1	1	-	-	-	-	-
	F--	68	-	-	-	-	1	-	1	2	-	1	-	1	9	6	11	8	14	2	4	6	1	1	-	-	-
280-285	Anemias----------	84	5	-	1	1	-	1	2	-	-	2	2	3	1	1	5	5	11	13	8	11	6	6	2	-	-
	White----M--	43	2	-	1	-	-	-	1	-	-	1	-	2	-	1	1	2	7	7	3	7	4	3	1	-	-
	F--	27	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	4	5	4	3	2	3	1	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	9	-	-	-	1	-	-	-	-	-	1	1	1	-	-	1	2	-	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis-------	56	21	3	2	3	1	3	1	-	-	5	2	2	3	2	-	-	2	1	1	2	-	1	-	-	1
	White----M--	21	7	1	1	-	1	1	1	-	-	1	-	1	2	1	-	-	1	1	1	-	-	1	-	-	-
	F--	13	4	1	-	2	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1
	Nonwhite--M--	14	8	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	1	-	-	-	-	-
	F--	8	2	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	13,173	8	4	3	2	3	11	7	22	37	51	121	238	429	610	1,004	1,242	1,472	1,775	1,908	1,765	1,365	744	246	72	34
	White----M--	6,206	1	2	1	2	1	7	2	10	14	21	37	74	154	236	454	571	745	886	983	882	651	353	111	22	6
	F--	3,925	2	-	1	-	1	-	1	3	6	7	22	46	86	102	155	220	334	528	664	671	594	340	105	32	5
	Nonwhite--M--	1,639	3	2	1	-	-	4	2	3	11	7	25	48	85	135	212	265	212	195	161	130	70	37	13	11	7
	F--	1,403	2	-	-	-	1	-	2	6	6	16	37	70	104	137	183	186	181	166	100	82	50	34	17	7	16
330-334, 400-468	Diseases of cardiovascular system----	12,633	8	3	2	2	1	7	6	19	30	42	106	210	406	583	959	1,197	1,418	1,711	1,851	1,700	1,311	724	237	66	32
	White----M--	6,005	1	1	1	2	-	3	2	8	9	19	32	70	150	229	438	559	728	860	959	848	625	328	105	22	6
	F--	3,792	2	-	1	-	1	-	-	2	6	4	21	41	82	93	149	209	318	515	645	650	577	328	103	31	4
	Nonwhite--M--	1,534	3	2	-	-	-	4	2	3	10	6	18	41	79	132	203	255	198	179	151	124	61	34	12	10	7
	F--	1,312	2	-	-	-	-	-	2	6	5	13	35	58	95	129	169	174	174	157	96	78	48	34	17	5	15
330-334	Vascular lesions, etc.*----------	3,053	5	1	1	2	-	1	1	2	3	3	23	42	101	147	255	276	337	395	422	443	344	206	43	15	5
	White----M--	1,090	-	1	1	2	-	1	1	2	-	1	5	4	13	30	52	71	112	162	180	192	145	95	17	3	-
	F--	1,001	2	-	-	-	-	-	-	-	1	1	4	10	21	33	45	54	78	122	169	190	157	85	20	8	1
	Nonwhite--M--	491	2	-	-	-	-	-	-	1	-	-	4	9	28	37	72	91	66	63	42	37	21	10	4	2	2
	F--	471	1	-	-	-	-	-	-	1	1	1	10	19	39	47	66	60	81	48	31	24	21	16	2	2	2
400-402	Rheumatic fever----	29	1	-	-	-	-	2	2	4	1	4	3	2	6	1	1	-	1	-	1	-	-	-	-	-	-
	White----M--	11	1	-	-	-	-	1	-	1	-	3	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race

(By place of residence. Exclusive of fetal death.

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
410-443	Diseases of heart-	8,701	2	1	-	-	1	3	3	8	25	29	73	157	275	416	683	864	1,007	1,235	1,320	1,123	842	431	144	38	21
	White-----M--	4,510	-	-	-	-	-	-	1	3	8	13	25	65	128	192	374	465	583	665	726	585	414	186	63	9	4
	F--	2,511	-	-	-	-	1	-	-	1	5	2	13	25	50	59	95	145	226	368	438	417	375	207	83	19	2
	Nonwhite--M--	945	1	1	-	-	-	3	1	2	9	4	13	31	46	89	121	155	119	108	95	73	35	23	5	7	4
	F--	735	1	-	-	-	-	-	1	2	3	10	22	36	50	78	93	99	79	94	61	48	18	15	13	3	11
410-416	Chronic rheumatic heart disease----	311	...	-	-	-	-	2	1	5	9	10	19	27	17	34	26	33	25	30	26	28	10	7	1	1	-
	White-----M--	122	...	-	-	-	-	-	-	2	4	7	11	11	1	14	12	11	13	10	9	10	3	4	-	-	-
	F--	118	...	-	-	-	-	-	-	1	3	1	3	8	13	11	9	11	8	13	13	13	6	3	1	1	-
	Nonwhite--M--	44	...	-	-	-	-	2	1	-	1	-	3	6	1	7	4	6	2	3	4	3	1	-	-	-	-
	F--	27	...	-	-	-	-	-	-	2	1	2	2	2	2	2	1	5	2	4	-	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,267	2	-	-	-	-	-	-	1	6	7	28	77	159	245	434	536	682	788	870	660	468	219	64	15	6
	White-----M--	3,186	-	-	-	-	-	-	-	-	2	4	10	40	115	143	295	361	438	481	530	387	254	92	29	5	2
	F--	1,451	-	-	-	-	-	-	-	-	1	-	6	11	13	33	52	81	158	231	292	227	203	111	28	5	1
	Nonwhite--M--	361	1	-	-	-	-	-	-	1	3	2	5	13	16	39	55	55	54	37	29	31	3	8	3	4	2
	F--	269	1	-	-	-	-	-	-	-	-	1	7	13	15	30	34	39	32	39	19	15	8	8	6	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,034	...	1	-	-	-	-	-	1	2	4	6	10	23	36	55	71	81	132	135	163	160	95	39	14	6
	White-----M--	401	...	-	-	-	-	-	-	1	1	1	-	1	2	8	15	19	35	56	55	74	69	42	19	1	2
	F--	344	...	-	-	-	-	-	-	-	-	-	1	-	6	4	11	20	11	38	42	64	73	45	19	9	1
	Nonwhite--M--	184	...	1	-	-	-	-	-	-	1	1	2	2	9	12	16	19	18	23	22	16	14	5	-	3	-
	F--	125	...	-	-	-	-	-	-	-	-	2	3	7	6	12	13	13	17	15	16	9	4	3	1	1	3
430-434	Other diseases of heart---------	726	-	-	-	-	1	1	2	1	8	2	12	20	35	45	64	77	78	110	86	70	59	37	7	7	4
	White-----M--	356	-	-	-	-	-	-	1	-	1	-	4	11	7	18	26	39	45	54	47	36	40	19	6	2	-
	F--	169	-	-	-	-	1	-	-	-	1	-	3	4	8	5	11	10	15	36	17	24	16	14	-	4	-
	Nonwhite--M--	122	-	-	-	-	-	1	-	1	4	-	2	3	9	13	16	19	11	14	15	7	2	3	1	-	1
	F--	79	-	-	-	-	-	-	1	-	2	2	3	2	11	9	11	9	7	6	7	3	1	1	-	1	3
440-443	Hypertension with heart dis.---	1,363	-	-	-	-	-	-	-	-	-	6	8	23	41	56	104	147	141	175	203	202	145	73	33	1	5
	White-----M--	445	-	-	-	-	-	-	-	-	-	1	-	2	4	9	28	35	52	64	85	78	48	29	9	1	-
	F--	429	-	-	-	-	-	-	-	-	-	1	-	2	10	8	12	23	34	50	74	89	77	34	17	-	-
	Nonwhite--M--	254	-	-	-	-	-	-	-	-	-	1	1	7	11	18	30	56	34	31	25	16	15	7	1	-	1
	F--	235	-	-	-	-	-	-	-	-	-	3	7	12	18	23	34	33	21	30	19	19	5	3	6	-	4
444-447	Hypertension without mention of heart----------	251	-	-	-	-	-	-	-	1	-	3	3	6	17	9	18	21	24	23	35	36	32	15	7	-	1
	White-----M--	89	-	-	-	-	-	-	-	1	-	1	-	-	6	2	3	6	6	11	19	20	14	8	2	-	-
	F--	87	-	-	-	-	-	-	-	-	-	-	-	2	4	1	3	3	7	6	9	8	14	6	3	-	1
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	2	1	1	3	2	7	2	4	3	6	6	2	-	1	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	2	3	4	4	5	10	7	3	1	2	2	1	1	-	-
450	General arteriosclerosis--------	458	-	-	-	-	-	-	-	-	-	-	-	-	2	2	11	14	33	42	57	82	86	68	42	14	5
	White-----M--	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	15	14	25	38	50	38	22	9	2
	F--	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	15	21	33	27	27	17	4	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	7	4	8	7	3	1	2	1	1
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	6	9	3	4	6	2	1	-	2
451-468	Other diseases of circulatory sys.--	141	-	1	1	-	-	1	-	4	1	3	4	3	5	8	11	22	16	16	16	16	7	4	1	1	-
	White-----M--	78	-	-	-	-	-	1	-	1	1	1	1	-	1	4	7	15	11	8	9	13	2	1	1	1	-
	F--	40	-	-	1	-	-	-	-	1	-	1	2	3	2	-	4	4	2	4	7	2	4	3	-	-	-
	Nonwhite--M--	12	-	1	-	-	-	-	-	-	-	-	-	-	1	3	-	3	2	1	-	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	2	-	1	1	-	1	1	-	-	1	3	-	-	1	-	-	-	-
592-594	Chronic nephritis etc.*----------	540	-	1	1	-	2	4	1	3	7	9	15	28	23	27	45	45	54	64	57	65	54	20	9	4	2
	White-----M--	201	-	1	-	-	1	4	-	2	5	2	5	4	4	7	16	12	17	26	24	34	26	5	6	-	-
	F--	143	-	-	-	-	-	-	1	1	-	3	1	5	4	9	6	11	16	13	19	21	17	12	2	1	1
	Nonwhite--M--	105	-	-	1	-	-	-	-	-	1	1	7	7	6	3	9	10	14	16	10	6	9	3	1	1	-
	F--	91	-	-	-	-	1	-	-	-	1	3	2	12	9	8	14	12	7	9	4	4	2	-	-	2	1
480-493	Influenza and pneumonia, etc.*-	807	139	28	14	8	3	13	8	4	8	17	17	17	23	30	48	45	48	63	73	65	71	36	20	5	4
	White-----M--	268	26	7	2	4	-	4	6	1	-	3	4	2	3	8	18	14	17	30	34	25	34	20	4	1	1
	F--	209	33	3	3	-	-	3	-	2	1	3	3	5	2	4	4	4	9	12	22	32	30	14	15	4	1
	Nonwhite--M--	189	33	13	3	3	1	5	-	1	5	4	3	7	10	10	13	15	13	14	7	4	3	1	-	-	1
	F--	161	47	5	6	1	2	1	2	-	2	7	7	3	8	8	13	12	9	7	10	4	4	1	1	-	1
480-483	Influenza---------	161	26	6	3	1	-	3	2	-	-	5	4	-	4	8	10	10	6	11	16	16	12	8	8	1	1
	White-----M--	48	4	-	-	1	-	-	2	-	-	1	-	-	-	2	2	2	2	6	6	4	9	4	2	1	-
	F--	31	2	1	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	-	4	9	2	3	5	-	-
	Nonwhite--M--	32	9	2	1	-	-	1	-	-	-	1	-	-	1	2	5	3	2	1	1	1	1	1	-	-	-
	F--	50	11	3	2	-	-	1	-	-	-	3	4	-	2	3	3	4	1	4	5	2	-	-	1	-	1
490-493	Pneumonia, etc.*--	646	113	22	11	7	3	10	6	4	8	12	13	17	19	22	38	35	42	52	57	49	59	28	12	4	3
	White-----M--	220	22	7	2	3	-	4	4	1	-	2	4	2	3	6	16	12	15	24	28	21	25	16	2	-	1
	F--	178	31	2	3	-	-	2	-	2	1	3	3	5	1	3	4	3	8	12	18	23	28	11	10	4	1
	Nonwhite--M--	137	24	11	2	3	1	4	-	1	5	3	3	7	9	8	8	12	11	13	6	3	2	-	-	-	1
	F--	111	36	2	4	1	2	-	2	-	2	4	3	3	6	5	10	8	8	3	5	2	4	1	-	-	-
500-502	Bronchitis---------	50	8	5	1	-	1	1	-	-	1	1	-	-	1	-	1	3	3	6	9	1	4	3	1	-	-
	White-----M--	25	2	2	1	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	4	1	3	1	1	-	-
	F--	14	2	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	4	-	1	2	-	-	-
	Nonwhite--M--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F--	5	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	149	1	-	-	-	-	-	1	-	1	2	3	6	12	16	16	20	19	15	16	9	5	5	2	-	-
	White-----M--	93	-	-	-	-	-	-	1	-	-	-	2	3	6	8	10	9	13	13	12	6	5	3	2	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	3	1	3	3	-	2	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	2	-	3	6	5	1	8	3	-	-	-	-	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	1	1	-	-	-	-	-	-
550-553	Appendicitis------	58	-	-	-	-	-	4	-	3	1	4	2	5	3	2	7	5	5	6	5	2	3	1	1	-	-
	White-----M--	33	-	-	-	-	-	1	-	1	-	3	2	1	2	-	3	3	4	6	2	1	2	1	1	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	2	-	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	3	-	1	-	1	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	-	-	4	-	1	1	-	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	182	18	2	-	-	-	2	-	2	6	4	3	5	11	15	16	13	14	18	17	13	11	10	1	-	1
	White-----M--	64	4	1	-	-	-	1	-	1	2	2	-	1	3	3	3	4	10	9	9	4	3	4	-	-	-
	F--	48	4	-	-	-	-	-	-	-	-	-	-	2	1	5	6	2	-	4	4	8	5	6	1	-	-
	Nonwhite--M--	43	8	1	-	-	-	1	-	1	3	-	2	-	4	4	5	3	2	2	3	1	2	-	-	-	1
	F--	27	2	-	-	-	-	-	-	-	1	2	1	2	3	3	2	4	2	3	1	-	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
543,	Gastritis, etc.*--	142	67	11	3	1	-	1	-	1	-	1	-	5	4	5	6	4	9	10	4	4	3	1	2	-	-
571,	White-----M--	32	13	3	-	1	-	1	-	-	-	1	-	1	-	-	3	1	2	3	-	-	1	1	1	-	-
572	F--	34	10	3	1	-	-	-	-	-	-	-	-	2	-	2	-	1	3	3	2	4	2	-	1	-	-
	Nonwhite--M--	43	25	2	2	-	-	-	-	-	-	-	-	1	-	3	2	1	2	3	2	-	-	-	-	-	-
	F--	33	19	3	-	-	-	-	-	1	-	-	-	1	4	-	1	1	2	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	230	1	-	-	-	-	-	1	-	1	1	8	17	19	28	21	24	23	28	27	18	10	2	-	1	-
	White-----M--	116	1	-	-	-	-	-	-	-	-	-	3	6	10	13	9	13	13	18	16	11	2	1	-	-	-
	F--	67	-	-	-	-	-	-	-	-	1	1	2	8	6	7	6	6	3	7	6	4	8	1	-	1	-
	Nonwhite--M--	31	-	-	-	-	-	-	1	-	-	-	1	1	2	6	3	4	6	2	3	2	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	2	2	1	2	3	1	1	1	2	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	118	-	1	-	1	-	1	2	4	4	1	9	9	6	8	11	12	13	13	10	6	3	2	2	-	-
	White-----M--	51	-	-	-	-	-	1	-	2	-	-	3	2	2	2	3	4	1	5	2	2	1	1	-	-	-
	F--	29	-	-	-	1	-	-	1	-	2	-	-	-	-	1	1	3	5	2	5	3	2	1	2	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	2	-	2	2	2	3	4	3	4	5	3	-	-	-	-	-	-	-
	F--	30	-	1	-	-	-	-	1	2	-	1	4	5	1	1	4	1	2	3	3	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	123	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	10	12	29	20	30	11	2	1	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	7	20	18	26	8	1	1	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	5	9	2	4	3	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	87	...	...	...	...	...	...	1	12	12	19	21	18	4	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	34	...	...	...	...	...	...	-	2	6	10	7	8	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	53	...	...	...	...	...	...	1	10	6	9	14	10	3	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	11	...	...	...	...	...	...	-	1	2	3	2	2	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	5	...	...	...	...	...	...	-	-	1	2	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	1	1	1	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	76	...	...	...	...	...	...	1	11	10	16	19	16	3	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	29	...	...	...	...	...	...	-	2	5	8	6	7	1	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	47	...	...	...	...	...	...	1	9	5	8	13	9	2	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	294	224	12	6	4	1	6	3	4	1	6	2	3	4	5	4	4	2	2	1	-	-	-	-	-	-
	White-----M--	127	95	4	3	1	-	2	2	3	-	4	1	1	3	3	1	-	1	2	1	-	-	-	-	-	-
	F--	106	80	5	2	3	1	3	1	1	1	2	1	1	-	1	-	4	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	39	31	2	1	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F--	22	18	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,302	1,302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	478	478	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	332	332	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	283	283	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	472	472	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	783	783	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	915	90	8	3	1	2	3	3	4	6	7	13	33	46	53	82	55	70	97	88	74	69	73	37	13	5
795	White-----M--	291	14	4	-	-	1	1	-	1	1	1	2	3	8	20	15	19	24	38	40	25	29	31	12	2	-
	F--	168	9	-	1	-	-	-	1	1	-	2	2	4	8	6	9	2	9	13	13	15	25	27	16	5	-
	Nonwhite--M--	275	40	2	2	1	-	2	1	2	3	3	2	11	16	18	25	22	19	33	21	21	11	12	4	1	3
	F--	181	27	2	-	-	1	-	1	-	2	1	7	15	14	9	13	12	18	13	14	13	4	3	5	5	2
Re-	All other diseases	1,178	51	18	13	8	6	20	12	15	21	17	31	53	65	87	84	102	112	120	112	91	85	35	16	6	-
sid-	White-----M--	557	23	6	4	4	3	13	7	5	7	5	6	17	33	36	35	49	58	67	58	44	49	16	8	4	-
ual	F--	345	13	5	5	1	1	1	4	4	5	6	10	12	12	16	19	21	31	36	43	40	35	17	6	2	-
	Nonwhite--M--	148	8	4	4	3	-	2	-	5	3	2	2	15	10	17	18	19	14	9	7	4	1	-	1	-	-
	F--	128	7	1	-	-	2	4	1	1	6	4	13	9	10	18	12	13	9	8	4	3	-	2	1	-	-
E800-	Accidents---------	1,917	80	48	23	18	15	65	61	112	158	127	141	134	111	142	106	87	72	80	78	85	69	54	20	3	8
E962	White-----M--	949	24	15	10	8	8	37	26	57	100	75	82	61	53	71	63	46	34	37	46	33	42	13	3	-	5
	F--	436	21	13	3	3	3	16	7	15	26	17	12	24	23	27	13	10	14	26	23	43	41	36	17	3	-
	Nonwhite--M--	397	21	12	5	5	1	9	23	33	25	28	37	40	28	34	25	22	20	13	3	5	3	3	-	-	2
	F--	135	14	8	5	2	3	3	5	7	7	7	10	9	7	10	5	9	4	4	6	4	3	2	-	-	1
E810-	Motor-vehicle																										
E835	accidents---------	842	6	15	9	4	4	23	25	67	105	82	82	75	55	75	51	32	31	44	32	23	16	3	-	-	3
	White-----M--	482	3	6	5	3	4	13	17	40	69	34	46	33	30	40	29	18	21	20	22	13	12	2	-	-	2
	F--	166	-	5	2	1	-	9	2	12	21	9	10	15	15	15	7	6	4	16	8	8	1	-	-	-	-
	Nonwhite--M--	147	2	3	2	-	-	1	2	11	11	16	20	21	7	15	12	6	6	7	1	2	1	-	-	-	1
	F--	47	1	1	-	-	-	-	4	4	4	3	6	6	3	5	3	2	-	1	1	-	2	1	-	-	-
E800-	All ot. accidents-	1,075	74	33	14	14	11	42	36	45	53	65	59	59	56	67	55	55	41	36	46	62	73	51	20	3	5
E802,	White-----M--	467	21	9	5	5	4	24	9	17	31	41	36	28	23	31	34	28	13	17	24	20	30	11	3	-	3
E840-	F--	270	21	8	1	2	3	7	5	3	5	8	2	9	8	12	6	4	10	10	15	35	40	36	17	3	-
E962	Nonwhite--M--	250	19	9	3	5	1	8	21	22	14	12	17	19	21	19	13	16	14	6	2	3	2	3	-	-	1
	F--	88	13	7	5	2	3	3	1	3	3	4	4	3	4	5	2	7	4	3	5	4	1	1	-	-	1
E963,	Suicide----------	316	-	-	-	-	-	-	-	3	18	22	17	31	29	41	37	26	29	20	18	9	8	6	2	-	-
E970-	White-----M--	225	-	-	-	-	-	-	-	2	10	10	10	24	18	27	27	22	24	15	14	8	8	4	2	-	-
E979	F--	72	-	-	-	-	-	-	-	1	6	9	6	5	9	10	8	3	4	5	4	1	-	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	2	2	1	2	2	3	1	1	1	-	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
E964,	Homicide----------	362	2	-	-	1	1	3	4	13	42	54	61	56	33	40	23	9	9	7	1	1	1	-	-	-	1
E980-	White-----M--	64	-	-	-	-	-	1	2	2	4	7	8	14	3	10	5	2	3	3	-	-	-	-	-	-	-
E985	F--	34	2	-	-	-	1	-	1	-	1	4	7	5	7	2	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	210	-	-	-	-	-	-	1	7	31	34	34	35	19	20	14	5	6	3	-	-	-	-	-	-	1
	F--	54	-	-	1	-	2	-	-	4	6	9	12	2	4	8	3	1	-	1	-	1	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA																										
	ALL CAUSES	30,325	3,064	241	140	112	67	240	188	383	549	693	842	1,098	1,328	1,668	2,248	2,506	2,733	2,987	2,988	2,632	1,969	978	429	121	131
	White--M	10,519	909	48	48	40	23	88	67	125	192	220	217	295	393	536	653	904	1,033	1,213	1,211	1,062	776	304	127	21	14
	F	7,482	611	44	37	28	15	49	32	66	78	106	130	162	193	244	323	463	584	814	976	1,015	816	447	196	36	17
	Nonwhite--M	6,544	849	82	22	17	15	59	53	106	166	194	254	346	362	459	685	619	585	539	413	290	208	109	43	27	42
	F	5,780	695	67	33	27	14	44	36	86	113	173	241	295	380	429	567	520	531	431	368	265	169	118	63	37	58
001-019	Tuberculosis, all forms	808	1	6	3	2	2	7	3	32	50	78	76	97	73	74	68	66	49	48	36	22	5	7	2	-	1
	White--M	210	-	1	1	1	1	1	-	2	2	11	4	20	16	22	26	25	21	27	17	7	3	2	-	-	-
	F	108	1	1	1	-	-	1	-	4	2	8	9	6	3	7	8	7	11	8	12	8	2	4	1	-	-
	Nonwhite--M	244	-	2	-	-	-	4	1	6	19	24	28	38	26	21	22	25	12	9	2	4	-	-	1	-	-
	F	248	-	2	1	1	1	1	2	20	27	35	35	31	28	24	12	9	5	4	5	3	-	1	-	-	1
001-008	Tuberculosis of respiratory system	732	-	3	2	-	-	-	2	28	46	72	68	87	67	70	65	62	48	45	33	20	4	7	2	-	-
	White--M	196	-	-	-	-	-	-	-	2	2	11	4	19	15	20	26	24	21	25	16	7	2	2	-	-	-
	F	96	-	1	1	-	-	-	-	4	1	7	7	8	3	7	7	7	11	7	11	7	2	4	1	-	-
	Nonwhite--M	217	-	-	-	-	-	-	-	6	17	21	24	36	23	20	20	23	12	9	2	3	-	-	1	-	-	-
	F	223	-	2	1	-	-	-	2	17	28	33	33	24	26	23	12	8	4	4	4	3	-	1	-	-	-
010-019	Tuberculosis, other forms	76	1	3	1	2	2	7	1	3	4	6	8	10	6	4	3	4	1	3	3	2	1	-	-	-	1
	White--M	14	-	1	1	1	1	1	-	-	-	-	-	1	1	2	-	1	-	2	1	-	1	-	-	-	-
	F	10	1	-	-	-	-	1	-	-	1	1	2	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M	27	-	2	-	-	-	4	1	-	2	3	4	2	3	1	2	2	-	-	1	-	-	-	-	-	-
	F	25	-	-	-	1	1	1	-	3	1	2	2	7	2	1	-	1	1	-	1	-	-	-	-	-	1
020-029	Syphilis and its sequelae	203	14	-	-	-	-	-	-	-	-	3	6	16	28	29	33	15	25	14	10	6	1	2	1	-	-
	White--M	42	-	-	-	-	-	-	-	-	-	1	-	-	2	3	7	4	6	7	4	4	1	2	1	-	-
	F	16	1	-	-	-	-	-	-	-	-	-	-	-	4	3	-	2	5	-	1	-	-	-	-	-	-
	Nonwhite--M	98	10	-	-	-	-	-	-	-	-	2	3	8	18	19	17	6	7	3	4	1	-	-	-	-	-
	F	47	3	-	-	-	-	-	-	-	-	-	3	8	4	4	8	3	7	4	2	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	47	24	4	2	-	-	1	-	-	-	1	-	2	-	1	3	-	3	-	2	1	3	-	-	-	-
	White--M	15	9	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	10	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-
	Nonwhite--M	14	7	2	-	-	-	1	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	F	8	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	15	2	3	1	-	1	1	1	1	2	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	White--M	5	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	5	1	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	18	2	4	3	-	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	2	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	44	32	7	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	11	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	14	12	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	34	4	5	7	3	1	5	-	3	1	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-
	White--M	14	3	2	3	1	-	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	12	1	-	4	1	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	6	-	2	-	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	17	2	-	2	2	-	2	-	2	2	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	10	1	-	1	1	-	1	-	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	9	1	3	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	1	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
110-117	Malaria	6	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	119	18	5	2	2	4	4	2	6	2	2	4	3	6	10	8	8	7	7	3	7	4	2	1	-	2
	White--M	40	1	1	1	2	1	3	2	1	2	-	1	2	2	3	2	4	2	2	2	3	1	1	1	-	-
	F	21	1	1	-	-	1	-	-	1	-	-	1	-	1	2	1	2	2	-	4	2	1	-	-	-	1
	Nonwhite--M	30	7	2	1	-	2	-	-	3	-	1	-	-	2	3	-	1	1	4	1	-	1	-	-	-	1
	F	28	9	1	-	-	-	1	-	1	-	1	2	1	1	2	5	1	2	1	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
140-205	Malignant neoplasms, etc.*—	3,348	7	10	11	17	8	20	15	18	29	45	75	120	164	248	365	379	426	432	387	275	182	66	33	7	11
	White— M	1,186	4	6	6	7	5	6	7	7	15	13	21	27	40	78	93	133	143	168	166	120	77	27	9	2	6
	F	1,252	2	2	4	5	2	9	1	8	5	22	22	43	66	90	118	130	155	158	167	119	80	26	16	-	2
	Nonwhite— M	362	1	-	-	1	1	3	4	1	4	1	9	15	13	24	53	52	59	46	27	19	15	5	3	3	3
	F	548	-	2	1	4	-	2	3	2	5	9	23	35	45	54	101	64	69	60	27	17	10	8	5	2	-
140-148	Of buccal cavity and pharynx—	115	-	-	-	-	-	-	-	-	-	1	-	2	4	7	11	12	17	17	18	15	6	3	1	1	-
	White— M	62	-	-	-	-	-	-	-	-	-	1	-	-	-	5	4	8	8	12	11	8	4	1	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	3	6	3	6	5	1	-	-	-	-
	Nonwhite— M	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	2	1	1	1	1	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum—	1,083	1	-	1	1	-	-	-	1	4	3	24	23	30	69	118	114	144	159	157	111	79	27	10	2	5
	White— M	397	1	-	1	-	-	-	-	-	2	1	6	11	10	27	30	39	54	63	68	46	25	6	4	-	3
	F	377	-	-	-	1	-	-	-	-	-	1	7	4	15	16	29	34	38	52	65	56	41	14	4	-	-
	Nonwhite— M	149	-	-	-	-	-	-	1	-	-	-	4	8	3	11	28	20	25	25	13	2	6	4	1	2	2
	F	160	-	-	-	-	-	-	-	-	2	1	7	2	2	15	33	21	27	21	11	7	7	3	1	-	-
160-164	Of respiratory system—	320	-	-	-	-	-	1	2	1	1	1	3	7	17	17	48	54	60	44	28	21	10	4	2	-	1
	White— M	215	-	-	-	-	-	1	1	-	1	-	2	3	9	12	30	39	36	34	20	15	7	4	-	-	1
	F	48	-	-	-	-	-	-	-	1	-	1	-	1	1	2	6	3	12	5	7	5	2	-	2	-	-
	Nonwhite— M	42	-	-	-	-	-	-	1	-	-	-	-	1	4	3	7	10	9	5	-	1	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	1	2	3	-	3	2	3	-	1	-	-	-	-	-	-
170	Of breast—	280	-	-	-	-	-	-	-	-	-	3	3	15	25	33	35	28	29	34	22	16	8	3	5	1	-
	White— M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	F	184	-	-	-	-	-	-	-	-	-	2	3	11	15	23	18	19	23	25	16	15	8	2	4	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	73	-	-	-	-	-	-	-	-	-	1	-	4	10	10	17	9	5	9	6	-	-	1	1	-	-
171-179	Of genital organs—	734	-	-	-	-	-	-	-	3	5	14	19	39	40	55	84	90	85	95	81	69	36	10	6	1	2
	White— M	148	-	-	-	-	-	-	-	-	3	1	1	2	-	2	4	7	9	22	38	30	20	7	1	-	1
	F	319	-	-	-	-	-	-	2	-	-	7	7	18	19	30	38	50	41	44	28	22	10	1	2	-	-
	Nonwhite— M	70	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	8	14	10	9	10	5	-	1	-	1
	F	197	-	-	-	-	-	-	1	2	6	11	18	19	21	35	25	21	19	6	7	1	2	2	1	-	-
180, 181	Of urinary organs—	138	-	-	3	2	3	4	-	-	2	1	2	4	5	3	14	14	21	19	10	14	10	2	3	1	1
	White— M	56	-	-	1	-	2	-	-	-	-	-	-	-	3	1	4	4	8	10	5	8	5	2	2	-	1
	F	43	-	-	1	1	-	2	-	-	1	1	-	-	-	2	5	3	7	6	4	5	4	-	1	-	-
	Nonwhite— M	18	-	-	-	-	1	1	-	-	1	-	1	1	1	-	1	4	3	1	1	1	1	-	-	-	-
	F	21	-	-	1	1	-	1	-	-	-	-	1	3	1	-	4	3	3	2	-	-	-	-	-	1	-
156B, 165, 190-199	Of other sites, etc.*—	430	3	5	1	5	2	6	4	6	6	6	10	18	31	40	41	40	43	44	56	18	24	13	6	-	2
	White— M	162	2	2	1	-	1	2	2	1	1	2	4	5	11	17	16	19	17	18	17	5	12	5	2	-	-
	F	166	1	2	-	2	1	2	-	4	2	4	3	6	11	9	14	12	16	14	34	8	9	7	3	-	2
	Nonwhite— M	41	-	-	-	-	-	1	-	-	2	-	1	2	1	6	7	7	4	5	2	2	1	-	-	-	-
	F	61	-	1	-	3	-	1	2	1	1	-	2	5	8	8	4	2	6	7	3	3	2	1	1	-	-
204	Leukemia and aleukemia—	146	2	5	6	8	2	5	7	2	7	6	5	6	5	11	6	9	15	11	10	10	5	2	-	1	-
	White— M	89	1	4	3	6	1	2	3	2	6	3	4	4	2	8	3	5	8	9	5	6	2	1	-	1	-
	F	37	1	-	3	1	1	2	1	-	1	2	1	-	1	2	2	1	5	2	4	3	3	1	-	-	-
	Nonwhite— M	14	-	-	-	1	-	1	2	-	-	1	-	2	1	1	1	1	1	-	1	1	-	-	-	-	-
	F	6	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	122	1	-	-	1	1	4	2	5	4	10	9	6	7	11	10	18	12	9	5	1	4	2	-	-	-
	White— M	55	-	-	-	1	1	1	1	4	2	5	4	2	5	6	2	12	3	-	2	1	2	1	-	-	-
	F	45	-	-	-	-	-	3	-	1	1	4	1	2	1	4	3	5	7	7	3	-	2	1	-	-	-
	Nonwhite— M	14	1	-	-	-	-	-	1	-	1	-	3	2	-	1	2	1	1	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	-	1	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	109	4	-	2	1	1	2	3	2	-	4	11	9	24	9	4	9	5	11	3	2	2	1	-	-	-
	White— M	35	4	-	-	1	1	-	2	1	-	2	2	2	4	-	3	7	3	1	1	-	1	-	-	-	-
	F	33	-	-	1	-	-	1	1	-	-	2	2	1	8	6	1	-	-	5	2	1	1	1	-	-	-
	Nonwhite— M	12	-	-	1	-	-	1	-	1	-	-	1	3	1	-	-	1	2	1	-	-	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	6	3	11	3	-	1	-	4	-	1	-	-	-	-	-
260	Diabetes mellitus—	413	1	-	-	-	-	2	4	3	8	11	10	12	24	30	36	39	42	50	57	43	28	10	4	-	1
	White— M	131	-	-	-	-	-	-	-	-	2	4	2	3	3	5	5	8	13	24	18	20	15	7	2	-	-
	F	123	1	-	-	-	-	2	-	1	-	2	-	3	5	3	6	17	10	15	27	17	11	2	1	-	-
	Nonwhite— M	52	-	-	-	-	-	-	1	1	3	5	3	2	3	12	4	3	3	3	3	3	2	-	-	-	1
	F	107	-	-	-	-	-	-	3	1	1	-	5	4	13	10	21	11	16	8	9	3	-	1	1	-	-
290-293	Anemias—	78	8	2	-	1	-	3	-	1	5	-	2	3	2	4	5	2	7	7	10	7	6	3	-	-	-
	White— M	23	3	-	-	-	-	1	-	-	2	-	-	1	-	1	1	-	1	2	6	2	3	-	-	-	-
	F	28	1	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	3	5	4	4	3	2	-	-	-
	Nonwhite— M	14	3	1	-	-	-	2	-	-	2	-	-	-	-	1	2	-	2	-	-	1	-	-	-	-	-
	F	13	1	1	-	1	-	-	1	1	-	2	-	-	-	2	1	1	1	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis—	56	17	7	4	2	1	4	2	2	-	3	1	2	2	3	1	-	1	1	-	1	2	-	-	-	-
	White— M	13	5	-	1	-	-	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	-
	F	8	3	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite— M	16	2	3	1	2	-	-	1	-	-	2	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	19	7	3	2	-	-	1	1	1	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	14,948	10	6	4	2	3	17	20	31	55	96	194	353	566	831	1,273	1,512	1,760	1,965	1,978	1,819	1,365	681	263	73	71
	White— M	5,361	3	1	1	-	-	4	5	10	13	21	41	82	156	257	375	520	693	785	810	745	545	207	74	8	5
	F	3,774	2	-	3	-	-	4	3	6	6	19	29	36	53	78	136	230	310	507	629	679	567	318	127	25	9
	Nonwhite— M	3,017	-	2	-	1	1	5	6	7	14	23	63	120	172	255	416	401	401	377	281	203	134	71	24	17	23
	F	2,796	5	3	-	1	2	4	6	8	22	33	61	115	185	241	346	361	356	296	258	192	119	87	38	23	34
330-334, 400-468	Diseases of cardiovascular system—	14,160	9	6	3	1	3	14	16	29	47	85	177	330	534	788	1,215	1,442	1,684	1,888	1,885	1,720	1,277	651	242	68	66
	White— M	5,159	3	1	-	-	-	2	3	9	10	17	38	78	151	251	366	505	670	766	784	712	518	197	68	8	4
	F	3,577	2	-	3	-	-	3	3	6	5	17	26	31	49	77	132	222	301	490	597	642	521	301	117	23	9
	Nonwhite— M	2,821	-	2	-	-	1	5	6	6	12	21	59	114	164	236	382	372	375	353	261	188	128	69	20	15	22
	F	2,623	4	3	-	1	2	4	4	8	20	30	54	107	170	224	325	345	338	279	243	178	110	84	37	22	31
330-334	Vascular lesions, etc.*—	4,179	5	1	1	1	1	1	3	3	14	14	34	83	141	226	376	424	495	569	543	550	399	192	65	15	23
	White— M	1,166	1	1	-	-	-	-	1	1	4	3	4	12	19	42	56	93	135	185	191	203	144	52	16	2	1
	F	1,102	1	-	1	-	-	-	-	1	1	3	5	10	17	30	37	71	104	148	184	207	155	80	30	5	2
	Nonwhite— M	910	-	-	-	-	-	1	1	-	2	4	8	33	51	72	142	112	128	123	80	69	46	18	7	5	8
	F	1,001	3	-	-	1	1	-	1	1	7	4	17	28	54	82	141	148	128	113	68	71	54	32	12	3	12
400-402	Rheumatic fever—	43	1	1	1	-	1	7	8	8	-	3	3	1	-	3	2	1	1	1	1	-	-	-	-	-	-
	White— M	8	-	-	-	-	-	-	2	2	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F	9	-	-	1	-	-	1	-	1	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite— M	17	-	-	-	-	-	4	3	4	-	1	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	F	9	1	1	-	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
410-443	Diseases of heart-	9,089	2	3	1	-	1	6	5	17	27	59	126	223	386	527	795	964	1,106	1,229	1,219	1,057	743	388	133	40	32
	White-----M--	3,674	2	-	-	-	-	2	-	6	6	13	30	60	119	202	296	390	503	551	545	466	317	120	38	5	3
	F--	2,217	-	-	1	-	-	2	3	4	2	12	17	18	32	44	91	141	184	316	378	394	311	185	63	15	4
	Nonwhite--M--	1,722	-	2	-	-	1	-	2	2	9	14	44	73	105	147	237	246	229	210	158	102	70	41	11	8	11
	F--	1,456	-	1	-	-	-	2	-	5	10	20	35	72	110	134	171	187	190	152	138	95	45	42	21	12	14
410-416	Chronic rheumatic heart disease----	243	...	-	-	-	1	2	2	5	8	9	23	13	17	31	14	20	16	19	12	25	14	12	-	-	-
	White-----M--	80	...	-	-	-	-	1	-	1	5	3	5	1	8	13	5	8	5	7	6	8	5	1	-	-	-
	F--	68	...	-	-	-	-	1	2	2	1	3	9	2	2	7	3	7	5	5	2	8	6	3	-	-	-
	Nonwhite--M--	49	...	-	-	-	1	-	-	2	2	1	5	4	4	7	2	5	3	2	-	5	3	3	-	-	-
	F--	46	...	-	-	-	-	-	-	-	-	2	4	6	3	4	4	2	3	5	4	4	-	5	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,247	1	-	1	-	-	-	-	1	5	19	40	94	173	255	410	500	547	606	608	512	282	124	42	15	12
	White-----M--	2,231	1	-	-	-	-	-	-	-	1	6	14	45	64	144	214	275	329	336	306	266	137	52	16	1	2
	F--	1,066	-	-	1	-	-	-	-	1	-	3	4	8	18	20	51	93	95	160	214	189	117	55	18	7	2
	Nonwhite--M--	524	-	-	-	-	-	-	-	-	2	5	16	24	31	48	90	77	70	57	41	28	17	9	2	4	3
	F--	436	-	-	-	-	-	-	-	-	2	5	6	17	40	43	55	55	53	53	45	29	11	8	6	3	5
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,268	...	2	-	-	-	1	3	2	2	9	12	25	33	50	63	108	139	143	179	166	150	105	38	11	7
	White-----M--	370	...	-	-	-	-	-	-	-	-	1	-	3	9	8	18	24	35	50	71	58	52	28	10	3	-
	F--	341	...	-	-	-	-	-	1	-	-	1	-	2	2	6	10	10	22	25	45	66	69	58	19	4	1
	Nonwhite--M--	306	...	1	-	-	-	-	2	-	1	3	6	10	9	18	32	44	50	44	31	17	20	12	2	1	3
	F--	251	...	1	-	-	-	1	-	2	1	4	6	10	13	18	23	30	32	24	32	25	9	7	7	3	3
430-434	Other diseases of heart---------	907	1	-	-	-	-	3	-	7	9	16	19	36	49	67	92	94	117	122	93	72	62	26	12	7	3
	White-----M--	299	1	-	-	-	-	1	-	5	-	3	7	6	7	18	21	27	52	52	34	29	28	4	4	-	-
	F--	152	-	-	-	-	-	1	-	1	-	4	1	3	1	5	6	8	20	24	21	19	19	12	4	3	-
	Nonwhite--M--	252	-	-	-	-	-	-	-	-	3	2	5	11	23	25	35	33	28	34	25	14	8	4	-	1	1
	F--	204	-	-	-	-	-	1	-	1	6	7	6	16	18	19	30	26	17	12	13	10	7	6	4	3	2
440-443	Hypertension with heart dis.--	2,404	-	1	-	-	-	-	-	2	3	6	32	55	94	124	196	242	287	339	327	282	235	121	41	7	10
	White-----M--	694	-	-	-	-	-	-	-	-	-	-	4	5	11	19	38	58	82	106	126	105	95	35	8	1	1
	F--	600	-	-	-	-	-	-	-	-	1	1	3	3	9	6	21	23	42	102	98	112	100	57	22	1	1
	Nonwhite--M--	591	-	1	-	-	-	-	-	-	1	3	12	24	38	49	78	87	78	73	61	38	22	13	7	2	4
	F--	519	-	-	-	-	-	-	-	2	1	2	13	23	36	50	59	74	85	58	44	27	18	16	4	3	4
444-447	Hypertension without mention of heart----------	335	-	-	-	-	-	-	-	-	3	4	8	18	14	13	27	21	32	37	42	45	39	16	12	1	3
	White-----M--	105	-	-	-	-	-	-	-	-	-	-	1	4	6	2	8	6	9	10	15	18	15	6	5	-	-
	F--	81	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	6	2	12	14	16	15	5	5	-	-
	Nonwhite--M--	80	-	-	-	-	-	-	-	-	2	6	6	4	7	8	4	12	10	7	5	3	2	2	-	2
	F--	69	-	-	-	-	-	-	-	-	2	2	-	6	4	4	8	5	9	5	6	6	6	3	-	1	1
450	General arteriosclerosis--------	415	-	-	-	-	-	-	-	-	-	1	2	-	3	3	8	18	30	39	68	56	90	49	30	11	7
	White-----M--	146	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	5	13	13	25	20	39	16	7	1	-
	F--	137	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	9	18	21	37	19	19	3	3
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	5	8	15	10	9	8	-	2	1
	F--	62	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	4	7	9	10	5	5	6	4	5	3
451-468	Other diseases of circulatory sys.-	139	1	1	-	-	-	-	-	1	3	4	4	5	10	16	7	14	20	13	12	12	6	6	2	1	1
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	2	2	4	3	3	9	10	7	7	5	3	3	2	-	-
	F--	31	1	-	-	-	-	-	-	-	1	1	1	-	-	2	1	2	5	5	3	4	3	2	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	-	-	2	4	7	1	2	1	1	1	2	-	-	-	-	-
	F--	26	-	1	-	-	-	-	-	1	1	3	1	1	2	4	2	1	4	-	1	1	-	1	-	1	1
592-594	Chronic nephritis, etc.*----------	786	1	-	1	1	-	3	4	2	8	11	17	23	32	43	58	70	78	77	93	99	88	30	21	5	5
	White-----M--	202	-	-	1	-	-	2	2	1	3	4	3	4	5	6	9	17	23	19	26	33	27	10	6	-	1
	F--	197	-	-	-	-	-	1	-	-	1	2	3	5	4	1	4	8	9	17	32	37	46	15	10	2	-
	Nonwhite--M--	196	-	-	-	1	-	-	-	1	2	2	4	6	8	19	24	29	28	24	20	15	6	2	4	2	1
	F--	173	1	-	-	-	-	-	2	-	2	3	7	8	15	17	21	16	18	17	15	14	9	3	1	1	3
480-493	Influenza and pneumonia, etc.*-	1,471	324	63	25	18	2	25	11	17	15	21	36	38	50	67	79	78	75	83	108	124	98	61	30	13	10
	White-----M--	375	53	9	6	4	-	6	4	2	2	5	10	4	10	17	16	21	12	35	40	42	41	17	14	4	1
	F--	319	47	8	5	4	1	1	2	3	5	-	5	4	1	5	2	10	10	21	42	53	42	32	10	4	2
	Nonwhite--M--	390	114	28	4	6	-	9	4	6	6	4	9	12	20	23	30	27	25	17	13	13	8	6	3	1	2
	F--	387	110	18	10	4	1	9	1	6	2	12	12	18	19	22	31	30	28	10	13	16	7	6	3	4	5
480-483	Influenza---------	343	33	8	5	4	1	4	1	4	5	4	14	11	14	19	21	17	27	23	32	32	29	15	9	6	5
	White-----M--	82	3	1	2	1	-	1	1	-	-	1	4	3	3	2	3	3	5	6	12	11	11	5	4	-	-
	F--	82	5	2	-	1	-	-	-	-	2	-	3	-	-	-	-	5	4	10	11	11	12	8	2	4	2
	Nonwhite--M--	76	15	4	-	2	-	1	-	1	1	-	1	1	3	10	6	5	8	4	4	4	1	1	2	1	1
	F--	103	10	1	3	-	1	2	-	3	2	3	6	7	8	7	12	4	10	3	5	6	5	1	1	1	2
490-493	Pneumonia, etc.*--	1,128	291	55	20	14	1	21	10	13	10	17	22	27	36	48	58	61	48	60	76	92	89	46	21	7	5
	White-----M--	293	50	8	4	3	-	5	3	2	2	4	6	1	7	15	13	18	7	29	28	31	30	12	10	4	1
	F--	237	42	6	5	3	1	1	2	3	3	-	2	4	1	5	2	5	6	11	31	42	30	24	8	-	-
	Nonwhite--M--	314	99	24	4	4	-	8	4	5	5	4	8	11	17	13	24	22	17	13	9	9	7	5	1	-	1
	F--	284	100	17	7	4	-	7	1	3	-	9	6	11	11	15	19	16	18	7	8	10	2	5	2	3	3
500-502	Bronchitis--------	70	17	4	1	-	1	2	1	1	1	1	-	3	-	1	1	1	5	6	9	7	3	2	3	-	-
	White-----M--	19	4	-	1	-	-	1	-	-	1	-	-	-	-	1	-	1	2	1	2	3	-	1	1	-	-
	F--	22	5	2	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	2	2	4	2	-	2	-	-
	Nonwhite--M--	11	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	3	-	-	1	-	-	-
	F--	18	6	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	2	2	2	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	130	1	-	-	-	-	-	-	1	4	-	3	7	12	12	18	18	12	11	18	7	6	-	-	-	-
	White-----M--	61	1	-	-	-	-	-	-	-	1	-	1	1	5	5	7	9	8	8	10	2	3	-	-	-	-
	F--	21	-	-	-	-	-	-	-	1	1	-	-	1	-	1	2	2	1	1	5	3	3	-	-	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	2	-	2	4	3	5	9	7	2	1	2	2	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	-	-	-	-
550-553	Appendicitis------	70	1	-	2	1	1	2	4	3	-	1	5	3	10	7	6	7	4	4	3	5	-	-	-	1	-
	White-----M--	25	-	-	-	1	-	-	3	-	-	-	2	-	4	2	2	3	1	1	3	3	-	-	-	-	-
	F--	14	-	-	2	-	1	-	-	2	-	-	1	-	-	3	-	-	2	2	-	1	-	-	-	-	-
	Nonwhite--M--	20	1	-	-	-	-	1	1	-	-	1	1	3	4	-	2	3	1	1	-	1	-	-	-	-	-
	F--	11	-	-	-	-	-	1	-	1	-	-	1	-	2	2	2	1	-	-	-	-	-	-	-	1	-
560, 561, 570	Hernia, intestinal obstruction--	206	20	-	-	-	1	1	3	1	6	4	4	10	13	18	18	17	14	22	20	21	9	4	-	-	-
	White-----M--	58	8	-	-	-	-	1	2	-	-	1	-	2	6	3	3	5	3	7	7	6	3	1	-	-	-
	F--	52	6	-	-	-	-	-	-	-	2	-	-	1	1	2	-	5	4	6	6	12	4	3	-	-	-
	Nonwhite--M--	51	4	-	-	-	1	-	-	-	2	2	2	3	3	5	8	6	4	4	5	2	-	-	-	-	-
	F--	45	2	-	-	-	-	-	1	1	2	1	2	4	3	8	7	1	3	5	2	1	2	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
543, 571, 572	Gastritis, etc.*—	229	118	17	8	2	1	3	1	-	3	3	1	4	2	4	5	6	9	8	11	10	9	4	1	-	-
	White——M—	50	19	1	3	-	-	1	-	-	2	-	-	-	-	-	2	-	4	3	4	6	3	1	1	-	-
	F—	48	21	4	1	2	-	1	-	-	-	1	-	1	-	-	-	1	3	3	4	1	4	2	-	-	-
	Nonwhite—M—	71	47	5	2	-	-	-	-	-	1	2	1	2	-	1	2	3	1	1	1	1	-	1	-	-	-
	F—	60	31	7	2	-	1	1	-	-	1	-	2	2	2	3	1	2	1	1	2	2	2	-	-	-	-
581	Cirrhosis of liver	181	2	-	-	1	-	2	-	-	1	5	9	12	16	21	13	27	23	19	14	8	6	2	-	-	1
	White——M—	90	1	-	-	1	-	-	-	-	-	1	5	6	7	13	8	12	12	10	7	5	3	1	-	-	-
	F—	42	-	-	-	-	-	-	-	-	-	-	1	3	2	3	4	6	7	3	5	2	2	1	-	-	-
	Nonwhite—M—	26	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	6	2	5	2	-	1	-	-	-	-
	F—	23	1	-	-	-	-	2	-	-	1	1	1	1	3	3	-	3	2	1	-	1	-	-	-	-	1
590, 591	Acute nephritis, etc.*—	155	2	1	1	1	-	7	9	4	3	8	7	10	17	11	7	13	11	11	11	12	6	2	1	-	-
	White——M—	25	-	-	1	-	-	2	2	-	1	-	1	3	2	2	-	1	-	4	2	3	1	-	-	-	-
	F—	33	1	1	-	1	-	1	3	1	2	1	1	-	2	1	1	2	2	4	2	4	1	1	1	-	-
	Nonwhite—M—	51	-	-	-	-	-	3	1	1	-	4	3	2	4	6	5	3	6	2	4	4	2	1	-	-	-
	F—	46	1	-	-	-	-	1	3	2	-	3	2	5	9	2	1	7	3	1	3	1	2	-	-	-	-
610	Hyperplasia of prostate—	124	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	11	17	16	25	16	18	11	2	2	-
	White——M—	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	9	12	7	11	5	1	2	-
	Nonwhite—M—	69	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	13	7	13	9	7	6	1	-	-
640-689	Complications of pregnancy, etc.*—	148	...	...	...	...	...	...	-	19	29	34	30	26	9	-	1	-	...	...	...	...	...	...	...	...	-
	White——F—	52	...	...	...	...	...	...	-	5	13	9	11	10	4	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	96	...	...	...	...	...	...	-	14	16	25	19	16	5	-	1	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	15	...	...	...	...	...	...	-	2	3	5	3	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	5	...	...	...	...	...	...	-	1	1	-	2	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	10	...	...	...	...	...	...	-	1	2	5	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
640-648, 660-689	All other complications—	133	...	...	...	...	...	...	-	17	26	28	27	24	9	-	1	-	...	...	...	...	...	...	...	...	-
	White——F—	47	...	...	...	...	...	...	-	4	12	9	9	9	4	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	86	...	...	...	...	...	...	-	13	14	20	18	15	5	-	1	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	377	264	21	9	7	5	6	7	6	4	10	3	6	3	9	8	2	2	5	-	-	-	-	-	-	-
	White——M—	152	108	5	2	4	1	5	3	2	2	4	-	2	2	4	2	1	1	4	-	-	-	-	-	-	-
	F—	120	84	6	2	1	2	1	2	3	-	3	3	2	-	5	3	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M—	56	39	7	3	-	1	-	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	49	33	3	2	2	1	-	-	1	1	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	1,713	1,713	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	572	572	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	357	357	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	432	432	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	352	352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	605	605	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	182	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	964	964	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	283	283	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	277	277	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	232	232	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	794	214	12	5	5	4	4	6	8	12	12	14	20	17	21	39	29	29	45	67	45	72	44	40	11	21
	White——M—	158	31	1	-	2	1	2	-	1	3	3	1	3	3	4	11	9	10	7	19	13	15	10	8	1	-
	F—	115	22	1	1	-	-	3	1	1	1	1	-	1	1	2	4	3	5	9	9	18	12	13	3	1	
	Nonwhite—M—	283	99	3	2	1	-	2	2	1	5	3	4	10	9	5	14	13	6	20	18	9	24	13	8	4	8
	F—	238	62	4	2	-	3	-	1	5	3	5	8	7	4	11	12	3	10	13	21	14	15	9	11	3	12
Residual	All other diseases	1,434	97	21	15	12	3	24	13	33	32	46	68	86	94	100	115	118	108	111	105	102	63	35	23	6	4
	White——M—	588	30	3	6	5	-	9	5	11	7	15	13	22	31	38	31	54	42	45	43	39	20	12	4	2	1
	F—	393	21	4	4	3	1	6	3	7	8	9	13	20	19	20	21	20	33	36	35	47	30	17	13	2	1
	Nonwhite—M—	289	26	7	3	2	1	7	3	10	9	9	16	22	18	25	42	22	13	20	14	8	6	3	2	1	-
	F—	264	20	7	2	2	1	2	2	5	8	13	26	22	26	17	21	22	20	10	13	8	7	3	4	1	2
E800-E962	Accidents—	2,146	144	39	30	31	22	82	81	150	204	186	152	139	123	98	90	103	75	89	70	79	78	40	25	8	8
	White——M—	988	39	13	12	9	11	40	31	79	122	111	79	63	67	49	37	50	34	43	26	26	24	9	11	2	1
	F—	402	22	8	5	9	3	14	12	18	25	15	19	14	12	8	12	17	17	26	22	40	42	27	12	2	1
	Nonwhite—M—	536	41	11	5	3	6	14	26	44	45	48	42	54	36	31	32	28	19	13	15	8	8	2	1	1	3
	F—	220	42	7	8	10	2	14	12	9	12	12	12	8	8	10	9	8	5	7	7	5	4	2	1	3	3
E810-E835	Motor-vehicle accidents—	906	6	8	6	9	8	45	33	86	116	116	73	76	62	40	48	49	33	38	24	10	12	4	2	-	2
	White——M—	502	2	2	3	3	5	24	17	45	68	74	39	37	38	25	22	29	15	21	13	5	8	4	1	-	1
	F—	144	1	4	2	3	2	9	6	14	16	12	13	6	8	4	7	9	8	8	7	-	2	-	1	-	1
	Nonwhite—M—	209	2	1	-	1	1	6	7	22	23	28	19	30	12	7	17	9	8	7	3	3	2	-	-	-	1
	F—	51	1	1	1	2	-	6	3	5	7	2	2	3	3	4	2	2	2	2	1	2	-	-	-	-	1
E800-E802, E840-E962	All ot. accidents—	1,240	138	31	24	22	14	37	48	64	88	70	79	63	61	58	42	54	42	51	46	89	66	36	23	8	6
	White——M—	486	37	11	9	6	6	16	14	34	54	37	40	26	28	24	15	21	19	22	13	21	16	5	10	2	1
	F—	258	21	4	3	6	1	5	6	4	7	3	6	8	4	4	5	8	9	18	15	40	40	27	11	2	1
	Nonwhite—M—	327	39	10	5	2	5	8	19	22	22	20	23	24	24	24	15	19	11	6	12	5	6	2	1	1	2
	F—	169	41	6	7	8	2	8	9	4	5	10	10	5	5	6	7	6	3	5	6	3	4	2	1	3	3
E963, E970-E979	Suicide—	286	-	-	-	-	-	-	-	7	14	20	32	44	22	31	22	31	17	22	11	9	3	1	-	-	-
	White——M—	201	-	-	-	-	-	-	-	3	8	10	23	33	16	20	14	25	14	17	10	6	3	1	-	-	-
	F—	49	-	-	-	-	-	-	-	3	6	5	4	4	6	6	1	5	3	3	1	2	-	-	-	-	-
	Nonwhite—M—	28	-	-	-	-	-	-	1	2	4	4	6	-	2	6	1	-	-	2	-	-	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	1	1	1	3	1	1	-	-	-	-	-	1	-	-	-	-	-
E964, E980-E985	Homicide—	509	-	1	1	-	2	7	2	29	68	93	100	71	47	29	22	13	6	8	6	3	-	-	-	-	1
	White——M—	100	-	-	-	-	1	1	-	1	6	15	12	18	14	9	7	8	3	3	2	-	-	-	-	-	-
	F—	32	-	-	1	-	1	-	1	1	1	3	8	7	3	-	2	-	1	2	-	1	-	-	-	-	-
	Nonwhite—M—	293	-	-	-	-	-	4	-	22	49	56	62	36	22	16	12	3	2	2	4	2	-	-	-	-	1
	F—	84	-	1	-	-	-	2	1	5	12	19	18	10	8	4	1	2	-	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO																										
	ALL CAUSES	4,837	434	46	18	16	12	46	29	71	86	73	92	105	132	174	232	296	460	541	597	537	424	264	117	20	15
	White--M	2,986	244	26	9	10	8	27	17	50	54	46	63	73	91	117	154	202	301	346	380	306	245	139	61	9	8
	F	1,755	181	16	8	5	4	17	10	19	27	22	26	30	40	53	76	88	153	188	203	224	176	123	53	10	3
	Nonwhite--M	62	8	2	1	-	-	-	-	-	4	3	2	-	1	3	2	4	4	6	10	5	2	-	1	1	3
	F	34	1	2	-	1	-	2	2	2	1	2	1	2	-	1	-	2	2	1	4	2	1	2	2	-	1
001-019	Tuberculosis, all forms	66	-	1	-	-	-	1	2	3	6	3	3	7	3	5	5	-	11	6	3	3	2	2	-	-	-
	White--M	38	-	-	-	-	-	-	-	2	1	-	2	5	3	4	4	-	8	2	3	2	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	1	3	2	1	1	-	1	1	-	1	3	-	-	2	2	-	-	-
	Nonwhite--M	7	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	55	-	1	-	-	-	-	1	1	4	3	3	7	3	4	4	-	10	5	3	3	2	1	-	-	-
	White--M	33	-	-	-	-	-	-	-	1	-	-	2	6	3	3	3	-	8	2	3	2	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	3	2	1	1	-	1	1	-	1	2	-	-	2	1	-	-	-
	Nonwhite--M	6	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	11	-	-	-	-	-	1	1	2	2	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-
	White--M	5	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	22	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	2	4	1	4	3	2	2	-	-	-
	White--M	18	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	4	1	3	3	2	2	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	7	-	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	4	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	11	-	-	-	-	-	5	1	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White--M	9	-	-	-	-	-	5	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	14	7	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	2	-	-	-	-	-	1	-	-
	White--M	8	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
140-205	Malignant neoplasms, etc.*	584	-	1	1	1	1	7	5	4	6	9	11	11	18	27	45	52	93	89	89	52	41	15	7	-	1
	White—M	306	-	-	-	-	1	4	4	1	3	4	3	6	7	11	24	28	57	42	55	30	21	6	1	-	-
	F	267	-	1	1	1	-	3	1	3	3	4	8	5	11	15	21	25	35	46	31	21	20	7	5	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	1	-	1
140-148	Of buccal cavity and pharynx	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	1	1	1	1	-	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	1	1	1	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	231	-	-	-	-	-	-	-	-	-	1	1	2	4	12	10	19	37	48	36	30	18	8	5	-	-
	White—M	128	-	-	-	-	-	-	-	-	-	-	-	1	1	7	7	13	24	23	25	16	8	4	-	-	-
	F	97	-	-	-	-	-	-	-	-	-	-	1	2	3	4	3	6	12	25	10	13	10	4	4	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
160-164	Of respiratory system	47	-	-	-	-	-	-	-	2	-	-	2	1	2	2	9	2	8	4	8	4	1	1	1	-	-
	White—M	38	-	-	-	-	-	-	-	1	-	-	1	1	1	2	9	2	8	3	6	4	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	1	-	1	1	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	50	-	-	-	-	-	-	-	-	-	-	1	2	1	4	6	5	7	6	8	5	4	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	-	-	1	2	1	4	6	5	7	6	8	5	4	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	85	-	-	-	-	-	-	-	-	-	3	1	1	3	4	7	12	12	9	16	3	10	2	1	-	1
	White—M	40	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	3	5	4	10	2	8	2	1	-	-
	F	43	-	-	-	-	-	-	-	-	-	1	1	1	3	3	5	9	7	5	5	1	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
180, 181	Of urinary organs	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	6	5	2	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	72	-	-	-	1	-	3	1	-	3	1	4	1	3	3	8	5	14	10	8	2	5	-	-	-	-
	White—M	38	-	-	-	-	-	2	1	-	2	1	2	1	2	-	4	2	8	4	5	1	3	-	-	-	-
	F	32	-	-	-	1	-	1	-	-	1	-	2	-	1	3	4	2	6	5	3	1	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	37	-	1	1	-	1	2	3	1	2	2	1	3	3	1	3	2	4	3	1	2	-	1	-	-	-
	White—M	20	-	-	-	-	1	1	2	-	1	-	-	3	1	-	1	1	4	2	1	2	-	-	-	-	-
	F	17	-	1	1	-	-	1	1	1	1	2	1	-	2	1	2	1	-	1	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	27	-	-	-	-	-	2	1	1	1	2	1	1	-	-	2	3	7	1	5	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	1	1	-	1	1	-	1	-	-	1	2	5	1	3	-	-	-	-	-	-
	F	11	-	-	-	-	-	1	-	1	1	1	1	-	-	-	1	1	2	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	12	-	-	-	-	-	-	1	1	1	-	-	1	-	-	3	1	1	1	-	-	2	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	83	-	-	-	-	-	-	-	1	2	1	1	1	1	-	-	8	7	16	15	11	13	6	-	-	-
	White—M	41	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	6	2	12	7	2	5	1	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	5	4	7	9	8	5	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-295	Anemias	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,365	1	-	-	2	1	2	1	8	8	10	16	23	39	88	113	161	250	329	381	376	285	178	74	13	6
	White—M	1,462	-	-	-	2	1	-	-	4	1	5	9	14	27	59	76	117	162	219	238	208	170	97	41	9	3
	F	877	-	-	-	-	-	2	1	3	7	4	6	8	12	27	36	42	86	107	137	165	115	81	32	4	2
	Nonwhite—M	19	1	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	2	2	5	3	-	-	-	-	1
	F	7	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	1	1	-	-	-	1	-	-
330-334, 400-468	Diseases of cardiovascular system	2,278	1	-	-	-	1	2	1	6	6	10	10	20	36	81	108	156	243	320	376	364	272	175	71	13	6
	White—M	1,415	-	-	-	-	1	-	-	2	-	5	6	12	24	55	74	115	158	214	235	202	163	96	41	9	3
	F	840	-	-	-	-	-	2	1	3	6	4	4	7	12	24	33	39	83	103	136	160	109	79	29	4	2
	Nonwhite—M	17	1	-	-	-	-	-	-	-	1	-	-	-	2	1	1	2	2	4	2	-	-	-	-	-	1
	F	6	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-
330-334	Vascular lesions, etc.*	521	1	-	-	-	-	-	1	-	2	3	3	1	3	10	20	25	63	72	85	84	72	48	25	1	2
	White—M	274	-	-	-	-	-	-	-	-	-	1	2	1	2	2	4	13	33	41	48	42	48	22	15	1	1
	F	239	-	-	-	-	-	-	1	-	2	1	1	-	1	8	15	12	28	30	38	42	24	26	9	-	1
	Nonwhite—M	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
400-402	Rheumatic fever	11	-	-	-	-	-	1	-	2	2	1	1	1	1	-	-	-	-	-	1	-	1	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
410-443	Diseases of heart-	1,564	-	-	-	-	1	1	-	4	1	6	6	17	31	66	80	127	173	225	254	250	174	104	35	7	2
	White-----M--	1,036	-	-	-	-	1	-	-	2	-	3	4	10	20	52	65	101	120	160	171	144	98	61	19	5	-
	F--	516	-	-	-	-	-	1	-	2	1	3	2	7	11	12	15	25	53	63	79	104	76	43	16	2	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	3	2	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease-----	58	...	-	-	-	-	1	-	2	1	2	1	4	6	8	4	5	7	5	6	3	-	3	-	-	-
	White-----M--	28	...	-	-	-	-	-	-	1	-	1	1	1	4	4	2	4	3	2	2	1	-	2	-	-	-
	F--	29	...	-	-	-	-	1	-	1	1	1	-	3	2	4	2	1	4	2	4	2	-	1	-	-	-
	Nonwhite--M--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	934	-	-	-	-	1	-	-	-	-	2	2	8	18	41	57	90	118	142	151	160	83	44	13	3	1
	White-----M--	668	-	-	-	-	1	-	-	-	-	1	2	7	13	35	53	73	87	111	115	98	54	28	9	2	-
	F--	239	-	-	-	-	-	-	-	-	-	1	-	1	5	5	4	16	31	31	34	61	29	16	4	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	288	...	-	-	-	-	-	-	1	-	1	1	4	1	5	7	13	21	31	47	42	55	39	17	2	1
	White-----M--	160	...	-	-	-	-	-	-	1	-	-	1	1	1	3	3	11	14	20	27	21	29	19	6	1	-
	F--	127	...	-	-	-	-	-	-	-	-	1	-	3	-	2	4	2	7	11	19	21	26	20	9	1	1
	Nonwhite--M--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	105	-	-	-	-	-	-	-	1	-	-	2	-	3	7	4	9	9	18	18	15	12	6	1	-	-
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	-	-	1	7	4	7	9	14	11	12	6	6	1	-	-
	F--	26	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	2	-	4	7	2	6	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	179	-	-	-	-	-	-	-	-	-	1	-	1	3	5	8	10	18	29	32	30	24	12	4	2	-
	White-----M--	81	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	6	7	13	16	12	9	6	1	2	-
	F--	95	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	4	11	15	15	18	15	6	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	38	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	5	8	6	5	6	1	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	3	2	4	1	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	2	6	3	3	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	10	21	22	17	16	10	5	1
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	10	13	15	8	6	3	1
	F--	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	11	9	4	7	4	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	34	-	-	-	-	-	-	-	-	1	-	-	1	1	2	4	1	2	8	7	2	3	1	-	-	1
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	5	6	-	2	-	-	-	1
	F--	13	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	3	1	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	87	-	-	-	2	-	-	-	2	2	-	6	3	3	7	5	5	7	9	5	12	13	3	3	-	-
	White-----M--	47	-	-	-	2	-	-	-	2	1	-	3	2	3	4	2	2	4	5	3	6	7	1	-	-	-
	F--	37	-	-	-	-	-	-	-	-	1	-	2	1	-	3	3	3	3	4	1	5	6	2	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	168	32	9	4	1	-	1	1	-	2	1	3	3	6	6	4	4	9	17	10	14	15	12	11	1	2
	White-----M--	101	19	3	2	-	-	1	-	-	-	-	2	-	4	6	3	1	6	12	7	9	11	7	7	-	1
	F--	52	10	3	2	-	-	-	1	-	2	1	-	3	2	-	1	1	2	5	2	4	4	4	3	1	1
	Nonwhite--M--	7	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	F--	8	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-
480-483	Influenza---------	28	2	1	1	-	-	-	-	-	-	-	1	1	-	1	1	-	2	4	2	4	4	2	1	-	1
	White-----M--	19	2	1	1	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	1	3	2	1	1	-	1
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	140	30	8	3	1	-	1	1	-	2	1	2	2	6	5	3	4	7	13	8	10	11	10	10	1	1
	White-----M--	82	17	2	1	-	-	1	-	-	-	-	1	-	4	5	2	1	4	11	6	6	9	6	6	-	-
	F--	43	10	3	2	-	-	-	1	-	2	1	-	2	2	-	1	1	2	2	1	3	2	3	3	1	1
	Nonwhite--M--	7	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	F--	8	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-
500-502	Bronchitis---------	12	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	-
	White-----M--	6	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	35	-	-	-	-	-	-	-	-	-	-	2	-	2	-	3	3	5	4	7	5	2	2	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	5	3	6	5	2	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	18	-	1	-	-	1	-	-	1	-	1	1	-	-	3	2	1	2	1	-	1	1	-	-	-	-
	White-----M--	13	-	1	-	-	1	-	-	1	-	1	1	-	-	3	2	-	1	-	-	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	25	5	-	1	-	-	-	-	-	-	-	-	-	2	-	1	1	5	3	4	1	1	1	-	-	-
	White-----M--	10	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	-	-	-	-	-	-
	F--	15	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	3	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
543, 571, 572	Gastritis, etc.*--	15	5	1	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	1	1	-	1	1	-	-	-
	White-----M--	8	2	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-
	F--	6	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	22	-	-	-	-	-	-	-	-	-	-	-	3	3	3	-	3	3	2	1	1	2	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	3	2	-	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	-	-	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	14	-	-	1	-	-	-	1	-	-	-	1	1	-	1	1	1	-	-	4	-	1	2	-	-	-
	White-----M--	6	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	3	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	3	5	3	2	-	1
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	3	5	3	2	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	7	***	***	***	***	***	***	-	-	1	5	-	-	1	-	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	7	***	***	***	***	***	***	-	-	1	5	-	-	1	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
650-652	Abortion----------	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-649, 660-689	All other complications--------	6	***	***	***	***	***	***	-	-	1	4	-	-	1	-	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	6	***	***	***	***	***	***	-	-	1	4	-	-	1	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
750-759	Congenital malformations--------	79	59	5	-	1	1	3	1	2	-	1	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	50	36	3	-	1	1	1	-	2	-	-	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-
	F--	29	23	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	112	4	1	-	-	-	-	1	-	1	-	2	1	1	2	3	1	7	15	14	18	16	16	6	3	-
	White-----M--	77	3	1	-	-	-	-	1	-	-	-	2	1	1	2	3	1	5	10	9	14	9	11	4	-	-
	F--	24	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	4	3	3	4	4	2	2	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	1	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Residual	All other diseases	255	19	1	2	2	1	2	2	3	6	2	5	9	12	6	13	19	23	26	31	30	16	11	10	2	2
	White-----M--	148	10	1	-	2	1	1	1	2	4	-	2	5	6	4	9	12	13	18	21	17	8	4	5	-	2
	F--	100	7	-	2	-	-	1	1	-	2	1	3	3	6	1	4	6	10	8	10	13	8	7	5	2	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents----------	503	24	19	7	6	6	23	11	45	49	35	34	32	33	16	25	27	25	18	18	15	14	11	6	1	3
	White-----M--	365	18	14	4	3	2	14	8	33	39	32	30	28	28	13	16	20	19	13	13	8	7	3	1	-	1
	F--	128	8	5	3	3	4	8	3	12	7	2	4	4	4	3	8	7	6	4	5	7	7	8	5	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	2
	F--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	226	3	3	1	2	3	10	4	36	29	15	18	18	14	8	14	12	15	7	5	4	4	-	-	-	1
	White-----M--	159	3	2	1	-	-	3	2	25	23	13	14	15	13	7	8	7	10	4	4	2	3	-	-	-	-
	F--	61	-	1	-	2	3	6	2	11	4	2	4	3	1	1	5	5	5	2	1	2	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1
	F--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	277	21	16	6	4	3	13	7	9	20	20	16	14	19	8	11	15	10	11	13	11	10	11	6	1	2
	White-----M--	206	13	12	3	3	2	11	6	8	16	19	16	13	15	6	8	13	9	9	9	6	4	3	1	1	1
	F--	67	8	4	3	1	1	2	1	1	3	-	-	1	3	2	3	2	1	2	4	5	6	8	5	1	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	85	-	-	-	-	-	-	-	1	1	4	10	6	5	13	10	9	10	6	6	1	2	1	-	-	-
	White-----M--	73	-	-	-	-	-	-	-	1	1	3	9	4	4	8	10	9	9	6	6	1	1	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	1	2	1	5	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E988	Homicide----------	9	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	3	-	1	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	3	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS																										
	ALL CAUSES	92,490	4,868	347	195	176	108	404	306	583	830	1,058	1,302	1,660	2,845	4,105	5,926	7,970	10,008	11,301	11,334	10,854	8,875	4,952	1,842	345	78
	White---M	48,443	2,423	156	87	87	53	223	165	332	439	473	560	905	1,475	2,253	3,318	4,638	5,909	6,322	6,001	5,384	4,234	2,133	728	117	28
	F	36,263	1,732	123	72	55	39	131	106	159	210	334	426	604	869	1,234	1,819	2,596	3,299	4,198	4,796	5,049	4,415	2,688	1,068	213	28
	Nonwhite---M	4,280	413	38	17	15	5	30	22	41	101	138	172	193	261	344	448	424	426	449	292	241	120	57	17	10	8
	F	3,504	300	30	19	21	9	20	15	51	80	113	144	178	240	272	341	312	374	332	245	180	108	74	29	5	14
001-019	Tuberculosis, all forms	2,135	9	26	13	3	1	12	14	27	104	113	148	171	212	200	212	206	212	182	121	85	43	16	5	-	-
	White---M	1,128	2	11	2	-	-	3	2	3	19	19	25	66	121	101	142	150	156	127	92	50	24	9	4	-	-
	F	372	1	4	5	-	-	2	3	5	19	22	40	40	34	34	18	23	31	23	20	25	17	5	1	-	-
	Nonwhite---M	373	3	3	5	2	-	4	4	7	26	35	42	34	35	53	34	24	20	26	6	8	1	1	-	-	-
	F	262	3	8	1	1	1	3	5	12	40	37	41	31	22	12	18	9	5	6	3	2	1	1	-	-	-
001-008	Tuberculosis of respiratory system	1,958	7	4	4	1	-	6	9	18	92	102	135	161	195	191	203	196	204	176	116	78	41	14	5	-	-
	White---M	1,064	-	2	-	-	-	2	1	2	16	18	25	64	111	97	136	145	152	125	88	45	24	7	4	-	-
	F	337	1	1	2	-	-	-	1	4	16	20	38	38	32	31	18	21	29	20	19	25	15	5	1	-	-
	Nonwhite---M	335	3	1	1	1	-	4	3	3	23	32	34	32	32	52	33	23	18	26	6	6	1	1	-	-	-
	F	222	3	-	1	-	-	-	4	9	37	32	38	27	20	11	16	7	5	5	3	2	1	1	-	-	-
010-019	Tuberculosis, other forms	177	2	22	9	2	1	6	5	9	12	11	13	10	17	9	9	10	8	6	5	7	2	2	-	-	-
	White---M	64	2	9	2	-	-	1	1	1	3	1	-	2	10	4	6	5	4	2	4	5	-	2	-	-	-
	F	35	-	3	3	-	-	2	2	1	3	2	2	2	2	3	-	2	2	3	1	-	2	-	-	-	-
	Nonwhite---M	38	-	2	4	1	-	-	1	4	3	3	8	2	3	1	1	1	2	-	-	2	-	-	-	-	-
	F	40	-	8	-	1	1	3	1	3	3	5	3	4	2	1	2	2	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	426	2	-	-	-	-	-	-	3	3	2	2	4	19	30	59	65	73	76	45	26	12	4	-	1	-
	White---M	253	1	-	-	-	-	-	-	2	2	1	-	2	7	10	34	42	50	47	29	17	6	3	-	-	-
	F	76	1	-	-	-	-	-	-	-	-	1	2	-	4	8	9	11	8	13	9	3	5	1	-	1	-
	Nonwhite---M	68	-	-	-	-	-	-	-	-	-	-	-	1	6	8	13	11	5	11	7	5	1	-	-	-	-
	F	29	-	-	-	-	-	-	-	1	1	-	-	1	2	4	3	1	10	5	-	1	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	21	3	-	1	-	2	2	-	-	-	-	3	-	1	1	1	-	2	1	1	1	-	2	-	-	-
	White---M	12	2	-	-	-	1	2	-	-	-	-	1	-	1	1	-	-	2	1	1	-	-	1	-	-	-
	F	8	1	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	1	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	10	-	1	-	-	-	-	-	2	-	1	-	1	-	1	-	2	-	-	-	1	1	-	-	-	-
	White---M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	1	-	-	-	-	-	2	-	-	-	1	-	1	-	1	-	-	-	1	1	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	21	10	6	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	6	3	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	49	12	6	5	3	3	1	2	3	2	2	1	2	-	3	2	-	-	1	1	-	-	-	-	-	-
	White---M	27	7	1	4	3	2	-	-	2	1	2	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-
	F	17	4	4	1	-	1	1	-	1	1	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite---M	3	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	127	1	5	2	3	1	25	15	11	15	25	10	6	5	2	1	-	-	-	-	-	-	-	-	-	-
	White---M	82	1	5	1	2	-	14	8	8	10	15	8	4	3	2	1	-	-	-	-	-	-	-	-	-	-
	F	44	-	-	1	1	1	11	7	3	5	10	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	8	1	1	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other ricketteial dis.	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	152	18	8	3	3	2	7	2	3	1	7	5	10	7	7	6	14	12	8	9	7	6	3	3	-	1
	White---M	81	11	4	1	-	2	4	1	-	-	4	-	4	6	3	1	10	9	6	4	4	3	2	1	-	1
	F	46	6	3	2	2	-	1	1	1	-	1	2	3	-	1	3	4	2	1	5	2	3	1	2	-	-
	Nonwhite---M	9	1	-	-	1	-	1	-	-	1	1	1	1	-	2	-	-	1	-	-	1	-	-	-	-	-
	F	16	-	1	-	-	-	1	-	2	1	2	2	2	1	1	2	-	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
140-205	Malignant neoplasms, etc.*—	14,517	15	25	20	28	13	56	32	40	56	100	178	315	531	861	1,244	1,782	2,101	2,128	1,954	1,509	1,008	403	95	14	1
	White—M—	7,107	9	15	10	13	7	30	17	19	28	41	83	94	182	341	544	841	1,151	1,114	1,024	800	528	186	44	6	-
	F—	6,470	5	8	10	14	6	22	12	18	23	42	89	175	282	420	579	818	826	891	858	652	457	208	48	7	-
	Nonwhite—M—	445	1	1	-	1	-	2	1	-	3	9	7	15	18	40	49	70	61	68	39	37	14	5	2	1	1
	F—	495	-	1	-	-	-	2	2	3	2	8	19	31	49	60	72	63	63	53	33	20	9	4	1	-	-
140-148	Of buccal cavity and pharynx—	358	-	-	-	1	-	-	-	1	-	2	-	4	10	15	20	48	68	62	45	38	27	16	1	-	-
	White—M—	289	-	-	-	1	-	-	-	-	-	1	-	3	9	11	17	38	58	53	35	29	19	14	1	-	-
	F—	55	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	7	7	6	8	9	8	2	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum—	5,985	1	3	1	1	-	-	2	3	6	14	29	80	144	243	403	708	891	981	954	755	509	200	47	9	1
	White—M—	3,178	1	1	-	-	-	-	-	3	5	8	12	34	66	114	208	357	512	553	538	399	256	88	22	3	-
	F—	2,445	-	2	1	1	-	-	-	-	-	3	10	33	59	92	159	291	323	375	386	328	245	107	24	6	-
	Nonwhite—M—	213	-	-	-	-	-	-	-	-	1	4	2	8	10	23	16	36	33	35	14	21	6	2	1	-	1
	F—	149	-	-	-	-	-	2	-	-	-	1	5	5	9	14	20	24	23	18	16	7	2	3	-	-	-
160-164	Of respiratory system—	1,481	-	-	-	1	-	-	1	-	1	5	16	13	45	122	169	245	282	225	169	95	63	15	4	-	-
	White—M—	1,159	-	-	-	-	-	-	-	-	-	4	10	7	34	99	141	201	246	177	124	63	42	9	2	-	-
	F—	248	-	-	-	1	-	-	1	-	1	-	4	2	9	14	16	30	36	38	41	30	17	6	2	-	-
	Nonwhite—M—	60	-	-	-	-	-	-	-	-	-	1	2	3	2	6	11	12	7	8	2	2	4	-	-	-	-
	F—	14	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	3	2	2	-	-	-	-	-	-
170	Of breast—	1,278	-	-	-	-	-	-	-	-	1	8	29	45	70	134	157	170	159	175	127	103	58	34	8	-	-
	White—M—	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	2	1	1	-	-	-
	F—	1,182	-	-	-	-	-	-	-	-	1	8	25	36	62	122	141	165	147	161	121	97	55	33	8	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	83	-	-	-	-	-	-	-	-	-	4	9	8	12	16	5	10	11	2	4	2	-	-	-	-	-
171-179	Of genital organs—	2,273	-	-	-	-	-	3	1	1	7	22	37	67	127	158	203	248	264	282	309	263	184	69	23	5	-
	White—M—	706	-	-	-	-	-	1	-	-	3	6	3	5	7	8	17	34	59	101	135	156	116	40	14	3	-
	F—	1,346	-	-	-	-	-	2	1	1	4	12	26	49	98	126	155	183	184	154	159	96	62	26	7	1	-
	Nonwhite—M—	48	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	5	10	7	6	2	2	1	1	-
	F—	173	-	-	-	-	-	-	-	-	-	4	8	13	22	25	26	23	18	17	8	5	4	1	1	-	-
180, 181	Of urinary organs—	772	3	1	1	3	3	4	1	2	-	1	2	10	13	29	70	97	114	127	114	87	61	27	2	-	-
	White—M—	469	2	1	-	2	1	2	1	-	-	1	1	3	9	18	47	70	81	85	67	48	33	17	2	-	-
	F—	239	1	-	1	1	2	2	-	2	-	-	1	5	1	10	15	23	25	40	41	33	27	9	-	-	-
	Nonwhite—M—	33	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	4	6	-	5	6	1	1	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	2	2	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	1,283	2	8	5	4	5	20	11	19	21	16	22	48	64	89	133	146	174	148	132	102	75	32	9	-	-
	White—M—	668	-	5	3	-	4	10	5	8	9	9	13	19	26	50	69	72	106	78	66	64	40	12	2	-	-
	F—	536	1	3	2	4	1	9	5	9	9	6	6	27	31	34	55	64	59	62	58	33	33	20	7	-	-
	Nonwhite—M—	46	1	-	-	-	-	1	1	-	1	1	2	1	3	4	4	5	5	7	7	2	1	-	-	-	-
	F—	33	-	-	-	-	-	-	-	2	2	-	1	1	4	1	5	5	4	1	3	3	1	-	-	-	-
204	Leukemia and aleukemia—	589	7	12	12	16	5	24	15	10	7	16	18	24	26	28	39	53	72	72	58	47	18	8	1	-	-
	White—M—	325	5	7	6	10	2	13	11	5	6	5	9	10	12	16	21	26	41	40	34	28	13	4	1	-	-
	F—	235	2	3	6	6	3	8	4	4	-	9	8	12	12	10	15	24	28	31	22	19	5	4	-	-	-
	Nonwhite—M—	12	-	1	-	-	-	1	-	-	1	1	-	1	-	-	2	2	1	-	2	-	-	-	-	-	-
	F—	17	-	1	-	-	-	2	-	1	-	1	1	1	2	3	1	1	2	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	498	2	1	1	2	-	5	1	4	13	16	25	24	32	42	50	77	67	56	46	19	13	2	-	-	-
	White—M—	280	1	1	1	-	-	4	-	3	5	9	15	13	19	28	24	43	46	28	21	11	8	1	-	-	-
	F—	184	1	-	-	1	-	1	1	1	8	3	9	10	9	10	21	31	17	24	24	7	5	1	-	-	-
	Nonwhite—M—	24	-	-	-	1	-	-	-	-	-	2	1	1	2	3	5	1	3	5	-	-	-	-	-	-	-
	F—	10	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	1	1	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	265	5	4	-	2	1	3	1	1	3	9	14	19	28	30	30	33	26	20	15	13	8	-	-	-	-
	White—M—	83	3	2	-	-	-	2	-	-	3	3	3	6	7	9	13	13	11	4	8	4	3	-	-	-	-
	F—	156	2	2	-	2	1	1	1	-	-	5	8	13	18	22	14	19	15	14	5	9	5	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F—	23	-	-	-	-	-	-	-	1	-	-	3	4	4	1	5	1	-	2	2	-	-	-	-	-	-
260	Diabetes mellitus—	1,701	1	1	-	2	-	3	7	11	4	12	17	17	31	40	90	174	268	302	304	225	134	49	7	2	-
	White—M—	618	-	-	-	1	-	2	2	7	1	3	12	9	16	16	34	64	87	92	114	84	56	16	-	2	-
	F—	1,003	1	1	-	1	-	1	5	4	3	9	5	5	10	20	47	99	169	194	180	138	75	29	7	-	-
	Nonwhite—M—	21	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	6	2	2	2	-	-	-	-
	F—	59	-	-	-	-	-	-	-	-	-	-	-	3	4	2	7	10	9	10	8	1	1	4	-	-	-
280-283	Anemias—	284	3	3	1	1	1	-	2	3	2	4	5	5	5	6	3	18	19	40	48	52	41	15	6	1	-
	White—M—	125	1	2	1	1	-	-	1	1	-	2	2	1	2	2	1	5	11	17	26	28	15	5	1	-	-
	F—	144	1	-	-	-	-	-	-	1	1	2	2	4	3	3	2	12	7	20	21	25	26	10	5	1	-
	Nonwhite—M—	8	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-	-	-
	F—	7	1	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis—	84	17	5	3	4	1	5	2	2	3	2	6	4	2	5	4	3	7	3	3	3	-	-	-	-	-
	White—M—	54	9	5	3	2	1	5	2	2	3	1	2	2	1	2	3	2	5	-	3	1	-	-	-	-	-
	F—	15	4	-	-	2	-	-	-	-	-	-	1	2	1	2	-	1	-	1	-	1	-	-	-	-	-
	Nonwhite—M—	9	1	-	-	-	-	-	-	-	1	3	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	F—	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
330-334, 400-468, 592-584	Major cardiovascular-renal diseases—	52,212	25	10	7	5	3	39	38	64	119	193	337	608	1,167	1,988	3,122	4,385	5,848	7,020	7,458	7,658	6,522	3,806	1,466	275	49
	White—M—	27,409	18	5	2	2	2	11	14	23	42	75	159	326	654	1,212	1,825	2,695	3,478	3,960	3,890	3,685	3,060	1,600	565	91	17
	F—	21,045	6	3	3	1	1	21	20	25	45	81	97	161	284	468	833	1,263	1,842	2,551	3,209	3,671	3,298	2,107	861	172	20
	Nonwhite—M—	1,971	-	2	1	1	-	6	3	7	23	15	39	61	118	156	267	234	265	280	182	159	86	42	13	6	4
	F—	1,787	1	-	1	1	-	1	1	9	9	22	43	60	111	152	197	193	263	229	177	143	78	57	27	4	8
330-334, 400-468	Diseases of cardiovascular system—	50,414	25	8	5	3	1	30	35	53	93	155	301	562	1,105	1,898	3,000	4,240	5,670	6,811	7,241	7,445	6,308	3,686	1,422	271	45
	White—M—	26,576	16	5	2	-	-	8	13	18	30	60	141	304	625	1,174	1,769	2,609	3,400	3,863	3,789	3,597	2,954	1,547	547	89	16
	F—	20,285	8	1	2	1	1	15	18	21	34	61	85	143	287	440	791	1,220	1,768	2,463	3,117	3,560	3,198	2,044	837	170	20
	Nonwhite—M—	1,670	-	2	-	1	-	6	3	7	20	13	34	58	109	144	262	224	254	269	168	152	81	39	12	8	4
	F—	1,685	1	-	1	1	-	1	1	7	9	21	41	57	104	140	178	187	248	216	167	136	76	56	26	4	5
330-334	Vascular lesions, etc.*—	9,246	7	6	2	1	-	4	3	6	10	18	39	65	131	279	448	639	980	1,275	1,480	1,619	1,313	679	205	32	5
	White—M—	4,165	2	3	1	-	-	1	1	4	3	5	19	26	49	128	186	290	471	618	703	707	583	276	79	9	1
	F—	4,444	4	1	-	1	-	2	2	1	3	10	12	20	49	102	193	278	407	567	715	854	694	386	120	21	2
	Nonwhite—M—	288	-	2	-	-	-	1	-	1	2	2	5	8	13	23	37	35	48	41	20	27	14	5	2	1	1
	F—	349	1	-	1	-	-	-	-	-	2	1	3	11	20	26	32	36	54	49	42	31	22	12	4	1	1
400-402	Rheumatic fever—	76	4	-	-	-	-	11	11	8	3	3	8	8	3	2	2	3	4	4	-	1	1	-	-	-	-
	White—M—	32	3	-	-	-	-	1	4	4	-	2	5	3	2	-	-	1	4	3	-	-	-	-	-	-	-
	F—	32	1	-	-	-	-	7	6	2	1	1	2	4	1	1	2	1	-	1	-	1	1	-	-	-	-
	Nonwhite—M—	10	-	-	-	-	-	3	1	1	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
410-443	Diseases of heart	38,170	11	1	2	2	1	15	19	34	70	116	233	460	927	1,541	2,445	3,467	4,484	5,250	5,413	5,374	4,451	2,617	997	210	30
	White—M	20,952	8	1	-	-	-	6	8	9	26	49	111	263	554	1,011	1,537	2,244	2,814	3,091	2,905	2,666	2,103	1,089	376	70	11
	F	14,519	3	-	2	-	1	6	8	15	23	41	85	111	205	317	556	896	1,299	1,790	2,248	2,496	2,242	1,459	593	130	13
	Nonwhite—M	1,453	-	-	-	1	-	2	2	5	15	10	26	45	88	111	213	180	186	215	138	112	56	29	8	7	2
	F	1,246	-	-	-	1	-	1	1	5	6	16	31	41	80	102	139	147	183	154	122	100	50	40	20	3	4
410-416	Chronic rheumatic heart disease	1,415	...	-	-	1	-	3	12	15	28	40	73	96	134	116	169	157	143	127	102	79	67	38	13	2	-
	White—M	662	...	-	-	-	-	1	4	3	10	15	35	48	65	54	81	69	60	63	49	45	33	19	6	2	-
	F	659	...	-	-	-	-	1	6	6	12	22	31	44	56	53	76	79	79	61	45	33	31	19	5	-	-
	Nonwhite—M	48	...	-	-	-	-	1	2	2	4	-	2	2	8	3	6	5	3	1	5	1	2	-	1	-	-
	F	46	...	-	-	1	-	-	-	4	2	3	5	2	5	6	6	4	1	2	3	-	1	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	20,576	2	-	-	-	-	2	-	3	12	36	68	180	444	874	1,415	2,050	2,629	3,109	3,120	2,864	2,181	1,144	386	68	9
	White—M	12,645	1	-	-	-	-	1	-	2	6	23	47	132	337	679	1,040	1,529	1,840	1,934	1,804	1,521	1,099	479	148	21	4
	F	6,946	1	-	-	-	-	1	-	1	2	7	9	27	61	119	264	421	653	1,004	1,190	1,257	1,022	628	233	43	3
	Nonwhite—M	626	-	-	-	-	-	-	-	-	4	5	9	15	33	52	73	69	83	108	75	53	27	15	2	3	-
	F	359	-	-	-	-	-	-	-	-	-	1	3	6	13	24	38	31	53	63	51	33	13	22	5	1	2
421, 422	Nonrheumatic chronic endocarditis, etc.*	9,157	...	-	1	1	-	1	3	7	13	27	44	84	166	269	423	628	881	1,021	1,209	1,406	1,426	993	448	113	15
	White—M	4,595	...	-	-	-	-	1	2	3	5	8	14	45	78	160	230	362	512	598	612	677	652	421	170	41	4
	F	3,837	...	-	1	-	-	-	1	3	3	7	15	17	40	58	89	163	257	337	540	674	737	553	264	69	9
	Nonwhite—M	375	...	-	-	1	-	-	-	-	4	4	6	11	25	25	68	55	50	46	27	25	16	8	3	1	-
	F	350	...	-	-	-	-	-	-	1	1	8	9	11	23	26	36	48	42	40	30	30	21	11	9	2	2
430-434	Other diseases of heart	1,534	9	1	1	-	1	9	4	7	12	9	24	46	63	83	100	133	201	205	189	185	139	91	31	9	2
	White—M	987	7	1	-	-	-	3	2	1	3	2	9	26	38	54	65	84	124	141	107	89	76	39	13	2	1
	F	507	2	-	1	-	1	4	1	4	4	4	5	9	14	20	23	36	56	47	73	87	62	51	16	7	-
	Nonwhite—M	74	-	-	-	-	-	1	-	2	2	-	5	6	8	4	9	7	8	9	5	6	-	-	1	-	1
	F	66	-	-	-	-	-	1	1	-	3	3	5	5	3	5	3	6	13	8	4	3	1	1	1	-	-
440-443	Hypertension with heart dis.	5,488	-	-	-	-	-	-	-	2	5	4	24	54	120	199	338	499	650	788	793	860	658	351	121	18	4
	White—M	2,163	-	-	-	-	-	-	-	-	2	1	6	12	36	64	121	200	278	355	333	334	243	131	41	4	2
	F	2,570	-	-	-	-	-	-	-	1	2	1	5	14	34	67	104	197	254	341	400	465	390	208	75	11	1
	Nonwhite—M	330	-	-	-	-	-	-	-	1	1	1	4	11	14	27	57	44	44	51	26	27	11	6	1	3	1
	F	425	-	-	-	-	-	-	-	-	-	1	9	17	36	41	56	58	74	41	34	34	14	6	4	-	-
444-447	Hypertension without mention of heart	763	-	-	-	-	-	-	-	2	2	8	13	14	29	39	49	55	68	84	80	103	107	71	36	2	1
	White—M	341	-	-	-	-	-	-	-	-	-	1	4	3	12	16	19	30	36	35	42	53	44	33	11	1	1
	F	315	-	-	-	-	-	-	-	1	1	3	2	4	8	6	17	17	20	38	35	44	60	36	24	1	-
	Nonwhite—M	53	-	-	-	-	-	-	-	-	1	1	2	2	7	7	7	5	7	6	2	5	1	-	-	-	-
	F	54	-	-	-	-	-	-	-	1	-	3	5	5	4	10	6	3	5	5	1	1	2	2	1	-	-
450	General arteriosclerosis	1,770	-	-	-	-	-	-	-	-	-	-	-	-	2	10	20	32	84	145	223	318	411	309	180	27	9
	White—M	874	-	-	-	-	-	-	-	-	-	-	-	-	2	5	7	19	47	68	113	155	203	142	89	9	3
	F	820	-	-	-	-	-	-	-	-	-	-	-	-	-	3	10	11	24	44	101	151	196	160	97	18	5
	Nonwhite—M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	6	7	8	10	5	2	-	1
	F	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	7	2	4	2	2	1	-	-
451-468	Other diseases of circulatory sys.	389	3	1	1	-	-	2	3	8	10	8	15	13	27	36	44	50	53	45	30	26	10	4	-	-	-
	White—M	212	3	1	1	-	-	-	1	1	3	2	9	6	13	20	25	28	28	26	16	21	7	1	-	-	-
	F	155	-	-	-	-	-	2	2	6	6	4	4	6	11	13	17	18	23	18	14	5	3	3	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	1	-	-	2	1	2	3	1	4	1	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis etc.*	1,798	-	2	2	2	2	9	3	11	26	38	36	46	62	90	122	145	178	209	217	213	213	120	44	4	4
	White—M	853	-	-	-	2	2	3	1	5	12	15	18	22	29	38	56	86	78	97	101	88	106	53	18	2	1
	F	760	-	2	1	-	-	6	2	4	11	20	12	18	17	28	42	43	74	88	92	111	100	63	24	2	-
	Nonwhite—M	101	-	-	1	-	-	-	-	-	3	2	4	3	9	12	5	10	11	11	14	7	5	3	1	-	-
	F	104	-	-	-	-	-	-	-	2	-	1	2	3	7	12	19	6	15	13	10	7	2	1	1	-	3
480-493	Influenza and pneumonia, etc.*	2,539	458	69	26	22	6	18	12	12	17	19	27	52	62	81	129	157	174	214	252	255	252	168	61	12	4
	White—M	1,361	198	36	9	11	5	7	7	6	9	3	5	32	29	35	72	96	108	119	142	131	103	77	28	2	2
	F	932	156	24	8	9	1	6	5	4	6	9	14	9	18	20	29	39	42	74	84	112	157	84	32	9	1
	Nonwhite—M	215	53	13	4	1	-	3	-	2	1	3	4	5	9	15	17	16	21	10	21	7	4	5	-	1	-
	F	131	31	6	5	1	-	2	-	-	1	4	4	6	6	11	11	7	3	11	5	5	8	2	1	-	1
480-483	Influenza	142	14	2	3	-	-	1	-	2	1	-	-	3	1	4	4	6	5	10	16	23	22	17	7	1	-
	White—M	75	8	1	1	-	-	1	-	1	-	-	-	2	-	2	3	5	3	6	8	12	9	8	5	-	-
	F	59	5	1	2	-	-	-	-	-	1	-	-	1	1	1	1	-	2	4	7	10	12	8	2	1	-
	Nonwhite—M	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*	2,397	424	67	23	22	6	17	12	10	16	19	27	49	61	77	125	151	169	204	236	232	230	151	54	11	4
	White—M	1,186	190	25	6	11	5	6	7	5	9	3	5	30	29	33	69	90	105	113	134	119	94	69	23	2	2
	F	873	151	23	6	9	1	6	5	4	5	9	14	8	17	19	28	39	40	70	77	102	125	76	30	8	1
	Nonwhite—M	209	52	13	4	1	-	3	-	1	1	3	4	5	9	15	17	15	21	10	20	7	3	4	-	1	-
	F	129	31	6	5	1	-	2	-	-	1	4	4	6	6	10	11	7	3	11	5	4	8	2	1	-	1
500-502	Bronchitis	197	46	10	4	5	2	7	-	-	2	3	-	1	3	2	5	14	10	22	13	14	13	13	5	2	1
	White—M	107	21	4	3	2	1	5	-	-	1	-	-	1	2	1	4	10	8	17	8	5	4	8	1	1	-
	F	74	15	4	1	3	1	1	-	-	1	3	-	-	1	1	1	3	2	5	5	9	9	4	4	1	-
	Nonwhite—M	6	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum	590	7	-	-	-	-	-	-	1	2	8	8	25	23	48	64	85	98	101	47	44	22	16	1	-	-
	White—M	451	5	-	-	-	-	-	-	1	2	8	7	18	17	31	50	70	70	77	37	31	17	9	1	-	-
	F	106	2	-	-	-	-	-	-	-	-	-	-	4	1	12	9	10	16	19	8	13	5	7	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	-	1	3	3	5	3	3	1	5	2	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	227	-	4	4	4	2	10	4	6	4	9	10	7	14	21	20	20	30	19	15	10	9	4	1	-	-
	White—M	122	-	3	1	2	2	3	1	4	-	6	5	2	9	11	12	12	16	9	8	8	5	3	-	-	-
	F	75	-	1	3	-	-	5	3	1	4	3	3	2	3	7	6	3	11	7	5	-	4	1	1	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	3	2	2	1	2	-	-	-	-	-
	F	15	-	-	-	2	-	2	-	1	-	-	-	2	1	1	1	2	1	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	557	50	1	2	1	-	4	2	-	6	4	6	11	19	22	37	47	48	54	59	89	53	31	8	3	-
	White—M	260	29	-	1	1	-	3	1	-	1	1	1	5	9	8	14	21	18	30	22	44	29	18	2	2	-
	F	253	18	1	-	-	-	1	1	-	3	2	4	5	7	10	16	22	25	23	32	42	21	13	6	1	-
	Nonwhite—M	28	3	-	-	-	-	-	-	-	1	-	1	-	2	2	5	3	3	-	3	3	2	-	-	-	-
	F	16	-	-	1	-	-	-	-	-	1	1	-	1	1	2	2	1	2	1	2	-	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
543,	Gastritis, etc.*—	308	94	19	4	2	—	6	2	1	3	3	5	6	11	6	19	6	20	25	22	22	12	15	3	1	1
571,	White——M—	125	40	10	2	1	—	2	—	1	1	2	1	1	2	3	7	3	14	10	8	10	2	5	—	—	—
572	F—	139	26	7	2	1	—	4	2	—	2	1	4	4	6	3	9	3	4	12	14	11	10	10	3	1	—
	Nonwhite—M—	21	13	1	—	—	—	—	—	—	—	—	—	1	1	—	1	—	2	3	—	—	—	—	—	—	—	—
	F—	23	15	1	—	—	—	—	—	—	—	—	—	—	2	—	3	—	—	—	1	—	—	—	—	—	1
581	Cirrhosis of liver	1,006	2	—	—	—	—	2	2	2	5	13	21	55	94	111	118	142	134	128	92	44	32	5	4	—	—
	White——M—	668	1	—	—	—	—	—	1	—	1	2	13	36	72	77	86	91	88	91	63	25	14	1	4	—	—
	F—	288	—	—	—	—	—	2	1	2	4	7	7	14	14	27	25	43	40	35	26	19	18	4	—	—	—
	Nonwhite—M—	31	1	—	—	—	—	—	—	—	—	3	1	3	4	3	2	6	5	2	1	—	—	—	—	—	—
	F—	19	—	—	—	—	—	—	—	—	—	1	—	2	2	4	5	2	1	—	2	—	—	—	—	—	—
590,	Acute nephritis,																										
591	etc.*—	199	2	2	5	6	—	3	1	2	9	5	8	10	9	7	12	26	19	18	20	14	12	8	1	—	—
	White——M—	99	1	—	—	5	—	1	1	2	9	2	4	5	3	2	9	13	13	8	7	4	7	2	1	—	—
	F—	75	1	2	5	—	—	—	—	—	—	1	4	2	3	3	2	8	4	8	12	9	5	6	—	—	—
	Nonwhite—M—	12	—	—	—	—	—	1	—	—	—	2	—	1	—	2	—	3	1	—	1	1	—	—	—	—	—
	F—	13	—	—	—	1	—	1	—	—	—	—	—	2	3	—	1	2	1	2	—	—	—	—	—	—	—
610	Hyperplasia of prostate—	474	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	13	40	59	98	92	85	57	22	3	—
	White——M—	457	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	13	37	55	94	90	82	57	21	3	—
	Nonwhite—M—	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	4	4	2	3	—	1	—	—
640–	Complications of																										
689	pregnancy, etc.*—	112	...	...	...	...	...	...	—	4	19	27	22	29	9	2	—	—	...	...	...	...	...	...	...	...	—
	White——F—	86	...	...	...	...	...	...	—	3	15	18	15	26	9	2	—	—	...	...	...	...	...	...	...	...	—
	Nonwhite—F—	26	...	...	...	...	...	...	—	1	6	9	7	3	—	—	—	—	...	...	...	...	...	...	...	...	—
650–	Abortion—	9	...	...	...	...	...	...	—	—	2	4	1	1	1	—	—	—	...	...	...	...	...	...	...	...	—
652	White——F—	6	...	...	...	...	...	...	—	—	—	3	1	1	1	—	—	—	...	...	...	...	...	...	...	...	—
	Nonwhite—F—	3	...	...	...	...	...	...	—	—	2	1	—	—	—	—	—	—	...	...	...	...	...	...	...	...	—
640–	All other com-																										
649,	plications—	103	...	...	...	...	...	...	—	4	17	23	21	28	8	2	—	—	...	...	...	...	...	...	...	...	—
660–	White——F—	80	...	...	...	...	...	...	—	3	15	15	14	25	8	2	—	—	...	...	...	...	...	...	...	...	—
689	Nonwhite—F—	23	...	...	...	...	...	...	—	1	4	8	7	3	—	—	—	—	...	...	...	...	...	...	...	...	—
750–	Congenital mal-																										
759	formations—	1,063	821	38	16	11	7	12	9	12	8	13	15	15	16	13	16	14	13	7	1	2	3	1	—	—	—
	White——M—	529	402	18	11	6	3	7	6	6	3	7	6	6	7	5	11	11	7	3	1	1	1	1	—	—	—
	F—	449	354	16	5	4	2	3	3	5	5	4	7	6	8	7	4	3	6	4	—	1	2	—	—	—	—
	Nonwhite—M—	45	36	3	—	—	1	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F—	40	29	1	—	1	1	—	—	1	—	2	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—
760–	Certain diseases																										
776	of early infancy—	2,998	2,998	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White——M—	1,519	1,519	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	1,016	1,016	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	273	273	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	190	190	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
760–	Birth injuries,																										
762	etc.*—	1,699	1,699	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White——M—	895	895	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	539	539	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	164	164	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	101	101	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
763–	Infections of																										
768	newborn—	181	181	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White——M—	85	85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	47	47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	29	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	20	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769–	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	1,118	1,118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White——M—	539	539	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	430	430	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	80	80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	69	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
780–	Senility, etc.*—	436	18	1	—	—	—	2	3	11	10	10	6	8	11	17	14	19	20	23	43	43	57	64	33	13	10
795	White——M—	209	8	—	—	—	—	1	3	3	5	6	5	4	7	14	11	16	13	11	21	21	20	24	7	4	5
	F—	198	9	1	—	—	—	1	—	5	2	4	1	4	4	2	2	2	5	11	19	21	33	38	25	8	2
	Nonwhite—M—	17	—	—	—	—	—	—	—	2	3	—	—	—	—	—	1	1	1	1	2	1	2	1	1	—	1
	F—	11	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	1	—	2	1	—	1	2
Re-	All other diseases	3,507	155	28	24	15	21	32	34	45	45	72	86	106	159	205	247	274	364	423	328	295	223	95	42	2	5
sid-	White——M—	1,593	63	10	10	6	9	20	16	23	17	24	34	43	59	102	118	136	205	222	167	140	101	41	25	1	1
ual	F—	1,468	53	13	10	4	10	8	14	17	24	37	41	53	73	84	110	111	141	188	147	146	114	51	17	1	1
	Nonwhite—M—	135	10	3	3	—	1	3	2	3	1	7	6	3	12	11	14	18	12	7	9	6	3	—	—	—	1
	F—	111	9	2	1	5	1	1	2	2	3	4	5	9	15	8	5	9	6	6	5	3	5	3	—	—	2
E800–	Accidents—	5,021	132	70	49	54	38	150	115	279	308	281	258	269	273	269	319	332	339	308	302	303	306	167	78	16	6
E962	White——M—	3,165	69	33	24	28	18	100	77	200	243	201	160	194	182	192	224	230	238	207	164	159	135	58	22	5	2
	F—	1,401	41	22	14	11	12	36	26	56	36	49	58	36	56	48	67	72	78	83	121	135	168	105	56	11	4
	Nonwhite—M—	312	12	8	4	6	3	7	10	14	20	18	33	30	28	24	22	21	17	13	11	6	2	3	—	—	—
	F—	143	10	7	7	9	5	7	2	9	9	13	7	9	7	5	6	9	6	5	6	3	1	1	—	—	—
E810–	Motor-vehicle																										
E835	accidents—	2,042	14	11	13	19	12	65	50	174	209	160	143	140	105	115	147	133	140	138	108	79	50	14	2	—	1
	White——M—	1,402	5	6	7	14	10	44	34	128	171	117	87	98	68	77	99	89	87	88	73	55	32	10	2	—	1
	F—	481	8	5	6	2	2	17	15	40	25	28	35	22	28	25	37	33	42	42	28	20	17	4	—	—	—
	Nonwhite—M—	103	—	—	—	—	—	2	—	3	8	6	18	14	7	10	6	6	10	5	5	3	—	—	—	—	—
	F—	56	1	—	—	3	—	2	1	3	5	9	3	6	2	3	5	5	1	3	2	1	1	—	—	—	—
E800–	All ot. accidents—	2,979	118	59	36	35	26	85	65	105	99	121	115	129	168	154	172	199	199	170	194	224	256	153	76	16	5
E802,	White——M—	1,763	64	27	17	14	8	56	43	72	72	84	73	96	114	115	125	141	151	119	91	104	103	48	20	5	1
E840–	F—	920	33	17	8	9	10	19	11	16	11	21	23	14	28	23	30	39	36	41	93	115	151	101	56	11	4
E962	Nonwhite—M—	209	12	8	4	6	3	5	10	11	12	12	15	16	21	14	16	15	7	8	6	3	2	3	—	—	—
	F—	87	9	7	7	6	5	5	1	6	4	4	4	3	5	2	1	4	5	2	4	2	—	1	—	—	—
E963,	Suicide—	1,015	—	—	—	—	—	—	2	18	44	54	50	59	88	89	118	108	122	110	81	40	21	10	1	—	—
E970–	White——M—	748	—	—	—	—	—	—	2	10	28	32	29	30	62	61	88	84	103	90	67	35	19	7	1	—	—
E979	F—	230	—	—	—	—	—	—	—	3	12	20	13	28	20	23	28	22	19	18	14	5	2	3	—	—	—
	Nonwhite—M—	25	—	—	—	—	—	—	—	2	2	1	5	1	6	2	2	2	—	2	—	—	—	—	—	—	—
	F—	12	—	—	—	—	—	—	—	3	2	1	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—
E964,	Homicide—	417	3	3	2	—	—	1	5	19	35	67	53	62	44	34	31	21	17	11	2	7	—	—	—	—	—
E980–	White——M—	135	2	—	—	—	—	1	2	8	9	12	13	17	13	12	13	10	10	5	1	7	—	—	—	—	—
E985	F—	51	1	2	1	—	—	—	1	3	1	3	6	5	8	3	5	4	5	2	1	—	—	—	—	—	—
	Nonwhite—M—	185	—	1	—	—	—	—	1	3	21	43	27	30	17	17	12	7	2	4	—	—	—	—	—	—	—
	F—	46	—	—	1	—	—	—	1	5	4	9	7	10	6	2	1	—	—	—	—	—	—	—	—	—	—
E965,	Operations of war—	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
E990–	White——M—	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
E999	F—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA																										
	ALL CAUSES	40,630	2,520	188	108	99	75	219	196	308	422	456	525	604	1,049	1,515	2,061	2,940	3,886	4,613	5,017	5,374	4,531	2,625	1,061	189	48
	White--M	21,833	1,342	91	62	51	46	125	122	181	245	248	274	406	543	634	1,197	1,749	2,171	2,582	2,689	2,863	2,251	1,232	446	64	19
	F	16,486	968	78	41	40	24	81	69	91	121	152	185	294	353	514	640	957	1,317	1,802	2,150	2,357	2,186	1,341	593	114	20
	Nonwhite--M	1,214	108	9	2	4	4	8	3	20	29	30	30	54	86	93	117	132	106	121	85	81	40	25	6	6	5
	F	1,095	102	10	3	4	1	5	2	16	27	26	36	50	67	74	107	102	92	108	83	73	54	28	16	5	4
001-019	Tuberculosis, all forms	786	4	9	7	5	1	4	4	19	40	38	47	65	63	64	64	76	75	76	60	37	21	7	-	-	-
	White--M	419	-	2	2	2	1	1	1	4	5	10	18	36	37	38	45	52	51	48	33	20	8	5	-	-	-
	F	237	1	5	2	2	-	2	3	6	16	16	16	18	17	11	11	18	16	23	24	15	13	2	-	-	-
	Nonwhite--M	62	1	-	1	1	-	1	-	4	8	6	7	9	7	10	8	5	6	4	3	1	-	-	-	-	-
	F	48	2	2	2	-	-	-	-	5	11	6	6	2	2	5	-	1	2	1	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	700	1	4	1	1	1	1	2	15	34	35	43	59	59	59	60	70	72	67	57	33	20	6	-	-	-
	White--M	367	-	-	-	1	1	-	-	3	5	9	16	31	36	36	44	50	50	42	32	19	8	4	-	-	-
	F	206	-	2	1	-	-	-	2	4	15	15	15	18	16	10	9	14	14	20	22	14	12	2	-	-	-
	Nonwhite--M	71	1	-	-	-	-	1	-	3	6	5	7	8	6	9	7	5	6	4	3	-	-	-	-	-	-
	F	37	-	2	-	-	-	-	-	5	8	6	5	2	1	4	-	1	2	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	86	3	5	6	4	-	3	2	4	6	3	4	6	4	5	4	6	3	9	3	4	1	1	-	-	-
	White--M	32	-	2	2	1	-	1	1	1	-	1	2	5	1	2	1	2	1	6	1	1	-	1	-	-	-
	F	32	1	3	1	2	-	2	1	2	1	1	1	-	1	1	2	4	2	3	2	1	1	-	-	-	-
	Nonwhite--M	11	-	-	1	1	-	-	-	1	2	1	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-
	F	11	2	-	2	-	-	-	-	-	3	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae	233	1	-	-	-	-	-	-	2	1	1	4	11	5	18	22	38	32	40	26	22	11	1	-	-	-
	White--M	131	-	-	-	-	-	-	-	-	1	-	2	3	-	14	10	17	18	26	21	12	6	1	-	-	-
	F	60	1	-	-	-	-	-	-	1	-	-	-	5	1	2	3	9	12	10	3	9	4	-	-	-	-
	Nonwhite--M	35	-	-	-	-	-	-	-	1	-	1	2	2	3	2	9	8	2	2	1	1	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	2	1	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	9	4	-	1	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	11	-	1	1	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
	White--M	6	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	F	4	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	8	-	-	-	2	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	5	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	26	18	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	12	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	21	7	2	1	2	-	2	1	-	-	1	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-
	White--M	9	4	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	11	3	1	1	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	84	3	1	3	4	4	21	11	5	9	8	3	6	2	1	-	3	-	-	-	-	-	-	-	-	-
	White--M	49	2	1	2	1	4	11	7	4	3	5	2	3	1	-	-	3	-	-	-	-	-	-	-	-	-
	F	33	1	-	1	3	-	10	4	-	6	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	19	4	4	-	-	3	4	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	White--M	6	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	3	1	-	-	3	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	97	19	3	1	2	2	3	6	2	3	1	3	4	4	7	5	5	5	5	7	2	4	-	4	-	-
	White--M	58	11	2	1	1	-	3	5	1	2	1	1	4	1	5	3	3	4	2	4	1	2	-	1	-	-
	F	34	7	1	-	1	1	-	1	1	-	-	2	-	2	1	2	2	1	3	3	1	2	-	3	-	-
	Nonwhite--M	5	1	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
140-205	Malignant neoplasms, etc.*----	5,656	9	5	14	19	13	19	15	24	24	37	84	154	202	303	416	611	697	815	785	681	461	201	52	9	6
	White-----M--	2,633	4	2	8	8	10	8	11	12	9	23	31	53	58	110	166	285	331	414	391	352	226	92	22	4	3
	F--	2,733	4	3	6	11	2	11	4	9	15	11	48	90	123	168	209	282	327	369	360	314	228	104	27	5	3
	Nonwhite--M--	116	1	-	-	-	1	-	-	1	-	1	1	2	8	10	18	18	14	18	14	6	2	1	-	-	-
	F--	174	-	-	-	-	-	-	-	2	-	2	4	8	13	15	23	26	25	14	20	9	5	4	3	-	-
140-148	Of buccal cavity and pharynx------	113	-	-	-	-	-	-	-	-	-	-	2	1	4	5	7	12	13	24	10	10	12	1	2	1	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	8	12	17	7	10	8	1	1	1	-
	F--	21	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	3	1	6	2	1	3	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	2,170	-	1	-	-	2	1	1	1	4	10	13	24	36	81	131	197	263	365	373	313	227	96	26	3	2
	White-----M--	1,059	-	1	-	-	1	-	1	-	2	7	5	10	15	34	56	109	126	201	179	155	102	43	9	1	-
	F--	1,005	-	-	-	-	1	1	-	1	2	3	8	12	18	38	54	70	118	150	182	153	124	49	17	2	2
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	-	-	2	5	10	9	10	10	7	1	1	1	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	2	1	4	9	9	9	4	5	4	-	3	-	-	-
160-164	Of respiratory system----------	532	-	-	1	-	-	-	-	-	-	1	3	9	17	34	66	96	90	70	59	56	17	10	2	-	1
	White-----M--	407	-	-	-	-	-	-	-	-	-	1	3	5	9	28	51	77	75	56	48	39	8	5	1	-	1
	F--	104	-	-	1	-	-	-	-	-	-	-	-	3	4	5	9	16	15	12	9	16	8	5	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	2	-	2	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	1	1	-	-	-	-
170	Of breast----------	484	-	-	-	-	-	-	-	-	1	1	10	27	37	39	36	64	65	51	46	47	35	22	3	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F--	454	-	-	-	-	-	-	-	-	1	1	10	25	35	33	34	61	59	51	41	46	34	21	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	3	6	-	4	1	1	1	1	-	-
171-179	Of genital organs-	1,065	-	-	1	1	-	1	-	2	4	3	16	41	50	76	77	106	114	136	144	141	94	44	11	2	1
	White-----M--	373	-	-	1	1	-	1	-	1	2	1	1	3	2	4	3	18	31	46	72	83	64	30	7	1	1
	F--	621	-	-	-	-	-	-	-	-	2	1	13	34	43	67	68	80	75	81	59	54	27	14	2	1	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	2	1	-	-	-	-
	F--	58	-	-	-	-	-	-	1	-	-	1	2	4	5	4	6	7	7	6	9	2	2	-	2	-	-
180, 181	Of urinary organs-	247	1	-	1	1	1	2	-	-	-	1	3	3	6	11	17	30	32	38	40	35	16	5	2	1	1
	White-----M--	145	-	-	-	-	1	1	-	-	-	1	2	1	3	4	9	24	22	22	22	16	9	5	1	1	1
	F--	87	1	-	1	1	-	1	-	-	-	-	1	2	-	4	6	3	9	15	17	18	7	-	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	1	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	602	1	-	4	7	1	7	7	10	9	9	9	25	28	39	50	57	71	78	64	51	46	20	6	2	1
	White-----M--	300	-	-	2	3	1	2	4	5	4	5	3	16	13	24	22	24	33	45	30	29	26	6	3	-	-
	F--	274	1	-	2	4	-	5	3	3	5	3	6	7	13	13	24	30	33	29	34	19	20	14	3	2	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	3	2	-	2	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	-	1	-	1	1	2	3	2	2	2	-	1	-	-	-	-	-
204	Leukemia and aleukemia----------	246	5	4	7	8	8	6	5	9	4	5	15	8	10	6	16	24	22	32	29	14	9	-	-	-	-
	White-----M--	141	3	1	5	3	6	2	5	5	-	3	9	5	5	2	8	13	16	15	20	9	6	-	-	-	-
	F--	98	2	3	2	5	1	4	-	4	4	2	5	3	3	4	8	9	6	17	8	5	3	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	2	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	197	2	-	-	2	1	2	2	2	7	13	16	14	12	16	16	25	27	21	20	5	5	3	-	-	-
	White-----M--	120	1	-	-	1	1	2	1	1	1	5	8	12	8	8	11	12	16	12	12	3	3	2	-	-	-
	F--	69	-	-	-	1	-	-	1	1	1	1	3	4	6	4	5	10	11	8	8	2	2	1	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	151	3	-	1	-	2	-	4	2	5	5	4	8	17	15	15	14	18	6	13	5	9	3	-	1	-
	White-----M--	58	2	-	1	-	2	-	1	-	4	4	1	3	3	5	5	4	7	1	6	1	5	2	-	1	-
	F--	82	1	-	-	-	-	-	2	2	2	-	3	3	12	10	9	9	11	5	4	4	4	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	1	-	2	2	-	1	-	-	-	2	-	-	-	-	-	-
260	Diabetes mellitus-	706	-	-	-	-	-	-	4	2	5	7	2	8	14	21	34	52	110	130	131	90	63	24	6	1	2
	White-----M--	281	-	-	-	-	-	-	2	-	-	4	2	5	7	3	17	22	39	41	43	39	19	13	4	-	1
	F--	410	-	-	-	-	-	-	2	1	3	2	-	3	4	16	15	26	64	85	83	50	42	10	2	1	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	4	-	2	1	-	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	1	1	1	-	-	1	-	2	4	3	4	3	-	2	-	-	-	-
290-293	Anemias----------	150	1	1	-	-	-	-	-	-	1	4	3	2	6	6	6	4	6	12	31	32	22	10	3	-	-
	White-----M--	71	-	-	-	-	-	-	-	-	-	3	1	-	4	4	3	2	3	6	12	19	9	2	3	-	-
	F--	70	-	1	-	-	-	-	-	-	1	-	1	-	2	2	2	2	2	5	19	13	12	8	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	41	14	5	6	-	-	2	-	1	1	2	-	2	1	1	2	1	2	1	-	-	-	-	-	-	-
	White-----M--	23	10	-	4	-	-	1	-	-	1	1	-	2	1	-	1	1	2	-	-	-	-	-	-	-	-
	F--	14	3	4	2	-	-	1	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	22,596	8	1	3	5	3	17	19	30	41	85	115	219	392	686	1,065	1,585	2,156	2,894	3,293	3,805	3,303	1,960	783	123	27
	White-----M--	12,406	3	1	1	1	2	8	10	15	21	42	55	115	220	398	684	1,018	1,358	1,665	1,811	2,037	1,650	907	335	42	9
	F--	9,103	5	-	2	3	1	5	9	12	16	32	39	89	108	183	259	440	684	1,081	1,378	1,659	1,583	1,013	436	74	12
	Nonwhite--M--	534	-	-	-	-	-	3	-	3	1	3	5	15	29	41	56	68	60	74	63	55	28	19	5	4	2
	F--	553	-	-	-	1	-	1	-	-	3	6	16	20	35	44	66	59	56	74	41	54	42	21	7	3	4
330-334, 400-468	Diseases of cardiovascular system-	21,910	8	1	2	3	2	16	16	26	34	77	104	200	373	646	1,050	1,521	2,106	2,826	3,196	3,700	3,210	1,908	760	120	25
	White-----M--	12,058	3	1	1	1	2	7	9	13	18	38	50	103	210	387	664	984	1,323	1,633	1,763	1,990	1,601	883	325	41	8
	F--	8,820	5	-	1	2	-	5	7	10	12	31	36	67	100	176	251	420	670	1,051	1,333	1,609	1,541	986	423	72	12
	Nonwhite--M--	518	-	-	-	-	-	3	-	3	1	3	4	15	29	41	54	65	59	71	61	52	27	19	5	4	2
	F--	514	-	-	-	-	-	1	-	-	3	5	14	15	34	42	61	52	54	71	39	49	41	20	7	3	3
330-334	Vascular lesions, etc.*----------	5,077	4	-	2	-	-	2	2	3	9	8	15	33	65	119	181	300	452	667	807	989	782	464	153	12	8
	White-----M--	2,401	1	-	1	-	-	-	1	3	5	4	7	11	25	40	75	139	240	307	396	493	384	193	71	3	2
	F--	2,424	3	-	1	-	-	-	1	-	4	3	6	12	28	54	76	120	187	326	387	477	382	263	80	9	5
	Nonwhite--M--	107	-	-	-	-	-	2	-	-	-	-	-	4	1	12	9	21	12	13	14	10	4	4	-	-	1
	F--	145	-	-	-	-	-	-	-	-	-	1	2	6	11	13	21	20	13	21	10	9	12	4	2	-	-
400-402	Rheumatic fever----	51	-	-	-	1	1	5	5	4	6	6	2	9	6	1	1	1	1	1	-	-	-	-	1	-	-
	White-----M--	26	-	-	-	-	1	3	2	3	2	3	-	4	3	1	1	1	1	1	-	-	-	-	-	-	-
	F--	19	-	-	-	1	-	1	3	1	3	3	1	4	1	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA--Con.																										
410-443	Diseases of heart	15,017	4	1	-	2	1	9	8	19	16	53	75	144	261	498	798	1,175	1,578	2,032	2,199	2,389	2,033	1,153	454	86	9
	White----M	8,747	2	1	-	1	1	4	6	7	11	30	38	84	173	330	565	819	1,041	1,250	1,257	1,332	1,016	555	189	32	3
	F	5,585	2	-	-	1	-	4	2	9	5	17	27	43	63	115	161	282	455	682	876	984	976	574	257	48	2
	Nonwhite--M	362	-	-	-	-	-	1	-	3	-	3	4	10	23	28	37	44	43	53	38	35	20	12	4	3	1
	F	323	-	-	-	-	-	-	-	-	-	3	6	7	22	25	35	30	39	47	28	38	21	12	4	3	3
410-416	Chronic rheumatic heart disease	577	...	-	-	-	-	2	3	9	7	23	20	31	36	54	51	75	61	56	48	48	28	17	7	1	-
	White----M	293	...	-	-	-	-	-	3	2	5	14	11	15	15	29	28	43	33	29	20	21	14	6	4	1	-
	F	256	...	-	-	-	-	1	-	5	2	9	8	14	17	22	21	28	26	23	26	26	14	11	3	-	-
	Nonwhite--M	17	...	-	-	-	-	1	-	2	-	-	-	-	1	1	1	4	2	3	1	1	-	-	-	-	-
	F	11	...	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	-	-	1	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	8,572	1	-	-	1	-	3	-	2	3	12	31	76	166	322	544	814	1,044	1,324	1,295	1,320	938	489	159	24	4
	White----M	5,632	-	-	-	-	-	2	-	2	3	9	22	54	122	245	446	617	767	890	813	798	515	245	70	10	1
	F	2,627	1	-	-	1	-	1	-	-	-	1	6	13	19	49	88	152	248	395	452	484	404	234	87	12	-
	Nonwhite--M	184	-	-	-	-	-	-	-	-	-	1	2	8	13	18	19	29	15	22	22	21	6	7	1	1	1
	F	129	-	-	-	-	-	-	-	-	-	1	1	1	12	11	11	16	14	17	8	17	13	3	1	1	2
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,467	...	-	-	-	-	3	3	5	2	6	8	13	28	33	61	95	161	248	332	446	475	341	163	44	2
	White----M	1,261	...	-	-	-	-	2	2	2	1	2	2	4	13	19	34	51	94	155	175	232	228	162	66	16	1
	F	1,106	...	-	-	-	-	1	1	2	1	3	5	8	8	10	20	38	56	79	145	198	239	172	94	25	1
	Nonwhite--M	54	...	-	-	-	-	-	-	1	-	1	1	-	3	3	4	4	5	8	4	8	6	2	2	2	-
	F	46	...	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	6	8	8	8	2	5	1	1	-
430-434	Other diseases of heart	821	3	1	-	1	1	1	2	2	3	6	12	14	25	33	37	48	78	103	119	116	122	59	30	5	-
	White----M	445	2	1	-	1	1	-	1	1	2	2	2	8	14	20	17	34	49	50	63	58	54	33	10	2	-
	F	324	1	-	-	-	-	1	1	1	1	3	5	4	6	11	11	11	23	45	34	52	67	25	19	3	-
	Nonwhite--M	26	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	5	5	1	3	1	1	1	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	4	1	4	-	7	2	1	3	1	3	-	-	-	-	-
440-443	Hypertension with heart dis.	2,580	-	-	-	-	-	-	-	1	1	6	4	10	28	56	105	143	234	301	405	459	470	247	95	12	3
	White----M	1,116	-	-	-	-	-	-	-	-	-	3	1	3	9	16	40	74	98	125	166	223	205	109	39	3	1
	F	1,272	-	-	-	-	-	-	-	1	1	1	3	4	13	23	41	53	102	140	219	224	252	132	54	8	1
	Nonwhite--M	81	-	-	-	-	-	-	-	-	-	-	-	1	5	6	11	6	16	15	10	2	7	2	-	-	-
	F	111	-	-	-	-	-	-	-	-	-	2	-	2	1	11	13	10	18	20	10	10	6	4	2	1	1
444-447	Hypertension without mention of heart	369	-	-	-	-	-	-	-	-	2	1	8	6	9	15	24	18	20	38	51	66	61	34	15	-	-
	White----M	178	-	-	-	-	-	-	-	-	-	-	4	2	4	9	12	10	9	20	27	25	34	17	5	-	-
	F	157	-	-	-	-	-	-	-	-	-	1	-	2	4	2	6	7	9	15	22	38	28	15	10	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	-	1	2	2	1	1	2	-	-	-
	F	18	-	-	-	-	-	-	-	-	1	-	4	1	-	4	3	1	1	1	-	2	-	-	-	-	-
450	General arteriosclerosis	1,219	-	-	-	-	-	-	-	-	-	1	-	-	2	1	5	6	35	68	127	235	325	248	136	22	8
	White----M	621	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	20	44	77	128	163	113	60	6	3
	F	554	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	11	19	42	102	152	130	74	15	5
	Nonwhite--M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	7	5	2	1	1	1	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	8	4	1	-	-
451-468	Other diseases of circulatory sys.	177	-	-	-	-	-	-	1	-	1	8	4	8	10	11	21	21	20	20	12	21	9	9	1	-	-
	White----M	85	-	-	-	-	-	-	-	-	-	-	1	2	5	8	9	12	12	11	6	12	4	5	-	-	-
	F	81	-	-	-	-	-	-	1	-	-	7	2	6	3	5	7	9	8	9	6	8	5	4	1	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	686	-	-	1	2	1	1	3	4	7	6	11	19	19	20	35	64	50	68	97	105	93	52	23	3	2
	White----M	348	-	-	-	-	-	1	1	2	3	4	5	12	10	11	20	34	33	32	48	47	49	24	10	1	1
	F	283	-	-	1	1	1	-	2	2	4	1	3	2	8	7	8	20	14	30	45	50	42	27	13	2	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	1	3	2	3	1	-	-	-	-
	F	39	-	-	-	1	-	-	-	-	-	1	2	5	1	2	5	7	2	3	2	5	1	1	-	-	1
480-493	Influenza and pneumonia, etc.*	1,339	240	48	10	6	8	19	10	8	12	7	10	20	23	44	42	66	86	95	108	152	151	115	46	10	3
	White----M	658	110	21	6	4	4	7	6	6	6	3	4	9	10	24	22	37	50	59	51	71	72	50	22	1	3
	F	559	98	19	4	2	3	11	4	2	5	3	4	6	9	13	8	22	28	27	52	75	74	62	20	8	-
	Nonwhite--M	67	16	4	-	-	1	-	-	-	-	1	1	1	2	6	6	5	7	6	1	3	3	3	1	-	-
	F	55	16	4	-	-	-	1	-	-	1	-	1	4	2	1	6	2	1	3	4	3	2	-	3	1	-
480-483	Influenza	221	16	3	1	1	1	3	2	-	2	-	2	3	3	5	6	11	17	11	21	34	39	26	11	3	-
	White----M	105	7	1	1	-	1	1	2	-	1	-	1	2	1	2	3	5	10	9	9	15	20	11	2	1	-
	F	100	8	1	-	1	-	2	-	-	1	-	1	1	1	-	1	5	5	2	11	19	17	15	7	2	-
	Nonwhite--M	8	1	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	1	-	2	-	-
490-493	Pneumonia, etc.*	1,118	224	45	9	5	7	16	8	8	10	7	8	17	20	39	36	55	69	84	87	118	112	89	35	7	3
	White----M	553	103	20	5	4	3	6	4	6	5	3	3	7	9	22	19	32	40	50	42	56	52	39	20	-	3
	F	459	90	18	4	1	3	9	4	2	4	3	3	5	8	13	7	17	23	25	41	56	57	47	13	6	-
	Nonwhite--M	59	15	3	-	-	1	-	-	-	-	1	1	1	2	4	5	4	6	6	1	3	2	3	1	-	-
	F	47	16	4	-	-	-	1	-	-	1	-	1	4	1	-	5	2	-	3	3	3	1	-	1	1	-
500-502	Bronchitis	47	8	1	-	-	-	1	-	-	-	-	-	-	-	-	-	5	6	3	4	9	6	3	1	2	-
	White----M	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	1	2	2	2	1	-	2	-
	F	23	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	1	7	4	2	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	216	1	1	-	-	-	-	-	-	1	-	4	5	13	15	22	36	25	35	26	14	16	2	-	-	-
	White----M	159	1	1	-	-	-	-	-	-	1	-	3	4	6	9	17	33	19	20	20	10	14	1	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	1	1	4	4	3	3	5	11	6	3	1	1	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	4	-	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	93	-	-	1	1	1	2	4	3	2	3	4	-	7	9	8	7	5	10	15	3	4	4	-	-	-
	White----M	63	-	-	1	1	1	2	1	3	2	1	2	-	4	7	5	5	3	9	11	1	2	2	-	-	-
	F	24	-	-	-	-	-	-	3	-	-	1	2	-	1	-	2	2	2	1	4	2	2	2	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	234	21	1	-	-	-	-	-	1	1	8	2	6	7	7	12	20	15	27	26	32	21	21	5	1	-
	White----M	108	13	1	-	-	-	-	-	1	1	1	-	2	3	2	2	7	8	13	13	15	10	13	2	1	-
	F	107	7	-	-	-	-	-	-	-	-	6	2	4	3	5	6	9	7	11	10	15	11	8	3	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	2	2	1	-	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	1	1	1	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
543,	Gastritis, etc.*--	197	83	11	1	3	1	2	-	3	5	-	5	2	1	7	5	2	6	10	8	14	19	5	2	-	-
571,	White-----M--	99	51	8	-	1	-	1	-	-	2	-	3	1	-	3	2	2	4	3	2	4	9	3	-	-	-
572	F--	84	25	3	1	1	1	1	-	3	3	-	2	1	1	2	3	-	4	5	6	8	10	2	2	-	-
	Nonwhite--M--	9	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	2	-	-	-	-	-
	F--	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	336	3	-	1	-	-	2	-	2	1	2	22	23	31	36	50	50	38	37	17	13	7	1	-	-	-
	White-----M--	202	1	-	-	-	-	2	-	1	-	-	13	13	20	22	33	28	28	22	10	5	5	-	-	-	-
	F--	114	2	-	1	-	-	-	-	1	-	2	9	9	7	11	16	18	9	13	6	7	2	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	1	2	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	3	-	-	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	101	1	1	1	2	-	2	2	1	3	1	3	6	5	6	7	6	3	8	7	13	14	6	3	-	-
	White-----M--	59	-	-	-	1	-	2	-	1	1	1	2	3	4	3	4	4	3	5	4	6	10	3	2	-	-
	F--	38	1	1	1	1	-	-	2	-	1	-	1	2	1	3	3	1	-	3	3	7	4	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
610	Hyperplasia of																										
	prostate----------	182	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	5	13	37	32	30	28	13	1	-
	White-----M--	158	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	4	13	36	32	30	27	13	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	61	...	...	...	...	...	...	-	10	10	12	17	9	3	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	53	...	...	...	...	...	...	-	7	10	11	15	7	3	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	3	-	1	2	2	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications--------	58	...	...	...	...	...	...	-	10	9	12	15	9	3	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	50	...	...	...	...	...	...	-	7	9	11	13	7	3	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	8	...	...	...	...	...	...	-	3	-	1	2	2	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	521	420	20	11	3	4	8	9	6	2	7	5	4	2	6	-	6	4	2	-	1	-	-	-	1	-
	White-----M--	265	213	11	4	2	3	4	7	2	2	4	3	1	2	3	-	1	3	-	-	-	-	-	-	-	-
	F--	229	188	8	6	1	1	4	2	4	-	3	1	2	-	3	-	3	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	19	13	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	1	-
	F--	8	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,455	1,455	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	803	803	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	535	535	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	564	564	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	334	334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	771	771	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	418	418	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	311	311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	216	8	1	1	-	2	1	1	2	1	2	1	1	1	7	5	8	5	6	22	16	42	37	30	14	4
795	White-----M--	86	3	1	-	-	-	-	1	1	1	-	-	-	-	5	3	4	3	5	13	6	21	14	2	2	1
	F--	120	4	-	1	-	2	1	-	1	-	2	1	-	1	2	-	4	2	1	9	8	19	22	26	12	2
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
	F--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	2	-	-
Re-	All other diseases	1,711	77	26	13	10	6	25	16	21	29	34	30	56	68	95	90	135	194	192	184	170	128	64	38	9	1
sid-	White-----M--	871	38	15	10	7	2	10	7	9	18	12	15	26	39	50	43	69	111	100	89	87	62	31	15	5	1
ual	F--	743	32	8	2	2	3	13	8	8	6	19	13	22	25	37	41	54	78	84	87	78	65	33	22	3	-
	Nonwhite--M--	57	5	2	-	1	-	2	1	2	1	1	1	6	1	4	3	9	4	4	4	4	1	-	-	1	-
	F--	40	2	1	1	-	1	-	-	2	4	2	1	2	3	4	3	3	1	4	4	1	-	-	1	-	-
E800-	Accidents----------	2,648	107	39	30	32	24	79	83	150	179	146	131	131	128	125	132	142	120	140	156	188	174	118	72	17	5
E962	White-----M--	1,649	59	18	20	19	16	60	58	113	140	107	99	88	92	94	89	93	73	80	75	100	73	52	24	5	1
	F--	853	34	19	10	11	7	15	22	28	27	31	25	32	17	28	35	37	43	53	74	82	98	66	48	11	2
	Nonwhite--M--	106	11	2	-	1	1	2	1	7	9	6	5	8	15	5	5	11	4	4	1	4	2	-	-	-	2
	F--	40	3	-	-	1	-	2	1	2	3	2	2	3	4	-	3	1	-	3	6	2	1	-	-	1	-
E810-	Motor-vehicle																										
E835	accidents---------	1,087	7	9	9	17	12	39	36	101	130	98	72	69	62	61	72	62	48	61	47	45	23	8	-	-	1
	White-----M--	777	3	4	7	10	11	32	27	77	99	67	55	46	42	49	49	39	26	37	29	42	19	6	-	-	1
	F--	253	2	4	2	6	1	5	8	19	23	26	16	19	10	11	18	18	18	23	17	3	2	2	-	-	-
	Nonwhite--M--	40	-	1	-	1	-	2	-	3	6	3	1	2	7	1	3	4	2	1	1	-	2	-	-	-	-
	F--	17	2	-	-	-	-	-	1	2	2	2	-	2	3	-	2	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,561	100	30	21	15	12	40	47	49	49	48	59	62	66	64	60	80	74	79	109	143	151	110	72	17	4
E802,	White-----M--	872	56	14	13	9	5	28	32	36	41	40	44	42	50	45	40	54	47	43	46	58	54	46	24	5	-
E940-	F--	600	32	15	8	5	6	10	14	9	4	5	9	13	7	15	17	19	25	30	57	79	96	64	48	11	2
E962	Nonwhite--M--	66	11	1	-	-	1	-	1	4	3	3	4	6	8	4	2	7	2	3	-	4	-	-	-	-	2
	F--	23	1	-	-	1	-	2	-	-	1	-	2	1	1	-	1	-	-	3	6	2	1	-	-	1	-
E963,	Suicide----------	557	-	-	-	-	-	-	1	7	26	28	28	41	46	50	63	61	54	52	37	38	16	8	1	-	-
E970-	White-----M--	427	-	-	-	-	-	-	1	2	22	22	22	28	35	33	46	46	41	42	28	37	14	8	-	-	-
E979	F--	118	-	-	-	-	-	-	-	4	3	5	4	13	8	15	17	14	13	10	9	-	2	-	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	1	1	2	-	2	2	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
E964,	Homicide----------	140	3	1	-	-	1	2	2	6	16	19	17	21	14	8	10	7	5	3	-	1	2	2	-	-	-
E980-	White-----M--	52	1	-	-	-	1	-	-	4	3	4	8	7	3	3	7	3	4	1	-	1	2	-	-	-	-
E985	F--	26	2	1	-	-	-	1	1	2	4	4	1	4	-	1	-	2	-	2	-	-	-	1	-	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	1	-	6	9	5	10	10	3	3	2	1	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	3	2	3	-	1	1	-	-	-	-	-	-	-	1	-	-	-
E985,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA																										
	ALL CAUSES	26,979	1,555	114	60	54	37	132	113	178	222	240	274	373	494	742	1,107	1,666	2,254	2,865	3,536	3,810	3,648	2,338	942	190	35
	White--M	15,153	949	65	32	34	23	82	70	114	151	151	166	214	277	459	705	1,011	1,401	1,714	2,063	2,029	1,839	1,107	398	79	20
	F	11,548	589	49	27	19	14	49	43	63	70	82	101	152	209	265	385	626	824	1,116	1,435	1,759	1,783	1,219	539	109	11
	Nonwhite--M	159	8	-	1	-	-	1	-	1	1	4	5	5	3	7	9	16	18	23	21	13	11	5	3	1	3
	F	119	9	-	-	1	-	-	-	-	-	3	2	2	5	11	8	13	11	12	17	9	5	7	2	1	1
001-019	Tuberculosis, all forms	207	1	1	-	-	-	-	3	4	12	13	7	17	9	24	16	20	20	20	15	17	6	1	1	-	-
	White--M	128	-	1	-	-	-	-	-	2	6	7	4	12	4	17	13	13	16	13	10	6	4	-	-	-	-
	F	72	1	-	-	-	-	-	3	2	6	5	3	4	5	6	3	6	3	6	5	10	2	1	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	192	-	1	-	-	-	-	2	2	12	11	7	17	9	23	16	17	19	17	15	17	5	1	1	-	-
	White--M	120	-	1	-	-	-	-	-	1	6	5	4	12	4	16	13	12	15	12	10	6	3	-	-	-	-
	F	65	-	-	-	-	-	-	2	1	6	5	3	4	5	6	3	4	3	4	5	10	2	1	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	15	1	-	-	-	-	-	1	2	-	2	-	-	-	1	-	3	1	3	-	-	1	-	-	-	-
	White--M	8	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-
	F	7	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	105	1	-	-	-	-	-	-	-	1	-	1	2	2	9	9	11	20	19	11	11	6	1	1	-	-
	White--M	73	1	-	-	-	-	-	-	-	-	-	1	2	2	4	5	10	13	15	8	8	5	-	-	-	-
	F	28	-	-	-	-	-	-	-	1	-	-	-	-	-	3	4	1	7	4	3	2	1	1	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-046	Dysentery, all forms	10	1	-	-	-	-	1	-	-	-	1	-	1	-	-	2	-	1	1	1	1	-	-	-	-	-
	White--M	9	1	-	-	-	-	1	-	-	-	1	-	1	-	-	2	-	-	1	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	6	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White--M	4	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	11	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	17	5	1	1	3	-	1	-	1	-	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	White--M	9	1	1	1	2	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	4	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	64	3	1	1	2	-	11	6	9	9	6	8	2	2	2	1	-	1	-	-	-	-	-	-	-	-
	White--M	39	3	1	-	1	-	6	3	6	5	6	4	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	F	25	-	-	1	1	-	5	3	3	4	-	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	16	3	3	1	1	-	2	2	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White--M	11	2	3	-	1	-	1	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	5	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	63	5	4	2	2	-	4	3	2	-	-	4	4	3	2	1	3	3	4	5	5	4	-	3	-	-
	White--M	34	4	1	-	1	-	2	3	2	-	-	3	2	2	1	-	3	2	2	3	1	1	-	1	-	-
	F	29	1	3	2	1	-	2	-	-	-	-	1	2	1	1	1	-	1	2	2	4	3	-	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
140-205	Malignant neoplasms, etc.*----	4,032	5	5	2	11	9	15	11	16	14	31	40	77	107	155	259	408	503	522	591	538	437	214	48	13	1
	White-----M--	2,042	2	3	1	8	6	13	4	6	6	13	21	28	32	61	110	178	278	282	313	300	227	120	21	8	1
	F--	1,953	3	2	1	3	3	2	7	10	8	18	19	48	75	91	143	221	221	235	276	235	207	93	27	5	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	4	1	5	1	2	3	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	3	-	1	1	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	94	-	-	-	-	-	-	-	1	-	-	-	-	2	4	7	10	13	12	11	17	9	5	2	-	1
	White-----M--	79	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	8	12	8	9	16	7	5	2	-	1
	F--	13	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	3	2	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,588	1	-	-	-	-	1	-	1	2	8	5	9	20	30	80	135	168	213	272	279	224	110	25	5	-
	White-----M--	833	1	-	-	-	-	1	-	-	1	3	3	6	8	19	41	71	95	121	144	148	103	57	7	4	-
	F--	740	-	-	-	-	-	-	-	1	1	5	2	3	12	11	35	60	73	89	126	130	121	52	18	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	3	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
160-164	Of respiratory system----------	319	-	-	-	-	1	-	1	-	-	-	2	5	9	18	30	49	73	52	30	21	19	9	-	-	-
	White-----M--	234	-	-	-	-	-	-	-	-	-	-	1	4	6	14	24	37	60	39	18	13	13	5	-	-	-
	F--	80	-	-	-	-	1	-	1	-	-	-	1	1	3	4	5	11	11	13	12	8	5	4	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Of breast---------	375	-	-	-	-	-	-	-	-	-	-	4	9	21	28	45	53	48	47	49	32	25	11	2	1	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	-	-	-	-	-	-
	F--	364	-	-	-	-	-	-	-	-	-	-	4	9	20	28	45	51	45	45	46	32	25	11	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
171-179	Of genital organs-	698	-	-	-	-	-	-	2	4	3	4	8	24	22	30	36	75	81	71	99	100	85	46	6	2	-
	White-----M--	320	-	-	-	-	-	-	-	2	1	3	3	2	-	-	2	15	32	33	59	68	60	34	5	1	-
	F--	369	-	-	-	-	-	-	2	2	2	1	5	22	22	28	33	58	49	37	40	30	24	12	1	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs-	183	1	-	-	-	-	1	2	-	-	1	-	1	2	5	10	12	23	30	33	25	22	11	4	-	-
	White-----M--	134	-	-	-	-	-	1	-	-	-	-	-	-	-	5	9	9	18	20	27	19	14	9	3	-	-
	F--	49	1	-	-	-	-	-	2	-	-	1	-	1	2	-	1	3	5	10	6	6	8	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 185, 190-199	Of other sites, etc.*----------	424	-	1	-	4	2	3	2	5	3	9	9	19	14	23	26	47	48	51	54	40	34	18	8	4	-
	White-----M--	217	-	-	-	3	2	3	1	3	1	2	6	8	5	10	11	21	26	32	34	18	18	8	3	2	-
	F--	203	-	1	-	1	-	-	1	2	2	7	3	10	9	13	15	25	21	19	20	22	15	10	5	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	197	3	4	2	7	6	10	3	4	4	3	8	6	11	7	11	17	19	22	20	13	15	1	-	1	-
	White-----M--	120	1	3	1	5	4	8	2	1	1	2	5	5	8	3	9	10	12	12	9	9	10	1	-	1	-
	F--	77	2	1	1	2	2	2	1	3	3	1	3	1	5	4	2	7	7	10	11	4	5	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*-	154	-	-	-	-	-	-	1	1	2	6	4	4	6	10	14	10	30	24	23	11	4	3	1	-	-
	White-----M--	96	-	-	-	-	-	-	1	-	2	3	3	3	4	7	8	6	21	15	10	9	2	1	1	-	-
	F--	58	-	-	-	-	-	-	-	1	-	3	1	1	2	3	6	4	9	9	13	2	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	118	1	1	-	-	-	2	2	6	1	6	4	3	9	13	9	9	10	13	8	7	8	6	-	-	-
	White-----M--	45	1	1	-	-	-	2	1	1	-	3	-	2	3	2	4	5	5	4	7	-	3	1	-	-	-
	F--	70	-	-	-	-	-	-	1	5	1	2	4	1	6	10	5	4	5	8	1	7	5	5	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	457	2	-	-	-	-	1	-	2	1	4	4	5	9	10	15	31	59	79	77	86	48	21	3	-	-
	White-----M--	183	1	-	-	-	-	1	-	1	1	2	4	2	5	5	15	15	26	37	32	24	12	-	-	-	-
	F--	270	1	-	-	-	-	-	-	2	-	3	2	1	6	5	10	15	44	53	40	52	24	9	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
290-293	Anemias----------	99	-	-	-	-	-	-	2	1	1	-	-	-	2	-	2	5	4	9	24	22	16	6	5	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	11	8	8	4	2	-	-
	F--	56	-	-	-	-	-	-	2	1	1	-	-	-	1	-	1	2	3	5	13	14	8	2	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	15	3	3	-	-	1	-	-	-	1	-	1	1	-	-	1	1	3	-	-	-	-	-	-	-	-
	White-----M--	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	8	-	2	-	-	1	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	15,170	5	6	-	-	1	12	9	9	23	32	55	106	185	340	564	874	1,283	1,763	2,320	2,603	2,532	1,654	659	117	18
	White-----M--	8,601	5	4	-	-	-	5	6	5	15	18	29	64	115	246	402	576	846	1,089	1,376	1,394	1,282	776	283	54	11
	F--	6,421	-	2	-	-	1	7	3	4	8	13	23	39	66	90	151	285	417	653	913	1,199	1,240	868	373	63	3
	Nonwhite--M--	77	-	-	-	-	-	-	-	-	-	1	2	2	2	2	3	6	13	11	16	4	6	4	2	-	3
	F--	71	-	-	-	-	-	-	-	-	-	-	1	1	2	2	8	7	7	10	15	8	4	6	1	-	1
330-334, 400-468	Diseases of cardiovascular system-	14,787	5	5	-	-	-	9	7	8	19	24	44	98	177	320	554	861	1,251	1,726	2,272	2,530	2,486	1,615	643	115	18
	White-----M--	8,392	5	3	-	-	-	4	5	4	13	12	22	62	111	235	396	570	826	1,072	1,348	1,355	1,254	758	273	53	11
	F--	6,255	-	2	-	-	-	5	2	4	6	11	19	34	63	81	147	278	406	635	895	1,165	1,223	847	367	62	3
	Nonwhite--M--	75	-	-	-	-	-	-	-	-	-	1	2	2	2	2	3	6	12	11	16	4	5	4	2	-	3
	F--	65	-	-	-	-	-	-	-	-	-	-	1	-	1	2	8	7	7	8	13	6	4	6	1	-	1
330-334	Vascular lesions, etc.*----------	3,726	4	3	-	-	-	1	-	1	3	5	6	15	32	52	97	164	280	424	615	744	698	409	146	26	1
	White-----M--	1,835	4	2	-	-	-	1	-	-	2	1	2	8	11	27	47	80	142	235	339	350	319	194	65	5	1
	F--	1,850	-	1	-	-	-	-	-	1	1	4	3	7	20	24	48	77	132	184	265	392	378	212	80	21	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	3	2	4	-	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	5	7	2	1	3	1	-	-
400-402	Rheumatic fever---	25	-	-	-	-	-	3	3	1	4	2	1	1	3	2	-	4	-	-	-	-	-	-	-	1	-	-
	White-----M--	19	-	-	-	-	-	2	3	1	3	1	1	-	3	1	-	3	-	-	-	-	-	-	-	1	-	-
	F--	6	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
410-443	Diseases of heart-	9,973	1	-	-	-	-	5	4	5	9	16	33	74	131	251	435	675	922	1,226	1,533	1,616	1,548	1,015	387	72	15
	White-----M--	5,983	1	-	-	-	-	1	2	2	6	9	17	50	92	198	336	475	649	795	929	916	813	482	164	37	9
	F--	3,896	-	-	-	-	-	4	2	3	3	6	15	23	37	50	90	194	260	418	588	692	727	526	221	35	2
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	2	9	8	11	4	5	4	2	-	3
	F--	38	-	-	-	-	-	-	-	-	-	-	1	-	1	1	6	4	4	5	5	4	3	3	-	-	1
410-416	Chronic rheumatic heart disease----	346	...	-	-	-	-	1	2	2	5	4	7	20	16	24	36	34	26	36	33	39	32	23	5	-	1
	White-----M--	188	...	-	-	-	-	1	-	-	4	1	3	10	6	12	26	18	13	19	22	20	22	8	3	-	-
	F--	156	...	-	-	-	-	-	2	2	1	3	4	10	10	12	10	16	13	17	11	19	9	15	2	-	-
	Nonwhite--M--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
420	Arteriosclerotic heart dis., etc.*	6,274	-	-	-	-	-	-	1	3	1	6	15	39	87	166	330	499	678	869	1,023	1,002	852	478	182	34	9
	White-----M--	4,086	-	-	-	-	-	-	1	2	-	4	12	31	71	144	257	375	509	591	657	604	471	241	84	18	4
	F--	2,137	-	-	-	-	-	-	-	1	1	1	2	7	15	22	57	122	160	272	358	394	377	233	97	16	2
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	6	5	6	2	1	2	1	-	3
	F--	19	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	3	1	2	2	3	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,722	...	-	-	-	-	3	-	-	2	3	3	3	3	17	24	52	89	130	251	292	370	315	137	23	5
	White-----M--	904	...	-	-	-	-	-	-	-	2	1	1	2	1	12	16	35	54	81	132	150	196	153	52	11	5
	F--	798	...	-	-	-	-	3	-	-	-	2	2	1	2	5	7	15	34	44	113	140	173	160	85	12	-
	Nonwhite--M--	13	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	1	1	1	-	-	-
	F--	7	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	1	-	-	-
430-434	Other diseases of heart----------	426	1	-	-	-	-	-	1	-	1	1	6	4	10	13	11	24	42	50	62	60	62	50	20	8	-
	White-----M--	236	1	-	-	-	-	-	1	-	-	1	1	4	8	11	7	15	29	26	39	32	26	22	10	3	-
	F--	186	-	-	-	-	-	-	-	-	1	-	5	-	2	2	4	9	13	23	22	27	36	28	9	5	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,205	-	-	-	-	-	1	-	-	-	2	2	8	15	31	34	66	87	141	164	223	232	149	43	7	-
	White-----M--	569	-	-	-	-	-	-	-	-	-	2	-	3	6	19	20	32	44	78	79	110	98	58	15	5	-
	F--	619	-	-	-	-	-	1	-	-	-	-	2	5	8	9	12	32	40	62	84	112	132	90	28	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	1	2	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	216	-	-	-	-	-	-	-	-	1	-	1	5	6	11	10	4	19	28	27	34	41	23	6	-	-
	White-----M--	105	-	-	-	-	-	-	-	-	1	-	1	2	2	6	4	2	11	14	15	15	20	9	3	-	-
	F--	109	-	-	-	-	-	-	-	-	-	-	-	2	4	5	6	2	8	14	11	19	21	14	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	735	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	17	40	80	121	185	162	102	17	2
	White-----M--	380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	14	23	56	65	92	72	40	11	1
	F--	354	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	16	24	56	93	90	62	6	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	112	-	2	-	-	-	-	-	1	2	1	3	3	5	4	11	6	13	8	17	15	14	6	1	-	-
	White-----M--	70	-	1	-	-	-	-	-	1	1	1	2	3	3	8	5	10	5	9	9	10	1	-	-	-	-
	F--	40	-	1	-	-	-	-	-	-	1	-	1	1	2	1	3	1	3	3	7	6	4	5	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	383	-	1	-	-	1	3	2	1	4	8	11	8	8	20	10	13	32	37	48	73	46	39	16	2	-
	White-----M--	209	-	1	-	-	-	1	1	1	2	6	7	2	4	11	6	6	20	17	28	39	28	18	10	1	-
	F--	166	-	-	-	-	1	2	1	-	2	2	4	5	3	9	4	7	11	18	18	34	17	21	6	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	2	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	782	83	12	7	8	2	11	5	3	2	8	7	6	10	17	13	27	27	62	74	95	126	100	52	21	4
	White-----M--	408	50	5	4	4	1	8	4	3	1	4	5	1	6	12	9	16	18	38	50	41	58	41	24	5	-
	F--	365	32	7	3	4	1	3	1	-	1	3	2	5	4	4	4	11	8	23	24	53	67	59	26	16	4
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
480-483	Influenza----------	161	5	2	2	-	2	-	1	-	-	1	2	1	3	7	3	6	7	14	9	26	29	23	14	4	-
	White-----M--	76	3	2	1	-	1	-	1	-	-	-	1	-	1	6	3	3	5	6	4	9	16	8	5	1	-
	F--	85	2	-	1	-	1	-	-	-	-	1	1	1	2	1	-	3	2	8	5	17	13	15	9	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	621	78	10	5	8	-	11	4	3	2	7	5	5	7	10	10	21	20	48	65	69	97	77	38	17	4
	White-----M--	332	47	3	3	4	-	8	3	3	1	4	4	1	5	6	6	13	13	32	46	32	42	33	19	4	-
	F--	280	30	7	2	4	-	3	1	-	1	2	1	4	2	3	4	8	6	15	19	36	54	44	17	13	4
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
500-502	Bronchitis---------	59	12	1	2	-	1	-	-	-	-	-	-	-	1	1	1	3	3	3	8	7	7	6	2	1	-
	White-----M--	36	10	1	1	-	-	-	-	-	-	-	-	-	1	1	1	3	3	3	3	2	3	3	1	-	-
	F--	23	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	4	3	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	160	-	-	-	-	-	-	-	-	-	1	-	1	5	8	13	19	25	20	13	28	19	5	3	-	-
	White-----M--	125	-	-	-	-	-	-	-	-	-	1	-	1	4	6	12	14	20	18	10	19	15	2	3	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	5	2	3	7	4	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	47	1	1	1	2	1	3	-	-	2	2	-	1	2	1	5	5	3	7	5	1	2	2	-	-	-
	White-----M--	29	1	-	1	1	-	1	-	-	1	2	-	-	1	-	5	3	3	3	4	1	1	1	-	-	-
	F--	17	-	1	-	1	1	1	-	-	1	-	-	1	1	1	-	2	-	4	1	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	189	21	-	-	-	-	-	-	1	-	1	2	3	6	4	4	9	18	22	29	21	28	16	2	1	1
	White-----M--	95	17	-	-	-	-	-	-	-	-	-	-	-	3	3	2	7	6	8	16	9	14	9	1	-	-
	F--	90	4	-	-	-	-	-	-	1	-	1	2	3	2	-	2	2	12	13	12	12	14	7	1	1	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
543,	Gastritis, etc.*--	72	20	1	1	-	2	1	1	-	1	1	2	2	-	1	1	4	5	5	8	6	5	3	2	-	-
571,	White-----M--	30	11	-	-	-	2	-	-	-	1	-	-	2	-	1	1	2	1	3	1	3	1	-	1	-	-
572	F--	41	9	1	-	-	-	1	1	-	-	1	2	-	-	-	-	2	4	2	7	3	4	3	1	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	151	-	1	-	-	-	-	-	-	-	-	4	2	14	15	17	20	15	13	18	16	10	7	1	-	-
	White-----M--	109	-	-	-	-	-	-	-	-	-	-	3	1	12	8	15	17	9	11	11	9	9	4	-	-	-
	F--	42	-	1	-	-	-	-	-	-	-	-	1	1	2	5	2	3	6	2	7	7	1	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	43	-	-	-	-	1	-	3	2	2	2	1	1	-	1	2	-	5	2	3	4	7	4	3	-	-
	White-----M--	27	-	-	-	-	1	-	1	1	1	1	-	1	-	-	2	-	2	2	2	3	5	3	2	-	-
	F--	16	-	-	-	-	-	-	2	1	1	1	1	-	-	1	-	-	3	-	1	1	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	13	18	25	31	27	9	4	-
	White-----M--	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	12	18	25	31	27	9	4	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	35	...	...	...	...	...	...	-	4	9	5	4	10	3	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	34	...	...	...	...	...	...	-	4	9	4	4	10	3	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	1	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	2	...	...	...	...	...	...	-	-	1	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	33	...	...	...	...	...	...	-	4	8	5	4	9	3	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	32	...	...	...	...	...	...	-	4	8	4	4	9	3	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	339	274	10	4	1	1	3	2	3	3	4	5	8	4	4	3	2	2	1	1	1	2	-	-	-	-
	White-----M--	207	167	5	1	1	1	1	1	2	3	2	4	6	3	2	2	2	2	1	-	-	1	-	-	-	-
	F--	128	105	5	3	-	-	2	1	1	-	2	1	2	1	2	1	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	978	976	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	588	586	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	377	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	451	451	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	484	482	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	288	286	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	230	6	-	-	-	-	1	-	-	-	1	1	-	1	2	3	3	8	6	16	26	47	51	44	11	3
795	White-----M--	112	4	-	-	-	-	1	-	-	-	1	1	-	1	1	2	3	6	3	9	15	22	20	19	3	1
	F--	113	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	6	11	25	30	25	7	2
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Re-	All other diseases	1,235	57	15	8	7	5	10	9	14	13	17	19	29	40	47	49	101	108	134	135	168	125	84	33	6	2
sid-	White-----M--	631	38	8	4	3	3	3	3	8	8	6	8	16	16	25	23	54	56	79	70	90	62	37	10	-	1
ual	F--	591	19	7	4	3	2	7	6	6	5	11	11	13	24	21	26	45	51	53	65	77	61	47	23	5	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	1	-	-	-	-
	F--	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-
E800-	Accidents----------	1,764	62	44	26	16	13	51	51	97	113	77	75	67	55	57	79	69	76	111	129	112	169	125	66	16	6
E962	White-----M--	1,103	37	28	17	11	9	33	42	75	92	67	57	51	47	39	57	54	55	74	81	53	51	43	19	5	6
	F--	646	24	16	9	5	4	18	9	21	21	9	15	15	7	15	22	13	21	36	48	58	116	82	49	11	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	1	-	1	3	1	-	2	-	2	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	634	11	8	6	6	3	20	19	66	83	50	45	33	33	29	33	30	38	44	43	13	13	8	-	-	-
	White-----M--	471	6	4	3	4	3	13	15	47	67	46	36	24	26	21	26	22	26	30	31	9	6	6	-	-	-
	F--	158	4	4	3	2	-	7	4	19	16	4	9	9	6	8	7	6	12	13	12	4	7	2	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,130	51	36	20	10	10	31	32	31	30	27	30	34	22	28	46	39	38	67	86	99	156	117	68	16	6
E962,	White-----M--	632	31	24	14	7	6	20	27	28	25	21	21	27	21	18	31	32	29	44	50	44	45	37	19	5	6
E840-	F--	488	20	12	6	3	4	11	5	2	5	5	6	6	1	7	15	7	9	23	36	54	111	80	49	11	-
E962	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	1	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
E963,	Suicide----------	328	-	-	-	-	-	2	3	11	22	26	22	21	28	33	38	38	30	27	10	11	4	2	-	-	-
E970-	White-----M--	267	-	-	-	-	-	1	1	10	16	22	19	20	23	29	29	29	21	22	9	10	4	2	-	-	-
E979	F--	60	-	-	-	-	-	1	2	1	6	4	3	1	5	4	8	9	9	5	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	55	1	-	-	-	-	-	-	1	2	3	3	3	3	3	4	2	2	5	-	-	2	1	-	-	-
E980-	White-----M--	16	1	-	-	-	-	-	-	1	-	1	2	1	1	1	2	1	1	2	-	-	2	-	-	-	-
E985	F--	16	-	-	-	-	-	-	-	-	1	1	1	1	2	2	2	1	1	3	-	-	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

.. *For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS																										
	ALL CAUSES	19,058	1,150	100	60	30	25	97	80	165	199	244	214	293	407	593	804	1,102	1,552	2,052	2,446	2,810	2,326	1,495	647	136	51
	White--M	10,320	608	51	22	16	13	54	49	106	117	152	115	156	228	346	479	637	894	1,213	1,362	1,477	1,194	678	290	49	15
	F	7,651	427	40	31	10	11	40	27	47	60	72	74	103	143	175	256	360	562	740	976	1,224	1,063	770	340	80	20
	Nonwhite--M	610	56	6	6	2	-	2	1	5	8	15	18	18	15	38	40	59	62	53	68	64	33	22	8	2	9
	F	477	39	3	1	2	1	1	3	8	14	5	7	16	21	34	29	46	34	46	40	45	36	25	9	5	7
001-019	Tuberculosis, all forms	190	1	1	1	1	1	1	1	4	7	8	19	10	19	13	16	15	18	20	11	14	8	1	-	-	-
	White--M	106	1	-	-	1	1	-	-	-	1	1	7	6	10	8	11	9	13	15	9	9	4	-	-	-	-
	F	55	-	1	1	-	-	-	1	2	1	4	8	2	7	1	2	5	4	5	1	5	4	1	-	-	-
	Nonwhite--M	18	-	-	-	-	-	-	-	1	2	1	3	2	-	3	3	1	1	-	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	1	-	1	3	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	177	-	1	1	1	-	1	-	4	5	7	17	10	18	12	16	14	17	19	11	14	8	1	-	-	-
	White--M	101	-	-	-	1	-	-	-	-	-	1	6	6	10	7	11	9	13	15	9	9	4	-	-	-	-
	F	50	-	1	1	-	-	-	-	2	1	4	7	2	6	1	2	5	3	4	1	5	4	1	-	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	1	2	-	3	2	-	3	3	-	1	-	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	-	1	2	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	13	1	-	-	-	1	-	1	-	2	1	2	-	1	1	-	1	1	1	-	-	-	-	-	-	-
	White--M	5	1	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	96	1	-	-	-	-	-	-	-	2	-	-	3	3	7	12	11	14	11	14	9	6	2	1	-	-
	White--M	55	-	-	-	-	-	-	-	-	-	-	-	2	-	2	8	5	11	8	9	5	5	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	1	2	1	3	1	-	2	1	-	-
	Nonwhite--M	19	1	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	1	1	2	3	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	1	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	White--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	White--M	5	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	15	4	4	3	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	9	-	2	3	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	34	1	3	1	1	-	6	5	5	2	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	19	-	2	-	-	-	4	3	3	-	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	-	1	1	-	2	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	43	1	3	2	-	-	-	2	-	4	-	2	-	2	6	2	3	3	5	1	4	1	1	1	-	-
	White--M	21	-	2	1	-	-	-	1	-	1	-	-	-	2	3	1	3	2	3	-	2	-	-	-	-	-
	F	19	1	1	-	-	-	-	1	-	3	-	1	-	-	2	1	-	1	2	1	2	1	1	1	-	-
	Nonwhite--M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
140-205	Malignant neoplasms, etc.*	2,615	1	7	4	4	6	9	9	16	19	28	17	50	95	123	177	241	303	370	383	339	262	109	36	5	2
	White	1,252	-	4	1	1	2	3	3	7	9	13	9	20	36	53	70	96	136	182	194	175	142	57	16	2	1
	F	1,239	1	3	3	3	4	6	6	6	8	15	6	26	52	64	94	122	149	174	169	149	111	46	19	3	-
	Nonwhite—M	73	-	-	-	-	-	-	1	-	-	-	1	-	1	4	8	8	13	4	16	8	4	4	1	-	-
	F	71	-	-	-	-	-	-	2	2	-	1	4	6	2	5	15	5	10	4	7	5	2	-	-	1	
140-148	Of buccal cavity and pharynx	60	-	-	-	-	-	-	1	-	-	-	1	2	1	2	2	2	2	9	11	9	13	3	2	-	-
	White—M	45	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	2	1	8	8	6	10	1	2	-	-
	F	15	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	3	3	3	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	976	-	-	-	-	-	-	1	2	2	5	1	9	21	31	53	85	103	155	151	174	107	57	18	1	-
	White—M	472	-	-	-	-	-	-	-	1	2	2	-	8	10	12	26	43	53	80	79	77	43	30	6	-	-
	F	442	-	-	-	-	-	-	1	-	-	3	1	1	9	16	23	31	40	70	65	87	59	23	12	1	-
	Nonwhite—M	37	-	-	-	-	-	-	-	1	-	-	-	-	1	2	4	4	9	1	6	4	3	2	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	7	1	4	1	6	2	2	-	-	-
160-164	Of respiratory system	247	-	-	-	-	-	-	-	1	1	1	4	4	10	18	26	25	41	33	35	22	16	6	3	1	-
	White—M	172	-	-	-	-	-	-	-	1	-	1	2	2	7	16	17	20	32	21	23	16	8	4	1	1	-
	F	61	-	-	-	-	-	-	-	-	-	-	1	2	3	2	6	4	7	9	9	6	8	2	2	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	2	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
170	Of breast	244	-	-	-	-	-	-	-	-	-	1	1	7	16	15	24	31	40	37	29	14	17	7	4	1	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	-	-	-	-
	F	229	-	-	-	-	-	-	-	-	-	1	1	6	14	14	23	29	40	34	27	13	15	7	4	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	1	1	-	-	-	-	-	-
171-179	Of genital organs	476	-	-	-	-	-	-	-	3	3	6	2	9	20	26	35	44	46	63	72	64	62	16	4	-	1
	White—M	194	-	-	-	-	-	-	-	-	1	-	-	1	-	4	4	3	12	26	35	48	47	9	4	-	-
	F	249	-	-	-	-	-	-	-	3	2	6	2	6	17	22	28	38	29	34	31	12	13	6	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	-	1	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	3	4	2	1	1	2	-	-	-	1
180, 181	Of urinary organs	112	-	1	-	-	3	1	-	-	-	2	-	-	1	3	6	10	8	17	21	16	14	7	2	-	-
	White—M	73	-	-	-	-	2	1	-	-	-	2	-	-	1	3	5	6	5	12	12	8	10	4	2	-	-
	F	33	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	2	3	5	8	8	2	2	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	274	-	2	1	-	2	1	2	5	8	9	5	9	14	23	17	26	34	28	29	22	23	10	2	2	-
	White—M	140	-	-	-	-	-	1	1	2	6	6	3	2	8	11	8	12	14	17	18	9	15	6	-	1	-
	F	123	-	2	1	-	2	-	1	2	2	3	1	6	6	10	8	13	19	10	10	13	8	4	1	1	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	1	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	143	1	3	3	3	1	7	5	4	4	3	3	8	7	2	10	9	11	17	21	12	6	2	-	-	1
	White—M	77	-	3	1	-	-	1	2	2	-	1	3	4	4	2	7	5	8	10	9	8	4	2	-	-	1
	F	61	1	-	2	3	1	6	3	1	3	2	-	4	3	-	2	2	3	7	12	4	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	83	-	1	-	1	-	-	-	1	1	1	-	2	5	3	4	9	18	11	14	6	4	1	1	-	-
	White—M	52	-	1	-	1	-	-	-	1	-	1	-	1	5	3	1	5	11	6	9	2	3	1	1	-	-
	F	26	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	7	4	4	3	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	67	-	1	-	-	-	2	3	-	1	3	3	3	4	4	6	7	6	7	7	5	2	2	1	-	-
	White—M	26	-	-	-	-	-	1	3	-	-	-	1	1	3	-	3	4	-	4	4	1	1	-	-	-	-
	F	37	-	1	-	-	-	1	-	-	1	2	1	1	1	4	3	3	5	3	3	4	1	2	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	341	1	-	-	-	-	-	1	-	2	3	4	5	3	7	14	24	37	51	63	73	29	13	9	1	1
	White—M	148	1	-	-	-	-	-	-	-	1	-	1	2	2	3	7	11	9	17	30	33	18	7	7	1	-
	F	183	-	-	-	-	-	-	-	-	1	3	3	3	1	4	4	11	27	34	33	39	13	5	2	-	-
	Nonwhite—M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	1
290-293	Anemias	85	2	-	1	-	-	1	1	-	-	2	-	2	1	-	3	4	5	4	11	22	12	7	5	2	-
	White—M	41	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	2	8	11	6	4	5	-	-
	F	42	2	-	1	-	-	1	-	-	-	2	-	1	1	-	1	2	4	2	3	11	6	3	-	2	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	12	8	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	7	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	10,589	4	3	1	-	-	3	6	11	10	33	37	77	136	254	394	589	889	1,308	1,597	1,926	1,644	1,102	444	89	32
	White—M	5,808	2	2	-	-	-	2	3	5	8	20	21	41	87	158	251	369	552	808	896	1,015	841	499	188	30	10
	F	4,259	-	-	1	-	-	1	2	6	2	12	12	24	36	58	105	163	277	433	632	838	758	568	242	54	15
	Nonwhite—M	286	2	-	-	-	-	-	-	-	-	1	3	5	5	16	19	34	34	36	40	40	23	15	6	1	6
	F	256	-	1	-	-	-	-	1	-	-	-	1	7	8	22	19	23	26	31	29	33	22	20	8	4	1
330-334, 400-468	Diseases of cardiovascular system	10,184	2	3	1	-	-	2	4	10	6	25	31	71	127	247	378	564	850	1,273	1,550	1,861	1,588	1,045	430	87	29
	White	5,615	2	2	-	-	-	1	2	4	4	13	19	38	82	156	243	357	532	791	874	980	815	480	181	30	10
	F	4,061	-	-	1	-	-	1	1	6	2	11	10	22	33	54	99	154	263	417	614	809	729	534	235	52	14
	Nonwhite—M	272	-	-	-	-	-	-	-	-	-	1	1	4	5	16	18	33	34	35	38	39	23	14	6	1	4
	F	235	-	1	-	-	-	-	1	-	-	-	1	7	7	21	18	20	21	30	24	33	21	17	8	4	1
330-334	Vascular lesions, etc.*	2,464	1	-	1	-	-	2	1	2	1	7	2	19	27	38	64	107	172	277	386	533	431	266	97	17	3
	White—M	1,171	1	-	-	-	-	1	-	1	1	3	1	8	13	15	24	41	92	151	185	245	208	130	31	8	2
	F	1,155	-	-	1	-	-	1	1	1	-	4	1	7	11	14	33	48	68	113	182	259	212	128	62	8	1
	Nonwhite—M	69	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	12	6	6	10	17	7	1	1	-	-
	F	69	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	6	6	7	9	12	4	7	3	1	-
400-402	Rheumatic fever	20	-	-	-	-	-	-	3	2	-	3	6	1	-	1	-	1	-	1	1	1	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	2	1	-	2	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
410-443	Diseases of heart-	6,855	1	2	-	-	-	-	-	5	4	13	18	45	92	200	306	431	634	924	1,056	1,186	994	629	249	50	16
	White-----M--	4,006	1	1	-	-	-	-	-	2	3	7	11	27	65	138	217	306	416	598	628	661	511	280	111	18	5
	F--	2,519	-	-	-	-	-	-	-	3	1	5	6	15	19	37	61	94	177	278	389	486	455	329	130	30	6
	Nonwhite--M--	181	-	-	-	-	-	-	-	-	-	1	1	2	4	12	14	18	27	26	27	19	11	11	4	-	4
	F--	149	-	1	-	-	-	-	-	-	-	-	-	3	4	13	14	13	14	22	12	20	17	9	4	2	1
410-416	Chronic rheumatic heart disease----	249	...	-	-	-	-	-	-	2	1	3	4	9	9	24	18	18	31	32	29	30	21	12	6	-	-
	White-----M--	133	...	-	-	-	-	-	-	-	1	1	3	4	7	13	8	12	18	17	18	13	8	6	4	-	-
	F--	100	...	-	-	-	-	-	-	2	-	2	1	5	1	6	7	4	12	14	10	15	13	6	2	-	-
	Nonwhite--M--	8	...	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	1	-	1	-	-	-	-	-
	F--	8	...	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	1	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,105	1	-	-	-	-	-	-	1	1	4	9	23	61	137	226	312	433	633	672	699	500	270	93	21	9
	White-----M--	2,702	1	-	-	-	-	-	-	1	1	2	5	17	48	107	162	245	313	430	440	428	279	140	53	8	2
	F--	1,269	-	-	-	-	-	-	-	-	-	1	4	5	9	18	29	54	105	177	213	259	215	126	40	11	3
	Nonwhite--M--	84	-	-	-	-	-	-	-	-	-	1	-	-	2	8	8	8	11	16	15	8	4	2	-	-	3
	F--	50	-	-	-	-	-	-	-	-	-	-	-	1	2	6	7	5	4	10	4	4	2	2	-	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,178	...	1	-	-	-	-	-	2	-	2	1	3	6	6	18	30	70	113	137	218	242	221	89	19	-
	White-----M--	568	...	-	-	-	-	-	-	1	-	2	1	3	2	3	6	17	36	72	70	108	120	87	32	8	-
	F--	551	...	-	-	-	-	-	-	1	-	-	-	-	4	3	10	9	29	32	61	102	113	123	53	11	-
	Nonwhite--M--	28	...	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	5	3	4	6	2	-	-
	F--	31	...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	7	1	5	5	5	2	-	-
430-434	Other diseases of heart---------	303	-	1	-	-	-	-	-	-	1	4	1	4	7	4	13	18	18	31	53	49	47	29	15	5	3
	White-----M--	167	-	1	-	-	-	-	-	-	-	2	1	2	5	2	10	7	13	20	32	29	23	11	6	2	1
	F--	120	-	-	-	-	-	-	-	-	1	2	-	2	2	1	1	9	5	9	19	17	23	17	9	3	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	2	-	1	-	-	1
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-
440-443	Hypertension with heart dis.---	1,020	-	-	-	-	-	-	-	-	1	-	3	6	9	29	31	53	82	115	165	190	184	97	46	5	4
	White-----M--	436	-	-	-	-	-	-	-	-	1	-	1	1	3	13	11	25	36	59	68	83	81	36	16	-	2
	F--	479	-	-	-	-	-	-	-	-	-	-	1	1	3	9	14	19	26	46	86	93	91	57	28	5	2
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	6	12	6	5	5	3	2	2	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	3	8	4	6	9	9	2	2	-	-
444-447	Hypertension without mention of heart----------	211	-	-	-	-	-	-	-	-	-	-	1	5	3	2	2	10	17	29	23	42	39	21	13	4	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	1	3	2	1	1	4	8	14	6	15	24	8	6	2	-
	F--	101	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	8	13	15	25	14	12	7	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	2	-	-	-	-	1	-
450	General arteriosclerosis--------	521	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	13	28	55	86	110	124	70	16	9
	White-----M--	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	16	31	48	64	61	33	2	3
	F--	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	10	23	37	43	61	35	13	6
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	3	1	1	1	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	113	-	1	-	-	-	-	-	1	1	2	4	1	5	5	4	8	14	14	19	13	14	5	1	-	1
	White-----M--	67	-	1	-	-	-	-	-	-	-	1	3	-	2	2	1	3	10	11	13	11	8	1	-	-	-
	F--	40	-	-	-	-	-	-	-	1	1	1	1	1	2	2	2	5	4	3	5	1	5	4	1	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	405	2	-	-	-	-	1	2	1	4	8	6	6	9	7	16	25	39	35	47	65	56	57	14	2	3
	White-----M--	192	-	-	-	-	-	1	1	1	4	7	2	3	5	2	8	12	20	17	22	35	26	19	7	-	-
	F--	178	-	-	-	-	-	-	1	-	-	1	2	2	3	4	6	9	14	16	18	29	29	34	7	2	1
	Nonwhite--M--	14	2	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	1	2	1	-	1	-	-	2
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	1	5	-	1	3	-	-	-
480-493	Influenza and pneumonia, etc.*-	563	79	19	4	2	6	5	5	2	2	3	7	7	14	14	13	22	16	52	49	72	68	60	32	7	3
	White-----M--	278	35	11	1	-	3	1	4	-	-	2	3	2	7	9	6	11	11	29	27	36	31	31	17	1	-
	F--	236	33	7	2	2	2	4	1	2	2	1	3	2	4	1	6	7	4	21	17	32	35	27	15	5	1
	Nonwhite--M--	33	9	1	1	-	-	-	-	-	-	-	1	1	2	3	-	2	1	2	3	3	-	2	-	1	1
	F--	16	2	-	-	-	1	-	-	-	-	-	-	2	1	1	1	2	-	-	2	1	2	-	-	-	1
480-483	Influenza----------	111	6	2	1	-	1	-	1	-	1	-	-	1	2	5	2	6	6	15	14	12	11	12	11	2	-
	White-----M--	62	3	2	-	-	-	-	1	-	-	-	-	1	-	5	1	4	6	9	6	5	6	6	6	1	-
	F--	43	3	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-	6	6	7	5	5	5	1	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	452	73	17	3	2	5	5	4	2	1	3	7	6	12	9	11	16	10	37	35	50	57	48	21	5	3
	White-----M--	216	32	9	1	-	3	1	3	-	-	2	3	1	7	4	5	7	5	20	21	31	25	25	11	-	-
	F--	193	30	7	2	2	1	4	1	2	1	1	3	2	3	1	5	6	4	15	11	25	30	22	10	4	1
	Nonwhite--M--	29	9	1	-	-	-	-	-	-	-	-	1	1	2	3	-	1	1	2	2	3	-	1	-	1	1
	F--	14	2	-	-	-	1	-	-	-	-	-	-	2	-	1	1	2	-	-	1	1	2	-	-	-	1
500-502	Bronchitis---------	46	9	5	-	-	-	-	-	-	-	-	-	-	1	-	5	2	1	3	1	7	4	1	5	1	1
	White-----M--	32	7	1	-	-	-	-	-	-	-	-	-	-	-	-	5	2	1	3	1	4	3	1	2	1	1
	F--	13	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	-	3	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	110	-	-	-	-	-	-	-	-	2	-	2	6	5	5	12	11	9	9	11	19	12	6	1	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	1	-	2	5	4	2	10	9	8	8	6	15	9	5	1	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	4	4	3	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	54	1	-	-	-	-	1	3	1	1	3	1	2	-	5	6	3	8	6	3	3	5	1	1	-	-
	White-----M--	33	1	-	-	-	-	1	2	-	-	2	1	2	-	3	4	3	4	4	2	2	1	-	1	-	-
	F--	16	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	4	2	1	1	3	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	126	9	-	-	-	-	1	-	1	2	1	3	4	1	5	6	7	11	17	14	13	16	11	1	2	1
	White-----M--	66	4	-	-	-	-	1	-	-	2	-	2	2	-	1	3	5	5	11	7	8	6	7	1	1	-
	F--	55	5	-	-	-	-	-	-	-	-	1	1	2	1	3	3	2	5	5	6	5	10	4	-	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS--Continued																										
543,	Gastritis, etc.*--	81	21	6	-	1	-	1	-	-	1	-	1	1	1	1	1	3	5	4	7	10	7	7	3	-	-
571,	White-----M--	40	11	4	-	-	-	1	-	-	-	-	-	-	-	-	1	2	3	2	5	6	2	1	2	-	-
572	F--	33	8	1	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	1	2	4	5	6	1	-	-
	Nonwhite--M--	7	2	1	-	1	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	110	1	-	-	-	-	-	-	-	-	1	1	5	2	11	14	12	13	8	22	12	5	1	1	-	1
	White-----M--	64	1	-	-	-	-	-	-	-	-	1	-	4	2	5	6	7	9	5	12	8	3	-	1	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	1	-	3	6	4	3	2	10	4	1	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	49	1	-	1	-	-	1	-	2	-	-	1	-	2	3	2	1	4	6	5	6	7	4	2	-	-
	White-----M--	22	1	-	-	-	-	-	-	2	-	-	-	-	1	3	1	1	2	3	3	1	2	1	1	-	-
	F--	20	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	2	3	1	4	5	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	130	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	7	9	14	35	31	21	5	2	1
	White-----M--	121	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	6	8	14	31	28	21	5	2	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	24	...	...	...	...	...	...	-	3	4	5	4	7	1	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	20	...	...	...	...	...	...	-	2	2	5	4	6	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	1	2	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	22	...	...	...	...	...	...	-	3	4	4	3	7	1	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	18	...	...	...	...	...	...	-	2	2	4	3	6	1	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	4	...	...	...	...	...	...	-	1	2	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	260	187	14	9	2	2	8	4	4	1	5	1	5	1	2	5	1	1	-	4	2	2	-	-	-	-
	White-----M--	125	89	9	5	2	1	5	2	1	-	2	1	1	-	2	2	1	1	-	-	-	1	-	-	-	-
	F--	125	90	5	4	-	1	3	1	2	1	3	-	4	1	-	3	-	-	-	4	2	1	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	680	680	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	397	397	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	336	336	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	310	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	190	10	1	1	-	-	-	-	1	5	-	-	4	-	3	4	4	11	5	10	19	31	32	37	10	2
795	White-----M--	86	6	1	-	-	-	-	-	-	1	-	-	2	-	3	3	2	10	2	4	8	11	12	16	5	-
	F--	86	3	-	1	-	-	-	-	1	3	-	-	2	-	-	1	1	1	1	5	8	18	18	20	4	1
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1
Re-	All other diseases	879	52	6	5	5	3	11	6	16	18	14	25	23	27	32	37	57	82	84	116	109	72	43	25	7	4
sid-	White-----M--	442	27	3	1	4	2	4	3	9	7	5	12	9	14	18	24	30	32	49	66	51	38	13	17	3	1
ual	F--	395	18	3	3	1	1	7	3	7	7	8	13	12	11	12	13	23	42	32	48	56	32	30	8	4	1
	Nonwhite--M--	25	6	-	1	-	-	-	-	-	1	1	-	1	-	1	-	3	5	3	1	2	-	-	-	-	-
	F--	17	1	-	-	-	-	-	-	-	3	-	-	1	2	1	-	1	3	-	1	-	2	-	-	-	2
E800-	Accidents---------	1,343	38	24	22	10	7	43	34	94	99	108	67	58	84	58	48	52	67	54	87	95	95	70	37	9	3
E962	White-----M--	843	18	10	10	6	4	28	24	74	78	90	48	46	44	42	39	55	48	35	52	44	38	18	10	3	1
	F--	437	15	11	10	2	3	13	9	17	18	11	16	9	16	13	7	13	21	14	30	49	54	52	27	6	1
	Nonwhite--M--	41	1	2	2	1	-	2	-	1	2	5	3	3	4	2	1	2	-	4	3	1	1	-	-	-	1
	F--	22	4	1	-	1	-	-	1	2	1	2	-	-	-	1	1	2	-	1	2	1	2	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	529	7	4	10	3	5	10	12	82	64	69	36	24	38	23	21	24	32	21	27	21	11	2	2	-	1
	White-----M--	378	4	2	5	3	2	3	8	50	51	53	25	19	28	16	17	16	17	12	24	14	6	1	1	-	-
	F--	131	3	2	5	-	3	7	3	10	12	10	9	5	8	6	2	7	15	8	3	7	4	1	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	4	2	-	1	1	1	1	-	-	-	-	1	-	-	-	1
	F--	7	-	-	-	-	-	1	2	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	814	31	20	12	7	2	33	22	32	35	39	31	34	26	35	27	28	35	33	60	74	84	68	35	9	2
E802,	White-----M--	465	14	8	5	3	2	25	16	24	27	37	23	27	15	26	22	19	29	23	28	30	32	17	9	3	1
E840-	F--	308	12	9	5	2	-	6	6	7	6	1	7	4	8	7	5	6	6	6	27	42	50	51	26	6	1
E962	Nonwhite--M--	28	1	2	2	1	-	2	-	1	1	1	1	3	3	1	-	1	-	4	3	1	-	-	-	-	-
	F--	15	4	1	-	1	-	-	-	-	1	-	-	-	-	1	-	2	-	-	2	1	2	-	-	-	-
E963,	Suicide----------	233	-	-	-	-	-	-	-	3	10	9	8	13	20	34	22	25	35	19	15	12	7	1	-	-	-
E970-	White-----M--	185	-	-	-	-	-	-	-	3	7	6	4	8	15	28	19	23	28	15	12	10	6	1	-	-	-
E979	F--	45	-	-	-	-	-	-	-	-	3	3	3	4	5	5	3	2	7	4	3	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	65	1	-	3	2	-	1	-	2	6	10	8	5	5	6	4	3	7	-	-	2	-	-	-	-	-
E980-	White-----M--	21	1	-	-	-	-	-	-	1	-	4	-	1	1	3	3	2	4	-	-	1	-	-	-	-	-
E985	F--	14	-	-	1	1	-	1	-	-	2	1	2	1	1	-	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	-	-	1	-	-	-	-	1	2	5	5	3	2	3	-	-	1	-	-	-	-	-	-	-	-
	F--	7	-	-	1	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY																										
	ALL CAUSES	27,855	2,616	210	124	98	62	210	177	334	436	478	502	651	800	1,077	1,400	1,787	2,146	2,761	3,258	3,486	2,750	1,707	625	132	27
	White---M	14,027	1,388	93	70	53	27	98	96	198	241	267	250	326	393	544	726	956	1,130	1,408	1,641	1,710	1,334	763	258	45	11
	F	10,483	979	93	48	40	28	90	68	105	147	143	178	204	236	320	390	496	698	994	1,281	1,498	1,232	838	314	89	5
	Nonwhite--M	1,801	137	11	5	2	6	15	9	16	29	40	38	53	88	109	147	191	185	198	180	159	100	51	23	7	1
	F	1,534	111	13	3	3	1	7	4	15	19	28	36	68	83	104	137	144	133	160	157	118	84	55	30	11	10
001-019	Tuberculosis, all forms	1,075	12	17	8	8	2	6	8	29	71	74	85	87	72	80	90	95	78	86	70	52	34	9	2	-	-
	White---M	520	7	9	5	7	1	2	2	5	21	25	36	37	37	42	53	60	49	45	33	25	15	6	-	-	-
	F	392	4	7	3	1	1	4	3	18	37	31	37	35	19	20	21	17	22	34	31	24	18	3	2	-	-
	Nonwhite--M	98	1	1	-	-	-	-	-	3	5	10	3	6	10	14	14	12	6	6	5	1	1	-	-	-	-
	F	85	-	-	-	-	-	-	3	3	8	8	9	9	6	4	2	6	1	1	1	2	2	-	-	-	-
001-008	Tuberculosis of respiratory system	972	4	4	2	2	-	2	6	24	66	65	80	84	69	76	85	91	71	82	68	49	32	8	2	-	-
	White---M	471	4	3	1	1	-	-	-	5	19	22	32	36	37	40	52	57	44	44	32	24	13	5	-	-	-
	F	361	-	1	1	1	-	2	3	16	35	30	36	34	18	19	21	17	21	32	30	22	17	3	2	-	-
	Nonwhite--M	78	-	-	-	-	-	-	-	1	5	5	3	5	8	13	10	11	5	5	6	1	1	-	-	-	-
	F	62	-	-	-	-	-	-	3	2	7	8	9	9	6	4	2	6	1	1	1	2	1	-	-	-	-
010-019	Tuberculosis, other forms	103	8	13	6	6	2	4	2	5	5	9	5	3	3	4	5	4	7	4	2	3	2	1	-	-	-
	White---M	49	3	6	4	6	1	2	2	-	2	3	4	1	-	2	1	3	5	1	1	1	-	1	-	-	-
	F	31	4	6	2	-	1	2	-	2	2	1	1	1	1	1	-	-	1	2	1	2	1	-	-	-	-
	Nonwhite--M	20	1	1	-	-	-	-	-	2	-	5	-	1	2	1	4	1	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
020-029	Syphilis and its sequelae	91	4	-	-	-	-	-	1	1	-	1	2	3	-	6	15	16	11	14	7	7	2	1	-	-	-
	White---M	52	1	-	-	-	-	-	1	-	-	-	2	1	-	4	8	7	6	11	3	6	2	-	-	-	-
	F	15	2	-	-	-	-	-	-	1	-	-	-	1	-	-	3	1	3	1	2	1	-	-	-	-	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	2	2	1	-	-	1	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	59	44	3	1	1	-	-	-	1	-	1	-	-	-	-	-	-	1	1	1	2	2	-	1	-	-
	White---M	30	21	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-
	F	24	18	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
	Nonwhite--M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	16	2	-	1	-	-	3	2	2	-	-	-	1	1	-	1	2	-	-	-	-	1	-	-	-	-
	White---M	11	2	-	1	-	-	2	1	1	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-
	F	5	-	-	-	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	35	4	3	5	5	5	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	17	3	1	3	2	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	1	2	2	3	3	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	54	33	14	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White---M	21	12	5	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	20	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	50	20	10	5	2	3	4	2	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White---M	35	14	4	5	2	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	14	6	6	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	45	4	5	5	2	3	5	7	3	2	3	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	White---M	22	2	2	3	-	1	1	5	1	-	2	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F	19	-	3	2	2	2	4	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	33	11	7	-	-	3	5	1	3	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White---M	21	7	5	-	-	1	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	3	2	-	-	2	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White---M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	110	15	3	3	2	1	12	6	2	9	2	3	2	4	1	5	6	4	5	11	7	3	4	-	-	-
	White---M	51	5	3	1	1	1	5	2	2	3	-	1	2	1	-	1	3	1	2	8	4	1	4	-	-	-
	F	47	10	-	2	1	-	7	2	-	4	2	2	-	3	-	2	3	2	2	2	2	1	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
140-205	Malignant neoplasms, etc.*----	3,263	6	4	4	10	5	20	18	24	15	42	62	113	131	198	259	332	385	431	395	409	248	122	25	2	3
	White-----M--	1,434	4	1	3	4	2	10	9	17	5	22	23	44	42	70	112	134	159	185	204	200	124	53	8	-	1
	F--	1,527	2	2	1	6	3	7	7	5	9	17	34	56	73	96	123	153	180	204	169	189	110	62	16	2	1
	Nonwhite--M--	135	-	-	-	-	-	2	2	2	1	-	-	5	3	7	8	24	23	25	9	14	7	3	-	-	-
	F--	167	-	1	-	-	-	1	-	-	-	3	5	8	13	25	16	21	25	19	13	6	7	4	1	-	1
140-148	Of buccal cavity and pharynx------	79	-	-	-	-	-	-	-	2	-	-	-	1	1	3	14	11	7	8	7	11	8	6	-	-	-
	White-----M--	65	-	-	-	-	-	-	-	2	-	-	-	1	1	1	12	9	5	5	7	10	6	4	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	-	1	2	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-158A, 157-159	Of digestive organs and peritoneum------	1,280	-	-	-	-	-	1	-	2	1	5	12	27	29	53	74	105	160	201	198	208	122	51	12	1	2
	White-----M--	581	-	-	-	-	-	1	-	1	-	5	4	17	14	23	38	50	75	92	94	96	57	20	3	-	1
	F--	559	-	-	-	-	-	-	-	1	1	-	8	8	10	20	24	38	68	96	89	103	57	26	9	1	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	12	9	9	6	5	5	3	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	-	-	2	8	9	5	8	4	7	2	3	2	-	-	1
160-164	Of respiratory system----------	278	-	-	-	-	-	-	-	-	1	2	3	12	13	28	31	42	46	30	28	24	14	4	-	-	-
	White-----M--	186	-	-	-	-	-	-	-	-	-	-	2	7	10	24	22	29	33	20	17	12	8	2	-	-	-
	F--	66	-	-	-	-	-	-	-	-	1	2	-	3	3	-	6	8	8	6	9	12	6	2	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	3	4	2	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	2	1	-	-	-	-	-	-
170	Of breast---------	253	-	-	-	-	-	-	-	-	-	3	7	11	20	29	27	34	32	29	18	21	11	5	5	1	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	229	-	-	-	-	-	-	-	-	-	3	6	10	18	24	25	31	29	26	17	20	10	5	4	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	2	2	1	1	1	-	1	-	-	-
171-179	Of genital organs-	616	-	-	-	-	-	-	-	2	2	8	15	31	32	46	61	67	70	70	74	64	46	26	2	-	-
	White-----M--	210	-	-	-	-	-	-	-	1	-	4	4	-	1	-	11	11	13	26	44	42	32	19	2	-	-
	F--	323	-	-	-	-	-	-	-	1	1	3	8	27	24	35	45	45	45	32	25	14	12	6	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	3	4	2	5	2	-	-	-	-
	F--	62	-	-	-	-	-	-	-	-	-	1	3	4	7	10	5	8	9	8	3	3	-	1	-	-	-
180, 181	Of urinary organs-	130	-	1	-	1	1	-	-	-	-	-	-	2	2	6	7	18	17	22	14	18	11	9	1	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	5	6	7	11	5	1	-	-	-
	F--	74	-	1	-	1	1	-	-	-	-	-	-	2	1	2	5	8	11	14	7	6	6	8	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	382	-	-	1	2	2	10	7	5	4	12	15	16	21	13	29	34	30	49	35	46	28	18	4	-	1
	White-----M--	185	-	-	1	1	1	2	4	3	2	7	6	12	8	7	17	18	14	21	19	22	12	6	2	-	-
	F--	165	-	-	-	1	1	6	2	1	2	3	9	4	12	5	11	12	11	21	16	21	13	11	2	-	1
	Nonwhite--M--	19	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	3	2	6	-	3	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	1	3	1	-	-	3	1	-	-	-
204	Leukemia and aleukemia----------	129	5	2	3	4	2	3	9	6	4	6	3	2	5	8	7	11	10	11	14	9	4	1	-	-	-
	White-----M--	67	3	1	2	2	1	3	4	4	1	3	1	-	2	2	4	5	7	7	10	4	1	-	-	-	-
	F--	57	2	-	1	2	1	-	5	1	3	3	2	1	3	6	3	6	3	3	3	5	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	136	1	1	-	3	-	6	2	7	3	6	7	11	8	12	9	10	13	11	9	10	4	2	1	-	-
	White-----M--	86	1	-	-	1	-	4	1	6	2	3	6	7	6	9	6	7	7	6	6	3	3	1	1	-	-
	F--	41	-	1	-	2	-	1	-	1	1	3	1	1	2	2	3	3	5	3	3	7	1	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	87	1	-	-	1	1	1	-	2	2	5	5	11	9	7	12	8	5	5	5	5	1	1	-	-	-
	White-----M--	28	1	-	-	1	-	-	-	1	2	-	-	2	3	3	-	2	2	3	3	3	1	1	-	-	-
	F--	44	-	-	-	-	1	1	-	1	-	3	4	5	3	3	11	4	3	1	2	2	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	4	3	1	1	1	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	349	-	-	-	-	-	1	4	6	4	7	2	4	7	16	12	26	23	64	77	65	21	8	2	-	-
	White-----M--	140	-	-	-	-	-	1	1	4	3	4	1	-	5	5	3	6	11	20	32	29	9	5	1	-	-
	F--	160	-	-	-	-	-	-	3	1	1	3	1	2	2	5	4	13	8	33	36	34	12	2	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	1	2	5	1	-	1	-	-	-
	F--	30	-	-	-	-	-	-	-	1	-	-	-	1	-	3	4	3	3	9	4	1	-	-	1	-	-
290-293	Anemias----------	87	7	-	-	1	2	1	1	1	1	-	2	1	3	2	-	6	2	3	16	15	15	7	1	-	-
	White-----M--	46	5	-	-	-	1	1	-	-	-	-	1	1	1	1	-	2	1	2	8	9	7	6	-	-	-
	F--	34	2	-	-	-	-	-	1	1	1	-	1	-	1	1	-	3	1	1	8	5	6	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-
340	Nonmeningococcal meningitis-------	45	14	4	1	5	1	2	2	3	1	-	1	1	-	4	2	1	-	1	2	-	-	-	-	-	-
	White-----M--	21	6	1	1	2	-	2	1	1	1	-	-	-	-	2	1	-	-	1	2	-	-	-	-	-	-
	F--	17	6	3	-	2	-	-	1	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	13,900	8	6	5	1	-	23	27	33	44	67	95	174	289	448	714	939	1,283	1,710	2,151	2,357	1,646	1,180	413	76	11
	White-----M--	6,927	5	2	-	1	-	10	10	18	19	28	37	80	138	221	376	527	686	903	1,078	1,152	893	537	173	29	4
	F--	5,176	1	3	5	-	-	8	17	11	20	28	37	50	73	124	161	224	384	565	824	1,005	824	566	204	40	2
	Nonwhite--M--	930	2	1	-	-	-	3	-	3	3	6	6	16	35	44	86	102	123	133	123	115	75	35	15	3	1
	F--	867	-	-	-	-	-	2	-	1	2	5	15	28	43	59	91	86	90	109	126	85	54	42	21	4	4
330-334, 400-468	Diseases of cardiovascular system-	13,306	7	5	3	1	-	16	24	28	34	56	83	159	280	435	684	917	1,244	1,665	2,072	2,265	1,760	1,115	392	72	9
	White-----M--	8,643	5	1	-	1	-	6	9	14	13	25	29	73	128	217	363	517	675	879	1,038	1,107	850	495	167	28	3
	F--	4,972	1	3	3	-	-	6	15	10	17	23	34	44	67	121	153	219	370	548	804	972	786	546	192	37	1
	Nonwhite--M--	867	1	1	-	-	-	2	-	3	3	3	6	15	26	41	83	99	113	130	110	106	74	33	14	3	1
	F--	824	-	-	-	-	-	2	-	1	1	5	14	27	39	56	85	82	86	108	120	80	50	41	18	4	4
330-334	Vascular lesions, etc.*----------	3,138	2	2	1	-	-	1	2	3	5	10	11	24	41	86	155	173	286	424	513	575	469	254	76	12	3
	White-----M--	1,426	2	1	-	-	-	-	2	1	3	5	5	8	10	31	62	76	135	206	232	273	227	109	31	5	2
	F--	1,301	-	1	1	-	-	1	-	2	1	4	4	7	15	32	54	49	106	160	222	250	215	128	42	6	1
	Nonwhite--M--	194	-	-	-	-	-	-	-	-	1	-	-	1	5	8	20	24	27	31	29	24	16	7	1	-	-
	F--	217	-	-	-	-	-	-	-	-	-	1	2	8	11	15	19	24	28	27	30	28	11	10	2	1	-
400-402	Rheumatic fever----	44	2	1	-	-	-	8	8	3	3	4	1	4	3	1	1	1	-	1	-	1	1	1	-	-	-
	White-----M--	14	-	-	-	-	-	3	1	2	2	3	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-
	F--	24	1	1	-	-	-	2	7	1	1	1	1	4	1	1	-	-	-	1	-	1	-	1	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
410-443	Diseases of heart	9,117	1	2	1	1	-	7	14	22	24	34	63	125	206	334	502	713	903	1,155	1,422	1,497	1,085	705	254	44	3
	White—M	4,735	1	-	-	1	-	3	6	11	8	15	22	64	114	181	287	427	517	631	746	738	522	313	112	15	1
	F	3,242	-	1	1	-	-	3	8	7	13	13	26	30	48	80	97	160	252	355	526	645	489	346	119	23	-
	Nonwhite—M	594	-	1	-	-	-	1	-	3	2	3	6	14	19	32	57	72	81	94	69	66	42	21	8	3	-
	F	546	-	-	-	-	-	-	-	1	1	3	9	17	25	41	61	54	53	75	81	48	32	25	15	3	2
410-416	Chronic rheumatic heart disease	384	...	-	-	-	-	2	11	14	9	13	16	16	20	26	23	33	41	43	29	39	28	16	3	1	1
	White—M	181	...	-	-	-	-	-	5	8	5	5	5	7	7	11	14	13	16	18	14	21	17	11	3	1	-
	F	162	...	-	-	-	-	2	6	4	4	6	10	8	10	13	7	17	17	19	13	14	7	5	-	-	-
	Nonwhite—M	24	...	-	-	-	-	-	-	2	-	2	1	-	1	1	1	3	3	4	2	3	1	-	-	-	-
	F	17	...	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	5	2	-	1	3	-	-	-	1
420	Arteriosclerotic heart dis., etc.*	4,480	-	1	-	-	-	-	-	2	7	8	23	57	114	184	266	412	520	607	691	690	462	283	110	13	-
	White—M	2,628	-	-	-	-	-	-	-	-	1	2	12	36	84	130	182	293	348	377	401	351	234	124	48	4	-
	F	1,431	-	-	-	-	-	-	-	2	4	4	5	11	17	31	42	71	114	167	245	307	205	145	54	7	-
	Nonwhite—M	239	-	1	-	-	-	-	-	-	2	-	4	8	9	10	22	28	40	43	27	22	12	8	2	1	-
	F	152	-	-	-	-	-	-	-	-	-	2	2	2	4	13	20	20	18	20	18	10	11	6	5	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,503	...	-	-	-	-	1	3	3	6	5	6	10	21	27	48	58	107	140	251	283	253	185	78	17	1
	White—M	681	...	-	-	-	-	1	1	2	1	2	1	7	6	11	21	29	42	63	121	135	115	86	31	6	-
	F	587	...	-	-	-	-	-	2	1	4	2	3	-	5	7	5	16	39	41	86	121	118	88	41	8	-
	Nonwhite—M	117	...	-	-	-	-	-	-	-	-	-	-	1	2	4	5	10	6	15	24	16	14	13	3	3	1	-
	F	116	...	-	-	-	-	-	-	-	-	1	1	1	6	4	12	7	11	12	28	13	7	8	3	2	1
430-434	Other diseases of heart	816	1	1	1	1	-	4	-	2	1	6	14	18	21	32	61	67	75	95	101	127	96	66	21	6	1
	White—M	421	1	-	-	1	-	2	-	1	-	5	3	7	9	11	38	33	42	44	56	73	54	30	8	2	1
	F	264	-	1	1	-	-	1	-	-	1	1	6	4	5	9	8	17	22	31	37	40	37	30	10	3	-
	Nonwhite—M	63	-	-	-	-	-	1	-	-	-	-	-	1	2	5	10	9	6	8	5	8	2	4	1	1	-
	F	70	-	-	-	-	-	-	-	1	-	-	5	6	5	7	5	8	5	12	3	6	3	2	2	-	-
440-443	Hypertension with heart dis.	1,962	-	-	-	-	-	-	-	1	1	2	4	24	30	65	104	143	160	270	350	358	246	155	42	7	-
	White—M	824	-	-	-	-	-	-	-	-	1	1	1	7	8	18	32	59	69	129	154	158	102	62	21	2	-
	F	798	-	-	-	-	-	-	-	-	-	-	2	7	11	20	35	39	60	87	145	163	122	78	14	5	-
	Nonwhite—M	151	-	-	-	-	-	-	-	1	-	1	-	3	3	11	14	26	17	15	19	19	14	6	2	-	-
	F	189	-	-	-	-	-	-	-	-	-	-	1	7	8	16	23	19	14	29	32	18	8	9	5	-	-
444-447	Hypertension without mention of heart	261	-	-	-	-	-	-	-	-	2	3	5	2	7	5	13	9	18	22	47	49	42	31	4	1	1
	White—M	118	-	-	-	-	-	-	-	-	-	1	1	-	2	3	7	5	7	10	21	26	16	18	1	-	-
	F	101	-	-	-	-	-	-	-	-	2	1	2	1	2	2	1	3	7	8	19	17	23	9	3	1	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	4	6	3	2	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	2	1	2	-	3	1	3	3	3	-	-	2	-	-	1
450	General arteriosclerosis	634	-	-	-	-	-	-	-	-	-	-	1	1	1	2	6	11	16	45	77	133	151	117	56	15	2
	White—M	298	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	10	23	34	66	76	51	22	8	-
	F	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	16	29	54	56	59	27	7	-
	Nonwhite—M	51	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	4	8	9	12	3	5	-	1
	F	31	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	2	6	4	7	4	2	-	1
451-466	Other diseases of circulatory sys.	112	2	-	1	-	-	-	-	-	-	5	2	3	2	7	7	10	11	18	13	10	12	7	2	-	-
	White—M	52	2	-	-	-	-	-	-	-	-	1	1	1	-	1	3	6	6	9	5	4	8	4	1	-	-
	F	50	-	-	1	-	-	-	-	-	-	4	1	2	1	6	-	3	4	8	8	5	3	3	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis etc.*	594	1	1	2	-	-	7	3	5	10	11	12	15	29	13	30	22	39	45	79	92	86	65	21	4	2
	White—M	284	-	1	-	-	-	4	1	4	6	3	8	7	10	4	13	10	11	24	40	45	43	42	6	1	1
	F	204	-	-	2	-	-	2	2	1	3	5	3	6	6	3	8	5	14	17	20	33	38	20	12	3	1
	Nonwhite—M	63	1	-	-	-	-	1	-	-	-	3	-	1	9	3	3	3	10	3	13	9	1	2	1	-	-
	F	43	-	-	-	-	-	-	-	-	1	-	1	1	4	3	6	4	4	1	6	5	4	1	2	-	-
480-493	Influenza and pneumonia, etc.*	1,383	300	43	17	9	6	15	12	22	9	6	11	22	17	29	41	47	47	93	127	168	159	105	61	16	1
	White—M	597	132	14	9	5	1	10	7	12	5	2	6	7	10	10	20	21	22	35	60	71	69	35	29	5	-
	F	600	123	22	5	3	3	4	4	8	3	4	3	9	5	9	8	14	15	46	50	85	76	64	29	7	1
	Nonwhite—M	103	25	4	3	-	2	-	1	-	-	-	-	2	2	5	8	6	6	8	11	7	8	2	-	3	-
	F	83	20	3	-	1	-	1	-	2	1	-	2	4	-	5	5	6	4	4	6	5	6	4	3	1	-
480-483	Influenza	240	26	3	3	-	-	-	2	6	-	-	-	5	4	7	9	11	10	19	22	38	32	26	13	5	-
	White—M	93	11	1	1	-	-	-	-	3	-	-	-	2	3	2	4	3	4	4	8	15	16	8	7	1	-
	F	118	13	2	2	-	-	-	2	2	-	-	-	2	1	2	1	4	4	11	9	23	14	17	6	3	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	5	-	1	-	-	-	-
	F	15	2	-	-	-	-	-	-	1	-	-	-	1	-	2	2	2	-	2	-	-	1	1	-	1	-
490-493	Pneumonia, etc.*	1,143	274	40	14	9	6	15	10	16	9	6	11	17	13	22	33	36	37	74	105	130	127	79	48	11	1
	White—M	504	121	13	8	5	1	10	7	9	5	2	6	5	7	8	16	18	18	31	52	56	53	27	22	4	-
	F	482	110	20	3	3	3	4	2	6	3	4	3	7	4	7	7	10	11	35	41	62	62	47	23	4	1
	Nonwhite—M	89	25	4	3	-	2	-	1	-	-	-	-	2	2	4	7	4	4	6	6	7	7	2	-	3	-
	F	68	18	3	-	1	-	1	-	1	1	-	2	3	-	3	3	4	4	2	6	5	5	3	3	-	-
500-502	Bronchitis	67	14	6	4	-	-	1	-	-	-	-	2	2	-	-	1	6	-	3	6	5	6	7	2	1	1
	White—M	28	6	3	2	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	2	3	2	2	2	-	1
	F	32	6	3	2	-	-	1	-	-	-	-	-	-	-	-	1	2	-	2	4	2	4	4	-	1	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum	126	1	-	-	-	-	-	-	2	2	3	2	7	14	12	13	15	17	15	9	11	2	1	-	-	-
	White—M	102	1	-	-	-	-	-	-	1	2	3	2	5	9	11	11	13	17	14	7	4	2	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	1	2	4	-	1	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-	-	3	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	55	-	1	-	1	-	5	1	2	-	5	1	4	7	3	1	1	5	4	6	4	3	1	-	-	-
	White—M	24	-	-	-	-	-	1	-	1	-	1	-	2	3	-	1	1	3	2	4	2	2	1	-	-	-
	F	21	-	1	-	1	-	2	1	1	-	2	1	-	2	2	-	-	2	2	1	2	1	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	151	15	1	3	-	-	2	-	1	1	1	4	2	3	4	7	9	14	6	22	19	20	14	3	-	-
	White—M	62	8	1	1	-	-	-	-	-	1	-	2	-	-	1	2	3	5	3	10	8	11	5	1	-	-
	F	65	4	-	1	-	-	2	-	1	-	1	2	2	2	2	4	4	4	3	10	6	6	9	2	-	-
	Nonwhite—M	16	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	4	1	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	2	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
543,	Gastritis, etc.*--	264	180	21	3	1	1	3	-	2	-	1	2	2	1	1	3	5	3	6	5	9	8	4	2	-	1
571,	White-----M--	121	89	9	-	-	-	1	-	-	-	-	1	-	1	-	1	2	1	3	1	5	5	2	-	-	-
572	F--	107	72	7	3	1	1	1	-	1	-	1	1	2	-	1	-	1	1	2	3	4	2	1	2	-	-
	Nonwhite--M--	20	10	2	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	1	1	-	1	1	-	-	-
	F--	16	9	3	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	1
581	Cirrhosis of liver	188	-	-	-	-	-	-	1	1	2	2	3	7	14	24	21	22	30	22	17	14	5	1	2	-	-
	White-----M--	120	-	-	-	-	-	-	1	1	1	2	1	6	7	15	15	16	20	16	9	5	2	1	2	-	-
	F--	46	-	-	-	-	-	-	-	-	1	-	2	1	4	5	2	5	8	3	5	7	3	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	-	2	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	3	1	1	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	65	1	-	1	1	2	5	-	4	2	3	2	4	4	9	5	2	4	5	7	7	7	6	2	-	-
	White-----M--	30	-	-	1	-	1	2	-	2	-	-	-	1	1	3	2	2	1	1	1	3	5	3	1	-	-
	F--	30	1	-	-	1	-	2	-	1	1	2	1	1	1	2	2	-	2	4	3	1	2	3	-	-	-
	Nonwhite--M--	13	-	-	-	-	1	1	-	1	1	-	-	2	1	2	1	-	1	-	2	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	1	1	-	1	2	-	-	-	-	1	2	-	-	1	-	-
610	Hyperplasia of																										
	prostate----------	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	9	14	25	25	37	14	6	3	-
	White-----M--	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	9	9	21	21	34	13	5	3	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	4	2	3	1	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	73	***	***	***	***	***	***	1	6	23	9	14	10	8	2	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	61	***	***	***	***	***	***	-	3	21	8	14	8	5	2	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	12	***	***	***	***	***	***	1	3	2	1	-	2	3	-	-	-	***	***	***	***	***	***	***	***	-
650-	Abortion----------	5	***	***	***	***	***	***	-	-	4	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
652	White-----F--	3	***	***	***	***	***	***	-	-	3	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	2	***	***	***	***	***	***	-	-	1	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-	All other com-																										
649,	plications-------	88	***	***	***	***	***	***	1	6	19	8	14	10	8	2	-	-	***	***	***	***	***	***	***	***	-
660-	White-----F--	58	***	***	***	***	***	***	-	3	18	8	14	8	5	2	-	-	***	***	***	***	***	***	***	***	-
689	Nonwhite--F--	10	***	***	***	***	***	***	1	3	1	-	-	2	3	-	-	-	***	***	***	***	***	***	***	***	-
750-	Congenital mal-																										
759	formations-------	340	287	9	3	5	2	3	3	6	1	5	2	1	2	5	2	2	1	1	-	-	-	-	-	-	-
	White-----M--	185	155	6	2	2	1	1	1	4	-	2	2	1	1	4	1	2	-	-	-	-	-	-	-	-	-
	F--	138	119	1	1	3	1	2	2	2	1	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	6	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,390	1,390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	787	787	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	484	484	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	533	533	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	307	307	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	731	731	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	414	414	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	527	89	2	7	1	1	3	3	2	6	2	4	1	5	11	7	16	20	16	35	70	82	71	48	19	6
795	White-----M--	262	44	1	5	1	1	-	-	2	4	-	2	-	2	6	2	9	14	5	23	39	41	34	18	6	3
	F--	213	36	1	2	-	-	3	3	-	2	2	2	1	1	3	1	2	6	8	9	25	39	32	24	10	1
	Nonwhite--M--	28	5	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	2	2	2	-	4	5	1	-
	F--	24	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	1	4	2	1	1	2	2
Re-	All other diseases	1,251	75	21	12	7	8	15	10	19	31	27	25	39	41	69	67	86	86	130	148	123	113	73	21	5	-
sid-	White-----M--	599	40	7	6	4	3	7	8	8	13	15	8	22	18	38	31	45	44	67	62	67	53	27	5	1	-
ual	F--	512	28	13	5	2	4	6	2	7	15	11	15	12	13	25	21	23	25	46	79	48	53	42	14	3	-
	Nonwhite--M--	72	2	1	-	1	-	2	-	2	1	-	-	2	4	5	7	12	11	8	6	2	3	2	1	-	-
	F--	68	5	-	1	-	1	-	2	2	1	2	3	6	1	8	6	6	9	1	6	4	2	1	1	-	-
E800-	Accidents----------	1,992	78	30	33	34	16	61	61	135	168	159	111	107	113	96	88	88	81	96	93	100	123	76	33	10	3
E962	White-----M--	1,283	34	17	19	20	8	28	40	100	134	128	89	83	80	75	62	58	53	59	49	40	48	26	11	1	1
	F--	553	30	10	11	13	7	26	18	30	23	19	13	11	18	14	16	14	21	27	37	51	70	48	20	6	-
	Nonwhite--M--	121	6	1	1	1	1	5	3	4	9	10	8	11	12	7	7	10	6	6	5	5	1	1	1	-	-
	F--	55	8	2	2	-	-	2	-	1	2	1	1	2	3	-	3	6	1	4	2	4	4	1	1	3	2
E810-	Motor-vehicle																										
E835	accidents--------	722	5	6	10	12	6	21	13	80	112	95	51	44	42	40	30	32	35	30	25	14	15	2	2	-	-
	White-----M--	526	1	3	5	9	4	12	10	60	89	73	43	33	28	28	16	23	23	19	20	11	13	1	2	-	-
	F--	157	3	3	4	3	2	7	3	19	15	15	3	7	7	7	6	5	10	9	5	1	2	1	-	-	-
	Nonwhite--M--	44	1	-	-	-	-	1	-	-	7	6	4	4	5	5	6	1	2	2	-	-	-	-	-	-	-
	F--	15	-	-	1	-	-	1	-	1	1	1	1	-	2	-	2	3	-	-	-	2	-	-	-	-	-
E800-	All ot. accidents-	1,270	73	24	23	22	10	40	48	55	56	63	60	63	71	56	58	56	46	66	68	86	108	74	31	10	3
E802,	White-----M--	737	33	14	14	11	4	16	30	40	45	55	46	50	52	47	46	35	30	40	29	29	35	25	9	1	1
E840-	F--	416	27	7	7	10	5	19	15	11	8	4	10	4	11	7	10	9	11	18	32	50	68	47	20	6	-
E962	Nonwhite--M--	77	5	1	1	1	1	4	3	4	2	4	4	7	7	2	1	9	4	4	5	5	1	1	1	-	-
	F--	40	8	2	1	-	-	1	-	-	1	-	-	2	1	-	1	3	1	4	2	2	4	1	1	3	2
E963,	Suicide----------	270	-	-	-	-	-	-	2	6	9	13	18	20	20	26	23	38	25	26	17	11	11	2	1	-	-
E970-	White-----M--	212	-	-	-	-	-	-	2	4	6	11	17	15	15	22	18	26	19	21	14	11	8	2	1	-	-
E979	F--	53	-	-	-	-	-	-	-	2	3	2	1	4	5	4	5	10	6	5	3	-	3	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	254	1	-	-	1	-	-	2	14	30	42	38	28	33	22	8	16	9	4	5	1	1	-	-	-	1
E980-	White-----M--	140	-	-	-	-	-	-	1	9	20	22	15	16	17	11	6	11	3	2	4	1	1	-	-	-	1
E985	F--	31	1	-	-	1	-	-	-	4	2	5	4	2	2	1	-	2	4	2	1	-	-	-	-	-	-
	Nonwhite--M--	75	-	-	-	-	-	1	1	1	7	12	19	5	13	10	2	3	2	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	1	3	-	3	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA																										
	ALL CAUSES	23,738	2,639	208	112	83	48	167	141	277	377	410	477	679	890	1,274	1,620	1,951	2,137	2,768	2,396	2,226	1,493	767	387	135	86
	White--M	8,114	673	51	27	30	12	55	41	89	134	139	157	197	282	466	576	733	857	973	914	848	524	216	92	23	5
	F	5,626	519	44	25	25	11	41	29	45	64	63	67	130	181	211	268	352	439	600	722	716	546	333	160	48	7
	Nonwhite--M	5,335	757	71	30	15	14	52	50	89	94	114	127	170	217	314	416	480	453	661	392	369	238	111	38	32	31
	F	4,663	690	42	30	13	11	39	21	54	85	94	126	182	230	283	360	386	388	534	368	293	185	107	67	32	43
001-019	Tuberculosis, all forms	717	11	8	2	1	-	1	2	20	33	54	42	73	64	68	78	78	56	51	37	22	9	5	-	1	1
	White--M	250	3	-	-	-	-	-	-	1	4	10	7	18	23	26	30	43	34	19	19	9	4	-	-	-	-
	F	89	2	3	-	-	-	1	-	-	3	7	4	10	7	10	4	7	3	7	9	4	2	4	-	1	1
	Nonwhite--M	225	6	3	-	-	-	-	-	9	11	16	15	20	22	19	27	22	15	22	8	7	3	-	-	-	-
	F	153	-	2	2	1	-	-	2	10	15	21	16	25	12	13	17	6	4	3	1	2	-	1	-	-	-
001-008	Tuberculosis of respiratory system	671	2	1	1	1	-	-	2	18	33	52	40	71	64	64	74	75	52	48	37	21	8	5	-	1	1
	White--M	240	1	-	-	-	-	-	-	1	4	10	6	18	23	25	28	42	32	19	19	9	3	-	-	-	-
	F	82	1	-	-	-	-	-	-	-	3	7	4	10	7	9	4	6	3	7	9	4	2	4	-	1	1
	Nonwhite--M	207	-	1	-	-	-	-	-	8	11	15	14	19	22	18	27	22	14	19	8	6	3	-	-	-	-
	F	142	-	-	1	1	-	-	2	9	15	20	16	24	12	12	15	5	3	3	1	2	-	1	-	-	-
010-019	Tuberculosis, other forms	46	9	7	1	-	-	1	-	2	-	2	2	2	-	4	4	3	4	3	-	1	1	-	-	-	-
	White--M	10	2	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	-	-	-	1	-	-	-	-
	F	7	1	3	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	18	6	2	-	-	-	-	-	1	-	1	1	1	-	1	-	-	1	3	-	1	-	-	-	-	-
	F	11	-	2	1	-	-	-	-	1	-	1	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	273	12	-	-	-	-	-	-	1	1	4	5	20	15	45	41	41	25	26	25	6	5	1	-	-	-
	White--M	54	1	-	-	-	-	-	-	-	-	-	1	-	3	3	4	13	5	4	13	4	3	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	-	-	1	3	-	-	-	-	-	-
	Nonwhite--M	145	6	-	-	-	-	-	-	-	-	2	2	9	8	30	27	21	15	17	5	2	-	1	-	-	-
	F	62	5	-	-	-	-	-	-	1	1	2	1	11	3	8	8	7	5	4	4	-	2	-	-	-	-
040	Typhoid fever	9	-	-	-	1	-	-	-	1	-	-	-	-	2	2	-	-	1	1	1	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	23	12	-	-	1	-	2	-	-	-	-	-	2	-	-	-	3	1	1	1	-	-	-	-	-	-
	White--M	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-
	Nonwhite--M	7	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
055	Diphtheria	6	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	29	21	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	11	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	23	6	1	2	2	1	3	3	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	White--M	9	4	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	10	1	-	2	1	-	1	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	22	1	2	-	1	-	7	1	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	8	-	1	-	1	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	1	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	10	1	4	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White--M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	114	27	8	2	2	1	6	-	4	6	4	6	6	5	7	4	5	4	8	1	3	4	1	-	-	-
	White--M	26	3	2	1	1	-	-	-	2	-	1	1	3	1	3	1	1	-	2	1	1	2	-	-	-	-
	F	27	5	2	-	-	1	2	-	1	3	-	1	1	1	-	1	1	2	3	-	-	2	1	-	-	-
	Nonwhite--M	27	10	3	-	1	-	2	-	-	1	2	1	-	3	1	1	-	-	-	-	2	-	-	-	-	-
	F	34	9	1	1	-	-	2	-	1	2	1	3	2	-	3	1	3	2	3	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,148	7	6	9	10	3	17	9	11	25	39	55	106	143	229	317	371	447	428	357	313	152	64	18	7	5
	White-----M--	1,107	2	4	3	6	-	5	2	2	6	16	17	20	30	67	100	120	179	150	143	131	80	17	6	-	1
	F--	989	1	1	3	3	1	4	3	6	7	13	18	46	56	74	87	108	118	122	117	112	50	28	8	2	1
	Nonwhite--M--	525	3	-	2	-	1	4	1	1	5	3	8	11	12	37	56	83	77	94	52	47	11	10	-	4	3
	F--	527	1	1	1	1	1	4	3	2	7	7	12	29	45	51	74	60	73	62	45	23	11	9	4	1	-
140-148	Of buccal cavity and pharynx------	90	-	-	-	-	-	-	-	-	-	1	-	1	7	6	13	7	17	7	12	9	7	2	-	-	1
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	3	12	4	10	3	6	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	1	1	3	1	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	1	1	3	-	-	-	-	1
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	2	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,102	2	-	-	-	-	-	1	1	3	9	12	21	26	72	99	134	158	170	146	149	66	28	3	2	-
	White-----M--	394	1	-	-	-	-	-	-	-	-	3	1	4	9	23	37	32	59	59	66	60	32	7	1	-	-
	F--	301	-	-	-	-	-	-	-	1	-	3	2	8	7	14	18	33	33	47	44	55	23	11	2	-	-
	Nonwhite--M--	240	-	-	-	-	-	-	-	-	2	1	5	5	4	23	22	43	37	45	19	22	4	6	-	2	-
	F--	167	1	-	-	-	-	-	1	-	1	2	4	4	6	12	22	26	29	19	17	12	7	4	-	-	-
160-164	Of respiratory system----------	402	-	-	-	1	1	-	1	-	-	3	6	3	16	32	43	79	77	61	35	21	18	4	1	-	-
	White-----M--	253	-	-	-	1	-	-	-	-	-	-	4	2	10	23	24	51	48	38	21	16	12	1	1	-	-
	F--	56	-	-	-	-	1	-	1	-	-	2	2	-	2	5	2	9	10	6	7	1	6	2	-	-	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	-	1	3	4	15	19	15	14	8	2	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	3	3	1	2	-	1	-	-	-
170	Of breast----------	218	-	-	-	-	-	-	-	-	2	4	18	19	17	29	27	27	21	25	15	7	5	2	1	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	151	-	-	-	-	-	-	-	-	-	1	1	11	12	12	19	19	21	13	20	12	5	3	-	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	65	-	-	-	-	-	-	-	-	-	1	3	4	6	5	10	8	6	8	5	3	2	2	2	-	-
171-179	Of genital organs-	545	-	-	-	1	-	-	-	1	3	5	6	33	45	47	59	51	78	73	57	41	25	11	4	2	2
	White-----M--	78	-	-	-	1	-	-	-	-	-	2	-	1	-	1	-	2	15	10	15	14	12	3	2	-	-
	F--	222	-	-	-	-	-	-	-	-	2	1	5	13	20	23	30	25	34	27	18	14	5	4	1	-	-
	Nonwhite--M--	78	-	-	-	-	-	-	-	-	1	-	-	1	1	1	7	7	10	16	10	11	7	3	-	1	2
	F--	167	-	-	-	-	-	-	-	1	-	3	1	18	24	22	22	17	19	20	14	2	1	1	1	1	-
180, 181	Of urinary organs-	149	2	-	2	1	-	3	-	-	-	-	1	5	3	4	7	22	19	23	21	22	11	1	1	1	-
	White-----M--	65	-	-	1	-	-	-	-	-	-	-	1	1	1	2	5	13	8	7	7	12	5	1	1	-	-
	F--	39	1	-	-	-	-	2	-	-	-	-	-	2	1	1	-	7	2	4	6	6	6	-	-	1	-
	Nonwhite--M--	26	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	4	7	6	4	-	-	-	-	-
	F--	19	-	-	1	1	-	-	-	-	-	-	-	1	1	1	1	1	5	5	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	400	-	4	1	2	2	7	2	4	8	5	14	18	15	30	45	37	45	45	44	41	15	10	6	1	1
	White-----M--	165	-	3	-	1	-	2	-	1	5	2	7	8	4	10	17	11	21	23	15	21	10	4	1	-	1
	F--	126	-	-	-	1	-	1	-	2	2	3	4	7	6	8	10	11	12	14	18	15	4	4	4	-	-
	Nonwhite--M--	51	-	-	1	-	1	2	1	1	-	-	1	1	2	6	6	8	5	5	7	2	-	1	-	1	-
	F--	58	-	1	-	-	1	2	1	-	1	-	2	2	3	6	12	7	7	3	4	3	1	1	1	-	-
204	Leukemia and aleukemia----------	144	3	1	6	4	-	3	4	3	7	4	9	3	7	12	13	8	9	17	17	9	2	2	1	-	-
	White-----M--	56	1	-	2	2	-	1	1	1	-	3	3	1	1	3	6	5	5	6	9	5	2	-	-	-	-
	F--	51	-	1	3	2	-	1	2	2	1	-	3	2	4	4	7	3	2	6	3	2	-	2	1	-	-
	Nonwhite--M--	19	2	-	1	-	-	-	-	-	2	1	2	-	1	2	-	-	1	3	3	1	-	-	-	-	-
	F--	18	-	-	-	-	-	2	1	-	4	-	1	-	1	3	-	-	1	2	2	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	98	-	1	-	1	-	4	1	2	4	9	3	8	5	9	9	6	17	11	-	6	1	1	-	-	-
	White-----M--	43	-	1	-	1	-	3	1	-	1	6	1	4	2	3	3	3	10	3	-	1	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	1	2	2	1	3	3	5	-	1	3	4	-	4	-	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	1	-	-	-	1	-	1	-	-	3	1	3	3	-	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	1	-	1	-	-	1	3	1	1	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	100	5	1	-	1	1	-	1	1	4	4	4	5	15	13	15	9	5	1	10	2	1	-	1	1	-
	White-----M--	28	2	-	-	-	-	-	1	1	1	1	1	-	2	5	5	4	-	-	4	1	-	-	-	-	-
	F--	32	2	1	-	-	-	-	-	-	1	1	2	2	6	3	1	3	3	1	4	-	1	-	1	-	-
	Nonwhite--M--	19	-	-	-	1	1	-	-	-	1	1	-	-	1	3	7	1	1	-	1	-	-	-	-	1	-
	F--	21	1	-	-	-	-	-	-	-	1	1	1	3	6	2	2	1	1	-	1	1	-	-	-	-	-
260	Diabetes mellitus-	335	-	-	-	-	-	1	1	2	2	2	7	8	10	19	33	30	33	61	53	42	19	8	2	-	2
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	4	1	1	3	6	6	4	10	13	14	4	2	-	-	-
	F--	127	-	-	-	-	-	-	-	-	2	-	-	-	2	5	6	11	16	26	25	16	11	5	2	-	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	1	-	1	5	1	9	2	3	11	5	3	1	1	-	-	-
	F--	97	-	-	-	-	-	1	1	2	-	1	3	6	2	10	12	11	10	14	10	9	3	-	-	-	2
290-293	Anemias----------	48	2	2	-	-	-	2	-	2	1	1	3	2	2	3	2	2	4	4	7	5	-	2	2	-	-
	White-----M--	15	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	2	3	3	1	-	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	3	2	-	-	2	-	-
	Nonwhite--M--	9	2	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	F--	14	-	2	-	-	-	1	-	-	-	1	2	-	2	3	1	1	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis--------	69	27	15	4	-	1	1	4	1	2	-	1	2	1	3	-	-	3	3	-	1	-	-	-	-	-
	White-----M--	18	6	4	2	-	-	-	-	-	2	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-
	F--	10	6	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	6	6	2	-	1	1	1	1	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-	-	-
	F--	17	9	4	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	11,610	13	1	5	4	3	11	13	24	49	64	113	207	396	588	876	1,119	1,255	1,822	1,588	1,492	1,044	533	239	96	54
	White-----M--	4,100	3	-	2	1	1	3	3	8	10	18	36	58	126	230	320	428	500	639	591	552	349	143	58	19	2
	F--	2,825	2	1	1	3	1	1	4	2	8	15	13	34	53	80	122	166	239	383	466	477	384	228	102	35	5
	Nonwhite--M--	2,348	4	-	2	-	1	-	2	7	6	13	25	51	89	128	229	267	267	410	268	252	178	78	32	20	19
	F--	2,337	4	-	-	-	-	7	4	7	25	18	39	64	128	151	205	258	249	390	263	211	133	84	47	22	28
330-334, 400-468	Diseases of cardiovascular system-	11,131	11	1	4	3	2	8	13	20	40	58	104	194	388	570	847	1,080	1,208	1,756	1,526	1,436	999	515	225	91	52
	White-----M--	3,975	2	-	2	-	-	2	3	7	8	17	35	56	121	224	316	423	492	613	571	534	336	138	54	19	2
	F--	2,718	2	1	-	3	1	-	4	1	6	12	12	31	45	76	118	157	227	373	455	468	367	223	96	35	5
	Nonwhite--M--	2,238	3	-	2	-	1	-	2	6	5	12	23	49	84	127	222	260	255	392	253	235	167	73	31	18	18
	F--	2,200	4	-	-	-	-	6	4	6	21	17	34	58	118	143	191	240	234	378	247	199	129	91	44	19	27
330-334	Vascular lesions, etc.*----------	2,320	5	1	1	1	-	1	2	-	9	13	18	40	75	127	175	210	229	369	345	321	198	115	39	19	7
	White-----M--	617	1	-	1	-	-	-	-	-	2	5	7	8	16	22	34	53	71	97	106	106	54	25	8	3	-
	F--	845	1	1	-	1	-	-	2	-	2	5	3	10	14	26	43	48	58	77	105	106	84	53	19	6	1
	Nonwhite--M--	519	2	-	-	-	-	-	-	-	-	1	2	12	19	35	55	58	68	89	59	57	31	23	4	2	2
	F--	539	1	-	-	-	-	1	-	-	5	2	6	12	26	44	43	51	52	106	75	52	29	14	8	8	4
400-402	Rheumatic fever---	15	-	-	-	-	-	2	4	1	-	-	1	1	1	-	-	-	1	1	-	3	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	2	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
410-443	Diseases of heart-	8,110	5	-	1	-	2	5	7	19	27	38	74	135	262	407	640	828	919	1,310	1,108	1,017	712	352	154	54	34
	White-----M--	3,170	1	-	-	-	-	2	3	7	6	11	22	47	99	194	273	356	407	500	446	396	247	101	39	11	2
	F--	1,879	1	-	-	-	1	-	2	1	2	7	8	17	29	41	70	104	180	277	328	333	252	141	62	20	3
	Nonwhite--M--	1,559	1	-	1	-	1	-	2	5	5	8	16	32	58	82	157	189	167	283	179	155	122	47	21	14	14
	F--	1,502	2	-	-	-	-	3	-	6	14	12	28	39	76	90	140	179	165	250	155	133	91	63	32	9	15
410-416	Chronic rheumatic heart disease----	316	...	-	-	-	1	2	4	6	10	11	13	8	12	12	19	24	19	16	19	14	16	3	5	1	1
	White-----M--	62	...	-	-	-	-	-	1	3	4	6	6	2	3	3	5	8	6	5	3	2	3	-	-	-	-
	F--	46	...	-	-	-	-	-	1	-	-	2	1	2	5	3	3	3	5	2	5	7	5	-	2	-	-
	Nonwhite--M--	40	...	-	-	-	1	-	2	2	-	-	1	3	1	2	4	5	4	3	3	2	5	1	1	-	-
	F--	68	...	-	-	-	-	2	-	1	6	3	3	1	3	4	7	8	4	6	8	3	3	2	2	1	1
420	Arteriosclerotic heart dis., etc.*	4,513	2	-	-	-	-	1	-	4	4	13	26	63	137	237	380	489	548	751	643	553	378	170	74	25	17
	White-----M--	2,255	1	-	-	-	-	1	-	1	-	2	11	36	80	152	221	274	303	364	309	258	158	55	24	4	1
	F--	1,062	1	-	-	-	-	-	-	-	-	2	2	7	8	20	43	68	110	176	205	172	131	73	30	11	3
	Nonwhite--M--	665	-	-	-	-	-	-	-	3	2	4	7	12	28	29	72	83	74	119	73	72	48	20	9	5	5
	F--	531	-	-	-	-	-	-	-	-	2	5	6	8	21	36	44	64	61	92	56	51	39	22	11	5	6
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,087	...	-	-	-	-	-	2	5	1	5	7	14	26	31	58	74	103	156	149	170	139	83	39	19	4
	White-----M--	329	...	-	-	-	-	-	1	2	-	-	-	4	5	10	18	15	29	41	52	66	49	26	8	5	-
	F--	258	...	-	-	-	-	-	1	-	-	-	1	-	2	4	-	1	8	14	24	38	64	49	30	17	5	-
	Nonwhite--M--	271	...	-	-	-	-	-	-	-	-	-	1	3	3	9	15	21	29	30	53	31	21	30	10	7	8	-
	F--	229	...	-	-	-	-	-	-	3	1	3	4	5	8	6	20	22	30	40	28	19	11	17	7	1	4
430-434	Other diseases of heart---------	501	3	-	1	-	1	2	1	4	9	6	5	17	22	31	39	38	51	83	56	60	28	24	10	5	5
	White-----M--	154	-	-	-	-	-	1	1	1	1	3	1	3	7	15	7	9	20	24	26	16	5	9	2	2	1
	F--	85	-	-	-	-	1	-	-	1	1	1	1	2	3	4	3	3	8	13	8	14	11	8	2	1	-
	Nonwhite--M--	135	1	-	1	-	-	-	-	-	3	2	-	6	5	6	15	15	13	23	17	16	5	2	1	-	4
	F--	127	2	-	-	-	-	1	-	2	4	-	3	6	7	6	14	11	10	23	5	14	7	5	5	2	-
440-443	Hypertension with heart dis.--	1,793	-	-	-	-	-	-	-	-	3	3	23	33	65	96	144	203	198	302	241	220	153	72	28	4	7
	White-----M--	370	-	-	-	-	-	-	-	-	1	-	2	2	4	14	24	50	49	66	56	54	32	11	5	-	-
	F--	428	-	-	-	-	-	-	-	-	1	1	4	4	9	14	20	22	43	62	72	76	56	30	11	3	-
	Nonwhite--M--	448	-	-	-	-	-	-	-	-	-	1	5	8	15	30	45	57	46	85	55	44	34	14	3	1	5
	F--	547	-	-	-	-	-	-	-	-	1	1	12	19	37	38	55	74	60	89	58	46	31	17	7	-	2
444-447	Hypertension without mention of heart----------	260	-	-	-	-	-	-	-	-	1	6	7	12	21	20	19	16	31	28	24	39	18	5	7	3	3
	White-----M--	58	-	-	-	-	-	-	-	-	-	1	3	2	2	2	3	4	7	8	6	11	6	2	1	-	-
	F--	48	-	-	-	-	-	-	-	-	1	-	-	2	1	4	3	1	5	6	6	9	4	2	2	2	-
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	3	4	3	6	7	6	5	11	5	7	10	4	-	1	1	-
	F--	81	-	-	-	-	-	-	-	-	-	2	-	5	12	7	7	6	8	9	5	9	4	1	3	-	3
450	General arteriosclerosis--------	295	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	11	16	27	37	49	64	39	23	15	6
	White-----M--	80	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	5	3	8	16	26	8	4	5	-
	F--	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	11	17	23	26	13	7	1
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	11	6	11	10	2	5	1	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	9	12	5	5	3	1	2	5
451-468	Other diseases of circulatory sys.-	131	1	-	2	2	-	-	-	-	3	1	3	6	8	14	9	15	12	21	12	7	7	4	2	-	2
	White-----M--	49	-	-	1	-	-	-	-	-	-	-	1	1	3	8	5	8	2	5	5	5	3	2	2	-	-
	F--	33	-	-	-	2	-	-	-	-	1	-	1	1	1	5	1	2	1	8	5	-	4	1	-	-	-
	Nonwhite--M--	29	-	-	1	-	-	-	-	-	-	-	1	2	1	2	2	4	5	4	2	2	-	1	-	-	2
	F--	20	1	-	-	-	-	-	-	-	2	1	-	2	3	1	1	1	4	4	-	-	-	-	-	-	-
592-594	Chronic nephritis etc.*----------	479	2	-	1	1	1	3	-	4	9	6	9	13	28	19	29	39	47	66	62	56	45	18	14	5	2
	White-----M--	125	1	-	-	1	1	1	-	1	2	1	1	2	5	6	4	5	8	26	20	18	13	5	4	-	-
	F--	107	-	-	1	-	-	1	-	1	2	3	1	3	8	4	4	9	12	10	11	9	17	5	6	-	-
	Nonwhite--M--	110	1	-	-	-	-	-	-	1	1	1	2	2	5	1	7	7	12	18	15	17	11	5	1	2	1
	F--	137	-	-	-	-	-	1	-	1	4	1	5	6	10	8	14	18	15	12	16	12	4	3	3	3	1
480-493	Influenza and pneumonia, etc.*-	930	265	53	20	14	5	13	9	9	5	8	8	17	16	15	27	41	46	71	71	78	57	34	35	8	5
	White-----M--	230	39	10	1	5	1	2	2	3	1	1	1	5	3	6	10	15	11	21	20	28	24	11	10	-	-
	F--	203	36	4	5	3	1	5	1	2	3	1	-	3	3	2	1	4	12	11	25	23	20	16	18	4	-
	Nonwhite--M--	258	96	23	6	4	3	5	4	2	-	3	4	3	5	2	6	13	12	22	13	15	6	5	3	1	3
	F--	238	94	16	8	2	-	1	2	2	1	3	3	6	5	5	10	9	11	17	13	12	7	2	4	3	2
480-483	Influenza----------	148	38	6	5	4	-	2	4	1	-	2	-	-	3	2	4	8	5	13	11	14	14	5	8	1	-
	White-----M--	28	4	4	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	3	3	5	4	-	1	-	-
	F--	30	5	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	2	5	3	5	5	-	1	-
	Nonwhite--M--	41	16	2	1	2	-	-	1	-	-	2	-	-	1	-	2	3	1	3	2	2	2	-	1	-	-
	F--	49	13	-	4	-	-	1	2	-	-	-	-	-	2	1	2	4	3	5	1	4	3	-	4	-	-
490-493	Pneumonia, etc.*---	782	227	47	15	10	5	11	5	8	5	6	8	17	13	13	23	33	41	58	60	64	43	28	29	7	5
	White-----M--	202	35	6	1	4	1	2	1	3	1	1	1	5	3	5	10	15	10	18	17	23	20	11	9	-	-
	F--	173	31	4	5	2	1	4	1	1	3	1	-	3	3	2	1	3	12	9	20	20	15	11	18	3	-
	Nonwhite--M--	218	80	21	5	2	3	5	3	2	-	1	4	3	4	2	4	10	11	19	11	13	4	5	2	1	3
	F--	189	81	16	4	2	-	-	-	2	1	3	3	6	3	4	8	5	8	12	12	8	4	2	-	3	2
500-502	Bronchitis---------	45	11	1	3	2	-	1	2	-	-	-	-	1	1	1	-	2	5	2	5	2	1	4	-	1	-
	White-----M--	19	5	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	3	1	3	1	1	2	-	-	-
	F--	10	1	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	1	-	1	-	-	-
	Nonwhite--M--	6	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	10	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	1	-
540, 541	Ulcer of stomach and duodenum-----	104	-	-	-	1	-	-	-	1	1	3	1	6	7	11	21	6	14	9	8	7	5	1	2	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	1	-	-	1	4	5	10	-	8	7	4	1	4	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	-	-	1	-	4	-	1	-	1	1	-	1	2	-	-
	Nonwhite--M--	38	-	-	-	1	-	-	-	-	-	2	1	2	1	6	6	6	5	2	2	3	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	-	1	2	-	-	-	-	-	-
550-553	Appendicitis------	46	2	-	1	-	1	1	4	4	2	-	1	4	-	2	2	5	4	2	5	4	2	-	-	-	-
	White-----M--	19	-	-	-	-	-	1	2	2	1	-	-	3	-	-	2	1	3	-	1	2	1	-	-	-	-
	F--	13	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	1	2	3	1	1	-	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	2	1	-	-	-	-	-	2	-	2	-	-	1	1	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	158	26	3	-	-	1	1	-	-	2	6	4	5	4	12	8	10	9	18	16	13	12	5	1	1	1
	White-----M--	50	6	1	-	-	-	1	-	-	1	1	-	-	1	2	4	4	4	7	7	5	2	3	1	-	-
	F--	37	6	-	-	-	-	-	-	-	-	2	-	1	-	2	1	5	2	4	4	4	2	-	-	-	-
	Nonwhite--M--	36	6	2	-	-	-	-	-	-	-	2	2	3	1	6	1	-	-	5	2	2	3	-	-	-	1
	F--	35	8	-	-	-	1	-	-	-	1	1	2	1	2	2	2	1	3	2	3	2	3	-	-	1	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
543,	Gastritis, etc.*--	153	88	9	3	2	-	2	-	-	1	3	2	1	1	5	6	2	7	2	6	6	5	2	-	-	-
571,	White-----M--	34	17	-	-	2	-	1	-	-	-	1	-	-	-	1	4	1	2	1	2	-	-	2	-	-	-
572	F--	35	16	4	-	-	-	1	-	-	-	-	-	-	1	-	1	1	2	1	2	3	3	-	-	-	-
	Nonwhite--M--	42	30	1	2	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-	-	1	2	-	-	-	-
	F--	42	25	4	1	-	-	-	-	-	1	2	1	-	-	3	-	-	1	-	2	2	-	-	-	-	-
581	Cirrhosis of liver	185	-	1	-	-	-	-	1	1	1	2	4	3	16	25	11	20	24	31	11	5	5	2	-	2	-
	White-----M--	93	-	-	-	-	-	-	-	-	-	1	1	2	11	17	4	9	16	20	8	2	-	1	-	1	-
	F--	33	-	1	-	-	-	-	-	-	1	-	1	1	3	3	3	6	3	4	1	2	3	1	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	1	-	2	2	3	3	3	5	2	1	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	1	1	-	-	1	-	-	3	1	2	2	2	-	-	2	-	-	1	-	-
590,	Acute nephritis,																										
591	etc.*----------	95	2	1	-	2	1	2	7	6	-	2	4	3	8	4	5	9	7	7	8	6	7	4	-	-	-
	White-----M--	29	1	1	-	-	-	2	3	-	-	1	1	2	2	2	2	2	2	3	1	2	-	2	-	-	-
	F--	21	-	-	-	1	-	-	1	-	-	1	-	-	2	-	-	2	1	1	4	4	3	1	-	-	-
	Nonwhite--M--	24	-	-	-	1	-	-	3	3	-	-	2	-	3	1	1	3	2	2	1	-	1	1	-	-	-
	F--	21	1	-	-	-	1	-	-	3	-	-	1	1	1	1	2	2	2	1	2	-	3	-	-	-	-
610	Hyperplasia of																										
	prostate---------	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	6	22	12	14	14	7	2	-	1
	White-----M--	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	8	7	9	12	5	1	-	1
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	14	5	5	2	2	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	72	...	...	...	...	...	...	-	13	9	12	19	15	4	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	22	...	...	...	...	...	...	-	4	3	2	7	6	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	50	...	...	...	...	...	...	-	9	6	10	12	9	4	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	10	...	...	...	...	...	...	-	2	1	2	3	2	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	3	...	...	...	...	...	...	-	-	-	-	2	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	2	1	2	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	62	...	...	...	...	...	...	-	11	8	10	16	13	4	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	19	...	...	...	...	...	...	-	4	3	2	5	5	-	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	43	...	...	...	...	...	...	-	7	5	8	11	8	4	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	370	273	19	8	4	3	14	4	7	5	5	7	6	4	3	1	3	1	1	1	1	-	-	-	-	-
	White-----M--	128	100	6	2	1	-	1	2	2	1	2	2	2	2	1	1	2	-	-	1	-	-	-	-	-	-
	F--	113	78	7	3	2	1	7	1	1	4	1	3	1	1	2	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	68	48	5	3	1	-	3	1	-	-	2	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	61	47	1	-	-	2	3	-	4	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,601	1,600	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	428	428	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	324	323	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	445	445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	404	404	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	596	596	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	880	879	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	168	167	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	241	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	430	78	6	2	1	-	2	5	-	2	2	4	6	11	14	23	29	18	40	23	40	48	32	23	10	11
795	White-----M--	86	11	1	-	-	-	1	1	-	1	-	-	3	3	2	3	6	2	4	9	13	10	8	6	2	-
	F--	74	8	2	1	1	-	-	-	-	-	-	-	1	1	1	5	4	1	3	3	10	12	9	9	3	-
	Nonwhite--M--	151	34	1	-	-	-	1	4	-	1	-	3	-	4	7	7	14	8	20	5	11	13	9	1	4	4
	F--	119	25	2	1	-	-	-	-	-	-	2	1	2	3	4	8	5	7	13	6	6	13	6	7	1	7
Re-	All other diseases	854	56	16	11	9	6	19	5	17	26	20	22	35	39	53	54	59	72	78	85	92	38	26	9	4	3
sid-	White-----M--	285	17	1	2	3	2	6	-	4	4	3	6	9	7	18	21	21	34	29	34	41	11	9	3	-	-
ual	F--	252	13	6	3	1	1	4	2	5	12	5	5	6	6	9	17	21	18	22	32	32	16	12	4	-	-
	Nonwhite--M--	173	17	6	2	3	3	7	1	8	2	6	4	12	13	11	7	12	13	16	9	7	7	3	1	2	1
	F--	144	9	3	4	2	-	2	2	-	8	6	7	8	13	15	9	5	7	11	10	12	4	2	1	2	2
E800-	Accidents---------	1,648	87	43	39	20	20	76	66	121	146	124	99	97	86	106	66	78	71	62	53	64	61	34	23	4	2
E962	White-----M--	751	16	17	13	8	7	23	23	56	90	74	62	54	46	57	28	36	33	33	23	23	13	8	7	1	-
	F--	260	13	8	6	7	4	12	12	20	12	9	6	7	9	9	11	11	9	6	15	22	34	23	12	3	-
	Nonwhite--M--	442	28	15	10	1	4	25	27	43	39	32	20	31	30	33	21	21	21	14	10	8	10	1	-	-	-
	F--	175	32	3	10	4	5	16	4	2	5	9	11	5	1	7	6	10	8	9	5	11	4	2	4	-	2
E810-	Motor-vehicle																										
E835	accidents---------	551	4	10	15	7	6	25	12	50	72	56	32	40	31	50	25	30	23	26	14	15	5	1	2	-	-
	White-----M--	300	2	3	7	3	3	10	4	29	47	36	19	20	17	28	12	15	10	17	7	7	3	-	1	-	-
	F--	91	1	4	4	3	3	6	5	10	9	5	3	6	5	6	6	5	2	1	2	3	1	-	1	-	-
	Nonwhite--M--	129	1	3	4	-	-	3	3	10	13	13	7	12	9	15	6	8	9	4	5	3	-	1	-	-	-
	F--	31	-	-	-	1	-	6	-	1	3	2	3	2	-	1	1	2	2	4	-	2	1	-	-	-	-
E800-	All ot. accidents-	1,097	83	33	24	13	14	51	54	71	74	68	67	57	55	56	41	48	48	36	39	49	56	33	21	4	2
E802,	White-----M--	451	14	14	6	5	4	13	19	27	43	38	43	34	29	29	16	21	23	16	16	16	10	8	6	1	-
E840-	F--	189	12	4	2	4	1	6	7	10	3	4	3	1	4	3	5	6	7	5	13	19	33	23	11	3	-
E962	Nonwhite--M--	313	25	12	6	1	4	22	24	33	26	19	13	19	21	18	15	13	12	10	5	5	10	-	-	-	-
	F--	144	32	3	10	3	5	10	4	1	2	7	8	3	1	6	5	8	6	5	5	9	3	2	4	-	2
E963,	Suicide----------	184	-	-	-	-	-	-	1	5	13	12	18	20	18	25	18	13	11	15	7	5	3	1	-	-	1
E970-	White-----M--	129	-	-	-	-	-	-	1	2	10	7	13	9	12	16	15	12	9	9	4	5	3	1	-	-	1
E979	F--	32	-	-	-	-	-	-	-	1	2	3	2	7	4	5	2	-	2	2	2	-	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	2	3	3	1	3	1	1	-	2	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	251	4	1	-	-	-	1	-	20	39	36	47	27	22	17	7	11	7	3	5	3	1	-	-	-	-
E980-	White-----M--	38	1	-	-	-	-	-	-	3	1	-	4	5	5	2	3	7	2	-	2	2	1	-	-	-	-
E985	F--	10	1	-	-	-	-	-	-	-	1	2	2	-	1	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	164	1	1	-	-	-	-	-	12	26	26	33	19	16	14	3	4	4	3	2	-	-	-	-	-	-
	F--	39	1	-	-	-	-	1	-	5	11	8	8	3	-	-	1	-	-	-	1	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 38	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE																										
	ALL CAUSES	9,866	650	45	25	31	20	66	35	63	83	88	83	132	188	309	467	627	847	1,108	1,283	1,386	1,203	752	313	71	11
	White--M	5,358	372	22	18	12	15	36	22	47	56	47	43	74	110	199	272	406	486	630	729	689	586	335	114	32	6
	F	4,502	275	22	7	18	5	27	13	16	27	41	39	57	76	108	193	220	359	475	553	695	617	417	198	39	5
	Nonwhite--M	15	3	1	-	-	-	2	-	-	-	-	1	1	1	1	-	-	1	1	1	1	-	-	1	-	-
	F	11	-	-	-	1	-	1	-	-	-	-	-	-	1	1	2	1	1	2	-	1	-	-	-	-	-
001-019	Tuberculosis, all forms	153	1	1	-	2	-	1	1	4	3	11	11	6	11	10	15	19	19	20	10	4	3	1	-	-	-
	White--M	93	-	1	-	2	-	-	1	1	-	3	4	4	7	5	11	15	14	14	7	2	2	-	-	-	-
	F	59	1	-	-	-	-	1	-	3	3	8	7	2	4	4	4	4	5	6	3	2	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	133	-	-	-	-	-	-	1	3	2	11	10	6	9	10	13	18	15	17	10	4	3	1	-	-	-
	White--M	85	-	-	-	-	-	-	1	-	-	3	4	4	7	5	11	14	11	14	7	2	2	-	-	-	-
	F	47	-	-	-	-	-	-	-	3	2	8	6	2	2	4	2	4	4	3	3	2	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	20	1	1	-	2	-	1	-	1	1	-	1	-	2	-	2	1	4	3	-	-	-	-	-	-	-
	White--M	8	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
	F	12	1	-	-	-	-	1	-	-	1	-	1	-	2	-	2	-	1	3	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	34	-	-	-	-	-	-	-	-	1	-	1	-	-	1	7	3	5	5	4	6	1	-	-	-	-
	White--M	29	-	-	-	-	-	-	-	-	1	-	1	-	-	1	6	2	4	5	4	4	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	4	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	8	1	1	1	1	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	6	-	1	1	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	15	3	3	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	1	1	3	-	-	-	-	-
	White--M	7	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	7	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
140-205	Malignant neoplasms, etc.*----	1,589	2	-	4	2	1	5	3	5	7	15	10	28	38	89	137	144	187	229	226	211	160	60	21	4	1
	White-----M--	765	2	-	2	1	1	-	1	3	3	6	3	11	14	47	47	65	89	118	120	108	87	26	9	1	1
	F--	818	-	-	2	1	-	5	2	2	4	9	7	17	24	42	89	78	97	109	106	102	73	34	12	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	49	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	3	4	6	4	13	7	1	3	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	3	4	4	4	9	7	1	2	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	4	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	678	-	-	-	-	-	-	-	-	-	2	3	9	12	28	43	61	69	116	108	106	82	27	10	2	-
	White-----M--	360	-	-	-	-	-	-	-	-	-	2	1	4	8	15	16	40	43	61	58	56	42	10	4	-	-
	F--	314	-	-	-	-	-	-	-	-	-	-	2	5	4	13	26	21	25	53	50	50	40	17	6	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
160-164	Of respiratory system----------	115	-	-	-	-	-	-	-	-	-	-	-	1	2	10	14	16	18	23	17	7	2	3	1	-	1
	White-----M--	99	-	-	-	-	-	-	-	-	-	-	-	1	1	10	12	13	17	20	14	5	2	3	-	-	1
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	3	3	2	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	147	-	-	-	-	-	-	-	-	-	-	1	4	7	10	22	19	16	18	13	11	14	8	3	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	145	-	-	-	-	-	-	-	-	-	-	1	4	7	10	22	18	16	18	13	11	13	8	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	297	-	-	-	-	-	-	-	1	1	1	5	8	16	33	23	41	35	44	40	38	12	3	-	-
	White-----M--	96	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	5	9	22	23	23	7	2	-	-	-
	F--	200	-	-	-	-	-	-	-	-	1	1	5	8	15	32	20	36	24	22	16	15	5	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs-	67	-	-	1	-	-	-	-	-	-	-	-	1	2	3	8	2	9	8	15	10	5	1	1	1	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	1	6	6	10	6	5	-	-	1	-
	F--	21	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	1	3	2	5	4	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	138	-	-	2	1	1	2	3	1	1	4	-	2	3	10	10	11	16	16	20	22	9	4	-	-	-
	White-----M--	65	-	-	2	1	1	-	1	1	1	1	-	2	2	7	5	2	6	10	7	9	5	2	-	-	-
	F--	73	-	-	-	-	-	2	2	-	-	3	-	-	1	3	5	9	10	6	13	13	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	53	2	-	1	-	-	2	-	1	3	2	3	-	1	4	3	8	8	4	4	2	2	3	-	-	-
	White-----M--	29	2	-	-	-	-	-	-	1	1	-	1	-	-	4	3	3	4	3	4	-	1	2	-	-	-
	F--	24	-	-	1	-	-	2	-	-	2	2	2	-	1	-	-	5	4	1	-	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	45	-	-	-	1	-	1	-	3	2	6	2	4	2	4	3	2	6	5	1	-	1	1	1	-	-
	White-----M--	29	-	-	-	-	-	-	-	1	-	3	1	2	1	4	3	1	4	5	1	-	1	1	1	-	-
	F--	16	-	-	-	1	-	1	-	2	2	3	1	2	1	-	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	31	-	-	-	-	-	-	-	2	1	-	1	4	3	3	6	2	3	4	2	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	2	1	-	1	-	-	1	2	1	-	1	2	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	1	3	3	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	154	-	-	-	-	-	1	-	1	1	2	-	-	3	5	4	10	22	27	31	23	14	8	1	1	-
	White-----M--	55	-	-	-	-	-	-	-	1	1	1	-	-	2	1	3	7	6	10	6	10	6	2	-	-	-
	F--	99	-	-	-	-	-	1	-	1	-	1	-	-	1	4	1	3	16	17	25	13	8	6	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	34	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	3	4	6	5	8	3	1	2	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	4	1	1	1	-	-
	F--	15	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	3	1	4	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	15	4	3	2	-	-	-	-	-	-	1	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	9	4	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	5,514	2	-	1	2	1	5	5	3	7	6	12	35	56	118	209	320	495	674	856	970	881	568	234	52	4
	White-----M--	2,953	-	-	1	1	1	2	3	1	5	4	6	22	35	86	140	221	299	379	489	479	414	255	83	25	2
	F--	2,555	1	-	-	1	-	3	2	2	2	2	6	13	21	32	68	99	194	294	366	490	467	313	150	27	2
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	5,314	1	-	-	2	1	3	1	1	5	6	8	35	52	111	203	308	487	649	828	936	850	547	225	51	4
	White-----M--	2,859	-	-	-	1	1	1	1	-	4	4	5	22	33	83	136	215	297	368	473	463	405	245	79	25	2
	F--	2,450	1	-	-	1	-	2	-	1	1	2	3	13	19	28	66	95	190	282	354	472	445	302	145	26	2
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	1,200	-	-	-	1	-	-	-	-	2	-	2	2	11	17	33	48	90	144	205	247	201	138	53	6	-
	White-----M--	563	-	-	-	1	-	-	-	-	1	-	1	1	7	10	13	29	43	77	96	117	90	52	22	3	-
	F--	637	-	-	-	-	-	-	-	-	1	-	1	1	4	7	20	19	47	67	109	130	111	86	31	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever---	10	-	-	-	-	1	2	1	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE--Continued																										
410-443	Diseases of heart-	3,678	1	-	-	1	-	1	-	1	2	4	5	32	37	89	163	248	365	483	581	622	553	325	127	35	3
	White-----M--	2,099	-	-	-	-	-	-	-	-	2	2	4	20	26	70	117	179	237	276	364	312	289	162	42	16	1
	F--	1,575	1	-	-	1	-	1	-	1	-	2	1	12	11	19	45	69	128	206	217	309	264	163	84	19	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	115	...	-	-	-	-	1	-	1	2	-	2	7	2	12	8	12	5	18	10	20	10	4	1	-	-
	White-----M--	61	...	-	-	-	-	-	-	-	2	-	1	7	-	7	1	7	3	7	6	12	4	3	1	-	-
	F--	54	...	-	-	-	-	1	-	1	-	-	1	-	2	5	7	5	2	11	4	8	6	1	-	-	-
	Nonwhite--M--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,312	1	-	-	-	-	-	-	-	-	2	3	16	30	60	125	189	266	327	405	362	295	159	52	18	2
	White-----M--	1,433	-	-	-	-	-	-	-	-	-	1	3	12	23	55	95	143	185	203	265	194	147	78	20	8	1
	F--	875	1	-	-	-	-	-	-	-	-	1	-	4	7	5	29	46	81	123	140	167	148	81	31	10	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	628	...	-	-	1	-	-	-	-	-	1	-	2	3	6	10	17	37	56	82	116	136	100	48	13	-
	White-----M--	326	...	-	-	-	-	-	-	-	-	-	-	-	2	3	9	10	25	35	48	53	70	55	10	6	-
	F--	302	...	-	-	1	-	-	-	-	-	1	-	2	1	3	1	7	12	21	34	63	66	45	38	7	-
	Nonwhite--M--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart----------	120	-	-	-	-	-	-	-	-	-	1	-	2	1	3	6	8	12	16	14	17	26	8	6	-	-
	White-----M--	80	-	-	-	-	-	-	-	-	-	1	-	1	1	2	5	8	7	11	11	10	14	6	3	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	5	5	3	7	12	2	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	503	-	-	-	-	-	-	-	-	-	-	-	5	1	8	14	22	45	66	70	107	86	54	20	4	1
	White-----M--	199	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	11	17	20	34	43	34	20	8	2	-
	F--	304	-	-	-	-	-	-	-	-	-	-	-	5	1	5	7	11	28	46	36	64	52	34	12	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	95	-	-	-	-	-	-	-	-	-	1	-	-	2	3	3	4	11	8	17	10	22	9	2	3	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	7	4	5	4	12	-	-	1	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	4	4	11	6	10	9	2	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	277	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	12	8	16	47	69	73	39	7	1
	White-----M--	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	4	6	23	30	14	5	1	1
	F--	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	10	24	39	43	25	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.--	54	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	9	6	9	10	5	2	4	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	4	5	2	7	4	1	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	1	7	3	1	1	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	200	1	-	1	-	-	2	4	2	2	-	4	-	4	7	6	12	6	25	28	34	31	21	9	1	-
	White-----M--	94	-	-	1	-	-	1	2	1	1	-	1	-	2	3	4	8	2	13	16	16	9	10	4	-	-
	F--	105	-	-	-	-	-	1	2	1	1	-	3	-	2	4	2	4	4	12	12	18	22	11	5	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	274	44	6	-	2	-	2	3	4	3	1	5	4	3	8	5	9	11	16	27	35	33	33	15	4	1
	White-----M--	154	25	3	-	1	-	2	2	2	1	-	2	2	1	4	2	5	6	13	15	14	12	15	4	2	1
	F--	140	19	3	-	1	-	-	1	2	2	1	3	2	2	4	3	4	5	3	12	21	21	18	11	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza----------	46	6	1	-	1	-	-	-	-	-	-	2	2	1	1	-	1	1	1	7	8	4	5	4	1	-
	White-----M--	19	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	5	-	3	1	-	-
	F--	27	2	1	-	1	-	-	-	-	-	-	2	1	1	-	-	1	-	-	5	3	4	2	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	226	38	5	-	1	-	2	3	4	3	1	3	2	2	7	5	8	10	15	20	27	29	28	11	3	1
	White-----M--	115	21	3	-	1	-	2	2	2	1	-	2	1	1	3	2	5	5	12	13	9	12	12	3	2	1
	F--	113	17	2	-	-	-	-	1	2	2	1	1	1	1	4	3	3	5	3	7	18	17	16	8	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	22	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	2	3	3	1	2	-	-	-
	White-----M--	16	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	1	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	55	1	-	-	-	-	-	-	-	-	1	-	-	2	3	5	14	8	5	7	4	3	2	-	-	-
	White-----M--	43	1	-	-	-	-	-	-	-	-	-	-	-	1	2	4	14	6	3	6	2	2	2	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	2	1	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	24	-	-	1	2	1	-	-	4	2	-	-	2	2	1	-	1	1	1	2	3	1	-	-	-	-
	White-----M--	17	-	-	1	1	1	-	-	3	1	-	-	2	1	1	-	-	1	1	2	1	1	-	-	-	-
	F--	7	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	67	11	1	-	1	-	-	-	-	-	2	2	-	4	3	2	2	1	10	9	6	7	4	2	-	-
	White-----M--	37	7	1	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	6	7	1	6	2	1	-	-
	F--	30	4	-	-	1	-	-	-	-	-	1	2	-	2	3	-	1	1	4	2	5	1	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
543,	Gastritis, etc.*--	52	25	5	-	-	-	-	1	-	-	1	-	-	-	-	1	5	1	1	2	4	4	1	1	-	-
571,	White-----M--	23	12	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	3	2	1	-	-	-
572	F--	28	12	4	-	-	-	-	1	-	-	1	-	-	-	-	-	3	1	-	2	1	2	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	71	-	-	-	-	-	-	-	-	-	-	1	2	4	8	12	7	9	10	6	8	4	-	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	1	2	4	6	7	7	5	7	3	7	2	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	-	4	3	3	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	20	-	-	1	-	-	-	-	-	-	1	1	1	1	1	1	1	-	1	3	3	3	-	2	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	1	-	1	-	-	-	-
	F--	13	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	3	2	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	6	9	6	3	1	1
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	6	9	6	3	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	10	***	***	***	***	***	***	-	-	4	1	3	1	1	-	-	-	***	***	***	***	***	***	***	***	***
	White-----F--	10	***	***	***	***	***	***	-	-	4	1	3	1	1	-	-	-	***	***	***	***	***	***	***	***	***
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***
650-	Abortion----------	1	***	***	***	***	***	***	-	-	-	-	-	-	1	-	-	-	***	***	***	***	***	***	***	***	***
652	White-----F--	1	***	***	***	***	***	***	-	-	-	-	-	-	1	-	-	-	***	***	***	***	***	***	***	***	***
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***
640-	All other com-																										
649,	plications-------	9	***	***	***	***	***	***	-	-	4	1	3	1	-	-	-	-	***	***	***	***	***	***	***	***	***
660-	White-----F--	9	***	***	***	***	***	***	-	-	4	1	3	1	-	-	-	-	***	***	***	***	***	***	***	***	***
689	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***
750-	Congenital mal-																										
759	formations-------	114	86	5	1	4	1	1	2	1	3	2	4	-	-	3	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	56	42	3	1	1	-	-	2	1	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	58	44	2	-	3	1	1	-	-	1	1	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	406	405	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	168	167	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	191	190	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	88	87	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	95	7	-	1	-	-	-	-	-	-	-	-	-	1	2	4	2	1	5	3	11	19	16	14	6	3
795	White-----M--	47	3	-	1	-	-	-	-	-	-	-	-	-	-	2	3	1	-	5	2	4	9	7	6	3	1
	F--	47	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	7	10	9	8	3	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	357	22	5	3	2	1	5	2	2	5	14	5	11	17	13	14	36	29	46	41	39	24	16	5	-	-
sid-	White-----M--	199	14	4	2	1	1	2	2	2	2	9	2	4	14	9	9	20	13	25	22	20	12	7	3	-	-
ual	F--	157	8	1	1	1	-	3	-	-	3	5	3	7	3	4	5	16	15	21	19	19	12	9	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E800-	Accidents----------	543	26	8	9	13	13	43	16	33	36	17	12	18	22	25	26	31	31	24	27	33	31	32	13	2	1
E962	White-----M--	363	15	2	6	3	10	29	10	28	32	15	12	16	15	20	20	26	25	15	20	14	17	9	4	-	-
	F--	174	10	6	3	9	3	11	6	5	4	2	-	3	7	4	6	5	6	9	7	19	14	23	9	2	1
	Nonwhite--M--	4	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents----------	155	2	1	1	3	5	17	8	16	15	9	4	8	10	8	3	10	11	8	4	6	4	2	-	-	-
	White-----M--	110	1	-	-	2	5	9	3	13	13	7	4	6	8	6	2	6	9	6	3	2	3	2	-	-	-
	F--	42	1	1	1	1	-	6	5	3	2	2	-	2	2	1	1	4	2	2	1	4	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	388	24	7	8	10	8	26	8	17	21	8	8	11	12	17	23	21	20	16	23	27	27	30	13	2	1
E802,	White-----M--	253	14	2	6	1	5	20	7	15	19	8	8	10	7	14	18	20	16	9	17	12	14	7	4	-	-
E840-	F--	132	9	5	2	8	3	5	1	2	2	-	-	1	5	3	5	1	4	7	6	15	13	23	9	2	1
E962	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	161	-	-	-	-	-	-	-	3	9	11	13	14	17	15	17	11	15	13	10	8	2	2	-	1	-
E970-	White-----M--	121	-	-	-	-	-	-	-	3	7	6	8	9	12	11	12	11	10	13	9	7	1	2	-	-	-
E979	F--	39	-	-	-	-	-	-	-	-	2	5	4	5	5	4	5	-	5	-	1	1	1	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	14	1	-	-	-	-	1	-	1	-	1	1	2	-	1	1	1	1	2	-	1	-	-	-	-	-
E980-	White-----M--	11	1	-	-	-	-	1	-	1	-	-	-	1	-	1	1	1	1	2	-	1	-	-	-	-	-
E985	F--	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND																										
	ALL CAUSES	22,417	1,465	97	65	52	32	125	83	149	258	341	480	547	846	1,134	1,454	1,850	2,308	2,476	2,656	2,441	1,951	1,087	401	84	55
	White--M	9,884	549	31	23	23	10	58	35	65	92	119	170	231	363	527	676	931	1,130	1,184	1,196	1,096	792	419	124	23	17
	F	7,917	411	33	22	14	11	39	23	40	57	70	134	118	207	261	361	498	726	876	1,079	1,079	995	561	241	44	17
	Nonwhite--M	2,598	271	19	14	6	5	17	12	30	61	80	98	95	163	192	254	248	253	244	216	147	94	47	12	7	13
	F	2,018	234	14	6	9	6	11	13	14	48	72	78	103	113	154	163	173	199	172	165	119	70	40	24	10	8
001-019	Tuberculosis, all forms	815	3	9	4	6	3	5	5	19	45	57	85	70	86	70	78	62	63	63	42	24	11	5	-	-	-
	White--M	298	1	1	-	1	-	1	-	2	4	6	14	21	31	28	31	32	35	38	27	13	9	3	-	-	-
	F	110	1	2	2	-	-	-	1	4	5	8	19	8	13	6	9	4	3	8	7	6	1	1	-	-	-
	Nonwhite--M	258	-	4	1	-	2	2	1	5	16	18	27	26	29	29	31	23	19	14	5	4	1	1	-	-	-
	F	149	1	2	1	3	1	2	3	8	20	25	25	15	13	7	7	3	6	3	3	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	750	3	3	1	1	1	1	5	16	43	51	80	67	86	69	72	61	56	62	37	21	9	5	-	-	-
	White--M	288	1	1	-	1	-	-	-	2	4	6	14	20	31	28	29	32	34	37	25	12	6	3	-	-	-
	F	95	1	-	-	-	-	-	1	3	5	8	17	7	13	6	8	4	3	8	5	5	-	1	-	-	-
	Nonwhite--M	235	-	1	1	-	1	-	1	4	14	16	27	25	29	28	28	22	15	14	4	3	1	1	-	-	-
	F	132	1	1	-	-	-	1	3	7	20	21	22	15	13	7	7	3	4	3	3	1	-	-	-	-	-
010-019	Tuberculosis, other forms	65	-	6	3	5	2	4	-	3	2	6	5	3	-	1	6	1	7	1	5	3	2	-	-	-	-
	White--M	10	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	1	1	2	1	1	-	-	-	-
	F	15	-	2	2	2	-	-	-	1	-	-	2	1	-	-	1	-	-	-	2	1	1	-	-	-	-
	Nonwhite--M	23	-	3	-	-	1	2	-	1	2	2	-	1	-	1	3	1	4	-	1	1	-	-	-	-	-
	F	17	-	1	1	3	1	1	-	1	-	4	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	178	5	-	-	-	-	-	-	-	1	2	3	8	19	26	26	25	21	16	16	7	3	-	-	-	-
	White--M	50	1	-	-	-	-	-	-	-	1	-	-	1	1	1	5	11	10	10	6	3	-	-	-	-	-	-
	F	19	1	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	2	4	1	2	-	-	-	-	-
	Nonwhite--M	80	3	-	-	-	-	-	-	-	-	1	2	4	12	15	15	13	6	3	3	2	1	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	1	-	3	4	8	4	1	3	1	3	1	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	23	5	2	1	-	2	2	-	1	1	1	1	1	1	-	2	2	-	-	1	-	-	-	-	-	-	-
	White--M	13	4	1	1	-	2	1	-	-	1	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	6	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	25	2	1	-	-	1	4	2	3	1	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	16	1	-	-	-	1	4	1	1	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	45	12	3	-	-	-	1	1	1	-	2	2	2	2	3	5	3	2	1	2	-	1	1	-	1	-
	White--M	19	5	1	-	-	-	1	1	-	-	-	2	-	1	1	2	2	-	-	1	-	-	1	-	1	-
	F	10	2	1	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	9	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
140-205	Malignant neoplasms, etc.*----	3,275	7	10	6	4	3	18	13	14	13	32	65	75	154	226	289	373	471	431	422	342	191	83	26	3	4
	White-----M--	1,367	3	4	1	3	-	7	5	6	4	14	23	18	41	80	114	155	203	201	182	168	87	37	8	1	2
	F--	1,408	3	5	2	1	2	6	4	6	4	13	31	43	79	88	115	142	203	180	184	149	90	39	16	2	1
	Nonwhite--M--	279	-	-	2	-	1	1	4	2	2	3	5	5	17	26	36	41	39	34	32	17	8	4	-	-	-
	F--	221	1	1	1	-	-	4	-	-	3	2	6	9	17	32	24	35	26	16	24	8	6	3	2	-	1
140-148	Of buccal cavity and pharynx------	97	-	-	-	-	-	-	-	-	1	1	-	3	4	9	10	9	7	18	13	13	7	-	1	-	1
	White-----M--	69	-	-	-	-	-	-	-	-	1	-	-	2	2	5	8	7	6	12	9	10	5	-	1	-	1
	F--	12	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	3	2	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	1	2	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,212	1	1	2	-	-	1	1	3	1	3	9	14	37	57	68	143	179	179	188	162	81	38	11	2	1
	White-----M--	518	-	1	-	-	-	1	-	1	-	1	6	4	18	19	37	61	75	85	80	72	42	13	3	-	1
	F--	492	1	-	1	-	-	-	1	2	-	2	2	6	8	18	25	49	68	78	83	77	41	23	7	2	-
	Nonwhite--M--	134	-	-	1	-	-	-	-	-	1	-	1	3	8	15	18	17	20	15	19	10	5	1	-	-	-
	F--	68	-	-	-	-	-	-	-	-	-	-	-	1	3	5	8	16	16	5	6	3	3	1	1	-	-
160-164	Of respiratory system----------	387	-	-	-	-	-	-	-	-	-	1	5	7	12	35	42	68	81	60	42	16	10	7	1	-	-
	White-----M--	278	-	-	-	-	-	-	-	-	-	-	3	3	7	29	30	48	59	50	28	10	5	5	1	-	-
	F--	64	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	8	14	6	13	6	4	2	-	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	1	1	2	3	4	6	12	7	3	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-
170	Of breast---------	311	-	-	-	-	-	-	-	-	-	1	7	13	36	33	31	33	46	31	33	22	14	7	4	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	F--	277	-	-	-	-	-	-	-	-	-	-	7	12	30	26	27	29	43	30	28	22	13	6	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	1	5	7	4	4	2	1	5	-	1	-	-	-	-
171-179	Of genital organs-	571	-	-	-	-	-	-	-	1	3	10	18	16	33	41	45	51	70	74	80	70	39	16	2	1	1
	White-----M--	161	-	-	-	-	-	-	-	-	-	4	3	-	1	1	5	5	15	19	31	44	21	9	2	1	-
	F--	295	-	-	-	-	-	-	-	1	2	4	10	13	25	24	32	34	43	40	32	17	14	4	-	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	9	7	6	2	2	-	-	-
	F--	78	-	-	-	-	-	-	-	-	1	2	5	3	7	16	7	9	5	6	10	3	2	1	-	-	1
180, 181	Of urinary organs-	145	1	1	-	1	-	1	-	-	-	1	-	1	2	5	15	18	24	12	26	22	10	5	-	-	-
	White-----M--	93	1	1	-	1	-	-	-	-	-	1	-	1	1	2	7	14	19	7	20	11	4	3	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	2	5	11	6	2	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	1	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	.2	-	-	-	-	-	-	-
156B, 165, 190-198	Of other sites, etc.*----------	317	5	3	2	2	1	5	6	4	3	7	12	10	18	28	32	31	34	33	26	22	17	8	7	-	1
	White-----M--	127	2	1	1	1	-	-	1	1	-	4	5	4	7	13	13	10	12	17	9	12	8	5	1	-	-
	F--	143	2	1	-	1	-	5	2	2	2	3	4	4	9	13	13	12	20	12	13	8	9	2	5	-	1
	Nonwhite--M--	30	-	-	1	-	1	-	3	1	-	-	2	-	1	-	5	6	2	4	2	1	-	1	-	-	-
	F--	17	1	1	-	-	-	-	-	1	-	1	1	2	1	2	1	3	-	-	2	1	-	-	1	-	-
204	Leukemia and aleukemia----------	113	-	5	2	1	2	11	3	3	2	4	6	4	4	7	12	5	14	12	6	7	2	1	-	-	-
	White-----M--	53	-	1	-	1	-	6	1	2	-	2	1	2	2	6	4	2	6	8	4	4	-	1	-	-	-
	F--	47	-	4	1	-	2	1	1	-	-	2	3	1	2	1	7	3	6	4	2	3	2	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	1	-	-	3	-	-	1	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	122	-	-	-	-	-	-	3	3	3	4	8	7	8	11	14	15	16	12	8	8	1	1	-	-	-
	White-----M--	65	-	-	-	-	-	-	3	2	3	2	5	2	2	5	10	8	10	5	1	5	1	1	-	-	-
	F--	41	-	-	-	-	-	-	-	1	-	1	2	5	2	3	3	4	5	7	5	3	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	1	1	-	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	63	3	-	1	-	-	3	1	-	-	2	3	7	8	8	6	6	6	4	1	-	3	1	-	-	-
	White-----M--	16	1	-	1	-	-	1	-	-	-	-	1	1	1	3	3	2	-	-	-	-	1	1	-	-	-
	F--	25	1	-	-	-	-	1	1	-	-	1	2	4	2	3	2	3	1	2	-	-	2	-	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	1	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	-	1	-	1	4	2	-	-	2	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	399	-	-	1	2	-	-	-	4	-	2	3	3	14	18	24	38	53	62	71	49	34	16	3	1	1
	White-----M--	134	-	-	-	2	-	-	-	1	-	1	3	1	6	6	10	12	15	17	27	17	9	5	-	1	1
	F--	215	-	-	1	-	-	-	-	3	-	1	-	2	2	8	8	18	28	39	41	28	24	10	2	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	2	3	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	5	3	5	8	8	5	1	1	1	1	1	-	-
280-283	Anemias----------	43	3	-	2	-	-	1	-	-	3	1	1	-	3	-	2	2	4	6	4	7	2	1	1	-	-
	White-----M--	19	2	-	-	-	-	1	-	-	2	-	-	-	2	-	1	1	2	2	3	3	-	-	-	-	-
	F--	18	-	-	2	-	-	-	-	-	1	-	-	-	1	-	1	-	1	4	-	4	2	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	32	14	2	1	-	-	-	-	-	-	1	2	1	-	6	-	1	3	-	1	-	-	-	-	-	-
	White-----M--	11	4	-	1	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	1	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	2	-	-	-	-	-	-	-	-
	F--	9	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	12,288	5	2	1	2	2	9	10	15	33	45	105	169	328	525	781	1,036	1,353	1,608	1,805	1,744	1,480	843	320	61	36
	White-----M--	5,534	2	-	1	-	1	3	1	5	12	11	38	77	156	265	381	552	679	765	797	760	585	324	100	13	8
	F--	4,596	1	-	-	1	1	3	2	7	10	14	31	29	59	105	160	247	384	567	732	785	764	450	193	33	12
	Nonwhite--M--	1,127	1	2	-	1	-	3	1	3	7	8	18	19	57	77	121	126	139	152	152	104	74	36	9	7	10
	F--	1,041	1	-	-	-	-	-	6	-	4	12	18	44	56	82	99	111	141	124	124	97	57	33	18	8	6
330-334, 400-468	Diseases of cardiovascular system-	11,881	5	2	1	1	1	7	9	14	27	32	91	154	313	500	731	1,003	1,318	1,557	1,745	1,699	1,445	819	313	59	35
	White-----M--	5,402	2	-	1	-	1	3	1	5	10	9	33	70	151	252	374	544	672	742	779	748	572	316	97	12	8
	F--	4,459	1	-	-	-	-	2	2	6	8	9	27	27	57	96	152	238	381	554	712	765	750	438	190	32	12
	Nonwhite--M--	1,047	1	2	-	1	-	2	-	3	5	5	15	18	54	75	112	120	129	144	139	97	68	32	9	7	8
	F--	973	1	-	-	-	-	-	6	-	4	9	16	39	51	77	93	101	136	117	115	89	55	33	17	8	6
330-334	Vascular lesions, etc.*----------	1,950	3	1	1	-	-	1	-	1	5	5	18	21	39	66	105	154	173	248	306	317	279	145	45	8	9
	White-----M--	751	2	-	1	-	-	-	-	-	3	4	6	9	11	16	36	56	66	99	115	129	114	60	19	3	2
	F--	799	-	-	-	-	-	1	-	1	2	-	4	2	8	13	30	49	61	94	142	148	141	73	22	4	4
	Nonwhite--M--	188	-	1	-	-	-	-	-	-	-	-	3	2	10	18	19	21	15	23	28	23	14	7	1	1	2
	F--	212	1	-	-	-	-	-	-	-	1	5	8	10	19	20	28	31	32	21	17	10	5	3	-	1	
400-402	Rheumatic fever---	26	-	-	-	1	-	3	2	4	2	-	4	4	2	1	-	-	-	1	-	1	1	-	-	-	-
	White-----M--	11	-	-	-	-	-	2	-	1	-	-	3	3	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	1	-	1	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND--Con.																										
410-443	Diseases of heart	9,159	1	1	-	-	1	3	7	9	14	25	61	112	247	407	593	813	1,097	1,256	1,341	1,276	1,050	566	220	38	21
	White-----M--	4,354	-	-	-	-	1	1	1	4	4	5	23	52	130	227	326	472	584	617	631	581	410	213	62	5	5
	F--	3,352	-	-	-	-	-	1	2	3	3	9	20	21	42	79	114	183	312	447	535	562	547	305	141	19	7
	Nonwhite--M--	*771	1	1	-	-	-	1	-	2	5	4	11	14	39	51	83	90	106	112	94	67	50	24	7	6	4
	F--	682	-	-	-	-	-	-	4	-	2	7	7	25	36	50	70	68	96	80	81	66	43	24	10	8	5
410-416	Chronic rheumatic heart disease----	297	...	-	-	-	-	1	3	4	8	12	14	26	29	40	31	35	28	22	15	14	11	3	3	-	1
	White-----M--	130	...	-	-	-	-	1	-	2	3	4	6	11	15	20	13	17	15	7	5	4	6	-	-	-	1
	F--	119	...	-	-	-	-	-	1	2	2	4	6	8	11	17	13	15	9	12	5	4	4	3	3	-	-
	Nonwhite--M--	23	...	-	-	-	-	-	-	-	2	2	2	1	2	2	3	2	-	-	3	4	-	-	-	-	-
	F--	25	...	-	-	-	-	-	2	-	1	2	-	6	1	1	2	1	1	3	2	2	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,350	-	-	-	-	-	1	-	2	-	5	21	47	126	226	331	465	588	676	636	550	394	191	73	9	9
	White-----M--	2,558	-	-	-	-	-	-	-	-	-	1	9	34	96	169	237	327	379	388	346	296	170	80	22	1	3
	F--	1,383	-	-	-	-	-	-	-	-	-	1	8	5	14	24	48	95	150	230	244	219	197	93	48	4	3
	Nonwhite--M--	261	-	-	-	-	-	1	-	2	-	1	3	6	13	22	31	28	36	45	22	19	19	8	1	2	2
	F--	148	-	-	-	-	-	-	-	-	-	2	1	2	3	11	15	15	23	13	24	16	6	10	2	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,012	...	1	-	-	-	1	2	3	2	2	7	10	21	36	61	86	181	238	296	355	355	236	94	18	7
	White-----M--	846	...	-	-	-	-	-	-	2	-	-	2	2	6	14	22	46	84	109	135	157	148	87	28	4	-
	F--	843	...	-	-	-	-	1	1	1	-	1	1	2	4	12	14	13	50	80	116	152	185	137	59	10	4
	Nonwhite--M--	165	...	1	-	-	-	-	-	-	1	-	4	1	6	6	17	16	23	27	19	21	11	5	3	2	2
	F--	158	...	-	-	-	-	-	1	-	1	1	-	5	5	4	8	11	24	22	26	25	11	7	4	2	1
430-434	Other diseases of heart---------	203	1	-	-	-	1	-	2	-	-	1	6	7	9	10	24	17	27	25	22	23	15	7	5	1	-
	White-----M--	83	-	-	-	-	1	-	1	-	-	-	3	2	3	3	9	10	6	9	11	12	7	5	1	-	-
	F--	64	-	-	-	-	-	-	-	-	-	-	1	3	1	3	4	2	12	8	8	9	7	1	4	1	-
	Nonwhite--M--	33	1	-	-	-	-	-	-	-	-	-	1	1	5	4	4	3	5	3	2	2	1	1	-	-	-
	F--	23	-	-	-	-	-	-	1	-	-	1	1	1	-	-	7	2	4	5	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	2,297	-	-	-	-	-	-	-	-	4	5	13	22	62	95	146	210	276	295	372	334	275	129	45	10	4
	White-----M--	737	-	-	-	-	-	-	-	-	1	-	3	3	10	21	45	72	100	104	134	112	79	41	11	-	1
	F--	943	-	-	-	-	-	-	-	-	1	3	4	3	12	23	35	58	91	117	162	178	154	71	27	4	-
	Nonwhite--M--	289	-	-	-	-	-	-	-	-	2	1	1	5	13	17	26	41	41	37	48	21	19	10	3	2	-
	F--	328	-	-	-	-	-	-	-	-	-	1	5	11	27	34	38	39	44	37	28	23	23	7	4	4	3
444-447	Hypertension without mention of heart----------	208	-	-	-	-	-	-	-	-	1	2	4	10	15	12	21	13	17	11	25	24	24	21	5	2	1
	White-----M--	71	-	-	-	-	-	-	-	-	1	-	-	1	6	3	6	5	7	6	8	9	11	6	2	-	-
	F--	68	-	-	-	-	-	-	-	-	-	-	1	3	4	1	5	2	1	3	6	13	12	14	1	2	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	1	1	1	2	2	8	4	2	-	6	-	1	-	1	-	1
	F--	39	-	-	-	-	-	-	-	-	-	1	2	5	3	6	2	2	7	2	5	2	-	1	1	-	-
450	General arteriosclerosis--------	420	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	10	15	23	64	75	84	84	43	11	4
	White-----M--	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	7	8	21	28	33	35	14	4	1
	F--	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	25	38	47	45	26	7	1
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	4	11	6	3	1	-	-	2
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	7	3	1	3	3	-	-
451-468	Other diseases of circulatory sys.-	118	1	-	-	-	-	-	-	-	5	-	4	7	8	12	9	13	15	18	9	6	7	3	-	-	-
	White-----M--	57	-	-	-	-	-	-	-	-	2	-	1	5	3	6	3	7	8	11	4	1	4	2	-	-	-
	F--	32	1	-	-	-	-	-	-	-	2	-	1	1	3	3	3	2	3	2	4	4	2	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	4	5	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	2	1	-	1	1	1	-	-	-	-
592-594	Chronic nephritis etc.*----------	417	-	-	-	1	1	2	1	1	6	13	14	15	15	25	30	33	35	51	60	45	35	24	7	2	1
	White-----M--	132	-	-	-	-	-	-	-	-	2	2	5	7	5	11	7	8	7	23	18	12	13	8	3	1	-
	F--	137	-	-	-	1	1	1	-	1	2	5	4	2	2	7	8	9	13	13	20	18	14	12	3	1	-
	Nonwhite--M--	80	-	-	-	-	-	1	1	-	2	3	3	1	3	2	9	6	10	8	13	7	6	4	-	-	1
	F--	68	-	-	-	-	-	-	-	-	-	3	2	5	5	5	6	10	5	7	9	8	2	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	600	109	19	6	3	1	4	3	3	2	9	10	19	16	22	28	44	36	47	52	63	59	25	11	8	1
	White-----M--	211	24	5	1	2	-	-	-	3	1	2	2	7	6	6	6	18	12	24	27	25	23	9	3	2	1
	F--	190	21	7	3	-	-	3	1	-	-	-	1	3	2	4	5	12	12	10	20	31	29	15	7	4	-
	Nonwhite--M--	110	41	3	1	-	-	1	1	-	-	4	1	5	6	5	7	10	9	7	2	3	2	1	1	-	-
	F--	89	23	4	1	1	1	-	1	-	1	3	6	4	2	5	10	4	3	6	3	4	5	-	-	2	-
480-483	Influenza---------	88	4	2	2	-	-	1	1	1	-	-	1	2	1	2	-	6	6	9	15	10	14	8	2	1	-
	White-----M--	30	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	3	5	7	4	4	2	1	-	-
	F--	36	2	1	1	-	-	1	-	-	-	-	-	-	-	-	1	2	2	-	7	5	7	5	1	1	-
	Nonwhite--M--	12	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	2	1	-	1	1	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	2	-	1	2	-	-	-	-
490-493	Pneumonia, etc.*---	512	105	17	4	3	1	3	2	2	2	9	9	17	15	20	28	38	30	38	37	53	45	17	9	7	1
	White-----M--	181	24	4	2	-	-	-	2	1	2	2	7	6	8	6	17	9	19	20	21	19	7	2	2	1	
	F--	154	19	6	2	-	-	2	1	-	-	-	1	3	2	3	5	10	10	10	13	26	22	10	6	3	-
	Nonwhite--M--	98	40	3	1	-	-	1	-	-	-	4	1	4	6	4	7	8	8	5	1	3	1	-	1	-	-
	F--	79	22	4	1	1	1	-	1	-	1	3	5	3	1	5	10	3	3	4	3	3	3	-	-	2	-
500-502	Bronchitis---------	56	12	3	2	1	-	1	1	-	1	1	1	1	3	-	-	4	3	3	3	6	6	2	1	1	-
	White-----M--	26	3	1	2	-	-	1	1	-	1	-	1	-	2	-	-	3	1	1	2	4	2	1	-	-	-
	F--	18	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	1	4	1	1	1	-
	Nonwhite--M--	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F--	6	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	96	-	-	-	-	-	-	-	-	1	1	1	4	6	10	8	10	18	15	12	6	3	1	-	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	1	1	4	4	9	8	6	14	12	7	2	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	3	2	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	2	-	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
550-553	Appendicitis-------	29	1	-	-	-	-	-	1	2	-	-	-	4	3	4	2	3	3	1	2	1	2	-	-	-	
	White-----M--	12	-	-	-	-	-	-	-	2	-	-	-	2	3	2	-	-	-	-	1	1	1	-	-	-	-
	F--	12	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	2	2	1	1	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	128	15	1	1	-	-	-	2	-	1	4	3	4	3	4	8	12	19	12	10	15	9	4	1	-	-
	White-----M--	49	8	1	1	-	-	-	1	-	-	1	2	1	1	2	-	3	6	4	5	9	4	-	-	-	-
	F--	48	5	-	-	-	-	-	1	-	1	1	-	-	2	1	3	5	5	6	4	5	4	4	1	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	6	2	1	-	1	-	-	-	-
	F--	13	2	-	-	-	-	-	-	-	-	2	1	2	-	1	1	1	2	-	-	1	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
543, 571, 572	Gastritis, etc.*--	84	36	5	-	-	-	-	-	-	1	-	-	1	1	2	5	2	6	8	6	4	3	4	-	-	-
	White-----M--	32	9	1	-	-	-	-	-	-	-	-	-	-	1	2	5	-	4	2	3	1	2	2	-	-	-
	F--	25	6	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	5	3	2	1	2	-	-	-
	Nonwhite--M--	14	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	F--	13	10	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	200	-	-	-	-	-	-	-	-	2	3	9	13	20	25	30	29	23	19	9	11	5	2	-	-	-
	White-----M--	119	-	-	-	-	-	-	-	-	-	1	4	7	11	16	20	17	13	14	5	8	2	1	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	1	4	3	7	7	9	8	8	4	4	2	3	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	2	1	-	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	2	1	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	42	2	2	-	3	-	1	1	1	-	1	3	1	4	3	3	2	5	2	-	3	3	2	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	1	-	1	3	-	-	1	-	2	1	-	-	2	2	1	-	-	-
	F--	15	1	1	-	3	-	1	1	-	-	-	-	-	-	1	1	-	3	-	-	1	1	1	-	-	-
	Nonwhite--M--	8	1	1	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	10	19	17	11	3	2	1	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	16	15	9	3	2	1	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	2	2	-	-	-	-
640-689	Complications of pregnancy, etc.*-	41	***	***	***	***	***	***	-	3	7	12	10	6	3	-	-	-	***	***	***	***	***	***	***	***	***
	White-----F--	24	***	***	***	***	***	***	-	1	5	7	8	2	1	-	-	-	***	***	***	***	***	***	***	***	***
	Nonwhite--F--	17	***	***	***	***	***	***	-	2	2	5	2	4	2	-	-	-	***	***	***	***	***	***	***	***	***
650-652	Abortion----------	8	***	***	***	***	***	***	-	1	3	1	2	1	-	-	-	-	***	***	***	***	***	***	***	***	***
	White-----F--	4	***	***	***	***	***	***	-	-	2	-	1	1	-	-	-	-	***	***	***	***	***	***	***	***	***
	Nonwhite--F--	4	***	***	***	***	***	***	-	1	1	1	1	-	-	-	-	-	***	***	***	***	***	***	***	***	***
640-649, 660-689	All other complications-------	33	***	***	***	***	***	***	-	2	4	11	8	5	3	-	-	-	***	***	***	***	***	***	***	***	***
	White-----F--	20	***	***	***	***	***	***	-	1	3	7	7	1	1	-	-	-	***	***	***	***	***	***	***	***	***
	Nonwhite--F--	13	***	***	***	***	***	***	-	1	1	4	1	4	2	-	-	-	***	***	***	***	***	***	***	***	***
750-759	Congenital malformations-------	280	215	9	3	4	1	10	3	3	5	2	-	4	4	2	4	3	3	3	1	1	-	-	-	-	-
	White-----M--	103	81	4	-	2	-	3	2	-	-	2	-	2	1	-	1	1	3	-	1	1	-	-	-	-	-
	F--	110	79	4	2	2	-	6	1	3	2	-	-	1	3	2	2	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	37	30	1	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F--	30	25	-	-	-	1	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	855	855	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	336	336	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	395	395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	404	404	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	81	21	-	-	-	2	-	2	-	1	1	1	-	3	4	3	5	4	8	3	4	2	5	3	3	2	4
	White-----M--	33	8	-	-	-	-	-	-	-	1	-	1	-	1	2	1	4	1	5	2	2	1	-	2	2	-	1
	F--	21	5	-	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-	2	-	1	1	4	1	-	2	1
	Nonwhite--M--	15	3	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-	2	1	1	1	-	1	-	-	-	1
	F--	12	5	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	1
Residual	All other diseases	937	67	14	10	7	7	10	6	4	17	34	40	40	41	74	67	88	95	89	94	56	44	22	8	2	1
	White-----M--	424	27	7	3	4	1	5	2	2	4	9	10	16	20	37	34	48	48	42	46	26	20	9	3	1	-
	F--	306	14	3	3	1	4	2	1	2	10	9	12	9	14	18	17	29	34	27	40	21	22	8	4	1	1
	Nonwhite--M--	124	14	2	3	1	1	2	1	-	-	6	12	6	6	15	7	8	10	12	5	6	2	4	1	-	-
	F--	83	12	2	1	1	1	1	2	-	3	10	6	9	1	4	9	3	3	8	3	3	-	1	-	-	-
E800-E962	Accidents----------	1,282	63	11	25	16	11	53	34	62	84	81	84	77	77	66	65	65	73	46	64	73	72	44	24	4	6
	White-----M--	694	27	4	11	9	4	29	21	39	51	52	53	48	45	39	30	38	48	29	29	30	30	17	5	3	3
	F--	326	13	4	7	2	4	15	9	8	11	10	12	9	6	9	13	16	17	11	29	39	40	24	16	1	1
	Nonwhite--M--	187	9	3	5	3	1	6	3	15	15	14	14	15	19	13	21	8	6	6	3	3	1	1	1	-	2
	F--	75	14	-	2	2	2	3	1	-	7	5	5	5	7	5	1	3	2	2	3	1	1	2	2	-	-
E810-E835	Motor-vehicle accidents---------	442	1	3	5	5	4	26	10	37	48	46	37	32	31	26	20	27	21	19	18	15	5	4	-	-	2
	White-----M--	262	-	-	1	3	-	14	6	24	29	33	22	22	20	16	8	12	14	10	9	13	4	2	-	-	-
	F--	93	-	1	1	-	2	10	3	7	8	6	7	4	2	4	5	10	5	5	8	2	1	1	-	-	1
	Nonwhite--M--	73	1	2	3	1	1	2	1	6	9	5	6	6	7	4	6	4	2	4	1	-	-	1	-	-	1
	F--	14	-	-	1	1	1	-	-	-	2	2	2	-	2	2	1	1	-	-	-	-	-	-	-	-	-
E800-E802, E940-E962	All ot. accidents-	840	62	8	20	11	7	27	24	25	36	35	47	45	46	40	45	38	52	29	46	58	67	40	24	4	4
	White-----M--	432	27	4	10	6	4	15	15	15	22	19	31	26	25	23	22	26	34	19	20	17	26	15	5	3	3
	F--	233	13	3	6	2	2	5	6	1	3	4	5	5	4	5	8	6	12	6	21	37	39	23	16	1	-
	Nonwhite--M--	114	8	1	2	2	-	4	2	9	6	9	8	9	12	9	15	4	4	2	2	3	1	-	1	-	1
	F--	61	14	-	2	1	1	3	1	-	5	3	3	5	5	3	-	2	2	2	3	1	1	2	2	-	-
E963, E970-E979	Suicide----------	273	-	-	-	-	-	-	-	4	11	16	20	23	32	33	26	30	31	20	10	9	5	2	1	-	-
	White-----M--	193	-	-	-	-	-	-	-	3	6	10	10	18	22	24	16	23	23	16	7	7	5	2	1	-	-
	F--	64	-	-	-	-	-	-	-	1	4	3	9	4	9	9	7	6	6	3	2	1	-	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	2	1	1	1	-	2	1	2	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	148	7	1	-	-	-	-	1	10	26	27	25	11	13	5	7	4	2	3	5	-	-	-	-	-	1
	White-----M--	33	2	-	-	-	-	-	-	2	3	3	3	3	7	-	4	2	1	1	1	-	-	-	-	-	1
	F--	10	2	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	85	1	-	-	-	-	-	1	5	17	21	17	6	4	4	3	2	-	1	3	-	-	-	-	-	-
	F--	20	2	1	-	-	-	-	-	3	4	3	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS																										
	ALL CAUSES	49,366	2,240	133	98	89	53	154	108	197	329	387	551	745	1,172	1,793	2,775	3,881	5,059	6,182	6,737	6,639	5,342	2,940	1,192	268	322
	White	25,823	1,256	77	60	46	30	89	65	122	195	198	292	421	700	1,072	1,712	2,340	2,974	3,467	3,418	3,123	2,380	1,152	387	86	161
	White—M	22,705	905	51	38	42	22	63	43	64	119	167	230	290	442	685	990	1,457	1,996	2,607	3,231	3,454	2,922	1,788	790	175	154
	White—F	469	41	4	-	-	-	2	-	7	9	12	12	24	19	16	42	52	41	71	47	34	15	8	5	3	4
	Nonwhite—M	389	36	1	-	1	1	-	-	4	6	10	17	10	11	20	31	32	48	37	41	28	24	12	10	4	3
	Nonwhite—F																										
001-019	Tuberculosis, all forms	1,005	3	2	2	4	4	5	1	11	33	47	67	76	74	97	114	103	103	109	71	48	18	6	2	-	5
	White—M	675	2	2	1	-	4	1	-	2	7	10	32	44	49	78	90	81	84	82	54	33	12	4	1	-	2
	White—F	267	1	-	1	4	-	3	1	6	18	30	28	25	22	19	17	18	16	20	15	14	6	2	-	-	3
	Nonwhite—M	37	-	-	-	-	-	1	-	-	5	3	2	5	2	-	6	5	1	5	1	1	-	-	-	-	-
	Nonwhite—F	26	-	-	-	-	-	-	-	3	3	4	5	2	1	-	1	1	2	2	1	-	-	-	1	-	-
001-008	Tuberculosis of respiratory system	946	2	1	1	2	2	3	1	9	29	43	64	75	71	93	108	100	98	103	68	45	17	6	2	-	5
	White—M	645	1	1	-	-	2	1	-	2	6	9	32	44	48	74	86	80	81	79	49	32	11	4	1	-	2
	White—F	245	1	-	1	2	-	2	1	4	17	28	26	24	20	19	15	15	14	18	15	12	6	2	-	-	3
	Nonwhite—M	31	-	-	-	-	-	-	-	-	3	2	1	5	2	-	6	4	1	5	1	1	-	-	-	-	-
	Nonwhite—F	25	-	-	-	-	-	-	-	3	3	4	5	2	1	-	1	1	2	1	1	-	-	-	1	-	-
010-019	Tuberculosis, other forms	59	1	1	1	2	2	2	-	2	4	4	3	1	3	4	6	3	5	6	5	3	1	-	-	-	-
	White—M	30	1	1	1	-	2	-	-	-	1	1	-	-	1	4	4	1	3	3	5	1	1	-	-	-	-
	White—F	22	-	-	-	2	-	1	-	2	1	2	2	1	2	-	2	1	2	2	-	2	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	159	-	-	-	-	-	-	-	-	-	-	1	-	3	7	15	24	20	28	26	21	7	3	1	2	1
	White—M	102	-	-	-	-	-	-	-	-	-	-	1	-	3	2	11	15	14	20	17	11	4	2	1	-	1
	White—F	45	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	5	6	9	8	3	1	-	2	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	2	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	9	1	-	-	-	-	1	-	-	-	1	-	1	2	-	1	-	-	-	1	-	-	1	-	-	-
	White—M	6	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-
	White—F	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	10	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	19	5	1	-	2	2	1	2	1	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	2	1	-	2	1	-	1	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	2	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	10	-	-	-	-	-	-	1	1	3	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	1	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	79	6	3	1	2	-	1	2	1	-	3	7	1	4	6	6	6	3	9	7	5	1	4	1	-	-
	White—M	45	5	3	1	1	-	-	-	1	-	1	4	-	4	4	5	4	1	4	2	1	1	3	-	-	-
	White—F	30	1	-	-	1	-	1	2	-	-	2	2	1	-	2	1	-	2	5	4	4	-	1	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
140-205	Malignant neoplasms, etc.*—	8,425	6	15	11	16	10	24	11	29	29	50	95	143	256	404	629	953	1,100	1,242	1,265	1,029	666	290	84	10	58
	White——M—	4,151	3	8	4	8	4	15	7	18	17	22	31	61	115	155	278	480	565	681	645	508	333	129	37	3	23
	F—	4,158	2	6	7	8	6	9	4	11	11	27	56	77	138	245	339	458	519	544	605	515	325	161	46	7	34
	Nonwhite—M—	59	1	1	-	-	-	-	-	-	1	1	3	3	2	2	7	7	7	10	8	3	2	-	-	-	1
	F—	57	-	-	-	-	-	-	-	-	-	-	5	2	1	2	5	8	9	7	7	4	6	-	1	-	-
140-148	Of buccal cavity and pharynx——	227	-	-	-	-	-	-	-	1	-	-	2	1	4	10	12	26	23	37	44	30	27	6	3	-	1
	White——M—	186	-	-	-	-	-	-	-	1	-	-	1	-	2	7	7	19	23	35	37	26	21	3	3	-	1
	F—	36	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	6	-	1	6	4	5	3	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	3,560	-	-	-	1	-	-	-	3	5	8	21	37	69	119	244	352	473	563	606	522	325	146	39	7	20
	White——M—	1,873	-	-	-	-	-	-	-	3	1	6	11	23	39	62	126	196	270	326	316	249	158	61	15	2	9
	F—	1,635	-	-	-	1	-	-	-	-	3	2	8	14	30	55	110	150	196	228	281	269	163	85	23	5	11
	Nonwhite—M—	31	-	-	-	-	-	-	-	-	1	-	2	-	-	1	6	4	3	6	5	2	1	-	-	-	-
	F—	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	4	2	3	-	1	-	-
160-164	Of respiratory system——	770	-	2	-	-	-	-	-	1	1	1	3	8	28	51	77	136	119	136	98	56	37	11	3	-	1
	White——M—	621	-	1	-	-	-	-	-	1	1	-	1	5	26	43	64	125	94	114	77	38	24	5	1	-	1
	F—	139	-	1	-	-	-	-	-	-	-	-	2	2	2	7	12	10	23	20	21	18	13	6	2	-	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	2	-	1	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
170	Of breast——	842	-	-	-	-	-	-	-	-	-	3	21	25	43	65	77	119	113	98	102	71	59	26	10	1	8
	White——M—	11	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	-	3	1	-	-	-	-	-	1
	F—	823	-	-	-	-	-	-	-	-	-	3	19	25	42	65	74	115	111	96	101	70	58	26	10	1	7
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	1	1	-	-	-	-
171-179	Of genital organs—	1,175	-	-	-	-	-	-	-	-	1	3	19	19	38	71	83	113	140	159	181	160	106	50	15	1	16
	White——M—	452	-	-	-	-	-	-	-	-	1	1	4	3	2	1	6	19	42	55	95	96	70	37	12	1	7
	F—	700	-	-	-	-	-	-	-	-	-	2	12	15	36	70	76	89	97	100	82	62	35	13	3	-	8
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	1
	F—	15	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	4	-	2	3	1	-	-	-	-	-
180, 181	Of urinary organs—	434	-	2	1	3	1	1	-	2	1	-	1	1	7	7	29	52	60	60	68	71	41	18	5	-	3
	White——M—	289	-	1	-	2	1	1	-	1	1	-	-	1	6	6	21	33	39	47	47	42	24	13	2	-	1
	F—	144	-	1	1	1	-	-	-	1	-	-	1	-	1	1	8	18	21	13	21	29	17	5	3	-	2
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	788	4	4	4	4	3	8	-	8	8	13	9	28	29	39	59	96	116	103	100	68	45	29	6	1	3
	White——M—	379	2	2	2	1	1	5	-	3	4	4	3	19	14	17	28	49	61	57	39	32	25	9	2	-	-
	F—	401	1	2	2	3	2	3	-	5	4	9	6	8	14	21	31	47	53	46	61	36	19	20	4	1	3
	Nonwhite—M—	4	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia——	305	1	5	6	8	6	13	7	9	6	9	8	13	11	13	16	25	23	33	32	34	18	4	1	-	4
	White——M—	160	1	2	2	5	2	8	3	5	3	4	3	3	6	7	9	15	15	21	18	15	9	1	1	-	2
	F—	141	-	2	4	3	4	5	4	4	3	5	3	9	5	6	7	10	8	12	14	19	9	3	-	-	2
	Nonwhite—M—	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	324	1	2	-	-	-	2	4	5	7	13	11	10	27	29	32	34	33	52	33	17	8	-	2	-	2
	White——M—	180	-	2	-	-	-	1	4	4	6	7	7	7	19	12	16	21	21	23	15	11	2	-	1	-	1
	F—	139	1	-	-	-	-	1	-	1	1	6	4	3	7	17	16	13	10	27	18	6	6	-	1	-	1
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	190	2	2	2	2	1	3	1	4	2	2	9	6	10	12	21	20	25	15	19	18	6	3	2	-	5
	White——M—	75	1	-	2	1	1	1	-	3	1	-	2	3	2	2	7	11	9	9	8	6	2	1	-	-	2
	F—	108	1	2	-	1	-	2	1	1	1	2	7	3	7	10	14	9	13	6	8	10	3	2	2	-	3
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-
260	Diabetes mellitus—	963	1	1	-	-	-	-	-	1	2	8	8	8	15	22	42	84	145	172	166	161	93	22	7	1	4
	White——M—	340	-	1	-	-	-	-	-	1	-	4	5	5	9	11	19	31	40	54	60	58	34	4	2	-	2
	F—	607	1	-	-	-	-	-	-	-	2	4	3	2	5	10	23	51	102	116	104	102	56	18	5	1	2
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	2	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	1	1	-	-	-	-
290-293	Anemias——	120	1	-	-	-	-	-	1	2	2	-	-	-	-	2	3	4	3	21	18	24	20	14	3	-	2
	White——M—	56	1	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	2	11	8	5	10	7	2	-	2
	F—	64	-	-	-	-	-	-	1	1	2	-	-	-	-	-	2	-	1	10	10	19	10	7	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	50	16	4	1	4	1	4	-	1	1	-	-	-	1	1	2	3	5	2	3	-	-	1	-	-	-
	White——M—	26	10	1	-	1	-	2	-	-	1	-	-	-	-	1	1	2	4	-	3	-	-	1	-	-	-
	F—	22	5	3	1	3	1	2	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	28,330	9	1	-	1	1	12	11	22	48	77	130	240	480	831	1,409	2,087	2,902	3,791	4,320	4,532	3,878	2,197	924	213	214
	White——M—	14,574	4	1	-	1	-	5	5	9	24	41	77	156	315	561	948	1,380	1,756	2,124	2,147	2,090	1,681	829	287	73	110
	F—	13,355	5	-	-	-	1	7	6	11	23	33	50	79	152	249	420	721	1,099	1,600	2,124	2,394	2,173	1,350	625	138	98
	Nonwhite—M—	206	-	-	-	-	-	-	-	2	-	1	1	2	9	7	21	22	16	46	27	27	9	7	4	2	3
	F—	195	-	-	-	-	-	-	-	-	1	2	2	3	4	14	20	14	31	21	22	21	15	11	8	3	3
330-334, 400-468	Diseases of cardiovascular system—	27,738	9	1	-	-	-	10	10	16	40	71	111	220	461	802	1,372	2,038	2,838	3,729	4,240	4,465	3,820	2,150	912	213	210
	White——M—	14,289	4	1	-	-	-	4	5	7	20	36	64	144	303	542	930	1,312	1,728	2,091	2,104	2,060	1,654	815	282	73	109
	F—	13,062	5	-	-	-	-	6	5	7	19	32	44	72	146	241	405	691	1,065	1,575	2,089	2,357	2,142	1,317	618	135	95
	Nonwhite—M—	197	-	-	-	-	-	-	-	2	-	1	1	1	8	7	19	21	16	43	26	27	9	7	4	2	3
	F—	191	-	-	-	-	-	-	-	-	1	2	2	3	4	12	20	14	31	20	21	21	15	11	8	3	3
330-334	Vascular lesions, etc.*——	5,389	4	-	-	-	-	1	3	1	5	11	21	27	66	120	219	358	479	766	906	978	805	422	133	37	39
	White——M—	2,315	3	-	-	-	-	-	2	1	3	7	9	12	24	58	111	171	243	345	385	412	317	138	42	14	17
	F—	3,011	1	-	-	-	-	1	1	-	2	4	12	14	40	57	99	183	228	411	506	557	482	280	90	22	21
	Nonwhite—M—	32	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	7	7	4	1	2	-	-	1
	F—	41	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	1	6	3	8	5	3	2	1	1	-
400-402	Rheumatic fever——	63	-	-	-	-	-	3	1	2	3	6	9	12	9	3	4	1	2	4	1	2	-	-	-	1	-
	White——M—	25	-	-	-	-	-	1	1	2	1	3	3	3	2	1	1	1	1	3	-	2	-	-	-	-	-
	F—	38	-	-	-	-	-	2	-	-	2	3	6	9	7	2	3	-	1	1	1	-	-	-	-	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
410-443	Diseases of heart	20,393	-	-	-	-	-	4	3	13	29	49	74	170	363	840	1,101	1,601	2,257	2,805	3,124	3,187	2,628	1,445	609	137	155
	White----M--	11,066	-	-	-	-	-	2	2	4	14	24	50	123	264	456	788	1,094	1,421	1,658	1,609	1,507	1,158	564	197	45	85
	F--	9,048	-	-	-	-	-	2	1	7	13	23	22	44	91	171	284	479	802	1,097	1,486	1,645	1,454	868	403	91	65
	Nonwhite--M--	149	-	-	-	-	-	-	-	2	-	-	-	1	5	5	16	17	10	34	18	21	8	5	4	1	2
	F--	130	-	-	-	-	-	-	-	-	1	2	2	2	3	8	13	11	24	16	11	14	8	8	5	-	2
410-416	Chronic rheumatic heart disease----	823	...	-	-	-	-	2	2	6	15	28	27	49	73	92	100	89	87	83	62	34	31	23	10	1	8
	White----M--	346	...	-	-	-	-	1	1	1	6	9	15	28	31	32	46	42	32	37	26	8	11	9	2	-	7
	F--	464	...	-	-	-	-	1	1	4	8	18	11	20	41	57	51	47	55	45	34	26	20	14	8	1	2
	Nonwhite--M--	5	...	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	F--	8	...	-	-	-	-	-	-	-	1	1	1	1	-	1	2	-	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	13,985	-	-	-	-	-	1	1	1	2	12	33	82	226	429	767	1,168	1,649	2,067	2,211	2,216	1,678	882	386	81	103
	White----M--	8,230	-	-	-	-	-	-	1	-	1	8	28	67	194	366	606	652	1,123	1,296	1,211	1,113	774	364	131	31	64
	F--	5,598	-	-	-	-	-	1	-	-	1	4	5	14	27	57	149	299	510	733	978	1,060	891	511	250	50	38
	Nonwhite--M--	96	-	-	-	-	-	-	-	1	-	-	-	1	4	3	8	10	7	23	17	13	6	2	1	-	-
	F--	61	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	7	9	5	5	10	7	5	4	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,405	...	-	-	-	-	-	-	3	1	2	4	12	18	26	50	82	150	215	342	438	522	323	152	44	21
	White----M--	1,105	...	-	-	-	-	-	-	1	-	1	3	7	12	10	37	55	94	116	156	192	227	119	52	12	11
	F--	1,273	...	-	-	-	-	-	-	2	1	1	1	5	6	15	12	26	53	93	185	239	294	201	98	31	10
	Nonwhite--M--	15	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	5	1	1	1	1	-
	F--	12	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	2	-	2	1	-	-
430-434	Other diseases of heart----------	568	-	-	-	-	-	1	-	3	8	8	7	8	16	22	42	49	74	79	68	73	55	39	12	1	7
	White----M--	318	-	-	-	-	-	1	-	2	5	5	2	5	12	11	29	33	46	45	42	35	23	16	5	-	1
	F--	236	-	-	-	-	-	-	-	1	3	-	4	1	4	11	10	15	26	31	26	36	32	23	7	1	5
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	1	-	-	-	-	-	-	1
440-443	Hypertension with heart dis.---	2,612	-	-	-	-	-	-	-	-	2	1	3	21	30	71	142	213	297	371	441	426	342	178	49	10	15
	White----M--	1,067	-	-	-	-	-	-	-	-	2	1	2	16	15	37	70	112	126	164	172	159	123	56	7	2	3
	F--	1,477	-	-	-	-	-	-	-	-	-	-	1	4	13	31	62	92	158	195	263	264	217	119	40	8	10
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	2	5	1	1	1	2	2	-	2
	F--	42	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	3	11	7	5	2	1	1	-	-	-
444-447	Hypertension without mention of heart----------	396	-	-	-	-	-	-	-	-	1	2	-	3	12	20	18	27	37	43	42	57	76	33	17	5	3
	White----M--	190	-	-	-	-	-	-	-	-	1	1	-	2	6	13	12	12	19	22	17	25	36	15	5	3	1
	F--	192	-	-	-	-	-	-	-	-	-	-	-	1	4	5	5	13	14	21	25	31	39	18	12	2	2
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	4	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
450	General arteriosclerosis--------	1,211	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	18	28	74	131	218	300	243	147	32	9
	White----M--	544	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	13	16	44	70	105	141	97	36	10	4
	F--	650	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	12	28	58	110	156	145	109	19	5
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	2	2	-
451-468	Other diseases of circulatory sys.-	276	5	1	-	-	-	2	3	-	3	3	7	7	10	16	24	33	35	37	36	23	13	7	6	2	4
	White----M--	148	1	1	-	-	-	1	-	-	1	1	2	3	7	10	14	21	28	19	23	9	2	1	2	1	1
	F--	123	4	-	-	-	-	1	3	-	2	2	4	4	3	6	10	11	5	17	13	14	11	6	4	-	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1
592-594	Chronic nephritis, etc.*----------	592	-	-	-	1	1	2	1	6	8	6	19	20	19	29	37	49	64	62	80	67	58	47	12	-	4
	White----M--	286	-	-	-	1	-	1	-	2	4	5	13	12	12	19	18	18	28	33	43	30	27	14	5	-	1
	F--	293	-	-	-	-	1	1	1	4	4	1	6	7	6	8	17	30	36	25	35	37	31	33	7	-	3
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	3	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,140	133	30	8	6	-	9	5	6	5	6	10	27	22	35	43	60	76	113	142	133	123	99	33	13	3
	White----M--	607	88	18	6	5	-	5	4	3	3	4	3	15	13	19	27	36	49	71	75	75	56	38	10	2	2
	F--	497	57	12	2	1	-	4	1	3	1	1	6	11	9	12	14	21	22	37	63	58	67	61	23	10	1
	Nonwhite--M--	17	1	-	-	-	-	-	-	-	-	1	-	1	-	2	2	2	4	3	1	-	-	-	-	-	-
	F--	19	7	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	2	3	-	-	-	-	1	-
480-483	Influenza----------	32	2	2	3	-	-	-	-	-	-	-	-	2	-	1	-	2	3	1	5	2	3	3	-	3	-
	White----M--	15	1	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	4	1	2	-	-	-	-
	F--	16	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	1	1	3	-	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,108	131	28	5	6	-	9	5	6	5	6	10	25	22	34	43	58	73	112	137	131	120	96	33	10	3
	White----M--	592	87	17	4	5	-	5	4	3	3	4	3	14	13	18	27	36	47	71	71	74	54	38	10	2	2
	F--	481	56	11	1	1	-	4	1	3	1	1	6	10	9	12	14	19	21	37	62	57	66	58	23	7	1
	Nonwhite--M--	16	1	-	-	-	-	-	-	-	1	-	1	-	1	-	2	2	2	4	2	1	-	-	-	-	-
	F--	19	7	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	2	3	-	-	-	-	1	-
500-502	Bronchitis--------	96	8	3	2	3	1	3	-	-	-	-	1	1	-	2	4	8	6	10	10	12	13	4	4	-	1
	White----M--	62	6	1	2	2	1	2	-	-	-	-	1	-	-	1	4	6	6	8	8	7	4	1	2	-	-
	F--	34	2	2	-	1	-	1	-	-	-	-	-	1	-	1	-	2	-	2	2	5	9	3	2	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	342	2	-	1	-	-	1	-	1	-	3	6	13	14	25	37	26	54	46	48	33	20	6	5	-	1
	White----M--	267	-	-	-	-	-	1	-	-	-	2	4	9	11	23	28	25	45	35	36	26	16	4	2	-	-
	F--	66	1	-	1	-	-	-	-	1	-	1	1	1	3	2	9	1	8	10	11	7	3	2	3	-	1
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
550-553	Appendicitis------	71	1	1	-	5	-	4	5	1	2	1	3	2	3	5	3	3	6	5	6	4	7	2	2	-	-
	White----M--	39	-	1	-	2	-	2	3	1	2	1	2	1	2	2	1	2	5	2	3	3	3	-	1	-	-
	F--	32	1	-	-	3	-	2	2	-	-	-	1	1	1	3	2	1	1	3	3	1	4	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	276	16	2	1	-	1	2	-	-	-	1	4	3	6	8	15	15	38	30	33	34	37	21	4	4	1
	White----M--	143	10	-	1	-	-	2	-	-	-	-	1	2	4	4	9	11	21	18	13	17	18	9	3	-	-
	F--	128	5	1	-	-	1	-	-	-	-	1	3	1	2	4	5	3	18	12	20	17	19	12	1	4	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
543,	Gastritis, etc.*--	178	32	7	2	1	-	1	1	1	6	8	5	1	3	2	6	10	13	13	18	24	15	5	2	1	1
571,	White-----M--	73	17	4	1	1	-	-	-	-	3	4	1	-	1	1	3	4	8	5	5	5	7	2	-	-	1
572	F--	101	13	3	1	-	-	1	1	1	3	4	1	1	2	1	3	6	4	8	12	19	8	3	2	1	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	629	-	-	-	1	-	-	1	2	2	2	16	35	40	67	93	71	86	87	56	33	20	10	4	-	3
	White-----M--	371	-	-	-	-	-	-	-	-	-	1	7	19	19	41	58	43	58	53	33	22	11	2	2	-	2
	F--	248	-	-	-	1	-	-	1	2	2	1	9	12	19	25	34	27	28	33	23	11	9	8	2	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	73	1	1	2	2	1	2	1	2	4	1	3	-	4	1	4	7	6	10	9	3	6	-	2	-	1
	White-----M--	45	-	1	2	2	1	2	-	2	1	1	2	-	3	1	3	6	4	5	5	1	2	-	-	-	1
	F--	28	1	-	-	-	-	-	1	-	3	-	1	-	1	-	1	1	2	5	4	2	4	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	14	21	29	35	34	17	8	1	-
	White-----M--	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	14	20	29	35	34	17	8	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	52	...	...	...	...	...	...	-	2	11	11	13	8	7	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	50	...	...	...	...	...	...	-	2	11	9	13	8	7	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	2	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	5	...	...	...	...	...	...	-	-	1	1	-	2	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	5	...	...	...	...	...	...	-	-	1	1	-	2	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications--------	47	...	...	...	...	...	...	-	2	10	10	13	6	6	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	45	...	...	...	...	...	...	-	2	10	8	13	6	6	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	2	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	524	394	17	11	5	4	8	8	7	4	12	4	2	9	7	6	4	8	6	5	1	1	-	-	-	1
	White-----M--	286	207	7	5	2	1	3	3	4	1	5	3	2	2	3	4	2	2	3	5	1	-	-	-	-	1
	F--	230	181	10	6	3	3	5	5	3	3	5	1	-	7	4	2	2	6	3	-	-	1	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,464	1,464	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	837	837	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	576	576	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
782	etc.*----------	631	631	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	377	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	227	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	762	762	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	415	415	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	325	325	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	174	12	1	1	-	-	2	-	1	2	2	1	2	8	11	9	12	21	18	19	10	17	14	6	3	2
795	White-----M--	94	5	1	-	-	-	1	-	-	1	1	1	2	6	9	9	5	15	15	8	2	6	6	-	-	1
	F--	75	6	-	1	-	-	1	-	1	-	1	-	-	2	2	-	7	6	3	9	8	11	8	5	3	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Re-	All other diseases	1,906	84	19	16	7	6	20	15	17	30	40	43	57	75	108	147	192	224	250	222	200	110	44	15	2	5
sid-	White-----M--	1,024	40	8	7	5	3	11	8	10	17	23	23	22	38	59	85	111	133	119	126	97	49	25	4	1	-
ual	F--	834	22	8	9	2	3	8	7	6	11	17	16	33	35	48	56	74	87	110	89	100	59	19	11	1	3
	Nonwhite--M--	31	2	3	-	-	-	1	-	1	1	-	2	1	2	-	3	5	3	-	4	1	2	-	-	-	-
	F--	17	-	-	-	-	-	-	-	1	-	-	2	1	-	1	3	2	1	1	3	2	-	-	-	-	-
E800-	Accidents----------	2,409	53	21	35	26	19	47	39	70	116	86	80	75	87	83	117	129	152	163	219	261	243	176	81	18	13
E962	White-----M--	1,410	35	17	26	13	13	33	33	57	92	69	61	51	63	57	84	90	105	98	112	104	92	66	25	6	8
	F--	939	16	4	9	12	5	14	6	10	23	14	15	19	20	24	33	36	44	62	106	157	150	108	56	11	5
	Nonwhite--M--	28	-	-	-	-	-	-	-	2	1	3	3	4	2	2	-	1	3	3	1	-	1	1	-	1	-
	F--	12	2	-	-	1	1	-	-	1	-	-	1	1	2	-	-	2	-	-	-	-	-	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	544	2	2	10	12	10	14	14	46	62	41	27	25	27	21	29	32	37	38	37	23	24	6	2	-	3
	White-----M--	398	1	1	6	4	6	9	11	37	53	30	23	19	23	14	19	22	28	28	23	14	18	6	1	-	2
	F--	133	1	1	4	8	3	5	3	7	8	8	3	5	4	7	10	10	7	8	14	9	6	-	1	-	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,865	51	19	25	14	9	33	25	24	54	45	53	50	60	62	88	97	115	125	182	238	219	170	79	18	10
E802,	White-----M--	1,012	34	16	20	9	7	24	22	20	39	39	38	32	40	43	65	68	77	70	88	90	74	60	24	8	6
E940-	F--	826	15	3	5	4	2	9	3	3	15	6	12	14	16	17	23	28	37	54	92	148	144	108	55	11	4
E962	Nonwhite--M--	18	-	-	-	-	-	-	-	1	-	-	3	3	2	2	-	1	1	1	1	-	1	1	-	1	-
	F--	9	2	-	-	1	-	-	-	-	-	-	-	1	2	1	-	2	-	-	1	-	-	1	-	-	-
E963,	Suicide----------	447	-	-	-	-	-	-	2	7	17	19	34	41	45	52	46	48	44	39	22	20	6	1	2	-	2
E970-	White-----M--	307	-	-	-	-	-	-	1	5	14	6	22	27	37	33	35	32	31	29	13	15	4	1	-	-	2
E979	F--	133	-	-	-	-	-	-	1	2	3	13	12	14	7	18	10	14	13	9	8	5	2	-	2	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	59	2	1	1	2	1	3	-	4	9	6	7	3	2	3	3	3	3	2	2	-	1	-	-	-	1
E980-	White-----M--	35	-	1	1	-	1	1	-	2	8	1	6	1	1	2	2	2	2	1	1	-	1	-	-	-	1
E985	F--	18	2	-	-	2	-	2	-	1	1	2	1	1	1	1	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN																										
	ALL CAUSES	57,743	4,230	291	165	137	89	336	271	448	694	721	897	1,230	1,771	2,547	3,558	4,799	6,054	6,541	6,767	6,350	5,236	3,100	1,202	253	54
	White--M	31,559	2,165	139	83	70	47	173	159	255	389	339	418	620	881	1,333	2,012	3,000	3,776	3,883	3,818	3,340	2,542	1,489	505	99	24
	F	21,992	1,573	111	67	49	36	142	93	125	183	227	277	364	571	820	1,092	1,378	1,922	2,381	2,738	2,852	2,585	1,563	680	143	20
	Nonwhite--M	2,323	283	21	10	11	4	16	12	30	66	77	108	125	163	212	261	246	209	168	119	88	55	26	7	3	3
	F	1,869	209	20	5	7	2	7	7	36	56	78	94	121	156	182	193	175	147	109	92	70	54	22	10	8	7
001-019	Tuberculosis, all forms	1,268	8	7	5	11	4	9	6	30	59	79	91	97	123	111	136	132	109	102	72	45	29	2	1	-	-
	White--M	647	3	3	2	4	-	3	2	1	9	18	23	37	52	56	71	96	83	84	53	34	11	1	1	-	-
	F	221	2	1	2	2	2	3	-	6	11	17	22	22	24	20	22	13	9	10	9	9	14	1	-	-	-
	Nonwhite--M	258	2	2	1	4	1	2	2	4	20	25	26	25	30	29	35	20	12	7	8	2	1	-	-	-	-
	F	142	1	1	-	1	1	1	2	19	19	19	20	13	17	6	8	3	5	1	2	-	3	-	-	-	-
001-008	Tuberculosis of respiratory system	1,134	1	-	2	4	1	2	3	25	50	68	83	89	114	103	129	123	99	95	69	43	28	2	1	-	-
	White--M	600	1	-	-	1	-	1	1	-	9	16	21	35	48	51	68	92	79	80	51	33	11	1	1	-	-
	F	186	-	-	1	-	-	1	-	5	8	17	21	20	22	18	20	9	7	7	8	8	13	1	-	-	-
	Nonwhite--M	235	-	-	1	3	1	-	1	3	17	21	24	24	29	29	35	20	9	7	8	2	1	-	-	-	-
	F	113	-	-	-	-	-	-	1	17	16	14	17	10	15	5	6	2	4	1	2	-	3	-	-	-	-
010-019	Tuberculosis, other forms	134	7	7	3	7	3	7	3	5	9	11	8	8	9	8	7	9	10	7	3	2	1	-	-	-	-
	White--M	47	2	3	2	3	-	2	1	1	-	2	2	2	4	5	3	4	4	4	2	1	-	-	-	-	-
	F	35	2	1	1	2	2	2	-	1	3	-	1	2	2	2	2	4	2	3	1	1	1	-	-	-	-
	Nonwhite--M	23	2	2	-	1	-	2	1	1	3	4	2	1	1	-	-	-	3	-	-	-	-	-	-	-	-
	F	29	1	1	-	1	1	1	1	2	3	5	3	3	2	1	2	1	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	329	3	-	-	-	-	1	-	1	2	1	3	10	15	31	29	45	51	48	41	26	13	6	2	-	-
	White--M	207	1	-	-	-	-	1	-	1	2	-	3	2	5	14	19	25	38	37	30	18	7	3	1	-	-
	F	66	1	-	-	-	-	-	-	-	-	-	-	2	3	8	2	11	6	9	9	6	5	3	1	-	-
	Nonwhite--M	37	1	-	-	-	-	-	-	-	-	-	-	2	3	7	5	8	5	2	1	2	1	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	1	-	4	4	2	3	1	2	1	1	-	-	-	-	-	-
040	Typhoid fever	4	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	20	7	4	2	1	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	1	1	-	-	-	-
	White--M	9	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	11	-	1	1	-	-	3	-	-	-	-	-	2	-	1	-	-	-	1	1	1	-	-	-	-	-
	White--M	6	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	27	15	6	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	8	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	7	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	30	12	6	1	1	2	2	1	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White--M	14	5	2	1	1	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	13	6	3	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	127	4	-	2	1	4	24	28	15	21	9	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	82	4	-	1	-	3	16	18	13	10	6	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	44	-	-	1	1	1	7	10	2	11	3	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	28	4	6	6	-	2	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	18	3	3	5	-	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	3	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	121	17	5	-	2	1	5	6	1	6	6	6	5	2	4	4	6	7	13	9	9	4	3	-	-	-
	White--M	58	7	5	-	1	-	-	-	1	1	2	4	3	-	2	3	1	6	5	6	6	2	1	-	-	-
	F	51	7	-	-	1	1	5	4	-	3	3	1	2	1	-	-	5	1	8	3	3	2	1	-	-	-
	Nonwhite--M	8	3	-	-	-	-	-	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
140-205	Malignant neoplasms, etc.*----	8,733	13	7	19	19	9	50	28	43	49	78	110	177	361	523	761	1,022	1,298	1,176	1,124	882	614	268	79	19	3
	White-----M--	4,374	5	1	13	9	5	33	14	15	28	30	35	58	116	202	334	538	750	633	593	456	323	142	34	5	2
	F--	3,845	7	5	6	10	4	17	13	22	16	39	61	92	208	265	344	404	483	482	506	403	279	123	44	12	-
	Nonwhite--M--	255	-	1	-	-	-	-	1	3	-	3	4	6	18	25	40	38	36	41	16	14	7	2	-	-	-
	F--	259	1	-	-	-	-	-	-	3	5	7	10	21	19	31	43	42	29	20	9	9	5	1	1	2	1
140-148	Of buccal cavity and pharynx------	222	-	-	-	-	-	-	-	-	-	1	2	3	6	11	18	24	41	26	32	28	15	10	4	1	-
	White-----M--	174	-	-	-	-	-	-	-	-	-	1	-	1	5	8	14	20	37	21	25	21	9	8	3	1	-
	F--	37	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	3	1	4	6	7	5	2	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	3	1	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	3,432	-	2	1	-	-	-	-	5	5	12	18	39	84	132	248	379	548	515	531	417	321	138	28	10	1
	White-----M--	1,886	-	-	1	-	-	-	-	2	5	4	8	22	40	82	131	220	330	289	285	230	170	73	10	3	1
	F--	1,365	-	1	-	-	-	-	-	2	-	7	6	11	31	52	88	132	190	200	237	177	144	64	18	5	-
	Nonwhite--M--	106	-	1	-	-	-	-	-	-	-	1	1	3	8	11	17	15	17	18	7	4	2	1	-	-	-
	F--	75	-	-	-	-	-	-	-	1	-	-	1	3	5	7	12	12	11	8	2	6	5	-	-	2	-
160-164	Of respiratory system----------	923	-	-	-	-	-	-	-	3	1	3	6	15	39	70	115	164	183	136	106	50	23	6	4	1	-
	White-----M--	739	-	-	-	-	-	-	-	-	1	-	3	11	22	54	86	142	160	115	85	36	17	6	1	-	-
	F--	118	-	-	-	-	-	-	-	2	-	2	3	1	10	7	11	12	15	15	18	13	5	-	3	1	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	1	-	1	-	1	7	8	15	9	7	5	3	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	-	-	-	-	-	-
170	Of breast---------	766	-	-	-	-	-	-	-	-	1	3	14	29	63	69	101	92	96	82	82	59	45	19	10	1	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	1	-	-	-	-
	F--	710	-	-	-	-	-	-	-	-	1	2	11	25	59	61	93	79	88	78	82	58	44	19	9	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	1	3	4	3	8	8	12	6	3	-	-	-	1	-	-	-
171-179	Of genital organs-	1,327	-	-	-	-	-	1	-	4	7	21	26	40	76	108	109	139	141	158	155	164	110	48	18	1	1
	White-----M--	420	-	-	-	-	-	1	-	-	3	4	4	2	2	4	5	23	49	56	75	84	67	28	12	-	-
	F--	791	-	-	-	-	-	-	-	4	3	13	18	30	66	90	85	101	84	85	74	74	40	17	6	1	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	11	3	5	3	1	-	-	-
	F--	84	-	-	-	-	-	-	-	1	4	4	8	8	12	18	12	5	6	3	1	-	1	-	-	-	1
180, 181	Of urinary organs-	422	3	-	1	2	1	2	-	-	4	1	2	6	12	16	32	50	76	65	52	43	38	11	4	-	1
	White-----M--	289	2	-	1	-	-	2	-	-	3	1	-	5	6	11	22	35	55	50	32	26	27	8	2	-	1
	F--	113	1	-	-	2	1	-	-	-	-	-	-	-	6	4	8	12	19	14	16	14	11	3	2	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	2	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	2	1	2	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	929	5	2	7	2	3	14	13	15	13	7	23	25	49	70	73	105	127	108	104	77	40	31	11	5	-
	White-----M--	478	1	1	4	1	3	8	5	4	7	4	11	9	26	40	42	58	66	58	52	56	21	14	6	1	-
	F--	420	4	1	3	1	-	6	7	10	6	3	11	15	18	28	29	39	57	47	50	40	19	17	5	4	-
	Nonwhite--M--	12	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	4	2	2	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	1	-	-	1	1	3	2	1	4	2	1	2	1	-	-	-	-	-
204	Leukemia and aleukemia----------	333	4	3	6	13	5	27	10	8	8	15	4	10	16	14	27	29	31	40	32	18	9	4	-	-	-
	White-----M--	172	2	-	3	6	2	19	6	4	2	5	2	3	7	7	13	16	19	15	24	11	3	3	-	-	-
	F--	143	1	3	3	7	3	8	4	3	5	7	2	5	9	5	13	10	11	23	8	6	6	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	1	2	-	1	-	-	-	-	-
	F--	8	1	-	-	-	-	-	-	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	379	1	-	4	2	-	6	5	8	10	16	17	12	16	33	38	40	55	46	30	26	13	1	-	-	-
	White-----M--	209	-	-	4	2	-	3	3	5	7	11	7	5	7	16	21	23	32	28	15	11	8	1	-	-	-
	F--	148	1	-	-	-	-	3	2	1	1	5	9	4	9	16	13	16	18	16	15	14	5	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	2	-	-	1	1	-	1	4	1	3	2	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	232	7	5	-	2	-	6	4	4	6	8	10	14	23	28	16	24	33	11	8	12	6	3	2	-	-
	White-----M--	81	2	3	-	1	-	2	1	2	3	2	3	6	3	4	6	6	20	5	2	6	1	2	1	-	-
	F--	121	4	2	-	1	-	4	3	1	3	4	4	7	12	17	10	16	12	4	5	5	5	1	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	-	-	1	1	-	-	-	-	-	-
	F--	23	1	-	-	-	-	-	-	-	-	1	3	1	6	6	-	2	1	1	-	1	-	-	-	-	-
260	Diabetes mellitus-	1,398	-	-	1	-	-	5	4	8	3	12	13	19	21	42	85	131	233	247	264	179	88	33	11	1	-
	White-----M--	519	-	-	1	-	-	1	-	2	1	3	8	9	8	20	30	48	70	81	106	82	33	11	4	1	-
	F--	807	-	-	-	-	-	2	4	4	1	8	2	8	8	14	50	67	153	160	151	93	53	22	7	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	1	1	-	1	1	3	2	2	3	1	-	2	2	1	-	-	-	-
	F--	52	-	-	-	-	-	-	-	1	-	1	2	1	2	6	3	13	9	6	5	2	1	-	-	-	-
290-293	Anemias----------	254	5	4	-	1	1	2	3	-	2	2	3	1	-	4	13	9	22	27	37	47	43	20	6	1	1
	White-----M--	110	3	-	-	-	-	-	1	-	1	-	1	-	-	-	4	6	9	12	20	24	17	9	2	-	1
	F--	133	2	1	-	1	1	2	1	-	-	1	1	1	-	3	8	1	13	15	17	23	26	11	4	1	-
	Nonwhite--M--	4	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	1	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	77	17	10	1	5	1	5	5	1	3	3	2	4	3	-	1	4	3	3	2	1	2	1	-	-	-
	White-----M--	29	5	2	-	2	-	4	2	-	3	-	-	3	-	-	-	2	2	3	1	-	-	-	-	-	-
	F--	30	8	4	1	1	1	1	2	1	-	1	-	-	3	-	1	1	1	-	1	-	2	1	-	-	-
	Nonwhite--M--	13	2	4	-	2	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	5	2	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	29,996	13	14	3	5	2	23	28	56	66	99	198	388	685	1,173	1,793	2,525	3,336	3,950	4,323	4,288	3,713	2,273	830	180	34
	White-----M--	16,698	6	5	1	4	1	8	14	26	29	43	101	209	379	674	1,093	1,659	2,139	2,362	2,448	2,212	1,764	1,091	345	75	10
	F--	11,560	3	8	2	1	1	11	12	20	25	37	60	99	173	285	466	641	978	1,422	1,738	1,963	1,875	1,148	470	97	15
	Nonwhite--M--	915	2	-	-	-	-	2	1	9	6	7	21	34	61	99	116	128	131	99	72	61	33	18	7	3	3
	F--	825	2	1	-	-	-	2	1	1	6	12	16	46	70	105	118	97	88	67	65	52	41	16	8	5	6
330-334, 400-468	Diseases of cardiovascular system-	29,142	13	13	3	3	1	19	22	44	49	83	172	350	643	1,125	1,721	2,455	3,273	3,854	4,253	4,182	3,635	2,228	812	176	33
	White-----M--	16,289	6	5	1	3	-	6	10	23	19	34	94	194	365	654	1,060	1,617	2,103	2,318	2,397	2,167	1,721	1,072	337	73	10
	F--	11,201	3	7	2	-	1	9	10	14	20	31	50	87	158	276	440	618	958	1,375	1,705	1,906	1,840	1,122	460	95	14
	Nonwhite--M--	872	2	-	-	-	-	2	1	6	6	6	17	30	56	95	112	124	125	96	70	60	33	18	7	3	3
	F--	780	2	1	-	-	-	2	1	1	4	12	11	39	64	100	109	86	87	65	61	49	41	16	8	5	6
330-334	Vascular lesions, etc.*----------	6,463	9	4	1	3	-	3	1	11	13	15	22	55	111	188	299	429	656	813	1,029	1,127	943	532	169	27	3
	White-----M--	3,053	5	2	1	3	-	1	1	5	7	7	13	22	37	59	119	206	331	412	531	539	407	258	72	15	-
	F--	3,014	1	2	-	-	-	2	-	4	3	4	7	21	50	77	125	167	276	371	458	558	515	265	94	12	2
	Nonwhite--M--	194	2	-	-	-	-	-	-	2	3	1	1	4	5	25	27	34	28	15	19	16	8	3	1	-	-
	F--	202	1	-	-	-	-	-	-	-	3	1	3	8	19	27	28	22	21	15	21	14	13	6	2	-	1
400-402	Rheumatic fever---	78	-	1	-	-	1	10	5	12	4	6	10	8	9	4	2	1	1	2	2	-	-	-	-	-	-
	White-----M--	37	-	1	-	-	-	5	2	7	2	-	5	4	4	1	2	-	1	2	1	-	-	-	-	-	-
	F--	31	-	-	-	-	1	4	2	4	-	5	4	4	4	2	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
410-443	Diseases of heart-	20,528	2	7	2	-	-	5	15	20	25	54	122	266	494	891	1,363	1,942	2,505	2,870	2,964	2,703	2,303	1,354	495	102	22
	White-----M--	12,138	-	1	-	-	-	-	7	11	7	25	70	162	317	578	908	1,362	1,696	1,811	1,727	1,425	1,133	644	205	41	8
	F--	7,264	2	5	2	-	-	2	7	6	14	18	32	58	94	188	299	433	653	936	1,150	1,209	1,125	686	280	56	9
	Nonwhite--M--	615	-	-	-	-	-	1	1	3	2	5	13	20	43	64	81	82	92	76	50	39	20	14	5	2	2
	F--	509	-	1	-	-	-	2	-	-	2	6	7	26	40	61	75	65	64	47	37	30	25	10	5	3	3
410-416	Chronic rheumatic heart disease-----	920	...	1	-	-	-	4	10	10	15	21	36	51	66	67	120	99	110	94	69	56	38	27	4	1	1
	White-----M--	473	...	-	-	-	-	-	4	5	4	11	17	25	37	43	66	57	66	53	37	24	13	9	-	1	1
	F--	387	...	1	-	-	-	2	5	4	9	6	15	22	26	39	43	36	38	34	30	31	24	18	4	-	-
	Nonwhite--M--	36	...	-	-	-	-	-	1	1	1	2	1	2	3	4	6	3	6	3	2	1	-	-	-	-	-
	F--	24	...	-	-	-	-	2	-	-	1	2	3	2	-	1	5	3	-	4	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	12,916	1	-	-	-	-	-	1	6	3	15	52	145	313	571	908	1,393	1,736	1,988	1,947	1,623	1,250	675	230	46	13
	White-----M--	8,501	-	-	-	-	-	-	-	4	2	9	35	107	243	437	684	1,068	1,261	1,367	1,209	938	675	339	106	12	5
	F--	3,887	1	-	-	-	-	-	1	1	1	4	8	22	38	82	147	252	402	562	692	549	549	319	119	32	6
	Nonwhite--M--	301	-	-	-	-	-	-	-	1	-	-	7	8	16	30	45	47	40	36	26	21	11	10	3	-	-
	F--	227	-	-	-	-	-	-	-	-	-	2	2	8	16	22	32	26	33	23	20	15	15	7	2	2	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,148	...	1	-	-	-	-	3	1	3	12	14	24	40	81	101	160	259	325	461	497	562	380	166	41	5
	White-----M--	1,636	...	1	-	-	-	-	2	-	-	4	7	9	18	45	56	90	166	180	261	258	266	184	68	20	1
	F--	1,366	...	-	-	-	-	-	1	1	2	5	4	6	12	23	33	47	73	130	186	227	290	204	99	20	3
	Nonwhite--M--	95	...	-	-	-	-	-	-	-	-	2	3	7	6	6	7	12	17	11	8	10	4	-	1	-	1
	F--	51	...	-	-	-	-	-	-	-	1	1	-	2	4	7	5	11	3	4	6	2	2	2	-	1	-
430-434	Other diseases of heart----------	833	1	4	2	-	-	1	1	2	2	2	10	15	13	38	42	66	81	113	103	125	96	84	27	5	-
	White-----M--	463	-	-	-	-	-	-	1	1	-	1	7	11	3	23	25	41	50	69	62	65	48	42	11	3	-
	F--	319	1	4	2	-	-	-	-	-	2	-	3	3	6	8	11	17	23	39	38	56	48	41	16	1	-
	Nonwhite--M--	27	-	-	-	-	-	1	-	1	-	-	-	-	3	3	2	3	6	3	1	2	-	1	-	1	-
	F--	24	-	-	-	-	-	-	-	-	-	1	-	1	1	4	4	5	2	2	2	2	-	-	-	-	-
440-443	Hypertension with heart dis.---	2,709	-	1	-	-	-	-	-	1	2	4	10	31	82	114	192	224	319	350	384	402	357	178	66	9	3
	White-----M--	1,065	-	-	-	-	-	-	-	1	1	-	4	10	16	30	77	106	153	142	158	140	131	70	20	5	1
	F--	1,305	-	-	-	-	-	-	-	-	-	3	2	5	12	36	65	81	117	171	204	246	214	104	42	3	-
	Nonwhite--M--	156	-	-	-	-	-	-	-	1	1	2	3	15	21	21	17	23	23	13	5	5	3	1	1	1	1
	F--	183	-	1	-	-	-	-	-	-	-	2	13	19	27	29	20	26	14	9	11	7	1	3	-	1	
444-447	Hypertension without mention of heart----------	441	-	-	-	-	-	-	-	-	1	1	10	11	21	22	24	26	30	45	57	61	67	43	19	3	-
	White-----M--	170	-	-	-	-	-	-	-	-	1	-	3	4	3	4	9	12	17	17	25	25	25	16	8	1	-
	F--	215	-	-	-	-	-	-	-	-	-	-	4	1	8	6	8	7	11	26	30	33	41	27	11	2	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	2	3	7	4	3	4	1	-	-	2	1	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	1	1	3	3	8	4	3	1	2	2	1	-	-	-	-	-
450	General arteriosclerosis--------	1,339	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	24	33	65	148	270	306	285	126	44	7
	White-----M--	708	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	14	23	49	89	165	148	146	49	16	1
	F--	591	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	6	31	57	98	151	138	75	25	3
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	5	1	3	4	1	1	1	1
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	4	3	-	1	2	2
451-468	Other diseases of circulatory sys.-	295	2	1	-	-	-	1	1	1	6	7	8	10	6	16	26	33	48	39	33	21	16	14	3	-	1
	White-----M--	183	1	1	-	-	-	-	-	-	2	2	3	2	3	11	16	23	35	27	24	13	8	8	3	-	1
	F--	86	-	-	-	-	-	1	1	-	3	4	3	3	2	3	7	5	12	11	9	8	8	6	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	-	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F--	18	1	-	-	-	-	-	-	1	-	1	2	2	1	2	2	4	1	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	854	-	1	-	2	1	4	6	12	17	16	28	38	40	48	72	70	63	96	90	106	78	45	18	4	1
	White-----M--	408	-	-	-	1	1	2	4	3	10	9	7	15	14	20	33	42	36	44	51	45	43	19	8	2	-
	F--	358	-	1	-	1	-	2	2	6	5	6	10	12	15	19	26	23	20	47	33	57	35	26	10	2	1
	Nonwhite--M--	41	-	-	-	-	-	-	-	3	-	1	4	4	5	4	4	4	6	3	2	1	-	-	-	-	-
	F--	45	-	-	-	-	-	-	-	-	2	-	5	7	6	5	9	1	1	2	4	3	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,546	308	36	17	13	14	13	9	6	20	12	15	33	37	63	67	105	107	108	130	157	127	86	55	8	-
	White-----M--	865	164	16	5	3	4	3	6	2	6	4	10	15	18	34	36	79	69	69	87	90	70	45	28	2	-
	F--	507	90	15	9	8	8	10	3	3	10	4	2	7	11	17	12	14	31	35	37	64	52	39	26	6	-
	Nonwhite--M--	111	36	1	1	1	1	-	-	-	1	1	3	6	7	13	16	8	4	3	3	-	4	2	-	-	-
	F--	63	18	4	2	1	1	-	-	1	3	3	-	5	1	5	3	4	3	1	3	3	1	-	1	-	-
480-483	Influenza----------	125	17	6	1	1	4	-	1	1	-	1	2	2	1	2	2	1	6	9	10	20	18	11	7	-	-
	White-----M--	70	12	1	1	-	2	-	1	1	-	1	2	2	1	1	-	1	5	5	5	12	11	6	2	-	-
	F--	50	4	5	-	1	2	-	-	-	-	-	-	-	-	1	2	-	1	4	5	8	7	5	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,423	291	30	16	12	10	13	8	5	20	11	13	31	36	61	65	104	101	99	120	137	108	75	48	8	-
	White-----M--	795	152	15	4	3	2	3	5	1	6	3	8	13	17	33	36	78	64	64	84	78	59	39	26	2	-
	F--	457	86	10	9	7	6	10	3	3	10	4	2	7	11	10	10	14	30	31	32	56	45	34	21	6	-
	Nonwhite--M--	111	36	1	1	1	1	-	-	-	1	1	3	8	7	13	16	8	4	3	3	-	4	2	-	-	-
	F--	60	17	4	2	1	1	-	-	1	3	3	-	5	1	5	3	4	3	1	1	3	1	-	1	-	-
500-502	Bronchitis--------	103	24	5	2	2	1	1	1	-	-	1	1	-	-	2	-	3	8	5	12	7	13	6	7	1	1
	White-----M--	69	18	4	-	1	-	-	-	-	-	1	-	-	-	1	-	3	7	4	8	4	6	5	6	1	-
	F--	26	4	1	2	1	-	1	1	-	-	-	1	-	-	-	-	-	1	-	3	3	7	1	1	-	1
	Nonwhite--M--	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	400	1	-	-	-	1	-	-	1	4	5	9	16	30	30	43	58	62	42	37	25	24	9	3	-	-
	White-----M--	312	1	-	-	-	1	-	-	1	4	5	6	11	19	26	31	45	53	34	28	21	18	7	1	-	-
	F--	67	-	-	-	-	-	-	-	-	-	-	2	2	6	4	6	10	9	7	8	4	5	2	2	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	1	3	4	-	6	3	-	1	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	122	-	-	-	3	2	7	6	3	5	4	3	4	9	8	7	12	16	18	10	2	-	2	1	-	-
	White-----M--	70	-	-	-	3	2	-	3	1	2	2	3	3	4	3	4	8	11	15	4	1	-	-	1	-	-
	F--	39	-	-	-	-	-	7	2	1	1	-	-	-	2	4	1	4	5	3	6	1	-	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	1	1	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	366	39	1	1	-	1	2	3	2	1	-	5	5	13	20	19	27	38	37	45	44	32	18	11	1	1
	White-----M--	182	23	1	1	-	1	1	1	1	-	-	1	-	8	8	8	17	21	21	25	15	14	6	8	-	1
	F--	165	14	-	-	-	-	1	2	1	1	-	2	4	4	11	8	9	13	15	19	27	18	12	3	1	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	2	-	1	2	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
543,	Gastritis, etc.*--	241	93	15	2	-	1	3	1	-	6	3	5	5	7	6	9	6	12	12	17	13	12	8	3	1	-
571,	White-----M--	132	55	9	2	-	1	1	-	-	3	2	2	2	3	4	5	4	8	10	5	7	5	4	-	-	-
572	F--	91	28	7	-	-	-	1	1	-	3	1	2	3	3	2	2	2	4	1	11	5	7	4	3	1	-
	Nonwhite--M--	9	6	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	9	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-
581	Cirrhosis of liver	591	1	-	-	-	-	2	1	-	1	2	14	36	50	65	71	84	82	68	48	35	24	6	1	-	-
	White-----M--	371	1	-	-	-	-	1	1	-	-	1	2	17	29	37	41	58	62	57	29	21	13	1	-	-	-
	F--	196	-	-	-	-	-	1	-	-	1	-	10	17	18	23	25	22	20	10	18	14	11	5	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	3	-	1	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	137	2	-	3	1	-	3	2	2	-	6	5	11	9	13	11	5	14	14	8	13	8	4	3	-	-
	White-----M--	70	-	-	3	-	-	2	1	1	-	2	2	4	4	8	3	4	10	9	3	9	5	1	1	-	-
	F--	48	2	-	-	1	-	1	1	1	-	1	1	2	1	5	6	1	4	4	5	4	3	3	2	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	1	1	4	2	1	1	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1	-	-	1	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	224	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	13	28	35	54	44	26	13	-	-
	White-----M--	211	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	12	26	32	53	43	24	13	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	1	1	2	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	87	...	...	...	...	...	...	-	9	18	21	19	12	7	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	62	...	...	...	...	...	...	-	5	11	17	13	9	6	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	25	...	...	...	...	...	...	-	4	7	4	6	3	1	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	4	...	...	...	...	...	...	-	1	3	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	3	...	...	...	...	...	...	-	1	2	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	83	...	...	...	...	...	...	-	8	15	21	19	12	7	1	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	59	...	...	...	...	...	...	-	4	9	17	13	9	6	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	24	...	...	...	...	...	...	-	4	6	4	6	3	1	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	946	742	45	20	10	4	14	4	11	8	12	6	7	9	14	11	12	4	8	1	3	1	-	-	-	-
	White-----M--	464	363	26	10	7	2	7	2	6	4	6	-	2	4	4	6	4	4	5	1	-	1	-	-	-	-
	F--	421	339	15	8	3	1	7	1	4	2	5	4	2	5	8	5	6	-	3	-	3	-	-	-	-	-
	Nonwhite--M--	33	23	2	1	-	1	-	-	-	2	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	28	17	2	1	-	-	-	1	1	-	1	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
778	of early infancy-	2,543	2,539	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,300	1,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	918	915	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	976	976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	524	524	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	324	324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
778	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,423	1,419	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	702	701	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	545	542	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	416	25	1	1	1	1	2	-	-	-	3	4	9	7	8	4	13	23	40	29	47	62	69	53	14	2
795	White-----M--	201	12	-	-	-	-	1	-	-	-	2	2	4	5	2	3	9	16	25	16	26	27	31	16	2	2
	F--	197	8	-	1	1	1	-	-	-	-	1	1	5	2	3	-	3	7	14	12	21	34	36	37	12	-
	Nonwhite--M--	11	5	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	F--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	2	-	-	-	-
Re-	All other diseases	2,596	178	34	21	10	6	29	19	28	43	52	70	86	92	129	189	218	271	311	284	225	147	96	36	9	3
sid-	White-----M--	1,357	98	18	8	7	3	10	7	20	18	12	27	39	35	58	110	120	162	182	160	123	74	45	14	6	1
ual	F--	1,060	62	16	12	2	3	16	10	6	17	29	28	42	35	57	83	80	98	119	118	100	68	51	22	3	2
	Nonwhite--M--	86	10	-	1	1	-	2	1	-	3	3	6	6	8	5	11	12	6	4	2	1	4	-	-	-	-
	F--	93	8	-	-	-	-	1	1	2	5	8	9	9	14	9	5	6	4	6	4	1	1	-	-	-	-
E800-	Accidents---------	3,819	149	76	56	44	30	118	106	200	320	220	201	184	170	197	201	245	220	203	191	208	214	156	85	17	8
E962	White-----M--	2,481	73	38	28	26	22	72	81	145	243	159	137	138	126	131	145	190	151	148	125	110	95	56	29	6	6
	F--	1,084	62	23	20	11	8	37	22	40	52	39	37	22	30	51	42	43	60	49	59	96	117	96	56	10	2
	Nonwhite--M--	173	10	6	6	3	-	6	2	10	20	19	20	15	7	11	11	10	5	5	4	1	-	2	-	-	-
	F--	81	4	9	2	4	-	3	1	4	5	3	7	9	7	4	3	2	4	1	3	1	2	2	-	1	-
E810-	Motor-vehicle																										
E835	accidents---------	1,692	13	12	21	19	17	65	39	157	238	147	111	97	97	97	103	117	111	90	69	52	29	5	3	2	1
	White-----M--	1,190	7	5	11	11	14	33	31	98	180	103	78	70	66	61	63	87	81	73	51	39	19	3	3	2	1
	F--	395	6	7	7	6	3	27	6	29	42	32	24	15	22	29	32	24	27	15	17	13	10	2	-	-	-
	Nonwhite--M--	82	-	-	3	2	-	4	1	7	14	12	7	8	3	4	7	4	3	2	1	-	-	-	-	-	-
	F--	25	-	-	-	-	-	1	1	3	2	-	2	4	6	3	1	2	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	2,127	136	64	35	25	13	53	67	63	82	73	90	87	73	100	98	128	109	113	122	156	185	151	82	15	7
E802,	White-----M--	1,291	66	33	17	15	8	39	50	48	63	56	59	68	60	70	82	103	70	75	74	71	76	53	26	4	5
E840-	F--	689	56	16	13	5	5	10	16	11	10	7	13	7	8	22	10	19	33	34	42	83	107	94	56	10	2
E962	Nonwhite--M--	91	10	6	3	1	-	2	1	3	6	7	13	7	4	7	4	6	2	3	3	1	-	2	-	-	-
	F--	56	4	9	2	4	-	2	-	1	3	3	5	5	1	1	2	-	4	1	3	1	2	2	-	1	-
E963,	Suicide----------	700	-	-	-	-	-	1	4	13	28	46	49	54	65	55	68	86	86	64	35	24	15	5	-	1	1
E970-	White-----M--	536	-	-	-	-	-	1	3	8	16	33	30	40	50	41	52	65	71	54	33	20	13	4	-	1	1
E979	F--	143	-	-	-	-	-	-	1	4	12	11	12	13	12	13	16	17	13	10	2	4	2	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	1	4	1	3	1	-	4	2	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	246	4	-	-	1	-	3	-	7	22	33	43	37	30	18	17	17	6	3	4	1	-	-	-	-	-	-
E980-	White-----M--	74	3	-	-	-	-	1	-	2	5	5	11	14	10	5	7	6	2	1	2	-	-	-	-	-	-	-
E985	F--	39	1	-	-	1	-	1	-	4	3	4	7	2	2	4	2	7	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	98	-	-	-	-	-	1	-	1	12	14	16	15	13	9	6	4	4	1	1	1	-	-	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	2	10	9	6	5	-	2	-	-	1	-	-	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA																										
	ALL CAUSES	28,020	1,888	125	93	57	44	126	128	192	239	237	281	405	590	915	1,303	1,923	2,529	3,199	3,560	3,716	3,263	2,156	644	158	28
	White--M	16,213	1,027	63	51	30	26	60	76	135	159	155	171	241	367	563	807	1,210	1,633	1,945	2,097	2,080	1,772	1,092	375	60	18
	F	11,453	822	56	39	22	17	63	46	54	72	77	100	153	207	333	479	679	870	1,218	1,427	1,609	1,483	1,055	466	97	9
	Nonwhite--M	216	24	4	1	2	-	1	4	1	6	3	6	7	11	14	9	26	17	20	20	17	20	2	-	-	1
	F	138	16	2	2	3	1	2	2	2	2	2	4	4	5	5	8	8	9	16	16	10	8	7	3	1	-
001-019	Tuberculosis, all forms	336	2	3	1	1	-	1	2	7	6	11	18	27	24	25	30	36	37	30	28	24	17	5	-	1	-
	White--M	215	-	1	-	-	-	1	1	3	2	4	9	14	14	20	24	27	28	24	19	13	9	2	-	-	-
	F	98	1	1	1	-	-	-	1	2	3	7	6	11	9	5	5	5	8	4	8	10	7	3	-	1	-
	Nonwhite--M	11	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	3	1	1	1	1	-	-	-	-	-
	F	12	1	-	-	1	-	-	-	2	-	-	2	2	1	-	-	1	-	1	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	299	-	-	-	-	-	-	-	7	6	11	14	24	23	24	27	33	33	26	27	24	14	5	-	1	-
	White--M	196	-	-	-	-	-	-	-	3	2	4	6	13	13	20	23	25	25	22	18	13	7	2	-	-	-
	F	85	-	-	-	-	-	-	-	2	3	7	5	9	9	4	3	4	8	3	8	10	6	3	-	1	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	3	-	-	1	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	2	-	-	2	2	1	-	-	1	-	1	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms	37	2	3	1	1	-	1	2	-	-	-	4	3	1	1	3	3	4	4	1	-	3	-	-	-	-
	White--M	19	-	1	-	-	-	1	1	-	-	-	3	1	1	-	1	2	3	2	1	-	2	-	-	-	-
	F	13	1	1	1	-	-	-	1	-	-	-	1	2	-	1	2	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	114	-	-	-	-	-	-	-	-	3	-	-	1	2	6	5	12	25	27	20	6	5	1	1	-	-
	White--M	85	-	-	-	-	-	-	-	-	2	-	-	-	2	5	1	8	21	19	18	4	3	1	1	-	-
	F	24	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	4	4	8	1	1	1	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	10	-	-	1	1	-	5	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White--M	7	-	-	1	1	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	12	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	15	3	3	1	-	1	1	-	2	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	White--M	6	1	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	2	-	1	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	21	1	-	1	1	-	4	1	3	1	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	13	-	-	1	1	-	3	1	2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	-	-	1	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	10	2	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	51	4	3	-	2	-	2	1	2	2	2	1	3	2	4	4	2	5	5	2	3	1	1	-	-	-
	White--M	28	2	-	-	1	-	1	-	2	1	1	1	2	1	3	2	1	3	2	2	2	1	-	-	-	-
	F	20	2	3	-	1	-	1	1	-	-	1	-	1	1	-	2	1	2	2	-	1	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
140-205	Malignant neoplasms, etc.*	4,390	5	4	14	10	8	18	12	18	26	41	36	74	124	199	316	436	548	641	648	580	394	182	52	5	1
	White	2,346	3	4	8	5	7	6	5	14	14	22	19	32	57	83	146	210	308	359	352	330	238	97	25	1	1
	M	2,012	2	-	6	5	1	12	7	4	12	18	16	41	65	113	169	225	235	276	292	244	154	84	27	4	-
	Nonwhite	23	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	3	4	2	5	2	1	-	-	-
	M	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	2	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx	76	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	7	9	12	14	7	10	8	-	-	-
	White	64	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	5	7	11	12	6	9	5	-	-	-
	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	1	3	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,779	1	-	1	-	-	-	-	2	3	4	9	14	42	54	98	155	208	276	297	290	208	91	23	3	-
	White	1,022	-	-	1	-	-	-	-	2	2	1	3	9	22	27	66	94	125	165	164	171	117	42	10	1	-
	M	743	1	-	-	-	-	-	-	-	1	3	6	5	19	25	31	60	82	108	132	117	90	48	13	2	-
	Nonwhite	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	2	-	2	1	1	-	-	-
	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
160-164	Of respiratory system	367	-	-	-	-	-	1	-	-	-	1	2	6	8	25	34	39	63	68	62	37	12	6	3	-	-
	White	279	-	-	-	-	-	-	-	-	-	1	1	5	8	20	28	27	50	51	44	28	9	5	2	-	-
	M	84	-	-	-	-	-	1	-	-	-	-	-	1	-	5	6	12	11	17	18	8	3	1	1	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	410	-	-	-	-	-	-	-	-	-	1	3	13	19	32	58	52	55	51	45	44	14	16	7	-	-
	White	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	M	405	-	-	-	-	-	-	-	-	-	1	3	13	19	30	57	52	54	51	45	43	14	16	7	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	656	-	-	-	-	-	-	2	-	2	7	5	15	12	33	49	56	69	103	92	94	74	33	10	-	-
	White	316	-	-	-	-	-	-	1	-	1	4	3	3	1	1	6	13	24	53	52	64	54	27	9	-	-
	M	334	-	-	-	-	-	-	1	-	1	3	2	11	10	32	43	43	45	49	37	30	20	6	1	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	M	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-
180, 181	Of urinary organs	224	-	-	1	2	-	2	-	-	2	-	-	2	6	9	8	30	37	23	36	30	26	7	3	-	-
	White	150	-	-	1	1	-	-	-	-	1	-	-	2	4	9	6	21	29	13	25	16	18	4	-	-	-
	M	74	-	-	-	1	-	2	-	-	1	-	-	-	2	-	2	9	8	10	11	14	8	3	3	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	423	3	2	2	1	2	8	2	6	8	15	6	10	16	29	30	44	44	62	48	34	29	16	5	2	1
	White	228	2	2	-	-	1	3	1	5	4	6	4	5	8	15	14	20	29	34	24	17	18	11	4	-	1
	M	192	1	-	2	1	1	5	1	1	4	6	2	5	8	14	16	24	15	27	24	17	10	5	1	2	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	236	1	2	8	7	6	6	7	8	5	6	3	6	9	4	18	23	33	19	24	23	14	3	1	-	-
	White	147	1	2	5	4	6	2	3	5	4	4	3	3	5	2	10	10	23	13	15	15	10	2	-	-	-
	M	88	-	-	3	3	-	4	4	3	1	2	-	3	4	2	8	13	10	6	9	7	4	1	1	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	219	-	-	2	-	-	1	1	1	6	9	8	7	10	11	18	30	28	27	30	21	7	2	-	-	-
	White	138	-	-	1	-	-	1	-	1	2	6	5	4	7	6	12	20	20	19	16	12	3	1	-	-	-
	M	80	-	-	1	-	-	-	1	-	4	3	3	3	3	5	6	10	8	7	14	7	4	1	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	86	5	1	-	2	1	3	1	1	1	1	2	3	3	6	10	10	4	10	10	3	5	2	2	-	-
	White	45	3	-	-	1	-	2	-	1	-	1	2	1	1	5	5	4	3	7	3	2	2	-	2	-	-
	M	38	2	1	-	1	1	1	1	-	1	-	-	2	2	1	5	4	1	3	7	1	3	2	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	508	1	-	-	-	-	3	1	1	4	7	7	5	11	13	20	40	52	74	95	75	58	31	6	1	-
	White	205	1	-	-	-	-	1	1	1	3	5	6	4	6	7	9	17	17	33	35	24	18	14	3	-	-
	M	293	-	-	-	-	-	2	-	-	1	2	1	1	4	5	11	23	35	39	58	51	41	17	3	1	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-
	M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-
280-283	Anemias	114	-	2	-	-	-	1	-	1	1	-	1	1	1	2	2	3	4	15	16	17	30	14	2	1	-
	White	55	-	1	-	-	-	-	-	-	1	-	1	-	-	1	1	2	2	8	11	9	11	6	-	1	-
	M	57	-	1	-	-	-	-	-	1	-	-	-	1	1	1	1	1	2	7	5	7	19	8	2	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis	29	8	2	3	-	-	2	1	-	-	1	-	-	1	2	-	2	-	1	2	2	2	-	-	-	-
	White	17	4	2	2	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	2	-	2	-	-	-	-
	M	12	4	-	1	-	-	2	1	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468	Major cardiovascular-renal diseases	15,228	2	3	1	3	3	9	19	23	24	35	67	97	210	415	648	1,021	1,462	1,954	2,247	2,495	2,247	1,525	599	105	14
	White	8,686	1	1	1	2	2	2	9	16	12	19	28	57	142	272	443	676	979	1,199	1,336	1,408	1,208	762	259	43	9
	M	6,190	1	2	-	1	1	6	8	7	12	15	36	39	63	133	193	325	466	733	894	1,071	1,021	759	338	61	5
	Nonwhite	91	-	-	-	-	-	1	-	-	-	-	3	1	3	8	8	15	10	12	9	8	13	-	-	-	-
	M	61	-	-	-	-	-	-	2	-	-	1	-	-	2	2	4	5	7	10	8	8	5	4	2	1	-
330-334, 400-468	Diseases of cardiovascular system	14,965	2	3	1	2	2	7	17	19	15	30	58	91	196	402	625	998	1,439	1,915	2,227	2,474	2,227	1,503	593	105	14
	White	8,741	1	1	1	2	1	2	8	12	8	16	26	56	134	266	430	663	964	1,176	1,322	1,397	1,195	751	257	43	9
	M	6,080	1	2	-	-	1	4	7	7	7	13	30	34	57	127	185	316	459	717	889	1,062	1,014	748	334	61	5
	Nonwhite	87	-	-	-	-	-	1	-	-	-	-	2	1	3	8	7	15	10	12	8	7	13	-	-	-	-
	M	57	-	-	-	-	-	-	2	-	-	1	-	-	2	1	3	4	6	10	8	8	5	4	2	1	-
330-334	Vascular lesions, etc.*	3,623	1	1	1	1	1	-	1	3	3	6	10	12	28	89	152	188	286	477	586	685	586	406	131	22	7
	White	1,824	-	-	1	1	1	-	-	3	1	2	2	5	14	40	58	75	158	247	304	355	292	196	59	6	4
	M	1,761	1	1	-	-	-	-	1	-	2	4	8	6	13	46	69	110	125	221	258	325	271	209	72	16	3
	Nonwhite	24	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	5	2	2	2	-	-	-	-	-
	M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	2	3	1	1	-	-	-	-
400-402	Rheumatic fever	40	-	-	-	-	-	5	8	4	3	2	4	6	2	2	-	1	-	2	1	-	-	-	-	-	-
	White	18	-	-	-	-	-	2	3	2	2	-	2	2	2	2	-	-	-	1	-	-	-	-	-	-	-
	M	21	-	-	-	-	-	3	4	2	1	2	2	4	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
410-443	Diseases of heart	10,059	1	2	-	1	1	2	7	11	7	17	38	68	154	299	482	773	1,102	1,341	1,538	1,594	1,406	850	325	55	5
	White—M	6,238	1	1	-	1	-	-	4	7	4	12	20	49	115	221	352	588	772	869	950	926	765	432	139	26	4
	F	3,726	-	1	-	-	1	1	2	4	3	4	16	19	35	72	106	190	318	461	578	658	627	415	186	28	1
	Nonwhite—M	57	-	-	-	-	-	1	-	-	-	-	2	-	2	6	4	11	6	6	4	5	10	-	-	-	-
	F	38	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	4	6	5	6	5	4	3	-	1	-
410-416	Chronic rheumatic heart disease	408	...	1	-	-	-	1	2	2	2	6	10	21	12	31	35	55	46	42	49	34	38	12	9	-	-
	White—M	191	...	1	-	-	-	-	-	2	-	3	3	12	7	12	15	27	22	23	25	18	15	5	1	-	-
	F	214	...	-	-	-	-	1	1	-	2	3	7	9	5	19	20	27	24	19	24	16	22	7	8	-	-
	Nonwhite—M	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	1	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,580	1	-	-	-	-	-	1	3	2	6	17	36	106	210	333	562	813	969	1,057	1,030	805	465	148	25	2
	White—M	4,483	1	-	-	-	-	-	1	1	1	5	11	29	89	177	278	449	612	672	706	633	472	260	70	14	2
	F	2,050	-	-	-	-	-	-	-	2	1	-	4	7	12	30	52	106	196	290	344	390	325	202	78	11	-
	Nonwhite—M	35	-	-	-	-	-	-	-	-	-	-	2	-	2	3	3	4	3	4	4	3	7	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	2	3	3	4	1	3	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,305	...	-	-	-	-	-	1	1	-	-	3	6	10	15	21	38	59	116	184	234	283	203	104	23	2
	White—M	697	...	-	-	-	-	-	-	1	-	-	-	5	7	5	13	22	35	71	108	133	148	92	47	10	1
	F	596	...	-	-	-	-	-	1	1	-	-	3	1	3	9	8	16	24	44	76	99	131	111	57	13	1
	Nonwhite—M	5	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-
	F	3	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
430-434	Other diseases of heart	431	-	1	-	1	1	1	3	5	3	4	3	3	14	17	24	38	44	51	51	57	54	39	14	3	-
	White—M	257	-	-	-	1	-	-	3	4	3	4	1	1	7	9	18	29	28	28	29	36	31	18	5	2	-
	F	168	-	1	-	-	1	-	-	1	-	-	2	2	7	7	8	8	13	22	21	21	23	21	9	1	-
	Nonwhite—M	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.	1,327	-	-	-	-	-	-	-	-	-	1	5	2	13	26	49	80	140	183	197	239	225	131	50	4	1
	White—M	610	-	-	-	-	-	-	-	-	-	-	5	2	5	18	28	41	75	75	82	106	98	57	16	-	1
	F	698	-	-	-	-	-	-	-	-	-	1	-	-	8	7	20	33	61	86	113	132	126	74	34	3	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	1	-	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	1	-	-	1	-
444-447	Hypertension without mention of heart	305	-	-	-	-	-	-	1	-	2	3	3	8	6	13	15	28	25	36	47	56	40	18	4	-	
	White—M	147	-	-	-	-	-	-	-	-	1	1	-	2	1	8	8	16	14	19	25	24	20	7	1	-	
	F	155	-	-	-	-	-	-	1	-	1	2	3	6	5	5	7	11	11	17	22	31	20	10	3	-	
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
450	General arteriosclerosis	790	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	10	46	69	138	186	186	114	22	2
	White—M	425	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	31	36	84	105	98	50	9	1
	F	361	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	14	31	54	81	88	63	13	1
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.	149	-	-	-	-	-	-	1	-	2	3	3	2	4	6	17	15	13	24	17	10	13	11	5	2	-
	White—M	89	-	-	-	-	-	-	1	-	1	1	1	-	1	2	12	8	11	14	13	7	9	5	2	1	-
	F	56	-	-	-	-	-	-	-	-	1	2	2	2	3	4	4	6	2	9	4	3	4	6	3	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	263	-	-	-	1	1	2	2	4	9	5	9	6	14	13	23	23	23	39	20	21	20	22	6	-	-
	White—M	145	-	-	-	-	1	-	1	4	4	3	2	1	8	6	13	13	15	23	14	11	13	11	2	-	-
	F	110	-	-	-	1	-	2	1	-	5	2	6	5	6	6	8	9	7	16	5	9	7	11	4	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	925	126	12	3	2	3	6	3	8	7	6	8	9	12	22	18	35	43	58	102	128	132	111	55	12	4
	White—M	506	65	5	2	1	2	-	1	5	4	4	4	4	5	13	9	26	26	39	63	75	68	58	21	5	1
	F	396	53	5	-	-	1	6	2	3	3	2	4	5	7	8	9	8	16	18	37	53	62	51	33	7	2
	Nonwhite—M	13	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	1
	F	10	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-
480-483	Influenza	112	8	2	-	-	1	4	1	2	1	1	2	-	-	2	4	5	3	9	8	15	22	16	5	-	1
	White—M	59	3	-	-	-	-	-	-	1	-	-	-	-	-	1	1	4	1	8	6	11	11	10	2	-	-
	F	50	4	1	-	-	1	4	1	1	1	1	2	-	-	1	3	1	1	1	2	4	11	6	3	-	1
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	813	118	10	3	2	2	2	2	6	6	5	6	9	12	20	14	30	40	49	94	113	110	95	50	12	3
	White—M	447	62	5	2	1	2	-	1	4	4	4	4	4	5	12	8	22	25	31	57	64	57	48	19	5	1
	F	346	49	4	-	-	-	2	1	2	2	1	2	5	7	7	6	7	15	18	35	49	51	45	30	7	1
	Nonwhite—M	11	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	1
	F	9	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-
500-502	Bronchitis	68	10	2	3	1	-	-	-	-	-	-	-	-	-	2	-	2	2	3	12	8	7	11	4	1	-
	White—M	40	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	8	5	4	4	3	1	-
	F	25	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	3	3	6	1	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	153	-	-	-	-	-	-	-	-	1	1	1	2	8	8	10	13	20	24	21	18	23	3	-	-	-
	White—M	124	-	-	-	-	-	-	-	-	1	1	1	1	7	6	9	10	16	23	18	13	15	3	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	1	3	4	8	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	52	-	-	1	1	2	2	3	1	-	1	2	5	3	5	1	3	4	5	5	5	2	-	1	-	-
	White—M	33	-	-	1	1	1	-	1	-	-	-	-	4	2	5	1	3	2	3	4	4	1	-	-	-	-
	F	19	-	-	-	-	1	2	2	1	-	1	2	1	1	-	-	-	2	2	1	1	1	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	172	28	2	2	-	-	-	1	-	1	-	1	1	2	7	6	12	10	17	22	23	22	12	3	-	-
	White—M	102	20	2	1	-	-	-	-	-	1	-	-	1	1	4	3	6	7	9	13	17	11	5	1	-	-
	F	68	7	-	1	-	-	-	-	-	-	-	1	-	1	3	3	6	3	8	9	6	11	7	2	-	-
	Nonwhite—M	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
543,	Gastritis, etc.*--	95	29	2	-	-	-	-	-	1	1	-	1	2	1	1	3	5	11	10	7	4	7	4	4	1	1
571,	White-----M--	51	19	1	-	-	-	-	-	-	1	-	-	1	-	1	3	3	6	3	3	3	4	1	1	-	1
572	F--	41	8	1	-	-	-	-	-	1	-	-	1	1	1	-	-	1	5	7	4	1	3	3	3	1	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	164	-	-	-	-	-	-	1	-	1	2	2	7	11	18	17	18	20	27	17	14	6	2	1	-	-
	White-----M--	109	-	-	-	-	-	-	-	-	-	-	1	4	8	14	8	14	15	20	12	8	4	-	1	-	-
	F--	54	-	-	-	-	-	-	1	-	1	2	1	3	2	4	9	4	5	7	5	6	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
580, 591	Acute nephritis, etc.*----------	51	1	2	3	1	-	1	2	-	2	1	1	2	3	2	6	3	2	4	3	6	2	4	-	-	-
	White-----M--	31	-	1	3	-	-	1	1	-	2	-	1	1	2	2	5	2	-	2	2	4	2	2	-	-	-
	F--	20	1	1	-	1	-	-	1	-	-	1	-	1	1	-	3	1	2	2	1	2	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	12	22	23	25	25	8	1	-
	White-----M--	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	12	22	23	24	25	8	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	39	...	...	...	...	...	...	-	-	5	4	11	13	5	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	38	...	...	...	...	...	...	-	-	5	4	10	13	5	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion----------	6	...	...	...	...	...	...	-	-	2	-	2	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	6	...	...	...	...	...	...	-	-	2	-	2	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-648, 680-689	All other complications-------	33	...	...	...	...	...	...	-	-	3	4	9	11	5	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	32	...	...	...	...	...	...	-	-	3	4	8	11	5	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-758	Congenital malformations-------	465	360	21	15	8	4	5	11	4	3	3	4	3	9	4	6	4	1	-	3	1	-	-	-	-	-
	White-----M--	220	173	9	5	1	2	1	5	3	-	2	3	3	6	1	-	3	-	-	2	1	-	-	-	-	-
	F--	239	184	12	9	5	2	2	5	1	3	1	1	-	3	3	5	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,157	1,157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	652	652	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	484	484	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	432	432	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	681	681	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	359	359	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	199	17	3	-	-	1	-	-	1	3	2	1	1	2	3	5	6	8	9	14	23	35	26	28	10	1
	White-----M--	104	11	1	-	-	1	-	-	-	1	2	1	-	1	1	3	5	5	7	9	12	17	13	11	2	1
	F--	89	6	2	-	-	-	-	-	1	1	-	-	-	1	2	2	1	3	2	4	11	16	12	17	8	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Residual	All other diseases	1,284	61	18	9	8	11	19	13	18	17	25	20	34	37	55	66	109	128	138	128	133	113	80	35	7	2
	White-----M--	697	36	8	4	6	5	9	8	8	7	11	12	19	21	35	36	61	80	69	72	65	62	43	19	4	-
	F--	568	24	10	5	3	6	10	5	10	8	12	8	13	15	21	30	44	46	67	55	68	50	37	16	3	2
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	1	1	-	2	1	1	-	4	1	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
E800-E962	Accidents----------	1,753	49	32	33	17	10	46	55	93	119	77	72	84	80	75	82	94	96	109	107	115	137	115	43	11	4
	White-----M--	1,190	23	20	19	11	6	30	42	76	99	68	64	67	64	52	64	80	72	79	67	49	56	56	20	2	4
	F--	537	25	12	13	4	3	15	11	16	18	8	7	14	14	20	17	14	24	29	36	65	81	59	23	9	-
	Nonwhite--M--	16	-	-	-	2	-	-	2	1	2	1	-	2	2	1	-	-	-	1	1	1	-	-	-	-	-
	F--	10	1	-	1	-	1	1	-	-	-	-	1	1	-	-	1	-	-	-	3	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents---------	587	2	6	11	5	2	17	14	52	79	43	31	32	28	30	36	41	41	37	31	27	13	6	1	1	1
	White-----M--	450	1	5	6	4	-	13	13	42	64	39	27	26	23	15	27	33	29	25	21	19	10	6	1	-	1
	F--	129	1	1	5	1	2	4	1	10	13	3	4	5	4	15	8	8	12	12	8	8	3	-	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
E80.-E802, E840-E962	All ot. accidents	1,166	47	26	22	12	8	29	41	41	40	34	41	52	52	43	46	53	55	72	76	88	124	109	42	10	3
	White-----M--	740	22	15	13	7	6	17	29	34	35	29	37	41	41	37	37	47	43	54	46	30	46	50	19	2	3
	F--	406	24	11	8	3	1	11	10	6	5	5	3	9	10	5	9	6	12	17	28	57	78	59	23	8	-
	Nonwhite--M--	10	-	-	-	2	-	-	2	1	-	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-
	F--	8	1	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-
E963, E970-E979	Suicide----------	349	-	-	-	-	-	-	-	4	9	7	20	28	35	37	43	50	41	26	26	8	12	-	-	2	1
	White-----M--	288	-	-	-	-	-	-	-	1	7	7	17	23	25	30	35	43	34	24	21	8	12	-	-	-	1
	F--	59	-	-	-	-	-	-	-	3	2	-	3	5	10	7	8	7	6	2	4	-	-	-	-	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	37	5	-	-	-	-	-	-	3	2	3	2	2	3	3	3	4	2	-	3	1	-	1	-	-	-
	White-----M--	23	2	-	-	-	-	-	-	2	1	2	-	2	1	2	2	4	1	-	3	1	-	-	-	-	-
	F--	8	3	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI																										
	ALL CAUSES	20,784	2,385	229	122	73	62	185	173	312	380	459	430	602	778	985	1,205	1,381	1,598	2,245	2,251	2,043	1,487	786	369	128	118
	White----M	5,648	436	44	15	12	8	39	44	86	91	104	96	141	186	226	325	427	538	671	724	661	443	206	82	18	3
	F	3,955	348	32	20	12	11	26	18	28	38	61	62	78	97	167	146	195	279	432	505	548	445	246	123	33	5
	Nonwhite--M	5,922	906	97	44	24	22	61	70	99	139	138	132	155	253	251	378	424	407	640	578	486	304	166	74	35	57
	F	5,259	695	56	43	25	21	57	41	99	112	156	140	228	260	341	356	337	372	502	444	328	295	166	90	42	53
001-019	Tuberculosis, all forms	573	3	10	6	1	-	7	5	26	49	64	48	55	44	46	42	41	31	49	21	20	5	-	-	-	-
	White----M	139	-	3	1	-	-	-	2	2	4	7	4	10	7	10	13	18	15	20	9	9	5	-	-	-	-
	F	52	-	-	-	-	-	1	-	1	1	6	4	4	2	7	5	2	1	9	4	5	-	-	-	-	-
	Nonwhite--M	193	2	4	4	1	-	3	-	10	16	17	17	18	22	20	14	14	6	14	7	4	-	-	-	-	-
	F	189	1	3	1	-	-	3	3	13	28	34	23	25	13	9	10	7	9	6	1	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system	526	-	5	4	-	-	1	3	24	45	63	42	53	42	44	41	38	31	47	21	18	4	-	-	-	-
	White----M	132	-	2	-	-	-	-	-	2	4	7	4	10	7	9	13	18	15	19	9	9	4	-	-	-	-
	F	49	-	-	-	-	-	-	-	1	1	6	4	4	2	6	5	2	1	9	4	4	-	-	-	-	-
	Nonwhite--M	175	-	2	3	-	-	1	-	10	14	17	16	18	20	20	13	11	6	13	7	4	-	-	-	-	-
	F	170	-	1	1	-	-	-	3	11	26	33	18	21	13	9	10	7	9	6	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms	47	3	5	2	1	-	6	2	2	4	1	6	2	2	2	1	3	-	2	-	2	1	-	-	-	-
	White----M	7	-	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	16	2	2	1	1	-	2	-	-	2	-	1	-	2	-	1	3	-	1	-	-	-	-	-	-	-
	F	19	1	2	-	-	-	3	-	2	2	1	5	2	-	-	-	-	-	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae	120	4	-	1	1	-	-	-	-	-	1	4	2	19	14	23	8	17	12	7	5	2	-	-	-	-
	White----M	20	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	6	2	1	2	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	65	1	-	1	-	-	-	-	-	-	-	4	1	13	9	11	6	8	6	4	1	-	-	-	-	-
	F	34	3	-	-	1	-	-	-	-	-	1	-	1	5	1	8	1	3	4	2	2	2	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	41	25	3	4	-	1	-	-	-	-	-	1	1	-	1	-	-	-	1	1	1	-	2	-	-	-
	White----M	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	21	13	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	2	-	-	-
	F	11	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	12	1	-	-	1	1	1	2	1	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	4	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
055	Diphtheria	19	2	2	4	1	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	1	1	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	56	36	11	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	6	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	22	14	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	15	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	14	8	4	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	6	3	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	14	2	4	2	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White----M	7	1	2	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	35	10	2	1	1	1	7	3	1	1	2	1	-	1	-	-	1	-	-	1	2	-	-	-	-	-
	White----M	6	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	9	1	-	-	-	-	2	1	-	-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M	7	5	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	3	1	1	1	-	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	79	15	3	5	1	3	6	3	5	-	1	1	4	3	2	2	6	2	5	4	3	2	2	1	-	-
	White----M	9	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	F	15	2	1	-	-	1	-	-	-	-	-	-	2	1	-	1	1	1	1	1	-	2	1	-	-	-
	Nonwhite--M	31	7	-	2	1	2	-	-	2	-	1	-	1	1	2	1	4	1	2	2	1	1	-	-	-	-
	F	24	5	1	1	-	1	5	2	3	-	-	1	1	1	-	1	-	-	1	-	-	1	-	-	-	-

*For complete category title, refer to table 51

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
140-205	Malignant neoplasms, etc.*----	2,156	2	9	5	5	6	9	8	15	11	29	40	74	102	184	199	213	246	297	269	217	129	58	24	2	3
	White-----M--	702	2	1	2	3	1	3	4	2	4	10	12	16	27	25	56	60	85	112	115	89	49	20	4	-	-
	F--	631	-	2	1	-	1	4	1	2	2	8	14	22	28	71	48	60	78	81	65	66	44	19	14	-	-
	Nonwhite--M--	345	-	4	2	1	1	1	3	5	4	5	3	8	11	22	34	36	33	56	45	42	17	8	2	1	1
	F--	478	-	2	-	1	3	1	-	6	1	6	11	28	36	66	61	57	50	48	44	20	19	11	4	1	2
140-148	Of buccal cavity and pharynx------	63	-	-	-	-	-	-	-	-	-	2	-	4	2	3	6	7	3	10	11	7	3	4	1	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	1	-	3	1	1	5	4	2	4	5	5	2	4	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	4	2	-	1	-	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	768	-	-	-	-	-	-	-	2	-	8	7	12	22	50	68	78	96	122	125	99	46	26	6	1	-
	White-----M--	256	-	-	-	-	-	-	-	-	-	1	2	4	9	11	22	23	32	44	46	38	15	8	1	-	-
	F--	204	-	-	-	-	-	-	-	-	-	3	1	3	5	10	11	13	32	30	28	33	20	11	4	-	-
	Nonwhite--M--	166	-	-	-	-	-	-	-	-	-	3	1	4	2	11	22	28	13	30	29	18	5	2	-	-	-
	F--	142	-	-	-	-	-	-	-	2	-	1	3	1	6	18	13	16	19	18	22	10	6	5	1	1	-
160-164	Of respiratory system----------	176	-	-	-	-	-	-	-	-	-	1	1	6	7	8	18	27	32	32	22	11	10	1	-	-	-
	White-----M--	104	-	-	-	-	-	-	-	-	-	1	-	3	2	4	10	15	25	21	12	5	5	1	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	7	3	5	4	2	3	-	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	2	4	4	6	3	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	2	-	1	2	-	-	-	-
170	Of breast----------	159	-	-	-	-	-	-	-	-	-	-	8	7	16	28	13	21	15	20	7	12	7	3	4	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	96	-	-	-	-	-	-	-	-	-	-	4	1	8	14	7	14	11	13	6	7	5	2	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	4	5	8	11	6	7	4	7	1	5	1	1	-	-	-
171-179	Of genital organs-	479	-	-	-	-	-	-	-	2	1	4	8	25	26	63	50	45	42	67	53	45	30	11	7	-	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	3	1	1	-	2	3	2	18	20	20	12	4	2	-	-
	F--	142	-	-	-	-	-	-	-	-	-	-	3	8	10	32	15	14	13	19	15	10	2	-	1	-	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	8	13	5	12	10	5	1	-	-
	F--	187	-	-	-	-	-	-	-	2	1	4	2	15	15	30	30	25	19	17	13	3	6	2	3	-	-
180, 181	Of urinary organs-	85	-	1	1	2	-	1	-	-	-	2	-	-	4	7	7	5	9	12	12	8	8	3	2	-	1
	White-----M--	37	-	-	-	1	-	-	-	-	-	1	-	-	1	-	3	3	3	7	8	5	5	-	-	-	-
	F--	18	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	1	2	3	2	2	1	-	2	-	-
	Nonwhite--M--	14	-	-	1	1	-	-	-	-	-	-	-	-	-	2	1	1	3	1	1	1	-	1	-	-	1
	F--	16	-	1	-	-	-	-	-	-	-	1	-	-	3	3	1	-	1	1	1	-	2	2	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	278	-	3	1	2	2	4	4	3	6	5	9	13	16	20	21	25	34	24	26	24	20	9	4	1	2
	White-----M--	100	-	-	1	1	-	-	1	-	1	1	5	3	7	6	5	9	13	12	15	10	6	3	1	-	-
	F--	93	-	-	-	-	-	2	-	1	1	3	4	6	3	8	7	9	14	6	4	8	10	5	2	-	-
	Nonwhite--M--	43	-	3	-	-	1	1	1	2	4	1	-	-	4	2	2	3	1	4	3	5	2	-	1	1	-
	F--	42	-	-	-	1	1	1	-	-	-	-	-	4	2	4	7	4	6	2	4	1	2	1	-	-	2
204	Leukemia and aleukemia----------	86	2	3	2	1	4	4	2	4	-	2	4	5	4	4	10	4	10	5	6	5	4	1	-	-	-
	White-----M--	45	2	1	-	1	1	3	2	2	-	1	1	1	2	2	5	2	6	3	4	3	3	-	-	-	-
	F--	23	-	1	1	-	1	1	-	-	-	1	1	2	1	1	3	2	2	-	2	2	1	1	-	-	-
	Nonwhite--M--	11	-	1	1	-	-	-	-	1	-	-	-	1	1	1	-	-	2	2	-	-	-	-	-	-	-
	F--	7	-	-	-	-	2	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	62	-	2	1	-	-	-	2	4	4	5	3	2	5	3	6	1	5	5	7	6	1	-	-	-	-
	White-----M--	34	-	-	1	-	-	-	1	-	3	4	1	1	4	1	4	1	2	3	5	3	-	-	-	-	-
	F--	14	-	1	-	-	-	-	1	1	1	-	1	-	-	1	1	-	1	1	2	2	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	1	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	86	2	1	-	-	-	1	2	2	1	2	5	11	11	12	6	9	5	7	6	3	-	-	-	-	-
	White-----M--	24	2	-	-	-	-	-	1	1	-	-	1	2	3	3	2	3	-	3	3	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	4	3	2	2	3	-	-	-	-	-
	Nonwhite--M--	6	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	36	-	-	-	-	-	1	-	1	1	1	3	8	5	9	2	2	1	2	-	-	-	-	-	-	-
260	Diabetes mellitus-	235	1	-	1	-	-	3	2	2	1	3	4	6	10	13	23	24	32	39	26	33	10	1	1	-	-
	White-----M--	58	1	-	-	-	-	1	1	-	-	-	1	1	2	2	4	7	10	4	10	8	5	1	-	-	-
	F--	70	-	-	-	-	-	1	-	1	-	1	2	1	2	4	4	6	7	16	9	14	1	-	1	-	-
	Nonwhite--M--	39	-	-	-	-	-	1	-	-	1	1	-	2	1	-	3	3	4	7	3	9	4	-	-	-	-
	F--	68	-	-	1	-	-	-	1	1	-	1	1	2	5	7	12	8	11	12	4	2	-	-	-	-	-
280-285	Anemias----------	32	2	-	-	-	-	1	-	-	-	2	1	3	-	1	3	1	2	8	3	3	1	1	-	-	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	2	1	-	-	-	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	3	-	-	1	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	1	-	1	-	1	2	1	1	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis--------	48	24	7	1	3	2	3	1	2	1	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	8	1	-	-	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	19	11	3	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	17	9	3	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases--------	9,052	9	4	4	2	2	7	12	36	36	56	75	174	295	424	622	720	909	1,311	1,373	1,277	923	469	196	71	45
	White-----M--	2,767	1	-	-	-	-	-	4	5	4	12	9	35	70	103	178	249	310	399	462	441	295	125	50	15	-
	F--	1,945	3	2	1	1	1	-	1	8	5	9	11	23	32	57	61	84	145	259	334	359	300	155	73	20	1
	Nonwhite--M--	2,207	2	1	2	-	1	2	4	10	9	13	20	40	77	100	197	203	231	358	322	279	161	92	39	20	24
	F--	2,133	3	1	1	1	-	5	3	13	16	22	35	76	116	164	186	184	223	295	255	198	167	97	34	16	20
330-334, 400-468	Diseases of cardiovascular system-	8,400	9	3	4	1	-	7	11	28	31	46	64	159	267	400	581	672	860	1,217	1,289	1,172	861	434	178	67	39
	White-----M--	2,647	1	-	-	-	-	-	3	5	2	11	9	33	66	101	171	242	300	380	449	412	282	120	45	15	-
	F--	1,848	3	2	1	1	-	-	1	5	4	7	10	21	30	55	57	82	140	245	321	340	288	148	67	19	1
	Nonwhite--M--	1,982	2	-	2	-	-	2	4	9	8	11	17	37	71	95	180	177	216	326	291	246	143	82	34	19	20
	F--	1,913	3	1	1	-	-	5	3	9	17	17	28	68	100	149	173	171	204	266	228	174	148	84	32	14	18
330-334	Vascular lesions, etc.*----------	2,249	3	-	1	1	-	-	-	2	3	11	18	30	70	109	163	185	213	351	355	327	237	108	36	14	12
	White-----M--	491	1	-	-	-	-	-	-	-	-	2	2	-	5	12	19	35	50	76	94	95	69	25	3	3	-
	F--	514	-	-	-	1	-	-	-	-	-	2	2	6	8	25	16	29	39	78	91	101	73	28	15	2	-
	Nonwhite--M--	571	2	-	-	-	-	-	-	1	2	4	6	5	18	18	80	51	54	99	97	71	45	22	4	6	6
	F--	673	-	-	1	-	-	-	1	1	1	3	8	18	39	54	68	70	70	98	73	80	50	33	16	3	6
400-402	Rheumatic fever---	36	2	1	-	-	-	4	4	10	4	2	2	3	1	-	1	-	1	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	1	1	-	2	2	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	2	1	-	-	-	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
410-443	Diseases of heart	5,585	4	2	3	-	-	3	6	14	22	28	41	119	180	264	398	461	602	799	865	764	549	279	114	43	25
	White----M	1,980	-	-	-	-	-	-	3	3	2	7	7	29	60	84	146	196	232	282	330	287	188	79	35	10	-
	F	1,187	3	2	1	-	-	-	-	4	3	2	5	12	18	25	38	51	96	155	211	216	185	105	42	12	1
	Nonwhite--M	1,295	-	-	2	-	-	1	1	3	4	7	11	31	48	68	113	120	149	209	180	159	88	50	27	12	13
	F	1,123	1	-	-	-	-	2	2	4	13	12	18	47	54	87	101	94	125	155	144	103	88	45	10	9	11
410-416	Chronic rheumatic heart disease	283	...	-	-	-	-	3	4	4	9	5	4	11	15	16	9	15	26	34	28	37	26	12	3	2	-
	White----M	75	...	-	-	-	-	-	2	2	2	1	1	2	4	3	3	4	7	12	5	13	9	3	1	1	-
	F	58	...	-	-	-	-	-	-	1	2	1	-	1	1	3	1	-	4	7	8	13	7	7	2	-	-
	Nonwhite--M	72	...	-	-	-	-	1	-	-	3	1	1	3	4	4	4	7	10	10	8	6	7	2	-	1	-
	F	58	...	-	-	-	-	2	2	1	2	2	2	5	6	6	1	4	5	5	7	5	3	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,259	1	-	-	-	-	-	1	3	2	3	13	44	82	123	201	220	290	330	362	275	181	84	28	7	4
	White----M	1,184	-	-	-	-	-	-	1	-	-	4	6	18	44	69	113	138	164	176	194	133	81	29	14	-	-
	F	498	1	-	-	-	-	-	-	1	-	1	1	5	10	5	17	27	55	82	94	81	69	39	7	3	-
	Nonwhite--M	342	-	-	-	-	-	-	-	1	-	1	1	13	16	25	41	37	40	46	40	42	18	10	5	3	3
	F	235	-	-	-	-	-	-	-	1	2	2	5	8	12	24	30	18	31	26	34	19	13	6	2	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,029	...	-	2	-	-	-	1	3	2	5	7	18	24	28	37	64	80	152	152	156	132	96	50	14	6
	White----M	267	...	-	-	-	-	-	-	1	-	-	-	4	2	5	5	15	17	38	48	53	40	25	10	4	-
	F	217	...	-	-	-	-	-	-	1	-	-	1	1	1	3	3	5	6	24	37	46	32	29	21	6	1
	Nonwhite--M	291	...	-	2	-	-	-	1	1	-	3	2	3	6	11	17	22	33	41	44	30	35	22	13	2	3
	F	254	...	-	-	-	-	-	-	-	2	2	4	10	15	9	12	22	24	49	23	27	25	20	6	2	2
430-434	Other diseases of heart	508	3	2	1	-	-	-	-	4	7	7	8	18	19	20	38	53	50	67	62	68	46	24	4	4	3
	White----M	140	-	-	-	-	-	-	-	-	-	1	-	4	4	4	5	19	14	21	22	20	14	8	1	3	-
	F	109	2	2	1	-	-	-	-	1	1	-	2	3	2	4	6	9	8	9	12	18	18	9	2	-	-
	Nonwhite--M	151	-	-	-	-	-	-	-	1	1	1	2	5	9	7	14	14	15	25	22	21	7	4	1	1	1
	F	108	1	-	-	-	-	-	-	2	5	5	4	6	4	5	13	11	13	12	6	9	7	3	-	-	2
440-443	Hypertension with heart dis.	1,526	-	-	-	-	-	-	-	-	2	3	9	28	40	77	113	109	156	216	261	228	164	63	29	16	12
	White----M	314	-	-	-	-	-	-	-	-	-	1	-	1	6	3	20	20	30	35	61	68	44	14	9	2	-
	F	305	-	-	-	-	-	-	-	-	-	-	1	2	4	10	11	10	23	33	60	58	59	21	10	3	-
	Nonwhite--M	439	-	-	-	-	-	-	-	-	-	1	5	7	13	21	37	40	51	87	66	59	21	12	8	5	6
	F	468	-	-	-	-	-	-	-	-	2	1	3	18	17	43	45	39	52	61	74	43	40	16	2	6	6
444-447	Hypertension without mention of heart	196	-	-	-	-	-	-	-	-	1	1	3	6	10	16	10	10	20	33	26	24	20	10	5	1	-
	White----M	61	-	-	-	-	-	-	-	-	-	1	-	2	-	3	4	5	5	6	10	10	7	4	3	1	-
	F	35	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	5	7	4	7	3	-	-	-
	Nonwhite--M	54	-	-	-	-	-	-	-	-	1	-	-	1	4	6	4	3	8	13	4	5	2	3	-	-	-
	F	46	-	-	-	-	-	-	-	-	-	-	2	2	4	5	1	1	6	9	5	5	4	-	2	-	-
450	General arteriosclerosis	254	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	8	13	29	34	43	52	35	20	9	2
	White----M	81	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	11	12	17	18	12	3	1	-
	F	86	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	7	10	16	22	11	11	5	-
	Nonwhite--M	46	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	5	9	7	8	7	2	1	1
	F	41	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	3	8	3	3	6	5	4	2	1
451-468	Other diseases of circulatory sys.	80	-	-	-	-	-	-	1	2	1	4	-	1	4	8	5	8	11	5	8	14	3	2	3	-	-
	White----M	31	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	4	7	5	3	3	2	-	1	-	-
	F	15	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-	2	-	1	3	1	1	1	-	-
	Nonwhite--M	17	-	-	-	-	-	-	1	-	-	-	-	-	-	3	2	2	2	-	1	5	-	-	1	-	-
	F	17	-	-	-	-	-	-	-	1	-	2	-	-	2	2	1	2	-	-	3	3	-	1	-	-	-
592-594	Chronic nephritis etc.*	652	-	1	-	1	2	-	1	8	5	10	11	15	28	24	41	48	49	94	84	105	62	35	18	4	6
	White----M	120	-	-	-	-	-	-	1	-	2	1	-	2	4	2	7	7	10	19	13	28	13	5	5	-	-
	F	97	-	-	-	-	1	-	-	3	1	2	1	2	2	2	4	2	5	14	13	19	12	7	6	1	-
	Nonwhite--M	215	-	1	-	-	1	-	-	1	1	2	3	3	6	5	17	26	15	32	31	33	18	10	5	1	4
	F	220	-	-	-	1	-	-	-	4	1	5	7	8	16	15	13	13	19	29	27	24	19	13	2	2	2
480-483	Influenza and pneumonia, etc.*	853	195	39	17	8	9	10	14	13	8	10	7	13	21	24	27	40	38	57	69	67	73	51	30	5	8
	White----M	182	25	8	1	1	1	3	4	1	4	2	-	3	3	4	7	9	4	12	19	22	24	15	9	-	1
	F	179	15	7	3	1	-	1	-	3	1	2	2	2	-	2	1	4	3	8	20	30	31	25	13	5	-
	Nonwhite--M	263	90	18	4	5	6	1	5	5	2	4	-	2	8	9	8	16	21	17	14	8	9	7	1	-	3
	F	229	65	6	9	1	2	5	5	4	1	2	5	6	10	9	11	11	10	20	16	7	9	4	7	-	4
480-483	Influenza	253	41	6	8	3	1	2	2	3	3	3	1	6	10	7	6	10	13	16	25	24	27	16	14	1	5
	White----M	58	4	1	1	1	1	1	-	-	2	1	-	1	1	2	2	2	1	3	6	9	9	7	3	-	-
	F	61	4	1	1	1	-	-	-	1	-	1	1	2	-	1	1	1	1	1	10	9	13	6	5	1	-
	Nonwhite--M	57	18	3	1	1	-	-	1	1	-	1	-	-	4	2	-	2	5	5	2	4	2	2	1	-	2
	F	77	15	1	5	-	-	1	1	1	1	-	-	3	5	2	3	5	6	7	7	2	3	1	5	-	3
490-493	Pneumonia, etc.*	600	154	33	9	5	8	8	12	10	5	7	6	7	11	17	21	30	25	41	44	43	46	35	16	4	3
	White----M	124	21	7	-	-	-	2	4	1	2	1	-	2	2	2	5	7	3	9	13	13	15	8	6	-	1
	F	118	11	6	2	-	-	1	-	2	1	1	1	-	-	1	-	3	2	7	10	21	18	19	8	4	-
	Nonwhite--M	208	72	15	3	4	6	1	4	4	2	3	-	2	4	7	8	14	16	12	12	4	7	5	-	-	1
	F	152	50	5	4	1	2	4	4	3	-	2	5	3	5	7	8	6	4	13	9	5	6	3	2	-	1
500-502	Bronchitis	44	8	2	-	-	-	3	-	-	-	-	-	-	1	1	-	2	3	3	4	7	5	4	1	-	-
	White----M	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	4	1	2	-	-	-
	F	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-
	Nonwhite--M	14	4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	1	-	-
540, 541	Ulcer of stomach and duodenum	65	-	-	-	-	-	-	1	2	2	-	-	2	7	7	3	4	9	8	11	4	2	2	1	-	-
	White----M	35	-	-	-	-	-	-	-	-	1	-	-	2	4	3	-	2	7	5	5	3	1	2	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	4	1	1	-	-	-	-
	Nonwhite--M	16	-	-	-	-	-	1	-	-	-	-	-	-	2	2	2	2	2	2	-	-	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	58	-	-	-	-	1	2	8	4	4	2	3	1	5	3	5	3	3	7	1	5	-	1	-	-	-
	White----M	15	-	-	-	-	1	-	2	1	2	-	-	-	1	1	-	-	-	3	1	3	-	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M	23	-	-	-	-	-	2	3	1	1	1	1	2	-	3	1	1	4	-	1	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	2	2	1	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	151	25	2	1	-	1	-	3	-	3	2	3	4	8	10	8	9	17	11	17	8	12	5	1	-	1
	White----M	40	7	1	-	-	-	-	-	-	-	-	1	1	-	1	2	1	6	3	7	1	4	4	1	-	-
	F	31	-	-	-	-	-	-	1	-	-	-	-	2	-	2	2	1	4	5	5	3	5	1	-	-	-
	Nonwhite--M	47	11	-	1	-	1	-	1	-	2	1	1	-	3	3	1	7	4	2	4	3	2	-	-	-	-
	F	33	7	1	-	-	-	-	1	-	1	1	1	1	5	4	3	-	3	1	1	1	1	-	-	-	1

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
543, 571, 572	Gastritis, etc.*--	194	111	23	3	3	1	3	2	-	-	2	1	1	4	3	3	2	2	6	4	6	5	6	2	1	-
	White-----M--	23	11	2	-	-	-	-	1	-	-	-	-	1	-	2	-	1	1	1	2	-	1	-	-	-	-
	F--	33	11	4	1	1	1	1	1	-	-	-	1	-	2	-	-	1	1	1	1	-	2	4	-	-	-
	Nonwhite--M--	69	42	12	2	1	-	1	-	-	-	1	-	-	1	-	1	-	1	-	4	1	1	1	-	-	-
	F--	69	47	5	-	1	-	1	-	-	-	1	-	-	1	1	2	-	-	3	1	2	1	1	1	1	-
581	Cirrhosis of liver	77	1	-	-	-	-	-	-	-	1	-	2	2	3	8	6	7	10	12	12	7	2	2	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	1	1	6	4	3	4	3	9	4	1	-	-	-	-
	F--	14	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	4	1	1	-	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2	2	4	2	2	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	1	-	-	-	1	-	-	-
590, 591	Acute nephritis, etc.*----------	95	-	3	2	2	1	3	3	1	3	3	1	6	4	7	4	10	5	12	6	10	5	2	1	-	1
	White-----M--	18	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1	4	-	3	1	2	1	1	-	-	-
	F--	15	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	-	2	2	4	1	1	-	-	-
	Nonwhite--M--	31	-	2	1	-	-	1	1	-	1	1	1	2	1	6	2	3	-	3	1	2	1	-	1	-	1
	F--	31	-	-	1	2	-	2	-	1	2	1	-	-	2	1	1	3	5	4	2	2	2	-	-	-	-
610	Hyperplasia of prostate----------	109	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	4	9	24	26	24	7	2	-	2
	White-----M--	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	14	12	3	-	-	-
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	4	6	17	12	12	4	2	-	2
640-689	Complications of pregnancy, etc.*-	159	...	...	...	...	...	...	3	22	22	40	29	33	8	2	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	28	...	...	...	...	...	...	1	-	5	5	7	5	5	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	131	...	...	...	...	...	...	2	22	17	35	22	28	3	2	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion----------	10	...	...	...	...	...	...	-	2	2	2	3	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	3	...	...	...	...	...	...	-	-	2	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	2	-	2	2	1	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-669	All other complications-------	149	...	...	...	...	...	...	3	20	20	38	26	32	8	2	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	25	...	...	...	...	...	...	1	-	3	5	6	5	5	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	124	...	...	...	...	...	...	2	20	17	33	20	27	3	2	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations-------	225	165	12	7	3	-	5	8	3	3	4	1	3	2	2	1	3	1	1	-	-	-	-	-	-	1
	White-----M--	80	64	3	3	-	-	-	1	1	-	2	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	55	40	5	2	1	-	-	1	-	-	2	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	53	36	2	-	1	-	3	6	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	37	25	2	2	1	-	2	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
760-776	Certain diseases of early infancy-	1,060	1,058	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	263	262	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	211	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	336	335	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	250	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	326	326	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	661	659	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	138	137	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	231	230	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	2,509	539	22	16	10	6	17	12	17	22	35	19	45	52	97	114	131	128	252	257	223	201	123	87	36	48
	White-----M--	264	24	1	1	-	-	1	-	1	1	2	-	5	7	17	15	16	28	38	28	24	24	18	12	-	1
	F--	166	28	1	-	1	1	1	-	-	-	2	3	2	3	6	7	5	7	13	16	23	20	14	8	3	2
	Nonwhite--M--	1,119	277	12	6	3	2	11	4	6	10	11	6	15	18	33	58	73	53	119	118	94	80	47	27	13	23
	F--	960	210	8	9	6	3	4	8	10	11	20	10	23	24	41	34	37	40	82	95	82	77	44	40	20	22
Residual	All other diseases	812	53	17	8	3	2	19	9	20	16	31	32	32	50	38	43	71	61	77	71	70	49	18	10	8	4
	White-----M--	234	8	5	1	-	-	6	-	5	-	9	6	8	11	6	13	19	27	27	26	33	13	7	2	2	-
	F--	187	10	1	4	-	1	7	2	2	5	7	5	6	8	8	7	13	13	18	21	15	21	4	6	2	1
	Nonwhite--M--	207	18	8	-	2	-	3	5	7	4	5	9	9	17	11	8	23	11	21	14	17	9	3	-	1	2
	F--	184	17	3	3	1	1	3	2	6	7	10	12	9	14	13	15	16	10	11	10	5	6	4	2	3	1
E800-E962	Accidents----------	1,370	85	48	27	22	20	70	87	113	142	107	90	77	78	50	49	48	48	49	50	45	34	32	12	5	4
	White-----M--	514	12	10	3	4	3	20	21	62	61	49	51	36	37	22	19	17	19	22	12	17	5	7	4	1	-
	F--	210	13	4	5	7	4	7	7	8	15	13	6	2	4	5	5	8	8	9	13	19	18	19	7	3	1
	Nonwhite--M--	455	34	18	12	7	6	26	31	37	54	36	26	27	32	21	21	16	18	9	14	5	3	2	-	-	1
	F--	190	26	14	7	4	7	17	8	6	12	9	7	12	5	2	4	7	3	9	11	4	8	4	1	1	2
E810-E835	Motor-vehicle accidents----------	519	9	7	5	5	9	20	22	47	85	58	42	42	37	24	25	21	16	15	13	5	5	2	1	-	1
	White-----M--	251	4	3	1	1	2	9	12	30	39	29	23	20	21	11	10	10	8	7	5	3	2	-	1	-	-
	F--	71	2	1	2	3	4	2	2	7	12	7	4	1	3	3	4	4	3	2	3	-	1	1	-	-	-
	Nonwhite--M--	160	1	1	1	1	1	6	6	7	29	21	13	14	12	10	11	9	4	4	5	1	1	1	-	-	1
	F--	37	2	2	1	-	2	3	2	3	5	1	2	7	1	-	-	1	1	2	-	1	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	851	76	39	22	17	11	50	45	66	57	49	48	35	41	26	24	24	32	34	37	40	29	30	11	5	3
	White-----M--	263	8	7	2	3	1	11	9	32	22	20	28	16	16	11	9	7	11	15	7	14	3	7	3	1	-
	F--	139	11	3	3	4	-	5	5	1	3	6	2	1	1	2	1	4	5	7	10	19	17	18	7	3	1
	Nonwhite--M--	296	33	17	11	6	5	20	25	30	25	15	13	13	20	11	10	7	14	5	9	4	2	1	-	-	-
	F--	153	24	12	6	4	5	14	6	3	7	8	5	5	4	2	4	6	2	7	11	3	7	4	1	1	2
E963, E970-E978	Suicide----------	126	-	-	-	-	-	-	-	2	10	10	9	11	14	16	9	15	17	5	6	1	1	-	-	-	-
	White-----M--	80	-	-	-	-	-	-	-	2	7	6	4	8	8	12	6	10	10	4	3	1	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	2	4	2	1	3	1	2	1	3	-	1	-	-	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	-	3	2	3	2	-	4	4	1	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	301	1	1	-	1	1	1	2	24	40	51	53	40	38	18	9	6	6	6	6	-	1	-	-	-	1
	White-----M--	40	1	-	-	-	-	-	-	3	-	2	6	6	6	5	1	2	3	2	2	-	-	-	-	-	1
	F--	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	200	-	1	-	1	-	-	2	13	31	40	40	25	19	9	7	3	2	3	3	-	1	-	-	-	-
	F--	58	-	-	-	-	1	1	-	8	7	9	7	8	8	4	1	1	1	1	1	-	-	-	-	-	-
E965, E990-E999	Operations of war---	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI																										
	ALL CAUSES	43,710	2,510	183	116	99	60	195	145	277	418	431	532	765	1,117	1,581	2,353	3,101	3,950	4,981	5,526	5,963	4,964	2,925	1,176	250	92
	White--M	22,288	1,206	82	56	41	27	94	86	160	237	214	257	341	520	792	1,227	1,705	2,215	2,734	2,949	3,068	2,407	1,350	492	90	38
	F	16,961	891	73	38	37	27	66	46	75	97	131	163	260	353	452	690	936	1,272	1,789	2,312	2,590	2,366	1,481	640	143	33
	Nonwhite--M	2,492	247	12	10	9	2	20	9	21	53	41	60	78	137	189	236	271	261	257	201	174	107	50	25	10	12
	F	1,969	166	16	12	12	4	15	4	21	31	45	52	86	107	148	200	189	202	201	164	131	84	44	19	7	9
001-019	Tuberculosis, all forms	907	6	10	4	3	-	6	5	15	28	54	46	52	65	71	96	92	109	84	67	52	27	11	3	1	-
	White--M	525	2	5	2	-	-	2	4	4	7	20	21	23	33	44	63	55	76	64	42	30	21	6	1	-	-
	F	204	2	5	2	2	-	2	1	4	8	15	7	18	15	11	10	15	20	13	22	20	8	5	1	-	-
	Nonwhite--M	115	2	-	-	-	-	-	-	2	6	4	11	6	14	12	18	19	11	8	2	2	-	-	-	-	-
	F	63	-	-	-	1	-	2	-	5	7	15	7	5	3	4	5	3	2	1	1	-	-	-	1	1	-
001-008	Tuberculosis of respiratory system	652	4	3	-	1	-	1	2	14	28	53	43	51	65	70	91	87	103	80	63	52	26	11	3	1	-
	White--M	492	1	-	-	-	-	-	2	4	7	19	19	23	33	44	59	51	71	62	40	30	20	6	1	-	-
	F	188	1	3	-	-	-	-	-	3	8	15	6	18	15	11	10	14	20	11	21	20	6	5	1	-	-
	Nonwhite--M	111	2	-	-	-	-	-	-	2	6	4	11	5	14	11	17	19	10	6	2	2	-	-	-	-	-
	F	61	-	-	-	1	-	1	-	5	7	15	7	5	3	4	5	3	2	1	-	-	-	1	1	-	-
010-019	Tuberculosis, other forms	55	2	7	4	2	-	5	3	1	-	1	3	1	-	1	5	5	6	4	4	-	1	-	-	-	-
	White--M	33	1	5	2	-	-	2	2	-	-	1	2	-	-	-	4	4	5	2	2	-	1	-	-	-	-
	F	16	1	2	2	2	-	2	1	1	-	-	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	275	6	-	-	-	-	-	-	-	1	2	2	6	17	33	35	36	38	35	30	22	5	6	-	1	-
	White--M	136	-	-	-	-	-	-	-	-	1	-	-	3	5	17	15	18	17	21	19	15	2	3	-	-	-
	F	37	1	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	6	4	4	2	2	3	-	1	-
	Nonwhite--M	76	4	-	-	-	-	-	-	-	1	1	1	6	10	13	12	12	5	6	4	1	-	-	-	-	-
	F	26	1	-	-	-	-	-	-	-	1	-	1	4	4	2	3	3	5	1	1	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	10	4	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
	White--M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	7	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	12	1	1	-	1	-	2	1	1	1	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-
	White--M	6	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	8	-	-	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	55	35	9	4	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	25	16	5	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	12	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	5	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	19	5	5	2	2	1	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	8	3	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	30	2	1	1	-	3	4	5	3	4	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	17	-	1	1	-	2	1	2	2	4	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	1	2	3	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	13	2	3	2	-	-	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	2	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	104	17	4	1	1	-	2	6	-	2	1	4	3	5	7	6	9	8	8	2	6	6	5	1	-	-
	White--M	52	7	2	1	-	-	-	4	-	-	-	-	3	1	4	1	6	5	4	2	4	4	3	1	-	-
	F	37	7	2	-	-	-	1	1	-	-	1	3	-	3	2	4	2	1	4	-	2	2	2	-	-	-
	Nonwhite--M	6	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F	9	2	-	-	-	-	1	1	-	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
140-205	Malignant neoplasms, etc.*----	6,318	8	9	12	12	8	23	11	19	37	50	79	145	231	332	483	637	808	911	854	788	516	255	68	18	4
	White-----M--	2,938	5	4	6	4	5	14	7	11	16	28	40	44	57	105	189	302	406	444	437	400	249	133	28	4	2
	F--	2,895	3	5	5	8	3	7	4	7	19	20	30	79	137	167	231	275	329	404	379	360	253	116	39	14	1
	Nonwhite--M--	243	-	-	1	-	-	1	-	-	1	1	3	7	14	24	24	31	44	42	24	11	10	4	1	-	-
	F--	242	-	-	-	-	-	1	-	1	1	3	6	15	23	36	39	29	29	21	14	17	4	2	-	-	1
140-148	Of buccal cavity and pharynx----	178	-	-	-	-	-	-	1	1	1	-	-	-	3	9	13	14	22	23	27	34	20	7	3	-	-
	White-----M--	158	-	-	-	-	-	-	1	1	1	-	-	-	2	7	11	10	19	20	23	24	11	6	2	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	9	8	1	1	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	1	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	2,451	1	-	-	-	-	-	-	2	3	6	17	35	65	92	154	221	313	409	371	362	244	117	31	6	2
	White-----M--	1,232	-	-	-	-	-	-	-	1	1	4	11	15	26	35	72	107	176	220	194	191	106	60	12	-	1
	F--	1,054	1	-	-	-	-	-	-	1	2	2	4	10	31	33	56	89	106	162	162	163	132	55	19	6	-
	Nonwhite--M--	109	-	-	-	-	-	-	-	-	-	-	1	5	5	13	12	15	17	21	12	3	4	1	-	-	-
	F--	76	-	-	-	-	-	-	-	-	-	-	1	5	3	11	14	10	14	6	3	5	2	1	-	-	1
160-164	Of respiratory system----------	583	-	-	-	-	-	-	-	1	-	1	6	10	24	30	64	100	107	94	66	36	26	13	3	2	-
	White-----M--	425	-	-	-	-	-	-	-	-	-	1	3	7	15	16	48	81	85	70	45	26	16	10	2	-	-
	F--	113	-	-	-	-	-	-	-	1	-	-	2	2	4	9	9	11	15	19	17	10	8	3	1	2	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	1	5	4	6	7	7	3	4	-	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	-	-	-	-	-	-	-
170	Of breast---------	570	-	-	-	-	-	-	-	-	-	4	5	17	45	54	62	68	68	68	66	54	27	20	9	2	1
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	1	-
	F--	523	-	-	-	-	-	-	-	-	-	3	4	15	35	46	54	63	67	67	62	51	25	20	9	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	42	-	1	-	-	-	-	-	-	-	1	1	2	10	6	8	5	1	1	3	3	1	-	-	-	-
171-179	Of genital organs-	1,070	-	1	-	-	-	-	-	2	9	10	10	36	54	71	76	82	123	133	143	155	100	55	8	2	-
	White-----M--	378	-	-	-	-	-	-	-	1	5	2	2	3	2	6	1	10	27	51	72	87	69	33	5	2	-
	F--	579	-	1	-	-	-	-	-	1	3	7	7	28	43	56	60	64	78	69	60	55	27	18	2	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	7	5	5	6	3	3	1	-	-
	F--	78	-	-	-	-	-	-	-	-	1	1	1	5	8	9	13	6	11	8	6	7	1	1	-	-	-
180, 181	Of urinary organs-	291	-	1	4	1	1	1	-	1	-	-	3	3	3	7	24	39	44	45	41	32	28	10	2	1	-
	White-----M--	161	-	-	1	-	1	1	-	-	-	-	-	-	1	5	11	25	31	20	28	15	14	7	1	-	-
	F--	108	-	1	3	1	-	-	-	1	-	-	2	2	1	-	12	12	9	20	10	15	14	3	1	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	4	2	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	1	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	693	2	1	4	4	4	12	8	3	9	13	24	21	21	47	49	69	62	79	88	76	48	32	11	5	1
	White-----M--	343	2	1	3	3	3	7	5	1	3	8	16	7	5	24	25	43	28	34	43	35	22	17	6	1	1
	F--	316	-	-	-	1	1	3	3	2	5	4	8	14	15	17	22	21	30	36	44	40	26	15	5	4	-
	Nonwhite--M--	21	-	-	1	-	-	1	-	-	1	1	-	-	-	2	1	3	4	7	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	-	-	-	-	1	4	1	2	-	2	1	1	-	-	-	-	-
204	Leukemia and aleukemia----------	270	5	5	4	7	2	6	1	6	9	10	3	15	9	11	20	23	34	30	27	26	15	1	1	-	-
	White-----M--	137	3	2	2	1	1	3	-	4	3	5	2	8	2	3	10	13	18	16	18	16	7	-	-	-	-
	F--	116	2	3	2	6	1	3	1	1	6	4	1	5	5	4	8	10	12	13	9	10	8	1	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	1	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	1	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	212	-	1	-	-	1	4	1	3	6	6	11	8	7	11	21	21	35	30	25	13	8	-	-	-	-
	White-----M--	119	-	1	-	-	-	3	1	3	3	6	4	4	7	11	13	22	13	13	6	3	-	-	-	-	-
	F--	78	-	-	-	-	1	1	-	-	3	-	2	3	3	2	9	4	10	16	12	7	5	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	2	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	167	5	2	1	-	2	8	5	-	-	3	13	8	14	19	14	23	12	15	8	9	5	1	-	-	-
	White-----M--	56	2	2	-	-	-	5	3	-	-	1	5	-	6	3	4	11	3	5	1	4	1	-	-	-	-
	F--	86	2	-	1	-	2	3	2	-	-	1	6	7	7	11	6	9	8	9	5	5	3	1	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	1	2	1	1	5	3	3	2	1	1	-	1	-	-	-	-	-
260	Diabetes mellitus-	730	1	1	-	1	1	2	-	2	2	5	9	9	14	14	37	74	96	133	122	110	77	18	2	-	-
	White-----M--	251	-	1	-	-	-	1	-	1	-	1	4	6	5	1	11	20	35	46	31	44	33	10	1	-	-
	F--	412	1	-	-	1	1	-	-	-	1	3	4	2	5	8	20	40	54	80	86	59	40	6	1	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	6	3	6	2	5	1	-	-	-	-
	F--	35	-	-	-	-	-	1	-	1	1	1	-	1	3	1	3	8	4	1	3	2	3	2	-	-	-
290-293	Anemias----------	157	5	3	2	1	-	-	2	-	1	1	2	2	4	1	6	5	9	16	22	29	26	16	4	-	-
	White-----M--	67	2	2	1	-	-	-	2	-	1	-	1	-	1	-	3	3	3	7	10	15	9	6	1	-	-
	F--	76	2	-	1	-	-	-	-	-	-	-	-	2	1	1	2	1	5	8	11	14	15	10	3	-	-
	Nonwhite--M--	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F--	9	-	1	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	2	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	52	10	3	1	-	2	8	-	-	-	-	1	-	2	5	5	4	1	3	4	1	-	2	-	-	-
	White-----M--	21	3	-	-	-	1	3	-	-	-	-	1	-	2	1	1	3	-	2	3	-	-	1	-	-	-
	F--	21	5	1	-	-	1	4	-	-	-	-	-	-	-	1	3	1	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	7	1	1	1	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	23,730	14	4	4	4	4	13	19	23	37	58	101	208	383	662	1,131	1,618	2,216	3,002	3,582	4,012	3,518	2,062	810	186	59
	White-----M--	12,248	6	2	3	3	1	7	6	13	18	30	42	96	194	367	634	929	1,266	1,681	1,822	2,061	1,703	922	343	73	24
	F--	9,360	4	2	1	1	2	2	9	6	13	15	33	57	94	144	273	449	675	1,023	1,509	1,738	1,682	1,071	436	102	19
	Nonwhite--M--	1,112	4	-	-	-	1	1	3	2	4	4	15	21	49	79	109	138	138	152	132	117	73	38	17	7	8
	F--	1,012	-	-	-	-	-	3	1	2	2	9	11	34	46	72	115	102	137	146	119	96	60	31	14	4	8
330-334, 400-468	Diseases of cardiovascular system-	22,661	12	4	4	2	4	8	14	18	27	49	88	191	361	624	1,065	1,562	2,128	2,881	3,444	3,830	3,372	1,966	769	181	57
	White-----M--	11,742	6	2	3	1	1	5	4	9	10	25	34	91	188	354	597	909	1,227	1,622	1,751	1,965	1,638	880	325	71	24
	F--	8,912	3	2	1	1	2	2	7	6	13	13	30	49	87	127	254	427	636	974	1,451	1,663	1,609	1,020	418	100	17
	Nonwhite--M--	1,051	3	-	-	-	1	-	2	1	2	3	14	21	43	73	105	134	133	140	129	111	70	37	14	7	8
	F--	956	-	-	-	-	-	1	1	2	2	8	10	30	43	70	109	92	132	145	113	91	55	29	12	3	8
330-334	Vascular lesions, etc.*----------	5,161	5	2	1	1	1	2	1	2	3	9	11	27	68	120	191	313	419	665	848	947	852	476	153	34	10
	White-----M--	2,338	2	2	1	-	-	-	-	2	1	4	1	9	16	39	67	134	199	328	385	444	414	207	67	10	8
	F--	2,337	1	-	-	1	-	1	-	-	1	3	5	8	27	43	71	124	171	256	402	459	411	249	81	22	1
	Nonwhite--M--	234	2	-	-	-	1	-	1	-	-	-	2	5	10	17	24	29	17	35	39	20	13	13	3	1	2
	F--	252	-	-	-	-	-	1	-	-	1	2	3	5	15	21	29	26	32	46	22	24	14	7	2	1	1
400-402	Rheumatic fever----	43	1	-	1	-	1	2	6	2	2	3	5	5	5	2	3	2	1	-	1	-	-	-	1	-	-
	White-----M--	21	1	-	-	-	-	1	3	-	-	1	3	1	4	2	1	2	1	-	1	-	-	-	-	-	-
	F--	18	-	-	1	-	1	1	1	1	2	2	2	3	1	-	2	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
410-443	Diseases of heart	15,895	3	1	2	1	1	4	7	13	18	33	58	138	264	473	822	1,184	1,611	2,079	2,414	2,652	2,213	1,250	501	113	40
	White—M	8,627	2	-	2	1	1	4	1	7	8	18	28	70	160	303	511	740	977	1,213	1,278	1,401	1,064	559	216	48	15
	F	5,921	1	1	-	-	-	-	6	4	9	7	19	36	55	81	167	289	432	678	970	1,111	1,062	652	268	59	14
	Nonwhite—M	732	-	-	-	-	-	-	-	1	1	3	6	12	26	51	76	94	107	98	85	81	51	21	8	5	6
	F	615	-	-	-	-	-	-	-	1	-	5	5	20	23	38	68	61	95	90	81	59	36	18	9	1	5
410-416	Chronic rheumatic heart disease	648	...	-	-	-	-	1	3	6	9	9	9	23	38	49	53	50	65	73	70	64	68	35	15	5	3
	White—M	304	...	-	-	-	-	1	1	3	3	7	3	8	17	24	26	15	34	34	34	34	34	17	8	1	-
	F	277	...	-	-	-	-	-	2	2	6	1	6	14	16	18	15	29	22	31	30	28	29	16	6	4	2
	Nonwhite—M	37	...	-	-	-	-	-	-	1	-	-	-	1	2	3	7	4	7	4	3	1	2	1	1	-	-
	F	30	...	-	-	-	-	-	-	-	-	1	-	-	3	4	5	2	2	4	3	1	5	1	-	-	1
420	Arteriosclerotic heart dis., etc.*	8,505	3	-	1	-	-	1	-	4	4	10	19	62	142	288	494	757	1,012	1,231	1,373	1,373	995	497	188	38	13
	White—M	5,253	2	-	1	-	-	1	-	3	3	5	13	44	113	230	374	548	704	785	802	774	503	233	91	20	4
	F	2,813	1	-	-	-	-	-	-	1	1	3	2	12	18	36	85	157	240	376	506	548	465	250	92	15	5
	Nonwhite—M	258	-	-	-	-	-	-	-	-	-	1	2	2	7	15	20	34	37	42	37	30	17	8	1	2	3
	F	181	-	-	-	-	-	-	-	-	-	1	2	4	4	7	15	18	31	28	28	21	10	6	4	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	3,347	...	1	-	-	1	1	-	3	3	2	6	15	27	39	85	130	196	308	464	653	680	467	201	53	12
	White—M	1,617	...	-	-	-	1	1	-	1	-	1	2	8	13	18	40	69	100	181	236	328	309	209	75	21	4
	F	1,504	...	1	-	-	-	-	-	1	2	-	3	1	9	10	26	41	67	106	195	294	345	247	121	29	6
	Nonwhite—M	124	...	-	-	-	-	-	-	-	1	-	1	2	3	7	9	12	15	11	16	18	15	5	5	3	1
	F	102	...	-	-	-	-	-	-	1	-	1	-	4	2	4	10	8	14	10	17	13	11	6	-	-	1
430-434	Other diseases of heart	790	-	-	1	1	-	1	4	-	2	8	14	16	15	34	47	59	88	98	97	122	95	60	20	3	5
	White—M	435	-	-	1	1	-	1	-	-	2	3	8	7	9	17	26	28	54	85	49	69	49	33	8	2	3
	F	249	-	-	-	-	-	-	4	-	-	3	4	4	1	6	10	16	19	21	39	46	41	21	12	1	1
	Nonwhite—M	59	-	-	-	-	-	-	-	-	-	1	1	2	2	7	3	9	7	7	5	7	3	4	-	-	1
	F	47	-	-	-	-	-	-	-	-	-	1	1	3	3	4	8	6	8	5	4	-	2	2	-	-	-
440-443	Hypertension with heart dis.	2,605	-	-	-	-	-	-	-	-	4	10	22	42	63	143	188	250	369	410	440	375	191	77	14	7
	White—M	1,018	-	-	-	-	-	-	-	-	2	2	3	6	14	45	80	85	148	157	196	169	67	34	4	4
	F	1,078	-	-	-	-	-	-	-	-	-	-	4	5	11	11	31	46	84	144	200	195	182	118	37	10	-
	Nonwhite—M	254	-	-	-	-	-	-	-	-	-	1	2	5	12	19	37	35	41	34	24	25	14	3	1	-	1
	F	255	-	-	-	-	-	-	-	-	-	1	2	9	11	19	30	27	40	43	29	24	10	3	5	-	2
444-447	Hypertension without mention of heart	433	-	-	-	-	-	-	-	-	1	2	8	11	14	17	28	20	34	42	71	48	67	43	24	3	-
	White—M	191	-	-	-	-	-	-	-	1	-	-	6	3	5	7	8	13	24	29	22	38	23	10	2	-	-
	F	155	-	-	-	-	-	-	-	-	-	1	1	-	3	2	7	3	16	11	34	19	27	18	12	1	-
	Nonwhite—M	43	-	-	-	-	-	-	-	-	-	-	6	3	4	3	4	6	3	1	3	4	2	2	2	-	-
	F	44	-	-	-	-	-	-	-	-	-	1	1	2	4	7	10	3	2	6	5	3	-	-	-	-	-
450	General arteriosclerosis	881	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	14	30	55	82	163	223	183	86	31	7
	White—M	424	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	7	13	30	42	86	115	84	31	11	3
	F	409	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	12	21	35	68	99	94	54	18	2
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	5	4	1	1	1	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	4	4	5	4	-	1	2
451-468	Other diseases of circulatory sys.	248	3	1	-	-	1	-	-	1	3	2	6	9	10	10	17	29	33	40	28	20	17	14	4	-	-
	White—M	141	1	-	-	-	-	-	-	-	-	2	2	4	5	5	10	18	24	27	16	12	7	7	1	-	-
	F	72	1	1	-	-	1	-	-	1	1	-	3	2	1	1	5	7	5	6	10	6	10	7	2	-	-
	Nonwhite—M	20	1	-	-	-	-	-	-	-	1	-	-	1	3	2	1	3	2	4	1	1	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	1	2	1	1	1	-	-	1	-	-
592-594	Chronic nephritis etc.*	1,069	2	-	-	2	-	5	5	5	10	9	13	17	22	38	66	56	98	121	138	182	146	96	41	5	2
	White—M	504	-	-	-	2	-	2	2	4	8	5	6	5	6	13	37	20	39	59	71	96	65	42	18	2	-
	F	448	1	-	-	-	-	-	2	-	-	2	3	8	7	17	19	22	39	49	58	75	73	51	18	2	2
	Nonwhite—M	61	1	-	-	-	-	1	1	1	2	1	1	-	6	6	4	4	5	12	3	6	3	1	3	-	-
	F	56	-	-	-	-	-	2	-	-	-	1	1	4	3	2	6	10	5	1	6	5	5	2	2	1	-
480-493	Influenza and pneumonia, etc.*	1,718	188	32	16	9	4	14	7	11	16	15	11	20	37	56	83	81	88	138	180	235	208	150	97	15	5
	White—M	799	77	13	7	6	-	4	3	4	11	5	7	5	18	24	37	35	47	72	109	120	89	66	34	4	2
	F	675	85	12	5	1	3	9	4	5	5	7	2	8	7	14	19	21	23	49	56	102	108	77	60	10	3
	Nonwhite—M	120	23	2	2	1	-	1	-	2	2	-	2	1	7	10	14	11	8	9	7	9	5	2	2	-	-
	F	124	23	5	2	1	1	-	-	-	-	3	-	6	5	8	13	14	10	8	8	4	6	5	1	1	-
480-483	Influenza	252	8	3	2	1	1	-	2	2	2	4	-	-	4	6	13	16	7	25	24	44	40	27	17	3	1
	White—M	112	6	2	-	-	-	-	1	1	-	2	-	-	2	3	4	7	3	15	16	20	12	12	6	-	-
	F	123	2	1	2	1	1	-	1	1	2	1	-	-	2	1	4	7	2	8	8	23	26	15	11	3	1
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	1	-	1	-	1	1	-	-	-	-
490-493	Pneumonia, etc.*	1,466	180	29	14	8	3	14	5	9	16	11	11	20	33	50	70	65	81	113	156	191	168	123	80	12	4
	White—M	687	71	11	7	6	-	4	2	3	11	3	7	5	16	21	33	28	44	57	93	100	77	54	28	4	2
	F	552	83	11	3	-	2	9	3	4	3	6	2	8	5	13	15	14	21	41	48	79	82	62	49	7	2
	Nonwhite—M	113	23	2	2	1	-	1	-	2	2	-	2	1	7	9	13	10	6	8	7	9	4	2	2	-	-
	F	114	23	5	2	1	1	-	-	-	-	2	-	6	5	7	9	13	10	7	8	3	5	5	1	1	-
500-502	Bronchitis	96	12	5	3	1	-	1	-	-	-	2	-	-	-	2	7	3	7	9	9	8	12	4	10	1	-
	White—M	55	8	2	2	1	-	1	-	-	-	-	-	-	-	2	3	3	6	5	6	5	5	1	5	-	-
	F	33	3	2	1	-	-	-	-	-	-	2	-	-	-	-	1	-	1	3	3	3	6	3	4	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	1	-	-
540, 541	Ulcer of stomach and duodenum	236	2	-	-	-	-	-	-	1	1	2	2	7	8	18	30	34	32	28	24	24	12	10	-	1	-
	White—M	173	1	-	-	-	-	-	-	-	1	1	2	4	4	10	24	27	25	22	17	18	9	8	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	2	6	4	6	6	3	2	-	-	-
	Nonwhite—M	18	1	-	-	-	-	-	-	-	-	1	-	1	2	2	4	4	1	1	-	-	-	-	-	1	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-
550-553	Appendicitis	84	-	-	3	1	1	4	3	4	2	2	2	5	6	4	7	-	3	14	7	6	4	3	3	-	-
	White—M	60	-	-	2	-	1	2	3	4	2	-	2	5	5	3	3	-	2	8	5	4	4	2	3	-	-
	F	18	-	-	1	1	-	1	-	-	-	2	-	-	-	-	3	-	1	5	2	2	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	300	30	1	-	-	1	-	-	2	1	4	5	5	10	13	8	25	36	44	38	35	22	17	3	-	-
	White—M	137	15	1	-	-	-	-	-	1	-	-	1	1	2	6	2	10	17	20	20	17	9	12	3	-	-
	F	128	9	-	-	-	1	-	-	1	-	2	3	3	4	4	3	11	14	23	16	18	12	5	-	-	-
	Nonwhite—M	21	5	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	3	4	-	1	-	1	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	2	-	1	2	2	1	1	1	1	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
543,	Gastritis, etc.*--	161	59	9	1	1	-	-	-	2	2	-	3	2	2	6	6	4	10	5	14	12	10	8	3	1	1
571,	White-----M--	76	26	5	-	-	-	-	-	-	1	-	-	1	1	4	4	3	4	1	8	6	6	4	1	1	-
572	F--	61	19	2	1	-	-	-	-	2	-	-	3	1	-	2	2	-	3	4	6	6	4	4	2	-	-
	Nonwhite--M--	11	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1
	F--	13	8	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	370	4	-	-	-	1	1	-	-	1	2	9	12	29	45	38	56	38	44	41	25	17	7	-	-	-
	White-----M--	214	2	-	-	-	1	-	-	-	1	1	4	5	12	27	27	45	28	25	22	6	6	2	-	-	-
	F--	126	2	-	-	-	-	1	-	-	-	-	5	3	9	14	9	9	8	17	17	17	10	5	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	2	1	1	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	2	6	2	1	2	-	1	1	2	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	134	3	2	-	1	1	2	2	3	2	3	4	3	7	8	6	12	7	9	17	21	9	9	3	-	-
	White-----M--	85	1	2	-	1	1	1	1	1	2	1	2	2	5	4	3	4	3	6	6	9	2	6	2	-	-
	F--	51	1	-	-	-	-	1	-	1	-	1	-	1	1	1	2	7	4	2	9	11	7	2	1	-	-
	Nonwhite--M--	11	1	-	-	-	-	1	-	1	-	-	-	-	-	3	1	-	-	1	1	1	-	1	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	219	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	7	12	27	24	50	55	30	7	1	2
	White-----M--	192	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	9	25	21	46	51	30	5	1	1
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	3	2	3	4	4	-	2	-	1
640-	Complications of																										
689	pregnancy, etc.*-	67	...	...	...	...	...	...	-	5	12	12	14	11	13	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	53	...	...	...	...	...	...	-	5	8	11	9	8	12	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	14	...	...	...	...	...	...	-	-	4	1	5	3	1	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	7	...	...	...	...	...	...	-	-	3	1	1	-	2	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	6	...	...	...	...	...	...	-	-	2	1	1	-	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
648,	plications-------	60	...	...	...	...	...	...	-	5	9	11	13	11	11	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	47	...	...	...	...	...	...	-	5	6	10	8	8	10	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	13	...	...	...	...	...	...	-	-	3	1	5	3	1	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	450	361	18	8	4	3	6	1	6	3	2	3	6	4	6	2	4	4	1	3	2	1	1	1	-	-
	White-----M--	242	193	8	4	2	2	4	1	5	2	-	2	5	4	5	1	1	1	1	-	1	-	-	-	-	-
	F--	191	158	7	3	2	1	1	-	1	1	2	1	-	-	1	1	3	3	-	2	2	-	1	1	-	-
	Nonwhite--M--	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,495	1,495	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	735	735	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	505	505	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	595	595	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	309	309	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	766	766	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	374	374	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	249	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	581	46	4	-	2	1	-	-	1	7	4	6	6	7	17	24	42	45	43	61	60	59	65	61	11	9
795	White-----M--	330	19	2	-	2	1	-	-	-	3	-	3	5	3	7	18	27	37	28	42	34	25	40	27	2	5
	F--	176	15	2	-	-	-	-	-	1	3	2	1	-	2	4	4	6	5	7	14	18	26	22	33	7	4
	Nonwhite--M--	48	8	-	-	-	-	-	-	-	1	1	-	-	2	4	1	6	1	7	4	6	4	1	1	1	-
	F--	27	4	-	-	-	-	-	-	-	-	1	2	1	-	2	1	3	2	1	1	2	4	2	-	1	-
Re-	All other diseases	1,879	101	15	14	11	9	15	13	27	29	29	47	62	65	83	127	151	166	207	218	200	155	89	37	5	4
sid-	White-----M--	877	47	7	7	6	6	7	8	12	14	9	13	16	33	38	52	68	88	109	103	102	73	41	15	2	1
ual	F--	771	36	6	3	2	3	7	2	9	9	15	23	33	21	31	52	49	59	76	102	89	75	45	20	3	2
	Nonwhite--M--	144	14	1	2	1	-	1	2	2	2	3	6	6	8	9	12	18	16	15	7	7	7	3	1	-	1
	F--	87	4	1	2	2	-	-	1	4	4	2	5	7	3	5	11	16	4	7	6	2	-	-	1	-	-
E800-	Accidents----------	2,621	84	41	35	38	15	75	60	131	100	134	114	138	118	109	123	117	143	143	161	223	213	153	57	9	7
E962	White-----M--	1,551	32	14	18	12	5	37	40	91	135	98	81	90	81	74	84	90	91	87	92	105	100	51	18	3	2
	F--	815	33	18	8	16	6	21	17	27	22	25	19	28	18	18	20	16	38	43	58	108	110	100	37	5	4
	Nonwhite--M--	192	12	5	4	4	1	12	3	10	16	7	10	17	16	15	16	9	10	8	7	6	1	-	1	1	1
	F--	83	7	4	5	6	3	5	-	3	7	4	4	3	3	2	3	2	4	5	4	4	2	2	1	-	-
E810-	Motor-vehicle																										
E835	accidents----------	942	10	7	11	12	4	29	15	80	113	85	67	77	52	46	47	51	64	59	39	36	28	7	2	-	1
	White-----M--	633	2	3	5	4	2	14	9	54	79	62	49	59	33	31	33	39	41	38	29	20	20	4	2	-	1
	F--	214	6	4	4	6	-	8	5	20	20	18	13	6	13	7	11	8	17	16	9	12	8	3	-	-	-
	Nonwhite--M--	72	1	-	1	1	1	5	1	5	10	3	4	9	5	8	3	3	4	4	1	3	-	-	-	-	-
	F--	23	1	-	1	1	1	2	-	1	4	2	1	3	1	-	-	1	2	1	-	1	-	-	-	-	-
E800-	All ot. accidents-	1,679	74	34	24	26	11	46	45	51	67	49	47	61	66	63	76	66	79	84	122	187	185	146	55	9	6
E802,	White-----M--	898	30	11	13	8	3	23	31	37	56	36	32	31	48	43	51	51	50	49	63	85	80	47	18	3	1
E840-	F--	601	27	14	4	10	6	13	12	7	2	7	6	22	5	11	9	8	21	27	49	96	102	97	37	5	4
E962	Nonwhite--M--	120	11	6	3	3	-	7	2	5	6	4	6	8	11	7	13	6	6	4	6	3	1	-	1	1	1
	F--	60	6	4	4	5	2	3	-	2	3	2	3	-	2	2	3	1	2	4	4	3	2	2	1	-	-
E963,	Suicide----------	473	-	-	-	-	-	-	-	11	17	21	24	29	41	40	55	54	53	52	35	30	6	2	4	-	1
E970-	White-----M--	357	-	-	-	-	-	-	-	8	10	15	14	19	31	33	40	38	41	43	30	23	5	2	4	-	1
E979	F--	96	-	-	-	-	-	-	-	2	3	5	7	7	8	6	13	15	11	9	4	5	1	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	4	1	1	2	2	1	-	1	-	-	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-
E964,	Homicide----------	233	4	-	-	-	1	2	3	7	27	21	27	24	30	28	24	12	8	9	2	3	-	1	-	-	-
E980-	White-----M--	84	2	-	-	-	-	2	-	1	7	5	10	6	15	12	7	4	4	8	-	-	1	-	-	-	-
E985	F--	30	1	-	-	-	1	-	2	1	3	-	4	1	3	5	5	2	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	101	1	-	-	-	-	-	-	1	2	15	16	9	14	10	10	11	6	4	-	1	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	1	3	2	-	4	3	2	1	1	-	-	1	1	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA																										
	ALL CAUSES	5,822	441	40	24	14	14	39	34	58	80	74	94	134	165	212	268	398	586	745	708	704	520	318	117	25	10
	White--M	3,578	213	17	11	7	4	21	24	42	40	57	52	87	114	141	179	271	394	500	440	432	280	176	58	13	5
	F	2,000	169	15	7	3	8	13	9	9	30	13	31	43	45	60	81	115	185	228	252	249	229	137	55	11	3
	Nonwhite--M	137	27	4	2	2	1	4	-	3	6	1	9	3	3	5	3	6	6	14	11	15	5	3	3	1	-
	F	107	32	4	4	2	1	1	1	4	4	3	2	1	3	6	5	6	1	3	5	8	6	2	1	-	2
001-019	Tuberculosis, all forms	111	3	5	2	2	1	3	3	2	4	4	3	5	4	8	10	8	12	12	12	7	1	-	-	-	-
	White--M	58	1	-	-	-	-	-	-	-	1	4	1	2	2	5	8	3	11	9	7	4	-	-	-	-	-
	F	22	-	2	-	-	-	1	2	-	-	-	2	3	1	2	-	3	1	2	2	1	-	-	-	-	-
	Nonwhite--M	17	1	2	1	1	1	1	-	1	-	-	-	-	1	-	1	-	-	1	3	2	1	-	-	-	-
	F	14	1	1	1	1	-	1	1	1	3	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	93	2	1	-	1	1	1	1	2	4	2	2	5	4	6	9	7	12	12	11	7	1	-	-	-	-
	White--M	52	-	-	-	-	-	-	-	-	1	2	-	2	2	5	7	3	11	9	6	4	-	-	-	-	-
	F	17	-	1	-	-	-	-	-	-	-	-	2	3	1	2	-	2	1	2	2	1	-	-	-	-	-
	Nonwhite--M	13	1	-	-	-	1	1	-	1	-	-	-	-	1	-	1	-	-	1	3	2	1	-	-	-	-
	F	11	1	-	-	1	-	-	1	1	3	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	18	1	4	2	1	-	2	2	-	-	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	White--M	6	1	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	5	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	31	3	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	3	9	5	1	1	-	-	-	-
	White--M	22	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	8	4	1	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	10	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	1	1	1	-	1	-	-	-
	White--M	7	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
140-205	Malignant neoplasms, etc.*—	756	1	1	3	2	-	4	3	2	4	8	8	17	18	31	47	83	95	127	108	86	67	16	3	1	1
	White— M	408	1	1	2	-	-	1	3	2	-	5	3	4	5	16	19	45	55	81	61	52	37	11	3	-	1
	F	314	-	-	1	2	-	3	-	-	4	3	4	13	11	15	27	37	38	44	44	32	30	5	-	1	-
	Nonwhite— M	9	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	2	1	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	4	2	-	-	-	-	-
	White— M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-158A, 157-159	Of digestive organs and peritoneum	282	-	-	-	-	-	-	-	-	1	1	2	3	5	9	13	27	41	63	40	41	30	5	1	-	-
	White— M	161	-	-	-	-	-	-	-	-	-	1	-	1	3	5	5	15	22	38	28	24	16	4	1	-	-
	F	113	-	-	-	-	-	-	-	-	1	-	2	2	1	4	7	12	18	23	13	15	14	1	-	-	-
	Nonwhite— M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system	82	-	-	-	-	-	-	-	-	-	1	-	1	1	5	8	11	16	15	11	7	5	1	-	-	-
	White— M	66	-	-	-	-	-	-	-	-	-	1	-	-	-	5	7	11	14	12	6	5	4	1	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	3	3	2	1	-	-	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
170	Of breast	55	-	-	-	-	-	-	-	-	-	-	-	4	4	1	9	5	7	4	9	5	3	2	-	-	-
	White— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	52	-	-	-	-	-	-	-	-	-	-	-	4	4	1	9	5	6	4	9	5	3	2	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	118	-	-	-	-	-	-	-	-	-	-	2	4	3	7	7	15	11	19	22	10	13	5	-	-	-
	White— M	47	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	7	9	12	7	5	4	-	-	-
	F	70	-	-	-	-	-	-	-	-	-	-	1	3	3	7	7	13	4	10	10	3	8	1	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	41	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	8	8	9	5	2	1	1	-	-
	White— M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	4	6	8	3	1	-	1	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	2	1	1	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	77	1	1	-	1	-	-	1	-	1	3	4	3	1	4	3	10	4	11	10	7	7	2	1	1	1
	White— M	51	1	1	-	-	-	-	1	-	-	1	2	1	1	2	3	5	3	9	6	6	5	2	1	-	1
	F	25	-	-	-	1	-	-	-	-	1	2	1	2	-	2	-	5	1	2	4	1	2	-	-	1	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	43	-	-	3	1	-	3	1	1	1	2	-	1	4	-	3	6	4	2	2	5	4	-	-	-	-
	White— M	25	-	-	2	-	-	1	1	1	-	1	-	1	1	-	2	4	2	2	1	2	4	-	-	-	-
	F	17	-	-	1	1	-	2	-	-	1	1	-	-	3	-	1	2	1	-	1	3	-	-	-	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	26	-	-	-	-	-	1	1	1	1	1	-	1	-	3	2	2	3	2	1	4	3	-	-	-	-
	White— M	17	-	-	-	-	-	-	1	1	-	1	-	-	-	2	1	2	2	2	-	3	2	-	-	-	-
	F	9	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	1	-	1	1	1	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	28	2	1	1	-	-	1	-	1	1	-	2	2	3	1	2	1	4	2	2	1	1	-	-	-	-
	White— M	9	-	1	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-
	F	18	2	-	-	-	-	-	-	-	1	-	1	1	2	1	2	1	4	1	1	-	1	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	68	-	-	1	-	-	-	-	-	2	2	-	2	2	1	2	5	11	7	8	13	8	2	2	-	-
	White— M	28	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	2	5	4	1	8	2	-	-	-	-
	F	38	-	-	1	-	-	-	-	-	2	1	-	-	-	1	-	3	6	2	7	5	6	2	2	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
290-293	Anemias	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	3	6	3	2	-	-	-
	White— M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	5	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	2	2	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	5	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White— M	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,779	2	1	1	-	-	2	2	2	4	12	12	37	47	91	119	207	307	433	411	448	337	210	75	15	4
	White— M	1,717	1	1	-	-	-	-	1	1	1	10	7	26	33	67	84	147	206	279	250	271	175	113	35	7	2
	F	1,012	1	-	1	-	-	1	1	-	3	2	4	10	14	19	33	54	98	144	155	169	160	94	40	7	2
	Nonwhite— M	34	-	-	-	-	-	1	-	-	-	-	1	1	-	3	1	4	3	8	4	4	1	2	-	1	-
	F	16	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	2	2	4	1	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,708	2	1	1	-	-	2	2	2	3	9	10	35	44	90	117	206	303	420	399	437	330	205	73	13	4
	White— M	1,677	1	1	-	-	-	-	1	1	1	8	5	26	31	66	83	146	204	273	244	265	170	110	34	5	2
	F	983	1	-	1	-	-	1	1	-	2	1	4	9	13	19	32	54	96	138	149	164	158	92	39	7	2
	Nonwhite— M	32	-	-	-	-	-	1	-	-	-	-	1	-	-	3	1	4	3	7	4	4	1	2	-	1	-
	F	16	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	2	2	4	1	1	-	-	-
330-334	Vascular lesions, etc.*	594	2	-	-	-	-	1	-	-	-	1	1	5	9	14	20	44	55	84	97	109	79	49	19	3	2
	White— M	296	1	-	-	-	-	-	-	-	-	1	-	4	3	6	11	19	25	51	48	57	40	20	8	-	2
	F	287	1	-	-	-	-	-	-	-	-	-	1	1	6	8	8	23	28	33	48	50	38	28	11	3	-
	Nonwhite— M	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	1	2	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
400-402	Rheumatic fever	8	-	-	-	-	-	-	1	-	-	4	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	White— M	7	-	-	-	-	-	-	1	-	-	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
410-443	Diseases of heart-	1,902	-	1	1	-	-	-	1	2	2	4	6	27	34	73	87	154	237	319	278	296	208	121	42	7	2
	White-----M--	1,255	-	1	-	-	-	-	-	1	-	3	3	21	27	58	65	121	173	212	185	184	107	68	23	3	-
	F--	611	-	-	1	-	-	-	1	-	2	1	2	6	7	10	21	29	63	98	88	108	100	51	19	4	2
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	3	1	7	3	2	1	1	-	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	2	2	4	-	1	-	-	-
410-416	Chronic rheumatic heart disease----	86	...	-	-	-	-	-	1	1	-	3	3	4	6	9	11	4	15	15	6	7	1	-	-	-	-
	White-----M--	45	...	-	-	-	-	-	-	-	-	2	2	2	3	6	4	4	10	7	2	3	-	-	-	-	-
	F--	37	...	-	-	-	-	-	1	-	-	1	1	2	3	1	7	-	5	8	3	4	1	-	-	-	-
	Nonwhite--M--	2	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	2	...	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,135	-	-	-	-	-	-	-	-	2	-	1	18	20	44	57	98	164	217	159	166	107	80	16	4	2
	White-----M--	824	-	-	-	-	-	-	-	-	-	-	1	18	17	39	48	82	130	160	113	112	56	40	7	3	-
	F--	300	-	-	-	-	-	-	-	-	2	-	-	2	3	4	9	14	34	54	43	52	51	20	9	1	2
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	331	...	1	-	-	-	-	-	1	-	-	1	-	4	4	11	18	27	36	60	65	47	35	19	2	-
	White-----M--	186	...	1	-	-	-	-	-	1	-	-	-	-	3	1	7	13	15	20	37	35	23	16	14	-	-
	F--	138	...	-	-	-	-	-	-	-	-	-	1	-	1	3	3	5	11	15	23	28	23	18	5	2	-
	Nonwhite--M--	4	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
	F--	3	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
430-434	Other diseases of heart---------	169	-	-	1	-	-	-	-	-	-	1	1	4	4	10	6	18	16	27	20	29	23	8	1	-	-
	White-----M--	116	-	-	-	-	-	-	-	-	-	1	-	3	4	9	5	16	12	16	15	21	9	4	1	-	-
	F--	47	-	-	1	-	-	-	-	-	-	-	1	1	-	1	1	1	4	7	5	8	14	4	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	181	-	-	-	-	-	-	-	-	-	-	-	1	-	6	2	16	15	24	33	29	30	18	6	1	-
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	6	6	9	18	13	19	8	1	-	-
	F--	89	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	9	9	14	14	14	11	9	5	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-
444-447	Hypertension without mention of heart----------	48	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	3	4	5	7	9	5	5	2	1	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	2	2	3	5	2	3	1	1	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	4	4	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis---------	122	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	9	13	19	37	25	10	2	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	6	5	16	20	16	2	1	-
	F--	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	8	3	17	9	8	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	34	-	-	-	-	-	1	-	-	1	-	2	2	-	-	3	4	5	3	4	3	1	5	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3	4	3	2	3	2	1	3	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	2	1	1	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-594	Chronic nephritis, etc.*----------	71	-	-	-	-	-	-	-	-	1	3	2	2	3	1	2	1	4	13	12	11	7	5	2	2	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	2	2	-	2	1	1	1	2	6	6	8	5	3	1	2	-
	F--	29	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	2	6	6	5	2	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Influenza and pneumonia, etc.*-	202	45	4	3	1	-	1	-	1	-	2	1	3	8	7	9	8	13	18	23	27	12	11	5	-	-
	White-----M--	107	16	1	-	-	-	-	-	-	-	1	-	1	6	5	6	5	10	15	15	16	3	5	2	-	-
	F--	55	9	2	-	1	-	-	-	-	-	-	-	1	1	2	3	2	3	3	6	8	7	5	2	-	-
	Nonwhite--M--	17	8	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	3	-	-	-	-	-
	F--	23	12	-	2	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-	2	1	1	-	-
480-483	Influenza---------	30	5	2	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	4	-	5	4	1	3	-	-
	White-----M--	16	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	3	1	1	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	3	-	1	-	-
	Nonwhite--M--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
490-493	Pneumonia, etc.*---	172	40	2	3	1	-	1	-	1	-	2	1	3	7	5	9	6	12	14	23	22	8	10	2	-	-
	White-----M--	91	14	-	-	-	-	-	-	1	-	1	-	1	6	4	6	4	9	11	15	13	2	4	1	-	-
	F--	47	9	2	-	1	-	-	-	-	-	-	-	1	-	1	3	1	3	3	6	7	4	5	1	-	-
	Nonwhite--M--	13	6	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	F--	21	11	-	2	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-	2	1	-	-	-
500-502	Bronchitis---------	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-
	White-----M--	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	36	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	5	9	3	9	-	3	-	1	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	5	7	2	8	-	2	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	13	-	-	-	-	-	-	-	-	1	1	1	3	-	1	-	1	1	1	2	-	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	43	2	-	-	-	-	-	-	-	-	-	2	2	-	1	6	2	4	6	3	3	6	5	1	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	3	3	3	3	5	4	-	-	-
	F--	15	2	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	3	-	-	1	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
543, 571, 572	Gastritis, etc.*--	26	7	2	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	1	2	3	4	1	1	1	-
	White-----M--	13	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	3	1	1	-	-	-
	F--	8	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	-	-	1	-	-
	Nonwhite--M--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	45	-	-	-	-	-	-	-	1	-	1	2	-	6	4	4	6	5	4	6	1	4	-	1	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	1	-	4	2	4	3	3	3	4	1	3	-	1	-	-
	F--	14	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	3	2	1	2	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	17	2	-	1	-	1	-	-	-	1	-	1	2	-	1	-	-	2	1	1	1	-	3	-	-	-
	White-----M--	14	1	-	1	-	-	-	-	-	1	-	1	2	-	1	-	-	2	1	1	1	-	3	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	4	10	10	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	4	9	10	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	18	...	...	...	...	...	...	-	1	4	3	5	4	1	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	16	...	...	...	...	...	...	-	-	4	3	4	4	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	1	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion----------	5	...	...	...	...	...	...	-	1	1	2	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	4	...	...	...	...	...	...	-	-	1	2	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications--------	15	...	...	...	...	...	...	-	-	3	1	4	4	1	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	12	...	...	...	...	...	...	-	-	3	1	3	4	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations--------	83	69	3	1	-	1	2	1	-	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-	-	-
	White-----M--	52	44	1	1	-	-	1	1	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
	F--	29	24	2	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	239	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	198	8	1	-	-	1	-	-	1	2	-	1	4	2	3	5	8	21	19	21	24	18	35	15	7	2
	White-----M--	127	4	-	-	-	-	-	-	1	-	-	1	3	2	3	4	7	18	15	15	13	12	15	9	4	1
	F--	52	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	3	5	6	4	19	5	3	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	-	-
	F--	10	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	1
Residual	All other diseases	340	18	5	3	3	-	5	3	4	5	3	5	7	14	17	23	20	48	43	33	38	26	10	7	-	-
	White-----M--	217	9	1	-	3	-	2	2	1	2	2	1	6	9	7	17	15	32	33	19	30	16	7	3	-	-
	F--	107	7	3	2	-	-	2	1	3	3	-	4	1	4	9	5	5	15	10	13	7	8	3	2	-	-
	Nonwhite--M--	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-
	F--	8	1	1	1	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-
E800-E962	Accidents----------	562	23	12	7	5	8	19	20	40	44	31	36	31	40	28	20	25	31	31	41	30	19	11	5	2	3
	White-----M--	409	6	7	5	4	3	14	16	36	30	28	25	27	32	24	16	22	23	25	32	13	10	5	3	2	1
	F--	130	16	4	2	-	5	5	4	4	9	1	7	2	7	3	4	2	7	5	9	16	9	6	2	-	1
	Nonwhite--M--	19	1	1	-	-	-	-	-	-	5	1	4	2	-	1	-	1	1	1	1	-	1	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
E810-E835	Motor-vehicle accidents----------	191	2	3	3	2	2	6	6	23	24	16	14	12	23	7	4	9	7	10	12	3	1	1	-	-	1
	White-----M--	141	-	-	2	1	1	4	5	19	14	14	10	11	18	6	2	8	4	7	10	2	1	1	-	-	1
	F--	38	2	2	1	-	1	2	1	4	6	-	2	1	4	1	2	1	2	3	2	1	-	-	-	-	-
	Nonwhite--M--	9	-	1	-	-	-	-	-	4	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	371	21	9	4	3	6	13	14	17	20	15	22	19	17	21	16	16	24	21	29	27	18	10	5	2	2
	White-----M--	268	6	7	3	3	2	10	11	17	16	14	15	16	14	18	14	14	19	18	22	11	9	4	3	2	
	F--	92	14	2	1	-	4	3	3	-	3	1	5	1	3	2	2	1	5	2	7	15	9	6	2	-	1
	Nonwhite--M--	10	1	-	-	-	-	-	-	1	-	-	2	2	-	1	-	1	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
E963, E970-E978	Suicide----------	121	-	-	-	-	-	-	-	1	7	4	12	10	10	7	12	14	10	16	9	8	-	-	1	-	-
	White-----M--	98	-	-	-	-	-	-	-	1	3	4	9	8	8	6	11	12	9	12	8	6	-	-	1	-	-
	F--	22	-	-	-	-	-	-	-	-	3	-	3	2	2	1	1	2	1	4	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	23	-	-	-	-	-	1	-	2	-	2	1	2	5	5	1	3	1	-	-	-	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	1	-	-	-	2	1	1	5	2	1	3	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA																										
	ALL CAUSES	12,617	796	72	31	35	17	77	71	87	118	129	128	216	272	400	539	813	1,085	1,360	1,576	1,765	1,557	959	398	99	17
	White	7,180	442	40	16	20	12	38	42	55	82	86	68	127	146	242	342	526	690	811	891	984	809	471	191	44	5
	White--M	5,132	321	26	14	14	5	37	27	29	30	35	52	80	108	136	164	263	371	522	655	762	738	474	206	53	10
	White--F	173	20	1	-	-	-	1	1	1	4	2	5	6	9	9	22	16	14	13	17	15	7	8	-	-	2
	Nonwhite--M	132	13	5	1	1	-	1	1	2	2	6	3	3	9	13	11	8	10	14	13	4	3	6	1	2	-
	Nonwhite--F																										
001-019	Tuberculosis, all forms	111	-	3	1	1	-	2	1	2	2	4	8	15	6	10	12	8	13	8	8	2	4	1	-	-	-
	White--M	65	-	-	-	-	-	1	-	-	1	1	2	7	4	6	11	6	10	6	6	1	2	1	-	-	-
	White--F	32	-	-	1	1	-	1	1	1	1	2	4	6	-	3	-	2	3	2	1	1	2	-	-	-	-
	Nonwhite--M	7	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F	7	-	2	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	104	-	1	-	-	-	1	1	2	2	4	8	15	6	10	11	8	13	8	8	2	3	1	-	-	-
	White--M	63	-	-	-	-	-	-	-	-	1	1	2	7	4	6	10	6	10	6	6	1	2	1	-	-	-
	White--F	29	-	-	-	-	-	1	1	1	1	2	4	6	-	3	-	2	3	2	1	1	1	-	-	-	-
	Nonwhite--M	7	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F	5	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	7	-	2	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--F	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	36	-	-	-	-	-	-	-	-	-	3	-	-	2	3	5	5	3	5	5	3	1	1	-	-	-
	White--M	22	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	2	5	3	3	-	-	-	-	-
	White--F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	-	1	1	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	6	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	White--M	5	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White--F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	11	4	1	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	19	1	-	1	-	-	2	4	1	2	1	1	2	2	1	-	-	-	1	-	-	-	-	-	-	-
	White--M	15	1	-	-	-	-	2	3	1	-	1	1	2	2	1	-	-	-	1	-	-	-	-	-	-	-
	White--F	4	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	12	2	4	-	1	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	7	-	3	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	31	4	1	2	1	-	-	-	1	-	-	1	1	2	-	5	1	2	3	4	1	-	2	-	-	-
	White--M	19	2	1	2	1	-	-	-	1	-	-	-	1	2	-	4	1	-	3	3	-	-	-	-	-	-
	White--F	12	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	1	-	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
140-205	Malignant neoplasms, etc.*----	2,033	2	2	2	2	2	9	7	11	9	20	17	31	75	94	139	192	242	283	278	297	199	85	27	6	2
	White-----M--	1,040	1	1	1	2	1	5	3	4	6	12	7	8	27	38	60	92	126	152	153	165	108	50	16	2	-
	F--	948	1	1	1	-	1	3	4	7	2	8	9	21	42	54	67	94	112	127	124	130	89	34	11	4	2
	Nonwhite--M--	25	-	-	-	-	-	1	-	-	-	-	-	-	1	1	8	4	2	2	1	2	2	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	-	1	2	5	1	4	2	2	2	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	41	-	-	-	-	-	-	-	-	1	1	1	-	1	1	4	4	4	5	5	8	5	-	1	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	2	4	4	4	6	3	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	860	-	-	-	-	-	-	-	1	-	3	4	6	18	24	44	73	109	121	133	155	108	44	13	4	2
	White-----M--	473	-	-	-	-	-	-	-	1	-	3	2	3	12	13	22	43	63	71	73	82	57	22	6	-	-
	F--	371	-	-	-	-	-	-	-	-	-	-	2	3	3	11	19	26	43	49	60	71	49	22	7	4	2
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	1	-	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	157	-	-	-	-	-	-	-	-	-	-	-	1	-	4	8	20	19	29	26	18	17	9	4	2	-	-
	White-----M--	113	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	11	16	20	22	12	11	7	3	1	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7	3	8	4	6	6	2	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Of breast----------	196	-	-	-	-	-	-	-	-	-	1	2	10	15	15	12	30	19	29	22	23	11	6	1	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-
	F--	191	-	-	-	-	-	-	-	-	-	1	2	9	14	15	11	30	19	27	22	23	11	6	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	342	-	-	-	-	-	1	-	-	1	5	3	8	21	20	19	25	30	44	50	51	40	18	4	2	-
	White-----M--	162	-	-	-	-	-	1	-	-	1	3	1	-	1	1	-	8	5	24	30	39	27	15	4	2	-
	F--	171	-	-	-	-	-	-	-	-	-	2	2	7	18	18	17	17	25	19	20	12	12	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs-	73	-	-	-	-	-	-	-	1	-	1	-	-	-	1	9	5	8	16	13	12	6	1	-	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	4	5	11	5	9	4	1	-	-	-
	F--	27	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	1	3	4	8	3	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	190	-	1	1	-	1	2	3	4	2	3	2	1	8	15	14	15	23	28	22	16	13	10	6	-	-
	White-----M--	113	-	-	1	-	-	1	2	1	1	2	1	1	5	11	9	7	15	11	19	8	7	7	4	-	-
	F--	75	-	1	-	-	1	1	1	3	-	1	1	-	3	4	4	8	8	17	3	8	6	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	103	2	1	1	2	1	6	4	2	1	3	4	2	5	5	4	8	13	10	11	10	6	2	-	-	-
	White-----M--	55	1	1	-	2	1	3	1	-	1	1	2	-	2	3	2	2	9	4	9	7	2	2	-	-	-
	F--	44	1	-	1	-	-	2	3	2	-	2	1	2	3	2	1	6	4	5	2	3	4	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	71	-	-	-	-	-	-	-	3	4	3	-	4	3	5	13	13	7	4	4	5	3	-	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	2	2	1	-	4	3	2	9	10	5	3	1	3	1	-	-	-	-
	F--	24	-	-	-	-	-	-	-	1	2	2	-	-	-	3	3	3	2	1	3	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	47	-	-	1	-	1	-	-	-	1	1	1	1	5	2	7	5	7	5	5	2	2	1	-	-	-
	White-----M--	18	-	-	1	-	1	-	-	-	1	-	1	-	1	-	2	2	3	2	2	1	-	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	1	-	1	4	2	5	3	4	3	3	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	258	-	-	-	-	-	2	2	1	-	2	3	4	8	6	4	19	30	41	44	47	35	9	1	-	-
	White-----M--	98	-	-	-	-	-	1	1	-	-	-	-	2	4	4	-	8	10	17	13	21	14	2	1	-	-
	F--	156	-	-	-	-	-	1	1	1	-	2	3	2	3	2	4	10	19	24	30	26	21	7	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	55	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	9	4	8	12	11	6	1	1	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	4	4	5	3	-	-	-
	F--	29	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	8	6	3	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis--------	10	2	1	1	-	-	2	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	5,610	2	3	1	1	2	8	8	8	12	19	25	54	67	174	237	409	581	815	985	1,146	1,048	661	270	58	6
	White-----M--	3,840	1	1	-	-	2	3	2	6	5	12	11	34	42	116	175	298	404	485	577	637	548	313	128	29	1
	F--	2,642	1	2	1	1	-	5	6	2	7	6	14	17	22	42	53	98	172	300	391	497	494	337	141	29	4
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	-	1	-	3	2	6	4	9	10	9	8	9	3	5	-	-	1
	F--	58	-	-	-	-	-	-	-	-	-	-	-	-	1	10	5	4	5	11	9	3	3	6	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	6,415	2	3	1	-	2	5	7	5	9	13	21	48	62	163	229	396	576	796	967	1,130	1,021	637	261	56	5
	White-----M--	3,724	1	1	-	-	2	1	1	3	4	7	11	30	38	107	169	292	398	485	569	626	533	295	123	28	-
	F--	2,569	1	2	1	-	-	4	6	2	5	5	10	15	21	42	51	91	165	291	382	492	483	331	137	28	4
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	1	-	3	2	5	4	9	9	9	7	9	2	5	-	-	1
	F--	56	-	-	-	-	-	-	-	-	-	-	-	-	1	9	5	4	4	11	9	3	3	6	1	-	-	-
330-334	Vascular lesions, etc.*----------	1,538	2	1	-	-	1	-	1	-	2	3	3	9	14	25	34	76	115	207	239	277	283	166	51	8	1
	White-----M--	792	1	1	-	-	1	-	-	-	2	1	1	4	6	12	18	47	69	112	117	145	145	85	21	4	-
	F--	710	1	-	-	-	-	-	1	-	-	1	2	4	6	10	15	27	43	88	114	131	136	97	29	4	1
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	2	2	5	1	-	2	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	5	3	-	2	2	1	-	-
400-402	Rheumatic fever---	19	-	-	-	-	-	2	2	2	1	2	2	2	2	-	-	-	1	-	2	1	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	1	1	-	2	-	2	1	-	-	-	-	-	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	2	1	1	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
410-443	Diseases of heart	4,423	-	2	1	-	1	3	4	3	6	7	14	34	45	133	187	311	434	564	687	786	650	375	173	41	2
	White—M	2,693	-	-	-	-	1	1	-	2	2	4	9	22	31	93	145	239	316	358	418	432	344	174	83	19	-
	F	1,648	-	2	1	-	-	2	4	1	4	3	5	10	13	30	34	61	108	194	242	324	303	194	90	22	1
	Nonwhite—M	46	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	9	7	6	2	7	2	3	-	-	1
	F	36	-	-	-	-	-	-	-	-	-	-	-	-	-	7	5	2	3	6	5	3	1	4	-	-	-
410-416	Chronic rheumatic heart disease	181	...	-	-	-	1	-	2	3	3	2	6	6	7	12	12	25	25	21	15	18	13	6	3	-	1
	White—M	102	...	-	-	-	1	-	-	2	1	1	5	2	5	7	5	17	13	14	11	8	6	1	3	-	-
	F	72	...	-	-	-	-	-	2	1	2	1	1	4	2	2	7	7	11	7	3	10	7	5	-	-	-
	Nonwhite—M	4	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1
	F	3	...	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,399	-	-	-	-	-	1	-	-	2	2	4	21	28	95	128	213	293	345	375	383	300	143	52	14	-
	White—M	1,637	-	-	-	-	-	-	-	-	1	2	2	16	24	76	115	176	225	235	242	244	175	71	27	6	-
	F	735	-	-	-	-	-	1	-	-	1	-	2	3	3	17	10	33	63	106	132	137	123	71	25	8	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	4	3	-	1	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	905	...	-	1	-	-	1	1	-	1	1	3	1	3	5	12	19	37	71	122	182	203	138	85	18	1
	White—M	481	...	-	-	-	-	-	-	-	-	1	1	-	3	6	14	26	45	79	90	102	65	38	11	-	-
	F	403	...	-	1	-	-	1	1	-	1	-	2	1	3	1	4	5	10	24	41	85	100	68	47	7	1
	Nonwhite—M	12	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	5	1	2	-	-	-
	F	9	...	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	-	3	-	-	-
430-434	Other diseases of heart	301	-	2	-	-	-	1	1	-	-	2	1	2	3	11	15	24	20	46	37	51	39	25	17	4	-
	White—M	188	-	-	-	-	-	1	-	-	-	-	1	2	-	5	10	15	16	22	22	27	20	17	9	1	-
	F	124	-	2	-	-	-	-	1	-	-	2	-	-	3	3	5	7	4	22	13	24	19	8	8	3	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.	637	-	-	-	-	-	-	-	-	-	-	-	4	4	10	20	30	59	81	118	132	95	63	16	5	-
	White—M	305	-	-	-	-	-	-	-	-	-	-	-	2	2	2	9	17	36	42	64	63	41	20	6	1	-
	F	314	-	-	-	-	-	-	-	-	-	-	-	2	2	7	8	9	20	35	53	68	54	42	10	4	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	-	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	3	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart	86	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	9	8	15	21	12	9	4	1	-
	White—M	42	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	10	8	8	1	3	1	-
	F	42	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	7	3	4	12	4	8	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
450	General arteriosclerosis	278	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	9	10	30	54	67	63	31	8	2
	White—M	147	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	6	15	34	32	33	15	4	-
	F	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	15	20	35	30	16	2	2
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	71	-	-	-	-	-	-	-	-	-	1	2	2	1	-	6	4	8	7	14	11	9	4	2	-	-
	White—M	40	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	4	6	4	7	6	4	2	1	-	-
	F	31	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	2	3	7	5	5	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	195	-	-	-	1	-	3	1	3	3	6	4	6	5	11	8	13	15	19	18	16	27	24	9	2	1
	White—M	116	-	-	-	-	-	2	1	3	1	5	-	4	4	9	6	6	6	10	8	11	15	18	5	1	-
	F	73	-	-	-	1	-	1	-	-	2	1	4	2	1	-	2	7	7	9	9	5	11	6	4	1	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	366	39	7	3	3	2	5	3	4	1	-	3	3	6	8	11	9	21	27	38	45	61	39	19	8	1
	White—M	187	16	4	1	2	1	2	2	2	-	-	1	1	2	6	9	4	17	21	16	24	27	16	8	5	-
	F	159	16	2	1	-	1	2	1	1	1	-	2	2	3	1	2	4	3	6	20	20	34	22	11	3	1
	Nonwhite—M	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
	F	11	2	1	1	1	-	1	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
480-483	Influenza	68	6	1	-	-	-	-	-	-	-	-	1	1	1	-	1	2	4	6	2	4	20	6	6	3	-
	White—M	26	4	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	5	-	1	7	-	2	-	-
	F	38	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	13	6	4	3	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	300	33	6	3	3	2	5	3	4	1	-	2	2	5	8	10	7	17	21	36	41	41	31	13	5	1
	White—M	161	12	4	1	2	1	2	2	2	-	-	-	1	6	8	3	15	16	16	23	20	16	6	5	-	-
	F	121	15	1	1	-	1	2	1	1	1	-	2	2	3	1	2	3	2	5	13	17	21	14	7	-	1
	Nonwhite—M	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
	F	9	1	1	1	1	-	1	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	27	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	1	2	6	4	3	1	-	1
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	1	2	1	1	1	-	-
	F	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	2	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	78	-	-	-	-	-	-	-	-	-	-	-	3	5	5	9	4	13	12	6	14	5	1	1	-	-
	White—M	61	-	-	-	-	-	-	-	-	-	-	-	3	4	4	8	3	13	8	6	8	3	-	1	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	4	-	4	2	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	32	-	2	2	1	-	-	2	-	1	-	3	2	-	4	-	2	4	1	2	2	1	3	-	-	-
	White—M	20	-	1	2	1	-	-	-	-	1	-	2	-	-	2	-	2	2	1	1	2	1	2	-	-	-
	F	12	-	1	-	-	-	-	2	-	-	-	1	2	-	2	-	-	2	-	1	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	90	6	-	-	-	-	1	1	-	-	-	-	2	4	3	1	5	11	12	13	15	9	7	-	-	-
	White—M	50	4	-	-	-	-	-	1	-	-	-	-	1	-	3	1	2	7	4	7	9	5	6	-	-	-
	F	39	3	-	-	-	-	1	-	-	-	-	-	1	4	-	-	3	4	8	6	6	3	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
543,	Gastritis, etc.*—	35	11	3	1	1	-	1	-	-	-	1	-	1	-	3	2	2	3	2	-	2	1	1	-	-	-
571,	White-----M—	19	7	1	1	1	-	1	-	-	-	1	-	-	-	1	1	2	1	2	-	-	1	-	-	-	-
572	F—	15	3	2	-	-	-	-	-	-	-	1	-	1	-	2	1	-	2	-	-	2	-	1	-	-	-
	Nonwhite--M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	86	1	-	-	-	-	-	-	-	-	-	4	2	7	7	5	14	14	11	12	5	2	1	-	-	1
	White-----M—	51	-	-	-	-	-	-	-	-	-	-	1	2	5	3	4	8	9	8	7	1	1	1	-	-	1
	F—	31	1	-	-	-	-	-	-	-	-	-	2	-	2	4	1	6	3	3	4	4	1	-	-	-	-
	Nonwhite--M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	26	1	-	-	1	-	2	2	-	1	-	-	2	3	1	1	2	-	1	2	3	-	2	2	-	-
	White-----M—	13	1	-	-	-	-	1	1	-	-	-	-	1	-	1	-	2	-	1	-	1	-	2	2	-	-
	F—	12	-	-	-	1	-	1	1	-	1	-	-	1	3	-	1	-	-	-	2	2	-	-	-	-	-
	Nonwhite--M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	7	14	17	15	18	9	-	-
	White-----M—	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	7	13	17	15	16	9	-	-
	Nonwhite--M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	15	***	***	***	***	***	***	-	-	4	2	3	4	1	-	-	1	***	***	***	***	***	***	***	***	-
	White-----F—	14	***	***	***	***	***	***	-	-	3	2	3	4	1	-	-	1	***	***	***	***	***	***	***	***	-
	Nonwhite--F—	1	***	***	***	***	***	***	-	-	1	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
650-	Abortion----------	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
652	White-----F—	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F—	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-	All other com-																										
649,	plications-------	14	***	***	***	***	***	***	-	-	4	1	3	4	1	-	-	1	***	***	***	***	***	***	***	***	-
660-	White-----F—	13	***	***	***	***	***	***	-	-	3	1	3	4	1	-	-	1	***	***	***	***	***	***	***	***	-
689	Nonwhite--F—	1	***	***	***	***	***	***	-	-	1	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
750-	Congenital mal-																										
759	formations-------	169	133	9	5	1	-	2	1	1	6	3	1	1	-	3	-	-	1	2	-	-	-	-	-	-	-
	White-----M—	102	78	6	3	1	-	2	-	1	4	2	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-
	F—	65	53	3	2	-	-	-	1	-	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	522	522	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M—	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M—	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M—	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	290	290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M—	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	179	9	3	-	-	-	-	-	-	-	1	-	1	-	-	2	5	5	9	11	22	29	38	25	15	4
795	White-----M—	77	6	1	-	-	-	-	-	-	-	1	-	1	-	-	2	3	2	6	5	10	12	15	7	4	2
	F—	96	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	5	11	17	22	18	10	2
	Nonwhite--M—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F—	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
Re-	All other diseases	594	18	3	2	7	2	5	9	3	11	8	19	22	24	20	31	51	50	59	82	53	58	37	14	6	-
mai-	White-----M—	319	8	2	2	3	-	1	4	3	8	4	11	12	12	10	14	30	33	31	39	33	30	19	6	4	-
nal	F—	259	9	1	-	4	2	4	5	-	3	4	8	9	10	10	13	19	16	25	43	19	27	18	8	2	-
	Nonwhite--M—	14	1	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	1	2	-	1	1	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E800-	Accidents----------	860	28	28	5	14	7	31	26	47	58	53	27	50	39	32	36	50	46	38	43	60	67	42	27	5	1
E962	White-----M—	571	14	19	1	7	6	15	24	34	50	44	24	43	31	23	25	39	29	24	23	34	31	21	11	-	1
	F—	267	9	9	4	7	1	16	2	12	7	6	3	6	7	9	8	10	17	14	17	26	36	21	16	4	-
	Nonwhite--M—	11	3	-	-	-	-	-	-	1	1	-	-	1	1	-	4	-	-	-	-	-	-	-	-	-	-
	F—	11	2	-	-	-	-	-	-	-	-	3	-	-	-	-	1	1	-	-	3	-	-	-	-	1	-
E810-	Motor-vehicle																										
E835	accidents----------	305	1	5	1	7	3	15	6	30	31	28	12	24	24	13	19	25	21	12	10	8	7	2	-	-	-
	White-----M—	224	-	2	-	4	2	6	6	21	28	23	10	20	18	9	15	17	14	8	6	6	7	2	-	-	-
	F—	75	1	3	1	3	1	9	-	8	2	3	2	3	6	4	3	8	7	4	4	3	-	-	-	-	-
	Nonwhite--M—	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	555	27	23	4	7	4	16	20	17	27	25	15	26	15	19	17	25	25	26	33	51	60	40	27	5	1
E802,	White-----M—	347	14	17	1	3	4	9	18	13	22	21	14	23	13	14	8	22	15	16	17	28	24	19	11	-	1
E840-	F—	192	8	6	3	4	-	7	2	4	5	3	1	3	1	5	5	2	10	10	13	23	36	21	16	4	-
E962	Nonwhite--M—	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-
	F—	9	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	1	-
E963,	Suicide----------	164	-	-	-	-	-	-	-	3	6	8	9	13	11	15	22	22	14	13	12	9	5	1	1	-	-
E970-	White-----M—	135	-	-	-	-	-	-	-	2	4	7	7	7	9	13	19	17	11	13	11	9	5	-	1	-	-
E979	F—	27	-	-	-	-	-	-	-	1	2	-	1	6	2	2	3	5	3	-	1	-	-	1	-	-	-
	Nonwhite--M—	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	39	1	1	-	-	-	1	3	2	3	1	3	2	3	6	6	2	2	-	1	1	-	-	-	-	1
E980-	White-----M—	20	-	-	-	-	-	-	1	1	2	1	-	1	2	5	3	1	2	-	-	1	-	-	-	-	-
E985	F—	10	1	1	-	-	-	1	1	1	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M—	8	-	-	-	-	-	-	1	-	1	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E990-	White-----M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA																										
	ALL CAUSES	1,588	139	7	6	2	3	10	8	15	21	33	48	47	72	112	91	118	141	171	172	166	108	58	21	8	9
	White--M	1,027	76	4	6	-	1	5	2	9	13	17	28	32	43	82	65	89	109	114	121	102	62	29	10	4	4
	F	441	37	2	-	2	2	5	3	4	4	12	14	13	22	24	20	24	27	46	44	60	38	24	10	2	2
	Nonwhite--M	65	15	1	-	-	-	-	-	-	3	4	4	-	6	2	2	2	3	8	5	4	2	1	-	2	1
	F	55	11	-	-	-	-	-	3	2	1	-	2	2	1	4	4	3	2	3	2	2	6	4	1	-	2
001-019	Tuberculosis, all forms	34	-	-	-	-	-	-	1	1	1	2	-	1	1	2	3	7	5	5	-	3	2	-	-	-	-
	White--M	29	-	-	-	-	-	-	-	-	-	2	-	1	1	1	3	7	5	4	-	3	2	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	30	-	-	-	-	-	-	-	-	1	1	-	1	1	1	3	7	5	5	-	3	2	-	-	-	-
	White--M	28	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	7	5	4	-	3	2	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	4	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	6	3	1	1	-	-	-	-
	White--M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	4	3	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	7	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	1	-	-
	White--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
140-205	Malignant neoplasms, etc.*	200	-	-	-	-	1	2	1	-	2	5	7	6	11	20	10	23	19	32	19	30	10	2	-	-	-
	White—M	115	-	-	-	-	-	1	1	-	1	1	2	3	2	12	4	13	14	20	15	19	6	1	-	-	-
	F	78	-	-	-	-	1	1	-	-	1	4	5	3	8	7	5	10	5	11	3	10	3	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	68	-	-	-	-	-	-	-	-	-	1	1	1	2	4	3	11	5	9	9	14	7	1	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	7	4	6	7	11	5	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	4	1	3	1	3	1	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	30	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	1	6	10	3	2	-	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	6	8	3	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	10	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	1	-	1	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	1	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	35	-	-	-	-	-	-	-	-	2	1	1	3	5	4	1	6	-	4	3	4	1	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	1	-	1	3	3	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	1	1	1	4	3	1	5	-	3	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	11	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	3	1	1	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	27	-	-	-	-	1	-	-	-	-	1	-	-	2	1	-	3	1	6	1	8	2	1	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	1	4	-	1	-	-	-
	F	11	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	3	-	3	2	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	12	-	-	-	-	-	2	1	-	-	1	1	-	1	2	-	-	3	-	1	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	1	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	6	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	4	2	3	1	-	-	1
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	2	1	2	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	725	2	-	-	-	1	-	-	-	2	2	8	11	26	40	47	49	86	99	109	108	77	39	13	3	3
	White—M	480	2	-	-	-	-	-	-	-	2	2	7	8	18	34	34	38	66	67	71	62	42	18	7	1	1
	F	210	-	-	-	-	1	-	-	-	-	-	1	2	5	5	10	10	16	30	33	42	29	19	5	1	1
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	-	3	3	-	1	-	1	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	2	2	1	6	1	1	-	1
330-334, 400-468	Diseases of cardiovascular system	705	2	-	-	-	1	-	-	-	2	2	7	11	24	37	44	48	82	98	107	106	77	38	13	3	3
	White—M	469	2	-	-	-	-	-	-	-	2	2	6	8	16	32	32	38	66	66	70	61	42	17	7	1	1
	F	202	-	-	-	-	1	-	-	-	-	-	1	2	5	4	9	9	13	30	32	41	29	19	5	1	1
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	-	3	3	-	1	-	1	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	2	2	1	6	1	1	-	1
330-334	Vascular lesions, etc.*	129	1	-	-	-	-	-	-	-	-	-	1	-	4	3	4	11	19	18	21	21	11	10	4	1	-
	White—M	74	1	-	-	-	-	-	-	-	-	-	1	-	1	2	2	7	11	12	12	11	6	5	2	1	-
	F	48	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	6	6	8	7	4	5	2	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
400-402	Rheumatic fever	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
410-443	Diseases of heart	522	1	-	-	-	1	-	-	-	1	2	3	11	18	32	36	33	58	74	82	74	59	24	9	1	3
	White----M	361	1	-	-	-	-	-	-	-	1	2	3	6	14	28	27	27	50	51	57	43	32	11	5	-	1
	F	140	-	-	-	-	1	-	-	-	-	-	-	2	2	4	7	5	7	21	22	30	23	11	3	1	1
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	1	-	1	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	2	-	4	1	1	-	1
410-416	Chronic rheumatic heart disease	18	...	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1	4	4	1	1	-	-	-	-	-
	White----M	10	...	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	3	1	-	-	-	-	-	-
	F	8	...	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	1	-	-	-	-	-
	Nonwhite--M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	358	-	-	-	-	-	-	-	-	-	-	2	8	12	23	27	25	40	54	51	51	38	16	9	-	2
	White----M	262	-	-	-	-	-	-	-	-	-	-	2	5	10	23	22	22	35	41	38	31	20	7	5	-	1
	F	86	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	3	5	13	12	20	16	7	3	-	1
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	2	1	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	62	...	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	4	8	12	14	15	5	-	1	-
	White----M	34	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	8	9	10	2	-	-	-
	F	22	...	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	5	4	4	3	3	-	1	-
	Nonwhite--M	3	...	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	F	3	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
430-434	Other diseases of heart	40	1	-	-	-	-	-	-	-	1	1	1	1	2	4	4	4	4	4	8	2	2	-	-	-	1
	White----M	32	1	-	-	-	-	-	-	-	1	1	1	1	2	4	3	3	4	4	6	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	44	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	6	4	10	6	4	3	-	-	-
	White----M	23	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	5	1	4	2	2	2	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	4	4	2	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	2	-	-	2	1	-	-	-
	White----M	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	10	5	3	-	1	-
	White----M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	7	3	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.	14	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	5	2	1	-	-	-	-	-	-
	White----M	12	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	5	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	20	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	4	1	2	2	-	1	-	-	-
	White----M	11	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	-	1	1	1	-	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	1	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	47	10	1	1	-	1	-	-	-	-	1	2	1	3	2	3	2	2	-	7	4	2	3	2	-	-
	White----M	28	4	1	1	-	1	-	-	-	-	1	-	1	3	1	2	2	1	-	6	2	-	1	1	-	-
	F	12	3	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	1	1	1	-	1	-	-
	Nonwhite--M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	4	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	White----M	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	43	9	1	-	-	1	-	-	-	-	-	2	1	3	2	2	2	2	-	7	4	2	3	2	-	-
	White----M	25	4	1	-	-	1	-	-	-	-	-	-	1	3	1	1	2	1	-	6	2	-	1	1	-	-
	F	12	3	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	1	1	1	-	1	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
	White----M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	1	1	-	1	-	-	-	-	-
	White----M	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	1	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	6	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-
	White----M	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	-	-	-	1	1	-	-	-
	White----M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
543, 571, 572	Gastritis, etc.*—	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	24	-	-	-	-	-	-	-	-	-	-	1	3	1	7	2	2	1	1	3	3	-	-	-	-	-
	White—M—	14	-	-	-	-	-	-	-	-	-	-	-	1	1	5	-	1	-	1	2	3	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	3	-	-	-
	White—M—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	3	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	2	***	***	***	***	***	***	-	1	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	White—F—	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite—F—	1	***	***	***	***	***	***	-	1	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
650-	Abortion—	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
652	White—F—	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite—F—	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-649, 660-689	All other complications—	1	***	***	***	***	***	***	-	1	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	White—F—	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite—F—	1	***	***	***	***	***	***	-	1	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
750-759	Congenital malformations—	15	14	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	10	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765-768	Infections of newborn—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768-776	Other diseases of infancy, and immaturity unqualified—	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	43	1	-	-	-	-	-	-	-	-	-	1	-	3	-	6	2	4	4	4	6	3	5	-	-	-
	White—M—	33	1	-	-	-	-	-	-	-	-	-	1	-	3	-	5	2	4	4	4	4	2	3	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	1	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	72	3	1	1	-	-	3	-	-	-	1	1	3	6	8	6	4	11	6	12	2	2	2	-	-	-
	White—M—	47	2	1	1	-	-	1	-	-	-	-	1	2	4	4	5	3	8	5	10	2	1	-	-	-	-
	F—	22	-	-	-	-	-	2	-	-	-	1	1	1	2	3	1	-	3	1	2	2	1	2	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents—	176	12	5	4	1	-	5	2	13	10	14	17	15	11	18	8	10	7	9	4	4	4	3	-	-	4
	White—M—	116	3	2	4	-	-	3	-	9	8	8	13	11	6	14	5	8	6	5	3	2	2	1	-	-	3
	F—	35	4	2	-	1	-	2	1	4	-	4	-	2	3	3	1	1	-	-	1	2	2	2	-	-	-
	Nonwhite—M—	19	3	1	-	-	-	-	1	-	2	2	2	-	2	1	1	1	-	4	-	-	-	-	-	-	-
	F—	8	2	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	1
E810-E835	Motor-vehicle accidents—	81	-	-	-	-	-	1	2	7	7	7	5	8	9	7	6	5	6	6	1	2	-	-	-	-	2
	White—M—	51	-	-	-	-	-	1	-	4	6	3	2	7	5	4	3	4	5	3	1	2	-	-	-	-	2
	F—	17	-	-	-	-	-	1	1	3	-	4	-	1	3	2	1	1	-	3	-	-	-	-	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	97	12	5	4	1	-	4	-	6	3	7	12	5	2	11	2	5	1	3	3	2	4	3	-	-	2
	White—M—	65	3	2	4	-	-	3	-	5	2	5	11	4	1	10	2	4	1	2	2	-	2	1	-	-	1
	F—	18	4	2	-	1	-	1	-	1	-	-	-	1	-	1	-	-	-	-	1	2	-	2	-	-	-
	Nonwhite—M—	10	3	1	-	-	-	-	-	-	1	2	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F—	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E978	Suicide—	40	-	-	-	-	-	-	2	-	2	5	8	3	2	9	3	4	1	2	1	-	-	-	-	-	1
	White—M—	27	-	-	-	-	-	-	2	-	2	1	5	2	2	5	3	4	1	1	1	-	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	15	-	-	-	-	-	-	-	-	2	4	1	2	2	2	-	1	-	-	-	-	-	-	-	-	1
	White—M—	5	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE																										
	ALL CAUSES	6,076	282	17	13	10	8	28	18	34	39	43	68	105	147	165	307	415	577	728	929	858	732	420	166	50	17
	White---M	3,353	169	9	8	8	4	17	13	23	24	25	41	54	81	96	204	268	367	420	467	424	370	177	60	14	12
	F	2,708	111	8	5	2	4	9	5	10	15	20	27	50	66	68	101	145	210	305	362	433	362	243	106	36	5
	Nonwhite--M	7	-	-	-	-	-	2	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	F	8	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-
001-019	Tuberculosis, all forms	61	1	2	-	-	-	-	-	1	-	3	4	2	4	2	7	9	9	6	6	4	1	-	-	-	-
	White---M	47	-	2	-	-	-	-	-	-	-	2	3	2	2	1	7	8	6	6	5	4	1	-	-	-	-
	F	14	1	-	-	-	-	-	-	1	-	1	1	-	2	1	-	1	3	-	3	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	54	-	1	-	-	-	-	-	-	-	3	3	2	4	1	6	8	9	6	6	4	1	-	-	-	-
	White---M	43	-	1	-	-	-	-	-	-	-	2	3	2	2	-	6	7	6	6	3	4	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	3	-	3	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	7	1	1	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	White---M	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	31	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	8	5	2	4	4	2	-	-	-	-
	White---M	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	5	2	2	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	2	3	2	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White---M	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	12	2	1	-	1	-	-	1	-	1	-	-	-	-	1	2	-	1	-	2	-	-	-	-	-	-
	White---M	9	2	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
140-205	Malignant neoplasms, etc.*----	954	-	-	-	2	-	3	5	3	1	3	7	22	33	40	68	89	127	141	150	117	95	32	11	3	2
	White-----M--	476	-	-	-	1	-	1	4	3	1	1	4	5	13	11	30	49	62	71	85	60	55	13	4	2	1
	F--	475	-	-	-	1	-	2	1	-	-	2	3	17	20	29	37	40	65	68	65	57	40	19	7	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	15	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	2	1	4	1	3	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	2	-	3	1	3	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	428	-	-	-	-	-	-	-	-	-	-	4	2	8	13	26	28	62	65	70	64	55	20	7	3	1
	White-----M--	220	-	-	-	-	-	-	-	-	-	-	2	1	2	4	11	17	32	34	39	35	31	8	1	2	1
	F--	207	-	-	-	-	-	-	-	-	-	-	2	1	6	9	14	11	30	31	31	29	24	12	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	74	-	-	-	-	-	-	-	-	-	-	2	2	3	3	9	15	13	10	7	6	3	1	-	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	2	2	3	3	9	14	12	7	6	6	2	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	83	-	-	-	-	-	-	-	-	-	-	-	4	6	9	6	6	10	12	11	10	4	3	1	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	82	-	-	-	-	-	-	-	-	-	-	-	4	6	9	5	6	10	12	11	10	4	3	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	186	-	-	-	-	-	1	-	-	-	1	1	9	8	7	9	15	17	21	29	22	20	4	1	-	-
	White-----M--	65	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	3	8	16	14	16	2	1	-	-
	F--	100	-	-	-	-	-	1	-	-	-	-	1	9	7	6	9	14	14	12	13	8	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	37	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	10	2	9	9	1	-	-	1	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	8	2	7	8	-	-	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 185, 190-199	Of other sites, etc.*----------	75	-	-	-	-	-	-	-	1	1	-	-	2	4	5	10	5	12	12	9	6	6	2	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	1	1	-	-	-	3	1	5	2	6	7	6	2	1	1	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	2	1	4	5	3	6	4	3	4	5	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
204	Leukemia ad aleukemia----------	36	-	-	-	2	-	2	4	2	-	1	-	-	1	-	4	1	3	5	3	3	2	2	1	-	-
	White-----M--	23	-	-	-	1	-	1	3	2	-	-	-	-	1	-	2	-	2	5	3	1	-	1	1	-	-
	F--	13	-	-	-	1	-	1	1	-	-	1	-	-	-	-	2	1	1	-	-	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	40	-	-	-	-	-	-	-	-	-	1	-	3	-	1	2	7	6	8	4	2	-	-	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	5	3	3	4	1	2	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	3	3	4	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	29	1	-	1	-	-	-	1	-	-	1	1	2	1	4	2	1	1	7	3	2	-	-	-	1	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	2	-	-	-	-	-	-
	F--	20	-	-	1	-	-	-	1	-	-	-	1	2	1	3	2	-	-	5	1	2	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	107	-	-	-	-	1	-	1	-	-	1	1	1	3	2	1	9	8	15	21	35	11	7	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	3	2	4	11	11	8	4	-	-	-
	F--	57	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	6	6	11	10	14	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	16	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	3	2	1	1	3	-	-	-
	White-----M--	5	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	1	-	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	3,591	1	1	-	-	-	3	-	6	5	9	17	29	49	78	148	234	342	467	553	594	546	332	130	37	10
	White-----M--	1,980	1	-	-	-	-	3	-	3	2	1	10	13	35	54	108	157	233	280	312	294	267	143	47	10	7
	F--	1,608	-	1	-	-	-	-	-	3	3	8	7	16	14	24	39	77	109	186	241	299	279	189	85	27	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	3,498	1	1	-	-	-	3	-	6	5	8	15	26	49	76	144	224	334	458	542	579	532	323	126	36	10
	White-----M--	1,937	1	-	-	-	-	3	-	3	1	1	10	11	35	54	106	151	226	277	306	289	260	140	46	10	7
	F--	1,558	-	1	-	-	-	-	-	3	2	7	5	15	14	22	37	73	108	180	236	289	272	185	82	26	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	694	1	-	-	-	-	-	-	-	-	1	-	4	5	12	15	37	51	79	121	140	124	77	22	5	-
	White-----M--	333	1	-	-	-	-	-	-	-	-	-	-	1	1	7	9	16	25	46	59	69	54	39	6	-	-
	F--	361	-	-	-	-	-	-	-	-	-	1	-	3	4	5	6	21	26	33	62	71	70	38	16	5	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever----	11	-	-	-	-	-	2	-	3	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	2	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
410-443	Diseases of heart	2,531	-	1	-	-	-	1	-	3	3	5	14	17	42	58	127	180	273	365	394	390	346	206	76	24	7
	White	1,460	-	-	-	-	-	1	-	2	1	1	9	8	32	43	85	132	195	221	232	191	171	83	29	8	6
	F	1,069	-	1	-	-	-	-	-	1	2	4	5	9	10	15	31	48	78	143	162	199	175	122	47	16	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease	105	...	-	-	-	-	-	-	1	1	3	5	3	9	11	15	7	11	13	14	5	3	2	2	-	-
	White	55	...	-	-	-	-	-	-	1	-	1	1	1	6	7	7	2	8	8	9	2	1	1	-	-	-
	F	50	...	-	-	-	-	-	-	-	1	2	4	2	3	4	8	5	3	5	5	3	2	1	2	-	-
	Nonwhite—M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,685	-	1	-	-	-	-	-	1	-	-	5	9	28	37	80	131	208	249	257	266	230	118	44	16	5
	White	1,059	-	-	-	-	-	-	-	-	-	-	5	4	23	32	68	105	154	155	167	143	125	49	19	6	4
	F	625	-	1	-	-	-	-	-	1	-	-	-	5	5	5	12	26	54	93	90	123	105	69	25	10	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	307	...	-	-	-	-	-	-	1	2	-	-	3	-	4	4	16	23	36	41	44	65	43	18	6	1
	White	148	...	-	-	-	-	-	-	1	1	-	-	2	-	2	4	12	15	23	15	17	28	18	7	2	1
	F	159	...	-	-	-	-	-	-	-	1	-	-	1	-	2	-	4	8	13	26	27	37	25	11	4	-
	Nonwhite—M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	105	-	-	-	-	-	1	-	-	-	1	4	-	2	3	12	5	7	14	23	12	8	9	4	-	-
	White	60	-	-	-	-	-	1	-	-	-	-	3	-	2	-	9	3	4	8	15	6	4	4	1	-	-
	F	45	-	-	-	-	-	-	-	-	-	1	1	-	-	3	3	2	3	6	8	6	4	5	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	329	-	-	-	-	-	-	-	-	-	1	-	2	3	3	16	21	24	53	59	63	40	33	8	2	1
	White	138	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	10	14	27	26	23	13	11	2	-	1
	F	190	-	-	-	-	-	-	-	-	-	1	-	1	2	1	8	11	10	26	33	40	27	22	6	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	41	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	4	2	5	6	7	7	3	-	-
	White	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	2	2	5	4	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	3	4	2	3	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	193	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	10	18	41	51	32	25	7	3
	White	103	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	9	10	27	27	13	10	2	1	
	F	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	8	13	24	19	15	5	2
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.	28	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	3	3	2	4	2	4	2	2	-	-
	White	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	-	3	1	1	-	-
	F	16	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	2	2	1	2	1	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	93	-	-	-	-	-	-	-	-	2	1	2	3	-	2	4	10	8	9	11	15	14	9	2	1	-
	White	43	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	6	7	3	6	5	7	5	1	-	-
	F	50	-	-	-	-	-	-	-	-	1	1	2	1	-	2	2	4	1	6	5	10	7	6	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	135	15	1	-	-	-	1	-	1	1	-	2	1	4	4	5	8	10	9	15	18	18	11	8	3	-
	White	63	8	1	-	-	-	-	-	1	1	-	-	-	2	1	3	5	6	6	8	6	8	2	4	1	-
	F	71	7	-	-	-	-	1	-	-	-	-	2	1	2	3	2	2	4	3	7	12	10	9	4	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-483	Influenza	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	5	2	1	-	-
	White	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-495	Pneumonia, etc.*	120	14	1	-	-	-	1	-	1	1	-	2	1	4	4	5	8	8	8	14	16	13	9	7	3	-
	White	55	7	1	-	-	-	-	-	1	1	-	-	-	2	1	3	5	4	5	7	6	6	2	3	1	-
	F	64	7	-	-	-	-	1	-	-	-	-	2	1	2	3	2	2	4	3	7	10	7	7	4	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	9	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-	1	-	1	-	1	-
	White	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	F	5	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	37	-	-	-	-	-	-	-	-	-	-	-	-	3	1	7	4	6	1	6	3	4	2	-	-	-
	White	26	-	-	-	-	-	-	-	-	-	-	-	-	3	-	6	4	4	1	3	1	3	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	3	2	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	14	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	3	2	2	1	2	-	-	-	-
	White	9	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	3	1	2	-	1	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	48	3	1	-	-	-	-	-	-	-	-	-	1	1	-	2	7	3	9	7	5	6	3	-	-	-
	White	27	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	5	2	2	4	1	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	4	5	3	2	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued:																										
543, 571, 572	Gastritis, etc.*—	26	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	2	3	3	6	5	2	-	1	-	-
	White——M—	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	F—	21	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	3	4	4	2	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	41	-	-	-	-	-	-	-	-	-	-	1	4	1	1	8	6	7	1	5	4	1	1	1	-	-
	White——M—	28	-	-	-	-	-	-	-	-	-	-	1	3	1	1	6	4	7	-	3	2	-	-	-	-	-
	F—	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	2	2	1	1	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	1	-	-	-	-
	White——M—	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	2	3	6	2	1	-	1
	White——M—	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	2	3	6	2	1	-	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	9	***	***	***	***	***	***	-	-	1	3	3	1	1	-	-	-	***	***	***	***	***	***	***	***	-
	White——F—	9	***	***	***	***	***	***	-	-	1	3	3	1	1	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite—F—	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
650-652	Abortion—	1	***	***	***	***	***	***	-	-	-	-	1	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	White——F—	1	***	***	***	***	***	***	-	-	-	-	1	-	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite—F—	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-649, 660-689	All other complications—	8	***	***	***	***	***	***	-	-	1	3	2	1	1	-	-	-	***	***	***	***	***	***	***	***	-
	White——F—	8	***	***	***	***	***	***	-	-	1	3	2	1	1	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite—F—	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
750-759	Congenital malformations—	68	57	2	-	-	1	1	-	1	-	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	White——M—	37	33	1	-	-	-	1	-	1	-	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F—	31	24	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	174	173	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	104	103	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765-768	Infections of newborn—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	88	87	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	54	53	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	34	1	-	-	-	-	-	1	-	-	-	2	-	-	-	2	3	3	4	4	5	2	2	1	2	2
	White——M—	23	1	-	-	-	-	-	1	-	-	-	1	-	-	-	2	2	2	3	4	4	1	-	-	1	1
	F—	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	1	2	1	1	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	234	12	2	-	1	2	2	1	2	6	5	4	7	18	9	18	14	27	28	21	31	12	5	4	2	1
	White——M—	112	6	1	-	1	1	1	1	1	1	3	2	2	5	5	11	7	13	17	10	14	5	3	1	-	1
	F—	121	5	1	-	-	1	1	-	1	5	2	2	5	13	4	7	7	14	11	11	17	7	2	3	2	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents—	307	7	3	10	4	4	16	8	17	19	11	14	17	14	15	12	14	11	14	16	32	21	18	8	1	1
	White——M—	212	5	1	7	4	3	10	7	12	18	11	13	14	9	13	10	11	10	8	11	17	8	7	2	-	1
	F—	92	2	2	3	-	1	4	1	5	1	-	1	2	5	2	2	3	1	6	5	15	13	11	6	1	-
	Nonwhite—M—	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents—	98	1	2	1	1	6	1	14	13	6	5	7	5	3	5	6	2	2	5	7	3	1	-	-	-	-
	White——M—	79	-	2	1	1	5	-	9	12	6	5	6	4	3	5	5	2	2	4	4	2	1	-	-	-	-
	F—	17	1	-	-	-	1	1	5	1	-	-	1	1	-	-	1	-	-	1	3	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	211	7	2	8	3	3	10	7	3	6	5	9	10	9	12	7	8	9	12	11	25	18	17	8	1	1
	White——M—	133	5	1	5	3	2	5	7	3	6	5	8	8	5	10	5	6	8	6	7	13	6	6	2	-	1
	F—	75	2	1	3	-	1	3	-	-	-	-	1	1	4	2	2	2	1	6	4	12	12	11	6	1	-
	Nonwhite—M—	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide—	87	-	-	-	-	-	-	-	1	-	5	7	13	11	6	19	5	5	6	3	3	1	1	1	-	-
	White——M—	69	-	-	-	-	-	-	-	1	-	4	5	11	7	5	15	5	4	4	2	3	1	1	1	-	-
	F—	17	-	-	-	-	-	-	-	-	-	1	2	2	4	-	4	-	1	2	1	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E989	Homicide—	7	1	-	-	-	-	-	1	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White——M—	2	1	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E980-E989	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY																										
	ALL CAUSES	49,100	2,467	174	98	63	61	192	134	245	365	472	634	964	1,498	2,199	3,215	4,478	5,505	6,251	6,240	5,701	4,423	2,525	980	175	41
	White--M	24,924	1,169	74	47	33	29	99	69	142	162	206	300	459	752	1,160	1,810	2,659	3,206	3,486	3,146	2,609	1,864	1,036	342	42	23
	F	20,505	846	62	36	20	26	68	48	59	121	171	226	341	518	756	1,057	1,486	1,997	2,427	2,809	2,860	2,418	1,413	605	122	11
	Nonwhite--M	2,024	273	27	9	8	4	10	10	19	39	53	42	78	114	175	201	209	178	189	151	121	74	38	16	3	3
	F	1,647	179	11	6	2	2	15	7	25	43	42	66	86	114	108	147	122	124	189	134	111	67	38	17	8	4
001-019	Tuberculosis, all forms	1,171	7	13	4	2	1	6	7	19	43	61	67	91	112	109	114	143	125	83	77	46	32	4	4	1	-
	White--M	648	-	3	-	-	-	2	5	5	10	9	22	39	52	56	81	106	91	60	51	29	21	3	2	1	-
	F	234	2	4	2	-	1	1	1	1	8	25	22	23	25	13	16	16	15	16	16	14	9	1	1	-	-
	Nonwhite--M	193	3	4	1	2	-	2	-	8	10	17	11	17	24	33	12	16	15	4	9	2	2	-	1	-	-
	F	96	2	2	1	-	-	1	1	5	15	10	12	12	11	7	5	3	4	3	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	1,079	6	2	-	1	-	1	6	16	35	59	62	85	110	100	107	136	117	78	74	46	29	4	4	1	-
	White--M	625	-	1	-	-	-	1	4	4	8	9	22	38	51	56	78	104	87	57	49	29	21	3	2	1	-
	F	207	2	1	-	-	-	-	1	1	6	24	20	20	24	12	15	16	12	15	16	14	6	1	1	-	-
	Nonwhite--M	165	3	-	-	1	-	-	-	7	9	16	9	15	24	26	10	13	15	4	8	2	2	-	1	-	-
	F	82	1	-	-	-	-	-	1	4	12	10	11	12	11	6	4	3	3	2	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms	92	1	11	4	1	1	5	1	3	8	2	5	6	2	9	7	7	8	5	3	-	3	-	-	-	-
	White--M	23	-	2	-	-	-	1	1	1	2	-	-	1	1	-	3	2	4	3	2	-	-	-	-	-	-
	F	27	-	3	2	-	1	1	-	-	2	1	2	3	1	1	1	2	3	1	-	-	3	-	-	-	-
	Nonwhite--M	28	-	4	1	1	-	2	-	1	1	1	2	2	-	7	2	3	-	-	1	-	-	-	-	-	-
	F	14	1	2	1	-	-	1	-	1	3	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	176	-	-	-	-	-	-	-	-	1	2	2	3	12	12	20	35	33	21	18	10	3	3	1	-	-
	White--M	91	-	-	-	-	-	-	-	-	-	-	-	1	4	4	6	18	25	11	12	4	3	3	-	-	-
	F	31	-	-	-	-	-	-	-	-	1	1	1	-	3	-	4	4	3	5	5	3	-	-	1	-	-
	Nonwhite--M	41	-	-	-	-	-	-	-	-	-	1	1	2	4	6	6	9	5	5	-	2	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	-	-	1	1	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White--M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	13	1	-	1	-	1	-	2	-	-	-	-	3	3	-	-	-	-	1	1	-	-	-	-	-	-
	White--M	6	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	17	5	2	-	-	1	3	1	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White--M	8	2	-	-	-	1	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	3	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	66	1	1	2	3	3	14	8	4	7	10	9	4	1	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	36	-	-	1	2	-	10	7	1	3	4	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	29	1	-	1	1	3	4	1	3	4	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	25	-	2	2	1	-	3	2	5	5	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	22	-	1	1	-	-	3	2	5	5	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	101	5	4	2	-	1	4	1	6	2	3	9	7	6	8	11	6	8	8	3	3	3	1	-	-	-
	White--M	46	2	-	1	-	-	3	-	3	-	2	2	3	1	4	6	1	7	5	1	2	2	1	-	-	-
	F	38	2	4	1	-	1	1	1	1	1	1	6	1	2	3	2	4	-	3	2	1	1	-	-	-	-
	Nonwhite--M	8	1	-	-	-	-	-	-	2	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	3	3	-	1	-	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
140-205	Malignant neoplasms, etc.*	8,516	11	14	18	8	11	35	13	41	22	68	101	183	325	504	746	1,089	1,224	1,237	1,172	853	525	253	59	4	-
	White	4,168	2	6	9	3	8	15	6	23	11	27	44	57	107	196	348	549	672	676	590	443	231	117	26	2	-
	F	3,883	7	4	8	5	3	18	6	13	8	32	42	106	185	274	343	465	489	515	536	381	282	129	30	2	-
	Nonwhite	220	1	4	1	-	-	1	1	2	-	5	2	5	5	14	25	41	37	27	20	18	5	5	1	-	-
	F	245	1	-	-	-	-	1	-	3	3	4	13	15	28	20	30	34	26	19	26	11	7	2	2	-	-
140-148	Of buccal cavity and pharynx	215	-	-	-	-	-	-	-	1	-	-	1	3	5	13	23	30	35	29	33	18	19	4	1	-	-
	White	167	-	-	-	-	-	-	-	-	-	-	-	1	3	8	17	24	27	25	27	17	13	4	1	-	-
	F	34	-	-	-	-	-	-	-	1	-	-	1	1	2	5	1	4	3	4	5	1	6	-	-	-	-
	Nonwhite	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	4	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	3,463	-	-	-	-	-	1	-	2	2	12	25	42	88	163	273	401	528	554	524	421	278	119	29	1	-
	White	1,763	-	-	-	-	-	-	-	1	1	5	7	18	38	75	146	215	285	309	258	225	119	49	12	-	-
	F	1,520	-	-	-	-	-	1	-	1	1	3	12	22	39	77	107	158	215	223	248	183	151	64	14	1	-
	Nonwhite	99	-	-	-	-	-	-	-	-	-	3	2	1	3	5	11	18	15	11	9	11	4	5	1	-	-
	F	81	-	-	-	-	-	-	-	-	-	1	4	1	8	6	9	10	13	11	9	2	4	1	2	-	-
160-164	Of respiratory system	1,017	-	-	-	-	-	-	-	2	-	3	8	11	36	65	113	184	193	173	130	68	18	11	2	-	-
	White	811	-	-	-	-	-	-	-	2	-	2	7	9	25	47	99	152	156	148	100	45	11	7	1	-	-
	F	161	-	-	-	-	-	-	-	-	-	-	-	1	8	13	10	23	27	19	28	20	7	4	1	-	-
	Nonwhite	36	-	-	-	-	-	-	-	-	-	1	-	1	1	4	4	9	8	5	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	1	1	2	-	-	-	-	-
170	Of breast	619	-	-	-	-	-	-	-	-	-	3	14	42	76	83	97	93	87	100	94	64	32	25	9	-	-
	White	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	4	3	-	-	-	-	-	-
	F	776	-	-	-	-	-	-	-	-	-	2	10	38	69	82	92	88	86	96	88	61	31	24	9	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	1	4	4	6	-	5	4	1	-	3	3	1	1	-	-	-
171-179	Of genital organs	1,197	-	1	-	-	-	-	1	2	4	9	21	29	53	65	109	134	143	160	176	135	84	40	10	1	-
	White	373	-	-	-	-	-	-	-	2	2	4	4	1	1	4	11	17	38	63	76	72	45	27	5	-	-
	F	724	-	1	-	-	-	-	1	-	-	5	14	21	43	70	88	103	92	89	85	57	36	13	5	1	-
	Nonwhite	26	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	3	6	4	1	-	-	-	-
	F	74	-	-	-	-	-	-	-	-	2	-	3	7	9	9	8	10	8	5	9	2	2	-	-	-	-
180, 181	Of urinary organs	488	-	1	4	-	1	3	-	1	-	-	-	4	7	21	22	70	72	76	80	58	40	23	5	-	-
	White	331	-	1	-	-	1	-	-	-	-	-	-	4	4	12	14	52	60	48	54	40	19	17	5	-	-
	F	139	-	-	3	-	-	3	-	-	-	-	-	-	3	6	5	15	11	25	23	18	21	6	-	-	-
	Nonwhite	12	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	2	1	2	2	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-
158B, 165, 190-199	Of other sites, etc.*	726	4	3	4	3	4	13	2	18	4	16	12	30	31	29	63	110	99	81	76	58	35	26	3	2	-
	White	380	-	1	4	1	3	6	2	9	2	8	9	13	17	20	35	52	59	45	39	29	14	10	2	2	-
	F	299	3	1	-	2	1	5	-	6	2	9	3	13	12	8	21	48	34	32	35	26	21	16	1	-	-
	Nonwhite	23	1	1	-	-	-	1	-	2	-	-	-	2	-	-	2	4	4	4	-	2	-	-	-	-	-
	F	24	-	-	-	-	-	1	-	1	-	1	-	2	2	1	5	6	2	-	2	1	-	-	-	-	-
204	Leukemia and aleukemia	311	7	7	8	4	6	14	8	9	5	15	11	13	11	17	20	26	36	33	27	18	13	3	-	-	-
	White	174	2	4	4	1	4	7	3	6	2	5	9	5	6	12	12	12	23	16	21	10	7	3	-	-	-
	F	121	4	-	4	3	2	7	4	2	3	9	1	8	3	4	7	12	13	15	6	8	6	-	-	-	-
	Nonwhite	7	-	3	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	1	-	-	1	-	1	1	1	2	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	280	-	2	2	1	-	4	2	6	7	10	9	9	18	28	26	41	31	31	32	13	6	2	-	-	-
	White	159	-	-	1	1	-	2	1	3	4	5	8	6	12	17	14	24	23	18	12	5	3	-	-	-	-
	F	109	-	2	1	-	-	2	1	3	2	4	1	2	6	9	12	14	8	12	18	7	3	2	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	185	7	1	-	1	1	2	1	1	6	2	13	8	21	18	18	22	18	19	7	8	5	3	2	1	-
	White	70	3	1	-	-	-	1	-	1	1	-	6	2	7	4	4	12	7	11	4	3	-	1	1	1	-
	F	95	2	-	-	-	1	1	-	-	4	2	4	6	11	12	12	10	8	7	3	4	5	2	1	-	-
	Nonwhite	5	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F	15	1	-	-	-	-	-	1	-	1	-	3	-	3	1	2	-	2	-	1	-	-	-	-	-	-
260	Diabetes mellitus	952	-	-	-	-	-	-	1	2	4	9	7	12	19	31	63	108	151	164	137	115	79	24	4	1	1
	White	309	-	-	-	-	-	-	1	1	-	6	2	3	9	15	22	42	52	48	44	35	22	7	-	-	-
	F	567	-	-	-	-	-	-	-	-	4	2	4	6	4	10	30	61	99	122	87	75	53	15	4	1	-
	Nonwhite	19	-	-	-	-	-	-	1	-	-	1	-	2	-	1	1	-	5	4	1	2	1	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	-	1	1	6	5	10	5	5	10	5	3	3	2	-	-	1
280-285	Anemias	99	2	1	-	1	1	1	-	-	3	-	3	1	2	7	3	6	12	12	16	14	7	4	2	1	-
	White	38	2	-	-	-	1	-	-	-	3	-	-	-	1	3	1	1	6	5	5	6	2	1	1	-	-
	F	52	-	-	-	-	-	1	-	-	-	-	1	1	1	3	1	4	5	7	11	8	5	2	1	1	-
	Nonwhite	4	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis	45	14	4	-	1	2	6	1	1	1	-	1	1	1	3	2	4	1	-	2	-	-	-	-	-	-
	White	22	4	3	-	-	-	5	1	1	-	-	-	-	1	1	1	4	-	-	1	-	-	-	-	-	-
	F	18	10	1	-	1	1	-	-	-	-	-	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	27,879	7	3	2	1	3	12	18	27	55	101	155	325	612	1,061	1,662	2,378	3,223	3,909	4,101	4,045	3,260	1,961	789	149	20
	White	14,101	4	2	1	1	1	5	3	12	24	44	82	174	360	629	1,010	1,468	1,887	2,169	2,041	1,763	1,341	771	287	36	6
	F	12,129	1	1	1	-	2	6	13	11	28	40	50	98	160	299	470	738	1,188	1,521	1,867	2,107	1,812	1,128	497	102	9
	Nonwhite	869	1	-	-	-	-	-	1	-	1	7	9	25	48	76	108	103	93	102	103	87	57	31	12	3	2
	F	780	1	-	-	-	-	1	1	4	2	10	14	28	44	57	74	69	75	117	90	68	50	31	13	8	3
330-334, 400-468	Diseases of cardiovascular system	27,173	7	2	1	-	3	9	12	22	43	80	136	304	589	1,020	1,611	2,327	3,152	3,830	4,010	3,972	3,200	1,923	776	144	20
	White	13,780	4	1	-	1	4	2	9	16	33	71	164	340	608	985	1,445	1,851	2,137	1,999	1,734	1,516	759	262	33	6
	F	11,821	1	1	1	-	2	4	9	9	25	35	44	93	145	287	451	713	1,141	1,480	1,828	2,068	1,781	1,104	489	101	9
	Nonwhite	832	1	-	-	-	-	-	1	-	-	4	7	25	46	72	104	103	88	98	98	85	55	30	12	3	2
	F	740	1	-	-	-	-	1	-	4	2	8	14	24	38	53	71	66	72	115	85	85	48	30	13	7	3
330-334	Vascular lesions, etc.*	4,754	2	-	-	-	1	1	-	1	10	10	18	44	74	149	231	383	520	664	748	784	623	353	118	18	2
	White	1,960	1	-	-	-	-	-	-	-	4	2	7	18	23	51	83	190	235	334	299	314	231	130	32	6	-
	F	2,466	1	-	-	-	1	1	-	1	5	4	7	19	30	72	109	145	253	293	414	437	371	211	80	11	1
	Nonwhite	154	-	-	-	-	-	-	-	-	-	3	1	5	7	13	21	30	10	17	12	17	11	4	3	-	-
	F	174	-	-	-	-	-	-	-	-	1	1	3	2	14	13	18	18	22	20	23	16	10	8	3	1	1
400-402	Rheumatic fever	39	-	-	-	-	1	1	4	2	2	6	4	2	7	1	2	2	1	-	2	-	-	-	-	-	-
	White	23	-	-	-	-	-	1	-	1	-	4	4	-	5	1	2	2	1	-	2	-	-	-	-	-	-
	F	14	-	-	-	-	1	-	3	1	2	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
410-443	Diseases of heart	30,687	4	1	1	-	1	6	8	17	28	56	100	230	466	822	1,318	1,873	2,507	3,010	3,048	2,935	2,288	1,338	537	99	14
	White----M--	11,004	2	-	-	-	1	2	2	7	10	24	54	135	300	534	863	1,215	1,548	1,718	1,585	1,318	952	525	185	21	3
	F--	8,551	-	1	1	-	-	3	6	7	18	25	33	66	107	197	330	543	840	1,125	1,328	1,493	1,242	773	335	71	7
	Nonwhite--M--	614	1	-	-	-	-	-	-	-	-	1	5	12	38	54	75	69	73	77	78	61	38	20	8	2	2
	F--	518	1	-	-	-	-	1	-	3	-	6	8	17	21	37	50	46	46	90	57	63	36	20	9	5	2
410-416	Chronic rheumatic heart disease	764	...	-	1	-	1	4	3	9	18	30	45	69	78	101	77	81	73	61	36	34	23	15	4	1	-
	White-----M--	316	...	-	-	-	1	1	1	4	7	11	21	26	35	42	24	39	33	29	13	16	9	4	-	-	-
	F--	399	...	-	1	-	-	2	2	3	11	14	18	40	37	49	49	42	37	26	23	18	13	9	4	1	-
	Nonwhite--M--	24	...	-	-	-	-	-	-	-	-	1	3	-	5	4	3	-	3	3	-	-	-	2	-	-	-
	F--	25	...	-	-	-	-	1	-	2	-	4	3	3	1	6	1	-	-	3	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	12,466	2	-	-	-	-	-	2	4	4	11	33	110	268	481	864	1,232	1,700	1,957	1,861	1,685	1,215	695	273	41	8
	White-----M--	7,406	1	-	-	-	-	-	-	2	1	7	23	88	208	364	650	882	1,137	1,219	1,062	804	556	297	93	10	2
	F--	4,575	-	-	-	-	-	-	2	2	3	4	7	11	34	81	159	292	507	670	759	826	634	379	173	27	5
	Nonwhite--M--	287	1	-	-	-	-	-	-	-	-	-	1	7	15	22	37	42	34	38	37	27	13	8	2	2	1
	F--	198	-	-	-	-	-	-	-	-	-	-	2	4	11	14	18	16	22	30	23	28	12	11	5	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	4,064	...	-	-	-	-	-	2	3	3	7	13	20	45	115	149	246	353	491	622	696	653	429	176	38	3
	White-----M--	1,934	...	-	-	-	-	-	1	1	-	1	7	13	30	73	98	157	196	259	302	305	258	164	61	7	1
	F--	1,879	...	-	-	-	-	-	1	2	3	5	5	6	13	26	38	74	127	191	261	348	365	252	110	30	2
	Nonwhite--M--	134	...	-	-	-	-	-	-	-	-	-	1	-	-	11	9	9	19	13	22	20	19	8	3	-	-
	F--	117	...	-	-	-	-	-	-	-	-	1	-	1	2	5	4	6	11	28	17	23	11	5	2	1	-
430-434	Other diseases of heart	532	2	1	-	-	-	2	1	1	3	6	4	10	17	29	43	56	64	74	66	67	48	20	15	2	1
	White-----M--	274	1	-	-	-	-	1	-	-	2	4	1	4	4	21	28	29	41	43	34	28	21	7	4	-	-
	F--	214	-	1	-	-	-	1	1	-	1	2	3	5	4	4	12	20	22	25	28	36	25	13	9	2	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	7	2	-	5	1	1	2	1	1	-	1	-	1
	F--	21	1	-	-	-	-	-	-	1	-	-	-	-	2	2	3	2	-	5	2	1	1	-	1	-	-
440-443	Hypertension with heart dis.	2,861	-	-	-	-	-	-	-	-	-	2	5	21	58	96	185	258	317	427	443	453	329	179	69	17	2
	White-----M--	1,074	-	-	-	-	-	-	-	-	-	1	2	4	23	34	63	108	141	168	174	164	108	53	27	4	-
	F--	1,484	-	-	-	-	-	-	-	-	-	-	-	4	19	37	72	115	147	213	237	265	205	120	39	11	-
	Nonwhite--M--	146	-	-	-	-	-	-	-	-	-	-	-	4	11	15	26	13	16	22	17	13	5	2	2	-	-
	F--	157	-	-	-	-	-	-	-	-	-	1	3	9	5	10	24	22	13	24	15	11	11	4	1	2	2
444-447	Hypertension without mention of heart	400	-	-	-	-	-	-	-	-	-	1	6	15	16	27	31	27	34	40	52	52	49	29	18	3	-
	White-----M--	178	-	-	-	-	-	-	-	-	-	-	2	4	8	14	18	14	13	15	27	16	21	17	8	1	-
	F--	178	-	-	-	-	-	-	-	-	-	-	2	4	4	7	6	8	18	23	23	32	27	11	10	1	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	5	1	4	5	3	1	1	2	1	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	2	2	3	2	2	2	2	1	-	3	-	1	-	1	-
450	General arteriosclerosis	1,028	-	-	-	-	-	-	-	-	-	-	1	-	1	3	8	13	19	74	133	179	243	198	97	23	4
	White-----M--	458	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	24	44	66	77	104	84	36	5	3
	F--	520	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	21	24	56	94	133	107	59	17	1
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	6	6	5	6	1	1	-
	F--	17	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	4	5	2	1	1	1	-	-
451-468	Other diseases of circulatory sys.	267	1	1	-	-	-	1	-	2	3	5	7	13	5	18	21	29	41	42	27	22	17	5	6	1	-
	White-----M--	159	1	1	-	-	-	1	-	1	2	3	4	7	4	8	14	16	30	28	20	9	8	3	1	-	-
	F--	94	-	-	-	-	-	-	-	-	-	2	2	3	1	9	5	13	9	15	7	12	8	2	5	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	1	-	-	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*	708	-	1	1	1	-	3	6	5	12	21	19	21	43	41	51	51	71	79	81	73	60	38	13	5	-
	White-----M--	321	-	1	1	1	-	1	1	3	8	11	11	10	20	21	25	23	36	32	42	29	25	12	5	3	-
	F--	308	-	-	-	-	-	2	4	2	3	5	6	5	15	12	19	25	27	41	39	39	31	24	8	1	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	1	3	2	2	2	4	4	-	5	4	5	2	2	1	-	-	-
	F--	40	-	-	-	-	-	-	1	-	-	2	-	4	6	4	3	3	3	2	5	3	2	1	-	1	-
480-493	Influenza and pneumonia, etc.*	1,186	147	21	11	4	5	8	6	5	10	13	13	22	35	45	63	75	99	112	129	129	123	75	28	5	2
	White-----M--	609	64	9	8	2	-	3	4	3	6	5	4	9	21	21	36	47	64	73	65	63	56	35	10	-	1
	F--	439	38	8	1	-	2	4	2	1	3	5	7	9	8	16	13	18	31	27	54	65	64	38	18	5	1
	Nonwhite--M--	78	21	2	1	2	2	1	-	-	-	1	1	2	5	6	10	7	3	6	5	-	2	1	-	-	-
	F--	60	24	2	1	-	1	-	-	1	1	2	1	2	1	2	4	3	1	6	5	1	1	-	1	-	-
480-483	Influenza	79	6	1	-	-	-	-	-	-	-	1	-	1	3	2	6	2	8	6	13	6	11	9	2	2	-
	White-----M--	34	2	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	4	2	2	3	7	4	2	-	-
	F--	36	1	1	-	-	-	-	-	-	-	1	-	-	2	-	1	-	3	3	10	3	4	5	-	2	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*	1,107	141	20	11	4	5	8	6	5	10	12	13	21	32	43	57	73*	91	106	116	123	112	66	27	3	2
	White-----M--	575	62	9	8	2	-	3	4	3	6	5	4	8	20	19	34	45	60	71	63	60	49	31	8	-	1
	F--	403	37	7	1	-	2	4	2	1	3	4	7	9	6	16	12	18	28	24	44	62	60	34	18	3	1
	Nonwhite--M--	76	20	2	1	2	2	1	-	-	-	1	1	2	5	6	10	7	3	5	5	-	2	1	-	-	-
	F--	53	22	2	1	-	1	-	-	1	1	2	1	2	1	2	1	3	-	6	4	1	1	-	1	-	-
500-502	Bronchitis	75	12	2	2	2	1	3	1	1	-	-	-	-	-	-	1	5	8	9	3	8	9	4	4	-	-
	White-----M--	37	5	-	-	1	1	1	1	-	-	-	-	-	-	-	1	5	6	5	1	5	4	1	-	-	-
	F--	33	3	1	2	1	-	2	-	1	-	-	-	-	-	-	-	-	2	4	2	3	5	3	4	-	-
	Nonwhite--M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	311	2	-	-	-	-	-	-	-	1	4	4	8	16	24	28	43	51	46	28	31	12	8	3	1	-
	White-----M--	243	1	-	-	-	-	-	-	-	1	4	4	7	13	18	25	34	39	37	20	25	8	5	2	-	-
	F--	61	-	-	-	-	-	-	-	-	-	-	-	2	3	4	3	7	12	8	8	6	4	3	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	1	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	100	-	1	-	3	2	-	2	6	2	1	4	4	3	10	9	10	16	10	10	4	1	2	-	-	-
	White-----M--	60	-	-	-	3	1	-	-	3	1	-	4	2	3	8	6	3	12	6	3	2	1	2	-	-	-
	F--	34	-	1	-	-	1	-	2	1	1	1	-	1	-	1	2	6	4	4	7	2	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	268	24	1	2	-	-	1	1	2	1	-	2	7	4	14	18	27	28	25	42	29	28	8	4	-	-
	White-----M--	120	12	-	2	-	-	1	1	1	-	-	-	3	1	6	7	12	18	12	21	8	12	2	1	-	-
	F--	121	10	-	-	-	-	-	-	-	-	-	1	2	1	5	9	12	9	11	19	19	14	6	3	-	-
	Nonwhite--M--	16	1	1	-	-	-	-	-	-	1	-	-	-	1	2	1	3	-	2	2	1	1	-	-	-	-
	F--	11	1	-	-	-	-	-	-	1	-	-	1	2	1	1	1	-	1	-	-	1	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
543,	Gastritis, etc.*--	150	24	7	1	-	-	2	-	1	3	3	4	3	2	3	8	7	11	14	15	8	7	6	3	-	-
571,	White-----M--	61	9	1	1	-	-	1	-	-	2	3	2	1	1	1	6	6	7	7	8	1	2	2	-	-	-
572	F--	58	7	4	-	-	-	1	-	1	1	-	2	1	1	2	2	1	4	7	5	7	5	4	3	-	-
	Nonwhite--M--	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	588	1	1	-	-	-	1	2	3	2	3	17	27	43	71	76	94	73	84	51	19	15	4	-	-	1
	White-----M--	383	-	-	-	-	-	-	1	1	-	1	9	14	29	39	44	69	51	60	25	13	4	2	-	-	1
	F--	200	1	-	-	-	-	1	1	2	-	1	7	11	14	27	31	21	19	21	24	6	11	2	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	1	-	2	-	2	1	4	2	1	2	-	-	-	-	-	-
	F--	9	-	1	-	-	-	-	-	-	1	-	1	-	-	3	-	-	1	2	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*-----------	108	3	1	2	1	3	3	1	-	2	4	5	4	3	4	7	10	10	13	8	9	11	2	2	-	-
	White-----M--	53	2	1	-	1	1	1	-	-	1	4	2	2	2	2	2	7	5	4	5	6	3	1	1	-	-
	F--	37	-	-	1	-	2	1	1	-	-	-	1	1	1	1	4	2	3	5	3	3	6	1	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-
	F--	10	1	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	3	-	-	2	-	-	-	-
610	Hyperplasia of																										
	prostate---------	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	19	32	43	37	28	17	5	-	-
	White-----M--	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	17	28	42	33	25	17	5	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	4	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	67	...	...	...	...	...	...	1	6	12	9	21	15	3	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	45	...	...	...	...	...	...	-	3	5	8	15	12	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	22	...	...	...	...	...	...	1	3	7	1	6	3	1	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	6	...	...	...	...	...	...	-	1	1	1	1	2	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	3	...	...	...	...	...	...	-	-	-	1	-	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	61	...	...	...	...	...	...	1	5	11	8	20	13	3	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	42	...	...	...	...	...	...	-	3	5	7	15	10	2	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	19	...	...	...	...	...	...	1	2	6	1	5	3	1	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	547	412	30	5	6	6	11	7	3	4	7	7	5	7	11	3	8	6	3	2	2	2	-	-	-	-
	White-----M--	264	195	14	2	5	4	4	4	-	3	5	1	3	1	5	2	6	3	3	1	1	2	-	-	-	-
	F--	234	176	13	2	1	2	5	3	3	1	2	6	2	6	6	1	1	3	-	1	-	-	-	-	-	-
	Nonwhite--M--	28	23	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	21	18	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,578	1,576	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	769	767	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	516	516	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*------------	746	746	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	399	399	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied------------	751	749	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	341	339	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	243	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	137	15	-	2	-	-	-	-	-	-	2	3	2	1	3	5	7	4	8	10	9	25	22	14	3	1
795	White-----M--	63	10	-	1	-	-	-	-	-	-	1	1	1	1	2	2	6	4	4	3	2	9	9	6	1	-
	F--	64	3	-	1	-	-	-	-	-	-	-	1	-	1	1	2	-	-	5	7	7	15	12	7	2	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-
	F--	6	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Re-	All other diseases	1,797	92	27	18	7	4	16	13	15	39	34	52	56	103	109	152	155	193	215	187	157	90	39	20	4	-
sid-	White-----M--	867	44	12	7	3	2	5	8	7	9	5	22	25	41	56	75	87	99	123	98	76	37	18	7	1	-
ual	F--	788	32	12	10	3	2	8	5	5	20	20	24	23	41	43	80	66	88	80	84	74	52	20	13	3	-
	Nonwhite--M--	71	9	1	1	-	-	1	-	-	4	4	3	1	11	6	11	1	3	6	4	4	1	-	-	-	-
	F--	71	7	2	-	1	-	2	-	3	6	5	3	7	10	4	6	1	3	6	1	3	-	1	-	-	-
E800-	Accidents---------	2,028	84	34	24	21	13	56	41	82	109	101	88	101	91	85	124	147	129	142	143	136	143	79	34	5	15
E962	White-----M--	1,196	31	18	13	11	9	37	23	65	71	69	63	68	56	48	73	105	87	91	70	66	64	32	12	-	14
	F--	584	28	6	5	7	2	10	8	10	22	15	15	14	19	19	26	28	29	43	64	69	73	46	21	5	-
	Nonwhite--M--	177	17	7	3	2	1	2	8	5	15	13	9	15	13	14	16	12	9	5	4	1	4	-	1	-	1
	F--	71	8	3	3	1	1	7	2	2	1	4	2	4	3	4	9	2	4	3	5	-	2	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	646	3	4	8	7	8	18	10	39	65	63	41	45	24	32	41	54	50	52	34	33	12	3	-	-	-
	White-----M--	442	2	2	4	5	6	13	9	32	46	44	30	32	15	19	24	38	32	33	21	24	10	1	-	-	-
	F--	139	1	2	2	1	2	5	1	7	11	8	6	7	6	7	8	13	13	17	10	9	1	2	-	-	-
	Nonwhite--M--	57	-	-	2	1	-	-	-	-	8	9	5	5	2	6	7	3	4	2	2	-	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	2	-	1	1	-	2	-	1	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	1,382	81	30	16	14	5	38	31	43	44	38	48	56	67	53	83	93	79	90	109	103	131	76	34	5	15
E802,	White-----M--	754	29	16	9	6	3	24	14	33	25	25	33	36	41	29	49	67	55	58	49	42	54	31	12	-	14
E840-	F--	445	27	4	3	6	-	5	7	3	11	7	9	7	13	12	18	15	16	26	54	60	72	44	21	5	-
E962	Nonwhite--M--	120	17	7	1	1	1	2	8	5	7	4	4	10	11	8	9	9	5	3	2	1	3	-	1	-	1
	F--	63	8	3	3	1	1	7	2	2	1	2	2	3	2	4	7	2	3	3	4	-	2	1	-	-	-
E963,	Suicide-----------	616	-	-	-	-	-	-	1	8	21	20	32	56	61	53	71	86	62	58	34	28	17	6	1	-	1
E970-	White-----M--	428	-	-	-	-	-	-	1	7	7	11	20	37	33	38	45	62	47	44	31	22	15	6	1	-	1
E978	F--	173	-	-	-	-	-	-	-	1	10	8	11	16	27	13	26	22	14	14	3	6	2	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	120	12	2	-	-	2	4	3	7	9	10	14	15	10	13	7	5	1	4	3	1	-	-	-	-	-
E980-	White-----M--	48	8	2	-	-	-	1	-	3	3	3	4	5	3	4	3	2	-	3	3	1	-	-	-	-	-
E985	F--	23	3	-	-	-	2	2	2	-	2	2	1	3	2	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	33	1	-	-	-	-	-	-	1	3	2	6	4	2	7	4	3	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	1	1	1	3	3	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO																										
	ALL CAUSES	5,471	1,211	115	50	30	15	70	82	97	151	128	148	154	177	206	238	324	382	406	410	422	342	202	77	35	19
	White--M	2,834	546	43	19	14	4	28	34	50	74	67	83	68	100	110	149	188	209	251	232	234	170	104	32	17	8
	F	2,003	471	38	14	10	6	21	21	25	47	42	50	65	54	74	64	115	154	120	148	165	151	93	35	13	7
	Nonwhite--M	357	99	20	14	2	3	14	3	11	18	7	7	13	10	12	15	12	14	20	20	15	13	3	7	3	2
	F	277	95	14	3	4	2	7	4	11	12	12	8	8	13	10	10	9	5	15	10	8	8	2	3	2	2
001-019	Tuberculosis, all forms	250	10	9	3	2	-	10	4	12	29	22	18	14	22	19	13	15	16	13	10	5	3	-	1	-	-
	White--M	96	1	1	-	-	-	-	2	2	4	7	5	5	13	9	6	10	11	9	7	3	1	-	-	-	-
	F	81	2	2	-	1	-	3	1	4	14	7	9	6	5	9	5	5	2	2	2	1	1	-	-	-	-
	Nonwhite--M	33	4	4	3	-	-	4	1	2	4	3	1	1	1	1	2	-	-	2	-	-	-	-	-	-	-
	F	40	3	2	-	1	-	3	-	4	7	5	3	2	3	-	-	-	3	-	1	1	1	-	1	-	-
001-008	Tuberculosis of respiratory system	217	4	5	2	1	-	4	3	9	24	21	18	14	21	17	12	14	16	13	10	5	3	-	1	-	-
	White--M	90	1	-	-	-	-	-	2	1	3	7	5	5	12	9	5	9	11	9	7	3	1	-	-	-	-
	F	66	-	-	-	1	-	1	-	3	10	6	9	6	5	7	5	5	2	2	2	1	1	-	-	-	-
	Nonwhite--M	27	2	3	2	-	-	2	1	2	4	3	1	1	1	1	2	-	-	2	-	-	-	-	-	-	-
	F	34	1	2	-	-	-	1	-	3	7	5	3	2	3	-	-	-	3	-	1	1	1	-	1	-	-
010-019	Tuberculosis, other forms	33	6	4	1	1	-	6	1	3	5	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-
	White--M	6	-	1	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	15	2	2	-	-	-	2	1	1	4	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	41	4	1	1	-	-	-	-	1	-	-	1	-	2	4	4	6	7	4	4	1	1	-	-	-	-
	White--M	24	1	-	-	-	-	-	-	-	-	-	1	-	2	4	3	2	4	3	4	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	1	1	-	1	1	-	-	-	-
	Nonwhite--M	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	35	30	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	White--M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	14	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	24	18	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	8	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	8	-	-	-	1	-	1	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	-	-	-	1	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-109	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	19	5	2	-	1	-	-	1	-	-	-	1	-	2	-	1	3	2	-	-	-	-	-	-	1	-
	White--M	12	4	-	-	1	-	-	1	-	-	-	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

NOTE.—The 64 selected causes include cholera (043) and plague (058). There were no deaths reported from cholera, and 1 death from plague was reported in New Mexico—a white male between 15 and 19 years of age—which is included in totals.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
140-205	Malignant neoplasms, etc.*—	475	1	3	-	1	1	3	4	4	7	4	6	16	19	26	38	60	57	63	64	46	31	17	1	-	1
	White—M—	226	1	1	-	1	-	2	2	2	3	2	1	5	7	7	19	31	21	37	33	27	15	9	-	-	-
	F—	228	-	1	-	-	-	-	2	2	3	2	5	11	10	16	18	28	35	22	30	18	15	8	1	-	1
	Nonwhite—M—	12	-	1	-	-	1	1	-	-	1	-	-	-	1	1	-	-	1	3	1	-	1	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx—	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	3	1	1	-	1	-	-	-
	White—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	-	1	-	1	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum—	170	-	-	-	-	-	-	-	-	2	-	3	5	3	8	8	25	21	28	27	20	13	7	-	-	-
	White—M—	84	-	-	-	-	-	-	-	-	2	-	1	2	1	3	5	14	9	17	11	10	4	5	-	-	-
	F—	80	-	-	-	-	-	-	-	-	-	-	2	3	1	4	3	10	12	9	16	10	8	2	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system—	48	-	-	-	-	-	1	-	1	-	-	-	-	2	2	6	9	8	5	5	4	3	2	-	-	-
	White—M—	31	-	-	-	-	-	1	-	1	-	-	-	-	1	-	3	7	5	3	3	4	2	1	-	-	-
	F—	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	2	2	-	1	1	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast—	34	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	6	5	3	3	3	-	2	1	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	33	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	6	5	3	2	3	-	2	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs—	92	-	-	-	-	-	-	1	-	1	2	1	4	6	7	6	8	11	8	17	11	9	-	-	-	-
	White—M—	33	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	7	11	7	5	-	-	-	-
	F—	56	-	-	-	-	-	-	1	-	1	1	1	4	5	6	5	7	11	1	6	3	4	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
180, 181	Of urinary organs—	19	-	1	-	-	1	-	-	-	-	-	-	-	-	1	3	3	4	1	-	1	3	1	-	-	-
	White—M—	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	-	1	2	1	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
	Nonwhite—M—	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	66	-	-	-	-	-	-	-	2	2	1	1	3	3	3	9	4	7	12	6	5	3	4	-	-	1
	White—M—	34	-	-	-	-	-	-	1	-	-	-	-	1	2	2	5	3	4	6	4	3	2	1	-	-	-
	F—	28	-	-	-	-	-	-	-	1	1	1	1	2	1	1	3	1	3	4	2	2	1	3	-	-	1
	Nonwhite—M—	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia—	24	1	2	-	1	-	1	3	1	-	-	-	1	2	1	1	1	1	2	5	-	-	-	-	-	-
	White—M—	15	1	1	-	1	-	-	2	-	-	-	-	-	2	1	1	1	-	-	4	-	-	-	-	-	-
	F—	6	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	9	-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	2	-	1	-	1	-	-	-	-	-	-
	White—M—	8	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	29	1	-	-	-	-	2	-	1	1	2	2	4	3	4	1	-	3	2	-	-	-	-	3	-	-	-
	White—M—	10	1	-	-	-	-	2	-	1	-	1	1	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-
	F—	18	-	-	-	-	-	-	-	1	-	2	1	3	2	2	1	-	2	1	-	-	-	-	3	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus—	38	-	-	-	-	-	-	-	1	1	-	-	3	1	3	3	7	5	2	8	3	1	2	-	-	-
	White—M—	14	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	1	3	2	-	1	-	-	-
	F—	19	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	5	5	-	2	1	1	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
290-293	Anemias—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-
	White—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis—	16	8	2	1	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	White—M—	5	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	5	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	1,624	3	1	1	-	-	3	13	11	6	14	20	29	37	62	93	133	180	209	209	245	179	108	44	19	5
	White—M—	924	3	-	1	-	-	1	7	4	3	6	10	12	23	31	65	78	107	132	126	135	92	56	18	11	3
	F—	613	-	1	-	-	-	1	5	4	3	7	9	13	10	25	19	46	67	63	74	99	83	51	24	7	2
	Nonwhite—M—	53	-	-	-	-	-	1	-	3	-	-	-	3	1	3	6	4	5	8	7	8	2	-	1	1	-
	F—	34	-	-	-	-	-	-	1	-	-	1	1	1	3	3	3	5	1	6	2	3	2	1	1	-	-
330-334, 400-468	Diseases of cardiovascular system—	1,544	2	1	1	-	-	3	11	9	3	13	17	27	34	58	89	130	173	195	200	235	177	102	41	18	5
	White—M—	882	2	-	1	-	-	1	5	4	1	5	9	11	22	29	63	75	107	123	120	131	92	52	16	10	3
	F—	581	-	1	-	-	-	1	5	2	2	7	7	12	8	24	18	46	61	61	71	93	81	49	23	7	2
	Nonwhite—M—	48	-	-	-	-	-	1	-	3	-	-	-	3	1	2	5	4	4	6	7	8	2	-	1	1	-
	F—	33	-	-	-	-	-	-	1	-	-	1	1	1	3	3	3	5	1	5	2	3	2	1	1	-	-
330-334	Vascular lesions, etc.*—	309	1	-	-	-	-	-	1	-	-	2	3	1	6	12	14	19	41	46	40	58	38	14	9	4	-
	White—M—	162	1	-	-	-	-	-	-	-	-	-	1	1	3	2	8	8	19	31	19	32	21	8	4	4	-
	F—	130	-	-	-	-	-	-	1	-	-	2	1	-	2	10	6	7	21	12	19	22	17	6	4	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	3	-	-	1	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	1	1	-	-	-	-	-
400-402	Rheumatic fever—	15	-	-	-	-	-	-	4	3	-	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	White—M—	8	-	-	-	-	-	-	3	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
410-443	Diseases of heart	1,111	1	1	1	-	-	3	6	6	2	8	10	20	23	43	71	107	129	145	144	163	119	70	24	12	5
	White—M	677	1	-	1	-	-	1	2	3	1	5	6	8	16	26	52	66	85	91	93	97	66	40	9	5	3
	F	380	-	1	-	-	-	1	3	2	1	3	4	8	5	12	12	36	40	44	46	60	51	29	14	6	2
	Nonwhite—M	31	-	-	-	-	-	1	-	1	-	-	-	3	1	2	4	2	4	4	4	4	-	-	-	1	-
	F	23	-	-	-	-	-	-	1	-	-	-	-	1	1	3	3	3	-	4	1	2	2	1	1	-	-
410-416	Chronic rheumatic heart disease	90	...	1	-	-	-	3	3	2	2	4	1	5	4	8	9	9	10	8	9	8	2	-	1	-	1
	White—M	42	...	-	-	-	-	1	1	2	1	2	1	2	2	3	5	3	6	3	6	3	-	-	1	-	-
	F	46	...	1	-	-	-	1	1	-	1	2	-	3	2	5	4	6	4	5	3	5	2	-	-	-	1
	Nonwhite—M	1	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	582	-	-	-	-	-	-	-	2	-	3	6	5	12	17	38	64	75	89	76	89	57	35	9	4	1
	White—M	409	-	-	-	-	-	-	-	1	-	2	4	3	10	13	34	45	54	63	54	61	37	20	4	3	1
	F	158	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	16	19	24	21	28	20	14	5	1	-
	Nonwhite—M	11	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	1	2	2	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	188	...	-	1	-	-	-	1	-	-	-	-	1	3	4	3	13	20	23	25	31	29	21	9	5	1
	White—M	94	...	-	1	-	-	-	-	-	-	-	-	-	3	2	-	7	13	12	11	17	13	12	2	1	-
	F	79	...	-	-	-	-	-	1	-	-	-	-	1	-	1	2	4	6	7	12	12	14	9	6	3	1
	Nonwhite—M	6	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	1	-
	F	9	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	1	2	-	1	-	-
430-434	Other diseases of heart	96	1	-	-	-	-	-	1	2	-	1	2	4	1	4	10	4	13	5	11	15	10	7	1	2	2
	White—M	59	1	-	-	-	-	-	-	-	-	1	1	3	1	1	7	2	8	3	8	10	7	3	1	-	2
	F	30	-	-	-	-	-	-	1	2	-	-	1	-	-	2	1	2	5	1	3	3	3	4	-	2	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.	155	-	-	-	-	-	-	1	-	-	-	1	5	3	10	11	17	11	18	25	20	21	7	4	1	-
	White—M	73	-	-	-	-	-	-	1	-	-	-	-	-	-	7	6	9	4	10	14	6	9	5	1	1	-
	F	67	-	-	-	-	-	-	-	-	-	-	1	3	2	2	2	8	6	7	7	12	12	2	3	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart	29	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	5	7	5	3	1	1	1	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	1	-	1	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	4	4	4	3	-	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	62	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	7	9	17	17	7	1	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	5	2	5	3	3	-	-
	F	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	7	10	14	4	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	18	-	-	-	-	-	-	-	-	1	1	2	4	1	-	2	2	2	1	2	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	2	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	80	1	-	-	-	-	-	2	2	3	1	3	2	3	4	4	3	7	14	9	10	2	6	3	1	-
	White—M	42	1	-	-	-	-	-	2	-	2	1	1	1	1	2	2	3	-	9	6	4	-	4	2	1	-
	F	32	-	-	-	-	-	-	-	2	1	-	2	1	2	1	1	-	6	2	3	6	2	2	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	339	153	19	6	2	2	6	3	-	3	2	-	5	5	10	13	4	9	18	20	17	20	11	7	1	3
	White—M	136	54	4	-	1	-	1	1	-	-	1	-	-	5	5	7	1	7	10	8	9	10	5	4	1	2
	F	134	66	7	1	-	1	5	2	-	2	-	-	3	-	3	4	2	2	4	8	7	7	6	3	-	1
	Nonwhite—M	39	18	4	4	1	-	-	-	-	1	1	-	1	-	1	2	1	-	-	2	1	2	-	-	-	-
	F	30	15	4	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	4	2	-	1	-	-	-	-
480-483	Influenza	37	12	4	-	-	1	-	1	-	1	-	-	2	1	-	3	-	1	1	1	3	2	2	2	-	-
	White—M	16	4	1	-	-	-	1	1	-	-	-	-	-	1	-	1	-	1	1	1	2	1	-	2	-	-
	F	15	6	1	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	2	-	-	-
	Nonwhite—M	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Pneumonia, etc.*	302	141	15	6	2	1	6	2	-	2	2	-	3	4	10	10	4	8	17	19	14	18	9	5	1	3
	White—M	120	50	3	-	1	-	1	-	-	-	1	-	-	4	5	6	1	6	9	7	7	9	5	2	1	2
	F	119	60	6	1	-	-	5	2	-	1	-	-	1	-	3	4	2	2	4	8	6	6	4	3	-	1
	Nonwhite—M	34	16	3	4	1	-	-	-	-	1	1	-	1	-	1	-	1	-	-	2	1	2	-	-	-	-
	F	29	15	3	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	4	2	-	1	-	-	-	-
500-502	Bronchitis	28	13	2	1	1	-	-	-	-	-	1	-	-	-	-	3	2	-	-	2	1	1	1	-	-	-
	White—M	12	6	2	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F	14	6	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	1	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	23	-	-	-	-	-	-	-	-	1	-	-	2	2	3	1	5	4	1	2	2	-	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	4	3	1	1	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	13	-	1	-	-	-	1	-	2	-	-	1	1	1	1	1	-	-	3	-	-	-	1	-	-	-
	White—M	8	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	2	-	-	-	1	-	-	-
	F	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	48	2	-	-	1	-	-	-	-	-	1	1	1	3	4	5	1	3	7	5	4	5	3	1	-	1
	White—M	21	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	4	3	2	2	1	1	-	1
	F	23	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	2	3	2	2	3	2	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
543, 571, 572	Gastritis, etc.*--	163	132	11	4	-	3	-	-	-	-	-	-	-	1	1	1	-	2	2	1	3	1	1	-	-	-
	White-----M--	55	42	3	2	-	1	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-	-	-
	F--	65	53	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	-	1	-	-	-
	Nonwhite--M--	20	18	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	19	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	48	-	-	-	-	-	-	-	-	1	1	1	2	3	8	6	7	4	4	5	2	3	-	-	-	1
	White-----M--	36	-	-	-	-	-	-	-	-	1	1	1	2	3	7	6	5	3	4	2	2	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	1	-	3	-	1	-	-	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	12	1	1	-	1	-	-	1	-	-	-	3	-	-	-	1	2	-	1	-	1	-	-	-	-	-
	White-----M--	9	1	1	-	1	-	-	1	-	-	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	5	7	-	2	1	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	7	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
640-689	Complications of pregnancy, etc.*-	33	...	...	...	...	...	...	-	2	9	6	6	5	3	2	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	25	...	...	...	...	...	...	-	1	6	5	4	4	3	2	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	1	3	1	2	1	-	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion----------	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689, 750-759	All other complications-------	30	...	...	...	...	...	...	-	2	8	5	5	5	3	2	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	23	...	...	...	...	...	...	-	1	5	4	4	4	3	2	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	3	1	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations--------	103	84	3	1	-	1	-	-	4	1	-	1	1	2	2	1	-	1	-	-	-	1	-	-	-	-
	White-----M--	55	43	2	-	-	1	-	-	3	-	-	-	1	1	2	1	-	-	-	-	-	1	-	-	-	-
	F--	40	33	1	1	-	-	-	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	494	494	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	313	313	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	634	202	20	9	6	1	7	2	7	11	10	5	5	14	9	8	27	33	39	43	46	62	36	15	11	6
	White-----M--	272	86	7	4	2	1	2	1	1	4	2	2	3	4	5	6	11	13	20	22	21	27	19	7	3	1
	F--	228	81	6	-	2	-	2	-	1	4	2	2	1	10	1	1	12	15	14	10	16	24	14	3	5	2
	Nonwhite--M--	79	23	4	4	-	-	1	1	2	1	1	1	1	-	2	-	3	5	2	7	6	7	2	4	1	1
	F--	55	12	3	1	2	-	2	-	3	2	5	2	-	-	1	1	1	-	3	4	3	4	1	1	2	2
Residual	All other diseases	252	17	14	2	5	1	8	4	6	5	8	13	11	12	12	14	25	26	14	22	10	10	9	3	1	-
	White-----M--	151	7	9	2	2	-	2	2	3	2	3	6	4	7	5	10	17	13	11	9	6	4	4	2	1	-
	F--	101	5	3	-	3	1	4	1	2	2	5	6	5	4	5	4	8	13	2	13	4	5	5	1	-	-
	Nonwhite--M--	15	5	2	-	-	-	2	-	-	1	-	1	1	-	1	-	-	-	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents----------	578	25	20	18	7	5	27	27	42	63	45	50	41	34	27	25	20	19	22	8	27	13	12	-	-	1
	White-----M--	377	8	11	9	3	1	16	16	30	47	34	41	25	23	19	17	15	15	12	6	17	5	7	-	-	-
	F--	133	12	7	9	3	4	4	8	7	9	10	6	10	3	5	2	2	3	7	1	10	8	4	-	-	-
	Nonwhite--M--	48	1	1	1	-	-	5	1	3	7	1	3	5	6	2	3	3	1	2	1	-	-	1	-	-	1
	F--	20	4	1	-	1	-	2	2	2	-	-	-	1	2	1	3	-	-	1	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	263	1	6	6	4	2	6	10	25	41	23	22	28	20	16	8	9	6	14	5	9	-	2	-	-	-
	White-----M--	175	1	4	3	1	-	3	4	19	27	17	16	18	12	11	5	6	6	9	3	9	-	1	-	-	-
	F--	57	-	2	3	2	2	2	5	4	8	5	4	5	3	3	2	1	-	4	1	-	1	-	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	1	-	-	6	1	2	5	3	1	-	2	-	1	1	-	-	-	-	-	-
	F--	8	-	-	-	1	-	-	1	2	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
E840-E962	All ot. accidents-	315	24	14	12	3	3	21	17	17	22	22	28	13	14	11	17	11	13	8	3	18	13	10	-	-	1
	White-----M--	202	7	7	6	2	1	13	12	11	20	17	25	7	11	8	12	9	9	3	3	8	5	6	-	-	-
	F--	76	12	5	5	1	2	2	3	3	1	5	2	5	-	2	-	1	3	3	-	10	8	3	-	-	-
	Nonwhite--M--	25	1	1	1	-	-	4	1	3	1	-	1	-	3	1	3	1	1	1	-	-	-	1	-	-	1
	F--	12	4	1	-	-	-	2	1	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	61	-	-	-	-	-	-	-	-	4	7	11	8	6	5	4	6	4	1	1	3	-	1	-	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	2	7	9	5	4	4	3	6	3	1	-	3	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	42	1	-	-	-	-	-	-	1	6	5	8	5	4	3	1	1	3	1	1	-	1	-	-	-	1
	White-----M--	31	1	-	-	-	-	-	-	-	6	3	4	5	2	3	-	1	3	-	1	-	1	-	-	-	1
	F--	5	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK																										
	ALL CAUSES	156,074	7,429	453	273	280	162	593	422	745	1,231	1,504	1,973	3,101	4,787	7,095	10,850	13,870	17,480	19,551	20,537	16,196	14,174	7,897	2,945	568	180
	White--M	81,352	3,659	227	130	143	88	299	242	407	574	710	873	1,403	2,387	3,885	6,173	8,221	10,322	11,057	10,753	8,816	6,418	3,223	1,085	189	68
	F	65,065	2,698	157	104	110	54	234	133	216	381	497	691	1,129	1,624	2,365	3,508	4,745	6,287	7,727	9,174	8,944	7,500	4,556	1,802	358	73
	Nonwhite--M	5,189	611	31	19	9	9	30	25	72	148	145	214	295	422	488	548	520	510	396	297	208	115	44	19	7	9
	F	4,466	461	38	20	18	11	30	22	50	128	152	195	274	354	355	425	384	361	371	313	228	141	74	39	14	10
001-019	Tuberculosis, all forms	3,759	21	26	23	14	5	16	11	56	145	162	240	287	348	385	458	418	385	320	215	139	66	16	3	-	-
	White--M	2,152	5	7	6	4	4	6	1	10	23	38	77	119	174	219	313	308	296	241	155	90	43	11	2	-	-
	F	700	6	10	10	6	1	4	6	13	35	46	65	76	67	64	44	50	41	44	47	39	21	4	1	-	-
	Nonwhite--M	571	3	2	4	2	-	4	-	18	40	32	52	55	77	75	78	49	35	28	8	6	2	1	-	-	-
	F	336	7	7	3	2	-	2	4	15	47	46	46	37	50	27	23	11	13	7	5	4	-	-	-	-	-
001-008	Tuberculosis of respiratory system	3,484	9	13	9	1	1	5	6	48	131	153	219	270	320	370	435	398	369	305	206	135	63	15	3	-	-
	White--M	2,061	4	3	2	1	1	1	1	7	20	36	69	118	165	217	303	300	288	234	151	88	42	10	2	-	-
	F	617	2	6	4	-	-	-	2	12	30	45	62	72	60	61	40	42	38	38	42	37	19	4	1	-	-
	Nonwhite--M	519	2	2	3	-	-	2	-	15	35	32	50	46	70	71	70	46	32	26	8	6	2	1	-	-	-
	F	287	1	2	-	-	-	2	3	14	46	40	38	34	25	21	22	10	13	7	5	4	-	-	-	-	-
010-019	Tuberculosis, other forms	275	12	13	14	13	4	11	5	8	14	9	21	17	28	15	23	20	16	15	9	4	3	1	-	-	-
	White--M	91	1	4	4	3	3	5	-	3	3	2	8	1	9	2	10	8	10	7	4	2	1	1	-	-	-
	F	83	4	4	6	6	1	4	4	1	5	1	3	4	7	3	4	8	3	6	5	2	2	-	-	-	-
	Nonwhite--M	52	1	-	1	2	-	2	-	3	5	-	2	9	7	4	8	3	3	2	-	-	-	-	-	-	-
	F	49	6	5	3	2	-	-	1	1	1	6	6	3	5	6	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelas	690	7	-	-	-	-	-	1	1	3	5	6	19	36	56	83	119	112	97	76	48	15	5	1	-	-
	White--M	394	4	-	-	-	-	-	-	-	-	1	-	3	8	15	40	81	79	66	55	30	9	2	1	-	-
	F	116	1	-	-	-	-	-	-	1	1	1	-	2	3	10	9	18	17	20	15	12	4	2	-	-	-
	Nonwhite--M	113	-	-	-	-	-	-	-	-	1	2	3	9	16	21	21	12	11	9	3	4	1	-	-	-	-
	F	67	2	-	-	-	-	-	1	-	1	1	3	5	9	10	13	8	5	2	3	2	1	1	-	-	-
040	Typhoid fever	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	12	-	1	-	-	-	-	-	1	-	-	-	-	1	2	-	1	1	-	2	2	1	-	-	-	-
	White--M	9	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	2	1	1	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	23	1	4	-	-	-	4	1	1	-	-	2	1	3	1	2	-	3	-	-	-	-	-	-	-	-
	White--M	14	-	3	-	-	-	2	-	1	-	-	2	-	2	-	1	-	3	-	-	-	-	-	-	-	-
	F	8	1	1	-	-	-	2	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	7	-	1	1	2	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	5	-	1	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	15	10	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	71	19	5	7	7	-	4	3	1	2	1	1	2	3	3	2	1	2	-	6	2	-	-	-	-	-
	White--M	34	8	2	5	4	-	2	2	-	-	-	-	2	-	1	1	1	-	-	4	2	-	-	-	-	-
	F	24	7	1	2	3	-	2	1	1	2	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	5	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	8	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
080	Acute poliomyelitis	186	3	1	-	2	4	29	25	29	17	26	19	14	7	5	3	2	-	-	-	-	-	-	-	-	-
	White--M	110	3	1	-	1	4	20	15	18	9	10	9	8	5	4	1	2	-	-	-	-	-	-	-	-	-
	F	72	-	-	-	-	-	8	10	10	8	15	10	6	2	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	20	2	3	3	2	2	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	12	2	1	2	2	-	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other ricketteial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	270	19	6	3	2	3	8	5	4	10	12	20	21	18	30	28	20	16	13	18	9	3	1	1	-	-
	White--M	131	11	1	1	1	2	4	4	1	4	5	9	8	6	14	16	13	9	5	14	2	-	-	1	-	-
	F	104	6	3	1	-	1	4	-	3	2	5	6	7	9	13	8	7	7	8	4	7	2	1	-	-	-
	Nonwhite--M	13	1	-	-	-	-	-	-	-	1	2	1	1	1	2	3	-	-	-	-	-	1	-	-	-	-
	F	22	1	2	1	1	-	-	1	-	3	-	4	5	2	1	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
140-205	Malignant neoplasms, etc.*----	26,548	18	20	40	40	34	94	62	67	118	191	313	618	1,002	1,617	2,550	3,266	3,892	3,925	3,570	2,672	1,614	624	170	28	5
	White-----M--	13,063	12	15	20	23	21	39	33	42	63	81	117	213	322	634	1,125	1,605	2,112	2,119	1,880	1,392	828	278	81	6	2
	F--	12,159	4	4	18	16	13	49	26	22	46	95	162	343	575	821	1,236	1,468	1,611	1,661	1,581	1,211	755	335	84	20	3
	Nonwhite--M--	652	-	-	1	-	-	3	2	2	5	2	11	18	41	77	94	104	102	75	61	32	15	6	1	-	-
	F--	674	2	1	1	1	-	3	1	1	4	13	23	44	64	85	95	89	67	70	48	37	16	5	4	-	-
140-148	Of buccal cavity and pharynx------	622	-	-	-	-	-	1	-	-	3	5	5	12	19	32	60	78	91	97	81	65	48	16	9	-	-
	White-----M--	477	-	-	-	-	-	-	-	-	2	3	3	8	15	16	44	65	72	75	68	52	39	11	6	-	-
	F--	109	-	-	-	-	-	1	-	-	-	2	1	4	1	10	12	9	11	19	13	10	9	4	3	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	1	-	1	-	3	4	3	4	5	2	2	2	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	-	1	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	10,889	2	2	1	-	2	4	1	-	8	30	54	139	261	491	894	1,257	1,689	1,805	1,716	1,314	802	325	75	13	4
	White-----M--	5,648	1	1	-	-	1	1	1	-	4	16	24	59	103	242	449	688	940	980	922	674	397	128	33	2	2
	F--	4,719	-	-	1	-	1	3	-	-	4	12	22	70	129	190	373	511	676	750	742	605	383	195	39	11	2
	Nonwhite--M--	310	-	-	-	-	-	-	-	-	-	1	3	3	19	38	44	51	49	39	35	14	12	1	1	-	-
	F--	212	1	1	-	-	-	-	-	-	-	1	5	7	10	21	28	27	24	36	17	21	10	1	2	-	-
160-164	Of respiratory system----------	3,099	-	-	-	1	-	2	1	2	1	2	11	44	92	210	395	513	609	510	357	217	99	25	7	1	-
	White-----M--	2,546	-	-	-	1	-	-	-	1	1	1	8	32	71	168	318	442	514	427	297	171	76	11	6	1	-
	F--	419	-	-	-	-	-	2	1	-	-	1	2	6	16	22	45	52	74	70	53	39	23	12	1	-	-
	Nonwhite--M--	116	-	-	-	-	-	-	-	1	-	-	-	4	4	19	25	18	21	13	5	4	-	2	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	2	1	1	7	1	-	-	2	3	-	-	-	-	-
170	Of breast----------	2,614	-	-	-	-	-	-	-	-	1	13	52	125	207	287	325	322	302	298	272	214	126	54	14	3	1
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	2	5	6	5	4	2	1	1	-	-
	F--	2,464	-	-	-	-	-	-	-	-	1	12	48	118	194	266	304	304	284	279	261	206	120	51	12	3	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-
	F--	113	-	-	-	-	-	-	-	-	-	1	4	7	13	18	16	16	10	11	6	4	4	2	1	-	-
171-179	Of genital organs-	3,622	-	-	-	1	1	2	4	3	19	38	57	103	173	250	378	431	427	457	504	412	265	89	25	3	-
	White-----M--	1,129	-	-	-	1	-	1	-	1	9	5	12	12	9	10	25	51	129	168	214	236	169	63	13	1	-
	F--	2,227	-	-	-	-	1	1	4	2	9	24	34	72	134	204	322	339	279	247	263	163	92	24	11	2	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	-	-	1	-	1	1	1	6	10	8	9	12	8	3	2	-	-	-
	F--	204	-	-	-	-	-	-	-	-	1	8	11	18	29	35	25	31	11	13	15	5	1	-	1	-	-
180, 181	Of urinary organs-	1,289	1	3	6	3	2	7	1	1	2	4	4	17	30	47	80	154	186	217	210	145	107	47	13	2	-
	White-----M--	851	-	2	4	2	1	2	-	1	2	1	3	10	19	35	57	113	120	149	144	83	58	34	10	1	-
	F--	395	1	1	2	1	1	5	1	-	-	3	1	4	8	10	17	35	56	60	63	61	49	12	3	1	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	6	4	1	1	-	1	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	2	4	4	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	2,307	4	7	11	14	9	29	25	21	32	29	51	89	107	147	209	295	332	285	250	183	110	46	20	2	-
	White-----M--	1,216	3	6	4	6	5	8	12	15	21	17	29	38	51	79	107	147	208	154	128	95	53	21	9	-	-
	F--	981	1	1	7	8	4	18	11	5	7	12	20	38	46	59	87	130	113	125	114	82	56	24	11	2	-
	Nonwhite--M--	57	-	-	-	-	-	2	2	-	2	-	1	6	6	5	7	11	5	3	4	3	-	-	-	-	-
	F--	53	-	-	-	-	-	1	-	1	2	-	1	7	4	4	8	7	6	3	4	3	1	1	-	-	-
204	Leukemia and aleukemia----------	1,029	9	8	18	19	20	39	26	22	21	31	39	38	52	74	84	84	103	132	91	62	37	16	4	-	-
	White-----M--	568	7	6	10	11	14	20	17	13	9	19	20	20	24	35	46	44	50	81	56	37	22	5	2	-	-
	F--	427	2	2	6	7	6	17	8	8	12	12	15	17	25	35	34	36	49	51	32	25	15	11	2	-	-
	Nonwhite--M--	19	-	-	1	-	-	1	-	1	-	-	3	1	2	4	2	3	-	-	1	-	-	-	-	-	-
	F--	15	-	-	1	1	-	1	1	-	-	-	1	-	1	-	2	1	4	-	2	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	1,077	2	-	4	2	-	10	4	18	31	39	40	51	61	79	125	132	153	146	89	60	20	8	3	2	-
	White-----M--	595	1	-	2	2	-	7	3	11	15	19	18	34	30	47	74	73	74	79	48	40	12	4	1	1	-
	F--	418	-	-	2	-	-	2	1	7	13	17	19	14	22	25	42	52	69	60	40	20	8	2	2	1	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	2	-	3	2	6	4	4	3	5	5	1	-	-	-	-	-	-
	F--	29	1	-	-	-	-	1	-	-	1	3	-	1	3	3	5	4	5	2	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	613	12	5	4	1	4	6	5	6	12	11	22	41	47	57	60	70	75	49	47	27	27	15	5	1	4
	White-----M--	234	4	-	2	-	4	4	4	2	3	5	4	9	10	15	18	39	33	21	26	12	12	4	2	-	1
	F--	325	6	3	2	1	-	2	1	4	6	3	17	24	28	36	33	31	38	26	19	15	14	10	3	1	2
	Nonwhite--M--	12	1	2	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	1	-	-	1	-	-	-
	F--	42	1	-	-	-	-	-	-	-	3	3	1	7	8	5	7	-	3	1	1	-	1	-	-	-	1
260	Diabetes mellitus-	2,823	1	3	-	2	-	3	4	5	12	27	16	29	45	75	163	256	488	531	504	357	235	59	8	-	-
	White-----M--	978	1	1	-	1	-	-	2	1	6	16	8	15	15	34	60	87	159	189	172	118	69	22	2	-	-
	F--	1,695	-	2	-	1	-	3	2	4	6	7	3	7	17	25	80	151	311	319	315	234	165	37	6	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	2	2	2	7	2	8	5	11	3	6	2	-	-	-	-	-
	F--	100	-	-	-	-	-	-	-	-	-	2	3	5	6	14	15	13	7	20	11	3	1	-	-	-	-
290-293	Anemias----------	300	4	2	1	1	1	4	2	5	4	3	1	1	8	9	12	15	23	36	50	60	37	16	5	-	-
	White-----M--	119	-	-	-	-	-	1	2	2	1	2	-	1	-	4	6	3	11	18	18	27	16	7	-	-	-
	F--	158	2	1	-	-	1	1	-	1	1	-	-	-	3	4	5	10	11	18	32	33	21	9	5	-	-
	Nonwhite--M--	12	2	1	1	-	-	1	-	1	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-	-
	F--	11	-	-	-	1	-	1	-	1	2	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis--------	163	34	11	6	9	3	4	6	3	2	4	4	5	7	8	14	10	9	8	7	5	3	1	-	-	-
	White-----M--	76	15	7	4	8	2	-	2	2	-	1	-	3	2	2	6	5	5	4	3	3	1	1	-	-	-
	F--	52	9	3	2	1	1	3	1	1	-	2	4	2	2	4	4	2	2	2	4	2	1	-	-	-	-
	Nonwhite--M--	21	6	1	-	-	-	1	2	-	1	-	-	-	1	1	3	3	-	1	-	-	1	-	-	-	-
	F--	14	4	-	-	-	-	-	1	-	1	1	-	-	2	1	1	-	2	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	88,347	19	6	7	11	10	41	64	115	170	288	442	941	1,848	3,178	5,244	7,480	10,053	12,120	13,768	12,823	10,612	6,197	2,369	463	98
	White-----M--	45,967	11	3	4	5	5	19	30	54	67	134	201	467	1,087	1,931	3,285	4,615	6,007	6,834	7,042	5,982	4,868	2,479	848	157	33
	F--	38,456	6	2	3	6	3	20	28	42	72	97	164	303	506	912	1,520	2,375	3,536	4,815	6,327	6,528	5,756	3,626	1,472	286	51
	Nonwhite--M--	1,884	-	-	-	-	-	-	3	11	15	18	33	82	107	170	219	265	272	227	182	142	78	31	17	7	5
	F--	2,040	2	1	-	-	2	3	3	8	16	19	44	89	148	165	220	225	238	244	217	171	110	61	32	13	9
330-334, 400-468	Diseases of cardiovascular system----	86,629	19	4	2	5	7	28	55	84	138	221	400	869	1,760	3,069	5,100	7,322	9,879	11,930	13,579	12,652	10,481	6,122	2,348	458	97
	White-----M--	45,111	11	2	1	2	3	12	24	38	49	107	183	435	1,048	1,879	3,210	4,536	5,912	6,743	6,940	5,889	4,604	2,447	838	154	33
	F--	37,714	6	1	1	3	2	15	25	30	61	80	146	275	471	868	1,466	2,310	3,474	4,725	6,243	6,443	5,891	3,584	1,460	284	50
	Nonwhite--M--	1,834	-	-	-	-	-	-	3	9	13	17	32	81	101	162	211	261	264	223	181	140	76	31	17	7	5
	F--	1,970	2	1	-	-	2	1	3	7	15	17	39	78	140	160	213	215	229	239	215	170	110	60	32	13	9
330-334	Vascular lesions, etc.*----------	13,766	7	2	2	2	1	7	3	5	19	28	48	99	196	373	616	955	1,396	1,875	2,381	2,297	1,971	1,040	362	64	16
	White-----M--	6,021	5	-	1	1	1	2	1	4	8	15	18	31	73	148	257	439	658	946	1,075	993	780	404	118	27	6
	F--	7,170	1	1	1	1	-	4	1	1	9	10	20	43	81	174	291	442	652	863	1,247	1,261	1,157	625	241	35	9
	Nonwhite--M--	258	-	-	-	-	-	-	-	-	1	-	4	11	13	19	29	23	50	30	27	17	11	2	-	-	1
	F--	337	1	1	-	-	-	1	1	1	1	3	6	14	29	32	39	51	36	36	32	26	13	9	3	2	-
400-402	Rheumatic fever----	192	-	-	-	-	4	6	20	23	12	19	20	29	32	8	3	7	4	2	2	1	-	-	-	-	-
	White-----M--	85	-	-	-	-	1	2	7	9	3	9	6	16	14	5	2	5	3	2	-	1	-	-	-	-	-
	F--	83	-	-	-	-	1	4	11	10	7	8	10	9	15	2	1	2	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	2	2	-	2	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	2	-	-	2	2	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
410-443	Diseases of heart	69,071	8	2	-	2	2	11	29	48	91	147	293	690	1,452	2,594	4,327	6,150	8,211	9,700	10,652	9,628	7,638	4,399	1,645	291	61
	White	36,868	4	2	-	1	1	6	16	23	35	73	149	375	927	1,681	2,875	3,963	5,088	5,608	5,610	4,573	3,419	1,736	564	98	21
	F	28,230	3	-	-	1	1	5	11	15	37	53	100	206	347	664	1,116	1,804	2,732	3,719	4,717	4,807	4,068	2,591	1,024	180	29
	Nonwhite	1,467	-	-	-	-	-	-	-	6	9	11	24	55	78	128	176	225	209	178	146	112	62	27	12	5	4
	F	1,506	1	-	-	-	-	-	2	4	10	10	20	54	100	121	160	158	182	195	179	136	89	45	25	8	7
410-416	Chronic rheumatic heart disease	2,578	...	-	-	-	-	5	24	33	65	85	148	245	271	359	319	304	240	170	110	89	59	39	9	2	2
	White	1,150	...	-	-	-	-	2	15	13	21	35	65	96	125	163	154	148	115	79	46	35	24	11	2	1	-
	F	1,268	...	-	-	-	-	3	7	11	28	40	68	121	121	176	156	144	120	86	63	53	34	27	7	1	2
	Nonwhite	63	...	-	-	-	-	-	-	5	6	5	9	14	15	12	5	5	3	2	1	-	1	-	-	-	-
	F	77	...	-	-	-	-	-	2	4	10	5	6	14	10	8	4	7	2	3	-	1	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	47,833	3	-	-	-	-	1	-	4	5	31	92	316	890	1,733	3,074	4,548	6,166	7,199	7,842	8,828	5,092	2,809	1,004	170	38
	White	28,269	2	-	-	-	-	-	-	3	4	21	65	237	701	1,309	2,322	3,220	4,133	4,440	4,367	3,423	2,414	1,182	376	58	14
	F	17,921	1	-	-	-	-	1	-	1	1	7	17	47	124	306	589	1,118	1,781	2,512	3,259	3,250	2,574	1,605	608	105	15
	Nonwhite	894	-	-	-	-	-	-	-	-	-	2	6	17	38	67	87	142	146	125	108	78	42	16	11	5	4
	F	749	-	-	-	-	-	-	-	-	-	1	4	15	27	51	76	68	106	112	108	75	62	26	9	4	5
421, 422	Nonrheumatic chronic endocarditis, etc.*	8,185	...	-	-	2	1	2	3	4	7	10	14	36	73	150	212	351	570	884	1,199	1,465	1,562	1,070	486	90	12
	White	3,686	...	-	-	1	1	1	1	3	3	4	5	17	30	62	97	177	314	476	596	649	642	406	162	34	5
	F	4,136	...	-	-	1	-	1	2	1	4	3	6	10	19	42	77	126	215	372	568	770	901	647	313	53	7
	Nonwhite	179	...	-	-	-	-	-	-	-	-	3	2	8	8	19	25	23	24	16	15	16	10	7	1	-	-
	F	184	...	-	-	-	-	-	-	-	-	-	1	3	16	7	13	25	17	18	22	30	9	10	10	3	-
430-434	Other diseases of heart	852	5	2	-	-	1	2	2	6	9	8	13	23	29	41	71	89	98	121	107	81	72	52	16	3	1
	White	490	2	2	-	-	-	2	-	4	6	7	9	9	16	24	43	54	63	78	61	41	35	26	7	1	-
	F	338	2	-	-	-	1	-	2	1	2	1	1	12	12	14	22	34	34	41	46	39	36	26	9	2	1
	Nonwhite	15	-	-	-	-	-	-	-	1	1	-	3	1	1	2	4	-	-	-	-	1	1	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	8,623	-	-	-	-	-	1	-	1	5	13	28	68	189	331	651	858	1,137	1,336	1,394	1,167	853	429	130	26	8
	White	3,273	-	-	-	-	-	1	-	-	1	6	5	16	55	123	259	364	463	535	540	425	304	131	37	6	2
	F	4,567	-	-	-	-	-	-	-	1	2	2	8	16	71	126	272	392	582	708	783	695	523	286	87	18	4
	Nonwhite	296	-	-	-	-	-	-	-	-	2	1	4	15	16	28	55	55	36	33	22	17	8	4	-	-	-
	F	487	-	-	-	-	-	-	-	-	-	4	9	21	47	54	65	57	56	60	49	30	18	8	6	1	2
444-447	Hypertension without mention of heart	1,120	-	-	-	-	-	-	1	3	5	13	23	27	44	51	66	77	86	114	146	156	151	98	48	11	2
	White	480	-	-	-	-	-	-	-	1	1	4	6	5	19	21	32	47	45	60	59	64	61	40	14	1	-
	F	545	-	-	-	-	-	-	1	2	2	4	9	7	13	16	26	23	34	49	85	89	87	57	29	10	2
	Nonwhite	44	-	-	-	-	-	-	-	-	2	3	2	9	7	10	1	3	1	3	1	1	-	-	1	-	-
	F	51	-	-	-	-	-	-	-	-	-	2	6	6	5	4	7	4	6	2	1	2	3	1	2	-	-
450	General arteriosclerosis	2,867	-	-	-	-	-	-	-	-	-	-	-	1	4	8	27	54	99	175	317	517	694	571	282	90	18
	White	1,328	-	-	-	-	-	-	-	-	-	-	-	-	3	5	16	31	68	83	145	240	322	261	120	28	6
	F	1,457	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	19	25	78	163	261	364	303	166	58	10
	Nonwhite	44	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	8	7	10	3	2	4	2	-
	F	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	6	2	6	5	5	2	2	2
451-468	Other diseases of circulatory sys.	613	4	-	-	1	-	4	2	4	11	14	16	23	32	35	61	79	83	64	81	53	27	14	3	2	-
	White	329	2	-	-	-	-	2	-	1	2	6	4	8	12	19	28	51	50	44	51	28	12	6	3	-	-
	F	229	2	-	-	1	-	2	1	2	6	5	7	9	14	11	25	20	30	16	29	25	15	8	-	1	-
	Nonwhite	28	-	-	-	-	-	-	1	1	1	1	-	3	2	3	3	7	2	4	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	2	2	5	3	4	2	5	1	1	-	1	-	-	-	-	1	-
592-594	Chronic nephritis, etc.*	1,718	-	2	5	8	3	13	9	31	32	47	42	72	88	109	144	158	174	190	189	171	131	75	21	5	1
	White	856	-	1	3	3	2	6	6	16	18	27	18	32	39	52	75	79	95	91	102	83	64	32	9	3	-
	F	742	-	1	2	3	1	5	3	12	11	17	18	28	35	44	54	65	62	90	84	85	65	42	12	2	1
	Nonwhite	50	-	-	-	-	-	-	-	2	2	1	1	1	8	8	8	4	8	4	1	2	2	-	-	-	-
	F	70	-	-	-	-	-	2	-	1	1	2	5	11	8	5	7	10	9	5	2	1	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*	4,160	469	99	43	33	8	43	21	15	34	54	60	85	141	159	221	262	341	385	485	422	373	243	128	28	8
	White	2,154	194	54	21	16	2	17	9	5	13	19	23	37	76	91	132	175	224	230	266	218	173	90	57	10	2
	F	1,558	169	31	16	15	4	17	8	5	12	19	15	19	24	36	53	61	93	134	194	196	194	150	70	17	6
	Nonwhite	278	65	9	2	1	2	4	2	1	6	9	11	19	31	24	24	15	17	17	10	5	3	1	-	-	-
	F	170	41	5	4	1	-	5	2	4	3	7	11	10	10	8	12	11	7	4	15	3	3	2	1	1	-
480-483	Influenza	198	13	6	2	6	1	3	3	4	-	8	3	5	3	4	7	8	10	16	28	20	20	12	11	3	2
	White	99	5	1	1	4	1	1	1	2	-	1	1	4	2	3	3	5	5	9	20	10	12	3	4	1	-
	F	87	5	5	1	1	-	1	1	-	-	6	1	-	1	1	3	3	5	7	8	10	8	9	7	2	2
	Nonwhite	8	3	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	3,962	456	95	41	27	7	40	18	11	34	46	57	80	138	155	214	254	331	369	457	402	353	231	117	25	6
	White	2,055	189	55	20	12	1	16	8	3	13	18	22	33	74	88	129	170	219	221	246	208	161	87	53	9	2
	F	1,471	164	26	15	14	4	16	7	5	12	13	14	19	23	35	50	58	88	127	186	186	186	141	83	15	4
	Nonwhite	270	62	9	2	1	3	3	1	1	6	8	10	18	31	24	24	15	17	17	10	5	3	1	-	-	-
	F	166	41	5	4	-	-	5	2	2	3	7	11	10	10	8	11	11	7	4	15	3	3	2	1	1	-
500-502	Bronchitis	266	49	15	5	6	3	7	2	-	2	1	2	1	1	10	10	17	23	30	20	21	15	19	7	-	-
	White	162	22	8	2	2	2	4	1	-	-	-	-	1	1	5	9	13	19	27	14	13	8	9	2	-	-
	F	83	18	3	3	2	-	3	1	-	1	1	1	-	-	3	1	4	4	3	6	8	6	10	5	-	-
	Nonwhite	8	3	2	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	13	6	2	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	1,091	5	-	-	-	-	2	1	1	1	5	12	35	55	82	106	147	177	174	117	83	57	23	6	1	1
	White	851	2	-	-	-	-	1	-	1	-	3	9	27	43	65	92	124	148	124	99	51	42	13	5	1	1
	F	195	1	-	-	-	-	1	-	-	1	-	3	4	9	11	12	12	25	44	17	29	15	10	1	-	-
	Nonwhite	38	1	-	-	-	-	-	1	-	-	2	-	3	3	5	2	10	4	4	-	3	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	1	-	-	-	-	-	-
550-553	Appendicitis	333	1	4	3	6	2	15	9	5	10	7	12	15	14	27	31	25	42	40	31	18	8	5	2	1	-
	White	176	-	2	1	3	1	6	7	1	4	4	6	8	9	11	17	19	21	20	19	10	4	2	-	1	-
	F	126	-	2	1	3	1	7	2	3	3	2	4	4	3	12	10	6	18	19	12	7	2	3	2	-	-
	Nonwhite	12	1	-	-	-	-	-	-	1	1	1	1	-	-	3	-	-	2	1	-	-	1	-	-	-	-
	F	19	-	-	1	-	-	2	-	-	2	-	1	3	2	1	4	-	1	-	-	1	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	843	90	3	1	2	1	1	2	3	2	9	6	12	15	38	53	64	83	94	106	110	81	51	13	1	1
	White	413	53	1	1	1	1	1	2	3	1	3	2	1	5	18	21	37	44	56	47	55	35	21	3	-	1
	F	385	28	1	-	1	-	-	-	-	1	4	1	7	6	18	29	26	34	36	55	53	45	29	10	1	-
	Nonwhite	27	6	1	-	-	-	-	-	-	-	-	3	2	3	1	2	-	4	-	3	1	-	1	-	-	-
	F	18	3	-	-	-	-	-	-	-	-	2	-	2	1	2	1	1	1	2	1	1	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK--Con.																										
543, 571, 572	Gastritis, etc.*--	491	159	17	1	2	2	2	1	5	14	13	15	13	8	15	25	28	36	48	35	30	25	13	6	-	-
	White-----M--	228	70	9	-	-	1	1	1	3	8	9	4	4	3	7	15	10	15	24	16	12	11	3	2	-	-
	F--	231	48	7	1	2	1	1	-	2	5	3	11	8	5	8	8	18	19	22	19	17	13	9	4	-	-
	Nonwhite--M--	17	13	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	15	8	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-
581	Cirrhosis of liver	1,968	-	-	-	-	-	-	1	1	9	17	40	94	184	243	301	299	276	218	144	93	28	16	4	1	-
	White-----M--	1,196	-	-	-	-	-	-	-	-	2	6	17	37	91	158	179	184	194	155	100	53	15	6	1	-	-
	F--	645	-	-	-	-	-	-	1	1	6	7	16	43	68	67	98	100	72	59	41	40	12	10	3	1	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	3	2	4	16	13	16	9	8	4	3	-	1	-	-	-	-
	F--	48	-	-	-	-	-	-	-	-	-	1	5	10	9	5	8	6	2	2	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	198	1	1	6	4	2	7	1	9	4	6	12	9	10	11	14	18	19	18	19	12	7	7	1	-	-
	White-----M--	110	-	-	3	2	1	5	-	6	1	5	5	5	3	7	9	10	12	13	7	6	3	7	-	-	-
	F--	77	1	1	2	2	1	2	1	1	3	-	5	3	5	4	5	8	7	3	12	6	4	-	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	605	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	25	44	75	123	142	102	65	19	1	-
	White-----M--	580	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	25	41	71	116	138	98	64	19	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	4	7	4	4	1	-	-	-
640-689	Complications of pregnancy, etc.*-	193	...	...	...	...	...	...	1	15	39	53	44	24	14	3	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	146	...	...	...	...	...	...	-	12	26	42	32	19	12	3	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	47	...	...	...	...	...	...	1	3	13	11	12	5	2	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion----------	34	...	...	...	...	...	...	1	4	9	10	6	4	-	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	22	...	...	...	...	...	...	-	3	8	7	1	3	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	12	...	...	...	...	...	...	1	1	1	3	5	1	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications-------	159	...	...	...	...	...	...	-	11	30	43	38	20	14	3	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	124	...	...	...	...	...	...	-	9	18	35	31	16	12	3	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	35	...	...	...	...	...	...	-	2	12	8	7	4	2	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations-------	1,641	1,181	78	24	19	13	29	29	15	25	27	28	14	34	40	21	28	15	10	5	3	2	1	-	-	-
	White-----M--	827	594	32	11	11	6	15	17	7	12	11	15	5	21	21	9	22	9	5	2	1	-	1	-	-	-
	F--	694	504	37	8	8	5	12	11	7	9	15	9	9	9	17	11	5	6	5	3	2	2	-	-	-	-
	Nonwhite--M--	57	40	4	2	-	1	1	-	2	-	3	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	63	43	5	3	-	1	1	1	2	1	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	4,811	4,809	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,373	2,371	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,710	1,710	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	428	428	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	2,202	2,202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,140	1,140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	776	776	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	2,315	2,313	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,065	1,063	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	859	859	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	854	82	8	3	5	2	3	2	17	37	31	48	55	80	106	68	42	54	37	31	36	37	34	21	5	10
	White-----M--	458	48	2	3	1	1	3	2	6	12	18	18	26	32	65	38	26	35	25	21	20	18	21	11	-	6
	F--	276	26	3	-	2	-	-	-	2	8	5	18	16	37	29	20	13	13	12	9	16	17	12	10	5	5
	Nonwhite--M--	85	5	2	-	1	1	-	-	4	16	3	9	9	6	9	8	3	6	-	1	-	1	-	-	-	1
	F--	35	3	1	-	1	-	-	-	5	1	5	3	4	5	3	2	-	-	-	-	1	1	-	-	-	-
Residual	All other diseases	5,387	213	50	24	30	10	64	38	60	86	128	163	247	272	340	478	566	591	638	508	429	273	135	38	11	5
	White-----M--	2,794	113	30	11	17	6	34	21	33	33	51	72	107	106	167	274	313	337	357	286	233	116	55	14	5	3
	F--	2,221	78	17	12	11	4	26	14	18	33	56	59	99	107	130	169	222	231	268	216	191	152	77	23	6	2
	Nonwhite--M--	213	11	1	-	1	-	1	-	5	13	12	19	22	31	26	25	17	13	4	3	3	3	2	1	-	-
	F--	169	11	2	1	1	-	3	3	4	7	9	13	19	28	17	10	14	10	9	3	2	2	1	-	-	-
E800-E962	Accidents----------	7,301	196	78	66	78	51	196	116	246	353	318	300	345	406	410	482	499	514	528	541	571	505	334	137	28	23
	White-----M--	4,392	95	45	32	39	24	111	81	176	252	231	199	207	273	282	338	359	356	327	305	284	207	111	34	8	16
	F--	2,339	58	21	20	28	17	62	19	51	64	41	53	77	72	83	87	118	145	183	222	279	293	221	101	20	4
	Nonwhite--M--	392	23	3	9	3	5	15	13	14	23	32	36	41	46	41	29	17	9	14	8	5	3	-	-	-	3
	F--	178	20	9	5	8	5	8	3	5	14	14	12	20	15	4	8	5	4	4	6	3	2	2	2	-	-
E810-E835	Motor-vehicle accidents--------	2,098	9	8	20	27	20	85	23	137	213	166	128	115	108	114	146	147	159	157	133	102	58	15	4	-	4
	White-----M--	1,455	7	5	7	13	11	49	18	98	160	121	91	66	76	74	106	103	119	107	99	70	42	10	2	-	1
	F--	499	2	3	10	12	8	28	3	34	41	26	23	28	18	28	33	35	36	47	31	31	15	5	2	-	-
	Nonwhite--M--	103	-	-	2	1	-	6	1	2	6	12	13	13	7	12	7	7	4	2	3	1	1	-	-	-	3
	F--	41	-	-	1	1	1	2	1	3	6	7	1	8	7	-	-	2	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	5,203	187	70	46	51	31	111	93	109	140	152	172	230	298	296	316	352	355	371	408	469	447	319	133	28	19
	White-----M--	2,937	88	40	25	26	13	62	63	78	92	110	108	141	197	208	232	256	237	220	206	214	165	101	32	8	15
	F--	1,840	56	18	10	16	9	34	16	17	23	15	30	49	54	55	54	63	109	136	191	248	278	216	99	20	4
	Nonwhite--M--	289	23	3	7	2	5	9	12	12	17	20	23	28	39	29	22	10	5	12	5	4	2	-	-	-	-
	F--	137	20	9	4	7	4	6	2	2	8	7	11	12	8	4	8	3	4	3	6	3	2	2	2	-	-
E963, E970-E979	Suicide----------	1,671	-	-	-	-	-	-	4	33	66	79	94	120	129	162	215	170	194	151	103	80	47	17	1	1	5
	White-----M--	1,179	-	-	-	-	-	-	4	21	43	43	56	72	78	105	153	132	146	124	80	62	41	16	-	-	3
	F--	435	-	-	-	-	-	-	-	10	21	26	30	41	47	50	57	37	42	26	21	17	5	1	1	1	2
	Nonwhite--M--	44	-	-	-	-	-	-	-	2	1	7	5	6	3	6	3	1	6	1	1	1	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	3	3	1	1	1	2	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide----------	396	24	1	1	1	2	2	5	26	55	46	48	50	50	18	20	20	12	6	6	2	1	-	-	-	-
	White-----M--	151	15	1	1	-	1	-	2	11	17	14	17	16	14	8	8	11	6	4	4	1	-	-	-	-	-
	F--	57	5	-	-	1	-	2	-	2	9	4	3	9	6	4	2	3	3	-	2	1	1	-	-	-	-
	Nonwhite--M--	143	2	-	-	-	-	-	2	11	22	16	20	20	25	5	9	6	3	2	-	-	-	-	-	-	-
	F--	45	2	-	-	-	1	-	1	2	7	12	8	5	5	1	1	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA																										
	ALL CAUSES	31,130	3,674	247	155	112	79	291	236	436	593	684	855	1,008	1,326	1,547	1,963	2,268	2,913	3,177	3,192	2,760	1,990	978	467	119	60
	White-----M	11,976	1,082	58	45	37	25	109	87	171	230	219	298	363	510	560	740	960	1,202	1,272	1,348	1,235	856	363	174	24	8
	F	8,394	789	58	43	24	16	77	50	77	86	122	141	159	256	307	400	445	707	848	1,158	1,073	848	449	206	60	15
	Nonwhite--M	5,741	995	76	38	26	17	48	48	104	143	189	242	238	307	362	426	471	548	555	365	255	150	74	35	13	16
	F	5,019	808	55	29	25	21	57	51	84	134	154	174	248	253	318	397	392	456	502	341	197	136	92	52	22	21
001-019	Tuberculosis, all forms	758	3	8	7	2	1	4	7	32	63	69	84	66	73	69	76	48	49	41	29	15	9	1	-	-	2
	White-----M	190	1	2	2	-	-	-	1	2	4	8	18	14	25	21	30	14	18	9	10	5	5	-	-	-	1
	F	110	-	1	1	-	-	-	-	1	4	9	12	10	7	10	9	7	8	13	9	6	2	1	-	-	-
	Nonwhite--M	237	-	5	4	2	-	3	-	9	20	27	35	16	20	26	22	16	16	7	7	2	-	-	-	-	-
	F	221	2	-	-	-	1	1	6	20	35	25	19	26	21	12	15	11	7	12	3	2	2	-	-	-	1
001-008	Tuberculosis of respiratory system	706	2	5	5	2	-	2	7	29	57	62	84	61	72	65	71	45	45	39	28	14	9	1	-	-	1
	White-----M	181	1	2	1	-	-	-	1	1	3	8	18	13	24	19	30	14	17	9	10	5	5	-	-	-	-
	F	102	-	-	1	-	-	-	-	1	4	8	12	8	7	10	8	7	8	11	8	6	2	1	-	-	-
	Nonwhite--M	215	-	3	3	2	-	1	-	9	18	23	35	15	20	25	18	13	14	7	7	2	-	-	-	-	-
	F	208	1	-	-	-	-	1	6	18	32	23	19	25	21	11	15	11	6	12	3	1	2	-	-	-	1
010-019	Tuberculosis, other forms	52	1	3	2	-	1	2	-	3	6	7	-	5	1	4	5	3	4	2	1	1	-	-	-	-	1
	White-----M	9	-	-	1	-	-	-	-	1	1	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	1
	F	8	-	1	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M	22	-	2	1	-	-	2	-	-	2	4	-	1	-	1	4	3	2	-	-	-	-	-	-	-	-
	F	13	1	-	-	-	1	-	-	2	3	2	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae	165	7	-	-	-	-	-	-	1	-	3	6	10	12	15	16	26	18	17	13	11	8	2	-	-	-
	White-----M	43	1	-	-	-	-	-	-	1	-	-	-	1	4	3	5	4	6	7	3	5	2	1	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	4	2	2	1	-	-	-
	Nonwhite--M	71	3	-	-	-	-	-	-	-	-	-	5	4	4	11	11	13	9	3	4	2	2	-	-	-	-
	F	34	3	-	-	-	-	-	-	-	-	3	1	5	4	-	-	7	2	3	2	2	2	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	29	15	-	1	-	1	1	1	2	-	-	-	1	2	-	-	-	-	1	2	-	-	-	2	-	-
	White-----M	5	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	Nonwhite--M	7	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-
	F	10	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	10	-	-	1	-	1	2	2	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	26	1	3	7	5	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	7	-	-	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	2	2	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	60	41	7	7	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	10	7	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	19	14	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	12	3	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	28	3	2	1	3	1	3	3	2	1	-	2	1	1	2	-	1	1	-	-	1	-	-	-	-	-
	White-----M	10	1	2	-	1	1	2	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M	6	-	-	1	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	19	-	-	-	1	-	4	5	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	7	-	-	-	-	-	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	1	-	-	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	16	6	1	2	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	1	1	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	7	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
	White-----M	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	112	11	3	7	1	2	6	8	5	8	9	4	7	5	7	3	4	5	6	7	2	-	1	1	-	-
	White-----M	34	3	1	2	1	2	2	2	1	-	1	1	2	-	2	1	2	2	2	5	1	-	-	1	-	-
	F	25	3	-	1	-	-	3	1	3	2	2	-	4	-	1	-	1	1	2	1	-	-	-	-	-	-
	Nonwhite--M	26	3	-	2	-	-	-	4	-	4	4	1	1	1	1	2	1	1	1	-	-	-	-	-	-	-
	F	27	2	2	2	-	-	1	1	1	2	2	2	-	4	3	-	-	1	1	1	1	-	1	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*—	3,187	10	7	5	17	6	33	24	24	35	54	75	107	177	256	305	352	420	416	355	258	150	72	15	11	3
	White——M—	1,112	5	2	2	3	4	15	9	8	15	16	19	24	49	64	89	130	138	173	140	102	72	25	5	3	-
	F—	1,297	4	4	2	7	-	13	8	6	12	25	29	36	81	104	129	127	161	147	154	126	65	40	9	6	2
	Nonwhite—M—	314	1	1	1	4	2	5	3	3	3	2	6	13	16	28	34	33	57	43	33	13	10	3	-	-	-
	F—	464	-	-	-	3	-	-	4	7	5	11	21	34	31	60	53	62	64	53	28	17	3	4	1	2	1
140-148	Of buccal cavity and pharynx—	87	-	-	-	-	-	1	1	-	1	2	-	-	4	2	11	6	20	12	11	6	8	1	-	1	-
	White——M—	48	-	-	-	-	-	1	1	-	-	-	-	-	4	2	9	3	10	7	6	1	4	-	-	-	-
	F—	27	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	2	3	4	5	4	3	1	-	1	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum—	1,072	-	2	-	1	-	2	1	1	6	9	14	25	34	65	92	118	165	165	149	117	62	32	7	5	-
	White——M—	416	-	1	-	-	-	1	1	1	4	1	3	4	13	24	30	58	64	67	61	47	26	8	4	-	-
	F—	372	-	1	-	-	-	1	-	-	2	4	4	6	11	15	26	24	50	51	66	56	30	18	3	4	-
	Nonwhite—M—	151	-	-	-	1	-	-	-	-	-	1	5	7	5	14	18	19	29	24	14	7	4	2	-	-	-
	F—	133	-	-	-	-	-	-	-	-	-	3	2	8	5	12	17	19	22	23	6	7	2	4	-	1	-
160-164	Of respiratory system—	243	-	-	-	-	-	1	-	-	1	4	2	8	22	16	27	40	38	40	22	15	4	3	-	-	-
	White——M—	157	-	-	-	-	-	1	-	-	-	2	2	6	13	9	17	29	25	30	10	10	1	2	-	-	-
	F—	52	-	-	-	-	-	-	-	-	-	1	-	2	3	2	5	7	9	8	6	5	3	1	-	-	-
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	-	1	-	-	5	4	2	3	3	2	3	-	-	-	-	-	-
	F—	11	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	1	1	-	3	-	-	-	-	-	-
170	Of breast—	280	-	-	-	-	-	-	-	1	-	4	8	14	30	36	41	36	35	25	19	14	7	7	2	-	1
	White——M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F—	214	-	-	-	-	-	-	-	1	-	4	7	8	23	24	34	25	25	18	17	12	7	6	2	-	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	64	-	-	-	-	-	-	-	-	-	-	1	6	7	12	6	11	10	7	2	2	-	-	-	-	-
171-179	Of genital organs—	670	-	1	-	1	-	-	-	2	4	14	23	29	39	76	72	64	82	88	69	52	36	14	2	1	1
	White——M—	149	-	-	-	-	-	-	-	-	1	2	4	-	-	-	3	7	7	27	31	31	26	9	-	1	-
	F—	303	-	1	-	-	-	-	-	-	1	8	9	14	26	44	44	32	41	41	20	11	4	5	2	-	-
	Nonwhite—M—	55	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	3	15	8	10	5	6	-	-	-	-
	F—	163	-	-	-	1	-	-	-	2	2	4	10	15	13	29	20	22	19	12	8	5	-	-	-	-	1
180, 181	Of urinary organs—	106	-	-	2	2	-	2	-	-	-	1	1	3	8	5	4	13	15	16	18	10	4	2	-	-	-
	White——M—	42	-	-	1	-	-	2	-	-	-	-	-	1	3	3	3	5	8	8	8	1	1	-	-	-	-
	F—	42	-	-	1	-	-	-	-	-	-	-	-	-	3	2	-	6	6	5	6	9	3	1	-	-	-
	Nonwhite—M—	10	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	3	2	-	-	1	-	-	-
	F—	12	-	-	-	1	-	-	-	-	-	1	1	1	-	-	1	2	1	2	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	465	5	3	1	3	-	7	10	10	11	12	16	14	24	42	38	53	45	47	50	29	26	10	4	4	1
	White——M—	184	2	1	1	-	-	2	2	4	4	6	6	8	10	20	19	19	17	20	17	9	12	2	1	2	-
	F—	192	2	1	-	2	-	3	5	2	5	3	5	3	11	14	12	24	17	14	25	18	14	8	2	1	1
	Nonwhite—M—	40	1	1	-	1	-	2	1	1	2	-	1	1	1	5	4	5	5	5	3	1	-	-	-	-	-
	F—	49	-	-	-	-	-	-	2	3	-	3	4	2	2	3	3	5	6	8	5	1	-	-	1	1	-
204	Leukemia and aleukemia—	148	4	1	2	8	5	18	8	5	4	4	6	5	9	4	8	9	13	12	11	7	2	2	-	-	-
	White——M—	53	2	-	-	2	3	6	4	-	3	2	3	-	2	1	2	4	4	7	3	2	1	2	-	-	-
	F—	64	2	1	1	5	-	9	3	1	1	2	3	1	3	1	3	4	7	5	7	4	1	-	-	-	-
	Nonwhite—M—	19	-	-	1	-	2	3	1	2	-	-	-	3	2	1	1	1	1	-	1	-	-	-	-	-	-
	F—	12	-	-	-	1	-	-	1	2	-	-	-	1	2	1	2	-	1	-	-	1	-	-	-	-	-
200-205, 205	Lymphomas, etc.*—	116	1	-	-	2	1	2	3	5	8	4	5	9	7	10	12	13	7	11	6	8	1	1	-	-	-
	White——M—	61	1	-	-	1	1	2	1	3	3	3	1	5	4	5	5	7	3	9	4	1	1	1	-	-	-
	F—	31	-	-	-	-	-	-	-	2	2	1	1	2	1	2	4	3	3	1	2	7	-	-	-	-	-
	Nonwhite—M—	10	-	-	-	1	-	-	1	-	1	-	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-
	F—	14	-	-	-	-	-	-	1	-	2	-	3	1	1	2	1	2	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	105	-	1	2	1	1	1	1	2	1	8	6	12	12	11	11	9	5	7	5	2	3	2	-	-	-
	White——M—	28	-	-	1	-	-	1	1	1	-	1	-	3	2	2	1	6	2	2	1	2	-	1	-	-	-
	F—	32	-	-	1	-	-	-	-	1	1	2	2	7	4	2	2	2	3	1	1	-	3	-	-	-	-
	Nonwhite—M—	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	1	-	-	-	-
	F—	36	-	-	-	-	1	-	1	-	-	5	4	2	6	7	5	1	-	2	2	-	-	1	-	-	-	-
260	Diabetes mellitus—	400	1	-	-	-	1	2	2	8	6	12	6	9	17	14	29	39	49	55	63	41	33	10	2	1	-
	White——M—	123	1	-	-	-	-	1	-	1	2	3	1	1	4	3	8	16	17	18	17	15	10	5	-	-	-
	F—	147	-	-	-	-	-	1	1	5	-	2	3	1	5	4	6	9	17	19	32	19	18	4	-	1	-
	Nonwhite—M—	58	-	-	-	-	-	-	1	1	2	2	1	4	7	1	3	5	6	9	7	5	3	1	-	-	-
	F—	72	-	-	-	-	1	-	-	1	2	5	1	3	1	6	12	9	9	9	7	2	2	-	2	-	-
290-293	Anemias—	80	3	3	-	-	-	3	1	2	2	4	3	1	1	3	2	7	7	9	5	13	8	1	2	-	-
	White——M—	23	1	-	-	-	-	1	-	-	-	1	-	-	-	1	1	4	1	3	1	4	4	-	1	-	-
	F—	27	1	1	-	-	-	1	-	-	-	-	1	-	-	2	-	1	4	2	4	6	2	1	1	-	-
	Nonwhite—M—	15	1	1	-	-	-	1	-	-	-	1	2	-	-	-	1	2	1	2	-	2	1	-	-	-	-
	F—	15	-	1	-	-	-	-	1	2	2	2	-	1	1	-	-	-	1	2	-	1	1	-	-	-	-
340	Nonmeningococcal meningitis—	45	21	4	-	2	-	1	-	3	-	1	1	3	3	-	1	-	2	1	1	1	-	-	-	-	-
	White——M—	12	8	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F—	10	5	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite—M—	13	4	3	-	2	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F—	10	4	1	-	-	-	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal disease—	15,757	11	6	3	3	2	19	32	54	55	99	191	336	618	769	1,138	1,430	1,944	2,171	2,268	2,016	1,459	698	328	72	35
	White——M—	6,431	4	1	1	1	-	7	8	14	10	27	55	107	253	269	447	610	834	870	959	912	635	263	124	15	5
	F—	4,373	1	1	-	-	1	5	7	14	12	18	23	41	88	123	180	235	415	542	790	770	615	309	146	31	6
	Nonwhite—M—	2,539	4	3	1	2	1	3	8	5	14	22	55	85	140	192	255	318	377	398	269	185	101	57	21	10	12
	F—	2,414	2	1	1	-	-	4	9	21	19	32	58	103	137	185	256	267	318	360	250	149	108	69	37	16	12
330-334, 400-468	Diseases of cardiovascular system—	15,004	7	6	2	2	2	19	28	50	46	87	165	298	579	738	1,082	1,378	1,854	2,084	2,188	1,928	1,384	660	315	69	35
	White——M—	6,190	4	1	1	-	-	7	7	12	7	25	49	98	238	263	430	594	805	840	934	881	603	252	119	15	5
	F—	4,189	1	1	-	-	1	5	6	14	11	14	19	36	83	120	174	228	383	525	761	738	593	290	140	30	6
	Nonwhite—M—	2,382	1	3	-	2	1	3	7	3	12	20	51	80	133	184	241	304	354	380	251	174	87	51	19	9	12
	F—	2,243	1	1	1	-	-	4	8	21	16	28	46	84	125	171	237	252	302	339	242	135	101	67	35	15	12
330-334	Vascular lesions, etc.*—	3,924	2	1	1	-	-	4	-	10	9	7	30	60	125	190	298	363	522	557	608	514	365	165	69	19	7
	White——M—	1,371	2	1	1	-	-	2	-	1	1	2	4	13	37	45	80	110	190	190	256	225	149	55	25	3	1
	F—	1,254	-	-	-	-	-	2	-	3	2	1	4	10	22	42	54	72	131	160	228	208	170	77	36	10	2
	Nonwhite—M—	647	-	-	-	-	-	-	-	1	3	3	10	17	31	47	72	93	91	111	77	50	21	11	5	2	2
	F—	672	-	-	-	-	-	-	-	5	3	1	12	20	35	56	90	88	110	96	67	33	25	22	3	4	2
400-402	Rheumatic fever—	55	1	2	1	1	-	7	12	6	3	7	3	3	4	1	1	-	-	2	-	1	-	-	-	-	-
	White——M—	13	-	-	-	-	-	3	5	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	12	-	-	-	-	-	2	1	1	2	-	2	-	1	-	-	-	-	2	-	1	-	-	-	-	-
	Nonwhite—M—	13	-	2	-	1	-	-	2	2	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-
	F—	17	1	-	1	-	-	2	4	2	-	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
410-443	Diseases of heart-	10,139	3	2	-	1	2	7	15	32	32	61	121	207	414	505	749	968	1,265	1,448	1,448	1,274	903	427	193	42	22
	White-----M--	4,478	2	-	-	-	-	1	2	9	4	20	42	79	194	206	338	466	585	626	643	598	405	172	74	10	4
	F--	2,665	-	-	-	-	1	1	4	9	6	9	11	20	55	69	113	152	248	344	467	470	376	183	86	18	3
	Nonwhite--M--	1,558	1	1	-	1	1	3	5	-	9	14	35	50	82	125	159	197	251	250	153	108	59	32	9	5	8
	F--	1,438	-	1	-	-	-	2	4	14	13	18	33	58	83	105	139	153	179	228	165	98	65	40	24	9	7
410-416	Chronic rheumatic heart disease----	335	...	-	-	-	-	4	11	13	9	14	18	19	50	24	20	19	26	35	26	21	11	11	3	-	1
	White-----M--	138	...	-	-	-	-	1	1	7	3	4	8	9	19	7	6	9	13	15	10	13	6	6	1	-	-
	F--	90	...	-	-	-	-	-	3	-	1	4	3	4	19	8	7	1	5	9	13	3	4	5	1	-	-
	Nonwhite--M--	56	...	-	-	-	-	2	3	-	3	4	5	1	7	3	4	5	6	7	-	4	1	-	-	-	1
	F--	51	...	-	-	-	-	1	4	6	2	2	2	5	5	6	3	4	2	4	3	1	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	4,763	2	-	-	-	-	-	3	4	7	17	36	92	205	253	409	530	649	718	699	568	352	146	58	7	8
	White-----M--	2,632	1	-	-	-	-	-	-	1	-	10	17	49	132	147	251	332	385	406	338	289	176	73	24	-	1
	F--	1,233	-	-	-	-	-	-	1	2	2	-	3	8	17	32	80	84	120	178	269	226	144	56	26	4	1
	Nonwhite--M--	509	1	-	-	-	-	-	2	-	1	5	10	21	35	48	58	64	82	73	49	28	17	7	3	1	4
	F--	389	-	-	-	-	-	-	-	1	4	2	6	14	21	26	40	50	62	61	43	25	15	10	5	2	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,517	...	-	-	-	-	1	-	5	4	6	3	15	31	54	50	87	133	196	240	249	219	121	74	25	4
	White-----M--	588	...	-	-	-	-	-	-	-	-	1	-	3	4	14	10	28	38	69	118	114	102	48	30	7	2
	F--	450	...	-	-	-	-	-	-	2	2	-	1	2	8	6	7	10	26	37	67	87	92	56	34	12	1
	Nonwhite--M--	245	...	-	-	-	-	1	-	-	1	1	1	3	8	18	18	25	44	51	23	22	14	9	3	1	1
	F--	234	...	-	-	-	-	-	-	3	1	4	1	7	11	18	14	24	25	39	32	26	11	8	7	5	-
430-434	Other diseases of heart---------	867	1	2	-	1	2	2	1	7	11	20	29	33	48	56	85	98	135	113	116	94	65	36	10	1	1
	White-----M--	392	1	-	-	-	-	-	1	1	1	5	10	12	24	21	37	28	62	39	53	45	34	13	3	1	1
	F--	199	-	-	-	-	1	1	-	4	1	4	3	3	3	7	9	14	28	28	24	27	23	14	5	-	-
	Nonwhite--M--	210	-	1	-	1	1	-	-	-	4	4	7	6	15	14	24	34	32	26	20	15	1	5	-	-	-
	F--	166	-	1	-	-	-	1	-	2	5	7	9	12	8	14	15	22	13	20	19	7	7	4	2	-	-
440-443	Hypertension with heart dis.--	2,557	-	-	-	-	-	-	-	3	1	4	35	48	80	118	185	234	320	386	367	342	256	113	48	9	8
	White-----M--	728	-	-	-	-	-	-	-	-	-	-	7	6	15	17	34	69	87	97	124	137	85	32	16	2	-
	F--	693	-	-	-	-	-	-	-	1	-	1	1	3	8	16	30	43	69	92	114	127	113	52	20	2	1
	Nonwhite--M--	538	-	-	-	-	-	-	-	-	-	-	12	19	17	42	54	69	87	93	61	39	26	11	3	3	2
	F--	598	-	-	-	-	-	-	-	2	1	3	15	20	40	43	67	53	77	104	68	39	32	18	9	2	5
444-447	Hypertension without mention of heart----------	325	-	-	-	-	-	-	-	-	1	8	9	15	30	31	21	24	31	25	39	37	26	16	10	-	2
	White-----M--	110	-	-	-	-	-	-	-	-	-	-	2	4	5	9	8	10	13	8	17	14	11	5	4	-	-
	F--	77	-	-	-	-	-	-	-	-	1	3	2	1	3	5	4	-	7	4	11	16	9	7	4	-	-
	Nonwhite--M--	81	-	-	-	-	-	-	-	-	-	2	4	9	15	10	4	5	5	7	8	6	2	2	1	-	1
	F--	57	-	-	-	-	-	-	-	-	-	3	1	1	7	7	5	9	6	6	3	1	4	2	1	-	1
450	General arteriosclerosis--------	447	-	-	-	-	-	-	-	-	-	1	-	1	1	2	8	14	23	43	77	88	86	51	40	8	4
	White-----M--	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	12	31	37	37	20	16	2	-
	F--	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	13	28	38	37	22	13	2	1
	Nonwhite--M--	88	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	6	7	11	11	10	5	6	4	2	1
	F--	50	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	7	7	7	3	7	3	7	2	2
451-468	Other diseases of circulatory sys.-	114	1	1	-	-	-	1	1	2	1	3	2	12	5	9	7	9	15	9	16	14	4	1	1	-	-
	White-----M--	52	-	-	-	-	-	1	-	1	1	1	1	2	1	3	2	4	12	4	7	9	3	-	-	-	-
	F--	38	1	1	-	-	-	-	1	1	-	1	-	5	2	4	-	2	3	2	7	5	1	1	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	3	-	1	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	3	-	1	2	-	-	2	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	753	4	-	1	1	-	-	4	4	9	12	26	38	39	31	56	52	90	87	80	88	75	38	15	3	-
	White-----M--	241	-	-	-	1	-	-	1	2	3	2	8	9	15	6	17	16	29	30	25	31	32	11	5	-	-
	F--	184	-	-	-	-	-	-	1	-	1	4	4	5	5	3	6	7	22	17	29	32	22	19	6	1	-
	Nonwhite--M--	157	3	-	1	-	-	-	1	2	2	2	4	5	7	8	14	14	23	19	18	11	14	6	2	1	-
	F--	171	1	-	-	-	-	-	1	-	3	4	12	19	12	14	19	15	16	21	8	14	7	2	2	1	-
480-493	Influenza and pneumonia, etc.*-	1,411	447	59	35	14	10	25	14	8	13	19	16	17	30	33	49	40	64	83	122	98	105	58	34	14	7
	White-----M--	375	100	11	5	2	5	6	4	3	5	5	1	6	8	7	10	16	21	17	51	32	38	16	5	1	-
	F--	371	61	9	11	1	1	5	3	1	4	4	3	5	7	5	7	7	15	23	36	44	51	34	21	11	2
	Nonwhite--M--	334	142	22	7	5	2	5	3	2	1	6	5	2	7	10	15	10	13	27	14	13	11	3	6	1	2
	F--	331	144	17	12	6	2	9	4	2	3	4	7	4	8	11	17	7	15	16	21	6	5	5	2	1	3
480-483	Influenza---------	252	36	6	3	2	-	4	4	2	2	6	4	5	9	2	12	10	25	20	29	13	28	13	8	6	1
	White-----M--	61	12	3	-	-	-	-	1	-	2	2	1	3	1	-	3	1	6	2	6	2	10	3	2	1	-
	F--	60	6	1	1	-	-	1	1	-	-	1	-	-	2	-	2	3	8	5	7	8	15	9	6	4	-
	Nonwhite--M--	54	11	2	-	1	-	2	-	2	-	2	1	1	2	1	3	4	3	8	4	3	1	1	-	1	1
	F--	57	9	-	2	1	-	1	2	-	-	1	2	1	4	1	4	2	8	5	12	-	2	-	-	-	-
490-493	Pneumonia, etc.*--	1,159	409	53	32	12	10	21	10	6	11	13	12	12	21	31	37	30	39	63	93	82	77	45	26	8	6
	White-----M--	314	88	6	5	2	5	6	3	3	3	3	-	3	7	7	7	15	15	15	45	30	28	13	3	-	-
	F--	291	55	8	10	1	1	4	2	1	4	3	3	5	5	5	5	4	7	18	29	36	36	25	15	7	2
	Nonwhite--M--	280	131	20	7	4	2	3	3	-	1	4	4	1	5	9	12	6	10	19	10	10	10	2	6	-	1
	F--	274	135	17	10	5	2	8	2	2	3	3	5	3	4	10	13	5	7	11	9	6	3	5	2	1	3
500-502	Bronchitis---------	67	24	4	3	2	-	1	1	-	-	-	-	2	1	-	2	4	5	3	5	3	3	1	3	-	-
	White-----M--	19	4	-	1	1	-	1	1	-	-	-	-	-	-	-	1	1	3	1	3	1	-	-	1	-	-
	F--	24	6	2	1	1	-	-	-	-	-	-	-	1	-	-	1	2	-	2	2	2	2	1	1	-	-
	Nonwhite--M--	16	10	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-
	F--	8	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	133	1	-	-	-	-	-	-	1	3	2	8	7	8	15	14	20	13	15	10	9	7	-	-	-	-
	White-----M--	88	1	-	-	-	-	-	-	-	1	1	5	5	2	10	8	16	7	12	7	8	5	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	2	3	2	1	2	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	-	-	2	-	4	4	3	3	3	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	84	-	1	-	4	2	2	4	6	1	9	7	6	4	5	5	5	5	8	8	1	1	-	-	-	-
	White-----M--	24	-	-	-	2	1	-	1	-	-	2	1	4	2	-	1	2	2	3	3	-	-	-	-	-	-
	F--	18	-	-	-	-	1	-	-	3	-	1	3	-	1	1	1	1	-	2	3	-	1	-	-	-	-
	Nonwhite--M--	24	-	-	-	1	-	1	-	1	1	2	3	1	1	3	3	1	2	3	-	1	-	-	-	-	-
	F--	18	-	1	-	1	-	1	3	2	-	4	-	1	-	1	-	1	1	-	2	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	162	29	1	2	2	-	1	-	-	4	7	3	4	8	9	17	7	21	14	13	10	7	3	-	-	-
	White-----M--	59	12	-	1	1	-	-	-	-	1	1	-	-	2	1	5	5	4	7	8	6	3	2	-	-	-
	F--	39	8	-	-	-	-	-	-	-	1	1	1	2	4	2	1	-	8	1	3	3	3	1	-	-	-
	Nonwhite--M--	34	6	1	-	1	-	1	-	-	1	1	1	-	2	2	6	2	4	3	1	1	1	-	-	-	-
	F--	30	3	-	1	-	-	-	-	-	1	4	1	2	-	4	5	-	5	3	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
543,	Gastritis, etc.*—	308	219	19	2	3	1	2	2	1	2	2	2	5	7	3	6	5	5	3	6	4	1	4	2	1	1
571,	White——M—	57	25	8	1	2	-	1	-	-	2	1	1	2	3	-	2	2	2	-	-	2	-	1	1	1	-
572	F—	48	25	3	-	-	-	-	1	-	-	-	-	1	-	2	2	-	1	-	6	1	1	3	1	-	1
	Nonwhite—M—	114	93	6	1	-	1	1	1	-	-	1	1	2	3	1	1	1	-	-	1	-	-	-	-	-	-
	F—	69	76	2	-	1	-	-	1	-	-	-	-	-	1	-	1	2	2	3	-	-	-	-	-	-	-
581	Cirrhosis of liver	184	2	-	1	-	1	1	1	1	2	3	13	13	19	21	14	20	21	24	11	10	2	2	2	-	-
	White——M—	111	-	-	-	-	-	-	1	-	1	1	11	8	10	15	9	14	12	12	8	6	2	1	2	-	-
	F—	33	-	-	1	-	-	-	-	1	-	-	-	2	7	1	4	1	3	6	4	3	-	-	-	-	-
	Nonwhite—M—	26	1	-	-	-	-	1	-	-	-	2	1	2	2	4	-	4	5	2	1	1	-	-	-	-	-
	F—	14	1	-	-	-	1	-	-	-	1	-	1	1	-	1	1	1	1	4	-	-	-	1	-	-	-
590,	Acute nephritis,																										
591	etc.*—	99	-	1	1	2	-	3	2	4	6	5	5	7	6	9	8	11	3	11	4	3	5	2	1	-	-
	White——M—	27	-	-	-	1	-	1	1	1	2	-	-	2	2	4	-	3	1	2	-	2	3	1	1	-	-
	F—	17	-	1	-	-	-	-	-	-	1	-	2	1	1	-	1	2	2	1	3	1	1	-	-	-	-
	Nonwhite—M—	28	-	-	1	1	-	1	-	3	-	2	2	2	2	3	3	2	-	5	1	-	-	-	-	-	-
	F—	27	-	-	-	-	-	1	1	-	3	3	1	2	1	2	4	4	-	3	-	-	1	1	-	-	-
610	Hyperplasia of prostate—	131	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	15	32	33	19	11	11	-	-
	White——M—	94	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	6	25	24	14	9	11	-	-
	Nonwhite—M—	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	9	7	9	5	2	-	-	-
640-	Complications of																										
689	pregnancy, etc.*—	126	...	...	...	...	...	...	2	16	24	29	27	22	4	2	-	-	...	...	...	...	...	...	...	...	-
	White——F—	45	...	...	...	...	...	...	-	5	9	14	12	3	1	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	81	...	...	...	...	...	...	2	11	15	15	15	19	3	1	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	12	...	...	...	...	...	...	-	2	2	2	2	3	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	4	...	...	...	...	...	...	-	-	1	-	2	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	8	...	...	...	...	...	...	-	2	1	2	-	3	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	114	...	...	...	...	...	...	2	14	22	27	25	19	3	2	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	41	...	...	...	...	...	...	-	5	8	14	10	3	-	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	73	...	...	...	...	...	...	2	9	14	13	15	16	3	1	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	476	373	17	11	2	4	9	8	8	4	4	8	10	7	7	1	-	1	-	1	-	1	-	-	-	-
	White——M—	191	153	4	4	-	1	2	2	4	-	3	3	3	5	4	-	-	1	-	1	-	1	-	-	-	-
	F—	159	122	9	4	1	1	4	3	2	4	1	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	75	56	2	1	1	1	2	2	-	-	-	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-
	F—	51	42	2	2	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy—	1,934	1,933	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	642	641	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	438	438	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	490	490	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	364	364	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	636	636	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	1,173	1,172	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	368	367	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	255	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	308	308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	242	242	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	794	232	11	6	2	1	8	3	4	7	10	25	28	19	34	30	38	48	47	51	53	44	41	28	15	9
795	White——M—	239	43	4	-	1	1	2	-	-	1	1	8	11	8	15	7	20	15	19	20	26	14	12	6	3	2
	F—	164	32	2	2	-	-	-	-	-	1	2	2	3	2	4	6	3	8	7	18	14	19	17	12	8	2
	Nonwhite—M—	196	85	1	2	-	-	2	3	3	2	2	9	6	3	8	8	9	12	11	3	8	6	6	4	1	2
	F—	193	72	4	2	1	-	4	-	1	3	5	6	8	6	7	9	6	13	10	10	5	5	6	6	3	3
Re-	All other diseases	1,317	115	24	17	11	11	32	19	28	45	39	55	78	77	78	87	91	94	128	91	93	64	22	16	2	2
sid-	White——M—	465	27	5	8	4	2	8	7	12	11	9	16	23	29	33	29	38	39	47	43	34	25	11	5	-	-
ual	F—	426	32	5	5	2	4	14	5	2	12	8	14	18	18	21	33	25	36	49	34	43	29	8	7	1	1
	Nonwhite—M—	229	29	7	2	2	3	3	3	9	7	10	17	21	17	15	17	18	11	15	6	8	6	-	2	1	-
	F—	197	27	7	2	3	2	7	4	5	15	12	8	16	13	9	8	10	8	15	8	8	4	3	2	-	1
E800-	Accidents—	2,371	159	64	30	31	29	117	68	190	249	200	192	149	136	111	97	69	99	80	75	79	58	46	19	3	1
E962	White——M—	1,212	36	16	9	14	8	52	44	111	161	114	105	98	70	66	48	36	53	46	37	41	21	15	10	1	-
	F—	417	36	15	6	7	7	24	16	23	16	21	17	10	18	10	15	11	18	18	29	30	32	28	7	2	1
	Nonwhite—M—	535	49	20	10	3	3	16	19	49	56	55	50	39	42	31	28	20	22	10	4	4	3	2	-	-	-
	F—	207	38	13	5	7	11	25	9	7	16	10	20	2	6	4	6	2	6	6	5	4	2	1	2	-	-
E810-	Motor-vehicle																										
E835	accidents—	1,113	7	13	7	13	17	61	42	133	175	125	101	72	71	51	45	41	48	36	25	21	9	1	-	-	-
	White——M—	670	3	4	2	9	6	31	20	83	121	78	60	51	34	32	22	23	28	23	18	15	7	-	-	-	-
	F—	169	3	3	3	4	5	14	11	20	13	15	10	6	15	6	9	6	9	8	4	4	1	-	-	-	-
	Nonwhite—M—	214	1	2	2	-	-	6	8	26	29	28	20	15	20	13	14	12	10	4	2	2	-	-	-	-	-
	F—	60	-	4	-	-	6	10	3	4	12	4	11	-	2	-	-	-	1	-	1	-	1	1	-	-	-
E800-	All ot. accidents—	1,258	152	51	23	18	12	56	46	57	74	75	91	77	65	60	52	28	51	45	50	58	49	45	19	3	1
E802,	White——M—	542	33	12	7	5	2	21	24	28	40	36	45	47	36	34	26	13	25	23	19	26	14	15	10	1	-
E840-	F—	248	33	12	3	3	2	10	5	3	3	6	7	4	3	4	6	5	9	10	25	26	31	28	7	2	1
E962	Nonwhite—M—	321	48	18	8	3	3	10	11	23	27	27	30	24	22	18	14	8	12	6	2	2	3	2	-	-	-
	F—	147	38	9	5	7	5	15	6	3	4	6	9	2	4	4	6	2	5	6	4	4	1	-	2	-	-
E963,	Suicide—	348	-	-	-	-	-	-	1	9	16	25	46	56	36	45	33	25	22	15	8	6	3	1	1	-	-
E970-	White——M—	238	-	-	-	-	-	-	1	4	10	15	33	35	20	32	28	18	16	12	5	6	2	-	1	-	-
E979	F—	54	-	-	-	-	-	-	-	3	1	7	7	7	7	8	2	6	3	1	1	-	-	1	-	-	-
	Nonwhite—M—	46	-	-	-	-	-	-	2	5	2	5	9	9	4	1	1	3	2	2	-	1	-	-	-	-	-
	F—	10	-	-	-	-	-	-	-	-	-	1	1	5	-	1	2	-	-	-	-	-	-	-	-	-	-
E964,	Homicide—	380	7	-	3	-	1	3	20	40	69	68	51	42	28	15	15	6	7	4	1	-	-	-	-	-	-
E980-	White——M—	90	3	-	2	-	-	-	2	4	3	9	18	12	10	7	7	2	4	3	3	1	-	-	-	-	-
E985	F—	26	2	-	1	-	-	-	-	-	1	3	6	3	3	3	-	2	-	2	-	-	-	-	-	-	-
	Nonwhite—M—	214	1	-	-	-	-	1	-	13	25	47	37	28	23	16	8	10	2	2	1	-	-	-	-	-	-
	F—	50	1	-	-	-	-	-	1	3	11	10	7	8	6	2	-	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA																										
	ALL CAUSES	5,191	453	32	22	17	12	38	31	48	66	53	68	88	121	155	222	319	482	571	620	712	571	320	126	32	12
	White---M	3,139	242	16	14	8	8	20	19	31	48	34	48	61	84	102	138	205	305	361	385	428	323	170	61	20	8
	F	1,927	183	9	6	8	4	13	10	12	15	16	19	26	33	47	80	108	169	200	231	276	244	142	60	12	4
	Nonwhite--M	64	14	6	1	-	-	1	2	4	-	-	-	1	2	2	3	1	6	5	3	5	3	4	1	-	-
	F	61	14	1	1	1	-	4	-	1	3	3	1	-	2	4	1	5	2	5	1	3	1	4	4	-	-
001-019	Tuberculosis, all forms	68	2	3	1	-	-	2	1	2	3	7	2	1	8	6	8	5	4	5	3	1	4	-	-	-	-
	White---M	37	-	1	-	-	-	-	-	-	-	2	1	-	6	4	6	5	3	3	3	-	3	-	-	-	-
	F	13	-	1	-	-	-	1	1	-	1	2	1	1	2	-	2	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	14	2	1	1	-	-	1	-	-	2	3	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	59	1	1	1	-	-	2	1	1	1	7	2	1	8	6	7	5	4	4	2	1	4	-	-	-	-
	White---M	33	-	-	-	-	-	-	-	-	-	2	1	-	6	4	5	5	3	2	2	-	3	-	-	-	-
	F	11	-	-	-	-	-	1	1	-	-	2	1	1	2	-	2	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	12	1	1	1	-	-	1	-	-	1	3	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	9	1	2	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	White---M	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	21	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	2	6	1	4	-	1	-	-	-
	White---M	16	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	2	4	1	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	6	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other ricketteial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	7	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	White---M	5	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*----	740	1	2	3	4	-	9	5	1	3	3	14	15	25	39	38	76	98	105	124	90	54	17	6	6	2
	White-----M--	406	1	1	2	2	-	4	3	-	2	1	9	6	15	20	14	28	51	69	78	55	29	9	1	4	2
	F--	327	-	1	1	2	-	5	2	1	1	2	5	9	10	19	24	45	46	35	45	35	25	7	5	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	16	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	2	3	1	-	2	-	-	1
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	-	3	-	-	2	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	302	1	-	-	1	-	-	1	-	-	-	6	1	9	8	13	27	43	52	58	36	29	10	3	4	-
	White-----M--	175	1	-	-	1	-	-	1	-	-	-	5	-	8	8	7	15	21	33	34	22	15	3	-	3	-
	F--	123	-	-	-	-	-	-	-	-	-	-	1	1	1	-	6	13	21	19	23	14	14	6	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
160-164	Of respiratory system----------	51	-	-	-	-	-	-	-	-	1	-	-	1	4	4	1	4	9	12	6	3	5	-	-	-	1
	White-----M--	38	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	3	8	11	4	3	2	-	-	-	1
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	1	2	-	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	68	-	-	-	-	-	-	-	-	-	-	2	1	-	10	6	9	11	6	10	8	3	-	1	1	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	64	-	-	-	-	-	-	-	-	-	-	2	1	-	9	6	8	11	5	9	8	3	-	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	108	-	-	-	-	-	-	-	-	-	-	1	2	3	7	6	14	11	14	16	22	9	3	-	-	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	12	12	17	7	3	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	1	2	3	6	6	12	8	2	4	5	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	39	-	-	1	-	-	1	-	-	1	-	-	1	1	1	2	4	4	4	8	8	2	-	1	-	-
	White-----M--	25	-	-	1	-	-	1	-	-	1	-	-	-	-	1	1	2	3	2	7	6	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	1	2	1	2	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	84	-	1	-	1	-	1	3	-	-	1	2	4	6	6	6	10	13	10	9	6	2	1	1	1	-
	White-----M--	49	-	-	-	-	-	-	1	-	-	-	1	3	3	5	5	4	9	6	6	3	1	-	1	1	-
	F--	34	-	1	-	1	-	1	2	-	-	1	1	1	3	1	1	6	4	3	3	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	44	-	-	2	2	-	5	1	1	1	2	-	3	1	1	3	4	2	2	8	3	2	1	-	-	-
	White-----M--	26	-	-	1	1	-	2	1	-	1	1	-	2	1	-	-	2	2	2	6	1	2	1	-	-	-
	F--	18	-	-	1	1	-	3	-	1	-	1	-	1	-	1	3	2	-	-	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	28	-	1	-	-	-	2	-	-	-	-	2	2	-	1	1	2	3	3	6	3	2	-	-	-	-
	White-----M--	21	-	1	-	-	-	1	-	-	-	-	2	1	-	1	-	1	3	2	5	3	1	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	16	1	-	-	-	1	-	-	-	-	-	-	1	1	1	-	2	1	4	2	1	-	-	1	-	-
	White-----M--	6	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	109	-	-	-	-	-	-	1	1	-	1	2	3	2	2	3	5	13	16	14	26	16	4	-	-	-
	White-----M--	41	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	3	3	6	5	10	6	1	-	-	-
	F--	67	-	-	-	-	-	-	-	1	-	1	2	2	-	1	1	2	10	10	9	15	10	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
290-293	Anemias----------	25	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	3	4	7	2	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	5	1	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	4	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	2,599	5	-	-	2	-	2	1	5	6	9	11	20	39	59	104	162	273	326	383	475	388	222	85	13	9
	White-----M--	1,623	4	-	-	1	-	1	1	2	4	5	6	16	22	41	71	115	187	206	242	292	251	118	43	9	6
	F--	950	1	-	-	1	-	1	-	2	2	4	4	4	14	16	31	45	84	116	139	181	154	102	42	4	3
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	1	2	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	1	1	1	1	-	1	2	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,531	5	-	-	1	-	2	1	5	5	5	9	19	37	57	100	161	265	321	375	465	376	217	83	13	9
	White-----M--	1,581	4	-	-	-	-	1	1	2	3	2	5	15	21	41	70	114	182	204	238	284	222	116	41	9	6
	F--	925	1	-	-	1	-	1	-	2	2	3	3	4	15	14	29	45	81	113	135	179	151	99	42	4	3
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	1	2	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	1	1	1	1	-	1	2	-	-	-
330-334	Vascular lesions, etc.*----------	607	3	-	-	-	-	-	1	1	-	1	1	-	6	15	17	30	54	75	114	117	102	55	9	3	3
	White-----M--	342	3	-	-	-	-	-	1	1	-	-	-	-	2	9	7	16	33	38	67	67	61	27	5	3	2
	F--	260	-	-	-	-	-	-	-	-	-	1	1	-	4	6	10	13	20	35	47	50	41	27	4	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-
400-402	Rheumatic fever---	11	-	-	-	1	-	1	-	-	1	-	-	3	3	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
410-443	Diseases of heart	1,694	1	-	-	-	-	1	-	4	3	3	8	13	23	40	80	122	198	230	235	300	238	126	54	7	6
	White	1,102	1	-	-	-	-	1	-	1	2	1	5	10	16	31	61	91	141	157	150	188	140	71	27	4	4
	F	574	-	-	-	-	-	-	-	2	1	2	2	3	5	7	18	30	57	71	83	111	96	54	27	3	2
	Nonwhite	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	1	2	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	1	1	-	-	-
410-416	Chronic rheumatic heart disease	62	...	-	-	-	-	1	-	1	2	-	4	2	2	9	3	9	5	9	4	4	3	3	1	-	-
	White	30	...	-	-	-	-	1	-	-	1	-	2	1	1	3	2	6	1	7	-	2	-	2	1	-	-
	F	30	...	-	-	-	-	-	-	1	1	-	2	1	1	5	1	3	4	2	3	2	3	1	-	-	-
	Nonwhite	1	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,042	1	-	-	-	-	-	-	-	-	-	2	7	17	20	53	75	137	161	143	195	133	65	25	3	5
	White	727	1	-	-	-	-	-	-	-	-	-	2	7	11	19	44	61	100	115	93	131	88	40	10	2	3
	F	308	-	-	-	-	-	-	-	-	-	-	-	-	4	1	9	13	36	45	50	63	45	24	15	1	2
	Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	233	...	-	-	-	-	-	-	1	-	1	-	1	2	3	6	9	11	26	37	39	52	29	14	2	-
	White	145	...	-	-	-	-	-	-	1	-	-	-	1	2	3	6	8	10	17	25	27	21	14	8	2	-
	F	83	...	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	8	11	12	28	15	6	-	-
	Nonwhite	4	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
430-434	Other diseases of heart	123	-	-	-	-	-	-	-	1	1	1	1	1	2	4	7	8	17	11	18	20	16	6	8	-	1
	White	86	-	-	-	-	-	-	-	-	1	1	1	-	2	3	4	6	13	7	14	12	12	5	4	-	1
	F	35	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	4	4	4	8	4	1	4	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	234	-	-	-	-	-	-	-	1	-	1	1	2	-	4	11	21	29	25	33	42	35	23	6	2	-
	White	114	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	10	17	11	18	16	19	10	4	-	-
	F	118	-	-	-	-	-	-	-	1	-	1	-	1	-	1	5	11	12	12	15	26	16	13	2	2	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	62	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	7	8	8	15	8	4	3	-	-
	White	39	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	5	4	8	8	5	2	1	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	4	-	7	3	2	2	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	133	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	14	32	25	32	17	3	-
	White	80	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	12	21	15	16	8	2	-
	F	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	11	10	16	9	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	24	1	-	-	-	-	-	-	-	1	1	-	2	3	-	-	4	4	1	4	1	2	-	-	-	-
	White	13	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	4	3	1	1	-	1	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	3	-	1	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	68	-	-	-	1	-	-	-	-	1	4	2	1	2	2	4	1	8	5	8	10	12	5	2	-	-
	White	42	-	-	-	1	-	-	-	-	1	3	1	1	1	-	1	1	5	2	4	8	9	2	2	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-	3	3	4	2	3	3	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	167	34	6	3	1	1	1	-	1	1	-	1	4	4	3	4	2	9	16	10	25	23	12	3	3	-
	White	77	16	1	1	1	-	1	-	1	1	-	-	2	4	2	1	1	4	6	4	14	8	5	2	2	-
	F	78	13	2	2	-	1	-	-	-	-	-	1	2	-	1	2	1	3	10	6	11	15	6	1	1	-
	Nonwhite	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-483	Influenza	28	4	-	1	1	-	-	-	-	-	-	1	1	2	1	1	1	-	4	-	5	3	1	1	1	-
	White	16	4	-	1	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	4	1	-	1	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	4	-	1	2	1	-	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	139	30	6	2	-	1	1	-	1	1	-	-	3	2	2	3	1	9	12	10	20	20	11	2	2	-
	White	61	12	1	-	-	1	1	-	1	1	-	-	2	2	1	1	-	4	6	4	10	7	5	1	2	-
	F	66	13	2	2	-	1	-	-	-	-	-	-	1	-	1	1	1	3	6	6	10	13	5	1	-	-
	Nonwhite	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
500-502	Bronchitis	10	4	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	White	6	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	31	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	4	5	4	7	3	1	-	-	-	-
	White	26	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	4	4	4	6	1	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	20	-	-	1	-	-	2	1	1	2	-	2	-	-	-	1	3	2	1	2	2	-	-	-	-	-
	White	10	-	-	1	-	-	1	-	1	-	-	1	-	-	-	1	1	1	-	2	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	2	1	1	-	1	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	26	5	-	-	-	1	2	-	-	-	-	-	1	-	-	3	2	1	3	3	2	2	1	2	-	-
	White	20	4	-	-	-	1	2	-	-	-	-	-	1	-	-	2	1	1	3	2	1	1	-	1	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
543,	Gastritis, etc.*--	16	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	2	1	-	-
571,	White-----M--	10	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	1	1	-	-
572	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	27	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	3	7	5	2	3	2	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	6	2	1	2	2	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	13	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	1	2	2	1	3	-	-	-	-	-
	White-----M--	7	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	3	8	4	11	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	4	3	8	4	11	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	3	---	---	---	---	---	---	-	-	-	1	-	2	-	-	-	-	---	---	---	---	---	---	---	---	-
	White-----F--	3	---	---	---	---	---	---	-	-	-	1	-	2	-	-	-	-	---	---	---	---	---	---	---	---	-
	Nonwhite--F--	-	---	---	---	---	---	---	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	-
650-	Abortion----------	-	---	---	---	---	---	---	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	-
652	White-----F--	-	---	---	---	---	---	---	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	-
	Nonwhite--F--	-	---	---	---	---	---	---	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	-
640-	All other com-																										
649,	plications-------	3	---	---	---	---	---	---	-	-	-	1	-	2	-	-	-	-	---	---	---	---	---	---	---	---	-
660-	White-----F--	3	---	---	---	---	---	---	-	-	-	1	-	2	-	-	-	-	---	---	---	---	---	---	---	---	-
689	Nonwhite--F--	-	---	---	---	---	---	---	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	-
750-	Congenital mal-																										
759	formations-------	103	71	6	2	2	1	3	2	1	1	-	4	1	1	-	3	3	-	-	1	1	-	-	-	-	-
	White-----M--	59	41	4	1	1	1	1	1	1	1	-	3	1	-	-	-	2	-	-	1	-	-	-	-	-	-
	F--	43	30	2	1	1	-	1	1	-	-	-	1	-	1	-	3	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	274	274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	123	13	1	-	-	-	1	-	-	1	-	-	-	-	2	2	3	7	10	10	17	17	17	16	6	-
795	White-----M--	71	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	9	8	8	9	7	8	4	-
	F--	38	3	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	2	7	8	6	4	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-
	F--	10	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	3	-	-
Re-	All other diseases	279	17	5	-	1	-	4	2	3	7	5	3	12	11	13	15	16	25	35	31	29	24	15	4	2	-
sid-	White-----M--	144	6	4	-	-	-	2	1	1	3	2	1	7	7	8	4	11	15	22	12	17	11	8	2	-	-
ual	F--	129	10	-	-	1	-	1	1	2	4	3	2	5	4	4	10	5	10	13	19	11	13	7	2	2	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E800-	Accidents----------	395	11	6	10	6	6	10	15	29	34	24	23	19	22	19	25	15	19	18	14	16	28	16	6	1	1
E962	White-----M--	290	1	5	8	2	4	7	10	22	30	22	21	17	20	17	23	11	12	15	9	11	13	8	1	1	-
	F--	88	7	-	1	3	2	3	4	5	3	2	2	1	1	1	2	4	7	3	4	5	15	8	4	-	1
	Nonwhite--M--	11	2	1	1	-	-	1	2	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
	F--	4	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	111	-	2	3	-	2	-	2	16	17	10	7	5	9	5	8	3	7	5	3	3	1	2	1	-	-
	White-----M--	91	-	2	2	-	1	-	2	12	15	9	7	5	7	5	8	1	4	3	3	3	-	1	1	-	-
	F--	18	-	-	1	-	1	-	-	4	1	1	-	-	1	-	-	2	3	2	-	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	282	11	4	7	6	4	10	13	13	17	14	16	14	13	14	17	12	12	13	11	13	27	14	5	1	1
E802,	White-----M--	199	1	3	6	2	3	7	8	10	15	13	14	12	13	12	15	10	8	12	6	8	13	7	-	1	-
E840-	F--	70	7	-	-	3	1	3	4	1	2	1	2	1	-	1	2	2	4	1	4	5	14	7	4	-	1
E962	Nonwhite--M--	10	2	1	1	-	-	-	1	2	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E963,	Suicide----------	63	-	-	-	-	-	-	-	-	5	1	5	5	5	7	8	9	5	5	4	1	1	-	1	1	-
E970-	White-----M--	54	-	-	-	-	-	-	-	-	5	1	5	5	5	4	6	9	5	3	4	1	-	-	1	-	-
E979	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	2	-	-	1	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
E980-	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO																										
	ALL CAUSES	80,633	4,990	350	219	178	105	439	289	509	767	950	1,073	1,528	2,217	3,051	4,539	6,118	7,699	9,451	10,192	10,190	8,586	4,909	1,870	332	82
	White----M	42,326	2,586	178	100	95	48	237	163	313	444	473	515	718	1,172	1,590	2,479	3,581	4,510	5,365	5,483	5,186	4,117	2,114	725	111	23
	F	32,511	1,805	124	90	68	47	168	107	144	201	303	377	515	727	1,024	1,449	1,966	2,679	3,554	4,251	4,664	4,240	2,674	1,091	205	40
	Nonwhite--M	3,273	336	25	15	5	6	20	9	26	79	103	95	156	173	230	368	344	312	327	246	171	130	59	21	9	8
	F	2,523	263	23	14	10	4	16	10	26	43	71	86	139	145	207	243	227	198	205	212	169	99	62	33	7	11
001-019	Tuberculosis, all forms	1,659	13	15	9	7	4	12	4	26	76	95	96	139	139	117	166	187	143	156	125	69	42	17	-	-	2
	White----M	858	3	5	3	4	3	4	2	3	18	27	21	56	71	65	101	119	92	104	85	41	22	9	-	-	-
	F	363	3	4	3	2	1	5	1	5	17	25	36	34	25	20	19	22	27	35	30	25	17	7	-	-	-
	Nonwhite--M	290	4	4	1	-	-	2	-	7	26	20	23	30	33	22	34	38	15	12	10	3	3	1	-	-	2
	F	148	3	2	2	1	-	1	1	11	15	23	16	19	10	10	12	8	9	5	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	1,506	7	5	4	3	2	2	1	17	66	85	91	134	128	111	154	174	138	144	116	67	39	16	-	-	2
	White----M	797	2	1	-	2	1	1	1	-	17	22	19	55	66	63	95	116	90	96	79	41	21	9	-	-	-
	F	325	1	-	3	-	1	1	-	3	17	23	35	32	22	20	18	18	26	33	28	23	15	6	-	-	-
	Nonwhite--M	259	2	2	1	-	-	-	-	6	19	19	23	30	32	19	30	34	14	10	9	3	3	1	-	-	2
	F	125	2	2	-	1	-	-	-	8	13	21	14	17	8	9	11	6	8	5	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	153	6	10	5	4	2	10	3	9	10	10	5	5	11	6	12	13	5	12	9	2	3	1	-	-	-
	White----M	61	1	4	3	2	2	3	1	3	1	5	2	1	5	2	6	3	2	8	6	-	1	-	-	-	-
	F	38	2	4	-	2	-	4	1	2	-	2	1	2	3	-	1	4	1	2	2	2	2	1	-	-	-
	Nonwhite--M	31	2	2	-	-	-	2	-	1	7	1	-	-	1	3	4	4	1	2	1	-	-	-	-	-	-
	F	23	1	-	2	-	-	1	1	3	2	2	2	2	2	1	1	2	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	499	5	-	-	-	-	-	-	2	4	4	7	21	32	34	66	65	82	86	59	28	16	4	2	-	-
	White----M	268	3	-	-	-	-	-	-	1	-	1	2	3	13	14	38	38	51	41	36	16	9	1	1	-	-
	F	110	2	-	-	-	-	-	-	1	1	1	4	6	10	5	11	8	16	14	16	8	5	2	-	-	-
	Nonwhite--M	83	-	-	-	-	-	-	-	-	1	1	-	5	3	11	17	14	12	10	4	2	1	1	1	-	-
	F	38	-	-	-	-	-	-	-	-	2	1	1	7	6	4	2	5	3	1	3	2	1	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	12	5	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	White----M	7	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	26	2	1	3	-	1	1	1	2	-	-	1	-	1	3	-	2	2	3	2	1	-	-	-	-	-
	White----M	15	2	1	2	-	-	-	1	1	-	-	1	-	1	3	-	-	-	2	1	-	-	-	-	-	-
	F	9	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
055	Diphtheria	8	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	White----M	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	4	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	46	30	7	4	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	18	14	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	11	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	68	16	14	14	4	2	7	2	1	-	1	1	2	-	1	-	1	1	-	-	-	-	1	-	-	-
	White----M	29	7	6	5	2	1	3	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	33	7	7	8	2	1	3	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	117	4	2	2	5	5	24	14	15	15	13	12	1	2	1	1	-	-	-	1	-	-	-	-	-	-
	White----M	62	4	1	1	2	3	13	8	7	7	3	9	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	52	-	-	1	3	2	10	6	8	7	10	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	27	8	7	-	2	1	5	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White----M	17	3	7	-	2	1	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	10	5	-	-	-	-	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	168	27	7	6	5	-	9	3	3	5	4	4	9	8	7	15	11	11	3	9	12	8	1	1	-	-
	White----M	92	13	4	5	4	-	5	1	3	3	1	2	-	3	4	9	6	8	2	6	6	7	-	-	-	-
	F	55	11	3	1	1	-	3	2	-	1	1	2	6	4	2	3	3	-	1	2	6	1	1	1	-	-
	Nonwhite--M	13	2	-	-	-	-	-	-	-	-	2	-	1	1	1	3	-	3	-	-	-	-	-	-	-	-
	F	8	1	-	-	-	-	1	-	-	1	-	-	2	-	-	-	2	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Con.																										
140-205	Malignant neoplasms, etc.*----	12,043	22	15	30	24	20	54	40	46	50	115	148	265	419	665	951	1,324	1,587	1,715	1,713	1,415	915	379	111	15	9
	White------M--	5,741	9	7	17	14	9	29	16	28	27	57	45	74	133	243	388	649	848	881	901	683	457	175	44	4	3
	F--	5,635	11	7	11	10	11	25	21	15	22	49	89	158	242	368	470	580	666	747	745	687	434	193	62	9	5
	Nonwhite--M--	351	1	-	2	-	-	1	2	3	1	4	3	10	16	27	55	50	41	53	38	25	12	6	1	-	-
	F--	316	1	1	-	-	-	1	1	-	-	5	11	23	28	27	38	45	32	34	29	20	10	5	4	-	1
140-148	Of buccal cavity and pharynx------	270	-	-	-	-	-	1	-	-	-	-	2	3	8	6	26	30	29	51	47	39	14	13	1	-	-
	White------M--	199	-	-	-	-	-	1	-	-	-	-	1	1	4	5	14	22	23	38	38	31	10	11	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	-	-	1	3	-	7	4	6	10	7	7	4	2	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	4	-	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	4,708	1	1	3	-	-	-	1	1	5	14	26	51	104	185	287	492	639	764	761	686	462	169	51	3	3
	White------M--	2,455	-	1	2	-	-	-	-	1	5	9	10	15	49	87	136	260	391	421	431	334	225	64	15	1	-
	F--	2,001	1	-	1	-	-	-	1	-	-	3	15	29	44	75	122	188	221	306	303	329	228	97	33	2	3
	Nonwhite--M--	155	-	-	-	-	-	-	-	-	-	2	-	3	5	13	22	26	18	26	18	13	5	3	1	-	-
	F--	97	-	-	-	-	-	-	-	-	-	-	1	4	6	10	7	18	9	11	9	10	6	4	2	-	-
160-164	Of respiratory system----------	1,170	-	-	-	-	-	1	1	3	2	5	5	19	40	86	138	181	236	177	128	77	50	18	1	1	1
	White------M--	894	-	-	-	-	-	1	-	1	1	3	4	13	26	61	112	155	191	139	89	53	32	11	1	-	1
	F--	205	-	-	-	-	-	-	1	1	1	-	1	5	9	16	14	15	34	26	35	22	17	7	-	1	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	1	-	-	-	1	5	7	11	7	10	7	4	1	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	4	1	5	-	1	-	-	-	-	-
170	Of breast----------	1,096	-	-	-	-	-	-	-	-	-	7	19	49	70	85	138	128	133	109	143	107	66	27	12	1	2
	White------M--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	3	1	2	-	1	-	-	-
	F--	1,036	-	-	-	-	-	-	-	-	-	7	18	43	66	83	132	121	125	100	130	105	65	26	12	1	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	46	-	-	-	-	-	-	-	-	-	-	1	5	4	2	4	7	4	6	12	-	1	-	-	-	-
171-179	Of genital organs----	2,063	-	-	-	1	-	1	1	3	10	22	42	67	104	141	172	184	238	264	292	253	168	72	22	5	1
	White------M--	701	-	-	-	-	-	-	-	-	4	8	8	8	4	5	15	27	59	89	155	144	110	48	15	2	-
	F--	1,209	-	-	-	1	-	1	1	3	6	12	29	48	83	125	130	146	161	161	124	94	52	22	7	3	-
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	3	5	8	10	10	5	2	-	-	-
	F--	102	-	-	-	-	-	-	-	-	-	2	5	11	16	10	21	8	13	6	3	5	1	-	-	-	1
180, 181	Of urinary organs----	553	2	2	1	3	-	4	1	-	-	-	4	6	8	26	35	63	68	86	96	72	47	24	3	1	1
	White------M--	326	1	1	1	2	-	-	-	-	-	-	3	3	3	15	20	47	45	51	58	36	22	15	2	-	1
	F--	206	1	1	-	1	-	4	1	-	-	-	1	2	5	7	11	14	22	31	37	33	25	9	-	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	1	1	1	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	3	-	2	-	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,209	8	9	13	5	5	22	11	15	8	30	18	39	45	83	84	131	143	145	146	106	73	48	19	2	1
	White------M--	605	5	3	5	5	2	12	7	7	5	11	9	17	24	36	47	68	75	72	74	50	39	20	10	1	1
	F--	544	2	5	6	-	3	10	3	7	3	18	7	18	18	43	30	51	61	66	69	56	33	26	8	1	-
	Nonwhite--M--	36	1	-	2	-	-	-	-	1	-	1	1	3	1	2	4	8	4	5	2	-	-	1	-	-	-
	F--	24	-	1	-	-	-	-	1	-	-	-	1	1	2	2	3	4	3	2	1	-	1	1	1	-	-
204	Leukemia and aleukemia----------	498	10	3	13	12	10	19	18	16	9	14	10	8	19	19	27	41	50	58	64	46	26	4	2	-	-
	White------M--	275	3	2	9	5	5	11	5	11	5	9	2	3	8	13	15	24	29	38	35	21	17	4	1	-	-
	F--	207	6	1	4	7	5	7	12	4	4	4	7	5	10	6	11	16	18	18	28	25	8	-	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	1	2	1	-	1	-	-	-	-
	F--	7	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	476	1	-	-	3	5	6	7	8	16	23	22	23	21	34	44	74	51	61	36	29	7	5	-	-	-
	White------M--	273	-	-	-	2	2	4	4	8	7	17	8	13	15	21	27	46	32	30	20	12	4	1	-	-	-
	F--	175	1	-	-	1	3	1	2	-	8	5	11	7	4	13	13	25	18	29	12	16	2	4	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	1	1	-	1	1	2	1	2	-	4	2	1	2	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	3	1	1	-	-	-	-
210-239	Benign and unspecified neoplasms---	269	3	-	4	5	3	5	2	-	7	11	5	24	20	25	21	25	32	14	21	21	11	5	2	1	1
	White------M--	88	1	-	2	3	1	2	1	-	4	2	2	7	4	4	7	10	14	5	5	8	5	1	-	-	-
	F--	152	2	-	2	2	2	2	1	-	3	5	3	11	13	18	12	12	17	7	14	12	6	4	2	1	1
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	6	3	3	1	3	-	2	1	1	-	-	-	-	-
260	Diabetes mellitus---	1,790	2	1	-	-	-	2	5	7	6	13	15	19	34	53	97	194	206	315	350	264	148	48	11	-	-
	White------M--	613	2	-	-	-	-	2	3	4	-	8	5	6	15	23	33	54	74	105	117	93	57	7	5	-	-
	F--	1,069	-	-	-	-	-	-	2	1	5	5	8	8	13	23	51	122	121	192	226	161	87	38	6	-	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	1	1	-	1	3	1	3	3	8	4	8	1	2	1	1	-	-	-
	F--	70	-	1	-	-	-	-	-	1	-	-	1	2	5	4	10	10	7	10	6	8	3	2	-	-	-
280-283	Anemias----------	274	6	5	1	2	-	2	2	2	1	3	3	3	2	5	8	13	32	29	38	53	37	19	7	1	-
	White------M--	131	3	3	-	-	-	2	1	-	-	-	1	2	-	-	3	7	9	14	22	26	26	9	2	1	-
	F--	123	2	1	1	1	-	-	-	1	1	1	-	1	1	3	4	6	20	14	15	26	10	10	5	-	-
	Nonwhite--M--	11	-	1	-	-	-	-	-	-	-	1	2	-	-	-	1	-	2	1	1	1	1	-	-	-	-
	F--	9	1	-	-	1	-	-	1	1	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis--------	89	27	9	4	2	3	1	2	5	2	-	4	3	2	3	7	2	5	3	3	-	1	-	1	-	-
	White------M--	42	13	5	1	1	-	1	2	1	1	-	1	3	1	2	1	2	2	1	2	-	1	-	1	-	-
	F--	33	13	3	2	1	2	-	-	2	1	-	2	-	-	-	2	-	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	9	1	1	-	-	-	-	-	1	-	-	1	-	1	-	3	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	43,596	19	10	12	7	6	36	28	61	82	159	218	436	839	1,394	2,264	3,183	4,337	5,732	6,429	6,915	6,162	3,625	1,354	235	53
	White------M--	23,198	11	3	6	4	2	16	9	31	36	73	112	222	516	798	1,334	1,983	2,585	3,325	3,450	3,574	2,920	1,568	527	81	14
	F--	17,879	8	6	5	1	3	18	14	24	41	62	71	132	213	383	622	911	1,482	2,105	2,687	3,118	3,078	1,972	786	143	24
	Nonwhite--M--	1,523	-	-	-	1	-	-	2	3	2	11	12	38	55	101	176	160	174	174	147	109	92	37	17	7	5
	F--	1,196	-	1	1	1	1	2	3	3	3	13	23	44	55	112	132	129	126	130	145	114	72	48	24	4	10
330-334, 400-468	Diseases of cardiovascular system-	42,494	19	7	9	6	4	28	26	52	70	132	197	406	796	1,346	2,201	3,106	4,248	5,594	6,300	6,769	6,024	3,536	1,330	235	53
	White------M--	22,676	11	2	4	4	2	13	7	25	30	60	102	206	494	776	1,309	1,948	2,540	3,255	3,394	3,509	2,845	1,533	512	81	14
	F--	17,381	8	4	4	-	2	13	14	21	35	50	63	120	200	363	598	874	1,416	2,045	2,621	3,049	3,017	1,920	777	143	24
	Nonwhite--M--	1,288	-	-	-	1	-	-	2	3	2	10	12	37	52	99	167	158	171	170	144	103	91	37	17	7	5
	F--	1,149	-	1	1	1	-	2	3	3	3	12	20	43	50	108	127	126	121	124	141	108	71	46	24	4	10
330-334	Vascular lesions, etc.*----------	9,399	10	4	6	-	1	6	2	8	12	18	30	61	120	245	355	585	829	1,204	1,466	1,734	1,538	818	289	47	11
	White------M--	4,369	6	2	2	-	-	4	1	4	5	7	13	19	55	88	139	268	386	611	712	877	701	344	106	16	3
	F--	4,452	4	2	3	-	1	2	-	3	7	8	9	27	50	102	146	240	365	517	692	807	801	456	177	29	4
	Nonwhite--M--	292	-	-	-	-	-	-	-	1	-	2	1	7	9	21	34	36	39	47	34	27	17	8	6	2	1
	F--	286	-	-	1	-	-	-	1	-	-	1	7	8	6	34	36	41	39	29	28	23	19	10	-	-	3
400-402	Rheumatic fever---	90	-	-	1	2	-	9	10	7	10	11	7	9	7	2	2	1	3	2	2	1	1	3	-	-	-
	White------M--	42	-	-	1	-	-	2	3	4	5	5	4	6	5	-	2	1	-	1	1	-	-	2	-	-	-
	F--	39	-	-	-	-	6	6	2	5	5	3	2	2	1	-	-	-	2	1	1	1	1	1	-	-	-
	Nonwhite--M--	4	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	1	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Con.																										
410-443	Diseases of heart-	29,793	9	3	1	4	2	12	14	34	40	93	137	303	620	1,044	1,759	2,414	3,238	4,120	4,432	4,539	3,820	2,201	791	128	35
	White-----M--	16,653	5	-	1	4	2	6	3	17	15	45	77	166	412	661	1,151	1,627	2,063	2,477	2,467	2,353	1,811	943	315	41	11
	F--	11,479	4	2	-	-	-	5	8	14	20	33	43	83	134	245	420	597	977	1,440	1,771	2,039	1,897	1,205	447	80	15
	Nonwhite--M--	904	-	-	-	-	-	-	1	1	2	8	9	26	39	72	121	111	125	114	95	69	68	24	11	4	4
	F--	757	-	1	-	-	-	1	2	2	3	7	8	28	35	66	87	79	73	89	99	78	44	29	18	3	5
410-416	Chronic rheumatic heart disease----	1,230	...	-	-	-	-	8	11	15	15	44	53	66	96	110	128	141	141	110	105	74	61	36	15	1	2
	White-----M--	576	...	-	-	-	-	4	3	7	5	21	28	27	46	44	62	74	64	56	54	36	28	13	3	1	-
	F--	584	...	-	-	-	-	3	6	8	8	20	20	36	41	61	58	63	69	49	48	34	30	19	10	-	1
	Nonwhite--M--	27	...	-	-	-	-	-	1	-	1	2	2	-	3	1	2	3	4	3	1	2	1	1	-	-	-
	F--	43	...	-	-	-	-	1	1	-	1	1	3	3	6	4	4	1	4	2	2	2	2	3	2	-	1
420	Arteriosclerotic heart dis., etc.*	18,164	7	-	-	1	1	-	2	6	9	22	53	157	386	666	1,202	1,696	2,193	2,785	2,787	2,689	1,999	1,081	350	54	18
	White-----M--	11,309	5	-	-	1	1	-	-	3	6	14	38	117	315	510	895	1,270	1,562	1,782	1,676	1,479	986	479	150	15	3
	F--	6,111	2	-	-	-	-	-	2	3	3	5	9	20	49	95	211	324	542	901	1,019	1,143	968	581	190	36	8
	Nonwhite--M--	471	-	-	-	-	-	-	-	-	-	2	5	14	18	39	71	64	63	58	49	34	32	13	5	1	3
	F--	273	-	-	-	-	-	-	-	-	-	1	1	6	4	22	25	38	26	44	41	33	13	8	5	2	4
421, 422	Nonrheumatic chronic endocarditis, etc.*--	4,779	...	3	-	-	-	-	-	5	6	9	11	26	41	91	120	183	277	480	662	861	979	674	296	48	7
	White-----M--	2,333	...	-	-	-	-	-	-	2	-	4	3	9	18	41	54	99	146	271	345	442	467	300	113	16	3
	F--	2,187	...	2	-	-	-	-	-	2	4	4	6	11	12	31	42	66	103	179	287	386	481	362	176	30	3
	Nonwhite--M--	142	...	-	-	-	-	-	-	1	1	1	-	2	6	6	16	14	20	16	14	17	18	5	3	1	1
	F--	117	...	1	-	-	-	-	-	-	1	-	2	4	5	13	8	4	8	14	16	16	13	7	4	1	-
430-434	Other diseases of heart---------	1,074	2	-	1	3	1	4	1	6	8	10	10	17	25	36	64	69	117	110	151	172	149	82	27	9	-
	White-----M--	574	-	-	1	3	1	2	-	4	3	3	5	6	12	19	37	34	69	69	85	97	72	34	15	5	-
	F--	416	2	-	-	-	-	2	-	1	4	2	4	6	7	12	19	25	36	34	58	68	73	45	14	4	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	2	1	2	3	2	5	6	9	3	6	2	1	1	-	-	-
	F--	41	-	-	-	-	-	-	1	1	1	3	-	3	3	3	3	4	3	4	2	5	3	2	-	-	-
440-443	Hypertension with heart dis.--	4,546	-	-	-	-	-	-	-	2	2	8	10	37	72	141	247	325	510	635	727	743	632	328	103	16	8
	White-----M--	1,861	-	-	-	-	-	-	-	1	1	3	3	7	21	47	83	150	222	299	305	299	258	117	36	4	5
	F--	2,181	-	-	-	-	-	-	-	-	1	2	4	10	25	46	90	119	227	277	359	408	345	198	57	10	3
	Nonwhite--M--	221	-	-	-	-	-	-	-	-	-	1	1	8	9	24	27	24	29	34	25	14	16	4	3	2	-
	F--	283	-	-	-	-	-	-	-	1	-	2	2	12	17	24	47	32	32	25	38	22	13	9	7	-	-
444-447	Hypertension without mention of heart----------	709	-	-	-	-	-	-	-	-	2	5	11	21	25	34	39	39	56	82	87	87	111	75	30	5	-
	White-----M--	330	-	-	-	-	-	-	-	-	2	2	3	8	9	16	16	21	22	42	44	43	51	38	11	2	-
	F--	290	-	-	-	-	-	-	-	-	-	2	2	4	6	7	17	10	26	31	34	40	58	33	18	2	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	2	3	4	5	5	4	2	5	5	1	-	2	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	1	4	6	6	6	1	4	6	4	4	3	2	2	1	1	-
450	General arteriosclerosis--------	2,065	-	-	-	-	-	-	-	-	-	-	1	3	2	-	10	24	68	128	251	363	507	431	217	54	6
	White-----M--	1,046	-	-	-	-	-	-	-	-	-	-	1	3	-	-	7	11	37	85	138	206	256	201	80	21	-
	F--	961	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	11	27	38	98	149	242	222	133	32	5
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	9	4	4	3	-	1	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	4	5	5	4	-	1
451-468	Other diseases of circulatory eye.-	438	-	-	1	-	1	1	-	3	6	5	11	9	22	21	36	43	54	58	62	45	47	8	3	1	1
	White-----M--	236	-	-	-	-	-	1	-	-	3	1	4	4	13	11	14	20	32	39	32	30	26	5	-	1	-
	F--	160	-	-	1	-	1	-	-	2	3	2	6	4	6	8	13	16	19	18	25	13	18	3	2	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	1	-	-	-	-	-	1	6	5	1	1	1	2	2	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	2	1	1	3	1	3	2	2	-	4	-	1	-	1	-	1
592-594	Chronic nephritis, etc.*----------	1,102	-	3	3	1	2	3	2	9	12	27	21	30	43	48	63	77	89	138	129	146	138	89	24	-	-
	White-----M--	522	-	1	2	-	-	3	2	6	6	13	10	16	22	22	25	35	45	68	56	65	75	35	15	-	-
	F--	498	-	2	1	1	1	5	-	3	6	12	8	12	13	20	24	37	36	60	66	69	61	52	9	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	1	-	1	3	2	9	2	3	4	3	6	1	-	-	-	-
	F--	47	-	-	-	-	1	-	-	-	-	1	3	1	5	4	5	3	5	6	4	6	1	2	-	-	-
480-493	Influenza and pneumonia, etc.*-	2,305	345	65	21	12	7	30	15	12	21	18	27	37	38	56	90	105	157	194	227	258	272	191	79	25	3
	White-----M--	1,172	186	32	9	7	2	15	9	6	10	4	10	16	22	29	52	66	103	112	134	136	115	79	31	7	-
	F--	895	109	21	6	4	4	13	5	6	11	9	10	12	11	14	23	28	38	64	76	112	145	107	47	18	2
	Nonwhite--M--	144	38	8	2	-	-	2	-	-	-	1	3	6	3	9	10	9	14	16	9	4	5	3	1	-	1
	F--	94	32	4	4	1	1	-	1	-	-	4	4	3	2	4	5	2	2	2	8	6	7	2	-	-	-
480-483	Influenza----------	436	26	6	2	3	2	8	4	5	4	3	7	4	8	6	16	21	32	29	50	65	63	47	16	8	1
	White-----M--	204	11	4	1	1	1	4	2	3	2	-	1	3	5	2	7	6	22	17	29	34	22	19	6	2	-
	F--	203	12	2	-	2	1	4	2	2	2	3	5	1	2	2	5	12	8	11	19	28	37	28	9	6	-
	Nonwhite--M--	17	2	-	1	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	-	1	2	-	1	-	1
	F--	12	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	2	2	2	-	-	-	-
490-493	Pneumonia, etc.*--	1,869	319	59	19	9	5	22	11	7	17	15	20	33	30	50	74	84	125	165	177	193	209	144	63	17	2
	White-----M--	968	155	28	8	6	1	11	7	3	8	4	9	13	17	27	45	60	81	95	105	102	93	60	25	5	-
	F--	692	97	19	6	2	3	9	3	4	9	6	5	11	9	12	18	16	30	53	57	84	108	79	38	12	2
	Nonwhite--M--	127	36	8	1	-	-	2	-	-	-	1	3	6	3	8	8	6	12	15	9	3	3	3	-	-	-
	F--	82	31	4	4	1	1	-	1	-	-	4	3	3	1	3	3	2	2	2	6	4	5	2	-	-	-
500-502	Bronchitis---------	170	19	15	3	3	-	3	-	-	-	-	1	2	4	-	9	15	13	14	13	22	12	10	10	2	-
	White-----M--	93	12	10	1	-	-	1	-	-	-	-	-	2	-	-	6	7	11	9	7	9	3	6	8	1	-
	F--	68	6	5	2	2	-	2	-	-	-	-	-	-	2	-	2	7	2	5	5	12	9	4	2	1	-
	Nonwhite--M--	7	1	-	-	1	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	391	2	-	-	-	-	-	-	-	1	3	9	10	20	22	46	56	65	49	48	28	18	12	2	-	-
	White-----M--	304	1	-	-	-	-	-	-	-	-	3	5	8	17	17	37	44	57	38	35	20	14	8	-	-	-
	F--	59	1	-	-	-	-	-	-	-	-	-	-	2	1	2	4	7	7	9	10	7	3	4	2	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	1	-	4	-	2	1	3	5	1	-	2	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	1	-	-	-	-	-	-
550-553	Appendicitis------	166	-	1	4	2	1	6	5	10	7	6	6	5	10	7	6	10	14	14	21	11	14	3	3	-	-
	White-----M--	94	-	1	1	1	-	4	2	3	5	4	4	5	7	4	3	6	10	9	10	3	9	1	2	-	-
	F--	58	-	-	3	-	1	2	2	5	2	2	1	-	2	1	2	2	3	5	10	8	4	2	1	-	-
	Nonwhite--M--	11	-	-	-	1	-	-	1	2	-	-	1	-	1	1	1	1	-	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	526	52	3	1	2	1	2	-	1	1	7	4	8	22	20	25	38	44	57	69	78	49	28	10	3	1
	White-----M--	241	25	2	1	2	1	1	-	-	1	2	-	4	11	7	12	15	21	28	30	37	25	12	4	-	-
	F--	249	20	-	-	-	-	1	-	1	-	3	3	2	10	11	11	17	18	27	37	40	23	15	6	3	1
	Nonwhite--M--	21	4	1	-	-	-	-	-	-	-	1	1	-	1	-	1	4	5	-	1	-	1	1	-	-	-
	F--	15	3	-	-	-	-	-	-	-	-	1	-	2	-	2	1	2	-	2	1	1	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
543,	Gastritis, etc.*--	315	125	26	3	1	-	3	-	1	7	4	3	4	3	12	5	11	15	15	25	21	17	9	4	1	-
571,	White-----M--	147	60	13	2	-	-	1	-	-	5	2	-	3	-	5	4	6	12	2	15	4	9	3	-	1	-
572	F--	137	41	13	1	1	-	2	-	1	2	2	3	1	2	5	1	4	3	11	10	17	8	6	3	-	-
	Nonwhite--M--	17	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	14	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	811	4	-	-	-	-	-	-	1	-	3	22	43	77	79	103	91	106	108	64	58	36	12	4	-	-
	White-----M--	517	1	-	-	-	-	-	-	1	-	1	10	24	49	45	68	73	68	75	40	34	21	4	3	-	-
	F--	243	1	-	-	-	-	-	-	-	-	1	11	10	21	27	25	16	34	29	22	23	14	8	1	-	-
	Nonwhite--M--	33	2	-	-	-	-	-	-	1	-	1	-	5	4	4	6	2	4	4	1	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	4	3	3	4	-	-	-	1	1	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	169	6	2	-	1	2	3	4	3	3	2	7	6	9	9	13	24	14	9	18	15	8	7	2	2	-
	White-----M--	80	2	-	-	1	-	3	2	1	1	1	2	3	5	6	6	13	9	4	7	6	3	3	1	1	-
	F--	69	1	1	-	-	2	-	2	2	2	-	4	1	2	2	4	10	4	4	10	8	5	4	1	-	-
	Nonwhite--M--	11	1	1	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	1	1	-	-	-	-	-	-
	F--	9	2	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-	-	-	-	1	-
610	Hyperplasia of																										
	prostate---------	379	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	19	45	64	85	89	52	17	2	-
	White-----M--	353	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	16	38	61	81	86	51	17	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	7	3	4	3	1	-	1	-
640-	Complications of																										
689	pregnancy, etc.*-	107	...	...	...	...	...	...	-	7	21	23	22	20	14	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	89	...	...	...	...	...	...	-	6	17	20	16	18	12	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	18	...	...	...	...	...	...	-	1	4	3	6	2	2	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	7	...	...	...	...	...	...	-	2	3	1	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	6	...	...	...	...	...	...	-	1	3	1	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	100	...	...	...	...	...	...	-	5	18	22	22	19	14	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	83	...	...	...	...	...	...	-	5	14	19	16	17	12	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	17	...	...	...	...	...	...	-	-	4	3	6	2	2	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	1,073	811	48	15	15	7	24	13	10	11	20	12	15	12	14	15	11	5	4	5	4	1	1	-	-	-
	White-----M--	538	399	24	5	10	2	13	9	4	7	10	8	9	4	8	6	7	5	3	3	1	1	-	-	-	-
	F--	467	362	21	7	5	3	11	4	5	3	5	4	6	6	5	9	4	-	1	2	3	-	1	-	-	-
	Nonwhite--M--	42	32	3	-	-	2	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	18	-	3	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	3,032	3,032	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,618	1,618	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,038	1,038	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,305	1,305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	692	692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	460	460	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,566	1,566	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	859	859	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	506	506	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	661	52	5	5	2	-	3	1	2	3	6	6	12	27	22	31	33	47	53	50	67	73	78	63	14	6
795	White-----M--	296	21	2	3	-	-	1	1	2	1	2	4	4	17	7	11	16	35	27	27	33	30	24	21	6	1
	F--	269	24	2	2	2	-	2	-	-	1	2	-	4	6	4	7	9	7	17	13	27	38	52	39	6	5
	Nonwhite--M--	59	5	-	-	-	-	-	-	-	-	1	1	4	1	9	7	4	3	9	5	4	3	2	-	1	-
	F--	37	2	1	-	-	-	-	-	-	1	1	1	-	3	2	6	4	2	-	5	3	2	-	3	1	-
Re-	All other diseases	3,655	161	26	19	21	16	40	34	40	58	56	99	124	157	193	222	321	405	404	427	355	280	122	64	12	1
sid-	White-----M--	1,851	85	18	10	10	10	17	19	20	25	26	44	59	69	91	113	176	212	225	240	168	134	55	20	4	1
ual	F--	1,536	62	4	7	9	5	19	15	18	23	27	49	47	58	70	85	122	170	151	172	171	139	63	44	7	-
	Nonwhite--M--	130	3	2	1	-	1	4	-	1	5	2	2	10	15	13	8	13	10	15	10	7	5	3	-	-	-
	F--	138	11	2	1	2	-	-	-	1	5	1	5	8	15	19	16	10	11	13	5	9	2	1	-	1	-
E800-	Accidents----------	4,944	184	62	53	53	24	163	112	221	324	272	245	202	212	200	251	277	263	353	339	359	353	276	121	21	5
E962	White-----M--	3,055	100	32	21	26	13	101	76	179	265	198	176	145	143	145	171	195	185	245	194	170	141	90	36	4	4
	F--	1,541	61	20	22	21	8	45	29	34	35	54	46	30	45	39	49	54	60	92	129	178	210	179	83	17	1
	Nonwhite--M--	247	12	3	8	2	1	10	4	5	20	19	16	18	18	10	26	25	15	13	10	7	1	3	1	-	-
	F--	101	11	7	2	4	2	7	3	3	4	1	7	9	6	6	5	3	3	3	6	3	1	4	1	-	-
E810-	Motor-vehicle																										
E835	accidents---------	1,892	14	10	17	22	9	89	42	150	245	165	148	97	102	96	88	118	115	148	90	76	34	14	2	-	1
	White-----M--	1,334	6	1	9	12	6	58	25	120	203	116	103	69	65	70	54	80	75	111	66	48	26	9	1	-	1
	F--	432	7	8	7	8	2	24	16	25	24	39	33	15	25	20	23	29	32	34	24	24	8	5	-	-	-
	Nonwhite--M--	94	-	-	1	1	-	5	-	3	15	10	8	7	8	4	9	9	7	3	-	3	-	-	1	-	-
	F--	32	1	1	-	1	1	2	1	2	3	-	4	6	4	2	2	-	1	-	-	1	-	-	-	-	-
E800-	All ot. accidents-	3,052	170	52	36	31	15	74	70	71	79	107	97	105	110	104	163	159	148	205	249	282	319	262	119	21	4
E802,	White-----M--	1,721	94	31	12	14	7	43	51	59	62	62	73	76	78	75	117	115	110	134	128	122	115	81	35	4	3
E840-	F--	1,109	54	12	15	13	6	21	13	9	11	15	13	15	20	19	28	25	28	58	105	154	202	174	83	17	1
E962	Nonwhite--M--	155	12	3	7	1	1	5	4	2	5	9	8	11	10	6	17	16	8	10	10	4	1	3	-	-	-
	F--	69	10	6	2	3	1	5	2	1	1	1	3	3	2	4	3	3	2	3	6	2	1	4	1	-	-
E963,	Suicide----------	906	-	-	-	-	-	-	1	17	31	49	55	70	79	80	102	99	88	87	68	45	24	9	2	-	-
E970-	White-----M--	686	-	-	-	-	-	-	-	13	21	36	39	51	59	59	68	79	77	66	53	34	21	8	2	-	-
E979	F--	191	-	-	-	-	-	-	1	3	4	10	12	18	19	17	31	18	8	20	15	11	3	1	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	1	4	2	4	1	1	2	2	2	3	1	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	322	8	2	3	-	-	1	-	14	29	59	40	48	34	28	23	12	6	7	3	3	1	-	-	-	1
E980-	White-----M--	90	6	1	2	-	-	-	-	5	6	8	10	10	10	9	7	6	3	4	1	1	1	-	-	-	-
E985	F--	49	2	1	1	-	-	-	-	4	1	8	1	7	8	5	2	2	2	1	2	1	-	-	-	-	1
	Nonwhite--M--	142	-	-	-	-	-	-	-	1	17	33	20	25	14	13	11	4	1	2	-	1	-	-	-	-	-
	F--	41	-	-	-	-	-	1	-	4	5	10	9	6	2	1	3	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	4	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	4	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA																										
	ALL CAUSES	19,473	1,514	135	71	68	31	133	99	227	238	238	280	410	537	769	972	1,238	1,515	2,065	2,324	2,588	2,112	1,207	518	117	67
	White--M	10,338	716	63	24	33	18	61	48	128	131	122	140	218	276	418	546	724	888	1,136	1,298	1,394	1,062	606	229	52	15
	F	6,835	496	38	31	21	7	55	29	58	55	75	87	120	164	215	285	356	469	712	820	992	910	522	254	47	17
	Nonwhite--M	1,271	157	17	9	7	4	8	15	18	32	18	30	34	44	71	73	90	85	136	131	117	80	49	22	7	17
	F	1,029	145	17	7	7	2	9	7	23	20	23	23	38	51	65	68	68	73	81	85	85	60	30	13	11	18
001-019	Tuberculosis, all forms	505	6	4	2	2	1	3	5	15	32	33	24	39	33	43	35	47	38	57	40	24	17	5	-	1	1
	White--M	259	-	-	-	-	1	-	1	2	3	13	7	17	24	27	23	30	24	36	23	15	10	3	-	-	-
	F	120	3	-	1	2	-	3	1	6	13	8	9	10	4	8	3	9	5	12	10	7	4	2	-	-	-
	Nonwhite--M	69	1	3	-	-	-	-	1	1	7	6	3	7	3	7	7	6	3	6	5	1	1	-	-	-	1
	F	57	2	1	1	-	-	-	2	6	9	6	5	5	2	1	2	2	4	3	2	1	2	-	-	1	-
001-008	Tuberculosis of respiratory system	472	3	3	-	-	-	-	4	12	31	32	22	38	33	42	35	45	35	55	38	23	14	5	-	1	1
	White--M	253	-	-	-	-	-	-	1	1	3	12	6	17	24	27	23	29	24	36	23	15	9	3	-	-	-
	F	104	2	-	-	-	-	-	1	5	13	8	9	10	4	7	3	8	4	10	9	6	3	2	-	-	-
	Nonwhite--M	66	-	2	-	-	-	-	1	1	6	6	3	7	3	7	7	6	3	6	5	1	1	-	-	-	1
	F	49	1	1	-	-	-	-	1	5	9	6	4	4	2	1	2	2	4	3	1	1	1	-	-	1	-
010-019	Tuberculosis, other forms	33	3	1	2	2	1	3	1	3	1	1	2	1	-	1	-	2	1	2	2	1	3	-	-	-	-
	White--M	6	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	16	1	-	1	2	-	3	-	1	-	-	-	-	-	1	-	1	1	2	1	1	1	-	-	-	-
	Nonwhite--M	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
020-029	Syphilis and its sequelae	119	4	-	-	-	-	-	-	-	2	-	-	6	7	13	14	16	14	13	10	14	4	-	1	-	1
	White--M	68	-	-	-	-	-	-	-	-	1	-	-	4	2	6	9	12	10	9	4	11	-	-	-	-	-
	F	21	1	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	3	-	3	-	4	-	1	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	2	1	4	3	1	-	-	-	-	-
	F	14	3	-	-	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	2	-	-	-	-	1
040	Typhoid fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	16	8	2	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	1	-	-	-
	White--M	10	5	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*	6	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	9	1	2	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	20	15	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	11	1	3	-	2	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	7	-	2	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	39	6	3	2	4	2	8	3	3	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	18	3	-	2	3	-	4	-	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	3	1	-	1	2	3	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	65	8	2	1	3	1	7	4	2	1	3	5	1	4	1	3	4	3	5	1	2	3	1	-	-	-
	White--M	30	4	1	-	1	1	4	2	-	-	-	2	-	1	1	3	1	1	3	-	2	3	-	-	-	-
	F	26	1	1	1	2	-	2	1	2	-	2	1	1	3	-	-	3	2	2	1	-	-	1	-	-	-
	Nonwhite--M	4	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
140-205	Malignant neoplasms, etc.*—	2,683	7	2	9	9	4	11	9	13	8	23	31	78	116	154	205	288	291	353	358	369	233	98	30	4	1
	White— M	1,323	2	2	7	5	1	5	7	9	5	14	16	37	39	58	81	138	143	185	184	200	117	53	13	2	-
	F	1,156	3	-	1	4	2	5	2	3	2	9	13	36	61	77	98	103	127	148	150	148	104	41	16	2	1
	Nonwhite— M	105	1	-	1	-	1	-	-	-	-	-	-	-	4	9	8	14	11	12	18	11	10	4	1	-	-
	F	99	1	-	-	-	-	1	-	1	1	-	2	5	12	10	16	13	10	8	6	10	2	1	-	-	-
140-148	Of buccal cavity and pharynx	72	-	-	-	-	-	-	-	-	-	-	1	1	1	6	3	9	6	8	12	12	7	3	2	1	-
	White— M	60	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	7	5	7	10	11	5	3	2	1	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	2	1	2	-	-	-	-
	Nonwhite— M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	994	1	-	1	-	-	1	-	-	-	4	5	17	21	36	62	89	111	140	173	174	106	44	7	2	-
	White— M	507	-	-	1	-	-	1	-	-	-	3	3	13	10	16	26	45	51	75	99	97	49	16	1	1	-
	F	415	1	-	-	-	-	-	-	-	-	1	1	4	8	14	26	33	51	57	66	70	53	24	5	1	-
	Nonwhite— M	44	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	9	5	5	5	3	4	3	1	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	6	2	4	3	3	4	-	1	-	-
160-164	Of respiratory system	256	-	-	-	-	-	-	-	-	-	1	2	5	10	24	24	46	38	35	24	31	6	7	2	-	1
	White— M	200	-	-	-	-	-	-	-	-	-	1	2	4	10	19	20	41	32	24	15	22	3	5	2	-	-
	F	41	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	5	9	6	9	3	2	-	-	1
	Nonwhite— M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	3	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-
170	Of breast	189	-	-	-	-	-	-	-	-	-	1	1	9	17	23	28	24	22	18	19	12	10	3	2	-	-
	White— M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F	170	-	-	-	-	-	-	-	-	-	1	-	9	15	20	27	20	21	17	17	9	9	3	2	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	4	-	1	2	1	1	-	-	-	-
171-179	Of genital organs	484	-	-	1	-	-	-	-	-	1	3	10	21	29	29	34	31	36	70	67	68	58	20	5	1	-
	White— M	176	-	-	-	-	-	-	-	-	1	2	4	4	-	-	3	8	7	33	27	31	36	15	5	-	-
	F	250	-	-	-	-	-	-	-	-	-	1	6	13	25	25	22	20	25	31	31	30	17	5	-	1	-
	Nonwhite— M	24	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	8	3	4	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	4	6	3	8	3	2	2	1	4	1	-	-	-	-
180, 181	Of urinary organs	112	1	-	2	2	-	-	-	-	-	1	-	1	5	1	10	10	19	15	15	17	8	4	1	-	-
	White— M	61	-	-	1	1	-	-	-	-	-	-	-	-	3	-	5	6	11	9	9	11	3	2	-	-	-
	F	43	1	-	1	1	-	-	-	-	-	1	-	1	-	1	4	3	7	4	6	6	4	2	1	-	-
	Nonwhite— M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	382	3	1	3	4	1	8	2	4	5	3	6	10	20	22	20	39	34	44	33	43	32	16	9	-	-
	White— M	194	1	1	3	2	1	3	2	3	3	2	3	8	10	10	11	20	19	22	19	20	17	11	3	-	-
	F	146	1	-	-	2	-	4	-	1	1	1	3	2	7	10	9	16	11	22	14	18	14	4	6	-	-
	Nonwhite— M	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	4	1	1	-	-	-
	F	11	1	-	-	-	-	1	-	-	1	-	-	-	1	1	-	2	3	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	117	2	1	2	3	3	2	4	8	1	7	1	7	5	4	12	9	16	10	8	8	2	1	1	-	-
	White— M	66	1	1	2	2	-	1	3	6	1	6	-	4	2	2	6	5	11	4	3	4	1	1	-	-	-
	F	47	-	-	-	1	2	1	1	1	-	1	1	2	3	2	6	4	5	6	5	4	1	-	1	-	-
	Nonwhite— M	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	97	-	-	-	-	-	-	3	1	1	3	-	5	7	8	9	10	11	9	13	7	4	4	1	1	-
	White— M	56	-	-	-	-	-	-	2	-	-	-	4	3	3	6	8	6	6	11	2	2	3	-	-	-	-
	F	35	-	-	-	-	-	-	1	1	1	3	1	4	5	1	2	4	3	2	3	1	1	1	1	-	-
	Nonwhite— M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	84	3	-	1	1	-	2	2	5	2	4	2	3	8	10	4	8	10	3	5	4	4	2	1	-	-
	White— M	29	3	-	-	1	-	1	1	3	-	1	-	-	2	4	1	2	3	1	1	2	2	1	-	-	-
	F	49	-	-	1	-	-	1	1	2	2	2	2	3	6	5	3	5	5	2	3	2	2	1	1	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus	299	-	1	-	-	-	-	2	3	-	6	5	7	12	10	16	20	34	50	51	50	20	8	4	-	-
	White— M	120	-	-	-	-	-	-	1	-	-	2	2	3	5	5	8	11	15	19	18	23	5	4	1	-	-
	F	144	-	1	-	-	-	-	1	3	-	4	3	3	5	3	5	7	13	25	30	22	13	3	3	-	-
	Nonwhite— M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	4	-	2	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	6	2	3	3	1	1	-	-	-
290-293	Anemias	59	4	1	-	1	-	-	-	1	1	-	-	-	1	-	-	3	5	7	7	9	11	6	2	-	-
	White— M	27	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	4	1	7	4	3	1	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	5	1	7	2	1	-	-
	Nonwhite— M	5	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	F	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis	21	6	4	1	-	-	-	2	-	-	2	1	1	-	1	-	1	-	-	1	-	1	-	-	-	-
	White— M	10	2	2	1	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite— M	4	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,497	5	3	2	2	1	6	12	15	30	31	49	90	166	300	467	631	851	1,225	1,428	1,649	1,359	766	303	69	37
	White— M	5,207	2	2	1	1	1	2	6	6	12	9	21	45	99	178	284	389	551	679	803	879	691	385	134	33	5
	F	3,350	2	1	1	-	-	3	4	6	11	17	17	27	35	62	105	166	230	418	491	644	584	341	152	25	8
	Nonwhite— M	521	1	-	-	-	-	-	1	-	4	2	7	16	25	37	41	52	74	79	73	48	24	12	5	13
	F	419	-	-	-	1	-	1	1	3	3	3	4	11	16	35	31	35	38	55	55	53	36	16	5	6	11
330-334, 400-468	Diseases of cardiovascular system	9,062	4	3	1	2	1	5	7	9	22	24	44	80	153	289	442	605	820	1,185	1,377	1,587	1,302	730	291	66	33
	White— M	5,023	1	2	1	1	1	1	3	4	9	7	20	41	93	173	285	378	517	663	779	850	662	369	127	31	5
	F	3,213	2	1	-	-	-	3	2	4	8	12	14	22	31	60	95	156	223	406	479	625	567	325	147	24	7
	Nonwhite— M	469	1	-	-	-	-	-	1	-	3	2	6	7	14	25	35	37	46	64	68	67	42	22	12	5	12
	F	377	-	-	-	1	-	1	1	1	2	3	4	10	15	31	27	34	34	52	51	45	31	14	5	6	9
330-334	Vascular lesions, etc.*	2,274	1	1	1	-	-	1	2	1	3	7	6	10	29	41	86	123	164	302	368	482	372	202	77	9	6
	White— M	1,098	-	-	1	-	-	1	1	-	1	-	3	3	12	15	39	60	78	142	181	231	187	110	27	4	2
	F	945	1	1	-	-	-	-	1	-	1	5	2	5	10	13	32	44	62	119	146	201	167	83	47	4	1
	Nonwhite— M	121	-	-	-	-	-	-	-	-	1	-	1	1	2	5	9	8	10	22	22	19	10	5	3	-	3
	F	110	-	-	-	-	-	-	-	1	-	2	-	1	5	8	6	11	14	19	19	11	8	4	-	1	-
400-402	Rheumatic fever	24	-	-	-	-	-	1	5	5	2	2	2	3	2	-	1	1	-	-	-	-	-	-	-	-	-
	White— M	10	-	-	-	-	-	-	2	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	1	3	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite— M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
410-443	Diseases of heart-	6,103	1	2	-	2	1	3	-	3	13	14	28	63	111	234	336	452	618	829	926	998	810	426	169	43	21
	White-----M--	3,573	-	2	-	1	1	-	-	2	6	5	14	34	75	152	235	301	415	493	554	556	410	208	86	20	3
	F--	1,982	1	-	-	-	-	2	-	1	4	7	9	16	18	43	55	102	148	266	305	368	350	195	74	14	4
	Nonwhite--M--	315	-	-	-	-	-	-	-	-	1	2	2	4	10	19	26	29	35	41	37	45	29	16	6	5	8
	F--	233	-	-	-	1	-	1	-	-	2	-	3	9	8	20	20	20	20	29	30	29	21	7	3	4	6
410-416	Chronic rheumatic heart disease----	203	...	-	-	1	1	1	-	1	4	-	11	10	10	16	16	18	18	26	21	19	15	12	2	1	-
	White-----M--	85	...	-	-	-	1	-	-	1	2	-	5	6	3	7	6	5	9	11	9	8	6	4	2	-	-
	F--	95	...	-	-	-	-	1	-	-	2	-	4	4	7	7	9	13	7	11	11	6	5	7	-	1	-
	Nonwhite--M--	9	...	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	3	-	1	1	-	-	-	-
	F--	14	...	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	4	3	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,535	-	-	-	-	-	-	-	1	1	4	8	33	70	158	228	318	401	525	539	555	403	192	81	12	8
	White-----M--	2,313	-	-	-	-	-	-	-	-	-	1	7	21	56	117	178	232	297	351	353	335	221	97	39	6	2
	F--	1,031	-	-	-	-	-	-	-	1	-	3	1	4	6	23	29	64	86	147	169	200	164	86	41	6	1
	Nonwhite--M--	111	-	-	-	-	-	-	-	-	-	-	-	2	4	9	14	12	13	16	6	14	13	6	1	-	1
	F--	80	-	-	-	-	-	-	-	-	1	-	-	6	4	9	7	10	5	11	11	6	5	3	-	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	774	...	-	-	-	-	1	-	-	2	1	2	2	8	9	22	35	43	84	113	139	147	109	43	11	3
	White-----M--	394	...	-	-	-	-	-	-	-	-	-	-	2	3	4	11	20	25	33	62	76	74	56	23	5	-
	F--	286	...	-	-	-	-	-	-	-	1	1	2	-	2	3	6	6	9	39	38	48	65	46	16	3	1
	Nonwhite--M--	55	...	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	6	8	8	11	4	5	2	-	1
	F--	39	...	-	-	-	-	1	-	-	1	-	-	-	2	2	3	3	3	4	5	4	4	2	2	1	2
430-434	Other diseases of heart----------	670	1	2	-	1	-	1	-	1	3	7	3	10	17	24	40	38	65	86	103	109	84	39	22	10	4
	White-----M--	391	-	2	-	1	-	-	-	1	1	4	-	5	11	17	24	24	41	53	63	61	45	18	14	5	1
	F--	191	1	-	-	-	-	1	-	-	1	1	1	3	2	4	7	8	17	22	30	35	32	16	6	3	1
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	1	2	-	2	3	2	4	5	4	9	8	9	1	5	1	-	1
	F--	30	-	-	-	-	-	-	-	-	-	-	2	-	1	1	5	1	3	2	1	4	6	-	1	2	1
440-443	Hypertension with heart dis.---	921	-	-	-	-	-	-	-	-	3	2	4	8	6	27	30	43	91	108	150	176	161	74	21	9	8
	White-----M--	390	-	-	-	-	-	-	-	-	3	-	2	-	2	7	16	20	43	45	67	76	64	33	8	4	-
	F--	379	-	-	-	-	-	-	-	-	-	2	1	5	1	6	4	11	29	47	57	79	84	40	11	1	1
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	-	1	-	2	7	5	6	11	5	14	10	10	-	2	3	6
	F--	70	-	-	-	-	-	-	-	-	-	-	-	3	1	7	5	6	8	11	12	11	3	1	-	1	1
444-447	Hypertension without mention of heart----------	210	-	-	-	-	-	-	-	-	-	-	4	1	7	6	8	12	14	24	18	40	38	26	8	2	2
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	2	-	1	2	4	7	9	9	7	18	17	8	-	-	-
	F--	93	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	4	5	11	9	17	16	15	6	1	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	1	1	2	3	1	1	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	3	1	3	2	2	1	1	1
450	General arteriosclerosis--------	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	10	12	23	46	80	75	71	34	12	4
	White-----M--	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	7	15	28	42	44	39	14	7	-
	F--	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	8	13	35	31	31	17	5	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	-	-	2	-	1
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	2
451-468	Other diseases of circulatory sys.-	100	2	-	-	-	-	-	-	-	4	1	4	3	4	7	9	7	12	7	19	7	7	5	3	-	-
	White-----M--	53	1	-	-	-	-	-	-	-	1	1	-	2	4	3	5	4	8	4	9	3	4	4	-	-	-
	F--	34	-	-	-	-	-	-	-	-	2	-	2	-	-	2	3	2	4	2	6	4	3	1	3	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	3	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	415	1	-	1	-	-	1	5	6	8	7	5	10	13	11	25	26	31	40	51	62	57	36	12	3	4
	White-----M--	164	1	-	-	-	-	1	3	2	3	2	1	4	6	5	9	11	14	15	24	29	29	16	7	2	-
	F--	137	-	-	1	-	-	-	2	2	3	5	3	5	4	2	10	10	7	12	12	19	17	16	5	1	1
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	4	6	10	11	6	6	2	-	-	1
	F--	42	-	-	-	-	-	-	-	2	1	-	-	1	1	4	4	1	4	3	4	8	5	2	-	-	2
480-493	Influenza and pneumonia, etc.*-	841	127	19	9	5	2	8	6	10	6	6	5	11	15	14	25	22	34	50	73	97	139	93	45	12	8
	White-----M--	382	50	6	4	1	-	6	3	2	2	1	3	2	4	7	7	9	15	24	38	48	70	49	22	6	3
	F--	270	29	3	2	2	1	2	1	2	3	3	1	1	2	2	7	5	10	16	22	35	57	37	19	6	2
	Nonwhite--M--	96	19	4	1	1	1	-	-	3	1	1	1	5	4	4	4	6	3	8	5	9	8	5	2	-	1
	F--	93	29	6	2	1	-	-	2	3	-	1	-	3	5	1	7	2	6	2	8	5	4	2	2	-	2
480-483	Influenza---------	206	14	2	-	1	-	1	2	3	1	2	-	1	4	2	6	9	10	15	21	28	45	20	13	5	1
	White-----M--	93	5	1	-	1	-	1	1	-	-	-	-	-	1	1	2	2	4	5	12	15	22	9	8	3	-
	F--	73	4	-	-	-	-	-	1	1	1	2	-	-	-	-	1	4	3	5	6	11	20	6	4	2	-
	Nonwhite--M--	21	2	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	-	3	2	2	2	2	1	-	-
	F--	19	3	1	-	-	-	-	-	1	-	-	-	-	2	-	2	1	3	2	1	-	1	1	-	-	1
490-493	Pneumonia, etc.*---	635	113	17	9	4	2	7	4	7	5	4	5	10	11	12	19	13	24	35	52	69	94	73	32	7	7
	White-----M--	289	45	5	4	-	-	5	2	2	2	1	3	2	3	6	5	7	11	19	26	33	48	40	14	3	3
	F--	197	25	3	2	2	1	2	-	1	2	1	1	1	2	2	6	1	7	11	16	24	37	29	15	4	2
	Nonwhite--M--	75	17	4	1	1	1	-	-	2	1	1	1	4	3	3	3	4	3	5	3	7	6	3	1	-	1
	F--	74	26	5	2	1	-	-	2	2	-	1	-	3	3	1	5	1	3	-	7	5	3	1	2	-	1
500-502	Bronchitis---------	36	4	1	1	-	-	1	-	1	-	-	-	1	-	-	-	1	-	5	4	6	4	6	-	-	1
	White-----M--	17	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	1	3	2	3	-	-	1
	F--	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	2	3	-	-	-
	Nonwhite--M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	102	3	-	-	-	-	-	-	-	-	2	2	5	10	9	11	9	12	10	16	8	4	1	-	-	-
	White-----M--	78	2	-	-	-	-	-	-	-	-	2	1	4	6	5	9	6	10	9	15	7	2	-	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	-	-	-	3	4	1	2	1	1	1	1	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-
550-553	Appendicitis------	48	-	-	1	2	-	4	1	8	2	1	3	1	2	4	2	2	3	3	3	2	3	-	-	-	1
	White-----M--	28	-	-	1	1	-	2	1	5	1	-	-	1	2	2	2	1	1	1	2	2	3	-	-	-	-
	F--	10	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	1	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	1	-	1	-	2	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
560, 561, 570	Hernia, intestinal obstruction--	134	18	4	1	-	-	1	-	-	1	1	2	3	4	12	9	9	8	13	11	15	13	6	3	-	-
	White-----M--	62	7	3	-	-	-	-	-	-	1	1	2	1	-	7	3	4	2	6	8	8	6	3	2	-	-
	F--	57	9	1	1	-	-	1	-	-	-	-	-	1	4	3	5	2	6	5	5	6	5	2	1	-	-
	Nonwhite--M--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	1	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
543,	Gastritis, etc.*--	104	46	8	5	2	-	-	1	-	-	1	-	1	2	2	2	2	5	1	6	6	9	4	1	-	-
571,	White-----M--	36	16	2	-	2	-	-	-	-	-	1	-	1	-	1	1	-	3	1	1	2	4	2	-	-	-
572	F--	40	15	2	4	-	-	-	1	-	-	-	-	-	1	1	-	1	2	-	4	2	5	2	-	-	-
	Nonwhite--M--	14	6	2	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-
	F--	14	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-
581	Cirrhosis of liver	131	-	-	-	-	-	1	-	-	2	-	1	2	4	3	10	13	4	24	15	15	15	14	7	-	1
	White-----M--	83	-	-	-	-	-	-	-	-	2	-	-	1	3	1	6	8	3	16	11	9	11	8	4	-	-	-
	F--	38	-	-	-	-	-	1	-	-	-	-	-	1	1	2	3	3	1	7	3	4	4	5	3	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1
590,	Acute nephritis,																										
591	etc.*----------	54	1	1	1	-	-	2	-	2	-	4	3	1	3	2	2	2	3	6	4	5	6	3	3	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	2	-	1	3	2	2	2	-	-
	F--	22	-	1	-	-	-	2	-	1	-	1	2	-	-	-	-	-	1	4	3	2	3	1	1	-	-
	Nonwhite--M--	9	-	-	1	-	-	-	-	1	-	1	-	-	2	1	-	-	-	2	-	-	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	19	25	25	22	15	9	1	-
	White-----M--	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	14	25	25	21	11	7	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	1	4	2	-	-
640-	Complications of																										
689	pregnancy, etc.*-	41	...	...	...	...	...	...	-	6	6	10	7	9	3	-	-	-	...	...	...	...	...	...	...	...	...
	White-----F--	28	...	...	...	...	...	...	-	3	3	8	7	6	1	-	-	-	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	13	...	...	...	...	...	...	-	3	3	2	-	3	2	-	-	-	...	...	...	...	...	...	...	...	...
650-	Abortion----------	4	...	...	...	...	...	...	-	-	-	1	1	2	-	-	-	-	...	...	...	...	...	...	...	...	...
652	White-----F--	4	...	...	...	...	...	...	-	-	-	1	1	2	-	-	-	-	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...
640-	All other com-																										
649,	plications-------	37	...	...	...	...	...	...	-	6	6	9	6	7	3	-	-	-	...	...	...	...	...	...	...	...	...
660-	White-----F--	24	...	...	...	...	...	...	-	3	3	7	6	4	1	-	-	-	...	...	...	...	...	...	...	...	...
689	Nonwhite--F--	13	...	...	...	...	...	...	-	3	3	2	-	3	2	-	-	-	...	...	...	...	...	...	...	...	...
750-	Congenital mal-																										
759	formations-------	241	185	17	5	1	-	7	4	-	3	1	-	1	3	6	3	2	-	2	-	1	-	-	-	-	-
	White-----M--	129	98	9	2	1	-	5	2	-	1	-	-	1	1	2	3	1	-	2	-	1	-	-	-	-	-
	F--	97	75	8	3	-	-	2	2	-	2	1	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	906	905	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	451	451	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	296	295	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	341	341	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
778	infancy, and im-																										
	maturity unquali-																										
	fied----------	504	503	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	176	175	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	512	36	4	3	-	2	5	-	2	2	5	3	6	9	16	15	16	19	31	62	58	79	69	54	15	2
795	White-----M--	245	11	1	-	-	-	2	-	1	1	2	2	1	6	11	6	9	8	19	38	26	36	36	24	5	1
	F--	167	9	-	2	-	-	3	-	-	-	2	1	3	2	-	5	3	5	7	15	21	35	23	23	7	1
	Nonwhite--M--	60	11	-	1	-	-	-	-	-	1	1	-	1	-	3	3	2	3	3	8	8	3	7	3	1	1
	F--	40	5	3	-	-	2	-	-	1	-	-	-	1	1	2	1	2	3	2	1	3	5	2	4	2	-
Re-	All other diseases	1,075	59	8	3	5	6	13	8	16	10	9	19	36	39	46	62	81	93	111	130	130	90	56	35	7	3
sid-	White-----M--	513	28	5	-	2	5	5	3	3	6	3	8	16	16	20	31	41	43	56	66	64	42	28	10	3	1
ual	F--	425	15	3	-	2	1	7	-	8	2	3	6	17	13	18	27	28	35	43	49	57	41	22	23	4	1
	Nonwhite--M--	72	7	-	1	-	-	-	5	4	-	-	3	-	5	3	3	7	6	8	8	5	4	1	1	-	1
	F--	65	9	-	2	1	-	1	-	1	-	3	2	3	5	5	1	5	3	4	7	4	3	5	1	-	-
E800-	Accidents----------	1,393	56	41	20	26	10	48	39	111	110	76	83	78	61	80	58	57	48	72	60	90	67	57	27	8	10
E962	White-----M--	874	22	27	5	12	8	22	20	84	83	60	59	60	46	55	34	42	37	47	40	50	26	15	13	2	5
	F--	364	22	9	12	6	1	17	11	18	12	9	14	9	9	18	17	10	9	16	18	35	36	37	13	3	3
	Nonwhite--M--	100	8	4	1	4	1	5	8	6	13	4	5	5	4	6	4	5	2	5	1	3	2	2	1	1	-
	F--	55	4	1	2	4	-	4	-	3	2	3	5	4	2	1	3	-	-	4	1	2	3	3	-	2	2
E810-	Motor-vehicle																										
E835	accidents---------	510	6	12	4	11	4	17	12	63	66	42	41	36	26	39	24	25	18	26	11	13	8	5	-	-	1
	White-----M--	340	1	8	1	6	2	7	4	49	49	31	28	27	18	23	12	20	14	17	7	11	4	1	-	-	-
	F--	124	5	4	3	3	1	8	7	10	7	8	9	5	5	12	11	5	4	8	3	2	3	3	-	-	-
	Nonwhite--M--	31	-	-	-	-	1	1	1	2	9	3	2	2	3	3	1	-	-	-	1	-	1	1	-	-	-	-
	F--	15	-	-	2	-	1	-	2	1	2	2	2	-	1	-	-	-	-	1	-	-	-	-	-	-	1
E800-	All ot. accidents-	883	50	29	16	15	6	31	27	48	44	34	42	42	35	41	34	32	30	46	49	77	59	52	27	8	9
E802,	White-----M--	534	21	19	4	8	6	15	16	35	34	29	31	33	28	32	22	22	23	30	33	39	22	14	13	2	5
E840-	F--	240	17	5	9	3	-	9	4	8	5	3	5	4	4	6	6	5	5	8	15	33	33	34	13	3	3
E962	Nonwhite--M--	69	8	4	1	4	-	4	7	4	4	1	3	3	1	3	3	5	2	5	-	3	1	1	1	1	-
	F--	40	4	1	2	2	-	3	-	1	1	1	3	2	2	-	3	-	3	1	2	3	3	-	2	1	1
E963,	Suicide----------	191	-	-	-	-	-	-	1	1	13	8	14	14	26	20	20	21	15	9	12	8	7	2	-	-	-
E970-	White-----M--	143	-	-	-	-	-	-	-	1	9	5	7	12	18	17	16	16	13	4	11	5	7	2	-	-	-
E979	F--	42	-	-	-	-	-	-	1	-	4	3	6	2	7	2	3	5	2	4	1	2	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
E964,	Homicide----------	99	-	-	-	-	1	-	-	-	9	7	7	15	12	10	15	8	5	3	2	2	-	1	1	-	1
E980-	White-----M--	45	-	-	-	-	-	-	-	-	6	4	3	5	7	5	5	5	1	1	1	1	-	1	-	-	-
E985	F--	14	-	-	-	-	1	-	-	-	2	-	1	2	-	1	3	1	-	1	-	-	1	-	-	-	1
	Nonwhite--M--	33	-	-	-	-	-	-	-	1	3	2	8	5	3	4	1	3	1	1	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON																										
	ALL CAUSES	13,935	812	58	40	34	17	75	73	121	183	202	226	307	388	590	734	985	1,301	1,642	1,724	1,687	1,441	852	343	81	19
	White---M	8,373	451	31	23	18	8	38	50	88	132	139	138	186	255	369	467	643	880	1,051	1,053	939	751	456	162	35	10
	F	5,322	328	26	17	16	9	33	19	29	43	55	79	108	124	208	249	316	404	567	657	737	678	390	179	44	7
	Nonwhite---M	145	18	-	-	-	-	1	2	3	4	7	4	8	6	9	13	17	8	17	9	5	7	5	1	-	1
	F	95	15	1	-	-	-	3	2	1	4	1	5	5	3	4	5	9	9	7	5	6	5	1	1	2	1
001-019	Tuberculosis, all forms	202	2	1	3	1	-	3	3	3	6	5	16	13	13	21	18	21	22	15	20	9	3	2	2	-	-
	White---M	129	-	-	1	-	-	-	-	-	1	1	8	4	9	16	12	15	20	15	15	8	1	1	2	-	-
	F	46	-	1	2	1	-	1	2	2	3	3	6	5	3	2	2	3	1	-	5	1	2	1	-	-	-
	Nonwhite---M	16	1	-	-	-	-	1	-	1	-	1	1	1	-	3	4	3	-	-	-	-	-	-	-	-	-
	F	11	1	-	-	-	-	1	1	-	2	-	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	183	-	-	1	1	-	2	1	3	6	4	15	12	13	20	18	20	19	15	18	9	2	2	2	-	-
	White---M	121	-	-	1	-	-	-	-	-	1	1	7	4	9	15	12	14	17	15	14	8	-	1	2	-	-
	F	40	-	-	-	1	-	1	-	2	3	3	6	5	3	2	2	3	1	-	4	1	2	1	-	-	-
	Nonwhite---M	13	-	-	-	-	-	-	-	1	-	-	1	1	-	3	4	3	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	1	-	2	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	19	2	1	2	-	-	1	2	-	-	1	1	1	-	1	-	1	3	-	2	-	1	-	-	-	-
	White---M	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	-	1	-	1	-	-	-	-
	F	6	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite---M	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	66	2	-	-	-	-	-	-	-	-	-	1	-	-	2	3	10	8	21	11	5	2	-	1	-	-
	White---M	58	1	-	-	-	-	-	-	-	-	-	1	-	-	2	3	8	7	19	10	4	2	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-	-	-	-	-
	Nonwhite---M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	White---M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	7	-	-	1	-	-	1	-	-	-	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-
	White---M	4	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	6	-	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White---M	5	-	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	30	1	1	-	-	-	2	7	5	3	6	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	19	-	1	-	-	-	1	4	3	2	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	1	-	-	-	-	1	3	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	20	3	-	-	-	-	-	2	-	-	2	-	2	1	-	-	2	3	2	-	-	2	1	-	-	-
	White---M	14	3	-	-	-	-	-	1	-	-	1	-	1	1	-	-	1	3	2	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON--Continued																										
140-205	Malignant neoplasms, etc.*----	2,083	3	4	5	3	3	16	8	6	7	21	30	50	71	121	156	210	286	309	309	208	169	68	32	7	1
	White----M--	1,070	-	2	3	3	2	7	7	2	4	13	10	18	25	49	72	107	136	164	189	109	90	36	18	3	1
	F--	983	3	1	2	-	1	7	1	4	2	8	19	31	43	72	80	97	127	143	116	98	78	32	14	4	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	3	1	1	3	1	-	-	-	-	-
	F--	16	-	1	-	-	-	2	-	-	-	-	1	1	2	-	1	3	2	1	1	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx----	55	-	-	-	-	-	1	-	-	-	2	-	1	1	1	3	5	5	9	8	6	7	3	2	1	-
	White----M--	42	-	-	-	-	-	1	-	-	-	1	-	1	1	-	3	4	5	6	7	4	3	3	2	1	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	1	2	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum----	788	1	-	-	-	-	-	-	-	-	6	8	3	12	28	41	79	98	138	139	109	81	34	9	2	-
	White----M--	434	-	-	-	-	-	-	-	-	-	5	3	2	4	13	21	39	56	81	91	59	40	14	5	1	-
	F--	343	1	-	-	-	-	-	-	-	-	1	5	1	8	15	19	38	40	55	45	50	40	20	4	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
160-164	Of respiratory system----	212	-	-	-	-	-	-	-	1	-	-	-	2	7	12	31	38	38	29	26	12	10	5	1	-	-
	White----M--	164	-	-	-	-	-	-	-	-	-	-	-	1	5	10	25	31	28	25	21	8	7	2	1	-	-
	F--	42	-	-	-	-	-	-	-	1	-	-	-	1	1	2	5	4	9	4	5	4	3	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
170	Of breast----	194	-	-	-	-	-	-	-	-	-	1	6	14	19	20	18	17	25	26	18	13	12	3	2	-	-
	White----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	188	-	-	-	-	-	-	-	-	-	1	6	13	17	20	18	15	24	26	18	13	12	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs----	328	-	-	-	-	-	-	-	-	-	3	6	13	10	19	26	21	45	47	50	35	28	14	9	-	-
	White----M--	122	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	2	9	15	35	20	20	11	7	-	-
	F--	202	-	-	-	-	-	-	-	-	-	2	5	12	10	19	23	19	36	32	17	14	8	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs----	105	-	-	-	-	-	2	-	1	-	-	-	-	2	7	11	11	11	13	20	9	13	3	1	1	-
	White----M--	67	-	-	-	-	-	-	-	1	-	-	-	-	2	4	7	7	8	10	12	6	7	2	-	1	-
	F--	38	-	-	-	-	-	2	-	-	-	-	-	-	-	3	4	4	3	3	8	3	6	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 185, 190-199	Of other sites, etc.*----	224	1	2	2	-	-	3	4	1	2	4	6	10	10	21	17	26	20	26	29	14	10	6	7	3	-
	White----M--	127	-	1	1	-	-	1	3	1	1	3	4	8	3	14	9	15	13	14	14	7	8	4	3	-	-
	F--	92	1	1	1	-	-	1	1	-	1	1	1	2	6	7	7	11	7	12	14	7	2	2	4	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia----	90	1	1	3	3	3	10	3	3	2	3	1	2	3	3	4	6	6	8	12	6	6	-	-	-	1
	White----M--	55	-	1	2	3	2	5	3	-	1	1	-	2	3	2	3	5	3	5	7	2	4	-	-	-	1
	F--	33	1	-	1	-	1	4	-	3	-	2	1	-	-	1	1	1	3	3	5	4	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	89	-	1	-	-	-	-	1	-	3	2	3	5	7	10	5	7	18	13	7	4	2	-	1	-	-
	White----M--	56	-	-	-	-	-	-	1	-	2	2	2	3	6	6	2	3	13	8	4	3	1	-	-	-	-
	F--	32	-	-	-	-	-	-	-	-	1	-	1	2	1	4	3	4	5	5	3	1	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	39	1	-	-	1	-	1	1	2	2	2	2	3	3	6	1	3	4	2	-	1	2	-	2	-	-
	White----M--	16	1	-	-	1	-	-	-	1	-	1	2	2	1	2	-	2	2	-	-	-	1	-	-	-	-
	F--	23	-	-	-	-	-	1	1	1	2	1	-	1	2	4	1	1	2	2	-	1	1	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus----	171	-	-	-	-	-	1	1	1	2	1	2	2	1	4	9	19	16	31	23	36	14	5	3	-	-
	White----M--	70	-	-	-	-	-	-	1	-	2	1	-	1	1	1	3	4	8	13	9	13	6	4	3	-	-
	F--	39	-	-	-	-	-	1	-	-	-	-	2	1	-	3	6	15	8	17	14	23	8	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias----	39	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5	7	6	10	7	2	-	-	-
	White----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	5	1	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	4	2	3	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis----	14	3	1	1	1	2	-	-	-	-	1	1	-	-	1	-	-	-	2	1	-	-	-	-	-	-
	White----M--	7	1	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	7	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----	7,396	3	-	-	-	2	1	2	7	15	26	36	64	124	252	353	529	769	1,012	1,121	1,159	1,007	607	243	50	14
	White----M--	4,476	1	-	-	-	1	-	1	6	9	18	24	46	85	176	243	370	550	662	679	641	527	317	101	21	6
	F--	2,843	2	-	-	-	1	1	1	1	6	8	11	17	38	72	105	146	210	334	437	511	482	287	140	28	5
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	9	4	11	3	3	5	2	1	-	1
	F--	31	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	5	5	2	4	3	1	1	1	-
330-334, 400-468	Diseases of cardiovascular system----	7,253	3	-	-	-	1	1	2	4	13	17	32	56	117	239	342	521	753	997	1,100	1,142	995	599	238	47	14
	White----M--	4,380	1	-	-	-	-	-	1	3	7	11	22	39	81	170	236	366	538	657	664	633	511	314	99	19	8
	F--	2,779	2	-	-	-	1	1	1	1	6	6	9	16	35	65	102	142	208	324	431	502	476	282	137	27	5
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	9	4	11	3	3	5	2	1	-	1
	F--	29	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	4	3	5	2	4	3	1	1	1	-
330-334	Vascular lesions, etc.*----	1,538	1	-	-	-	-	-	-	2	3	3	4	3	16	44	49	78	127	190	269	308	256	145	49	9	2
	White----M--	771	-	-	-	-	-	-	-	2	3	2	3	1	8	19	20	38	70	98	141	161	108	73	19	4	1
	F--	748	1	-	-	-	-	-	-	-	-	1	1	2	8	24	27	38	54	87	127	146	126	72	29	4	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	1	1	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	-	-	1	-
400-402	Rheumatic fever----	14	-	-	-	-	-	1	2	-	2	1	1	1	3	1	1	-	-	1	-	-	-	-	-	-	-
	White----M--	8	-	-	-	-	-	-	1	-	1	1	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
410-443	Diseases of heart-	5,125	1	-	-	-	1	-	-	2	7	10	23	45	91	187	288	431	598	745	759	731	661	365	139	31	10
	White-----M--	3,273	-	-	-	-	-	-	-	1	3	7	17	33	68	145	214	321	447	517	480	413	345	186	58	12	6
	F--	1,802	1	-	-	-	1	-	-	1	4	3	5	11	22	39	73	100	147	217	275	312	311	177	81	19	3
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	8	3	7	2	2	4	1	-	-	1
	F--	18	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	4	2	4	1	1	-	-	-
410-416	Chronic rheumatic heart disease----	243	...	-	-	-	-	-	-	1	6	5	7	9	16	23	20	27	40	24	27	18	13	2	4	1	-
	White-----M--	132	...	-	-	-	-	-	-	-	3	4	3	6	8	14	13	12	19	14	16	11	7	-	2	-	-
	F--	110	...	-	-	-	-	-	-	1	3	1	4	3	8	9	7	15	21	10	11	7	5	2	2	1	-
	Nonwhite--M--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,178	-	-	-	-	-	-	-	1	-	3	9	26	59	128	202	294	414	507	464	418	377	190	67	15	4
	White-----M--	2,272	-	-	-	-	-	-	-	1	-	3	9	22	51	113	164	246	346	376	314	285	210	111	30	8	3
	F--	883	-	-	-	-	-	-	-	-	-	-	-	3	7	15	37	44	65	125	148	131	166	77	37	7	1
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	2	4	2	-	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	496	...	-	-	-	1	-	-	-	-	-	4	3	3	5	11	22	32	56	74	85	94	61	31	10	4
	White-----M--	271	...	-	-	-	-	-	-	-	-	-	3	1	3	4	8	14	24	36	44	40	48	29	12	3	2
	F--	222	...	-	-	-	1	-	-	-	-	-	1	2	-	1	3	8	8	19	30	44	45	32	19	7	2
	Nonwhite--M--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
430-434	Other diseases of heart---------	276	1	-	-	-	-	-	-	-	1	1	1	5	6	7	11	25	20	37	48	41	36	22	11	2	1
	White-----M--	166	-	-	-	-	-	-	-	-	-	-	1	3	3	5	7	20	16	23	31	21	20	9	6	-	1
	F--	101	1	-	-	-	-	-	-	-	1	1	-	2	3	1	4	3	4	12	16	18	15	13	5	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	2	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	932	-	-	-	-	-	-	-	-	-	1	2	2	7	24	44	63	92	121	146	169	141	90	26	3	1
	White-----M--	432	-	-	-	-	-	-	-	-	-	-	1	1	3	9	22	29	42	68	75	76	60	37	8	1	-
	F--	486	-	-	-	-	-	-	-	-	-	1	-	1	4	13	22	30	49	51	70	92	80	53	18	2	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	1	-	-	-	1
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	1	1	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	73	-	-	-	-	-	-	-	-	-	-	1	4	2	4	1	4	1	12	7	16	5	13	3	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	-	7	5	9	2	5	2	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	3	1	5	2	7	2	8	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
450	General arteriosclerosis-------	414	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	16	34	54	81	91	76	47	7	2
	White-----M--	252	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	15	26	33	45	55	50	20	3	1
	F--	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	8	21	36	36	25	26	4	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
451-468	Other diseases of circulatory sys.--	69	1	-	-	-	-	-	-	-	1	3	3	3	4	3	1	5	11	15	11	6	2	-	-	-	-
	White-----M--	40	1	-	-	-	-	-	-	-	-	1	2	2	2	2	1	4	6	8	5	5	1	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	1	2	1	1	2	1	-	1	5	7	6	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*-----------	163	-	-	-	-	1	-	-	3	2	8	4	8	7	13	11	8	16	15	21	17	12	8	5	3	-
	White-----M--	96	-	-	-	-	1	-	-	3	2	7	2	7	4	6	7	4	12	5	15	8	6	3	2	2	-
	F--	64	-	-	-	-	-	-	-	-	-	2	2	1	3	7	3	4	2	10	6	9	6	5	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	325	33	8	3	3	1	5	1	3	3	1	4	1	7	8	15	18	17	39	32	40	43	28	7	2	1
	White-----M--	190	13	3	3	3	1	1	1	2	1	1	1	-	5	7	7	11	12	30	20	20	21	19	6	1	1
	F--	127	19	5	-	-	-	4	-	1	2	-	2	1	1	1	7	6	5	9	12	19	22	9	1	1	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
480-483	Influenza---------	23	5	1	-	1	-	-	-	1	-	-	-	-	-	-	-	3	2	1	5	3	1	-	-	-	-
	White-----M--	10	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	1	-	-	-	-
	F--	13	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	3	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	300	28	7	3	2	1	5	1	2	3	1	4	1	7	8	15	15	15	38	27	37	42	28	7	2	1
	White-----M--	180	11	3	3	2	1	1	1	2	1	1	1	-	5	7	7	9	10	30	18	20	20	19	6	1	1
	F--	114	16	4	-	-	-	4	-	-	2	-	2	1	1	1	7	5	5	8	9	16	22	9	1	1	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
500-502	Bronchitis--------	35	5	1	-	-	-	1	-	-	-	-	-	1	-	-	2	3	2	5	1	5	4	3	-	2	-
	White-----M--	26	3	1	-	-	-	1	-	-	-	-	-	-	-	-	2	3	1	4	1	2	4	2	-	2	-
	F--	9	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	80	-	-	-	-	-	-	1	-	-	1	2	1	6	10	4	7	8	9	12	7	9	-	2	1	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	1	1	-	6	10	3	7	7	7	9	4	5	-	2	1	-
	F--	15	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	1	3	2	4	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
550-553	Appendicitis------	20	-	-	-	1	-	1	-	-	-	-	1	2	-	3	3	1	1	1	3	2	-	1	-	-	-
	White-----M--	16	-	-	-	-	-	1	-	-	-	-	1	1	-	3	3	1	1	1	2	1	-	1	-	-	-
	F--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	61	5	1	1	-	1	1	-	-	1	-	1	1	1	-	4	1	5	6	9	8	9	3	2	1	-
	White-----M--	37	3	1	1	-	-	1	-	-	1	-	-	1	-	-	1	-	4	5	6	6	4	1	2	-	-
	F--	24	2	-	-	-	1	-	-	-	-	-	1	-	1	-	3	1	1	1	3	2	5	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
543, 571, 572	Gastritis, etc.*—	43	14	2	1	-	-	-	-	-	1	2	-	2	2	3	1	3	2	2	3	4	-	-	-	1	-
	White——M—	24	8	1	1	-	-	-	-	-	-	1	-	1	2	1	1	2	1	1	1	2	-	-	-	1	-
	F—	17	4	1	-	-	-	-	-	-	1	1	-	1	-	2	-	1	1	1	2	2	-	-	-	-	-
	Nonwhite--M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	113	-	-	-	-	-	-	-	1	-	1	2	6	8	17	18	16	12	8	9	6	5	3	1	-	-
	White——M—	66	-	-	-	-	-	-	-	-	-	1	1	3	6	10	12	10	8	3	4	4	1	2	1	-	-
	F—	44	-	-	-	-	-	-	-	1	-	-	1	3	2	7	5	5	4	4	5	2	4	1	-	-	-
	Nonwhite--M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590, 591.	Acute nephritis, etc.*—	22	-	1	-	1	-	1	1	1	-	2	1	1	-	1	2	-	-	3	-	4	1	2	-	-	-
	White——M—	10	-	-	-	-	-	1	-	1	-	2	1	-	-	-	1	-	-	2	-	1	-	1	-	-	-
	F—	11	-	1	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	3	1	1	-	-	-
	Nonwhite--M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	11	16	5	8	2	1	-
	White——M—	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	11	16	4	8	2	1	-
	Nonwhite--M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640–689	Complications of pregnancy, etc.*-	20	...	...	...	...	...	...	-	3	4	1	3	7	2	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	20	...	...	...	...	...	...	-	3	4	1	3	7	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650–652	Abortion—	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640–649, 660–689	All other complications—	19	...	...	...	...	...	...	-	3	4	1	3	6	2	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	19	...	...	...	...	...	...	-	3	4	1	3	6	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750–759	Congenital malformations—	185	125	10	1	3	1	1	2	4	5	3	4	2	7	3	7	1	3	-	1	1	1	-	-	-	-
	White——M—	98	67	5	1	2	-	-	2	2	2	1	1	1	4	1	5	1	1	-	-	1	1	-	-	-	-
	F—	82	53	5	-	1	1	1	-	2	3	2	3	1	3	2	2	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760–776	Certain diseases of early infancy-	521	521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760–762	Birth injuries, etc.*—	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763–768	Infections of newborn—	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769–776	Other diseases of infancy, and immaturity unqualified—	284	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780–795	Senility, etc.*—	238	8	-	-	-	-	1	2	-	3	1	5	3	3	6	7	9	7	16	20	30	48	41	18	8	2
	White——M—	140	4	-	-	-	-	1	-	-	2	-	4	2	1	2	5	5	5	14	12	22	23	24	12	2	-
	F—	88	3	-	-	-	-	-	-	-	1	1	1	1	2	4	2	4	2	1	7	8	25	14	6	5	1
	Nonwhite--M—	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-
	F—	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Residual	All other diseases	621	26	5	7	7	1	7	3	10	11	10	16	14	30	32	41	42	63	73	67	64	48	31	11	2	-
	White——M—	351	15	3	4	1	-	3	1	7	6	5	4	6	18	18	22	22	44	45	38	35	30	18	6	-	-
	F—	260	10	2	3	6	1	4	2	3	5	4	11	6	12	11	19	20	19	28	28	29	17	13	5	2	-
	Nonwhite--M—	6	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	1	-	1	-	-	-	-	-
	F—	4	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
E800–E962	Accidents—	1,234	52	20	16	10	6	30	38	71	111	90	85	91	76	71	60	69	62	41	49	63	54	45	17	6	1
	White——M—	892	29	11	8	7	5	18	31	60	97	70	69	70	67	51	48	55	46	28	32	36	28	19	6	3	-
	F—	311	22	9	8	3	3	12	6	9	11	16	13	17	7	18	10	13	14	12	16	26	25	26	11	3	1
	Nonwhite--M—	25	1	-	-	-	-	-	1	2	2	3	2	4	2	2	1	-	2	1	1	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-
E810–E835	Motor-vehicle accidents—	465	3	6	5	3	3	7	14	39	69	46	34	37	30	27	21	29	24	13	21	19	7	6	1	-	1
	White——M—	344	2	1	2	2	2	3	11	33	60	34	24	27	27	15	16	22	17	8	16	12	3	6	1	-	-
	F—	103	1	5	3	1	1	4	3	5	6	8	8	10	2	11	4	6	6	5	4	6	3	-	-	-	1
	Nonwhite--M—	13	-	-	-	-	-	-	-	1	2	3	1	-	1	1	1	-	1	-	1	1	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
E800–E802, E840–E962	All ot. accidents-	769	49	14	11	7	3	23	24	32	42	44	51	54	46	44	39	40	38	28	28	44	47	39	16	6	-
	White——M—	548	27	10	6	5	1	15	20	27	37	36	45	43	40	36	32	33	29	20	16	24	25	13	5	3	-
	F—	208	21	4	5	2	2	8	3	4	5	8	5	7	5	7	6	7	8	7	12	20	22	26	11	3	-
	Nonwhite--M—	12	1	-	-	-	-	-	1	1	-	-	1	4	1	1	-	-	1	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E963, E970–E979	Suicide—	231	-	-	-	-	-	-	-	1	4	21	8	29	23	23	27	17	20	27	14	9	7	1	-	-	-
	White——M—	175	-	-	-	-	-	-	-	1	2	12	4	21	17	17	21	16	17	22	11	7	6	1	-	-	-
	F—	51	-	-	-	-	-	-	-	-	2	8	4	8	6	5	6	1	2	4	2	2	1	-	-	-	-
	Nonwhite--M—	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E964, E980–E985	Homicide—	48	1	-	-	1	-	1	1	1	4	4	4	8	7	4	2	3	2	2	2	-	1	-	-	-	-
	White——M—	36	1	-	-	-	-	1	1	1	3	3	4	6	5	2	2	2	2	2	-	-	1	-	-	-	-
	F—	8	-	-	-	1	-	-	-	-	-	-	-	2	1	2	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M—	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990–E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA																										
	ALL CAUSES	110,212	6,126	380	261	198	142	459	392	645	961	1,187	1,499	2,109	3,244	4,632	6,514	9,235	11,760	13,617	14,282	13,466	10,565	5,925	2,107	393	113
	White	57,060	3,040	173	131	99	66	251	208	365	546	582	710	1,031	1,675	2,439	3,563	5,296	6,766	7,630	7,440	6,621	4,968	2,546	769	105	39
	M	45,497	2,286	156	99	88	60	159	144	192	271	400	533	751	1,135	1,492	2,142	3,213	4,213	5,305	6,256	6,404	5,356	3,261	1,292	264	45
	Nonwhite	4,244	456	28	20	3	8	31	21	46	69	102	135	175	227	397	461	414	462	399	327	247	127	48	14	11	16
	M	3,411	364	23	11	8	8	18	18	42	75	103	121	152	207	304	348	312	319	283	259	194	114	70	32	13	13
001-019	Tuberculosis, all forms	2,474	19	26	14	7	2	6	14	37	110	160	198	194	221	223	260	248	268	223	120	73	34	13	3	-	1
	White	1,373	4	12	2	1	1	1	5	4	18	47	58	86	134	122	171	166	213	174	78	42	22	9	3	-	-
	M	469	8	6	6	3	1	2	3	7	39	50	68	50	27	20	23	26	30	31	29	24	10	4	-	-	-
	Nonwhite	369	2	4	4	1	-	2	5	12	20	30	29	35	40	60	53	42	19	14	12	4	2	-	-	-	1
	M	243	5	2	2	2	-	1	3	14	33	33	43	23	20	21	13	14	6	4	1	3	-	-	-	-	-
001-008	Tuberculosis of respiratory system	2,283	8	7	5	3	2	1	9	32	98	152	177	191	210	208	252	230	259	208	112	71	34	11	3	-	-
	White	1,295	1	1	1	-	1	-	2	4	14	44	55	84	128	117	167	155	207	165	74	41	22	9	3	-	-
	M	425	3	4	3	1	1	-	3	6	36	49	61	50	25	19	22	24	29	26	27	24	10	2	-	-	-
	Nonwhite	348	2	2	1	1	-	1	2	11	16	27	21	34	38	54	51	40	17	13	11	4	2	-	-	-	-
	M	215	2	-	-	1	-	-	2	11	32	32	40	23	19	18	12	11	6	4	-	2	-	-	-	-	-
010-019	Tuberculosis, other forms	191	11	19	9	4	-	5	5	5	12	8	21	3	11	15	8	18	9	15	8	2	-	2	-	-	1
	White	78	3	11	1	1	-	1	3	-	4	3	3	2	6	5	4	11	6	9	4	1	-	-	-	-	-
	M	44	5	4	3	2	-	2	-	1	3	1	7	-	2	1	1	2	1	5	2	-	-	2	-	-	-
	Nonwhite	41	-	2	3	-	-	1	1	1	4	3	8	1	2	6	2	2	2	1	1	-	-	-	-	-	1
	M	28	3	2	2	1	-	1	1	3	1	1	3	-	1	3	1	3	-	-	1	1	-	-	-	-	-
020-029	Syphilis and its sequelae	402	10	-	-	-	-	-	-	1	2	3	7	19	23	40	49	54	60	59	42	21	11	-	-	1	-
	White	192	2	-	-	-	-	-	-	1	1	1	-	4	5	13	18	34	41	40	20	9	3	-	-	-	-
	M	86	2	-	-	-	-	-	-	-	-	2	3	8	7	6	9	6	8	11	12	7	5	-	-	-	-
	Nonwhite	86	3	-	-	-	-	-	-	-	-	-	2	5	8	16	12	12	10	4	7	4	3	-	-	-	-
	M	38	3	-	-	-	-	-	-	1	-	2	2	3	5	10	2	1	4	3	1	-	-	-	1	-	-
040	Typhoid fever	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	10	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	3	1	-	-	-	1	-	-	-
	White	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-
	M	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	15	2	-	-	1	1	3	-	-	-	-	1	-	-	-	1	2	1	-	-	3	-	-	-	-	-
	White	6	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	M	9	1	-	-	1	-	2	-	-	-	-	1	-	-	-	-	1	1	-	-	2	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	7	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	68	45	13	3	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	20	14	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	32	20	9	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	10	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	55	10	9	12	4	2	3	2	5	2	-	-	-	2	-	1	1	2	-	-	-	-	-	-	-	-
	White	32	8	4	8	1	1	2	2	4	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	M	18	2	4	4	2	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite	4	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	102	4	3	3	1	3	24	18	7	11	12	10	2	2	-	-	1	1	-	-	-	-	-	-	-	-
	White	61	2	2	-	1	2	13	11	4	7	7	7	2	1	-	-	1	1	-	-	-	-	-	-	-	-
	M	36	2	-	2	-	1	10	7	3	3	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	12	3	3	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	232	26	7	-	2	1	5	5	9	7	9	10	15	23	11	17	15	26	15	7	10	8	4	-	-	-
	White	119	12	3	-	-	-	3	3	3	4	3	4	5	14	5	8	11	17	9	4	4	4	3	-	-	-
	M	88	14	2	-	2	1	1	2	5	3	5	2	8	5	6	6	2	7	5	2	5	4	1	-	-	-
	Nonwhite	11	-	1	-	-	-	-	-	1	-	-	2	-	3	-	1	2	-	1	-	-	-	-	-	-	-
	M	14	-	1	-	-	-	1	-	-	-	1	2	2	1	-	2	-	2	-	1	1	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
140-205	Malignant neoplasms, etc.*----	16,326	18	13	32	22	20	70	54	55	84	132	233	353	647	984	1,316	1,916	2,396	2,418	2,199	1,731	1,086	429	98	15	5
	White-----M--	7,755	9	4	17	10	8	45	30	33	54	54	80	102	214	363	544	881	1,223	1,289	1,131	864	569	187	40	1	3
	F--	7,678	8	9	14	12	11	21	23	18	27	68	136	215	372	510	659	913	1,035	1,019	994	810	495	234	58	13	2
	Nonwhite--M--	475	1	-	1	-	-	3	1	2	-	7	4	14	12	56	63	68	82	64	45	35	13	3	-	1	-
	F--	420	-	-	-	-	1	1	-	2	3	3	13	22	49	55	50	54	56	46	29	22	9	5	-	-	-
140-148	Of buccal cavity and pharynx------	395	-	-	-	-	-	-	-	-	2	-	2	1	11	15	33	53	65	73	45	38	42	11	3	1	-
	White-----M--	300	-	-	-	-	-	-	-	-	2	-	1	-	6	12	24	39	48	62	39	30	30	5	2	-	-
	F--	72	-	-	-	-	-	-	-	-	-	-	1	-	4	1	6	9	9	10	5	7	12	6	1	1	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	7	1	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	6,778	1	-	2	-	-	1	-	3	13	23	45	82	175	303	447	732	1,059	1,137	1,106	842	551	211	39	4	2
	White-----M--	3,481	1	-	1	-	-	1	-	1	7	10	16	33	83	149	231	363	591	615	574	429	270	88	15	1	2
	F--	2,931	-	-	1	-	-	-	-	1	5	10	24	37	75	125	172	313	403	469	495	386	269	119	24	3	-
	Nonwhite--M--	226	-	-	-	-	-	-	-	-	-	2	1	6	6	21	28	36	43	33	22	18	7	3	-	-	-
	F--	140	-	-	-	-	-	-	-	1	1	1	4	6	11	8	16	20	22	20	15	9	5	1	-	-	-
160-164	Of respiratory system----------	1,660	2	-	-	-	-	-	1	2	4	3	13	19	49	133	172	278	318	289	175	119	57	19	7	-	-
	White-----M--	1,247	2	-	-	-	-	-	-	1	3	2	8	10	36	93	137	218	252	228	135	73	31	13	5	-	-
	F--	309	-	-	-	-	-	-	1	1	1	1	4	6	12	19	17	44	50	48	32	42	23	6	2	-	-
	Nonwhite--M--	91	-	-	-	-	-	-	-	-	-	-	-	3	1	18	17	15	13	11	7	4	2	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	3	2	1	-	1	-	-	-	-
170	Of breast----------	1,452	-	-	-	-	-	-	-	-	-	9	33	55	108	158	164	187	183	156	151	156	60	39	9	1	1
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	2	2	2	-	-	-	-
	F--	1,368	-	-	-	-	-	-	-	-	-	8	30	55	97	143	159	173	175	149	146	129	56	37	9	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	71	-	-	-	-	-	-	-	-	-	1	3	-	10	15	5	11	6	7	3	6	2	2	-	-	-
171-179	Of genital organs-	2,516	-	-	-	-	-	-	3	6	10	28	44	77	143	177	236	289	307	313	337	274	181	74	16	1	-
	White-----M--	788	-	-	-	-	-	-	-	2	4	8	3	5	8	6	16	41	76	119	168	160	121	39	12	-	-
	F--	1,560	-	-	-	-	-	-	3	4	6	19	37	59	116	146	193	231	216	175	156	104	57	33	4	1	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	4	3	7	7	5	3	-	-	-	-
	F--	129	-	-	-	-	-	-	-	-	-	1	4	13	19	21	21	13	12	12	6	5	-	2	-	-	-
180, 181	Of urinary organs-	842	3	1	2	2	3	10	2	-	3	3	5	10	15	41	54	94	105	141	128	107	78	25	4	4	2
	White-----M--	545	1	-	1	1	2	4	1	-	2	2	3	6	8	29	30	65	69	98	78	73	55	15	1	-	1
	F--	262	2	1	1	1	1	5	1	-	-	1	1	4	5	7	19	24	32	38	49	31	22	10	3	3	1
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	1	-	-	4	4	3	1	3	-	2	1	-	-	1	-	-
	F--	15	-	-	-	-	1	-	-	1	-	-	-	-	2	1	1	2	3	2	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,525	6	6	7	5	7	23	20	23	27	22	35	56	85	84	132	160	216	185	141	142	85	37	17	4	-
	White-----M--	749	3	3	1	4	4	13	9	11	20	12	16	24	40	34	60	84	113	105	64	64	40	20	5	-	-
	F--	706	3	3	5	1	3	7	10	10	7	9	17	28	37	44	64	74	89	75	69	74	44	17	12	4	-
	Nonwhite--M--	43	-	-	1	-	-	3	1	1	-	1	1	1	4	4	5	1	8	3	6	3	-	-	-	-	-
	F--	27	-	-	-	-	-	-	1	-	-	-	1	3	2	2	3	1	8	2	2	1	1	-	-	-	-
204	Leukemia and aleukemia----------	612	6	4	18	14	10	27	19	11	10	20	21	32	28	29	35	55	68	61	67	47	21	7	2	-	-
	White-----M--	331	2	-	11	5	2	18	13	9	7	9	13	13	15	15	20	25	32	35	44	25	13	5	-	-	-
	F--	254	3	4	7	9	7	9	6	2	2	9	8	19	12	10	15	22	33	23	21	21	8	2	2	-	-
	Nonwhite--M--	15	1	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	2	2	1	1	-	-	-	-	-
	F--	12	-	-	-	-	1	-	-	-	1	-	-	-	1	2	-	4	1	1	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	546	-	2	3	1	-	9	9	10	15	24	35	21	35	44	43	68	73	63	49	24	11	6	1	-	-
	White-----M--	303	-	1	3	-	-	9	7	9	9	11	20	11	17	25	26	43	41	27	27	8	7	2	-	-	-
	F--	214	-	1	-	1	-	-	2	-	6	11	14	7	14	15	14	23	28	32	21	16	4	4	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	-	2	1	3	1	2	2	-	4	4	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	450	8	1	3	2	5	10	6	14	9	10	20	30	48	46	44	47	34	36	23	25	19	6	3	1	-
	White-----M--	172	2	-	1	-	4	4	3	8	4	5	10	8	13	18	12	18	15	15	12	9	7	2	2	-	-
	F--	237	5	-	2	2	1	5	3	3	4	4	9	13	32	23	28	24	17	20	11	13	12	4	1	1	-
	Nonwhite--M--	10	1	1	-	-	-	1	-	2	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	1	1	1	1	9	3	3	3	4	2	1	-	2	-	-	-	-	-
280	Diabetes mellitus-	2,418	2	1	-	-	1	4	6	5	7	15	20	34	41	60	123	232	375	473	408	344	183	54	8	1	-
	White-----M--	733	2	-	-	-	-	1	1	-	4	3	6	20	20	16	45	63	100	128	130	117	57	16	3	1	-
	F--	1,575	-	1	-	-	-	2	4	5	3	10	11	10	17	31	64	175	253	330	270	224	123	37	5	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	1	1	5	6	3	7	5	3	-	3	-	-	-	-
	F--	76	-	-	-	-	1	1	1	-	-	2	3	3	3	8	10	11	13	10	6	3	-	1	-	-	-
290-293	Anemias----------	304	9	3	4	1	2	5	3	1	4	7	4	2	4	9	9	19	23	39	51	53	30	18	2	1	1
	White-----M--	126	3	2	2	1	-	1	2	-	-	1	-	1	1	4	3	4	12	17	26	25	12	8	-	-	1
	F--	157	5	-	1	-	1	3	1	1	3	3	3	1	3	4	4	15	10	19	23	26	18	10	2	1	-
	Nonwhite--M--	13	1	1	1	-	1	-	-	-	-	2	1	-	-	-	2	-	1	-	2	1	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	3	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis--------	112	27	10	8	2	2	6	2	2	-	3	3	3	4	7	6	9	5	4	5	3	1	-	-	-	-
	White-----M--	60	14	5	4	-	1	2	2	2	-	3	2	-	-	5	3	5	3	3	5	-	1	-	-	-	-
	F--	33	6	1	4	2	-	4	-	-	-	-	1	1	3	2	2	3	1	-	-	3	-	-	-	-	-
	Nonwhite--M--	14	5	3	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	-	-	-	-
	F--	5	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	61,594	20	8	5	8	11	42	81	109	144	212	340	671	1,284	2,141	3,387	5,007	6,627	8,323	9,404	9,492	7,789	4,517	1,619	295	59
	White-----M--	31,921	15	4	4	7	6	20	30	37	59	103	167	356	727	1,213	1,968	3,025	3,860	4,652	4,858	4,630	3,590	1,927	596	79	18
	F--	28,227	4	3	1	1	5	18	43	57	71	84	118	211	393	622	994	1,595	2,302	3,242	4,176	4,551	4,017	2,496	998	199	26
	Nonwhite--M--	1,753	1	1	-	-	-	2	3	7	8	7	25	46	78	152	221	199	256	239	196	163	87	40	9	6	7
	F--	1,693	-	-	-	-	-	2	5	8	6	18	30	58	86	154	204	188	209	190	194	148	94	54	26	11	8
330-334, 400-468	Diseases of cardiovascular system-	59,370	16	8	5	8	8	35	74	86	116	179	306	613	1,202	2,020	3,240	4,812	6,381	8,073	9,119	9,233	7,561	4,373	1,561	287	56
	White-----M--	30,875	11	4	4	5	5	15	28	27	47	68	151	327	686	1,165	1,899	2,930	3,741	4,531	4,715	4,490	3,480	1,865	564	79	18
	F--	25,335	4	3	1	1	3	16	38	45	55	69	104	187	368	582	954	1,528	2,212	3,147	4,047	4,446	3,914	2,428	965	193	25
	Nonwhite--M--	1,607	1	1	-	-	-	2	3	7	8	7	24	44	71	137	199	184	233	219	182	154	81	31	9	4	6
	F--	1,553	-	-	-	-	-	2	5	7	6	15	27	55	77	136	188	170	195	176	175	143	86	49	23	11	7
330-334	Vascular lesions, etc.*----------	11,043	11	2	2	2	3	5	7	6	17	23	39	90	190	319	520	781	1,109	1,519	1,861	1,936	1,475	841	254	26	5
	White-----M--	4,933	8	1	1	2	2	5	3	1	9	14	13	36	73	118	224	342	531	740	853	863	650	354	83	5	2
	F--	5,466	3	1	1	-	1	-	2	5	6	5	17	35	82	139	216	383	474	706	938	1,004	799	474	167	18	-
	Nonwhite--M--	275	-	-	-	-	-	-	1	-	1	3	5	5	10	27	31	27	50	28	38	27	14	4	3	1	-
	F--	369	-	-	-	-	-	-	1	-	1	1	4	14	25	35	49	29	54	45	32	42	22	9	1	2	3
400-402	Rheumatic fever----	200	-	2	-	2	2	22	33	23	15	12	15	20	22	8	5	4	7	3	1	1	1	1	-	-	-
	White-----M--	78	-	2	-	1	-	7	11	6	5	8	3	10	7	2	4	3	5	2	1	-	1	-	-	-	-
	F--	104	-	-	-	1	2	12	19	14	7	3	9	10	15	5	1	1	2	1	-	1	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	2	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	2	3	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
410-443	Diseases of heart	43,793	3	2	2	2	3	8	30	50	73	129	227	456	913	1,610	2,569	3,848	5,023	6,205	6,700	6,563	5,253	2,912	982	193	37
	White-----M--	23,857	2	-	2	2	3	3	13	18	29	63	126	269	577	1,010	1,610	2,496	3,066	3,606	3,578	3,264	2,460	1,230	367	51	12
	F--	17,710	1	1	-	-	-	4	14	23	35	52	71	124	246	409	692	1,081	1,657	2,299	2,859	3,090	2,681	1,628	590	135	18
	Nonwhite--M--	1,176	-	1	-	-	-	1	2	4	6	3	13	31	50	99	146	141	166	178	129	112	60	21	6	2	5
	F--	1,050	-	-	-	-	-	-	1	5	3	11	17	32	40	92	121	130	134	122	134	97	52	33	19	5	2
410-416	Chronic rheumatic heart disease----	1,693	...	-	-	1	-	4	21	26	39	61	74	102	154	175	184	194	167	151	127	108	63	32	7	2	1
	White-----M--	777	...	-	-	1	-	1	8	8	14	26	36	45	71	87	83	93	77	70	67	48	26	8	2	1	1
	F--	834	...	-	-	-	-	2	10	13	22	28	32	48	70	82	90	91	85	74	58	57	35	23	5	1	-
	Nonwhite--M--	40	...	-	-	-	-	1	2	2	3	-	1	4	2	2	7	4	2	5	2	1	2	-	-	-	-
	F--	42	...	-	-	-	-	-	1	3	-	5	3	5	3	4	4	6	3	2	-	2	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	25,278	-	1	-	-	-	-	-	5	9	30	94	231	538	1,017	1,672	2,546	3,314	3,924	3,951	3,512	2,602	1,335	402	72	23
	White-----M--	15,494	-	-	-	-	-	-	-	2	5	23	67	185	412	773	1,236	1,822	2,253	2,444	2,269	1,877	1,341	608	152	19	6
	F--	8,910	-	-	-	-	-	-	-	2	4	7	20	37	91	170	324	611	951	1,343	1,584	1,541	1,211	706	244	52	12
	Nonwhite--M--	488	-	1	-	-	-	-	-	1	-	-	4	5	17	45	63	62	70	81	49	55	23	8	1	-	3
	F--	386	-	-	-	-	-	-	-	-	-	-	3	4	18	29	49	51	40	56	49	39	27	13	5	1	2
421, 422	Nonrheumatic chronic endocarditis, etc.*	8,355	...	-	-	-	2	2	3	9	8	17	17	38	75	117	220	384	597	900	1,272	1,572	1,601	995	431	83	12
	White-----M--	3,971	...	-	-	-	2	1	2	4	3	7	4	17	37	51	94	225	304	506	659	774	704	388	162	22	5
	F--	3,965	...	-	-	-	-	1	1	3	4	8	6	14	27	37	82	130	227	342	552	755	866	590	257	58	5
	Nonwhite--M--	244	...	-	-	-	-	-	-	1	-	5	5	7	16	28	15	41	30	39	25	18	6	3	1	2	
	F--	175	...	-	-	-	-	-	-	2	-	2	2	4	11	16	14	25	22	22	18	13	11	9	2	-	
430-434	Other diseases of heart	1,734	3	1	2	1	1	2	5	10	13	16	17	26	45	85	91	158	213	236	230	256	169	110	33	11	-
	White-----M--	901	2	-	2	1	1	1	3	4	6	4	8	11	22	38	53	107	111	138	120	136	73	45	12	3	-
	F--	666	1	1	-	-	-	1	2	5	4	7	7	4	12	26	27	33	79	76	97	104	90	62	20	8	-
	Nonwhite--M--	90	-	-	-	-	-	-	-	1	2	2	2	5	9	8	7	11	13	13	4	7	4	2	-	-	-
	F--	77	-	-	-	-	-	-	-	-	1	3	-	8	2	13	4	7	10	9	9	9	2	1	1	-	-
440-443	Hypertension with heart dis.--	6,733	-	-	-	-	-	-	1	-	4	5	25	59	101	216	402	568	732	994	1,120	1,115	818	440	109	25	1
	White-----M--	2,714	-	-	-	-	-	-	-	-	1	1	9	11	35	61	144	249	321	448	463	429	316	181	39	6	-
	F--	3,335	-	-	-	-	-	-	1	-	1	2	6	21	38	94	169	216	315	464	568	633	479	247	64	16	1
	Nonwhite--M--	314	-	-	-	-	-	-	-	-	-	1	1	12	15	26	41	49	40	49	35	24	13	5	2	1	-
	F--	370	-	-	-	-	-	-	-	-	2	1	9	15	13	35	48	52	56	33	54	29	10	7	4	2	-
444-447	Hypertension without mention of heart	957	-	-	-	-	-	-	2	-	2	5	14	31	47	41	63	70	68	82	127	143	140	87	30	5	-
	White-----M--	379	-	-	-	-	-	-	1	-	2	-	5	8	18	13	19	28	27	41	62	58	50	34	12	1	-
	F--	451	-	-	-	-	-	-	1	-	-	4	3	10	12	14	25	28	31	35	58	80	84	48	18	4	-
	Nonwhite--M--	67	-	-	-	-	-	-	-	-	-	-	3	5	6	9	12	7	8	5	4	3	-	5	-	-	-
	F--	60	-	-	-	-	-	-	-	-	-	1	3	8	11	5	7	7	2	1	5	2	6	2	-	-	-
450	General arteriosclerosis	2,723	-	-	-	-	-	-	-	-	-	-	-	1	-	6	13	40	100	161	353	518	656	509	291	62	13
	White-----M--	1,283	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	23	61	78	183	264	301	239	101	21	3
	F--	1,355	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	14	30	71	157	240	343	265	187	36	7
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	6	8	12	7	1	-	1	1
	F--	39	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	6	4	2	5	4	3	4	2
451-468	Other diseases of circulatory sys.--	654	2	2	1	-	-	-	2	7	9	10	11	15	30	36	69	69	74	105	77	72	36	23	4	1	1
	White-----M--	345	1	1	1	-	-	-	-	2	2	3	4	4	11	20	35	38	51	64	38	41	19	7	1	1	1
	F--	249	-	1	-	-	-	-	2	3	7	5	4	8	13	13	17	21	18	35	37	31	16	15	3	-	-
	Nonwhite--M--	35	1	-	-	-	-	-	-	1	-	-	1	3	5	1	8	8	3	2	2	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	1	-	2	2	-	1	2	9	2	2	2	-	-	1	1	-	-	-
592-594	Chronic nephritis etc.*	2,224	4	-	-	2	3	7	7	23	28	33	34	58	82	121	147	195	246	250	285	259	227	144	58	8	3
	White-----M--	1,048	4	-	-	2	1	5	2	10	12	15	16	29	41	48	69	95	119	121	123	140	110	62	22	-	-
	F--	892	-	-	-	-	2	2	5	12	16	15	14	24	25	40	40	67	90	95	129	105	108	68	33	6	1
	Nonwhite--M--	146	-	-	-	-	-	-	-	-	-	-	1	2	7	15	22	15	23	20	14	9	6	9	-	2	1
	F--	140	-	-	-	-	-	-	-	1	-	3	3	3	9	18	16	18	14	14	19	5	8	5	3	-	1
480-493	Influenza and pneumonia, etc.*	3,116	405	63	29	10	7	20	18	21	23	36	43	48	80	113	137	171	268	285	359	340	322	211	82	20	5
	White-----M--	1,601	197	27	9	4	2	8	10	10	9	16	17	26	39	60	75	103	148	175	209	185	149	88	26	5	2
	F--	1,162	150	30	18	6	4	11	5	8	10	10	13	12	20	19	27	43	82	86	125	139	163	120	47	14	2
	Nonwhite--M--	223	35	1	-	-	-	1	1	1	2	2	8	5	14	24	22	18	28	18	18	15	5	2	2	1	-
	F--	130	23	5	2	-	1	-	2	4	2	8	5	5	7	10	13	7	10	6	7	1	5	1	5	-	1
480-483	Influenza--------	413	31	2	5	-	-	-	1	4	3	3	4	3	5	15	23	17	39	31	46	57	63	37	19	4	1
	White-----M--	205	17	1	1	-	-	-	1	2	1	-	1	-	2	9	11	8	23	22	25	30	23	20	7	1	-
	F--	179	14	1	4	-	-	-	-	2	2	2	2	3	-	2	7	6	13	8	18	27	37	17	11	3	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	1	-	-	3	3	3	1	2	-	1	-	3	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	2	-	-	-	1	-	1
490-493	Pneumonia, etc.*	2,703	374	61	24	10	7	20	17	17	20	33	39	45	75	98	114	154	229	254	313	283	259	174	63	16	4
	White-----M--	1,396	180	26	8	4	2	8	9	8	8	16	26	37	51	64	95	125	153	184	155	126	88	21	4	2	
	F--	983	136	29	14	6	4	11	5	4	8	8	11	9	20	17	20	37	69	78	107	112	126	105	36	11	2
	Nonwhite--M--	208	35	1	-	-	-	1	1	1	2	1	6	5	11	21	18	17	26	18	17	15	2	2	2	1	-
	F--	118	23	5	2	-	1	-	2	4	2	8	4	5	7	9	11	5	9	5	5	1	5	1	4	-	-
500-502	Bronchitis--------	328	46	11	10	6	2	2	-	2	-	2	3	7	8	13	16	26	24	37	28	25	26	16	15	3	-
	White-----M--	176	22	6	8	3	2	1	-	-	-	-	1	4	3	5	7	21	15	21	17	13	13	10	2	2	-
	F--	105	10	5	2	3	-	1	-	1	-	2	-	1	-	2	5	3	6	12	8	11	13	6	13	1	-
	Nonwhite--M--	29	7	-	-	-	-	-	-	1	-	-	2	2	4	3	1	1	3	3	1	1	-	-	-	-	-
	F--	16	7	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	634	11	-	1	-	-	-	1	1	3	7	13	16	38	60	57	79	96	105	75	34	27	7	3	-	-
	White-----M--	466	5	-	1	-	-	-	1	1	2	6	12	12	27	44	42	67	78	82	60	23	19	3	1	-	-
	F--	110	4	-	-	-	-	-	-	-	-	1	1	4	6	11	9	8	14	18	10	10	8	4	2	-	-
	Nonwhite--M--	27	2	-	-	-	-	-	-	-	-	-	-	-	3	2	4	3	4	5	3	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	-	-	-	2	3	2	1	-	-	2	-	-	-	-	-	-
550-553	Appendicitis-------	223	2	2	3	2	-	7	6	9	5	5	8	7	18	12	18	23	25	23	17	21	7	3	-	-	-
	White-----M--	135	2	-	2	-	-	5	2	6	3	2	4	5	12	9	12	15	12	16	10	13	5	-	-	-	-
	F--	77	-	2	1	2	-	2	3	2	2	2	3	2	5	2	5	7	11	6	7	8	2	3	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	703	65	7	2	3	-	2	-	2	3	3	8	10	17	22	38	58	60	100	99	93	67	31	10	3	-
	White-----M--	321	38	2	1	2	-	-	-	-	-	-	4	5	5	8	14	23	36	43	49	44	30	13	3	1	-
	F--	333	21	4	1	-	-	2	-	2	2	2	3	3	11	9	20	30	20	51	47	47	34	16	6	2	-
	Nonwhite--M--	30	4	1	-	-	-	-	-	-	-	-	1	2	1	2	3	4	1	3	3	2	2	-	1	-	-
	F--	19	2	-	-	1	-	-	-	-	1	1	-	-	-	3	1	1	3	3	-	-	1	2	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
543,	Gastritis, etc.*--	391	111	14	7	6	1	4	2	3	4	8	11	13	11	17	13	23	20	30	31	24	23	10	3	-	2
571,	White-----M--	195	54	5	3	5	1	-	2	2	3	3	4	9	7	9	6	11	10	18	17	12	10	3	1	-	-
572	F--	155	41	8	3	1	-	3	-	1	1	4	4	3	3	4	4	9	7	12	13	11	13	7	2	-	1
	Nonwhite--M--	25	11	-	-	-	-	1	-	-	-	1	2	-	1	2	2	-	3	-	-	1	-	-	-	-	1
	F--	16	5	1	1	-	-	-	-	-	-	-	1	1	-	2	1	3	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	1,099	2	2	-	-	-	-	1	1	2	9	21	61	89	124	129	136	167	115	106	77	38	15	4	-	-
	White-----M--	674	1	1	-	-	-	-	1	-	-	5	6	38	53	80	73	85	118	70	70	44	18	8	1	-	-
	F--	351	1	1	-	-	-	-	-	1	2	3	10	19	23	35	41	42	42	40	32	30	20	6	3	-	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	3	1	10	3	6	6	6	4	2	2	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	1	-	3	3	6	9	3	1	1	2	1	-	1	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	274	4	4	3	6	2	2	7	9	9	6	4	8	18	18	12	19	33	29	19	20	23	13	2	1	1
	White-----M--	133	2	2	3	3	1	1	4	5	7	1	1	6	7	9	4	11	14	15	7	11	15	4	1	1	-
	F--	117	1	-	1	2	-	1	1	4	2	4	2	1	9	5	8	6	18	13	12	9	7	9	1	-	1
	Nonwhite--M--	16	-	1	1	1	1	-	2	-	-	-	1	2	2	3	-	2	-	-	-	-	-	-	-	-	-
	F--	8	1	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-
610	Hyperplasia of																										
	prostate----------	432	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	12	34	36	88	78	99	61	15	2	1
	White-----M--	409	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	9	31	33	83	74	98	60	15	1	1
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	3	5	4	1	1	-	1	-
640-	Complications of																										
689	pregnancy, etc.*-	170	...	...	...	...	...	...	1	6	25	42	36	42	16	2	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	144	...	...	...	...	...	...	-	4	17	33	34	40	14	2	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	26	...	...	...	...	...	...	1	2	8	9	2	2	2	-	-	-	...	...	...	...	...	...	...	...	-
850-	Abortion----------	28	...	...	...	...	...	...	1	-	8	5	6	6	2	-	-	-	...	...	...	...	...	...	...	...	-
852	White-----F--	16	...	...	...	...	...	...	-	-	4	1	4	6	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	12	...	...	...	...	...	...	1	-	4	4	2	-	1	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	142	...	...	...	...	...	...	-	6	17	37	30	36	14	2	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	128	...	...	...	...	...	...	-	4	13	32	30	34	13	2	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	14	...	...	...	...	...	...	-	2	4	5	-	2	1	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	1,177	940	44	18	10	11	18	12	9	12	8	14	11	19	10	16	8	4	8	2	1	-	-	1	-	1
	White-----M--	579	457	23	9	4	5	13	8	4	7	6	5	6	9	6	6	3	3	2	-	1	-	-	1	-	1
	F--	519	424	17	8	6	4	5	4	4	4	2	9	3	7	3	7	5	1	5	1	-	-	-	-	-	-
	Nonwhite--M--	42	29	3	-	-	1	-	-	1	1	-	-	1	3	-	1	-	-	1	1	-	-	-	-	-	-
	F--	37	30	1	1	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	3,835	3,833	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,925	1,923	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,366	1,366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	239	239	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,523	1,523	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	794	794	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	534	534	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	2,108	2,106	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,014	1,012	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	766	766	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,140	120	3	4	4	3	5	3	7	8	8	19	26	37	40	61	86	93	97	121	101	102	108	71	10	23
795	White-----M--	572	51	1	2	3	1	3	-	2	3	2	4	8	18	22	32	43	56	70	63	63	42	49	26	4	4
	F--	408	32	1	1	1	1	-	1	2	3	3	7	7	11	7	14	17	31	18	48	33	55	55	45	6	9
	Nonwhite--M--	93	21	-	1	-	-	-	1	2	-	1	5	9	5	4	11	3	5	5	6	2	3	2	-	-	7
	F--	67	18	1	-	-	1	2	1	1	2	2	3	2	3	7	4	3	1	4	4	.3	2	2	-	-	3
Resi-	All other diseases	5,020	190	54	34	30	18	50	37	57	61	88	118	156	200	272	388	557	659	665	565	409	242	133	43	14	2
dual	White-----M--	2,806	101	28	18	17	7	26	15	27	30	32	53	72	101	138	232	341	418	419	309	212	123	60	22	4	1
	F--	1,888	66	20	11	13	10	14	19	25	21	40	47	61	75	96	127	186	196	222	237	165	117	72	19	8	1
	Nonwhite--M--	186	12	3	4	-	1	7	1	-	5	5	9	12	11	22	20	14	16	18	14	8	1	-	1	2	-
	F--	140	11	3	1	-	-	3	2	5	5	11	9	11	13	16	9	16	9	4	5	4	1	1	1	-	-
E800-	Accidents---------	5,697	182	74	65	66	44	162	108	249	358	287	246	268	271	273	284	336	340	392	432	435	406	263	121	26	11
E962	White-----M--	3,550	96	37	38	36	20	96	73	202	301	229	195	199	197	190	199	238	234	255	238	181	165	86	34	6	7
	F--	1,790	64	28	17	26	19	47	25	34	37	33	29	42	50	50	51	70	94	127	184	248	233	174	86	19	3
	Nonwhite--M--	257	11	3	7	1	3	13	7	12	14	19	20	20	18	29	23	24	10	7	8	2	7	-	1	-	-
	F--	100	11	6	3	3	2	6	3	1	4	6	2	7	6	4	11	4	2	5	4	4	1	3	-	1	1
E810-	Motor-vehicle																										
E835	accidents---------	1,744	9	14	22	31	19	72	39	131	226	156	116	90	94	88	88	92	115	110	107	74	38	7	4	-	2
	White-----M--	1,249	7	4	13	20	8	46	23	105	164	119	87	70	63	60	58	60	81	77	77	49	30	6	1	-	1
	F--	397	2	10	7	10	10	20	12	25	30	24	21	13	21	18	24	23	33	30	28	24	7	1	3	-	1
	Nonwhite--M--	76	-	-	2	-	1	4	1	1	8	11	7	5	8	8	5	8	1	3	1	1	1	-	-	-	-
	F--	22	-	-	-	1	-	2	3	-	4	2	1	2	2	2	1	1	-	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	3,953	173	60	43	35	25	90	69	118	130	131	130	178	177	185	196	244	225	282	325	361	368	256	117	26	9
E802,	White-----M--	2,301	89	33	25	16	12	50	50	97	117	110	109	129	134	130	141	178	153	176	161	132	135	80	33	6	6
E840-	F--	1,393	62	18	10	16	9	27	13	9	7	9	8	29	29	32	27	47	61	97	156	224	226	173	83	19	2
E962	Nonwhite--M--	181	11	3	5	1	2	9	6	11	6	9	13	15	10	21	18	16	9	4	5	1	6	-	1	-	-
	F--	78	11	6	3	2	2	4	-	1	-	4	1	5	4	2	10	3	2	5	3	4	1	3	-	1	1
E963,	Suicide----------	1,101	-	-	-	-	-	-	1	16	39	67	70	87	90	111	108	131	127	94	74	51	22	9	4	-	-
E970-	White-----M--	815	-	-	-	-	-	-	1	8	25	40	52	52	59	88	77	105	102	77	61	44	16	8	-	-	-
E979	F--	258	-	-	-	-	-	-	-	5	11	20	15	30	31	22	31	25	23	16	11	7	6	1	4	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	1	3	6	2	5	-	1	-	1	2	1	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	264	11	1	-	1	-	3	2	8	31	45	38	24	30	23	18	16	11	10	6	1	1	3	-	-	1
E980-	White-----M--	96	2	-	-	-	-	3	1	2	5	11	15	5	7	11	8	11	4	7	2	-	-	1	-	-	1
E985	F--	53	6	1	-	1	-	-	-	1	5	9	2	5	9	1	3	-	2	1	3	1	1	2	-	-	-
	Nonwhite--M--	113	2	-	-	-	-	-	1	3	15	21	18	13	11	10	7	5	4	2	1	-	-	-	-	-	-
	F--	22	1	-	-	-	-	-	-	2	6	4	3	1	3	1	-	-	1	-	-	-	-	-	-	-	-
E965,	Operations of war-	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND																										
	ALL CAUSES	8,308	450	16	14	21	10	29	30	31	45	55	79	140	219	331	459	691	898	1,042	1,161	1,066	845	463	170	27	16
	White	4,373	216	10	12	12	5	15	18	19	28	33	43	77	131	202	266	418	515	573	616	501	401	190	57	7	8
	M	3,728	213	6	2	8	5	13	11	7	16	18	30	56	81	117	179	256	358	448	517	545	437	270	108	20	7
	Nonwhite	106	9	-	1	1	-	-	1	3	1	2	3	4	2	8	5	11	13	14	15	10	1	1	2	-	-
	M	101	12	-	-	-	-	1	-	2	-	2	3	3	5	4	9	6	12	7	13	10	6	2	3	-	1
001-019	Tuberculosis, all forms	151	1	-	1	2	2	-	-	3	1	6	8	10	21	17	13	19	10	15	11	7	4	-	-	-	-
	White	101	-	-	1	-	-	-	-	1	-	3	4	7	13	16	9	12	6	13	7	6	3	-	-	-	-
	M	39	1	-	-	1	2	-	-	2	1	1	3	3	6	1	3	6	2	2	3	1	1	-	-	-	-
	Nonwhite	5	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	M	6	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	140	-	-	-	1	1	-	-	2	1	6	7	10	20	17	11	19	10	14	10	7	4	-	-	-	-
	White	95	-	-	-	-	-	-	-	-	-	3	4	7	12	16	8	12	6	12	6	6	3	-	-	-	-
	M	37	-	-	-	1	1	-	-	2	1	1	3	3	6	1	3	6	2	2	3	1	1	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	M	5	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	11	1	-	1	1	1	-	-	1	-	-	1	-	1	-	2	-	-	1	1	-	-	-	-	-	-
	White	6	-	-	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-
	M	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	38	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	9	7	2	5	-	-	1	-	-
	White	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	6	5	1	4	-	-	-	-	-
	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	1	1	-	-	1	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	5	-	1	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	4	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	19	-	1	-	2	-	1	2	-	1	-	2	2	2	2	-	-	1	1	1	-	1	-	-	-	-
	White	15	-	1	-	1	-	1	2	-	1	-	1	1	2	2	-	-	1	1	-	-	1	-	-	-	-
	M	4	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
140-205	Malignant neoplasms, etc.*	1,410	2	-	2	6	2	3	3	3	6	10	13	33	53	75	105	155	194	214	209	158	114	39	10	-	1
	White—M	717	1	-	2	4	1	1	2	2	3	5	5	15	17	30	55	81	95	127	115	79	52	21	4	-	-
	F	660	1	-	-	2	1	2	1	1	3	4	7	17	36	41	50	71	94	82	88	74	61	18	5	-	1
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	2	4	3	2	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	3	1	3	3	1	-	1	-	-
140-148	Of buccal cavity and pharynx	38	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	4	5	10	3	3	2	1	-	-
	White—M	33	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	4	5	10	3	1	1	1	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	566	-	-	-	-	-	1	1	-	-	1	3	7	15	31	39	51	79	103	84	69	62	18	1	-	1
	White—M	298	-	-	-	-	-	-	1	-	-	-	1	7	7	14	24	28	45	62	47	28	23	10	1	-	-
	F	259	-	-	-	-	-	1	-	-	-	1	2	-	8	16	15	22	33	38	35	40	39	8	-	-	1
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
160-164	Of respiratory system	129	-	-	-	-	-	-	-	-	-	-	-	4	7	11	7	21	23	24	19	9	2	1	1	-	-
	White—M	105	-	-	-	-	-	-	-	-	-	-	-	2	5	9	7	19	20	20	16	5	1	1	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	3	4	3	4	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
170	Of breast	138	-	-	-	-	-	-	-	-	-	1	1	7	14	10	12	17	21	9	14	17	8	4	3	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	131	-	-	-	-	-	-	-	-	-	1	1	6	14	10	12	16	19	9	12	17	7	4	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-
171-179	Of genital organs	203	-	-	1	-	-	-	1	-	1	1	-	6	8	11	12	17	23	24	42	32	14	8	2	-	-
	White—M	91	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	3	6	14	22	23	11	6	2	-	-
	F	105	-	-	-	-	-	-	1	-	-	1	-	6	8	9	10	14	15	9	20	7	3	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	2	-	-	-	-	-
180, 181	Of urinary organs	65	-	-	-	-	-	-	-	-	-	-	-	2	-	-	9	10	7	11	5	10	9	2	-	-	-
	White—M	43	-	-	-	-	-	-	-	-	-	-	-	2	-	-	9	7	3	7	3	7	5	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	2	2	4	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	172	-	-	1	3	-	2	1	1	3	1	4	3	5	5	14	24	24	26	25	12	13	3	2	-	-
	White—M	92	-	-	1	2	-	1	1	1	-	1	2	2	2	2	7	14	11	12	13	9	9	2	-	-	-
	F	77	-	-	-	1	-	1	-	-	3	-	2	1	3	3	7	9	12	14	11	3	4	1	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia	38	1	-	-	1	2	-	-	1	-	1	-	2	1	4	4	1	6	7	3	4	-	-	-	-	-
	White—M	15	-	-	-	-	1	-	-	-	-	-	-	1	-	2	2	-	2	4	-	3	-	-	-	-	-
	F	22	1	-	-	1	1	-	-	1	-	1	-	1	1	2	2	1	4	3	2	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	61	-	-	-	2	-	-	-	1	2	5	5	2	3	2	5	9	7	5	7	2	3	1	-	-	-
	White—M	37	-	-	-	2	-	-	-	1	2	4	2	1	3	2	3	4	2	3	4	1	2	1	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	5	5	2	3	-	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	40	1	-	1	-	-	-	-	-	-	-	1	3	3	4	3	4	5	3	2	5	4	1	-	-	-
	White—M	18	-	-	1	-	-	-	-	-	-	-	1	2	1	1	2	3	3	2	1	3	1	-	-	-	-
	F	22	1	-	-	-	-	-	-	-	-	-	1	2	1	3	2	2	2	1	1	2	3	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	284	-	-	-	-	-	-	-	1	1	2	1	2	4	7	14	29	28	63	57	42	23	7	3	-	-
	White—M	76	-	-	-	-	-	-	-	-	1	2	-	1	3	3	2	8	5	13	15	13	6	2	2	-	-
	F	201	-	-	-	-	-	-	-	1	-	-	1	1	-	4	10	21	23	48	41	28	17	5	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
290-293	Anemias	22	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	3	2	3	6	3	-	1	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	1	4	1	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	4,645	-	1	-	1	2	3	3	6	6	8	28	42	78	153	238	367	509	636	729	716	606	345	135	23	12
	White—M	2,464	-	-	-	1	1	-	-	4	5	5	17	28	55	99	150	238	314	354	387	335	283	134	43	6	5
	F	2,088	-	1	-	-	1	3	2	1	1	3	7	11	20	51	80	119	183	270	326	371	317	209	89	17	6
	Nonwhite—M	42	-	-	-	-	-	-	1	1	-	-	2	1	1	2	2	6	4	6	9	5	1	-	1	-	-
	F	51	-	-	-	-	-	-	-	-	-	-	-	2	2	1	6	4	8	6	7	5	5	2	2	-	1
330-334, 400-468	Diseases of cardiovascular system	4,502	-	1	-	-	-	-	-	5	6	6	24	42	73	149	229	359	496	614	712	702	581	336	133	23	11
	White—M	2,402	-	-	-	-	-	-	-	4	5	4	15	28	52	97	144	234	310	346	378	328	272	131	43	6	5
	F	2,010	-	1	-	-	-	-	-	-	1	2	7	11	19	49	77	115	174	256	318	364	303	203	87	17	6
	Nonwhite—M	40	-	-	-	-	-	-	1	-	-	-	2	1	-	2	2	6	4	6	9	5	1	-	1	-	-
	F	50	-	-	-	-	-	-	-	-	-	-	-	2	2	1	6	4	8	6	7	5	5	2	2	-	-
330-334	Vascular lesions, etc.*	845	-	1	-	-	-	-	-	-	-	-	3	6	15	26	34	57	79	97	164	130	136	62	23	9	3
	White—M	389	-	-	-	-	-	-	-	-	-	-	1	4	11	12	15	30	50	49	76	54	55	22	5	3	2
	F	441	-	1	-	-	-	-	-	-	-	-	2	1	3	14	18	25	28	47	85	74	80	39	17	6	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3	2	1	1	1	-	-
400-402	Rheumatic fever	6	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND--Continued																										
410-443	Diseases of heart-	3,302	-	-	-	-	-	-	-	4	6	4	18	32	54	119	186	290	395	495	502	514	374	212	83	9	5
	White-----M--	1,843	-	-	-	-	-	-	-	3	5	3	13	24	39	83	123	200	249	284	261	241	182	82	27	1	3
	F--	1,390	-	-	-	-	-	-	-	-	1	1	3	8	14	33	56	83	136	200	209	265	187	129	55	8	2
	Nonwhite--M--	33	-	-	-	-	-	-	-	1	-	-	2	-	-	2	2	4	3	5	8	5	1	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	7	6	4	3	4	1	1	-	-
410-416	Chronic rheumatic heart disease----	104	...	-	-	-	-	-	-	1	2	2	4	10	15	10	11	16	11	7	4	4	5	1	1	-	-
	White-----M--	45	...	-	-	-	-	-	-	-	1	2	2	5	8	3	3	6	4	3	1	3	4	-	-	-	-
	F--	56	...	-	-	-	-	-	-	-	1	-	2	5	7	7	8	8	7	4	3	1	1	1	1	-	-
	Nonwhite--M--	2	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,280	-	-	-	-	-	-	-	1	2	1	9	17	31	77	127	201	273	358	363	364	252	142	51	6	5
	White-----M--	1,381	-	-	-	-	-	-	-	1	2	-	8	17	26	64	98	150	188	215	212	188	131	62	16	-	3
	F--	852	-	-	-	-	-	-	-	-	-	1	-	-	5	12	26	46	77	134	140	172	117	80	34	6	2
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	3	4	8	3	1	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	3	1	3	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	303	...	-	-	-	-	-	-	2	1	-	1	-	1	6	8	12	22	37	43	53	54	39	22	2	-
	White-----M--	143	...	-	-	-	-	-	-	2	1	-	1	-	1	3	2	9	14	19	22	19	26	15	8	1	-
	F--	158	...	-	-	-	-	-	-	-	-	-	-	-	-	3	6	3	7	18	21	34	27	24	14	1	-
	Nonwhite--M--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
430-434	Other diseases of heart---------	86	-	-	-	-	-	-	-	-	1	1	1	2	2	5	11	8	9	10	16	11	6	2	3	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	1	1	-	1	1	4	7	4	7	8	12	3	1	-	1	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	2	2	2	4	8	5	2	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	529	-	-	-	-	-	-	-	-	-	-	3	3	5	21	29	55	80	83	76	82	57	28	6	1	-
	White-----M--	223	-	-	-	-	-	-	-	-	-	-	2	1	3	9	13	31	36	38	34	28	20	5	2	-	-
	F--	291	-	-	-	-	-	-	-	-	-	-	-	2	2	11	12	24	43	42	41	50	37	22	4	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	1	1	2	-	1	-	-	-
444-447	Hypertension without mention of heart----------	81	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	5	11	11	14	13	11	5	1	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	7	7	7	5	6	2	1	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	4	7	8	5	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	228	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	10	25	36	58	56	26	5	3
	White-----M--	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	11	24	28	24	10	2	-
	F--	117	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	13	12	30	32	15	3	3
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	42	-	-	-	-	-	-	-	-	-	1	3	1	2	-	3	4	8	1	7	9	2	1	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	4	-	3	4	1	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	2	3	1	4	5	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis etc.*----------	143	-	-	-	1	2	3	3	1	-	2	2	-	5	4	9	8	13	22	17	14	25	9	2	-	1
	White-----M--	62	-	-	-	1	1	-	-	-	-	1	2	-	3	2	6	4	4	8	9	7	11	3	-	-	-
	F--	78	-	-	-	-	1	3	2	1	-	1	-	-	1	2	3	4	9	14	8	7	14	6	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
480-493	Influenza and pneumonia, etc.*-	149	11	5	2	1	-	1	-	-	1	2	1	2	6	1	9	12	16	12	19	20	15	9	3	1	-
	White-----M--	85	3	4	1	1	-	-	-	-	1	2	1	1	4	1	3	10	10	6	9	9	9	7	2	1	-
	F--	54	5	1	1	-	-	1	-	-	-	-	-	1	2	-	5	2	5	4	8	10	6	2	1	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-483	Influenza--------	16	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	2	2	1	1	-
	White-----M--	10	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	1	-
	F--	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	133	11	1	2	1	-	1	-	-	1	2	1	2	6	1	8	11	15	12	19	17	13	7	2	-	-
	White-----M--	75	3	1	1	1	-	-	-	-	1	2	1	1	4	1	3	10	9	6	9	7	8	5	2	-	-
	F--	49	5	-	1	-	-	1	-	-	-	-	-	1	2	-	5	1	5	4	8	9	5	2	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	13	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	4	2	1	2	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	57	-	-	-	-	-	-	1	-	-	-	-	3	3	3	4	9	11	5	9	7	2	-	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	-	3	3	3	4	7	10	3	8	7	2	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	16	-	-	-	-	-	-	1	1	-	-	-	1	-	1	2	1	2	-	4	1	1	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	-	1	1	-	-	-
	F--	8	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	3	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	58	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	11	4	15	6	5	3	-	-	-
	White-----M--	31	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	2	9	2	4	1	-	-	-
	F--	26	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	6	2	6	4	1	2	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
543, 571, 572	Gastritis, etc.*—	22	5	1	-	-	-	-	-	-	-	-	1	-	-	3	3	1	3	1	-	2	1	1	-	-	-
	White—M—	10	2	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	-	-	1	1	-	-	-	-
	F—	11	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	91	-	-	-	-	-	-	-	-	-	-	2	7	6	11	11	11	19	7	9	3	3	2	-	-	-
	White—M—	63	-	-	-	-	-	-	-	-	-	-	1	5	6	7	7	9	12	6	6	1	3	-	-	-	-
	F—	26	-	-	-	-	-	-	-	-	-	-	1	2	-	4	3	2	7	1	3	1	-	2	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	17	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	1	4	3	1	2	1	-	-	-	-
	White—M—	6	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	3	-	2	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	10	4	9	8	1	-	2
	White—M—	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	10	4	9	8	1	-	2
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
640–689	Complications of pregnancy, etc.*—	9	...	...	...	...	...	...	-	1	-	3	2	1	2	-	-	-	...	...	...	...	...	...	...	...	-
	White—F—	7	...	...	...	...	...	...	-	-	-	3	1	1	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	2	...	...	...	...	...	...	-	1	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650–652	Abortion—	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	White—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640–649, 660–689	All other complications—	8	...	...	...	...	...	...	-	-	-	3	2	1	2	-	-	-	...	...	...	...	...	...	...	...	-
	White—F—	7	...	...	...	...	...	...	-	-	-	3	1	1	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750–759	Congenital malformations—	108	88	2	-	1	-	3	1	1	1	-	2	-	2	2	2	1	1	-	-	-	-	-	-	-	-
	White—M—	48	40	2	-	-	-	2	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F—	55	45	-	-	1	-	-	1	1	1	-	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760–776	Certain diseases of early infancy—	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760–762	Birth injuries, etc.*—	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763–768	Infections of newborn—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769–776	Other diseases of infancy, and immaturity unqualified—	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780–795	Senility, etc.*—	40	6	-	-	-	-	-	-	-	-	-	-	2	1	-	3	4	2	1	2	2	6	7	4	-	-
	White—M—	17	3	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	1	-	-	2	2	1	1	-	-
	F—	23	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	2	2	4	5	3	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	311	19	1	4	-	2	4	2	3	2	4	6	14	15	14	26	36	29	33	39	28	13	12	4	1	-
	White—M—	152	9	1	3	-	1	2	-	2	1	1	3	5	7	10	8	16	17	18	21	12	7	7	1	-	-
	F—	148	10	-	1	-	1	2	2	-	1	3	2	8	7	2	18	19	11	15	16	16	6	5	2	1	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-	-	1	-	-	-
	F—	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
E800–E962	Accidents—	376	13	3	4	5	1	12	9	10	17	10	11	11	13	25	11	24	24	23	34	46	33	28	6	2	1
	White—M—	216	6	1	4	4	1	8	8	8	11	8	9	7	12	17	7	17	16	12	19	18	14	7	1	-	1
	F—	146	5	2	-	1	-	4	1	-	5	2	2	3	1	6	3	6	7	11	15	26	19	20	5	2	-
	Nonwhite—M—	14	2	-	-	-	-	-	-	2	1	-	-	1	-	2	1	1	1	-	-	2	-	1	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810–E835	Motor-vehicle accidents—	89	1	1	1	1	-	4	1	7	13	5	6	3	3	9	2	6	8	5	4	3	5	-	-	-	1
	White—M—	53	-	-	1	1	-	3	1	5	8	3	5	2	3	8	1	4	5	3	4	2	3	-	-	-	1
	F—	20	1	1	-	-	-	1	-	-	4	2	1	-	-	1	1	1	3	2	-	-	2	-	-	-	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800–E802, E840–E962	All ot. accidents—	287	12	2	3	4	1	8	8	3	4	5	5	8	10	16	9	18	16	18	30	43	28	28	6	2	-
	Whits—M—	153	6	1	3	3	1	5	7	3	3	5	4	5	9	9	6	13	11	9	15	16	11	7	1	-	-
	F—	126	4	1	-	1	-	3	1	-	1	-	1	3	1	5	2	5	4	9	15	26	17	20	5	2	-
	Nonwhite—M—	8	2	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	1	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970–E979	Suicide—	66	-	-	-	-	-	-	-	-	5	7	1	3	4	7	9	8	9	3	4	3	1	-	2	-	-
	White—M—	50	-	-	-	-	-	-	-	-	4	6	1	1	3	7	7	6	5	1	4	2	1	-	2	-	-
	F—	14	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	2	3	2	-	1	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980–E985	Homicide—	12	-	1	-	1	-	1	2	-	-	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	White—M—	4	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F—	8	-	1	-	1	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990–E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CA OLINA																										
	ALL CAUSES	17,973	2,220	212	96	70	60	173	140	247	370	471	532	722	860	1,021	1,434	1,669	1,675	1,680	1,534	1,230	842	411	187	59	58
	White--M	5,619	533	43	25	14	14	42	36	63	136	130	138	178	226	312	376	551	549	607	615	517	317	130	48	9	10
	F	3,762	370	31	13	14	14	34	25	37	39	59	70	98	118	146	181	232	318	439	456	440	347	172	82	19	8
	Nonwhite--M	4,655	730	85	31	20	18	54	37	85	116	165	171	246	257	305	456	459	441	355	256	158	107	52	30	9	12
	F	3,937	587	53	27	22	14	43	42	62	79	117	153	200	259	258	421	427	367	279	207	115	71	57	27	22	28
001-019	Tuberculosis, all forms	443	4	4	3	-	1	4	2	20	33	59	43	44	45	39	39	27	27	27	9	5	5	3	-	-	-
	White--M	90	2	1	1	-	-	-	-	1	-	5	7	4	6	15	8	8	11	10	4	3	2	2	-	-	-
	F	38	1	-	-	-	-	-	-	-	3	3	5	6	5	-	3	1	2	6	-	1	2	-	-	-	-
	Nonwhite--M	180	1	2	1	-	-	1	-	6	13	28	18	21	20	19	15	10	10	9	2	1	1	1	-	-	-
	F	135	-	1	1	-	1	3	2	13	17	22	13	13	14	5	13	8	4	2	3	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	411	2	-	1	-	1	4	2	18	31	55	38	42	43	39	34	25	27	26	9	5	5	3	-	-	-
	White--M	86	1	-	1	-	-	-	-	1	-	5	7	4	6	15	7	8	11	9	4	3	2	2	-	-	-
	F	37	1	-	-	-	-	-	-	-	3	3	5	6	4	-	3	1	2	6	-	1	2	-	-	-	-
	Nonwhite--M	162	-	-	-	-	-	1	-	5	11	28	14	19	19	19	14	8	10	9	2	1	1	1	-	-	-
	F	126	-	-	-	-	1	3	2	13	17	19	12	13	14	5	10	8	4	2	3	-	-	-	-	-	-
010-018	Tuberculosis, other forms	32	2	4	2	-	-	-	-	1	2	4	5	2	2	-	5	2	-	1	-	-	-	-	-	-	-
	White--M	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	18	1	2	1	-	-	-	-	1	2	1	4	2	1	-	1	2	-	-	-	-	-	-	-	-	-
	F	9	-	1	1	-	-	-	-	-	-	3	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	139	8	1	1	-	-	-	2	1	1	3	3	12	14	15	19	15	18	9	9	3	2	1	1	1	-
	White--M	29	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	6	5	4	3	-	1	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-
	Nonwhite--M	75	5	1	1	-	-	-	2	1	-	2	2	5	9	8	12	10	11	3	2	-	1	-	-	-	-
	F	27	2	-	-	-	-	-	-	-	1	-	1	5	4	4	5	2	-	-	1	-	-	-	1	1	-
040	Typhoid fever	6	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	21	5	2	1	-	-	1	-	-	-	-	3	-	-	1	-	1	-	1	4	1	-	1	-	-	-
	White--M	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	Nonwhite--M	7	2	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	-	3	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	22	2	4	3	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	10	-	2	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	49	37	5	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	8	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	16	11	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	14	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	19	8	-	1	-	-	3	1	-	1	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-
	White--M	5	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	5	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	10	2	-	-	-	1	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	23	4	6	1	1	3	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	7	2	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	2	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	4	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	81	9	3	5	4	1	8	1	4	1	3	8	6	5	5	4	5	4	5	-	-	-	-	-	-	-
	White--M	12	1	1	1	-	-	1	-	-	-	-	1	1	2	-	1	-	2	1	-	-	-	-	-	-	-
	F	10	1	1	-	-	1	1	-	2	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	31	3	1	1	1	-	4	-	2	1	-	5	1	1	3	-	4	1	3	-	-	-	-	-	-	-
	F	28	4	-	3	3	-	2	1	-	-	2	2	4	2	1	2	-	1	1	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*----	1,753	4	9	5	5	3	14	7	11	18	22	44	80	109	133	221	235	208	206	171	120	75	35	15	2	1
	White-----M--	548	2	5	2	1	-	7	2	3	10	3	8	24	25	32	48	76	69	73	62	54	25	10	7	-	-
	F--	599	1	1	-	4	1	3	3	3	6	8	15	25	40	43	64	70	84	77	63	47	40	14	5	2	-
	Nonwhite--M--	261	1	2	1	-	1	3	-	3	2	6	8	8	10	18	44	35	33	30	27	12	8	7	1	-	1
	F--	345	-	1	2	-	1	1	2	2	-	5	13	23	34	40	65	54	42	26	19	7	2	4	2	-	-
140-148	Of buccal cavity and pharynx------	44	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	7	5	5	4	3	6	4	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	4	4	2	3	5	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	566	1	-	-	-	-	-	-	-	-	3	5	20	26	32	75	72	73	74	75	53	38	10	7	2	-
	White-----M--	173	1	-	-	-	-	-	-	-	-	-	1	7	6	11	16	21	24	27	21	16	13	5	4	-	-
	F--	159	-	-	-	-	-	-	-	-	-	-	2	5	5	6	13	17	15	23	26	24	20	-	1	2	-
	Nonwhite--M--	134	-	-	-	-	-	-	-	-	-	1	2	5	4	6	26	18	21	15	20	8	4	3	1	-	-
	F--	100	-	-	-	-	-	-	-	-	-	2	-	3	11	9	20	16	13	9	8	5	1	2	1	-	-
160-164	Of respiratory system----------	180	-	-	-	-	-	1	-	1	1	1	4	5	10	20	25	29	24	29	10	12	5	2	1	-	-
	White-----M--	110	-	-	-	-	-	1	-	-	1	-	1	3	7	8	18	24	13	15	6	8	3	2	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	1	-	1	6	2	1	8	9	3	4	1	-	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	1	2	2	2	2	3	3	2	5	1	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-
170	Of breast----------	111	-	-	-	-	-	-	-	-	-	-	3	6	10	14	18	18	11	8	8	6	7	1	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	77	-	-	-	-	-	-	-	-	-	-	2	3	8	8	10	12	8	5	7	5	7	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	1	3	2	6	8	6	3	3	1	1	-	-	-	-	-
171-179	Of genital organs----	381	-	-	-	-	-	-	-	3	2	3	15	28	35	32	50	49	42	40	37	22	13	7	3	-	-
	White-----M--	50	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	3	2	7	15	13	3	1	1	-	-
	F--	153	-	-	-	-	-	-	-	2	1	2	3	12	16	12	22	19	17	18	13	6	7	2	1	-	-
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	7	6	8	5	3	2	3	-	-	-
	F--	134	-	-	-	-	-	-	-	-	-	1	10	15	17	18	22	20	17	7	4	-	1	1	1	-	-
180, 181	Of urinary organs----	69	1	-	-	-	-	1	-	-	-	2	1	1	2	6	4	11	11	13	8	6	1	1	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	7	5	5	4	-	-	-	-	-
	F--	25	1	-	-	-	-	-	-	-	-	1	-	1	-	1	1	7	2	5	2	2	1	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	1	-	-	-	-	1	-	-	4	-	-	-	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	3	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	245	-	2	-	2	2	3	3	4	11	7	7	11	11	14	33	36	20	30	21	12	4	8	3	-	1
	White-----M--	82	-	-	-	-	-	-	2	6	2	3	8	4	4	6	13	6	10	8	6	1	1	2	-	-	-
	F--	89	-	-	-	2	-	1	2	-	4	2	3	1	3	6	12	10	7	14	9	4	2	6	1	-	-
	Nonwhite--M--	33	-	1	-	-	1	2	-	2	1	2	-	1	1	2	5	5	4	2	-	1	1	1	-	-	1
	F--	41	-	1	-	-	1	-	1	-	-	1	1	1	3	2	10	8	3	4	4	1	-	-	-	-	-
204	Leukemia and aleukemia----------	99	2	7	3	2	1	7	1	2	-	3	5	6	8	7	6	7	14	4	5	6	1	2	-	-	-
	White-----M--	48	1	5	2	-	-	4	1	-	-	-	-	4	5	5	2	3	6	2	3	4	-	1	-	-	-
	F--	38	-	1	-	2	1	2	-	1	-	2	2	2	3	2	2	4	6	2	2	2	1	1	-	-	-
	Nonwhite--M--	8	1	1	1	-	-	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	58	-	-	2	1	-	2	3	1	4	3	4	3	5	6	4	6	8	3	3	-	-	-	-	-	-
	White-----M--	30	-	-	-	1	-	2	1	-	2	1	2	1	1	3	-	4	7	3	2	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	1	-	1	1	2	1	2	2	2	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-
	F--	7	-	-	2	-	-	-	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	62	3	2	-	1	1	1	1	1	3	3	5	10	5	5	6	5	2	4	3	-	1	-	-	-	-
	White-----M--	18	2	-	-	-	-	-	-	-	1	1	1	3	-	2	1	3	1	1	2	-	-	-	-	-	-	-
	F--	16	-	1	-	-	1	1	-	1	2	1	1	1	-	-	3	2	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	6	1	-	-	1	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	22	-	1	-	-	-	-	-	-	-	1	3	4	5	2	2	-	1	2	1	-	-	-	-	-	-
260	Diabetes mellitus--	285	1	1	-	-	-	-	3	1	2	3	9	11	17	19	31	28	39	36	35	30	9	5	2	-	1
	White-----M--	89	1	-	-	-	-	-	-	-	-	-	3	-	6	3	6	6	13	15	15	15	3	2	1	-	-
	F--	90	-	1	-	-	-	-	1	-	-	1	-	2	2	8	2	5	17	14	17	12	4	3	1	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	1	-	3	4	3	1	7	6	3	2	1	2	-	-	-	-	1
	F--	70	-	-	-	-	-	-	2	1	1	2	3	5	6	7	16	11	6	5	2	1	2	-	-	-	-
290-293	Anemias----------	43	5	2	1	2	-	2	1	-	1	-	-	4	1	2	2	7	-	1	5	4	3	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	-	-	-	-
	F--	11	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	3	-	-	-	3	-	-	-	-	-
	Nonwhite--M--	10	2	1	1	-	-	2	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	15	3	1	-	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	3	-	1	-	-	-	-
340	Nonmeningococcal meningitis-------	38	16	2	1	1	-	5	-	1	2	-	2	3	1	-	-	2	-	2	-	-	-	-	-	-	-
	White-----M--	5	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	1	1	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	14	6	-	-	-	-	1	-	-	2	-	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	11	6	1	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	8,783	7	10	4	5	1	13	21	24	54	89	143	268	387	548	867	1,054	1,095	1,165	1,093	868	606	278	133	35	34
	White-----M--	2,921	1	1	1	1	1	4	3	6	12	14	30	47	90	172	237	341	358	428	444	358	242	90	31	8	1
	F--	1,905	1	1	-	1	-	1	5	3	7	9	19	32	39	63	77	119	194	278	311	316	243	115	58	9	4
	Nonwhite--M--	2,076	1	6	1	-	-	3	3	5	17	34	45	101	126	166	296	297	290	252	184	113	72	34	23	2	5
	F--	1,881	4	2	2	3	-	5	10	10	18	32	49	88	132	147	257	277	253	207	154	81	49	40	21	16	24
330-334, 400-468	Diseases of cardiovascular system--	8,361	6	7	2	4	1	12	20	20	48	75	129	244	367	522	829	989	1,054	1,116	1,054	849	579	265	125	32	34
	White-----M--	2,836	1	1	1	1	1	4	3	5	6	12	29	44	68	165	230	332	356	417	435	350	228	87	30	7	1
	F--	1,834	1	1	-	1	-	1	4	1	6	6	18	27	37	59	73	117	187	265	303	313	236	110	55	9	4
	Nonwhite--M--	1,946	1	4	-	-	-	2	3	4	17	27	43	92	120	156	278	278	278	237	176	107	69	29	18	2	5
	F--	1,765	3	1	1	2	-	5	10	10	17	30	39	81	122	142	248	262	233	197	140	79	46	39	20	14	24
330-334	Vascular lesions, etc.*----------	2,259	2	4	-	1	-	-	-	1	15	19	25	76	93	135	215	276	271	295	291	259	151	81	32	10	7
	White-----M--	612	-	1	-	-	-	-	-	-	5	2	6	11	12	28	40	58	63	92	107	105	51	21	10	-	-
	F--	523	-	1	-	-	-	-	-	-	1	1	4	8	8	20	18	43	42	74	84	97	66	40	12	3	1
	Nonwhite--M--	579	-	1	-	-	-	-	-	-	5	5	11	34	34	51	76	95	85	65	49	36	19	7	4	1	1
	F--	545	2	1	-	1	-	-	-	1	4	11	4	23	39	36	81	80	81	64	51	21	15	13	6	6	5
400-402	Rheumatic fever---	41	1	-	-	-	-	8	9	4	4	5	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	3	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	1	-	-	-	-	1	1	2	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	4	3	2	2	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
410-443	Diseases of heart-	5,440	3	3	2	3	1	4	11	12	26	43	88	144	249	359	580	667	707	736	683	506	354	149	70	16	24
	White-----M--	1,994	1	-	1	1	1	1	1	4	2	9	19	29	68	131	180	259	271	298	292	210	146	49	15	5	1
	F--	1,169	1	-	-	1	-	1	1	1	5	4	12	16	27	37	54	69	136	175	199	188	146	57	32	4	3
	Nonwhite--M--	1,199	-	3	-	-	-	1	2	-	10	17	27	45	81	83	186	172	167	148	113	58	40	20	11	1	4
	F--	1,078	1	-	1	1	-	1	7	7	9	13	30	54	73	98	160	167	133	115	79	50	22	25	12	6	16
410-416	Chronic rheumatic heart disease-----	198	...	-	-	-	-	2	7	6	4	8	18	14	11	24	17	20	18	14	13	6	6	5	3	-	2
	White-----M--	39	...	-	-	-	-	-	1	3	-	3	5	-	3	2	1	5	3	4	2	1	2	3	1	-	-
	F--	43	...	-	-	-	-	-	-	1	-	1	4	3	4	7	1	4	2	6	5	1	3	1	-	-	-
	Nonwhite--M--	45	...	-	-	-	-	1	1	-	2	1	4	4	2	5	6	5	6	3	3	-	1	-	-	-	1
	F--	71	...	-	-	-	-	1	5	2	2	3	5	7	2	10	9	6	7	1	3	4	-	1	2	-	1
420	Arteriosclerotic heart dis., etc.*	2,514	-	-	-	-	1	1	1	2	4	18	32	56	132	183	280	325	350	360	326	248	144	45	19	3	4
	White-----M--	1,304	-	-	-	-	1	-	-	1	-	6	11	24	53	102	132	192	190	190	182	129	71	17	2	1	-
	F--	547	-	-	-	-	-	1	-	-	1	1	2	6	13	18	26	29	73	91	100	96	58	19	11	1	1
	Nonwhite--M--	381	-	-	-	-	-	-	-	-	3	7	12	12	40	33	67	56	47	45	30	13	8	4	3	-	1
	F--	282	-	-	-	-	-	-	1	1	-	4	7	14	28	30	35	48	40	34	14	10	7	5	3	1	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	760	...	1	1	-	-	-	1	2	5	4	11	25	20	47	61	69	80	92	95	81	81	51	22	6	5
	White-----M--	203	...	-	-	-	-	-	-	-	1	-	-	1	-	10	15	12	24	21	37	24	30	18	7	2	1
	F--	199	...	-	-	-	-	-	1	-	2	1	1	1	2	2	5	12	12	23	29	38	38	21	10	1	-
	Nonwhite--M--	167	...	1	-	-	-	-	-	-	-	1	6	14	8	13	18	22	18	25	13	9	11	6	1	-	1
	F--	191	...	-	1	-	-	-	-	2	2	2	4	9	10	22	23	23	26	23	16	10	2	6	4	3	3
430-434	Other diseases of heart---------	293	3	2	1	3	-	1	1	1	7	5	6	10	13	20	43	23	36	39	20	28	17	6	4	3	1
	White-----M--	81	1	-	1	1	-	1	-	-	1	-	-	1	4	5	11	4	13	12	6	11	4	3	1	1	-
	F--	57	1	-	-	1	-	-	-	-	1	-	3	2	1	2	1	2	8	13	3	8	8	1	1	-	1
	Nonwhite--M--	79	-	2	-	-	-	-	-	-	3	3	1	2	5	6	14	9	7	8	7	6	3	1	2	-	-
	F--	76	1	-	-	1	-	-	1	1	2	2	2	5	3	7	17	8	8	6	4	3	2	1	-	2	-
440-443	Hypertension with heart dis.--	1,675	-	-	-	-	-	-	1	1	6	8	21	39	73	85	199	230	223	231	229	143	106	42	22	4	12
	White-----M--	367	-	-	-	-	-	-	-	-	-	-	3	3	8	12	21	46	41	71	65	45	39	8	4	1	-
	F--	323	-	-	-	-	-	-	-	-	1	1	2	4	7	8	21	22	41	42	62	45	39	15	10	2	1
	Nonwhite--M--	527	-	-	-	-	-	-	1	-	2	5	4	13	26	36	81	80	89	67	60	30	17	9	5	1	1
	F--	458	-	-	-	-	-	-	-	1	3	2	12	19	32	29	76	82	52	51	42	23	11	10	3	-	10
444-447	Hypertension without mention of heart----------	191	-	-	-	-	-	-	-	1	3	4	9	10	16	15	13	17	24	27	18	14	11	5	2	1	1
	White-----M--	55	-	-	-	-	-	-	-	-	-	1	2	-	6	3	4	6	5	7	6	8	3	4	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	4	7	6	3	5	1	2	1	-
	Nonwhite--M--	66	-	-	-	-	-	-	-	1	1	2	5	7	5	9	8	3	8	9	4	2	2	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	2	1	2	1	3	3	1	6	7	4	2	1	1	-	-	-	1
450	General arteriosclerosis--------	374	-	-	-	-	-	-	-	-	-	-	1	2	1	5	13	23	37	54	59	66	61	27	18	5	2
	White-----M--	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	8	18	29	24	27	12	5	2	-
	F--	90	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	9	12	24	18	11	8	1	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	1	-	1	6	7	16	14	10	11	8	2	3	-	-	
	F--	71	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	8	9	13	8	7	8	2	2	2	
451-468	Other diseases of circulatory sys.-	76	-	-	-	-	-	-	-	-	2	-	4	3	8	7	7	7	6	15	4	3	4	2	3	1	-
	White-----M--	33	-	-	-	-	-	-	-	-	1	-	-	1	3	2	3	3	3	9	2	1	3	1	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	2	1	1	1	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	-	-	1	-	3	-	1	2	1	2	1	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	2	1	2	5	2	1	1	3	1	-	-	-	1	-	-
592-594	Chronic nephritis, etc.*----------	402	1	3	2	1	-	1	1	4	6	14	14	24	20	26	38	45	41	49	39	19	27	14	10	3	-
	White-----M--	85	-	-	-	-	-	-	-	1	4	2	1	3	2	7	7	9	2	11	9	8	14	3	1	1	-
	F--	71	-	-	-	-	-	-	1	2	1	3	1	5	2	4	4	2	7	13	8	3	7	5	3	-	-
	Nonwhite--M--	130	-	2	1	-	-	1	-	1	-	7	2	9	6	10	18	19	12	15	8	6	3	5	5	-	-
	F--	116	1	1	1	1	-	-	-	-	1	2	10	7	10	5	9	15	20	10	14	2	3	1	1	2	-
480-493	Influenza and pneumonia, etc.*-	882	252	59	15	7	9	9	12	8	8	9	17	11	25	36	42	57	55	50	41	60	47	30	11	9	3
	White-----M--	165	34	8	1	1	1	1	1	2	2	1	1	-	3	7	2	14	7	12	16	26	17	5	2	1	-
	F--	165	25	7	-	2	1	3	1	1	1	-	1	1	2	2	7	7	7	19	15	17	17	16	7	4	2
	Nonwhite--M--	299	112	32	5	3	2	2	6	3	1	3	6	6	9	15	20	20	22	10	3	10	3	2	2	1	1
	F--	253	81	12	9	1	5	3	4	2	4	5	9	4	11	12	13	16	19	9	7	7	10	7	-	3	-
480-483	Influenza--------	203	39	9	2	1	3	4	2	3	3	4	4	4	9	6	10	17	18	13	8	14	15	10	1	2	1
	White-----M--	31	6	2	-	-	-	-	-	-	2	-	-	-	1	-	-	1	2	2	3	5	4	2	1	-	-
	F--	39	6	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	1	6	4	4	6	6	-	1	1
	Nonwhite--M--	62	13	4	-	1	1	1	2	3	-	1	-	2	4	1	6	9	7	4	-	3	-	-	-	-	-
	F--	71	14	3	2	-	2	1	-	-	1	3	4	2	3	5	3	7	8	1	2	2	5	2	-	1	-
490-493	Pneumonia, etc.*--	679	213	50	13	6	6	5	10	5	5	5	13	7	16	30	32	40	37	37	32	46	32	20	10	7	2
	White-----M--	134	28	6	1	1	1	1	1	2	-	1	1	-	2	7	2	13	5	10	13	21	13	3	1	1	-
	F--	126	19	7	-	2	1	1	1	1	-	1	1	1	1	2	6	7	6	13	11	13	11	10	7	3	1
	Nonwhite--M--	237	99	28	5	2	1	1	4	-	1	2	6	4	5	14	14	11	15	6	3	7	3	2	2	1	1
	F--	182	67	9	7	1	3	2	4	2	3	2	5	2	8	7	10	9	11	8	5	5	5	5	-	2	-
500-502	Bronchitis--------	40	6	4	2	1	1	2	-	-	-	-	1	2	2	1	-	5	5	3	3	-	2	-	-	-	-
	White-----M--	19	2	-	2	-	-	1	-	-	-	-	-	2	1	1	-	5	2	2	1	-	-	-	-	-	-
	F--	7	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	10	3	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	F--	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	72	-	-	-	-	-	-	1	1	2	1	2	3	8	12	4	8	9	5	10	5	1	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	1	-	-	-	1	1	5	5	3	5	3	2	3	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	4	-	-	-	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	1	2	1	1	2	2	3	1	1	5	2	3	2	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-
550-553	Appendicitis------	47	-	1	-	2	-	2	1	5	3	-	5	3	2	6	3	2	3	4	3	1	-	1	-	-	-
	White-----M--	14	-	-	-	2	-	-	-	-	-	-	2	1	1	2	1	-	-	1	2	1	-	1	-	-	-
	F--	8	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	1	2	1	-	-	1	1	1	-	1	2	1	-	-	-	-	-	-	-
	F--	13	-	1	-	-	-	-	-	2	1	-	3	-	-	3	2	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	109	12	2	1	1	-	2	1	1	-	6	2	6	6	7	8	11	16	8	7	6	6	-	-	-	-
	White-----M--	34	3	-	-	-	-	-	-	-	-	1	-	-	1	2	2	5	8	3	3	4	2	-	-	-	-
	F--	24	4	-	-	1	-	-	-	-	-	2	-	-	1	1	1	-	3	2	2	2	5	-	-	-	-
	Nonwhite--M--	25	3	1	1	-	-	1	1	1	-	1	1	3	1	1	1	4	1	1	2	-	1	-	-	-	-
	F--	26	2	1	-	-	-	1	-	-	-	2	1	3	3	3	4	2	4	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
543, 571, 572	Gastritis, etc.*--	156	99	15	8	2	2	2	2	1	-	1	1	2	2	1	2	2	4	4	1	3	1	1	-	-	-
	White-----M--	24	14	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-
	F--	26	14	3	2	1	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	1	1	-	-	-
	Nonwhite--M--	59	42	4	2	-	1	1	-	1	-	1	-	-	1	-	2	1	1	1	-	1	-	-	-	-	-
	F--	47	29	5	3	1	1	1	2	-	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	-	-
581	Cirrhosis of liver	57	1	-	-	-	-	-	-	-	1	1	3	5	6	11	3	9	8	4	1	3	1	-	-	-	-
	White-----M--	29	1	-	-	-	-	-	-	-	1	-	-	2	3	5	1	7	5	1	1	2	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	2	2	2	-	-	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	60	2	-	-	-	4	-	1	-	3	1	5	11	3	3	3	7	4	7	-	3	1	2	-	-	-
	White-----M--	13	-	-	-	-	2	-	1	-	1	-	1	2	2	-	-	1	-	-	-	1	1	1	-	-	-
	F--	10	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	1	3	-	1	-	-	-	-	-
	Nonwhite--M--	19	1	-	-	-	1	-	-	-	-	1	2	5	-	1	3	1	1	2	-	-	-	-	-	-	-
	F--	18	1	-	-	-	-	-	-	-	2	-	2	3	-	1	-	4	2	2	-	1	-	-	-	-	-
610	Hyperplasia of prostate----------	54	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	7	6	11	11	6	7	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	9	4	5	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	6	3	4	2	2	2	-	-	-
640-689	Complications of pregnancy, etc.*-	93	...	...	...	...	...	...	2	11	15	20	19	18	9	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	23	...	...	...	...	...	...	-	4	3	4	6	4	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	70	...	...	...	...	...	...	2	7	12	16	13	12	7	1	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion----------	3	...	...	...	...	...	...	-	1	-	-	1	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	1	-	-	1	-	1	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications-------	90	...	...	...	...	...	...	2	10	15	20	18	16	8	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	23	...	...	...	...	...	...	-	4	3	4	6	4	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	67	...	...	...	...	...	...	2	6	12	16	12	12	6	1	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations-------	218	157	7	5	4	1	8	4	4	3	6	3	3	4	1	2	4	-	2	-	-	-	-	-	-	-
	White-----M--	80	56	2	2	-	-	3	2	1	1	2	3	2	3	-	1	1	-	1	-	-	-	-	-	-	-
	F--	66	44	3	1	1	1	4	1	1	1	3	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	38	30	1	2	1	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	34	27	1	-	2	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,157	1,157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	353	353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	313	313	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	271	271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	360	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	714	714	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	211	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	772	250	15	9	8	2	9	3	5	5	12	17	26	32	44	57	59	55	34	38	24	22	19	12	6	9
	White-----M--	92	15	2	1	2	-	-	1	-	1	-	-	5	2	5	8	13	5	5	9	5	6	3	3	-	1
	F--	47	11	-	1	1	-	1	-	-	-	2	1	2	-	3	1	2	-	2	1	5	4	6	3	-	1
	Nonwhite--M--	343	130	10	5	3	1	3	-	2	2	4	6	10	14	21	18	19	31	16	17	8	8	4	3	4	4
	F--	290	94	3	2	2	1	5	2	3	2	6	10	9	16	15	30	25	19	11	11	6	4	6	3	2	3
Residual	All other diseases	708	76	22	8	5	4	11	8	19	19	37	41	47	45	45	38	65	48	50	47	32	20	9	7	1	1
	White-----M--	227	17	7	2	3	2	4	2	2	3	7	9	12	14	15	12	26	21	23	19	12	7	5	3	-	-
	F--	157	15	1	2	-	-	5	2	4	1	6	8	9	8	7	8	6	13	15	18	14	9	3	3	-	-
	Nonwhite--M--	185	26	8	3	1	1	2	-	9	9	15	10	13	11	14	13	18	8	7	7	3	4	1	1	1	-
	F--	137	18	6	1	1	1	-	4	4	6	9	14	13	12	9	5	15	7	5	3	3	-	-	-	-	1
E800-E962	Accidents----------	1,399	93	32	19	16	19	59	57	102	143	149	106	100	92	53	59	60	48	40	36	47	32	17	6	5	9
	White-----M--	604	13	10	7	3	5	15	23	43	90	80	56	52	44	26	25	25	25	13	12	18	6	4	1	-	8
	F--	238	20	5	4	2	5	8	9	13	11	15	9	7	11	3	11	7	7	10	19	21	18	13	5	4	1
	Nonwhite--M--	405	31	6	6	4	8	21	17	35	35	47	35	37	31	20	19	21	11	10	2	3	5	-	-	1	-
	F--	152	29	11	2	7	1	15	8	11	7	7	6	4	6	4	4	7	5	7	3	5	3	-	-	-	-
E810-E835	Motor-vehicle accidents---------	633	3	13	8	9	10	22	22	54	92	88	64	47	43	26	31	31	23	18	12	9	6	2	-	-	-
	White-----M--	330	-	6	4	3	3	7	14	25	61	45	36	23	19	12	15	17	15	8	7	7	2	1	-	-	-
	F--	94	3	4	3	2	3	4	2	7	11	13	5	6	5	2	7	5	2	4	2	1	2	1	-	-	-
	Nonwhite--M--	164	-	-	1	3	3	5	4	16	14	27	20	17	17	9	7	7	5	5	1	1	2	-	-	-	-
	F--	45	-	3	-	1	1	6	2	6	6	3	3	1	2	3	2	2	1	1	2	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	766	90	19	11	7	9	37	35	48	51	61	42	53	49	27	28	29	25	22	24	38	26	15	6	5	9
	White-----M--	274	13	4	3	-	2	8	9	18	29	35	20	29	25	14	10	8	10	5	5	11	4	3	1	-	8
	F--	144	17	1	1	-	2	4	7	6	-	2	4	1	6	1	4	2	5	6	17	20	16	12	5	4	1
	Nonwhite--M--	241	31	6	5	1	5	16	13	19	21	20	15	20	14	11	12	14	6	5	1	2	3	-	-	1	-
	F--	107	29	8	2	6	-	9	6	5	1	4	3	3	4	1	2	5	4	6	1	5	3	-	-	-	-
E963, E970-E979	Suicide----------	137	-	-	-	-	-	-	-	3	16	12	9	12	12	19	17	10	12	6	6	2	-	1	-	-	-
	White-----M--	100	-	-	-	-	-	-	-	2	9	8	6	8	9	13	15	9	9	4	6	2	-	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	3	2	1	3	2	3	-	-	3	2	-	-	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	1	1	3	2	1	1	-	2	2	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	228	-	1	1	-	-	2	3	21	35	35	38	33	27	13	4	5	6	3	1	2	-	-	-	-	-
	White-----M--	54	-	-	1	-	-	-	-	3	5	8	8	9	7	4	2	3	1	2	-	1	-	-	-	-	-
	F--	14	-	1	-	-	-	1	1	3	-	1	-	1	2	2	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	129	-	-	-	-	-	1	2	13	25	17	22	19	16	6	1	2	4	1	-	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	2	5	7	8	4	2	1	1	-	1	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA																										
	ALL CAUSES	5,880	473	62	29	16	11	47	30	68	78	70	74	96	111	182	264	405	499	651	686	783	636	392	176	34	7
	White--M	3,317	234	14	14	4	8	26	16	36	44	40	48	53	71	120	164	248	306	396	415	406	375	184	79	13	3
	F	2,215	163	15	7	5	-	17	9	21	21	15	19	33	33	56	87	136	181	236	254	343	247	202	92	21	2
	Nonwhite--M	191	42	14	4	2	2	1	4	4	8	9	3	5	4	1	6	12	8	11	11	23	11	3	3	-	-
	F	157	34	19	4	5	1	3	1	7	5	6	4	5	3	5	7	9	4	8	6	11	3	3	2	-	2
001-019	Tuberculosis, all forms	113	7	9	1	3	1	1	1	9	8	9	5	5	6	2	4	12	9	7	10	3	1	-	-	-	-
	White--M	45	1	-	-	-	-	1	-	1	2	3	2	1	3	2	2	8	7	3	7	2	-	-	-	-	-
	F	16	-	1	-	-	-	-	-	1	-	1	2	1	1	-	1	4	1	3	1	-	-	-	-	-	-
	Nonwhite--M	22	3	4	1	-	1	-	-	3	1	2	-	2	1	-	-	-	1	1	1	-	1	-	-	-	-
	F	30	3	4	-	3	-	-	1	5	4	4	2	-	1	-	1	-	-	-	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	93	5	6	-	-	-	-	1	8	6	7	5	3	5	2	4	11	9	7	10	3	1	-	-	-	-
	White--M	38	1	-	-	-	-	-	-	-	1	1	2	-	2	2	2	8	7	3	7	2	-	-	-	-	-
	F	15	-	1	-	-	-	-	-	-	1	-	1	2	1	-	1	3	1	3	1	-	-	-	-	-	-
	Nonwhite--M	18	1	2	-	-	-	-	-	3	1	2	-	1	1	-	-	-	1	1	1	-	1	-	-	-	-
	F	25	3	3	-	-	-	-	1	5	3	4	2	-	1	-	1	-	-	-	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms	20	2	3	1	3	1	1	-	1	2	2	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	7	-	-	-	-	-	1	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	2	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	17	1	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	2	4	-	1	3	-	-	-	-
	White--M	12	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	3	-	-	2	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	9	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	6	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	16	-	-	1	2	1	3	3	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	11	-	-	1	1	1	3	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	19	2	1	-	-	-	2	-	-	-	-	-	-	-	-	3	1	2	-	3	2	1	1	1	-	-
	White--M	10	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3	1	2	-	1	-	1	-	-	-	-
	F	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*	843	1	3	2	1	-	3	2	3	5	8	8	17	12	39	44	86	116	127	116	110	77	50	11	2	-
	White—M	447	-	1	2	1	-	1	-	-	3	4	4	5	3	17	18	43	58	75	75	54	49	27	6	1	-
	F	380	1	2	-	-	-	2	1	3	2	3	4	11	9	22	25	40	54	50	40	55	27	23	5	1	-
	Nonwhite—M	10	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	2	1	1	1	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	-	1	2	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	1	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	348	-	-	-	-	-	-	-	-	-	1	1	2	2	13	13	27	44	69	55	54	43	18	5	1	-
	White—M	195	-	-	-	-	-	-	-	-	-	-	1	1	1	9	6	15	26	43	31	27	25	8	3	-	-
	F	146	-	-	-	-	-	-	-	-	-	1	-	1	2	4	7	10	17	24	24	26	17	10	2	1	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
160-164	Of respiratory system	72	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	13	21	5	9	7	3	2	-	-	-
	White—M	57	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	12	15	5	7	5	3	2	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	6	-	1	2	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	73	-	-	-	-	-	-	-	-	1	1	2	1	1	5	5	15	8	7	8	5	6	6	2	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	73	-	-	-	-	-	-	-	-	1	1	2	1	1	5	5	15	8	7	8	5	6	6	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	125	-	-	-	-	-	-	-	-	2	2	3	3	2	8	6	7	14	17	13	19	16	9	3	1	-
	White—M	62	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	2	5	7	11	8	13	9	2	1	-
	F	60	-	-	-	-	-	-	-	-	1	-	1	2	2	8	6	5	8	10	2	11	3	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	37	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	1	7	8	8	2	2	-	-	-
	White—M	29	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	6	7	7	2	2	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	86	-	2	1	-	-	2	1	1	1	1	-	5	2	5	6	8	11	5	14	9	2	10	-	-	-
	White—M	38	-	1	1	-	-	1	-	-	1	1	-	1	1	2	1	2	5	2	10	3	2	4	-	-	-
	F	45	-	1	-	-	-	1	-	1	-	-	-	4	1	3	4	6	5	3	4	6	-	6	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	52	1	1	1	1	-	1	1	2	-	2	1	2	2	1	3	5	8	6	5	5	2	1	1	-	-
	White—M	31	-	-	1	1	-	-	-	-	-	2	-	1	-	1	2	4	5	4	5	2	1	1	1	-	-
	F	21	1	1	-	-	-	1	1	2	-	-	1	1	2	-	1	1	3	2	-	3	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	35	-	-	-	-	-	-	-	-	1	1	1	3	1	2	3	4	5	7	2	3	2	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	1	-	1	2	1	2	3	3	-	4	2	2	2	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	5	3	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	25	1	-	1	-	-	1	-	-	2	1	-	1	1	1	2	3	4	4	1	1	1	-	-	-	-
	White—M	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	3	3	-	-	1	-	-	-	-	-
	F	15	-	-	1	-	-	-	-	-	2	1	-	1	1	1	2	2	1	1	1	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	116	1	-	-	-	-	1	-	-	-	-	-	2	2	5	3	9	10	26	13	22	15	5	2	-	-
	White—M	55	1	-	-	-	-	1	-	-	-	-	-	2	2	3	2	2	3	9	5	11	11	3	-	-	-
	F	56	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	16	8	10	4	2	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
290-295	Anemias	30	1	2	-	-	-	1	-	1	-	-	-	-	1	-	1	3	2	-	3	5	9	1	-	-	-
	White—M	13	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1	2	-	-	2	4	-	-	-	-
	F	15	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	1	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	11	6	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	White—M	6	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,959	1	2	1	-	1	3	5	4	7	3	14	27	38	83	153	199	276	389	442	508	429	260	114	20	2
	White—M	1,727	-	-	1	-	1	1	2	2	3	1	9	16	27	59	89	135	181	240	264	270	244	125	49	7	1
	F	1,176	-	1	-	-	-	1	2	2	3	2	4	9	11	23	41	58	91	141	171	226	182	132	62	13	1
	Nonwhite—M	34	-	-	-	-	-	1	1	-	1	-	1	-	-	-	2	4	3	5	5	5	2	2	2	-	-
	F	22	1	1	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	3	2	5	1	1	1	-	-
330-334, 400-468	Diseases of cardiovascular system	2,894	1	2	-	-	-	2	5	3	6	3	13	25	37	80	129	192	271	375	437	499	418	257	107	20	2
	White—M	1,682	-	-	-	-	-	-	2	1	2	1	9	15	26	58	86	131	179	231	261	267	238	123	44	7	1
	F	1,149	-	1	-	-	-	1	2	2	3	2	3	8	11	22	40	55	88	136	170	223	177	131	60	13	1
	Nonwhite—M	33	-	-	-	-	-	1	1	-	1	-	1	-	-	-	2	4	3	5	4	5	2	2	2	-	-
	F	20	1	1	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	3	2	4	1	1	1	-	-
330-334	Vascular lesions, etc.*	740	-	1	-	-	-	-	2	2	-	1	3	4	8	15	25	28	64	106	129	136	116	68	28	3	1
	White—M	378	-	-	-	-	-	-	1	1	-	-	3	-	3	5	9	15	32	61	71	72	59	30	14	1	1
	F	350	-	-	-	-	-	-	1	1	-	1	-	3	5	10	16	13	31	44	56	63	55	37	12	2	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	1	-	-	-
	F	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-
400-402	Rheumatic fever	7	-	-	-	-	-	1	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA--Continued																										
410-443	Diseases of heart	1,935	-	1	-	-	-	1	3	1	5	1	6	17	28	62	102	156	198	258	294	325	255	151	59	11	1
	White-----M--	1,189	-	-	-	-	-	-	1	-	1	1	5	12	22	51	75	111	141	164	180	174	152	75	19	5	-
	F--	707	-	1	-	-	-	-	1	1	3	-	-	4	6	11	24	39	54	87	110	143	102	75	39	6	1
	Nonwhite--M--	26	-	-	-	-	-	1	1	-	1	-	1	-	-	-	2	4	2	5	2	5	-	1	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	2	3	1	-	-	-	-
410-416	Chronic rheumatic heart disease----	72	...	-	-	-	-	1	1	1	1	-	2	4	3	3	13	8	5	9	10	5	5	1	-	-	-
	White-----M--	41	...	-	-	-	-	-	1	-	-	-	1	3	2	1	8	4	5	4	8	1	3	-	-	-	-
	F--	28	...	-	-	-	-	-	-	1	1	-	-	1	1	2	5	4	-	4	2	4	2	1	-	-	-
	Nonwhite--M--	2	...	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,198	-	-	-	-	-	-	-	-	3	-	3	9	16	46	68	113	152	186	186	191	138	74	32	2	-
	White-----M--	798	-	-	-	-	-	-	-	-	1	-	3	5	14	42	58	91	109	120	114	106	84	36	13	2	-
	F--	388	-	-	-	-	-	-	-	-	2	-	-	2	2	4	9	19	42	45	70	83	54	37	19	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	313	...	-	-	-	-	-	2	-	-	-	1	2	4	4	3	12	15	35	40	67	60	47	12	8	1
	White-----M--	168	...	-	-	-	-	-	-	-	-	-	1	2	2	3	2	5	10	18	20	42	33	26	1	3	-
	F--	138	...	-	-	-	-	-	1	-	-	-	-	-	2	1	1	7	3	17	20	21	27	22	11	5	1
	Nonwhite--M--	5	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-
	F--	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
430-434	Other diseases of heart---------	117	-	1	-	-	-	-	-	-	1	1	-	3	4	3	5	13	7	17	15	15	14	9	8	1	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	1	-	2	3	2	4	5	6	10	10	9	9	3	2	-	-
	F--	40	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	6	1	4	4	5	4	6	5	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	3	-	1	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	235	-	-	-	-	-	-	-	-	-	-	-	-	1	6	13	10	19	31	43	47	38	20	7	-	-
	White-----M--	116	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	11	12	28	16	23	10	3	-	-
	F--	113	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	3	8	17	14	30	15	10	4	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	42	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	5	2	5	4	7	9	5	1	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	1	1	3	3	6	3	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	4	1	4	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis-------	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	4	7	26	34	29	19	6	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	3	4	16	18	13	11	1	-
	F--	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	10	16	15	8	5	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	28	1	-	-	-	-	-	-	-	-	1	2	-	-	1	-	3	2	2	3	5	4	4	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	2	3	2	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	1	-	-	3	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-594	Chronic nephritis, etc.*	75	-	-	1	-	1	1	-	1	1	-	1	2	1	3	4	7	5	14	5	7	11	3	7	-	-
	White-----M--	45	-	-	1	-	1	1	-	1	1	-	-	1	1	1	3	4	2	9	3	3	6	2	5	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	3	5	1	3	5	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	205	40	10	4	3	-	2	-	1	3	1	-	2	2	6	7	5	8	13	17	28	28	15	9	1	-
	White-----M--	92	11	-	1	-	-	1	-	-	2	1	-	1	1	6	3	2	5	9	10	11	17	7	4	-	-
	F--	67	11	1	-	1	-	1	-	-	1	-	-	1	-	-	2	2	3	3	6	15	7	7	5	1	-
	Nonwhite--M--	24	8	5	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	2	3	-	-	-	-
	F--	22	10	4	1	1	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	1	-	-	-
480-483	Influenza----------	32	4	1	-	-	-	1	-	-	-	-	-	-	-	1	2	1	1	2	2	6	5	6	-	-	-
	White-----M--	16	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	3	3	3	-	-	-
	F--	12	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	173	36	9	4	3	-	1	-	1	3	1	-	2	2	5	5	4	7	11	15	22	23	9	9	1	-
	White-----M--	76	8	-	1	-	-	1	-	-	2	1	-	1	1	5	2	1	4	9	10	8	14	4	4	-	-
	F--	55	10	1	-	1	-	-	-	-	1	-	-	1	-	-	2	2	3	1	4	14	5	4	5	1	-
	Nonwhite--M--	22	8	5	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-
	F--	20	10	3	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-	-	-
500-502	Bronchitis---------	20	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	3	-	4	1	-	-
	White-----M--	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	28	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	4	3	4	4	6	3	-	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	4	3	4	3	4	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	15	-	-	1	1	-	1	1	2	1	1	-	-	-	-	-	-	2	3	-	2	-	-	-	-	-
	White-----M--	10	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	48	8	-	-	-	-	1	-	1	-	-	3	-	1	2	2	4	5	4	6	5	2	3	1	-	-
	White-----M--	22	2	-	-	-	-	1	-	-	-	-	1	-	-	-	2	2	4	1	3	1	2	2	1	-	-
	F--	24	5	-	-	-	-	-	-	1	-	-	2	-	1	2	-	2	1	2	3	4	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
543,	Gastritis, etc.*--	19	13	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-
571,	White-----M--	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-
572	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	27	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	2	5	3	6	2	-	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	4	1	5	2	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	8	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	2	-	-	2	-	-	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	9	9	5	3	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	9	9	5	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	15	***	***	***	***	***	***	-	1	5	2	3	2	-	2	-	-	-	***	***	***	***	***	***	***	-
	White-----F--	11	***	***	***	***	***	***	-	1	4	2	2	2	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	4	***	***	***	***	***	***	-	-	1	-	1	-	-	2	-	-	***	***	***	***	***	***	***	***	-
650-	Abortion----------	1	***	***	***	***	***	***	-	-	-	-	-	1	-	-	-	-	***	***	***	***	***	***	***	***	-
652	White-----F--	1	***	***	***	***	***	***	-	-	-	-	-	1	-	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-	All other com-																										
649,	plications--------	14	***	***	***	***	***	***	-	1	5	2	3	1	-	2	-	-	***	***	***	***	***	***	***	***	-
660-	White-----F--	10	***	***	***	***	***	***	-	1	4	2	2	1	-	-	-	-	***	***	***	***	***	***	***	***	-
689	Nonwhite--F--	4	***	***	***	***	***	***	-	-	1	-	1	-	-	2	-	-	***	***	***	***	***	***	***	***	-
750-	Congenital mal-																										
759	formations-------	86	72	2	1	1	-	2	1	-	1	-	-	-	-	1	1	3	-	-	-	1	-	-	-	-	-
	White-----M--	37	34	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	47	36	1	1	1	-	2	-	-	1	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	128	14	7	2	-	1	-	2	3	-	-	-	-	4	-	4	4	4	6	8	7	17	10	11	15	6	3
795	White-----M--	41	2	-	-	-	-	-	1	-	-	-	-	-	1	-	1	3	2	2	4	2	4	6	2	6	4	1
	F--	24	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	1	8	7	2	1
	Nonwhite--M--	36	10	2	1	-	1	-	1	-	-	-	-	-	1	-	1	-	1	1	2	2	10	2	-	1	-	-
	F--	27	2	5	1	-	-	-	-	2	-	-	-	-	-	-	2	1	1	1	1	2	3	1	1	1	-	1
Re-	All other diseases	278	12	2	6	2	2	3	3	4	2	3	12	3	10	7	21	27	24	29	28	33	21	15	8	1	-
sid-	White-----M--	162	11	1	4	1	2	-	2	2	1	-	9	1	8	5	12	16	12	17	19	14	14	7	4	-	-
ual	F--	102	1	1	1	-	-	2	1	2	1	3	3	2	1	2	8	7	12	11	7	17	7	8	4	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	-	-	-	-	-
	F--	8	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-
E800-	Accidents----------	458	14	17	8	3	2	19	10	39	38	33	18	23	24	20	26	23	22	20	21	20	22	22	9	4	1
E962	White-----M--	306	7	9	4	1	2	13	8	29	27	24	16	19	18	18	20	15	14	14	13	13	10	5	5	1	1
	F--	121	7	7	4	1	-	6	2	10	5	3	-	2	4	2	3	7	7	5	8	5	10	16	4	3	-
	Nonwhite--M--	27	-	-	-	1	-	-	-	-	6	5	2	2	2	-	1	1	1	1	-	2	2	1	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	196	1	5	4	-	-	4	4	26	24	23	9	6	12	9	14	10	14	9	8	7	7	-	-	-	-
	White-----M--	136	-	2	2	-	-	3	3	18	17	16	9	5	8	8	10	5	8	5	6	6	5	-	-	-	-
	F--	44	1	3	2	-	-	1	1	8	2	3	-	1	3	1	2	4	5	3	2	1	1	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	5	4	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	262	13	12	4	3	2	15	6	13	14	10	9	17	12	11	12	13	8	11	13	13	15	22	9	4	1
E802,	White-----M--	170	7	7	2	1	2	10	5	11	10	8	7	14	10	10	10	10	6	9	7	7	5	5	5	1	1
E840-	F--	77	6	4	2	1	-	5	1	2	3	-	-	1	1	1	1	3	2	2	6	4	9	16	4	3	-
E962	Nonwhite--M--	12	-	-	-	1	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	2	1	1	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	67	-	-	-	-	-	-	-	-	3	5	6	7	5	7	6	12	5	1	7	1	2	-	-	-	-
E970-	White-----M--	54	-	-	-	-	-	-	-	-	3	2	5	6	4	7	4	10	4	1	7	1	-	-	-	-	-
E979	F--	11	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	2	1	-	-	-	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	7	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	1	-	-	-	-	-
E980-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E985	F--	5	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE																										
	ALL CAUSES	29,425	2,961	215	134	103	61	215	187	336	453	556	600	800	1,046	1,212	1,657	2,039	2,478	3,054	3,314	3,438	2,544	1,315	497	149	61
	White---M	12,940	1,236	82	58	44	29	101	91	152	212	250	243	335	436	486	721	867	1,157	1,366	1,518	1,607	1,176	537	184	40	12
	F	9,654	979	76	46	45	24	70	57	80	103	128	155	210	253	299	387	524	680	960	1,169	1,364	1,109	611	252	65	8
	Nonwhite---M	3,592	415	38	21	6	3	22	21	51	71	88	97	125	178	220	294	350	323	383	330	259	159	78	34	20	6
	F	3,239	331	19	9	8	5	22	18	53	67	90	105	130	179	207	255	298	318	345	297	208	100	89	27	24	35
001-019	Tuberculosis, all forms	1,110	15	16	5	5	4	3	6	35	54	76	73	82	77	82	83	87	85	111	90	78	31	9	1	1	1
	White---M	420	4	3	2	-	2	-	2	1	7	22	24	32	29	37	31	36	42	55	41	30	16	4	-	-	-
	F	327	2	6	2	4	1	-	2	8	12	13	20	25	16	16	17	27	30	35	33	39	13	4	1	-	1
	Nonwhite---M	190	5	5	-	-	-	2	1	11	13	14	18	11	19	18	20	18	6	13	8	5	1	1	-	1	-
	F	173	4	2	1	1	1	1	1	15	22	27	11	14	13	11	15	6	7	8	8	4	1	-	-	-	-
001-008	Tuberculosis of respiratory system	1,009	5	6	-	2	1	1	5	32	48	68	68	75	72	80	79	83	79	102	86	78	29	8	1	1	-
	White---M	392	-	-	-	-	1	-	1	1	6	20	24	28	29	37	30	35	41	50	40	30	15	4	-	-	-
	F	302	-	3	-	2	-	-	2	7	10	13	20	24	14	15	17	26	28	33	32	39	12	4	1	-	-
	Nonwhite---M	159	2	2	-	-	-	-	1	10	11	12	14	10	16	17	18	16	4	12	7	5	1	-	-	1	-
	F	156	3	1	-	-	-	1	1	14	21	23	10	13	13	11	14	6	6	7	7	4	1	-	-	-	-
010-019	Tuberculosis, other forms	101	10	10	5	3	3	2	1	3	6	8	5	7	5	2	4	4	6	8	4	-	2	1	-	-	1
	White---M	28	4	3	2	-	1	-	1	-	1	2	-	4	-	-	1	1	1	5	1	-	1	-	-	-	-
	F	25	2	3	2	2	1	-	-	1	2	-	-	1	2	1	-	1	2	2	1	-	1	-	-	-	1
	Nonwhite---M	31	3	3	-	-	-	2	-	1	2	2	4	1	3	1	2	2	2	1	1	-	-	1	-	-	-
	F	17	1	1	1	1	1	-	-	1	1	4	1	1	-	-	1	-	1	1	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	141	5	-	-	-	-	-	-	-	1	-	2	6	7	21	22	27	12	14	10	5	7	-	2	-	-
	White---M	43	1	-	-	-	-	-	-	-	-	-	-	2	3	4	6	9	2	5	5	4	1	-	1	-	-
	F	16	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	-	4	2	1	3	-	-	-	-
	Nonwhite---M	61	2	-	-	-	-	-	-	-	-	-	1	3	4	12	10	13	8	5	2	-	1	-	-	-	-
	F	21	2	-	-	-	-	-	-	-	-	-	1	-	-	4	4	4	2	-	1	-	2	-	1	-	-
040	Typhoid fever	7	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	2	1	-	-	-	-	-	-
	White---M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite---M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	42	25	4	2	-	-	3	-	1	-	-	-	-	-	1	-	1	1	2	-	2	-	-	-	-	-
	White---M	18	13	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	11	7	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite---M	6	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	7	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	15	1	-	1	2	1	3	2	-	1	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	White---M	8	1	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
055	Diphtheria	19	2	1	3	2	4	4	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	9	1	1	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	-	2	-	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	64	44	7	5	3	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	12	11	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	15	5	4	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	10	8	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	10	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	39	8	8	3	6	1	2	3	2	-	-	1	-	2	-	-	2	-	1	-	-	-	-	-	-	-
	White---M	14	4	2	1	3	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	4	6	2	3	1	1	2	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	34	4	-	1	3	-	7	7	2	2	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	21	3	-	-	1	-	6	6	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	2	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	3	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	24	7	4	5	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	White---M	8	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	12	4	1	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite---M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	120	21	10	4	-	4	4	5	4	1	4	4	6	5	6	6	6	5	6	6	6	5	2	-	-	-
	White---M	48	3	7	3	-	2	2	4	2	-	1	-	2	3	2	3	3	2	3	3	2	1	-	-	-	-
	F	41	4	2	1	-	2	2	1	1	1	2	2	1	2	2	2	2	1	3	2	2	4	2	-	-	-
	Nonwhite---M	20	8	1	-	-	-	-	-	1	-	1	-	1	-	2	1	1	2	-	1	1	-	-	-	-	-
	F	11	6	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
140-205	Malignant neoplasms, etc.*----	3,447	8	6	12	11	5	23	22	19	20	43	58	125	185	210	288	384	377	472	412	383	249	93	28	11	3
	White----M--	1,368	5	3	6	4	3	12	11	10	8	20	16	38	57	59	105	139	152	188	185	187	112	39	8	1	-
	F--	1,486	1	2	3	6	2	5	6	7	9	17	31	55	85	102	108	165	161	201	167	166	117	44	19	7	-
	Nonwhite--M--	250	1	-	2	-	-	2	-	-	1	1	1	8	12	13	32	38	27	41	33	16	16	4	-	2	-
	F--	343	1	1	1	1	-	4	5	2	2	5	10	24	31	36	43	42	37	42	27	14	4	6	1	1	3
140-148	Of buccal cavity and pharynx------	99	-	-	-	-	-	-	-	-	-	1	1	-	2	7	6	14	12	11	9	19	12	2	2	1	-
	White----M--	58	-	-	-	-	-	-	-	-	-	1	-	-	1	4	5	10	7	7	5	12	6	1	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	3	4	3	6	6	1	2	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,166	-	-	-	-	-	-	1	2	4	7	13	33	37	46	80	124	129	181	173	169	106	42	12	5	2
	White----M--	495	-	-	-	-	-	-	1	2	2	3	5	13	16	23	33	44	58	83	82	69	40	17	4	-	-
	F--	475	-	-	-	-	-	-	-	-	2	3	6	12	13	10	22	51	49	66	63	89	60	19	8	2	-
	Nonwhite--M--	105	-	-	-	-	-	-	-	-	-	-	1	4	2	6	13	19	10	18	17	3	6	4	-	2	-
	F--	91	-	-	-	-	-	-	-	-	-	1	1	4	6	7	12	10	12	14	11	8	-	2	-	1	2
160-164	Of respiratory system----------	310	-	-	-	-	-	2	-	-	-	1	5	9	19	22	48	45	36	38	35	30	11	8	1	-	-
	White----M--	201	-	-	-	-	-	1	-	-	-	-	2	7	13	15	30	31	28	23	21	21	5	4	-	-	-
	F--	70	-	-	-	-	-	-	-	-	-	1	2	1	3	4	8	7	5	11	11	6	6	4	1	-	-
	Nonwhite--M--	32	-	-	-	-	-	1	-	-	-	-	-	1	3	3	9	4	2	3	3	3	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	-	-	-	-	-	-	-
170	Of breast---------	302	-	-	-	-	-	-	-	-	1	1	5	20	35	39	30	39	34	27	32	18	14	5	2	-	-
	White----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	240	-	-	-	-	-	-	-	-	1	-	3	15	26	30	23	33	29	18	24	17	14	5	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	58	-	-	-	-	-	-	-	-	-	1	2	5	9	8	7	6	5	8	6	1	-	-	-	-	-
171-179	Of genital organs-	690	-	-	-	1	1	1	1	3	1	9	15	28	41	56	60	72	76	96	73	73	62	13	7	1	-
	White----M--	184	-	-	-	1	-	1	-	1	-	4	3	-	2	-	-	9	17	18	33	45	38	8	4	-	-
	F--	328	-	-	-	-	1	-	-	1	-	3	10	17	24	42	36	40	39	52	25	20	12	3	2	1	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	6	12	8	5	9	-	-	-	-
	F--	128	-	-	-	-	-	-	1	1	1	2	2	11	15	13	21	17	14	14	7	3	3	2	1	-	-
180, 181	Of urinary organs-	153	1	-	1	3	1	-	-	-	1	-	-	3	5	5	10	22	21	29	16	21	10	3	-	-	1
	White----M--	78	1	-	-	-	1	-	-	-	-	-	-	-	2	2	9	10	12	15	10	11	5	-	-	-	-
	F--	48	-	-	-	2	-	-	-	-	1	-	-	2	1	-	1	7	6	11	4	8	3	2	-	-	-
	Nonwhite--M--	17	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	3	2	3	1	2	1	-	-	-	-
	F--	10	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	-	1	1	-	-	1
156B, 165, 190-199	Of other sites, etc.*----------	446	2	3	2	3	1	7	6	5	6	13	11	17	25	28	31	36	46	66	44	37	30	20	3	4	-
	White----M--	200	1	1	-	2	1	5	2	3	3	4	2	9	15	13	14	16	20	28	17	18	16	9	-	1	-
	F--	192	-	1	-	1	-	-	2	1	1	7	7	4	8	12	13	15	20	28	25	17	14	10	3	3	-
	Nonwhite--M--	25	-	-	1	-	-	-	-	-	1	1	-	1	2	-	3	3	5	5	1	2	-	-	-	-	-
	F--	29	1	1	-	-	-	2	2	1	1	1	2	3	-	3	1	2	1	5	1	-	-	1	-	-	-
204	Leukemia and aleukemia----------	170	3	3	9	4	1	9	13	7	4	5	4	10	15	2	10	15	12	14	19	8	2	-	1	-	-
	White----M--	92	1	2	6	1	1	3	8	3	2	4	1	6	4	-	5	8	5	11	14	6	1	-	-	-	-
	F--	58	1	1	3	3	-	5	3	4	2	1	2	3	8	1	2	4	5	3	4	1	1	-	1	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	1	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	1	2	-	-	-	1	-	1	1	1	1	2	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	111	2	-	-	-	1	4	1	2	3	6	4	5	6	5	13	17	11	10	11	8	2	-	-	-	-
	White----M--	56	2	-	-	-	-	2	-	1	1	4	3	3	4	1	9	11	5	2	2	5	1	-	-	-	-
	F--	42	-	-	-	-	1	-	1	1	2	-	1	1	1	1	3	5	5	8	8	2	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	1	-	-	3	-	-	1	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	88	2	-	-	-	1	2	1	3	6	5	5	5	6	12	10	12	7	4	2	2	2	1	-	-	-
	White----M--	30	1	-	-	-	1	-	1	1	2	2	1	-	4	3	2	3	3	2	1	1	2	-	-	-	-
	F--	33	1	-	-	-	-	2	-	-	4	3	1	4	1	6	5	3	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	-	-	1	-	-	-
	F--	17	-	-	-	-	-	-	-	2	-	-	2	1	1	3	2	4	2	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	314	-	-	-	-	-	2	1	4	3	4	8	11	8	10	23	32	41	35	50	48	21	9	3	1	-
	White----M--	107	-	-	-	-	-	1	-	-	-	1	1	4	-	2	8	5	17	11	20	22	9	5	1	-	-
	F--	126	-	-	-	-	-	1	1	2	1	2	3	3	2	2	4	9	16	17	23	23	11	4	2	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	1	1	1	1	4	4	4	2	3	-	1	-	-	-	-
	F--	58	-	-	-	-	-	-	-	2	2	-	3	3	5	5	7	14	4	5	4	3	-	-	-	1	-
290-293	Anemias----------	68	3	1	1	1	-	-	3	1	-	1	-	3	-	4	5	4	3	3	11	10	11	3	-	-	-
	White----M--	28	-	-	1	1	-	-	-	1	-	-	-	-	-	-	2	2	1	2	1	5	6	4	2	-	-	-
	F--	23	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	5	3	6	1	-	-	-
	Nonwhite--M--	9	1	1	-	-	-	-	2	-	-	-	-	2	-	1	-	-	-	-	-	1	1	-	-	-	-
	F--	8	1	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	57	18	5	2	4	2	1	2	6	-	1	1	1	4	-	3	2	2	1	1	1	-	-	-	-	-
	White----M--	17	6	2	1	1	1	1	-	1	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	F--	9	-	-	1	3	1	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	20	7	3	-	-	-	-	1	4	-	-	-	3	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	11	5	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	13,825	8	4	-	2	2	23	16	31	52	66	126	201	377	512	808	1,061	1,467	1,846	2,077	2,226	1,700	826	289	79	26
	White----M--	6,271	5	1	-	2	1	9	7	14	23	21	47	89	147	215	369	471	704	855	972	1,051	804	333	106	20	5
	F--	4,525	2	3	-	-	-	10	3	9	19	17	32	35	80	106	175	235	375	542	714	876	726	388	141	35	2
	Nonwhite--M--	1,524	-	-	-	-	-	1	2	3	3	9	22	37	77	92	129	183	187	223	196	174	101	49	24	9	3
	F--	1,505	1	-	-	-	1	3	4	5	7	19	25	40	73	99	135	172	201	226	195	125	69	56	18	15	16
330-334, 400-468	Diseases of cardiovascular system-	13,179	8	4	-	1	1	21	13	27	41	54	114	185	349	482	772	1,022	1,418	1,781	1,987	2,120	1,613	794	270	78	24
	White----M--	6,017	5	1	-	1	-	8	6	11	16	17	44	82	136	203	360	455	665	833	941	1,004	767	320	99	19	4
	F--	4,311	2	3	-	-	-	9	3	9	17	13	27	33	75	98	185	224	358	522	678	836	692	374	136	35	2
	Nonwhite--M--	1,430	-	-	-	-	-	1	1	2	3	6	21	33	73	85	124	178	179	211	188	160	87	45	21	9	3
	F--	1,421	1	-	-	-	1	3	3	5	5	18	22	37	65	96	123	165	196	215	180	120	67	55	14	15	15
330-334	Vascular lesions, etc.*----------	3,463	2	2	-	1	-	2	-	5	8	8	21	38	74	108	172	249	363	455	586	608	440	237	62	19	3
	White----M--	1,364	1	-	-	1	-	2	-	2	1	2	8	15	17	30	52	91	127	183	256	250	202	95	25	4	-
	F--	1,283	-	2	-	-	-	-	-	2	4	2	7	9	26	33	51	62	116	148	202	266	197	116	31	9	-
	Nonwhite--M--	358	-	-	-	-	-	-	-	-	2	-	3	4	13	16	30	48	55	55	58	39	20	12	3	1	1
	F--	458	1	-	-	-	-	-	-	1	1	4	3	10	18	29	39	48	65	71	70	53	21	14	3	5	2
400-402	Rheumatic fever---	53	-	-	-	-	-	12	7	5	4	4	7	5	6	-	-	1	1	-	1	-	-	-	-	-	-
	White----M--	18	-	-	-	-	-	4	5	1	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	6	-	1	2	-	2	2	5	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
410-443	Diseases of heart	8,878	3	2	-	-	1	7	6	16	24	35	72	125	247	348	555	719	996	1,245	1,309	1,387	1,045	493	178	47	18
	White----M--	4,345	2	1	-	-	-	2	1	8	12	11	31	61	111	165	293	344	541	618	647	708	511	201	61	12	4
	F--	2,730	1	1	-	-	-	3	3	5	8	10	14	19	41	61	108	152	228	350	446	513	429	226	89	21	2
	Nonwhite--M--	950	-	-	-	-	-	-	1	1	1	2	14	23	54	62	82	118	110	142	116	107	61	30	17	7	2
	F--	853	-	-	-	-	1	2	1	2	3	12	13	22	41	60	72	105	117	135	100	59	44	36	11	7	10
410-416	Chronic rheumatic heart disease	341	...	-	-	-	1	2	4	5	13	7	14	17	20	21	15	27	31	34	33	47	30	15	4	1	-
	White----M--	149	...	-	-	-	-	2	1	3	6	5	8	6	9	9	7	12	16	14	17	19	9	3	3	-	-
	F--	123	...	-	-	-	-	-	2	2	4	2	2	8	7	11	6	8	9	10	11	18	15	7	1	-	-
	Nonwhite--M--	37	...	-	-	-	-	-	1	-	1	-	3	2	3	-	1	3	4	5	3	5	4	2	-	-	-
	F--	32	...	-	-	-	1	-	-	-	2	-	1	1	1	1	1	4	2	5	2	5	2	3	-	1	-
420	Arteriosclerotic heart dis., etc.*	4,126	-	-	-	-	-	1	-	2	4	4	22	55	105	165	303	383	537	631	612	608	421	184	64	20	5
	White----M--	2,487	-	-	-	-	-	-	-	-	2	2	15	41	68	123	208	241	345	392	359	350	217	96	25	4	1
	F--	1,199	-	-	-	-	-	1	-	1	1	2	4	3	11	20	53	89	114	180	211	222	181	79	36	11	-
	Nonwhite--M--	252	-	-	-	-	-	-	-	1	-	-	2	4	14	14	21	44	42	33	24	30	14	3	3	2	1
	F--	186	-	-	-	-	-	-	-	-	1	-	1	7	12	8	21	29	36	26	18	6	9	6	2	3	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,569	...	1	-	-	-	2	1	3	2	7	5	19	23	40	53	74	144	198	237	279	249	149	58	17	8
	White----M--	677	...	1	-	-	-	-	-	1	1	2	3	7	11	15	19	27	85	74	110	137	123	53	20	7	1
	F--	520	...	-	-	-	-	1	-	2	1	2	1	3	4	8	7	20	34	53	72	105	96	72	31	7	1
	Nonwhite--M--	188	...	-	-	-	-	-	-	-	-	1	-	3	4	7	19	13	20	35	27	23	18	10	6	1	1
	F--	184	...	-	-	-	-	1	1	-	-	2	1	6	4	10	8	14	25	36	28	14	12	14	1	2	5
430-434	Other diseases of heart	770	3	1	-	-	-	2	-	4	4	13	18	11	40	36	44	66	89	105	105	96	79	35	15	3	1
	White----M--	341	2	-	-	-	-	-	-	3	2	2	5	3	16	11	21	24	47	53	49	47	37	14	4	1	-
	F--	199	1	1	-	-	-	1	-	-	2	3	6	2	10	3	7	11	15	23	29	31	30	16	6	1	1
	Nonwhite--M--	133	-	-	-	-	-	-	-	-	-	-	4	5	11	15	10	20	13	17	16	9	5	4	3	1	-
	F--	97	-	-	-	-	-	1	-	1	-	8	3	1	3	7	6	11	14	12	11	9	7	1	2	-	-
440-443	Hypertension with heart dis.	2,072	-	-	-	-	-	-	1	2	1	4	13	23	59	66	140	169	195	277	322	357	266	110	37	6	4
	White----M--	691	-	-	-	-	-	-	-	1	1	-	-	4	7	7	38	40	68	85	112	155	125	35	11	-	2
	F--	689	-	-	-	-	-	-	1	-	-	1	1	3	9	19	35	44	56	84	123	137	107	52	15	2	-
	Nonwhite--M--	340	-	-	-	-	-	-	-	-	-	1	5	9	22	26	31	38	31	52	46	40	20	11	5	3	-
	F--	352	-	-	-	-	-	-	-	1	-	2	7	7	21	34	36	47	40	56	41	25	14	12	6	1	2
444-447	Hypertension without mention of heart	326	-	-	-	-	-	-	-	-	3	5	11	13	12	14	29	33	24	34	41	37	44	18	5	3	-
	White----M--	109	-	-	-	-	-	-	-	-	1	2	2	3	4	3	7	12	5	14	15	16	14	7	2	2	-
	F--	95	-	-	-	-	-	-	-	-	1	-	2	1	2	1	3	7	4	6	12	15	28	9	3	1	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	1	2	5	3	5	10	5	5	10	7	3	-	-	-	-	-
	F--	66	-	-	-	-	-	-	-	-	1	2	5	4	3	5	9	9	10	4	7	3	2	2	-	-	-
450	General arteriosclerosis	338	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	11	17	33	35	77	79	42	24	9	3
	White----M--	134	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	11	17	27	40	17	11	1	-
	F--	141	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	14	11	39	34	19	12	4	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	3	6	7	5	3	1	1	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	5	1	4	-	3	-	3	3
451-468	Other diseases of circulatory sys.	121	3	-	-	-	-	-	-	1	2	2	3	4	9	10	11	9	17	14	15	11	5	4	1	-	-
	White----M--	47	2	-	-	-	-	-	-	-	-	1	-	1	4	4	7	4	8	7	6	3	-	-	-	-	-
	F--	42	1	-	-	-	-	-	-	1	2	1	2	2	-	3	1	1	5	4	7	3	4	4	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	4	3	-	4	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	2	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*	646	-	-	-	1	1	2	3	4	11	12	12	16	28	30	36	39	49	65	90	106	87	32	19	1	2
	White----M--	254	-	-	-	1	1	1	1	3	7	4	3	7	11	12	9	16	19	22	31	47	37	13	7	1	1
	F--	214	-	-	-	-	-	1	-	-	2	4	5	2	5	8	10	11	17	20	36	40	34	14	5	-	-
	Nonwhite--M--	94	-	-	-	-	-	-	1	1	-	3	1	4	4	7	5	5	8	12	8	14	14	4	3	-	-
	F--	84	-	-	-	-	-	1	-	-	2	1	3	3	8	3	12	7	5	11	15	5	2	1	4	-	1
480-493	Influenza and pneumonia, etc.*	1,358	220	31	14	6	5	14	5	11	18	22	11	27	20	29	40	59	71	112	139	158	162	105	58	13	8
	White----M--	516	80	8	8	2	3	4	2	4	7	6	3	9	6	11	9	27	24	34	44	67	71	44	23	7	3
	F--	492	72	11	4	3	2	5	2	5	8	7	2	9	3	3	12	8	12	40	58	64	77	48	31	5	1
	Nonwhite--M--	200	42	7	1	1	-	2	-	-	2	6	1	4	6	7	13	14	19	26	21	8	7	9	2	1	1
	F--	150	16	5	1	-	-	3	1	2	1	3	5	5	5	8	6	10	16	12	16	19	7	4	2	-	3
480-483	Influenza	302	26	6	1	2	1	1	3	6	4	6	3	3	3	8	9	16	19	35	38	27	40	30	11	3	1
	White----M--	96	10	-	1	1	-	-	-	3	1	1	1	1	-	2	2	5	3	9	12	9	16	13	4	2	-
	F--	128	13	4	-	-	1	-	2	2	3	3	-	1	1	2	3	1	3	17	19	11	21	13	7	1	-
	Nonwhite--M--	42	2	1	-	1	-	-	-	-	-	2	1	1	-	3	3	5	9	6	3	1	2	2	-	-	-
	F--	36	1	1	-	-	-	1	1	1	-	-	1	-	2	1	1	5	4	3	4	6	1	2	-	-	1
490-493	Pneumonia, etc.*	1,056	194	25	13	4	4	13	2	5	14	16	8	24	17	21	31	43	52	77	101	131	122	75	47	10	7
	White----M--	420	80	8	7	1	3	4	2	1	6	5	2	8	6	9	7	22	21	25	32	58	55	31	19	5	3
	F--	364	59	7	4	3	1	5	-	3	5	4	2	8	2	1	9	7	9	23	39	53	56	35	24	4	1
	Nonwhite--M--	158	40	6	1	-	-	2	-	-	2	4	-	3	6	4	10	9	10	20	18	7	5	7	2	1	1
	F--	114	15	4	1	-	-	2	-	1	1	3	4	5	3	7	5	5	12	9	12	13	6	2	2	-	2
500-502	Bronchitis	71	12	4	2	2	-	1	1	-	1	1	1	-	1	2	4	5	6	6	6	4	3	6	1	1	1
	White----M--	27	3	2	1	1	-	-	1	-	-	1	-	-	-	-	1	1	2	5	4	1	1	2	1	-	-
	F--	16	4	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	3	1	3	-	1	-
	Nonwhite--M--	12	3	1	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	-	-	-
	F--	16	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	1	-	-	1	-	-	1
540, 541	Ulcer of stomach and duodenum	128	-	-	-	-	-	-	-	-	1	1	3	4	13	8	14	15	16	18	13	14	4	4	-	-	-
	White----M--	90	-	-	-	-	-	-	-	-	1	1	-	4	7	5	9	10	12	10	12	12	4	3	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	4	3	-	2	-	1	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	2	-	2	2	3	5	-	3	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-
550-553	Appendicitis	60	-	2	1	2	-	-	2	1	4	1	3	2	7	4	4	6	4	5	6	2	2	1	1	-	-
	White----M--	24	-	-	1	1	-	-	1	-	3	-	1	1	4	2	2	4	1	1	2	-	-	-	-	-	-
	F--	18	-	1	-	1	-	-	-	-	-	1	1	-	1	1	-	-	1	4	1	2	2	1	1	-	-
	Nonwhite--M--	10	-	1	-	-	-	-	1	1	-	-	-	1	1	-	-	1	1	-	3	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	187	35	3	-	1	-	-	2	3	1	2	4	4	4	7	13	9	14	10	28	25	14	5	3	-	-
	White----M--	75	12	2	-	-	-	-	1	1	-	-	1	-	-	4	5	2	7	4	17	7	9	1	2	-	-
	F--	72	15	-	-	1	-	-	1	1	1	-	2	2	2	-	6	2	4	4	7	14	5	4	1	-	-
	Nonwhite--M--	19	6	-	-	-	-	-	-	1	-	-	-	2	-	2	-	2	2	1	1	2	-	-	-	-	-
	F--	21	2	1	-	-	-	-	-	-	-	2	1	-	2	1	2	3	1	1	3	2	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
543,	Gastritis, etc.*--	233	146	14	5	1	3	1	1	2	1	2	-	2	-	4	7	4	8	9	4	3	7	8	1	-	-
571,	White-----M--	95	61	8	2	1	2	-	-	1	-	1	-	1	-	1	-	1	3	6	2	-	1	4	-	-	-
572	F--	76	47	2	3	-	1	-	1	-	1	-	-	1	-	1	3	2	-	1	2	3	4	3	1	-	-
	Nonwhite--M--	38	23	3	-	-	-	1	-	1	-	1	-	-	-	2	3	-	2	1	-	-	1	-	-	-	-
	F--	24	15	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	1	1	-	-	-
581	Cirrhosis of liver	181	-	-	-	1	-	-	-	-	2	3	6	10	13	10	27	28	29	20	19	6	6	-	-	1	-
	White-----M--	109	-	-	-	-	-	-	-	-	1	3	1	6	9	7	15	10	21	14	13	5	4	-	-	-	-
	F--	47	-	-	-	1	-	-	-	-	1	-	5	2	4	3	5	6	6	5	5	1	2	-	-	1	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	10	2	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	98	3	1	5	2	1	2	1	5	1	4	4	3	9	5	7	5	5	6	13	7	4	4	1	-	-
	White-----M--	38	1	-	3	1	1	1	-	3	1	2	2	-	2	1	4	1	1	4	5	1	3	1	-	-	-
	F--	32	-	-	2	1	-	1	1	1	-	2	1	1	3	2	-	1	4	1	5	4	-	1	1	-	-
	Nonwhite--M--	22	2	1	-	-	-	-	-	1	-	-	1	1	3	2	3	2	-	1	3	1	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	1	1	-	-	-
610	Hyperplasia of prostate----------	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	14	18	22	25	24	9	4	2	-
	White-----M--	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	12	18	23	21	9	4	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	4	2	3	-	-	1	-
640-689	Complications of pregnancy, etc.*-	108	...	...	...	...	...	...	1	10	17	20	26	26	7	-	-	-	...	...	...	...	...	...	...	...	1
	White-----F--	65	...	...	...	...	...	...	-	6	10	15	12	15	6	-	-	-	...	...	...	...	...	...	...	...	1
	Nonwhite--F--	43	...	...	...	...	...	...	1	4	7	5	14	11	1	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion----------	11	...	...	...	...	...	...	-	1	-	3	2	4	-	-	-	-	...	...	...	...	...	...	...	...	1
	White-----F--	6	...	...	...	...	...	...	-	-	-	2	1	2	-	-	-	-	...	...	...	...	...	...	...	...	1
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	-	1	1	2	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications--------	97	...	...	...	...	...	...	1	9	17	17	24	22	7	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	59	...	...	...	...	...	...	-	6	10	13	11	13	6	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	38	...	...	...	...	...	...	1	3	7	4	13	9	1	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations-------	390	310	14	8	6	2	9	4	4	4	1	5	4	4	3	2	3	3	3	-	1	-	-	-	-	-
	White-----M--	189	152	10	3	4	-	4	3	2	1	-	2	1	2	1	-	1	2	1	-	-	-	-	-	-	-
	F--	147	120	4	4	1	1	4	1	2	2	1	1	1	-	-	2	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	21	16	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
	F--	33	22	-	1	-	1	1	-	-	1	-	2	1	1	1	-	1	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,520	1,520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	658	658	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	501	501	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-762	Birth injuries, etc.*----------	512	512	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	901	901	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	372	372	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	293	293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	1,811	374	24	13	1	5	6	5	12	8	20	38	35	61	73	86	90	98	135	169	197	135	125	58	24	18
	White-----M--	658	130	9	3	-	1	3	2	8	3	5	12	13	30	21	36	35	40	41	59	81	48	48	21	6	3
	F--	495	117	7	2	-	2	2	-	2	1	4	6	10	7	15	7	11	12	28	51	59	59	53	26	9	3
	Nonwhite--M--	364	70	4	5	1	1	-	-	1	-	9	12	7	7	20	28	27	31	36	32	33	19	9	6	5	1
	F--	294	57	4	3	-	1	1	3	1	4	2	9	5	17	17	15	17	15	30	27	24	9	15	3	4	11
Residual	All other diseases	1,286	96	15	13	13	6	19	16	29	29	34	38	46	63	74	78	88	106	109	128	129	77	49	20	9	2
	White-----M--	551	41	6	8	5	4	12	4	8	7	16	15	19	26	30	38	43	40	51	55	58	32	24	9	1	1
	F--	464	34	5	2	5	2	6	10	11	9	8	12	11	12	22	18	26	39	45	56	55	39	21	10	6	-
	Nonwhite--M--	128	11	3	3	-	-	1	2	2	4	2	5	6	10	11	11	13	13	6	12	8	3	2	-	-	-
	F--	143	10	1	-	3	-	-	-	8	9	8	6	10	15	11	15	6	14	7	5	8	3	2	1	2	1
E800-E962	Accidents----------	1,879	71	40	28	28	15	77	78	124	174	165	110	121	113	87	81	75	73	81	79	92	77	55	27	7	1
	White-----M--	1,074	28	14	10	13	6	37	42	86	131	116	79	78	79	54	46	40	44	41	34	37	30	17	8	4	-
	F--	445	24	18	10	10	6	22	23	14	18	22	12	23	11	10	14	18	11	18	29	42	40	33	16	1	-
	Nonwhite--M--	240	10	5	7	2	2	11	11	17	19	18	15	16	15	19	20	8	9	13	6	7	4	2	2	1	1
	F--	120	9	3	1	3	1	7	2	7	6	9	4	4	8	4	1	9	9	9	10	6	3	3	1	1	-
E810-E835	Motor-vehicle accidents--------	778	6	8	11	14	5	29	28	69	113	99	49	62	54	46	37	38	33	27	20	20	5	4	-	1	-
	White-----M--	509	2	4	7	7	2	17	16	49	88	67	31	39	39	31	19	19	22	15	14	13	3	4	-	1	-
	F--	149	3	4	3	5	3	8	10	11	11	16	8	12	8	6	10	10	6	7	4	3	1	-	-	-	-
	Nonwhite--M--	69	1	-	-	1	-	2	2	5	10	12	9	10	6	6	8	6	3	4	-	4	-	-	-	-	-
	F--	31	-	-	1	1	-	2	-	4	4	4	1	1	1	3	-	3	2	1	2	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,101	65	32	17	14	10	48	50	55	61	66	61	59	59	41	44	37	40	54	58	72	72	51	27	6	1
	White-----M--	565	26	10	3	6	4	20	26	37	43	49	48	39	40	23	27	21	22	26	20	24	27	13	8	3	-
	F--	296	21	14	7	5	3	14	13	3	7	6	4	11	3	4	4	8	5	11	25	39	39	33	16	1	-
	Nonwhite--M--	151	9	5	7	1	2	9	9	12	9	6	6	6	9	13	12	2	6	9	6	3	4	2	2	1	1
	F--	89	9	3	-	2	1	5	2	3	2	5	3	3	7	1	1	6	7	8	8	6	2	3	1	1	-
E963, E970-E979	Suicide----------	273	-	-	-	-	-	-	-	11	11	19	24	28	21	21	29	25	27	23	22	8	3	1	-	-	-
	White-----M--	211	-	-	-	-	-	-	-	5	9	11	18	20	14	15	24	19	25	20	19	8	3	1	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	7	4	8	7	5	4	4	1	3	3	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E989	Homicide----------	301	3	1	-	-	-	2	2	13	41	55	44	43	37	27	15	6	3	4	2	3	-	-	-	-	-
	White-----M--	103	-	1	-	-	-	1	1	2	6	19	19	15	12	10	7	5	1	2	1	1	-	-	-	-	-
	F--	29	2	-	-	-	-	1	-	2	4	3	6	1	6	1	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	136	-	-	-	-	-	-	1	6	26	25	16	21	17	12	7	1	1	2	1	-	-	-	-	-	-
	F--	33	1	-	-	-	-	-	-	3	5	8	3	6	2	4	-	-	-	-	-	1	-	-	-	-	-
E965, E980-E989	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS																										
	ALL CAUSES	63,349	7,630	717	334	255	142	525	414	783	1,210	1,385	1,290	1,718	2,303	3,065	3,855	4,458	5,358	6,157	6,652	6,361	4,666	2,553	1,097	293	128
	White----M	31,345	3,678	326	157	127	56	270	220	409	661	672	588	764	1,082	1,457	1,904	2,358	2,921	3,195	3,365	3,180	2,185	1,146	465	118	41
	F	21,402	2,764	277	127	100	63	164	130	223	308	403	370	500	610	828	916	1,099	1,501	1,964	2,413	2,544	2,087	1,247	560	147	47
	Nonwhite--M	5,720	652	65	25	13	11	45	42	88	136	172	175	207	288	366	565	558	523	566	491	359	225	86	41	8	13
	F	4,882	536	49	25	15	12	46	22	63	105	138	157	247	323	414	470	443	413	432	383	278	159	74	31	20	27
001-019	Tuberculosis, all forms	2,006	25	55	25	11	4	25	19	64	125	185	135	156	152	169	145	157	174	136	115	79	36	11	3	-	-
	White----M	969	9	30	12	5	1	9	7	16	35	52	44	53	69	91	85	104	106	101	65	49	18	7	1	-	-
	F	681	14	22	10	6	3	15	9	33	63	97	50	66	46	41	33	25	42	26	34	24	16	4	2	-	-
	Nonwhite--M	191	2	2	2	-	-	-	2	3	10	9	17	19	18	22	19	21	19	8	12	4	2	-	-	-	-
	F	165	-	1	1	-	-	1	1	12	17	27	24	18	19	15	8	7	7	1	4	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system	1,811	10	18	6	2	2	10	12	60	117	180	124	152	142	161	140	148	161	128	113	76	36	10	3	-	-
	White----M	881	3	9	3	1	1	3	2	15	33	51	44	52	65	87	81	100	100	95	64	46	18	7	1	-	-
	F	613	6	7	2	1	1	6	8	32	59	95	45	66	45	41	32	24	40	24	34	24	16	3	2	-	-
	Nonwhite--M	166	1	1	1	-	-	-	1	2	8	8	16	17	14	20	19	17	16	8	11	4	2	-	-	-	-
	F	151	-	1	-	-	-	1	1	11	17	26	19	17	18	13	8	7	5	1	4	2	-	-	-	-	-
010-019	Tuberculosis, other forms	195	15	37	19	9	2	15	7	4	8	5	11	4	10	8	5	9	13	8	2	3	-	1	-	-	-
	White----M	88	6	21	9	4	-	6	5	1	2	1	-	1	4	4	4	4	6	6	1	3	-	-	-	-	-
	F	68	8	15	8	5	2	9	1	1	4	2	5	-	1	-	1	1	2	2	-	-	-	1	-	-	-
	Nonwhite--M	25	1	1	1	-	-	-	1	1	2	1	1	2	4	2	-	4	3	-	1	-	-	-	-	-	-
	F	14	-	-	1	-	-	-	-	1	-	1	5	1	1	2	-	-	2	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	449	28	-	-	-	-	-	1	2	-	5	8	15	28	57	58	51	54	58	37	30	14	4	-	-	1
	White----M	215	12	-	-	-	-	-	-	-	-	1	1	5	9	25	20	29	27	35	23	18	8	2	-	-	-
	F	57	6	-	-	-	-	-	-	1	-	1	1	1	1	5	5	2	8	7	5	9	3	2	-	-	-
	Nonwhite--M	124	6	-	-	-	-	-	-	1	-	2	3	5	13	19	24	15	13	13	7	1	2	-	-	-	-
	F	53	4	-	-	-	-	-	1	-	-	1	1	4	5	8	9	5	6	3	2	2	1	-	-	-	1
040	Typhoid fever	10	-	1	-	-	-	-	1	-	-	3	1	-	1	-	-	-	1	-	-	2	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	300	205	29	6	5	1	3	-	1	2	2	2	2	3	3	4	3	5	2	6	9	3	2	2	-	-
	White----M	155	114	8	2	4	-	2	-	-	2	1	1	2	1	1	1	1	4	2	3	2	2	1	1	-	-
	F	122	82	19	2	1	1	1	-	-	-	1	-	-	1	-	1	2	1	-	2	7	-	1	1	-	-
	Nonwhite--M	9	4	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-
	F	14	5	2	1	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	19	2	2	2	2	1	2	1	2	-	2	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White----M	6	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	2	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	50	2	5	8	11	9	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	22	1	-	4	4	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	3	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	2	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	2	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	75	56	11	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	22	17	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	28	7	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	43	15	6	3	-	1	6	3	2	-	2	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-
	White----M	19	7	2	2	-	-	2	-	1	-	2	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	F	19	6	3	1	-	1	4	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	5	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	204	15	20	6	16	7	34	25	15	17	22	14	6	1	2	2	2	-	-	-	-	-	-	-	-	-
	White----M	110	8	13	2	7	2	18	13	9	10	10	10	4	1	2	-	1	-	-	-	-	-	-	-	-	-
	F	80	6	6	2	8	4	12	12	4	6	12	4	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	1	1	-	1	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	2	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	14	7	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White----M	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	12	-	1	-	-	-	-	-	1	1	-	-	-	2	1	1	-	1	3	1	-	-	-	-	-	-
	White----M	6	-	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	324	95	14	14	8	6	16	7	11	9	10	10	9	11	12	15	12	7	13	13	15	9	5	2	1	-
	White----M	155	45	7	8	7	3	7	5	3	4	3	6	3	3	8	8	6	4	5	3	10	3	2	1	1	-
	F	106	35	6	1	1	3	4	1	4	1	5	1	2	3	3	3	5	2	7	8	3	4	3	1	-	-
	Nonwhite--M	29	5	-	2	-	-	3	-	2	1	2	2	1	1	-	3	1	1	1	2	1	1	-	-	-	-
	F	34	10	1	3	-	-	2	1	2	3	-	1	3	4	1	1	-	-	-	-	1	1	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
140-205	Malignant neoplasms, etc.*—	8,079	12	15	24	28	14	47	30	38	55	90	136	257	407	579	819	879	1,041	1,039	971	821	492	200	63	15	7
	White—M—	3,448	3	7	10	16	7	31	14	18	23	42	43	70	109	167	305	373	475	478	474	427	230	99	28	3	-
	F—	3,562	9	4	11	12	6	12	13	13	27	36	67	143	215	308	337	355	438	436	412	336	232	89	35	12	4
	Nonwhite—M—	524	-	1	1	-	1	2	2	4	1	5	5	9	28	34	88	81	70	71	51	40	20	9	1	-	-
	F—	545	-	3	2	-	-	2	1	3	4	7	21	35	55	70	91	70	58	54	34	18	10	3	1	-	3
140-148	Of buccal cavity and pharynx—	195	-	-	-	-	-	-	-	-	1	1	1	2	9	21	16	16	27	28	24	24	17	5	3	-	-
	White—M—	127	-	-	-	-	-	-	-	-	1	-	1	-	5	14	7	11	15	22	17	20	10	2	2	-	-
	F—	49	-	-	-	-	-	-	-	-	-	1	-	2	4	1	3	4	8	6	6	4	7	2	1	-	-
	Nonwhite—M—	14	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	1	4	-	1	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum—	2,688	-	2	1	-	-	2	3	2	3	14	28	39	104	144	238	299	363	387	405	335	199	87	22	7	3
	White—M—	1,223	-	-	-	-	-	1	2	1	2	6	13	15	30	58	100	134	163	184	206	164	89	42	10	3	-
	F—	1,062	-	1	-	-	-	1	1	1	1	4	12	18	44	45	73	95	147	153	163	148	98	41	10	4	2
	Nonwhite—M—	248	-	1	-	-	-	-	-	-	-	2	1	4	17	22	36	45	31	34	25	18	8	3	1	-	-
	F—	155	-	-	1	-	-	-	-	-	-	2	3	2	13	19	29	25	22	16	11	5	4	1	1	-	1
160-164	Of respiratory system—	822	-	-	-	-	-	-	-	4	1	4	8	19	36	59	108	126	149	116	87	70	21	8	3	1	2
	White—M—	597	-	-	-	-	-	-	-	2	1	1	2	14	27	41	82	101	114	80	63	51	8	8	2	-	-
	F—	143	-	-	-	-	-	-	-	2	-	1	4	3	3	12	11	12	20	26	17	16	13	-	1	1	1
	Nonwhite—M—	66	-	-	-	-	-	-	-	-	-	1	2	2	3	4	13	13	13	9	4	2	-	-	-	-	-
	F—	16	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	-	2	1	3	1	-	-	-	-	1
170	Of breast—	655	-	-	-	-	-	1	-	-	3	3	17	49	60	88	81	62	78	66	71	34	26	13	2	1	-
	White—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	1	-	-	-	-
	F—	577	-	-	-	-	-	1	-	-	2	3	16	41	52	75	66	57	71	58	65	31	24	12	2	1	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F—	70	-	-	-	-	-	-	-	-	1	-	1	8	5	12	15	4	7	7	5	3	1	1	-	-	-
171-179	Of genital organs—	1,459	-	-	1	1	-	1	-	3	11	20	42	70	88	137	158	154	158	177	152	145	97	35	9	-	-
	White—M—	393	-	-	1	1	-	1	-	1	6	9	6	3	1	3	11	19	32	56	74	79	64	22	4	-	-
	F—	809	-	-	-	-	-	-	-	-	5	10	22	50	66	111	103	100	104	91	64	48	22	8	5	-	-
	Nonwhite—M—	79	-	-	-	-	-	-	-	-	-	-	1	-	-	-	15	7	7	11	10	14	9	5	-	-	-
	F—	178	-	-	-	-	-	2	-	-	1	13	17	21	23	29	28	15	19	4	4	2	-	-	-	-	-
180, 181	Of urinary organs—	333	-	3	1	2	1	4	-	-	2	1	2	5	8	12	36	33	47	48	50	35	29	12	2	-	-
	White—M—	185	-	2	-	1	1	-	-	-	1	1	1	4	7	3	23	17	31	21	26	20	18	8	1	-	-
	F—	118	-	1	-	1	-	3	-	-	1	-	-	1	-	7	6	13	11	22	19	15	13	4	1	-	-
	Nonwhite—M—	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	5	3	2	-	-	-	-	-	-
	F—	10	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	-	-	2	3	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	1,265	5	5	6	6	3	12	11	16	22	25	22	49	69	83	121	122	141	154	122	135	78	31	19	6	2
	White—M—	552	1	4	3	3	1	9	4	5	5	14	9	21	24	29	52	54	68	76	55	65	33	11	6	-	-
	F—	560	4	-	2	3	1	3	6	7	14	10	10	20	31	44	52	48	56	58	52	60	40	19	13	6	1
	Nonwhite—M—	67	-	-	1	-	1	-	1	4	1	1	-	2	3	3	8	7	7	13	7	5	2	1	-	-	-
	F—	86	-	1	-	-	-	-	-	-	2	-	3	6	11	7	9	13	10	7	8	5	3	-	-	-	1
204	Leukemia and aleukemia—	377	7	5	15	16	9	22	12	7	8	14	7	11	20	12	30	32	37	33	34	26	9	8	3	-	-
	White—M—	207	2	1	6	9	5	16	6	6	4	8	7	5	9	4	12	18	25	21	17	16	4	5	1	-	-
	F—	144	5	2	9	7	4	3	4	1	3	5	-	5	9	7	13	11	10	11	16	10	4	3	2	-	-
	Nonwhite—M—	13	-	-	-	-	-	2	1	-	-	-	-	1	-	2	3	2	-	1	-	1	-	-	-	-	-
	F—	13	-	2	-	-	-	1	1	-	1	1	-	1	1	1	3	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	285	-	-	-	3	1	6	3	6	4	8	8	13	13	23	31	35	41	30	26	17	16	1	-	-	-
	White—M—	158	-	-	-	2	-	3	2	3	3	3	4	8	4	14	16	18	27	17	16	12	5	1	-	-	-
	F—	100	-	-	-	1	1	2	1	2	1	2	3	3	6	6	10	15	11	11	10	4	11	-	-	-	-
	Nonwhite—M—	15	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	2	1	1	-	1	-	-	-	-	-
	F—	12	-	-	-	-	-	1	-	1	-	2	-	1	1	2	1	-	2	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	308	7	4	3	3	-	7	4	6	5	10	14	27	34	26	28	26	32	24	17	18	10	1	1	1	-
	White—M—	109	2	1	2	2	-	4	1	2	1	3	1	6	4	7	7	11	15	12	12	9	6	-	1	1	-
	F—	133	5	3	-	1	-	2	1	3	3	5	10	9	14	13	12	13	11	9	4	9	4	1	1	-	-
	Nonwhite—M—	17	-	-	-	-	-	2	1	-	-	1	1	1	-	2	5	-	3	1	-	-	-	-	-	-	-
	F—	49	-	-	1	-	-	1	-	-	1	1	2	11	16	4	4	2	3	2	1	-	-	-	-	-	-
260	Diabetes mellitus—	670	1	2	1	-	-	6	5	9	6	9	16	11	19	44	70	85	88	137	148	113	68	25	6	2	1
	White—M—	342	-	1	1	-	-	4	2	3	-	5	4	5	7	15	20	34	33	55	63	43	31	12	4	-	-
	F—	395	1	1	-	-	-	2	2	5	3	3	7	1	3	13	26	32	44	70	74	59	34	12	2	1	-
	Nonwhite—M—	44	-	-	-	-	-	-	-	-	-	1	3	-	3	7	8	2	4	4	4	4	2	1	-	-	1
	F—	89	-	-	-	-	-	-	1	1	3	-	2	5	6	9	16	15	7	8	7	7	1	-	-	1	-
290-293	Anemias—	155	5	1	1	3	-	3	4	1	1	3	1	4	4	5	5	5	9	25	22	25	14	10	3	1	-
	White—M—	67	2	-	1	3	-	1	1	-	-	-	-	4	1	2	-	2	5	7	8	14	9	6	-	1	-
	F—	62	2	-	-	-	-	2	1	-	-	3	1	-	2	3	1	1	1	11	13	10	5	3	3	-	-
	Nonwhite—M—	12	1	1	-	-	-	-	1	1	-	-	-	-	1	-	2	-	1	3	-	-	-	1	-	-	-
	F—	14	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	2	2	4	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis—	106	47	13	8	2	1	2	3	3	3	3	1	-	4	1	-	4	5	2	2	1	1	-	-	-	-
	White—M—	45	20	4	4	2	-	-	-	2	1	3	-	-	1	-	-	3	2	2	1	-	-	-	-	-	-
	F—	33	16	8	1	-	1	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	Nonwhite—M—	16	5	1	1	-	-	1	1	-	-	-	1	-	2	1	-	1	2	-	-	-	-	-	-	-	-
	F—	12	6	-	2	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	27,760	34	7	8	8	5	37	27	58	101	159	217	445	801	1,281	1,834	2,359	3,003	3,660	4,144	4,106	3,003	1,604	641	157	63
	White—M—	14,044	17	4	3	2	2	17	11	19	40	55	80	208	399	663	993	1,309	1,699	1,972	2,105	2,022	1,377	709	261	56	21
	F—	9,056	8	2	2	6	2	9	13	18	38	48	69	92	152	236	323	448	732	1,082	1,480	1,674	1,385	791	341	82	23
	Nonwhite—M—	2,371	6	1	1	-	1	3	2	10	9	25	22	64	108	159	257	326	303	339	298	220	135	51	22	4	5
	F—	2,289	3	-	-	-	-	8	1	11	14	31	46	81	142	223	261	276	269	267	261	190	106	53	17	15	14
330-334, 400-468	Diseases of cardiovascular system—	26,564	32	6	5	3	3	31	24	49	84	134	190	414	746	1,221	1,753	2,280	2,894	3,524	3,963	3,966	2,890	1,527	617	149	59
	White—M—	13,577	16	3	3	1	-	15	9	15	33	46	71	198	379	639	963	1,274	1,656	1,925	2,039	1,961	1,329	675	255	52	20
	F—	8,667	8	2	2	2	2	6	12	16	30	40	57	83	139	222	304	429	701	1,044	1,422	1,629	1,337	756	324	79	21
	Nonwhite—M—	2,203	6	1	-	-	1	3	2	9	8	25	22	56	99	150	247	312	281	316	268	198	125	45	21	4	4
	F—	2,117	2	-	-	-	-	7	1	9	13	23	40	77	129	210	239	265	256	239	234	178	99	51	17	14	14
330-334	Vascular lesions, etc.*—	6,007	14	-	1	1	-	4	2	7	18	21	25	72	125	244	338	428	632	828	960	979	750	375	137	30	16
	White—M—	2,551	7	-	1	-	-	2	1	4	10	5	8	38	37	67	125	166	283	382	426	422	332	149	53	9	4
	F—	2,274	3	-	-	1	-	1	1	1	5	5	7	19	41	63	94	95	186	287	376	440	360	196	72	18	3
	Nonwhite—M—	551	3	-	-	-	-	-	-	1	2	5	2	4	19	38	48	82	70	76	75	63	23	13	5	1	3
	F—	671	1	-	-	-	-	1	-	1	1	6	8	11	28	78	71	85	93	83	83	54	35	17	7	2	6
400-402	Rheumatic fever—	76	2	-	-	1	-	11	12	6	2	3	7	11	9	1	1	3	1	3	1	-	1	1	-	-	-
	White—M—	30	1	-	-	-	-	3	5	1	1	1	3	6	3	-	-	2	1	2	1	-	-	-	-	-	-
	F—	28	-	-	-	1	-	1	7	3	1	1	2	4	4	1	-	1	-	1	-	-	-	1	-	-	-
	Nonwhite—M—	7	1	-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	11	-	-	-	-	-	5	-	1	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
410-443	Diseases of heart-	18,752	13	6	4	1	3	16	9	33	46	90	137	288	574	935	1,343	1,764	2,146	2,520	2,789	2,694	1,852	972	384	93	38
	White-----M--	10,245	7	3	2	1	-	10	3	10	18	37	58	146	327	556	800	1,068	1,312	1,463	1,504	1,401	861	453	162	29	14
	F--	5,686	3	2	2	-	2	4	3	10	16	26	37	47	86	146	202	315	485	704	965	1,057	845	463	198	50	17
	Nonwhite--M--	1,529	2	1	-	-	1	1	2	7	6	14	15	45	75	110	187	217	196	211	179	123	90	30	14	2	1
	F--	1,292	1	-	-	-	-	1	1	6	8	13	27	50	86	123	154	164	153	142	141	113	56	26	9	12	6
410-416	Chronic rheumatic heart disease----	480	...	-	-	-	1	6	4	12	11	20	30	27	30	36	40	49	41	42	39	44	28	14	5	1	-
	White-----M--	225	...	-	-	-	-	3	-	4	2	7	16	11	15	18	15	27	23	16	21	23	15	6	2	1	-
	F--	170	...	-	-	-	1	1	2	4	7	9	10	8	12	9	17	14	9	18	12	17	11	7	2	-	-
	Nonwhite--M--	52	...	-	-	-	-	1	1	3	-	3	3	4	2	4	5	2	9	6	3	3	2	-	1	-	-
	F--	33	...	-	-	-	-	1	1	1	2	1	1	4	1	5	3	6	-	2	3	1	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	11,016	4	1	1	-	-	-	-	7	17	31	55	156	347	608	852	1,097	1,401	1,575	1,700	1,537	957	467	166	28	11
	White-----M--	6,635	2	1	1	-	-	-	-	2	9	14	30	99	245	436	609	783	954	1,015	987	851	477	227	77	11	5
	F--	3,089	1	-	-	-	-	-	-	2	4	10	14	17	37	81	103	177	295	428	592	590	416	221	83	13	5
	Nonwhite--M--	634	1	-	-	-	-	-	-	1	3	3	2	23	31	55	83	87	93	83	72	44	38	10	4	1	-
	F--	458	-	-	-	-	-	-	-	2	1	4	9	17	34	34	57	50	59	49	49	52	26	9	2	3	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,369	...	2	2	-	1	-	1	6	7	5	13	22	33	58	87	134	167	285	336	418	373	249	114	36	20
	White-----M--	1,075	...	1	-	-	-	-	1	1	-	3	4	9	12	27	39	58	74	140	167	202	170	111	43	6	7
	F--	863	...	-	2	-	1	-	-	2	3	-	5	4	5	8	16	27	52	83	117	166	177	121	61	24	9
	Nonwhite--M--	219	...	1	-	-	-	-	-	2	3	1	2	1	8	10	18	26	24	38	27	25	16	10	5	1	1
	F--	192	...	-	-	-	-	-	-	1	1	1	2	8	8	13	14	23	17	24	25	25	10	7	5	5	3
430-434	Other diseases of heart---------	2,021	9	3	1	1	1	9	4	8	13	24	20	52	70	109	176	207	225	280	271	250	177	82	34	12	3
	White-----M--	1,008	5	1	1	1	-	7	2	3	7	11	5	21	33	43	74	101	125	128	155	134	86	37	22	7	1
	F--	509	2	2	-	-	-	2	1	2	2	4	5	10	11	18	22	36	45	61	72	82	76	40	10	4	2
	Nonwhite--M--	275	1	-	-	-	1	-	1	1	-	5	5	10	13	20	43	39	28	44	26	24	10	2	2	-	-
	F--	229	1	-	-	-	-	-	-	2	4	4	5	11	13	28	37	31	27	28	18	10	5	3	-	1	-
440-443	Hypertension with heart dis.--	2,866	-	-	-	-	-	1	-	-	-	10	19	31	94	126	188	277	312	358	443	445	317	160	65	16	4
	White-----M--	1,102	-	-	-	-	-	-	-	-	-	2	3	6	22	32	63	99	136	166	174	191	113	72	18	4	1
	F--	1,035	-	-	-	-	-	1	-	-	-	3	3	8	21	30	44	61	84	114	172	202	165	74	43	9	1
	Nonwhite--M--	349	-	-	-	-	-	-	-	-	-	2	3	7	21	21	38	63	42	40	51	27	24	8	2	-	-
	F--	380	-	-	-	-	-	-	-	-	-	3	10	10	30	43	43	54	50	38	46	25	15	6	2	3	2
444-447	Hypertension without mention of heart----------	550	-	-	-	-	-	-	-	-	4	6	12	28	21	26	40	35	48	61	61	79	72	41	12	3	1
	White-----M--	223	-	-	-	-	-	-	-	-	2	2	2	3	6	9	18	16	23	24	28	32	36	17	4	1	-
	F--	195	-	-	-	-	-	-	-	-	1	1	4	6	4	7	5	8	14	18	26	39	29	24	7	2	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	2	2	6	3	2	10	2	3	13	3	5	4	-	-	-	-
	F--	77	-	-	-	-	-	-	-	-	1	1	4	13	8	8	7	9	8	6	4	3	3	-	1	-	1
450	General arteriosclerosis--------	869	-	-	-	-	-	-	-	-	1	-	-	3	2	3	9	17	34	74	117	181	196	125	81	22	4
	White-----M--	399	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	6	22	35	56	85	90	50	34	12	2
	F--	376	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	6	20	45	83	95	67	45	9	1
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	15	10	7	6	2	2	1	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	1	4	6	6	5	6	-	-	1
451-468	Other diseases of circulatory sys.-	310	3	-	-	-	-	-	1	3	11	14	9	12	15	12	22	33	33	38	35	33	19	13	3	1	-
	White-----M--	149	1	-	-	-	-	-	-	-	2	1	-	4	6	5	16	16	15	19	24	21	10	6	2	1	-
	F--	108	2	-	-	-	-	-	1	2	6	7	7	6	4	4	2	9	10	14	10	10	8	5	1	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	4	1	1	2	2	-	5	7	1	1	-	1	-	-	-	-
	F--	28	-	-	-	-	-	-	-	1	3	2	1	1	3	1	4	3	1	4	-	2	-	2	-	-	-
592-594	Chronic nephritis etc.*----------	1,196	2	1	1	5	2	6	3	9	17	25	27	31	55	60	81	79	109	136	181	140	113	77	24	8	4
	White-----M--	467	1	1	-	1	2	2	2	4	7	9	9	10	20	24	30	35	43	47	66	61	48	34	6	4	1
	F--	389	-	-	-	4	-	3	1	2	8	8	12	9	13	14	19	19	31	38	58	45	48	35	17	3	2
	Nonwhite--M--	168	-	-	1	-	-	-	-	1	1	-	-	8	9	9	10	14	22	23	30	22	10	6	1	-	1
	F--	172	1	-	-	-	-	1	-	2	1	8	6	4	13	13	22	11	13	28	27	12	7	2	-	1	-
480-493	Influenza and pneumonia, etc.*-	2,698	760	122	35	23	9	31	20	18	24	25	36	44	57	63	92	108	123	172	228	218	214	144	92	28	12
	White-----M--	1,142	341	53	13	10	3	14	8	6	8	6	8	10	23	21	34	43	51	58	92	110	112	66	34	14	4
	F--	961	272	41	15	11	4	10	8	5	9	11	15	12	12	15	14	31	36	61	80	83	81	71	47	12	5
	Nonwhite--M--	311	74	18	4	2	1	5	3	5	2	5	5	7	9	10	27	19	19	28	34	13	10	4	5	1	1
	F--	284	73	10	3	-	1	2	1	2	5	3	8	15	13	17	17	15	17	25	22	12	11	3	6	1	2
480-483	Influenza----------	546	99	19	2	4	-	8	5	2	3	4	6	6	11	9	24	25	30	39	62	50	64	32	21	10	1
	White-----M--	212	46	10	1	2	-	2	-	-	-	-	-	1	4	2	6	4	8	11	33	24	32	15	5	5	1
	F--	192	31	5	1	1	-	4	2	-	1	3	3	3	1	1	5	12	11	13	11	23	28	15	14	4	-
	Nonwhite--M--	74	13	4	-	1	-	2	3	1	-	1	1	1	3	3	6	5	5	4	12	5	2	1	1	-	-
	F--	68	9	-	-	-	-	-	-	1	2	-	2	3	3	3	7	4	6	11	6	6	2	1	1	1	-
490-493	Pneumonia, etc.*--	2,152	681	103	33	19	9	23	15	16	21	21	30	36	46	54	68	83	93	133	166	160	150	112	71	18	11
	White-----M--	930	295	43	12	8	3	12	8	6	6	6	8	9	19	19	28	39	43	47	59	86	80	51	29	9	3
	F--	769	241	36	14	10	4	6	6	5	8	8	12	9	11	14	9	19	25	48	69	60	53	56	33	8	5
	Nonwhite--M--	237	61	14	4	1	1	3	-	4	2	4	4	6	6	7	21	14	14	24	22	8	8	3	4	1	1
	F--	216	84	10	3	-	1	2	1	1	3	3	6	12	10	14	10	11	11	14	16	6	9	2	5	-	2
500-502	Bronchitis---------	140	36	10	3	2	-	3	-	-	2	3	-	-	2	2	1	2	4	6	14	16	17	14	2	1	-
	White-----M--	57	14	6	-	1	-	1	-	-	-	-	-	-	-	-	1	1	2	3	7	7	7	5	1	1	-
	F--	67	16	4	3	1	-	2	-	-	1	1	-	-	1	1	-	1	2	3	4	9	8	9	1	-	-
	Nonwhite--M--	12	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	2	-	2	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	224	2	-	-	-	-	1	-	-	2	-	3	14	19	21	27	27	31	25	26	15	10	1	-	-	-
	White-----M--	168	1	-	-	-	-	-	-	-	2	-	2	12	12	17	21	20	27	18	22	7	6	1	-	-	-
	F--	30	-	-	-	-	-	1	-	-	-	-	1	1	4	4	-	4	2	2	4	3	4	-	-	-	-
	Nonwhite--M--	18	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	5	-	4	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	1	-	1	-	-	-	-	-	-
550-553	Appendicitis------	140	2	2	5	1	2	10	10	8	7	5	10	9	10	1	4	9	14	9	11	5	2	3	1	-	-
	White-----M--	77	1	-	3	1	-	5	7	2	4	2	7	6	7	-	1	5	10	6	4	4	1	-	1	-	-
	F--	38	1	1	2	-	2	5	3	4	1	2	2	1	-	-	1	1	2	3	4	-	-	3	-	-	-
	Nonwhite--M--	17	-	1	-	-	-	-	-	1	-	-	1	1	2	-	2	3	2	-	2	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	2	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	413	44	3	2	1	-	1	2	2	5	8	9	8	17	25	35	34	30	37	42	30	51	17	7	2	1
	White-----M--	159	18	2	1	1	-	1	1	-	1	1	1	1	10	4	8	12	9	17	20	16	24	10	1	-	-
	F--	163	14	1	1	-	-	-	-	1	2	5	2	3	2	12	15	11	12	14	20	10	24	7	6	1	-
	Nonwhite--M--	47	7	-	-	-	-	-	1	1	1	1	3	2	3	2	6	6	5	1	-	4	3	-	-	1	-
	F--	44	5	-	-	-	-	-	-	-	1	1	3	2	2	7	6	5	4	5	2	-	-	-	-	-	1

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
543,	Gastritis, etc.*--	979	700	88	14	9	3	5	1	1	4	2	3	4	5	12	7	13	4	13	21	33	18	9	6	2	2
571,	White-----M--	453	342	40	7	3	1	2	-	-	1	2	1	1	2	3	3	3	-	3	11	10	9	4	2	1	2
572	F--	422	303	34	5	6	1	2	-	1	3	-	1	3	1	2	4	7	1	8	9	15	8	5	3	-	-
	Nonwhite--M--	58	52	9	2	-	-	1	1	-	-	-	1	-	1	4	-	2	-	1	-	4	-	-	1	-	-
	F--	45	25	5	-	-	1	-	-	-	-	-	-	-	1	3	-	1	3	1	1	4	1	-	-	1	-
581	Cirrhosis of liver	490	-	-	-	-	-	-	1	-	1	5	12	24	43	42	44	56	67	64	53	46	22	9	1	-	-
	White-----M--	275	-	-	-	-	-	-	-	-	-	-	6	12	29	19	29	34	44	34	36	17	8	4	1	-	-
	F--	150	-	-	-	-	-	-	-	-	1	4	1	3	10	12	11	17	16	22	12	25	11	5	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	1	2	1	6	2	3	4	5	2	4	2	-	-	-	-
	F--	33	-	-	-	-	-	-	1	-	-	1	2	7	3	5	2	2	3	3	3	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	204	2	4	4	2	2	9	5	7	12	6	10	12	13	10	18	12	11	14	23	14	10	2	1	1	-
	White-----M--	83	2	1	2	1	2	4	1	2	5	1	6	3	5	1	6	6	6	6	9	7	4	1	1	1	-
	F--	57	-	3	2	1	-	2	3	3	2	3	2	-	3	3	4	1	1	6	8	4	5	1	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	2	-	2	1	-	-	4	1	4	4	2	-	2	3	3	-	-	-	-	-
	F--	36	-	-	-	-	-	1	1	-	4	2	2	5	4	2	4	3	4	-	3	-	1	-	-	-	-
610	Hyperplasia of																										
	prostate-------	313	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	25	36	61	59	60	40	15	6	-
	White-----M--	266	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	18	26	52	53	51	40	15	6	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	10	9	6	9	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	221	...	...	...	...	...	...	2	19	47	43	48	42	19	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	151	...	...	...	...	...	...	1	13	36	28	31	26	15	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	70	...	...	...	...	...	...	1	6	11	15	17	16	4	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion-------	31	...	...	...	...	...	...	1	2	11	6	1	7	3	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	19	...	...	...	...	...	...	-	1	9	4	-	2	3	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	12	...	...	...	...	...	...	1	1	2	2	1	5	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications------	190	...	...	...	...	...	...	1	17	36	37	47	35	16	1	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	132	...	...	...	...	...	...	1	12	27	24	31	24	12	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	58	...	...	...	...	...	...	-	5	9	13	16	11	4	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations------	970	746	48	19	10	2	16	11	10	15	16	15	13	9	18	4	4	5	4	3	2	-	-	-	-	-
	White-----M--	490	369	27	10	7	-	7	6	4	4	11	8	7	5	12	2	3	3	2	2	1	-	-	-	-	-
	F--	393	310	18	9	2	1	7	4	4	8	5	6	4	2	5	2	1	2	1	1	1	-	-	-	-	-
	Nonwhite--M--	49	40	2	-	-	-	-	-	-	3	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	27	1	-	1	1	2	1	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	4,091	4,091	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,007	2,007	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,401	1,401	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	380	380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	303	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,194	1,194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	640	640	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	386	386	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765-	Infections of																										
768	newborn----------	356	356	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	2,541	2,541	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,191	1,191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	892	892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,544	227	24	14	3	4	6	1	7	11	11	17	26	22	49	66	54	85	110	132	182	173	154	105	40	22
795	White-----M--	698	93	7	8	1	3	3	-	1	4	7	7	15	10	20	27	25	53	50	63	85	86	66	42	16	6
	F--	469	75	11	6	2	1	3	1	5	5	4	2	5	4	10	8	9	8	17	30	50	62	73	50	21	7
	Nonwhite--M--	233	33	3	-	-	-	-	1	1	-	6	4	4	12	22	11	19	25	26	29	14	9	9	1	4
	F--	144	26	3	-	-	-	-	-	1	-	2	2	4	6	9	9	5	18	13	18	11	6	4	2	5
Re-	All other diseases	3,184	231	79	40	27	18	50	34	39	51	88	87	95	128	159	198	227	251	289	327	299	233	140	77	21	6
sid-	White-----M--	1,475	123	35	17	13	6	25	12	15	18	32	30	32	54	61	79	108	143	139	160	151	111	60	37	11	1
ual	F--	1,171	69	34	15	11	8	17	18	16	15	37	31	34	41	55	51	77	72	97	129	123	102	72	35	9	3
	Nonwhite--M--	284	17	6	4	2	2	6	3	6	7	6	13	12	13	19	34	24	20	30	24	13	13	5	3	1	1
	F--	256	22	4	4	1	2	2	1	2	11	13	13	17	20	24	24	18	16	23	14	12	7	3	2	-	1
E800-	Accidents---------	5,521	230	147	88	77	52	185	187	398	557	482	347	323	348	337	276	218	209	218	200	201	193	153	68	15	12
E962	White-----M--	3,471	108	73	43	36	19	101	127	278	443	356	256	220	236	230	175	154	124	120	104	101	73	48	35	6	7
	F--	1,320	77	44	34	25	24	47	34	77	66	65	43	59	58	57	49	37	55	67	72	85	104	95	32	9	5
	Nonwhite--M--	506	27	14	6	7	6	19	20	30	42	47	45	32	43	38	42	18	23	15	13	7	8	4	-	-	-
	F--	224	20	18	5	9	3	18	6	13	6	14	3	12	11	12	10	9	7	16	11	8	8	6	1	-	-
E810-	Motor-vehicle																										
E835	accidents-------	2,498	28	52	36	32	19	68	72	237	357	268	200	168	184	180	128	114	99	92	68	50	35	9	3	-	5
	White-----M--	1,706	16	27	19	12	8	39	50	163	279	195	143	108	122	122	72	83	57	58	47	39	23	7	2	-	5
	F--	526	9	20	16	13	8	18	16	57	51	41	34	41	35	33	34	19	24	25	15	8	6	2	1	-	-
	Nonwhite--M--	202	1	2	-	5	2	6	4	11	24	28	22	13	21	18	16	9	6	6	3	2	5	-	-	-	-
	F--	64	-	3	1	2	1	3	2	6	3	6	1	6	6	7	6	3	2	3	1	1	1	-	-	-	-
E800-	All ot. accidents	3,023	204	95	52	45	33	119	115	161	200	214	147	155	164	157	148	104	110	126	134	151	158	144	65	15	7
E802,	White-----M--	1,765	90	46	24	24	11	62	77	115	164	161	113	112	114	108	103	71	57	62	57	62	50	41	33	6	2
E840-	F--	794	68	24	18	12	16	29	18	20	15	24	9	18	23	24	15	18	31	42	57	77	98	93	51	9	5
E962	Nonwhite--M--	304	26	12	6	2	4	13	16	19	18	21	23	19	22	20	26	9	17	9	10	5	5	4	-	-	-
	F--	160	20	13	4	7	2	15	4	7	3	8	2	6	5	5	4	6	5	13	10	7	7	6	1	-	-
E963,	Suicide----------	692	-	-	-	-	-	-	1	17	30	55	52	77	67	78	72	73	63	45	31	15	11	4	1	-	-
E970-	White-----M--	497	-	-	-	-	-	-	1	11	16	33	35	49	48	61	54	54	52	34	24	13	8	3	1	-	-
E979	F--	163	-	-	-	-	-	-	-	5	8	16	16	26	17	14	14	15	10	11	6	2	3	-	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	5	5	1	2	2	3	4	3	1	-	1	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	735	3	2	-	1	-	6	4	43	114	131	88	95	75	66	36	32	14	13	2	6	2	1	-	-	1
E980-	White-----M--	287	-	-	-	1	-	3	1	16	38	44	29	36	34	27	24	14	7	9	1	2	1	-	-	-	-
E985	F--	63	2	-	-	-	-	2	-	6	7	8	7	7	3	12	2	2	1	1	-	2	1	-	-	-	-
	Nonwhite--M--	301	-	1	-	-	-	-	2	16	51	62	44	40	29	23	8	13	6	2	1	1	-	1	-	-	1
	F--	84	1	1	-	-	-	1	1	5	18	17	8	12	9	4	2	3	-	1	-	1	-	-	-	-	-
E965,	Operations of war	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH																										
	ALL CAUSES	4,974	303	44	38	12	10	52	46	67	78	95	91	95	155	189	224	351	421	524	548	590	437	264	108	25	9
	White--M	2,882	297	24	17	5	7	31	33	42	48	64	52	59	90	135	137	227	271	314	311	321	203	135	48	9	2
	White--F	1,859	179	20	15	7	3	20	12	24	25	28	34	33	63	47	82	117	138	195	224	260	227	127	59	16	4
	Nonwhite--M	86	19	-	3	-	-	-	1	-	3	2	4	1	1	6	-	5	8	12	7	6	6	2	-	-	2
	Nonwhite--F	47	8	-	3	-	-	1	-	1	2	1	1	2	1	1	5	4	4	3	4	3	1	-	1	-	1
001-019	Tuberculosis, all forms	54	-	-	-	-	-	-	1	1	1	2	3	5	1	5	6	8	4	10	2	2	2	1	-	-	-
	White--M	38	-	-	-	-	-	-	-	-	-	-	-	2	1	5	6	8	4	7	2	1	1	1	-	-	-
	White--F	10	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	2	-	1	1	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	51	-	-	-	-	-	-	1	1	1	2	3	4	1	5	6	7	4	9	2	2	2	1	-	-	-
	White--M	35	-	-	-	-	-	-	-	-	-	-	-	1	1	5	6	7	4	6	2	1	1	1	-	-	-
	White--F	10	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	2	-	1	1	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	26	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	3	5	6	-	2	-	-	-	-
	White--M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	3	4	6	-	-	-	-	-	-
	White--F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	8	-	-	-	-	-	2	1	-	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	7	-	-	-	-	-	2	1	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	-	-	2	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	4	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	15	4	2	1	-	-	-	-	2	1	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-
	White--M	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White--F	9	2	1	-	-	-	-	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
140-205	Malignant neoplasms, etc.*----	625	2	2	5	1	1	8	4	4	5	4	13	14	26	31	47	81	69	98	76	62	44	21	6	-	1
	White-----M--	307	2	1	2	1	1	4	2	2	3	2	3	2	12	14	23	42	36	47	45	33	17	11	2	-	-
	F--	308	-	1	3	-	-	4	2	2	2	2	10	12	14	17	22	37	31	48	30	27	27	10	4	-	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	3	3	1	5	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	2	2	1	4	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	225	-	-	-	-	-	-	-	-	1	1	-	6	6	5	9	32	31	42	40	31	14	4	3	-	-
	White-----M--	118	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	17	17	23	23	17	6	2	1	-	-
	F--	101	-	-	-	-	-	-	-	-	1	1	-	5	5	-	3	15	12	18	17	12	8	2	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	48	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	5	8	12	4	2	2	1	1	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	8	10	3	2	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	1	-	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	55	-	-	-	-	-	-	-	-	-	-	4	2	4	7	4	4	6	11	2	2	6	3	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	4	2	4	7	4	4	6	10	2	2	6	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs-	88	-	-	-	-	-	-	-	-	-	-	3	3	2	6	9	12	10	11	7	11	9	4	1	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	3	7	7	3	1	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	3	3	2	5	7	9	7	7	4	4	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	30	-	-	2	-	1	-	-	-	-	-	-	-	-	1	3	3	2	3	7	5	3	-	-	-	-
	White-----M--	21	-	-	2	-	1	-	-	-	-	-	-	-	-	1	2	2	1	2	5	4	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	92	1	2	1	-	-	3	2	2	2	-	4	3	7	6	8	8	5	13	9	5	6	4	1	-	-
	White-----M--	42	1	1	-	-	-	2	1	-	2	-	2	1	5	3	4	6	1	5	6	1	-	1	-	-	-
	F--	50	-	1	1	-	-	1	1	2	-	-	2	2	2	3	4	2	4	8	3	4	6	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	42	1	-	2	1	-	5	1	2	2	2	-	-	3	3	3	4	3	4	4	-	1	-	-	-	1
	White-----M--	21	1	-	-	1	-	2	-	2	1	1	-	-	2	1	2	1	2	2	3	-	-	-	-	-	-	-
	F--	21	-	-	2	-	-	3	1	-	1	1	-	-	1	2	1	3	1	2	1	-	1	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	25	-	-	-	-	-	-	1	-	-	1	1	-	2	1	2	9	2	1	-	3	2	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	1	-	-	1	1	-	2	1	1	8	2	-	-	2	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	22	3	1	-	1	1	1	2	-	-	-	2	1	1	1	2	3	1	2	-	-	-	-	-	-	-
	White-----M--	11	1	1	-	-	1	1	2	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	11	2	-	-	1	-	-	-	-	-	-	1	-	1	1	1	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	78	-	-	1	-	-	-	1	-	-	3	1	-	2	4	2	3	11	14	13	11	8	4	-	-	-
	White-----M--	33	-	-	1	-	-	-	1	-	-	2	1	-	1	3	-	-	3	5	5	5	3	3	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	7	9	8	6	5	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
280-293	Anemias----------	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	F--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	11	6	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,387	3	-	-	-	-	8	4	11	18	19	20	29	52	77	102	178	251	294	357	411	288	182	61	17	5
	White-----M--	1,368	1	-	-	-	-	4	2	5	9	12	11	19	32	56	63	117	169	183	202	215	138	92	30	6	2
	F--	981	2	-	-	-	-	3	2	6	8	7	8	10	19	17	37	60	75	106	147	192	147	90	31	11	3
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	5	3	5	2	3	-	-	-	-
	F--	16	-	-	-	-	-	1	-	-	1	-	-	-	1	1	2	1	2	2	3	2	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,321	3	-	-	-	-	7	3	10	15	17	16	28	50	75	99	169	244	291	352	403	281	175	61	17	5
	White-----M--	1,337	1	-	-	-	-	3	2	5	6	11	8	18	30	55	62	114	163	182	201	212	136	90	30	6	2
	F--	946	2	-	-	-	-	3	1	5	8	6	7	10	19	16	35	54	74	104	143	187	142	85	31	11	3
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	5	3	5	2	3	-	-	-	-
	F--	16	-	-	-	-	-	1	-	-	1	-	-	-	1	1	2	1	2	2	3	2	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	438	1	-	-	-	-	1	-	-	1	-	3	3	6	9	13	29	45	58	64	87	67	36	11	4	-
	White-----M--	212	-	-	-	-	-	-	-	-	-	-	2	1	1	5	7	20	26	27	28	41	31	18	4	-	-
	F--	216	1	-	-	-	-	1	-	-	1	-	1	2	5	3	5	9	18	29	34	44	34	18	7	4	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-
400-402	Rheumatic fever---	16	-	-	-	-	-	3	1	3	1	2	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	1	1	1	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
410-443	Diseases of heart	1,726	1	-	-	-	-	2	2	7	11	13	10	20	42	66	83	136	190	217	269	290	191	117	42	13	4
	White	1,040	-	-	-	-	-	2	1	3	6	8	5	15	28	50	53	91	132	144	158	157	95	61	23	6	2
	F	661	1	-	-	-	-	-	1	4	4	5	4	5	13	13	30	44	52	70	105	131	95	56	19	7	2
	Nonwhite	17	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	4	3	4	1	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	-	2	1	-	-	-	-	-
410-416	Chronic rheumatic heart disease	133	...	-	-	-	-	-	1	3	6	10	7	7	14	14	10	20	11	8	6	6	8	3	1	-	-
	White	66	...	-	-	-	-	-	-	-	3	6	4	5	6	8	3	9	6	6	1	4	2	3	-	-	-
	F	65	...	-	-	-	-	-	1	3	2	4	2	2	8	6	7	11	5	2	5	2	4	-	1	-	-
	Nonwhite	1	...	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	972	-	-	-	-	-	-	1	1	-	2	1	11	22	45	50	87	130	136	155	161	85	58	17	7	3
	White	652	-	-	-	-	-	-	1	1	-	1	1	9	16	39	41	65	94	94	100	89	49	33	13	2	2
	F	307	-	-	-	-	-	-	-	-	-	1	-	2	4	4	9	21	32	39	52	72	36	25	4	5	1
	Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	286	...	-	-	-	-	-	-	1	2	-	1	-	1	5	9	15	20	35	46	57	47	33	20	3	1
	White	161	...	-	-	-	-	-	-	-	1	-	-	-	1	2	4	7	15	23	29	37	20	14	7	1	-
	F	130	...	-	-	-	-	-	-	1	1	-	1	-	-	3	5	8	4	12	16	18	26	19	13	2	1
	Nonwhite	4	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
430-434	Other diseases of heart	64	1	-	-	-	-	2	-	2	1	-	1	-	1	1	5	7	4	8	9	5	7	7	2	1	-
	White	39	-	-	-	-	-	2	-	2	1	-	-	-	1	1	3	5	2	4	5	2	4	4	2	1	-
	F	24	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	4	3	3	3	3	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	261	-	-	-	-	-	-	-	-	2	1	-	2	4	1	9	7	25	30	53	61	46	16	2	2	-
	White	122	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	5	15	17	23	25	20	7	1	2	-
	F	135	-	-	-	-	-	-	-	-	1	-	-	1	1	-	7	2	9	13	29	36	26	9	1	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart	33	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	4	6	7	3	4	3	-	-	1
	White	14	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	3	3	1	-	2	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	2	4	1	-	-	1
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	77	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	5	10	16	18	18	7	-	-
	White	44	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	4	9	8	10	8	2	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	8	10	5	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	31	1	-	-	-	-	1	-	-	2	1	1	-	1	-	2	3	2	5	2	7	1	1	1	-	-
	White	21	1	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	1	4	2	5	-	1	1	-	-
	F	10	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	1	1	1	-	2	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	68	-	-	-	-	-	1	1	1	3	2	4	1	2	2	3	9	7	3	5	8	7	7	-	-	-
	White	31	-	-	-	-	-	1	-	-	3	1	3	1	2	1	1	3	6	1	1	3	2	2	-	-	-
	F	35	-	-	-	-	-	-	1	1	-	1	1	-	-	1	2	6	1	2	4	5	5	5	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	149	32	5	2	1	-	3	1	2	1	-	-	3	3	8	6	6	10	6	11	14	19	6	9	-	1
	White	85	16	2	-	-	-	2	1	1	-	-	-	2	-	5	5	6	10	4	6	12	6	2	5	-	-
	F	57	12	3	1	1	-	1	-	1	1	-	-	1	3	3	1	-	-	2	4	2	13	4	4	-	-
	Nonwhite	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480-483	Influenza	18	5	1	-	-	-	1	-	-	-	-	-	1	-	3	1	1	-	-	2	1	1	-	1	-	-
	White	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	12	2	1	-	-	-	1	-	-	-	-	-	1	-	2	1	-	-	-	2	-	1	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	131	27	4	2	1	-	2	1	2	1	-	-	2	3	5	5	5	10	6	9	13	18	6	8	-	1
	White	79	13	2	-	-	-	2	1	1	-	-	-	2	-	4	5	5	10	4	6	11	6	2	5	-	-
	F	45	10	2	1	1	-	-	-	1	1	-	-	-	3	1	-	-	-	2	2	2	12	4	3	-	-
	Nonwhite	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
500-502	Bronchitis	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	35	-	-	-	-	-	-	-	-	1	-	-	-	1	4	3	3	5	8	3	2	3	2	-	-	-
	White	23	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	4	4	1	2	3	2	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	4	2	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	9	-	-	1	-	-	-	2	-	1	-	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-
	White	5	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	45	7	1	-	-	1	-	1	-	-	-	-	1	1	-	2	2	1	3	6	6	7	3	2	1	-	-
	White	23	5	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	4	3	3	1	1	1	-	-
	F	20	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	3	1	3	4	2	1	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
543,	Gastritis, etc.*--	24	8	-	-	-	-	1	-	-	-	1	1	-	3	-	1	2	2	-	2	-	-	3	-	-	-
571,	White-----M--	11	2	-	-	-	-	1	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	3	-	-	-
572	F--	9	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	23	-	-	-	-	-	-	-	-	-	-	2	4	3	3	1	4	1	2	-	-	2	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	2	3	1	3	-	1	1	2	-	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	14	-	-	-	1	-	-	-	1	2	-	1	-	1	1	-	1	-	2	1	1	1	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	F--	8	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	4	1	1	1	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	4	-	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	5	...	...	...	...	...	...	-	1	-	1	1	-	2	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	5	...	...	...	...	...	...	-	1	-	1	1	-	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion---------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	5	...	...	...	...	...	...	-	1	-	1	1	-	2	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	5	...	...	...	...	...	...	-	1	-	1	1	-	2	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	112	92	6	1	1	-	1	1	-	-	1	1	3	3	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	64	53	4	1	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	F--	45	36	2	-	1	-	1	1	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	279	279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	180	13	-	2	-	-	-	1	1	1	2	1	1	5	4	9	8	12	19	17	17	21	24	15	5	2
795	White-----M--	94	5	-	-	-	-	-	1	-	-	-	1	1	3	4	5	8	6	13	9	8	11	11	7	2	-
	F--	68	6	-	1	-	-	-	-	1	-	1	-	-	1	-	4	-	5	4	7	8	8	12	7	3	-
	Nonwhite--M--	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	2	1	-	-	1
	F--	7	1	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1
Re-	All other diseases	257	24	3	5	3	2	3	4	1	5	5	7	6	13	10	16	16	27	26	23	31	16	5	6	-	-
sid-	White-----M--	145	15	1	3	1	1	-	4	-	2	1	3	5	4	5	10	10	17	16	11	23	8	3	2	-	-
ual	F--	104	5	2	1	2	1	3	-	1	3	4	4	1	9	4	6	6	10	10	12	7	7	2	4	-	-
	Nonwhite--M--	6	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
E800-	Accidents---------	487	21	20	16	4	2	22	19	37	30	47	28	22	25	29	21	25	16	23	20	19	19	12	6	2	-
E962	White-----M--	351	11	12	7	3	2	17	16	29	26	37	25	17	20	27	17	21	14	16	13	9	8	6	-	-	-
	F--	129	10	8	7	1	-	5	3	8	2	9	4	5	5	2	4	4	2	6	7	10	11	6	6	2	-
	Nonwhite--M--	6	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	202	1	7	7	1	-	11	6	26	15	22	12	11	11	13	12	8	7	13	7	5	5	2	-	-	-
	White-----M--	137	1	1	3	1	-	8	5	18	13	15	8	7	8	11	9	5	5	7	3	3	5	1	-	-	-
	F--	60	-	6	2	-	-	3	1	8	2	6	3	4	3	2	3	3	2	5	4	2	-	1	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	285	20	13	9	3	2	11	13	11	15	25	16	11	14	16	9	17	9	10	13	14	14	10	8	2	-
E802,	White-----M--	214	10	11	4	2	2	9	11	11	13	22	15	10	12	16	8	16	9	9	10	6	3	5	-	-	-
E840-	F--	69	10	2	5	1	-	2	2	-	-	3	1	1	2	-	1	1	-	1	3	8	11	5	8	2	-
E962	Nonwhite--M--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	63	-	-	-	-	-	-	1	4	7	7	5	5	9	7	2	5	2	5	2	2	-	-	-	-	-
E970-	White-----M--	53	-	-	-	-	-	-	1	4	4	6	4	5	7	7	2	5	-	5	2	1	-	-	-	-	-
E979	F--	9	-	-	-	-	-	-	-	-	3	-	1	-	2	-	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	10	-	-	-	-	-	-	-	1	3	2	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-
E980-	White-----M--	5	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E985	F--	4	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT																										
	ALL CAUSES	4,167	221	16	15	10	12	22	12	35	29	40	45	59	83	134	172	251	334	463	617	582	524	311	139	26	15
	White--M	2,302	125	12	10	7	5	11	9	22	19	25	31	29	51	77	118	170	211	280	335	301	247	142	49	8	8
	F	1,860	96	4	5	3	7	11	3	13	10	15	14	30	32	56	54	81	122	182	282	280	276	169	90	18	7
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms	71	-	-	2	-	-	-	-	1	-	4	2	3	4	6	4	11	8	10	7	8	1	-	-	-	-
	White--M	52	-	-	-	-	-	-	-	1	-	2	1	2	2	4	4	9	6	10	6	4	1	-	-	-	-
	F	18	-	-	2	-	-	-	-	-	-	2	1	1	2	1	-	2	2	-	1	4	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	65	-	-	-	-	-	-	-	1	-	1	2	3	4	6	4	10	8	10	7	8	1	-	-	-	-
	White--M	50	-	-	-	-	-	-	-	1	-	1	1	2	2	4	4	8	6	10	6	4	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	2	-	1	4	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	6	-	-	2	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	4	1	3	-	-	-	-	-
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	11	2	-	1	-	-	-	-	-	-	-	2	-	-	-	-	1	2	1	-	1	1	-	-	-	-
	White--M	5	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
140-205	Malignant neoplasms, etc.*----	615	1	1	1	3	-	4	2	3	4	6	3	14	21	29	37	52	70	88	101	86	51	26	9	2	1
	White-----M--	303	1	-	-	3	-	1	1	1	1	2	2	3	9	13	19	24	38	45	51	51	21	12	5	-	-
	F--	311	-	1	1	-	-	3	1	2	3	4	1	11	12	16	18	28	31	43	50	35	30	14	4	2	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	3	3	3	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	224	-	-	-	-	-	-	-	-	-	1	-	2	1	9	6	18	23	36	43	40	25	14	5	1	-
	White-----M--	114	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	13	12	20	22	20	10	4	3	-	-
	F--	109	-	-	-	-	-	-	-	-	-	1	-	2	1	4	1	5	10	16	21	20	15	10	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	58	-	-	-	-	-	-	-	1	-	-	-	-	2	2	10	5	11	13	1	8	2	3	-	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	2	11	9	1	7	1	3	-	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	3	-	4	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	56	-	-	-	-	-	-	-	-	-	1	-	1	4	3	7	6	5	7	9	8	5	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	1	-	1	4	3	7	6	5	6	9	7	5	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs----	112	-	-	-	-	-	-	-	-	1	1	-	4	5	7	6	12	10	17	20	17	6	4	1	-	1
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	5	10	13	3	2	-	-	-
	F--	72	-	-	-	-	-	-	-	-	1	1	-	4	5	6	5	10	7	12	10	4	3	2	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs----	42	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	6	3	11	3	6	3	-	-	-
	White-----M--	32	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	2	9	2	4	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	46	-	-	-	2	-	1	-	-	1	1	1	3	3	7	3	3	4	3	8	2	2	1	1	-	-
	White-----M--	25	-	-	-	2	-	-	-	-	1	1	-	1	2	5	1	2	2	1	4	2	1	-	-	-	-
	F--	21	-	-	-	-	-	1	-	-	-	-	1	2	1	2	2	1	2	2	4	-	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	39	-	1	1	1	-	3	2	1	2	1	-	1	3	-	2	1	4	6	4	2	2	-	2	-	-
	White-----M--	19	-	-	-	1	-	1	1	-	-	-	-	1	3	-	1	-	2	4	1	2	-	-	2	-	-
	F--	20	-	1	1	-	-	2	1	1	2	1	-	-	-	-	1	1	2	2	3	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	24	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-	2	6	2	2	3	-	1	-	1	-
	White-----M--	17	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	1	3	2	2	2	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	1	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	15	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	1	2	2	-	1	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	2	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	60	-	-	-	1	-	-	-	1	-	-	2	2	1	2	3	2	8	8	7	13	7	2	1	-	-
	White-----M--	22	-	-	-	1	-	-	-	-	-	-	1	-	1	-	2	-	6	4	2	2	2	1	-	-	-
	F--	38	-	-	-	-	-	-	-	1	-	-	1	2	-	2	1	2	2	4	5	11	5	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	19	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	3	7	4	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	3	3	3	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	6	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,342	-	-	-	-	-	1	1	1	-	6	7	10	26	53	94	129	179	291	410	393	375	240	96	18	12
	White-----M--	1,265	-	-	-	-	-	-	-	-	-	3	5	5	19	37	66	91	116	174	222	197	182	107	28	6	7
	F--	1,075	-	-	-	-	-	1	1	1	-	3	2	5	7	16	28	38	63	116	188	196	192	133	68	12	5
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,292	-	-	-	-	-	1	-	1	-	6	5	9	23	53	91	127	175	286	402	385	368	237	95	18	12
	White-----M--	1,238	-	-	-	-	-	-	-	-	-	3	4	5	18	37	66	89	115	173	216	192	176	105	28	6	7
	F--	1,052	-	-	-	-	-	1	-	1	-	3	1	4	7	16	25	38	60	112	186	193	189	132	67	12	5
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	536	-	-	-	-	-	-	-	-	-	2	-	-	1	10	20	22	43	60	100	93	87	69	22	3	4
	White-----M--	249	-	-	-	-	-	-	-	-	-	2	-	-	-	3	12	10	20	37	51	42	40	24	4	1	3
	F--	287	-	-	-	-	-	-	-	-	-	-	-	-	1	7	8	12	23	23	49	51	47	45	18	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever---	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
410-443	Diseases of heart-	1,551	-	-	-	-	-	-	-	-	-	3	4	6	21	39	67	103	126	204	276	255	242	134	53	12	6
	White-----M--	886	-	-	-	-	-	-	-	-	-	1	3	4	15	31	53	77	91	123	149	129	119	63	21	4	3
	F--	663	-	-	-	-	-	-	-	-	-	2	1	2	6	8	14	26	35	80	127	126	122	71	32	8	3
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	42	...	-	-	-	-	-	-	-	-	1	2	3	3	2	4	2	5	5	10	4	1	-	-	-	-
	White-----M--	22	...	-	-	-	-	-	-	-	-	-	1	1	1	1	4	2	2	2	8	1	1	-	-	-	-
	F--	20	...	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	3	3	2	3	-	-	-	-	-
	Nonwhite--M--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,050	-	-	-	-	-	-	-	-	-	2	1	2	15	31	51	81	94	142	196	170	147	77	30	6	5
	White-----M--	642	-	-	-	-	-	-	-	-	-	1	1	2	13	28	41	63	70	93	105	91	76	41	14	1	2
	F--	408	-	-	-	-	-	-	-	-	-	1	-	-	2	3	10	18	24	49	91	79	71	36	16	5	3
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	250	...	-	-	-	-	-	-	-	-	-	1	-	1	-	1	11	10	18	41	44	51	41	17	3	1
	White-----M--	123	...	-	-	-	-	-	-	-	-	-	1	-	1	-	1	9	7	11	24	18	29	15	5	1	1
	F--	126	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	17	26	31	26	12	2	-
	Nonwhite--M--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	39	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	9	5	5	6	2	1	3	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	3	2	2	1	-	2	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	4	2	3	4	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	170	-	-	-	-	-	-	-	-	-	-	-	1	1	4	10	8	14	30	24	32	27	14	5	-	-
	White-----M--	80	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	3	10	14	9	17	11	6	2	-	-
	F--	89	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	5	4	15	15	15	16	8	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	46	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	1	3	7	11	5	8	3	-	1	1
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	5	9	2	3	2	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	2	2	3	3	1	-	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis---------	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	12	11	31	30	30	19	2	1
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	4	19	13	15	3	1	1
	F--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	12	17	15	16	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.--	17	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	1	3	4	1	1	1	1	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	3	-	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*-----------	50	-	-	-	-	-	-	1	-	-	-	2	1	3	-	3	2	4	5	8	8	9	3	1	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	2	1	1	6	5	6	2	-	-	-
	F--	23	-	-	-	-	-	-	1	-	-	-	1	1	-	-	3	-	3	4	2	3	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	137	23	4	3	1	2	2	1	3	-	-	1	3	3	1	2	5	4	5	9	19	29	10	6	1	-
	White-----M--	76	12	2	1	1	-	1	1	2	-	-	1	2	2	1	2	4	2	3	8	11	10	5	4	1	-
	F--	61	11	2	2	-	2	1	-	1	-	-	-	1	1	-	-	1	2	2	1	8	19	5	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	11	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-
	White-----M--	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
	F--	5	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	126	22	4	2	-	2	2	1	2	-	-	1	3	3	1	2	5	4	5	8	18	27	8	5	1	-
	White-----M--	70	11	2	1	-	-	1	1	2	-	-	1	2	2	1	2	4	2	3	7	10	9	5	3	1	-
	F--	56	11	2	1	-	2	1	-	-	-	-	-	1	1	-	-	1	2	2	1	8	18	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	9	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-
	White-----M--	6	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	22	1	-	-	-	-	-	-	-	-	1	-	-	2	2	1	2	4	2	3	1	2	1	-	-	-
	White-----M--	20	1	-	-	-	-	-	-	-	-	1	-	-	2	2	1	2	3	2	2	1	2	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	11	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	2	4	1	1	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	26	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	6	2	1	2	2	-	-
	White-----M--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	1	1	-	-
	F--	18	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	5	2	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1 -	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
543,	Gastritis, etc.*--	14	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	5	-	2	-	-
571,	White-----M--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	1	-	-
572	F--	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	32	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	4	3	4	5	4	3	1	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	4	3	2	2	-	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	2	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-
	White-----M--	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	5	7	4	2	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	4	7	4	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	9	...	...	...	...	...	...	-	-	2	-	3	2	2	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	9	...	...	...	...	...	...	-	-	2	-	3	2	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
648,	plications--------	9	...	...	...	...	...	...	-	-	2	-	3	2	2	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	9	...	...	...	...	...	...	-	-	2	-	3	2	2	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	58	46	1	2	-	-	-	-	-	-	2	2	-	1	1	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	26	20	1	2	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	32	26	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	44	12	1	-	-	-	-	-	1	-	-	-	-	-	-	4	-	4	1	3	3	6	4	3	2	-
795	White-----M--	21	5	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	2	1	3	3	-	-	-
	F--	23	7	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	1	2	3	1	3	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	180	11	-	-	1	1	1	-	2	3	3	1	5	6	14	8	12	21	17	31	16	10	9	5	2	1
sid-	White-----M--	103	6	-	-	-	1	-	-	1	2	2	1	3	5	7	5	9	15	9	16	9	3	6	2	1	-
ual	F--	77	5	-	-	1	-	1	-	1	1	1	-	2	1	7	3	3	6	8	15	7	7	3	3	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents----------	266	5	5	5	1	6	14	7	20	19	12	16	15	13	13	5	12	12	16	16	16	16	10	10	1	1
E962	White-----M--	187	4	4	5	-	2	9	6	16	16	11	15	12	9	10	5	10	9	14	8	9	7	1	4	-	1
	F--	79	1	1	-	1	4	5	1	4	3	1	1	3	4	3	-	2	3	2	8	7	9	9	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents----------	82	-	2	-	-	-	2	-	12	11	5	7	6	7	6	4	4	5	3	5	1	1	1	-	-	-
	White-----M--	66	-	2	-	-	-	2	-	8	10	4	7	4	5	4	4	3	5	2	3	1	1	1	-	-	-
	F--	16	-	-	-	-	-	-	-	4	1	1	-	2	2	2	-	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	184	5	3	5	1	6	12	7	8	8	7	9	9	6	7	1	8	7	13	11	15	15	9	10	1	1
E802,	White-----M--	121	4	2	5	-	2	7	6	8	6	7	8	8	4	6	1	7	4	12	5	8	6	-	4	-	1
E840-	F--	63	1	1	-	1	4	5	1	-	2	-	1	1	2	1	-	1	3	1	6	7	9	9	6	1	-
E962	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	52	-	-	-	-	-	-	2	1	3	5	1	1	4	5	12	7	5	2	1	2	1	-	-	-	-
E970-	White-----M--	44	-	-	-	-	-	-	1	-	2	4	1	1	2	5	11	7	4	2	1	2	1	-	-	-	-
E979	F--	8	-	-	-	-	-	-	-	1	1	1	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA																										
	ALL CAUSES	29,708	2,836	197	107	91	67	206	176	307	498	619	643	840	1,114	1,299	1,919	2,278	2,708	3,222	3,216	3,071	2,312	1,247	519	141	75
	White---M	11,861	1,019	65	37	34	23	85	75	141	229	238	206	311	420	518	729	921	1,075	1,374	1,331	1,359	994	454	179	36	8
	F	8,642	717	57	32	32	15	57	50	46	84	117	136	150	239	263	396	458	623	931	1,095	1,189	1,013	598	266	62	16
	Nonwhite--M	5,125	624	42	26	15	18	33	35	68	89	146	171	205	259	284	425	535	546	506	463	300	167	97	34	13	26
	F	4,080	476	33	12	10	13	31	16	52	96	118	130	174	196	234	369	364	464	411	327	223	138	98	40	30	25
001-019	Tuberculosis, all forms	917	10	12	3	2	1	7	7	27	55	58	96	76	69	68	82	86	71	75	57	32	18	3	2	-	-
	White---M	267	3	2	-	1	-	3	1	1	6	5	15	18	19	23	23	42	21	34	29	17	3	1	-	-	-
	F	166	1	2	1	1	-	-	2	1	5	5	19	11	12	14	8	10	13	17	14	11	15	2	2	-	-
	Nonwhite--M	278	5	5	1	-	1	3	1	10	13	21	30	25	29	26	32	27	24	14	7	4	-	-	-	-	-
	F	206	1	3	1	-	-	1	3	15	31	27	32	22	9	5	19	7	13	10	7	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	836	2	3	-	1	1	1	5	19	50	55	92	74	65	64	76	81	66	73	53	32	18	3	2	-	-
	White---M	252	1	1	-	-	-	1	1	1	4	5	15	18	17	22	22	41	21	33	28	17	3	1	-	-	-
	F	154	1	-	-	1	-	-	1	1	4	5	18	11	12	14	6	7	11	17	13	11	15	2	2	-	-
	Nonwhite--M	241	-	1	-	-	1	-	-	7	12	19	28	24	27	23	27	27	22	13	6	4	-	-	-	-	-
	F	189	-	1	-	-	-	-	3	10	30	26	31	21	9	5	19	6	12	10	6	-	-	-	-	-	-
010-019	Tuberculosis, other forms	81	8	9	3	1	-	6	2	8	5	3	4	2	4	4	6	5	5	2	4	-	-	-	-	-	-
	White---M	15	2	1	-	1	-	2	-	-	2	-	-	-	2	1	1	1	-	1	1	-	-	-	-	-	-
	F	12	-	3	1	-	-	-	1	-	1	-	1	-	-	-	-	3	2	-	1	-	-	-	-	-	-
	Nonwhite--M	37	5	4	1	-	-	3	1	3	1	2	2	1	2	3	5	-	2	1	1	-	-	-	-	-	-
	F	17	1	2	1	-	-	1	-	5	1	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	187	16	-	-	-	-	-	-	-	-	3	9	12	19	22	17	30	14	15	14	10	4	1	-	1	-
	White---M	54	4	-	-	-	-	-	-	-	-	-	1	1	3	2	7	7	6	5	9	5	2	1	-	1	-
	F	22	3	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	2	3	4	1	1	-	-	-	-
	Nonwhite--M	81	4	-	-	-	-	-	-	-	-	2	4	8	11	12	7	18	5	5	1	3	1	-	-	-	-
	F	30	5	-	-	-	-	-	-	-	-	1	3	3	2	6	2	4	1	2	-	1	-	-	-	-	-
040	Typhoid fever	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	16	11	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-
	White---M	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	10	1	-	1	-	1	1	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	4	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	12	1	2	2	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	4	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	46	22	15	5	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	10	4	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	14	5	7	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	8	2	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	41	15	4	4	3	2	1	2	1	-	-	-	1	1	2	2	-	-	-	2	-	-	-	1	-	-
	White---M	21	9	1	4	1	2	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F	12	3	2	-	2	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	63	4	3	5	1	4	16	10	1	7	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	33	1	2	-	1	3	8	7	1	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	3	1	5	-	1	8	2	-	1	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	7	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White---M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	74	6	3	4	-	3	3	1	2	4	-	4	6	5	2	3	5	5	7	2	4	2	3	-	-	-
	White---M	22	2	1	-	-	1	2	-	-	-	-	-	2	2	-	2	1	2	2	2	2	1	2	-	-	-
	F	23	3	1	3	-	1	1	-	-	-	-	1	3	3	-	2	-	-	2	-	1	1	1	-	-	-
	Nonwhite--M	16	1	1	1	-	1	-	-	-	3	-	1	1	-	-	-	3	2	1	-	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	1	2	1	-	2	2	-	-	1	1	1	2	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
140-205	Malignant neoplasms, etc.*	3,387	5	10	8	15	10	28	16	17	26	48	55	98	163	201	321	393	443	459	407	351	207	97	21	4	4
	White—M	1,301	2	2	4	6	3	12	9	8	14	12	15	31	41	64	90	148	176	185	179	152	93	43	11	1	-
	F	1,319	2	7	3	7	4	12	7	7	4	16	27	38	76	83	134	131	137	170	163	144	93	42	9	3	-
	Nonwhite—M	386	-	1	-	-	1	2	-	1	3	12	4	13	13	25	44	56	69	57	43	21	12	7	-	-	2
	F	381	1	-	1	2	2	2	-	1	5	8	9	16	33	29	53	58	61	47	22	14	9	5	1	-	2
140-148	Of buccal cavity and pharynx	84	-	-	-	-	-	-	-	-	2	2	1	4	4	7	10	10	11	8	14	6	4	-	1	-	-
	White—M	51	-	-	-	-	-	-	-	-	-	-	-	2	4	4	6	7	7	7	9	4	3	-	1	-	-
	F	16	-	-	-	-	-	-	-	-	1	1	1	-	-	1	3	-	1	1	4	2	1	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	3	3	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,196	-	-	-	-	-	1	1	2	5	4	8	28	37	43	87	121	184	185	179	158	96	44	10	1	2
	White—M	455	-	-	-	-	-	1	1	-	1	-	3	8	10	10	26	45	72	71	69	75	41	17	5	-	-
	F	431	-	-	-	-	-	-	-	1	1	2	2	12	15	13	23	36	49	65	73	63	48	22	5	1	-
	Nonwhite—M	179	-	-	-	-	-	-	-	1	2	1	2	5	7	15	18	23	32	29	24	10	6	3	-	-	1
	F	131	-	-	-	-	-	-	-	-	1	1	1	3	5	5	20	17	31	20	13	10	1	2	-	-	1
160-164	Of respiratory system	365	-	-	-	-	-	-	-	-	2	2	2	7	16	26	46	56	62	61	36	21	14	10	2	-	-
	White—M	243	-	-	-	-	-	-	-	-	1	-	1	4	11	21	28	41	42	43	24	13	8	5	1	-	-
	F	65	-	-	-	-	-	-	-	-	-	-	1	2	3	3	7	7	8	6	10	7	6	4	1	-	-
	Nonwhite—M	48	-	-	-	-	-	-	-	-	-	2	-	1	1	2	10	7	12	10	2	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	2	-	-	-	1	-	-	-
170	Of breast	294	-	-	-	-	-	-	-	-	-	3	8	8	29	36	34	43	28	34	29	21	13	7	-	1	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	2	-	-	-	-
	F	225	-	-	-	-	-	-	-	-	-	2	7	6	21	27	27	31	20	25	23	19	9	7	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	-	1	1	2	8	8	6	11	8	8	4	1	2	-	-	-	-
171-179	Of genital organs	621	-	-	-	-	-	-	-	1	3	9	11	22	38	35	76	73	78	86	57	62	43	22	2	1	2
	White—M	154	-	-	-	-	-	-	-	1	1	2	2	2	2	-	2	11	11	25	29	29	23	14	1	1	-
	F	292	-	-	-	-	-	-	-	1	1	1	6	11	25	28	50	32	40	37	20	25	12	5	-	-	-
	Nonwhite—M	63	-	-	-	-	-	-	-	1	1	-	1	1	-	-	4	10	11	13	7	5	6	3	-	-	1
	F	112	-	-	-	-	-	-	-	-	-	6	3	8	11	9	20	20	16	11	1	3	2	-	1	-	1
180, 181	Of urinary organs	137	-	-	-	4	1	-	-	1	-	1	3	3	4	7	11	14	20	19	19	14	13	2	1	-	-
	White—M	70	-	-	-	2	-	-	-	1	-	1	2	1	2	6	4	6	11	9	9	7	7	1	1	-	-
	F	34	-	-	-	2	-	-	-	-	-	-	-	-	1	-	4	3	3	7	5	5	4	-	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	4	1	4	2	-	1	-	-	-
	F	15	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	3	2	2	1	-	2	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	406	3	6	-	5	4	5	6	10	5	10	13	14	23	27	43	41	39	39	46	33	19	10	4	1	-
	White—M	180	1	1	-	2	1	3	4	5	4	5	4	7	6	8	21	18	23	19	21	14	6	5	2	-	-
	F	157	2	5	-	2	2	2	2	4	1	2	6	4	9	11	14	14	10	14	19	16	11	4	2	1	-
	Nonwhite—M	36	-	-	-	-	-	-	-	-	-	3	-	1	2	5	6	6	3	4	3	3	-	2	1	-	-	-
	F	33	-	-	-	1	1	-	-	1	-	-	3	2	6	3	2	3	3	2	3	-	2	1	-	-	-
204	Leukemia and aleukemia	156	2	4	7	6	5	21	7	2	3	8	3	7	7	11	8	11	12	10	10	8	1	2	1	-	-
	White—M	71	1	1	4	2	2	7	2	2	3	1	2	4	4	8	2	7	4	4	7	3	-	1	-	-	-
	F	62	-	2	2	3	2	10	5	-	-	6	1	1	1	2	4	2	5	6	3	5	1	-	1	-	-
	Nonwhite—M	14	-	1	-	-	1	2	-	-	-	1	-	2	2	1	1	1	2	-	-	-	-	-	-	-	-
	F	9	1	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-
200-203, 205	Lymphomas, etc.*	130	-	-	1	-	-	1	2	1	6	9	6	5	5	9	6	24	9	17	17	8	4	-	-	-	-
	White—M	68	-	-	-	-	-	1	2	-	4	4	1	3	2	6	2	13	6	6	9	6	3	-	-	-	-
	F	37	-	-	1	-	-	-	-	1	-	2	3	2	1	-	2	6	1	9	6	2	1	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	3	2	-	-	1	2	4	2	-	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	1	-	2	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	102	3	-	2	-	2	1	4	2	2	4	9	9	9	9	8	9	10	7	9	-	2	1	-	-	-
	White—M	22	1	-	1	-	-	-	2	1	-	-	-	2	2	-	5	1	2	1	4	-	-	-	-	-	-
	F	32	2	-	1	-	1	1	2	1	1	1	2	-	2	4	1	1	4	2	3	-	2	1	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	-	1	3	-	-	-	-	-	-	-	-
	F	37	-	-	-	-	1	-	-	-	1	2	6	6	5	3	-	7	3	1	2	-	-	-	-	-	-	-
260	Diabetes mellitus	365	-	1	-	-	-	1	2	5	3	5	8	8	11	16	32	32	38	67	55	46	23	11	1	-	-
	White—M	94	-	-	-	-	-	1	-	2	1	1	3	3	3	5	6	5	13	20	10	13	6	3	-	-	-
	F	160	-	1	-	-	-	-	-	2	-	3	1	1	-	3	8	11	13	32	35	27	16	7	-	-	-
	Nonwhite—M	33	-	-	-	-	-	-	1	-	2	-	2	2	3	2	4	3	4	4	4	1	-	-	1	-	-
	F	78	-	-	-	-	-	-	1	2	-	1	2	2	5	6	14	13	8	11	6	5	1	1	-	-	-
280-283	Anemias	72	1	1	2	-	-	5	1	1	5	2	2	3	1	2	4	2	7	4	14	1	8	3	2	1	-
	White—M	28	-	1	1	-	-	1	-	-	2	-	-	-	-	1	-	1	5	2	9	-	3	-	2	-	-
	F	21	-	-	-	-	-	2	-	-	1	1	-	-	-	-	1	-	1	2	4	1	4	3	-	1	-
	Nonwhite—M	10	1	-	1	-	-	1	-	-	-	-	-	2	-	1	2	-	1	-	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	1	1	1	2	1	2	1	1	-	1	1	-	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis	39	17	5	1	1	1	2	1	-	1	-	1	1	1	1	2	1	1	1	1	-	-	-	-	-	-
	White—M	14	6	1	-	-	-	2	-	-	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	6	-	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	5	1	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F	8	6	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	15,387	8	4	-	2	3	21	14	24	42	94	126	249	441	616	1,052	1,312	1,709	2,129	2,210	2,211	1,698	907	386	104	45
	White—M	6,168	4	3	-	-	1	6	5	8	16	25	45	80	151	235	412	534	667	904	904	966	730	315	129	26	2
	F	4,581	1	-	-	1	-	3	4	7	11	22	21	31	71	95	151	226	370	585	727	857	726	441	200	39	12
	Nonwhite—M	2,471	2	1	-	1	1	5	4	3	4	17	37	68	114	135	250	313	350	352	335	230	133	69	23	10	14
	F	2,167	1	-	-	-	1	7	1	6	11	30	23	70	105	151	219	239	322	288	244	178	109	82	34	29	17
330-334, 400-468	Diseases of cardiovascular system	14,749	7	4	-	2	3	13	12	19	38	76	111	234	410	587	984	1,271	1,656	2,063	2,114	2,125	1,632	872	372	102	42
	White—M	5,973	3	3	-	-	1	3	4	5	15	21	40	77	145	229	402	521	656	886	871	933	702	305	125	25	1
	F	4,445	1	-	-	1	-	1	3	6	9	17	18	30	67	89	145	220	361	573	709	818	707	426	194	39	11
	Nonwhite—M	2,306	2	1	-	1	1	4	4	3	4	11	35	67	103	128	235	299	332	331	307	213	119	62	21	10	13
	F	2,025	1	-	-	-	1	5	1	5	10	27	18	60	95	141	202	231	307	273	227	161	104	79	32	28	17
330-334	Vascular lesions, etc.*	3,685	3	3	-	1	-	1	1	1	5	11	21	56	82	141	241	292	422	523	557	574	432	206	87	17	8
	White—M	1,232	-	2	-	-	-	-	-	-	2	2	5	9	16	30	59	85	109	172	217	239	170	72	36	6	1
	F	1,164	1	-	-	-	-	-	-	-	1	2	2	7	16	29	45	59	102	150	184	219	206	98	39	4	-
	Nonwhite—M	857	1	1	-	1	-	1	1	-	-	2	9	19	23	35	59	68	112	94	86	86	32	19	4	2	2
	F	832	1	-	-	-	-	-	-	1	2	5	5	21	27	47	78	60	99	107	70	50	24	17	8	5	5
400-402	Rheumatic fever	39	1	-	-	-	1	7	4	4	1	5	1	1	4	3	-	-	5	1	-	-	1	-	-	-	-
	White—M	9	-	-	-	-	-	1	1	2	-	-	1	-	-	1	-	-	2	-	-	-	1	-	-	-	-
	F	13	-	-	-	-	-	1	2	-	-	4	-	1	1	-	-	-	3	1	-	-	-	-	-	-	-
	Nonwhite—M	6	1	-	-	-	-	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	1	3	1	1	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
410-443	Diseases of heart	9,900	2	1	-	1	1	4	7	11	29	49	83	154	288	415	684	929	1,153	1,404	1,416	1,395	1,025	542	220	59	28
	White-----M--	4,330	2	1	-	-	-	2	3	3	13	17	34	66	118	187	325	422	520	658	592	634	461	191	71	10	-
	F--	2,924	-	-	-	1	-	-	1	4	7	9	15	17	47	56	91	155	241	401	434	542	430	269	120	26	8
	Nonwhite--M--	1,457	-	-	-	-	1	-	3	1	4	9	22	42	69	85	163	194	200	203	199	125	73	34	15	5	10
	F--	1,189	-	-	-	-	-	2	-	3	5	14	12	29	54	87	105	158	192	142	141	94	61	48	14	18	10
410-416	Chronic rheumatic heart disease----	358	...	-	-	1	1	2	4	6	16	15	19	17	26	30	24	30	35	20	29	42	23	9	3	5	1
	White-----M--	144	...	-	-	-	-	-	3	2	8	8	10	7	7	12	6	10	17	8	9	21	12	3	-	3	-
	F--	125	...	-	-	1	-	-	-	3	3	4	7	3	14	11	12	7	9	7	12	18	9	3	1	1	-
	Nonwhite--M--	41	...	-	-	-	1	-	1	-	2	-	1	4	2	3	3	9	6	1	4	2	1	-	1	-	-
	F--	48	...	-	-	-	-	2	-	1	3	5	1	3	3	4	3	4	3	4	4	1	1	3	1	1	1
420	Arteriosclerotic heart dis., etc.*	5,200	-	-	-	-	-	-	1	2	8	16	33	83	163	254	421	531	669	822	758	689	446	209	71	14	10
	White-----M--	2,800	-	-	-	-	-	-	-	-	4	8	15	51	92	146	261	319	389	453	388	358	234	74	27	1	-
	F--	1,394	-	-	-	-	-	-	-	1	2	2	1	5	15	28	41	77	137	251	251	253	173	108	40	6	3
	Nonwhite--M--	623	-	-	-	-	-	-	1	-	1	3	13	18	36	43	76	87	81	82	88	47	26	11	3	3	4
	F--	383	-	-	-	-	-	-	-	1	1	3	4	9	20	37	43	48	62	36	51	31	13	16	1	4	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,815	...	-	-	-	-	1	-	2	3	10	9	17	19	36	66	120	152	223	255	327	271	178	93	26	7
	White-----M--	595	...	-	-	-	-	1	-	1	1	2	2	1	3	10	20	30	40	79	82	122	105	61	31	4	-
	F--	604	...	-	-	-	-	-	-	-	-	1	3	2	3	5	5	15	26	58	87	127	119	90	48	13	2
	Nonwhite--M--	335	...	-	-	-	-	-	-	-	1	3	3	7	5	11	24	42	44	56	48	42	29	12	5	1	2
	F--	281	...	-	-	-	-	-	-	1	1	4	1	7	8	10	17	33	42	30	38	36	18	15	9	8	3
430-434	Other diseases of heart---------	497	2	1	-	-	-	1	2	1	-	3	11	16	18	22	25	38	54	63	60	67	61	34	11	4	3
	White-----M--	196	2	1	-	-	-	1	-	-	-	-	6	4	7	6	10	17	16	31	24	26	28	12	4	1	-
	F--	144	-	-	-	-	-	-	1	-	-	-	1	4	4	4	3	5	10	15	24	28	22	17	4	2	-
	Nonwhite--M--	85	-	-	-	-	-	-	1	1	-	1	1	5	4	6	9	11	14	10	7	4	4	2	3	-	2
	F--	72	-	-	-	-	-	-	-	-	-	2	3	3	3	6	3	5	14	7	5	9	7	3	-	1	1
440-443	Hypertension with heart dis.--	2,030	-	-	-	-	-	-	-	-	2	5	11	21	62	73	148	210	243	276	314	270	224	112	42	10	7
	White-----M--	595	-	-	-	-	-	-	-	-	-	1	1	3	9	13	28	46	58	87	109	107	82	41	9	1	-
	F--	657	-	-	-	-	-	-	-	-	2	2	3	3	11	8	30	51	59	70	110	116	107	51	27	4	3
	Nonwhite--M--	373	-	-	-	-	-	-	-	-	-	2	4	8	22	22	51	45	55	54	52	30	13	9	3	1	2
	F--	405	-	-	-	-	-	-	-	-	-	-	3	7	20	30	39	68	71	65	43	17	22	11	3	4	2
444-447	Hypertension without mention of heart----------	302	-	-	-	-	-	-	-	-	-	6	4	13	20	15	30	19	27	40	37	30	36	18	6	1	-
	White-----M--	97	-	-	-	-	-	-	-	-	-	1	-	-	3	3	9	4	7	9	19	13	19	5	5	-	-
	F--	67	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	1	7	8	11	10	10	11	1	-	-
	Nonwhite--M--	64	-	-	-	-	-	-	-	-	-	-	2	5	6	6	8	9	5	13	4	3	4	1	-	-	-
	F--	74	-	-	-	-	-	-	-	-	-	4	1	8	9	4	13	5	8	10	3	4	3	1	-	1	-
450	General arteriosclerosis--------	855	-	-	-	-	-	-	-	-	-	-	-	-	4	4	13	13	34	66	90	112	125	106	58	24	6
	White-----M--	225	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	10	26	37	40	46	37	13	9	-
	F--	236	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	8	28	43	55	48	33	8	3
	Nonwhite--M--	97	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	3	14	19	12	18	9	8	2	3	1
	F--	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5	6	13	13	11	15	13	10	4	2
451-468	Other diseases of circulatory sys.-	168	1	-	-	-	1	1	-	3	3	5	2	10	12	9	16	18	15	29	14	14	13	-	1	1	-
	White-----M--	80	1	-	-	-	1	-	-	-	-	1	-	2	7	6	7	8	8	21	6	7	5	-	-	-	-
	F--	41	-	-	-	-	-	-	-	2	1	1	-	5	-	2	5	2	4	5	2	4	6	-	1	1	-
	Nonwhite--M--	25	-	-	-	-	-	1	-	1	-	-	2	1	1	-	3	5	1	2	6	1	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	2	3	-	2	4	1	1	3	2	1	-	2	1	-	-	-	-
592-594	Chronic nephritis etc.*----------	636	1	-	-	-	-	8	2	5	4	18	15	15	31	29	48	41	53	66	96	86	66	35	14	2	3
	White-----M--	195	1	-	-	-	-	3	1	3	1	4	5	3	6	6	10	13	11	18	33	33	28	10	4	1	1
	F--	136	-	-	-	-	-	2	1	1	2	5	3	1	4	6	6	6	9	12	18	19	19	15	6	-	1
	Nonwhite--M--	165	-	-	-	-	-	1	-	-	-	6	2	1	11	7	15	14	18	21	28	17	14	7	2	-	1
	F--	142	-	-	-	-	-	2	-	1	1	3	5	10	10	10	17	8	15	15	17	17	5	3	2	1	-
480-493	Influenza and pneumonia, etc.*-	1,252	289	38	15	10	8	13	6	10	10	11	18	32	32	33	51	78	79	88	122	119	79	70	34	10	4
	White-----M--	376	80	10	6	1	2	-	2	2	6	3	1	6	14	8	15	20	16	30	36	52	27	28	14	1	-
	F--	348	59	6	5	5	2	5	1	1	2	3	2	8	4	5	13	11	10	14	43	48	43	34	15	7	2
	Nonwhite--M--	279	88	11	4	2	-	3	2	4	2	2	6	4	5	9	12	32	32	17	21	8	4	6	3	1	1
	F--	247	62	11	-	2	2	5	1	3	-	3	9	14	9	11	11	15	21	22	22	11	5	4	2	1	1
480-483	Influenza--------	282	40	7	3	-	1	6	1	4	4	2	4	4	9	4	14	15	25	26	36	28	17	19	8	4	1
	White-----M--	72	13	2	1	-	-	-	-	2	3	-	-	1	1	1	2	2	4	7	8	11	3	8	3	-	-
	F--	85	10	-	1	-	-	3	-	-	-	-	1	1	1	-	4	3	3	6	12	14	10	8	4	3	1
	Nonwhite--M--	61	11	3	1	-	-	2	1	2	1	-	-	1	2	1	1	5	11	5	7	2	2	2	1	-	-
	F--	64	6	2	-	-	1	1	-	-	-	2	3	1	5	2	7	5	7	6	9	1	2	1	-	1	-
490-493	Pneumonia, etc.*--	970	249	31	12	10	5	7	5	6	6	9	14	28	23	29	37	63	54	57	86	91	62	51	26	6	3
	White-----M--	306	67	8	5	1	2	-	2	-	3	3	1	5	13	7	13	18	12	23	28	41	24	18	11	1	-
	F--	283	49	6	4	5	2	2	1	1	2	3	1	7	3	5	9	8	7	8	31	34	33	26	11	4	1
	Nonwhite--M--	218	77	8	3	2	-	1	1	2	1	2	6	3	3	8	11	27	21	12	14	6	2	4	2	1	1
	F--	183	56	9	-	2	1	4	1	3	-	1	6	13	4	9	4	10	14	14	13	10	3	3	2	-	1
500-502	Bronchitis--------	82	16	4	-	2	2	-	1	-	-	-	1	-	3	1	1	4	1	9	5	5	2	4	-	-	1
	White-----M--	27	3	1	-	1	-	-	1	-	-	-	1	-	1	1	-	1	1	7	2	3	2	1	-	-	1
	F--	15	5	2	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	2	-	-	-
	Nonwhite--M--	12	4	1	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-
	F--	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	147	-	-	-	-	-	-	-	-	-	1	6	10	8	17	14	23	14	14	16	12	9	3	-	-	-
	White-----M--	91	-	-	-	-	-	-	-	-	-	1	3	5	4	12	11	12	7	12	9	7	7	3	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	6	2	2	5	-	1	-	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	2	3	3	3	2	5	3	-	2	5	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	2	-	-	1	-	-	-	-	-
550-553	Appendicitis------	70	-	-	1	3	-	4	1	4	2	3	1	7	6	7	8	8	2	2	3	3	4	1	-	-	-
	White-----M--	29	-	-	1	1	-	-	-	1	1	1	1	4	2	5	2	1	2	-	1	2	4	-	-	-	-
	F--	17	-	-	-	2	-	2	1	-	1	-	-	-	1	-	3	3	-	1	1	1	-	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	1	-	3	-	-	-	-	3	1	2	4	-	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	2	-	3	-	1	1	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	135	22	1	-	2	-	1	-	2	2	1	2	5	5	8	16	14	13	17	18	26	22	5	2	1	-
	White-----M--	66	11	-	-	2	-	1	-	-	-	-	-	-	1	1	2	4	6	6	8	12	8	3	1	-	-
	F--	56	1	1	-	-	-	-	-	-	-	-	-	2	2	2	4	2	2	8	7	10	12	1	1	1	-
	Nonwhite--M--	34	6	-	-	-	-	-	-	2	-	-	-	1	-	3	2	8	4	3	3	-	2	-	-	-	-
	F--	29	4	-	-	-	-	-	-	-	2	1	2	2	2	2	8	-	1	-	-	4	-	1	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
543,	Gastritis, etc.*--	178	103	8	3	2	-	1	-	3	1	-	2	-	3	5	1	5	6	6	9	6	7	6	2	-	-
571,	White-----M--	62	36	4	-	1	-	-	-	2	-	-	-	-	2	1	-	1	2	2	2	2	2	4	1	-	-
572	F--	56	24	3	1	-	-	1	-	1	1	-	1	-	-	1	-	1	3	3	5	4	5	1	1	-	-
	Nonwhite--M--	45	29	1	2	1	-	-	-	-	-	-	1	-	1	2	1	2	1	1	2	-	-	1	-	-	-
	F--	16	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	191	1	-	-	-	-	-	1	1	2	3	4	15	24	20	27	18	22	23	16	10	2	2	-	-	-
	White-----M--	104	-	-	-	-	-	-	-	-	1	1	3	7	12	13	14	14	14	13	8	4	-	-	-	-	-
	F--	60	1	-	-	-	-	-	1	-	1	-	-	6	7	3	9	2	5	9	7	6	2	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	2	-	2	3	3	2	1	2	-	-	-	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	-	1	-	2	1	2	1	1	1	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*-----------	102	2	-	4	2	2	-	4	4	1	5	3	5	5	7	6	8	10	9	9	7	7	2	-	-	-
	White-----M--	33	1	-	3	-	-	-	1	4	-	1	1	2	-	3	3	3	1	3	2	3	1	1	-	-	-
	F--	21	-	-	-	1	-	-	2	-	-	2	1	2	-	1	1	3	2	1	-	-	4	1	-	-	-
	Nonwhite--M--	31	1	-	1	1	2	-	-	-	-	2	1	1	2	2	1	1	5	3	4	3	1	-	-	-	-
	F--	17	-	-	-	-	-	1	-	1	-	-	-	-	3	1	1	1	2	2	3	1	1	-	-	-	-
610	Hyperplasia of prostate--------	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	13	22	23	23	7	4	1	1
	White-----M--	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	9	12	19	21	6	4	1	1
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	10	4	2	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	82	...	...	...	...	...	...	-	15	17	21	17	10	4	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	38	...	...	...	...	...	...	-	4	8	8	8	7	3	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	44	...	...	...	...	...	...	-	9	9	13	9	3	1	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	11	...	...	...	...	...	...	-	3	2	3	2	1	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	4	...	...	...	...	...	...	-	2	-	-	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	2	3	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	71	...	...	...	...	...	...	-	10	15	18	15	9	4	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	34	...	...	...	...	...	...	-	2	8	8	7	6	3	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	37	...	...	...	...	...	...	-	8	7	10	8	3	1	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	392	300	14	8	5	1	7	8	3	5	4	5	4	3	4	8	6	-	7	-	-	-	-	-	-	-
	White-----M--	176	134	9	1	4	-	3	2	2	3	1	3	1	2	2	2	4	-	3	-	-	-	-	-	-	-
	F--	143	106	5	5	1	-	3	4	-	2	3	1	2	1	2	4	-	-	4	-	-	-	-	-	-	-
	Nonwhite--M--	42	34	-	-	-	1	1	2	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	31	26	-	2	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,692	1,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	622	622	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	429	429	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	363	363	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*------------	634	634	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	182	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied------------	934	934	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	318	318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	227	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	440	101	8	5	2	1	3	6	-	3	10	10	6	12	14	12	15	22	32	26	18	45	35	31	12	11
795	White-----M--	140	29	2	1	1	1	-	1	-	1	1	2	2	5	8	2	8	6	13	8	6	14	13	10	4	2
	F--	125	19	3	1	1	-	-	3	-	1	1	3	2	3	1	2	2	4	6	8	7	20	16	15	6	1
	Nonwhite--M--	98	28	2	3	-	-	2	-	-	-	4	3	1	3	4	5	4	8	7	5	2	5	4	3	2	3
	F--	77	25	1	-	-	-	1	2	-	1	4	2	1	1	1	3	1	4	6	5	3	6	2	3	-	5
Re-	All other diseases	1,320	90	22	11	6	6	17	20	15	38	50	56	63	74	83	102	109	121	121	105	104	59	36	8	2	2
sid-	White-----M--	515	33	9	3	1	3	3	8	4	8	18	11	23	33	31	38	45	50	56	42	42	29	14	4	1	1
ual	F--	423	26	7	3	4	1	4	6	4	10	18	17	12	16	21	23	32	37	47	39	50	22	19	3	1	1
	Nonwhite--M--	213	21	2	3	1	1	2	4	4	8	5	15	12	13	21	15	24	20	10	15	9	4	3	1	-	-
	F--	169	10	4	2	-	1	3	2	3	12	9	13	16	12	10	26	8	14	8	9	3	4	-	-	-	-
E800-	Accidents---------	2,085	95	40	20	28	19	68	65	151	214	196	125	145	136	101	113	71	79	93	78	79	87	48	25	5	6
E962	White-----M--	1,144	50	13	6	13	6	36	33	100	148	131	72	91	77	62	69	36	48	44	39	32	37	16	3	1	1
	F--	399	21	8	2	6	4	12	11	15	23	15	20	15	17	15	15	10	13	19	27	37	46	25	19	4	-
	Nonwhite--M--	410	21	9	9	6	5	12	19	31	31	41	28	33	38	21	26	21	10	21	6	7	3	4	3	-	5
	F--	132	23	10	3	3	4	8	2	5	12	9	5	6	4	3	3	4	8	9	4	3	1	3	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	857	4	6	4	7	7	43	26	94	134	104	63	66	54	38	49	40	33	35	23	10	9	2	3	-	3
	White-----M--	542	2	2	2	5	4	24	16	66	98	70	37	38	33	24	27	21	22	20	14	8	7	-	1	-	1
	F--	120	-	2	2	1	2	7	4	9	12	8	10	9	9	8	9	5	5	9	7	1	1	-	2	-	-
	Nonwhite--M--	164	2	1	-	1	-	6	5	17	19	23	13	18	10	7	12	12	4	6	2	1	1	2	-	-	2
	F--	31	-	1	-	-	1	6	1	2	5	3	3	1	2	1	1	2	2	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,228	91	34	16	21	12	25	39	57	80	92	62	79	82	63	64	31	46	58	53	69	78	48	22	5	3
E802,	White-----M--	602	26	11	4	8	2	12	17	34	50	61	35	53	44	38	42	15	26	24	25	24	30	18	2	1	-
E840-	F--	279	21	6	-	5	2	5	7	6	11	7	10	6	8	9	6	5	8	10	20	36	45	25	17	4	-
E962	Nonwhite--M--	246	19	8	9	5	5	6	14	14	12	18	15	15	28	14	14	9	6	15	4	6	2	2	3	-	3
	F--	101	23	9	3	3	3	2	1	3	7	6	2	5	2	2	2	2	6	9	4	3	1	3	-	-	-
E963,	Suicide-----------	365	-	-	-	-	-	-	1	5	16	41	33	31	47	39	38	30	28	22	13	17	3	1	-	-	-
E970-	White-----M--	260	-	-	-	-	-	-	1	3	7	27	20	23	36	26	21	23	22	18	11	16	3	1	-	-	-
E979	F--	74	-	-	-	-	-	-	-	2	8	11	8	5	11	7	10	3	4	3	1	1	-	-	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	2	3	3	3	-	4	5	4	1	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	301	3	-	1	-	-	-	2	15	40	51	44	42	28	21	19	11	7	6	5	5	-	-	-	-	1
E980-	White-----M--	81	-	-	1	-	-	-	-	2	8	7	5	13	10	9	6	4	4	5	3	4	-	-	-	-	-
E985	F--	27	2	-	-	-	-	-	1	1	4	4	1	2	3	2	3	2	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	156	-	-	-	-	-	-	1	8	21	34	33	22	13	8	8	4	1	1	-	1	-	-	-	-	1
	F--	37	1	-	-	-	-	-	-	4	7	6	5	5	2	2	2	1	1	-	1	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON																										
	ALL CAUSES	22,486	1,522	114	49	65	32	139	104	141	234	271	350	493	599	829	1,160	1,519	2,178	2,690	2,931	2,645	2,319	1,422	537	111	32
	White----M	13,404	818	59	28	34	15	87	62	81	145	167	222	292	357	530	750	1,016	1,442	1,710	1,775	1,504	1,252	721	258	50	20
	F	8,414	588	49	18	29	17	45	35	40	71	82	99	167	205	259	373	465	694	924	1,099	1,086	1,045	688	271	55	9
	Nonwhite--M	433	74	4	2	1	-	4	3	5	11	10	18	23	20	26	22	27	27	40	42	39	16	10	5	3	1
	F	235	42	3	1	1	-	3	4	5	7	12	11	11	16	14	15	11	15	16	15	16	6	3	3	3	2
001-019	Tuberculosis, all forms	355	3	2	2	2	2	3	4	1	17	15	22	26	21	27	45	26	42	32	19	26	11	4	2	1	-
	White----M	225	1	-	-	-	-	1	2	-	6	8	15	11	10	21	36	22	31	24	11	16	8	3	1	-	-
	F	80	-	1	-	1	2	-	-	-	8	5	5	10	8	2	6	2	8	4	6	8	2	1	1	-	-
	Nonwhite--M	31	2	1	2	1	-	1	-	-	-	2	1	3	2	3	2	2	2	3	2	1	1	-	-	-	-
	F	19	-	-	-	-	-	1	2	1	3	2	1	2	1	1	1	-	1	1	-	1	-	-	-	1	-
001-008	Tuberculosis of respiratory system	320	1	1	2	-	-	2	4	-	17	13	20	22	19	24	42	22	38	32	19	24	11	4	2	1	-
	White----M	205	-	-	-	-	-	1	2	-	6	6	13	9	9	18	33	16	27	24	11	16	8	3	1	-	-
	F	72	-	-	-	-	-	-	-	-	8	5	5	8	8	2	6	2	8	4	6	6	2	1	1	-	-
	Nonwhite--M	27	1	1	2	-	-	-	-	-	-	1	1	3	2	3	2	2	2	3	2	1	1	-	-	-	-
	F	16	-	-	-	-	-	1	2	-	3	1	1	2	-	1	1	-	1	1	-	1	-	-	-	1	-
010-018	Tuberculosis, other forms	35	2	1	-	2	2	1	-	1	-	2	2	4	2	3	3	4	4	-	-	2	-	-	-	-	-
	White----M	20	1	-	-	-	-	-	-	-	-	-	2	2	1	3	3	4	4	-	-	-	-	-	-	-	-
	F	8	-	1	-	1	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M	4	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	81	-	-	-	-	-	-	-	-	-	1	1	1	2	8	10	9	15	15	12	9	3	5	-	-	-
	White----M	65	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	6	11	14	10	8	3	2	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	2	1	-	2	-	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	1	2	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	9	2	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	1	-	1	-	-	-
	White----M	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	10	2	2	1	1	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White----M	5	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	30	-	-	2	-	1	2	2	2	3	7	3	4	2	-	1	1	-	-	-	-	-	-	-	-	-
	White----M	17	-	-	2	-	-	1	2	2	1	3	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	1	1	-	-	2	4	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	45	7	-	1	1	-	-	2	2	1	1	2	2	2	3	3	5	3	1	2	3	2	1	-	1	-
	White----M	27	5	-	1	-	-	-	2	1	-	1	2	2	1	2	3	4	1	-	-	1	1	-	-	-	-
	F	17	2	-	-	1	-	-	-	1	1	-	-	-	1	1	-	1	2	1	1	2	1	1	-	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
140-205	Malignant neoplasms, etc.*----	3,282	6	6	4	11	11	24	8	13	18	35	43	86	112	169	218	287	432	504	504	381	251	113	35	-	1
	White-----M--	1,717	2	2	2	3	7	14	5	10	4	15	23	39	45	70	100	159	256	278	281	200	140	67	14	-	1
	F--	1,494	2	4	2	8	4	9	3	3	14	19	20	42	60	93	111	130	191	216	217	171	108	46	21	-	-
	Nonwhite--M--	34	1	-	-	-	-	1	-	-	-	-	-	2	2	2	2	5	3	4	3	8	1	-	-	-	-
	F--	37	1	-	-	-	-	-	-	-	-	1	-	3	5	4	5	3	2	6	3	2	2	-	-	-	-
140-148	Of buccal cavity and pharynx------	71	-	-	-	-	-	1	-	-	-	1	2	2	2	2	6	8	7	12	9	7	4	4	-	-	-
	White-----M--	64	-	-	-	-	-	1	-	-	-	1	2	2	1	1	5	8	7	10	8	7	4	4	3	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,297	1	-	1	-	-	1	-	-	1	5	3	20	18	51	75	111	165	224	246	185	125	49	15	-	1
	White-----M--	728	-	-	-	-	-	1	-	-	-	2	1	12	11	28	44	69	101	133	138	94	66	24	3	-	1
	F--	542	-	-	1	-	-	-	-	-	1	3	2	6	7	21	30	39	61	86	106	84	58	25	12	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	1	1	7	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	4	1	-	1	-	-	-	-
160-164	Of respiratory system----------	293	-	-	1	1	-	-	-	-	1	-	2	9	9	22	17	37	59	49	49	26	6	5	-	-	-
	White-----M--	230	-	-	1	-	-	-	-	-	1	-	1	6	6	19	17	33	47	36	39	17	3	4	-	-	-
	F--	56	-	-	-	1	-	-	-	-	-	-	1	3	2	3	-	3	11	10	9	9	3	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	265	-	-	-	-	-	-	-	-	-	1	4	7	22	20	29	29	36	28	29	30	22	5	3	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-
	F--	254	-	-	-	-	-	-	-	-	-	1	4	6	21	19	29	28	35	27	28	29	19	5	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-
171-179	Of genital organs----------	570	-	-	-	-	-	-	-	1	1	11	8	21	30	35	38	44	66	80	73	75	55	26	6	-	-
	White-----M--	234	-	-	-	-	-	-	-	1	-	3	3	2	5	1	3	11	15	35	39	50	42	20	4	-	-
	F--	320	-	-	-	-	-	-	-	-	1	7	5	19	21	34	31	31	51	44	34	23	11	6	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	-	-	4	-	4	2	-	1	-	1	1	-	-	-	-
180, 181	Of urinary organs----------	158	1	2	-	2	1	1	1	-	-	-	2	3	3	7	6	15	24	22	27	18	12	10	1	-	-
	White-----M--	105	-	1	-	-	1	1	1	-	-	-	2	1	2	2	4	9	20	13	20	10	10	7	1	-	-
	F--	50	1	1	-	2	-	-	-	-	-	-	-	-	1	5	2	6	4	9	6	8	2	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	326	-	1	-	-	5	7	-	8	4	5	13	10	11	20	22	29	43	51	42	21	16	12	6	-	-
	White-----M--	169	-	-	-	-	2	3	-	5	1	1	9	7	6	10	10	14	27	28	19	9	9	6	3	-	-
	F--	152	-	1	-	-	3	3	-	3	3	4	4	3	5	9	11	15	15	23	22	12	7	6	3	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	152	4	3	2	8	4	8	3	2	3	4	6	7	6	7	8	11	12	24	12	10	6	2	-	-	-
	White-----M--	86	2	1	1	3	3	4	2	2	1	3	2	5	4	6	5	6	6	15	6	6	1	2	-	-	-
	F--	61	1	2	1	5	1	4	1	-	2	1	4	2	2	-	3	4	6	8	5	4	5	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*----	150	-	-	-	-	1	6	4	2	8	8	3	7	11	5	17	13	20	14	17	9	5	-	-	-	-
	White-----M--	95	-	-	-	-	1	4	2	2	1	5	3	4	10	3	12	9	12	7	11	7	2	-	-	-	-
	F--	53	-	-	-	-	-	2	2	-	7	3	-	3	-	1	5	4	8	7	6	2	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms----	71	1	2	-	-	-	3	1	2	3	3	-	5	5	5	4	7	8	7	6	5	3	1	-	-	-
	White-----M--	32	1	2	-	-	-	2	1	1	2	1	-	1	3	2	2	2	4	1	3	3	1	-	-	-	-
	F--	38	-	-	-	-	-	1	-	1	1	2	-	3	2	3	2	5	4	6	3	2	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus----	339	1	-	1	1	-	2	4	3	3	2	2	5	6	7	8	22	37	56	63	55	36	19	5	1	-
	White-----M--	142	-	-	-	-	-	2	2	1	1	-	-	4	2	3	6	11	15	17	33	27	11	5	2	-	-
	F--	190	-	-	1	1	-	-	2	2	2	2	2	1	3	4	2	11	21	37	29	27	25	14	3	1	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
290-293	Anemias----------	58	-	1	-	1	-	-	-	-	-	-	1	-	2	1	4	2	3	3	11	11	9	8	1	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	3	6	7	2	5	1	-	-
	F--	29	-	1	-	1	-	-	-	-	-	-	-	-	-	-	3	2	3	-	5	4	7	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	36	11	4	1	2	-	1	1	1	-	1	3	2	2	-	2	1	-	2	1	-	-	-	1	-	-
	White-----M--	23	9	2	1	2	-	1	-	-	-	1	1	1	1	-	2	-	-	1	1	-	-	-	-	-	-
	F--	11	1	2	-	-	-	-	1	1	-	-	2	-	1	-	-	1	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	11,865	6	1	1	2	1	7	8	14	17	23	52	131	213	340	593	846	1,265	1,658	1,909	1,807	1,603	1,000	377	73	18
	White-----M--	7,199	2	1	1	1	-	3	5	7	7	14	32	78	135	239	407	599	865	1,062	1,155	1,013	839	500	190	35	9
	F--	4,529	3	-	-	1	1	3	3	5	7	6	16	46	68	83	168	229	376	563	718	765	752	491	184	35	6
	Nonwhite--M--	154	1	-	-	-	-	1	-	-	2	1	3	3	4	10	10	12	15	26	26	19	8	7	2	3	1
	F--	83	-	-	-	-	-	-	-	2	1	2	1	4	6	8	8	6	9	7	10	10	4	2	1	-	2
330-334, 400-468	Diseases of cardiovascular system----	11,722	6	1	1	2	1	6	8	12	16	19	45	122	208	328	580	824	1,237	1,638	1,871	1,779	1,582	994	369	71	18
	White-----M--	7,072	2	1	1	1	-	3	5	6	6	12	28	73	130	230	399	587	847	1,055	1,138	1,000	829	491	186	33	9
	F--	4,421	3	-	-	1	1	2	3	4	7	4	14	42	63	80	163	219	366	551	699	751	742	484	181	35	6
	Nonwhite--M--	147	1	-	-	-	-	1	-	-	2	1	2	3	3	10	10	12	15	26	24	18	7	7	1	3	1
	F--	82	-	-	-	-	-	-	-	2	1	2	1	4	6	8	8	6	9	6	10	10	4	2	1	-	2
330-334	Vascular lesions, etc.*----------	2,642	2	-	-	-	-	1	2	1	3	6	8	12	30	53	108	140	234	378	443	474	399	263	69	10	6
	White-----M--	1,358	1	-	-	-	-	-	-	-	1	4	6	7	7	28	52	66	131	201	234	259	202	116	36	6	1
	F--	1,219	-	-	-	-	-	1	2	1	2	1	2	3	22	22	53	69	96	164	199	206	193	144	33	3	3
	Nonwhite--M--	46	1	-	-	-	-	-	-	-	-	1	-	2	-	1	1	3	4	11	8	6	3	3	-	1	1
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	2	3	1	-	-	-	-	1
400-402	Rheumatic fever----	29	-	-	-	1	-	1	3	3	3	3	4	2	7	1	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	18	-	-	-	1	-	-	3	2	1	1	4	1	4	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	2	2	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
410-443	Diseases of heart-	8,168	2	-	-	1	-	2	3	7	7	8	25	96	154	259	448	645	954	1,191	1,318	1,157	1,010	582	246	45	8
	White-----M--	5,205	-	-	-	-	-	2	2	4	4	6	14	60	114	192	332	494	681	814	833	663	539	300	123	23	5
	F--	2,817	2	-	-	1	-	-	1	2	1	1	8	31	34	52	101	139	258	359	461	479	465	277	121	21	3
	Nonwhite--M--	92	-	-	-	-	-	-	-	-	1	-	2	1	2	9	9	8	10	15	16	9	4	4	1	1	-
	F--	54	-	-	-	-	-	-	-	1	1	1	1	4	4	6	6	4	5	3	8	6	2	1	1	-	-
410-416	Chronic rheumatic heart disease----	300	...	-	-	-	-	2	3	4	4	3	9	24	18	18	29	44	29	37	25	24	13	12	2	-	-
	White-----M--	160	...	-	-	-	-	2	2	2	3	2	5	12	10	9	12	23	16	22	18	12	6	4	-	-	-
	F--	131	...	-	-	-	-	-	1	1	1	1	4	10	7	9	16	20	13	15	6	10	7	8	2	-	-
	Nonwhite--M--	3	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	F--	6	...	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,322	-	-	-	-	-	-	-	1	1	3	11	49	103	179	307	461	689	845	891	729	597	297	132	24	3
	White-----M--	3,706	-	-	-	-	-	-	-	-	1	3	7	40	85	150	256	381	519	612	599	451	350	175	63	11	3
	F--	1,542	-	-	-	-	-	-	-	1	-	-	1	8	17	22	45	73	159	220	279	270	246	121	68	12	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	-	-	2	-	1	6	5	4	8	12	10	5	1	1	1	1	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	3	1	3	3	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	981	...	-	-	-	-	-	-	-	-	1	2	8	11	14	33	45	80	112	159	156	157	124	63	12	4
	White-----M--	541	...	-	-	-	-	-	-	-	-	-	1	3	7	9	24	33	53	71	85	76	80	55	37	5	2
	F--	418	...	-	-	-	-	-	-	-	-	-	1	3	2	2	6	10	27	41	68	76	77	67	25	7	2
	Nonwhite--M--	10	...	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	4	1	-	2	-	-	-
	F--	12	...	-	-	-	-	-	-	-	-	1	-	1	2	3	-	1	-	-	2	1	-	-	1	-	-
430-434	Other diseases of heart--------	500	2	-	-	1	-	-	-	1	-	1	-	8	10	15	26	35	55	52	80	79	70	41	21	3	-
	White-----M--	297	-	-	-	-	-	-	-	1	-	1	-	3	8	5	17	24	45	34	53	44	50	21	9	2	-
	F--	189	2	-	-	1	-	-	-	-	-	-	-	5	1	8	7	10	9	16	26	34	38	19	12	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	1	1	-	-	-
440-443	Hypertension with heart dis.--	1,065	-	-	-	-	-	-	-	1	2	-	3	7	12	33	53	60	101	145	163	169	173	109	28	6	1
	White-----M--	501	-	-	-	-	-	-	-	1	-	-	1	2	4	19	23	33	48	75	76	80	73	45	14	5	-
	F--	537	-	-	-	-	-	-	-	-	-	-	2	5	7	11	25	26	50	67	82	87	97	62	14	1	1
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	1	1	1	1	1	2	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	2	2	2	1	1	-	-	-	-
444-447	Hypertension without mention of heart----------	191	-	-	-	-	-	-	-	-	-	1	5	3	6	8	13	14	18	20	24	26	31	21	1	-	-
	White-----M--	105	-	-	-	-	-	-	-	-	-	-	2	1	2	5	8	9	15	11	17	9	14	11	1	-	-
	F--	80	-	-	-	-	-	-	-	-	-	-	3	2	3	3	5	4	2	9	7	15	17	10	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	542	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	18	34	64	105	130	112	52	15	3
	White-----M--	291	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	11	21	38	56	68	61	25	4	3
	F--	245	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	6	13	26	47	61	50	27	10	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	150	2	1	1	-	1	2	-	1	3	1	3	9	4	5	10	20	13	15	22	17	12	5	1	1	1
	White-----M--	95	1	1	1	-	-	1	-	-	-	1	2	4	3	3	7	15	9	8	18	13	6	3	1	-	-
	F--	51	1	-	-	-	1	1	-	-	2	-	1	5	1	2	3	5	4	6	6	4	6	2	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
592-594	Chronic nephritis etc.*----------	243	-	-	-	-	-	1	-	2	1	4	7	9	11	12	13	22	28	20	38	28	21	16	8	2	-
	White-----M--	127	-	-	-	-	-	-	-	1	1	2	4	5	5	9	8	12	18	7	17	13	10	9	4	2	-
	F--	108	-	-	-	-	-	1	-	1	-	2	2	4	5	3	5	10	10	12	19	14	10	7	3	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	1	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	857	109	19	3	2	2	2	2	4	5	6	8	11	16	17	13	24	39	56	60	62	79	74	35	8	1
	White-----M--	364	47	10	1	1	1	-	-	1	2	4	5	8	8	11	11	13	30	36	35	36	47	41	14	2	-
	F--	251	39	8	2	1	1	2	2	3	2	2	3	3	8	5	2	10	9	18	21	22	31	32	18	6	1
	Nonwhite--M--	23	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	1	2	-	-
	F--	19	12	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-
480-483	Influenza---------	60	7	2	3	-	1	1	-	-	-	3	-	1	2	1	1	1	3	8	7	6	7	3	2	1	-
	White-----M--	31	2	1	1	-	-	-	-	-	-	2	-	1	1	-	1	1	2	4	4	5	4	1	-	1	-
	F--	27	3	1	2	-	1	1	-	-	-	1	-	-	1	1	-	-	1	4	3	1	3	2	2	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	597	102	17	-	2	1	1	2	4	5	3	6	10	14	16	12	23	36	48	53	56	72	71	33	7	1
	White-----M--	333	45	9	-	1	1	-	-	1	2	2	5	7	7	11	10	12	28	32	31	31	43	40	14	1	-
	F--	224	36	7	-	1	-	1	2	3	2	1	3	3	7	4	2	10	8	14	18	21	28	30	16	6	1
	Nonwhite--M--	22	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	1	2	-	-
	F--	18	11	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-
500-502	Bronchitis--------	37	9	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	1	6	4	4	3	3	1	-
	White-----M--	28	8	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	5	3	2	2	3	-	-
	F--	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	129	1	-	-	-	-	-	-	-	-	1	1	-	2	10	9	17	18	26	17	12	12	3	-	-	-
	White-----M--	103	1	-	-	-	-	-	-	-	-	-	-	-	2	8	5	15	15	24	10	10	11	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	2	3	2	7	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	33	2	-	-	1	1	2	1	1	1	-	-	-	2	3	1	1	4	4	4	1	3	-	1	-	-
	White-----M--	21	2	-	-	-	-	1	1	-	-	-	-	-	-	3	-	1	3	4	2	1	2	-	1	-	-
	F--	10	-	-	-	1	1	1	-	-	1	-	-	-	1	-	1	-	1	-	2	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	126	13	1	-	1	-	-	-	-	1	1	1	1	1	6	6	6	8	16	14	18	21	9	-	2	-
	White-----M--	68	8	-	-	-	-	-	-	-	-	1	-	1	1	3	3	-	4	11	8	11	11	4	-	2	-
	F--	51	5	-	-	1	-	-	-	-	1	-	-	-	-	2	3	6	3	5	5	5	10	5	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
543,	Gastritis, etc.*--	74	29	1	1	1	-	-	-	1	-	1	1	3	2	3	5	4	5	2	4	3	1	3	1	3	-
571,	White-----M--	34	12	-	1	-	-	-	-	1	-	-	-	1	1	1	3	2	4	1	2	1	-	3	-	1	-
572	F--	30	8	1	-	1	-	-	-	-	-	1	1	2	-	2	2	2	1	1	2	2	1	-	1	2	-
	Nonwhite--M--	8	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	176	1	-	-	-	-	-	-	1	-	4	6	7	23	19	19	26	17	26	8	13	6	-	-	-	-
	White-----M--	106	1	-	-	-	-	-	-	-	-	3	1	4	13	10	15	16	11	19	2	8	3	-	-	-	-
	F--	64	-	-	-	-	-	-	-	1	-	1	4	3	8	8	4	10	5	7	6	4	3	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
580,	Acute nephritis,																										
591	etc.*----------	40	2	2	-	1	-	1	1	2	1	-	2	1	3	1	5	3	3	3	3	1	2	3	-	-	-
	White-----M--	27	1	1	-	1	-	1	1	2	1	-	2	1	2	1	3	1	2	2	3	1	-	1	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	9	18	21	31	15	5	-	-
	White-----M--	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	9	18	21	30	15	5	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	24	...	...	...	...	...	...	-	1	6	7	6	4	-	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	21	...	...	...	...	...	...	-	1	6	4	6	4	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	3	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	5	...	...	...	...	...	...	-	-	-	3	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	4	...	...	...	...	...	...	-	-	-	2	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications--------	19	...	...	...	...	...	...	-	1	6	4	4	4	-	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	17	...	...	...	...	...	...	-	1	6	2	4	4	-	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	2	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	281	212	20	8	1	-	7	3	3	2	3	4	3	1	-	3	3	1	-	2	2	2	1	-	-	-
	White-----M--	147	118	8	4	-	-	3	3	-	2	1	2	2	-	-	2	1	-	-	-	-	1	-	-	-	-
	F--	130	92	11	3	1	-	4	-	3	-	2	2	1	1	-	1	2	1	-	2	2	1	1	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	936	936	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	509	509	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	377	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	460	460	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied------------	442	442	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	339	19	2	-	1	-	-	-	-	1	2	-	4	3	10	20	13	22	34	49	45	45	33	26	7	3
795	White-----M--	222	5	2	-	1	-	-	-	-	1	-	-	3	2	9	13	9	18	28	45	30	25	15	11	3	2
	F--	101	8	-	-	-	-	-	-	-	-	2	-	1	-	1	6	3	4	6	3	14	19	18	13	2	1
	Nonwhite--M--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	-	-
	F--	8	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-
Re-	All other diseases	1,057	56	13	7	8	3	20	10	10	14	13	31	47	49	51	55	75	117	112	129	85	86	44	17	6	-
sid-	White-----M--	592	29	4	3	6	3	10	2	5	7	6	11	28	27	26	22	49	79	75	72	51	46	21	7	3	-
ual	F--	420	17	9	4	2	-	9	8	4	4	7	15	17	17	23	33	23	36	35	55	30	37	22	10	3	-
	Nonwhite--M--	33	9	-	-	-	-	-	-	-	2	-	-	2	3	2	-	3	2	2	2	3	3	-	-	-	-	-
	F--	12	1	-	-	-	-	1	-	1	1	-	5	-	1	-	-	-	-	-	-	1	-	1	-	-	-
E800-	Accidents---------	1,673	88	36	17	26	11	59	50	75	120	119	113	97	83	82	91	79	90	90	61	67	97	78	27	8	9
E962	White-----M--	1,193	56	25	11	16	4	43	34	57	96	91	89	76	65	62	68	62	68	72	46	43	58	31	8	4	8
	F--	408	26	10	6	9	7	14	12	13	17	20	14	14	16	18	19	13	20	16	12	23	39	46	19	4	1
	Nonwhite--M--	56	5	-	-	-	-	1	2	4	6	6	9	7	2	2	3	3	-	2	2	1	-	1	-	-	-
	F--	16	1	1	-	1	-	1	2	1	1	2	1	-	-	-	1	1	2	-	1	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	548	5	5	3	11	5	25	19	40	75	60	42	32	30	25	33	25	30	28	17	15	17	3	-	1	2
	White-----M--	394	3	4	1	8	2	20	11	30	58	44	30	21	20	16	23	20	16	19	15	10	15	3	-	1	2
	F--	130	2	1	2	3	3	5	7	10	13	12	8	8	10	8	9	2	10	8	2	5	2	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	1	-	3	3	4	3	-	1	-	2	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
E800-	All ot. accidents	1,125	83	31	14	15	6	34	31	35	45	59	71	65	53	57	58	54	60	62	44	52	80	75	27	7	7
E802,	White-----M--	799	53	21	10	8	2	23	23	27	38	47	58	55	45	46	45	42	50	53	31	33	43	28	8	3	6
E940-	F--	278	24	9	4	6	4	9	5	3	4	8	6	6	6	10	10	11	10	8	10	18	37	46	19	4	1
E962	Nonwhite--M--	38	5	-	-	-	-	1	1	4	3	3	5	4	2	1	3	1	-	1	2	1	-	1	-	-	-
	F--	10	1	1	-	1	-	1	2	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E963,	Suicide----------	428	-	-	-	-	-	-	3	1	16	18	38	48	39	61	38	42	39	31	26	12	11	3	1	-	-
E970-	White-----M--	354	-	-	-	-	-	-	2	1	10	14	33	30	30	51	33	35	37	26	25	12	11	3	1	-	-
E979	F--	65	-	-	-	-	-	-	-	-	5	4	6	15	8	8	5	7	2	4	1	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	64	1	-	-	1	-	2	2	3	5	6	8	5	8	5	5	4	2	2	2	1	1	1	-	-	-
E980-	White-----M--	39	-	-	-	1	-	2	-	1	5	4	2	-	6	3	5	4	1	2	1	1	-	1	-	-	-
E985	F--	13	1	-	-	-	-	-	2	2	-	1	1	2	-	2	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA																										
	ALL CAUSES	17,428	1,822	126	85	52	48	144	108	168	280	307	330	446	608	736	951	1,201	1,405	1,808	1,971	1,884	1,578	847	349	93	81
	White	9,546	1,018	83	40	25	22	81	56	108	184	170	200	248	326	393	540	685	819	1,014	1,053	1,027	819	407	170	37	41
	M	6,498	660	58	38	20	23	55	44	48	75	104	97	140	207	245	287	370	444	665	789	774	707	410	166	51	21
	Nonwhite	839	78	3	3	3	1	6	2	4	13	23	20	29	44	61	72	95	101	83	83	55	30	16	5	1	8
	M	545	66	2	4	4	2	2	6	8	8	10	13	29	31	37	52	51	41	45	46	28	22	14	8	4	11
001-019	Tuberculosis, all forms	424	8	7	3	3	1	2	3	11	27	37	27	35	42	36	40	34	30	24	25	21	4	3	-	-	1
	White	221	3	1	1	1	-	-	-	5	7	9	15	20	24	23	25	25	18	13	11	16	1	2	-	-	1
	M	147	4	4	2	2	1	-	3	2	15	23	11	11	14	8	9	5	9	7	13	4	1	1	-	-	-
	Nonwhite	35	-	1	-	-	-	1	-	-	3	4	1	2	3	6	3	3	3	2	1	1	1	-	-	-	-
	M	21	1	1	-	-	-	1	-	4	2	1	-	2	1	1	3	1	-	2	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	378	2	1	1	1	-	1	1	11	22	35	25	33	40	33	39	33	28	23	23	16	4	3	-	-	1
	White	205	1	-	1	1	-	-	-	5	6	9	13	19	23	21	25	25	16	12	10	14	1	2	-	-	1
	M	125	1	1	-	-	-	-	1	2	13	21	11	10	14	6	8	4	9	7	12	3	1	1	-	-	-
	Nonwhite	30	-	-	-	-	-	-	-	-	1	4	1	2	3	5	3	3	3	2	1	1	1	-	-	-	-
	M	18	-	-	-	-	-	1	-	4	2	1	-	2	-	1	3	1	-	2	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms	46	6	6	2	2	1	1	2	-	5	2	2	2	2	3	1	1	2	1	2	3	-	-	-	-	-
	White	16	2	1	-	-	-	-	-	-	1	-	2	1	1	2	-	-	2	1	1	2	-	-	-	-	-
	M	22	3	3	2	2	1	-	2	-	2	2	-	1	-	-	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite	5	-	1	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	108	1	-	-	-	-	-	-	-	1	-	4	9	10	16	11	16	8	16	7	6	2	1	-	-	-
	White	47	1	-	-	-	-	-	-	-	1	-	1	4	3	5	1	10	5	11	3	1	1	-	-	-	-
	M	28	-	-	-	-	-	-	-	-	-	-	1	2	4	5	4	2	2	4	-	4	-	-	-	-	-
	Nonwhite	25	-	-	-	-	-	-	-	-	-	-	1	3	1	5	3	3	1	1	4	1	1	1	-	-	-
	M	8	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-	-	-
	White	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-
	M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	12	-	1	-	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	7	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	48	36	6	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	15	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	28	20	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	32	10	5	3	2	1	4	1	1	-	-	1	1	-	1	-	-	1	-	-	-	-	1	-	-	-
	White	18	4	3	1	-	1	3	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-
	M	10	3	2	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	24	-	-	5	-	3	4	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	14	-	-	2	-	2	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	-	-	3	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	19	2	3	2	1	1	3	2	1	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	White	10	1	3	1	-	1	1	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	M	9	1	-	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	58	8	6	3	1	-	2	2	2	3	4	2	3	1	4	3	1	2	1	4	2	3	1	-	-	-
	White	30	2	3	1	1	-	1	1	2	2	2	1	2	1	1	1	1	2	1	3	-	1	1	-	-	-
	M	26	5	3	1	-	-	1	1	-	1	2	1	1	-	3	2	-	-	-	1	2	2	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
140-205	Malignant neoplasms, etc.*----	2,187	4	2	3	7	3	13	5	7	8	20	42	54	101	144	200	271	254	306	287	228	148	53	14	5	8
	White----M--	995	2	-	2	5	2	5	3	4	3	8	19	19	24	55	83	118	120	143	146	117	73	23	5	2	4
	F--	1,044	-	2	-	1	1	8	2	2	5	10	21	30	70	78	91	129	107	146	126	102	70	29	8	3	3
	Nonwhite--M--	83	2	-	-	-	-	-	-	1	-	1	-	2	3	5	7	18	19	10	10	4	1	-	-	-	-
	F--	65	-	-	1	1	-	-	-	-	-	1	2	3	4	6	9	6	8	7	5	5	4	1	1	-	1
140-148	Of buccal cavity and pharynx------	39	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	4	5	6	3	4	4	3	-	-	1
	White----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	6	3	4	4	1	-	-	1
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	-	-	-	-	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	812	-	-	-	-	1	-	1	-	2	3	3	11	23	35	64	92	98	150	116	103	75	25	6	3	1
	White----M--	395	-	-	-	-	1	-	1	-	1	1	3	5	8	23	29	46	50	74	58	50	31	10	2	2	-
	F--	357	-	-	-	-	-	-	-	-	1	1	-	6	13	9	32	33	37	66	51	48	41	14	3	1	1
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	9	9	9	5	1	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	2	1	2	4	2	1	1	-	-
160-164	Of respiratory system----------	219	-	-	-	-	-	-	-	1	-	1	2	3	9	16	38	39	30	29	28	12	7	2	-	-	2
	White----M--	165	-	-	-	-	-	-	-	1	-	-	1	3	7	12	32	32	22	20	18	9	5	1	-	-	2
	F--	40	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	3	6	8	9	3	2	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
170	Of breast---------	172	-	-	-	-	-	-	-	-	-	-	4	5	15	19	13	28	22	17	19	13	10	3	2	-	2
	White----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	F--	156	-	-	-	-	-	-	-	-	-	-	2	3	14	15	11	28	21	16	18	12	10	3	2	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	-	1	1	-	-	-	-	-	-	1
171-179	Of genital organs-	418	-	-	-	-	-	-	1	-	1	4	13	18	36	32	38	49	38	49	53	47	27	9	2	-	1
	White----M--	135	-	-	-	-	-	-	-	-	1	1	3	1	1	-	2	3	11	19	34	29	21	6	2	-	1
	F--	258	-	-	-	-	-	-	1	-	-	-	5	10	16	34	32	30	42	20	28	16	17	6	3	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-	3	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	1	3	2	-	-	-	-	-	-	-
180, 181	Of urinary organs-	98	2	-	-	2	-	1	-	-	-	-	-	3	4	4	3	18	13	8	20	10	7	2	-	-	1
	White----M--	51	-	-	-	1	-	-	-	-	-	-	-	1	2	2	2	12	8	2	10	6	5	2	-	-	-
	F--	36	-	-	-	1	-	1	-	-	-	-	-	2	1	1	1	4	5	5	9	3	2	-	-	-	1
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	246	-	1	2	-	1	4	1	3	1	3	10	4	8	18	21	25	27	30	30	27	16	8	4	2	-
	White----M--	118	-	-	1	-	-	2	1	1	-	1	7	3	4	6	13	17	14	14	13	11	6	3	1	-	-
	F--	116	-	1	-	-	1	2	-	1	1	2	3	1	4	10	8	8	12	14	16	14	8	5	3	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	9	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	2	-	-	-	-
204	Leukemia and aleukemia----------	96	1	1	1	5	1	6	1	2	3	4	5	3	2	8	11	7	11	9	8	6	1	-	-	-	-
	White----M--	56	1	-	1	4	1	2	-	2	1	2	2	2	-	3	7	3	9	6	4	5	1	-	-	-	-
	F--	34	-	1	-	-	-	4	1	-	2	2	3	1	2	5	3	3	-	3	3	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	87	1	-	-	-	-	2	1	1	1	5	5	8	2	8	10	9	10	8	10	6	1	1	-	-	-
	White----M--	45	1	-	-	-	-	1	1	-	-	3	3	4	1	6	7	4	5	2	5	2	-	-	-	-	-
	F--	37	-	-	-	-	-	1	-	1	1	1	2	1	1	2	2	5	4	6	4	4	1	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	59	1	-	1	-	-	-	-	1	1	3	4	2	4	8	3	2	7	9	7	3	-	3	-	-	-
	White----M--	24	-	-	-	-	-	-	-	-	1	1	1	-	1	6	-	2	3	5	2	2	-	-	-	-	-
	F--	27	1	-	1	-	-	-	-	1	-	1	2	1	2	2	1	-	3	4	4	1	-	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	1	-	1	-	-	-	-	-	-
260	Diabetes mellitus-	244	-	-	-	-	-	1	3	2	5	5	3	3	2	7	14	28	32	49	36	22	21	8	2	-	1
	White----M--	73	-	-	-	-	-	-	1	1	2	2	1	-	1	3	3	5	13	12	10	8	7	3	1	-	-
	F--	151	-	-	-	-	-	1	1	1	3	3	2	3	1	3	7	20	17	34	22	13	14	5	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	3	1	2	3	1	-	-	-	-	1
290-293	Anemias----------	52	8	2	-	-	-	-	2	-	-	-	-	-	4	3	3	1	3	2	3	8	10	2	-	1	-
	White----M--	28	3	2	-	-	-	-	-	-	-	-	-	-	2	2	3	-	1	1	1	5	7	1	-	-	-
	F--	24	5	-	-	-	-	-	2	-	-	-	-	-	2	1	-	1	2	1	2	3	3	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	25	7	2	3	-	2	1	-	1	-	-	1	2	-	1	-	1	3	-	-	-	-	1	-	-	-
	White----M--	15	5	2	1	-	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	1	-	-	-
	F--	9	2	-	2	-	-	1	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	8,330	9	2	3	1	1	6	15	23	26	40	51	115	227	304	456	625	820	1,079	1,311	1,251	1,072	585	219	61	48
	White----M--	4,618	5	-	2	-	-	2	8	10	16	21	31	59	138	163	262	380	502	625	715	695	549	281	104	27	23
	F--	3,077	4	2	-	1	-	4	5	11	8	15	13	40	66	92	127	165	238	374	511	505	485	263	107	30	11
	Nonwhite--M--	374	-	-	1	-	-	-	-	1	1	2	3	5	11	25	39	44	56	52	52	37	23	12	4	-	6
	F--	261	-	-	-	-	1	-	2	1	1	2	4	11	12	24	28	36	24	28	33	14	15	9	4	4	8
330-334, 400-468	Diseases of cardiovascular system-	7,974	9	1	3	1	1	5	14	20	18	34	43	102	216	283	439	601	792	1,045	1,267	1,200	1,031	533	212	58	46
	White----M--	4,445	5	-	2	-	-	2	7	10	11	18	26	52	130	153	255	372	487	607	693	668	528	268	102	26	23
	F--	2,929	4	1	-	1	-	3	5	8	5	12	11	34	64	82	122	155	231	359	494	487	465	245	102	28	11
	Nonwhite--M--	352	-	-	1	-	-	-	-	1	1	2	3	5	10	24	37	41	52	51	48	32	23	11	4	-	6
	F--	248	-	-	-	-	1	-	2	1	1	2	3	11	12	24	25	33	22	28	32	13	15	9	4	4	6
330-334	Vascular lesions, etc.*----------	1,921	3	-	-	-	-	-	-	1	4	7	7	14	28	57	78	126	156	265	342	341	271	142	51	15	13
	White----M--	990	2	-	-	-	-	-	-	-	4	2	3	4	15	23	34	64	86	147	174	187	138	69	25	9	4
	F--	775	1	-	-	-	-	-	-	-	-	3	2	5	11	25	30	33	59	85	141	144	127	66	24	4	5
	Nonwhite--M--	78	-	-	-	-	-	-	-	-	-	-	1	1	1	1	8	15	4	13	16	8	3	4	1	-	2
	F--	78	-	-	-	-	-	-	-	1	-	2	1	4	1	8	6	14	7	10	11	2	3	3	1	2	2
400-402	Rheumatic fever----	46	-	-	-	1	-	3	9	9	7	4	2	5	2	-	1	-	2	1	-	-	-	-	-	-	-
	White----M--	25	-	-	-	-	-	1	6	5	4	3	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	19	-	-	-	1	-	2	3	4	2	1	-	2	1	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
410-443	Diseases of heart	5,483	5	-	2	-	1	2	5	9	6	21	33	75	172	208	342	452	605	740	843	796	650	327	127	32	32
	White-----M--	3,137	2	-	1	-	-	1	1	4	3	13	21	41	107	121	210	294	383	436	471	450	326	167	56	11	18
	F--	1,936	3	-	-	-	-	1	2	4	2	6	8	23	47	52	86	116	161	252	325	312	296	149	66	19	6
	Nonwhite--M--	253	-	-	1	-	-	-	-	1	-	2	2	4	8	22	28	24	47	35	27	23	17	6	2	-	4
	F--	157	-	-	-	-	1	-	2	-	1	-	.2	5	10	13	18	18	14	17	20	11	11	5	3	2	4
410-416	Chronic rheumatic heart disease	213	...	-	-	-	-	1	5	6	2	6	6	12	25	14	12	18	11	25	23	18	12	12	3	-	2
	White-----M--	100	...	-	-	-	-	1	1	2	-	3	4	6	8	5	8	11	8	11	10	10	5	6	1	-	-
	F--	98	...	-	-	-	-	-	2	3	1	3	1	6	15	8	3	7	2	12	13	8	7	6	1	-	-
	Nonwhite--M--	6	...	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	1
	F--	9	...	-	-	-	-	-	2	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-	1
420	Arteriosclerotic heart dis., etc.*	2,939	2	-	-	-	1	-	-	2	1	8	18	30	101	132	225	300	365	439	442	393	280	136	40	11	13
	White-----M--	1,863	2	-	-	-	-	-	-	2	1	6	11	19	81	89	157	216	258	273	256	242	143	76	18	5	8
	F--	897	-	-	-	-	-	-	-	-	-	2	5	7	12	24	49	64	80	139	167	135	126	58	22	5	2
	Nonwhite--M--	119	-	-	-	-	-	-	-	-	-	-	1	4	4	15	12	15	18	21	13	11	4	1	-	-	-
	F--	60	-	-	-	-	1	-	-	-	-	-	1	-	4	4	7	5	9	6	6	5	7	1	-	1	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,012	...	-	1	-	-	-	-	-	-	1	2	9	17	18	24	36	82	109	158	200	174	103	52	16	10
	White-----M--	552	...	-	1	-	-	-	-	-	-	-	1	5	8	12	12	20	44	72	98	111	88	48	23	4	4
	F--	401	...	-	-	-	-	-	-	-	-	1	1	4	7	3	8	13	29	31	48	83	80	52	27	11	3
	Nonwhite--M--	33	...	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	2	6	3	4	1	1	-	3
	F--	26	...	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	4	6	3	2	1	1	1	-
430-434	Other diseases of heart	379	3	-	1	-	-	1	-	1	2	5	5	11	13	13	19	31	42	38	60	63	38	14	11	4	4
	White-----M--	211	-	-	-	-	-	-	-	-	1	4	3	8	7	6	10	21	24	23	33	36	17	6	6	2	4
	F--	134	3	-	-	-	-	1	-	1	1	-	1	1	3	5	6	8	14	13	23	24	18	6	4	2	-
	Nonwhite--M--	27	-	-	1	-	-	-	-	-	-	1	-	-	3	1	2	2	4	2	3	3	3	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	1	-	-	-	1	-	-
440-443	Hypertension with heart dis.	940	-	-	-	-	-	-	-	-	1	1	2	11	16	31	62	67	105	129	160	122	146	62	21	1	3
	White-----M--	411	-	-	-	-	-	-	-	-	1	-	2	3	3	9	23	26	49	57	74	51	73	30	8	-	2
	F--	406	-	-	-	-	-	-	-	-	-	-	-	5	10	12	20	24	36	57	74	62	65	27	12	1	1
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	-	1	-	-	1	5	11	5	17	8	5	6	6	2	1	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	3	2	5	8	12	3	7	7	3	2	3	-	-	-
444-447	Hypertension without mention of heart	161	-	1	-	-	-	-	-	-	1	-	1	3	9	6	10	9	12	15	16	26	30	15	6	1	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	4	8	8	11	13	15	9	4	-	-
	F--	64	-	1	-	-	-	-	-	-	1	-	1	2	3	4	3	4	3	4	3	13	14	5	2	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	1	-	-	-
450	General arteriosclerosis	277	-	-	-	-	-	-	-	-	-	-	-	3	-	7	1	7	10	16	49	32	69	47	25	10	1
	White-----M--	159	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	5	6	11	30	15	40	22	16	6	1
	F--	103	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	15	16	26	24	8	4	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	2	1	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.	86	1	-	1	-	-	-	-	1	-	2	-	4	5	5	7	7	7	8	17	5	11	2	3	-	-
	White-----M--	51	1	-	1	-	-	-	-	1	-	-	-	2	3	4	5	5	3	5	7	3	9	1	1	-	-
	F--	32	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	1	4	2	10	2	2	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	356	-	1	-	-	-	1	1	3	8	6	8	13	11	21	17	24	28	34	44	51	41	32	7	3	2
	White-----M--	173	-	-	-	-	-	-	1	-	5	3	5	7	8	10	7	8	15	18	22	27	21	13	2	1	-
	F--	148	-	1	-	-	-	1	-	3	3	3	2	6	2	10	5	10	7	15	17	18	20	18	5	2	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	1	4	5	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	2	-	1	1	-	-	-	-	2
480-493	Influenza and pneumonia, etc.*	776	186	32	7	7	6	13	7	6	7	3	6	10	14	19	18	16	29	41	56	97	85	71	30	4	6
	White-----M--	407	106	15	4	4	1	8	3	3	3	1	5	6	6	11	10	9	18	21	26	45	48	30	21	1	2
	F--	311	70	16	3	3	4	3	3	3	2	1	1	3	4	3	4	3	8	17	26	46	34	40	7	3	4
	Nonwhite--M--	31	5	-	-	-	-	1	-	-	1	1	-	1	3	3	1	3	2	1	2	3	2	1	1	-	-
	F--	27	5	1	-	-	1	1	1	-	1	-	-	-	1	2	3	1	1	2	2	3	1	-	1	-	-
460-483	Influenza	163	16	3	-	1	-	3	1	-	-	-	2	2	5	4	2	4	4	14	15	30	27	17	10	2	1
	White-----M--	69	5	1	-	-	-	2	1	-	-	-	2	1	2	2	2	2	2	4	6	13	10	7	7	-	-
	F--	84	10	2	-	1	-	1	-	-	-	-	-	1	2	1	-	-	2	10	8	16	15	10	2	2	1
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
490-493	Pneumonia, etc.*	613	170	29	7	6	6	10	6	6	7	3	4	8	9	15	16	12	25	27	41	67	58	54	20	2	5
	White-----M--	338	101	14	4	4	1	6	2	3	3	1	3	5	4	9	8	7	16	17	20	32	38	23	14	1	2
	F--	227	60	14	3	2	4	2	3	3	2	1	1	2	2	2	4	3	6	7	18	30	19	30	5	1	3
	Nonwhite--M--	24	4	-	-	-	-	1	-	-	1	1	-	1	3	2	1	1	2	1	1	3	1	1	-	-	-
	F--	24	5	1	-	-	1	1	1	-	1	-	-	-	-	2	3	1	1	2	2	2	-	1	1	-	-
500-502	Bronchitis	37	17	4	1	1	-	2	-	-	1	-	-	-	2	-	-	-	1	1	-	2	2	1	1	1	-
	White-----M--	22	11	2	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	1	-	-
	F--	13	6	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	69	-	-	-	-	-	-	1	-	-	-	2	-	5	16	5	9	9	9	7	4	1	-	1	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	2	-	4	9	5	7	6	9	4	4	1	-	-	-	-
	F--	10	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	2	-	2	-	-	-	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	37	-	-	-	1	-	1	3	1	3	2	3	1	1	3	2	2	2	6	3	2	1	-	-	-	-
	White-----M--	27	-	-	-	-	-	1	1	-	3	2	3	-	1	2	2	2	-	5	3	1	1	-	-	-	-
	F--	7	-	-	-	1	-	-	2	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	85	10	2	1	-	-	2	1	1	2	1	2	2	4	1	4	6	5	13	10	9	2	2	4	-	1
	White-----M--	39	6	2	-	-	-	2	1	-	1	-	-	-	1	-	2	2	3	5	6	5	1	1	-	-	1
	F--	36	3	-	-	-	-	-	-	1	1	-	2	-	2	1	1	2	2	7	4	4	1	1	4	-	-
	Nonwhite--M--	5	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
543,	Gastritis, etc.*—	149	98	9	1	-	1	4	-	-	2	-	-	3	1	1	4	1	4	6	5	2	3	2	1	-	-
571,	White-----M--	82	58	3	-	-	1	3	-	-	1	-	-	1	-	1	2	1	1	4	3	1	2	-	-	-	-
572	F--	49	28	5	1	-	-	1	-	-	1	-	-	2	1	1	2	-	1	-	2	1	2	1	1	-	-
	Nonwhite--M--	13	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	141	-	-	-	-	-	-	-	1	4	3	8	12	8	17	17	18	20	11	13	7	1	1	-	-	-
	White-----M--	94	-	-	-	-	-	-	-	-	1	2	7	9	4	12	15	13	12	5	10	3	-	1	-	-	-
	F--	40	-	-	-	-	-	-	-	1	3	1	1	3	4	3	1	2	7	6	3	4	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*-----------	54	2	1	1	1	-	4	-	6	2	2	3	-	3	5	2	3	4	3	5	5	2	-	-	-	-
	White-----M--	26	-	-	-	-	-	3	-	4	2	2	3	-	-	2	2	1	2	1	2	1	1	-	-	-	-
	F--	19	2	1	1	1	-	1	-	1	-	-	-	-	1	2	-	-	1	2	3	2	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	9	11	22	15	7	5	2	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	8	10	19	15	7	5	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	1	-
640-	Complications of																										
689	pregnancy, etc.*-	46	...	...	...	...	...	...	-	5	8	10	8	11	3	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	41	...	...	...	...	...	...	-	4	8	10	5	10	3	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	-	-	3	1	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	3	...	...	...	...	...	...	-	-	1	-	-	1	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	3	...	...	...	...	...	...	-	-	1	-	-	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications--------	43	...	...	...	...	...	...	-	5	7	10	8	10	2	1	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	38	...	...	...	...	...	...	-	4	7	10	5	9	2	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	5	...	...	...	...	...	...	-	1	-	-	3	1	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	301	242	11	8	2	1	8	2	3	3	2	2	3	3	3	2	4	-	-	2	-	-	-	-	-	-
	White-----M--	159	132	3	4	1	1	5	-	2	1	1	1	1	1	1	1	3	-	-	1	-	-	-	-	-	-
	F--	129	101	8	3	1	-	3	2	1	2	-	1	1	2	2	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	9	7	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	993	992	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	567	566	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	340	340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*------------	385	384	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	236	235	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn-----------	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied-------------	544	544	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	295	295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	508	73	4	6	3	2	5	1	2	2	5	5	6	10	14	19	25	18	41	37	55	68	51	38	15	3
795	White-----M--	286	44	3	4	1	2	3	1	2	1	1	2	3	3	3	7	9	6	11	7	22	27	27	17	9	1
	F--	192	26	1	2	2	-	2	-	-	1	4	3	2	3	3	7	9	6	11	7	22	27	27	17	9	1
	Nonwhite--M--	23	3	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	2	3	2	3	1	1	-	-	1
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	2	2	-	-
Re-	All other diseases	839	52	12	9	4	4	15	8	17	19	24	26	44	30	45	59	59	68	86	80	60	68	26	19	1	4
sid-	White-----M--	421	30	7	5	3	-	7	4	10	8	8	14	19	11	23	34	28	36	48	42	25	35	14	8	-	1
ual	F--	348	20	5	4	1	4	8	4	6	9	11	8	14	15	19	22	21	23	30	36	33	32	10	11	1	1
	Nonwhite--M--	43	2	-	-	-	-	-	-	-	1	4	2	4	1	3	2	7	6	6	2	-	1	1	-	-	1
	F--	27	-	-	-	-	-	-	-	1	1	1	2	7	3	-	1	2	3	2	-	2	-	1	-	-	1
E800-	Accidents---------	1,349	50	15	20	11	18	45	46	65	136	113	101	95	82	63	67	56	58	67	52	62	58	45	14	3	7
E962	White-----M--	944	25	9	11	5	7	28	29	53	116	93	77	83	68	51	53	41	40	47	23	32	27	15	5	-	6
	F--	311	19	5	7	4	11	15	14	11	15	14	15	6	3	8	7	6	14	17	22	26	30	29	9	3	1
	Nonwhite--M--	73	3	1	1	2	-	2	2	-	3	4	9	4	8	4	7	8	3	3	6	2	-	-	-	-	-
	F--	21	3	-	1	-	-	-	1	1	2	2	-	2	2	-	-	1	1	-	1	2	1	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	422	3	1	10	4	6	16	19	30	74	47	37	32	20	16	21	12	23	10	12	14	9	4	1	-	1
	White-----M--	324	2	1	6	3	4	9	10	25	65	37	26	27	18	13	18	9	14	7	9	12	4	3	1	-	1
	F--	73	1	-	3	-	2	6	8	5	6	7	9	2	-	2	3	1	7	3	1	1	5	1	-	-	-
	Nonwhite--M--	19	-	-	1	1	-	1	1	-	1	2	2	2	2	1	-	2	1	-	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	927	47	14	10	7	12	29	27	35	62	66	64	63	62	47	46	44	35	57	40	48	49	41	13	3	6
E802,	White-----M--	620	23	8	5	2	3	19	19	28	51	56	51	56	50	38	35	32	26	40	14	20	23	12	4	-	5
E840-	F--	238	18	5	4	4	9	9	6	6	9	7	6	4	3	6	4	5	7	14	21	25	25	28	9	3	1
E962	Nonwhite--M--	54	3	1	-	1	-	1	1	-	2	2	7	2	7	3	7	6	2	3	5	1	-	-	-	-	-
	F--	15	3	-	1	-	-	-	1	1	-	1	-	1	2	-	-	1	-	-	-	2	1	1	-	-	-
E963,	Suicide-----------	206	-	-	-	-	-	-	-	5	9	11	19	23	26	20	14	17	22	15	11	7	5	2	-	-	-
E970-	White-----M--	165	-	-	-	-	-	-	-	4	7	10	13	15	17	16	14	14	18	14	9	7	5	2	-	-	-
E979	F--	37	-	-	-	-	-	-	-	1	2	1	6	8	7	4	-	2	4	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	121	-	-	-	3	-	1	1	4	13	18	13	15	21	12	8	3	4	2	-	1	-	-	-	-	2
E980-	White-----M--	61	-	-	-	1	-	-	-	4	8	8	6	6	10	5	3	2	3	2	-	1	-	-	-	-	2
E985	F--	20	-	-	-	1	-	1	1	-	1	3	3	3	3	3	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	3	6	4	6	7	4	5	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN																										
	ALL CAUSES	33,778	2,121	132	91	63	53	176	136	240	294	312	347	543	756	1,157	1,666	2,432	3,169	3,922	4,343	4,450	3,815	2,381	974	184	19
	White--M	19,048	1,185	74	41	31	31	102	95	167	206	189	189	326	447	695	1,009	1,504	1,939	2,322	2,451	2,357	1,971	1,186	455	71	5
	F	14,275	863	50	45	29	18	67	39	64	74	101	142	206	292	435	630	887	1,201	1,566	1,853	2,071	1,827	1,176	514	112	13
	Nonwhite--M	255	34	6	5	1	3	4	3	6	9	12	9	4	7	10	18	31	18	23	21	14	5	9	1	1	1
	F	200	39	2	-	2	1	3	1	3	5	10	7	7	10	17	9	10	11	11	18	8	12	10	4	-	-
001-019	Tuberculosis, all forms	350	2	2	2	-	1	4	2	8	14	18	21	20	36	30	33	34	35	35	27	16	11	1	-	-	-
	White--M	222	1	2	-	-	1	1	1	7	4	5	8	8	18	21	23	28	30	26	17	10	10	1	-	-	-
	F	97	1	-	1	-	-	2	-	-	8	7	9	9	17	6	9	3	3	7	6	6	1	-	-	-	-
	Nonwhite--M	22	-	-	1	-	-	1	-	1	3	3	1	1	1	1	-	2	2	2	3	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	-	1	1	1	2	-	-	1	1	-	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	314	2	1	-	-	-	2	1	4	13	15	17	18	33	28	29	33	31	33	27	15	11	1	-	-	-
	White--M	203	1	1	-	-	-	1	-	3	4	5	7	7	17	20	21	27	27	24	17	10	10	1	-	-	-
	F	86	1	-	-	-	-	1	-	-	7	7	8	8	15	7	8	3	2	7	6	5	1	-	-	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	1	1	2	1	1	1	1	-	2	2	2	3	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	36	-	1	2	-	1	2	1	4	1	1	4	2	3	2	4	1	4	2	-	1	-	-	-	-	-
	White--M	19	-	1	-	-	1	-	1	4	-	-	1	1	1	1	2	1	3	2	-	-	-	-	-	-	-
	F	11	-	-	1	-	-	1	-	-	1	-	1	1	2	1	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M	5	-	-	1	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	98	1	-	-	-	-	-	-	-	-	-	-	2	2	6	8	15	20	20	11	6	5	2	-	-	-
	White--M	71	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	12	17	18	5	4	3	-	-	-	-
	F	22	1	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	2	1	6	2	2	2	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	11	-	-	1	1	-	1	1	-	1	-	-	1	-	-	-	-	-	1	-	-	2	2	-	-	-
	White--M	5	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	6	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	14	13	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	25	4	5	6	3	1	2	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	11	1	2	3	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	11	2	2	2	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	55	1	-	-	4	1	14	7	6	4	10	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	29	1	-	-	4	-	7	4	4	2	3	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	7	3	2	2	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	70	8	7	4	3	-	-	1	1	2	1	2	7	5	9	2	4	4	2	3	4	1	-	-	-	-
	White--M	41	4	6	2	-	-	-	-	1	2	-	1	3	3	7	1	1	3	2	2	2	1	-	-	-	-
	F	29	4	1	2	3	-	-	1	-	-	1	1	4	2	2	1	3	1	-	1	2	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
140-205	Malignant neoplasms, etc.*——	5,301	4	2	16	14	7	18	14	26	23	33	62	106	166	257	387	560	751	798	719	656	440	204	53	4	1
	White——M—	2,754	4	1	9	8	5	12	8	15	11	16	20	37	65	92	181	268	382	436	423	371	260	102	27	1	-
	F—	2,495	-	1	7	6	2	6	6	11	11	15	42	68	98	158	202	284	345	354	289	281	178	99	26	3	1
	Nonwhite—M—	25	-	-	-	-	-	-	-	-	1	1	-	1	-	-	3	5	3	4	4	2	1	-	-	-	-
	F—	29	-	-	-	-	-	-	-	-	-	1	-	-	3	7	1	3	1	4	3	2	1	3	-	-	-
140-148	Of buccal cavity and pharynx——	98	-	-	-	-	-	-	-	-	1	-	1	1	1	3	8	5	18	15	16	10	12	5	2	-	-
	White——M—	77	-	-	-	-	-	-	-	-	1	-	-	-	1	3	6	5	14	11	11	9	11	3	2	-	-
	F—	20	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	4	4	4	1	1	2	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	2,269	-	-	-	-	1	-	1	-	-	4	10	28	51	71	125	214	314	398	372	339	234	99	25	3	-
	White——M—	1,311	-	-	-	-	1	-	1	-	-	1	4	16	26	40	77	119	188	234	225	197	128	44	12	-	-
	F—	951	-	-	-	-	-	-	-	-	-	3	6	11	23	29	44	91	123	162	145	139	106	53	13	3	-
	Nonwhite—M—	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	3	1	2	1	1	-	-	-	-
	F—	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	1	-	2	1	2	-	-	-
160-164	Of respiratory system——	412	-	-	-	-	-	-	-	1	1	-	4	7	13	26	38	59	78	68	55	35	15	9	3	-	-
	White——M—	331	-	-	-	-	-	-	-	1	-	-	1	5	11	23	33	52	68	51	43	25	11	6	1	-	-
	F—	76	-	-	-	-	-	-	-	-	1	-	3	2	2	2	5	6	10	15	11	10	4	3	2	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
170	Of breast——	509	-	-	-	-	-	-	-	-	1	3	11	17	29	44	60	68	74	57	47	48	23	20	6	-	1
	White——M—	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-
	F—	496	-	-	-	-	-	-	-	-	1	2	11	17	29	42	59	65	72	54	47	48	23	19	6	-	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	-	-	-
171-179	Of genital organs——	834	-	-	-	1	-	1	2	-	2	4	13	21	32	51	61	90	105	110	108	107	80	36	9	1	-
	White——M—	341	-	-	-	1	-	-	-	-	1	2	2	-	2	1	6	15	28	43	65	74	64	29	7	1	-
	F—	485	-	-	-	-	-	1	2	-	1	1	11	21	29	49	55	74	76	65	42	33	16	7	2	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
180, 181	Of urinary organs——	259	-	-	-	4	2	3	-	1	-	-	-	-	5	6	25	28	30	43	44	34	26	8	-	-	-
	White——M—	181	-	-	-	2	2	1	-	1	-	-	-	-	3	5	19	18	21	34	29	20	21	5	-	-	-
	F—	76	-	-	-	2	-	2	-	-	-	-	-	-	2	1	6	9	9	9	15	13	5	3	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	501	2	-	2	1	-	7	5	11	7	6	5	14	23	37	45	51	69	55	45	53	34	22	7	-	-
	White——M—	261	2	-	1	-	-	5	2	4	4	3	2	8	14	15	25	32	38	25	24	25	18	12	4	-	-
	F—	237	-	-	1	1	-	2	3	7	3	3	3	6	9	23	20	19	31	30	19	28	16	10	3	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
204	Leukemia and aleukemia——	229	2	2	13	6	4	5	3	8	4	9	10	10	7	11	12	25	18	25	22	21	7	4	1	-	-
	White——M—	141	2	1	8	3	2	4	2	4	2	5	5	3	4	4	7	15	12	17	19	14	5	2	1	-	-
	F—	87	-	1	5	3	2	1	1	4	2	3	5	7	3	7	5	10	6	8	3	7	2	2	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	170	-	-	1	2	-	2	3	5	7	7	8	8	5	8	13	20	25	27	10	9	9	1	-	-	-
	White——M—	103	-	-	-	2	-	2	3	5	3	4	6	5	4	3	7	10	11	19	7	7	4	1	-	-	-
	F—	65	-	-	1	-	-	-	-	-	3	3	2	3	1	5	6	10	14	7	3	2	5	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	96	3	-	-	-	-	3	-	-	1	3	3	8	12	8	9	10	4	6	14	4	3	4	-	1	-
	White——M—	33	2	-	-	-	-	2	-	-	1	-	1	2	3	2	1	3	2	3	7	2	1	1	-	-	-
	F—	60	1	-	-	-	-	1	-	-	-	2	2	5	9	6	8	7	2	3	6	2	2	3	-	1	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus——	671	1	1	-	-	-	2	2	2	4	8	5	9	14	19	41	71	73	124	115	102	55	18	4	1	-
	White——M—	277	1	1	-	-	-	1	-	1	3	2	4	5	10	8	17	31	30	47	39	42	24	10	1	-	-
	F—	385	-	-	-	-	-	1	2	1	1	5	1	4	4	10	24	40	41	72	76	60	31	8	3	1	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-
290-293	Anemias——	118	2	1	1	-	-	1	-	-	1	1	-	-	1	3	1	6	6	17	22	23	15	14	3	-	-
	White——M—	49	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	10	14	7	6	2	1	-	-
	F—	67	2	-	1	-	-	1	-	-	-	-	-	-	1	1	1	4	2	7	8	16	9	12	2	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	41	13	5	3	-	2	4	1	-	2	2	-	1	-	-	1	1	2	3	1	-	-	-	-	-	-
	White——M—	21	6	3	3	-	-	2	-	-	1	1	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-
	F—	18	6	2	-	-	2	2	1	-	1	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	Nonwhite—M—	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	19,023	6	1	1	1	1	15	17	26	28	50	63	143	278	534	869	1,334	1,815	2,411	2,906	3,113	2,824	1,737	707	134	9
	White——M—	10,709	6	1	1	-	1	4	11	15	15	33	30	95	196	359	585	888	1,147	1,451	1,617	1,615	1,419	864	326	51	1
	F—	8,149	-	-	-	1	-	10	6	9	14	14	30	46	72	165	290	422	653	946	1,265	1,484	1,392	862	378	82	8
	Nonwhite—M—	93	-	-	-	-	-	-	-	2	-	1	1	1	4	3	8	19	8	11	11	10	4	8	1	1	-
	F—	72	-	-	-	-	-	1	-	-	1	2	2	1	6	7	6	5	7	3	13	4	9	3	2	-	-
330-334, 400-468	Diseases of cardiovascular system——	18,523	6	1	1	-	-	10	15	21	21	40	50	127	255	501	831	1,294	1,766	2,356	2,849	3,060	2,784	1,704	697	131	9
	White——M—	10,449	6	1	1	-	-	2	9	12	9	26	22	84	184	344	547	869	1,120	1,425	1,586	1,587	1,400	844	321	49	1
	F—	7,924	-	-	-	-	-	7	6	7	11	11	25	41	64	148	271	402	632	917	1,240	1,459	1,371	850	373	81	8
	Nonwhite—M—	89	-	-	-	-	-	-	-	2	-	1	1	1	4	3	7	18	8	11	10	10	4	7	1	1	-
	F—	67	-	-	-	-	-	1	-	-	1	2	2	1	3	6	6	5	6	3	13	4	9	3	2	-	-
330-334	Vascular lesions, etc.*——	4,087	4	-	1	-	-	-	2	6	7	6	9	23	45	105	173	241	358	516	685	725	662	372	121	27	1
	White——M—	1,957	4	-	1	-	-	-	2	2	2	4	3	12	25	39	76	121	199	260	334	343	308	183	52	7	-
	F—	2,094	-	-	-	-	-	-	-	3	5	2	5	11	19	61	92	116	158	252	346	377	350	208	68	20	1
	Nonwhite—M—	20	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	-	4	4	3	1	1	1	-	-
	F—	16	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	1	1	-	1	-	3	-	-	-	-
400-402	Rheumatic fever——	39	-	-	-	-	-	3	8	6	-	3	5	4	3	2	-	-	2	2	-	1	-	-	-	-	-
	White——M—	18	-	-	-	-	-	1	4	2	-	1	2	3	1	1	-	-	-	2	-	1	-	-	-	-	-
	F—	19	-	-	-	-	-	2	4	3	-	2	3	1	2	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
410-443	Diseases of heart-	13,103	2	1	-	-	-	6	4	9	11	28	30	91	197	376	623	1,009	1,345	1,739	2,034	2,134	1,834	1,092	458	75	5
	White-----M--	7,789	2	1	-	-	-	1	3	8	7	19	15	64	154	293	453	724	890	1,101	1,172	1,138	951	542	218	32	1
	F--	5,208	-	-	-	-	-	4	1	1	4	6	15	25	37	80	162	267	443	630	845	985	876	542	239	42	4
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	1	-	1	4	2	6	14	7	5	5	7	3	5	-	1	-
	F--	45	-	-	-	-	-	1	-	-	-	2	-	1	2	1	2	4	5	3	12	4	4	3	1	-	-
410-416	Chronic rheumatic heart disease----	491	...	-	-	-	-	4	2	4	5	10	11	23	24	43	49	68	66	58	36	41	31	12	3	1	-
	White-----M--	276	...	-	-	-	-	1	1	4	3	6	3	11	14	24	29	40	40	38	21	18	16	5	2	-	-
	F--	208	...	-	-	-	-	2	1	-	2	3	8	11	10	19	19	27	25	20	14	23	15	7	1	1	-
	Nonwhite--M--	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	5	...	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	8,102	1	-	-	-	-	-	-	-	2	11	12	52	127	266	450	723	968	1,199	1,326	1,288	896	537	220	22	2
	White-----M--	5,248	1	-	-	-	-	-	-	-	1	10	9	41	115	236	350	565	682	796	817	729	494	286	105	11	-
	F--	2,806	-	-	-	-	-	-	-	-	1	1	3	10	12	29	96	150	280	397	498	552	402	248	114	11	2
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	7	3	4	4	4	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	7	3	-	2	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,627	...	-	-	-	-	-	1	4	1	2	1	4	17	18	36	83	126	227	365	478	640	399	182	40	3
	White-----M--	1,391	...	-	-	-	-	-	1	3	-	1	1	4	10	8	22	55	74	143	192	253	327	189	92	15	1
	F--	1,215	...	-	-	-	-	-	-	1	1	-	-	-	6	9	14	28	51	82	171	222	306	208	90	24	2
	Nonwhite--M--	9	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	-	1	-
	F--	12	...	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	2	1	4	1	-	-	-
430-434	Other diseases of heart---------	352	1	1	-	-	-	2	1	1	2	2	3	3	7	8	23	27	30	48	48	54	44	33	13	1	-
	White-----M--	202	1	1	-	-	-	-	1	1	2	1	-	3	3	7	17	15	19	29	28	28	23	18	4	1	-
	F--	144	-	-	-	-	-	2	-	-	-	1	3	-	3	1	4	11	11	19	19	26	21	14	9	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,551	-	-	-	-	-	-	-	-	1	3	3	9	22	41	65	108	155	207	259	273	223	111	40	11	-
	White-----M--	672	-	-	-	-	-	-	-	-	1	1	2	5	12	18	35	49	75	95	114	110	91	44	15	5	-
	F--	835	-	-	-	-	-	-	-	-	-	1	1	4	6	22	29	51	76	112	143	162	132	65	25	6	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	5	3	-	1	1	-	2	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	256	-	-	-	-	-	-	-	-	-	1	3	2	6	9	12	19	19	32	24	41	50	23	9	6	-
	White-----M--	114	-	-	-	-	-	-	-	-	-	1	-	1	1	7	4	9	7	17	10	19	23	10	3	2	-
	F--	137	-	-	-	-	-	-	-	-	-	-	2	1	5	2	8	9	12	14	13	22	26	13	6	4	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
450	General arteriosclerosis--------	872	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	23	43	84	145	223	207	109	21	3
	White-----M--	478	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	14	31	54	78	111	123	48	8	-
	F--	391	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	9	12	30	67	111	83	60	13	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
451-469	Other diseases of circulatory sys.-	172	-	-	-	-	-	1	1	-	3	2	3	7	4	7	17	19	19	24	22	16	15	10	-	2	-
	White-----M--	93	-	-	-	-	-	-	-	-	-	1	2	4	3	3	9	10	10	14	16	8	7	6	-	-	-
	F--	75	-	-	-	-	-	1	1	-	2	1	-	3	1	4	8	9	8	9	6	8	8	4	-	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis etc.*----------	494	-	-	-	1	1	5	2	5	7	10	13	16	23	33	38	40	49	55	57	53	40	33	10	3	-
	White-----M--	260	-	-	-	-	1	2	2	3	4	7	8	11	12	15	18	19	27	26	31	28	19	20	5	2	-
	F--	225	-	-	-	1	-	3	-	2	3	3	5	5	8	17	19	20	21	29	25	25	21	12	5	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	887	156	22	4	1	3	4	5	8	4	6	6	7	18	21	18	42	39	70	66	86	117	88	51	13	2
	White-----M--	484	70	15	-	-	3	3	4	4	4	2	5	4	13	15	10	27	24	46	40	50	67	44	24	9	1
	F--	354	73	6	4	1	-	1	1	4	-	4	1	2	5	5	8	15	15	24	25	36	50	42	27	4	1
	Nonwhite--M--	9	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	10	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-
480-483	Influenza----------	133	20	6	-	-	-	-	-	-	2	1	3	-	1	2	1	5	8	9	16	14	22	17	4	1	1
	White-----M--	71	8	2	-	-	-	-	-	-	2	-	3	-	-	2	-	3	5	7	10	5	12	7	3	1	1
	F--	61	11	4	-	-	-	-	-	-	-	1	-	-	1	-	1	2	3	2	6	9	10	10	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*---	724	136	16	4	1	3	4	5	8	2	5	3	7	17	19	17	37	31	61	50	72	95	71	47	12	1
	White-----M--	413	62	13	-	-	3	3	4	4	2	2	2	4	13	13	10	24	19	39	30	45	55	37	21	8	-
	F--	293	62	2	4	1	-	1	1	4	-	3	1	2	4	5	7	13	12	22	19	27	40	32	26	4	1
	Nonwhite--M--	8	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	10	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-
500-502	Bronchitis---------	80	15	6	1	2	2	1	1	-	-	1	2	1	1	1	-	2	1	2	5	1	5	4	6	-	-
	White-----M--	33	9	3	-	1	1	-	1	-	-	1	1	1	-	-	-	2	-	1	2	-	3	2	5	-	-
	F--	26	5	3	1	1	1	1	-	-	-	-	1	-	1	1	-	-	1	1	3	1	2	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	160	1	-	-	-	-	-	1	-	2	-	4	6	11	12	11	20	26	23	19	13	8	2	1	-	-
	White-----M--	131	1	-	-	-	-	-	1	-	1	-	4	4	8	11	10	15	21	20	17	9	7	1	1	-	-
	F--	29	-	-	-	-	-	-	-	-	1	-	-	2	3	1	1	5	5	3	2	4	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	73	2	1	1	1	1	1	3	5	2	1	4	1	3	4	2	5	10	9	6	6	4	1	-	-	-
	White-----M--	50	2	-	-	-	-	-	1	2	1	1	4	1	3	3	2	5	8	6	4	4	2	1	-	-	-
	F--	20	-	1	1	1	1	1	1	2	-	-	-	-	-	1	-	-	2	3	2	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	207	20	2	1	-	-	-	-	-	-	-	2	3	6	9	18	16	24	17	29	30	15	11	3	1	-
	White-----M--	97	6	1	1	-	-	-	-	-	-	-	1	2	-	5	7	6	13	12	12	18	7	4	2	-	-
	F--	108	13	1	-	-	-	-	-	-	-	-	1	1	6	4	11	10	11	5	16	12	8	7	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
543, 571, 572	Gastritis, etc.*—	122	49	6	-	2	2	1	-	2	5	1	1	4	1	5	3	1	7	4	13	5	5	4	1	-	-
	White——M—	66	27	3	-	-	1	1	-	2	3	1	-	4	-	2	1	1	4	1	8	1	4	2	-	-	-
	F—	50	16	3	-	2	1	-	-	-	2	-	1	-	1	3	2	-	3	3	5	4	1	2	1	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	256	-	1	-	-	-	-	-	1	1	5	6	14	18	28	26	22	40	30	31	16	9	9	1	-	-
	White——M—	162	-	-	-	-	-	-	-	1	1	1	4	7	12	20	18	13	27	20	22	8	4	4	1	-	-
	F—	92	-	1	-	-	-	-	-	1	-	2	1	7	6	8	8	9	13	9	9	8	5	5	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	44	-	2	1	-	1	3	2	-	3	1	1	2	3	1	2	4	4	1	6	3	3	1	-	-	-
	White——M—	27	-	2	1	-	-	1	1	-	3	-	1	1	1	-	2	3	2	1	2	2	3	1	-	-	-
	F—	14	-	-	-	-	1	2	1	-	-	-	-	1	2	1	-	-	2	-	3	1	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	13	26	55	33	33	8	1	-
	White——M—	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	13	26	54	33	33	8	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640–689	Complications of pregnancy, etc.*—	36	...	...	...	...	...	...	-	2	6	8	8	8	3	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	33	...	...	...	...	...	...	-	2	5	7	7	8	3	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650–652	Abortion—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640–649, 660–689	All other complications—	36	...	...	...	...	...	...	-	2	6	8	8	8	3	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	33	...	...	...	...	...	...	-	2	5	7	7	8	3	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750–759	Congenital malformations—	465	351	18	7	5	5	7	7	5	7	5	5	12	5	6	-	9	3	4	3	-	-	-	-	1	-
	White——M—	221	173	8	3	1	1	5	4	1	5	2	1	4	2	3	-	4	1	1	1	-	-	-	-	1	-
	F—	235	174	9	4	3	2	2	3	4	2	3	4	7	3	3	-	5	2	3	2	-	-	-	-	-	-
	Nonwhite—M—	6	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760–776	Certain diseases of early infancy—	1,326	1,326	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	784	784	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	507	507	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760–762	Birth injuries, etc.*—	536	536	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	330	330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763–768	Infections of newborn—	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769–776	Other diseases of infancy, and immaturity unqualified—	715	715	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	411	411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	291	291	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780–795	Senility, etc.*—	290	10	3	-	1	-	-	-	1	-	1	3	1	6	6	7	6	14	19	14	24	44	64	49	15	2
	White——M—	152	7	2	-	-	-	-	-	1	-	-	1	-	4	4	6	5	8	14	7	14	21	35	18	5	-
	F—	133	2	1	-	-	-	-	-	-	-	1	2	1	2	2	1	1	6	5	7	10	22	28	31	10	1
	Nonwhite—M—	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F—	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Residual	All other diseases	1,319	52	14	8	4	7	13	15	18	15	27	31	40	51	62	89	102	138	154	174	130	85	56	31	3	2
	White——M—	686	29	6	3	1	4	7	12	12	7	16	20	20	16	34	51	54	72	80	93	63	38	26	22	-	-
	F—	610	18	6	5	3	2	4	3	6	8	9	11	19	33	28	36	48	65	74	81	65	45	28	8	3	2
	Nonwhite—M—	10	3	2	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	F—	13	2	-	-	-	-	2	-	-	-	1	-	1	1	-	1	-	1	-	-	2	-	1	1	-	-	-
E800–E962	Accidents—	2,032	74	31	31	20	17	82	59	120	149	110	82	108	81	85	78	109	116	113	116	141	120	121	58	10	3
	White——M—	1,380	39	16	15	12	12	55	46	97	131	88	61	98	63	67	62	86	94	73	78	68	46	48	19	3	3
	F—	598	31	12	14	7	5	24	11	18	14	18	17	10	17	14	12	20	18	37	38	72	73	73	36	7	-
	Nonwhite—M—	41	2	3	2	-	-	3	2	3	4	1	3	-	1	3	4	3	3	3	-	1	-	-	-	-	-	-
	F—	13	2	-	-	1	-	-	-	2	-	3	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
E810–E835	Motor-vehicle accidents—	805	7	12	15	6	13	41	25	80	104	62	36	55	35	38	42	49	47	48	35	35	14	6	2	-	1
	White——M—	599	5	5	4	3	8	25	18	63	94	47	26	49	26	27	30	34	36	33	30	22	10	2	1	-	1
	F—	181	2	6	10	3	5	13	6	15	9	13	9	6	9	8	9	14	9	12	5	10	4	4	-	-	-
	Nonwhite—M—	21	-	1	1	-	-	.3	1	1	1	-	1	-	-	2	3	1	2	3	-	1	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
E800–E802, E840–E962	All ot. accidents—	1,226	67	19	16	14	4	41	34	40	45	48	46	53	46	47	36	60	69	65	81	108	106	115	54	10	2
	White——M—	781	34	11	11	9	4	30	28	34	37	41	35	49	37	40	32	52	58	40	48	46	36	46	18	3	2
	F—	417	29	6	4	4	-	11	5	3	5	5	8	4	8	6	3	6	9	25	33	62	69	69	36	7	-
	Nonwhite—M—	20	2	2	1	-	-	-	1	2	3	1	2	-	1	1	1	2	1	-	-	-	-	-	-	-	-
	F—	8	2	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E963, E970–E979	Suicide—	426	-	-	-	-	-	-	-	5	14	21	27	31	33	46	53	55	49	43	16	15	13	5	-	-	-
	White——M—	338	-	-	-	-	-	-	-	2	11	15	19	23	27	34	40	46	41	37	14	13	12	4	-	-	-
	F—	84	-	-	-	-	-	-	-	3	2	6	7	7	6	12	12	9	8	6	2	2	1	1	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980–E985	Homicide—	39	2	1	-	-	2	-	-	2	5	2	5	4	2	3	5	2	-	2	1	1	-	-	-	-	-
	White——M—	20	1	1	-	-	1	-	-	2	2	1	2	2	1	1	2	1	-	2	1	-	-	-	-	-	-
	F—	11	1	-	-	-	1	-	-	-	1	-	1	2	1	-	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	2	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990–E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING																										
	ALL CAUSES	2,336	247	19	9	8	3	22	28	46	55	54	42	66	82	92	124	169	206	248	245	238	184	109	38	3	1
	White--M	1,481	144	10	3	4	2	11	17	28	35	34	26	44	47	70	84	112	139	175	140	145	113	71	24	2	1
	F	777	84	6	6	4	1	9	8	14	18	18	16	19	28	20	36	54	61	69	97	90	70	37	11	1	-
	Nonwhite--M	42	11	1	-	-	-	1	1	1	2	2	-	2	3	2	2	1	3	3	5	2	-	-	3	-	-
	F	36	11	2	-	-	-	1	-	3	-	-	-	1	4	-	2	2	3	1	3	1	1	1	-	-	-
001-019	Tuberculosis, all forms	18	-	-	1	-	-	-	-	2	2	1	-	1	2	3	-	4	-	-	-	2	-	-	-	-	-
	White--M	11	-	-	1	-	-	-	-	-	-	1	-	-	2	2	-	4	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	16	-	-	-	-	-	-	-	2	2	-	-	1	2	3	-	4	-	-	-	2	-	-	-	-	-
	White--M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	11	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	5	-	2	1	-	-	-	-
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	2	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	7	1	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	5	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	White--M	5	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
140-205	Malignant neoplasms, etc.*	291	1	-	3	-	1	1	2	2	3	1	4	11	10	16	23	38	39	38	39	31	19	8	1	-	-
	White—M	161	-	-	1	-	1	-	2	2	2	1	1	6	2	11	8	17	21	26	22	18	12	7	1	-	-
	F	122	-	-	2	-	-	1	-	-	1	-	3	5	7	5	14	20	16	12	16	12	7	1	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx	8	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	1	-	1	-	-	1	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	101	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	15	21	15	14	16	5	4	-	-	-
	White—M	64	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	12	13	11	8	10	3	3	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	6	4	5	6	2	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system	35	-	-	-	-	-	-	-	-	-	-	-	2	-	4	5	2	3	6	6	4	3	-	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	-	-	-	2	-	4	3	2	3	6	5	4	2	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	17	-	-	-	-	-	-	-	-	-	-	1	1	3	-	4	4	-	2	1	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	1	3	-	4	3	-	2	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	56	-	-	-	-	-	-	-	1	-	-	1	2	4	3	2	7	5	6	13	5	5	2	-	-	-
	White—M	20	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	3	7	2	4	2	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	-	1	2	3	3	2	6	5	3	6	3	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	14	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	2	2	2	1	1	1	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-
	F	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	34	-	-	-	-	-	-	1	-	-	-	1	2	-	3	2	6	6	3	2	2	5	1	-	-	-
	White—M	18	-	-	-	-	-	-	1	-	-	-	-	1	-	3	1	2	2	2	-	3	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4	4	1	2	1	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia	15	1	-	3	-	1	-	-	1	1	1	-	1	-	1	1	-	1	1	1	1	-	-	-	-	-
	White—M	10	-	-	1	-	1	-	-	1	1	1	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-
	F	4	-	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	11	-	-	-	-	-	-	1	-	1	-	1	2	-	2	1	1	-	2	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	-	1	-	1	-	1	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	11	-	-	-	-	-	1	1	-	1	1	-	-	1	1	1	-	3	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	33	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	4	6	5	4	4	3	3	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	3	2	1	1	2	-	-	-
	F	17	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	3	2	2	3	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	9	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	1	-	3	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,038	-	-	-	1	-	2	-	1	7	5	9	16	28	33	51	83	114	142	158	153	130	74	29	2	-
	White—M	652	-	-	-	1	-	1	-	1	2	4	5	9	17	23	39	57	80	97	82	92	76	48	17	1	-
	F	365	-	-	-	-	-	1	-	-	5	1	4	7	9	10	10	24	30	45	70	59	53	26	10	1	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	4	2	-	-	2	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	-	1	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	1,006	-	-	-	1	-	2	-	1	7	4	8	14	27	32	50	82	112	135	153	150	127	71	28	2	-
	White—M	636	-	-	-	1	-	1	-	1	2	3	4	8	16	23	38	57	79	94	79	90	74	48	17	1	-
	F	349	-	-	-	-	-	1	-	-	5	1	4	6	9	9	10	23	29	41	68	58	52	23	9	1	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	4	2	-	-	2	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	-	1	-	-	-	-
330-334	Vascular lesions, etc.*	206	-	-	-	-	-	-	-	-	-	-	1	4	2	6	5	15	20	25	37	36	32	15	8	-	-
	White—M	111	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	11	17	12	26	15	10	7	-	-
	F	92	-	-	-	-	-	-	-	-	-	-	1	4	1	3	3	8	8	8	23	10	17	5	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
400-402	Rheumatic fever	7	-	-	-	-	-	2	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 56. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
410-443	Diseases of heart	736	-	-	-	1	-	-	-	1	5	3	6	9	22	24	45	64	90	108	96	108	86	50	16	2	-
	White	492	-	-	-	1	-	-	-	1	2	3	4	7	13	19	36	48	66	76	58	62	52	36	7	1	-
	F	228	-	-	-	-	-	-	-	-	3	-	2	2	8	5	7	14	21	32	35	44	33	14	7	1	-
	Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	-	-	2	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	1	-	-	-	-
410-416	Chronic rheumatic heart disease	42	...	-	-	-	-	-	-	-	4	2	1	1	4	3	4	3	6	4	2	2	2	3	1	-	-
	White	23	...	-	-	-	-	-	-	-	1	2	1	-	1	2	3	2	4	2	2	1	-	1	1	-	-
	F	17	...	-	-	-	-	-	-	-	3	-	-	1	3	1	-	1	1	2	-	1	2	2	-	-	-
	Nonwhite	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	384	-	-	-	-	-	-	-	-	-	1	3	7	11	14	25	48	55	63	54	56	35	18	4	-	-
	White	298	-	-	-	-	-	-	-	-	-	1	3	6	10	14	22	39	46	47	35	36	24	14	1	-	-
	F	91	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	8	9	16	19	18	11	4	2	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	176	...	-	-	1	-	-	-	1	-	-	1	-	3	3	5	2	17	22	21	40	31	17	10	2	-
	White	102	...	-	-	1	-	-	-	1	-	-	-	-	1	1	4	1	9	16	13	19	20	11	4	1	-
	F	71	...	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	8	6	7	21	10	6	5	1	-
	Nonwhite	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
430-434	Other diseases of heart	43	-	-	-	-	-	-	-	-	1	-	-	1	1	1	4	5	3	9	4	2	6	6	-	-	-
	White	31	-	-	-	-	-	-	-	-	1	-	-	1	1	1	4	3	2	5	2	2	4	5	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	-	2	1	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	81	-	-	-	-	-	-	-	-	-	-	1	-	3	3	7	6	9	10	15	8	12	6	1	-	-
	White	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	6	6	4	4	5	1	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	3	2	4	8	4	8	1	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	7	1	2	1	1	-	-
	White	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	1	1	1	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	11	5	7	5	3	-	-
	White	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	2	6	2	2	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	3	1	3	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	7	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-
	White	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis etc.*	32	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	2	7	5	3	3	3	1	-	-
	White	16	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	3	3	2	2	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	4	2	1	1	3	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	96	24	2	-	2	-	3	1	1	-	2	2	1	3	3	3	3	4	7	7	12	9	6	1	-	-
	White	56	12	-	-	2	-	1	-	-	-	-	1	-	-	3	2	2	3	6	6	6	8	3	1	-	-
	F	28	5	1	-	-	-	1	1	-	-	2	1	-	2	-	1	1	1	1	1	6	1	3	-	-	-
	Nonwhite	5	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	17	2	2	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	2	3	1	2	1	-	-	-
	White	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	-	-	-	-
	F	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	78	22	-	-	2	-	2	1	1	-	1	2	1	3	3	3	2	3	5	4	11	7	5	1	-	-
	White	48	11	-	-	2	-	1	-	-	-	-	1	-	-	3	2	2	2	4	3	5	6	3	1	-	-
	F	23	4	-	-	-	-	1	1	-	-	1	1	-	2	-	1	-	1	1	1	6	1	2	-	-	-
	Nonwhite	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	21	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	2	2	6	4	-	-	-	1	-	-
	White	15	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	4	3	-	-	-	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	5	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	27	6	-	-	-	-	-	-	1	-	-	2	2	-	-	-	4	5	1	1	3	2	-	-	-	-
	White	14	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	1	1	2	-	-	-	-
	F	13	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	2	4	1	-	2	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

and Sex: United States and Each State, 1950—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
543,	Gastritis, etc.*--	18	10	1	-	-	-	-	1	-	-	-	-	1	-	-	2	1	-	-	-	1	1	-	-	-	-
571,	White-----M--	5	2	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
572	F--	11	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	21	1	-	-	-	1	-	-	-	-	-	2	2	1	2	2	1	-	4	5	-	-	-	-	-	-
	White-----M--	14	1	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	4	4	-	-	-	-	-	-
	F--	7	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	4	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	2	1	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	9	...	...	...	...	...	...	-	1	4	1	1	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	9	...	...	...	...	...	...	-	1	4	1	1	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	3	...	...	...	...	...	...	-	1	1	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	3	...	...	...	...	...	...	-	1	1	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	6	...	...	...	...	...	...	-	-	3	-	1	1	1	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	6	...	...	...	...	...	...	-	-	3	-	1	1	1	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations------	34	26	4	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	12	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	12	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	28	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	3	5	2	6	5	1	-	-
795	White-----M--	20	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	1	5	2	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Re-	All other diseases	134	8	1	1	1	-	1	2	3	2	5	1	4	5	8	20	10	11	23	11	8	3	5	1	-	-
sid-	White-----M--	90	4	-	-	-	-	-	2	2	-	3	-	3	2	4	15	9	7	19	7	6	2	4	1	-	-
ual	F--	41	4	-	1	1	-	1	-	1	2	1	1	1	3	4	4	1	4	4	4	2	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents----------	289	10	7	2	3	1	12	15	28	30	26	17	21	19	19	13	9	16	9	5	10	6	6	3	1	1
E962	White-----M--	223	5	5	-	1	1	8	10	18	28	18	15	18	16	17	11	9	15	7	5	8	2	3	1	1	1
	F--	56	3	2	2	2	-	4	4	9	1	7	2	3	2	1	2	-	1	1	-	2	4	3	1	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	1	1	1	1	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	117	1	2	-	2	1	1	5	19	18	13	6	8	8	7	6	2	8	2	4	3	-	1	-	-	-
	White-----M--	86	1	1	-	1	1	1	1	11	16	8	6	5	6	6	4	2	7	2	4	3	-	-	-	-	-
	F--	27	-	1	-	1	-	-	4	7	1	5	-	3	1	-	2	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	172	9	5	2	1	-	11	10	9	12	13	11	13	11	12	7	7	8	7	1	7	6	5	3	1	1
E802,	White-----M--	137	4	4	-	-	-	7	9	7	12	10	9	13	10	11	7	7	8	5	1	5	2	3	1	1	1
E840-	F--	29	3	1	2	1	-	4	-	2	-	2	2	-	1	1	-	-	-	1	-	2	4	2	1	-	-
E962	Nonwhite--M--	5	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	50	-	-	-	-	-	-	-	3	-	4	4	5	6	3	4	7	4	2	2	4	2	-	-	-	-
E970-	White-----M--	42	-	-	-	-	-	-	-	2	-	4	2	4	6	3	3	6	3	2	1	4	2	-	-	-	-
E979	F--	7	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	4	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
E980-	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
E985	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table 51.

Table 57. Deaths From 32 Selected Causes by Age,

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers under causes

	AGE, SEX, RACE, AND NATIVITY OF WHITE	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1	ALL RACES, BOTH SEXES	1,452,454	33,959	7,568	96	923	410	1,118	974	1,904	468	4,230	210,733	24,419	1,839	769,751	745,074
2	Under 1 year	103,825	288	201	3	521	21	745	252	81	113	577	274	23	573	360	336
3	1-4 years	18,148	823	9	5	116	210	328	344	260	181	472	1,521	38	366	491	364
4	5-14 years	14,607	440	10	6	25	115	39	125	602	98	336	1,635	136	144	1,344	1,112
5	15-24 years	28,298	2,497	57	13	10	8	3	64	387	31	264	1,907	248	86	2,991	2,425
6	25-34 years	42,467	4,542	168	15	24	3	-	31	394	18	329	4,763	511	88	7,705	6,839
7	35-44 years	76,937	5,600	715	20	30	17	-	38	126	5	421	13,440	898	112	26,249	24,481
8	45-54 years	148,087	6,227	1,609	11	32	17	-	45	35	5	495	30,372	2,146	147	71,366	68,534
9	55-64 years	254,150	6,342	2,116	9	52	5	-	35	14	4	478	52,232	5,635	152	142,823	138,696
10	65-74 years	342,296	4,855	1,837	8	51	10	2	30	4	5	450	58,277	8,439	113	217,591	211,769
11	75-84 years	305,851	2,071	744	6	42	3	1	7	1	6	301	37,802	5,465	45	213,804	208,091
12	85 years and over	116,516	275	96	-	20	1	-	3	-	1	104	8,371	867	11	84,375	82,004
13	Not stated	1,272	19	6	-	-	-	-	-	-	1	3	139	13	2	652	623
14	Male	827,749	22,559	5,550	52	541	215	495	559	1,141	236	2,382	106,971	9,348	1,095	434,007	420,922
15	Under 1 year	59,727	157	114	2	306	12	350	139	50	53	324	156	16	323	223	205
16	1-4 years	10,062	424	7	2	62	105	124	205	149	97	271	851	15	211	269	198
17	5-14 years	8,769	198	5	2	17	60	18	67	365	46	191	916	57	84	630	510
18	15-24 years	18,332	982	30	6	5	1	2	37	233	21	141	1,054	97	53	1,505	1,180
19	25-34 years	25,111	2,166	97	6	16	2	-	19	229	7	161	2,057	246	48	4,158	3,600
20	35-44 years	45,402	3,550	452	12	20	10	-	22	75	3	225	4,831	457	72	16,326	15,402
21	45-54 years	92,356	4,820	1,194	6	21	12	-	28	24	3	288	13,515	887	95	47,205	45,677
22	55-64 years	160,422	5,111	1,678	5	34	3	-	22	12	3	304	27,685	2,026	103	92,965	90,677
23	65-74 years	198,428	3,643	1,411	6	30	8	1	16	3	1	263	31,849	3,089	73	125,921	122,794
24	75-84 years	157,095	1,356	510	5	19	1	-	3	1	1	159	20,079	2,138	25	107,941	104,956
25	85 years and over	51,240	162	49	-	11	1	-	1	-	1	43	3,951	333	8	36,477	35,370
26	Not stated	805	10	3	-	-	-	-	-	-	-	2	87	7	-	387	373
27	Female	624,705	11,420	2,018	44	382	195	623	415	763	232	1,848	103,762	15,071	744	335,744	324,152
28	Under 1 year	44,098	131	87	1	215	9	395	113	31	60	253	118	7	250	137	131
29	1-4 years	8,086	399	2	3	54	105	204	139	111	84	201	690	23	155	222	166
30	5-14 years	5,838	242	5	4	8	55	21	58	237	52	145	719	79	60	714	602
31	15-24 years	9,966	1,515	27	7	5	7	1	27	154	10	123	853	151	33	1,486	1,245
32	25-34 years	17,356	2,376	71	9	8	1	-	12	165	11	168	2,706	265	40	3,547	3,039
33	35-44 years	31,535	2,050	263	8	10	7	-	16	51	2	196	8,609	441	40	9,923	9,079
34	45-54 years	55,731	1,407	415	5	11	5	-	17	11	2	197	16,857	1,259	52	24,161	22,857
35	55-64 years	93,728	1,231	438	4	18	2	-	13	2	1	174	24,567	3,609	49	49,858	48,019
36	65-74 years	143,868	1,212	426	2	21	2	1	14	1	4	187	26,428	5,370	40	91,670	88,975
37	75-84 years	148,756	735	234	1	23	2	1	4	-	5	142	17,723	3,327	20	105,863	103,155
38	85 years and over	65,276	113	47	-	9	-	-	2	-	-	61	4,420	534	3	47,898	46,634
39	Not stated	467	9	3	-	-	-	-	-	-	1	1	72	6	2	265	250
40	WHITE[1]	1,276,085	24,136	5,024	55	693	323	708	843	1,811	374	3,319	193,697	22,147	1,322	691,296	671,528
41	Male[1]	731,366	16,787	3,764	28	403	172	304	475	1,084	194	1,910	98,799	8,580	794	393,299	382,686
42	Under 1 year	47,595	72	43	1	258	10	222	119	45	42	237	135	14	227	178	169
43	1-4 years	7,921	257	-	-	44	79	68	186	137	75	219	766	14	151	214	154
44	5-14 years	7,298	116	2	2	13	46	12	53	356	39	158	829	52	67	510	400
45	15-24 years	14,769	415	22	4	5	1	1	31	222	19	97	959	76	39	1,182	897
46	25-34 years	19,323	1,184	28	2	11	1	-	14	222	7	115	1,848	211	31	3,257	2,780
47	35-44 years	36,293	2,416	183	5	13	10	-	18	73	3	178	4,238	369	44	13,210	12,506
48	45-54 years	77,150	3,561	628	1	10	12	-	18	23	3	233	11,817	739	67	39,815	38,663
49	55-64 years	142,419	4,240	1,211	4	27	3	-	17	12	3	260	25,301	1,854	77	82,648	80,879
50	65-74 years	181,770	3,170	1,168	4	20	8	1	15	3	1	228	29,843	2,876	64	115,520	113,025
51	75-84 years	147,984	1,205	435	5	15	1	-	3	1	1	141	19,227	2,049	20	101,945	99,349
52	85 years and over	48,249	147	41	-	7	1	-	1	-	1	43	3,780	322	7	34,557	33,587
53	Not stated	595	6	3	-	-	-	-	-	-	-	1	56	4	-	283	277
54	Female[1]	544,719	7,349	1,260	27	290	151	401	368	717	180	1,409	94,898	13,567	528	297,997	288,842
55	Under 1 year	34,423	77	31	-	163	7	254	99	28	43	187	104	7	157	96	95
56	1-4 years	6,282	272	-	2	41	77	132	127	98	65	155	634	17	118	177	128
57	5-14 years	4,704	125	-	2	7	43	12	55	223	43	109	658	63	43	555	457
58	15-24 years	7,024	652	15	3	2	5	1	20	149	6	85	736	116	25	1,084	884
59	25-34 years	12,235	1,301	27	8	6	1	-	12	158	9	111	2,267	210	28	2,385	2,034
60	35-44 years	22,915	1,266	111	4	7	7	-	13	47	2	132	7,245	275	26	6,366	5,855
61	45-54 years	42,994	901	209	4	6	5	-	13	11	2	140	14,618	907	36	17,096	16,253
62	55-64 years	79,803	924	289	1	13	2	-	11	2	1	141	22,361	3,205	40	40,989	39,626
63	65-74 years	130,712	1,043	335	2	16	2	1	12	1	4	158	24,851	5,046	34	82,766	80,579
64	75-84 years	141,519	684	201	1	20	2	1	4	-	5	133	17,130	3,216	17	100,756	98,357
65	85 years and over	61,785	100	42	-	9	-	-	2	-	-	58	4,233	502	3	45,543	44,395
66	Not stated	323	4	-	-	-	-	-	-	-	-	-	61	3	1	184	175
67	Native white	1,002,048	19,573	3,951	52	643	312	686	817	1,768	370	2,964	146,689	15,757	1,220	523,760	507,549
68	Male	571,690	13,162	2,919	25	366	163	301	455	1,074	191	1,690	71,517	6,308	724	298,440	289,755
69	Under 1 year	47,291	72	42	1	233	9	220	118	45	41	236	134	14	225	175	166
70	1-4 years	7,794	252	-	-	44	77	88	184	135	74	215	753	14	149	207	148
71	5-14 years	7,200	112	1	2	12	44	11	51	352	39	155	819	51	67	502	393
72	15-24 years	14,349	398	22	4	4	1	1	31	221	18	93	946	76	38	1,148	871
73	25-34 years	18,571	1,140	27	1	11	1	-	13	218	7	107	1,784	206	29	3,133	2,686
74	35-44 years	33,476	2,191	167	5	12	9	-	16	70	3	165	3,910	347	42	12,215	11,563
75	45-54 years	64,152	2,902	510	1	6	11	-	13	19	3	207	9,472	612	56	33,530	32,562
76	55-64 years	106,033	3,007	916	3	17	3	-	13	11	3	199	17,472	1,307	57	62,616	61,262
77	65-74 years	129,985	2,159	876	3	12	7	1	12	3	1	176	19,960	1,985	46	84,359	82,438
78	75-84 years	109,258	849	325	5	9	1	-	3	-	1	104	13,589	1,457	10	75,970	73,840
79	85 years and over	34,348	97	30	-	6	-	-	1	-	1	33	2,649	237	5	24,454	23,698
80	Not stated	235	3	3	-	-	-	-	-	-	-	-	29	2	-	130	128

[1]Includes nativity not stated.

Sex, Race, and Nativity of White: United States, 1950

of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
156,751	1,924	535,705	43,297	7,397	24,677	47,120	8,214	7,622	13,855	3,470	2,960	18,425	22,517	34,763	56,486	17,145	7,942	153,543	1
160	19	109	-	48	24	8,456	50	3,748	37	62	...	14,074	3,636	284	3,331	-	137	66,038	2
119	45	166	1	33	127	2,466	5	689	16	193	...	1,439	503	1,503	3,291	-	77	2,802	3
113	446	507	4	42	232	771	14	90	32	174	16	575	201	2,152	3,367	38	133	1,989	4
365	328	1,494	52	188	565	715	58	128	76	198	822	396	348	7,600	4,519	997	1,395	2,484	5
1,009	356	4,621	327	326	1,065	990	206	172	488	247	1,293	446	589	5,855	5,009	2,156	2,344	4,081	6
4,015	421	18,528	934	583	1,768	1,935	740	216	1,997	364	799	474	1,055	4,359	5,440	3,072	1,879	6,956	7
12,209	105	55,523	1,678	1,019	2,652	3,347	1,485	364	3,316	420	27	457	1,798	3,848	5,351	3,628	1,059	10,482	8
25,958	94	107,440	3,488	1,716	4,127	5,102	2,253	525	5,651	534	2	312	2,324	3,880	5,586	3,585	531	16,008	9
46,258	70	154,820	8,748	1,873	5,822	8,100	2,066	732	2,819	603	...	171	5,523	3,264	6,486	2,467	271	20,122	10
49,153	29	141,274	16,440	1,195	5,713	9,717	1,134	671	1,209	492	...	67	4,285	1,727	8,620	1,021	85	16,525	11
17,250	11	52,790	11,585	368	2,371	5,506	221	285	225	180	...	11	4,160	260	5,351	166	13	6,014	12
144	-	433	40	6	29	35	4	4	9	3	1	3	85	51	135	15	20	62	13
76,672	949	316,875	22,057	4,369	13,085	26,323	6,647	4,036	9,059	1,950	...	10,026	12,823	26,516	36,899	13,297	6,089	88,953	14
103	12	64	-	26	18	4,695	36	2,115	23	35	...	7,648	2,054	146	1,911	-	72	38,787	15
72	19	91	-	16	71	1,331	4	359	5	115	...	789	268	865	1,958	-	33	1,565	16
80	192	242	2	14	120	411	9	46	15	101	...	326	113	1,467	2,434	31	75	1,085	17
192	159	747	25	57	325	377	40	61	21	126	...	214	192	6,196	5,895	706	1,061	1,289	18
491	179	2,653	160	117	558	488	179	82	243	140	...	258	300	4,727	4,275	1,564	1,798	1,874	19
1,855	214	12,538	480	315	924	1,159	602	111	1,244	202	...	267	618	3,439	4,502	2,253	1,464	3,488	20
5,879	57	38,128	981	632	1,528	2,192	1,234	217	2,219	275	...	238	1,177	2,905	4,553	2,771	860	5,807	21
13,742	60	73,646	2,083	1,146	2,268	3,390	1,911	301	2,556	304	...	192	1,610	2,884	4,274	2,922	436	9,712	22
23,723	41	92,916	4,926	1,188	3,127	4,837	1,651	349	1,932	306	...	95	2,246	2,377	3,883	2,031	214	12,213	23
23,258	12	72,701	8,277	688	3,005	4,990	841	281	692	248	...	31	2,328	1,281	3,536	878	61	9,710	24
7,220	4	22,877	5,102	167	1,107	2,436	137	112	104	96	...	6	1,853	185	1,763	138	6	3,367	25
77	-	272	21	3	14	17	3	2	6	2	...	2	66	45	117	13	18	38	26
80,079	975	218,830	21,240	3,028	11,592	20,797	1,567	3,588	4,796	1,520	2,960	8,399	9,694	8,247	19,587	3,848	1,853	64,590	27
57	7	45	-	22	6	3,741	14	1,633	14	27	...	6,426	1,582	118	1,420	-	65	27,251	28
47	26	75	1	17	56	1,135	1	330	11	78	...	670	255	638	1,333	-	44	1,219	29
53	254	265	2	28	112	360	5	44	17	73	16	249	88	685	933	7	58	904	30
171	189	747	27	131	241	338	18	65	55	72	822	182	156	1,405	626	291	342	1,195	31
518	177	1,968	167	209	508	502	27	90	245	107	1,293	208	289	1,128	734	602	545	2,207	32
2,160	207	5,990	454	268	844	776	138	105	753	162	799	207	439	920	838	819	415	3,448	33
6,330	48	15,385	697	387	1,304	1,155	249	147	1,097	145	27	219	621	945	988	857	198	4,675	34
12,216	34	33,794	1,405	570	1,859	1,712	322	226	1,076	230	2	120	714	996	1,312	663	95	6,296	35
22,535	29	61,804	3,822	685	2,695	3,263	415	383	887	297	...	76	1,277	887	2,603	436	57	7,909	36
25,885	17	68,573	8,163	507	2,708	4,727	293	388	517	244	...	36	1,957	446	5,084	143	24	6,815	37
10,030	7	29,913	6,483	201	1,264	3,070	84	173	121	84	...	5	2,307	75	3,588	28	7	2,647	38
67	-	161	19	3	15	18	1	2	3	1	1	1	29	6	18	2	2	24	39
137,482	1,566	486,932	38,965	6,583	19,768	37,820	7,525	5,943	12,854	2,657	1,873	16,621	14,423	30,955	49,079	16,468	3,538	130,604	40
67,462	779	290,701	19,811	3,933	10,613	21,231	6,168	3,107	8,456	1,511	...	9,042	8,366	23,574	31,639	12,755	2,586	76,189	41
82	7	57	-	23	9	3,249	27	1,498	18	25	...	6,907	945	128	1,432	-	60	31,725	42
64	10	66	-	14	60	896	3	256	4	88	...	676	151	773	1,537	-	26	1,301	43
49	148	190	2	11	110	208	7	33	11	83	...	286	62	1,303	1,964	29	48	909	44
152	121	565	17	42	285	289	30	56	18	102	...	196	107	5,851	3,240	841	357	1,011	45
352	150	2,097	86	95	457	317	143	65	211	100	...	222	176	4,081	3,657	1,436	567	1,457	46
1,248	190	10,536	282	250	704	817	513	89	1,138	133	...	235	389	2,943	3,737	2,133	613	2,793	47
4,207	45	35,191	684	536	1,152	1,590	1,103	179	2,080	187	...	219	728	2,479	3,716	2,675	428	4,859	48
11,263	56	66,851	1,679	1,030	1,789	2,692	1,767	256	2,399	242	...	179	1,090	2,589	3,827	2,835	269	8,617	49
21,286	38	86,247	4,338	1,116	2,495	4,177	1,574	316	1,826	245	...	86	1,522	2,208	3,576	1,988	154	11,177	50
21,880	10	68,990	7,815	654	2,596	4,628	805	255	663	218	...	29	1,715	1,214	3,378	870	49	9,112	51
6,822	4	21,708	4,894	159	970	2,256	134	103	103	87	...	5	1,447	173	1,693	135	4	3,202	52
57	-	205	14	3	6	12	2	1	5	1	...	2	34	32	101	15	11	28	53
70,020	787	196,251	19,154	2,650	9,155	16,589	1,417	2,836	4,378	1,146	1,873	7,579	6,057	7,381	17,241	3,715	952	54,415	54
39	3	36	-	17	1	2,541	11	1,152	12	18	...	5,807	723	104	1,011	-	52	21,739	55
36	17	60	1	14	49	778	1	245	9	67	...	601	115	564	950	-	32	1,005	56
44	184	200	2	27	98	268	5	37	13	55	3	221	41	588	721	6	40	788	57
117	127	522	17	101	200	240	10	58	48	46	486	155	72	1,240	490	268	127	983	58
318	150	1,328	78	160	351	296	22	80	198	64	814	186	151	978	545	565	207	1,626	59
1,317	186	3,934	217	201	511	467	106	81	648	85	546	185	219	788	738	794	213	2,544	60
4,329	35	11,168	409	312	843	699	205	114	977	103	19	197	285	852	836	824	128	3,807	61
9,675	32	28,384	1,028	507	1,363	1,246	304	193	1,011	168	2	115	382	926	1,141	657	79	5,600	62
20,077	29	56,468	3,369	636	2,187	2,757	386	349	845	243	...	72	734	843	2,377	429	46	7,360	63
24,549	17	65,494	7,812	485	2,399	4,405	282	362	499	219	...	35	1,498	423	4,937	140	20	6,529	64
9,475	7	28,522	6,207	188	1,144	2,884	84	163	116	77	...	5	1,845	70	3,483	28	6	2,552	65
44	-	115	14	2	9	8	1	2	2	1	1	-	12	5	12	2	2	22	66
107,209	1,472	364,237	29,273	5,358	16,211	30,652	5,911	5,388	9,694	2,309	1,780	16,306	11,858	27,643	40,789	13,506	3,122	114,518	67
52,368	722	218,768	14,715	3,182	8,685	16,921	4,818	2,840	6,301	1,319	...	8,679	6,777	21,006	26,700	10,371	2,264	66,161	68
82	6	55	-	23	9	3,210	27	1,475	18	25	...	6,872	914	125	1,422	-	53	31,585	69
61	10	63	-	14	59	883	3	253	4	85	...	666	145	761	1,514	-	26	1,282	70
48	146	186	2	11	109	303	7	32	11	83	...	282	61	1,288	1,959	28	48	900	71
146	120	548	17	40	278	287	29	54	16	101	...	193	99	5,511	3,109	620	338	990	72
339	144	2,028	82	93	447	305	141	61	202	97	...	216	160	3,917	3,465	1,381	542	1,407	73
1,168	182	9,729	256	228	652	750	461	85	1,043	125	...	227	349	2,752	3,415	1,980	551	2,586	74
3,615	37	27,847	604	459	968	1,314	943	148	1,689	167	...	195	612	2,118	3,012	2,241	362	4,029	75
8,794	43	50,369	1,248	808	1,354	1,905	1,353	210	1,658	192	...	139	857	1,956	2,632	2,074	196	6,257	76
16,160	24	62,182	3,195	877	1,921	2,919	1,161	240	1,165	192	...	64	1,146	1,864	2,474	1,363	107	8,008	77
16,923	6	50,580	5,820	511	2,130	3,393	598	206	465	179	...	21	1,319	877	2,477	584	34	6,782	78
5,005	4	15,086	3,488	115	756	1,648	91	75	68	73	...	2	1,107	126	1,226	95	3	2,325	79
27	-	95	3	3	2	6	2	1	4	-	...	2	8	11	15	5	4	10	80

Table 57. Deaths From 32 Selected Causes by Age, Sex,

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers under causes

	AGE, SEX, RACE, AND NATIVITY OF WHITE	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	WHITE—Continued																
	Native white—Continued																
1	Female	430,358	6,411	1,032	27	277	149	395	362	694	179	1,274	75,172	9,449	496	225,320	217,794
2	Under 1 year	34,174	76	30	-	159	7	252	99	28	43	186	102	7	156	94	93
3	1-4 years	6,182	265	-	2	39	77	130	126	96	64	155	624	17	117	172	125
4	5-14 years	4,640	120	-	2	7	43	11	55	217	43	108	652	62	41	550	453
5	15-24 years	6,837	620	15	3	2	5	1	20	148	6	82	717	113	24	1,052	858
6	25-34 years	11,700	1,240	26	8	6	1	-	12	151	9	105	2,172	205	26	2,274	1,940
7	35-44 years	21,012	1,173	102	4	7	6	-	12	44	2	121	6,596	255	21	5,865	5,393
8	45-54 years	35,782	723	183	4	4	5	-	12	8	2	112	12,206	719	28	14,143	13,439
9	55-64 years	60,069	733	224	1	11	1	-	9	1	1	119	17,245	2,181	37	30,421	29,382
10	65-74 years	96,495	830	255	2	16	2	-	11	1	4	124	18,547	3,547	29	60,901	59,188
11	75-84 years	107,076	549	164	1	18	2	1	4	-	5	115	13,089	2,213	15	75,948	73,980
12	85 years and over	46,211	80	33	-	8	-	-	2	-	-	47	3,189	328	1	33,794	32,882
13	Not stated	180	2	-	-	-	-	-	-	-	-	-	33	2	1	106	100
14	Foreign-born white	260,265	4,160	985	2	44	8	5	19	33	1	334	45,669	6,228	86	160,324	156,964
15	Male	150,211	3,304	778	2	32	6	1	16	16	1	209	26,502	2,199	58	90,038	88,229
16	Under 1 year	53	-	-	-	5	1	1	-	-	-	-	-	-	1	2	2
17	1-4 years	61	4	-	-	-	-	-	1	1	1	3	9	-	-	3	3
18	5-14 years	60	3	1	-	-	1	-	1	1	-	2	7	1	-	5	4
19	15-24 years	279	12	-	-	1	-	-	-	1	-	3	10	-	1	23	19
20	25-34 years	533	33	1	-	-	-	-	1	4	-	8	54	3	1	93	83
21	35-44 years	2,377	182	12	-	1	1	-	2	3	-	12	314	17	2	886	839
22	45-54 years	11,890	590	105	-	4	1	-	4	4	-	26	2,266	119	9	5,834	5,662
23	55-64 years	35,379	1,156	275	1	10	-	-	4	1	-	60	7,646	556	16	19,013	18,617
24	65-74 years	49,286	950	272	1	5	1	-	3	-	-	51	9,632	866	15	29,670	29,126
25	75-84 years	36,871	328	101	-	5	-	-	-	1	-	35	5,458	575	9	24,737	24,307
26	85 years and over	13,336	45	11	-	1	1	-	-	-	-	9	1,085	81	2	9,715	9,513
27	Not stated	86	1	-	-	-	-	-	-	-	-	-	11	1	-	57	54
28	Female	110,054	856	207	-	12	2	4	3	17	-	125	19,167	4,027	28	70,286	68,735
29	Under 1 year	50	1	-	-	4	-	1	-	-	-	-	1	-	1	-	-
30	1-4 years	50	5	-	-	1	-	1	-	1	-	-	5	-	-	1	-
31	5-14 years	41	3	-	-	-	-	1	-	5	-	1	6	-	1	1	-
32	15-24 years	144	27	-	-	-	-	-	-	1	-	2	18	3	1	25	21
33	25-34 years	437	49	1	-	-	-	-	-	5	-	4	82	3	2	98	81
34	35-44 years	1,722	87	6	-	-	1	-	-	2	-	8	605	19	4	460	422
35	45-54 years	6,907	162	21	-	2	-	-	1	2	-	27	2,339	180	7	2,856	2,725
36	55-64 years	19,208	180	59	-	2	1	-	1	1	-	21	5,009	1,004	3	10,284	9,988
37	65-74 years	33,193	200	78	-	-	-	1	1	-	-	33	6,142	1,670	5	21,259	20,801
38	75-84 years	33,191	122	34	-	2	-	-	-	-	-	18	3,921	978	2	23,914	23,512
39	85 years and over	15,039	18	8	-	1	-	-	-	-	-	11	1,024	170	2	11,359	11,139
40	Not stated	72	2	-	-	-	-	-	-	-	-	-	15	-	-	49	48
41	NONWHITE	176,369	9,823	2,544	41	230	87	413	131	93	94	911	17,036	2,272	517	78,455	73,546
42	Male	96,383	5,752	1,786	24	136	43	191	84	47	42	472	8,172	768	301	40,708	38,236
43	Under 1 year	12,132	65	71	1	68	2	128	20	5	11	87	21	2	96	45	36
44	1-4 years	2,141	167	7	2	18	26	56	19	12	22	52	65	1	60	55	44
45	5-14 years	1,471	82	3	-	4	14	6	14	9	7	33	87	5	17	120	110
46	15-24 years	3,563	569	8	2	-	-	1	6	11	2	44	95	21	14	323	293
47	25-34 years	5,788	982	69	4	5	1	-	5	7	-	46	209	35	17	921	820
48	35-44 years	9,109	1,134	269	7	7	-	-	4	2	-	47	593	88	28	3,116	2,896
49	45-54 years	15,206	1,259	566	5	11	-	-	10	1	-	65	1,698	148	28	7,390	7,014
50	55-64 years	18,003	871	467	1	7	-	-	5	-	-	44	2,364	172	26	10,317	9,798
51	65-74 years	16,658	473	243	2	10	-	-	1	-	-	35	2,006	193	9	10,401	9,769
52	75-84 years	9,111	131	75	-	4	-	-	-	-	-	18	852	89	5	5,996	5,587
53	85 years and over	2,991	15	8	-	4	-	-	-	-	-	-	171	11	1	1,920	1,785
54	Not stated	210	4	-	-	-	-	-	-	-	-	1	11	3	-	104	96
55	Female	79,986	4,071	758	17	92	44	222	47	46	52	439	8,864	1,504	216	37,747	35,310
56	Under 1 year	9,675	54	56	1	52	2	141	14	3	17	66	14	-	93	41	36
57	1-4 years	1,804	127	2	1	13	28	72	12	13	19	46	56	6	37	45	39
58	5-14 years	1,134	117	5	2	1	12	9	3	14	9	36	61	16	17	159	145
59	15-24 years	2,942	863	12	4	3	2	-	7	5	4	38	117	35	8	402	361
60	25-34 years	5,121	1,075	44	1	2	-	-	-	7	2	57	439	55	12	1,162	1,005
61	35-44 years	8,620	784	152	4	3	-	-	3	4	-	64	1,364	166	14	3,557	3,224
62	45-54 years	12,737	506	206	1	6	-	-	4	-	-	57	2,239	352	16	7,065	6,604
63	55-64 years	13,925	307	149	3	5	-	-	2	-	-	33	2,206	404	9	8,869	8,393
64	65-74 years	13,156	169	91	-	5	-	-	2	-	-	29	1,577	324	6	8,904	8,396
65	75-84 years	7,237	51	33	-	3	-	-	-	-	-	9	593	111	3	5,107	4,798
66	85 years and over	3,491	13	5	-	-	-	-	-	-	-	3	187	32	-	2,355	2,235
67	Not stated	144	5	3	-	-	-	-	-	-	1	1	11	3	1	81	75

Race, and Nativity of White: United States, 1950—Continued

of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
54,841	750	145,469	14,558	2,176	7,526	13,751	1,095	2,548	3,393	990	1,780	7,427	5,081	6,637	14,089	3,135	858	48,357	1
37	3	36	-	17	1	2,518	11	1,151	12	16	...	5,772	706	102	995	-	43	21,651	2
36	16	58	1	14	47	765	1	259	9	65	...	592	109	556	959	-	31	993	3
43	184	197	2	27	97	266	5	37	13	54	3	217	41	578	709	6	38	762	4
114	125	503	17	99	194	235	9	57	46	46	474	154	67	1,224	476	253	123	865	5
303	144	1,264	73	156	334	285	21	76	183	65	779	180	126	941	509	541	195	1,568	6
1,212	175	3,628	197	181	472	435	96	76	573	85	508	168	202	754	687	714	193	2,335	7
3,682	32	9,126	351	268	704	597	167	98	778	94	13	168	251	744	686	697	118	3,222	8
7,492	26	20,686	772	386	1,059	940	237	152	729	131	2	95	315	735	825	519	65	4,340	9
15,453	24	40,672	2,520	500	1,732	2,068	277	270	595	194	...	52	599	657	1,724	296	32	5,662	10
19,184	14	48,444	5,981	377	1,968	3,375	202	281	378	181	...	25	1,198	310	3,853	93	13	5,043	11
7,278	7	20,791	4,656	150	912	2,241	69	130	75	62	...	4	1,465	53	2,683	14	6	1,927	12
27	-	64	8	1	6	6	-	2	2	1	1	-	2	3	5	2	1	11	13
28,952	84	117,534	9,229	1,165	3,360	6,511	1,549	499	2,993	322	82	253	2,120	2,816	7,188	2,667	312	15,077	14
14,328	50	68,324	4,812	715	1,809	3,821	1,233	230	2,045	177	...	123	1,256	2,165	4,252	2,129	247	9,371	15
-	-	2	-	-	-	12	-	8	-	-	...	6	2	2	-	-	1	12	16
2	-	1	-	-	-	7	-	1	-	-	...	4	2	5	10	-	-	10	17
1	1	2	-	-	1	2	-	1	-	-	...	3	1	10	14	1	-	6	18
.5	1	12	-	1	4	2	1	1	2	-	...	3	6	65	82	16	15	15	19
12	6	60	4	1	10	7	-	4	7	3	...	6	12	104	92	41	20	39	20
74	7	714	25	19	47	48	51	3	90	8	...	7	29	144	213	130	50	172	21
545	7	4,964	74	72	172	221	150	28	364	18	...	24	84	296	550	383	51	759	22
2,343	11	15,642	404	217	596	669	391	41	724	49	...	40	172	567	1,015	686	60	2,245	23
4,880	13	22,951	1,072	230	544	1,143	400	69	629	49	...	20	294	592	986	566	38	3,034	24
4,710	4	17,583	1,875	135	430	1,149	199	46	193	37	...	7	338	311	839	266	10	2,227	25
1,746	-	6,376	1,351	40	202	561	41	28	36	15	...	3	314	45	448	38	-	849	26
10	-	37	7	-	3	-	-	-	-	-	-	-	2	4	3	2	2	3	27
14,524	34	49,210	4,417	450	1,551	2,690	316	269	948	145	82	110	864	651	2,936	538	65	5,706	28
-	-	-	-	-	-	10	-	12	-	-	...	5	2	-	2	-	-	11	29
-	-	-	-	-	1	6	-	5	-	-	...	6	4	3	6	-	1	5	30
-	-	-	-	-	1	1	-	-	-	1	-	2	-	6	7	-	2	4	31
3	1	16	-	1	4	4	1	1	2	-	11	1	4	8	8	11	4	12	32
12	6	54	5	4	17	7	1	4	11	1	31	5	3	27	23	21	9	50	33
95	10	279	19	19	38	26	10	5	70	2	34	16	14	37	45	70	14	187	34
657	3	1,984	57	42	133	95	36	16	187	9	6	26	27	96	128	121	9	554	35
2,120	6	7,500	248	114	296	298	67	41	275	34	-	18	63	179	300	130	10	1,228	36
4,474	5	15,373	821	128	458	648	106	78	244	47	...	20	118	176	605	126	11	1,645	37
5,155	3	16,485	1,762	107	402	983	80	77	119	37	...	10	275	104	1,038	45	5	1,427	38
2,118	-	7,485	1,501	35	220	611	14	30	40	14	...	1	354	14	774	14	-	580	39
10	-	54	4	-	1	1	1	-	-	-	-	-	-	1	-	-	-	3	40
19,289	358	48,773	4,332	814	4,909	9,300	689	1,679	1,021	813	1,087	1,804	8,094	3,808	7,407	677	4,404	22,939	41
9,210	170	26,174	2,246	436	2,472	5,092	539	929	603	439	...	984	4,457	2,942	5,061	542	3,503	12,764	42
21	5	7	-	3	9	1,446	9	617	5	10	...	741	1,109	18	479	-	12	7,064	43
8	9	25	-	2	11	455	1	103	1	27	...	93	117	92	421	-	7	282	44
11	44	52	-	3	10	103	2	13	4	19	...	40	51	164	470	2	27	176	45
40	38	182	8	15	40	88	10	5	3	24	...	18	85	544	653	65	694	278	46
139	29	556	74	22	101	171	36	17	32	40	...	16	124	646	638	118	1,232	417	47
607	24	2,002	198	65	220	342	89	22	106	69	...	32	227	496	765	120	851	695	48
1,672	12	4,937	297	96	376	602	131	38	159	88	...	19	449	428	657	96	432	948	49
2,479	4	6,795	404	116	519	698	144	45	156	62	...	13	520	295	447	87	167	1,095	50
2,457	3	6,669	588	72	632	660	77	33	106	61	...	9	724	169	307	43	60	1,056	51
1,378	2	3,711	462	34	409	362	36	26	29	30	...	2	613	67	158	8	12	598	52
398	-	1,169	208	8	137	180	3	9	1	9	...	1	406	12	70	3	2	165	53
20	-	69	7	-	8	5	1	1	1	1	...	-	32	13	16	-	7	10	54
10,059	188	22,599	2,086	378	2,437	4,208	150	750	418	374	1,087	820	3,637	866	2,346	135	901	10,175	55
18	4	9	-	5	5	1,200	3	481	2	9	...	619	859	14	409	-	13	5,512	56
11	9	15	-	3	7	357	-	85	2	11	...	69	120	74	383	-	12	214	57
9	70	65	-	1	14	92	-	7	4	18	13	28	47	97	212	1	18	136	58
54	42	225	10	30	41	98	8	7	7	26	334	27	84	165	136	23	215	312	59
200	27	640	89	49	157	206	5	10	47	43	479	22	158	150	189	37	338	581	60
843	21	2,056	237	67	333	309	32	24	105	77	253	22	220	132	200	25	203	904	61
2,001	13	4,227	288	75	461	456	44	33	120	42	8	22	336	91	162	33	71	868	62
2,541	2	5,410	377	63	476	466	16	31	65	62	-	5	332	70	171	8	16	696	63
2,458	-	5,436	453	49	508	506	29	34	42	54	...	4	543	44	226	7	11	549	64
1,346	-	3,079	351	22	309	322	11	28	18	25	...	1	458	23	147	3	4	286	65
555	-	1,391	276	13	120	186	-	10	5	7	...	-	462	5	105	-	1	115	66
23	-	46	5	1	6	10	-	-	1	-	-	1	17	1	6	-	-	2	67

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-046	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 330-334, 400-468, 592-594	Major cardiovascular-renal diseases 330-334, 400-468
1	UNITED STATES	1,452,454	33,953	7,568	96	923	410	1,118	974	1,904	468	4,230	210,733	24,419	1,839	769,751	745,074
2	Urban	936,170	23,564	5,478	54	425	148	359	572	1,137	184	2,471	144,350	16,468	1,135	504,326	489,814
3	Places of 250,000 or more	374,589	11,930	2,389	10	55	46	67	238	363	54	871	61,100	8,509	474	201,098	195,870
4	Places of 100,000 to 250,000	101,423	2,630	615	2	34	18	42	64	113	18	269	15,386	1,771	129	54,173	52,612
5	Places of 50,000 to 100,000	94,007	2,012	555	3	43	11	40	62	111	11	223	14,269	1,693	118	50,981	49,542
6	Places of 25,000 to 50,000	98,529	1,933	535	3	34	9	34	56	109	31	259	14,597	1,706	112	52,594	51,046
7	Places of 10,000 to 25,000	125,330	2,314	639	7	82	26	63	62	191	31	382	18,432	2,205	151	67,522	65,385
8	Places of 2,500 to 10,000	148,292	2,745	745	9	177	38	113	90	250	39	467	20,566	2,584	151	77,958	75,369
9	Rural	514,284	10,395	2,090	62	498	262	759	402	767	284	1,759	66,383	7,951	704	265,425	255,260
10	METROPOLITAN COUNTIES	830,252	21,344	4,668	27	217	119	274	520	1,038	154	2,030	130,892	14,511	1,021	447,303	435,224
11	Urban	699,916	18,817	4,103	17	156	86	186	424	783	116	1,663	111,941	12,427	859	378,508	368,394
12	Places of 250,000 or more	374,589	11,930	2,389	10	55	46	67	238	363	54	871	61,100	8,509	474	201,098	195,870
13	Places of 100,000 to 250,000	101,423	2,630	615	2	34	18	42	64	113	18	269	15,386	1,771	129	54,173	52,612
14	Places of 50,000 to 100,000	94,007	2,012	555	3	43	11	40	62	111	11	223	14,269	1,693	118	50,981	49,542
15	Places of 25,000 to 50,000	41,578	748	208	-	4	2	9	21	55	15	82	6,882	804	59	23,300	22,719
16	Places of 10,000 to 25,000	49,156	854	181	1	9	5	15	16	68	11	125	7,860	866	56	26,819	26,122
17	Places of 2,500 to 10,000	40,163	643	155	1	11	4	13	23	73	7	93	8,444	784	43	22,137	21,529
18	Rural	130,336	2,527	565	10	61	33	88	96	255	38	367	18,951	2,084	162	68,795	66,830
19	NONMETROPOLITAN COUNTIES	622,202	12,615	2,880	69	706	291	844	454	866	314	2,200	79,841	9,908	818	322,448	309,850
20	Urban	238,254	4,747	1,375	17	269	62	173	148	354	68	808	32,409	4,041	276	125,618	121,420
21	Places of 25,000 to 50,000	54,951	1,185	327	3	30	7	25	35	54	16	177	7,715	802	73	28,294	28,327
22	Places of 10,000 to 25,000	77,174	1,460	458	6	73	21	48	46	123	20	257	10,572	1,339	95	40,703	39,263
23	Places of 2,500 to 10,000	106,129	2,102	590	8	166	34	100	67	177	32	374	14,122	1,800	108	55,821	53,830
24	Rural	383,948	7,868	1,505	52	437	229	671	306	512	246	1,392	47,432	5,867	542	196,830	188,430
25	ALABAMA	26,836	838	165	3	30	23	50	28	18	11	130	2,933	274	59	12,425	11,720
26	Urban	11,617	418	93	1	14	2	15	7	7	2	46	1,355	112	38	5,605	5,325
27	Places of 250,000 or more	3,047	136	27	-	1	-	4	1	1	-	9	406	40	10	1,453	1,415
28	Places of 100,000 to 250,000	2,216	92	16	-	8	1	5	2	1	-	9	269	16	11	1,104	1,033
29	Places of 50,000 to 100,000	359	19	2	-	-	-	2	-	-	-	2	41	2	1	147	141
30	Places of 25,000 to 50,000	1,018	32	11	-	-	-	1	2	1	-	2	100	9	7	494	454
31	Places of 10,000 to 25,000	2,223	76	16	-	1	-	2	1	2	1	9	236	17	4	1,068	1,010
32	Places of 2,500 to 10,000	2,754	63	21	1	4	1	1	1	2	1	15	303	28	5	1,339	1,272
33	Rural	15,219	420	72	2	16	21	35	21	11	9	84	1,578	162	21	6,820	6,395
34	METROPOLITAN COUNTIES	9,526	400	70	-	11	4	15	4	7	-	38	1,116	96	34	4,499	4,500
35	Urban	6,839	290	56	-	9	2	12	3	3	-	25	853	70	28	3,265	3,116
36	Places of 250,000 or more	3,047	136	27	-	1	-	4	1	1	-	9	406	40	10	1,453	1,415
37	Places of 100,000 to 250,000	2,216	92	16	-	8	1	5	2	1	-	9	269	16	11	1,104	1,033
38	Places of 50,000 to 100,000	359	19	2	-	-	-	2	-	-	-	2	41	2	1	147	141
39	Places of 25,000 to 50,000	336	14	3	-	-	-	-	-	-	-	-	33	5	4	153	137
40	Places of 10,000 to 25,000	627	24	4	-	-	-	1	-	1	-	3	85	3	2	284	272
41	Places of 2,500 to 10,000	252	5	4	-	-	1	-	-	-	-	2	39	4	-	124	118
42	Rural	2,689	110	14	-	2	2	3	1	4	-	13	263	26	6	1,234	1,184
43	NONMETROPOLITAN COUNTIES	17,308	438	95	3	19	19	35	24	11	11	92	1,817	178	25	7,926	7,420
44	Urban	4,778	128	37	1	5	-	3	4	4	2	21	502	42	10	2,340	2,209
45	Places of 25,000 to 50,000	680	18	8	-	-	-	1	2	1	-	2	67	4	3	341	317
46	Places of 10,000 to 25,000	1,596	52	12	-	1	-	1	1	1	1	6	171	14	2	784	738
47	Places of 2,500 to 10,000	2,502	58	17	1	4	-	1	1	2	1	13	264	24	5	1,215	1,154
48	Rural	12,530	310	58	2	14	19	32	20	7	9	71	1,315	136	15	5,586	5,211
49	ARIZONA	6,422	447	46	5	22	8	21	1	6	2	29	706	63	14	2,281	2,193
50	Urban	3,415	200	23	2	11	1	3	-	2	-	15	433	37	5	1,417	1,365
51	Places of 100,000 to 250,000	1,309	91	7	-	2	-	-	-	1	-	5	166	13	1	547	538
52	Places of 25,000 to 50,000	872	73	4	-	1	-	-	-	1	-	3	121	11	3	356	340
53	Places of 10,000 to 25,000	104	6	-	-	-	-	-	-	-	-	1	12	-	-	49	48
54	Places of 2,500 to 10,000	1,130	40	12	2	8	1	3	-	-	-	6	134	13	1	465	439
55	Rural	3,007	247	23	3	11	7	18	1	4	2	14	273	26	9	864	828
56	METROPOLITAN COUNTIES	2,757	169	13	3	8	1	-	-	4	-	15	340	23	2	1,088	1,065
57	Urban	1,630	93	10	1	4	-	-	-	1	-	8	209	14	1	678	667
58	Places of 100,000 to 250,000	1,309	81	7	-	2	-	-	-	1	-	5	166	13	1	547	538
59	Places of 10,000 to 25,000	104	6	-	-	-	-	-	-	-	-	1	12	-	-	49	48
60	Places of 2,500 to 10,000	217	6	3	1	2	-	-	-	-	-	2	31	1	-	82	81
61	Rural	1,127	76	3	2	4	1	-	-	3	-	7	131	9	1	410	398
62	NONMETROPOLITAN COUNTIES	3,665	278	33	2	14	7	21	1	2	2	14	366	40	12	1,193	1,128
63	Urban	1,785	107	13	1	7	1	3	-	1	-	7	224	23	4	739	698
64	Places of 25,000 to 50,000	872	73	4	-	1	-	-	-	1	-	3	121	11	3	356	340
65	Places of 2,500 to 10,000	913	34	9	1	6	1	3	-	-	-	4	103	12	1	383	358
66	Rural	1,880	171	20	1	7	6	18	1	1	2	7	142	17	8	454	430
67	ARKANSAS	15,411	615	104	4	32	10	36	15	20	6	73	1,897	180	21	7,449	6,927
68	Urban	6,221	223	55	2	8	1	10	3	9	2	34	828	74	8	3,128	2,951
69	Places of 100,000 to 250,000	1,081	39	12	-	-	-	1	-	4	-	3	160	16	1	596	573
70	Places of 25,000 to 50,000	1,606	62	20	-	3	-	-	-	1	-	11	220	27	4	822	777
71	Places of 10,000 to 25,000	955	37	7	2	1	-	3	2	1	-	8	125	10	-	439	398
72	Places of 2,500 to 10,000	2,581	85	16	-	4	1	6	1	3	2	12	323	21	3	1,271	1,203
73	Rural	9,190	392	49	2	24	9	26	12	11	4	39	1,069	106	13	4,321	3,976

politan and Nonmetropolitan Counties: United States and Each State, 1950

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
156,751	1,924	535,705	43,297	7,397	24,677	47,120	8,214	7,622	13,855	3,470	2,960	18,425	22,517	34,763	56,486	17,145	7,942	153,543	1
96,684	1,151	359,829	27,125	5,025	14,512	27,150	5,806	4,515	10,947	2,024	1,518	11,524	9,459	18,517	32,985	10,821	5,085	97,588	2
33,985	444	149,815	9,563	2,063	5,228	11,045	2,588	1,334	5,610	633	516	4,162	2,699	5,909	12,248	4,255	2,336	36,050	3
10,710	122	38,144	3,064	572	1,561	2,776	633	468	1,066	247	161	1,284	1,178	2,073	3,503	1,163	680	10,927	4
10,240	134	35,754	2,896	518	1,439	2,599	559	438	1,061	197	153	1,225	827	1,971	3,359	1,051	456	9,979	5
10,807	122	36,501	3,158	477	1,548	2,506	562	444	969	250	134	1,244	1,049	1,979	3,484	1,118	394	10,404	6
14,034	151	46,773	3,778	649	2,137	3,554	718	677	1,111	303	239	1,687	1,471	2,945	4,786	1,456	524	13,752	7
16,908	178	52,842	4,685	746	2,599	4,670	746	954	1,130	414	315	1,922	2,215	3,640	5,605	1,578	695	16,476	8
60,067	773	175,876	16,172	2,372	10,165	19,970	2,408	3,307	2,908	1,446	1,442	6,901	13,078	16,245	23,501	6,524	2,857	55,955	9
82,337	1,016	323,701	23,629	4,541	12,079	23,433	5,237	3,347	10,188	1,701	1,217	10,423	7,264	16,442	28,851	9,961	4,452	83,598	10
68,875	841	275,449	19,547	3,882	10,114	19,525	4,576	2,719	9,147	1,366	1,013	8,451	5,562	12,437	23,494	8,018	3,812	69,710	11
33,985	444	149,815	9,563	2,063	5,228	11,045	2,588	1,334	5,610	633	516	4,162	2,699	5,909	12,248	4,255	2,336	36,050	12
10,710	122	38,144	3,064	572	1,561	2,776	633	468	1,066	247	161	1,284	1,178	2,073	3,503	1,163	680	10,927	13
10,240	134	35,754	2,896	518	1,439	2,599	559	438	1,061	197	153	1,225	827	1,971	3,359	1,051	456	9,979	14
4,381	48	16,774	1,306	210	581	929	256	150	493	87	52	526	192	710	1,377	502	95	4,040	15
5,071	51	19,248	1,461	291	697	1,147	300	174	505	101	76	678	341	941	1,632	585	129	4,661	16
4,288	42	15,714	1,257	228	608	1,029	240	155	412	101	55	576	325	833	1,375	482	116	4,053	17
13,662	175	48,252	4,082	659	1,965	3,908	661	628	1,041	335	204	1,972	1,702	4,005	5,357	1,943	640	13,888	18
74,414	908	212,004	19,668	2,856	12,599	23,687	2,977	4,275	3,667	1,769	1,743	8,002	15,253	18,321	27,635	7,184	3,490	69,945	19
28,009	310	84,380	7,578	1,143	4,398	7,625	1,230	1,596	1,800	658	505	3,073	3,877	6,080	9,491	2,603	1,273	27,878	20
6,426	74	19,727	1,833	267	967	1,577	306	294	476	143	82	718	857	1,269	2,107	616	299	6,364	21
8,963	100	27,525	2,317	358	1,440	2,407	418	503	606	202	163	1,009	1,130	2,004	3,154	871	395	9,091	22
12,620	136	37,128	3,428	518	1,991	3,641	506	799	718	313	260	1,346	1,890	2,807	4,230	1,116	579	12,423	23
46,405	598	127,624	12,090	1,713	8,200	16,062	1,747	2,679	1,867	1,111	1,238	4,929	11,376	12,241	18,144	4,581	2,217	42,067	24
3,155	41	7,856	580	108	705	1,292	109	194	133	99	143	327	1,536	855	1,150	209	432	3,370	25
1,353	12	3,665	242	53	280	474	51	75	76	40	52	138	368	336	454	93	212	1,533	26
357	1	972	67	18	58	116	22	15	20	9	12	34	118	76	114	15	62	346	27
221	2	748	51	11	71	79	5	7	16	8	6	21	29	47	95	17	47	305	28
38	1	95	7	-	6	18	-	3	2	1	1	3	22	13	14	4	6	56	29
112	2	319	19	2	40	32	5	11	4	6	3	14	32	29	49	10	20	144	30
278	4	674	45	9	58	104	11	24	16	5	17	27	74	70	69	19	43	311	31
347	2	857	53	13	67	125	8	15	18	11	13	39	93	101	113	28	34	371	32
1,902	29	4,171	338	55	425	618	58	119	57	59	91	189	1,168	519	696	116	220	1,837	33
1,029	9	2,993	226	43	199	400	48	50	60	34	37	120	293	268	383	65	203	1,273	34
756	5	2,177	145	33	149	265	36	33	47	19	23	79	190	174	269	46	141	901	35
357	1	972	67	18	58	116	22	15	20	9	12	34	118	76	114	15	62	346	36
221	2	748	51	11	71	79	5	7	16	8	6	21	29	47	95	17	47	305	37
38	1	95	7	-	6	18	-	3	2	1	1	3	22	13	14	4	6	56	38
33	1	95	7	1	16	14	2	3	1	1	2	5	8	10	17	2	6	55	39
79	-	179	12	2	12	31	5	3	6	-	2	8	12	18	21	6	16	112	40
28	-	88	1	1	6	7	2	2	2	-	-	8	1	10	8	2	4	27	41
273	4	816	81	10	50	135	12	17	13	15	14	41	103	94	114	19	62	372	42
2,126	32	4,843	354	65	506	892	61	144	73	65	106	207	1,243	587	767	144	229	2,097	43
597	7	1,488	97	20	131	209	15	42	29	21	29	59	178	162	185	47	71	632	44
79	1	224	12	1	24	18	3	8	3	5	1	9	24	19	32	8	14	89	45
198	4	495	33	7	46	73	6	21	10	5	15	19	82	52	48	13	27	199	46
319	2	769	52	12	61	118	6	13	16	11	13	31	92	91	105	26	30	344	47
1,529	25	3,355	257	45	375	683	46	102	44	44	77	148	1,065	425	582	97	158	1,465	48
466	18	1,530	140	39	88	282	43	184	45	12	22	125	239	278	351	95	43	1,052	49
289	9	963	83	21	52	116	27	52	31	7	8	63	77	132	126	48	21	558	50
107	4	389	31	7	9	31	13	11	7	2	1	17	33	54	45	25	12	235	51
72	3	242	16	7	16	22	7	11	8	1	1	18	9	29	39	9	2	143	52
17	-	30	1	-	1	7	1	-	2	-	1	4	-	5	3	2	-	11	53
93	2	302	35	7	26	56	6	30	14	4	5	24	35	44	39	12	7	169	54
177	9	567	57	18	36	166	16	132	14	5	14	62	162	146	225	47	22	494	55
222	9	757	58	19	23	81	25	37	12	7	6	53	67	127	127	48	16	485	56
140	5	479	35	8	11	49	15	14	9	4	3	28	37	73	55	30	13	281	57
107	4	389	31	7	9	31	13	11	7	2	1	17	33	54	45	25	12	235	58
17	-	30	1	-	1	7	1	-	2	-	1	4	-	5	3	2	-	11	59
16	1	60	3	1	1	11	1	3	-	2	1	7	4	14	7	3	1	35	60
82	4	278	23	11	12	32	10	23	3	3	3	25	30	54	72	18	3	204	61
244	9	773	82	20	65	201	18	147	33	5	16	72	172	151	224	47	27	567	62
149	4	484	48	13	41	67	12	38	22	3	5	35	40	59	71	18	8	277	63
72	3	242	18	7	16	22	7	11	8	1	1	18	9	29	39	9	2	143	64
77	1	242	32	6	25	45	5	27	14	2	4	17	31	30	32	9	6	134	65
95	5	289	34	7	24	134	6	109	11	2	11	37	132	92	153	29	19	290	66
1,696	28	4,763	384	56	522	738	71	94	87	66	74	177	576	383	755	138	149	1,643	67
675	7	2,082	162	25	177	253	25	35	34	23	25	72	142	151	255	58	84	699	68
124	1	408	33	7	23	32	6	4	11	2	3	14	7	19	28	15	11	97	69
176	3	554	38	6	45	68	3	7	10	8	4	16	27	34	51	14	15	179	70
102	-	267	26	3	41	37	6	5	2	2	4	10	40	28	51	5	18	110	71
273	3	853	65	9	68	116	10	19	11	11	14	32	68	70	125	24	20	313	72
1,021	21	2,681	222	31	345	485	46	59	53	43	49	105	434	232	500	78	85	944	73

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ARKANSAS—Continued																
1	METROPOLITAN COUNTIES---	1,775	63	25	-	-	-	2	-	6	-	6	266	29	1	927	883
2	Urban---	1,409	47	20	-	-	-	1	-	5	-	5	216	23	1	747	714
3	Places of 100,000 to 250,000	1,081	39	12	-	-	-	1	-	4	-	3	160	16	1	596	573
4	Places of 25,000 to 50,000---	328	8	8	-	-	-	-	-	1	-	2	56	7	-	151	141
5	Rural---	366	16	5	-	-	-	1	-	1	-	1	50	6	-	180	169
6	NONMETROPOLITAN COUNTIES	13,636	552	79	4	32	10	34	15	14	6	67	1,631	151	20	6,522	6,044
7	Urban---	4,812	176	35	2	8	1	9	3	4	2	29	612	51	7	2,381	2,237
8	Places of 25,000 to 50,000---	1,278	54	12	-	3	-	-	-	-	-	9	164	20	4	671	636
9	Places of 10,000 to 25,000---	953	37	7	2	1	-	3	2	1	-	8	125	10	-	439	398
10	Places of 2,500 to 10,000---	2,581	85	16	-	4	1	6	1	3	2	12	323	21	3	1,271	1,203
11	Rural---	8,824	376	44	2	24	9	25	12	10	4	38	1,019	100	13	4,141	3,807
12	CALIFORNIA---	98,760	2,312	585	8	27	38	30	37	112	10	297	14,862	934	103	53,270	52,229
13	Urban---	74,428	1,807	454	6	17	27	9	25	84	6	215	11,530	711	77	41,027	40,230
14	Places of 250,000 or more---	40,075	986	251	5	7	12	1	11	37	1	102	6,330	390	33	22,296	21,868
15	Places of 100,000 to 250,000	4,154	110	24	-	-	3	-	1	5	-	10	604	30	6	2,441	2,405
16	Places of 50,000 to 100,000-	8,056	214	49	-	4	2	1	5	9	1	19	1,259	82	14	4,421	4,335
17	Places of 25,000 to 50,000---	5,703	113	30	-	1	1	1	1	9	-	19	937	53	6	3,135	3,062
18	Places of 10,000 to 25,000---	10,407	231	61	1	2	6	3	6	11	3	31	1,500	101	13	5,589	5,457
19	Places of 2,500 to 10,000---	6,033	153	39	-	3	3	3	1	13	1	34	900	55	5	3,145	3,093
20	Rural---	24,332	505	131	2	10	11	21	12	28	4	82	3,332	223	26	12,243	11,999
21	METROPOLITAN COUNTIES---	79,468	1,848	476	7	18	23	12	28	93	6	207	12,274	726	80	43,551	42,705
22	Urban---	65,572	1,586	398	6	14	19	6	22	73	2	174	10,282	610	68	36,434	35,730
23	Places of 250,000 or more---	40,075	986	251	5	7	12	1	11	37	1	102	6,330	390	33	22,296	21,868
24	Places of 100,000 to 250,000	4,154	110	24	-	-	3	-	1	5	-	10	604	30	6	2,441	2,405
25	Places of 50,000 to 100,000-	8,056	214	49	-	4	2	1	5	9	1	19	1,259	82	14	4,421	4,335
26	Places of 25,000 to 50,000---	4,185	76	26	-	-	1	1	1	7	-	10	682	33	3	2,352	2,299
27	Places of 10,000 to 25,000---	6,255	116	28	1	2	1	2	3	8	-	21	945	47	11	3,424	3,354
28	Places of 2,500 to 10,000---	2,847	64	20	-	1	-	1	1	7	-	12	442	28	1	1,500	1,469
29	Rural---	13,916	282	78	1	4	4	6	6	20	4	33	2,012	116	12	7,117	6,975
30	NONMETROPOLITAN COUNTIES	19,272	464	109	1	9	15	18	9	19	4	90	2,588	208	23	9,719	9,524
31	Urban---	8,856	241	56	-	3	8	3	3	11	4	41	1,266	101	9	4,593	4,500
32	Places of 25,000 to 50,000---	1,518	37	4	-	1	-	-	-	2	-	9	255	20	3	783	765
33	Places of 10,000 to 25,000---	4,152	115	33	-	-	5	1	3	3	3	10	555	54	2	2,165	2,113
34	Places of 2,500 to 10,000---	3,186	89	19	-	2	3	2	-	6	1	22	458	27	4	1,645	1,624
35	Rural---	10,416	223	53	1	6	7	15	6	8	-	49	1,320	107	14	5,126	5,024
36	COLORADO---	12,280	207	49	-	7	-	6	10	8	9	40	1,706	144	8	5,918	5,744
37	Urban---	8,348	157	32	-	4	-	2	5	5	5	22	1,223	89	7	4,177	4,067
38	Places of 250,000 or more---	4,223	88	14	-	1	-	-	3	3	3	9	642	30	2	2,130	2,090
39	Places of 50,000 to 100,000-	657	10	4	-	3	-	-	-	1	-	2	96	10	-	318	306
40	Places of 25,000 to 50,000---	634	18	2	-	-	-	-	1	-	-	1	88	7	2	333	324
41	Places of 10,000 to 25,000---	1,179	22	4	-	-	-	-	-	-	-	3	178	19	-	555	541
42	Places of 2,500 to 10,000---	1,655	19	8	-	-	-	2	1	1	2	7	219	23	3	841	806
43	Rural---	3,932	50	17	-	3	-	4	5	3	4	18	483	55	1	1,741	1,677
44	METROPOLITAN COUNTIES---	6,022	124	22	-	6	-	-	5	6	3	15	886	56	3	2,950	2,883
45	Urban---	5,307	115	19	-	4	-	-	3	5	3	12	793	44	3	2,648	2,590
46	Places of 250,000 or more---	4,223	88	14	-	1	-	-	3	3	3	9	642	30	2	2,130	2,090
47	Places of 50,000 to 100,000-	657	10	4	-	3	-	-	-	1	-	2	96	10	-	318	306
48	Places of 10,000 to 25,000---	250	12	1	-	-	-	-	-	-	-	1	30	2	-	106	104
49	Places of 2,500 to 10,000---	177	5	-	-	-	-	-	-	1	-	-	25	2	1	94	90
50	Rural---	715	9	3	-	2	-	-	2	1	-	3	93	12	-	302	293
51	NONMETROPOLITAN COUNTIES	6,258	83	27	-	1	-	6	5	2	6	25	820	68	5	2,968	2,861
52	Urban---	3,041	42	13	-	-	-	2	2	-	2	10	430	45	4	1,529	1,477
53	Places of 25,000 to 50,000---	634	16	2	-	-	-	-	1	-	-	1	88	7	2	333	324
54	Places of 10,000 to 25,000---	929	10	3	-	-	-	-	-	-	-	2	148	17	-	449	437
55	Places of 2,500 to 10,000---	1,478	14	8	-	-	-	2	1	-	2	7	194	21	2	747	716
56	Rural---	3,217	41	14	-	1	-	4	3	2	4	15	390	43	1	1,439	1,394
57	CONNECTICUT---	19,123	322	91	-	-	1	3	9	22	1	32	3,426	387	19	10,868	10,634
58	Urban---	12,957	251	68	-	-	1	1	4	12	1	23	2,299	275	7	7,384	7,221
59	Places of 100,000 to 250,000	6,225	136	33	-	-	1	-	2	5	-	8	1,057	140	3	3,558	3,488
60	Places of 50,000 to 100,000-	1,231	21	6	-	-	-	-	-	2	-	3	220	27	-	642	630
61	Places of 25,000 to 50,000---	3,256	53	22	-	-	-	1	2	3	1	9	604	65	2	1,884	1,837
62	Places of 10,000 to 25,000---	1,594	34	6	-	-	-	-	-	2	-	2	287	27	1	921	893
63	Places of 2,500 to 10,000---	651	7	1	-	-	-	-	-	-	-	1	131	16	1	379	373
64	Rural---	6,166	71	23	-	-	-	2	5	10	-	9	1,127	112	12	3,484	3,413
65	METROPOLITAN COUNTIES---	15,004	266	84	-	-	1	3	5	19	1	26	2,699	311	12	8,445	8,269
66	Urban---	11,046	220	63	-	-	1	1	3	11	1	19	1,951	240	4	6,256	6,122
67	Places of 100,000 to 250,000	6,225	136	33	-	-	1	-	2	5	-	8	1,057	140	3	3,558	3,488
68	Places of 50,000 to 100,000-	1,231	21	6	-	-	-	-	-	2	-	3	220	27	-	642	630
69	Places of 25,000 to 50,000---	2,443	38	19	-	-	-	1	1	3	1	7	461	50	-	1,409	1,374
70	Places of 10,000 to 25,000---	1,065	22	5	-	-	-	-	-	1	-	1	195	23	1	602	585
71	Places of 2,500 to 10,000---	82	2	-	-	-	-	-	-	-	-	-	18	-	-	45	45
72	Rural---	3,958	46	21	-	-	-	2	2	8	-	7	748	71	8	2,189	2,147

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
194	1	622	58	8	44	61	7	10	19	3	4	19	21	30	49	25	20	182	1
160	1	504	42	7	33	43	7	7	15	3	3	16	10	25	37	20	17	141	2
124	1	408	33	7	25	32	6	4	11	2	3	14	7	19	28	15	11	97	3
36	-	96	9	-	10	11	1	3	4	1	-	2	3	6	9	5	6	44	4
34	-	118	16	1	11	18	-	3	4	-	1	3	11	5	12	5	3	41	5
1,502	27	4,141	326	48	478	677	64	84	68	63	70	158	555	353	706	111	129	1,461	6
515	8	1,578	120	18	144	210	18	28	19	20	22	56	132	126	218	38	47	558	7
140	3	458	29	6	35	57	2	4	6	7	4	14	24	28	42	9	9	135	8
102	-	267	26	3	41	37	6	5	2	2	4	10	40	28	51	5	18	110	9
273	3	853	65	9	68	116	10	19	11	11	14	32	68	70	125	24	20	313	10
987	21	2,563	206	30	334	467	46	56	49	43	48	102	423	227	488	73	62	903	11
10,186	111	37,907	3,383	682	1,041	2,635	672	436	1,714	160	126	1,295	395	3,171	3,313	1,908	462	9,847	12
7,911	78	29,064	2,637	540	797	1,908	529	288	1,419	125	86	907	238	1,926	2,175	1,387	309	7,136	13
4,180	42	15,878	1,495	273	428	1,016	311	119	921	63	43	448	86	841	1,093	783	177	3,712	14
517	2	1,676	172	38	36	98	28	13	60	7	1	49	8	105	103	81	24	343	15
868	8	3,108	286	65	86	197	49	40	122	22	10	94	16	213	241	132	35	805	16
637	9	2,186	184	46	73	125	32	19	82	8	8	92	24	165	145	101	21	575	17
1,081	9	3,986	306	85	122	261	68	62	162	16	17	139	65	383	373	202	31	1,070	18
628	8	2,230	194	33	52	211	41	35	72	9	7	85	39	219	220	88	21	631	19
2,255	33	8,843	726	142	244	727	143	148	295	35	40	388	157	1,245	1,138	522	153	2,711	20
8,306	78	30,929	2,832	560	846	2,031	552	299	1,479	132	97	1,047	220	2,188	2,366	1,573	345	7,816	21
7,016	64	25,777	2,394	479	704	1,626	473	221	1,288	112	73	794	167	1,580	1,841	1,250	267	6,226	22
4,180	42	15,878	1,495	273	428	1,016	311	119	921	63	43	448	86	841	1,093	783	177	3,712	23
517	2	1,676	172	38	36	98	28	13	60	7	1	49	8	105	103	81	24	343	24
868	8	3,108	286	65	86	197	49	40	122	22	10	94	16	213	241	132	35	805	25
484	7	1,628	146	34	53	84	27	11	61	6	7	68	18	112	103	81	12	403	26
669	2	2,437	194	52	70	135	43	25	91	11	9	98	25	197	197	150	12	673	27
298	3	1,050	101	17	31	96	15	13	33	3	3	37	14	112	104	43	7	290	28
1,290	14	5,152	438	81	142	405	79	78	191	20	24	253	53	608	525	323	78	1,584	29
1,860	33	6,978	551	122	195	604	120	137	235	28	29	248	175	983	947	336	117	2,037	30
895	14	3,287	243	61	93	282	56	67	131	13	13	113	71	346	334	137	42	910	31
153	2	558	38	12	20	41	5	8	21	2	1	24	6	53	42	20	9	172	32
412	7	1,549	112	33	52	126	25	37	71	5	8	41	40	186	176	72	19	397	33
330	5	1,160	93	16	21	115	26	22	39	6	4	48	25	107	116	45	14	341	34
965	19	3,691	288	61	102	322	64	70	104	15	16	135	104	637	613	199	75	1,127	35
1,159	33	4,133	337	82	174	663	114	112	112	23	28	176	61	408	560	201	44	1,666	36
808	24	2,938	239	58	110	458	78	54	85	11	12	97	38	219	306	129	29	1,112	37
418	10	1,526	107	29	40	234	46	17	58	3	3	41	15	96	141	81	18	545	38
57	6	219	18	6	12	37	3	9	3	-	2	6	5	14	34	14	4	82	39
70	1	210	37	6	9	25	9	1	6	-	1	6	2	15	32	6	2	77	40
104	3	395	33	6	14	67	9	5	7	3	2	25	6	40	46	19	1	168	41
159	4	586	44	11	35	87	11	22	11	5	4	19	10	54	53	9	4	240	42
351	9	1,195	98	24	64	213	36	58	27	12	16	79	23	189	254	72	15	554	43
580	18	2,099	144	42	67	324	59	40	71	4	7	75	21	151	230	122	28	814	44
511	16	1,894	133	36	58	297	52	27	66	3	6	59	20	124	186	102	23	693	45
418	10	1,526	107	29	40	234	46	17	58	3	3	41	15	96	141	81	18	545	46
57	6	219	18	6	12	37	3	9	3	-	2	6	5	14	34	14	4	82	47
16	-	84	4	-	2	17	1	-	3	-	1	8	-	8	9	7	-	44	48
20	-	65	4	1	4	9	2	1	2	-	-	4	-	6	2	-	1	22	49
69	2	205	11	6	9	27	7	13	5	1	1	16	1	27	44	20	5	121	50
579	15	2,054	193	40	107	339	55	72	41	19	21	101	40	257	330	79	16	852	51
297	8	1,044	106	22	52	153	26	27	19	8	6	38	18	95	120	27	6	419	52
70	1	210	37	6	9	25	9	1	6	-	1	6	2	15	32	6	2	77	53
88	3	311	29	6	12	50	8	5	4	3	1	17	6	32	37	12	1	124	54
139	4	523	40	10	31	78	9	21	9	5	4	15	10	48	51	9	3	218	55
282	7	990	87	18	55	166	29	45	22	11	15	63	22	162	210	52	10	433	56
1,936	24	8,039	511	124	234	335	118	56	233	26	18	240	82	291	635	236	28	1,644	57
1,282	17	5,505	342	75	163	226	83	41	170	13	11	141	51	179	429	139	22	1,126	58
579	8	2,734	138	29	70	107	40	20	93	2	8	62	26	75	209	59	15	566	59
126	3	463	31	8	12	28	10	6	18	1	-	19	5	14	55	19	2	133	60
334	5	1,376	103	19	47	56	17	11	41	6	2	33	7	51	93	34	4	255	61
177	1	645	58	12	28	28	13	2	16	3	-	22	7	26	51	18	1	127	62
67	-	287	12	7	6	7	3	2	2	1	1	5	6	13	21	9	-	45	63
654	7	2,534	169	49	71	109	35	15	63	13	7	99	31	112	206	97	6	518	64
1,474	22	6,282	402	89	176	252	93	44	198	20	12	190	62	218	518	183	26	1,316	65
1,092	16	4,670	288	56	134	192	71	38	155	9	8	125	44	149	380	113	21	973	66
579	8	2,734	138	29	70	107	40	20	93	2	8	62	26	75	209	59	15	566	67
125	3	463	31	8	12	28	10	6	18	1	-	19	5	14	55	19	2	133	68
248	4	1,058	73	11	35	39	13	9	33	4	-	26	3	40	72	24	3	186	69
131	1	402	43	8	17	18	8	1	11	2	-	17	7	19	42	7	1	82	70
9	-	33	3	-	-	-	-	-	-	-	-	1	3	1	2	4	-	6	71
362	6	1,612	114	33	42	60	22	8	43	11	4	65	16	69	158	70	5	343	72

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	CONNECTICUT—Con.																
1	NONMETROPOLITAN COUNTIES	4,119	56	7	-	-	-	-	4	3	-	6	727	76	7	2,423	2,365
2	Urban	1,911	31	5	-	-	-	-	1	1	-	4	348	35	3	1,128	1,099
3	Places of 25,000 to 50,000	813	14	3	-	-	-	-	1	-	-	2	143	15	2	475	463
4	Places of 10,000 to 25,000	529	12	1	-	-	-	-	-	1	-	1	92	4	-	319	309
5	Places of 2,500 to 10,000	569	5	1	-	-	-	-	-	-	-	1	113	16	1	334	328
6	Rural	2,208	25	2	-	-	-	-	3	2	-	2	379	41	4	1,295	1,266
7	DELAWARE	3,501	76	11	-	-	-	10	4	3	2	9	500	86	10	1,918	1,852
8	Urban	2,003	47	7	-	-	-	2	4	1	-	5	295	54	7	1,082	1,042
9	Places of 100,000 to 250,000	1,487	34	6	-	-	-	2	4	1	-	4	225	33	6	805	771
10	Places of 2,500 to 10,000	516	13	1	-	-	-	-	-	-	-	1	70	21	1	277	271
11	Rural	1,498	29	4	-	-	-	8	-	2	2	4	205	32	3	836	810
12	METROPOLITAN COUNTIES	2,244	46	7	-	-	-	3	4	2	-	5	355	50	8	1,213	1,169
13	Urban	1,656	36	6	-	-	-	2	4	1	-	4	254	36	6	897	860
14	Places of 100,000 to 250,000	1,487	34	6	-	-	-	2	4	1	-	4	225	33	6	805	771
15	Places of 2,500 to 10,000	169	2	-	-	-	-	-	-	-	-	-	29	3	-	92	89
16	Rural	588	10	1	-	-	-	1	-	1	-	1	101	14	2	316	309
17	NONMETROPOLITAN COUNTIES	1,257	30	4	-	-	-	7	-	1	2	4	145	36	2	705	683
18	Urban	347	11	1	-	-	-	-	-	-	-	1	41	18	1	185	182
19	Places of 2,500 to 10,000	347	11	1	-	-	-	-	-	-	-	1	41	18	1	185	182
20	Rural	910	19	3	-	-	-	7	-	1	2	3	104	18	1	520	501
21	DISTRICT OF COLUMBIA	8,560	395	67	1	-	-	1	7	4	-	16	1,251	121	13	4,473	4,362
22	FLORIDA	26,569	531	183	1	24	8	8	19	22	4	107	3,661	353	56	13,173	12,633
23	Urban	17,599	384	129	-	14	3	2	12	16	3	77	2,597	261	33	8,872	8,533
24	Places of 100,000 to 250,000	6,453	190	41	-	2	1	-	5	5	1	22	1,003	94	17	3,072	2,931
25	Places of 50,000 to 100,000	2,183	30	11	-	-	-	-	-	-	-	4	337	33	1	1,298	1,266
26	Places of 25,000 to 50,000	3,247	52	28	-	1	-	1	4	3	1	14	484	40	5	1,640	1,583
27	Places of 10,000 to 25,000	2,152	35	19	-	1	-	-	1	2	-	15	328	41	4	1,100	1,065
28	Places of 2,500 to 10,000	3,564	77	30	-	10	2	1	2	6	1	22	445	53	6	1,762	1,688
29	Rural	8,970	147	54	1	10	5	6	7	6	1	30	1,064	92	23	4,301	4,100
30	METROPOLITAN COUNTIES	12,866	280	78	-	3	1	1	8	8	2	39	1,971	179	30	6,491	6,231
31	Urban	10,358	241	64	-	2	1	1	6	7	2	33	1,606	156	23	5,264	5,064
32	Places of 100,000 to 250,000	6,453	190	41	-	2	1	-	5	5	1	22	1,003	94	17	3,072	2,931
33	Places of 50,000 to 100,000	2,183	30	11	-	-	-	-	-	-	-	4	337	33	1	1,298	1,266
34	Places of 25,000 to 50,000	363	1	2	-	-	-	-	-	-	-	1	60	12	-	217	215
35	Places of 10,000 to 25,000	589	8	5	-	-	-	-	1	1	-	2	97	9	2	296	288
36	Places of 2,500 to 10,000	770	12	5	-	-	-	1	-	1	1	4	109	8	3	381	364
37	Rural	2,508	39	14	-	1	-	-	2	1	-	6	365	23	7	1,227	1,167
38	NONMETROPOLITAN COUNTIES	13,703	251	105	1	21	7	7	11	14	2	68	1,690	174	26	6,682	6,402
39	Urban	7,241	143	65	-	12	2	1	6	9	1	44	991	105	10	3,608	3,469
40	Places of 25,000 to 50,000	2,884	51	26	-	1	-	1	4	3	1	13	424	28	5	1,423	1,368
41	Places of 10,000 to 25,000	1,563	27	14	-	1	-	-	-	1	-	13	231	32	2	804	777
42	Places of 2,500 to 10,000	2,794	65	25	-	10	2	-	2	5	-	18	336	45	3	1,381	1,324
43	Rural	6,462	108	40	1	9	5	6	5	5	1	24	699	69	16	3,074	2,933
44	GEORGIA	30,325	808	203	3	47	18	44	34	17	9	145	3,348	413	56	14,948	14,180
45	Urban	15,246	492	139	1	13	3	10	23	8	4	68	1,727	230	27	7,576	7,233
46	Places of 250,000 or more	3,864	160	37	-	-	-	2	5	1	-	14	490	63	9	1,928	1,855
47	Places of 100,000 to 250,000	1,386	50	10	-	1	-	-	3	1	-	6	128	27	4	734	705
48	Places of 50,000 to 100,000	2,636	85	30	-	1	-	4	8	-	-	11	279	43	5	1,355	1,306
49	Places of 25,000 to 50,000	1,032	32	9	-	1	-	-	2	1	-	4	145	10	1	514	475
50	Places of 10,000 to 25,000	2,348	67	22	-	2	1	2	3	1	-	11	253	30	2	1,159	1,095
51	Places of 2,500 to 10,000	3,982	98	31	1	8	2	2	2	4	4	22	432	57	6	1,886	1,799
52	Rural	15,077	316	64	2	34	15	34	11	9	5	77	1,621	183	29	7,372	6,947
53	METROPOLITAN COUNTIES	10,934	370	90	-	5	1	10	20	8	-	43	1,264	166	23	5,570	5,362
54	Urban	8,701	314	80	-	3	1	6	16	6	-	37	993	141	18	4,445	4,278
55	Places of 250,000 or more	3,864	160	37	-	-	-	2	5	1	-	14	490	63	9	1,928	1,855
56	Places of 100,000 to 250,000	1,386	50	10	-	1	-	-	3	1	-	6	128	27	4	734	705
57	Places of 50,000 to 100,000	2,636	85	30	-	1	-	4	8	-	-	11	279	43	5	1,355	1,306
58	Places of 10,000 to 25,000	583	15	3	-	1	1	-	-	1	-	4	62	6	-	314	299
59	Places of 2,500 to 10,000	232	4	-	-	-	-	-	-	3	-	2	24	2	-	114	113
60	Rural	2,233	56	10	-	2	-	4	4	2	-	6	281	25	5	1,125	1,084
61	NONMETROPOLITAN COUNTIES	19,391	438	113	3	42	17	34	14	9	9	102	2,084	247	33	9,378	8,818
62	Urban	6,547	178	59	1	10	2	4	7	2	4	31	744	89	9	3,131	2,955
63	Places of 25,000 to 50,000	1,032	32	9	-	1	-	-	2	1	-	4	145	10	1	514	475
64	Places of 10,000 to 25,000	1,765	52	19	-	1	-	2	3	-	-	7	191	24	2	845	794
65	Places of 2,500 to 10,000	3,750	94	31	1	8	2	2	2	1	4	20	408	55	6	1,772	1,686
66	Rural	12,844	260	54	2	32	15	30	7	7	5	71	1,340	158	24	6,247	5,963

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con..

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
462	2	1,757	109	35	58	83	25	12	35	6	6	50	20	73	117	53	2	328	1
190	1	835	54	19	29	34	12	5	15	4	3	16	7	30	49	26	1	153	2
86	1	338	30	8	12	17	4	2	8	2	2	7	4	11	21	10	1	69	3
46	-	243	15	4	11	10	5	1	5	1	-	5	-	7	9	11	-	45	4
58	-	254	9	7	6	7	3	2	2	1	1	4	3	12	19	5	-	39	5
272	1	922	55	16	29	49	13	7	20	2	3	34	13	43	68	27	1	175	6
279	6	1,446	107	14	66	100	12	16	33	8	7	40	23	80	126	39	23	365	7
140	2	823	68	9	40	59	8	12	23	3	3	25	14	39	75	21	8	209	8
106	2	610	47	6	34	47	8	11	22	2	2	21	9	21	52	15	8	151	9
34	-	213	21	3	6	12	-	1	1	1	1	4	5	18	23	8	-	59	10
139	4	823	39	5	26	41	4	4	10	5	4	15	9	41	51	18	15	156	11
164	4	918	72	11	44	71	9	13	27	2	5	30	10	33	82	21	14	234	12
115	2	683	52	8	37	52	8	11	22	2	3	22	9	24	63	14	8	172	13
106	2	610	47	6	34	47	8	11	22	2	2	21	9	21	52	13	8	151	14
9	-	73	5	2	3	5	-	-	-	-	1	1	-	3	11	1	-	21	15
48	2	235	20	3	7	19	1	2	5	-	2	8	1	9	19	7	6	62	16
115	2	528	35	3	22	29	3	3	6	6	2	10	13	47	44	18	9	131	17
25	-	140	16	1	3	7	-	1	1	1	-	3	5	15	12	7	-	37	18
25	-	140	16	1	3	7	-	1	1	1	-	3	5	15	12	7	-	37	19
90	2	388	19	2	19	22	3	2	5	5	2	7	8	32	32	11	9	94	20
727	10	3,312	240	73	111	223	58	22	156	12	7	103	29	134	320	92	79	976	21
3,053	29	8,701	709	141	540	807	149	142	230	118	87	294	915	842	1,075	316	362	3,082	22
2,006	21	5,913	505	88	339	483	101	83	161	73	42	179	496	494	627	209	242	2,006	23
700	9	2,012	175	35	141	168	38	24	69	24	14	79	273	205	205	87	96	718	24
293	3	873	83	14	32	60	17	10	18	5	-	11	21	29	69	30	16	183	25
330	3	1,152	84	14	57	90	16	16	33	13	7	33	87	93	118	34	45	389	26
237	1	756	59	10	35	46	9	8	17	8	5	18	33	53	89	26	30	262	27
446	5	1,118	104	15	74	117	21	25	24	23	16	38	82	114	146	32	55	454	28
1,047	8	2,788	204	53	201	324	48	59	69	45	45	115	419	348	448	107	120	1,076	29
1,409	18	4,367	354	83	260	342	88	52	127	42	23	140	401	371	439	174	157	1,419	30
1,154	14	3,529	306	61	200	265	68	44	100	34	17	109	314	279	325	137	136	1,124	31
700	9	2,012	175	35	141	168	38	24	69	24	14	79	273	205	205	87	96	718	32
293	3	873	83	14	32	60	17	10	18	5	-	11	21	29	69	30	16	183	33
25	2	179	5	4	2	3	1	3	5	-	-	3	1	4	6	7	-	37	34
61	-	211	12	4	8	14	5	-	3	2	1	5	3	14	23	5	9	84	35
75	-	254	31	4	17	20	7	7	5	3	2	11	16	27	22	8	15	102	36
255	4	836	48	22	60	77	20	8	27	8	6	31	87	92	114	37	21	295	37
1,644	11	4,334	355	58	260	465	61	90	103	76	64	154	514	471	636	142	205	1,663	38
852	7	2,384	199	27	139	218	33	39	61	39	25	70	182	215	302	72	106	882	39
305	1	973	79	10	55	87	15	13	28	13	7	30	86	89	112	27	45	352	40
176	1	547	47	6	27	34	4	8	14	6	4	13	30	39	66	21	21	178	41
371	5	864	73	11	57	97	14	18	19	20	14	27	66	87	124	24	40	352	42
792	4	1,950	156	31	141	247	28	51	42	37	39	84	332	256	334	70	99	761	43
4,179	43	9,069	750	139	768	1,471	130	229	181	155	148	377	794	906	1,240	286	509	3,806	44
1,975	18	4,810	350	80	343	564	79	124	102	78	54	205	244	423	605	149	272	2,028	45
482	5	1,254	82	32	73	106	27	26	37	6	7	42	21	85	150	37	104	507	46
183	4	485	29	4	29	70	2	12	6	7	5	17	4	32	49	20	17	181	47
346	-	870	82	8	49	98	10	23	20	7	6	35	47	66	119	27	40	317	48
132	2	321	12	8	39	23	5	8	11	8	1	18	11	31	33	12	17	155	49
288	2	743	50	12	66	93	13	21	8	25	12	42	31	69	100	21	25	335	50
546	5	1,137	95	16	87	174	22	34	20	25	23	51	130	140	154	32	69	558	51
2,204	25	4,259	400	59	425	907	51	105	79	77	94	172	550	483	635	137	237	1,778	52
1,415	16	3,599	273	59	208	408	51	76	74	30	27	133	112	279	469	113	206	1,386	53
1,115	12	2,892	211	48	167	295	41	66	65	22	20	111	76	213	362	92	174	1,114	54
482	5	1,254	82	32	73	106	27	26	37	6	7	42	21	85	150	37	104	507	55
183	4	485	29	4	29	70	2	12	6	7	5	17	4	32	49	20	17	181	56
346	-	870	82	8	49	98	10	23	20	7	6	35	47	66	119	27	40	317	57
69	1	213	14	2	15	16	2	3	2	2	2	11	3	22	22	8	9	74	58
35	2	70	4	2	1	5	-	2	-	-	-	6	1	8	22	-	4	35	59
300	4	707	62	11	41	113	10	10	9	8	7	22	36	66	107	21	32	272	60
2,764	27	5,470	477	80	560	1,083	79	153	107	125	121	244	682	627	771	173	303	2,420	61
860	6	1,918	139	32	176	289	38	58	37	56	34	94	168	210	243	57	98	914	62
132	2	321	12	8	39	23	5	8	11	8	1	18	11	31	33	12	17	135	63
217	1	530	36	10	51	77	11	18	6	23	10	31	28	47	78	13	16	261	64
511	3	1,067	91	14	86	169	22	32	20	25	23	45	129	132	132	32	65	518	65
1,904	21	3,552	338	48	364	794	41	95	70	69	87	150	514	417	528	116	205	1,506	66

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-139	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1	IDAHO	4,837	66	22	1	-	1	6	7	11	3	15	584	83	4	2,365	2,278
2	Urban	2,472	25	15	-	-	1	1	2	6	2	8	301	36	3	1,248	1,204
3	Places of 25,000 to 50,000	661	8	7	-	-	1	-	-	-	-	4	78	8	1	322	313
4	Places of 10,000 to 25,000	969	8	3	-	-	-	1	-	5	2	3	129	17	-	499	482
5	Places of 2,500 to 10,000	842	9	5	-	-	-	-	2	1	-	1	94	11	2	427	409
6	Rural	2,365	41	7	1	-	-	5	5	5	1	7	283	47	1	1,117	1,074
7	NONMETROPOLITAN COUNTIES	4,837	66	22	1	-	1	6	7	11	3	15	584	83	4	2,365	2,278
8	Urban	2,472	25	15	-	-	1	1	2	6	2	8	301	36	3	1,248	1,204
9	Places of 25,000 to 50,000	661	8	7	-	-	1	-	-	-	-	4	78	8	1	322	313
10	Places of 10,000 to 25,000	969	8	3	-	-	-	1	-	5	2	3	129	17	-	499	482
11	Places of 2,500 to 10,000	842	9	5	-	-	-	-	2	1	-	1	94	11	2	427	409
12	Rural	2,365	41	7	1	-	-	5	5	5	1	7	283	47	1	1,117	1,074
13	ILLINOIS	92,490	2,135	426	1	21	2	21	49	127	8	168	14,517	1,701	84	52,212	50,414
14	Urban	72,134	1,879	354	-	14	2	6	37	87	6	118	11,659	1,344	71	40,731	39,389
15	Places of 250,000 or more	40,920	1,436	182	-	10	-	3	25	41	5	57	6,718	774	32	23,025	22,257
16	Places of 100,000 to 250,000	1,272	23	6	-	-	-	-	1	2	-	2	207	21	1	684	666
17	Places of 50,000 to 100,000	7,695	138	48	-	1	1	-	2	12	-	12	1,209	130	9	4,377	4,221
18	Places of 25,000 to 50,000	5,563	79	39	-	-	1	2	3	8	-	12	841	104	4	3,221	3,142
19	Places of 10,000 to 25,000	7,050	93	37	-	1	-	-	-	8	-	15	1,123	149	14	4,015	3,972
20	Places of 2,500 to 10,000	9,634	110	42	-	2	-	1	6	16	1	20	1,561	166	11	5,408	5,231
21	Rural	20,356	256	72	1	7	-	15	12	40	2	50	2,858	357	13	11,481	11,025
22	METROPOLITAN COUNTIES	65,352	1,774	309	-	15	2	7	39	89	6	92	10,653	1,213	61	36,542	35,332
23	Urban	59,771	1,717	287	-	13	2	5	36	74	6	82	9,805	1,113	59	33,528	32,421
24	Places of 250,000 or more	40,920	1,436	182	-	10	-	3	25	41	5	57	6,718	774	32	23,025	22,257
25	Places of 100,000 to 250,000	1,272	23	6	-	-	-	-	1	2	-	2	207	21	1	684	666
26	Places of 50,000 to 100,000	7,695	138	48	-	1	1	-	2	12	-	12	1,209	130	9	4,377	4,221
27	Places of 25,000 to 50,000	3,027	45	18	-	-	1	2	3	6	-	5	498	52	2	1,658	1,616
28	Places of 10,000 to 25,000	3,236	40	18	-	1	-	-	-	4	-	2	548	77	7	1,827	1,773
29	Places of 2,500 to 10,000	3,621	35	15	-	1	-	-	5	9	1	4	625	59	8	1,957	1,886
30	Rural	5,581	57	22	-	2	-	2	3	15	-	10	848	100	2	3,014	2,911
31	NONMETROPOLITAN COUNTIES	27,138	361	117	1	6	-	14	10	38	2	76	3,864	488	23	15,670	15,082
32	Urban	12,363	162	67	-	1	-	1	1	13	-	36	1,854	231	12	7,205	6,968
33	Places of 25,000 to 50,000	2,536	34	21	-	-	-	-	-	2	-	7	343	52	2	1,563	1,526
34	Places of 10,000 to 25,000	3,814	53	19	-	-	-	-	-	4	-	13	575	72	7	2,188	2,099
35	Places of 2,500 to 10,000	6,013	75	27	-	1	-	1	1	7	-	16	936	107	3	3,451	3,343
36	Rural	14,775	199	50	1	5	-	13	9	25	2	40	2,010	257	11	8,467	8,114
37	INDIANA	40,630	786	233	-	9	8	26	21	84	19	108	5,656	706	41	22,596	21,910
38	Urban	24,662	553	170	-	6	2	11	15	48	12	58	3,528	430	26	13,415	13,044
39	Places of 250,000 or more	5,153	151	58	-	-	1	2	7	4	3	12	726	78	7	2,826	2,770
40	Places of 100,000 to 250,000	5,115	134	21	-	1	-	3	1	14	3	13	771	119	4	2,668	2,574
41	Places of 50,000 to 100,000	2,770	64	16	-	2	-	2	-	4	1	10	407	46	5	1,429	1,391
42	Places of 25,000 to 50,000	3,673	71	28	-	1	-	-	3	10	1	8	535	65	2	1,969	1,908
43	Places of 10,000 to 25,000	3,298	55	19	-	1	1	3	-	7	-	4	458	43	2	1,854	1,817
44	Places of 2,500 to 10,000	4,653	78	28	-	1	-	1	4	9	4	11	631	81	6	2,889	2,584
45	Rural	15,968	233	63	-	3	6	15	6	36	7	51	2,128	276	15	9,181	8,866
46	METROPOLITAN COUNTIES	17,170	422	114	-	3	2	10	11	38	10	46	2,505	311	18	9,123	8,883
47	Urban	14,360	372	101	-	3	1	7	8	28	9	39	2,104	268	17	7,607	7,403
48	Places of 250,000 or more	5,153	151	58	-	-	1	2	7	4	3	12	726	78	7	2,826	2,770
49	Places of 100,000 to 250,000	5,115	134	21	-	1	-	3	1	14	3	13	771	119	4	2,668	2,574
50	Places of 50,000 to 100,000	2,770	64	16	-	2	-	2	-	4	1	10	407	46	5	1,429	1,391
51	Places of 25,000 to 50,000	612	12	4	-	-	-	-	-	3	1	-	102	13	1	320	312
52	Places of 10,000 to 25,000	256	4	-	-	-	-	-	-	1	-	1	32	2	-	140	138
53	Places of 2,500 to 10,000	454	7	2	-	-	-	-	-	2	1	3	66	10	-	224	218
54	Rural	2,810	50	13	-	-	1	3	3	10	1	7	401	43	1	1,516	1,480
55	NONMETROPOLITAN COUNTIES	23,460	364	119	-	6	6	16	10	46	9	63	3,151	395	23	13,473	13,027
56	Urban	10,302	181	69	-	3	1	4	7	20	3	19	1,424	162	9	5,808	5,641
57	Places of 25,000 to 50,000	3,061	59	24	-	1	-	-	3	7	-	8	433	50	1	1,649	1,596
58	Places of 10,000 to 25,000	3,042	51	19	-	1	1	3	-	6	-	3	426	41	2	1,714	1,679
59	Places of 2,500 to 10,000	4,199	71	26	-	1	-	1	4	7	3	8	565	71	8	2,445	2,366
60	Rural	13,158	183	50	-	3	5	12	3	26	6	44	1,727	233	14	7,665	7,386
61	IOWA	26,979	207	105	1	10	4	11	17	64	16	69	4,032	457	15	15,170	14,787
62	Urban	13,964	131	77	1	7	1	5	8	30	4	33	2,112	235	10	7,888	7,685
63	Places of 100,000 to 250,000	1,914	25	13	-	1	-	-	-	4	-	3	330	29	2	1,034	1,008
64	Places of 50,000 to 100,000	2,989	31	21	-	1	-	1	2	6	-	10	465	61	5	1,575	1,541
65	Places of 25,000 to 50,000	3,032	27	19	1	1	-	1	1	4	2	7	443	56	2	1,729	1,676
66	Places of 10,000 to 25,000	1,720	16	7	-	-	-	-	1	6	1	3	226	22	-	1,051	1,013
67	Places of 2,500 to 10,000	4,309	32	17	-	4	1	3	4	10	1	10	648	67	1	2,520	2,457
68	Rural	13,015	76	28	-	3	3	6	9	34	12	36	1,920	222	5	7,281	7,092
69	METROPOLITAN COUNTIES	6,667	70	44	-	3	-	2	5	18	1	15	1,064	128	8	3,707	3,625
70	Urban	5,694	59	38	-	3	-	1	2	13	-	15	890	106	7	3,095	3,025
71	Places of 100,000 to 250,000	1,914	25	13	-	1	-	-	-	4	-	3	330	29	2	1,034	1,008
72	Places of 50,000 to 100,000	2,989	31	21	-	1	-	1	2	6	-	10	465	61	5	1,575	1,541
73	Places of 25,000 to 50,000	476	2	3	-	1	-	-	-	1	-	2	54	12	-	288	279
74	Places of 10,000 to 25,000	120	-	-	-	-	-	-	-	-	-	-	16	1	-	81	81
75	Places of 2,500 to 10,000	195	1	1	-	-	-	-	-	2	-	-	25	3	-	117	116
76	Rural	1,173	11	6	-	-	-	1	3	5	1	-	174	22	1	612	600

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-669	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
521	11	1,564	148	34	87	168	35	15	22	14	7	79	112	226	277	85	9	620	1
265	5	839	77	18	44	78	20	8	13	7	4	39	60	95	109	41	5	345	2
59	3	239	10	2	9	20	4	5	3	1	3	13	24	29	35	10	1	84	3
120	2	310	41	9	17	28	7	2	7	2	-	11	17	30	45	16	1	136	4
86	-	290	26	7	18	30	9	1	3	4	1	15	19	36	29	15	3	125	5
256	6	725	71	16	43	90	15	7	9	7	3	40	52	151	168	44	4	275	6
521	11	1,564	148	34	87	168	35	15	22	14	7	79	112	226	277	85	9	620	7
265	5	839	77	18	44	78	20	8	13	7	4	39	60	95	109	41	5	345	8
59	3	239	10	2	9	20	4	5	3	1	3	13	24	29	35	10	1	84	9
120	2	310	41	9	17	28	7	2	7	2	-	11	17	30	45	16	1	136	10
86	-	290	26	7	18	30	9	1	3	4	1	15	19	36	29	15	3	125	11
256	6	725	71	16	43	90	15	7	9	7	3	40	52	151	168	44	4	275	12
9,246	76	38,170	2,533	389	1,798	2,539	590	308	1,006	189	112	1,063	436	2,042	2,979	1,015	417	8,312	13
6,817	57	30,364	1,847	304	1,342	1,958	471	239	881	151	79	791	282	1,405	2,108	724	375	6,362	14
3,319	28	17,870	880	160	768	1,196	304	119	600	68	47	402	120	651	1,028	407	288	3,382	15
119	1	481	53	12	18	44	6	5	21	2	2	19	7	32	42	15	6	124	16
820	6	3,154	206	35	156	175	50	29	94	18	11	93	32	189	236	62	21	746	17
627	9	2,275	212	21	79	122	35	17	39	21	1	62	14	119	187	62	19	551	18
866	8	2,764	195	39	144	185	34	35	48	14	7	80	46	157	240	66	23	659	19
1,066	5	3,822	301	37	177	256	42	34	79	28	11	135	63	257	375	112	18	900	20
2,429	19	7,806	686	85	456	581	119	69	125	48	33	272	154	637	871	291	42	1,950	21
5,902	52	27,545	1,568	265	1,210	1,789	452	218	851	136	77	755	249	1,325	1,890	704	364	5,740	22
5,310	48	25,408	1,406	249	1,107	1,642	412	198	807	119	67	665	213	1,122	1,643	608	343	5,205	23
3,319	28	17,870	880	160	768	1,196	304	119	600	68	47	402	120	651	1,028	407	288	3,382	24
119	1	481	53	12	18	44	6	5	21	2	2	19	7	32	42	15	6	124	25
820	6	3,154	206	35	156	175	50	29	94	18	11	93	32	189	236	62	21	746	26
319	7	1,185	95	10	42	67	18	7	25	12	-	40	7	79	111	40	11	320	27
365	5	1,297	87	19	54	78	18	19	31	7	4	42	22	73	92	32	8	286	28
368	1	1,421	85	13	69	82	16	19	36	12	3	69	25	98	134	52	9	347	29
592	4	2,157	162	16	103	147	40	20	44	17	10	90	36	203	247	96	21	535	30
3,344	24	10,625	965	124	588	750	138	90	155	63	35	308	187	717	1,089	311	53	2,572	31
1,507	9	4,956	441	55	235	316	59	41	74	32	12	126	69	283	465	116	32	1,157	32
308	2	1,088	117	11	37	55	17	10	14	9	1	22	7	40	76	22	8	231	33
501	3	1,467	108	20	90	107	16	16	17	7	3	38	24	84	148	34	15	373	34
698	4	2,401	216	24	108	154	26	15	43	16	8	66	38	159	241	80	9	553	35
1,857	15	5,869	524	69	353	434	79	49	81	31	23	182	118	434	624	195	21	1,415	36
5,077	51	15,017	1,588	177	686	1,339	216	197	336	101	61	521	216	1,087	1,581	557	140	4,004	37
2,928	34	9,048	918	116	371	798	148	125	255	52	35	337	119	605	972	329	114	2,499	38
605	9	1,914	212	30	56	155	34	30	60	5	9	68	12	116	202	68	36	485	39
565	1	1,818	164	26	94	171	28	19	66	16	3	75	16	118	170	78	34	569	40
256	5	1,018	101	11	38	113	17	10	32	5	9	33	16	71	118	37	16	307	41
476	8	1,274	141	9	61	103	24	25	42	9	2	60	19	112	143	51	15	377	42
427	2	1,267	104	17	37	111	18	17	26	7	6	43	26	79	138	42	6	332	43
599	9	1,757	196	23	85	145	27	24	29	10	6	58	30	109	201	55	7	429	44
2,149	17	5,969	670	61	315	541	68	72	81	49	26	184	97	482	589	228	26	1,505	45
1,902	22	6,255	822	82	240	564	98	80	189	42	29	243	64	450	660	253	95	1,790	46
1,558	18	5,235	521	71	204	474	87	67	175	32	23	207	53	348	547	201	88	1,494	47
605	9	1,914	212	30	56	155	34	30	60	5	9	68	12	116	202	66	36	485	48
565	1	1,818	164	26	94	171	28	19	66	16	3	75	16	118	170	78	34	569	49
256	5	1,018	101	11	38	113	17	10	32	5	9	33	16	71	118	37	16	307	50
65	2	223	22	-	8	13	3	4	9	3	-	11	2	18	23	11	1	58	51
22	-	103	11	2	2	9	2	1	2	1	2	4	3	5	15	3	1	28	52
45	1	159	11	2	6	13	3	3	6	2	-	16	4	20	19	6	-	47	55
344	4	1,020	101	11	36	90	11	13	14	10	6	36	11	102	113	52	7	296	54
3,175	29	8,762	966	95	446	775	118	117	147	59	32	278	152	637	901	304	45	2,214	55
1,370	16	3,813	397	45	167	324	61	58	80	20	12	130	66	257	425	128	26	1,005	56
411	6	1,051	119	9	53	90	21	21	33	6	2	49	17	94	120	40	14	319	57
405	2	1,164	93	15	35	102	16	16	24	6	4	39	23	74	123	39	5	304	58
554	8	1,598	185	21	79	132	24	21	23	8	6	42	26	89	182	49	7	382	59
1,805	13	4,949	569	50	279	451	57	59	67	38	20	148	86	380	476	176	19	1,209	60
3,726	25	9,973	951	112	383	782	160	72	151	43	35	338	230	634	1,130	328	35	2,863	61
1,915	14	5,235	469	62	194	370	87	36	85	20	14	175	106	300	564	148	19	1,499	62
241	2	692	57	16	26	50	21	3	10	3	1	18	11	46	56	30	7	217	63
410	5	1,027	85	14	34	86	21	10	21	5	3	41	21	71	157	32	3	340	64
388	1	1,156	121	8	53	77	16	9	25	3	1	35	25	48	132	27	5	336	65
240	3	706	61	3	18	45	11	6	4	3	2	27	18	29	71	16	1	174	66
636	3	1,682	145	21	63	112	18	8	25	6	7	54	31	106	148	41	3	432	67
1,811	11	4,736	482	50	189	412	73	36	86	23	21	163	124	334	566	182	16	1,364	68
912	11	2,447	218	37	82	195	55	14	40	13	5	87	52	162	297	92	14	776	69
767	9	2,035	182	32	70	159	47	13	35	9	4	69	37	130	244	72	10	636	70
241	2	692	57	16	26	50	21	3	10	3	1	18	11	46	56	30	7	217	71
410	5	1,027	85	14	34	86	21	10	21	5	3	41	21	71	157	32	3	340	72
67	1	184	26	1	9	14	2	-	3	1	-	4	4	8	17	8	-	52	73
22	1	55	3	-	-	2	1	-	-	-	-	3	-	2	6	1	-	7	74
27	-	77	11	1	1	7	2	-	1	-	-	3	1	3	8	1	-	20	75
145	2	412	36	5	12	36	8	1	5	4	1	18	15	32	53	20	4	140	76

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	IOWA—Continued																
1	NONMETROPOLITAN COUNTIES	20,112	137	61	1	7	4	9	12	46	15	54	2,988	329	7	11,463	11,162
2	Urban	8,270	72	39	1	4	1	4	6	17	4	18	1,222	129	3	4,794	4,670
3	Places of 25,000 to 50,000	2,556	25	16	1	-	-	1	1	3	2	5	389	44	2	1,441	1,397
4	Places of 10,000 to 25,000	1,600	16	7	-	-	-	-	1	6	1	3	210	21	-	950	932
5	Places of 2,500 to 10,000	4,114	31	16	-	4	1	3	4	8	1	10	623	64	1	2,403	2,341
6	Rural	11,842	65	22	-	3	3	5	6	29	11	36	1,746	200	4	6,669	6,492
7	KANSAS	19,058	190	96	-	3	-	8	15	34	1	50	2,615	341	12	10,589	10,184
8	Urban	10,111	126	66	-	2	-	3	9	23	-	31	1,431	160	5	5,535	5,328
9	Places of 100,000 to 250,000	3,102	44	23	-	-	-	1	4	10	-	9	473	42	4	1,595	1,526
10	Places of 50,000 to 100,000	936	8	9	-	-	-	-	1	2	-	1	137	14	-	531	515
11	Places of 25,000 to 50,000	629	5	5	-	-	-	-	-	-	-	2	75	9	-	348	338
12	Places of 10,000 to 25,000	3,165	39	18	-	1	-	2	3	4	-	10	434	52	-	1,785	1,726
13	Places of 2,500 to 10,000	2,259	30	11	-	1	-	-	1	7	-	9	312	43	1	1,278	1,223
14	Rural	8,947	64	30	-	1	-	5	8	11	1	18	1,184	181	7	5,054	4,856
15	METROPOLITAN COUNTIES	5,121	61	36	-	1	-	1	6	16	-	11	773	75	4	2,712	2,608
16	Urban	4,101	53	34	-	-	-	1	5	12	-	10	620	57	4	2,155	2,069
17	Places of 100,000 to 250,000	3,102	44	23	-	-	-	1	4	10	-	9	473	42	4	1,595	1,526
18	Places of 50,000 to 100,000	936	8	9	-	-	-	-	1	2	-	1	137	14	-	531	515
19	Places of 2,500 to 10,000	63	1	2	-	-	-	-	-	-	-	-	10	1	-	29	28
20	Rural	1,020	8	2	-	1	-	-	1	4	-	1	153	18	-	557	539
21	NONMETROPOLITAN COUNTIES	13,937	129	60	-	2	-	7	9	18	1	39	1,842	266	8	7,877	7,576
22	Urban	6,010	75	32	-	2	-	2	4	11	-	21	811	103	1	3,380	3,259
23	Places of 25,000 to 50,000	629	5	5	-	-	-	-	-	-	-	2	75	9	-	348	338
24	Places of 10,000 to 25,000	3,185	39	18	-	1	-	2	3	4	-	10	434	52	-	1,785	1,726
25	Places of 2,500 to 10,000	2,196	29	9	-	1	-	-	1	7	-	9	302	42	1	1,249	1,195
26	Rural	7,927	56	28	-	-	-	5	5	7	1	18	1,031	163	7	4,497	4,317
27	KENTUCKY	27,855	1,075	91	3	59	35	54	50	45	33	129	3,283	349	45	13,900	13,306
28	Urban	12,002	391	50	1	14	4	7	23	14	3	55	1,584	159	12	6,305	6,084
29	Places of 250,000 or more	4,397	151	17	-	-	2	1	8	4	-	17	610	55	5	2,346	2,280
30	Places of 50,000 to 100,000	1,521	64	8	-	1	-	2	3	-	-	4	196	23	2	820	798
31	Places of 25,000 to 50,000	1,502	47	6	-	1	-	-	4	4	-	10	194	18	2	806	785
32	Places of 10,000 to 25,000	1,283	35	9	1	5	-	-	2	1	1	7	153	15	2	684	641
33	Places of 2,500 to 10,000	3,299	94	10	-	7	2	4	6	5	2	17	411	48	1	1,649	1,580
34	Rural	15,853	684	41	2	45	31	47	27	31	30	74	1,699	190	33	7,595	7,222
35	METROPOLITAN COUNTIES	8,475	278	35	-	1	2	3	16	9	1	36	1,203	111	10	4,542	4,416
36	Urban	7,151	244	31	-	1	2	3	14	7	-	27	995	97	8	3,847	3,744
37	Places of 250,000 or more	4,397	151	17	-	-	2	1	8	4	-	17	610	55	5	2,346	2,280
38	Places of 50,000 to 100,000	1,521	64	8	-	1	-	2	3	-	-	4	196	23	2	820	798
39	Places of 25,000 to 50,000	667	22	2	-	-	-	-	2	3	-	2	96	12	1	349	339
40	Places of 10,000 to 25,000	133	-	1	-	-	-	-	-	-	-	1	28	3	-	82	80
41	Places of 2,500 to 10,000	433	7	3	-	-	-	-	1	-	-	3	65	4	-	250	247
42	Rural	1,324	34	4	-	-	-	-	2	2	1	9	208	14	2	695	672
43	NONMETROPOLITAN COUNTIES	19,380	797	56	3	58	33	51	34	36	32	93	2,060	238	35	9,358	8,890
44	Urban	4,851	147	19	1	13	2	4	9	7	3	28	569	62	4	2,458	2,340
45	Places of 25,000 to 50,000	835	25	4	-	1	-	-	2	1	-	8	98	6	1	457	446
46	Places of 10,000 to 25,000	1,150	35	8	1	5	-	-	2	1	1	6	125	12	2	602	561
47	Places of 2,500 to 10,000	2,866	87	7	-	7	2	4	5	5	2	14	346	44	1	1,399	1,333
48	Rural	14,529	650	37	2	45	31	47	25	29	29	65	1,491	176	31	6,900	6,550
49	LOUISIANA	23,738	717	273	9	23	8	29	23	22	10	123	3,148	335	69	11,610	11,131
50	Urban	13,496	448	199	2	11	3	14	7	13	3	52	1,891	222	34	6,753	6,489
51	Places of 250,000 or more	6,169	246	119	1	2	1	4	2	4	-	20	926	124	16	3,192	3,088
52	Places of 100,000 to 250,000	2,127	62	28	-	-	-	2	-	3	1	12	292	27	7	1,053	996
53	Places of 25,000 to 50,000	1,354	45	16	1	5	1	4	2	-	-	7	162	23	5	653	623
54	Places of 10,000 to 25,000	1,243	31	13	-	2	1	2	1	3	1	6	160	17	2	585	559
55	Places of 2,500 to 10,000	2,603	64	23	-	2	-	2	2	3	1	7	351	31	4	1,270	1,223
56	Rural	10,242	269	74	7	12	3	15	16	9	7	71	1,257	113	35	4,857	4,642
57	METROPOLITAN COUNTIES	9,703	340	158	3	2	2	7	3	8	3	44	1,423	169	25	4,899	4,711
58	Urban	8,550	314	147	1	2	2	6	2	7	2	34	1,258	156	23	4,358	4,196
59	Places of 250,000 or more	6,169	246	119	1	2	1	4	2	4	-	20	926	124	16	3,192	3,088
60	Places of 100,000 to 250,000	2,127	62	28	-	-	-	2	-	3	1	12	292	27	7	1,053	996
61	Places of 10,000 to 25,000	137	5	-	-	-	1	-	-	-	1	1	24	3	-	66	65
62	Places of 2,500 to 10,000	117	1	-	-	-	-	-	-	-	-	1	16	2	-	47	47
63	Rural	1,153	26	11	2	-	-	1	1	1	1	10	165	13	2	541	515
64	NONMETROPOLITAN COUNTIES	14,035	377	115	6	21	4	22	20	14	7	79	1,725	166	44	6,711	6,420
65	Urban	4,946	134	52	1	9	1	8	5	6	1	18	633	66	11	2,395	2,293
66	Places of 25,000 to 50,000	1,354	45	16	1	5	1	4	2	-	-	7	162	23	5	653	623
67	Places of 10,000 to 25,000	1,106	26	13	-	2	-	2	1	3	-	5	136	14	2	519	494
68	Places of 2,500 to 10,000	2,486	63	23	-	2	-	2	2	3	1	6	335	29	4	1,223	1,176
69	Rural	9,089	243	63	5	12	3	14	15	8	6	61	1,092	100	33	4,316	4,127

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2,814	14	7,526	733	75	301	587	105	58	111	30	30	251	178	472	833	236	21	2,087	1
1,148	5	3,200	287	30	124	211	40	23	50	11	10	106	69	170	320	74	9	863	2
321	-	974	95	7	44	63	14	9	22	2	1	31	21	40	115	19	5	284	3
218	2	651	58	3	18	43	10	6	4	3	2	24	18	27	65	15	1	167	4
608	3	1,575	134	20	62	105	16	8	24	6	7	51	30	103	140	40	3	412	5
1,686	9	4,326	446	45	177	376	65	35	61	19	20	145	109	302	513	162	12	1,224	6
2,464	20	6,855	732	113	405	563	110	81	110	48	24	260	190	529	814	233	65	2,077	7
1,256	10	3,652	353	57	207	291	59	45	69	24	12	159	92	234	404	117	48	1,168	8
331	3	1,059	110	23	69	105	20	13	30	7	7	57	22	68	118	38	22	390	9
119	1	357	33	5	16	25	3	5	7	-	2	18	9	18	35	11	7	93	10
78	1	238	17	4	10	21	5	1	5	2	1	8	6	14	26	10	5	81	11
418	3	1,196	99	10	57	86	23	15	15	11	2	53	25	85	140	32	7	345	12
310	2	802	94	15	55	54	8	11	12	4	-	23	30	49	85	26	7	257	13
1,208	10	3,203	379	56	198	272	51	36	41	24	12	101	98	295	410	116	17	911	14
578	6	1,798	193	33	104	170	27	23	45	9	9	89	48	126	194	65	33	587	15
457	4	1,436	144	28	86	134	23	19	38	7	9	75	34	86	156	49	30	490	16
331	3	1,059	110	23	69	105	20	13	30	7	7	57	22	68	118	38	22	390	17
119	1	357	33	5	16	25	3	5	7	-	2	18	9	18	35	11	7	93	18
7	-	20	1	-	1	4	-	1	1	-	-	-	3	-	3	-	1	7	19
121	2	362	49	5	18	36	4	4	7	2	-	14	14	40	38	16	3	97	20
1,886	14	5,057	539	80	301	383	83	58	65	39	15	171	142	403	620	168	32	1,490	21
799	6	2,216	209	29	121	157	36	26	31	17	3	84	58	148	249	68	18	676	22
78	1	238	17	4	10	21	5	1	5	2	1	8	6	14	26	10	5	81	23
418	3	1,196	99	10	57	86	23	15	15	11	2	53	25	85	140	32	7	345	24
303	2	782	93	15	54	50	8	10	11	4	-	23	27	49	82	26	6	250	25
1,087	8	2,841	330	51	180	236	47	32	34	22	12	87	84	255	372	100	14	814	26
3,138	44	9,117	895	112	594	1,383	126	264	188	83	73	340	527	722	1,270	270	254	3,224	27
1,313	19	4,288	408	56	221	444	51	92	138	39	16	119	133	251	483	117	120	1,397	28
431	8	1,671	140	30	66	141	20	18	74	13	8	44	24	88	162	37	55	497	29
165	3	583	41	6	22	54	6	6	14	3	1	15	12	30	56	18	13	170	30
184	3	544	53	1	21	70	8	8	11	5	-	14	22	24	56	14	9	169	31
153	-	423	58	7	43	44	6	11	12	5	4	9	14	29	53	14	8	159	32
380	5	1,067	116	12	69	135	11	49	27	13	3	37	61	80	156	34	35	402	33
1,825	25	4,829	487	56	373	939	75	172	50	44	57	221	394	471	787	153	134	1,827	34
891	15	3,214	249	47	126	293	40	38	111	21	10	92	54	174	309	89	76	921	35
726	13	2,746	220	39	103	255	35	31	105	19	9	70	45	138	259	69	72	788	36
431	8	1,671	140	30	66	141	20	18	74	13	8	44	24	88	162	37	55	497	37
165	3	583	41	6	22	54	6	6	14	3	1	15	12	30	56	18	13	170	38
64	1	252	21	1	10	32	4	4	4	2	-	9	6	13	27	4	3	70	39
12	-	64	3	1	2	-	-	1	3	-	-	1	-	-	3	1	-	9	40
54	1	176	15	1	3	8	5	2	10	1	-	1	3	7	11	9	1	42	41
165	2	468	29	8	23	59	5	7	6	2	1	22	9	36	50	20	4	133	42
2,247	29	5,903	646	65	468	1,090	86	226	77	62	63	248	473	548	961	181	178	2,303	43
587	6	1,542	188	17	118	209	16	61	33	20	7	49	88	113	224	48	48	609	44
120	2	292	32	-	11	38	4	4	7	3	-	5	16	11	29	10	6	99	45
141	-	359	55	6	41	44	6	10	9	5	4	8	14	29	50	13	8	150	46
326	4	891	101	11	66	127	6	47	17	12	3	36	58	73	145	25	34	360	47
1,660	23	4,361	458	48	350	881	70	165	44	42	56	199	385	435	737	133	130	1,694	48
2,320	15	8,110	555	131	479	930	104	153	165	95	72	370	430	551	1,097	184	251	2,939	49
1,295	7	4,793	318	76	264	432	67	75	120	49	34	205	169	256	554	100	147	1,636	50
581	2	2,330	135	40	104	173	39	25	65	11	11	91	10	74	226	40	68	679	51
209	3	697	70	17	57	61	6	11	19	12	2	42	18	47	97	18	38	269	52
125	-	464	28	6	30	41	5	7	4	13	5	15	61	27	61	12	11	168	53
120	2	404	28	5	26	42	4	13	13	1	9	24	13	40	70	10	9	171	54
260	-	898	57	8	47	115	13	19	19	12	7	33	67	68	100	20	21	349	55
1,025	8	3,317	237	55	215	498	37	78	45	46	38	165	261	295	543	84	104	1,303	56
909	6	3,498	236	62	188	282	50	45	91	29	17	156	38	175	411	67	122	1,134	57
810	5	3,111	213	57	162	241	45	38	86	25	16	138	28	129	341	60	106	987	58
581	2	2,330	135	40	104	173	39	25	65	11	11	91	10	74	226	40	68	679	59
209	3	697	70	17	57	61	6	11	19	12	2	42	18	47	97	18	38	269	60
13	-	46	6	-	1	2	-	1	1	-	2	1	-	2	10	-	-	17	61
7	-	38	2	-	-	5	-	1	1	-	1	4	-	6	8	2	-	22	62
99	1	387	23	5	26	41	5	7	5	6	1	18	10	46	70	7	16	147	63
1,411	9	4,612	319	69	291	648	54	108	74	66	55	214	392	376	686	117	128	1,805	64
485	2	1,882	105	19	102	191	22	37	34	26	18	67	141	127	215	40	41	649	65
125	-	464	28	6	30	41	5	7	4	13	5	15	61	27	61	12	11	168	66
107	2	358	22	5	25	40	4	12	12	1	7	23	13	38	60	10	9	154	67
253	-	880	55	8	47	110	13	18	18	12	6	29	67	62	92	18	21	327	68
928	7	2,950	214	50	189	457	32	71	40	40	37	147	251	249	473	77	88	1,156	69

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1	MAINE	9,886	153	34	-	-	1	6	4	8	2	16	1,589	154	15	5,514	5,314
2	Urban	3,785	65	14	-	-	-	3	1	3	-	7	638	46	4	2,182	2,101
3	Places of 50,000 to 100,000	881	20	4	-	-	-	1	1	-	-	3	153	9	1	502	493
4	Places of 25,000 to 50,000	760	13	1	-	-	-	-	-	-	-	3	132	8	-	422	407
5	Places of 10,000 to 25,000	1,264	20	5	-	-	-	-	-	2	-	-	196	16	2	757	722
6	Places of 2,500 to 10,000	880	12	4	-	-	-	2	-	1	-	1	157	13	1	501	479
7	Rural	6,101	88	20	-	-	1	3	3	5	2	9	951	108	11	3,332	3,213
8	METROPOLITAN COUNTIES	1,639	27	5	-	-	-	1	1	-	-	5	308	21	2	1,080	1,051
9	Urban	1,281	22	4	-	-	-	1	1	-	-	3	215	11	1	755	734
10	Places of 50,000 to 100,000	881	20	4	-	-	-	1	1	-	-	3	153	9	1	502	493
11	Places of 10,000 to 25,000	305	2	-	-	-	-	-	-	-	-	-	45	1	-	194	184
12	Places of 2,500 to 10,000	95	-	-	-	-	-	-	-	-	-	-	17	1	-	59	57
13	Rural	358	5	1	-	-	-	-	-	-	-	2	93	10	1	325	317
14	NONMETROPOLITAN COUNTIES	8,047	126	29	-	-	1	5	3	8	2	11	1,281	133	13	4,434	4,263
15	Urban	2,504	43	10	-	-	-	2	-	3	-	4	423	35	3	1,427	1,367
16	Places of 25,000 to 50,000	760	13	1	-	-	-	-	-	-	-	3	132	8	-	422	407
17	Places of 10,000 to 25,000	959	18	5	-	-	-	-	-	2	-	-	151	15	2	563	538
18	Places of 2,500 to 10,000	785	12	4	-	-	-	2	-	1	-	1	140	12	1	442	422
19	Rural	5,543	83	19	-	-	1	3	3	5	2	7	858	98	10	3,007	2,896
20	MARYLAND	22,417	815	178	-	1	4	5	23	25	2	50	3,275	399	32	12,298	11,681
21	Urban	13,796	609	140	-	1	3	1	11	11	-	27	2,033	244	21	7,606	7,343
22	Places of 250,000 or more	10,539	535	117	-	-	3	1	9	8	-	25	1,582	165	17	5,742	5,542
23	Places of 25,000 to 50,000	1,088	16	12	-	-	-	-	-	1	-	1	160	24	-	633	614
24	Places of 10,000 to 25,000	1,197	31	9	-	1	-	-	2	1	-	1	166	26	3	690	667
25	Places of 2,500 to 10,000	972	27	2	-	-	-	-	-	1	-	-	125	11	1	541	520
26	Rural	8,621	206	38	-	-	1	4	12	14	2	23	1,242	155	11	4,692	4,536
27	METROPOLITAN COUNTIES	15,663	650	148	-	1	4	1	16	20	-	43	2,398	266	26	8,445	8,185
28	Urban	11,595	564	126	-	1	3	1	10	9	-	27	1,754	202	19	6,286	6,074
29	Places of 250,000 or more	10,539	535	117	-	-	3	1	9	8	-	25	1,582	165	17	5,742	5,542
30	Places of 25,000 to 50,000	206	6	3	-	-	-	-	-	-	-	1	31	5	-	95	94
31	Places of 10,000 to 25,000	614	16	6	-	1	-	-	1	1	-	1	104	13	1	333	325
32	Places of 2,500 to 10,000	236	7	-	-	-	-	-	-	-	-	-	37	1	1	116	113
33	Rural	4,068	86	22	-	-	1	-	6	11	-	16	644	64	7	2,159	2,111
34	NONMETROPOLITAN COUNTIES	6,754	165	30	-	-	-	4	7	5	2	7	877	133	6	3,853	3,696
35	Urban	2,201	45	14	-	-	-	-	1	2	-	-	279	42	2	1,320	1,269
36	Places of 25,000 to 50,000	882	10	9	-	-	-	-	-	1	-	-	129	19	-	538	520
37	Places of 10,000 to 25,000	583	15	3	-	-	-	-	1	-	-	-	62	13	2	357	342
38	Places of 2,500 to 10,000	736	20	2	-	-	-	-	-	1	-	-	88	10	-	425	407
39	Rural	4,553	120	16	-	-	-	4	6	3	2	7	598	91	4	2,533	2,427
40	MASSACHUSETTS	49,396	1,005	159	-	3	9	10	19	10	2	83	8,425	963	50	28,330	27,736
41	Urban	44,749	904	138	-	3	9	10	18	8	1	77	7,686	886	44	25,714	25,184
42	Places of 250,000 or more	9,167	286	36	-	-	5	2	6	2	1	22	1,583	182	16	4,918	4,842
43	Places of 100,000 to 250,000	9,171	177	33	-	2	-	1	4	1	-	16	1,590	185	5	5,263	5,163
44	Places of 50,000 to 100,000	8,711	123	23	-	1	2	3	5	2	-	13	1,480	190	11	5,097	4,987
45	Places of 25,000 to 50,000	7,468	110	24	-	-	-	2	2	1	-	8	1,262	146	4	4,381	4,282
46	Places of 10,000 to 25,000	7,782	86	15	-	-	1	2	-	2	-	17	1,352	131	7	4,577	4,472
47	Places of 2,500 to 10,000	2,450	22	5	-	-	1	-	1	-	-	1	419	54	1	1,478	1,438
48	Rural	4,637	201	21	-	-	-	-	1	2	1	6	739	77	6	2,616	2,554
49	METROPOLITAN COUNTIES	48,144	1,000	153	-	3	9	10	19	9	2	81	8,212	935	49	27,622	27,047
50	Urban	44,217	901	137	-	3	9	10	18	8	1	76	7,605	873	43	25,414	24,892
51	Places of 250,000 or more	9,167	286	36	-	-	5	2	6	2	1	22	1,583	182	16	4,918	4,842
52	Places of 100,000 to 250,000	9,171	177	33	-	2	-	1	4	1	-	16	1,590	185	5	5,263	5,163
53	Places of 50,000 to 100,000	8,711	123	23	-	1	2	3	5	2	-	13	1,480	190	11	5,097	4,987
54	Places of 25,000 to 50,000	7,468	110	24	-	-	-	2	2	1	-	8	1,262	146	4	4,381	4,282
55	Places of 10,000 to 25,000	7,535	85	14	-	-	1	2	-	2	-	17	1,318	124	7	4,434	4,332
56	Places of 2,500 to 10,000	2,165	20	5	-	-	1	-	1	-	-	-	372	48	-	1,321	1,286
57	Rural	3,927	199	16	-	-	-	-	1	1	1	5	807	62	6	2,208	2,155
58	NONMETROPOLITAN COUNTIES	1,242	5	6	-	-	-	-	-	1	-	2	213	28	1	708	691
59	Urban	532	3	1	-	-	-	-	-	-	-	1	81	13	1	300	292
60	Places of 10,000 to 25,000	247	1	1	-	-	-	-	-	-	-	-	34	7	-	143	140
61	Places of 2,500 to 10,000	285	2	-	-	-	-	-	-	-	-	1	47	6	1	157	152
62	Rural	710	2	5	-	-	-	-	-	1	-	1	132	15	-	408	399
63	MICHIGAN	57,743	1,268	329	4	20	2	27	30	127	28	133	8,733	1,398	77	29,996	29,142
64	Urban	38,153	1,074	251	3	12	1	14	21	90	22	77	5,966	965	57	19,413	18,865
65	Places of 250,000 or more	16,756	745	142	-	6	-	7	11	27	7	33	2,672	424	31	8,179	7,907
66	Places of 100,000 to 250,000	3,360	44	24	-	2	1	2	1	5	2	8	557	84	5	1,798	1,765
67	Places of 50,000 to 100,000	4,894	65	19	2	1	-	3	2	22	7	7	758	110	5	2,601	2,530
68	Places of 25,000 to 50,000	3,671	67	12	-	-	-	1	2	8	1	4	532	90	3	1,929	1,880
69	Places of 10,000 to 25,000	4,678	88	29	1	2	-	-	4	17	1	14	713	107	5	2,359	2,298
70	Places of 2,500 to 10,000	4,794	67	25	-	1	-	1	1	11	4	11	734	150	8	2,546	2,485
71	Rural	19,590	194	78	1	8	1	13	9	37	6	56	2,767	433	20	10,583	10,277

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-669	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 760-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,200	10	3,678	372	54	200	274	55	52	71	20	10	114	95	155	386	161	14	981	1
444	2	1,501	135	19	81	84	21	16	35	6	2	40	28	52	118	61	6	351	2
94	1	368	24	6	9	21	2	1	6	2	-	9	5	9	31	18	3	80	3
98	-	285	22	2	15	13	4	6	11	-	-	8	13	17	20	18	2	69	4
160	-	506	50	6	35	24	9	7	11	2	2	21	4	14	33	13	1	125	5
92	1	342	39	5	22	26	6	4	7	2	-	2	6	12	34	12	-	77	6
756	8	2,177	237	35	119	190	34	34	36	14	8	74	67	103	270	100	8	630	7
219	1	749	69	13	29	41	9	5	14	6	1	21	12	15	62	30	4	169	8
142	1	544	39	8	21	27	4	4	9	6	1	12	7	12	45	21	3	117	9
94	1	368	24	6	9	21	2	1	6	2	-	9	5	9	31	18	3	80	10
38	-	133	11	2	10	5	2	2	1	2	1	3	2	1	10	3	-	31	11
10	-	43	4	-	2	1	-	1	2	2	-	-	-	2	4	-	-	6	12
77	-	205	30	5	8	14	5	1	5	-	-	9	5	3	17	9	1	52	13
981	9	2,929	303	41	171	233	46	47	57	14	9	93	83	140	326	131	10	812	14
302	1	957	96	11	60	57	17	14	26	-	1	28	21	40	73	40	3	234	15
98	-	285	22	2	15	13	4	6	11	-	-	8	13	17	20	18	2	69	16
122	-	373	39	4	25	19	7	5	10	-	1	18	2	13	23	10	1	94	17
82	1	299	35	5	20	25	6	3	5	-	-	2	6	10	30	12	-	71	18
679	8	1,972	207	30	111	176	29	33	31	14	8	65	62	100	253	91	7	578	19
1,950	26	9,159	628	118	417	600	96	84	200	42	41	280	81	442	640	273	148	2,185	20
1,121	14	5,767	368	73	263	343	70	46	138	27	23	159	47	205	455	142	115	1,321	21
800	13	4,399	273	57	200	269	52	33	119	18	16	105	37	145	329	101	101	992	22
93	1	488	26	6	19	19	9	4	7	1	-	19	3	10	42	9	4	114	23
122	-	503	37	5	23	28	7	5	5	5	2	17	4	29	40	19	2	104	24
106	-	377	32	5	21	27	2	4	7	3	5	18	3	21	42	13	8	111	25
829	12	3,392	260	45	154	257	26	38	62	15	18	121	34	237	387	151	33	862	26
1,217	16	6,463	401	88	260	381	78	47	175	30	32	191	56	262	532	174	127	1,560	27
879	14	4,820	300	61	212	290	60	36	127	21	20	125	44	161	371	115	107	1,116	28
800	13	4,399	273	57	200	269	52	33	119	18	16	105	37	145	329	101	101	992	29
14	1	76	2	1	1	4	2	2	3	-	-	8	2	1	8	2	1	32	30
44	-	260	20	1	8	10	6	1	3	3	2	7	3	12	23	9	1	57	31
21	-	85	5	2	3	7	-	-	2	-	2	5	2	3	11	3	4	35	32
338	2	1,643	101	27	48	91	18	11	48	9	12	66	12	101	161	59	20	444	33
733	10	2,696	227	30	157	219	18	37	25	12	9	89	25	180	308	99	21	623	34
242	-	947	68	12	51	53	10	10	11	6	3	34	3	44	82	27	8	205	35
79	-	412	24	5	18	15	7	2	4	1	-	11	1	9	34	7	3	82	36
78	-	243	17	4	15	18	1	4	2	2	-	10	1	17	17	10	1	47	37
85	-	292	27	3	18	20	2	4	5	3	3	13	1	18	31	10	4	76	38
491	10	1,749	159	18	106	166	8	27	14	6	6	55	22	136	226	72	13	418	39
5,399	63	20,393	1,607	276	592	1,140	342	178	629	73	52	524	174	544	1,865	447	59	4,291	40
4,902	61	18,524	1,438	259	530	1,040	313	162	592	65	46	484	159	471	1,675	403	52	3,909	41
844	21	3,683	241	53	76	239	71	22	176	13	12	91	17	92	376	84	16	897	42
986	12	3,821	295	49	100	239	75	29	98	22	9	91	39	68	316	53	7	850	43
1,009	10	3,625	278	65	110	164	50	38	137	11	9	95	34	105	343	76	4	695	44
856	7	3,131	276	32	99	153	42	37	89	5	7	75	24	77	303	76	9	631	45
912	8	3,227	272	53	105	188	59	32	71	8	7	86	36	99	260	84	11	651	46
315	3	1,037	76	7	40	57	16	4	21	6	2	26	9	30	77	30	5	185	47
497	2	1,869	169	17	62	100	29	16	37	8	6	60	15	73	190	44	7	382	48
5,230	63	19,933	1,551	270	575	1,117	330	175	621	72	52	508	171	520	1,809	436	59	4,170	49
4,825	61	18,341	1,409	256	522	1,029	305	161	587	64	46	460	157	461	1,652	397	52	3,948	50
844	21	3,683	241	53	76	239	71	22	176	13	12	91	17	92	376	84	16	897	51
986	12	3,821	295	49	100	239	75	29	98	22	9	91	39	68	316	53	7	850	52
1,009	10	3,625	278	65	110	164	50	38	137	11	9	95	34	105	343	76	4	695	53
856	7	3,131	276	32	99	153	42	37	89	5	7	75	24	77	303	76	9	631	54
868	8	3,145	259	52	102	186	55	31	70	8	7	85	35	94	249	81	11	619	55
282	3	936	60	5	35	48	12	4	17	5	2	23	8	25	65	27	5	156	56
405	2	1,592	142	14	53	88	25	14	34	8	6	48	14	59	157	39	7	322	57
169	-	460	56	6	17	23	12	3	8	1	-	16	3	24	56	11	-	121	58
77	-	183	29	3	8	11	8	1	5	1	-	4	2	10	23	8	-	61	59
44	-	82	13	1	3	2	4	1	1	-	-	1	1	5	11	3	-	32	60
33	-	101	16	2	5	9	4	-	4	1	-	3	1	5	12	3	-	29	61
92	-	277	27	3	9	12	4	2	3	-	-	12	1	14	33	5	-	60	62
6,463	78	20,526	1,780	295	654	1,546	400	241	591	137	87	946	416	1,692	2,127	700	246	6,442	63
4,118	51	13,448	1,036	212	548	1,018	275	147	479	94	59	660	222	991	1,279	408	198	4,359	64
1,580	29	5,859	369	90	272	509	115	61	253	45	29	283	36	380	500	185	131	1,945	65
409	5	1,203	132	16	34	86	22	10	36	8	-	53	26	76	102	34	8	365	66
587	5	1,734	186	38	71	108	41	22	54	12	7	88	25	163	177	49	14	534	67
406	4	1,352	98	20	49	105	29	21	48	9	6	68	21	94	117	45	18	441	68
571	4	1,573	126	24	61	108	31	17	43	6	11	94	44	150	200	56	17	563	69
565	4	1,747	145	24	61	104	37	16	45	14	6	74	70	128	185	37	10	511	70
2,345	27	7,078	744	83	306	528	125	94	112	43	28	286	194	701	848	294	48	2,083	71

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MICHIGAN—Continued																
1	METROPOLITAN COUNTIES---	35,745	1,023	238	2	14	1	18	23	85	20	85	5,649	867	52	18,043	17,528
2	Urban----------	29,429	958	207	2	11	1	13	20	72	19	61	4,687	743	48	14,708	14,277
3	Places of 250,000 or more---	16,756	745	142	-	6	-	7	11	27	7	33	2,672	424	31	8,178	7,907
4	Places of 100,000 to 250,000	3,360	44	24	-	2	1	2	1	5	2	8	557	84	5	1,798	1,765
5	Places of 50,000 to 100,000-	4,894	65	19	2	1	-	3	2	22	7	7	758	110	5	2,601	2,550
6	Places of 25,000 to 50,000--	1,827	40	5	-	-	-	-	2	6	1	3	286	45	2	924	901
7	Places of 10,000 to 25,000--	1,578	44	12	-	1	-	-	3	10	1	8	236	45	1	728	711
8	Places of 2,500 to 10,000---	1,014	20	5	-	1	-	1	1	2	1	2	178	35	4	475	463
9	Rural----------	6,316	65	31	-	3	-	5	3	13	1	24	962	124	4	3,337	3,251
10	NONMETROPOLITAN COUNTIES	21,998	245	91	2	6	1	9	7	42	8	48	3,084	531	25	11,953	11,614
11	Urban----------	8,724	116	44	1	1	-	1	1	18	3	16	1,279	222	9	4,707	4,588
12	Places of 25,000 to 50,000--	1,844	27	7	-	-	-	1	-	2	-	1	246	45	1	1,005	979
13	Places of 10,000 to 25,000--	3,100	42	17	1	1	-	-	1	7	-	6	477	62	4	1,631	1,587
14	Places of 2,500 to 10,000---	3,780	47	20	-	-	-	-	-	9	3	9	556	115	4	2,071	2,022
15	Rural----------	13,274	129	47	1	5	1	8	6	24	5	32	1,805	309	16	7,246	7,026
16	MINNESOTA----------	28,020	336	114	1	4	10	12	15	21	10	55	4,390	506	29	15,228	14,965
17	Urban----------	15,899	215	89	-	1	5	5	9	12	3	32	2,601	290	16	8,593	8,458
18	Places of 250,000 or more---	8,571	143	61	-	-	3	3	7	8	1	17	1,415	145	7	4,625	4,557
19	Places of 100,000 to 250,000	1,182	9	7	-	-	-	-	-	1	-	4	198	20	4	671	668
20	Places of 25,000 to 50,000--	800	12	2	-	-	-	1	-	1	-	-	135	16	-	401	397
21	Places of 10,000 to 25,000--	1,987	16	8	-	1	1	-	-	-	2	6	325	37	3	1,070	1,050
22	Places of 2,500 to 10,000---	3,359	35	11	-	-	1	1	2	2	-	5	528	72	2	1,826	1,796
23	Rural----------	12,121	121	25	1	3	5	7	6	9	7	23	1,789	216	13	6,635	6,507
24	METROPOLITAN COUNTIES---	12,562	193	78	1	1	4	4	7	10	1	27	2,071	228	16	6,748	6,655
25	Urban----------	11,096	171	72	-	1	3	3	7	10	1	23	1,843	198	13	5,995	5,915
26	Places of 250,000 or more---	8,571	143	61	-	-	3	3	7	8	1	17	1,415	145	7	4,625	4,557
27	Places of 100,000 to 250,000	1,182	9	7	-	-	-	-	-	1	-	4	198	20	4	671	668
28	Places of 10,000 to 25,000--	607	11	3	-	1	-	-	-	-	-	1	108	12	1	307	302
29	Places of 2,500 to 10,000---	736	8	1	-	-	-	-	-	1	-	1	122	21	1	392	388
30	Rural----------	1,466	22	6	1	-	1	1	-	-	-	4	228	30	3	753	740
31	NONMETROPOLITAN COUNTIES	15,458	143	36	-	3	6	8	8	11	9	28	2,319	278	13	8,480	8,310
32	Urban----------	4,803	44	17	-	-	2	2	2	2	2	9	758	92	3	2,598	2,543
33	Places of 25,000 to 50,000--	800	12	2	-	-	-	1	-	1	-	-	135	16	-	401	397
34	Places of 10,000 to 25,000--	1,380	5	5	-	-	1	-	-	-	2	5	217	25	2	763	748
35	Places of 2,500 to 10,000---	2,623	27	10	-	-	1	1	2	1	-	4	406	51	1	1,434	1,398
36	Rural----------	10,655	99	19	-	3	4	6	6	9	7	19	1,561	186	10	5,882	5,767
37	MISSISSIPPI----------	20,784	573	120	2	41	19	56	14	14	35	93	2,156	235	48	9,052	8,400
38	Urban----------	6,451	176	37	2	8	4	7	6	4	4	23	707	89	13	2,953	2,787
39	Places of 50,000 to 100,000-	841	19	8	-	3	-	-	1	1	-	5	100	7	-	356	338
40	Places of 25,000 to 50,000--	1,934	56	13	-	2	-	-	-	2	3	5	196	28	5	923	868
41	Places of 10,000 to 25,000--	1,378	38	5	-	-	3	2	3	-	1	6	160	31	2	605	557
42	Places of 2,500 to 10,000---	2,298	63	13	2	3	1	5	2	1	-	7	251	23	6	1,069	1,024
43	Rural----------	14,333	397	83	-	33	15	49	8	10	31	70	1,449	146	35	6,099	5,613
44	METROPOLITAN COUNTIES---	1,254	34	9	-	3	-	1	1	2	-	8	142	12	1	543	515
45	Urban----------	841	19	8	-	3	-	-	1	1	-	5	100	7	-	356	338
46	Places of 50,000 to 100,000-	841	19	8	-	3	-	-	1	1	-	5	100	7	-	356	338
47	Rural----------	413	15	3	-	-	-	1	-	1	-	3	42	5	1	187	177
48	NONMETROPOLITAN COUNTIES	19,530	539	111	2	38	19	55	13	12	35	85	2,014	223	47	8,509	7,885
49	Urban----------	5,610	157	31	2	5	4	7	5	3	4	18	607	82	13	2,597	2,449
50	Places of 25,000 to 50,000--	1,934	56	13	-	2	-	-	-	2	3	5	196	28	5	923	868
51	Places of 10,000 to 25,000--	1,378	38	5	-	-	3	2	3	-	1	6	160	31	2	605	557
52	Places of 2,500 to 10,000---	2,298	63	13	2	3	1	5	2	1	-	7	251	23	6	1,069	1,024
53	Rural----------	13,920	382	80	-	33	15	48	8	9	31	67	1,407	141	34	5,912	5,436
54	MISSOURI----------	43,710	907	275	3	10	8	55	19	30	13	118	6,318	730	52	23,730	22,661
55	Urban----------	26,672	603	217	1	3	3	15	14	17	4	65	4,037	454	36	14,447	13,850
56	Places of 250,000 or more---	15,725	416	142	-	1	1	4	8	7	3	31	2,486	261	26	8,344	8,009
57	Places of 50,000 to 100,000-	1,761	17	20	-	-	1	2	1	-	-	4	252	21	2	1,021	998
58	Places of 25,000 to 50,000--	1,642	39	3	1	-	-	1	1	1	1	2	246	29	4	913	880
59	Places of 10,000 to 25,000--	3,201	50	23	-	1	-	1	1	3	-	11	411	60	2	1,816	1,733
60	Places of 2,500 to 10,000---	4,343	81	29	-	1	1	7	3	6	-	17	642	83	2	2,353	2,230
61	Rural----------	17,038	304	58	2	7	5	40	5	13	9	53	2,281	276	16	9,283	8,811
62	METROPOLITAN COUNTIES---	22,806	512	187	1	2	2	12	11	9	3	51	3,575	374	35	12,235	11,784
63	Urban----------	20,343	465	177	-	2	2	8	11	8	3	47	3,199	334	32	10,960	10,551
64	Places of 250,000 or more---	15,725	416	142	-	1	1	4	8	7	3	31	2,486	261	26	8,344	8,009
65	Places of 50,000 to 100,000-	1,761	17	20	-	-	1	2	1	-	-	4	252	21	2	1,021	998
66	Places of 25,000 to 50,000--	737	7	2	-	-	-	1	1	-	-	-	133	11	4	408	396
67	Places of 10,000 to 25,000--	1,423	18	11	-	1	-	1	-	-	-	7	214	26	-	823	792
68	Places of 2,500 to 10,000---	697	7	2	-	-	-	-	1	1	-	5	114	15	-	364	356
69	Rural----------	2,463	47	10	1	-	-	4	-	1	-	4	376	40	3	1,275	1,233

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3,698	50	12,552	1,029	199	515	963	254	153	440	91	53	647	155	1,026	1,159	402	190	4,092	1
3,016	44	10,276	768	175	428	812	214	112	399	74	46	554	116	764	927	313	177	3,393	2
1,580	29	5,839	369	90	272	509	115	61	253	45	29	285	36	380	500	185	131	1,945	3
409	5	1,203	132	16	34	86	22	10	36	8	-	53	26	76	102	34	8	365	4
587	5	1,734	166	38	71	106	41	22	54	12	7	88	25	163	177	49	14	554	5
185	4	658	46	8	23	55	13	8	29	5	3	39	10	42	51	19	10	229	6
161	1	505	31	13	17	33	12	9	16	2	5	42	11	66	55	19	10	209	7
94	-	337	24	8	12	23	11	2	11	2	2	29	8	37	42	7	4	111	8
682	6	2,276	261	26	66	151	40	41	41	17	7	113	39	262	232	89	13	698	9
2,765	28	7,974	751	96	359	583	146	88	151	46	34	299	261	866	968	298	56	2,350	10
1,102	7	3,172	268	39	119	206	61	35	80	20	13	126	108	227	352	93	21	986	11
221	-	694	52	12	26	50	16	13	19	4	3	29	11	52	66	26	8	212	12
410	3	1,068	95	11	44	75	19	8	27	4	6	52	33	84	145	37	7	354	13
471	4	1,410	121	16	49	81	26	14	34	12	4	45	62	91	141	30	6	400	14
1,663	21	4,802	485	57	220	377	85	53	71	26	21	173	155	439	616	205	35	1,394	15
3,623	40	10,059	1,095	148	263	925	153	95	164	51	39	465	199	587	1,166	349	37	3,059	16
1,983	19	5,848	519	89	135	513	101	64	123	29	20	274	74	262	614	190	32	1,732	17
1,028	11	3,219	247	52	68	312	62	33	72	17	9	120	31	133	322	101	24	900	18
145	1	478	37	7	3	28	6	4	5	-	2	18	2	14	51	16	-	122	19
100	1	281	30	5	4	30	4	8	6	3	-	12	9	20	36	10	2	92	20
242	2	736	66	4	20	57	9	5	14	3	2	42	13	43	73	26	-	251	21
468	4	1,154	139	21	40	86	20	14	26	6	7	82	19	52	132	37	6	387	22
1,640	21	4,211	576	59	128	412	52	31	41	22	19	191	125	325	552	159	5	1,327	23
1,503	13	4,687	384	68	93	419	86	42	97	26	15	205	46	221	495	171	25	1,325	24
1,337	13	4,164	338	85	80	375	76	39	91	21	14	177	39	178	424	135	25	1,162	25
1,028	11	3,219	247	52	68	312	62	33	72	17	9	120	31	133	322	101	24	900	26
145	1	478	37	7	3	28	6	4	5	-	2	18	2	14	51	16	-	122	27
67	-	218	16	1	5	18	1	1	5	2	-	21	3	18	21	10	-	63	28
97	1	249	36	5	4	17	7	1	9	2	3	18	3	13	30	8	1	77	29
166	-	523	48	3	13	44	10	3	6	5	1	28	7	43	71	36	-	163	30
2,120	27	5,372	711	80	170	506	67	53	67	25	24	260	153	366	671	178	12	1,734	31
646	6	1,684	183	24	55	138	25	25	32	8	6	97	35	84	190	55	7	570	32
100	1	261	30	5	4	30	4	8	6	3	-	12	9	20	36	10	2	92	33
175	2	518	50	3	15	39	8	4	9	1	2	21	10	25	52	16	-	168	34
371	3	905	103	16	36	69	13	13	17	4	4	64	16	39	102	29	5	310	35
1,474	21	3,888	528	56	115	368	42	28	35	17	18	163	118	282	481	123	5	1,164	36
2,249	36	5,585	450	80	652	853	65	194	77	95	159	225	2,509	519	851	126	301	2,352	37
701	14	1,872	168	32	166	232	18	51	28	30	32	95	509	166	248	45	99	865	38
59	2	244	29	4	18	30	1	3	1	6	5	24	74	21	28	7	18	125	39
248	6	565	41	8	55	67	4	9	10	7	6	24	135	66	69	12	30	262	40
140	2	372	38	5	48	51	4	15	10	6	7	18	112	32	67	13	17	170	41
254	4	691	60	15	45	84	9	24	7	11	14	29	188	47	84	13	34	308	42
1,548	22	3,713	282	48	486	621	47	143	49	65	127	130	2,000	353	603	81	202	1,487	43
106	3	362	40	4	28	50	6	4	4	8	7	26	136	29	35	13	22	158	44
59	2	244	29	4	18	30	1	3	1	6	5	24	74	21	28	7	18	125	45
59	2	244	29	4	18	30	1	3	1	6	5	24	74	21	28	7	18	125	46
47	1	118	11	-	10	20	5	1	3	2	2	2	62	8	7	6	4	33	47
2,143	33	5,223	410	76	624	803	59	190	73	87	152	199	2,373	490	816	113	279	2,194	48
642	12	1,628	139	28	148	202	17	48	27	24	27	71	435	145	220	38	81	740	49
248	6	565	41	8	55	67	4	9	10	7	6	24	135	66	69	12	30	262	50
140	2	372	38	5	48	51	4	15	10	6	7	18	112	32	67	13	17	170	51
254	4	691	60	15	45	84	9	24	7	11	14	29	188	47	84	13	34	308	52
1,501	21	3,595	271	48	476	801	42	142	46	63	125	128	1,938	345	596	75	198	1,454	53
5,161	43	15,895	1,514	248	1,089	1,718	236	161	370	134	67	450	581	942	1,679	473	233	4,398	54
2,950	24	9,920	790	168	597	928	161	83	279	81	36	258	317	544	955	250	178	2,686	55
1,648	11	5,774	464	112	335	508	112	40	199	46	22	142	181	313	556	140	132	1,604	56
215	5	710	60	8	23	74	10	9	10	4	1	11	12	29	65	20	6	169	57
194	-	636	42	8	33	53	16	5	14	4	3	20	12	31	58	20	9	156	58
341	6	1,289	81	15	83	114	10	10	28	9	4	33	49	89	130	29	12	325	59
552	2	1,511	143	22	123	179	13	19	28	18	6	52	63	102	146	41	19	432	60
2,211	19	5,975	524	82	472	790	75	78	91	53	31	192	264	398	724	223	55	1,712	61
2,398	24	8,547	667	148	451	737	152	71	263	65	30	224	311	485	808	224	157	2,270	62
2,152	19	7,653	592	135	409	652	137	58	235	57	29	192	256	407	713	191	149	2,019	63
1,648	11	5,774	464	112	335	508	112	40	199	46	22	142	181	313	556	140	132	1,604	64
215	5	710	60	8	23	74	10	9	10	4	1	11	12	29	65	20	6	169	65
79	-	286	18	5	12	19	6	3	4	1	2	10	12	13	30	10	2	58	66
146	2	599	38	7	31	26	4	3	16	3	2	17	29	33	52	12	4	121	67
64	1	274	14	3	8	25	5	3	6	3	2	12	22	19	10	9	5	67	68
246	5	894	75	13	42	85	15	13	28	8	1	32	55	78	95	33	8	251	69

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-139	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MISSOURI—Continued																
1	NONMETROPOLITAN COUNTIES	20,904	395	88	2	8	6	43	8	21	10	67	2,743	356	17	11,495	10,877
2	Urban	6,329	138	40	1	1	1	7	3	9	1	18	838	120	4	3,487	3,299
3	Places of 25,000 to 50,000	905	32	1	1	-	-	-	-	1	1	2	113	18	-	505	484
4	Places of 10,000 to 25,000	1,778	32	12	-	-	-	-	1	3	-	4	197	34	2	993	941
5	Places of 2,500 to 10,000	3,646	74	27	-	1	1	7	2	5	-	12	528	68	2	1,989	1,874
6	Rural	14,575	257	48	1	7	5	36	5	12	9	49	1,905	236	13	6,008	7,578
7	MONTANA	5,822	111	31	-	2	2	10	2	3	-	15	736	68	5	2,779	2,708
8	Urban	3,093	51	19	-	-	1	2	1	1	-	5	408	39	2	1,516	1,477
9	Places of 25,000 to 50,000	1,331	28	7	-	-	1	2	-	-	-	1	178	17	1	636	621
10	Places of 10,000 to 25,000	755	9	6	-	-	-	-	-	-	-	2	108	5	1	386	373
11	Places of 2,500 to 10,000	1,007	14	6	-	-	-	-	1	1	-	2	122	17	-	494	483
12	Rural	2,729	60	12	-	2	1	8	1	2	-	10	328	29	3	1,263	1,231
13	NONMETROPOLITAN COUNTIES	5,822	111	31	-	2	2	10	2	3	-	15	736	68	5	2,779	2,708
14	Urban	3,093	51	19	-	-	1	2	1	1	-	5	408	39	2	1,516	1,477
15	Places of 25,000 to 50,000	1,331	28	7	-	-	1	2	-	-	-	1	178	17	1	636	621
16	Places of 10,000 to 25,000	755	9	6	-	-	-	-	-	-	-	2	108	5	1	386	373
17	Places of 2,500 to 10,000	1,007	14	6	-	-	-	-	1	1	-	2	122	17	-	494	483
18	Rural	2,729	60	12	-	2	1	8	1	2	-	10	328	29	3	1,263	1,231
19	NEBRASKA	12,617	111	36	1	2	3	6	11	19	12	38	2,033	258	10	6,610	6,415
20	Urban	6,355	76	21	-	2	2	2	6	10	6	15	1,049	118	6	3,332	3,238
21	Places of 250,000 or more	2,621	51	10	-	1	2	1	2	1	2	8	436	47	1	1,388	1,359
22	Places of 50,000 to 100,000	938	6	1	-	-	-	-	2	1	-	2	166	18	1	493	477
23	Places of 10,000 to 25,000	1,283	8	7	-	1	-	1	2	5	3	2	207	22	3	627	604
24	Places of 2,500 to 10,000	1,513	11	3	-	-	-	-	-	3	1	3	240	31	1	824	798
25	Rural	6,262	35	15	1	-	1	4	5	9	6	23	984	140	4	3,278	3,177
26	METROPOLITAN COUNTIES	3,877	58	13	-	1	2	1	5	2	2	11	666	74	2	2,044	1,995
27	Urban	3,580	57	11	-	1	2	1	4	2	2	10	605	65	2	1,893	1,848
28	Places of 250,000 or more	2,621	51	10	-	1	2	1	2	1	2	8	436	47	1	1,388	1,359
29	Places of 50,000 to 100,000	938	6	1	-	-	-	-	2	1	-	2	166	18	1	493	477
30	Places of 2,500 to 10,000	21	-	-	-	-	-	-	-	-	-	-	3	-	-	12	12
31	Rural	297	1	2	-	-	-	-	1	-	-	1	61	9	-	151	147
32	NONMETROPOLITAN COUNTIES	8,740	53	23	1	1	1	5	6	17	10	27	1,367	184	8	4,566	4,420
33	Urban	2,775	19	10	-	1	-	1	2	8	4	5	444	53	4	1,439	1,390
34	Places of 10,000 to 25,000	1,283	8	7	-	1	-	1	2	5	3	2	207	22	3	627	604
35	Places of 2,500 to 10,000	1,492	11	3	-	-	-	-	-	3	1	3	237	31	1	812	786
36	Rural	5,965	34	13	1	-	1	4	4	9	6	22	923	131	4	3,127	3,030
37	NEVADA	1,588	34	15	-	1	-	-	-	1	-	9	200	17	2	725	705
38	Urban	907	19	11	-	-	-	-	-	1	-	3	125	13	1	432	418
39	Places of 25,000 to 50,000	388	9	6	-	-	-	-	-	-	-	2	62	7	-	190	186
40	Places of 10,000 to 25,000	251	8	4	-	-	-	-	-	1	-	-	32	3	-	117	113
41	Places of 2,500 to 10,000	270	2	1	-	-	-	-	-	-	-	1	31	3	1	125	119
42	Rural	681	15	4	-	1	-	-	-	-	-	6	75	4	1	293	287
43	NONMETROPOLITAN COUNTIES	1,588	34	15	-	1	-	-	-	1	-	9	200	17	2	725	705
44	Urban	907	19	11	-	-	-	-	-	1	-	3	125	13	1	432	418
45	Places of 25,000 to 50,000	388	9	6	-	-	-	-	-	-	-	2	62	7	-	190	186
46	Places of 10,000 to 25,000	251	8	4	-	-	-	-	-	1	-	-	32	3	-	117	113
47	Places of 2,500 to 10,000	270	2	1	-	-	-	-	-	-	-	1	31	3	1	125	119
48	Rural	681	15	4	-	1	-	-	-	-	-	6	75	4	1	293	287
49	NEW HAMPSHIRE	6,078	61	31	-	-	1	2	4	1	-	14	954	107	4	3,591	3,498
50	Urban	3,458	34	19	-	-	-	1	4	-	-	10	533	60	2	2,044	1,992
51	Places of 50,000 to 100,000	955	9	10	-	-	-	-	-	-	-	1	145	15	-	582	568
52	Places of 25,000 to 50,000	733	11	2	-	-	-	-	1	-	-	3	103	12	1	444	433
53	Places of 10,000 to 25,000	1,186	9	3	-	-	-	-	3	-	-	5	192	21	1	664	647
54	Places of 2,500 to 10,000	585	5	4	-	-	-	1	-	-	-	1	93	12	-	354	344
55	Rural	2,617	27	12	-	-	1	1	-	1	-	4	421	47	2	1,547	1,506
56	METROPOLITAN COUNTIES	1,837	22	15	-	-	-	-	-	-	-	3	256	29	2	1,139	1,108
57	Urban	1,449	17	13	-	-	-	-	-	-	-	3	201	23	1	693	868
58	Places of 50,000 to 100,000	955	9	10	-	-	-	-	-	-	-	1	145	15	-	582	568
59	Places of 25,000 to 50,000	427	5	2	-	-	-	-	-	-	-	2	44	6	1	270	261
60	Places of 2,500 to 10,000	67	3	1	-	-	-	-	-	-	-	-	12	2	-	41	39
61	Rural	388	5	2	-	-	-	-	-	-	-	-	55	6	1	246	240
62	NONMETROPOLITAN COUNTIES	4,239	39	16	-	-	1	2	4	1	-	11	698	78	2	2,452	2,390
63	Urban	2,010	17	6	-	-	-	1	4	-	-	7	332	37	1	1,151	1,124
64	Places of 25,000 to 50,000	306	6	-	-	-	-	-	1	-	-	1	59	6	-	174	172
65	Places of 10,000 to 25,000	1,186	9	3	-	-	-	-	3	-	-	5	192	21	1	664	647
66	Places of 2,500 to 10,000	518	2	3	-	-	-	1	-	-	-	1	81	10	-	313	305
67	Rural	2,229	22	10	-	-	1	1	-	1	-	4	366	41	1	1,301	1,266

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2,763	19	7,348	647	100	618	981	84	90	107	69	37	226	270	457	871	249	76	2,126	1
798	5	2,267	198	31	188	276	24	25	44	24	7	66	61	137	242	59	29	667	2
115	-	340	26	3	21	34	10	2	10	3	1	10	-	18	28	10	7	98	3
195	4	690	43	9	52	88	6	7	12	6	2	16	20	36	78	17	8	204	4
488	1	1,237	129	19	115	154	8	16	22	15	4	40	41	83	136	32	14	365	5
1,965	14	5,081	449	69	430	705	60	65	63	45	30	160	209	320	629	190	47	1,461	6
594	8	1,902	170	34	71	202	36	26	45	17	18	83	198	191	371	121	23	727	7
311	5	1,055	88	18	39	92	18	12	24	10	7	43	98	90	167	63	14	410	8
126	2	443	42	8	15	49	8	3	11	5	2	22	31	31	69	29	8	192	9
77	1	273	19	3	13	13	4	3	5	3	2	12	25	31	45	10	3	82	10
108	2	339	27	7	11	30	6	6	8	2	3	9	42	28	53	24	3	136	11
283	3	847	82	16	32	110	18	14	21	7	11	40	100	101	204	58	9	317	12
594	8	1,902	170	34	71	202	36	26	45	17	18	83	198	191	371	121	23	727	13
311	5	1,055	88	18	39	92	18	12	24	10	7	43	98	90	167	63	14	410	14
126	2	443	42	8	15	49	8	3	11	5	2	22	31	31	69	29	8	192	15
77	1	273	19	3	13	13	4	3	5	3	2	12	25	31	45	10	3	82	16
108	2	339	27	7	11	30	6	6	8	2	3	9	42	28	53	24	3	136	17
283	3	847	82	16	32	110	18	14	21	7	11	40	100	101	204	58	9	317	18
1,538	19	4,423	364	71	195	366	78	35	86	26	15	169	179	305	555	164	39	1,450	19
786	10	2,224	184	34	94	180	43	19	57	11	9	79	73	125	253	75	20	766	20
296	3	973	76	11	29	73	15	7	32	4	3	38	22	51	89	31	11	295	21
123	-	308	41	5	16	21	11	1	7	2	1	12	9	13	40	9	-	122	22
156	4	410	25	9	23	36	5	8	10	2	1	18	22	37	62	20	6	170	23
211	3	533	42	9	26	50	12	5	8	3	4	11	20	24	62	15	3	179	24
752	9	2,199	180	37	101	186	35	18	29	15	6	90	106	180	302	89	19	684	25
463	4	1,377	133	18	49	99	30	10	42	7	4	52	36	74	139	43	11	449	26
423	3	1,288	118	16	45	94	26	8	39	6	4	50	33	64	129	40	11	421	27
296	3	973	76	11	29	73	15	7	32	4	3	38	22	51	89	31	11	295	28
123	-	308	41	5	16	21	11	1	7	2	1	12	9	13	40	9	-	122	29
4	-	7	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	30
40	1	89	15	2	4	5	4	2	3	1	-	2	3	10	10	3	-	28	31
1,075	15	3,046	231	53	146	267	48	25	44	19	11	117	143	231	416	121	28	1,001	32
363	7	936	66	18	49	86	17	11	18	5	5	29	40	61	124	35	9	345	33
156	4	410	25	9	23	36	5	6	10	2	1	18	22	37	62	20	6	170	34
207	3	526	41	9	26	50	12	5	8	3	4	11	18	24	62	15	3	175	35
712	8	2,110	165	35	97	181	31	14	26	14	6	88	103	170	292	86	19	656	36
129	4	522	36	14	20	47	11	6	24	6	2	15	43	81	97	40	15	197	37
72	2	319	17	8	14	22	7	3	17	1	2	9	20	42	36	22	9	112	38
29	1	144	8	4	4	11	1	1	3	1	-	2	4	17	13	11	3	43	39
21	1	85	5	1	4	2	3	1	11	-	1	4	8	9	8	4	5	30	40
22	-	90	4	3	6	9	3	1	3	-	1	3	8	16	15	7	1	39	41
57	2	203	19	6	6	25	4	3	7	5	-	6	23	39	61	18	6	85	42
129	4	522	36	14	20	47	11	6	24	6	2	15	43	81	97	40	15	197	43
72	2	319	17	8	14	22	7	3	17	1	2	9	20	42	36	22	9	112	44
29	1	144	8	4	4	11	1	1	3	1	-	2	4	17	13	11	3	43	45
21	1	85	5	1	4	2	3	1	11	-	1	4	8	9	8	4	5	30	46
22	-	90	4	3	6	9	3	1	3	-	1	3	8	16	15	7	1	39	47
57	2	203	19	6	6	25	4	3	7	5	-	6	23	39	61	18	6	85	48
694	11	2,531	234	28	93	135	37	26	41	6	9	68	34	96	211	87	7	549	49
390	4	1,461	122	15	52	75	22	17	30	4	4	43	18	41	115	51	3	329	50
103	2	424	32	7	14	25	6	8	9	-	-	7	2	9	27	14	-	86	51
80	-	323	25	5	11	16	2	2	9	-	3	8	3	7	22	11	1	72	52
140	1	468	36	2	17	22	10	5	9	3	-	22	8	19	48	22	1	119	53
67	1	246	29	1	10	12	4	2	3	1	1	6	5	6	18	4	1	52	54
304	7	1,070	112	13	41	60	15	9	11	2	5	25	16	55	96	36	4	220	55
202	3	819	74	10	31	49	11	10	18	-	5	14	7	24	50	21	-	162	56
155	2	648	55	8	25	37	8	9	17	-	3	11	5	15	40	17	-	136	57
103	2	424	32	7	14	25	6	8	9	-	-	7	2	9	27	14	-	86	58
44	-	199	18	-	9	11	2	1	7	-	3	4	2	5	11	3	-	48	59
8	-	25	5	1	2	1	-	-	1	-	-	-	1	1	2	-	-	2	60
47	1	171	19	2	6	12	3	1	1	-	2	3	2	9	10	4	-	26	61
492	8	1,712	160	18	62	86	26	18	23	6	4	54	27	72	181	66	7	587	62
235	2	813	67	7	27	38	14	8	13	4	1	32	13	26	75	34	3	193	63
36	-	124	7	5	2	5	-	1	2	-	-	4	1	2	11	8	1	24	64
140	1	468	36	2	17	22	10	5	9	3	-	22	8	19	48	22	1	119	65
59	1	221	24	-	8	11	4	2	2	1	1	6	4	5	16	4	1	50	66
257	6	899	93	11	35	48	12	8	10	2	3	22	14	46	86	32	4	194	67

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1	NEW JERSEY	49,100	1,171	176	2	3	-	4	17	68	25	115	8,516	952	45	27,879	27,173
2	Urban	39,815	1,016	145	2	2	-	4	15	51	18	88	7,032	781	38	22,524	21,965
3	Places of 250,000 or more	8,338	339	38	1	-	-	-	1	9	2	20	1,441	161	7	4,493	4,380
4	Places of 100,000 to 250,000	5,572	172	20	-	-	-	1	1	4	1	15	924	118	6	3,143	3,069
5	Places of 50,000 to 100,000	5,570	136	25	1	1	-	1	3	8	-	14	1,001	121	5	3,141	3,082
6	Places of 25,000 to 50,000	6,030	127	22	-	-	-	1	3	4	8	13	1,104	113	3	3,422	3,327
7	Places of 10,000 to 25,000	7,748	130	18	-	1	-	-	3	13	6	14	1,395	145	8	4,506	4,393
8	Places of 2,500 to 10,000	6,557	112	22	-	-	-	1	4	13	1	12	1,167	123	9	3,819	3,714
9	Rural	9,285	155	31	-	1	-	-	2	17	7	27	1,484	171	7	5,355	5,208
10	METROPOLITAN COUNTIES	43,564	1,079	155	2	3	-	4	14	63	23	101	7,566	839	40	24,619	24,001
11	Urban	37,123	967	133	2	2	-	4	13	49	17	83	6,548	725	35	20,933	20,420
12	Places of 250,000 or more	8,338	339	38	1	-	-	-	1	9	2	20	1,441	161	7	4,493	4,380
13	Places of 100,000 to 250,000	5,572	172	20	-	-	-	1	1	4	1	15	924	118	6	3,143	3,069
14	Places of 50,000 to 100,000	5,570	136	25	1	1	-	1	3	8	-	14	1,001	121	5	3,141	3,082
15	Places of 25,000 to 50,000	6,030	127	22	-	-	-	1	3	4	8	13	1,104	113	3	3,422	3,327
16	Places of 10,000 to 25,000	6,513	107	13	-	1	-	-	2	13	5	11	1,170	120	7	3,786	3,702
17	Places of 2,500 to 10,000	5,100	86	15	-	-	-	1	3	11	1	10	908	92	7	2,948	2,860
18	Rural	6,441	112	22	-	1	-	-	1	14	6	18	1,018	114	5	3,686	3,581
19	NONMETROPOLITAN COUNTIES	5,536	92	21	-	-	-	-	3	5	2	14	950	113	5	3,260	3,172
20	Urban	2,692	49	12	-	-	-	-	2	2	1	5	484	56	3	1,591	1,545
21	Places of 10,000 to 25,000	1,235	23	5	-	-	-	-	1	-	1	3	225	25	1	720	691
22	Places of 2,500 to 10,000	1,457	26	7	-	-	-	-	1	2	-	2	259	31	2	871	854
23	Rural	2,844	43	9	-	-	-	-	1	3	1	9	466	57	2	1,869	1,827
24	NEW MEXICO	5,471	250	41	1	35	2	24	1	8	8	21	473	38	16	1,624	1,544
25	Urban	2,670	103	22	-	13	1	5	1	7	2	11	290	17	7	968	925
26	Places of 50,000 to 100,000	752	40	4	-	2	-	3	-	3	-	2	81	3	1	291	284
27	Places of 25,000 to 50,000	413	8	4	-	1	1	-	-	-	1	1	39	4	1	157	147
28	Places of 10,000 to 25,000	483	15	7	-	4	-	-	-	1	-	3	54	3	4	170	155
29	Places of 2,500 to 10,000	1,022	40	7	-	6	-	2	1	3	1	5	116	7	1	350	339
30	Rural	2,801	147	19	1	22	1	19	-	1	6	10	183	21	9	656	619
31	METROPOLITAN COUNTIES	1,042	55	6	-	3	-	9	-	3	-	4	104	4	1	359	347
32	Urban	752	40	4	-	2	-	3	-	3	-	2	81	3	1	291	284
33	Places of 50,000 to 100,000	752	40	4	-	2	-	3	-	3	-	2	81	3	1	291	284
34	Rural	290	15	2	-	1	-	6	-	-	-	2	23	1	-	68	63
35	NONMETROPOLITAN COUNTIES	4,429	195	35	1	32	2	15	1	5	8	17	369	34	15	1,265	1,197
36	Urban	1,918	63	18	-	11	1	2	1	4	2	9	209	14	6	677	641
37	Places of 25,000 to 50,000	413	8	4	-	1	1	-	-	-	1	1	39	4	1	157	147
38	Places of 10,000 to 25,000	483	15	7	-	4	-	-	-	1	-	3	54	3	4	170	155
39	Places of 2,500 to 10,000	1,022	40	7	-	6	-	2	1	3	1	5	116	7	1	350	339
40	Rural	2,511	132	17	1	21	1	13	-	1	6	8	160	20	9	588	556
41	NEW YORK	156,074	3,759	890	2	12	7	15	71	186	20	296	26,548	2,823	163	88,347	86,629
42	Urban	127,702	3,431	588	1	9	4	7	57	128	18	251	22,346	2,345	134	71,611	70,323
43	Places of 250,000 or more	92,714	2,831	432	1	7	3	1	49	83	18	190	16,862	1,708	109	50,965	50,151
44	Places of 100,000 to 250,000	6,950	155	34	-	-	-	-	2	8	-	10	1,120	118	7	4,102	4,019
45	Places of 50,000 to 100,000	5,110	102	20	-	-	-	1	-	2	-	5	791	113	1	2,966	2,901
46	Places of 25,000 to 50,000	8,292	98	32	-	1	-	-	4	8	-	14	1,008	109	4	3,729	3,634
47	Places of 10,000 to 25,000	8,263	106	37	-	-	1	1	-	12	-	18	1,340	152	9	4,838	4,733
48	Places of 2,500 to 10,000	8,373	139	33	-	1	-	4	2	15	-	14	1,225	145	4	5,011	4,885
49	Rural	28,372	328	102	1	3	3	8	14	58	2	45	4,202	478	29	16,736	18,306
50	METROPOLITAN COUNTIES	128,087	3,405	574	1	9	5	5	64	142	18	243	22,561	2,330	140	71,499	70,223
51	Urban	114,969	3,241	525	1	7	4	3	54	111	18	221	20,448	2,107	126	63,985	62,897
52	Places of 250,000 or more	92,714	2,831	432	1	7	3	1	49	83	18	190	16,862	1,708	109	50,965	50,151
53	Places of 100,000 to 250,000	6,950	155	34	-	-	-	-	2	8	-	10	1,120	118	7	4,102	4,019
54	Places of 50,000 to 100,000	5,110	102	20	-	-	-	1	-	2	-	5	791	113	1	2,966	2,901
55	Places of 25,000 to 50,000	2,128	35	11	-	-	-	-	2	4	-	5	349	38	1	1,249	1,221
56	Places of 10,000 to 25,000	3,984	56	13	-	-	1	-	-	7	-	7	665	65	6	2,303	2,251
57	Places of 2,500 to 10,000	4,082	62	15	-	-	-	1	1	7	-	4	641	65	2	2,400	2,354
58	Rural	13,089	164	49	-	2	1	2	10	31	-	22	2,113	223	14	7,514	7,326
59	NONMETROPOLITAN COUNTIES	28,007	354	116	1	3	2	10	7	44	2	53	3,987	493	23	16,848	16,406
60	Urban	12,734	190	63	-	2	-	4	3	17	-	30	1,898	236	8	7,626	7,426
61	Places of 25,000 to 50,000	4,164	63	21	-	1	-	-	2	4	-	9	659	71	3	2,480	2,413
62	Places of 10,000 to 25,000	4,279	50	24	-	-	-	1	-	5	-	11	655	87	3	2,535	2,482
63	Places of 2,500 to 10,000	4,291	77	18	-	1	-	3	1	8	-	10	584	80	2	2,611	2,531
64	Rural	15,273	164	53	1	1	2	6	4	27	2	23	2,089	255	15	9,222	8,980
65	NORTH CAROLINA	31,130	758	165	1	29	26	60	28	19	16	131	3,187	400	45	15,757	15,004
66	Urban	11,071	321	83	-	4	9	13	4	7	4	37	1,249	157	17	5,665	5,402
67	Places of 100,000 to 250,000	1,081	16	17	-	-	-	1	-	1	1	2	114	11	2	564	541
68	Places of 50,000 to 100,000	3,163	124	21	-	1	-	-	1	3	-	6	378	39	5	1,637	1,558
69	Places of 25,000 to 50,000	1,368	41	11	-	-	1	1	1	-	1	5	160	22	1	722	686
70	Places of 10,000 to 25,000	2,852	77	19	-	2	2	6	-	1	1	13	317	41	8	1,411	1,337
71	Places of 2,500 to 10,000	2.587	63	15	-	1	6	5	2	2	1	11	280	44	1	1.331	1,280
72	Rural	20,059	457	82	1	25	17	47	24	12	12	94	1,938	243	28	10,092	9,602

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
4,754	39	20,687	1,426	267	706	1,186	311	130	588	106	67	547	137	646	1,382	616	120	4,269	1
3,839	32	16,715	1,157	222	559	961	259	100	510	84	54	435	108	446	1,096	475	94	3,477	2
729	9	3,387	221	34	113	224	55	25	135	6	10	89	19	73	287	82	33	788	3
549	3	2,316	175	26	74	147	41	14	82	11	6	49	7	87	150	77	17	479	4
528	3	2,395	153	23	59	133	37	13	81	12	11	47	19	55	147	63	12	483	5
562	3	2,583	151	28	95	125	35	14	80	19	11	66	14	74	158	72	10	532	6
798	8	3,277	252	58	113	171	53	22	76	20	15	96	27	86	191	97	13	644	7
673	6	2,757	225	53	105	161	38	12	56	16	3	88	22	71	163	84	9	551	8
915	7	3,972	269	45	147	225	52	30	78	24	13	112	29	200	286	141	26	812	9
4,241	33	18,270	1,227	230	618	1,043	274	114	552	94	58	490	107	563	1,222	547	112	3,880	10
3,585	29	15,583	1,047	196	513	902	243	92	494	79	52	405	95	416	1,027	445	90	3,270	11
729	9	3,387	221	34	113	224	55	25	135	6	10	89	19	73	287	82	33	788	12
549	3	2,316	175	26	74	147	41	14	82	11	6	49	7	87	150	77	17	479	13
528	3	2,395	153	23	59	133	37	13	81	12	11	47	19	55	147	63	12	483	14
562	3	2,583	151	28	95	125	35	14	80	19	11	66	14	74	158	72	10	532	15
685	6	2,758	202	51	84	144	47	16	65	17	11	83	21	76	158	84	9	547	16
532	5	2,124	165	34	88	129	28	10	51	14	3	71	15	53	127	67	9	441	17
656	4	2,707	180	34	105	141	31	22	58	15	6	85	12	145	195	102	22	610	18
513	6	2,417	199	37	88	143	37	16	36	14	9	57	30	83	180	69	8	409	19
254	3	1,152	110	26	46	59	16	8	16	5	2	30	13	28	69	30	4	207	20
113	2	519	50	7	29	27	6	6	11	3	2	13	6	10	33	13	4	97	21
141	1	633	60	19	17	32	10	2	5	2	-	17	7	18	36	17	-	110	22
259	3	1,265	89	11	42	84	21	8	20	9	7	27	17	55	91	39	4	202	23
309	15	1,111	91	18	80	339	23	163	48	12	33	103	634	263	315	61	42	893	24
182	6	658	65	14	43	141	14	68	35	4	10	54	123	99	147	39	20	469	25
49	2	211	17	5	7	43	2	9	6	1	3	20	26	23	41	14	5	129	26
31	1	104	10	1	10	14	4	6	8	-	1	8	24	18	37	7	2	67	27
32	-	111	11	1	15	23	2	17	7	2	-	9	28	18	28	6	5	77	28
70	3	232	27	7	11	61	6	36	14	1	6	17	45	40	41	12	8	196	29
127	9	453	26	4	37	198	9	95	13	8	23	49	511	164	168	22	22	424	30
59	5	261	17	5	12	65	3	16	7	2	5	34	66	36	52	18	7	183	31
49	2	211	17	5	7	43	2	9	6	1	3	20	26	23	41	14	5	129	32
49	2	211	17	5	7	43	2	9	6	1	3	20	26	23	41	14	5	129	33
10	3	50	-	-	5	22	1	7	1	1	2	14	40	13	11	4	2	54	34
250	10	850	74	13	68	274	20	147	41	10	28	69	568	227	263	43	35	710	35
133	4	447	48	9	36	98	12	59	29	3	7	34	97	76	106	25	15	340	36
31	1	104	10	1	10	14	4	6	8	-	1	8	24	18	37	7	2	67	37
32	-	111	11	1	15	23	2	17	7	2	-	9	28	18	28	6	5	77	38
70	3	232	27	7	11	61	6	36	14	1	6	17	45	40	41	12	8	196	39
117	6	403	26	4	32	176	8	88	12	7	21	35	471	151	157	18	20	370	40
13,766	192	68,071	3,987	613	1,718	4,160	1,091	491	1,868	198	193	1,641	854	2,098	5,203	1,671	398	13,171	41
10,578	158	56,159	2,922	506	1,288	3,521	924	397	1,779	140	168	1,282	661	1,406	4,113	1,298	372	10,711	42
6,738	112	41,175	1,773	353	814	2,810	686	268	1,384	79	134	896	500	879	3,000	937	336	7,546	43
741	9	3,045	187	37	83	152	51	29	81	13	7	69	19	89	216	63	7	598	44
531	8	2,196	144	22	65	139	37	21	73	9	4	62	19	69	149	42	10	475	45
715	14	2,630	250	25	95	118	41	21	62	11	3	65	29	101	192	65	7	570	46
673	10	3,562	255	33	105	139	64	28	91	12	9	96	59	136	290	84	7	734	47
980	5	3,551	313	36	126	165	45	30	88	16	11	94	35	132	266	107	5	788	48
3,168	34	11,912	1,085	107	430	639	167	94	189	58	25	359	193	692	1,090	373	24	2,460	49
10,357	153	56,389	2,807	517	1,276	3,555	916	401	1,785	145	165	1,333	732	1,518	4,186	1,324	376	10,635	50
9,020	139	50,893	2,384	461	1,088	3,286	845	355	1,671	120	155	1,149	620	1,199	3,714	1,159	362	9,482	51
6,738	112	41,175	1,773	353	814	2,810	686	268	1,384	79	134	896	500	879	3,000	937	336	7,546	52
741	9	3,045	187	37	83	152	51	29	81	13	7	69	19	89	216	63	7	598	53
531	8	2,196	144	22	65	139	37	21	73	9	4	62	19	69	149	42	10	475	54
196	3	964	46	10	28	39	20	10	21	6	1	25	15	31	65	25	3	173	55
362	6	1,761	107	15	52	65	28	13	58	5	4	44	40	64	150	43	4	323	56
452	1	1,752	125	24	46	81	23	14	54	8	5	53	27	67	134	49	2	367	57
1,337	14	5,496	423	56	188	269	71	46	114	25	10	184	112	319	472	165	14	1,155	58
3,409	39	11,682	1,180	96	442	805	175	90	183	53	28	309	122	580	1,017	347	20	2,536	59
1,558	19	5,266	538	45	200	235	79	42	108	20	13	133	41	207	399	139	10	1,229	60
519	11	1,666	202	15	67	79	21	11	41	5	2	40	14	70	127	40	4	397	61
511	4	1,801	148	18	53	74	36	15	33	7	5	52	19	72	140	41	3	411	62
528	4	1,799	188	12	80	82	22	16	34	8	6	41	8	65	132	58	3	421	63
1,851	20	6,416	642	51	242	370	96	48	75	33	15	175	81	373	618	208	10	1,307	64
3,924	55	10,139	772	114	753	1,411	133	308	184	99	126	476	794	1,113	1,258	348	380	3,878	65
1,329	10	3,772	247	44	263	395	58	96	92	37	40	156	206	321	396	133	177	1,394	66
108	1	394	32	6	23	50	8	5	5	4	2	16	5	34	47	11	25	140	67
394	2	1,060	70	12	79	115	17	17	28	7	11	42	32	84	100	44	49	402	68
187	2	457	38	2	36	34	8	5	19	6	3	17	50	42	55	9	13	161	69
311	2	960	53	11	74	96	9	28	22	7	15	48	58	92	110	40	46	383	70
329	3	881	54	13	51	100	16	41	18	13	9	33	61	69	84	29	44	308	71
2,595	45	6,367	525	70	490	1,016	75	212	92	62	86	320	588	792	862	215	203	2,484	72

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NORTH CAROLINA—Con.																
1	METROPOLITAN COUNTIES---	6,886	182	50	-	4	1	3	4	5	1	24	823	77	7	3,604	3,447
2	Urban---	4,565	149	42	-	1	-	1	2	4	1	10	543	53	7	2,368	2,258
3	Places of 100,000 to 250,000	1,081	16	17	-	-	-	1	-	1	1	2	114	11	2	564	541
4	Places of 50,000 to 100,000-	3,163	124	21	-	1	-	-	1	3	-	6	378	39	5	1,637	1,558
5	Places of 25,000 to 50,000--	302	9	4	-	-	-	-	1	-	-	1	49	3	-	155	147
6	Places of 2,500 to 10,000---	19	-	-	-	-	-	-	-	-	-	1	2	-	-	12	12
7	Rural---	2,321	33	8	-	3	1	2	2	1	-	14	280	24	-	1,236	1,189
8	NONMETROPOLITAN COUNTIES	24,244	576	115	1	25	25	57	24	14	15	107	2,364	323	38	12,153	11,557
9	Urban---	6,506	172	41	-	3	9	12	2	3	3	27	706	104	10	3,297	3,144
10	Places of 25,000 to 50,000--	1,086	32	7	-	-	1	1	-	-	1	4	111	19	1	567	539
11	Places of 10,000 to 25,000--	2,852	77	19	-	2	2	6	-	1	1	13	317	41	8	1,411	1,337
12	Places of 2,500 to 10,000---	2,568	63	15	-	1	6	5	2	2	1	10	278	44	1	1,319	1,266
13	Rural---	17,738	404	74	1	22	16	45	22	11	12	80	1,659	219	28	8,856	8,413
14	NORTH DAKOTA---	5,191	68	21	-	1	-	3	6	1	-	7	740	109	4	2,599	2,551
15	Urban---	1,494	16	11	-	-	-	1	4	-	-	4	195	24	1	775	758
16	Places of 25,000 to 50,000--	567	6	5	-	-	-	-	2	-	-	3	72	9	-	292	285
17	Places of 10,000 to 25,000--	433	6	3	-	-	-	-	-	-	-	-	59	3	-	218	215
18	Places of 2,500 to 10,000---	494	4	3	-	-	-	1	2	-	-	1	64	12	1	265	258
19	Rural---	3,697	52	10	-	1	-	2	2	1	-	3	545	85	3	1,824	1,773
20	NONMETROPOLITAN COUNTIES	5,191	68	21	-	1	-	3	6	1	-	7	740	109	4	2,599	2,551
21	Urban---	1,494	16	11	-	-	-	1	4	-	-	4	195	24	1	775	758
22	Places of 25,000 to 50,000--	567	6	5	-	-	-	-	2	-	-	3	72	9	-	292	285
23	Places of 10,000 to 25,000--	433	6	3	-	-	-	-	-	-	-	-	59	3	-	218	215
24	Places of 2,500 to 10,000---	494	4	3	-	-	-	1	2	-	-	1	64	12	1	265	258
25	Rural---	3,697	52	10	-	1	-	2	2	1	-	3	545	85	3	1,824	1,773
26	OHIO---	80,633	1,659	499	2	12	8	46	68	117	27	199	12,043	1,790	89	43,596	42,494
27	Urban---	58,396	1,325	398	1	10	3	25	52	70	14	134	8,736	1,326	66	30,007	29,277
28	Places of 250,000 or more---	25,909	719	214	-	5	2	7	34	17	2	66	4,143	569	31	13,461	13,162
29	Places of 100,000 to 250,000	5,777	182	48	-	-	-	3	7	8	2	13	884	136	2	2,954	2,881
30	Places of 50,000 to 100,000-	3,892	81	28	-	1	1	1	4	6	-	6	653	94	6	2,123	2,078
31	Places of 25,000 to 50,000--	6,658	134	38	-	-	-	3	-	5	4	14	976	167	11	3,553	3,457
32	Places of 10,000 to 25,000--	7,002	111	33	-	1	-	6	1	15	4	18	1,045	175	5	3,882	3,788
33	Places of 2,500 to 10,000---	7,158	98	37	1	3	-	5	6	19	2	17	1,035	185	11	4,034	3,931
34	Rural---	24,237	334	101	1	2	5	21	16	47	13	65	3,307	464	23	13,589	13,217
35	METROPOLITAN COUNTIES---	52,742	1,284	366	-	8	5	23	59	56	16	126	8,260	1,194	63	27,822	27,180
36	Urban---	44,513	1,129	331	-	7	3	16	48	40	13	106	7,107	1,023	56	23,348	22,812
37	Places of 250,000 or more---	25,909	719	214	-	5	2	7	34	17	2	66	4,143	569	31	13,461	13,162
38	Places of 100,000 to 250,000	5,777	182	48	-	-	-	3	7	8	2	13	884	136	2	2,954	2,881
39	Places of 50,000 to 100,000-	3,892	81	28	-	1	1	1	4	6	-	6	653	94	6	2,123	2,078
40	Places of 25,000 to 50,000--	4,058	73	19	-	-	-	-	-	4	3	6	611	101	9	2,184	2,137
41	Places of 10,000 to 25,000--	2,019	39	7	-	-	-	3	1	-	4	5	342	43	2	1,083	1,043
42	Places of 2,500 to 10,000---	2,858	35	15	-	1	-	2	2	5	2	10	474	80	6	1,543	1,511
43	Rural---	8,229	155	35	-	1	2	7	11	16	3	20	1,153	171	7	4,474	4,368
44	NONMETROPOLITAN COUNTIES	27,891	375	133	2	4	3	23	9	61	11	73	3,783	596	26	15,774	15,314
45	Urban---	11,883	196	67	1	3	-	9	4	30	1	28	1,629	303	10	6,659	6,465
46	Places of 25,000 to 50,000--	2,600	61	19	-	-	-	3	-	1	1	8	365	66	2	1,369	1,320
47	Places of 10,000 to 25,000--	4,983	72	26	-	1	-	3	-	15	-	13	703	132	3	2,799	2,725
48	Places of 2,500 to 10,000---	4,300	63	22	1	2	-	3	4	14	-	7	561	105	5	2,491	2,420
49	Rural---	16,008	179	66	1	1	3	14	5	31	10	45	2,154	293	16	9,115	8,849
50	OKLAHOMA---	19,473	505	119	1	16	9	20	11	39	1	74	2,683	299	21	9,497	9,082
51	Urban---	10,668	254	77	-	7	3	5	5	22	-	43	1,485	145	16	5,276	5,070
52	Places of 100,000 to 250,000	3,795	90	33	-	3	1	2	2	5	-	15	567	52	5	1,882	1,804
53	Places of 25,000 to 50,000--	1,212	30	5	-	2	-	-	-	5	-	5	157	8	2	602	584
54	Places of 10,000 to 25,000--	2,505	47	14	-	-	1	2	-	1	-	10	356	41	5	1,263	1,212
55	Places of 2,500 to 10,000---	3,158	87	25	-	2	1	1	3	11	-	13	415	44	4	1,529	1,470
56	Rural---	8,805	251	42	1	9	6	15	6	17	1	31	1,188	154	5	4,221	4,012
57	METROPOLITAN COUNTIES---	4,636	105	37	1	4	1	5	5	8	-	18	687	64	6	2,273	2,181
58	Urban---	4,009	92	34	-	3	1	2	3	6	-	15	600	54	6	1,985	1,903
59	Places of 100,000 to 250,000	3,795	90	33	-	3	1	2	2	5	-	15	567	52	5	1,882	1,804
60	Places of 10,000 to 25,000--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6
61	Places of 2,500 to 10,000---	198	2	1	-	-	-	-	1	1	-	-	33	2	1	97	93
62	Rural---	627	13	3	-	1	-	3	2	2	-	3	87	10	-	288	278
63	NONMETROPOLITAN COUNTIES	14,837	400	82	1	12	8	15	6	31	1	56	1,996	235	15	7,224	6,901
64	Urban---	6,659	162	43	-	4	2	3	2	16	-	28	895	91	10	3,291	3,167
65	Places of 25,000 to 50,000--	1,212	30	5	-	2	-	-	-	5	-	5	157	8	2	602	584
66	Places of 10,000 to 25,000--	2,489	47	14	-	-	1	2	-	1	-	10	356	41	5	1,257	1,206
67	Places of 2,500 to 10,000---	2,958	85	24	-	2	1	1	2	10	-	13	382	42	3	1,432	1,377
68	Rural---	8,178	238	39	1	8	6	12	4	15	1	28	1,101	144	5	3,933	3,734

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
857	6	2,376	183	25	157	289	40	36	49	19	19	97	45	217	251	96	104	839	1
558	3	1,570	109	18	110	173	27	22	37	12	16	59	38	130	155	57	77	581	2
108	1	394	32	6	23	50	8	5	5	4	2	16	5	34	47	11	25	140	3
394	2	1,080	70	12	79	116	17	17	28	7	11	42	32	84	100	44	48	402	4
51	-	89	7	-	8	7	2	-	4	1	3	1	-	12	8	2	3	37	5
5	-	7	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	6
299	3	806	74	7	47	116	13	14	12	7	3	38	7	87	96	39	27	258	7
3,067	49	7,763	589	89	596	1,122	93	272	135	80	107	379	749	896	1,007	252	276	3,039	8
771	7	2,202	158	26	153	222	31	74	55	25	24	97	168	191	241	76	100	813	9
136	2	368	31	2	28	27	6	5	15	5	-	16	30	30	47	7	10	124	10
311	2	960	53	11	74	96	9	28	22	7	15	48	58	92	110	40	46	383	11
324	3	874	54	13	51	99	16	41	18	15	9	33	60	69	84	29	44	306	12
2,296	42	5,561	451	63	443	900	62	198	80	55	83	282	581	705	766	176	176	2,226	13
607	11	1,694	195	24	68	167	31	16	27	13	3	103	123	111	282	63	3	690	14
180	6	509	56	7	17	43	11	6	8	2	2	39	23	30	76	23	-	200	15
79	2	175	26	3	7	11	4	4	2	1	1	19	11	13	23	8	-	81	16
44	1	150	17	3	3	21	3	-	2	-	-	11	8	9	27	7	-	56	17
57	3	184	13	1	7	11	4	2	4	1	1	9	4	8	26	8	-	63	18
427	5	1,185	139	17	51	124	20	10	19	11	1	64	100	81	206	40	3	490	19
607	11	1,694	195	24	68	167	31	16	27	13	3	103	123	111	282	63	3	690	20
180	6	509	56	7	17	43	11	6	8	2	2	39	23	30	76	23	-	200	21
79	2	175	26	3	7	11	4	4	2	1	1	19	11	13	23	8	-	81	22
44	1	150	17	3	3	21	3	-	2	-	-	11	8	9	27	7	-	56	23
57	3	184	13	1	7	11	4	2	4	1	1	9	4	8	26	8	-	63	24
427	5	1,185	139	17	51	124	20	10	19	11	1	64	100	81	206	40	3	490	25
8,399	90	23,793	2,774	438	1,102	2,305	391	315	811	169	107	1,073	661	1,892	3,052	906	322	8,474	26
6,303	58	20,754	1,846	315	730	1,497	308	219	654	126	80	752	465	1,145	2,072	612	252	6,047	27
2,714	26	9,496	756	170	299	744	162	85	358	62	32	314	278	485	929	293	169	2,728	28
569	9	2,114	161	28	73	112	34	38	69	13	13	104	17	147	213	48	39	691	29
445	4	1,485	130	14	45	103	18	13	39	3	8	48	29	78	142	29	9	369	30
766	4	2,403	247	37	98	202	30	22	84	13	9	108	47	142	253	83	12	748	31
875	10	2,585	266	32	114	188	30	32	56	23	9	88	48	121	254	71	11	775	32
934	6	2,671	286	34	103	148	34	29	48	12	9	90	46	172	281	88	12	736	33
3,096	31	9,039	928	125	372	808	83	96	157	43	27	321	196	747	980	294	70	2,427	34
5,667	56	19,490	1,659	308	642	1,450	293	202	617	114	75	740	444	1,159	1,944	560	269	5,594	35
4,731	45	16,416	1,361	259	536	1,185	263	171	557	96	67	606	382	894	1,612	469	230	4,754	36
2,714	26	9,496	756	170	299	744	162	85	358	62	32	314	278	485	929	293	169	2,728	37
569	9	2,114	161	28	73	112	34	38	69	13	13	104	17	147	213	48	39	691	38
445	4	1,485	130	14	45	103	18	13	39	3	8	48	29	78	142	29	9	369	39
457	3	1,519	136	22	47	107	20	14	55	8	8	67	25	83	149	53	7	452	40
217	2	740	74	10	40	53	10	10	16	4	1	35	9	26	81	19	4	222	41
329	1	1,062	104	15	32	66	19	11	20	6	5	38	24	75	98	27	2	292	42
936	11	3,074	298	49	106	265	30	31	60	18	8	134	62	265	332	91	38	940	43
3,732	34	10,303	1,115	130	460	855	98	113	194	55	32	333	217	733	1,108	346	54	2,880	44
1,572	14	4,338	485	58	194	312	45	48	97	30	13	146	83	251	460	143	22	1,293	45
309	1	884	111	15	49	95	10	8	29	5	1	41	22	59	104	30	5	296	46
658	8	1,845	192	22	74	135	20	22	40	19	8	53	39	95	173	52	7	553	47
605	5	1,609	182	19	71	82	15	18	28	6	4	52	22	97	183	61	10	444	48
2,160	20	5,865	630	74	266	543	53	65	97	25	19	187	134	482	648	203	32	1,587	49
2,274	24	6,103	581	100	415	841	102	104	131	54	41	241	512	510	883	191	99	2,469	50
1,242	13	3,454	306	55	206	414	60	59	71	29	21	148	237	272	459	105	55	1,390	51
428	5	1,248	107	16	78	119	20	20	22	12	10	47	76	111	160	44	30	467	52
155	1	392	33	3	16	47	7	9	7	2	3	21	16	27	60	10	5	182	53
294	5	822	76	15	51	96	16	10	15	9	4	27	60	82	105	23	10	328	54
365	2	992	90	21	59	152	17	20	27	6	4	53	85	72	134	28	10	413	55
1,032	11	2,649	275	45	209	427	42	45	60	25	20	93	275	238	424	86	44	1,079	56
533	5	1,499	123	21	92	156	23	25	29	15	10	59	99	143	196	52	31	585	57
466	5	1,305	110	17	82	127	20	23	23	12	10	52	81	117	167	46	30	500	58
428	5	1,248	107	16	78	119	20	20	22	12	10	47	76	111	160	44	30	467	59
2	-	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	8	60
36	-	53	3	1	4	7	-	3	1	-	-	4	5	6	7	2	-	25	61
67	-	194	13	4	10	29	3	2	6	3	-	7	18	26	29	6	1	85	62
1,741	19	4,604	459	79	323	685	79	79	102	39	31	182	413	367	687	139	68	1,884	63
776	8	2,149	196	38	124	287	40	36	48	17	11	96	156	155	282	59	25	890	64
155	1	392	33	3	18	47	7	9	7	2	3	21	16	27	60	10	5	182	65
292	5	818	76	15	51	95	16	10	15	9	4	26	60	62	105	23	10	320	66
329	2	939	87	20	55	145	17	17	28	6	4	49	80	66	127	26	10	388	67
965	11	2,455	262	41	199	398	39	43	54	22	20	86	257	212	395	80	43	994	68

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1	OREGON	13,935	202	66	1	2	7	5	6	30	1	22	2,083	171	14	7,396	7,233
2	Urban	8,392	135	44	-	1	3	1	3	13	-	7	1,284	102	7	4,620	4,525
3	Places of 250,000 or more	4,422	91	25	-	1	3	1	1	9	-	5	700	49	3	2,436	2,398
4	Places of 25,000 to 50,000	861	12	3	-	-	-	-	-	-	-	-	137	11	1	484	476
5	Places of 10,000 to 25,000	1,059	10	6	-	-	-	-	1	1	-	1	153	18	1	565	546
6	Places of 2,500 to 10,000	2,050	22	10	-	-	-	-	1	3	-	1	294	24	2	1,135	1,105
7	Rural	5,543	67	22	1	1	4	4	3	17	1	15	799	69	7	2,776	2,708
8	METROPOLITAN COUNTIES	6,345	108	35	-	1	5	2	1	13	1	9	1,005	72	7	3,486	3,423
9	Urban	4,837	93	27	-	1	3	1	1	10	-	5	764	49	5	2,866	2,824
10	Places of 250,000 or more	4,422	91	25	-	1	3	1	1	9	-	5	700	49	3	2,436	2,398
11	Places of 2,500 to 10,000	415	2	2	-	-	-	-	-	1	-	-	64	-	2	230	226
12	Rural	1,508	15	8	-	-	2	1	-	3	1	4	241	23	2	820	799
13	NONMETROPOLITAN COUNTIES	7,590	94	31	1	1	2	3	5	17	-	13	1,078	99	7	3,910	3,810
14	Urban	3,555	42	17	-	-	-	-	2	3	-	2	520	53	2	1,954	1,901
15	Places of 25,000 to 50,000	861	12	3	-	-	-	-	-	-	-	-	137	11	1	484	476
16	Places of 10,000 to 25,000	1,059	10	6	-	-	-	-	1	1	-	1	153	18	1	565	546
17	Places of 2,500 to 10,000	1,635	20	8	-	-	-	-	1	2	-	1	230	24	-	905	879
18	Rural	4,035	52	14	1	1	2	3	3	14	-	11	558	46	5	1,956	1,909
19	PENNSYLVANIA	110,212	2,474	402	3	10	7	68	55	102	12	250	16,326	2,418	112	61,594	59,370
20	Urban	77,956	2,013	318	-	8	3	31	37	66	4	174	11,676	1,690	73	43,401	41,791
21	Places of 250,000 or more	32,455	1,107	153	-	1	2	14	16	14	1	71	4,973	642	35	17,663	16,767
22	Places of 100,000 to 250,000	5,461	127	20	-	-	-	4	1	3	-	8	859	125	2	3,086	3,025
23	Places of 50,000 to 100,000	8,300	186	42	-	1	-	2	7	5	-	18	1,254	170	6	4,710	4,575
24	Places of 25,000 to 50,000	5,257	110	24	-	3	-	2	4	10	1	17	805	121	8	2,971	2,894
25	Places of 10,000 to 25,000	11,960	247	36	-	1	-	5	3	16	-	30	1,810	281	13	6,667	6,479
26	Places of 2,500 to 10,000	14,523	236	43	-	2	1	4	6	18	2	30	2,177	351	9	8,304	8,051
27	Rural	32,256	461	84	3	2	4	37	18	36	8	76	4,450	728	39	18,193	17,579
28	METROPOLITAN COUNTIES	85,075	2,115	330	1	6	5	39	43	74	7	192	12,875	1,829	79	47,279	45,525
29	Urban	67,201	1,839	275	-	6	3	27	33	53	2	144	10,323	1,422	56	37,211	35,777
30	Places of 250,000 or more	32,455	1,107	153	-	1	2	14	16	14	1	71	4,973	642	35	17,663	16,767
31	Places of 100,000 to 250,000	5,461	127	20	-	-	-	4	1	3	-	8	859	125	2	3,086	3,025
32	Places of 50,000 to 100,000	8,300	186	42	-	1	-	2	7	5	-	18	1,254	170	6	4,710	4,575
33	Places of 25,000 to 50,000	3,727	82	19	-	3	-	1	3	10	1	9	574	79	4	2,106	2,061
34	Places of 10,000 to 25,000	7,358	166	19	-	-	-	4	3	12	-	19	1,137	166	7	4,064	3,945
35	Places of 2,500 to 10,000	9,900	171	22	-	1	1	2	3	9	-	19	1,526	240	2	5,582	5,404
36	Rural	17,874	276	55	1	-	2	12	10	21	5	48	2,552	407	23	10,068	9,748
37	NONMETROPOLITAN COUNTIES	25,137	359	72	2	4	2	29	12	28	5	58	3,451	589	33	14,315	13,845
38	Urban	10,755	174	43	-	2	-	4	4	13	2	30	1,553	268	17	6,190	6,014
39	Places of 25,000 to 50,000	1,530	28	5	-	-	-	1	1	-	-	8	229	42	4	865	833
40	Places of 10,000 to 25,000	4,602	81	17	-	1	-	1	-	4	-	11	673	115	6	2,603	2,534
41	Places of 2,500 to 10,000	4,623	65	21	-	1	-	2	3	9	2	11	651	111	7	2,722	2,647
42	Rural	14,382	185	29	2	2	2	25	8	15	3	28	1,898	321	16	8,125	7,851
43	RHODE ISLAND	8,308	151	36	-	2	1	1	5	3	1	20	1,410	284	4	4,645	4,502
44	Urban	7,430	137	32	-	2	1	1	5	3	1	17	1,273	256	3	4,168	4,036
45	Places of 100,000 to 250,000	2,884	59	11	-	-	1	-	2	1	1	7	493	90	1	1,615	1,566
46	Places of 50,000 to 100,000	1,914	28	9	-	1	-	-	2	1	-	5	331	57	2	1,106	1,071
47	Places of 25,000 to 50,000	1,158	19	4	-	-	-	-	-	-	-	1	215	55	-	635	616
48	Places of 10,000 to 25,000	1,144	28	5	-	1	-	1	1	1	-	4	177	47	-	638	616
49	Places of 2,500 to 10,000	330	3	3	-	-	-	-	-	-	-	-	57	7	-	174	169
50	Rural	878	14	4	-	-	-	-	-	-	-	3	137	28	1	477	464
51	METROPOLITAN COUNTIES	7,253	132	33	-	1	1	1	5	3	1	19	1,225	244	3	4,070	3,959
52	Urban	6,884	127	32	-	1	1	1	5	3	1	17	1,168	232	3	3,876	3,749
53	Places of 100,000 to 250,000	2,884	59	11	-	-	1	-	2	1	1	7	493	90	1	1,615	1,566
54	Places of 50,000 to 100,000	1,914	28	9	-	1	-	-	2	1	-	5	331	57	2	1,106	1,071
55	Places of 25,000 to 50,000	748	11	4	-	-	-	-	-	-	-	1	133	38	-	417	399
56	Places of 10,000 to 25,000	1,008	26	5	-	-	-	1	1	1	-	4	154	40	-	564	544
57	Places of 2,500 to 10,000	330	3	3	-	-	-	-	-	-	-	-	57	7	-	174	169
58	Rural	349	5	1	-	-	-	-	-	-	-	2	57	12	-	194	190
59	NONMETROPOLITAN COUNTIES	1,075	19	3	-	1	-	-	-	-	-	1	185	40	1	575	563
60	Urban	546	10	-	-	1	-	-	-	-	-	-	105	24	-	292	289
61	Places of 25,000 to 50,000	410	8	-	-	-	-	-	-	-	-	-	82	17	-	218	217
62	Places of 10,000 to 25,000	136	2	-	-	1	-	-	-	-	-	-	23	7	-	74	72
63	Rural	529	9	3	-	-	-	-	-	-	-	1	80	16	1	283	274
64	SOUTH CAROLINA	17,973	443	139	6	21	22	49	19	10	23	92	1,753	283	38	8,783	8,381
65	Urban	6,257	153	65	-	7	7	12	7	3	3	30	712	105	9	3,142	3,018
66	Places of 50,000 to 100,000	2,301	54	26	-	-	1	2	2	1	-	12	279	40	3	1,106	1,063
67	Places of 25,000 to 50,000	430	8	5	-	-	-	1	-	-	1	1	48	9	1	228	220
68	Places of 10,000 to 25,000	1,154	30	12	-	-	1	3	2	2	2	8	140	18	2	565	542
69	Places of 2,500 to 10,000	2,372	63	22	-	7	5	6	3	-	-	9	245	38	3	1,243	1,193
70	Rural	11,716	290	74	6	14	15	37	12	7	20	62	1,041	178	29	5,641	5,363

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-445	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis; duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,538	14	5,125	487	69	163	323	80	43	113	22	20	185	238	465	769	231	48	1,392	1
973	8	3,186	312	46	95	185	51	24	64	9	10	108	121	229	364	123	23	841	2
510	3	1,715	142	28	38	100	29	15	57	3	1	48	64	105	159	66	12	439	3
107	1	327	35	6	8	16	3	3	7	2	1	16	10	26	35	9	4	81	4
110	1	391	41	3	19	23	13	2	6	3	2	15	13	45	58	17	3	103	5
246	3	753	94	9	30	46	6	4	14	1	6	29	34	53	112	31	4	218	6
565	6	1,939	175	23	68	136	29	19	29	13	10	77	117	236	405	108	25	551	7
717	3	2,444	223	36	63	140	34	22	73	7	4	77	117	150	249	103	21	603	8
559	3	1,876	158	28	42	113	32	16	62	3	2	55	77	113	174	73	12	480	9
510	3	1,715	142	28	38	100	29	15	57	3	1	48	64	105	159	66	12	439	10
49	-	161	16	-	4	13	3	1	5	-	1	7	13	8	15	7	-	41	11
158	-	568	65	8	21	27	2	6	11	4	2	22	40	37	75	30	9	123	12
821	11	2,661	264	33	100	183	46	21	40	15	16	108	121	315	520	128	27	789	13
414	5	1,310	154	18	53	72	19	8	22	6	8	53	44	116	190	50	11	361	14
107	1	327	35	6	8	16	3	3	7	2	1	16	10	26	35	9	4	81	15
110	1	391	41	3	19	23	13	2	6	3	2	15	13	45	58	17	3	103	16
197	3	592	78	9	26	33	3	3	9	1	5	22	21	45	97	24	4	177	17
407	6	1,371	110	15	47	111	27	13	18	9	8	55	77	199	330	78	16	428	18
11,045	200	43,795	3,680	654	2,224	3,116	634	391	1,099	274	170	1,177	1,140	1,744	3,953	1,101	284	11,296	19
7,381	127	31,329	2,468	486	1,610	2,102	465	267	914	192	112	777	917	1,016	2,841	698	232	7,929	20
2,774	48	12,847	880	218	896	965	188	128	457	80	53	301	573	356	1,111	256	163	3,132	21
520	11	2,292	174	28	61	135	42	18	51	14	3	48	50	74	143	51	6	591	22
821	18	3,388	302	46	135	192	54	22	94	20	8	100	46	118	274	88	19	864	23
555	1	2,103	193	42	77	139	41	17	56	12	7	46	33	62	167	48	8	547	24
1,224	21	4,766	409	59	188	320	56	38	121	30	20	142	116	176	445	115	19	1,253	25
1,487	28	5,933	510	93	253	361	84	44	135	36	21	140	99	230	501	140	17	1,542	26
3,662	73	12,464	1,212	168	614	1,014	169	124	185	82	58	400	223	728	1,512	403	52	3,567	27
8,187	149	34,024	2,658	507	1,754	2,352	488	295	941	218	123	897	985	1,245	2,991	822	256	8,588	28
6,214	108	27,001	2,036	418	1,454	1,833	402	238	818	173	99	675	854	861	2,275	595	225	6,759	29
2,774	48	12,847	880	218	896	965	188	128	457	80	53	301	573	356	1,111	256	163	3,132	30
520	11	2,292	174	28	61	135	42	18	51	14	3	48	50	74	143	51	6	591	31
821	18	3,388	302	46	135	192	54	22	94	20	8	100	46	118	274	88	19	864	32
389	1	1,520	123	28	45	91	27	13	40	8	3	35	25	46	119	32	6	391	33
716	13	2,965	220	31	119	211	34	28	78	23	15	86	87	117	276	70	18	718	34
994	17	3,989	337	67	178	239	57	29	98	28	17	105	73	150	352	98	13	1,063	35
1,973	41	7,023	622	89	320	519	86	57	123	45	24	222	131	384	716	227	31	1,829	36
2,856	51	9,769	1,022	147	470	764	146	96	158	56	47	280	155	499	962	279	28	2,708	37
1,167	19	4,328	432	68	176	269	63	29	96	19	13	102	63	155	366	103	7	1,170	38
166	-	583	70	14	32	48	14	4	16	4	4	11	8	16	48	16	2	156	39
509	8	1,801	189	28	69	109	22	10	43	7	5	56	29	59	169	45	1	535	40
493	11	1,944	173	26	75	112	27	15	37	8	4	35	26	80	149	42	4	479	41
1,689	32	5,441	590	79	294	495	83	67	62	37	34	178	92	344	596	176	21	1,538	42
845	6	3,302	307	42	143	149	57	22	91	17	9	108	40	89	287	66	12	798	43
739	5	2,984	273	37	130	126	53	18	87	11	8	91	33	70	256	57	11	710	44
293	2	1,157	98	16	49	52	22	10	33	6	5	30	12	24	110	24	4	271	45
178	1	800	84	8	35	31	12	3	27	1	1	34	7	20	51	12	-	173	46
126	-	452	34	4	19	11	7	2	8	1	2	10	3	12	46	13	1	113	47
109	1	461	41	4	22	21	8	2	14	2	-	12	5	12	41	8	1	115	48
33	1	114	16	5	5	11	4	1	5	1	-	5	6	2	8	-	5	38	49
106	1	318	34	5	13	23	4	4	4	6	1	17	7	19	31	9	1	88	50
741	5	2,880	275	38	131	126	51	20	81	13	7	93	36	72	244	53	10	689	51
689	5	2,759	260	36	127	117	50	17	80	11	7	86	31	65	235	51	10	657	52
293	2	1,157	98	16	49	52	22	10	33	6	5	30	12	24	110	24	4	271	53
178	1	800	84	8	35	31	12	3	27	1	1	34	7	20	51	12	-	173	54
89	-	285	22	3	18	4	5	1	4	1	1	5	1	8	29	9	-	76	55
96	1	403	40	4	20	19	7	2	11	2	-	12	5	11	37	6	1	99	56
33	1	114	16	5	5	11	4	1	5	1	-	5	6	2	8	-	5	38	57
52	-	121	15	2	4	9	1	3	1	2	-	7	5	7	9	2	-	32	58
104	1	422	32	4	12	23	6	2	10	4	2	15	4	17	43	13	2	109	59
50	-	225	13	1	3	9	3	1	7	-	1	5	2	5	21	6	1	53	60
37	-	167	12	1	1	7	2	1	4	-	1	5	2	4	17	4	1	37	61
13	-	58	1	-	2	2	1	-	3	-	-	-	-	1	4	2	-	16	62
54	1	197	19	3	9	14	3	1	3	4	1	10	2	12	22	7	1	56	63
2,259	41	5,440	565	76	402	882	72	156	57	60	93	218	772	633	766	137	228	2,218	64
751	15	2,029	197	28	124	246	27	39	26	17	21	66	156	186	249	56	86	827	65
250	6	729	68	10	43	67	7	6	13	6	9	31	101	64	107	18	30	316	66
49	-	153	14	4	8	18	3	1	-	-	4	2	6	13	10	7	5	61	67
123	2	381	32	4	23	56	4	11	5	1	1	10	15	36	34	14	14	168	68
329	5	766	83	10	50	105	13	21	8	10	7	23	34	73	98	17	37	282	69
1,508	28	3,411	368	48	278	636	45	117	31	43	72	152	616	447	517	81	142	1,391	70

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuber-culosis, all forms 001-019	Syph-ilis and its sequelae 020-029	Ty-phoid fever 040	Dysen-tery, all forms 045-048	Diph-the-ria 055	Whoop-ing cough 056	Menin-gococ-cal infec-tions 057	Acute polio-mye-litis 080	Mea-sles 085	All other infective and para-sitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lym-phatic and hemato-poietic tissues 140-205	Dia-betes mel-litus 260	Menin-gitis, except menin-gococ-cal and tuber-culous 340	Major cardio-vascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardio-vascular system 330-334, 400-468
	SOUTH CAROLINA—Con.																
1	METROPOLITAN COUNTIES---	4,615	120	50	-	2	3	8	3	3	5	20	510	72	8	2,189	2,102
2	Urban---	2,473	59	29	-	-	1	3	2	1	-	12	295	42	3	1,206	1,162
3	Places of 50,000 to 100,000-	2,301	54	26	-	-	1	2	2	1	-	12	279	40	3	1,106	1,063
4	Places of 2,500 to 10,000---	172	5	3	-	-	-	1	-	-	-	-	16	2	-	100	99
5	Rural---	2,142	61	21	-	2	2	5	1	2	5	8	215	30	5	983	940
6	NONMETROPOLITAN COUNTIES	13,358	323	89	6	19	19	41	16	7	18	72	1,243	211	30	6,594	6,279
7	Urban---	3,784	94	36	-	7	6	9	5	2	3	18	417	63	6	1,936	1,856
8	Places of 25,000 to 50,000--	430	6	5	-	-	-	1	-	-	1	1	48	9	1	228	220
9	Places of 10,000 to 25,000--	1,154	30	12	-	-	1	3	2	2	2	8	140	18	2	565	542
10	Places of 2,500 to 10,000---	2,200	58	19	-	7	5	5	3	-	-	9	229	36	3	1,143	1,094
11	Rural---	9,574	229	53	6	12	13	32	11	5	15	54	828	148	24	4,658	4,423
12	SOUTH DAKOTA---	5,880	113	17	-	1	1	9	6	16	6	21	843	116	11	2,959	2,884
13	Urban---	2,176	37	10	-	-	-	1	2	6	2	7	309	46	3	1,145	1,120
14	Places of 50,000 to 100,000-	455	6	1	-	-	-	-	-	-	-	1	63	9	-	237	233
15	Places of 25,000 to 50,000--	200	5	-	-	-	-	1	-	1	1	1	34	3	-	98	95
16	Places of 10,000 to 25,000--	601	6	3	-	-	-	-	1	2	1	-	85	16	1	344	336
17	Places of 2,500 to 10,000---	920	20	6	-	-	-	-	1	3	-	5	127	18	2	468	456
18	Rural---	3,704	76	7	-	1	1	8	4	10	4	14	534	70	8	1,814	1,764
19	METROPOLITAN COUNTIES---	613	7	1	-	-	-	-	-	-	-	2	89	14	-	318	312
20	Urban---	455	6	1	-	-	-	-	-	-	-	1	63	9	-	237	233
21	Places of 50,000 to 100,000-	455	6	1	-	-	-	-	-	-	-	1	63	9	-	237	233
22	Rural---	158	1	-	-	-	-	-	-	-	-	1	26	5	-	81	79
23	NONMETROPOLITAN COUNTIES	5,267	106	16	-	1	1	9	6	16	6	19	754	102	11	2,641	2,572
24	Urban---	1,721	31	9	-	-	-	1	2	6	2	6	246	37	3	908	887
25	Places of 25,000 to 50,000--	200	5	-	-	-	-	1	-	1	1	1	34	3	-	98	95
26	Places of 10,000 to 25,000--	601	6	3	-	-	-	-	1	2	1	-	85	16	1	344	336
27	Places of 2,500 to 10,000---	920	20	6	-	-	-	-	1	3	-	5	127	18	2	468	456
28	Rural---	3,546	75	7	-	1	1	8	4	10	4	13	508	65	8	1,733	1,685
29	TENNESSEE---	29,425	1,110	141	7	42	19	64	39	34	24	139	3,447	314	57	13,825	13,179
30	Urban---	13,297	463	94	3	17	3	17	21	16	5	71	1,568	154	29	6,343	6,104
31	Places of 250,000 or more---	3,786	142	47	1	3	-	2	3	7	2	20	450	49	18	1,768	1,718
32	Places of 100,000 to 250,000	5,058	175	28	2	3	3	6	11	5	2	30	590	52	8	2,430	2,326
33	Places of 25,000 to 50,000--	557	20	5	-	1	-	1	2	-	-	3	69	9	-	276	266
34	Places of 10,000 to 25,000--	1,294	46	8	-	2	-	1	3	3	-	6	156	17	1	582	553
35	Places of 2,500 to 10,000---	2,602	80	6	-	8	-	7	2	1	1	12	323	27	2	1,287	1,241
36	Rural---	16,128	647	47	4	25	16	47	18	18	19	68	1,659	160	28	7,482	7,075
37	METROPOLITAN COUNTIES---	12,190	431	89	4	13	7	14	18	19	5	62	1,467	142	32	5,708	5,488
38	Urban---	9,007	319	76	3	6	3	9	14	12	4	50	1,066	105	26	4,275	4,119
39	Places of 250,000 or more---	3,786	142	47	1	3	-	2	3	7	2	20	450	49	18	1,768	1,718
40	Places of 100,000 to 250,000	5,058	175	28	2	3	3	6	11	5	2	30	590	52	8	2,430	2,326
41	Places of 2,500 to 10,000---	163	2	1	-	-	-	1	-	-	-	-	26	4	-	77	75
42	Rural---	3,183	112	13	1	7	4	5	4	7	1	12	401	37	6	1,433	1,369
43	NONMETROPOLITAN COUNTIES	17,235	679	52	3	29	12	50	21	15	19	77	1,980	172	25	8,117	7,691
44	Urban---	4,290	144	18	-	11	-	8	7	4	1	21	522	49	3	2,068	1,985
45	Places of 25,000 to 50,000--	557	20	5	-	1	-	1	2	-	-	3	69	9	-	276	266
46	Places of 10,000 to 25,000--	1,294	46	8	-	2	-	1	3	3	-	6	156	17	1	582	553
47	Places of 2,500 to 10,000---	2,439	78	5	-	8	-	6	2	1	1	12	297	23	2	1,210	1,166
48	Rural---	12,945	535	34	3	18	12	42	14	11	18	56	1,458	123	22	6,049	5,706
49	TEXAS---	63,349	2,006	449	10	300	50	75	43	204	14	358	8,079	870	106	27,760	26,564
50	Urban---	40,430	1,419	316	3	168	24	50	34	137	7	223	5,263	575	63	17,682	16,975
51	Places of 250,000 or more---	14,947	561	137	-	7	6	5	17	59	1	77	2,136	221	23	6,741	6,514
52	Places of 100,000 to 250,000	2,811	143	27	-	6	3	5	2	10	3	10	368	36	3	1,150	1,100
53	Places of 50,000 to 100,000-	5,099	157	41	-	17	1	5	2	10	1	26	656	69	8	2,252	2,149
54	Places of 25,000 to 50,000--	1,394	51	5	-	7	-	6	2	3	-	9	173	13	3	584	562
55	Places of 10,000 to 25,000--	6,840	186	45	2	47	6	8	4	25	-	43	847	116	13	2,973	2,856
56	Places of 2,500 to 10,000---	9,339	321	61	1	84	8	21	7	30	2	58	1,083	120	13	3,982	3,794
57	Rural---	22,919	587	133	7	132	26	25	9	67	7	135	2,816	295	43	10,078	9,589
58	METROPOLITAN COUNTIES---	27,907	1,028	239	-	50	17	18	23	105	8	134	3,807	395	50	12,231	11,781
59	Urban---	24,136	904	212	-	34	11	16	22	84	5	117	3,340	346	37	10,713	10,314
60	Places of 250,000 or more---	14,947	561	137	-	7	6	5	17	59	1	77	2,136	221	23	6,741	6,514
61	Places of 100,000 to 250,000	2,811	143	27	-	6	3	5	2	10	3	10	368	36	3	1,150	1,100
62	Places of 50,000 to 100,000-	5,099	157	41	-	17	1	5	2	10	1	26	656	69	8	2,252	2,149
63	Places of 10,000 to 25,000--	663	11	5	-	-	-	-	1	1	-	1	106	11	-	296	287
64	Places of 2,500 to 10,000---	616	32	2	-	4	1	1	-	4	-	3	74	9	3	274	264
65	Rural---	3,771	124	27	-	16	6	2	1	21	3	17	467	49	13	1,518	1,467
66	NONMETROPOLITAN COUNTIES	35,442	978	210	10	250	33	57	20	99	6	224	4,272	475	56	15,529	14,783
67	Urban---	16,294	515	104	3	134	13	34	12	53	2	106	1,923	229	26	6,969	6,661
68	Places of 25,000 to 50,000--	1,394	51	5	-	7	-	6	2	3	-	9	173	13	3	584	562
69	Places of 10,000 to 25,000--	6,177	175	40	2	47	8	8	3	24	-	42	741	105	13	2,677	2,569
70	Places of 2,500 to 10,000---	8,723	289	59	1	80	7	20	7	26	2	55	1,009	111	10	3,708	3,530
71	Rural---	19,148	463	106	7	116	20	23	8	46	4	118	2,349	246	30	8,560	8,122

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
529	10	1,402	142	19	87	172	18	16	21	19	15	62	270	146	215	30	59	579	1
267	6	805	74	10	44	76	9	6	14	8	9	32	102	68	112	19	32	333	2
250	6	729	68	10	43	67	7	6	13	6	9	31	101	64	107	18	30	316	3
17	-	76	6	-	1	9	2	-	1	2	-	1	1	4	5	1	2	17	4
262	4	597	68	9	43	96	9	10	7	11	6	30	168	78	103	11	27	246	5
1,730	31	4,038	423	57	315	710	54	140	36	41	78	156	502	487	551	107	169	1,639	6
484	7	1,224	123	18	80	170	18	33	12	9	12	34	54	118	157	37	54	494	7
49	-	153	14	4	8	18	3	1	-	-	4	2	6	13	10	7	5	61	8
123	2	381	32	4	23	56	4	11	5	1	1	10	15	36	34	14	14	168	9
312	5	690	77	10	49	96	11	21	7	8	7	22	33	69	93	16	35	265	10
1,246	24	2,814	300	39	235	540	36	107	24	32	66	122	448	369	414	70	115	1,145	11
740	7	1,935	174	28	75	205	28	19	27	8	15	86	128	196	262	67	7	713	12
279	6	784	63	8	25	43	14	2	14	2	5	34	16	55	102	26	2	293	13
56	2	156	18	1	4	5	2	-	4	1	1	8	3	15	20	8	1	70	14
24	-	66	4	1	1	6	2	-	-	-	-	4	3	7	6	3	1	24	15
89	2	226	17	2	8	11	5	1	7	1	1	9	4	16	18	2	-	67	16
110	2	316	24	4	12	21	5	1	3	-	3	13	6	17	56	13	-	132	17
461	1	1,171	111	20	50	152	14	17	13	6	10	52	112	141	160	41	5	420	18
79	2	209	22	1	6	9	2	-	4	2	1	11	3	23	25	9	2	91	19
56	2	156	18	1	4	5	2	-	4	1	1	8	3	15	20	8	1	70	20
56	2	156	18	1	4	5	2	-	4	1	1	8	3	15	20	8	1	70	21
23	-	52	4	-	2	4	-	-	-	1	-	3	-	8	5	1	1	21	22
661	5	1,727	152	27	69	196	26	19	23	6	14	75	125	173	237	58	5	622	23
223	4	608	45	7	21	38	12	2	10	1	4	26	13	40	82	18	1	223	24
24	-	66	4	1	1	6	2	-	-	-	-	4	3	7	8	3	1	24	25
89	2	226	17	2	8	11	5	1	7	1	1	9	4	16	18	2	-	67	26
110	2	316	24	4	12	21	5	1	3	-	3	13	6	17	56	13	-	132	27
438	1	1,119	107	20	48	158	14	17	13	5	10	49	112	133	155	40	4	399	28
3,463	53	8,878	664	121	646	1,358	128	233	181	98	108	390	1,811	778	1,101	273	301	3,403	29
1,520	20	4,174	323	67	239	485	69	108	125	37	41	178	701	370	483	107	179	1,590	30
416	6	1,169	107	20	50	98	22	30	34	10	11	50	266	95	126	28	40	466	31
565	5	1,600	126	30	104	181	25	43	48	11	13	67	267	163	195	42	91	587	32
65	4	185	10	2	10	21	2	5	9	2	5	3	29	11	15	6	2	61	33
155	3	362	29	4	29	56	6	10	15	7	3	20	40	36	60	12	22	182	34
319	2	859	51	11	46	129	14	20	19	7	9	38	99	65	87	21	24	314	35
1,943	33	4,704	341	54	407	873	59	125	56	61	67	212	1,110	408	618	166	122	1,813	36
1,331	16	3,784	297	60	220	419	63	99	99	34	33	175	746	350	443	103	164	1,451	37
1,003	11	2,817	237	51	156	288	49	74	83	21	24	119	536	260	328	69	135	1,053	38
416	6	1,169	107	20	50	98	22	30	34	10	11	50	266	95	126	26	40	466	39
565	5	1,600	126	30	104	181	25	43	48	11	13	67	267	163	195	42	91	587	40
22	-	48	4	1	2	9	2	1	1	-	-	2	3	2	7	1	4	20	41
328	5	967	60	9	64	131	14	25	16	13	9	56	210	90	115	34	29	398	42
2,132	37	5,094	367	61	426	939	65	134	82	64	75	215	1,065	428	658	170	137	1,952	43
517	9	1,357	86	16	83	197	20	34	42	16	17	59	165	110	155	38	44	537	44
65	4	185	10	2	10	21	2	5	9	2	5	3	29	11	15	6	2	61	45
155	3	362	29	4	29	56	6	10	15	7	3	20	40	36	60	12	22	182	46
297	2	810	47	10	44	120	12	19	18	7	9	36	96	63	80	20	20	294	47
1,615	28	3,737	281	45	343	742	45	100	40	48	58	156	900	318	503	132	93	1,415	48
6,007	76	18,752	1,419	310	1,196	2,698	224	979	490	204	221	970	1,544	2,498	3,023	692	755	8,747	49
3,763	56	12,051	916	189	707	1,634	162	644	371	126	128	692	773	1,420	1,743	442	520	5,811	50
1,455	21	4,600	354	84	227	514	69	166	184	44	27	255	197	441	602	197	246	2,014	51
208	7	799	70	16	50	106	13	53	34	4	11	65	43	75	125	34	27	455	52
439	8	1,577	98	27	103	220	27	69	32	17	18	80	77	195	210	61	71	777	53
114	1	417	26	4	22	64	5	38	12	4	3	27	40	42	65	14	20	204	54
665	7	2,019	139	26	117	269	27	120	47	23	27	114	164	269	320	57	67	1,021	55
882	12	2,639	229	32	188	461	21	198	62	34	42	151	252	398	421	79	89	1,340	56
2,244	20	6,701	503	121	489	1,064	62	335	119	78	93	278	771	1,078	1,280	250	215	2,936	57
2,536	38	8,440	614	153	450	1,051	118	358	285	80	66	495	433	950	1,243	355	417	3,851	58
2,233	37	7,365	545	134	399	877	113	301	261	69	59	426	340	754	1,005	305	360	3,425	59
1,455	21	4,600	354	84	227	514	69	166	184	44	27	255	197	441	602	197	246	2,014	60
208	7	799	70	16	50	106	13	53	34	4	11	65	43	75	125	34	27	455	61
439	8	1,577	98	27	103	220	27	69	32	17	18	80	77	195	210	61	71	777	62
70	-	199	15	5	9	13	2	3	4	2	2	16	11	32	36	9	9	92	63
61	1	190	10	2	10	24	2	10	7	2	1	10	12	11	32	4	7	87	64
303	1	1,075	69	19	51	174	5	57	24	11	7	69	93	196	238	50	57	526	65
3,471	38	10,312	805	157	746	1,647	106	621	205	124	155	475	1,111	1,548	1,780	337	318	4,796	66
1,550	19	4,686	371	55	308	757	49	343	110	57	69	266	433	686	738	137	160	2,366	67
114	1	417	26	4	22	64	5	38	12	4	3	27	40	42	65	14	20	204	68
595	7	1,820	126	21	108	256	25	117	43	21	25	98	153	237	284	48	58	929	69
821	11	2,449	219	30	178	437	19	188	55	32	41	141	240	387	389	75	82	1,253	70
1,941	19	5,626	434	102	438	890	57	278	95	67	86	209	678	882	1,042	200	158	2,410	71

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1	UTAH	4,974	54	26	1	2	2	3	1	8	6	18	625	78	11	2,387	2,321
2	Urban	3,284	36	17	1	-	2	2	1	4	3	7	444	50	9	1,607	1,565
3	Places of 100,000 to 250,000	1,669	20	6	-	-	2	-	1	2	-	4	261	23	3	829	811
4	Places of 50,000 to 100,000	442	3	6	-	-	-	-	-	-	1	-	44	8	4	229	225
5	Places of 25,000 to 50,000	140	-	-	-	-	-	-	-	-	-	-	20	3	1	70	68
6	Places of 10,000 to 25,000	129	-	1	-	-	-	-	-	1	1	-	13	2	-	75	73
7	Places of 2,500 to 10,000	904	13	4	1	-	-	2	-	1	1	3	106	16	1	404	389
8	Rural	1,690	18	9	-	2	-	1	-	4	3	11	181	28	2	780	756
9	METROPOLITAN COUNTIES	2,649	32	13	-	-	2	-	1	3	1	5	375	36	8	1,293	1,263
10	Urban	2,280	28	12	-	-	2	-	1	2	1	4	327	31	8	1,124	1,099
11	Places of 100,000 to 250,000	1,669	20	6	-	-	2	-	1	2	-	4	261	23	3	829	811
12	Places of 50,000 to 100,000	442	3	6	-	-	-	-	-	-	1	-	44	8	4	229	225
13	Places of 2,500 to 10,000	169	5	-	-	-	-	-	-	-	-	-	22	2	1	66	63
14	Rural	369	4	1	-	-	-	-	-	1	-	1	48	5	-	169	164
15	NONMETROPOLITAN COUNTIES	2,325	22	13	1	2	-	3	-	5	5	13	250	42	3	1,094	1,058
16	Urban	1,004	8	5	1	-	-	2	-	2	2	3	117	19	1	483	466
17	Places of 25,000 to 50,000	140	-	-	-	-	-	-	-	-	-	-	20	3	1	70	68
18	Places of 10,000 to 25,000	129	-	1	-	-	-	-	-	1	1	-	13	2	-	75	73
19	Places of 2,500 to 10,000	735	8	4	1	-	-	2	-	1	1	3	84	14	-	338	325
20	Rural	1,321	14	8	-	2	-	1	-	3	3	10	133	23	2	611	592
21	VERMONT	4,167	71	14	-	-	1	4	2	2	-	12	615	60	6	2,342	2,292
22	Urban	1,547	24	4	-	-	1	1	1	2	-	3	231	26	1	876	861
23	Places of 25,000 to 50,000	284	5	-	-	-	-	-	-	1	-	1	35	6	-	159	157
24	Places of 10,000 to 25,000	336	12	2	-	-	1	1	1	-	-	-	55	3	1	198	196
25	Places of 2,500 to 10,000	927	7	2	-	-	-	-	-	1	-	2	141	17	-	519	508
26	Rural	2,620	47	10	-	-	-	3	1	-	-	9	384	34	5	1,466	1,431
27																	
27	NONMETROPOLITAN COUNTIES	4,167	71	14	-	-	1	4	2	2	-	12	615	60	6	2,342	2,292
28	Urban	1,547	24	4	-	-	1	1	1	2	-	3	231	26	1	876	861
29	Places of 25,000 to 50,000	284	5	-	-	-	-	-	-	1	-	1	35	6	-	159	157
30	Places of 10,000 to 25,000	336	12	2	-	-	1	1	1	-	-	-	55	3	1	198	196
31	Places of 2,500 to 10,000	927	7	2	-	-	-	-	-	1	-	2	141	17	-	519	508
32	Rural	2,620	47	10	-	-	-	3	-	-	-	9	384	34	5	1,466	1,431
33	VIRGINIA	29,708	917	187	4	16	12	48	41	63	7	87	3,387	365	39	15,387	14,749
34	Urban	12,691	398	105	-	3	3	8	14	17	2	33	1,617	174	17	6,718	6,478
35	Places of 100,000 to 250,000[1]	5,349	180	48	-	2	1	3	5	1	-	12	697	68	6	2,868	2,775
36	Places of 50,000 to 100,000	2,120	59	16	-	1	1	2	4	1	-	2	279	30	5	1,106	1,062
37	Places of 25,000 to 50,000	1,997	73	13	-	-	1	-	1	3	1	11	242	27	4	1,059	1,022
38	Places of 10,000 to 25,000	1,232	44	13	-	-	-	-	2	-	-	3	140	23	1	632	607
39	Places of 2,500 to 10,000	1,993	42	15	-	-	-	3	2	12	1	5	259	26	1	1,053	1,012
40	Rural	17,017	519	82	4	13	9	40	27	46	5	54	1,770	191	22	8,669	8,271
41	METROPOLITAN COUNTIES	9,908	295	79	1	6	2	7	13	9	-	20	1,260	131	15	5,204	5,030
42	Urban	7,785	242	67	-	3	2	5	9	3	-	14	1,016	103	11	4,134	3,993
43	Places of 100,000 to 250,000[1]	5,349	180	48	-	2	1	3	5	1	-	12	697	68	6	2,868	2,775
44	Places of 50,000 to 100,000	2,120	59	16	-	1	1	2	4	1	-	2	279	30	5	1,106	1,062
45	Places of 10,000 to 25,000	92	3	3	-	-	-	-	-	-	-	-	8	2	-	42	42
46	Places of 2,500 to 10,000	224	-	-	-	-	-	-	-	1	-	-	32	3	-	118	114
47	Rural	2,123	53	12	1	3	-	2	4	6	-	6	244	28	4	1,070	1,037
48	NONMETROPOLITAN COUNTIES	19,800	622	108	3	10	10	41	28	54	7	67	2,127	234	24	10,183	9,719
49	Urban	4,906	156	38	-	-	1	3	5	14	2	19	601	71	6	2,584	2,485
50	Places of 25,000 to 50,000	1,997	73	13	-	-	1	-	1	3	1	11	242	27	4	1,059	1,022
51	Places of 10,000 to 25,000	1,140	41	10	-	-	-	-	2	-	-	3	132	21	1	590	565
52	Places of 2,500 to 10,000	1,769	42	15	-	-	-	3	2	11	1	5	227	23	1	935	898
53	Rural	14,894	466	70	3	10	9	38	23	40	5	48	1,526	163	18	7,599	7,234
54	WASHINGTON	22,486	355	91	1	9	2	5	10	30	3	46	3,282	339	36	11,965	11,722
55	Urban	14,471	239	71	-	4	1	-	5	17	2	37	2,161	203	28	7,771	7,613
56	Places of 250,000 or more	5,748	101	32	-	2	-	-	1	8	1	14	932	71	15	3,024	2,972
57	Places of 100,000 to 250,000	3,462	61	19	-	1	-	-	2	2	1	9	479	48	3	1,926	1,885
58	Places of 25,000 to 50,000	2,010	37	8	-	1	1	-	1	1	-	7	313	28	2	1,097	1,080
59	Places of 10,000 to 25,000	1,643	26	6	-	-	-	-	1	2	-	5	212	17	3	863	853
60	Places of 2,500 to 10,000	1,608	14	6	-	-	-	-	-	4	-	2	225	39	3	861	843
61	Rural	8,015	116	20	1	5	1	5	5	13	1	9	1,121	136	10	4,194	4,109
62	METROPOLITAN COUNTIES	12,808	220	59	-	5	-	-	5	22	3	29	1,958	163	19	6,909	6,790
63	Urban	10,111	183	54	-	3	-	-	3	15	2	27	1,553	136	18	5,428	5,331
64	Places of 250,000 or more	5,748	101	32	-	2	-	-	1	8	1	14	932	71	15	3,024	2,972
65	Places of 100,000 to 250,000	3,462	61	19	-	1	-	-	2	2	1	9	479	48	3	1,926	1,885
66	Places of 25,000 to 50,000	337	10	1	-	-	-	-	-	1	-	2	61	6	-	162	161
67	Places of 10,000 to 25,000	218	4	-	-	-	-	-	-	2	-	1	27	3	-	128	125
68	Places of 2,500 to 10,000	346	7	2	-	-	-	-	-	2	-	1	54	8	-	188	188
69	Rural	2,697	37	5	-	2	-	-	2	7	1	2	405	27	1	1,481	1,459

[1]Includes Arlington County classified as urban under a special rule.

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 580,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
438	16	1,726	110	31	66	149	35	24	23	14	5	112	180	202	285	65	10	650	1
282	7	1,176	80	20	42	89	28	18	17	9	3	70	108	116	188	45	7	403	2
145	3	613	39	11	18	48	17	4	10	2	2	31	65	47	85	23	5	179	3
42	1	161	19	2	4	10	2	2	1	2	-	14	14	11	27	9	-	57	4
12	-	52	4	-	2	6	-	1	-	-	-	5	2	6	9	2	-	15	5
16	-	54	2	1	2	3	1	-	1	-	-	1	2	3	6	1	-	18	6
67	3	296	16	6	16	22	8	11	5	5	1	19	25	49	61	10	2	134	7
156	9	550	30	11	24	60	7	6	6	5	2	42	72	86	97	18	3	247	8
233	8	933	71	18	30	69	21	9	14	8	2	57	106	77	155	36	6	320	9
198	6	821	60	14	25	61	21	9	12	6	2	48	88	65	128	32	5	263	10
145	3	613	39	11	18	48	17	4	10	2	2	31	65	47	85	23	5	179	11
42	1	161	19	2	4	10	2	2	1	2	-	14	14	11	27	9	-	57	12
11	2	47	2	1	3	3	2	3	1	2	-	3	9	7	16	-	-	27	13
35	2	112	11	4	5	8	-	-	2	2	-	9	18	12	27	4	1	57	14
205	8	793	39	13	36	80	14	15	9	6	3	55	74	125	130	27	4	330	15
84	1	355	20	6	17	28	7	9	5	3	1	22	20	51	60	13	2	140	16
12	-	52	4	-	2	6	-	1	-	-	-	5	2	6	9	2	-	15	17
16	-	54	2	1	2	3	1	-	1	-	-	1	2	3	6	1	-	18	18
56	1	249	14	5	13	19	6	8	4	3	1	16	16	42	45	10	2	107	19
121	7	458	19	7	19	52	7	6	4	3	2	33	54	74	70	14	2	190	20
536	2	1,551	186	17	50	137	22	14	32	7	9	58	44	82	184	52	2	395	21
180	2	600	72	7	15	39	7	8	17	-	2	18	9	32	71	18	2	154	22
23	-	119	13	2	2	8	1	1	3	-	-	4	2	6	17	3	-	32	23
53	1	120	21	1	2	7	1	1	2	-	-	2	1	8	9	2	-	29	24
104	1	361	38	4	11	24	5	6	12	-	2	12	6	18	45	13	2	93	25
356	-	951	114	10	35	98	15	6	15	7	7	40	35	50	113	34	-	241	26
536	2	1,551	186	17	50	137	22	14	32	7	9	58	44	82	184	52	2	395	27
180	2	600	72	7	15	39	7	8	17	-	2	18	9	32	71	18	2	154	28
23	-	119	13	2	2	8	1	1	3	-	-	4	2	6	17	3	-	32	29
53	1	120	21	1	2	7	1	1	2	-	-	2	1	8	9	2	-	29	30
104	1	361	38	4	11	24	5	6	12	-	2	12	6	18	45	13	2	93	31
356	-	951	114	10	35	98	15	6	15	7	7	40	35	50	113	34	-	241	32
3,685	39	9,900	957	168	638	1,252	147	179	191	102	82	392	440	857	1,228	365	301	3,612	33
1,502	11	4,477	404	84	240	444	61	59	114	41	32	161	109	286	447	168	132	1,528	34
638	2	1,929	174	32	93	178	20	25	44	23	19	58	38	123	181	81	66	602	35
266	2	696	82	16	44	72	9	5	26	7	4	34	18	49	74	27	24	265	36
233	2	714	63	10	37	75	8	12	13	4	5	24	26	36	68	25	15	251	37
139	2	424	37	5	25	48	8	7	11	6	2	16	8	28	48	17	17	158	38
226	3	714	48	21	41	71	16	10	20	1	2	28	19	50	76	18	10	252	39
2,183	28	5,423	553	84	398	808	86	120	77	61	50	231	331	571	781	197	169	2,084	40
1,185	7	3,450	330	58	174	348	45	41	94	40	29	134	80	244	375	143	123	1,170	41
941	5	2,734	264	49	141	264	32	32	78	33	24	97	57	176	268	109	92	914	42
638	2	1,929	174	32	93	178	20	25	44	23	19	58	38	123	181	81	66	602	43
266	2	696	82	16	44	72	9	5	26	7	4	34	18	49	74	27	24	265	44
12	1	25	4	-	-	6	-	-	2	3	1	-	-	1	3	1	1	16	45
25	-	84	4	1	4	8	3	2	6	-	-	5	1	3	10	-	1	31	46
244	2	716	66	9	33	84	13	9	16	7	5	37	23	68	107	34	31	256	47
2,500	32	6,450	627	110	464	904	102	138	97	62	53	258	360	613	853	222	178	2,442	48
561	6	1,743	140	35	99	180	29	27	36	8	8	64	52	110	179	59	40	614	49
233	2	714	63	10	37	75	8	12	13	4	5	24	26	36	68	25	15	251	50
127	1	398	33	5	25	42	8	7	9	3	1	16	8	27	45	16	16	142	51
201	3	630	44	20	37	63	13	8	14	1	2	24	18	47	66	18	9	221	52
1,939	26	4,707	487	75	365	724	73	111	61	54	45	194	308	503	674	163	138	1,828	53
2,642	29	8,168	733	150	243	657	129	74	176	40	24	281	339	548	1,125	428	64	2,427	54
1,752	17	5,261	471	112	158	431	85	43	136	27	14	181	192	278	628	273	48	1,598	55
705	4	2,064	147	52	52	213	42	17	87	11	7	56	29	97	256	124	22	586	56
404	5	1,326	127	23	41	80	16	13	18	10	4	47	49	72	140	66	11	385	57
275	5	691	91	18	17	37	10	4	11	1	2	25	42	34	74	31	4	239	58
182	-	594	45	12	30	56	10	3	10	2	1	28	38	43	85	30	4	197	59
186	3	586	61	7	18	45	7	6	10	3	-	25	33	32	73	22	7	191	60
890	12	2,907	262	38	85	226	44	31	40	13	10	100	147	270	497	155	16	829	61
1,501	13	4,779	403	94	119	386	82	38	127	24	12	157	112	279	574	269	40	1,316	62
1,203	9	3,727	308	84	97	316	68	31	111	21	11	123	91	183	457	204	36	1,057	63
705	4	2,064	147	52	52	213	42	17	87	11	7	56	29	97	256	124	22	586	64
404	5	1,326	127	23	41	80	16	13	18	10	4	47	49	72	140	66	11	385	65
25	-	119	12	5	1	7	6	1	2	-	-	3	8	5	17	5	-	40	66
26	-	87	10	2	3	6	2	-	-	-	-	11	1	3	11	4	-	15	67
43	-	131	12	2	-	10	2	-	4	-	-	6	4	6	13	5	3	31	68
298	4	1,052	95	10	22	70	14	7	16	3	1	34	21	98	137	65	4	259	69

Table 58. Deaths From 32 Selected Causes by Population-Size Group in Metro-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 330-334, 400-468, 592-594	Major cardiovascular-renal diseases 330-334, 400-468	Diseases of cardiovascular system 330-334, 400-468
	WASHINGTON—Con.																
1	NONMETROPOLITAN COUNTIES	9,678	135	32	1	4	2	5	5	8	-	17	1,324	176	17	5,056	4,952
2	Urban	4,360	56	17	-	1	1	-	2	2	-	10	608	67	8	2,343	2,282
3	Places of 25,000 to 50,000	1,673	27	7	-	1	1	-	1	-	-	5	252	22	2	935	919
4	Places of 10,000 to 25,000	1,425	22	6	-	-	-	-	1	-	-	4	185	14	3	755	708
5	Places of 2,500 to 10,000	1,262	7	4	-	-	-	-	-	2	-	1	171	31	3	673	655
6	Rural	5,318	79	15	1	3	1	5	3	6	-	7	716	109	9	2,713	2,650
7	WEST VIRGINIA	17,428	424	108	2	8	12	48	32	24	19	67	2,187	244	25	8,330	7,974
8	Urban	6,845	166	46	-	3	1	11	7	11	4	23	974	111	8	3,437	3,288
9	Places of 50,000 to 100,000	2,458	68	17	-	-	1	2	2	5	-	5	355	35	4	1,222	1,165
10	Places of 25,000 to 50,000	1,345	28	7	-	-	-	-	2	1	3	4	202	19	2	708	689
11	Places of 10,000 to 25,000	1,012	24	9	-	-	-	5	-	1	-	5	144	17	1	492	472
12	Places of 2,500 to 10,000	2,030	46	13	-	3	-	4	3	4	1	9	273	40	1	1,015	962
13	Rural	10,583	258	62	2	5	11	37	25	13	15	44	1,213	133	17	4,893	4,686
14	METROPOLITAN COUNTIES	5,572	136	42	-	-	4	7	8	11	3	20	764	89	7	2,657	2,527
15	Urban	3,487	89	26	-	-	1	4	5	6	-	11	508	60	4	1,727	1,644
16	Places of 50,000 to 100,000	2,458	68	17	-	-	1	2	2	5	-	5	355	35	4	1,222	1,165
17	Places of 10,000 to 25,000	407	9	4	-	-	-	1	-	-	-	3	67	10	-	184	176
18	Places of 2,500 to 10,000	622	12	5	-	-	-	1	3	1	-	3	86	15	-	321	303
19	Rural	2,085	47	16	-	-	3	3	3	5	3	9	256	29	3	930	883
20	NONMETROPOLITAN COUNTIES	11,856	288	66	2	8	8	41	24	13	16	47	1,423	155	18	5,673	5,447
21	Urban	3,358	77	20	-	3	-	7	2	5	4	12	466	51	4	1,710	1,644
22	Places of 25,000 to 50,000	1,345	28	7	-	-	-	-	2	1	3	4	202	19	2	708	689
23	Places of 10,000 to 25,000	605	15	5	-	-	-	4	-	1	-	2	77	7	1	308	296
24	Places of 2,500 to 10,000	1,408	34	8	-	3	-	3	-	3	1	6	187	25	1	694	659
25	Rural	8,498	211	46	2	5	8	34	22	8	12	35	957	104	14	3,963	3,803
26	WISCONSIN	33,778	350	98	1	4	-	14	25	55	8	82	5,301	671	41	19,023	18,529
27	Urban	19,685	215	69	-	2	-	2	14	28	1	48	3,292	406	22	11,123	10,851
28	Places of 250,000 or more	6,483	114	29	-	-	-	1	4	5	1	16	1,190	122	8	3,682	3,607
29	Places of 50,000 to 100,000	2,417	25	12	-	-	-	-	2	4	-	8	404	66	6	1,290	1,255
30	Places of 25,000 to 50,000	4,472	41	15	-	1	-	-	2	8	-	7	725	83	4	2,527	2,454
31	Places of 10,000 to 25,000	2,427	15	5	-	-	-	-	4	8	-	6	386	43	2	1,400	1,374
32	Places of 2,500 to 10,000	3,886	20	8	-	1	-	1	2	3	-	11	587	92	2	2,224	2,161
33	Rural	14,093	135	29	1	2	-	12	11	27	5	34	2,009	265	19	7,900	7,678
34	METROPOLITAN COUNTIES	12,807	185	56	-	1	-	4	10	27	1	34	2,256	246	19	7,152	6,993
35	Urban	10,794	160	49	-	-	-	1	6	14	1	29	1,932	219	15	6,046	5,917
36	Places of 250,000 or more	6,483	114	29	-	-	-	1	4	5	1	16	1,190	122	8	3,682	3,607
37	Places of 50,000 to 100,000	2,417	25	12	-	-	-	-	2	4	-	8	404	66	6	1,290	1,255
38	Places of 25,000 to 50,000	1,144	14	7	-	-	-	-	-	1	-	2	203	17	-	630	620
39	Places of 10,000 to 25,000	461	5	1	-	-	-	-	-	2	-	2	85	9	1	273	268
40	Places of 2,500 to 10,000	289	2	-	-	-	-	-	-	2	-	1	50	5	-	171	167
41	Rural	2,013	25	7	-	1	-	3	4	13	-	5	304	27	4	1,106	1,075
42	NONMETROPOLITAN COUNTIES	20,971	165	42	1	3	-	10	15	28	5	48	3,065	425	22	11,871	11,536
43	Urban	8,891	55	20	-	2	-	1	8	14	-	19	1,380	187	7	5,077	4,934
44	Places of 25,000 to 50,000	3,328	27	8	-	1	-	-	2	7	-	5	522	66	4	1,897	1,834
45	Places of 10,000 to 25,000	1,966	10	4	-	-	-	-	4	6	-	4	301	34	1	1,127	1,106
46	Places of 2,500 to 10,000	3,597	18	8	-	1	-	1	2	1	-	10	537	87	2	2,053	1,994
47	Rural	12,080	110	22	1	1	-	9	7	14	5	29	1,705	238	15	6,794	6,602
48	WYOMING	2,336	18	11	-	-	1	-	1	7	1	8	291	33	3	1,038	1,006
49	Urban	1,337	10	9	-	-	-	-	1	3	1	6	176	21	1	618	592
50	Places of 25,000 to 50,000	269	4	1	-	-	-	-	1	-	-	-	32	7	-	125	122
51	Places of 10,000 to 25,000	543	2	2	-	-	-	-	-	2	-	3	84	8	-	240	228
52	Places of 2,500 to 10,000	525	4	6	-	-	-	-	-	1	1	3	60	6	1	253	242
53	Rural	999	8	2	-	-	1	-	-	4	-	2	115	12	2	420	414
54	NONMETROPOLITAN COUNTIES	2,336	18	11	-	-	1	-	1	7	1	8	291	33	3	1,038	1,006
55	Urban	1,337	10	9	-	-	-	-	1	3	1	6	176	21	1	618	592
56	Places of 25,000 to 50,000	269	4	1	-	-	-	-	1	-	-	-	32	7	-	125	122
57	Places of 10,000 to 25,000	543	2	2	-	-	-	-	-	2	-	3	84	8	-	240	228
58	Places of 2,500 to 10,000	525	4	6	-	-	-	-	-	1	1	3	60	6	1	253	242
59	Rural	999	8	2	-	-	1	-	-	4	-	2	115	12	2	420	414

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in Standard Metropolitan Areas as defined by the Bureau of the Census, except in New England where the counties are those in the Metropolitan State Economic Areas, also as defined by the Bureau of the Census. The category "nonmetropolitan counties" includes all other counties in the State. The "urban-rural" classification is based on the "old" (1940) definition of the Bureau of the Census, in which

politan and Nonmetropolitan Counties: United States and Each State, 1950—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-483	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,141	15	3,389	330	56	124	271	47	36	49	16	12	124	227	269	551	159	24	1,111	1
549	8	1,534	163	28	61	115	17	12	25	6	3	58	101	95	191	69	12	541	2
250	5	572	79	13	16	30	4	3	9	1	2	22	34	29	57	26	4	199	3
156	-	507	35	10	27	50	8	3	10	2	1	17	38	40	74	26	4	182	4
143	3	455	49	5	18	35	5	6	6	3	-	19	29	26	60	17	4	160	5
592	8	1,855	167	28	63	156	30	24	24	10	9	66	126	174	360	90	12	570	6
1,921	46	5,483	438	86	356	776	69	148	141	54	46	301	508	422	927	206	121	2,179	7
763	20	2,302	166	37	149	234	30	33	85	25	12	111	123	154	271	74	36	855	8
277	11	803	60	14	57	89	11	13	36	6	5	53	49	54	96	20	16	294	9
163	3	471	43	9	19	42	9	5	15	6	1	14	13	27	50	12	4	170	10
104	1	347	14	6	20	31	3	2	8	1	1	14	16	25	42	15	4	152	11
219	5	681	49	8	53	72	7	13	26	10	5	30	46	48	83	27	12	239	12
1,158	26	3,181	272	49	207	542	39	115	56	29	34	190	385	268	656	132	85	1,324	13
584	16	1,762	129	36	130	210	19	38	62	15	10	95	156	135	262	70	44	708	14
371	12	1,162	80	19	83	117	17	17	49	7	6	70	67	81	131	39	23	422	15
277	11	803	60	14	57	89	11	13	36	6	5	53	49	54	96	20	16	294	16
36	1	151	6	2	6	9	2	1	1	-	1	9	8	12	15	8	1	62	17
58	-	228	14	3	18	19	4	3	12	1	-	8	10	15	20	11	6	66	18
213	4	600	49	17	47	93	2	21	13	8	4	25	89	54	131	31	21	286	19
1,337	30	3,721	309	50	226	566	50	110	79	39	36	206	352	287	665	136	77	1,471	20
392	8	1,140	86	18	66	117	13	16	36	18	6	41	56	73	140	35	13	433	21
163	3	471	43	9	19	42	9	5	15	8	1	14	12	27	50	12	4	170	22
68	-	216	8	4	12	22	1	1	7	1	-	5	8	13	27	7	3	90	23
161	5	453	35	5	35	53	3	10	14	9	5	22	36	33	63	16	6	173	24
945	22	2,581	223	32	160	449	37	94	43	21	30	165	296	214	525	101	64	1,038	25
4,087	39	13,103	1,128	172	494	857	160	122	256	44	36	465	290	806	1,226	426	39	3,380	26
2,289	19	7,812	651	100	272	416	115	69	172	19	17	275	122	364	625	215	21	2,033	27
648	12	2,748	155	44	75	107	47	13	72	5	3	101	14	103	170	74	13	589	28
277	-	897	68	13	35	48	17	12	26	1	2	38	20	59	76	37	2	262	29
524	3	1,751	159	17	73	93	29	17	36	5	4	60	24	79	180	39	3	490	30
284	2	970	85	13	26	69	10	10	19	-	2	23	16	46	77	19	1	266	31
548	2	1,446	154	13	63	99	12	17	19	8	6	53	48	77	122	46	2	426	32
1,798	20	5,291	497	72	222	441	45	53	84	25	19	190	168	442	601	211	18	1,347	33
1,350	17	5,186	356	84	159	251	79	39	124	11	12	197	56	268	391	171	19	1,218	34
1,130	13	4,402	301	71	129	204	72	29	113	9	7	166	37	204	308	133	17	1,023	35
648	12	2,748	155	44	75	107	47	13	72	5	3	101	14	103	170	74	13	589	36
277	-	897	68	13	35	48	17	12	26	1	2	38	20	59	76	37	2	262	37
113	1	455	45	6	10	30	5	2	10	3	1	20	2	23	44	12	2	116	38
49	-	194	20	5	5	13	2	-	4	-	-	4	1	10	12	5	-	32	39
43	-	108	13	3	4	6	1	2	1	-	1	3	-	9	6	5	-	24	40
220	4	784	55	13	30	47	7	10	11	2	5	31	19	64	83	38	2	195	41
2,737	22	7,917	772	88	355	606	81	85	132	33	24	268	234	538	835	255	20	2,162	42
1,159	6	3,410	330	29	143	212	43	40	59	10	10	109	85	160	317	82	4	1,010	43
411	2	1,296	114	11	63	63	24	15	26	2	3	40	22	56	136	27	1	374	44
245	2	776	75	8	21	56	8	10	15	-	2	19	15	36	65	14	1	234	45
503	2	1,338	141	10	59	93	11	15	18	8	5	50	48	68	116	41	2	402	46
1,578	16	4,507	442	59	192	394	38	43	73	23	14	159	149	378	518	173	16	1,152	47
206	7	736	50	7	32	96	21	18	21	4	9	34	28	117	172	50	4	350	48
124	6	430	27	5	26	50	14	10	16	2	4	17	13	54	79	27	4	201	49
32	-	78	10	2	3	8	3	5	5	-	2	5	1	11	13	5	1	40	50
36	3	181	7	1	12	21	5	1	4	2	2	5	4	23	33	15	1	86	51
56	3	171	10	2	11	21	6	4	7	-	-	7	8	20	33	7	2	75	52
82	1	306	23	2	6	46	7	8	5	2	5	17	15	63	93	23	-	149	53
206	7	736	50	7	32	96	21	18	21	4	9	34	28	117	172	50	4	350	54
124	6	430	27	5	26	50	14	10	16	2	4	17	13	54	79	27	4	201	55
32	-	78	10	2	3	8	3	5	5	-	2	5	1	11	13	5	1	40	56
36	3	181	7	1	12	21	5	1	4	2	2	5	4	23	33	15	1	86	57
56	3	171	10	2	11	21	6	4	7	-	-	7	8	20	33	7	2	75	58
82	1	306	23	2	6	46	7	8	5	2	5	17	15	63	93	23	-	149	59

"urban" consists of incorporated places of 2,500 population or more in the 1950 Census and a number of other places defined as urban under special rules. For further discussion of the "metropolitan-nonmetropolitan" and "urban-rural" classifications, see text in Volume I, "Vital Statistics of the United States, 1950."

Table 59. Deaths From 32 Selected Causes:

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 088-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 330-334, 400-468, 592-594	Major cardiovascular-renal diseases 330-334, 400-468	Diseases of cardiovascular system
1	UNITED STATES	1,452,454	33,959	7,568	96	923	410	1,118	974	1,904	468	4,230	210,733	24,419	1,839	769,751	745,074
2	Alabama	26,660	819	171	3	34	25	51	27	18	12	128	2,866	269	62	12,391	11,686
3	Arizona	6,822	503	47	5	22	9	20	1	5	2	32	706	71	13	2,411	2,317
4	Arkansas	15,298	603	109	4	34	9	36	14	18	7	71	1,855	181	19	7,478	6,965
5	California	98,672	2,315	589	8	27	38	29	37	109	10	293	14,893	935	103	53,282	52,249
6	Colorado	12,578	268	55	-	7	-	6	10	11	10	44	1,751	152	8	6,005	5,827
7	Connecticut	18,908	316	90	-	-	1	3	8	22	1	32	3,345	383	18	10,822	10,590
8	Delaware	3,558	73	11	-	-	-	10	4	3	2	9	508	88	10	1,958	1,890
9	District of Columbia	8,867	270	76	1	1	-	1	8	14	-	23	1,425	121	18	4,535	4,412
10	Florida	27,939	517	186	1	22	8	8	18	20	4	104	3,671	390	57	14,292	13,733
11	Georgia	30,444	796	203	3	46	17	45	30	18	9	150	3,423	407	57	14,949	14,192
12	Idaho	4,714	57	21	1	-	1	6	7	11	2	14	529	82	3	2,348	2,262
13	Illinois	91,074	2,100	436	1	21	2	20	48	129	8	155	14,376	1,669	80	51,523	49,760
14	Indiana	40,374	762	237	-	8	9	26	20	85	20	109	5,506	713	42	22,529	21,846
15	Iowa	27,098	208	106	1	9	5	8	17	59	16	70	4,010	465	15	15,269	14,888
16	Kansas	19,234	183	103	-	3	-	7	17	41	-	52	2,733	341	13	10,607	10,184
17	Kentucky	27,600	1,076	90	3	58	32	51	48	45	30	125	3,199	341	42	13,786	13,198
18	Louisiana	23,899	734	273	9	23	6	29	24	22	10	126	3,192	338	68	11,623	11,141
19	Maine	9,868	143	36	-	-	1	6	5	9	2	16	1,562	149	15	5,540	5,341
20	Maryland	22,857	907	173	-	-	4	5	23	25	2	50	3,380	404	27	12,422	11,997
21	Massachusetts	49,370	1,009	162	-	3	10	10	17	10	2	83	8,564	960	49	28,169	27,571
22	Michigan	57,431	1,260	329	4	20	2	27	28	130	28	130	8,673	1,399	76	29,989	29,037
23	Minnesota	28,394	347	114	1	5	8	13	15	27	10	58	4,604	503	31	15,283	15,012
24	Mississippi	20,629	556	120	2	41	18	56	12	11	34	93	2,075	229	48	8,995	8,349
25	Missouri	43,954	912	264	2	9	8	55	20	27	13	128	6,396	733	52	23,800	22,719
26	Montana	5,789	108	30	-	2	2	10	2	3	-	14	708	67	6	2,746	2,679
27	Nebraska	12,541	101	37	1	2	3	7	11	20	12	36	2,024	259	10	6,546	6,350
28	Nevada	1,663	29	14	-	1	-	1	-	1	-	8	187	16	1	743	722
29	New Hampshire	6,102	58	28	-	-	1	2	2	2	-	15	934	110	4	3,652	3,561
30	New Jersey	47,976	1,129	173	2	2	-	4	17	62	26	105	7,972	938	42	27,633	26,959
31	New Mexico	5,589	273	40	1	34	3	24	1	8	8	24	460	36	14	1,650	1,578
32	New York	156,291	3,827	891	2	13	6	16	71	184	20	295	26,984	2,808	165	88,092	86,367
33	North Carolina	31,203	816	159	1	29	26	62	28	19	16	126	3,163	408	45	15,717	14,964
34	North Dakota	5,137	71	20	-	1	-	5	6	1	-	7	714	109	3	2,587	2,514
35	Ohio	80,517	1,662	498	2	11	8	49	69	106	27	201	12,041	1,794	86	43,553	42,449
36	Oklahoma	18,972	488	113	1	15	8	21	12	36	1	73	2,594	292	20	9,280	8,880
37	Oregon	14,011	180	69	1	2	7	5	6	25	2	24	2,129	171	19	7,428	7,270
38	Pennsylvania	109,727	2,461	397	3	9	8	65	54	99	11	256	16,399	2,417	114	61,268	59,037
39	Rhode Island	8,300	150	37	-	2	1	1	6	6	1	18	1,368	288	6	4,657	4,515
40	South Carolina	17,829	427	138	6	22	22	46	21	10	23	94	1,705	285	36	8,758	8,359
41	South Dakota	5,887	115	16	-	1	3	7	6	15	6	22	834	117	11	2,961	2,886
42	Tennessee	30,324	1,137	147	7	45	21	65	46	37	25	144	3,670	323	63	14,108	13,440
43	Texas	63,362	1,981	447	11	299	50	71	44	208	14	359	8,092	875	107	27,799	26,581
44	Utah	5,032	49	23	1	3	2	4	1	8	6	21	654	77	11	2,388	2,321
45	Vermont	4,166	70	14	-	-	-	4	2	1	-	13	619	59	6	2,365	2,315
46	Virginia	29,590	893	184	4	16	11	48	39	60	8	86	3,296	364	37	15,421	14,787
47	Washington	22,550	391	88	1	9	2	5	10	36	3	46	3,269	344	35	11,980	11,737
48	West Virginia	17,509	445	101	2	8	12	50	36	29	18	62	2,175	239	30	8,358	7,996
49	Wisconsin	33,847	355	94	1	4	-	17	25	54	6	80	5,262	666	40	19,103	18,615
50	Wyoming	2,298	11	11	-	-	1	-	1	5	1	6	240	33	1	1,056	1,026

United States and Each State, 1950

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
156,751	1,924	535,705	43,297	7,397	24,677	47,120	8,214	7,622	13,855	3,470	2,960	18,425	22,517	34,763	56,486	17,145	7,942	153,543	1
3,126	42	7,830	579	109	705	1,295	107	195	134	95	145	322	1,529	859	1,125	208	427	3,345	2
486	19	1,657	138	37	94	286	45	187	47	13	22	123	257	333	400	101	48	1,113	3
1,718	26	4,789	381	51	513	737	72	90	89	66	75	171	579	365	741	126	147	1,602	4
10,162	111	37,906	3,381	689	1,033	2,641	673	441	1,723	160	124	1,299	376	3,082	3,272	1,921	466	9,826	5
1,183	33	4,183	345	83	178	673	118	116	114	27	29	181	55	415	572	209	44	1,698	6
1,941	23	7,997	511	118	232	332	114	55	239	24	18	229	77	287	614	236	29	1,613	7
288	8	1,475	107	14	68	98	13	15	36	10	7	41	20	84	132	40	21	365	8
759	11	3,323	242	77	125	236	59	28	163	13	11	125	29	102	326	100	80	1,103	9
3,226	31	9,588	737	151	559	835	164	141	232	120	87	292	953	882	1,132	332	360	3,111	10
4,181	43	9,078	755	135	757	1,478	138	235	183	157	148	378	785	928	1,253	285	511	3,812	11
505	12	1,568	144	33	88	155	36	15	22	12	7	75	110	243	272	84	8	593	12
9,117	71	37,674	2,509	389	1,765	2,510	581	297	983	190	107	1,046	416	1,953	2,854	1,013	410	8,146	13
5,071	50	14,972	1,585	168	683	1,323	209	196	330	97	61	508	210	1,136	1,571	557	145	3,965	14
3,755	25	10,049	947	112	380	787	158	73	149	44	38	335	226	620	1,159	327	35	2,889	15
2,464	23	6,860	729	108	423	566	115	79	119	48	24	254	182	546	819	237	82	2,083	16
3,091	43	9,059	892	113	588	1,370	119	256	187	91	76	338	521	753	1,282	284	255	3,182	17
2,310	17	8,122	560	132	482	934	104	157	166	97	73	371	423	585	1,128	183	252	2,848	18
1,217	9	3,688	372	55	199	274	54	50	72	19	10	106	97	161	394	160	15	972	19
1,943	26	9,257	647	124	425	600	98	85	211	42	37	339	73	480	861	282	153	2,174	20
5,383	65	20,242	1,603	276	593	1,129	347	177	630	72	52	551	162	492	1,842	449	54	4,385	21
6,461	77	20,425	1,783	291	851	1,536	395	237	585	139	86	941	410	1,627	2,097	701	245	6,438	22
3,638	38	10,089	1,108	161	271	927	167	104	183	56	39	478	201	558	1,153	346	38	3,125	23
2,239	35	5,554	444	77	646	862	65	197	74	96	159	211	2,525	525	872	125	306	2,324	24
5,182	44	15,950	1,318	245	1,081	1,727	234	160	381	138	69	474	580	902	1,672	478	233	4,487	25
588	8	1,883	167	33	67	202	33	25	44	16	18	84	201	209	398	124	22	717	26
1,527	20	4,372	360	71	196	362	80	38	85	25	14	170	184	317	554	160	39	1,444	27
125	4	546	33	14	21	47	12	7	22	4	2	14	43	122	120	44	14	211	28
698	12	2,573	247	31	91	137	34	30	42	6	8	65	37	103	201	83	7	541	29
4,708	36	20,564	1,408	243	674	1,168	299	128	556	100	63	493	151	715	1,386	616	117	4,101	30
304	13	1,154	90	17	72	342	25	168	48	12	35	98	657	340	321	59	42	868	31
13,726	193	67,859	3,977	612	1,725	4,172	1,102	492	1,981	202	193	1,670	861	1,961	5,189	1,650	394	13,250	32
3,911	54	10,122	765	112	753	1,409	133	310	178	99	125	487	802	1,153	1,279	344	380	3,989	33
607	12	1,687	188	20	73	160	31	16	26	12	4	99	121	105	281	68	2	688	34
9,427	92	29,709	2,790	431	1,104	2,297	383	314	801	170	108	1,075	653	1,850	3,054	896	323	8,488	35
2,219	23	5,971	569	98	400	827	93	103	124	51	37	230	511	504	849	183	97	2,409	36
1,541	15	5,152	491	71	159	320	60	41	116	22	20	179	241	461	785	236	48	1,394	37
10,968	204	43,531	3,675	659	2,231	3,105	625	395	1,098	280	171	1,189	1,133	1,656	3,851	1,096	277	11,300	38
838	6	3,327	302	42	142	150	58	23	91	19	10	105	39	87	298	63	13	803	39
2,262	40	5,420	561	76	399	876	67	152	56	59	92	205	772	627	763	142	225	2,202	40
728	7	1,940	182	29	75	207	25	19	27	8	13	88	127	198	267	65	6	723	41
3,532	55	9,052	689	132	686	1,389	141	240	194	100	109	417	1,844	801	1,118	271	315	3,549	42
6,011	78	16,765	1,419	308	1,218	2,688	225	971	491	203	218	975	1,533	2,499	3,027	702	736	8,737	43
444	16	1,724	105	32	67	154	35	24	20	16	6	117	190	199	282	60	10	671	44
545	2	1,567	183	18	50	139	22	13	32	7	10	52	44	69	191	52	2	580	45
3,708	38	9,917	950	174	634	1,238	143	185	178	96	87	389	439	929	1,235	360	304	3,559	46
2,650	27	8,176	730	154	243	671	133	72	175	41	24	281	342	534	1,130	420	62	2,446	47
1,933	44	5,497	436	86	362	785	78	146	141	49	44	288	506	400	860	207	120	2,226	48
4,116	38	13,156	1,130	175	488	863	161	125	258	44	36	458	288	857	1,243	429	39	3,541	49
209	6	746	56	9	30	101	17	17	19	3	9	29	24	149	183	51	4	326	50

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 056-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1	UNITED STATES----	1,452,454	33,959	7,588	96	923	410	1,118	974	1,904	468	4,230	210,733	24,419	1,839	769,751	745,074
2	ALABAMA----------	26,836	858	165	3	30	23	50	28	18	11	130	2,933	274	59	12,425	11,720
3	Autauga----------	206	7	-	-	-	-	-	-	-	-	3	22	2	-	99	92
4	Baldwin----------	344	5	4	-	1	1	-	-	-	-	3	40	3	1	163	157
5	Barbour----------	289	3	1	-	-	-	-	-	-	1	1	23	-	-	131	129
6	Bibb-------------	179	3	-	-	-	-	-	1	-	-	-	21	1	-	89	87
7	Blount-----------	205	5	1	-	-	1	-	1	-	-	-	27	4	-	86	86
8	Bullock----------	211	5	3	-	2	-	-	1	-	-	-	20	-	1	92	89
9	Butler-----------	283	6	2	-	-	-	1	-	-	-	2	26	1	2	131	128
10	Calhoun----------	656	24	5	-	1	-	2	-	-	-	1	79	9	1	313	286
11	Anniston---------	316	11	4	-	-	-	1	-	-	-	1	30	2	1	158	145
12	Balance of county----	340	13	1	-	1	-	1	-	-	-	-	49	7	-	155	141
13	Chambers---------	354	8	1	-	-	1	1	1	-	1	1	37	3	1	171	165
14	Cherokee---------	115	2	1	-	-	-	-	2	1	-	-	17	-	-	53	51
15	Chilton----------	244	-	-	-	-	-	-	-	-	-	1	31	-	-	121	116
16	Choctaw----------	166	4	-	-	-	-	-	-	-	-	3	9	3	-	70	61
17	Clarke-----------	245	8	1	-	1	-	-	-	2	-	2	28	3	-	103	99
18	Clay-------------	96	4	-	-	-	-	-	-	-	-	-	16	-	-	43	40
19	Cleburne---------	98	1	-	-	-	1	-	-	-	-	-	17	3	-	44	44
20	Coffee-----------	208	2	-	-	1	-	-	-	2	-	-	19	1	-	102	93
21	Colbert----------	323	8	1	-	-	-	1	1	-	-	1	34	4	-	165	160
22	Sheffield--------	104	2	1	-	-	-	-	-	-	-	-	10	1	-	54	53
23	Balance of county----	219	6	-	-	-	-	1	1	-	-	1	24	3	-	111	107
24	Conecuh----------	222	2	1	-	-	1	-	-	-	-	1	21	-	-	99	91
25	Coosa------------	108	2	-	-	-	-	-	-	-	-	-	15	1	-	57	55
26	Covington--------	333	6	4	-	1	-	1	-	-	-	4	39	10	-	162	156
27	Crenshaw---------	146	4	-	-	-	-	-	-	-	-	1	12	3	1	71	67
28	Cullman----------	341	8	3	-	-	-	1	-	-	-	4	46	3	-	162	140
29	Dale-------------	161	3	1	-	-	-	-	-	-	-	1	12	-	-	82	91
30	Dallas-----------	638	17	4	-	-	-	2	1	-	1	2	51	6	1	268	254
31	Selma------------	297	9	2	-	-	-	-	-	-	1	-	20	3	1	154	152
32	Balance of county----	341	8	2	-	-	-	2	1	-	-	2	31	3	-	114	102
33	De Kalb----------	316	5	1	-	-	-	-	-	1	-	2	45	3	-	144	139
34	Elmore-----------	314	6	1	-	-	2	-	-	-	-	1	45	1	-	118	106
35	Escambia---------	267	1	-	-	-	2	2	-	1	-	-	37	1	-	129	115
36	Etowah-----------	666	30	3	-	-	-	2	1	1	-	4	63	7	1	294	282
37	Gadsden----------	359	19	2	-	-	-	2	-	-	-	2	41	2	1	147	141
38	Balance of county----	307	11	1	-	-	-	-	1	1	-	2	22	5	-	147	141
39	Fayette----------	160	5	1	-	-	-	1	-	-	-	1	29	1	-	76	71
40	Franklin---------	201	4	-	-	1	1	-	1	-	-	2	23	-	1	94	90
41	Geneva-----------	220	2	1	-	-	-	-	-	-	-	1	20	1	-	117	111
42	Greene-----------	205	6	4	-	-	-	1	-	-	-	1	18	2	1	81	77
43	Hale-------------	250	4	4	-	-	-	2	-	-	-	-	17	2	-	139	135
44	Henry------------	148	1	-	-	-	-	-	-	-	-	1	16	-	-	65	61
45	Houston----------	401	7	2	-	-	1	-	2	-	-	4	35	3	-	194	178
46	Dothan-----------	193	6	2	-	-	-	-	1	-	-	1	15	2	-	92	84
47	Balance of county----	208	1	-	-	-	1	-	1	-	-	3	20	1	-	102	94
48	Jackson----------	297	12	1	-	4	2	-	-	-	-	1	34	1	-	119	114
49	Jefferson--------	5,118	223	45	-	2	-	7	1	1	-	15	636	63	19	2,382	2,308
50	Birmingham-------	3,047	136	27	-	1	-	4	1	1	-	9	406	40	10	1,453	1,415
51	Bessemer---------	338	14	3	-	-	-	-	-	-	-	-	33	5	4	153	137
52	Fairfield--------	113	2	1	-	-	-	-	-	-	-	1	10	2	1	50	50
53	Homewood---------	92	1	1	-	-	-	-	-	-	-	-	12	1	-	53	53
54	Balance of county----	1,528	70	13	-	1	-	3	-	-	-	5	175	15	4	673	653
55	Lamar------------	108	1	1	-	1	1	-	-	-	-	-	11	2	-	58	51
56	Lauderdale-------	442	21	1	-	-	-	1	1	-	-	2	52	7	1	189	175
57	Florence---------	212	4	-	-	-	-	-	-	-	-	-	25	2	-	102	95
58	Balance of county----	230	17	1	-	-	-	1	1	-	-	2	27	5	1	87	80
59	Lawrence---------	212	6	1	-	-	1	1	1	-	-	-	24	1	-	83	80
60	Lee--------------	373	6	2	-	-	-	2	1	1	-	3	44	3	2	174	153
61	Auburn-----------	42	-	1	-	-	-	-	-	-	-	-	7	-	-	22	19
62	Opelika----------	126	4	1	-	-	-	1	-	1	-	2	15	-	-	57	53
63	Balance of county----	205	2	-	-	-	-	1	1	-	-	1	22	3	2	95	81
64	Limestone--------	297	11	1	-	-	-	3	2	-	2	7	20	3	-	145	140
65	Lowndes----------	214	5	3	-	-	-	1	-	-	-	1	15	4	-	73	72
66	Macon------------	288	8	1	-	-	-	-	-	-	-	-	18	2	-	145	137
67	Madison----------	699	29	3	-	1	1	4	-	-	-	6	73	11	1	321	297
68	Huntsville-------	321	15	2	-	1	-	-	-	-	-	2	39	5	1	150	135
69	Balance of county----	378	14	1	-	-	1	4	-	-	-	4	34	6	-	171	162
70	Marengo----------	330	5	2	-	-	-	-	-	-	1	2	20	4	-	155	134
71	Marion-----------	153	4	-	1	1	-	1	1	-	-	2	20	1	-	60	57
72	Marshall---------	346	12	1	-	-	1	-	1	-	-	-	38	4	-	155	138
73	Mobile-----------	1,957	88	12	-	6	1	-	1	2	-	9	240	16	9	953	883
74	Mobile-----------	1,158	52	7	-	5	-	-	1	-	-	7	149	10	6	573	528
75	Prichard---------	207	16	2	-	-	-	-	-	-	-	-	19	-	1	84	75
76	Balance of county----	592	20	3	-	1	1	-	-	2	-	2	72	6	2	296	280
77	Monroe-----------	237	2	2	-	3	1	-	1	-	-	2	22	4	1	120	109
78	Montgomery-------	1,371	46	10	-	3	3	5	1	2	-	6	143	8	5	674	642
79	Montgomery-------	1,058	40	9	-	3	1	5	1	1	-	2	120	6	5	531	505
80	Balance of county----	313	6	1	-	-	2	-	-	1	-	4	23	2	-	143	137
81	Morgan-----------	475	11	3	-	-	-	-	1	-	1	3	55	6	1	225	217
82	Decatur----------	196	4	2	-	-	-	-	-	-	-	1	24	1	-	102	98
83	Balance of county----	279	7	1	-	-	-	-	1	-	1	2	31	5	1	123	119
84	Perry------------	187	5	1	-	-	-	-	-	-	-	3	20	5	-	87	80
85	Pickens----------	213	9	-	1	-	-	1	-	-	-	-	19	5	-	105	100
86	Pike-------------	298	4	2	-	-	-	-	1	-	-	2	34	4	-	141	135
87	Randolph---------	189	3	1	-	-	-	-	-	-	-	-	19	1	-	83	73
88	Russell----------	416	13	-	-	-	-	1	-	1	-	4	34	2	-	196	185
89	Phenix City------	215	5	-	-	-	-	1	-	1	-	2	24	-	-	97	94
90	Balance of county----	201	8	-	-	-	-	-	-	-	-	2	10	2	-	99	91

State and County, and Specified Urban Places, 1950

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-483	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
156,751	1,924	535,705	43,297	7,397	24,677	47,120	8,214	7,622	13,855	3,470	2,960	18,425	22,517	54,763	56,486	17,145	7,942	153,543	1
3,155	41	7,836	580	108	705	1,292	109	194	133	99	143	327	1,536	855	1,150	209	432	3,370	2
17	1	66	7	1	7	17	2	1	1	-	1	-	21	4	6	-	3	17	3
30	2	111	12	2	6	27	1	2	-	3	1	6	18	17	11	1	3	29	4
40	-	85	4	-	2	20	-	3	1	1	4	-	24	19	16	4	3	34	5
24	-	61	1	1	2	6	-	4	1	2	3	2	7	2	13	1	2	21	6
26	-	54	6	-	-	21	1	1	1	-	-	3	5	3	9	2	-	32	7
28	1	53	6	1	3	10	1	2	-	1	1	-	33	8	10	-	3	18	8
35	-	89	4	-	3	7	2	6	-	-	3	3	21	10	15	-	4	41	9
83	2	187	13	1	27	27	4	12	-	2	1	11	31	19	23	4	13	74	10
40	1	97	7	-	13	11	2	7	-	2	1	7	20	5	9	3	9	32	11
43	1	90	6	1	14	16	2	5	-	-	-	4	11	14	14	1	4	42	12
40	1	116	7	1	6	8	-	4	2	1	1	6	14	13	23	-	12	44	13
10	2	35	2	2	2	4	-	1	-	-	1	2	6	7	7	1	1	9	14
28	-	84	4	-	5	15	2	1	1	-	2	6	12	8	15	1	4	24	15
22	-	37	2	-	9	9	-	1	-	-	4	1	20	4	12	1	3	22	16
20	-	74	5	-	4	6	1	1	1	1	-	7	25	10	14	2	2	27	17
19	-	21	-	-	3	9	-	-	1	-	3	1	5	2	2	-	-	10	18
14	-	28	2	-	-	1	-	-	-	-	-	-	6	4	6	1	-	14	19
34	1	55	3	-	9	16	-	-	-	-	1	5	7	10	11	2	2	27	20
39	-	116	2	3	5	21	-	3	1	3	3	3	8	7	18	3	3	35	21
11	-	42	-	-	1	5	-	1	-	-	1	1	-	3	7	1	1	16	22
28	-	74	2	3	4	16	-	2	1	3	2	2	8	4	11	2	2	19	23
30	-	55	6	-	8	11	-	2	1	-	2	3	31	8	13	4	1	21	24
23	-	30	2	-	2	5	1	-	-	-	-	1	7	5	-	2	-	12	25
41	-	106	5	4	6	10	1	1	3	1	2	5	11	9	17	7	4	35	26
23	-	41	3	-	4	9	-	1	1	-	-	2	8	8	4	-	2	19	27
40	1	91	6	2	22	10	1	2	1	2	-	3	8	12	14	6	1	54	28
22	-	86	2	1	1	9	1	2	-	-	2	1	2	8	5	1	4	17	29
73	2	183	12	4	14	39	1	9	9	2	9	3	80	17	22	8	5	81	30
47	2	98	4	3	2	14	-	5	4	1	3	2	13	4	10	5	1	45	31
26	-	67	8	1	12	25	1	4	5	1	6	1	67	13	12	3	4	36	32
41	2	88	6	2	5	12	1	1	1	1	2	5	23	12	11	5	-	41	33
33	-	70	3	-	12	18	4	2	2	2	3	4	37	12	11	2	3	40	34
26	-	88	1	-	14	20	-	2	1	3	-	4	11	11	7	-	3	32	35
72	1	193	16	-	12	29	2	8	2	2	2	8	37	31	26	6	11	96	36
38	1	95	7	-	6	18	-	3	2	1	1	3	22	13	14	4	6	56	37
34	-	98	9	-	6	11	2	5	-	1	1	5	15	18	12	2	5	40	38
20	-	49	1	1	5	11	-	-	1	-	-	-	4	2	10	1	-	17	39
27	-	55	6	2	4	21	-	-	-	1	1	3	6	3	9	4	-	26	40
30	-	71	10	-	6	6	1	2	-	-	1	3	9	8	9	2	3	34	41
20	-	48	8	1	4	12	-	1	-	2	1	2	49	3	3	-	2	16	42
37	1	91	4	2	4	13	1	1	-	-	-	2	22	8	10	1	1	25	43
19	-	34	7	1	4	6	-	5	1	1	1	1	16	2	5	3	3	21	44
56	-	110	12	-	16	30	3	1	2	-	3	4	18	27	7	4	8	46	45
23	-	60	1	-	8	13	2	-	2	-	2	1	7	11	1	2	7	26	46
33	-	50	11	-	8	17	1	1	-	-	1	3	11	16	6	2	1	20	47
36	-	71	7	-	5	32	-	1	5	1	1	3	14	9	16	-	2	39	48
573	5	1,582	118	30	74	221	32	24	31	13	22	67	173	147	195	29	105	662	49
357	1	972	67	18	38	116	22	15	20	9	12	34	118	76	114	15	62	348	50
33	1	95	7	1	16	14	2	3	1	1	2	5	8	10	17	2	6	55	51
11	-	35	3	1	-	4	1	-	2	-	-	-	3	3	8	-	2	23	52
13	-	36	3	1	-	4	1	-	1	-	-	-	-	5	1	1	1	10	53
159	3	444	38	9	20	86	6	6	7	3	8	28	44	53	55	11	34	228	54
15	-	35	1	-	7	5	1	-	-	-	-	2	7	3	5	2	-	8	55
50	1	113	8	3	14	17	2	8	2	3	1	8	18	17	22	4	3	62	56
25	-	65	5	2	7	10	-	5	2	1	1	4	9	8	9	-	3	27	57
27	1	48	3	1	7	7	2	3	-	2	-	4	9	9	13	4	-	35	58
18	-	56	4	2	3	13	-	3	1	2	2	5	13	8	15	3	5	26	59
42	1	93	15	2	21	17	5	2	-	3	5	4	20	15	16	3	6	39	60
2	1	14	2	-	3	2	1	-	-	-	1	-	2	1	1	-	1	3	61
14	-	35	3	1	4	4	2	2	-	1	3	2	1	8	3	1	2	16	62
26	-	44	10	1	14	11	2	-	-	2	1	2	17	6	12	2	3	20	63
30	-	103	6	1	5	13	-	1	1	1	2	6	12	11	8	2	1	45	64
27	-	36	9	-	1	12	1	2	-	1	3	1	61	3	7	-	5	16	65
54	-	76	5	2	8	11	-	-	1	3	5	2	32	9	11	1	1	38	66
82	2	200	12	1	24	33	1	10	2	-	5	8	47	21	23	3	8	88	67
34	-	94	7	-	15	8	-	5	-	-	1	5	19	11	11	-	4	42	68
48	2	106	5	1	9	25	1	5	2	-	4	3	28	10	12	3	4	46	69
45	-	82	3	4	21	21	2	2	2	5	3	5	29	5	7	4	6	50	70
18	-	37	1	1	3	13	-	2	1	1	1	4	7	3	11	1	-	18	71
21	2	106	7	2	17	14	2	3	2	-	2	7	12	13	21	3	3	52	72
168	-	663	43	9	70	68	6	6	12	10	8	29	23	40	83	14	46	275	73
102	-	390	28	8	45	43	2	3	5	3	3	12	9	25	53	9	21	160	74
23	-	49	3	-	3	11	-	1	2	-	2	6	2	2	6	2	9	42	75
43	-	224	12	1	16	14	4	2	5	7	5	11	12	13	24	3	16	73	76
45	-	60	4	-	11	9	1	4	-	1	-	2	18	9	10	-	4	21	77
150	2	446	41	3	32	50	5	7	13	8	3	10	45	38	60	10	37	179	78
119	2	358	23	3	26	36	3	4	11	5	3	9	20	22	42	8	26	145	79
31	-	88	18	-	6	14	2	3	2	3	-	1	25	16	18	2	11	34	80
70	2	132	10	3	8	27	2	5	3	1	2	9	33	12	21	7	4	43	81
34	1	58	5	-	4	13	1	2	2	-	1	3	11	3	5	3	3	15	82
36	1	74	5	3	4	14	1	3	1	1	1	6	22	9	16	4	1	28	83
22	-	52	5	1	7	8	1	2	-	-	-	1	32	3	6	1	2	10	84
31	-	61	7	1	5	1	-	-	2	-	1	-	15	8	7	3	9	27	85
60	1	64	9	1	6	15	-	5	1	2	3	3	12	16	11	4	3	35	86
18	-	54	1	-	10	10	1	-	-	-	-	2	16	7	12	2	5	27	87
66	1	109	8	1	11	29	3	5	2	1	2	6	15	12	19	6	4	61	88
32	-	59	3	-	3	12	3	2	1	-	-	2	7	8	6	3	4	37	89
34	1	50	5	1	8	17	-	3	1	1	2	4	8	4	13	3	-	24	90

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ALABAMA—Continued																
1	St. Clair	258	18	-	-	1	1	1	-	-	-	-	18	5	1	119	116
2	Shelby	240	5	-	-	-	-	-	1	1	-	-	32	-	-	104	99
3	Sumter	255	5	3	-	-	-	-	-	-	-	1	29	3	-	88	79
4	Talladega	503	30	3	1	-	-	1	-	-	-	2	46	9	4	208	186
5	Talladega	105	8	1	-	-	-	-	-	-	-	-	16	-	-	51	49
6	Balance of county	398	22	2	1	-	-	1	-	-	-	2	30	9	4	152	137
7	Tallapoosa	296	6	1	-	-	-	1	-	-	1	2	30	3	1	144	136
8	Tuscaloosa	736	16	10	-	-	-	-	2	1	-	4	73	4	2	362	340
9	Tuscaloosa	364	7	4	-	-	-	-	2	1	-	1	37	2	2	183	172
10	Balance of county	372	9	6	-	-	-	-	-	-	-	3	36	2	-	179	168
11	Walker	481	10	2	-	-	-	-	-	1	-	2	60	3	1	201	192
12	Washington	139	5	-	-	-	-	-	-	-	-	-	11	2	-	63	56
13	Wilcox	262	5	3	-	-	-	3	-	-	2	3	19	5	-	107	84
14	Winston	129	6	-	-	-	-	-	-	-	1	-	14	2	-	53	50
15	ARIZONA	6,422	447	46	5	22	8	21	1	6	2	29	706	63	14	2,281	2,193
16	Apache	269	48	4	1	-	5	-	-	-	1	5	13	-	3	22	20
17	Cochise	324	8	6	-	-	1	-	-	-	-	2	33	5	-	159	151
18	Coconino	170	19	1	-	1	1	5	-	-	-	-	12	3	3	34	31
19	Gila	243	10	3	-	-	-	4	-	-	-	-	21	5	-	66	78
20	Graham	114	5	-	-	-	-	1	-	-	-	-	17	1	-	37	36
21	Greenlee	88	4	-	-	-	-	-	-	1	-	-	12	2	-	30	28
22	Maricopa	2,757	169	13	3	8	1	-	-	4	-	15	340	23	2	1,088	1,065
23	Phoenix	1,309	81	7	-	2	-	-	-	1	-	5	166	13	1	547	538
24	Mesa	104	6	-	-	-	-	-	-	-	-	1	12	-	-	49	48
25	Balance of county	1,344	82	6	3	6	1	-	-	3	-	9	162	10	1	492	479
26	Mohave	91	7	3	-	-	-	-	-	-	-	-	5	2	-	32	31
27	Navajo	238	38	1	-	-	-	7	-	-	-	1	12	2	-	51	48
28	Pima	1,085	90	4	-	2	-	1	-	1	1	3	137	11	3	400	381
29	Tucson	872	73	4	-	1	-	-	-	1	-	3	121	11	3	356	340
30	Balance of county	213	17	-	-	1	-	1	-	-	1	-	16	-	-	44	41
31	Pinal	407	21	5	1	9	-	2	1	-	-	2	37	4	1	113	102
32	Santa Cruz	66	3	-	-	1	-	-	-	-	-	-	7	-	-	23	23
33	Yavapai	267	12	2	-	-	-	-	-	-	-	-	38	4	-	117	116
34	Yuma	243	13	4	-	1	-	1	-	-	-	1	22	1	2	89	83
35	ARKANSAS	15,411	615	104	4	32	10	36	15	20	6	73	1,897	180	21	7,449	6,927
36	Arkansas	166	3	1	-	-	-	-	-	-	-	-	20	-	1	77	75
37	Ashley	173	5	3	-	1	-	-	-	1	-	-	14	2	1	82	66
38	Baxter	107	9	-	-	-	-	-	-	-	-	-	21	3	-	49	45
39	Benton	368	9	-	-	-	-	-	-	-	-	1	47	6	-	201	189
40	Boone	118	2	-	-	-	-	-	-	-	-	1	16	3	-	59	53
41	Bradley	133	11	-	-	2	-	-	-	-	-	1	16	4	-	57	53
42	Calhoun	49	3	-	-	-	-	-	-	-	-	-	8	-	-	28	28
43	Carroll	133	8	-	-	1	-	-	-	-	-	2	20	-	-	86	58
44	Chicot	227	10	1	-	1	-	-	-	-	1	1	19	2	1	105	97
45	Clark	170	8	-	-	-	-	-	-	-	-	-	20	2	-	81	72
46	Clay	214	4	2	-	1	-	1	1	-	-	2	26	1	-	110	90
47	Cleburne	87	3	-	-	1	-	-	-	-	-	-	7	2	-	43	38
48	Cleveland	82	3	-	-	-	1	-	-	-	-	-	9	-	-	43	40
49	Columbia	191	12	-	-	1	-	-	-	-	-	1	14	2	-	94	86
50	Conway	182	6	2	-	-	-	-	-	-	-	-	26	1	-	98	92
51	Craighead	369	10	1	-	1	-	-	1	-	-	3	43	4	-	184	163
52	Jonesboro	143	6	1	-	-	-	-	-	-	-	1	14	1	-	78	71
53	Balance of county	226	4	-	-	1	-	-	1	-	-	2	29	3	-	106	92
54	Crawford	185	4	1	-	-	-	1	-	1	-	1	21	1	2	98	95
55	Crittenden	418	16	3	-	1	-	3	-	1	-	1	42	3	1	163	155
56	Cross	205	10	-	-	-	-	-	-	-	-	-	24	1	-	90	88
57	Dallas	101	4	-	-	-	-	-	-	-	-	-	16	1	-	56	51
58	Desha	197	6	4	-	-	-	2	-	-	-	-	18	1	1	100	88
59	Drew	136	5	2	-	-	-	-	-	-	-	-	21	3	-	67	65
60	Faulkner	163	4	1	-	-	1	2	-	-	-	1	24	-	-	79	76
61	Franklin	117	5	-	-	-	-	1	-	-	-	-	12	-	-	62	58
62	Fulton	73	1	-	-	-	-	-	-	-	-	-	11	2	-	37	37
63	Garland	559	27	4	-	1	-	-	1	-	-	3	74	9	5	291	273
64	Hot Springs	453	18	3	-	1	-	-	-	-	-	3	58	9	4	242	226
65	Balance of county	106	9	1	-	-	-	-	1	-	-	-	16	-	1	49	47
66	Grant	63	-	-	-	-	-	-	-	-	-	-	7	-	1	32	31
67	Greene	221	5	-	-	1	1	-	1	1	1	2	36	3	-	117	111
68	Hempstead	203	7	2	-	-	-	-	-	-	-	1	23	2	1	101	91
69	Hot Spring	140	7	-	-	-	-	-	-	-	-	-	17	1	-	64	61
70	Howard	102	2	-	-	-	-	-	-	-	-	1	15	-	-	55	53
71	Independence	173	6	-	-	-	-	-	-	-	-	1	26	-	-	98	88
72	Izard	71	1	-	-	-	-	-	-	1	-	-	10	-	-	34	30
73	Jackson	205	10	-	-	1	1	1	-	-	-	2	17	3	-	98	94
74	Jefferson	874	34	9	-	3	-	1	-	-	1	5	80	9	-	331	313
75	Pine Bluff	406	15	7	-	2	-	-	-	-	-	3	45	6	-	215	204
76	Balance of county	268	19	2	-	1	-	1	-	-	1	2	35	3	-	116	109
77	Johnson	137	6	-	-	-	-	-	-	-	-	1	18	-	-	73	70
78	Lafayette	106	6	1	-	-	-	-	-	-	-	-	15	-	1	44	43
79	Lawrence	177	5	2	-	-	-	-	-	-	-	2	21	-	1	89	84
80	Lee	199	6	-	-	1	-	1	-	1	-	1	19	1	-	98	95
81	Lincoln	122	7	2	-	-	-	1	-	-	-	-	20	3	-	49	45
82	Little River	115	3	-	-	-	-	-	-	-	-	-	8	-	-	62	58
83	Logan	141	9	-	-	-	-	1	-	-	-	2	25	5	-	58	53
84	Lonoke	229	14	2	-	-	-	-	-	-	-	2	22	3	-	105	99
85	Madison	81	2	-	-	1	-	-	-	-	-	1	8	2	-	42	35

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1945)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
26	-	82	7	1	3	9	1	-	1	-	1	3	8	11	13	3	5	39	1
23	2	66	8	-	5	14	1	-	-	1	-	2	24	7	16	1	7	24	2
21	1	52	4	1	9	16	-	2	-	1	2	-	55	6	11	-	8	25	3
51	1	117	15	2	17	27	3	8	3	5	2	5	17	10	26	4	15	79	4
11	-	31	6	1	2	4	-	1	-	2	2	1	-	3	1	1	5	9	5
40	1	86	9	1	15	23	3	7	3	3	-	4	17	7	25	3	10	70	6
47	1	84	3	1	8	10	2	2	1	-	1	3	12	15	13	5	5	38	7
86	-	242	11	1	22	28	4	4	4	3	1	11	26	27	36	8	10	100	8
39	-	127	5	1	11	7	1	1	3	3	-	2	4	14	23	5	5	57	9
47	-	115	6	-	11	21	3	3	1	-	1	9	22	13	13	3	5	43	10
59	-	126	6	1	9	32	1	-	5	-	3	5	33	18	26	6	5	67	11
14	-	41	1	-	7	5	-	-	1	1	3	1	12	4	10	-	2	19	12
30	2	43	8	1	23	5	1	4	1	1	-	1	44	9	13	-	3	33	13
15	-	31	3	1	3	9	-	-	1	-	1	2	9	8	6	1	-	16	14
466	18	1,530	140	39	86	282	43	184	45	12	22	125	239	278	351	95	43	1,052	15
3	1	15	1	-	2	30	2	19	1	-	2	4	34	12	13	-	1	49	16
48	-	90	11	2	8	13	3	3	6	-	-	4	7	12	10	5	2	45	17
9	1	17	4	-	3	8	-	16	-	-	3	4	7	8	14	3	3	25	18
17	-	50	9	2	6	15	-	10	6	1	3	3	17	10	13	3	2	31	19
2	1	28	3	2	1	9	1	2	1	-	1	8	3	7	6	-	1	16	20
6	-	20	2	-	2	1	-	-	2	-	-	1	3	7	4	1	1	19	21
222	9	757	58	19	23	81	25	37	12	7	6	53	67	127	127	48	16	485	22
107	4	389	31	7	9	31	13	11	7	2	1	17	33	54	45	25	12	235	23
17	-	30	1	-	1	7	1	-	2	-	1	4	-	5	3	2	-	11	24
98	5	338	26	12	13	43	11	26	3	5	4	32	34	68	79	21	4	239	25
5	-	24	2	-	1	2	1	2	-	-	-	-	2	7	10	2	3	13	26
9	1	33	4	1	3	33	1	34	-	-	1	8	17	6	26	5	1	54	27
81	3	270	20	7	19	37	8	24	8	3	1	25	25	44	67	15	4	171	28
72	3	242	16	7	16	22	7	11	8	1	1	18	9	29	39	9	2	143	29
9	-	28	4	-	3	15	1	13	-	2	-	7	16	15	28	6	2	28	30
19	-	67	13	3	11	31	1	25	4	-	3	7	34	16	22	4	8	56	31
4	-	18	1	-	-	6	-	6	1	-	-	2	3	1	4	-	-	9	32
21	1	87	6	1	1	9	-	1	1	1	1	4	15	8	10	7	-	37	33
20	1	54	6	2	6	7	1	5	3	-	1	4	5	13	25	2	1	42	34
1,696	28	4,763	384	56	522	738	71	94	87	66	74	177	576	383	755	136	149	1,643	35
20	-	53	2	-	2	4	1	-	1	1	-	1	11	5	10	3	3	24	36
19	-	44	3	-	16	10	-	1	-	1	1	-	7	5	13	2	6	18	37
12	1	32	-	-	4	4	1	3	1	-	-	2	2	3	3	-	-	6	38
44	1	128	14	2	12	13	4	-	-	2	3	5	8	8	14	2	-	45	39
13	-	38	2	-	6	10	-	-	-	-	-	-	4	1	5	1	1	15	40
12	-	40	1	-	4	5	-	-	1	-	1	3	5	2	6	-	-	19	41
3	-	25	-	-	-	1	-	-	-	-	-	-	2	-	5	-	-	2	42
24	-	30	4	-	8	7	1	1	-	-	1	2	3	3	3	1	1	13	43
16	-	78	3	-	8	3	1	-	1	2	1	5	22	5	16	3	4	23	44
16	1	52	3	-	9	5	-	-	-	-	2	1	4	7	17	1	3	19	45
24	-	62	3	1	20	11	-	1	-	-	-	4	4	9	12	6	1	18	46
5	-	30	3	-	5	4	2	1	-	2	-	4	-	3	4	-	1	10	47
8	-	26	4	2	3	1	4	-	-	-	-	1	6	3	3	1	-	7	48
20	1	54	9	2	8	9	1	-	1	-	1	6	8	3	5	3	5	25	49
17	1	74	-	-	6	10	-	1	2	1	1	3	3	4	7	2	2	14	50
39	1	116	7	-	21	14	-	2	2	1	2	9	9	11	18	7	2	45	51
18	-	49	4	-	7	3	-	2	-	1	2	3	5	6	5	1	2	12	52
21	1	67	3	-	14	11	-	-	2	-	-	6	4	5	13	6	-	33	53
15	-	63	14	2	3	13	1	1	1	-	-	1	3	4	8	-	-	18	54
54	1	84	15	1	8	8	-	6	4	-	5	2	59	18	38	-	7	37	55
23	-	58	5	2	2	10	2	3	1	1	3	5	8	7	15	3	4	18	56
14	-	32	5	-	5	5	-	-	-	-	2	-	2	5	6	-	1	3	57
23	1	61	2	1	12	9	1	3	1	-	3	1	4	6	10	2	2	23	58
23	1	37	4	-	2	6	2	-	-	1	1	1	4	1	10	1	3	8	59
21	-	51	4	-	3	5	-	-	-	4	-	1	3	6	3	2	-	27	60
18	-	33	7	-	4	3	1	-	-	1	-	3	3	4	1	4	-	17	61
10	-	27	-	-	-	3	-	-	1	-	1	3	4	-	2	2	-	6	62
52	3	208	10	-	18	26	1	-	5	4	1	6	2	14	21	5	3	56	63
42	3	172	9	-	16	24	-	-	2	4	1	5	-	11	17	3	3	45	64
10	-	36	1	-	2	2	1	-	3	-	-	1	2	3	4	2	-	11	65
12	2	15	2	-	1	2	-	-	-	-	-	2	3	3	4	1	-	8	66
23	-	84	4	-	6	9	-	-	1	-	1	2	3	4	11	1	-	21	67
24	-	58	8	1	10	12	2	2	1	3	1	1	4	8	10	1	2	19	68
17	-	39	5	-	3	11	3	1	-	-	-	2	5	6	12	2	-	9	69
8	1	44	-	-	2	3	-	-	-	-	-	-	8	-	4	-	-	14	70
17	-	65	5	1	10	7	-	1	1	1	1	1	-	5	8	1	-	16	71
7	-	21	1	1	4	7	-	-	1	3	-	1	1	3	2	-	1	6	72
18	-	73	3	-	4	10	-	-	3	1	1	3	5	3	18	3	3	22	73
73	-	223	14	3	18	31	1	3	2	4	7	4	33	7	26	3	9	71	74
42	-	147	12	3	11	21	-	2	1	3	2	3	17	4	13	3	5	39	75
31	-	76	2	-	7	10	1	1	1	1	5	1	16	3	13	-	4	32	76
20	-	46	3	1	3	10	-	1	1	-	1	1	1	5	3	2	-	14	77
16	-	24	2	1	1	9	-	1	3	-	-	3	3	1	6	1	1	11	78
22	1	58	3	-	5	8	1	1	-	-	2	2	3	8	11	-	-	21	79
24	1	67	3	-	3	16	1	-	-	1	3	1	12	3	11	1	1	21	80
13	-	26	5	1	4	9	-	2	-	1	2	3	3	2	7	-	1	10	81
11	-	46	1	-	4	5	-	1	-	-	1	3	8	1	4	2	1	18	82
16	-	37	-	-	5	4	2	3	-	-	-	1	6	4	7	2	-	12	83
26	1	66	5	1	4	16	-	1	3	-	-	3	6	7	17	3	1	26	84
9	-	25	1	-	7	4	-	-	-	1	-	-	5	-	1	1	1	12	85

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ARKANSAS--Continued																
1	Marion	68	3	-	-	-	1	-	-	-	-	-	9	-	-	28	23
2	Miller	263	13	4	1	-	-	1	1	1	-	2	28	5	-	102	97
3	Texarkana[1]	162	7	4	1	-	-	-	1	-	-	2	21	2	-	63	60
4	Balance of county	101	6	-	-	-	-	1	-	1	-	-	8	3	-	39	37
5	Mississippi	478	24	4	1	7	-	-	1	-	-	4	36	8	1	154	141
6	Blytheville	107	4	-	1	-	-	-	-	-	-	1	12	-	-	39	33
7	Balance of county	371	20	4	-	7	-	-	1	-	-	3	24	8	1	115	108
8	Monroe	177	4	3	-	-	-	-	1	-	-	-	18	1	1	86	83
9	Montgomery	54	7	-	-	-	-	-	1	-	-	-	4	-	-	22	21
10	Nevada	141	3	3	-	-	-	-	-	-	-	-	24	1	-	70	68
11	Newton	46	4	-	-	-	1	-	-	-	-	2	5	-	-	19	17
12	Ouachita	274	11	1	-	1	-	-	-	-	-	-	40	5	-	135	123
13	Camden	118	6	1	-	1	-	-	-	-	-	-	25	2	-	51	47
14	Balance of county	156	5	-	-	-	-	-	-	-	-	-	15	3	-	82	76
15	Perry	41	1	-	-	-	-	-	-	-	-	-	6	-	-	21	21
16	Phillips	457	22	4	-	-	-	5	-	2	-	2	51	3	-	211	185
17	Helena	152	6	1	-	-	-	3	-	1	-	2	17	-	-	78	70
18	Balance of county	305	16	3	-	-	-	2	-	1	-	-	34	3	-	133	115
19	Pike	69	4	-	-	-	-	-	-	-	-	-	8	-	-	34	32
20	Poinsett	223	9	2	-	-	1	2	1	-	-	3	17	-	-	101	89
21	Polk	157	6	1	-	-	-	1	-	-	1	-	13	1	-	86	80
22	Pope	179	7	-	-	-	-	-	-	-	1	2	22	2	-	90	81
23	Prairie	95	3	-	-	-	-	-	-	2	-	-	13	-	1	42	41
24	Pulaski	1,775	63	25	-	-	-	2	-	6	-	6	266	29	1	927	883
25	Little Rock	1,081	39	12	-	-	-	1	-	4	-	3	160	16	1	596	573
26	North Little Rock	328	8	8	-	-	-	-	-	1	-	2	56	7	-	151	141
27	Balance of county	366	16	5	-	-	-	1	-	1	-	1	50	6	-	180	169
28	Randolph	131	3	-	-	-	-	-	-	-	-	1	21	2	-	58	56
29	St. Francis	329	12	3	1	5	-	6	2	-	1	1	28	1	1	144	136
30	Saline	159	5	-	1	-	-	-	-	-	-	-	29	1	-	67	58
31	Scott	67	4	-	-	-	-	1	1	-	-	-	12	1	-	29	24
32	Searcy	56	2	-	-	-	-	-	-	-	-	-	8	-	-	29	26
33	Sebastian	544	25	4	-	-	-	-	-	-	-	4	72	8	-	287	275
34	Fort Smith	419	21	2	-	-	-	-	-	-	-	3	61	5	-	214	206
35	Balance of county	125	4	2	-	-	-	-	-	-	-	1	11	3	-	73	69
36	Sevier	106	10	-	-	-	-	-	-	-	-	1	12	1	-	51	51
37	Sharp	61	3	1	-	-	-	-	-	-	-	1	11	1	-	28	26
38	Stone	42	2	-	-	-	-	-	-	-	-	-	5	-	-	14	11
39	Union	361	10	3	-	-	-	-	1	-	-	-	39	5	-	186	164
40	El Dorado	155	3	-	-	-	-	-	1	-	-	-	18	3	-	75	64
41	Balance of county	206	7	3	-	-	-	-	-	-	-	-	21	2	-	111	100
42	Van Buren	82	2	-	-	-	-	1	-	-	-	-	10	3	-	38	29
43	Washington	391	16	1	-	1	2	1	1	3	-	5	53	6	-	197	188
44	Fayetteville	116	5	-	-	-	-	-	-	-	-	2	18	2	-	55	53
45	Balance of county	275	11	1	-	1	2	1	1	3	-	3	35	4	-	142	135
46	White	251	9	1	-	-	1	1	1	-	-	-	32	4	-	107	104
47	Woodruff	119	7	-	-	-	-	-	-	-	-	-	14	3	-	49	46
48	Yell	133	3	1	-	-	-	-	-	-	-	-	14	4	-	71	63
49	CALIFORNIA	98,760	2,312	585	8	27	38	30	37	112	10	297	14,862	934	103	53,270	52,229
50	Alameda	6,944	146	36	-	1	-	-	1	10	-	15	1,096	61	8	3,940	3,875
51	Oakland	4,102	90	25	-	-	-	-	-	6	-	7	653	39	5	2,321	2,279
52	Berkeley	983	13	3	-	-	-	-	-	3	-	4	174	9	1	590	581
53	Alameda	505	7	4	-	-	-	-	-	-	-	1	75	2	-	292	292
54	San Leandro	274	9	1	-	-	-	-	-	-	-	-	35	4	1	158	156
55	Albany	117	4	-	-	1	-	-	-	-	-	1	19	1	-	68	66
56	Hayward	206	3	1	-	-	-	-	-	1	-	-	30	1	-	98	94
57	Piedmont	73	1	-	-	-	-	-	-	-	-	1	11	-	-	46	46
58	Balance of county	684	19	2	-	-	-	-	1	-	-	1	99	5	1	367	361
59	Alpine	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
60	Amador	113	6	1	-	-	-	-	-	-	-	-	16	2	1	53	52
61	Butte	718	15	5	-	-	1	-	2	1	-	5	105	8	1	387	382
62	Chico	225	2	1	-	-	-	-	1	-	-	2	30	3	-	136	135
63	Balance of county	493	13	4	-	-	1	-	1	1	-	3	75	5	1	251	247
64	Calaveras	89	3	1	-	-	-	-	-	-	-	-	14	-	-	52	51
65	Colusa	153	4	1	-	-	-	-	-	1	-	3	22	1	-	89	69
66	Contra Costa	1,718	57	13	-	3	1	-	3	5	-	4	233	21	1	809	788
67	Richmond	562	18	5	-	3	1	-	1	2	-	2	74	11	1	244	235
68	Antioch	61	4	1	-	-	-	-	-	-	-	-	7	-	-	28	28
69	El Cerrito	110	4	-	-	-	-	-	-	1	-	-	19	-	-	56	55
70	Pittsburg	102	7	-	-	-	-	-	1	-	-	-	15	-	-	43	41
71	San Pablo	113	5	-	-	-	-	-	-	-	-	-	18	-	-	50	50
72	Balance of county	770	19	7	-	-	-	-	1	2	-	2	102	10	-	388	379
73	Del Norte	86	1	1	-	-	-	-	-	-	-	-	11	-	-	33	33
74	El Dorado	172	3	-	-	-	-	-	-	-	-	-	16	1	1	104	100
75	Fresno	2,379	88	19	-	1	1	2	-	5	-	13	333	32	3	1,056	1,021
76	Fresno	1,010	28	7	-	-	-	-	-	1	-	5	161	17	2	503	481
77	Balance of county	1,369	60	12	-	1	1	2	-	4	-	8	172	15	1	553	540
78	Glenn	143	1	-	-	-	-	-	-	-	-	2	21	-	-	73	73
79	Humboldt	727	14	3	-	1	4	1	-	-	-	1	99	3	1	396	387
80	Eureka	314	7	3	-	-	2	-	-	-	-	-	43	1	-	184	178
81	Balance of county	413	7	-	-	1	2	1	-	-	-	1	56	2	1	212	209
82	Imperial	473	26	5	1	1	-	3	2	-	1	1	39	6	1	147	142
83	Brawley	87	5	2	-	-	-	-	-	-	1	1	5	-	-	27	25
84	El Centro	125	6	3	-	-	-	-	1	-	-	-	14	3	1	42	42
85	Balance of county	261	15	-	1	1	-	3	1	-	-	-	20	3	-	78	75
86	Inyo	110	4	-	-	-	-	1	-	-	-	-	16	-	-	48	45

[1] Includes data for Texarkana, Ark., only.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
7	-	16	-	-	5	14	-	-	-	1	-	-	2	1	5	1	-	3	1
29	-	59	9	-	5	11	2	-	1	-	1	4	13	10	13	-	5	44	2
19	-	35	6	-	3	5	2	-	-	-	1	2	7	8	5	-	4	27	3
10	-	24	3	-	2	6	-	-	1	-	-	2	6	2	8	-	1	17	4
38	1	89	9	4	13	23	2	10	4	4	1	10	32	14	38	3	7	90	5
9	-	18	5	1	6	4	-	-	1	-	-	2	10	2	10	1	3	17	6
29	1	71	4	3	7	19	2	10	3	4	1	8	22	12	28	2	4	73	7
18	-	61	4	-	3	18	1	-	-	1	2	4	5	6	9	-	1	18	8
4	-	15	2	-	1	6	-	-	-	1	-	-	2	2	1	1	-	7	9
29	2	33	4	-	2	6	1	-	-	-	-	2	2	6	10	-	1	12	10
5	-	10	2	-	2	3	-	-	-	-	-	-	2	2	5	-	-	3	11
22	-	90	9	2	10	10	3	1	-	1	2	2	7	6	23	2	7	19	12
5	-	38	4	-	4	4	2	1	-	-	-	-	2	1	10	-	4	8	13
17	-	52	5	2	6	6	1	-	-	1	2	2	5	5	15	2	3	11	14
7	-	14	-	-	-	4	-	-	-	1	-	-	1	1	3	1	-	2	15
45	-	130	9	1	26	18	1	7	2	3	-	1	54	6	24	1	5	35	16
19	-	47	4	-	8	9	-	2	-	1	-	-	12	1	8	-	-	11	17
26	-	83	5	1	18	9	1	5	2	2	-	1	42	5	16	1	5	24	18
10	-	20	2	-	2	-	-	1	-	-	1	-	2	2	7	2	1	7	19
23	-	61	3	2	12	7	-	2	-	-	4	2	10	6	12	1	1	42	20
10	1	63	5	1	6	8	1	1	1	-	1	2	8	3	8	1	1	13	21
19	-	57	4	1	9	8	2	-	-	1	1	4	8	6	9	-	1	15	22
9	-	29	3	-	1	6	1	-	2	1	-	3	6	2	5	-	-	8	23
194	1	622	58	8	44	61	7	10	19	3	4	19	21	30	49	25	20	182	24
124	1	408	33	7	23	32	6	4	11	2	3	14	7	19	26	18	11	97	25
36	-	96	9	-	10	11	1	3	4	1	-	2	3	6	9	5	6	44	26
34	-	118	16	1	11	18	-	3	4	-	1	3	11	5	12	5	3	41	27
13	-	39	4	-	2	13	2	1	-	1	-	2	5	4	2	2	1	13	28
38	1	90	7	-	8	21	4	7	2	1	3	3	17	6	15	3	5	37	29
15	-	38	5	2	9	14	-	-	1	-	-	-	3	4	10	2	2	20	30
7	-	13	4	-	5	5	-	-	-	-	-	-	2	1	1	-	1	9	31
10	-	14	2	-	3	6	-	-	-	1	-	-	2	2	2	-	3	3	32
77	1	182	11	4	12	16	2	2	3	1	1	7	10	16	19	3	1	63	33
56	-	139	8	3	8	12	2	2	3	-	1	6	7	13	12	3	1	51	34
21	1	43	3	1	4	4	-	-	-	1	-	1	3	3	7	-	-	12	35
17	-	28	6	-	-	4	-	1	-	1	-	2	1	2	7	1	2	10	36
3	-	20	1	2	2	2	1	1	-	-	-	-	1	3	3	-	-	5	37
3	-	8	-	-	3	2	-	-	-	2	-	-	8	3	3	-	-	3	38
47	3	104	8	2	22	17	2	-	1	1	2	2	11	17	12	5	11	36	39
18	-	44	3	1	11	5	1	-	-	-	1	2	4	7	5	3	5	22	40
31	3	60	5	1	11	12	1	-	1	1	1	-	7	10	7	2	6	14	41
7	-	21	1	-	9	8	1	1	-	-	-	1	3	2	-	2	1	9	42
40	-	142	5	1	9	21	2	5	5	-	-	3	4	5	22	2	-	36	43
16	-	36	-	1	2	7	1	-	1	-	-	1	-	3	8	-	-	13	44
24	-	106	5	-	7	14	1	5	4	-	-	2	4	2	14	2	-	23	45
23	-	74	7	-	3	15	2	4	4	2	1	-	22	4	13	3	1	24	46
10	-	27	8	1	3	10	-	1	3	1	1	1	3	3	7	-	1	15	47
17	-	41	3	2	8	9	1	-	2	1	-	1	7	1	1	-	-	17	48
10,166	111	37,907	3,363	682	1,041	2,635	672	436	1,714	160	126	1,295	395	3,171	3,313	1,909	462	9,847	49
679	2	2,953	186	55	65	184	59	21	117	16	7	78	7	168	178	130	29	636	50
400	2	1,739	111	27	42	108	43	13	80	11	3	46	3	87	112	58	20	372	51
111	-	428	29	13	9	20	9	3	10	3	-	9	1	17	14	24	4	72	52
46	-	230	11	5	-	17	1	-	10	1	1	1	1	15	15	9	2	51	53
26	-	124	5	1	2	7	2	1	1	-	-	9	-	8	6	2	-	30	54
13	-	47	4	2	2	1	-	-	1	-	-	1	-	5	1	2	-	12	55
16	-	75	2	1	4	6	1	-	4	-	-	5	-	12	8	6	-	30	56
5	-	38	3	-	-	1	-	-	1	1	-	-	-	-	3	4	1	3	57
62	-	272	21	6	6	24	3	4	10	-	3	7	2	24	19	25	2	66	58
-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	59
13	-	30	7	2	1	1	-	-	1	-	-	-	5	3	6	3	1	14	60
78	1	283	18	2	5	20	5	-	8	1	1	5	1	24	38	10	3	72	61
25	1	104	4	1	1	4	2	-	1	-	1	1	-	5	8	2	-	26	62
53	-	179	14	1	4	16	3	-	7	1	-	4	1	19	30	8	3	46	63
12	-	38	1	-	1	1	-	-	1	-	-	1	-	1	6	3	-	6	64
20	-	44	5	-	-	11	-	1	1	1	-	1	-	7	8	5	2	15	65
130	1	597	47	13	21	32	11	11	25	2	4	37	3	73	84	44	15	227	66
41	-	178	11	5	9	6	5	7	10	2	2	17	-	28	25	13	9	78	67
3	-	22	3	-	-	-	-	-	4	-	-	1	-	-	9	1	-	6	68
7	-	44	3	1	1	4	-	-	2	-	-	1	1	2	3	3	-	14	69
6	-	32	3	-	2	1	1	-	1	-	1	6	-	6	4	2	1	13	70
7	-	39	2	2	-	4	-	2	1	-	1	1	-	4	9	1	3	16	71
66	1	282	25	5	9	17	5	2	7	-	-	11	2	35	34	24	2	100	72
6	-	26	1	-	-	1	2	-	1	-	-	3	-	3	12	-	-	18	73
25	-	69	5	1	4	6	-	1	2	-	-	3	-	5	7	5	-	18	74
209	2	732	65	15	35	119	19	22	25	3	6	44	3	159	94	48	18	286	75
96	1	342	31	11	22	48	9	5	12	2	2	13	1	34	36	14	7	103	76
113	1	390	32	4	13	71	10	17	13	1	4	31	2	105	58	34	11	183	77
13	-	57	2	1	-	4	1	2	1	-	-	-	2	7	9	2	-	18	78
56	-	290	37	4	9	7	3	4	6	-	2	8	1	44	42	16	11	80	79
29	-	127	20	2	6	2	1	3	5	-	-	2	1	17	10	3	6	24	80
27	-	183	17	2	3	5	2	1	1	-	2	6	-	27	32	13	5	36	81
18	-	113	8	3	5	25	1	17	7	-	4	4	6	43	44	8	12	89	82
2	-	23	-	-	2	8	-	6	1	-	1	1	2	5	3	-	-	19	83
7	-	33	1	1	-	3	1	3	1	-	1	-	1	15	9	2	1	18	84
9	-	57	7	2	3	14	-	8	5	-	2	3	3	23	32	6	11	32	85
12	-	30	2	1	3	3	2	-	1	1	-	3	-	9	9	-	-	13	86

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 056-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	CALIFORNIA—Continued																
1	Kern	1,610	46	10	-	2	1	2	-	1	-	27	215	19	4	702	679
2	Bakersfield	452	13	-	-	-	-	-	-	-	-	5	74	7	3	220	210
3	Balance of county	1,158	33	10	-	2	1	2	-	1	-	22	141	12	1	482	469
4	Kings	375	9	3	-	1	-	1	-	-	-	2	41	2	-	156	152
5	Hanford	109	4	-	-	-	-	-	-	-	-	2	12	1	-	47	47
6	Balance of county	266	5	3	-	1	-	1	-	-	-	-	29	1	-	109	105
7	Lake	155	4	-	-	-	-	-	-	-	-	-	16	3	-	85	83
8	Lassen	126	1	-	-	-	-	1	-	-	-	-	17	1	-	55	54
9	Los Angeles	39,547	806	240	6	2	9	7	10	28	3	95	6,288	340	35	22,495	22,075
10	Long Beach	2,612	31	10	1	-	-	-	2	1	-	3	401	21	-	1,551	1,533
11	Los Angeles	21,056	532	148	4	1	6	1	5	13	1	58	3,390	207	17	11,827	11,594
12	Pasadena	1,390	30	6	-	-	-	-	-	1	-	3	209	5	-	867	857
13	Alhambra	552	3	1	-	-	-	-	1	-	-	-	87	4	-	357	350
14	Burbank	474	11	3	-	-	-	-	-	-	-	-	80	9	-	245	241
15	Glendale	974	16	3	-	-	1	-	-	1	-	3	162	8	1	585	578
16	Santa Monica	832	7	7	-	-	-	-	-	1	1	2	130	3	3	516	510
17	South Gate	338	7	2	-	-	-	1	-	-	-	-	62	2	3	201	197
18	Belvedere (twp.)[2 3]	191	7	1	-	-	-	-	-	-	-	-	28	2	-	96	92
19	Beverly Hills	231	2	2	-	-	-	-	-	-	-	-	44	3	-	145	140
20	Compton	328	4	3	-	-	-	-	-	-	-	-	45	4	-	167	164
21	Huntington Park	319	4	3	-	-	-	-	-	-	-	1	52	-	-	199	193
22	Inglewood	405	3	4	-	-	-	-	-	-	-	2	76	1	-	235	225
23	Lynwood	161	1	-	-	-	1	-	-	-	-	1	26	1	-	94	93
24	Pomona	403	5	1	-	-	-	1	-	2	-	2	75	5	-	227	225
25	Redondo Beach	254	5	2	-	-	-	-	-	-	-	-	44	1	-	145	144
26	Arcadia	205	2	-	-	-	-	-	-	1	-	1	39	2	-	121	120
27	Azusa	84	3	-	-	-	-	-	-	-	-	-	15	4	-	37	37
28	Bell	125	1	1	-	-	-	-	-	-	-	-	15	-	-	74	73
29	Culver City	161	2	-	-	-	-	-	-	-	-	3	19	2	2	92	89
30	Gardena	97	1	-	-	-	-	-	-	1	-	-	18	1	-	58	57
31	Hawthorne	150	6	1	-	-	-	-	-	-	-	-	22	-	-	87	86
32	Hermosa Beach	118	-	1	-	-	-	-	-	-	-	-	19	-	1	68	67
33	Manhattan Beach	106	-	1	-	-	-	-	-	-	-	-	18	-	-	49	47
34	Maywood	113	3	-	-	-	-	-	-	-	-	-	14	2	1	64	62
35	Monrovia	249	3	3	-	-	-	-	-	-	-	1	40	2	-	147	145
36	Montebello	165	1	-	-	-	-	-	-	-	-	1	27	-	-	65	63
37	Monterey Park	162	6	-	-	-	1	-	-	-	-	-	21	1	-	68	64
38	San Fernando	131	10	1	-	-	-	1	-	-	-	-	16	-	1	65	61
39	San Gabriel	184	6	-	1	-	-	-	-	-	-	-	28	1	-	106	104
40	San Marino	79	-	-	-	-	-	-	-	-	-	-	9	-	-	59	59
41	South Pasadena	198	1	2	-	-	-	1	1	-	-	-	27	3	-	129	128
42	Torrance	170	4	1	-	-	-	-	-	-	-	1	28	-	-	77	72
43	Whittier	256	1	1	-	-	-	-	-	-	-	-	38	5	-	166	163
44	Balance of county	6,276	88	32	-	1	-	2	1	7	1	13	966	41	6	3,466	3,402
45	Madera	299	10	3	-	-	1	2	1	-	1	-	36	-	1	125	123
46	Madera	146	5	3	-	-	-	1	-	-	1	-	18	-	-	60	58
47	Balance of county	153	5	-	-	-	1	1	1	-	-	-	18	-	1	65	65
48	Marin	595	11	2	-	-	-	-	1	2	-	2	119	6	1	373	364
49	San Rafael	137	4	-	-	-	-	-	-	-	-	-	19	2	-	84	83
50	Balance of county	559	7	2	-	-	-	-	1	2	-	2	100	4	1	289	281
51	Mariposa	51	3	-	-	-	-	-	-	-	-	-	6	1	-	26	26
52	Mendocino	443	9	5	-	-	-	-	-	-	-	2	38	5	1	252	249
53	Merced	568	21	2	-	-	3	2	1	2	-	2	75	4	1	258	252
54	Merced	184	10	-	-	-	3	-	-	-	-	1	25	-	1	89	86
55	Balance of county	384	11	2	-	-	-	2	1	2	-	1	50	4	-	169	166
56	Modoc	88	2	1	-	-	-	-	-	-	-	-	13	2	-	41	41
57	Mono	20	1	-	-	-	-	-	-	-	-	-	2	1	-	6	5
58	Monterey	928	19	8	-	-	-	-	1	-	-	-	136	12	-	454	443
59	Monterey	134	4	3	-	-	-	-	-	-	-	-	20	4	-	70	69
60	Salinas	147	4	-	-	-	-	-	-	-	-	-	17	3	-	72	69
61	Seaside	66	2	-	-	-	-	-	1	-	-	-	7	2	-	26	25
62	Balance of county	581	9	5	-	-	-	-	-	-	-	-	92	3	-	286	280
63	Napa	407	8	2	-	-	-	-	-	-	-	2	61	4	-	246	241
64	Napa	167	2	2	-	-	-	-	-	-	-	1	19	2	-	112	108
65	Balance of county	240	6	-	-	-	-	-	-	-	-	1	42	2	-	134	133
66	Nevada	251	3	-	-	-	-	-	-	-	1	1	29	3	-	154	148
67	Orange	2,053	49	13	-	-	-	-	-	4	1	3	309	19	3	1,147	1,129
68	Santa Ana	524	16	2	-	-	-	-	-	1	-	1	70	5	-	305	301
69	Anaheim	164	6	-	-	-	-	-	-	-	-	-	37	-	-	89	87
70	Fullerton	136	3	1	-	-	-	-	-	-	-	-	19	1	1	83	82
71	Newport Beach	95	-	1	-	-	-	-	-	-	-	-	10	-	1	57	56
72	Orange	130	-	-	-	-	-	-	-	-	-	1	25	1	-	72	72
73	Balance of county	1,004	24	9	-	-	-	-	-	3	1	1	148	12	1	541	531
74	Placer	486	12	1	-	-	-	-	-	-	-	3	59	6	1	286	281
75	Plumas	111	2	1	-	-	-	-	-	-	-	2	9	-	-	58	56
76	Riverside	1,669	50	6	-	-	1	-	-	3	-	4	243	18	1	820	811
77	Riverside	533	10	1	-	-	-	-	-	1	-	2	93	7	-	273	267
78	Corona	131	5	1	-	-	-	-	-	-	-	-	23	2	-	71	70
79	Balance of county	1,005	35	4	-	-	1	-	-	2	-	2	127	9	1	476	474
80	Sacramento	2,799	91	19	-	-	4	-	1	3	-	4	362	29	7	1,475	1,451
81	Sacramento	1,781	67	15	-	-	3	-	1	1	-	3	221	16	5	984	967
82	Balance of county	1,018	24	4	-	-	1	-	-	2	-	1	141	13	2	491	484
83	San Benito	117	4	-	-	-	-	-	-	-	-	1	21	2	-	56	56
84	San Bernardino	2,506	75	15	-	-	1	-	1	4	-	3	360	28	-	1,205	1,182
85	San Bernardino	727	38	4	-	-	-	-	-	2	-	1	119	9	-	333	324
86	Colton	134	4	2	-	-	-	-	-	-	-	-	25	2	-	65	65
87	Ontario	242	6	1	-	-	-	-	-	-	-	1	30	2	-	131	130
88	Redlands	200	4	3	-	-	-	-	-	1	-	-	27	6	-	101	99
89	Balance of county	1,203	23	5	-	-	1	-	1	1	-	1	159	9	-	573	564

[2]Classified as urban under a special rule. [3]Since this area is difficult to identify from information given on death records, data may be understated or overstated.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
117	6	505	30	21	23	55	10	14	14	2	1	35	4	146	65	23	23	189	1
39	1	157	7	6	10	12	2	3	5	1	-	8	1	25	14	4	4	51	2
78	5	348	23	15	15	43	8	11	9	1	1	27	3	121	51	19	19	138	3
36	-	104	12	-	4	37	1	-	2	1	2	8	3	34	19	5	2	46	4
10	-	29	8	-	-	14	1	-	1	1	1	5	2	6	3	1	-	8	5
26	-	75	4	-	4	23	-	-	1	-	1	3	1	28	16	4	2	38	6
15	-	55	13	-	2	4	-	-	2	-	-	2	6	5	7	5	-	16	7
9	-	41	4	-	1	4	-	2	-	1	-	2	-	10	13	3	-	16	8
4,426	45	15,579	1,750	275	420	897	278	105	694	57	55	515	91	691	911	719	129	3,853	9
331	2	1,074	115	11	18	39	22	8	56	6	-	33	14	61	62	61	4	225	10
2,258	28	8,240	932	136	233	520	144	57	401	28	30	232	39	440	482	371	88	2,013	11
216	-	539	88	14	10	34	10	3	16	2	1	10	2	34	30	21	4	102	12
83	-	238	30	1	7	11	1	1	4	1	-	6	-	7	10	5	1	52	13
47	-	181	10	3	4	7	3	2	7	-	2	7	-	10	13	9	-	66	14
110	-	419	41	8	7	18	6	3	12	3	-	9	1	10	25	20	2	85	15
104	1	358	41	6	6	8	8	2	13	1	1	8	-	19	12	17	3	70	16
43	-	139	14	1	4	6	1	-	6	1	1	2	2	11	4	3	1	22	17
13	2	68	7	2	4	4	2	-	7	-	-	3	1	4	4	5	2	25	18
25	-	98	15	2	5	3	-	-	3	-	-	2	-	1	2	12	-	12	19
27	1	121	11	4	3	10	2	2	2	-	-	9	1	14	10	8	3	44	20
38	-	141	15	1	6	1	-	1	5	-	-	3	-	5	6	7	1	31	21
45	-	154	20	6	10	4	4	-	6	1	2	6	2	8	11	7	-	33	22
21	1	64	5	2	1	4	1	-	3	-	1	2	-	3	4	1	-	18	23
49	1	154	20	1	2	11	4	1	3	-	1	3	-	11	11	8	-	32	24
40	1	91	10	2	1	6	3	-	6	1	1	5	-	8	2	5	-	20	25
21	-	86	13	-	1	4	1	-	2	-	-	2	-	5	1	7	-	17	26
9	-	23	3	2	-	2	-	-	3	-	-	3	-	3	4	1	-	9	27
21	-	46	4	2	1	1	-	-	3	-	-	3	-	2	5	3	-	17	28
14	-	65	9	1	3	2	4	-	3	1	-	6	1	4	2	4	-	14	29
11	-	37	8	1	1	1	1	1	1	-	-	2	-	6	1	1	-	4	30
17	-	63	3	3	1	3	2	1	1	-	1	-	-	3	4	5	-	14	31
16	-	46	3	2	1	2	1	1	1	-	-	1	-	5	5	5	-	8	32
8	-	38	1	-	2	1	1	1	4	1	-	5	-	2	1	4	-	18	33
12	-	42	6	2	2	4	-	1	7	-	-	1	-	3	2	-	-	11	34
35	-	94	12	4	2	4	3	-	3	-	-	3	-	6	5	5	-	24	35
14	-	59	7	3	2	5	2	2	3	1	-	3	-	6	4	2	-	23	36
16	-	59	8	1	4	2	3	-	5	-	-	2	-	3	3	3	-	24	37
15	1	40	3	2	4	7	-	-	1	-	1	2	-	6	9	-	1	10	38
21	-	75	7	1	2	5	2	1	3	-	1	3	1	4	3	3	-	18	39
9	-	43	6	1	-	-	-	-	1	-	1	2	1	-	-	-	-	6	40
31	-	82	13	2	1	-	3	1	-	-	-	4	1	1	-	5	-	17	41
7	-	57	5	3	5	2	1	-	1	-	-	2	-	9	4	4	-	36	42
34	-	120	8	1	3	2	1	1	1	1	-	4	-	7	5	5	-	18	43
667	7	2,427	257	44	64	164	42	15	101	9	11	125	15	170	165	102	18	715	44
34	1	81	7	-	2	9	1	6	4	-	-	4	1	36	16	4	2	36	45
18	1	36	3	-	2	6	-	5	3	-	-	-	1	15	8	1	-	19	46
16	-	45	4	-	-	3	1	1	1	-	-	4	-	21	8	3	2	17	47
91	2	256	14	1	9	11	4	2	7	1	-	6	1	32	33	18	5	59	48
28	-	53	2	-	1	3	1	-	2	-	-	-	-	7	5	2	-	8	49
63	2	203	12	1	8	8	3	2	5	1	-	6	1	25	28	16	5	51	50
5	-	21	-	-	-	2	-	-	2	-	-	1	-	2	5	-	-	3	51
63	1	153	30	2	3	16	3	-	8	1	-	7	4	13	23	8	6	42	52
47	1	191	12	1	6	28	3	3	8	3	4	11	3	45	23	5	6	57	53
20	-	64	1	1	3	12	-	1	2	-	1	2	2	11	5	-	-	19	54
27	1	127	11	-	3	14	3	2	6	3	3	9	1	34	18	5	6	38	55
6	-	35	-	-	-	2	-	-	-	1	-	1	-	3	10	-	1	11	56
1	-	4	-	-	1	-	-	-	-	-	-	-	-	6	3	-	-	1	57
81	4	328	23	7	11	21	5	17	10	2	1	14	17	42	46	20	1	102	58
11	1	51	2	4	1	-	1	1	6	-	-	1	2	2	3	2	-	15	59
12	-	51	5	1	3	5	-	1	2	1	-	3	3	10	12	3	-	11	60
3	-	21	1	-	1	3	1	-	-	1	-	1	1	2	6	1	-	12	61
55	3	205	15	2	6	13	3	15	2	-	1	9	11	28	25	14	1	64	62
42	1	170	27	1	5	10	4	2	4	-	-	3	2	8	9	11	3	28	63
18	-	80	9	1	4	5	-	-	2	-	-	2	1	2	3	8	1	5	64
24	1	90	18	-	1	5	4	2	2	-	-	1	1	6	6	3	2	23	65
16	1	124	4	3	6	6	1	-	3	2	1	5	-	4	12	5	-	21	66
255	2	815	46	11	18	39	16	11	17	4	2	22	11	74	66	49	6	188	67
80	1	210	8	2	4	11	6	1	6	1	2	6	1	18	10	9	3	50	68
24	-	59	4	-	2	3	-	1	-	1	-	1	-	6	5	3	1	11	69
17	-	61	4	-	1	4	-	-	-	-	-	3	-	4	2	2	-	13	70
12	-	42	2	-	1	-	3	1	1	-	-	1	1	3	3	4	-	9	71
18	-	52	1	1	-	1	-	2	2	-	-	3	1	1	5	2	-	14	72
104	1	391	27	8	10	20	7	6	8	2	-	8	8	42	41	29	2	91	73
44	-	212	4	1	5	10	3	1	5	-	-	4	-	17	19	14	3	42	74
8	-	43	5	-	2	2	1	-	1	-	-	2	2	4	9	4	2	12	75
155	4	594	45	13	9	60	17	13	25	3	3	25	10	84	58	28	10	187	76
53	1	182	18	3	6	18	3	3	5	1	1	7	2	17	12	6	3	67	77
14	-	52	2	2	1	1	1	2	1	-	-	1	-	4	4	3	-	12	78
88	3	350	25	8	2	40	13	8	19	2	2	17	8	63	42	19	7	108	79
276	2	1,075	84	14	24	84	14	9	46	5	2	58	8	88	100	59	25	306	80
190	2	709	55	11	17	44	9	7	34	2	-	30	5	54	59	36	16	169	81
86	-	366	29	3	7	40	5	2	12	3	2	28	3	34	41	23	9	137	82
10	-	42	4	-	-	4	-	3	3	-	-	1	1	4	6	-	-	11	83
213	1	885	61	12	21	107	16	22	36	8	3	41	3	112	107	48	12	301	84
65	1	241	14	3	9	36	4	8	16	3	-	14	1	16	19	8	2	94	85
14	-	50	-	1	-	4	1	-	2	1	-	1	-	6	4	1	-	16	86
28	-	90	9	3	1	7	3	1	3	1	-	4	1	11	10	5	-	25	87
17	-	74	8	-	2	13	2	2	1	-	-	3	-	4	8	4	1	20	88
89	-	440	30	5	9	47	6	11	14	3	3	19	1	75	66	30	9	146	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1960. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	CALIFORNIA—Continued																
1	San Diego	4,721	92	24	-	2	-	-	2	14	1	26	899	50	5	2,397	2,329
2	San Diego	3,011	67	17	-	2	-	-	2	11	-	14	437	38	2	1,524	1,478
3	Chula Vista	112	1	-	-	-	-	-	-	-	-	2	20	-	-	55	55
4	Coronado	99	1	-	-	-	-	-	-	1	-	2	17	-	2	45	45
5	La Mesa	123	1	-	-	-	-	-	-	-	-	-	24	2	-	65	64
6	National City	157	1	-	-	-	-	-	-	1	-	2	24	1	1	76	74
7	Oceanside	102	1	2	-	-	-	-	-	-	-	2	6	-	-	48	45
8	Balance of county	1,117	20	5	-	-	-	-	-	1	1	4	171	9	-	584	568
9	San Francisco, coextensive with San Francisco (city)	9,294	266	51	-	4	6	-	2	6	-	20	1,449	85	9	5,073	4,984
10	San Joaquin	1,996	74	13	-	3	1	3	4	4	1	10	246	28	2	982	944
11	Stockton	978	48	7	-	1	-	-	3	1	-	4	132	10	2	496	490
12	Lodi	164	1	-	-	-	-	-	-	-	-	2	17	3	-	88	86
13	Balance of county	854	25	6	-	2	1	3	1	3	1	4	97	15	-	378	368
14	San Luis Obispo	530	9	3	-	-	-	-	1	-	-	-	69	8	1	310	303
15	San Luis Obispo	151	4	1	-	-	-	-	-	-	-	-	20	4	-	77	75
16	Balance of county	379	5	2	-	-	-	-	1	-	-	-	49	4	1	233	228
17	San Mateo	1,619	20	9	1	1	-	-	1	4	-	3	284	5	3	865	843
18	Redwood City	237	6	2	-	-	-	-	-	1	-	-	44	1	-	131	130
19	San Mateo	314	4	1	-	-	-	-	-	2	-	2	60	1	1	162	154
20	Burlingame	193	2	2	-	-	-	-	-	-	-	-	32	1	-	110	107
21	Daly City	114	-	-	-	-	-	-	-	-	-	-	15	-	1	73	71
22	Menlo Park	77	-	-	-	-	-	-	-	-	-	-	18	-	-	40	39
23	San Bruno	70	1	-	-	-	-	-	-	1	-	-	15	-	-	37	37
24	San Carlos	73	-	1	-	1	-	-	-	-	-	-	14	-	-	36	36
25	South San Francisco	112	-	1	-	-	-	-	1	-	-	-	14	1	-	53	50
26	Balance of county	429	7	2	1	-	-	-	-	-	-	1	72	1	1	223	219
27	Santa Barbara	943	25	4	-	1	-	1	-	2	-	2	157	8	1	502	493
28	Santa Barbara	533	14	3	-	1	-	-	-	1	-	2	88	6	-	290	286
29	Santa Maria	93	2	1	-	-	-	-	-	-	-	-	12	-	-	55	55
30	Balance of county	317	9	-	-	-	-	1	-	1	-	-	57	2	1	157	152
31	Santa Clara	2,524	64	16	-	1	-	-	1	3	-	6	395	17	2	1,428	1,403
32	San Jose	1,104	31	8	-	-	-	-	-	1	-	1	177	7	2	649	637
33	Palo Alto	250	5	2	-	-	-	-	-	-	-	1	38	2	-	147	145
34	Santa Clara	88	2	-	-	-	-	-	-	-	-	-	9	-	-	55	54
35	Balance of county	1,082	26	8	-	1	-	-	1	2	-	4	171	8	-	577	567
36	Santa Cruz	866	11	4	-	-	-	-	-	1	-	1	118	12	1	542	529
37	Santa Cruz	470	4	2	-	-	-	-	-	-	-	-	64	9	-	295	293
38	Watsonville	128	4	1	-	-	-	-	-	-	-	1	16	1	-	74	72
39	Balance of county	288	3	1	-	-	-	-	-	1	-	-	38	2	1	173	164
40	Shasta	414	5	2	-	-	-	-	-	1	-	1	44	7	-	192	190
41	Redding	146	4	-	-	-	-	-	-	1	-	-	17	3	-	64	63
42	Balance of county	268	1	2	-	-	-	-	-	-	-	1	27	4	-	128	127
43	Sierra	32	2	-	-	-	-	-	-	-	-	-	2	-	-	18	18
44	Siskiyou	315	9	-	-	-	-	-	-	1	-	1	37	3	-	197	195
45	Solano	692	9	6	-	-	-	-	1	1	-	3	101	5	1	328	317
46	Vallejo	294	5	2	-	-	-	-	1	1	-	-	45	3	1	141	137
47	Balance of county	398	4	4	-	-	-	-	-	-	-	3	56	2	-	187	180
48	Sonoma	1,273	25	7	-	2	-	-	-	1	-	1	201	10	1	709	689
49	Petaluma	167	4	2	-	-	-	-	-	-	-	-	24	4	-	89	85
50	Santa Rosa	308	3	1	-	-	-	-	-	1	-	-	56	2	-	175	168
51	Balance of county	798	18	4	-	2	-	-	-	-	-	1	121	4	1	445	436
52	Stanislaus	1,097	29	4	-	-	-	1	-	2	-	3	156	9	-	557	545
53	Modesto	252	14	-	-	-	-	-	-	1	-	-	43	2	-	116	112
54	Balance of county	845	15	4	-	-	-	1	-	1	-	3	113	7	-	441	433
55	Sutter	212	1	1	-	-	2	-	-	-	-	3	35	6	-	97	96
56	Tehama	216	3	-	-	-	-	-	1	-	-	1	23	3	1	115	113
57	Trinity	59	-	-	-	-	-	-	-	-	-	-	12	3	1	28	26
58	Tulare	1,184	31	13	-	1	-	1	-	1	-	15	146	17	2	521	511
59	Tulare	98	6	2	-	-	-	-	-	-	-	2	11	2	-	42	40
60	Visalia	149	3	2	-	-	-	-	-	-	-	-	13	3	-	68	67
61	Balance of county	937	22	9	-	1	-	1	-	1	-	13	122	12	2	411	404
62	Tuolumne	168	2	2	-	-	-	-	-	-	-	1	24	6	-	83	83
63	Ventura	807	19	4	-	-	-	1	-	-	1	1	104	9	-	412	407
64	Oxnard	136	9	-	-	-	-	-	-	-	1	-	15	1	-	52	50
65	San Buenaventura	180	2	3	-	-	-	-	-	-	-	-	25	2	-	101	100
66	Santa Paula	39	-	-	-	-	-	-	-	-	-	-	6	-	-	21	21
67	Balance of county	452	8	1	-	-	-	1	-	-	-	1	58	6	-	238	236
68	Yolo	399	6	4	-	-	1	-	-	-	-	1	53	1	-	191	190
69	Yuba	262	6	2	-	-	1	1	-	2	-	1	31	2	1	121	120
70	COLORADO	12,280	207	49	-	7	-	6	10	8	9	40	1,706	144	6	5,918	5,744
71	Adams	218	9	-	-	-	-	-	1	1	-	-	18	3	-	95	91
72	Aurora (part)	37	5	-	-	-	-	-	-	-	-	-	1	-	-	14	14
73	Aurora (total)	62	5	-	-	-	-	-	-	-	-	-	6	-	-	19	19
74	Balance of county	181	4	-	-	-	-	-	1	1	-	-	17	3	-	81	77
75	Alamosa	86	-	2	-	-	-	1	-	-	-	1	4	2	-	36	35
76	Arapahoe	371	10	2	-	-	-	-	-	-	-	2	55	6	-	160	155
77	Aurora (part)	25	-	-	-	-	-	-	-	-	-	-	5	-	-	5	5
78	Englewood	188	7	1	-	-	-	-	-	-	-	1	24	2	-	87	85
79	Balance of county	158	3	1	-	-	-	-	-	-	-	1	26	4	-	68	65
80	Archuleta	34	-	-	-	-	-	-	-	-	-	-	6	-	-	11	11
81	Baca	59	-	-	-	-	-	-	-	-	-	1	9	1	-	16	16
82	Bent	79	2	1	-	-	-	1	1	-	-	1	8	-	1	33	32
83	Boulder	452	8	3	-	-	-	-	-	-	-	1	71	7	-	241	238
84	Boulder	225	4	-	-	-	-	-	-	-	-	-	39	4	-	113	112
85	Balance of county	227	4	3	-	-	-	-	-	-	-	1	32	3	-	128	126
86	Chaffee	61	-	1	-	-	-	-	-	-	-	-	7	1	-	51	47
87	Cheyenne	17	-	2	-	-	-	-	-	-	-	-	5	-	-	5	5
88	Clear Creek	34	1	-	-	-	-	-	-	-	-	2	2	-	-	19	16

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 580,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
478	6	1,701	116	28	68	132	31	17	84	5	7	75	14	197	153	111	30	553	1
312	5	1,068	77	16	46	81	25	11	66	3	3	48	6	118	84	70	18	364	2
8	-	45	1	1	-	3	2	-	1	1	-	2	-	-	9	2	-	14	3
7	-	37	1	-	-	2	-	-	1	-	-	1	1	6	4	1	-	15	4
12	-	51	-	1	1	4	1	-	-	-	1	-	-	6	3	2	-	14	5
12	-	57	4	1	2	6	-	1	4	-	-	5	-	6	5	3	-	21	6
18	-	26	1	-	3	1	-	-	-	1	1	1	-	8	6	1	3	21	7
109	1	417	32	9	16	35	3	5	12	-	2	18	7	53	42	32	9	104	8
879	5	3,757	260	83	89	268	77	30	318	15	7	89	24	135	353	225	46	738	9
151	4	701	77	11	18	80	10	16	40	3	-	24	12	100	110	40	18	192	10
76	2	355	48	9	6	26	7	3	22	3	-	7	4	37	51	23	7	84	11
16	-	67	3	-	2	13	-	2	-	-	-	-	2	9	9	-	-	18	12
59	2	279	26	2	10	41	3	11	18	-	-	17	6	54	50	17	11	90	13
74	-	213	12	4	7	10	2	2	10	2	1	4	1	14	22	10	2	49	14
20	-	52	2	1	2	2	1	-	7	-	-	1	-	4	7	4	2	17	15
54	-	161	10	3	5	8	1	2	3	2	1	3	1	10	15	6	-	32	16
169	1	820	39	14	22	20	2	5	27	2	1	26	38	47	54	42	3	156	17
29	-	95	6	-	1	5	-	-	3	1	-	4	5	6	3	3	2	20	18
32	-	110	7	5	8	4	-	1	5	-	-	8	7	7	12	5	-	32	19
24	1	75	4	3	3	3	-	1	5	1	-	-	3	1	5	7	-	20	20
15	-	51	2	3	2	1	-	-	3	-	-	2	1	2	3	4	1	8	21
7	-	29	3	-	1	2	-	-	-	-	-	2	-	1	3	4	-	7	22
5	-	30	1	1	-	-	1	-	1	-	-	1	2	2	4	-	-	5	23
8	-	24	4	-	-	-	1	-	-	-	-	2	2	2	3	3	-	8	24
5	-	44	1	-	3	-	-	-	3	-	1	3	5	7	4	3	-	16	25
44	-	162	11	2	4	5	-	3	7	-	-	4	13	19	17	13	-	40	26
95	-	369	22	7	9	15	5	4	17	-	-	12	7	39	26	15	2	98	27
61	-	209	13	3	4	10	-	2	11	-	-	9	3	11	16	10	2	54	28
9	-	46	-	-	-	-	1	-	2	-	-	1	2	7	2	1	-	7	29
25	-	114	9	4	5	5	4	2	4	-	-	2	2	21	8	4	-	37	30
290	5	1,008	76	24	25	41	13	24	29	9	3	23	12	97	79	27	3	251	31
157	3	429	35	13	12	14	4	9	10	5	1	10	6	28	31	11	1	100	32
35	-	97	9	4	2	5	2	3	2	1	-	3	-	8	9	4	-	18	33
6	-	48	-	-	1	1	1	2	5	-	-	-	1	1	2	1	-	8	34
92	2	434	32	7	10	21	6	10	12	3	2	10	5	60	37	11	2	105	35
115	3	386	22	3	13	15	5	4	14	-	1	8	2	17	38	16	1	75	36
66	-	212	13	2	2	7	3	4	8	-	-	3	2	9	10	10	-	40	37
17	3	48	3	1	2	4	1	-	2	-	1	2	-	3	5	3	1	9	38
32	-	126	6	-	9	4	1	-	4	-	-	3	-	5	23	3	-	26	39
30	-	151	9	-	2	15	3	1	6	-	3	8	1	26	31	9	4	55	40
8	-	52	3	-	1	2	1	1	3	-	1	4	1	8	10	6	2	18	41
22	-	99	6	-	1	13	2	-	3	-	2	4	-	18	21	3	2	37	42
4	-	13	1	-	-	1	-	-	-	-	-	-	-	3	2	1	-	3	43
47	1	123	23	1	2	5	1	2	1	1	1	1	2	11	16	3	1	20	44
60	-	240	13	4	11	17	2	4	14	2	-	11	3	35	44	15	6	84	45
26	-	101	8	2	4	9	1	1	9	1	-	5	1	11	13	5	1	38	46
34	-	139	5	2	7	8	1	3	5	1	-	6	2	24	31	10	5	46	47
132	1	508	37	11	20	38	6	6	13	-	-	3	47	40	44	18	1	100	48
16	-	60	5	4	4	3	1	-	3	-	-	-	5	3	7	6	-	16	49
29	-	126	11	2	7	10	3	2	3	-	-	-	10	14	4	4	-	20	50
87	1	322	21	5	9	25	2	4	7	-	-	3	32	23	33	8	1	64	51
133	-	379	24	9	12	37	7	2	13	2	-	17	12	48	54	17	3	124	52
28	-	75	7	2	4	8	2	-	8	1	-	2	1	12	15	3	2	22	53
105	-	304	17	7	8	29	5	2	5	1	-	15	11	36	39	14	1	102	54
16	1	71	8	-	1	12	2	1	1	1	-	3	4	8	7	3	1	24	55
20	-	84	8	1	2	6	1	1	1	-	-	1	5	15	15	5	3	18	56
1	-	24	1	-	2	1	-	-	1	-	-	-	-	2	6	2	-	3	57
109	3	358	28	15	10	46	10	18	10	2	3	22	6	67	66	17	4	165	58
6	-	33	1	-	2	6	-	1	-	1	-	3	-	9	5	1	1	6	59
12	-	46	5	4	1	9	1	2	2	-	-	3	1	8	12	-	1	21	60
91	3	279	22	9	7	31	9	15	8	1	3	16	5	50	49	16	2	138	61
20	-	57	6	-	-	7	2	-	4	-	-	1	1	3	9	4	1	18	62
77	2	307	15	6	5	30	9	7	13	1	1	7	2	36	47	14	3	86	63
9	-	36	4	1	2	7	-	2	4	-	-	2	1	11	9	2	1	19	64
17	1	77	2	3	1	5	3	3	4	-	1	1	-	4	13	4	-	9	65
6	-	15	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	5	66
45	1	179	9	2	2	18	6	2	5	1	-	4	-	21	22	6	1	53	67
28	1	156	4	1	1	7	1	2	8	-	-	4	13	30	29	4	1	43	68
17	1	94	5	3	1	12	3	1	3	-	-	4	3	14	11	10	2	31	69
1,159	33	4,133	337	82	174	663	114	112	112	23	28	178	61	408	560	201	44	1,666	70
17	-	70	3	1	4	8	-	-	1	1	-	8	1	9	10	3	2	48	71
-	-	14	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	13	72
1	-	18	-	-	-	2	-	-	1	-	-	4	-	3	2	1	-	19	73
17	-	56	3	1	4	8	-	-	-	1	-	8	1	7	9	3	2	35	74
4	-	27	3	1	1	4	-	2	-	1	-	1	2	8	4	1	-	17	75
30	-	115	9	1	5	30	2	1	3	-	1	10	-	14	17	11	-	47	76
1	-	4	-	-	-	2	-	-	-	-	-	4	-	1	1	1	-	6	77
15	-	66	4	-	2	15	1	-	2	-	1	4	-	5	7	6	-	25	78
14	-	45	5	1	3	13	1	1	1	-	-	2	-	8	9	4	-	16	79
1	-	10	-	-	-	5	-	-	-	-	-	-	-	4	3	2	-	3	80
2	-	13	1	-	-	3	1	-	1	-	-	1	1	2	3	1	-	19	81
5	-	26	1	-	1	7	-	-	-	-	-	-	1	4	6	-	-	13	82
50	-	163	21	4	3	11	5	1	4	-	-	10	-	15	13	6	-	56	83
23	-	79	8	2	1	4	2	-	2	-	-	8	-	6	6	3	-	34	84
27	-	84	13	2	2	7	3	1	2	-	-	2	-	9	7	3	-	22	85
7	-	40	-	-	4	6	-	-	-	1	-	2	-	2	2	2	-	6	86
-	1	4	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	1	87
6	-	9	1	-	3	2	-	-	-	-	-	1	-	-	-	2	-	5	88

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	COLORADO—Continued																
1	Conejos	60	-	1	-	-	-	-	-	-	-	1	7	-	-	21	19
2	Costilla	41	-	-	-	-	-	-	-	-	-	2	4	-	-	19	18
3	Crowley	54	1	-	-	-	-	-	-	1	-	-	5	-	-	22	22
4	Custer	21	-	-	-	-	-	-	-	-	-	-	4	-	-	8	7
5	Delta	180	1	1	-	-	-	-	-	-	1	2	23	-	-	102	99
6	Denver, coextensive with Denver (city)	4,223	88	14	-	1	-	-	3	3	3	9	642	30	2	2,130	2,090
7	Dolores	12	1	-	-	-	-	-	-	-	-	-	-	-	-	4	4
8	Douglas	38	1	-	-	-	-	-	-	-	-	-	3	1	-	20	20
9	Eagle	39	-	-	-	-	-	-	-	-	1	-	3	1	-	18	18
10	Elbert	23	-	-	-	-	-	-	-	-	-	-	5	1	-	13	13
11	El Paso	778	22	3	-	-	-	-	1	-	-	2	111	7	2	409	399
12	Colorado Springs	634	18	2	-	-	-	-	1	-	-	1	88	7	2	333	324
13	Balance of county	144	4	1	-	-	-	-	-	-	-	1	23	-	-	76	75
14	Fremont	251	4	-	-	-	-	-	-	-	-	1	39	2	-	125	118
15	Garfield	100	-	-	-	-	-	-	-	-	-	-	6	3	-	61	55
16	Gilpin	9	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6
17	Grand	33	1	-	-	-	-	-	-	-	-	-	2	1	-	14	14
18	Gunnison	45	-	-	-	-	-	-	-	-	-	1	7	-	-	24	22
19	Hinsdale	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
20	Huerfano	122	2	-	-	-	-	-	-	-	-	-	19	1	-	56	55
21	Jackson	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4
22	Jefferson	430	6	1	-	-	-	-	-	1	-	-	65	6	1	211	205
23	Kiowa	26	1	-	-	-	-	-	-	-	-	-	1	2	-	11	11
24	Kit Carson	63	1	-	-	-	-	-	-	-	-	-	12	2	-	25	25
25	Lake	77	2	1	-	-	-	-	-	-	-	-	7	-	-	28	27
26	La Plata	159	3	-	-	-	-	-	-	-	-	-	18	6	-	65	59
27	Larimer	351	8	3	-	-	-	-	-	-	-	-	55	9	-	161	156
28	Fort Collins	144	4	2	-	-	-	-	-	-	-	-	26	4	-	62	57
29	Balance of county	207	4	1	-	-	-	-	-	-	-	-	29	5	-	99	99
30	Las Animas	271	2	1	-	-	-	-	-	-	-	-	44	5	-	92	89
31	Trinidad	158	1	-	-	-	-	-	-	-	-	-	28	3	-	57	55
32	Balance of county	113	1	1	-	-	-	-	-	-	-	-	16	2	-	35	33
33	Lincoln	56	1	1	-	-	-	-	-	-	-	-	1	-	-	31	30
34	Logan	135	2	-	-	-	-	-	-	-	-	1	19	3	-	65	61
35	Mesa	407	2	2	-	-	-	-	-	1	-	1	57	5	-	205	192
36	Grand Junction	195	-	1	-	-	-	-	-	-	-	1	29	3	-	95	92
37	Balance of county	212	2	1	-	-	-	-	-	1	-	-	28	2	-	110	100
38	Mineral	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
39	Moffat	44	-	-	-	-	-	-	-	-	-	-	5	1	-	21	21
40	Montezuma	78	2	-	-	-	-	-	-	-	-	-	8	2	1	34	34
41	Montrose	143	2	-	-	-	-	1	-	-	1	2	22	1	1	71	69
42	Morgan	156	4	-	-	-	-	-	1	-	-	2	22	1	-	63	60
43	Otero	270	1	2	-	-	-	-	-	-	-	1	33	6	-	149	144
44	Ouray	26	2	1	-	-	-	-	-	-	-	-	4	-	-	11	11
45	Park	19	-	-	-	-	-	-	-	-	-	-	2	-	-	11	10
46	Phillips	43	-	-	-	-	-	-	-	-	-	-	9	2	-	17	16
47	Pitkin	16	1	-	-	-	-	-	-	-	-	-	3	-	-	7	7
48	Prowers	140	-	1	-	-	-	2	-	-	-	-	13	1	-	73	67
49	Pueblo	780	11	5	-	5	-	-	1	1	-	4	108	11	-	354	342
50	Pueblo	657	10	4	-	3	-	-	-	1	-	2	96	10	-	318	308
51	Balance of county	123	1	1	-	2	-	-	1	-	-	2	10	1	-	36	34
52	Rio Blanco	29	1	-	-	-	-	-	-	-	-	-	2	-	-	11	11
53	Rio Grande	127	-	-	-	-	-	1	-	-	1	-	8	-	-	35	35
54	Routt	78	-	-	-	-	-	-	-	-	-	-	10	2	-	25	25
55	Saguache	67	1	-	-	1	-	-	-	-	1	-	4	-	-	18	18
56	San Juan	10	-	-	-	-	-	-	-	-	-	-	1	-	-	4	4
57	San Miguel	29	-	-	-	-	-	-	-	-	1	-	2	-	-	8	8
58	Sedgwick	50	1	-	-	-	-	-	-	-	-	-	10	1	-	21	21
59	Summit	9	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2
60	Teller	32	-	-	-	-	-	-	-	-	-	-	2	-	-	21	20
61	Washington	59	-	-	-	-	-	-	-	-	-	-	10	1	-	29	29
62	Weld	510	2	1	-	-	-	-	1	-	-	2	74	7	-	254	251
63	Greeley	207	1	-	-	-	-	-	-	-	-	1	26	3	-	122	121
64	Balance of county	303	1	1	-	-	-	-	1	-	-	1	48	4	-	132	130
65	Yuma	112	-	-	-	-	-	-	1	-	-	1	11	3	-	57	57
66	CONNECTICUT	13,123	322	91	-	-	1	3	9	22	1	32	3,426	387	19	10,968	10,634
67	Fairfield	4,747	86	25	-	-	1	-	3	12	-	6	837	92	5	2,666	2,594
68	Bridgeport	1,607	40	5	-	-	1	-	1	3	-	1	256	37	1	957	913
69	Stamford	615	12	1	-	-	-	-	-	1	-	2	112	14	-	308	300
70	Norwalk	487	7	3	-	-	-	-	-	1	-	-	83	5	-	271	262
71	Stratford (town)[2]	274	4	2	-	-	-	-	1	-	-	1	53	5	-	166	161
72	Danbury	317	6	3	-	-	-	-	-	1	-	-	62	5	1	181	173
73	Shelton	100	4	-	-	-	-	-	-	-	-	-	18	4	-	54	53
74	Balance of county	1,347	13	11	-	-	-	-	1	6	-	2	253	22	3	749	732
75	Hartford	4,789	88	29	-	-	-	3	1	5	1	8	869	111	6	2,658	2,611
76	Hartford	1,822	47	14	-	-	-	-	-	1	-	1	300	49	2	1,018	999
77	New Britain	616	9	5	-	-	-	-	-	1	-	1	108	13	-	334	330
78	Bristol	267	8	1	-	-	-	-	-	-	-	2	49	8	-	143	137
79	East Hartford (town)[2]	219	2	1	-	-	-	1	-	1	1	1	45	6	-	109	107
80	West Hartford (town)[2]	431	2	2	-	-	-	-	-	1	-	1	94	9	-	255	253
81	Balance of county	1,434	20	6	-	-	-	2	1	1	-	2	273	28	4	799	785
82	Litchfield	1,050	22	2	-	-	-	-	1	1	-	2	201	18	3	563	555
83	Torrington	253	8	1	-	-	-	-	1	-	-	-	48	3	-	142	139
84	Balance of county	777	14	1	-	-	-	-	-	1	-	2	155	15	3	421	416
85	Middlesex	633	5	1	-	-	-	-	1	1	-	2	104	14	-	365	380
86	Middletown	229	1	1	-	-	-	-	-	-	-	1	45	8	-	133	129
87	Balance of county	404	4	-	-	-	-	-	1	1	-	1	59	6	-	252	251

[2]Classified as urban under a special rule.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-445	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	-	13	1	-	2	12	-	1	2	-	-	-	-	1	5	-	1	8	1
3	-	15	-	-	1	1	-	-	-	-	-	1	3	-	2	1	-	8	2
3	-	19	-	-	-	8	-	-	3	-	-	-	-	-	2	1	-	10	3
-	-	6	1	-	1	-	-	-	-	-	-	1	-	-	3	1	-	4	4
13	1	81	3	1	3	9	2	2	-	-	-	4	-	6	8	1	-	18	5
418	10	1,526	107	29	40	234	46	17	58	3	3	41	15	96	141	81	18	545	6
-	-	3	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	4	7
5	-	13	2	-	-	3	-	-	-	1	-	-	-	1	5	-	-	3	8
5	-	10	1	-	2	4	-	1	-	-	1	3	-	2	2	2	-	1	9
1	-	12	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	10
81	1	270	40	7	10	27	9	1	6	-	2	8	2	24	46	7	2	87	11
70	1	210	37	6	9	25	9	1	6	-	1	6	2	15	32	6	2	77	12
11	-	60	3	1	1	2	-	-	-	-	1	2	-	9	14	1	-	10	13
25	-	89	3	1	7	14	2	1	6	1	-	-	1	6	10	3	2	34	14
7	-	42	6	-	6	3	1	-	-	-	-	4	-	7	3	1	-	11	15
1	-	3	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	16
2	-	11	1	-	-	1	-	-	-	-	-	-	-	2	5	2	-	4	17
6	-	16	-	-	2	-	-	1	-	-	-	1	-	1	1	3	-	6	18
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	19
14	1	34	4	2	1	8	1	6	1	1	-	1	-	4	4	3	-	15	20
-	-	3	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	21
48	-	146	7	4	6	11	7	2	5	-	1	9	-	12	18	8	3	63	22
3	-	8	-	-	-	2	-	-	1	-	-	-	-	2	3	-	-	3	23
6	-	15	2	-	2	5	-	-	1	-	-	-	-	3	4	1	-	9	24
4	1	19	1	2	1	6	1	1	1	1	1	5	1	1	5	-	1	15	25
11	-	43	4	1	6	10	2	2	-	1	-	2	3	9	9	1	-	28	26
41	1	100	12	2	5	16	2	3	-	3	-	5	2	8	16	4	-	56	27
13	1	38	4	1	5	8	2	-	-	3	-	3	1	4	5	2	-	18	28
28	-	62	8	1	-	8	-	3	-	-	-	2	1	4	11	2	-	38	29
14	1	67	3	3	4	28	3	8	3	-	-	7	4	9	17	3	-	45	30
9	-	44	1	1	2	17	2	4	1	-	-	3	3	5	10	3	-	21	31
5	1	23	2	2	2	11	1	4	2	-	-	4	1	4	7	-	-	24	32
7	-	20	3	-	1	2	2	-	1	-	-	2	-	3	3	-	1	8	33
21	-	35	4	1	4	8	2	1	1	2	-	2	-	5	6	-	-	20	34
38	1	139	11	3	13	15	8	1	1	2	2	5	3	18	22	6	-	50	35
17	1	69	5	-	3	8	2	1	-	-	-	-	2	14	8	3	-	28	36
21	-	70	6	3	10	8	6	-	1	2	2	5	1	4	14	3	-	22	37
1	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	3	38
4	-	13	4	-	-	1	1	1	-	-	-	1	1	2	6	1	-	4	39
3	-	26	3	2	-	4	1	-	-	-	-	-	4	5	5	-	-	12	40
18	1	46	3	1	2	6	2	1	2	-	-	4	-	2	6	1	-	18	41
12	-	43	5	-	3	15	1	2	1	-	2	2	2	9	9	1	1	18	42
32	2	104	5	1	5	9	-	6	2	-	1	4	2	7	10	3	1	33	43
2	1	8	-	-	-	1	-	-	-	-	-	-	-	-	5	-	-	2	44
1	-	7	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	4	45
3	-	10	2	1	1	2	-	-	-	-	-	1	2	-	4	-	-	6	46
1	-	4	2	-	-	-	1	-	1	-	-	-	-	-	1	1	-	1	47
13	-	50	3	1	6	5	-	3	-	-	-	3	1	9	4	-	-	22	48
67	8	242	18	7	12	41	4	20	4	-	-	7	5	20	44	19	5	111	49
57	6	219	18	6	12	37	3	9	3	-	2	6	5	14	34	14	4	82	50
10	2	23	-	1	-	4	1	11	1	-	-	1	-	6	10	5	1	29	51
3	-	5	2	1	-	-	-	-	-	-	-	-	1	-	5	1	-	8	52
7	1	25	2	-	-	15	-	10	-	-	2	3	1	11	5	1	1	33	53
5	-	18	1	1	-	4	-	-	-	1	-	3	1	8	10	3	-	11	54
3	-	14	1	-	-	14	-	7	1	-	1	1	1	4	-	1	-	12	55
-	-	4	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	1	56
-	-	8	-	-	-	1	-	-	-	-	-	1	-	4	3	1	1	7	57
6	-	12	3	-	-	3	1	2	-	-	1	-	-	6	-	-	-	4	58
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-	1	59
2	-	18	-	-	1	2	-	-	-	-	1	-	-	-	1	-	1	4	60
6	-	19	4	-	-	3	-	-	-	-	-	-	-	6	3	1	-	6	61
54	2	174	17	4	3	25	6	7	2	1	2	11	1	21	27	4	4	58	62
26	1	81	11	2	1	13	-	-	1	-	1	3	-	3	8	1	1	23	63
28	1	93	6	2	2	12	6	7	1	1	1	8	1	18	19	3	3	35	64
11	-	45	1	-	-	6	-	-	-	-	-	-	-	8	7	2	-	16	65
1,936	24	8,039	511	124	234	335	118	56	233	26	18	240	82	291	635	236	28	1,644	66
517	5	1,892	151	29	72	84	25	13	58	7	3	57	15	64	174	56	10	448	67
178	2	686	41	6	24	30	10	3	21	2	2	13	7	15	52	14	6	150	68
69	2	208	19	4	8	15	8	2	8	-	-	7	4	10	24	8	-	79	69
51	1	187	22	1	9	6	1	2	10	1	-	4	1	12	24	7	-	48	70
37	-	111	11	2	5	6	1	2	3	-	-	5	-	4	3	2	1	15	71
30	-	124	14	5	8	2	-	1	3	1	-	2	-	4	15	2	-	28	72
8	-	43	2	-	1	2	-	-	1	-	-	3	-	2	7	-	-	5	73
144	-	535	42	11	17	23	5	3	12	3	1	23	3	17	49	23	3	122	74
381	10	2,076	114	30	47	80	36	18	74	10	4	67	15	80	154	65	9	398	75
134	2	819	34	10	19	30	15	8	37	-	4	21	6	31	58	17	6	157	76
56	1	257	12	4	4	13	2	4	10	1	-	12	1	4	31	11	2	54	77
20	1	110	5	1	6	9	2	2	4	1	-	6	-	1	7	1	-	25	78
17	2	83	5	-	2	3	1	-	4	1	-	4	-	9	4	3	-	23	79
38	-	195	16	4	2	6	6	1	3	1	-	1	-	4	10	5	-	30	80
116	4	612	42	11	14	19	10	3	16	6	-	23	6	31	44	28	1	108	81
98	-	425	21	11	8	24	7	5	12	3	5	12	7	22	28	12	-	82	82
20	-	115	2	2	3	7	1	-	4	1	1	2	-	3	7	2	-	24	83
78	-	310	19	9	5	17	6	5	8	2	4	10	7	19	19	10	-	56	84
94	1	261	17	7	5	10	2	-	7	-	-	11	2	9	27	8	-	44	85
28	1	90	6	4	4	3	-	-	3	-	-	4	1	1	4	3	-	21	86
66	-	171	11	3	1	7	2	-	4	-	-	7	1	8	23	5	-	23	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-049	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 048-054, 058-074, 081-084, 086-136	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-460
	CONNECTICUT--Con.																
1	New Haven	5,468	92	30	-	-	-	-	1	2	-	12	993	108	1	3,121	3,064
2	New Haven	1,769	29	11	-	-	-	-	-	1	-	4	309	33	-	1,048	1,034
3	Waterbury	1,027	20	3	-	-	-	-	1	-	-	2	192	21	-	555	542
4	Meriden	421	10	7	-	-	-	-	-	-	-	1	81	10	-	251	246
5	West Haven (town)[2]	344	6	3	-	-	-	-	-	-	-	1	56	9	-	214	208
6	Ansonia	201	5	-	-	-	-	-	-	-	-	-	37	8	-	112	111
7	Derby	111	3	1	-	-	-	-	-	-	-	1	14	1	-	70	66
8	Naugatuck	167	1	-	-	-	-	-	-	-	-	-	37	4	-	77	74
9	Wallingford	169	3	1	-	-	-	-	-	-	-	-	27	1	-	108	108
10	Balance of county	1,259	15	4	-	-	-	-	-	1	-	3	240	21	1	686	675
11	New London	1,404	20	2	-	-	-	-	-	-	-	2	242	23	3	854	808
12	New London	331	5	1	-	-	-	-	-	-	-	1	52	4	2	200	195
13	Norwich	382	8	-	-	-	-	-	-	-	-	1	63	3	-	238	232
14	Balance of county	691	7	1	-	-	-	-	-	-	-	-	127	16	1	396	381
15	Tolland	410	2	1	-	-	-	-	1	-	-	-	57	5	1	272	266
16	Windham	642	7	1	-	-	-	-	1	1	-	-	123	16	-	369	356
17	Willimantic	147	4	1	-	-	-	-	-	1	-	-	29	1	-	81	76
18	Balance of county	495	3	-	-	-	-	-	1	-	-	-	94	15	-	288	280
19	. DELAWARE	3,501	76	11	-	-	-	10	4	3	2	9	500	86	10	1,918	1,852
20	Kent	469	9	1	-	-	-	3	-	1	-	1	48	11	-	289	284
21	New Castle	2,244	46	7	-	-	-	3	4	2	-	5	355	50	8	1,213	1,169
22	Wilmington	1,487	34	6	-	-	-	2	4	1	-	4	225	33	6	805	771
23	Balance of county	757	12	1	-	-	-	1	-	1	-	1	130	17	2	408	398
24	Sussex	788	21	3	-	-	-	4	-	-	2	3	97	25	2	416	389
25	DISTRICT OF COLUMBIA	8,560	395	67	1	-	-	1	7	4	-	16	1,251	121	13	4,473	4,362
26	FLORIDA	28,569	531	183	1	24	8	8	19	22	4	107	3,661	353	56	13,173	12,633
27	Alachua	484	8	1	1	-	-	-	-	-	-	1	66	5	-	236	226
28	Gainesville	217	4	1	-	-	-	-	-	-	-	1	32	1	-	104	96
29	Balance of county	267	4	-	1	-	-	-	-	-	-	-	36	4	-	134	130
30	Baker	59	2	-	-	-	-	-	-	-	-	-	2	-	-	31	27
31	Bay	245	2	1	-	-	-	-	1	-	-	3	29	1	1	101	94
32	Panama City	164	1	1	-	-	-	-	1	-	-	3	26	1	-	61	57
33	Balance of county	81	1	-	-	-	-	-	-	-	-	-	3	-	1	40	37
34	Bradford	110	4	-	-	-	-	1	-	-	-	-	8	3	3	54	53
35	Brevard	268	4	1	-	-	-	-	-	-	-	1	34	6	-	133	131
36	Broward	744	6	4	-	5	-	1	-	-	-	2	112	20	3	364	344
37	Fort Lauderdale	360	3	2	-	-	-	-	-	-	-	2	61	7	2	186	175
38	Hollywood	113	-	-	-	-	-	-	-	-	-	-	28	4	-	55	55
39	Balance of county	271	3	2	-	5	-	1	-	-	-	-	23	9	1	123	114
40	Calhoun	57	1	1	-	-	-	-	1	-	-	1	4	-	-	26	23
41	Charlotte	55	-	1	-	-	-	-	-	-	-	-	6	-	-	30	30
42	Citrus	67	-	-	-	-	-	-	-	-	-	-	9	1	-	33	30
43	Clay	96	2	2	-	-	-	-	-	-	-	-	9	-	-	48	48
44	Collier	44	1	1	-	-	-	-	-	-	-	-	5	-	-	15	15
45	Columbia	184	4	3	-	-	-	-	-	-	-	-	24	2	-	93	90
46	Dade	4,258	88	26	-	-	1	1	1	1	-	8	747	63	13	2,107	2,040
47	Miami	2,499	66	14	-	-	1	-	-	-	-	5	453	35	7	1,260	1,211
48	Miami Beach	363	1	2	-	-	-	-	-	-	-	1	60	12	-	217	215
49	Coral Gables	164	4	1	-	-	-	-	-	-	-	-	26	3	-	90	86
50	Hialeah	131	1	2	-	-	-	-	1	-	-	1	13	1	1	64	63
51	North Miami	77	-	1	-	-	-	-	-	1	-	-	13	-	1	32	31
52	Balance of county	1,024	16	6	-	-	-	1	-	-	-	1	192	12	4	444	434
53	De Soto	96	3	1	-	-	-	-	-	-	-	1	13	1	-	43	40
54	Dixie	47	-	1	-	-	-	-	-	-	-	1	2	-	-	25	24
55	Duval	2,741	106	21	-	-	-	-	4	3	-	14	318	27	7	1,221	1,162
56	Jacksonville	2,255	95	20	-	-	-	-	4	1	-	13	263	25	7	999	957
57	Balance of county	486	11	1	-	-	-	-	-	2	-	1	55	2	-	222	205
58	Escambia	920	17	13	-	-	2	-	2	1	-	7	117	11	1	372	347
59	Pensacola	494	12	8	-	-	-	-	1	-	-	4	68	7	-	210	200
60	Balance of county	426	5	5	-	-	2	-	1	1	-	3	49	4	1	162	147
61	Flagler	42	3	-	-	-	-	-	-	-	-	-	3	1	-	17	16
62	Franklin	64	4	-	-	-	-	-	-	1	-	-	7	-	-	30	30
63	Gadsden	285	9	1	-	-	1	2	-	-	-	-	24	4	1	116	110
64	Gilchrist	18	1	-	-	-	-	-	-	-	-	-	3	-	1	9	9
65	Glades	11	-	1	-	-	-	-	-	-	-	-	-	-	-	7	7
66	Gulf	67	3	2	-	1	-	-	-	-	-	-	13	1	-	24	24
67	Hamilton	90	2	-	-	-	-	-	-	-	-	1	13	-	-	39	37
68	Hardee	105	4	1	-	-	-	-	-	-	-	-	8	-	-	57	56
69	Hendry	52	-	2	-	-	-	-	-	-	-	-	3	1	1	15	13
70	Hernando	68	-	1	-	-	-	-	-	-	-	-	7	1	-	35	32
71	Highlands	155	1	-	-	-	-	-	-	-	1	-	18	4	1	76	72
72	Hillsborough	2,469	41	14	-	3	-	-	3	4	2	9	374	39	4	1,208	1,128
73	Tampa	1,699	29	7	-	2	-	-	1	4	1	4	287	34	3	813	768
74	Balance of county	770	12	7	-	1	-	-	2	-	1	5	87	5	1	395	365
75	Holmes	108	-	1	-	-	-	-	1	-	-	-	12	2	-	53	49
76	Indian River	90	2	-	-	-	-	-	-	-	-	-	15	-	-	43	42
77	Jackson	282	9	-	-	1	-	-	-	-	-	2	27	-	1	154	149
78	Jefferson	141	3	1	-	-	1	-	-	-	-	2	10	3	-	68	65
79	Lafayette	27	-	-	-	-	-	-	-	-	-	-	5	-	-	11	11
80	Lake	402	9	2	-	-	-	-	-	-	-	3	64	9	-	196	190
81	Lee	285	7	5	-	-	-	-	-	-	-	4	39	6	-	142	138
82	Fort Myers	197	5	3	-	-	-	-	-	-	-	4	23	4	-	102	100
83	Balance of county	88	2	2	-	-	-	-	-	-	-	-	16	2	-	40	38

[2]Classified as urban under a special rule.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
576	7	2,314	137	30	57	88	32	13	66	3	5	66	32	74	190	62	7	470	1
170	1	820	35	8	14	28	8	6	24	-	1	15	9	22	59	19	3	140	2
97	3	409	28	5	13	19	7	3	11	-	1	13	4	7	40	9	-	119	3
46	-	191	6	3	5	7	1	1	3	-	-	2	-	4	14	4	1	24	4
39	-	161	8	-	6	2	1	1	6	-	-	4	2	6	10	2	1	20	5
33	-	69	8	1	1	6	1	-	1	-	-	2	-	4	6	2	1	16	6
14	-	47	4	1	4	3	-	-	2	-	-	-	-	1	2	1	-	12	7
17	1	46	9	1	3	4	4	-	2	-	-	7	4	6	9	1	-	11	8
29	-	73	6	-	-	1	3	-	2	1	-	3	3	2	3	1	-	10	9
131	2	498	33	11	11	18	7	2	15	2	3	20	10	22	47	23	1	118	10
155	-	609	39	5	26	25	10	3	7	3	1	19	6	27	34	22	1	120	11
38	-	133	22	2	5	7	3	2	1	1	1	1	3	7	10	5	1	24	12
40	-	183	8	1	6	4	4	-	2	1	-	4	-	7	6	8	-	33	13
77	-	293	9	2	15	14	3	1	4	1	-	14	3	13	18	9	-	63	14
61	1	190	10	4	6	6	2	-	3	-	-	2	2	7	17	5	1	26	15
54	-	272	22	8	13	18	4	4	6	-	-	6	3	8	13	6	-	56	16
6	-	60	7	3	5	6	1	1	3	-	-	1	-	-	3	3	-	12	17
48	-	212	15	5	8	12	3	3	3	-	-	5	3	8	10	3	-	44	18
279	6	1,446	107	14	66	100	12	16	33	8	7	40	23	80	126	39	23	365	19
43	1	224	16	-	5	8	1	-	3	4	1	4	4	13	15	11	2	40	20
164	4	918	72	11	44	71	9	13	27	2	5	30	10	33	82	21	14	234	21
106	2	610	47	6	34	47	8	11	22	2	2	21	9	21	52	13	8	151	22
59	2	308	25	5	10	24	1	2	5	-	3	9	1	12	30	8	6	83	23
72	1	304	19	3	17	21	2	3	3	2	1	6	9	34	29	7	7	91	24
727	10	3,312	240	73	111	223	58	22	156	12	7	105	29	134	320	92	79	976	25
3,053	29	8,701	709	141	540	807	149	142	230	118	87	294	915	842	1,075	316	362	3,082	26
76	-	138	10	2	12	21	2	3	6	3	1	7	21	14	19	10	8	47	27
29	-	58	8	1	8	11	-	1	3	-	-	2	6	4	6	5	3	33	28
47	-	80	2	1	4	10	2	2	3	3	1	5	15	10	13	5	5	14	29
8	-	18	1	-	4	2	-	-	1	-	1	2	-	7	3	-	1	7	30
26	-	62	5	1	7	8	2	1	1	1	4	5	7	8	24	1	7	37	31
17	-	36	4	-	4	4	1	1	1	-	2	4	5	5	17	1	7	22	32
9	-	26	1	1	3	4	1	-	-	1	2	1	2	3	7	-	-	15	33
15	-	37	-	1	1	9	-	-	1	-	2	2	-	8	3	-	5	7	34
35	-	87	8	1	2	12	2	1	2	-	1	2	6	11	9	2	5	36	35
68	-	249	25	2	20	20	3	11	8	10	4	7	7	28	22	8	12	89	36
25	-	134	18	-	11	8	3	-	2	4	1	1	2	14	8	3	6	45	37
9	-	42	4	-	-	3	-	-	3	1	-	3	-	4	2	4	-	6	38
34	-	75	5	2	9	9	-	11	3	5	3	3	5	8	12	1	6	38	39
6	-	17	-	-	3	4	-	-	-	-	-	1	2	2	5	-	2	7	40
10	-	20	-	-	-	1	-	-	-	-	-	-	1	1	6	2	-	7	41
8	-	19	3	-	3	-	-	-	1	1	-	-	7	1	6	-	1	7	42
13	-	28	7	-	-	2	1	2	1	-	2	2	-	5	4	1	2	13	43
4	-	11	-	-	-	2	-	-	1	-	-	2	3	7	2	-	-	5	44
37	-	48	4	1	3	8	-	-	-	2	-	1	3	5	14	2	2	21	45
365	9	1,545	95	26	67	86	23	11	54	10	7	44	73	135	136	59	62	502	46
222	5	907	61	16	49	46	13	4	32	8	4	22	51	63	69	34	34	258	47
25	2	179	5	4	2	3	1	3	5	-	-	3	1	4	6	7	-	37	48
21	-	60	3	2	4	4	1	-	2	-	-	1	2	4	4	2	3	17	49
6	-	54	3	-	1	1	1	-	-	-	-	-	-	3	8	1	1	32	50
5	-	24	2	-	1	1	1	-	1	-	1	1	-	2	5	1	1	15	51
86	2	321	21	4	10	31	6	4	14	2	2	17	19	39	44	14	23	143	52
12	-	27	1	-	3	3	-	-	1	4	-	1	2	7	4	1	1	10	53
5	1	16	-	2	1	7	-	-	-	1	-	-	-	2	4	-	2	2	54
323	2	746	75	16	59	112	17	14	22	12	8	43	183	101	115	27	45	321	55
279	2	603	61	12	42	90	13	15	20	10	6	36	150	79	89	22	42	258	56
44	-	143	14	4	17	22	4	1	2	2	2	7	33	22	28	5	3	63	57
80	-	255	7	5	25	29	3	9	8	6	1	20	77	44	30	8	12	130	58
46	-	150	3	1	10	13	1	4	4	5	-	11	40	18	15	2	7	64	59
34	-	105	4	4	15	16	2	5	4	1	1	9	37	26	15	6	5	66	60
5	-	10	1	-	1	-	-	1	-	-	-	-	2	1	3	-	2	9	61
11	-	17	2	-	-	1	1	-	1	-	-	2	2	3	3	-	1	8	62
32	-	72	5	1	6	14	-	5	2	2	2	2	17	10	17	2	12	42	63
4	-	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	64
-	-	6	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	65
10	-	12	2	-	-	-	-	-	-	-	-	1	1	2	4	1	2	12	66
7	-	24	6	-	2	5	-	3	1	1	-	1	8	1	6	-	1	8	67
13	-	42	1	-	1	4	-	-	1	-	1	2	6	2	2	-	2	15	68
3	-	9	1	-	2	3	-	1	-	2	1	-	4	1	6	1	2	9	69
12	-	18	2	-	3	2	-	-	-	-	-	2	3	2	5	1	2	7	70
24	-	45	3	-	4	5	-	1	-	1	-	4	6	2	6	2	3	24	71
289	4	756	65	14	80	51	16	14	22	10	6	34	109	67	80	45	25	289	72
199	2	502	53	7	50	32	12	7	17	6	4	21	72	43	47	31	20	202	73
90	2	254	12	7	30	19	4	7	5	4	2	13	37	24	33	14	5	87	74
14	-	53	2	-	4	7	1	-	2	-	-	-	4	2	2	2	1	18	75
12	-	29	1	-	1	5	2	-	-	2	-	-	7	2	2	1	-	9	76
43	-	88	17	1	5	7	1	2	1	2	3	7	12	9	13	2	2	27	77
18	-	45	2	-	3	3	-	1	1	-	-	-	20	1	5	1	5	16	78
3	-	7	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-	7	79
34	1	146	7	2	6	13	3	2	3	-	1	7	4	10	13	6	7	50	80
33	-	91	12	2	4	5	1	1	-	3	1	1	2	13	6	2	5	42	81
25	-	63	10	2	2	3	1	1	-	2	1	-	1	8	6	1	5	27	82
8	-	28	2	-	2	2	-	-	-	1	-	1	1	5	-	1	-	15	83

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	FLORIDA—Continued																
1	Leon	325	11	1	-	1	-	1	-	1	-	2	25	-	2	149	139
2	Tallahassee	202	8	1	-	-	-	1	-	1	-	1	17	-	1	96	90
3	Balance of county	124	3	-	-	1	-	-	-	-	-	1	8	-	1	53	49
4	Levy	121	4	2	-	-	-	-	-	-	-	1	14	4	-	56	54
5	Liberty	38	1	-	-	-	-	1	-	-	-	1	1	1	-	14	14
6	Madison	152	4	1	-	1	-	-	-	-	-	1	14	3	-	76	75
7	Manatee	386	4	5	-	-	-	-	-	1	-	2	41	5	-	221	211
8	Bradenton	203	-	2	-	-	-	-	-	-	-	1	24	4	-	122	121
9	Balance of county	183	4	3	-	-	-	-	-	1	-	1	17	1	-	99	90
10	Marion	417	13	5	-	-	-	-	1	1	-	7	36	6	-	209	204
11	Ocala	135	6	2	-	-	-	-	-	-	-	3	11	4	-	67	64
12	Balance of county	282	7	3	-	-	-	-	1	1	-	4	25	2	-	142	140
13	Martin	91	2	1	-	-	-	-	-	-	-	-	14	1	-	46	44
14	Monroe	244	3	2	-	-	-	-	2	1	-	-	41	-	1	91	89
15	Key West	223	3	1	-	-	-	-	1	1	-	-	40	-	1	81	79
16	Balance of county	21	-	1	-	-	-	-	1	-	-	-	1	-	-	10	10
17	Nassau	105	4	1	-	1	-	-	-	-	-	-	15	2	-	50	48
18	Okaloosa	149	4	-	-	-	-	-	1	2	-	-	19	-	-	61	58
19	Okeechobee	33	1	-	-	-	-	-	-	-	-	-	6	-	-	16	16
20	Orange	1,152	20	7	-	-	-	-	-	-	-	4	188	14	4	623	612
21	Orlando	689	13	4	-	-	-	-	-	-	-	3	102	10	1	384	379
22	Balance of county	463	7	3	-	-	-	-	-	-	-	1	66	4	3	239	233
23	Osceola	182	-	2	-	-	-	-	-	-	-	1	22	3	-	109	108
24	Palm Beach	1,129	26	11	-	5	-	-	-	-	1	5	147	11	2	553	539
25	West Palm Beach	486	12	7	-	1	-	-	-	-	1	1	61	3	1	264	260
26	Lake Worth	180	-	2	-	-	-	-	-	-	-	2	36	3	-	94	91
27	Balance of county	463	14	2	-	4	-	-	-	-	-	2	50	5	1	195	188
28	Pasco	240	4	2	-	-	-	-	-	1	-	1	22	2	-	137	134
29	Pinellas	2,246	25	10	-	-	-	-	-	-	-	4	364	36	2	1,332	1,289
30	St. Petersburg	1,494	17	7	-	-	-	-	-	-	-	1	235	23	-	914	887
31	Clearwater	217	3	1	-	-	-	-	-	-	-	1	45	5	-	110	108
32	Balance of county	535	5	2	-	-	-	-	-	-	-	2	84	8	2	308	294
33	Polk	1,175	11	8	-	2	1	-	2	1	-	3	166	17	3	596	571
34	Lakeland	378	3	2	-	-	-	-	1	-	-	1	59	5	-	220	214
35	Balance of county	797	8	6	-	2	1	-	1	1	-	2	107	12	3	376	357
36	Putnam	265	4	-	-	1	2	-	-	-	-	2	17	2	-	140	125
37	St. Johns	267	7	3	-	-	-	-	-	-	-	3	30	4	-	136	131
38	St. Augustine	192	6	3	-	-	-	-	-	-	-	2	26	4	-	97	94
39	Balance of county	75	1	-	-	-	-	-	-	-	-	1	4	-	-	39	37
40	St. Lucie	200	9	-	-	-	-	-	-	-	-	-	28	2	-	90	82
41	Fort Pierce	157	6	-	-	-	-	-	-	-	-	-	21	1	-	70	65
42	Balance of county	43	3	-	-	-	-	-	-	-	-	-	7	1	-	20	17
43	Santa Rosa	173	2	-	-	-	-	-	-	-	-	-	15	1	-	84	80
44	Sarasota	319	4	2	-	1	-	-	-	1	-	-	45	3	3	163	158
45	Sarasota	232	4	2	-	1	-	-	-	1	-	-	37	3	1	116	112
46	Balance of county	87	-	-	-	-	-	-	-	-	-	-	8	-	2	47	46
47	Seminole	289	2	-	-	-	-	-	-	-	-	1	35	7	1	155	141
48	Sanford	154	-	-	-	-	-	-	-	-	-	1	25	5	1	81	75
49	Balance of county	135	2	-	-	-	-	-	-	-	-	-	10	2	-	74	66
50	Sumter	118	-	1	-	-	-	-	-	-	-	1	11	2	-	62	60
51	Suwannee	163	-	1	-	-	-	-	-	-	-	-	29	1	-	84	82
52	Taylor	106	-	5	-	-	-	-	-	-	-	2	7	3	-	44	43
53	Union	41	1	-	-	-	-	-	-	1	-	-	4	1	-	20	20
54	Volusia	860	12	4	-	-	-	-	-	2	-	4	135	7	-	462	454
55	Daytona Beach	360	5	3	-	-	-	-	-	1	-	-	60	4	-	201	197
56	Balance of county	500	7	1	-	-	-	-	-	1	-	4	75	3	-	261	257
57	Wakulla	63	1	-	-	-	-	-	-	-	-	-	11	-	-	28	23
58	Walton	138	1	-	-	-	-	1	-	-	-	1	14	2	-	74	72
59	Washington	125	5	1	-	2	-	-	-	-	-	1	13	2	1	58	55
60	GEORGIA	30,325	808	203	3	47	18	44	34	17	9	145	3,348	413	56	14,948	14,180
61	Appling	121	1	1	-	1	-	-	-	-	-	-	8	3	1	48	47
62	Atkinson	68	3	2	-	-	-	-	-	-	-	1	6	-	-	32	31
63	Bacon	69	1	-	-	-	-	-	-	-	-	1	8	1	-	38	36
64	Baker	23	1	-	-	-	-	-	-	-	-	-	2	-	-	9	9
65	Baldwin	207	6	1	-	1	-	-	-	-	2	-	18	2	-	106	98
66	Banks	44	-	-	-	-	-	-	-	-	-	1	4	1	-	28	28
67	Barrow	90	5	-	-	3	-	-	-	-	-	-	9	1	-	36	33
68	Bartow	221	2	-	-	-	-	1	-	-	-	2	13	5	-	107	93
69	Ben Hill	181	5	3	-	1	-	-	-	-	-	-	22	6	-	86	85
70	Berrien	104	3	1	-	-	-	-	-	-	-	1	9	2	-	56	51
71	Bibb	1,046	33	11	-	-	-	4	3	-	-	4	109	14	2	516	493
72	Macon	933	32	9	-	-	-	3	2	-	-	4	94	14	2	461	438
73	Balance of county	113	1	2	-	-	-	1	1	-	-	-	15	-	-	55	55
74	Bleckley	90	1	1	-	-	-	-	-	-	-	1	9	2	-	41	38
75	Brantley	53	-	-	-	-	-	-	-	-	-	-	4	1	-	31	29
76	Brooks	186	-	-	-	-	-	-	-	-	1	3	24	1	1	82	70
77	Bryan	65	1	2	-	-	-	-	-	-	-	-	9	-	1	32	31
78	Bulloch	179	1	-	-	-	-	-	-	-	-	1	21	1	-	103	101
79	Burke	257	16	2	-	1	-	-	-	-	-	-	13	4	1	110	107
80	Butts	100	2	-	-	-	-	-	-	-	-	2	13	3	-	48	47
81	Calhoun	99	3	1	-	-	-	-	-	-	-	1	12	2	-	41	39
82	Camden	75	1	-	-	-	1	-	-	-	-	1	9	1	-	32	28
83	Candler	74	1	-	-	-	-	-	1	-	-	-	7	1	-	40	39
84	Carroll	280	7	1	-	-	-	1	1	1	-	3	41	5	-	135	119
85	Catoosa	89	1	-	-	-	-	-	-	-	-	-	18	4	-	44	43
86	Charlton	54	1	-	-	-	-	-	-	-	-	-	10	-	-	18	18
87	Chatham	1,678	61	13	-	1	-	-	3	1	-	8	154	35	5	880	842
88	Savannah	1,386	50	10	-	1	-	-	3	1	-	6	128	27	4	734	705
89	Balance of county	292	11	3	-	-	-	-	-	-	-	2	26	8	1	146	137

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1946)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 582-591	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
38	-	86	14	1	10	19	3	3	2	2	7	6	16	11	9	3	10	42	1
22	-	59	6	1	6	6	1	-	1	-	1	5	7	8	6	3	8	30	2
16	-	27	6	-	4	13	2	3	1	2	6	1	9	3	3	-	2	12	3
13	-	36	4	1	2	4	-	1	1	-	1	-	6	3	8	1	4	11	4
5	-	9	-	-	-	-	-	-	-	-	-	-	4	3	3	-	-	9	5
20	-	54	-	1	1	2	-	-	1	1	3	3	6	4	4	1	3	24	6
45	1	144	20	1	10	12	2	4	2	2	-	2	12	5	15	4	7	40	7
25	-	92	14	-	1	4	1	1	2	-	-	2	3	3	8	-	4	22	8
20	1	62	6	1	9	8	1	3	-	2	-	-	9	2	7	4	3	18	9
65	1	122	15	1	5	16	1	4	2	2	1	2	25	18	18	4	1	45	10
17	1	43	2	1	3	4	-	2	1	-	1	-	8	6	3	3	1	13	11
48	-	79	15	-	2	12	1	2	1	2	-	2	17	12	15	1	-	32	12
11	-	32	1	-	2	3	-	1	1	-	-	1	3	2	4	-	-	12	13
23	-	62	3	1	2	10	-	2	4	-	-	4	21	4	11	2	1	44	14
22	-	53	3	1	2	10	-	2	4	-	-	3	16	4	10	2	1	43	15
1	-	9	-	-	-	-	-	-	-	-	-	1	5	-	1	-	-	1	16
10	-	35	3	-	2	3	1	-	-	-	-	1	6	4	4	1	2	10	17
17	1	38	1	-	3	13	-	-	-	-	-	2	6	6	5	-	1	27	18
-	-	15	1	-	-	-	-	-	-	-	-	-	2	4	-	-	1	3	19
133	2	441	24	12	11	39	19	4	10	1	2	6	22	34	38	13	12	112	20
69	2	269	12	7	5	22	10	3	4	-	-	5	13	16	19	8	9	63	21
44	-	172	12	5	6	17	9	1	6	1	2	1	9	18	19	5	3	49	22
31	-	70	6	1	1	6	1	1	-	-	-	-	6	2	7	1	1	20	23
135	1	376	22	5	14	38	14	8	14	4	6	4	33	33	54	16	14	150	24
62	-	183	13	2	4	16	6	1	7	2	3	2	6	13	18	7	10	44	25
19	-	69	1	2	3	2	2	-	1	-	-	-	3	2	9	2	-	22	26
54	1	124	8	1	7	20	6	7	6	2	3	2	24	18	27	7	4	64	27
40	2	85	6	1	3	5	-	1	3	1	-	2	15	4	13	3	2	22	28
299	1	879	95	15	43	54	13	9	19	9	-	15	14	34	70	30	13	196	29
204	1	804	71	7	27	38	7	7	14	5	-	6	8	13	50	22	7	120	30
29	-	73	4	2	2	8	2	-	-	2	-	3	1	5	6	1	4	20	31
66	-	202	20	6	14	8	4	2	5	2	-	4	5	16	14	7	2	55	32
153	1	365	41	11	25	31	9	4	8	2	5	12	33	52	61	15	11	122	33
45	-	160	6	3	6	11	2	2	3	1	-	2	3	16	10	3	1	33	34
108	1	205	35	8	19	20	7	2	5	1	5	10	30	36	51	12	10	89	35
20	-	99	5	1	15	9	2	1	1	2	2	4	7	16	17	2	2	32	36
26	-	95	8	2	5	2	-	2	-	1	-	4	10	10	19	2	-	34	37
16	-	69	8	1	3	1	-	1	-	1	-	2	4	7	11	1	-	26	38
10	-	26	-	1	2	1	-	1	-	-	-	2	6	3	8	1	-	8	39
25	-	50	6	1	8	10	-	1	1	-	2	4	2	2	6	6	7	30	40
23	-	37	5	-	5	10	-	1	1	-	1	4	2	2	4	5	6	23	41
2	-	13	1	1	3	-	-	-	-	-	1	-	-	-	2	1	1	7	42
21	-	54	5	-	4	12	-	2	-	1	-	2	4	13	8	2	1	26	43
35	-	119	4	-	5	9	-	1	4	2	-	3	8	7	25	4	4	30	44
26	-	84	2	-	4	6	-	1	4	2	-	1	7	6	14	3	3	20	45
9	-	35	2	-	1	3	-	-	-	-	-	2	1	1	11	1	1	10	46
30	-	108	3	-	14	6	1	2	4	-	4	3	3	5	15	3	2	35	47
16	-	58	1	-	6	1	-	1	2	-	1	1	2	1	9	2	2	19	48
14	-	50	2	-	8	5	1	1	2	-	3	2	1	4	6	1	5	16	49
11	1	44	3	1	2	5	1	1	1	1	1	1	3	5	4	-	1	17	50
15	-	64	2	1	2	7	-	2	1	-	3	3	14	5	5	3	3	22	51
18	-	22	2	1	1	4	-	2	4	-	-	1	7	5	5	2	2	13	52
7	-	13	-	-	-	2	-	-	-	-	1	-	1	-	4	-	-	6	53
102	1	310	39	2	8	22	2	2	5	11	1	3	12	24	44	10	8	90	54
37	1	140	18	1	4	8	1	2	3	1	-	-	1	7	22	1	2	38	55
65	-	170	21	1	4	14	1	-	2	10	1	3	11	17	22	9	6	52	56
5	-	14	2	2	5	2	1	-	-	-	-	-	8	4	2	-	2	4	57
24	-	46	2	-	2	3	-	-	-	2	-	3	5	5	10	-	1	16	58
18	-	35	1	1	3	6	1	1	1	1	-	2	2	5	4	-	2	17	59
4,179	43	9,069	750	139	768	1,471	130	229	181	155	148	377	794	906	1,240	286	509	3,806	60
21	-	23	3	-	1	21	-	2	-	-	-	3	2	5	1	-	2	22	61
12	-	17	2	-	1	4	-	1	1	-	-	1	3	-	2	-	1	11	62
10	-	25	1	-	2	4	-	-	1	-	-	1	1	2	2	-	-	9	63
3	-	5	1	-	-	2	-	-	-	-	-	-	2	1	2	-	1	3	64
39	-	50	7	2	8	13	2	1	1	2	-	4	1	9	6	-	10	22	65
10	-	18	-	-	-	1	1	-	-	-	-	-	-	2	1	-	-	5	66
9	-	23	1	-	3	8	2	1	1	1	-	2	-	2	5	-	2	12	67
25	2	50	13	3	14	8	-	3	1	-	-	-	11	11	11	6	3	37	68
15	-	66	2	-	1	6	-	1	1	-	3	1	3	9	4	2	2	26	69
18	-	31	2	-	5	8	-	-	1	-	1	1	3	2	5	-	1	10	70
131	-	335	25	2	23	42	5	4	6	4	4	14	37	28	48	11	20	125	71
121	-	296	19	2	23	39	5	4	8	4	4	13	30	23	41	11	17	113	72
10	-	39	6	-	-	3	-	-	-	-	-	1	7	5	7	-	3	12	73
14	1	16	7	-	3	6	-	1	-	-	1	-	2	2	3	1	-	9	74
10	-	16	3	-	2	2	-	-	-	-	1	1	1	-	4	1	-	7	75
30	-	38	2	-	12	11	1	2	2	1	-	3	19	5	11	-	1	18	76
15	-	16	-	-	1	2	-	-	-	-	-	2	1	2	3	-	1	9	77
39	-	55	7	-	2	5	-	-	-	1	1	1	1	12	5	2	2	22	78
38	1	58	8	2	3	20	-	2	-	-	1	2	30	10	8	2	5	30	79
14	1	27	4	1	1	5	-	1	1	1	-	2	1	-	3	1	3	14	80
9	-	28	2	-	2	7	-	1	-	-	1	1	4	2	7	1	5	10	81
12	-	14	1	1	4	5	-	-	2	-	1	-	4	1	6	-	1	10	82
18	-	21	-	-	1	3	-	-	1	-	1	-	2	1	3	1	1	11	83
29	1	85	4	-	16	14	1	1	1	-	3	3	6	5	8	2	5	36	84
18	-	21	4	-	1	2	-	2	-	-	-	1	1	4	1	1	1	9	85
4	-	12	1	1	-	5	-	1	1	-	1	-	3	3	1	1	2	8	86
217	4	584	33	4	38	88	3	13	6	8	6	20	6	43	62	23	22	217	87
183	4	485	29	4	29	70	2	12	6	7	5	17	4	32	49	20	17	181	88
34	-	99	4	-	9	18	1	1	-	1	1	3	2	11	13	3	5	36	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	GEORGIA—Continued																
1	Chattahoochee	26	1	-	-	-	-	-	-	-	-	-	2	-	-	7	7
2	Chattooga	159	9	-	-	1	1	-	1	-	-	1	17	2	1	65	52
3	Cherokee	159	2	-	-	-	-	1	-	-	-	-	29	8	-	68	66
4	Clarke	343	7	5	-	-	-	-	2	-	-	1	39	5	-	197	184
5	Athens	273	5	4	-	-	-	-	2	-	-	1	34	5	-	164	152
6	Balance of county	70	2	1	-	-	-	-	-	-	-	-	5	-	-	33	32
7	Clay	64	3	1	-	-	-	-	-	-	-	1	9	-	-	28	27
8	Clayton	141	4	1	-	-	-	-	-	-	-	1	17	3	-	54	52
9	College Park (part)	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3
10	Balance of county	135	4	1	-	-	-	-	-	-	-	1	17	3	-	51	49
11	Clinch	53	1	-	-	-	-	-	-	-	-	1	2	-	-	26	26
12	Cobb	431	11	-	-	-	1	2	-	1	-	2	54	3	-	220	210
13	Marietta	158	5	-	-	-	1	-	-	-	-	2	20	1	-	80	74
14	Balance of county	273	6	-	-	-	-	2	-	1	-	-	34	2	-	140	136
15	Coffee	220	-	-	-	-	1	-	-	-	-	1	15	3	1	99	96
16	Colquitt	282	7	-	-	1	-	1	-	-	-	2	22	2	-	156	150
17	Moultrie	125	4	-	-	-	-	-	-	-	-	-	10	2	-	68	65
18	Balance of county	157	3	-	-	1	-	1	-	-	-	2	12	-	-	88	85
19	Columbia	83	2	1	-	-	1	-	-	-	-	-	9	-	-	34	31
20	Cook	127	2	2	-	1	-	-	-	-	-	-	11	2	-	59	56
21	Coweta	255	5	2	-	-	-	-	-	-	-	3	36	3	1	124	118
22	Crawford	63	3	-	-	-	-	-	-	-	-	-	6	-	-	27	27
23	Crisp	171	7	1	-	-	1	-	-	-	-	3	16	2	-	83	77
24	Dade	47	1	-	-	-	-	-	-	-	-	-	9	-	-	15	14
25	Dawson	29	-	-	-	-	-	1	-	-	-	-	2	-	1	15	14
26	Decatur	246	4	2	1	1	-	-	1	-	-	1	23	2	1	118	112
27	De Kalb	863	15	4	-	-	-	-	1	4	-	1	122	6	-	458	447
28	Atlanta (part)	290	5	2	-	-	-	-	-	-	-	1	43	1	-	162	158
29	Decatur	187	4	2	-	-	-	-	-	1	-	-	18	2	-	104	102
30	Balance of county	386	6	-	-	-	-	-	1	3	-	-	61	3	-	190	187
31	Dodge	151	2	3	-	-	-	-	-	-	-	-	12	5	1	83	80
32	Dooly	153	2	-	1	1	-	-	-	-	-	4	13	2	1	80	66
33	Dougherty	347	6	4	-	3	-	1	-	1	-	3	38	1	-	183	151
34	Albany	285	5	3	-	1	-	-	-	1	-	3	36	1	-	130	121
35	Balance of county	62	1	1	-	2	-	1	-	-	-	-	2	-	-	33	30
36	Douglas	82	3	1	-	-	-	1	-	-	-	-	9	1	-	44	42
37	Early	159	5	2	-	1	-	-	-	-	1	1	5	4	-	86	85
38	Echols	23	-	-	-	-	-	-	-	-	-	-	3	-	-	12	12
39	Effingham	99	2	-	-	-	-	-	-	-	-	-	10	4	-	54	51
40	Elbert	170	7	-	-	-	-	-	-	-	-	-	16	4	-	88	83
41	Emanuel	216	1	1	-	-	1	-	-	-	-	-	14	1	1	107	97
42	Evans	70	1	1	-	-	-	-	-	-	-	-	7	3	-	33	32
43	Fannin	91	1	-	-	-	-	-	-	-	-	-	10	-	-	51	48
44	Fayette	61	-	-	-	-	-	-	-	-	-	-	13	-	-	24	23
45	Floyd	492	24	2	-	1	-	-	-	1	-	1	97	4	1	215	204
46	Rome	286	15	2	-	-	-	-	-	-	-	-	54	3	1	123	114
47	Balance of county	206	9	-	-	1	-	-	-	1	-	1	33	1	-	92	90
48	Forsyth	78	2	-	-	-	1	-	1	-	-	-	13	1	-	38	38
49	Franklin	103	-	-	-	1	-	1	-	-	-	1	14	1	-	53	52
50	Fulton	4,524	182	38	-	1	-	2	5	2	-	18	565	72	10	2,259	2,166
51	Atlanta (part)	3,574	155	35	-	-	-	2	5	1	-	13	447	62	9	1,766	1,697
52	Atlanta (total)	3,864	160	37	-	-	-	2	5	1	-	14	490	63	9	1,928	1,855
53	College Park (part)	90	3	-	-	-	-	-	-	-	-	2	11	-	-	52	49
54	College Park (total)	96	3	-	-	-	-	-	-	-	-	2	11	-	-	55	52
55	East Point	148	3	1	-	1	-	-	-	-	-	-	13	3	-	78	74
56	Balance of county	712	21	2	-	-	-	-	-	1	-	3	94	7	1	363	346
57	Gilmer	71	3	-	-	1	-	-	-	-	-	-	8	1	-	27	27
58	Glascock	32	1	-	-	-	-	-	-	-	-	-	4	-	1	15	15
59	Glynn	274	8	3	-	1	-	-	-	-	-	-	24	3	-	134	128
60	Brunswick	198	6	2	-	1	-	-	-	-	-	-	16	3	-	92	87
61	Balance of county	76	2	1	-	-	-	-	-	-	-	-	8	-	-	42	41
62	Gordon	140	6	-	-	-	-	-	-	-	-	-	18	1	-	67	64
63	Grady	188	2	1	-	1	1	-	-	-	-	1	24	1	-	75	70
64	Greene	140	-	2	-	-	-	-	-	-	-	-	14	-	-	81	80
65	Gwinnett	237	3	-	-	-	1	1	-	1	-	1	33	6	-	112	110
66	Habersham	123	5	-	-	-	-	1	-	-	-	-	15	3	1	55	54
67	Hall	283	4	2	-	1	-	3	-	-	-	1	29	7	-	128	120
68	Gainesville	136	2	1	-	-	-	-	-	-	-	-	14	1	-	66	61
69	Balance of county	147	2	1	-	1	-	3	-	-	-	1	15	6	-	62	59
70	Hancock	98	4	1	-	-	-	-	-	-	-	1	6	2	-	54	48
71	Haralson	112	2	1	-	-	1	1	1	-	-	-	11	2	-	55	52
72	Harris	111	-	-	-	1	-	-	-	-	-	-	11	2	-	67	64
73	Hart	91	1	-	-	-	-	-	-	-	-	-	9	-	-	40	40
74	Heard	63	1	-	-	-	-	-	-	-	-	-	12	1	-	27	27
75	Henry	153	7	2	-	2	-	-	-	-	-	-	12	1	1	73	65
76	Houston	153	1	1	-	-	-	-	-	-	-	-	16	2	1	79	78
77	Irwin	76	-	-	-	-	-	-	-	-	-	-	3	2	-	38	32
78	Jackson	148	4	1	-	-	2	1	-	-	-	-	19	3	-	71	64
79	Jasper	70	-	1	-	-	1	-	-	1	-	-	3	-	-	30	30
80	Jeff Davis	74	-	-	-	-	-	-	-	-	-	3	6	-	-	44	40
81	Jefferson	176	3	-	-	1	-	-	-	1	1	1	18	4	1	84	81
82	Jenkins	110	4	2	-	-	-	-	-	-	-	3	9	1	-	47	45
83	Johnson	97	2	-	-	-	-	-	-	-	-	-	12	-	-	48	48
84	Jones	77	1	-	-	-	-	-	-	-	-	-	8	1	-	39	32
85	Lamar	88	1	1	-	-	-	-	-	-	-	-	13	-	-	51	44
86	Lanier	54	2	-	-	1	-	-	-	-	-	-	4	1	-	24	23
87	Laurens	345	4	2	-	-	-	2	1	-	-	4	23	2	-	165	151
88	Dublin	135	2	2	-	-	-	-	-	-	-	1	9	-	-	65	59
89	Balance of county	210	2	-	-	-	-	2	1	-	-	3	14	2	-	100	92
90	Lee	50	1	-	-	1	-	-	-	-	-	-	5	-	-	28	25
91	Liberty	90	2	-	-	-	-	-	-	-	-	-	10	-	-	44	42

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	-	6	-	-	-	2	-	-	-	-	-	2	3	2	2	1	-	1	8	1
7	1	44	-	-	13	12	-	-	-	-	-	2	3	6	5	8	2	-	22	2
21	-	39	5	1	2	11	-	1	-	1	-	2	2	8	8	6	2	-	10	3
51	2	124	4	3	13	9	2	5	5	4	-	-	3	4	13	4	4	3	31	4
42	1	104	2	3	12	4	-	4	4	4	-	-	2	2	7	2	3	3	23	5
9	1	20	2	-	1	5	2	1	1	-	-	-	1	2	6	2	1	-	8	6
15	-	9	3	-	1	4	-	-	-	-	-	-	-	3	2	2	1	3	7	7
11	-	36	4	1	2	10	-	2	-	-	-	-	1	2	8	9	3	6	20	8
-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	9
11	-	33	4	1	2	9	-	2	-	-	-	-	1	2	8	9	2	6	19	10
8	-	16	2	-	-	5	-	-	-	-	-	-	1	4	2	2	-	2	7	11
57	-	140	10	3	10	25	1	1	1	1	-	1	5	6	14	25	3	4	52	12
24	-	48	2	-	6	8	-	1	1	1	-	1	4	1	3	5	1	2	21	13
33	-	92	8	3	4	17	1	-	-	-	-	-	1	5	11	18	2	2	31	14
28	-	61	7	-	3	7	1	-	1	2	-	2	5	14	7	8	2	3	48	15
38	-	105	6	1	6	13	1	3	-	1	-	4	4	7	12	9	3	1	33	16
18	-	42	4	1	3	3	1	2	-	-	-	-	2	3	6	6	-	-	18	17
20	-	63	2	-	3	10	-	1	-	1	-	4	2	4	6	3	3	1	15	18
8	-	22	1	-	3	14	-	1	-	2	-	-	-	2	3	6	-	-	8	19
27	1	26	2	-	3	13	-	-	-	1	-	-	1	4	7	8	1	2	13	20
38	2	67	10	1	6	8	1	-	-	-	-	1	3	9	11	11	3	9	25	21
8	-	16	2	1	-	7	-	-	1	1	-	-	1	4	4	1	1	-	7	22
24	-	48	4	1	6	4	-	1	1	1	-	4	-	13	4	6	2	4	18	23
4	-	9	-	1	1	5	1	1	-	-	-	-	1	-	4	1	-	-	9	24
1	-	12	1	-	1	1	-	1	-	-	-	-	-	2	3	-	-	-	2	25
38	-	66	8	-	6	10	3	6	1	3	-	1	2	7	11	5	1	4	38	26
119	1	305	18	4	9	30	6	5	5	2	-	2	10	9	17	34	12	10	112	27
43	-	108	6	1	4	8	1	1	4	-	-	1	2	1	5	8	5	1	39	28
14	-	62	5	1	2	4	2	1	-	-	-	-	3	-	7	6	4	2	27	29
62	1	115	7	2	3	18	3	3	1	2	-	1	5	8	5	20	3	7	46	30
23	1	51	5	-	3	5	-	1	1	-	-	2	-	12	7	2	-	2	13	31
23	-	38	5	-	14	11	-	1	1	-	-	-	1	5	7	7	1	1	14	32
43	-	102	3	3	12	10	4	2	4	1	-	1	6	7	10	22	4	8	48	33
32	-	83	3	3	9	8	4	2	4	1	-	1	6	5	10	14	4	7	40	34
11	-	19	-	-	3	2	-	-	-	-	-	1	-	2	-	8	-	1	8	35
16	-	24	2	-	2	2	-	1	-	-	-	2	1	1	4	4	-	1	6	36
23	-	61	1	-	1	9	-	1	1	1	-	1	1	6	2	5	1	6	20	37
3	-	8	1	-	-	2	-	-	-	-	-	-	-	2	2	1	-	-	1	38
19	-	30	2	-	3	5	-	1	-	1	-	1	1	6	1	3	2	-	9	39
28	1	50	3	1	5	9	-	1	-	2	-	1	-	8	3	6	-	1	24	40
36	-	54	7	-	10	18	1	2	2	3	-	1	3	7	9	12	3	3	27	41
13	-	16	3	-	1	3	-	-	-	1	-	-	3	2	2	3	-	-	11	42
14	1	32	1	-	3	4	1	2	1	-	-	-	3	1	2	5	-	1	9	43
4	-	14	5	-	1	3	-	-	1	-	-	-	1	5	2	3	-	3	4	44
57	1	138	6	2	11	12	-	3	3	2	-	2	1	14	4	10	19	7	71	45
31	1	78	3	1	9	6	-	2	2	2	-	1	8	1	5	7	3	4	45	46
26	-	60	3	1	2	6	-	1	1	-	-	-	6	3	5	12	5	3	26	47
4	-	33	1	-	-	-	-	-	1	-	-	-	-	5	2	4	2	1	7	48
17	-	32	3	-	1	5	-	-	1	-	-	-	-	1	5	7	-	2	11	49
576	6	1,446	100	38	93	126	28	31	39	9	11	54	28	110	190	43	120	581	50
439	5	1,146	76	31	69	98	26	25	33	6	6	40	20	80	142	32	103	468	51
482	5	1,254	82	32	73	106	27	28	37	6	7	42	21	85	150	37	104	507	52
16	1	29	3	-	3	2	-	-	1	-	1	2	1	3	3	2	1	6	53
16	1	32	3	-	3	3	-	-	1	-	1	2	1	3	3	3	1	7	54
15	-	54	4	1	4	2	-	1	-	1	-	2	1	9	8	1	4	20	55
108	-	217	17	6	17	24	2	5	5	2	-	4	10	6	18	37	8	12	87	56
12	-	13	2	-	-	6	-	1	2	-	-	-	2	3	-	3	-	-	12	57
6	-	7	2	-	-	3	-	-	-	-	-	-	1	4	1	2	-	-	-	58
24	-	102	-	2	6	17	2	3	2	4	-	-	2	3	6	14	2	2	44	59
13	-	72	-	2	5	12	1	3	-	4	-	-	1	1	4	14	2	2	34	60
11	-	30	-	-	1	5	1	-	2	-	-	-	1	2	2	-	-	-	10	61
16	-	43	4	1	3	8	-	-	-	-	-	1	2	3	8	10	4	3	9	62
20	-	47	2	1	5	7	-	-	1	5	-	1	1	11	6	10	4	9	27	63
19	-	57	4	-	1	11	-	1	1	-	-	1	4	3	1	2	2	1	16	64
33	-	68	4	5	2	14	1	-	1	1	-	1	4	5	7	11	3	2	29	65
19	-	31	4	-	1	7	-	-	-	-	-	1	2	1	6	3	3	2	18	66
37	-	71	8	4	8	12	1	1	1	2	-	3	10	11	10	12	1	1	43	67
16	-	37	6	2	5	4	-	1	-	2	-	2	8	5	3	2	-	-	25	68
21	-	34	2	2	3	8	1	-	1	-	-	1	2	6	7	10	1	1	18	69
22	-	22	4	-	6	7	-	1	-	-	-	1	-	2	5	4	-	2	8	70
12	-	38	1	1	3	5	1	-	1	1	-	-	2	2	7	2	3	-	14	71
24	-	32	8	-	3	7	1	1	-	-	-	1	-	2	2	2	-	-	9	72
7	-	32	1	-	-	14	-	1	-	2	-	-	2	2	5	2	1	1	11	73
11	-	15	1	-	-	4	1	-	-	-	-	-	1	2	2	2	1	3	6	74
19	-	40	4	-	10	11	-	2	-	-	-	-	2	9	4	9	-	3	15	75
16	3	58	3	-	1	6	1	2	1	1	-	1	2	1	8	7	1	1	23	76
9	-	22	1	-	6	4	-	-	1	-	-	-	2	2	-	8	1	1	14	77
21	-	37	6	-	7	14	1	2	2	1	-	-	1	5	6	3	1	-	11	78
5	-	19	6	-	-	5	-	1	-	1	-	1	-	4	1	3	-	2	16	79
20	-	18	2	-	4	5	-	-	-	1	-	1	1	1	2	2	-	1	7	80
34	-	36	10	1	3	5	3	2	-	2	-	2	1	11	7	9	-	2	18	81
13	-	31	-	1	2	10	1	2	-	5	-	-	-	6	1	1	-	4	14	82
16	-	32	-	-	-	11	-	2	1	1	-	1	1	2	1	3	2	2	8	83
14	-	16	2	-	7	7	-	-	1	1	-	-	2	1	-	2	2	1	11	84
16	-	27	-	1	7	2	2	-	2	-	-	-	2	-	2	2	-	-	10	85
8	-	13	2	-	1	2	-	-	-	-	-	-	1	2	2	3	-	5	7	86
35	-	107	7	2	14	29	1	2	1	4	-	7	5	14	10	10	6	5	48	87
15	-	39	3	2	6	12	-	-	-	2	-	4	4	2	2	3	4	1	22	88
20	-	68	4	-	8	17	1	2	1	2	-	3	1	12	8	7	2	4	26	89
6	-	19	-	-	3	2	1	-	1	-	-	-	-	1	2	2	-	-	6	90
9	1	29	3	-	2	9	2	-	-	-	-	5	5	2	5	-	-	6	91

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	GEORGIA—Continued																
1	Lincoln	49	2	1	-	-	-	-	-	-	-	-	8	-	-	28	25
2	Long	40	2	-	-	-	-	-	-	-	-	-	2	2	-	19	18
3	Lowndes	333	8	2	-	-	-	-	1	-	-	1	42	7	1	160	146
4	Valdosta	223	6	2	-	-	-	-	1	-	-	1	30	5	1	100	92
5	Balance of county	110	2	-	-	-	-	-	-	-	-	-	12	2	-	60	54
6	Lumpkin	51	2	-	-	-	1	1	-	-	-	-	4	-	-	23	21
7	McDuffie	102	3	-	-	-	-	-	-	-	-	-	11	1	1	39	39
8	McIntosh	75	1	-	-	-	-	-	-	-	-	-	9	1	-	34	33
9	Macon	159	4	1	-	2	-	-	-	-	-	1	16	2	-	75	73
10	Madison	95	1	-	-	-	-	1	-	-	-	-	10	-	-	55	52
11	Marion	73	-	-	-	-	-	-	-	-	-	-	4	1	-	47	34
12	Meriwether	185	3	2	-	1	-	-	-	-	-	-	26	1	-	95	92
13	Miller	64	2	-	-	-	-	-	-	-	-	1	8	-	-	31	31
14	Mitchell	213	2	-	-	-	1	1	-	-	-	1	28	-	2	108	101
15	Monroe	95	5	1	-	-	-	-	-	-	-	1	11	1	-	38	37
16	Montgomery	56	1	-	-	-	-	-	-	-	-	2	3	-	-	32	29
17	Morgan	130	5	3	-	-	-	-	-	-	1	1	13	-	-	60	58
18	Murray	73	1	-	-	2	-	-	-	-	-	-	3	-	-	31	30
19	Muscogee	893	24	7	-	-	-	2	2	-	-	5	107	17	4	406	393
20	Columbus	783	22	6	-	-	-	1	2	-	-	5	93	16	2	384	352
21	Balance of county	110	2	1	-	-	-	1	-	-	-	-	14	1	2	42	41
22	Newton	160	1	1	-	1	-	-	-	-	-	1	15	1	1	85	78
23	Oconee	63	1	-	-	-	-	-	-	-	-	-	6	-	-	40	35
24	Oglethorpe	79	2	-	-	-	-	-	-	-	-	-	7	2	-	39	35
25	Paulding	90	2	-	-	2	-	-	-	-	-	2	12	1	-	44	38
26	Peach	115	4	1	-	-	-	-	-	-	1	-	15	-	2	62	62
27	Pickens	71	-	-	-	-	1	-	-	-	-	-	11	1	-	35	33
28	Pierce	92	1	-	-	-	-	-	-	-	-	-	9	3	-	45	42
29	Pike	95	1	3	-	1	-	1	-	-	-	1	10	-	-	49	45
30	Polk	237	11	1	-	-	-	-	1	-	-	-	26	2	-	110	102
31	Pulaski	85	-	-	-	-	-	-	-	-	-	1	10	1	-	48	46
32	Putnam	92	1	-	-	-	-	1	-	-	-	-	9	1	-	36	36
33	Quitman	37	1	-	-	-	-	-	-	-	-	-	3	1	-	18	18
34	Rabun	50	1	-	-	-	-	-	-	-	-	1	9	-	-	25	22
35	Randolph	144	1	-	-	-	-	-	-	-	-	2	14	1	-	80	77
36	Richmond	1,078	35	16	-	1	-	-	4	-	-	3	109	14	1	621	606
37	Augusta	920	31	15	-	1	-	-	4	-	-	2	92	13	1	530	516
38	Balance of county	158	4	1	-	-	-	-	-	-	-	1	17	1	-	91	90
39	Rockdale	69	3	-	-	-	-	-	-	-	-	-	9	2	-	32	31
40	Schley	34	1	-	-	-	-	-	-	-	-	-	7	-	-	17	16
41	Screven	145	4	1	-	-	-	-	-	-	-	1	9	5	1	71	69
42	Seminole	68	-	-	-	-	-	-	-	-	-	4	7	-	-	32	32
43	Spalding	306	8	2	-	-	-	2	1	-	-	2	37	1	-	166	158
44	Griffin	208	5	2	-	-	-	1	1	-	-	2	25	1	-	115	107
45	Balance of county	98	3	-	-	-	-	1	-	-	-	-	12	-	-	51	51
46	Stephens	114	-	1	-	-	-	-	-	-	-	1	10	2	-	64	61
47	Stewart	102	3	1	-	-	-	3	-	-	-	-	11	-	-	42	42
48	Sumter	276	10	7	-	-	-	-	-	-	-	2	32	8	1	120	119
49	Americus	151	7	4	-	-	-	-	-	-	-	2	18	6	-	66	66
50	Balance of county	125	3	3	-	-	-	-	-	-	-	-	14	2	1	54	53
51	Talbot	80	1	-	-	-	-	2	-	-	-	1	8	1	-	39	38
52	Taliaferro	49	-	-	-	-	-	-	-	-	-	-	6	2	-	21	20
53	Tattnall	102	3	-	-	-	-	-	-	-	-	4	5	-	-	50	49
54	Taylor	77	1	3	-	-	-	-	-	-	-	-	9	-	1	41	40
55	Telfair	129	4	-	-	1	-	-	-	-	-	1	14	2	-	64	63
56	Terrell	183	2	-	-	-	1	-	-	-	-	-	18	2	-	67	65
57	Thomas	341	10	5	-	-	-	-	-	-	-	2	41	5	-	156	142
58	Thomasville	190	4	5	-	-	-	-	-	-	-	1	20	2	-	83	75
59	Balance of county	151	6	-	-	-	-	-	-	-	-	1	21	3	-	73	67
60	Tift	199	3	1	-	-	-	-	-	-	-	2	21	2	-	85	77
61	Toombs	166	2	1	-	1	-	-	-	-	-	-	22	-	-	79	75
62	Towns	28	-	-	-	-	-	-	-	-	-	-	3	3	1	16	16
63	Treutlen	51	1	-	-	-	-	-	-	1	-	-	7	-	-	21	19
64	Troup	406	8	3	-	-	-	-	-	-	-	1	46	3	-	206	188
65	La Grange	188	7	-	-	-	-	-	-	-	-	-	21	1	-	97	88
66	Balance of county	218	1	3	-	-	-	-	-	-	-	1	25	2	-	108	100
67	Turner	85	-	-	1	-	-	-	-	-	-	-	7	-	-	45	44
68	Twiggs	66	2	-	-	-	-	-	-	-	-	-	7	1	-	31	29
69	Union	45	1	-	-	-	-	-	-	-	-	-	9	-	-	21	20
70	Upson	207	5	-	-	-	-	-	-	1	-	-	26	3	-	89	86
71	Walker	242	7	-	-	2	-	-	2	-	-	2	26	3	-	126	120
72	Walton	169	4	-	-	-	-	-	-	-	-	-	16	2	-	92	89
73	Ware	304	8	-	-	-	-	-	1	-	-	-	32	4	-	155	148
74	Waycross	233	7	-	-	-	-	-	1	-	-	-	25	3	-	118	112
75	Balance of county	71	1	-	-	-	-	-	-	-	-	-	7	1	-	37	36
76	Warren	97	3	1	-	1	-	2	-	-	-	1	13	2	-	48	39
77	Washington	236	7	1	-	-	-	-	-	-	1	1	16	2	2	113	102
78	Wayne	128	1	-	-	1	-	-	-	-	-	1	12	3	-	55	51
79	Webster	38	-	-	-	-	-	-	-	-	-	-	3	-	-	19	19
80	Wheeler	51	2	-	-	-	-	-	-	-	-	1	9	1	-	20	20
81	White	47	2	-	-	-	-	-	-	-	-	1	1	-	-	23	19
82	Whitfield	280	16	1	-	-	-	1	1	-	-	-	33	4	1	125	119
83	Dalton	180	9	1	-	-	-	1	-	-	-	-	24	1	1	68	67
84	Balance of county	130	7	-	-	-	-	-	1	-	-	-	9	3	-	56	52
85	Wilcox	71	2	1	-	-	-	-	-	-	-	-	6	1	-	37	36
86	Wilkes	118	1	1	-	-	-	2	-	-	-	-	10	-	1	64	60
87	Wilkinson	92	3	1	-	-	-	-	-	1	-	1	4	2	-	45	42
88	Worth	192	2	3	-	1	-	-	-	-	1	1	26	1	1	90	80

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571, 572	581	590, 591	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
5	-	17	3	-	1	2	-	-	-	-	-	1	2	1	-	-	1	5	1
7	-	11	-	-	1	1	-	-	-	1	-	-	2	4	2	-	2	2	2
50	-	85	9	2	14	16	1	4	2	6	1	3	7	8	16	4	3	40	3
30	-	58	4	-	8	10	1	3	2	3	1	-	2	5	6	11	2	29	4
20	-	27	5	2	6	6	-	1	-	3	-	-	1	2	1	5	2	11	5
5	-	14	1	1	2	6	-	2	1	-	-	-	1	2	1	1	1	4	6
17	-	18	4	-	-	7	-	1	3	2	-	-	1	3	5	5	1	16	7
9	-	24	-	-	1	2	1	-	-	-	-	-	1	4	6	5	-	11	8
14	-	54	5	-	2	10	1	1	-	-	-	4	3	10	7	6	1	3	12	9
26	-	24	2	-	3	5	-	2	-	1	-	2	3	1	2	1	-	-	11	10
12	1	20	1	-	13	5	-	-	-	1	-	1	2	2	3	1	-	2	4	11
32	2	54	3	1	3	8	1	2	-	2	-	2	2	9	2	8	-	3	20	12
7	-	21	3	-	-	4	-	-	-	2	-	2	1	5	1	1	-	1	7	13
39	-	56	4	2	7	4	1	3	2	2	-	2	2	13	5	11	1	2	22	14
10	-	26	1	-	1	8	-	-	2	-	-	-	5	4	7	2	3	7	15
15	-	13	1	-	3	6	1	-	1	-	-	-	1	-	2	-	2	4	16
16	1	38	3	-	2	9	2	1	-	1	2	-	8	4	6	-	3	11	17
9	-	19	2	-	1	8	-	-	-	-	-	1	3	5	6	1	1	11	18
111	1	245	33	3	13	31	4	9	8	-	1	14	13	32	52	10	8	137	19
99	-	220	30	3	12	24	3	9	8	-	1	13	12	22	46	9	7	118	20
12	1	25	3	-	1	7	1	-	-	-	-	1	1	10	6	1	1	19	21
28	-	43	6	1	7	10	-	1	-	1	-	1	4	1	6	-	2	28	22
13	-	21	1	-	5	3	1	-	1	-	1	1	1	-	1	-	1	7	23
13	-	21	1	-	4	8	-	1	-	-	-	3	-	2	1	1	1	11	24
16	-	18	4	-	6	2	-	2	-	-	-	1	1	1	4	4	2	10	25
12	-	46	3	1	-	7	1	1	1	-	-	1	1	2	7	1	3	5	26
11	-	19	2	1	2	5	-	2	1	1	-	1	2	3	-	4	-	5	27
10	-	31	1	-	3	3	-	-	-	-	-	1	5	3	1	1	2	17	28
18	-	26	1	-	4	3	-	-	-	-	-	1	2	1	6	-	3	12	29
34	-	59	7	2	8	11	1	2	-	2	-	1	3	10	8	7	1	3	39	30
11	-	33	2	2	2	3	1	1	2	-	-	1	-	1	4	3	-	-	9	31
6	-	27	1	2	2	7	-	4	-	3	-	1	-	2	5	5	2	-	13	32
4	-	14	-	-	-	2	-	1	-	-	-	-	-	2	1	2	1	-	5	33
7	-	14	1	-	3	4	-	-	-	-	-	-	-	1	2	6	-	-	1	34
14	-	59	4	-	3	4	1	1	-	1	-	2	1	5	4	4	3	1	19	35
152	-	408	43	3	15	44	2	10	4	4	-	1	11	5	22	37	9	19	106	36
126	-	354	33	3	14	35	2	10	4	3	-	1	9	5	21	32	7	16	86	37
26	-	54	10	-	1	9	-	-	-	1	-	-	2	-	1	5	2	3	20	38
7	-	24	-	-	1	4	-	1	-	-	-	-	2	-	2	1	1	-	12	39
5	-	10	-	1	1	2	-	-	-	-	-	-	-	5	-	-	-	1	1	40
24	-	41	3	1	2	10	-	-	-	2	-	3	1	14	3	3	1	2	14	41
6	-	22	3	1	-	4	2	-	-	1	-	1	1	1	2	-	-	1	13	42
58	-	91	7	2	8	9	1	3	1	2	-	1	3	7	12	16	1	5	26	43
37	-	64	4	2	8	7	1	3	1	2	-	1	3	3	6	8	1	3	17	44
21	-	27	3	-	-	2	-	-	-	-	-	-	-	4	6	8	-	2	9	45
14	-	45	1	1	3	11	-	-	-	-	-	1	-	-	2	6	-	-	15	46
14	-	24	2	2	-	5	-	1	1	-	-	1	-	8	2	2	-	2	20	47
43	-	66	10	-	1	11	2	-	2	4	-	-	6	6	4	9	3	3	46	48
20	-	40	6	-	-	6	2	-	1	3	-	-	2	2	-	3	1	2	26	49
23	-	26	4	-	1	5	-	-	1	1	-	-	4	4	4	6	2	1	20	50
15	-	19	4	-	1	4	-	-	-	-	-	-	3	4	1	4	1	-	11	51
6	-	13	1	-	1	8	-	-	1	-	-	1	1	1	-	2	-	1	5	52
13	-	29	7	-	1	5	1	-	-	-	-	1	2	3	2	5	2	1	18	53
18	-	17	4	1	1	3	-	2	-	-	-	1	1	5	2	5	-	-	4	54
20	-	39	3	1	1	5	-	1	-	-	-	1	1	8	6	3	2	3	13	55
25	-	36	4	-	2	13	-	1	1	5	-	1	3	21	7	2	1	1	37	56
50	1	85	5	1	14	10	4	4	1	5	-	1	-	3	15	18	4	2	55	57
26	1	45	2	1	8	5	3	2	-	5	-	-	-	1	8	11	2	2	36	58
24	-	40	3	-	6	5	1	2	1	-	-	1	-	2	7	7	2	-	19	59
33	-	38	5	1	8	8	1	2	7	3	-	1	2	7	6	16	3	5	24	60
22	-	42	9	2	4	8	2	1	2	1	-	-	3	3	13	2	-	2	24	61
7	-	7	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	62
8	-	11	2	-	2	2	1	2	-	2	-	-	-	2	1	6	-	-	5	63
58	-	120	7	3	17	17	2	2	3	1	-	-	4	5	15	18	2	7	64	64
27	-	56	4	1	9	5	1	-	1	-	-	-	2	3	9	10	-	3	27	65
31	-	64	3	2	8	12	1	2	2	-	-	2	2	2	6	8	2	4	37	66
10	-	34	-	-	1	4	-	1	-	-	-	2	1	7	2	3	-	3	9	67
15	-	14	-	-	2	6	-	-	1	1	-	-	-	1	2	5	1	2	6	68
7	-	11	2	-	1	1	-	1	-	-	-	2	2	2	1	-	-	-	5	69
32	1	47	7	1	1	15	3	2	1	-	-	2	3	9	5	6	5	4	28	70
35	1	74	8	2	6	14	1	1	2	1	-	-	3	5	5	15	1	1	26	71
22	-	60	7	-	3	7	1	1	1	-	-	-	4	3	5	3	4	3	23	72
39	-	104	5	-	7	14	1	1	-	1	-	3	6	7	15	12	1	5	40	73
27	-	80	5	-	6	9	1	1	-	1	-	2	6	6	11	11	-	2	29	74
12	-	24	-	-	1	5	-	-	-	1	-	1	-	1	2	1	1	3	11	75
17	-	18	4	-	9	8	-	1	-	1	-	1	1	2	2	2	-	-	8	76
36	2	55	7	2	11	5	-	7	2	4	-	1	1	14	5	16	-	9	29	77
21	-	27	3	-	4	9	1	2	2	-	-	1	4	5	6	3	2	3	17	78
4	-	15	-	-	-	1	-	-	1	-	-	-	-	2	1	1	2	-	8	79
6	1	12	1	-	-	-	-	-	-	1	-	1	1	4	2	2	-	1	6	80
4	-	14	1	-	6	4	-	-	-	-	-	-	1	2	2	1	1	1	6	81
28	-	87	4	-	6	21	1	4	2	1	-	-	6	4	3	13	1	4	48	82
15	-	50	2	-	2	8	1	3	2	1	-	-	3	-	1	9	-	2	24	83
13	-	37	2	-	4	13	-	1	-	-	-	-	3	4	2	4	1	2	24	84
9	-	25	1	1	1	4	1	-	1	-	-	1	-	5	4	1	1	1	5	85
16	-	40	4	-	4	6	2	-	1	-	-	1	1	2	3	6	-	1	16	86
9	-	32	1	-	3	4	-	1	1	-	-	-	1	7	4	8	2	4	6	87
26	1	47	5	1	10	7	-	3	-	3	-	1	1	13	2	9	-	3	24	88

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 050-039, 041-044, 049-054, 058-074, 091-084, 096-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1	IDAHO	4,837	66	22	1	-	1	6	7	11	3	15	584	83	4	2,365	2,278
2	Ada	595	7	2	-	-	1	-	-	-	-	3	66	5	-	317	307
3	Boise City	427	6	2	-	-	1	-	-	-	-	3	47	3	-	229	222
4	Balance of county	168	1	-	-	-	-	-	-	-	-	-	19	2	-	88	85
5	Adams	17	1	-	-	-	-	-	-	-	-	-	-	1	-	10	10
6	Bannock	295	3	5	-	-	-	-	-	-	-	1	35	5	1	121	117
7	Pocatello (part)	233	2	5	-	-	-	-	-	-	-	1	31	5	1	93	91
8	Pocatello (total)	234	2	5	-	-	-	-	-	-	-	1	31	5	1	93	91
9	Balance of county	62	1	-	-	-	-	-	-	-	-	-	4	-	-	28	26
10	Bear Lake	69	-	1	-	-	-	-	-	-	-	-	8	-	-	41	40
11	Benewah	84	2	1	-	-	-	-	-	-	-	-	17	-	-	38	38
12	Bingham	167	3	3	-	-	-	2	1	1	-	1	17	1	-	76	74
13	Blaine	39	-	-	-	-	-	-	-	-	-	-	2	1	-	19	14
14	Boise	11	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5
15	Bonner	152	1	-	-	-	-	-	-	1	-	-	17	2	-	89	86
16	Bonneville	224	-	-	-	-	-	-	-	2	1	1	31	5	-	89	82
17	Idaho Falls	162	-	-	-	-	-	-	-	1	1	1	22	3	-	68	64
18	Balance of county	62	-	-	-	-	-	-	-	1	-	-	9	2	-	21	18
19	Boundary	46	-	-	-	-	-	-	-	-	-	-	4	-	-	22	22
20	Butte	24	1	-	-	-	-	-	-	-	-	-	2	-	-	9	8
21	Camas	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
22	Canyon	436	3	-	1	-	-	1	1	-	-	1	60	18	-	248	234
23	Caldwell	115	1	-	-	-	-	1	-	-	-	-	19	2	-	71	68
24	Nampa	153	-	-	-	-	-	-	-	-	-	-	19	5	-	98	92
25	Balance of county	168	2	-	1	-	-	-	1	-	-	1	22	11	-	79	74
26	Caribou	38	-	-	-	-	-	-	-	-	-	-	-	1	-	11	11
27	Cassia	110	3	-	-	-	-	1	-	-	-	-	18	2	-	50	50
28	Clark	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3
29	Clearwater	97	2	-	-	-	-	-	1	-	-	-	14	-	-	40	38
30	Custer	36	-	1	-	-	-	1	-	-	-	-	2	1	-	19	19
31	Elmore	48	-	-	-	-	-	-	-	-	-	1	8	-	-	24	24
32	Franklin	61	-	-	-	-	-	-	-	-	-	1	11	1	-	32	32
33	Fremont	66	-	-	-	-	-	-	3	-	-	-	3	4	-	33	33
34	Gem	74	1	-	-	-	-	-	-	-	-	-	8	2	1	39	36
35	Gooding	89	-	1	-	-	-	-	-	-	-	-	7	1	-	49	46
36	Idaho	131	3	1	-	-	-	-	-	-	-	-	24	2	-	59	52
37	Jefferson	62	-	-	-	-	-	1	-	-	-	-	5	3	-	28	28
38	Jerome	86	2	1	-	-	-	-	1	-	-	-	9	-	-	44	44
39	Kootenai	276	2	-	-	-	-	-	-	1	-	2	22	6	-	163	159
40	Coeur d'Alene	171	2	-	-	-	-	-	-	1	-	1	15	4	-	102	100
41	Balance of county	105	-	-	-	-	-	-	-	-	-	1	7	2	-	61	59
42	Latah	148	3	-	-	-	-	-	-	-	-	-	18	2	-	73	73
43	Moscow	66	-	-	-	-	-	-	-	-	-	-	7	-	-	32	32
44	Balance of county	82	3	-	-	-	-	-	-	-	-	-	11	2	-	41	41
45	Lemhi	70	1	1	-	-	-	-	-	-	-	1	4	1	-	34	32
46	Lewis	38	1	-	-	-	-	-	-	-	-	-	6	1	-	15	15
47	Lincoln	36	-	-	-	-	-	-	-	-	-	-	4	-	-	22	21
48	Madison	63	-	1	-	-	-	-	-	-	-	-	7	2	-	31	28
49	Minidoka	76	-	-	-	-	-	-	-	-	-	-	12	1	-	38	37
50	Nez Perce	201	8	-	-	-	-	-	-	-	-	-	30	-	-	91	90
51	Lewiston	137	4	-	-	-	-	-	-	-	-	-	20	-	-	58	57
52	Balance of county	64	4	-	-	-	-	-	-	-	-	-	10	-	-	33	33
53	Oneida	39	-	-	-	-	-	-	-	1	-	-	6	2	-	16	15
54	Owyhee	42	1	-	-	-	-	-	-	-	-	-	5	1	-	22	20
55	Payette	117	1	-	-	-	-	-	-	-	1	-	13	1	-	60	58
56	Power	34	3	-	-	-	-	-	-	-	-	-	3	2	-	11	11
57	Pocatello (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Balance of county	33	3	-	-	-	-	-	-	-	-	-	3	2	-	11	11
59	Shoshone	200	8	1	-	-	-	-	-	-	-	1	19	2	1	75	75
60	Teton	23	-	-	-	-	-	-	-	-	-	-	2	-	-	11	11
61	Twin Falls	297	4	3	-	-	-	-	-	4	1	2	44	4	-	132	131
62	Twin Falls	165	1	3	-	-	-	-	-	3	1	1	27	3	-	70	69
63	Balance of county	132	3	-	-	-	-	-	-	1	-	1	17	1	-	62	62
64	Valley	28	1	-	-	-	-	-	-	-	-	-	4	-	-	14	13
65	Washington	84	1	-	-	-	-	-	-	1	-	-	16	3	1	40	35
66	Yellowstone National Park (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
67	ILLINOIS	92,490	2,135	426	1	21	2	21	49	127	8	168	14,517	1,701	84	52,212	50,414
68	Adams	878	12	7	-	-	-	-	-	1	-	2	107	21	-	582	570
69	Quincy	601	10	3	-	-	-	-	-	1	-	2	74	14	-	393	386
70	Balance of county	277	2	4	-	-	-	-	-	-	-	-	33	7	-	189	184
71	Alexander	300	7	2	-	-	-	-	-	-	-	2	35	8	-	163	143
72	Cairo	201	4	2	-	-	-	-	-	-	-	1	20	7	-	110	95
73	Balance of county	99	3	-	-	-	-	-	-	-	-	1	15	1	-	53	48
74	Bond	164	2	1	-	-	-	-	-	-	-	-	24	4	1	91	87
75	Boone	194	-	3	-	-	-	-	-	1	-	-	36	2	-	116	115
76	Brown	107	1	-	-	-	-	-	-	-	-	1	12	1	-	79	71
77	Bureau	425	4	-	-	1	-	-	-	2	-	1	57	5	-	239	227
78	Calhoun	56	1	1	-	-	-	-	-	-	-	-	7	-	-	41	39
79	Carroll	247	4	-	-	-	-	-	-	1	-	-	39	8	-	145	139
80	Cass	189	4	3	-	-	-	-	-	-	-	-	23	4	-	105	100
81	Champaign	776	9	4	-	-	-	-	2	3	-	3	113	18	-	430	410
82	Champaign	299	4	3	-	-	-	-	-	-	-	1	45	6	-	169	162
83	Urbana	175	2	-	-	-	-	-	-	-	-	-	31	4	-	96	91
84	Balance of county	304	3	1	-	-	-	-	2	3	-	2	37	8	-	185	157
85	Christian	450	9	3	-	-	-	-	-	-	-	1	64	7	-	242	234
86	Clark	216	3	-	-	-	-	-	-	-	-	-	19	6	1	133	131
87	Clay	163	1	-	-	-	-	-	1	-	-	-	20	2	-	94	90
88	Clinton	247	4	1	-	-	-	-	-	-	-	-	39	3	1	137	131
89	Centralia (part)	11	-	-	-	-	-	-	-	-	-	-	4	-	-	5	5
90	Balance of county	236	4	1	-	-	-	-	-	-	-	-	35	3	1	132	126

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1946)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
521	11	1,564	148	34	87	168	35	15	22	14	7	79	112	226	277	85	9	620	1
60	2	232	11	3	10	22	1	5	1	-	-	12	26	28	22	9	1	67	2
42	1	171	7	1	7	17	1	4	1	-	-	9	16	19	17	7	1	42	3
18	1	60	4	2	3	5	-	1	-	-	-	3	8	9	5	2	-	25	4
2	-	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	5
23	2	86	4	2	4	7	3	2	2	1	3	5	7	14	25	3	-	52	6
17	2	68	3	1	2	3	3	1	2	1	3	4	5	10	18	3	-	42	7
17	2	68	3	1	2	3	3	1	2	1	3	4	6	10	18	3	-	42	8
6	-	18	1	1	2	4	-	1	-	-	-	1	2	4	7	-	-	10	9
7	1	31	1	-	1	2	-	-	-	-	1	1	1	2	2	1	-	9	10
15	-	19	3	1	-	3	1	-	-	-	-	3	3	2	4	1	-	9	11
17	-	46	10	1	2	8	1	2	-	1	-	5	3	9	4	2	-	27	12
2	-	9	3	-	5	4	-	-	-	-	-	-	-	1	3	1	-	8	13
1	-	4	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	2	14
21	-	63	2	-	3	2	1	-	-	-	-	1	2	8	10	3	1	14	15
21	3	46	12	-	7	8	2	1	1	-	-	3	4	16	16	3	-	41	16
17	2	35	10	-	4	7	1	1	1	-	-	-	1	7	12	3	-	33	17
4	1	11	2	-	3	1	1	-	-	-	-	3	3	3	4	-	-	8	18
5	-	13	4	-	-	3	1	-	1	-	-	-	2	1	6	1	-	5	19
-	-	7	1	-	1	-	-	-	-	-	-	1	-	3	4	2	-	2	20
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	21
62	-	154	14	4	14	9	6	1	2	1	-	3	7	19	16	3	1	35	22
17	-	45	6	-	3	1	-	-	-	1	-	-	4	2	3	1	-	9	23
19	-	65	4	4	6	2	2	1	2	-	-	2	1	5	5	1	-	10	24
26	-	44	4	-	5	6	4	-	-	-	-	1	2	12	8	1	1	16	25
1	-	9	-	1	-	3	-	-	-	1	-	2	1	4	9	-	-	6	26
7	-	38	4	1	-	3	1	-	1	1	-	1	2	6	2	2	-	17	27
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	28
10	-	24	3	1	2	5	2	-	-	-	1	1	3	3	8	4	-	13	29
5	-	13	1	-	-	2	-	-	-	-	-	1	2	2	1	1	-	3	30
5	-	19	-	-	-	1	-	-	1	1	-	-	-	1	4	2	-	5	31
9	-	21	2	-	-	1	-	-	-	-	-	1	2	-	4	-	-	8	32
8	-	19	-	6	-	-	-	-	-	-	-	2	-	1	10	2	-	8	33
7	-	27	2	-	3	2	2	-	1	-	-	-	2	1	3	1	-	11	34
9	2	30	5	-	3	4	1	-	-	2	-	1	3	7	-	1	-	12	35
14	-	34	1	3	7	7	-	-	-	1	-	1	2	7	11	1	-	12	36
9	-	19	-	-	-	1	-	-	-	-	-	2	1	3	7	1	-	10	37
12	-	32	-	-	-	4	-	1	-	-	-	-	-	5	8	2	-	9	38
42	-	103	12	2	4	3	2	-	3	-	-	5	2	13	11	7	-	34	39
26	-	65	7	2	2	1	2	-	1	-	-	4	2	6	6	4	-	20	40
16	-	38	5	-	2	2	-	-	2	-	-	1	-	7	5	3	-	14	41
16	-	53	4	-	-	8	-	-	-	-	-	1	2	5	5	2	-	29	42
7	-	23	2	-	-	3	-	-	-	-	-	1	2	1	2	-	-	18	43
9	-	30	2	-	-	5	-	-	-	-	-	-	-	4	3	2	-	11	44
6	-	25	3	-	2	5	-	-	-	-	1	-	1	1	4	3	1	12	45
4	-	8	3	-	-	4	1	-	-	-	-	-	-	2	1	2	-	5	46
6	-	14	1	-	1	-	1	-	-	-	-	-	2	1	1	3	-	2	47
2	-	25	-	1	3	3	1	-	-	1	-	3	-	3	4	-	-	7	48
4	-	30	3	-	1	3	-	1	-	-	-	3	2	4	4	-	1	7	49
30	1	51	7	1	1	13	1	-	2	-	-	1	8	6	12	7	-	22	50
19	-	32	5	1	1	8	1	-	2	-	-	1	5	5	11	5	-	17	51
11	1	19	2	-	-	5	-	-	-	-	-	-	3	1	1	2	-	5	52
5	-	10	-	-	1	2	-	-	-	-	-	-	1	-	2	1	-	8	53
3	-	17	-	-	2	1	1	-	-	-	-	2	-	3	3	2	-	1	54
14	-	34	8	2	2	2	-	1	1	1	-	2	6	11	4	2	2	9	55
1	-	10	-	-	-	3	-	1	-	-	-	1	2	2	-	1	-	5	56
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	57
1	-	10	-	-	-	3	-	1	-	-	-	1	1	2	-	1	-	5	58
13	-	55	7	-	-	5	1	-	3	2	1	4	6	15	25	2	1	28	59
1	-	9	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	6	60
26	-	91	12	2	1	10	4	-	3	1	-	7	2	12	13	2	1	18	61
15	-	45	7	2	1	6	1	-	1	1	-	3	2	4	6	2	1	29	62
11	-	46	5	-	-	4	3	-	2	-	-	4	-	8	7	-	-	19	63
2	-	8	3	-	1	1	-	-	-	-	-	1	1	1	1	1	-	3	64
12	-	19	2	2	5	3	1	-	-	-	-	3	3	2	2	2	-	6	65
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
9,246	76	38,170	2,533	389	1,798	2,539	590	308	1,006	198	112	1,063	436	2,042	2,979	1,015	417	8,312	67
115	1	395	55	4	12	15	6	2	4	4	-	8	-	14	16	6	1	70	68
82	-	360	41	3	7	12	5	2	3	3	-	6	-	6	14	4	1	48	69
33	1	135	14	1	5	3	1	-	1	1	-	2	-	8	2	2	-	22	70
28	-	104	10	1	20	13	4	4	2	1	-	6	2	7	11	-	2	31	71
17	-	72	5	1	15	8	2	4	2	1	-	4	1	3	10	-	2	20	72
11	-	32	5	-	5	5	2	-	-	-	-	2	1	4	1	-	-	11	73
19	-	65	3	-	4	5	-	-	1	-	1	1	1	7	7	5	-	13	74
27	-	82	5	1	1	11	-	-	-	-	-	2	-	3	6	1	-	13	75
13	-	55	2	1	8	1	1	-	2	-	1	2	-	1	4	-	-	1	76
52	-	153	17	5	12	11	5	5	5	3	-	5	1	9	16	13	-	43	77
4	-	33	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	5	78
33	-	100	4	2	6	7	1	1	1	1	-	1	-	3	9	5	-	21	79
20	-	74	6	-	5	2	1	-	3	-	-	1	1	5	11	1	1	24	80
90	-	301	15	4	20	17	3	4	2	3	-	8	2	31	30	10	6	80	81
34	-	119	7	2	7	4	-	2	1	3	-	5	1	8	9	4	3	31	82
20	-	68	3	-	5	7	1	2	-	-	-	-	-	3	12	-	2	15	83
36	-	114	5	2	8	6	2	-	1	-	-	3	1	20	9	6	1	34	84
38	-	178	14	4	8	11	1	-	1	2	-	2	3	12	23	9	1	39	85
25	-	91	15	-	2	7	1	-	-	1	-	1	-	10	9	3	-	22	86
18	-	70	2	-	4	3	-	2	2	-	-	3	1	5	5	4	-	20	87
35	-	79	16	1	6	11	2	3	1	-	-	4	1	8	10	2	-	20	88
1	-	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	89
34	-	77	15	-	6	11	2	3	1	-	-	4	1	7	9	2	-	20	90

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ILLINOIS—Continued																
1	Coles	420	7	3	-	-	-	-	-	1	-	3	61	10	1	234	219
2	Mattoon	196	1	3	-	-	-	-	-	-	-	3	28	3	1	109	104
3	Balance of county	224	6	-	-	-	-	-	-	1	-	-	33	7	-	125	115
4	Cook	48,388	1,531	212	-	12	-	3	28	52	6	65	7,995	929	43	27,297	26,393
5	Chicago	40,920	1,436	162	-	10	-	3	25	41	5	57	6,718	774	32	23,025	22,257
6	Berwyn	499	9	2	-	-	-	-	-	-	-	-	74	7	-	320	310
7	Cicero	616	12	1	-	-	-	-	-	-	-	-	101	16	-	344	328
8	Evanston	700	4	5	-	-	-	-	-	-	-	3	125	10	1	427	415
9	Oak Park	739	6	5	-	-	-	-	1	-	-	-	137	16	-	465	453
10	Elgin (part)	9	-	-	-	-	-	-	-	-	-	-	2	-	-	5	5
11	Maywood	259	1	1	-	-	-	-	-	-	-	-	51	3	-	154	150
12	Blue Island	184	-	1	-	-	-	-	-	-	-	-	29	3	1	113	108
13	Brookfield	133	-	3	-	-	-	-	-	-	-	-	15	4	2	81	77
14	Calumet City	119	2	1	-	-	-	-	-	1	-	-	21	1	-	71	70
15	Chicago Heights	243	7	1	-	1	-	-	-	-	-	1	33	9	-	130	128
16	Des Plaines	154	2	1	-	-	-	-	-	-	-	-	23	1	-	98	94
17	Elmwood Park	136	1	-	-	-	-	-	-	-	-	-	22	4	-	83	78
18	Evergreen Park	63	-	-	-	-	-	-	-	-	-	-	12	2	1	33	33
19	Forest Park	151	-	-	-	-	-	-	-	-	-	-	22	5	-	92	91
20	Harvey	175	7	-	-	-	-	-	-	-	-	1	34	5	2	81	77
21	La Grange	138	1	-	-	-	-	-	-	1	-	-	25	2	1	85	83
22	Melrose Park	119	3	-	-	-	-	-	-	-	-	-	21	4	-	61	56
23	Park Ridge	149	2	1	-	-	-	-	-	-	-	-	28	4	-	83	82
24	River Forest	81	-	-	-	-	-	-	-	-	-	-	19	3	-	44	44
25	Skokie	116	-	-	-	-	-	-	-	1	-	-	20	1	-	66	62
26	Wilmette	187	3	-	-	-	-	-	-	-	-	-	39	2	-	114	112
27	Winnetka	97	1	1	-	-	-	-	-	-	-	-	18	2	-	61	61
28	Balance of county	2,401	34	7	-	1	-	-	2	8	1	3	406	51	3	1,261	1,219
29	Crawford	247	3	1	-	-	-	-	-	-	-	1	48	2	-	137	124
30	Cumberland	130	1	2	-	-	-	-	-	-	-	-	15	2	-	74	70
31	De Kalb	402	1	-	-	-	-	-	-	4	-	-	66	11	-	234	213
32	De Kalb	132	-	-	-	-	-	-	-	-	-	-	20	2	-	76	73
33	Balance of county	270	1	-	-	-	-	-	-	4	-	-	46	9	-	158	140
34	De Witt	206	-	1	-	-	-	1	-	-	-	-	15	4	-	137	134
35	Douglas	211	2	1	-	-	-	-	-	-	-	2	30	8	-	127	117
36	Du Page	1,251	10	5	-	2	-	-	1	-	-	1	205	19	2	685	665
37	Downers Grove	111	-	2	-	-	-	-	-	-	-	-	20	3	-	52	50
38	Elmhurst	183	2	1	-	-	-	-	-	-	-	-	31	5	-	97	96
39	Wheaton	87	2	-	-	-	-	-	-	-	-	-	13	2	-	45	44
40	Balance of county	870	6	2	-	2	-	-	1	-	-	1	141	9	2	491	475
41	Edgar	316	4	1	-	-	-	-	-	1	-	1	45	3	-	175	163
42	Edwards	106	-	1	-	-	-	-	-	-	-	-	14	1	-	54	53
43	Effingham	203	5	1	-	-	-	-	-	-	-	-	28	4	-	119	113
44	Fayette	250	4	-	-	-	-	-	-	-	-	2	42	7	-	132	126
45	Ford	191	1	-	-	-	-	-	-	-	-	-	28	3	-	106	105
46	Franklin	529	13	4	-	-	-	-	1	-	-	2	81	8	-	290	279
47	West Frankfort	128	3	1	-	-	-	-	-	-	-	1	23	3	-	66	65
48	Balance of county	401	10	3	-	-	-	-	1	-	-	1	58	5	-	224	214
49	Fulton	479	9	1	1	-	-	-	-	-	-	-	69	5	-	282	269
50	Canton	143	3	-	-	-	-	-	-	-	-	-	22	3	-	81	76
51	Balance of county	336	6	1	1	-	-	-	-	-	-	-	47	2	-	201	193
52	Gallatin	113	4	1	-	-	-	-	-	-	-	-	14	2	-	64	63
53	Greene	230	1	-	-	-	-	-	-	-	1	1	26	2	-	145	142
54	Grundy	212	3	1	-	-	-	-	-	-	-	-	32	2	-	121	116
55	Hamilton	148	2	-	-	-	-	1	-	-	-	1	20	1	-	95	91
56	Hancock	346	1	1	-	-	-	1	-	1	-	1	44	8	-	224	219
57	Hardin	73	5	1	-	-	-	-	-	1	-	1	10	2	-	35	33
58	Henderson	76	1	-	-	-	-	-	-	-	-	-	14	-	-	34	34
59	Henry	550	5	3	-	-	-	-	1	-	-	-	87	8	-	324	303
60	Kewanee	217	4	1	-	-	-	-	-	-	-	-	44	3	-	122	108
61	Balance of county	333	1	2	-	-	-	-	1	-	-	-	43	5	-	202	195
62	Iroquois	324	5	-	-	-	-	-	-	1	-	1	52	6	1	162	160
63	Jackson	471	9	2	-	-	-	2	1	-	-	-	55	12	2	289	257
64	Carbondale	142	4	1	-	-	-	-	-	-	-	-	14	3	1	78	78
65	Balance of county	329	5	1	-	-	-	2	1	-	-	-	41	9	1	191	179
66	Jasper	138	3	-	-	-	-	-	-	-	-	1	18	-	-	83	82
67	Jefferson	369	9	5	-	-	-	-	-	-	-	2	55	6	-	203	193
68	Mount Vernon	186	6	3	-	-	-	-	-	-	-	2	31	3	-	95	94
69	Balance of county	183	3	2	-	-	-	-	-	-	-	-	24	3	-	108	99
70	Jersey	145	3	-	-	-	-	-	-	1	-	1	18	5	-	78	74
71	Jo Daviess	259	2	-	-	-	-	-	-	-	-	1	41	6	-	159	157
72	Johnson	104	1	-	-	-	-	-	-	-	-	-	16	1	-	65	62
73	Kane	1,555	13	9	-	-	-	-	-	5	-	-	261	25	1	872	843
74	Aurora	636	6	4	-	-	-	-	-	1	-	-	94	12	1	367	351
75	Elgin (part)	413	4	3	-	-	-	-	-	-	-	-	77	8	-	234	227
76	Elgin (total)	422	4	3	-	-	-	-	-	-	-	-	79	8	-	239	232
77	Balance of county	506	3	2	-	-	-	-	-	4	-	-	90	7	-	271	265
78	Kankakee	597	10	2	-	-	-	2	-	-	1	2	96	12	3	327	318
79	Kankakee	275	5	2	-	-	-	-	-	-	-	1	44	7	2	152	149
80	Balance of county	322	5	-	-	-	-	2	-	-	1	1	52	5	1	175	170
81	Kendall	140	1	-	-	-	-	-	-	-	-	-	23	1	-	70	68
82	Knox	624	9	2	-	-	-	-	-	1	-	1	85	12	-	384	374
83	Galesburg	397	8	-	-	-	-	-	-	-	-	1	51	7	-	257	253
84	Balance of county	227	1	2	-	-	-	-	-	1	-	-	34	5	-	127	121
85	Lake	1,397	17	10	-	-	-	-	2	1	-	3	234	20	2	738	713
86	Waukegan	364	10	2	-	-	-	-	1	-	-	2	65	8	1	184	178
87	Highland Park	117	1	-	-	-	-	-	-	-	-	-	19	-	-	73	72
88	Balance of county	916	6	8	-	-	-	-	1	1	-	1	150	12	1	481	463

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
55	1	145	17	1	15	13	3	-	-	-	-	8	1	12	17	9	2	35	1
24	1	71	8	-	5	7	1	-	-	-	-	4	1	6	7	6	2	14	2
31	-	74	9	1	10	6	2	-	-	-	-	4	-	6	10	3	-	21	3
4,067	32	21,003	1,095	196	904	1,372	351	161	688	86	58	508	146	824	1,218	474	306	4,023	4
3,319	28	17,870	880	160	768	1,196	304	119	600	68	47	402	120	651	1,028	407	288	3,382	5
43	-	246	16	5	10	7	4	3	11	1	-	5	-	5	11	4	-	36	6
37	-	277	12	2	16	24	7	2	12	2	2	10	2	13	12	5	3	48	7
89	-	295	26	5	12	13	3	5	7	-	-	9	1	12	11	4	1	59	8
90	-	332	28	3	12	17	2	1	8	2	1	6	2	9	12	5	-	44	9
2	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	10
23	1	113	12	1	4	4	2	1	2	1	-	4	1	1	6	5	1	21	11
18	-	81	8	1	5	7	1	-	1	2	1	2	-	4	5	1	-	13	12
20	-	54	3	-	4	5	1	1	4	-	-	-	3	-	2	2	-	10	13
7	-	60	3	-	1	3	-	-	2	1	-	1	-	1	3	3	-	8	14
34	1	87	5	1	2	12	3	3	-	-	-	1	-	4	7	2	1	28	15
16	1	69	8	-	4	2	-	1	-	-	-	5	1	4	5	1	-	10	16
14	-	60	3	1	5	2	-	1	2	-	-	4	2	-	3	1	2	9	17
9	-	24	-	-	-	-	-	1	1	-	-	1	-	1	1	1	1	8	18
22	1	66	2	-	1	3	1	-	-	-	-	1	1	4	3	2	-	17	19
11	-	61	2	3	4	4	-	4	2	-	-	5	-	7	3	2	1	17	20
15	-	64	3	1	2	3	-	2	1	-	-	1	-	4	6	-	-	6	21
13	-	41	1	1	5	4	-	1	3	-	-	2	1	3	5	1	-	10	22
21	-	54	7	-	1	1	2	1	1	-	-	2	1	7	3	1	-	12	23
13	-	28	2	-	-	1	1	-	1	-	-	1	-	-	2	-	-	9	24
12	-	47	2	1	4	3	-	1	1	-	1	2	-	2	2	1	1	14	25
24	-	80	8	-	2	-	2	-	4	1	1	1	-	4	7	1	-	8	26
10	-	41	8	2	-	1	1	-	-	-	-	1	-	3	1	-	-	7	27
205	-	950	55	9	42	59	17	14	25	8	5	42	11	65	80	25	7	246	28
22	-	95	6	1	13	7	4	-	-	3	1	2	-	6	6	3	-	23	29
23	-	41	6	-	4	5	1	-	1	-	-	2	-	5	9	1	1	11	30
52	-	151	8	2	21	9	3	1	3	-	-	6	-	10	14	5	-	35	31
18	-	50	3	2	3	3	1	-	1	-	-	1	-	3	6	1	-	18	32
34	-	101	5	-	18	6	2	1	2	-	-	5	-	7	8	4	-	17	33
22	-	106	6	-	3	6	-	-	1	1	-	2	2	12	6	2	-	16	34
28	-	80	7	2	10	4	2	-	3	-	2	2	2	6	6	2	-	12	35
116	1	513	27	6	20	32	6	3	7	3	1	18	17	24	59	24	2	125	36
9	-	39	-	2	2	4	1	-	-	-	1	-	1	1	3	2	-	21	37
16	1	74	4	1	1	2	-	1	1	1	-	2	5	7	6	3	-	19	38
11	-	30	3	-	1	3	-	-	1	-	-	1	2	1	5	1	-	11	39
82	-	370	20	3	16	23	5	2	5	2	-	15	9	15	45	18	2	74	40
43	1	107	11	1	12	5	2	1	1	1	1	9	5	4	18	5	1	33	41
19	-	34	-	-	1	9	2	1	1	-	-	1	1	4	6	-	1	10	42
17	-	85	8	3	6	2	-	-	3	-	-	6	-	10	9	1	-	15	43
29	1	78	17	1	6	14	4	-	2	-	-	3	1	7	6	2	-	24	44
20	-	70	15	-	1	4	-	-	1	1	-	1	-	14	11	4	1	15	45
50	1	203	21	4	11	9	4	1	4	-	-	4	6	10	37	10	1	44	46
14	-	47	3	1	1	3	-	-	1	-	-	2	2	2	7	1	1	12	47
36	1	156	18	3	10	6	4	1	3	-	-	2	4	8	30	9	-	32	48
59	-	187	19	4	13	13	3	3	-	1	2	2	3	9	18	8	-	50	49
18	-	52	2	4	5	2	-	-	-	1	1	1	-	2	5	-	-	22	50
41	-	135	17	-	8	11	3	3	-	-	1	1	3	7	13	8	-	28	51
16	-	44	3	-	1	5	1	-	-	-	1	-	4	-	5	-	-	12	52
26	-	110	6	-	3	7	4	3	1	2	1	2	1	5	6	5	-	17	53
32	-	75	8	1	5	3	-	-	2	-	-	2	1	9	7	1	-	28	54
33	-	52	6	-	4	4	-	-	1	1	-	-	1	3	8	-	-	10	55
56	-	145	13	5	5	1	-	1	3	1	1	7	2	6	14	3	-	26	56
12	-	20	1	-	2	1	1	1	-	-	-	1	-	3	3	1	-	7	57
9	-	24	1	-	-	4	1	-	-	-	-	1	-	6	9	-	-	6	58
83	-	206	12	2	21	19	2	2	3	1	-	4	1	11	29	4	1	45	59
29	-	75	3	1	14	6	1	2	-	1	-	1	-	3	3	2	1	23	60
54	-	151	9	1	7	13	1	-	3	-	-	3	1	8	26	2	-	22	61
27	-	123	7	3	2	7	4	1	2	-	-	4	5	12	18	5	-	38	62
70	-	168	18	3	12	16	1	2	2	1	-	5	10	12	29	4	-	37	63
30	-	42	5	1	-	5	-	2	1	1	-	2	5	6	4	2	-	13	64
40	-	126	11	2	12	11	1	-	1	-	-	3	5	6	25	2	-	24	65
17	-	63	2	-	1	1	2	1	1	-	-	-	-	1	8	2	-	17	66
43	-	137	10	3	10	4	1	1	-	-	-	4	16	12	16	5	2	28	67
22	-	66	5	1	1	2	-	-	-	-	-	2	6	6	12	1	1	16	68
21	-	71	5	2	9	2	1	1	-	-	-	2	10	6	4	4	1	12	69
18	-	48	7	1	4	7	-	-	1	3	-	3	-	2	5	1	-	17	70
56	-	99	2	-	2	4	-	2	-	-	2	3	-	4	12	2	-	21	71
25	-	30	7	-	3	2	1	-	-	-	-	2	-	4	-	2	-	10	72
170	2	624	42	5	29	27	13	4	11	2	-	25	8	35	74	17	2	151	73
78	-	250	23	2	16	8	8	1	6	-	-	9	4	12	32	7	1	63	74
51	1	168	7	-	7	11	2	-	2	-	-	5	1	12	12	2	-	42	75
53	1	170	8	-	7	12	2	-	2	-	-	5	1	12	12	2	-	43	76
43	1	206	12	3	6	8	3	3	3	2	-	11	3	11	30	8	1	46	77
46	1	254	17	1	8	19	4	1	5	1	-	7	4	11	19	4	1	66	78
23	1	113	12	-	3	12	2	-	3	1	-	5	2	4	7	-	1	25	79
23	-	141	5	1	5	7	2	1	2	-	-	2	2	7	12	4	-	41	80
10	-	53	4	1	2	2	1	-	1	-	-	1	-	9	9	2	-	20	81
78	-	269	24	3	10	15	5	2	6	-	1	5	2	13	24	8	2	47	82
62	-	173	15	3	4	8	3	1	3	-	-	2	1	5	15	6	2	27	83
16	-	96	9	-	6	7	2	1	3	-	1	3	1	8	9	2	-	20	84
141	3	535	28	6	25	33	7	5	15	4	3	20	3	55	52	30	3	139	85
35	2	129	9	3	6	8	-	-	3	1	-	4	-	15	13	6	-	41	86
13	-	54	4	1	1	4	1	1	2	1	-	2	1	2	2	1	1	6	87
93	1	352	15	2	18	21	6	5	10	2	3	14	2	38	37	23	2	92	88

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ILLINOIS—Continued																
1	La Salle	1,150	15	2	-	-	-	-	-	-	-	6	188	22	2	677	653
2	La Salle	148	1	-	-	-	-	-	-	-	-	-	26	5	-	86	82
3	Ottawa	194	4	-	-	-	-	-	-	-	-	2	39	4	1	108	105
4	Streator (part)	214	3	-	-	-	-	-	-	-	-	1	23	6	-	136	130
5	Streator (total)	215	3	-	-	-	-	-	-	-	-	1	23	6	-	137	131
6	Balance of county	594	7	2	-	-	-	-	-	-	-	3	100	7	1	347	336
7	Lawrence	230	5	4	-	-	-	-	-	-	-	3	23	1	-	136	131
8	Lee	420	9	1	-	3	-	-	-	3	-	2	67	6	-	186	182
9	Dixon	148	1	-	-	-	-	-	-	-	-	-	34	2	-	74	72
10	Balance of county	272	8	1	-	3	-	-	-	2	-	2	33	4	-	112	110
11	Livingston	408	2	1	-	-	-	1	-	-	-	-	58	7	1	231	227
12	Streator (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
13	Balance of county	407	2	1	-	-	-	1	-	-	-	-	58	7	1	230	226
14	Logan	319	6	1	-	-	-	-	-	1	-	-	52	7	2	190	184
15	Lincoln	155	4	1	-	-	-	-	-	1	-	-	26	5	2	90	87
16	Balance of county	164	2	-	-	-	-	-	-	-	-	-	26	2	-	100	97
17	McDonough	329	5	-	-	-	-	-	-	-	-	3	43	3	-	190	186
18	Macomb	131	1	-	-	-	-	-	-	-	-	3	17	-	-	81	79
19	Balance of county	198	4	-	-	-	-	-	-	-	-	-	26	3	-	109	107
20	McHenry	517	1	2	-	-	-	-	-	1	-	3	87	10	-	292	282
21	McLean	865	4	9	-	-	-	-	-	2	-	2	127	13	-	503	488
22	Bloomington	437	2	6	-	-	-	-	-	1	-	-	67	6	-	260	254
23	Balance of county	428	2	3	-	-	-	-	-	1	-	2	60	7	-	243	234
24	Macon	959	11	3	-	-	1	-	-	-	-	1	149	17	1	552	538
25	Decatur	710	9	3	-	-	1	-	-	-	-	-	104	9	1	413	404
26	Balance of county	249	2	-	-	-	-	-	-	-	-	1	45	8	-	139	134
27	Macoupin	606	12	2	-	-	-	-	-	1	-	3	96	11	1	351	344
28	Madison	1,625	20	11	-	-	-	2	2	2	-	3	255	39	-	852	813
29	Alton	375	4	2	-	-	-	-	1	-	-	-	60	9	-	215	210
30	Granite City	253	4	1	-	-	-	1	-	-	-	2	39	2	-	129	123
31	Collinsville (part)	135	1	1	-	-	-	-	-	-	-	-	28	4	-	70	69
32	Collinsville (total)	135	1	1	-	-	-	-	-	-	-	-	28	4	-	70	69
33	Wood River	57	1	1	-	-	-	-	-	-	-	-	10	2	-	30	27
34	Balance of county	805	10	6	-	-	-	1	1	2	-	1	118	22	-	408	384
35	Marion	431	4	6	-	-	-	-	1	-	-	-	58	12	-	224	221
36	Centralia (part)	173	2	2	-	-	-	-	-	-	-	-	25	4	-	97	96
37	Centralia (total)	184	2	2	-	-	-	-	-	-	-	-	29	4	-	102	101
38	Balance of county	258	2	4	-	-	-	-	1	-	-	-	33	8	-	127	125
39	Marshall	151	1	-	-	-	-	-	1	-	-	-	16	3	-	89	87
40	Mason	172	6	-	-	-	-	-	-	1	-	-	18	2	-	99	97
41	Massac	181	7	2	-	1	-	-	-	-	-	-	29	1	-	93	92
42	Menard	118	2	-	-	-	-	-	-	-	-	-	19	2	-	66	64
43	Mercer	201	-	-	-	-	-	-	-	-	-	1	22	2	-	130	126
44	Monroe	140	1	-	-	-	-	-	-	-	-	-	12	-	-	91	90
45	Montgomery	426	4	-	-	-	-	-	-	-	-	1	73	7	-	250	245
46	Morgan	399	5	2	-	-	-	-	-	-	-	-	45	5	1	257	252
47	Jacksonville	239	5	1	-	-	-	-	-	-	-	-	24	2	1	162	160
48	Balance of county	160	-	1	-	-	-	-	-	-	-	-	21	3	-	95	92
49	Moultrie	122	5	-	-	-	-	-	-	-	-	-	20	1	-	67	64
50	Ogle	347	2	1	-	-	-	-	-	1	-	1	56	6	-	174	165
51	Peoria	1,760	27	8	-	-	-	1	2	3	-	2	288	27	2	967	943
52	Peoria	1,272	23	6	-	-	-	-	1	2	-	2	207	21	1	684	666
53	Balance of county	488	4	2	-	-	-	1	1	1	-	-	81	6	1	283	277
54	Perry	238	2	-	-	-	-	1	-	-	-	-	40	4	-	129	128
55	Piatt	157	1	2	-	-	-	-	-	-	-	1	31	3	-	77	71
56	Pike	318	2	2	-	-	-	-	-	-	-	2	44	3	-	193	187
57	Pope	71	3	-	-	-	-	-	-	-	-	1	3	-	-	43	41
58	Pulaski	181	4	-	-	-	-	-	-	-	-	-	21	2	-	102	87
59	Putnam	60	1	1	-	1	-	-	-	-	-	-	7	3	-	33	31
60	Randolph	340	6	-	-	-	-	2	-	-	-	-	48	6	1	193	184
61	Richland	166	3	-	-	-	-	-	-	-	-	-	32	-	1	101	99
62	Rock Island	1,249	15	7	-	-	1	1	1	5	-	3	192	23	1	681	665
63	Moline	411	8	1	-	-	-	-	-	1	-	-	72	6	1	218	215
64	Rock Island	533	5	5	-	-	1	1	1	3	-	1	74	11	-	292	285
65	East Moline	91	2	1	-	-	-	-	-	-	-	-	14	5	-	43	41
66	Balance of county	214	-	-	-	-	-	-	-	1	-	2	32	1	-	128	124
67	St. Clair	2,181	62	13	-	-	-	-	1	3	-	5	298	42	2	1,146	1,089
68	East St. Louis	1,020	47	5	-	-	-	-	1	-	-	3	124	17	2	530	492
69	Belleville	410	9	3	-	-	-	-	-	2	-	-	58	7	-	227	223
70	Collinsville (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	Balance of county	751	6	5	-	-	-	-	-	1	-	2	116	18	-	389	374
72	Saline	412	5	1	-	-	-	-	-	2	-	1	60	9	1	233	222
73	Harrisburg	139	1	-	-	-	-	-	-	2	-	-	17	1	-	83	81
74	Balance of county	273	4	1	-	-	-	-	-	-	-	1	43	8	1	150	141
75	Sangamon	1,590	23	13	-	-	-	-	-	1	-	5	256	18	2	911	879
76	Springfield	1,078	18	13	-	-	-	-	-	1	-	4	161	13	1	605	585
77	Balance of county	512	5	-	-	-	-	-	-	-	-	1	75	5	1	306	294
78	Schuyler	124	1	-	-	-	-	-	-	-	-	-	23	2	-	70	67
79	Scott	90	2	1	-	-	-	-	-	-	-	-	14	-	-	57	54
80	Shelby	297	6	-	-	-	-	-	-	-	-	2	38	6	1	169	159
81	Stark	83	-	-	-	-	-	-	-	1	-	-	7	2	-	54	51
82	Stephenson	464	-	1	-	-	-	-	-	2	-	1	62	10	-	278	261
83	Freeport	279	-	1	-	-	-	-	-	1	-	-	41	6	-	168	158
84	Balance of county	185	-	-	-	-	-	-	-	1	-	1	21	4	-	110	103
85	Tazewell	589	4	5	-	-	-	-	-	1	-	1	101	9	1	318	308
86	Pekin	210	2	3	-	-	-	-	-	1	-	-	32	4	-	121	118
87	Balance of county	379	2	2	-	-	-	-	-	-	-	1	69	5	1	197	190
88	Union	205	5	-	-	-	-	-	1	-	-	-	36	3	-	111	109
89	Vermilion	1,059	11	11	-	-	-	-	-	-	-	4	141	23	-	638	622
90	Danville	527	5	7	-	-	-	-	-	-	-	2	62	12	-	332	322
91	Balance of county	531	6	4	-	-	-	-	-	-	-	2	79	11	-	306	300
92	Wabash	176	1	-	-	-	-	-	-	-	-	-	19	4	-	118	111

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1946)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
146	1	471	32	3	24	22	6	3	9	2	1	7	5	27	34	10	1	111	1
19	-	59	3	1	4	3	2	-	2	-	-	-	1	4	5	2	-	11	2
27	-	73	5	-	3	3	1	-	2	-	-	-	1	2	8	2	-	17	3
25	1	95	8	1	6	5	-	-	1	-	-	2	1	5	3	-	-	26	4
25	1	96	8	1	6	5	-	-	1	-	-	2	1	5	3	-	-	26	5
75	-	244	16	1	11	11	3	3	4	2	1	5	2	16	18	6	1	55	6
35	-	80	15	1	5	9	1	2	1	-	-	5	2	10	9	1	-	18	7
41	-	130	8	3	4	26	3	5	2	1	1	8	2	6	16	4	-	70	8
19	-	50	3	-	2	11	1	1	1	-	1	4	-	1	-	1	-	16	9
22	-	80	5	3	2	15	2	4	1	1	-	4	2	5	16	3	-	54	10
48	1	159	17	2	4	6	1	1	4	1	2	2	5	29	19	4	-	33	11
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
48	1	158	17	2	4	6	1	1	4	1	2	2	5	29	19	4	-	33	13
29	-	145	9	1	6	9	2	1	1	-	-	2	-	6	11	3	1	24	14
12	-	71	4	-	3	3	1	1	1	-	-	1	-	2	3	2	1	11	15
17	-	74	5	1	3	6	1	-	-	-	-	1	-	4	8	1	-	13	16
42	-	128	14	2	4	8	-	1	1	-	-	8	2	11	21	7	1	25	17
18	-	56	3	2	2	2	-	1	1	-	-	3	-	3	8	1	-	10	18
24	-	72	11	-	2	6	-	-	-	-	-	5	2	8	13	6	1	15	19
51	1	217	11	2	10	21	3	-	4	1	1	7	1	9	24	4	-	46	20
105	1	334	43	5	15	21	5	3	4	1	1	10	5	22	29	7	1	96	21
43	1	184	24	2	8	6	2	2	2	1	1	3	2	8	19	4	-	45	22
62	-	150	19	3	9	15	3	1	2	-	-	7	3	14	10	3	1	51	23
112	1	398	23	4	14	20	7	5	2	2	1	15	2	29	26	8	1	106	24
82	1	300	17	4	9	13	5	5	2	1	-	10	2	23	18	4	1	86	25
30	-	98	6	-	5	7	2	-	-	1	1	5	-	6	8	4	-	20	26
56	1	270	16	1	7	17	1	2	2	3	1	2	3	10	13	8	1	66	27
195	4	571	37	6	39	31	13	9	16	4	1	19	13	63	87	24	9	150	28
49	1	149	8	3	5	8	4	1	3	1	-	4	-	9	11	8	-	35	29
22	-	93	7	1	6	2	2	2	4	1	-	2	-	14	18	1	4	25	30
14	-	52	2	1	1	2	1	-	-	-	-	1	2	3	8	2	1	11	31
14	-	52	2	1	1	2	1	-	-	-	-	1	2	3	8	2	1	11	32
7	-	20	-	-	3	1	-	-	-	-	-	-	1	4	3	-	-	4	33
103	3	257	20	1	24	18	6	6	9	2	1	12	10	33	47	13	4	75	34
42	-	160	16	3	3	16	2	-	4	1	1	7	5	13	23	5	1	48	35
14	-	77	4	1	1	5	-	-	-	-	-	2	-	4	13	2	1	16	36
15	-	79	5	2	1	5	-	-	-	-	-	2	-	5	14	2	1	16	37
28	-	83	12	2	2	11	2	-	4	1	1	5	5	9	10	3	-	32	38
27	-	53	6	1	2	7	-	1	-	-	-	4	1	7	3	4	-	14	39
20	-	71	6	-	2	4	-	-	1	1	1	3	3	3	8	3	-	19	40
17	-	62	12	1	1	13	1	-	-	-	1	2	5	2	5	2	1	16	41
13	-	47	3	1	2	1	-	-	-	1	-	-	3	3	3	4	-	14	42
27	-	87	12	-	4	6	3	1	-	-	-	3	-	2	11	2	1	17	43
19	-	60	8	3	1	1	1	-	1	-	-	5	1	5	6	1	-	15	44
54	2	179	9	1	5	7	2	-	4	-	-	2	4	8	19	6	2	37	45
66	-	165	19	2	5	9	4	2	3	2	-	4	1	7	14	3	1	34	46
48	-	101	9	1	2	5	2	1	2	1	-	1	-	3	10	2	1	16	47
17	-	64	10	1	3	4	2	1	1	1	-	3	1	4	4	1	-	18	48
15	-	45	4	-	3	4	-	-	-	-	-	4	1	1	6	1	-	12	49
40	2	116	6	1	9	17	-	1	2	1	1	4	10	18	15	7	1	29	50
173	1	682	74	13	24	53	8	5	25	2	3	30	10	49	51	25	8	164	51
119	1	481	53	12	18	44	6	5	21	2	2	19	7	32	42	15	6	124	52
54	-	201	21	1	6	9	2	-	4	-	1	11	3	17	9	10	2	40	53
28	-	86	10	4	1	6	2	1	3	-	-	4	5	4	12	2	-	23	54
12	-	54	5	-	6	2	-	-	1	2	-	3	-	6	7	3	-	18	55
52	1	120	13	1	6	9	-	-	1	1	1	1	1	6	15	4	1	32	56
12	-	24	5	-	2	5	-	-	-	-	-	2	-	2	4	-	1	7	57
21	-	57	8	1	15	10	-	1	-	1	-	7	-	2	7	-	2	22	58
4	-	22	5	-	2	5	-	-	1	-	-	1	-	3	2	-	-	2	59
50	-	119	14	1	9	11	2	-	1	-	1	8	9	10	14	-	1	27	60
16	-	73	9	1	2	2	-	-	2	-	-	1	-	2	6	-	-	16	61
119	2	490	51	3	16	37	11	3	8	5	-	22	1	31	49	17	6	129	62
40	1	158	16	-	3	10	2	1	2	1	-	10	-	13	14	8	-	43	63
54	1	207	22	1	7	17	6	2	5	3	-	6	1	6	20	6	5	62	64
5	-	34	1	1	2	4	2	-	1	1	-	1	-	2	4	2	-	9	65
20	-	91	12	1	4	6	1	-	-	-	-	5	-	10	11	1	1	15	66
215	2	813	57	2	57	63	17	7	31	9	5	15	19	76	85	29	12	241	67
95	2	376	18	1	38	35	9	5	14	2	5	4	8	34	42	7	9	117	68
43	-	166	13	1	4	6	-	-	4	4	-	5	4	9	17	4	1	50	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
77	-	271	26	-	15	22	8	2	13	3	-	6	7	33	26	18	2	74	71
53	1	150	18	-	11	11	2	-	3	3	1	3	2	13	19	3	1	39	72
21	-	54	6	-	2	6	1	-	1	1	-	1	-	4	4	1	-	16	73
32	1	96	12	-	9	5	1	-	2	2	1	2	2	9	15	2	1	23	74
186	1	653	33	6	32	29	6	2	14	6	-	16	12	38	60	16	7	155	75
123	1	431	25	5	20	15	3	2	13	3	-	8	8	26	40	9	2	113	76
63	-	222	8	1	12	14	3	-	1	3	-	8	4	12	20	7	5	42	77
14	-	47	5	1	3	4	-	-	-	1	-	2	1	5	1	2	-	12	78
9	-	40	4	1	3	2	-	-	-	-	-	1	-	3	6	1	-	3	79
30	1	114	14	-	10	10	-	3	1	-	1	6	-	9	14	5	-	26	80
16	-	29	5	1	3	3	-	-	-	1	-	1	1	1	2	1	-	9	81
69	1	177	11	3	17	15	-	1	4	2	-	6	6	11	10	5	-	50	82
40	1	108	7	2	10	11	-	-	1	1	-	2	3	3	6	2	-	33	83
29	-	69	4	1	7	4	-	1	3	1	-	4	3	8	4	3	-	17	84
81	1	199	21	6	10	14	1	4	4	1	-	14	2	16	17	9	1	66	85
31	1	76	8	2	3	7	1	1	3	-	-	5	1	5	3	2	-	19	86
50	-	123	13	4	7	7	-	3	1	1	-	9	1	11	14	7	1	47	87
23	-	78	8	-	2	7	1	4	3	1	-	2	2	7	4	1	-	17	88
142	1	444	32	3	16	32	5	4	6	2	1	3	3	21	29	14	1	109	89
64	-	239	18	1	10	13	5	3	2	1	-	1	1	9	12	4	1	55	90
78	1	205	14	2	6	19	-	1	4	1	1	2	2	12	17	10	-	54	91
24	-	81	5	1	7	2	-	-	2	-	-	2	1	3	6	-	1	17	92

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 050-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ILLINOIS—Continued																
1	Warren	297	3	1	-	-	-	-	-	-	-	-	46	7	-	179	176
2	Monmouth	155	2	1	-	-	-	-	-	-	-	-	27	1	-	92	92
3	Balance of county	142	1	-	-	-	-	-	-	-	-	-	19	6	-	87	86
4	Washington	163	2	1	-	-	-	-	-	-	-	-	18	5	-	94	91
5	Wayne	215	3	1	-	-	-	-	-	-	-	2	24	5	-	130	125
6	White	228	3	-	-	-	-	-	-	1	-	-	26	6	-	130	126
7	Whiteside	510	3	-	-	-	-	-	-	2	-	-	76	13	1	268	264
8	Sterling	159	1	-	-	-	-	-	-	-	-	-	25	5	-	84	80
9	Balance of county	351	2	-	-	-	-	-	-	2	-	-	51	8	1	184	184
10	Will	1,344	23	3	-	1	-	-	1	2	-	-	198	18	1	750	729
11	Joliet	696	13	2	-	1	-	-	-	1	-	-	109	10	1	385	377
12	Balance of county	648	10	1	-	-	-	-	1	1	-	-	89	8	-	365	352
13	Williamson	548	12	3	-	-	-	1	-	2	-	3	63	6	1	319	307
14	Marion	148	1	2	-	-	-	-	-	-	-	-	14	-	1	89	87
15	Balance of county	400	11	1	-	-	-	1	-	2	-	3	49	6	-	230	220
16	Winnebago	1,464	18	10	-	-	-	-	1	14	-	3	221	27	3	773	754
17	Rockford	1,001	14	8	-	-	-	-	-	9	-	2	160	20	2	521	506
18	Balance of county	463	4	2	-	-	-	-	1	5	-	1	61	7	1	252	248
19	Woodford	202	1	-	-	-	-	2	1	-	-	-	33	2	-	115	108
20	INDIANA	40,630	786	233	-	9	8	26	21	64	19	109	5,656	706	41	22,596	21,910
21	Adams	235	1	2	-	-	-	-	-	-	-	1	33	5	-	120	117
22	Allen	1,769	33	3	-	-	-	2	-	13	-	5	276	36	-	931	892
23	Fort Wayne	1,417	27	3	-	-	-	-	-	10	-	3	230	30	-	754	721
24	Balance of county	352	6	-	-	-	-	2	-	3	-	2	46	6	-	177	171
25	Bartholomew	337	7	-	-	1	-	1	-	1	-	-	44	6	-	178	176
26	Columbus	176	5	-	-	1	-	1	-	1	-	-	21	1	-	95	95
27	Balance of county	161	2	-	-	-	-	-	-	-	-	-	23	5	-	83	81
28	Benton	97	2	-	-	-	-	-	-	-	-	1	13	-	-	52	52
29	Blackford	159	2	1	-	-	-	-	-	-	-	-	20	5	-	96	95
30	Boone	286	3	1	-	-	-	-	-	1	-	1	37	6	-	169	159
31	Brown	73	-	-	-	-	1	-	-	-	-	-	10	-	-	38	37
32	Carroll	173	6	-	-	-	-	-	-	-	-	1	26	1	-	92	91
33	Cass	467	10	3	-	-	-	1	-	1	-	2	55	7	-	273	267
34	Logansport	316	5	3	-	-	-	1	-	1	-	1	42	5	-	187	182
35	Balance of county	151	5	-	-	-	-	-	-	-	-	1	13	2	-	86	85
36	Clark	405	7	1	-	-	-	-	-	3	1	2	46	6	-	206	203
37	Jeffersonville	178	4	-	-	-	-	-	-	1	-	1	22	1	-	96	95
38	Balance of county	227	3	1	-	-	-	-	-	2	1	1	24	5	-	110	108
39	Clay	285	4	3	-	-	-	-	-	-	-	1	29	2	1	191	187
40	Clinton	355	7	-	-	-	-	1	-	1	-	1	50	7	1	205	202
41	Frankfort	177	4	-	-	-	-	-	-	-	-	-	23	2	1	100	98
42	Balance of county	178	3	-	-	-	-	1	-	1	-	1	27	5	-	105	104
43	Crawford	99	2	-	-	-	-	-	-	-	-	-	9	2	-	56	54
44	Daviess	282	7	1	-	-	-	-	1	1	-	-	37	2	2	162	155
45	Washington	147	5	-	-	-	-	-	-	-	-	-	17	-	-	85	83
46	Balance of county	135	2	1	-	-	-	-	1	1	-	-	20	2	2	77	72
47	Dearborn	268	11	-	-	1	-	1	1	-	-	2	31	6	-	146	145
48	Decatur	259	-	1	-	-	-	-	-	-	-	-	38	3	-	163	160
49	De Kalb	312	3	-	-	-	-	-	-	5	3	1	50	12	-	152	133
50	Delaware	621	16	4	-	2	-	-	1	1	-	-	112	17	2	440	434
51	Muncie	573	14	2	-	2	-	-	-	1	-	-	84	9	2	299	293
52	Balance of county	246	2	2	-	-	-	-	1	-	-	-	28	8	-	141	141
53	Dubois	209	2	1	-	-	-	-	-	-	-	-	32	5	-	120	115
54	Elkhart	861	16	4	-	-	-	1	-	3	1	-	118	18	2	485	474
55	Elkhart	406	9	2	-	-	-	-	-	1	-	-	51	10	1	218	212
56	Goshen	157	2	1	-	-	-	-	-	-	-	-	21	2	-	104	104
57	Balance of county	296	5	1	-	-	-	1	-	2	1	-	46	6	1	163	156
58	Fayette	239	5	2	-	-	-	1	-	1	-	1	29	3	-	116	111
59	Connersville	162	4	2	-	-	-	-	-	1	-	1	19	2	-	81	78
60	Balance of county	77	1	-	-	-	-	1	-	-	-	-	10	1	-	35	33
61	Floyd	468	14	1	-	-	-	-	-	1	1	-	61	8	1	265	255
62	New Albany	351	9	1	-	-	-	-	-	1	1	-	51	8	1	196	189
63	Balance of county	117	5	-	-	-	-	-	-	-	-	-	10	-	-	69	66
64	Fountain	226	7	1	-	-	-	-	-	2	-	-	27	4	-	130	119
65	Franklin	182	2	2	-	-	-	-	-	-	-	-	16	2	1	108	102
66	Fulton	209	6	-	-	-	-	-	-	-	1	-	21	3	-	129	122
67	Gibson	369	5	2	-	1	-	-	-	1	-	-	53	5	2	214	207
68	Grant	689	13	4	-	1	-	-	2	2	-	2	101	10	-	398	391
69	Marion	405	10	3	-	1	-	-	-	1	-	1	59	8	-	225	222
70	Balance of county	284	3	1	-	-	-	-	2	1	-	1	42	2	-	173	169
71	Greene	358	6	1	-	-	-	1	-	-	-	2	57	4	3	205	196
72	Hamilton	310	6	-	-	-	-	-	-	-	1	-	37	5	-	167	163
73	Hancock	219	2	-	-	-	-	-	-	-	-	-	26	4	1	134	131
74	Harrison	178	3	-	-	-	-	-	-	-	-	-	23	2	-	104	93
75	Hendricks	241	5	1	-	-	-	-	-	-	-	-	35	2	-	151	145
76	Henry	433	7	2	-	-	-	-	1	1	-	1	58	7	-	224	221
77	New Castle	174	4	1	-	-	-	-	-	1	-	-	23	4	-	72	72
78	Balance of county	258	3	1	-	-	-	-	1	-	-	1	35	3	-	152	149
79	Howard	548	6	-	-	-	-	-	-	-	-	2	82	7	-	291	274
80	Kokomo	389	6	-	-	-	-	-	-	-	-	1	49	6	-	201	192
81	Balance of county	159	-	-	-	-	-	-	-	-	-	1	33	1	-	90	82
82	Huntington	367	2	1	-	-	-	-	-	-	-	-	46	6	-	229	226
83	Huntington	175	1	-	-	-	-	-	-	-	-	-	25	3	-	101	102
84	Balance of county	192	1	1	-	-	-	-	-	-	-	-	21	3	-	128	125
85	Jackson	294	5	2	-	-	-	1	-	1	-	-	38	5	-	168	160
86	Jasper	155	-	-	-	-	-	-	-	-	-	-	21	3	-	99	97
87	Jay	275	1	1	-	-	-	-	-	2	-	-	28	7	-	155	148

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
41	-	127	10	-	1	10	-	-	-	-	1	-	1	7	13	5	-	24	1
21	-	66	5	-	-	4	-	-	-	-	1	-	1	6	6	2	-	12	2
20	-	61	5	-	1	6	-	-	-	-	-	-	-	1	7	3	-	12	3
26	-	58	6	1	3	6	-	-	-	-	-	-	3	9	8	3	-	14	4
17	1	103	4	-	5	4	-	-	2	1	-	2	2	7	8	-	2	22	5
34	2	75	13	2	4	10	1	-	2	-	1	3	2	9	11	3	1	19	6
61	-	184	15	4	4	13	5	5	1	1	1	11	2	10	21	6	1	70	7
21	-	53	6	-	4	3	2	1	-	-	-	4	-	4	8	2	-	20	8
40	-	131	9	4	-	10	3	4	1	1	1	7	2	6	13	4	1	50	9
150	1	538	35	5	21	40	4	4	17	4	1	20	11	24	61	18	2	141	10
69	1	292	13	2	8	18	2	2	11	2	-	13	2	14	28	6	1	75	11
81	-	246	22	3	13	22	2	2	6	2	1	7	9	10	33	12	1	66	12
64	-	224	19	-	12	10	3	3	3	-	1	5	6	13	31	6	5	52	13
22	-	58	7	-	2	3	-	1	-	-	-	1	2	8	7	2	3	14	14
42	-	166	12	-	10	7	3	2	3	-	1	4	4	5	24	4	2	38	15
175	1	526	45	7	19	38	8	5	13	8	4	33	5	61	51	13	5	150	16
116	1	355	28	8	15	25	7	3	10	5	3	19	3	41	30	11	3	105	17
59	-	171	17	1	4	13	1	2	3	3	1	14	2	20	21	2	2	45	18
20	1	78	9	-	7	2	1	-	4	-	-	2	-	8	9	1	-	21	19
5,077	51	15,017	1,588	177	686	1,339	216	197	336	101	61	521	216	1,087	1,581	557	140	4,004	20
30	-	66	21	-	3	8	3	1	1	-	-	4	-	5	13	2	-	36	21
186	1	644	55	6	38	55	11	11	12	6	1	26	3	39	51	14	4	237	22
152	1	525	38	5	33	47	10	9	10	6	-	21	-	22	39	11	4	181	23
34	-	118	17	1	6	8	1	2	2	-	1	5	3	17	12	3	-	56	24
60	1	104	9	2	2	17	-	3	1	-	-	1	2	11	17	7	1	39	25
37	-	53	4	1	-	5	-	2	-	-	-	-	-	8	8	5	1	22	26
23	1	51	5	1	2	12	-	1	1	-	-	1	2	3	9	2	-	17	27
12	-	33	6	1	-	1	1	-	-	-	-	1	1	4	6	-	-	15	28
19	2	67	6	1	1	1	1	1	-	1	-	-	3	5	3	2	-	18	29
37	1	107	14	-	10	8	3	1	1	2	1	-	-	8	13	2	-	29	30
9	-	28	2	-	1	5	-	-	2	-	1	-	1	4	3	1	-	7	31
29	-	57	5	-	1	7	1	1	-	2	-	-	1	7	9	3	-	16	32
59	1	198	10	1	6	22	2	-	2	1	-	4	4	9	11	9	-	51	33
43	-	132	6	1	5	15	1	-	1	-	-	2	2	6	9	7	-	28	34
16	1	64	4	-	1	7	1	-	1	1	-	2	2	3	2	2	-	23	35
39	-	141	20	3	3	19	2	1	2	2	2	4	4	14	22	10	-	51	36
14	-	70	9	2	1	5	2	1	2	1	2	1	3	3	8	3	-	22	37
25	-	71	11	1	2	14	-	-	-	1	-	3	1	11	14	7	-	29	38
35	-	149	3	-	4	9	2	1	2	-	-	1	-	3	11	1	1	23	39
44	2	138	15	3	3	5	1	-	-	1	1	4	4	12	11	2	2	39	40
27	1	60	8	2	2	2	1	-	-	-	1	4	3	5	6	1	1	23	41
17	1	78	7	1	1	3	-	-	-	1	-	-	1	7	5	1	1	16	42
24	-	25	5	-	2	8	-	-	-	-	1	2	3	3	2	-	-	11	43
42	-	103	9	1	7	8	-	1	-	1	-	4	-	7	9	3	-	36	44
23	-	53	6	1	2	4	-	1	-	-	-	4	-	3	4	3	-	21	45
19	-	50	3	-	5	4	-	-	-	1	-	-	-	4	5	-	-	15	46
35	-	92	17	1	1	14	-	-	3	1	-	6	6	5	11	2	1	20	47
42	-	96	22	-	3	6	-	1	3	-	2	4	-	4	4	3	-	27	48
47	-	73	13	-	19	15	2	-	1	4	-	2	10	5	15	6	1	25	49
103	2	296	30	3	6	33	3	2	4	-	3	11	5	27	35	12	3	88	50
65	2	201	22	3	6	26	1	2	4	-	3	7	4	21	25	4	3	60	51
38	-	95	8	-	-	7	2	-	-	-	-	4	1	6	10	8	-	28	52
42	-	63	10	-	5	6	-	2	2	-	2	3	1	9	9	1	-	14	53
91	3	341	37	2	11	28	2	5	14	-	-	16	2	27	28	15	3	72	54
42	-	150	18	2	6	14	-	2	9	-	-	4	1	13	11	10	3	49	55
18	-	80	6	-	-	5	-	1	2	-	-	5	-	3	4	1	-	6	56
31	3	111	13	-	5	10	2	2	3	-	-	7	1	11	13	4	-	17	57
22	-	76	11	2	5	5	1	3	1	4	2	5	2	8	11	7	-	34	58
15	-	55	6	2	3	1	1	2	1	2	1	1	2	5	6	6	-	24	59
7	-	21	5	-	2	2	-	1	-	2	1	4	-	3	5	1	-	10	60
47	1	188	19	-	10	11	3	4	5	3	-	8	1	15	16	4	1	45	61
35	1	137	16	-	7	5	2	3	5	3	-	6	1	9	15	3	1	30	62
12	-	51	3	-	3	6	1	1	-	-	-	2	-	6	1	1	-	15	63
31	-	74	10	4	11	3	3	2	2	1	-	4	-	2	7	3	-	28	64
22	-	72	6	2	6	5	-	2	1	1	-	4	1	6	9	2	1	19	65
23	-	92	5	2	7	4	-	-	1	2	-	3	-	8	9	2	-	20	66
47	-	139	18	3	7	12	1	1	4	-	-	3	2	16	14	3	-	30	67
117	-	231	41	2	7	16	5	1	5	3	-	8	1	24	29	9	-	55	68
72	-	124	24	2	3	11	3	1	4	1	-	4	1	17	15	6	-	34	69
45	-	107	17	-	4	5	2	-	1	2	-	4	-	7	14	3	-	21	70
47	-	138	10	1	9	11	1	1	1	1	-	3	1	14	12	4	-	30	71
34	1	114	10	4	4	11	-	1	-	1	1	4	2	11	18	8	-	37	72
34	-	79	15	3	3	9	2	2	1	-	-	2	1	2	13	4	-	18	73
12	-	74	7	-	11	11	-	-	2	2	-	3	4	3	6	-	1	12	74
33	-	98	11	3	6	4	-	2	1	-	-	4	-	6	10	2	-	18	75
62	-	140	17	2	3	18	6	3	5	3	-	9	1	11	25	5	1	45	76
17	-	53	2	-	-	8	2	1	4	1	-	4	-	8	14	2	1	24	77
45	-	87	15	2	3	10	4	2	1	2	-	5	1	3	11	3	-	21	78
78	2	181	13	-	17	20	5	6	5	1	2	11	3	11	27	8	1	60	79
58	1	124	9	-	9	17	5	4	5	1	2	10	1	6	23	5	1	46	80
20	1	57	4	-	8	3	-	2	-	-	-	1	2	5	4	3	-	14	81
61	2	136	26	1	3	13	1	-	2	-	-	4	6	10	14	2	-	31	82
25	1	67	8	-	-	8	1	-	1	-	-	2	5	5	5	1	-	17	83
36	1	69	18	1	3	5	-	-	1	-	-	2	1	5	9	1	-	14	84
35	-	106	17	2	8	10	-	3	-	-	1	5	2	5	9	5	1	35	85
20	2	68	6	3	2	4	1	-	-	-	1	3	-	7	6	2	-	8	86
39	2	99	7	1	7	9	1	1	1	1	-	3	3	13	17	5	-	29	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-139	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	INDIANA—Continued																
1	Jefferson	248	4	-	-	-	-	-	1	-	1	-	30	1	-	163	159
2	Jennings	161	3	-	-	-	-	-	-	-	-	1	22	3	-	95	93
3	Johnson	327	9	-	-	-	-	-	1	-	-	1	38	8	-	201	196
4	Knox	470	3	1	-	-	-	-	-	-	-	1	72	8	-	263	253
5	Vincennes	235	2	-	-	-	-	-	-	-	-	-	35	4	-	138	135
6	Balance of county	235	1	1	-	-	-	-	-	-	-	1	37	4	-	125	118
7	Kosciusko	377	3	1	-	-	3	-	-	-	-	-	46	9	-	224	218
8	Lagrange	136	-	-	-	-	-	-	-	-	-	5	11	2	-	92	88
9	Lake	3,251	103	17	-	1	-	3	-	6	3	14	490	58	6	1,519	1,463
10	Gary	1,328	54	8	-	1	-	1	-	2	2	3	186	28	3	612	575
11	East Chicago	569	26	3	-	-	-	2	-	2	-	2	80	8	2	272	267
12	Hammond	698	11	3	-	-	-	-	-	-	1	5	116	10	1	336	328
13	Hobart	78	-	-	-	-	-	-	-	-	-	-	10	1	-	44	43
14	Balance of county	576	12	3	-	-	-	-	-	2	-	4	98	11	-	255	250
15	La Porte	793	11	6	-	-	-	-	1	5	-	3	105	10	-	423	411
16	Michigan City	292	6	2	-	-	-	-	1	4	-	1	49	6	-	145	140
17	La Porte	243	4	-	-	-	-	-	-	1	-	1	29	3	-	129	127
18	Balance of county	258	1	4	-	-	-	-	-	-	-	1	27	1	-	149	144
19	Lawrence	422	14	6	-	1	-	-	-	-	-	1	67	6	-	233	225
20	Bedford	178	4	4	-	-	-	-	-	-	-	-	32	2	-	89	88
21	Balance of county	244	10	2	-	1	-	-	-	-	-	1	35	4	-	144	137
22	Madison	995	14	10	-	-	1	-	1	2	-	3	170	10	-	552	527
23	Anderson	518	10	6	-	-	-	-	1	1	-	3	81	5	-	275	259
24	Elwood	141	1	1	-	-	1	-	-	-	-	-	26	1	-	84	79
25	Balance of county	336	3	3	-	-	-	-	-	1	-	-	63	4	-	193	189
26	Marion	5,878	166	61	-	-	2	2	7	5	3	13	829	86	8	3,247	3,178
27	Indianapolis	5,153	151	58	-	-	1	2	7	4	3	12	726	78	7	2,826	2,770
28	Balance of county	725	15	3	-	-	1	-	-	1	-	1	103	8	1	421	408
29	Marshall	303	4	-	-	-	-	-	-	3	-	1	27	8	-	194	186
30	Martin	88	-	-	-	-	-	-	-	-	-	1	11	1	-	47	45
31	Miami	322	3	1	-	-	-	-	-	-	-	1	47	4	1	194	191
32	Peru	163	2	1	-	-	-	-	-	-	-	-	21	4	-	100	100
33	Balance of county	159	1	-	-	-	-	-	-	-	-	1	26	-	1	94	91
34	Monroe	366	6	3	-	-	-	1	-	-	-	2	48	11	-	188	176
35	Bloomington	210	4	2	-	-	-	-	-	-	-	-	30	6	-	113	107
36	Balance of county	156	2	1	-	-	-	1	-	-	-	2	18	5	-	75	69
37	Montgomery	343	6	3	-	-	-	-	-	1	-	1	50	7	1	206	192
38	Crawfordsville	146	1	3	-	-	-	-	-	-	-	-	27	2	1	85	80
39	Balance of county	197	5	-	-	-	-	-	-	1	-	1	23	5	-	121	112
40	Morgan	245	8	-	-	-	-	-	-	-	-	-	25	8	1	134	130
41	Newton	126	-	1	-	-	-	-	-	-	-	-	16	7	-	75	74
42	Noble	279	2	-	-	-	-	2	-	1	-	-	37	4	-	167	159
43	Ohio	49	-	-	-	-	-	-	-	-	-	1	5	-	-	34	34
44	Orange	206	5	-	-	-	-	-	-	-	-	-	28	4	-	105	103
45	Owen	153	3	-	-	-	-	1	-	-	-	-	18	2	1	96	93
46	Parke	207	1	1	-	-	-	-	-	-	-	-	38	5	-	131	125
47	Perry	200	4	-	-	-	-	-	-	-	1	-	30	1	-	97	93
48	Pike	200	2	2	-	-	-	-	-	-	-	1	22	7	-	121	120
49	Porter	334	5	2	-	1	-	1	-	-	-	2	46	4	1	182	174
50	Valparaiso	123	2	-	-	-	-	1	-	-	-	-	15	3	-	68	65
51	Balance of county	211	3	2	-	1	-	-	-	-	-	2	31	1	1	114	109
52	Posey	242	7	2	-	-	-	-	-	-	-	-	41	5	-	126	123
53	Pulaski	127	2	1	-	-	-	1	-	-	-	-	21	1	-	83	81
54	Putnam	239	4	1	-	-	-	-	-	-	-	-	31	1	-	151	142
55	Randolph	303	5	2	-	-	-	1	-	1	-	2	35	7	1	186	181
56	Ripley	217	2	-	-	-	-	-	-	-	-	1	37	5	1	137	134
57	Rush	210	7	1	-	-	-	-	-	1	-	2	26	3	-	135	134
58	St. Joseph	1,771	32	5	-	-	-	3	2	6	1	3	265	48	-	940	918
59	South Bend	1,130	25	2	-	-	-	2	-	1	-	2	174	37	-	601	585
60	Mishawaka	261	3	3	-	-	-	-	-	2	-	-	51	5	-	124	123
61	Balance of county	380	4	-	-	-	-	1	2	3	1	1	60	6	-	215	210
62	Scott	122	5	-	-	-	-	-	-	-	1	-	15	2	-	67	66
63	Shelby	339	6	3	-	-	-	-	-	-	-	-	46	2	-	209	205
64	Shelbyville	158	2	1	-	-	-	-	-	-	-	-	23	-	-	95	93
65	Balance of county	181	4	2	-	-	-	-	-	-	-	-	23	2	-	114	112
66	Spencer	190	3	1	-	-	-	-	-	-	-	2	24	4	-	104	95
67	Starke	171	2	1	-	-	-	-	-	-	-	-	20	3	-	105	101
68	Steuben	204	2	-	-	-	-	-	-	-	-	2	18	5	-	131	130
69	Sullivan	313	2	4	-	-	-	-	-	-	-	2	48	3	-	180	173
70	Switzerland	94	2	-	-	-	-	-	-	-	-	-	11	1	-	61	60
71	Tippecanoe	654	5	10	-	-	-	-	-	6	-	1	93	10	-	372	365
72	Lafayette	411	3	7	-	-	-	-	-	-	-	-	56	2	-	249	245
73	West Lafayette	51	1	-	-	-	-	-	-	1	-	-	13	1	-	25	25
74	Balance of county	192	1	3	-	-	-	-	-	5	-	1	24	7	-	98	95
75	Tipton	162	-	4	-	-	-	-	-	-	-	-	14	3	-	95	92
76	Union	71	1	-	-	-	-	-	-	-	-	-	6	4	-	43	43
77	Vanderburgh	1,547	31	13	-	-	-	-	1	1	1	5	231	31	1	865	855
78	Evansville	1,240	28	8	-	-	-	-	1	1	1	5	181	24	1	701	693
79	Balance of county	307	3	5	-	-	-	-	-	-	-	-	50	7	-	164	162
80	Vermillion	255	1	-	-	-	-	-	-	-	-	1	44	5	1	143	139
81	Vigo	1,260	20	9	-	-	-	-	-	2	-	4	175	21	-	710	685
82	Terre Haute	930	13	8	-	-	-	-	-	1	-	3	127	19	-	522	503
83	Balance of county	330	7	1	-	-	-	-	-	1	-	1	48	2	-	188	182
84	Wabash	303	4	2	-	-	1	-	-	2	-	-	32	4	-	192	185
85	Wabash	120	2	2	-	-	-	-	-	-	-	-	14	2	-	78	74
86	Balance of county	183	2	-	-	-	1	-	-	2	-	-	18	2	-	116	111
87	Warren	92	-	-	-	-	-	-	-	-	-	-	15	1	-	49	48
88	Warrick	215	1	1	-	-	-	-	-	-	-	-	25	4	-	134	132
89	Washington	163	5	1	-	-	-	-	-	-	-	-	27	4	1	112	109

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E978	Homicide E964, E980-E985	All other causes Residual	
43	-	91	25	-	4	11	-	-	1	-	-	2	2	8	5	2	-	19	1
29	-	53	10	1	2	6	-	1	1	1	-	2	-	4	9	2	-	11	2
43	-	138	15	-	5	15	1	-	2	-	1	1	2	6	19	4	2	16	3
59	-	173	18	3	10	18	2	3	2	1	-	7	4	9	30	2	-	44	4
37	-	85	11	2	3	4	1	-	1	-	-	4	3	2	16	1	-	24	5
22	-	88	7	1	7	14	1	3	1	1	-	3	1	7	14	1	-	20	6
34	-	166	15	3	8	12	1	2	3	1	-	5	4	8	14	4	1	36	7
27	-	55	6	-	4	2	1	-	-	-	1	1	1	4	1	3	-	12	8
300	3	1,074	65	21	58	128	20	13	39	7	6	61	23	113	146	49	32	394	9
138	-	408	19	10	37	56	6	2	18	4	1	25	9	44	50	20	19	174	10
41	-	208	13	5	5	28	4	5	6	1	2	6	6	6	25	6	4	73	11
61	2	246	17	2	8	20	6	1	8	1	2	12	4	24	37	13	6	81	12
8	-	33	2	-	1	4	-	-	-	-	-	3	-	2	7	-	1	6	13
52	1	179	14	4	5	20	4	5	7	1	1	15	4	37	27	10	2	60	14
80	-	308	18	5	12	22	5	3	6	-	-	20	10	25	36	8	2	82	15
32	-	104	3	1	5	7	1	2	3	-	-	7	6	7	14	1	2	28	16
21	-	99	5	2	2	9	3	1	1	-	-	3	1	6	12	4	-	36	17
27	-	105	10	2	5	6	1	-	2	-	-	10	3	12	10	3	-	28	18
47	-	163	12	3	8	11	4	3	2	2	-	3	1	9	15	5	4	35	19
15	-	68	3	2	1	4	3	-	2	1	-	1	-	3	11	3	2	17	20
32	-	95	9	1	7	7	1	3	-	1	-	2	1	6	4	2	2	18	21
120	1	358	44	4	25	33	8	8	2	1	-	8	3	32	27	11	4	97	22
56	1	179	22	1	18	15	4	3	2	1	-	3	-	24	16	5	4	59	23
18	-	56	4	1	5	5	1	2	-	-	-	1	1	3	4	1	-	9	24
46	-	123	18	2	4	13	3	3	-	-	-	2	2	5	7	5	-	29	25
692	10	2,209	235	32	69	171	36	33	64	7	13	80	14	134	233	80	39	545	26
605	9	1,914	212	30	58	155	34	30	60	5	9	68	12	116	202	66	36	485	27
87	1	295	23	2	13	18	2	3	4	2	4	12	2	18	31	14	3	60	28
46	1	126	12	1	8	6	-	1	1	-	-	2	1	12	9	6	-	28	29
3	-	37	5	-	2	4	-	1	-	-	1	1	-	4	5	2	-	10	30
44	-	136	11	-	3	17	1	3	3	-	1	3	1	8	10	4	-	20	31
27	-	67	6	-	-	9	1	2	3	-	1	-	-	2	7	2	-	8	32
17	-	69	5	-	3	8	-	1	-	-	-	3	1	6	3	2	-	12	33
52	2	113	9	-	12	15	3	2	2	2	-	16	2	12	13	5	3	34	34
29	2	70	6	-	6	3	2	2	-	-	-	9	1	5	8	3	1	21	35
23	-	43	3	-	6	12	1	-	2	2	-	7	1	7	5	2	2	13	36
48	-	136	7	1	14	9	1	-	3	-	-	3	2	10	7	6	-	27	37
16	-	61	3	-	5	4	-	-	1	-	-	2	1	2	2	2	-	13	38
32	-	75	4	1	9	5	1	-	2	-	-	1	1	8	5	4	-	14	39
40	1	75	14	-	4	13	-	-	-	-	1	2	1	8	9	5	1	29	40
14	-	51	8	1	1	5	-	1	2	-	-	2	-	4	3	1	-	9	41
29	-	113	16	1	8	7	-	-	1	1	-	1	3	5	16	3	-	29	42
7	-	23	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	7	43
31	-	61	8	3	2	11	3	2	-	1	-	1	1	4	11	3	-	26	44
21	-	62	10	-	3	2	1	1	-	-	-	1	2	4	4	3	1	15	45
28	-	94	2	1	6	1	1	1	2	-	-	2	-	2	9	2	-	13	46
17	-	68	7	1	4	11	1	1	3	2	1	1	3	3	11	2	1	27	47
34	1	80	5	-	1	8	-	-	-	-	-	2	3	4	9	1	-	18	48
28	-	158	7	1	8	20	-	1	5	-	-	3	1	8	19	1	-	32	49
12	-	51	1	1	3	8	-	1	-	-	-	1	-	4	6	-	-	14	50
16	-	87	6	-	5	12	-	-	5	-	-	2	1	4	13	1	-	18	51
35	-	77	10	1	3	9	1	3	1	-	1	1	1	5	12	3	-	24	52
14	-	44	2	1	2	4	4	1	-	-	-	2	-	8	2	5	-	14	53
31	-	97	13	1	9	5	2	1	-	-	-	3	1	8	8	7	1	17	54
46	1	126	6	2	5	7	2	2	-	-	-	3	1	6	9	4	-	29	55
28	-	94	12	-	3	3	-	1	-	2	1	2	-	2	1	4	-	18	56
26	-	93	14	1	1	7	1	-	1	-	-	3	-	5	5	2	1	12	57
199	2	637	71	9	22	60	8	4	26	7	-	22	6	47	66	40	5	155	58
115	-	412	51	7	16	41	4	2	20	4	-	13	3	26	44	26	5	98	59
30	1	86	6	-	1	8	1	1	4	-	-	5	1	9	8	8	-	28	60
54	1	139	14	2	5	11	3	1	2	3	-	4	2	12	14	6	-	29	61
19	-	42	5	-	1	6	-	1	-	-	-	1	-	4	1	-	-	19	62
59	-	129	16	1	4	13	1	4	6	-	-	2	4	10	7	4	-	22	63
27	-	61	5	-	2	7	1	2	5	-	-	2	3	6	3	-	-	8	64
32	-	68	11	1	2	6	-	3	1	-	-	-	1	4	4	4	-	14	65
20	-	68	7	-	9	10	1	4	2	-	1	1	2	9	6	2	-	14	66
26	-	71	4	-	4	3	1	-	4	-	-	2	1	6	6	4	1	12	67
32	-	86	12	-	1	2	-	-	2	-	-	5	2	4	7	2	-	22	68
42	-	121	9	1	7	15	4	-	-	1	1	2	1	8	9	4	-	29	69
14	-	40	5	1	1	1	1	-	-	-	-	2	-	1	1	-	-	13	70
84	1	253	26	1	7	13	3	1	8	3	2	11	6	18	29	9	1	53	71
59	1	168	16	1	4	6	2	1	7	2	-	8	3	10	17	3	1	34	72
5	-	17	3	-	-	2	-	-	-	1	-	-	-	1	2	-	-	4	73
20	-	68	7	-	3	5	1	-	1	-	2	3	3	7	10	6	-	15	74
21	-	60	10	1	3	7	-	1	1	1	-	1	3	5	9	6	-	12	75
8	-	32	3	-	-	3	1	1	-	-	-	-	1	2	-	2	-	6	76
204	1	577	66	7	10	38	8	7	21	4	2	21	6	29	50	24	7	150	77
150	-	473	56	4	8	27	8	6	18	2	2	16	4	26	37	21	6	116	78
44	1	104	10	3	2	11	-	1	3	2	-	5	2	3	13	3	1	34	79
47	-	87	3	2	4	8	3	1	3	1	-	-	3	3	8	4	-	26	80
132	2	489	61	1	25	49	7	5	16	6	2	10	2	32	41	20	4	125	81
89	1	363	49	1	19	39	6	2	14	3	2	8	2	20	31	14	3	93	82
43	1	128	12	-	6	10	1	3	2	3	-	2	-	12	10	6	1	32	83
62	-	112	11	-	7	9	-	4	3	1	2	4	3	7	11	3	-	19	84
22	-	46	6	-	2	2	-	1	2	1	1	3	2	2	4	-	-	6	85
40	-	66	5	-	5	7	-	3	1	-	1	1	1	5	7	3	-	13	86
7	-	38	3	-	1	3	2	2	1	-	-	1	-	4	3	-	-	11	87
33	-	88	11	-	2	8	-	-	1	-	-	-	1	4	12	4	2	18	88
31	1	87	10	-	3	5	2	2	-	-	-	2	-	3	9	-	1	9	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	INDIANA—Continued																
1	Wayne	688	15	6	-	-	-	-	1	-	-	2	98	12	-	362	353
2	Richmond	428	11	2	-	-	-	-	1	-	-	2	58	7	-	223	219
3	Balance of county	260	4	4	-	-	-	-	-	-	-	-	40	5	-	139	134
4	Wells	250	4	2	-	-	-	1	-	-	-	1	31	4	1	143	139
5	White	206	4	3	-	-	-	-	-	-	-	2	28	4	-	116	113
6	Whitley	213	1	1	-	-	-	-	-	1	-	1	33	2	-	120	114
7	IOWA	26,979	207	105	1	10	4	11	17	64	16	69	4,032	457	15	15,170	14,787
8	Adair	154	-	-	-	-	-	-	-	1	-	-	15	4	-	83	78
9	Adams	93	-	-	-	-	-	-	-	-	1	-	8	-	-	65	65
10	Allamakee	201	-	1	-	-	-	1	-	-	-	-	30	5	-	114	107
11	Appanoose	253	4	-	-	-	-	-	-	-	-	-	36	6	-	148	141
12	Audubon	95	1	-	-	1	-	-	-	2	-	1	19	1	-	40	38
13	Benton	289	-	1	-	1	-	-	-	3	-	2	38	7	-	169	167
14	Black Hawk	806	8	4	-	-	-	1	-	-	-	-	106	20	1	460	450
15	Waterloo	538	8	3	-	-	-	1	-	-	-	-	61	16	1	306	297
16	Cedar Falls	120	-	-	-	-	-	-	-	-	-	-	16	1	-	81	81
17	Balance of county	148	-	1	-	-	-	-	-	-	-	-	29	3	-	73	72
18	Boone	336	3	1	-	-	-	-	-	-	-	-	56	4	-	196	194
19	Boone	178	1	1	-	-	-	-	-	-	-	-	26	2	-	106	105
20	Balance of county	158	2	-	-	-	-	-	-	-	-	-	30	2	-	90	89
21	Bremer	192	-	1	-	-	-	-	-	-	-	2	25	1	-	102	100
22	Buchanan	219	2	-	-	-	-	-	-	-	-	-	26	9	-	131	128
23	Buena Vista	203	1	-	-	-	-	-	-	1	1	1	25	6	-	111	107
24	Butler	162	1	-	-	-	-	-	-	1	-	-	27	2	-	95	95
25	Calhoun	196	2	-	-	-	-	-	-	-	-	-	32	3	-	114	112
26	Carroll	183	1	-	-	-	1	-	-	1	-	-	24	2	-	106	104
27	Cass	207	-	2	-	-	-	-	-	-	-	1	38	3	-	126	123
28	Cedar	209	1	2	-	-	-	-	-	1	1	-	30	-	-	132	129
29	Cerro Gordo	445	3	2	-	-	-	-	-	-	-	-	63	4	-	270	264
30	Mason City	276	2	2	-	-	-	-	-	-	-	-	40	3	-	169	164
31	Balance of county	169	1	-	-	-	-	-	-	-	-	-	23	1	-	101	100
32	Cherokee	187	1	2	-	-	-	-	-	1	-	-	24	3	-	86	86
33	Chickasaw	161	2	-	-	-	-	-	-	-	-	1	28	-	-	97	95
34	Clarke	133	2	2	-	-	-	-	-	-	-	-	19	6	-	65	59
35	Clay	151	1	-	-	-	-	-	-	-	-	-	32	1	-	72	71
36	Clayton	245	1	-	-	-	-	-	-	2	1	-	38	2	-	133	117
37	Clinton	556	1	4	-	-	-	-	-	1	-	2	85	13	-	331	326
38	Clinton	367	1	3	-	-	-	-	-	1	-	1	56	9	-	216	212
39	Balance of county	189	-	1	-	-	-	-	-	-	-	1	29	4	-	115	114
40	Crawford	178	2	-	-	-	-	-	-	-	-	-	39	4	1	96	96
41	Dallas	266	2	3	-	1	-	-	-	-	1	1	35	2	1	159	154
42	Davis	115	1	1	-	-	-	-	-	-	-	-	9	1	-	73	70
43	Decatur	130	-	-	-	-	-	-	-	-	1	-	22	2	-	77	75
44	Delaware	187	1	-	-	-	-	-	-	-	-	1	29	3	-	106	103
45	Des Moines	471	1	3	1	-	-	-	1	2	-	1	58	10	-	201	194
46	Burlington	375	-	2	1	-	-	-	1	2	-	1	46	8	-	226	219
47	Balance of county	96	1	1	-	-	-	-	-	-	-	-	13	2	-	55	55
48	Dickinson	126	1	-	-	-	-	-	-	1	-	3	18	3	-	67	67
49	Dubuque	814	10	5	-	-	-	-	-	1	-	2	140	12	-	426	414
50	Dubuque	643	10	4	-	-	-	-	-	-	-	-	109	11	-	344	332
51	Balance of county	171	-	1	-	-	-	-	-	1	-	2	31	1	-	82	82
52	Emmet	126	-	-	-	-	-	-	-	1	-	-	19	1	-	73	72
53	Fayette	317	1	-	-	-	-	2	1	-	-	1	41	6	-	189	177
54	Floyd	245	-	-	-	-	-	-	-	2	-	-	37	2	-	154	152
55	Charles City	122	-	-	-	-	-	-	-	2	-	-	21	1	-	75	74
56	Balance of county	123	-	-	-	-	-	-	-	-	-	-	16	1	-	79	78
57	Franklin	158	-	-	-	1	-	-	-	-	-	-	29	4	1	85	84
58	Fremont	136	-	-	-	-	-	-	-	-	-	-	18	1	-	75	70
59	Greene	200	1	-	-	-	-	-	-	-	-	-	33	7	-	98	96
60	Grundy	114	-	-	-	-	-	-	-	1	-	-	16	2	-	77	77
61	Guthrie	166	-	-	-	-	-	-	-	-	-	-	19	3	-	103	98
62	Hamilton	199	2	-	-	-	-	-	-	1	-	-	36	1	1	118	116
63	Hancock	139	1	-	-	-	-	-	-	1	-	-	24	2	-	75	73
64	Hardin	218	-	1	-	-	-	-	-	-	-	1	36	4	-	133	131
65	Harrison	215	-	1	-	1	1	-	-	-	-	-	31	2	-	112	106
66	Henry	225	2	-	-	-	-	-	-	1	-	-	25	4	-	134	128
67	Howard	142	-	2	-	-	-	-	-	-	-	-	20	4	-	92	92
68	Humboldt	140	1	-	-	-	-	-	-	-	-	1	28	2	-	75	74
69	Ida	106	1	-	-	-	-	-	-	-	-	-	18	1	-	62	61
70	Iowa	195	1	-	-	-	-	-	-	-	-	-	27	7	-	110	109
71	Jackson	224	3	-	-	-	1	-	-	1	-	-	33	3	-	139	134
72	Jasper	333	3	4	-	-	-	-	-	1	1	1	41	7	-	188	185
73	Newton	136	-	3	-	-	-	-	-	1	1	-	17	1	-	84	82
74	Balance of county	197	3	1	-	-	-	-	-	-	-	1	24	6	-	104	103
75	Jefferson	188	2	-	-	-	-	-	-	-	-	-	29	1	-	111	110
76	Johnson	369	2	1	-	-	-	-	-	3	2	1	62	7	1	203	199
77	Iowa City	230	2	1	-	-	-	-	-	-	1	1	47	3	1	124	122
78	Balance of county	139	-	-	-	-	-	-	-	3	1	-	15	4	-	79	77
79	Jones	196	3	1	-	1	-	-	-	-	-	1	25	5	1	123	118
80	Keokuk	207	-	2	-	1	-	-	-	-	-	-	26	1	-	116	114
81	Kossuth	242	1	-	-	-	-	-	-	-	-	-	28	6	-	149	148
82	Lee	516	6	2	-	-	-	-	1	-	-	-	66	5	-	312	306
83	Fort Madison	160	-	-	-	-	-	-	1	-	-	-	24	2	-	97	95
84	Keokuk	236	5	2	-	-	-	-	-	-	-	-	31	3	-	141	139
85	Balance of county	120	1	-	-	-	-	-	-	-	-	-	11	-	-	74	72
86	Linn	1,041	9	8	-	-	-	-	2	6	1	3	175	22	1	569	559
87	Cedar Rapids	719	7	6	-	-	-	-	1	5	-	3	135	16	1	373	365
88	Balance of county	322	2	2	-	-	-	-	1	1	1	-	40	6	-	196	194

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
100	1	218	32	2	9	32	5	7	4	2	-	8	4	19	23	10	3	75	1
63	1	132	21	2	4	17	4	6	3	1	-	4	4	12	16	7	2	48	2
37	-	86	11	-	5	15	1	1	1	1	-	4	-	7	7	3	1	27	3
35	-	90	15	1	4	3	2	1	2	1	2	-	2	6	8	5	1	30	4
29	-	78	6	-	3	6	-	-	2	-	-	3	-	8	9	3	-	18	5
28	-	82	2	2	6	2	4	-	1	2	-	2	2	7	8	2	1	23	6
3,726	25	9,973	951	112	383	782	160	72	151	43	35	338	230	634	1,130	328	35	2,863	7
21	-	52	4	1	5	7	1	-	2	-	2	-	4	3	6	2	-	24	8
15	-	47	3	-	-	3	-	-	-	-	-	-	1	2	1	1	-	11	9
30	-	70	6	1	7	10	-	-	2	1	1	2	-	3	8	1	2	20	10
33	1	103	3	1	7	4	1	-	5	2	-	1	1	4	7	4	1	29	11
19	-	17	2	-	2	1	1	1	-	-	-	-	2	4	3	7	-	11	12
37	-	115	12	3	2	3	2	-	1	-	-	4	4	6	15	5	-	28	13
120	3	305	22	-	10	18	4	3	7	-	-	15	1	26	34	9	-	89	14
74	2	208	16	-	9	14	2	3	7	-	-	9	1	17	21	7	-	61	15
22	1	55	3	-	-	2	1	-	-	-	-	3	-	2	6	1	-	7	16
24	-	45	3	-	1	2	1	-	-	-	-	3	-	7	7	1	-	21	17
54	-	126	12	2	2	15	-	3	2	-	-	1	5	3	13	4	-	30	18
26	-	74	5	-	1	5	-	2	2	-	-	1	3	2	10	1	-	16	19
28	-	52	7	2	1	10	-	1	-	-	-	-	2	1	3	3	-	14	20
31	-	64	5	-	2	3	3	-	4	1	-	8	-	8	15	3	-	18	21
39	-	83	6	-	3	3	2	1	1	-	-	-	1	8	9	-	-	25	22
33	-	66	7	1	4	11	3	-	1	-	-	2	1	3	8	3	-	25	23
28	-	64	3	-	-	5	1	-	-	-	-	10	1	7	4	2	-	8	24
38	-	64	9	1	2	-	1	-	4	1	-	2	3	-	9	2	-	23	25
30	-	67	5	2	2	6	-	-	1	-	-	5	1	-	6	5	-	24	26
29	-	91	1	2	3	7	2	1	1	-	-	2	1	3	4	-	-	16	27
47	-	68	13	1	3	1	-	-	1	-	-	3	1	5	6	4	-	21	28
45	-	198	17	4	6	15	2	1	3	-	-	4	1	9	14	3	1	52	29
28	-	122	11	2	5	6	1	1	3	-	-	2	1	3	8	1	-	34	30
16	-	76	6	2	1	7	1	-	-	-	-	2	-	6	6	2	1	18	31
32	-	51	3	-	-	10	-	-	5	-	-	5	-	6	7	1	1	15	32
15	-	64	4	2	2	4	1	1	2	-	-	-	2	4	6	3	-	20	33
16	-	37	5	1	6	4	1	1	-	-	-	4	-	2	9	1	-	17	34
16	-	52	3	-	1	2	-	1	-	1	-	3	1	8	12	2	-	17	35
27	-	75	13	2	16	13	3	1	1	-	1	-	1	7	10	1	-	30	36
80	-	218	26	2	5	15	4	-	1	1	-	8	2	15	21	7	1	44	37
57	-	137	18	-	4	14	1	-	1	-	-	6	-	9	15	4	1	28	38
23	-	81	8	2	1	1	3	-	-	1	-	2	2	5	6	3	-	15	39
35	-	54	7	-	2	3	-	-	1	1	2	2	3	1	7	2	-	12	40
33	-	113	7	1	5	12	-	-	1	-	-	3	3	7	6	3	-	26	41
20	-	47	3	-	3	3	2	-	-	1	1	-	4	3	3	-	-	13	42
12	-	52	9	2	2	6	-	-	-	-	-	1	-	2	5	3	-	11	43
33	-	67	2	1	3	4	-	-	-	-	-	4	2	8	9	1	-	19	44
61	-	193	19	1	7	12	6	3	1	-	-	3	3	9	28	3	-	44	45
50	-	152	17	-	7	10	6	2	-	-	-	2	3	7	19	2	-	37	46
11	-	41	2	1	-	2	-	1	1	-	-	1	-	2	3	1	-	7	47
15	1	48	2	1	-	2	-	-	-	1	1	2	-	5	4	3	1	14	48
76	-	309	26	3	12	8	6	2	9	-	-	13	12	11	43	7	1	106	49
60	-	252	18	2	12	7	4	2	9	-	-	10	9	7	35	4	1	77	50
16	-	57	8	1	-	1	2	-	-	-	-	3	3	4	8	3	-	29	51
16	-	56	-	-	1	4	-	-	1	-	-	4	3	2	6	-	-	12	52
44	-	125	6	2	12	12	1	1	-	-	-	2	10	7	11	4	-	28	53
40	-	95	15	2	2	5	2	1	1	-	1	1	-	8	7	8	1	17	54
18	-	49	7	-	1	1	1	1	-	-	1	1	-	3	3	3	-	9	55
22	-	46	8	2	1	4	1	-	1	-	-	-	-	3	4	5	1	8	56
17	1	57	8	1	1	5	-	2	-	-	2	2	2	3	4	4	-	14	57
19	-	47	4	-	5	7	-	-	1	-	1	-	-	6	5	-	-	22	58
26	-	62	6	2	2	5	1	1	-	-	-	4	3	7	5	5	-	30	59
16	-	59	2	-	-	1	2	1	-	-	-	2	1	-	3	-	-	8	60
22	1	70	5	1	4	4	-	1	-	1	1	3	-	8	6	2	1	14	61
35	-	75	5	1	2	6	1	-	-	1	-	1	1	2	7	1	-	20	62
13	1	56	3	-	2	4	-	-	-	-	-	5	-	3	3	-	-	21	63
33	-	86	12	-	2	4	-	-	2	-	-	3	-	6	6	1	1	20	64
22	-	73	11	-	6	16	1	1	2	-	-	1	-	5	15	2	-	24	65
25	1	94	6	2	6	6	-	3	1	-	-	2	4	3	8	5	-	25	66
19	-	64	9	-	-	3	1	-	-	-	-	-	2	2	5	2	-	9	67
25	-	47	2	-	1	3	-	-	-	-	-	2	1	4	6	6	1	10	68
14	-	42	5	-	1	5	-	1	-	-	1	1	1	3	2	-	-	10	69
26	-	72	11	-	1	3	2	-	4	1	-	3	4	7	13	1	-	12	70
26	-	99	9	-	5	6	-	1	2	-	1	1	1	3	9	2	-	18	71
38	2	128	17	-	3	10	4	3	1	-	-	2	3	8	15	3	-	38	72
13	2	57	10	-	2	3	-	1	-	-	-	2	-	3	6	1	-	13	73
25	-	71	7	-	1	7	4	2	1	-	-	-	3	5	9	2	-	25	74
34	1	70	3	2	1	9	1	-	3	1	1	-	2	4	5	3	-	16	75
60	-	123	14	2	4	8	1	2	5	-	-	1	3	9	13	5	1	39	76
40	-	74	6	2	2	6	-	1	5	-	-	1	2	3	5	2	1	24	77
20	-	49	8	-	2	2	1	1	-	-	-	-	1	6	8	3	-	15	78
19	1	87	11	-	5	2	2	-	2	1	-	2	1	5	9	2	-	10	79
31	-	71	12	-	2	13	2	1	1	-	-	2	1	4	8	4	-	25	80
48	-	76	21	1	3	14	2	1	1	-	1	8	1	6	5	1	-	18	81
78	-	211	14	3	6	17	1	1	1	2	1	1	-	10	26	4	-	60	82
31	-	56	8	-	2	2	-	-	-	1	1	-	-	4	5	1	-	22	83
35	-	98	4	2	2	10	1	1	-	1	-	1	-	4	13	2	-	21	84
12	-	57	2	1	2	5	-	-	1	-	-	-	-	2	8	1	-	17	85
125	1	376	49	8	10	28	6	1	2	1	-	18	8	22	40	13	2	104	86
81	-	250	28	6	8	19	5	1	2	1	-	15	1	17	28	9	2	72	87
44	1	126	21	2	2	9	1	-	-	-	-	3	7	5	12	4	-	32	88

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	IOWA—Continued																
1	Louisa	135	-	1	-	-	-	-	-	1	1	-	23	2	-	80	76
2	Lucas	166	-	-	-	-	-	-	-	-	-	-	26	2	-	97	94
3	Lyon	120	-	-	-	-	1	-	-	-	-	-	20	1	-	66	66
4	Madison	135	1	-	-	-	-	-	-	1	-	-	17	2	-	82	81
5	Mahaska	267	3	1	-	-	-	-	-	1	-	-	40	3	-	148	144
6	Oskaloosa	153	2	-	-	-	-	-	-	-	-	-	22	2	-	92	90
7	Balance of county	114	1	1	-	-	-	-	-	1	-	-	18	1	-	56	54
8	Marion	279	2	2	-	-	-	-	1	-	-	-	57	6	-	134	131
9	Marshall	361	3	-	-	-	-	-	-	1	-	3	38	7	-	203	198
10	Marshalltown	237	3	-	-	-	-	-	-	1	-	2	27	4	-	133	130
11	Balance of county	124	-	-	-	-	-	-	-	-	-	1	11	3	-	70	68
12	Mills	132	1	-	-	-	-	-	-	-	-	1	20	6	-	75	71
13	Mitchell	155	-	-	-	-	-	-	-	-	-	-	22	2	-	78	78
14	Monona	149	4	1	-	-	-	-	-	1	-	-	15	1	-	86	84
15	Monroe	147	2	-	-	-	-	1	-	-	-	1	25	2	-	71	63
16	Montgomery	179	1	-	-	-	-	-	-	-	-	-	20	5	-	108	108
17	Muscatine	392	5	3	-	-	-	-	-	1	-	4	46	7	-	224	219
18	Muscatine	255	4	1	-	-	-	-	-	1	-	1	26	5	-	155	151
19	Balance of county	137	1	2	-	-	-	-	-	-	-	3	20	2	-	69	68
20	O'Brien	196	-	-	-	-	-	-	-	1	1	2	46	3	-	96	94
21	Osceola	79	-	-	-	-	-	-	-	-	-	-	12	3	-	38	36
22	Page	248	2	2	-	-	-	-	-	1	-	2	42	1	-	135	135
23	Palo Alto	147	1	-	-	-	-	1	-	1	1	-	27	3	-	77	75
24	Plymouth	231	1	-	-	-	-	-	1	-	-	-	32	3	-	131	129
25	Pocahontas	121	-	-	-	-	-	-	-	-	-	-	23	1	-	64	62
26	Polk	2,210	29	14	-	1	-	-	-	6	-	3	373	34	2	1,198	1,171
27	Des Moines	1,914	25	13	-	1	-	-	-	4	-	3	330	29	2	1,034	1,008
28	Balance of county	296	4	1	-	-	-	-	-	2	-	-	43	5	-	164	163
29	Pottawattamie	671	5	4	-	1	-	-	-	2	-	2	85	13	-	378	367
30	Council Bluffs	476	2	3	-	1	-	-	-	1	-	2	54	12	-	288	279
31	Balance of county	195	3	1	-	-	-	-	-	1	-	-	31	1	-	90	88
32	Poweshiek	225	1	-	-	-	-	-	1	1	2	-	21	3	-	129	125
33	Ringgold	101	-	-	-	-	-	-	-	-	-	-	18	5	-	53	50
34	Sac	147	-	-	-	-	-	1	1	-	-	-	22	3	-	92	90
35	Scott	1,049	8	8	-	-	-	1	1	3	-	3	158	15	2	528	514
36	Davenport	835	7	6	-	-	-	-	1	1	-	3	134	11	1	422	411
37	Balance of county	214	1	2	-	-	-	1	-	2	-	-	24	4	1	106	103
38	Shelby	135	1	-	-	-	-	-	-	-	-	-	17	4	-	75	74
39	Sioux	225	3	-	-	-	-	-	-	-	-	3	37	4	-	118	115
40	Story	346	2	-	-	-	-	-	-	1	-	3	50	5	-	199	196
41	Ames	123	1	-	-	-	-	-	-	1	-	-	16	1	-	67	66
42	Balance of county	223	1	-	-	-	-	-	-	-	-	3	34	4	-	132	130
43	Tama	221	1	1	-	-	-	-	-	-	-	1	28	2	-	136	136
44	Taylor	155	1	-	-	-	-	-	-	-	-	2	20	1	-	102	99
45	Union	208	2	-	-	-	-	-	2	1	-	-	33	4	-	116	114
46	Van Buren	159	1	-	-	-	-	-	1	-	-	-	25	-	-	103	100
47	Wapello	541	7	3	-	-	-	1	-	1	1	1	68	7	-	315	301
48	Ottumwa	403	6	3	-	-	-	1	-	-	1	-	50	7	-	234	223
49	Balance of county	138	1	-	-	-	-	-	-	1	-	1	18	-	-	81	78
50	Warren	176	1	-	-	-	-	-	1	-	-	-	33	2	-	95	92
51	Washington	193	3	-	-	-	-	-	-	-	-	1	32	4	-	119	116
52	Wayne	129	-	1	-	-	-	-	-	-	-	1	17	5	-	75	70
53	Webster	417	6	1	-	-	-	-	1	-	-	4	62	4	1	215	210
54	Fort Dodge	262	4	1	-	-	-	-	-	-	-	2	41	3	1	128	125
55	Balance of county	155	2	-	-	-	-	-	1	-	-	2	21	1	-	87	85
56	Winnebago	116	-	1	-	-	-	1	-	-	-	1	11	2	-	73	71
57	Winneshiek	238	3	-	-	-	-	1	-	2	-	-	34	5	-	128	124
58	Woodbury	1,090	11	6	-	1	-	-	2	1	-	4	167	24	2	574	564
59	Sioux City	697	9	6	-	1	-	-	-	-	-	4	135	18	2	474	468
60	Balance of county	193	2	-	-	-	-	-	2	1	-	-	32	6	-	100	96
61	Worth	108	1	-	-	-	-	-	-	-	-	-	17	-	-	61	60
62	Wright	182	3	-	-	-	-	-	-	1	-	-	38	2	-	97	97
63	KANSAS	19,058	190	96	-	3	-	8	15	34	1	50	2,615	341	12	10,589	10,164
64	Allen	244	-	2	-	-	-	-	-	-	-	-	35	3	-	138	132
65	Anderson	124	-	-	-	-	-	-	-	-	-	-	15	2	-	80	79
66	Atchison	249	5	2	-	-	-	-	-	-	-	-	30	5	-	150	147
67	Atchison	165	4	-	-	-	-	-	-	-	-	-	23	3	-	98	95
68	Balance of county	84	1	2	-	-	-	-	-	-	-	-	7	2	-	54	52
69	Barber	96	-	1	-	-	-	-	-	1	-	-	13	2	-	50	48
70	Barton	224	-	-	-	-	-	-	-	1	-	-	44	4	-	87	84
71	Great Bend	92	-	-	-	-	-	-	-	1	-	-	18	1	-	30	29
72	Balance of county	132	-	-	-	-	-	-	-	-	-	-	26	3	-	57	55
73	Bourbon	266	3	-	-	-	-	-	-	-	-	-	33	2	-	175	171
74	Fort Scott	161	2	-	-	-	-	-	-	-	-	-	22	1	-	105	104
75	Balance of county	105	1	-	-	-	-	-	-	-	-	-	11	1	-	70	67
76	Brown	170	-	1	-	-	-	-	-	-	-	-	22	2	1	104	98
77	Butler	288	4	2	-	-	-	-	-	1	-	1	34	1	-	174	171
78	El Dorado	123	3	1	-	-	-	-	-	-	-	-	11	1	-	82	82
79	Balance of county	165	1	1	-	-	-	-	-	1	-	1	23	-	-	92	89
80	Chase	60	-	1	-	-	-	-	-	-	-	-	8	3	-	38	38
81	Chautauqua	81	-	1	-	-	-	-	-	-	-	-	15	-	-	48	46
82	Cherokee	298	23	-	-	-	-	1	-	1	-	2	38	9	-	155	148
83	Cheyenne	36	-	-	-	-	-	-	-	-	1	-	5	1	-	21	21
84	Clark	38	-	-	-	-	-	-	-	-	-	-	6	1	-	18	16
85	Clay	133	2	-	-	-	-	-	-	-	-	-	17	3	-	80	78
86	Cloud	192	-	1	-	-	-	-	-	-	-	-	27	1	-	111	107
87	Coffey	156	1	1	-	-	-	-	-	-	-	-	22	2	-	90	88

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1946)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
15	-	46	13	2	4	4	2	1	-	-	-	1	-	4	8	1	-	8	1
28	-	60	5	1	3	6	1	-	-	-	-	3	-	2	4	2	1	22	2
12	-	51	3	-	-	4	-	1	-	-	-	4	-	5	1	1	-	16	3
32	-	44	5	-	1	3	-	1	2	-	-	1	-	6	9	-	-	10	4
28	-	103	12	1	4	10	3	1	1	-	-	6	10	5	7	2	-	26	5
15	-	69	5	1	2	8	1	-	1	-	-	3	7	3	4	-	-	8	6
13	-	34	7	-	2	2	2	1	-	-	-	3	3	2	3	2	-	18	7
34	-	89	6	2	3	13	2	-	1	1	-	3	2	7	17	3	1	27	8
60	-	123	15	-	5	15	5	-	1	1	-	11	8	6	15	6	-	38	9
34	-	86	10	-	3	7	2	-	-	1	-	9	6	3	8	4	-	27	10
26	-	37	5	-	2	8	3	-	1	-	-	2	2	3	7	2	-	11	11
20	-	47	1	3	4	3	-	-	1	1	-	2	2	-	7	1	-	12	12
20	-	52	6	-	-	7	2	1	-	-	-	2	2	7	7	2	-	23	13
20	-	61	3	-	2	-	-	1	1	-	-	3	2	6	5	3	-	20	14
26	-	34	3	-	8	4	1	1	-	1	1	1	8	5	4	5	-	14	15
30	-	68	8	2	-	10	1	1	-	-	-	-	1	3	9	1	-	19	16
41	-	169	8	1	5	8	6	1	1	1	-	7	2	6	21	5	1	43	17
29	-	117	5	-	4	4	5	1	-	-	-	6	2	1	9	3	1	30	18
12	-	52	3	1	1	4	1	-	1	1	-	1	-	5	12	2	-	13	19
21	-	67	6	-	2	4	-	-	-	2	-	5	3	2	5	-	-	26	20
9	-	27	-	-	2	2	-	1	-	-	-	3	1	3	4	2	-	10	21
32	-	96	6	1	-	5	1	-	-	1	-	3	-	5	15	3	-	30	22
21	-	50	4	-	2	2	-	1	1	1	-	1	4	3	8	2	-	13	23
28	-	96	4	1	2	7	1	-	-	1	-	2	2	8	6	3	-	33	24
15	-	41	6	-	2	3	1	-	1	-	-	1	1	7	7	2	1	9	25
279	3	806	86	17	27	56	24	4	11	4	1	24	12	56	67	31	9	251	26
241	2	692	57	16	26	50	21	3	10	3	1	18	11	46	56	30	7	217	27
38	1	114	9	1	1	6	3	1	1	1	-	6	1	10	11	1	2	34	28
87	1	248	30	1	11	23	3	-	7	2	1	4	8	14	28	14	1	76	29
67	1	184	26	1	9	14	2	-	3	1	-	4	4	8	17	8	-	52	30
20	-	64	4	-	2	9	1	-	4	1	1	-	4	8	11	6	1	24	31
33	-	83	9	-	4	12	-	1	1	-	-	2	1	8	9	4	1	28	32
18	-	27	5	-	3	6	1	-	-	-	-	-	1	1	4	3	-	9	33
26	-	61	3	-	2	6	-	1	1	-	-	-	-	-	4	2	3	11	34
137	1	351	18	7	14	38	10	3	7	3	2	14	10	22	82	14	2	115	35
118	1	275	12	5	11	28	9	3	7	3	2	8	8	16	70	9	1	85	36
19	-	76	6	2	3	10	1	-	-	-	-	6	2	6	12	5	1	30	37
19	-	45	10	-	1	7	-	-	-	-	1	4	-	6	9	2	-	9	38
20	2	77	15	1	3	1	1	1	4	-	1	2	2	7	14	-	-	27	39
49	-	133	14	-	3	4	-	1	1	-	-	3	1	12	19	2	-	43	40
17	-	45	4	-	1	3	-	-	1	-	-	1	-	4	7	-	-	21	41
32	-	88	10	-	2	1	-	1	-	-	-	2	1	8	12	2	-	22	42
38	-	89	9	-	-	2	-	1	1	-	-	1	2	11	6	6	1	21	43
15	1	81	2	-	3	6	1	-	1	-	-	1	1	2	4	1	-	12	44
19	-	85	8	2	2	5	1	1	4	-	1	4	-	2	8	3	-	19	45
27	-	68	5	-	3	7	1	-	2	-	-	3	-	2	7	1	-	6	46
91	-	195	14	1	14	17	2	4	1	2	1	2	6	10	25	5	2	60	47
64	-	148	10	1	11	12	1	2	1	2	1	1	5	4	19	2	2	49	48
27	-	47	4	-	3	5	1	2	-	-	-	1	1	6	6	3	-	11	49
27	-	59	6	-	3	5	2	-	1	-	1	4	1	6	9	2	-	15	50
35	1	72	8	-	3	6	2	-	-	-	1	-	1	2	2	4	-	16	51
19	-	44	6	1	5	4	1	-	-	-	1	1	3	1	6	2	-	11	52
49	-	142	18	1	5	13	1	1	3	-	-	11	2	12	21	4	-	55	53
21	-	89	15	-	3	8	1	1	3	-	-	9	1	7	14	4	-	34	54
28	-	53	3	1	2	5	-	-	-	-	-	2	1	5	7	-	-	21	55
23	-	43	5	-	2	1	-	-	-	-	-	1	2	4	4	1	-	14	56
28	-	77	19	-	4	8	1	-	2	1	1	1	1	8	10	1	-	31	57
164	2	361	35	4	10	32	8	3	6	3	1	12	13	22	46	11	-	141	58
137	2	297	39	3	6	26	5	3	5	1	1	9	11	21	38	7	-	122	59
27	-	64	4	1	4	7	3	-	1	2	-	3	2	1	8	4	-	19	60
17	-	39	4	-	1	1	1	-	-	1	-	4	1	4	7	-	-	10	61
23	-	62	11	1	-	4	-	-	1	-	1	3	1	3	10	-	-	20	62
2,464	20	6,855	732	113	405	563	110	81	110	48	24	260	190	529	814	233	65	2,077	63
34	-	90	8	-	6	5	2	-	4	3	-	2	4	7	13	2	-	24	64
22	-	50	4	3	1	5	-	1	1	-	-	3	-	3	2	1	1	10	65
29	1	111	5	1	3	4	1	3	2	2	-	3	-	2	11	3	1	25	66
19	1	72	3	-	1	4	1	3	1	2	-	3	-	1	8	-	-	16	67
10	-	39	2	1	2	-	-	-	1	-	-	-	-	1	3	3	1	9	68
12	-	28	6	2	2	2	-	1	1	-	1	1	-	5	3	-	-	15	69
18	-	63	3	-	3	7	1	2	-	1	-	4	1	21	14	4	-	33	70
3	-	28	-	-	1	2	-	1	-	-	-	3	-	8	6	4	-	18	71
15	-	37	3	-	2	5	1	1	-	1	-	1	1	13	8	-	-	15	72
32	-	132	4	3	4	7	1	2	1	-	-	4	-	9	6	3	-	20	73
18	-	83	2	1	1	5	1	1	1	-	-	3	-	6	3	2	-	9	74
14	-	49	2	2	3	2	-	1	-	-	-	1	-	3	3	1	-	11	75
30	-	82	4	2	6	6	1	2	-	1	1	2	-	3	6	2	-	16	76
53	1	107	8	2	3	9	1	1	2	1	-	7	-	5	11	5	1	28	77
25	-	54	3	-	-	3	-	-	1	-	-	3	-	2	7	-	-	9	78
28	1	53	5	2	3	6	1	1	1	1	-	4	-	3	4	5	1	19	79
3	-	31	4	-	-	1	1	1	-	-	-	-	-	-	2	1	-	4	80
11	-	32	2	1	2	3	-	-	-	-	-	2	-	1	4	-	-	7	81
29	-	107	8	4	7	6	3	3	3	-	-	1	1	7	14	4	-	27	82
2	-	18	1	-	-	1	-	-	-	-	-	-	-	2	3	-	-	2	83
4	-	9	3	-	2	-	-	-	-	-	-	1	-	6	2	-	-	4	84
16	-	57	5	-	2	3	-	-	1	-	-	1	1	2	7	4	-	12	85
17	-	83	7	-	4	4	1	-	1	-	-	3	5	5	6	2	-	25	86
31	1	47	8	1	2	4	-	2	1	1	-	1	2	1	8	4	-	16	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	KANSAS—Continued																
1	Comanche	34	-	1	-	-	-	-	-	-	-	-	7	-	-	14	14
2	Cowley	408	2	1	-	-	-	1	1	-	-	1	62	10	-	238	230
3	Arkansas City	167	1	-	-	-	-	1	1	-	-	1	26	4	-	95	91
4	Winfield	136	-	1	-	-	-	-	-	-	-	-	18	3	-	82	81
5	Balance of county	105	1	-	-	-	-	-	-	-	-	-	18	3	-	61	58
6	Crawford	505	3	-	-	-	-	-	1	1	-	2	51	7	-	324	307
7	Pittsburg	213	1	-	-	-	-	-	1	1	-	2	25	5	-	130	125
8	Balance of county	292	2	-	-	-	-	-	-	-	-	-	26	2	-	194	184
9	Decatur	47	-	-	-	-	-	-	-	-	-	-	3	1	-	33	31
10	Dickinson	257	1	1	-	1	-	-	-	-	-	-	30	9	-	160	152
11	Doniphan	113	1	1	-	-	-	1	-	-	-	1	10	3	-	71	69
12	Douglas	317	7	4	-	-	-	-	-	1	-	1	44	5	-	179	175
13	Lawrence	207	5	3	-	-	-	-	-	1	-	1	31	2	-	116	114
14	Balance of county	110	2	1	-	-	-	-	-	-	-	-	13	3	-	63	61
15	Edwards	52	-	-	-	-	-	-	-	-	-	-	9	1	-	26	26
16	Elk	88	1	-	-	-	-	-	-	-	-	1	11	2	-	51	49
17	Ellis	118	1	1	-	-	-	-	-	-	-	-	12	3	-	59	54
18	Ellsworth	89	-	-	-	-	-	-	-	-	-	-	14	8	-	47	46
19	Finney	131	-	-	-	-	-	-	-	-	-	-	12	4	-	57	53
20	Garden City	99	-	-	-	-	-	-	-	-	-	-	8	3	-	47	43
21	Balance of county	32	-	-	-	-	-	-	-	-	-	-	4	1	-	10	10
22	Ford	193	2	1	-	-	-	-	-	-	-	-	25	8	-	98	93
23	Dodge City	131	1	-	-	-	-	-	-	-	-	-	16	5	-	65	61
24	Balance of county	62	1	1	-	-	-	-	-	-	-	-	9	3	-	33	32
25	Franklin	254	2	2	-	-	-	-	-	-	-	-	33	6	-	155	148
26	Ottawa	136	2	2	-	-	-	-	-	-	-	-	20	1	-	83	81
27	Balance of county	118	-	-	-	-	-	-	-	-	-	-	13	5	-	72	67
28	Geary	161	-	1	-	-	-	-	-	-	-	-	17	3	-	85	83
29	Junction City	116	-	1	-	-	-	-	-	-	-	-	14	3	-	59	57
30	Balance of county	45	-	-	-	-	-	-	-	-	-	-	3	-	-	26	26
31	Gove	29	2	-	-	-	-	-	-	-	-	-	1	-	-	16	15
32	Graham	42	-	-	-	-	-	-	-	-	-	-	4	1	-	26	25
33	Grant	29	-	-	-	-	-	-	-	-	-	-	3	-	1	15	14
34	Gray	46	-	-	-	-	-	-	-	-	-	1	3	-	-	28	26
35	Greeley	12	-	-	-	-	-	-	-	-	-	1	2	-	-	7	7
36	Greenwood	137	-	1	-	-	-	-	-	-	-	1	20	2	-	86	80
37	Hamilton	27	-	-	-	-	-	-	-	-	-	-	5	1	-	11	11
38	Harper	131	2	-	-	-	-	-	-	-	-	-	12	4	-	79	73
39	Harvey	223	2	1	-	-	-	-	1	1	-	-	29	6	-	124	120
40	Newton	131	2	1	-	-	-	-	1	-	-	-	14	4	-	77	74
41	Balance of county	92	-	-	-	-	-	-	-	1	-	-	15	2	-	47	46
42	Haskell	16	-	-	-	-	-	-	-	-	-	-	2	-	-	7	6
43	Hodgeman	19	-	-	-	-	-	-	-	-	-	-	-	1	-	11	11
44	Jackson	139	-	-	-	-	-	-	-	-	-	-	15	1	1	97	92
45	Jefferson	122	-	1	-	-	-	-	-	-	-	-	21	1	-	76	75
46	Jewell	115	2	-	-	-	-	-	-	-	-	-	15	1	-	71	70
47	Johnson	445	4	3	-	1	-	-	-	1	-	-	66	10	-	235	227
48	Kearny	20	-	-	-	-	-	1	-	-	-	-	1	1	-	6	6
49	Kingman	94	-	2	-	-	-	-	-	-	-	-	15	3	-	47	42
50	Kiowa	36	-	-	-	-	-	-	-	-	-	1	5	1	-	17	17
51	Labette	372	6	2	-	-	-	-	-	-	-	1	41	3	-	222	217
52	Parsons	198	5	2	-	-	-	-	-	-	-	-	27	1	-	121	118
53	Balance of county	174	1	-	-	-	-	-	-	-	-	1	14	2	-	101	99
54	Lane	17	-	-	-	-	-	-	-	-	-	-	3	-	-	9	9
55	Leavenworth	401	8	3	-	-	-	-	-	-	-	2	46	3	-	227	218
56	Leavenworth	252	7	3	-	-	-	-	-	-	-	1	32	-	-	137	130
57	Balance of county	149	1	-	-	-	-	-	-	-	-	1	14	3	-	90	88
58	Lincoln	79	2	-	-	-	-	-	-	-	-	-	10	3	-	48	47
59	Linn	116	2	-	-	-	-	-	-	-	-	-	17	-	-	76	68
60	Logan	37	-	1	-	-	-	-	1	-	-	-	5	1	-	15	14
61	Lyon	313	1	-	-	-	-	-	-	-	-	-	40	9	-	178	172
62	Emporia	214	1	-	-	-	-	-	-	-	-	-	29	6	-	119	114
63	Balance of county	99	-	-	-	-	-	-	-	-	-	-	11	3	-	59	58
64	McPherson	212	1	-	-	-	-	-	-	-	-	-	33	3	-	121	121
65	Marion	158	-	-	-	-	-	-	-	1	-	-	18	7	-	85	81
66	Marshall	211	3	-	-	-	-	-	-	-	-	-	34	6	-	113	105
67	Meade	44	-	-	-	-	-	-	-	-	-	-	8	2	1	21	19
68	Miami	206	3	1	-	-	-	-	-	-	-	-	27	4	-	110	101
69	Mitchell	130	-	-	-	-	-	-	-	-	-	1	13	7	-	83	81
70	Montgomery	582	6	4	-	1	-	-	-	1	-	5	86	8	-	320	308
71	Coffeyville	206	2	2	-	1	-	-	-	1	-	4	32	3	-	112	106
72	Independence	165	3	1	-	-	-	-	-	-	-	-	27	-	-	87	84
73	Balance of county	211	1	1	-	-	-	-	-	-	-	1	27	5	-	121	116
74	Morris	84	2	-	-	-	-	-	-	-	-	1	9	1	1	52	52
75	Morton	25	-	-	-	-	-	-	-	-	-	1	1	1	-	15	15
76	Nemaha	141	1	2	-	-	-	-	-	-	-	-	14	5	-	83	82
77	Neosho	264	1	1	-	-	-	2	-	-	-	1	47	5	-	120	115
78	Chanute	145	-	-	-	-	-	1	-	-	-	-	22	4	-	66	63
79	Balance of county	119	1	1	-	-	-	1	-	-	-	1	25	1	-	54	52
80	Ness	50	-	-	-	-	-	-	-	-	-	-	7	-	-	25	25
81	Norton	99	1	-	-	-	-	1	-	-	-	1	13	1	-	57	51
82	Osage	171	1	1	-	-	-	-	-	-	-	-	25	3	-	101	99
83	Osborne	92	-	-	-	-	-	-	-	-	-	-	10	1	-	53	49
84	Ottawa	116	-	-	-	-	-	-	-	-	-	-	20	1	-	72	69
85	Pawnee	98	1	-	-	-	-	-	-	1	-	2	13	1	-	63	62
86	Phillips	100	-	-	-	-	-	-	1	-	-	1	12	2	-	56	50
87	Pottawatomie	146	2	-	-	-	-	-	1	-	-	-	25	1	-	85	80
88	Pratt	114	-	1	-	-	-	-	-	1	-	-	16	3	-	59	58
89	Rawlins	40	-	-	-	-	-	-	-	-	-	-	6	-	-	18	18

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	-	6	3	-	-	2	1	-	-	-	-	-	-	3	1	-	-	5	1
51	-	146	30	3	8	12	4	-	1	-	1	9	4	11	14	7	1	28	2
21	-	64	6	-	4	5	1	-	-	-	-	6	4	3	8	2	-	9	3
18	-	48	15	-	1	2	2	-	1	-	1	1	-	5	4	4	1	11	4
12	-	34	9	3	3	5	1	-	-	-	-	2	-	3	2	1	-	8	5
89	-	200	15	3	17	12	4	-	3	2	1	2	4	18	17	9	1	43	6
30	-	86	5	2	7	4	1	-	1	1	-	1	2	6	7	2	1	22	7
59	-	114	10	1	10	8	3	-	2	1	1	1	2	12	10	7	-	21	8
6	-	23	2	-	2	-	-	-	-	-	-	1	-	2	1	-	-	6	9
38	-	93	20	1	8	7	2	-	1	1	-	1	3	3	9	1	-	27	10
16	1	45	6	1	2	6	-	-	1	-	-	1	-	4	3	-	4	6	11
47	-	114	14	-	4	13	4	-	-	2	1	2	-	3	17	5	-	29	12
28	-	80	6	-	2	8	4	-	-	-	1	-	-	2	9	4	-	20	13
19	-	34	8	-	2	5	-	-	-	2	-	2	-	1	8	1	-	9	14
3	-	19	4	-	-	3	-	-	-	-	1	-	-	2	2	1	-	6	15
8	-	35	6	-	2	1	1	-	1	-	-	-	-	2	5	-	-	12	16
14	-	36	4	-	5	2	-	1	-	-	-	-	1	7	4	1	-	26	17
8	-	37	-	1	1	-	-	-	-	-	-	1	1	1	6	1	-	9	18
8	-	42	3	-	4	11	-	-	-	-	-	2	-	15	9	1	-	20	19
7	-	34	2	-	4	7	-	-	-	-	-	2	-	11	5	-	-	16	20
1	-	8	1	-	-	4	-	-	-	-	-	-	-	4	4	1	-	4	21
12	-	72	6	3	5	5	2	3	1	-	-	3	1	6	7	1	-	30	22
7	-	48	5	1	4	5	1	3	1	-	-	2	1	3	4	1	-	23	23
5	-	24	1	2	1	-	1	-	-	-	-	1	-	3	3	-	-	7	24
34	-	103	10	1	7	7	3	2	2	-	-	2	2	4	10	2	-	22	25
19	-	56	6	-	2	2	2	1	2	-	-	2	1	-	4	2	-	12	26
15	-	47	4	1	5	5	1	1	-	-	-	-	1	4	6	-	-	10	27
18	-	63	2	-	2	2	-	-	1	3	-	5	-	9	7	1	2	25	28
12	-	44	1	-	2	1	-	1	1	3	-	4	-	3	6	1	2	18	29
6	-	19	1	-	-	1	-	-	-	-	-	1	-	6	1	-	-	7	30
6	-	8	1	-	1	-	-	-	-	-	-	-	-	4	2	-	-	4	31
3	-	20	2	-	1	2	-	-	-	-	-	-	2	1	2	-	-	4	32
1	-	13	-	-	1	2	-	-	-	-	-	-	-	3	1	1	-	3	33
10	-	16	-	-	2	-	1	-	-	-	-	1	2	1	2	2	-	5	34
-	-	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	35
16	-	58	6	-	6	4	-	-	-	-	-	-	3	-	2	9	1	8	36
2	-	9	-	-	-	1	-	-	-	-	-	-	1	1	2	-	1	4	37
22	-	49	2	-	6	3	1	-	1	-	-	-	1	-	4	7	2	15	38
35	-	72	8	5	4	6	4	-	-	-	-	-	4	1	7	6	2	28	39
23	-	42	6	3	3	2	3	-	-	-	-	-	4	-	1	4	-	17	40
12	-	30	2	2	1	4	1	-	-	-	-	-	-	1	6	2	2	11	41
3	-	3	-	-	1	1	-	-	-	1	-	-	1	-	1	-	-	3	42
5	-	5	1	-	-	1	-	-	-	-	-	-	1	-	1	2	-	2	43
12	-	69	11	-	5	-	1	-	-	1	-	-	1	-	5	5	1	11	44
20	-	50	4	1	1	2	1	-	1	-	-	-	1	-	1	4	1	12	45
18	-	48	4	-	1	5	2	-	-	-	-	-	-	2	2	6	2	7	46
50	-	158	16	3	8	19	1	4	5	1	-	6	9	15	14	7	2	42	47
2	-	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	6	48
11	-	22	8	1	5	3	1	1	-	1	-	-	4	1	4	2	-	10	49
4	-	13	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	8	50
72	-	126	15	4	5	15	2	2	-	1	-	1	-	6	18	6	-	46	51
38	-	72	8	-	3	3	1	1	-	1	-	1	-	3	9	2	-	21	52
34	-	54	7	4	2	12	1	1	-	-	-	-	-	3	9	4	-	25	53
2	-	7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	54
64	-	139	14	1	9	7	4	1	4	-	-	4	1	14	22	7	2	46	55
36	-	83	10	1	7	5	3	1	3	-	-	3	-	9	16	2	1	29	56
28	-	56	4	-	2	2	1	-	1	-	-	1	1	5	6	5	1	17	57
11	-	32	4	-	1	3	-	-	-	-	-	1	-	-	1	-	-	11	58
20	-	43	5	-	3	4	-	-	-	-	-	1	2	1	3	2	-	8	59
6	-	7	1	-	1	1	1	-	1	-	-	2	1	6	-	-	-	2	60
50	-	116	4	2	6	13	-	2	1	-	-	5	4	11	15	3	-	31	61
33	-	76	4	1	5	12	-	1	1	-	-	3	2	6	10	2	-	22	62
17	-	40	-	1	1	1	-	1	-	-	-	2	2	5	5	1	-	9	63
29	-	79	12	1	-	4	1	1	-	-	-	5	2	6	11	3	-	21	64
27	-	46	8	-	4	6	-	-	1	-	1	2	2	4	7	2	-	22	65
24	-	64	15	2	8	4	1	1	-	1	-	2	2	4	11	2	-	27	66
3	-	18	-	-	2	1	-	-	-	-	1	-	-	2	1	1	-	6	67
35	-	57	7	2	9	8	1	1	-	2	-	2	3	4	13	3	1	25	68
18	-	54	9	-	2	2	-	-	-	2	-	5	1	2	4	-	-	10	69
78	1	207	22	-	12	18	2	1	2	5	-	10	9	13	22	5	1	63	70
26	1	72	9	-	4	2	1	1	1	1	-	7	3	7	8	1	-	17	71
20	-	61	3	-	3	9	1	-	1	3	-	1	4	2	6	-	1	19	72
32	-	74	10	-	5	7	-	-	-	1	-	2	2	4	8	4	-	27	73
11	-	35	7	1	-	2	-	-	-	-	-	-	1	-	3	-	-	12	74
2	-	13	-	-	-	2	-	-	-	1	-	2	-	-	-	-	-	2	75
14	-	54	12	2	1	2	-	-	-	-	-	2	3	3	6	4	-	18	76
30	-	79	5	1	5	7	1	3	-	-	-	2	11	6	18	5	1	31	77
17	-	45	1	-	3	4	1	2	-	-	-	-	7	4	12	2	-	20	78
13	-	34	4	1	2	3	-	1	-	-	-	2	4	4	6	3	1	11	79
8	-	15	1	1	-	2	3	-	-	1	-	-	-	2	5	-	-	5	80
14	-	32	4	1	6	3	-	1	-	-	-	2	-	7	2	1	-	9	81
22	-	69	7	1	2	6	1	2	-	1	-	3	3	7	5	1	-	11	82
12	-	32	4	1	4	2	1	1	-	1	-	-	1	3	12	-	-	7	83
28	-	35	4	2	3	4	1	-	1	-	-	2	-	2	3	1	-	9	84
22	-	35	4	1	1	3	-	1	2	-	-	-	2	1	2	1	1	4	85
8	-	41	1	-	6	5	-	-	1	-	-	-	1	1	7	-	-	12	86
27	-	50	2	1	5	3	1	-	-	2	-	1	3	2	7	-	1	12	87
9	-	42	6	1	1	1	1	1	-	-	-	1	1	4	6	1	2	16	88
4	-	11	3	-	-	3	-	-	-	-	-	1	1	-	2	-	-	9	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	KANSAS—Continued																
1	Reno	486	4	5	-	-	-	-	-	1	-	-	48	7	-	290	283
2	Hutchinson	340	2	5	-	-	-	-	-	-	-	-	38	4	-	200	193
3	Balance of county	146	2	-	-	-	-	-	-	1	-	-	10	3	-	90	90
4	Republic	123	1	1	-	-	-	-	-	-	-	1	15	4	-	70	65
5	Rice	123	-	1	-	-	-	-	-	-	-	-	16	4	-	71	69
6	Riley	210	-	2	-	-	-	-	-	-	-	1	35	2	-	113	113
7	Manhattan	128	-	1	-	-	-	-	-	-	-	1	19	2	-	74	74
8	Balance of county	82	-	1	-	-	-	-	-	-	-	-	16	-	-	39	39
9	Rooks	77	1	1	-	-	-	-	-	-	-	1	8	1	1	30	30
10	Rush	49	-	-	-	-	-	-	-	-	-	-	10	1	-	26	26
11	Russell	114	1	-	-	-	-	-	-	-	-	-	17	1	-	61	56
12	Saline	350	3	-	-	-	-	-	-	-	-	2	50	6	-	175	172
13	Salina	289	3	-	-	-	-	-	-	-	-	2	37	5	-	148	145
14	Balance of county	61	-	-	-	-	-	-	-	-	-	-	13	1	-	27	27
15	Scott	37	-	1	-	-	-	-	-	-	-	-	8	1	-	14	13
16	Sedgwick	1,854	18	8	-	-	-	-	4	5	-	5	270	25	2	980	943
17	Wichita	1,588	16	8	-	-	-	-	4	4	-	5	236	20	2	827	795
18	Balance of county	266	2	-	-	-	-	-	-	1	-	-	34	5	-	153	150
19	Seward	77	-	-	-	-	-	-	-	2	-	1	9	-	-	39	39
20	Shawnee	1,100	9	9	-	-	-	-	2	3	-	2	168	17	-	620	602
21	Topeka	936	8	9	-	-	-	-	1	2	-	1	137	14	-	531	515
22	Balance of county	164	1	-	-	-	-	-	1	1	-	1	31	3	-	89	87
23	Sheridan	30	-	-	-	-	-	-	1	-	-	-	5	1	1	18	18
24	Sherman	55	1	-	-	-	-	-	-	-	-	-	5	1	-	35	32
25	Smith	112	-	-	-	-	-	-	-	-	-	1	12	-	-	66	58
26	Stafford	91	1	-	-	-	-	-	-	-	-	1	11	5	-	43	41
27	Stanton	17	-	1	-	-	-	-	-	-	-	-	3	-	-	3	3
28	Stevens	35	-	-	-	-	-	-	-	2	-	-	5	-	-	14	13
29	Sumner	276	3	1	-	-	-	-	-	-	-	2	39	7	1	149	142
30	Thomas	49	-	-	-	-	-	-	1	-	-	-	12	1	-	24	24
31	Trego	36	1	1	-	-	-	-	-	-	-	-	2	-	-	20	19
32	Wabaunsee	89	1	-	-	-	-	-	-	-	-	-	13	2	-	44	43
33	Wallace	15	-	-	-	-	-	-	-	1	-	-	2	-	-	3	3
34	Washington	140	1	-	-	-	-	-	-	-	-	-	22	1	-	63	62
35	Wichita	18	-	-	-	-	-	-	1	-	-	-	3	-	-	4	4
36	Wilson	174	3	-	-	-	-	-	-	1	-	-	25	4	-	112	109
37	Woodson	78	1	-	-	-	-	-	-	-	-	-	11	2	-	54	53
38	Wyandotte	1,722	30	16	-	-	-	1	-	7	-	4	269	23	2	877	838
39	Kansas City	1,514	28	15	-	-	-	1	-	6	-	4	237	22	2	768	733
40	Balance of county	208	2	1	-	-	-	-	-	1	-	-	32	1	-	109	105
41	KENTUCKY	27,855	1,075	91	3	59	35	54	50	45	33	129	3,263	349	45	13,900	13,306
42	Adair	182	14	-	-	2	4	-	1	1	1	2	14	5	1	88	79
43	Allen	142	14	-	-	-	-	-	-	-	-	-	17	2	-	66	65
44	Anderson	100	4	-	-	1	-	-	-	-	-	-	15	1	-	51	49
45	Ballard	108	6	-	-	-	-	-	-	-	-	-	13	1	-	52	50
46	Barren	271	17	-	-	1	-	-	-	-	-	-	25	3	1	161	149
47	Bath	89	2	-	-	-	-	1	-	-	-	1	18	-	-	46	45
48	Bell	368	16	4	-	2	1	-	1	-	-	2	26	9	1	133	124
49	Middlesborough	116	6	-	-	2	-	-	-	-	-	1	11	2	-	50	47
50	Balance of county	252	12	4	-	-	1	-	1	-	-	1	15	7	1	83	77
51	Boone	135	3	-	-	-	-	-	-	-	-	-	12	3	-	73	70
52	Bourbon	193	4	-	-	-	-	1	-	-	-	-	25	3	-	110	107
53	Boyd	395	15	1	-	-	-	-	-	3	1	3	58	7	-	198	189
54	Ashland	270	9	-	-	-	-	-	-	3	-	2	37	5	-	140	133
55	Balance of county	125	6	1	-	-	-	-	-	-	1	1	21	2	-	58	56
56	Boyle	202	7	-	-	1	-	-	-	-	-	1	25	2	-	101	96
57	Bracken	121	5	-	-	-	1	2	-	-	-	1	11	1	-	64	60
58	Breathitt	102	4	-	-	1	1	1	-	-	-	1	9	2	1	34	34
59	Breckinridge	136	6	-	-	-	-	-	1	-	1	1	10	1	-	114	107
60	Bullitt	121	4	-	-	-	-	-	-	1	-	-	18	3	-	58	53
61	Butler	108	6	-	-	1	-	-	-	-	-	-	9	1	-	56	56
62	Caldwell	146	5	-	-	-	-	-	-	-	-	-	18	1	-	86	84
63	Calloway	173	2	-	-	-	-	1	-	1	-	1	20	3	-	88	86
64	Campbell	867	17	4	-	-	-	-	4	-	-	6	135	16	1	469	459
65	Newport	397	13	2	-	-	-	-	2	-	-	-	59	7	1	209	206
66	Fort Thomas	133	-	1	-	-	-	-	-	-	-	1	28	3	-	82	80
67	Balance of county	337	4	1	-	-	-	-	2	-	-	5	48	6	-	178	173
68	Carlisle	69	3	-	-	-	-	-	-	-	-	-	7	1	1	46	45
69	Carroll	102	4	-	-	-	-	-	-	1	-	-	12	2	-	47	46
70	Carter	198	6	-	-	1	3	2	-	-	1	-	26	1	2	74	71
71	Casey	129	7	-	-	-	1	-	-	-	1	-	20	1	-	62	51
72	Christian	420	10	3	-	-	1	-	2	5	1	-	43	5	-	198	183
73	Hopkinsville	187	5	1	-	-	-	-	-	-	1	-	26	1	-	92	84
74	Balance of county	233	5	2	-	-	1	-	2	5	-	-	17	4	-	106	99
75	Clark	240	15	1	-	-	-	-	-	-	-	-	26	3	-	118	109
76	Clay	168	9	-	-	-	1	4	2	-	-	2	9	3	1	52	52
77	Clinton	70	6	-	-	-	-	-	-	-	-	-	5	1	-	37	37
78	Crittenden	103	5	-	-	-	-	-	-	-	-	-	12	3	-	54	54
79	Cumberland	57	3	1	-	1	-	-	-	-	-	1	5	-	1	30	28
80	Daviess	565	18	1	-	-	-	-	-	1	1	2	69	7	1	301	297
81	Owensboro	383	14	1	-	-	-	-	-	1	-	2	42	4	1	215	211
82	Balance of county	182	4	-	-	-	-	-	-	-	1	-	27	3	-	86	86
83	Edmonson	103	5	-	-	-	-	1	1	-	-	-	12	1	1	48	48
84	Elliott	34	1	-	-	-	-	-	-	-	2	-	2	-	-	13	12
85	Estill	129	10	1	-	-	-	2	-	-	-	2	18	1	-	48	43
86	Fayette	997	43	8	-	-	-	1	2	-	-	2	129	12	1	527	507
87	Lexington	721	35	6	-	-	-	1	2	-	-	1	92	11	-	383	368
88	Balance of county	266	8	2	-	-	-	-	-	-	-	1	37	1	1	144	139

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
54	2	205	18	4	7	18	1	-	3	-	2	6	1	14	27	8	2	49	1
37	1	141	11	3	7	16	1	-	2	-	1	4	-	6	16	7	2	36	2
17	1	64	7	1	-	2	-	-	1	-	1	2	1	8	11	1	-	13	3
17	2	43	2	1	5	3	1	-	2	-	-	-	4	3	5	1	-	12	4
18	-	45	6	-	2	2	-	-	2	-	-	3	-	4	9	-	2	9	5
24	1	76	11	1	-	5	-	-	1	-	-	6	2	6	10	2	-	25	6
18	1	50	4	1	-	1	-	-	-	-	-	4	1	3	4	1	-	17	7
6	-	28	7	-	-	4	-	-	1	-	-	2	1	3	6	1	-	8	8
6	-	24	7	1	1	3	-	2	-	-	-	-	-	4	4	2	-	10	9
7	-	17	2	-	-	1	1	-	-	-	-	1	-	-	2	-	-	7	10
18	-	32	6	-	5	3	2	1	2	-	-	1	1	3	6	3	1	11	11
48	1	115	7	1	3	5	4	1	3	2	-	4	9	12	14	5	3	52	12
41	-	97	6	1	3	5	4	1	3	2	-	4	6	8	10	3	3	45	13
7	1	18	1	-	-	-	-	-	-	-	-	-	3	4	4	2	-	7	14
4	-	9	-	-	1	-	-	-	-	-	1	-	5	3	1	1	-	2	15
218	3	628	81	13	37	59	11	5	17	4	4	34	9	53	70	30	10	231	16
181	2	535	63	12	34	53	10	4	16	3	4	32	8	37	55	24	8	212	17
37	1	83	18	1	3	6	1	1	1	1	-	2	1	16	15	6	2	19	18
9	1	26	2	1	-	4	-	-	1	1	-	1	1	3	4	1	-	10	19
142	1	416	38	5	18	29	4	5	7	-	2	21	11	23	39	14	7	108	20
119	1	357	33	5	16	25	3	5	7	-	2	18	9	18	35	11	7	93	21
23	-	59	5	-	2	4	1	-	-	-	-	3	2	5	4	3	-	15	22
5	-	12	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	23
7	-	22	3	-	3	1	-	-	1	-	-	2	-	1	2	2	-	4	24
12	-	37	8	1	8	6	-	2	-	-	-	-	1	3	3	4	-	14	25
7	-	31	3	-	2	-	1	-	1	-	1	1	4	3	5	2	-	12	26
1	-	1	-	1	-	1	-	-	-	-	-	-	-	3	1	1	-	4	27
1	1	10	-	1	1	3	1	1	-	-	1	1	-	2	3	-	-	2	28
38	1	97	6	-	7	4	2	1	2	-	-	1	10	5	13	2	-	34	29
2	-	16	4	2	-	1	-	-	-	-	-	2	1	3	1	-	-	3	30
3	-	16	-	-	1	1	-	1	1	-	-	-	1	2	3	-	-	3	31
14	-	23	5	1	1	3	2	1	2	-	-	1	2	1	6	2	1	8	32
1	-	2	-	-	-	1	-	-	-	-	-	1	-	1	3	1	-	2	33
15	-	44	3	-	1	7	2	1	-	-	-	1	1	5	10	-	1	25	34
2	-	1	1	-	-	-	-	-	1	-	-	-	-	2	2	-	-	5	35
38	-	60	11	-	3	4	1	3	-	-	-	1	1	1	-	2	-	16	36
15	-	32	5	1	1	4	-	1	-	-	-	-	-	1	1	-	-	3	37
168	2	596	58	12	41	63	11	9	16	4	3	28	19	35	71	14	14	206	38
150	1	524	47	11	35	52	10	9	14	4	3	25	14	31	63	14	14	178	39
18	1	72	11	1	6	11	1	-	2	-	-	3	5	4	8	-	-	28	40
3,138	44	9,117	895	112	594	1,383	126	264	188	83	73	340	527	722	1,270	270	254	3,224	41
17	-	54	6	2	9	5	2	1	-	-	-	3	5	3	3	3	2	22	42
21	1	41	2	-	1	13	1	-	-	-	2	-	8	1	8	1	1	8	43
21	-	26	2	-	2	9	3	-	-	-	-	4	3	-	5	-	-	4	44
17	-	27	6	-	2	6	2	-	-	-	-	2	4	1	1	3	1	16	45
50	1	84	14	-	12	11	2	2	-	1	-	3	3	9	8	3	2	19	46
5	-	35	5	-	1	7	1	-	-	-	1	1	2	1	9	1	-	8	47
20	2	92	7	3	9	28	2	13	1	-	-	4	30	12	20	4	2	55	48
9	-	33	4	1	3	5	1	4	-	-	-	-	8	3	5	-	-	18	49
11	2	59	3	2	6	23	1	9	1	-	-	4	22	9	15	4	2	37	50
19	-	43	8	-	3	7	1	1	-	-	-	1	4	8	8	-	-	14	51
23	-	81	2	1	3	10	-	-	-	1	1	-	2	4	10	1	1	20	52
40	-	134	14	1	9	25	2	3	1	2	-	7	6	7	24	-	1	31	53
29	-	92	12	-	7	18	2	1	-	2	-	5	5	4	14	-	-	23	54
11	-	42	2	1	2	7	-	2	1	-	-	2	1	3	10	-	1	8	55
26	1	63	5	1	5	4	-	6	-	-	-	3	4	6	8	2	2	30	56
16	-	41	2	1	4	5	2	1	-	-	1	1	-	1	10	2	1	12	57
9	-	22	3	-	-	8	-	4	-	-	2	2	12	3	3	-	3	11	58
14	1	78	14	-	7	11	1	2	-	-	1	3	4	5	5	1	3	18	59
12	-	38	3	-	5	7	-	-	-	-	-	-	1	5	10	-	1	13	60
14	-	38	4	-	-	5	-	1	1	1	1	1	1	1	5	1	-	17	61
19	-	60	4	1	2	4	-	1	-	-	-	-	7	2	10	2	1	9	62
29	-	48	7	2	2	5	1	1	-	-	1	-	3	10	12	4	-	20	63
85	3	344	24	3	10	24	5	7	14	1	-	8	4	15	27	11	3	96	64
35	1	160	9	1	3	14	2	3	4	-	-	4	1	9	13	4	3	47	65
12	-	64	3	1	2	-	-	1	3	-	-	1	-	-	3	1	-	9	66
38	2	120	12	1	5	10	3	3	7	1	-	3	3	6	11	6	-	40	67
15	-	30	-	-	1	2	-	-	-	-	-	-	3	-	1	1	1	3	68
8	-	37	1	-	1	5	-	1	-	-	-	3	-	6	9	2	-	10	69
12	1	55	3	-	3	16	2	-	1	-	2	4	7	7	15	4	1	23	70
13	-	34	2	2	11	13	-	2	-	-	-	2	5	1	1	1	-	12	71
42	-	118	22	1	15	20	-	3	5	4	2	3	7	24	16	6	11	51	72
15	-	57	11	1	8	6	-	2	3	1	2	2	1	6	6	3	4	25	73
27	-	61	11	-	7	14	-	1	2	3	-	1	6	18	10	3	7	26	74
33	-	69	7	-	9	15	-	1	2	2	-	1	2	8	14	2	3	27	75
7	1	41	3	-	-	18	1	1	1	-	-	3	13	6	14	1	3	24	76
7	-	26	3	1	-	4	-	-	-	-	1	-	-	5	3	-	-	8	77
15	-	38	1	-	-	2	1	-	-	-	-	-	2	3	6	-	1	14	78
10	-	16	2	-	2	4	-	-	-	-	-	1	-	2	2	1	2	3	79
77	-	198	21	1	4	26	3	1	4	3	-	9	7	9	24	3	1	74	80
56	-	139	16	-	4	15	2	-	4	2	-	4	4	4	16	3	1	48	81
21	-	59	5	1	-	11	1	1	-	1	-	5	3	5	8	-	-	28	82
13	-	32	2	1	1	12	1	-	-	1	-	-	2	1	1	-	-	15	83
5	-	6	1	-	1	3	-	-	-	-	-	2	4	1	2	-	-	4	84
12	-	26	5	-	5	10	2	4	-	-	1	1	7	3	5	2	-	12	85
121	2	363	18	3	20	48	6	4	8	3	1	6	8	28	34	15	10	91	86
86	2	264	15	1	15	34	5	1	7	2	1	3	6	21	26	8	9	67	87
35	-	99	3	2	5	14	1	3	1	1	-	3	2	7	8	7	1	24	88

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	KENTUCKY—Continued																
1	Fleming	152	8	-	-	-	-	-	-	-	-	2	23	4	-	71	66
2	Floyd	328	26	2	-	7	1	3	1	-	-	3	24	4	1	116	110
3	Franklin	237	13	-	-	1	-	-	1	-	-	1	26	2	-	129	122
4	Frankfort	132	8	-	-	1	-	-	1	-	-	1	11	1	-	72	69
5	Balance of county	105	5	-	-	-	-	-	-	-	-	-	15	1	-	57	53
6	Fulton	160	5	2	-	1	-	1	-	1	-	1	27	3	-	68	66
7	Gallatin	54	3	-	-	-	-	-	1	-	-	-	7	-	-	29	29
8	Garrard	90	5	-	-	-	-	-	-	-	-	1	6	-	-	54	49
9	Grant	109	3	1	-	-	-	-	-	-	-	-	15	1	-	67	66
10	Graves	290	8	-	-	-	-	1	-	1	-	-	39	1	-	159	148
11	Grayson	167	3	-	-	1	-	-	-	1	-	1	22	3	2	85	82
12	Green	80	6	-	-	-	-	-	-	1	-	1	8	-	-	50	49
13	Greenup	206	8	-	-	-	-	3	-	2	3	-	26	3	-	97	94
14	Hancock	70	3	-	-	-	-	-	-	-	-	1	7	-	-	44	39
15	Hardin	294	10	1	-	-	-	-	1	-	-	-	35	3	1	121	114
16	Harlan	495	25	2	-	1	1	6	3	-	2	2	36	8	-	171	160
17	Harrison	185	7	1	-	-	-	-	-	-	-	1	24	2	-	102	98
18	Hart	142	8	-	-	-	-	1	-	-	1	2	14	-	-	74	68
19	Henderson	377	4	-	1	1	-	-	-	-	-	-	36	2	1	218	206
20	Henderson	240	3	-	1	-	-	-	-	-	-	-	25	2	1	132	120
21	Balance of county	137	1	-	-	1	-	-	-	-	-	-	11	-	-	86	86
22	Henry	130	8	-	-	-	-	-	-	-	-	-	20	2	-	61	59
23	Hickman	77	1	-	-	-	-	-	-	-	-	-	12	-	-	40	40
24	Hopkins	407	15	-	-	-	-	1	2	2	1	38	4	-	212	199
25	Madisonville	123	1	-	-	-	-	-	1	-	-	12	1	-	70	66
26	Balance of county	284	14	-	-	-	-	1	1	2	1	26	3	-	142	133
27	Jackson	65	8	-	-	-	-	-	-	-	2	6	-	1	28	27
28	Jefferson	5,045	171	18	-	-	2	1	9	6	-	21	707	61	5	2,691	2,614
29	Louisville	4,397	151	17	-	-	2	1	8	4	-	17	610	55	5	2,346	2,280
30	Balance of county	648	20	1	-	-	-	-	1	2	-	4	97	6	-	345	334
31	Jessamine	112	4	-	-	-	-	-	-	-	-	-	16	-	-	60	58
32	Johnson	197	9	1	-	3	-	1	2	-	-	2	17	6	-	84	80
33	Kenton	1,181	32	4	-	1	-	1	1	-	-	4	174	15	3	657	647
34	Covington	800	29	2	-	1	-	1	1	-	-	3	104	12	2	437	430
35	Balance of county	381	3	2	-	-	-	-	-	-	-	1	70	3	1	220	217
36	Knott	103	3	-	-	-	-	1	-	-	-	-	14	-	-	37	35
37	Knox	234	11	-	1	2	-	-	-	-	1	1	26	2	1	99	94
38	Larue	87	3	-	-	-	-	-	-	-	-	-	9	3	-	41	37
39	Laurel	193	6	-	-	-	-	-	2	-	-	-	16	4	-	94	93
40	Lawrence	152	6	2	-	1	-	1	1	1	1	-	15	2	-	69	64
41	Lee	71	3	-	-	-	-	-	-	-	-	-	3	-	-	33	33
42	Leslie	65	4	-	-	-	-	-	-	-	-	-	7	2	-	19	19
43	Letcher	276	9	2	-	-	4	2	-	-	1	-	23	2	2	113	106
44	Lewis	165	14	-	-	-	4	-	-	-	-	1	16	1	-	66	58
45	Lincoln	189	6	-	-	-	-	-	-	-	1	3	16	5	-	93	90
46	Livingston	92	7	-	-	-	-	-	-	-	-	1	14	1	-	40	37
47	Logan	225	11	-	-	3	-	-	1	1	-	1	17	1	3	124	119
48	Lyon	78	1	-	-	1	-	-	-	-	-	1	9	2	1	43	43
49	McCracken	603	22	3	-	1	-	-	2	-	-	9	73	5	1	317	307
50	Paducah	452	11	3	-	1	-	-	2	-	-	6	58	2	-	242	235
51	Balance of county	151	11	-	-	-	-	-	-	-	-	3	17	3	1	75	72
52	McCreary	120	4	1	-	-	-	-	1	-	2	1	9	4	1	42	39
53	McLean	114	3	-	-	-	-	-	-	-	-	1	19	-	-	55	55
54	Madison	311	12	4	-	1	-	-	-	-	-	-	21	4	-	168	149
55	Richmond	124	6	2	-	1	-	-	-	-	-	-	10	2	-	72	61
56	Balance of county	187	6	2	-	-	-	-	-	-	-	-	11	2	-	96	88
57	Magoffin	101	5	-	-	1	2	3	-	-	-	2	5	1	-	47	47
58	Marion	186	2	2	-	1	1	-	-	2	2	-	16	-	-	72	70
59	Marshall	145	7	-	-	-	-	-	-	-	-	-	18	3	-	83	82
60	Martin	90	9	1	-	-	-	1	-	-	-	-	8	-	-	27	25
61	Mason	238	8	2	-	-	-	-	-	1	-	1	18	2	-	145	143
62	Meade	101	-	-	-	1	-	-	1	1	-	-	8	2	-	48	47
63	Menifee	47	2	1	-	-	-	1	-	-	-	-	2	-	-	19	19
64	Mercer	163	3	-	-	-	-	-	-	1	-	2	21	-	-	88	85
65	Metcalfe	98	8	-	-	-	-	-	-	1	-	1	9	-	-	42	39
66	Monroe	123	12	-	-	-	-	1	-	-	-	3	12	1	-	66	61
67	Montgomery	160	8	-	-	-	-	-	-	-	-	-	30	4	-	74	67
68	Morgan	109	5	-	1	-	-	-	-	-	-	-	5	-	-	63	63
69	Muhlenberg	336	12	-	-	-	-	-	1	-	1	-	34	3	-	161	151
70	Nelson	175	3	-	-	-	-	-	-	1	-	-	19	2	-	92	84
71	Nicholas	101	3	-	-	-	-	-	-	-	-	1	6	3	-	60	59
72	Ohio	217	8	-	-	-	1	1	-	-	-	3	21	2	-	112	108
73	Oldham	99	6	-	-	-	-	-	-	-	-	1	11	1	-	57	50
74	Owen	104	5	1	-	-	-	-	-	1	-	-	13	2	-	55	55
75	Owsley	47	-	-	-	-	-	-	-	-	-	-	8	1	-	20	19
76	Pendleton	130	4	-	-	-	-	-	-	1	-	-	16	1	-	78	76
77	Perry	282	17	-	-	2	1	-	1	-	1	1	26	3	-	103	97
78	Pike	505	24	3	-	13	1	6	-	-	-	6	39	3	2	167	158
79	Powell	48	4	-	-	-	-	-	-	-	-	1	4	-	-	16	15
80	Pulaski	316	12	3	-	-	1	-	1	-	-	2	42	2	-	143	136
81	Robertson	37	3	-	-	-	-	-	-	-	-	-	4	-	-	20	20
82	Rockcastle	92	5	-	-	-	-	-	-	-	1	-	10	5	-	45	41
83	Rowan	95	3	-	-	-	1	1	-	1	-	1	9	5	-	30	30
84	Russell	113	10	-	-	-	-	1	-	1	-	-	11	1	1	57	53
85	Scott	158	7	1	-	1	-	-	-	-	-	2	19	2	-	90	87
86	Shelby	207	6	-	-	-	-	-	1	1	-	2	22	5	-	117	112
87	Simpson	136	1	-	-	-	-	-	1	1	-	-	12	2	1	73	67
88	Spencer	53	-	-	-	-	-	-	-	1	-	-	5	1	-	29	29
89	Taylor	133	7	-	-	-	1	1	-	-	-	2	15	1	1	69	63

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 580, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
21	-	42	3	-	5	12	2	-	-	-	-	3	2	3	2	1	-	19	1
25	1	79	6	1	6	18	2	7	6	-	2	5	9	8	28	2	3	50	2
25	-	84	12	1	7	11	1	2	3	-	-	1	3	3	10	3	-	27	3
14	-	47	8	-	3	2	1	1	2	-	-	-	3	2	6	1	-	19	4
11	-	37	4	1	4	9	-	1	1	-	-	1	-	1	4	2	-	8	5
16	-	44	6	-	2	10	-	-	1	1	-	3	6	4	5	-	3	18	6
8	-	18	3	-	-	2	-	-	-	-	-	-	2	1	3	2	-	4	7
9	1	31	7	1	5	5	-	2	-	-	-	1	-	3	3	2	-	8	8
14	1	42	8	1	1	4	-	-	-	-	-	1	-	4	3	2	1	7	9
39	-	104	4	1	11	13	3	1	2	3	-	3	7	7	14	6	-	24	10
18	-	48	16	-	3	11	1	-	1	-	-	1	5	4	4	3	-	19	11
12	1	34	1	1	1	1	-	2	-	-	-	-	-	3	3	-	-	5	12
20	1	81	8	4	3	7	1	1	-	-	-	2	7	11	10	1	2	22	13
6	-	32	1	-	5	1	-	-	-	-	-	-	-	1	8	1	-	4	14
30	-	72	12	-	7	10	2	1	1	1	2	5	5	14	12	3	4	62	15
32	1	116	10	1	11	30	2	15	-	5	2	18	12	12	42	4	22	74	16
34	1	57	5	1	4	10	2	1	-	-	-	2	1	5	8	4	-	15	17
8	-	54	5	1	6	7	-	-	1	1	-	2	6	3	4	2	1	15	18
54	-	139	8	5	12	20	2	-	3	-	-	2	3	16	21	3	1	40	19
38	-	75	5	2	12	18	2	-	3	-	-	2	2	11	15	2	-	21	20
16	-	64	3	3	-	3	-	-	-	-	-	1	-	5	6	1	1	19	21
15	-	43	2	1	2	3	1	-	2	-	-	-	1	2	3	11	2	1	13	22
7	-	32	1	-	-	2	-	-	1	-	-	1	-	5	1	4	-	-	10	23
56	-	129	14	-	13	13	1	1	1	3	-	-	5	6	15	18	7	5	57	24
26	-	33	7	-	4	5	-	-	-	1	-	-	1	3	5	1	1	21	25
30	-	96	7	-	9	8	1	1	1	2	-	-	5	12	13	6	4	36	26
5	-	20	2	-	1	3	-	-	1	-	1	1	-	2	2	1	-	9	27
515	8	1,905	155	31	77	170	21	19	76	14	9	56	30	110	182	48	57	363	28
451	8	1,671	140	30	66	141	20	18	74	13	8	44	24	88	162	37	55	497	29
84	-	234	15	1	11	29	1	1	2	1	1	12	6	22	20	9	2	66	30
15	-	41	2	-	2	5	-	2	1	-	-	1	5	3	6	1	1	7	31
18	1	56	5	-	4	16	2	3	-	1	-	4	9	4	10	1	2	20	32
130	2	468	38	9	10	26	6	5	12	1	-	15	6	14	42	17	5	140	33
79	1	319	26	5	7	20	1	5	7	1	-	12	6	9	30	10	4	103	34
51	1	149	12	4	3	6	5	-	5	-	-	3	-	5	12	7	1	37	35
7	-	25	3	-	2	8	1	3	-	1	-	1	11	5	6	-	1	11	36
26	-	62	3	3	5	29	-	3	1	3	2	3	12	5	8	1	-	23	37
5	-	28	4	-	4	5	-	3	-	-	-	-	-	1	3	-	-	19	38
26	-	62	5	-	1	25	3	1	1	2	1	4	2	2	7	2	4	17	39
15	-	46	4	1	5	8	-	1	-	1	-	4	4	5	10	-	-	20	40
8	-	24	1	-	-	8	-	2	-	-	-	-	1	3	6	1	-	11	41
6	-	11	2	-	-	2	-	-	1	-	-	1	2	3	6	-	11	7	42
22	1	81	1	1	7	21	2	3	-	-	-	3	5	6	13	11	3	5	46	43
23	-	25	8	-	10	14	1	4	1	-	-	-	4	3	4	9	-	-	23	44
30	-	56	4	-	3	16	2	3	-	-	-	-	1	7	5	8	-	1	22	45
12	-	23	2	-	3	6	-	1	-	1	-	-	1	-	4	7	-	-	9	46
27	-	71	21	-	5	12	1	-	-	1	-	1	1	5	4	12	3	1	22	47
12	-	29	2	-	-	3	-	-	-	2	-	-	-	1	-	4	1	1	8	48
90	2	190	25	-	10	29	2	6	4	1	-	5	14	10	20	8	6	65	49
64	2	153	16	-	7	23	2	4	3	1	-	1	12	7	13	7	5	51	50
26	-	37	9	-	3	6	-	2	1	-	-	4	2	3	7	1	1	14	51
12	-	25	1	1	3	8	1	7	-	-	2	-	5	5	9	1	1	16	52
11	-	37	7	-	-	5	-	1	1	-	-	3	1	1	6	-	2	16	53
26	-	113	8	2	19	11	1	7	1	1	-	5	6	12	8	4	3	42	54
11	-	43	5	2	11	3	-	2	-	1	-	1	1	1	1	2	2	17	55
15	-	70	3	-	8	8	1	5	1	-	-	4	5	11	7	2	1	25	56
15	1	30	1	-	-	9	1	1	1	-	-	1	-	7	-	6	-	-	9	57
20	-	44	6	-	2	8	-	2	-	-	-	1	3	2	5	7	1	2	37	58
24	1	51	6	-	1	7	-	-	-	-	-	-	2	3	7	1	-	-	11	59
10	-	15	-	-	2	14	1	1	-	-	-	1	2	5	2	3	-	2	13	60
26	1	109	5	2	2	7	1	4	3	3	-	-	6	1	3	13	1	1	20	61
10	-	30	7	-	1	10	-	1	-	-	-	1	4	1	3	6	1	-	15	62
6	-	10	3	-	-	1	1	2	-	-	-	-	-	6	4	2	-	-	6	63
16	-	62	6	1	3	7	-	-	-	-	-	-	2	2	3	12	3	-	19	64
15	-	22	2	-	3	9	1	1	-	-	-	1	-	5	1	2	2	-	13	65
15	-	41	4	1	5	5	1	-	-	-	-	1	1	2	-	3	2	2	11	66
17	-	42	5	3	7	5	-	1	2	2	-	1	1	3	3	11	1	3	11	67
9	-	52	2	-	-	6	1	1	-	-	-	-	-	5	2	6	1	1	12	68
40	-	98	12	1	10	15	-	5	4	-	-	-	5	14	12	19	2	3	45	69
24	-	55	5	-	8	9	2	4	1	1	-	1	3	2	6	8	1	1	19	70
12	-	42	5	-	1	7	-	-	1	-	-	-	1	1	-	7	2	-	9	71
21	1	77	8	1	4	21	2	4	1	2	-	-	3	2	1	15	-	-	19	72
15	-	31	4	-	7	2	1	-	1	1	-	-	1	-	4	5	-	1	7	73
18	-	28	9	-	-	5	-	1	2	-	-	-	1	3	-	3	-	-	12	74
8	-	9	2	-	1	5	-	1	-	-	-	-	-	2	-	5	-	-	5	75
15	-	54	7	-	2	3	-	2	-	-	-	-	1	1	1	5	-	-	17	76
19	1	73	4	-	6	6	-	8	-	3	-	2	3	5	12	34	5	14	35	77
51	-	94	10	3	9	49	-	8	1	-	-	2	6	9	13	44	4	8	91	78
2	-	12	1	-	1	-	1	1	-	-	-	2	-	6	3	3	-	-	7	79
31	1	98	6	-	7	22	1	5	-	1	-	-	3	7	8	14	1	-	48	80
5	-	14	1	-	-	1	-	1	-	-	-	-	1	-	1	-	1	1	4	81
6	-	30	3	2	4	6	-	-	-	-	-	-	1	3	7	3	-	1	5	82
5	-	23	2	-	-	1	-	4	-	2	-	-	3	2	6	4	1	1	20	83
17	-	33	3	-	4	5	-	-	-	-	-	-	1	-	1	3	1	2	18	84
24	1	53	7	2	3	9	1	3	2	-	-	-	-	-	4	5	1	-	11	85
42	-	51	19	-	5	10	-	1	1	-	-	1	2	1	4	8	4	1	20	86
23	-	42	2	-	6	16	-	2	-	-	-	1	1	5	3	6	-	-	11	87
9	-	18	2	-	-	2	-	-	-	-	-	1	3	-	-	1	-	-	10	88
9	1	45	8	-	6	5	-	-	-	-	1	5	4	4	3	-	-	14	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-139	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	KENTUCKY—Continued																
1	Todd	156	5	1	-	-	-	-	-	-	-	-	12	2	1	65	83
2	Trigg	98	2	-	-	1	-	-	-	-	-	-	13	1	-	57	56
3	Trimble	34	2	-	-	-	-	-	-	-	1	-	4	-	-	20	20
4	Union	170	2	-	-	-	1	-	-	1	-	1	23	2	-	78	71
5	Warren	416	13	6	-	1	-	-	2	-	-	4	55	8	2	217	207
6	Bowling Green	228	6	5	-	1	-	-	1	-	-	4	30	3	1	114	114
7	Balance of county	188	7	1	-	-	-	-	1	-	-	-	25	5	1	103	93
8	Washington	119	4	-	-	-	-	-	-	-	-	-	14	2	-	57	55
9	Wayne	94	3	-	-	-	-	-	-	-	-	1	7	1	-	50	48
10	Webster	199	4	1	-	-	-	-	1	-	2	-	24	1	-	109	91
11	Whitley	311	11	-	-	2	-	-	-	-	2	-	42	6	1	123	119
12	Wolfe	69	3	-	-	-	-	-	-	1	-	-	3	-	-	22	22
13	Woodford	145	5	1	-	-	-	-	-	-	-	-	23	1	-	69	65
14	LOUISIANA	23,738	717	273	9	23	6	29	23	22	10	123	3,148	335	69	11,610	11,131
15	Acadia	373	10	3	-	1	-	-	-	-	-	3	56	9	1	152	156
16	Crowley	116	4	3	-	-	-	-	-	-	-	-	17	4	1	52	52
17	Balance of parish	257	6	-	-	1	-	-	-	-	-	3	39	5	-	110	106
18	Allen	125	2	1	-	-	-	-	-	-	-	1	11	-	-	61	57
19	Ascension	208	3	2	-	-	-	-	-	1	-	2	51	2	-	103	99
20	Assumption	163	4	1	-	-	-	-	1	-	-	2	10	2	1	92	92
21	Avoyelles	274	10	1	-	-	-	-	-	-	-	-	37	1	-	136	134
22	Beauregard	148	4	1	-	-	-	-	-	-	-	-	23	1	-	72	66
23	Bienville	178	5	-	-	-	-	-	1	-	-	-	16	1	-	85	79
24	Bossier	277	6	5	-	1	-	2	1	1	-	3	24	1	-	121	111
25	Bossier City	96	2	1	-	-	-	1	1	-	-	1	11	-	-	39	36
26	Balance of parish	181	4	4	-	1	-	1	-	1	-	2	13	1	-	82	75
27	Caddo	1,664	44	27	1	-	-	5	-	2	2	11	217	17	3	800	742
28	Shreveport	1,277	37	21	-	-	-	2	-	2	1	9	171	14	2	623	585
29	Balance of parish	387	7	6	1	-	-	1	-	-	1	2	46	3	1	177	157
30	Calcasieu	622	15	7	-	-	1	1	1	-	-	4	76	8	2	283	272
31	Lake Charles	317	7	2	-	-	1	-	1	-	-	2	39	3	1	154	148
32	Balance of parish	305	8	5	-	-	-	1	-	-	-	2	37	5	1	129	124
33	Caldwell	89	3	-	-	-	-	-	-	-	-	-	17	1	-	43	39
34	Cameron	39	2	-	-	-	-	-	-	-	-	1	3	-	-	14	14
35	Catahoula	103	1	-	1	-	-	-	1	-	-	-	13	-	1	56	53
36	Claiborne	173	1	-	-	-	-	-	-	-	-	1	13	4	-	94	90
37	Concordia	195	6	8	-	-	-	-	-	-	1	2	16	1	1	111	107
38	De Soto	250	11	2	-	-	-	-	-	-	1	1	32	4	-	109	105
39	East Baton Rouge	1,079	30	9	1	-	-	-	-	2	-	6	139	14	5	530	507
40	Baton Rouge	850	25	7	-	-	-	-	-	1	-	3	121	13	5	430	411
41	Balance of parish	229	5	2	1	-	-	-	-	1	-	3	18	1	-	100	96
42	East Carroll	172	7	-	-	-	-	1	-	-	-	-	18	1	-	98	98
43	East Feliciana	163	6	-	-	-	-	-	-	-	-	-	22	3	2	82	74
44	Evangeline	215	13	1	-	-	-	-	1	-	-	1	33	1	1	98	92
45	Franklin	250	9	1	-	-	-	-	1	-	-	1	24	2	-	122	112
46	Grant	115	7	-	-	1	-	-	-	-	-	2	14	3	-	47	43
47	Iberia	314	6	3	-	-	-	-	-	-	-	1	39	8	1	136	123
48	New Iberia	155	3	-	-	-	-	-	-	-	-	1	19	5	1	66	64
49	Balance of parish	159	3	3	-	-	-	-	-	-	-	-	20	3	-	70	59
50	Iberville	337	7	5	-	-	-	2	-	-	-	-	30	4	-	179	175
51	Jackson	128	2	-	-	-	-	-	2	-	-	-	16	3	-	41	39
52	Jefferson	701	17	3	-	-	1	-	1	-	1	7	130	13	1	328	326
53	Gretna	137	5	-	-	-	1	-	-	-	1	1	24	3	-	68	65
54	Balance of parish	564	12	3	-	-	-	-	1	-	-	6	106	10	1	263	261
55	Jefferson Davis	177	2	1	-	1	-	-	-	-	-	-	23	4	-	84	79
56	Lafayette	375	20	2	1	-	-	2	1	-	-	4	44	8	2	162	159
57	Lafayette	204	15	1	1	-	-	2	-	-	-	1	24	7	1	81	79
58	Balance of parish	171	5	1	-	-	-	-	1	-	-	3	20	1	1	81	80
59	Lafourche	311	9	2	1	-	-	-	-	-	1	3	39	5	2	138	133
60	La Salle	103	-	1	-	-	-	-	-	1	-	-	12	2	-	63	61
61	Lincoln	200	3	-	-	-	-	-	-	-	-	-	30	3	1	103	99
62	Ruston	76	-	-	-	-	-	-	-	-	-	-	11	1	-	41	41
63	Balance of parish	124	3	-	-	-	-	-	-	-	-	-	19	2	1	62	58
64	Livingston	133	3	-	1	-	-	-	-	-	-	3	21	1	1	69	66
65	Madison	217	2	2	-	-	-	1	-	-	-	2	21	1	1	86	83
66	Morehouse	325	3	3	-	-	-	-	1	2	-	2	22	1	-	160	149
67	Bastrop	134	2	1	-	-	-	-	-	2	-	1	3	1	-	69	63
68	Balance of parish	191	1	2	-	-	-	-	1	-	-	1	19	-	-	91	86
69	Natchitoches	355	5	1	-	-	-	-	-	-	-	3	43	4	1	175	167
70	Orleans, coextensive with New Orleans	6,169	246	119	1	2	1	4	2	4	-	20	926	124	16	3,192	3,088
71	Ouachita	746	17	7	-	5	-	2	1	-	-	4	94	12	7	392	377
72	Monroe	427	13	6	-	5	-	2	1	-	-	4	49	7	2	241	231
73	West Monroe	101	2	1	-	-	-	-	-	-	-	-	16	-	-	48	47
74	Balance of parish	218	2	-	-	-	-	-	-	-	-	-	29	5	5	103	99
75	Plaquemines	103	-	1	-	-	-	-	-	-	-	2	11	1	-	48	48
76	Pointe Coupee	197	3	2	2	1	-	-	-	-	-	-	27	2	1	114	113
77	Rapides	845	18	11	-	1	1	-	1	2	-	3	107	10	1	365	346
78	Alexandria	406	10	7	-	-	-	-	-	-	-	-	50	6	1	177	165
79	Balance of parish	439	8	4	-	1	1	-	1	2	-	3	57	4	-	188	181
80	Red River	114	1	-	-	-	-	-	1	-	-	3	8	2	1	44	42
81	Richland	232	5	2	-	-	-	1	1	-	-	-	24	1	-	115	110
82	Sabine	185	4	1	-	-	-	-	-	-	-	1	26	5	-	88	83
83	St. Bernard	90	3	-	-	-	-	-	-	-	-	-	11	1	-	48	48
84	St. Charles	107	1	1	-	-	-	-	-	-	-	1	13	1	-	58	58
85	St. Helena	47	2	-	-	-	-	-	-	-	-	-	6	-	-	27	27
86	St. James	148	5	1	-	-	-	-	-	-	-	-	22	1	-	72	68
87	St. John the Baptist	157	4	-	-	-	-	1	-	-	-	2	28	5	-	76	76

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
20	-	54	9	-	2	5	2	2	1	1	2	3	2	2	8	2	1	19	1
17	-	34	5	-	1	2	-	-	-	-	-	1	-	5	1	2	-	13	2
3	-	15	2	-	-	1	-	-	1	-	-	-	-	2	1	-	-	2	3
14	-	49	8	-	7	2	2	2	1	-	-	3	6	13	7	1	-	25	4
61	-	126	20	-	10	16	2	1	1	2	-	5	2	8	18	6	1	46	5
28	-	71	15	-	-	5	2	1	1	2	-	3	-	3	12	4	1	29	6
33	-	55	5	-	10	11	-	-	-	-	-	2	2	5	6	2	-	17	7
18	1	34	2	-	2	8	-	-	-	1	2	3	2	3	2	-	1	20	8
9	-	38	1	-	2	6	-	4	1	1	-	1	4	3	2	-	-	10	9
37	-	46	6	2	18	7	-	6	1	-	-	-	5	3	9	-	1	25	10
27	1	80	9	2	4	23	1	13	2	1	1	6	9	14	16	4	-	34	11
4	-	17	1	-	-	7	-	4	-	-	4	3	3	4	1	-	2	12	12
18	-	39	7	1	4	7	-	1	-	-	-	2	4	6	4	4	3	15	13
2,320	15	8,110	555	131	479	930	104	158	165	95	72	370	430	551	1,097	184	251	2,939	14
31	1	122	4	-	4	11	2	5	4	-	3	3	9	16	18	-	3	54	15
10	1	38	3	-	-	2	-	-	1	-	2	2	2	3	7	-	1	15	16
21	-	84	1	-	4	9	2	5	3	-	1	1	7	13	11	-	2	39	17
16	-	38	3	-	4	4	-	2	2	-	1	3	4	4	8	2	3	16	18
18	-	78	2	1	4	11	-	2	1	-	1	4	17	4	2	-	2	20	19
14	-	63	13	2	-	6	-	1	-	-	-	2	5	8	5	1	2	20	20
34	-	95	4	1	2	12	1	4	3	1	-	3	6	7	17	8	-	27	21
15	-	50	-	1	6	12	1	-	-	-	-	-	4	4	4	-	2	20	22
17	-	57	2	3	6	7	1	1	2	-	1	1	10	2	12	4	3	26	23
44	1	61	4	1	10	10	-	2	-	2	-	4	3	16	22	1	2	30	24
9	1	23	2	1	3	4	-	-	-	-	-	2	1	8	8	1	-	16	25
35	-	38	2	-	7	6	-	2	-	2	-	2	2	8	14	-	2	34	26
152	2	533	41	14	58	59	5	9	8	9	1	20	20	45	91	13	35	222	27
111	1	428	34	11	38	40	4	6	8	9	1	16	15	27	57	11	28	173	28
41	1	105	7	3	20	19	1	3	-	-	-	4	5	18	34	2	7	49	29
57	1	203	8	3	11	29	6	2	4	7	2	7	28	13	39	3	3	83	30
30	-	112	4	2	6	9	2	1	2	5	1	5	15	11	15	2	1	39	31
27	1	91	4	1	5	20	4	1	2	2	1	2	11	2	24	1	2	45	32
6	-	30	3	-	4	1	-	-	2	-	-	1	1	3	9	-	1	7	33
4	-	10	-	-	-	4	-	1	-	-	-	-	2	2	2	-	-	8	34
18	1	33	1	-	3	4	1	-	-	2	-	3	2	2	5	1	1	9	35
19	-	67	4	-	4	12	1	-	1	2	1	1	1	8	5	3	4	21	36
13	-	85	7	2	4	10	-	3	-	1	-	4	3	3	8	1	2	14	37
21	-	68	13	1	6	7	-	2	1	1	-	3	11	7	15	2	4	37	38
120	2	332	46	7	23	34	3	6	12	8	2	29	5	33	53	8	14	136	39
98	2	269	36	6	19	21	2	5	11	3	1	26	3	20	40	7	10	96	40
22	-	63	10	1	4	13	1	1	1	5	1	3	2	13	13	1	4	40	41
28	-	67	3	-	-	6	1	1	-	1	2	-	4	2	4	-	2	24	42
16	-	58	-	-	8	11	-	1	-	1	-	2	-	1	12	2	4	14	43
24	-	62	6	-	6	11	2	-	-	1	3	3	6	5	2	5	1	24	44
37	-	73	1	1	10	18	-	-	1	-	1	10	4	8	12	5	3	28	45
12	-	26	5	-	4	9	1	-	-	1	-	1	6	7	5	-	1	10	46
25	-	90	7	1	13	18	3	13	5	3	2	10	8	3	16	2	1	36	47
10	-	51	3	-	2	7	2	6	5	1	1	6	4	1	7	2	1	17	48
15	-	39	4	1	11	11	1	7	-	2	1	4	4	2	9	-	-	19	49
28	-	143	3	1	4	18	1	2	3	-	1	5	3	13	19	-	2	43	50
15	-	23	-	1	2	9	-	-	1	-	1	1	25	4	4	-	-	17	51
52	-	260	13	1	3	14	3	4	6	1	3	14	3	17	35	5	4	89	52
13	-	46	6	-	1	2	-	1	1	-	2	1	-	2	10	-	-	17	53
39	-	214	7	1	2	12	3	3	5	1	1	13	3	15	25	5	4	72	54
15	-	62	-	2	5	6	-	1	1	2	-	1	4	10	13	2	1	21	55
25	1	121	9	3	3	16	-	3	1	-	3	9	3	6	14	6	2	66	56
13	-	60	4	2	2	9	-	1	1	-	1	1	2	4	9	3	2	38	57
12	1	61	5	1	1	7	-	2	-	-	2	8	1	2	5	3	-	28	58
26	-	91	13	3	5	14	3	3	3	-	2	7	1	8	18	1	2	49	59
6	-	50	3	2	2	3	-	-	-	1	-	1	3	-	7	1	1	7	60
25	-	69	4	1	4	9	-	-	-	1	-	-	3	11	4	1	2	29	61
12	-	28	1	-	-	3	-	-	-	-	-	-	1	5	1	-	-	13	62
13	-	41	3	1	4	6	-	-	-	1	-	-	2	6	3	1	2	16	63
13	-	50	3	-	3	3	-	3	-	-	-	1	3	6	8	1	2	7	64
23	-	54	5	1	3	5	-	1	1	-	1	2	43	4	12	2	-	30	65
35	-	105	7	2	11	16	-	2	2	1	1	5	7	9	32	4	8	44	66
15	-	44	3	1	6	5	-	2	2	-	1	1	1	6	16	2	2	19	67
20	-	61	4	1	5	11	-	2	-	1	-	4	6	3	16	2	6	25	68
35	-	127	2	3	8	12	2	1	1	8	2	7	13	7	23	3	9	35	69
581	2	2,330	135	40	104	173	38	25	65	11	11	91	10	74	226	40	68	679	70
98	-	266	13	2	15	26	1	3	4	5	5	13	7	15	23	9	6	88	71
53	-	170	7	1	10	8	1	1	1	4	3	5	6	5	11	3	5	44	72
11	-	32	3	1	1	5	-	-	1	-	1	5	-	3	4	1	1	13	73
32	-	64	3	-	4	13	-	2	2	1	1	3	1	7	8	5	-	31	74
11	1	33	3	-	-	3	-	1	1	-	-	1	3	6	9	2	-	14	75
25	-	83	4	1	1	6	-	-	3	-	-	2	1	6	9	1	1	16	76
59	-	261	25	1	19	33	5	9	2	7	2	8	77	15	44	5	9	109	77
29	-	122	13	1	12	15	2	4	-	4	-	4	38	7	26	4	3	48	78
30	-	139	12	-	7	18	3	5	2	3	2	4	39	8	18	1	6	61	79
17	-	22	2	1	2	6	-	-	-	1	-	2	9	8	2	1	-	25	80
24	-	80	2	4	3	14	1	2	2	1	1	3	1	8	9	2	1	40	81
18	-	61	4	-	5	7	-	1	2	-	1	1	2	7	10	2	3	24	82
4	-	43	1	-	-	2	-	1	-	-	-	2	-	6	6	1	1	8	83
7	1	46	2	2	-	5	2	1	-	1	-	3	-	4	4	1	2	9	84
11	-	15	1	-	-	2	-	-	-	1	1	-	1	-	1	-	-	6	85
12	-	56	-	-	4	8	-	2	1	1	-	2	-	1	6	1	-	25	86
7	-	58	7	4	-	7	3	-	1	2	1	1	-	-	5	-	3	18	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	LOUISIANA—Con.																
1	St. Landry	620	23	6	-	3	-	4	1	1	-	4	69	3	2	265	249
2	Opelousas	143	6	3	-	1	-	-	-	1	-	2	12	-	-	63	57
3	Balance of parish	477	17	3	-	2	-	4	1	-	-	2	57	3	2	202	192
4	St. Martin	179	8	1	-	-	1	-	1	-	-	1	12	1	-	73	70
5	St. Mary	336	9	1	-	1	-	1	2	2	1	2	58	-	2	181	175
6	St. Tammany	270	4	2	-	-	-	-	-	-	-	-	41	4	1	144	137
7	Tangipahoa	515	21	8	-	-	-	1	-	1	-	1	71	8	-	263	247
8	Tensas	161	4	1	-	-	-	-	-	-	-	-	18	-	-	101	100
9	Terrebonne	295	8	3	-	1	-	2	-	-	-	1	40	4	-	134	122
10	Houma	125	3	-	-	1	-	-	-	-	-	-	21	2	-	59	55
11	Balance of parish	170	5	3	-	-	-	2	-	-	-	1	19	2	-	75	67
12	Union	147	2	-	-	1	-	-	-	-	1	-	18	1	1	64	58
13	Vermilion	264	13	-	-	1	-	-	-	-	-	3	41	4	2	118	114
14	Vernon	200	2	-	-	-	1	-	1	1	1	1	21	5	1	85	85
15	Washington	337	11	4	-	-	-	1	-	-	1	2	57	1	-	153	147
16	Bogalusa	160	4	4	-	-	-	1	-	-	-	-	26	1	-	82	79
17	Balance of parish	177	7	-	-	-	-	-	-	-	1	2	31	-	-	71	68
18	Webster	305	9	3	-	2	-	-	-	1	-	2	29	3	1	145	145
19	West Baton Rouge	102	3	1	-	-	-	-	-	1	-	3	5	1	1	52	51
20	West Carroll	124	6	3	-	1	-	-	-	-	-	-	21	-	1	48	47
21	West Feliciana	64	2	2	-	-	-	-	-	-	-	-	8	-	1	48	47
22	Winn	110	5	1	-	-	-	-	-	-	-	1	23	2	-	55	52
23	MAINE	9,886	153	34	-	-	1	6	4	8	2	16	1,589	154	15	5,514	5,314
24	Androscoggin	886	14	3	-	-	-	-	-	-	-	2	138	12	1	538	515
25	Lewiston	409	4	-	-	-	-	-	-	-	-	2	63	5	-	239	228
26	Auburn	206	8	1	-	-	-	-	-	-	-	-	34	2	1	132	124
27	Balance of county	281	2	2	-	-	-	-	-	-	-	-	41	5	-	167	163
28	Aroostook	779	17	1	-	-	1	1	1	2	-	1	104	15	2	343	317
29	Cumberland	1,859	27	5	-	-	-	1	1	-	-	5	308	21	2	1,080	1,051
30	Portland	881	20	4	-	-	-	1	1	-	-	3	153	9	1	502	493
31	South Portland	191	1	-	-	-	-	-	-	-	-	-	25	-	-	128	123
32	Westbrook	114	1	-	-	-	-	-	-	-	-	-	20	1	-	66	61
33	Balance of county	653	5	1	-	-	-	-	-	-	-	2	110	11	1	384	374
34	Franklin	246	4	-	-	-	-	-	-	-	2	-	36	3	1	145	142
35	Hancock	395	7	2	-	-	-	-	-	-	-	-	57	6	1	248	246
36	Kennebec	898	12	5	-	-	-	-	-	1	-	1	159	11	-	503	479
37	Augusta	164	-	2	-	-	-	-	-	-	-	-	30	3	-	90	83
38	Waterville	185	3	1	-	-	-	-	-	1	-	-	26	1	-	104	101
39	Balance of county	549	9	2	-	-	-	-	-	-	-	1	103	7	-	309	295
40	Knox	406	8	4	-	-	-	1	-	-	-	1	67	3	1	237	233
41	Lincoln	268	2	2	-	-	-	-	-	-	-	-	49	5	-	138	133
42	Oxford	482	5	1	-	-	-	-	-	1	-	-	78	7	1	268	257
43	Penobscot	1,084	17	3	-	-	-	-	-	1	-	2	184	13	2	562	544
44	Bangor	351	9	1	-	-	-	-	-	-	-	1	69	3	-	183	179
45	Balance of county	733	8	2	-	-	-	-	-	1	-	1	115	10	2	379	365
46	Piscataquis	252	5	-	-	-	-	-	-	1	-	-	34	3	1	119	116
47	Sagadahoc	274	3	1	-	-	-	-	-	1	-	2	44	6	1	154	151
48	Bath	145	2	1	-	-	-	-	-	-	-	-	21	3	1	88	87
49	Balance of county	129	1	-	-	-	-	-	-	1	-	2	23	3	-	66	64
50	Somerset	431	5	3	-	-	-	-	1	-	-	2	69	7	1	243	232
51	Waldo	271	4	-	-	-	-	1	-	-	-	-	44	6	-	171	168
52	Washington	399	9	2	-	-	-	-	-	-	-	-	63	8	1	213	202
53	York	968	14	2	-	-	-	2	1	1	-	-	155	22	-	552	528
54	Biddeford	177	3	-	-	-	-	-	-	1	-	-	30	4	-	103	97
55	Saco	82	2	-	-	-	-	-	-	-	-	-	10	2	-	46	46
56	Balance of county	709	9	2	-	-	-	2	1	-	-	-	115	16	-	403	385
57	MARYLAND	22,417	815	178	-	1	4	5	23	25	2	50	3,275	399	32	12,298	11,881
58	Allegany	927	9	2	-	-	-	-	-	2	-	-	110	22	1	589	545
59	Cumberland	436	1	2	-	-	-	-	-	1	-	-	55	12	-	278	267
60	Balance of county	491	8	-	-	-	-	-	-	1	-	-	55	10	1	291	278
61	Anne Arundel	829	19	5	-	-	-	-	1	1	-	4	137	12	2	431	421
62	Annapolis	157	6	1	-	-	-	-	-	-	-	-	35	1	1	79	74
63	Balance of county	672	13	4	-	-	-	-	1	1	-	4	102	11	1	352	347
64	Baltimore	2,108	50	15	-	-	1	-	3	5	-	8	345	41	3	1,113	1,093
65	District 12[2] [3]	206	6	3	-	-	-	-	-	-	-	1	31	5	-	95	94
66	District 13[2] [3]	109	3	-	-	-	-	-	1	-	-	-	17	3	-	69	68
67	Balance of county	1,793	41	12	-	-	1	-	2	5	-	7	297	33	3	949	931
68	Baltimore (city)	10,539	535	117	-	-	3	1	9	8	-	25	1,582	183	17	5,742	5,542
69	Calvert	134	4	-	-	-	-	-	-	-	-	1	21	4	-	68	63
70	Caroline	252	4	4	-	-	-	-	1	-	-	2	34	7	-	156	147
71	Carroll	447	15	1	-	-	-	-	1	1	-	2	53	12	-	258	251
72	Cecil	329	7	2	-	-	-	1	1	1	-	-	63	5	-	163	154
73	Charles	191	14	1	-	-	-	1	-	-	-	-	11	2	1	86	85
74	Dorchester	357	11	3	-	-	-	1	-	-	-	-	52	10	-	201	196
75	Cambridge	160	4	2	-	-	-	-	-	-	-	-	21	4	-	96	93
76	Balance of county	197	7	1	-	-	-	1	-	-	-	-	31	6	-	105	103
77	Frederick	661	10	4	-	-	-	-	1	1	-	1	86	10	1	405	395
78	Frederick	230	3	1	-	-	-	-	-	-	-	-	25	4	1	143	140
79	Balance of county	431	7	3	-	-	-	-	1	1	-	1	61	6	-	262	255
80	Garrett	209	-	-	-	-	-	-	-	-	1	-	25	4	-	117	113
81	Harford	428	9	-	-	-	-	-	1	-	-	-	48	8	-	231	221
82	Howard	195	4	2	-	-	-	-	-	-	-	-	23	3	-	111	108
83	Kent	182	3	-	-	-	-	-	-	-	-	-	28	1	-	110	106

[2]Classified as urban under a special rule.

[3]Since this area is difficult to identify from information given on death records, data may be understated or overstated.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
52	-	189	6	2	16	50	1	7	3	2	4	11	6	18	23	6	4	104	1
8	-	48	1	-	6	9	-	2	-	-	1	2	1	4	8	1	1	26	2
44	-	141	5	2	10	41	1	5	3	2	3	9	5	14	15	5	3	78	3
14	1	50	5	-	3	17	2	3	1	-	2	3	3	4	12	1	-	33	4
44	-	113	15	3	6	12	-	3	1	-	-	5	4	2	15	1	3	32	5
26	-	103	6	2	7	17	1	1	1	1	1	4	1	12	9	1	1	24	6
60	-	173	11	3	16	24	-	4	1	-	-	12	4	13	25	3	3	52	7
17	-	68	15	-	1	6	1	1	-	-	1	-	2	4	11	-	2	9	8
26	-	84	10	2	12	11	1	6	3	1	2	6	7	9	14	2	1	39	9
11	-	41	2	1	4	3	1	2	2	-	1	3	2	5	5	1	-	14	10
15	-	43	8	1	8	8	-	4	1	1	1	3	5	4	9	1	1	25	11
15	-	37	5	1	6	14	1	1	-	1	2	2	1	3	8	1	-	25	12
24	-	88	2	-	4	8	2	1	2	-	-	5	4	3	11	7	-	39	13
15	-	63	7	-	-	15	1	-	-	-	1	3	6	6	8	1	4	36	14
35	1	103	7	1	8	12	2	4	1	1	-	7	2	7	16	3	6	48	15
21	-	53	4	1	3	2	1	2	1	-	-	2	1	3	4	2	3	21	16
14	1	50	3	-	3	10	1	2	-	1	-	5	1	4	12	1	3	25	17
41	-	84	19	1	-	9	1	1	2	3	2	9	5	8	14	2	5	49	18
10	-	37	3	1	1	2	1	2	-	1	-	2	3	2	11	2	-	9	19
9	-	35	3	-	1	2	1	1	-	1	1	3	1	8	6	2	1	17	20
13	-	33	1	-	1	4	1	-	-	-	-	-	2	2	2	-	-	12	21
8	-	40	2	2	3	4	-	2	-	-	-	2	-	2	3	-	1	9	22
1,200	10	3,678	372	54	200	274	55	52	71	20	10	114	95	155	388	161	14	981	23
141	1	340	27	6	23	24	8	5	7	-	-	13	8	10	23	18	1	71	24
64	-	156	6	2	11	7	4	3	7	-	-	5	4	5	10	11	-	40	25
36	-	79	7	2	8	1	1	1	-	-	-	6	1	1	4	2	1	10	26
41	1	105	14	2	4	18	3	1	-	-	-	2	3	4	9	5	-	21	27
69	1	215	30	2	26	39	2	12	4	1	3	18	12	28	37	10	-	125	28
219	1	749	68	13	29	41	9	5	14	6	1	21	12	15	62	30	4	169	29
94	1	368	24	6	9	21	2	1	6	2	-	9	5	9	31	18	3	80	30
25	-	89	7	2	5	1	1	2	1	1	-	1	2	-	5	2	-	21	31
13	-	44	4	-	5	4	1	-	-	1	1	2	-	1	5	1	-	10	32
67	-	248	34	5	10	15	5	2	7	2	-	9	5	5	21	9	1	58	33
29	-	107	5	1	3	3	1	2	-	-	-	4	3	1	13	3	-	25	34
47	-	167	30	2	2	13	3	2	1	1	-	4	5	2	10	5	-	28	35
108	-	334	34	3	24	23	3	3	10	1	2	12	1	13	31	16	-	91	36
18	-	60	4	1	7	3	1	1	1	-	1	3	-	3	3	5	-	18	37
22	-	73	6	-	3	3	1	1	2	-	-	6	-	3	5	2	-	26	38
68	-	201	24	2	14	17	1	1	7	1	1	3	1	7	23	9	-	47	39
55	-	160	16	2	4	15	1	1	1	1	-	3	5	1	9	9	1	31	40
59	-	82	10	2	5	7	2	1	3	4	1	3	3	4	5	9	-	28	41
73	1	158	21	4	11	8	3	3	2	2	-	6	2	8	28	10	-	49	42
120	2	375	41	6	18	37	5	5	8	3	-	13	17	34	46	21	4	107	43
34	-	129	16	-	4	6	-	3	4	-	-	3	9	12	10	7	2	29	44
86	2	246	25	6	14	31	5	2	4	3	-	10	8	22	36	14	2	70	45
24	-	81	7	4	3	7	2	3	1	-	-	-	7	4	24	2	-	39	46
28	-	109	13	1	3	12	2	2	3	-	-	2	4	4	11	1	-	21	47
13	-	65	8	1	1	7	-	1	3	-	-	2	-	2	3	-	-	11	48
15	-	44	5	-	2	5	2	1	-	-	-	-	4	2	8	1	-	10	49
50	1	169	11	1	11	3	1	1	3	1	1	2	3	7	24	6	-	48	50
34	-	119	14	1	3	13	2	-	-	-	-	-	3	1	7	6	-	13	51
40	1	143	14	4	11	12	4	4	1	-	-	3	2	11	22	5	-	39	52
124	2	370	30	2	24	17	7	3	13	-	2	10	8	12	36	10	4	97	53
23	-	65	9	-	8	4	2	1	2	-	-	1	1	2	7	-	-	16	54
10	-	31	5	-	-	1	2	-	2	-	-	-	-	2	1	1	-	13	55
91	2	274	16	2	18	12	3	2	9	-	2	9	7	8	28	9	4	68	56
1,950	26	9,159	628	118	417	600	96	84	200	42	41	280	81	442	840	273	148	2,183	57
82	1	425	32	5	24	23	7	2	6	2	1	14	2	16	38	8	1	92	58
38	-	212	14	3	11	7	5	1	4	-	-	4	1	4	14	3	1	43	59
44	1	213	18	2	13	18	2	1	2	2	1	10	1	12	24	5	-	49	60
62	-	333	22	4	10	14	6	1	10	2	2	11	3	27	40	9	9	83	61
10	-	61	3	-	5	1	1	-	1	1	-	2	1	3	9	2	-	13	62
52	-	272	19	4	5	13	5	1	9	1	2	9	2	24	31	7	9	70	63
164	2	864	49	14	20	37	11	7	26	6	1	41	7	36	81	31	7	233	64
14	1	76	2	1	1	4	2	2	3	-	-	8	2	1	8	2	1	32	65
11	-	54	3	-	1	1	-	-	1	-	-	1	-	2	6	-	1	4	66
139	1	734	44	13	18	32	9	5	22	8	1	32	5	33	67	29	5	197	67
800	13	4,399	273	57	200	269	52	33	119	18	16	105	37	145	329	101	101	902	68
6	-	45	10	2	5	2	-	1	-	-	1	5	-	2	10	1	-	14	69
24	-	109	14	-	9	3	2	-	1	-	1	2	-	9	6	3	1	16	70
52	1	177	20	1	7	16	-	3	1	1	1	4	-	11	26	6	-	35	71
39	1	103	10	1	9	17	2	4	3	1	-	2	2	6	9	6	1	33	72
14	1	70	-	-	1	8	1	1	1	-	1	5	3	9	16	4	-	26	73
42	-	139	14	1	5	20	1	2	-	-	-	6	2	5	8	5	-	30	74
18	-	68	6	1	3	4	-	1	-	-	-	5	1	1	5	2	-	14	75
24	-	71	8	-	2	16	1	1	-	-	-	1	1	4	3	3	-	16	76
97	-	260	14	4	10	23	1	4	-	2	-	7	1	21	26	10	1	46	77
35	-	97	7	1	3	9	1	1	-	2	-	5	-	7	5	4	1	18	78
62	-	183	7	3	7	14	-	3	-	-	-	2	1	14	21	6	-	28	79
22	3	79	6	3	4	4	-	-	1	2	-	3	-	10	16	4	1	21	80
50	-	159	10	2	10	18	-	2	1	-	-	12	1	18	24	8	2	45	81
21	-	84	3	-	3	4	-	-	3	-	-	2	1	7	9	6	-	20	82
18	-	82	5	1	4	6	-	1	1	1	-	2	3	5	4	4	-	13	83

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MARYLAND—Continued																
1	Montgomery	1,125	14	3	-	1	-	-	1	5	-	4	194	14	3	605	587
2	Takoma Park (part)	108	1	2	-	1	-	-	-	-	-	-	17	1	-	58	57
3	Takoma Park (total)	133	2	2	-	1	-	-	-	-	-	-	19	1	-	77	75
4	Balance of county	1,017	13	1	-	-	-	-	1	5	-	4	177	13	3	547	530
5	Prince Georges	1,062	32	8	-	-	-	-	2	1	-	2	140	16	1	554	542
6	College Park	15	-	-	-	-	-	-	-	-	-	-	2	1	-	7	7
7	Hyattsville	133	2	3	-	-	-	-	-	1	-	1	21	4	-	59	59
8	Mount Rainier	87	3	-	-	-	-	-	-	-	-	-	10	3	-	42	42
9	Takoma Park (part)	25	1	-	-	-	-	-	-	-	-	-	2	-	-	19	18
10	Balance of county	822	26	5	-	-	-	-	2	-	-	1	105	8	1	427	416
11	Queen Annes	177	5	2	-	-	-	-	-	-	-	-	26	3	-	104	98
12	St. Marys	191	9	-	-	-	-	1	-	-	-	-	25	1	-	81	74
13	Somerset	283	7	2	-	-	-	-	-	-	-	1	27	8	-	157	139
14	Talbot	262	6	-	-	-	-	-	-	-	1	-	37	5	-	156	155
15	Washington	624	17	7	-	-	-	-	-	-	-	-	119	12	1	487	478
16	Hagerstown	446	9	7	-	-	-	-	-	-	-	-	74	7	-	260	253
17	Balance of county	378	8	-	-	-	-	-	-	-	-	-	45	5	1	227	225
18	Wicomico	447	19	-	-	-	-	-	2	-	-	-	55	11	1	257	241
19	Salisbury	193	8	-	-	-	-	-	1	-	-	-	16	5	1	118	109
20	Balance of county	254	11	-	-	-	-	-	1	-	-	-	39	6	-	139	132
21	Worcester	258	12	-	-	-	-	-	-	-	-	-	34	5	1	136	127
22	MASSACHUSETTS	49,386	1,005	159	-	3	9	10	19	10	2	83	8,425	963	50	28,330	27,738
23	Barnstable	561	2	5	-	-	-	-	-	1	-	1	99	14	1	313	307
24	Barnstable (town)[2]	115	-	1	-	-	-	-	-	-	-	-	12	3	-	67	66
25	Balance of county	446	2	4	-	-	-	-	-	1	-	1	87	11	1	246	241
26	Berkshire	1,381	10	4	-	-	-	-	2	-	-	4	234	37	2	798	769
27	Pittsfield	661	3	1	-	-	-	-	2	-	-	-	109	19	2	369	361
28	Adams (town)[2]	143	4	1	-	-	-	-	-	-	-	3	29	4	-	82	79
29	North Adams	253	1	1	-	-	-	-	-	-	-	-	48	5	-	140	129
30	Balance of county	324	2	1	-	-	-	-	-	-	-	1	48	9	-	207	200
31	Bristol	4,231	105	15	-	-	1	1	2	2	-	3	701	89	2	2,525	2,467
32	Fall River	1,275	42	2	-	-	-	-	2	-	-	-	231	31	-	755	711
33	New Bedford	1,226	26	6	-	-	-	1	-	1	-	2	196	23	-	748	734
34	Taunton	452	11	2	-	-	-	-	-	-	-	-	70	8	-	277	268
35	Attleboro	260	5	1	-	-	-	-	-	-	-	-	48	3	-	166	165
36	Dartmouth (town)[2]	103	4	-	-	-	-	-	-	1	-	-	17	-	-	59	56
37	Fairhaven (town)[2]	160	2	-	-	-	-	-	-	-	-	-	28	3	-	85	82
38	North Attleborough (town)[2]	120	3	-	-	-	-	-	-	-	-	-	19	3	-	70	69
39	Balance of county	617	10	4	-	-	1	-	-	-	-	1	92	18	2	385	382
40	Dukes	62	-	1	-	-	-	-	-	-	-	-	9	2	-	40	40
41	Essex	5,914	90	11	-	-	1	3	3	-	1	9	1,020	109	8	3,494	3,399
42	Lawrence	865	13	3	-	-	1	-	1	-	-	1	134	21	1	514	500
43	Lynn	1,273	22	3	-	-	-	2	-	-	-	4	236	21	2	717	696
44	Beverly	260	4	-	-	-	-	-	-	-	-	-	45	2	1	167	167
45	Gloucester	303	6	-	-	-	-	-	-	-	-	-	49	11	-	194	190
46	Haverhill	604	5	1	-	-	-	1	-	-	-	-	102	6	1	372	359
47	Salem	635	5	-	-	-	-	-	1	-	-	1	122	13	1	327	325
48	Amesbury (town)[2]	124	-	1	-	-	-	-	-	-	-	-	24	3	-	74	73
49	Andover (town)[2]	113	1	-	-	-	-	-	-	-	-	-	21	2	-	63	61
50	Danvers (town)[2]	126	1	-	-	-	-	-	-	-	-	-	20	1	1	76	76
51	Marblehead (town)[2]	107	-	-	-	-	-	-	-	-	-	-	20	3	-	67	66
52	Methuen (town)[2]	306	4	-	-	-	-	-	-	-	-	1	47	5	-	189	183
53	Newburyport	203	1	-	-	-	-	-	-	-	-	1	30	3	-	124	121
54	Peabody	209	4	1	-	-	-	-	-	-	-	-	31	4	-	124	123
55	Saugus (town)[2]	125	1	-	-	-	-	-	-	-	-	1	20	2	1	82	81
56	Swampscott (town)[2]	79	1	1	-	-	-	-	-	-	-	-	14	2	-	47	46
57	Balance of county	573	22	1	-	-	-	-	1	-	1	-	105	10	-	347	332
58	Franklin	563	2	-	-	-	-	-	-	-	-	1	96	12	-	326	316
59	Greenfield (town)[2]	132	1	-	-	-	-	-	-	-	-	-	22	4	-	76	74
60	Balance of county	431	1	-	-	-	-	-	-	-	-	1	74	8	-	250	242
61	Hampden	3,969	58	16	-	-	-	1	-	-	-	1	655	69	5	2,255	2,214
62	Springfield	1,981	26	9	-	-	-	-	-	-	-	1	343	34	2	1,118	1,100
63	Holyoke	610	8	-	-	-	-	-	-	-	-	-	85	13	2	376	369
64	Chicopee	303	5	1	-	-	-	-	-	-	-	-	50	4	-	194	192
65	Westfield	214	4	-	-	-	-	1	-	-	-	-	41	4	-	119	116
66	West Springfield (town)[2]	105	1	-	-	-	-	-	-	-	-	-	20	1	-	66	62
67	Balance of county	756	14	6	-	-	-	-	-	-	-	-	116	13	1	382	375
68	Hampshire	980	32	8	-	-	-	1	-	1	-	1	117	17	1	603	586
69	Northampton	567	28	8	-	-	-	1	-	1	-	1	59	8	-	351	343
70	Amherst (town)[2]	50	-	-	-	-	-	-	-	-	-	-	11	-	-	28	27
71	Easthampton (town)[2]	71	2	-	-	-	-	-	-	-	-	-	7	-	-	49	48
72	South Hadley (town)[2]	78	-	-	-	-	-	-	-	-	-	-	8	7	1	46	44
73	Balance of county	214	2	-	-	-	-	-	-	-	-	-	32	4	-	129	124
74	Middlesex	9,961	144	27	-	1	-	-	3	3	-	19	1,763	212	7	5,757	5,651
75	Cambridge	1,197	29	4	-	-	-	-	-	-	-	5	223	25	1	638	630
76	Somerville	1,124	14	2	-	-	-	-	-	-	-	3	191	35	1	640	625
77	Lowell	885	21	-	-	-	-	-	1	-	-	2	147	23	1	506	496
78	Malden	691	8	2	-	-	-	-	-	-	-	1	103	19	1	428	417
79	Medford	598	8	-	-	1	-	-	-	-	-	1	106	10	-	359	353
80	Newton	811	12	4	-	-	-	-	-	2	-	2	143	15	-	465	461
81	Arlington (town)[2]	397	3	1	-	-	-	-	-	-	-	1	88	8	-	227	224
82	Belmont (town)[2]	253	2	2	-	-	-	-	1	-	-	-	49	5	-	155	152
83	Everett	357	5	2	-	-	-	-	-	-	-	-	63	5	-	203	200
84	Framingham (town)[2]	598	11	1	-	-	-	-	-	-	-	-	101	21	-	356	350
85	Melrose	372	2	3	-	-	-	-	-	-	-	-	64	9	1	221	220
86	Waltham	414	6	1	-	-	-	-	-	-	-	-	61	7	-	230	229
87	Watertown (town)[2]	325	4	-	-	-	-	-	-	-	-	1	69	3	-	182	173
88	Lexington (town)[2]	119	1	-	-	-	-	-	-	-	-	-	20	2	-	68	67

[2]Classified as urban under a special rule.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
105	1	444	28	9	18	31	7	4	8	2	7	20	4	25	33	18	2	122	1
10	-	40	6	1	1	4	3	-	-	1	-	2	1	2	1	2	-	12	2
14	-	53	7	1	2	5	3	-	-	1	-	2	1	2	2	2	-	13	3
95	1	404	22	8	17	27	4	4	8	1	7	18	3	23	32	14	2	110	4
86	-	423	29	4	12	30	2	2	12	2	6	14	5	29	49	17	8	130	5
1	-	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	6
6	-	50	3	-	-	3	1	1	-	1	2	1	1	4	4	3	-	21	7
2	-	38	2	-	-	-	1	-	1	-	-	1	-	1	1	1	-	3	8
4	-	13	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	9
73	-	318	21	4	11	26	-	1	11	1	4	12	4	24	42	12	8	102	10
15	-	77	6	-	6	4	-	2	-	-	-	1	3	6	8	4	2	7	11
25	-	43	6	-	7	13	-	1	2	-	1	6	-	8	13	4	2	24	12
45	-	80	13	1	18	9	-	4	-	-	2	1	1	8	18	3	3	32	13
27	1	111	16	-	1	6	-	2	3	1	-	3	1	3	9	3	2	24	14
90	1	357	25	5	9	21	3	2	-	2	-	13	3	12	38	10	2	75	15
41	-	200	10	2	7	8	2	1	-	1	-	7	-	5	20	4	2	39	16
49	1	157	15	3	2	13	1	1	-	1	-	6	3	7	18	6	-	36	17
50	1	170	18	2	16	13	-	3	2	-	1	-	1	17	18	9	1	37	18
25	-	78	4	2	9	5	-	2	2	-	-	-	-	9	7	4	-	15	19
25	1	92	14	-	7	8	-	1	-	-	1	-	1	8	11	5	1	22	20
14	-	108	5	2	9	9	1	3	-	-	-	1	1	7	12	1	2	33	21
5,399	63	20,393	1,607	276	592	1,140	342	178	629	73	52	524	174	544	1,865	447	59	4,291	22
85	-	205	14	3	6	12	5	2	3	-	-	7	1	12	26	3	-	54	23
23	-	37	6	-	1	1	3	1	-	-	-	1	1	4	7	1	-	13	24
62	-	168	8	3	5	11	2	1	3	-	-	6	-	8	19	2	-	41	25
131	2	594	36	6	29	24	11	4	13	7	4	10	10	26	55	14	4	108	26
70	1	271	15	4	8	10	8	4	7	4	2	6	6	17	30	7	1	54	27
6	-	68	6	1	3	4	-	-	-	1	1	-	1	1	4	2	-	6	28
26	1	98	6	-	11	7	2	-	5	1	-	1	1	4	9	2	-	26	29
29	-	161	9	1	7	3	1	-	1	1	1	3	2	4	12	3	3	22	30
491	2	1,801	159	14	58	97	33	15	31	6	3	43	14	40	151	39	5	331	31
150	2	520	35	4	24	21	13	5	8	4	1	21	3	8	38	8	-	100	32
147	-	527	56	4	14	30	7	3	11	2	-	6	3	9	38	13	1	100	33
46	-	192	28	2	9	18	-	3	2	-	1	1	3	5	22	3	-	26	34
35	-	123	6	1	1	5	5	2	1	-	-	3	1	1	9	6	-	24	35
7	-	44	5	-	3	5	2	-	2	-	-	-	-	-	1	-	-	12	36
16	-	60	5	1	3	7	1	-	2	-	-	4	2	2	2	2	4	16	37
11	-	53	4	1	1	3	1	-	-	-	-	1	1	3	5	2	-	9	38
79	-	282	20	1	3	8	4	2	5	-	1	7	1	12	16	4	-	44	39
9	-	23	8	-	-	-	-	-	-	-	-	2	-	-	3	1	-	4	40
710	4	2,426	219	40	85	128	28	30	64	3	8	74	20	63	226	54	5	472	41
94	1	372	24	9	14	15	4	2	14	-	1	16	-	15	35	13	-	61	42
151	1	488	46	10	21	33	5	9	17	1	2	15	2	6	64	6	2	104	43
32	-	124	9	2	-	4	-	2	5	-	-	3	2	2	13	4	-	15	44
36	-	157	17	-	4	5	-	1	1	-	1	2	-	5	9	2	-	17	45
97	-	243	18	1	13	10	4	2	5	-	-	8	-	11	27	5	-	44	46
55	-	235	31	4	2	13	5	3	8	-	2	14	3	2	32	7	-	76	47
14	-	53	5	1	1	1	2	2	1	1	1	2	-	-	3	-	-	9	48
9	-	44	7	1	2	3	-	1	1	-	-	4	-	3	-	3	1	10	49
16	-	56	4	-	-	3	1	1	1	-	-	3	3	-	5	2	-	8	50
11	-	50	5	-	1	2	-	-	-	-	-	1	2	1	3	2	-	6	51
41	-	128	9	5	6	6	-	1	1	-	-	2	-	3	10	2	2	33	52
30	1	82	7	1	3	7	4	1	1	-	-	1	-	5	5	-	-	20	53
27	-	88	8	2	1	6	1	1	3	1	1	-	6	3	4	2	-	17	54
27	-	48	6	-	1	4	1	-	1	-	-	-	-	1	3	-	-	8	55
11	-	29	6	-	1	2	-	2	-	-	-	1	-	-	1	1	-	7	56
59	1	251	17	4	15	14	1	2	5	-	-	2	2	6	12	5	-	37	57
71	-	212	30	3	10	8	7	1	4	1	-	7	1	11	22	6	-	58	58
21	-	45	7	1	2	1	1	-	1	-	-	-	-	1	4	2	-	19	59
50	-	167	23	2	8	7	6	1	3	1	-	7	1	10	18	4	-	39	60
412	6	1,886	88	22	41	87	27	21	52	9	8	48	21	42	150	33	4	409	61
222	3	821	42	12	18	45	15	9	23	8	3	27	16	16	68	8	1	209	62
67	-	280	17	5	7	10	1	4	16	-	-	4	-	7	31	6	-	49	63
31	1	154	5	1	2	10	1	3	5	-	-	-	-	1	5	8	-	16	64
23	-	88	4	1	3	2	2	1	1	-	-	1	1	3	14	1	-	19	65
8	1	49	4	-	4	1	-	-	-	-	-	2	-	1	5	2	-	6	66
61	1	294	16	3	7	19	8	4	7	1	5	14	4	14	27	8	3	110	67
82	-	453	47	4	17	19	8	4	8	-	-	9	10	9	39	16	2	75	68
37	-	289	35	2	8	13	2	2	5	-	-	4	8	6	24	3	2	43	69
2	-	25	-	-	1	1	-	-	-	-	-	1	1	2	3	-	-	3	70
5	-	41	-	2	1	1	1	1	-	-	-	3	-	-	1	3	-	3	71
6	-	34	4	-	2	1	3	-	2	-	-	-	-	1	2	3	-	4	72
32	-	84	8	-	5	3	2	1	1	-	-	1	1	-	9	7	-	22	73
1,184	13	4,053	336	65	106	225	71	41	137	13	7	94	24	116	368	80	8	841	74
139	2	456	40	13	8	35	14	3	15	4	1	8	1	14	52	7	1	117	75
113	2	458	48	4	15	28	6	2	12	2	3	12	3	13	34	6	2	115	76
121	-	329	42	4	10	25	2	3	23	3	2	6	9	11	30	3	1	66	77
69	-	328	17	5	11	15	4	3	11	1	-	10	3	12	21	9	-	40	78
70	1	266	10	6	6	12	5	3	11	-	-	5	-	7	19	3	-	49	79
100	2	326	25	8	4	12	6	2	8	-	-	9	1	11	42	12	-	65	80
52	-	146	21	5	3	8	4	1	3	-	-	6	-	2	13	1	1	30	81
34	1	107	9	1	3	5	3	2	1	-	-	3	1	1	4	1	-	18	82
36	2	158	4	-	3	6	6	2	6	-	-	1	1	5	12	3	-	37	83
83	-	247	19	1	6	6	2	3	14	1	-	4	2	3	26	5	1	41	84
39	1	166	14	-	1	5	2	-	2	-	-	4	-	2	22	5	1	29	85
60	-	156	8	5	1	10	4	4	13	1	1	6	-	-	16	6	-	48	86
34	1	131	5	2	9	3	1	1	2	-	-	2	-	7	13	4	-	31	87
14	-	45	7	1	1	1	2	2	2	-	-	3	2	2	2	1	-	11	88

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MASSACHUSETTS—Con.																
	Middlesex—Continued																
1	Marlborough	216	2	-	-	-	-	-	-	-	-	-	38	2	1	132	130
2	Natick (town)[2]	185	1	-	-	-	-	-	-	-	-	-	31	5	-	108	105
3	Reading (town)[2]	162	1	-	-	-	-	-	-	-	-	1	28	2	-	105	104
4	Stoneham (town)[2]	111	1	-	-	-	-	-	-	-	-	-	20	1	-	63	63
5	Wakefield (town)[2]	146	4	1	-	-	-	-	-	1	-	-	38	3	-	84	80
6	Winchester (town)[2]	120	-	1	-	-	-	-	-	-	-	-	21	1	-	78	74
7	Woburn	208	-	1	-	-	-	-	-	-	-	1	44	2	1	121	120
8	Balance of county	675	9	2	-	-	-	-	1	-	-	1	118	9	-	388	378
9	Nantucket	56	1	-	-	-	-	-	-	-	-	-	9	-	-	29	28
10	Norfolk	3,889	52	12	-	-	1	1	1	1	-	6	690	77	1	2,234	2,182
11	Brookline (town)[2]	627	2	1	-	-	-	-	1	-	-	-	110	11	-	394	386
12	Quincy	872	18	6	-	-	-	1	-	-	-	1	168	22	-	483	472
13	Weymouth (town)[2]	393	3	-	-	-	-	-	-	-	-	2	55	11	-	212	206
14	Braintree (town)[2]	183	4	-	-	-	-	-	-	-	-	-	26	2	-	111	108
15	Dedham (town)[2]	136	2	-	-	-	-	-	-	-	-	1	32	3	-	74	73
16	Milton (town)[2]	238	-	-	-	-	1	-	-	-	-	1	41	1	-	159	156
17	Needham (town)[2]	150	1	1	-	-	-	-	-	-	-	-	28	4	-	83	81
18	Norwood (town)[2]	278	2	-	-	-	-	-	-	-	-	1	43	9	-	148	145
19	Randolph (town)[2]	89	-	-	-	-	-	-	-	-	-	-	24	1	-	45	44
20	Stoughton (town)[2]	76	1	1	-	-	-	-	-	-	-	-	10	-	-	40	40
21	Wellesley (town)[2]	125	2	-	-	-	-	-	-	-	-	-	21	-	1	66	64
22	Balance of county	720	17	3	-	-	-	-	-	1	-	-	134	13	-	419	407
23	Plymouth	2,089	28	7	-	-	1	1	-	-	-	2	356	31	4	1,279	1,253
24	Brockton	817	10	3	-	-	1	-	-	-	-	1	141	16	2	486	476
25	Hingham (town)[2]	109	2	-	-	-	-	-	-	-	-	-	27	1	-	63	63
26	Middleborough (town)[2]	131	1	1	-	-	-	-	-	-	-	1	16	4	-	83	82
27	Plymouth (town)[2]	217	4	1	-	-	-	1	-	-	-	-	35	-	-	134	132
28	Balance of county	815	11	2	-	-	-	-	-	-	-	-	137	10	2	513	500
29	Suffolk	10,153	293	40	-	-	5	2	6	2	1	24	1,764	208	16	5,488	5,385
30	Boston	9,167	286	38	-	-	5	2	6	2	1	22	1,583	182	16	4,918	4,842
31	Chelsea	397	3	2	-	-	-	-	-	-	-	1	73	7	-	223	214
32	Revere	374	3	-	-	-	-	-	-	-	-	1	65	14	-	223	207
33	Winthrop (town)[2]	215	1	-	-	-	-	-	-	-	-	-	43	5	-	124	122
34	Worcester	5,577	192	13	-	2	-	-	2	-	-	12	912	86	3	3,199	3,141
35	Worcester	2,370	40	10	-	2	-	-	2	-	-	5	406	35	1	1,384	1,363
36	Fitchburg	457	4	-	-	-	-	-	-	-	-	-	77	6	-	267	263
37	Athol (town)[2]	138	2	-	-	-	-	-	-	-	-	1	22	1	-	74	73
38	Clinton (town)[2]	154	3	-	-	-	-	-	-	-	-	-	24	2	-	97	97
39	Gardner	201	2	-	-	-	-	-	-	-	-	-	38	2	-	119	116
40	Leominster	248	3	-	-	-	-	-	-	-	-	1	46	5	-	128	125
41	Milford (town)[2]	183	2	-	-	-	-	-	-	-	-	1	23	1	1	122	117
42	Northbridge (town)[2]	97	-	-	-	-	-	-	-	-	-	1	15	2	-	55	54
43	Southbridge (town)[2]	182	1	1	-	-	-	-	-	-	-	-	34	5	-	104	104
44	Webster (town)[2]	149	3	-	-	-	-	-	-	-	-	1	31	3	-	90	88
45	Balance of county	1,399	132	2	-	-	-	-	-	-	-	2	196	24	1	759	743
46	MICHIGAN	57,743	1,268	329	4	20	2	27	30	127	28	133	8,733	1,398	77	29,996	29,142
47	Alcona	63	1	-	-	-	-	-	-	-	-	-	9	6	-	31	31
48	Alger	110	2	2	-	-	-	-	-	-	-	-	16	2	-	45	42
49	Allegan	495	5	1	-	-	-	-	-	1	-	-	75	13	1	284	279
50	Alpena	239	5	-	-	-	-	-	1	5	-	2	41	9	-	115	111
51	Alpena	147	3	-	-	-	-	-	-	2	-	1	26	7	-	78	77
52	Balance of county	92	2	-	-	-	-	-	1	3	-	1	15	2	-	37	34
53	Antrim	148	4	-	-	-	-	1	-	-	-	1	19	3	-	82	80
54	Arenac	95	3	1	-	-	-	-	-	-	-	-	16	1	-	56	55
55	Baraga	107	3	-	-	-	-	-	-	-	-	1	9	3	-	55	54
56	Barry	272	2	3	-	-	-	-	-	-	-	1	42	6	-	157	151
57	Bay	830	11	-	-	-	-	-	-	1	-	2	131	20	2	429	416
58	Bay City	562	8	-	-	-	-	-	-	-	-	1	94	13	1	289	277
59	Balance of county	268	3	-	-	-	-	-	-	1	-	1	37	7	1	140	139
60	Benzie	95	-	-	-	-	-	-	-	-	-	-	8	5	-	65	64
61	Berrien	1,178	12	8	1	-	-	-	1	-	-	2	171	15	2	617	594
62	Benton Harbor	253	6	2	1	-	-	-	-	-	-	1	33	1	2	135	132
63	Niles	141	2	1	-	-	-	-	1	-	-	-	17	3	-	76	74
64	St. Joseph	118	-	1	-	-	-	-	-	-	-	-	20	2	-	87	86
65	Balance of county	666	4	4	-	-	-	-	-	-	-	1	101	9	-	339	322
66	Branch	343	2	-	-	-	-	-	-	3	-	-	36	9	-	214	211
67	Calhoun	1,209	9	9	-	-	-	-	-	2	-	2	157	31	-	640	630
68	Battle Creek	575	4	3	-	-	-	-	-	1	-	-	70	12	-	319	314
69	Albion	115	2	3	-	-	-	-	-	-	-	-	23	-	-	57	57
70	Balance of county	519	3	3	-	-	-	-	-	1	-	2	64	19	-	264	259
71	Cass	315	5	1	-	-	-	1	-	-	1	2	47	4	1	164	161
72	Charlevoix	176	1	2	-	-	-	-	-	-	-	-	21	7	-	102	100
73	Cheboygan	147	2	2	-	-	-	-	1	1	-	-	13	2	-	81	81
74	Chippewa	290	5	2	-	-	-	-	-	-	-	-	41	6	-	150	143
75	Sault Ste. Marie	180	4	1	-	-	-	-	-	-	-	-	28	4	-	96	90
76	Balance of county	110	1	1	-	-	-	-	-	-	-	-	13	2	-	54	53
77	Clare	111	-	-	-	-	-	-	-	-	-	-	18	2	-	59	56
78	Clinton	302	3	1	-	-	-	-	-	-	-	1	38	7	1	170	165
79	Crawford	34	-	-	-	-	-	-	-	-	-	-	7	-	-	14	14
80	Delta	397	6	-	-	1	-	-	-	-	-	-	72	12	-	212	210
81	Escanaba	196	3	-	-	1	-	-	-	-	-	-	39	7	-	102	101
82	Balance of county	201	3	-	-	-	-	-	-	-	-	-	33	5	-	110	109
83	Dickinson	240	6	-	-	-	-	-	-	1	-	-	45	9	1	130	126
84	Eaton	440	-	3	-	-	-	-	-	2	-	4	61	13	1	226	216
85	Emmet	203	5	3	-	-	-	-	-	-	-	-	26	8	-	121	120

[2]Classified as urban under a special rule.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
30	-	96	2	2	2	10	-	1	1	-	-	3	-	3	5	1	-	19	1
25	-	64	14	2	3	7	1	2	1	-	-	1	-	3	12	-	-	13	2
24	-	74	6	-	1	5	-	1	-	-	-	-	-	1	1	2	-	15	3
18	-	44	1	-	-	4	1	-	1	-	-	1	-	5	4	-	-	10	4
13	-	60	5	2	4	-	1	2	1	-	-	2	-	-	4	1	-	6	5
11	-	61	2	-	4	5	1	1	-	-	-	1	-	-	3	2	-	6	6
24	-	85	9	2	1	4	4	-	2	-	-	1	1	1	5	-	-	18	7
75	1	272	28	2	10	19	2	3	8	1	-	6	-	13	28	8	1	57	8
4	-	20	4	-	1	3	-	-	1	-	-	-	1	1	5	1	-	5	9
423	7	1,581	150	21	52	66	19	12	46	8	4	56	19	53	152	35	3	340	10
61	2	296	24	3	8	8	4	4	1	-	-	5	1	4	25	3	-	53	11
97	1	339	29	6	11	7	2	2	17	2	-	13	9	9	27	8	-	78	12
34	1	155	14	2	6	4	3	2	4	-	2	5	1	14	28	4	-	43	13
18	-	83	5	2	3	2	-	-	3	-	-	3	-	1	11	-	-	20	14
8	1	57	7	-	1	5	2	-	3	-	-	3	-	-	1	1	-	8	15
31	1	115	8	1	3	3	1	-	1	-	-	1	2	1	6	4	-	16	16
18	1	55	6	1	2	3	1	-	-	-	1	1	-	-	5	2	-	20	17
39	-	94	10	2	3	5	2	3	9	-	-	6	1	11	12	1	1	24	18
7	-	34	3	-	1	-	-	-	1	-	1	1	1	-	6	-	-	8	19
7	-	27	2	4	-	3	-	-	-	-	-	3	-	5	2	3	-	10	20
15	-	40	9	-	2	6	-	-	1	-	-	3	1	-	6	5	1	12	21
89	-	286	33	-	12	20	4	1	6	6	2	12	3	8	23	4	1	45	22
271	2	892	79	9	26	45	18	5	22	2	2	22	7	24	68	15	2	148	23
109	1	332	29	5	10	17	9	2	12	-	2	6	3	6	19	6	-	75	24
10	-	48	5	-	-	-	1	-	-	-	-	2	-	1	3	-	1	8	25
20	-	55	6	1	1	1	-	-	2	-	-	-	-	5	6	2	-	9	26
28	-	99	4	1	2	7	-	2	4	-	-	1	2	4	10	1	-	11	27
104	1	358	35	2	13	20	8	1	4	2	-	13	2	8	30	6	1	45	28
947	21	4,085	277	55	103	286	77	25	188	15	12	103	21	101	398	101	20	977	29
844	21	3,683	241	53	76	239	71	22	176	13	12	91	17	92	378	84	16	897	30
38	-	162	13	1	9	13	1	1	6	1	-	4	-	3	10	6	4	39	31
42	-	151	13	1	16	9	2	2	4	1	-	4	1	4	7	6	-	28	32
23	-	89	10	-	2	5	3	-	2	-	-	4	3	2	5	5	-	13	33
579	6	2,362	160	34	58	160	38	18	60	9	4	48	25	46	222	50	6	469	34
215	3	1,059	74	12	21	80	20	7	28	2	1	17	13	8	86	11	2	209	35
50	-	198	13	2	4	11	2	3	3	1	-	4	2	4	20	3	-	50	36
8	-	60	5	-	1	6	2	1	1	-	-	1	-	1	8	3	-	15	37
19	1	68	6	3	-	4	-	1	1	-	-	1	1	1	9	-	-	10	38
29	-	79	5	3	3	9	1	-	2	-	-	3	-	2	5	2	-	16	39
31	-	87	5	2	3	2	1	2	5	4	1	6	-	5	12	5	-	22	40
26	-	86	5	-	5	7	2	-	2	-	-	-	1	1	5	2	-	13	41
10	-	37	6	1	1	-	1	-	-	-	-	2	-	-	2	2	1	16	42
16	-	81	3	4	-	8	2	-	3	-	1	1	1	4	7	1	-	9	43
15	1	67	2	1	4	3	-	-	-	-	-	1	-	1	3	-	-	13	44
160	1	540	36	6	16	30	7	4	14	2	1	13	7	19	65	21	3	96	45
6,463	78	20,526	1,780	295	854	1,546	400	241	591	137	87	946	416	1,692	2,127	700	246	6,442	46
5	1	24	1	-	-	3	2	-	-	-	-	-	-	3	1	-	1	6	47
10	1	30	1	-	3	3	1	1	-	1	-	-	5	1	11	2	-	18	48
73	1	175	29	1	5	9	5	1	1	-	-	5	7	17	19	4	1	46	49
26	-	79	4	2	4	3	1	1	3	2	-	3	1	9	7	3	-	28	50
17	-	56	3	1	1	1	-	-	3	2	-	2	-	3	4	1	-	14	51
9	-	23	1	1	3	2	1	1	-	-	-	1	1	6	3	2	-	14	52
18	1	58	3	-	2	6	1	-	1	1	-	5	3	3	6	1	1	10	53
10	-	45	-	-	1	4	-	-	-	-	-	-	-	1	1	2	-	10	54
17	-	37	-	-	1	-	2	-	-	1	-	2	8	-	9	-	-	14	55
26	-	113	11	1	6	7	1	-	1	-	-	7	2	7	13	3	-	20	56
90	-	299	20	7	13	29	6	3	9	1	-	15	8	26	36	10	3	88	57
60	-	198	12	7	12	21	6	2	6	1	-	11	4	13	22	5	-	65	58
30	-	101	8	-	1	8	-	1	3	-	-	4	4	13	14	5	3	23	59
14	-	47	1	2	1	1	-	-	-	-	-	-	-	3	-	1	-	12	60
156	2	394	33	9	23	30	11	4	11	4	3	19	8	38	62	12	8	139	61
37	-	91	3	1	3	6	1	-	3	-	1	4	-	4	15	2	3	33	62
20	-	45	8	1	2	4	-	-	3	-	-	-	2	6	12	2	1	11	63
17	-	42	6	1	1	2	1	-	-	-	-	2	4	3	1	1	-	14	64
82	2	216	16	6	17	18	9	4	5	4	2	13	2	25	34	7	4	81	65
61	1	128	21	-	3	4	1	4	1	1	-	2	3	9	12	5	1	36	66
152	1	426	45	6	10	38	10	3	12	2	2	16	16	54	57	16	5	128	67
77	-	219	16	2	5	15	5	2	7	2	1	9	4	22	20	7	4	68	68
10	-	44	3	-	-	6	1	-	2	-	-	-	2	5	6	-	-	8	69
65	1	163	26	4	5	17	4	1	3	-	1	7	10	27	31	9	1	52	70
43	-	106	11	1	3	14	1	5	3	-	-	3	4	8	12	2	-	37	71
10	-	78	9	3	2	2	2	-	-	-	-	1	1	7	4	-	-	26	72
22	-	54	5	-	-	3	-	1	1	1	-	1	-	7	7	-	-	24	73
31	-	106	6	-	7	10	1	4	1	-	2	7	5	5	12	2	-	37	74
17	-	68	5	-	6	2	1	3	1	-	2	6	1	1	7	2	-	21	75
14	-	38	1	-	1	8	-	1	-	-	-	1	4	4	5	-	-	16	76
12	-	39	4	1	3	4	-	-	1	-	-	2	2	4	7	-	1	11	77
43	1	110	9	2	5	13	1	2	2	1	1	2	2	15	14	3	-	25	78
3	-	10	1	-	-	2	-	-	1	-	-	3	-	-	2	2	-	3	79
58	-	147	5	-	2	13	-	-	5	-	-	4	2	10	21	-	-	39	80
34	-	66	1	-	1	6	-	-	2	-	-	2	1	2	11	-	-	20	81
24	-	81	4	-	1	7	-	-	3	-	-	2	1	8	10	-	-	19	82
26	-	92	7	1	4	7	3	-	2	-	-	3	1	4	5	4	-	19	83
54	-	140	19	3	10	11	5	2	2	1	-	7	14	9	15	5	-	59	84
10	-	104	5	1	1	4	-	-	1	-	1	4	1	3	4	1	1	20	85

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MICHIGAN—Continued																
1	Genesee	2,177	27	16	-	2	1	2	-	3	-	7	312	44	7	1,120	1,098
2	Flint	1,440	21	11	-	2	1	1	-	3	-	4	216	31	4	733	716
3	Balance of county	737	6	5	-	-	-	1	-	-	-	3	96	13	3	387	382
4	Gladwin	87	-	-	-	-	-	-	-	-	-	-	11	3	-	53	52
5	Gogebic	331	10	2	-	-	-	-	-	1	-	-	47	5	-	171	171
6	Ironwood	150	3	-	-	-	-	-	-	-	-	-	24	3	-	85	85
7	Balance of county	181	7	2	-	-	-	-	-	1	-	-	23	2	-	86	86
8	Grand Traverse	259	1	1	-	-	-	-	-	1	-	-	42	5	-	139	139
9	Traverse City	150	1	1	-	-	-	-	-	-	-	-	26	2	-	80	80
10	Balance of county	108	-	-	-	-	-	-	-	1	-	-	16	3	-	59	59
11	Gratiot	380	1	1	-	1	-	-	-	-	-	-	49	8	-	218	211
12	Hillsdale	398	2	2	-	-	-	-	-	1	-	1	54	13	2	216	212
13	Houghton	582	9	2	-	-	-	-	-	1	-	1	106	15	-	333	322
14	Huron	296	1	-	-	-	-	-	-	-	1	3	39	1	-	173	167
15	Ingham	1,403	8	7	1	-	-	-	2	8	2	5	208	27	1	786	758
16	Lansing	849	3	5	1	-	-	-	1	3	2	2	123	13	1	494	478
17	East Lansing	62	-	-	-	-	-	-	-	-	-	1	9	-	-	26	25
18	Balance of county	492	3	2	-	-	-	-	1	5	-	2	76	14	-	266	255
19	Ionia	434	2	2	-	-	-	-	-	-	2	1	53	13	-	253	247
20	Iosco	115	-	2	-	-	-	2	-	2	-	-	19	2	-	53	52
21	Iron	198	6	1	-	-	-	-	-	-	-	-	36	2	-	93	91
22	Isabella	271	3	1	-	-	-	-	2	-	-	-	41	7	-	150	141
23	Mount Pleasant	80	-	1	-	-	-	-	-	-	-	-	11	2	-	45	43
24	Balance of county	191	3	-	-	-	-	-	2	-	-	-	30	5	-	105	98
25	Jackson	1,090	12	8	-	-	-	1	-	3	1	1	166	30	-	600	588
26	Jackson	640	7	4	-	-	-	-	-	3	-	-	108	18	-	339	332
27	Balance of county	450	5	4	-	-	-	1	-	-	1	1	58	12	-	261	256
28	Kalamazoo	1,147	9	5	1	-	-	-	-	-	1	1	168	27	-	664	653
29	Kalamazoo	647	7	3	1	-	-	-	-	-	1	1	91	15	-	370	367
30	Balance of county	500	2	2	-	-	-	-	-	-	-	-	77	12	-	294	286
31	Kalkaska	49	-	-	-	-	-	-	-	-	-	-	3	1	-	36	34
32	Kent	2,789	28	15	-	-	-	1	1	2	2	7	488	70	1	1,566	1,536
33	Grand Rapids	1,920	23	13	-	-	-	1	1	2	2	4	341	53	1	1,066	1,049
34	Balance of county	869	5	2	-	-	-	-	-	-	-	3	147	17	-	500	487
35	Keweenaw	44	1	-	-	-	-	-	-	-	-	-	4	-	-	21	20
36	Lake	65	3	-	-	-	-	-	-	-	-	-	7	2	-	33	31
37	Lapeer	345	4	1	-	-	1	1	-	1	1	-	52	9	1	198	191
38	Leelanau	97	4	-	-	-	-	-	-	1	-	-	14	3	-	58	58
39	Lenawee	679	8	3	-	1	-	-	-	1	-	3	89	14	1	351	332
40	Adrian	198	3	1	-	-	-	-	-	-	-	2	24	3	-	108	100
41	Balance of county	481	5	2	-	1	-	-	-	1	-	1	65	11	1	243	232
42	Livingston	286	2	-	-	-	-	-	-	-	-	2	46	4	-	157	156
43	Luce	64	-	-	-	-	-	-	-	-	-	-	6	1	1	38	37
44	Mackinac	107	6	1	-	-	-	-	-	-	-	-	16	6	-	51	48
45	Macomb	1,334	16	6	-	1	-	-	3	6	-	4	216	35	1	663	644
46	East Detroit	118	2	-	-	-	-	-	-	5	-	-	22	3	-	43	42
47	Mount Clemens	207	4	2	-	-	-	-	1	1	-	-	28	9	-	104	101
48	Roseville	120	3	-	-	-	-	-	1	-	-	2	20	-	1	56	54
49	St. Clair Shores	123	1	1	-	-	-	-	1	-	-	1	16	4	-	58	57
50	Balance of county	766	6	3	-	1	-	-	-	-	-	1	130	19	-	402	390
51	Manistee	244	1	1	-	-	-	-	-	-	1	2	23	8	-	152	151
52	Marquette	498	9	-	-	-	-	-	-	-	-	2	70	13	-	269	266
53	Marquette	169	-	-	-	-	-	-	-	-	-	-	20	1	-	93	92
54	Balance of county	327	9	-	-	-	-	-	-	-	-	2	50	12	-	176	174
55	Mason	229	2	1	-	-	-	-	-	-	-	-	39	7	-	137	135
56	Mecosta	226	3	1	-	-	-	-	-	-	-	-	34	9	-	132	130
57	Menominee	238	4	2	-	-	-	-	-	-	-	-	40	7	-	123	121
58	Menominee	103	1	1	-	-	-	-	-	-	-	-	16	4	-	51	50
59	Balance of county	135	3	1	-	-	-	-	-	-	-	-	24	3	-	72	71
60	Midland	235	2	1	-	-	-	-	-	2	-	1	32	3	1	112	108
61	Midland	103	-	-	-	-	-	-	-	-	-	-	15	3	1	47	46
62	Balance of county	132	2	1	-	-	-	-	-	2	-	1	17	-	-	65	62
63	Missaukee	79	-	-	-	-	-	-	-	-	-	-	15	-	-	45	44
64	Monroe	635	12	4	-	-	-	-	-	1	-	1	104	21	2	309	301
65	Monroe	221	5	1	-	-	-	-	-	-	-	-	39	6	-	103	100
66	Balance of county	414	7	3	-	-	-	-	-	1	-	1	65	15	2	206	201
67	Montcalm	365	2	-	-	-	-	-	-	1	-	-	47	8	-	193	187
68	Montmorency	42	-	-	-	-	-	-	-	-	-	-	6	1	-	23	22
69	Muskegon	1,048	18	6	1	-	-	1	-	5	-	2	143	25	4	545	524
70	Muskegon	521	12	3	-	-	-	1	-	1	-	-	76	13	1	279	267
71	Muskegon Heights	151	3	1	-	-	-	-	-	3	-	-	20	5	1	77	72
72	Balance of county	376	3	2	1	-	-	-	-	1	-	2	47	7	2	199	185
73	Newaygo	228	4	-	-	-	-	-	-	-	-	-	35	5	-	129	125
74	Oakland	2,773	44	14	-	2	-	1	2	13	2	10	422	67	3	1,380	1,359
75	Pontiac	600	12	3	-	-	-	-	-	3	1	2	85	15	-	290	283
76	Ferndale	219	8	-	-	-	-	-	1	-	-	1	25	4	-	123	122
77	Royal Oak	318	1	1	-	-	-	-	-	3	1	-	52	7	-	162	160
78	Berkley	78	2	-	-	1	-	-	-	-	-	-	15	3	-	33	33
79	Birmingham	139	1	-	-	-	-	-	-	-	-	-	17	6	-	75	74
80	Hazel Park	83	1	2	-	-	-	-	-	1	-	-	10	1	-	33	33
81	Balance of county	1,336	19	8	-	1	-	1	1	6	-	7	218	31	3	664	654
82	Oceana	203	-	1	-	-	-	-	-	-	-	1	27	9	-	108	104
83	Ogemaw	108	3	-	-	-	-	-	1	-	-	-	15	2	1	68	62
84	Ontonagon	116	-	2	-	-	-	-	-	-	-	1	13	4	-	67	63
85	Osceola	171	-	-	-	-	-	-	-	-	-	1	16	5	-	103	94
86	Oscoda	24	-	-	-	-	-	-	-	-	-	-	4	1	-	10	10
87	Otsego	51	-	1	-	-	-	-	-	-	-	-	3	-	-	31	30
88	Ottawa	620	4	2	-	1	-	-	-	1	-	2	91	15	-	348	335
89	Holland	144	-	-	-	-	-	-	-	-	-	1	26	1	-	83	80
90	Balance of county	476	4	2	-	1	-	-	-	1	-	1	65	14	-	265	255

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
217	6	749	116	10	22	65	17	6	28	6	-	39	20	78	63	23	5	286	1
147	5	487	69	8	17	41	14	3	22	2	-	29	13	42	42	15	4	186	2
70	1	262	47	2	5	24	3	3	6	4	-	10	7	36	21	8	1	100	3
16	-	32	4	-	1	1	1	-	-	-	-	-	1	1	4	5	1	6	4
48	1	114	6	2	-	6	2	1	2	-	-	5	17	6	18	9	-	29	5
22	-	58	4	1	-	2	1	-	2	-	-	4	4	-	5	3	-	14	6
26	1	56	2	1	-	4	1	1	-	-	-	1	13	6	13	6	-	15	7
27	-	101	10	1	-	7	1	2	-	-	-	4	2	6	14	7	-	26	8
15	-	57	7	1	-	4	1	2	-	-	-	3	1	2	9	4	-	14	9
12	-	44	3	-	-	3	-	-	-	-	-	1	1	4	5	3	-	12	10
44	1	149	13	4	7	7	3	1	3	2	-	9	7	11	13	8	2	38	11
67	1	122	22	-	4	15	3	-	2	-	2	1	4	14	22	8	1	35	12
77	2	228	17	-	11	8	1	1	2	-	-	4	11	5	28	5	-	50	13
40	-	117	9	1	6	2	2	3	4	1	1	5	3	12	6	3	-	36	14
177	-	500	73	8	28	19	14	2	9	5	3	32	4	49	41	15	2	155	15
117	-	318	37	6	16	9	9	-	7	3	-	24	3	28	26	8	1	83	16
6	-	13	6	-	1	-	1	-	-	-	1	1	-	6	1	-	-	16	17
54	-	189	30	2	11	10	4	2	2	2	2	7	1	15	14	7	1	56	18
60	-	188	17	2	6	16	6	-	2	1	-	5	6	9	23	2	1	37	19
6	-	40	6	-	1	7	1	-	-	-	-	1	4	3	6	4	-	9	20
19	-	68	4	-	2	7	2	1	3	-	-	1	5	4	5	4	-	28	21
32	1	88	19	1	9	5	1	-	1	-	-	4	2	6	7	2	1	38	22
11	-	30	2	-	2	3	-	-	1	-	-	1	1	2	4	-	1	8	23
21	1	58	17	1	7	2	1	-	-	-	-	3	1	4	3	2	-	30	24
125	-	392	62	9	12	24	9	3	11	4	3	5	8	28	43	7	2	121	25
75	-	213	38	6	7	17	5	3	8	3	2	1	6	14	27	3	2	72	26
50	-	179	24	3	5	7	4	-	3	1	1	4	3	14	16	5	-	49	27
149	-	443	54	7	11	15	11	10	7	1	1	19	5	36	33	12	3	118	28
84	-	248	32	3	3	9	6	8	4	-	1	10	2	17	20	6	2	71	29
65	-	185	22	4	8	6	3	2	3	1	-	9	3	19	13	6	1	47	30
12	-	21	1	-	2	3	1	-	1	-	-	1	-	1	1	1	-	-	31
374	-	1,062	89	11	30	62	15	14	19	8	2	36	17	59	69	28	4	255	32
262	-	716	63	8	17	45	8	7	14	6	-	24	13	34	60	19	4	179	33
112	-	346	26	3	13	17	7	7	5	2	2	12	4	25	29	9	-	76	34
3	-	15	2	-	1	1	-	1	-	-	-	-	8	1	7	-	-	-	35
7	-	23	1	-	2	5	-	-	-	-	-	-	-	4	7	1	-	3	36
40	-	126	24	1	7	8	2	-	-	-	1	8	1	8	11	7	1	29	37
11	-	45	2	-	-	2	-	-	2	-	-	-	-	2	5	3	-	3	38
86	-	217	29	-	19	15	6	2	3	1	1	12	29	27	33	12	2	65	39
30	-	62	8	-	8	1	-	-	1	-	-	6	14	10	7	1	-	17	40
56	-	155	21	-	11	14	6	2	2	1	1	6	15	17	26	11	2	48	41
42	-	106	7	1	1	6	1	-	3	-	-	2	1	16	13	3	1	29	42
7	-	28	2	-	1	4	-	-	1	-	-	-	2	1	1	-	-	9	43
12	-	34	2	-	3	1	-	1	-	-	-	-	2	5	3	1	-	14	44
149	2	461	25	7	19	35	5	13	15	3	2	29	14	49	47	16	4	151	45
6	-	34	1	1	1	3	1	3	3	-	-	3	-	6	2	1	-	21	46
22	-	73	4	2	3	4	-	-	4	1	1	3	6	7	5	2	-	25	47
18	1	33	2	-	2	6	1	-	1	-	1	5	-	5	1	1	-	16	48
15	-	40	-	2	1	2	-	1	1	-	-	3	-	2	10	3	1	18	49
88	1	281	18	2	12	20	3	9	6	2	-	15	8	29	29	9	3	71	50
35	-	113	3	-	1	7	1	1	2	1	1	4	-	3	7	5	2	22	51
70	1	186	8	1	3	6	3	2	7	1	-	9	7	15	16	8	2	57	52
30	1	59	2	-	1	3	2	-	1	-	-	6	-	8	8	2	2	23	53
40	-	127	6	1	2	3	1	2	6	1	-	3	7	7	8	6	-	34	54
26	-	104	5	-	2	6	1	2	1	-	-	6	1	-	14	1	-	11	55
23	1	96	10	-	2	4	1	1	1	-	-	2	2	4	7	1	-	24	56
29	1	83	7	1	2	9	4	-	3	-	2	4	-	3	10	3	1	23	57
8	1	39	2	-	1	5	1	-	2	-	-	2	-	2	5	-	-	13	58
21	-	44	5	1	1	4	3	-	1	-	2	2	-	1	5	3	1	10	59
21	-	83	4	-	4	6	1	2	-	-	-	4	3	13	20	4	-	28	60
10	-	35	1	-	1	2	1	-	-	-	-	2	-	5	11	3	-	13	61
11	-	48	3	-	3	4	-	2	-	-	-	2	3	8	9	1	-	15	62
9	-	31	3	1	1	-	-	-	1	-	-	1	-	4	3	-	-	10	63
61	1	207	25	7	8	26	4	1	4	3	2	8	1	27	28	10	-	88	64
25	-	63	8	4	3	5	2	-	2	-	1	1	-	7	8	6	-	35	65
38	1	144	17	3	5	20	2	1	2	3	1	7	1	20	20	4	-	33	66
51	2	120	11	3	6	14	2	5	1	3	-	3	7	11	16	6	1	45	67
6	-	15	1	-	1	3	-	-	-	-	-	-	-	-	4	1	-	4	68
107	-	378	33	6	21	31	6	10	7	1	1	17	6	29	44	21	3	122	69
56	-	187	20	4	12	15	3	7	4	-	-	10	1	9	20	11	2	53	70
18	-	51	3	-	5	5	-	-	-	1	-	1	1	8	4	2	-	19	71
33	-	140	10	2	4	11	3	3	3	-	1	6	4	12	20	8	1	50	72
35	-	85	3	2	4	10	1	1	2	-	-	4	1	5	7	2	1	21	73
299	1	934	105	20	21	58	18	15	22	6	5	65	10	128	106	34	10	336	74
57	-	205	16	7	7	13	4	4	9	1	-	13	-	35	24	7	4	75	75
29	-	86	6	1	1	3	2	-	-	-	2	3	-	7	4	3	1	32	76
32	-	114	12	2	2	7	1	-	3	1	1	11	3	9	14	2	2	37	77
6	-	23	2	2	-	2	1	-	-	-	1	3	-	2	2	1	-	12	78
20	-	49	4	1	1	2	-	2	1	-	-	-	1	9	5	3	-	17	79
7	-	24	1	1	-	3	-	1	1	-	-	3	1	5	4	2	1	14	80
148	1	435	64	6	10	28	10	8	8	4	1	32	5	61	53	16	2	149	81
31	-	56	15	2	4	3	1	-	3	2	-	2	-	5	17	2	-	22	82
20	-	42	-	-	6	1	-	-	-	-	-	1	2	1	2	1	-	10	83
24	-	35	3	1	4	1	1	1	-	-	1	-	-	1	9	3	-	12	84
19	1	64	8	2	9	7	1	1	2	-	-	-	1	5	5	3	2	19	85
4	-	6	-	-	-	-	-	-	1	-	-	1	-	1	4	-	-	2	86
9	-	20	-	1	1	2	-	-	1	-	-	-	-	2	2	2	-	7	87
80	-	236	17	2	13	16	6	2	4	3	1	11	4	29	24	8	-	48	88
26	-	48	5	1	3	5	2	-	2	1	-	3	1	4	5	3	-	7	89
54	-	188	12	1	10	11	4	2	2	2	1	8	3	25	18	5	-	41	90

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MICHIGAN—Continued																
1	Presque Isle	95	1	-	-	-	-	-	-	1	-	-	14	-	-	51	50
2	Roscommon	62	-	-	-	-	-	-	-	-	-	-	11	2	-	37	37
3	Saginaw	1,467	19	5	-	2	-	3	2	9	-	2	212	33	-	777	752
4	Saginaw	927	12	2	-	1	-	3	1	9	-	-	138	22	-	490	475
5	Balance of county	540	7	3	-	1	-	-	1	-	-	2	74	11	-	287	277
6	St. Clair	980	7	1	-	-	-	2	-	1	-	2	129	28	1	550	537
7	Port Huron	425	5	-	-	-	-	-	-	-	-	1	53	15	-	235	231
8	Balance of county	555	2	1	-	-	-	2	-	1	-	1	76	11	1	315	306
9	St. Joseph	396	6	2	-	-	-	-	-	-	1	-	53	11	-	205	200
10	Sanilac	340	-	-	-	-	-	-	-	-	-	1	35	10	1	196	188
11	Schoolcraft	114	1	-	-	-	-	-	-	1	-	-	10	5	-	51	48
12	Shiawassee	511	3	1	-	-	-	-	1	3	-	1	66	9	-	271	261
13	Owosso	185	2	1	-	-	-	-	-	2	-	1	22	-	-	101	98
14	Balance of county	326	1	-	-	-	-	-	1	1	-	-	44	9	-	170	163
15	Tuscola	361	2	-	-	-	-	-	-	-	-	2	52	2	-	201	195
16	Van Buren	493	-	2	-	2	-	1	-	-	-	2	71	9	1	294	287
17	Washtenaw	975	15	3	-	-	-	-	-	1	1	-	132	19	2	498	487
18	Ann Arbor	325	6	1	-	-	-	-	-	-	-	-	47	5	-	172	167
19	Ypsilanti	174	3	-	-	-	-	-	-	-	-	-	28	4	-	85	84
20	Balance of county	476	6	2	-	-	-	-	-	1	1	-	57	10	2	241	236
21	Wayne	20,735	851	162	-	7	-	10	13	40	12	46	3,326	514	37	10,058	9,724
22	Detroit	16,756	745	142	-	6	-	7	11	27	7	33	2,672	424	31	8,179	7,907
23	Dearborn	659	16	2	-	-	-	-	-	4	3	1	119	14	3	329	318
24	Hamtramck	376	13	1	-	-	-	-	-	-	-	2	62	9	1	170	160
25	Highland Park	459	7	1	-	-	-	-	-	-	-	-	76	11	-	255	249
26	Lincoln Park	153	2	1	-	-	-	-	1	-	-	-	26	6	1	66	65
27	Wyandotte	302	9	1	-	-	-	-	-	3	-	-	45	8	-	148	145
28	Allen Park	47	1	-	-	-	-	-	-	-	-	-	3	1	-	26	26
29	Ecorse	138	6	3	-	-	-	-	-	1	-	-	12	3	-	64	63
30	Grosse Pointe Park	97	2	2	-	-	-	-	-	-	1	1	17	1	-	57	56
31	Grosse Pointe Woods	44	1	-	-	-	-	-	-	1	-	-	10	2	-	21	21
32	Inkster	121	9	-	-	-	-	-	-	-	-	2	17	2	-	53	50
33	Livonia	39	-	1	-	-	-	-	-	1	-	1	9	2	-	14	13
34	River Rouge	162	11	1	-	-	-	-	-	-	-	-	31	0	-	65	63
35	Balance of county	1,372	29	7	-	1	-	3	1	3	1	6	227	23	1	611	588
36	Wexford	220	2	3	-	-	-	-	-	1	-	-	32	8	-	110	106
37	Cadillac	122	1	2	-	-	-	-	-	-	-	-	20	4	-	62	60
38	Balance of county	98	1	1	-	-	-	-	-	1	-	-	12	4	-	48	46
39	MINNESOTA	28,020	336	114	1	4	10	12	15	21	10	55	4,390	506	29	15,228	14,965
40	Aitkin	159	-	2	-	-	-	-	-	-	-	-	17	1	-	95	94
41	Anoka	206	2	-	-	-	-	-	-	1	-	1	33	7	1	94	92
42	Becker	248	5	2	-	-	-	-	-	-	1	-	40	2	-	130	128
43	Beltrami	259	8	2	-	1	-	-	-	-	-	1	24	8	-	130	125
44	Bemidji	123	1	2	-	-	-	-	-	-	-	1	13	3	-	68	64
45	Balance of county	136	7	-	-	1	-	-	-	-	-	-	11	5	-	62	61
46	Benton	134	1	-	-	-	-	-	-	-	-	-	10	1	-	78	76
47	St. Cloud (part)	24	1	-	-	-	-	-	-	-	-	-	5	-	-	8	8
48	Balance of county	110	-	-	-	-	-	-	-	-	-	-	5	1	-	70	68
49	Big Stone	98	1	-	-	-	-	-	-	-	-	-	15	1	-	54	54
50	Blue Earth	352	-	-	-	-	-	-	-	1	-	1	45	6	1	198	195
51	Mankato	180	-	-	-	-	-	-	-	-	-	-	21	3	1	111	110
52	Balance of county	172	-	-	-	-	-	-	-	1	-	1	24	3	-	87	85
53	Brown	242	4	1	-	-	-	1	-	-	-	-	31	10	-	126	124
54	Carlton	230	3	3	-	-	-	-	-	2	-	1	33	8	-	123	122
55	Carver	187	3	-	-	-	-	-	-	-	-	-	26	4	-	107	106
56	Cass	165	2	2	-	-	1	-	-	-	-	-	19	-	1	97	95
57	Chippewa	143	1	-	-	-	-	1	-	-	-	-	26	4	-	68	66
58	Chisago	173	3	1	-	-	1	-	-	-	-	-	12	2	-	111	110
59	Clay	239	4	-	-	-	-	-	-	-	-	-	30	2	-	126	126
60	Moorhead	111	2	-	-	-	-	-	-	-	-	-	16	1	-	57	57
61	Balance of county	128	2	-	-	-	-	-	-	-	-	-	14	1	-	69	69
62	Clearwater	91	1	-	-	-	-	-	-	-	-	-	14	2	-	54	53
63	Cook	40	-	1	-	-	-	-	-	-	-	-	6	1	-	15	14
64	Cottonwood	138	2	1	-	-	-	-	-	-	1	2	20	1	-	78	76
65	Crow Wing	278	3	1	-	-	-	-	-	-	1	-	44	6	1	147	144
66	Brainerd	115	-	1	-	-	-	-	-	-	1	-	19	2	-	60	59
67	Balance of county	163	3	-	-	-	-	-	-	-	-	-	25	4	1	87	85
68	Dakota	364	4	2	-	1	-	-	-	-	-	-	61	11	-	188	184
69	South St. Paul	106	1	1	-	1	-	-	-	-	-	-	27	1	-	44	42
70	Balance of county	258	3	1	-	-	-	-	-	-	-	-	34	10	-	144	142
71	Dodge	139	2	-	-	-	-	-	-	-	-	-	21	1	-	81	81
72	Douglas	222	-	-	-	-	-	1	-	-	-	-	37	6	-	105	104
73	Faribault	233	1	-	-	-	-	-	1	-	-	-	37	7	-	136	133
74	Fillmore	249	3	1	-	-	-	1	-	-	1	-	43	4	-	134	131
75	Freeborn	301	1	-	-	-	-	-	-	-	1	3	58	4	-	155	149
76	Albert Lea	163	-	-	-	-	-	-	-	-	1	3	36	3	-	83	80
77	Balance of county	138	1	-	-	-	-	-	-	-	-	-	23	1	-	72	69
78	Goodhue	300	3	2	-	-	-	-	-	-	-	-	51	3	1	170	167
79	Red Wing	117	2	1	-	-	-	-	-	-	-	-	21	1	-	58	57
80	Balance of county	183	1	1	-	-	-	-	-	-	-	-	30	2	1	112	110
81	Grant	105	-	-	-	-	-	-	-	-	-	-	13	4	-	56	55
82	Hennepin	6,403	98	41	-	-	3	1	4	6	-	14	1,041	114	9	3,479	3,426
83	Minneapolis	5,451	82	39	-	-	2	1	4	6	-	13	890	97	6	2,984	2,938
84	Richfield	52	-	-	-	-	-	-	-	-	-	-	9	2	-	21	21
85	Robbinsdale	58	2	-	-	-	-	-	-	-	-	-	8	2	-	26	26
86	St. Louis Park	133	4	-	-	-	-	-	-	-	-	-	18	1	-	73	72
87	Balance of county	709	10	2	-	-	1	-	-	-	-	1	119	12	3	375	369

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	-	42	3	-	1	5	-	-	1	-	-	-	-	1	4	-	-	17	1
4	-	31	-	2	-	2	-	-	-	-	-	1	-	-	4	1	-	4	2
201	4	494	45	8	25	29	8	5	11	5	3	23	14	56	72	16	8	155	3
140	3	302	25	5	15	16	6	2	7	4	3	13	10	32	45	11	5	95	4
61	1	192	20	3	10	13	2	3	4	1	-	10	4	24	27	5	1	60	5
104	1	399	28	5	13	29	8	5	6	4	2	11	3	22	52	13	6	100	6
43	-	177	8	3	4	13	4	2	4	2	1	6	2	9	20	4	1	48	7
61	1	222	20	2	9	16	4	3	2	2	1	5	1	13	32	9	5	52	8
51	-	136	12	1	5	9	2	-	3	-	2	3	1	20	24	9	1	44	9
53	-	123	11	1	8	4	2	1	4	-	-	9	1	13	9	6	-	48	10
9	-	33	6	-	3	1	-	1	-	-	-	2	6	5	6	3	-	22	11
61	-	166	33	1	10	11	2	2	5	2	1	6	3	26	22	10	1	65	12
27	-	60	11	-	3	5	1	1	1	-	-	2	1	7	11	3	-	24	13
34	-	108	22	1	7	6	1	1	4	2	1	4	2	19	11	7	1	41	14
42	3	132	17	1	6	8	3	-	3	2	1	6	7	14	15	5	-	38	15
70	-	191	22	4	7	11	2	-	2	-	1	3	7	14	24	4	5	38	16
141	1	315	25	5	11	25	10	9	8	3	5	22	8	31	33	11	2	135	17
45	-	111	8	3	5	7	4	2	4	-	1	4	4	12	6	4	1	43	18
18	-	60	6	-	1	4	1	2	-	-	2	4	-	4	8	-	-	29	19
78	1	144	11	2	5	14	5	5	4	3	2	14	4	15	19	7	1	63	20
1,917	37	7,218	440	112	334	627	151	82	309	52	34	384	55	517	629	241	151	2,427	21
1,580	29	5,839	369	90	272	509	115	61	253	45	29	283	36	380	500	185	131	1,945	22
54	2	252	6	4	11	21	3	3	13	-	1	16	1	24	13	10	-	73	23
26	2	118	11	3	10	18	1	-	14	2	-	8	3	10	9	2	2	49	24
58	-	179	11	1	6	14	6	3	8	2	-	4	1	6	7	5	3	50	25
12	2	46	4	1	1	2	2	2	2	-	-	6	1	3	5	4	1	22	26
28	-	115	2	-	3	11	1	3	2	-	-	7	2	7	12	3	1	39	27
5	-	20	1	-	-	1	-	-	1	-	-	3	-	4	-	1	1	5	28
18	-	43	4	-	1	3	3	-	1	1	1	6	-	3	8	2	1	20	29
11	-	40	4	1	1	2	-	1	-	-	-	2	-	1	1	-	-	9	30
6	-	14	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	4	31
11	-	37	1	1	3	3	1	-	1	-	-	5	1	8	1	1	1	16	32
1	-	11	-	1	1	-	-	-	1	-	-	-	1	2	2	2	-	3	33
11	-	51	-	1	2	2	4	1	1	-	-	4	1	6	9	-	5	13	34
98	2	453	26	9	23	41	15	8	12	2	3	39	8	63	58	26	5	179	35
29	1	64	11	1	4	10	3	-	1	1	-	1	-	3	8	4	-	33	36
18	1	34	7	-	2	4	3	-	1	-	-	1	-	1	4	2	-	17	37
11	-	30	4	1	2	6	-	-	-	1	-	-	-	2	4	2	-	16	38
3,623	40	10,059	1,095	148	263	925	153	95	164	51	39	465	199	587	1,166	349	37	3,059	39
24	-	58	11	1	1	6	1	-	-	-	-	2	2	7	9	2	-	15	40
20	-	59	12	1	2	8	4	-	1	-	1	8	3	6	7	-	-	31	41
27	-	94	8	-	1	12	1	1	1	-	1	3	3	4	11	5	1	25	42
28	1	85	9	2	5	9	2	1	-	-	-	6	6	9	11	1	-	40	43
11	1	46	6	-	4	2	1	-	-	-	-	3	2	4	4	1	-	18	44
17	-	39	3	2	1	7	1	1	-	-	-	3	4	5	7	-	-	22	45
20	-	53	3	-	2	9	2	-	-	-	-	1	-	6	8	2	-	16	46
3	-	5	-	-	-	1	1	-	-	-	-	-	-	2	3	1	-	2	47
17	-	48	3	-	2	8	1	-	-	-	-	1	-	4	5	1	-	14	48
14	2	36	1	1	-	7	-	-	-	-	-	3	-	1	3	2	-	12	49
47	1	133	13	1	3	7	1	1	3	1	1	6	3	6	19	1	-	51	50
29	-	76	5	-	1	3	1	1	2	1	-	2	-	2	6	1	-	25	51
18	1	57	8	1	2	4	-	-	1	-	1	4	3	4	13	-	-	26	52
31	-	80	12	1	2	6	1	-	2	-	-	7	1	8	10	5	-	29	53
20	1	91	10	-	1	2	1	1	1	1	-	7	-	9	12	-	1	22	54
30	-	69	7	-	1	2	-	-	1	-	-	4	-	8	5	2	-	25	55
21	-	63	10	1	2	10	-	1	-	-	-	2	2	2	11	2	-	13	56
24	-	35	5	2	2	4	1	-	1	-	-	3	2	-	5	1	-	28	57
29	-	70	9	2	1	4	1	-	-	1	-	1	1	5	8	1	-	21	58
45	1	71	9	-	-	7	3	1	3	-	1	3	2	5	21	4	-	27	59
16	-	36	5	-	-	-	2	1	2	-	1	2	1	1	12	2	-	11	60
29	1	35	4	-	-	7	1	-	1	-	-	1	1	4	9	2	-	18	61
16	-	35	2	-	1	2	-	-	-	-	-	2	2	2	4	1	-	7	62
1	-	12	1	-	1	2	-	-	-	-	-	-	1	4	2	-	-	8	63
16	1	54	4	1	2	4	1	-	1	-	-	3	-	3	4	2	-	15	64
38	1	95	8	2	3	15	2	-	1	-	-	3	2	3	15	4	-	30	65
18	-	39	3	1	1	10	-	-	-	-	-	-	-	1	6	-	-	15	66
22	1	56	5	1	2	5	2	-	1	-	-	3	2	2	9	4	-	15	67
33	-	123	26	2	4	14	-	2	4	2	2	8	1	6	15	6	-	37	68
5	-	33	4	-	2	7	-	1	1	-	-	5	-	1	5	4	-	7	69
28	-	90	22	2	2	7	-	1	3	2	2	3	1	5	10	2	-	30	70
12	-	61	7	1	-	7	1	-	1	-	-	1	2	4	6	1	-	11	71
26	-	66	11	1	1	7	2	-	-	-	-	3	6	2	13	7	-	33	72
47	-	71	14	1	3	4	-	2	1	-	2	1	1	8	6	1	-	25	73
45	1	74	11	-	3	14	2	-	-	-	-	2	3	5	10	5	-	21	74
35	-	104	9	1	6	10	1	-	-	-	-	7	5	10	19	3	1	22	75
19	-	59	2	-	3	2	1	-	-	-	-	6	2	5	10	1	-	10	76
16	-	45	7	1	3	8	-	-	-	-	-	1	3	5	9	2	1	12	77
52	-	96	18	1	3	14	2	1	-	-	-	4	1	3	8	3	-	34	78
15	-	35	7	-	1	4	1	1	-	-	-	-	-	1	3	3	-	21	79
37	-	81	11	1	2	10	1	-	-	-	-	4	1	2	5	-	-	13	80
16	-	31	6	2	1	6	-	-	-	-	-	2	-	4	4	3	-	13	81
790	6	2,407	196	27	53	218	46	16	51	12	7	110	28	108	236	89	17	652	82
666	6	2,077	165	24	46	189	42	16	49	9	6	80	24	80	200	76	16	540	83
5	-	16	-	-	-	4	-	-	-	-	-	3	-	3	2	-	-	8	84
8	-	15	3	-	-	3	-	-	-	-	-	1	-	5	2	-	-	9	85
19	-	50	3	-	1	2	-	-	-	1	-	9	2	1	3	2	-	17	86
92	-	249	25	3	6	20	4	-	2	2	1	17	2	19	29	11	1	78	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-046	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-136	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MINNESOTA—Continued																
1	Houston	159	1	-	-	-	-	-	-	-	1	-	19	2	-	78	75
2	Hubbard	101	4	1	-	-	-	-	-	-	-	-	15	3	-	52	49
3	Isanti	117	1	-	-	-	-	-	-	-	-	1	21	1	-	68	67
4	Itasca	327	3	2	-	-	-	-	-	-	-	1	43	6	1	181	181
5	Jackson	122	2	-	-	-	-	-	-	-	-	-	14	2	-	66	63
6	Kanabec	88	1	-	-	-	-	-	-	-	-	-	14	-	-	44	44
7	Kandiyohi	255	4	-	-	-	-	-	-	1	-	-	33	3	-	137	133
8	Kittson	74	-	-	-	-	-	-	-	-	-	-	14	2	-	35	31
9	Koochiching	193	3	1	-	-	-	-	-	-	-	1	26	2	1	98	97
10	Lac qui Parle	122	-	-	-	-	-	-	-	-	-	-	14	1	-	69	65
11	Lake	77	1	1	-	-	-	-	1	-	-	-	12	4	-	36	35
12	Lake of the Woods	33	-	-	-	-	-	-	-	-	-	-	6	-	-	22	20
13	Le Sueur	197	-	-	-	-	-	-	-	1	-	-	35	4	-	109	109
14	Lincoln	93	-	-	-	-	-	-	-	-	-	-	14	3	-	45	45
15	Lyon	229	-	1	-	-	-	-	-	-	-	1	32	3	1	133	132
16	McLeod	237	2	1	-	-	-	-	-	-	-	-	34	5	-	142	138
17	Mahnomen	59	1	-	-	-	-	-	-	-	1	-	4	1	-	28	28
18	Marshall	147	3	-	-	-	-	-	-	-	-	-	16	2	-	63	60
19	Martin	218	2	-	-	-	-	-	-	-	-	-	36	3	-	121	117
20	Meeker	196	2	-	-	-	-	-	-	-	-	-	32	1	1	109	106
21	Mille Lacs	163	-	-	-	-	-	-	-	-	1	2	34	2	-	91	91
22	Morrison	206	5	-	-	-	-	1	-	-	-	1	29	3	-	111	109
23	Mower	363	1	1	-	-	1	1	-	-	-	1	58	10	-	198	194
24	Austin	199	-	1	-	-	-	-	-	-	-	-	30	5	-	111	109
25	Balance of county	164	1	-	-	-	1	1	-	-	-	1	28	5	-	87	85
26	Murray	111	2	-	-	-	-	-	1	-	-	-	17	2	-	60	57
27	Nicollet	151	-	-	-	-	-	-	-	-	-	-	18	4	-	89	86
28	Nobles	164	2	-	-	-	-	-	-	-	-	-	35	-	1	86	80
29	Norman	128	2	-	-	-	-	1	-	-	-	-	20	1	-	76	75
30	Olmsted	438	8	-	-	-	-	-	-	1	-	-	79	3	2	217	213
31	Rochester	305	7	-	-	-	-	-	-	1	-	-	66	2	-	137	134
32	Balance of county	133	1	-	-	-	-	-	-	-	-	-	13	1	2	80	79
33	Otter Tail	452	2	-	-	-	-	-	-	1	-	1	55	11	-	270	262
34	Fergus Falls	115	-	-	-	-	-	-	-	-	-	-	14	3	-	65	62
35	Balance of county	337	2	-	-	-	-	-	-	1	-	1	41	8	-	207	200
36	Pennington	112	2	-	-	-	-	-	-	-	-	-	13	3	-	59	58
37	Pine	212	-	-	-	-	-	-	-	1	-	-	30	7	-	127	125
38	Pipestone	133	3	-	-	-	-	-	-	-	-	-	17	2	-	80	79
39	Polk	355	1	1	-	-	-	-	1	-	-	1	57	8	-	180	176
40	Pope	119	1	-	-	-	-	-	-	-	-	1	15	3	-	68	68
41	Ramsey	3,415	65	22	1	-	1	2	3	2	1	4	567	52	1	1,787	1,765
42	St. Paul	3,120	61	22	-	-	1	2	3	2	1	4	525	48	1	1,641	1,619
43	Balance of county	295	4	-	1	-	-	-	-	-	-	-	42	4	-	146	146
44	Red Lake	71	-	-	-	-	-	-	1	-	-	-	13	-	-	38	38
45	Redwood	172	2	-	-	-	-	-	-	1	-	3	30	2	-	96	91
46	Renville	212	-	-	-	-	-	-	-	1	-	1	28	5	-	124	121
47	Rice	296	1	-	-	-	1	-	-	-	-	-	52	6	1	175	173
48	Faribault	140	-	-	-	-	1	-	-	-	-	-	26	3	1	83	81
49	Balance of county	156	1	-	-	-	-	-	-	-	-	-	26	3	-	92	92
50	Rock	94	-	-	-	-	2	-	-	-	-	-	18	1	-	51	50
51	Roseau	141	1	1	-	-	-	-	-	-	-	-	19	1	-	83	81
52	St. Louis	2,172	24	13	-	-	-	1	-	1	-	8	366	44	5	1,200	1,188
53	Duluth	1,182	9	7	-	-	-	-	-	1	-	4	198	20	4	671	668
54	Hibbing	120	1	1	-	-	-	-	-	-	-	1	29	1	1	57	55
55	Virginia	136	3	1	-	-	-	-	-	-	-	-	17	5	-	86	86
56	Balance of county	732	11	4	-	-	-	1	-	-	-	3	122	18	-	386	379
57	Scott	166	1	-	-	-	-	-	-	-	-	-	27	2	-	96	96
58	Sherburne	106	-	-	-	-	-	-	-	-	-	-	12	2	-	74	72
59	St. Cloud (part)	12	-	-	-	-	-	-	-	-	-	-	1	1	-	7	7
60	Balance of county	94	-	-	-	-	-	-	-	-	-	-	11	1	-	67	65
61	Sibley	134	1	-	-	-	-	1	-	-	-	-	28	1	-	72	70
62	Stearns	556	8	1	-	-	-	-	-	-	-	-	88	13	-	275	263
63	St. Cloud (part)	199	3	1	-	-	-	-	-	-	-	-	28	5	-	95	94
64	St. Cloud (total)	235	4	1	-	-	-	-	-	-	-	-	34	6	-	110	109
65	Balance of county	357	5	-	-	-	-	-	-	-	-	-	60	8	-	180	169
66	Steele	196	1	-	-	-	-	-	-	-	-	1	32	7	-	108	108
67	Owatonna	117	-	-	-	-	-	-	-	-	-	1	21	1	-	69	69
68	Balance of county	79	1	-	-	-	-	-	-	-	-	-	11	6	-	39	39
69	Stevens	79	1	-	-	-	-	-	-	-	-	-	18	1	-	33	32
70	Swift	134	2	-	-	-	-	-	1	-	-	-	20	2	-	75	73
71	Todd	229	2	-	-	-	-	-	-	-	-	-	28	4	-	137	135
72	Traverse	82	1	-	-	1	-	-	1	-	-	1	14	1	-	47	47
73	Wabasha	169	1	1	-	-	-	-	-	-	-	-	28	5	-	93	93
74	Wadena	123	1	-	-	-	-	-	-	-	-	1	21	-	-	66	64
75	Waseca	168	1	1	-	-	-	-	-	-	-	-	27	2	-	91	88
76	Washington	311	1	1	-	-	-	-	-	-	-	-	48	1	-	165	162
77	Watonwan	162	1	1	-	-	-	-	-	-	1	-	24	4	-	94	93
78	Wilkin	112	2	1	-	-	-	-	-	-	-	-	20	4	1	56	56
79	Winona	403	3	1	-	-	-	1	-	-	-	1	63	12	-	225	225
80	Winona	260	1	1	-	-	-	1	-	-	-	-	35	8	-	154	154
81	Balance of county	143	2	-	-	-	-	-	-	-	-	1	28	4	-	71	71
82	Wright	293	1	-	-	-	-	-	-	1	-	-	54	4	-	165	162
83	Yellow Medicine	173	1	-	-	1	-	-	-	-	-	1	22	5	-	101	100
84	MISSISSIPPI	20,784	573	120	2	41	19	56	14	14	35	93	2,156	235	48	9,052	8,400
85	Adams	335	10	3	-	-	-	1	-	-	-	2	31	6	-	150	134
86	Natchez	237	9	2	-	-	-	1	-	-	-	2	23	6	-	107	93
87	Balance of county	98	1	1	-	-	-	-	-	-	-	-	8	-	-	43	41
88	Alcorn	271	7	2	-	-	-	1	-	-	-	1	27	4	-	136	129
89	Amite	165	4	-	-	-	-	4	-	-	-	1	13	3	-	75	72

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-445	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-483	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
22	-	47	6	-	3	6	-	-	-	3	-	5	7	4	11	2	-	20	1
8	-	34	6	1	3	3	3	-	-	-	-	1	3	1	4	-	-	11	2
26	-	37	4	-	1	4	2	1	-	-	-	1	1	3	1	1	-	11	3
53	-	110	15	3	-	8	1	1	1	-	1	5	-	9	17	7	1	39	4
16	1	45	1	-	3	4	-	1	3	-	-	2	1	2	8	1	-	16	5
15	-	28	1	-	-	4	-	-	1	-	-	4	1	1	2	2	-	14	6
42	1	70	18	2	4	7	-	1	1	-	-	7	2	7	16	2	-	34	7
8	-	21	2	-	2	4	-	-	-	-	-	2	2	2	3	-	-	12	8
18	-	66	12	1	1	4	1	-	2	-	-	6	3	5	10	1	1	28	9
11	-	51	2	1	4	4	-	-	-	1	-	3	4	4	8	-	-	14	10
7	-	24	4	-	1	3	-	-	1	-	-	-	-	5	6	1	-	6	11
7	-	10	3	-	2	1	1	-	-	-	-	1	-	-	1	-	-	1	12
29	-	64	14	2	-	10	4	1	-	-	-	2	1	7	8	1	-	14	13
16	-	27	2	-	-	2	-	-	-	-	1	2	1	1	4	-	-	20	14
40	-	80	11	1	1	7	3	1	1	-	1	6	1	4	10	2	-	22	15
37	-	86	13	2	4	7	-	-	2	-	-	6	1	8	3	2	1	23	16
4	-	20	3	1	-	3	-	-	-	-	1	1	1	6	4	-	-	8	17
22	1	52	4	1	3	5	1	-	-	-	-	2	2	2	11	1	-	19	18
39	-	69	7	2	4	5	2	2	1	-	-	5	-	3	7	9	-	22	19
31	-	69	6	-	3	3	-	3	-	-	1	1	-	6	8	1	-	28	20
24	-	53	14	-	-	4	-	1	-	-	-	2	5	4	5	1	-	11	21
21	-	66	20	2	2	11	-	1	-	-	-	3	-	2	9	5	-	25	22
61	-	113	18	2	4	7	2	-	4	-	1	6	6	8	13	5	-	40	23
32	-	67	9	1	2	6	2	-	-	-	-	3	3	5	6	2	-	25	24
29	-	46	9	1	2	1	-	-	4	-	1	3	3	3	7	3	-	15	25
10	-	38	8	1	3	2	-	-	1	-	-	3	-	3	3	2	-	15	26
18	-	60	8	-	3	3	-	-	-	-	-	3	2	3	3	-	1	25	27
13	-	65	3	1	6	6	1	-	-	-	-	2	1	4	3	-	-	23	28
23	-	39	13	-	1	4	-	1	-	-	-	1	-	6	3	1	-	12	29
45	-	136	26	6	4	15	1	2	2	1	-	8	4	6	27	8	2	52	30
31	-	85	16	2	3	12	1	1	2	1	-	5	2	5	15	7	2	39	31
14	-	51	10	4	1	3	-	1	-	-	-	3	2	1	12	1	-	13	32
62	-	173	26	1	8	21	-	2	2	-	1	7	8	8	17	7	-	39	33
9	-	47	6	-	1	8	-	1	2	-	1	2	2	2	2	2	-	13	34
53	-	126	20	1	7	13	-	1	-	-	-	5	6	6	15	5	-	26	35
17	-	33	8	-	1	3	-	-	1	-	1	2	-	3	9	-	-	16	36
27	-	88	10	-	2	7	-	1	1	-	-	3	3	4	7	4	-	17	37
10	-	63	3	3	1	-	-	2	-	1	-	3	2	8	3	1	-	11	38
45	1	111	17	2	4	14	-	1	1	2	1	10	4	10	17	1	-	47	39
24	-	38	5	1	-	4	-	2	-	2	-	1	4	1	3	1	-	12	40
408	5	1,232	90	30	22	138	24	17	28	9	3	48	8	60	133	30	8	400	41
362	5	1,142	82	28	22	123	20	17	23	8	3	40	7	53	122	25	8	360	42
46	-	90	8	2	-	16	4	-	5	1	-	8	1	7	11	5	-	40	43
9	-	25	3	1	-	3	1	1	-	-	1	1	-	1	1	1	-	9	44
26	1	51	13	-	5	1	-	1	-	-	1	2	1	4	5	4	-	19	45
37	1	86	6	1	3	4	1	-	-	1	1	3	-	6	9	4	2	22	46
35	3	120	13	2	2	8	-	-	3	-	-	4	1	4	4	2	-	34	47
12	1	65	3	-	2	2	-	-	2	-	-	2	-	2	1	1	-	16	48
23	2	55	10	2	-	6	-	-	1	-	-	2	1	2	3	1	-	18	49
12	-	34	3	1	1	2	-	-	1	-	-	1	-	-	6	2	-	10	50
20	-	56	4	1	2	6	1	-	-	1	-	6	-	-	3	2	-	17	51
252	2	866	60	8	12	40	12	7	13	3	2	31	6	41	104	46	-	205	52
145	1	478	37	7	3	28	6	4	5	-	2	18	2	14	51	16	-	122	53
9	-	44	2	-	2	1	-	-	3	1	-	2	1	4	5	3	-	9	54
21	-	60	4	1	-	1	1	-	1	-	-	1	-	4	4	1	-	13	55
77	1	284	17	-	7	10	5	3	4	2	-	10	3	19	44	26	-	61	56
19	1	58	17	1	-	6	1	-	-	-	1	1	-	4	6	3	-	18	57
19	-	43	10	-	2	2	-	-	-	-	-	1	2	2	3	1	-	7	58
1	-	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	59
18	-	37	10	-	2	2	-	-	-	-	-	1	1	2	3	1	-	5	60
19	-	47	4	-	2	10	1	-	-	-	-	1	2	1	4	2	-	10	61
49	1	191	22	-	12	24	2	4	3	2	-	11	8	19	25	-	-	73	62
20	-	70	4	-	1	11	1	4	1	1	-	4	2	9	5	-	-	29	63
24	-	81	4	-	1	12	2	4	1	1	-	4	3	11	8	1	-	33	64
29	1	121	18	-	11	13	1	-	2	1	-	7	6	10	20	-	-	44	65
25	-	77	5	1	-	2	2	-	2	-	1	2	-	6	6	4	-	22	66
16	-	48	4	1	-	2	-	-	1	-	-	1	-	2	2	3	-	14	67
9	-	29	1	-	-	-	2	-	1	-	1	1	-	4	4	1	-	8	68
8	-	22	2	-	1	1	2	-	-	-	-	3	1	2	5	1	-	11	69
15	1	50	5	2	2	4	-	-	2	-	-	2	1	2	7	2	-	14	70
39	1	82	10	3	2	9	1	1	1	2	1	3	3	4	8	1	1	23	71
10	-	32	5	-	-	1	-	-	-	-	-	-	2	1	3	2	-	7	72
31	-	54	6	2	-	5	-	1	-	-	-	3	4	2	8	2	-	16	73
22	-	55	6	1	2	3	-	3	3	1	-	-	1	2	7	4	-	10	74
24	1	53	10	-	3	5	-	-	1	-	-	5	-	3	7	2	-	23	75
33	1	119	9	-	3	9	2	-	3	-	1	5	1	11	19	3	-	41	76
29	-	55	9	-	1	4	1	1	2	1	1	2	1	1	9	-	-	14	77
8	1	42	4	1	-	2	1	2	1	-	-	3	2	-	7	2	-	8	78
63	1	143	15	3	-	9	1	5	3	2	-	4	5	14	16	3	-	35	79
45	1	95	10	3	-	6	1	3	3	1	-	3	4	4	13	2	-	20	80
18	-	48	5	-	-	3	-	2	-	1	-	1	1	10	3	1	-	15	81
35	-	109	15	3	3	11	2	-	1	1	2	4	2	6	8	2	-	29	82
28	1	67	4	-	1	10	1	1	-	1	-	2	1	3	7	2	-	14	83
2,249	36	5,585	450	80	652	853	65	194	77	95	159	225	2,509	519	851	126	301	2,352	84
29	-	98	7	-	16	11	-	5	-	-	2	3	35	6	18	1	4	47	85
18	-	69	6	-	14	9	-	4	-	-	2	3	12	3	14	-	2	38	86
11	-	29	1	-	2	2	-	1	-	-	-	-	23	3	4	1	2	9	87
30	-	88	10	1	9	20	-	3	-	1	1	1	11	5	5	3	3	38	88
24	2	42	3	1	3	5	-	3	-	-	3	1	22	5	5	-	-	21	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MISSISSIPPI—Con.																
1	Attala	281	3	-	-	-	-	4	-	1	-	2	20	-	1	128	121
2	Benton	59	1	-	-	-	-	-	-	-	-	-	7	-	-	23	22
3	Bolivar	786	30	5	-	4	3	8	-	1	-	8	55	6	1	319	299
4	Calhoun	163	2	1	-	1	-	-	-	-	1	-	29	1	2	57	56
5	Carroll	176	2	1	-	1	1	-	-	-	-	-	16	2	-	83	79
6	Chickasaw	209	4	-	-	1	-	-	-	-	1	-	19	-	2	112	109
7	Choctaw	111	4	-	-	-	-	-	-	-	-	-	11	-	-	62	58
8	Claiborne	149	6	-	-	-	-	-	-	-	-	-	17	-	-	56	54
9	Clarke	186	5	1	-	-	-	-	-	-	1	1	13	4	-	82	78
10	Clay	184	3	1	-	-	-	-	-	-	1	2	21	-	-	61	57
11	Coahoma	570	21	3	-	2	5	1	-	1	-	3	43	3	-	245	220
12	Clarksdale	192	6	-	-	-	2	-	-	-	-	1	26	2	-	86	79
13	Balance of county	378	15	3	-	2	3	1	-	1	-	2	17	1	-	159	141
14	Copiah	273	12	-	-	-	-	-	-	-	1	2	28	2	1	134	124
15	Covington	109	2	-	-	-	-	-	-	-	-	-	13	1	-	49	47
16	De Soto	245	4	1	-	4	-	3	-	-	-	2	19	1	-	106	102
17	Forrest	400	7	-	-	-	-	-	-	-	-	2	50	7	2	196	188
18	Hattiesburg	272	7	-	-	-	-	-	-	-	-	1	30	5	1	138	135
19	Balance of county	128	-	-	-	-	-	-	-	-	-	1	20	2	1	58	53
20	Franklin	129	8	-	-	1	-	-	-	-	-	1	17	1	-	61	56
21	George	66	1	1	-	-	-	-	-	-	-	1	4	2	-	37	34
22	Greene	73	1	-	-	-	-	-	-	1	-	-	6	2	-	28	27
23	Grenada	187	2	-	-	1	-	-	-	-	-	-	26	2	-	72	71
24	Hancock	145	4	1	-	-	-	-	-	-	-	-	19	1	-	81	79
25	Harrison	672	15	2	-	-	2	-	1	1	1	3	79	9	2	311	293
26	Biloxi	256	6	2	-	-	-	-	-	1	1	1	28	2	-	103	96
27	Gulfport	220	3	-	-	-	1	-	1	-	-	2	20	4	-	104	96
28	Balance of county	216	6	-	-	-	1	-	-	-	-	-	31	3	2	104	101
29	Hinds	1,254	34	9	-	3	-	1	1	2	-	6	142	12	1	543	515
30	Jackson	841	19	6	-	3	-	-	1	1	-	5	100	7	-	356	338
31	Balance of county	413	15	3	-	-	-	1	-	1	-	3	42	5	1	187	177
32	Holmes	359	4	3	-	-	-	2	-	-	-	1	38	6	1	124	118
33	Humphreys	242	10	3	-	-	-	-	-	-	-	-	21	2	-	81	75
34	Issaquena	51	-	1	-	1	-	-	-	1	-	-	-	-	-	21	21
35	Itawamba	104	1	-	-	-	-	-	-	-	-	-	19	2	-	44	42
36	Jackson	255	3	3	-	-	-	1	2	-	1	1	36	4	1	129	122
37	Pascagoula	75	-	1	-	-	-	-	2	-	-	-	11	2	-	28	26
38	Balance of county	180	3	2	-	-	-	1	-	-	1	1	25	2	1	101	96
39	Jasper	156	1	-	-	-	-	-	-	-	-	1	10	2	1	78	66
40	Jefferson	112	2	1	-	-	-	-	-	-	-	-	11	1	1	56	50
41	Jefferson Davis	101	2	1	-	-	-	-	-	-	-	1	10	2	1	48	43
42	Jones	448	12	3	-	-	-	1	1	2	-	2	46	5	-	203	183
43	Laurel	242	9	2	-	-	-	-	-	-	-	-	22	4	-	113	102
44	Balance of county	206	3	1	-	-	-	1	1	2	-	2	24	1	-	90	81
45	Kemper	168	7	1	-	-	-	-	-	-	2	-	14	2	1	72	69
46	Lafayette	185	2	1	-	1	-	-	1	-	1	-	18	1	-	87	81
47	Lamar	81	1	2	-	-	-	1	-	-	-	1	16	3	-	32	24
48	Lauderdale	686	15	8	-	-	-	1	-	1	2	3	78	8	2	328	315
49	Meridian	460	10	4	-	-	-	-	-	-	2	1	52	7	2	224	213
50	Balance of county	228	5	4	-	-	-	1	-	1	-	2	26	1	-	104	102
51	Lawrence	102	3	-	-	-	-	-	-	-	-	-	14	-	-	52	49
52	Leake	205	5	-	-	-	-	1	1	-	-	-	31	8	-	88	85
53	Lee	329	11	1	-	1	-	1	-	-	2	1	46	7	1	144	137
54	Tupelo	106	5	-	-	-	-	1	-	-	1	-	15	5	-	49	47
55	Balance of county	223	6	1	-	1	-	-	-	-	1	1	31	2	1	95	90
56	Leflore	576	21	2	-	3	1	-	-	-	-	3	53	10	1	222	198
57	Greenwood	219	6	1	-	-	-	-	-	-	-	1	29	8	-	86	79
58	Balance of county	357	15	1	-	3	1	-	-	-	-	2	24	2	1	136	119
59	Lincoln	268	8	2	-	-	-	-	-	-	1	1	25	3	-	143	135
60	Lowndes	352	15	2	-	-	-	-	-	-	1	-	37	6	1	153	143
61	Columbus	209	9	1	-	-	-	-	-	-	-	-	22	3	1	90	84
62	Balance of county	143	6	1	-	-	-	-	-	-	1	-	15	3	-	63	59
63	Madison	388	8	2	-	-	-	-	-	-	-	2	31	5	2	137	129
64	Marion	177	2	3	-	-	-	-	-	-	-	-	21	2	-	81	75
65	Marshall	214	6	4	-	-	-	3	1	-	1	-	16	2	-	88	87
66	Monroe	335	7	1	-	-	-	-	1	-	-	2	32	3	3	148	127
67	Montgomery	138	10	1	-	-	2	2	-	-	-	-	17	1	-	51	48
68	Neshoba	193	7	1	-	-	-	-	-	-	3	2	33	1	1	74	72
69	Newton	217	7	-	-	-	-	-	1	-	2	1	25	5	1	79	74
70	Noxubee	217	7	2	-	-	1	-	-	-	-	-	17	2	-	72	66
71	Oktibbeha	209	2	-	-	-	1	-	1	-	1	4	22	3	2	80	74
72	Panola	330	13	3	-	-	-	6	-	-	-	4	33	3	-	158	157
73	Pearl River	154	7	2	-	-	-	-	-	-	-	-	17	1	-	88	81
74	Perry	100	2	-	-	-	-	-	-	-	-	-	12	2	-	50	48
75	Pike	332	4	1	-	-	-	-	-	-	1	-	33	5	2	156	148
76	McComb	120	-	-	-	-	-	-	-	-	-	-	14	1	1	55	53
77	Balance of county	212	4	1	-	-	-	-	-	-	1	-	19	4	1	101	93
78	Pontotoc	192	5	-	-	3	-	2	-	-	2	-	20	4	-	98	94
79	Prentiss	182	3	-	-	-	-	-	-	-	-	-	16	1	-	69	62
80	Quitman	237	6	2	-	1	1	1	1	-	-	3	20	3	2	84	66
81	Rankin	197	6	1	-	-	-	-	-	-	-	-	20	-	-	98	90
82	Scott	197	3	-	-	-	-	1	-	-	-	1	26	3	1	82	81
83	Sharkey	132	4	1	-	-	-	-	-	-	-	1	11	1	-	51	43
84	Simpson	161	2	3	-	-	-	-	1	-	-	2	14	-	-	77	74
85	Smith	126	3	2	-	1	-	-	-	1	2	-	16	1	-	60	57
86	Stone	57	1	1	-	-	-	-	-	-	1	1	5	1	-	30	28
87	Sunflower	520	19	3	1	1	-	3	-	1	-	-	52	2	1	183	167
88	Tallahatchie	325	24	1	-	2	-	1	-	-	-	1	33	2	-	144	128
89	Tate	164	12	2	-	-	-	-	-	-	-	-	17	-	1	75	72

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 580,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-669	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
43	-	73	5	-	7	11	1	1	-	4	1	1	42	7	9	1	5	39	1
5	-	15	2	-	1	3	-	-	-	-	-	-	13	-	4	1	-	7	2
81	-	212	4	2	20	24	-	9	-	4	17	6	166	15	25	2	8	70	3
15	-	35	8	-	1	7	3	1	-	-	1	3	15	6	6	2	3	22	4
24	-	50	5	-	4	3	2	1	-	1	1	-	24	2	14	2	2	18	5
21	-	85	3	-	3	8	2	2	-	1	-	2	26	5	8	-	3	15	6
17	-	39	1	1	4	4	2	1	1	-	1	-	10	3	6	1	-	5	7
10	-	41	3	-	2	1	1	1	-	1	2	2	31	2	7	1	2	18	8
21	1	48	8	-	4	15	1	1	1	1	2	1	15	6	8	1	1	26	9
7	-	48	1	1	4	6	-	-	-	1	1	3	33	8	10	2	3	28	10
62	1	142	13	2	25	21	1	15	3	4	2	8	93	11	22	2	5	58	11
22	-	47	9	1	7	8	-	3	2	3	1	4	20	5	4	1	-	18	12
40	1	95	4	1	18	13	1	10	1	1	1	4	73	6	18	1	5	40	13
36	-	75	12	1	10	12	-	3	-	-	1	3	30	5	7	1	3	28	14
10	-	36	-	1	2	6	1	1	1	-	-	2	8	3	7	-	-	15	15
37	-	61	1	3	4	13	-	6	1	3	2	-	40	8	7	1	5	19	16
44	-	127	16	1	8	16	-	2	2	1	-	9	20	18	13	1	7	47	17
34	-	90	11	-	3	5	-	2	2	1	-	7	13	13	8	-	6	33	18
10	-	37	5	1	5	11	-	-	-	-	-	2	7	5	5	1	1	14	19
8	-	46	1	1	5	4	1	2	1	-	1	1	4	4	6	1	-	15	20
7	-	25	1	-	3	2	-	-	-	-	-	1	1	1	-	3	1	11	21
8	-	18	-	1	1	9	-	-	-	-	-	3	3	5	6	1	-	8	22
38	-	30	5	-	1	11	1	3	1	-	2	1	33	-	4	-	2	26	23
21	1	51	5	1	2	2	-	1	-	-	1	-	9	3	8	1	1	13	24
64	2	212	14	1	18	25	1	5	2	2	1	9	49	17	39	3	11	82	25
16	1	71	7	1	7	9	-	2	2	1	-	4	11	7	11	1	2	42	26
23	-	72	1	-	8	8	1	2	-	-	1	3	14	5	19	1	5	26	27
25	1	69	6	-	3	8	-	1	-	1	-	2	24	5	9	1	4	14	28
106	3	362	40	4	28	50	6	4	4	8	7	26	136	29	35	13	22	158	29
59	2	244	29	4	18	30	1	3	1	6	5	24	74	21	28	7	18	125	30
47	1	118	11	-	10	20	5	1	3	2	2	2	62	8	7	6	4	33	31
45	-	66	6	1	6	13	1	1	-	2	4	4	91	10	13	1	7	33	32
22	-	50	3	-	6	6	1	-	-	1	4	6	61	5	12	1	9	19	33
11	-	8	2	-	-	4	-	-	1	-	-	-	11	2	2	1	2	4	34
16	-	24	2	-	2	9	-	2	-	2	-	-	3	2	8	1	1	10	35
31	-	79	11	1	7	11	-	1	2	-	-	6	4	9	7	1	3	30	36
7	-	16	2	1	2	4	-	-	-	-	-	2	2	1	5	1	-	18	37
24	-	63	9	-	5	7	-	1	2	-	-	4	2	8	2	-	5	14	38
21	1	42	2	-	12	7	-	4	-	1	1	1	15	2	8	1	3	20	39
15	-	33	4	-	6	6	1	-	1	-	-	2	9	3	5	1	3	9	40
11	-	30	1	1	5	4	-	1	-	1	1	1	7	5	2	-	3	11	41
56	3	112	9	3	20	26	4	1	6	4	1	4	23	12	14	4	5	89	42
32	-	66	2	2	11	9	-	-	3	4	1	2	9	7	11	3	5	38	43
24	3	46	7	1	9	17	4	1	3	-	-	2	14	5	3	1	-	31	44
24	2	39	2	2	3	11	-	1	1	1	2	1	13	5	9	1	1	21	45
11	-	68	2	-	6	14	-	2	2	-	-	4	21	2	4	2	1	21	46
5	1	17	1	-	8	4	-	1	-	-	1	-	4	4	4	1	1	5	47
98	4	204	10	2	15	21	5	2	3	-	3	8	45	26	35	3	12	77	48
63	4	138	6	2	11	15	2	1	3	-	1	7	19	17	21	1	10	61	49
32	-	66	4	-	2	6	3	1	-	-	2	1	26	9	14	2	2	16	50
8	-	36	5	-	3	6	-	-	1	-	1	1	8	-	3	-	2	11	51
30	-	53	2	-	3	8	-	1	-	-	1	6	18	5	4	3	6	19	52
27	-	100	9	1	7	11	1	3	1	4	2	-	20	6	15	3	4	44	53
9	-	35	3	-	2	1	-	1	1	2	-	-	5	3	4	2	1	10	54
18	-	65	6	1	5	10	1	2	-	2	2	-	15	3	11	1	3	34	55
58	2	120	15	2	24	22	1	11	3	2	5	6	105	16	22	3	15	49	56
29	2	41	6	1	7	9	-	-	3	1	-	3	30	5	8	2	5	22	57
30	-	79	9	1	17	13	1	11	-	1	1	3	75	11	14	1	10	27	58
30	2	92	9	2	8	10	-	3	1	-	1	2	13	4	15	2	4	30	59
36	-	97	6	4	10	17	2	8	3	1	1	3	40	8	16	4	2	28	60
21	-	57	4	2	6	8	2	3	2	-	3	3	21	6	10	4	2	19	61
15	-	40	2	2	4	9	-	5	1	1	-	2	19	2	6	-	-	9	62
36	-	84	7	2	8	18	2	3	-	2	6	2	75	9	22	3	10	49	63
14	-	58	3	-	5	7	1	-	-	1	2	1	8	5	12	1	6	24	64
25	1	57	2	2	1	11	-	2	-	-	2	-	43	2	11	1	1	20	65
29	-	83	14	1	21	15	1	5	-	1	1	3	34	9	18	1	3	47	66
10	-	35	2	1	3	6	1	2	-	1	3	1	16	4	4	1	4	11	67
18	-	48	4	2	2	4	1	5	1	-	-	-	18	6	9	3	6	18	68
18	-	49	5	2	5	11	1	3	1	1	1	3	26	3	12	1	2	31	69
15	-	48	3	-	6	14	-	2	1	2	1	1	58	4	8	1	2	22	70
20	-	53	1	-	6	8	-	2	2	-	2	4	25	3	19	-	-	28	71
46	-	83	5	3	21	11	1	4	5	1	5	-	24	2	12	3	4	58	72
11	-	47	2	1	7	7	-	1	-	-	2	2	9	5	4	-	1	28	73
11	-	33	3	1	2	4	-	-	-	-	1	3	11	3	4	-	2	6	74
34	-	96	15	1	10	18	1	3	2	-	2	5	22	14	12	4	3	44	75
11	-	35	7	-	2	4	1	2	2	-	-	-	8	4	3	2	2	21	76
23	-	61	8	1	8	14	-	1	-	-	2	5	14	10	9	2	1	23	77
25	-	63	5	1	4	7	1	2	-	1	3	1	13	2	6	1	1	20	78
18	-	43	1	-	7	12	1	3	-	2	1	2	24	7	13	1	-	27	79
13	1	49	1	2	18	8	-	3	-	1	3	2	41	4	15	-	8	28	80
30	-	50	10	-	8	3	-	1	3	4	-	3	10	7	7	1	3	30	81
20	2	56	2	1	1	6	1	1	-	1	3	2	18	10	7	2	5	24	82
16	-	23	4	-	8	5	-	-	2	-	-	-	29	3	5	1	1	17	83
24	-	41	8	1	3	9	-	-	-	-	2	3	16	4	7	1	2	18	84
22	1	33	-	1	3	8	1	-	-	1	-	3	5	4	2	-	1	15	85
10	-	15	3	-	2	5	-	-	-	-	1	2	1	1	3	-	1	3	86
57	-	96	11	3	16	14	1	15	1	4	5	9	85	16	25	1	13	65	87
25	1	90	11	1	16	9	2	1	-	-	4	2	44	5	19	-	3	28	88
15	-	57	-	-	3	6	-	2	1	-	-	-	17	2	7	2	3	17	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-139	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MISSISSIPPI—Con.																
1	Tippah	150	8	-	-	-	-	1	-	-	2	-	18	1	1	77	70
2	Tishomingo	129	5	1	-	-	-	-	-	-	1	3	15	3	-	51	49
3	Tunica	247	8	1	-	-	-	-	-	-	-	2	12	5	-	117	89
4	Union	187	7	-	-	-	-	1	-	-	2	1	29	1	-	87	82
5	Walthall	134	1	1	-	-	-	-	-	-	-	1	17	1	1	51	43
6	Warren	504	16	5	-	2	1	-	-	-	-	-	48	4	1	228	213
7	Vicksburg	367	15	3	-	2	-	-	-	-	-	-	34	3	1	185	173
8	Balance of county	137	1	2	-	-	1	-	-	-	-	-	14	1	-	43	40
9	Washington	817	23	4	1	6	-	3	-	1	-	4	73	14	2	324	285
10	Greenville	357	9	2	-	-	-	-	-	1	-	2	30	7	1	160	149
11	Balance of county	460	14	2	1	6	-	3	-	-	-	2	43	7	1	164	146
12	Wayne	153	3	2	-	-	-	-	-	-	-	1	20	-	-	63	55
13	Webster	98	3	1	-	-	-	-	1	-	-	-	14	2	-	52	49
14	Wilkinson	143	1	2	-	-	-	1	-	-	-	1	14	-	-	68	66
15	Winston	191	3	-	-	1	1	-	-	-	-	-	27	2	1	78	72
16	Yalobusha	173	5	1	-	-	-	-	-	-	-	-	27	2	-	78	71
17	Yazoo	388	3	1	-	-	-	-	-	-	1	2	35	6	3	171	160
18	MISSOURI	43,710	907	275	3	10	8	55	19	30	13	118	6,318	730	52	25,730	22,661
19	Adair	212	3	1	-	-	-	-	-	-	1	-	21	5	-	113	104
20	Kirksville	120	2	-	-	-	-	-	-	-	-	-	15	2	-	61	57
21	Balance of county	92	1	1	-	-	-	-	-	-	1	-	8	3	-	52	47
22	Andrew	136	2	-	-	-	-	-	-	-	-	-	18	-	-	91	88
23	Atchison	99	2	-	-	1	-	-	-	-	-	-	14	1	-	48	45
24	Audrain	281	2	3	-	-	-	-	-	1	-	-	43	5	-	155	145
25	Mexico	130	-	3	-	-	-	-	-	1	-	-	20	3	-	64	60
26	Balance of county	151	2	-	-	-	-	-	-	-	-	-	23	2	-	91	85
27	Barry	210	3	1	-	-	-	1	-	-	-	2	31	3	-	111	101
28	Barton	155	4	-	-	-	-	3	1	-	-	-	19	2	-	88	84
29	Bates	227	5	1	-	-	-	-	-	-	-	2	29	8	2	130	113
30	Benton	110	1	-	-	-	-	-	-	1	-	-	12	3	-	59	56
31	Bollinger	113	1	1	-	-	-	-	-	-	-	-	12	3	-	58	55
32	Boone	400	7	1	-	-	-	-	-	1	-	1	41	11	-	222	207
33	Columbia	213	5	-	-	-	-	-	-	1	-	1	23	4	-	119	115
34	Balance of county	187	2	1	-	-	-	-	-	-	-	-	18	7	-	103	92
35	Buchanan	1,213	12	11	-	-	1	2	1	-	-	2	170	16	2	698	691
36	St. Joseph	1,016	8	11	-	-	1	1	1	-	-	2	145	12	2	599	593
37	Balance of county	197	4	-	-	-	-	1	-	-	-	-	25	4	-	99	98
38	Butler	356	9	1	-	-	-	1	1	-	-	-	45	5	-	176	172
39	Poplar Bluff	180	5	1	-	-	-	-	1	-	-	-	20	1	-	98	95
40	Balance of county	176	4	-	-	-	-	1	-	-	-	-	25	4	-	80	77
41	Caldwell	158	1	-	-	-	-	1	-	1	-	1	30	2	-	84	82
42	Callaway	247	3	-	-	-	-	-	-	-	-	-	27	4	-	141	138
43	Fulton	93	1	-	-	-	-	-	-	-	-	-	9	3	-	52	50
44	Balance of county	154	2	-	-	-	-	-	-	-	-	-	18	1	-	89	88
45	Camden	90	3	1	-	-	-	-	-	-	-	-	6	1	-	47	41
46	Cape Girardeau	369	10	3	-	-	-	-	1	-	-	2	33	10	-	202	197
47	Cape Girardeau	204	8	2	-	-	-	-	-	-	-	2	21	1	-	118	113
48	Balance of county	165	2	1	-	-	-	-	1	-	-	-	12	9	-	84	84
49	Carroll	197	1	-	-	-	-	-	-	-	-	2	28	5	-	113	109
50	Carter	42	2	-	-	-	-	-	-	-	-	1	5	-	-	21	20
51	Cass	247	1	1	-	-	-	-	-	-	-	-	40	2	1	144	134
52	Cedar	140	1	-	-	-	-	-	-	2	-	-	14	-	1	81	77
53	Chariton	206	1	1	-	-	-	4	-	-	-	-	21	2	-	133	124
54	Christian	147	1	-	-	-	-	1	-	-	-	2	21	1	1	87	84
55	Clark	106	5	-	-	-	-	-	-	-	-	-	10	1	-	64	60
56	Clay	405	7	-	-	-	-	-	-	-	-	3	50	5	1	230	228
57	Kansas City (part)	42	2	-	-	-	-	-	-	-	-	1	6	-	-	22	22
58	Balance of county	363	5	-	-	-	-	-	-	-	-	2	44	5	1	208	206
59	Clinton	181	2	4	-	1	-	-	-	-	-	-	30	3	-	104	102
60	Cole	294	6	-	1	-	-	-	-	-	-	-	35	5	-	177	169
61	Jefferson City	204	4	-	1	-	-	-	-	-	-	-	26	4	-	121	116
62	Balance of county	90	2	-	-	-	-	-	-	-	-	-	9	1	-	56	53
63	Cooper	168	5	1	-	-	-	-	-	-	-	-	17	4	-	94	92
64	Crawford	139	4	-	-	-	-	1	-	-	-	1	17	1	-	80	77
65	Dade	99	2	-	-	-	-	2	-	-	-	-	14	2	-	54	50
66	Dallas	114	1	2	-	-	-	-	-	-	-	-	30	2	-	51	49
67	Daviess	148	2	-	-	-	-	-	-	-	-	1	27	3	-	81	75
68	De Kalb	101	-	-	-	-	-	-	-	-	-	-	14	3	-	54	52
69	Dent	121	4	-	-	-	-	-	-	-	-	1	16	2	-	73	71
70	Douglas	101	2	-	-	-	-	-	-	-	-	-	17	1	1	55	54
71	Dunklin	376	13	4	-	-	1	1	1	-	-	3	50	5	-	171	156
72	Franklin	375	2	2	-	-	-	-	-	-	-	2	57	2	-	209	199
73	Gasconade	135	2	-	-	-	-	-	-	-	-	-	23	1	-	81	76
74	Gentry	147	1	-	-	-	-	-	-	-	1	1	23	5	-	81	78
75	Greene	1,075	15	10	1	-	-	2	-	-	-	2	160	16	-	589	567
76	Springfield	745	9	9	-	-	-	1	-	-	-	2	107	9	-	422	405
77	Balance of county	330	6	1	1	-	-	1	-	-	-	-	53	7	-	167	162
78	Grundy	173	2	2	-	-	-	-	-	-	-	-	16	2	-	118	114
79	Harrison	170	-	-	-	-	-	2	-	-	-	-	28	2	-	87	81
80	Henry	286	3	-	-	-	-	2	-	-	-	-	41	4	-	160	151
81	Hickory	54	1	2	-	-	-	-	-	-	-	-	7	-	-	30	28
82	Holt	130	1	-	-	-	-	-	-	-	-	-	22	1	-	77	74
83	Howard	168	4	4	-	-	-	-	-	-	-	2	26	3	-	83	81
84	Howell	237	3	1	-	-	-	1	-	1	-	-	30	4	-	133	124
85	Iron	135	2	1	-	-	-	-	-	-	2	1	16	6	-	67	65
86	Jackson	6,144	148	46	-	-	1	3	4	5	-	9	945	80	10	3,180	3,059
87	Kansas City (part)	5,267	135	43	-	-	1	1	4	4	-	9	812	73	7	2,734	2,628
88	Kansas City (total)	5,309	137	43	-	-	1	1	4	4	-	10	818	73	7	2,756	2,650
89	Independence	387	4	-	-	-	-	1	-	-	-	-	58	2	3	197	192
90	Balance of county	490	9	3	-	-	-	1	-	1	-	-	75	5	-	249	239

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330–334	Rheumatic fever 400–402	Diseases of heart 410–443	Hypertension without mention of heart and general arteriosclerosis 444–450	Other diseases of circulatory system 451–468	Chronic and unspecified nephritis and other renal sclerosis 592–594	Influenza and pneumonia, except pneumonia of newborn 480–493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640–689	Congenital malformations 750–759	Symptoms, senility, and ill-defined conditions 780–795	Motor-vehicle accidents E810–E835	All other accidents E800–E802, E840–E962	Suicide E963, E970–E979	Homicide E964, E980–E985	All other causes Residual	
11	1	56	2	-	7	1	-	1	-	-	-	2	4	5	3	3	1	22	1
16	-	27	3	1	2	8	-	1	2	5	-	2	7	3	6	1	1	14	2
25	-	64	-	-	28	11	1	2	2	-	3	1	43	6	7	1	6	19	3
18	1	54	7	2	5	10	1	2	-	-	1	2	12	5	3	1	-	22	4
9	-	33	1	-	8	6	-	1	-	-	2	2	13	1	4	1	1	30	5
59	-	141	12	1	15	17	2	1	1	2	3	2	80	13	18	6	4	50	6
45	-	118	10	-	12	13	2	1	-	1	1	-	43	8	9	6	4	36	7
14	-	23	2	1	3	4	-	-	1	1	2	2	37	5	9	-	-	14	8
108	1	173	9	4	29	36	2	6	1	2	10	6	149	24	26	2	12	86	9
58	1	82	5	3	11	16	-	3	-	-	3	4	40	14	9	1	3	52	10
50	-	91	4	1	18	20	2	3	1	2	7	2	109	10	17	1	9	34	11
13	-	38	3	1	8	5	1	1	1	1	2	5	11	6	4	-	2	25	12
13	-	30	5	1	3	5	1	1	-	-	2	-	3	-	2	1	2	8	13
10	-	51	4	1	2	3	-	1	1	2	3	1	27	4	5	1	1	7	14
17	2	48	4	1	6	7	1	4	3	2	2	2	20	5	8	1	3	20	15
18	-	48	4	-	7	11	-	1	-	1	-	2	11	5	7	1	2	19	16
52	-	102	5	1	11	8	1	2	4	6	2	1	77	8	18	1	6	32	17
5,161	43	15,895	1,314	248	1,069	1,718	236	161	370	134	67	450	581	942	1,679	473	233	4,398	18
23	-	77	3	1	9	8	1	1	1	1	1	3	6	6	6	6	2	28	19
18	-	39	2	-	4	5	1	1	1	1	-	3	2	2	3	-	1	22	20
7	-	38	1	1	5	1	-	-	-	-	1	-	3	4	3	6	1	7	21
24	-	60	4	-	3	7	-	-	-	-	-	1	1	3	3	-	-	10	22
9	-	31	4	1	3	2	1	-	-	-	-	1	4	4	5	2	1	13	23
24	-	112	7	2	10	14	2	1	2	-	-	3	2	4	7	2	2	33	24
6	-	51	2	1	4	8	1	-	-	-	-	-	1	2	3	2	2	20	25
18	-	61	5	1	6	6	1	1	2	-	-	3	1	2	4	-	-	13	26
20	-	74	7	-	10	8	-	-	1	5	-	5	-	4	5	1	-	29	27
28	-	54	1	1	4	4	-	-	1	1	-	-	5	1	3	1	-	22	28
30	-	73	8	2	17	12	2	2	1	-	-	3	1	3	10	4	-	12	29
17	-	36	2	1	3	3	-	1	-	-	-	-	4	4	6	-	1	15	30
20	-	30	5	-	3	7	-	-	2	-	1	2	7	-	4	1	1	13	31
67	-	126	14	-	15	20	-	1	1	-	-	3	3	11	12	6	6	53	32
37	-	69	9	-	4	7	-	-	1	-	-	1	-	8	5	2	5	31	33
30	-	57	5	-	11	13	-	1	-	-	-	2	3	3	7	4	1	22	34
165	1	489	32	4	7	56	8	11	10	2	1	6	3	18	48	15	4	116	35
139	1	419	30	4	6	48	7	7	8	1	1	3	3	13	36	12	4	91	36
26	-	70	2	-	1	8	1	4	2	1	-	3	-	5	12	3	-	25	37
39	-	123	6	4	6	25	3	3	3	2	-	4	-	14	14	1	1	46	38
25	-	67	2	1	3	8	2	1	3	-	-	-	-	5	4	-	1	30	39
14	-	56	4	3	3	17	1	2	-	2	-	4	-	9	10	1	-	16	40
24	1	49	8	-	2	6	1	-	-	-	-	1	-	4	4	1	-	21	41
27	-	94	17	-	3	11	2	1	-	-	2	4	-	12	12	1	-	27	42
9	-	34	7	-	2	5	-	1	-	-	1	3	-	4	4	-	-	10	43
18	-	60	10	-	1	6	2	-	-	-	1	1	-	8	8	1	-	17	44
8	-	30	3	-	6	7	-	1	1	-	-	-	-	7	5	2	-	9	45
49	1	135	11	1	5	15	-	5	3	1	-	8	9	5	20	6	-	36	46
25	1	80	6	1	5	7	-	4	2	1	-	5	3	-	8	3	-	19	47
24	-	55	5	-	-	8	-	1	1	-	-	3	6	5	12	3	-	17	48
38	-	59	12	-	4	5	2	1	-	-	-	4	-	12	8	-	-	16	49
3	-	16	1	-	1	2	-	-	-	-	-	1	2	2	1	-	1	4	50
44	-	80	9	1	10	6	-	-	1	-	1	2	2	13	8	2	-	23	51
20	-	51	5	1	4	6	1	-	1	1	-	1	7	3	8	2	-	11	52
38	-	77	9	-	9	8	1	1	2	1	1	-	-	2	13	4	-	13	53
22	1	49	11	1	3	5	-	-	1	1	-	-	-	7	6	3	-	10	54
23	-	33	4	-	4	2	-	-	-	-	-	3	1	1	3	4	-	12	55
51	1	144	29	3	2	14	6	3	4	2	-	4	5	8	13	7	2	41	56
2	-	16	3	1	-	2	-	-	-	-	-	-	-	1	1	2	-	5	57
49	1	128	26	2	2	12	6	3	4	2	-	4	5	7	12	5	2	36	58
26	-	73	2	1	2	10	-	-	2	-	-	3	-	-	8	3	-	11	59
34	1	120	14	-	8	8	4	2	2	1	-	4	1	4	14	6	1	23	60
22	-	84	10	-	5	5	4	1	2	1	-	4	-	3	5	3	-	20	61
12	1	56	4	-	3	3	-	1	-	-	-	-	1	1	9	3	1	3	62
23	1	56	11	1	2	9	1	1	-	1	-	-	3	2	9	2	-	21	63
12	-	52	12	1	3	4	1	1	-	-	-	1	1	3	-	3	-	21	64
15	-	29	6	-	4	5	-	-	-	-	-	-	3	3	4	2	-	8	65
13	-	35	1	-	2	4	1	-	-	-	1	1	3	2	7	-	-	9	66
15	-	54	6	-	6	4	1	-	-	1	-	1	2	2	8	1	-	14	67
22	-	30	-	-	2	11	-	1	-	-	-	1	1	1	4	-	-	11	68
24	-	43	3	1	2	4	-	-	-	-	1	1	-	5	2	1	-	11	69
10	-	39	5	-	1	5	1	1	-	-	-	1	3	-	1	2	1	10	70
42	1	100	10	3	15	15	1	3	2	4	1	13	4	11	25	3	1	44	71
49	-	135	13	2	10	13	1	1	1	1	-	3	3	20	10	8	-	40	72
22	-	52	1	1	5	6	1	-	2	1	-	-	-	-	5	1	-	12	73
19	-	46	9	2	5	8	-	-	-	1	1	1	-	3	4	5	2	10	74
111	5	404	42	5	22	45	6	3	5	5	-	13	11	28	41	10	3	110	75
76	4	291	30	4	17	26	3	2	2	3	-	8	9	16	29	8	2	78	76
35	1	113	12	1	5	19	3	1	3	2	-	5	2	12	12	2	1	32	77
20	-	82	11	1	4	8	-	1	-	-	-	1	1	2	4	1	-	15	78
22	-	53	4	2	6	8	-	1	2	1	1	1	-	2	12	2	2	19	79
31	-	105	13	2	9	14	-	2	1	2	-	1	5	2	17	4	-	28	80
4	-	23	-	1	2	4	1	-	1	-	-	-	-	2	-	2	-	4	81
20	-	49	5	-	3	5	1	2	-	-	1	1	1	2	8	1	-	7	82
16	-	60	4	1	2	9	-	-	1	1	-	3	2	5	9	1	-	15	83
27	-	92	5	-	9	10	1	-	-	-	-	-	6	7	11	2	-	27	84
24	-	34	6	1	2	10	1	1	1	-	-	3	-	4	5	1	-	14	85
648	5	2,182	186	38	121	240	50	18	76	19	5	62	140	122	213	64	45	659	86
551	5	1,865	175	32	106	198	46	13	67	18	3	48	128	94	170	48	42	569	87
553	5	1,881	178	33	106	200	46	13	67	18	3	48	128	95	171	50	42	574	88
45	-	139	5	3	5	13	3	3	3	1	2	9	7	9	23	7	2	40	89
52	-	178	6	3	10	29	1	2	6	-	-	5	5	19	20	9	1	50	90

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MISSOURI—Continued																
1	Jasper	967	47	3	-	1	-	-	-	-	1	2	114	19	-	531	493
2	Joplin (part)	482	23	1	-	-	-	-	-	-	1	1	64	10	-	262	250
3	Joplin (total)	488	23	1	-	-	-	-	-	-	1	1	64	10	-	265	253
4	Carthage	131	3	-	-	-	-	-	-	-	-	-	12	4	-	82	69
5	Balance of county	354	21	2	-	1	-	-	-	-	-	1	38	5	-	187	174
6	Jefferson	378	9	2	-	-	-	-	-	-	-	1	70	4	-	202	193
7	Johnson	280	3	1	-	-	-	-	1	-	-	-	43	3	1	182	174
8	Knox	98	-	-	-	-	-	-	1	-	-	1	18	-	-	46	44
9	Laclede	192	3	-	-	-	-	1	-	-	-	2	18	3	-	105	98
10	Lafayette	320	5	1	-	-	-	-	-	1	-	1	44	3	-	207	200
11	Lawrence	279	9	1	-	-	1	-	-	-	-	-	40	6	-	156	145
12	Lewis	154	4	-	-	-	-	-	-	-	-	1	22	6	-	85	79
13	Lincoln	160	4	1	-	-	-	-	-	-	-	-	19	4	-	98	96
14	Linn	241	1	1	-	-	-	-	-	1	-	2	34	5	-	152	146
15	Livingston	220	2	1	-	-	-	-	-	1	-	3	30	2	-	118	112
16	McDonald	147	3	-	-	-	-	-	-	-	-	1	14	3	1	91	85
17	Macon	280	9	2	-	-	-	1	-	-	-	3	40	4	-	148	145
18	Madison	95	3	1	-	-	-	-	-	-	-	3	9	4	-	48	45
19	Maries	66	1	-	-	-	-	-	-	-	-	-	16	1	-	35	34
20	Marion	408	7	2	-	-	-	-	-	2	-	-	46	8	-	236	229
21	Hannibal (part)	290	4	2	-	-	-	-	-	1	-	-	29	8	-	168	162
22	Hannibal (total)	292	4	2	-	-	-	-	-	1	-	-	30	8	-	168	162
23	Balance of county	118	3	-	-	-	-	-	-	1	-	-	17	-	-	68	67
24	Mercer	95	2	-	-	-	-	-	-	-	-	-	11	3	-	48	45
25	Miller	130	2	-	-	-	-	-	-	-	-	-	18	5	-	68	64
26	Mississippi	241	3	2	-	-	-	3	-	-	-	-	28	6	-	109	99
27	Moniteau	159	3	1	-	-	-	-	-	-	-	2	23	2	-	100	97
28	Monroe	177	4	1	-	-	-	-	-	-	1	1	14	4	-	119	110
29	Montgomery	149	3	-	-	-	-	-	-	-	-	-	30	3	-	91	81
30	Morgan	115	3	-	-	1	-	-	-	-	-	-	19	1	-	70	66
31	New Madrid	314	8	1	1	2	1	5	-	-	-	1	34	5	1	122	115
32	Sikeston (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Balance of county	314	8	1	1	2	1	5	-	-	-	1	34	5	1	122	115
34	Newton	310	10	2	-	-	-	2	-	-	-	-	36	8	-	160	151
35	Joplin (part)	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3
36	Balance of county	304	10	2	-	-	-	2	-	-	-	-	36	8	-	157	148
37	Nodaway	279	1	2	-	-	-	1	-	-	-	1	38	6	-	144	137
38	Oregon	106	4	-	-	-	-	-	-	-	-	-	12	3	-	50	46
39	Osage	108	3	-	-	-	-	-	-	-	-	-	12	1	-	66	65
40	Ozark	61	-	-	-	-	-	-	-	-	-	1	8	-	-	31	30
41	Pemiscot	379	12	1	-	-	2	3	1	-	-	2	35	7	-	134	120
42	Perry	127	4	-	-	-	-	-	-	1	-	-	18	2	-	66	61
43	Pettis	435	7	4	-	-	-	-	-	2	-	1	58	7	1	253	243
44	Sedalia	315	5	3	-	-	-	-	-	1	-	1	40	5	1	189	181
45	Balance of county	120	2	1	-	-	-	-	-	1	-	-	18	2	-	64	62
46	Phelps	197	4	1	-	-	-	-	-	-	-	-	23	3	-	111	98
47	Pike	239	2	2	-	-	-	-	-	1	1	-	29	3	-	138	134
48	Platte	153	2	-	-	-	-	-	-	-	-	-	20	2	-	93	91
49	Polk	197	2	2	-	-	-	-	-	-	-	1	28	2	-	113	112
50	Pulaski	115	2	1	-	-	-	-	-	-	-	1	12	2	-	64	62
51	Putnam	101	-	-	-	-	-	-	-	-	-	-	16	1	1	58	54
52	Ralls	114	3	-	-	-	-	-	-	-	-	-	22	1	-	55	51
53	Hannibal (part)	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
54	Balance of county	112	3	-	-	-	-	-	-	-	-	-	21	1	-	55	51
55	Randolph	361	6	2	-	-	-	-	-	-	-	1	39	5	-	210	200
56	Moberly	201	3	1	-	-	-	-	-	-	-	1	22	3	-	112	105
57	Balance of county	160	3	1	-	-	-	-	-	-	-	-	17	2	-	98	95
58	Ray	205	3	1	-	-	-	-	-	-	-	-	32	5	-	110	106
59	Reynolds	73	2	-	-	-	-	-	-	-	1	-	12	3	-	33	31
60	Ripley	107	3	-	-	-	-	1	-	-	1	1	16	1	-	45	41
61	St. Charles	317	3	4	-	-	-	-	-	-	-	-	41	3	-	195	185
62	St. Charles	144	1	4	-	-	-	-	-	-	-	-	20	1	-	85	80
63	Balance of county	173	2	-	-	-	-	-	-	-	-	-	21	2	-	110	105
64	St. Clair	149	1	2	-	-	-	-	-	1	-	-	13	2	1	84	78
65	St. Francois	350	10	1	-	1	-	-	-	1	-	2	55	8	-	170	165
66	St. Louis	3,236	48	17	-	1	-	2	2	1	-	14	541	66	3	1,755	1,695
67	University City	350	3	2	-	-	-	-	1	-	-	-	75	9	1	211	204
68	Clayton	159	2	-	-	-	-	-	-	-	-	-	21	6	-	92	88
69	Ferguson	111	1	-	-	1	-	-	-	-	-	1	17	3	-	58	57
70	Jennings	100	3	2	-	-	-	-	-	-	-	1	16	-	-	51	47
71	Kirkwood	204	3	1	-	-	-	-	-	-	-	1	33	1	-	122	119
72	Maplewood	131	3	-	-	-	-	-	-	-	-	-	19	4	-	78	78
73	Overland	194	-	-	-	-	-	-	-	-	-	2	31	3	-	113	106
74	Richmond Heights	155	3	-	-	-	-	-	-	-	-	2	18	4	-	93	92
75	Webster Groves	225	2	4	-	-	-	1	-	-	-	-	39	4	-	131	125
76	Balance of county	1,607	28	8	-	-	-	1	1	1	-	7	272	32	2	806	779
77	St. Louis (city)	10,416	279	99	-	1	-	3	4	3	3	21	1,668	188	19	5,588	5,359
78	Ste. Genevieve	117	1	-	-	-	-	1	-	-	-	-	19	2	-	67	62
79	Saline	352	2	3	-	-	-	-	-	-	-	-	39	5	-	207	188
80	Schuyler	85	1	-	-	-	-	-	-	-	-	-	15	-	-	49	48
81	Scotland	89	1	-	-	-	-	-	-	1	-	1	8	2	-	60	55
82	Scott	314	3	2	-	-	-	-	-	-	-	2	35	7	1	155	148
83	Sikeston (part)	112	1	-	-	-	-	-	-	-	-	-	10	4	1	49	49
84	Sikeston (total)	112	1	-	-	-	-	-	-	-	-	-	10	4	1	49	49
85	Balance of county	202	2	2	-	-	-	-	-	-	-	2	25	3	-	106	99
86	Shannon	76	5	-	-	-	-	-	-	-	-	-	6	-	-	43	41
87	Shelby	149	2	-	-	-	-	-	-	1	-	-	26	3	-	90	77
88	Stoddard	267	6	-	-	-	-	2	-	-	1	1	36	4	-	126	122
89	Stone	88	2	-	-	-	-	-	1	-	-	-	17	1	-	40	38
90	Sullivan	143	3	1	-	-	-	2	-	-	-	-	17	4	-	77	70
91	Taney	98	2	-	-	-	-	-	-	-	-	1	21	2	-	50	49
92	Texas	165	3	-	-	1	-	-	-	1	-	-	12	1	-	98	93

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
117	1	349	19	7	38	47	8	2	8	6	1	9	2	15	35	9	4	103	1
55	-	185	7	3	12	21	6	1	6	2	1	5	-	7	18	4	2	47	2
58	-	187	7	3	12	22	6	1	7	2	1	5	-	7	18	5	2	47	3
15	-	48	5	1	13	7	-	-	1	-	-	-	2	2	4	-	1	13	4
47	1	118	7	3	13	19	2	1	1	4	-	4	-	6	13	5	1	43	5
35	-	151	7	-	9	11	-	1	3	-	1	6	6	10	8	5	3	36	6
35	2	123	11	3	8	12	1	1	1	-	-	-	2	4	6	3	-	16	7
11	-	29	4	-	2	6	1	-	2	-	-	-	1	-	5	3	1	13	8
24	-	72	1	1	7	9	-	-	-	-	-	3	1	5	6	4	-	32	9
46	-	142	10	2	7	7	-	-	1	1	-	1	1	4	9	3	1	30	10
36	1	100	5	3	11	18	1	-	1	2	1	2	4	5	10	1	-	21	11
25	-	52	2	-	6	5	1	2	1	1	-	5	1	6	7	1	-	6	12
27	-	62	6	1	2	3	1	-	-	-	-	-	-	5	10	4	1	10	13
31	-	99	15	1	6	6	-	-	-	2	-	4	-	2	7	5	-	19	14
34	-	67	8	3	6	8	-	1	1	-	1	4	1	5	13	3	-	26	15
27	-	56	1	1	6	2	1	-	-	1	2	2	2	1	8	2	-	13	16
34	-	102	9	-	3	25	-	1	1	1	-	-	2	3	11	4	-	25	17
19	-	26	-	-	3	4	1	1	-	2	-	-	-	3	5	-	-	11	18
6	-	24	3	1	1	3	-	-	-	-	-	-	1	1	2	1	1	4	19
53	-	167	7	2	7	21	1	-	3	3	1	3	3	15	17	7	1	32	20
35	-	124	2	1	6	14	-	-	3	3	-	2	3	11	15	7	1	19	21
35	-	124	2	1	6	14	-	-	3	3	-	2	3	11	15	7	1	20	22
18	-	43	5	1	1	7	1	-	-	-	1	1	-	4	2	-	-	13	23
10	-	31	3	1	3	2	1	-	-	-	-	2	2	1	7	1	-	15	24
18	-	39	5	2	4	6	-	-	1	-	-	-	2	2	7	2	-	17	25
29	-	66	3	1	10	18	-	3	1	1	2	1	2	4	11	1	6	40	26
24	-	59	15	-	3	8	-	1	4	-	-	1	-	2	1	2	-	9	27
24	-	84	2	-	9	8	-	-	3	1	-	-	2	2	5	1	-	11	28
14	-	60	6	1	10	1	-	-	-	1	-	2	-	2	6	1	-	9	29
15	-	42	8	1	4	6	-	-	1	-	-	1	1	-	1	1	-	10	30
37	3	64	10	1	7	21	1	5	-	3	2	4	11	10	20	-	6	50	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
37	3	64	10	1	7	21	1	5	-	3	2	4	11	10	20	-	6	50	33
37	-	103	11	-	9	16	1	1	2	3	-	4	2	11	17	5	-	30	34
1	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	35
36	-	101	11	-	9	15	1	1	1	3	-	4	2	11	17	4	-	30	36
42	-	89	5	1	7	24	3	1	1	-	1	1	2	7	11	1	-	34	37
10	-	32	2	2	4	5	2	1	1	1	-	4	2	1	3	2	-	12	38
16	-	46	2	1	1	2	-	-	3	1	-	1	-	2	8	1	-	8	39
10	-	17	2	1	1	3	-	-	-	-	-	1	-	2	3	-	-	12	40
34	-	78	7	1	14	19	2	5	2	-	3	13	30	11	25	2	11	59	41
16	-	42	3	-	5	9	-	-	1	-	-	3	1	1	2	6	-	13	42
43	1	190	6	3	10	16	3	-	2	2	-	2	2	7	18	5	2	43	43
30	1	142	5	3	8	11	1	-	1	1	-	-	1	4	12	4	-	35	44
13	-	46	1	-	2	5	2	-	1	1	-	2	1	3	6	1	2	8	45
28	-	69	1	-	13	9	-	-	1	-	-	3	2	8	11	5	-	16	46
24	-	100	8	2	4	7	1	1	3	1	2	1	1	2	20	4	1	19	47
25	1	62	3	-	2	5	-	-	1	1	-	2	3	6	9	1	-	8	48
31	-	69	11	1	1	7	-	1	1	-	-	1	9	1	4	2	-	23	49
12	-	49	1	-	2	8	1	1	-	-	-	1	-	4	7	-	-	11	50
21	-	32	-	1	4	2	1	2	-	-	-	1	2	-	8	1	-	8	51
11	-	38	2	2	4	7	-	-	-	-	-	-	1	4	3	1	-	17	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	53
11	-	38	2	2	4	7	-	-	-	-	-	-	1	4	3	1	-	16	54
42	1	142	13	2	10	21	1	1	1	-	-	4	14	4	18	3	-	31	55
23	1	71	9	1	7	13	1	-	1	-	-	1	7	2	15	-	-	19	56
19	-	71	4	1	3	8	-	1	-	-	-	3	7	2	3	3	-	12	57
37	1	57	10	1	4	11	2	1	1	-	-	-	-	6	10	2	-	21	58
9	-	21	1	-	2	8	-	-	-	-	-	-	1	2	3	2	-	6	59
14	-	23	3	1	4	10	-	1	-	-	1	1	2	2	3	2	1	16	60
31	1	135	17	1	10	6	-	-	6	1	-	4	-	7	9	2	-	36	61
13	-	55	11	1	5	2	-	-	3	-	-	2	-	2	6	-	-	18	62
18	1	60	6	-	5	4	-	-	3	1	-	2	-	5	3	2	-	18	63
29	-	44	5	-	6	11	2	-	1	1	-	2	4	1	10	3	-	10	64
57	-	98	7	3	5	16	1	1	2	1	1	11	4	8	13	6	-	38	65
297	5	1,300	75	18	60	68	16	9	30	8	5	41	99	84	99	36	13	278	66
34	-	157	11	2	7	6	3	-	1	-	-	1	5	4	7	3	-	18	67
20	-	62	3	3	4	-	-	-	2	-	1	1	4	4	8	4	1	13	68
5	-	49	3	-	1	4	-	1	2	2	-	1	2	4	4	-	-	10	69
3	1	42	1	-	4	4	-	-	-	-	-	1	3	2	3	-	2	12	70
23	1	89	5	1	3	2	1	1	3	-	-	2	7	5	8	1	-	13	71
20	-	53	5	-	-	2	-	-	-	-	1	2	4	5	8	1	-	4	72
22	-	83	1	-	7	7	2	-	1	-	-	2	5	6	6	1	-	15	73
15	-	70	5	2	1	2	1	-	3	-	-	4	1	4	2	1	-	17	74
25	-	96	4	-	6	3	-	1	2	1	-	2	3	1	7	4	1	19	75
150	3	699	37	10	27	38	9	6	16	5	3	25	65	49	46	21	9	157	76
1,095	8	3,893	286	79	229	308	66	27	132	28	19	94	53	218	385	90	90	1,030	77
8	-	42	12	-	5	7	1	1	1	-	-	1	1	3	2	1	-	9	78
38	-	135	14	1	19	21	2	2	1	-	1	4	6	6	16	-	2	35	79
11	-	34	3	-	1	1	-	-	1	-	-	-	2	2	6	2	-	6	80
17	-	35	3	-	5	-	-	-	-	-	-	1	1	1	5	-	-	8	81
35	1	103	8	1	7	19	-	1	1	-	1	3	3	12	20	3	3	43	82
11	1	34	3	-	-	10	-	-	-	-	1	2	1	4	10	1	2	16	83
11	1	34	3	-	-	10	-	-	-	-	1	2	1	4	10	1	2	16	84
24	-	69	5	1	7	9	-	1	1	-	-	1	2	8	10	2	1	27	85
12	1	25	2	1	2	3	-	-	1	-	-	1	3	4	2	1	2	5	86
16	-	58	3	-	15	8	-	-	-	1	1	-	1	1	3	1	1	10	87
40	-	78	3	1	4	18	2	4	1	1	1	4	11	6	16	2	2	23	88
11	-	26	1	-	2	6	1	1	-	-	-	3	-	1	1	1	-	13	89
18	-	43	6	3	7	6	-	2	3	1	-	2	3	1	1	2	-	18	90
15	-	31	2	1	1	3	-	-	1	-	1	1	3	-	3	2	-	8	91
25	-	62	6	-	5	8	1	1	2	-	-	1	1	6	9	5	-	15	92

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MISSOURI—Continued																
1	Vernon	283	4	2	-	-	-	1	-	-	-	2	37	4	1	173	167
2	Warren	102	1	-	-	-	-	-	-	-	-	-	13	-	-	67	66
3	Washington	131	4	-	-	-	-	-	-	-	-	-	16	6	1	57	52
4	Wayne	119	5	-	-	-	-	-	-	-	-	-	14	2	1	63	61
5	Webster	149	2	-	-	-	-	-	-	-	-	-	16	2	1	81	77
6	Worth	75	-	-	-	-	-	-	-	-	-	-	13	-	-	43	40
7	Wright	172	1	-	-	-	1	-	-	-	-	-	19	-	-	104	100
8	MONTANA	5,822	111	31	-	2	2	10	2	3	-	15	736	68	5	2,779	2,708
9	Beaverhead	71	1	-	-	-	-	-	-	-	-	-	7	1	-	42	42
10	Big Horn	93	6	-	-	-	-	3	-	-	-	1	3	-	-	31	31
11	Blaine	78	3	1	-	-	-	-	-	-	-	-	7	2	-	25	24
12	Broadwater	28	-	-	-	-	-	-	-	-	-	-	3	-	-	13	12
13	Carbon	110	3	1	-	-	-	-	-	-	-	1	21	2	-	51	51
14	Carter	27	-	-	-	-	-	-	-	-	-	-	2	2	-	15	15
15	Cascade	480	5	4	-	1	1	-	-	-	-	2	70	4	-	216	210
16	Great Falls	375	5	4	-	-	1	-	-	-	-	1	61	3	-	168	163
17	Balance of county	105	-	-	-	1	-	-	-	-	-	1	9	1	-	48	47
18	Chouteau	71	1	-	-	-	-	-	1	-	-	-	13	-	-	33	33
19	Custer	101	2	1	-	-	-	-	-	-	-	-	16	2	-	55	53
20	Daniels	33	1	-	-	-	-	-	-	-	-	-	3	-	-	20	20
21	Dawson	67	-	-	-	-	-	-	-	-	-	-	7	1	-	27	27
22	Deer Lodge	177	3	2	-	-	-	-	-	-	-	-	32	1	-	79	79
23	Anaconda	163	2	2	-	-	-	-	-	-	-	-	29	1	-	72	72
24	Balance of county	14	1	-	-	-	-	-	-	-	-	-	3	-	-	7	7
25	Fallon	36	1	-	-	-	-	-	-	-	-	-	8	1	-	15	14
26	Fergus	162	-	-	-	-	-	-	-	-	-	-	17	4	-	84	81
27	Flathead	294	1	1	-	-	-	-	-	-	-	1	43	4	-	154	153
28	Gallatin	167	2	-	-	-	-	-	-	-	-	1	28	2	-	89	88
29	Bozeman	101	1	-	-	-	-	-	-	-	-	-	19	2	-	51	50
30	Balance of county	66	1	-	-	-	-	-	-	-	-	1	7	-	-	38	39
31	Garfield	24	-	-	-	-	-	-	-	-	-	-	3	1	-	8	8
32	Glacier	102	10	2	-	-	-	-	-	-	-	-	5	-	-	33	30
33	Golden Valley	12	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2
34	Granite	32	1	-	-	-	-	1	-	-	-	-	6	-	-	9	9
35	Hill	129	3	1	-	-	-	-	1	-	-	-	13	1	1	47	47
36	Jefferson	43	2	-	-	-	-	-	-	-	-	1	3	2	-	27	25
37	Judith Basin	37	-	-	-	-	-	-	-	-	-	-	6	1	-	17	15
38	Lake	146	2	1	-	-	-	-	-	1	-	-	22	2	-	56	55
39	Lewis and Clark	271	5	1	-	-	-	-	-	-	-	-	31	2	1	156	141
40	Helena	200	2	1	-	-	-	-	-	-	-	-	23	1	1	117	105
41	Balance of county	71	3	-	-	-	-	-	-	-	-	-	8	1	-	39	36
42	Liberty	20	-	-	-	-	-	-	-	-	-	-	1	-	-	8	7
43	Lincoln	77	-	-	-	-	-	1	-	-	-	-	8	-	-	35	33
44	McCone	24	-	1	-	-	-	-	-	-	-	-	3	-	-	12	12
45	Madison	61	-	1	-	-	-	-	-	-	-	-	4	-	-	28	26
46	Meagher	27	-	-	-	-	-	-	-	-	-	-	4	-	-	16	14
47	Mineral	25	1	-	-	-	-	-	-	-	-	1	3	-	-	8	8
48	Missoula	355	6	3	-	-	-	-	-	-	-	3	43	2	-	177	177
49	Missoula	291	4	3	-	-	-	-	-	-	-	2	37	1	-	146	146
50	Balance of county	64	2	-	-	-	-	-	-	-	-	1	6	1	-	31	31
51	Musselshell	64	-	-	-	-	-	-	-	-	-	-	10	-	-	28	28
52	Park	131	2	-	-	-	-	-	-	-	-	-	14	1	-	73	71
53	Petroleum	12	-	-	-	-	-	-	-	-	-	-	2	-	-	7	7
54	Phillips	58	1	-	-	-	-	-	-	-	-	-	8	1	-	31	31
55	Pondera	63	1	-	-	-	1	-	-	1	-	-	8	-	-	28	28
56	Powder River	26	1	-	-	-	-	-	-	-	-	-	1	1	-	16	15
57	Powell	58	1	-	-	-	-	-	-	1	-	-	10	-	-	31	30
58	Prairie	26	-	-	-	-	-	-	-	-	-	1	2	-	-	13	13
59	Ravalli	154	2	-	-	-	-	-	-	-	-	-	16	1	-	60	60
60	Richland	65	2	-	-	-	-	-	-	-	-	-	8	5	-	32	28
61	Roosevelt	100	5	1	-	-	-	1	-	-	-	-	18	1	-	42	41
62	Rosebud	72	4	2	-	-	-	1	-	-	-	2	7	-	1	29	28
63	Sanders	82	-	-	-	-	-	1	-	-	-	-	13	1	-	45	44
64	Sheridan	57	-	-	-	-	-	-	-	-	-	-	5	1	-	30	30
65	Silver Bow	707	21	2	-	-	-	2	-	-	-	-	83	10	-	360	349
66	Butte	634	19	2	-	-	-	2	-	-	-	-	77	10	-	316	308
67	Balance of county	73	2	-	-	-	-	-	-	-	-	-	6	-	-	44	43
68	Stillwater	43	-	1	-	-	-	-	-	-	-	-	3	-	-	25	25
69	Sweet Grass	37	2	-	-	-	-	-	-	-	-	-	4	-	-	18	18
70	Teton	54	1	-	-	-	-	-	-	-	-	-	9	1	-	21	21
71	Toole	69	2	1	-	-	-	-	-	-	-	-	8	1	-	30	27
72	Treasure	13	-	-	-	-	-	-	-	-	-	-	-	-	-	7	7
73	Valley	84	1	2	-	-	-	-	-	-	-	1	8	1	-	41	41
74	Wheatland	32	-	1	-	-	-	-	-	-	-	-	3	-	1	16	16
75	Wibaux	26	-	-	-	1	-	-	-	-	-	-	5	-	-	11	11
76	Yellowstone	429	6	1	-	-	-	-	-	-	-	-	54	6	1	197	197
77	Billings	322	4	1	-	-	-	-	-	-	-	-	40	4	1	152	152
78	Balance of county	107	2	-	-	-	-	-	-	-	-	-	14	2	-	45	45
79	Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	NEBRASKA	12,617	111	36	1	2	3	6	11	19	12	38	2,033	258	10	6,610	6,415
81	Adams	268	-	1	-	-	-	-	-	-	-	1	43	6	1	129	125
82	Hastings	202	-	1	-	-	-	-	-	-	-	-	29	6	1	96	97
83	Balance of county	66	-	-	-	-	-	-	-	-	-	1	14	-	-	31	28
84	Antelope	114	-	-	-	-	-	-	-	-	-	-	20	-	-	65	65
85	Arthur	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Banner	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
42	-	114	11	-	6	8	2	2	1	1	-	-	4	3	9	3	-	26	1
5	-	60	1	-	1	1	1	1	-	-	-	-	-	3	1	2	-	11	2
15	-	39	-	-	5	10	1	3	1	-	-	3	-	3	3	2	1	20	3
20	-	37	4	-	2	7	1	-	1	-	-	1	1	2	7	1	1	12	4
20	-	55	2	-	4	13	1	-	-	-	-	5	6	-	3	-	2	17	5
12	-	23	5	-	3	3	-	1	-	1	1	-	-	1	3	1	-	8	6
39	-	53	6	2	4	11	1	1	-	1	-	1	3	1	8	2	1	17	7
594	8	1,902	170	34	71	202	36	26	45	17	18	83	198	191	371	121	23	727	8
10	-	30	1	1	-	4	-	-	-	-	-	1	6	-	1	2	-	6	9
7	-	21	1	2	-	5	1	1	1	-	-	2	4	2	6	4	-	23	10
5	-	19	-	-	1	2	1	-	-	-	-	3	4	10	7	1	2	10	11
4	-	8	-	-	1	2	-	-	-	-	-	-	2	-	3	-	-	5	12
10	-	38	2	-	-	7	-	-	1	-	-	-	3	2	4	4	1	9	13
4	-	9	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	14
38	1	155	15	1	6	19	4	-	8	3	1	10	21	9	29	12	-	61	15
28	-	120	14	1	5	16	3	-	7	2	-	7	12	5	23	8	-	49	16
10	1	35	1	-	1	3	1	-	1	1	1	3	9	4	6	4	-	12	17
10	-	20	3	-	-	-	-	-	1	-	1	2	1	-	8	1	-	9	18
12	-	39	1	1	2	6	1	-	-	-	-	1	1	4	2	1	-	9	19
3	-	15	2	-	-	-	-	-	1	-	-	1	-	3	1	-	-	3	20
6	-	17	4	-	-	5	1	-	-	-	-	-	2	5	4	2	-	13	21
20	-	56	3	-	-	2	-	2	-	3	-	3	5	8	13	4	2	18	22
18	-	51	3	-	-	2	-	2	-	3	-	3	5	8	11	3	2	18	23
2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	24
3	-	9	1	1	1	1	-	1	1	-	-	2	1	1	1	1	-	2	25
15	-	63	3	-	3	5	1	1	-	-	-	2	3	10	6	3	1	25	26
40	-	97	13	3	1	2	3	3	1	-	-	5	4	8	22	4	-	38	27
18	-	65	5	-	1	2	1	-	1	-	1	2	3	11	5	2	2	17	28
11	-	36	3	-	1	1	1	-	-	1	-	1	1	7	2	-	1	13	29
7	-	29	2	-	-	1	-	-	-	-	-	1	2	4	3	2	1	4	30
-	-	8	-	-	-	2	-	-	-	-	-	-	2	1	3	1	-	3	31
5	-	22	3	-	3	12	1	1	1	-	-	1	1	4	10	1	-	19	32
-	-	-	2	-	-	1	-	-	-	-	-	-	1	2	-	-	-	1	33
-	-	8	1	-	-	1	-	-	-	-	-	-	2	-	3	-	-	9	34
10	-	35	1	1	-	8	-	3	-	-	-	1	10	3	13	4	-	20	35
7	-	17	1	-	2	1	-	-	-	-	-	1	3	-	-	-	1	2	36
3	-	10	1	1	2	1	-	-	-	-	-	-	1	1	4	1	-	5	37
14	-	39	1	1	1	4	-	1	-	1	1	4	12	7	8	-	-	24	38
24	-	111	4	2	15	7	2	1	4	-	1	2	-	11	17	2	-	28	39
17	-	83	3	2	12	4	1	1	3	-	1	2	-	7	9	2	-	25	40
7	-	28	1	-	3	3	1	-	1	-	-	-	-	4	8	-	-	3	41
2	-	4	1	-	1	2	-	-	-	-	-	-	1	1	2	1	-	4	42
4	-	27	2	-	2	7	-	-	2	-	-	-	2	1	12	1	1	7	43
1	-	9	2	-	-	2	-	-	-	-	-	-	1	2	-	1	-	2	44
4	-	19	3	-	2	2	1	3	-	-	-	-	6	-	8	3	-	5	45
2	-	11	1	-	2	-	-	-	1	-	-	1	-	-	2	-	-	3	46
1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	5	47
40	1	123	12	1	-	7	3	-	2	-	-	1	8	24	9	28	6	1	32	48
31	1	103	10	1	-	6	2	-	1	-	-	1	6	19	9	23	5	-	26	49
9	-	20	2	-	-	1	1	-	1	-	-	-	2	5	-	5	1	1	6	50
9	-	18	1	-	-	4	-	-	1	-	-	-	-	-	4	6	2	-	9	51
25	-	39	7	-	2	2	2	1	2	2	1	2	1	3	9	3	1	12	52
2	-	4	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	53
12	-	19	-	-	-	1	1	-	-	-	-	2	1	1	2	3	-	6	54
6	-	20	-	2	-	5	-	-	-	1	1	-	2	2	3	1	-	9	55
4	-	11	-	-	1	3	-	-	-	-	-	-	1	-	1	-	-	2	56
10	-	14	6	-	1	1	-	-	-	-	-	-	1	2	4	-	-	7	57
4	-	9	-	-	-	-	-	-	-	-	-	1	2	-	3	2	-	2	58
14	-	40	6	-	-	3	-	-	2	-	-	-	20	1	6	3	-	19	59
4	-	22	2	-	4	1	-	1	1	-	1	1	1	1	3	-	-	8	60
10	1	26	2	2	1	6	3	3	-	-	-	1	3	-	6	2	3	5	61
4	-	22	1	1	1	4	-	1	-	-	-	-	5	4	3	1	-	8	62
9	-	33	2	-	1	4	-	-	1	-	-	1	3	1	4	1	-	7	63
5	1	18	3	3	-	1	1	-	-	-	-	1	-	1	6	1	2	8	64
63	2	255	23	6	11	26	5	2	4	1	1	5	15	12	34	14	4	106	65
60	2	218	22	4	10	24	4	2	3	1	1	5	15	12	26	12	4	99	66
3	-	37	1	2	1	2	1	-	1	-	-	-	-	-	8	2	-	7	67
6	-	18	1	-	-	1	-	-	1	1	1	-	1	2	2	2	-	3	68
5	-	12	-	1	-	-	-	-	1	1	1	-	-	2	4	-	-	4	69
4	-	15	2	-	-	-	-	-	-	-	-	2	2	3	8	2	-	5	70
7	-	17	3	-	3	3	-	1	-	-	-	-	6	4	5	1	-	7	71
4	-	3	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	72
12	1	26	2	-	-	2	-	1	-	-	-	2	2	1	5	2	-	13	73
3	-	7	5	1	-	-	1	-	-	1	-	1	-	1	2	3	-	2	74
4	-	7	-	-	-	1	-	-	-	-	-	-	-	3	1	1	-	3	75
46	1	136	12	3	-	13	3	1	3	3	2	12	5	19	31	11	4	57	76
38	-	105	6	3	-	9	1	1	1	2	1	10	4	14	20	9	4	44	77
8	1	30	6	-	-	4	2	-	2	1	1	2	1	5	11	2	-	13	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
1,538	18	4,423	364	71	195	366	78	35	86	26	15	169	179	305	555	164	39	1,450	80
32	-	86	6	1	4	8	-	2	1	-	-	5	6	5	15	6	1	38	81
26	-	66	4	1	1	6	-	2	1	-	-	3	4	4	12	5	1	29	82
6	-	20	2	-	3	2	-	-	-	-	-	2	2	1	3	1	-	9	83
16	-	48	1	-	-	4	-	-	1	-	-	-	1	5	3	1	-	14	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	86

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 056-074, 081-084, 086-136	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEBRASKA—Continued																
1	Blaine	14	-	-	-	-	-	-	-	-	-	-	1	-	-	6	6
2	Boone	113	-	-	-	-	-	-	-	-	-	-	16	1	-	57	57
3	Box Butte	96	1	-	-	-	-	-	-	-	-	-	20	-	-	42	41
4	Boyd	49	1	-	-	-	-	-	-	-	-	-	9	3	-	20	20
5	Brown	50	-	-	-	-	-	-	-	-	-	-	9	2	-	27	26
6	Buffalo	249	3	1	-	-	-	-	1	-	-	1	40	1	-	117	113
7	Kearney	124	1	1	-	-	-	-	1	-	-	1	21	-	-	59	57
8	Balance of county	125	2	-	-	-	-	-	-	-	-	-	19	1	-	58	56
9	Burt	110	1	-	-	-	-	-	-	-	-	-	14	2	1	72	68
10	Butler	114	1	-	-	-	-	-	-	-	-	-	23	1	-	55	51
11	Cass	173	-	-	-	-	-	-	-	-	-	1	31	1	-	105	104
12	Cedar	135	-	-	-	-	-	-	-	-	-	2	21	6	-	64	63
13	Chase	58	-	-	-	-	-	-	-	-	-	-	8	1	-	22	21
14	Cherry	68	1	-	-	-	-	-	-	-	-	-	8	4	-	35	35
15	Cheyenne	71	-	-	-	-	-	-	-	-	-	-	15	1	1	25	24
16	Clay	119	-	-	-	-	-	-	-	-	-	-	13	2	-	69	66
17	Colfax	82	3	-	-	-	-	-	-	-	1	1	12	-	-	39	34
18	Cuming	99	3	1	-	-	-	-	-	-	-	1	21	-	-	46	45
19	Custer	201	1	-	-	-	-	-	-	-	1	1	37	5	-	108	105
20	Dakota	104	1	-	-	-	-	-	-	-	-	-	16	2	-	57	57
21	Dawes	105	-	1	-	-	-	-	-	-	-	-	22	1	-	51	49
22	Dawson	167	-	-	-	-	-	-	-	1	-	1	21	2	-	89	82
23	Deuel	26	-	-	-	-	-	-	-	-	-	-	3	2	-	12	12
24	Dixon	97	-	-	-	-	-	-	-	1	-	-	17	5	-	49	49
25	Dodge	274	1	3	-	-	-	-	-	-	-	1	41	4	-	140	135
26	Fremont	162	1	2	-	-	-	-	-	-	-	-	25	2	-	81	79
27	Balance of county	112	-	1	-	-	-	-	-	-	-	1	16	2	-	59	56
28	Douglas	2,718	52	11	-	1	2	1	2	1	2	8	459	51	1	1,439	1,409
29	Omaha	2,621	51	10	-	1	2	1	2	1	2	8	436	47	1	1,388	1,359
30	Balance of county	97	1	1	-	-	-	-	-	-	-	-	23	4	-	51	50
31	Dundy	26	-	-	-	-	-	-	1	-	-	-	8	2	-	12	12
32	Fillmore	122	-	1	-	-	-	-	-	1	-	1	17	4	-	77	76
33	Franklin	72	-	-	-	-	-	-	-	1	-	1	10	1	-	43	40
34	Frontier	56	-	-	-	-	-	-	-	-	1	-	9	1	-	26	25
35	Furnas	100	1	-	-	-	-	-	-	-	-	1	15	2	-	49	47
36	Gage	260	2	-	-	-	-	-	-	-	-	1	51	7	-	141	137
37	Beatrice	135	2	-	-	-	-	-	-	-	-	-	26	2	-	68	65
38	Balance of county	125	-	-	-	-	-	-	-	-	-	1	25	5	-	75	72
39	Garden	39	-	-	-	-	-	-	-	-	-	-	5	2	-	24	24
40	Garfield	34	-	1	-	-	1	-	-	-	-	1	3	2	-	13	13
41	Gosper	21	-	-	-	-	-	-	-	-	-	-	2	-	-	12	12
42	Grant	10	-	-	-	-	-	-	-	-	-	-	1	1	-	4	4
43	Greeley	55	-	-	-	-	-	-	-	-	-	-	9	1	-	28	28
44	Hall	349	2	2	1	1	-	-	1	1	1	3	56	6	-	177	167
45	Grand Island	284	2	2	-	1	-	-	1	1	1	1	46	5	-	140	131
46	Balance of county	65	-	-	1	-	-	-	-	-	-	2	10	1	-	37	36
47	Hamilton	98	1	-	-	-	-	-	1	-	-	-	20	2	-	51	49
48	Harlan	62	-	-	-	-	-	-	-	-	-	-	7	1	-	32	32
49	Hayes	16	-	-	-	-	-	-	-	-	-	-	4	-	-	5	5
50	Hitchcock	58	-	-	-	-	-	-	-	-	-	1	11	3	-	28	28
51	Holt	122	2	-	-	-	-	2	-	1	-	-	17	4	-	62	60
52	Hooker	7	-	-	-	-	-	-	-	-	-	-	2	-	-	3	3
53	Howard	90	-	1	-	-	-	-	-	-	-	-	14	2	-	45	43
54	Jefferson	143	-	1	-	-	-	-	-	-	-	-	21	4	-	77	75
55	Johnson	61	-	-	-	-	-	-	-	-	-	-	15	2	-	35	33
56	Kearney	67	-	-	-	-	-	-	-	-	-	-	11	1	-	34	33
57	Keith	60	1	-	-	-	-	-	-	-	-	-	8	-	-	33	32
58	Keya Paha	17	-	-	-	-	-	-	-	-	-	-	4	1	-	9	9
59	Kimball	28	-	-	-	-	-	-	-	-	-	-	4	-	-	12	10
60	Knox	121	2	1	-	-	-	-	-	-	1	-	13	-	-	71	68
61	Lancaster	1,066	6	1	-	-	-	-	3	1	-	2	189	23	1	557	538
62	Lincoln	938	6	1	-	-	-	-	2	1	-	2	166	18	1	493	477
63	Balance of county	128	-	-	-	-	-	-	1	-	-	-	23	5	-	64	61
64	Lincoln	222	1	1	-	-	-	1	1	3	2	-	30	6	-	96	90
65	North Platte	147	1	1	-	-	-	1	-	2	2	-	17	4	-	72	69
66	Balance of county	75	-	-	-	-	-	-	1	1	-	-	13	2	-	24	21
67	Logan	6	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3
68	Loup	12	-	-	-	-	-	-	-	-	-	-	4	-	-	6	6
69	McPherson	12	-	-	-	-	-	-	-	-	-	-	1	1	-	4	4
70	Madison	245	2	-	-	-	-	-	-	-	-	-	41	6	2	135	131
71	Norfolk	117	1	-	-	-	-	-	-	-	-	-	23	2	2	59	56
72	Balance of county	128	1	-	-	-	-	-	-	-	-	-	18	4	-	76	75
73	Merrick	96	1	-	-	-	-	-	-	1	-	-	15	2	-	57	55
74	Morrill	49	-	-	-	-	-	-	-	-	-	-	5	-	-	24	24
75	Nance	73	-	-	-	-	-	-	-	-	-	-	12	1	-	40	40
76	Nemaha	136	1	-	-	-	-	-	-	-	-	-	19	4	-	74	73
77	Nuckolls	96	-	-	-	-	-	-	-	-	-	-	14	1	1	48	48
78	Otoe	210	-	-	-	-	-	-	-	-	-	1	39	5	-	118	117
79	Pawnee	88	1	-	-	-	-	-	-	-	-	-	14	1	-	48	47
80	Perkins	28	-	1	-	-	-	-	-	-	-	-	3	1	-	17	17
81	Phelps	99	-	-	-	-	-	-	-	-	-	1	18	4	-	49	47
82	Pierce	86	-	3	-	-	-	-	-	1	-	1	14	2	1	44	44
83	Platte	174	2	1	-	-	-	-	-	-	-	-	33	6	-	95	92
84	Polk	91	-	-	-	-	-	-	-	-	-	-	18	2	-	48	47
85	Red Willow	122	-	-	-	-	-	-	-	-	-	-	25	3	-	53	52
86	Richardson	185	2	1	-	-	-	-	-	-	-	1	29	3	-	111	107
87	Rock	30	-	-	-	-	-	-	-	-	-	-	4	-	-	17	17
88	Saline	152	2	-	-	-	-	-	-	-	-	1	27	5	-	85	80
89	Sarpy	93	-	1	-	-	-	-	-	-	-	1	18	-	-	48	48

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	-	3	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	4	1
17	-	38	2	-	-	4	-	-	-	1	-	6	3	6	5	3	-	9	2
9	-	31	1	-	1	7	2	2	-	-	-	-	-	1	3	2	1	15	3
3	-	16	-	1	-	2	-	-	-	-	-	1	-	1	3	2	-	7	4
4	1	20	-	1	1	2	-	-	-	-	-	2	1	2	2	-	-	3	5
15	-	94	2	2	4	9	-	3	2	3	-	4	10	11	15	1	-	27	6
10	-	47	-	-	2	6	-	2	2	1	-	2	2	3	6	1	-	15	7
5	-	47	2	2	2	3	-	1	-	2	-	2	8	8	9	-	-	12	8
23	-	35	10	-	4	1	-	-	-	-	-	1	-	2	1	3	-	12	9
21	-	26	3	1	4	4	-	-	-	-	-	1	4	2	8	2	-	15	10
30	-	69	4	1	1	2	1	-	-	1	-	1	3	8	6	-	-	13	11
13	-	46	4	-	1	2	2	-	-	-	-	3	1	3	12	3	-	16	12
4	-	16	-	1	1	1	1	-	-	-	-	2	2	-	4	3	1	12	13
7	-	26	2	-	-	3	1	-	-	-	-	1	-	3	4	1	1	5	14
4	-	19	1	-	1	1	2	-	-	-	-	2	2	-	2	-	-	20	15
15	1	46	3	1	3	-	-	-	-	-	-	-	1	6	9	2	1	16	16
7	-	26	-	1	5	1	-	-	-	-	-	1	1	4	6	1	4	8	17
11	-	30	4	-	1	1	-	-	-	1	-	2	3	3	2	2	-	13	18
32	1	69	3	-	3	10	2	-	-	1	1	4	2	2	5	-	1	19	19
8	-	43	5	1	-	8	-	-	-	1	-	1	-	-	3	4	-	10	20
10	-	37	1	1	2	1	-	-	-	-	-	-	2	8	5	2	-	14	21
24	1	51	4	2	7	3	2	-	-	1	1	1	2	4	13	2	-	24	22
3	-	8	1	-	-	-	-	-	-	-	1	2	1	1	-	1	-	3	23
10	-	33	6	-	-	4	-	-	-	-	1	2	-	2	3	3	-	10	24
38	2	92	1	2	5	8	3	-	-	-	-	5	6	8	10	2	-	42	25
23	2	51	1	2	2	5	2	-	-	-	-	2	4	6	5	1	-	26	26
15	-	41	-	-	3	3	1	-	-	-	-	3	2	2	5	1	-	16	27
307	3	1,000	87	12	30	75	15	8	33	5	3	39	22	54	92	31	11	301	28
296	3	973	76	11	29	73	15	7	32	4	3	38	22	51	89	31	11	295	29
11	-	27	11	1	1	2	-	1	1	1	-	1	-	3	2	-	-	6	30
3	-	8	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	31
14	-	51	9	2	1	1	-	-	2	-	-	-	1	2	7	1	-	7	32
9	-	30	-	1	3	4	-	-	-	-	-	-	1	1	2	1	-	7	33
1	1	21	1	1	1	-	-	-	1	-	-	2	1	4	5	-	1	5	34
12	-	32	2	1	2	6	-	-	-	-	-	4	6	3	3	1	-	9	35
29	-	98	7	3	4	7	1	-	-	-	-	-	3	14	14	1	-	18	36
12	-	48	3	2	1	4	1	-	-	-	-	-	1	12	11	1	-	9	37
17	-	50	4	1	3	3	-	-	-	-	-	-	2	2	3	-	-	9	38
4	-	19	-	1	-	-	-	-	1	1	-	-	-	4	1	-	-	1	39
-	-	10	3	-	-	3	-	-	-	-	-	-	3	2	2	-	-	3	40
7	-	5	-	-	-	1	-	-	-	-	-	-	-	2	2	-	-	2	41
1	-	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	42
9	-	17	1	1	-	5	-	-	2	-	-	-	1	-	2	-	-	7	43
48	-	113	4	2	10	9	1	1	3	1	1	4	6	4	12	8	5	43	44
38	-	87	4	2	9	8	1	1	3	1	1	3	6	3	9	7	4	37	45
10	-	26	-	-	1	1	-	-	-	-	-	1	-	1	3	1	1	6	46
17	-	26	6	-	2	7	1	-	-	-	-	2	-	1	5	1	-	6	47
6	-	17	9	-	-	3	-	-	1	-	-	1	-	2	2	1	-	12	48
-	-	4	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	4	49
8	-	19	-	1	-	2	-	-	-	-	-	-	-	2	4	-	-	7	50
11	-	47	2	-	2	2	-	1	1	-	1	1	3	2	6	1	-	16	51
-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	52
10	-	30	2	1	2	2	-	-	-	-	-	3	5	2	7	-	-	9	53
19	-	55	1	-	2	6	-	-	-	1	-	2	2	4	6	2	1	16	54
16	-	16	-	1	2	-	-	-	-	-	-	-	-	-	1	1	1	6	55
5	-	26	2	-	1	6	-	-	-	-	-	1	3	1	-	1	-	9	56
7	-	23	1	1	1	2	-	-	1	-	1	1	-	1	2	2	-	8	57
1	-	8	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	58
1	-	7	2	-	2	-	-	-	1	-	-	3	-	1	-	-	-	8	59
16	-	50	2	-	3	1	1	-	1	-	-	1	-	4	6	5	-	14	60
140	1	347	45	5	19	24	13	2	9	2	1	12	12	17	47	11	-	133	61
123	-	308	41	5	16	21	11	1	7	2	1	12	9	13	40	9	-	122	62
17	1	39	4	-	3	3	2	1	2	-	-	-	3	4	7	2	-	11	63
25	2	57	6	-	6	8	1	1	2	-	-	3	4	6	14	5	-	37	64
20	2	42	5	-	3	3	1	1	2	-	-	2	2	2	6	3	-	25	65
5	-	15	1	-	3	5	-	-	-	-	-	1	2	4	8	2	-	12	66
-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	67
-	-	4	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	68
1	-	2	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-	3	69
33	-	90	7	1	4	6	1	1	-	1	-	6	2	2	12	4	-	24	70
13	-	41	2	-	3	1	-	-	1	-	-	4	1	1	7	1	-	14	71
20	-	49	5	1	1	5	1	1	-	-	-	2	1	1	5	3	-	10	72
15	-	37	2	1	2	-	-	-	1	-	-	1	2	-	2	-	1	13	73
2	-	21	1	-	-	-	-	-	1	-	-	1	-	3	4	-	-	10	74
7	-	29	4	-	-	3	-	1	-	-	-	1	3	-	4	1	-	7	75
29	-	39	4	1	1	10	-	-	-	1	-	-	3	3	8	2	2	9	76
11	-	35	2	-	1	4	-	-	1	1	-	1	2	4	3	1	-	14	77
34	1	67	15	-	1	3	1	-	1	-	-	1	2	3	14	4	-	18	78
5	-	41	1	-	1	-	-	-	1	2	-	1	1	4	7	-	-	8	79
4	-	10	2	1	-	-	-	-	-	-	-	-	-	-	3	-	-	3	80
7	-	37	3	-	2	2	1	1	-	-	-	1	1	1	4	-	-	16	81
6	-	38	-	-	-	1	2	1	-	-	-	2	1	1	4	1	-	7	82
23	-	60	7	2	3	3	3	-	-	-	-	1	2	6	6	2	1	13	83
12	-	32	3	-	1	-	-	-	1	-	-	2	-	3	3	2	-	14	84
10	-	38	3	1	1	3	1	2	-	1	-	3	2	-	9	3	-	17	85
32	-	69	6	-	4	2	1	1	2	-	-	-	-	2	7	2	-	21	86
4	-	12	1	-	-	-	1	-	-	-	-	1	-	2	1	2	-	1	87
19	-	58	3	-	5	2	2	2	1	-	-	-	2	1	3	3	2	2	12	88
16	-	30	1	1	-	-	2	-	-	-	-	1	2	3	1	1	-	15	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-049	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEBRASKA—Continued																
1	Saunders	175	1	1	-	-	-	-	-	1	-	-	22	4	-	106	96
2	Scotts Bluff	263	3	-	-	-	-	2	-	3	-	2	40	3	-	123	120
3	Scottsbluff	112	-	-	-	-	-	-	-	2	-	-	20	1	-	52	50
4	Balance of county	151	3	-	-	-	-	2	-	1	-	2	20	2	-	71	70
5	Seward	118	1	-	-	-	-	-	-	-	-	1	13	1	-	73	73
6	Sheridan	96	-	-	-	-	-	-	-	-	-	-	11	1	-	54	53
7	Sherman	47	1	-	-	-	-	-	-	-	-	-	6	1	-	25	25
8	Sioux	15	-	-	-	-	-	-	-	-	-	-	4	-	-	6	6
9	Stanton	37	-	-	-	-	-	-	1	-	-	-	4	1	-	22	21
10	Thayer	115	1	-	-	-	-	-	-	1	-	-	18	-	1	62	60
11	Thomas	13	-	-	-	-	-	-	-	-	-	-	2	-	-	8	8
12	Thurston	93	4	1	-	-	-	-	-	-	2	-	9	3	-	35	32
13	Valley	78	-	-	-	-	-	-	-	-	-	-	10	3	-	38	38
14	Washington	109	1	-	-	-	-	-	-	-	1	-	10	2	-	62	60
15	Wayne	63	-	-	-	-	-	-	-	-	-	-	9	2	-	34	33
16	Webster	75	-	-	-	-	-	-	-	-	-	-	12	1	-	42	41
17	Wheeler	13	-	-	-	-	-	-	-	-	-	-	2	-	-	8	8
18	York	160	1	-	-	-	-	-	-	1	-	-	14	7	-	88	84
19	NEVADA	1,588	34	15	-	1	-	-	-	1	-	9	200	17	2	725	705
20	Churchill	71	2	1	-	-	-	-	-	-	-	-	11	-	-	30	29
21	Clark	389	10	4	-	-	-	-	-	1	-	1	50	5	1	180	155
22	Las Vegas	251	8	4	-	-	-	-	-	1	-	-	32	3	-	117	113
23	Balance of county	138	2	-	-	-	-	-	-	-	-	1	18	2	1	43	42
24	Douglas	27	-	-	-	-	-	-	-	-	-	-	1	-	-	17	17
25	Elko	122	1	1	-	-	-	-	-	-	-	1	12	1	1	57	54
26	Esmeralda	7	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3
27	Eureka	9	2	-	-	-	-	-	-	-	-	-	-	-	-	3	3
28	Humboldt	59	1	-	-	-	-	-	-	-	-	-	11	-	-	23	23
29	Lander	19	2	-	-	-	-	-	-	-	-	-	1	-	-	6	6
30	Lincoln	45	-	1	-	-	-	-	-	-	-	1	5	-	-	17	17
31	Lyon	32	3	-	-	1	-	-	-	-	-	-	2	1	-	16	16
32	Mineral	47	2	-	-	-	-	-	-	-	-	-	5	1	-	20	20
33	Nye	60	2	1	-	-	-	-	-	-	-	-	5	1	-	29	29
34	Ormsby	57	-	-	-	-	-	-	-	-	-	-	9	-	-	27	27
35	Pershing	36	-	-	-	-	-	-	-	-	-	1	5	-	-	16	15
36	Storey	3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2
37	Washoe	513	9	7	-	-	-	-	-	-	-	3	73	7	-	256	252
38	Reno	386	9	6	-	-	-	-	-	-	-	2	62	7	-	190	186
39	Balance of county	127	-	1	-	-	-	-	-	-	-	1	11	-	-	66	66
40	White Pine	92	-	-	-	-	-	-	-	-	-	1	10	1	-	42	37
41	NEW HAMPSHIRE	6,076	61	31	-	-	1	2	4	1	-	14	954	107	4	3,591	3,498
42	Belknap	303	2	2	-	-	-	-	-	-	-	2	37	6	1	184	181
43	Laconia	152	1	1	-	-	-	-	-	-	-	2	21	3	-	88	87
44	Balance of county	151	1	1	-	-	-	-	-	-	-	-	16	3	1	96	94
45	Carroll	205	1	2	-	-	-	-	-	-	-	-	24	3	-	131	130
46	Cheshire	435	3	2	-	-	1	-	2	-	-	1	73	7	1	233	229
47	Keene	161	-	-	-	-	-	-	2	-	-	1	25	2	1	78	77
48	Balance of county	274	3	2	-	-	1	-	-	-	-	-	48	5	-	155	152
49	Coos	375	2	3	-	-	-	1	-	-	-	2	51	5	-	216	206
50	Berlin	183	1	2	-	-	-	-	-	-	-	-	25	1	-	110	103
51	Balance of county	192	1	1	-	-	-	1	-	-	-	2	26	4	-	106	103
52	Grafton	571	6	1	-	-	-	1	-	1	-	1	80	10	-	336	327
53	Hillsborough	1,837	22	15	-	-	-	-	-	-	-	3	256	29	2	1,139	1,108
54	Manchester	955	9	10	-	-	-	-	-	-	-	1	145	15	-	582	568
55	Nashua	427	5	2	-	-	-	-	-	-	-	2	44	8	1	270	261
56	Balance of county	455	8	3	-	-	-	-	-	-	-	-	67	8	1	287	279
57	Merrimack	700	11	2	-	-	-	-	1	-	-	1	135	13	-	396	381
58	Concord	306	6	-	-	-	-	-	1	-	-	1	59	6	-	174	172
59	Balance of county	394	5	2	-	-	-	-	-	-	-	-	76	7	-	222	209
60	Rockingham	798	7	3	-	-	-	-	-	-	-	3	143	13	-	459	444
61	Portsmouth	215	3	-	-	-	-	-	-	-	-	1	41	2	-	117	113
62	Balance of county	583	4	3	-	-	-	-	-	-	-	2	102	11	-	341	331
63	Strafford	561	6	1	-	-	-	-	1	-	-	1	109	17	-	317	314
64	Dover	202	3	-	-	-	-	-	1	-	-	1	31	8	-	115	113
65	Rochester	151	-	-	-	-	-	-	-	-	-	-	31	4	-	83	83
66	Balance of county	208	3	1	-	-	-	-	-	-	-	-	47	5	-	119	118
67	Sullivan	291	1	-	-	-	-	-	-	-	-	-	46	4	-	181	178
68	Claremont	122	1	-	-	-	-	-	-	-	-	-	18	1	-	73	71
69	Balance of county	169	-	-	-	-	-	-	-	-	-	-	28	3	-	108	107
70	NEW JERSEY	49,100	1,171	176	2	3	-	4	17	68	25	115	8,516	952	45	27,879	27,173
71	Atlantic	1,807	41	10	-	-	-	-	-	1	-	5	297	37	1	1,073	1,056
72	Atlantic City	1,001	32	8	-	-	-	-	-	-	-	1	175	19	-	577	569
73	Pleasantville	134	3	-	-	-	-	-	-	1	-	1	21	6	-	76	75
74	Balance of county	672	6	2	-	-	-	-	-	-	-	3	101	12	1	420	412
75	Bergen	4,727	76	7	-	-	-	1	1	15	7	13	811	76	5	2,731	2,649
76	Garfield	210	3	-	-	-	-	-	-	-	1	-	45	6	-	116	111
77	Hackensack	308	6	-	-	-	-	1	-	1	1	-	50	6	1	181	174
78	Teaneck (twp.)[2 3]	279	4	-	-	-	-	-	-	1	-	1	47	4	-	165	159
79	Bergenfield	157	3	1	-	-	-	-	-	1	1	-	33	2	1	81	80
80	Cliffside Park	155	4	-	-	-	-	-	-	-	-	-	31	2	-	91	91
81	Dumont	107	2	-	-	-	-	-	1	1	-	-	14	4	1	57	55
82	East Paterson	99	1	-	-	-	-	-	-	1	-	-	13	3	-	54	51
83	Englewood	214	3	-	-	-	-	-	-	1	-	-	39	2	-	130	128

[2]Classified as urban under a special rule. [3]Since this area is difficult to identify from information given on death records, data may be understated or overstated.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
24	1	65	5	1	10	3	2	-	-	-	1	1	-	6	8	-	-	19	1
26	3	79	10	2	3	9	1	2	1	-	1	4	5	15	11	2	1	35	2
14	-	28	6	2	2	3	-	-	1	-	-	2	2	6	6	1	1	15	3
12	3	51	4	-	1	6	1	2	-	-	1	2	3	9	5	1	-	20	4
15	-	51	4	3	-	4	-	-	1	-	-	-	-	1	4	3	-	16	5
13	-	35	3	2	1	4	-	-	-	-	-	4	2	3	4	4	-	9	6
4	-	21	-	-	-	2	-	-	1	-	-	3	-	1	-	1	-	6	7
-	-	5	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2	8
7	-	12	1	1	1	2	-	-	-	-	-	-	1	-	-	1	-	5	9
13	-	43	3	1	2	5	2	-	-	-	-	1	-	1	5	1	-	17	10
2	-	6	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	11
4	-	28	-	-	3	7	-	-	1	-	-	-	-	3	4	11	3	9	12
7	-	30	-	1	-	4	-	-	-	1	-	-	1	3	3	4	-	11	13
23	-	34	3	-	2	11	2	-	2	-	-	-	1	3	2	3	2	7	14
8	-	22	3	-	1	2	2	-	1	1	-	-	2	2	1	4	1	2	15
11	-	27	1	2	1	2	-	1	-	-	1	1	3	-	4	1	-	7	16
2	-	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	17
24	1	56	2	1	4	6	5	-	1	-	-	2	3	5	12	-	-	15	18
129	4	522	36	14	20	47	11	6	24	6	2	15	43	81	97	40	15	197	19
8	-	21	-	-	1	4	-	-	-	-	-	1	3	2	4	1	-	12	20
28	1	119	6	1	5	6	3	2	12	2	1	4	10	25	24	6	6	56	21
21	1	85	5	1	4	2	3	1	11	-	1	4	8	9	8	4	5	30	22
7	-	34	1	-	1	4	-	1	1	2	-	-	2	16	16	2	1	26	23
2	-	12	2	1	-	1	1	-	-	-	-	-	-	-	2	1	-	4	24
12	-	36	5	1	3	2	-	1	2	1	-	1	4	5	17	2	1	12	25
-	-	3	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	26
-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	27
3	-	19	-	1	-	3	-	-	1	-	-	-	3	3	4	2	-	8	28
1	-	5	-	-	-	1	1	-	-	-	-	-	2	-	3	2	-	1	29
4	-	12	1	-	-	-	-	-	1	-	-	-	3	1	4	5	-	6	30
6	-	7	1	2	-	1	-	-	-	-	-	-	-	-	1	2	-	5	31
-	-	18	2	-	-	-	-	-	2	-	-	-	2	2	2	1	1	9	32
8	-	20	-	1	-	3	-	-	1	2	-	-	6	-	1	5	-	4	33
9	1	15	2	-	-	-	3	-	-	-	-	1	1	5	2	-	1	8	34
2	-	10	3	-	1	2	-	-	-	-	-	-	-	4	2	2	-	4	35
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
39	1	195	13	4	4	17	2	3	3	1	1	5	6	24	20	15	5	56	37
29	1	144	8	4	4	11	1	1	3	1	-	2	4	17	13	11	3	43	38
10	-	51	5	-	-	6	1	2	-	-	1	3	2	7	7	4	2	13	39
7	1	25	1	3	5	7	1	-	2	-	-	-	3	6	7	2	-	10	40
694	11	2,551	234	28	93	135	37	26	41	6	9	68	34	96	211	87	7	549	41
42	-	132	6	1	3	2	3	3	-	-	-	2	2	6	12	5	1	33	42
21	-	63	2	1	1	1	1	2	-	-	-	2	2	-	7	2	-	19	43
21	-	69	4	-	2	1	2	1	-	-	-	-	-	6	5	3	1	14	44
20	-	99	9	2	1	6	1	1	2	-	-	-	-	3	7	2	-	22	45
60	-	154	14	1	4	16	3	3	5	2	-	8	3	10	15	5	-	42	46
28	-	47	2	-	1	6	2	2	4	1	-	5	1	4	6	3	-	18	47
32	-	107	12	1	3	10	1	1	1	1	-	3	2	6	9	2	-	24	48
34	2	159	9	2	10	9	-	2	3	-	1	4	1	9	15	5	-	46	49
16	-	83	4	-	7	7	-	-	-	-	-	2	1	2	6	3	-	23	50
18	2	76	5	2	3	2	-	2	3	-	1	2	-	7	9	2	-	23	51
76	3	227	20	1	9	15	2	2	2	1	1	7	15	5	24	11	3	49	52
202	3	819	74	10	31	49	11	10	18	-	5	14	7	24	50	21	-	162	53
103	2	424	32	7	14	25	6	8	9	-	-	7	2	9	27	14	-	86	54
44	-	199	18	-	9	11	2	1	7	-	3	4	2	5	11	3	-	49	55
55	1	196	24	3	8	13	3	1	2	-	2	3	3	10	12	4	-	28	56
81	-	268	28	6	15	17	2	1	2	-	-	8	1	10	21	12	1	66	57
36	-	124	7	5	2	5	-	1	2	-	-	4	1	2	11	8	1	24	58
45	-	142	21	1	13	12	2	-	-	-	-	4	-	8	10	4	-	42	59
95	3	305	37	4	14	12	8	4	3	1	2	11	2	14	32	17	2	63	60
22	1	82	8	-	4	4	3	-	1	-	-	5	1	4	5	7	1	20	61
75	2	223	29	4	10	8	5	4	2	1	2	6	1	10	27	10	1	45	62
61	-	231	21	1	3	6	3	2	4	2	-	11	3	9	21	4	-	44	63
23	-	78	11	1	2	3	1	-	3	2	-	2	-	6	5	2	-	19	64
24	-	58	1	-	-	-	1	1	-	-	-	5	3	1	9	1	-	12	65
14	-	95	9	-	1	3	1	1	1	-	-	4	-	2	7	1	-	13	66
23	-	139	16	-	3	3	4	-	2	-	-	3	-	6	14	5	-	22	67
6	-	57	8	-	2	1	2	-	1	-	-	1	-	2	10	4	-	8	68
17	-	82	8	-	1	2	2	-	1	-	-	2	-	4	4	1	-	14	69
4,754	39	20,867	1,426	267	706	1,186	311	130	588	108	67	547	137	646	1,382	616	120	4,289	70
192	1	780	64	9	17	35	11	10	23	1	3	16	6	30	53	16	5	133	71
113	-	429	23	4	8	24	6	5	16	1	2	5	5	9	28	4	4	80	72
11	-	55	8	1	1	4	2	1	-	-	-	1	-	3	5	1	-	9	73
68	1	306	33	4	8	7	3	4	7	-	1	10	1	18	20	11	1	44	74
520	3	1,937	156	33	82	93	32	13	50	13	7	66	10	61	122	68	8	439	75
20	1	88	2	-	5	6	-	1	3	1	-	2	2	-	5	1	-	18	76
29	-	133	8	4	7	6	1	1	2	1	1	3	-	5	9	2	-	30	77
38	-	105	15	1	6	4	3	3	3	1	1	7	-	3	6	1	-	25	78
15	-	58	5	2	1	5	1	-	-	-	1	2	-	1	6	2	-	16	79
16	-	69	2	4	-	-	1	-	2	1	-	2	-	3	5	3	-	10	80
10	-	42	2	1	2	2	1	-	3	-	1	2	-	2	5	1	-	10	81
15	-	35	1	-	3	1	-	1	-	1	-	2	-	-	2	4	-	16	82
27	-	96	5	-	2	1	1	-	1	1	-	3	-	4	5	3	3	17	83

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEW JERSEY—Continued																
	Bergen—Continued																
1	Fair Lawn	143	2	-	-	-	-	-	-	2	1	1	32	-	1	68	66
2	Fort Lee	100	2	-	-	-	-	-	-	-	-	-	16	2	-	63	63
3	Lodi	111	-	-	-	-	-	-	-	-	-	-	20	3	-	69	69
4	Lyndhurst (twp.)[2 3]	173	3	-	-	-	-	-	-	-	1	-	31	2	-	90	86
5	North Arlington	102	1	-	-	-	-	-	-	-	-	-	17	4	-	63	63
6	Ridgefield Park	114	-	-	-	-	-	-	-	-	-	-	23	3	-	71	71
7	Ridgewood	226	4	-	-	-	-	-	-	-	-	1	34	4	-	141	135
8	Rutherford	211	4	-	-	-	-	-	-	2	-	2	36	-	-	124	121
9	Balance of county	2,018	34	6	-	-	-	-	-	5	2	8	330	31	1	1,167	1,126
10	Burlington	1,259	25	5	-	-	-	-	2	-	2	2	210	11	-	724	715
11	Burlington	145	4	-	-	-	-	-	-	-	-	-	34	-	-	72	70
12	Balance of county	1,114	21	5	-	-	-	-	2	-	2	2	176	11	-	652	645
13	Camden	3,163	64	11	-	-	-	-	2	-	-	11	514	55	5	1,857	1,790
14	Camden	1,396	40	6	-	-	-	-	1	-	-	4	211	27	3	811	787
15	Collingswood	168	1	-	-	-	-	-	-	-	-	-	34	2	-	102	96
16	Gloucester City	164	9	-	-	-	-	-	1	-	-	-	26	-	-	94	93
17	Haddonfield	168	2	1	-	-	-	-	-	-	-	2	23	1	1	109	103
18	Pennsauken (twp.)[2 3]	168	2	1	-	-	-	-	-	-	-	-	35	4	-	98	96
19	Balance of county	1,099	10	3	-	-	-	-	-	-	-	5	185	21	1	643	615
20	Cape May	571	12	2	-	-	-	-	-	-	1	2	95	12	-	330	320
21	Cumberland	1,009	18	6	-	-	-	-	1	-	1	-	168	22	-	583	555
22	Bridgeton	249	4	2	-	-	-	-	-	-	-	-	47	7	-	140	132
23	Millville	185	2	-	-	-	-	-	1	-	1	-	33	4	-	113	106
24	Balance of county	575	12	4	-	-	-	-	-	-	-	-	88	11	-	330	317
25	Essex	9,607	309	45	-	-	-	1	1	11	5	27	1,680	189	6	5,373	5,242
26	Newark	5,050	227	27	-	-	-	-	-	6	1	16	831	101	4	2,735	2,669
27	East Orange	930	19	5	-	-	-	-	1	2	-	3	173	13	1	524	512
28	Irvington	541	6	1	-	-	-	1	-	1	-	1	116	11	-	296	294
29	Belleville	268	4	2	-	-	-	-	-	-	-	-	39	5	-	157	155
30	Bloomfield	459	6	2	-	-	-	-	-	-	-	-	88	10	-	277	267
31	Montclair	491	13	-	-	-	-	-	-	1	-	4	85	14	-	288	278
32	Nutley	220	5	1	-	-	-	-	-	-	1	-	38	3	-	132	125
33	Orange	379	10	1	-	-	-	-	-	-	-	1	60	6	-	221	218
34	West Orange	278	5	2	-	-	-	-	-	-	-	-	52	8	-	151	146
35	Maplewood (twp.)[2 3]	237	3	2	-	-	-	-	-	-	1	-	38	5	-	152	152
36	Millburn (twp.)[2 3]	117	1	-	-	-	-	-	-	-	1	1	24	2	-	74	73
37	South Orange	156	1	-	-	-	-	-	-	-	-	-	37	3	-	91	88
38	Verona	91	5	1	-	-	-	-	-	-	-	-	17	1	-	47	46
39	Balance of county	410	4	1	-	-	-	-	-	1	1	1	82	7	1	228	219
40	Gloucester	897	17	-	-	-	-	1	-	1	-	2	160	13	2	508	480
41	Woodbury	112	2	-	-	-	-	-	-	-	-	-	17	1	1	66	65
42	Balance of county	785	15	-	-	-	-	1	-	1	-	2	143	12	1	442	415
43	Hudson	6,902	201	22	2	3	-	-	3	8	2	11	1,254	132	6	3,818	3,731
44	Jersey City	3,308	112	11	1	-	-	-	1	3	1	4	610	60	3	1,758	1,711
45	Bayonne	737	15	1	1	-	-	-	1	1	-	3	113	22	1	429	421
46	Hoboken	626	28	4	-	1	-	-	1	1	-	1	107	12	-	352	346
47	Union City	610	15	1	-	-	-	-	-	-	-	2	111	11	1	359	354
48	Kearny	367	6	3	-	-	-	-	-	-	-	-	68	5	1	200	198
49	North Bergen (twp.)[2 3]	395	6	-	-	-	-	-	-	-	-	1	86	9	-	213	210
50	West New York	354	8	1	-	-	-	-	-	1	1	-	67	4	-	201	193
51	Harrison	150	6	-	-	1	-	-	-	-	-	-	30	2	-	77	74
52	Weehawken (twp.)[2 3]	176	3	1	-	-	-	-	-	1	-	-	28	3	-	107	104
53	Balance of county	199	2	-	-	1	-	-	-	1	-	-	34	4	-	122	120
54	Hunterdon	504	9	1	-	-	-	-	-	-	-	2	80	7	-	300	293
55	Mercer	2,264	100	8	-	-	-	-	-	7	1	4	372	51	1	1,221	1,188
56	Trenton	1,389	65	3	-	-	-	-	-	3	1	3	231	34	1	749	728
57	Princeton	98	3	1	-	-	-	-	-	-	-	-	16	3	-	51	50
58	Balance of county	777	32	4	-	-	-	-	-	4	-	1	125	14	-	421	410
59	Middlesex	2,369	65	12	-	-	-	-	4	3	2	5	393	55	3	1,298	1,271
60	New Brunswick	390	13	4	-	-	-	-	1	-	1	-	78	7	-	210	205
61	Perth Amboy	454	14	1	-	-	-	-	1	-	1	1	82	5	-	251	242
62	Woodbridge (twp.)[2 3]	293	10	3	-	-	-	-	1	-	-	1	37	10	1	163	159
63	Carteret	121	5	-	-	-	-	-	-	-	-	-	23	2	-	58	58
64	Sayreville	69	5	-	-	-	-	-	-	-	-	-	12	5	-	34	32
65	South River	91	1	-	-	-	-	-	-	-	-	1	16	2	-	49	49
66	Balance of county	951	17	4	-	-	-	-	1	3	-	2	145	24	2	533	526
67	Monmouth	2,395	43	9	-	-	-	-	-	3	-	7	433	46	5	1,409	1,378
68	Asbury Park	261	7	2	-	-	-	-	-	-	-	1	43	3	-	155	150
69	Long Branch	207	1	1	-	-	-	-	-	-	-	2	48	5	-	116	114
70	Neptune (twp.)[2 3]	194	4	-	-	-	-	-	-	-	-	-	30	4	-	122	117
71	Red Bank	139	5	-	-	-	-	-	-	-	-	-	24	2	1	74	72
72	Balance of county	1,584	26	6	-	-	-	-	-	3	-	4	288	32	4	942	925
73	Morris	1,616	23	6	-	-	-	-	-	3	1	3	260	27	1	972	954
74	Dover	131	2	-	-	-	-	-	-	-	-	-	18	3	-	89	87
75	Madison	101	-	1	-	-	-	-	-	-	-	-	19	1	-	63	63
76	Morristown	242	1	1	-	-	-	-	-	-	-	-	35	4	-	148	142
77	Balance of county	1,142	20	4	-	-	-	-	-	3	1	3	188	19	1	672	662
78	Ocean	664	8	2	-	-	-	-	-	1	-	3	112	20	-	400	393
79	Passaic	3,435	69	14	-	-	-	1	1	5	-	8	631	86	3	1,951	1,889
80	Paterson	1,611	36	8	-	-	-	1	-	1	-	5	279	41	1	935	918
81	Clifton	497	9	-	-	-	-	-	-	2	-	-	90	15	-	280	270
82	Passaic	628	12	5	-	-	-	-	-	1	-	3	116	18	2	324	316
83	Hawthorne	148	3	-	-	-	-	-	-	-	-	-	35	2	-	80	79
84	Balance of county	551	9	1	-	-	-	1	1	-	-	-	111	-	-	312	306
85	Salem	458	7	1	-	-	-	-	-	2	-	-	57	13	2	254	242
86	Somerset	861	12	4	-	-	-	-	-	4	-	1	153	18	-	483	472
87	North Plainfield	117	-	-	-	-	-	-	-	-	-	-	22	-	-	76	75
88	Somerville	114	-	-	-	-	-	-	-	2	-	1	19	3	-	60	57
89	Balance of county	630	12	4	-	-	-	-	-	2	-	-	112	13	-	347	340

[2]Classified as urban under a special rule. [3]Since this area is difficult to identify from information given on death records, data may be understated or overstated.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-445	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
19	-	43	3	1	2	1	3	1	2	-	-	2	-	3	1	3	-	20	1
9	-	51	2	1	-	2	-	-	1	-	-	-	2	3	-	1	-	8	2
16	-	50	3	-	-	3	-	-	-	-	-	1	-	-	2	1	1	12	3
13	-	69	4	-	4	7	1	1	1	-	1	4	-	4	4	3	-	20	4
12	-	51	-	-	-	2	2	-	-	1	-	-	-	3	3	-	-	6	5
11	-	44	15	1	-	-	-	-	1	1	-	2	-	-	1	5	-	7	6
28	-	98	9	-	6	3	1	1	3	1	-	4	-	1	7	3	-	18	7
23	-	91	5	2	3	7	3	1	2	-	1	3	-	3	5	3	-	15	8
219	2	814	75	16	41	43	14	3	26	4	1	27	6	26	58	31	4	191	9
156	2	521	31	5	9	44	6	5	8	1	3	18	1	22	32	19	4	115	10
13	1	51	4	1	2	8	1	-	1	1	1	2	-	1	2	1	-	17	11
143	1	470	27	4	7	36	5	5	7	-	2	16	1	21	30	18	4	98	12
291	1	1,398	80	22	67	86	18	8	34	9	4	32	3	47	73	35	11	284	13
116	1	628	33	9	24	45	8	3	15	4	2	16	-	23	31	13	6	127	14
11	-	76	7	2	5	2	1	1	1	1	-	3	-	1	5	5	1	8	15
19	-	71	2	1	1	10	1	-	6	1	1	-	1	2	6	-	-	6	16
23	-	70	7	3	6	3	1	-	1	-	-	2	1	2	4	3	-	12	17
14	-	74	8	-	2	4	1	1	1	-	-	1	1	2	3	2	-	12	18
108	-	477	23	7	28	22	6	3	10	3	1	10	-	17	24	12	4	119	19
40	1	256	21	2	10	12	8	3	6	2	-	6	7	10	13	3	-	47	20
94	3	418	39	1	28	26	5	4	8	4	4	9	5	19	32	12	3	79	21
21	1	103	6	1	8	8	4	1	2	-	-	2	-	4	7	3	2	16	22
17	-	73	16	-	7	3	-	1	4	2	1	2	1	-	3	2	1	11	23
56	2	242	17	-	13	15	1	2	2	2	3	5	4	15	22	7	-	52	24
888	13	4,051	250	40	131	196	58	30	130	21	15	98	23	90	311	115	33	840	25
457	7	2,071	133	21	66	112	25	18	78	5	6	51	11	44	184	62	21	465	26
87	2	395	23	5	12	24	5	3	8	2	4	8	4	12	33	9	2	75	27
50	-	224	19	1	2	9	3	2	5	4	-	7	3	6	14	6	2	47	28
18	-	130	7	-	2	4	1	1	1	1	3	4	-	2	12	2	1	29	29
44	-	214	7	2	10	6	3	-	10	2	1	4	-	3	12	6	-	29	30
63	-	200	11	4	10	9	6	1	3	2	-	5	2	3	14	4	-	37	31
21	-	94	9	1	7	3	2	-	3	1	-	1	-	4	4	4	-	18	32
39	1	168	9	1	3	10	4	1	6	1	1	2	-	5	11	5	2	32	33
19	1	122	3	1	5	5	3	-	4	1	-	4	1	-	7	5	5	25	34
30	1	114	6	1	-	3	-	1	-	-	-	2	-	1	3	4	-	22	35
11	-	55	5	2	1	1	-	1	2	-	-	-	-	2	1	-	-	7	36
16	-	66	6	-	3	1	4	-	5	-	-	2	-	-	1	1	-	10	37
11	-	31	4	-	1	3	1	-	1	-	-	-	1	2	3	-	-	9	38
42	1	167	8	1	9	6	1	2	4	2	-	8	1	6	12	7	-	35	39
82	-	367	28	3	28	28	4	1	11	3	1	7	4	17	29	9	6	73	40
16	-	44	4	1	1	1	-	-	-	-	-	1	-	4	6	-	-	13	41
66	-	323	24	2	27	27	4	1	11	3	1	6	4	13	23	9	6	60	42
598	2	2,954	153	29	87	206	52	13	105	11	6	72	13	68	190	60	13	631	43
292	2	1,316	88	13	47	112	30	7	57	1	4	38	8	29	103	20	12	323	44
71	-	332	15	3	8	16	6	1	12	3	1	8	-	9	21	4	-	69	45
44	-	292	7	3	6	17	5	1	10	1	1	4	1	6	15	6	1	51	46
54	-	291	7	2	5	20	3	-	6	1	-	6	1	4	11	10	-	48	47
22	-	167	9	-	2	11	4	-	4	1	-	2	-	8	9	8	-	37	48
34	-	166	6	4	3	7	2	1	7	3	-	3	1	5	15	3	-	33	49
24	-	159	8	2	8	10	1	1	5	-	-	1	-	3	5	1	-	24	50
10	-	63	1	-	3	4	-	-	1	1	-	6	-	2	4	2	-	14	51
23	-	76	4	1	3	3	-	1	2	-	-	2	1	1	4	2	-	17	52
19	-	92	8	1	2	6	1	1	1	-	-	2	1	1	3	4	-	15	53
53	-	226	11	3	7	17	5	3	2	-	-	5	3	14	18	7	-	33	54
255	-	873	48	12	33	56	17	7	29	10	3	35	2	35	64	36	5	200	55
166	-	530	25	7	21	42	12	5	23	3	2	14	-	24	38	24	3	109	56
4	-	43	-	3	1	3	-	-	1	1	-	3	1	2	3	-	-	10	57
85	-	300	23	2	11	11	5	2	5	6	1	18	1	9	23	12	2	81	58
201	2	999	57	12	27	66	8	6	31	4	3	38	3	43	70	36	4	217	59
35	-	157	12	1	5	13	1	-	7	-	1	5	1	3	7	7	-	31	60
37	-	186	15	4	9	9	-	2	8	2	2	6	-	8	10	8	-	43	61
18	-	136	5	-	4	6	1	1	3	-	-	6	-	5	8	4	-	33	62
10	-	43	5	-	-	5	1	-	2	1	-	1	1	-	3	2	1	16	63
4	-	28	-	-	2	2	-	-	-	-	-	-	-	1	4	1	1	4	64
8	-	40	-	1	-	5	2	1	1	-	-	3	-	-	4	1	-	5	65
89	2	409	20	6	7	26	3	2	10	1	-	17	1	28	34	13	2	85	66
224	1	1,040	89	24	31	66	16	5	18	5	3	27	11	29	58	32	4	165	67
23	-	117	8	2	5	7	1	-	2	-	1	4	1	2	7	2	1	22	68
17	1	85	9	2	2	6	-	1	1	-	-	2	1	3	2	1	-	17	69
20	-	89	8	-	5	1	1	2	2	1	-	-	2	-	5	1	-	19	70
15	-	52	3	2	2	2	-	1	-	-	-	3	1	1	9	4	-	12	71
149	-	697	61	18	17	50	14	1	13	4	2	18	6	23	36	24	3	95	72
165	3	730	46	10	18	30	11	6	15	2	-	15	4	26	50	21	2	138	73
9	-	74	3	1	2	3	3	-	1	-	-	3	-	1	2	-	-	6	74
9	-	46	7	1	-	1	-	1	1	-	-	2	-	-	3	2	-	7	75
42	2	87	9	2	6	3	4	1	4	-	-	-	1	3	9	3	-	25	76
105	1	523	27	6	10	23	4	4	9	2	-	10	3	22	36	16	2	100	77
64	-	303	24	2	7	11	2	1	1	2	2	3	2	7	27	11	1	48	78
341	4	1,395	129	20	42	70	28	7	51	3	4	28	12	35	75	51	11	311	79
162	2	680	67	7	17	34	11	5	20	1	-	9	4	18	34	19	7	142	80
55	-	193	18	4	10	10	4	-	9	-	1	4	5	3	11	11	-	43	81
54	1	239	21	1	8	13	5	1	15	-	2	5	-	6	14	13	3	70	82
15	-	58	5	1	1	4	3	-	1	-	-	2	1	1	1	1	-	14	83
55	1	225	18	7	6	9	5	1	6	2	1	8	2	7	15	7	1	42	84
50	-	176	12	4	12	9	4	1	6	3	1	3	2	15	16	7	2	53	85
105	-	343	19	5	11	28	5	2	8	1	1	11	5	15	20	8	2	82	86
14	-	56	4	1	1	2	-	-	4	-	-	1	1	-	4	-	-	7	87
14	-	39	3	1	3	3	2	1	1	-	1	1	2	4	1	1	-	12	88
77	-	248	12	3	7	23	3	1	3	1	-	9	2	11	15	7	2	63	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEW JERSEY—Continued																
1	Sussex	393	2	1	-	-	-	-	2	1	-	-	62	6	-	238	233
2	Union	3,532	66	8	-	-	-	-	-	1	2	8	659	63	4	1,978	1,956
3	Elizabeth	1,176	31	3	-	-	-	-	-	-	-	3	203	16	1	648	636
4	Linden	192	2	-	-	-	-	-	-	-	1	1	43	1	-	96	93
5	Plainfield	469	7	1	-	-	-	-	-	-	-	2	86	7	-	269	266
6	Union (twp.)[2 3]	244	5	1	-	-	-	-	-	-	1	1	51	3	-	131	128
7	Cranford (twp.)[2 3]	160	3	-	-	-	-	-	-	-	-	1	25	9	-	92	91
8	Hillside (twp.)[2 3]	155	3	-	-	-	-	-	-	-	-	-	33	3	-	95	95
9	Rahway	202	2	-	-	-	-	-	-	-	-	-	34	2	1	112	109
10	Roselle	132	3	1	-	-	-	-	-	-	-	-	26	5	-	71	71
11	Roselle Park	119	1	-	-	-	-	-	-	-	-	-	20	3	-	70	69
12	Summit	182	2	1	-	-	-	-	-	-	-	-	33	3	-	108	106
13	Westfield	180	1	-	-	-	-	-	-	-	-	-	39	5	-	106	103
14	Balance of county	321	6	1	-	-	-	-	-	1	-	-	64	6	2	180	169
15	Warren	667	4	2	-	-	-	-	-	2	1	1	115	13	1	396	386
16	Phillipsburg	253	1	1	-	-	-	-	-	1	-	-	42	4	1	157	152
17	Balance of county	414	3	1	-	-	-	-	-	1	1	1	73	9	-	241	234
18	NEW MEXICO	5,471	250	41	1	35	2	24	1	8	8	21	473	38	16	1,624	1,544
19	Bernalillo	1,042	55	6	-	3	-	9	-	3	-	4	104	4	1	359	347
20	Albuquerque	752	40	4	-	2	-	3	-	3	-	2	81	3	1	291	284
21	Balance of county	290	15	2	-	1	-	6	-	-	-	2	23	1	-	68	63
22	Catron	35	-	-	-	-	-	1	-	-	-	-	2	1	-	11	10
23	Chaves	263	4	2	-	-	-	-	-	-	-	1	27	3	1	108	100
24	Roswell	200	3	2	-	-	-	-	-	-	-	1	22	3	1	87	81
25	Balance of county	63	1	-	-	-	-	-	-	-	-	-	5	-	-	21	19
26	Colfax	148	4	-	-	-	-	-	-	-	1	1	14	1	1	57	51
27	Curry	164	4	3	-	1	-	-	-	1	-	-	25	-	-	71	65
28	Clovis	131	2	3	-	1	-	-	-	-	-	-	21	-	-	60	54
29	Balance of county	33	2	-	-	-	-	-	-	1	-	-	4	-	-	11	11
30	De Baca	31	-	-	-	1	-	-	-	-	-	-	2	-	-	10	10
31	Dona Ana	307	8	3	-	4	-	3	-	-	-	1	32	3	1	89	86
32	Las Cruces	133	5	2	-	3	-	-	-	-	-	1	11	1	-	45	43
33	Balance of county	174	3	1	-	1	-	3	-	-	-	-	21	2	1	44	43
34	Eddy	287	10	1	-	-	-	1	-	-	-	1	28	2	3	82	78
35	Carlsbad	130	7	1	-	-	-	-	-	-	-	1	14	1	3	36	33
36	Balance of county	157	3	-	-	-	-	1	-	-	-	-	14	1	-	46	45
37	Grant	180	14	2	-	-	-	-	-	-	-	2	19	2	-	45	43
38	Guadalupe	68	-	1	1	5	-	-	-	-	-	1	3	2	-	19	18
39	Harding	19	2	1	-	-	-	-	-	-	-	-	4	-	-	5	3
40	Hidalgo	33	1	-	-	-	-	-	-	-	-	-	3	1	-	11	9
41	Lea	156	3	1	-	-	-	-	-	2	-	1	15	2	1	53	49
42	Hobbs	89	1	1	-	-	-	-	-	1	-	1	8	1	1	29	25
43	Balance of county	67	2	-	-	-	-	-	-	1	-	-	7	1	-	24	24
44	Lincoln	59	4	1	-	-	-	1	-	-	-	-	8	-	-	24	23
45	Los Alamos	21	-	-	-	-	-	-	-	-	-	-	2	-	-	7	7
46	Luna	61	2	1	-	1	-	-	-	-	-	2	5	-	-	19	19
47	McKinley	291	35	5	-	2	-	-	-	1	3	1	13	2	1	39	37
48	Mora	105	7	-	-	2	-	-	-	-	-	1	2	1	-	19	18
49	Otero	115	6	2	-	1	-	-	-	-	-	-	11	1	-	34	33
50	Quay	120	1	-	-	2	-	-	-	-	-	1	19	-	-	56	55
51	Rio Arriba	215	5	2	-	2	-	-	-	-	2	1	14	2	1	54	51
52	Roosevelt	74	2	-	-	-	-	-	-	-	-	-	10	1	-	28	25
53	Sandoval	144	7	1	-	-	-	3	-	-	-	-	4	-	-	20	20
54	San Juan	210	25	-	-	1	-	-	-	1	-	1	10	-	5	47	45
55	San Miguel	309	6	2	-	4	-	-	-	-	1	1	24	4	-	71	68
56	Santa Fe	301	7	2	-	2	1	-	-	-	1	1	22	2	-	89	85
57	Santa Fe	213	5	2	-	1	1	-	-	-	1	-	17	1	-	70	66
58	Balance of county	88	2	-	-	1	-	-	-	-	-	1	5	1	-	19	19
59	Sierra	87	6	-	-	-	-	-	-	-	-	-	10	1	-	29	29
60	Socorro	103	8	-	-	1	-	-	-	-	-	-	6	-	-	29	28
61	Taos	170	4	2	-	1	-	4	-	-	-	-	11	-	-	29	27
62	Torrance	75	3	2	-	-	-	-	-	-	-	-	8	-	-	21	20
63	Union	76	3	1	-	-	-	-	-	-	-	-	6	1	-	35	34
64	Valencia	202	14	-	-	2	1	2	1	-	-	-	10	2	1	54	51
65	NEW YORK	156,074	3,759	690	2	12	7	15	71	186	20	296	26,548	2,823	163	88,347	86,829
66	Albany	3,081	80	12	-	-	-	-	3	-	-	2	431	57	3	1,879	1,838
67	Albany	1,871	59	8	-	-	-	-	1	-	-	1	264	31	1	1,116	1,086
68	Cohoes	314	8	1	-	-	-	-	-	-	-	1	36	9	-	206	202
69	Watervliet	225	4	-	-	-	-	-	-	-	-	-	37	2	1	140	138
70	Balance of county	671	9	3	-	-	-	-	2	-	-	-	94	15	1	417	410
71	Allegany	494	3	1	-	-	-	-	-	-	-	2	68	6	-	274	267
72	Broome	1,624	21	8	-	-	-	-	1	1	-	3	288	44	1	1,078	1,056
73	Binghamton	979	12	4	-	-	-	-	-	1	-	2	136	24	-	579	572
74	Endicott	191	4	-	-	-	-	-	-	-	-	1	31	10	-	103	103
75	Johnson City	174	1	-	-	-	-	-	-	-	-	-	28	1	-	111	106
76	Balance of county	480	4	4	-	-	-	-	1	-	-	-	73	9	1	283	275
77	Cattaraugus	588	4	3	-	-	-	-	-	-	-	1	132	20	1	516	507
78	Olean	239	2	1	-	-	-	-	-	-	-	-	37	9	-	134	133
79	Balance of county	649	2	2	-	-	-	-	-	-	-	1	95	11	1	382	374
80	Cayuga	865	6	3	-	-	-	1	1	1	-	1	112	12	-	555	549
81	Auburn	431	2	3	-	-	-	-	-	-	-	1	68	10	-	266	266
82	Balance of county	432	4	-	-	-	-	1	1	1	-	-	44	2	-	289	283
83	Chautauqua	1,530	14	7	-	-	-	2	1	1	-	3	218	31	1	896	874
84	Jamestown	519	3	3	-	-	-	-	1	1	-	1	87	7	-	303	294
85	Dunkirk	190	3	-	-	-	-	-	-	-	-	-	28	6	-	105	103
88	Balance of county	821	8	4	-	-	-	2	-	-	-	2	103	18	1	490	477

[2]Classified as urban under a special rule. [3]Since this area is difficult to identify from information given on death records, data may be understated or overstated.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
38	1	174	15	5	5	11	1	-	1	1	-	7	2	4	13	4	-	37	1
354	1	1,440	120	21	42	79	18	3	48	10	6	44	19	50	104	54	5	308	2
105	-	478	50	3	12	26	10	1	24	3	2	10	3	22	47	21	1	101	3
16	-	72	4	1	3	2	-	-	2	1	-	5	3	3	6	3	1	22	4
58	-	169	18	1	3	8	2	1	7	1	1	4	3	9	11	4	1	43	5
27	-	97	3	1	3	6	1	-	2	-	-	2	1	5	7	4	-	23	6
24	-	60	5	2	1	2	-	1	1	-	-	2	3	2	3	3	-	13	7
15	-	73	4	3	-	3	1	-	2	-	-	2	-	1	2	-	-	10	8
15	-	84	9	1	3	10	-	-	1	-	1	4	2	1	6	3	-	21	9
17	-	54	-	-	-	4	-	-	4	1	-	3	2	-	4	-	-	8	10
17	-	47	4	1	1	-	-	-	1	-	-	2	-	3	4	5	-	10	11
15	1	80	8	2	2	3	2	-	1	-	2	3	-	-	4	2	1	17	12
15	-	77	8	3	3	3	2	-	1	3	-	1	-	2	3	4	1	9	13
30	-	129	7	3	11	12	-	-	2	1	-	6	2	2	5	5	-	28	14
48	1	298	34	5	12	17	2	2	5	2	1	7	-	9	13	12	1	61	15
16	1	126	6	3	5	7	1	-	1	1	1	1	-	5	5	2	-	22	16
32	-	172	28	2	7	10	1	2	2	1	-	6	-	4	8	10	1	39	17
308	15	1,111	91	18	80	339	23	165	48	12	33	103	634	263	315	61	42	893	18
58	5	261	17	5	12	65	3	16	7	2	5	34	66	36	52	18	7	183	19
49	2	211	17	5	7	43	2	9	6	1	3	20	28	23	41	14	5	129	20
10	3	50	-	-	5	22	1	7	1	1	2	14	40	13	11	4	2	54	21
3	-	6	1	-	1	-	-	1	1	-	-	-	10	2	2	1	1	2	22
20	-	75	4	1	8	8	1	5	4	-	1	5	3	13	29	3	3	42	23
15	-	63	3	-	6	5	1	2	4	-	1	5	3	8	16	3	2	31	24
5	-	12	1	1	2	3	-	3	-	-	-	-	-	5	13	-	1	11	25
13	-	33	5	-	6	6	1	5	-	-	2	3	10	10	8	-	-	24	26
17	-	45	3	-	6	3	-	3	2	2	-	5	1	8	9	-	-	26	27
16	-	35	3	-	6	2	-	3	2	1	-	4	1	4	5	-	-	22	28
1	-	10	-	-	-	1	-	-	-	1	-	1	-	4	4	-	-	4	29
-	-	10	-	-	-	3	1	1	-	-	-	-	2	2	3	-	-	6	30
17	-	63	6	-	3	28	2	10	3	-	1	4	20	19	18	1	4	53	31
3	-	36	4	-	2	11	1	4	2	-	-	3	11	6	7	-	1	20	32
14	-	27	2	-	1	17	1	6	1	-	1	1	9	14	11	1	3	33	33
13	-	57	5	3	4	15	1	18	-	-	1	4	19	14	15	5	4	63	34
5	-	24	3	1	3	7	-	10	-	-	-	1	9	3	8	3	2	24	35
8	-	33	2	2	1	8	1	8	-	-	1	3	10	11	7	2	2	39	36
10	-	32	1	-	2	14	-	14	3	-	1	2	4	9	14	3	1	31	37
10	-	8	-	-	1	6	-	3	-	-	-	1	10	1	5	-	-	10	38
2	-	1	-	-	2	1	-	-	-	-	-	-	4	1	1	-	-	-	39
-	-	9	-	-	2	1	-	1	2	-	-	-	1	3	3	1	-	5	40
10	-	36	3	-	4	11	1	1	4	1	-	1	7	14	14	4	2	18	41
8	-	16	1	-	4	3	1	-	3	1	-	1	7	6	8	3	2	11	42
2	-	20	2	-	-	8	-	1	1	-	-	-	-	8	6	1	-	7	43
4	-	18	1	-	1	-	-	1	-	-	2	-	3	3	5	2	1	4	44
2	-	5	-	-	-	-	1	-	-	-	-	1	-	-	3	1	-	6	45
4	-	10	4	1	-	3	-	2	-	-	1	-	8	3	5	1	2	6	46
9	2	22	4	-	2	34	-	14	2	-	5	5	36	21	16	2	2	52	47
3	-	14	1	-	1	2	-	-	-	2	1	3	48	4	2	-	-	11	48
10	2	20	1	-	1	14	1	2	1	-	1	1	1	11	11	-	1	16	49
6	1	41	7	-	1	4	-	-	-	-	-	2	1	6	7	1	1	19	50
5	2	41	2	1	3	13	3	5	1	-	-	2	49	11	9	2	-	37	51
6	-	17	2	-	3	3	-	-	-	-	-	2	2	4	7	-	-	15	52
7	-	11	-	2	-	12	-	4	1	-	1	3	59	9	5	1	2	12	53
13	1	29	2	-	2	21	-	23	-	-	3	2	19	5	10	1	-	36	54
10	-	49	8	1	3	17	1	15	2	2	4	3	67	8	11	4	4	58	55
19	1	57	7	1	4	17	4	6	4	-	-	4	40	19	25	5	-	50	56
16	1	41	7	1	4	9	3	4	4	-	-	3	21	10	21	4	-	36	57
3	-	16	-	-	-	8	1	2	-	-	-	1	19	9	4	1	-	14	58
4	-	25	-	-	-	6	1	-	1	-	1	6	2	8	3	1	1	11	59
6	-	20	-	2	1	6	-	3	3	1	-	-	16	2	4	-	1	23	60
4	1	21	1	-	2	8	1	2	1	-	-	2	71	5	6	-	1	22	61
1	-	18	1	-	1	4	-	1	2	1	-	2	13	2	2	2	2	10	62
10	-	23	1	-	1	2	-	-	2	-	1	3	3	1	1	1	-	16	63
12	-	34	4	1	3	12	1	7	2	1	2	3	39	9	10	1	2	26	64
13,766	182	68,071	3,987	613	1,718	4,160	1,091	491	1,968	198	193	1,641	854	2,098	5,203	1,671	396	13,171	65
337	4	1,383	95	17	43	71	18	10	29	5	1	23	9	52	111	24	3	252	66
196	3	819	55	13	30	51	14	5	16	3	-	18	6	30	70	11	3	163	67
27	-	165	9	1	4	3	1	2	8	2	-	1	-	3	8	2	-	23	68
19	-	111	8	-	2	6	-	2	-	-	1	2	-	3	4	4	-	19	69
95	1	288	23	3	7	11	3	1	5	-	-	8	3	16	29	7	-	47	70
59	-	182	25	1	7	15	3	3	2	1	-	8	14	9	15	7	1	62	71
201	2	813	34	6	20	54	11	4	16	2	2	20	2	44	51	15	1	180	72
109	-	440	20	3	7	29	6	2	10	1	1	13	-	20	35	8	1	95	73
18	-	83	1	1	-	5	1	-	1	-	-	2	1	7	2	1	-	22	74
22	-	82	2	-	5	3	2	-	2	-	-	1	-	2	6	3	-	14	75
52	2	208	11	2	8	17	2	2	2	1	1	4	1	15	8	3	-	49	76
89	-	385	32	1	9	19	4	2	9	3	1	11	3	22	36	10	-	91	77
26	-	94	12	1	1	5	1	-	3	1	-	3	2	3	6	3	-	29	78
63	-	291	20	-	8	14	3	2	6	2	1	8	1	19	30	7	-	62	79
100	-	386	58	5	6	15	2	2	8	1	2	12	-	18	25	10	-	76	80
56	-	187	21	2	-	7	2	-	7	-	1	4	-	5	14	2	-	39	81
44	-	199	37	3	6	8	-	2	1	1	1	8	-	13	11	8	-	37	82
168	1	618	82	5	24	33	13	9	16	2	-	18	4	38	56	22	1	142	83
60	-	209	23	2	9	7	6	3	4	-	-	4	3	10	16	6	-	54	84
18	-	72	11	2	2	2	2	1	5	1	-	4	1	6	7	3	-	16	85
90	1	337	48	1	13	24	5	5	7	1	-	10	-	22	33	13	1	72	86

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 056-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEW YORK—Continued																
1	Chemung	935	12	3	-	1	-	-	1	2	-	-	138	9	-	578	564
2	Elmira	619	10	2	-	1	-	-	-	1	-	-	94	6	-	382	373
3	Balance of county	316	2	1	-	-	-	-	1	1	-	-	44	3	-	196	191
4	Chenango	494	3	2	-	-	-	-	-	1	-	1	83	11	-	281	254
5	Clinton	512	6	2	-	-	-	-	-	1	-	2	64	17	2	279	264
6	Plattsburgh	172	2	1	-	-	-	-	-	-	-	1	30	8	1	95	88
7	Balance of county	340	4	1	-	-	-	-	-	1	-	1	34	9	1	184	176
8	Columbia	567	4	1	-	-	-	-	-	-	-	1	94	11	-	342	333
9	Hudson	130	2	1	-	-	-	-	-	-	-	-	16	5	-	79	77
10	Balance of county	437	2	-	-	-	-	-	-	-	-	1	78	6	-	263	256
11	Cortland	419	1	-	-	-	-	-	-	1	-	3	52	4	-	253	243
12	Cortland	221	1	-	-	-	-	-	-	1	-	3	32	1	-	131	128
13	Balance of county	198	-	-	-	-	-	-	-	-	-	-	20	3	-	122	115
14	Delaware	534	7	2	-	-	-	-	-	4	-	-	80	8	1	312	301
15	Dutchess	1,505	26	6	-	-	-	-	-	2	1	4	193	23	1	965	938
16	Poughkeepsie	575	12	3	-	-	-	-	-	1	-	1	75	6	-	364	352
17	Beacon	177	3	-	-	-	-	-	-	-	-	1	28	3	1	109	108
18	Balance of county	753	11	3	-	-	-	-	-	1	1	2	90	14	-	482	468
19	Erie	9,304	257	48	-	-	2	-	3	1	-	16	1,506	184	7	5,265	5,165
20	Buffalo	6,577	218	40	-	-	-	-	2	-	-	12	1,078	141	3	3,698	3,628
21	Lackawanna	257	6	2	-	-	-	-	-	-	-	1	43	2	-	123	121
22	Kenmore	224	-	1	-	-	-	-	-	-	-	1	42	2	-	125	124
23	Tonawanda	173	3	-	-	-	1	-	-	-	-	-	24	2	-	104	102
24	Balance of county	2,073	30	5	-	-	1	-	1	1	-	2	319	37	4	1,215	1,190
25	Essex	421	17	4	-	-	-	-	-	-	1	1	56	5	-	240	234
26	Franklin	559	23	1	-	-	-	-	-	-	-	3	58	14	-	325	321
27	Fulton	664	7	3	-	-	-	-	-	1	-	1	115	15	1	393	387
28	Gloversville	322	5	1	-	-	-	-	-	1	-	1	54	5	-	192	187
29	Johnstown	156	-	2	-	-	-	-	-	-	-	-	25	6	-	96	95
30	Balance of county	186	2	-	-	-	-	-	-	-	-	-	36	4	1	105	105
31	Genesee	504	5	2	-	1	-	-	-	-	-	1	72	8	-	279	276
32	Batavia	208	2	-	-	-	-	-	-	-	-	-	36	3	-	110	110
33	Balance of county	296	3	2	-	1	-	-	-	-	-	1	36	5	-	169	166
34	Greene	402	10	1	-	-	-	-	-	1	-	-	60	5	1	235	248
35	Hamilton	51	-	-	-	-	-	-	-	-	-	-	5	-	-	31	30
36	Herkimer	809	5	3	-	-	-	-	1	4	-	-	145	15	-	478	464
37	Jefferson	1,104	9	5	-	-	-	-	2	4	-	1	145	16	1	681	669
38	Watertown	456	4	1	-	-	-	-	1	1	-	1	67	10	1	270	263
39	Balance of county	648	5	4	-	-	-	-	1	3	-	-	78	6	-	411	406
40	Lewis	285	4	1	-	-	-	-	-	3	-	-	33	5	-	164	155
41	Livingston	430	4	-	-	-	-	-	-	-	-	-	53	10	-	276	268
42	Madison	515	5	2	-	-	-	-	-	1	-	1	74	4	2	317	310
43	Oneida	131	2	-	-	-	-	-	-	-	-	-	27	-	1	74	73
44	Balance of county	384	3	2	-	-	-	-	-	1	-	1	47	4	1	243	237
45	Monroe	5,329	114	29	-	3	1	-	4	7	-	9	865	74	1	3,175	3,116
46	Rochester	4,000	95	25	-	2	1	-	2	6	-	9	665	57	1	2,391	2,355
47	Irondequoit (town)[2]	223	2	-	-	-	-	-	1	-	-	-	41	5	-	128	127
48	Balance of county	1,106	17	4	-	1	-	-	1	1	-	-	159	12	-	656	634
49	Montgomery	779	15	6	-	-	-	-	1	1	-	3	129	22	2	434	415
50	Amsterdam	417	8	4	-	-	-	-	-	-	-	2	69	12	1	223	211
51	Balance of county	362	5	2	-	-	-	-	1	1	-	1	60	10	1	211	204
52	Nassau	5,329	79	19	-	-	-	-	-	19	-	8	935	96	6	2,825	2,747
53	Hempstead	283	10	-	-	-	-	-	-	-	-	-	49	4	-	155	148
54	Valley Stream	237	1	2	-	-	-	-	-	1	-	-	35	3	-	150	144
55	Floral Park	163	2	1	-	-	-	-	-	1	-	1	32	4	1	91	90
56	Freeport	280	2	1	-	-	-	-	-	2	-	-	53	1	1	154	151
57	Garden City	152	1	-	-	-	-	-	-	2	-	-	30	3	-	90	82
58	Glen Cove	134	3	2	-	-	-	-	-	-	-	-	16	2	-	71	68
59	Long Beach	135	1	-	-	-	-	-	-	-	-	-	20	2	1	77	77
60	Lynbrook	197	3	1	-	-	-	-	-	-	-	-	31	3	-	120	117
61	Mineola	114	2	-	-	-	-	-	-	-	-	-	30	2	1	52	52
62	Rockville Centre	228	2	-	-	-	-	-	-	-	-	-	40	3	-	123	121
63	Balance of county	3,406	52	12	-	-	-	-	-	13	-	7	599	59	2	1,742	1,697
64	New York City	82,137	2,518	367	1	5	2	1	45	77	18	169	15,119	1,510	105	44,876	44,168
65	Bronx Bor. (Bronx)	13,617	290	46	1	1	-	1	7	17	2	30	2,719	310	12	7,469	7,360
66	Brooklyn Bor. (Kings)	27,512	695	104	-	-	1	-	9	30	4	59	4,941	595	32	15,660	15,416
67	Manhattan Bor. (N. Y.)	25,412	1,192	166	-	3	1	-	25	19	8	55	4,371	372	44	13,214	13,004
68	Queens Bor. (Queens)	13,804	293	46	-	1	-	-	4	10	2	24	2,764	203	15	7,514	7,388
69	Richmond Bor. (Richmond)	1,792	48	5	-	-	-	-	-	1	4	1	324	30	2	1,019	1,000
70	Niagara	1,718	27	9	-	1	-	-	2	-	-	2	288	42	1	981	946
71	Niagara Falls	769	16	6	-	-	-	-	-	-	-	1	115	14	-	420	405
72	Lockport	316	4	1	-	-	-	-	-	-	-	-	50	16	-	197	192
73	North Tonawanda	196	3	1	-	-	-	-	-	-	-	1	32	2	1	111	106
74	Balance of county	437	4	1	-	1	-	-	2	-	-	-	71	10	-	253	243
75	Oneida	2,356	38	8	-	-	-	-	2	9	-	9	328	44	3	1,440	1,410
76	Utica	1,098	22	6	-	-	-	-	-	4	-	2	178	25	2	658	645
77	Rome	379	5	-	-	-	-	-	1	2	-	3	49	4	1	239	237
78	Balance of county	879	12	2	-	-	-	-	1	3	-	4	101	15	-	543	528
79	Onondaga	3,485	67	18	-	-	-	-	-	4	-	4	585	62	8	2,066	2,051
80	Syracuse	2,421	52	16	-	-	-	-	-	2	-	2	389	40	4	1,451	1,428
81	Balance of county	1,064	15	2	-	-	-	-	-	2	-	2	176	22	4	615	603
82	Ontario	701	11	2	-	-	-	1	-	2	-	1	115	12	-	400	398
83	Geneva	211	2	-	-	-	-	-	-	-	-	1	28	5	-	123	121
84	Balance of county	490	9	2	-	-	-	1	-	2	-	-	87	7	-	277	272
85	Orange	1,759	40	6	-	-	-	1	-	2	-	5	265	32	1	1,075	1,037
86	Newburgh	485	16	1	-	-	-	-	-	-	-	3	94	12	-	283	273
87	Middletown	246	7	2	-	-	-	-	-	1	-	-	35	6	-	154	151
88	Balance of county	1,028	17	3	-	-	-	1	-	1	-	2	146	14	1	638	615

[2]Classified as urban under a special rule.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
135	1	380	45	3	14	22	-	2	5	1	1	9	2	20	31	8	1	89	1
96	1	243	32	1	9	12	-	2	5	1	1	7	2	11	15	5	1	61	2
39	-	137	13	2	5	10	-	-	-	1	-	2	-	9	16	3	-	28	3
29	1	210	11	3	27	13	2	4	2	1	-	3	-	8	25	5	1	48	4
55	-	197	10	2	15	10	2	1	3	1	1	9	10	16	24	5	-	57	5
15	-	69	4	-	7	-	1	-	2	-	-	2	5	5	5	-	-	14	6
40	-	128	6	2	8	10	1	1	1	1	1	7	5	11	19	5	-	43	7
53	1	267	9	3	9	6	5	-	4	-	-	3	3	17	23	11	-	42	8
8	1	63	3	2	2	2	1	-	1	-	-	1	-	3	4	2	-	13	9
45	-	204	6	1	7	4	4	-	3	-	-	2	3	14	19	9	-	29	10
62	2	172	6	1	10	10	4	3	7	-	-	6	1	6	22	5	2	39	11
33	1	92	1	1	3	5	4	3	5	-	-	-	-	2	6	3	1	23	12
29	1	60	5	-	7	5	-	-	2	-	-	6	1	4	16	2	1	16	13
72	1	199	26	3	11	12	2	3	5	1	-	4	4	5	21	12	-	51	14
180	3	674	68	3	27	34	11	2	10	1	1	12	10	31	51	14	1	116	15
76	3	247	26	-	12	11	5	2	5	1	-	3	4	7	16	6	-	53	16
19	-	79	8	2	1	2	1	-	-	-	1	1	1	4	10	2	-	10	17
85	-	348	34	1	14	21	5	-	5	-	-	8	5	20	25	6	1	53	18
955	17	3,890	260	43	100	209	58	43	136	22	14	108	25	165	277	80	22	857	19
634	10	2,802	154	28	70	158	50	32	104	14	10	59	18	71	177	53	18	621	20
25	2	88	6	-	2	6	2	1	8	2	-	9	-	3	15	2	1	31	21
24	2	94	3	1	1	4	1	1	4	1	-	1	1	4	11	3	-	22	22
20	1	71	9	1	2	2	1	2	1	-	1	2	-	9	3	-	-	18	23
252	2	855	88	13	25	39	5	7	19	5	3	37	6	76	71	22	3	185	24
57	1	156	17	3	6	9	1	1	4	2	1	4	1	4	26	6	-	38	25
89	1	193	34	4	4	15	3	3	2	1	2	12	1	12	25	3	-	56	26
70	-	296	19	2	6	10	9	1	4	1	-	8	3	6	23	9	1	53	27
37	-	141	8	1	5	2	6	1	1	1	-	5	1	2	11	2	1	30	28
17	-	78	2	1	1	4	1	-	1	-	-	1	2	1	4	3	-	10	29
16	-	80	9	-	-	4	2	-	2	-	-	2	-	3	8	4	-	13	30
60	1	190	21	4	3	10	4	4	4	1	-	5	-	19	28	8	-	53	31
26	-	73	9	2	-	3	1	3	1	-	-	1	-	6	13	2	-	27	32
34	1	117	12	2	3	7	3	1	3	1	-	4	-	13	15	6	-	26	33
39	-	189	18	2	7	5	4	-	4	-	-	2	2	9	13	3	-	27	34
8	-	16	5	1	1	1	-	-	-	-	-	1	1	-	3	2	-	7	35
92	1	344	26	1	14	18	3	3	4	1	2	8	2	12	26	9	-	70	36
150	3	471	45	2	12	18	6	5	6	3	-	13	8	20	42	17	-	102	37
56	1	193	12	1	7	8	1	1	4	1	-	6	-	6	12	8	-	53	38
94	2	278	31	1	5	10	5	4	2	2	-	7	8	14	30	9	-	48	39
32	1	117	5	-	9	4	5	1	2	-	-	2	1	6	16	6	-	32	40
61	1	189	16	1	8	19	3	-	4	-	2	4	1	8	12	5	-	32	41
67	-	214	28	1	7	8	2	1	5	1	-	9	3	14	17	6	-	43	42
14	-	56	3	-	2	2	-	-	2	-	-	4	-	3	3	1	-	13	43
53	-	158	25	1	6	7	2	1	3	1	-	5	3	11	14	5	-	30	44
557	5	2,318	206	30	59	95	33	18	43	14	3	64	6	85	163	62	6	455	45
397	4	1,775	157	22	36	66	25	11	41	8	2	44	4	48	115	47	3	332	46
19	-	104	4	-	1	5	3	1	-	-	1	1	2	6	8	1	-	18	47
141	1	439	45	8	22	24	5	6	2	6	-	19	-	31	40	14	3	105	48
91	5	293	23	3	19	19	3	2	5	2	-	8	3	16	27	10	1	72	49
36	5	153	14	1	12	13	3	1	1	1	-	5	-	12	12	4	1	45	50
53	-	140	9	2	7	6	-	1	4	1	-	3	3	4	15	6	-	27	51
406	3	2,212	103	23	78	103	42	18	64	8	4	85	131	74	245	70	4	504	52
23	-	116	5	4	7	7	2	1	2	-	-	3	7	5	11	5	-	22	53
13	1	127	3	-	6	1	2	1	3	-	-	2	4	1	6	1	-	24	54
21	-	68	1	-	1	3	-	-	4	-	1	3	1	1	3	2	-	12	55
16	-	127	6	2	3	5	4	1	3	-	-	1	6	6	19	1	2	18	56
13	-	63	4	2	8	1	-	1	1	-	-	3	2	2	7	2	-	6	57
12	-	49	7	-	3	2	-	2	4	-	-	4	6	3	4	-	-	15	58
13	-	63	1	-	-	1	2	-	4	-	-	4	3	1	4	-	1	14	59
18	-	98	4	-	3	3	1	-	3	-	-	2	2	1	9	3	-	15	60
6	-	43	3	-	-	1	1	-	1	-	-	1	3	1	4	2	-	13	61
20	2	34	3	2	2	5	2	-	2	-	-	1	5	3	25	2	-	15	62
251	-	1,357	66	13	45	74	28	12	37	7	3	61	92	50	153	52	1	350	63
5,707	98	36,598	1,462	303	708	2,586	611	225	1,239	57	122	793	478	760	2,708	837	315	6,593	64
941	22	6,109	235	53	109	414	97	37	162	7	17	133	67	123	408	136	36	1,075	65
1,909	32	12,871	515	89	244	763	187	62	355	17	42	276	96	244	750	209	84	2,297	66
1,721	27	10,715	445	96	210	936	198	93	499	11	45	208	219	246	1,018	271	171	2,029	67
984	14	6,107	224	59	126	414	109	31	208	17	15	155	88	135	470	206	21	1,059	68
152	3	796	43	6	19	59	20	2	15	5	3	21	8	12	62	15	3	133	69
177	5	711	50	3	35	27	13	13	23	2	3	23	11	40	43	19	5	163	70
79	3	303	18	2	15	17	7	10	14	1	2	12	6	17	21	5	4	81	71
37	-	149	6	-	5	3	4	2	2	1	-	4	-	5	2	7	-	18	72
16	1	78	10	1	5	3	1	-	3	-	-	2	2	3	8	2	1	20	73
45	1	181	16	-	10	4	1	1	4	-	1	5	3	15	12	5	-	44	74
240	3	1,106	56	5	30	47	21	8	24	8	1	28	3	44	67	22	1	200	75
117	1	500	24	3	13	24	7	5	14	3	1	12	-	11	23	13	1	87	76
32	-	191	12	2	2	8	6	2	2	3	-	4	1	7	12	3	-	27	77
91	2	415	20	-	15	15	8	1	8	2	-	12	2	26	32	6	-	88	78
442	2	1,458	111	18	35	58	26	11	39	1	5	38	5	47	115	33	4	309	79
305	2	1,057	72	12	23	39	20	8	25	1	3	23	3	25	73	22	2	221	80
137	-	421	39	6	12	19	6	3	14	-	2	15	2	22	42	11	2	88	81
71	-	288	32	2	7	13	11	2	3	1	1	10	1	23	26	8	-	58	82
22	-	93	6	-	2	6	3	1	1	-	1	3	-	3	12	-	-	22	83
49	-	195	26	2	5	7	8	1	2	1	1	7	1	20	14	8	-	36	84
204	4	739	86	4	38	41	10	4	12	3	3	13	8	29	63	17	-	129	85
40	1	195	45	2	10	10	1	-	4	-	-	3	4	6	24	4	-	30	86
32	-	111	8	-	3	6	2	-	2	-	-	2	2	1	6	4	-	16	87
132	3	443	33	2	25	25	7	4	6	3	3	8	2	22	33	9	-	85	88

Table 60. Deaths From 32 Selected Causes: Jnited States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEW YORK--Continued																
1	Orleans	390	3	1	-	-	-	2	-	-	-	3	42	4	-	262	257
2	Oswego	906	10	6	-	-	2	-	-	-	-	3	119	14	-	567	554
3	Fulton	181	1	2	-	-	-	-	-	-	-	1	22	3	-	110	108
4	Oswego	280	3	1	-	-	-	-	-	-	-	2	38	6	-	167	164
5	Balance of county	445	6	3	-	-	2	-	-	-	-	-	59	5	-	290	282
6	Otsego	648	7	3	-	-	-	-	-	4	-	-	81	15	1	403	394
7	Oneonta	175	1	1	-	-	-	-	-	-	-	-	29	3	-	104	101
8	Balance of county	473	6	2	-	-	-	-	-	4	-	-	52	12	1	299	293
9	Putnam	224	2	2	-	-	-	-	-	-	-	-	34	6	-	143	141
10	Rensselaer	1,741	32	4	-	-	-	1	-	2	-	3	242	42	-	1,097	1,067
11	Troy	1,059	27	3	-	-	-	1	-	1	-	2	140	25	-	649	630
12	Rensselaer	129	-	-	-	-	-	-	-	-	-	-	19	5	-	93	89
13	Balance of county	553	5	1	-	-	-	-	-	1	-	1	83	12	-	355	348
14	Rockland	799	6	4	-	-	-	1	1	2	-	4	123	14	2	479	465
15	St. Lawrence	1,094	17	5	-	-	-	-	1	1	-	1	132	15	3	651	638
16	Massena	94	2	-	-	-	-	-	-	-	-	-	13	2	-	45	43
17	Ogdensburg	198	2	3	-	-	-	-	-	-	-	-	20	1	-	145	144
18	Balance of county	802	13	2	-	-	-	-	1	1	-	1	99	12	3	461	451
19	Saratoga	898	5	4	-	1	-	-	-	1	-	2	133	17	-	547	534
20	Saratoga Springs	222	1	2	-	-	-	-	-	-	-	-	32	2	-	137	134
21	Balance of county	676	4	2	-	1	-	-	-	1	-	2	101	15	-	410	400
22	Schenectady	1,491	27	6	-	-	-	-	-	-	-	-	248	27	1	902	893
23	Schenectady	1,071	23	2	-	-	-	-	-	-	-	-	186	22	1	633	624
24	Balance of county	420	4	4	-	-	-	-	-	-	-	-	62	5	-	269	269
25	Schoharie	283	3	-	-	-	-	-	-	1	-	1	46	6	-	169	165
26	Schuyler	180	-	-	-	-	-	-	-	1	-	1	28	3	-	117	110
27	Seneca	360	5	3	-	-	-	1	-	1	-	1	48	12	-	212	204
28	Steuben	1,067	12	7	-	-	-	1	-	1	-	-	180	15	-	627	618
29	Corning	173	2	2	-	-	-	-	-	-	-	-	40	4	-	80	79
30	Hornell	186	1	2	-	-	-	-	-	-	-	-	32	5	-	115	113
31	Balance of county	708	9	3	-	-	-	1	-	1	-	-	108	6	-	432	426
32	Suffolk	2,716	40	10	-	-	-	2	1	9	-	4	460	33	1	1,589	1,554
33	Sullivan	521	6	3	-	-	-	-	-	-	-	2	79	18	1	310	302
34	Tioga	393	1	3	-	-	-	-	-	-	-	-	55	9	-	232	228
35	Tompkins	496	2	1	-	-	-	-	-	1	-	-	60	10	1	308	298
36	Ithaca	244	1	1	-	-	-	-	-	-	-	-	35	2	1	150	147
37	Balance of county	252	1	-	-	-	-	-	-	1	-	-	25	8	-	153	152
38	Ulster	1,236	21	5	1	-	-	-	-	1	-	2	198	19	1	730	708
39	Kingston	418	7	3	-	-	-	-	-	-	-	-	80	6	-	239	234
40	Balance of county	818	14	2	1	-	-	-	-	1	-	2	118	13	1	491	474
41	Warren	529	9	4	-	-	-	1	-	3	-	1	80	6	-	318	308
42	Glens Falls	265	4	2	-	-	-	1	-	2	-	1	38	3	-	165	157
43	Balance of county	263	5	2	-	-	-	-	-	1	-	-	42	3	-	155	151
44	Washington	561	2	1	-	-	-	-	-	-	-	-	80	3	1	345	331
45	Wayne	679	5	3	-	-	-	-	-	-	-	-	95	8	-	412	404
46	Newark	102	2	1	-	-	-	-	-	-	-	-	15	1	-	67	65
47	Balance of county	577	3	2	-	-	-	-	-	-	-	-	80	7	-	345	339
48	Westchester	5,948	93	29	-	-	-	-	1	7	-	10	1,058	96	1	3,371	3,305
49	Yonkers	1,560	22	4	-	-	-	-	1	2	-	5	289	22	-	877	860
50	Mount Vernon	650	11	2	-	-	-	-	-	-	-	-	104	14	-	369	357
51	New Rochelle	582	13	3	-	-	-	-	-	-	-	-	110	14	-	316	313
52	White Plains	433	7	6	-	-	-	-	-	1	-	1	82	4	-	257	252
53	Mamaroneck	115	3	2	-	-	-	-	-	-	-	1	21	-	-	67	67
54	Ossining	168	4	2	-	-	-	-	-	1	-	-	27	1	-	97	94
55	Peekskill	201	1	1	-	-	-	-	-	-	-	-	39	2	-	112	110
56	Port Chester	229	6	-	-	-	-	-	-	-	-	1	51	9	-	119	117
57	Rye	121	1	-	-	-	-	-	-	1	-	-	24	-	-	65	63
58	Scarsdale	121	2	-	-	-	-	-	-	-	-	-	22	-	-	72	72
59	Balance of county	1,768	23	9	-	-	-	-	-	2	-	2	289	30	1	1,020	1,000
60	Wyoming	370	7	1	-	-	-	-	-	1	-	1	48	5	-	223	223
61	Yates	258	3	1	-	-	-	-	-	-	-	-	35	8	1	164	161
62	NORTH CAROLINA	31,130	758	165	1	29	26	60	28	19	16	131	3,187	400	45	15,757	15,004
63	Alamance	459	8	1	-	-	-	1	-	-	-	-	70	10	1	237	224
64	Burlington	162	3	-	-	-	-	-	-	-	-	-	25	4	-	85	79
65	Balance of county	297	5	1	-	-	-	1	-	-	-	-	45	6	1	152	145
66	Alexander	117	2	-	-	-	-	-	-	-	-	-	11	1	1	49	47
67	Alleghany	76	3	-	-	-	-	1	-	-	-	-	11	-	-	41	38
68	Anson	227	4	1	-	-	-	3	-	-	-	-	22	3	-	112	102
69	Ashe	162	2	-	-	-	-	-	-	-	-	-	19	1	-	73	67
70	Avery	69	1	-	-	-	1	-	-	-	-	-	7	2	-	23	21
71	Beaufort	376	13	2	-	-	5	1	-	1	-	5	43	7	1	191	177
72	Bertie	245	14	-	-	1	-	5	-	-	-	2	22	-	-	107	99
73	Bladen	221	3	1	-	-	1	1	-	-	-	2	22	1	-	90	83
74	Brunswick	142	4	1	-	-	-	-	-	-	-	-	7	1	-	64	61
75	Buncombe	1,043	26	6	-	1	-	-	-	1	-	6	122	15	-	565	541
76	Asheville	594	23	5	-	1	-	-	-	1	-	1	58	8	-	335	318
77	Balance of county	449	3	1	-	-	-	-	-	-	-	5	64	7	-	230	223
78	Burke	258	4	-	-	-	-	-	-	2	-	-	30	3	-	133	129
79	Cabarrus	416	9	3	-	-	-	-	-	1	-	3	47	3	1	188	185
80	Concord	156	3	2	-	-	-	-	-	-	-	-	22	2	1	63	63
81	Balance of county	260	6	1	-	-	-	-	-	1	-	3	25	1	-	125	122
82	Caldwell	291	5	3	-	-	-	1	-	1	-	1	33	5	-	139	134
83	Camden	48	2	-	-	-	-	-	-	-	-	-	1	-	-	31	30
84	Carteret	163	6	-	-	-	-	-	2	-	-	-	15	2	-	90	84
85	Caswell	177	3	1	-	-	-	3	-	-	-	-	20	2	1	85	77
86	Catawba	406	6	-	-	-	-	-	-	-	1	2	39	3	-	228	221
87	Hickory	131	3	-	-	-	-	-	-	-	1	-	17	-	-	67	65
88	Balance of county	275	3	-	-	-	-	-	-	-	-	2	22	3	-	161	156

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 582-584	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
57	-	188	11	1	5	9	2	1	3	2	1	3	2	9	14	4	-	23	1
135	-	392	22	5	13	20	9	-	5	2	2	12	1	16	27	7	-	84	2
25	-	81	2	-	2	4	1	-	-	1	-	2	-	2	5	3	-	24	3
46	-	101	16	1	3	7	5	-	4	1	-	7	-	2	10	-	-	27	4
64	-	210	4	4	8	9	3	-	1	-	2	3	1	12	12	4	-	33	5
89	1	273	30	1	9	7	3	2	2	1	-	8	8	4	29	11	1	60	6
27	-	67	7	-	3	2	1	-	1	-	-	-	1	1	9	1	1	20	7
62	1	206	23	1	6	5	2	2	1	1	-	6	7	3	20	10	-	40	8
27	-	104	10	-	2	4	4	3	-	1	-	1	-	6	3	1	-	14	9
199	2	789	68	9	30	41	17	9	19	2	2	14	2	18	49	13	2	130	10
125	2	461	35	7	18	32	15	5	12	1	1	10	2	7	33	5	1	87	11
10	-	74	5	-	4	-	-	1	-	-	-	-	-	1	4	1	-	5	12
64	-	254	28	2	7	9	2	3	7	1	1	4	-	10	12	7	1	36	13
77	2	361	21	4	14	18	5	1	8	2	-	10	-	13	23	11	-	72	14
147	4	436	47	4	15	28	5	6	1	2	1	14	1	30	40	12	2	126	15
10	1	25	7	-	2	3	-	1	-	-	-	2	-	6	2	2	-	14	16
32	1	101	10	-	1	4	1	1	-	-	-	2	-	1	-	-	-	18	17
105	2	310	30	4	10	17	4	4	1	2	1	10	1	23	38	10	2	96	18
114	-	391	29	-	13	12	8	4	3	1	2	12	4	17	33	15	-	77	19
23	-	107	4	-	3	3	2	-	1	1	1	4	1	6	10	3	-	16	20
91	-	284	25	-	10	9	6	4	2	-	1	8	3	11	23	12	-	61	21
153	2	675	59	4	9	26	6	4	19	5	-	18	4	21	34	16	1	126	22
104	2	475	41	2	9	18	3	2	17	2	-	15	2	14	24	12	1	94	23
49	-	200	18	2	-	8	3	2	2	3	-	3	2	7	10	4	-	32	24
44	1	99	21	-	4	6	1	-	-	-	-	4	1	6	17	4	-	18	25
24	-	83	3	-	7	4	1	-	1	-	-	4	1	3	6	1	1	8	26
41	1	148	14	-	8	3	-	-	2	1	1	4	-	7	15	4	-	40	27
133	1	442	40	2	9	35	5	2	5	3	-	6	5	21	45	12	1	83	28
19	-	54	5	1	1	2	2	2	-	-	1	2	1	7	7	1	-	20	29
21	-	87	5	-	2	2	-	-	1	-	-	1	1	3	4	4	-	15	30
93	1	301	30	1	6	31	3	-	4	3	2	3	3	11	32	7	1	48	31
281	2	1,168	92	11	35	61	8	11	29	2	1	34	8	64	101	38	3	207	32
55	1	230	14	2	8	7	1	-	3	1	-	8	1	14	13	8	1	45	33
49	1	161	14	3	4	18	2	-	4	-	-	-	-	9	9	10	-	41	34
65	-	199	31	4	4	10	1	-	5	3	-	9	1	12	24	7	1	45	35
36	-	93	15	3	3	4	1	-	5	1	-	2	1	4	9	3	1	23	36
29	-	106	16	1	1	6	-	-	-	2	-	7	-	8	15	4	-	22	37
157	-	503	44	4	22	37	10	4	12	1	-	8	6	26	27	22	3	102	38
61	-	156	14	3	5	7	2	2	6	-	-	6	-	9	9	2	1	39	39
96	-	347	30	1	17	30	8	2	6	1	-	2	6	17	18	20	2	63	40
52	1	230	18	7	10	11	2	2	2	1	2	8	2	10	9	5	-	52	41
21	-	118	14	4	6	6	1	2	2	1	1	3	1	4	2	2	-	26	42
31	1	112	4	3	4	5	1	-	-	-	1	5	1	6	7	3	-	26	43
57	1	234	38	1	14	11	3	6	5	3	-	6	3	10	18	5	-	59	44
84	-	279	41	-	8	13	4	3	2	1	1	11	2	11	25	4	1	78	45
20	-	42	3	-	2	1	-	-	-	-	-	2	-	1	4	-	-	8	46
64	-	237	38	-	6	12	4	3	2	1	1	9	2	10	21	4	1	70	47
533	5	2,563	164	40	66	141	43	23	94	14	5	61	46	81	173	75	9	517	48
123	3	689	36	9	17	38	10	11	26	6	3	16	10	23	50	17	1	127	49
51	-	293	10	3	12	21	5	2	10	2	-	7	5	7	16	5	2	68	50
63	1	224	20	5	3	22	1	-	10	2	-	5	4	4	20	7	1	50	51
47	-	189	12	4	5	9	1	2	4	-	-	2	1	4	11	6	2	33	52
9	-	57	1	-	-	1	-	-	2	1	-	1	-	1	6	-	-	9	53
14	-	72	5	3	3	4	-	-	4	-	-	5	1	2	2	-	-	16	54
14	-	80	16	-	2	3	3	-	3	-	-	2	2	3	6	3	-	21	55
24	-	88	5	-	2	4	3	1	3	-	1	5	1	4	4	5	-	12	56
16	-	46	-	1	2	2	3	-	4	-	-	1	2	3	5	2	-	8	57
10	-	58	4	-	-	4	2	-	1	-	-	-	2	1	6	3	-	6	58
162	1	767	55	15	20	33	15	7	27	3	1	17	18	29	47	25	3	167	59
39	-	163	19	2	-	3	2	-	1	2	-	5	-	11	8	3	-	49	60
39	-	106	15	1	3	8	3	2	1	1	-	1	-	5	7	3	-	15	61
3,924	55	10,139	772	114	753	1,411	133	308	184	99	128	476	794	1,113	1,258	348	380	3,878	62
51	-	162	10	1	13	20	3	3	3	3	3	5	5	11	19	4	4	48	63
12	-	63	4	-	6	6	-	2	1	-	-	3	2	4	5	3	1	17	64
39	-	99	6	1	7	14	3	1	2	3	2	2	3	7	14	1	3	31	65
17	-	28	1	1	2	6	-	-	1	-	-	-	25	3	4	-	-	14	66
15	-	22	1	-	3	7	-	-	-	-	-	3	2	3	3	2	-	-	67
35	-	60	7	-	10	15	1	1	-	-	-	5	16	8	9	2	2	23	68
20	-	43	4	-	6	6	-	-	1	-	1	-	18	8	2	3	1	29	69
6	-	15	-	-	2	9	-	1	-	-	-	-	5	5	5	1	3	6	70
58	2	105	10	2	14	26	-	6	2	6	2	1	10	6	4	-	3	41	71
30	3	59	4	3	8	15	-	2	3	-	-	7	17	11	9	1	3	26	72
25	-	56	1	1	7	12	1	6	2	1	3	4	7	10	13	1	3	37	73
12	1	41	7	-	3	7	-	-	1	1	-	2	1	14	13	-	1	25	74
106	2	410	20	3	24	33	8	4	9	2	-	15	9	35	36	10	15	125	75
70	1	251	14	2	17	16	4	2	7	1	-	8	8	16	17	5	8	70	76
36	1	179	6	1	7	17	4	2	2	1	-	7	1	19	19	5	7	55	77
32	-	88	8	1	4	11	-	1	-	1	2	5	1	15	14	1	3	32	78
35	1	140	8	1	3	15	2	2	2	1	-	7	56	16	17	3	10	30	79
10	-	52	1	-	-	6	1	1	1	1	-	3	24	7	4	1	4	10	80
25	1	88	7	1	3	9	1	1	1	-	-	4	32	9	13	2	6	20	81
45	-	84	3	2	5	13	7	3	3	4	-	8	10	8	12	1	4	30	82
7	-	20	2	1	1	2	-	-	1	-	-	1	3	1	2	-	-	4	83
26	-	58	-	-	6	9	-	2	3	-	-	3	5	3	4	1	2	16	84
24	-	40	13	-	8	17	-	3	-	-	2	3	2	8	6	1	3	17	85
40	-	171	7	3	7	22	1	5	2	2	-	5	15	13	9	5	4	44	86
15	-	48	2	-	2	6	-	1	1	-	-	1	5	3	6	2	2	16	87
25	-	123	5	3	5	16	1	4	1	2	-	4	10	10	3	3	2	28	88

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NORTH CAROLINA—Con.																
1	Chatham	235	4	-	-	-	-	-	-	-	-	2	29	2	-	135	134
2	Cherokee	139	1	-	-	1	-	-	-	-	-	1	18	3	-	58	56
3	Chowan	103	2	2	-	-	-	1	1	-	-	2	11	1	-	51	50
4	Clay	32	-	-	-	-	-	-	-	-	-	1	3	-	-	15	13
5	Cleveland	437	10	-	-	-	1	-	-	-	1	2	46	5	1	221	208
6	Shelby	95	3	-	-	-	1	-	-	-	-	-	14	3	1	50	47
7	Balance of county	342	7	-	-	-	-	-	-	-	1	2	32	2	-	171	161
8	Columbus	387	8	1	-	-	-	1	-	-	3	-	33	6	-	182	173
9	Craven	384	9	2	-	-	-	-	-	-	-	1	43	8	-	171	162
10	New Bern	170	5	1	-	-	-	-	-	-	-	1	18	4	-	79	74
11	Balance of county	214	4	1	-	-	-	-	-	-	-	-	25	4	-	92	88
12	Cumberland	620	19	2	-	-	-	1	-	-	1	4	51	5	1	290	280
13	Fayetteville	288	9	1	-	-	-	1	-	-	1	2	25	3	-	135	128
14	Balance of county	332	10	1	-	-	-	-	-	-	-	2	26	2	1	155	152
15	Currituck	65	1	1	-	-	-	-	-	-	-	-	9	-	-	34	34
16	Dare	55	2	1	-	-	-	-	-	-	-	-	8	-	-	27	27
17	Davidson	430	8	6	-	-	1	-	-	1	-	2	49	6	-	223	216
18	Lexington	102	5	4	-	-	1	-	-	-	-	-	10	2	-	46	44
19	Thomasville	66	1	-	-	-	-	-	-	1	-	2	9	-	-	26	24
20	Balance of county	262	2	2	-	-	-	-	-	-	-	-	30	4	-	151	148
21	Davie	107	4	-	-	-	-	-	-	-	-	2	10	2	-	62	62
22	Duplin	382	10	3	-	-	-	3	1	-	-	1	30	7	3	189	178
23	Durham	771	24	5	-	-	-	-	2	1	-	1	108	8	2	393	373
24	Durham	583	22	4	-	-	-	-	1	1	-	1	76	6	2	295	277
25	Balance of county	188	2	1	-	-	-	-	1	-	-	-	30	2	-	98	96
26	Edgecombe	446	16	3	-	1	1	3	1	-	-	1	31	2	-	226	209
27	Rocky Mount (part)	120	5	-	-	-	-	-	-	-	-	-	6	2	-	80	73
28	Balance of county	326	11	3	-	1	1	3	1	-	-	1	25	-	-	146	136
29	Forsyth	1,181	52	5	-	1	-	-	-	1	-	3	139	13	2	631	598
30	Winston-Salem	859	46	5	-	-	-	-	-	1	-	2	102	9	2	445	423
31	Balance of county	322	6	-	-	1	-	-	-	-	-	1	37	4	-	186	175
32	Franklin	296	7	2	-	-	-	1	-	-	-	-	23	-	-	148	142
33	Gaston	700	5	2	-	1	2	-	-	-	1	3	73	11	-	366	357
34	Gastonia	228	2	-	-	-	-	-	-	-	-	-	25	5	-	119	118
35	Balance of county	472	3	2	-	1	2	-	-	-	1	3	48	6	-	247	239
36	Gates	105	4	-	-	-	-	1	-	-	-	1	6	-	-	55	54
37	Graham	37	1	-	-	-	-	1	-	-	-	1	9	-	-	11	11
38	Granville	263	7	2	1	-	-	-	-	-	-	-	19	4	1	146	127
39	Greene	152	6	1	-	2	-	1	-	-	-	1	17	2	2	76	72
40	Guilford	1,398	33	9	-	1	-	1	1	-	-	5	192	10	-	708	686
41	Greensboro	574	14	3	-	-	-	-	-	-	-	2	77	5	-	288	277
42	High Point	302	9	4	-	-	-	-	1	-	-	1	49	3	-	155	147
43	Balance of county	512	10	2	-	1	-	1	-	-	-	2	66	2	-	265	262
44	Halifax	538	18	3	-	-	2	-	-	2	-	3	37	5	-	270	259
45	Harnett	344	12	2	-	-	1	-	1	-	1	2	20	6	1	185	177
46	Haywood	237	4	2	-	-	3	-	1	-	-	1	31	3	-	121	117
47	Henderson	271	4	2	-	-	-	-	1	-	-	2	31	4	-	139	134
48	Hertford	198	12	2	-	-	-	-	2	-	-	-	18	2	1	101	94
49	Hoke	105	7	2	-	-	-	-	-	-	-	-	8	-	1	56	55
50	Hyde	68	1	-	-	-	-	-	-	-	-	1	8	-	-	29	28
51	Iredell	467	5	2	-	1	-	1	-	-	-	2	50	4	-	225	219
52	Statesville	152	1	-	-	-	-	-	-	-	-	1	18	1	-	89	87
53	Balance of county	315	4	2	-	1	-	1	-	-	-	1	32	3	-	136	132
54	Jackson	130	4	2	-	-	-	-	-	-	-	-	15	3	1	66	63
55	Johnston	489	17	1	-	1	1	2	1	1	-	1	45	8	1	240	232
56	Jones	80	3	-	-	-	-	-	-	-	-	-	6	4	-	34	27
57	Lee	210	3	-	-	-	-	-	-	-	-	-	27	3	1	98	95
58	Sanford	98	1	-	-	-	-	-	-	-	-	-	15	1	1	43	42
59	Balance of county	112	2	-	-	-	-	-	-	-	-	-	12	2	-	55	53
60	Lenoir	396	17	1	-	-	-	2	1	1	-	2	39	4	-	190	183
61	Kinston	183	11	1	-	-	-	1	-	-	-	-	20	1	-	91	89
62	Balance of county	213	6	-	-	-	-	1	1	1	-	2	19	3	-	99	94
63	Lincoln	188	2	2	-	-	-	-	-	1	-	-	22	1	-	92	89
64	McDowell	166	2	-	-	-	-	-	1	-	-	-	28	2	-	80	74
65	Macon	113	2	-	-	1	-	-	-	-	-	-	14	-	-	58	52
66	Madison	147	4	-	-	-	1	1	-	-	-	-	21	4	1	75	73
67	Martin	265	5	-	-	-	1	1	1	-	-	2	23	7	-	132	122
68	Mecklenburg	1,469	23	21	-	1	1	2	1	2	1	5	157	14	2	769	728
69	Charlotte	1,081	16	17	-	-	-	1	-	1	1	2	114	11	2	564	541
70	Balance of county	388	7	4	-	1	1	1	1	1	-	3	43	3	-	205	187
71	Mitchell	109	4	-	-	-	1	-	2	-	-	1	10	-	-	55	54
72	Montgomery	118	2	1	-	-	-	-	-	-	-	-	10	3	-	69	66
73	Moore	246	7	3	-	-	-	-	1	-	-	-	27	6	-	132	128
74	Nash	566	17	3	-	1	1	2	-	-	-	4	37	16	2	288	272
75	Rocky Mount (part)	175	1	2	-	-	1	-	-	-	-	1	17	10	-	99	96
76	Rocky Mount (total)	295	6	2	-	-	1	-	-	-	-	1	23	12	-	179	169
77	Balance of county	391	16	1	-	1	-	2	-	-	-	3	20	6	2	189	176
78	New Hanover	633	18	6	-	-	-	-	-	-	-	3	73	7	2	314	300
79	Wilmington	503	17	4	-	-	-	-	-	-	-	1	63	4	1	253	242
80	Balance of county	130	1	2	-	-	-	-	-	-	-	2	10	3	1	61	58
81	Northampton	225	12	-	-	-	-	-	-	-	-	1	10	1	-	133	131
82	Onslow	195	3	1	-	3	-	3	-	-	-	3	21	6	-	78	73
83	Orange	228	5	2	-	-	-	-	-	1	-	-	25	3	-	111	110
84	Pamlico	77	3	-	-	-	-	-	-	-	-	1	10	1	-	35	35
85	Pasquotank	236	9	1	-	-	-	-	-	-	-	3	13	3	-	115	107
86	Elizabeth City	163	9	-	-	-	-	-	-	-	-	2	8	3	-	83	77
87	Balance of county	73	-	1	-	-	-	-	-	-	-	1	5	-	-	32	30
88	Pender	144	2	-	-	-	-	-	-	-	-	-	14	1	1	78	78
89	Perquimans	88	-	-	-	-	-	-	-	-	-	-	5	-	-	51	48
90	Person	173	5	2	-	-	-	-	-	-	-	-	18	3	1	86	80

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-669	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
34	-	96	3	1	1	9	2	3	1	-	-	2	?	7	5	2	2	23	1
10	-	42	4	-	-	13	2	1	-	-	1	2	9	2	8	1	2	16	2
18	-	26	6	-	-	3	-	-	-	-	-	-	-	4	6	4	2	12	3
4	-	9	-	-	-	2	-	-	-	-	-	3	3	2	1	-	1	4	4
64	-	129	14	1	13	14	2	8	-	-	-	6	8	8	22	21	3	59	5
8	-	37	2	-	3	1	-	-	-	-	-	3	3	1	3	3	-	11	6
56	-	92	12	1	10	13	2	4	1	2	-	5	7	19	18	3	3	48	7
55	-	102	4	2	9	22	1	2	-	2	-	2	34	12	17	5	5	44	8
34	1	115	10	2	9	21	1	2	-	2	-	6	5	16	29	6	4	54	9
11	-	58	3	2	5	7	1	1	-	2	-	5	2	2	10	3	2	28	10
23	1	57	7	-	4	14	-	2	-	2	-	1	3	14	19	3	2	26	11
72	1	191	16	-	10	24	2	4	-	9	2	15	19	26	36	1	7	100	12
28	1	92	7	-	7	12	2	1	-	7	2	8	9	13	10	1	3	44	13
44	-	99	9	-	3	12	-	3	-	2	1	7	10	13	26	-	4	56	14
8	-	24	1	1	-	3	-	-	-	1	1	1	1	5	1	-	3	6	15
6	1	18	1	1	7	2	-	1	-	1	1	1	1	5	2	-	-	7	16
58	1	147	9	1	7	16	2	1	-	1	-	11	1	26	12	4	2	55	17
12	-	31	1	-	2	2	-	2	-	1	-	1	2	10	1	4	1	13	18
8	-	15	1	-	2	2	-	1	-	1	-	2	8	2	3	-	-	15	19
38	1	101	7	1	3	12	2	1	-	4	-	3	1	14	8	-	1	27	20
14	-	47	1	-	-	4	-	-	-	1	-	4	-	3	4	1	1	12	21
52	-	101	23	2	11	23	5	12	3	8	-	4	8	14	4	4	3	54	22
107	-	242	21	3	20	33	2	3	2	7	1	3	8	19	29	19	9	83	23
89	-	177	9	2	18	24	3	1	1	3	1	3	5	13	20	11	7	71	24
18	-	65	12	1	2	9	-	11	-	1	2	3	3	6	9	8	2	12	25
64	-	133	9	3	17	18	-	-	-	2	2	-	2	10	8	34	4	63	26
17	-	50	6	-	7	2	-	11	-	2	2	-	-	1	9	1	-	13	27
47	-	83	3	3	10	16	5	8	1	2	2	-	2	9	7	25	3	51	28
140	-	425	27	6	33	50	4	7	1	2	2	-	2	22	27	30	23	127	29
96	-	301	21	5	22	35	1	1	-	2	2	-	3	11	19	22	14	96	30
44	-	124	6	1	11	15	1	6	-	2	2	-	-	11	8	8	9	51	31
35	-	108	5	-	6	12	1	3	-	2	2	-	2	2	8	8	4	42	32
82	1	257	16	1	9	17	4	6	-	2	2	-	2	15	19	28	37	86	33
21	-	91	6	-	1	4	1	2	-	2	2	-	2	5	3	15	7	51	34
61	1	168	10	1	8	13	1	2	-	1	2	-	3	10	16	13	30	55	35
18	-	35	1	-	1	12	3	1	-	1	2	-	2	-	4	5	5	8	36
1	-	10	-	-	-	-	2	1	-	1	2	-	3	2	2	1	1	8	37
29	1	89	8	-	19	9	1	2	-	1	2	-	1	1	10	5	14	30	38
17	-	51	4	-	4	4	1	1	-	1	2	-	2	3	2	4	4	18	39
191	1	452	38	4	22	56	6	2	-	15	7	1	7	17	4	51	51	181	40
67	1	194	12	3	11	26	2	2	-	7	4	3	3	10	2	17	11	80	41
51	-	88	7	-	8	7	2	4	-	4	4	1	3	1	-	12	8	57	42
73	-	169	19	1	3	23	4	3	-	2	3	1	1	8	2	22	19	64	43
83	2	155	18	1	11	27	3	1	-	1	1	1	1	11	2	13	29	65	44
42	3	120	10	2	8	21	1	2	-	1	1	-	3	5	1	15	19	37	45
29	-	81	7	-	4	9	2	1	-	2	-	2	2	4	5	11	11	24	46
40	-	84	6	4	5	10	1	2	-	2	-	2	2	5	8	14	6	50	47
25	2	54	13	-	7	8	-	2	-	2	-	1	2	2	7	9	3	25	48
16	-	34	5	-	1	1	-	4	-	4	-	1	1	2	1	8	2	13	49
8	-	17	1	-	3	4	-	1	-	1	-	1	1	5	1	2	-	7	50
56	2	146	14	1	6	19	1	4	-	1	-	4	1	4	1	4	2	68	51
13	1	50	3	-	2	5	-	1	-	3	-	1	1	12	20	27	3	26	52
43	1	96	11	1	4	14	1	3	-	2	-	2	3	3	7	7	1	42	53
11	-	30	2	-	23	9	1	2	-	4	-	1	3	9	13	20	2	7	54
66	-	147	12	7	8	18	1	4	-	4	-	1	1	1	2	6	2	62	55
7	-	19	-	1	7	4	1	2	-	4	-	1	2	18	26	20	5	15	56
21	2	57	5	-	3	8	1	4	-	4	-	1	1	2	1	4	5	26	57
12	1	27	2	-	1	3	-	1	-	1	-	1	1	5	-	14	2	16	58
9	1	40	3	-	2	5	-	1	-	1	-	1	1	3	-	10	3	10	59
47	3	129	2	2	7	15	1	2	-	1	-	1	1	2	8	6	3	64	60
21	-	65	1	2	2	5	-	4	-	1	-	1	1	8	13	23	2	30	61
26	3	64	1	-	5	10	-	4	-	1	-	1	1	1	7	10	1	34	62
24	-	61	4	-	3	10	1	4	-	1	-	1	2	7	2	13	1	24	63
21	1	51	1	-	6	6	-	4	-	1	-	1	1	1	6	10	2	16	64
11	-	40	-	1	4	2	-	1	-	1	-	1	1	4	11	6	3	22	65
20	-	50	2	1	2	9	2	1	-	1	-	1	2	3	5	-	3	16	66
27	1	89	5	-	10	15	-	5	-	3	-	1	1	1	6	1	3	37	67
158	3	517	44	6	41	75	9	7	-	6	-	1	3	6	6	6	5	37	68
108	1	394	32	6	23	50	8	5	-	5	-	1	2	20	5	48	10	183	69
50	2	125	12	-	18	25	1	2	-	4	-	1	2	16	5	63	16	140	70
19	-	33	-	2	1	6	-	1	-	1	-	1	1	4	1	54	11	43	71
16	-	45	5	-	3	8	-	1	-	1	-	1	2	1	7	14	5	17	72
35	-	84	9	-	4	9	1	2	-	1	-	1	1	2	-	1	-	11	73
71	2	187	10	2	16	24	3	3	-	1	-	1	2	2	6	6	1	22	74
22	-	68	6	-	3	2	1	1	-	1	-	1	2	8	-	12	1	11	75
39	-	118	12	-	10	4	1	2	-	1	-	1	1	3	6	11	2	22	76
49	2	119	4	2	13	22	2	3	-	1	-	1	2	3	5	26	1	90	77
84	1	198	15	2	14	15	3	4	-	1	-	1	1	6	2	7	2	20	78
69	1	158	12	2	11	11	3	4	-	1	-	1	1	8	3	8	2	32	79
15	-	40	3	-	3	4	-	4	-	1	-	1	2	8	3	19	2	48	80
33	1	89	8	-	2	12	1	1	-	1	-	1	1	5	3	15	3	82	81
23	-	39	11	1	5	3	1	2	-	1	-	1	1	6	3	33	3	78	82
26	-	80	3	1	1	12	2	3	-	1	-	1	1	4	47	13	3	48	83
12	1	21	1	-	-	4	1	1	-	1	-	1	1	3	38	9	3	14	84
26	-	76	4	1	8	18	2	4	-	4	-	1	1	1	9	4	-	20	85
20	-	52	4	1	6	9	1	3	-	1	-	1	1	2	2	11	1	27	86
6	-	24	-	-	2	9	-	1	-	1	-	1	1	1	3	3	1	10	87
24	-	53	1	-	-	7	1	2	-	1	-	1	2	5	2	14	1	31	88
14	-	31	3	-	3	5	-	1	-	1	-	1	1	4	5	2	1	25	89
16	1	59	3	1	6	13	-	1	-	1	-	1	-	5	5	9	2	21	90

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NORTH CAROLINA—Con.																
1	Pitt	502	18	5	-	-	1	4	1	-	-	2	39	4	2	260	254
2	Greenville	129	5	3	-	-	-	2	-	-	-	1	10	-	-	78	77
3	Balance of county	373	13	2	-	-	1	2	-	-	-	1	29	4	2	182	177
4	Polk	99	-	-	-	-	-	-	-	-	1	-	8	1	-	55	55
5	Randolph	334	2	-	-	1	-	-	-	1	1	2	45	2	-	183	175
6	Richmond	359	4	-	-	-	-	-	-	-	-	4	33	6	-	176	166
7	Robeson	720	22	2	-	3	1	-	1	-	3	3	44	6	1	330	315
8	Rockingham	528	12	3	-	1	-	2	-	1	-	4	51	9	2	282	266
9	Reidsville	119	3	-	-	-	-	1	-	-	-	2	14	5	2	64	59
10	Balance of county	409	9	3	-	1	-	1	-	1	-	2	37	4	-	218	207
11	Rowan	565	7	2	-	1	-	-	-	-	-	2	61	9	2	302	287
12	Salisbury	170	2	1	-	1	-	-	-	-	-	1	23	1	1	88	87
13	Balance of county	395	5	1	-	-	-	-	-	-	-	1	38	8	1	214	200
14	Rutherford	310	3	2	-	-	-	-	1	-	-	-	38	5	-	161	152
15	Sampson	411	7	2	-	1	-	2	-	-	-	3	29	7	1	239	230
16	Scotland	245	7	-	-	-	-	1	-	-	-	-	26	6	-	121	118
17	Stanly	218	3	-	-	-	-	-	-	-	1	1	21	4	-	118	111
18	Albemarle	72	-	-	-	-	-	-	-	-	-	-	5	1	-	40	35
19	Balance of county	146	3	-	-	-	-	-	-	-	1	1	16	3	-	78	76
20	Stokes	140	2	-	-	-	-	-	-	-	-	1	14	3	-	72	68
21	Surry	320	5	1	-	-	-	-	-	-	1	3	28	6	-	155	151
22	Swain	80	2	-	-	-	-	-	-	-	-	-	9	-	-	36	33
23	Transylvania	93	-	-	-	1	-	1	-	-	-	-	18	-	-	43	40
24	Tyrrell	40	2	-	-	-	-	-	-	-	-	-	2	-	-	22	22
25	Union	307	1	3	-	-	-	1	-	-	-	1	46	3	-	146	138
26	Monroe	89	1	1	-	-	-	-	-	-	-	-	15	-	-	38	38
27	Balance of county	218	-	2	-	-	-	1	-	-	-	1	31	3	-	108	100
28	Vance	267	1	1	-	-	-	1	1	-	-	2	22	2	-	148	139
29	Henderson	112	1	1	-	-	-	1	-	-	-	1	10	1	-	67	62
30	Balance of county	155	-	-	-	-	-	-	1	-	-	1	12	1	-	81	77
31	Wake	1,034	24	4	-	-	-	-	-	-	-	4	105	17	1	538	521
32	Raleigh	553	19	4	-	-	-	-	-	-	-	-	63	11	1	274	263
33	Balance of county	481	5	-	-	-	-	-	-	-	-	4	42	6	-	264	258
34	Warren	204	3	-	-	2	-	-	-	-	-	-	22	3	-	95	94
35	Washington	125	3	2	-	-	-	-	-	-	-	-	14	1	-	52	52
36	Watauga	121	3	-	-	-	-	-	-	-	-	1	13	4	-	67	61
37	Wayne	520	18	3	-	-	-	2	1	-	-	2	36	11	-	267	256
38	Goldsboro	210	10	1	-	-	-	1	-	-	-	1	16	4	-	103	98
39	Balance of county	310	8	2	-	-	-	1	1	-	-	1	20	7	-	164	158
40	Wilkes	333	5	3	-	-	-	1	1	-	-	2	23	3	1	169	164
41	Wilson	489	18	5	-	2	-	1	1	-	-	1	40	8	2	223	191
42	Wilson	245	8	4	-	1	-	-	-	-	-	1	23	3	2	112	92
43	Balance of county	244	10	1	-	1	-	1	1	-	-	-	17	5	-	111	99
44	Yadkin	141	2	-	-	-	-	-	-	-	-	1	15	2	-	82	77
45	Yancey	97	4	-	-	-	-	-	-	-	-	-	14	-	1	48	45
46	NORTH DAKOTA	5,191	68	21	-	1	-	3	6	1	-	7	740	109	4	2,599	2,551
47	Adams	31	-	-	-	-	-	-	-	-	-	-	4	1	-	15	15
48	Barnes	178	1	1	-	-	-	-	-	-	-	-	25	4	-	108	107
49	Benson	112	5	-	-	-	-	-	-	-	-	-	13	3	-	50	50
50	Billings	18	-	-	-	-	-	-	-	-	-	-	2	2	-	7	6
51	Bottineau	100	1	-	-	-	-	-	-	-	-	-	15	3	-	55	52
52	Bowman	40	-	-	-	-	-	-	-	-	-	-	8	1	-	15	14
53	Burke	62	-	-	-	-	-	-	-	-	-	-	11	2	-	34	34
54	Burleigh	202	1	1	-	-	-	-	-	-	-	-	29	-	-	104	100
55	Bismarck	154	1	1	-	-	-	-	-	-	-	-	19	-	-	85	83
56	Balance of county	48	-	-	-	-	-	-	-	-	-	-	10	-	-	19	17
57	Cass	515	5	5	-	-	-	-	1	-	-	2	77	10	-	273	271
58	Fargo	330	2	3	-	-	-	-	1	-	-	2	50	4	-	178	176
59	Balance of county	185	3	2	-	-	-	-	-	-	-	-	27	6	-	95	95
60	Cavalier	94	1	-	-	-	-	-	-	-	-	-	17	4	-	42	39
61	Dickey	67	-	1	-	-	-	-	-	-	-	-	12	2	-	33	32
62	Divide	41	1	-	-	-	-	-	-	-	-	-	7	-	-	18	17
63	Dunn	61	1	-	-	-	-	-	-	-	-	-	10	1	-	22	20
64	Eddy	41	-	-	-	-	-	-	-	-	-	-	7	1	-	19	18
65	Emmons	73	-	-	-	-	-	-	-	-	-	-	10	2	1	34	32
66	Foster	32	1	-	-	-	-	-	-	-	-	-	5	-	-	19	19
67	Golden Valley	29	1	-	-	-	-	-	-	-	-	-	3	2	-	18	17
68	Grand Forks	348	5	2	-	-	-	-	1	-	-	1	33	7	-	168	163
69	Grand Forks	237	4	2	-	-	-	-	1	-	-	1	22	5	-	114	109
70	Balance of county	111	1	-	-	-	-	-	-	-	-	-	11	2	-	54	54
71	Grant	46	-	-	-	-	-	-	-	-	-	-	1	-	1	22	21
72	Griggs	58	2	-	-	-	-	-	-	-	-	-	12	1	-	24	24
73	Hettinger	38	-	-	-	-	-	-	-	-	-	-	7	2	-	16	15
74	Kidder	47	-	-	-	-	-	-	-	-	-	-	7	-	-	32	32
75	La Moure	76	-	-	-	-	-	-	-	-	-	-	9	1	-	49	49
76	Logan	45	1	-	-	-	-	-	1	-	-	-	7	-	-	14	14
77	McHenry	115	1	-	-	-	-	-	-	-	-	-	13	2	-	58	58
78	McIntosh	49	-	-	-	-	-	-	-	-	-	-	7	-	-	28	25
79	McKenzie	67	-	-	-	-	-	-	-	-	-	1	10	-	-	34	32
80	McLean	128	3	1	-	-	-	-	-	-	-	-	14	3	-	59	57
81	Mercer	49	1	1	-	-	-	-	-	-	-	-	8	1	-	25	25
82	Morton	161	-	-	-	-	-	-	-	1	-	3	17	2	-	64	80
83	Mountrail	80	1	-	-	-	-	-	-	-	-	-	9	5	-	37	37
84	Nelson	69	1	1	-	-	-	-	-	-	-	-	12	-	-	35	35
85	Oliver	15	-	-	-	-	-	-	-	-	-	-	4	-	-	6	6
86	Pembina	106	3	-	-	-	-	2	-	-	-	-	18	-	-	46	41
87	Pierce	65	1	-	-	-	-	-	-	-	-	-	12	5	-	32	31

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330–334	Rheumatic fever 400–402	Diseases of heart 410–443	Hypertension without mention of heart and general arteriosclerosis 444–450	Other diseases of circulatory system 451–468	Chronic and unspecified nephritis and other renal sclerosis 592–594	Influenza and pneumonia, except pneumonia of newborn 480–493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 591	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640–689	Congenital malformations 750–759	Symptoms, senility, and ill-defined conditions 780–795	Motor-vehicle accidents E810–E835	All other accidents E800–E802, E840–E962	Suicide E963, E970–E979	Homicide E964, E980–E985	All other causes Residual	
79	-	165	7	3	6	30	-	5	5	2	3	6	5	16	14	5	6	69	1
31	-	42	3	1	1	6	-	2	2	1	1	-	-	1	1	2	3	11	2
48	-	123	4	2	5	24	-	3	3	1	2	6	5	15	13	3	3	58	3
14	-	38	3	-	-	8	-	-	-	-	-	1	2	9	5	1	1	7	4
48	-	120	5	2	8	9	3	2	1	1	2	5	2	14	11	7	1	39	5
34	2	119	9	2	10	22	4	3	2	2	1	10	8	21	10	7	4	42	6
90	2	200	19	4	15	48	1	20	4	1	4	6	37	23	41	6	19	94	7
45	1	203	17	-	16	20	3	3	3	1	1	11	3	20	26	5	4	61	8
10	-	46	3	-	5	3	1	-	-	-	1	3	-	3	3	-	1	13	9
35	1	157	14	-	11	17	2	3	3	1	-	8	3	17	23	5	3	48	10
90	1	177	16	3	15	20	3	2	4	2	2	10	2	22	25	6	5	76	11
21	-	58	6	2	1	4	2	2	1	1	1	2	1	4	6	1	4	23	12
69	1	119	10	1	14	16	1	-	3	1	1	8	1	18	19	5	1	53	13
38	1	104	7	2	9	11	-	7	-	1	2	7	7	12	10	5	3	35	14
59	-	161	9	1	9	22	1	3	1	3	3	3	3	12	11	2	6	50	15
26	-	83	9	-	3	9	1	5	-	1	4	3	9	9	10	2	4	27	16
34	-	69	6	2	7	6	1	-	1	-	1	3	10	7	10	5	3	23	17
8	-	22	3	2	5	3	1	-	1	-	1	1	1	1	5	2	1	9	18
26	-	47	3	-	2	3	-	-	-	-	-	2	9	6	5	3	2	14	19
19	-	45	5	1	4	8	-	-	-	-	-	4	2	5	4	2	1	22	20
35	-	107	7	2	4	15	1	2	3	1	2	6	14	14	10	6	2	45	21
10	-	17	6	-	3	7	1	3	-	1	-	2	3	-	5	2	-	9	22
8	-	31	1	-	3	4	-	-	-	-	-	-	-	1	5	4	-	16	23
1	1	20	-	-	-	3	-	-	-	-	-	1	5	1	3	-	-	1	24
31	-	98	9	-	8	5	2	2	1	1	1	5	8	17	15	3	2	46	25
13	-	24	1	-	-	-	1	-	1	-	-	2	-	3	4	3	1	19	26
18	-	74	8	-	8	5	1	2	1	-	1	3	8	14	9	-	1	27	27
46	1	86	5	1	9	9	-	3	1	1	2	2	14	12	3	3	4	35	28
20	-	41	-	1	5	3	-	-	1	-	1	1	6	3	1	1	3	10	29
26	1	45	5	-	4	6	-	3	-	1	1	1	8	9	2	2	1	25	30
155	-	330	33	3	17	42	5	12	3	3	3	15	9	37	42	17	13	140	31
72	-	177	14	-	11	14	5	5	1	1	2	8	4	19	17	12	8	85	32
63	-	153	19	3	6	28	-	7	2	2	1	7	5	18	25	5	5	55	33
27	2	55	10	-	1	14	-	2	-	-	3	4	10	9	3	1	3	30	34
15	-	37	-	-	-	3	1	-	-	-	1	2	18	4	7	1	3	13	35
14	-	43	4	-	6	1	-	-	1	1	-	4	2	1	5	1	2	15	36
77	1	164	13	1	11	21	1	13	5	-	1	6	13	20	24	9	10	57	37
22	-	71	5	-	5	11	1	4	1	-	1	5	3	3	15	5	4	23	38
55	1	93	8	1	8	10	-	9	4	-	-	1	10	17	11	4	6	34	39
32	1	126	3	2	5	20	5	1	1	2	1	6	6	14	10	2	7	50	40
49	1	129	11	1	32	23	-	16	4	1	3	10	5	13	26	5	9	73	41
23	-	67	2	-	20	10	-	8	3	-	-	4	2	6	12	3	6	37	42
26	1	62	9	1	12	13	-	8	1	1	3	6	3	7	14	2	3	36	43
10	-	61	4	2	5	8	-	1	-	-	-	6	4	6	2	2	1	9	44
20	-	22	3	-	3	5	-	-	2	-	-	-	4	3	2	-	-	14	45
607	11	1,694	395	24	68	167	31	16	27	13	3	103	123	111	282	63	3	690	46
2	-	12	1	-	-	1	-	-	-	-	-	1	-	3	1	-	-	5	47
25	2	77	3	-	1	2	-	1	-	-	-	2	1	3	5	1	-	24	48
11	-	33	4	2	-	3	-	2	-	-	-	2	5	2	11	3	1	12	49
1	-	5	-	-	1	1	-	-	-	-	-	-	-	-	1	1	1	3	50
16	-	35	1	-	3	2	1	-	-	-	-	1	3	1	4	1	-	13	51
4	-	10	-	-	1	-	1	-	-	1	-	1	3	2	1	1	-	6	52
5	-	22	7	-	-	1	-	-	1	-	-	-	3	-	1	-	-	9	53
19	1	72	8	-	4	7	1	-	1	-	-	8	3	7	10	1	-	29	54
17	1	57	8	-	2	6	1	-	1	-	-	6	1	4	8	1	-	20	55
2	-	15	-	-	2	1	-	-	-	-	-	2	2	3	2	-	-	9	56
75	1	167	25	3	2	10	1	1	1	-	1	13	11	18	25	8	-	53	57
57	1	98	17	3	2	6	1	1	1	-	1	11	7	7	14	7	-	34	58
18	-	69	8	-	-	4	-	-	-	-	-	2	4	11	11	1	-	19	59
11	-	26	2	-	3	2	-	-	3	-	-	2	2	1	5	2	-	13	60
4	-	23	5	-	1	2	-	-	-	1	-	1	-	1	3	1	-	10	61
3	-	14	-	-	1	2	-	-	-	-	-	-	1	2	4	-	-	6	62
3	-	13	4	-	2	4	-	1	-	-	-	2	3	3	2	1	-	11	63
4	-	11	3	-	1	1	-	-	-	-	-	-	2	-	3	-	-	8	64
6	-	21	3	2	2	-	-	-	1	-	-	-	3	1	6	1	-	14	65
6	-	12	1	-	-	-	-	-	-	-	-	1	-	-	3	2	-	1	66
6	-	11	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	3	67
29	1	119	12	2	5	9	4	3	2	1	-	9	15	8	18	3	-	61	68
22	1	77	9	-	5	5	3	3	1	1	-	8	4	6	9	1	-	47	69
7	-	42	3	2	-	4	1	-	1	-	-	1	9	2	9	2	-	14	70
5	-	12	4	-	1	1	1	-	-	1	-	4	1	2	5	-	-	7	71
7	-	13	4	-	-	4	1	-	-	-	-	1	2	3	6	-	-	2	72
7	-	8	-	-	1	2	-	-	-	-	-	1	2	1	3	1	-	3	73
3	-	23	5	1	-	-	1	-	1	-	-	-	-	-	3	-	-	3	74
10	1	34	4	-	-	1	1	1	-	-	-	3	1	1	2	1	-	6	75
6	-	7	1	-	-	3	-	1	-	-	-	-	-	1	3	2	-	13	76
14	-	38	6	-	-	6	-	1	1	-	-	3	1	3	7	1	-	18	77
10	-	12	3	-	3	2	1	-	1	-	-	-	3	-	2	1	-	4	78
7	-	18	7	-	2	5	-	-	-	-	-	2	-	4	4	-	-	7	79
12	-	41	2	2	2	10	-	-	2	-	-	3	5	2	8	-	-	18	80
8	-	15	1	1	-	2	-	-	1	-	-	3	-	-	1	1	-	5	81
20	-	54	6	-	4	3	1	1	2	1	-	6	4	2	7	3	-	24	82
11	-	24	2	-	-	5	-	-	1	-	-	1	1	3	5	2	-	10	83
9	-	23	3	-	-	3	1	-	-	1	-	-	3	-	5	-	-	7	84
2	-	4	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	2	85
13	-	24	3	1	5	4	1	-	-	1	-	5	2	3	8	-	-	13	86
9	1	19	2	-	1	-	-	-	-	-	-	-	1	-	5	2	-	7	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NORTH DAKOTA--Con.																
1	Ramsey	129	-	1	-	-	-	-	-	-	-	-	13	5	-	72	69
2	Ransom	69	1	1	-	-	-	-	-	-	-	-	9	-	-	34	34
3	Renville	51	-	-	-	-	-	-	-	-	-	-	7	-	-	28	28
4	Richland	155	1	1	-	-	-	-	-	-	-	-	30	1	-	82	81
5	Rolette	94	9	-	-	1	-	-	1	-	-	-	9	1	-	36	36
6	Sargent	67	1	-	-	-	-	-	-	-	-	-	13	3	-	33	32
7	Sheridan	34	-	-	-	-	-	-	-	-	-	-	4	2	-	17	17
8	Sioux	31	6	-	-	-	-	-	-	-	-	-	1	1	-	9	9
9	Slope	13	-	1	-	-	-	-	-	-	-	-	2	-	-	8	8
10	Stark	142	1	-	-	-	-	-	1	-	-	-	22	5	-	70	69
11	Steele	50	-	-	-	-	-	-	-	-	-	-	6	1	-	24	23
12	Stutsman	167	3	3	-	-	-	-	-	-	-	-	23	1	1	96	95
13	Jamestown	87	3	2	-	-	-	-	-	-	-	-	13	-	-	49	48
14	Balance of county	80	-	1	-	-	-	-	-	-	-	-	10	1	1	47	47
15	Towner	58	-	-	-	-	-	-	-	-	-	-	8	1	-	29	26
16	Traill	127	1	-	-	-	-	-	-	-	-	-	19	4	-	68	64
17	Walsh	186	-	1	-	-	-	1	-	-	-	-	39	1	1	85	82
18	Ward	322	4	-	-	-	-	-	-	-	-	-	42	7	-	153	152
19	Minot	192	2	-	-	-	-	-	-	-	-	-	27	3	-	84	84
20	Balance of county	130	2	-	-	-	-	-	-	-	-	-	15	4	-	69	68
21	Wells	86	1	-	-	-	-	-	-	-	-	-	13	8	-	43	43
22	Williams	152	3	-	-	-	-	-	1	-	-	-	25	3	-	77	75
23	OHIO	60,633	1,659	499	2	12	8	46	68	117	27	199	12,043	1,790	89	43,596	42,494
24	Adams	247	6	-	-	-	-	-	-	-	-	1	32	3	1	150	143
25	Allen	862	22	7	-	-	-	2	-	3	-	-	134	29	1	450	433
26	Lima	567	19	5	-	-	-	1	-	3	-	-	86	22	1	294	284
27	Balance of county	295	3	2	-	-	-	1	-	-	-	-	48	7	-	156	149
28	Ashland	346	6	1	-	-	-	1	-	1	-	1	37	5	-	205	201
29	Ashland	163	4	1	-	-	-	-	-	-	-	-	12	4	-	96	94
30	Balance of county	183	2	-	-	-	-	1	-	1	-	1	25	1	-	109	107
31	Ashtabula	914	1	3	-	-	-	-	1	4	-	2	147	18	-	513	499
32	Ashtabula	285	1	-	-	-	-	-	-	-	-	1	38	10	-	170	166
33	Conneaut	120	-	2	-	-	-	-	-	1	-	-	23	3	-	62	60
34	Balance of county	509	-	1	-	-	-	-	1	3	-	1	86	5	-	281	273
35	Athens	444	9	3	-	-	-	1	-	-	-	2	60	10	-	229	219
36	Athens	108	-	-	-	-	-	-	-	-	-	-	20	2	-	57	57
37	Balance of county	336	9	3	-	-	-	1	-	-	-	2	40	8	-	172	162
38	Auglaize	354	4	3	-	-	-	-	-	-	-	-	49	8	1	214	207
39	Belmont	1,048	23	5	-	-	-	1	2	-	-	5	149	19	1	589	569
40	Bellaire	195	7	2	-	-	-	1	1	-	-	1	24	4	-	111	104
41	Martins Ferry	147	4	1	-	-	-	-	-	-	-	-	24	3	-	86	81
42	Balance of county	706	12	2	-	-	-	-	1	-	-	4	100	12	1	392	384
43	Brown	297	1	-	-	-	-	-	-	-	-	-	37	4	1	187	183
44	Butler	1,356	31	9	-	-	1	1	4	1	-	4	186	28	7	712	684
45	Hamilton	623	15	5	-	-	-	-	3	-	-	3	90	15	2	333	319
46	Middletown	342	8	1	-	-	-	-	-	-	-	-	54	5	1	171	163
47	Balance of county	391	7	3	-	-	1	1	1	1	-	1	42	8	4	208	202
48	Carroll	183	-	1	-	-	-	-	-	-	-	-	29	4	-	104	102
49	Champaign	304	1	1	-	-	1	-	-	1	-	1	51	5	-	164	159
50	Clark	1,184	31	9	-	-	1	-	1	1	-	3	175	20	2	659	648
51	Springfield	880	27	7	-	-	1	-	1	1	-	2	135	15	2	466	459
52	Balance of county	304	4	2	-	-	-	-	-	-	-	1	40	5	-	193	189
53	Clermont	433	4	2	-	1	-	-	-	-	-	-	54	7	1	250	248
54	Clinton	302	2	-	-	-	-	-	-	1	-	1	28	5	-	188	184
55	Columbiana	1,063	31	5	-	1	-	1	-	-	-	4	157	34	1	601	579
56	East Liverpool	285	13	2	-	-	-	1	-	-	-	2	33	17	-	166	159
57	Salem	177	3	1	-	-	-	-	-	-	-	1	22	4	-	102	98
58	Balance of county	601	15	2	-	1	-	-	-	-	-	1	102	13	1	333	322
59	Coshocton	336	2	1	-	-	-	-	-	1	-	-	51	3	-	198	196
60	Coshocton	158	1	-	-	-	-	-	-	1	-	-	24	2	-	94	93
61	Balance of county	178	1	1	-	-	-	-	-	-	-	-	27	1	-	104	103
62	Crawford	460	2	2	-	-	-	-	-	5	-	1	77	9	-	270	259
63	Bucyrus	144	1	-	-	-	-	-	-	3	-	-	24	4	-	87	85
64	Balance of county	316	1	2	-	-	-	-	-	2	-	1	53	5	-	183	174
65	Cuyahoga	13,632	325	86	-	1	-	6	3	8	-	26	2,301	314	23	7,198	7,087
66	Cleveland	9,726	283	75	-	1	-	5	3	4	-	21	1,576	218	18	4,998	4,911
67	Cleveland Heights	590	1	3	-	-	-	-	-	-	-	-	115	15	-	358	356
68	Lakewood	750	8	1	-	-	-	-	-	-	-	1	155	14	-	444	437
69	East Cleveland	422	3	1	-	-	-	-	-	-	-	-	81	12	-	243	243
70	Euclid	249	2	-	-	-	-	-	-	1	-	-	30	5	2	137	135
71	Parma	173	3	-	-	-	-	-	-	-	-	-	30	8	-	91	88
72	Shaker Heights	211	2	3	-	-	-	-	-	-	-	1	47	2	1	117	117
73	Berea	95	2	-	-	-	-	-	-	-	-	1	19	4	-	39	39
74	Garfield Heights	136	1	-	-	-	-	-	-	-	-	-	30	4	-	73	71
75	Maple Heights	77	1	-	-	-	-	-	-	-	-	1	13	1	1	42	41
76	Rocky River	91	1	1	-	-	-	-	-	-	-	-	18	3	-	49	49
77	South Euclid	102	1	-	-	-	-	-	-	-	-	-	19	1	-	65	65
78	University Heights	71	-	-	-	-	-	-	-	-	-	-	16	2	-	43	43
79	Balance of county	939	15	2	-	-	-	1	-	3	-	1	154	25	1	499	493
80	Darke	460	2	2	-	-	-	-	-	1	-	-	53	7	1	285	275
81	Defiance	305	5	1	-	-	-	-	-	7	-	-	35	6	-	164	158
82	Defiance	126	2	-	-	-	-	-	-	2	-	-	16	3	-	64	61
83	Balance of county	179	3	1	-	-	-	-	-	5	-	-	19	3	-	100	97
84	Delaware	350	2	3	-	-	-	-	-	-	-	1	43	4	-	214	209
85	Delaware	139	1	-	-	-	-	-	-	-	-	-	18	3	-	86	83
86	Balance of county	211	1	3	-	-	-	-	-	-	-	1	25	1	-	128	126

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
16	1	51	1	-	3	6	-	-	-	1	-	3	1	2	6	2	-	17	1
10	-	23	1	-	-	2	1	-	1	-	-	2	2	3	3	2	-	8	2
5	-	20	3	-	-	3	1	-	-	-	-	-	1	1	2	-	-	8	3
14	-	60	4	3	1	6	2	1	1	2	-	3	2	1	8	-	-	14	4
7	1	26	1	1	-	4	-	-	-	2	-	2	6	1	2	2	-	18	5
10	-	19	2	1	1	2	-	-	1	1	-	2	-	3	-	-	-	8	6
5	-	9	3	-	-	2	1	-	-	-	-	-	-	-	5	-	1	2	7
1	-	8	-	-	-	4	-	2	-	-	-	1	-	1	-	4	-	2	8
-	-	7	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	9
13	-	53	3	-	1	2	1	1	-	-	-	-	-	1	4	7	2	25	10
5	-	17	1	-	1	2	-	-	-	-	-	1	1	1	4	-	-	10	11
18	-	67	9	1	1	3	1	-	1	-	-	1	-	4	10	1	-	19	12
8	-	34	5	1	1	2	-	-	-	-	-	-	-	3	5	1	-	9	13
10	-	33	4	-	-	1	1	-	1	-	-	1	-	1	5	-	-	10	14
7	-	16	1	2	3	1	-	-	-	-	-	-	2	-	5	2	-	9	15
26	1	30	7	-	4	3	-	-	-	-	-	2	8	2	1	-	-	19	16
23	-	53	6	-	3	7	-	-	1	-	-	2	2	2	11	2	-	30	17
34	1	105	10	2	1	14	3	-	1	-	-	6	10	4	20	8	-	50	18
19	-	59	4	2	-	13	2	-	1	-	-	5	7	2	14	5	-	27	19
15	1	46	6	-	1	1	1	-	-	-	-	1	3	2	6	3	-	23	20
15	-	26	2	-	-	3	1	-	-	-	-	-	5	1	4	-	-	7	21
15	-	52	8	-	2	3	2	-	3	-	-	2	2	5	10	2	-	14	22
9,389	90	28,793	2,774	438	1,102	2,305	391	315	811	169	107	1,073	661	1,892	3,052	906	322	8,474	23
33	-	98	12	-	7	11	1	2	2	-	1	4	-	10	6	1	-	16	24
96	2	300	32	3	17	26	2	2	11	1	1	9	4	23	30	13	4	88	25
68	2	195	17	2	10	15	2	2	7	1	1	6	2	15	25	8	2	50	26
28	-	105	15	1	7	11	-	-	4	-	-	3	2	8	5	5	2	38	27
42	1	142	16	-	4	2	3	2	2	1	2	4	1	14	15	4	-	39	28
17	1	68	8	-	2	1	3	1	1	1	-	3	-	8	7	1	-	20	29
25	-	74	8	-	2	1	-	1	1	-	2	1	1	6	8	3	-	19	30
107	1	372	19	-	14	36	4	3	4	5	3	9	4	25	31	10	-	91	31
39	1	121	5	-	4	10	2	2	3	-	1	-	3	5	8	2	-	29	32
13	-	46	1	-	2	5	-	-	-	2	-	1	-	-	2	1	-	18	33
55	-	205	13	-	8	21	2	1	1	-	2	8	1	20	21	7	-	44	34
52	-	152	15	-	10	16	2	1	1	-	-	3	5	10	18	5	2	67	35
16	-	38	3	-	-	3	-	-	-	-	-	-	-	1	7	-	-	18	36
36	-	114	12	-	10	13	2	1	1	-	-	3	5	9	11	5	2	49	37
43	-	150	10	4	7	9	1	2	1	-	-	4	2	11	11	5	-	29	38
135	2	382	47	3	20	40	8	3	5	1	-	12	4	19	46	9	4	104	39
24	-	72	7	1	7	8	2	-	2	-	-	2	-	-	5	-	-	25	40
17	1	54	9	-	5	4	1	2	-	-	-	2	-	3	5	2	-	10	41
94	1	256	31	2	8	28	5	1	3	1	-	8	4	16	36	7	4	69	42
46	-	122	11	4	4	11	-	2	5	-	-	1	4	3	15	3	-	23	43
137	2	501	42	2	28	40	5	7	14	1	-	26	10	45	58	8	3	155	44
63	-	242	13	1	14	18	2	3	5	-	-	10	4	17	28	2	2	66	45
39	1	109	14	-	8	7	1	2	3	1	-	9	2	12	18	2	-	44	46
35	1	150	15	1	6	15	2	2	6	-	-	7	4	16	12	4	1	45	47
29	1	67	5	-	2	7	1	-	-	-	-	1	-	4	8	3	1	20	48
45	-	104	9	1	5	8	1	3	2	1	-	2	3	5	16	5	1	32	49
138	2	453	49	6	11	38	6	6	8	1	3	13	3	25	40	13	3	123	50
107	-	311	36	5	7	35	3	6	8	1	2	12	2	20	31	7	2	94	51
31	2	142	13	1	4	3	3	-	-	-	1	1	1	5	9	6	1	29	52
49	-	177	17	5	2	16	1	2	1	-	1	3	3	10	24	7	-	46	53
30	-	134	18	2	4	3	-	1	4	-	1	1	1	10	16	3	1	36	54
151	1	392	28	7	22	16	2	5	3	2	5	11	4	23	43	7	2	105	55
38	-	109	10	2	7	3	-	2	3	-	2	4	3	2	2	1	1	28	56
23	-	70	5	-	4	2	-	1	-	1	1	2	-	1	5	3	1	27	57
90	1	213	13	5	11	11	2	2	-	1	2	5	1	20	36	3	-	50	58
64	-	124	7	1	2	8	1	1	3	1	-	2	1	8	12	2	1	40	59
35	-	55	2	1	1	1	-	1	3	-	-	1	-	2	5	-	-	23	60
28	-	69	5	-	1	7	1	-	-	1	-	1	1	6	7	2	1	17	61
69	1	167	20	2	11	6	-	-	5	2	-	7	1	9	19	4	-	41	62
25	1	50	9	-	2	2	-	-	-	1	-	3	-	1	6	1	-	11	63
44	-	117	11	2	9	4	-	-	5	1	-	4	1	8	13	3	-	30	64
1,377	17	5,246	381	66	111	339	94	27	199	28	17	158	202	217	423	146	87	1,406	65
918	12	3,675	257	49	87	265	68	21	156	25	11	109	178	149	327	106	84	1,025	66
69	1	263	18	5	2	6	2	-	6	-	1	5	2	6	18	3	-	49	67
94	1	314	28	-	7	16	8	1	10	-	3	9	2	11	11	3	1	52	68
41	-	182	16	4	-	10	2	-	10	1	-	1	2	3	10	4	-	39	69
20	-	108	7	-	2	3	2	-	6	-	-	7	2	4	10	4	-	34	70
19	-	65	2	2	3	2	1	-	1	-	-	2	-	1	3	5	-	26	71
41	-	66	7	3	-	6	2	1	2	-	-	1	2	1	6	7	-	10	72
8	-	29	1	-	1	2	2	-	1	-	-	3	-	2	3	1	-	16	73
14	-	53	3	1	2	5	1	1	2	-	-	1	-	-	3	2	-	15	74
10	1	28	2	-	1	-	-	-	-	-	-	3	2	-	1	1	-	11	75
8	-	35	6	-	-	4	-	-	-	-	-	-	-	1	6	-	-	10	76
11	-	52	2	-	-	-	-	-	-	-	1	-	1	1	2	1	-	10	77
9	-	31	2	1	-	-	-	2	-	-	-	-	-	2	1	1	-	4	78
115	2	345	30	1	6	22	6	1	5	2	1	17	11	36	22	8	2	105	79
58	-	196	17	3	10	14	2	2	2	1	-	4	3	10	19	13	2	37	80
32	-	115	10	1	6	4	3	-	3	-	-	3	3	11	10	4	1	45	81
18	-	39	4	-	3	-	1	-	1	-	-	1	1	5	5	1	-	24	82
14	-	76	6	1	3	4	2	-	2	-	-	2	2	6	5	3	1	21	83
48	2	147	11	1	5	12	-	-	3	1	1	4	-	11	17	6	1	27	84
23	1	51	7	1	3	7	-	-	2	-	1	2	-	2	5	1	-	11	85
25	1	96	4	-	2	5	-	-	1	1	-	2	-	9	12	5	1	16	86

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 056-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	OHIO—Continued																
1	Erie	614	11	1	-	-	-	-	-	-	-	1	84	18	-	332	321
2	Sandusky	366	10	-	-	-	-	-	-	-	-	1	56	11	-	190	181
3	Balance of county	248	1	1	-	-	-	-	-	-	-	-	28	7	-	142	140
4	Fairfield	514	12	3	-	-	-	-	-	-	-	-	70	22	-	295	281
5	Lancaster	259	8	1	-	-	-	-	-	-	-	-	38	9	-	144	138
6	Balance of county	255	4	2	-	-	-	-	-	-	-	-	31	13	-	151	143
7	Fayette	242	2	4	-	-	-	-	-	1	-	1	26	2	-	143	139
8	Washington Court House	128	2	2	-	-	-	-	-	1	-	-	15	1	-	71	69
9	Balance of county	114	-	2	-	-	-	-	-	-	-	1	13	1	-	72	70
10	Franklin	4,915	146	42	-	-	1	2	7	4	1	12	740	106	7	2,570	2,484
11	Columbus	3,880	123	33	-	-	1	1	5	2	1	11	591	87	5	2,027	1,959
12	Bexley	121	1	-	-	-	-	-	-	-	-	-	18	4	1	71	69
13	Balance of county	914	22	9	-	-	-	1	2	2	-	1	131	15	1	472	456
14	Fulton	295	1	-	-	-	-	-	-	-	-	1	37	7	-	183	180
15	Gallia	263	6	2	-	-	-	-	-	-	-	1	30	3	1	143	133
16	Geauga	222	2	2	-	-	-	-	-	2	-	-	31	3	-	117	116
17	Greene	461	5	-	-	1	-	-	-	1	-	2	56	8	-	249	241
18	Xenia	158	4	-	-	-	-	-	-	-	-	1	25	2	-	84	82
19	Balance of county	303	1	-	-	1	-	-	-	1	-	1	31	6	-	185	159
20	Guernsey	486	6	-	-	-	-	-	-	-	-	2	71	11	-	271	265
21	Cambridge	196	2	-	-	-	-	-	-	-	-	1	26	6	-	100	98
22	Balance of county	290	4	-	-	-	-	-	-	-	-	1	45	5	-	171	167
23	Hamilton	7,936	184	73	-	3	1	-	24	1	-	21	1,277	165	9	4,152	4,067
24	Cincinnati	6,190	154	63	-	3	1	-	20	1	-	19	996	121	6	3,207	3,137
25	Norwood	338	6	2	-	-	-	-	-	-	-	-	51	7	-	191	189
26	Balance of county	1,408	24	8	-	-	-	-	4	-	-	2	230	37	3	754	741
27	Hancock	489	2	-	-	-	-	-	-	-	-	-	72	8	-	286	276
28	Findlay	272	2	-	-	-	-	-	-	-	-	-	40	4	-	166	164
29	Fostoria (part)	32	-	-	-	-	-	-	-	-	-	-	3	1	-	17	14
30	Balance of county	185	-	-	-	-	-	-	-	-	-	-	29	3	-	103	98
31	Hardin	291	1	1	-	-	-	-	-	2	-	-	26	4	-	177	170
32	Harrison	203	2	-	-	-	-	-	-	-	-	-	23	2	1	121	118
33	Henry	280	-	1	1	-	-	-	-	2	-	2	35	3	-	155	149
34	Highland	368	4	2	-	-	-	2	-	-	1	2	46	3	3	228	223
35	Hocking	230	3	-	-	-	-	-	1	-	-	2	27	6	1	132	122
36	Holmes	198	4	1	-	-	-	-	-	-	-	-	20	2	1	112	110
37	Huron	477	3	2	-	-	-	-	-	3	-	2	55	13	-	273	267
38	Jackson	276	8	4	-	-	-	-	-	-	-	-	28	6	1	148	145
39	Jefferson	992	21	4	-	-	-	-	1	2	1	1	153	19	1	525	511
40	Steubenville	417	11	3	-	-	-	-	-	-	-	1	61	10	1	215	208
41	Balance of county	575	10	1	-	-	-	-	1	2	1	-	92	9	-	310	303
42	Knox	400	7	2	-	1	-	-	-	-	-	-	52	1	-	238	228
43	Mount Vernon	167	3	-	-	1	-	-	-	-	-	-	20	1	-	103	101
44	Balance of county	233	4	2	-	-	-	-	-	-	-	-	32	-	-	133	127
45	Lake	664	5	2	-	-	-	-	-	2	-	3	109	20	1	356	348
46	Painesville	159	-	1	-	-	-	-	-	-	-	1	26	1	-	90	87
47	Balance of county	505	5	1	-	-	-	-	-	2	-	2	83	19	1	266	261
48	Lawrence	464	11	1	-	-	-	2	-	-	4	3	56	13	-	261	244
49	Ironton	195	4	1	-	-	-	2	-	-	4	-	24	6	-	108	100
50	Balance of county	269	7	-	-	-	-	-	-	-	-	3	32	7	-	153	144
51	Licking	804	15	4	-	-	-	1	-	1	1	3	104	23	2	447	436
52	Newark	435	10	4	-	-	-	-	-	-	-	2	49	16	2	239	235
53	Balance of county	369	5	-	-	-	-	1	-	1	1	1	55	7	-	208	203
54	Logan	403	5	3	-	-	-	-	-	1	-	1	48	6	-	223	212
55	Bellefontaine	151	1	1	-	-	-	-	-	1	-	-	19	-	-	76	72
56	Balance of county	252	4	2	-	-	-	-	-	-	-	1	29	6	-	147	140
57	Lorain	1,379	23	12	-	2	-	-	2	4	3	4	196	40	2	681	664
58	Lorain	482	11	7	-	1	-	-	-	2	-	-	72	13	1	228	223
59	Elyria	327	3	3	-	-	-	-	-	2	2	-	45	15	1	171	167
60	Balance of county	570	9	2	-	1	-	-	2	-	1	4	79	12	-	282	274
61	Lucas	4,221	106	30	-	-	-	2	6	12	1	8	628	103	2	2,272	2,232
62	Toledo	3,661	97	28	-	-	-	1	5	9	-	8	559	89	2	1,966	1,926
63	Balance of county	560	8	2	-	-	-	1	1	3	1	-	69	14	-	306	304
64	Madison	238	9	1	-	-	-	-	-	-	-	-	37	6	-	114	114
65	Mahoning	2,475	84	18	-	-	-	1	3	-	1	6	409	65	1	1,266	1,237
66	Youngstown (part)	1,758	62	16	-	-	-	1	3	-	1	4	283	48	-	896	874
67	Youngstown (total)	1,760	62	16	-	-	-	1	3	-	1	4	283	48	-	898	876
68	Campbell	83	4	-	-	-	-	-	-	-	-	-	23	2	-	28	27
69	Struthers	125	4	1	-	-	-	-	-	-	-	-	17	2	-	80	56
70	Balance of county	509	14	1	-	-	-	-	-	-	-	2	86	11	1	282	280
71	Marion	531	13	4	-	-	1	1	-	-	1	3	77	10	-	286	272
72	Marion	348	12	3	-	-	-	1	-	-	-	1	54	6	-	180	170
73	Balance of county	183	1	1	-	-	1	-	-	-	1	2	23	4	-	106	102
74	Medina	401	6	1	-	-	-	-	1	-	-	-	55	5	-	241	237
75	Meigs	309	5	2	-	-	-	-	-	-	1	-	37	5	-	208	201
76	Mercer	287	4	-	-	-	1	1	-	1	-	1	36	3	-	163	154
77	Miami	660	9	2	-	-	-	-	-	-	-	3	100	14	-	386	377
78	Piqua	208	4	2	-	-	-	-	-	-	-	2	32	8	-	118	115
79	Troy	132	3	-	-	-	-	-	-	-	-	-	18	1	-	76	74
80	Balance of county	320	2	-	-	-	-	-	-	-	-	1	50	5	-	192	188
81	Monroe	214	3	1	-	-	-	-	-	-	-	-	32	3	1	130	122
82	Montgomery	3,625	93	21	-	-	-	1	5	10	1	9	515	83	1	1,927	1,880
83	Dayton	2,743	77	17	-	-	-	-	4	8	1	6	394	63	1	1,409	1,374
84	Balance of county	882	16	4	-	-	-	1	1	2	-	3	121	20	-	518	506
85	Morgan	178	1	-	-	-	-	-	-	-	-	-	29	2	-	103	102
86	Morrow	175	1	2	-	-	-	-	-	-	-	-	19	5	-	107	105
87	Muskingum	866	22	4	-	-	-	-	-	-	1	4	112	15	-	470	465
88	Zanesville	531	15	3	-	-	-	-	-	-	1	2	66	10	-	282	277
89	Balance of county	335	7	1	-	-	-	-	-	-	-	2	46	5	-	188	188

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-460	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
73	-	216	30	2	11	22	2	3	6	1	-	5	6	19	26	5	2	70	1
39	-	125	18	1	9	11	2	3	5	1	-	5	3	10	15	4	1	40	2
34	-	93	12	1	2	11	-	-	3	-	-	-	3	9	11	1	1	30	3
82	-	180	19	-	14	11	-	3	6	3	-	3	2	11	20	6	2	45	4
43	-	82	13	-	6	6	-	3	2	3	-	2	1	6	7	2	1	25	5
39	-	98	6	-	8	5	-	-	4	-	-	1	1	5	13	4	1	20	6
40	1	83	14	1	4	7	-	2	5	1	-	1	3	5	6	3	-	30	7
20	-	45	4	-	2	3	-	2	3	-	-	1	3	-	5	2	-	19	8
20	1	38	10	1	2	4	-	-	2	1	-	-	-	5	1	1	-	11	9
579	3	1,702	162	38	86	143	25	19	50	12	6	66	49	120	189	46	23	529	10
469	2	1,333	124	31	68	114	22	14	43	10	5	47	34	95	146	36	18	409	11
13	-	51	4	1	2	5	-	1	1	-	-	3	1	-	5	1	-	9	12
97	1	318	34	6	16	24	3	4	6	2	1	16	14	25	38	9	5	111	13
50	-	117	13	-	3	5	2	3	1	-	-	6	1	8	11	5	-	24	14
43	2	79	8	1	10	15	-	3	1	2	-	2	3	6	15	-	-	32	15
17	-	89	9	1	1	10	2	-	3	-	-	2	2	6	13	3	-	24	16
69	-	155	12	5	9	17	2	2	4	1	1	7	2	17	19	9	3	55	17
29	-	50	3	-	2	3	1	1	2	1	-	1	1	1	9	5	2	15	18
40	-	105	9	5	6	14	1	1	2	-	1	6	1	16	10	4	1	40	19
56	1	182	24	2	6	28	-	-	4	3	-	5	2	12	16	6	4	45	20
24	-	66	8	-	2	15	-	-	2	3	-	5	1	3	8	2	3	19	21
32	1	116	16	2	4	13	-	-	2	-	-	-	1	9	8	4	1	26	22
869	5	2,886	239	68	85	278	44	31	100	14	7	100	44	142	316	83	48	819	23
662	5	2,239	171	60	70	226	31	22	84	11	6	70	36	96	256	71	44	646	24
38	-	134	16	1	2	8	2	1	6	-	-	5	2	7	13	2	1	34	25
169	-	513	52	7	13	44	11	8	10	3	1	25	6	39	47	10	3	139	26
70	3	171	30	2	10	9	2	-	2	3	-	6	3	11	20	7	-	58	27
37	1	108	16	2	2	2	1	-	1	2	-	2	2	6	7	5	-	32	28
2	-	10	2	-	3	-	1	-	-	-	-	3	-	1	3	-	-	3	29
31	2	53	12	-	5	7	-	-	1	1	-	1	1	4	10	2	-	23	30
50	-	106	13	1	7	5	-	-	-	-	1	6	-	16	20	3	-	29	31
31	-	74	10	3	3	8	1	-	-	-	-	2	6	4	10	4	1	18	32
38	-	101	8	2	6	10	-	2	4	-	-	3	2	14	12	5	3	28	33
67	1	140	15	-	5	12	-	4	3	-	1	3	3	7	13	1	2	28	34
31	-	84	7	-	10	9	-	1	1	-	-	1	2	3	7	-	1	33	35
23	1	78	10	-	2	5	-	-	-	-	1	6	-	9	11	2	-	24	36
60	-	192	13	2	6	13	1	1	5	2	-	6	6	18	23	8	2	41	37
32	1	101	10	1	3	13	1	2	2	-	-	7	1	9	10	4	-	34	38
104	3	377	17	10	14	29	6	2	9	3	5	11	7	25	69	7	3	88	39
39	2	156	8	3	7	11	2	1	7	1	4	6	1	12	22	6	1	41	40
65	1	221	9	7	7	18	4	1	2	2	1	5	6	13	47	1	2	47	41
66	1	141	16	4	8	17	1	1	3	-	1	8	4	9	14	2	-	41	42
24	-	70	6	1	2	6	1	-	3	-	1	2	-	4	6	1	-	15	43
42	1	71	10	3	6	11	-	1	-	-	-	6	4	5	8	1	-	26	44
75	-	234	28	10	8	14	2	5	8	-	2	6	6	21	31	8	1	62	45
24	-	52	7	4	3	3	-	2	1	-	-	2	2	4	9	3	-	14	46
51	-	182	22	6	5	11	2	3	7	-	2	4	4	17	22	5	1	48	47
53	-	168	23	-	17	31	1	3	4	2	-	1	4	5	15	3	1	43	48
16	-	78	6	-	8	9	-	1	3	2	-	-	1	-	8	1	-	21	49
37	-	90	17	-	9	22	1	2	1	-	-	1	3	5	7	2	1	22	50
117	-	285	30	6	11	28	5	3	3	1	1	6	8	15	31	10	-	92	51
76	-	134	19	4	6	20	3	2	2	1	-	5	4	8	17	1	-	50	52
41	-	149	11	2	5	8	2	1	1	-	1	1	4	7	14	9	-	42	53
49	1	145	15	2	11	16	-	3	2	-	-	3	11	15	19	4	-	43	54
22	1	43	6	-	4	11	-	1	-	-	-	1	5	3	7	2	-	23	55
27	-	102	9	2	7	5	-	2	2	-	-	2	6	12	12	2	-	20	56
154	-	450	52	8	17	28	5	4	12	3	2	26	39	35	72	12	4	188	57
44	-	180	18	1	5	13	1	1	3	1	1	6	17	9	29	6	2	58	58
46	-	112	9	-	4	5	1	1	5	1	-	9	4	4	15	-	1	39	59
64	-	178	25	7	8	10	3	2	4	1	1	11	18	22	28	8	1	71	60
463	4	1,589	170	26	40	95	35	19	54	8	7	46	20	115	138	57	13	445	61
403	3	1,359	142	21	38	76	32	17	50	8	7	41	17	92	125	46	11	375	62
60	1	210	28	5	2	19	3	2	4	-	-	5	3	23	13	11	2	70	63
34	-	69	8	3	-	6	1	2	1	-	1	6	8	9	8	1	1	27	64
239	-	907	80	11	29	62	14	8	25	7	4	42	6	58	87	18	8	284	65
167	-	645	54	8	22	42	12	7	21	4	4	26	4	41	59	13	7	204	66
169	-	645	54	8	22	42	12	7	21	4	4	26	4	41	59	13	7	204	67
3	-	21	2	1	1	5	1	-	1	1	-	2	-	-	5	-	1	10	68
12	-	38	6	-	4	-	1	-	1	-	-	7	-	3	6	-	-	23	69
57	-	203	18	2	2	15	-	1	2	2	-	7	2	14	17	5	-	47	70
66	-	183	21	2	14	11	-	-	6	-	-	14	3	14	27	3	-	57	71
39	-	115	14	2	10	8	-	-	4	-	-	10	2	7	19	2	-	39	72
27	-	68	7	-	4	3	-	-	2	-	-	4	1	7	8	1	-	18	73
72	-	140	23	2	4	8	2	3	1	-	-	6	-	7	11	6	1	47	74
55	-	144	2	-	7	5	1	3	1	-	-	2	3	3	9	2	1	21	75
35	-	110	8	1	9	6	4	1	2	-	-	6	-	7	9	3	-	39	76
88	-	268	19	2	9	22	5	3	3	1	1	11	2	17	20	3	-	58	77
21	-	89	5	-	3	10	2	2	-	-	-	3	2	2	4	-	-	17	78
17	-	48	9	-	2	3	-	-	1	1	-	2	-	5	3	2	-	17	79
50	-	131	5	2	4	9	3	1	2	-	1	6	-	10	13	1	-	24	80
33	1	74	11	3	8	12	-	1	1	-	-	1	1	1	5	7	-	15	81
351	7	1,411	98	13	47	60	13	32	40	5	10	70	9	88	163	38	32	399	82
251	7	1,052	74	10	35	41	12	24	32	4	7	57	6	73	115	28	28	336	83
100	-	379	24	3	13	19	1	8	8	1	3	13	3	15	48	10	4	63	84
26	-	59	17	-	1	3	-	-	-	1	1	-	5	2	14	-	1	16	85
32	-	64	9	-	2	4	-	-	1	-	-	1	-	10	5	-	-	20	86
100	-	327	33	5	5	32	2	2	7	2	-	8	9	27	29	16	3	101	87
59	-	194	20	4	5	19	1	1	5	1	-	6	8	14	19	10	1	67	88
41	-	133	13	1	-	13	1	1	2	1	-	2	1	13	10	6	2	34	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	OHIO—Continued																
1	Noble	137	3	-	-	-	-	-	-	-	1	1	16	2	-	79	74
2	Ottawa	328	5	3	-	-	-	-	1	1	-	1	60	9	1	169	166
3	Paulding	147	4	-	-	-	-	-	-	4	-	1	22	7	-	68	63
4	Perry	332	4	1	-	-	-	-	-	-	-	1	40	10	-	192	179
5	Pickaway	289	1	1	-	-	-	1	-	-	-	1	45	8	1	144	139
6	Pike	159	5	3	-	-	-	-	-	-	-	3	16	-	-	71	67
7	Portage	550	7	2	-	-	-	-	-	-	-	2	87	12	1	321	314
8	Kent	83	1	-	-	-	-	-	-	-	-	1	16	-	1	48	48
9	Balance of county	467	6	2	-	-	-	-	-	-	-	1	71	12	-	273	266
10	Preble	309	3	1	-	-	-	1	-	-	-	2	37	10	-	192	189
11	Putnam	241	2	1	-	-	-	1	-	-	-	-	35	9	-	138	136
12	Richland	848	10	4	-	-	-	1	-	1	-	3	119	22	1	447	435
13	Mansfield	479	7	4	-	-	-	1	-	1	-	2	75	14	-	241	236
14	Balance of county	369	3	-	-	-	-	-	-	-	-	1	44	8	1	206	199
15	Ross	501	10	4	-	-	-	2	-	-	-	-	75	7	-	250	247
16	Chillicothe	224	2	1	-	-	-	1	-	-	-	-	40	4	-	108	106
17	Balance of county	277	8	3	-	-	-	1	-	-	-	-	35	3	-	142	141
18	Sandusky	536	4	4	-	-	-	1	-	5	-	4	68	16	-	321	313
19	Fremont	223	2	3	-	-	-	1	-	1	-	2	30	8	-	126	125
20	Balance of county	313	2	1	-	-	-	-	-	4	-	2	38	8	-	195	188
21	Scioto	646	18	8	1	-	-	2	-	1	-	1	127	16	1	424	400
22	Portsmouth	441	7	5	-	-	-	1	-	-	-	-	65	9	-	237	225
23	Balance of county	405	11	3	1	-	-	1	-	1	-	1	62	7	1	187	177
24	Seneca	570	9	3	-	-	-	-	-	3	-	2	83	15	-	312	307
25	Fostoria (part)	136	1	2	-	-	-	-	-	1	-	1	19	3	-	69	67
26	Fostoria (total)	168	1	2	-	-	-	-	-	1	-	1	22	4	-	86	81
27	Tiffin	225	5	1	-	-	-	-	-	1	-	-	30	4	-	126	124
28	Balance of county	211	3	-	-	-	-	-	-	1	-	1	34	8	-	117	116
29	Shelby	285	2	3	-	-	-	-	-	-	-	1	39	6	2	166	163
30	Sidney	122	2	3	-	-	-	-	-	-	-	1	18	5	2	61	59
31	Balance of county	163	-	-	-	-	-	-	-	-	-	-	21	1	-	105	104
32	Stark	2,632	74	20	-	-	-	4	-	3	1	7	382	61	2	1,380	1,353
33	Canton	1,274	43	15	-	-	-	2	-	-	-	3	207	25	1	647	631
34	Alliance	288	13	-	-	-	-	-	-	-	-	1	39	8	-	133	132
35	Massillon	353	9	3	-	-	-	-	-	1	-	1	37	11	1	205	200
36	Balance of county	717	9	2	-	-	-	2	-	2	1	2	99	17	-	395	390
37	Summit	3,468	83	18	-	1	-	-	1	3	3	8	582	74	2	1,829	1,771
38	Akron	2,452	62	15	-	1	-	-	1	1	1	7	421	54	-	1,263	1,227
39	Barberton	256	6	-	-	-	-	-	-	-	1	-	42	5	1	142	135
40	Cuyahoga Falls	183	1	-	-	-	-	-	-	-	-	1	30	4	-	112	107
41	Balance of county	567	14	3	-	-	-	-	-	2	1	-	89	11	1	312	302
42	Trumbull	1,428	20	9	-	-	1	1	-	1	-	4	213	29	1	746	727
43	Youngstown (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
44	Warren	489	5	3	-	-	-	-	-	-	-	1	64	9	1	256	253
45	Girard	98	2	-	-	-	-	-	-	-	-	-	22	2	-	49	46
46	Niles	166	3	-	-	-	-	-	-	-	-	-	28	2	-	85	84
47	Balance of county	673	10	6	-	-	1	1	-	1	-	3	101	16	-	354	342
48	Tuscarawas	861	6	5	-	-	-	2	1	1	-	3	122	24	-	486	480
49	New Philadelphia	171	1	2	-	-	-	-	-	1	-	1	32	6	-	99	98
50	Balance of county	690	5	3	-	-	-	2	1	-	-	2	90	18	-	387	382
51	Union	245	3	-	-	-	-	-	-	-	1	-	58	5	-	128	122
52	Van Wert	262	2	-	-	-	-	1	-	-	-	-	39	8	1	149	142
53	Van Wert	105	1	-	-	-	-	-	-	-	-	-	12	2	-	64	59
54	Balance of county	157	1	-	-	-	-	1	-	-	-	-	27	6	1	85	83
55	Vinton	116	3	1	-	-	-	-	-	-	1	-	13	2	-	64	62
56	Warren	381	11	2	-	-	-	-	2	-	1	-	50	12	-	209	206
57	Washington	540	5	2	-	-	-	-	-	-	1	1	67	18	-	300	292
58	Marietta	209	4	2	-	-	-	-	-	-	-	-	33	11	-	107	105
59	Balance of county	331	1	-	-	-	-	-	-	-	1	1	34	7	-	193	187
60	Wayne	563	5	4	-	-	-	1	2	-	-	1	78	10	1	293	288
61	Wooster	157	1	-	-	-	-	-	-	-	-	-	22	2	-	78	76
62	Balance of county	426	4	4	-	-	-	1	2	-	-	1	56	8	1	215	212
63	Williams	316	2	1	-	-	-	-	-	4	-	-	46	8	-	190	187
64	Wood	604	6	2	-	1	-	1	-	6	1	1	81	12	-	343	333
65	Bowling Green	100	1	-	-	-	-	-	-	2	-	-	11	4	-	56	57
66	Balance of county	504	5	2	-	1	-	1	-	4	1	1	70	8	-	285	276
67	Wyandot	211	-	1	-	-	-	1	-	1	-	1	21	5	-	142	139
68	OKLAHOMA	19,473	505	119	1	16	9	20	11	39	1	74	2,683	299	21	9,497	9,082
69	Adair	146	16	-	-	-	-	3	-	-	-	-	11	3	-	53	50
70	Alfalfa	110	3	-	-	-	-	-	-	1	-	-	21	4	-	55	52
71	Atoka	134	4	-	-	-	-	1	-	-	-	2	20	1	-	69	63
72	Beaver	67	1	1	-	-	-	-	-	2	-	1	4	4	-	37	37
73	Beckham	171	3	-	-	-	-	-	1	-	-	2	23	1	-	74	71
74	Blaine	143	2	-	-	-	-	-	-	-	-	-	18	6	-	70	69
75	Bryan	294	7	2	-	-	2	1	-	2	-	3	43	10	1	132	122
76	Durant	131	3	-	-	1	-	-	-	-	-	1	12	5	-	70	67
77	Balance of county	153	4	2	-	1	1	1	-	2	-	2	31	5	1	62	55
78	Caddo	312	8	3	1	-	-	-	-	1	-	2	48	3	-	143	136
79	Canadian	223	1	2	1	-	-	-	-	-	-	1	24	4	-	113	113
80	El Reno	129	1	-	-	-	-	-	-	-	-	1	16	3	-	62	62
81	Balance of county	94	-	2	1	-	-	-	-	-	-	-	8	1	-	51	51
82	Carter	365	6	3	-	-	-	-	-	1	-	-	52	5	-	199	189
83	Ardmore	208	5	-	-	-	-	-	-	-	-	-	26	3	-	117	110
84	Balance of county	157	1	3	-	-	-	-	-	1	-	-	26	2	-	82	79
85	Cherokee	142	6	-	-	-	-	1	-	-	-	2	18	2	-	58	55
86	Choctaw	225	6	4	-	-	-	-	-	-	-	1	27	2	-	102	99
87	Cimarron	31	1	-	-	-	-	-	-	-	-	-	2	-	-	16	13

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 700-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
14	-	53	6	1	5	5	-	-	-	-	-	1	1	6	6	2	-	14	1
39	-	113	11	3	3	6	2	-	2	-	1	5	3	7	15	8	1	28	2
12	1	38	12	-	5	8	-	1	-	2	1	3	1	5	6	3	-	11	3
55	-	118	6	-	13	8	-	-	4	1	-	3	2	6	16	9	1	34	4
29	-	95	15	-	5	13	-	1	3	1	-	3	4	13	10	2	-	37	5
15	-	47	5	-	4	9	-	1	-	3	1	1	1	4	8	-	1	32	6
79	2	208	25	-	7	18	4	2	-	2	-	7	2	16	9	7	-	53	7
13	-	33	2	-	-	2	3	-	-	-	-	-	-	1	2	-	-	8	8
66	2	175	23	-	7	14	1	2	-	2	-	7	2	15	7	7	-	45	9
52	-	123	14	-	3	9	-	2	2	-	-	2	1	5	11	7	-	24	10
32	-	87	17	-	2	6	-	1	1	-	-	2	1	6	14	2	-	22	11
104	1	282	43	5	12	31	7	4	9	1	-	20	5	20	27	16	2	98	12
57	1	151	24	3	5	13	3	2	5	1	-	9	3	12	16	11	2	57	13
47	-	131	19	2	7	18	4	2	4	-	-	11	2	8	11	5	-	41	14
63	-	156	24	4	3	21	4	-	2	3	1	6	22	15	17	4	-	58	15
23	-	72	9	2	2	8	2	-	1	2	-	2	11	7	6	2	-	27	16
40	-	84	15	2	1	13	2	-	1	1	1	4	11	8	11	2	-	31	17
72	1	216	21	3	8	10	-	3	3	2	-	5	3	15	22	6	-	44	18
28	-	85	10	2	1	4	-	1	1	1	-	3	2	5	8	2	-	23	19
44	1	131	11	1	7	6	-	2	2	1	-	2	1	10	14	4	-	21	20
96	3	279	21	1	24	45	2	5	12	1	1	10	2	21	35	5	2	108	21
39	-	167	16	1	14	24	1	-	10	1	1	6	2	8	18	2	1	43	22
57	3	112	5	-	10	21	1	5	2	-	-	4	-	13	17	3	1	63	23
68	1	211	25	2	5	7	-	3	8	1	2	4	2	19	27	10	1	59	24
14	-	49	3	1	2	2	-	-	3	1	2	1	1	5	6	2	-	16	25
16	-	59	5	1	5	2	1	-	3	1	2	4	1	7	9	2	-	19	26
25	1	90	10	-	2	1	-	2	4	-	-	1	-	8	11	6	-	23	27
31	-	72	12	1	1	4	-	1	1	-	-	2	1	5	10	2	1	20	28
41	-	113	4	5	3	11	4	-	2	-	1	2	2	5	8	4	-	26	29
18	-	34	4	3	2	8	1	-	1	-	-	1	1	2	3	1	-	12	30
23	-	79	-	2	1	3	3	-	1	-	1	1	1	4	5	3	-	14	31
316	4	940	77	16	27	74	14	16	25	12	5	50	12	66	84	30	9	301	32
149	2	437	33	10	16	29	10	7	16	5	2	21	7	33	39	7	4	151	33
25	-	105	3	1	1	8	1	-	3	1	-	7	1	4	13	7	1	48	34
50	-	127	21	2	5	20	2	4	2	1	2	5	3	3	5	5	1	32	35
94	2	271	20	3	5	17	1	5	4	5	1	17	1	26	27	11	3	70	36
372	5	1,283	95	16	58	95	10	13	37	10	4	66	19	81	107	45	18	359	37
262	4	890	62	9	36	63	9	11	25	8	3	47	13	53	75	34	12	273	38
21	-	103	10	1	7	5	1	1	4	1	1	5	-	4	10	2	-	25	39
27	-	70	7	3	5	4	-	1	1	-	-	3	3	10	4	3	-	16	40
62	1	220	16	3	10	23	-	-	7	1	-	11	3	14	18	6	6	45	41
140	-	526	54	7	19	41	7	3	12	5	1	31	4	57	57	15	4	166	42
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
53	-	182	16	2	3	18	3	2	5	1	1	7	3	18	20	6	2	64	44
7	-	36	3	-	3	2	1	-	-	-	-	5	-	4	4	-	-	7	45
13	-	60	11	1	1	5	-	-	2	-	-	4	1	5	9	1	1	22	46
66	-	248	24	4	12	16	3	1	5	4	-	15	-	30	24	8	1	73	47
101	3	340	40	6	6	16	8	2	3	-	-	12	3	20	33	17	1	86	48
18	1	72	5	2	1	1	-	1	-	-	-	-	1	-	7	3	1	15	49
83	2	288	35	4	5	15	8	1	3	-	-	12	2	20	26	14	-	71	50
36	-	74	10	2	6	9	-	2	3	-	-	3	7	8	12	3	-	23	51
28	-	89	14	1	7	11	-	2	3	-	1	5	-	3	10	5	-	22	52
5	-	48	5	1	5	3	-	1	1	-	-	2	-	1	5	1	-	12	53
23	-	51	9	-	2	8	-	1	2	-	1	3	-	2	5	4	-	10	54
13	-	42	6	1	2	9	-	-	1	-	-	-	-	2	3	9	-	7	55
49	-	143	11	3	3	9	1	1	1	1	-	6	-	9	17	6	-	43	56
71	2	184	28	7	8	21	4	3	5	1	-	8	4	10	24	10	1	55	57
25	-	65	13	2	2	7	2	2	3	1	-	2	-	1	12	3	-	19	58
46	2	119	15	5	6	14	2	1	2	-	-	6	4	9	12	7	1	36	59
66	-	192	27	3	5	21	2	6	1	2	-	10	4	17	23	9	-	73	60
17	-	52	5	2	2	5	-	-	-	-	-	3	1	3	5	5	-	12	61
49	-	140	22	1	3	16	2	6	1	2	-	7	3	14	18	4	-	61	62
48	-	125	13	1	3	3	3	-	4	-	-	4	7	8	11	2	3	20	63
82	-	217	33	1	10	21	3	2	7	-	-	5	6	22	19	7	3	55	64
17	-	37	3	-	1	4	1	-	1	-	-	-	1	4	6	-	-	7	65
65	-	180	30	1	9	17	2	2	6	-	-	5	5	18	13	7	3	48	66
32	-	91	14	2	3	1	-	-	3	-	1	7	1	1	5	1	1	18	67
2,274	24	6,103	581	100	415	841	102	104	131	54	41	241	512	510	883	191	99	2,469	68
16	-	32	2	-	3	16	-	-	-	-	2	1	9	8	4	1	1	18	69
22	-	27	2	1	3	5	-	2	-	-	-	2	1	-	5	1	-	10	70
7	-	43	10	3	6	1	-	2	-	-	1	1	7	4	2	1	2	16	71
9	-	25	2	1	-	1	-	-	-	-	-	1	2	4	2	2	-	5	72
21	-	45	3	2	3	14	-	1	1	-	-	2	10	5	6	2	-	26	73
15	2	45	7	-	1	6	2	-	-	1	1	1	2	6	7	1	1	19	74
22	-	92	6	2	10	7	-	1	2	1	-	6	9	3	15	-	-	37	75
7	-	56	4	-	3	2	-	1	1	1	-	2	6	1	6	-	-	19	76
15	-	36	2	2	7	5	-	-	1	-	-	4	3	2	9	-	-	18	77
25	-	103	8	-	7	19	2	4	4	-	-	4	8	4	14	2	1	41	78
26	1	82	3	1	-	11	-	2	3	1	1	-	6	5	12	3	-	33	79
13	1	45	2	1	-	6	-	1	-	1	1	-	3	2	8	2	-	22	80
13	-	37	1	-	-	5	-	1	3	-	-	-	3	3	4	1	-	11	81
53	-	123	11	2	10	12	3	2	3	5	-	2	6	8	15	2	4	37	82
35	-	64	9	2	7	8	3	1	1	3	-	1	4	5	9	1	3	18	83
18	-	59	2	-	3	4	-	1	2	2	-	1	2	3	6	1	1	19	84
10	-	44	-	1	3	9	1	2	1	1	1	2	5	3	6	3	-	21	85
28	-	66	4	1	3	19	2	2	-	-	-	5	8	5	16	1	1	24	86
2	-	10	1	-	3	2	-	-	1	-	-	-	1	-	2	-	-	6	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	OKLAHOMA—Continued																
1	Cleveland	269	5	1	-	-	-	-	-	1	-	1	37	2	-	134	129
2	Norman	178	5	-	-	-	-	-	-	1	-	1	25	2	-	85	83
3	Balance of county	91	-	1	-	-	-	-	-	-	-	-	12	-	-	49	46
4	Coal	75	1	-	-	-	2	-	-	-	-	-	12	-	-	40	40
5	Comanche	361	13	2	-	1	-	-	-	1	-	1	38	3	1	143	139
6	Lawton	255	10	2	-	1	-	-	-	1	-	1	28	2	1	99	96
7	Balance of county	106	3	-	-	-	-	-	-	-	-	-	10	1	-	44	43
8	Cotton	99	3	1	-	-	-	-	-	-	-	-	18	1	-	48	45
9	Craig	167	7	2	-	-	-	-	1	1	-	-	25	2	-	77	76
10	Creek	382	10	2	-	-	-	1	-	1	-	1	41	8	2	182	173
11	Sapulpa	128	5	-	-	-	-	-	-	-	-	-	11	1	-	70	65
12	Balance of county	254	5	2	-	-	-	1	-	1	-	1	30	7	2	112	108
13	Custer	171	5	1	-	1	-	-	-	-	-	-	23	4	-	82	81
14	Delaware	121	11	-	-	-	-	-	-	1	-	-	23	4	-	48	45
15	Dewey	66	-	-	-	-	-	-	-	-	-	-	6	1	-	37	36
16	Ellis	70	1	1	-	-	-	-	-	-	-	-	6	1	-	39	37
17	Garfield	448	2	2	-	1	-	-	-	3	-	1	61	9	-	237	229
18	Enid	341	2	2	-	1	-	-	-	2	-	1	49	3	-	184	179
19	Balance of county	107	-	-	-	-	-	-	-	1	-	-	12	6	-	53	50
20	Garvin	238	7	-	-	1	-	-	-	2	-	-	33	1	-	106	102
21	Grady	277	4	1	-	-	-	1	-	-	-	1	40	2	1	134	130
22	Chickasha	149	2	-	-	-	-	-	-	-	-	1	22	-	1	68	67
23	Balance of county	128	2	1	-	-	-	1	-	-	-	-	18	2	-	66	63
24	Grant	98	-	-	-	-	-	-	-	-	-	-	13	4	-	80	59
25	Greer	113	4	1	-	-	-	-	-	-	-	-	15	-	-	47	44
26	Harmon	62	1	-	-	-	-	-	1	-	-	-	7	1	-	28	28
27	Harper	49	-	-	-	-	-	-	-	-	-	-	4	2	-	27	25
28	Haskell	118	4	1	-	-	-	-	-	-	-	-	11	3	-	51	50
29	Hughes	213	9	2	-	-	-	-	-	-	-	-	24	1	-	84	79
30	Jackson	179	4	3	-	-	-	-	-	-	-	-	24	3	-	78	70
31	Jefferson	100	1	1	-	-	-	-	-	-	-	-	21	1	-	52	51
32	Johnston	95	2	-	-	-	-	-	-	-	1	1	13	1	-	53	50
33	Kay	467	11	5	-	-	-	-	-	-	-	1	74	6	-	238	226
34	Ponca City	180	4	4	-	-	-	-	-	-	-	-	26	1	-	86	83
35	Balance of county	287	7	1	-	-	-	-	-	-	-	1	48	5	-	152	143
36	Kingfisher	129	1	-	-	-	-	-	-	-	-	1	12	2	-	76	71
37	Kiowa	175	-	-	-	1	-	-	-	1	-	2	24	2	-	97	93
38	Latimer	65	1	-	-	-	-	-	-	-	-	2	8	2	-	31	27
39	Le Flore	312	13	3	-	-	-	-	-	-	-	1	41	5	-	148	135
40	Lincoln	221	7	-	-	-	-	-	-	-	-	1	28	1	-	112	109
41	Logan	263	6	1	-	2	-	-	-	-	-	2	45	4	-	131	125
42	Guthrie	139	3	-	-	-	-	-	-	-	-	1	21	3	-	66	65
43	Balance of county	124	3	1	-	2	-	-	-	-	-	1	24	1	-	65	60
44	Love	44	1	-	-	-	-	-	-	-	-	-	9	1	-	23	23
45	McClain	130	4	-	-	-	-	-	1	-	-	-	23	2	1	55	54
46	McCurtain	273	12	-	-	-	-	-	-	-	-	2	21	4	2	147	141
47	McIntosh	143	10	-	-	-	-	-	-	-	-	-	21	3	-	57	56
48	Major	76	-	-	-	1	-	-	-	-	-	-	12	-	-	43	42
49	Marshall	96	2	-	-	-	-	-	-	-	-	-	20	4	2	50	48
50	Mayes	171	8	1	-	-	-	-	-	-	-	-	21	8	-	83	81
51	Murray	132	6	-	-	-	-	-	-	-	-	-	19	1	-	77	76
52	Muskogee	686	25	1	-	-	1	-	-	1	-	2	90	11	1	347	334
53	Muskogee	436	13	1	-	-	-	-	-	1	-	2	55	1	1	234	226
54	Balance of county	250	12	-	-	-	1	-	-	-	-	-	35	10	-	113	108
55	Noble	103	-	-	-	-	-	-	-	-	-	1	17	1	-	51	48
56	Nowata	151	4	1	-	-	-	1	-	-	-	-	19	2	-	86	83
57	Okfuskee	159	8	5	-	2	-	-	-	-	-	-	18	5	-	69	57
58	Oklahoma	2,564	61	10	-	3	1	2	3	8	-	5	400	31	5	1,275	1,233
59	Oklahoma City	2,123	53	10	-	2	1	1	2	5	-	5	328	24	5	1,073	1,037
60	Midwest City	16	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6
61	Balance of county	425	8	-	-	1	-	1	1	3	-	-	72	7	-	198	190
62	Okmulgee	474	10	6	-	1	-	1	-	1	-	3	53	2	1	244	229
63	Okmulgee	209	5	2	-	-	-	-	-	-	-	2	19	1	1	112	103
64	Balance of county	265	5	4	-	1	-	1	-	1	-	1	34	1	-	132	126
65	Osage	265	12	3	-	-	-	-	-	-	-	2	33	9	-	120	117
66	Ottawa	343	27	3	-	-	-	1	-	-	-	1	53	5	-	143	137
67	Miami	120	1	1	-	-	-	-	-	-	-	-	22	3	-	53	51
68	Balance of county	223	26	2	-	-	-	1	-	-	-	1	31	2	-	90	86
69	Pawnee	159	2	1	-	1	1	1	1	-	-	1	23	4	-	78	76
70	Payne	333	3	2	-	-	-	-	-	1	-	1	53	7	-	145	132
71	Stillwater	122	-	1	-	-	-	-	-	-	-	-	35	3	-	48	44
72	Balance of county	211	3	1	-	-	-	-	-	1	-	1	28	4	-	97	88
73	Pittsburg	368	11	2	-	-	-	2	-	1	-	-	52	2	1	194	188
74	McAlester	152	4	1	-	-	-	1	-	-	-	-	29	2	1	73	72
75	Balance of county	216	7	1	-	-	-	1	-	1	-	-	23	-	-	121	116
76	Pontotoc	293	8	1	-	-	-	-	-	1	-	2	48	1	1	148	140
77	Ada	157	3	1	-	-	-	-	-	1	-	2	32	1	1	82	77
78	Balance of county	136	5	-	-	-	-	-	-	-	-	-	16	-	-	66	63
79	Pottawatomie	408	4	3	-	-	-	-	-	-	-	2	67	4	-	223	219
80	Shawnee	235	1	2	-	-	-	-	-	-	-	1	42	2	-	129	127
81	Balance of county	173	3	1	-	-	-	-	-	-	-	1	25	2	-	94	92
82	Pushmataha	116	1	-	-	-	-	-	-	-	-	-	16	2	-	55	52
83	Roger Mills	62	-	-	-	-	-	-	-	-	-	2	9	-	-	32	32
84	Rogers	195	3	-	-	-	-	-	-	-	-	1	22	3	-	101	99
85	Seminole	332	11	-	-	-	-	-	1	3	-	-	42	7	1	137	128
86	Seminole	115	3	-	-	-	-	-	-	-	-	-	14	2	1	51	50
87	Balance of county	217	8	-	-	-	-	-	1	3	-	-	28	5	-	86	78
88	Sequoyah	156	5	-	-	-	2	-	-	1	-	1	20	2	-	70	66

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E978	Homicide E964, E980-E985	All other causes Residual	
37	-	86	6	-	5	14	-	2	-	-	-	6	4	6	13	4	1	38	1
24	-	56	3	-	2	11	-	2	-	-	-	5	1	5	9	2	1	23	2
13	-	30	3	-	3	3	-	-	-	-	-	1	3	1	4	2	-	15	3
13	-	24	3	-	-	-	-	-	2	-	-	1	4	2	1	1	-	9	4
32	1	94	11	1	4	19	2	6	1	-	-	9	8	9	20	6	2	76	5
23	1	63	8	1	3	14	2	5	1	-	-	9	6	6	14	5	1	48	6
9	-	31	3	-	1	5	-	1	-	-	-	1	2	3	6	1	1	28	7
13	-	30	2	-	3	2	-	-	1	-	2	-	2	4	2	1	1	13	8
25	-	42	8	1	1	11	1	2	1	-	-	4	7	1	5	3	-	17	9
46	1	121	3	2	9	19	4	2	3	1	1	7	12	7	24	4	-	50	10
15	-	47	2	1	5	3	-	1	1	-	-	3	1	2	9	3	-	19	11
31	1	74	1	1	4	16	4	1	2	1	1	4	11	5	15	1	-	32	12
18	-	52	10	1	1	7	2	-	1	-	-	3	4	4	9	1	-	24	13
11	-	32	2	-	3	11	1	-	-	-	-	-	3	4	2	-	-	13	14
10	1	19	6	-	1	2	1	-	-	-	-	1	2	4	5	2	-	5	15
4	-	29	4	-	2	5	2	1	-	-	-	-	3	2	2	-	-	7	16
66	-	145	18	-	8	7	2	2	2	4	1	5	2	20	17	3	1	66	17
47	-	116	16	-	5	5	1	2	1	1	1	5	-	11	13	1	1	55	18
19	-	29	2	-	3	2	1	-	1	3	-	-	2	9	4	2	-	11	19
28	-	69	4	1	4	8	2	2	-	1	1	4	4	7	16	2	1	41	20
27	1	93	6	3	4	12	2	1	2	2	1	2	4	5	9	3	4	46	21
12	-	51	3	1	1	7	2	-	1	1	1	2	2	4	4	1	2	29	22
15	1	42	3	2	3	5	-	1	1	1	-	1	2	1	5	2	2	17	23
12	-	43	4	-	1	4	-	-	-	-	-	1	2	1	3	2	-	8	24
9	-	30	5	-	3	3	-	-	1	-	-	2	5	8	8	-	1	18	25
9	-	13	6	-	-	6	1	1	-	-	-	2	4	-	7	-	-	3	26
9	-	14	2	-	2	1	-	-	-	-	-	1	2	1	2	2	-	7	27
15	-	34	-	1	1	8	-	1	1	-	-	1	8	2	7	2	-	18	28
16	-	39	3	1	5	14	1	1	1	1	-	7	10	8	15	3	1	31	29
21	-	42	6	1	8	13	2	2	1	-	-	3	4	5	5	3	3	26	30
16	-	32	3	-	1	4	-	1	1	-	-	1	2	2	5	-	-	8	31
8	-	40	1	-	3	2	-	-	-	-	-	-	3	-	4	1	3	11	32
58	1	154	12	1	12	19	2	3	2	1	1	8	13	18	20	2	-	43	33
19	-	62	2	-	3	8	2	2	-	-	-	2	4	10	11	1	-	19	34
39	1	92	10	1	9	11	-	1	2	1	1	6	9	8	9	1	-	24	35
15	-	45	9	2	5	1	1	-	1	-	-	1	-	12	4	3	-	14	36
15	-	70	6	2	4	9	-	-	2	-	1	2	2	5	6	1	1	19	37
7	-	18	2	-	4	2	-	1	-	-	-	2	-	2	2	1	-	11	38
31	-	92	12	-	13	19	1	-	3	3	2	4	11	2	12	1	3	40	39
30	-	70	9	-	3	9	-	-	6	1	-	1	4	6	13	3	1	28	40
35	-	78	10	2	6	13	1	-	-	1	1	-	3	6	14	3	-	30	41
16	-	45	4	-	1	9	-	-	-	-	-	-	1	5	6	2	-	22	42
19	-	33	6	2	5	4	1	-	-	-	1	1	2	1	8	1	-	8	43
5	-	16	2	-	-	2	-	-	-	-	-	-	-	-	1	-	-	7	44
13	1	35	4	1	1	7	-	1	-	-	-	2	1	3	6	1	1	22	45
37	-	95	5	4	6	13	-	-	1	-	3	5	12	8	14	2	3	24	46
18	-	36	1	1	1	15	-	1	1	-	2	-	4	3	9	1	-	16	47
6	-	30	5	1	1	3	-	1	-	-	-	1	1	-	7	1	-	6	48
14	-	31	2	1	2	1	-	-	2	-	-	-	1	2	3	-	1	8	49
15	-	63	1	2	2	7	-	-	1	1	-	1	8	9	8	2	-	13	50
15	-	58	3	2	1	4	1	-	2	-	-	2	4	1	6	-	1	8	51
100	-	218	13	3	13	31	5	2	6	1	3	6	18	7	35	3	4	88	52
61	-	157	6	2	8	17	4	-	5	1	2	3	9	5	24	2	2	58	53
39	-	61	7	1	5	14	1	2	1	-	1	3	9	2	11	1	2	32	54
15	-	28	5	-	3	4	1	1	-	1	-	1	5	4	7	1	-	8	55
18	1	57	6	1	3	2	2	1	3	-	-	-	2	3	5	2	-	18	56
10	-	40	5	2	11	12	1	1	2	1	-	-	3	2	10	1	-	20	57
288	2	876	56	11	42	78	10	14	15	9	5	28	48	82	110	28	18	315	58
242	2	735	50	8	36	58	9	12	11	7	5	22	34	65	94	22	18	257	59
2	-	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	8	60
44	-	137	6	3	6	19	1	2	4	2	-	5	14	17	16	6	-	50	61
56	1	150	20	2	15	20	1	2	2	1	-	9	15	12	18	2	1	69	62
27	1	68	7	-	9	7	-	-	1	1	-	6	11	3	7	1	-	30	63
29	-	82	13	2	6	13	1	2	1	-	-	3	4	9	11	1	1	39	64
40	-	62	14	1	3	12	2	-	1	1	-	3	10	11	12	5	-	29	65
36	-	88	11	2	6	27	1	1	-	-	1	2	6	7	18	6	-	41	66
16	-	30	5	-	2	7	1	1	-	-	1	1	-	2	5	4	-	18	67
20	-	58	6	2	4	20	-	-	-	-	-	1	6	5	13	2	-	23	68
25	-	41	9	1	2	8	-	1	-	-	-	1	2	4	6	2	-	23	69
23	1	99	8	1	13	14	4	1	5	-	1	3	14	7	20	7	3	42	70
8	1	33	1	1	4	6	-	-	1	-	-	1	9	4	7	2	1	14	71
15	-	66	7	-	9	8	4	1	4	-	1	2	5	3	13	5	2	28	72
61	-	106	17	4	6	20	2	2	-	-	-	17	9	11	2	3	37	73
20	-	47	3	2	1	7	-	1	-	-	-	8	2	5	1	1	16	74
41	-	59	14	2	5	13	2	1	-	-	-	9	7	6	1	2	21	75
53	-	79	6	2	8	13	1	1	3	-	5	2	9	13	-	1	35	76
29	-	44	3	1	5	6	1	-	1	-	1	-	3	4	-	1	17	77
24	-	35	3	1	3	7	-	1	2	-	4	2	6	9	-	-	18	78
48	2	142	24	3	4	10	3	3	5	2	3	6	14	17	4	1	37	79
26	-	84	15	2	2	6	2	-	2	1	-	1	4	9	7	3	-	23	80
22	2	58	9	1	2	4	1	3	3	1	-	2	2	5	10	1	1	14	81
16	-	35	-	1	3	7	3	1	1	1	-	2	7	2	7	-	-	11	82
5	-	25	2	-	-	2	-	-	-	-	-	1	3	3	1	-	-	9	83
16	-	77	6	-	2	8	-	1	4	-	1	4	5	3	9	2	-	26	84
25	3	90	10	-	9	13	3	4	8	-	1	7	12	9	19	-	3	51	85
9	2	36	3	-	1	1	2	-	6	-	-	3	4	5	7	-	1	15	86
16	1	54	7	-	8	12	1	4	2	-	1	4	8	4	12	-	2	36	87
18	-	46	2	-	4	7	2	-	1	2	-	1	5	1	8	2	2	24	88

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	OKLAHOMA--Continued																
1	Stephens	288	8	2	-	-	-	1	-	-	-	1	32	8	-	130	125
2	Duncan	136	4	1	-	-	-	1	-	-	-	1	18	7	-	67	67
3	Balance of county	132	4	1	-	-	-	-	-	-	-	-	14	1	-	63	58
4	Texas	102	-	-	-	-	-	-	-	-	-	1	11	1	-	52	48
5	Tillman	161	1	1	-	-	-	-	-	2	-	-	21	2	-	82	82
6	Tulsa	2,072	44	27	-	1	-	3	2	-	-	13	287	33	1	998	948
7	Tulsa	1,672	37	23	-	1	-	1	-	-	-	10	239	28	-	809	767
8	Balance of county	400	7	4	-	-	-	2	2	-	-	3	48	5	1	189	181
9	Wagoner	152	3	1	-	-	-	-	-	-	-	1	21	4	-	72	69
10	Washington	325	5	2	-	-	-	-	-	2	-	-	41	5	-	171	160
11	Bartlesville	179	3	1	-	-	-	-	-	-	-	-	21	4	-	103	96
12	Balance of county	146	2	1	-	-	-	-	-	2	-	-	20	1	-	68	64
13	Washita	133	3	1	-	-	-	-	-	-	-	-	17	1	-	62	56
14	Woods	129	2	-	-	-	-	-	-	-	-	1	13	-	-	71	68
15	Woodward	143	4	1	-	-	-	-	-	-	-	1	21	3	-	66	62
16	OREGON	13,935	202	66	1	2	7	5	6	30	1	22	2,083	171	14	7,396	7,233
17	Baker	170	5	-	-	1	-	-	-	-	-	-	22	5	-	89	86
18	Benton	219	1	-	-	-	-	-	-	-	-	-	28	8	1	117	110
19	Corvallis	134	1	-	-	-	-	-	-	-	-	-	16	6	1	78	72
20	Balance of county	85	-	-	-	-	-	-	-	-	-	-	12	2	-	39	38
21	Clackamas	772	2	4	-	-	-	-	-	2	-	1	129	13	-	403	394
22	Clatsop	302	1	1	-	-	1	-	-	1	-	-	47	2	-	156	154
23	Astoria	127	1	-	-	-	-	-	-	-	-	-	19	2	-	63	63
24	Balance of county	175	-	1	-	-	1	-	-	1	-	-	28	-	-	93	91
25	Columbia	224	6	-	-	-	1	-	-	2	-	1	34	2	-	107	105
26	Coos	415	3	2	-	-	-	1	-	-	-	-	60	7	-	216	209
27	Crook	66	-	1	-	-	-	-	-	-	-	-	7	2	-	31	31
28	Curry	57	-	-	-	-	-	-	-	-	-	-	7	1	-	29	29
29	Deschutes	168	3	2	-	-	-	-	-	-	-	-	17	2	-	94	93
30	Bend	99	3	1	-	-	-	-	-	-	-	-	8	1	-	59	59
31	Balance of county	69	-	1	-	-	-	-	-	-	-	-	9	1	-	35	34
32	Douglas	411	6	1	-	-	-	-	1	-	-	-	57	2	-	186	185
33	Gilliam	26	-	-	-	-	-	-	-	1	-	-	4	-	1	10	10
34	Grant	54	-	-	-	-	-	-	-	-	-	-	11	-	-	22	22
35	Harney	66	3	-	-	-	-	-	-	-	-	-	3	-	-	33	33
36	Hood River	93	-	-	-	-	-	-	-	-	-	-	13	1	-	50	50
37	Jackson	537	3	5	-	-	-	-	1	1	-	1	73	9	-	296	286
38	Medford	203	1	3	-	-	-	-	1	1	-	-	35	2	-	116	111
39	Balance of county	334	2	2	-	-	-	-	-	-	-	1	38	7	-	180	175
40	Jefferson	47	2	-	1	-	-	1	-	-	-	-	4	-	1	10	10
41	Josephine	263	2	1	-	-	-	-	-	1	-	-	41	6	-	139	138
42	Klamath	306	3	2	-	-	-	-	-	-	-	1	38	5	1	143	139
43	Klamath Falls	169	-	1	-	-	-	-	-	-	-	1	21	4	-	78	74
44	Balance of county	137	3	1	-	-	-	-	-	-	-	-	17	1	1	65	65
45	Lake	56	-	-	-	-	-	1	-	-	-	-	9	-	-	30	28
46	Lane	946	11	2	-	-	-	-	-	3	-	4	130	7	1	481	467
47	Eugene	396	4	1	-	-	-	-	-	-	-	-	65	3	1	208	203
48	Springfield	100	1	-	-	-	-	-	-	-	-	-	14	1	-	52	51
49	Balance of county	450	6	1	-	-	-	-	-	3	-	4	51	3	-	221	213
50	Lincoln	214	1	1	-	-	-	-	-	-	-	-	30	3	1	118	116
51	Linn	402	6	1	-	-	-	-	-	2	-	1	64	3	-	201	195
52	Albany	104	1	-	-	-	-	-	-	-	-	-	21	1	-	56	55
53	Balance of county	298	5	1	-	-	-	-	-	2	-	1	43	2	-	145	140
54	Malheur	148	5	1	-	-	-	-	-	-	-	-	27	-	-	64	62
55	Marion	847	14	4	-	-	-	-	-	-	-	2	124	15	-	470	467
56	Salem (part)	459	8	2	-	-	-	-	-	-	-	-	71	8	-	274	271
57	Salem (total)	465	8	2	-	-	-	-	-	-	-	-	72	8	-	276	273
58	Balance of county	388	6	2	-	-	-	-	-	-	-	2	53	7	-	196	196
59	Morrow	51	-	-	-	-	-	-	-	1	-	-	8	-	-	21	20
60	Multnomah	5,081	102	30	-	1	5	2	1	11	1	8	796	52	5	2,797	2,753
61	Portland	4,422	91	25	-	1	3	1	1	9	-	5	700	49	3	2,436	2,388
62	Balance of county	659	11	5	-	-	2	1	-	2	1	3	96	3	2	361	355
63	Polk	188	-	2	-	-	-	1	-	1	-	-	28	1	-	97	95
64	Salem (part)	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2
65	Balance of county	182	-	2	-	-	-	1	-	1	-	-	27	1	-	95	93
66	Sherman	26	1	-	-	-	-	-	-	-	-	-	5	-	-	14	12
67	Tillamook	169	4	-	-	-	-	-	-	1	-	1	21	1	-	87	85
68	Umatilla	338	5	2	-	-	-	-	1	2	-	1	59	8	-	152	150
69	Pendleton	123	2	1	-	-	-	-	-	-	-	-	19	1	-	63	61
70	Balance of county	215	3	1	-	-	-	-	1	2	-	1	40	7	-	89	89
71	Union	199	3	2	-	-	-	-	-	1	-	-	31	3	1	112	97
72	Wallowa	62	-	-	-	-	-	-	-	-	-	-	9	-	-	34	34
73	Wasco	136	2	-	-	-	-	-	-	-	-	1	17	1	-	78	78
74	Washington	492	4	1	-	-	-	-	-	-	-	-	80	7	2	286	276
75	Wheeler	29	1	-	-	-	-	-	1	-	-	-	6	-	-	13	12
76	Yamhill	355	3	1	-	-	-	-	-	-	-	-	44	5	-	210	204
77	PENNSYLVANIA	110,212	2,474	402	3	10	7	68	55	102	12	250	16,326	2,418	112	61,594	59,370
78	Adams	410	2	-	-	-	-	-	-	1	-	2	62	7	-	245	227
79	Allegheny	15,358	362	73	-	2	-	4	9	12	-	35	2,334	289	18	8,401	8,165
80	Pittsburgh	9,109	239	39	-	-	-	1	5	3	-	15	1,207	139	8	4,388	4,266
81	McKeesport	605	12	8	-	1	-	-	2	-	-	-	89	9	-	335	322
82	Mount Lebanon (twp.)[2 3]	111	-	-	-	-	-	-	-	1	-	-	19	-	-	62	62
83	Wilkinsburg	364	4	-	-	-	-	-	-	-	-	2	48	6	1	232	226
84	Bellevue	124	1	-	-	-	-	-	-	-	-	1	18	2	-	80	80
85	Bethel	37	-	-	-	-	-	-	-	-	-	-	5	-	-	23	23
86	Braddock	163	5	2	-	-	-	-	-	-	-	1	22	1	-	96	92

[2]Classified as urban under a special rule. [3]Since this area is difficult to identify from information given on death records, data may be understated or overstated.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
35	-	76	12	2	5	11	2	1	-	-	2	3	13	9	9	2	1	33	1
17	-	42	7	1	-	5	2	-	-	-	1	2	2	4	6	-	1	14	2
18	-	34	5	1	5	6	-	1	-	-	1	1	11	5	3	2	-	19	3
9	1	34	3	1	4	4	1	-	3	-	-	1	6	3	4	2	1	12	4
18	-	58	6	-	-	9	1	1	1	-	-	2	2	-	4	2	2	28	5
245	3	623	67	10	50	78	13	11	14	6	5	31	51	61	86	24	13	270	6
186	3	513	57	8	42	61	11	8	11	5	5	25	42	46	66	22	12	210	7
59	-	110	10	2	8	17	2	3	3	1	-	6	9	15	20	2	1	60	8
19	-	46	3	1	3	5	-	2	1	-	-	2	4	3	4	1	4	24	9
41	1	107	8	3	11	13	3	2	1	1	-	6	7	3	16	5	2	40	10
23	-	64	6	3	7	7	1	2	-	1	-	2	1	1	4	2	-	26	11
18	1	43	2	-	4	6	2	-	1	-	-	4	6	2	12	3	2	14	12
12	-	40	3	1	6	7	-	1	1	1	-	-	7	2	6	5	1	16	13
8	-	51	7	2	3	2	-	1	-	1	-	3	2	3	8	-	-	22	14
20	-	38	3	1	4	6	2	-	-	2	-	1	3	3	8	-	-	22	15
1,538	14	5,125	487	69	163	323	80	43	113	22	20	185	258	465	769	231	48	1,392	16
15	1	61	8	1	3	8	1	-	2	-	-	1	1	5	9	3	-	18	17
30	-	77	3	-	7	8	2	-	2	-	-	3	1	8	15	2	1	22	18
18	-	51	3	-	6	3	2	-	1	-	-	2	-	2	6	2	1	13	19
12	-	26	-	-	1	5	-	-	1	-	-	1	1	6	9	-	-	9	20
71	-	282	28	3	9	15	2	5	7	4	2	11	27	22	41	10	3	69	21
36	-	99	18	1	2	5	2	1	2	2	-	5	6	16	22	4	2	26	22
15	-	40	8	-	-	3	1	-	1	1	-	-	3	4	10	2	-	17	23
21	-	59	10	1	2	2	1	1	1	1	-	5	3	12	12	2	2	9	24
26	1	72	6	-	2	8	-	-	2	-	1	2	5	8	15	4	1	25	25
35	-	151	21	2	7	10	-	-	1	-	1	3	7	10	42	7	2	43	26
5	-	24	2	-	-	3	1	-	2	-	-	2	1	3	3	-	1	9	27
4	-	23	2	-	-	1	-	-	-	-	-	-	3	4	6	-	-	8	28
20	-	82	11	-	1	4	1	-	1	-	-	5	2	9	10	2	-	16	29
12	-	40	7	-	-	4	1	-	1	-	-	3	1	5	4	-	-	8	30
8	-	22	4	-	1	-	-	-	-	-	-	2	1	4	6	2	-	8	31
49	1	122	11	2	1	15	5	4	2	1	1	6	3	20	41	10	1	49	32
1	-	9	-	-	-	-	1	-	-	-	-	2	3	-	1	-	-	3	33
5	-	17	-	-	-	1	-	-	1	-	-	-	1	-	7	2	2	7	34
9	-	22	2	-	-	-	-	-	-	-	1	2	3	7	1	2	-	11	35
12	-	33	4	1	-	2	-	-	-	-	-	2	4	1	4	1	-	15	36
61	2	203	19	1	10	9	6	2	1	1	1	7	6	25	34	9	-	47	37
15	-	87	8	1	5	1	2	1	-	1	1	3	1	11	9	2	-	12	38
46	2	116	11	-	5	8	4	1	1	-	-	4	5	14	25	7	-	35	39
2	-	8	-	-	-	-	-	-	-	-	-	-	7	5	6	1	-	9	40
23	-	97	15	3	1	2	1	1	4	-	1	2	3	11	18	5	-	25	41
34	1	96	7	1	4	9	7	1	3	2	2	1	1	9	22	9	1	46	42
18	1	50	5	-	4	4	4	-	2	1	1	1	-	5	13	6	-	27	43
16	-	46	2	1	-	5	3	1	1	1	1	-	1	4	9	3	1	19	44
3	-	24	1	-	2	-	-	-	2	-	-	-	-	5	3	-	-	8	45
102	1	334	26	4	14	19	6	4	6	3	2	22	14	45	68	12	4	104	46
47	-	141	14	1	5	6	2	2	4	2	1	11	7	17	16	3	-	43	47
7	-	41	3	-	1	2	1	-	-	-	-	3	2	6	5	3	1	9	48
48	1	152	9	3	8	11	3	2	2	1	1	8	5	22	45	6	3	52	49
23	-	88	4	1	2	6	1	1	-	-	1	2	8	11	14	3	1	12	50
42	-	141	12	-	6	10	3	-	1	-	1	6	5	15	34	7	1	41	51
14	-	38	3	-	1	2	1	-	1	-	-	2	2	1	4	2	1	9	52
28	-	103	9	-	5	8	2	-	-	-	1	4	3	14	30	5	-	32	53
16	2	38	3	3	2	5	-	-	-	-	1	5	3	11	7	3	-	16	54
97	1	326	38	5	3	19	1	1	5	2	1	9	5	26	45	14	5	85	55
59	1	186	20	5	3	10	1	1	3	-	-	5	3	9	16	6	4	38	56
60	1	186	21	5	3	10	1	1	3	-	-	5	3	9	19	6	4	38	57
38	-	140	18	-	-	9	-	-	2	2	1	4	2	17	29	8	1	7	58
5	-	13	2	-	1	3	1	-	-	-	-	2	2	3	5	3	-	2	59
587	3	1,967	166	30	44	114	31	15	63	3	2	56	86	117	192	81	16	494	60
510	3	1,715	142	28	38	100	29	15	57	3	1	49	64	105	159	66	12	439	61
77	-	252	24	2	6	14	2	-	6	-	1	8	22	12	33	15	4	55	62
18	-	65	11	1	2	3	1	1	-	-	-	5	1	11	14	4	-	18	63
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	64
17	-	65	10	1	2	3	1	1	-	-	-	5	1	11	11	4	-	18	65
3	-	8	1	-	2	-	-	-	-	-	-	-	1	1	3	-	1	-	66
13	1	66	4	1	2	2	-	1	-	-	-	3	-	4	16	3	2	23	67
21	-	115	10	4	2	16	2	3	1	1	-	2	12	19	15	3	1	33	68
11	-	44	4	2	2	4	1	1	-	-	-	1	4	11	7	-	-	8	69
10	-	71	6	2	-	12	1	2	1	1	-	1	8	8	8	3	1	25	70
30	-	60	6	1	15	3	1	-	-	-	-	3	3	4	10	3	1	18	71
3	-	30	1	-	-	-	-	-	-	-	-	1	3	1	5	4	-	5	72
20	-	49	7	-	2	3	-	-	2	-	-	1	4	4	2	3	-	18	73
59	-	185	29	3	10	11	1	2	3	-	-	10	4	11	16	12	2	40	74
3	-	9	-	-	1	1	-	-	-	-	-	-	1	2	2	-	-	2	75
55	-	139	9	1	6	8	3	1	-	3	2	4	2	12	23	5	-	29	76
11,043	200	43,793	3,680	654	2,224	3,116	634	391	1,099	274	170	1,177	1,140	1,744	3,953	1,101	284	11,296	77
37	-	175	12	3	18	11	3	3	-	1	1	3	-	8	18	4	1	38	78
1,525	35	6,108	427	70	236	458	90	53	204	39	25	153	316	201	582	151	57	1,510	79
782	15	3,220	213	36	122	253	57	27	113	19	14	76	214	77	290	78	36	811	80
68	3	226	23	2	13	17	2	1	10	2	1	4	15	11	16	5	1	64	81
19	-	38	5	-	-	3	-	-	2	-	-	1	2	3	3	2	1	12	82
54	-	162	10	-	6	6	1	5	4	1	-	-	3	5	11	2	-	33	83
24	-	49	7	-	-	1	-	-	2	-	-	1	1	1	5	2	-	9	84
2	-	20	-	1	-	1	-	1	2	-	-	1	-	2	-	-	-	2	85
19	-	67	6	-	4	4	2	1	1	-	-	1	6	4	4	-	1	12	86

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	PENNSYLVANIA--Con.																
	Allegheny--Continued																
1	Brentwood	77	1	1	-	-	-	-	-	-	-	-	11	1	-	50	50
2	Carnegie	163	8	1	-	-	-	-	-	1	-	1	18	3	-	91	90
3	Clairton	167	5	-	-	-	-	1	1	1	-	-	24	2	-	82	81
4	Coraopolis	96	4	1	-	-	-	-	-	-	-	1	15	3	-	48	48
5	Dormont	128	3	-	-	-	-	-	-	-	-	-	20	5	-	73	72
6	Duquesne	167	5	-	-	-	-	-	-	-	-	1	29	5	-	88	85
7	Harrison (twp.)[2 3]	55	-	-	-	-	-	-	-	-	-	-	7	1	-	28	26
8	Homestead	147	7	-	-	-	-	-	-	-	-	-	25	4	-	81	79
9	McKees Rocks	257	4	3	-	-	-	1	-	-	-	1	38	9	-	132	127
10	Munhall	130	1	1	-	-	-	-	-	-	-	-	37	1	1	66	64
11	North Braddock	155	3	-	-	-	-	-	-	-	-	1	25	4	-	81	78
12	Shaler (twp.)[2 3]	60	1	-	-	-	-	-	-	-	-	-	4	1	1	31	30
13	Stowe (twp.)[2 3]	5	-	-	-	-	-	-	-	-	-	-	1	-	-	4	4
14	Swissvale	145	-	-	-	-	-	-	-	-	-	1	31	2	-	82	81
15	Turtle Creek	102	2	1	-	-	-	-	-	2	-	-	14	2	-	61	57
16	West Mifflin	62	-	1	-	-	-	-	-	-	-	-	11	1	-	35	34
17	Balance of county	3,929	57	15	-	1	-	1	1	4	-	10	616	88	7	2,152	2,088
18	Armstrong	780	11	2	-	-	-	-	-	-	-	-	93	9	1	451	441
19	Beaver	1,431	27	7	-	-	-	3	1	4	1	7	228	34	-	729	711
20	Aliquippa	210	8	3	-	-	-	1	1	-	1	2	28	9	-	100	96
21	Ambridge	128	4	1	-	-	-	1	-	-	-	-	27	2	-	60	59
22	Beaver Falls	202	5	-	-	-	-	-	-	3	-	-	25	4	-	108	104
23	Ellwood City (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
24	Balance of county	889	12	3	-	-	-	1	-	1	-	5	148	19	-	460	451
25	Bedford	394	3	-	1	1	1	2	-	-	-	-	47	8	-	214	199
26	Berks	2,701	51	7	-	-	-	1	-	1	-	3	392	80	1	1,544	1,498
27	Reading	1,321	27	6	-	-	-	1	-	-	-	-	179	33	1	764	754
28	Balance of county	1,380	24	1	-	-	-	-	-	1	-	3	213	47	-	780	744
29	Blair	1,580	18	6	-	-	-	-	-	1	-	5	225	37	1	941	911
30	Altoona	969	11	5	-	-	-	-	-	-	-	3	145	21	-	589	577
31	Balance of county	611	7	1	-	-	-	-	-	1	-	2	80	16	1	352	334
32	Bradford	688	6	1	-	-	-	2	1	-	-	3	82	17	1	405	399
33	Bucks	1,344	22	4	-	-	-	-	-	2	-	1	190	31	3	825	782
34	Bristol	144	2	1	-	-	-	-	-	-	-	-	14	5	-	85	83
35	Balance of county	1,200	20	3	-	-	-	-	-	2	-	1	176	26	3	740	699
36	Butler	992	18	4	-	-	-	1	2	-	-	5	146	17	-	541	524
37	Butler	259	6	1	-	-	-	-	-	-	-	1	37	3	-	141	139
38	Balance of county	733	13	3	-	-	-	1	2	-	-	4	109	14	-	400	385
39	Cambria	1,973	35	6	-	-	-	1	2	3	-	2	258	45	4	1,053	1,009
40	Johnstown	859	16	4	-	-	-	1	1	-	-	1	121	22	3	473	454
41	Balance of county	1,114	19	2	-	-	-	-	1	3	-	1	137	23	1	580	555
42	Cameron	64	-	-	-	-	-	-	-	1	-	-	8	3	-	32	32
43	Carbon	614	11	2	-	-	-	-	-	-	-	2	88	14	2	334	322
44	Centre	524	6	-	-	-	-	-	-	1	-	-	62	13	-	321	312
45	State College	70	1	-	-	-	-	-	-	-	-	-	6	1	-	37	35
46	Balance of county	454	5	-	-	-	-	-	-	1	-	-	56	12	-	284	277
47	Chester	1,592	34	6	-	-	-	-	1	-	-	6	223	32	2	888	850
48	Coatesville	149	7	-	-	-	-	-	-	-	-	-	22	5	-	82	73
49	Phoenixville	150	3	-	-	-	-	-	-	-	-	-	25	2	1	78	78
50	West Chester	229	4	1	-	-	-	-	-	-	-	1	34	5	-	138	132
51	Balance of county	1,064	20	5	-	-	-	-	1	-	-	5	142	20	1	590	567
52	Clarion	392	3	1	1	-	-	-	-	2	-	3	58	11	-	228	218
53	Clearfield	886	7	4	-	-	-	2	-	1	-	-	112	25	-	505	490
54	Du Bois	174	-	-	-	-	-	-	-	1	-	-	15	4	-	111	106
55	Balance of county	712	7	4	-	-	-	2	-	-	-	-	97	21	-	394	384
56	Clinton	382	1	1	-	-	-	-	-	-	-	1	66	8	1	214	209
57	Lock Haven	144	-	1	-	-	-	-	-	-	-	1	29	4	-	77	75
58	Balance of county	238	1	-	-	-	-	-	-	-	-	-	37	4	1	137	134
59	Columbia	619	7	1	-	1	-	-	-	1	-	2	79	23	1	366	350
60	Berwick	163	3	1	-	1	-	-	-	-	-	-	27	3	-	100	85
61	Bloomsburg	132	1	-	-	-	-	-	-	-	-	-	14	11	-	83	79
62	Balance of county	324	3	-	-	-	-	-	-	1	-	2	38	9	1	183	176
63	Crawford	905	7	4	-	-	-	-	-	3	-	-	128	17	-	530	522
64	Meadville	237	2	2	-	-	-	-	-	-	-	-	32	3	-	141	140
65	Balance of county	668	5	2	-	-	-	-	-	3	-	-	96	14	-	389	382
66	Cumberland	881	14	4	-	-	-	3	-	1	-	1	124	15	-	536	521
67	Carlisle	187	3	1	-	-	-	-	-	-	-	-	36	2	-	102	98
68	Balance of county	694	11	3	-	-	-	3	-	1	-	1	88	15	-	434	423
69	Dauphin	2,213	51	9	1	-	-	-	1	1	-	7	305	61	3	1,314	1,288
70	Harrisburg	1,230	34	7	-	-	-	-	-	-	-	1	193	37	2	718	703
71	Steelton	145	4	1	-	-	-	-	-	-	-	1	18	3	1	82	79
72	Balance of county	838	13	1	1	-	-	-	1	1	-	5	94	21	-	514	506
73	Delaware	3,629	75	8	-	-	2	2	2	1	1	12	566	63	-	2,080	2,027
74	Chester	780	39	3	-	-	-	1	1	1	-	5	112	15	-	398	384
75	Upper Darby (twp.)[2 3]	614	6	2	-	-	-	-	1	-	-	1	106	13	-	382	370
76	Haverford (twp.)[2 3]	147	1	-	-	-	-	-	-	-	-	-	29	2	-	85	84
77	Darby	134	7	-	-	-	-	-	-	-	-	-	23	1	-	73	73
78	Lansdowne	157	3	-	-	-	-	-	-	-	-	-	26	-	-	92	91
79	Yeadon	92	-	-	-	-	-	-	-	-	-	1	8	1	-	58	57
80	Balance of county	1,705	19	3	-	-	2	1	-	-	1	5	262	31	-	1,002	988
81	Elk	360	5	1	-	-	-	-	2	-	-	1	63	13	1	172	168
82	Erie	2,253	50	3	-	-	-	3	1	-	-	5	369	50	2	1,205	1,180
83	Erie	1,405	39	2	-	-	-	2	-	-	-	2	253	27	1	750	730
84	Balance of county	848	11	1	-	-	-	1	1	-	-	3	116	23	1	455	450
85	Fayette	1,878	27	7	-	1	-	8	1	2	-	5	268	35	4	1,083	1,034
86	Connellsville	175	3	1	-	-	-	-	-	-	-	-	26	1	1	109	107
87	Uniontown	265	4	1	-	-	-	-	-	1	-	1	45	3	1	154	148
88	Balance of county	1,438	20	5	-	1	-	8	1	1	-	4	197	31	2	820	779

[2]Classified as urban under a special rule. [3]Since this area is difficult to identify from information given on death records, data may be understated or overstated.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
11	-	38	-	1	-	2	1	-	-	-	-	1	1	2	1	-	-	5	1
15	-	69	5	1	1	5	-	2	2	-	-	4	-	1	9	3	1	13	2
18	-	60	3	-	1	10	-	-	3	-	1	1	-	3	7	1	2	23	3
6	1	39	2	-	-	2	1	-	1	-	-	1	4	-	4	1	-	10	4
10	-	55	7	-	1	3	1	1	2	1	-	1	2	-	2	2	-	12	5
12	-	66	6	1	3	4	1	-	1	1	1	1	3	2	8	4	1	12	6
8	1	17	-	-	2	3	-	-	-	-	-	2	1	1	3	-	1	8	7
16	1	59	3	-	2	4	-	1	3	-	-	2	2	2	8	-	-	8	8
13	3	107	1	3	5	10	2	1	3	1	2	2	7	8	11	-	1	21	9
7	-	54	2	1	2	1	-	-	-	1	-	3	1	2	6	1	1	7	10
16	-	54	7	1	3	6	-	1	3	1	-	2	2	-	9	2	-	15	11
6	-	18	6	-	1	2	1	-	1	-	-	-	-	6	4	1	-	7	12
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
15	-	65	1	-	1	1	1	-	1	2	-	2	3	-	6	2	-	11	14
9	-	44	4	-	4	2	-	-	-	-	-	3	-	1	3	3	1	7	15
5	-	29	-	-	1	1	1	1	1	-	-	1	-	3	2	1	-	3	16
398	11	1,550	116	23	64	117	19	11	49	10	6	43	49	67	150	41	10	405	17
77	2	331	26	5	10	30	5	1	6	3	4	11	3	9	42	9	1	89	18
154	2	497	40	10	18	31	5	4	12	4	4	17	28	23	67	12	2	181	19
23	-	65	4	4	4	3	2	1	4	-	-	4	4	3	8	1	-	28	20
11	-	47	1	-	1	2	1	-	-	1	-	1	9	3	3	2	-	11	21
24	-	72	8	-	4	4	-	1	1	1	-	-	3	3	9	2	1	31	22
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	23
96	2	312	35	6	9	21	2	2	7	2	3	12	12	14	47	7	1	110	24
35	1	142	16	5	15	15	4	2	1	1	2	8	1	17	18	6	-	42	25
290	7	1,070	120	11	46	45	20	10	27	7	3	32	47	54	82	43	1	250	26
134	3	545	65	7	10	25	14	6	16	4	2	13	31	20	32	18	-	129	27
156	4	525	55	4	36	20	6	4	11	3	1	19	16	34	50	25	1	121	28
164	6	650	83	8	30	33	11	4	13	5	4	19	14	22	64	13	-	144	29
109	4	399	61	4	12	13	7	2	11	3	1	8	8	10	33	8	-	91	30
55	2	251	22	4	18	20	4	2	2	2	3	11	6	12	31	5	-	53	31
61	-	284	40	4	6	32	2	6	1	2	3	7	1	22	28	11	-	57	32
160	4	533	77	8	43	27	9	5	7	4	3	15	4	25	42	14	2	109	33
8	1	58	16	-	2	4	2	1	4	1	-	-	1	3	7	-	-	14	34
152	3	475	61	8	41	23	7	4	3	3	3	15	3	22	35	14	2	95	35
101	-	376	37	10	17	29	5	3	11	1	-	19	6	18	48	8	2	107	36
23	-	107	5	4	2	5	1	1	5	-	-	5	1	2	15	3	-	32	37
78	-	269	32	6	15	24	4	2	6	1	-	14	5	16	33	5	2	75	38
193	8	758	42	8	44	78	13	4	19	9	3	24	15	31	81	14	1	272	39
81	4	342	21	6	19	22	9	1	9	5	1	14	5	10	24	4	-	113	40
112	4	416	21	2	25	56	4	3	10	4	2	10	10	21	57	10	1	159	41
6	-	25	1	-	-	2	-	1	2	-	-	1	1	3	2	-	-	8	42
64	1	241	13	3	12	24	2	6	3	-	-	5	6	12	21	11	-	71	43
68	1	212	31	2	9	19	4	1	5	1	-	5	1	13	16	3	-	53	44
4	-	23	8	-	2	-	1	-	1	-	-	-	1	4	4	-	-	14	45
62	1	189	23	2	7	19	3	1	4	1	-	5	-	9	12	3	-	39	46
165	3	612	57	13	38	52	12	5	14	3	3	24	13	30	60	18	2	184	47
16	-	52	5	-	9	5	1	1	2	-	-	2	-	3	6	-	-	13	48
10	-	66	1	1	-	6	2	1	1	-	-	2	1	1	7	1	-	19	49
19	-	101	9	3	6	2	1	-	3	-	1	4	1	1	4	2	1	26	50
120	3	393	42	9	23	39	8	3	8	3	2	16	11	25	43	15	1	106	51
51	3	144	20	-	10	14	1	3	2	1	1	7	2	10	12	2	-	30	52
104	1	340	41	4	15	31	6	5	6	1	5	10	9	24	36	9	1	87	53
21	-	75	9	1	5	3	1	-	1	1	-	4	2	4	5	2	-	20	54
83	1	285	32	3	10	28	5	5	5	-	5	6	7	20	31	7	1	67	55
44	-	153	12	-	5	18	4	-	2	2	2	3	-	13	10	3	-	33	56
14	-	58	5	-	2	8	3	-	-	-	1	2	-	3	5	1	-	9	57
30	-	97	7	-	3	10	1	-	2	2	1	1	-	10	5	2	-	24	58
78	1	243	22	6	16	10	4	3	1	1	-	6	2	11	30	9	-	61	59
31	-	58	4	2	5	1	1	1	-	-	-	1	2	4	3	2	-	13	60
10	-	60	7	2	4	2	1	-	1	-	-	2	-	6	1	1	-	10	61
37	1	125	11	2	7	7	2	2	-	1	-	3	-	7	21	6	-	38	62
115	1	366	37	3	8	20	4	5	8	1	2	14	2	20	35	15	-	80	63
21	-	111	7	1	1	5	1	3	3	-	-	7	-	2	7	-	-	29	64
94	1	255	30	2	7	15	3	2	5	1	2	7	2	18	28	15	-	61	65
104	2	375	34	6	15	29	3	3	7	-	2	10	1	14	26	7	3	78	66
24	2	66	6	-	4	6	-	2	1	-	1	3	-	8	7	1	-	14	67
80	-	309	28	6	11	23	3	1	6	-	1	7	1	8	19	6	3	84	68
211	4	983	75	15	26	52	9	3	18	6	2	31	12	47	64	18	5	193	69
107	2	552	36	6	15	29	8	3	14	4	-	17	7	19	35	8	2	92	70
13	-	63	3	-	3	9	-	-	1	1	-	2	-	-	5	-	2	15	71
91	2	368	36	9	8	14	1	-	3	1	2	12	5	28	24	10	1	86	72
338	1	1,530	136	22	63	97	22	16	43	8	6	36	7	52	94	43	11	372	73
66	-	279	37	2	14	28	4	3	11	-	3	6	1	10	23	11	8	97	74
52	-	289	25	4	12	9	4	2	9	-	1	5	-	8	12	7	-	46	75
14	-	64	6	-	1	5	1	3	2	1	-	1	1	1	2	2	-	11	76
13	-	52	6	2	-	6	-	-	-	-	-	3	1	1	3	-	-	16	77
18	-	71	2	-	1	4	2	1	-	1	-	3	-	1	5	3	-	16	78
14	-	39	3	1	1	2	-	1	2	-	-	1	-	-	6	1	-	11	79
161	1	736	57	13	34	43	11	6	19	6	2	17	4	31	43	19	3	175	80
32	2	124	7	3	4	3	2	2	2	-	-	4	11	5	16	3	-	54	81
277	8	830	49	16	25	71	16	12	18	8	3	28	14	45	55	26	6	253	82
154	5	529	31	11	20	44	11	8	13	6	-	14	5	28	28	19	2	151	83
123	3	301	18	5	5	27	5	4	5	2	3	14	9	17	37	7	4	102	84
200	3	752	71	8	49	73	10	6	9	2	2	13	9	36	83	19	6	169	85
18	-	66	3	-	2	8	1	-	-	-	1	1	-	-	3	1	-	19	86
27	1	108	9	3	6	8	1	-	1	-	-	-	3	5	13	3	-	21	87
155	2	558	59	5	41	57	8	6	8	2	1	12	6	31	67	15	6	129	88

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	PENNSYLVANIA—Con.																
1	Forest	53	-	-	-	-	-	-	-	-	-	-	9	-	-	32	28
2	Franklin	747	12	4	-	-	-	-	-	1	-	4	101	17	1	451	440
3	Chambersburg	207	2	1	-	-	-	-	-	-	-	1	34	6	-	121	117
4	Waynesboro	106	1	-	-	-	-	-	-	-	-	2	18	3	-	68	66
5	Balance of county	434	9	3	-	-	-	-	-	1	-	1	49	8	1	262	257
6	Fulton	124	2	-	-	-	-	-	-	1	-	-	14	1	-	63	60
7	Greene	423	10	-	-	-	-	2	1	-	-	2	50	10	1	251	234
8	Huntingdon	421	5	1	-	-	-	2	-	-	-	-	50	15	1	256	251
9	Indiana	744	10	2	-	-	-	1	-	2	-	-	102	16	3	428	418
10	Indiana	119	-	1	-	-	-	-	-	1	-	-	15	3	-	70	69
11	Balance of county	625	10	1	-	-	-	1	-	1	-	-	87	13	3	358	349
12	Jefferson	543	4	-	-	1	-	-	-	1	-	2	76	13	1	309	298
13	Juniata	181	1	1	-	-	-	-	-	-	-	-	17	3	1	107	98
14	Lackawanna	3,150	64	4	-	-	-	1	-	1	-	3	477	72	1	1,751	1,703
15	Scranton	1,667	36	3	-	-	-	1	-	1	-	2	267	37	-	942	918
16	Carbondale	227	1	-	-	-	-	-	-	-	-	-	29	5	-	132	130
17	Dunmore	225	7	-	-	-	-	-	-	-	-	1	37	5	1	124	119
18	Balance of county	1,031	20	1	-	-	-	-	-	-	-	-	144	25	-	553	536
19	Lancaster	2,396	53	8	-	-	-	-	4	-	-	4	336	59	-	1,374	1,345
20	Lancaster	802	24	6	-	-	-	-	-	-	-	-	125	10	-	443	441
21	Columbia	159	6	-	-	-	-	2	-	-	-	-	24	4	-	89	88
22	Balance of county	1,435	23	2	-	-	-	2	-	-	-	4	187	45	-	842	815
23	Lawrence	1,081	27	1	-	-	1	1	-	-	-	1	171	26	-	563	552
24	New Castle	577	16	1	-	-	-	1	-	-	-	1	91	17	-	292	282
25	Ellwood City (part)	119	5	-	-	-	1	-	-	-	-	-	15	3	-	64	64
26	Ellwood City (total)	121	5	-	-	-	1	-	-	-	-	-	15	3	-	65	65
27	Balance of county	385	6	-	-	-	-	-	-	-	-	-	65	6	-	207	206
28	Lebanon	832	6	2	-	-	1	1	1	1	1	5	107	19	2	496	487
29	Lebanon	371	5	1	-	-	-	-	-	-	-	1	51	7	2	228	214
30	Balance of county	461	1	1	-	-	1	1	1	1	1	4	56	12	-	268	253
31	Lehigh	1,929	41	13	-	-	-	1	5	1	1	5	295	56	-	1,100	1,082
32	Allentown	1,068	25	9	-	-	-	1	2	-	-	4	160	28	-	650	623
33	Bethlehem (part)	130	3	1	-	-	-	-	2	-	-	1	19	8	-	72	72
34	Balance of county	731	13	3	-	-	-	-	1	1	-	-	116	20	-	398	387
35	Luzerne	4,291	97	8	-	-	-	1	4	-	-	9	598	103	1	2,257	2,185
36	Wilkes-Barre	1,041	18	3	-	-	-	1	2	-	-	2	159	19	-	555	533
37	Hazleton	391	14	1	-	-	-	-	-	-	-	1	52	11	-	210	203
38	Hanover (twp.)[2] [3]	44	1	-	-	-	-	-	-	-	-	-	9	-	-	19	19
39	Kingston	222	4	-	-	-	-	-	-	-	-	2	32	7	-	114	110
40	Nanticoke	221	9	-	-	-	-	-	-	-	-	1	30	3	-	102	98
41	Pittston	212	3	-	-	-	-	-	-	-	-	1	28	5	-	115	108
42	Plains (twp.)[2] [3]	77	2	-	-	-	-	-	-	-	-	-	15	3	-	38	37
43	Plymouth	179	6	-	-	-	-	-	-	1	-	-	19	5	-	88	87
44	Balance of county	1,904	40	4	-	-	-	-	-	1	-	2	254	50	1	1,016	972
45	Lycoming	1,131	9	3	-	-	-	1	3	1	-	7	164	31	2	683	642
46	Williamsport	582	7	3	-	-	-	1	-	-	-	6	87	18	2	345	337
47	Balance of county	549	2	-	-	-	-	-	3	1	-	1	77	13	-	318	305
48	McKean	578	11	4	-	-	-	-	-	-	-	1	89	13	1	311	304
49	Bradford	209	7	1	-	-	-	-	-	-	-	1	34	5	1	109	107
50	Balance of county	369	4	3	-	-	-	-	-	-	-	-	55	8	-	202	197
51	Mercer	1,072	12	2	-	-	-	1	2	2	-	2	176	39	2	579	561
52	Sharon	259	1	-	-	-	-	-	-	-	-	-	47	13	-	130	125
53	Farrell	120	6	1	-	-	-	1	-	-	-	-	22	3	-	70	70
54	Balance of county	693	5	1	-	-	-	-	2	2	-	2	107	23	2	379	366
55	Mifflin	423	17	-	-	-	-	-	-	-	-	2	44	15	1	256	250
56	Lewistown	171	4	-	-	-	-	-	-	-	-	2	17	10	1	103	101
57	Balance of county	252	13	-	-	-	-	-	-	-	-	-	27	5	-	153	149
58	Monroe	368	6	1	-	-	-	-	-	-	-	1	60	10	1	221	206
59	Montgomery	3,465	70	12	-	2	1	-	1	7	-	8	533	83	4	2,052	1,997
60	Abington (twp.)[2] [3]	243	3	2	-	-	-	-	-	1	-	-	40	1	1	143	140
61	Lower Merion (twp.)[2] [3]	421	6	2	-	-	-	-	-	2	-	-	77	5	1	248	244
62	Norristown	467	14	2	-	2	-	-	-	-	-	3	59	15	1	274	266
63	Cheltenham (twp.)[2] [3]	182	3	-	-	-	-	-	-	1	-	-	32	5	-	116	112
64	Conshohocken	148	5	1	-	-	-	-	-	-	-	-	16	5	-	86	85
65	Pottstown	250	5	-	-	-	-	-	-	-	-	-	37	6	-	157	151
66	Balance of county	1,754	34	5	-	-	1	-	1	3	-	5	272	46	1	1,028	999
67	Montour	181	1	1	-	-	-	-	-	-	1	-	21	2	-	113	109
68	Northampton	1,833	44	14	-	-	-	1	-	7	-	4	271	28	1	1,079	1,062
69	Bethlehem (part)	498	11	1	-	-	-	-	-	-	-	2	78	8	-	280	271
70	Bethlehem (total)	628	14	2	-	-	-	-	-	2	-	3	97	16	-	352	343
71	Easton	486	18	5	-	-	-	-	-	5	-	1	73	8	-	294	291
72	Balance of county	849	15	8	-	-	-	1	-	2	-	1	120	12	1	505	500
73	Northumberland	1,343	27	5	-	-	-	-	-	1	-	3	158	50	-	770	753
74	Mount Carmel	175	8	-	-	-	-	-	-	-	-	1	19	5	-	100	97
75	Shamokin	277	3	1	-	-	-	-	-	-	-	-	29	13	-	154	150
76	Sunbury	225	3	2	-	-	-	-	-	-	-	-	34	8	-	132	130
77	Balance of county	666	13	2	-	-	-	-	-	1	-	2	76	24	-	384	376
78	Perry	298	2	2	-	-	-	-	-	-	-	-	53	4	-	175	170
79	Philadelphia, coextensive with Philadelphia (city)	24,346	868	114	-	1	2	13	11	11	1	56	3,766	503	27	13,275	12,501
80	Pike	108	5	2	-	-	-	-	-	-	-	-	14	2	-	68	65
81	Potter	251	1	-	-	-	-	-	-	1	-	1	30	6	-	147	143
82	Schuylkill	2,328	64	8	-	-	1	1	-	2	2	2	316	50	3	1,244	1,205
83	Mahanoy City	137	4	1	-	-	-	-	-	1	-	-	27	2	-	63	63
84	Pottsville	308	6	1	-	-	-	-	-	-	-	-	51	8	1	187	181
85	Shenandoah	219	13	-	-	-	-	-	-	-	-	-	33	4	-	85	83
86	Tamaqua	140	1	1	-	-	-	-	-	-	-	-	16	-	-	78	76
87	Balance of county	1,524	40	5	-	-	1	1	-	1	2	2	189	36	2	831	802
88	Snyder	225	4	-	-	-	-	3	-	-	-	-	27	6	-	128	123
89	Somerset	790	13	3	-	-	-	-	-	1	1	1	124	17	3	423	406
90	Sullivan	91	-	1	-	-	-	-	-	-	-	-	15	3	-	55	54
91	Susquehanna	392	5	2	-	-	-	-	-	2	-	1	57	8	1	211	208

[2]Classified as urban under a special rule. [3]Since this area is difficult to identify from information given on death records, data may be understated or overstated.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	-	18	5	-	4	1	1	-	-	-	2	-	-	2	2	-	-	6	1
89	1	310	34	6	11	21	3	4	2	5	2	11	1	6	22	5	-	74	2
19	-	90	6	2	4	5	2	1	-	1	-	7	1	1	6	4	-	14	3
15	-	49	3	1	2	2	-	-	-	1	-	-	-	-	1	-	-	10	4
57	1	171	25	3	5	14	1	3	2	3	2	4	-	5	15	1	-	50	5
20	-	37	3	-	3	8	-	-	1	-	-	3	-	2	6	4	1	18	6
45	2	164	21	2	17	14	2	1	4	-	-	4	1	5	14	8	3	40	7
57	-	171	20	3	5	15	1	-	-	3	-	5	1	8	19	3	1	35	8
74	4	315	22	3	10	23	3	1	1	1	-	13	2	12	31	8	2	80	9
8	-	55	5	1	1	6	-	-	-	-	-	3	-	2	4	2	-	12	10
66	4	260	17	2	9	17	3	1	1	1	-	10	2	10	27	6	2	68	11
70	-	214	12	2	11	10	8	5	3	3	-	3	1	8	19	6	1	69	12
19	-	86	10	3	9	8	3	-	-	3	1	4	4	2	11	2	-	13	13
264	5	1,386	98	10	48	86	23	6	36	5	7	27	17	42	105	19	3	400	14
134	2	736	40	6	24	44	10	3	16	2	1	15	11	15	52	6	2	201	15
18	1	103	8	-	2	8	3	1	2	-	4	2	2	4	5	2	-	27	16
28	-	79	10	2	5	6	2	-	2	1	-	1	1	5	7	2	-	23	17
84	2	408	40	2	17	28	8	2	16	2	2	9	3	18	41	9	1	149	18
291	1	916	118	19	29	63	11	12	15	10	3	22	12	56	98	24	5	227	19
91	-	318	24	8	2	21	5	1	8	2	-	6	4	18	34	9	2	84	20
25	-	57	4	3	-	4	-	2	1	-	-	3	-	4	3	-	-	17	21
175	1	541	90	8	27	38	6	9	6	8	3	13	8	34	61	15	3	126	22
140	2	359	46	6	11	38	6	4	12	4	3	11	5	22	45	9	1	130	23
61	-	189	28	5	10	26	4	1	9	3	3	5	3	4	21	5	1	73	24
21	-	41	1	1	-	1	1	-	1	-	-	2	2	3	5	1	-	15	25
21	-	42	1	1	-	2	1	-	1	-	-	2	2	3	5	1	-	15	26
58	2	129	17	-	1	11	1	3	2	-	-	4	-	15	19	3	-	42	27
76	2	367	21	1	29	22	7	1	4	1	-	10	3	24	29	9	-	78	28
31	-	173	10	-	14	9	5	-	3	1	1	2	2	7	13	5	-	29	29
45	2	194	11	1	15	13	2	1	1	1	2	8	1	17	16	4	-	48	30
180	4	833	55	10	18	38	13	5	12	4	-	15	9	25	59	26	3	203	31
98	1	482	38	4	7	22	7	1	6	2	-	6	3	11	31	8	2	110	32
12	-	59	1	-	-	3	1	-	1	-	-	3	1	-	2	2	-	11	33
70	3	292	16	6	11	13	5	4	5	2	-	6	5	14	26	16	1	82	34
333	4	1,668	127	33	92	135	21	13	46	15	-	44	41	60	196	37	6	599	35
84	2	408	31	8	22	23	4	4	18	3	-	8	2	9	55	11	1	146	36
38	-	150	11	4	7	11	3	1	2	-	-	5	2	4	8	3	1	62	37
3	-	15	1	-	-	3	-	1	2	-	-	-	-	2	1	-	-	6	38
17	-	85	6	2	4	11	-	-	1	1	-	4	6	4	10	3	-	21	39
22	-	64	9	1	6	6	1	-	1	-	-	2	11	1	14	1	-	38	40
15	1	88	4	-	7	4	1	1	2	-	-	3	6	4	7	-	2	30	41
4	-	32	1	-	1	2	-	-	1	-	-	-	-	-	6	1	-	9	42
12	1	67	7	-	1	7	-	-	3	2	-	1	1	3	11	1	-	31	43
138	-	759	57	18	44	68	12	6	18	6	-	21	13	33	84	17	2	256	44
155	2	422	51	12	21	29	12	4	4	1	-	11	7	18	30	13	5	112	45
74	-	222	32	9	8	13	5	3	4	1	-	4	5	5	14	6	1	54	46
81	2	200	19	3	13	16	7	1	-	-	1	7	4	13	16	7	4	58	47
88	1	183	28	4	7	14	3	1	2	-	-	11	3	13	19	8	-	74	48
30	1	60	14	2	2	5	1	-	-	-	-	3	3	1	5	3	-	30	49
58	-	123	14	2	5	9	2	1	2	-	-	8	-	12	14	5	-	44	50
119	1	411	24	6	18	26	7	3	8	2	-	14	6	25	38	12	1	113	51
33	-	86	1	5	5	3	4	1	6	-	-	3	-	4	12	2	-	33	52
10	-	60	-	-	-	4	-	-	1	1	-	-	-	-	4	2	-	5	53
76	1	265	23	1	13	19	3	2	1	1	-	11	6	21	22	8	1	75	54
40	2	187	18	3	6	13	-	3	3	1	-	7	-	7	8	6	-	40	55
15	1	78	6	1	2	-	-	2	3	-	-	5	-	3	2	3	-	16	56
25	1	109	12	2	4	13	-	1	-	1	-	2	-	4	6	3	-	24	57
37	1	149	17	2	15	8	3	2	3	2	-	2	3	5	10	10	-	20	58
330	5	1,521	121	20	55	60	15	7	35	12	2	29	21	48	105	38	4	316	59
18	-	111	10	1	3	4	1	1	3	-	-	3	3	4	8	-	-	25	60
34	-	188	20	2	4	12	2	-	3	3	-	2	2	5	12	7	1	31	61
46	1	206	11	2	8	6	4	1	5	2	1	4	1	6	19	1	1	46	62
11	-	97	3	1	4	2	1	-	2	-	-	2	-	2	1	5	-	10	63
14	-	64	5	2	1	5	-	-	2	-	-	-	-	2	5	4	-	16	64
25	-	110	14	2	6	3	1	1	5	2	-	2	4	2	7	3	1	14	65
182	4	745	58	10	29	28	6	4	15	5	1	16	9	28	50	21	1	174	66
24	-	72	10	3	4	8	1	-	-	1	-	2	-	3	4	1	-	22	67
210	2	773	64	13	17	46	12	-	15	4	2	23	8	28	56	34	3	153	68
60	1	196	11	3	9	10	5	-	4	1	-	15	2	5	13	16	1	46	69
72	1	255	12	3	9	13	6	-	5	1	-	18	3	5	15	18	1	57	70
46	-	215	25	5	3	15	3	-	4	-	1	3	2	5	11	3	1	34	71
104	1	382	28	5	5	21	4	-	7	3	1	5	4	18	32	15	1	73	72
144	6	543	55	5	17	30	5	1	10	2	1	10	7	21	56	15	1	170	73
19	1	65	12	-	3	2	1	-	1	-	-	-	1	3	9	1	-	24	74
29	-	107	14	-	4	7	1	-	-	-	-	3	1	5	13	3	-	45	75
20	-	101	7	2	2	1	1	-	5	1	-	3	2	1	5	1	1	24	76
76	5	270	22	3	8	20	3	-	4	1	1	4	3	12	29	10	-	77	77
42	2	110	12	4	5	8	1	-	-	1	-	2	1	7	6	4	-	32	78
1,992	33	9,627	667	182	774	712	131	101	344	61	39	225	359	279	821	178	127	2,321	79
19	-	43	2	1	3	3	2	-	1	-	1	-	3	1	1	-	-	5	80
17	-	114	9	3	4	9	1	2	2	-	-	3	2	9	12	2	1	22	81
216	5	865	104	15	39	64	11	5	27	4	3	16	18	41	98	19	-	329	82
15	1	46	3	-	-	3	-	-	3	-	-	-	1	-	9	1	-	22	83
27	1	133	16	4	6	7	1	-	2	1	1	2	1	4	11	5	-	19	84
18	-	56	8	1	2	9	-	-	7	1	-	-	4	4	13	1	-	45	85
22	1	43	10	-	2	5	1	-	1	-	-	1	1	1	8	1	-	25	86
136	2	587	67	10	29	40	9	5	14	2	2	13	11	32	57	11	-	218	87
33	2	77	10	1	5	11	-	1	1	-	-	-	3	4	6	3	-	25	88
100	1	287	16	2	17	22	5	1	4	1	1	11	4	13	48	10	3	77	89
18	-	34	2	-	1	-	1	-	-	-	-	1	1	1	2	-	-	9	90
46	1	139	20	2	3	7	3	2	2	-	3	5	13	4	13	4	-	49	91

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-013	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	PENNSYLVANIA—Con.																
1	Tioga	438	6	1	-	-	-	1	-	1	-	-	62	8	-	250	246
2	Union	215	1	1	-	-	-	-	-	-	1	-	31	8	-	120	115
3	Venango	697	3	-	-	-	-	-	-	1	-	1	104	14	1	388	377
4	Franklin	142	-	-	-	-	-	-	-	-	-	1	23	3	1	81	79
5	Oil City	222	3	-	-	-	-	-	-	-	-	-	41	6	-	119	117
6	Balance of county	333	-	-	-	-	-	-	-	1	-	-	40	5	-	188	181
7	Warren	458	4	2	-	-	-	-	-	1	-	-	71	9	1	254	247
8	Warren	207	1	1	-	-	-	-	-	-	-	-	36	3	-	116	110
9	Balance of county	251	3	1	-	-	-	-	-	1	-	-	35	6	1	138	137
10	Washington	2,029	43	7	-	1	-	2	1	4	-	3	320	36	-	1,113	1,065
11	Washington	371	6	3	-	1	-	-	1	-	-	-	58	4	-	197	194
12	Canonsburg	138	3	-	-	-	-	-	-	1	-	-	26	2	-	75	71
13	Donora	111	6	-	-	-	-	-	-	-	-	-	21	5	-	52	47
14	Balance of county	1,409	28	4	-	-	-	2	-	3	-	3	215	25	-	789	773
15	Wayne	354	1	-	-	-	-	1	-	-	-	1	47	5	-	215	209
16	Westmoreland	2,857	43	7	-	-	-	2	2	6	-	7	469	54	2	1,606	1,571
17	New Kensington	257	9	1	-	-	-	-	1	1	-	-	44	5	-	131	130
18	Arnold	69	-	-	-	-	-	-	-	-	-	-	12	2	-	36	36
19	Greensburg	199	2	-	-	-	-	-	-	2	-	1	32	1	-	115	114
20	Jeannette	149	2	-	-	-	-	-	-	-	-	1	19	6	-	87	86
21	Latrobe	136	-	1	-	-	-	-	-	-	-	-	26	1	-	70	69
22	Monessen	176	2	-	-	-	-	-	-	-	-	1	34	8	-	97	92
23	Balance of county	1,871	28	5	-	-	-	2	1	3	-	4	302	31	2	1,070	1,044
24	Wyoming	223	-	-	-	-	-	-	-	-	-	-	29	5	1	129	126
25	York	1,962	28	5	-	-	-	2	3	-	2	6	296	42	4	1,144	1,105
26	York	772	12	2	-	-	-	-	1	-	-	2	107	8	1	465	448
27	Hanover	155	1	-	-	-	-	-	-	-	-	-	24	8	2	91	88
28	Balance of county	1,035	15	3	-	-	-	2	2	-	2	4	165	26	1	588	569
29	RHODE ISLAND	8,308	151	36	-	2	1	1	5	3	1	20	1,410	284	4	4,645	4,502
30	Bristol	279	3	4	-	-	-	-	-	-	-	-	43	12	-	155	152
31	Bristol (town)[2]	107	3	1	-	-	-	-	-	-	-	-	12	7	-	68	68
32	Balance of county	172	-	3	-	-	-	-	-	-	-	-	31	5	-	87	84
33	Kent	769	12	3	-	-	-	1	-	-	-	2	121	34	-	416	402
34	Warwick	392	5	2	-	-	-	-	-	-	-	-	68	21	-	219	210
35	West Warwick (town)[2]	210	6	-	-	-	-	1	-	-	-	2	31	9	-	110	107
36	Balance of county	167	1	1	-	-	-	-	-	-	-	-	22	4	-	87	85
37	Newport	629	14	2	-	-	-	-	-	-	-	1	115	24	-	339	334
38	Newport	410	8	-	-	-	-	-	-	-	-	-	82	17	-	218	217
39	Balance of county	219	6	2	-	-	-	-	-	-	-	1	33	7	-	121	117
40	Providence	6,185	117	26	-	1	1	-	5	3	1	17	1,061	198	3	3,499	3,385
41	Providence	2,884	59	11	-	-	1	-	2	1	1	7	493	90	1	1,615	1,566
42	Cranston	444	5	-	-	1	-	-	-	-	-	2	86	14	-	267	261
43	Pawtucket	921	16	8	-	-	-	-	1	1	-	2	144	29	1	542	521
44	Woonsocket	549	7	1	-	-	-	-	1	-	-	1	101	14	1	297	289
45	East Providence (town)[2]	356	6	2	-	-	-	-	-	-	-	1	65	17	-	198	189
46	Central Falls	225	9	2	-	-	-	-	-	-	-	-	37	8	-	122	115
47	Cumberland (town)[2]	111	5	1	-	-	-	-	1	-	-	-	19	6	-	63	61
48	Johnston (town)[2]	105	1	1	-	-	-	-	-	-	-	-	16	4	-	56	54
49	Lincoln (town)[2]	121	1	-	-	-	-	-	-	1	-	2	25	5	-	66	65
50	North Providence(town)[2]	129	1	-	-	-	-	-	-	-	-	-	14	1	-	79	74
51	Balance of county	340	7	-	-	-	-	-	-	-	-	2	61	10	-	194	190
52	Washington	446	5	1	-	1	-	-	-	-	-	-	70	16	1	256	229
53	Westerly (town)[2]	136	2	-	-	1	-	-	-	-	-	-	23	7	-	74	72
54	Balance of county	310	3	1	-	-	-	-	-	-	-	-	47	9	1	162	157
55	SOUTH CAROLINA	17,973	443	139	6	21	22	49	19	10	23	92	1,753	283	38	8,783	8,381
56	Abbeville	207	4	-	-	2	-	1	-	-	-	-	18	4	-	110	103
57	Aiken	537	10	6	-	-	-	2	-	-	1	-	51	11	-	288	272
58	Allendale	103	3	-	-	-	1	-	-	-	-	-	12	2	-	53	53
59	Anderson	759	15	5	-	2	2	1	-	-	2	4	98	15	2	390	375
60	Anderson	298	5	4	-	-	-	-	-	-	-	-	47	8	1	142	140
61	Balance of county	461	10	1	-	2	2	1	-	-	2	4	51	7	1	248	235
62	Bamberg	173	5	2	-	-	-	-	-	-	-	-	13	4	-	83	77
63	Barnwell	187	3	2	1	1	-	1	-	-	-	1	14	4	1	101	98
64	Beaufort	258	14	1	-	-	-	1	-	-	-	2	16	1	-	123	116
65	Berkeley	256	10	3	1	-	-	1	-	1	-	-	14	4	1	100	97
66	Calhoun	162	4	-	1	-	-	-	-	-	1	1	16	1	-	81	79
67	Charleston	1,581	43	15	-	1	1	3	2	2	-	9	159	17	4	640	611
68	Charleston	843	20	7	-	-	1	-	1	-	-	6	95	12	1	386	368
69	Balance of county	738	23	8	-	1	-	3	1	2	-	3	64	5	3	254	243
70	Cherokee	240	6	-	-	-	-	1	-	-	2	-	26	6	-	127	121
71	Chester	245	3	1	1	1	1	-	-	-	-	-	23	3	-	138	130
72	Chesterfield	300	3	1	-	-	2	4	2	-	-	-	28	6	-	133	125
73	Clarendon	261	5	3	1	-	-	-	-	-	-	-	16	1	2	125	109
74	Colleton	236	4	2	-	-	-	-	-	-	-	1	25	4	1	99	92
75	Darlington	433	18	4	-	1	1	2	1	-	-	2	37	6	1	193	185
76	Dillon	279	9	1	-	1	-	-	-	-	1	3	22	4	1	135	133
77	Dorchester	202	6	2	-	1	1	-	-	-	-	2	16	2	-	90	84
78	Edgefield	142	1	-	-	-	-	-	-	-	-	-	9	-	1	74	74
79	Fairfield	166	3	1	-	-	-	-	-	-	-	-	20	5	-	86	85
80	Florence	662	18	7	-	1	-	-	1	-	1	6	58	7	1	316	304
81	Florence	225	6	3	-	-	-	-	1	-	-	3	22	-	-	108	102
82	Balance of county	437	12	4	-	1	-	-	-	-	1	3	36	7	1	208	202
83	Georgetown	242	7	-	-	2	-	2	-	-	-	7	24	5	-	131	121

[2]Classified as urban under a special rule.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
62	-	164	18	2	4	13	2	2	2	1	-	8	2	14	17	1	-	47	1
15	-	88	10	2	5	6	1	1	2	-	-	1	-	8	5	7	1	21	2
96	-	251	29	1	11	18	6	2	8	3	1	10	3	11	27	10	-	86	3
21	-	51	7	-	2	1	2	-	2	1	-	-	-	2	5	-	-	20	4
35	-	72	10	-	2	7	1	1	5	-	1	1	1	2	7	5	-	22	5
40	-	128	12	1	7	10	3	1	1	2	-	9	2	7	15	5	-	44	6
64	1	159	21	2	7	16	-	2	2	-	1	9	8	5	14	3	-	56	7
29	1	70	10	-	6	8	-	-	1	-	1	4	2	3	5	1	-	25	8
35	-	89	11	2	1	8	-	2	1	-	-	5	6	2	9	2	-	31	9
223	4	774	72	12	28	56	9	5	8	3	4	36	15	28	90	30	6	209	10
39	-	135	17	3	3	14	3	-	4	-	-	3	2	3	22	4	1	45	11
14	-	50	7	-	4	3	1	-	-	-	-	2	1	-	4	1	1	18	12
15	-	28	3	1	5	3	-	1	1	1	-	4	1	1	4	-	-	11	13
155	4	561	45	8	16	36	5	4	3	2	4	27	11	24	60	25	4	135	14
43	-	151	13	2	6	11	3	2	3	2	1	2	3	9	10	2	-	36	15
322	5	1,169	68	7	35	81	22	9	27	5	6	34	17	51	107	31	1	268	16
25	-	100	3	2	1	9	3	-	1	1	1	6	3	3	3	5	-	30	17
4	-	31	1	-	-	4	-	-	2	-	-	1	-	3	4	-	-	5	18
26	-	82	6	-	1	7	2	1	2	-	1	2	1	7	8	2	-	13	19
15	-	68	3	-	1	5	-	-	1	-	1	3	-	3	9	2	1	9	20
18	-	51	-	-	1	4	-	-	2	-	-	1	1	3	4	2	-	21	21
23	-	67	2	-	5	5	1	1	3	-	2	-	1	1	3	4	-	13	22
211	5	770	53	5	26	47	16	7	16	4	1	21	11	31	76	16	-	177	23
31	1	80	13	1	3	5	1	2	-	1	-	-	6	6	11	6	-	21	24
242	4	773	80	6	39	54	9	10	9	3	1	28	5	46	61	24	4	176	25
91	2	320	32	3	17	17	5	5	1	-	1	14	1	18	27	7	4	74	26
13	1	67	6	1	3	2	1	2	1	-	-	3	-	5	2	3	-	10	27
138	1	386	42	2	19	35	3	3	7	3	-	11	4	23	32	14	-	92	28
845	6	3,302	307	42	143	149	57	22	91	17	9	108	40	89	287	66	12	798	29
31	1	102	15	3	3	6	2	1	7	2	-	2	1	2	7	1	-	31	30
12	-	50	6	-	-	-	-	-	2	1	-	1	-	2	3	1	-	6	31
19	1	52	9	3	3	6	2	1	5	1	-	1	1	-	4	-	-	25	32
93	-	273	32	4	14	12	8	1	7	-	1	11	9	12	31	5	5	78	33
47	-	147	15	1	9	4	4	-	4	-	1	4	-	5	18	4	-	33	34
23	-	73	11	-	3	4	2	-	3	-	-	3	1	2	8	-	-	28	35
23	-	53	6	3	2	4	2	1	-	-	-	4	8	5	5	1	5	17	36
64	1	244	22	3	5	15	3	2	5	1	1	8	2	4	28	7	1	57	37
37	-	167	12	1	1	7	2	1	4	-	1	5	2	4	17	4	1	37	38
27	1	77	10	2	4	8	1	1	1	1	-	3	-	-	11	3	-	20	39
617	4	2,505	228	31	114	108	41	18	67	11	6	80	26	58	206	47	5	580	40
293	2	1,157	98	16	49	52	22	10	33	6	5	30	12	24	110	24	4	271	41
54	1	195	11	-	6	7	4	-	4	1	-	10	1	4	9	2	-	27	42
79	-	378	58	6	21	13	7	1	17	-	-	14	4	7	21	5	-	88	43
45	-	227	15	2	8	11	1	2	6	-	1	10	2	9	21	5	-	58	44
42	-	138	7	2	9	-	1	1	-	1	-	1	1	3	11	5	-	43	45
15	-	93	5	2	7	4	1	-	2	1	-	1	2	-	6	3	-	27	46
11	-	43	5	2	2	5	2	-	-	-	-	1	-	-	4	1	-	3	47
15	-	36	3	-	2	3	-	1	1	-	-	2	-	3	6	-	-	11	48
11	1	50	3	-	1	2	-	-	2	-	-	-	-	1	4	1	1	10	49
9	-	58	7	-	5	1	2	1	1	-	-	4	2	3	6	-	-	14	50
43	-	130	16	1	4	10	1	2	1	2	-	7	2	4	8	1	-	28	51
40	-	178	10	1	7	8	3	-	5	3	1	7	2	13	15	6	1	52	52
13	-	58	1	-	2	2	1	-	3	-	-	-	-	1	4	2	-	16	53
27	-	120	9	1	5	6	2	-	2	3	1	7	2	12	11	4	1	36	54
2,259	41	5,440	565	76	402	882	72	156	57	60	93	218	772	633	766	137	228	2,218	55
28	-	71	4	-	7	6	1	-	2	-	3	3	4	7	11	3	3	25	56
86	-	163	21	2	16	38	4	3	3	5	1	8	12	11	25	2	10	46	57
8	-	41	4	-	-	4	-	1	-	-	-	-	5	4	7	1	-	10	58
70	2	278	24	1	15	34	3	4	1	-	5	14	14	24	22	8	6	88	59
21	-	114	4	1	2	18	1	2	1	-	1	4	4	12	8	5	2	33	60
49	2	164	20	-	13	16	2	2	-	-	4	10	10	12	14	3	4	55	61
32	-	40	4	1	6	14	-	3	1	-	1	3	11	9	3	1	2	18	62
28	-	62	8	-	3	11	-	1	-	2	1	2	10	6	5	-	2	18	63
38	-	74	3	1	7	13	2	2	1	-	3	2	12	8	19	1	4	33	64
30	-	58	7	2	3	14	-	3	-	4	1	3	25	10	22	2	2	35	65
14	-	58	6	1	2	7	-	2	-	-	1	1	19	4	2	1	-	20	66
155	5	398	49	4	29	50	6	3	6	5	5	16	234	53	85	9	19	194	67
99	3	235	29	2	18	23	2	1	5	4	3	8	89	15	39	5	12	108	68
56	2	163	20	2	11	27	4	2	1	1	2	8	145	38	46	4	7	86	69
28	-	88	4	1	6	9	-	4	-	1	-	2	1	11	13	3	6	22	70
37	-	82	10	1	8	14	2	3	-	-	1	2	7	6	7	1	5	26	71
40	-	72	9	4	8	23	-	3	-	-	4	4	6	19	16	2	3	41	72
33	1	63	9	3	16	14	-	2	-	3	1	2	14	14	13	2	2	41	73
28	-	57	7	-	7	13	1	3	-	3	4	3	24	9	8	2	3	27	74
49	-	124	10	2	8	23	1	10	2	-	4	7	20	11	17	1	9	62	75
27	1	98	5	2	2	20	3	4	1	-	3	1	9	17	11	3	3	27	76
29	1	49	5	-	6	18	-	4	-	2	1	-	7	12	10	-	2	26	77
26	-	47	1	-	-	7	-	-	1	-	1	1	8	6	9	3	1	20	78
22	-	56	6	1	1	5	1	2	-	-	3	-	5	3	9	-	3	20	79
93	2	189	17	3	12	27	2	8	6	1	4	12	25	28	28	4	9	92	80
33	1	61	6	1	6	10	1	1	3	-	-	2	3	10	10	2	5	35	81
60	1	128	11	2	6	17	1	7	3	1	4	10	22	18	18	2	4	57	82
37	-	75	8	1	10	13	-	3	-	-	2	3	10	7	7	3	2	14	83

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 056-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	SOUTH CAROLINA—Con.																
1	Greenville	1,345	29	9	-	-	-	-	-	1	4	8	152	27	2	682	661
2	Greenville	607	16	6	-	-	-	-	-	1	-	3	69	11	1	296	287
3	Balance of county	738	13	3	-	-	-	-	-	-	4	5	83	16	1	386	374
4	Greenwood	372	6	2	-	-	-	-	1	-	1	1	55	4	-	203	194
5	Greenwood	166	4	2	-	-	-	-	1	-	1	1	22	-	-	94	87
6	Balance of county	206	2	-	-	-	-	-	-	-	-	-	33	4	-	109	107
7	Hampton	198	12	1	-	-	-	1	2	-	-	3	11	1	-	104	99
8	Horry	486	14	5	-	-	2	-	2	-	1	3	41	8	3	193	177
9	Jasper	97	3	-	-	-	-	-	-	-	-	1	5	1	-	48	46
10	Kershaw	303	5	4	-	-	-	-	1	2	1	5	24	7	3	155	148
11	Lancaster	268	7	-	-	1	-	-	1	1	-	-	24	4	1	124	118
12	Laurens	382	6	3	-	1	1	3	-	1	2	1	40	6	1	188	183
13	Lee	174	2	-	-	-	-	1	-	-	1	-	8	-	3	100	98
14	Lexington	384	2	1	-	-	2	-	-	-	-	1	38	4	1	204	197
15	McCormick	96	-	1	-	-	-	-	-	-	-	-	12	2	-	48	46
16	Marion	320	14	-	-	-	-	2	-	-	-	2	23	1	1	163	154
17	Marlboro	348	14	3	-	-	2	2	1	-	-	2	20	5	-	160	156
18	Newberry	301	7	1	-	-	-	-	-	-	-	-	28	3	1	173	166
19	Oconee	263	1	-	-	1	-	1	-	-	-	2	30	7	-	137	124
20	Orangeburg	526	10	9	-	-	-	-	-	1	-	2	38	11	1	308	298
21	Orangeburg	145	4	2	-	-	-	-	-	1	-	-	13	-	1	74	72
22	Balance of county	481	6	7	-	-	-	-	-	-	-	2	25	11	-	234	227
23	Pickens	247	6	1	-	1	2	1	-	-	-	-	26	5	-	119	115
24	Richland	1,152	38	20	-	1	2	3	1	-	-	3	148	17	2	579	558
25	Columbia	851	18	13	-	-	-	2	1	-	-	3	115	17	1	424	408
26	Balance of county	301	20	7	-	1	2	1	-	-	-	-	33	-	1	155	150
27	Saluda	138	4	2	-	-	-	-	1	-	1	2	16	2	-	70	67
28	Spartanburg	1,139	26	11	-	2	-	1	1	-	2	5	115	23	2	600	573
29	Spartanburg	430	6	5	-	-	-	1	-	-	1	1	48	9	1	228	220
30	Balance of county	709	20	6	-	2	-	-	1	-	1	4	67	14	1	372	353
31	Sumter	550	10	4	1	-	1	4	-	1	-	3	57	16	-	265	254
32	Sumter	163	5	1	-	-	1	1	-	1	-	2	17	6	-	76	72
33	Balance of county	387	5	3	1	-	-	3	-	-	-	1	40	10	-	189	182
34	Union	258	7	1	-	-	-	-	-	-	1	1	24	6	-	144	139
35	Williamsburg	380	15	3	-	1	-	7	2	-	-	5	35	5	-	168	153
36	York	515	11	2	-	-	1	4	-	-	1	4	68	6	2	252	226
37	Rock Hill	157	6	-	-	-	-	2	-	-	1	2	19	4	-	71	69
38	Balance of county	358	5	2	-	-	1	2	-	-	-	2	49	2	2	161	157
39	SOUTH DAKOTA	5,880	113	17	-	1	1	9	6	16	6	21	843	116	11	2,959	2,884
40	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Aurora	42	-	-	-	-	-	-	-	-	-	-	11	-	-	26	26
42	Beadle	190	2	-	-	-	-	-	-	2	-	-	32	5	-	100	99
43	Huron	123	1	-	-	-	-	-	-	2	-	-	21	3	-	66	65
44	Balance of county	67	1	-	-	-	-	-	-	-	-	-	11	2	-	34	34
45	Bennett	35	2	-	-	-	-	-	-	1	-	-	5	-	-	10	8
46	Bon Homme	76	-	1	-	-	-	-	-	-	-	-	14	2	-	34	33
47	Brookings	139	-	-	-	-	-	-	-	-	-	-	31	4	-	67	63
48	Brown	293	5	3	-	-	-	-	-	-	-	-	41	11	-	167	165
49	Aberdeen	193	4	3	-	-	-	-	-	-	-	-	26	6	-	117	115
50	Balance of county	100	1	-	-	-	-	-	-	-	-	-	15	5	-	50	50
51	Brule	66	1	-	-	-	-	1	-	2	-	1	11	-	-	31	31
52	Buffalo	19	1	-	-	-	-	1	1	-	-	1	-	-	-	7	7
53	Butte	89	2	-	-	-	-	-	-	-	-	-	12	1	1	38	37
54	Campbell	28	-	-	-	-	-	-	-	-	-	-	7	2	-	13	12
55	Charles Mix	119	8	1	-	-	-	-	-	-	2	-	15	2	1	57	56
56	Clark	78	-	-	-	-	-	-	-	-	-	-	7	1	-	42	39
57	Clay	98	2	1	-	-	-	-	-	-	-	-	16	4	-	59	58
58	Codington	199	2	-	-	-	-	-	1	1	1	-	28	3	1	110	107
59	Watertown	150	1	-	-	-	-	-	1	-	1	-	20	3	1	89	87
60	Balance of county	49	1	-	-	-	-	-	-	1	-	-	8	-	-	21	20
61	Corson	50	7	-	-	-	-	3	-	-	-	-	7	-	-	17	17
62	Custer	45	2	-	-	-	-	-	1	1	-	-	4	-	-	23	23
63	Davison	166	-	1	-	1	-	-	-	-	-	-	22	4	-	84	80
64	Mitchell	135	-	-	-	-	-	-	-	-	-	-	18	4	-	72	69
65	Balance of county	31	-	1	-	1	-	-	-	-	-	-	4	-	-	12	11
66	Day	112	-	1	-	-	-	1	-	1	-	1	16	1	-	62	61
67	Deuel	76	-	-	-	-	-	-	-	1	-	-	9	-	-	43	43
68	Dewey	38	2	-	-	-	-	-	-	-	-	-	2	1	1	17	17
69	Douglas	49	-	-	-	-	-	-	-	-	-	-	6	-	-	32	32
70	Edmunds	50	-	-	-	-	-	-	-	-	-	-	10	-	-	25	23
71	Fall River	105	4	-	-	-	-	-	-	-	-	1	8	4	-	46	44
72	Faulk	42	-	-	-	-	-	-	-	-	-	-	5	-	-	23	23
73	Grant	82	-	-	-	-	-	-	-	-	-	1	13	1	-	48	45
74	Gregory	79	1	-	-	-	-	-	-	-	-	-	11	3	-	41	38
75	Haakon	30	1	-	-	-	-	-	-	-	-	-	3	1	2	17	17
76	Hamlin	62	-	-	-	-	-	-	-	1	-	-	15	-	-	36	36
77	Hand	50	3	-	-	-	-	-	-	-	-	-	3	2	-	26	25
78	Hanson	33	1	-	-	-	-	-	-	-	-	-	5	-	-	18	18
79	Harding	24	-	-	-	-	-	-	-	1	-	-	1	1	-	14	12
80	Hughes	82	-	-	-	-	-	-	-	-	-	-	13	1	-	38	38
81	Hutchinson	87	-	-	-	-	-	-	-	-	-	-	13	-	-	49	48
82	Hyde	20	-	-	-	-	-	-	-	-	-	-	4	1	-	10	10
83	Jackson	17	-	-	-	-	-	-	-	-	-	-	1	-	-	14	14
84	Jerauld	38	-	-	-	-	-	-	-	-	-	-	2	1	-	20	20
85	Jones	26	-	-	-	-	-	-	-	-	-	-	2	-	-	13	12
86	Kingsbury	87	1	-	-	-	-	-	-	-	-	-	17	1	-	51	51
87	Lake	122	1	-	-	-	-	-	-	-	-	2	13	-	-	63	63

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-445	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-669	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
157	3	453	41	7	21	41	5	7	6	7	4	21	12	52	64	10	17	185	1
55	2	208	20	2	9	15	3	2	2	1	3	10	5	28	36	6	11	82	2
102	1	245	21	5	12	26	2	5	4	6	1	11	7	24	28	4	6	103	3
45	-	143	6	-	9	19	1	2	-	-	3	3	4	13	11	2	3	58	4
17	-	66	4	-	7	8	1	1	-	-	-	1	1	4	5	1	1	18	5
28	-	77	2	-	2	11	-	1	-	-	3	2	3	9	6	1	2	20	6
19	-	70	6	4	5	22	-	-	1	1	2	-	6	4	8	-	3	16	7
60	3	105	9	-	16	41	1	5	-	2	2	9	16	18	33	2	10	73	8
15	-	28	2	1	2	4	-	1	-	1	-	-	14	5	6	-	3	5	9
48	-	81	17	2	7	20	-	4	4	-	3	5	1	9	10	2	5	33	10
22	-	91	5	-	6	11	4	3	2	1	1	5	6	14	15	4	1	38	11
44	1	109	15	-	19	17	1	6	1	6	-	6	6	16	14	3	9	44	12
24	-	64	8	2	2	9	-	4	1	-	3	1	11	7	7	-	1	15	13
47	-	120	29	1	7	17	1	3	2	-	-	5	13	16	13	8	2	51	14
9	-	30	7	-	2	7	-	-	-	-	-	-	11	1	2	1	-	11	15
59	3	76	13	3	9	23	1	7	-	2	1	4	9	6	11	3	1	46	16
61	-	84	9	2	4	21	1	6	-	2	2	5	3	8	24	2	10	55	17
35	-	121	7	3	7	15	4	2	1	-	-	5	4	8	12	1	3	33	18
34	-	78	12	-	13	11	3	5	1	-	1	2	4	12	11	1	2	31	19
85	3	188	20	2	9	27	4	4	4	2	2	7	54	21	24	7	10	60	20
22	-	44	6	-	2	5	-	3	1	1	-	-	5	3	4	2	4	22	21
63	3	145	14	2	7	22	4	1	3	1	2	7	49	18	20	5	6	58	22
35	2	63	15	-	4	11	3	2	2	-	-	6	1	12	13	4	2	30	23
131	2	388	31	6	21	43	3	3	6	2	5	17	12	30	41	9	13	154	24
96	1	286	19	6	16	29	2	3	6	1	3	13	7	21	32	7	7	126	25
35	1	102	12	-	5	14	1	-	-	1	2	4	5	9	9	2	6	28	26
20	2	42	3	-	3	7	-	-	-	-	-	2	3	6	4	1	3	14	27
143	4	386	33	7	27	45	7	4	1	1	7	11	25	47	32	17	17	137	28
49	-	153	14	4	8	18	3	1	-	-	4	2	6	13	10	7	5	61	29
94	4	233	19	3	19	27	4	3	1	1	3	9	19	34	22	10	12	78	30
62	4	177	9	2	11	36	3	8	-	3	2	4	24	12	20	4	3	69	31
15	-	51	5	1	4	6	-	1	-	-	-	1	1	2	4	3	2	33	32
47	4	126	4	1	7	30	3	7	-	3	2	3	23	10	16	1	1	36	33
53	1	71	13	1	5	5	1	1	-	2	1	3	3	7	12	-	6	33	34
39	-	97	15	2	15	21	-	5	1	1	3	4	38	10	9	2	4	41	35
74	1	131	19	1	6	32	3	6	-	1	2	4	8	20	21	2	4	81	36
15	1	45	7	1	2	9	1	3	-	-	-	2	1	5	3	1	-	27	37
59	-	86	12	-	4	23	2	3	-	1	2	2	7	15	18	1	4	54	38
740	7	1,935	174	28	75	205	28	19	27	8	15	86	128	196	262	67	7	715	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3	-	19	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	3	41
38	-	53	8	-	1	3	1	-	-	-	1	3	1	11	6	2	-	21	42
21	-	40	4	-	1	1	-	-	-	-	1	2	-	8	5	-	-	13	43
17	-	13	4	-	-	2	1	-	-	-	-	1	1	3	1	2	-	8	44
2	-	6	-	-	2	2	-	-	-	-	-	1	4	3	1	-	-	6	45
8	-	25	-	-	1	6	-	-	-	-	-	3	5	-	3	2	-	6	46
19	-	41	3	-	4	2	1	-	1	-	-	-	1	2	8	2	1	19	47
48	-	105	10	2	2	13	3	-	4	1	-	2	2	8	9	1	-	23	48
34	-	74	6	1	2	8	3	-	3	1	-	-	1	2	4	-	-	15	49
14	-	31	4	1	-	5	-	-	1	-	-	2	1	6	5	1	-	8	50
7	-	24	-	-	-	3	-	1	-	-	-	-	2	-	4	1	-	8	51
2	-	5	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	4	52
8	-	27	1	1	1	-	-	-	-	1	-	1	1	5	2	5	-	20	53
2	-	9	1	-	1	-	-	-	-	-	-	1	1	-	2	1	-	1	54
17	-	35	4	-	1	2	-	-	2	-	-	4	1	6	7	2	-	9	55
6	-	30	3	-	3	7	-	-	-	-	-	1	-	-	3	2	1	14	56
19	-	33	5	1	1	2	-	-	-	-	-	-	-	-	4	-	-	10	57
26	1	77	3	-	3	5	2	2	2	-	-	3	-	5	6	1	-	26	58
18	1	66	2	-	2	2	1	1	2	-	-	2	-	3	3	-	-	20	59
8	-	11	1	-	1	3	1	1	-	-	-	1	-	2	3	1	-	6	60
5	-	10	2	-	-	3	-	1	1	-	1	-	2	2	1	-	-	5	61
4	-	18	-	1	-	2	-	1	-	-	-	1	1	1	2	1	-	5	62
17	1	54	7	1	4	3	1	-	2	-	-	5	5	6	6	3	-	23	63
16	1	46	5	1	3	-	1	-	2	-	-	5	3	3	6	2	-	19	64
1	-	8	2	-	1	3	-	-	-	-	-	-	2	3	-	1	-	4	65
18	-	40	3	-	1	5	-	-	-	1	-	-	2	5	4	1	-	11	66
19	-	23	1	-	-	4	-	-	-	-	-	-	1	2	3	2	-	11	67
4	-	13	-	-	-	2	1	1	-	-	-	1	3	3	3	-	-	1	68
9	-	21	1	1	-	-	-	-	-	-	1	3	1	1	-	1	-	4	69
3	-	20	-	-	2	1	-	-	-	-	-	1	1	1	1	2	-	9	70
6	-	35	3	-	2	4	3	-	-	-	-	-	1	5	12	3	-	14	71
5	-	17	1	-	-	1	-	-	1	-	-	-	-	1	4	-	-	7	72
11	1	29	4	-	3	2	-	-	2	-	-	1	1	-	3	1	-	9	73
7	-	29	-	2	3	5	2	-	-	-	-	-	1	1	3	-	-	11	74
7	-	9	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	3	75
11	-	24	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-	6	76
2	-	20	2	1	1	1	-	-	-	-	-	-	1	4	4	-	-	6	77
6	-	12	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-	4	78
4	-	8	-	-	2	1	-	-	-	-	-	1	1	1	-	1	1	1	79
8	-	28	2	2	-	2	-	1	1	-	-	1	2	1	10	-	-	12	80
13	-	32	3	-	1	3	-	-	-	1	1	1	1	3	2	1	-	12	81
4	-	6	2	-	-	-	1	-	-	-	-	1	-	1	1	-	-	1	82
4	-	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	83
5	-	11	4	-	-	-	-	-	-	-	-	1	-	1	4	1	-	8	84
2	-	10	-	-	1	2	-	-	1	-	-	-	-	2	1	-	-	5	85
13	-	32	3	3	-	5	-	-	1	-	1	-	-	-	5	-	-	5	86
18	-	43	2	-	-	5	-	-	-	-	-	1	3	3	11	5	-	15	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 096-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	SOUTH DAKOTA—Con.																
1	Lawrence	180	7	2	-	-	-	-	-	-	-	1	26	3	-	83	81
2	Lincoln	127	-	-	-	-	-	-	-	-	1	1	24	2	1	59	55
3	Lyman	44	2	-	-	-	-	-	-	-	-	-	6	1	-	16	15
4	McCook	82	-	1	-	-	-	-	-	-	-	-	11	3	-	43	41
5	McPherson	50	-	-	-	-	-	-	-	-	-	-	10	2	-	29	24
6	Marshall	78	3	-	-	-	-	-	1	-	-	1	8	1	-	45	44
7	Meade	105	1	-	-	-	-	-	1	-	-	-	14	2	1	61	60
8	Mellette	43	4	1	-	-	-	-	-	-	-	1	6	-	-	14	12
9	Miner	61	-	-	-	-	-	-	-	-	-	-	12	1	-	26	26
10	Minnehaha	613	7	1	-	-	-	-	-	-	-	2	89	14	-	318	312
11	Sioux Falls	455	6	1	-	-	-	-	-	-	-	1	63	9	-	237	233
12	Balance of county	158	1	-	-	-	-	-	-	-	-	1	26	5	-	81	79
13	Moody	74	4	-	-	-	-	-	-	-	-	-	13	3	-	28	28
14	Pennington	268	5	-	-	-	-	1	-	1	1	1	41	4	-	133	131
15	Rapid City	200	5	-	-	-	-	1	-	1	1	1	34	3	-	96	96
16	Balance of county	68	-	-	-	-	-	-	-	-	-	-	7	1	-	37	36
17	Perkins	47	-	-	-	-	-	1	-	-	-	-	3	1	-	33	31
18	Potter	30	1	1	-	-	-	-	-	-	-	1	5	-	-	12	12
19	Roberts	164	3	-	-	-	1	-	1	4	-	-	18	4	-	76	75
20	Sanborn	47	1	-	-	-	-	-	-	-	-	2	9	1	-	27	27
21	Shannon	78	12	-	-	-	-	-	-	-	-	1	6	1	-	12	12
22	Spink	113	1	-	-	-	-	-	-	-	-	-	15	-	-	67	67
23	Stanley	17	-	-	-	-	-	-	-	-	-	-	2	-	-	12	12
24	Sully	12	-	-	-	-	-	-	-	-	-	-	1	-	-	9	9
25	Todd	65	7	-	-	-	-	-	-	-	1	-	2	-	2	5	4
26	Tripp	65	-	1	-	-	-	-	-	-	-	-	11	-	-	31	31
27	Turner	98	-	-	-	-	-	-	-	-	-	-	20	5	-	56	54
28	Union	119	-	-	-	-	-	-	-	-	-	1	17	4	-	61	59
29	Walworth	75	1	-	-	-	-	-	-	-	-	-	13	4	-	33	33
30	Washabaugh	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
31	Yankton	143	2	2	-	-	-	-	-	-	-	2	22	3	1	70	70
32	Ziebach	31	4	-	-	-	-	1	-	-	-	-	2	-	-	9	8
33	TENNESSEE	29,425	1,110	141	7	42	19	64	39	34	24	139	3,447	314	57	13,825	13,179
34	Anderson	296	6	1	-	5	-	-	-	-	1	2	38	3	1	106	98
35	Bedford	220	9	-	-	1	-	-	-	-	-	1	21	-	-	131	121
36	Benton	112	5	1	-	-	-	-	-	-	-	-	12	-	-	57	55
37	Bledsoe	74	2	-	-	-	-	-	-	-	-	-	3	1	-	35	33
38	Blount	343	7	1	1	-	2	2	-	-	-	-	51	4	-	170	162
39	Bradley	270	18	1	-	-	-	-	-	-	-	-	33	5	-	117	113
40	Cleveland	155	10	1	-	-	-	-	-	-	-	-	18	5	-	61	58
41	Balance of county	115	8	-	-	-	-	-	-	-	-	-	15	-	-	56	55
42	Campbell	273	7	-	-	1	-	3	-	-	-	-	22	1	-	96	86
43	Cannon	99	1	-	-	-	-	-	-	-	-	1	15	-	-	49	49
44	Carroll	249	6	-	-	1	-	1	-	-	-	-	23	3	-	136	129
45	Carter	298	5	2	-	-	-	-	-	-	-	1	38	1	2	139	132
46	Elizabethton	93	-	1	-	-	-	-	-	-	-	1	9	-	-	48	47
47	Balance of county	205	5	1	-	-	-	-	-	-	-	-	29	1	2	91	85
48	Cheatham	77	3	-	-	-	-	-	1	-	-	-	12	1	-	41	40
49	Chester	84	3	-	-	1	-	1	-	-	-	-	14	1	-	43	40
50	Claiborne	169	5	1	-	-	-	-	1	-	-	-	22	-	-	68	61
51	Clay	63	5	-	1	-	-	-	-	-	-	-	6	1	-	26	25
52	Cocke	196	14	-	-	1	-	-	1	-	-	1	19	1	-	65	54
53	Coffee	204	6	-	-	1	-	3	-	-	-	2	35	1	1	82	79
54	Crockett	165	5	-	-	-	-	2	-	-	-	-	15	3	-	84	79
55	Cumberland	132	1	-	-	-	-	1	-	-	-	-	16	-	1	44	39
56	Davidson	2,977	77	18	1	4	3	5	7	5	2	18	390	33	1	1,398	1,346
57	Nashville	2,286	59	15	1	3	2	4	5	3	2	15	288	23	1	1,070	1,027
58	Balance of county	691	18	3	-	1	1	1	2	2	-	3	122	10	-	328	319
59	Decatur	83	4	-	-	-	-	1	-	-	-	-	13	1	-	35	35
60	De Kalb	117	6	-	-	-	-	-	-	-	-	-	17	1	-	64	64
61	Dickson	160	14	1	-	-	-	1	-	-	-	1	21	2	-	75	72
62	Dyer	283	9	-	-	5	-	-	-	1	1	3	35	4	1	147	138
63	Dyersburg	128	3	-	-	-	-	-	-	1	-	-	21	1	1	66	59
64	Balance of county	155	6	-	-	5	-	-	-	-	1	3	14	3	-	81	79
65	Fayette	210	10	2	-	1	-	1	-	1	-	3	18	2	-	87	86
66	Fentress	112	4	-	-	-	-	-	-	-	-	-	10	-	1	34	30
67	Franklin	239	11	2	-	1	-	1	1	-	-	2	28	2	-	110	108
68	Gibson	474	12	-	-	1	-	2	-	-	-	1	64	5	-	263	257
69	Giles	264	14	-	-	-	-	1	-	-	1	1	24	2	-	118	115
70	Grainger	123	6	-	-	-	-	-	-	-	2	-	15	-	-	65	62
71	Greene	385	15	1	-	1	-	-	-	-	-	2	34	2	-	183	178
72	Grundy	107	4	-	-	-	-	-	-	-	-	-	10	-	1	47	41
73	Hamblen	215	10	-	-	-	-	-	-	-	-	2	20	3	-	102	89
74	Morristown	110	6	-	-	-	-	-	-	-	-	2	10	3	-	50	46
75	Balance of county	105	4	-	-	-	-	-	-	-	-	-	10	-	-	52	43
76	Hamilton	2,002	97	13	1	-	-	2	4	1	-	13	216	22	5	950	911
77	Chattanooga	1,513	78	9	1	-	-	2	3	1	-	9	154	14	4	722	689
78	Balance of county	489	19	4	-	-	-	-	1	-	-	4	62	8	1	228	222
79	Hancock	70	7	-	-	-	1	-	-	-	-	-	3	-	-	20	19
80	Hardeman	200	8	2	-	-	-	1	-	-	1	1	20	7	-	90	86
81	Hardin	118	6	-	-	-	1	-	-	-	-	-	15	-	-	58	53
82	Hawkins	256	11	1	-	-	-	-	-	-	1	1	22	1	-	121	109
83	Haywood	242	8	2	-	1	-	2	-	-	1	-	29	-	2	91	86
84	Henderson	149	4	-	-	-	-	1	-	-	-	-	15	3	-	78	76
85	Henry	271	13	2	1	-	-	1	-	1	-	2	23	2	1	160	155
86	Hickman	119	4	-	-	1	-	-	-	-	-	-	17	1	-	56	54

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-669	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residua	
18	-	60	3	-	2	2	3	-	-	-	1	2	4	6	10	-	-	30	1
13	-	38	4	-	4	9	-	-	-	-	-	1	2	11	3	-	-	13	2
6	-	8	1	-	1	3	1	1	-	-	-	2	-	2	4	-	-	6	3
12	-	23	4	2	2	-	1	-	-	-	1	1	-	3	5	1	-	12	4
4	-	18	2	-	5	-	-	-	-	-	-	-	1	2	2	-	-	4	5
12	-	30	2	-	1	2	-	-	-	-	-	1	-	4	3	-	-	9	6
17	1	39	2	1	1	1	1	-	-	-	-	2	-	3	7	1	-	10	7
3	-	8	1	-	2	-	-	1	-	-	-	1	9	-	3	-	-	3	8
8	-	17	1	-	-	2	-	-	-	-	-	1	1	7	5	-	-	6	9
79	2	208	22	1	6	9	2	-	4	2	1	11	3	23	25	9	2	91	10
56	2	156	18	1	4	5	2	-	4	1	1	8	3	15	20	8	1	70	11
23	-	52	4	-	2	4	-	-	-	1	-	3	-	8	5	1	1	21	12
3	-	23	2	-	-	1	1	-	-	-	-	-	1	6	4	-	-	13	13
37	-	84	7	3	2	8	2	-	-	-	-	5	5	10	12	4	1	34	14
24	-	66	4	1	1	6	2	-	-	-	-	4	3	7	8	3	1	24	15
13	-	18	3	2	1	2	-	-	-	-	-	1	2	3	4	1	-	10	16
9	-	20	2	-	2	2	-	-	-	-	1	1	-	1	2	-	-	2	17
-	-	11	1	-	-	-	-	-	-	-	-	1	-	2	2	-	-	5	18
21	-	48	5	1	1	10	-	1	2	1	1	1	4	3	6	3	-	25	19
3	-	23	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	5	20
2	-	9	1	-	-	12	-	1	-	-	-	1	19	6	2	-	-	5	21
21	-	34	12	-	-	3	1	-	-	-	-	1	-	4	4	2	-	15	22
2	-	9	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	23
3	-	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	24
-	-	4	-	-	1	8	-	1	-	-	2	1	25	3	1	-	-	7	25
6	-	22	2	1	-	3	-	1	2	-	-	2	-	2	4	4	-	4	26
17	-	31	6	-	2	3	-	-	-	-	-	1	-	1	1	1	-	10	27
7	-	48	4	-	2	5	-	1	1	1	1	4	-	5	6	-	-	12	28
9	1	22	1	-	-	4	-	1	-	-	-	4	2	3	4	-	-	6	29
-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	2	30
19	-	45	4	2	-	6	-	-	-	-	-	4	1	2	4	1	1	22	31
1	-	7	-	-	1	5	-	3	-	-	1	-	2	-	1	-	-	3	32
3,465	55	8,878	664	121	646	1,558	128	233	181	98	108	390	1,811	778	1,101	273	301	3,405	33
18	2	70	8	-	8	13	2	2	3	-	5	6	23	10	10	3	3	53	34
22	-	92	6	1	10	8	-	1	-	1	2	1	2	4	10	4	2	22	35
10	-	39	6	-	2	8	-	-	-	-	-	3	10	4	3	-	-	9	36
11	-	22	-	-	2	4	-	-	-	-	-	1	11	3	5	1	1	7	37
39	-	116	7	-	8	12	2	3	2	-	1	7	6	5	15	2	4	46	38
28	2	76	6	1	4	10	-	4	2	1	1	8	15	4	15	1	4	31	39
11	1	42	3	1	3	5	-	3	1	1	1	4	9	4	10	1	3	18	40
17	1	34	3	-	1	5	-	1	1	-	-	4	6	-	5	-	1	13	41
22	1	61	2	-	10	19	1	10	1	1	2	12	34	9	19	3	2	30	42
14	-	33	2	-	-	4	-	-	-	-	-	2	13	1	3	-	1	9	43
41	-	70	18	-	7	14	-	1	-	-	1	3	13	5	10	1	4	27	44
48	1	78	5	-	7	18	1	4	-	4	2	7	7	6	12	4	1	44	45
16	-	31	-	-	1	1	1	-	-	1	-	1	2	2	5	4	1	16	46
32	1	47	5	-	6	17	-	4	-	3	2	6	5	4	7	-	-	28	47
12	-	25	3	-	1	6	-	-	-	-	-	1	2	1	3	1	-	5	48
15	-	20	5	-	3	7	-	1	-	1	-	-	-	2	3	-	-	7	49
24	-	34	3	-	7	7	2	1	-	1	2	2	16	4	6	5	3	23	50
5	-	18	2	-	1	3	-	-	-	-	1	1	4	2	1	2	1	9	51
9	2	40	3	-	11	12	2	1	4	1	1	3	20	12	10	3	6	19	52
27	1	44	6	1	3	18	4	2	2	-	-	3	9	6	7	2	2	18	53
34	-	36	8	1	5	10	4	5	-	1	1	1	7	1	7	1	1	17	54
14	-	22	3	-	5	14	-	1	1	-	-	2	15	6	6	2	2	20	55
354	1	904	70	17	52	90	15	37	24	5	5	38	158	95	135	36	48	329	56
261	1	695	55	15	43	69	14	31	21	3	5	30	127	80	105	23	43	264	57
93	-	209	15	2	9	21	1	6	3	2	-	8	31	15	30	13	5	65	58
7	1	27	-	-	-	6	-	-	-	-	-	1	5	1	5	1	-	10	59
9	-	52	2	1	-	4	-	-	-	-	1	-	4	5	5	1	-	9	60
22	-	45	2	3	3	9	-	1	1	-	1	2	3	6	6	-	-	16	61
40	-	93	5	-	9	9	-	1	2	-	1	3	5	3	12	4	3	34	62
13	-	42	4	-	7	5	-	-	1	-	1	1	2	1	6	1	3	14	63
27	-	51	1	-	2	4	-	1	1	-	-	2	3	2	6	3	-	20	64
27	-	56	2	1	1	7	2	1	1	-	-	2	39	5	8	2	2	16	65
6	-	24	-	-	4	1	-	4	-	-	-	3	21	4	6	3	2	19	66
43	-	61	4	-	2	15	4	1	-	2	1	3	6	7	8	1	2	31	67
65	-	181	9	2	6	18	2	-	2	4	2	6	21	10	9	1	3	48	68
41	-	68	6	-	3	32	-	2	1	1	1	-	19	4	5	5	-	33	69
17	-	45	-	-	3	6	1	-	-	-	-	-	11	2	2	1	-	12	70
49	-	121	8	-	5	22	3	11	-	2	3	8	20	9	21	4	4	40	71
5	-	33	3	-	6	5	-	-	-	1	1	1	20	4	3	-	-	10	72
23	1	56	6	3	13	11	-	2	3	2	-	4	6	7	8	-	-	35	73
9	-	33	2	2	4	2	-	1	1	1	-	3	4	3	5	-	-	19	74
14	1	23	4	1	9	9	-	1	2	1	-	1	2	4	3	-	-	16	75
213	3	641	44	10	39	93	4	8	18	9	6	32	118	69	69	8	26	218	76
172	2	470	37	8	33	65	1	6	18	6	6	24	97	49	51	6	21	166	77
41	1	171	7	2	6	28	3	2	-	3	-	8	21	20	18	2	5	52	78
4	1	13	1	-	1	5	-	-	-	-	-	-	26	1	2	3	-	2	79
29	1	52	3	1	4	7	-	-	1	-	1	5	18	7	11	2	2	16	80
14	-	34	4	1	5	2	-	4	-	-	-	1	5	2	5	-	-	19	81
29	-	71	8	1	12	18	-	-	-	2	1	4	21	9	5	-	2	36	82
19	1	63	2	1	5	18	1	4	3	-	3	1	43	5	3	-	1	24	83
28	-	46	2	-	2	9	-	2	1	-	1	-	9	3	4	1	1	17	84
38	1	110	6	-	5	10	-	1	1	1	1	2	10	5	7	4	1	22	85
14	-	36	4	-	2	10	1	-	-	-	1	-	4	2	4	2	1	15	86

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TENNESSEE--Continued																
1	Houston	51	6	-	-	-	-	-	-	-	-	-	2	-	-	26	25
2	Humphreys	124	7	-	-	-	-	-	-	-	-	1	7	1	-	70	68
3	Jackson	105	10	-	-	-	-	-	-	-	2	-	7	1	-	51	42
4	Jefferson	159	3	1	-	-	1	-	-	-	-	-	24	1	-	80	76
5	Johnson	114	2	-	-	-	1	-	1	1	-	1	9	3	-	56	47
6	Knox	1,979	70	4	-	1	2	2	4	3	-	7	245	22	3	979	922
7	Knoxville	1,259	38	4	-	-	1	-	3	1	-	6	168	15	3	638	610
8	Balance of county	720	32	-	-	1	1	2	1	2	-	1	77	7	-	341	312
9	Lake	106	5	-	-	2	1	3	-	-	-	-	13	-	-	40	38
10	Lauderdale	260	4	2	-	-	-	-	-	-	1	1	28	2	1	136	130
11	Lawrence	250	11	-	-	-	-	1	1	-	2	6	25	4	1	124	119
12	Lewis	70	1	1	-	-	-	-	-	-	-	1	12	1	-	28	25
13	Lincoln	265	10	-	-	-	-	-	-	1	-	2	24	4	-	133	131
14	Loudon	192	6	-	-	-	-	-	-	1	-	-	21	2	1	92	86
15	McMinn	268	14	1	-	2	1	-	1	1	-	-	34	5	-	116	111
16	McNairy	170	5	-	-	-	-	2	-	-	-	1	25	4	-	77	73
17	Macon	142	13	-	-	-	-	1	2	-	-	-	18	1	-	60	60
18	Madison	538	16	4	-	1	-	2	1	-	-	1	65	7	1	241	227
19	Jackson	321	12	4	-	1	-	1	1	-	-	1	39	6	-	146	138
20	Balance of county	217	4	-	-	-	-	1	-	-	-	-	26	1	1	95	89
21	Marion	182	3	-	-	-	-	-	1	-	-	-	16	-	-	85	84
22	Marshall	217	6	-	-	1	-	1	-	-	-	-	27	-	-	112	105
23	Maury	433	18	2	-	-	-	1	-	-	1	3	44	5	-	234	222
24	Columbia	169	7	2	-	-	-	1	-	-	-	1	20	2	-	80	78
25	Balance of county	264	11	-	-	-	-	-	-	-	1	2	24	3	-	154	143
26	Meigs	49	2	-	-	-	2	-	-	-	-	-	8	1	-	19	19
27	Monroe	205	7	-	-	-	-	-	-	-	-	2	24	2	-	89	87
28	Montgomery	400	12	1	-	2	-	1	-	3	-	1	32	4	-	194	175
29	Clarksville	209	7	1	-	1	-	-	-	1	-	1	14	2	-	100	90
30	Balance of county	191	5	-	-	1	-	1	-	2	-	-	18	2	-	94	85
31	Moore	42	-	-	-	-	-	-	1	-	-	1	4	-	-	22	22
32	Morgan	97	5	-	-	-	-	1	-	-	-	-	9	-	-	36	32
33	Obion	331	12	1	-	-	-	-	-	1	-	1	36	4	2	189	182
34	Overton	144	8	-	-	1	-	-	-	-	-	1	16	2	-	68	61
35	Perry	61	9	-	-	-	-	-	-	-	-	-	6	-	1	18	18
36	Pickett	33	3	-	-	-	-	-	-	-	-	-	2	-	-	14	14
37	Polk	113	5	-	-	-	-	-	-	-	1	-	12	2	-	40	38
38	Putnam	243	11	-	-	-	-	2	-	1	-	2	35	1	1	122	113
39	Rhea	158	4	1	-	-	-	-	1	-	-	2	28	2	-	60	50
40	Roane	292	9	2	-	-	2	2	-	-	-	2	41	4	2	129	124
41	Robertson	262	12	-	-	-	-	-	1	-	-	2	30	2	2	124	114
42	Rutherford	394	10	3	-	2	-	3	1	2	-	1	52	5	-	196	189
43	Murfreesboro	139	2	1	-	1	-	-	1	1	-	-	21	2	-	63	61
44	Balance of county	255	8	2	-	1	-	3	-	1	-	1	31	3	-	133	128
45	Scott	139	3	-	-	-	-	-	-	-	1	2	9	4	-	61	59
46	Sequatchie	46	3	1	-	-	-	-	-	-	-	-	9	2	-	12	11
47	Sevier	182	13	-	-	-	2	-	-	1	-	-	26	1	-	67	65
48	Shelby	4,593	174	52	1	3	-	3	3	10	2	22	527	58	22	2,105	2,049
49	Memphis	3,766	142	47	1	3	-	2	3	7	2	20	450	49	18	1,768	1,718
50	Balance of county	827	32	5	-	-	-	1	-	3	-	2	77	9	4	337	331
51	Smith	159	6	1	1	-	-	-	-	-	-	1	24	2	1	83	80
52	Stewart	101	8	-	-	-	-	-	-	-	-	-	9	2	-	38	35
53	Sullivan	625	24	3	-	-	-	-	4	-	1	1	91	7	1	245	236
54	Bristol[4]	143	3	-	-	-	-	-	1	-	-	1	23	2	-	62	62
55	Kingsport	148	8	2	-	-	-	-	1	-	-	-	20	-	-	52	51
56	Balance of county	334	13	1	-	-	-	-	2	-	1	-	48	5	1	131	123
57	Sumner	344	14	1	-	-	-	-	1	-	1	2	39	6	-	175	169
58	Tipton	266	9	4	-	-	-	-	-	-	2	2	33	-	-	134	123
59	Trousdale	46	2	-	-	-	-	1	-	-	-	-	3	1	-	26	26
60	Unicoi	106	1	-	-	-	-	-	-	-	-	-	8	1	-	54	53
61	Union	59	4	-	-	-	-	-	-	-	-	-	5	1	-	20	20
62	Van Buren	28	-	-	-	-	-	-	-	-	-	-	2	-	-	15	14
63	Warren	229	14	1	-	-	-	1	-	-	-	1	29	2	1	97	95
64	Washington	498	20	1	-	-	-	2	1	-	-	2	62	4	-	260	245
65	Johnson City	236	8	1	-	-	-	-	1	-	-	2	30	3	-	130	128
66	Balance of county	262	12	-	-	-	-	2	-	-	-	-	32	1	-	130	117
67	Wayne	115	3	-	-	-	-	1	-	-	-	3	13	2	-	43	38
68	Weakley	284	8	2	-	-	-	-	-	-	-	-	37	2	-	170	160
69	White	151	7	-	-	-	-	1	-	-	-	-	17	2	-	70	61
70	Williamson	247	4	-	-	1	-	1	-	-	-	4	43	2	-	124	124
71	Wilson	258	12	1	-	-	-	-	-	-	-	2	28	4	-	127	122
72	TEXAS	63,349	2,006	449	10	300	50	75	43	204	14	358	8,079	670	106	27,760	26,564
73	Anderson	335	5	3	-	2	-	1	-	-	-	4	39	5	-	175	150
74	Palestine	148	3	2	-	1	-	-	-	-	-	1	22	2	-	74	67
75	Balance of county	187	2	1	-	1	-	1	-	-	-	3	17	3	-	101	83
76	Andrews	18	-	-	-	-	-	-	-	-	-	-	3	-	-	5	4
77	Angelina	281	1	1	-	1	-	-	-	3	-	1	38	6	-	129	123
78	Lufkin	130	-	1	-	1	-	-	-	2	-	1	17	1	-	61	59
79	Balance of county	151	1	-	-	-	-	-	-	1	-	-	21	5	-	68	64
80	Aransas	42	2	1	-	-	-	-	-	-	-	-	5	1	-	18	18
81	Archer	43	-	1	-	-	-	-	-	-	-	-	7	-	-	18	17
82	Armstrong	15	1	-	-	-	-	-	-	-	-	-	1	-	-	8	7
83	Atascosa	167	6	-	-	2	1	3	-	1	-	3	22	1	-	51	49
84	Austin	156	3	-	-	1	-	-	-	-	-	1	24	-	-	76	72
85	Bailey	47	1	1	-	-	-	-	-	2	-	1	3	1	1	20	18
86	Bandera	43	2	1	-	-	-	-	-	1	-	-	2	-	-	19	18
87	Bastrop	243	8	3	-	1	-	-	1	-	-	2	29	4	-	99	95

[4] Includes data for Bristol, Tenn., only.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	-	17	3	-	1	3	1	-	-	-	-	-	4	-	2	-	-	7	1
13	-	49	6	-	2	5	-	-	-	-	1	3	2	5	5	1	-	16	2
6	1	34	1	-	9	6	-	1	-	1	-	1	4	5	6	1	-	9	3
18	-	54	3	1	4	5	1	1	-	-	1	-	14	5	7	-	-	15	4
10	-	33	3	1	9	5	1	-	-	1	1	2	10	2	5	1	-	12	5
209	2	655	47	9	57	78	14	13	13	9	3	26	83	54	63	19	34	228	6
132	2	435	34	7	28	47	10	6	9	2	2	13	43	34	39	13	27	137	7
77	-	220	13	2	29	31	4	7	4	7	1	13	40	20	24	6	7	91	8
12	-	24	2	-	2	4	-	2	2	-	1	2	5	2	4	1	1	18	9
24	-	93	8	5	6	17	-	1	-	1	2	-	17	5	16	1	3	24	10
26	1	85	5	2	5	13	-	2	1	1	1	2	11	2	9	2	2	29	11
6	1	16	2	-	3	7	-	-	-	-	1	1	7	-	3	-	-	7	12
42	1	85	2	1	2	12	3	-	2	3	-	1	17	4	9	1	6	33	13
27	-	54	4	1	6	9	-	-	5	2	2	3	13	7	3	5	1	21	14
31	1	71	6	2	5	19	1	2	1	1	-	5	16	3	10	6	3	26	15
25	-	43	4	1	4	8	1	2	-	-	-	3	8	6	9	3	1	17	16
12	-	43	5	-	-	5	-	1	1	-	1	2	10	3	6	-	-	18	17
67	1	146	13	-	14	27	2	4	6	4	7	4	47	13	15	7	6	57	18
43	1	90	4	-	8	16	1	4	6	2	4	2	25	7	7	2	2	32	19
24	-	56	9	-	6	11	1	-	-	2	3	2	22	6	8	5	4	25	20
29	1	51	2	1	1	12	1	3	1	2	-	-	17	9	8	1	2	21	21
26	-	73	5	1	7	18	-	2	-	-	-	1	8	4	9	3	-	25	22
63	-	151	7	1	12	19	2	3	3	1	3	8	11	17	10	8	5	35	23
21	-	54	4	-	1	6	1	-	3	1	-	5	7	10	6	1	2	14	24
42	-	97	3	1	11	13	1	3	-	-	3	3	4	7	4	7	3	21	25
6	-	13	-	-	-	1	-	1	-	-	-	1	-	5	4	3	-	2	26
25	-	56	5	1	2	18	2	1	-	2	-	-	2	11	6	7	1	30	27
59	3	99	13	1	19	22	1	2	5	3	-	1	19	10	26	2	5	54	28
29	1	53	6	1	10	16	1	2	3	2	-	1	7	4	13	1	5	27	29
30	2	46	7	-	9	6	-	-	2	1	-	-	12	6	13	1	-	27	30
5	-	14	3	-	-	1	-	-	-	2	-	-	2	1	4	-	-	4	31
7	-	21	4	-	4	7	-	-	-	1	1	2	12	5	9	-	1	8	32
64	-	111	6	1	7	14	-	2	2	1	2	4	12	3	10	3	-	32	33
16	-	45	-	-	5	9	1	-	-	-	-	-	10	7	7	2	-	14	34
6	-	12	-	-	-	4	-	1	-	-	-	2	5	-	2	2	-	11	35
2	-	10	2	-	-	3	-	1	-	-	-	1	1	1	-	1	-	6	36
15	-	23	-	-	2	7	-	3	-	-	-	2	9	5	5	2	1	19	37
28	-	77	7	1	9	12	2	-	-	-	-	5	17	4	8	-	2	18	38
7	-	40	3	-	10	4	1	2	-	1	1	2	5	4	7	1	3	29	39
33	-	85	5	1	5	15	2	5	-	-	-	4	5	11	16	2	4	35	40
26	-	64	4	-	10	20	-	-	1	-	2	2	13	10	10	4	4	23	41
62	1	119	6	1	7	25	1	4	5	2	-	2	8	13	9	7	5	40	42
26	1	34	-	-	2	11	1	1	2	1	-	1	3	5	2	2	1	17	43
36	-	85	6	1	5	14	-	3	3	1	-	1	5	8	7	5	4	23	44
15	-	41	4	1	2	11	1	-	1	3	2	2	9	1	6	2	1	20	45
3	-	8	-	-	1	4	-	-	-	-	-	1	3	1	4	-	1	5	46
22	-	41	2	-	2	12	-	1	1	1	3	6	5	2	7	-	-	34	47
498	8	1,398	121	24	56	133	26	36	39	11	13	66	358	117	151	35	49	577	48
416	6	1,169	107	20	50	98	22	30	34	10	11	50	286	95	126	26	40	466	49
82	2	229	14	4	6	35	4	6	5	1	2	16	92	22	25	9	9	111	50
25	-	54	1	-	3	6	1	1	-	-	2	1	8	3	6	-	-	12	51
9	1	20	5	-	3	5	-	2	-	1	1	1	13	1	7	1	-	12	52
62	1	156	16	2	9	28	2	5	4	2	1	12	22	20	25	7	12	108	53
20	-	39	3	-	-	6	1	2	3	-	-	1	3	2	5	1	2	25	54
10	-	34	7	-	1	4	1	1	1	-	1	3	3	5	8	1	5	32	55
32	1	82	6	2	8	18	-	2	-	2	-	8	16	13	12	5	5	51	56
39	1	115	11	3	6	21	2	5	2	-	2	3	11	10	11	4	2	32	57
38	-	79	5	1	11	16	-	1	1	-	-	2	25	5	8	-	2	22	58
5	1	19	-	1	-	2	1	-	-	-	-	-	1	1	4	1	-	3	59
17	-	34	2	-	1	5	1	-	-	-	-	-	7	6	10	-	1	12	60
3	-	13	-	4	-	1	-	1	-	-	-	2	11	1	2	4	2	5	61
6	-	8	-	-	1	3	-	-	-	-	-	-	3	1	-	-	-	4	62
38	1	55	-	1	2	11	3	-	4	-	-	5	26	4	6	3	2	19	63
60	4	168	10	3	15	20	2	5	4	1	1	8	16	9	12	4	1	63	64
22	3	95	6	2	2	5	1	1	3	-	1	1	4	4	8	4	-	29	65
38	1	73	4	1	13	15	1	4	1	1	-	7	12	5	4	-	1	34	66
6	1	28	2	1	5	15	-	1	3	-	-	-	9	2	3	-	1	16	67
34	2	119	4	1	10	17	1	-	-	-	1	1	8	1	6	3	-	27	68
9	-	51	-	1	9	4	-	-	-	-	2	2	20	6	5	1	-	14	69
36	1	83	4	-	-	14	-	-	3	-	-	5	3	6	6	3	1	27	70
39	-	75	7	1	5	4	-	1	-	1	-	1	18	1	12	4	1	41	71
6,007	76	18,752	1,419	310	1,196	2,698	224	979	490	204	221	970	1,544	2,498	3,023	692	735	8,747	72
28	1	117	4	-	25	11	1	3	5	6	1	5	8	8	9	3	-	41	73
10	-	54	3	-	7	4	1	1	2	4	-	2	5	2	4	2	-	16	74
18	1	65	1	-	18	7	-	2	3	2	1	3	3	6	5	1	-	25	75
-	-	4	-	-	1	-	-	-	-	-	-	1	-	2	2	1	1	3	76
27	-	88	6	2	6	5	4	3	-	1	1	6	9	14	24	4	1	29	77
16	-	41	2	-	2	2	3	3	-	-	-	1	6	6	6	2	1	16	78
11	-	47	4	2	4	3	1	-	-	1	1	5	3	8	18	2	-	13	79
3	-	14	1	-	-	-	-	2	-	-	-	1	-	6	2	-	-	4	80
4	-	12	1	-	1	1	-	-	1	-	-	-	1	2	6	-	-	6	81
3	-	4	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	3	82
13	-	28	7	1	2	13	-	5	1	-	1	3	14	7	4	4	1	24	83
15	1	54	2	-	4	6	-	-	1	-	-	2	6	7	6	3	2	18	84
2	-	14	2	-	2	1	-	-	-	-	-	1	-	4	3	1	-	7	85
5	-	13	-	-	1	1	-	-	-	1	-	2	1	2	1	-	1	9	86
23	-	62	8	2	4	11	2	6	2	-	3	3	4	11	11	1	3	39	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TEXAS--Continued																
1	Baylor	51	2	-	-	-	-	-	-	-	-	-	10	2	-	20	20
2	Bee	177	6	1	-	4	-	-	-	-	-	-	26	1	1	75	68
3	Bell	513	11	-	-	3	-	-	-	2	-	-	63	2	-	248	237
4	Temple	223	7	-	-	1	-	-	-	-	-	-	31	2	-	111	107
5	Balance of county	290	4	-	-	2	-	-	-	2	-	-	32	-	-	137	130
6	Bexar	4,219	288	39	-	4	-	5	3	25	-	25	554	70	9	1,662	1,603
7	San Antonio	3,791	259	37	-	3	-	5	3	19	-	20	505	65	9	1,487	1,432
8	Balance of county	428	29	2	-	1	-	-	-	6	-	5	49	5	-	175	171
9	Blanco	42	-	-	-	-	-	-	-	-	-	1	4	-	-	22	21
10	Borden	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
11	Bosque	130	1	-	-	1	-	-	-	2	-	1	16	4	-	69	64
12	Bowie	497	15	-	-	-	-	1	-	1	-	4	69	7	1	253	233
13	Texarkana[5]	254	9	-	-	-	-	-	-	-	-	3	29	6	1	142	131
14	Balance of county	243	6	-	-	-	-	1	-	1	-	1	40	1	-	111	102
15	Brazoria	319	11	4	-	-	-	-	-	1	-	-	41	7	-	139	133
16	Brazos	281	6	-	-	-	-	-	-	1	1	1	34	4	2	130	124
17	Bryan	170	6	-	-	-	-	-	-	1	-	-	19	2	1	82	78
18	Balance of county	111	-	-	-	-	-	-	-	-	1	1	15	2	1	48	46
19	Brewster	53	6	1	-	-	-	-	-	-	-	-	11	-	-	17	17
20	Briscoe	37	-	2	-	-	-	-	-	-	-	-	4	1	-	17	17
21	Brooks	64	7	1	-	1	-	-	-	-	-	-	6	1	-	21	20
22	Brown	303	6	3	-	2	-	-	-	2	-	2	43	6	-	153	148
23	Brownwood	197	5	2	-	1	-	-	-	1	-	2	28	6	-	93	91
24	Balance of county	106	1	1	-	1	-	-	-	1	-	-	15	2	-	60	57
25	Burleson	142	5	-	1	1	-	-	-	-	-	-	6	1	-	80	72
26	Burnet	87	1	-	-	-	-	-	-	-	-	-	18	1	-	44	44
27	Caldwell	239	14	-	-	1	-	-	-	1	-	3	22	2	-	115	109
28	Calhoun	45	2	1	-	-	-	-	-	-	-	-	3	1	-	19	17
29	Callahan	98	-	-	-	-	-	-	-	1	-	-	12	2	-	44	43
30	Cameron	1,189	66	10	-	52	3	5	1	2	-	26	92	12	5	309	302
31	Brownsville	351	25	2	-	4	-	5	1	1	-	6	28	-	2	106	101
32	Harlingen	234	15	1	-	18	2	-	-	1	-	2	24	2	-	60	58
33	San Benito	97	5	1	-	1	-	-	-	-	-	1	11	2	2	34	34
34	Balance of county	507	21	6	-	29	1	-	-	-	-	17	29	8	1	109	109
35	Camp	108	3	-	-	-	1	-	-	-	-	1	11	3	1	58	58
36	Carson	43	2	1	-	-	-	-	-	-	-	-	8	-	-	18	18
37	Cass	252	14	2	-	-	-	-	-	-	-	-	33	3	-	118	115
38	Castro	34	-	-	-	-	-	-	-	-	-	-	5	-	-	15	15
39	Chambers	55	-	1	-	-	-	-	-	-	-	-	9	1	-	19	19
40	Cherokee	340	12	2	-	1	-	-	-	2	-	-	40	4	-	176	171
41	Childress	106	2	-	-	-	-	-	-	-	-	-	14	1	-	46	44
42	Clay	79	1	-	-	-	-	-	-	-	-	-	11	2	-	44	43
43	Cochran	30	2	-	-	-	-	-	-	-	-	-	5	-	-	10	10
44	Coke	31	1	-	-	1	-	1	-	-	-	-	5	1	-	12	10
45	Coleman	142	4	2	-	-	-	-	-	3	-	-	16	4	-	62	59
46	Collin	399	4	-	-	2	-	1	-	-	-	-	48	11	-	216	209
47	McKinney	153	1	-	-	2	-	-	-	-	-	-	17	4	-	84	82
48	Balance of county	246	3	-	-	-	-	1	-	-	-	-	31	7	-	132	127
49	Collingsworth	73	-	1	-	-	-	-	-	-	-	-	6	2	-	31	30
50	Colorado	173	7	2	-	-	-	-	-	-	-	-	20	-	-	74	69
51	Comal	147	8	2	-	-	-	-	-	-	-	2	12	1	1	69	67
52	New Braunfels	119	7	2	-	-	-	-	-	-	-	1	10	1	1	54	54
53	Balance of county	28	1	-	-	-	-	-	-	-	-	1	2	-	-	15	13
54	Comanche	152	3	2	-	-	-	-	-	2	-	1	26	1	-	77	72
55	Concho	35	1	-	-	-	-	-	-	-	-	1	5	-	-	17	17
56	Cooke	215	5	-	-	-	1	-	-	-	-	2	27	2	-	108	106
57	Gainesville	144	3	-	-	-	1	-	-	-	-	2	19	1	-	68	66
58	Balance of county	71	2	-	-	-	-	-	-	-	-	-	8	1	-	40	40
59	Coryell	152	4	1	-	-	-	-	-	1	-	3	15	5	-	77	70
60	Cottle	47	2	-	-	-	-	-	-	1	-	-	5	1	-	15	15
61	Crane	12	1	-	-	-	-	-	-	-	-	-	4	-	-	4	4
62	Crockett	25	-	1	-	-	-	-	-	-	-	-	4	-	-	9	9
63	Crosby	82	1	-	-	2	-	-	-	-	-	1	14	1	-	28	24
64	Culberson	13	-	-	-	-	-	1	-	-	-	-	1	1	-	2	2
65	Dallam	64	1	1	-	-	-	-	1	-	-	-	9	1	-	27	27
66	Dallas	4,755	95	35	-	7	5	-	4	23	-	21	707	71	4	2,259	2,198
67	Dallas	3,585	78	28	-	2	2	-	4	15	-	16	532	54	1	1,740	1,691
68	Garland	39	-	-	-	-	-	-	-	-	-	1	8	-	-	13	13
69	Grand Prairie	76	1	-	-	-	-	-	-	-	-	-	11	1	-	30	29
70	Highland Park	87	-	-	-	-	-	-	-	-	-	-	22	1	-	47	45
71	University Park	139	-	-	-	-	-	-	-	1	-	-	28	4	-	74	73
72	Balance of county	829	16	7	-	5	3	-	-	7	-	4	106	11	3	355	347
73	Dawson	169	1	-	-	-	-	-	-	-	-	-	23	3	-	52	52
74	Lamesa	106	-	-	-	-	-	-	-	-	-	-	16	2	-	25	25
75	Balance of county	63	1	-	-	-	-	-	-	-	-	-	7	1	-	27	27
76	Deaf Smith	72	-	1	-	-	-	-	-	-	-	-	5	-	-	35	34
77	Delta	96	1	1	-	-	-	-	-	-	-	1	17	-	-	53	49
78	Denton	267	4	1	1	1	-	-	-	-	-	2	37	5	-	140	137
79	Denton	133	2	-	1	1	-	-	-	-	-	1	20	5	-	69	69
80	Balance of county	154	2	1	-	-	-	-	-	-	-	1	17	-	-	71	68
81	De Witt	235	9	1	-	5	-	1	-	1	-	3	25	3	1	102	98
82	Dickens	66	-	1	-	-	-	-	-	-	-	-	4	2	-	32	30
83	Dimmit	98	7	1	-	9	1	2	-	-	-	-	9	-	1	31	29
84	Donley	58	2	-	-	-	-	-	-	-	-	-	10	-	-	26	25
85	Duval	90	2	-	-	4	1	1	-	-	-	1	9	2	-	23	23
86	Eastland	257	7	1	-	-	-	-	-	-	-	1	33	1	-	116	110
87	Ector	212	-	-	-	2	-	1	-	-	-	2	27	1	1	65	61
88	Odessa	196	-	-	-	2	-	1	-	-	-	2	23	1	-	64	60
89	Balance of county	16	-	-	-	-	-	-	-	-	-	-	4	-	1	1	1

[5] Includes data for Texarkana, Tex., only.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
6	-	14	-	-	-	4	-	-	-	-	-	-	-	2	4	1	-	8	1
26	-	36	5	1	7	1	-	5	2	2	1	2	5	6	7	6	1	25	2
58	-	159	17	3	11	19	-	5	2	1	1	8	16	26	20	9	9	68	3
29	-	67	10	1	4	8	-	2	1	-	-	4	8	3	7	4	6	28	4
29	-	92	7	2	7	11	-	3	1	1	1	4	8	23	13	5	3	40	5
336	6	1,143	97	21	59	227	27	119	43	19	9	71	53	126	153	55	46	587	6
300	5	1,027	83	17	55	200	27	112	42	18	9	66	45	109	129	48	42	532	7
36	1	116	14	4	4	27	-	7	1	1	-	5	8	17	24	7	4	55	8
4	-	14	2	1	1	2	1	-	-	-	-	2	2	3	1	1	-	3	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
10	-	52	1	1	5	3	-	-	1	-	-	2	3	4	5	1	-	17	11
59	1	154	15	4	20	15	2	3	4	2	5	4	13	17	18	3	3	57	12
31	1	92	7	-	11	5	1	2	2	1	1	1	6	3	9	1	2	30	13
28	-	62	8	4	9	10	1	1	2	1	4	3	7	14	9	2	1	27	14
32	-	94	7	-	6	13	1	-	3	1	-	6	15	21	13	-	3	40	15
30	2	88	4	-	6	12	1	3	3	-	1	1	6	9	10	1	3	52	16
23	1	51	3	-	4	8	-	1	3	-	-	-	1	4	5	-	2	35	17
7	1	37	1	-	2	4	1	2	-	-	1	1	5	5	5	1	1	17	18
4	-	9	2	2	-	7	-	1	-	-	-	-	1	2	3	1	-	3	19
2	-	14	1	-	-	-	-	-	-	-	1	1	-	-	4	1	-	6	20
5	1	14	-	-	1	1	-	1	-	-	-	1	1	1	7	8	-	7	21
29	-	107	11	1	5	8	1	3	3	-	-	-	5	7	7	12	5	3	30	22
19	-	84	7	1	2	7	-	2	2	-	-	-	4	5	2	8	3	3	23	23
10	-	43	4	-	3	1	1	1	1	-	-	-	1	2	5	4	2	-	7	24
21	-	47	1	3	8	5	-	1	-	-	-	-	2	10	3	4	6	1	16	25
11	-	32	1	-	-	1	-	-	2	-	-	-	-	-	2	5	1	1	11	26
14	-	90	5	-	6	14	-	10	1	1	-	1	3	6	9	9	3	-	24	27
6	1	9	1	-	2	1	-	1	-	-	-	-	2	1	5	1	-	-	8	28
9	-	31	1	2	1	5	-	-	1	-	-	-	1	1	9	9	-	-	13	29
57	-	227	11	7	7	87	5	74	12	2	-	6	20	70	30	86	12	12	190	30
21	-	74	3	3	5	32	2	24	7	2	-	1	5	20	8	13	2	3	52	31
9	-	43	4	2	2	10	2	16	-	-	-	2	6	9	6	16	3	1	38	32
6	-	26	2	-	-	6	-	4	1	-	-	2	2	2	3	3	-	2	15	33
21	-	84	2	2	-	39	1	30	4	-	-	1	7	39	13	34	7	6	85	34
18	-	40	-	1	-	1	-	-	1	-	-	1	-	6	4	3	1	1	11	35
4	-	12	2	-	1	-	-	-	-	-	-	-	-	1	3	-	-	-	9	36
35	1	76	3	-	3	11	1	2	-	2	1	2	15	5	13	1	-	29	37
3	-	11	1	-	-	3	-	-	1	-	-	1	1	1	1	-	-	0	38
3	-	15	-	1	-	1	-	-	-	1	-	2	1	7	8	2	-	3	39
48	-	117	6	-	5	9	-	2	2	1	3	4	8	12	14	7	6	40	40
11	-	31	2	-	2	2	1	-	2	1	-	2	4	3	8	-	2	18	41
11	-	26	5	1	1	1	1	2	1	1	-	1	-	3	2	2	-	7	42
3	-	7	-	-	-	1	-	2	-	-	-	1	-	4	1	-	-	4	43
1	-	9	-	-	2	3	-	-	-	-	-	1	-	1	1	-	-	4	44
20	-	39	-	-	3	7	-	1	-	-	1	1	2	5	8	3	3	20	45
55	-	139	13	2	7	11	2	3	2	4	-	3	5	12	22	3	3	47	46
17	-	58	6	1	2	5	1	-	-	2	-	-	-	4	11	1	1	20	47
38	-	81	7	1	5	6	1	3	2	2	-	3	5	8	11	2	2	27	48
4	-	23	3	-	1	3	-	1	-	-	-	2	2	3	5	1	1	15	49
19	-	45	5	-	5	7	-	1	-	2	1	3	8	6	10	1	1	30	50
16	-	45	5	1	2	8	-	4	1	-	-	3	4	2	5	5	1	19	51
14	-	35	4	1	-	7	-	3	1	-	-	2	3	2	5	2	1	17	52
2	-	10	1	-	2	1	-	1	-	-	-	1	1	-	-	3	-	2	53
27	-	41	2	2	5	1	-	2	-	1	-	2	3	10	4	1	-	16	54
3	-	13	-	1	-	2	-	-	1	-	-	-	1	1	2	-	-	4	55
32	1	72	1	-	2	11	-	-	2	-	-	2	7	5	9	5	4	25	56
19	1	45	1	-	2	7	-	-	1	-	-	2	5	4	8	3	3	17	57
13	-	27	-	-	-	4	-	-	1	-	-	-	2	1	1	2	1	8	58
23	-	42	3	2	7	2	-	1	-	-	-	-	8	5	5	2	-	25	59
3	-	12	-	-	-	3	-	3	1	-	-	1	1	2	4	-	-	8	60
1	-	2	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	61
2	-	5	2	-	-	2	-	1	-	1	1	-	-	2	2	-	-	2	62
7	-	16	1	-	4	1	-	-	-	-	1	1	-	7	8	1	3	13	63
-	-	2	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	4	64
5	-	21	1	-	-	3	-	-	1	-	1	-	2	3	5	1	1	7	65
488	4	1,551	126	29	61	143	20	24	59	13	6	76	65	143	228	43	83	623	66
372	4	1,193	101	21	49	109	17	16	50	9	5	52	40	105	157	33	57	463	67
4	-	8	1	-	-	1	1	-	-	-	-	1	1	3	2	-	1	7	68
5	-	22	1	1	1	3	-	-	1	-	-	1	1	2	5	-	2	18	69
14	-	28	3	2	2	1	1	-	-	-	1	-	-	-	5	1	1	7	70
16	-	50	5	2	1	2	-	1	-	1	-	2	3	3	4	3	-	13	71
77	-	252	15	3	8	27	1	7	8	3	-	20	18	30	55	6	22	115	72
5	-	45	1	1	-	14	2	8	1	1	1	6	4	17	7	1	3	25	73
1	-	23	-	1	-	10	2	4	-	1	1	4	1	13	4	1	3	19	74
4	-	22	1	-	-	4	-	4	1	-	-	2	3	4	3	-	-	6	75
11	-	19	4	-	1	-	1	2	1	-	-	2	2	4	9	1	-	9	76
11	-	34	3	1	4	5	-	-	-	1	-	-	3	-	-	4	1	9	77
33	-	94	9	1	3	13	3	5	1	-	-	3	1	15	15	3	2	34	78
13	-	52	4	-	-	2	1	2	1	-	1	1	-	6	6	-	2	12	79
20	-	42	5	1	3	11	2	3	-	-	-	2	1	9	9	3	-	22	80
13	-	78	5	2	4	6	-	8	3	2	-	2	7	6	6	4	1	38	81
9	-	21	-	-	2	6	-	1	-	-	-	1	1	2	4	-	1	11	82
9	-	18	2	-	2	9	-	-	-	-	-	2	5	6	2	-	-	13	83
4	-	21	-	-	3	3	-	-	-	-	-	1	3	3	3	1	-	4	84
5	-	17	1	-	-	14	1	3	-	-	2	3	4	3	4	-	1	12	85
27	-	71	11	1	6	16	-	3	2	1	-	3	8	19	15	2	1	28	86
10	-	50	1	-	4	1	2	5	1	-	1	8	7	15	18	3	8	44	87
10	-	49	1	-	4	1	2	5	1	-	1	8	7	12	13	3	8	42	88
-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	5	-	-	2	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TEXAS—Continued																
1	Edwards	22	-	1	-	1	-	-	-	1	-	-	1	-	-	11	11
2	Ellis	452	12	1	-	1	2	-	1	3	-	-	67	8	-	216	201
3	Waxahachie	124	4	-	-	-	-	-	-	2	-	-	18	5	-	68	64
4	Balance of county	328	8	1	-	1	2	-	1	1	-	-	49	3	-	148	137
5	El Paso	1,600	85	18	-	10	3	5	-	7	4	5	181	21	3	571	544
6	El Paso	1,214	75	15	-	5	3	3	-	6	2	4	153	14	1	469	448
7	Balance of county	386	10	2	-	5	-	2	-	1	2	1	28	7	2	102	96
8	Erath	182	2	-	-	-	-	-	-	1	-	1	32	3	-	106	101
9	Falls	308	9	2	-	1	1	-	1	-	-	1	31	1	1	128	109
10	Fannin	334	7	4	-	1	-	-	1	-	-	2	38	7	-	191	179
11	Fayette	248	4	2	-	-	-	-	-	-	-	2	21	5	2	126	122
12	Fisher	80	2	-	-	-	-	-	-	-	-	-	10	1	-	29	29
13	Floyd	69	1	-	-	-	-	-	-	-	1	1	8	-	-	35	34
14	Foard	36	1	-	-	-	-	-	-	-	-	-	5	-	-	20	19
15	Fort Bend	257	5	3	-	2	-	1	-	2	-	1	34	6	-	105	97
16	Franklin	51	-	-	-	-	-	-	-	-	-	1	6	1	-	31	30
17	Freestone	178	3	-	-	-	-	2	-	1	-	1	24	3	-	81	77
18	Frio	77	6	-	-	1	-	2	-	-	-	-	3	-	-	24	22
19	Gaines	64	1	-	-	-	-	-	-	-	-	-	6	-	1	24	22
20	Galveston	1,006	28	14	-	-	-	-	-	3	-	3	125	20	1	515	505
21	Galveston	755	20	8	-	-	-	-	-	3	-	3	97	16	1	412	404
22	Texas City	87	2	3	-	-	-	-	-	-	-	-	7	2	-	35	35
23	Balance of county	164	6	3	-	-	-	-	-	-	-	-	21	2	-	68	66
24	Garza	53	1	-	-	-	-	-	-	-	-	-	9	-	-	18	18
25	Gillespie	97	1	-	-	-	-	-	-	-	-	-	9	3	-	57	54
26	Glasscock	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
27	Goliad	67	4	1	-	-	-	-	-	-	-	-	6	-	-	33	33
28	Gonzales	222	7	1	-	-	-	-	-	1	-	2	27	1	2	96	88
29	Gray	164	-	-	-	-	-	-	1	1	-	1	22	5	-	64	62
30	Pampa	120	-	-	-	-	-	-	-	1	-	1	18	5	-	48	47
31	Balance of county	44	-	-	-	-	-	-	1	-	-	-	4	-	-	16	15
32	Grayson	677	7	4	-	-	-	-	-	-	-	1	86	11	2	367	355
33	Denison	218	4	2	-	-	-	-	-	-	-	-	31	1	2	121	117
34	Sherman	208	-	-	-	-	-	-	-	-	-	-	30	5	-	108	101
35	Balance of county	251	3	2	-	-	-	-	-	-	-	1	27	5	-	140	137
36	Gregg	484	9	5	-	-	-	1	-	1	-	3	58	6	1	204	195
37	Longview	201	4	-	-	-	-	1	-	-	-	2	24	3	-	60	77
38	Balance of county	283	5	5	-	-	-	-	-	1	-	1	34	3	1	124	118
39	Grimes	144	2	1	-	-	-	-	-	1	-	-	12	1	-	81	71
40	Guadalupe	229	8	1	-	1	-	-	-	-	-	-	24	2	-	102	94
41	Hale	241	6	1	-	1	1	-	-	2	-	2	43	2	-	99	94
42	Plainview	140	2	1	-	-	-	-	-	2	-	1	28	2	-	58	57
43	Balance of county	101	4	-	-	1	1	-	-	-	-	1	15	-	-	41	37
44	Hall	92	1	-	1	-	-	1	-	-	-	-	13	1	-	36	34
45	Hamilton	101	-	-	-	-	-	-	-	2	-	1	16	1	-	49	45
46	Hansford	20	-	-	-	-	-	-	-	-	-	-	1	-	-	8	8
47	Hardeman	90	1	-	-	-	1	-	-	-	-	-	7	1	-	48	48
48	Hardin	166	2	-	-	1	-	1	-	-	-	3	18	1	-	73	66
49	Harris	5,818	191	59	-	2	2	-	10	18	2	32	878	72	12	2,628	2,529
50	Houston	5,020	166	52	-	2	2	-	9	17	1	28	760	61	11	2,285	2,197
51	Baytown	138	3	2	-	-	-	-	-	-	-	-	17	1	-	65	61
52	Bellaire	26	2	-	-	-	-	-	-	-	-	-	5	-	-	10	10
53	Pasadena	67	3	-	-	-	-	-	1	-	-	-	8	2	-	21	20
54	West University Place	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55	Balance of county	567	17	5	-	-	-	-	-	1	1	4	88	8	1	247	241
56	Harrison	395	9	3	-	-	2	-	-	-	-	1	52	6	-	175	162
57	Marshall	214	6	3	-	-	-	-	-	-	-	-	33	3	-	91	84
58	Balance of county	181	3	-	-	-	2	-	-	-	-	1	19	3	-	84	78
59	Hartley	15	-	-	-	-	-	-	-	-	-	-	2	-	-	6	5
60	Haskell	106	-	1	-	1	-	-	-	1	-	-	16	1	-	48	48
61	Hays	173	8	2	-	-	-	2	-	1	-	1	19	-	-	71	70
62	Hemphill	27	1	-	-	-	-	-	-	-	-	-	4	-	-	11	11
63	Henderson	225	3	1	-	-	-	-	-	-	-	-	27	5	1	121	112
64	Hidalgo	1,534	73	5	3	75	3	8	2	22	1	31	106	11	5	313	300
65	Edinburg	143	6	-	1	2	-	-	1	4	-	1	8	2	1	49	48
66	McAllen	203	12	-	-	10	-	-	-	3	-	4	21	3	-	55	52
67	Mercedes	86	4	1	-	-	-	1	-	-	-	-	4	-	-	23	22
68	Mission	84	4	-	-	4	1	-	-	-	-	-	8	1	1	23	22
69	Balance of county	1,016	47	4	2	59	2	7	1	15	1	26	65	5	3	163	156
70	Hill	294	4	-	-	-	-	1	1	1	-	4	37	3	-	156	154
71	Hockley	103	3	-	-	-	-	-	1	-	-	-	9	2	-	36	36
72	Hood	58	-	1	-	-	-	-	-	-	-	-	9	1	-	29	22
73	Hopkins	240	6	3	-	-	-	-	-	-	-	-	27	8	-	133	130
74	Houston	184	2	-	-	1	-	-	-	-	-	2	29	1	-	84	77
75	Howard	199	6	1	-	-	-	-	1	-	-	2	28	4	2	76	75
76	Big Spring	151	6	1	-	-	-	-	1	-	-	1	18	2	2	59	58
77	Balance of county	48	-	-	-	-	-	-	-	-	-	1	10	2	-	17	17
78	Hudspeth	33	1	-	-	1	-	-	-	-	-	1	1	-	-	8	8
79	Hunt	443	8	4	-	2	1	-	1	-	-	-	57	10	-	236	218
80	Greenville	180	5	2	-	-	-	-	-	-	-	-	21	5	-	93	87
81	Balance of county	263	3	2	-	2	1	-	1	-	-	-	36	5	-	143	131
82	Hutchinson	153	2	1	-	-	-	-	-	2	-	1	16	3	-	58	57
83	Borger	126	2	1	-	-	-	-	-	1	-	-	11	3	-	49	48
84	Balance of county	27	-	-	-	-	-	-	-	1	-	1	5	-	-	9	9
85	Irion	21	-	-	-	-	-	-	-	1	-	-	5	-	-	11	11
86	Jack	84	2	1	-	1	-	-	-	-	-	-	9	-	-	37	36
87	Jackson	107	2	-	-	-	-	-	-	-	-	-	8	2	1	59	56
88	Jasper	183	2	2	-	1	1	-	-	-	-	2	26	4	-	79	76
89	Jeff Davis	10	2	-	-	-	-	-	-	-	-	-	1	-	-	5	5

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	-	9	-	-	-	1	-	1	-	-	-	-	-	1	2	-	-	2	1
43	-	145	10	3	15	17	1	2	2	3	3	4	10	17	19	3	7	53	2
18	-	41	4	1	4	6	1	-	1	1	-	-	2	4	2	1	-	9	3
25	-	104	6	2	11	11	-	2	1	2	3	4	8	13	17	2	7	44	4
108	5	381	40	12	27	86	8	47	23	7	5	34	18	57	81	14	13	294	5
82	5	318	33	10	21	57	8	23	21	2	3	25	10	31	53	11	10	209	6
24	-	63	7	2	6	29	-	24	2	5	2	9	8	26	28	3	3	85	7
26	-	68	8	1	5	1	-	-	1	-	-	3	2	7	7	1	-	15	8
41	-	63	4	1	19	34	2	10	1	1	1	2	12	9	14	2	3	41	9
48	2	118	9	2	12	16	-	1	2	1	-	5	3	6	13	4	1	33	10
32	-	78	9	2	4	15	2	2	1	1	1	2	15	3	9	4	1	32	11
6	-	22	1	-	-	4	-	5	2	-	-	1	4	6	4	-	-	12	12
9	-	24	1	-	1	-	1	-	-	2	-	-	-	2	6	-	-	12	13
2	-	15	2	-	1	1	-	1	-	1	-	1	1	1	1	-	1	2	14
20	-	66	10	1	8	15	-	2	-	2	3	3	6	7	18	7	5	30	15
12	-	16	2	-	1	2	-	1	-	-	-	-	-	1	1	-	1	6	16
18	-	54	5	-	4	6	-	-	1	-	1	1	9	6	13	-	3	23	17
7	-	15	-	-	2	7	-	4	1	-	-	-	3	4	5	-	-	17	18
9	-	11	1	1	2	8	-	1	-	-	1	-	1	8	4	-	-	9	19
93	1	385	19	7	10	25	5	1	6	3	3	16	18	39	46	19	14	101	20
74	1	308	16	5	8	20	5	1	3	3	2	9	12	17	29	15	11	68	21
6	-	28	1	-	-	-	-	-	2	-	1	3	2	10	6	3	2	9	22
13	-	49	2	2	2	5	-	-	1	-	-	4	5	12	11	1	1	24	23
1	1	15	1	-	-	3	-	2	-	-	-	-	1	6	5	-	1	7	24
12	-	37	4	1	3	3	-	-	-	-	-	1	1	4	4	3	-	11	25
-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	26
16	-	15	-	2	-	6	1	-	-	-	1	-	2	6	2	-	1	4	27
17	1	61	9	-	8	14	3	4	-	-	1	2	5	6	7	5	1	34	28
8	-	51	2	1	2	5	2	-	-	-	-	4	2	19	14	1	1	22	29
5	-	43	1	-	1	1	1	-	-	-	-	3	2	10	10	1	1	18	30
3	-	10	1	1	1	4	1	-	-	-	-	1	-	9	4	-	-	4	31
66	1	252	10	4	12	33	3	-	4	-	-	9	14	16	36	8	4	68	32
23	1	85	6	2	4	11	-	-	2	-	-	1	6	2	10	1	2	22	33
27	-	72	1	1	5	10	2	-	2	-	-	7	3	7	10	1	1	24	34
38	-	95	3	1	3	12	1	-	-	-	2	1	5	7	16	6	1	22	35
45	-	141	5	4	9	11	-	5	3	2	2	9	13	28	40	5	13	65	36
17	-	55	3	2	3	6	-	1	2	1	-	5	5	11	12	1	6	37	37
28	-	86	2	2	6	5	-	4	1	1	2	4	8	17	28	4	7	28	38
25	-	45	1	-	10	12	1	1	1	1	-	-	2	1	8	-	2	19	39
22	-	65	6	1	8	13	2	7	2	1	1	6	6	6	11	2	2	32	40
21	1	65	7	-	5	4	-	2	1	2	-	4	7	9	13	2	-	40	41
13	-	41	3	-	1	2	-	-	1	2	-	3	3	6	3	2	-	24	42
8	1	24	4	-	4	2	-	2	-	-	-	1	4	3	10	-	-	16	43
10	-	22	2	-	2	4	-	2	1	-	-	1	4	6	5	1	-	15	44
7	-	36	2	-	4	3	-	-	1	1	1	-	2	1	3	1	-	19	45
2	-	5	-	1	-	-	-	-	-	-	-	-	-	4	1	-	-	6	46
6	-	39	3	-	-	6	-	-	1	-	-	-	-	1	6	-	1	17	47
16	-	47	2	1	7	5	-	-	3	1	2	4	8	8	8	2	-	26	48
584	11	1,768	128	38	99	140	16	26	66	12	12	98	92	200	243	100	120	787	49
507	10	1,527	115	38	88	120	16	23	61	10	9	81	78	152	192	88	104	692	50
17	-	43	1	-	4	4	-	1	-	-	-	4	4	11	6	1	3	16	51
5	-	4	1	-	-	1	-	-	1	-	-	1	-	1	1	1	-	3	52
3	-	17	-	-	1	1	-	1	-	1	-	4	-	1	7	-	-	17	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
52	1	177	11	-	6	14	-	1	4	1	3	8	10	35	37	10	13	59	55
41	-	119	10	1	13	14	1	1	-	1	1	4	18	25	22	2	6	52	56
19	-	60	5	-	7	6	1	1	-	-	1	2	7	12	8	2	4	34	57
22	-	50	5	1	6	8	-	-	-	1	-	2	11	13	14	-	2	18	58
-	-	5	-	-	1	-	-	-	-	1	-	-	1	3	-	-	-	2	59
14	-	29	5	-	-	6	-	3	1	-	-	3	3	2	6	1	1	12	60
21	-	43	6	-	1	12	-	4	-	-	-	3	4	7	8	1	-	30	61
4	-	6	1	-	-	1	-	1	-	-	-	-	-	-	2	2	-	5	62
30	-	73	7	2	9	6	-	1	1	3	-	-	10	8	5	2	1	30	63
60	-	229	6	5	13	120	1	130	5	5	18	18	67	80	117	6	19	310	64
9	-	39	-	-	1	9	-	9	2	-	1	1	8	4	8	-	1	25	65
14	-	34	2	2	3	10	-	12	2	1	2	2	13	8	11	2	1	31	66
5	-	16	1	-	1	11	-	4	-	1	3	1	5	2	3	1	-	24	67
7	-	14	1	-	1	10	-	12	-	-	-	1	-	4	2	-	1	12	68
25	-	126	2	3	7	80	1	93	1	3	12	13	41	42	35	3	16	218	69
35	-	108	9	2	2	17	1	1	2	2	1	4	6	14	10	2	1	26	70
6	-	29	1	-	-	7	-	1	-	1	-	4	4	6	9	-	1	19	71
6	-	15	1	-	7	-	-	-	-	-	-	-	-	7	3	1	-	7	72
29	-	91	9	1	3	9	-	2	2	2	1	1	7	3	9	-	-	27	73
20	-	50	7	-	7	9	-	2	-	3	2	2	7	5	8	2	1	24	74
18	-	52	5	-	1	6	-	4	-	-	1	2	5	12	11	-	3	35	75
15	-	38	5	-	1	4	-	4	-	-	-	2	5	10	8	-	2	26	76
3	-	14	-	-	-	2	-	-	-	-	1	-	-	2	3	-	1	9	77
2	-	6	-	-	-	1	1	1	-	-	1	1	2	3	5	-	1	5	78
51	1	152	13	1	18	16	3	5	1	-	-	4	5	9	29	5	3	44	79
18	1	65	2	1	6	10	2	2	1	-	-	4	3	1	11	2	1	17	80
33	-	87	11	-	12	6	1	3	-	-	-	-	2	8	18	3	2	27	81
11	-	46	-	-	1	2	1	-	3	-	1	4	4	9	11	2	-	33	82
10	-	38	-	-	1	1	1	-	3	-	1	3	2	8	10	1	-	29	83
1	-	8	-	-	-	1	-	-	-	-	-	1	2	1	1	1	-	4	84
1	-	9	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	85
10	-	21	4	1	1	7	-	-	2	1	-	1	-	12	1	-	-	10	86
10	-	42	4	-	3	3	-	2	1	-	1	-	4	1	6	1	3	13	87
26	-	46	4	-	3	10	2	2	4	1	1	1	5	10	8	-	2	20	88
2	-	1	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TEXAS—Continued																
1	Jefferson	1,452	44	14	-	2	2	-	2	3	-	10	206	21	5	648	603
2	Beaumont	822	25	9	-	2	1	-	2	2	-	5	106	13	2	356	331
3	Port Arthur	421	15	4	-	-	-	-	-	1	-	5	80	5	1	204	186
4	Balance of county	209	4	1	-	-	1	-	-	-	-	-	40	3	2	88	86
5	Jim Hogg	39	4	-	-	-	-	-	-	1	-	-	5	-	-	6	6
6	Jim Wells	183	8	-	-	1	2	-	-	2	-	3	24	1	-	61	59
7	Alice	111	4	-	-	1	1	-	-	1	-	1	14	1	-	30	29
8	Balance of county	72	4	-	-	-	1	-	-	1	-	2	10	-	-	31	30
9	Johnson	342	8	2	-	-	-	-	-	1	-	1	42	4	-	196	194
10	Cleburne	165	2	-	-	-	-	-	-	-	-	1	24	3	-	93	92
11	Balance of county	177	6	2	-	-	-	-	-	1	-	-	18	1	-	103	102
12	Jones	178	1	1	-	-	-	-	-	-	-	-	30	5	-	90	90
13	Karnes	167	11	1	-	-	-	2	-	-	-	-	19	1	-	61	58
14	Kaufman	328	5	5	-	2	-	1	-	-	-	1	37	5	-	135	130
15	Terrell	95	2	5	-	1	-	1	-	-	-	1	11	3	-	33	32
16	Balance of county	233	3	-	-	1	-	-	-	-	-	-	26	2	-	102	98
17	Kendall	56	1	-	-	-	-	-	-	-	-	1	9	-	-	25	24
18	Kenedy	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Kent	14	-	-	-	-	-	-	-	-	-	-	2	-	1	7	7
20	Kerr	151	20	1	-	1	-	-	-	-	-	-	24	1	-	65	64
21	Kimble	34	1	-	-	1	-	-	-	-	-	1	7	2	-	12	11
22	King	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
23	Kinney	24	1	-	-	-	-	-	-	-	-	-	3	-	-	12	12
24	Kleberg	123	7	2	-	1	-	1	-	-	-	2	12	2	-	38	38
25	Kingsville	112	7	2	-	1	-	1	-	-	-	-	12	2	-	34	34
26	Balance of county	11	-	-	-	-	-	-	-	-	-	2	-	-	-	4	4
27	Knox	90	1	1	-	-	1	-	-	-	-	2	10	1	-	33	32
28	Lamar	413	9	-	-	-	-	-	1	1	-	3	43	6	-	208	195
29	Paris	253	8	-	-	-	-	-	1	-	-	2	25	3	-	137	131
30	Balance of county	160	1	-	-	-	-	-	-	1	-	1	18	3	-	71	64
31	Lamb	154	1	-	-	2	1	-	-	-	-	1	17	1	-	42	39
32	Lampasas	111	-	-	-	-	-	-	-	-	-	-	18	2	-	57	55
33	La Salle	59	5	-	-	-	-	-	-	-	-	-	11	-	-	13	12
34	Lavaca	241	8	-	-	-	-	1	1	-	-	3	36	2	1	104	91
35	Lee	103	1	-	-	-	-	-	-	-	-	-	13	2	1	58	53
36	Leon	141	3	2	-	-	-	-	-	-	-	-	16	2	-	80	73
37	Liberty	256	9	1	-	-	-	1	-	1	-	-	32	1	-	107	105
38	Limestone	263	8	6	-	2	-	-	-	-	-	-	36	10	-	123	120
39	Lipscomb	26	-	1	-	-	-	-	-	-	-	-	4	6	-	10	9
40	Live Oak	72	3	-	-	-	-	-	-	-	-	-	4	2	-	19	19
41	Llano	56	-	-	-	-	-	-	-	-	-	-	8	2	-	30	28
42	Loving	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
43	Lubbock	647	11	5	-	2	-	2	-	3	-	5	77	3	-	227	214
44	Lubbock	463	10	5	-	1	-	1	-	1	-	4	58	2	-	166	155
45	Balance of county	184	1	-	-	1	-	1	-	2	-	1	19	1	-	61	59
46	Lynn	79	-	1	-	1	-	1	-	1	-	-	8	1	-	34	33
47	McCulloch	114	5	1	-	1	-	-	-	1	-	-	7	3	-	54	53
48	McLennan	1,109	37	6	-	1	-	1	-	5	-	5	134	16	2	543	520
49	Waco	735	24	5	-	1	-	1	-	2	-	4	90	11	1	364	347
50	Balance of county	374	13	1	-	-	-	-	-	3	-	1	44	5	1	179	173
51	McMullen	8	-	-	-	-	-	-	-	-	-	-	3	-	-	4	4
52	Madison	103	1	1	-	-	-	-	-	-	-	-	12	2	-	55	51
53	Marion	110	6	2	-	2	-	-	-	-	-	-	12	1	-	48	46
54	Martin	36	1	-	-	1	-	-	-	-	-	-	4	-	-	17	16
55	Mason	44	1	-	-	-	-	-	-	-	-	-	5	1	-	23	20
56	Matagorda	202	1	2	-	-	1	-	1	-	-	1	25	2	-	102	98
57	Maverick	101	6	-	-	1	-	-	-	-	-	1	12	3	-	29	28
58	Medina	154	6	-	-	1	1	-	-	-	-	1	16	3	-	61	58
59	Menard	32	1	1	-	-	-	-	-	-	-	-	6	-	-	15	15
60	Midland	153	3	1	-	1	-	1	-	2	-	3	14	1	-	49	47
61	Midland	140	3	1	-	1	-	1	-	2	-	3	13	-	-	46	44
62	Balance of county	13	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3
63	Milam	240	8	3	1	2	-	-	-	-	-	1	24	4	-	115	112
64	Mills	50	1	-	-	-	-	-	-	-	1	-	4	-	-	26	26
65	Mitchell	124	2	-	-	1	-	-	-	-	-	-	22	1	1	50	50
66	Montague	180	1	1	-	-	-	-	-	-	-	-	24	3	-	106	103
67	Montgomery	227	5	-	-	-	-	-	-	-	-	-	27	2	-	101	90
68	Moore	59	2	1	-	-	-	-	-	-	-	-	4	-	-	18	17
69	Morris	86	3	-	-	-	-	-	-	-	1	1	18	-	1	31	31
70	Motley	40	-	-	-	-	-	-	-	-	-	1	4	-	-	16	16
71	Nacogdoches	280	6	1	-	-	1	1	1	-	-	-	39	4	-	134	129
72	Nacogdoches	128	2	-	-	-	-	1	-	-	-	-	23	1	-	62	58
73	Balance of county	152	4	1	1	-	1	-	1	-	-	-	16	3	-	72	71
74	Navarro	412	14	6	-	-	-	-	-	1	-	1	50	5	-	211	205
75	Corsicana	219	8	3	-	-	-	-	-	-	-	1	19	3	-	116	111
76	Balance of county	193	6	3	-	-	-	-	-	1	-	-	31	2	-	95	94
77	Newton	80	2	1	-	-	-	-	-	-	-	1	9	-	-	40	39
78	Nolan	190	5	-	-	-	-	1	-	-	-	1	16	4	-	83	79
79	Sweetwater	136	3	-	-	-	-	1	-	-	-	1	12	2	-	61	58
80	Balance of county	54	2	-	-	-	-	-	-	-	-	-	4	2	-	22	21
81	Nueces	1,019	83	8	-	6	2	2	1	4	-	4	111	12	6	342	322
82	Corpus Christi	695	48	5	-	-	-	2	1	1	-	1	86	12	2	251	235
83	Balance of county	324	35	3	-	6	2	-	-	3	-	3	25	-	4	91	87
84	Ochiltree	39	-	-	-	-	-	-	-	-	-	-	1	2	-	17	15
85	Oldham	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4
86	Orange	271	4	2	-	1	-	1	-	-	-	2	34	1	-	110	107
87	Orange	166	1	1	-	1	-	1	-	-	-	2	19	1	-	69	67
88	Balance of county	105	3	1	-	-	-	-	-	-	-	-	15	-	-	41	40
89	Palo Pinto	197	3	-	-	-	-	-	-	-	-	-	36	-	-	106	100

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
127	2	436	33	6	45	55	7	5	12	8	8	30	11	50	62	11	24	212	1
68	1	244	14	4	25	33	2	1	8	6	6	19	8	27	34	8	16	131	2
42	1	127	15	1	18	12	4	4	3	1	2	6	1	15	12	2	7	57	3
17	-	64	4	1	2	10	1	-	1	1	-	5	2	8	16	1	1	24	4
-	-	6	-	-	-	4	-	-	-	-	-	-	8	-	1	1	-	9	5
13	-	43	3	-	2	8	1	6	-	-	-	1	3	3	13	12	-	32	6
9	-	18	2	-	1	5	-	4	-	-	-	1	2	9	7	-	2	27	7
4	-	25	1	-	1	3	1	2	-	-	-	-	2	1	4	5	-	-	5	8
60	-	121	10	3	2	2	-	3	1	-	-	1	8	13	12	6	2	40	9
26	-	61	5	-	1	1	-	2	1	-	-	-	4	6	4	3	1	20	10
34	-	60	5	3	1	1	-	1	-	-	-	1	4	7	8	3	1	20	11
27	-	55	7	1	-	5	-	1	2	-	-	1	3	4	10	9	-	15	12
13	-	42	3	-	3	5	-	6	-	2	-	1	3	7	3	7	1	35	13
28	1	94	7	-	5	29	1	2	3	-	-	1	5	9	14	16	2	52	14
5	1	26	-	-	1	6	-	-	1	-	-	-	3	2	3	4	-	18	15
23	-	68	7	-	4	23	1	2	2	-	-	1	2	7	11	12	2	34	16
5	-	18	1	-	1	-	-	2	2	-	-	-	-	2	4	2	2	6	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	18
2	-	5	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	19
17	1	42	3	1	1	6	1	3	-	-	-	-	3	3	4	3	2	12	20
3	-	8	-	-	1	1	-	1	-	-	-	-	-	1	-	3	-	4	21
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	22
3	-	8	1	-	-	1	-	-	-	-	-	1	-	1	-	-	2	3	23
17	-	18	3	-	-	5	-	7	-	1	-	-	3	7	3	6	1	21	24
14	-	17	3	-	-	3	-	7	-	1	-	-	5	7	3	5	1	21	25
3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	3	-	-	26
7	-	23	1	1	1	6	-	8	-	-	-	-	2	5	5	-	2	13	27
50	-	135	9	1	13	38	3	2	1	-	-	2	4	18	9	23	-	40	28
34	-	91	5	1	6	20	1	1	1	-	-	1	3	8	8	11	-	21	29
16	-	44	4	-	7	15	2	1	-	-	-	1	1	10	1	12	-	19	30
7	1	28	2	1	3	10	1	3	-	1	-	-	5	2	12	7	-	25	31
6	-	42	7	-	2	6	-	1	-	1	-	1	5	5	5	6	-	9	32
2	-	10	-	-	1	-	-	3	-	-	-	3	2	6	1	4	-	10	33
11	1	73	4	2	13	14	2	3	1	1	-	-	2	10	10	6	5	28	34
17	-	35	1	-	5	5	1	-	-	-	-	1	3	1	2	3	1	11	35
17	-	49	7	-	7	6	1	2	-	-	-	2	1	7	2	8	-	8	36
27	1	68	8	1	2	8	1	-	3	-	-	2	4	6	21	16	2	30	37
26	-	82	11	1	3	8	1	2	-	1	-	4	-	5	15	8	-	30	38
4	-	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	4	39
5	-	14	-	-	-	12	-	3	-	-	-	2	-	4	5	6	1	10	40
7	-	20	1	-	2	2	-	-	1	-	-	-	-	2	3	2	2	4	41
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
49	1	150	10	4	13	54	2	11	5	3	-	2	8	13	49	26	5	9	125	43
36	1	107	7	4	11	37	2	8	2	3	-	1	7	7	33	21	4	6	84	44
13	-	43	3	-	2	17	-	3	3	-	-	1	1	6	16	5	1	3	41	45
8	-	22	1	2	1	5	1	1	1	-	-	-	-	2	4	2	2	-	13	46
12	-	39	1	1	1	5	-	1	1	-	-	-	2	2	7	4	2	1	17	47
116	-	365	28	11	23	39	7	10	5	-	-	2	12	25	31	50	14	11	153	48
81	-	241	21	4	17	28	6	9	4	-	-	2	8	10	17	27	7	5	108	49
35	-	124	7	7	6	11	1	1	1	-	-	-	4	15	14	23	7	6	44	50
-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	51
18	-	31	1	1	4	-	-	-	-	-	-	2	1	4	13	2	1	-	9	52
9	-	34	1	2	2	6	1	-	-	-	2	1	1	2	3	6	2	1	14	53
3	-	13	-	-	1	1	-	1	-	1	-	-	1	1	3	1	-	-	4	54
1	-	19	-	-	3	1	-	-	-	-	-	-	2	-	1	3	1	1	5	55
16	-	76	4	-	6	6	-	2	1	-	-	1	2	11	6	11	2	-	25	56
7	-	16	5	-	1	15	-	8	1	-	-	1	1	2	5	4	-	-	12	57
10	1	45	4	-	3	8	1	9	-	-	-	1	4	2	13	6	3	-	18	58
3	-	11	1	-	-	1	-	-	-	-	-	-	1	-	3	-	-	-	2	59
7	-	36	4	-	2	8	-	1	3	1	-	-	6	3	11	15	3	4	23	60
6	-	34	4	-	2	7	-	1	3	1	-	-	5	3	8	13	3	4	22	61
1	-	2	-	-	-	1	-	-	-	-	-	-	1	-	3	2	-	-	1	62
26	-	79	6	1	3	11	-	-	4	1	-	1	1	12	3	15	2	-	32	63
6	-	16	2	2	-	3	2	-	-	1	-	-	2	1	1	1	2	-	5	64
17	-	25	7	1	-	3	-	2	-	-	-	-	-	2	7	10	-	2	21	65
32	-	65	4	2	3	12	-	-	-	-	-	-	4	6	6	4	-	-	13	66
28	1	50	8	3	11	11	-	-	1	3	1	3	3	14	11	15	2	7	21	67
-	-	17	-	-	1	2	-	1	1	-	-	-	6	3	5	7	2	-	7	68
7	1	21	2	-	-	5	1	1	1	1	-	-	-	5	3	4	-	-	12	69
2	-	13	1	-	-	3	-	-	2	-	-	-	-	-	4	4	1	1	4	70
23	-	100	6	-	5	13	2	1	2	2	-	4	2	12	13	10	2	3	26	71
11	-	43	4	-	4	5	2	1	2	1	-	2	1	1	3	6	2	1	12	72
12	-	57	2	-	1	8	-	-	1	-	-	2	1	11	10	4	-	2	14	73
64	-	128	11	2	6	17	2	2	2	-	-	2	5	12	7	15	3	4	53	74
39	-	65	6	1	5	9	-	1	-	-	-	1	5	5	4	6	1	2	35	75
25	-	63	5	1	1	8	2	1	2	-	-	1	-	7	3	9	2	2	18	76
7	1	25	5	1	1	5	-	-	-	-	-	-	-	2	7	7	-	-	6	77
14	-	58	5	2	4	9	-	-	-	1	-	1	3	2	14	6	-	-	44	78
11	-	42	4	1	3	5	-	-	-	1	-	1	3	-	12	4	-	-	30	79
3	-	16	1	1	1	4	-	-	-	-	-	-	-	2	2	2	-	-	14	80
52	-	253	14	3	20	38	2	42	7	2	-	6	28	24	38	46	20	10	175	81
41	-	183	8	3	16	16	2	24	7	2	-	5	20	12	25	34	15	8	116	82
11	-	70	6	-	4	22	-	18	-	-	-	1	8	12	13	12	5	2	59	83
6	-	8	1	-	2	1	-	-	-	-	-	-	1	-	4	5	1	-	7	84
1	-	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	85
23	1	75	8	-	3	11	1	1	2	2	-	3	2	5	21	16	3	1	48	86
12	1	49	5	-	2	5	-	1	2	2	-	2	1	5	9	9	2	1	32	87
11	-	26	3	-	1	6	1	-	-	-	-	1	1	-	12	7	1	-	18	88
21	3	71	4	1	6	4	3	1	-	1	-	1	8	4	9	-	1	20	89

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TEXAS—Continued																
1	Panola	134	6	1	-	1	2	-	-	-	1	1	19	2	-	58	55
2	Parker	201	6	-	-	-	-	-	-	-	-	-	23	3	-	112	104
3	Parmer	28	-	-	-	-	-	-	-	-	-	-	4	-	-	11	11
4	Pecos	73	2	1	-	-	-	-	1	-	-	2	13	3	-	22	21
5	Polk	173	2	1	-	-	-	-	-	1	-	1	29	-	1	80	79
6	Potter	564	7	2	-	1	-	-	-	-	-	1	73	8	-	235	227
7	Amarillo (part)	556	7	2	-	1	-	-	-	-	-	1	72	8	-	232	224
8	Amarillo (total)	562	7	2	-	1	-	-	-	-	-	1	72	8	-	236	228
9	Balance of county	6	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3
10	Presidio	46	1	-	-	-	-	-	-	-	-	-	3	2	-	14	13
11	Rains	28	1	-	-	-	-	1	1	-	-	-	2	-	-	16	16
12	Randall	41	1	-	-	-	-	-	-	-	-	-	7	-	-	18	18
13	Amarillo (part)	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4
14	Balance of county	35	1	-	-	-	-	-	-	-	-	-	7	-	-	14	14
15	Reagan	12	-	-	-	-	-	-	-	-	-	-	3	-	-	4	4
16	Real	22	2	-	-	1	-	-	-	-	-	-	1	-	-	9	8
17	Red River	232	7	-	-	-	-	-	-	-	-	1	24	4	-	120	112
18	Reeves	116	7	1	-	1	-	2	-	-	-	2	12	1	1	23	22
19	Refugio	83	3	2	-	-	-	-	-	-	-	1	10	2	-	38	37
20	Roberts	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5
21	Robertson	218	8	4	-	1	1	-	-	-	-	-	20	2	1	115	104
22	Rockwall	75	1	1	-	-	-	-	-	-	-	-	8	3	-	31	31
23	Runnels	156	4	-	-	1	-	-	-	1	-	1	29	1	-	53	50
24	Rusk	332	9	2	-	-	-	-	-	-	-	1	48	4	2	158	153
25	Sabine	74	2	-	-	-	-	-	-	-	-	-	13	-	-	38	37
26	San Augustine	90	1	-	-	-	-	-	-	1	-	1	14	-	-	42	42
27	San Jacinto	45	-	-	-	-	-	-	-	-	-	-	1	1	-	23	20
28	San Patricio	317	21	4	-	5	1	1	-	-	-	3	34	5	-	90	87
29	San Saba	99	2	1	-	-	-	-	-	-	-	-	15	-	1	48	46
30	Schleicher	29	1	1	-	-	-	-	-	-	-	-	8	1	-	10	8
31	Scurry	115	-	1	-	-	-	-	-	-	-	1	14	-	-	39	38
32	Snyder	71	-	1	-	-	-	-	-	-	-	-	9	-	-	24	23
33	Balance of county	44	-	-	-	-	-	-	-	-	-	1	5	-	-	15	15
34	Shackelford	17	1	-	-	-	-	-	-	1	-	-	6	-	-	4	4
35	Shelby	233	1	1	-	2	-	1	-	1	-	1	26	5	-	113	109
36	Sherman	14	-	-	-	-	-	-	-	-	-	-	2	-	-	9	9
37	Smith	617	22	5	1	-	-	-	1	2	-	-	78	8	2	301	292
38	Tyler	289	9	3	-	-	-	-	1	2	-	-	30	4	-	149	146
39	Balance of county	328	13	2	1	-	-	-	-	-	-	-	48	4	2	152	146
40	Somervell	33	-	1	-	-	-	-	-	-	-	-	11	1	-	14	13
41	Starr	87	5	2	-	-	-	-	-	-	-	-	7	1	1	26	25
42	Stephens	112	1	1	-	1	-	-	-	-	-	-	14	4	-	48	44
43	Sterling	11	-	-	-	-	-	-	-	-	-	-	2	-	-	5	5
44	Stonewall	28	-	-	-	-	-	-	-	-	-	-	5	-	-	13	13
45	Sutton	31	2	1	-	1	-	-	-	-	-	-	6	-	-	9	9
46	Swisher	65	-	-	-	-	-	-	-	1	-	-	8	1	-	25	24
47	Tarrant	3,028	68	22	-	-	3	-	2	10	-	14	404	52	5	1,471	1,426
48	Fort Worth	2,551	58	20	-	-	2	-	1	8	-	13	339	41	2	1,229	1,194
49	White Settlement	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
50	Balance of county	473	10	2	-	-	1	-	1	2	-	1	65	11	3	241	231
51	Taylor	446	12	1	-	1	-	-	-	-	-	1	87	8	1	201	194
52	Abilene	335	10	-	-	-	-	-	-	-	-	1	61	6	1	154	148
53	Balance of county	111	2	1	-	1	-	-	-	-	-	-	26	2	-	47	46
54	Terrell	18	-	-	-	-	-	-	-	-	-	-	1	-	-	8	8
55	Terry	87	1	-	-	-	-	1	-	1	-	1	7	1	-	28	28
56	Throckmorton	33	1	-	-	-	-	-	-	-	-	-	8	-	-	11	11
57	Titus	138	7	-	-	-	-	-	-	-	-	-	12	1	-	72	68
58	Tom Green	481	28	4	-	3	-	2	-	-	-	-	63	5	1	187	182
59	San Angelo	421	28	4	-	3	-	2	-	-	-	-	55	5	1	170	165
60	Balance of county	60	2	-	-	-	-	-	-	-	-	-	8	-	-	17	17
61	Travis	1,064	25	8	-	3	-	-	1	3	1	5	143	11	-	504	485
62	Austin	902	20	6	-	1	-	-	1	3	1	5	129	10	-	430	417
63	Balance of county	162	5	2	-	2	-	-	-	-	-	-	14	1	-	74	68
64	Trinity	99	1	1	-	-	-	-	-	-	-	-	8	-	-	46	44
65	Tyler	91	-	-	1	-	-	-	-	-	-	-	10	-	-	43	43
66	Upshur	179	4	-	-	-	-	-	-	-	-	1	23	1	1	100	92
67	Upton	29	-	-	-	-	-	-	-	-	-	-	2	-	1	15	15
68	Uvalde	146	8	-	-	2	-	-	-	-	-	1	18	1	1	55	50
69	Val Verde	192	10	1	-	-	-	-	-	-	-	2	10	5	2	82	80
70	Del Rio	181	8	-	-	-	-	-	-	-	-	2	10	4	2	77	75
71	Balance of county	11	2	1	-	-	-	-	-	-	-	-	-	1	-	5	5
72	Van Zandt	197	6	1	-	-	-	-	-	1	-	5	20	5	1	107	97
73	Victoria	291	11	5	-	1	1	-	-	3	-	3	37	6	-	117	108
74	Victoria	202	9	5	-	1	1	-	-	3	-	3	27	5	-	71	65
75	Balance of county	89	2	-	-	-	-	-	-	-	-	-	10	1	-	46	43
76	Walker	127	9	-	-	-	-	-	-	-	-	-	12	-	-	60	57
77	Waller	96	-	1	-	-	-	-	-	-	-	-	10	-	-	53	52
78	Ward	75	2	-	-	-	-	1	-	-	-	2	5	2	-	22	20
79	Washington	224	3	-	-	-	-	-	-	-	-	6	22	1	-	108	103
80	Webb	497	25	2	-	9	-	1	-	1	-	3	53	8	1	144	135
81	Laredo	465	24	2	-	9	-	1	-	1	-	3	52	8	1	139	130
82	Balance of county	22	1	-	-	-	-	-	-	-	-	-	1	-	-	5	5
83	Wharton	280	9	2	-	-	-	-	-	-	-	3	31	4	-	137	131
84	Wheeler	82	1	1	-	-	-	-	-	-	-	1	12	-	-	42	39
85	Wichita	617	12	3	-	-	-	-	-	-	1	1	91	5	1	277	270
86	Wichita Falls	455	6	2	-	-	-	-	-	-	1	1	66	1	1	205	203
87	Balance of county	162	6	1	-	-	-	-	-	-	-	-	25	4	-	72	67
88	Wilbarger	150	3	2	-	-	1	-	-	-	-	1	25	3	-	66	63
89	Vernon	113	3	2	-	-	-	-	-	-	-	1	18	3	-	55	52
90	Balance of county	37	-	-	-	-	1	-	-	-	-	-	7	-	-	11	11

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
15	-	39	1	-	3	7	-	3	-	2	-	1	4	10	5	-	-	11	1
24	-	71	8	1	8	7	2	-	-	-	-	2	9	5	10	1	-	21	2
1	-	8	2	-	-	1	-	-	-	1	-	1	-	4	1	1	-	4	3
4	-	13	4	-	1	1	-	4	-	-	1	-	-	5	3	2	1	12	4
22	1	52	3	1	1	4	-	1	-	-	-	3	7	12	3	1	3	24	5
45	-	169	10	3	8	11	4	9	4	3	2	7	10	34	30	12	16	95	6
43	-	168	10	3	8	10	4	9	4	3	2	7	10	33	28	12	16	95	7
44	-	171	10	3	8	10	4	9	4	3	2	7	10	35	28	12	16	95	8
2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	9
2	-	10	-	1	1	1	-	-	-	1	-	1	2	3	5	1	2	10	10
5	-	11	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	2	11
2	-	16	-	-	-	1	-	-	-	-	-	1	1	4	2	1	-	5	12
1	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	13
1	-	13	-	-	-	1	-	-	-	-	-	1	1	2	2	1	-	5	14
2	-	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	1	15
-	-	8	-	-	1	-	1	1	-	-	-	-	1	1	1	-	-	4	16
25	-	85	2	-	8	10	-	5	-	-	-	3	2	6	6	11	2	4	27	17
2	-	20	-	-	1	10	-	9	3	-	-	1	6	3	3	5	2	2	22	18
8	-	25	4	-	1	1	-	2	-	-	-	1	1	3	3	5	-	1	10	19
3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	20
14	1	81	7	1	11	12	-	3	1	4	-	4	8	2	5	2	2	23	21
9	-	20	2	-	-	7	-	-	-	-	-	-	5	7	4	-	-	8	22
14	-	35	1	-	3	16	-	2	-	-	-	-	4	8	7	2	-	27	23
22	2	114	11	4	5	16	1	3	-	3	-	1	14	12	12	3	3	40	24
14	-	17	5	1	1	2	-	-	-	-	1	1	1	4	3	1	1	7	25
11	-	29	2	-	-	5	-	2	-	-	2	-	3	2	2	2	1	12	26
7	-	13	-	-	3	1	-	-	-	-	-	-	4	1	4	1	-	9	27
29	-	52	6	-	3	17	-	18	4	-	2	2	5	16	19	5	3	62	28
5	-	36	5	-	2	6	-	1	1	-	-	3	5	4	3	1	1	7	29
2	-	6	-	-	2	-	-	1	1	-	-	1	-	1	1	-	-	4	30
10	-	25	3	-	1	9	-	-	-	1	-	-	4	16	9	-	2	19	31
6	-	17	-	-	1	4	-	-	-	-	-	-	4	10	4	-	2	13	32
4	-	8	3	-	-	5	-	-	-	1	-	-	-	6	5	-	-	6	33
-	1	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	34
21	1	73	12	2	4	10	1	-	2	-	-	2	3	10	15	11	-	28	35
1	-	8	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	36
57	-	209	26	-	9	20	1	6	2	1	1	1	8	9	19	35	6	2	87	37
30	-	108	8	-	3	7	-	3	2	1	1	1	4	2	8	18	3	-	44	38
27	-	101	18	-	6	13	1	3	-	-	-	1	4	7	13	17	3	2	43	39
4	-	9	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	3	40
3	-	20	1	1	1	11	-	2	-	-	-	1	-	3	6	8	-	-	14	41
9	-	34	1	-	4	7	-	-	-	2	-	-	2	2	5	7	1	-	17	42
1	1	3	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	43
1	-	10	1	1	-	-	-	-	-	-	-	-	-	2	5	-	1	-	3	44
2	-	7	-	-	-	3	-	-	-	-	-	-	-	1	1	2	-	-	5	45
10	-	13	-	1	1	-	1	-	-	-	-	-	3	1	7	4	1	-	11	46
329	2	1,028	58	9	45	99	13	17	37	7	4	4	64	42	88	143	34	48	380	47
276	2	853	55	8	35	85	9	15	31	7	4	4	56	34	75	124	28	43	327	48
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	49
53	-	174	3	1	10	14	4	2	6	-	-	-	8	8	13	18	6	5	51	50
32	1	153	7	1	7	20	2	5	1	1	-	-	7	8	16	17	4	3	52	51
24	1	119	4	-	6	16	1	4	1	1	-	-	6	3	13	14	2	3	38	52
8	-	34	3	1	1	4	1	1	-	-	-	-	1	3	3	3	2	-	14	53
2	-	5	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	5	54
9	-	18	1	-	-	8	1	5	-	-	-	-	-	-	4	5	1	2	21	55
1	-	10	-	-	-	3	-	-	-	-	-	-	-	2	1	2	1	-	4	56
12	-	50	4	2	4	8	-	1	-	-	-	1	1	5	4	6	-	1	19	57
38	1	139	4	-	5	21	1	9	1	1	1	1	10	14	18	22	7	6	77	58
36	1	124	4	-	5	16	1	9	1	-	1	1	9	9	14	18	7	4	66	59
2	-	15	-	-	-	5	-	-	-	1	-	1	1	5	4	4	-	2	11	60
97	2	349	33	4	19	36	3	7	9	-	-	3	23	24	32	51	11	11	150	61
85	2	298	29	3	13	33	3	6	6	-	-	3	20	21	19	38	8	9	130	62
12	-	51	4	1	6	3	-	1	3	-	-	-	3	3	13	13	3	2	20	63
7	1	33	3	-	2	3	1	1	-	-	-	2	-	9	3	3	3	2	16	64
6	-	34	2	1	-	6	-	-	-	-	-	-	1	2	6	5	3	1	13	65
24	-	62	5	1	9	10	-	-	-	1	-	1	1	4	8	6	1	1	17	66
1	-	12	1	1	-	-	-	-	-	-	-	1	-	-	4	2	-	-	4	67
10	-	35	3	2	5	7	1	2	2	-	-	9	6	8	8	1	-	18	68
15	-	55	8	2	2	13	1	11	3	1	2	3	1	4	5	-	-	36	69
14	-	51	8	2	2	12	1	11	2	1	2	3	1	4	5	-	-	36	70
1	-	4	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	71
26	-	67	3	1	10	8	1	1	-	-	-	-	4	8	7	1	-	21	72
28	-	74	5	1	8	3	2	7	2	-	-	-	7	10	14	10	3	2	47	73
19	-	44	2	-	6	3	2	5	2	-	-	-	5	2	10	8	2	1	37	74
9	-	30	3	1	3	-	-	2	-	-	-	-	2	8	4	2	1	1	10	75
12	-	36	9	-	3	6	-	-	-	-	-	-	-	10	3	-	2	1	24	76
21	-	30	1	-	1	-	-	1	-	-	-	1	-	3	4	2	3	3	15	77
1	-	18	-	1	2	2	-	2	-	-	-	-	1	1	10	6	3	1	15	78
26	-	74	3	-	5	6	-	1	4	-	-	1	1	16	3	11	7	2	33	79
24	2	102	5	2	9	52	1	23	1	-	-	2	7	17	14	21	4	1	97	80
23	2	98	5	2	9	48	1	23	1	-	-	2	7	15	13	17	4	1	93	81
1	-	4	-	-	-	4	-	-	-	-	-	-	-	2	1	4	-	-	4	82
42	-	79	6	4	6	6	1	1	2	2	-	-	4	14	10	10	1	2	41	83
5	-	29	4	1	3	2	-	1	1	-	-	1	1	-	4	5	1	-	9	84
50	1	206	9	4	7	24	2	8	7	2	-	1	10	7	26	39	5	5	90	85
35	1	157	6	4	2	16	2	5	6	1	-	-	8	5	24	24	2	5	74	86
15	-	49	3	-	5	8	-	3	1	1	-	1	2	2	2	15	3	-	16	87
14	-	46	2	1	3	3	-	-	2	-	-	-	3	4	8	7	2	1	19	88
11	-	39	1	1	3	1	-	-	-	-	-	-	3	2	4	5	1	-	15	89
3	-	7	1	-	-	2	-	-	2	-	-	-	-	2	4	2	1	1	4	90

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis; all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TEXAS—Continued																
1	Willacy	168	8	3	-	14	-	-	-	-	-	4	15	2	-	33	31
2	Williamson	391	14	1	-	5	-	-	-	-	-	4	42	1	-	170	163
3	Wilson	135	3	-	-	-	-	1	-	-	-	-	25	3	-	53	50
4	Winkler	39	-	1	-	-	-	-	-	-	-	-	8	1	-	9	9
5	Wise	171	-	-	-	-	-	-	-	-	-	-	19	-	-	100	99
6	Wood	210	1	1	-	-	-	-	-	1	-	-	29	4	-	93	88
7	Yoakum	16	-	-	-	-	-	-	-	-	-	-	6	1	-	1	1
8	Young	143	1	-	-	-	-	-	-	-	-	-	16	1	-	69	68
9	Zapata	10	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2
10	Zavala	95	7	-	-	-	-	1	-	-	-	2	11	1	2	27	25
11	UTAH	4,974	54	26	1	2	2	3	1	8	6	18	625	78	11	2,387	2,321
12	Beaver	47	-	-	-	-	-	-	-	-	-	1	2	1	-	30	29
13	Box Elder	139	-	3	-	-	-	-	-	-	-	-	12	2	-	68	68
14	Cache	257	-	2	-	-	-	-	-	2	1	-	29	2	-	141	139
15	Logan	129	-	1	-	-	-	-	-	1	1	-	13	2	-	75	73
16	Balance of county	128	-	1	-	-	-	-	-	1	-	-	16	-	-	66	66
17	Carbon	186	2	2	-	-	-	-	-	-	-	1	21	-	-	80	78
18	Daggett	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
19	Davis	163	3	-	-	-	-	-	-	-	-	2	19	2	1	78	77
20	Duchesne	55	-	-	-	-	-	-	-	-	-	1	8	-	1	23	23
21	Emery	46	-	1	-	-	-	-	-	1	-	-	-	2	-	29	29
22	Garfield	27	-	-	-	-	-	-	-	-	1	-	2	-	-	10	10
23	Grand	18	-	-	-	-	-	-	-	-	-	-	4	-	-	8	8
24	Iron	76	-	1	1	-	-	-	-	1	-	1	8	2	-	42	36
25	Juab	58	2	1	-	-	-	-	-	-	1	-	8	1	-	31	30
26	Kane	16	-	-	-	-	-	-	-	-	-	-	4	1	-	7	7
27	Millard	61	-	-	-	-	-	-	-	-	-	1	8	-	-	22	22
28	Morgan	19	1	-	-	-	-	-	-	-	-	-	4	1	-	6	6
29	Piute	16	-	-	-	-	-	-	-	-	1	-	2	-	-	6	6
30	Rich	10	-	-	-	-	-	-	-	-	-	-	1	-	-	7	5
31	Salt Lake	2,092	29	7	-	-	2	-	1	2	-	5	317	27	3	1,010	985
32	Salt Lake City	1,669	20	6	-	-	2	-	1	2	-	4	261	23	3	829	811
33	Balance of county	423	9	1	-	-	-	-	-	-	-	1	56	4	-	181	174
34	San Juan	27	2	-	-	-	-	-	-	-	-	2	1	1	-	6	5
35	Sanpete	141	1	-	-	-	-	-	-	-	-	-	12	5	-	71	68
36	Sevier	116	-	-	-	-	-	1	-	-	1	-	12	3	-	42	41
37	Summit	59	3	-	-	-	-	-	-	-	-	-	6	1	-	25	25
38	Tooele	92	1	-	-	1	-	-	-	-	-	-	12	2	-	42	40
39	Uintah	70	1	1	-	-	-	-	-	-	-	-	8	-	-	33	32
40	Utah	465	4	2	-	-	-	2	-	1	-	2	56	10	1	214	205
41	Provo	140	-	-	-	-	-	-	-	-	-	-	20	3	1	70	68
42	Balance of county	325	4	2	-	-	-	2	-	1	-	2	36	7	-	144	137
43	Wasatch	47	-	-	-	-	-	-	-	-	-	-	3	3	-	22	21
44	Washington	96	2	-	-	1	-	-	-	-	-	2	7	-	-	48	45
45	Wayne	16	-	-	-	-	-	-	-	-	-	-	3	-	-	3	3
46	Weber	557	3	6	-	-	-	-	-	1	1	-	58	9	5	283	278
47	Ogden	442	3	6	-	-	-	-	-	-	1	-	44	6	4	229	225
48	Balance of county	115	-	-	-	-	-	-	-	1	-	-	14	3	1	54	53
49	VERMONT	4,167	71	14	-	-	1	4	2	2	-	12	615	60	6	2,342	2,292
50	Addison	190	4	-	-	-	-	-	-	-	-	2	30	4	-	108	104
51	Bennington	297	-	1	-	-	-	-	-	-	-	-	55	6	1	185	180
52	Caledonia	281	6	2	-	-	-	-	-	-	-	-	36	5	-	171	170
53	Chittenden	586	10	1	-	-	-	-	-	1	-	1	81	11	-	320	316
54	Burlington	284	5	-	-	-	-	-	-	1	-	1	35	6	-	159	157
55	Balance of county	302	5	1	-	-	-	-	-	-	-	-	46	5	-	161	159
56	Essex	64	1	1	-	-	-	-	-	-	-	-	11	-	1	38	36
57	Franklin	383	2	2	-	-	-	1	-	-	-	-	54	5	2	199	190
58	Grand Isle	35	1	-	-	-	-	-	-	-	-	-	3	-	-	22	22
59	Lamoille	128	1	-	-	-	1	-	-	-	-	-	17	3	-	67	66
60	Orange	208	4	1	-	-	-	-	-	-	-	-	26	3	-	118	115
61	Orleans	256	5	1	-	-	2	-	-	-	-	3	28	3	-	119	114
62	Rutland	574	12	2	-	1	1	1	-	-	-	-	87	6	1	349	344
63	Rutland	211	2	1	-	1	1	1	-	-	-	-	35	3	1	129	127
64	Balance of county	363	10	1	-	-	-	-	-	-	-	-	52	3	-	220	217
65	Washington	451	21	1	-	-	-	-	-	-	-	1	67	3	-	233	228
66	Barre	125	10	1	-	-	-	-	-	-	-	-	20	-	-	69	69
67	Balance of county	326	11	-	-	-	-	-	-	-	-	1	47	3	-	164	159
68	Windham	338	2	-	-	-	-	-	-	-	-	1	58	6	1	198	192
69	Windsor	416	2	2	-	-	-	-	-	1	-	4	62	5	-	235	233
70	VIRGINIA[3]	29,708	917	187	4	16	12	48	41	63	7	87	3,387	365	39	15,387	14,749
71	Accomack	393	23	4	-	-	-	2	-	-	-	1	42	6	-	195	182
72	Albemarle	250	5	1	-	-	-	-	-	-	-	1	44	2	1	119	116
73	Alleghany	188	6	2	-	-	-	-	-	-	-	-	26	4	-	81	78
74	Amelia	103	6	-	-	1	-	2	-	-	-	-	9	-	-	53	47
75	Amherst	173	2	-	-	1	-	-	-	-	-	1	22	2	-	68	68
76	Appomattox	96	1	-	-	-	-	-	-	-	-	-	10	1	-	58	58
77	Arlington[2]	691	13	4	-	-	-	-	-	1	-	2	97	10	2	358	352
78	Augusta	308	6	1	-	-	-	1	-	-	-	1	34	5	-	166	161
79	Bath	61	3	-	-	-	-	-	-	-	-	-	10	1	-	35	31
80	Bedford	299	9	-	-	-	-	-	-	1	-	-	28	4	-	182	173
81	Bland	52	4	2	-	-	-	-	-	2	-	1	9	-	-	19	19
82	Botetourt	154	4	1	-	-	-	-	-	-	-	-	17	1	-	85	84
83	Brunswick	200	7	2	-	-	-	-	1	-	-	1	22	3	-	97	93

[3]Independent cities have the same status as counties and are listed after the counties. [2]Classified as urban under a special rule.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
4	-	25	1	1	2	10	-	9	1	1	3	4	9	10	6	3	5	28	1
39	-	117	7	-	7	22	1	10	2	-	-	8	14	18	13	1	4	61	2
13	-	34	2	1	3	5	-	2	2	1	-	3	3	9	5	2	-	18	3
5	-	4	-	-	-	1	-	-	-	-	-	2	1	5	1	1	1	8	4
14	-	81	4	-	1	7	-	-	3	-	-	1	6	6	9	1	1	18	5
16	-	59	11	2	5	12	1	-	2	-	2	4	8	16	14	1	3	18	6
-	-	1	-	-	-	-	-	1	1	-	-	1	-	2	2	-	-	1	7
13	-	51	2	-	3	11	-	-	3	2	-	3	3	6	7	2	2	17	8
-	-	2	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	9
3	-	20	1	1	2	10	-	4	1	-	-	-	7	1	3	-	-	18	10
438	16	1,726	110	31	66	149	35	24	23	14	5	112	180	202	285	63	10	650	11
4	1	23	1	-	1	1	-	-	-	-	-	1	-	3	3	-	-	5	12
13	-	53	1	1	-	2	1	-	-	1	-	4	7	7	8	-	-	24	13
27	-	107	4	1	2	7	2	-	1	1	-	4	9	8	14	1	-	33	14
16	-	54	2	1	2	3	1	-	1	-	-	1	2	3	6	1	-	18	15
11	-	53	2	-	-	4	1	-	-	1	-	3	7	5	8	-	-	15	16
12	-	58	6	2	2	10	1	1	2	-	-	8	5	8	12	4	-	29	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	18
9	-	64	2	2	1	5	-	1	-	-	-	4	-	12	7	3	-	26	19
3	1	19	-	-	-	2	1	-	-	-	-	2	3	5	2	1	-	6	20
4	-	24	1	-	-	3	-	-	-	-	-	-	1	1	1	-	-	7	21
1	-	7	1	1	-	-	-	-	-	-	1	-	2	3	4	1	-	3	22
4	1	3	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	2	23
9	-	26	1	-	6	1	-	3	-	-	-	1	2	4	3	2	-	4	24
9	-	15	3	3	1	-	-	-	-	-	-	2	4	1	2	-	-	5	25
3	-	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	26
6	-	15	-	1	-	2	-	-	1	-	1	3	5	3	5	1	-	9	27
2	-	2	2	-	-	2	-	-	-	-	-	-	-	2	1	-	-	2	28
1	-	5	-	-	-	1	-	-	1	-	-	-	1	-	2	-	-	2	29
1	-	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	30
182	6	735	47	15	25	55	19	6	13	5	2	38	90	59	121	26	6	249	31
145	3	613	39	11	18	48	17	4	10	2	2	31	65	47	85	23	5	179	32
37	3	122	8	4	7	7	2	2	3	3	-	7	25	12	36	3	1	70	33
2	1	2	-	-	1	2	-	1	1	-	-	-	5	1	-	-	-	5	34
15	1	51	1	-	3	5	2	1	-	1	-	3	7	5	4	3	-	21	35
10	-	29	2	-	1	8	2	1	-	-	-	-	1	11	5	1	1	27	36
3	-	20	1	1	-	3	1	-	-	-	-	1	1	1	1	1	2	13	37
8	1	31	-	-	2	4	-	-	1	-	1	1	2	3	4	1	1	16	38
7	-	24	-	1	1	3	-	2	-	1	-	1	4	2	5	-	-	9	39
38	-	156	11	-	9	16	2	3	1	1	-	13	10	28	35	6	-	58	40
12	-	52	4	-	2	6	-	1	-	-	-	5	2	6	9	2	-	15	41
26	-	104	7	-	7	10	2	2	1	1	-	8	8	22	26	4	-	43	42
1	1	19	-	-	1	-	-	-	-	-	-	1	-	5	4	1	-	8	43
13	1	30	1	-	3	3	1	1	1	1	-	4	5	6	6	1	-	7	44
-	-	3	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	5	45
51	2	198	24	3	5	14	2	3	1	3	-	19	16	18	34	10	-	71	46
42	1	161	19	2	4	10	2	2	1	2	-	14	14	11	27	9	-	57	47
9	1	37	5	1	1	4	-	1	-	1	-	5	2	7	7	1	-	14	48
536	2	1,551	186	17	50	137	22	14	32	7	9	58	44	82	184	52	2	395	49
19	-	81	4	-	4	9	-	1	-	-	-	2	5	2	9	3	-	11	50
36	-	112	9	3	5	14	2	2	1	-	1	1	-	10	10	4	-	24	51
42	1	107	19	1	1	7	2	-	1	-	1	3	3	5	12	6	-	21	52
59	-	227	28	2	4	16	3	1	5	-	1	15	8	11	32	8	1	60	53
23	-	119	13	2	2	8	1	1	3	-	-	4	2	6	17	3	-	32	54
36	-	108	15	-	2	8	2	-	2	-	1	11	6	5	15	5	1	28	55
7	-	27	3	1	-	-	1	-	-	-	-	-	-	2	1	1	-	7	56
45	-	121	24	-	9	8	3	-	4	1	1	6	1	6	20	3	1	44	57
3	-	15	4	-	-	4	-	-	1	-	1	-	-	-	1	-	-	2	58
12	-	49	4	1	1	9	1	-	1	-	1	2	1	3	10	-	-	11	59
25	-	87	3	-	3	8	-	2	2	1	-	6	2	5	7	4	-	19	60
32	-	69	13	-	5	11	2	-	3	-	1	4	3	5	15	3	-	28	61
90	1	215	35	3	5	14	4	1	4	3	1	4	2	10	19	3	-	49	62
34	1	75	16	1	2	3	-	1	1	-	-	1	-	6	7	-	-	18	63
56	-	140	19	2	3	11	4	-	3	3	1	3	2	4	12	3	-	31	64
65	-	143	19	1	5	18	1	2	2	-	1	5	9	6	22	6	-	55	65
19	-	45	5	-	-	4	1	-	1	-	-	1	1	2	2	2	-	11	66
46	-	98	14	1	5	12	-	2	1	-	1	4	8	4	20	4	-	44	67
42	-	140	8	2	6	10	2	3	5	2	-	5	4	5	9	6	-	21	68
59	-	158	13	3	2	11	1	2	3	-	-	5	6	12	17	5	-	43	69
3,685	39	9,900	957	188	638	1,252	147	179	191	102	82	392	440	857	1,228	385	301	3,612	70
56	-	118	7	1	13	20	3	1	4	-	2	3	6	16	22	2	6	35	71
32	-	74	7	3	3	6	1	2	-	1	-	4	3	7	17	4	1	31	72
14	1	58	4	1	3	8	-	2	6	1	1	3	1	7	13	4	3	22	73
19	-	26	1	1	6	5	1	1	-	-	1	1	2	2	2	1	1	15	74
19	-	64	5	-	-	2	-	-	1	-	-	2	6	10	5	4	2	25	75
12	1	36	8	2	-	5	-	-	-	-	1	1	1	4	4	-	-	10	76
80	-	245	21	6	6	17	-	3	8	5	-	14	2	23	30	15	6	81	77
31	-	119	8	3	5	13	1	1	-	2	1	3	3	16	14	5	-	35	78
9	-	17	5	-	4	-	1	-	2	1	-	-	-	1	-	-	-	7	79
49	1	113	6	4	9	13	3	2	1	-	-	4	1	7	5	5	1	33	80
5	-	12	2	-	-	1	-	-	-	-	-	1	-	1	1	1	1	9	81
23	-	55	5	1	1	8	-	-	-	2	-	2	-	7	8	1	1	17	82
25	-	62	6	-	4	12	1	-	1	1	-	5	1	6	18	2	3	17	83

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	VIRGINIA[6]—Continued																
1	Buchanan	223	8	-	1	-	-	-	-	4	1	2	13	2	-	70	68
2	Buckingham	142	2	2	-	-	-	-	-	-	-	3	3	2	-	90	88
3	Campbell	259	6	-	-	-	-	-	-	-	-	-	32	4	1	132	122
4	Caroline	171	4	1	-	-	-	-	1	1	-	-	10	1	-	93	91
5	Carroll	205	3	-	-	-	-	-	-	1	1	1	16	1	-	99	97
6	Charles City	65	1	-	-	-	-	1	-	-	-	-	5	1	-	32	27
7	Charlotte	161	4	-	-	-	-	-	-	-	-	-	26	3	-	64	64
8	Chesterfield	296	7	3	-	-	-	1	-	-	-	1	23	3	2	175	170
9	Clarke	84	2	1	-	-	-	1	-	-	-	-	12	-	-	51	48
10	Craig	45	1	-	-	-	-	-	-	1	-	-	3	-	-	28	25
11	Culpeper	138	6	-	-	-	-	-	-	-	-	-	16	1	-	82	80
12	Cumberland	106	1	2	-	-	-	-	-	-	-	1	10	1	1	50	41
13	Dickenson	132	2	3	-	-	-	-	1	-	-	-	9	2	1	40	36
14	Dinwiddie	136	3	2	-	-	-	-	1	-	-	-	13	1	-	74	73
15	Elizabeth City	357	16	3	-	-	-	-	-	1	-	2	47	3	-	184	177
16	Essex	87	4	-	-	-	-	2	-	-	-	1	7	-	-	61	59
17	Fairfax	465	9	3	-	-	-	-	-	-	-	2	61	5	1	225	223
18	Fauquier	236	7	2	-	-	-	-	-	-	-	-	32	3	-	125	119
19	Floyd	133	3	-	-	-	-	-	-	-	-	-	14	-	-	71	66
20	Fluvanna	83	2	-	-	-	-	-	-	-	-	-	13	1	-	44	42
21	Franklin	202	9	2	-	-	-	-	-	-	-	-	18	3	-	102	97
22	Frederick	165	10	-	-	-	-	-	1	-	-	-	17	1	-	89	83
23	Giles	153	5	2	-	-	-	1	1	1	-	-	17	1	-	79	76
24	Gloucester	128	8	-	-	-	-	-	-	-	-	-	14	2	-	64	62
25	Goochland	76	2	1	-	-	-	-	-	-	-	-	9	1	1	44	43
26	Grayson	203	4	1	-	-	-	-	-	4	-	-	22	3	-	110	104
27	Greene	62	1	-	-	-	-	2	-	-	-	-	5	-	-	58	57
28	Greensville	185	9	1	-	-	1	1	-	-	-	-	15	1	2	95	89
29	Halifax	413	10	1	-	3	-	2	-	-	-	2	33	4	1	222	218
30	Hanover	210	4	-	-	-	-	-	-	-	-	-	31	3	-	127	124
31	Henrico	355	10	1	-	1	-	1	1	-	-	-	41	7	-	184	176
32	Henry	213	3	-	-	-	-	-	1	-	-	-	14	1	1	99	96
33	Highland	43	-	-	-	-	-	-	-	-	-	-	10	-	-	21	20
34	Isle of Wight	148	9	1	-	-	-	-	-	-	-	-	11	1	-	76	75
35	James City	73	3	-	-	-	-	-	-	-	-	-	7	2	-	33	27
36	King and Queen	75	-	1	-	-	-	-	-	-	-	1	8	-	-	43	39
37	King George	72	3	-	-	-	-	-	-	-	-	-	9	-	-	36	36
38	King William	97	4	-	-	-	-	2	-	-	-	1	8	-	-	52	49
39	Lancaster	99	2	1	-	-	-	-	-	-	-	1	10	2	1	48	48
40	Lee	292	15	1	-	-	1	1	-	-	-	3	35	5	-	121	115
41	Loudoun	217	8	-	-	-	-	-	2	4	-	-	27	1	-	126	125
42	Louisa	162	3	-	-	-	-	1	-	-	-	-	17	6	-	95	91
43	Lunenburg	125	3	1	-	-	-	-	-	-	-	1	9	1	-	70	69
44	Madison	83	4	-	-	-	-	-	-	-	-	-	9	-	-	50	48
45	Mathews	79	-	-	-	-	-	-	-	-	-	-	8	-	-	53	52
46	Mecklenburg	332	7	2	-	-	1	-	-	-	-	3	28	1	1	163	156
47	Middlesex	95	2	1	-	-	-	-	-	-	-	-	11	1	-	59	47
48	Montgomery	252	-	2	-	-	-	-	1	1	-	3	23	4	-	131	125
49	Nansemond	262	17	2	-	-	-	2	-	-	-	2	19	-	-	141	132
50	Nelson	138	2	-	1	1	-	-	-	-	-	1	15	8	-	74	74
51	New Kent	43	2	1	-	-	-	-	-	-	-	-	4	-	-	27	20
52	Norfolk	607	18	4	-	2	-	-	2	4	-	2	69	10	1	289	281
53	Northampton	280	18	1	-	-	-	-	-	-	1	1	32	5	-	123	115
54	Northumberland	135	4	3	-	-	-	2	-	-	-	-	15	-	-	70	68
55	Nottoway	167	4	-	-	-	-	1	-	-	-	-	18	3	-	90	85
56	Orange	153	3	1	-	-	-	-	-	-	-	-	15	1	1	88	84
57	Page	182	11	-	-	-	-	-	-	-	-	1	19	3	-	97	91
58	Patrick	128	2	-	-	-	-	1	1	-	-	-	12	3	-	55	52
59	Pittsylvania	515	13	2	-	-	1	4	2	-	1	-	36	5	-	264	255
60	Powhatan	80	1	-	-	-	-	-	-	-	-	1	6	1	2	50	47
61	Prince Edward	184	6	2	-	-	-	-	-	-	-	-	19	4	-	94	86
62	Prince George	99	6	1	-	-	-	-	-	-	-	2	8	-	-	50	45
63	Prince William	162	3	-	-	-	-	-	-	1	-	1	18	-	-	87	84
64	Princess Anne	257	5	1	-	-	-	-	1	1	-	-	32	1	-	121	115
65	Pulaski	228	6	-	-	-	-	2	-	5	-	1	29	2	1	127	119
66	Rappahannock	60	1	-	-	-	-	-	-	-	-	-	8	1	-	40	40
67	Richmond	70	4	-	-	-	-	-	-	-	-	-	6	1	-	34	32
68	Roanoke	279	4	-	1	-	-	-	-	2	-	1	38	3	-	154	148
69	Rockbridge	244	6	4	-	-	-	-	-	-	-	1	23	6	-	138	125
70	Rockingham	329	10	1	-	-	-	-	-	-	-	-	40	3	-	176	162
71	Russell	226	5	-	-	1	3	2	2	-	-	-	23	1	-	100	96
72	Scott	221	11	1	-	-	1	-	2	-	-	-	28	1	-	99	95
73	Shenandoah	240	8	-	-	-	-	-	-	1	-	1	25	3	-	141	132
74	Smyth	213	5	1	-	-	-	3	-	-	-	1	26	1	-	111	109
75	Southampton	271	11	4	1	1	-	-	-	-	2	-	26	4	-	135	122
76	Spotsylvania	119	-	-	-	-	-	-	-	-	-	-	11	1	1	73	70
77	Stafford	105	5	-	-	-	-	-	1	-	-	-	11	1	-	54	52
78	Surry	74	1	-	-	-	-	-	1	-	-	-	2	1	-	45	42
79	Sussex	153	6	-	-	-	-	2	-	-	-	1	11	3	-	72	71
80	Tazewell	397	14	2	-	-	-	-	1	2	-	2	45	4	-	164	155
81	Warren	107	2	-	-	-	-	-	-	-	-	-	12	2	-	64	63
82	Warwick	215	6	-	-	-	-	-	1	2	-	-	26	3	1	92	89
83	Washington	305	8	2	-	-	1	1	1	1	-	1	26	1	-	163	158
84	Westmoreland	100	2	1	-	-	-	1	-	-	-	-	14	1	-	48	46
85	Wise	480	16	3	-	2	-	1	2	1	-	2	50	5	2	188	180
86	Wythe	236	4	1	-	-	-	-	-	17	-	1	33	1	-	98	94
87	York	94	2	-	-	-	-	-	-	-	-	1	13	2	-	44	39

[6] See footnote on p. 594.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
15	3	47	3	-	2	16	1	8	-	1	-	3	10	14	22	4	3	40	1
25	-	59	1	3	2	5	-	3	-	1	-	2	-	2	10	-	-	17	2
45	1	71	4	1	10	11	-	3	2	3	2	1	7	9	9	6	2	29	3
29	-	60	2	-	2	8	-	-	1	-	-	-	3	13	10	1	3	21	4
22	1	70	4	-	2	12	-	2	-	2	-	10	3	6	12	3	1	32	5
10	1	14	2	-	5	5	-	-	-	3	-	-	2	1	3	1	1	9	6
20	-	42	1	1	-	11	3	1	-	-	-	1	17	7	3	-	3	18	7
37	-	116	16	1	5	12	2	-	3	-	1	2	2	4	11	7	5	32	8
16	-	28	2	2	3	2	2	-	-	-	-	-	-	2	1	-	1	9	9
2	-	23	-	-	3	-	1	-	-	-	-	-	-	1	-	1	1	8	10
24	-	52	3	1	2	3	-	1	-	-	-	2	1	4	11	-	-	11	11
9	-	27	3	2	9	11	-	1	-	-	-	-	2	1	7	-	3	15	12
7	-	29	-	-	4	7	-	5	-	-	1	7	7	3	11	2	4	27	13
28	-	40	2	2	1	8	-	2	-	-	1	5	1	2	2	1	3	17	14
27	1	134	12	3	7	13	1	2	2	1	-	3	-	9	22	4	4	40	15
9	-	41	9	-	2	3	-	-	1	-	-	1	4	-	4	-	1	8	16
47	1	160	14	1	2	18	3	3	4	1	-	8	10	19	27	11	3	52	17
26	-	81	12	-	6	7	1	2	-	1	1	4	6	7	11	4	1	22	18
19	-	45	2	-	5	10	-	1	2	-	-	1	4	4	3	5	-	15	19
19	-	23	-	-	2	4	-	1	-	-	-	2	2	3	2	2	-	7	20
38	-	50	8	1	5	11	-	-	-	-	-	5	5	9	7	3	4	24	21
15	-	62	6	-	6	5	3	2	-	-	-	1	3	8	3	6	1	15	22
26	-	47	1	2	3	7	-	-	-	1	-	-	6	3	3	2	2	22	23
20	-	41	-	1	2	10	-	2	2	9	-	1	-	2	2	-	-	12	24
15	-	28	-	-	1	2	-	-	-	-	-	-	3	-	6	1	-	8	25
31	-	69	4	-	6	14	2	1	1	-	-	1	2	4	5	8	1	20	26
12	-	22	3	-	1	-	-	1	-	-	-	1	-	1	-	4	-	9	27
30	-	52	5	2	6	10	-	1	1	-	-	-	4	8	5	8	3	20	28
61	1	138	13	5	4	21	4	2	-	-	-	2	5	9	14	9	1	66	29
34	1	85	4	-	3	6	-	-	-	-	-	1	2	4	10	1	3	18	30
38	1	123	10	4	8	7	1	2	4	1	-	1	7	5	13	17	4	6	41	31
26	1	64	5	-	3	17	-	1	2	-	-	-	5	5	14	11	5	5	29	32
2	-	17	1	-	1	-	-	-	-	-	-	-	-	2	-	2	-	1	7	33
17	1	51	5	1	1	5	1	-	-	-	-	2	2	5	4	8	-	3	20	34
3	-	22	2	-	6	2	-	1	-	-	-	-	1	-	5	6	-	1	12	35
8	-	25	5	1	4	3	-	2	-	-	-	-	-	1	1	3	-	2	10	36
11	-	21	4	-	-	4	-	-	1	-	-	-	-	-	7	3	-	-	9	37
18	-	26	3	2	3	1	-	-	-	-	-	-	-	1	6	5	3	1	13	38
13	-	28	5	2	-	2	-	-	-	-	-	-	1	1	3	11	1	-	15	39
25	1	81	8	-	5	23	2	9	1	-	-	4	5	10	4	13	4	1	36	40
21	-	95	9	-	1	7	-	2	2	-	-	-	1	1	6	3	4	-	23	41
23	-	54	14	-	4	8	-	-	3	-	-	-	2	5	5	3	1	4	9	42
12	1	54	2	-	1	8	-	1	1	-	-	-	4	1	8	3	1	-	13	43
14	-	31	1	2	2	3	-	-	-	-	-	-	1	1	2	3	-	1	9	44
16	-	33	3	-	1	2	-	1	-	-	-	-	-	-	2	1	-	-	12	45
44	-	100	12	-	7	18	3	1	-	2	-	1	3	9	16	19	4	5	45	46
16	-	25	6	-	12	5	1	2	-	-	-	-	-	2	2	2	1	-	8	47
34	-	87	3	1	8	15	4	-	1	-	-	1	2	2	11	10	4	1	36	48
57	1	67	4	3	9	17	-	-	2	4	-	1	1	-	6	8	3	-	37	49
20	-	47	6	1	-	4	1	-	1	-	-	1	6	3	1	6	2	-	12	50
8	-	11	1	-	7	1	-	-	-	1	-	-	-	-	1	-	-	-	6	51
70	-	199	11	1	8	29	5	3	4	4	-	2	10	3	15	32	7	9	83	52
39	-	65	10	1	8	12	-	3	-	-	-	1	-	6	8	4	1	2	32	53
16	-	35	17	-	2	6	1	2	-	-	-	1	1	2	6	7	-	1	14	54
28	-	49	7	1	5	14	1	-	1	-	-	1	-	3	2	6	2	1	20	55
31	-	48	5	-	4	4	1	-	1	1	-	-	-	7	3	3	1	2	21	56
23	-	58	10	-	6	6	-	2	-	-	-	1	-	6	13	3	1	1	19	57
9	-	38	5	-	3	17	-	1	-	-	-	1	3	2	5	8	1	1	15	58
77	-	159	18	1	9	38	3	2	-	2	-	12	7	19	25	4	6	69	59
13	1	24	9	-	3	3	-	-	-	-	-	-	2	-	2	-	1	11	60
18	2	55	11	2	8	7	1	-	1	-	-	4	2	12	8	3	1	1	19	61
12	-	30	3	-	5	2	-	1	-	-	-	-	2	-	4	8	1	2	12	62
16	-	50	17	1	3	6	1	2	1	-	-	-	5	5	5	3	4	2	18	63
32	-	75	8	-	6	10	2	1	2	-	-	1	5	-	17	18	4	5	30	64
19	-	95	2	3	8	5	1	1	1	-	-	-	2	1	11	2	4	-	27	65
8	1	28	3	-	-	1	-	-	-	-	-	-	-	1	2	-	-	1	5	66
9	-	16	7	-	2	5	1	1	-	-	-	-	1	-	1	3	-	-	12	67
37	-	99	9	3	6	13	3	-	2	1	-	-	6	3	3	10	1	4	30	68
30	1	81	10	3	13	8	2	-	1	-	-	-	6	5	7	14	1	1	21	69
37	-	107	18	-	14	14	3	1	-	-	-	3	2	1	10	15	7	2	41	70
24	-	69	3	-	4	4	4	2	2	-	-	-	8	13	10	14	2	2	28	71
16	1	66	11	1	4	20	1	-	2	1	-	1	3	9	4	7	3	1	26	72
40	1	83	6	2	9	7	1	-	2	2	-	-	2	6	6	8	2	-	25	73
28	-	67	12	2	2	11	3	1	1	2	-	1	7	4	4	4	3	1	23	74
39	1	73	8	1	13	16	1	1	1	1	-	3	2	4	6	11	-	4	37	75
14	1	52	2	1	3	4	-	-	-	-	-	-	1	7	8	-	1	-	12	76
14	-	34	4	-	2	4	-	2	1	2	-	-	1	-	6	4	1	-	12	77
13	-	24	3	2	3	4	-	-	-	-	-	1	-	3	1	3	-	1	11	78
18	1	47	5	-	1	8	-	1	-	-	-	1	-	2		5	2	8	26	79
34	1	106	9	5	9	28	5	5	2	1	-	1	7	7		23	8	4	58	80
11	-	47	4	1	1	4	-	-	-	-	-	-	3	-	3	4	3	1	9	81
17	-	63	7	2	3	3	3	3	6	1	-	2	2	6	7	16	2	2	31	82
47	-	105	4	2	5	20	2	1	2	2	-	1	5	8	7	13	2	1	36	83
7	-	37	1	1	2	8	1	1	1	-	-	-	-	1	6	5	-	-	10	84
44	1	123	10	2	8	24	5	13	3	2	-	1	14	14	13	29	2	3	35	85
24	-	61	8	1	4	8	-	1	1	1	-	-	1	7	13	10	4	2	33	86
9	-	27	3	-	5	1	1	-	2	-	-	-	-	2	2	10	-	-	14	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	VIRGINIA[6]—Continued																
	Independent Cities[7]																
1	Alexandria	501	11	4	-	-	-	-	1	1	-	-	67	7	2	248	240
2	Bristol[8]	121	3	1	-	-	-	-	-	-	-	-	13	2	-	57	57
3	Buena Vista	44	-	1	-	-	-	1	-	-	-	-	3	1	-	24	23
4	Charlottesville	260	6	2	-	-	-	-	-	-	-	1	37	4	-	161	158
5	Clifton Forge	61	-	2	-	-	-	-	-	-	-	-	10	2	-	35	35
6	Colonial Heights	38	-	1	-	-	-	-	-	-	-	-	6	1	-	20	20
7	Danville	405	10	-	-	-	1	-	-	-	1	3	48	7	1	193	185
8	Falls Church	88	-	-	-	-	-	-	-	-	-	-	12	2	-	40	38
9	Fredericksburg	111	6	1	-	-	-	-	-	-	-	-	15	4	-	48	46
10	Hampton	129	3	-	-	-	-	-	-	-	-	1	21	-	-	67	64
11	Harrisonburg	118	4	3	-	-	-	-	-	-	-	-	21	2	-	55	52
12	Hopewell	97	6	-	-	-	-	-	-	-	-	-	7	1	-	52	49
13	Lynchburg	481	12	5	-	-	-	-	-	3	-	2	55	4	-	262	257
14	Martinsville	110	3	1	-	-	-	-	-	-	-	-	10	2	-	54	50
15	Newport News	432	23	5	-	-	-	-	-	-	-	3	57	10	3	202	192
16	Norfolk	1,930	71	19	-	2	-	-	2	-	-	3	244	19	2	1,005	977
17	Petersburg	419	22	1	-	-	-	-	1	-	-	2	45	2	-	241	230
18	Portsmouth	710	32	4	-	1	1	2	1	-	-	1	65	12	2	386	368
19	Radford	68	1	-	-	-	-	-	-	-	-	-	6	2	-	36	36
20	Richmond	2,728	96	25	-	-	1	3	3	-	-	7	356	39	2	1,505	1,446
21	Roanoke	909	16	8	-	-	-	-	2	-	-	1	147	11	1	472	454
22	South Norfolk	92	3	3	-	-	-	-	-	-	-	-	8	2	-	42	42
23	Staunton	172	4	-	-	-	-	-	-	-	-	1	18	6	-	105	103
24	Suffolk	159	9	2	-	-	-	-	-	-	-	-	21	2	1	77	75
25	Waynesboro	81	1	-	-	-	-	-	-	-	-	-	4	1	-	45	44
26	Williamsburg	32	2	1	-	-	-	-	-	-	-	-	4	-	-	22	21
27	Winchester	171	5	2	-	-	-	-	2	-	-	2	23	1	-	97	89
28	WASHINGTON	22,486	355	91	1	9	2	5	10	30	3	46	3,282	339	36	11,965	11,722
29	Adams	58	-	-	-	1	-	-	-	-	-	-	7	1	-	27	27
30	Asotin	127	3	-	-	-	-	-	-	-	-	-	14	1	-	67	67
31	Benton	237	1	1	-	-	-	-	1	-	-	-	20	4	-	122	119
32	Kennewick	64	-	-	-	-	-	-	1	-	-	-	6	2	-	35	34
33	Balance of county	173	1	1	-	-	-	-	-	-	-	-	14	2	-	87	85
34	Chelan	386	6	-	1	-	-	-	-	-	-	2	39	10	1	219	215
35	Wenatchee	175	3	-	-	-	-	-	-	-	-	1	17	2	1	101	99
36	Balance of county	211	3	-	1	-	-	-	-	-	-	1	22	8	-	118	116
37	Clallam	212	3	2	-	-	-	-	-	-	-	-	21	6	-	115	109
38	Port Angeles	96	1	1	-	-	-	-	-	-	-	-	8	1	-	59	54
39	Balance of county	116	2	1	-	-	-	-	-	-	-	-	13	5	-	56	55
40	Clark	719	13	1	-	-	-	-	-	1	-	3	118	12	-	384	379
41	Vancouver	337	10	1	-	-	-	-	-	1	-	2	61	6	-	162	161
42	Balance of county	382	3	-	-	-	-	-	-	-	-	1	57	6	-	222	218
43	Columbia	63	-	-	-	-	-	-	-	-	-	-	10	3	1	28	28
44	Cowlitz	397	4	1	-	-	-	-	-	1	-	-	59	5	1	182	177
45	Longview	153	2	-	-	-	-	-	-	-	-	-	21	2	1	63	61
46	Balance of county	244	2	1	-	-	-	-	-	1	-	-	38	3	-	119	116
47	Douglas	68	3	-	-	-	-	-	-	-	-	-	11	1	-	31	31
48	Ferry	33	-	-	-	-	-	-	-	-	-	-	3	1	-	19	17
49	Franklin	94	2	1	-	-	-	-	-	-	-	-	12	1	-	43	43
50	Pasco	69	2	-	-	-	-	-	-	-	-	-	10	-	-	30	30
51	Balance of county	25	-	1	-	-	-	-	-	-	-	-	2	1	-	13	13
52	Garfield	31	-	-	-	-	-	-	-	-	-	-	3	-	-	18	15
53	Grant	166	-	-	-	-	-	-	-	-	-	-	23	3	-	67	66
54	Grays Harbor	671	8	6	-	-	-	-	-	1	-	1	98	8	-	316	304
55	Aberdeen	278	3	3	-	-	-	-	-	-	-	-	40	5	-	130	131
56	Hoquiam	126	-	-	-	-	-	-	-	-	-	1	19	-	-	72	70
57	Balance of county	267	5	3	-	-	-	-	-	1	-	-	39	3	-	106	103
58	Island	82	1	-	-	-	-	-	-	-	-	-	18	2	1	30	30
59	Jefferson	97	1	1	-	-	-	-	-	-	-	-	12	4	1	44	44
60	King	7,363	127	37	-	3	-	-	1	15	1	15	1,205	90	16	3,895	3,832
61	Seattle	5,748	101	32	-	2	-	-	1	8	1	14	932	71	15	3,024	2,972
62	Renton	115	3	-	-	-	-	-	-	2	-	1	10	3	-	64	61
63	Balance of county	1,500	23	5	-	1	-	-	-	5	-	-	263	16	1	807	799
64	Kitsap	582	7	2	-	1	-	-	2	-	-	2	98	12	1	289	281
65	Bremerton	223	3	1	-	-	-	-	1	-	-	1	48	2	-	107	105
66	Balance of county	359	4	1	-	1	-	-	1	-	-	1	50	10	1	182	176
67	Kittitas	206	-	-	-	-	-	-	-	-	-	-	24	7	1	108	103
68	Klickitat	127	2	-	-	-	-	-	-	-	-	-	18	4	-	66	65
69	Lewis	507	6	2	-	-	-	-	-	1	-	1	67	16	1	293	287
70	Lincoln	37	2	1	-	-	-	-	-	-	-	-	16	1	-	56	53
71	Mason	101	2	-	-	-	-	-	-	-	-	-	9	4	-	44	44
72	Okanogan	252	4	-	-	-	-	-	-	-	-	1	32	-	-	108	107
73	Pacific	167	3	-	-	-	-	-	-	-	-	1	20	4	1	78	76
74	Pend Oreille	60	-	-	-	-	-	2	-	-	-	-	7	2	-	37	36
75	Pierce	2,494	40	13	-	2	-	-	3	3	2	6	330	35	2	1,389	1,358
76	Tacoma	1,711	30	11	-	1	-	-	1	1	1	4	237	28	2	937	912
77	Puyallup	103	1	-	-	-	-	-	-	-	-	-	17	-	-	64	64
78	Balance of county	680	9	2	-	1	-	-	2	2	1	2	76	7	-	388	382
79	San Juan	31	1	-	-	-	-	-	1	-	-	-	6	-	-	16	16
80	Skagit	458	8	3	-	-	1	-	-	-	-	-	62	7	-	242	236
81	Skamania	38	-	-	-	-	-	-	-	-	-	-	4	1	-	18	18
82	Snohomish	1,230	17	1	-	-	1	2	-	1	-	3	181	18	-	728	713
83	Everett	483	8	1	-	-	1	-	-	-	-	-	66	6	-	293	289
84	Balance of county	747	9	-	-	-	-	2	-	1	-	3	115	12	-	436	424

[6] See footnote on p. 594.

[7] Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Harrisonburg, Hopewell, Lynchburgh, Martinsville,

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
44	-	174	17	5	8	19	2	1	11	2	-	10	8	14	19	5	6	65	1
14	1	40	2	-	-	6	2	1	2	1	-	1	1	3	5	1	2	20	2
4	-	19	-	-	1	3	-	1	-	-	-	2	2	2	2	-	-	2	3
31	-	115	7	5	3	8	-	1	3	1	-	4	2	8	3	4	1	14	4
8	-	26	3	-	-	2	-	-	-	-	-	-	-	2	4	1	-	3	5
6	-	13	1	-	-	-	-	-	-	-	-	-	-	2	3	1	-	4	6
48	-	130	7	2	8	22	1	1	2	1	2	4	4	7	19	2	6	70	7
8	-	28	2	-	2	3	-	2	3	-	-	4	1	-	2	-	-	19	8
14	-	31	-	1	2	7	-	2	1	-	-	2	1	4	3	1	-	16	9
13	-	44	5	2	3	2	3	-	-	-	-	-	-	4	8	1	1	18	10
8	-	42	2	-	3	1	-	-	2	-	1	2	-	3	6	3	-	15	11
11	-	35	3	-	3	4	-	1	-	-	-	1	1	5	5	2	2	10	12
63	-	172	21	1	5	22	2	1	1	-	1	5	6	6	15	5	2	72	13
10	-	37	1	2	4	4	2	2	-	1	-	2	3	5	1	1	2	17	14
31	1	144	14	2	10	11	1	5	5	1	2	8	11	10	17	7	4	47	15
239	1	675	50	12	28	88	10	6	12	6	10	21	10	41	77	24	23	235	16
82	1	153	14	-	11	12	4	4	2	1	-	3	3	5	14	7	2	48	17
108	2	234	22	2	18	35	3	2	5	2	-	8	1	11	29	5	12	90	18
6	-	30	-	-	-	1	-	1	1	-	-	-	-	1	1	2	2	14	19
319	1	1,009	103	14	59	73	10	16	24	12	9	23	26	59	74	42	37	286	20
114	-	288	43	9	18	18	4	2	10	3	4	16	9	24	26	17	6	112	21
12	1	25	4	-	-	6	-	-	2	3	1	-	-	1	3	1	1	16	22
23	-	74	5	1	2	4	1	-	3	-	-	4	1	1	9	2	1	12	23
17	-	52	6	-	2	6	2	-	1	1	-	1	1	2	7	2	4	20	24
4	-	31	8	1	1	5	-	1	-	-	-	1	-	1	4	1	3	14	25
4	-	13	1	3	1	1	-	-	-	-	-	-	-	-	-	-	2	-	26
26	-	57	6	-	8	5	1	-	-	-	-	2	-	3	5	3	2	18	27
2,642	29	8,168	733	150	243	657	129	74	176	40	24	281	339	548	1,125	428	64	2,427	28
3	1	23	-	-	-	1	-	-	2	1	-	2	1	1	4	2	-	8	29
12	1	45	9	-	-	6	-	-	1	-	-	1	-	5	8	6	-	15	30
29	-	77	11	2	3	8	1	1	3	-	-	9	-	14	17	6	1	28	31
6	-	28	-	-	1	3	-	-	-	-	-	2	-	3	5	-	1	6	32
23	-	49	11	2	2	5	1	1	3	-	-	7	-	11	12	6	-	22	33
49	-	157	7	2	4	9	1	1	2	1	-	8	5	11	25	5	4	36	34
25	-	71	2	1	2	5	1	1	2	-	-	3	2	6	9	2	2	17	35
24	-	86	5	1	2	4	-	-	-	1	-	5	3	5	16	3	2	19	36
22	1	81	5	-	6	6	1	-	-	-	1	-	2	3	11	10	2	29	37
14	-	38	2	-	5	2	1	-	-	-	-	-	2	1	5	2	-	13	38
8	1	43	3	-	1	4	-	-	-	-	1	-	-	2	6	8	2	16	39
66	-	277	30	6	5	12	9	2	3	1	-	6	14	19	33	14	2	72	40
25	-	119	12	5	1	7	6	1	2	-	-	3	8	5	17	5	-	40	41
41	-	158	18	1	4	5	3	1	1	1	-	3	6	14	16	9	2	32	42
3	-	21	3	1	-	-	-	1	-	-	-	3	-	2	5	-	1	9	43
31	-	151	9	6	5	12	2	-	4	2	-	8	18	12	31	4	-	51	44
8	-	48	3	2	2	5	1	-	3	-	-	4	6	5	10	1	-	29	45
23	-	83	6	4	3	7	1	-	1	2	-	4	12	7	21	3	-	22	46
8	-	19	2	2	-	1	-	1	-	-	-	-	-	1	9	-	-	10	47
5	-	11	1	-	2	-	-	-	-	-	-	-	-	-	4	2	-	4	48
11	-	32	-	-	-	5	-	1	-	1	-	2	1	6	9	-	-	10	49
7	-	23	-	-	-	5	-	-	-	1	-	2	1	5	7	-	-	6	50
4	-	9	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	4	51
2	-	12	1	-	3	-	-	-	-	-	-	-	-	1	6	-	-	3	52
15	1	47	3	-	1	5	1	-	1	-	1	2	1	12	17	6	1	26	53
66	-	219	17	2	12	31	4	-	5	-	1	7	25	20	36	12	1	91	54
32	-	87	11	1	7	9	2	-	2	-	1	3	8	7	9	7	-	41	55
15	-	52	2	1	2	5	-	-	-	-	-	2	7	1	9	4	1	5	56
19	-	80	4	-	3	17	2	-	3	-	-	2	10	12	18	1	-	45	57
9	-	19	-	2	-	1	2	-	1	-	-	1	1	4	6	1	-	13	58
9	1	32	2	-	-	3	2	1	1	-	-	-	2	5	14	1	-	5	59
881	5	2,695	190	61	63	260	50	20	100	12	8	78	39	136	332	168	25	730	60
705	4	2,064	147	52	52	213	42	17	87	11	7	56	29	97	256	124	22	586	61
13	-	43	3	2	3	5	2	-	-	-	-	9	1	2	4	3	-	6	62
163	1	588	40	7	8	42	6	3	13	1	1	13	8	37	72	41	3	138	63
55	1	197	23	5	8	15	6	3	5	-	-	11	28	8	30	9	2	51	64
26	1	70	5	3	2	4	-	-	3	-	-	5	6	3	9	5	1	24	65
29	-	127	18	2	6	11	6	3	2	-	-	6	22	5	21	4	1	27	66
23	1	72	5	2	5	9	1	-	2	-	1	3	2	7	12	4	1	24	67
17	-	44	4	-	1	2	1	-	-	-	1	2	11	1	4	2	-	13	68
47	2	219	17	2	6	12	2	-	1	1	1	5	3	10	26	9	2	48	69
13	-	36	4	-	3	2	-	1	-	-	-	1	1	2	4	-	-	10	70
8	-	33	3	-	-	2	1	2	-	1	-	1	2	8	6	3	-	16	71
30	-	73	3	1	1	9	-	8	2	1	1	4	8	9	21	2	-	42	72
17	-	53	4	2	2	8	-	2	1	-	1	6	4	9	12	2	-	15	73
13	-	15	6	2	1	2	-	-	-	-	-	-	2	2	2	-	-	4	74
280	5	943	107	13	31	58	10	7	12	5	2	46	23	62	107	51	6	280	75
199	3	631	67	12	25	35	7	5	9	4	2	30	21	35	68	39	5	198	76
13	-	44	7	-	-	1	-	-	-	-	-	2	-	1	7	1	-	9	77
78	2	288	33	1	6	22	3	2	3	1	-	14	2	26	32	11	1	73	78
2	-	13	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	2	79
54	-	166	14	2	6	18	2	-	1	3	-	6	13	9	24	3	1	55	80
4	-	12	2	-	-	2	-	-	1	-	-	1	5	-	3	1	-	2	81
164	2	475	48	4	16	20	7	4	6	2	2	14	26	26	54	18	-	98	82
85	2	177	24	1	4	10	1	2	2	1	1	3	12	9	18	10	-	39	83
99	-	296	24	3	12	10	6	2	4	1	1	11	14	17	36	8	-	59	84

Newport News, Norfolk, Petersburgh, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Waynesboro, and Winchester.

[a] Includes data for Bristol, Va., only.

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	WASHINGTON—Continued																
1	Spokane	2,232	40	8	-	-	-	-	1	3	-	5	305	26	1	1,241	1,221
2	Spokane	1,751	31	8	-	-	-	-	1	1	-	5	242	20	1	989	973
3	Balance of county	481	9	-	-	-	-	-	-	2	-	-	63	6	-	252	248
4	Stevens	188	1	-	-	-	-	-	-	-	-	-	24	7	1	103	102
5	Thurston	408	6	1	-	-	-	-	1	1	-	-	62	6	-	210	203
6	Olympia	181	2	1	-	-	-	-	-	-	-	-	31	1	-	86	80
7	Balance of county	227	4	-	-	-	-	-	1	1	-	-	31	5	-	124	123
8	Wahkiakum	34	-	-	-	-	-	-	-	-	-	-	2	1	1	18	16
9	Walla Walla	344	11	1	-	-	-	-	-	-	-	1	41	2	1	186	182
10	Walla Walla	236	9	1	-	-	-	-	-	-	-	1	24	1	1	134	133
11	Balance of county	108	2	-	-	-	-	-	-	-	-	-	17	1	-	52	49
12	Whatcom	714	15	1	-	1	-	-	-	1	-	3	100	12	2	402	394
13	Bellingham	448	10	1	-	1	-	-	-	-	-	3	61	7	1	255	251
14	Balance of county	266	5	-	-	-	-	-	-	1	-	-	39	5	1	147	143
15	Whitman	262	2	2	-	1	-	-	-	-	-	1	40	4	-	146	143
16	Pullman	47	-	-	-	-	-	-	-	-	-	1	9	-	-	17	16
17	Balance of county	215	2	2	-	1	-	-	-	-	-	-	31	4	-	129	127
18	Yakima	1,150	16	6	-	-	-	1	-	2	-	1	161	18	3	579	565
19	Yakima	519	6	4	-	-	-	-	-	-	-	1	77	7	1	280	274
20	Balance of county	631	10	2	-	-	-	1	-	2	-	-	84	11	2	299	291
21	WEST VIRGINIA	17,428	424	108	2	8	12	48	32	24	19	67	2,187	244	25	8,330	7,974
22	Barbour	191	2	1	-	-	-	-	-	-	1	-	17	1	-	108	101
23	Berkeley	312	7	2	-	-	-	2	-	-	-	2	44	6	-	176	167
24	Martinsburg	174	6	2	-	-	-	2	-	-	-	-	31	4	-	90	85
25	Balance of county	138	1	-	-	-	-	-	-	-	-	2	13	2	-	86	82
26	Boone	210	8	3	-	-	-	-	2	1	-	-	22	2	-	77	76
27	Braxton	181	3	-	-	-	-	-	-	-	1	3	17	3	-	88	86
28	Brooke	206	3	2	-	-	-	-	1	1	-	1	30	8	-	108	103
29	Weirton (part)	15	1	-	-	-	-	-	-	-	-	-	1	1	-	9	9
30	Balance of county	191	2	2	-	-	-	-	1	1	-	1	29	7	-	99	94
31	Cabell	1,024	33	5	-	-	-	1	1	2	-	4	141	14	2	491	471
32	Huntington (part)	863	31	5	-	-	-	1	1	1	-	2	121	11	1	411	394
33	Huntington (total)	891	31	5	-	-	-	1	1	2	-	2	124	12	1	425	406
34	Balance of county	161	2	-	-	-	-	-	-	1	-	2	20	3	1	80	77
35	Calhoun	105	5	-	-	-	-	-	-	-	-	2	16	2	-	32	31
36	Clay	106	4	-	-	-	-	1	2	-	-	-	9	-	-	49	46
37	Doddridge	123	-	-	-	-	-	-	-	-	1	-	11	-	-	61	60
38	Fayette	637	15	8	-	-	-	2	2	-	-	3	75	3	1	276	266
39	Gilmer	95	4	1	-	-	-	-	1	-	-	-	6	2	-	50	46
40	Grant	63	1	-	-	-	-	1	-	-	-	-	7	-	-	31	31
41	Greenbrier	377	7	1	-	-	-	2	1	-	-	-	54	5	1	177	166
42	Hampshire	116	2	-	-	-	-	2	-	1	-	-	6	1	-	55	53
43	Hancock	280	8	3	-	-	-	1	-	-	-	1	48	7	-	130	127
44	Weirton (part)	160	4	2	-	-	-	1	-	-	-	1	31	3	-	70	68
45	Weirton (total)	175	5	2	-	-	-	1	-	-	-	1	32	4	-	79	77
46	Balance of county	120	4	1	-	-	-	-	-	-	-	-	17	4	-	60	59
47	Hardy	101	-	-	-	-	-	-	1	1	-	2	15	1	-	49	49
48	Harrison	809	17	7	-	-	-	-	2	-	1	3	121	12	-	407	400
49	Clarksburg	372	9	2	-	-	-	-	1	-	-	1	65	3	-	187	184
50	Balance of county	437	8	5	-	-	-	-	1	-	1	2	56	9	-	220	216
51	Jackson	142	2	-	-	-	-	-	-	-	-	1	24	2	-	74	70
52	Jefferson	195	10	-	-	-	-	-	-	-	-	-	21	1	1	98	93
53	Kanawha	1,983	52	15	-	-	1	1	3	4	3	7	258	29	3	866	834
54	Charleston	835	25	6	-	-	-	-	1	3	-	2	121	11	2	385	373
55	South Charleston	100	4	1	-	-	-	-	-	-	-	1	14	2	-	44	41
56	Balance of county	1,028	22	8	-	-	1	1	2	1	3	4	123	16	1	437	420
57	Lewis	230	8	1	-	-	1	-	-	-	-	1	31	2	-	128	122
58	Lincoln	181	11	3	-	-	1	-	-	-	-	2	17	1	1	81	78
59	Logan	593	24	8	-	-	2	6	1	1	-	2	57	1	2	188	180
60	McDowell	729	18	2	-	-	1	9	8	1	1	5	67	13	2	295	288
61	Marion	682	17	4	1	-	-	2	-	-	3	3	95	6	2	356	338
62	Fairmont	300	8	2	-	-	-	-	-	-	3	2	45	4	1	148	142
63	Balance of county	382	9	2	1	-	-	2	-	-	-	1	50	2	1	208	196
64	Marshall	364	3	1	-	-	-	-	1	-	-	2	56	8	-	189	176
65	Moundsville	132	-	1	-	-	-	-	-	-	-	1	21	4	-	61	58
66	Balance of county	232	3	-	-	-	-	-	1	-	-	1	35	4	-	128	118
67	Mason	224	3	1	-	1	-	2	-	1	-	4	23	6	-	114	108
68	Mercer	657	12	7	-	2	-	1	-	1	-	3	79	5	-	350	335
69	Bluefield[a]	238	3	2	-	-	-	1	-	1	-	1	24	2	-	132	129
70	Balance of county	419	9	5	-	2	-	-	-	-	-	2	55	3	-	218	206
71	Mineral	232	2	-	-	-	-	1	1	-	-	-	28	4	1	132	126
72	Mingo	315	15	2	-	2	-	3	1	-	-	-	31	6	-	108	98
73	Monongalia	506	6	2	-	-	-	-	1	-	-	1	68	9	-	247	242
74	Morgantown	240	2	1	-	-	-	-	1	-	-	-	32	4	-	132	130
75	Balance of county	266	4	1	-	-	-	-	-	-	-	1	36	5	-	115	112
76	Monroe	135	3	-	-	1	-	-	-	-	-	-	15	1	-	62	58
77	Morgan	94	3	-	1	-	-	-	-	-	-	-	9	2	-	56	54
78	Nicholas	204	4	-	-	-	-	-	-	-	-	-	26	4	-	86	85
79	Ohio	852	14	6	-	-	1	1	-	2	-	1	125	13	1	486	449
80	Wheeling	732	11	6	-	-	1	1	-	-	-	1	110	12	1	412	386
81	Balance of county	120	3	-	-	-	-	-	-	2	-	-	15	1	-	74	63
82	Pendleton	65	2	-	-	-	-	-	-	-	1	-	13	1	-	30	30
83	Pleasants	63	1	-	-	-	-	1	-	-	-	-	7	2	-	35	35
84	Pocahontas	110	2	-	-	-	-	-	-	-	-	-	15	-	-	66	63
85	Preston	265	6	-	-	-	-	3	2	-	1	2	41	5	-	133	130
86	Putnam	156	3	1	-	1	1	-	-	-	-	-	12	3	-	76	75

[a] Includes data for Bluefield, W. Va., only.

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 582-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
264	3	864	76	14	20	56	13	9	12	6	2	27	36	62	102	36	7	234	1
205	2	695	60	11	16	45	9	8	3	6	2	17	28	37	72	27	6	187	2
59	1	169	16	3	4	11	4	1	3	-	-	10	8	25	30	9	1	47	3
32	-	63	5	2	1	8	-	1	1	-	-	2	3	8	13	3	-	13	4
42	-	145	15	3	7	15	2	1	2	1	-	3	8	12	18	6	-	53	5
18	-	55	6	3	6	7	1	1	1	1	-	1	5	6	6	4	-	27	6
24	-	90	9	-	1	8	1	-	1	-	-	2	3	6	12	2	-	26	7
6	1	9	-	-	2	1	-	-	-	-	-	1	1	2	2	1	-	4	8
40	-	128	12	2	4	15	1	2	2	-	-	-	10	7	16	7	-	41	9
28	-	94	9	2	1	8	-	1	2	-	-	-	7	6	8	5	-	28	10
12	-	34	3	-	3	7	1	1	-	-	-	-	3	1	8	2	-	13	11
123	-	223	44	4	8	11	3	3	3	-	1	10	11	15	18	9	2	91	12
87	-	135	25	4	4	8	2	1	2	-	1	7	7	4	10	5	2	60	13
36	-	88	19	-	4	3	1	2	1	-	-	3	4	11	8	4	-	31	14
30	-	102	9	2	3	6	3	-	-	1	-	1	1	5	15	7	-	27	15
3	-	13	-	-	1	1	2	-	-	-	-	-	-	-	6	1	-	10	16
27	-	89	9	2	2	5	1	-	-	1	-	1	1	5	9	6	-	17	17
127	4	387	41	6	14	26	4	3	2	1	1	10	31	32	65	18	6	164	18
52	2	190	25	5	6	8	1	-	2	-	-	7	9	13	20	6	1	76	19
75	2	197	16	1	8	18	3	3	-	1	1	3	22	19	45	12	5	98	20
1,921	46	5,483	438	86	356	776	69	148	141	54	46	301	508	422	927	206	121	2,179	21
29	2	59	11	-	2	7	2	1	-	-	-	3	11	5	12	3	1	21	22
40	-	121	5	1	9	12	2	2	3	-	-	3	3	4	10	1	1	32	23
22	-	59	3	1	5	7	-	1	3	-	-	1	2	3	5	-	-	17	24
18	-	62	2	-	4	5	2	1	-	-	-	2	1	1	5	1	1	15	25
18	2	50	6	-	1	7	-	4	1	-	-	6	11	7	27	-	1	31	26
30	-	50	6	-	2	5	-	1	-	2	-	-	13	12	15	2	1	15	27
23	-	76	3	1	5	8	1	1	2	-	1	3	1	4	8	1	1	21	28
4	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	29
19	-	71	3	1	5	8	1	1	2	-	-	1	3	-	4	8	1	19	30
103	3	335	20	10	20	46	2	6	9	2	3	21	16	24	52	13	9	127	31
93	3	275	18	7	17	35	2	5	9	1	3	19	12	20	45	9	9	109	32
96	3	282	18	7	19	36	2	5	10	2	3	20	12	20	45	9	9	114	33
10	-	62	2	3	3	11	-	1	-	1	-	2	4	4	7	4	-	18	34
13	-	18	-	-	1	10	-	1	-	-	-	2	17	3	4	-	-	11	35
13	-	31	2	-	3	4	-	-	-	-	-	3	10	5	5	-	1	15	36
13	1	39	6	1	1	9	1	-	1	-	1	-	4	-	17	2	1	14	37
63	-	180	18	5	10	26	2	8	6	1	1	6	18	12	43	11	8	110	38
11	-	29	6	-	4	3	-	1	-	-	-	1	9	2	6	-	-	9	39
6	-	22	3	-	-	4	-	1	1	-	-	-	7	3	3	3	-	1	40
38	-	116	11	1	11	26	-	3	2	-	-	5	8	8	21	1	6	48	41
17	-	35	1	-	2	14	-	-	1	-	-	2	4	8	4	2	-	14	42
16	2	101	5	3	3	8	1	2	-	2	-	7	8	7	8	6	-	33	43
8	1	56	1	2	2	6	1	-	-	-	-	5	3	3	6	3	-	21	44
12	1	61	1	2	2	6	1	-	-	-	-	5	4	3	6	3	-	23	45
8	1	45	4	1	1	2	-	2	-	2	-	2	5	4	2	3	-	12	46
18	-	27	3	1	-	6	-	1	1	-	1	1	4	2	7	-	-	9	47
90	1	282	20	7	7	38	2	3	8	2	-	9	14	13	43	9	-	98	48
43	1	129	7	4	3	12	1	1	5	1	-	5	5	6	17	1	-	50	49
47	-	153	13	3	4	26	1	2	3	1	-	4	9	7	26	8	-	48	50
27	-	33	9	1	4	6	1	-	-	-	-	3	-	5	3	4	1	-	16	51
19	-	68	4	2	5	7	3	3	2	-	-	5	1	8	7	4	-	24	52
200	4	573	47	10	32	82	8	15	25	5	4	33	79	66	101	30	21	252	53
93	3	253	21	3	12	34	6	4	15	2	2	18	54	22	33	8	7	93	54
9	-	31	1	-	3	1	-	-	-	-	1	3	-	8	4	2	-	15	55
98	1	289	25	7	17	47	2	11	10	3	1	12	45	36	64	20	14	144	56
29	-	84	9	-	4	5	-	2	5	1	1	3	5	2	15	1	-	20	57
11	-	62	4	1	3	9	-	3	-	2	1	3	6	9	5	-	1	25	58
33	2	137	7	1	8	33	-	32	6	2	6	15	35	11	45	5	8	103	59
60	3	206	13	6	7	36	6	15	2	2	4	19	17	23	52	9	12	110	60
60	2	256	18	2	18	16	5	3	7	5	2	7	5	20	31	9	5	78	61
25	1	109	6	1	6	6	5	1	7	2	1	2	-	12	10	3	-	38	62
35	1	147	12	1	12	10	-	2	-	3	1	5	5	8	21	6	5	40	63
50	1	112	12	1	13	9	2	1	6	-	-	4	11	4	15	4	1	47	64
15	-	39	4	-	3	2	1	1	1	-	-	1	4	1	5	3	1	24	65
35	1	73	8	1	10	7	1	-	5	-	-	3	7	3	10	1	-	23	66
27	-	73	7	1	6	19	-	-	4	1	2	3	-	4	5	-	-	31	67
89	4	224	14	4	15	21	3	1	4	1	-	7	12	14	28	11	3	92	68
28	-	96	3	3	3	10	-	-	3	1	-	2	3	5	10	1	1	36	69
61	4	129	11	1	12	11	3	1	1	-	-	5	9	9	18	10	2	56	70
20	-	99	7	-	6	7	1	2	-	1	-	7	1	6	7	3	-	28	71
26	1	87	2	2	10	20	1	8	4	3	2	12	15	7	22	2	3	41	72
61	2	155	21	3	5	32	4	4	2	3	-	5	9	7	26	7	4	69	73
31	1	81	15	2	2	11	2	2	1	1	-	2	3	3	8	2	4	29	74
30	1	74	6	1	3	21	2	2	1	2	-	3	6	4	18	5	-	40	75
15	-	37	5	1	4	8	-	-	2	-	-	3	5	5	5	2	-	25	76
10	-	42	2	-	2	4	-	-	-	2	-	-	1	3	5	1	2	5	77
22	-	58	5	-	1	14	-	-	2	-	-	9	10	9	11	1	1	27	78
105	5	313	21	5	37	21	3	4	11	3	-	18	4	15	20	4	-	99	79
68	5	268	21	4	26	19	3	4	11	2	-	15	3	12	18	3	-	87	80
17	-	45	-	1	11	2	-	-	-	1	-	3	1	3	2	1	-	12	81
6	-	20	3	1	-	3	1	1	-	-	-	2	1	1	2	-	-	7	82
8	1	23	3	-	-	2	-	-	1	-	-	2	1	1	5	2	-	3	83
18	1	39	5	-	3	3	-	1	-	-	2	1	1	2	5	1	2	9	84
32	-	88	8	2	3	10	-	1	2	-	-	6	12	5	10	2	-	22	85
15	-	55	4	1	1	12	1	-	-	-	-	4	1	7	7	1	-	26	86

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence. Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 330-334, 400-468, 592-594	Major cardiovascular-renal diseases 330-334, 400-468	Diseases of cardiovascular system
	WEST VIRGINIA—Con.																
1	Raleigh	668	24	4	-	-	1	3	1	1	-	2	75	6	3	281	267
2	Beckley	193	6	1	-	-	-	1	-	-	-	1	22	1	1	86	82
3	Balance of county	475	18	3	-	-	1	2	1	1	-	1	53	5	2	195	185
4	Randolph	258	4	1	-	-	-	-	-	-	1	1	29	1	-	133	124
5	Ritchie	167	6	-	-	-	-	-	-	-	1	1	15	1	-	88	85
6	Roane	178	5	-	-	-	-	-	-	-	1	-	23	7	-	77	75
7	Summers	179	6	-	-	-	-	1	-	-	-	-	20	2	1	99	91
8	Taylor	176	4	-	-	-	-	-	-	-	1	3	26	3	1	96	90
9	Tucker	118	1	1	-	-	-	-	-	-	-	-	18	2	-	53	52
10	Tyler	108	-	1	-	-	-	-	-	-	-	-	14	1	-	62	59
11	Upshur	171	4	-	-	-	-	-	-	-	-	-	24	3	1	70	66
12	Wayne	246	8	2	-	-	2	1	-	2	-	1	31	7	-	111	101
13	Huntington (part)	28	-	-	-	-	-	-	-	1	-	-	3	1	-	14	12
14	Balance of county	218	8	2	-	-	2	1	-	1	-	1	28	6	-	97	89
15	Webster	132	2	2	-	-	-	-	-	-	-	1	8	1	-	56	54
16	Wetzel	200	2	2	-	-	-	-	-	-	-	-	27	3	-	106	96
17	Wirt	65	-	2	-	-	-	-	-	-	1	-	7	3	-	40	38
18	Wood	658	11	3	-	-	-	-	-	2	1	1	91	11	1	369	359
19	Parkersburg	433	9	2	-	-	-	-	-	1	-	1	60	8	1	241	233
20	Balance of county	225	2	1	-	-	-	-	-	1	1	-	31	3	-	128	126
21	Wyoming	211	7	4	-	1	1	1	-	3	-	2	22	2	1	73	71
22	WISCONSIN	33,778	350	98	1	4	-	14	25	55	6	82	5,301	671	41	19,023	18,529
23	Adams	69	1	-	-	-	-	-	-	1	-	-	7	2	-	40	40
24	Ashland	264	2	-	-	-	-	-	-	-	-	-	34	5	-	170	166
25	Ashland	153	1	-	-	-	-	-	-	-	-	-	20	3	-	95	95
26	Balance of county	111	1	-	-	-	-	-	-	-	-	-	14	2	-	75	71
27	Barron	340	7	-	-	-	-	1	-	-	-	1	45	8	-	179	178
28	Bayfield	144	2	1	-	-	-	-	1	-	-	-	19	4	-	80	76
29	Brown	816	4	4	-	1	-	1	1	-	-	4	128	24	2	410	394
30	Green Bay	463	4	4	-	-	-	-	1	-	-	3	71	14	1	227	216
31	Balance of county	353	-	-	-	1	-	1	-	-	-	1	57	10	1	183	178
32	Buffalo	149	1	-	-	-	-	-	1	-	-	1	22	7	-	77	74
33	Burnett	118	1	1	-	-	-	-	-	-	-	-	10	1	-	73	70
34	Calumet	183	1	-	-	-	-	-	-	-	-	-	23	5	-	107	102
35	Chippewa	401	3	-	-	-	-	1	1	-	-	2	56	8	1	239	235
36	Eau Claire (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	Chippewa Falls	142	1	-	-	-	-	-	-	-	-	-	17	1	1	95	94
38	Balance of county	259	2	-	-	-	-	1	1	-	-	2	39	7	-	144	141
39	Clark	289	1	1	-	-	-	-	-	-	-	-	48	9	-	153	148
40	Columbia	402	2	-	-	-	-	-	-	1	-	2	54	12	1	221	218
41	Crawford	190	1	-	-	-	-	-	-	-	-	2	24	3	1	112	109
42	Dane	1,349	9	2	-	-	-	-	-	7	-	3	213	23	3	736	720
43	Madison	715	5	1	-	-	-	-	-	4	-	2	117	17	1	373	369
44	Balance of county	634	4	1	-	-	-	-	-	3	-	1	96	6	2	363	351
45	Dodge	582	4	1	-	-	-	-	-	2	-	-	82	11	-	344	338
46	Beaver Dam	126	-	-	-	-	-	-	-	-	-	-	18	3	-	70	69
47	Watertown (part)	33	1	-	-	-	-	-	-	-	-	-	5	1	-	19	18
48	Balance of county	423	3	1	-	-	-	-	-	2	-	-	59	7	-	255	251
49	Door	210	-	-	-	1	-	-	-	1	-	1	34	6	-	117	115
50	Douglas	543	6	3	-	-	-	2	1	-	-	-	78	13	-	322	317
51	Superior	407	4	3	-	-	-	-	-	-	-	-	62	10	-	241	238
52	Balance of county	136	2	-	-	-	-	2	1	-	-	-	16	3	-	81	79
53	Dunn	287	-	-	-	-	-	-	-	-	-	1	38	5	-	153	149
54	Eau Claire	494	3	4	-	-	-	-	1	-	-	-	79	11	-	258	251
55	Eau Claire (part)	332	3	3	-	-	-	-	-	-	-	-	54	9	-	178	173
56	Eau Claire (total)	332	3	3	-	-	-	-	-	-	-	-	54	9	-	178	173
57	Balance of county	162	-	1	-	-	-	-	1	-	-	-	25	2	-	80	78
58	Florence	57	1	1	-	-	-	-	-	-	-	-	8	1	-	34	34
59	Fond du Lac	772	7	2	-	-	-	-	1	3	-	-	112	12	-	437	426
60	Fond du Lac	393	5	1	-	-	-	-	1	3	-	-	50	6	-	226	220
61	Balance of county	379	2	1	-	-	-	-	-	-	-	-	62	6	-	211	206
62	Forest	98	1	1	-	-	-	-	-	-	-	-	15	1	-	48	47
63	Grant	507	2	-	-	-	-	-	-	1	-	1	64	12	-	296	286
64	Green	261	5	-	-	-	-	-	-	-	-	-	44	6	-	146	143
65	Green Lake	167	-	-	-	-	-	-	-	-	-	-	26	2	-	96	91
66	Iowa	230	1	2	-	-	-	1	-	-	-	-	27	3	2	142	141
67	Iron	92	2	1	-	-	-	-	-	-	-	1	17	1	-	48	46
68	Jackson	167	1	-	-	-	-	-	-	1	-	-	23	-	1	90	88
69	Jefferson	510	4	1	-	-	-	-	-	-	-	-	78	12	-	313	299
70	Watertown (part)	143	1	-	-	-	-	-	-	-	-	-	24	3	-	93	91
71	Watertown (total)	176	2	-	-	-	-	-	-	-	-	-	29	4	-	112	109
72	Balance of county	367	3	1	-	-	-	-	-	-	-	-	55	9	-	220	208
73	Juneau	228	-	-	-	-	-	-	-	-	-	-	30	6	-	141	139
74	Kenosha	713	9	4	-	-	-	-	2	4	-	2	117	19	3	399	387
75	Kenosha	531	6	2	-	-	-	-	1	-	-	1	92	15	3	303	294
76	Balance of county	182	3	2	-	-	-	-	1	4	-	1	25	4	-	98	93
77	Kewaunee	173	1	-	-	-	-	-	-	-	-	-	29	5	1	90	85
78	La Crosse	666	7	1	-	-	-	-	2	-	1	-	94	15	2	400	383
79	La Crosse	482	4	-	-	-	-	-	1	-	-	-	75	11	1	288	273
80	Balance of county	184	3	1	-	-	-	-	1	-	1	-	19	4	1	114	110
81	Lafayette	194	1	-	-	-	-	-	-	1	-	-	30	2	-	116	112
82	Langlade	225	3	-	-	-	-	-	-	-	-	3	31	2	1	105	92
83	Lincoln	217	2	1	-	-	-	-	1	-	-	-	32	4	-	121	119
84	Manitowoc	605	5	-	-	-	-	-	-	1	-	3	106	12	-	326	316
85	Manitowoc	270	3	-	-	-	-	-	-	-	-	1	47	3	-	145	140
86	Two Rivers	88	-	-	-	-	-	-	-	1	-	1	14	-	-	56	54
87	Balance of county	247	2	-	-	-	-	-	-	-	-	1	45	9	-	125	122

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residue	
55	3	196	13	2	14	21	5	5	5	1	2	12	15	13	57	15	10	106	1
18	-	62	2	-	4	5	1	-	-	1	-	2	3	5	12	6	2	37	2
35	3	134	11	2	10	16	4	5	4	1	2	10	12	8	45	9	8	69	3
33	-	84	7	-	9	12	1	2	1	2	1	1	13	4	18	6	1	26	4
26	-	50	7	2	3	9	1	-	2	-	-	1	9	3	14	-	-	16	5
27	-	43	4	1	2	9	1	-	1	-	1	5	8	3	7	3	2	25	6
35	-	55	1	2	8	10	-	-	-	1	-	2	5	1	7	4	1	19	7
19	1	65	5	-	6	7	1	-	2	-	-	1	3	2	8	1	-	17	8
6	1	40	4	1	1	6	1	-	1	-	-	2	4	3	6	1	-	17	9
21	1	37	-	-	3	7	2	2	-	-	-	3	2	3	3	1	-	7	10
21	1	36	8	-	4	15	1	-	-	-	-	5	12	1	8	4	-	23	11
24	1	72	3	1	10	10	-	1	3	2	1	3	19	3	15	1	4	19	12
3	-	9	-	-	2	1	-	-	1	1	-	1	-	-	-	-	-	5	13
21	1	63	3	1	8	9	-	1	2	1	1	2	19	3	15	1	4	14	14
16	-	34	4	-	2	6	-	1	2	-	2	5	12	5	11	1	1	16	15
32	-	61	2	1	12	10	2	-	-	1	1	4	3	7	6	5	-	19	16
21	-	15	2	-	2	3	-	-	-	-	-	1	-	1	2	-	-	5	17
96	-	239	22	2	10	24	2	2	4	8	1	8	4	14	25	8	-	71	18
64	-	152	15	2	8	13	1	1	2	4	-	5	4	6	15	6	-	53	19
32	-	87	7	-	2	11	1	1	2	1	1	3	-	8	10	2	-	18	20
9	1	61	-	-	2	15	-	3	-	-	2	8	4	8	20	2	3	29	21
4,087	39	13,103	1,128	172	494	857	160	122	256	44	36	465	290	806	1,226	428	39	3,380	22
9	-	26	3	2	-	3	2	-	-	-	-	1	5	1	2	-	-	4	23
37	-	107	20	2	4	6	-	-	4	-	-	-	2	5	12	-	-	24	24
18	-	67	10	-	-	4	-	-	3	-	-	-	1	2	8	-	-	16	25
19	-	40	10	2	4	2	-	-	1	-	-	-	1	3	4	-	-	8	26
47	-	114	17	-	1	13	2	-	5	-	-	7	6	13	14	3	-	36	27
13	-	56	7	-	4	3	1	-	1	-	-	2	1	3	6	4	1	14	28
120	2	232	34	6	16	20	3	7	8	1	4	12	18	22	34	16	1	91	29
64	-	133	15	4	11	12	2	4	5	-	2	7	12	8	22	8	-	56	30
56	2	99	19	2	5	8	1	3	3	1	2	5	6	14	12	8	1	35	31
15	-	55	4	-	3	7	1	-	-	-	-	-	2	2	9	1	-	18	32
24	-	42	4	-	3	7	-	-	-	-	1	1	2	3	5	3	1	9	33
32	1	62	7	-	5	3	-	-	2	1	-	3	-	9	7	3	-	19	34
58	-	158	18	1	4	6	1	-	1	-	-	8	4	13	16	2	-	39	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
27	-	56	10	1	1	3	1	-	-	-	-	2	2	4	5	-	-	10	37
31	-	102	8	-	3	3	-	-	1	-	-	6	2	9	11	2	-	29	38
36	1	92	19	-	5	14	1	1	1	1	-	3	6	10	6	5	1	28	39
57	-	144	13	4	3	12	1	1	3	1	1	2	11	8	21	4	-	44	40
17	-	85	4	3	3	7	-	2	1	1	1	6	1	6	6	3	-	13	41
148	-	534	33	5	16	29	12	6	8	-	1	22	9	47	53	25	-	141	42
74	-	279	13	3	4	11	10	3	8	-	-	15	3	24	25	14	-	82	43
74	-	255	20	2	12	18	2	3	-	-	1	7	6	23	28	11	-	59	44
67	2	246	20	3	6	7	4	5	5	1	-	5	4	30	16	9	-	52	45
9	-	54	5	1	1	4	-	3	-	-	-	2	-	4	4	2	-	16	46
3	-	15	-	-	1	-	1	-	1	-	-	-	1	1	1	-	-	2	47
55	2	177	15	2	4	3	3	2	4	1	-	3	3	25	11	7	-	34	48
24	-	82	9	-	2	6	-	-	1	-	1	-	1	-	6	2	-	33	49
57	1	235	20	4	5	18	1	1	4	2	1	5	-	8	26	9	1	42	50
46	1	174	15	2	3	16	1	1	4	2	-	2	-	5	19	6	1	30	51
11	-	61	5	2	2	2	-	-	-	-	1	3	-	3	7	3	-	12	52
40	-	102	6	1	4	15	1	1	-	2	1	7	6	9	13	4	-	32	53
58	-	175	17	1	7	13	3	3	3	-	1	14	3	9	26	6	-	57	54
43	-	119	10	1	5	9	3	2	1	-	-	8	3	4	16	1	-	38	55
43	-	119	10	1	5	9	3	2	1	-	-	8	3	4	16	1	-	38	56
15	-	56	7	-	2	4	-	1	2	-	1	6	-	5	10	5	-	18	57
8	-	20	6	-	-	1	1	-	1	-	-	-	-	1	2	1	-	5	58
97	-	300	28	1	11	17	8	3	-	3	-	17	11	26	27	5	-	81	59
56	-	152	12	-	6	6	7	1	-	-	-	6	4	14	16	3	-	44	60
41	-	148	16	1	5	11	1	2	-	3	-	11	7	12	11	2	-	37	61
13	1	30	3	-	1	3	1	1	2	-	-	3	1	4	2	2	-	13	62
73	1	197	14	1	10	15	-	3	1	1	-	7	7	23	16	6	-	52	63
41	-	97	5	-	3	11	-	-	3	1	-	-	1	5	8	8	1	22	64
22	-	61	8	-	5	6	1	-	1	-	-	1	1	7	9	-	-	17	65
37	1	93	6	4	1	8	-	1	-	-	-	2	5	3	17	1	-	15	66
10	-	33	3	-	2	4	-	-	-	-	1	-	1	2	2	3	-	9	67
23	-	64	1	-	2	2	-	1	-	1	-	-	14	8	9	3	-	13	68
79	1	192	26	1	14	18	2	3	1	-	-	3	3	5	23	4	-	39	69
25	-	63	3	-	2	5	-	-	-	-	-	-	-	-	6	-	-	11	70
28	-	78	3	-	3	5	1	-	1	-	-	-	1	1	7	-	-	13	71
54	1	129	23	1	12	13	2	3	1	-	-	3	3	5	17	4	-	28	72
32	-	98	9	-	2	4	-	-	2	-	-	2	4	10	8	5	-	16	73
78	-	293	11	5	12	10	2	2	9	-	-	12	3	22	27	3	-	62	74
61	-	224	6	3	9	9	1	2	5	-	-	8	2	14	14	3	-	50	75
17	-	69	5	2	3	1	1	-	4	-	-	4	1	8	13	2	-	12	76
22	-	51	10	2	5	6	1	-	-	-	-	1	4	4	6	1	-	24	77
108	1	253	17	4	17	19	1	1	6	-	1	5	-	11	27	7	-	66	78
74	1	181	13	4	13	12	-	-	4	-	-	3	-	7	23	3	-	52	79
34	-	72	4	-	4	7	1	1	2	-	1	2	-	4	4	4	-	14	80
33	-	72	4	3	4	9	-	1	1	-	-	3	2	2	5	4	-	17	81
28	1	58	5	-	13	16	2	1	3	-	-	4	1	5	14	2	-	32	82
29	-	81	8	1	2	3	-	1	1	1	-	5	1	8	4	-	-	32	83
78	1	216	19	2	10	15	5	5	5	2	1	7	8	9	20	4	-	71	84
30	-	98	10	2	5	5	5	2	4	1	-	5	2	-	12	3	-	34	85
13	1	37	3	-	2	1	-	1	1	-	-	-	4	1	1	-	-	7	86
35	-	81	6	-	3	9	-	2	-	1	1	4	2	8	7	1	-	30	87

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	WISCONSIN—Continued																
1	Marathon	735	10	1	-	1	-	1	-	-	-	-	104	5	1	402	390
2	Wausau	358	3	1	-	1	-	-	-	-	-	-	51	1	1	212	204
3	Balance of county	377	7	-	-	-	-	1	-	-	-	-	53	4	-	190	186
4	Marinette	384	3	2	-	-	-	-	-	1	-	1	51	8	1	224	218
5	Marinette	182	-	1	-	-	-	-	-	1	-	1	23	4	-	107	103
6	Balance of county	202	3	1	-	-	-	-	-	-	-	-	28	4	1	117	115
7	Marquette	111	-	1	-	-	-	-	-	1	-	1	19	2	-	54	51
8	Milwaukee	8,352	143	37	-	-	-	1	5	11	1	22	1,527	144	10	4,713	4,618
9	Milwaukee	6,483	114	29	-	-	-	1	4	5	1	16	1,190	122	8	3,682	3,607
10	Wauwatosa	369	7	3	-	-	-	-	-	1	-	2	61	2	-	215	211
11	West Allis	368	3	1	-	-	-	-	-	-	-	-	80	5	-	174	171
12	Cudahy	108	1	-	-	-	-	-	-	-	-	1	20	3	-	59	57
13	Shorewood	148	-	-	-	-	-	-	-	-	-	-	23	3	-	95	95
14	South Milwaukee	115	4	1	-	-	-	-	-	1	-	1	20	2	-	85	84
15	Whitefish Bay	90	-	-	-	-	-	-	-	1	-	-	22	1	1	54	52
16	Balance of county	671	14	3	-	-	-	-	1	3	-	2	111	6	1	369	361
17	Monroe	319	2	2	-	-	-	1	-	-	-	-	32	5	2	197	190
18	Oconto	288	5	1	-	1	-	-	-	-	-	1	36	8	-	173	168
19	Oneida	201	1	1	-	-	-	-	-	-	1	-	27	8	-	107	104
20	Outagamie	671	8	-	-	-	-	-	1	2	-	4	105	13	-	373	361
21	Appleton	299	3	-	-	-	-	-	-	2	-	-	42	8	-	174	167
22	Balance of county	372	5	-	-	-	-	-	1	-	-	4	63	5	-	199	194
23	Ozaukee	241	2	1	-	-	-	-	-	-	1	1	42	2	1	134	126
24	Pepin	67	-	1	-	-	-	-	-	-	-	-	9	2	-	43	43
25	Pierce	239	-	-	-	-	-	-	-	-	-	-	32	6	-	149	147
26	Polk	249	2	-	-	-	-	-	-	1	-	-	35	9	-	143	134
27	Portage	325	5	-	-	-	-	1	-	-	-	-	50	8	1	171	167
28	Stevens Point	133	1	-	-	-	-	-	-	-	-	-	20	3	-	77	74
29	Balance of county	192	4	-	-	-	-	1	-	-	-	-	30	5	1	94	93
30	Price	200	-	-	-	-	-	-	-	-	-	-	26	4	-	111	107
31	Racine	1,034	14	6	-	-	-	-	1	5	-	3	173	23	1	572	557
32	Racine	708	10	5	-	-	-	-	-	-	-	2	124	20	1	387	376
33	Balance of county	326	4	1	-	-	-	-	1	5	-	1	49	3	-	185	181
34	Richland	211	-	-	-	-	-	-	-	-	-	-	26	3	-	126	124
35	Rock	914	5	1	-	-	-	2	1	5	-	1	148	13	1	503	494
36	Beloit	285	1	-	-	-	-	-	-	1	-	1	45	8	-	167	161
37	Janesville	268	1	-	-	-	-	-	1	2	-	-	45	1	-	145	141
38	Balance of county	361	3	1	-	-	-	2	-	2	-	-	58	4	1	195	192
39	Rusk	176	3	2	-	-	-	1	-	-	-	1	25	8	-	97	94
40	St. Croix	274	2	-	-	-	-	-	-	-	-	-	34	5	-	150	145
41	Sauk	360	1	-	-	-	-	-	-	-	-	3	57	6	-	217	207
42	Sawyer	144	5	-	1	-	-	1	-	-	1	-	14	2	1	74	73
43	Shawano	380	2	1	-	-	-	-	-	-	-	2	56	2	-	212	205
44	Sheboygan	779	5	1	-	-	-	-	-	1	-	3	132	12	-	437	428
45	Sheboygan	415	2	1	-	-	-	-	-	1	-	2	70	9	-	228	222
46	Balance of county	364	3	-	-	-	-	-	-	-	-	1	62	3	-	209	206
47	Taylor	144	2	-	-	-	-	-	-	-	-	1	25	3	1	65	64
48	Trempealeau	259	-	-	-	-	-	-	-	1	-	-	35	3	-	133	125
49	Vernon	286	2	1	-	-	-	-	-	1	-	3	34	5	-	171	166
50	Vilas	99	2	1	-	-	-	-	-	-	-	-	12	6	-	47	45
51	Walworth	504	1	2	-	-	-	-	-	-	-	-	106	13	-	288	279
52	Washburn	124	2	-	-	-	-	-	-	-	-	-	19	1	-	82	78
53	Washington	308	4	-	-	-	-	-	-	-	-	1	40	10	-	173	170
54	Waukesha	773	7	-	-	-	-	-	1	-	1	3	104	16	-	454	449
55	Waukesha	222	1	-	-	-	-	-	-	-	-	2	38	1	-	133	133
56	Balance of county	551	6	-	-	-	-	-	1	-	1	1	66	15	-	321	316
57	Waupaca	395	3	-	-	-	-	-	-	-	-	-	53	9	-	237	232
58	Waushara	177	-	-	-	-	-	-	-	-	-	-	23	-	-	122	120
59	Winnebago	929	5	4	-	-	-	-	3	2	-	4	152	25	3	505	493
60	Oshkosh	494	3	2	-	-	-	-	-	-	-	1	88	11	2	281	274
61	Menasha	99	-	1	-	-	-	-	-	2	-	-	15	4	-	47	44
62	Neenah	146	1	1	-	-	-	-	3	-	-	-	26	5	-	73	73
63	Balance of county	190	1	-	-	-	-	-	-	-	-	3	23	5	1	104	102
64	Wood	414	4	1	-	-	-	1	-	1	-	-	60	10	-	225	225
65	Marshfield	118	1	1	-	-	-	-	-	-	-	-	21	4	-	65	64
66	Wisconsin Rapids	113	1	-	-	-	-	-	-	-	-	-	15	1	-	54	53
67	Balance of county	183	2	-	-	-	-	1	-	1	-	-	24	5	-	106	106
68	WYOMING	2,336	18	11	-	-	1	-	1	7	1	8	291	33	3	1,038	1,006
69	Albany	141	-	-	-	-	-	-	-	-	-	-	25	1	-	58	55
70	Laramie	111	-	-	-	-	-	-	-	-	-	-	19	1	-	45	43
71	Balance of county	30	-	-	-	-	-	-	-	-	-	-	6	-	-	13	12
72	Big Horn	121	1	-	-	-	-	-	-	-	-	-	7	-	-	62	62
73	Campbell	55	-	-	-	-	-	-	-	-	-	-	9	-	1	25	25
74	Carbon	145	1	3	-	-	-	-	-	-	-	1	7	4	-	69	66
75	Converse	72	-	1	-	-	-	-	-	-	-	-	9	1	1	34	33
76	Crook	42	-	-	-	-	-	-	-	-	-	1	2	2	-	22	22
77	Fremont	172	5	1	-	-	-	-	-	1	-	1	15	2	-	73	69
78	Goshen	107	1	-	-	-	-	-	-	1	-	-	12	2	-	50	48
79	Hot Springs	63	-	-	-	-	-	-	-	-	-	-	11	-	-	32	32
80	Johnson	46	-	-	-	-	-	-	-	-	-	1	10	1	-	20	20
81	Laramie	326	4	1	-	-	-	-	1	1	-	-	41	7	-	144	141
82	Cheyenne	289	4	1	-	-	-	-	1	-	-	-	32	7	-	125	122
83	Balance of county	57	-	-	-	-	-	-	-	1	-	-	9	-	-	19	19
84	Lincoln	68	-	-	-	-	-	-	-	-	-	-	10	2	-	31	31

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
98	-	259	29	4	12	21	6	2	5	-	-	12	12	22	24	12	1	93	1
48	-	157	16	3	8	5	1	-	5	-	-	4	2	8	8	5	-	50	2
50	-	122	13	1	4	16	5	2	-	-	-	8	10	14	16	7	1	43	3
34	-	170	13	1	6	11	-	1	1	3	-	3	1	8	18	2	-	45	4
17	-	79	7	-	4	4	-	1	-	-	-	1	1	3	8	1	-	26	5
17	-	91	6	1	2	7	-	-	1	3	-	2	-	5	10	1	-	19	6
5	-	38	7	1	3	8	-	-	-	-	-	-	1	2	8	4	-	10	7
826	13	3,503	219	57	95	182	57	19	86	7	5	135	18	146	224	99	14	776	8
648	12	2,748	155	44	75	107	47	13	72	5	3	101	14	103	170	74	13	589	9
41	-	147	20	3	4	8	-	-	1	1	1	9	1	9	7	1	-	40	10
26	-	134	10	1	3	6	4	1	5	-	-	8	1	9	18	5	1	46	11
7	-	48	2	-	2	4	-	-	-	-	-	2	-	2	3	2	-	11	12
25	-	61	7	2	-	7	-	-	2	-	-	1	1	3	4	2	-	7	13
12	-	47	5	-	1	2	2	-	1	-	-	-	-	3	4	-	-	9	14
5	-	38	6	3	2	-	-	-	1	-	-	1	-	2	1	1	-	5	15
62	1	280	14	4	8	18	4	5	4	1	1	12	1	15	17	14	-	89	16
38	2	139	9	2	7	6	-	1	2	-	1	4	3	4	12	2	1	42	17
34	1	127	5	1	5	4	1	1	4	1	-	5	4	9	12	1	-	21	18
20	-	76	8	-	3	6	-	-	3	1	-	1	2	4	10	3	-	26	19
93	-	244	24	-	12	21	1	5	4	-	-	12	8	14	25	3	-	72	20
43	-	111	13	-	7	5	1	1	2	-	-	5	2	8	10	-	-	36	21
50	-	133	11	-	5	16	-	4	2	-	-	7	6	6	15	3	-	36	22
28	-	89	6	3	8	5	-	3	-	-	1	3	1	5	7	6	-	26	23
14	-	26	3	-	-	2	-	-	-	-	1	1	1	2	1	1	-	3	24
42	-	88	16	1	2	4	1	1	1	2	-	2	7	2	8	2	1	21	25
35	-	87	8	4	9	7	-	1	1	-	-	6	1	9	6	2	-	26	26
37	-	118	12	-	4	14	-	3	2	-	-	2	-	8	17	5	-	38	27
17	-	51	6	-	3	6	-	-	1	-	-	1	-	3	4	2	-	15	28
20	-	67	6	-	1	8	-	3	1	-	-	1	-	5	13	3	-	23	29
29	-	68	8	2	4	6	1	1	8	1	-	3	4	3	7	5	-	20	30
121	1	389	39	7	15	22	4	4	9	1	1	11	8	23	27	17	3	105	31
78	-	261	34	3	11	16	4	3	8	1	-	8	3	13	15	12	2	74	32
43	1	128	5	4	4	6	-	1	1	-	1	3	5	10	12	5	1	32	33
39	-	76	9	-	2	9	1	-	-	-	1	2	1	4	7	2	1	28	34
92	2	359	37	4	9	27	7	5	4	-	-	8	3	18	37	17	5	103	35
30	1	121	8	1	6	7	2	2	1	-	-	3	-	5	10	3	1	28	36
27	1	101	9	3	2	10	3	2	2	-	-	-	2	3	10	4	1	38	37
35	-	137	20	-	1	10	2	1	1	-	-	5	1	10	17	10	3	37	38
22	-	66	4	2	3	6	1	-	1	-	-	2	1	4	7	3	-	14	39
38	-	97	10	-	5	11	-	1	-	-	-	4	4	12	18	2	1	30	40
48	-	144	14	1	10	13	1	2	-	1	-	2	5	8	12	3	1	28	41
13	-	52	8	-	1	7	1	-	2	2	-	2	3	4	7	4	2	11	42
62	-	126	12	5	7	17	-	3	3	-	-	4	1	18	16	5	2	36	43
97	-	306	25	-	9	15	2	5	5	3	3	8	4	13	41	10	-	79	44
45	-	166	11	-	6	6	1	5	5	1	2	4	2	7	18	7	-	44	45
52	-	140	14	-	3	9	1	-	-	2	1	4	2	6	23	3	-	35	46
11	-	50	2	1	1	8	1	-	4	-	1	1	1	7	7	3	-	14	47
32	-	79	14	-	8	8	2	1	2	-	-	4	2	10	12	5	-	41	48
26	-	125	11	4	5	6	1	1	2	-	-	4	4	4	11	4	-	32	49
10	2	29	3	1	2	5	-	-	-	-	-	4	1	3	6	1	-	11	50
59	-	194	25	1	9	9	2	1	3	-	-	9	1	14	12	7	-	36	51
28	-	46	4	-	4	-	1	-	-	-	-	1	1	2	6	1	-	8	52
48	-	115	5	2	3	6	1	-	3	1	-	3	2	8	19	4	-	33	53
109	1	302	32	5	5	18	3	1	5	-	-	15	9	30	28	12	-	66	54
35	-	89	8	1	-	4	1	-	2	-	-	5	1	4	9	2	-	19	55
74	1	213	24	4	5	14	2	1	3	-	-	10	8	26	19	10	-	47	56
65	3	146	17	1	5	6	2	2	1	-	1	3	18	5	12	7	1	37	57
22	-	92	6	-	2	5	-	-	1	1	-	1	-	3	10	1	-	10	58
91	-	375	26	1	12	19	6	6	9	1	3	13	11	18	37	6	-	87	59
42	-	211	21	-	7	8	4	2	4	-	1	4	7	3	23	2	-	48	60
11	-	31	2	-	3	1	-	-	1	-	1	3	2	7	2	-	-	13	61
17	-	55	1	-	-	4	2	1	3	-	-	3	-	1	3	-	-	20	62
21	-	78	2	1	2	6	-	3	1	1	1	3	2	7	9	4	-	16	63
51	-	147	20	5	2	17	-	2	2	-	1	6	1	8	11	5	-	59	64
20	-	36	6	2	1	4	-	1	-	-	1	2	-	2	-	1	-	15	65
6	-	42	5	-	1	6	-	1	1	-	-	-	1	1	4	2	-	26	66
25	-	69	9	3	-	7	-	-	1	-	-	4	-	5	7	2	-	18	67
206	7	736	50	7	32	96	21	18	21	4	9	34	28	117	172	50	4	350	68
9	1	42	3	-	3	9	1	1	2	-	1	-	3	8	7	5	-	20	69
7	-	34	2	-	2	6	1	1	2	-	1	-	2	7	4	3	-	19	70
2	1	8	1	-	1	3	-	-	-	-	-	-	1	1	3	2	-	1	71
16	-	45	3	-	-	4	1	2	-	-	-	-	3	10	7	1	-	23	72
7	-	13	5	-	-	1	-	-	-	-	-	2	1	5	3	-	-	8	73
10	-	55	1	-	3	6	1	1	1	1	-	2	1	4	15	3	1	24	74
6	-	25	2	-	1	2	-	-	2	-	-	2	-	3	4	3	1	9	75
6	-	16	-	-	-	-	-	1	-	-	-	1	-	4	3	1	-	5	76
10	-	57	2	-	4	11	1	1	1	-	-	2	5	9	17	1	-	28	77
13	1	29	4	1	2	3	2	-	-	-	1	2	-	9	6	3	-	15	78
6	-	25	1	-	-	1	2	1	1	-	-	-	1	3	2	2	-	7	79
7	2	11	-	-	-	3	-	1	1	-	-	1	-	2	2	-	-	4	80
34	-	94	10	3	3	12	3	6	5	-	2	6	1	15	19	6	1	51	81
32	-	78	10	2	3	8	3	5	5	-	2	5	1	11	13	5	1	40	82
2	-	16	-	1	-	4	-	1	-	-	-	1	-	4	6	1	-	11	83
7	-	22	2	-	-	4	-	1	1	-	-	-	3	-	6	1	-	9	84

Table 60. Deaths From 32 Selected Causes: United States, Each

(By place of residence Includes data for all urban places with populations of 10,000 or more in 1950. Exclusive of fetal deaths and of deaths

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-139	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	WYOMING—Continued																
1	Natrona	240	1	2	-	-	-	-	-	-	-	-	36	5	-	99	90
2	Casper	202	1	2	-	-	-	-	-	-	-	-	32	5	-	87	78
3	Balance of county	38	-	-	-	-	-	-	-	-	-	-	4	-	-	12	12
4	Niobrara	36	-	-	-	-	-	-	-	1	-	-	2	1	-	16	15
5	Park	83	-	-	-	-	-	-	-	1	-	1	11	1	1	36	35
6	Platte	66	-	1	-	-	-	-	-	-	-	-	6	-	-	37	37
7	Sheridan	180	2	-	-	-	-	-	-	1	-	1	27	1	-	97	95
8	Sheridan	125	-	-	-	-	-	-	-	1	-	1	16	1	-	70	69
9	Balance of county	55	2	-	-	-	-	-	-	-	-	-	11	-	-	27	26
10	Sublette	19	-	-	-	-	-	-	-	-	-	-	2	1	-	3	3
11	Sweetwater	176	2	-	-	-	1	-	-	1	1	2	28	1	-	58	56
12	Rock Springs	105	1	-	-	-	-	-	-	1	-	2	17	1	-	38	38
13	Balance of county	71	1	-	-	-	1	-	-	-	1	-	11	-	-	20	18
14	Teton	21	-	-	-	-	-	-	-	-	-	-	4	-	-	8	8
15	Uinta	55	-	-	-	-	-	-	-	-	-	-	4	1	-	24	24
16	Washakie	55	-	2	-	-	-	-	-	-	-	-	8	-	-	18	17
17	Weston	46	1	-	-	-	-	-	-	-	-	-	4	-	-	22	22
18	Yellowstone National Park (part)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
19	Yellowstone National Park (total)	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1

NOTES:

Urban places of 10,000 or more listed in this table include all incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

Certain cities are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County;

State and County, and Specified Urban Places, 1950—Continued

among armed forces overseas. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
12	1	72	4	1	9	8	1	-	2	2	1	5	-	12	19	6	1	40	1
9	1	64	3	1	9	4	1	-	2	2	1	4	-	8	16	3	1	33	2
3	-	8	1	-	-	4	-	-	-	-	-	1	-	4	3	3	-	7	3
3	-	11	1	-	1	1	1	-	-	-	2	-	-	1	5	-	-	6	4
7	-	24	4	-	1	2	1	-	1	-	-	3	2	4	5	3	-	11	5
2	-	33	2	-	-	1	1	-	-	-	-	2	-	5	5	-	-	8	6
20	1	71	3	-	2	8	3	-	-	-	-	2	-	4	8	6	-	20	7
16	1	50	2	-	1	7	3	-	-	-	-	1	-	3	4	6	-	12	8
4	-	21	1	-	1	1	-	-	-	-	-	1	-	1	4	-	-	8	9
1	-	2	-	-	-	3	2	-	1	-	1	-	1	2	1	-	-	2	10
11	1	42	1	1	2	6	-	3	1	1	-	2	3	7	22	6	-	31	11
4	1	33	-	-	-	4	-	-	-	-	-	-	2	5	9	3	-	22	12
7	-	9	1	1	2	2	-	3	1	1	-	2	1	2	13	3	-	9	13
1	-	7	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	5	14
6	-	17	-	1	-	6	1	-	-	-	-	2	2	1	4	-	-	10	15
5	-	11	1	-	1	2	-	-	2	-	1	-	-	7	3	2	-	10	16
7	-	14	1	-	-	2	-	-	-	-	-	-	1	2	7	1	-	6	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19

Atlanta, Ga., under Fulton County; Aurora, Colo., under Adams County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; College Park, Ga., under Fulton County; Collinsville, Ill., under Madison County; Eau Claire, Wis., under Eau Claire County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Hannibal, Mo., under Marion County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Kansas City, Mo., under Jackson County; Pocatello, Idaho, under Bannock County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Salem, Oreg., under Marion County; Sikeston, Mo., under Scott County; Streator, Ill., under La Salle County; Takoma Park, Md., under Montgomery County; Watertown, Wis., under Jefferson County; Weirton, W. Va., under Hancock County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

☆ U. S. GOVERNMENT PRINTING OFFICE : 0—1953